

## table of contents

### GENERAL INFORMATION

TERMS AND CONDITIONS
COM/COL
FABRIC UPGRADES
SURFACE MATERIALS
SURFACE MATERIAL UPGRADES6
EKD TEXTILE PROGRAM
ARC COM
ARCHITEX
CF STINSON
DESIGN TEX
KNOLL
MAHARAM
MOMENTUM
ULTRAFABRICS
HELVETIA LEATHER
SPINNEYBECK LEATHER
+EKOCARE FEATURE DEFINITIONS8

#### HEALTHCARE SEATING

HYPATE
HYPATE BARIATRIC
KARDIA PUBLIC
KARDIA MULTIPLE
KARDIA LOUNGE
KARDIA PATIENT
KARDIA GLIDERS
KARDIA TRANSPORT
KARDIA RECLINERS62
KARDIA SLEEPERS
MACHI
MACHI 2
MOD
NV SIMPLEX
NV
REED
STRATOS
SUTTON

### HEALTHCARE LOUNGE TABLES

FUSE														.116
KLASS	i								-		-			.119
META								-					-	120

#### FORMS

COM FORM	 	 -			121
CUSTOM FINISH FORM					.122

#### LIFETIME WARRANTY

+EKOCARE warrants products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by EKO. These are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by EKO will be made, at our option and method, at no charge to the original purchaser. EKO's judgment is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner or repair or replacement. This warranty does not apply to defects or damage resulting from:

- 1.) Normal wear and tear occurring with the use of the product.
- 2.) Negligence, misuse, excessive use, alteration, improper cleaning or repair.
- 3.) Substitution or use of incorrect or unauthorized components or material.
- 4.) Handling or installation that is incorrect, or that causes damage or defect.
- 5.) Damage incurred by a freight carrier other than EKO.
- 6.) Wearing of finishes and fabrics, and normal variations in materials (including dye lot variations).
- 7.) Properties of natural materials, including wood and leather.
- Exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climate controlled conditions).

#### CUSTOMER SATISFACTION

It is the primary goal of EKO and our team to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with an EKO product after the expiration of the limited warranty period, EKO will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

#### TERMS AND CONDITIONS

Net 30 days. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized EKO dealers. Acceptance of any order and terms of sale may be established at the discretion of EKO. Deposits are required from new accounts as well as on large or special orders. EKO reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

#### ORDERING AND ORDER ACKNOWLEDGEMENTS

Please email all orders to **sales@ekocontract.com**. You will receive an order acknowledgement, with ship date or terms of purchase, within 24 hours of order notification. This email is for incoming orders only.

To make your purchase experience with EKO the best possible, make sure your purchase order is complete. Many times our products are not ordered complete. Orders with missing finish colors, laminate colors, incorrect pricing, and options not matching descriptions will be returned to clients and must be revised with corrections and resent to EKO before an order is placed. See product price list for ordering instructions and please double check your order prior to sending. Each order will be acknowledged via email or fax. This acknowledgement is the final agreement between EKO and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between the product code and a description, EKO will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise EKO of any discrepancies with a purchase order.

# If you have not received an order acknowledgement after 24 hours, please contact brandi@ekocontract.com for further assistance.

#### ADVANCE SHIP NOTICE

After shipment is made, each order will receive an Advance Ship Notice (ASN) via email or fax. You will receive a PDF of the signed bill of lading containing ship date, pro number, and carrier. Invoices are also sent along with the ASN. Hard copy invoices can be mailed upon request.

#### IN-GRADED FABRIC PROGRAM

EKO in conjunction with ArcCom, Architex, CF Stinson, DesignTex, Helvetia, Knoll, Maharam, Mayer, Momentum, Spinneybeck, and UltraFabrics offers their textiles in our online database for accurate in-graded pricing. To see textiles, refer to the supplier's website or binder. Lead-time for chairs upholstered with in-graded fabrics are subject to availability of the actual fabric selected. While these suppliers generally have a consistent record of filling orders promptly, there may be temporary conditions affecting availability. Furthermore, patterns from this group may be discontinued at any time. Fabric will be orientated on the product according to our best judgment, unless we are given specific instructions on the direction of the textile.

#### EKO CUSTOMER CARE HOURS

Please note customer care hours are: 8:30 AM to 5:00 PM EST Monday-Thursday 8:30 AM to 2:00 PM EST Friday 1.866.814.8EKO phone 1.615.676.4861 fax brandi@ekocontract.com

#### CANCELLATION

A cancellation can be made only by expressed agreement with EKO. A cancellation fee will be incurred on all orders not cancelled within 48 hours after receipt. Fees are based on percentage of order completed, i.e. fabric ordered, shipping charges, etc.

#### DIMENSIONS

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

#### BLANKET WRAPPING

EKO will blanket wrap seating orders at a customer's request. Please indicate on your purchase order and contact Customer Service. This option is available to onsite deliveries in full truckloads only and is an extra charge. Please contact customer service for quote.

#### STORAGE POLICY

We will store product at our warehouse for up to 3 days at no charge. Any order requiring storage beyond 3 days may be subject to a storage fee of 1% of the total net order. Order postponements must be received in writing at least 2 weeks prior to shipment.

#### STORAGE CHARGES

EKO reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

#### CUSTOM CAPABILITIES

A portion of our business involve some type of custom work, and we invite our customers to make use of our capabilities. These include:

1) Customization of standard size products

2) Custom finishes

Custom orders require additional production lead times. Contact Customer Service for more information.

#### DAMAGED SHIPMENTS

All EKO product is carefully inspected, protected with wellengineered packaging. All shipments leave the factory in good condition. Do not refuse merchandise damaged in transit, as EKO is not responsible for damage to goods which occur in transit or storage. It is the purchaser's responsibility to examine the goods upon receipt and to file any claims with the carrier. Any damage or shortage should be noted on the bill of lading. The delivering carrier may not accept responsibility for shortages or damages if signed for "clear". Notification of concealed damage claims must be made to the delivering carrier within 5 days after delivery. All cartons must be available for inspection. Carrier liability ceases after 5 days and neither EKO, nor the carrier, will be responsible for concealed damages if shipments are left unopened.

#### RETURNS

No merchandise may be returned without EKO's prior written consent. In the event of an authorized return, a Return Merchandise Authorization (RMA) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted.

#### RETURN MERCHANDISE AUTHORIZATION

EKO's written authorization, in the form of a RMA number, must be obtained prior to incurring charges of any kind if EKO is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. EKO reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to EKO, without prior written authorization in the form of an RMA, will not be accepted. Digital photography may be required to complete the RMA process.

#### CARE AND MAINTENANCE

#### Wood Finishes

There are several steps that can be taken to protect and prolong the life and beauty of the finish. Dust only with a clean, dry cloth, going with the grain. Clean any marks with a damp cloth, using a small quantity of mild soap or detergent. Do not use any wax-based polish, spray or silicone. Eventually, a film will build up and discolor the top. Do not place your furniture in a position of permanent exposure to direct sunlight.

#### Fabric Upholstery

Professional upholstery cleaning is recommended.

#### FREIGHT PROGRAM

All shipments are F.O.B. factory and freight prepaid to one continental United States destination (excluding fuel surcharges.) EKO reserves the right to select the most appropriate F.O.B. point carrier, and routings on all shipments. Normal deliveries are "dock to dock" basis. No customer pick ups allowed without written authorization. All pricing shown includes freight prepaid for orders over \$8,000 list. You must add a \$225 net freight charge per order if list price is less than \$8,000.

The following states include freight prepaid for orders over \$12,000 list and a \$350 net charge for all orders below \$12,000 list: WA, OR, CA, NV, AZ, NM, CO, UT, ID, MT, WY, ME, VT, NH.



Note: If purchasing from any state located in the light area and shipping to any state located in the dark area, you must use the freight policy defined for the dark area described above. Example: Orders purchased in North Carolina and shipping to Nevada that are over \$12,000 list price qualify for free freight. Orders below the \$12,000 threshold must add a net freight charge of \$350 per order.

Additional charges: Residential delivery charge, inside delivery and installation services are not included in the pricing shown. These charges will be prepaid and added to the net invoice. *EKO reserves the right to apply freight surcharges at any time due to market conditions or other factors beyond EKO's control.* 

### com/col

#### COM MATERIAL

(See back section of price list for Required COM Form)

All upholstered items may be ordered using customer's own fabric or vinyl materials (COM). Prices listed under COL refer to customer's own leather.

Yardage requirements shown in the price list are based on non-directional 54" material. Please note, 54" wide rolls need to be 54" of usable material. The following conversion chart should be used to determine requirements when COM is 54" wide and has a repeat.

Repeat	Across Roll	Up the Roll	2 Way Repeat
1 - 5"	Add 10%	Add 15%	Add 15%
6 - 9"	Add 15%	Add 20%	Add 25%
10 - 13"	Add 20%	Add 25%	Add 30%
14 - 20"	Add 25%	Add 30%	Add 35%
21 - 27"	Add 30%	Add 35%	Add 40%
28 - 34"	Add 35%	Add 40%	Add 45%

These percentages are for estimating purposes only. Eko will not be held responsible for shortages on COM products. If you would like assistance, please see our website for fabric diagrams and email completed diagrams to Eko Customer Care (brandi@ekocontract.com). Eko will, at no charge, calculate the required yardage for your project and return within 24 hours.

There may be an upcharge above COM price for combination upholstery (two or more COM's) applied to the same chair. Please call factory and attach diagram of how to apply multiple fabrics and welt if applicable.

COM orders cannot be scheduled into production until the fabric has arrived and inspection is complete.

#### Send all COM materials freight paid to:

EKO Attn: COM Department 145 Rymer Road, NE Cleveland, TN 37323

#### To help us expedite your order, please email all COM tracking information to: lori@ekocontract.com

Clearly mark all materials with the following: dealer's name, EKO acknowledgement number, purchase order number, model number and quantity of item to be covered. Failure to provide your customer purchase order number along with COM will cause a delay in processing your order.

In today's market, some fabric's are "reversible", it is extremely important to send us a swatch of COM with the exposed side marked as such. On orders specifying COM/COL, please supply following: application instructions for striped/patterned or reversible fabrics. In the absence of special instruction, EKO reserves the right to use their own judgment and will apply the fabric in what is determined to be the best manner.

We reserve the right to reject any covering that, in our professional opinion, is unsuitable for upholstery purposes. EKO's approval signifies only that the material in question can be applied to the products for which intended. This approval does not constitute any responsibility nor any warranty on the part of EKO as to appearance, behavior or durability of COM. EKO will not be responsible for, how an upholstery material wears in an installation setting. We will not be held responsible for wear, fading, stretching or performance of any covering materials whether supplied by the buyer or by our sources. Vinyl upholstery materials must be the expanded type reinforced with elastic backing. We shall not be held responsible for blemishes or platemarks, or differences in color or tone between covering material supplied and samples from which the choice was made. EKO cannot be held responsible for defects, color inaccuracies, dye lot variations and other such flaws. We inspect fabrics for mill imperfections, some are difficult to recognize.

#### COL LEATHER

Published square footage for COL is based on hides measuring A minimum of 50 to 55 square feet. Half hides are not acceptable. On smaller hides, add 15 percent to the COL requirement. All square footage requirements are based on usable footage. The shape of the hide, excessive holes, cuts or other unusable imperfections may make it necessary for us to request more leather after COL is received. Due to variation in thickness of leather, it is important to send a 4" x 4" swatch for approval. EKO approval signifies only that such leather can be applied to the products intended. Such approval does not constitute any responsibility nor any warranty on the part of EKO as to appearance, behavior or durability of COL.

Note: Excess COM/COL will not be stored or returned unless very clearly indicated on purchase order.

CR Cross the Roll Railroaded UR Up the Roll



#### FIRE RETARDANCY REQUIREMENTS CALIFORNIA TECHNICAL BULLETIN 117 AND CALIFORNIA TECHNICAL BULLETIN 133

All standard upholstered seating and the resilient filling materials used in the manufacturing of all upholstered seating by EKO meet or exceed the flame requirements of State of California, Department of Consumer Affairs, Bureau of Home Furnishings and Thermal Insulation, Technical Bulletin 117 and National Fire Prevention Association Standard Method 261. Compliance with these requirements is indicated by the label attached to the seat bottom.

#### CAL 133 FOAM UPCHARGE

CAL 133 California Technical Bulletin 133 is a flammability test. EKO products, in combination with non-flammable fabrics can be manufactured to meet the requirements for certification to this test. A double upholstery method is used, incorporating a fireretardant barrier that, in combination with fire retardant foam, fire retardants in wood finishes, and fabrics with some natural fiber content, may pass the CAL 133 fire test. An upcharge of \$60 list per yard of upholstery is applicable to incorporate the elements listed above. The application of this upcharge and the materials noted does not certify that the specific configuration of product and upholstery is tested and officially certified. If actual certification is required, a charge of \$500, plus the cost of the product to be tested, is applicable. The testing process requires at least several weeks of additional lead time. EKO assumes no responsibility for composite testing or the certification of specific configurations of product and upholstery to the CAL 133 flammability test. Some specific configurations of product and upholstery have been tested. Please contact Customer Service for more information.

#### MOISTURE BARRIER UPCHARGE

Moisture Barriers that are designed to prevent moisture from penetrating the foam and other filling materials are available on most items at an additional up-charge. Moisture barriers are applied between the upholstery cover and filling materials. The following up-charges apply to each surface on which the protective barrier may be applied.

Seat	\$45.00 List
Back	\$45.00 List
Arms	\$45.00 List (Per Arm)

#### MULTIPLE UPHOLSTERY COVER UPCHARGE

Most items can be manufactured with a combination of covers including: vinyl and fabric, leather and fabric, or contrasting fabrics. Multiple Cover Upholstery option should be clearly indicated on the customer's purchase order. Fabric diagrams are available online at www.ekocontract.com

There is an extra charge for Multiple Upholstery Cover Applications:

#### COM GRADE

Two Covers\$100.00 List Per Line Item\*Three Covers\$125.00 List Per Line Item\*

#### 1-8 GRADES


Use the higher of the 2 grades specified. If textiles are the same grade add the COM Grade upcharges above.

#### \*Per Line Item

When ordering several units that are exactly the same model, color and application, add only \$100 list per line item. Example: 32041/53 2-Tone, Maharam Chime, Momentum Bravo, Diagram Attached – Qty. 6. (There would be a one-time charge of \$100 list for all 6 chairs.)

#### SAMPLE FABRIC DIAGRAM

Fabric diagrams are available online at www.ekocontract.com



Eko will not be held responsible for shortages on COM products. If you would like assistance, please see our website for fabric diagrams and email completed diagrams to Eko Customer Care (brandi@ekocontract.com). Eko will, at no charge, calculate the required yardage for your project and return within 24 hours.

## surface materials

#### WOOD FINISHES

10	NATURAL
11	MONTICELLO
12	HUNTINGTON
13	WILD CHERRY
14	VERSAILLES
16	CAFELLE

#### LAMINATE FINISHES

#### CLASSIC WOOD GRAIN LAMINATES

LW1	FUSION MAPLE
LW2	MONTICELLO MAPLE
LW3	HUNTINGTON MAPLE
LW4	WILD CHERRY
LW5	VERSAILLES ANIGRE
LW6	EMPIRE MAHOGANY
LW7	MONTANA WALNUT
LW7	MONTANA WALNUT
LW8	CAFELLE

#### EVOLVING WOOD GRAIN LAMINATES

LEW1	MILLENNIUM OAK
LEM5	SMOKY BROWN PEAR
LEW3	OILED WALNUT
LEW4	ZEBRANO
LEWS	CHESTNUT WOODLINE
LEW6	DUNEWOOD

#### KO wood nust be CORE SOLID COLOR LAMINATES

LS1 LS2 LS3 LS4 LS5 LS6 LS6	DOVER WHITE PEARL FOLKSTONE PLATINUM EARTH CITADEL GRAPHITE
LS8	BLACK

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from EKO wood finish samples. If a very close match is required, a sample must be provided with the order and an additional charge will apply. Exact color matches are not possible.

#### METAL PAINT COLORS

S ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

כ

00

#### CUSTOM WOOD FINISHES

(See back of price list for Required Custom Wood Finish Form)

Add 6% list to your order for special finishes, minimum charge is \$300 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$300 list will apply, on orders \$5000 list and up add 6% list to order.) No upcharge for special finishes on orders exceeding \$50,000 list. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations ingrain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated. See back of price list for Required Custom Wood Finish Form.

#### OTHER LAMINATE SUPPLIERS

Most laminate suppliers stock a multitude of colors and patterns. The following laminates are acceptable for application on EKO products as they feature a matte finish. There is a 5 table minimum when using non-standard laminates not listed in our price list.

Nevamar: All laminates with "T" in the suffix (i.e., MR2002T) Wilsonart: All laminates with "60" in the suffix (i.e., 4779-60) Arborite: All laminates with "CA" in the suffix (i.e., 1531-CA) Pionite: All laminates with "Suede" in the name (i.e., WW561 Suede)

Formica: All laminates with "58" in the suffix (i.e., 756-58)

Additional laminate codes may be acceptable for use on EKO furniture, however, they may be subject to an additional upcharge or extended lead time due to material complexity. High sheen laminates are not acceptable for application on EKO furniture due to their inherent nature of scratching and marring during the production process. Please contact EKO Customer Service for additional information.

## eko textile collection

#### ONLINE EKO PROGRAM AT WWW.EKOCONTRACT.COM

EKO, in collaboration with our preferred textile suppliers, is proud to present an outstanding palette of colors and textures available for online review.

#### NEW ONLINE GRADE-IN DATABASE AT http://ekocontract.com/surface\_materials\_data.html

In addition, all of our graded partners: ArcCom, Architex, CF Stinson, DesignTex, Helvetia, Knoll, Maharam, Momentum, Spinneybeck, and UltraFabrics are available for search in our grade-in textile database. This database allows easy searching by manufacturer, name, color, category, or grade and provides instant price verification of textiles relative to the price list grade categories within the Eko price list.

#### CUE GRADE

Designer selected complimenting textiles and vinyls in basic color palettes provide a starting point with simple patterns and textures for everyday use. Affordable, durable and in stock, always. View our selection at: ekocontract.com/surfacematerials

#### CULP

For memo samples and availability contact Culp at 336.889.5161 or online at www.culpinc.com

#### CAMIRA

For memo samples and availability contact Camira at 317.484.0305 or online at www.camirafabrics.com/us

#### KNOLL

For memo samples and availability contact Knoll at 877.61.KNOLL or online at www.knolltextiles.com

#### MOMENTUM

For memo samples and availability contact Momentum at 800.366.6839 or online at www.themomgroup.com

#### MAHARAM

For memo samples and availability contact Maharam at 800.645.3943 or online at www.maharam.com

#### ULTRAFABRICS

For memo samples and availability contact UltraFabrics at 877.309.6648 or online at www.ultrafabrics.com

#### HELVETIA LEATHER

For memo samples and availability contact Helvetia at 828.325.0022 or online at www.helvetialeather.com

#### Grade Cl

#### Basic

A top grain, lightly sanded leather highlighted by a pebble grain, Basis is an excellent value-priced leather that performs well in high traffic areas.

#### Grade C2

#### Fundamental

A quality semi-aniline top grain leather with a soft hand and a good drape. Fundamental is aniline dyed and finished with a durable, light finish highlighted with natural looking grain.

#### Grade C3 Hampton

#### Produced using superior European hides, Hampton is a very soft and supple lightly corrected leather with small natural embossed grain. An excellent leather value and preferred choice of upholstery clients and specifiers for applications in the office, hospitality and aircraft industries.

00

### +ekocare feature definitions

#### BELOW IS A LIST OF +EKOCARE PRODUCT FEATURES AND BENEFITS. PLEASE CONSULT INDIVIDUAL PRICE LIST PAGES FOR THE +EKOCARE LIST OF FEATURES THAT ARE AVAILABLE, STANDARD OR OPTIONAL ON EACH PRODUCT LINE. UPCHARGES MAY APPLY FOR THESE FEATURES ON SOME PRODUCT LINES.

#### CLEAN OUT SEAT

+EKOCARE models feature a clean out space at the back of the seat that allows dirt and debris to fall through to the floor for easy cleanup and maintenance.

#### VELCRO DUST COVER

Allows easy access to inner components of seating products. Arms and seats are easily replaced and the dust cover is reusable.

#### URETHANE OR WOOD ARM CAPS

Optional arm caps provide enhanced durability and protection for upholstered arms. Caps are field replaceable if damaged over time by use.

#### EKO GUARD® FINISH DURABILITY

+EKOCARE models come standard with EKO GUARD®, a proprietary anti-microbial catalyzed varnish formulation powered by Agion® technology, that inhibits the growth of mold and mildew. Surfaces coated with this finish will have reduced fungal, spore and bacteria growth.

#### MULTIPLE UPHOLSTERY COVERS

Most items can be manufactured with a combination of covers including: vinyl and fabric, leather and fabric, or contrasting fabrics. Some products feature this at no upcharge. See individual price list product pages for availability and upcharge classification. Upcharge pricing information and directions on this feature are located on page 7.

#### MOISTURE BARRIER

Moisture Barriers are designed to prevent moisture from penetrating the foam and other filling materials are available on most items at an additional up-charge. Moisture barriers are applied between the upholstery cover and filling materials. See individual price list product pages for availability and upcharge classification. Upcharge pricing information and directions on this feature are located on page 7.

#### CAL 133

CAL 133 California Technical Bulletin 133 is a flammability test. EKO products, in combination with non-flammable fabrics can be manufactured to meet the requirements for certification to this test. A double upholstery method is used, incorporating a fire-retardant barrier that, in combination with fire retardant foam, fire retardants in wood finishes, and fabrics with some natural fiber content, may pass the CAL 133 fire test. Upcharge pricing information and directions on this feature are located on page 7.

#### ENVIRONMENTALLY FRIENDLY SOY BASED FOAMS

Many +EKOCARE products use ergonomically designed, soy based, cold molded Bio Foam® or Preserve Foam® in seats and backs to provide long lasting comfort and support.

#### LOAD RATING

Refers to the amount of weight seating products can support. Most +EKOCARE products have a load rating of at least 350 lbs. See individual price list product pages for actual weight rating.

#### ROUNDED ARM DESIGN

+EKOCARE models are designed with rounded arms for safe and easy ingress and egress of seating.

#### CNC CONSTRUCTION

Many +EKOCARE products use CNC cut engineered hardwood plywood in the construction of their products for lasting durability.

#### STEEL SEAT AND BACK FRAME CONSTRUCTION

The structural seat and back frame is made from welded steel with a powder-coated finish that wekk exceeds ANSI/BIFMA standards.

#### MORTISE AND TENON FRAME CONSTRUCTION

Mortise and tenon frame construction provides optimal strength in wood joinery.

#### METAL-TO-METAL CONNECTIONS

Steel seat frames are joined to other components with hardened steel bolts and inserts, ensuring exceptional durability and strength, easy reconfigurability, and on-site replacement of damaged or degraded components.

#### FLEX BACK

An ergonomically designed back with a slight flexing action to enhance the level of long-term sitting comfort and provide greater ease of egress.

#### WALL SAVER LEGS

The angle of the back and rear legs are designed to keep the back away from the wall to prevent wear and damage to both chairs and walls of a facility.

### REMOVABLE COVERS AND REPLACEMENT

Many +EKOCARE products are designed with removable covers and replacement components allowing for on-site replacement of damaged or degraded components and ease of cleaning.

#### MATTRESSES

The patented Cozy Mattress® brings 8.5-inches of pillow-top, bed-quality comfort, while providing unmatched seating comfort. The historical discomfort of the sleeper sofa, due to the physical limitations of the inner cavity, has been overcome by the creation of an ingenious spring system in the Cozy Mattress®. The Z-Spring technology forever removes "bars in the back" and eliminates the need for air mattresses, creating renewed demand for sleeper products.

#### IV POLE / OXYGEN TANK HOLDER

These items are accessories and location must be specified when ordering. Items are either left or right handed, while seated. Oxygen tank holder is for use with a size "D" tank only.

#### LIFETIME WARRANTY

All +EKOCARE products feature a limited lifetime warranty from defects in materials and workmanship for the lifetime of product use.

eko

## hypate lounge



#### PRODUCT SPECIFICATIONS

HYPATE LOUNGE FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS.

HYPATE LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-33041	CLUB CHAIR	1,390	1,545	1,645	1,755	1,870	1,980	2,090	2,200	2,445
EC-33042	LOVESEAT	2,005	2,170	2,395	2,520	2,640	2,780	2,925	3,065	3,350
EC-33043	SOFA	2,475	2,650	2,910	3,070	3,265	3,395	3,560	3,720	4,045



#### METAL PAINT COLORS

STANDARD ALUMINUM S PC1 MILK GLOSS PC2 CHARCOAL GLOSS PC3 OATMEAL GLOSS PC4 SILVER PCS CHROME PC6 RAVEN

#### **+EKOCARE FEATURES**

BARIATRIC MODEL AVAILABLE CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### LEATHER LIST PRICE

ADDITIONAL PRODUCT ORDERING OPTIONS



ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)



ML METAL LEG SOLID MILLED ALUMINUM LEG (ADD \$75 LIST)

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. LEG FINISH
- 3. FABRIC

EXAMPLE

7

АН

32041/53/MAHARAM DART 017 SCRIBE

LEATHER LIST PRICE							DIME	NSIONS	ONS FIGURES				
COL	C1 Basic	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	CS VELLUTO PELLE			ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL EER TO PAGE 3 EXTILES WITH D AN EMAIL TO:			
1,590	2,650	2,840	2,970	QUOTED U	PON REQUE	ST	W D SW SD SH BH АН	35 31 35.5 23 19.25 17.5 17 7	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET				
2,305	3,825	4,110	4,300	QUOTED U	PON REQUE	ST	W D H S D S H B H A H	57 31 35.5 45 19.25 17.5 17 7	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET				
2,875	4,670	5,010	5,240	QUOTED U	PON REQUE	ST	W D H SW SD SH BH	72 31 35.5 68 19.25 17.5 17	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET				

0) Π Ν 00 GJ ()) 0) www.ekoc 3 5 9) Π t.com/ healt **U** 9) Ъ Π

## hypate lounge



#### PRODUCT SPECIFICATIONS

HYPATE LOUNGE FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS.

HYPATE LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	C LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-32041	CLUB CHAIR	1,390	1,545	1,645	1,755	1,870	1,980	2,090	2,200	2,445
	SUPPORTS 350 LBS.									
EC-32042	LOVESEAT	2,005	2,170	2,395	2,520	2,640	2,780	2,925	3,065	3,350
	• SUPPORTS 550 LBS.									
EC-32043	SOFA	2,475	2,650	2,910	3,070	3,235	3,395	3,560	3,720	4,045
	SUPPORTS 750 LBS.									

#### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

#### +EKOCARE FEATURES

BARIATRIC MODEL AVAILABLE CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDD ARM CAPS PC BLACK PDLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)



ML METAL LEG SOLID MILLED ALUMINUM LEG (ADD \$75 LIST)

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

- 2. LEG FINISH
- 3. FABRIC

EXAMPLE

32041/53/MAHARAM DART 017 SCRIBE

TIPS: PLEASE BE AWARE THE INSIDE BACK DETAIL WILL DISTORT PATTERN MATCHED TEXTILES.

	ER LIST						<b>B</b> 1145		FIGURES	
							DIME	NSIONS	YARDAGE REQUIR ARE BASED ON NO	
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	VOLO	ANDES				54" TEXTILES. RE FOR HELP WITH T REPEATS OR SEN	FER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,590	2,650	2,840	2,970	QUOTED I	JPON REQUE	-ST	W	35	COM_HELP@EKOC	ONTRACT.COM
1,550	2,000	2,040	2,370	GOTE			W D H SW SD SH BH AH	35 31 35.5 23 19.25 17.5 17 7	COL (SQ. FT.) WEIGHT (LBS. CUBIC FEET	105
2,305	3,825	4,110	4,300	QUOTED I	JPON REQUE	EST	w	57	COM (YDS.)	7
							D H SO SH BH AH	31 35.5 45 19.25 17.5 17 7	COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
2,875	4,670	5,010	5,240	QUOTED (	JPON REQUE	EST	W	72	COM (YDS.)	9
							D H SW SD SH BH AH	31 35.5 68 19.25 17.5 17 7	COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

0) Π 00 Ν 00 GJ ()) Π www.ekoc 3 5 9) Π t.com/ healt **U** 9) Ъ 

## hypate lounge



#### PRODUCT SPECIFICATIONS

HYPATE LOUNGE FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS.

HYPATE LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

MODEL	DESCRIPTION											
		COM	CUE	2	3	4	5	6	7	8		
EC-32061	CLUB CHAIR	1,430	1,585	1,685	1,795	1,910	2,020	2,130	2,240	2,485		
	• SUPPORTS 350 LBS.											
EC-32062	LOVESEAT	2,085	2,200	2,475	2,600	2,720	2,865	3,005	3,145	3,430		
	• SUPPORTS 550 LBS.											
EC-32063	SOFA	2,515	2,690	2,950	3,110	3,375	3,425	3,600	3,760	4,085		
	• SUPPORTS 750 LBS.											

#### METAL PAINT COLORS

STANDARD ALUMINUM 5 PC1 MILK GLOSS PC2 CHARCOAL GLOSS PC3 OATMEAL GLOSS PC4 SILVER PCS CHROME PC6 RAVEN

#### +EKOCARE FEATURES

BARIATRIC MODEL AVAILABLE CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### ADDITIONAL PRODUCT ORDERING OPTIONS



ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)



ML METAL LEG SOLID MILLED ALUMINUM LEG (ADD \$75 LIST)

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

- 2. LEG FINISH
- 3. FABRIC

EXAMPLE

32041/53/MAHARAM DART 017 SCRIBE

TIPS: PLEASE BE AWARE THE INSIDE BACK DETAIL WILL DISTORT PATTERN MATCHED TEXTILES.

LEATH	ER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1	C2	C3	64	C5	CS			YARDAGE REQUIR ARE BASED ON NO 54'' TEXTILES. REI FOR HELP WITH TI	N-DIRECTIONAL FER TO PAGE 3
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE			RÉPEATS OR SEN COM_HELP@EKOC	D AN EMAIL TO:
1,630	2,690	2,880	3,010	QUOTED U	IPON REQU	EST	₩ □ ₩ \$0 \$1 8 ₩ 8 ₩ АН	35 31 35.5 23 19.25 17.5 17 7	CDM (YDS.) CDL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET	
2,385	3,905	4,190	4,380	QUOTED U	IPON REQU	EST	W D H SD SH BH AH	57 31 35.5 45 19.25 17.5 17 7	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
2,915	4,710	5,090	5,280	QUOTED U	IPON REQU	EST	₩ □ ₩ \$0 \$1 8 8 8 8 8 8	72 31 35.5 68 19.25 17.5 17 7	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

## hypate bariatric



#### PRODUCT SPECIFICATIONS

HYPATE BARIATRIC FLAUNTS GRACEFUL CURVES, REFINED SHAPES, AND FLARED LINES, FROM EVERY ANGLE, IN A COLLECTION THAT SHOWCASES ATTENTION TO DETAILS. BARIATRIC MODELS ACCOMMODATE UP TO 550 POUNDS AND COME STANDARD WITH A DISCREET PASS THRU BETWEEN THE SEAT AND BACK FOR HEALTHCARE ENVIRONMENTS.

HYPATE BARIATRIC'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-32046B	BARIATRIC CHAIR	1,670	1,750	1,800	1,945	2,090	2,235	2,380	2,525	2,815
	SUPPORTS 750 LBS.									
EC-32066B	BARIATRIC CHAIR	1,675	1,775	1,825	1,970	2,115	2,260	2,405	2,550	2,840
	SUPPORTS 750 LBS.									

T.

#### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

#### +EKOCARE FEATURES

BARIATRIC MODEL AVAILABLE CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDD ARM CAPS PC BLACK PDLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)



ML METAL LEG SOLID MILLED ALUMINUM LEG (ADD \$75 LIST)

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

- 2. LEG FINISH
- 3. FABRIC

EXAMPLE

7

АН

32041/53/MAHARAM DART 017 SCRIBE

TIPS: PLEASE BE AWARE THE INSIDE BACK DETAIL WILL DISTORT PATTERN MATCHED TEXTILES.

LEATH	ER LIST	PRICE					DIME	NSIONS	FIGURES	MENTS SHOWN
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	CS VELLUTO PELLE			ARE BASED ON NO 54" TEXTILES. REI FOR HELP WITH TI REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,870	3,100	3,300	3,600	QUOTED L	IPON REQU	EST	V D H SV SD SH BH AH	44 33.25 35.5 32 21.5 17.5 17 7	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
1,875	3,125	3,325	3,625	QUOTED U	IPON REQU	EST	W D H SW SD SH BH	44 33.25 35.5 32 21.5 17.5 17	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

# kardia public



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	C LIST F	PRICE						
		COM	CUE	2	3	4	5	6	7	8
EC-42011	SINGLE SEAT	1,125	1,170	1,220	1,250	1,280	1,310	1,340	1,370	1,430
	SUPPORTS 350 LBS.									

EC-42012	TWO SEAT TANDEM	2,005	2,050	2,100	2,130	2,160	2,190	2,220	2,250	2,310
	<ul> <li>SUPPORTS 350 LBS. PER SEAT</li> <li>ASSEMBLY REQUIRED</li> </ul>									

EC-42013	THREE SEAT TANDEM	2,885	2,930	2,980	3,010	3,040	3,070	3,100	3,130	3,190
	SUPPORTS 350 LBS. PER SEAT     ASSEMBLY REQUIRED									
EC-42014	BARIATRIC	1,335	1,355	1,375	1,425	1,480	1,530	1,585	1,690	1,795
	SUPPORTS 750 LBS.									

### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS REMOVABLE COVERS (STANDARD) FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. DURABLE METAL-TO-METAL CONNECTIONS MORTISE AND TENON WOOD JOINERY MOLDED SOY BASED BIO® FOAM SEMI-FLEX COMFORT BACK DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (STANDARD) MOISTURE BARRIER (STANDARD) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

#### EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	ER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	<b>C1</b> BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	ANDES	CS VELLUTO PELLE			YARDAGE REQUIR ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,225	1,440	1,490	1,520	QUOTED U	IPON REQUE	EST	W D H S D S H B H A H	24 27 33.25 21 20 18.5 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.)	1.5 32
2,105	2,320	2,370	2,400	QUOTED U	PON REQUE	ST	W D SW SD SH BH AH	46.5 27 33.25 21 20 18.5 15.5 7.25	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
2,985	3,200	3,250	3,280	QUOTED U	PON REQUE	:ST	W H SW SD SH BH AH	69 27 33.25 21 20 18.5 15.5 7.25	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET	
1,375	1,930	2,025	2,125	QUOTED U	PON REQUE	ST	W D H SW SD SH BH AH	45 27 33.25 42 20 18.5 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

## kardia public

DESCRIPTION



MODEL

#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

FABRIC LIST PRICE

- 1D NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

		COM	CUE	2	3	4	5	6	7	8
EC-42010-S	SINGLE RIGHT STARTER	1,125	1,170	1,220	1,250	1,280	1,310	1,340	1,370	1,430
	<ul> <li>HOLES IN LEFT SIDE FOR CONNECTING</li> <li>SUPPORTS 350 LBS.</li> </ul>	NG								
EC-42010-C	SINGLE MIDDLE	950	980	1,015	1,045	1,075	1,105	1,135	1,165	1,225
	<ul> <li>HOLES IN LEFT SIDE FOR CONNECTII</li> <li>SUPPORTS 350 LBS.</li> <li>ASSEMBLY REQUIRED</li> </ul>	NG								

EC-42010-E	SINGLE LEFT END	950	980	1,015	1,045	1,075	1,105	1,135	1,165	1,225
	<ul> <li>FINISHED SIDE, NO CONNECTING</li> <li>SUPPORTS 350 LBS.</li> <li>ASSEMBLY REQUIRED</li> </ul>	HOLES								

### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS REMOVABLE COVERS (STANDARD) FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. DURABLE METAL-TO-METAL CONNECTIONS MORTISE AND TENON WOOD JOINERY MOLDED SOY BASED BIO® FOAM SEMI-FLEX COMFORT BACK DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (STANDARD) MOISTURE BARRIER (STANDARD) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

#### EXAMPLE

АН

7.25

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE				DIME	NSIONS	FIGURES			
COL	C1 BASIC	C2 FUNDAMENTAL	<b>C3</b> HAMPTON	VOLO	ANDES	CS VELLUTO PELLE				YARDAGE REQUIRI ARE BASED ON NC 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,225	1,440	1,490	1,520	QUOTED U	PON REQUE	EST		W D H SU SH BH AH	24 27 33.25 21 20 18.5 15.5 7.25	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
1,015	1,385	1,425	1,485	QUOTED U	PON REQUE	ST		W D H S D S H B H A H	22.5 27 33.25 21 20 18.5 15.5 7.25	WEIGHT (LBS.)	
1,015	1,385	1,425	1,485	QUOTED U	PON REQUE	ST		W D H SW SD SH BH	22.5 27 33.25 21 20 18.5 15.5	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

## kardia II public



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC SEATING MODELS FEATURE SOLID HARDWOOD CONSTRUCTION. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 1D NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8		
EC-43011	SINGLE SEAT	795	850	895	925	945	965	995	1,025	1,075		
	<ul> <li>SUPPORTS 350 LBS.</li> <li>ASSEMBLY REQUIRED</li> </ul>											
EC-43012	TWO SEAT TANDEM	1,340	1,410	1,490	1,540	1,595	1,645	1,695	1,750	1,850		
<u>A</u>	SUPPORTS 350 LBS. PER SEAT											
EC-43013	THREE SEAT TANDEM	1,865	1,970	2,095	2,170	2,250	2,325	2,405	2,480	2,640		
	SUPPORTS 350 LBS. PER SEAT     ASSEMBLY REQUIRED											

EC-43014	LOVESEAT	1,450	1,550	1,680	1,760	1,840	1,920	2,000	2,080	2,240	
	SUPPORTS 750 LBS.     ASSEMBLY REQUIRED										

eko

### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. MORTISE AND TENON WOOD JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS OPTIONAL MOISTURE BARRIER (ADD \$45 LIST) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	ER LIST	PRICE		DIME	NSIONS	FIGURES VARDAGE REQUIREMENTS SHOW				
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	ANDES	CS VELLUTO PELLE			YARDAGE REQUIRE ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
850	1,125	1,175	1,225	QUOTED UP	ON REQUE	ST	W D H SW SD SH BH AH	24 27 33.25 21 20 19.75 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
1,416	1,950	2,050	2,150	QUOTED UF	ON REQUE	ST	W D H S U S H B H A H	46.5 27 33.25 21 20 19.75 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	2.75 50 90 26
1,970	2,800	2,960	3,120	QUOTED UF	PON REQUE	ST	W D H SD SH BH AH	69 27 33.25 21 20 19.75 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
1,550	2,400	2,560	2,720	QUOTED UF	PON REQUE	ST	W D H SW SD SH BH	45 27 33.25 42 20 19.75 15.5	WEIGHT (LBS.)	4.5 81 60 16

7.25

АН

## kardia II public



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC SEATING MODELS FEATURE SOLID HARDWOOD CONSTRUCTION. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-43010-S	SINGLE RIGHT STARTER	795	850	895	925	945	965	995	1,025	1,075
	<ul> <li>HOLES IN LEFT SIDE FOR CONNECTIN</li> <li>SUPPORTS 350 LBS.</li> <li>ASSEMBLY REQUIRED</li> </ul>	NG								
EC-43010-C	SINGLE MIDDLE	640	675	715	740	770	795	820	850	900
	<ul> <li>HOLES IN LEFT SIDE FOR CONNECTIN</li> <li>SUPPORTS 350 LBS.</li> <li>ASSEMBLY REQUIRED</li> </ul>	NG								

EC-43010-E	SINGLE LEFT END	640	675	715	740	770	795	820	850	900
	<ul> <li>FINISHED SIDE, NO CONNECTING H</li> <li>SUPPORTS 350 LBS.</li> <li>ASSEMBLY REQUIRED</li> </ul>	OLES								

### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. MORTISE AND TENON WOOD JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS OPTIONAL MOISTURE BARRIER (ADD \$45 LIST) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	C.S.	CS VELLUTO PELLE			YARDAGE REQUIR ARE BASED ON NO 54'' TEXTILES. RE FOR HELP WITH T REPEATS OR SEN COM_HELP@EKOC	DN-DIRECTIONAL FER TO PAGE 3 EXTILES WITH ID AN EMAIL TO:
850	1,125	1,175	1,225	QUOTED U	IPON REQUE	EST	W D H SW SD SH BH AH	24 27 33.25 21 20 19.75 15.5 7.25	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
675	955	1,010	1,065	QUOTED U	IPON REQUE	EST	W D H S D S H B H A H	22.5 27 33.25 21 20 19.75 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
675	955	1,010	1,065	QUOTED U	IPON REQUE	EST	W D SW SD SH BH AH	22.5 27 33.25 21 20 19.75 15.5 7.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

# kardia public



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 1D NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	LIST PRICE
EC-42015-C	INLINE TABLE	450
	MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD L/     SHOWN IN APPLICATION	AMINATE OPTIONS)
EC-42015-ERR	RIGHT END TABLE	700
	MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD L/     SHOWN IN APPLICATION	AMINATE OPTIONS)
EC-42015-ERL	LEFT END TABLE	700
	MAPLE EDGE WITH LAMINATE TOP (SEE SURFACE MATERIALS PAGE FOR STANDARD LA     SHOWN IN APPLICATION	AMINATE OPTIONS)
EC-42018	RECTILINEAR CORNER CONNECTOR TABLE [MAPLE VENEER]	735
	RECTILINEAR CORNER CONNECTOR TABLE (LAMINATE)	595
EC-42019	CURVILINEAR CORNER CONNECTOR TABLE [MAPLE VENEER]	550
	CURVILINEAR CORNER CONNECTOR TABLE [LAMINATE]	435

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS REMOVABLE COVERS (STANDARD) FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. DURABLE METAL-TO-METAL CONNECTIONS MORTISE AND TENON WOOD JOINERY MOLDED SOY BASED BIO® FOAM SEMI-FLEX COMFORT BACK DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (STANDARD) MOISTURE BARRIER (STANDARD) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

#### EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

DIMENSIONS	FIGURES YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES, REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@ENCONTRACT.COM
w 21 □ 21 н 16	WEIGHT (LBS.) 8 CUBIC FEET 2
w 21 □ 21 н 16	weight (LBS.) 12 cubic feet 4
₩ 21 □ 21 H 16	WEIGHT (LBS.) 12 CUBIC FEET 4
w 30 □ 30 н 16	WEIGHT (LBS.) 28 CUBIC FEET 2.1
w 30 ם 30 н 16	WEIGHT (LBS.) 26 CUBIC FEET 2.1

## kardia multiple

THIN ARM MODELS



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-43040	SINGLE CHAIR 20" SEAT WIDTH/THIN ARM	895	950	1,060	1,130	1,200	1,270	1,340	1,410	1,555
	SUPPORTS 350 LBS. NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT" ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.	LV UPH (ADD \$20 LIST		ED VALAN		/ WOOD \ \$40 LIST )	VALANCE			
EC-43140	ADD ON CHAIR 20" SEAT WIDTH/THIN ARM	795	850	940	995	1,050	1,110	1,165	1,220	1,330
	<ul> <li>SUPPORTS 350 LBS. PER SEAT</li> <li>ADD A CHAIR TO LEFT SIDE AS SEATED</li> <li>ASSEMBLY REQUIRED</li> </ul>	LV LPH (ADD \$20 LIST		ED VALAN		<b>WOOD X</b> \$40 LIST )				
EC-43041	SINGLE CHAIR 22" SEAT WIDTH/THIN ARM	915	970	1,080	1,160	1,235	1,310	1,385	1,460	1,615
	SUPPORTS 350 LBS. NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE 'M' AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A 'MULTIPLE STARTER UNIT' ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.	LV LPH (ADD \$20 LIST		ED VALAN		/ WOOD \ \$40 LIST )				
EC-43141	ADD ON CHAIR 22" SEAT WIDTH/THIN ARM	810	865	965	1,025	1,085	1,145	1,205	1,265	1,390
	<ul> <li>SUPPORTS 350 LBS. PER SEAT</li> <li>ADD A CHAIR TO LEFT SIDE AS SEATED</li> <li>ASSEMBLY REQUIRED</li> </ul>	LV LIPH (ADD \$20 LIST		ED VALAN		/ <b>V/OOD /</b> \$40 LIST )	VALANCE			

#### ADDITIONAL PRODUCT ORDERING OPTIONS



PC THIN ARM BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$60 LIST PER SET)

ADDS 1/2 INCH TO ARM HEIGHT (ADD \$120 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS DURABLE METAL-TO-METAL CONNECTIONS PUZZLE FIT FRAME JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 С3 64 C5 C5 BASIC FUNDAMENTAL HAMPTON VOLO ANDES VELLUTO PELLE 1,060 1,695 1,835 1,995 QUOTED UPON REQUEST w 23.5 CDM (YDS.) 3 5 COL (SQ. FT.) 65 26 WEIGHT (LBS.) 60 н 33.5 20 CUBIC FEET 19 sw 18.5 50 SH 19 17 вн АН 6.5 940 1,440 1,550 1,665 QUOTED UPON REQUEST 2 7 5 CDM (YDS.) w 21.75 26 COL (SQ. FT.) 50 WEIGHT (LBS.) 55 33.5 н sw 20 CUBIC FEET 18 18.5 SD SH 19 17 вн 6.5 AH 2,070 QUOTED UPON REQUEST 1,080 1,765 1,915 w 25.5 COM (YDS.) 3.75 26 COL (SQ. FT.) 68 н 33.5 WEIGHT (LBS.) 65 22 CUBIC FEET 20 sw 18 5 SD sн 19 17 вн АН 6.5 1,510 QUOTED UPON REQUEST 965 1,755 1,630 23.75 w COM (YDS.) 3 26 COL (SQ. FT.) 54 33.5 н WEIGHT (LBS.) 60 sw 22 CUBIC FEET 19 18.5 SD SH 19 вн 17

6 5

АН

## kardia multiple

THIN ARM MODELS



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE											
		COM	CUE	2	3	4	5	6	7	8			
EC-43042	SINGLE CHAIR 24" SEAT WIDTH/THIN ARM	920	975	1,105	1,185	1,265	1,350	1,430	1,510	1,670			
	SUPPORTS 500 LBS. NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.	LV LPP (ADD \$20 LIS		ED VALAN			VALANCE						
EC-43142	ADD ON CHAIR 24" SEAT WIDTH/THIN ARM	825	880	985	1,055	1,120	1,185	1,250	1,315	1,445			
	<ul> <li>SUPPORTS 500 LBS. PER SEAT</li> <li>ADD A CHAIR TO LEFT SIDE AS SEATED</li> <li>ASSEMBLY REQUIRED</li> </ul>	LV LPH (ADD \$20 LIST		ED VALAN									

#### ADDITIONAL PRODUCT ORDERING OPTIONS



PC THIN ARM BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$60 LIST PER SET)

WC THIN ARM WOOD ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$120 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS DURABLE METAL-TO-METAL CONNECTIONS PUZZLE FIT FRAME JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE

LEATH	IER LIST	PRICE				DIMENSIONS FIGURES					
COL	<b>BASIC</b>	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	VELLUTO PELLE				ARE BASED ON NO 54" TEXTILES. RE FOR HELP WITH T REPEATS OR SEN COM_HELP@EKOC	DN-DIRECTIONAL FER TO PAGE 3 EXTILES WITH ID AN EMAIL TO:
1,105	1,835	1,995	2,160	QUOTED U	JPON REQU	EST		W H SW SH BH AH	27.5 26 33.5 24 18.5 19 17 6.5	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
985	1,580	1,710	1,845	QUOTED L	JPON REQU	EST		W D H SU SH BH AH	25.75 26 33.5 24 18.5 19 17 6.5	CDM (YDS.) CDL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

## kardia multiple

THICK ARM MODELS



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	CUE	2	3	4	5	6	7	8
EC-44040	SINGLE CHAIR 20" SEAT WIDTH/THICK ARM	920	975	1,100	1,175	1,250	1,325	1,400	1,480	1,630
	SUPPORTS 350 LBS. NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.	LV LPP (ADD \$20 LIS		ED VALAN						
EC-44140	ADD ON CHAIR 20" SEAT WIDTH/THICK ARM	830	885	980	1,040	1,100	1,160	1,225	1,285	1,405
	<ul> <li>SUPPORTS 350 LBS. PER SEAT</li> <li>ADD A CHAIR TO LEFT SIDE AS SEATED</li> <li>ASSEMBLY REQUIRED</li> </ul>	LV LPP (ADD \$20 LIS		ed Valam			VALANCE			
EC-44041	SINGLE CHAIR 22" SEAT WIDTH/THICK ARM	945	1,000	1,125	1,200	1,275	1,350	1,425	1,505	1,655
	SUPPORTS 350 LBS. NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.	LV LPH (ADD \$20 LIS		ED VALAN			VALANCE			
EC-44141	ADD ON CHAIR 22" SEAT WIDTH/THICK ARM	855	910	1,005	1,065	1,125	1,185	1,250	1,310	1,430
	<ul> <li>SUPPORTS 350 LBS. PER SEAT</li> <li>ADD A CHAIR TO LEFT SIDE AS SEATED</li> <li>ASSEMBLY REQUIRED</li> </ul>	LV LPH (ADD \$20 LIS		ED VALAN			VALANCE			

#### ADDITIONAL PRODUCT ORDERING OPTIONS



PC THICK ARM BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$80 LIST PER SET)

WC THICK ARM VVDDD ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$140 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS DURABLE METAL-TO-METAL CONNECTIONS PUZZLE FIT FRAME JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 С3 64 C5 C5 BASIC FUNDAMENTAL HAMPTON VOLO ANDES VELLUTO PELLE 1,100 1,935 2,085 QUOTED UPON REQUEST 1,780 25.5 COM (YDS.) 3.75 w 26 COL (SQ. FT.) 68 н 33.5 WEIGHT (LBS.) 65 20 CUBIC FEET 20 sw SD 18.5 19 SH 17 BН АН 6.5 980 1,525 1.645 1,770 QUOTED UPON REQUEST w 22.75 COM (YDS.) 3 26 COL (SQ. FT.) 54 33 5 н WEIGHT (LBS.) 60 20 CUBIC FEET 19 sw 18.5 SD SH 19 17 вн АН 6.5 1,125 1,805 1,960 2,110 QUOTED UPON REQUEST 27.5 3.75 w COM (YDS.) 26 COL (SQ. FT.) 68 п н 33.5 WEIGHT (LBS.) 70 22 CUBIC FEET 21 SW SD 18.5 19 SH 17 вн 6.5 АН 1,005 QUOTED UPON REQUEST 1,550 1,670 1,795 w 24.75 COM (YDS.) 3 26 COL (SQ. FT.) 54 н 33.5 WEIGHT (LBS.) 65 22 CUBIC FEET 18 sw SD 18.5 SH 19 17 вн

6.5

АН

## kardia multiple

THICK ARM MODELS



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE								
		COM	CUE	2	3	4	5	6	7	8
EC-44042	SINGLE CHAIR 24" SEAT WIDTH/THICK ARM	945	1,000	1,130	1,210	1,290	1,375	1,455	1,535	1,695
	SUPPORTS 500 LBS. NOTE: WHEN ORDERING MULTIPLE SEATING CONFIGURATIONS, PLEASE PLACE "M" AFTER THE MODEL NUMBER WHICH DESIGNATES THIS ITEM AS A "MULTIPLE STARTER UNIT." ALL OTHER CHAIRS WILL CONNECT TO LEFT SIDE AS SEATED.			ED VALAN			VALANCE			
EC-44142	ADD ON CHAIR 24" SEAT WIDTH/THICK ARM	850	905	1,010	1,080	1,145	1,210	1,275	1,340	1,470
	SUPPORTS 500 LBS. PER SEAT     ADD A CHAIR TO LEFT SIDE AS SEATED     ASSEMBLY REQUIRED	LV LPI (ADD \$20 LIS		ED VALAN		40 LIST )	VALANCE			

#### ADDITIONAL PRODUCT ORDERING OPTIONS



PC THICK ARM BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$80 LIST PER SET)

WC THICK ARM WOOD ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$140 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS DURABLE METAL-TO-METAL CONNECTIONS PUZZLE FIT FRAME JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

19

17

6.5

ΞН

вн

АН

EC-42011/53/MAHARAM DART 017 SCRIBE

### LEATHER LIST PRICE

LEATH	IER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1	C2	C3	64	C5	C5			ARE BASED ON NO 54'' TEXTILES. REF FOR HELP WITH TE	N-DIRECTIONAL ER TO PAGE 3
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE			REPEATS OR SENI COM_HELP@EKOC	D AN EMAIL TO:
1,130	1,860	2,020	2,185	QUOTED	UPON REQUE	ST	w	29.5	COM (YDS.)	4
								26	COL (SQ. FT.)	
							н	33.5	WEIGHT (LBS.)	
							SW	24	CUBIC FEET	20
							SD	18.5 19		
							SH BH	19		
							АН	6.5		
1,010	1,605	1,735	1,870	QUOTED	UPON REQUE	ST	W	26.75	COM (YDS.)	3.25
							D	26	COL (SQ. FT.)	60
							н	33.5	WEIGHT (LBS.)	
							SW	24	CUBIC FEET	19
							SD	18.5		

### 00 0) Π 00 \_ Ν 00 G ()) Π www.eko Π ٠ J 7 9) Π đ .com/ healt J Π 9 Ъ Π

# kardia multiple



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. MULTIPLE SEATING MODELS FEATURE PUZZLE FIT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

- 1D NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	LIST PRICE
EC-43018	RECTILINEAR CORNER CONNECTOR TABLE [MAPLE VENEER]	735
	RECTILINEAR CORNER CONNECTOR TABLE [LAMINATE]	595
EC-43019	CURVILINEAR CORNER CONNECTOR TABLE [MAPLE VENEER]	550
	CURVILINEAR CORNER CONNECTOR TABLE [LAMINATE]	435
EC-43016	INLINE CONNECTOR TABLE [MAPLE VENEER]	475
	INLINE CONNECTOR TABLE [LAMINATE]	350
EC-43017R	RIGHT END CONNECTOR TABLE [MAPLE VENEER]	615
	RIGHT END CONNECTOR TABLE [LAMINATE]	475
EC-43017L	LEFT END CONNECTOR TABLE [MAPLE VENEER]	615
	LEFT END CONNECTOR TABLE [LAMINATE]	475

### LAMINATE FINISHES

LW1	FUSION MAPLE
rm5	MONTICELLO MAPLE
LWЗ	HUNTINGTON MAPLE
LW4	WILD CHERRY
LWS	VERSAILLES ANIGRE
LW6	EMPIRE MAHOGANY
LW7	MONTANA WALNUT
LW8	CAFELLE

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS DURABLE METAL-TO-METAL CONNECTIONS PUZZLE FIT FRAME JOINERY SOY BASED BIO® FOAM DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH

EXAMPLE

EC-42011/53

DIM	ENSIONS	FIGURES YARDAGE REQUIF ARE BASED ON N 54" TEXTILES, RE FOR HELP WITH T REPEATS OR SEE COM_HELP@EKOC	FEXTILES WITH
W D H	34.125 34.125 16	WEIGHT (LBS. CUBIC FEET	
W D H	34.125 34.125 16	WEIGHT (LBS, Cubic feet	
W D H	22 25.5 16	WEIGHT (LBS.	
W D H	22 25.5 16	WEIGHT (LBS, CUBIC FEET	
W D H	22 25.5 16	WEIGHT (LBS.) CUBIC FEET	

## kardia lounge



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8		
EC-42041	ARMLESS CLUB	875	940	1,045	1,110	1,175	1,240	1,310	1,375	1,505		
	<ul> <li>SUPPORTS 350 LBS.</li> </ul>											

EC-42042 ARMLESS LOVESEAT	1,550	1,680	1,875	1,995	2,115	2,240	2,365	2,495	2,725
SUPPORTS 550 LBS.									

EC-42043	ARMLESS SOFA	1,910	2,130	2,380	2,535	2,695	2,850	3,005	3,165	3,475	
	<ul> <li>SUPPORTS 750 LBS.</li> </ul>										

00

#### **+EKOCARE FEATURES**

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 CS FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE QUOTED UPON REQUEST 990 1,790 1,935 2,075 w 23.5 CDM (YDS.) 3.5 COL (SQ. FT.) 63 31.5 WEIGHT (LBS.) 50 н 33.5 sw 23.5 CUBIC FEET 24 20 50 SH 18 17 вн 1,750 2,775 2,965 3,225 QUOTED UPON REQUEST 47 CDM (YDS.) 6 w 31.5 COL (SQ. FT.) 108 WEIGHT (LBS.) 85 33.5 н sw 47 CUBIC FEET 41 20 SD SH 18 вн 17 2,210 3,800 4,095 4,275 QUOTED UPON REQUEST 70.5 COM (YDS.) 7.75 w COL (SQ. FT.) 140 31.5 н 33.5 WEIGHT (LBS.) 150 70.5 CUBIC FEET 57 SW SD 20 SH 18 вн 17

## kardia lounge



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8	
EC-42051	CLUB CHAIR (UPHOLSTERED ARM)	1,305	1,405	1,565	1,670	1,770	1,870	1,970	2,070	2,275	
	SUPPORTS 350 LBS.										
EC-42052	LOVESEAT (UPHOLSTERED ARM)	2,105	2,340	2,605	2,770	2,935	3,100	3,270	3,435	3,765	
	SUPPORTS 550 LBS.										
EC-42053	SOFA (UPHOLSTERED ARM)	2,365	2,595	2,925	3,135	3,340	3,550	3,755	3,965	4,375	
	SUPPORTS 750 LBS.										



00 0) Π

### ADDITIONAL PRODUCT ORDERING +EKOCARE FEATURES OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

7.5

АН

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 C5 FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE 1.505 2.525 2.715 2,840 QUOTED UPON REQUEST w 31 COM (YDS.) 5 COL (SQ. FT.) 90 31.5 WEIGHT (LBS.) 65 н 33.5 sw 23.5 CUBIC FEET 24 20 50 SH 18 17 вн АН 7.5 2,405 4,115 4,415 4,615 QUOTED UPON REQUEST COM (YDS.) 7.75 54.5 w 31.5 COL (SQ. FT.) 140 WEIGHT (LBS.) 100 33.5 н sw 47 CUBIC FEET 41 20 SD SH 18 вн 17 7.5 AH 2,765 4,830 5,215 5,470 QUOTED UPON REQUEST COM (YDS.) 10.25 78 w COL (SQ. FT.) 185 31.5 н 33.5 WEIGHT (LBS.) 135 70.5 CUBIC FEET 57 SW 20 SD 18 SH вн 17

## kardia lounge



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	RIPTION FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8		
EC-42054	2-SEAT TANDEM (UPHOLSTERED ARM	)2,105	2,340	2,605	2,770	2,935	3,100	3,370	3,435	3,765		
	SUPPORTS 350 LBS. PER SEAT											
EC-42055	3-SEAT TANDEM (UPHOLSTERED ARM	)2,365	2,595	2,925	3,135	3,340	3,550	3,755	3,965	4,375		
	SUPPORTS 350 LBS. PER SEAT											

### ADDITIONAL PRODUCT ORDERING +EKOCARE FEATURES OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 CS FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE QUOTED UPON REQUEST 2.405 4,115 4,415 4,615 w 54.5 COM (YDS.) 7.75 31.5 COL (SQ. FT.) 140 weight (LBS.) 110н 33.5 sw 23.5 CUBIC FEET 44 20 50 SH 18 17 вн АН 7.5 2,765 4,830 5,215 5,470 QUOTED UPON REQUEST 85.5 COM (YDS.) 11 w 31.5 COL (SQ. FT.) 198 WEIGHT (LBS.) 145 33.5 н sw 23.5 CUBIC FEET 62 20 SD SH 18 вн 17 7.5 AH

## kardia lounge



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8			
EC-42061	CLUB CHAIR (WOOD ARM)	1,540	1,640	1,800	1,900	2,005	2,105	2,205	2,305	2,510			
	SUPPORTS 350 LBS.												
EC-42062	LOVESEAT (WOOD ARM)	2,340	2,575	2,840	3,005	3,170	3,335	3,505	3,670	4,000			
	SUPPORTS 550 LBS.												
EC-42063	SOFA (WOOD ARM)	2,600	2,830	3,160	3,370	3,575	3,785	3,990	4,200	4,610			

SUPPORTS 750 LBS.

00

#### ADDITIONAL PRODUCT ORDERING +EKOCARE FEATURES OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

- 2. FINISH
- 3. FABRIC

EXAMPLE

вн

АН

17

7.5

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 C5 FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE QUOTED UPON REQUEST 1,740 2.760 2.950 3,075 w 31 COM (YDS.) 5 COL (SQ. FT.) 90 31.5 WEIGHT (LBS.) 65 н 33.5 sw 23.5 CUBIC FEET 24 20 50 SH 18 17 вн АН 7.5 2,640 4,350 4,650 4,850 QUOTED UPON REQUEST COM (YDS.) 7.75 54.5 w 31.5 COL (SQ. FT.) 140 WEIGHT (LBS.) 100 33.5 н sw 47 CUBIC FEET 41 20 SD SH 18 вн 17 7.5 AH 3,000 5,065 5,450 5,705 QUOTED UPON REQUEST COM (YDS.) 9.75 78 w COL (SQ. FT.) 176 31.5 н 33.5 WEIGHT (LBS.) 135 CUBIC FEET 57 70.5 SW 20 SD 18 SH

## kardia lounge



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL DESCRIPTION FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8
EC-42064	2-SEAT TANDEM (WOOD ARM)	2,455	2,690	2,955	3,005	3,285	3,450	3,620	3,785	4,115
	SUPPORTS 350 LBS. PER SEAT									
EC-42065	3-SEAT TANDEM (WOOD ARM)	2,870	3,060	3,390	3,600	3,805	4,015	4,220	4,430	4,840
	SUPPORTS 350 LBS. PER SEAT									

#### ADDITIONAL PRODUCT ORDERING +EKOCARE FEATURES OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 750 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

2. FINISH

3. FABRIC

7.5

AH

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 CS FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE QUOTED UPON REQUEST 2.755 4.465 4,765 4,965 w 54.5 CDM (YDS.) 7.5 COL (SQ. FT.) 136 31.5 WEIGHT (LBS.) 110 н 33.5 sw 23.5 CUBIC FEET 44 20 50 SH 18 17 вн АН 7.5 3,230 5,295 5,680 5,935 QUOTED UPON REQUEST 85.5 COM (YDS.) 10.5 w 31.5 COL (SQ. FT.) 189 WEIGHT (LBS.) 145 33.5 н sw 23.5 CUBIC FEET 62 20 SD SH 18 вн 17

### kardia lounge



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST PI	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-42067-T	FREESTANDING TABLE	615	655	695	735	775	815	855	895	975
	LAMINATE TOP (SEE SURFACE MA     NO HARDWARE INCLUDED	TERIALS PAGE F	OR STANDARD	LAMINATE OPTIC	INS)					
EC-42067-C	INLINE TABLE	535	575	615	655	695	735	775	815	895
SHOWN IN APPLICATION	LAMINATE TOP (SEE SURFACE MA     HARDWARE INCLUDED, FIELD ASS		OR STANDARD	LAMINATE OPTIC	INS)					
EC-42067-ERR	RIGHT END TABLE	575	615	655	695	735	775	805	855	935
SHOWN IN APPLICATION	LAMINATE TOP (SEE SURFACE MA HARDWARE INCLUDED, FIELD ASS		OR STANDARD		NNS)					
EC-42067-ERL	LEFT END TABLE	575	615	655	695	735	775	805	855	935
SHOWN IN APPLICATION	LAMINATE TOP (SEE SURFACE MA     HARDWARE INCLUDED, FIELD ASS		OR STANDARD I	LAMINATE OPTIC	ONS)					

#### **+EKOCARE FEATURES**

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD DURABLE LAMINATE TOPS OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	ER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	ANDES	VELLUTO PELLE			YARDAGE REQUIRE ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
695	1,075	1,150	1,215	QUOTED U	PON REQUE	:ST	W D H	24 30.5 16	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
615	995	1,070	1,135	QUOTED U	PON REQUE	:ST	W D H	24 30.5 16	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
655	1,035	1,110	1,175	QUOTED U	PON REQUE	ST	W D H	24 30.5 16	COM (YDS.) COL (SO.FT.) WEIGHT (LBS.) CUBIC FEET	
655	1,035	1,110	1,175	QUOTED UI	PON REQUE	ST	W D H	24 30.5 16	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

# kardia patient



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, REMOVABLE COVERS, NO UP-CHARGE ON COMBINATION UPHOLSTERY, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PUBLIC AND PATIENT SEATING MODELS FEATURE A SEMI-FLEX BACK, FOR COMFORT AND EASE OF EGRESS, AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY COLD MOLDED SOY BASED BIO® FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	FABRIC LIST PRICE								
		COM	CUE	з	3	4	5	6	7	8	
EC-42016	PATIENT CHAIR	1,200	1,235	1,270	1,305	1,340	1,380	1,420	1,460	1,540	
	SUPPORTS 350 LBS.										

### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS REMOVABLE COVERS (STANDARD) FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. DURABLE METAL-TO-METAL CONNECTIONS MORTISE AND TENON WOOD JOINERY MOLDED SOY BASED BIO® FOAM SEMI-FLEX COMFORT BACK OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (STANDARD) MOISTURE BARRIER (STANDARD) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

### EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE

COL	C1	C2	C3	64	CS	CS
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE
1,270	1,795	1,875	1,925	QUOTED	UPON REQ	UEST

#### DIMENSIONS

24 27

44

21

20

18.5

26.5

7.25

w

н

sw

SD SH

вн

АН

VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM

COM	(YDS.)	2
COL	(SQ. FT.)	36
WEIG	HT (LBS.)	55
CUBIC	C FEET	20

FIGURES

# kardia II patient



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, NO UP-CHARGE ON COMBINATION UPHOLSTERY, EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY AND STEEL SEAT/BACK FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	C LIST F	RICE						
		СОМ	CUE	2	3	4	5	6	7	8
EC-43016	PATIENT CHAIR	895	950	995	1,025	1,045	1,065	1,095	1,125	1,175
	<ul><li>SUPPORTS 350 LBS.</li><li>ASSEMBLY REQUIRED</li></ul>									



### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS STEEL SEAT AND BACK FRAME SUPPORTS 350 LBS. MORTISE AND TENON WOOD JOINERY OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (STANDARD) MOISTURE BARRIER (STANDARD) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

### LEATHER LIST PRICE

COL	C1	C2	C3	64	CS	CS
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE
950	1,225	1,275	1,325	QUOTED	UPON REQ	UEST

#### DIMENSIONS

24 27

44

21

20

19.75

26.5

7.25

w

н

sw

SD SH

вн

АН

YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM

COM (YDS.)	2
COL (SQ. FT.)	36
WEIGHT (LBS.)	55
CUBIC FEET	20

FIGURES

### kardia adjustable patient



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER LEG DESIGN, CLEAN-OUT SEAT, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. PATIENT SEATING MODELS FEATURE EUROPEAN BEECH WOOD ARMS, EIGHT GUAGE STEEL SEAT FRAME CONSTRUCTION WITH ENVIRONMENTALLY FRIENDLY SOY BASED FOAM. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

DESIGNED BY IDI.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	C LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-43026	ADJUSTABLE PATIENT	1,595	1,695	1,765	1,815	1,875	1,925	1,985	2,035	2,135
	• SUPPORTS 350 LBS.									
EC-43026-0	OTTOMAN	495	510	530	545	560	575	590	605	635
	• WHEN ORDERED WITH MATCH	ING PATIENT CH	AIR,							



 WHEN ORDERED WITH MATCHING PATIENT CHAIR, OTTOMAN SHIPS IN SAME CARTON AS CHAIR

### ADDITIONAL PRODUCT ORDERING OPTIONS



PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$40 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER LEGS CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS STEEL SEAT FRAME SUPPORTS 350 LBS. DURABLE METAL-TO-METAL CONNECTIONS MORTISE AND TENON WOOD JOINERY SOY BASED FOAM OPTIONAL REMOVABLE COVERS OPTIONAL REMOVABLE COVERS OPTIONAL PROTECTIVE ARM CAPS OPTIONAL MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 CS FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE QUOTED UPON REQUEST 1,795 2.180 2.275 2,350 w 24 COM (YDS.) 3 25 COL (SQ. FT.) 54 WEIGHT (LBS.) 55 н 45 sw 21 CUBIC FEET 17 20 50 SH 20.25 24.75 вн АН 5 QUOTED UPON REQUEST 595 650 680 695 18.5 w COM (YDS.) .75 12.5 COL (SQ. FT.) 18 12 weight (LBS.) 9 н CUBIC FEET 2

# kardia gliders

DESCRIPTION



MODEL

#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

FABRIC LIST PRICE

### FINISHES

1D NATURAL
11 MONTICELLO
12 HUNTINGTON
13 WILD CHERRY
14 VERSAILLES

16 CAFELLE

		COM	CUE	2	3	4	5	6	7	8
EC-42075	GLIDER (UPHOLSTERED ARM)	1,390	1,545	1,720	1,830	1,945	2,055	2,165	2,275	2,500
	RECESSED FRONT PANEL ALLOWS FEET TO BE PC AND PROMOTION OF SAFER PATIENT INGRESS AN SMOOTH GLIDING MOTION EASES PATIENT STRES LOCKING MECHANISM ALLOWS GLIDER TO BE LOC SUPPORTS 350 LBS.     OPTIONAL HEADREST AVAILABLE	D EGRESS TO A S AND TENSION	ND FROM CHAIF	1						
EC-42085	GLIDER (WOOD ARM)	1,625	1,780	1,955	2,065	2,180	2,290	2,400	2,510	2,735
	RECESSED FRONT PANEL ALLOWS FEET TO BE PC AND PROMOTION OF SAFER PATIENT INGRESS AN SMOOTH GLIDING MOTION EASES PATIENT STREES LOCKING MECHANISM ALLOWS GLIDER TO BE LOC SUPPORTS 350 LBS.     OPTIONAL HEADREST AVAILABLE	D EGRESS TO A S AND TENSION	ND FROM CHAIF	1						
EC-HR	OPTIONAL HEADREST	100	110	115	130	145	160	175	205	235

#### ADDITIONAL PRODUCT ORDERING OPTIONS



 WCD
 ARM
 CAPS

 ADDS
 1/2
 INCH TO ARM HEIGHT
 CAPS

 (ADD \$100 LIST PER SET)
 CAPS
 CAPS
 CAPS

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD COIL SEAT CONSTRUCTION FOR EXTREME COMFORT HEAVY DUTY COMMERCIAL GRADE GLIDER MECHANISM OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 СЗ 64 C5 C5 FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE QUOTED UPON REQUEST 1,590 2.650 2.850 3,100 w 30 COM (YDS.) 5.5 35 COL (SQ. FT.) 99 41.25 WEIGHT (LBS.) 60 н sw 22.75 CUBIC FEET 32 20 50 ѕн 19.5 22.25 вн АН 8 1,825 2,885 3,085 3,335 QUOTED UPON REQUEST w 30 CDM (YDS.) 5.5 35 COL (SQ. FT.) 99 н 41.25 WEIGHT (LBS.) 60 sw 22.75 CUBIC FEET 32 50 20 ѕн 19.5 22.25 вн АН 8

115	235	290	355	QUOTED UPON REQUEST	W	14	<b>□IM</b> (YDS.) .5
						2.75	COL (SQ. FT.) 9
					н	6.5	

00

### kardia transport chairs



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN. CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- NATURAL 10 MONTICELLO 11
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- CAFELLE 16

- DESCRIPTION MODEL FABRIC LIST PRICE COM з 6 7 8 CUE 2 4 5 EC-42001 TRANSPORT CHAIR (UPHOLSTERED ARM) 3,395 3,575 3,790 3,915 4,045 4,180 4.315 4,440 4,705 ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD
   SOLID ALUMINUM PUSH BAR STANDARD PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT) REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. ERONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
   HEADREST STANDARD (LOCATED ON LEFT SIDE)
   HEADREST STANDARD
   BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPOSITE OF THE ADDITION IS SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPOSITE OF A ADDITION IS SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPOSITE OF A ADDITION IS SEATED WITH FEET ON FLOAR ADDITISTS TO:
   POSITION 1: SEATED WITH FEET ON FLOAR, FOOTREST DOWN OR ON SAME SIDE AS OTTOMAN LEVER. POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION POSITION 2: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED. SUPPORTS 500 LBS. EC-42002 TRANSPORT CHAIR (WOOD ARM) 3.630 3.810 4.025 4.150 4.280 4.415 4.550 4,675 4.940 ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD
   SOLID ALUMINUM PUSH BAR STANDARD
   CORTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT) FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
   HEADREST STANDARD BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST SEAT FRATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INFRE COMPONENTS • RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED • 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO: POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION POSITION 2: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED. SUPPORTS 500 LBS. EC-42003 TRANSPORT CHAIR (UPHOLSTERED ARM) 2,745 2,925 3,140 3.265 3,395 3.530 3,665 3,790 4,055 ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER. TRANSPORT BASE STANDARD PATIENT FOLD-DOWN TRANSFER ARM SOLID ALUMINUM PUSH BAR STANDARD
   MANUAL LOCK CASTERS STANDARD
   FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE) OPTION AVAILABLE ON LIPHOL STERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) HEADBEST STANDARD READREST STANDARD
   BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
   SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
   RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES. SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER. 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO: POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO: POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED. SUPPORTS 500 LBS EC-42004 TRANSPORT CHAIR (WOOD ARM) 2,980 3,160 3,375 3.500 3,630 3,765 3,900 4.025 4,290 ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER. TRANSPORT BASE STANDARD • SOLID ALLUMINUM PUSH BAR STANDARD • MANUAL LOCK CASTERS STANDARD • FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE) HEADBEST STANDARD READREST STANDARD
   BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
   SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
   RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED Horn Side Dark Dodos Inician Electrative Dark Ander To De Dodos and Ander POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION

  - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.

<ul> <li>ADDITIONAL PRODUCT ORDERING OPTIONS</li> <li>WALL SAVER DESIGN CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)</li> <li>VC VUCCD ARM FEIGHT (ADD \$100 LIST PER SET)</li> <li>HEATHER LIST PRICE</li> </ul>							RT ANISM LIST) D \$145 LIST) R I TRAY D \$600 LIST)	1. 2. 3. EX	MODEL NUMB FINISH FABRIC AMPLE -42011/53/MAH		
						,					
				-					DIME	INSIONS	FIGURES YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL
COL	C1 BASIC	C2	L HAMPTON	VOLO	ANDES	CS VELLUTO PELLE					54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM
3,595	5,300	5,600	5,760	QUOTED	UPON REQU	JEST			w	35	COM_HELP@EKOCONTHACT.COM
		DROP SIDE TAE THERMOFOIL WHIT NOTE: TABLE MUST OTHER CUSTOM CO	E 11 X 19.5 LEFT BE SPECIFIED C OLORS AVAILABL	ON OPPOSITE S E AT UPCHARG	SIDE OF OTTOMAI	N LEVER.			D H SW SD SH BH	39 46 23.5 20.5 22.5 29	COL (SO.FT.) 117 Weight (LBS.) 120 Cubic feet 32
		HEAVY DLITY F OPTION AVAILABLE THERMOFOIL WHIT LEFT HANDED FLIF NOTE: TRAY MUST OTHER CUSTOM CO	E ON UPHOLSTER E, 12 X 22. DOWN TRAY <b>LF</b> BE SPECIFIED OI	ED ARM MODE (ADD \$92) N OPPOSITE SI	5 LIST) IDE OF TRANSFEI	R ARM OR OTTOMAN TOMER CARE.	LEVER.		АН	6.5 СЕРТН 72.3	5
3,830	5,535	5,835	5,995	QUOTED	UPON REQU	JEST			W D SW SD SH BH AH SLEEP	35 39 46 23.5 20.5 22.5 29 6.5 DEPTH 72.5	СОМ (YDS.) 6 СОL (SQ. FT.) 108 Weight (LBS.) 120 СИВІС FEET 32
2,945	4,650	4,950	5,110	QUOTED	UPON REQU	JEST			w	33	COM (YDS.) 6.5
		DROP SIDE TAE THERMOFOIL WHI NOTE: TABLE MUSI OTHER CUSTOM C	TE 11 X 19.5 LEFT T BE SPECIFIED ( OLORS AVAILABL	ON OPPOSITE S E AT UPCHARG	SIDE OF OTTOMA GE. CONTACT CUS	N LEVER.			D H SW SD SH BH AH	39 46 23.5 20.5 22.5 29 6.5	COL (SQ. FT.) 117 WEIGHT (LBS.) 120 CUBIC FEET 32
		OPTION AVAILABLE THERMOFOIL WHIT LEFT HANDED FLIF NOTE: TRAY MUST OTHER CUSTOM C	TE, 12 X 22. P DOWN TRAY <b>LF</b> BE SPECIFIED O	ADD \$92 N OPPOSITE SI	5 LIST) IDE OF TRANSFE	R ARM OR OTTOMAN STOMER CARE.	LEVER.			о.5 сертн 72.5	5
3,180	4,895	5,185	5,345	QUOTED	UPON REQU	JEST			W D H SW SD SH BH	33 39 46 23.5 20.5 22.5 29	COM (YDS.) 6 COL (SO. FT.) 108 WEIGHT (LBS.) 120 CUBIC FEET 32

eko

6.5

SLEEP DEPTH 72.5

АН

### kardia transport chairs



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 1D NATURAL 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		СОМ	CUE	2	3	4	5	6	7	8
EC-42101	TRANSPORT CHAIR (UPHOLSTERED ARM)	3,295	3,475	3,690	3,815	3,945	4,080	4,215	4,340	4,605
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID ALUMINUM PUSH BAR STANDARD     CENTRAL LOCKING CASTERS WITH BRAKE STANDA     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     HEADREST STANDARD     BLACK POWDER COATED RIGHT SIDE OTTOMAN LE     SEAT FEATURES FRONT HINGE TO ALLOW EASY AC     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B,     4-POSITION ISEATED WITH FEET ON FLOOR,     POSITION 2: FOOTREST FULLY EXTENDED, E     POSITION 3: RANGE OF INFINITE BACK ADJUSTION 3: RANGE OF INFINITE BACK ADJUSTION 3: FOOTREST FULLY EXTENDED,     POSITION 3: FULLY EXTENDED, E     POSITION 3: FOOTREST FULLY EXTENDED,     POSITION 3: FULL SLEEP POSITION WHERE I     SUPPORTS 500 LBS.	D ON LEFT SIDE) VER USED TO OI CESS TO ALL INI ACK ANGLE TO B ADJUSTS TO: FOOTREST DOW IACK IN UPRIGHT ISTABILITY FROM	PEN AND CLOS NER COMPONE E LOCKED AT A N POSITION I THE SEATED F	E FOOTREST NTS NY ANGLE UP TC POSITION					OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRAI NOTE: TRANSFER A SUCH AS IV POLES	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. CAP (WOOD OR POLY) TO BE SPECIFIED. NSFER ARM LPTA (ADD \$550 LIST) ARMS CANNOT BE USED WITH ACCESSORIES, , ON SAME SIDE AS TRANSFER MECHANISM AS OTTOMAN LEVER.
EC-42102	TRANSPORT CHAIR (WOOD ARM)	3,530	3,710	3,925	4,050	4,180	4,315	4,450	4,575	4,840
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID ALUMINUM PUSH BAR STANDARD     CENTRAL LOCKING CASTERS WITH BRAKE STANDA     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     HEADREST STANDARD     BLACK POWDER COATED RIGHT SIDE OTTOMAN LE     SEAT FEATURES FRONT HINGE TO ALLOW EASY AC     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B     4-POSITION INFINITELY AJJUSTABLE MECHANISM     POSITION 1: SEATED WITH FEET ON FLOOR,     POSITION 1: SEATED WITH FEET ON FLOOR,     POSITION 2: FOOTREST FULLY EXTENDED, E     POSITION 2: HANGE OF INFINITE BACK ADJU     POSITION 4: FULL SLEEP POSITION WHERE I     SUPPORTS 500 LBS.	D ON LEFT SIDE) CRESS TO ALL INI ACK ANGLE TO B ADJUSTS TO: FOOTREST DOW IACK IN UPRIGHT ISTABILITY FROM	PEN AND CLOS NER COMPONE E LOCKED AT A N POSITION I THE SEATED F	E FOOTREST NTS NY ANGLE UP TO POSITION						
EC-42103	TRANSPORT CHAIR (UPHOLSTERED ARM)	2,645	2,825	3,040	3,165	3,295	3,430	3,565	3,690	3,955
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID ALUMINUM PUSH BAR STANDARD     MANUAL LOCK CASTERS STANDARD     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     HEADREST STANDARD     BLACK POWDER COATED RIGHT SIDE OTTOMAN LE     SEAT FEATURES FRONT HINGE TO ALLOW EASY AC     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B     4-POSITION INFINITELY AJJUSTABLE MECHANISM     POSITION 1: SEATED WITH FEET ON FLOOR,     POSITION 1: SEATED STIMP FEET ON FLOOR,     POSITION 2: FOOTREST FULLY EXTENDED, B     POSITION 2: FANGE OF INFINITE BACK AJJUS     POSITION 2: FULL SLEEP POSITION WHERE I     SUPPORTS 500 LBS.	VER USED TO OF CESS TO ALL INI ACK ANGLE TO BI ADJUSTS TO: FOOTREST DOW ACK IN UPRIGHT STABILITY FROM	PEN AND CLOSI NER COMPONE E LOCKED AT A N POSITION I THE SEATED F	NTS NY ANGLE UP TO POSITION				A	OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRAN NOTE: TRANSFER A SUCH AS IV POLES,	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. CAP (WOOD OR POLY) TO BE SPECIFIED. VSFER ARM LPTA (ADD \$550 LIST) IRMS CANNOT BE USED WITH ACCESSORIES, ON SAME SIDE AS TRANSFER MECHANISM AS OTTOMAN LEVER.
EC-42104	TRANSPORT CHAIR (WOOD ARM)	2,880	3,060	3,275	3,400	3,530	3,665	3,800	3,925	4,190
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID ALUMINUM PUSH BAR STANDARD     MANUAL LOCK CASTERS STANDARD     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     HEADREST STANDARD     BLACK POWDER COATED RIGHT SIDE OTTOMAN LE     SEAT FEATURES FRONT HINGE TO ALLOW EASY AC     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B/     4-POSITION INFINITELY ADJUSTABLE MECHANISM     POSITION 1: SEATED WITH FEET ON FLOOR,     POSITION 2: FOOTREST FULLY EXTENDED. B     POSITION 2: FOOTREST FULLY EXTENDED. B     POSITION 3: RANGE OF INFINITE BACK ADJUS	VER USED TO OF CESS TO ALL INI ACK ANGLE TO BI ADJUSTS TO: FOOTREST DOW ACK IN UPRIGHT STABILITY FROM	PEN AND CLOSI NER COMPONE E LOCKED AT A N POSITION I THE SEATED F	NTS NY ANGLE UP TO POSITION						

POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED. • SUPPORTS 500 LBS.

ADDITIONAL PRODUCT DROERING OPTIONS				WALL SJ CLEAN-I EKO GU ROUNDI FIELD R PUZZLE ERGONC CNC CU COIL SE HEAVY I OPTION OPTION OPTION OPTION SPEC OPTION	AVER DESIC OUT SEAT ARD® ANTI- ED ARMS F EPLACEAB FIT FRAME OMIC, SOY IT ENGINEE EAT CONSTF DUTY COMM DUTY BLAC AL PROTEC AL IV POLE AL OXYGEN AL FOLEY F CIFY LEFT F AL HEAVY I	MICROBIAL FIN OR SAFE INGRI LE COMPONEN E CONSTRUCTIO BASED PRESE RED HARDWOO RUCTION FOR E MERCIAL GRAD K CASTERS TIVE ARM CAP (ADD \$250 LIST) I TANK HOLDER, S RONT OR REA DUTY, UP AND (	ESS/EGRESS TS DN SUPPORTS 500 I RVE FOAM® DD PLYWOOD EXTREME COMFORT E RECLINE MECHAN	T NISM <sup>5T)</sup> \$145 LIST) FRAY	1. M 2. F 3. F EXA	MODEL NUMB INISH ABRIC	<b>SPECIFY:</b> ER HARAM DART 017 SCRIBE
LEATH	ER LIS	ST PRICE		WITH COMBIN MOISTU CAL 133	HEATED LI	UMBAR AREA (A OLSTERY (UPCH R (UPCHARGE, SEE SEE PAGE 4)	ARGE, SEE PAGE 4)			NSIONS	FIGURES
COL	C1	C2	C3	64	CS	CS					YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH
	BASIC	FUNDAMENTAL		VOLO	ANDES	VELLUTO PELLE					REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM
3,495	5,200	5,500 DRDP SIDE TABL THERMOFOIL WHITE NOTE: TABLE MUST OTHER CUSTOM CO	11 X 19.5 LEFT BE SPECIFIED O	HANDED <b>TDT</b> (	E OF OTTOMAN	LEVER.			W D H SW SD SH	35 39 46 23.5 20.5 19.5	COM (YDS.) 6.5 COL (SQ.FT.) 117 WEIGHT (LBS.) 120 CUBIC FEET 32
		HEAVY DLITY FL OPTION AVAILABLE THERMOFOIL WHITE LEFT HANDED FLIP NOTE: TRAY MUST B OTHER CUSTOM CO	ON UPHOLSTER 5, 12 X 22. DOWN TRAY <b>LF</b> 5 <i>E SPECIFIED ON</i>	ED ARM MODELS TD (ADD \$925 L N OPPOSITE SIDE	LIST) E OF TRANSFER	ARM OR OTTOMAN L 'OMER CARE.	EVER.		BH AH SLEEP I	29 6.5 ФЕРТН 72.	5
3,730	5,435	5,735	5,895	QUOTED U	JPON REQU	EST			W D H SW SD SH BH AH SLEEP	35 39 46 23.5 20.5 19.5 29 6.5 сертн 72.	СОМ (YDS.) 6 СОL (SQ.FT.) 108 WEIGHT (LBS.) 120 СИВІС FEET 32
2,845	4,550	4,850	5,010	QUOTED U	JPON REQU	EST			w	33	COM (YDS.) 6.5
		DROP SIDE TABL THERMOFOIL WHITE NOTE: TABLE MUST I OTHER CUSTOM CO	11 X 19.5 LEFT BE SPECIFIED O	N OPPOSITE SID	E OF OTTOMAN	LEVER.			D H SVV SD SH	39 46 23.5 20.5 19.5	COL (SQ. FT.) 117 Weight (LBS.) 120 CUBIC FEET 32
		HEAVY DLITY FL OPTION AVAILABLE THERMOFOIL WHITE LEFT HANDED FLIP I NOTE: TRAY MUST B OTHER CUSTOM CO	ON UPHOLSTERI , 12 X 22. DOWN TRAY <b>LF</b> <i>E SPECIFIED ON</i>	ED ARM MODELS	.IST) E OF TRANSFER		EVER.		BH AH SLEEP I	29 6.5 пертн 72.8	5
3,080	4,785	5,085	5,245	QUOTED U	IPON REQU	EST			W D SW SD SH BH AH SLEEP I	33 39 46 23.5 20.5 19.5 29 6.5 DEPTH 72.5	СОМ (YDS.) 6 СОL (SQ. FT.) 108 WEIGHT (LBS.) 120 СИВІС FEET 32

eko

# kardia recliners



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- VERSAILLES 14
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8	
EC-42005	WALLSAVER RECLINER (UPHOLSTERED ARM)	1,530	1,700	1,895	2,015	2,140	2,260	2,380	2,505	2,745	
	HARDENED PLASTIC RIGHT SIDE OTTOMAN LEVER USE     3-POSITION ADJUSTMENT (UPRIGHT, UPRIGHT WITH OT     WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO     HEADREST STANDARD     SUPPORTS 500 LBS.	TOMAN OUT AN	ID FULLY RECLIN	NED WITH OTTO	MAN OUT)		E BACK ADJUST	MENT)			

EC-42006	WALLSAVER RECLINER (WOOD ARM)	1,780	1,950	2,145	2,265	2,390	2,510	2,360	2,755	2,995

· HARDENED PLASTIC RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST (OTTOMAN MUST BE EXTENDED TO RELEASE BACK ADJUSTMENT)

SPOSITION ADJUSTMENT (UPRIGHT, UPRIGHT WITH OTTOMAN OUT AND FULLY RECLINED WITH OTTOMAN OUT)
 WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWARD AND BACK RETURNS TO UPRIGHT POSITION)
 HEADREST STANDARD



SUPPORTS 500 LBS.

#### ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS PC ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

LEATHER LIST PRICE

#### **+EKOCARE FEATURES**

WALL SAVER DESIGN CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH BOUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD COIL SEAT CONSTRUCTION FOR EXTREME COMFORT HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM OPTIONAL PROTECTIVE ARM CAPS OPTIONAL IV POLE (ADD \$250 LIST) OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST) OPTIONAL DRAINAGE BAG HOOK (ADD \$75 LIST) OPTIONAL FAUX WOOD FRONT LEGS (ADD \$50 LIST) OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE WITH HEATED LUMBAR AREA (ADD \$1000 LIST) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

### TO ORDER. SPECIFY:

1. MODEL NUMBER 2. FINISH 3. FABRIC

EXAMPLE

DIMENSIONS

w

н

sw

50

EC-42011/53/MAHARAM DART 017 SCRIBE

COL	C1	C2	C3	64	CS	C
002	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELL
1,730	2,800	3,000	3,125	QUOTED	UPON REQ	UEST

DROP SIDE TABLE



HEAVY DUTY FUR-DOWN TRAV OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. THERMOFOIL WHITE, 12 X 22. LEFT HANDED FLIP DOWN TRAY LFTD (ADD \$925 LIST) NOTE: TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF TRANSFER ARM OR OTTOMAN LEVER. OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

THERMOFOIL WHITE 11 X 19.5 LEFT HANDED TDT (ADD \$175 LIST)

NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER. OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

C5

VELLUTO PELLE

1,980 3,050 3,250

QUOTED UPON REQUEST 3,375

#### YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM 33.5 COM (YDS.) 6 COL (SQ. FT.) 117 31.5 WEIGHT (LBS.) 90 45 23.5 CUBIC FEET 32 20

FIGURES

20.25 SH 28.75 вн АН 6.5 FULLY RECLINED DEPTH 69 (CAN BE PLACED 10" FROM WALL)

W D H SW SD SH BH AH	33.5 31.5 45 23.5 20 20.25 28.75 6.5	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
FULLY	RECLINED D	ертн 69	
SD SH BH AH	20 20.25 28.75 6.5		32

(CAN BE PLACED 10" FROM WALL)

## kardia 3-position recliners



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	C LIST F	RICE								
		COM	CUE	2	3	4	5	6	7	8		
EC-42076	3-POSITION RECLINER (UPHOLSTERED ARM)	1,655	1,840	2,050	2,180	2,315	2,445	2,575	2,710	2,970		
	WOOD FEET     WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK     HEADREST STANDARD     SUPPORTS 500 LBS.	TO RECLINE, LE	AN FORWARD A	ND BACK RETUR	NS TO UPRIGHT	POSITION, PRES	S DOWN ON OTT	OMAN TO CLOSE	E)			
	PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPECIFIED. REGINT HANDED TRANSFER ARM RPTA (ADD \$550 LIST) LEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIST) NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LEFT ARMS BPTA (ADD \$1,100 LIST) NOTE: TRANSFER ARMS, BOTH RIGHT AND LEFT ARMS BPTA (ADD \$1,100 LIST) NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM.											
EC-42086	3-POSITION RECLINER (WOOD ARM)	1,905	2,090	2,300	2,430	2,565	2,695	2,825	2,960	3,220		
	WOOD FEET     WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK     HEADREST STANDARD     SUPPORTS 500 LBS.	TO RECLINE, LE	an forward a	ND BACK RETUR	NS TO UPRIGHT	POSITION, PRES	S DOWN ON OTT	OMAN TO CLOSE	:)			
EC-42176	3-POSITION RECLINER (UPHOLSTERED ARM)	1,905	2,090	2,300	2,430	2,565	2,695	2,825	2,960	3,220		
	3-INCH SWIVEL CASTERS WITH WHEEL BREAK (HOUS     WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK     HEADREST STANDARD     SUPPORTS 500 LBS.  PATIENT FOLD-DOVVN	TO RECLINE, LE	AN FORWARD A							MARKING PRECISION BALL BEARINGS)		
6	OFTION AVAILABLE ON UPHO REQUIRES AN ARM CAP (WO RIGHT HANDED TRANSFER AF NON-HANDED TRANSFER AF NON-HANDED TRANSFER AF NOTE: TRANSFER ARMS CAN	OLSTERED ARM DOD OR POLY) TO ARM <b>RPTA</b> (AD RM <b>LPTA</b> (ADD RMS, BOTH RIGH	MODELS. D BE SPECIFIED. DD \$550 LIST) D \$550 LIST) T AND LEFT ARM	IS <b>BPTA</b> (ADD		E SIDE AS TRAN	SFER MECHANIS	М.				
EC-42186	3-POSITION RECLINER (WOOD ARM)	2,155	2,340	2,550	2,680	2,815	2,995	3,075	3,210	3,470		
	3-INCH SWIVEL CASTERS WITH WHEEL BREAK (HOUS     WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK     HEADREST STANDARD     SUPPORTS 500 LBS.									MARKING PRECISION BALL BEARINGS)		

╣

ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDDD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT

EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD COIL SEAT CONSTRUCTION FOR EXTREME COMFORT HEAVY DUTY COMMERCIAL GRADE RECLINER MECHANISM OPTIONAL PROTECTIVE ARM CAPS OPTIONAL IV POLE (ADD \$250 LIST) OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST) OPTIONAL DRAINAGE BAG HOOK (ADD \$75 LIST) OPTIONAL HEAVY DUTY, UP AND OVER, FLIP DOWN TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER (ADD \$600 LIST) OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE WITH HEATED LUMBAR AREA (ADD \$1000 LIST) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER

2. FINISH

3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

				LIFETIN	IE WARRAN	ΓY					
LEATHE	R LIS	T PRICE						DIME	NSIONS	FIGURES	EMENTS SHOWN
COL	C1	C2	C3	64	CS	C5				ARE BASED ON NC 54" TEXTILES. REF	ER TO PAGE 3
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE				FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	D AN EMAIL TO:
1,855	3,550	3,850	4,030	QUOTED I	JPON REQU	EST		W	31	COM (YDS.)	6.5
		DROP SIDE TABLE THERMOFOIL WHITE NOTE: TABLE MUST B OTHER CUSTOM COL	11 X 19.5 LEFT H SE SPECIFIED ON ORS AVAILABLE	I OPPOSITE SIL AT UPCHARGE	DE OF OTTOMAN . CONTACT CUST			D H SW SD SH BH AH	34 43 23.75 20.5 20 24.5 6.75	COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
	$\supset$	THERMOFOIL WHITE, RIGHT HANDED FLIP LEFT HANDED FLIP D NOTE: TRAY MUST BE OTHER CUSTOM COL	DOWN TRAY RF DOWN TRAY LF1 E SPECIFIED ON	OPPOSITE SID	LIST) E OF TRANSFER	ARM OR OTTOMAN LEV OMER CARE.	ER.	FULLY R	ECLINED DEPT	н 66	
2,105	3,800	4,100	4,280		JPON REQU			W D H SW SD SH BH AH FULLY R	31 34 43 23.75 20.5 20 24.5 6.75 ECLINED DEPT	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
2,105	3,800	4,100	4,280	QUOTED I	JPON REQU	EST		W D	31 34	COM (YDS.)	6.5
	7	DROP SIDE TABLE THERMOFOIL WHITE NOTE: TABLE MUST B OTHER CUSTOM COL HEAVY DLITY FLI OPTION AVAILABLE C THERMOFOIL WHITE, RIGHT HANDED FLIP	11 X 19.5 LEFT H BE SPECIFIED ON ORS AVAILABLE P-DOWN TRA DN UPHOLSTERE 12 X 22.	I OPPOSITE SIL AT UPCHARGE Y D ARM MODEL:	DE OF OTTOMAN CONTACT CUST			H SW SD SH BH AH	43 23.75 20.5 20 24.5 6.75 EECLINED DEPT	WEIGHT (LBS.) CUBIC FEET	
		LEFT HANDED FLIP D	OWN TRAY LFT SPECIFIED ON	OPPOSITE SID	LIST) E OF TRANSFER	ARM OR OTTOMAN LEV OMER CARE.	ER.				
2,355	4,050	4,350	4,530	QUOTED U	JPON REQU	EST		W D H SW SD SH BH AH FULLY R	31 34 43 23.75 20.5 20 24.5 6.75 EECLINED DEPT	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

65

00

0

Π

# kardia 4-position trendelenburg recliners



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST PR	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-42077	4-POSITION TRENDELENBURG RECLINER (UPHOLSTERED ARM)	1,805	1,990	2,200	2,330	2,465	2,595	2,725	2,860	3,120
	WOOD FEET     WEIGHT ACTIVITED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWA     HEADREST STANDARD     SUPPORTS 500 LBS.      PATIENT FOLD-DOWN TRANSFER ARM     OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.     REGUIRES AN ARM CAP (WOOD OR POLY) TO BE SPEC     RIGHT HANDED TRANSFER ARM LPTA (ADD \$550 LI     NON-HANDED TRANSFER ARM LPTA (ADD \$550 LI     NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LEI     NOTE: TRANSFER ARMS, BOTH RIGHT AND LEI	CIFIED. ST) T) FT ARMS <b>BPTA</b>	(ADD \$1,100 LI	ST)			CLOSE)			
EC-42177	4-POSITION TRENDELENBURG RECLINER (UPHOLSTERED ARM)	2,055	2,240	2,450	2,580	2,715	2,845	2,945	3,110	3,370
	3-INCH SWIVEL CASTERS WITH WHEEL BREAK (HOUSING AND WHEELS MADE C WEIGHT ACTIVATED BACK ADJUSTMENT (PUSH BACK TO RECLINE, LEAN FORWA HEADREST STANDARD SUPPORTS 500 LBS.      PATIENT FOLD-DOWN TRANSFER ARM OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. REQUIRES AN ARM CAP (WOOD OR POLY) TO BE SPEC RIGHT HANDED TRANSFER ARM RPTA (ADD \$550 LI LIEFT HANDED TRANSFER ARM LPTA (ADD \$550 LIS NON-HANDED TRANSFER ARMS, BOTH RIGHT AND LE	ARD AND BACK F CIFIED. ST) T)	RETURNS TO UPI	RIGHT POSITION				I NON-MARKING	PRECISION BALL	. BEARINGS)

NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM.

00

#### ADDITIONAL PRODUCT ORDERING OPTIONS



 WC
 VUCDD
 ARM
 CAPS

 BLACK
 POLY
 ARM
 CAPS

 ADDS
 1/2
 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)

### +EKOCARE FEATURES

CLEAN-OUT SEAT

EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD COIL SEAT CONSTRUCTION FOR EXTREME COMFORT HEAVY DUTY COMMERCIAL GRADE RECLINER MECHANISM OPTIONAL PROTECTIVE ARM CAPS OPTIONAL IV POLE (ADD \$250 LIST) OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST) OPTIONAL DRAINAGE BAG HOOK (ADD \$75 LIST) OPTIONAL HEAVY DUTY, UP AND OVER, FLIP DOWN TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER (ADD \$600 LIST) OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE WITH HEATED LUMBAR AREA (ADD \$1000 LIST) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

2. FINISH

3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	LEATHER LIST PRICE							DIME	NSIONS	FIGURES	MENTS SHOWN
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	CS VELLUTO PELLE				ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SENI COM_HELP@EKOCI	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
2,005		4,000 PROP SIDE TABL HERMOFOIL WHITE IOTE: TABLE MUST I THER CUSTOM COL HEAVY DLITY FL HERMOFOIL WHITE HERMOFOIL WHITE HERMOFOIL WHITE HANDED FLIP HANDED FLIP HOTE: TRAY MUST B DTHER CUSTOM COL	11 X 19.5 LEFT BE SPECIFIED C LORS AVAILABLI IP-DOWN TR ON UPHOLSTER ON UPHOLSTER DOWN TRAY R DOWN TRAY LF E SPECIFIED OI	N OPPOSITE SID E AT UPCHARGE. AY ED ARM MODELS FTD (ADD \$925 L I OPPOSITE SIDE	ADD \$175 LIST) E OF OTTOMAN CONTACT CUST LIST) IST) E OF TRANSFER	LEVER. OMER CARE. ARM OR OTTOMAN LEVER.		W D SW SD SH AH FULLY	32.5 34 43 23.75 20.5 20 24.5 6.75 RECLINED DEP	WEIGHT (LBS.) CUBIC FEET	6.5 117 90 32
2,205	3,950	4,250	4,430	QUOTED U	PON REQU	EST		D H	34 43	COL (SQ. FT.) WEIGHT (LBS.)	117 90
		DROP SIDE TABL HERMOFOIL WHITE IOTE: TABLE MUST I DTHER CUSTOM CO	E 11 X 19.5 LEFT BE SPECIFIED C	N OPPOSITE SID	E OF OTTOMAN	LEVER.		SW SD SH BH AH	23.75 20.5 20 24.5 6.75	CUBIC FEET	32
	П	EAVY DUTY FL	IP-DOVVN TR	AY				FULLY	RECLINED DEP	тн 74	



#### OPTION AVAILABLE ON UPHOLSTERED ARM MODELS. THERMOFOIL WHITE, 12 X 22. RIGHT HANDED FLIP DOWN TRAY **RFTD** (ADD \$925 LIST) LEFT HANDED FLIP DOWN TRAY **LFTD** (ADD \$925 LIST)

LEFT HANDED FLIP DOWN TRAY **LFTD** (ADD \$925 LIST) NOTE: TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF TRANSFER ARM OR OTTOMAN LEVER. OTHER CUSTOM COLORS AVAILABLE AT UPCHARGE. CONTACT CUSTOMER CARE.

### kardia ultra treatment recliners



### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH ON ALL EXPOSED WOOD SURFACES POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY IDI.

### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY

14 VERSAILLES

16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-43001	ULTRA TREATMENT RECLINER	4,150	4,410	4,595	4,750	4,900	5,050	5,200	5,350	5,650
	ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECL     SOLID SILVER (PC4) ALUMINUM PUSH BAR STAND/     CENTRAL LOCKING CASTERS SWITH BRAKE STAND     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     SILVER (PC4) POWDER COATED RIGHT SIDE OTTO     SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B     4-POSITION INFINITELY ADJUSTABLE MECHANISM     POSITION 2: FOOTHEST FULLY EXTENDED, I     POSITION 2: FOOTHEST FULLY EXTENDED, I     POSITION 3: RANGE OF INFINITE BACK ADJI     POSITION 3: RANGE OF INFINITE BACK ADJI     POSITION 3: FOUL SLEEP POSITION WHERE     SUPPORTS 500 LBS.	ARD ARD (LOCATED ED ON LEFT SIDE MAN LEVER USE EASY ACCESS T ACK ANGLE TO I ADJUSTS TO: , FOOTREST DO' 3ACK IN UPRIGH JSTABILITY FRO	ON FRONT LEF E) D TO OPEN AND O ALL INNER CO BE LOCKED AT / WN IT POSITION M THE SEATED	T SIDE) D CLOSE FOOTRE DMPONENTS ANY ANGLE UP TO POSITION	D 180° WHEN FUL				OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRA	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. CAP (WOOD OR POLY) TO BE SPECIFIED. NSFER ARM LPTA (ADD \$550 LIST) RMS CANNOT BE USED ON SAME SIDE R.
EC-43003	ULTRA TREATMENT RECLINER	3,400	3,660	3,845	4,000	4,150	4,300	4,450	4,600	4,900
	ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECL     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDA     MANUAL LOCK CASTERS STANDARD     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     SILVER (PC4) POWDER COATED RIGHT SIDE OTTO     SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS     4.POSITION INFINITELY ADJUSTABLE MECHANISM     POSITION IS EARTED WITH FEET ON FLOOR     POSITION 1: RANGE OF INFINITE BACK ADJI     POSITION 2: FOOTREST FULLY EXTENDED, (     POSITION 4: FULL SLEEP POSITION WHERE     SUPPORTS 500 LBS.	ARD AND LEVER USE EASY ACCESS T ACK ANGLE TO I ADJUSTS TO: FOOTREST DO' JACK IN UPRIGH JSTABILITY FRO	E) D TO OPEN ANI O ALL INNER C( BE LOCKED AT ) WN IT POSITION M THE SEATED	D CLOSE FOOTRE DMPONENTS ANY ANGLE UP TO POSITION	D 180° WHEN FUL				OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRAN	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. CAP (WOOD OR POLY) TO BE SPECIFIED. (SPER ARM LPTA (ADD \$550 LIST) RMS CANNOT BE USED ON SAME SIDE R.
EC-43101	ULTRA TREATMENT RECLINER	3,950	4,210	4,395	4,550	4,700	4,850	5,000	5,150	5,450
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDA     CENTRAL LOCKING CASTERS WITH BRAKE STAND     FRONT DIRECTIONAL CASTER STANDARD (LOCATE     SILVER (PC4) POWDER COATED RIGHT SIDE OTTOI     SEAT FEATURES HEAVY DUTY VELOR TO ALLOW     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B     4-POSITION INFINITELY ADJUSTABLE MECHANISM.     POSITION 2: FOOTREST FULLY EXTENDED, E     POSITION 2: FOOTREST FULLY EXTENDED, E     POSITION 3: RANGE OF INFINITE BACK ADJU     POSITION 3: RANGE OF INFINITE BACK ADJU     POSITION 3: FOOTREST FULLY EXTENDED, E     SUPPORTS 500 LBS.	ARD (LOCATED DON LEFT SIDE MAN LEVER USE EASY ACCESS TI ACK ANGLE TO F ADJUSTS TO: FOOTREST DON BACK IN UPRIGH JSTABILITY FRO	E) D TO OPEN AND O ALL INNER CO BE LOCKED AT A NN T POSITION M THE SEATED	D CLOSE FOOTRE DMPONENTS ANY ANGLE UP TO POSITION	D 180° WHEN FUL			A	OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRA NOTE: TRANSFER SUCH AS IV POLES	DOWN TRANSFER ARM : ON UPHOLSTERED ARM MODELS. I CAP (WOOD OR POLY) TO BE SPECIFIED. NSFER ARM LPTA (ADD \$550 LIST) ARMS CANNOT BE USED WITH ACCESSORIES, CON SAME SIDE AS TRANSFER MECHANISM AS OTTOMAN LEVER.
EC-43103	ULTRA TREATMENT RECLINER	3,200	3,460	3,645	3,800	3,950	4,100	4,250	4,400	4,700
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDA MANUAL LOCK CASTERS STANDARD FRONT DIRECTIONAL CASTER STANDARD (LOCATE SILVER (PC4) POWDER COATED RIGHT SIDE OTTOI SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW I RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B 4-POSITION INFINITELY ADJUSTABLE MECHANISM POSITION 1: SEATED WITH FEET ON FLOOR, POSITION 2: FOOTREST FULLY EXTENDED, E POSITION 3: RANGE OF INFINITE BACK ADJU POSITION 3: RANGE OF INFINITE BACK ADJU POSITION 3: FOULS SEEP POSITION WHERE • SUPPORTS 500 LBS.	D ON LEFT SIDE MAN LEVER USE EASY ACCESS TI ACK ANGLE TO F ADJUSTS TO: FOOTREST DO BACK IN UPRIGH JSTABILITY FRO	D TO OPEN AND O ALL INNER CO BE LOCKED AT A WN T POSITION M THE SEATED	OMPONENTS ANY ANGLE UP TO POSITION	D 180° WHEN FUL				OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRA NOTE: TRANSFER A SUCH AS IV POLES	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. I CAP (WOOD OR POLY) TO BE SPECIFIED. NSFER ARM LPTA (ADD \$550 LIST) ARMS CANNOT BE USED WITH ACCESSORIES, , ON SAME SIDE AS TRANSFER MECHANISM AS OTTOMAN LEVER.

ADDITIONAL ORDERING D VC VCOD ADDS 1/2 INCH TO ARM (ADD \$100 LIST PER SE	ARM CAPS POLY ARM CAPS HEIGHT	FIELD REPLACEAB PUZZLE FIT FRAME ERGONOMIC, SOY CNC CUT ENGINEE COIL SEAT CONSTF HEAVY DUTY COM HEAVY DUTY BLAC OPTIONAL POLE OPTIONAL VPOLE OPTIONAL FOLEY E SPECIFY LEFT F OPTIONAL FOLEY E SPECIFY LEFT F OPTIONAL HEAVY I MUST BE SPECIFIED C OPTIONAL HEAT/M, WITH HEATED LI COMBINATION UPH	GN MICROBIAL FINISH OR SAFE INGRESS/EGRESS LE COMPONENTS E CONSTRUCTION SUPPORTS 500 LBS BASED PRESERVE FOAM® ERED HARDWOOD PLYWOOD RUCTION FOR EXTREME COMFORT MERCIAL GRADE RECLINE MECHANISM K CASTERS CTIVE ARM CAPS (ADD \$250 LIST) N TANK HOLDER, SIZE D (ADD \$300 LIST) BAG HOLDER, SELF CLOSING (ADD \$145 L FRONT OR REAR, OR RIGHT REAR DUTY, UP AND OVER, FLIP DOWN TRAN DN OPPOSITE SIDE OF OTTOMAN LEVER (ADD \$600 L ASSAGE, SEAT/BACK TWO ZONE MASS UMBAR AREA (ADD \$1000 LIST) IOLSTERY (UPCHARGE, SEE PAGE 4) ER (UPCHARGE, SEE PAGE 4) SEE PAGE 4)	1. 2. 3. Е. И иst)	D DRDER, S MODEL NUMBE FINISH FABRIC KAMPLE C-42011/53/MAHA	
LEATHER LI				DIM	ENSIONS	FIGURES YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL
COL C1 BASIC	FUNDAMENTAL HAMPTON	VOLO ANDES	VELLUTO PELLE			54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM
4,350 5,775	5 6,000 6,175	QUOTED UPON REQU	JEST	w	34.25	CDM (YDS.) 7.5
	DROP SIDE TABLE THERMOFOIL WHITE 11 X 19.5 LEFT NOTE: TABLE MUST BE SPECIFIED O OTHER CUSTOM COLORS AVAILABLE	N OPPOSITE SIDE OF OTTOMAN	I LEVER.	D H SW SD SH	39 46 24 20.5 22.5	COL (SO. FT.) 131 WEIGHT (LBS.) 125 CUBIC FEET 36
	HEAVY DLTY FLIP-DDVVN TR OPTION AVAILABLE ON UPHOLSTER THERMOFOLI WHITE, 12 X 22. LEFT HANDED FLIP DOWN TRAY LF NOTE: TRAY MUST BE SPECIFIED ON OTHER CUSTOM COLORS AVAILABLE	ED ARM MODELS. TD (ADD \$925 LIST) N OPPOSITE SIDE OF TRANSFER		BH AH SLEEF	29 6.5 • DEPTH 72.5	
3,600 5,025	5,250 5,425	QUOTED UPON REQU	IEST	w D	34.25 39	СОМ (YDS.) 7.5 Соl (sq. ft.) 131
	DROP SIDE TABLE THERMOFOLI WHITE 11 X 19.5 LEFT NOTE: TABLE MUST BE SPECIFIED O OTHER CUSTOM COLORS AVAILABLE HEAVY DLITY FLIP-DOWN TR OPTION AVAILABLE ON UPHOLSTERI THERMOFOLI WHITE, 12 X 22. LEFT HANDED FLIP DOWN TRAY LF NOTE: TRAY MUST BE SPECIFIED O	IN OPPOSITE SIDE OF OTTOMAN E AT UPCHARGE. CONTACT CUST LAY ED ARM MODELS. TD (ADD \$925 LIST)	I LEVER. TOMER CARE.	H SW SD SH BH AH	46 24 20.5 22.5 29 6.5 Р ПЕРТН 72.5	WEIGHT (LBS.) 125 CUBIC FEET 36
	OTHER CUSTOM COLORS AVAILABLE					
4,150 5,575	5     5,800     5,975       DROP SIDE TABLE       THERMOFOIL WHITE 11 X 19.5 LEFT       NOTE: TABLE MUST BE SPECIFIED C       OTHER CUSTOM COLORS AVAILABLE	ON OPPOSITE SIDE OF OTTOMAN	) N LEVER.	W D H SW SD SH	34.25 39 46 24 20.5 22.5	СОМ (YDS.) 7.5 СОL (SO.FT.) 131 WEIGHT (LBS.) 125 СUBIC FEET 36
	HEAVY DUTY FLIP-DDWN TR OPTION AVAILABLE ON UPHOLSTER THERMOFOIL WHITE, 12 X 22. LEFT HANDED FLIP DOWN TRAY LF NOTE: TRAY MUST BE SPECIFIED OI OTHER CUSTOM COLORS AVAILABL	NED ARM MODELS. TO (ADD \$925 LIST) N OPPOSITE SIDE OF TRANSFER		BH AH SLEEF	29 6.5 Р СЕРТН 72.5	
3,400 4,825	5,050 5,225	QUOTED UPON REQU	IEST	w	34.25	COM (YDS.) 7.5
	DROP SIDE TABLE THERMOFOIL WHITE 11 X 19.5 LEFT NOTE: TABLE MUST BE SPECIFIED O OTHER CUSTOM COLORS AVAILABLE	N OPPOSITE SIDE OF OTTOMAN E AT UPCHARGE. CONTACT CUST	I LEVER.	D H SW SD SH BH	39 46 24 20.5 22.5 29	COL (SO. FT.) 131 WEIGHT (LBS.) 125 CUBIC FEET 36
	HEAVY DLTY FLIP-DOWN TR OPTION AVAILABLE ON UPHOLSTERI THERMOFOIL WHITE, 12 X 22. LEFT HANDED FLIP DOWN TRAY LF NOTE: TRAY MUST BE SPECIFIED ON OTHER CUSTOM COLORS AVAILABLE	ED ARM MODELS. TD (ADD \$925 LIST) N OPPOSITE SIDE OF TRANSFER		АН	29 6.5 • DEPTH 72.5	69

### kardia ultra treatment recliners

WITH TRENDELENBURG



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH ON ALL EXPOSED WOOD SURFACES POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY IDI.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8	
EC-43201	ULTRA TREATMENT RECLINER	4,450	4,710	4,895	5,050	5,200	5,350	5,500	5,650	5,950	
	ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECL     SOLID SILVER (PC4) ALUMINUM PUSH BAR STAND     CENTRAL LOCKING CASTERS WITH BRAKE STAND     FRONT DIRECTIONAL CASTER STANDARD (LOCATI     SILVER (PC4) POWDER COATED RIGHT SIDE OTTO     SEAT FEATURES HEAVY DUTY VELCHOR TO ALLOW     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS B     4-POSITION INFINITELY ADJUSTABLE MECHANISM     POSITION 2: FOOTREST FULLY EXTENDED, I     POSITION 2: FOOTREST FULLY EXTENDED, I     POSITION 3: RANGE OF INFINITE BACK ADJI     POSITION 3: RANGE OF INFINITE BACK ADJI     POSITION 3: FOUL SLEEP POSITION WHERE     SUPPORTS 500 LBS.	ARD ARD (LOCATED ED ON LEFT SIDE MAN LEVER USE EASY ACCESS TO ACK ANGLE TO E ADJUSTS TO: , FOOTREST DOW 3ACK IN UPRIGH JSTABILITY FROI	ON FRONT LEF D TO OPEN AND D ALL INNER CO BE LOCKED AT A VN T POSITION M THE SEATED F	T SIDE) O CLOSE FOOTRE MPONENTS NY ANGLE UP TO POSITION	EST D 180° WHEN FUL				OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRAM	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. CAP (WOOD OR POLY) TO BE SPECIFIED. ISFER ARM LPTA (ADD \$550 LIST) RMS CANNOT BE USED ON SAME SIDE R.	
EC-43203	ULTRA TREATMENT RECLINER	3,700	3,960	4,145	4,300	4,450	4,600	4,750	4,900	5,200	
	ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECL SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDA MANUAL LOCK CASTERS STANDARD FRONT DIRECTIONAL CASTER STANDARD (LOCATE SILVER (PC4) POWDER COATED RIGHT SIDE OTTOU SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS 4.POSITION INFINITELY ADJUSTABLE MECHANISM POSITION IS SEATED WITH FEET ON FLOOR, POSITION 3: RANGE OF INFINITE BACK ADJU POSITION 3: RANGE OF INFINITE BACK ADJU POSITION 3: RANGE OF INFINITE BACK ADJU POSITION 4: FULL SLEEP POSITION WHERE SUPPORTS 500 LBS.	RD D ON LEFT SIDE MAN LEVER USE! EASY ACCESS TO ACK ANGLE TO B ADJUSTS TO: FOOTREST DOW JOTREST DOW JSTABILITY FROM	) D TO OPEN AND D ALL INNER CO IE LOCKED AT A IN I POSITION I THE SEATED F	CLOSE FOOTRE MPONENTS NY ANGLE UP TO POSITION	ST D 180° WHEN FUL				OPTION AVAILABLE REQUIRES AN ARM LEFT HANDED TRAN	DOWN TRANSFER ARM ON UPHOLSTERED ARM MODELS. CAP (WOOD OR POLY) TO BE SPECIFIED. ISFER ARM LPTA (ADD \$550 LIST) RMS CANNOT BE USED ON SAME SIDE 3.	

ORDER WC W PC BL		RM CAPS	PS	WALL S CLEAN EKO GU ROUND FIELD F PUZZLE ERGON CNC CI COIL SI HEAVY HEAVY OPTION OPTION OPTION SPE OPTION MUST COMBII MOISTI CAL 13:	AVER DESI OUT SEAT JARD® ANTI- ED ARMS F REPLACEAB E FIT FRAMI IOMIC, SOY JT ENGINEE EAT CONST DUTY COM DUTY BLAC JAL TOLEY CIFY LEFT I VAL OXYGEI VAL POLEY CIFY LEFT I VAL HEATY BE SPECIFIED OF JAL HEATY H HEATED L NATION UPF JRE BARRIE 3 (UPCHARGE,	MICROBIAL FINIS OR SAFE INGRES LE COMPONENTS E CONSTRUCTION BASED PRESERV ERED HARDWOOD RUCTION FOR EX MERCIAL GRADE K CASTERS CTIVE ARM CAPS E (ADD \$250 LIST) N TANK HOLDER, SE FRONT OR REAR, DUTY, UP AND OV ON OPPOSITE SIDE OF O ASSAGE, SEAT/BA UMBAR AREA (ADD IOLSTERY (UPCHAR ER (UPCHARGE, SEE PA SEE PAGE 4)	SS/EGRESS S SUPPORTS 500 LBS IE FOAM® P PLYWOOD ITREME COMFORT RECLINE MECHANIS SIZE D (ADD \$300 LIST) LF CLOSING (ADD \$145 OR RIGHT REAR /ER, FLIP DOWN TRA YTOMAN LEVER (ADD \$600 ACK TWO ZONE MAS D \$1000 LIST) IGE, SEE PAGE 4)	S. SM s LIST) LIST)	)				
LEATH	ER LIS	T PRICE		LIFETIN	IE WARRAN	ITY			IENSIONS	FIGURES YARDAGE REQUI	REMENTS SHOWN		
COL	C1 Basic	C2	C3 HAMPTON	C4 VOLO	CS ANDES	VELLUTO PELLE				ARE BASED ON N 54" TEXTILES. R FOR HELP WITH REPEATS OR SE COM_HELP@EKO	ION-DIRECTIONAL EFER TO PAGE 3 TEXTILES WITH ND AN EMAIL TO:		
4,650		6,300 DROP SIDE TABL THERMOFOIL WHITE NOTE: TABLE MUST I OTHER CUSTOM CO HEAVY DLITY FL OPTION AVAILABLE I THERMOFOIL WHITE LEFT HANDED FLIP I NOTE: TRAY MUST B OTHER CUSTOM CO	II X 19.5 LEFT BE SPECIFIED O LORS AVAILABLE IP-DOWN TR ON UPHOLSTER , 12 X 22. DOWN TRAY LF E SPECIFIED ON	HANDED TOT N OPPOSITE SI E AT UPCHARGE AY ED ARM MODEL TO (ADD \$925 I OPPOSITE SID	DE OF OTTOMAN CONTACT CUS S. LIST) E OF TRANSFEF	) I LEVER. TOMER CARE. R ARM OR OTTOMAN LEV	IER.	W D H SV SD SH BH AH SLE	34.25 39 46 24 20.5 22.5 29 6.5 ЕР DEPTH 72.	COM (YDS.) COL (SO. FT., WEIGHT (LBS CUBIC FEET			
3,900		5,550 DROP SIDE TABL THERMOFOIL WHITE NOTE: TABLE MUST I OTHER CUSTOM CO HEAVY DLITY FL OPTION AVAILABLE OPTION AVAILABLE DITHERMOFOL WHITE LEFT HANDED FLIP I NOTE: TRAY MUST B OTHER CUSTOM CO	11 X 19.5 LEFT BE SPECIFIED O LORS AVAILABLE IP-DDVVN TR DN UPHOLSTERI , 12 X 22. DOWN TRAY LF E SPECIFIED ON	HANDED TDT N OPPOSITE SII E AT UPCHARGE AY ED ARM MODEL TD (ADD \$925 I OPPOSITE SID	DE OF OTTOMAN CONTACT CUS S. LIST) E OF TRANSFEF	) I LEVER. TOMER CARE. R ARM OR OTTOMAN LEV	'ER.	W D H SSW SD SH BH AH SLE	34.25 39 46 24 20.5 22.5 29 6.5 EP DEPTH 72.	COM (YDS.) COL (SO. FT. WEIGHT (LBS CUBIC FEET			

71

# kardia ultra treatment bariatric recliners



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH ON ALL EXPOSED WOOD SURFACES POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY IDI.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-43002	ULTRA TREATMENT BARIATRIC RECLINER	4,300	4,570	4,745	4,900	5,050	5,300	5,350	5,500	5,800
	ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TR     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD     CENTRAL LOCKING CASTERS SWITH BRAKE STANDARD (IC)     FRONT DIRECTIONAL CASTER STANDARD (IC) CASTER STANDARD (IC) CASTER STANDARD (IC) SUBAR STANDARD (IC) TO ALLOW EASY AC     SIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANG     4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS     POSITION 1: SEATED WITH FEET ON FLOOR, FOOTRE     POSITION 1: SEATED WITH FEET ON FLOOR, FOOTRE     POSITION 2: FOOTREST FULLY EXTENDED, BACK IN I     POSITION 2: FOOTREST FULLY EXTENDED, BACK IN I     POSITION 3: RANGE OF INFINITE BACK ADJUSTABILI     POSITION 3: RANGE OF INFINITE BACK ADJUSTABILI     POSITION 3: FOLL SLEEP POSITION WHERE BACK AN     SUPPORTS 750 LBS.	CATED ON FROM FT SIDE) ER USED TO OP CESS TO ALL INI GLE TO BE LOCKI 5 TO: EST DOWN UPRIGHT POSITI TY FROM THE SI	NT LEFT SIDE) VEN AND CLOSE NER COMPONEI ED AT ANY ANG ION EATED POSITIOI	NTS LE UP TO 180° V N				OPTION A REQUIRES LEFT HAN NOTE: TRA	VAILABLE ON UPH S AN ARM CAP (W DED TRANSFER A	TRANSFER ARM HOLSTERED ARM MODELS. WOOD OR POLY) TO BE SPECIFIED. ARM LPTA (ADD \$550 LIST) INNOT BE USED ON SAME SIDE
EC-43004	ULTRA TREATMENT BARIATRIC RECLINER	3,550	3,810	3,995	4,150	4,300	4,450	4,600	4,750	5,050
	ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TR     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD     MANUAL LOCK CASTERS STANDARD (LOCATED ON LE     FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LE     SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEV     SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY AC     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANG     4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUST     POSITION 1: SEATED WITH FEET ON FLOOR, FOOTRE     POSITION 2: FOOTREST FULLY EXTENDED, BACK IN     POSITION 2: FOOTREST FULLY EXTENDED, BACK AND     SUPPORTS 750 LBS.	FT SIDE) ER USED TO OP CESS TO ALL IN SLE TO BE LOCKI S TO: EST DOWN UPRIGHT POSITI TY FROM THE SI	YEN AND CLOSE NER COMPONEI ED AT ANY ANG ION EATED POSITIOI	NTS LE UP TO 180° V N				OPTION AN REQUIRES LEFT HANI NOTE: TRA	/AILABLE ON UPH AN ARM CAP (WO DED TRANSFER A	TRANSFER ARM IOLSTERED ARM MODELS. OOD OR POLY) TO BE SPECIFIED. RM LPTA (ADD \$550 LIST) NNOT BE USED ON SAME SIDE
EC-43102	ULTRA TREATMENT BARIATRIC RECLINER	4,100	4,360	4,545	4,700	4,850	5,000	5,150	5,300	5,600
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD (LO     FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LE     SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEV     SEAT FEATURES HEAVY DUTY VELCROT O ALLOW EASY AC:     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANG     4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS     POSITION 1: SEATED WITH FEET ON FLOOR, FOOTRE     POSITION 1: SEATED WITH FEET ON FLOOR, SACK IN IN POSITION 2: FOOTRES T FULLY EXTENDED, BACK ANG     SUPPORTS 750 LBS.	FT SIDE) ER USED TO OPI CESS TO ALL INI SILE TO BE LOCKI S TO: EST DOWN JPRIGHT POSITI TY FROM THE SE	EN AND CLOSE NER COMPONEN ED AT ANY ANGI ION EATED POSITION	NTS LE UP TO 180° W N				OPTION A REQUIRE LEFT HAN NOTE: TR SUCH AS	VAILABLE ON UPH S AN ARM CAP (W DED TRANSFER A ANSFER ARMS CA	I TRANSFER ARM HOLSTERED ARM MODELS. JOOD OR POLY) TO BE SPECIFIED. ARM LPTA (ADD \$550 LIST) ANNOT BE USED WITH ACCESSORIES, ME SIDE AS TRANSFER MECHANISM OMAN LEVER.
EC-43104	ULTRA TREATMENT BARIATRIC RECLINER	3,350	3,610	3,795	3,950	4,100	4,250	4,400	4,550	4,850
	PATIENT/SLEEP POSITION/MOBILE RECLINER     SOLID SILVER (PC4) ALUMINUM PUSH BAR STANDARD     MANUAL LOCK CASTER STANDARD (LOCATED ON LE     FRONT DIACCTIONAL CASTER STANDARD (LOCATED ON LE     SILVER (PC4) POWDER COATED RIGHT SIDE OTTOMAN LEV     SEAT FEATURES HEAVY DUTY VELCRO TO ALLOW EASY AC     RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANG     4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS     POSITION 2: FOOTRED WITH FEET ON FLOOR, FOOTRE     POSITION 2: FOOTRES THULLY EXTENDED, BACK IN IL     POSITION 3: RANGE OF INFINITE BACK ADJUSTABLIT     POSITION 3: RANGE OF INFINITE BACK ADJUSTABLIT     POSITION 3: RANGE OF INFINITE BACK ADJUSTABLIT     POSITION 3: FOULS LEEP POSITION WHERE BACK AN     SUPPORTS 750 LBS.	ER USED TO OPI CESS TO ALL INI ILE TO BE LOCKI TO: EST DOWN JPRIGHT POSITI TY FROM THE SE	NER COMPONE ED AT ANY ANG ION EATED POSITION	NTS LE UP TO 180° W N				OPTION A REQUIRES LEFT HAN NOTE: TR/ SUCH AS	VAILABLE ON UPH S AN ARM CAP (W DED TRANSFER A ANSFER ARMS CA	TRANSFER ARM HOLSTERED ARM MODELS. HODD OR POLY) TO BE SPECIFIED. ARM LPTA (ADD \$550 LIST) INNOT BE USED WITH ACCESSORIES, ME SIDE AS TRANSFER MECHANISM DMAN LEVER.

	ARM CAPS POLY ARM CA	PS	WALL SA CLEAN-G EKO GU, ROUNDE FIELD R PUZZLE ERGONG CNC CU COIL SE HEAVY D OPTION, OPTION, OPTION, OPTION, SPEC OPTION, WITH COMBIN MOISTU CAL 133	ED ARMS FO EPLACEABL FIT FRAME DMIC, SOY B T ENGINEEF AT CONSTR DUTY COMM DUTY BLACK AL PROTECT AL IV POLE AL OXYGEN AL FOLEY B AL HEAVY D AL HEATY D HEATED LU ATION UPHO	N AICROBIAL FINISH AR SAFE INGRESS/E E COMPONENTS CONSTRUCTION SI ASED PRESERVE F RED HARDWOOD PL UCTION FOR EXTR IERCIAL GRADE RE ( CASTERS TIVE ARM CAPS (ADD \$250 LIST) TANK HOLDER, SLZ AG HOLDER, SELF RONT OR REAR, OF UTY, UP AND OVER 1 OPPOSITE SIDE OF OTTO SSAGE, SEAT/BACH MBBAR AREA (ADD \$10 UPCHARGE, SEE PAGE 4 (UPCHARGE, SEE PAGE 4)	JPPORTS 500 LBS. OAM® YWOOD EME COMFORT CLINE MECHANISM E D (ADD \$300 LIST) CLOSING (ADD \$145 LI I RIGHT REAR , FLIP DOWN TRAY MAN LEVER (ADD \$600 LIST) SEE PAGE 4)	1. 2. 3. E2 E4 I ST)	n) GE					
LEATHER L	IST PRICE		2.1.2.1.1.1				DIM	ENSIONS	FIGURES YARDAGE REQUIRI ARE BASED ON NO	MENTS SHOWN			
COL C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	VELLUTO PELLE				54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM HELP@EKOC	ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:			
4,500 5,92	5 6,150	6,325	QUOTED U	PON REQUE	EST		w	39.25	COM_HELP@EKOC	8.25			
	DROP SIDE TABL THERMOFOIL WHITE NOTE: TABLE MUST E OTHER CUSTOM COL	11 X 19.5 LEFT	N OPPOSITE SID	E OF OTTOMAN L			D H SW SD SH	39 46 29 20.5 20.5	COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET				
	HEAVY DLTY FLI OPTION AVAILABLE ( THERMOFOIL WHITE LEFT HANDED FLIP C NOTE: TRAY MUST BU OTHER CUSTOM COL	ON UPHOLSTERE , 12 X 22. DOWN TRAY <b>LF</b> E <i>SPECIFIED ON</i>	ED ARM MODELS	IST) OF TRANSFER A	ARM OR OTTOMAN LEVER. DMER CARE.		BH AH SLEE!	29 6.5 Р ПЕРТН 72.5	i				
3,750 5,17	5 5,400	5,575	QUOTED U	PON REQUE	EST		w D	39.25 39	COM (YDS.)	8.25			
	DRDP SIDE TABLI THERMOFOIL WHITE NOTE: TABLE MUST E OTHER CUSTOM COL PTION AVAILABLE O THERMOFOIL WHITE LEFT HANDED FLIP NOTE: TRAY MUST BU OTHER CUSTOM COL	11 X 19.5 LEFT I BE SPECIFIED OI ORS AVAILABLE IP-DOWN TRJ DN UPHOLSTERE , 12 X 22. DOWN TRAY LF <sup>-</sup> E SPECIFIED ON	A OPPOSITE SIDI AT UPCHARGE. AY ED ARM MODELS ID (ADD \$925 L OPPOSITE SIDE	E OF OTTOMAN L CONTACT CUSTC IST) OF TRANSFER A	DMER CARE. ARM OR OTTOMAN LEVER.		H SW SD SH BH AH	46 29 20.5 20.5 29 6.5 Р СЕРТН 72.5	WEIGHT (LBS.) CUBIC FEET				
4,300 5,72	5 5,950	6,125	QUOTED U	PON REQUE	EST		w	39.25	COM (YDS.)	8.25			
	DROP SIDE TABL THERMOFOIL WHITE NOTE: TABLE MUST I OTHER CUSTOM COL	11 X 19.5 LEFT BE SPECIFIED O LORS AVAILABLE	N OPPOSITE SID AT UPCHARGE.	E OF OTTOMAN I			D H SVV SD SH BH	39 46 29 20.5 20.5 29	COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET				
-	OPTION AVAILABLE ( THERMOFOIL WHITE LEFT HANDED FLIP [	ON UPHOLSTERI , 12 X 22. DOWN TRAY <b>LF</b> <i>E SPECIFIED ON</i>	ED ARM MODELS TD (ADD \$925 L I OPPOSITE SIDE	IST) OF TRANSFER /	ARM OR OTTOMAN LEVER. OMER CARE.		AH SLEEF	6.5 Р БЕРТН 72.5	i				
3,550 4,97	5 5,200	5,375	QUOTED U	PON REQUE	ST		vv D	39.25 39	COM (YDS.) COL (SQ. FT.)	8.25 149			
	DROP SIDE TABLI THERMOFOIL WHITE NOTE: TABLE MUST E OTHER CUSTOM COL	11 X 19.5 LEFT I BE SPECIFIED OI .ORS AVAILABLE	N OPPOSITE SIDI AT UPCHARGE.	E OF OTTOMAN L CONTACT CUSTC			H SW SD SH BH	46 29 20.5 20.5 29	WEIGHT (LBS.) CUBIC FEET				
	OPTION AVAILABLE C THERMOFOIL WHITE, LEFT HANDED FLIP E NOTE: TRAY MUST BI OTHER CUSTOM COL	, 12 X 22. DOWN TRAY <b>LF</b> T E <i>SPECIFIED ON</i>	(ADD \$925 L OPPOSITE SIDE	IST) OF TRANSFER A	ARM OR OTTOMAN LEVER. DMER CARE.		AH SLEEF	6.5 Р ДЕРТН 72.5	i	73			

eko

### kardia sleepers



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8	
EC-42071	SLEEPER CHAIR (UPHOLSTERED ARM) • SUPPORTS 500 LBS.	2,300	2,450	2,700	2,875	3,025	3,150	3,275	3,425	3,750	
EC-42081	SLEEPER CHAIR (WOOD ARM)	2,700	2,950	3,100	3,275	3,425	3,550	3,675	3,825	4,150	
	- SUPPORTS 500 LBS.										
EC-42171	SLEEPER CHAIR (UPHOLSTERED ARM)	2,550	2,700	2,950	3,125	3,275	3,400	3,525	3,675	4,000	
	• WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK) • SUPPORTS 500 LBS.										
EC-42181	SLEEPER CHAIR (WOOD ARM)	2,950	3,100	3,350	3,525	3,675	3,800	3,925	4,075	4,440	
	• WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK • SUPPORTS 500 LBS.										

74

-0

00 0)

#### ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### **+EKOCARE FEATURES**

WALL SAVER DESIGN CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD HEAVY DUTY COMMERCIAL GRADE MECHANISM OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE DIMENSIONS FIGURES YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 С3 64 C5 C5 FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE 2.700 4.050 4.500 4,700 QUOTED UPON REQUEST w 35.25 CDM (YDS.) 7.25 COL (SQ. FT.) 144 36 WEIGHT (LBS.) 90 н 36 sw 26.75 CUBIC FEET 28 19 50 SH 19.5 20 вн АН 9.5 SLEEP DEPTH 78 3,100 4,450 4,700 4,900 QUOTED UPON REQUEST COM (YDS.) 7.25 w 35.25 36 COL (SQ. FT.) 144 WEIGHT (LBS.) 90 36 н sw 26.75 CUBIC FEET 28 19 SD SH 19.5 вн 20 9.5 АН SLEEP DEPTH 78 2.950 4.300 4.550 4.750 QUOTED UPON REQUEST COM (YDS.) 7.25 w 35.25 36 COL (SQ. FT.) 144 WEIGHT (LBS.) 90 н 36 26.75 CUBIC FEET 28 sw 19 50 SH 19.5 20 вн АН 9.5 SLEEP DEPTH 78 QUOTED UPON REQUEST 3,350 4,700 4,950 5,150 COM (YDS.) 7.25 w 35.25 36 COL (SQ. FT.) 144 WEIGHT (LBS.) 90 36 н sw 26.75 CUBIC FEET 28

Π 00 00 GJ ()) 0) www.ekoc ٠ 3 7 QJ Π t.com/ healt **U** QJ ד Π

19

9.5 SLEEP DEPTH 78

19.5 20

SD SH

вн

AH

### kardia wide sleepers



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	C LIST F	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-42072	WIDE SLEEPER CHAIR (UPHOLSTERED ARM)	3,050	3,200	3,450	3,625	3,775	3,900	4,025	4,175	4,500
	• SEATS TWO • SUPPORTS 500 LBS.									
EC-42082	WIDE SLEEPER CHAIR (WOOD ARM)	3,450	3,600	3,850	4,025	4,175	4,300	4,425	4,575	4,900
	• SEATS TWO • SUPPORTS 500 LBS.									
EC-42172	WIDE SLEEPER CHAIR (UPHOLSTERED ARM)	3,300	3,450	3,700	3,875	4,025	4,150	4,275	4,425	4,750
	SEATS TWO     WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK)     SUPPORTS 500 LBS.	\$								
EC-42182	WIDE SLEEPER CHAIR (WOOD ARM)	3,700	3,850	4,100	4,275	4,425	4,550	4,675	4,825	5,190
	SEATS TWO     WITH 3-INCH CASTERS (TWO SWIVEL, TWO LOCK     SUPPORTS 500 LBS.									

#### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDDD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

LEATHER LIST PRICE

#### +EKOCARE FEATURES

WALL SAVER DESIGN CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH ROUNDED ARMS FOR SAFE INGRESS/EGRESS FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. ERGONOMIC, SOY BASED PRESERVE FOAM® CNC CUT ENGINEERED HARDWOOD PLYWOOD HEAVY DUTY COMMERCIAL GRADE MECHANISM OPTIONAL PROTECTIVE ARM CAPS COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

DIMENSIONS

EC-42011/53/MAHARAM DART 017 SCRIBE

FIGURES

#### YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 С3 64 C5 C5 FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE 3.450 4.800 5.250 5,450 QUOTED UPON REQUEST 51.75 CDM (YDS.) 8.75 w 36 COL (SQ. FT.) 160 weight (LBS.) 110 н 36 sw 43.25 CUBIC FEET 36 19 50 NOTE: ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS. 17.5 SH 20 вн АН 9.5 SLEEP DEPTH 78 3,850 5,200 5,450 5,650 QUOTED UPON REQUEST CDM (YDS.) 8.75 w 51.75 36 COL (SQ. FT.) 160 WEIGHT (LBS.) 110 36 н 43.25 CUBIC FEET 36 sw 19 SD NOTE: ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS. SH 17.5 20 вн 9.5 АН SLEEP DEPTH 78 3.700 5.050 5.300 5.500 QUOTED UPON REQUEST w 51.75 COM (YDS.) 8.75 36 COL (SQ. FT.) 160 WEIGHT (LBS.) 110 н 36 43.25 CUBIC FEET 36 sw 19 50 NOTE: ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS. SH 17.5 20 вн АН 9.5 SLEEP DEPTH 78

4,100 5,450 5,700 5,900 QUOTED UPON REQUEST w 51.75 COM (YDS.) 8.75 36 COL (SQ. FT.) 160 WEIGHT (LBS.) 110 36 н sw 43.25 CUBIC FEET 36 19 SD NOTE: ALL COM OR VINYL FOR THIS PRODUCT MUST BE 54" WIDE, NO EXCEPTIONS. SH 17.5 20 вн АН 9.5 SLEEP DEPTH 78

## kardia sleepers




#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.



- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDDD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

WALL SAVER DESIGN CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. OPTIONAL PROTECTIVE ARM CAPS MOISTURE BARRIER (ADD \$150 LIST) OPTIONAL IV POLE (ADD \$150 LIST) OPTIONAL DROP SIDE TABLE (ADD \$150 LIST) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATH	LEATHER LIST PRICE								DIMENSIONS FIGURES					
COL	C1	C2	C3	64	CS	C5				ARE BASED ON NO	N-DIRECTIONAL			
502	BASIC	FUNDAMENTAL		VOLO	ANDES					54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	EXTILES WITH D AN EMAIL TO:			
3,225	5,350	5,700	6,050	QUOTED U	JPON REQUE	EST		W D H SW SD SH BH AH SLEEP	83.5 36 36.25 75.5 19.5 20 16.75 8 вертн 30.25	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET				
3,475	5,600	5,950	6,300	QUOTED U	IPON REQUE	EST		W H SW SH BH AH SLEEP	83.5 36 36.25 75.5 19.5 20 16.75 8 пертн 30.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	120			
3,475	5,600	5,950	6,300	QUOTED U	IPON REQUE	EST		W H SW SD SH BH AH SLEEP	83.5 36 36.25 75.5 19.5 20 16.75 8 DEPTH 30.25	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET				
3,725	5,850	6,200	6,550	QUOTED U	IPON REQUE	EST		W D SW SD SH BH AH SLEEP	83.5 36.25 75.5 19.5 20 16.75 8 DEPTH 30.25	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET				

### kardia side-sleeper



#### PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY

14 VERSAILLES

16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8		
EC-42078	SIDE SLEEPER SOFA (UPHOLSTERED ARM)	2,500	2,650	2,950	3,150	3,335	3,500	3,700	3,900	4,250		
	WITH WOOD LEGS     COIL SEAT CONSTRUCTION FOR THE FEEL AND CO     CONTAINS UNDERNEATH STORAGE COMPARIMENT     COMPARTMENT IS LINED WITH BLEACH CLEANABLE     SUPPORTS 500 LBS.	LOCATED WITH	IN ARM EXTENS	SION								
EC-42079	SIDE SLEEPER SDFA (UPHOLSTERED ARM)	2,700	2,850	3,150	3,350	3,535	3,700	3,900	4,100	4,450		
	WITH CASTERS     COIL SEAT CONSTRUCTION FOR THE FEEL AND CO     CONTAINS UNDERNEATH STORAGE COMPARTMENT     COMPARTMENT IS LINED WITH BLEACH CLEANABLE     SUPPORTS 500 LBS.	LOCATED WITH	IN ARM EXTENS	SION								



#### ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH FIELD REPLACEABLE COMPONENTS PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS. OPTIONAL PROTECTIVE ARM CAPS MOISTURE BARRIER (ADD \$150 LIST) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

#### LEATHER LIST PRICE

COL	C1	C2	C3	64	CS	CS
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE
2,950	4,400	4,750	4,900	QUOTED UP	PON REQUE	ST
3,150	4,600	4,950	5.100	QUOTED U		ст
0,100	-,000	-,550	5,100	QUUILD UI	UNITEQUE	01

#### DIMENSIONS

W (CLOSED) 62.25

W (EXTENDED) 85.75 36.5

SW (CLOSED) 54.5

SW (EXTENDED)78

SLEEP WIDTH 78

W (CLOSED) 62.25

W (EXTENDED) 85.75

SVV (CLOSED) 54.5 SW (EXTENDED)78

SLEEP WIDTH 78

33

20.25

19

13.5 7

36.5

20.25

21 13.5

7

33

н

SD

SH вн

AH

п

н

SD SH

вн

АН

VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM

COM (YDS.)	10.25
<b>COL</b> (SQ. FT.)	185
WEIGHT (LBS.)	110
CUBIC FEET	44

FIGURES

COM (YDS.) 10.25 COL (SQ. FT.) 185 WEIGHT (LBS.) 110 CUBIC FEET 44

# machi lounge



#### PRODUCT SPECIFICATIONS

MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8		
EC-32081	CLUB CHAIR (WOOD LEGS)	1,320	1,425	1,595	1,705	1,810	1,915	2,020	2,130	2,340		
	SUPPORTS 350 LBS.											
EC-35085	LOVESEAT (WOOD LEGS)	2,035	2,225	2,425	2,550	2,680	2,810	2,880	3,065	3,325		



EC-32083	SDFA (WOOD LEGS)	2,565	2,790	3,055	3,220	3,385	3,555	3,720	3,910	4,275
	SUPPORTS 750 LBS.									

### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDDD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. ARM CAP OPTION
- 4. FABRIC

EXAMPLE

EC-32081/53/MAHARAM DART 017 SCRIBE

LEATH	ER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1 BASIC	C2	C3	C4	CS ANDES				ARE BASED ON NO 54" TEXTILES. RE FOR HELP WITH T REPEATS OR SEN	ON-DIRECTIONAL FER TO PAGE 3 EXTILES WITH
1,520	2,545	2,730	2,875	QUOTED U	JPON REQUI	EST	W D SW SD SH BH AH	33 32 32.5 22 21 17.25 16 8	COM_HELP@EKOC COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	ontract.com 5.25 100
2,335	3,765	4,040	4,195	QUOTED U	IPON REQUI	EST	W D H SU SH BH AH	56.5 32 32.5 44.5 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
2,965	4,980	5,355	5,650	QUOTED U	IPON REQUI	EST	W D H SW SD SH BH AH	78.5 32 32.5 66.25 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

# machi lounge



#### PRODUCT SPECIFICATIONS

MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8		
EC-32181	CLUB CHAIR (METAL LEGS)	1,370	1,475	1,645	1,755	1,860	1,965	2,070	2,180	2,390		
	• SUPPORTS 350 LBS.											
EC-32182	LOVESEAT (METAL LEGS)	2,085	2,275	2,475	2,600	2,730	2,860	2,990	3,115	3,375		
	• SUPPORTS 550 LBS.											

0)

Π

#### METAL PAINT COLORS

STANDARD ALUMINUM 5 PC1 MILK GLOSS PC2 CHARCOAL GLOSS PC3 OATMEAL GLOSS PC4 SILVER PCS CHROME PC6 RAVEN

#### ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. ARM CAP OPTION
- 3. FABRIC

EXAMPLE

EC-32181/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1 BASIC	C2	<b>C3</b> HAMPTON	C4 VOLO	CS ANDES	CS VELLUTO PELLE			YARDAGE REQUIRE ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SENI COM_HELP@EKOCO	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,570	2,595	2,780	2,925	QUOTED U	IPON REQUE	EST	♥ □ H S□ S□ H B H AH	33 32 32.5 22 21 17.25 16 8	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
2,385	3,815	4,090	4,245	QUOTED U	IPON REQUE	EST	W D SW SD SH BH AH	56.5 32 32.5 44.5 21 17.25 16 8	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
3,015	5,030	5,405	5,700	QUOTED U	IPON REQUE	EST	W D H SW SD SH BH	78.5 32 32.5 66.25 21 17.25 16	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET	

### 16

8

АН

00 \_ Ν 00 G ()) 0) www.ekoc 3 5 9) Π t.com/ healt 9 Ъ Π

### machi<sup>2</sup> lounge

WITHOUT UPHOLSTERED WELT CORDS



#### PRODUCT SPECIFICATIONS


MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8			
EC-32281	CLUB CHAIR (WOOD LEGS)	1,270	1,375	1,545	1,655	1,760	1,865	1,970	2,080	2,290			
	SUPPORTS 350 LBS.												
EC-32282	LOVESEAT (WOOD LEGS)	1,985	2,175	2,375	2,500	2,630	2,760	2,890	3,035	3,275			
	• SUPPORTS 550 LBS.												
EC-32283	SDFA (WOOD LEGS)	2,515	2,740	3,005	3,170	3,335	3,505	3,670	3,860	4,225			
	SUPPORTS 750 LBS.												



#### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDDD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. ARM CAP OPTION
- 4. FABRIC

EXAMPLE

EC-32281/53/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE						DIME	NSIONS	FIGURES	
COL	<b>C1</b> BASIC	C2 FUNDAMENTAL	<b>C3</b> HAMPTON	C4 VOLO	ANDES	CS VELLUTO PELLE				YARDAGE REQUIR ARE BASED ON NO 54" TEXTILES. REI FOR HELP WITH TI REPEATS OR SEN COM_HELP@EKOC	DN-DIRECTIONAL FER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,470	2,495	2,680	2,825	QUOTED U	PON REQUE	EST		W D H S D S H B H A H	33 32 32.5 22 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
2,285	3,715	3,990	4,145	QUOTED U	PON REQUE	EST		W D H SW SD SH BH AH	56.5 32 32.5 44.5 21 17.25 16 8	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	
2,915	4,930	5,305	5,600	QUOTED U	PON REQUE	EST		W D H SW SD SH BH AH	78.5 32 32.5 66.25 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

0) Π 00 \_ Δ 00 GJ ()) 0) www.ekoc 3 5 9) Π t.com/ healt 9 5 Π

### machi<sup>2</sup> lounge

WITHOUT UPHOLSTERED WELT CORDS



#### PRODUCT SPECIFICATIONS

MACHI LOUNGE OFFERS CLEAN SHAPES AND UNCOMPLICATED LINES IN THIS SIMPLE, EXQUISITELY TAILORED COLLECTION. THE STRAIGHT-FORWARD DESIGN MIXES TASTEFULLY IN A VARIETY OF ENVIRONMENTS AND IS PROPORTIONED FOR COMFORTABLE SITTING OR SOOTHING LOUNGING APPLICATIONS. A CHOICE OF TWO LEG STYLES, BRUSHED ALUMINUM OR WOOD ADD TO MACHI'S VERSATILITY.

MACHI LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRI	FABRIC LIST PRICE											
		COM	CUE	2	3	4	5	6	7	8				
EC-32381	CLUB CHAIR (METAL LEGS)	1,320	1,425	1,595	1,705	1,810	1,915	2,020	2,130	2,340				
	SUPPORTS 350 LBS.													
EC-32382	LOVESEAT (METAL LEGS)	2,035	2,225	2,425	2,550	2,680	2,810	2,940	3,065	3,325				
	SUPPORTS 550 LBS.													

EC-32383	SOFA (METAL LEGS)	2,565	2,790	3,055	3,220	3,385	3,555	3,720	3,910	4,275
	SUPPORTS 750 LBS.									

# eko

00

#### METAL PAINT COLORS

STANDARD ALUMINUM
PCI
MILK GLOSS
PC2
CHARCOAL GLOSS
PC3
OATMEAL GLOSS
PC4
SILVER
PC5
CHROME
PC6
RAVEN

### ADDITIONAL PRODUCT ORDERING



WC VUOD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. ARM CAP OPTION
- 4. FABRIC

#### EXAMPLE

8

АН

EC-32381/53/MAHARAM DART 017 SCRIBE

LEATHER LIST PRICE DIMENSIONS FIGURES VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COL C1 C2 С3 64 C5 C5 FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE 1.520 2.545 2.730 2,875 QUOTED UPON REQUEST w 33 CDM (YDS.) 5.25 COL (SQ. FT.) 100 32 WEIGHT (LBS.) 66 н 32.5 sw 22 CUBIC FEET 24 21 50 SH 17.25 16 вн АН 8 2,335 3,765 4,040 4,195 QUOTED UPON REQUEST COM (YDS.) 7 56.5 w 32 COL (SQ. FT.) 135 32.5 WEIGHT (LBS.) 94 н sw 44.5 CUBIC FEET 37 21 SD 17.25 SH вн 16 8 AH 2,965 4,980 5,355 5,650 QUOTED UPON REQUEST 78.5 9 w CDM (YDS.) COL (SQ. FT.) 175 32 п н 32.5 WEIGHT (LBS.) 122 66.25 CUBIC FEET 52 sw SD 21 17.25 SH 16 вн

# mod lounge



#### PRODUCT SPECIFICATIONS

MOD IS AN EXPANSIVE FREESTANDING AND MODULAR LOUNGE COLLECTION CHARACTERIZED BY STRONG ARCHITECTURAL SIMPLICITY, TAILORED FORM-FITTING UPHOLSTERY, AND A MULTITUDE OF CLEANLY CONSTRUCTED COMPONENTS. A GENEROUS SCALE AND STYLISH INTERACTION CELEBRATE CONTEMPORARY AESTHETICS AND FUNCTION. CRISP BISCUIT-TUFTED OR PLAIN DOWN-FILLED SEAT AND BACK CUSHIONS EASILY ADAPT TO A VARIETY OF ENVIRONMENTS. A THOUGHTFULLY DESIGNED WOOD PANEL OUTER ARM, FOR FREESTANDING LOUNGE MODELS, ADDS POLISHED SOPHISTICATION AND FINESSE. AVAILABLE WITH WOOD OR SATIN NICKEL METAL LEGS.

MOD'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS.

DESIGNED BY IDI.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8	
EC-MOD71SM	CLUB CHAIR (METAL LEGS)	1,515	1,665	1,835	1,945	2,050	2,155	2,265	2,370	2,585	
EC-MOD71SW	CLUB CHAIR (WOOD LEGS)	1,415	1,565	1,735	1,845	1,950	2,055	2,165	2,270	2,485	

PLAIN SEAT/BACK

STANDARD WITH DOWN CUSHIONS • SUPPORTS 350 LBS.



EC-MOD725M	LOVESEAT (METAL LEGS)	2,355	2,585	2,850	3,015	3,180	3,345	3,510	3,675	4,005
EC-MOD72SW	LOVESEAT (WOOD LEGS)	2,255	2,485	2,750	2,915	3,080	3,245	3,410	3,575	3,905
PLAIN SEAT/BACK										


STANDARD WITH DOWN CUSHIONS • SUPPORTS 550 LBS.



EC-MOD735M	SOFA (METAL LEGS)	2,890	3,115	3,445	3,650	3,855	4,060	4,260	4,465	4,875
EC-MOD73SW	SDFA (WOOD LEGS)	2,790	3,015	3,345	3,550	3,755	3,960	4,160	4,365	4,775

PLAIN SEAT/BACK STANDARD WITH DOWN CUSHIONS •

STANDARD WITH DOWN CUSHIONS • SUPPORTS 750 LBS.



#### METAL PAINT COLORS

STANDARD ALUMINUM 5 PC1 MILK GLOSS PC2 CHARCOAL GLOSS PC3 OATMEAL GLOSS PC4 SILVER PCS CHROME PC6 RAVEN

#### **+EKOCARE FEATURES**

LEATHER LIST PRICE

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### ADDITIONAL PRODUCT ORDERING OPTIONS



WOOD OR METAL LEGS (STANDARD)



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS (ADD \$100 LIST PER SET)

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-MOD71SM/53/MAHARAM DART 017 SCRIBE

COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	CS VELLUTO PELLE			YARDAGE RE ARE BASED 54" TEXTILE FOR HELP W REPEATS OF COM_HELP@
1,865	2,730	2,925	3,045	QUOTED U	PON REQU	EST	w	34.5	DUE TO DES PRODUCT, U
1,765	2,630	2,825	2,945	QUOTED U	PON REQU	EST	D H SV SD SH BH AH	31.5 32 27 19 17.75 16.75 25.25	REQUIRE A PERCENTAG COM REQUI BROKEN DO' AND UP ROL COM CR ( COM UR ( COL (SQ. WEIGHT ) CUBIC FE
2,655	4,170	4,445	4,625	QUOTED	UPON REQL	JEST	w	61.5	COM CR
2,555	4,070	4,345	4,525	QUOTED	UPON REQU	JEST	D H SW SD SH BH AH	31.5 32 54 19 17.75 16.75 25.25	COM UR COL (SC WEIGHT CUBIC FI
3,290	5,205	5,560	5,800	QUOTED U	PON REQU	EST	w	88.5	
3,190	5,105	5,460	5,700	QUOTED U	PON REQU	EST	D H SW SD	31.5 32 81 19	COM UR ( COL (SQ. WEIGHT ( CUBIC FE

#### FIGURES DIMENSIONS

REQUIREMENTS SHOWN DON NON-DIRECTIONAL LLES. REFER TO PAGE 3 P WITH TEXTILES WITH OR SEND AN EMAIL TO: P@EKOCONTRACT.COM

ESIGN AND SIZE OF , UP ROLL TEXTILES A LARGER THAN NORMAL AGE TO PRODUCE. UIREMENTS HAVE BEEN DOWN BY CROSS ROLL (CR) OLL (UR) BELOW. e(YDS.) 5.5 e (YDS.) 7.25

Q. FT.) 99 r (LBS.) 50 теет 20

R(YDS.) 8.5 IR (YDS.) 11.5 SQ. FT.) 153 HT (LBS.) 70 feet 36

10.75
15.75
194
90
52

SH

вн

АН

17.75

16.75 25.25

### mod lounge



#### PRODUCT SPECIFICATIONS

MOD IS AN EXPANSIVE FREESTANDING AND MODULAR LOUNGE COLLECTION CHARACTERIZED BY STRONG ARCHITECTURAL SIMPLICITY, TAILORED FORM-FITTING UPHOLSTERY, AND A MULTITUDE OF CLEANLY CONSTRUCTED COMPONENTS. A GENEROUS SCALE AND STYLISH INTERACTION CELEBRATE CONTEMPORARY AESTHETICS AND FUNCTION. CRISP BISCUIT-TUFTED OR PLAIN DOWN-FILLED SEAT AND BACK CUSHIONS EASILY ADAPT TO A VARIETY OF ENVIRONMENTS. A THOUGHTFULLY DESIGNED WOOD PANEL OUTER ARM, FOR FREESTANDING LOUNGE MODELS, ADDS POLISHED SOPHISTICATION AND FINESSE. AVAILABLE WITH WOOD OR SATIN NICKEL METAL LEGS.

MOD'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS.


DESIGNED BY IDI.

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC	C LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-MOD81TM	CLUB CHAIR (METAL LEGS)	1,515	1,665	1,835	1,945	2,050	2,155	2,265	2,370	2,585
EC-MOD81TW	CLUB CHAIR (WOOD LEGS)	1,415	1,565	1,735	1,845	1,950	2,055	2,165	2,270	2,485
TUFTED SEAT/BACK	<ul> <li>SUPPORTS 350 LBS.</li> </ul>									
EC-MOD82TM	LOVESEAT (METAL LEGS)	2,355	2,585	2,850	3,015	3,180	3,345	3,510	3,675	4,005
EC-MOD82TW	LOVESEAT (WOOD LEGS)	2,255	2,485	2,750	2,915	3,080	3,245	3,410	3,575	3,905
TUFTED SEAT/BACK	SUPPORTS 550 LBS.									
EC-MOD83TM	SDFA (METAL LEGS)	2,890	3,115	3,445	3,650	3,855	4,060	4,260	4,465	4,875
EC-MOD83TW	SOFA (WOOD LEGS)	2,790	3,015	3,345	3,550	3,755	3,960	4,160	4,365	4,775

TUFTED SEAT/BACK • SUPPORTS 750 LBS.



#### METAL PAINT COLORS

STANDARD ALUMINUM 5 PC1 MILK GLOSS PC2 CHARCOAL GLOSS PC3 OATMEAL GLOSS PC4 SILVER PCS CHROME PC6 RAVEN

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

C2

2,925

2,825

4,445

4,345

5,560

5,460

С3

3,045

2,945

4.625

4,525

5,800

5,700

FUNDAMENTAL HAMPTON

### LEATHER LIST PRICE

C1

BASIC

2,730

2,630

4,170

4,070

5,205

5,105

COL

1,865

1,765

2.655

2,555

3,290

3,190

#### ADDITIONAL PRODUCT ORDERING OPTIONS



WOOD OR METAL LEGS (STANDARD)



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS (ADD \$100 LIST PER SET)

### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-MOD81TM/53/MAHARAM DART 017 SCRIBE

			DIME	NSIONS	FIGURES
C4 VOLO	CS ANDES	CS VELLUTO PELLE			YARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OR SEND AN EMAIL TO: COM_HELP@EKOCONTRACT.COM
QUOTED (	JPON REQU	EST	w	34.5	DUE TO DESIGN AND SIZE OF PRODUCT, UP ROLL TEXTILES
QUOTED (	JPON REQU	EST	D H SD SH BH AH	31.5 32 27 19 17.75 16.75 25.25	REQUIRE A LARGER THAN NORMAL PERCENTAGE TO PRODUCE. COM REQUIREMENTS HAVE BEEN BROKEN DOWN BY CROSS ROLL (CR) AND UP ROLL (UR) BELOW. COM CR (YDS.) 5.5 COM UR (YDS.) 7.25 COL (SQ. FT.) 99 WEIGHT (LBS.) 50 CUBIC FEET 20
QUOTED	UPON REQL	IEST	w	61.5	COM CR (YDS.) 8.5
QUOTED	UPON REQU	IEST	D H SD SH BH AH	31.5 32 54 19 17.75 16.75 25.25	COM UR (YDS.) 11.5 COL (SQ.FT.) 153 Weight (LBS.) 70 CUBIC FEET 36
QUOTED I	JPON REQUI	EST	w	88.5	COM CR (YDS.) 10.75
QUOTED U	JPON REQU	EST	D H SW SD SH BH AH	31.5 32 81 19 17.75 16.75 25.25	COM UR (YDS.) 15.75 COL (SQ. FT.) 194 WEIGHT (LBS.) 90 CUBIC FEET 52

# 0) Π 00 \_ Ν 00 G ()) Π www.ekoc ٠ 3 7 9) Π t.com/ healt **U** 9) ٦ Π

### nv simplex lounge



#### PRODUCT SPECIFICATIONS

NV SIMPLEX LOUNGE COLLECTION TOUTS TIMELESS SIMPLICITY WITH MINIMALIST APPEAL. FEATURING HANDSOME SATIN NICKEL CYLINDER LEGS AND A PLAIN UPHOLSTERED BACK, NV SIMPLEX IS EXPERTLY CONTRUCTED WITH EXACTING DETAILS AND MAKES A TASTEFUL COMPANION FOR CORPORATE, HEALTHCARE, AND EDUCATION SEATING ENVIRONMENTS.

NV SIMPLEX LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE										
		COM	CUE	2	3	4	5	6	7	8		
EC-34081	CLUB CHAIR (PLAIN BACK)	1,195	1,335	1,500	1,600	1,700	1,800	1,900	2,005	2,205		
	<ul> <li>SUPPORTS 350 LBS.</li> </ul>											
EC-34082	LOVESEAT (PLAIN BACK)	2,075	2,240	2,425	2,545	2,650	2,765	2,880	3,025	3,275		
	SUPPORTS 550 LBS.											
EC-34083	SOFA (PLAIN BACK)	2,590	2,800	3,045	3,195	3,350	3,500	3,655	3,820	4,155		
1	SUPPORTS 750 LBS.											

### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

### ADDITIONAL PRODUCT ORDERING OPTIONS



VVC VVDD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

ѕн

вн Ан 17.25

16

8

EC-32081/53/MAHARAM DART 017 SCRIBE

LEATH	ER LIST	PRICE					DIME	NSIONS	YARDAGE REQUIREMENTS SHOWN		
COL	C1	C2	C3	64	CS	CS			ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE	N-DIRECTIONAL ER TO PAGE 3 XTILES WITH	
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE			RÉPEATS OR SEN COM_HELP@EKOC	D AN EMAIL TO:	
1,395	2,455	2,645	2,775	QUOTED U	IPON REQUI	EST	W D SW SD SH BH AH	34 32 32.5 22 21 17.25 16 8	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET		
2,375	3,915	4,225	4,385		IPON REQUE		W H SW SH BH AH	57.5 32 32.5 44.5 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET		
3,200	4,380	4,665	4,850	QUOTED U	IPON REQUE	EST	W D H SW SD	79.5 32 32.5 66.25 21	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET		

#### $\square \vee$ lounde

### WITH SOLID MILLED ALUMINUM UNDERSTRUCTURE



#### PRODUCT SPECIFICATIONS


NV LOUNGE COLLECTION TOUTS TIMELESS SIMPLICITY WITH MINIMALIST APPEAL. FEATURING A MODERNIST SATIN NICKEL METAL PLATFORM BASE WITH METAL LEGS AND CHOICE OF RECTANGULAR INSET SATIN NICKEL BACK DETAIL OR PLAIN BACK. NV IS EXPERTLY CONTRUCTED WITH EXACTING DETAILS AND MAKES A TASTEFUL COMPANION FOR CORPORATE, HEALTHCARE, AND EDUCATION SEATING ENVIRONMENTS.

NV LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- NATURAL 10 11 MONTICELLO
- 12
- HUNTINGTON WILD CHERRY
- 13 VERSAILLES 14
- 16 CAFELLE
- )

MODEL	DESCRIPTION	FABRIC LIST PRICE											
		COM	CUE	2	3	4	5	6	7	8			
EC-34181	CLUB CHAIR (PLAIN BACK)	1,775	1,850	2,015	2,115	2,210	2,315	2,415	2,520	2,720			
	SUPPORTS 350 LBS.												
EC-34182	LOVESEAT (PLAIN BACK)	2,635	2,800	2,985	3,105	3,210	3,325	3,440	3,585	3,835			
	SUPPORTS 550 LBS.												
EC-34183	SOFA (PLAIN BACK)	3,295	3,505	3,750	3,900	4,055	4,205	4,360	4,525	4,860			
	SUPPORTS 750 LBS.												



0

00

Ν

#### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

### ADDITIONAL PRODUCT ORDERING OPTIONS



#### VVC VVDDD ARM CAPS PC BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

(ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

66.25

21 17.25

16

8

CUBIC FEET 52

sw

SD

SH

вн Ан EC-32081/53/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE						DIME	NSIONS	FIGURES	
COL	<b>C1</b> BASIC	C2 FUNDAMENTAL	<b>C3</b> HAMPTON	C4	CS ANDES	CS VELLUTO PELLE				YARDAGE REQUIR ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,910	2,970	3,175	3,290	QUOTED U	PON REQUE	ST		W D H SW SD SH BH AH	34 32 32.5 22 21 17.25 16 8	COM (YDS.) COL (SO.FT.) WEIGHT (LBS.) CUBIC FEET	
2,935	4,475	4,785	4,945	QUOTED U	PON REQUE	ST		W D H SU SH BH AH	57.5 32 32.5 44.5 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
3,905	5,085	5,370	5,555	QUOTED U	PON REQUE	ST		W D H	79.5 32 32.5	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.)	

### nv lounge

### WITH SOLID MILLED ALUMINUM UNDERSTRUCTURE AND BACK ACCENT



#### PRODUCT SPECIFICATIONS

NV LOUNGE COLLECTION TOUTS TIMELESS SIMPLICITY WITH MINIMALIST APPEAL. FEATURING A MODERNIST SATIN NICKEL METAL PLATFORM BASE WITH METAL LEGS AND CHOICE OF RECTANGULAR INSET SATIN NICKEL BACK DETAIL OR PLAIN BACK. NV IS EXPERTLY CONTRUCTED WITH EXACTING DETAILS AND MAKES A TASTEFUL COMPANION FOR CORPORATE, HEALTHCARE, AND EDUCATION SEATING ENVIRONMENTS.

NV LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

- 10 NATURAL
  11 MONTICELLO
  12 HUNTINGTON
  13 WILD CHERRY
  14 VERSAILLES
- 16 CAFELLE

MODEL	DESCRIPTION	FABRIC LIST PRICE											
		COM	CUE	2	3	4	5	6	7	8			
EC-34281	CLUB CHAIR (BACK ACCENT)	1,875	1,950	2,115	2,215	2,315	2,415	2,515	2,620	2,820			
	<ul> <li>SUPPORTS 350 LBS.</li> </ul>												
EC-34282	LOVESEAT (BACK ACCENT)	2,735	2,900	3,085	3,205	3,310	3,425	3,540	3,685	3,935			
	SUPPORTS 550 LBS.												
EC-34283	SOFA (BACK ACCENT)	3,395	3,605	3,850	4,000	4,155	4,305	4,460	4,625	4,960			
-	SUPPORTS 750 LBS.												

0)

### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

### ADDITIONAL PRODUCT ORDERING OPTIONS



#### WC VUDD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT

(ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

21

16

8

17.25

SD

SH

вн Ан

EXAMPLE

EC-32081/53/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE						DIME	SIONS	FIGURES	MENTS SHOWN
COL	C1	C2	C3	64	C5	CS				ARE BASED ON NO 54'' TEXTILES. REF FOR HELP WITH TE	N-DIRECTIONAL ER TO PAGE 3
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE				REPEATS OR SEN COM_HELP@EKOC	D AN EMAIL TO:
2,010	3,070	3,275	3,390	QUOTED U	PON REQUE	EST		W D H SW SD SH BH AH	34 32 32.5 22 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
3,035	4,575	4,885	5,045	QUOTED U	PON REQUE	EST		W D SW SD SH BH AH	57.5 32 32.5 44.5 21 17.25 16 8	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
4,005	5,185	5,470	5,655	QUOTED U	PON REQUE	EST		W D H SW	79.5 32 32.5 66.25	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

# reed lounge



#### PRODUCT SPECIFICATIONS

REED LOUNGE EXUDES MODERN SOPHISTICATION AND BRINGS LOBBY ENVIRONMENTS TO FLIRTATIOUS LIFE. A CAREFULLY PLANNED COMPOSITION OF PROPORTIONS AND GENTLE ARCS PROVIDE THE FOUNDATION FOR THIS CONTEMPORARY, RELAXED, AND COMFORTABLE LOUNGE COLLECTION. THE PRECISELY UPHOLSTERED PUZZLE-FIT OUTSIDE BACK AND LAYERED PILLOW-TOP INSIDE BACK ADD THE LIVELY DETAILS THAT UNIFY THIS SLEEK DESIGN. FOR ADDED PIZAZZ SELECT A CONTRASTING TEXTILE FOR THE SEAT AND INSIDE/OUTSIDE BACKS.

REED LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### MODEL DESCRIPTION FABRIC LIST PRICE COM CUE З 7 8 2 5 6 4 EC-32021 CLUB CHAIR 1,340 1,460 1,600 1,685 1,775 1,860 1,950 2,025 2,210 SUPPORTS 350 LBS. EC-35055 LOVESEAT 1,925 2,095 2,290 2,410 2,530 2,650 2,775 2,895 3,135 · SUPPORTS 550 LBS.

EC-32023	SOFA	2,530	2,660	2,870	3,005	3,135	3,265	3,395	3,525	3,785
	SUPPORTS 750 LBS.									

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES 16 CAFELLE

100

### ADDITIONAL PRODUCT ORDERING OPTIONS



 
 WC
 WODD
 ARM
 CAPS

 BLACK
 POLY
 ARM
 CAPS

 ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)
 CAPS
 CAPS

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. FABRIC

EXAMPLE

EC-32021/53/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE					DIME	NSIONS	FIGURES
COL	<b>C1</b> BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	<b>CS</b> Andes	VELLUTO PELLE			
1,540	2,620	2,810	2,945	QUOTED U	IPON REQU	IEST	W D H SW SD SH BH AH	26.75 30.5 32 22 19.75 18.5 15.5 7.75	COM (YDS.) 4.25 COL (SQ. FT.) 80 WEIGHT (LBS.) 66 CUBIC FEET 24
2,225	3,235	3,430	3,565	QUOTED U	PON REQU	IEST	W D H SU SH BH AH	49.5 30.5 32 44 19.75 18.5 15.5 7.75	СОМ (YDS.) 6 СОL (SQ. FT.) 110 WEIGHT (LBS.) 94 СИВІС FEET 37
2,930	4,165	4,420	4,590	QUOTED U	PON REQU	IEST	W D H SD SH BH AH	71.5 30.5 32 66.25 19.75 18.5 15.5 7.75	COM (YDS.) 7.25 COL (SQ. FT.) 135 WEIGHT (LBS.) 122 CUBIC FEET 52

# reed lounge



#### PRODUCT SPECIFICATIONS

REED LOUNGE EXUDES MODERN SOPHISTICATION AND BRINGS LOBBY ENVIRONMENTS TO FLIRTATIOUS LIFE. A CAREFULLY PLANNED COMPOSITION OF PROPORTIONS AND GENTLE ARCS PROVIDE THE FOUNDATION FOR THIS CONTEMPORARY, RELAXED, AND COMFORTABLE LOUNGE COLLECTION. THE PRECISELY UPHOLSTERED PUZZLE-FIT OUTSIDE BACK AND LAYERED PILLOW-TOP INSIDE BACK ADD THE LIVELY DETAILS THAT UNIFY THIS SLEEK DESIGN. FOR ADDED PIZAZZ SELECT A CONTRASTING TEXTILE FOR THE SEAT AND INSIDE/OUTSIDE BACKS.

REED LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### DESCRIPTION MODEL FABRIC LIST PRICE COM З 7 8 CUE 2 5 6 4 EC-32221 CLUB CHAIR 1,340 1,460 1,600 1,685 1,775 1,860 1,950 2,025 2,210 SUPPORTS 350 LBS. EC-35555 LOVESEAT 1,925 2,095 2,290 2,410 2.530 2,650 2,775 2,895 3,135 · SUPPORTS 550 LBS.

EC-32223	SOFA	2,530	2,660	2,870	3,005	3,135	3,265	3,395	3,525	3,785
	SUPPORTS 750 LBS.									

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

#### ADDITIONAL PRODUCT ORDERING OPTIONS



 
 WCDD
 ARM
 CAPS

 PC
 BLACK
 POLY
 ARM
 CAPS

 ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)
 CAPS
 CAPS
 CAPS

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER ROUNDED ARMS FOR SAFE INGRESS/EGRESS OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. OVERALL FABRIC
- 4. CONTRAST FABRIC

#### EXAMPLE

EC-32221/53/MAHARAM DART 017 SCRIBE/ MOMENTUM BRAVO BLACK

#### LEATHER LIST PRICE DIMENSIONS FIGURES CONTRAST FABRIC SHADED COL C1 C2 С3 64 C5 C5 GREY ON LINE ART FUNDAMENTAL HAMPTON BASIC VOLO ANDES VELLUTO PELLE 1.540 2.620 2.810 2,945 QUOTED UPON REQUEST w 26.75 OVERALL COM (YDS.) 3 2.5 30.5 CONTRAST COM (YDS.) 50 н 32 OVERALL COL (SQ. FT.) sw 22 CONTRAST COL (SQ. FT.) 50 66 19.75 WEIGHT (LBS.) 50 ѕн 18.5 CUBIC FEET 24 15.5 вн АН 7.75 2,225 3,235 3,430 3.565 QUOTED UPON REQUEST 2.75 49.5 OVERALL COM (YDS.) w 30.5 CONTRAST COM (YDS.) 3.5 32 OVERALL COL (SQ. FT.) 50 н sw 44 CONTRAST COL (SQ. FT.) 70 19.75 WEIGHT (LBS.) 94 SD 37 CUBIC FEET SH 18.5 вн 15.5 7.75 AH 2,930 4,420 4,590 QUOTED UPON REQUEST 4,165 71.5 3 w OVERALL COM (YDS.) 5 30 5 CONTRAST COM (YDS.) п н 32 OVERALL COL (SQ. FT.) 60 66.25 105 CONTRAST COL (SQ. FT.) SW SD 19.75 WEIGHT (LBS.) 122 18.5 CUBIC FEET 52 SH 15 5 BН 7.75 АН

# stratos lounge



#### PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLET COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

MODEL	DESCRIPTION	FABRIC LIST PRICE											
		COM	CUE	2	з	4	5	6	7	8			
EC-32091	CLUB CHAIR	1,485	1,635	1,805	1,910	2,015	2,120	2,230	2,335	2,545			
	SUPPORTS 350 LBS.												



EC-32092	LOVESEAT	2,200	2,265	2,545	2,675	2,810	2,940	3,105	3,245	3,545
	SUPPORTS 550 LBS.									

EC-32093	SOFA	2,545	2,745	3,010	3,185	3,365	3,545	3,745	3,900	4,255
	SUPPORTS 750 LBS.									

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

0

### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

### ADDITIONAL PRODUCT ORDERING OPTIONS



#### VVC VVDD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

(ADD \$100 LIST PER SET)

#### **+EKOCARE FEATURES**

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FABRIC

### EXAMPLE

АН

12

EC-32091/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE					DIME	NSIONS		
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	C4 VOLO	CS ANDES	CS VELLUTO PELLE			YARDAGE REQUIRE ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,685	2,745	2,945	3,060	QUOTED U	PON REQUE	ĒST	W D SW SD SH BH AH	29.5 33 34 22.25 21.25 17.5 18 12	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET	
2,500	4,015	4,300	4,500	QUOTED U	PON REQUE	ST	W D SW SD SH BH AH	52 33 34 45 21.25 17.5 18 12	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	
2,945	4,945	5,325	5,600	QUOTED U	PON REQUE	ST	W D H SU SD SH BH	74 33 34 67 21.25 17.5 18	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	

### stratos lounge



#### PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLET COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN. METAL PAINT COLORS

PC1 MILK GLOSS

PC4 SILVER

PCS CHROME PC6 RAVEN

PC2 CHARCOAL GLOSS

PC3 OATMEAL GLOSS

STANDARD ALUMINUM

5

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

MODEL	DESCRIPTION	FABRI	FABRIC LIST PRICE									
		COM	CUE	2	3	4	5	6	7	8		
EC-32111	ARMLESS CLUB CHAIR	1,220	1,325	1,440	1,515	1,585	1,660	1,730	1,805	1,950		
	SUPPORTS 350 LBS.											

EC-32112	ARMLESS LOVESEAT	1,685	1,840	1,990	2,090	2,190	2,300	2,400	2,500	2,700
	• SUPPORTS 550 LBS.									

EC-32113	ARMLESS SOFA	2,315	2,380	2,695	2,820	2,950	3,075	3,200	3,390	3,580
	SUPPORTS 750 LBS.									



PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z WITH A BEING FIRST ITEM. ADD LC TO ITEMS THAT GANG. [ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN.]

IF YOU WOULD LIKE TO REARRANGE FURNITURE, AT A LATER DATE, PLEASE ORDER ONE CONNECTOR PER CHAIR.

EXAMPLE: A. 32111/LC B. 32112

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FABRIC

EXAMPLE

EC-32111/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE					DIME	NSIONS	FIGURES	
COL	C1 BASIC	C2 FUNDAMENTAL	C3 HAMPTON	VOLO	C.S.	CS VELLUTO PELLE			YARDAGE REQUIRE ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SENI COM_HELP@EKOCO	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH
1,320	2,000	2,120	2,200 3,275		JPON REQUE		W D H SU SH BH W D H SU	22.5 33 24 22.25 21.25 17.5 18 45 33 34 45 21.25	COM (YDS.) CDL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	3.5 60 50 24 5.5 110
2,615	4,045	4,320	4,510	QUOTED U	IPON REQUE	EST	55 5H 8H W 0 H 50 5H 8H	67 33 34 67 21.25 17.5 18	COM (YDS.) COL (SO. FT.) WEIGHT (LBS.) CUBIC FEET	

## stratos lounge



#### PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLET COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN. FINISHES

16 CAFELLE

NATURAL

MONTICELLO

HUNTINGTON

WILD CHERRY

VERSAILLES

10

11

12

13

14

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

MODEL	DESCRIPTION	FABRIC LIST PRICE											
		COM	CUE	2	3	4	5	6	7	8			
EC-32121R	RIGHT ARM CLUB CHAIR	1,385	1,455	1,575	1,655	1,730	1,805	1,880	1,955	2,105			
	<ul> <li>SUPPORTS 350 LBS.</li> </ul>												

EC-32122R RIGHT	ARM LOVESEAT	1,930	2,030	2,245	2,350	2,455	2,565	2,670	2,775	3,015
· SUPP	PORTS 550 LBS.									

EC-32123R	RIGHT ARM SOFA	2,500	2,605	2,920	3,060	3,200	3,340	3,480	3,625	3,925
	SUPPORTS 750 LBS.									



PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z WITH A BEING FIRST ITEM. ADD LC TO ITEMS THAT GANG. [ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN.]

IF YOU WOULD LIKE TO REARRANGE FURNITURE, AT A LATER DATE, PLEASE ORDER ONE CONNECTOR PER CHAIR.

EXAMPLE: A. 32111/LC B. 32112

0)

#### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

## ADDITIONAL PRODUCT ORDERING OPTIONS



#### VVC VVDD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT (ADD \$100 LIST PER SET)

(ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

2. FABRIC

#### EXAMPLE

АН

12

EC-32121R/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE						DIM	ENSIONS	FIGURES YARDAGE REQUIREMENTS SHOWN			
COL	C1	C2	C3	64	CS	CS				ARE BASED ON NO 54'' TEXTILES. REI	N-DIRECTIONAL ER TO PAGE 3		
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE				FOR HELP WITH TH REPEATS OR SEN COM_HELP@EKOC	D AN EMAIL TO:		
1,535	2,610	2,800	2,945	QUOTED	UPON REQU	EST		W D H SU SH BH AH	26 33 34 22.25 21.25 17.5 18 12	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	4.5 80 65 24		
2,180	3,110	3,300	3,425	QUOTED	UPON REQUI	EST		₩	48.5 33 34 45 21.25 17.5 18 12	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET			
2,850	4,245	4,525	4,710	QUOTED I	UPON REQUI	EST		W D H SW SD SH BH	70.5 33 34 67 21.25 17.5 18	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET			

## Π 00 \_ Ν 00 G ()) 0) www.ekoc 3 5 9) Π t.com/ healt **U** 9 Ъ Π

## stratos lounge



#### PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLET COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN. FINISHES

16 CAFELLE

NATURAL

MONTICELLO

HUNTINGTON

WILD CHERRY

VERSAILLES

10

11

12

13

14

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

MODEL	DESCRIPTION	FABRIC LIST PRICE											
		COM	CUE	2	3	4	5	6	7	8			
EC-32121L	LEFT ARM CLUB CHAIR	1,385	1,455	1,575	1,655	1,730	1,805	1,880	1,955	2,105			
	SUPPORTS 350 LBS.												



EC-32122L	LEFT ARM LOVESEAT	1,930	2,030	2,245	2,350	2,455	2,565	2,670	2,775	3,015
	• SUPPORTS 550 LBS.									

- SUPPORTS 750 LBS.	



PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPONENTS A-Z WITH A BEING FIRST ITEM. ADD LC TO ITEMS THAT GANG. (ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN.)

IF YOU WOULD LIKE TO REARRANGE FURNITURE, AT A LATER DATE, PLEASE ORDER ONE CONNECTOR PER CHAIR.

EXAMPLE: A. 32111/LC B. 32112

#### METAL PAINT COLORS

STANDARD ALUMINUM
PC1 MILK GLOSS
PC2 CHARCOAL GLOSS
PC3 OATMEAL GLOSS
PC4 SILVER
PC5 CHROME
PC6 RAVEN

## ADDITIONAL PRODUCT ORDERING OPTIONS



#### WC WOOD ARM CAPS BLACK POLY ARM CAPS ADDS 1/2 INCH TO ARM HEIGHT

(ADD \$100 LIST PER SET)

#### +EKOCARE FEATURES

CLEAN-OUT SEAT EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

1. MODEL NUMBER

2. FABRIC

#### EXAMPLE

18

12

вн

АН

EC-32121L/MAHARAM DART 017 SCRIBE

LEATH	IER LIST	PRICE						DIM	ENSIONS	FIGURES YARDAGE REQUIREMENTS SHOWN			
COL	E1 BASIC	C2 FUNDAMENTAL	<b>E3</b> HAMPTON	C4 VOLO	C5 ANDES	CS VELLUTO PELLE				ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SEN COM_HELP@EKOC	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:		
1,535	2,610	2,800	2,945	QUOTED L	IPON REQUE	EST		W D H SW SD SH BH AH	26 33 34 22.25 21.25 17.5 18 12	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET	4.5 80 65 24		
2,180	3,110	3,300	3,425	QUOTED U	IPON REQUE	ST		W D SW SD SH BH AH	48.5 33 34 45 21.25 17.5 18 12	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET			
2,850	4,245	4,525	4,710	QUOTED U	IPON REQUE	ST		W D H SW SD SH	70.5 33 34 67 21.25 17.5	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET			

## stratos lounge



DESCRIPTION

MODEL

#### PRODUCT SPECIFICATIONS

EXTREME DESIGN VERSATILITY AND MAXIMUM COMFORT IS THE CONCEPT BEHIND THIS SLEEK, UNIFIED MODULAR SEATING SOLUTION FOR INTERIORS LARGE AND SMALL. ONE, TWO, AND THREE SEAT COMPONENTS ARE AVAILABLE WITH OR WITHOUT ARMS, OR IN LEFT OR RIGHT ARM OR TABLET COMBINATIONS. THREE SIZES OF OTTOMAN TABLES COMPLETE THE COLLECTION AND OFFER WOOD OR LAMINATE TOP CHOICES. ALL PIECES CAN BE USED INDIVIDUALLY OR UNIQUELY GROUPED IN A MULTITUDE OF CONFIGURATIONS. ALUMINUM LEGS ADD SUPPORT AND ACCENT THE SIMPLE UPHOLSTERY SHAPES TO FINISH THE DESIGN.

STRATOS LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

3

4

5

6

7

8

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

2

FABRIC LIST PRICE

CUE

СОМ

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- VERSAILLES 14
- 16 CAFELLE

32190	ARMLESS CORNER UNIT	1,535	1,660	1,810	1,900	1,990	2,080	2,170	2,265	2,445
EC-2131W/T	WOOD TOP OTTOMAN TABLE	970	1,020	1,070	1,105	1,140	1,175	1,205	1,240	1,310
EC-2131LT	LAMINATE TOP OTTOMAN TABLE	910	960	1,010	1,045	1,075	1,110	1,145	1,180	1,245
	RECTANGULAR     SEE SURFACE MATERIALS PAGE FOR LAMINATE TOP OPTIONS	STANDARD		<b>B</b>	AVAILABLE IN MOUNTS ON F	RONT SIDE OF	R MATTE BLACK.	DD \$230 LIST)		
EC-3131WT	WOOD TOP OTTOMAN TABLE	1,105	1,165	1,240	1,285	1,330	1,375	1,420	1,465	1,555
EC-3131LT	LAMINATE TOP OTTOMAN TABLE	1,065	1,225	1,235	1,245	1,290	1,335	1,380	1,425	1,515
	SQUARE     SEE SURFACE MATERIALS PAGE FOR     LAMINATE TOP OPTIONS	STANDARD	F							



AVAILABLE IN SILVER MICA OR MATTE BLACK. MOUNTS ON FRONT SIDE OF OTTOMAN PPS SILVER OR PPB BLACK POWER (ADD \$230 LIST)

EC-4141W/T	WOOD TOP OTTOMAN TABLE	1,350	1,410	1,455	1,515	1,580	1,630	1,680	1,730	1,830
EC-4141LT	LAMINATE TOP OTTOMAN TABLE	: 1,310	1,370	1,425	1,485	1,550	1,600	1,650	1,700	1,800

· INSIDE/OUTSIDE CORNER





POWER MINI PORT® AVAILABLE IN SILVER MICA OR MATTE BLACK. MOUNTS ON FRONT SIDE OF OTTOMAN . PPS SILVER OR PPB BLACK POWER (ADD \$230 LIST)

0)

Π

#### METAL PAINT COLORS

STANDARD ALUMINUM 5 PC1 MILK GLOSS PC2 CHARCOAL GLOSS PC3 OATMEAL GLOSS PC4 SILVER PCS CHROME PC6 RAVEN

#### ADDITIONAL PRODUCT ORDERING OPTIONS



#### LC GANGING CONNECTOR

PLEASE ORDER FURNITURE FROM LEFT TO RIGHT ACCORDING TO YOUR LAYOUT AND TAG COMPENTS A-Z. ADD LC TO ITEMS THAT GANG. ONLY ADD LC WHEN ITEMS CONNECT. DO NOT ADD TO END RUN. (ADD \$75 LIST)



С4

VOLO

C5

ANDES

QUOTED UPON REQUEST

QUOTED UPON REQUEST

QUOTED UPON REQUEST

CS

VELLUTO PELLE

С3

3,110

1,430

1,365

FUNDAMENTAL HAMPTON

#### LEATHER LIST PRICE

C2

2,985

1,395

1,325

C1

BASIC

2,795

1,340

1,275

COL

1,685

1,070

1,010

#### **+EKOCARE FEATURES**

EKO GUARD® ANTI-MICROBIAL FINISH VELCRO DUST COVER CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH OR LAMINATE
- 3. FABRIC

EXAMPLE

w

н

sw

SD

SH

вн

w 

н

EC-3122WT/53/MAHARAM DART 017 SCRIBE

FIGURES DIMENSIONS VARDAGE REQUIREMENTS SHOWN ARE BASED ON NON-DIRECTIONAL 54" TEXTILES. REFER TO PAGE 3 FOR HELP WITH TEXTILES WITH REPEATS OF SEND AN EMAIL TO: COM\_HELP@EKOCONTRACT.COM COM (YDS.) 4.5 33 33 COL (SQ. FT.) 80 34 WEIGHT (LBS.) 65 CUBIC FEET 24 20.5 20.5 17.5 18 22 COM (YDS.) 2 31 COL (SQ. FT.) 30 17 WEIGHT (LBS.) 30 CUBIC FEET 9

	 ,

1,240	1,815	1,910	1,980	QUOTED UPON REQUEST	w	31	COM (YDS.)	2.25
1.200	1.765	1.870	1.940	QUOTED UPON REQUEST	D	31	COL (SQ. FT.)	
1,200	1,700	1,070	1,340		н	17	WEIGHT (LBS.)	46 20

1,455	2,015	2,130	2,280	QUOTED UPON REQUEST	w	41	COM (YDS.)	2.5
1,425	1,985	2,100	2,250	QUOTED UPON REQUEST	D H	41	COL (SQ. FT.) WEIGHT (LBS.)	
					н	17		12

00 GJ ()) Π www.eko Π ٠ J 7 QJ Π đ .com/ healt J Π QJ ד Π

## sutton



#### PRODUCT SPECIFICATIONS

SUTTON COLLABORATIVE OFFERS MODERN APPEAL WITH CLEAN LINES, PERFECT PROPORTIONS, AND UNMATCHED COMFORT. THIS SLEEK COLLECTION FEATURES CURVED ARMS AND BACK TO ACCEPT LARGER USERS WHILE STILL MAINTAINING A SMALL FOOTPRINT. SWIVEL CLUB CHAIRS FEATURE 360' ROTATION ON GLIDES ALLOWING USERS TO COLLABORATE WITH COLLEAGUES FROM ANY ANGLE. ADD CASTERS FOR EASY MOBILITY IN LEARNING ALCOVES OR CORPORATE BREAK-OUT SESSIONS. SUTTON'S OPTIONS INCLUDE A STATIONARY WOOD FEET CLUB CHAIR, CUP HOLDERS, AND PATENTED FLIP-DOWN FIXED TABLET ARM THAT FOLDS AWAY WHEN NOT IN USE AND ALLOWS EASY CHAIR EXIT. SUTTON'S OUTSTANDING VERSATILITY MAKES IT A MUST FOR CORPORATE, LOUNGE, RECEPTION, AND EDUCATIONAL ENVIRONMENTS.

SUTTON LOUNGE'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CALL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

MODEL	DESCRIPTION	FABRIC	LIST P	RICE						
		COM	CUE	2	3	4	5	6	7	8
EC-32030	SWIVEL CLUB CHAIR	1,570	1,655	1,830	1,915	2,005	2,090	2,180	2,265	2,440
	STANDARD WITH PEDS. PRODUCT ROTATES ON SWIVEL PLATFORM. • SUPPORTS 350 LBS.									
EC-32031	CLUB CHAIR	1,465	1,550	1,725	1,810	1,900	1,985	2,075	2,160	2,335
	STANDARD WITH FRONT WOOD FE • SUPPORTS 350 LBS.	ET.								

#### FINISHES

- 10 NATURAL
- 11 MONTICELLO
- 12 HUNTINGTON
- 13 WILD CHERRY
- 14 VERSAILLES
- 16 CAFELLE

#### ADDITIONAL PRODUCT ORDERING OPTIONS



 VVE
 VVEDD
 ARM
 CAPS

 PC
 BLACK
 POLY
 ARM
 CAPS

 ADDS 1/2
 INCH TO ARM HEIGHT
 (ADD \$100 LIST PER SET)
 CAPS

LEATHER LIST PRICE

#### BC CASTERS

RECOMMENDED FOR CARPET SURFACES. 50MM HARD CASTERS. CHAIR MOVES FREELY WHILE OCCUPIED OR UNOCCUPIED. (ADD \$50 LIST) ONLY AVAILABLE ON 32030

#### +EKOCARE FEATURES

EKO GUARD® ANTI-MICROBIAL FINISH OPTIONAL PROTECTIVE ARM CAPS CNC CUT ENGINEERED HARDWOOD PLYWOOD ERGONOMIC, SOY BASED PRESERVE FOAM® MOISTURE BARRIER (UPCHARGE, SEE PAGE 4) CAL 133 (UPCHARGE, SEE PAGE 4) COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4) LIFETIME WARRANTY

NOTE: CLEAN OUT SEAT NOT AVAILABLE

#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. TABLET OPTION
- 4. CUP HOLDER OPTION
- 5. FABRIC

EXAMPLE

DIMENSIONS

8.5

AH

EC-32030/53/TWR/CRW/MAHARAM DART 017 SCRIBE

FIGURES

LEAIN	CR LIGI	FRIGE					DIME	NSIUNS	FIGURES	
COL	<b>C1</b> BASIC	C2	C3 HAMPTON	C4 VOLO	C.S. ANDES	CS VELLUTO PELLE			YARDAGE REQUIRE ARE BASED ON NO 54" TEXTILES. REF FOR HELP WITH TE REPEATS OR SENI COM_HELP@EKOCO	N-DIRECTIONAL ER TO PAGE 3 EXTILES WITH D AN EMAIL TO:
1,770	3,015	3,230	3,375	QUOTED	UPON REQU	JEST	W D SW SD SH BH AH	30.25 32 35.5 20.5 19.25 19 21 8.5	COM (YDS.) COL (SQ.FT.) WEIGHT (LBS.) CUBIC FEET	4 72 80 25
1,665	2,910	3,125	3,270	QUOTED	UPON REQU	IEST	W D H SW SD SH BH	30.25 32 35.5 20.5 19.25 19.5 21	COM (YDS.) COL (SQ. FT.) WEIGHT (LBS.) CUBIC FEET	4 72 65 25

## fuse lounge tables



#### PRODUCT SPECIFICATIONS

#### +EKOCARE FEATURES

LAMINATE GEOMETRIC FORMS COMBINE WITH A MULTITUDE OF SIZE OPTIONS TO FORM A SIMPLISTIC LIFETIME WARRANTY TABLES COLLECTION FUSED WITH FUNCTIONALITY. FOR ADDED DIMENSION SPECIFY 1/2" RECESSED PLINTH BASES SHOWN BELOW. STANDARD WITH BOTTOM GLIDES.

#### BASE UPCHARGE OPTIONS

(PRICING BELOW)



- TO ORDER, SPECIFY:
- 1. MODEL NUMBER
- 2. FINISH
- 3. BASE UPCHARGE OPTION

3/4" PLINTH BASE P3/4B BLACK LAMINATE P3/4C CHROME LAMINATE (PRICING BELOW)

**3" PLINTH BASE** P3B BLACK LAMINATE P3C CHROME LAMINATE

DURABLE LAMINATE TOPS

	FUSION MAPLE
LW2	MONTICELLO MAPLE
LW3	HUNTINGTON MAPLE
LW4	WILD CHERRY
LWS	VERSAILLES ANIGRE
LW6	EMPIRE MAHOGANY
LW7	MONTANA WALNUT
LWB	CAFELLE
LEW1	MILLENNIUM OAK
LEW5	SMOKY BROWN PEAR
LEW3	OILED WALNUT
LEW4	ZEBRANO
LEWS	CHESTNUT WOODLINE
LEW6	DUNEWOOD
LS1	DOVER WHITE
LS2	PEARL
LS3	FOLKSTONE
LS4	PLATINUM
LSS	EARTH
LS6	CITADEL
LS7	GRAPHITE
LS8	BLACK

LAMINATE FINISHES

MODEL	DESCRIPTION	LIST PRICE	BASE UPC 3/4" PLINTH P3/4B (BLACK)	HARGE 3" PLINTH P3B (BLACK)	DIMENSIONS	FIGURES
18" DIA. ROUND	LAMINATE		P3/4C (CHROME			
EC-CY-L1815	LAMINATE CYLINDER TA	BLE 825	130	180	<b>ПА. 18</b> н 15	WEIGHT (LBS.) 35
EC-CY-L1820	LAMINATE CYLINDER TA	BLE 845	130	180	<b>ПА. 18 Н</b> 20	CUBIC FEET 13
EC-CY-L1824	LAMINATE CYLINDER TA	BLE 875	130	180	<b>ПА.</b> 18 <b>Н</b> 24	
24" DIA. ROUNC	LAMINATE					
EC-CY-L2415	LAMINATE CYLINDER TA	BLE 995	135	230	<b>па</b> . 24 н 15	WEIGHT (LBS.) 45
EC-CY-L2420	LAMINATE CYLINDER TA	BLE 1,035	135	230	<b>ПА. 24 Н 20</b>	CUBIC FEET 15
EC-CY-L2424	LAMINATE CYLINDER TA	BLE 1,095	135	230	<b>ПА. 24 Н 24</b>	
36" DIA. ROUNI	D LAMINATE					
EC-CY-L3615	LAMINATE CYLINDER TA	BLE 1,380	175	320	ыа. 36 н 15	WEIGHT (LBS.) 70
EC-CY-L3620	LAMINATE CYLINDER TA	BLE 1,480	175	320	<b>ПА.</b> 36 <b>Н</b> 20	CUBIC FEET 14
EC-CY-L3624	LAMINATE CYLINDER TA	BLE 1,550	175	320	па. 36 н 24	



#### PRODUCT SPECIFICATIONS

#### +EKOCARE FEATURES

DURABLE LAMINATE TOPS

LAMINATE GEOMETRIC FORMS COMBINE WITH A MULTITUDE OF SIZE OPTIONS TO FORM A SIMPLISTIC LIFETIME WARRANTY TABLES COLLECTION FUSED WITH FUNCTIONALITY. FOR ADDED DIMENSION SPECIFY 1/2" RECESSED PLINTH BASES SHOWN BELOW. STANDARD WITH BOTTOM GLIDES.

#### BASE UPCHARGE OPTIONS



## TO ORDER, SPECIFY:

3. BASE UPCHARGE OPTION

1. MODEL NUMBER

2. FINISH



P3/4B BLACK LAMINATE P3/4C CHROME LAMINATE

(PRICING BELOW)



**3" PLINTH BASE** P3B BLACK LAMINATE P3C CHROME LAMINATE (PRICING BELOW)

LAMINATE FINISHES

LEW1 LEW2	HUNTINGTON MAPLE WILD CHERRY VERSAILLES ANIGRE EMPIRE MAHOGANY MONTANA WALNUT CAFELLE MILLENNIUM OAK SMOKY BROWN PEAR OILED WALNUT ZEBRANO
LS6	CITADEL
LS7	GRAPHITE
LS8	BLACK

MODEL	DESCRIPTION	LIST PRICE	BASE UPC 3/4" PLINTH P3/4B (BLACK)	3" PLINTH P3B (BLACK)	DIMENSIONS	FIGURES	
18" X 18" SQUARE	E LAMINATE		P3/4C (CHROME	P3C (CHROME)			
EC-CSQ-L181815	LAMINATE CUBE TABL	<b>e</b> 850	140	240	vv 18 🗆 18 н 15	WEIGHT (LBS.) 35	
EC-CSQ-L181820	LAMINATE CUBE TABL	<b>E</b> 870	140	240	w 18 🗆 18 н 20	CUBIC FEET 13	
EC-CSQ-L181824	LAMINATE CUBE TABL	e 890	140	240	vv 18 🗆 18 н 24		
24" X 24" SQUAF EC-CSQ-L242415 EC-CSQ-L242420	LAMINATE CUBE TABL	E 1,100	150 150	260 260	w 24 о 24 н 15 w 24 о 24 н 20	weight (LBS.) 45 cubic feet 15	
EC-CSQ-L242424		E 1,150	150	260	w 24 ם 24 н 24		
36" X 36" SQUAR	RE LAMINATE						
EC-CSQ-L363615	LAMINATE CUBE TABL	e 1,395	190	320	vv 36 ⊡ 36 н 15	WEIGHT (LBS.) 70	
EC-CSQ-L363620	LAMINATE CUBE TABL	E 1,480	190	320	w 36 □ 36 н 20	CUBIC FEET 14	
EC-CSQ-L363624	LAMINATE CUBE TABL	e 1,590	190	320	vv 36 □ 36 н 24		





#### PRODUCT SPECIFICATIONS

BASE UPCHARGE OPTIONS

VENEER AND LAMINATE GEOMETRIC FORMS

TO FORM A SIMPLISTIC TABLES COLLECTION FUSED WITH FUNCTIONALITY. FOR ADDED

COMBINE WITH A MULTITUDE OF SIZE OPTIONS

DIMENSION SPECIFY 1/2" RECESSED PLINTH BASES SHOWN BELOW. STANDARD WITH BOTTOM GLIDES.

#### +EKOCARE FEATURES

DURABLE LAMINATE TOPS LIFETIME WARRANTY

LAMINATE	FINISHES

LVV1	FUSION MAPLE
LW2	MONTICELLO MAPLE
LW3	HUNTINGTON MAPLE
LW4	WILD CHERRY
LWS	VERSAILLES ANIGRE
LWG	EMPIRE MAHOGANY
LW7	MONTANA WALNUT
LW8	CAFELLE
LEVV1	MILLENNIUM OAK
LEW2	SMOKY BROWN PEAR
LEW3	OILED WALNUT
LEW4	ZEBRANO
LEWS	CHESTNUT WOODLINE
LEW6	DUNEWOOD
LS1	DOVER WHITE
LS2	PEARL
LS3	FOLKSTONE
LS4	PLATINUM
LSS	EARTH
LS6	CITADEL
LS7	GRAPHITE
LS8	BLACK

TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. BASE UPCHARGE OPTION

3/4" PLINTH BASE P3/4B BLACK LAMINATE P3/4C CHROME LAMINATE (PRICING BELOW)

3" PLINTH BASE P3B BLACK LAMINATE P3C CHROME LAMINATE (PRICING BELOW)

MODEL	DESCRIPTION	LIST PRICE	BASE UPC	3" PLINTH P3B (BLACK)	DIMENSIONS	FIGURES
18" X 18" SOFT	RADIUS SQUARE LA	MINATE	P3/4C (CHROME)	P3C (CHROME)		
EC-CR-L181815	LAMINATE 3" RADIUS CUE	E TABLE 890	140	240	vv 18 🗆 18 н 15	WEIGHT (LBS.) 35
EC-CR-L181820	LAMINATE 3" RADIUS CUE	SE TABLE 915	140	240	w 18 □ 18 н 20	CUBIC FEET 13
EC-CR-L181824	LAMINATE 3" RADIUS CUE	BE TABLE 975	140	240	vv 18 🗆 18 н 24	
24" X 24" SOFT	RADIUS SQUARE L	AMINATE				
EC-CR-L242415	LAMINATE 3" RADIUS CUB	E TABLE 1,095	150	260	w 24 ם 24 н 15	WEIGHT (LBS.) 45
EC-CR-L242420	LAMINATE 3" RADIUS CUB	<b>E TABLE</b> 1,165	150	260	w 24 о 24 н 20	CUBIC FEET 15
EC-CR-L242424	LAMINATE 3" RADIUS CUB	<b>E TABLE</b> 1,250	150	260	vv 24 о 24 н 24	
36" X 36" SOFT	RADIUS SQUARE L	AMINATE				
EC-CR-L363615	LAMINATE 3" RADIUS CUB	<b>E TABLE</b> 1,490	185	320	vv 36 ⊡ 36 н 15	WEIGHT (LBS.) 70
EC-CR-L363620	LAMINATE 3" RADIUS CUB	<b>E TABLE</b> 1,610	185	320	vv 36 🗆 36 н 20	CUBIC FEET 14
EC-CR-L363624	LAMINATE 3" RADIUS CUB	<b>E TABLE</b> 1,800	185	320	w 36 ⊡ 36 н 24	



TO ORDER, SPECIFY:

1. MODEL NUMBER 2. FINISH

#### PRODUCT SPECIFICATIONS

KLASS EMPLOYS THE WARMTH OF WOOD TO COMPOSE A BEAUTIFULLY TAILORED TABLE COLLECTION WITH STRIKING SOPHISTICATION. VENEER TOPS WITH SHAPELY TAPERED LEGS ADD SIMPLE ELEGANCE. THIS REFINED COLLECTION IS THE PERFECT COMPANION WITH EKO GUEST AND LOUNGE SEATING FOR OFFICE, LOBBY, AND RECEPTION AREAS.

KLASS TABLES ARE CONSTRUCTED OF EUROPEAN BEECH SOLIDS AND VENEERS. SIDE RAILS AND POSTS ARE DOUBLE DOWELED AND GLUED, AND SECURELY FASTENED BY CORNER BLOCKS THAT HAVE BEEN SCREWED AND GLUED TO THE FRAME.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

#### **+EKOCARE FEATURES**

DURABLE LAMINATE TOPS EKO GUARD® ANTI-MICROBIAL FINISH LIFETIME WARRANTY

LAMINATE FI	NISHES
-------------	--------

LW1 LW2 LW3 LW4 LW5 LW5 LW7 LW8 LEW1 LEW2 LEW2 LEW3 LEW4 LEW5	FUSION MAPLE MONTICELLO MAPLE HUNTINGTON MAPLE WILD CHERRY VERSAILLES ANIGRE EMPIRE MAHOGANY MONTANA WALNUT CAFELLE MILLENNIUM OAK SMOKY BROWN PEAR OILED WALNUT ZEBRANO CHESTNUT WOODLINE
LEWS	CHESTNUT WOODLINE
LEW6	DUNEWOOD

MODEL	DESCRIPTION	LIST PRICE	DIMENSIONS	FIGURES
EC-52200	END TABLE • ROUND SHAPE • NEW LUMBERBANDED EDGE • LAMINATE TOP	1,105	па. 20 н 24	weight (lbs.) 25 cubic feet 12
EC-53800	MAGAZINE TABLE	1,400	dia. 38	WEIGHT (LBS.) 50
	ROUND SHAPE     LAMINATE TOP		н 16	CUBIC FEET 19



## 0) Π 00 \_ Ν 00 GJ (1) 0) www.ekocontrac t.com/healthc 9 5

00

## meta lounge tables



#### TO ORDER, SPECIFY:

- 1. MODEL NUMBER
- 2. FINISH
- 3. METAL ACCENT FINISH

#### PRODUCT SPECIFICATIONS

META CREATES A SLEEK ARCHITECTURAL PRESENCE BY COMBINING SOLID WOOD FRAMES AND A PUNCTUATION OF SATIN NICKEL METAL THAT SUPPORTS ITS SIGNATURE FLOATING TOPS. THIS AIRY TABLE COLLECTION IS THE PERFECT COMPANION WITH EKO GUEST AND LOUNGE SEATING FOR TRANSITIONAL AND CONTEMPORARY OFFICE, LOBBY, AND RECEPTION AREAS.

META TABLES ARE CONSTRUCTED OF EUROPEAN BEECH SOLIDS AND VENEERS. SIDE RAILS AND POSTS ARE DOUBLE DOWELED AND GLUED, AND SECURELY FASTENED BY CORNER BLOCKS THAT HAVE BEEN SCREWED AND GLUED TO THE FRAME. POLISHED CHROME PLATED ACCENTS ARE ASSEMBLED TO THE FRAME.

DESIGNED BY EKO.

#### **+EKOCARE FEATURES**

DURABLE LAMINATE TOPS EKO GUARD® ANTI-MICROBIAL FINISH LIFETIME WARRANTY

#### METAL PAINT COLORS

5	STANDARD ALUMINUM
PC1	MILK GLOSS
PC2	CHARCOAL GLOSS
PC3	OATMEAL GLOSS
PC4	SILVER
PCS	CHROME
PC6	RAVEN

ç

	FINISHES

LW

LW/1	FUSION MAPLE
LW2	MONTICELLO MAPLE
LW3	HUNTINGTON MAPLE
LW4	WILD CHERRY
LWS	VERSAILLES ANIGRE
LW6	EMPIRE MAHOGANY
LW7	MONTANA WALNUT
LW8	CAFELLE
LEW1	MILLENNIUM OAK
LEW2	SMOKY BROWN PEAR
LEW3	OILED WALNUT
LEW4	ZEBRANO
LEWS	CHESTNUT WOODLINE
LEW6	DUNEWOOD

MODEL	DESCRIPTION	LIST PRICE	DIMENSIONS	FIGURES
EC-54200	END TABLE • SQUARE SHAPE • LAMINATE TOP	1,040	w 20 □ 20 н 24	weight (LBS.) 27 cubic feet 9
EC-54240	MAGAZINE TABLE • RECTANGULAR SHAPE • LAMINATE TOP	1,315	w 50 ם 24 н 16	weight (LBS.) 72 Cubic feet 18
EC-54360	MAGAZINE TABLE • SQUARE SHAPE • LAMINATE TOP	1,475	₩ 36 □ 36 н 16	weight (LBS.) 72 cubic feet 19

# eko

## com form

(THIS FORM MUST ACCOMPANY YOUR ORDER)

#### SEND FORM TO

EMAIL: BRANDI@EKOCONTRACT.COM FAX: 615-676-4861

#### LEADTIME

THE LEADTIME FOR YOUR ORDER IS DIRECTLY RELATED TO WHEN THE COM FABRIC IS RECEIVED.

COMPANY NAME				
ADDRESS				
CITY / STATE / ZIP				
TELEPHONE				
EMAIL ADDRESS				
PO NUMBER				
FABRIC SUPPLIER				
FABRIC PATTERN / COLOR				
SHIPPING TRACKING NUMBER				
YARDAGE PER ITEM SENT				
APPLY TO EKO MODEL				
BEST WAY	CROSS ROLL (RAILROADED)	UP ROLL	LINE MATCH	MULTIPLE FABRICS* UPHOLSTERY DIAGRAM MUST BE COMPLETED WHEN SELECTING THIS OPTION, GO TO: WWW.EKOCONTRACT.COM CLICK PRODUCT AND THEN CLICK FABRIC DIAGRAM.



## custom finish match form

(THIS FORM MUST ACCOMPANY YOUR ORDER)

#### SEND SAMPLE AND FORM TO

EKO CONTRACT ATTN: BRANDI 145 RYMER ROAD, NE CLEVELAND, TN 37323

#### LEADTIME

THE LEADTIME FOR YOUR ORDER IS DIRECTLY RELATED TO WHEN THE FINISH MATCH SAMPLE IS APPROVED. ALL FINISH SAMPLES WILL BE SHIPPED BACK TO YOU FOR FINAL APPROVAL BEFORE THE ITEMS ARE FINISHED. PLEASE ALLOW 10 BUSINESS DAYS FOR FINISH MATCH SAMPLES.

COMPANY NAME
ADDRESS
CITY / STATE / ZIP
TELEPHONE
EMAIL ADDRESS
PO NUMBER
SUPPLIER / FINISH COLOR
SHIPPING TRACKING NUMBER
APPLY TO EKO MODEL(S)

## notes



145 Rymar Road, NE Cleveland TN 37323 **P** 866-814-8356 **F** 615-675-4861  $\textbf{E} \ discover@ekocontract.com}$ ekocontract.com