

Prices effective February 1, 2016

Thrive® Portfolio

10-Day or Less

Introduction	page 2
Thrive® Portfolio 10-Day or Less	3
Technology Support	5
Power and Data Support	15
Personal Lighting	30
Work Tools	31
Indices	39
By Name	39
By Number	41
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materia	ls pages on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 1, 2016, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Technology Support Power and Data Support Personal Lighting Work Tools

4


Thrive® Portfolio—Technology Support

Y91175


Flo® Single-Screen Monitor Arm Support




Flo® Dual-Screen Monitor Arm -Clamp Mount



Speci	ification Information	
Step 1	ı .	
Y9117	71.	
Step 2	2. Attachment Bracket	
CM	surface clamp	
Prices	s for Steps 1-2.	
Y9117	71. CM	\$354
Step 3	3. Finish	
01	silver	+\$0




Specification Information			
Step 1.			
Y91175.			
Step 2. Attachment Bracket			
CM surface clamp mount			
Prices for Steps 1-2.			
Y91175. CM	\$720		
Step 3. Finish			
0l silver	+\$0		




Specification Information			
Step 1.			
Y92090.		\$288	
Sten	2. Finish		
OI	silver	4\$0	
UI	Silvei	+\$0	

Spec	cification Information	
Step :	1.	
Y920	92.	\$66
Step:	2. Finish	
01	silver	+\$0



Spec Step :	ification Information	
Y921	00.	\$144
Step :	2. Finish	
01	silver	+\$0



Spe	cification Information	
Step	1.	
Y920	52.	\$68
Step	2. Finish	
01	silver	+\$0

Thrive® Portfolio—Technology Support


Enhanced Back-To-Back Post Bracket

Y92009


+\$o

LOOP™ Adjustable CPU Holder Assembly

Y91104








Specification Information	
Step 1.	
Y91104.	
Step 2. Length	
13 13 ³ / ₄ " long	
Prices for Steps 1-2.	
Y91104. 13	\$192
Step 3. Finish	
OH black	+\$ 0


Step 2. Finish

Ol silver



Speci	ification Information	
Step 1		
Y7812	2.	\$179
Step 2	2. Finish	
BU	black umber	+ \$o
CN	metallic champagne	+ \$o
LU	soft white	+ \$o
MS	metallic silver	+\$o

Speci	fication Information	
Step 1.		
Y9204	1.	\$148
Step 2.	. Finish	
ОН	black	+\$0



Step 1.

Y92038.


Step 2. Length 13 13³/₄" long

Prices for Steps 1-2.

Y92038. 13

Step 3. Finish

OH black +\$0



Specification Information

Step 1.

Y7737.

\$44

Step 2. Track Length

1 17"-long track

2 19"-long track

3 21³/₄"-long track

Step 3. Keyboard Platform

A 20" HDPE tray with adjustable mouse tray

B 20" aluminum tray with adjustable mouse tray

C 22" plastic tray with adjustable mouse tray

D 22" plastic tray with swivel mouse tray


G 20" HDPE tray with swivel mouse tray

H comfort surface tray with mouse tray/house

J 20" aluminum tray with swivel mouse tray

K 27" HDPE tray

Prices for Steps 1-3.						
	Α	В	С	D	G	Н
Y7737. 1	\$375	423	365	345	355	381
2	\$392	439	381	360	370	397
3	\$407	455	397	375	387	412
					J	K
Y7737. 1					\$407	365
2					\$423	381
3					\$439	397



Step 1.

Y7724.

Step 2. Type

E 22" plastic tray with adjustable mouse trayF 22" plastic tray with swivel mouse tray

G 20" HDPE tray with adjustable mouse tray

H 20" HDPE tray with swivel mouse tray

J 20" aluminum tray with adjustable mouse tray


K 20" aluminum tray with swivel mouse tray

Step 3. Surface Material

For no selection (*), skip this step.

no selection

Prices for Steps 1-3.	
	*
Y7724. E	\$482
F	\$460
G	\$492
Н	\$471
J	\$544
К	\$524



Specification Information

Step 1.

Y7727.

Step 2. Track Length

1 19"-long track

2 21³/₄"-long track

Step 3. Type

For 19"-long track (1)

A HDPE tray with adjustable mouse tray

B aluminum tray with adjustable mouse tray

G HDPE tray with swivel mouse tray

J aluminum tray with swivel mouse tray

For $21^3/4$ "-long track (2)

H comfort surface tray with mouse tray/house

Prices for Steps 1-3.					
	Α	В	G	Н	J
Y7727. 1	\$406	515	395	_	502
2	_	_	_	\$421	_

Step 1.

Y7710.

Thrive® Portfolio — Technology Support

Step 2. Track Length

17"-long track

2 21³/₄"-long track

Step 3. Type

For 17"-long track (1)


A HDPE tray with mouse tray

For 21³/₄"-long track (2)

A HDPE tray with mouse tray

B comfort surface tray with mouse tray/house

Prices for Steps 1-3.		
	Α	В
Y7710. 1	\$349	
2	\$349	373



Specification Information

Step 1.

Y2091.

Step 2. Surface Material

L laminate

Prices for Steps 1-2.

Y2091. L \$107


Step 3. Top/Edge Finish

Solid-C	Solid-Color Laminate Top/Thermoplastic Edge			
8Q	folkstone grey	+\$o		
91	white	+ \$o		
HF	inner tone light	+\$o		
HT	inner tone	+\$o		
LT	light tone	+\$o		
LU	soft white	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+\$o		

Wood	-Grain Laminate Top/Thermoplastic Edge
нм	natural maple

LA	light ash	+\$o
LM	mahogany	+\$o
76	light brown walnut	+\$o
нх	aged cherry	+\$o

+\$o



Step 1.

Y7728.


Step 2. Usage

Α for HDPE keyboard tray

В for comfort surface keyboard tray

C for aluminum keyboard tray

Prices for Steps 1-2.	
Y7728. A	\$64
В	\$64
С	\$64



Specification Information

Step 1.

Y7729.

Ste	p 2.	lype
-----	------	------


for HDPE keyboard tray Α

C for aluminum keyboard tray


Prices for Steps 1-2.

Y7729. A

C \$101







Step 1.

Y1321.

Step 2. Power Type

A power cord with plug end


B conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

3' cord/conduit6' cord/conduit10' cord/conduit20' cord/conduit

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$194	194	203	249
В	\$245	245	254	300

Step	4. Wiring Type	
4Z	standard	+\$0
Step	5. Finish	
0H	black	+\$o



Specification Information

Step 1.

Y1322.

Step 2. Configuration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit06 6' cord/conduit10 10' cord/conduit20 20' cord/conduit

Prices for S	Steps 1-4.				
		03	06	10	20
Y1322. 1	A	\$231	231	240	286
	В	\$281	281	290	335
	A	\$245	245	254	300
	В	\$295	295	305	351

Step 5.	Wiring Type		
4Z	standard	+\$0)

Step 6.	Finish	
0H	black	+\$0
01	silver	+\$0
0J	white	+\$0



Step 1.

Y1323.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit6' cord/conduit10' cord/conduit


20 20' cord/conduit

Step 5. Attachment

G grommet mount

S surface clamp

Prices fo	r Ste	ps 1-5.						
			03G	035	06G	06 S	10G	105
Y1323. 3	3 A		\$264	264	264	264	273	273
	В		\$314	314	314	314	323	323
	4 A		\$329	329	329	329	338	338
	В		\$380	380	380	380	390	390
							20G	205
Y1323. 3	3 A						\$319	319
	В						\$368	368
4	4 A						\$385	385
	В						\$435	435
Step 6. F	inish							
OH l	olack							+\$ o
01 9	silver							+\$o
0J \	white							+\$ o



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

3' cord/conduit
6' cord/conduit
10' cord/conduit
20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1324. 3 A	\$368	368	377	423
В	\$419	419	429	474
5 A	\$473	473	483	528
В	\$524	524	530	575

Step 5.	Wiring Type	
4Z	standard	+\$o

Step 6	. Finish	
0K	silver anodized	+\$0



Step 1.

Y1325.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

7 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03 3' cord/conduit


06 6' cord/conduit

10 10' cord/conduit


20 20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1325. 3 A	\$434	434	443	489
В	\$485	485	494	539
7 A	\$499	499	509	555
В	\$549	549	560	605

Step 5.	Finish		
OK	silver anodized	+\$	0



Specification Information	
Step 1.	
Y1314.	\$216



Specific	ation Info	rmation

Step 1. **Y1342.**

Step 2. Length

06 6' long


10 10' long

Step 3. Plug Type

A straight plug

B 90° plug

Prices for Steps 1-3.		
	Α	В
Y1342. 06	\$198	198
10	\$230	230



Specification Information

Step 1.

Y1341.

Step 2.	Length
06	6' long

12 12' long18 18' long

24 24' long

Step 3. Conduit Type


L liquid tight conduit

C 3/8" flex metallic conduit

Prices for Steps 1-3.		
	L	С
Y1341. 06	\$132	132
12	\$175	175
18	\$217	217
24	\$269	269

Thrive® Portfolio—Power and Data Support


Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall Receptacle Box



Specification Information	
Step 1.	
Y1349.	\$99

Connect[™]-Duplex Receptacle, 2-Circuit, 15 Amp





В

Y1349.

Step 2	. Circuit
1	circuit I
2	circuit II
Step 3	. Attachment Hardware
Α	flat attachment to underside of surface


C long 90° attachment to underside of surface				
Price	es for Steps 1-3.			
		Α	В	C

short 90° attachment to underside of surface

Prices for Steps 1-3.			
	Α	В	C
Y1345. 1	\$66	72	72
2	\$66	72	72

Thrive® Portfolio—Power and Data Support

Connect[™]-Dual Receptacle Power Y1340. Kit, 2-Circuit



Specification Information	
Step 1.	
Y1340.	

Step 2. Width					
36	36" wide				
42	42" wide				
48	48" wide				
54	54" wide				
60	6o" wide				
66	66" wide				
72	72" wide				
78	78" wide				
84	84" wide				
90	90" wide				
96	96" wide				

Step	3.	Conduit	Туре

L liquid tight conduit

C 3/8" flex metallic conduit

Step 4. Circuit

1 circuit I

2 circuit II

Step 5. Attachment Hardware


A flat attachment to underside of surface

B short 90° attachment to underside of surface

C long 90° attachment to underside of surface

Prices for Steps 1-5.						
	1A	1B	1C	2A	2B	20
Y1340. 36 L	\$144	149	149	144	149	149
C	\$144	149	149	144	149	149
42 L	\$160	165	165	160	165	165
С	\$160	165	165	160	165	165
48 L	\$164	169	169	164	169	169
С	\$164	169	169	164	169	169
54 L	\$169	176	176	169	176	176
С	\$169	176	176	169	176	176
60 L	\$175	180	180	175	180	180
С	\$175	180	180	175	180	180
66 L	\$179	184	184	179	184	184
C	\$179	184	184	179	184	184
72 L	\$183	188	188	183	188	188
C	\$183	188	188	183	188	188

78 L	\$187	192	192	187	192	192
С	\$187	192	192	187	192	192
84 L	\$191	196	196	191	196	196
С	\$191	196	196	191	196	196
90 L	\$196	201	201	196	201	201
С	\$196	201	201	196	201	201
96 L	\$200	205	205	200	205	205
С	\$200	205	205	200	205	205



Specification Information	
Step 1.	
Y1343.	

Step 2	2. Width
06	6" wide
09	9" wide
12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

Step 3.	Cond	luit	Type
---------	------	------	------

L liquid tight conduit

C 3/8" flex metallic conduit


Prices for Steps 1-3.		
	L	С
Y1343. 06	\$52	52
09	\$54	54
12	\$56	56
18	\$60	60
24	\$64	64
30	\$68	68
36	\$73	73
42	\$77	77
48	\$81	81
54	\$85	85
60	\$90	90
66	\$94	94
72	\$98	98
78	\$102	102
84	\$107	107
90	\$111	111
96	\$117	117
108	\$125	125
120	\$134	134
132	\$143	143
144	\$151	151

Connect[™]-Receptacle Brackets, 2-Circuit

Y1347.

Connect[™]-Block Connector, 2-Circuit

Y1344.




Specification Information

Step 1.

Y1347.

Step 2	Step 2. Attachment Hardware		
Α	flat attachment to underside of surface		
В	short 90° attachment to underside of surface		
C	long 90° attachment to underside of surface		

Prices for Steps 1-2.	
Y1347. A	\$55
В	\$87
C	\$87



Specification Information

Step 1.

Y1344.

Step 2. Connector Type

H H-block connector


R receptacle-to-receptacle block connector

Prices for Steps 1-2.	
Y1344. H	\$33
R	\$23

Y1351.

Connect[™]-Modular Power Entry, 4 Circuit, Architectural Wall Junction Box

Y1359.



Specification Information	
Step 1.	
Y1359.	\$110

Step 1.

Y1351.

Step 2	. Length			
06	6' long			
12	12' long			
18	18' long			
24	24' long			

Step 3. Conduit Type

24

L liquid tight conduit
C 3/8" flex metallic conduit


Prices for Steps 1-3.		
	L	C
Y1351. 06	\$144	144
12	\$206	206
18	\$270	270

\$345

345

Connect™-Dual Junction Block Power Kit, 4-Circuit

Y1350.



Specification Information	
Step 1.	
Y1350.	

84 S	\$221	232	232
D	_	\$175	175
90 S	\$226	231	231
D	_	\$180	180
96 S	\$231	236	236
D	_	\$185	185

42	42" wide
48	48" wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
96	96" wide

Step 2. Width

Step 3. Junction Block Type

- **S** single-sided junction block
- **D** double-sided junction block

Step 4. Attachment Hardware

For single-sided junction block (S)

- A flat attachment to underside of surface
- **B** short 90° attachment to underside of surface
- C long 90° attachment to underside of surface

For double-sided junction block (D)


- **B** short 90° attachment to underside of surface
- C long 90° attachment to underside of surface

Prices for Steps 1-4.			
	Α	В	C
Y1350. 42 S	\$184	189	189
D	_	\$137	137
48 S	\$189	194	194
D	_	\$143	143
54 S	\$194	199	199
D	_	\$148	148
60 S	\$199	204	204
D	_	\$153	153
66 S	\$204	210	210
D	_	\$158	158
72 S	\$210	216	216
D	_	\$163	163
78 S	\$216	222	222
D	_	\$168	168

Thrive® Portfolio—Power and Data Support

Connect[™]-Junction Block to Junction Block Jumper, 4-Circuit





Specification Information	
Step 1.	
Y1353.	

Step 2	2. Width
12	12" wide
18	18" wide
24	24" wide
30	30" wide
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
78	78" wide
84	84" wide
90	90" wide
108	108" wide
120	120" wide
132	132" wide
144	144" wide

Step 3. ly	pe
------------	----

A adjustable jumperN nonadjustable jumper


Prices for Steps 1-3.		
	Α	N
Y1353. 12	\$73	73
18	\$78	78
24	\$83	83
30	\$89	89
36	\$94	94
42	\$99	99
48	\$105	105
54	\$110	110
60	\$115	115
66	\$120	120
72	\$125	125
78	\$131	131
84	\$136	136
90	\$142	142
108	\$157	157
120	\$167	167
132	\$179	179
144	\$189	189

Connect[™]-Junction Block, 4-Circuit

Y1358.

Connect[™]-Duplex Receptacle, 4-Circuit

Y1355.



Specification Information

Step 1.

Y1358.

Step 2. Junction Block Type

SH single junction block

SB single back-to-back junction block

DH double junction block

DB double back-to-back junction block

Step 3. Attachment Hardware

For single junction block (SH) or double junction block (DH)

A flat attachment to underside of surface

B short 90° attachment to underside of surface


C long 90° attachment to underside of surface

For single back-to-back junction block (SB) or double back-to-back junction block (DB)

B short 90° attachment to underside of surface

C long 90° attachment to underside of surface

Prices for Steps 1-3.			
	Α	В	C
Y1358. SH	\$82	88	88
SB	_	\$88	88
DH	\$66	72	72
DB	_	\$72	72



Specification Information

Step 1.

Y1355.

Step	2.	Amps
4 -		

15 15 amp

20 20 amp

Step 3. 0	Circuit
-----------	---------

1 circuit l

2 circuit II


3 circuit III

4 circuit IV

Prices for Steps 1-3.				
	1	2	3	4
Y1355. 15	\$22	22	22	22
20	\$26	26	26	26

Y1354.

Connect[™]-Junction Block Brackets, 4-Circuit



Specification Information

Step 1.

Y1357.


Step 2. Attachment Hardware

A flat attachment to underside of surface

B short 90° attachment to underside of surface

C long 90° attachment to underside of surface

Prices for Steps 1-2.	
Y1357. A	\$55
В	\$87
С	\$87



Connect[™]-Block Connector,

Specification Information

Step 1.

Y1357.

Y1354.

4-Circuit

_		_		_	
Step	2	\cap nn	acto	r Ti	ma
Sich	۷.	CUIIII	CCIL	יו וכ	ype


H H-block connector

R receptacle-to-receptacle block connector

Prices for Steps 1-2.

Y1354. H	\$40
D	¢-4

\$51




liquid tight conduit


Specification Information
Step 1.
Y1356.

Step	2. Width
06	6" wide
24	24" wide
36	36" wide
48	48" wide
72	72" wide
96	96" wide
Step	3. Conduit Type


Prices for Steps 1-3.	
	L
Y1356. 06	\$67
24	\$83
36	\$94
48	\$105
72	\$125
96	\$147



Specification Information	
Step 1.	
Y1338.	\$73




Specification	Information	
Step 1.		
Y1339.		\$9



Step 1.

Y6470.

Step	2. Attachment Bracket	
CM	surface clamp	
FR	freestanding	
Price	s for Steps 1-2.	
Y647	0. CM	\$317
	FR	\$317
Step	3. Finish	
91	white	+\$0
G2	graphite satin	+\$ o
MS	metallic silver	+\$0



Specification Information

Step 1.

MS


metallic silver

Y6460.

Step 2.	Attachment Bracket
AO	for 180° Action Office® panel connection
CM	surface clamp
ET	for 180° Ethospace® or Canvas frame connection
FR	freestanding
TR	for rail tile (Ethospace® Systems or Canvas)

Prices	for Steps 1-2.	
Y6460). AO	\$418
	CM	\$418
	ET	\$418
	FR	\$454
	TR	\$454 \$418
Step 3	3. Finish	
BK	black	+\$0
91	white	+\$0 +\$15

+\$15




Step 1.

Y7000.

Step 2.	Width
14	14" wide
29	29" wide

Prices for Steps 1-2.	
Y7000. 14	\$203
29	\$312

Step 3	. Surface Finish	
8Q	folkstone grey	+\$o
BU	black umber	+\$o
CN	metallic champagne	+\$o
G2	graphite satin	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
WL	sandstone	+\$o



Specification Information


Step 1.

Y7216.


Step 2.	Width			
10	10" wide			
16	16" wide			


Prices	for Steps 1-2.	
Y7216	. 10	\$32
	16	\$41
Step 3	. Surface Finish	
91	white	+ \$0
BU	black umber	+ \$0

ر مادد		
91	white	+\$o
BU	black umber	+\$o
CL	cool grey neutral	+\$o
G1	graphite	+\$o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
WN	warm grey neutral	+\$o
XF	frosted	+\$5



Specification Information	
Step 1.	
Y7217.4	\$36






XF

frosted


Step	1.	
Y7218.		\$52
Step	2. Surface Finish	
91	white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
G1	graphite	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
WN	warm grey neutral	+\$0

+\$5

Step 1.




Specification Information	
Step 1.	
Y7233.	\$25




Specification Information

Y721	0.	\$32
Step	2. Surface Finish	
BU	black umber	+\$0
HF	inner tone light	+ \$o
LT	light tone	+ \$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o
XF	frosted	+\$5



Specification Information Step 1. Y7212. \$41



Specification Information

Step 1.


Y7310.

Step 2.	. Width
15	15" wide
24	24" wide
30	30" wide

Prices for Steps 1-2.	
Y7310. 15	\$53
24	\$55
30	\$64

Step 3	3. Surface Finish	
BU	black umber	+\$o
CN	metallic champagne	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$o
MS	metallic silver	+\$o
MT	medium tone	+\$o

Y7310.



Step 1.


Y7320.

Step 2. Depth 5" deep 05

10 10" deep

Prices for Steps 1-2.	
Y7320. 05	\$18
10	\$20

Step	3. Surface Finish	
8Q	folkstone grey	+ \$o
BU	black umber	+\$ o
CN	metallic champagne	+\$ o
HF	inner tone light	+\$0
LU	soft white	+\$ o
MS	metallic silver	+\$ o
MT	medium tone	+\$0
SG	slate grey	+\$ o



Specification Information


Step 1.

Y7315.


Thrive® Portfolio — Work Tools

Y7315.

\$41




Specification Information	
Step 1.	
Y7420.	\$18



Specification Information	
Step 1.	
Y7421	\$18

Cton		
Step • Y501		\$46
Step:	2. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$0
HF	inner tone light	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
MT	medium tone	+\$0
SG	slate grey	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0




Specification information			
Step 1	1.		
Y7231	\$124		
Step 2	2. Finish		
91	white	+\$0	
BK	black	+\$ o	
MS	metallic silver	+\$ 0	

+\$o

BU


+\$0

BU



black umber

Specification Information	
Step 1.	
Y7510.	\$214
Step 2. Surface Finish	



Specification Information

black umber

Step 1.	
Y7630.	
Step 2. Width	
09 9" wide	
Prices for Steps 1-2.	
Y7630. 09	\$79
Step 3. Surface Finish	

Thrive® Portfolio 10-Day or Less	
Add-On Tray	page(s) 13
Adjustable Mouse Tray	13
Ardea® Personal Light	30
Armature	38
Bundle Clip	36
Connect™ - Modular Power Entry, 2 Circuit, Architectural Wall F	Receptacle
Box	19
Connect [™] -Block Connector, 2-Circuit	22
Connect [™] -Block Connector, 4-Circuit	27
Connect [™] -Conduit Clamp	29
Connect [™] -Dual Junction Block Power Kit, 4-Circuit	24
Connect [™] -Dual Receptacle Power Kit, 2-Circuit	20
Connect [™] -Duplex Receptacle, 2-Circuit, 15 Amp	19
Connect [™] -Duplex Receptacle, 4-Circuit	26
Connect [™] -Ganging Bracket Kit	28
Connect [™] -Jumper, 2-Circuit	21
Connect [™] -Junction Block Brackets, 4-Circuit	27
Connect [™] -Junction Block to Junction Block Jumper, 4-Circuit	25
Connect™-Junction Block, 4-Circuit	26
Connect [™] -Modular Power Entry, 4 Circuit, Architectural Wall Ju	
Box	23
Connect™-Power Entry with Plug End, 20 Amp	-5 18
Connect™-Power Entry, 2-Circuit	18
Connect™-Power Entry, 4-Circuit	23
Connect [™] -Receptacle Brackets, 2-Circuit	22
Connect™-S100	15
Connect™-S200	15
Connect™-S300	16
Connect™-S400	16
Connect™-S500	17
Connect™-Transition Jumper, 2- to 4-Circuit	28
CPU Holder, Mobile	9
Diagonal Tray	32
Display Tray	35
Document Gripper	36
Dual Flo® Surface Clamp Mount	7
Enhanced Back-To-Back Post Bracket	8
Flo® Dual-Screen Monitor Arm - Clamp Mount	5
Flo® Single-Screen Monitor Arm Support	5
Flo® Single Screen Monitor Arm - Arm Only	6
Flo® Two-Piece Clamp Mount	6
Flute™ Personal Light	
LE Series Keyboard Solutions	30 12
LOOP™ Adjustable CPU Holder	
LOOP™ Adjustable CPU Holder Assembly	9
2001 Adjustuate of O Hotael Assembly	0

LS Series Keyboard Solutions	10
LT Series Keyboard Solutions	11
LX Series Keyboard Solutions	11
Marker/Eraser Holder	37
Mini-Shelf	34
Organizer Tray	33
Palm Rest, Keyboard Tray	14
Paper Tray	31
Pencil Drawer	37
Pencil Holder	33
Rail Divider	35
Squared-Edge Corner Wedge	12
Storage Tray	34
Telephone Tray	38
Universal CPU Holder Slide & Rotate Kit	10
Vertical Tray	32
Wishbone® Post Top-Mounting Surface Clamp	7
Work Surface-Attached Electrical Distributor	17
Work Surface-Attached Tool Rail	31

Y1314.	Work Surface-Attached Electrical Distributor	0age(s) 17
Y1321.	Connect [™] -S100	15
Y1322.	Connect™-S200	15
Y1323.	Connect™-S300	16
Y1324.	Connect™-S400	16
Y1325.	Connect [™] -S500	17
Y1338.	Connect™-Ganging Bracket Kit	28
Y1339.	Connect™-Conduit Clamp	29
Y1340.	Connect™-Dual Receptacle Power Kit, 2-Circuit	20
Y1341.	Connect™-Power Entry, 2-Circuit	18
Y1342.	Connect™-Power Entry with Plug End, 20 Amp	18
Y1343.	Connect™-Jumper, 2-Circuit	21
Y1344.	Connect™-Block Connector, 2-Circuit	22
Y1345.	Connect™-Duplex Receptacle, 2-Circuit, 15 Amp	19
Y1347.	Connect™-Receptacle Brackets, 2-Circuit	22
Y1349.	Connect™ - Modular Power Entry, 2 Circuit, Architectur	al Wall
	Receptacle Box	19
Y1350.	Connect™-Dual Junction Block Power Kit, 4-Circuit	24
Y1351.	Connect™-Power Entry, 4-Circuit	23
Y1353.	Connect™-Junction Block to Junction Block Jumper, 4-C	ircuit 25
Y1354.	Connect™-Block Connector, 4-Circuit	27
Y1355.	Connect™-Duplex Receptacle, 4-Circuit	26
Y1356.	Connect™-Transition Jumper, 2- to 4-Circuit	28
Y1357.	Connect™-Junction Block Brackets, 4-Circuit	27
Y1358.	Connect™-Junction Block, 4-Circuit	26
Y1359.	Connect™-Modular Power Entry, 4 Circuit, Architectura	l Wall
	Junction Box	23
Y2091.	Squared-Edge Corner Wedge	12
Y5010.	Pencil Drawer	37
Y6460.	Ardea® Personal Light	30
Y6470.	Flute™ Personal Light	30
Y7000.	Work Surface-Attached Tool Rail	31
Y7210.	Organizer Tray	33
Y7212.	Storage Tray	34
Y7216.	Paper Tray	31
Y7217.	Vertical Tray	32
Y7218.	Diagonal Tray	32
Y7231.	Marker/Eraser Holder	37
Y7233.	Pencil Holder	33
Y7310.	Mini-Shelf	34
Y7315.	Display Tray	35
Y7320.	Rail Divider	35
Y7420.	Bundle Clip	36
Y7421.	Document Gripper	36
Y7510.	Armature	38
Y7630.	Telephone Tray	38

Y//10.	LE Series Keyboard Solutions	12
Y7724.	LX Series Keyboard Solutions	11
Y7727.	LT Series Keyboard Solutions	11
Y7728.	Add-On Tray	13
Y7729.	Adjustable Mouse Tray	13
Y7737.	LS Series Keyboard Solutions	10
Y7790.	Palm Rest, Keyboard Tray	14
Y7812.	CPU Holder, Mobile	9
Y91104	LOOP™ Adjustable CPU Holder Assembly	8
Y91171	Flo® Single-Screen Monitor Arm Support	5
Y91175	Flo® Dual-Screen Monitor Arm - Clamp Mount	5
Y92009	Enhanced Back-To-Back Post Bracket	8
Y92038	Universal CPU Holder Slide & Rotate Kit	10
Y92041	LOOP™ Adjustable CPU Holder	9
Y92052	Wishbone® Post Top-Mounting Surface Clamp	7
Y92090	Flo® Single Screen Monitor Arm - Arm Only	6
Y92092	Flo® Two-Piece Clamp Mount	6
Y92100	Dual Flo® Surface Clamp Mount	7



10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
 - Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
 - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller March 2008

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2016 Herman Miller, Inc., Zeeland, Michigan

WermanMiller, , 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

Mbout Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Exclave, Flex-Edge, Flute, Harmonic, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Locale, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Q, Recline Selector, Renew, Sense, SoftPad, Stackable, Stackable Storage, Swoop, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz™ is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo $^{\text{\tiny{M}}}$ is a trademark of Cargill Dow LLC.

 $i Pad^{\circledast}$ is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

 $\rm Magis^{\circ},\,Bombo^{\circ},\,and\,Me\,Too^{\circ}$ are registered trademarks of Magis SpA.

 ${\tt Microsoft}^{\circ}$ and ${\tt Natural}^{\circ}$ Keyboard are registered trademarks of Microsoft Corporation.

MOTOROLA XOOM™ is a trademark of Motorola Trademark Holdings, LLC.

Noguchi $^\circ$ and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table $^{\sim}$ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.