

Prices effective February 2, 2015

Everywhere[™] Tables

10-Day or Less

Introduction	page 2
Everywhere™ Tables 10-Day or Less	3
Standard-Height Tables	5
Power and Data Support	9
Accessories	12
Indices	17
By Name	17
By Number	19
Appendices	
10-Day or Less Order Information	
For the latest materials information, refer to the Materi	ials pages on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 2, 2015, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.


For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Standard-Height Tables

Power and Data Support

Accessories



Spec	cification Information
Step	
DT1A	
Step	2. Edge
S.	squared-edge
Step	3. Depth
18	18" deep
24	24" deep
30	30" deep
Step	4. Width
For 18	3" deep (18)
48	48" wide
60	6o" wide
72	72" wide
For 2	4" deep (24) or 30" deep (30)
36	36" wide
42	42" wide
48	48" wide
54	54" wide
60	6o" wide
66	66" wide
72	72" wide
Step	5. Surface Material
L	laminate top/thermoplastic edge

Prices for Steps 1-6.	
	LP
DT1AS. 18 48	\$690
60	\$690 \$759
72	\$819
24 36	\$690
42	\$725
48	\$760
54	\$690 \$725 \$760 \$806
60	\$854
66	\$854 \$914 \$979
72	\$979

30 36	\$717
42	\$753
48	\$792
54	\$838
60	\$889
66	\$951
72	\$1018

Step	7. Top/Edge Finish	
C 1: I		
	-Color Laminate Top/Thermoplastic Edge	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$o
HF	inner tone light	+\$o
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Wood	d-Grain Laminate Top/Thermoplastic Edge	
нм	natural maple	+\$0
LA	light ash	+\$0
LM	mahogany	+\$o
76	light brown walnut	+\$o
НХ	aged cherry	+\$0
Step	8. Leg Finish	
MS	metallic silver	+\$20
Step	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0

Step 6. Leg Type post leg



Specif	ication Information
Step 1.	
DT1B	
Step 2.	Edge

Step 3.	Depth/Width
3030	30" deep x 30" wide
3636	36" deep x 36" wide
4242	42" deep x 42" wide

4848 48" deep x 48" wide

Step	4. Surface Material	
L	laminate top/thermoplastic edge	

Step	5. Leg/Base Type		
Р	post leg		

Prices for Steps 1-5.	
	P
DT1BS. 3030 L	\$656
3636 L	\$787
4242 L	\$904
4848 L	\$1013

Solid-	Color Laminate Top/Thermoplastic Edge	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Wood	-Grain Laminate Top/Thermoplastic Edge	
НМ	natural maple	+\$0
LA	light ash	+\$0
LM	mahogany	+\$0
76	light brown walnut	+\$0
нх	aged cherry	+\$0

+\$20

Step 8.	Casters/Glides	
20	casters	+ \$o
57	glides	+\$0

MS

metallic silver

+\$0

+\$o

+\$0

+\$o

+\$0



Spec	cification Information	
Step		
DT1C		
D110		
Step	2. Edge	
S.	squared-edge	
Step	3. Diameter	
30	30" diameter	
36	36" diameter	
42	42" diameter	
48	48" diameter	
60	60" diameter	
Step	4. Surface Material	
L	laminate top/thermoplastic edge	
Step	5. Leg/Base Type	
Р	post leg	
Prices	s for Steps 1-5.	
		P
DT1C	S. 30 L	\$753
	36 L	\$906
	42 L	\$1039
	48 L	\$1164
	60 L	\$1269
Step	6. Top/Edge Finish	
Solid	-Color Laminate Top/Thermoplastic Edge	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

step 7.	tep 7. Leg/Base Finish					
۸S	metallic silver	+\$20				
step 8.	Casters/Glides					
20	casters	+\$o				
7	glides	+\$o				

нм

LA

LM

76

нх

Wood-Grain Laminate Top/Thermoplastic Edge

natural maple

light brown walnut

light ash

mahogany

aged cherry



Specification	Information

Step 1.

DT1D

Step 2. Edge

S. squared-edge

Step 3. Depth

30 30" deep

36" deep

42 42" deep

Step 4. Width

For 30" deep (30)

48 48" wide

60 60" wide

For 36" deep (36)

60 60" wide

72 72" wide

For 42" deep (42)

72 72" wide

84 84" wide

Step 5. Surface Material


L laminate top/thermoplastic edge

Step 6. Leg/Base Type

P post leg

Prices for Steps 1-6.	
	LP
DT1DS. 30 48	\$883
60	\$954
36 60	\$1059
72	\$1217
42 72	\$1304
84	\$1341

Step	7. Top/Edge Finish	
Solid	I-Color Laminate Top/Thermoplastic Edge	
8Q	folkstone grey	+\$0
91	white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0
Wood	d-Grain Laminate Top/Thermoplastic Edge	
нм	natural maple	+\$0
LA	light ash	+\$0
LM	mahogany	+\$0
76	light brown walnut	+\$0
нх	aged cherry	+\$0
Step	8. Leg/Base Finish	
MS	metallic silver	+\$20
Step	9. Casters/Glides	
20	casters	+\$0
57	glides	+\$0



Step 1.

Y1321.

Ste	n 2.	Power	Type	۵
JIL	P 2.	IOVVCI	IVPC	

Α power cord with plug end


В conduit with open end, for hard-wiring

Step 3. Cord/Conduit Length

03 3' cord/conduit 6' cord/conduit 06 10 10' cord/conduit 20 20' cord/conduit

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$194	194	203	249
В	\$245	245	254	300

Step	4. Wiring Type	
4Z	standard	+\$0
Step	5. Finish	
OH	black	+\$0



Specification Information

Step 1.

Y1322.

Step 2. Configuration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

Α power cord with plug end

conduit with open end, for hard-wiring


Step 4. Cord/Conduit Length

03 3' cord/conduit 06 6' cord/conduit 10 10' cord/conduit 20 20' cord/conduit

Prices for S	Steps 1-4.				
		03	06	10	20
Y1322. 1	A	\$231	231	240	286
	В	\$281	281	290	335
	A	\$245	245	254	300
	В	\$295	295	305	351

Step 5.	Wiring Type	
4Z	standard	+\$0

Step 6	6. Finish	
0H	black	+\$0
01	silver	+\$0
0J	white	+\$0



Step 1.

Y1323.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit6' cord/conduit

10 10' cord/conduit


20 20' cord/conduit

Step 5. Attachment

G grommet mount

S surface clamp

		_						
Prices fo	or S	Steps 1-5						
			03G	035	06G	06 S	10G	105
Y1323.	3	Α	\$264	264	264	264	273	273
		В	\$314	314	314	314	323	323
	4	Α	\$329	329	329	329	338	338
		В	\$380	380	380	380	390	390
							20G	205
Y1323.	3	Α					\$319	319
		В					\$368	368
	4	Α					\$385	385
		В					\$435	435
Step 6. I	Fin	ish						
ОН	bla	ack						+\$o
01	sil	ver						+\$0 +\$0
OJ	wł	nite						+\$o



Specification Information

Step 1.

Y1324.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length


3′ cord/conduit
 6′ cord/conduit
 10′ cord/conduit
 20′ cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1324. 3 A	\$368	368	377	423
В	\$419	419	429	474
5 A	\$473	473	483	528
В	\$524	524	530	575

Step 5.	Wiring Type	
4Z	standard	+\$ 0

Step 6.	Finish	
OK	silver anodized	+\$0

+\$0



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

7 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03 3' cord/conduit

06 6' cord/conduit

10 10' cord/conduit

20 20' cord/conduit


Prices for S	Steps 1-4.				
		03	06	10	20
Y1325. 3	A	\$434	434	443	489
	В	\$485	485	494	539
7	A	\$499	499	509	555
	В	\$549	549	560	605

Step	5. Fii	nish	

0K silver anodized

+\$o





Specification Information

medium tone

MT


Step 1.							
A038	AO382.						
Step	2. Width						
30	30" wide						
40	40 40" wide						
Price	es for Steps 1-2.						
A038	82. 30	\$72					
	40	\$87					
Step	3. Surface Finish						
BU	black umber	+\$0					

Cord Manager

FV984.

Connect[™]-Ganging Bracket Kit

Y1338.



Specification Information

Step 1.

FV984.

Step 2. Height


12 12" high

24" high 24

Prices for Steps 1-2.

FV984. 12 \$49

24




Specification Information


Step 1.

\$74

Y1338. \$73



Specification Information	
Step 1.	
Y1314.	\$180



Step 1.

Y1321.

Step 2. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring


Step 3. Cord/Conduit Length

03 3' cord/conduit
06 6' cord/conduit
10 10' cord/conduit
20 20' cord/conduit

Prices for Steps 1-3.				
	03	06	10	20
Y1321. A	\$194	194	203	249
В	\$245	245	254	300
Sten / Wiring Tyne				

Step 2	4. Willing Type		
4Z	standard		+\$o

Step 5.	Finish	
ОН	black	+\$0



Step 1.

Y1322.

Step 2. Configuration

1 simplex receptacle, 1 data opening

2 2 simplex receptacles

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

03 3' cord/conduit06 6' cord/conduit10 10' cord/conduit

20 20' cord/conduit


Step 5. Wiring Type

white

0J

Prices for S	Steps 1-4.				
		03	06	10	20
Y1322. 1	A	\$231	231	240	286
	В	\$281	281	290	335
2		\$245	245	254	300
	В	\$295	295	305	351

1	0 /1	
4Z	standard	+\$0
Step	6. Finish	
0H	black	+\$0
01	silver	+\$0



Specification Information

Step 1.

Y1323.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

4 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit
6' cord/conduit
10' cord/conduit
20' cord/conduit

Step 5. Attachment

G grommet mount


S surface clamp

+\$0

Prices for	Steps 1-5.						
		03G	035	06G	06 S	10G	105
Y1323. 3	Α	\$264	264	264	264	273	273
	В	\$314	314	314	314	323	323
4	A	\$329	329	329	329	338	338
	В	\$380	380	380	380	390	390
						20G	205

319
)-/
368
385
435

Step 6.	Finish	
ОН	black	+ \$o
01	silver	+\$0
OJ	white	+\$0



Step 1.

Y1324.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

5 3 simplex receptacles, 4 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length


3' cord/conduit6' cord/conduit10' cord/conduit

20 20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1324. 3 A	\$368	368	377	423
В	\$419	419	429	474
5 A	\$473	473	483	528
В	\$524	524	530	575

Step 5.	Wiring Type		
4Z	standard	+\$	0

Step	6. Finish	
OK	silver anodized	+\$0



Specification Information

Step 1.

Y1325.

Step 2. Configuration

3 2 simplex receptacles, 2 data openings

7 3 simplex receptacles, 3 data openings

Step 3. Power Type

A power cord with plug end

B conduit with open end, for hard-wiring

Step 4. Cord/Conduit Length

3' cord/conduit
6' cord/conduit
10' cord/conduit
20' cord/conduit

Prices for Steps 1-4.				
	03	06	10	20
Y1325. 3 A	\$434	434	443	489
В	\$485	485	494	539
7 A	\$499	499	509	555
В	\$549	549	560	605

Step 5	. Finish	
0K	silver anodized	+\$0

Everywhere™ Tables 10-Day or Less	
Cable Management Clip	page(s) 12
Cable Management Trough, Work Surface Suspended	12
Connect™-Ganging Bracket Kit	13
Connect™-S100	9, 14
Connect™-S200	9, 15
Connect™-S300	10, 15
Connect™-S400	10, 16
Connect™-S500	11, 16
Cord Manager	13
Oval Table	8
Rectangular Table	5
Round Table	7
Square Table	6
Work Surface-Attached Electrical Distributor	14

AO382.	Cable Management Trough, Work Surface			
	Suspended	page(s) 12		
DT1AS.	Rectangular Table	5		
DT1BS.	Square Table	6		
DT1CS.	Round Table	7		
DT1DS.	Oval Table	8		
DT9A.	Cable Management Clip	12		
FV984.	Cord Manager	13		
Y1314.	Work Surface-Attached Electrical Distributor	14		
Y1321.	Connect [™] -S100	9, 14		
Y1322.	Connect [™] -S200	9, 15		
Y1323.	Connect™-S300	10, 15		
Y1324.	Connect [™] -S400	10, 16		
Y1325.	Connect™-S500	11, 16		
Y1338.	Connect™-Ganging Bracket Kit	13		



10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
 - Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
 - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller March 2008

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2015 Herman Miller, Inc., Zeeland, Michigan

[®] HermanMiller, ●, 3D Intelligent, Abak, AO, Action Office, Aeron, Ambi, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Ground Cloth, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Leaf, Lifework, Limerick, Live Unframed, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Resolve, Rodney, SAYL, Setu, Thrive, Tu, Vary Easy, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

Mbout Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, Eco-Dematerialized, EnhancedAccess, Everywhere, Flex-Edge, Flute, Formcoat, Formwork, Harmonic, Herman Miller for the Home, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Layout Studio, Living Office, Locale, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Public Office Landscape, Q, Rapunzel, Recline Selector, Renew, SoftPad, Sense, Stackable, Stackable Storage, Swoop, Thinking is good for you, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

 $^{\rm SM}$ S3, TAP, Textile Alliance Program, and Herman Miller Options are among the service marks of Herman Miller, Inc.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz[™] is a trademark of Mark W. Goetz.

GREENGUARD® is a registered trademark of the Greenguard Environmental Institute.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

 $\mathsf{Ingeo}^{\scriptscriptstyle\mathsf{TM}}$ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

 $Magis^{\circledast},$ $Bombo^{\circledast},$ and Me Too^{\circledast} are registered trademarks of Magis SpA.

 ${\tt Microsoft}{}^{\circ}$ and ${\tt Natural}{}^{\circ}$ Keyboard are registered trademarks of Microsoft Corporation.

 ${\tt MOTOROLA\,XOOM^{\tiny M}\ is\ a\ trademark\ of\ Motorola\ Trademark\ Holdings,\ LLC.}$

Noguchi® and the Noguchi table configuration are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat[™] is a trademark of ITW-Dahti Seating.