

#### Prices effective February 1, 2016

# Aeron<sup>®</sup> Chairs

Introduction	page 2
Aeron® Chairs	3
Work Chair	5
Work Stool	8
Side Chair	11
Accessories	12
Appendices	
20-Day or Less/Assigned Lead-Time Order Information	
Casters and Glides	
Size/Fit Reference - Aeron Chair	
Fire Retardancy-Seating	
Customer's Own Material/Customer's Own Leather Order Information-	Seating
Proprietary Textiles Application Chart-Seating	
Proprietary Textile Colors-Seating	
For the latest materials information, refer to the Materials pages on Herm	anMiller.com.

#### A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

# Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

#### Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

This information is divided into two sections, each signaled by a black bar. Product Information includes a description, additional notes, and dimensional drawings. Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

#### The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

#### **General Information**

This book is effective February 1, 2016, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

Dimensions shown in the drawings are engineering drawing dimensions rounded up to the nearest <sup>1</sup>/8". Product is shipped set up or knocked down. Products that include "Shipped knocked down" in the description require some assembly. If this statement does not appear in the description, the product is shipped assembled.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

#### 20-Day or Less/Assigned Lead-Time Shipments

All products and options in this price book not designated by an Assigned Program icon A will ship in **20 business days or less** after being acknowledged by Herman Miller.

Products and options designated by an  $\boxed{A}$  are on the assigned leadtime program and may ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.







#### Product Information

#### Description

This chair has 3 sizes and a Pellicle<sup>®</sup> material that conforms to the user's body and retains its original shape when unoccupied. The material is lightweight and breathable and distributes the user's weight evenly over the seat and back of the chair. The chair has pneumatic height adjustment and a Kinemat<sup>®</sup> tilt that lets the body naturally pivot at the ankles, knees, and hips.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include PostureFit<sup>®</sup> support and an adjustable lumbar support. The PostureFit support provides a custom fit in the lower back area, below the beltline, that helps achieve healthier posture and improved lower back comfort. The user can adjust the level of support with a lever.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; and a fully adjustable option that moves the arms 4" vertically and pivots the armpads 15° outward and  $17^{1}/2^{\circ}$  inward.

The ZB, WS, and G8 base/frame finishes include a frame applique. These appliques are applied to an Aeron work chair's seat, back, and arms to minimize the effect of contact between the chair and a woodedge surface. The G8 option does not include an arm coating. The frame applique options (ZB, WS, and G8) do not meet CAL 133 requirements. A fire retardant chair meets CAL 133 requirements. The

chair's Pellicle material is manufactured with a fire-retardant additive.

#### Notes


To help determine chair size, see Aeron Chair Size/Fit Reference in Appendices. A-, B-, and C-size chairs are tested and warranted for use by persons 300 pounds and under.

For information on casters and glides, see Casters and Glides in Appendices.

PostureFit support is not available on standard tilt option.

Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

#### Dimensions



	Size A	Size B	Size C
۵	15 3/4	17	18 1/2
b	14 3/8-19 1/2	15-20 7/8	15-20 7/8
С	25 3/4	27	28 1/4
р	41 ma×	42 max	45 ma×
e	19	20 1/4	21 5/8

All dimensions are in inches.

Specification Information

Step 1.	
AE11	
Step 2.	Tilt
1	standard tilt
2	tilt limiter
3	tilt limiter and seat angle
Step 3.	Arms
Ν	no arms
Р	fixed arms
н	height-adjustable arms

H height-adjustable armsA fully adjustable arms

Step 4. Armpad Upholstery

	arms (N)	
N	no arms	

For fixed arms (P), height-adjustable arms (H), or fully adjustable arms (A)

W nonupholstered	armpads
------------------	---------

F leather armpads

Step 5. Size

- A a size
- B b size
- **C** c size

Step 6. Fire Retardancy

For not	t fire retardant (*), skip this step.
50	fine meteorie to the

**FR** fire retardant A

Prices f	or S	Steps 1-6.						
			A*	AFR	В*	BFR	С*	CFR
AE111	Ν	Ν	\$1009	1009	1009	1009	1009	1009
	Ρ	W	\$1146	1146	1146	1146	1146	1146
		F	\$1195	1195	1195	1195	1195	1195
	Η	W	\$1213	1213	1213	1213	1213	1213
		F	\$1263	1263	1263	1263	1263	1263
		W	\$1292	1292	1292	1292	1292	1292
		F	\$1342	1342	1342	1342	1342	1342
AE112	N	N	\$1071	1071	1071	1071	1071	1071
	Ρ	W	\$1208	1208	1208	1208	1208	1208
		F	\$1257	1257	1257	1257	1257	1257

	Η	W	\$1276	1276	1276	1276	1276	1276
		F	\$1324	1324	1324	1324	1324	1324
	Α	W	\$1355	1355	1355	1355	1355	1355
		F	\$1406	1406	1406	1406	1406	1406
AE113	N	Ν	\$1141	1141	1141	1141	1141	1141
	Ρ	W	\$1276	1276	1276	1276	1276	1276
		F	\$1324	1324	1324	1324	1324	1324
	Η	W	\$1344	1344	1344	1344	1344	1344
		F	\$1393	1393	1393	1393	1393	1393
	Α	W	\$1427	1427	1427	1427	1427	1427
		F	\$1475	1475	1475	1475	1475	1475

#### Step 7. Back Support Option

For s	tandard tilt (1)	
N2	no additional support	+\$0
AJ	adjustable lumbar support	+\$65
Forti	ilt limiter (2) or tilt limiter and seat angle (3)	
N2	no additional support	<u></u>

N2	no additional support	+\$0
AJ	adjustable lumbar support	+\$65
PJ	adjustable PostureFit <sup>®</sup> support	+\$95

#### Step 8. Base/Frame Finish

#### For not fire retardant (\*)

G1	graphite	+\$0
ХТ	titanium with smoke frame	+\$o
WS	titanium with smoke frame and smoke applique	+\$134
ZB	graphite with graphite applique	+\$134
CD	polished aluminum with graphite frame	+\$300
G8	polished aluminum with graphite frame and graphite	+\$434
	applique 🔺	

# For fire retardant (FR) G1 graphite CD polished aluminum with graphite frame A +\$300 Step 9. Casters/Glides BB 2<sup>1</sup>/<sub>2</sub>" hard caster, black yoke, carpet only

00	2 /2 hard custer, black yoke, carper only	140
GF	$2^{1/2}$ " glide, hard floors or carpet	+\$o
C7	$2^{1/2}$ " caster, black yoke, hard floors or carpet	+\$40
C9	2¼2″ braking caster, black yoke, hard floors or carpet	+\$40

Step 10. Armp	ad Finish
---------------	-----------

For nonupholstered armpads (W) with not fire retardant, or fireretardant (FR) with graphite (G1), or polished aluminum with graphiteframe (CD), or graphite with graphite applique (ZB), or polishedaluminum with graphite frame and graphite applique (G8)BKblack+\$0

For nonupholstered armpads (W) with not fire retardant with titanium with smoke frame (XT), or titanium with smoke frame and smoke applique (WS)

S8 smoke

+\$o

Step 11. Pellicle® Material

See application chart and textiles list for material usage and numbers. First 2 digits of number indicate material; remaining 2 digits indicate color.

For fire retardant (FR) with graphite (G1), o	r polished aluminum with
graphite frame (CD)	
Price Category 1	+\$0
For not fire retardant (*)	
For not fire retardant (*) Price Category 1	+\$0

#### Step 12. Armpad Leather

For fixed arms (P), height-adjustable arms (H), or fully adjustable arms (A) with leather armpads (F) See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate

fabric color.	
Price Category 7 A	+\$o
Price Category 9	+\$75

#### Work Stool

AE711
AE712
AE713
AE721
AE722
AE723



#### Product Information

#### Description

This work stool has a Fine-Tune<sup>\*\*</sup> footring mechanism that allows the user to adjust the height of the footring from a seated position and reduces the pressure on the underside of the user's thighs. It has a 5-star base, pneumatic seat-height adjustment, and 2 height options. The low stool has a seat-height range of  $24^{1}/_{2}$ " to 29" with a Fine-Tune footring that adjusts  $2^{1}/_{2}$ " (from 15" to  $17^{1}/_{2}$ " from the seat). The high stool has a seat-height range of  $27^{1}/_{2}$ " to 34" with a Fine-Tune footring that adjusts  $5^{1}/_{2}$ " (from 15" to  $20^{1}/_{2}$ " from the seat). The high stool provides a wider range of height adjustment than does the low stool. The work stool is available in size B.

The stool has a Pellicle<sup>®</sup> material that conforms to the user's body and retains its original shape when unoccupied. The material is lightweight and breathable and distributes the user's weight evenly over the seat and back of the stool. The stool's Kinemat<sup>®</sup> tilt lets the body naturally pivot at the ankles, knees, and hips.

Tilt options include a tilt limiter that allows the user to select the tilt range to limit the amount of recline; a tilt limiter and seat angle that allows the user to select the tilt range and a horizontal or 5° forward seat angle; or a standard tilt.

Back-support options include PostureFit® support and an adjustable lumbar support. The PostureFit support provides a custom fit in the lower back area, below the beltline, that helps achieve healthier posture and improved lower back comfort. The user can adjust the level of support with a lever.

Arm choices include a fixed, nonadjustable option; a height-adjustable option that moves the arms 4" vertically; and a fully adjustable option that moves the arms 4" vertically and pivots the armpads  $15^{\circ}$  outward and  $17^{1}/2^{\circ}$  inward.

The ZB, WS, and G8 options include a frame applique. These appliques are applied to an Aeron work stool's seat, back, and arms to minimize the effect of contact between the stool and a wood-edge surface. The G8 option does not include an arm coating.

The work stool and the frame applique options (ZB, WS, and G8) do not meet CAL 133 requirements. The fire retardant work stool meets CAL 133 requirements. The Pellicle material is manufactured with a fire-retardant additive.


#### Notes

Work stools are tested and warranted for use by persons 300 pounds and under.

For information on casters and glides, see Casters and Glides in Appendices.

Fine-Tune footring's polymer cover matches the frame finish. PostureFit support is not available on standard tilt option. Customer's Own Leather (COL) can be applied to armpads; requires 4 square feet. See Order Information in Appendices.

#### Dimensions




Spec	cification Information		Ρ	WB	\$1587	1587	1587	1971	19
Step	1.			FB	\$1635	1635	1635	2020	20
E7			Н	WB	\$1655	1655	1655	2041	20
				FB	\$1704	1704	1704	2090	20
Step	2. Height		Α	WB	\$1747	1747	1747	2144	21
L	low			FB	\$1797	1797	1797	2195	21
2	high								
-		AE712		NB	\$1512	1512	1512	1899	18
	3. Tilt		Ρ	WB	\$1649	1649	1649	2035	20
L	standard tilt			FB	\$1698	1698	1698	2084	20
2	tilt limiter		Н	WB	\$1717	1717	1717	2103	23
3	tilt limiter and seat angle			FB	\$1766	1766	1766	2152	23
			Α	WB	\$1809	1809	1809	2209	22
	4. Arms			FB	\$1861	1861	1861	2259	22
1	no arms				<b>*</b> •				
	fixed arms	AE713		NB	\$1580	1580	1580	1966	19
1	height-adjustable arms		Ρ	WB	\$1717	1717	1717	2103	2
4	fully adjustable arms			FB	\$1766	1766	1766	2152	2
~.			Н	WB	\$1785	1785	1785	2171	2
step	5. Armpad Upholstery			FB	\$1834	1834	1834	2220	22
	4.0		Α	WB	\$1883	1883	1883	2280	22
	o arms (N)			FB	\$1931	1931	1931	2330	23
NB	no arms	AE721	N	NB	¢4507	4507	4507	1022	
For fi	xed arms (P), height-adjustable arms (H), or fully adjustable arms	AC/21	P	WB	\$1537	1537	1537	1922	19
(A)	tea anns (P), neight-aajastable anns (H), or jally aajastable anns		r	FB	\$1672 \$1722	1672	1672	2059	20
A) NB	nonunhaletarad armnade		Н	WB	\$1722	1722	1722	2108	21
FB	nonupholstered armpads leather armpads		п	FB	\$1741 \$1701	1741	1741	2126	2:
D			A	WB	\$1791 \$1836	1791	1791	2176	2:
Ston	6. Base/Frame Finish		A	FB	\$1830	1836 1888	1836 1888	2235 2286	22 22
G1	graphite base/frame			10	Φ1000	1000	1000	2200	22
KT	titanium base with smoke frame	AE722	N	NB	\$1599	1500	15.00	1985	19
CD	polished aluminum base with graphite frame $\boxed{A}$	AL/22	Р	WB	\$1599	1599 1736	1599	2121	2
LD	polished aldining base with graphice frame [A]		г	FB	\$1730 \$1785	1730	1736 1785		
Ston	7. Fire Retardancy		Н	WB	\$1705	1803	1/05	2171 2189	2
	ot fire retardant (*), skip this step.		п	FB	\$1803 \$1853	1853	-	-	21
01 110			A	WB	\$1901		1853	2239	22
For a	raphite base/frame (G1) or polished aluminum base with graphite		A	FB	\$1901 \$1952	1901	1901	2299	22
-	e (CD)			10	\$1952	1952	1952	2351	2
R	fire retardant A	AE723	N	NB	\$1667	1667	1667	2052	- 20
A		AL/2)	•••••	WB	\$1807	1803	1803	2053 2189	20 21
For the	tanium base with smoke frame (XT), skip this step.			FB	\$1803 \$1853	1853	1853	-	
or th	נמחומות שעשב אונון שווטאב וומוחב (און, און נוווש גנפף.		н	гь WB	\$1053	1871	1871	2239 2256	22
Dricer	s for Steps 1-7.			FB	\$10/1 \$1921		-	-	22
nces	G1* G1FR XT* CD* CDFR		٨	WB	\$1921	1921 1969	1921 1969	2307 2367	23 23
	GI GIRK AT CD CDR		~	W# D	D1400	1404	1404	230/	27

Step 8	3. Back Support Option	
For st	andard tilt (1)	
N2	no additional support	+\$c
AJ	adjustable lumbar support	+\$65
For til	t limiter (2) or tilt limiter and seat angle (3)	
N2	no additional support	+\$c
AJ	adjustable lumbar support	+\$65
PJ	adjustable PostureFit <sup>®</sup> support	+\$95
Step	9. Frame Applique	
For gr	aphite base/frame (G1)	
NN	none	+\$0
ZB	graphite with graphite applique	+\$134
For tit	anium base with smoke frame (XT)	
NN	none	+\$c
WS	titanium with smoke frame and smoke applique	+\$134
For po	olished aluminum base with graphite frame (CD)	
NN	none	+\$c
G8	polished aluminum with graphite frame and graphite applique 🔺	+\$134
Step	Io. Casters/Glides	
BB	2 <sup>1</sup> /2" hard caster, black yoke, carpet only	+\$c
GF	2 <sup>1</sup> /2" glide, hard floors or carpet	+\$c
C7	2 <sup>1</sup> /2" caster, black yoke, hard floors or carpet	+\$40
C9	$2^{1}\!/_{2}"$ braking caster, black yoke, hard floors or carpet	+\$40
Step :	11. Armpad Finish	
For no	onupholstered armpads (WB) with graphite base/frame (G:	ı), or
polisł	ned aluminum base with graphite frame (CD)	
BK	black	+\$0
Forno	anunhalstered armpads (WR) with titanium hase with smo	ka frama

<b>S</b> 8	smoke	+\$0
(XT)		
For non	nupholstered armpads (WB) with titanium base with smoke j	trame

See application chart and textiles list for ma	terial usage and numbers.
First 2 digits of number indicate material; rea	maining 2 digits indicate
color.	
For not fire retardant (*)	
Price Category 1	+\$0
Price Category 2	+\$28
For graphite base/frame (G1) or polished alu	minum base with graphite
frame (CD) with fire retardant (FR)	
Price Category 1	+\$0
Step 13. Armpad Leather	
For fixed arms (P), height-adjustable arms (H	H), or fully adjustable arms
(A) with leather armpads (FB)	
See application chart and textiles list for fab	ric usage and numbers.
First 2 digits of number indicate fabric line; ı	remaining digit(s) indicate
fabric color.	
Price Category 7 🔺	+\$0
Price Category 9	+\$75

Step 12. Pellicle® Material



#### **Product Information**

#### Description

This side chair has a Pellicle® material that conforms to the user's body and retains its original shape when unoccupied. The material is lightweight and breathable and distributes the user's weight evenly over the seat and back of the chair. The chair has a sled base and fixed arms. It can be specified with optional lumbar support and with optional sled-base glides. The chair's size is based on the B-size Aeron work chair.


A fire retardant chair meets CAL 133 requirements. The chair's Pellicle material is manufactured with a fire-retardant additive. The additive does not meet Herman Miller's Design for the Environment criteria.


#### Notes

Side chair is tested and warranted for use by persons 300 pounds and under.

For information on glides, see Casters and Glides in Appendices.

Dimensions





#### Specification Information

#### Step 1. **AE500P**

Step 2. Fire Retardancy	
For not fire retardant (*), skip this step.	
FR fire retardant A	
Prices for Steps 1-2.	
AE500P	\$828
AE500P FR	\$828
Step 3. Lumbar Option	
N2 no lumbar	+\$0
AJ adjustable	+\$65
Step 4. Base/Frame Finish	
For not fire retardant	
G1 graphite	+\$0
XT titanium with smoke frame	+\$0
For fire retardant (FR)	
G1 graphite A	+\$0
Step 5. Glide Option	
NX no glide	+\$o
SB sled-base glide	+\$15
Step 6. Pellicle® Material	
See application chart and textiles list for material usage and num	bers.
First 2 digits of number indicate material; remaining 2 digits indic color.	cate

For fire retardant (FR) with no glide (NX), o	or sled-base glide (SB)
Price Category 1	+\$0
For not fire retardant (*)	
Price Category 1	+\$0
Price Category 2	+\$28

## PostureFit® Support



#### Product Information

#### Description

This PostureFit® support fits on the back of an A-, B-, or C-size Aeron work chair or B-size Aeron work stool. It provides a custom fit in the lower back area, below the beltline, that helps achieve healthier posture and improved lower back comfort. The user can adjust the level of support with a lever.

Graphite (G1) finish is recommended for use with the following chair or stool base/frame finishes:

- Graphite (G1)
- Graphite with graphite applique (ZB)
- Polished aluminum with graphite frame (CD)

• Polished aluminum with graphite frame and graphite applique (G8)

Smoke (S8) finish is recommended for use with the following chair or stool base/frame finishes:

- Titanium with smoke frame (XT)
- Titanium with smoke frame and smoke applique (WS)

#### Notes

Existing Aeron chair should include the tilt limiter option (tilt option 2 or 3) for optimal performance.

#### Specification Information

Step 1. AE905

Step 2. Size

A a size


B b size

**C** c size

#### Prices for Steps 1-2. **AE905 A** \$112 **B** \$112 **C** \$112 Step 3. Finish

G1	graphite	+\$o
<b>S</b> 8	smoke	+\$o

#### Lumbar Kit



#### **Product Information**

#### Description

This lumbar pad fits into the back of an Aeron work chair or work stool to further support the lower back. The pad can be reversed to adjust for more or less support; one side of the pad is 3/4" and the other is  $1^{1}/4"$ . Black (BK) lumbar pad finish is recommended for use with the following chair or stool base/frame finishes:

- Graphite (G1)
- Graphite with graphite applique (ZB)
- Polished aluminum with graphite frame (CD)

• Polished aluminum with graphite frame and graphite applique (G8) Smoke (S8) lumbar pad finish is recommended for use with the following chair or stool base/frame finishes:

- Titanium with smoke frame (XT)
- Titanium with smoke frame and smoke applique (WS)

#### Notes

Specify lumbar pad size to match work chair size. For work stool, specify size B.

#### Specification Information


Step 1. **AE900NN** 

Step 2. Size

- A a size
- B b size

**C** c size

Prices	s for Steps 1-2.	
AE90	ONN A	\$79
	В	\$79 \$79
	С	\$79
Step	3. Finish	
ВК	black	+\$0 +\$0
<b>S</b> 8	smoke	+\$0



#### Product Information

#### Description

These arms can be retrofit to an Aeron work chair or work stool. Arm choices include a height-adjustable option that moves the arms 4" vertically and a fully adjustable option that moves the arms 4" vertically and pivots the armpads 15° outward and  $17^{1/2^{\circ}}$  inward. Arm components are preassembled.

#### Notes

Customer's Own Leather (COL) requires 4 square feet. See Order Information in Appendices.

#### Dimensions





Fixed Arms

Height Adjustable and Fully Adjustable Arms

#### Specification Information

#### Step 1. **AE900**

- Step 2. Arms
- P fixed arms
- H height-adjustable arms
- A fully adjustable arms

#### Step 3. Armpad Upholstery

- W0 nonupholstered armpads
- F0 leather armpads


Prices f	or Steps 1-3.		
		WO	FO
<b>E900</b>	Р	\$140	189
	н	\$261	309
	Α	\$308	357
step 4.	Finish		
<b>51</b>	graphite		+\$o
СТ	titanium		+\$0 +\$0 +\$100
D	polished aluminum 🔺		+\$100

#### Step 5. Armpad Finish

	onupholstered armpads (Wo) with graphite inum (CD)	e (G1), or polished
BK	black	+\$0
For n	onupholstered armpads (Wo) with titanium	n (XT)
<b>S</b> 8	smoke	+\$0
Step	6. Armpad Leather	
For le	eather armpads (Fo)	
See a	application chart and textiles list for fabric u	isage and numbers.
First :	2 digits of number indicate fabric line; rema	nining digit(s) indicate
fabria	c color.	
Price	Category 7 A	+\$0

Price Category 9 +\$75

## Frame Applique



#### **Product Information**

#### Description

This frame applique is applied to an Aeron work chair or work stool's seat, back, and arms to minimize the effect of contact between the chair and a wood-edge surface. The seat and back appliques attach with the chair or stool's existing screws. Coated arm yokes replace existing arm yokes; arm components are preassembled. The arm yokes use the chair or stool's existing arm pads.

Frame applique does not meet CAL 133 requirements.

#### Notes

Order A-, B- or C-size applique to retrofit work chair; order B-size appliqué to retrofit work stool.

#### Specification Information

#### Step 1. **AE910**

- P fixed arms
- H height-adjustable arms
- A fully adjustable arms

#### Step 3. Size

- A a size
- B b size
- **c** c size

#### Prices for Steps 1-3.

					Α	В	C
AE910	Ρ				\$306	306	306
	Н				\$320	320	320
	Α				\$325	325	325

#### Step 4. Finish

WS	titanium with smoke frame and smoke applique	+\$0
ZB	graphite with graphite applique	+\$0

# Aeron® Accessories

# 20-Day or Less/Assigned Lead-Time Order Information

#### 20-Day or Less and Assigned Lead-Time Programs

20-day or less and assigned lead-time products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple manufacturing facilities across the United States. All products and options not designated by an Assigned Lead-Time icon  $\boxed{\mathbb{A}}$  will ship in 20 business days or less after being acknowledged by Herman Miller. Products and options designated by an  $\boxed{\mathbb{A}}$  are on the assigned lead-time program and will ship in 20 days, less than 20 days, or more than 20 days from order acknowledgement.

#### **Ordering Procedure**

Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.

Order Entry fax number for Passage<sup>®</sup>, 5000 Series, and Meridian<sup>®</sup> Filing and Storage: (616) 846 9236.

Order Entry fax number for all other products:

(616) 654 3085.

For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

#### **Shipments and Delivery**

Per Herman Miller Terms and Conditions.

#### **Changes and Cancellation**

Per Herman Miller Terms and Conditions.

HermanMiller



Depending on the floor surface, chair may unexpectedly roll away from user when entering or exiting the chair, possibly leading to unexpected injury. Please refer to descriptions of floor types when selecting casters.

#### 32 Caster



17/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only Applicable on: Sayl® Chairs



21/2-inch-diameter hard doublewheel caster; black nylon wheels and yoke; for use on carpet only Applicable on: Setu<sup>®</sup> Chairs Aeron® Chairs Ambi<sup>®</sup> Chairs Sayl Chairs Caper<sup>®</sup> Chairs Celle<sup>®</sup> Chairs Embody<sup>®</sup> Chairs Equa 2<sup>®</sup> Chairs Ergon 3<sup>®</sup> Chairs Mirra<sup>®</sup> Chairs Mirra 2 Chairs



21/2-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet Applicable on: Aeron Chairs Sayl Chairs Ambi Chairs Caper Chairs Celle Chairs Embody Chairs Equa 2 Chairs Ergon 3 Chairs Mirra Chairs






A

2-inch-diameter single-wheel caster; black rubber wheel with black yoke; for use on hard floors or carpet Applicable on: Co/Struc® System

#### 49 Caster



17/8-inch-diameter soft doublewheel caster; black nylon wheels and yoke; for use on hard floors or carpet Applicable on: Sayl Chairs

#### BSC Caster



2-inch-diameter double-wheel caster; black nylon wheels and hood; soft polyurethane tread; for use on hard floors or carpet Applicable on: Eames® Aluminum Group Eames Executive Chairs Eames Soft Pad Group

#### C9 Caster



2<sup>1</sup>/<sub>2</sub>-inch-diameter double-wheel caster; black nylon wheels and yoke; soft polyurethane tread; internal brake; for use on hard

floors or carpet Applicable on: Aeron Chairs Ambi Chairs Caper Chairs Celle Chairs Embody Chairs Equa 2 Chairs Ergon 3 Chairs Mirra Chairs




2-inch-diameter soft doublewheel braking caster; black nylon wheels and hood; for use on hard floors only Applicable on: Aside® Chairs Caper Chairs


# H9 Caster



2<sup>1</sup>/<sub>2</sub>-inch-diameter double-wheel caster; clear polycarbonate wheels; nylon yoke; soft polyurethane tread; for use on hard floors or carpet. Applicable on: Embody Chairs Setu Chairs




2-inch-diameter double-wheel caster; black nylon wheels and hood; for use on carpet only Applicable on: Limerick® Cart



Setu-specific 2<sup>1</sup>/<sub>2</sub>-inch-diameter double-wheel roll-resistant caster; black nylon wheels and yoke; soft polyurethane tread; for use on hard floors or carpet; quiet roll technology Applicable on: Setu Chairs

#### SW Caster




2-inch-diameter soft doublewheel caster; black nylon wheels and hood; for use on hard floors only Applicable on: Limerick Cart





2<sup>1</sup>/<sub>2</sub>-inch-diameter double-wheel braking caster; black yoke; for use on hard floors or carpet. Applicable on: Setu Chairs

#### MD Caster



2-inch-diameter double-wheel caster; black nylon wheels with integral chrome hood; soft polyurethane tread; for use on hard floors or carpet Applicable on: Eames® Aluminum Group Eames Executive Chairs Eames Soft Pad Group

#### SC8 Caster



2<sup>1</sup>/2-inch-diameter doublewheel caster; black nylon wheels and yoke; soft polyurethane tread; quiet roll technology; for use on hard floors or carpet Applicable on: Mirra 2 Chairs



17/8-inch-diameter hard double-wheel caster; black nylon wheels and yoke; for use on carpet only Applicable on: Aside Chairs Caper Chairs

#### U5 Caster



17/8-inch-diameter soft double-wheel caster; black nylon wheels and yoke; for use on hard floors or carpet Applicable on: Aside Chairs Caper Chairs



2-inch-diameter hard doublewheel caster; black nylon wheels with integral chrome hood; for use on carpet only Applicable on: Eames Aluminum Group Eames Executive Chairs Eames Soft Pad Group

69 Glide	
(	

(Front glide shown) 2¹/8-inch-high glide; black glass-filled nylon stem; steelplated swivel foot with Floor Saver Glide™ insert; for use on hard floors only Applicable on: Sayl Chairs

#### GE Glide




2-inch-high glide; black nylon; for use on hard floors or carpet Applicable on: Equa 2 Chairs Ergon 3 Chairs




2-inch-diameter hard double-wheel caster; black nylon wheels with painted hood; for use on carpet only Applicable on: Eames<sup>®</sup> Aluminum Group Eames Executive Chairs Eames Soft Pad Group

#### 16 Glide



(Front glide shown) 2<sup>1</sup>/8-inch-high glide; black or fog acetal; for use on carpet only Applicable on: Sayl Chairs

#### GD Glide



1<sup>1</sup>/2-inch-diameter glide; <sup>1</sup>/2 inch in height; black nylon; for use on hard floors or carpet Applicable on: Eames Aluminum Group Eames Executive Chairs Eames Soft Pad Group




2<sup>1</sup>/<sub>2</sub>-inch-high glide; black nylon; for use on hard floors or carpet Applicable on: Aeron Chairs Celle Chairs Mirra Chairs Mirra 2 Chairs Sayl Chairs

### GG Glide




<sup>1</sup>/<sub>2</sub>-inch-high ganging glide; clear polycarbonate; for use on hard floors or carpet Applicable on: Limerick Chairs



<sup>1</sup>/<sub>4</sub>-inch-high, 1-inch diameter glide; thermoplastic CAP?material (G1 base has black glides; XT base has clear glides); for use on hard floors or carpet Applicable on:


Aeron Chairs Equa 2 Chairs

#### SG Glide (for Limerick)



<sup>1</sup>/<sub>2</sub>-inch-high glide; clear polycarbonate; for use on hard floors or carpet Applicable on: Limerick Chairs

#### Y7 Glide



17/8-inch-high glide; black acetal; for use on carpet only Applicable on: Caper Chairs




<sup>1</sup>/<sub>2</sub>-inch-high glide; black nylon glide with stainless-steel insert; for use on hard floors or carpet Applicable on: Aside Chairs

# SG Glide (for Aside)




<sup>1</sup>/<sub>2</sub>-inch-high glide; black nylon; for use on carpet only Applicable on: Aside Chairs

#### XS Glide



<sup>1</sup>/8-inch-high glide; polycarbonate in black, fog, clear, and studio white finishes; for use on hard floors or carpet Applicable on: Sayl Chairs


#### YX Glide



17/8-inch-high glide; black nylon stem; steel-plated swivel foot with Floor Saver Glide™ insert; for use on hard floors only Applicable on: Caper Chairs

This reference helps people select A-, B-, or C-size chairs when the three sizes are not available for actual test sitting. Height and weight are key indicators of suitable chair-size choice. Since the B-size chair is designed to fit a broad range of people, Herman Miller recommends it for users who fall in the A/B or B/C category. This chart applies to Aeron chairs with the extended-height-range pneumatic height-adjustment cylinder.

To determine which chair size is best, find the point of intersection for your height and weight. Aeron A-, B-, and C-size chairs are tested and warranted for use by persons 300 pounds and under.



HermanMiller

Fire-retardant chairs are manufactured with special cushions, cushions covered with fire-barrier material, and/or are upholstered in approved fire-retardant fabrics. These chairs meet California TB 133 requirements.

**Fire Retardancy** 

Appendix:
Fire
Retardancy
- Seating

All foam, Proprietary Textiles, and Textile Alliance Program <sup>™</sup> (TAP <sup>™</sup> ) textiles on HermanMiller seating products comply with California TB 117-2013.	State of California Bureau of Home Furnishings, Technical Bulletin 133	State of California Bureau of Home Furnishings, Technical Bulletin 117-2013
AireWeave <sup>™</sup> 2	FR	•
Balance <sup>1</sup>	FR	•
Bento	FR	•
Bingo		•
Coil	FR	•
ColorGuard	FR	•
Сгере	FR	•
Crossing	FR	•
Cygnus™	FR	•
Flexnet™	FR	•
Gem	FR	•
Hopsak	FR	•
Latitude™	FR	•
Leather	FR	•
Lyris 2 <sup>™ 3</sup>	FR	•
Mercer		•
Moiré	FR	•
Noble		•
Pellicle® Classic <sup>4</sup>	FR	•
Pellicle Tuxedo		•
Pellicle Waves		•
Plateau	FR	•
Quilty	FR	•
Rhythm <sup>2</sup>	FR	•
Spools	FR	•
Stitches	FR	•
Strata		•
Twist	FR	•

• Fabric meets code requirements.

FR To meet California TB 133 code requirements, fabrics must be applied to approved chairs identified with FR product numbers. To verify a fabric is approved for a specific chair, see the Fire-Retardant listing on the Seating Textiles Application Chart.

- 1 Balance 3512 carbon and 3513 black only available on Embody<sup>®</sup> FR chairs.
- 2 Rhythm 3014 black only available on Embody FR chairs.
- 3 Lyris 2 4W11 graphite only available on Setu<sup>®</sup> FR chairs.
- 4 Pellicle Classic 3Do1 graphite only available on Aeron<sup>®</sup> FR chairs.

HermanMiller

#### Packaging

Packaging varies according to individual product. A surcharge may be added for special packaging requests. Contact Customer Care for specific information.

#### Customer's Own Material/Customer's Own Leather

#### **Program Overview**

The Customer's Own Material (COM) and Customer's Own Leather (COL) program gives you the option of using textiles other than those listed. Herman Miller will test textiles for application to Herman Miller products and will process orders for those with approved COM/COL textiles only. COM/COL are assigned lead-time textiles.

Omni lists an overview of fabrics and leathers that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for COM/COL is listed below. Questions about the COM/COL program and requests for assistance may be directed to your COM representative at: (616) 654 3400 (866) 854 3048 EXT 3400

#### Customer's Own Material/Customer's Own Leather Warranty

Herman Miller does not warrant COM/COL textiles. COM/COL textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM/COL textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

#### Customer's Own Material/Customer's Own Leather Pricing

COM is a Category 1 fabric. There are no application charges for COM fabrics. COL is a Category 7 textile; refer to prices on specific products to determine the application charge.

Ordering and payment for COM/COL textile yardage are the responsibility of the customer and the textile supplier.

If desired, Herman Miller will purchase COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles to simplify ordering and shipment. For this service, refer to the Supplier Connection program.

#### **Textile Approval**

- 1. Select a COM/COL textile and a Herman Miller product.
- 2. If your textile is not listed in Omni, obtain a test number from a COM representative at (616) 654 3400. You can also submit your request within Omni. Please have the following information ready before calling: textile name, number, pattern, roll width, and the product you will apply it to.

Additional yardage may be needed due to the unique characteristics of a textile. All package labels must include the words "COM test" or "COL test" and the assigned COM/COL test number.

3. Herman Miller will notify you of approval or disapproval within 4 days from receipt of the test yardage.

#### Ordering Products with COM/COL

- 1. Refer to the specific products to determine the yardage required for COM/COL textiles.
- 2. If your textile is not listed in Omni, call a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400. The representative will assign an identification number for your textile (ID#) and will verify yardage requirements for your order. Additional yardage may be needed due to the unique characteristics of a textile.
- 3. Enter your order on Order Manager in Omni.
- 4. Upon receipt of your purchase order, Herman Miller will send you a PO acknowledgment.
- 5. Arrangements must be made for the textiles to be shipped from the supplier to Herman Miller for application to the seating products. Textiles must be tagged with the assigned identification number and the roll yardage quantity. See Omni for shipping procedures and current shipping addresses or contact a COM representative at (616) 654 3400 or (866) 854 3048 EXT 3400.

Products will be scheduled for production when COM/COL textiles are received at Herman Miller. Standard lead times in effect at that time will apply.

Note: If textiles are to be purchased directly by Herman Miller through the Supplier Connection program, Herman Miller will handle the ordering and shipping process and will schedule your order for production upon receipt of your purchase order (dependent on textile availability). Refer to the Supplier Connection program for more information.

#### Customer's Own Material/Customer's Own Leather Order Information — Seating continued

#### Supplier Connection

#### **Program Overview**

The Supplier Connection program is a service offered by Herman Miller to purchase approved COM textiles directly from True Textiles, C.F. Stinson, Luna Textiles, Maharam, and Momentum Textiles. When you select a textile through this program, Herman Miller will facilitate the ordering, scheduling, and shipment of the textile directly with the supplier.

Suppliers included in the Supplier Connection program keep an active inventory of textiles that are pre-approved for application to Herman Miller products. Pre-approval applies only to the suitability of a textile for manufacturing and application to a Herman Miller product. Omni provides an overview of fabrics that have been tested and indicates whether or not they were approved for application to Herman Miller products.

Specific information on the terms and conditions, testing, approval, and ordering process for the Supplier Connection program is listed below. Questions and requests for assistance may be directed to your COM representative at:

(616) 654 3400 (866) 854 3048 ext 3400

#### **Supplier Connection Warranty**

Textiles purchased by Herman Miller through the Supplier Connection program are COM and are not warranted by Herman Miller. COM textiles are tested for application only; they are not tested for performance. The Herman Miller warranty does apply to the underlying products.

Suppliers of COM textiles are responsible for color consistency within commercial tolerances, UV stability, and resistance to soiling and perspiration.

#### Supplier Connection Pricing

Textiles purchased by Herman Miller through the Supplier Connection program are COM. COM is a Category 1 fabric. There are no application charges for COM fabrics.

Payment for textiles purchased by Herman Miller through the Supplier Connection program is the responsibility of the customer or dealer. Herman Miller will invoice the order at the supplier's prices published at the time of the order.

#### **Textile Approval**

- 1. Refer to Omni to identify the approval status of the textile. If your textile is not listed, contact the COM Department to request testing for application to Herman Miller products.
- Herman Miller will notify you of approval or disapproval in approximately 4 days from receipt of the test yardage. If the textile is approved, it will be assigned a COM identification number.

#### **Ordering Products with Supplier Connection COM**

1. Identify and include the following information on your purchase order:

- Product number and option
- Herman Miller's COM identification number
- 2. Enter your order on Order Manager in Omni.
- 3. Upon receipt of the purchase order, Herman Miller will process your order and send you a PO acknowledgment. Herman Miller will determine the yardage required to produce your product and will order and schedule for delivery the required textile. Standard lead times in effect at the time the textile is allocated at the supplier will apply to products ordered through this program.

Proprietary Textiles Application Chart — Seating • Available	s									Ergon 3/Equa 2 <sup>®</sup> Adjustable Arm Kit	Equa 2 Fully Upholstered Chairs/Stools	Equa 2 Split-Pad Upholstered Chairs/Stools					Back	eat	Swoop <sup>™</sup> Lounge Seating - Fully Upholstered	Swoop Lounge Seating - Plywood	ing		
A Assigned lead-time textile. See following page for exception	Aeron <sup>®</sup> Work Chairs/Stools	Kit	S			Sayl <sup>®</sup> Work Chairs/Stools				ustab	ered	olste				и	Public Office Landscape <sup>®</sup> Back	Public Office Landscape Seat	ing -	лз - F	Eames Tandem Sling Seating		
notes.	irs/	Arm	Stoo			s/St		ols		Adjı	olst	Upł		ools		ushid	dsca	dsca	Seat	eati	ling		
	Ch	ads/	irs/9		airs	Chair	lairs	/Sto	airs	la 2®	Up	-Pad	s	s/St	ating	C C	e Lan	e Lan	nge	ge S	em	s	
	Nork	rmp	Cha	hairs	® Ch	ork (	e Ch	nairs	Chi	/Equ	Fully	Split	hair	Chair	" Se	Ben	ffice	Office	Lou	-oun	and	Top	
	on®	Aeron Armpads/Arm Kit	Mirra <sup>®</sup> 2 Chairs/Stools	Celle® Chairs	Embody <sup>®</sup> Chairs	,(® W	Sayl Side Chairs	Setu <sup>®</sup> Chairs/Stools	Ergon 3 <sup>®</sup> Chairs	on 3	la 2	la 2	Aside <sup>®</sup> Chairs	Caper <sup>®</sup> Chairs/Stools	Celeste <sup>™</sup> Seating	Locale <sup>®</sup> Bench Cushion	olic C	olic O	doc	doc	nes	Cushion Tops	Systems
	Aer	Aer	Mir	Cel	Em	Say	Say	Set	Erg	Erg	Edu	Edr	Asi	Cap	Cel	Loc	Put	Put	Sw	Sw	Ear	Cus	Sys
Price Category 1	1	I	I																				
COM       Customer's Own Material A         1A7AireWeave™ 2			•	14		1	1		1		1	1	1	_	1	1	_		1	1	1	1	1
3P ColorGuard				14		•	22	•	2			3	8		•	•			•	•	6	•	•
8T Crossing				٠				•	٠		•	٠	٠			•			•	•		•	•
6V Flexnet™ 95 Gem				4.				•	•		•	•	•	•	•	•			•	•		•	_
<u>4W_</u> Lyris 2 <sup>™</sup>				14				•	•		•	-	-	_	•	-	-+	$ \square$		•	$\rightarrow$	-+	-
3D Pellicle® Classic (3V)	•																					+	$\neg$
235Tailored				15		•	•	•					•					•					•
Price Category 2																							
92 Crepe				•		•	•	•	•		•	•	•		•	•		•	•	•	$ \rightarrow$	•	•
22QFish Net 1LMLoom				14 14		•	•	•	•		•	•	•	_	•	•		•	$\left  - \right $	•	$\rightarrow$	•	•
1HAMedley				14		•	22		•		•	•	•		•	•		•	•	-	$\rightarrow$	•	•
3A Moiré				14		•	•	•	•		•	•	•		•			•				•	•
4M Pellicle Tuxedo (4Q)	•																						
4E Pellicle Waves (4F) 30 Rhythm	•																				_	_	
30 Rhythm 8R Twist				•	23	•	•	•	•		_	•	•	_	_	•	-	•	•	•	-+	•	-
22TWell Suited									-			•	•			-		-	-	•	$\rightarrow$	-	•
Price Category 3																				!		-	
70 Bento						٠	٠	•	2		•	•	8							20			•
8S Coil				•		٠	٠	•	•		•	•	•		•	•			•	•		•	•
8M Latitude™ 22R Pins and Needles			23			•	•	•			•	3	•	_	•				•	•	_	•	•
8U Stitches				14 •		•	•	•	•		•	•	•	-	•	•	-	•	•	•	$\rightarrow$	•	•
22VString Plaid				14			•						•			•						•	•
Price Category 4													_			_	_					_	
7Y Bingo						٠	٠	•	2			3	8		•	•						•	
213Mercer				14	•	•	22				_			_	•			•	•	•		•	
1A9Network 6J Plateau									•		•	•	•	_	_	$ \rightarrow $	•	$ \square$		_	-+	•	_
6S Quilty				14		•	•		-		-	-	•		•	•			•		$\rightarrow$	•	•
8Y Spools				14		21	٠	•	•		•	•	•			•			•			•	_
22PStrata						21	22	•	•				•		•	•		•	•	•		•	
Price Category 5 14AHopsak	1	I	I	14		•	22	•	•		•	•	•	- 1	•	•		•	•	•		•	
22N Noble (22H_) A				14 14		•	22	•	•		•	3	8	_	•	•		•	-	•	-+	•	_
Price Category 6				-4			2)						-									_	_
35 Balance					•																	T	
Price Category 7																					_	_	_
COL Customer's Own Leather A		1		14		٠	٠		1	1	1	1	8									1	
Price Category 8 No fabrics available at this time												1	1									1	
Price Category 9																							
21 Leather		•		14		•	•			•	•	•	8		4					•		•	
	1			. 1						· I		- 1	1		•		I		I	- 1			

continued on next page

Appendix: Proprietary Textiles Application Chart – Seating

Proprietary Textiles Application Chart – Seating continued • Available Assigned lead-time textile. See below for exception notes.	Aeron <sup>®</sup> Work Chairs/Stools	Mirra® 2 Chairs/Stools with Butterfly Back	Celle® Chairs	Embody <sup>®</sup> Chairs	Sayl® Work Chairs/Stools	Sayl Side Chairs	Setu <sup>®</sup> Chairs/Stools	Ergon 3 <sup>®</sup> Chairs	Equa 2® Fully Upholstered Chairs/Stools	Equa 2 Split-Pad Upholstered Chairs/Stools	Aside® Chairs	Caper® Chairs/Stools	Celeste <sup>™</sup> Seating	Swoop <sup>™</sup> Lounge Seating - Fully Upholstered	Eames <sup>®</sup> Tandem Sling Seating
Fire-Retardant Chairs/Fabrics	Aero	Mirr	Cell	Emb	Sayl	Sayl	Setu	Ergo	Equ	Equ	Asid	Cap	Cele	Swo	Eam
Price Category 1															
COM Customer's Own Material A								1	1	1	1		1		
1A7AireWeave™ 2		•											$\square$	$\rightarrow$	_
3P ColorGuard 8T Crossing			15	_	24	22	•	2	•	3	8		•	•	6
6V Flexnet™			14	_			-	•	-	•	•	•	$\rightarrow$	-+	_
95 Gem	-		14	-	•		•	•	•	•	•		•	•	-
4W Lyris 2 <sup>™</sup>			4				18							-	-
3D Pellicle <sup>®</sup> Classic	7													-	
Price Category 2		<u> </u>											_	_	-
92 Crepe	1		14		•	•			•	•	•		•	•	
3A Moiré			14		•	•	•	•	•	•	•		•		_
30 Rhythm			14	16	24	•					8			•	_
8R Twist			14		•	•	•	•		•	8		•	•	
Price Category 3															
70 Bento					٠	•	•				8		$\square$	•	_
85 Coil 8M Latitude™			14		•	•	•	•	•	•	•		•	•	_
8M Lanude 8U Stitches			• 14	_	•	•	•	•	•	•	•		•	•	_
Price Category 4			14												_
6J Plateau	1		- 1	- 1		I	I				•				
6S Quilty			14		•	•								•	-
Price Category 5	<u> </u>			!										_	-
14AHopsak	1		14	1	•				•	•	•			•	
Price Category 6	-	<u> </u>				[								_	-
35 Balance	1		1	17										T	
Price Category 9				·		ļ								_	
21 Leather	1		14		21						8				
															'

All foam and Proprietary Textiles on HermanMiller seating comply with California TB 117-2013.

Application Note: Herman Miller cannot guarantee material/pattern alignment in adjacent products. For example, a fabric's pattern may not align from one pedestal cushion top to the next, or from one chair to another.

- 1 Refer to price book appendices and Omni for COM/COL information.
- 2 Available on all Ergon 3 chairs except for fabric back (FB) option.
- 3 Available on A-and B-size Equa 2 split-pad upholstered chairs.
- 4 See specific products for information on specifying leather in combination with fabric.
- 6 Only available in 3P02 Navy, 3P03 Spruce, 3P14 Black, 3P17 Burgundy, 3P19 Slate, and 3PC7 Bucksuede.
- 7 Only available in 3D01 Graphite.
- 8 Only available on nonupholstered outer back option (PB).
- 14 Available on Celle UC (upholstered seat) and HC (upholstered seat with protective edge) Chairs.
- 15 Available only on Celle HC (upholstered seat with protective edge) Chairs.

- 16 Only available in 3014 Black.
- 17 Only available in 3512 Carbon and 3513 Black.
- 18 Only available in 4W26 Slate Grey, 4W30 Java, and 4W31 Graphite.
- 20 Not available in Bento 7001 Frost, 7002 Linen, and 7003 Khaki on Swoop Plywood Lounge and Ottoman.
- 21 Not available on Sayl upholstered back work chairs.
- 22 Not available on Sayl side chairs with upholstered backs.
- 23 Available in select colors. Refer to "Proprietary Textile Colors-Seating" for color offering.
- 24 Not available on Sayl upholstered High-Back Work Chairs.

#### **Price Category 1**

#### Customer's Own Material

See Order Information in Appendices. Assigned lead-time textile. 🗛

#### AireWeave™

For Mirra <sup>®</sup> chairs with a
graphite or shadow base/frame.
67% elastomeric
33% antimony-free polyester
3Q11 Graphite
3Q12 Shadow
3Q13 Citron
3Q15 Blue Fog
3Q16 Cappuccino
3Q20 Alpine

#### AireWeave

For Mirra chairs with a
graphite base/frame.
67% elastomeric
33% antimony-free polyester
7Q01 Graphite Dark
7Q05 Blue Fog Dark
7Q06 Cappuccino Dark

#### AireWeave 2

For Mirra 2 chairs	
67% elastomeric	
33% antin	nony-free polyester
1A701	Alpine
1A702	Slate Grey
1A703	Graphite
1A704	Lime Green
1A705	Cappuccino
1A706	Urban Orange
1A707	Dark Turquoise
1A708	Twilight

Color	Guard	
54" w	vide	
100%	vinyl	
3P01	Grey	
3P02	Navy *	
3P03	Spruce *	Α
3P04	Jade	Α
3P05	Natural	Α
3P08	Blueberry	Α
3P09	Coal	Α
3P12	Black Plum	Α
3P14	Black *	
3P15	New Burgundy	Α
3P17	Burgundy *	Α
3P19	Slate *	
3P31	Horizon Blue	Α
3P33	Pumice	
3P54	Candy Apple	Α
3P58	Beige	Α
3P66	Deep Clay	Α
3P72	Allspice	Α
3P90	Green Tea	Α
3P93	Camelback	Α
3P96	Manzanita	Α
3P97	Fudge	Α
3PB2	Sea Grass	Α
3PB5	Vizcaya Palm	Α
3PB9	Neptune	Α
3PC7	Bucksuede *	Α
3PD4	Otter	Α

\* Colors available on Eames® Tandem Sling Seating. A Assigned lead-time color.

Cross	
54" w	vide
86% a	antimony-free polyester
14% p	polyester
8T03	Wicker
8T04	Porcelain
8T05	Warm Grey
8T06	Sepia
8T07	Pumpkin
8T08	Copper
8T09	Cranberry
8T10	Tomato
8T11	Mulberry
8T12	Plum
8T13	Green Apple
8T14	Loden
8T15	Spruce
8T16	Periwinkle
8T17	Cerulean
8T18	Indigo
8T19	Shale
8T20	Brownstone
8T21	Bark
8T22	Tin
8T23	Graphite
8T24	Black
•••••	
Flexr	net™

гцехп	el
69% elastomeric	
31% p	oolyester
6V01	Black
6V02	Silver Grey

Gem	
54" v	vide
100%	antimony-free polyester
	Sesame
9502	Tangerine
9503	Red
9504	Red Violet
9505	Mulberry
9506	Java
	IWIUght
9508	Bayou
9509	Iris
9510	Berry Blue
9511	Aqua Green
9512	Green Apple
	Spruce
9514	Black
9515	Slate Grey
9516	Fog

#### Lyris 2™ 74% elastomeric 26% polyester 4W21 Alpine 4W22 Mango 4W23 Chartreuse 4W25 Berry Blue 4W26 Slate Grey 4W28 Chino 4W29 Rattan 4W30 Java 4W31 Graphite

Category 1 continued on next page

#### Price Category 1

continued

#### Price Category 2

# Appendix: Proprietary Textile Colors – Seating

Pellicle®	Classic
-----------	---------

For Aeron <sup>®</sup> chairs with a
graphite or polished aluminum
base.
70% elastomeric
30% polyester
3D01 Carbon
3D02 Lead
Pellicle Classic

For Aeron chairs with a titanium base. 70% elastomeric 30% polyester 3V01 Zinc 3V03 Quartz

#### Tailored 54" wide 56% polyester 44% recycled polyester 23501 Studio White 23502 Sugar 23503 Tomato 23504 Orchid 23505 Boysenberry 23506 Chive 23507 Bluegrass 23508 Cobalt 23509 Cadet 23510 Fog 23511 Graphite 23512 Black

Coffee

Crep	e
54" w	<i>v</i> ide
100%	recycled polyester
9201	Licorice
9203	Smoke
9207	Cherry
9209	Claret
9212	Raisin
9218	Aquamarine
9223	Cadet
9241	Beachglass
9243	Midnight
9244	Artichoke
9248	Warm White
9249	Stone
9250	Earth
9251	Fog
	Slate Grey
9253	Yellow Dark
9254	Coral
9255	Blush Grey
9256	Wild Berry
9257	Clover
9258	Caribbean
9259	Cerulean
9260	Brownstone
9261	Shale
9262	Graphite
9263	Tomato
9264	Green Apple

Fish Net	
55" wide	
100% recy	cled polyester
22Q01	Oyster
22Q02	Stone
22Q03	Citrus
	Curry
22Q05	Chipotle
	Cherry
22Q07	Fuschia
22Q08	Claret
22Q09	Purple
22Q10	Clover
	Pesto
	Peacock
22Q13	Lagoon
22Q14	Twilight
22Q15	Bluestone
22Q16	Storm
	Black
22Q18	Сосоа
Loom	
54" wide	
100% poly	/ester
1LM01	Linen

51 mae	
100% pol	yester
1LM01	Linen
1LM02	Brown Sugar and Spice
1LM03	Brick and Mortar
1LM04	Salt and Pepper
1LM05	Black
1LM06	Lemongrass
1LM07	Рорру
1LM08	Wild Berry
1LM09	Loden
1LM10	Jade
1LM11	Deep Sea

Medley	
54" wide	
100% poly	/ester
1HA01	Stone
1HA02	Trail
1HA03	Charcoal
1HA04	Cinder
1HA05	Citrus
1HA06	Рарауа
1HA07	Chutney
1HA08	Tundra
1HA09	Feather Grey
1HA10	Chartreuse
1HA11	Loden
1HA12	Peacock
1HA13	Bayou
1HA14	Blue Grotto
1HA15	Blueberry

#### Moiré

54" wide	
100%	recycled polyester
3A01	Concrete
3A02	Biscotti
3A03	Rattan
3A04	Chambray
3A05	Fern
3A08	Violet
3A09	Zin
3A10	Curry
3A11	Spice
3A12	Cork

Category 2 continued on next page

23513

# Proprietary Textile Colors - Seating

continued

#### Price Category 2

continued

#### Pellicle® Tuxedo

For Aeron chairs with a
graphite or polished aluminum
base.
64% elastomeric
36% polyester
4M01 Grey Black
4M02 Blue Black

#### Pellicle Tuxedo

For Aeron chairs with a titanium base. 64% elastomeric 36% polyester 4Q01 White Gold

#### **Pellicle Waves**

For Aeron <sup>®</sup> chairs with a
graphite or polished aluminum
base.
68% elastomeric
32% polyester
4E01 Carbon
4E03 Platinum

#### Pellicle Waves

For Aeron chairs with a titanium		
base.		
68% elastomeric		
32% polyester		
4F01 Zinc		
4F03 Quartz		

Rhy	thm
54"	wide
100%	% polyester
	Kiwi Green *
3002	2 Green Apple
3003	Peacock
3004	i Bayou *
3005	Berry Blue
3006	5 Iris
3007	7 Twilight
	3 Pumpkin *
3009	Poppy *
3010	) Molasses
3011	Mulberry
3012	? Khaki *
3013	3 Mink
3014	Black
3015	6 Charcoal
* Col	ors not available on

\* Colors not available on Embody<sup>®</sup> Chair.

Twist
54" wide
80% antimony-free polyester
13% recycled polyester
7% polyester
8R04 Chamois
8R05 Wicker
8R06 Nutmeg
8R07 Squash
8R08 Copper
8R09 Cayenne
8R10 Poppy
8R11 Magenta
8R12 Garnet
8R13 Iceberg
8K14 IIII
8R15 Shale
8R16 Graphite
8R17 Birch
8R18 Sepia
8R19 Coffee Bean
8R20 Bayou
8R21 Periwinkle

#### Price Category 3

Twist	continued
8R22	Blueberry
8R23	Green Apple
8R24	Loden
8R25	Turquoise

#### Well Suited 55" wide

55 wide	
79% polye	ester
21% recyc	led polyester
22T01	Oyster
22T02	Raffia
22T03	Peppermint
22T04	Wild Berry
22T05	Spring Green
22T06	Mint
22T07	Periwinkle
22T08	Cool Grey
22T09	Citrus
22T10	Pumpkin
22T11	Red
22T12	Fuschia
22T13	Orchid
22T14	Chartreuse
22T15	Green Apple
22T16	Jade
22T17	Peacock
22T18	Blueberry
22T19	Bluestone
22T20	Mink

Bento			
54" w	54" wide		
100%	antimony-free polyester		
7001	Frost		
7002	Linen		
7003	Khaki		
7004	Truffle		
7005	Grey Black		
7006	Pumpkin		
7007	Cranberry		
7008	Everglade		
7009	Cobalt		

#### Coil

54" w	vide
100%	recycled polyester
8S01	Nougat
8S03	Copper
8S04	Molasses
8S05	Chutney
8S06	Claret
8S07	
8S08	Olive Wood
8S09	
8S10	Pesto
8S11	Hemlock
8S12	Java
8S13	Bayou
8S14	Peacock
8S15	Twilight
8S16	Ink
8S17	Black

Category 3 continued on next page

# Proprietary Textile Colors – Seating

continued

#### Price Category 3

continued

Latitude™

61" w	ide
	polyester
	Graphite
8M02	Shadow
8M03	Citron
8M04	Felt Green
8M05	Blue Fog
8M06	Cappuccino
8M07	Terra Cotta
	Alpine
8M12	French Blue
8M13	Midnight Blue
8M14	True Red
8M15	Champagne
8M16	Chestnut
8M1/	Black
8M18	Brownstone
8M19	Green Leaf
8M20	Cabernet
81/121	Slate Grey
8M22	Lime Green
8M23	French Press
8M24	Urban Orange
8M25	Dark Turquoise
8M26	Twilight

#### Latitude

Colors for Mirra 2 Chairs
100% polyester
8M10 Alpine
8M17 Black
8M21 Slate Grey
8M22 Lime Green
8M23 French Press
8M24 Urban Orange
8M25 Dark Turquoise
8M26 Twilight

# Pins and Needles58" wide76% recycled polyester24% polyester22R01Day and Night22R02Night and Day

#### Stitches

54" wide
54% polyester
46% recycled polyester
8U02 Rye
8U03 Khaki
8U04 Honey
8U05 Cattail
8U06 Pumpkin
8007 Brick
8U08 Cool Grey
8U09 Slate Blue
8U10 Juniper
8U11 Evening Blue
8U12 Charcoal
8U13 Kiwi Green
8U14 Olive
8U15 Pesto
8U16 Cocoa
8U17 Seed

#### String Plaid

54" wide	
100% red	cycled polyester
22V01	Warm White on Khaki
22V02	Mint on Yellow Green
22V03	Mist on Blue Grey
22V04	Sky Blue on Red
22V05	Lime on Magenta
22V06	Bright Green on Green
22V07	Aqua Blue on Cerulean
22V08	lvory on Black

#### Bingo 54" wide 100% PVC-free polyurethane Resilience<sup>®</sup> finish 7Y01 Oyster 7Y02 Natural 7Y03 Cashew 7Y04 Buff 7Y05 Rattan 7Y06 Root 7Y07 Woodland 7Y08 Camel 7Y09 Copper 7Y10 Allspice 7Y11 Canyon 7Y12 Henna 7Y13 Sedona 7Y14 Black Plum 7Y15 Currant 7Y16 Mahogany 7Y17 Seed 7Y18 Mushroom 7Y19 Blue Grey 7Y20 Navy 7Y21 Black 7Y22 Mint 7Y23 Seaport 7Y24 Evening Blue 7Y25 Hemlock 7Y26 Kiwi Green 7Y27 Celadon 7Y28 Moss

7Y29 Pesto

**Price Category 4** 

Mercer	
54" wide	
50% soluti	on dyed recycled nylon
50% soluti	on dyed nylon
BLOCKaid	е
21301	Stone
21302	Rattan
21303	Cayenne
21304	Chutney
21305	Pesto
21306	Teal Blue
21307	Ultramarine
21308	Acai Berry
21309	Ash Brown
21310	Charcoal

#### Networ

MELWOIK	
knit to size	
100% poly	/ester
1A901	Warm White
1A903	Red
1A906	Twilight
1A907	Graphite

#### Plateau Perspectives® Collection knit to size 100% polyester 6J01 Feather Grey 6J02 Trail 6J03 Mustard Seed 6J04 Fennel 6J05 Red Pepper 6J06 Twig 6J07 Waterfall 100 - 1-

6J08	Sagebrush
6J09	Winter Berry
6J10	Thunder
6J11	Blueberry
6J12	Rosemary
6J13	Wild Plum
6J14	Black

Category 4 continued on next page

# Proprietary Textile Colors – Seating

continued

#### Price Category 4

continued

#### Price Category 5

Price Category 6

#### Quilty

56" wide		
100% antimony-free polyester		
GreenShield		
6S01 Wicke	r	
6S02 Honey	1	
6S03 Khaki		
6S04 Straw		
6S05 Squas	h	
6S06 Cayen	ne	
6S07 Brick		
6S08 Cerule	an	
6S09 Blue V	/iolet	
6S10 Mink		
6S11 Green	Apple	
6S12 Jade		
6S13 Indigo	)	

#### Spools

54" wide		
51% recycled polyester		
49% polyester		
Crypton <sup>®</sup> Green		
8Y01 C	ashew	
8Y02 W	/icker	
8Y03 Ti	rail	
8Y04 C	appuccino	
8Y05 C	opper	
8Y06 P	aprika	
8Y07 S	edona	
8Y08 B	luegrass	
8Y09 La	agoon	
8Y10 G	rape	
8Y11 B	eachglass	
8Y12 N	larsh	
8Y13 B	ud	

Strata	
54" wide	
50% soluti	on dyed recycled nylon
50% soluti	on dyed nylon
BLOCKaide	9
22P01	Rattan
	Yellow Jacket
22P03	Avocado
22P04	
22P05	Peacock
22P06	Blue Jay
22P07	Blueberry
22P08	Boysenberry
22P09	Mango
22P10	Paprika
22P11	Mulberry
22P12	Wheat
22P13	Brownstone
22P14	Bayou
22P15	Trail

Hopsak	
56" wide	
100% recy	cled polyester
14A20	Black
14A22	Raw Umber Dark
14A26	Grey Blue Dark
14A30	Sepia Dark
14A38	Emerald Dark
14A39	Yellow Dark
14A40	Orange
14A41	Sienna
14A42	Olive Green Dark
14A43	Crimson
14A44	Crimson Dark Dark
14A45	Violet Dark
14A46	Pink Dark Dark
14A47	Ultramarine Dark
14A48	Cobalt Blue
14A49	Terra Cotta
14A50	Ochre Dark

Balance	
100%	polyester
3506	Green Apple
3507	Blue Moon
3509	Berry Blue
3510	Iris
3512	Carbon
3513	Black

#### Noble

Assigned lead-time textile. A		
54" wide		
100% woo	ol	
22N01	Bucksuede *	
22N02	Chipotle *	
22N03	Magenta *	
22N04	Cherry *	
22N05	Bordeaux *	
22N06	Boysenberry *	
22N07	Cadet *	
22N08	Berry Blue *	
22N09	Peacock *	
22N10	Kiwi Green *	
22N11	Pesto *	
22N12	Blue Grey Mix *	
22N13	Tan Mix *	
22H14	Heathered Brown	
22H15	Heathered Black	
22H16	Heathered Grey	
22H17	Heathered Twilight	

\* Colors not available on Sayl<sup>®</sup> Side Chairs. Appendix: Proprietary Textile Colors – Seating

# Proprietary Textile Colors – Seating

continued

Price Category 7

Price Category 8

**Price Category 9** 

Customer's Own Leather

See Order Information in Appendices. Assigned lead-time textile. A No fabrics available at this time.

Leather		
approx. 50 sq. ft. per hide		
100%	leather	
2101	lvory	
2102	Wheat	
2103	Honey	
2104	Copper	
2105	Canyon	
2106	Olive	
2107	Tobacco	
2108	Mink	
2109	Black	
2110	Smoke	
2111	Graphite	

Appendix: Proprietary Textile Colors – Seating

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2016 Herman Miller, Inc., Zeeland, Michigan

<sup>®</sup> HermanMiller, **●**, 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

<sup>TM</sup> About Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Exclave, Flex-Edge, Flute, Harmonic, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Locale, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Q, Recline Selector, Renew, Sense, SoftPad, Stackable, Stackable Storage, Swoop, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian<sup>®</sup> is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

FLEXNET<sup>™</sup> is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper`` and Ward Bennett`` are trademarks, of Geiger International.

Goetz<sup>™</sup> is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo<sup>™</sup> is a trademark of Cargill Dow LLC.

iPad<sup>®</sup> is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

 $\mathsf{Microsoft}^{\circ}$  and  $\mathsf{Natural}^{\circ}$  Keyboard are registered trademarks of  $\mathsf{Microsoft}$  Corporation.

MOTOROLA XOOM<sup>™</sup> is a trademark of Motorola Trademark Holdings, LLC.

Noguchi<sup>®</sup> and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table<sup>™</sup> is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat<sup>™</sup> is a trademark of Dahti Seating, a division of ITW.