


PRICE LIST

Effective Date: March 1, 2016

Conference & Reception



Indiana[®]
FURNITURE

Clearly Green

level®, BIFMA's sustainability certification program for furniture, is a comprehensive and transparent third-party certification program. The level mark attests that the product, the manufacturing facility, and the company responsible for the product brand, have been evaluated against the multi-attribute criteria of the ANSI/BIFMA e3 Furniture Sustainability Standard. Products certified under the level program can be chosen with confidence. All Indiana Furniture case-goods and seating solutions are BIFMA level® 2 Certified.



A number of Indiana Furniture products have achieved Intertek's ETL Environmental VOC Certification and are recognized as products that safeguard indoor air quality. The certification — which extends to Elevate, Gesso, Revolutions, Madera, Resilience, Canvas, all Conference, Reception and Seating solutions, demonstrates that Indiana Furniture's products conform to the ANSI/BIFMA Furniture Emissions Standards (M7.1/X7.1-2011) for Office Furniture Systems and Components. They also earn points for LEED Credit 4.5.



Once cured by UV lighting, our UVAdvantage® finish does not emit irritable toxins, formaldehyde, or solvents into the air creating safe work environments within new furniture installations. This has allowed us to earn Indoor Air Quality Certification on our products with UVAdvantage finish. Our UVAdvantage finish process greatly reduces hazardous air pollutants which contribute to smog formation. Excess UV finish is recaptured over and over again reducing waste material within our facilities.



Forest Stewardship Council® (FSC®) Chain-of-Custody(CoC) Certification is an assurance that wood based materials used in products come from forests that meet stringent environmental, social, and economic standards. It is the path taken by raw materials from the forest to the consumer, including all successive stages of harvesting, processing, manufacturing and distribution. Only products from FSC CoC companies can claim the FSC designation, assurance of a socially and environmentally responsible purchasing decision. FSC CoC Certification is recognized by the U.S. Green Building Council's (USGBC) LEED Rating System for environmentally focused design. From a customer perspective, the FSC label represents a promise made; CoC standards are the mechanism FSC uses to ensure that promise is delivered. Indiana Furniture has been awarded FSC CoC Certification, by GFA Certification GmbH, an independent third-party accredited by the FSC to certify companies to their international standards. The certification (certificate number GFA-COC-002183; license code FSC-C110951) is available on most Indiana Furniture products.



Warranty	5
General Information and Conditions of Sale	6
Data Locations	7
Data Port Locations	8-19

CONFERENCE COLLECTION

Aura™ 9200 Conference Series

How to Order & Specifications	21
Finish, Edge & Pull Options	22
Interior Drawer Dimensions	23
Rectangular Conference Tops	24
Arc Rectangular Conference Tops	24
Racetrack Conference Tops	25
Boat - Shaped Conference Tops	25
Rectangular Base	26
Cylinder Bases	26
Cylinder Base With Door	26
Half - Cylinder Base	27
Half Cylinder Base With Door	27
“X” Base	27
“X” Base Veneer Door	28
Metal Base	28
Single Metal Post Base	28
Square Metal Base	29
Metal Café Base	29
Bow Tie Base	29
Canoe Base	30
V-Capped Panel Base	30
Flat-Capped Panel Base	30
Rectangular Box Base With Door	31
Arch Stretcher Rails	31
Training Table	32
Power & Data Vault	32
Hotel Desk Power & Data Vault	32
Conference Table Power & Data Vault	32
Reveal Power & Data	32
Oasis Mini Power & Data	33
Interact Power & Data	33
Data Port 4	33
Power 440	33
Grommet	34
Spherical Power Center	34
Worksurface Power Center	35
USB Port	36
Voice Coupler	36
Data Port	36
Buffets	37
Conference Credenzas	38
Serving Cart	38
Visor Rail	39
Visual Board	39
Lectern Stand	39
Wood Door Storage Cabinet Double Doors	40
Wardrobe/Storage Cabinet	40
ECA Telecom Plates	41

Etch™ 9700 Conference Series

How to Order & Specifications	43
Finish, Edge & Pull Options	44
Interior Drawer Dimensions	45
Rectangular Conference Tops	46
Arc Rectangular Conference Tops	46
Racetrack Conference Tops	47
Boat - Shaped Conference Tops	47
Rectangular Base	48
Cylinder Base	48
Cylinder Base With Door	48
Half - Cylinder Base	49
Half Cylinder Base With Door	49
“X” Base	49
“X” Base Veneer Door	50
Metal Base	50
Metal Base	50
Single Metal Post Base	50
Square Metal Base	51
Metal Café Base	51
Bow Tie Base	51
Canoe Base	52
V-Capped Panel Base	52
Flat-Capped Panel Base	52
Rectangular Box	53
Base With Door	53
Arch Stretcher Rails	53
Training Table	54
Power & Data Vault	54
Hotel Desk Power & Data Vault	54
Conference Table Power & Data Vault	54
Reveal Power & Data	54
Oasis Mini Power & Data	55
Interact Power & Data	55
Data Port 4	55
Power 440	55
Grommet	56
Spherical Power Center	56
Worksurface Power Center	57
Usb Port	58
Voice Coupler	58
Data Port	58
Buffets	59
Conference Credenzas	60
Serving Cart	60
Visor Rail	61
Visual Board	61
Lectern Stand	61
Wood Door Storage Cabinet Double Doors	62
ECA Telecom Plates	63

Niche™ 9400 Conference Series

How to Order & Specifications	65
Laminate & Edge Options	66
Interior Drawer Dimensions	67

Wardrobe/Storage Cabinet	62
Rectangular Conference Tops	68
Arc Rectangular Conference Tops	68
Racetrack Conference Tops	69
Boat - Shaped Conference Tops	69
Rectangular Base	70
Cylinder Base	70
Cylinder Base With Door	70
Half - Cylinder Base	71
Half Cylinder Base With Door	71
"X" Base	72
"X" Base Door	72
Metal Bases	72
Single Metal Post Base	72
Square Metal Base	73
Metal Café Base	73
Bow Tie Base	73
Canoe Base	74
V-Capped Panel Base	74
Flat-Capped Panel Base	74
Rectangular Box	75
Base With Door	75
Arch Stretcher Rails	75
Training Table	76
Power & Data Vault	76
Hotel Desk Power & Data Vault	76
Conference Table Power & Data Vault	76
Reveal Power & Data	76
Oasis Mini Power & Data	77
Interact Power & Data	77
Data Port 4	77
Power 440	77
Grommet	78
Spherical Power Center	78
Worksurface Power Centers	79
USB Port	80
Voice Coupler	80
Data Port	80
Buffets	81
Conference Credenzas	82
Serving Cart	82
Visor Rail	83
Visual Board	83
Lectern Stand	83
Door Storage Cabinet Double Doors	84
Wardrobe/Storage Cabinet	84
ECA Telecom Plates	85

One10™ Veneer Series

How to Order & Specifications	87
Veneer & Laminate Accents Options	88
Block Conference Table with Inlay	89
Block Conference Table With Center Channel ...	90
Standard Conference Table	
Rectangular Block Style	91
Single Column Meeting Table	
Square & Rectangular Block Style	92
Small Conference/Meeting Table	93
Rectangular Block Style	93

Parsons Table	94
Split Top Parsons Table	95
Buffet Credenza	96
Low Media Credenza	97
Media Credenza	97
Low Footed Media Credenza	97
Footed Media Credenza	97
Flat Panel Monitor Stand	98
Lectern	98
Duo Bezel Nema Plug	99
Trio Bezel Nema Plug	99
Duo Nema Plug	100
Trio Nema Plug	100
Duo Bezel Daisy Chain Plug	101
Trio Bezel Daisy Chain Plug	101
Duo Daisy Chain Plug	102
Trio Daisy Chain Plug	102
Trio VGA Data Port Accessory	103
Trio HDMI Data Port Accessory	103
Trio RJ45 Data Port Accessory	103
Daisy Chain Power Box	104
Daisy Chain Jumper Cord	104
Wireless Presentation	104
Sharing Device	104
Universal Charging Device	104
Power & Data Options	105

One10™ Laminate Series

How to Order & Specifications	109
Laminate Options	110
Block Conference Table With Inlay	111
Block Conference Table With Center Channel ...	112
Standard Conference Table	113
Rectangular Block Style	113
Single Column Meeting Table	
Square & Rectangular Block Style	114
Small Conference/Meeting Table	
Rectangular Block Style	115
Parsons Table	116
Split Top Parsons Table	117
Buffet Credenza	118
Low Media Credenza	119
Media Credenza	119
Low Footed Media Credenza	119
Footed Media Credenza	119
Flat Panel Monitor Stand	120
Lectern	120
Duo Bezel Nema Plug	121
Trio Bezel Nema Plug	121
Duo Nema Plug	122
Trio Nema Plug	122
Duo Bezel Daisy Chain Plug	123
Trio Bezel Daisy Chain Plug	123
Duo Daisy Chain Plug	124
Trio Daisy Chain Plug	124
Trio VGA Data Port Accessory	125
Trio HDMI Data Port Accessory	125
Trio RJ45 Data Port Accessory	125
Daisy Chain Power Box	126

Daisy Chain Jumper Cord	126
Wireless Presentation	126
Sharing Device	126
Universal Charging Device	126
Power & Data Options	127

Cameo™ 9100 Conference Series

How to Order & Specifications	131
Finish, Edge & Pull Options	132
Interior Drawer Dimensions	133
Rectangular Conference Tops	134
Arc - Rectangular Conference Tops	134
Wave - Rectangular Conference Tops	134
Racetrack Conference Tops	135
Boat-Shape Conference Tops	135
Traditional Rectangular Base	136
Traditional Rectangular Base	136
Traditional Square Base	136
Queen Anne Base	136
Training Table	137
Power & Data Vault	137
Hotel Desk Power & Data Vault	137
Conference Table Power & Data Vault	137
Reveal Power & Data	137
Oasis Mini Power & Data	138
Interact Power & Data	138
Data Port 4	138
Power 440	138
Grommet	139
Spherical Power Center	139
Worksurface Power Center	140
Worksurface Power Center	140
USB Port	141
Voice Coupler	141
Data Port	141
Buffets	142
Conference Credenzas	143
Mobile Serving Cart	143
Visor Rail	144
Visual Board	144
Lectern Stand	144
Storage Cabinet Double Doors	145
Wardrobe/Storage Cabinet	145
ECA Telecom Plates	146

RECEPTION COLLECTION
Aura™ 6200 Reception Series

How to Order & Specifications	149
Finish, Solid Surface, Edge & Pull Options	150
Interior Drawer Dimensions	151
Filing Capabilities	151
Grommet Locations	152
Reception Station Desk Shell	
Solid Surface Transaction Top	153
Reception Station Desk Shell	
Transaction Top	154
Glass Transaction Top For Desk Shells	155
Modesty Panel Overlay For Desk Shells	155
Reception Station	156
Return Shell	156
Return Transaction Top	156
Glass Transaction Top For Return Shells	
With Wood Transaction Tops	157
Component Pedestal Box/Box/File	157
Component Pedestal File/File	157
Component Pedestal Door Bookcase	158
Component Pedestal Lateral File	158
Component Pedestal Multi- File	158
Component Pedestal Double Door Bookcase	159
Center Drawer	159
Reception Desk Double Pedestal	160
Reception Station L-Group	160
Reception Station L-Group	161
Reception Station U-Group	161
Reception Station J-Group	162
Tackboards	163

Cameo™ 6100 Reception Series

How to Order & Specifications	167
Finish, Edge & Pull Options	168
Interior Drawer Dimensions	169
Filing Capabilities	169
Grommet Locations	170
Reception Station Desk Shell Transaction Top	171
Reception Station Return Shell	171
Return Transaction Top	172
Component Pedestal Box/Box/File	172
Component Pedestal File/File	172
Component Pedestal Door Bookcase	173
Component Pedestal Lateral File	173
Component Pedestal Multi- File	173
Component Pedestal Double Door Bookcase	174
Center Drawer	174
Reception Desk Double Pedestal	175
Reception Station L-Group	175
Reception Station U-Group	176
Tackboards	137

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Subject to the limitations set forth in this warranty, Indiana Furniture Industries, Inc. (“**Indiana Furniture**”) warrants to the original purchaser all product in this price list (“**Product**”) to be free from defects in material and workmanship given normal use for a twelve year period from the date of manufacture. During the applicable warranty period, Indiana Furniture, as its sole obligation, will repair or replace (in Indiana Furniture’s sole discretion) any Product, part, or component covered by this warranty and sold after March 1, 2016, which fails under normal use as a result of a defect in material or workmanship. Normal use is defined as the equivalent of a single shift, 40-hour work week. Indiana Furniture will repair or replace the defective Product, part, or component with a comparable Product, part or component.

Warranty periods are limited for certain Products and parts as follows:

12-year Warranty (from the date of manufacture)

- Seating Mechanisms
- Veneers
- Laminates
- Casters and Glides

5-year Warranty (from the date of manufacture)

- Triple Play Series
- Electrical Components
- Pneumatic Cylinders
- Textiles, Foam, and Decorative Trim
- Swivel Arm Pads
- Keyboard kits
- Lighting

2-year Warranty (from the date of manufacture)

- All Sit-To-Stand Mechanisms

THIS WARRANTY DOES NOT COVER:

- Damage caused by a carrier or third party
- Normal or routine wear and tear
- Appearance, durability, quality, behavior, colorfastness or any other attribute of customer’s own materials or any non-standard Indiana Furniture material (including Maharam, Momentum, Mayer, UltraFabrics) specified by the customer and applied to a Product
- Color, grain or texture of wood, laminate and other covering materials
- Changes in wood or fabric color due to aging or exposure to light

As the manufacturer of the Product, Indiana Furniture stands behind its craftsmanship and pledges to do everything it can to reasonably resolve, as quickly as possible, any problems you may have with the Product within the terms and conditions of this warranty.

If you encounter a defect covered by the foregoing warranty, you should contact the dealer from whom you purchased the Product. If the dealer is unable to resolve your warranty issues, you should contact Indiana Furniture. Please ensure that you have all of the pertinent facts when contacting the dealer or Indiana Furniture, including the model number and factory order number from the inspection label attached to the Product.

INDIANA FURNITURE IS NOT PROVIDING, AND SPECIFICALLY DISCLAIMS, ANY OTHER WARRANTIES FOR THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INDIANA FURNITURE SHALL NOT BE LIABLE TO PURCHASER OR ANY THIRD PARTY FOR CONSEQUENTIAL, INCIDENTAL, INDIRECT OR SPECIAL DAMAGES, INCLUDING, WITHOUT LIMITATION, DAMAGES ARISING OUT OF OR RESULTING IN ANY MALFUNCTIONS, DELAYS, LOSS OF PROFIT, INTERRUPTION OF BUSINESS, PERSONAL INJURY, BODILY INJURY, DEATH, DISMEMBERMENT, OR PROPERTY DAMAGE.

Indiana Furniture Industries, Inc.
Attn: Customer Service
1224 Mill Street, P.O. Box 270
Jasper, Indiana 47547-0270
800.422.5727
Fax 812.482.9035
custserv@indianafurniture.com

ORDERING INFORMATION

All orders should be emailed to neworders@indianafurniture.com. Orders can be faxed to 812-482-9035. Orders can also be mailed to:

Indiana Furniture
P.O. Box 270
1224 Mill Street
Jasper, IN 47547-0270

ORDER PROCEDURE

All orders must include purchase order number, billing address, ship-to address and phone number, and any special instructions.

When ordering casegoods, give complete quantity, model number, finish and any other options. When ordering seating, give complete quantity, model number, finish, fabric and any other options.

Within each series, an example of "How to Order" is illustrated at the bottom of each page. For further clarification of order procedure, contact Customer Service.

PRICING

All prices shown are suggested retail prices F.O.B. Point of Origin, freight prepaid and allowed to one continental US destination. Prices, specifications and materials are subject to change without notice. Possession and/or distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Indiana Furniture dealers. Orders will be billed at prices prevailing at time of shipment, unless acknowledged prior to the effective date of the price change, in which case billing will be at the price acknowledged.

ACKNOWLEDGEMENT

All orders will be acknowledged promptly, showing how the order was entered, its approximate shipping date and other pertinent information. This acknowledgement is the final agreement between the customer and Indiana Furniture and is the exclusive statement of the terms thereof. Please examine this acknowledgement carefully and advise Indiana Furniture immediately of any discrepancies.

BUYER'S OBLIGATION: RIGHTS OF SELLER

If Indiana Furniture shall at any time doubt Buyer's financial responsibility, Indiana Furniture may decline to make shipments hereunder except upon receipt of cash payment in advance or security or other proof of responsibility satisfactory to Indiana Furniture. If buyer fails in any way to fulfill the terms and conditions set forth herein, Indiana Furniture may defer shipments until such default is corrected. Remedies provided herein shall be in addition to, and not in lieu of other remedies. Buyer agrees to abide by payment terms as listed on invoice. Buyer shall pay all reasonable costs and expenses, including attorney and collection fees, and late fees, incurred by Seller in connection with any amounts due for goods ordered.

CANCELLATIONS AND CHANGES

Due to immediate production on build to order items, all orders are considered firm and are not subject to cancellation or change without approval from Indiana Furniture. All approved changes are subject to additional charges and revised lead times.

PRODUCT DESIGN AND SPECIFICATION CHANGES

Indiana Furniture reserves the right to make changes in design and construction or discontinue products without prior notice.

REPAIR CHARGES

Indiana Furniture will only pay repair charges if Customer Service gives prior written authorization. No repair charge will be paid without advance approval at which time you will be issued a repair authorization number that will allow you to invoice Indiana Furniture for the completed work.

WAREHOUSE STORAGE CHARGES

If a shipment is held beyond 14 calendar days at your request a **.067% per calendar day** (2% per month) storage charge will be assessed. The effective date will be 14 calendar days after the acknowledged ship date. Further, the prices applied to the order will be those in effect at the time of shipment.

DAMAGED MERCHANDISE

The consignee is responsible for filing claims with the carrier for damage and shortages. Claims for both obvious and concealed damage must be filed within 15 calendar days, and the damaged merchandise must not have been moved from the original receiving location. All damaged merchandise, including the cartons and packing materials, must be retained for inspection by either the carrier or by an Indiana Furniture Sales Representative. Indiana Furniture reserves the right to select the most cost effective way to repair or replace the damaged item. Once you have notified the carrier, please contact Customer Service for further assistance.

Obvious Damage/Missing Cartons - Do not refuse merchandise damaged in transit. Indiana Furniture recommends the consignee inspect all merchandise upon arrival. If a shipment is received damaged or short, note all information on carrier's copy and your copy of freight bill and delivery receipt. Notify the delivering carrier and file a claim immediately. Pending the results of your claim, either Indiana Furniture or the carrier will cover 100% of the cost to repair or replace the damaged or missing item.

Concealed Damage - If concealed damage is discovered, notify the delivering carrier at once and request an inspection. This must be done within **15 calendar days of delivery**. If the carrier will not perform the inspection, you should prepare an affidavit that you contacted them, noting the time and date, and that they failed to comply with your request. This, along with the other papers in your possession, will support the claim. Pending the results of your claim, the cost to repair or replace the item will be covered 1/3 by the carrier and 2/3 by Indiana Furniture for shipments less than a full truckload and 100% by Indiana Furniture for shipments of full truckloads.

RETURN MERCHANDISE

Merchandise will not be accepted for return without an RGA (Return Goods Authorization) issued by Indiana Furniture. We will consider issuing RGA's for the following reasons:

1. Manufacturing defect (inspected by Indiana Furniture representative)
2. Indiana Furniture order processing error
3. Shipping error
4. Mis-marked cartons
5. Duplicated shipments

If you have any questions as to whether your reason for return qualifies for consideration, please contact your Customer Service Representative. Merchandise must be returned within 60 days of the RGA issued date, or within 60 days upon receipt of replacement product to receive credit. Returns due to mis-marked cartons must also be returned in the original cartoning, with shipping labels intact, to receive credit.

All merchandise being returned must be properly packed and protected to ensure no further damage is incurred during transportation back to an Indiana Furniture facility. Upon receipt, all returned merchandise will be thoroughly inspected and the results compared to the reason for return stated on the RGA. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

DELIVERY AND FREIGHT CHARGES

All shipments are F.O.B. Point of Origin, Jasper, IN, freight prepaid and allowed dock to dock on 53' trailer. Ownership and responsibility of the merchandise becomes that of the buyer upon delivery to the freight company. Shipments into Alaska, Hawaii, Canada, Mexico, Puerto Rico and other exports are freight prepaid and allowed to port of exit.

Indiana Furniture reserves the right to select the most appropriate carrier and routing on all shipments. Indiana Furniture will attempt to accommodate requests for favored carriers and delivery times. Deliveries requested Monday through Thursday, after 3pm, will be assessed a \$250 per truck after hours fee. Deliveries requested after 3pm on Friday or on weekends, will be assessed a \$500 per truck weekend delivery fee.

Inside delivery and installation services are not included in the pricing shown. Any deviation from dock-to-dock delivery, such as but not limited to, non-dock, residential, or inside delivery must be specified on the order. Should these services be requested or required, all charges incurred will be charged to the "Sold To" of the order.







Orders of less than 750 pounds will be assessed a handling charge of \$75.00 Net Per Order. (This will be waived for items shipped via a small package carrier.)

BIFMA AND ANSI TESTING

Indiana Furniture is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA). Tests developed by the BIFMA and approved by the American National Standards Institute (ANSI) determine the strength and durability of casegoods and seating in its everyday use. Although this testing does not serve as a warranty or guarantee, Indiana Furniture products within this price list have been tested by an independent verifying body and meet or exceed applicable BIFMA and ANSI standards.

Cutouts for Power and Data Accessories can be specified in standard locations at no additional charge. The combination of port and bases selected will determine the locations available for each size table, as well as determine placement over a base or between bases. See page 9-19 for specific locations available by table size. See page 8 for measurements of exact port locations.

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases (*requires 2 ports*)

POWER CUTOUTS WITH 2 BASES

POWER CUTOUTS WITH 3 BASES


These data locations are for all 9100, 9200, 9400 & 9700 conference tops: Rectangular, Arc/Rectangular, Wave/Rectangular, Racetrack and Boat-Shaped.

PDCSS, PDCSB	DATA440, INTP	DPORT4, INTERACT, OASIS MINI, VAULTS, INTRFCIA, INTRFCIB
192" TABLES	192" TABLES	192" TABLES
CL 51/2" from center CL + CR 51/2" from center CL + EL + ER 51/2" from center and 241/2" from end CL + ML + MR 51/2" from center and 48" from end CL + CR + EL + ER 51/2" from center and 241/2" from end CL + CR + ML + MR 51/2" from center and 48" from end EL 241/2" from end EL + ER 241/2" from end ML + MR 48" from end BB Centered between bases	CL 5" from center CL + CR 5" from center CL + EL + ER 5" from center and 25" from end CL + ML + MR 5" from center and 48" from end CL + CR + EL + ER 5" from center and 25" from end CL + CR + ML + MR 5" from center and 48" from end EL 25" from end EL + ER 25" from end ML + MR 48" from end BB Centered between bases	CL 91/2" from center CL + CR 91/2" from center CL + EL + ER 91/2" from center and 29" from end CL + ML + MR 91/2" from center and 48" from end CL + CR + EL + ER 91/2" from center and 29" from end CL + CR + ML + MR 91/2" from center and 48" from end EL 29" from end EL + ER 29" from end ML + MR 48" from end OC Splits seam in center of table BB Centered between bases OC + EL + ER Splits center seam and 29" from end OC + ML + MR Splits center seam and 48" from end
168" TABLES	168" TABLES	168" TABLES
CL 51/2" from center CL + CR 51/2" from center CL + EL + ER 51/2" from center and 241/2" from end CL + CR + EL + ER 51/2" from center and 241/2" from end EL 241/2" from end EL + ER 241/2" from end BB Centered between bases	CL 5" from center CL + CR 5" from center CL + EL + ER 5" from center and 25" from end CL + CR + EL + ER 5" from center and 25" from end EL 25" from end EL + ER 25" from end BB Centered between bases	CL 91/2" from center CL + CR 91/2" from center CL + EL + ER 91/2" from center and 29" from end CL + CR + EL + ER 91/2" from center and 29" from end EL 29" from end EL + ER 29" from end OC Splits seam in center of table BB Centered between bases
144" TABLES	144" TABLES	144" TABLES
CL 51/2" from center CL + CR 51/2" from center CL + EL + ER 51/2" from center and 241/2" from end CL + CR + EL + ER 51/2" from center and 241/2" from end EL 241/2" from end EL + ER 241/2" from end BB Centered between bases	CL 5" from center CL + CR 5" from center CL + EL + ER 5" from center and 25" from end CL + CR + EL + ER 5" from center and 25" from end EL 25" from end EL + ER 25" from end BB Centered between bases	CL 91/2" from center CL + CR 91/2" from center CL + EL + ER 91/2" from center and 29" from end CL + CR + EL + ER 91/2" from center and 29" from end EL 29" from end EL + ER 29" from end OC Splits seam in center of table BB Centered between bases
120" TABLES	120" TABLES	120" TABLES
CL 51/2" from center CL + CR 51/2" from center CL + EL + ER 51/2" from center and 241/2" from end CL + CR + EL + ER 51/2" from center and 241/2" from end EL 241/2" from end EL + ER 241/2" from end BB Centered between bases	CL 5" from center CL + CR 5" from center CL + EL + ER 5" from center and 25" from end CL + CR + EL + ER 5" from center and 25" from end EL 25" from end EL + ER 25" from end BB Centered between bases	CL 91/2" from center CL + CR 91/2" from center CL + EL + ER 91/2" from center and 29" from end CL + CR + EL + ER 91/2" from center and 29" from end EL 29" from end EL + ER 29" from end OC Splits seam in center of table BB Centered between bases
96" TABLES	96" TABLES	96" TABLES
OC Center of table EL 241/2" from end EL + ER 241/2" from end	OC Center of table EL 25" from end EL + ER 25" from end	OC Center of table EL 29" from end EL + ER 29" from end
72" TABLES	72" TABLES	72" TABLES
OC Center of table	OC Center of table	OC Center of table

Data Locations on this Page are for All 36 x 72 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

36 X 72 TOPS														
	RB	CB	HB	XB	METAL	POST	QB	TSB/MBS	MAB	TS	CS	VPB	FPB	RBD
OASIS MINI	OC		OC	OC	OC	OC			OC	OC	OC	OC	OC	OC
DPORT4	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
DATA440	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
GRMT	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
INTP	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
INTRFC1 INTERACT	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
PDCS	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
VAULT-HOTEL VAULT-TRAIN	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC	OC
VAULT-CONF	OC		OC	OC	OC	OC			OC	OC	OC	OC	OC	OC

**Data Locations on this Page are for All 42 x 96 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.**

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

42 X 96							
	RECTANGULAR BASE	CYLINDER BASE	HALF CYLINDER BASE W/CB IN CENTER	X BASE	METAL BASE	SINGLE POST BASE	QUEEN-ANNE BASE
OASIS MINI	EL EL + ER OC	OC	OC	OC	OC	EL EL + ER OC	OC
DPORT4	EL EL + ER OC	EL EL + ER OC	OC	EL EL + ER OC	OC	EL EL + ER OC	OC
DATA440	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	OC	EL EL + ER OC	OC
GRMT	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	OC	EL EL + ER OC	OC
INTP	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	OC	EL EL + ER OC	OC
INTRFC1 INTERACT	EL EL + ER OC	EL EL + ER OC	OC	EL EL + ER OC	OC	EL EL + ER OC	OC
PDCS	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	OC	EL EL + ER OC	OC
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	EL EL + ER OC	EL EL + ER OC	OC	OC	OC	EL EL + ER OC	OC

Data Locations on this Page are for All 42 x 96 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

42 X 96							
	TRADITIONAL or METAL SQUARE BASE	CAFE METAL POST W/LEGS	BOW TIE BASE	CANOE BASE	V-CAPPED PANEL BASE	FLAT CAPPED PANEL BASE	RECTANGULAR BOX BASE
OASIS MINI	EL EL + ER OC	OC	OC	OC	OC	OC	OC
DPORT4	EL EL + ER OC	OC	OC	OC	EL EL + ER OC	EL EL + ER OC	OC
DATA440	EL EL + ER OC	OC	OC	OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC
GRMT	EL EL + ER OC	OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC
INTP	EL EL + ER OC	OC	OC	OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC
INTRFC1 INTERACT	EL EL + ER OC	OC	OC	OC	EL EL + ER OC	EL EL + ER OC	OC
PDCS	EL EL + ER OC	OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC	EL EL + ER OC
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	EL EL + ER OC	OC	OC	OC	OC	OC	OC

Data Locations on this Page are for All 48 x 120 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 120							
	RECTANGULAR BASE	CYLINDER BASE	HALF CYLINDER BASE W/CB IN CENTER	X BASE	METAL BASE	SINGLE POST BASE	QUEEN-ANNE BASE
OASIS MINI	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER			BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	
DPORT4	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	OC EL EL + ER OC + EL + ER	OC	BB EL EL + ER OC OC + EL + ER	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
DATA440	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
GRMT INTP	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
VAULT-CONF	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	EL EL + ER OC OC + EL + ER	OC	BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	
INTRFC1 INTERACT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	EL EL + ER OC OC + EL + ER	OC	BB EL EL + ER OC OC + EL + ER	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
PDCS	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
VAULT-HOTEL VAULT-TRAIN	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	EL EL + ER OC OC + EL + ER	OC	BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB

Data Locations on this Page are for All 48 x 120 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 120							
	TRADITIONAL or METAL SQUARE BASE	CAFE METAL POST W/LEGS	BOW TIE BASE	CANOE BASE	V-CAPPED PANEL BASE	FLAT CAPPED PANEL BASE	RECTANGULAR BOX BASE
OASIS MINI	EL EL + ER OC OC + EL + ER	BB	BB	BB	BB	BB	BB
DPORT4	EL EL + ER OC OC + EL + ER	BB	BB	BB	BB EL EL + ER OC OC + EL + ER	BB EL EL + ER OC OC + EL + ER	BB
DATA440	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
GRMT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB EL EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
INTP	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
INTRFC1 INTERACT	EL EL + ER OC OC + EL + ER	BB	BB	BB	BB EL EL + ER OC OC + EL + ER	BB EL EL + ER OC OC + EL + ER	BB
PDCS	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB EL EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	EL EL + ER OC OC + EL + ER	BB	BB	BB	BB	BB	BB

Data Locations on this Page are for All 48 x 144 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 144							
	RECTANGULAR BASE	CYLINDER BASE	HALF CYLINDER BASE W/CB IN CENTER	X BASE	METAL BASE	SINGLE POST BASE	QUEEN-ANNE BASE
OASIS MINI	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
DPORT4	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER OC OC + EL + ER	BB OC	BB EL EL + ER OC OC + EL + ER	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
DATA440	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
GRMT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
INTP	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
INTRFC1 INTERACT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER OC OC + EL + ER	BB OC	BB EL EL + ER OC OC + EL + ER	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
PDCS	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER OC OC + EL + ER	BB OC	BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB

Data Locations on this Page are for All 48 x 144 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 144							
	TRADITIONAL or METAL SQUARE BASE	CAFE METAL POST W/LEGS	BOW TIE BASE	CANOE BASE	V-CAPPED PANEL BASE	FLAT CAPPED PANEL BASE	RECTANGULAR BOX BASE
OASIS MINI	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB	BB	BB
DPORT4	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB EL EL + ER OC OC + EL + ER	BB EL EL + ER OC OC + EL + ER	BB
DATA440	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
GRMT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB EL EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
INTP	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
INTRFC1 INTERACT	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB EL EL + ER OC OC + EL + ER	BB EL EL + ER OC OC + EL + ER	BB
PDCS	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB EL EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB	BB	BB

Data Locations on this Page are for All 48 x 168 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 168							
	RECTANGULAR BASE	CYLINDER BASE	HALF CYLINDER BASE W/CB IN CENTER	X BASE	METAL BASE	SINGLE POST BASE	QUEEN-ANNE BASE
OASIS MINI	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
DPORT4	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER OC OC + EL + ER	BB OC	BB EL EL + ER OC OC + EL + ER	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
DATA440	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
GRMT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
INTP	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
INTRFC1 INTERACT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER OC OC + EL + ER	BB OC	BB EL EL + ER OC OC + EL + ER	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB
PDCS	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER OC OC + EL + ER	BB OC	BB	BB	BB or CL or EL or OC CL + CR EL + ER OC + EL + ER CL + EL + ER CL + CR + EL + ER	BB

Data Locations on this Page are for All 48 x 168 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 168							
	TRADITIONAL or METAL SQUARE BASE	CAFE METAL POST W/LEGS	BOW TIE BASE	CANOE BASE	V-CAPPED PANEL BASE	FLAT CAPPED PANEL BASE	RECTANGULAR BOX BASE
OASIS MINI	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB	BB	BB
DPORT4	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB EL EL + ER OC OC + EL + ER	BB EL EL + ER OC OC + EL + ER	BB
DATA440	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
GRMT	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB EL EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
INTP	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB	BB	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
INTRFC1 INTERACT	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB EL EL + ER OC OC + EL + ER	BB EL EL + ER OC OC + EL + ER	BB
PDCS	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB	BB EL EL + ER	BB EL EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB CL CL + CR EL EL + ER CL + EL + ER CL + CR + EL + ER	BB EL EL + ER
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	BB EL EL + ER OC OC + EL + ER	BB	BB	BB	BB	BB	BB

Data Locations on this Page are for All 48 x 192 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 192							
	RECTANGULAR BASE	CYLINDER BASE	HALF CYLINDER BASE W/CB IN CENTER	X BASE	METAL BASE	SINGLE POST BASE	QUEEN-ANNE BASE
OASIS MINI	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB ML + MR	BB ML + MR	BB ML + MR	BB or EL or CL or OC EL + ER or CL + CR ML + MR or OC + EL + ER OC + ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
DPORT4	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB OC ML + MR OC + ML + MR	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB ML + MR	BB or EL or CL or OC EL + ER or CL + CR ML + MR or OC + EL + ER OC + ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
DATA440	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
GRMT	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
INTP	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
INTRFC1 INTERACT	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB OC ML + MR OC + ML + MR	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB ML + MR	BB or EL or CL or OC EL + ER or CL + CR ML + MR or OC + EL + ER OC + ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
PDCS	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR	BB or CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	CL or EL CL + CR EL + ER or ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER OC OC + EL + ER	BB OC ML + MR OC + ML + MR	BB ML + MR	BB ML + MR	BB or EL or CL or OC EL + ER or CL + CR ML + MR or OC + EL + ER OC + ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB ML + MR

Data Locations on this Page are for All 48 x 192 Tops:
Rectangular, Arc Rectangular, Wave Rectangular, Racetrack and Boat-Shaped.

- Choose from the Combination Available in the Chart Below
- The Total Number of Ports Required are in Parentheses
- For Exact Locations of Ports, See page 8

OC = On Center
EL = End Left
ER = End Right
CL = Left of Center
CR = Right of Center
ML = Middle Left
MR = Middle Right
BB = Between Bases *(requires 2 ports)*

48 X 192							
	TRADITIONAL or METAL SQUARE BASE	CAFE METAL POST W/LEGS	BOW TIE BASE	CANOE BASE	V-CAPPED PANEL BASE	FLAT CAPPED PANEL BASE	RECTANGULAR BOX BASE
OASIS MINI	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB	BB ML + MR	BB ML + MR	BB ML + MR	BB ML + MR	BB ML + MR
DPORT4	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB	BB ML + MR	BB ML + MR	BB EL EL + ER OC ML + MR OC + EL + ER	BB EL EL + ER OC ML + MR OC + EL + ER	BB ML + MR
DATA440	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB	BB ML + MR	BB ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER ML + MR
GRMT	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB	BB EL EL + ER ML + MR	BB EL EL + ER ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER ML + MR
INTP	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB	BB ML + MR	BB ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER ML + MR
INTRFC1 INTERACT	BB or EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB	BB ML + MR	BB ML + MR	BB EL EL + ER OC ML + MR OC + EL + ER	BB EL EL + ER OC ML + MR OC + EL + ER	BB ML + MR
PDCS	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB	BB EL EL + ER ML + MR	BB EL EL + ER ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB or CL or EL CL + CR EL + ER ML + MR CL + EL + ER CL + ML + MR CL + CR + EL + ER CL + CR + ML + MR	BB EL EL + ER ML + MR
VAULT-HOTEL VAULT-TRAIN VAULT-CONF	BB EL EL + ER OC ML + MR OC + EL + ER OC + ML + MR	BB	BB ML + MR	BB ML + MR	BB ML + MR	BB ML + MR	BB ML + MR

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

AuraTM

Conference Collection

How to Order

	QTY	MODEL NO.	DESCRIPTION	
TOPS	1	92-48120AT	Finish	AC
			Top Surface	W
			Veneer	STD
			Edge	Z
BASES	3	01-2020CB	Finish	AC
DATA	2	1-INTP	Location	BB



Specifications

VENEER

Choose from premium veneer or select veneer on exposed surfaces in Cherry, Maple, or American Black Walnut. These veneers are carefully selected and matched to assure proper balance and consistency.

TOPS

Wood veneer tops are 5-ply balanced construction and high pressure laminate tops are 3-ply balanced construction. Tops are 1 3/8" thick with solid hardwood rims. All buffets, credenzas, serving carts, video cabinets, and storage/wardrobe cabinets are shaped on user side only. Grain direction runs left to right unless otherwise noted.

CHASSIS CONSTRUCTION

Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength. All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors.

DRAWERS

All drawer fronts are standard with elegant vertically matched veneer faces. Drawers feature 5-sided construction with 3/4" 3-ply fronts, 7/16" thick hardwood sides and 5/8" hardboard bottoms. Units with 36" wide file drawers feature 1/4" thick drawer bottoms for maximum storage strength. Drawer interiors are sanded, sealed, and finished to provide for a smooth, quality feel and appearance.

DRAWER SUSPENSION

File drawers and box drawers feature high quality, black progressive full extension slides with precision steel ball bearings to ensure a smooth, quiet operation. All suspensions have a lifetime warranty.

FILING HARDWARE

All file drawers are standard with custom fitted filing systems designed to accommodate a variety of filing requirements. Storage cabinet file drawers provide legal filing front to back, and legal or letter filing side to side.

LOCKING

All units with file drawers feature locking. Removable lock cylinders allow for units to be re-keyed at a later date if required. Units are shipped randomly keyed as standard. Lock cores match pull color.

FINISH


Aura Conference features Ultra-Violet matte finish on all exposed surfaces by utilizing roll-coat UV technology. Our durable UVAdvantage® finish makes surfaces less likely to be damaged by abrasions, scratches, water, alcohol, stains, and common chemicals. Our UVAdvantage® finish magnifies the beauty of our wood finishes and reduces the darkening, aging, and yellowing process of wood furniture that naturally occurs over time. Once cured by UV lighting, our UVAdvantage® finish does not emit irritable toxins, formaldehyde, or solvents into the air creating a safe work environment within new furniture installations. This process has allowed us to achieve third party certification for Indoor Air Quality. Additionally our UVAdvantage® finish greatly reduces hazardous air pollutants which contribute to smog formation, and our UVAdvantage® finish is recaptured over and over again reducing waste materials. Automated production technology eliminates exposure to sprayed chemicals in our factories. High gloss UVAdvantage® finish available on request.



Collaborative Spaces

Finish Options


WOOD VENEER (W) OR LAMINATE (P) TOPS AND WOOD VENEER (W) BASES - MUST SPECIFY




☐ Available in High Pressure Laminate Tops on Veneer Chassis. (P)

For laminate base options, see Niche.


METAL FRAME OPTIONS



Edge Options



Pull Options



COORDINATING PRODUCTS


Aura Conference offers options to coordinate with Madera, Gesso, Encompass, and Revolutions Casegoods and Aura Reception.

INTERIOR DRAWER DIMENSIONS

AURA 9200 INTERIOR DRAWER DIMENSIONS


Item	Drawers	W	L	D
92-2472BFD 92-2436SV	Box	14 ¹⁷ / ₃₂	19 ¹ / ₄	3 ²¹ / ₃₂
92-2436BF 92-2472BF	Box	32 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
92-2472SBF	Box Box	14 ¹⁷ / ₃₂ 32 ⁹ / ₁₆	19 ¹ / ₄ 19 ¹ / ₄	3 ²¹ / ₃₂ 3 ²¹ / ₃₂

AURA™ 9200 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
RECTANGULAR CONFERENCE TOPS 	92-48192RT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 4918 W\$ 6150 PV\$ 7195	
	92-48168RT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 4851 W\$ 5741 PV\$ 6717	
	92-48144RT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 4099 W\$ 4781 PV\$ 5594	
	92-48120RT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 3689 W\$ 4236 PV\$ 4956	
	92-4296RT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 2802 W\$ 3212 PV\$ 3758	
	92-3672RT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 1873 W\$ 2186 PV\$ 2557	

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

ARC RECTANGULAR CONFERENCE TOPS 	92-48192AR 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 5602 W\$ 6832 PV\$ 7994	
	92-48168AR 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 5602 W\$ 6832 PV\$ 7994	
	92-48144AR 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 4714 W\$ 5398 PV\$ 6316	
	92-48120AR 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 4440 W\$ 4988 PV\$ 5835	
	92-4296AR 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3348 W\$ 3758 PV\$ 4396	
	92-3672AR 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 2186 W\$ 2501 PV\$ 2926	

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required


For ordering options including laminate availability, see back of Aura identification card at the beginning of section.

For complete base descriptions, see pages 26-31.

For data options, see pages 32-36.


For data location options, see pages 7-19.

AURA™ 9200 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RACETRACK CONFERENCE TOPS 	92-48192AT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 6422 W\$ 7653 PV\$ 8955
	92-48168AT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 6286 W\$ 7176 PV\$ 8396
	92-48144AT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 5330 W\$ 6012 PV\$ 7034
	92-48120AT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 4918 W\$ 5465 PV\$ 6394
	92-4296AT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3553 W\$ 3964 PV\$ 4638
	92-3672AT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 2554 W\$ 2869 PV\$ 3357

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

BOAT - SHAPED CONFERENCE TOPS 	92-48192BT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 6422 W\$ 7653 PV\$ 8955
	92-48168BT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 6286 W\$ 7176 PV\$ 8396
	92-48144BT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 5330 W\$ 6012 PV\$ 7034
	92-48120BT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 4918 W\$ 5465 PV\$ 6394
	92-4296BT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3553 W\$ 3964 PV\$ 4638
	92-3672BT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 2554 W\$ 2869 PV\$ 3357

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required


For ordering options including laminate availability, see back of Aura identification card at the beginning of section.

For complete base descriptions, see pages 26-31.

For data options, see pages 32-36.

For data location options, see pages 7-19.


AURA™ 9200 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
	01-2428RBV	24	2	28½	—	—	34	2.7	\$ 670
	For Tables 48" Wide								PV\$ 784
	01-2028RBV	20	2	28½	—	—	28	2.3	\$ 628
	For Tables 42" Wide or Less								PV\$ 735

Description

- Veneer Panel Base
- Stretchers are included

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

	01-2020CB	20	20	28½	—	—	136	10.9	\$ 949
	For Tables 42" Wide or Greater								PV\$ 1110
	01-1616CB	16	16	28½	—	—	101	7.2	\$ 867
	For Tables 36" Wide or Less								PV\$ 1015


Description

- Veneer Cylinder Base
- Weighted for Stability
- 2 Wire Management Grommets Standard at Top with 8" Opening Standard in Bottom

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
NOGC	Optional No Grommets At Top Edges	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

	01-2020CBD	20	20	28½	—	—	136	10.9	\$ 1290
	For Tables 42" Wide or Greater								PV\$ 1509
	01-1616CBD	16	16	28½	—	—	101	7.2	\$ 1103
	For Tables 36" Wide								PV\$ 1291

Description

- Veneer Cylinder Base
- Weighted for Stability
- Access Door
- 2 Wire Management Grommets Standard at Top with 8" Opening Standard in Bottom

Options: Specify & Add


GCB1S	Optional Grommet Top Edge (1)	\$	N/C
NOGC	Optional No Grommets At Top Edges	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
HALF - CYLINDER BASE	01-2010HB	20	10	28 ½	—	—	83	5.8	\$ 1255 PV\$ 1468


Description

- Veneer Half Cylinder Base
- Weighted for Stability

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1) With Opening At Bottom	\$	Std
NOGC	Optional No Grommets At Top Edges	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	2+CB	2+CB	2+CB	2+CB

NOTE: Tables 120" and Larger Require a Cylinder Base in the Center, See Page 26

HALF CYLINDER BASE WITH DOOR	01-2010HBD	20	10	28 ½	—	—	83	5.5	\$ 1507 PV\$ 1763
------------------------------	------------	----	----	------	---	---	----	-----	----------------------


Description

- Veneer Half Cylinder Base
- Weighted for Stability
- Access Door
- Grommet Standard in Bottom


Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
-------	-------------------------------	----	-----

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	2+CB	2+CB	2+CB	2+CB

NOTE: Tables 120" and Larger Require a Cylinder Base in the Center, See Page 26

"X" BASE	01-3030XBV	30	30	28 ½	—	—	88	2.6	\$ 697
	For 48" Wide Tables								PV\$ 815
	01-2424XBV	24	24	28 ½	—	—	70	2.4	\$ 656
	For Tables 42" Wide or Less								PV\$ 767


Description

- Veneer X Base
- Shipped KD - Some Assembly Required


	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

AURA™ 9200 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
"X" BASE VENEER DOOR	01-1628WM	16	¾	28 ½	—	—	25	1.6	\$ 409 PV\$ 478


Description

- Veneer Wire Management door
- For Use with X Base
- Hinges to Conference Top


METAL BASE	01-0400MBB Black	32	32	27 ¾	—	—	32	3.2	\$ 614
	01-0400MBA Aluminum	32	32	27 ¾	—	—	32	3.2	\$ 614


Description

- Shipped KD - Some Assembly Required

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

METAL BASE	01-0404MBB Black	36	36	27 ¾	—	—	35	3.0	\$ 914
	01-0404MBA Aluminum	36	36	27 ¾	—	—	35	3.0	\$ 914


Description

- Shipped KD - Some Assembly Required

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

SINGLE METAL POST BASE	01-0004LG	4	4	28 ¼	—	—	10	0.8	\$ 242
------------------------	-----------	---	---	------	---	---	----	-----	--------



Description

- Metal Post Base
- Must Specify Black or Aluminum

	72"	96"	120"	144"	168"	192"
Number of Bases Required	4	4	6	6	6	8

For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price			
SQUARE METAL BASE 	Wood	Laminate										
	01-2020MSBV	01-2020MSB	20	20	28½	—	—	70	8.4	P\$	2201	
										W\$	2436	
										PV\$	2850	
	Description											
	• Metal Frame Base with Veneer or Laminate Inserts • Select From 5 Powdercoat Finishes • Touch Latch Hinged Door • Optional Wire Management Grommets at the Top with Fully Open Bottom • Adjustable Levelers											
	Options: Specify & Add											
	GCB1S	Optional Grommet Top Edge (1)									\$	N/C
	GCB2S	Optional Grommets Top Edges (2)									\$	N/C
				72"	96"	120"	144"	168"	192"			
Number of Bases Required			2	2	3	3	3	3				

METAL CAFÉ BASE	01-3128MAB	30½	30½	28¾	—	—	13	17.8	\$	1171
Description										
• Metal Column with Four Legs • Select From 5 Powdercoat Finishes • Adjustable Levelers										
			72"	96"	120"	144"	168"	192"		
Number of Bases Required			2	2	NA	NA	NA	NA		


BOW TIE BASE	01-1222TS	22	12	28½	—	—	30	5.8	\$	2191	
									PV\$	2563	
	01-1222TSD	22	12	28½	—	—	30	5.8	\$	2543	
	With Door								PV\$	2975	
Description											
• 4" Wire Management Opening in the Bottom • Models with Doors Have a 18" H x 6" W Opening • Adjustable Levelers											
Options: Specify & Add											
GCB1S	Optional Grommet Top Edge (1)									\$	N/C
GCB2S	Optional Grommets Top Edges (2)									\$	N/C
			72"	96"	120"	144"	168"	192"			
Number of Bases Required			2	2	3	3	3	3			

For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

AURA™ 9200 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
CANOE BASE	01-1222CS	22	12	28 ½	—	—	27	5.8	\$ 2191
									PV\$ 2563
	01-1222CSD	22	12	28 ½	—	—	27	5.8	\$ 2543
									PV\$ 2975



Shown With Door

Description


- 6" Wire Management Opening in the Bottom
- Models with Doors Have a 18" H x 6" W Opening
- Adjustable Levelers

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3


V-CAPPED PANEL BASE	01-0430VPBV	30 ½	4	28	—	—	28	3.5	\$ 1333
									PV\$ 1560


Description

- Metal V-Cap Accents Veneer Panel Base
- Select From 5 Powdercoat Finishes
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

FLAT-CAPPED PANEL BASE	01-0427FPBV	27 ¾	4	28	—	—	31	3.5	\$ 1367
									PV\$ 1599


Description


- Metal Flat-Cap Accents Panel Base
- Select From 5 Powdercoat Finishes
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECTANGULAR BOX BASE WITH DOOR	01-1220RBDV	20	12	28	—	—	50	5.4	W\$ 541
									PV\$ 632
									C\$ 527
									CPV\$ 617


Description


- Rectangular Base with Lift-Off Removable Panel
- Available in Veneer, or a Combination of Veneer and Laminate
- For Laminate Options, See Niche
- Combination Orders Must Specify an Accent and a Primary Finish
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

Pricing Codes:

P = Laminate / C = Veneer and Laminate / PV = Premium Veneer / CPV = Premium Veneer and Laminate.

ARCH STRETCHER RAILS	01-192ARCHV	—	—	12-8	—	—	—	—	W\$ 1591
									PV\$ 1862
	01-168ARCHV	—	—	12-8	—	—	—	—	W\$ 992
									PV\$ 1161
	01-144ARCHV	—	—	12-8	—	—	—	—	W\$ 907
									PV\$ 1061
	01-120ARCHV	—	—	12-8	—	—	—	—	W\$ 837
									PV\$ 980
	01-96ARCHV	—	—	12-8	—	—	—	—	W\$ 567
									PV\$ 664
	01-72ARCHV	—	—	12-8	—	—	—	—	W\$ 509
									PV\$ 596


Description

- Arch Stretcher Rails Work with Rectangular Bases
- Arch Stretcher Rails Must Be Field Installed in Place of the Standard Stretcher Rails Shipped with Rectangular Bases
- Rails for Tables 120" to 168" will Ship as Two Sets of Two
- Rails for Tables 192" will Ship as Four Sets of Two


For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

AURA™ 9200 CONFERENCE SERIES

Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRAINING TABLE POWER & DATA VAULT	01-TVAULTA	4 ½	13 ¾	4 ⅙	—	—	10	0.3	\$ 1001




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 2 Data Ports and 3 Power Outlets
- 6' Power Cord

HOTEL DESK POWER & DATA VAULT	01-HVAULTA	4 ½	11 ¾	4 ⅙	—	—	10	0.3	\$ 963
----------------------------------	------------	-----	------	-----	---	---	----	-----	--------




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 1 Data Ports and 2 Power Outlets
- 6' Power Cord

CONFERENCE TABLE POWER & DATA VAULT	01-CVAULTA	4 ½	15 ¾	4 ⅙	—	—	10	0.4	\$ 1053
--	------------	-----	------	-----	---	---	----	-----	---------



Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 3 Data Ports, 3 Power Outlets, and 1 VGA Port
- 6' Power Cord

REVEAL POWER & DATA	01-ASSEMBLERA Aluminum	6 ⅝	13 ¾	3	—	—	5	0.3	\$ 595
	01-ASSEMBLERB Black	6 ⅝	13 ¾	3	—	—	5	0.3	\$ 595



Description





- Mounts Under Worksurface on Sturdy Ball Bearing Track
- 1 Open Port, 1 USB, and 2 Power Outlets
- Includes Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- Does Not Require Cut Out in Worksurface
- UL Listed

For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

AURA™ 9200 CONFERENCE SERIES

Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
OASIS MINI POWER & DATA 	01-OASISMA Aluminum	15	9	4 15/16	—	—	7	.7	\$ 1961
	01-OASISMB Black	15	9	4 15/16	—	—	7	.7	\$ 1961
	Description • 2 Data/1 Voice Telecom Plates Included • Opening for 1 Additional Plate Sold Separately • 4 Power Outlets • Soft Touch Hinged Lid • 9' Power Cord • UL Listed • Optional Telecom Plates, See Page 41								
INTERACT POWER & DATA 	01-INTERACTA Aluminum	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
	01-INTERACTB Black	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
	Description • 1 Data/1 Voice Telecom Plate Included • 2 Power Outlets • Convenience Plug on Bottom • 6' Power Cord • UL Listed and CSA Certified • Optional Telecom Plates, See Page 41								
DATA PORT 4 	01-DPORT4A Aluminum	8	4	—	—	—	7	.2	\$ 671
	01-DPORT4B Black	8	4	—	—	—	7	.2	\$ 671
	Description • Retracts into Work Surface to Regain Productive Space • One-Touch Access to Power and Data • Two Power Outlets and Two Open Ports for Data • Water-Proof Simplex (Outlets) • Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required • 6' Power Cord								
POWER 440 	01-DATA440A Aluminum	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
	01-DATA440B Black	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
	Description • 2 Power Outlets • Soft Touch Hinged Lid • 6' Power Cord								


For ordering options, see back of Aura identification card at the beginning of section.

For data options, see pages 32-36.

AURA™ 9200 CONFERENCE SERIES


Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
GROMMET	1-GRMTB Black	—	—	—	—	—	1	.1	\$ 47
	1-GRMTSL Silver	—	—	—	—	—	1	.1	\$ 47


Description

- 60mm Round Grommet with Cover
- Factory installed

SPHERICAL POWER CENTER	1-PDCSS Silver	3 3/8	3 3/8	3	—	—	2	.1	\$ 379
	1-PDCSB Black	3 3/8	3 3/8	3	—	—	2	.1	\$ 379


Description


- Two 15 Amp Simplexes
- Two Voice/Data Ports
- Six Foot Cord
- UL Listed & CSA Certified

NOTE: To order voice/data modules for your specific requirements, contact the local computer or telecommunications installation service in your area.

For data port locations, see pages 7-19.

AURA™ 9200 CONFERENCE SERIES
Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
WORKSURFACE POWER CENTER	1-INTP	5 ¼	7	1 ¾	—	—	2	.2	\$ 477


Description

- Two 15 Amp Duplex Outlets
- Two Voice/Data Ports
- Six Foot Cord
- Silver
- UL Listed

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

WORKSURFACE POWER CENTER	1-INTRFC1A Aluminum	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269
	1-INTRFC1B Black	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269


Description

- Four Power Receptacles in Two 15 Amp Duplexes
- One 15 Amp Circuit Breaker
- One Voice Port
- Three Data Ports
- Six Foot Cord
- UL Listed/CSA Certified
- Optional Telecom Plates, See Page 41

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

For data port locations, see pages 7-19.

AURA™ 9200 CONFERENCE SERIES

Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
USB PORT	1-USBPORT	-	-	-	-	-	-	-	\$ 99



Description

- Increases Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability
- Idle Device Power Saving State
- 6' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER

VOICE COUPLER	1-VOICE1	-	-	-	-	-	-	-	\$ 45
---------------	----------	---	---	---	---	---	---	---	-------



Description

- 6-Pin Modular Plug
- Molded Black
- Cord Not Included
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER

DATA PORT	1-RJ4DATA	-	-	-	-	-	-	-	\$ 102
-----------	-----------	---	---	---	---	---	---	---	--------




Description

- 8-Pin Modular Plug
- Cat 5 Ethernet Cable
- Pre-terminated Cable
- 9' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER


For data port locations, see pages 7-19.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BUFFET	92-2436BF	36	24	36	—	—	189	21.7	P\$ 2821 W\$ 2869 PV\$ 3357


Description

- Top Shaped Front Side Only
- One Drawer
- Storage Behind Two Veneer Doors
- One Adjustable Shelf
- Finished Back

BUFFET	92-2472BF	72	24	36	—	—	342	45.6	P\$ 5519 W\$ 5602 PV\$ 6555
--------	-----------	----	----	----	---	---	-----	------	-----------------------------------


Description


- Top Shaped Front Side Only
- Two Drawers
- Storage Behind Four Veneer Doors
- Two Adjustable Shelves
- Finished Back

BUFFET	92-2472BFD	72	24	36	—	—	337	45.6	P\$ 6134 W\$ 6218 PV\$ 7275
--------	------------	----	----	----	---	---	-----	------	-----------------------------------


Description

- Top Shaped Front Side Only
- Open Storage with Adjustable Shelf
- Two Drawers
- Left and Right Storage Behind Veneer Doors with Adjustable Shelves
- Center Storage Behind Veneer Doors with Touch Latch
- Finished Back

BUFFET	92-2472SBF	72	24	36	—	—	362	45.6	P\$ 6134 W\$ 6218 PV\$ 7275
--------	------------	----	----	----	---	---	-----	------	-----------------------------------



Description

- Top Shaped Front Side Only
- Three Drawers
- Storage Behind Four Veneer Doors
- Three Adjustable Shelves
- Center Section is Stepped Back
- Finished Back

For ordering options, see back of Aura identification card at the beginning of section.


AURA™ 9200 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
CONFERENCE CREDENZA	92-2436CC	36	24	30	—	—	150	17.6	P\$	2208
									W\$	2254
									PV\$	2638


Description

- Top Shaped on Front Side Only
- Two Veneer Doors
- Adjustable Shelf Behind Doors
- Finished Back

CONFERENCE CREDENZA	92-2472CC	72	24	30	—	—	290	34.2	P\$	4358
									W\$	4440
									PV\$	5195


Description

- Top Shaped Front on Side Only
- Four Veneer Doors
- Two Adjustable Shelves
- Finished Back

SERVING CART	92-2436SV	36	24	36	—	—	149	24.0	P\$	3200
									W\$	3245
									PV\$	3796


Description


- Top Shaped on Front Side Only
- Two Box Drawers
- Open Storage
- Storage Behind Two Doors
- Locking Casters
- Veneer on Drawer and Door Fronts

Options: Specify & Add

1-GRMT	Optional Grommet in Back Panel	\$	47
--------	--------------------------------	----	----

For ordering options, see back of Aura identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
VISOR RAIL	92-2472VR	72	24	5 3/16	—	—	100	8.9	\$ 889 PV\$ 1040



Description

- Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets and Credenzas/Bufets

Options: Specify & Add

1-PS	Optional Projection Screen Requires Field Installation	\$ 648
TL-0848	Optional Task Light Requires Field Installation	\$ 280

VISUAL BOARD	92-4848VB	48	5	48	—	—	150	11.0	\$ 3013 PV\$ 3525
--------------	-----------	----	---	----	---	---	-----	------	----------------------



Description

- Tackboard on Each Door Standard in Black Fabric Unless Specified
- Price Valid for Grades 1, 2, & 3
- Display Rail with Adjustable Hooks for Flipchart
- Flipchart
- Magnetic Porcelain Non-Glare Writing Surface
- Set of Four Dry Erase Markers and Eraser
- Mounts to Wall with Mounting Bracket Included

Options: Specify & Add	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
Tackboard	\$ 176	256	344	460	584	732	900
1-PS	Optional Factory Installed Projection Screen						\$ 648

NOTE: Indiana Furniture will not be liable for visual boards that are not properly installed.


LECTERN STAND	92-2650LS	26	24	50	—	—	130	21.9	\$ 2630 PV\$ 3076
---------------	-----------	----	----	----	---	---	-----	------	----------------------


Description

- Top Shaped on Approach Side Only
- Fixed Reading Shelf
- Adjustable Pullout Shelf
- Two Adjustable Storage Shelves in Lower Compartment
- Locking Casters


For ordering options, see back of Aura identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
WOOD DOOR STORAGE CABINET DOUBLE DOORS	92-3672SUD	36	24	70 ¹³ / ₁₆	—	—	285	42.0	\$ 4635 PV\$ 5422


Description

- Top Section has Two Adjustable Wood Shelves
- Bottom Section has One Adjustable Wood Shelf
- Finished Back

WARDROBE/STORAGE CABINET	Hinged Left	Hinged Right	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
	92-1872WL	92-1872WR	18	24	70 ¹³ / ₁₆	—	—	155	22.0	\$ 3348 PV\$ 3917


Description

- Fixed Top Shelf
- Coat Rod Under Fixed Shelf
- Three Adjustable Wood Shelves
- Adjustable Shelves can be Removed for Wardrobe Application
- Figured Veneer on Door

For ordering options, see back of Aura identification card at the beginning of section.

Compatible with 01-OASISMA, 01-OASISMB, 01-INTERACTA, 01-INTERACTB, 01-INTRFCIA, and 01-INTRFCIB.

Model No.	Description	List Price
01-ABL	Telecom Plate, Blank Plate	\$ 25
01-ABL737373	Telecom Plate, (3) RJ45 Cat 5e	\$ 226
01-ABLAB	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 125
01-ABLAB102	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3, (1) USB W/72" Patch Cord	\$ 197
01-ABLABB	Telecom Plate, (2) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 197
01-ABLB	Telecom Plate, (1) RJ45 Cat 6	\$ 92
01-ABLBB	Telecom Plate, (2) RJ45 Cat 6	\$ 159
01-ABLBBB	Telecom Plate, (3) RJ45 Cat 6	\$ 226
01-ABLBBBB	Telecom Plate, (4) RJ45 Cat 6	\$ 293
01-ABLBBC51	Telecom Plate, (2) RJ45 Cat 6, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 274
01-ABLBC51L	Telecom Plate, (1) RJ45 Cat 6, (1) Mini Stereo Inline, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 251
01-ABLC3811	Telecom Plate, (1) RJ45 Cat 6 Data Inline, (1) RJ11 Cat 3 Phone Inline	\$ 121
01-ABLC45	Telecom Plate, (1) HDMI w/36" Patch Cord	\$ 182
01-ABLC45C51L	Telecom Plate, (1) Mini Stereo Inline, (1) HDMI w/36" Patch Cord, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 342
01-ABLC51L	Telecom Plate, (1) 15 Pin HD VGA & (1) Mini Stereo Inline Jack	\$ 184
01-ABLCRDM	Telecom Plate, (3) Cord Bushings	\$ 59

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Etch™

Conference Collection

How to Order

	QTY	MODEL NO.	DESCRIPTION	
TOPS	1	97-3672RT	Finish	CO
			Top Surface	W
			Edge	G
BASES	2	01-2424XB	Finish	CO
DATA	1	1-INTP	Location	OC



Specifications

veneer

Exposed surfaces feature select grade sliced hardwood veneers in Cherry, Maple, American Black Walnut, or composite veneers of Walnut and Wenge. Veneers are carefully selected and matched to assure proper balance and consistency.

tops

Veneer and high pressure laminate tops are 3-ply balanced construction and 1-3/16" thick, with 3 mm wood edge-banded rims contoured to the selected profile. Tops are shaped on user and approach sides. Grain direction runs left to right unless otherwise noted in the item description.

chassis construction

Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength. All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors.

drawers

All drawer fronts are standard with elegant vertically matched veneer faces. Drawers feature 5-sided construction with 3/4" 3-ply fronts, 7/16" thick hardwood sides and 5/32" hardboard bottoms. Units with 36" wide file drawers feature 1/4" thick drawer bottoms for maximum storage strength. Drawer interiors are sanded, sealed, and finished to provide for a smooth, quality feel and appearance.

drawer suspension

File drawers and box drawers feature high quality, black progressive full extension slides with precision steel ball bearings to ensure a smooth, quiet operation. All suspensions have a lifetime warranty.

filing hardware

All file drawers are standard with custom fitted filing systems designed to accommodate a variety of filing requirements. Storage cabinet file drawers provide legal filing front to back, and legal or letter filing side to side.

locking

All units with file drawers feature locking. Removable lock cylinders allow for units to be re-keyed at a later date if required. Units are shipped randomly keyed as standard. Lock cores match pull color.

finish

Etch Conference features Ultra-Violet matte finish on all exposed surfaces by utilizing roll-coat UV technology. Our durable UVAdvantage® finish makes surfaces less likely to be damaged by abrasions, scratches, water, alcohol, stains, and common chemicals. Our UVAdvantage® finish magnifies the beauty of our wood finishes and reduces the darkening, aging, and yellowing process of wood furniture that naturally occurs over time. Once cured by UV lighting, our UVAdvantage® finish does not emit irritable toxins, formaldehyde, or solvents into the air creating a safe work environment within new furniture installations. This process has allowed us to achieve third party certification for Indoor Air Quality. Additionally our UVAdvantage® finish greatly reduces hazardous air pollutants which contribute to smog formation, and our UVAdvantage® finish is recaptured over and over again reducing waste materials. Automated production technology eliminates exposure to sprayed chemicals in our factories. High gloss UVAdvantage® finish available on request.



Basic Beauty

Finish Options

WOOD VENEER (W) LAMINATE (P) TOPS - MUST SPECIFY

						
Clear Maple CM	Light Maple LM	Golden Cherry GC	Bourbon Cherry BC	Autumn Cherry AC	Dark Cherry DC	Columbian Walnut CO
						
Legacy Walnut LW	Artisan Walnut AW	Harvest Walnut HW	Mahogany on Walnut MW	Espresso Walnut EW	Presidential Walnut PW	



☐ Available in High Pressure Laminate Tops on veneer chassis. (P)

For laminate base options, see Niche.

COMPOSITE VENEER (CV)

	
Sunglow Walnut SW	Java Wenge JW



METAL FRAME OPTIONS

				
Aluminum	Oyster (White)	Sugar Cookie	Mist	Noir

Edge Options

			
Double Kerf F	Duo G	Flute X	Square Y

Pull Options

						
Aluminum Arc AAC	Aluminum Buckle ABU	Aluminum Elite AEL	Aluminum Focus AFC	Aluminum Quadra AQD	Aluminum Beam ABM	Aluminum Groove AGR
						
Black Arc BAC	Black Buckle BBU	Black Elite BEL	Black Focus BFC	Black Quadra BQD	Black Beam BBM	Black Groove BGR

COORDINATING PRODUCTS


Etch Conference offers options to coordinate with Gesso Casegoods.

INTERIOR DRAWER DIMENSIONS

ETCH 9700 INTERIOR DRAWER DIMENSIONS


Item	Drawers	W	L	D
97-2472BFD 97-2436SV	Box	14 ¹⁷ / ₃₂	19 ¹ / ₄	3 ²¹ / ₃₂
97-2436BF 97-2472BF	Box	32 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
97-2472SBF	Box	14 ¹⁷ / ₃₂	19 ¹ / ₄	3 ²¹ / ₃₂
	Box	32 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂

ETCH™ 9700 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECTANGULAR CONFERENCE TOPS 	97-48192RT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 4918 W\$ 6150 CV\$ 7072
	97-48168RT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 4851 W\$ 5741 CV\$ 6601
	97-48144RT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 4099 W\$ 4781 CV\$ 5498
	97-48120RT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 3689 W\$ 4236 CV\$ 4872
	97-4296RT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 2802 W\$ 3212 CV\$ 3693
	97-3672RT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 1873 W\$ 2186 CV\$ 2513

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

ARC RECTANGULAR CONFERENCE TOPS 	97-48192AR 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 5602 W\$ 6832 CV\$ 7857
	97-48168AR 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 5602 W\$ 6489 CV\$ 7462
	97-48144AR 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 4714 W\$ 5398 CV\$ 6208
	97-48120AR 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 4440 W\$ 4988 CV\$ 5736
	97-4296AR 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3348 W\$ 3758 CV\$ 4322
	97-3672AR 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 2186 W\$ 2501 CV\$ 2876

Description


- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

For ordering options including laminate availability, see back of Etch identification card at the beginning of section.

For complete base descriptions, see pages 48-53.


For data options, see pages 54-58.

For data location options, see pages 7-19.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RACETRACK CONFERENCE TOPS 	97-48192AT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 6422 W\$ 7653 CV\$ 8801
	97-48168AT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 6286 W\$ 7176 CV\$ 8252
	97-48144AT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 5328 W\$ 6012 CV\$ 6914
	97-48120AT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 4918 W\$ 5465 CV\$ 6285
	97-4296AT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3553 W\$ 3964 CV\$ 4558
	97-3672AT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 2554 W\$ 2869 CV\$ 3300

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

BOAT - SHAPED CONFERENCE TOPS 	97-48192BT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 6422 W\$ 7653 CV\$ 8801
	97-48168BT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 6286 W\$ 7176 CV\$ 8252
	97-48144BT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 5330 W\$ 6012 CV\$ 6914
	97-48120BT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 4918 W\$ 5465 CV\$ 6285
	97-4296BT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3553 W\$ 3964 CV\$ 4558
	97-3672BT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 2554 W\$ 2869 CV\$ 3300

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required


For ordering options including laminate availability, see back of Etch identification card at the beginning of section.


For complete base descriptions, see pages 48-53.


For data options, see pages 54-58.

For data location options, see pages 7-19.

ETCH™ 9700 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECTANGULAR BASE 	01-2428RBV For Tables 48" Wide	24	2	28½	—	—	34	2.7	\$ 670
									CV\$ 771
	01-2028RBV For Tables 42" Wide or Less	20	2	28½	—	—	28	2.3	\$ 628
									CV\$ 722
Description									
- Veneer Panel Base - Stretchers are Included									
		72"	96"	120"	144"	168"	192"		
Number of Bases Required		2	2	3	3	3	5		


CYLINDER BASE 	01-2020CB For Tables 42" Wide or Greater	20	20	28½	—	—	136	10.9	\$ 949
									CV\$ 1091
	01-1616CB For Tables 36" Wide or Less	16	16	28½	—	—	101	7.2	\$ 867
									CV\$ 997
Description									
- Veneer Cylinder Base - Weighted for Stability 2 Wire Management Grommets Standard at Top with 8" Opening Standard in Bottom									
Options: Specify & Add									
GCB1S		Optional Grommet Top Edge (1)							\$ N/C
NOGC		Optional No Grommets At Top Edges							\$ N/C
		72"	96"	120"	144"	168"	192"		
Number of Bases Required		2	2	3	3	3	3		

CYLINDER BASE WITH DOOR 	01-2020CBD For Tables 42" Wide or Greater	20	20	28½	—	—	136	10.9	\$ 1290
									CV\$ 1483
	01-1616CBD For Tables 36" Wide	16	16	28½	—	—	101	7.2	\$ 1103
									CV\$ 1291
Description									
- Veneer Cylinder Base - Weighted for Stability - Access Door 2 Wire Management Grommets Standard at Top with 8" Opening Standard in Bottom									
Options: Specify & Add									
GCB1S		Optional Grommet Top Edge (1)							\$ N/C
NOGC		Optional No Grommets At Top Edges							\$ N/C
		72"	96"	120"	144"	168"	192"		
Number of Bases Required		2	2	3	3	3	3		

For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
HALF - CYLINDER BASE	01-2010HB	20	10	28 ½	—	—	83	5.8	\$ 1255 CV\$ 1443


Description

- Veneer Half Cylinder Base
- Weighted for Stability

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1) With Opening At Bottom	\$	Std
NOGC	Optional No Grommets At Top Edges	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	2+CB	2+CB	2+CB	2+CB

NOTE: Tables 120" and Larger Require a Cylinder Base in the Center, See Page 48

HALF CYLINDER BASE WITH DOOR	01-2010HBD	20	10	28 ½	—	—	83	5.5	\$ 1507 CV\$ 1732
---------------------------------	------------	----	----	------	---	---	----	-----	----------------------


Description

- Veneer Half Cylinder Base
- Weighted for Stability
- Access Door
- Grommet Standard in Bottom


Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
-------	-------------------------------	----	-----

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	2+CB	2+CB	2+CB	2+CB

NOTE: Tables 120" and Larger Require a Cylinder Base in the Center, See Page 48

"X" BASE	01-3030XBV	30	30	28 ½	—	—	88	2.6	\$ 697
	For 48" Wide Tables								CV\$ 801
	01-2424XBV	24	24	28 ½	—	—	70	2.4	\$ 656
	For Tables 42" Wide or Less								CV\$ 754


Description


- Wire Management Cut Outs
- Shipped KD - Some Assembly Required

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
"X" BASE VENEER DOOR	01-1628WM	16	¾	28 ½	—	—	25	1.6	\$ 409 CV\$ 470


Description

- Wire Management door
- For Use with X Base
- Hinges to Conference Top


METAL BASE	01-0400MBB Black	32	32	27 ¾	—	—	32	3.2	\$ 614
	01-0400MBA Aluminum	32	32	27 ¾	—	—	32	3.2	\$ 614


Description

- Shipped KD - Some Assembly Required

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

METAL BASE	01-0404MBB Black	36	36	27 ¾	—	—	35	3.0	\$ 914
	01-0404MBA Aluminum	36	36	27 ¾	—	—	35	3.0	\$ 914


Description

- Shipped KD - Some Assembly Required

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

SINGLE METAL POST BASE	01-0004LG	4	4	28 ¾	—	—	10	0.8	\$ 242
------------------------	-----------	---	---	------	---	---	----	-----	--------


Description


- Metal Post Base
- Must Specify Black or Aluminum

	72"	96"	120"	144"	168"	192"
Number of Bases Required	4	4	6	6	6	8

For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SQUARE METAL BASE	01-2020MSBV	20	20	28 ½	—	—	70	8.4	W\$ 2436 CV\$ 2802


Description

- Metal Frame Base with Veneer or Composite Veneer Inserts
- Select From 5 Powdercoat Finishes
- Touch Latch Hinged Door
- Optional Wire Management Grommets at the Top with Fully Open Bottom
- Adjustable Levelers

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3


METAL CAFÉ BASE	01-3128MAB	30 ½	30 ½	28 ¾	—	—	13	17.8	\$ 1171
-----------------	------------	------	------	------	---	---	----	------	---------


Description

- Metal Column with Four Legs
- Select From 5 Powdercoat Finishes
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	NA	NA	NA	NA

BOW TIE BASE	01-1222TS	22	12	28 ½	—	—	30	5.8	\$ 2191 CV\$ 2519
	01-1222TSD With Door	22	12	28 ½	—	—	30	5.8	\$ 2543 CV\$ 2924



Shown With Door

Description

- 4" Wire Management Opening in the Bottom
- Models with Doors Have a 18" H x 6" W Opening
- Adjustable Levelers

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C


	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

ETCH™ 9700 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
CANOE BASE	01-1222CS	22	12	28 ½	—	—	27	5.8	\$ 2191
									CV\$ 2519
	01-1222CSD	22	12	28 ½	—	—	27	5.8	\$ 2543
									CV\$ 2924



Shown With Door

Description


- 6" Wire Management Opening in the Bottom
- Models with Doors Have a 18" H x 6" W Opening
- Adjustable Levelers

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3


V-CAPPED PANEL BASE	01-0430VPBV Veneer	30 ½	4	28	—	—	28	3.5	\$ 1333
									CV\$ 1533


Description

- Metal V-Cap Accents Veneer Panel Base
- Select From 5 Powdercoat Finishes
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

FLAT-CAPPED PANEL BASE	01-0427FPBV Veneer	27 ¾	4	28	—	—	31	3.5	\$ 1367
									CV\$ 1572


Description

- Metal Flat-Cap Accents Panel Base
- Select From 5 Powdercoat Finishes
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers


	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

ETCH™ 9700 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECTANGULAR BOX BASE WITH DOOR	01-1220RBDV Veneer	20	12	28	—	—	50	5.4	W\$ 541
									CV\$ 622
									C\$ 527



Accent


Primary

Description

- Rectangular Base with Lift-Off Removable Panel
- Available in Veneer, or a Combination of Veneer and Laminate
- Combination Orders Must Specify an Accent and a Primary Finish
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

ARCH STRETCHER RAILS	01-192ARCHV	—	—	12-8	—	—	—	—	W\$ 1591
									CV\$ 1830
	01-168ARCHV	—	—	12-8	—	—	—	—	W\$ 992
									CV\$ 1141
	01-144ARCHV	—	—	12-8	—	—	—	—	W\$ 907
									CV\$ 1042
	01-120ARCHV	—	—	12-8	—	—	—	—	W\$ 837
									CV\$ 963
	01-96ARCHV	—	—	12-8	—	—	—	—	W\$ 567
									CV\$ 652
	01-72ARCHV	—	—	12-8	—	—	—	—	W\$ 509
									CV\$ 585


Description

- Arch Stretcher Rails Work with Rectangular Bases
- Arch Stretcher Rails Must Be Field Installed in Place of the Standard Stretcher Rails Shipped with Rectangular Bases
- Rails for Tables 120" to 168" will Ship as Two Sets of Two
- Rails for Tables 192" will Ship as Four Sets of Two


For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

ETCH™ 9700 CONFERENCE SERIES

Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRAINING TABLE POWER & DATA VAULT	01-TVAULTA	4 ½	13 ¾	4 ⅙	—	—	10	0.3	\$ 1001




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 2 Data Ports and 3 Power Outlets
- 6' Power Cord

HOTEL DESK POWER & DATA VAULT	01-HVAULTA	4 ½	11 ¾	4 ⅙	—	—	10	0.3	\$ 963
----------------------------------	------------	-----	------	-----	---	---	----	-----	--------




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 1 Data Ports and 2 Power Outlets
- 6' Power Cord

CONFERENCE TABLE POWER & DATA VAULT	01-CVAULTA	4 ½	15 ¾	4 ⅙	—	—	10	0.4	\$ 1053
--	------------	-----	------	-----	---	---	----	-----	---------



Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 3 Data Ports, 3 Power Outlets, and 1 VGA Port
- 6' Power Cord

REVEAL POWER & DATA	01-ASSEMBLERA Aluminum	6 ⅝	13 ¾	3	—	—	5	0.3	\$ 595
	01-ASSEMBLERB Black	6 ⅝	13 ¾	3	—	—	5	0.3	\$ 595



Description

- Mounts Under Worksurface on Sturdy Ball Bearing Track
- 1 Open Port, 1 USB, and 2 Power Outlets
- Includes Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- Does Not Require Cut Out in Worksurface
- UL Listed

For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

ETCH™ 9700 CONFERENCE SERIES

Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
OASIS MINI POWER & DATA	01-OASISMA Aluminum	15	9	4 15/16	—	—	7	7	\$ 1961
	01-OASISMB Black	15	9	4 15/16	—	—	7	.7	\$ 1961


Description


- 2 Data/1 Voice Telecom Plates Included
- Opening for 1 Additional Plate Sold Separately
- 4 Power Outlets
- Soft Touch Hinged Lid
- 9' Power Cord
- UL Listed
- Optional Telecom Plates, See Page 63

INTERACT POWER & DATA	01-INTERACTA Aluminum	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
	01-INTERACTB Black	9	5 3/8	2 3/4	—	—	5	.2	\$ 402


Description


- 1 Data/ 1 Voice Telecom Plate Included
- 2 Power Outlets
- Convenience Plug on Bottom
- 6' Power Cord
- UL Listed and CSA Certified
- Optional Telecom Plates, See Page 63

DATA PORT 4	01-DPORT4A Aluminum	8	4	—	—	—	7	.2	\$ 671
	01-DPORT4B Black	8	4	—	—	—	7	.2	\$ 671


Description

- Retracts into Work Surface to Regain Productive Space
- One-Touch Access to Power and Data
- Two Power Outlets and Two Open Ports for Data
- Water-Proof Simplex (Outlets)
- Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- 6' Power Cord

POWER 440	01-DATA440A Aluminum	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
	01-DATA440B Black	5 5/16	4 3/8	—	—	—	5	.2	\$ 593


Description

- 2 Power Outlets
- Soft Touch Hinged Lid
- 6' Power Cord


For ordering options, see back of Etch identification card at the beginning of section.

For data options, see pages 54-58.

ETCH™ 9700 CONFERENCE SERIES


Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
GROMMET	1-GRMTB Black	—	—	—	—	—	1	.1	\$ 47
	1-GRMTSL Silver	—	—	—	—	—	1	.1	\$ 47


Description

- 60mm Round Grommet with Cover
- Factory installed

SPHERICAL POWER CENTER	1-PDCSS Silver	3 3/8	3 3/8	3	—	—	2	.1	\$ 379
	1-PDCSB Black	3 3/8	3 3/8	3	—	—	2	.1	\$ 379


Description


- Two 15 Amp Simplexes
- Two Voice/Data Ports
- Six Foot Cord
- UL Listed & CSA Certified

NOTE: To order voice/data modules for your specific requirements, contact the local computer or telecommunications installation service in your area.

For data port locations, see pages 7-19.

ETCH™ 9700 CONFERENCE SERIES Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
WORKSURFACE POWER CENTER	1-INTP	5 ¼	7	1 ¾	—	—	2	.2	\$ 477


Description

- Two 15 Amp Duplex Outlets
- Two Voice/Data Ports
- Six Foot Cord
- Silver
- UL Listed

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

WORKSURFACE POWER CENTER	1-INTRFC1A Aluminum	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269
	1-INTRFC1B Black	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269


Description

- Four Power Receptacles in Two 15 Amp Duplexes
- One 15 Amp Circuit Breaker
- One Voice Port
- Three Data Ports
- Six Foot Cord
- UL Listed/CSA Certified
- Optional Telecom Plates, See Page 63

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

For data port locations, see pages 7-19.

ETCH™ 9700 CONFERENCE SERIES


Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
USB PORT	1-USBPORT	-	-	-	-	-	-	-	\$ 99


Description

- Increases Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability
- Idle Device Power Saving State
- 6' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER

VOICE COUPLER	1-VOICE1	-	-	-	-	-	-	-	\$ 45
---------------	----------	---	---	---	---	---	---	---	-------


Description

- 6-Pin Modular Plug
- Molded Black
- Cord Not Included
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER


DATA PORT	1-RJ4DATA	-	-	-	-	-	-	-	\$ 102
-----------	-----------	---	---	---	---	---	---	---	--------


Description

- 8-Pin Modular Plug
- Cat 5 Ethernet Cable
- Pre-terminated Cable
- 9' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER


For data port locations, see pages 7-19.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BUFFET	97-2436BF	36	24	36	—	—	189	21.7	P\$ 2821 W\$ 2869 CV\$ 3300


Description

- Top Shaped Front Side Only
- One Drawer
- Storage Behind Two Veneer Doors
- One Adjustable Shelf
- Finished Back

BUFFET	97-2472BF	72	24	36	—	—	342	45.6	P\$ 5519 W\$ 5602 CV\$ 6442
--------	-----------	----	----	----	---	---	-----	------	-----------------------------------


Description


- Top Shaped Front Side Only
- Two Drawers
- Storage Behind Four Veneer Doors
- Two Adjustable Shelves
- Finished Back

BUFFET	97-2472BFD	72	24	36	—	—	337	45.6	P\$ 6134 W\$ 6218 CV\$ 7150
--------	------------	----	----	----	---	---	-----	------	-----------------------------------


Description

- Top Shaped Front Side Only
- Open Storage with Adjustable Shelf
- Two Drawers
- Left and Right Storage Behind Veneer Doors with Adjustable Shelves
- Center Storage Behind Veneer Doors with Touch Latch
- Finished Back

BUFFET	97-2472SBF	72	24	36	—	—	362	45.6	P\$ 6134 W\$ 6218 CV\$ 7150
--------	------------	----	----	----	---	---	-----	------	-----------------------------------



Description

- Top Shaped Front Side Only
- Three Drawers
- Storage Behind Four Veneer Doors
- Three Adjustable Shelves
- Center Section is Stepped Back
- Finished Back

For ordering options, see back of Etch identification card at the beginning of section.


ETCH™ 9700 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
CONFERENCE CREDENZA	97-2436CC	36	24	30	—	—	150	17.6	P\$	2208
									W\$	2254
									CV\$	2593


Description

- Top Shaped on Front Side Only
- Two Veneer Doors
- Adjustable Shelf Behind Doors
- Finished Back

CONFERENCE CREDENZA	97-2472CC	72	24	30	—	—	290	34.2	P\$	4358
									W\$	4440
									CV\$	5106


Description

- Top Shaped Front on Side Only
- Four Veneer Doors
- Two Adjustable Shelves
- Finished Back

SERVING CART	97-2436SV	36	24	36	—	—	149	24.0	P\$	3200
									W\$	3245
									CV\$	3731


Description


- Top Shaped on Front Side Only
- Two Box Drawers
- Open Storage
- Storage Behind Two Doors
- Locking Casters
- Veneer on Drawer and Door Fronts

Options: Specify & Add

1-GRMT	Optional Grommet in Back Panel	\$	47
--------	--------------------------------	----	----

For ordering options, see back of Etch identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
VISOR RAIL	97-2472VR	72	24	5 3/16	—	—	100	8.9	\$ 889 CV\$ 1023



Description

- Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets and Credenzas/Bufkets

Options: Specify & Add

1-PS	Optional Projection Screen Requires Field Installation	\$ 648
TL-0848	Optional Task Light Requires Field Installation	\$ 280

VISUAL BOARD	97-4848VB	48	5	48	—	—	150	11.0	\$ 3013 CV\$ 3465
--------------	-----------	----	---	----	---	---	-----	------	----------------------


Description

- Tackboard on Each Door Standard in Black Fabric Unless Specified
- Price Valid for Grades 1, 2, & 3
- Display Rail with Adjustable Hooks for Flipchart
- Flipchart
- Magnetic Porcelain Non-Glare Writing Surface
- Set of Four Dry Erase Markers and Eraser
- Mounts to Wall with Mounting Bracket Included


Options: Specify & Add	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
Tackboard	\$ 176	256	344	460	584	732	900
1-PS	Optional Factory Installed Projection Screen						\$ 648



NOTE: A capsule pull will be substituted for Elite, Buckle, or Groove pulls.

NOTE: Indiana Furniture will not be liable for visual boards that are not properly installed.

LECTERN STAND	97-2650LS	26	24	50	—	—	130	21.9	\$ 2630 CV\$ 3024
---------------	-----------	----	----	----	---	---	-----	------	----------------------



Description

- Top Shaped on Approach Side Only
- Fixed Reading Shelf
- Adjustable Pullout Shelf
- Two Adjustable Storage Shelves in Lower Compartment
- Locking Casters

For ordering options, see back of Etch identification card at the beginning of section.


ETCH™ 9700 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
WOOD DOOR STORAGE CABINET DOUBLE DOORS	97-3672SUD	36	24	70 ¹³ / ₁₆	—	—	285	42.0	\$ 4635 CV\$ 5331


Description

- Top Section has Two Adjustable Wood Shelves
- Bottom Section has One Adjustable Wood Shelf
- Finished Back

WARDROBE/STORAGE CABINET	Hinged Left	Hinged Right	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
	97-1872WL	97-1872WR	18	24	70 ¹³ / ₁₆	—	—	155	22.0	\$ 3348 CV\$ 3849


Description

- Fixed Top Shelf
- Coat Rod Under Fixed Shelf
- Three Adjustable Wood Shelves
- Adjustable Shelves can be Removed for Wardrobe Application
- Figured Veneer on Door

For ordering options, see back of Etch identification card at the beginning of section.

Compatible with 01-OASISMA, 01-OASISMB, 01-INTERACTA, 01-INTERACTB, 01-INTRFCIA, and 01-INTRFCIB.

Model No.	Description	List Price
01-ABL	Telecom Plate, Blank Plate	\$ 25
01-ABL737373	Telecom Plate, (3) RJ45 Cat 5e	\$ 226
01-ABLAB	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 125
01-ABLAB102	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3, (1) USB W/72" Patch Cord	\$ 197
01-ABLABB	Telecom Plate, (2) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 197
01-ABLB	Telecom Plate, (1) RJ45 Cat 6	\$ 92
01-ABLB	Telecom Plate, (2) RJ45 Cat 6	\$ 159
01-ABLB	Telecom Plate, (3) RJ45 Cat 6	\$ 226
01-ABLB	Telecom Plate, (4) RJ45 Cat 6	\$ 293
01-ABLBBC51	Telecom Plate, (2) RJ45 Cat 6, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 274
01-ABLBC51L	Telecom Plate, (1) RJ45 Cat 6, (1) Mini Stereo Inline, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 251
01-ABLC3811	Telecom Plate, (1) RJ45 Cat 6 Data Inline, (1) RJ11 Cat 3 Phone Inline	\$ 121
01-ABLC45	Telecom Plate, (1) HDMI w/36" Patch Cord	\$ 182
01-ABLC45C51L	Telecom Plate, (1) Mini Stereo Inline, (1) HDMI w/36" Patch Cord, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 342
01-ABLC51L	Telecom Plate, (1) 15 Pin HD VGA & (1) Mini Stereo Inline Jack	\$ 184
01-ABLCRDM	Telecom Plate, (3) Cord Bushings	\$ 59



NicheTM

Conference Collection

How to Order

	QTY	MODEL NO.	DESCRIPTION	
TOPS	1	94-3672RT	Top	YC
			Edge	X
BASES	2	01-2424XB	Base	YC
DATA	1	1-INTP	Location	OC



Specifications

LAMINATES

Exposed surfaces are produced from wood grained, patterned, and solid color laminates fused to a particle-board core. Each laminate offers lasting beauty, superior resistance to normal wear, and easy maintenance.

TOPS

HPL tops are 3-ply construction, 1 $\frac{3}{16}$ " thick with PVC rims. Tops are shaped on all four sides for complete design appeal. Tops are available in fifteen wood-look laminates, two solid laminates, and four different edge details.

CHASSIS CONSTRUCTION

Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength. All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors.

DRAWERS

All drawer fronts are 3-ply construction, $\frac{3}{4}$ " thick with matched grain. Drawer sides, back, and front are wood grain vinyl wrapped, $\frac{1}{2}$ " thick. Box and file drawers have $\frac{1}{8}$ " thick hardboard bottoms. 5-sided drawer construction allows for easy removal of drawer fronts.

DRAWER SUSPENSION

File drawers and box drawers feature high quality, black progressive full extension slides with precision steel ball bearings to ensure a smooth, quiet operation. All suspensions have a lifetime warranty.

FILING HARDWARE

All file drawers are standard with custom fitted filing systems designed to accommodate a variety of filing requirements. Storage cabinet file drawers provide legal filing front to back, and legal or letter filing side to side.

LOCKING


All units with file drawers feature locking. Removable lock cylinders allow for units to be re-keyed at a later date if required. Units are shipped randomly keyed as standard. Lock cores match pull color.



Conferencing Solutions


Laminate Options

CONFERENCE TOPS AND BASES



** Not Available on Cylinder Bases*


METAL FRAME OPTIONS



Edge Options



Pull Options



COORDINATING PRODUCTS


Niche Conference offers options to coordinate with Resilience and Canvas Casegoods.

INTERIOR DRAWER DIMENSIONS

NICHE 9400 INTERIOR DRAWER DIMENSIONS


Item	Drawers	W	L	D
94-2472BFD 94-2436SV	Box	14 ¹⁷ / ₃₂	19 ¹ / ₄	3 ²¹ / ₃₂
94-2436BF 94-2472BF	Box	32 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
94-2472SBF	Box Box	14 ¹⁷ / ₃₂ 32 ⁹ / ₁₆	19 ¹ / ₄ 19 ¹ / ₄	3 ²¹ / ₃₂ 3 ²¹ / ₃₂

NICHE™ 9400 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECTANGULAR CONFERENCE TOPS 	94-48192RT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	\$ 3163
	94-48168RT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	\$ 2737
	94-48144RT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	\$ 2223
	94-48120RT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	\$ 2006
	94-4296RT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	\$ 1523
	94-3672RT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	\$ 1026

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

ARC RECTANGULAR CONFERENCE TOPS 	94-48192AR 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	\$ 3670
	94-48168AR 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	\$ 3171
	94-48144AR 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	\$ 2678
	94-48120AR 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	\$ 2501
	94-4296AR 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	\$ 1620
	94-3672AR 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	\$ 1429

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

For ordering options including laminate availability, see back of Niche identification card at the beginning of section.

For complete base descriptions, see pages 70-75.


For data options, see pages 76-80.

For data location options, see pages 7-19.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RACETRACK CONFERENCE TOPS 	94-48192AT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	\$ 3670
	94-48168AT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	\$ 3171
	94-48144AT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	\$ 2678
	94-48120AT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	\$ 2501
	94-4296AT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	\$ 1620
	94-3672AT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	\$ 1429

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

BOAT - SHAPED CONFERENCE TOPS 	94-48192BT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	\$ 3670
	94-48168BT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	\$ 3171
	94-48144BT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	\$ 2678
	94-48120BT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	\$ 2501
	94-4296BT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	\$ 1620
	94-3672BT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	\$ 1429

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required




For ordering options including laminate availability, see back of Niche identification card at the beginning of section.

For complete base descriptions, see pages 70-75.

For data options, see pages 76-80.

For data location options, see pages 7-19.


NICHE™ 9400 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
RECTANGULAR BASE 	01-2428RB For Tables 48" Wide	24	2	28½	—	—	34	2.7	\$ 531	
	01-2028RB For Tables 42" Wide or Less	20	2	28½	—	—	28	2.3	\$ 461	
	Description - Panel Base - Stretchers are included									
					72"	96"	120"	144"	168"	192"
Number of Bases Required			2	2	3	3	3	3	5	
CYLINDER BASE 	01-2020CB For Tables 42" Wide or Greater	20	20	28½	—	—	136	10.9	\$ 949	
	01-1616CB For Tables 36" Wide or Less	16	16	28½	—	—	101	7.2	\$ 867	
	Description - Veneer Cylinder Base - Weighted for Stability 2 Wire Management Grommets Standard at Top with 8" Opening Standard in Bottom - Not Available in TK or WH Finish									
	Options: Specify & Add									
GCBIS		Optional Grommet Top Edge (1)							\$	N/C
NOGC		Optional No Grommets At Top Edges							\$	N/C
				72"	96"	120"	144"	168"	192"	
Number of Bases Required			2	2	3	3	3	3	3	
CYLINDER BASE WITH DOOR 	01-2020CBD For Tables 42" Wide or Greater	20	20	28½	—	—	136	10.9	\$ 1290	
	01-1616CBD For Tables 36" Wide	16	16	28½	—	—	101	7.2	\$ 1151	
	Description - Veneer Cylinder Base - Weighted for Stability - Access Door 2 Wire Management Grommets Standard at Top with 8" Opening Standard in Bottom - Not Available in TK or WH Finish									
	Options: Specify & Add									
GCBIS		Optional Grommet Top Edge (1)							\$	N/C
NOGC		Optional No Grommets At Top Edges							\$	N/C
				72"	96"	120"	144"	168"	192"	
Number of Bases Required			2	2	3	3	3	3	3	

For ordering options, see back of Niche identification card at the beginning of section.

For data options, see pages 76-80.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
HALF - CYLINDER BASE	01-2010HB	20	10	28½	—	—	83	5.8	\$ 1255


Description

- Veneer Half Cylinder Base
- Weighted for Stability
- Not Available in TK or WH Finish

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	Std
NOGC	Optional No Grommets At Top Edges	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	2+CB	2+CB	2+CB	2+CB

NOTE: Tables 120" and Larger Require a Cylinder Base in the Center, See Page 70

HALF CYLINDER BASE WITH DOOR	01-2010HBD	20	10	28½	—	—	83	5.5	\$ 1507
------------------------------	------------	----	----	-----	---	---	----	-----	---------


Description

- Veneer Half Cylinder Base
- Weighted for Stability
- Access Door
- Grommet Standard in Bottom
- Not Available in TK or WH Finish

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
-------	-------------------------------	----	-----




	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	2+CB	2+CB	2+CB	2+CB

NOTE: Tables 120" and Larger Require a Cylinder Base in the Center, See Page 70

For ordering options, see back of Niche identification card at the beginning of section.

For data options, see pages 76-80.


NICHE™ 9400 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
"X" BASE 	01-3030XB For 48" Wide Tables	30	30	28 ½	—	—	88	2.6	\$ 612
	01-2424XB For Tables 42" Wide or Less	24	24	28 ½	—	—	70	2.4	\$ 595
	Description • X Base • Shipped KD - Some Assembly Required								
				72"	96"	120"	144"	168"	192"
Number of Bases Required				2	2	3	3	3	3
"X" BASE DOOR 	01-1628WM	16	¾	28 ½	—	—	25	1.6	\$ 342
	Description • Wire Management door • For Use with X Base • Hinges to Conference Top								
METAL BASE 	01-0400MBB Black	32	32	27 ¾	—	—	32	3.2	\$ 614
	01-0400MBA Aluminum	32	32	27 ¾	—	—	32	3.2	\$ 614
	Description • Shipped KD - Some Assembly Required								
				72"	96"	120"	144"	168"	192"
Number of Bases Required				2	2	3	3	3	3
METAL BASE 	01-0404MBB Black	36	36	27 ¾	—	—	35	3.0	\$ 914
	01-0404MBA Aluminum	36	36	27 ¾	—	—	35	3.0	\$ 914
	Description • Shipped KD - Some Assembly Required								
				72"	96"	120"	144"	168"	192"
Number of Bases Required				2	2	3	3	3	3
SINGLE METAL POST BASE 	01-0004LG	4	4	28 ¾	—	—	10	0.8	\$ 242
	Description • Metal Post Base • Must Specify Black or Aluminum								
				72"	96"	120"	144"	168"	192"
Number of Bases Required				4	4	6	6	6	8

For ordering options, see back of Niche identification card at the beginning of section.

For data options, see pages 76-80.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SQUARE METAL BASE	01-2020MSB	20	20	28 ½	—	—	70	8.4	\$ 2201


Description

- Metal Frame Base With Laminate Inserts
- Select From 5 Powdercoat Finishes
- Touch Latch Hinged Door
- Optional Wire Management Grommets at the Top with Fully Open Bottom
- Adjustable Levelers

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3


METAL CAFÉ BASE	01-3128MAB	30 ½	30 ½	28 ¾	—	—	13	17.8	\$ 1171
-----------------	------------	------	------	------	---	---	----	------	---------


Description

- Metal Column with Four Legs
- Select From 5 Powdercoat Finishes
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	NA	NA	NA	NA

BOW TIE BASE	01-1222TS	22	12	28 ½	—	—	30	5.8	\$ 2191
--------------	-----------	----	----	------	---	---	----	-----	---------



Shown With Door

01-1222TSD With Door	22	12	28 ½	—	—	30	5.8	\$ 2543
-------------------------	----	----	------	---	---	----	-----	---------

Description

- 4" Wire Management Opening in the Bottom
- Models with Doors Have a 18" H x 6" W Opening
- Adjustable Levelers
- Not Available in TK or WH Finish

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C


	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

For ordering options, see back of Niche identification card at the beginning of section.

For data options, see pages 76-80.

NICHE™ 9400 CONFERENCE SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
CANOE BASE	01-1222CS	22	12	28 ½	—	—	27	5.8	\$ 2191
	01-1222CSD	22	12	28 ½	—	—	27	5.8	\$ 2543



Shown With Door

Description


- 6" Wire Management Opening in the Bottom
- Models with Doors Have a 18" H x 6" W Opening
- Adjustable Levelers
- Not Available in TK or WH Finish

Options: Specify & Add

GCB1S	Optional Grommet Top Edge (1)	\$	N/C
GCB2S	Optional Grommets Top Edges (2)	\$	N/C

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3


V-CAPPED PANEL BASE	01-0430VPB	30 ½	4	28	—	—	28	3.5	\$ 1283
---------------------	------------	------	---	----	---	---	----	-----	---------


Description

- Metal V-Cap Accents Panel Base
- Select From 5 Powdercoat Finishes
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

FLAT-CAPPED PANEL BASE	01-0427FPB	27 ¾	4	28	—	—	31	3.5	\$ 1317
------------------------	------------	------	---	----	---	---	----	-----	---------


Description


- Metal Flat-Cap Accents Panel Base
- Select From 5 Powdercoat Finishes
- 3" Wire Access Across the Top
- Fully Open for Wire Management at the Bottom
- Adjustable Levelers

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

For ordering options, see back of Niche identification card at the beginning of section.

For data options, see pages 76-80.


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECTANGULAR BOX BASE WITH DOOR	01-1220RBD	20	12	28	—	—	50	5.4	\$ 405


Description

- Rectangular Base with Lift-Off Removable Panel
- Available in Single Color or 2 color
- Combination Orders Must Specify an Accent and a Primary Finish
- 2" Wire Management Access Across Both Sides
- Fully Open for Wire Management at the Bottom

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

ARCH STRETCHER RAILS	01-192ARCH	—	—	12-8	—	—	—	—	\$ 978
	01-168ARCH	—	—	12-8	—	—	—	—	\$ 591
	01-144ARCH	—	—	12-8	—	—	—	—	\$ 550
	01-120ARCH	—	—	12-8	—	—	—	—	\$ 498
	01-96ARCH	—	—	12-8	—	—	—	—	\$ 372
	01-72ARCH	—	—	12-8	—	—	—	—	\$ 340


Description

- Arch Stretcher Rails Work with Rectangular Bases
- Arch Stretcher Rails Must Be Field Installed in Place of the Standard Stretcher Rails Shipped with Rectangular Bases
- Rails for Tables 120" to 168" will Ship as Two Sets
- Rails for Tables 192" will Ship as Four Sets


For ordering options, see back of Niche identification card at the beginning of section.

For data options, see pages 76-80.

NICHE™ 9400 CONFERENCE SERIES

Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRAINING TABLE POWER & DATA VAULT	01-TVAULTA	4 ½	13 ¾	4 ⅙	—	—	10	0.3	\$ 1001




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 2 Data Ports and 3 Power Outlets
- 6' Power Cord

HOTEL DESK POWER & DATA VAULT	01-HVAULTA	4 ½	11 ¾	4 ⅙	—	—	10	0.3	\$ 963
----------------------------------	------------	-----	------	-----	---	---	----	-----	--------




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 1 Data Ports and 2 Power Outlets
- 6' Power Cord

CONFERENCE TABLE POWER & DATA VAULT	01-CVAULTA	4 ½	15 ⅞	4 ⅙	—	—	10	0.4	\$ 1053
--	------------	-----	------	-----	---	---	----	-----	---------



Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 3 Data Ports, 3 Power Outlets, and 1 VGA Port
- 6' Power Cord

REVEAL POWER & DATA	01-ASSEMBLERA Aluminum	6 ⅝	13 ⅜	3	—	—	5	0.3	\$ 595
	01-ASSEMBLERB Black	6 ⅝	13 ⅜	3	—	—	5	0.3	\$ 595






Description

- Mounts Under Worksurface on Sturdy Ball Bearing Track
- 1 Open Port, 1 USB, and 2 Power Outlets
- Includes Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- Does Not Require Cut Out in Worksurface
- UL Listed

For data port locations, see pages 7-19.

NICHE™ 9400 CONFERENCE SERIES Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
OASIS MINI POWER & DATA 	01-OASISMA Aluminum	15	9	4 15/16	—	—	7	.7	\$ 1961
	01-OASISMB Black	15	9	4 15/16	—	—	7	.7	\$ 1961
Description • 2 Data/1 Voice Telecom Plates Included • Opening for 1 Additional Plate Sold Separately • 4 Power Outlets • Soft Touch Hinged Lid • 9' Power Cord • UL Listed • Optional Telecom Plates, See Page 85									
INTERACT POWER & DATA 	01-INTERACTA Aluminum	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
	01-INTERACTB Black	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
Description • 1 Data/1 Voice Telecom Plate Included • 2 Power Outlets • Convenience Plug on Bottom • 6' Power Cord • UL Listed and CSA Certified • Optional Telecom Plates, See Page 85									
DATA PORT 4 	01-DPORT4A Aluminum	8	4	—	—	—	7	.2	\$ 671
	01-DPORT4B Black	8	4	—	—	—	7	.2	\$ 671
Description • Retracts into Work Surface to Regain Productive Space • One-Touch Access to Power and Data • Two Power Outlets and Two Open Ports for Data • Water-Proof Simplex (Outlets) • Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required • 6' Power Cord									
POWER 440 	01-DATA440A Aluminum	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
	01-DATA440B Black	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
Description • 2 Power Outlets • Soft Touch Hinged Lid • 6' Power Cord									

For data port locations, see pages 7-19.

NICHE™ 9400 CONFERENCE SERIES


Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
GROMMET	1-GRMTB Black	—	—	—	—	—	1	.1	\$ 47
	1-GRMTSL Silver	—	—	—	—	—	1	.1	\$ 47


Description

- 60mm Round Grommet with Cover
- Factory installed

SPHERICAL POWER CENTER	1-PDCSS Silver	3 3/8	3 3/8	3	—	—	2	.1	\$ 379
	1-PDCSB Black	3 3/8	3 3/8	3	—	—	2	.1	\$ 379


Description


- Two 15 Amp Simplexes
- Two Voice/Data Ports
- Six Foot Cord
- UL Listed & CSA Certified

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

For data port locations, see pages 7-19.

NICHE™ 9400 CONFERENCE SERIES
Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
WORKSURFACE POWER CENTER	1-INTP	5 ¼	7	1 ¾	—	—	2	.2	\$ 477


Description

- Two 15 Amp Duplex Outlets
- Two Voice/Data Ports
- Six Foot Cord
- Silver
- UL Listed

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

WORKSURFACE POWER CENTER	1-INTRFC1A Aluminum	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269
	1-INTRFC1B Black	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269


Description

- Four Power Receptacles in Two 15 Amp Duplexes
- One 15 Amp Circuit Breaker
- One Voice Port
- Three Data Ports
- Six Foot Cord
- UL Listed/CSA Certified
- Optional Telecom Plates, See Page 85

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

For data port locations, see pages 7-19.

NICHE™ 9400 CONFERENCE SERIES

Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
USB PORT	1-USBPORT	-	-	-	-	-	-	-	\$ 99



Description

- Increases Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability
- Idle Device Power Saving State
- 6' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER

VOICE COUPLER	1-VOICE1	-	-	-	-	-	-	-	\$ 45
---------------	----------	---	---	---	---	---	---	---	-------



Description

- 6-Pin Modular Plug
- Molded Black
- Cord Not Included
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER

DATA PORT	1-RJ4DATA	-	-	-	-	-	-	-	\$ 102
-----------	-----------	---	---	---	---	---	---	---	--------




Description

- 8-Pin Modular Plug
- Cat 5 Ethernet Cable
- Pre-terminated Cable
- 9' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER


For data port locations, see pages 7-19.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BUFFET	94-2436BF	36	24	36	—	—	189	21.7	\$ 1855


Description

- Top Shaped Front Side Only
- One Drawer
- Storage Behind Two Doors
- One Adjustable Shelf
- Finished Back

BUFFET	94-2472BF	72	24	36	—	—	342	45.6	\$ 3611
--------	-----------	----	----	----	---	---	-----	------	---------


Description


- Top Shaped Front Side Only
- Two Drawers
- Storage Behind Four Doors
- Two Adjustable Shelves
- Finished Back

BUFFET	94-2472BFD	72	24	36	—	—	337	45.6	\$ 4060
--------	------------	----	----	----	---	---	-----	------	---------


Description

- Top Shaped Front Side Only
- Open Storage with Adjustable Shelf
- Two Drawers
- Left and Right Storage Behind Doors with Adjustable Shelves
- Center Storage Behind Doors with Touch Latch
- Finished Back


BUFFET	94-2472SBF	72	24	36	—	—	362	45.6	\$ 4208
--------	------------	----	----	----	---	---	-----	------	---------


Description

- Top Shaped Front Side Only
- Three Drawers
- Storage Behind Four Doors
- Three Adjustable Shelves
- Center Section is Stepped Back
- Finished Back


For ordering options, see back of Niche identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
CONFERENCE CREDENZA	94-2436CC	36	24	30	—	—	150	17.6	\$ 1425


Description

- Top Shaped on Front Side Only
- Two Doors
- Adjustable Shelf Behind Doors
- Finished Back

CONFERENCE CREDENZA	94-2472CC	72	24	30	—	—	290	34.2	\$ 2823
---------------------	-----------	----	----	----	---	---	-----	------	---------


Description

- Top Shaped Front on Side Only
- Four Doors
- Two Adjustable Shelves
- Finished Back

SERVING CART	94-2436SV	36	24	36	—	—	149	24.0	\$ 2238
--------------	-----------	----	----	----	---	---	-----	------	---------


Description


- Top Shaped on Front Side Only
- Two Box Drawers
- Open Storage
- Storage Behind Two Doors
- Locking Casters

Options: Specify & Add

1-GRMT	Optional Grommet in Back Panel	\$ 47
--------	--------------------------------	-------

For ordering options, see back of Niche identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
VISOR RAIL	94-2472VR	72	24	5 3/16	—	—	100	8.9	\$ 754



Description

- Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets and Credenzas/Bufkets

Options: Specify & Add

1-PS	Optional Projection Screen <i>Requires Field Installation</i>	\$ 648
TL-0848	Optional Task Light <i>Requires Field Installation</i>	\$ 280

VISUAL BOARD	94-4848VB	48	5	48	—	—	150	11.0	\$ 1823
--------------	-----------	----	---	----	---	---	-----	------	---------


Description

- Tackboard on Each Door Standard in Black Fabric Unless Specified
- Price Valid for Grades 1, 2, & 3
- Display Rail with Adjustable Hooks for Flipchart
- Flipchart
- Magnetic Porcelain Non-Glare Writing Surface
- Set of Four Dry Erase Markers and Eraser
- Mounts to Wall with Mounting Bracket Included

Options: Specify & Add	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
Tackboard	\$ 176	256	344	460	584	732	900
1-PS	Optional Factory Installed Projection Screen						\$ 648

NOTE: Indiana Furniture will not be liable for visual boards that are not properly installed.


LECTERN STAND	94-2650LS	26	24	50	—	—	130	21.91	\$ 1626
---------------	-----------	----	----	----	---	---	-----	-------	---------


Description

- Top Shaped on Approach Side Only
- Fixed Reading Shelf
- Adjustable Pullout Shelf
- Two Adjustable Storage Shelves in Lower Compartment
- Locking Casters

For ordering options, see back of Niche identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DOOR STORAGE CABINET DOUBLE DOORS	94-3672SUD	36	24	70 ¹³ / ₁₆	—	—	285	42.0	\$ 2808



Description

- Top Section has Two Adjustable Shelves
- Bottom Section has One Adjustable Shelf
- Finished Back



NOTE: A capsule pull will be substituted on upper doors for Elite, Buckle, or Groove pulls.

WARDROBE/STORAGE CABINET	Hinged Left	Hinged Right	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
	94-1872WL	92-1872WR	18	24	70 ¹³ / ₁₆	—	—	155	22.0	\$ 1581


Description

- Fixed Top Shelf
- Coat Rod Under Fixed Shelf
- Three Adjustable Shelves
- Adjustable Shelves can be Removed for Wardrobe Application
- Figured on Door



NOTE: A capsule pull will be substituted for Elite, Buckle, or Groove pulls.

For ordering options, see back of Niche identification card at the beginning of section.

Compatible with 01-OASISMA, 01-OASISMB, 01-INTERACTA, 01-INTERACTB, 01-INTRFCIA, and 01-INTRFCIB.

Model No.	Description	List Price
01-ABL	Telecom Plate, Blank Plate	\$ 25
01-ABL737373	Telecom Plate, (3) RJ45 Cat 5e	\$ 226
01-ABLAB	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 125
01-ABLAB102	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3, (1) USB W/72" Patch Cord	\$ 197
01-ABLABB	Telecom Plate, (2) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 197
01-ABLB	Telecom Plate, (1) RJ45 Cat 6	\$ 92
01-ABLB	Telecom Plate, (2) RJ45 Cat 6	\$ 159
01-ABLB	Telecom Plate, (3) RJ45 Cat 6	\$ 226
01-ABLB	Telecom Plate, (4) RJ45 Cat 6	\$ 293
01-ABLBBC51	Telecom Plate, (2) RJ45 Cat 6, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 274
01-ABLBBC51L	Telecom Plate, (1) RJ45 Cat 6, (1) Mini Stereo Inline, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 251
01-ABLC3811	Telecom Plate, (1) RJ45 Cat 6 Data Inline, (1) RJ11 Cat 3 Phone Inline	\$ 121
01-ABLC45	Telecom Plate, (1) HDMI w/36" Patch Cord	\$ 182
01-ABLC45C51L	Telecom Plate, (1) Mini Stereo Inline, (1) HDMI w/36" Patch Cord, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 342
01-ABLC51L	Telecom Plate, (1) 15 Pin HD VGA & (1) Mini Stereo Inline Jack	\$ 184
01-ABLCRDM	Telecom Plate, (3) Cord Bushings	\$ 59



One10™ Veneer

Conference Collection

How to Order

	QTY	MODEL NO.	DESCRIPTION	
TOP	1	95-48144RTV5	Primary Finish	TC
			Accent	PL
BASE	2	95-2428BB	Primary Finish	TC
			Accent	PL
	1	95-2428MSL	Primary Finish	TC
			Accent	PL
DATA	6	01-DUOW		
	1	01-KWIKBOOST		



Specifications

veneer and laminate

All One10 Conference veneers are composite veneers for maximum grain and color consistency. Accent laminates are straight-grain, textured high-pressure laminate.

tops

Conference and meeting table tops are 1-½" thick, 3-ply balanced construction with 1.5 mm wood edge-banded rims. Credenza tops are ¾" thick, 3-ply balance construction with .5 mm wood edge-banded rims. Veneer accent tops are ¾" thick, 3-ply construction with .5 mm edge-bands while laminate accent tops are ¾" thick, 3-ply construction with 1 mm edge banded rims.

chassis construction

Chassis are securely fastened using high quality European fastening systems and heavy-duty 16-gauge joining brackets to assure maximum strength. Table bases and Parsons Tables are formed with mitered construction to provide a clean aesthetic. Units ship assembled unless otherwise noted. All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors.

drawers

All drawer fronts are ¾" thick 3-ply construction with horizontal grain. Drawer sides, back, and front are wood grain vinyl wrapped ½" thick with ⅛" thick hardboard bottoms. 5-sided drawer construction allows for easy removal of drawer fronts.

drawer suspension

Box drawers have full extension, progressive action slides with precision steel ball bearings. All suspensions have a lifetime warranty.

finish

One10 Conference features UV Advantage Ultra-Violet matte finish on all exposed veneer surfaces utilizing roll-coat technology unless otherwise noted.



Scalable Solutions

Veneer Options



Toasted Coconut
TC



Champagne Royale
CR



Sunglow Walnut
SW



Cherry Spice
CS



Java Wenge
JW



Chanel Driftwood
CD

Laminate Accents



Pearl White
PL



White Zebrine
WZ



Juniper Rain
JR




Richmond Cherry
CH






Takase Teak
TS



Midnight Echo
ME

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BLOCK CONFERENCE TABLE WITH INLAY 	95-60192RTV5	192	60	1½	—	—	435.6	25.3	V\$ 12221
	12 Accent Doors - 9 Piece Top								C\$ 11975
	95-60168RTV5	168	60	1½	—	—	407.4	24.9	V\$ 10865
	8 Accent Doors - 9 Piece Top								C\$ 10765
	95-60144RTV5	144	60	1½	—	—	379.2	24.4	V\$ 10316
	8 Accent Doors - 9 Piece Top								C\$ 10216
	95-60120RTV5	120	60	1½	—	—	339	24	V\$ 6934
	6 Accent Doors - 5 Piece Top								C\$ 6780
	95-60108RTV5	108	60	1½	—	—	310.8	23.6	V\$ 6693
	6 Accent Doors - 5 Piece Top								C\$ 6538
	95-6096RTV5	96	60	1½	—	—	282.6	26.2	V\$ 6198
	4 Accent Doors - 5 Piece Top								C\$ 6143
	95-48192RTV5	192	48	1½	—	—	345.6	23.9	V\$ 11075
	12 Accent Doors - 9 Piece Top								C\$ 11146
	95-48168RTV5	168	48	1½	—	—	328.7	23.7	V\$ 9503
	8 Accent Doors - 9 Piece Top								C\$ 9646
	95-48144RTV5	144	48	1½	—	—	311.7	23.4	V\$ 9172
	8 Accent Doors - 9 Piece Top								C\$ 9316
	95-48120RTV5	120	48	1½	—	—	282.8	23.2	V\$ 6147
	6 Accent Doors - 5 Piece Top								C\$ 6181
	95-48108RTV5	108	48	1½	—	—	260.2	22.8	V\$ 5968
	6 Accent Doors - 5 Piece Top								C\$ 6001
	95-4896RTV5	96	48	1½	—	—	237.6	25.5	V\$ 5254
	4 Accent Doors - 5 Piece Top								C\$ 5336

What You Get

Description

- 1½" Thick Rectangular Conference Top
- Primary Veneer Direction is Short Grain
- Center/Accent Top can be Specified in Contrasting Veneer or Textured Laminate
- Accent Top Grain Runs the Length of the Table
- Center/Accent Top Includes Aluminum Accent Doors for Wire Management
- Silver Grommet Included for Optional Polycom Installation
- Power and Data Units Sold Separately
- Assembly Required

What You Need – Bases

95-2428MSL	24	7½	28	—	—	72	2.8	V\$ 2252
Block Base Middle Leg - Required on Tables 144" or Larger								C\$ 2358
95-2428BB	24	6	28	—	—	52	2.4	V\$ 2025
Standard Block Base - 2 Required								C\$ 2092

Description


- All Tables Require One Set of Standard Block Bases
- Middle Leg Required on Tables 144" or Larger
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Veneer or Textured Laminate
- Adjustable Glides Included



Pricing Codes: V = Veneer / C = Veneer and Laminate

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.

For data location options, see page 105.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BLOCK CONFERENCE TABLE WITH CENTER CHANNEL 	95-60192RTV4 7 Piece Top	192	60	1½	—	—	436.1	27.9	V\$ 9025
	95-60168RTV4 7 Piece Top	168	60	1½	—	—	407.9	27.5	V\$ 8467
	95-60144RTV4 7 Piece Top	144	60	1½	—	—	379.7	27.0	V\$ 8047
	95-60120RTV4 5 Piece Top	120	60	1½	—	—	345.5	26.6	V\$ 5541
	95-60108RTV4 5 Piece Top	108	60	1½	—	—	317.3	26.2	V\$ 5301
	95-6096RTV4 5 Piece Top	96	60	1½	—	—	289.1	30.2	V\$ 5048
	95-48192RTV4 7 Piece Top	192	48	1½	—	—	346.1	26.6	V\$ 8077
	95-48168RTV4 7 Piece Top	168	48	1½	—	—	329.2	26.3	V\$ 7488
	95-48144RTV4 7 Piece Top	144	48	1½	—	—	312.2	26.0	V\$ 7127
	95-48120RTV4 5 Piece Top	120	48	1½	—	—	289.3	25.8	V\$ 4765
	95-48108RTV4 5 Piece Top	108	48	1½	—	—	266.7	25.5	V\$ 4703
	95-4896RTV4 5 Piece Top	96	48	1½	—	—	244.1	25.1	V\$ 4463

What You Get

Description

- 1½" Thick Rectangular Conference Top
- Veneer Direction is Short Grain
- 2" Opening for Wire Management
- Power and Data Units Sold Separately
- Assembly Required

What You Need – Bases

95-2428MSL	24	7½	28	—	—	72	2.8	V\$ 2252
Block Base Middle Leg - Required on Tables 144" or Larger								C\$ 2358
95-2428BB	24	6	28	—	—	52	2.4	V\$ 2025
Standard Block Base - 2 Required								C\$ 2092

Description


- All Tables Require One Set of Standard Block Bases
- Middle Leg Required on Tables 144" or Larger
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Veneer or Textured Laminate
- Adjustable Glides Included

Pricing Codes: V = Veneer / C = Veneer and Laminate

For ordering options, see back of One10 identification card at the beginning of section.


For data options, see pages 99-104.

For data location options, see page 105.


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
STANDARD CONFERENCE TABLE RECTANGULAR BLOCK STYLE 	95-60192RTV 2 Piece Top	192	60	1½	—	—	482.4	27.2	V\$ 6380
	95-60168RTV 2 Piece Top	168	60	1½	—	—	449	24.8	V\$ 5907
	95-60144RTV 2 Piece Top	144	60	1½	—	—	388.4	24.8	V\$ 5509
	95-60120RTV 2 Piece Top	120	60	1½	—	—	332.1	19.8	V\$ 4548
	95-60108RTV 1 Piece Top	108	60	1½	—	—	301.9	21.5	V\$ 4494
	95-6096RTV 1 Piece Top	96	60	1½	—	—	262	19.9	V\$ 3738
	95-48192RTV 2 Piece Top	192	48	1½	—	—	426.3	23.3	V\$ 5763
	95-48168RTV 2 Piece Top	168	48	1½	—	—	368.3	21.3	V\$ 5410
	95-48144RTV 2 Piece Top	144	48	1½	—	—	318.7	21.9	V\$ 5010
	95-48120RTV 2 Piece Top	120	48	1½	—	—	269.1	19.3	V\$ 3933
	95-48108RTV 1 Piece Top	108	48	1½	—	—	234.6	19	V\$ 3760
	95-4896RTV 1 Piece Top	96	48	1½	—	—	205	17.7	V\$ 3255

NOTE: 60" Conference Tables will have Catalyzed Finish

What You Get



1 or 2 Piece Top



Trough

Description

- 1½" Thick 1 or 2-Piece Rectangular Conference Top
- Veneer Direction is Short Grain
- Power and Data Units Sold Separately
- Assembly Required

What You Need – Bases

95-2428MSL Block Base Middle Leg - Required on Tables 144" or Larger	24	7½	28	—	—	72	2.8	V\$ 2252 C\$ 2358
95-2428BB Standard Block Base - 2 Required	24	6	28	—	—	52	2.4	V\$ 2025 C\$ 2092

Description


- All Tables Require One Set of Standard Block Bases
- Middle Leg Required on Tables 144" or Larger
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Veneer or Textured Laminate
- Adjustable Glides Included

Pricing Codes: V = Veneer / C = Veneer and Laminate

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.

For data location options, see page 105.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SINGLE COLUMN MEETING TABLE SQUARE & RECTANGULAR BLOCK STYLE 	95-6060SQV	60	60	1½	—	—	143	8.4	V\$ 1694
	95-5454SQV	54	54	1½	—	—	114	6.8	V\$ 1509
	95-4848SQV	48	48	1½	—	—	90	5.5	V\$ 1262
	95-4872RTV	48	60	1½	—	—	135	8.1	V\$ 1410
	95-4860RTV	48	72	1½	—	—	112.5	6.8	V\$ 1258

NOTE: 54" and 60" SQV Models are Catalyzed Finish

Description

- 1½" Thick Block Meeting Table Top
- Power and Data Options Sold Separately
- Use with Metal Frame Column Bases for 30" Standard Height or 42" Standing Height Tables

What You Need – Bases (Select One)

95-3630TBB	36	30	40	178.6	30.4	V\$ 2785
Tall Metal Frame Block Base for 42" High Meeting Tables						
95-3630BB	36	30	28	168.6	26.2	V\$ 2690
Metal Frame Block Base for 30" High Meeting Tables						


Description

- Choose from 30" Standard Height Table Base or 42" Standing Height Table Base
- Base Platform is Aluminum
- Aluminum Detail Continues Up the Column for Design Appeal
- Column Accommodates Wire Management with Removable Panel for Power and Data Units Sold Separately
- Adjustable Levelers

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.

For data location options, see pages 106.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SMALL CONFERENCE/ MEETING TABLE RECTANGULAR BLOCK STYLE 	95-4884RTV	48	84	1½	—	—	158	9.3	V\$ 1581
	95-4872RTV	48	72	1½	—	—	135	8.1	V\$ 1410
	95-4296RTV	42	96	1½	—	—	158	9.1	V\$ 1653
	95-4284RTV	42	84	1½	—	—	138	8.1	V\$ 1561
	95-4272RTV	42	72	1½	—	—	119	7.1	V\$ 1272
	95-3696RTV	36	96	1½	—	—	135	8.1	V\$ 1521
	95-3684RTV	36	84	1½	—	—	119	7.1	V\$ 1328
	95-3672RTV	36	72	1½	—	—	102	6.2	V\$ 1205

Description

- One Piece Conference Top
- Requires Stretchers and One Set of Block Bases
- Power and Data Units Sold Separately

What You Need – Bases & Stretchers

95-2228BB	22	5¼	28	—	—	45	1.9	V\$ 2006
Standard Block Base - 2 Required								
95-0496STR	54 ¾	¾	4 ⅝	—	—	9.2	0.5	V\$ 639
Pair of Stretcher for 96" Table								
95-0484STR	42 ¾	¾	4 ⅝	—	—	7.2	0.4	V\$ 568
Pair of Stretcher for 84" Table								
95-0472STR	30 ¾	¾	4 ⅝	—	—	5.2	0.3	V\$ 514
Pair of Stretcher for 72" Table								

Description


- All Tables Require One Set of Standard Block Bases and Stretchers
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Veneer or Textured Laminate
- Adjustable Glides Included

Pricing Codes: V = Veneer / C = Veneer and Laminate

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.

For data location options, see page 106.


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
 PARSONS TABLE	95-36120TPT	120	36	42	—	—	402	34.3	V\$ 7766
	95-3696TPT	96	36	42	—	—	393.5	37.7	V\$ 7348
	95-3672TPT	72	36	42	—	—	385.1	34.3	V\$ 6801
	95-36120CPT	120	36	36	—	—	380.8	33.6	V\$ 7545
	95-3696CPT	96	36	36	—	—	372.3	30.1	V\$ 7164
	95-3672CPT	72	36	36	—	—	363.9	26.8	V\$ 6603
	95-36120PT	120	36	30	—	—	380.8	33.6	V\$ 7275
	95-3696PT	96	36	30	—	—	372.3	30.1	V\$ 6904
	95-3672PT	72	36	30	—	—	363.9	26.8	V\$ 6332

Description

- One Piece Parsons Table
- Aluminum Accents for Design Appeal
- Assembly Required
- Veneer Direction is Short Grain

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SPLIT TOP PARSONS TABLE 	95-42120TPST	120	42	42	—	—	418.2	44.8	V\$ 9341
	95-4296TPST	96	42	42	—	—	406.9	41.4	V\$ 8910
	95-4272TPST	72	42	42	—	—	395.7	38	V\$ 8460
	95-36120TPST	120	36	42	—	—	402	34.3	V\$ 8986
	95-3696TPST	96	36	42	—	—	393.5	37.7	V\$ 8692
	95-3672TPST	72	36	42	—	—	385.1	34.3	V\$ 8084
	95-42120CPST	120	42	36	—	—	397	37.3	V\$ 9164
	95-4296CPST	96	42	36	—	—	385.7	33.9	V\$ 8679
	95-4272CPST	72	42	36	—	—	374.5	30.5	V\$ 8247
	95-36120CPST	120	36	36	—	—	380.8	33.6	V\$ 8796
	95-3696CPST	96	36	36	—	—	372.3	30.1	V\$ 8494
	95-3672CPST	72	36	36	—	—	363.9	26.8	V\$ 8013
	95-42120PST	120	42	30	—	—	397	37.3	V\$ 8929
	95-4296PST	96	42	30	—	—	385.7	33.9	V\$ 8458
	95-4272PST	72	42	30	—	—	374.5	30.5	V\$ 8083
	95-36120PST	120	36	30	—	—	380.8	33.6	V\$ 8515
	95-3696PST	96	36	30	—	—	372.3	30.1	V\$ 8433
	95-3672PST	72	36	30	—	—	363.9	26.8	V\$ 7825


Description


- Split Top Parsons Table with Trough
- Accommodates Power and Data Units Sold Separately
- Aluminum Accents for Design Appeal
- Assembly Required
- Veneer Direction is Short Grain

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.


For data location options, see page 106.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BUFFET 	95-2460BF2 4 Doors / 3 Drawers	60	24	36	—	—	275	34.2	V\$ 5726
	95-2460BF1 4 Doors / 2 Drawers	60	24	36	—	—	250	34.2	V\$ 4939
	95-2430BF 2 Doors / 1 Drawer	30	24	36	—	—	150	17.6	V\$ 2675
	Description • Finger Pull Drawers • Touch Latch Doors • Storage Behind Doors with Adjustable Veneer Shelves • Adjustable Glides • Finished Back								

CREDENZA 	95-2472C 4 Doors	72	24	30	—	—	290	28	V\$ 4766
	95-2460C 4 Doors	60	24	30	—	—	250	23.4	V\$ 4200
	95-2448C 3 Doors	48	24	30	—	—	210	19.5	V\$ 3183
	95-2436C 2 Doors	36	24	30	—	—	150	17.6	V\$ 2430
Description • Storage Behind Doors with Adjustable Veneer Shelves • Finger Pulls and Touch Latch Closure • Adjustable Glides • Finished Back									


For ordering options, see back of One10 identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
LOW MEDIA CREDENZA	95-1872LOMC	72	18	24	—	—	145	24	V\$ 3910
	95-1860LOMC	60	18	24	—	—	125	19.5	V\$ 3580


Description


- Storage Behind 2 Doors with Adjustable Veneer Shelves
- Open Storage with Adjustable Metal Shelf in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Finger Pulls and Touch Latch Closure
- Adjustable Glides

MEDIA CREDENZA	95-1872OMC	72	18	36	—	—	175	24	V\$ 4192
	95-1860OMC	60	18	36	—	—	155	19.5	V\$ 3797


Description


- Storage Behind 2 Doors with Adjustable Veneer Shelves
- Open Storage with Two Adjustable Metal Shelves in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Finger Pulls and Touch Latch Closure
- Adjustable Glides

LOW FOOTED MEDIA CREDENZA	95-1872LFMC	72	18	24	—	—	145	24	V\$ 3434
	95-1860LFMC	60	18	24	—	—	125	19.5	V\$ 3231


Description

- Storage Behind 2 Doors with Adjustable Veneer Shelves
- Open Storage with Adjustable Metal Shelf in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Top is Routed to Accommodate Wire Management or Monitor Stand
- Finger Pulls and Touch Latch Closure
- Doors are Hinged from the Inside of the Cabinet and Swing in to Accommodate the Meeting Table
- Aluminum Post Legs with Adjustable Glides


FOOTED MEDIA CREDENZA	95-1872FMC	72	18	36	—	—	175	24	V\$ 4123
	95-1860FMC	60	18	36	—	—	155	19.5	V\$ 3803


Description

- Storage Behind 2 Doors with Adjustable Veneer Shelves
- Open Storage with Two Adjustable Metal Shelves in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Top is Routed to Accommodate Wire Management or Monitor Stand
- Finger Pulls and Touch Latch Closure
- Doors are Hinged from the Inside of the Cabinet and Swing in to Accommodate the Meeting Table
- Aluminum Post Legs with Adjustable Glides

For ordering options, see back of One10 identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
FLAT PANEL MONITOR STAND	95-3067FP	30 ½	14	67 ¾	—	—	140.7	16.7	V\$ 2073
	Coordinates with ≥60" Meeting Tables and Footed Media Credenzas 36" and 42" Tall								
	95-3055FP	30 ½	14	55 ¾	—	—	123.5	13.8	V\$ 1861
	Coordinates with ≥60" Meeting, Conference Tables and Footed Media Credenzas 30" Tall								




Shown with Monitor
- Not included

Description

- Must be Used with a Coordinating Product
- Finished Back is Removable for Wire Management
- Grain Direction is Vertical
- Aluminum Metal Base
- Accommodates 200, 300, And 400 mm VESA Patterns
- Check the Monitor Manufacturer's Specifications for Compliance
- Mounting Hardware Not Included.
- Not Freestanding
- 01-WEPRESENT Screen Sharing Device Sold on Page 104

NOTE: Not Responsible for Monitors Improperly Installed or Any Attempt To Use A Freestanding Unit.

LECTERN	95-2650LS	24	19	49	—	—	130	21.9	V\$ 2376
---------	-----------	----	----	----	---	---	-----	------	----------


Description

- Top Shelf Angled for User Comfort
- Fixed Shelf Below
- Casters
- 01-DUO and 01-TRIO Power and Data Options Sold Separately on Page 100

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 99-104.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO BEZEL NEMA PLUG 	01-DUOBEZELW White	5½	2	3¼	—	—			\$ 415
	01-DUOBEZELB Black	5½	2	3¼	—	—			\$ 415
	01-DUOBEZELS Silver	5½	2	3¼	—	—			\$ 415

Description

- Sits On Top of the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

TRIO BEZEL NEMA PLUG 	01-TRIOBEZELW White	8	2	3	—	—		\$ 445
	01-TRIOBEZELB Black	8	2	3	—	—		\$ 445
	01-TRIOBEZELS Silver	8	2	3	—	—		\$ 445

Description

- Sits On Top of the Worksurface
- 3 Power / 2 USB Power / 1 Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

For data location options, see pages 105-106.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO NEMA PLUG 	01-DUOW White	5½	2	3¼	—	—			\$ 437
	01-DUOB Black	5½	2	3¼	—	—			\$ 437
	01-DUOS Silver	5½	2	3¼	—	—			\$ 437

Description

- Sits Between Worksurfaces or Below the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

TRIO NEMA PLUG 	01-TRIOW White	8	2	3	—	—			\$ 450
	01-TRIOB Black	8	2	3	—	—			\$ 450
	01-TRIOS Silver	8	2	3	—	—			\$ 450


Description

- Sits Between Worksurfaces or Below the Worksurface
- 3 Power / 2 USB Power / 1 Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

For data location options, see pages 105-106.


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO BEZEL DAISY CHAIN PLUG 	01-PDUOBEZELW White	6 ½	2 ¼	3	—	—			\$ 410
	01-PDUOBEZELB Black	8 ½	2 ¼	3	—	—			\$ 410
	01-PDUOBEZELS Silver	6 ½	2 ¼	3	—	—			\$ 410

Description

- Sits On Top of the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows Up To 8 Modules To Be Connected With Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

TRIO BEZEL DAISY CHAIN PLUG 	01-PTRIOBEZELW White	9	2 ¼	3	—	—		\$	439
	01-PTRIOBEZELB Black	9	2 ¼	3	—	—		\$	439
	01-PTRIOBEZELS Silver	9	2 ¼	3	—	—		\$	439

Description


- Sits On Top of the Worksurface
- 3 Power / 2 USB Power / 1 Open Data
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows up to 8 Modules to be Connected with Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

For data location options, see pages 105-106.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO DAISY CHAIN PLUG	01-PDUOW White	5½	2	3	—	—			\$ 432
	01-PDUOB Black	5½	2	3	—	—			\$ 432
	01-PDUOS Silver	5½	2	3	—	—			\$ 432



Description

- Sits Between Worksurfaces or Below the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows up to 8 Modules to be Connected with Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

TRIO DAISY CHAIN PLUG	01-PTRIOW White	8	2	3	—	—		\$ 445
	01-PTRIOB Black	8	2	3	—	—		\$ 445
	01-PTRIOS Silver	8	2	3	—	—		\$ 445


Description

- Sits between worksurfaces or below the worksurface
- 3 power / 2 USB power / 1 Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows up to 8 Modules to be Connected with Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

For data location options, see pages 105-106.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRIO VGA DATA PORT ACCESSORY	01-LCOMVGA	-	-	-	-	-	-	-	\$ 75


Description

- VGA Port for Trio Units

TRIO HDMI DATA PORT ACCESSORY	01-LCOMHDMI	-	-	-	-	-	-	-	\$ 101
----------------------------------	-------------	---	---	---	---	---	---	---	--------






Description

- HDMI Port for Trio Units













TRIO RJ45 DATA PORT ACCESSORY	01-LCOMRJ45	-	-	-	-	-	-	-	\$ 48
----------------------------------	-------------	---	---	---	---	---	---	---	-------


Description

- RJ45 Port for Trio Units

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DAISY CHAIN POWER BOX	01-PPOWER				—	—			\$ 475
 Description • Powers up to 8 Duo and Trio Daisy Chain Units • One Nema Plug and One Daisy Chain Plug • 12 Amp System Rating • 15 Amp Over-Current Protection									
DAISY CHAIN JUMPER CORD	01-6Jump 72" Long				—	—			\$ 185
	01-5Jump 60" Long				—	—			\$ 174
	01-4Jump 48" Long				—	—			\$ 148
	01-2Jump 24" long				—	—			\$ 135
Description • Connects Duo and Trio Daisy Chain Units • Non Sequential System Allows up to 8 Modules to be Connected									
WIRELESS PRESENTATION SHARING DEVICE	01-WEPRESENT				—	—			\$ 2268
 Description • Wireless Presentation Device • Works well with Media Credenza and Monitor Stand • Compatible with Any Wireless Device • Allows 64 users to connect and participate in screen sharing - 4 at a time • Users must download WiFi-Doc for each device for free									
UNIVERSAL CHARGING DEVICE	01-KWIKBOOST				—	—			\$ 1110
 Description • Eight Charging Connectors (3 Apple Lightning, 1 Apple 30-Pin, 4 Micro USB) • Works with nearly 100% of devices • Charging Cable length is 6 ½" • 2.4A per port; 19.2A total • Adaptive Fast Charging Technology Adjusts to Device Requirements • Cable Manager included • Works well in Block Conference Tables with Inlay									

For data location options, see pages 105-106.

RTV5		RTV4	
95-60192RTV5 95-48192RTV5		95-60192RTV4 95-48192RTV4	
95-60168RTV5 95-48168RTV5		95-60168RTV4 95-48168RTV4	
95-60144RTV5 95-48144RTV5		95-60144RTV4 95-48144RTV4	
95-60120RTV5 95-48120RTV5		95-60120RTV4 95-48120RTV4	
95-60108RTV5 95-48108RTV5		95-60108RTV4 95-48108RTV4	
95-6096RTV5 95-4896RTV5		95-6096RTV4 95-4896RTV4	

MODULES AVAILABLE FOR RTV5

01-DUO in Silver, White, or Black
01-TRIO in Silver, White, or Black
01-KWIKBOOST

MODULES AVAILABLE FOR RTV4

01-DUO in Silver, White, or Black
01-TRIO in Silver, White, or Black

LOCATIONS

All troughs have pre-drilled peck-hole locations from the bottom side of the trough. Field install power and data modules by selecting any or all of the desired pre-marked locations and drill the hole through.

RTV5

192" Tops: 31", 52", and 73" off each end
168" Tops: 37" and 58" off each end
144" Tops: 29" and 50" off each end
120" Tops: 39" and 60" off each end
108" Tops: 33" and 54" off each end
96" Tops: 37 ½" and 48" off each end

RTV4

192" Tops: 26 ½", 52", and 77 ½" off each end
168" Tops: 32 ½", 47 ½", and 62 ½" off each end
144" Tops: 24 ½", 39 ½", and 54 ½" off each end
120" Tops: 34 ½" and 60" off each end
108" Tops: 28 ½" and 54" off each end
96" Tops: 33" and 48" off each end

STANDARD CONFERENCE TABLES AND SMALL CONFERENCE/MEETING TABLES

Power and data modules specified in the table surface at the time of the order will be routed for field installation. Modules to be mounted under the table surface may be placed anywhere during field installation.

MODULES AVAILABLE IN TABLE SURFACE

01-DUOBEZEL in Silver, White, or Black

01-TRIOBEZEL in Silver, White, or Black

MODULES AVAILABLE UNDER TABLE SURFACE

01-DUO in Silver, White, or Black

01-TRIO in Silver, White, or Black

Please Specify the Location:

EL 29" off one end

ELR 29" off each end

OC On center

OCELR 29" off each end and on center

NOTE: OCELR location Not Available on tables 96" or less

SPLIT TOP PARSONS TABLES

Power and data modules specified at the time of the order will be routed for field installation.

MODULES AVAILABLE

01-DUO in Silver, White, or Black

01-TRIO in Silver, White, or Black

Please specify the quantity of Modules to Route based on table size:

72" TOPS

1 = On Center at 36"

2 = 24" off each end

3 = 18" off each end and on center

96" TOPS

1 = On Center at 48"

2 = 32" off each end

3 = 24" off each end and on center

120" TOPS

1 = On Center at 60"

2 = 40" off each end

3 = 30" off each end and on center

SINGLE COLUMN MEETING TABLES

Power and data modules specified at the time of order will be routed for field installation.

Modules Available - all units will be routed on center

01-DUOBEZEL in Silver, White, or Black

01-TRIOBEZEL in Silver, White, or Black



One10™ Series - Veneer

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

One10™ Laminate

Conference Collection

How to Order

	QTY	MODEL NO.	DESCRIPTION	
TOP	1	96-48144RTV5	Primary Finish	TS
			Accent	PL
BASE	2	96-2428BB	Primary Finish	TS
			Accent	PL
	1	96-2428MSL	Primary Finish	TS
			Accent	PL
DATA	6	01-DUOW		
	1	01-KWIKBOOST		



Specifications

LAMINATE

All One10 Conference laminates are straight-grain, textured high-pressure laminate.

TOPS

Conference and meeting table tops are 1-½" thick, 3-ply balanced construction with 1 mm PVC edge-banded rims. Credenza tops are ¾" thick, 3-ply balance construction with .5 mm PVC edge-banded rims. Laminate accent tops are ¾" thick, 3-ply construction with 1 mm edge banded rims.

CHASSIS CONSTRUCTION

Chassis are securely fastened using high quality European fastening systems and heavy-duty 16-gauge joining brackets to assure maximum strength. Table bases and Parsons Tables are formed with mitered construction to provide a clean aesthetic. Units ship assembled unless otherwise noted. All units ship with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors.

DRAWERS

All drawer fronts are ¾" thick 3-ply construction with horizontal grain. Drawer sides, back, and front are wood grain vinyl wrapped ½" thick with ⅛" thick hardboard bottoms. 5-sided drawer construction allows for easy removal of drawer fronts.

DRAWER SUSPENSION

Box drawers have full extension, progressive action slides with precision steel ball bearings. All suspensions have a lifetime warranty.



Laminate Options



Pearl White
PL



White Zebrine
WZ



Juniper Rain
JR




Richmond Cherry
CH




Takase Teak
TS




Midnight Echo
ME


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BLOCK CONFERENCE TABLE WITH INLAY 	96-60192RTV5 12 Accent Doors - 9 Piece Top	192	60	1½	—	—	435.6	25.3	\$ 9967
	96-60168RTV5 8 Accent Doors - 9 Piece Top	168	60	1½	—	—	407.4	24.9	\$ 9021
	96-60144RTV5 8 Accent Doors - 9 Piece Top	144	60	1½	—	—	379.2	24.4	\$ 8662
	96-60120RTV5 6 Accent Doors - 5 Piece Top	120	60	1½	—	—	339	24	\$ 5644
	96-60108RTV5 6 Accent Doors - 5 Piece Top	108	60	1½	—	—	310.8	23.6	\$ 5480
	96-6096RTV5 4 Accent Doors - 5 Piece Top	96	60	1½	—	—	282.6	26.2	\$ 5034
	96-48192RTV5 12 Accent Doors - 9 Piece Top	192	48	1½	—	—	345.6	23.9	\$ 9246
	96-48168RTV5 8 Accent Doors - 9 Piece Top	168	48	1½	—	—	328.7	23.7	\$ 8323
	96-48144RTV5 8 Accent Doors - 9 Piece Top	144	48	1½	—	—	311.7	23.4	\$ 8014
	96-48120RTV5 6 Accent Doors - 5 Piece Top	120	48	1½	—	—	282.8	23.2	\$ 5194
	96-48108RTV5 6 Accent Doors - 5 Piece Top	108	48	1½	—	—	260.2	22.8	\$ 5029
	96-4896RTV5 4 Accent Doors - 5 Piece Top	96	48	1½	—	—	237.6	25.5	\$ 4615

What You Get


Outer Piece Top



Center/Inlay Top



Trough

Description

- 1½" Thick Rectangular Conference Top
- Primary Grain Direction is Long-Grain
- Center/Accent Top can be Specified in Contrasting Textured Laminate
- Accent Top Grain Runs the Length of the Table
- Center/Accent Top Includes Aluminum Accent Doors for Wire Management
- Silver Grommet Included for Optional Polycom Installation
- Power and Data Units Sold Separately
- Assembly Required

What You Need – Bases

96-2428MSL Block Base Middle Leg - Required on Tables 144" or Larger	24	7½	28	—	—	72	2.8	\$ 1702
96-2428BB Standard Block Base - 2 Required	24	6	28	—	—	52	2.4	\$ 1445


Description



- All Tables Require One Set of Standard Block Bases
- Middle Leg Required on Tables 144" or Larger
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Textured Laminate
- Adjustable Glides Included

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.

For data location options, see page 127.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BLOCK CONFERENCE TABLE WITH CENTER CHANNEL 	96-60192RTV4 7 Piece Top	192	60	1½	—	—	436.1	27.9	\$ 7589
	96-60168RTV4 7 Piece Top	168	60	1½	—	—	407.9	27.5	\$ 7228
	96-60144RTV4 7 Piece Top	144	60	1½	—	—	379.7	27.0	\$ 6872
	96-60120RTV4 5 Piece Top	120	60	1½	—	—	345.5	26.6	\$ 4477
	96-60108RTV4 5 Piece Top	108	60	1½	—	—	317.3	26.2	\$ 4310
	96-6096RTV4 5 Piece Top	96	60	1½	—	—	289.1	30.2	\$ 4179
	96-48192RTV4 7 Piece Top	192	48	1½	—	—	346.1	26.6	\$ 6355
	96-48168RTV4 7 Piece Top	168	48	1½	—	—	329.2	26.3	\$ 6210
	96-48144RTV4 7 Piece Top	144	48	1½	—	—	312.2	26.0	\$ 5894
	96-48120RTV4 5 Piece Top	120	48	1½	—	—	289.3	25.8	\$ 3798
	96-48108RTV4 5 Piece Top	108	48	1½	—	—	266.7	25.5	\$ 3671
	96-4896RTV4 5 Piece Top	96	48	1½	—	—	244.1	25.1	\$ 3591

What You Get

Description

- 1½" Thick Rectangular Conference Top
- Grain Direction is Long Grain
- 2" Opening for Wire Management
- Power and Data Units Sold Separately
- Assembly Required

What You Need – Bases

96-2428MSL Block Base Middle Leg - Required on Tables 144" or Larger	24	7½	28	—	—	72	2.8	\$ 1702
96-2428BB Standard Block Base - 2 Required	24	6	28	—	—	52	2.4	\$ 1445


Description

- All Tables Require One Set of Standard Block Bases
- Middle Leg Required on Tables 144" or Larger
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Textured Laminate
- Adjustable Glides Included


For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.


For data location options, see page 127.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
STANDARD CONFERENCE TABLE RECTANGULAR BLOCK STYLE 	96-60192RTV 2 Piece Top	192	60	1½	—	—	482.4	27.2	\$ 5672
	96-60168RTV 2 Piece Top	168	60	1½	—	—	449	24.8	\$ 5277
	96-60144RTV 2 Piece Top	144	60	1½	—	—	388.4	24.8	\$ 4417
	96-60120RTV 2 Piece Top	120	60	1½	—	—	332.1	19.8	\$ 3721
	96-60108RTV 1 Piece Top	108	60	1½	—	—	301.9	21.5	\$ 3255
	96-6096RTV 1 Piece Top	96	60	1½	—	—	262	19.9	\$ 3015
	96-48192RTV 2 Piece Top	192	48	1½	—	—	426.3	23.3	\$ 4781
	96-48168RTV 2 Piece Top	168	48	1½	—	—	368.3	21.3	\$ 4543
	96-48144RTV 2 Piece Top	144	48	1½	—	—	318.7	21.9	\$ 3737
	96-48120RTV 2 Piece Top	120	48	1½	—	—	269.1	19.3	\$ 3223
	96-48108RTV 1 Piece Top	108	48	1½	—	—	234.6	19	\$ 3004
	96-4896RTV 1 Piece Top	96	48	1½	—	—	205	17.7	\$ 2355

NOTE: 60" Conference Tables will have Catalyzed Finish

What You Get


1 or 2 Piece Top



Trough

Description

- 1½" Thick 1 or 2-Piece Rectangular Conference Top
- Grain Direction is Long Grain
- Power and Data Units Sold Separately
- Assembly Required

What You Need – Bases

96-2428MSL Block Base Middle Leg - Required on Tables 144" or Larger	24	7½	28	—	—	72	2.8	\$ 1702
96-2428BB Standard Block Base - 2 Required	24	6	28	—	—	52	2.4	\$ 1445


Description

- All Tables Require One Set of Standard Block Bases
- Middle Leg Required on Tables 144" or Larger
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Textured Laminate
- Adjustable Glides Included

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.

For data location options, see page 127.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SINGLE COLUMN MEETING TABLE SQUARE & RECTANGULAR BLOCK STYLE 	96-6060SQV	60	60	1½	—	—	143	8.4	\$ 1226
	96-5454SQV	54	54	1½	—	—	114	6.8	\$ 1126
	96-4848SQV	48	48	1½	—	—	90	5.5	\$ 977
	96-4872RTV	48	72	1½	—	—	135	8.1	\$ 1143
	96-4860RTV	48	60	1½	—	—	112.5	6.8	\$ 1088

Description

- 1½" Thick Block Meeting Table Top
- Power and Data Options Sold Separately
- Use with Metal Frame Column Bases for 30" Standard Height or 42" Standing Height Tables

What You Need – Bases (Select One)

96-3630TBB	36	30	40	\$ 2700
Tall Metal Frame Block Base for 42" High Meeting Tables				
96-3630BB	36	30	28	\$ 2382
Metal Frame Block Base for 30" High Meeting Tables				


Description

- Choose from 30" Standard Height Table Base or 42" Standing Height Table Base
- Base Platform is Aluminum
- Aluminum Detail Continues Up the Column for Design Appeal
- Column Accommodates Wire Management with Removable Panel for Power and Data Units Sold Separately
- Adjustable Levelers

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.

For data location options, see pages 128.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SMALL CONFERENCE/ MEETING TABLE RECTANGULAR BLOCK STYLE 	96-4884RTV	48	84	1½	—	—	158	9.3	\$ 1199
	96-4872RTV	48	72	1½	—	—	135	8.1	\$ 1143
	96-4296RTV	42	96	1½	—	—	158	9.1	\$ 1143
	96-4284RTV	42	84	1½	—	—	138	8.1	\$ 1094
	96-4272RTV	42	72	1½	—	—	119	7.1	\$ 1045
	96-3696RTV	36	96	1½	—	—	135	8.1	\$ 1098
	96-3684RTV	36	84	1½	—	—	119	7.1	\$ 1055
	96-3672RTV	36	72	1½	—	—	102	6.2	\$ 1029

Description

- One Piece Conference Top
- Requires Stretchers and One Set of Block Bases
- Power and Data Units Sold Separately

What You Need – Bases & Stretchers

96-2228BB Standard Block Base - 2 Required	22	5¼	28	—	—	45	1.9	\$ 1410
96-0496STR Pair of Stretcher for 96" Table	54 ¾	¾	4 ⅝	—	—	9.2	0.5	\$ 467
96-0484STR Pair of Stretcher for 84" Table	42 ¾	¾	4 ⅝	—	—	7.2	0.4	\$ 417
96-0472STR Pair of Stretcher for 72" Table	30 ¾	¾	4 ⅝	—	—	5.2	0.3	\$ 389


Description

- All Tables Require One Set of Standard Block Bases and Stretchers
- Bases are Constructed with Removable Interior Panel for Wire Management Installation
- Outer Panel can be Specified in Contrasting Textured Laminate
- Adjustable Glides Included

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.

For data location options, see page 127.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
 PARSONS TABLE	96-36120TPT	120	36	42	—	—	402	34.3	\$ 7564
	96-3696TPT	96	36	42	—	—	393.5	37.7	\$ 7337
	96-3672TPT	72	36	42	—	—	385.1	34.3	\$ 6644
	96-36120CPT	120	36	36	—	—	380.8	33.6	\$ 7163
	96-3696CPT	96	36	36	—	—	372.3	30.1	\$ 6952
	96-3672CPT	72	36	36	—	—	363.9	26.8	\$ 6243
	96-36120PT	120	36	30	—	—	380.8	33.6	\$ 6982
	96-3696PT	96	36	30	—	—	372.3	30.1	\$ 6779
	96-3672PT	72	36	30	—	—	363.9	26.8	\$ 6064


Description

- One Piece Parsons Table
- Aluminum Accents for Design Appeal
- Assembly Required

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.

For data location options, see page 127.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
SPLIT TOP PARSONS TABLE 	96-42120TPST	120	42	42	—	—	418.2	44.8	\$ 8794
	96-4296TPST	96	42	42	—	—	406.9	41.4	\$ 8595
	96-4272TPST	72	42	42	—	—	395.7	38	\$ 8272
	96-36120TPST	120	36	42	—	—	402	34.3	\$ 8583
	96-3696TPST	96	36	42	—	—	393.5	37.7	\$ 8345
	96-3672TPST	72	36	42	—	—	385.1	34.3	\$ 8047
	96-42120CPST	120	42	36	—	—	397	37.3	\$ 8333
	96-4296CPST	96	42	36	—	—	385.7	33.9	\$ 8121
	96-4272CPST	72	42	36	—	—	374.5	30.5	\$ 7788
	96-36120CPST	120	36	36	—	—	380.8	33.6	\$ 8145
	96-3696CPST	96	36	36	—	—	372.3	30.1	\$ 7934
	96-3672CPST	72	36	36	—	—	363.9	26.8	\$ 7643
	96-42120PST	120	42	30	—	—	397	37.3	\$ 8166
	96-4296PST	96	42	30	—	—	385.7	33.9	\$ 7942
	96-4272PST	72	42	30	—	—	374.5	30.5	\$ 7614
	96-36120PST	120	36	30	—	—	380.8	33.6	\$ 7961
	96-3696PST	96	36	30	—	—	372.3	30.1	\$ 7760
	96-3672PST	72	36	30	—	—	363.9	26.8	\$ 7435


Description

- Split Top Parsons Table with Trough
- Accommodates Power and Data Units Sold Separately
- Aluminum Accents for Design Appeal
- Assembly Required

For ordering options, see back of One10 identification card at the beginning of section.


For data options, see pages 121-126.

For data location options, see page 127.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
BUFFET 	96-2460BF2 4 Doors / 3 Drawers	60	24	36	—	—	275	34.2	\$ 3965
	96-2460BF1 4 Doors / 2 Drawers	60	24	36	—	—	250	34.2	\$ 3442
	96-2430BF 2 Doors / 1 Drawer	30	24	36	—	—	150	17.6	\$ 1812

Description

- Touch Latch Doors
- Storage Behind Doors with Adjustable Laminate Shelves
- Adjustable Glides
- Finished Back


CREDENZA 	96-2472C 4 Doors	72	24	30	—	—	290	28	\$ 3093
	96-2460C 4 Doors	60	24	30	—	—	250	23.4	\$ 2891
	96-2448C 3 Doors	48	24	30	—	—	210	19.5	\$ 2125
	96-2436C 2 Doors	36	24	30	—	—	150	17.6	\$ 1587

Description

- Storage Behind Doors with Adjustable Laminate Shelves
- Touch Latch Closure
- Adjustable Glides
- Finished Back


For ordering options, see back of One10 identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
LOW MEDIA CREDENZA	96-1872LOMC	72	18	24	—	—	145	24	\$ 2642
	96-1860LOMC	60	18	24	—	—	125	19.5	\$ 2472


Description


- Storage Behind 2 Doors with Adjustable Laminate Shelves
- Open Storage with Adjustable Metal Shelf in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Touch Latch Closure
- Adjustable Glides

MEDIA CREDENZA	96-1872OMC	72	18	36	—	—	175	24	\$ 2878
	96-1860OMC	60	18	36	—	—	155	19.5	\$ 2656


Description


- Storage Behind 2 Doors with Adjustable Laminate Shelves
- Open Storage with Two Adjustable Metal Shelves in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Touch Latch Closure
- Adjustable Glides

LOW FOOTED MEDIA CREDENZA	96-1872LFMC	72	18	24	—	—	145	24	\$ 2462
	96-1860LFMC	60	18	24	—	—	125	19.5	\$ 2332


Description

- Storage Behind 2 Doors with Adjustable Laminate Shelves
- Open Storage with Adjustable Metal Shelf in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Top is Routed to Accommodate Wire Management or Monitor Stand
- Touch Latch Closure
- Doors are Hinged from the Inside of the Cabinet and Swing in to Accommodate the Meeting Table
- Aluminum Post Legs with Adjustable Glides


FOOTED MEDIA CREDENZA	96-1872FMC	72	18	36	—	—	175	24	\$ 2769
	96-1860FMC	60	18	36	—	—	155	19.5	\$ 2616


Description

- Storage Behind 2 Doors with Adjustable Laminate Shelves
- Open Storage with Two Adjustable Metal Shelves in Middle Section Below Flip Down Door
- Finished Back is Recessed and Open 2" Below Worksurface for Wire Management
- Top is Routed to Accommodate Wire Management or Monitor Stand
- Touch Latch Closure
- Doors are Hinged from the Inside of the Cabinet and Swing in to Accommodate the Meeting Table
- Aluminum Post Legs with Adjustable Glides

For ordering options, see back of One10 identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
FLAT PANEL MONITOR STAND	96-3067FP	30 ½	14	67 ¾	—	—	140.7	16.7	\$ 1457
	Coordinates with ≥60" Meeting Tables and Footed Media Credenzas 36" and 42" Tall								
	96-3055FP	30 ½	14	55 ¾	—	—	123.5	13.8	\$ 1332
	Coordinates with ≥60" Meeting, Conference Tables and Footed Media Credenzas 30" Tall								




Shown with Monitor
- Not included

Description

- Must be Used with a Coordinating Product
- Finished Back is Removable for Wire Management
- Grain Direction is Vertical
- Aluminum Metal Base
- Accommodates 200, 300, And 400 mm VESA Patterns
- Check the Monitor Manufacturer's Specifications for Compliance
- Mounting Hardware Not Included.
- Not Freestanding
- 01-WEPRESENT Screen Sharing Device Sold on Page 126

NOTE: Not Responsible for Monitors Improperly Installed or Any Attempt To Use A Freestanding Unit.


LECTERN	96-2650LS	24	19	49	—	—	130	21.9	\$ 1249
---------	-----------	----	----	----	---	---	-----	------	---------


Description

- Top Shelf Angled for User Comfort
- Fixed Shelf Below
- Casters
- 01-DUO and 01-TRIO Power and Data Options Sold Separately on Page 122

For ordering options, see back of One10 identification card at the beginning of section.

For data options, see pages 121-126.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO BEZEL NEMA PLUG 	01-DUOBEZELW White	5½	2	3¼	—	—			\$ 415
	01-DUOBEZELB Black	5½	2	3¼	—	—			\$ 415
	01-DUOBEZELS Silver	5½	2	3¼	—	—			\$ 415

Description

- Sits On Top of the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

TRIO BEZEL NEMA PLUG 	01-TRIOBEZELW White	8	2	3	—	—			\$ 445
	01-TRIOBEZELB Black	8	2	3	—	—			\$ 445
	01-TRIOBEZELS Silver	8	2	3	—	—			\$ 445

Description

- Sits On Top of the Worksurface
- 3 Power / 2 USB Power / 1 Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

For data location options, see pages 127-128.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO NEMA PLUG 	01-DUOW White	5 ½	2	3 ¼	—	—			\$ 437
	01-DUOB Black	5 ½	2	3 ¼	—	—			\$ 437
	01-DUOS Silver	5 ½	2	3 ¼	—	—			\$ 437

Description

- Sits Between Worksurfaces or Below the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

TRIO NEMA PLUG 	01-TRIOW White	8	2	3	—	—			\$ 450
	01-TRIOB Black	8	2	3	—	—			\$ 450
	01-TRIOS Silver	8	2	3	—	—			\$ 450


Description

- Sits Between Worksurfaces or Below the Worksurface
- 3 Power / 2 USB Power / 1 Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- 10' Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

For data location options, see pages 127-128.


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO BEZEL DAISY CHAIN PLUG 	01-PDUOBEZELW White	6 ½	2 ¼	3	—	—			\$ 410
	01-PDUOBEZELB Black	8 ½	2 ¼	3	—	—			\$ 410
	01-PDUOBEZELS Silver	6 ½	2 ¼	3	—	—			\$ 410

Description

- Sits On Top of the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows Up To 8 Modules To Be Connected With Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

TRIO BEZEL DAISY CHAIN PLUG 	01-PTRIOBEZELW White	9	2 ¼	3	—	—		\$ 439
	01-PTRIOBEZELB Black	9	2 ¼	3	—	—		\$ 439
	01-PTRIOBEZELS Silver	9	2 ¼	3	—	—		\$ 439

Description


- Sits On Top of the Worksurface
- 3 Power / 2 USB Power / 1 Open Data
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows up to 8 Modules to be Connected with Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Standard Conference Tables
- Single Column Meeting Tables
- Small Conference/Meeting Tables

For data location options, see pages 127-128.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DUO DAISY CHAIN PLUG	01-PDUOW White	5½	2	3	—	—			\$ 432
	01-PDUOB Black	5½	2	3	—	—			\$ 432
	01-PDUOS Silver	5½	2	3	—	—			\$ 432


**Description**

- Sits Between Worksurfaces or Below the Worksurface
- 2 Power / 2 USB Power
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows up to 8 Modules to be Connected with Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

TRIO DAISY CHAIN PLUG	01-PTRIOW White	8	2	3	—	—		\$ 445
	01-PTRIOB Black	8	2	3	—	—		\$ 445
	01-PTRIOS Silver	8	2	3	—	—		\$ 445

**Description**

- Sits between worksurfaces or below the worksurface
- 3 power / 2 USB power / 1 Open Data
- Independent USB Circuit Controllers Deliver up to 2.1 Amps to Each Post
- HDMI, VGA, or RJ45 Accessories Sold Separately
- All Mounting Hardware Included
- FCC Part 15A and UL Approved for Horizontal and Vertical Applications
- Non Sequential System Allows up to 8 Modules to be Connected with Jumper Cord
- Requires Power Box
- 12" Cord

Applications

- Block Conference Tables with Inlay
- Block Conference Tables with Center Channel
- Split Top Parsons Tables
- Small Conference/Meeting Tables

For data location options, see pages 127-128.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRIO VGA DATA PORT ACCESSORY	01-LCOMVGA	-	-	-	-	-	-	-	\$ 75


Description

- VGA Port for Trio Units

TRIO HDMI DATA PORT ACCESSORY	01-LCOMHDMI	-	-	-	-	-	-	-	\$ 101
----------------------------------	-------------	---	---	---	---	---	---	---	--------





Description

- HDMI Port for Trio Units













TRIO RJ45 DATA PORT ACCESSORY	01-LCOMRJ45	-	-	-	-	-	-	-	\$ 48
----------------------------------	-------------	---	---	---	---	---	---	---	-------


Description

- RJ45 Port for Trio Units

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
DAISY CHAIN POWER BOX	01-PPOWER				—	—			\$ 475
	Description • Powers up to 8 Duo and Trio Daisy Chain Units • One Nema Plug and One Daisy Chain Plug • 12 Amp System Rating • 15 Amp Over-Current Protection								
	01-6Jump 72" Long				—	—			\$ 185
	01-5Jump 60" Long				—	—			\$ 174
	01-4Jump 48" Long				—	—			\$ 148
	01-2Jump 24" long				—	—			\$ 135
Description • Connects Duo and Trio Daisy Chain Units • Non Sequential System Allows up to 8 Modules to be Connected									
WIRELESS PRESENTATION SHARING DEVICE	01-WEPRESENT				—	—			\$ 2268
	Description • Wireless Presentation Device • Works well with Media Credenza and Monitor Stand • Compatible with Any Wireless Device • Allows 64 users to connect and participate in screen sharing - 4 at a time • Users must download WiFi-Doc for each device for free								
UNIVERSAL CHARGING DEVICE	01-KWIKBOOST				—	—			\$ 1110
	Description • Eight Charging Connectors (3 Apple Lightning, 1 Apple 30-Pin, 4 Micro USB) • Works with nearly 100% of devices • Charging Cable length is 6 ½" • 2.4A per port; 19.2A total • Adaptive Fast Charging Technology Adjusts to Device Requirements • Cable Manager included • Works well in Block Conference Tables with Inlay								

For data location options, see pages 127-128.

RTV5		RTV4	
96-60192RTV5 96-48192RTV5		96-60192RTV4 96-48192RTV4	
96-60168RTV5 96-48168RTV5		96-60168RTV4 96-48168RTV4	
96-60144RTV5 96-48144RTV5		96-60144RTV4 96-48144RTV4	
96-60120RTV5 96-48120RTV5		96-60120RTV4 96-48120RTV4	
96-60108RTV5 96-48108RTV5		96-60108RTV4 96-48108RTV4	
96-6096RTV5 96-4896RTV5		96-6096RTV4 96-4896RTV4	

MODULES AVAILABLE FOR RTV5

01-DUO in Silver, White, or Black

01-TRIO in Silver, White, or Black

01-KWIKBOOST

MODULES AVAILABLE FOR RTV4

01-DUO in Silver, White, or Black

01-TRIO in Silver, White, or Black

LOCATIONS

All troughs have pre-drilled peck-hole locations from the bottom side of the trough. Field install power and data modules by selecting any or all of the desired pre-marked locations and drill the hole through.

RTV5
192" Tops: 31", 52", and 73" off each end

168" Tops: 37" and 58" off each end

144" Tops: 29" and 50" off each end

120" Tops: 39" and 60" off each end

108" Tops: 33" and 54" off each end

96" Tops: 37 ½" and 48" off each end

RTV4
192" Tops: 26 ½", 52", and 77 ½" off each end

168" Tops: 32 ½", 47 ½", and 62 ½" off each end

144" Tops: 24 ½", 39 ½", and 54 ½" off each end

120" Tops: 34 ½" and 60" off each end

108" Tops: 28 ½" and 54" off each end

96" Tops: 33" and 48" off each end

STANDARD CONFERENCE TABLES AND SMALL CONFERENCE/MEETING TABLES

Power and data modules specified in the table surface at the time of the order will be routed for field installation. Modules to be mounted under the table surface may be placed anywhere during field installation.

MODULES AVAILABLE IN TABLE SURFACE

01-DUOBEZEL in Silver, White, or Black

01-TRIOBEZEL in Silver, White, or Black

MODULES AVAILABLE UNDER TABLE SURFACE

01-DUO in Silver, White, or Black

01-TRIO in Silver, White, or Black

Please Specify the Location:

EL 29" off one end

ELR 29" off each end

OC On center

OCELR 29" off each end and on center

NOTE: OCELR location Not Available on tables 96" or less

SPLIT TOP PARSONS TABLES

Power and data modules specified at the time of the order will be routed for field installation.

MODULES AVAILABLE

01-DUO in Silver, White, or Black

01-TRIO in Silver, White, or Black

Please specify the quantity of Modules to Route based on table size:

72" TOPS

1 = On Center at 36"

2 = 24" off each end

3 = 18" off each end and on center

96" TOPS

1 = On Center at 48"

2 = 32" off each end

3 = 24" off each end and on center

120" TOPS

1 = On Center at 60"

2 = 40" off each end

3 = 30" off each end and on center

SINGLE COLUMN MEETING TABLES

Power and data modules specified at the time of order will be routed for field installation.

Modules Available - all units will be routed on center

01-DUOBEZEL in Silver, White, or Black

01-TRIOBEZEL in Silver, White, or Black

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CameoTM

Conference Collection

How to Order

	QTY	MODEL NO.	DESCRIPTION	
TOPS	1	91-48120AT	Finish	HW
			Top Surface	W
			Edge	C2
BASES	3	01-0606QB	Finish	HW
DATA	2	1-INTP	Location	BB

Specifications

VENEER

Veneers on exposed surfaces are select grade sliced American Black Walnut and are carefully selected and matched to assure proper balance and consistency.

TOPS

Wood veneer tops are 5-ply balanced construction and high pressure laminate tops are 3-ply balanced construction. Tops are 1 $\frac{3}{16}$ " thick with solid hardwood rims. All buffets, credenzas, serving carts, video cabinets, and storage/wardrobe cabinets are shaped on user side only. Grain direction runs left to right unless otherwise noted.

CHASSIS CONSTRUCTION

Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength. All units are equipped with heavy-duty, adjustable glides to ensure proper leveling and compensation for uneven floors.

DRAWERS

All drawer fronts are standard with elegant vertically matched walnut veneer faces. Drawers feature 5-sided construction with $\frac{3}{4}$ " 3-ply fronts, $\frac{7}{16}$ " thick hardwood sides and $\frac{5}{32}$ " hardboard bottoms. Units with 36" wide file drawers feature $\frac{1}{4}$ " thick drawer bottoms for maximum storage strength. Drawer interiors are sanded, sealed, and finished to provide for a smooth, quality feel and appearance.

DRAWER SUSPENSION

File drawers and box drawers feature high quality, black progressive full extension slides with precision steel ball bearings to ensure a smooth, quiet operation. All suspensions have a lifetime warranty.



FILING HARDWARE

All file drawers are standard with custom fitted filing systems designed to accommodate a variety of filing requirements. Storage cabinet file drawers provide legal filing front to back, and legal or letter filing side to side.

LOCKING

All units with file drawers feature locking. Removable lock cylinders allow for units to be re-keyed at a later date if required. Units are shipped randomly keyed as standard.

FINISH

Cameo Conference features Ultra-Violet matte finish on all exposed surfaces by utilizing roll-coat UV technology. Our durable UVAdvantage® finish makes surfaces less likely to be damaged by abrasions, scratches, water, alcohol, stains, and common chemicals. Our UVAdvantage® finish magnifies the beauty of our wood finishes and reduces the darkening, aging, and yellowing process of wood furniture that naturally occurs over time. Once cured by UV lighting, our UVAdvantage® finish does not emit irritable toxins, formaldehyde, or solvents into the air creating a safe work environment within new furniture installations. This process has allowed us to achieve third party certification for Indoor Air Quality. Additionally our UVAdvantage® finish greatly reduces hazardous air pollutants which contribute to smog formation, and our UVAdvantage® finish is recaptured over and over again reducing waste materials. Automated production technology eliminates exposure to sprayed chemicals in our factories. High gloss UVAdvantage® finish available on request.

Finish Options

WOOD VENEER (W) OR LAMINATE (P) TOPS – MUST SPECIFY



Legacy Walnut
LW



Harvest Walnut
HW



Mahogany on Walnut
MW



Presidential Walnut
PW



Espresso Walnut
EW



Artisan Walnut
AW



Columbian Walnut
CO



Traditional Mahogany
TM

☐ Available in High Pressure Laminate Tops. (P)

Edge Options



Jefferson
C2




Wilmington/Arlington
R

Pull Options



Jefferson
JEF



Wilmington
WLM



Arlington A
ARA



Arlington B
ARB



Liberty
ALB


COORDINATING PRODUCTS

Cameo Conference offers options to coordinate with Jefferson, Wilmington, and Arlington Caseloads and Cameo Reception.

INTERIOR DRAWER DIMENSIONS


CAMEO 9100 INTERIOR DRAWER DIMENSIONS

Item	Drawers	W	L	D
91-2472BFD 91-2436SV	Box	14 ¹⁷ / ₃₂	19 ¹ / ₄	3 ²¹ / ₃₂
91-2436BF 91-2472BF	Box	32 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
91-2472SBF	Box Box	14 ¹⁷ / ₃₂ 32 ⁹ / ₁₆	19 ¹ / ₄ 19 ¹ / ₄	3 ²¹ / ₃₂ 3 ²¹ / ₃₂
91-1872WBL 91-1872WBR	Box File	14 ¹⁷ / ₃₂ 14 ⁷ / ₈	19 ¹ / ₄ 19 ¹ / ₄	3 ²¹ / ₃₂ 8 ²⁹ / ₃₂
91-1872WFL 91-1872WFR	File	14 ⁷ / ₈	19 ¹ / ₄	8 ²⁹ / ₃₂
91-3672VC1 91-3672SU1	Box File	32 ⁹ / ₁₆ 32 ⁹ / ₁₆	19 ¹ / ₄ 19 ¹ / ₄	3 ²¹ / ₃₂ 8 ²⁵ / ₃₂
91-3672VC2 91-3672SU2	File	32 ⁹ / ₁₆	19 ¹ / ₄	8 ²⁵ / ₃₂
91-2436MB	Box	32 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
91-2430MB	Box	26 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
91-2424MB	Box	20 ⁹ / ₁₆	19 ¹ / ₄	3 ²¹ / ₃₂
91-2418MBL 91-2418MBR	Box	14 ¹⁷ / ₃₂	19 ¹ / ₄	3 ²¹ / ₃₂

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
 RECTANGULAR CONFERENCE TOPS	91-48192RT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 4781 W\$ 6012	
	91-48168RT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 4714 W\$ 5602	
	91-48144RT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 3964 W\$ 4647	
	91-48120RT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 3553 W\$ 4099	
	91-4296RT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 2666 W\$ 3074	
	91-3672RT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 1735 W\$ 2049	


Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

 ARC - RECTANGULAR CONFERENCE TOPS	91-48192AR 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 5056 W\$ 6286	
	91-48168AR 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 4988 W\$ 5876	
	91-48144AR 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 4236 W\$ 4918	
	91-48120AR 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 3826 W\$ 4372	
	91-4296AR 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3006 W\$ 3416	
	91-3672AR 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 1914 W\$ 2227	

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

 WAVE - RECTANGULAR CONFERENCE TOPS	91-48192WR 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$ 5056 W\$ 6286	
	91-48168WR 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$ 4988 W\$ 5876	
	91-48144WR 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$ 4236 W\$ 4918	
	91-48120WR 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$ 3826 W\$ 4372	
	91-4296WR 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$ 3006 W\$ 3416	
	91-3672WR 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$ 1914 W\$ 2227	

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

For ordering options including laminate availability, see back of Cameo identification card at the beginning of section.

For complete base descriptions, see page 104.

For data options, see pages 137-141.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
RACETRACK CONFERENCE TOPS 	91-48192AT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$	5876
									W\$	7105
	91-48168AT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$	5672
									W\$	6560
	91-48144AT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$	4851
									W\$	5535
	91-48120AT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$	4305
									W\$	4851
	91-4296AT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$	3279
									W\$	3689
	91-3672AT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$	2284
									W\$	2595

Description

- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

BOAT-SHAPE CONFERENCE TOPS 	91-48192BT 16 Ft - 2 Piece	192	48	1 3/16	—	—	375	15.5	P\$	5876
									W\$	7105
	91-48168BT 14 Ft - 2 Piece	168	48	1 3/16	—	—	325	13.6	P\$	5672
									W\$	6560
	91-48144BT 12 Ft - 2 Piece	144	48	1 3/16	—	—	275	12.3	P\$	4851
									W\$	5535
	91-48120BT 10 Ft - 2 Piece	120	48	1 3/16	—	—	225	10.3	P\$	4305
									W\$	4851
	91-4296BT 8 Ft - 1 Piece	96	42	1 3/16	—	—	180	9.4	P\$	3279
									W\$	3689
	91-3672BT 6 Ft - 1 Piece	72	36	1 3/16	—	—	100	6.2	P\$	2284
									W\$	2595

Description


- Grain Runs the Width of the Table
- Heavy Duty Ganging Mechanisms Connect 2 Piece Tops
- See Conference Bases for Number of Bases Required

For ordering options including laminate availability, see back of Cameo identification card at the beginning of section.

For complete base descriptions, see page 104.

For data options, see pages 137-141.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRADITIONAL RECTANGULAR BASE	01-2028TB	20	2	28 ½	—	—	32	2.3	\$ 860



Description

- Veneer Panel Base
- For Tables 42" Wide or Less
- Stretchers are Included

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

NOTE: Molding is applied to one side of outer extreme bases. If 3 or more bases are required, center bases will not have molding on either side.

TRADITIONAL RECTANGULAR BASE	01-2428TB	24	2	28 ½	—	—	38	2.7	\$ 916
------------------------------	-----------	----	---	------	---	---	----	-----	--------



Description

- Veneer Panel Base
- For Tables 48" Wide
- See Top Model Number for Number of Bases Required
- Stretchers are included

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	5

NOTE: Molding is applied to one side of outer extreme bases. If 3 or more bases are required, center bases will not have molding on either side.

TRADITIONAL SQUARE BASE	01-2020TSB	20	20	28 ½	—	—	57	8.4	\$ 1250
-------------------------	------------	----	----	------	---	---	----	-----	---------


Description

- Panel Access Door
- Traditional Molding on All Sides
- 2" Wire Management Opening Above Door
- 60mm Wire Management Opening in Bottom
- See Top Model Number for Number of Bases Required


Options: Specify & Add

GCBIS	Optional Grommet - (1) Top Edge	\$ 47
-------	---------------------------------	-------

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3

NOTE: Recommended on conference tables 72" or larger. If specified on smaller conference tables, a ballast must be ordered separately. Contact customer service for more information.

QUEEN ANNE BASE	01-0606QB	22	22	28 ½	—	—	35	10.8	\$ 854
-----------------	-----------	----	----	------	---	---	----	------	--------


Description

- Queen Anne Base
- See Top Model Number for Number of Bases Required

	72"	96"	120"	144"	168"	192"
Number of Bases Required	2	2	3	3	3	3


For ordering options, see back of Cameo identification card at the beginning of section.

For data options, see pages 137-141.

CAMEO™ 9100 CONFERENCE SERIES

Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
TRAINING TABLE POWER & DATA VAULT	01-TVAULTA	4 ½	13 ¾	4 ⅙	—	—	10	.3	\$ 1001




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 2 Data Ports and 3 Power Outlets
- 6' Power Cord

HOTEL DESK POWER & DATA VAULT	01-HVAULTA	4 ½	11 ¾	4 ⅙	—	—	10	.3	\$ 963
----------------------------------	------------	-----	------	-----	---	---	----	----	--------




Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 1 Data Ports and 2 Power Outlets
- 6' Power Cord

CONFERENCE TABLE POWER & DATA VAULT	01-CVAULTA	4 ½	15 ¾	4 ⅙	—	—	10	.4	\$ 1053
--	------------	-----	------	-----	---	---	----	----	---------



Open Market Only

Description

- Electric Drive Motor Rotates the Surface Technology 180° to the Proper Position
- Photo-Electronic Eye Prevents Rotation When Obstructed
- 3 Data Ports, 3 Power Outlets, and 1 VGA Port
- 6' Power Cord

REVEAL POWER & DATA	01-ASSEMBLERA Aluminum	6 ⅝	13 ¾	3	—	—	5	.3	\$ 595
	01-ASSEMBLERB Black	6 ⅝	13 ¾	3	—	—	5	.3	\$ 595






Description

- Mounts Under Worksurface on Sturdy Ball Bearing Track
- 1 Open Port, 1 USB, and 2 Power Outlets
- Includes Voice/Data Adapter Kit to Accept Couplers and Jacks When Required
- Does Not Require Cut Out in Worksurface
- UL Listed

For ordering options, see back of Cameo identification card at the beginning of section.

CAMEO™ 9100 CONFERENCE SERIES

Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
OASIS MINI POWER & DATA	01-OASISMA Aluminum	15	9	4 15/16	—	—	7	.7	\$ 1961
	01-OASISMB Black	15	9	4 15/16	—	—	7	.7	\$ 1961
 Description • 2 Data/1 Voice Telecom Plates Included • Opening for 1 Additional Plate Sold Separately • 4 Power Outlets • Soft Touch Hinged Lid • 9' Power Cord • UL Listed • Optional Telecom Plates, See Page 146									
INTERACT POWER & DATA	01-INTERACTA Aluminum	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
	01-INTERACTB Black	9	5 3/8	2 3/4	—	—	5	.2	\$ 402
 Description • 1 Data/1 Voice Telecom Plate Included • 2 Power Outlets • Convenience Plug on Bottom • 6' Power Cord • UL Listed and CSA Certified • Optional Telecom Plates, See Page 146									
DATA PORT 4	01-DPORT4A Aluminum	8	4	—	—	—	7	.2	\$ 671
	01-DPORT4B Black	8	4	—	—	—	7	.2	\$ 671
 Description • Retracts into Work Surface to Regain Productive Space • One-Touch Access to Power and Data • Two Power Outlets and Two Open Ports for Data • Water-Proof Simplex (Outlets) • Includes a Voice/Data Adapter Kit to Accept Couplers and Jacks When Required • 6' Power Cord									
POWER 440	01-DATA440A Aluminum	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
	01-DATA440B Black	5 5/16	4 3/8	—	—	—	5	.2	\$ 593
 Description • 2 Power Outlets • Soft Touch Hinged Lid • 6' Power Cord									

For ordering options, see back of Cameo identification card at the beginning of section.

CAMEO™ 9100 CONFERENCE SERIES


Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
GROMMET	1-GRMTB Black	—	—	—	—	—	1	.1	\$ 47
	1-GRMTSL Silver	—	—	—	—	—	1	.1	\$ 47


Description

- 60mm Black Round Grommet with Cover
- Factory installed Only

SPHERICAL POWER CENTER	1-PDCSS Silver	3 3/8	3 3/8	3	—	—	2	.1	\$ 379
	1-PDCSB Black	3 3/8	3 3/8	3	—	—	2	.1	\$ 379


Description

- Two 15 Amp Simplexes
- Two Voice/Data Ports
- Six Foot Cord
- UL Listed & CSA Certified


NOTE: To order voice/data modules for your specific requirements, contact the local computer or telecommunications installation service in your area.

For ordering options, see back of Cameo identification card at the beginning of section.

CAMEO™ 9100 CONFERENCE SERIES

Data/Power/Communication Accessories


Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
WORKSURFACE POWER CENTER	1-INTP	5 ¼	7	1 ¾	—	—	2	.2	\$ 477


Description

- Two 15 Amp Duplex Outlets
- Two Voice/Data Ports
- Six Foot Cord
- Silver
- UL Listed

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

WORKSURFACE POWER CENTER	1-INTRFC1A Aluminum	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269
	1-INTRFC1B Black	14 ¼	6 ⅝	2 ⅞	—	—	11	.3	\$ 1269


Description

- Four Power Receptacles in Two 15 Amp Duplexes
- One 15 Amp Circuit Breaker
- One Voice Port
- Three Data Ports
- Six Foot Cord
- UL Listed/CSA Certified
- Optional Telecom Plates, See Page 146

NOTE: To order voice/data modules for your specific requirements contact the local computer or telecommunications installation service in your area.

For ordering options, see back of Cameo identification card at the beginning of section.


CAMEO™ 9100 CONFERENCE SERIES
Data/Power/Communication Accessories

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
USB PORT	1-USBPORT	-	-	-	-	-	-	-	\$ 99


Description

- Increases Transfer Speed Up to 5 gbs/sec
- Simultaneous Read/Write Capability
- Idle Device Power Saving State
- 6' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER

VOICE COUPLER	1-VOICE1	-	-	-	-	-	-	-	\$ 45
---------------	----------	---	---	---	---	---	---	---	-------


Description

- 6-Pin Modular Plug
- Molded Black
- Cord Not Included
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER


DATA PORT	1-RJ4DATA	-	-	-	-	-	-	-	\$ 102
-----------	-----------	---	---	---	---	---	---	---	--------


Description

- 8-Pin Modular Plug
- Cat 5 Ethernet Cable
- Pre-terminated Cable
- 9' Cord
- Compatible with 01-DPORT4, 1-INTP, 1-PDCS, and 01-ASSEMBLER


For ordering options, see back of Cameo identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
BUFFET	91-2436BF	36	24	36	—	—	189	21.7	P \$	2583
									W \$	2630


Description

- Top Shaped Front Side Only
- One Drawer
- Storage Behind Two Doors
- One Adjustable Shelf
- Finished Back

BUFFET	91-2472BF	72	24	36	—	—	342	45.6	P \$	4907
									W \$	4988


Description


- Top Shaped Front Side Only
- Two Drawers
- Storage Behind Four Doors
- Two Adjustable Shelves
- Finished Back

BUFFET	91-2472BFD	72	24	36	—	—	337	45.6	P \$	5658
									W \$	5741


Description

- Top Shaped Front Side Only
- Open Storage with Adjustable Shelf
- Two Drawers
- Storage Behind Four Doors
- One Adjustable Shelf On Left & Right
- Finished Back


BUFFET	91-2472SBF	72	24	36	—	—	362	45.6	P \$	5658
									W \$	5741


Description

- Top Shaped Front Side Only
- Three Drawers
- Storage Behind Four Doors
- Three Adjustable Shelves
- Center Section is Stepped Back
- Finished Back


For ordering options, see back of Cameo identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
CONFERENCE CREDENZA	91-2436CC	36	24	30	—	—	150	17.6	P \$	2001
									W \$	2049


Description

- Top Shaped Front Side Only
- Two Doors
- Adjustable Shelf Behind Doors
- Finished Back

CONFERENCE CREDENZA	91-2472CC	72	24	30	—	—	290	34.2	P \$	4053
									W \$	4136


Description

- Top Shaped Front Side Only
- Four Doors
- Two Adjustable Shelves
- Finished Back

MOBILE SERVING CART	91-2436SV	36	24	36	—	—	149	24.0	P \$	3096
									W \$	3145


Description


- Top Shaped On Front Side Only
- Two Box Drawers
- Open Storage
- Storage Behind Two Doors
- Locking Casters

Options: Specify & Add

1-GRMT	Optional Grommet in Back Panel	\$	47
--------	--------------------------------	----	----

For ordering options, see back of Cameo identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
VISOR RAIL	91-2472VR	72	24	5 3/16	—	—	100	8.9	\$ 854



Description

- Overhead Rail Creates Wall Unit
- For Use with 72" High Cabinets

Options: Specify & Add

1-PS	Optional Projection Screen <i>Requires Field Installation</i>	\$ 648
TL-0848	Optional Task Light <i>Requires Field Installation</i>	\$ 280

VISUAL BOARD	91-4848VB	48	5	48	—	—	150	11.0	\$ 3553
--------------	-----------	----	---	----	---	---	-----	------	---------


Description

- Decorative Pencil Molding
- Tackboard on Each Door with Black Fabric Standard Unless Specified
- Price Valid for Grades 1, 2, or 3
- Display Rail with Adjustable Hooks for Flipchart
- Flipchart
- Magnetic Porcelain Non-Glare Writing Surface
- Set of Four Dry Erase Markers and Eraser

Options: Specify & Add	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10
Tackboard	\$ 176	256	344	460	584	732	900
1-PS	Optional Factory Installed Projection Screen						\$ 648


LECTERN STAND	91-2650LS	26	24	50	—	—	130	21.9	\$ 2463
---------------	-----------	----	----	----	---	---	-----	------	---------


Description

- Wood Top Only
- Fixed Reading Shelf
- Adjustable Pullout Shelf
- Two Adjustable Storage Shelves
- Locking Casters

For ordering options, see back of Cameo identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
STORAGE CABINET DOUBLE DOORS	91-3672SUD	36	24	72	—	—	285	42.0	\$ 4157


Description

- Decorative Pencil Molding on Upper Doors
- Top Section has Two Adjustable Shelves
- Bottom Section has One Adjustable Shelf
- Finished Back

WARDROBE/STORAGE CABINET	Hinged Left	Hinged Right	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
	91-1872WL	91-1872WR	18	24	72	—	—	155	22.0	\$ 3312


Description

- Hinged Wood Door
- Fixed Top Shelf
- Coat Rod Under Fixed Shelf
- Three Adjustable Wood Shelves
- Adjustable Shelves can be Removed for Wardrobe Application

For ordering options, see back of Cameo identification card at the beginning of section.

Compatible with 01-OASISMA, 01-OASISMB, 01-INTERACTA, 01-INTERACTB, 01-INTRFCIA, and 01-INTRFCIB.

Model No.	Description	List Price
01-ABL	Telecom Plate, Blank Plate	\$ 25
01-ABL737373	Telecom Plate, (3) RJ45 Cat 5e	\$ 226
01-ABLAB	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 125
01-ABLAB102	Telecom Plate, (1) RJ45 Cat 6, (1) RJ11 Cat 3, (1) USB W/72" Patch Cord	\$ 197
01-ABLABB	Telecom Plate, (2) RJ45 Cat 6, (1) RJ11 Cat 3 Phone	\$ 197
01-ABLB	Telecom Plate, (1) RJ45 Cat 6	\$ 92
01-ABLB	Telecom Plate, (2) RJ45 Cat 6	\$ 159
01-ABLB	Telecom Plate, (3) RJ45 Cat 6	\$ 226
01-ABLB	Telecom Plate, (4) RJ45 Cat 6	\$ 293
01-ABLBBC51	Telecom Plate, (2) RJ45 Cat 6, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 274
01-ABLC51L	Telecom Plate, (1) RJ45 Cat 6, (1) Mini Stereo Inline, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 251
01-ABLC3811	Telecom Plate, (1) RJ45 Cat 6 Data Inline, (1) RJ11 Cat 3 Phone Inline	\$ 121
01-ABLC45	Telecom Plate, (1) HDMI w/36" Patch Cord	\$ 182
01-ABLC45C51L	Telecom Plate, (1) Mini Stereo Inline, (1) HDMI w/36" Patch Cord, (1) 15 Pin HD VGA w/72" Patch Cord	\$ 342
01-ABLC51L	Telecom Plate, (1) 15 Pin HD VGA & (1) Mini Stereo Inline Jack	\$ 184
01-ABLCRDM	Telecom Plate, (3) Cord Bushings	\$ 59

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

AuraTM

Reception Collection

How to Order

MODEL NO.	DESCRIPTION
62-3672RSS	Finish JW
	Solid Surface Color PE
	Edge S1

All options must be labeled and specified.



Specifications

veneer

Exposed surfaces feature select grade sliced hardwood veneers in Cherry, Maple, American Black Walnut, or composite veneers of Walnut and Wenge. Veneers are carefully selected and matched to assure proper balance and consistency.

tops

Work surface tops are 3-ply balanced construction and 1½" thick with a self-edge. Transaction tops 1½" thick and 5-ply balanced construction in veneer or 3-ply balanced construction in laminate. Transaction tops in Cherry, Maple, and American Black Walnut have solid hardwood rims and are profiled on all sides with mitered corners. Transaction tops in Composite Walnut and Composite Wenge are edge-banded and have a self-edge on all sides. Grain runs left to right unless otherwise stated. Optional accent tops of ¾" glass with 2" silver standoffs are available. Transaction tops in solid surface materials are 1½" thick and available in 6 standard colors.

chassis construction

Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength. All units are equipped with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors. All units have finished backs unless noted. All pedestals have wire management access from pedestal to kneespace.

drawers

All drawer fronts are standard with elegant veneer faces. Fronts are 3-ply construction ¾" thick and vertically matched in sets. Drawer interiors are constructed with wood grain vinyl wrapped sides, ½" thick. Box and file drawers have ¾" thick hardboard bottoms. Lateral file drawers feature ¼" thick bottoms for storage applications. 5-Sided drawer construction allows for easy removal of drawer fronts.

drawer suspensions

All drawers feature full extension, progressive action slides with precision steel ball bearings. Box and file drawers are tested for 100 lb capacity. Lateral files are tested for 150 lb capacity. All suspensions have a limited life-time warranty.

filing hardware

All file drawers are standard with filing systems designed to accommodate a variety of filing requirements. Modular component pedestals provide letter filing front to back and legal filing side to side. Lateral file drawers provide legal or letter filing front to back or side to side.

locking

All units with file drawers feature locking. All pedestals come with standard or optional locking. Locks are black or silver to match the pull selected. Removable lock cylinders allow units to be re-keyed at a later date if required. Units are shipped randomly keyed as standard. Lock cores match pull color.

finish

Aura Reception features Ultra-Violet matte finish on all exposed surfaces by utilizing roll-coat UV technology. Our durable UVAdvantage® finish makes surfaces less likely to be damaged by abrasions, scratches, water, alcohol, stains, and common chemicals. Our UVAdvantage® finish magnifies the beauty of our wood finishes and reduces the darkening, aging, and yellowing process of wood furniture that naturally occurs over time. Once cured by UV lighting, our UVAdvantage® finish does not emit irritable toxins, formaldehyde, or solvents into the air creating a safe work environment within new furniture installations. This process has allowed us to achieve third party certification for Indoor Air Quality. Additionally our UVAdvantage® finish greatly reduces hazardous air pollutants which contribute to smog formation, and our UVAdvantage® finish is recaptured over and over again reducing waste materials. Automated production technology eliminates exposure to sprayed chemicals in our factories. High gloss UVAdvantage® finish available on request.



Finish Options

WOOD VENEER (W) OR LAMINATE (P) TOPS – MUST SPECIFY



Clear Maple
CM



Light Maple
LM



Golden Cherry
GC



Bourbon Cherry
BC



Autumn Cherry
AC



Dark Cherry
DC



Legacy Walnut
LW



Harvest Walnut
HW



Mahogany on Walnut
MW



Espresso on Walnut
EW



Columbian Walnut
CO



Artisan Walnut
AW



Presidential Walnut
PW

COMPOSITE VENEER (CV)



Sunglow Walnut
SW



Java Wenge
JW

Note: Composite veneers are only available with the square (Y) profile.

☐ Available in High Pressure Laminate Tops. (P)

Solid Surface Options (S)



Icy White



Pebble Beach



Sedona



Arroyo



Tundra



Starry Night

Edge Options

WOOD



Radius
A



Bevel
B



Bullnose
D



Tri-Round
E



Waterfall
N



Tail
Z



Flute
X




Square
Y



Phoenix
O

SOLID SURFACE EDGES



Straight Edge
S1



Roman Edge
S2

Pull Options



Aluminum Arc
AAC



Aluminum Bar
ABR



Aluminum Buckle
ABU



Aluminum Groove
AGR



Aluminum Elite
AEL



Aluminum Focus
AFC



Aluminum Quadra
AQD



Aluminum Beam
ABM



Black Arc
BAC



Black Bar
BBR



Black Buckle
BBU



Black Groove
BGR



Black Elite
BEL



Black Focus
BFC



Black Quadra
BQD



Black Beam
BBM


COORDINATING PRODUCTS

Aura Reception offers options to coordinate with Madera, Gesso, Encompass, and Revolutions Casegoods and Aura Conference.


INTERIOR DRAWER DIMENSIONS
AURA 6200 INTERIOR DRAWER DIMENSIONS

Item	Drawers	W	L	D
62-2418PD1	Box	14 ⁹ / ₃₂	15 ¹ / ₈	3 ¹ / ₂
	File	14 ⁹ / ₃₂	15 ¹ / ₈	9 ¹ / ₄
62-2418PD2	File	14 ⁹ / ₃₂	15 ¹ / ₈	9 ¹ / ₄
62-2436LF1	Lat File	32 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
62-2430LF1	Lat File	26 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
62-2436MF1	Box	14 ⁹ / ₃₂	15 ¹ / ₈	3 ¹ / ₂
	File	14 ⁹ / ₃₂	15 ¹ / ₈	9 ¹ / ₄
	Lat File	32 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
62-2430MF1	Box	11 ²³ / ₃₂	16 ³ / ₁₆	3 ¹ / ₂
	File	11 ²³ / ₃₂	16 ³ / ₁₆	9 ¹ / ₄
	Lat File	26 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
62-1622CD	Center	19	15	1 ¹ / ₈


FILING CAPABILITIES

11 ²³/₃₂ x 16 ³/₁₆



Letter Front to Back




Legal Side to Side

14 ⁹/₃₂ x 15 ¹/₈



Letter Front to Back




Legal Side to Side

32 ⁹/₃₂ x 15 ¹/₁₆



2 Rows Letter Front to Back



1 Row Legal Side to Side

26 ⁹/₃₂ x 15 ¹/₁₆


2 Rows Letter Front to Back



1 Row Legal Side to Side

GROMMET LOCATIONS

Add upcharge of \$47 list for each grommet.

Specify grommet locations.


GL - Grommet Left

GC - Grommet Center

GR - Grommet Right

Example: 62-3672RS-GL (Grommet Left)

Grommets may be ordered in non-standard locations.
 Please attach a drawing to the purchase order showing the location of the grommet.



62-3696RSS/RS

62-3690RSS/RS

62-3684RSS/RS

62-3678RSS/RS


62-3672RSS/RS

62-3666RSS/RS

62-3660RSS/RS

GL/GR - 6" from ends, 32 ³/₈" from user side.

GC - 32 ³/₈" from user side.



62-3096RSS/RS

62-3090RSS/RS

62-3084RSS/RS

62-3078RSS/RS

62-3072RSS/RS

62-3066RSS/RS

62-3060RSS/RS

GL/GR - 6" from ends, 26 ³/₈" from user side.

GC - 26 ³/₈" from user side.



62-2560RSLF/RSRF

62-2554RSLF/RSRF

62-2548RSLF/RSRF

62-2442RSLF/RSRF

62-2436RSLF/RSRF

GL/GR - 6" from ends, 20" from user side.

GC - 20" from user side.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECEPTION STATION DESK SHELL SOLID SURFACE TRANSACTION TOP	62-3696RSS	98	39	42	93 3/4	3	389	108.0	W \$ 5632 CV\$ 6079
	62-3690RSS	92	39	42	87 3/4	3	367	101.0	W \$ 5295 CV\$ 5766
	62-3684RSS	86	39	42	81 3/4	3	345	93.0	W \$ 5083 CV\$ 5518
	62-3678RSS	80	39	42	75 3/4	3	315	90.0	W \$ 4864 CV\$ 5284
	62-3672RSS	74	39	42	69 3/4	3	301	77.0	W \$ 4546 CV\$ 4989
	62-3666RSS	68	39	42	63 3/4	3	279	72.0	W \$ 4348 CV\$ 4775
	62-3660RSS	62	39	42	57 3/4	3	250	65.0	W \$ 4182 CV\$ 4541
	62-3096RSS	98	33	42	93 3/4	3	329	108.0	W \$ 5407 CV\$ 5850
	62-3090RSS	92	33	42	87 3/4	3	311	101.0	W \$ 5076 CV\$ 5540
	62-3084RSS	86	33	42	81 3/4	3	293	93.0	W \$ 4877 CV\$ 5300
	62-3078RSS	80	33	42	75 3/4	3	267	90.0	W \$ 4664 CV\$ 5072
	62-3072RSS	74	33	42	69 3/4	3	256	77.0	W \$ 4366 CV\$ 4785
	62-3066RSS	68	33	42	63 3/4	3	237	72.0	W \$ 4175 CV\$ 4582
	62-3060RSS	62	33	42	57 3/4	3	213	65.0	W \$ 4004 CV\$ 4409

Description


- Shell Desk with 12" Solid Surface Transaction Top
- Transaction Top Profiled on 4 Sides
- Optional Contrasting Overlay Panel for Approach Modesty, See Page 155

For ordering options, see back of Aura Identification card at the beginning of section.

For grommet options, see page 152.

For Tackboards, see page 163.

Aura™ 6200 RECEPTION SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
 RECEPTION STATION DESK SHELL TRANSACTION TOP	62-3696RS	98	39	42	93 3/4	3	359	108.0	W \$	3905
									P \$	3871
									CV\$	4233
	62-3690RS	92	39	42	87 3/4	3	337	101.0	W \$	3707
									P \$	3666
									CV\$	4141
	62-3684RS	86	39	42	81 3/4	3	315	93.0	W \$	3607
									P \$	3560
									CV\$	3979
	62-3678RS	80	39	42	75 3/4	3	285	90.0	W \$	3424
									P \$	3419
									CV\$	3848
	62-3672RS	74	39	42	69 3/4	3	271	77.0	W \$	3301
									P \$	3256
									CV\$	3641
	62-3666RS	68	39	42	63 3/4	3	249	72.0	W \$	3168
									P \$	3104
									CV\$	3529
	62-3660RS	62	39	42	57 3/4	3	220	65.0	W \$	3094
									P \$	3036
									CV\$	3389
	62-3096RS	98	33	42	93 3/4	3	299	108.0	W \$	3633
									P \$	3590
									CV\$	3940
	62-3090RS	92	33	42	87 3/4	3	281	101.0	W \$	3438
									P \$	3392
									CV\$	3866
	62-3084RS	86	33	42	81 3/4	3	263	93.0	W \$	3353
									P \$	3301
									CV\$	3702
	62-3078RS	80	33	42	75 3/4	3	237	90.0	W \$	3235
									P \$	3171
									CV\$	3579
	62-3072RS	74	33	42	69 3/4	3	226	77.0	W \$	3093
									P \$	3051
									CV\$	3404
	62-3066RS	68	33	42	63 3/4	3	207	72.0	W \$	2972
									P \$	2903
									CV\$	3305
	62-3060RS	62	33	42	57 3/4	3	183	65.0	W \$	2892
									P \$	2832
									CV\$	3175


Description

- Shell Desk with 12" Wood Veneer or Laminate Transaction Top
- Transaction Top Profiled on 4 Sides
- Worksurface Available Only in Veneer
- Optional Contrasting Overlay Panel for Approach Modesty, See Page 155
- Optional Glass Transaction Top, See Page 155

For ordering options, see back of Aura Identification card at the beginning of section.


For grommet options, see page 152.

For Tackboards, see page 163.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
OPTIONAL GLASS TRANSACTION TOP FOR DESK SHELLS 	62-96SOG	98	12	3/8	-	-	-	-	\$ 1960
	62-90SOG	92	12	3/8	-	-	-	-	\$ 1927
	62-84SOG	86	12	3/8	-	-	-	-	\$ 1892
	62-78SOG	80	12	3/8	-	-	-	-	\$ 1628
	62-72SOG	74	12	3/8	-	-	-	-	\$ 1593
	62-66SOG	68	12	3/8	-	-	-	-	\$ 1560
	62-60SOG	62	12	3/8	-	-	-	-	\$ 1529

Description

- For Desks With Veneer or Laminate Transaction Tops
- Glass Top with 2" Silver Standoff
- Must be Field Installed
- Only Available on Bullnose, Tri-Round, Flute, Square, or Tail Edge Tops

OPTIONAL MODESTY PANEL OVERLAY FOR DESK SHELLS 	62-OV96	72	1	37 1/2	-	-	-	-	\$ 598
	62-OV90	66	1	37 1/2	-	-	-	-	\$ 565
	62-OV84	60	1	37 1/2	-	-	-	-	\$ 526
	62-OV78	54	1	37 1/2	-	-	-	-	\$ 479
	62-OV72	48	1	37 1/2	-	-	-	-	\$ 431
	62-OV66	42	1	37 1/2	-	-	-	-	\$ 394
	62-OV60	36	1	37 1/2	-	-	-	-	\$ 341


Description

- Veneer Finishes, White, or Sugar Cookie Painted Accent Panel Creates Contemporary Modern Style
- Ships Factory Installed on Corresponding Width Reception Station Desk Shells

For ordering options, see back of Aura Identification card at the beginning of section.


For grommet options, see page 152.

Aura™ 6200 RECEPTION SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
RECEPTION STATION RETURN SHELL 	Left Return	Right Return								
	62-2560RSLF	62-2560RSRF	60	25 ³ / ₈	40 ¹ / ₂	58 ¹³ / ₁₆	-	139	39.0	W \$ 1569 CV\$ 1834
	62-2554RSLF	62-2554RSRF	54	25 ³ / ₈	40 ¹ / ₂	52 ¹³ / ₁₆	-	125	35.0	W \$ 1492 CV\$ 1757
	62-2548RSLF	62-2548RSRF	48	25 ³ / ₈	40 ¹ / ₂	46 ¹³ / ₁₆	-	116	32.0	W \$ 1373 CV\$ 1632
	62-2542RSLF	62-2542RSRF	42	25 ³ / ₈	40 ¹ / ₂	40 ¹³ / ₁₆	-	102	30.0	W \$ 1308 CV\$ 1572
	62-2536RSLF	62-2536RSRF	36	25 ³ / ₈	40 ¹ / ₂	34 ¹³ / ₁₆	-	87	26.0	W \$ 1223 CV\$ 1446

Description


- Return Shell
- Grain Runs Front to Back on Worksurface

RETURN TRANSACTION TOP 	62-1288RTP	88	12	1 ⁵ / ₃₂	-	-	45	3.5	W \$ 908 P \$ 855 CV\$ 926
	For Use with 36" Desks and 60" Returns								
	62-1282RTP	82	12	1 ⁵ / ₃₂	-	-	42	2.9	W \$ 880 P \$ 836 CV\$ 912
	For Use with 36" Desks and 54" Returns or 30" Desks and 60" Returns								
	62-1276RTP	76	12	1 ⁵ / ₃₂	-	-	39	2.7	W \$ 852 P \$ 792 CV\$ 876
	For Use with 36" Desks and 48" Returns or 30" Desks and 54" Returns								
	62-1270RTP	70	12	1 ⁵ / ₃₂	-	-	36	2.5	W \$ 814 P \$ 755 CV\$ 864
	For Use with 36" Desks and 42" Returns or 30" Desks and 48" Returns								
	62-1264RTP	64	12	1 ⁵ / ₃₂	-	-	33	2.3	W \$ 767 P \$ 725 CV\$ 831
	For Use with 36" Desks and 36" Returns or 30" Desks and 42" Returns								
	62-1258RTP	58	12	1 ⁵ / ₃₂	-	-	30	2.1	W \$ 743 P \$ 705 CV\$ 817
	For Use with 30" Desks and 36" Returns								

Description

- Transaction Top for Use on the Return Shell
- Profiled on 4 Sides with Reverse Shape on Joining End
- Grain Runs Front to Back on Veneer Worksurface
- Optional Glass Transaction Top Sold on Page 157

For ordering options, see back of Aura Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
OPTIONAL GLASS TRANSACTION TOP FOR RETURN SHELLS WITH WOOD TRANSACTION TOPS 	62-88SOG	88	12	3/8	-	-	-	-	\$ 1909
	62-82SOG	82	12	3/8	-	-	-	-	\$ 1857
	62-76SOG	76	12	3/8	-	-	-	-	\$ 1607
	62-70SOG	70	12	3/8	-	-	-	-	\$ 1571
	62-64SOG	64	12	3/8	-	-	-	-	\$ 1536
	62-58SOG	58	12	3/8	-	-	-	-	\$ 1502

Description

- Glass Top with 2" Silver Standoff
- Field Installed on Corresponding Width Return Risers
- Only Available on Bullnose, Tri-Round, Flute, Square, or Tail Edge Tops

COMPONENT PEDESTAL BOX/BOX/FILE 	62-2418PD1	18	24	28 1/4	-	-	82	9.4	W \$ 1632
									CV\$ 1652

Description

- Box/Box/File Legal Width Pedestal
- File Drawer Provides Legal or Letter Filing
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

COMPONENT PEDESTAL FILE/FILE 	62-2418PD2	18	24	28 1/4	-	-	82	9.4	W \$ 1632
									CV\$ 1652

Description


- File/File Legal Width Pedestal
- File Drawers Provide Legal or Letter Filing
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

For ordering options, see back of Aura Identification card at the beginning of section.

Item	Model No.		W	D	H	K	R	Ship Wt	Cubic Ft	List Price
COMPONENT PEDESTAL DOOR BOOKCASE	Hinged Left	Hinged Right								
	62-2418PD4L	62-2418PD4R	18	24	28 1/4	-	-	82	9.4	W \$ 1494
										CV\$ 1526



Description

- Adjustable 12" Shelf Behind Door
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

COMPONENT PEDESTAL LATERAL FILE	62-2436LF1	36	24	28 1/4	-	-	143	17.2	W \$ 2070 CV\$ 2418
	62-2430LF1	30	24	28 1/4	-	-	119	14.4	W \$ 2039 CV\$ 2104



Description

- Two Lateral File Drawer Pedestal
- Drawers Provide Legal or Letter Filing
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

COMPONENT PEDESTAL MULTI- FILE	62-2436MF1	36	24	28 1/4	-	-	143	17.2	W \$ 2549 CV\$ 2660
	62-2430MF1	30	24	28 1/4	-	-	119	14.4	W \$ 2512 CV\$ 2588


Description


- Box/Box/File Over Lateral File Pedestal
- File Drawers Provide Legal or Letter Filing
- Locking File Drawers

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

For ordering options, see back of Aura Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
COMPONENT PEDESTAL DOUBLE DOOR BOOKCASE	62-2436DB	36	24	28 1/4	-	-	145	17.2	W \$ 1886 CV\$ 2012
	62-2430DB	30	24	28 1/4	-	-	105	14.4	W \$ 1815 CV\$ 1903



Description

- Adjustable 12" Shelf Behind Doors
- Optional Locking

Options: Specify & Add

LKT	Optional Locking	\$	42
WMENDS	Optional Wire Management Ends	\$	98


CENTER DRAWER	62-1622CD	22	16	2 3/4	-	-	7	1.4	\$ 203
---------------	-----------	----	----	-------	---	---	---	-----	--------


Description

- Attaches Under Worksurfaces
- Built in Pen Tray
- Field Installed Only
- Not Available in Composite Veneers


For ordering options, see back of Aura Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECEPTION DESK DOUBLE PEDESTAL	62-1	74	39	42	-	-	472	97.2	W \$ 8361 P \$ 8316 CV\$ 8741


Consists of:
Qty

62-3672RS	1	• Reception Station Shell	W \$ 3301 P \$ 3256 CV\$ 3641
62-72SOG	1	• Optional Glass Top	\$ 1593
62-2418PD1	1	• Component Pedestal Box/Box/File	W \$ 1632 CV\$ 1652
62-2418PD2	1	• Component Pedestal File/File	W \$ 1632 CV\$ 1652
62-1622CD	1	• Center Drawer	\$ 203

RECEPTION STATION L-GROUP	62-2	80	82	42	-	-	587	141.3	W \$ 8810 P \$ 8746 CV\$ 9588
------------------------------	------	----	----	----	---	---	-----	-------	-------------------------------------


Consists of:
Qty

62-3678RS	1	• Reception Station Shell	W \$ 3424 P \$ 3419 CV\$ 3848
62-2418PD1	1	• Component Pedestal Box/Box/File	W \$ 1632 CV\$ 1652
62-2542RSRF	1	• Reception Station Return Shell	W \$ 1308 CV\$ 1572
62-1270RTP	1	• Return Shell Transaction Top	W \$ 814 P \$ 755 CV\$ 864
62-2418PD2	1	• Component Pedestal File/File	W \$ 1632 CV\$ 1652


For ordering options, see back of Aura Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECEPTION STATION L-GROUP	62-3	74	100	42	-	-	665	142.6	W \$ 10296 CV\$ 11135


Consists of:
Qty


62-3672RSS	1	• Reception Station Shell Solid Surface Top	W \$ 4546 CV\$ 4989
62-2418PD1	1	• Component Pedestal Box/Box/File	W \$ 1632 CV\$ 1652
62-2560RSRF	1	• Reception Station Return Shell	W \$ 1569 CV\$ 1834
62-2436MF1	1	• Component Pedestal Multi-File	W \$ 2549 CV\$ 2660

RECEPTION STATION U-GROUP	62-4	86	88	42	-	-	755	187.2	W \$ 11305 P \$ 11133 CV\$ 12272
------------------------------	------	----	----	----	---	---	-----	-------	--


Consists of:
Qty

62-3084RS	1	• Reception Station Shell	W \$ 3353 P \$ 3301 CV\$ 3702
62-2554RSLF	1	• Reception Station Left Return Shell	W \$ 1492 CV\$ 1757
62-2554RSRF	1	• Reception Station Right Return Shell	W \$ 1492 CV\$ 1757
62-1276RTP	2	• Transaction Riser for Return Shell	W \$ 1704 P \$ 1584 CV\$ 1752
62-2418PD1	1	• Component Pedestal Box/Box/File	W \$ 1632 CV\$ 1652
62-2418PD2	1	• Component Pedestal File/File	W \$ 1632 CV\$ 1652

For ordering options, see back of Aura Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECEPTION STATION J-GROUP	62-5	86	94	42	-	-	804	193.8	W \$ 17608 P \$ 17470 CV\$ 18712
	Consists of:	Qty							
	62-3084RS	1	• Reception Station Shell						W \$ 3353 P \$ 3301 CV\$ 3702
	62-84SOG	1	• Optional Glass Top						\$ 1892
	62-2542RSLF	1	• Reception Station Left Return Shell						W \$ 1308 CV\$ 1572
	62-2560RSRF	1	• Reception Station Right Return Shell						W \$ 1308 CV\$ 1572
	62-2418PD1	1	• Component Pedestal Box/Box/File						W \$ 1632 CV\$ 1652
	62-2436MF1	1	• Component Pedestal Multi-File						W \$ 2549 CV\$ 2660
	62-1264RTP	1	• Transaction Riser for Return Shell						W \$ 767 P \$ 725 CV\$ 831
	62-64SOG	1	• Optional Glass Top						\$ 1536
	62-1282RTP	1	• Transaction Riser for Return Shell						W \$ 880 P \$ 836 CV\$ 912
	62-82SOG	1	• Optional Glass Top						\$ 1857
	62-OV84	1	• Modesty Panel Overlay						\$ 526

For ordering options, see back of Aura Identification card at the beginning of section.

TACKBOARDS: RECEPTION DESK SHELL ONLY - 9" TALL

Size	Model #	COM ydg	COM, Grade 1, 2 or 3 List Price	Grade 4 List Price	Grade 5 List Price	Grade 6 List Price	Grade 7 List Price	Grade 8 List Price	Grade 9 List Price	Grade 10 List Price
60"	TB-6260	1.75	\$ 133	\$ 287	\$ 357	\$ 434	\$ 536	\$ 644	\$ 774	\$ 921
66"	TB-6266	2.00	\$ 143	\$ 319	\$ 399	\$ 487	\$ 603	\$ 727	\$ 875	\$ 1043
72"	TB-6272	2.25	\$ 156	\$ 354	\$ 444	\$ 543	\$ 674	\$ 813	\$ 980	\$ 1169
78"	TB-6278	2.50	\$ 190	\$ 410	\$ 510	\$ 620	\$ 765	\$ 920	\$ 1105	\$ 1315
84"	TB-6284	2.50	\$ 194	\$ 414	\$ 514	\$ 624	\$ 769	\$ 924	\$ 1109	\$ 1319
90"	TB-6290	2.75	\$ 205	\$ 447	\$ 557	\$ 678	\$ 838	\$ 1008	\$ 1212	\$ 1443
96"	TB-6296	3.00	\$ 215	\$ 479	\$ 599	\$ 731	\$ 905	\$ 1091	\$ 1313	\$ 1565



[illegible]



CameoTM

Reception Collection

How to Order

MODEL NO.	DESCRIPTION
61-3672RS	Finish PW Top Surface W

All options must be labeled and specified.



Specifications

veneer

Exposed surfaces feature select grade sliced hardwood veneers in American Black Walnut. Veneers are carefully selected and matched to assure proper balance and consistency.

tops

Work surface tops are 3-ply balanced construction and 1½" thick with a self-edge. Transaction tops 1½" thick and 5-ply balanced construction in veneer or 3-ply balanced construction in laminate. Transaction tops have solid hardwood rims and are profiled on all sides with mitered corners. Grain runs left to right unless otherwise stated.

chassis construction

Tops and end panels are securely fastened using high quality European fastening systems to assure maximum strength. All units are equipped with heavy-duty, adjustable leveling glides to ensure proper leveling and compensation for uneven floors. All units have finished backs unless noted. All pedestals have wire management access from pedestal to kneespace. Decorative moldings are hand applied.

drawers

All drawer fronts are standard with elegant veneer faces. Fronts are 3-ply construction ¾" thick and vertically matched in sets. Drawer interiors are constructed with wood grain vinyl wrapped sides, ½" thick. Box and file drawers have ⅛" thick hardboard bottoms. Lateral file drawers feature ¼" thick bottoms for storage applications. 5-Sided drawer construction allows for easy removal of drawer fronts.

drawer suspensions

All drawers feature full extension, progressive action slides with precision steel ball bearings. Box and file drawers are tested for 100 lb capacity. Lateral files are tested for 150 lb capacity. All suspensions have a limited life-time warranty.

filing hardware

All file drawers are standard with filing systems designed to accommodate a variety of filing requirements. Modular component pedestals provide letter filing front to back and legal filing side to side. Lateral file drawers provide legal or letter filing front to back or side to side.

locking

All units with file drawers feature locking. All pedestals come with standard or optional locking. Locks are black. Removable lock cylinders allow units to be re-keyed at a later date if required. Units are shipped randomly keyed as standard.

finish

Cameo Reception features Ultra-Violet matte finish on all exposed surfaces by utilizing roll-coat UV technology. Our durable UVAdvantage® finish makes surfaces less likely to be damaged by abrasions, scratches, water, alcohol, stains, and common chemicals. Our UVAdvantage® finish magnifies the beauty of our wood finishes and reduces the darkening, aging, and yellowing process of wood furniture that naturally occurs over time. Once cured by UV lighting, our UVAdvantage® finish does not emit irritable toxins, formaldehyde, or solvents into the air creating a safe work environment within new furniture installations. This process has allowed us to achieve third party certification for Indoor Air Quality. Additionally our UVAdvantage® finish greatly reduces hazardous air pollutants which contribute to smog formation, and our UVAdvantage® finish is recaptured over and over again reducing waste materials. Automated production technology eliminates exposure to sprayed chemicals in our factories. High gloss UVAdvantage® finish available on request.



Classic Charm

Finish Options

WOOD VENEER (W) OR LAMINATE (P) TOPS – MUST SPECIFY



Legacy Walnut
LW



Harvest Walnut
HW



Mahogany on Walnut
MW



Presidential Walnut
PW



Artisan Walnut
AW



Traditional Mahogany
TM



Columbian Walnut
CO

☐ Available in High Pressure Laminate Tops. (P)

Edge Options



Jefferson
C2

Pull Options



Jefferson
JEF



Liberty
ALB

COORDINATING PRODUCTS

Cameo Reception offers options to coordinate with Jefferson, Wilmington, and Arlington Casegoods and Cameo Conference.


INTERIOR DRAWER DIMENSIONS
CAMEO 6100 INTERIOR DRAWER DIMENSIONS

Item	Drawers	W	L	D
61-2418PD1	Box	14 ⁹ / ₃₂	15 ¹ / ₈	3 ¹ / ₂
	File	14 ⁹ / ₃₂	15 ¹ / ₈	9 ¹ / ₄
61-2418PD2	File	14 ⁹ / ₃₂	15 ¹ / ₈	9 ¹ / ₄
61-2436LF1	Lat File	32 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
61-2430LF1	Lat File	26 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
61-2436MF1	Box	14 ⁹ / ₃₂	15 ¹ / ₈	3 ¹ / ₂
	File	14 ⁹ / ₃₂	15 ¹ / ₈	9 ¹ / ₄
	Lat File	32 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
61-2430MF1	Box	11 ²³ / ₃₂	16 ³ / ₁₆	3 ¹ / ₂
	File	11 ²³ / ₃₂	16 ³ / ₁₆	9 ¹ / ₄
	Lat File	26 ⁹ / ₃₂	15 ¹ / ₁₆	9 ¹ / ₄
61-1622CD	Center	19	15	1 ¹ / ₈


FILING CAPABILITIES

11 ²³/₃₂ x 16 ³/₁₆



Letter Front to Back




Legal Side to Side

14 ⁹/₃₂ x 15 ¹/₈


Letter Front to Back




Legal Side to Side

32 ⁹/₃₂ x 15 ¹/₁₆



2 Rows Letter Front to Back



1 Row Legal Side to Side

26 ⁹/₃₂ x 15 ¹/₁₆


2 Rows Letter Front to Back



1 Row Legal Side to Side

GROMMET LOCATIONS

Add upcharge of \$47 list for each grommet.

Specify grommet locations.


GL - Grommet Left

GC - Grommet Center

GR - Grommet Right


Example: 61-3672RS-GL (Grommet Left)

Grommets may be ordered in non-standard locations.
 Please attach a drawing to the purchase order showing the location of the grommet.



61-3696RS
 61-3690RS
 61-3684RS
 61-3678RS
 61-3672RS
 61-3666RS
 61-3660RS

GL/GR - 6" from ends, 32 ³/₈" from user side.
 GC - 32 ³/₈" from user side.



61-3096RS
 61-3090RS
 61-3084RS
 61-3078RS
 61-3072RS
 61-3066RS
 61-3060RS


GL/GR - 6" from ends, 26 ³/₈" from user side.
 GC - 26 ³/₈" from user side.



61-2560RSLF/RSRF
 61-2554RSLF/RSRF
 61-2548RSLF/RSRF
 61-2442RSLF/RSRF
 61-2436RSLF/RSRF


GL/GR - 6" from ends, 20" from user side.
 GC - 20" from user side.

CAMEO™ 6100 RECEPTION SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
RECEPTION STATION DESK SHELL TRANSACTION TOP 	61-3696RS	98	38	42	93 3/4	3	359	108.0	W \$	4384
									P \$	4272
	61-3690RS	92	38	42	87 3/4	3	337	101.0	W \$	4166
									P \$	4114
	61-3684RS	86	38	42	81 3/4	3	315	93.0	W \$	3990
									P \$	3940
	61-3678RS	80	38	42	75 3/4	3	285	90.0	W \$	3813
									P \$	3808
	61-3672RS	74	38	42	69 3/4	3	271	77.0	W \$	3710
									P \$	3575
	61-3666RS	68	38	42	63 3/4	3	249	72.0	W \$	3539
									P \$	3456
	61-3660RS	62	38	42	57 3/4	3	220	65.0	W \$	3440
									P \$	3351
	61-3096RS	98	32	42	93 3/4	3	299	108.0	W \$	3959
									P \$	3869
	61-3090RS	92	32	42	87 3/4	3	281	101.0	W \$	3853
									P \$	3793
	61-3084RS	86	32	42	81 3/4	3	263	93.0	W \$	3695
									P \$	3640
	61-3078RS	80	32	42	75 3/4	3	237	90.0	W \$	3581
									P \$	3518
	61-3072RS	74	32	42	69 3/4	3	226	77.0	W \$	3466
									P \$	3326
	61-3066RS	68	32	42	63 3/4	3	207	72.0	W \$	3294
									P \$	3205
	61-3060RS	62	32	42	57 3/4	3	183	65.0	W \$	3202
									P \$	3105

Description

- Shell Desk with 12" Wood Veneer or Laminate Transaction Top
- Transaction Top Profiled on 4 Sides
- Work Surface Available Only in Veneer

RECEPTION STATION RETURN SHELL 	Left Return		Right Return									
	Model No.	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft			
	61-2560RSLF	61-2560RSRF	60 1/2	25 15/16	40 1/2	58 13/16	-	139	39.0	W \$		1733
	61-2554RSLF	61-2554RSRF	54 1/2	25 15/16	40 1/2	52 13/16	-	125	35.0	W \$		1648
	61-2548RSLF	61-2548RSRF	48 1/2	25 15/16	40 1/2	46 13/16	-	116	32.0	W \$		1545
	61-2542RSLF	61-2542RSRF	42 1/2	25 15/16	40 1/2	40 13/16	-	102	30.0	W \$		1486
	61-2536RSLF	61-2536RSRF	36 1/2	25 15/16	40 1/2	34 13/16	-	87	26.0	W \$		1393

Description


- Return Shell
- Grain Runs Front to Back on Worksurface

For ordering options, see back of Cameo Identification card at the beginning of section.

For grommet options, see page 170.

For Tackboards, see page 177.

CAMEO™ 6100 RECEPTION SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
	61-1288RTP	88	12	1 5/32	-	-	45	3.5	W \$ 916
	For Use with 36" Desks and 60" Returns								P \$ 818
	61-1282RTP	82	12	1 5/32	-	-	42	2.9	W \$ 903
	For Use with 36" Desks and 54" Returns or 30" Desks and 60" Returns								P \$ 800
	61-1276RTP	76	12	1 5/32	-	-	39	2.7	W \$ 875
	For Use with 36" Desks and 48" Returns or 30" Desks and 54" Returns								P \$ 766
	61-1270RTP	70	12	1 5/32	-	-	36	2.5	W \$ 858
	For Use with 36" Desks and 42" Returns or 30" Desks and 48" Returns								P \$ 734
	61-1264RTP	64	12	1 5/32	-	-	33	2.3	W \$ 821
	For Use with 36" Desks and 36" Returns or 30" Desks and 42" Returns								P \$ 709
	61-1258RTP	58	12	1 5/32	-	-	30	2.1	W \$ 807
	For Use with 30" Desks and 36" Returns								P \$ 689

Description

- Transaction Top for Use on the Return Shell
- Profiled on 4 Sides with Reverse Shape on Joining End
- Grain Runs Front to Back on Veneer Worksurfaces

COMPONENT PEDESTAL BOX/BOX/FILE	61-2418PD1	18	24	28 1/4	-	-	82	9.4	W \$ 1619
------------------------------------	------------	----	----	--------	---	---	----	-----	-----------


Description

- Box/Box/File Legal Width Pedestal
- File Drawer Provides Legal or Letter Filing
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

COMPONENT PEDESTAL FILE/FILE	61-2418PD2	18	24	28 1/4	-	-	82	9.4	W \$ 1619
---------------------------------	------------	----	----	--------	---	---	----	-----	-----------


Description

- File/File Legal Width Pedestal
- File Drawers Provide Legal or Letter Filing
- Locking


Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$ 98
--------	-------------------------------	-------

For ordering options, see back of Cameo Identification card at the beginning of section.

For grommet options, see page 170.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
COMPONENT PEDESTAL DOOR BOOKCASE	Hinged Left	Hinged Right								
	61-2418PD4L	61-2418PD4R	18	24	28 1/4	-	-	82	9.4	\$ 1459



Description

- Adjustable 12" Shelf Behind Door
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$	98
--------	-------------------------------	----	----

COMPONENT PEDESTAL LATERAL FILE	61-2436LF1	36	24	28 1/4	-	-	143	17.2	\$ 2049
	61-2430LF1	30	24	28 1/4	-	-	119	14.4	\$ 2017



Description

- Two Lateral File Drawer Pedestal
- Drawers Provide Legal or Letter Filing
- Locking

Options: Specify & Add

WMENDS	Optional Wire Management Ends	\$	98
--------	-------------------------------	----	----

COMPONENT PEDESTAL MULTI- FILE	61-2436MF1	36	24	28 1/4	-	-	143	17.2	\$ 2538
	61-2430MF1	30	24	28 1/4	-	-	119	14.4	\$ 2494


Description

- Box/Box/File Over Lateral File Pedestal
- File Drawers Provide Legal or Letter Filing
- Locking File Drawers

Options: Specify & Add


WMENDS	Optional Wire Management Ends	\$	98
--------	-------------------------------	----	----

For ordering options, see back of Cameo Identification card at the beginning of section.

For grommet options, see page 170.

CAMEO™ 6100 RECEPTION SERIES

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
COMPONENT PEDESTAL DOUBLE DOOR BOOKCASE	61-2436DB	36	24	28 1/4	-	-	145	17.2	\$ 1864
	61-2430DB	30	24	28 1/4	-	-	105	14.4	\$ 1786



Description

- Adjustable 12" Shelf Behind Doors
- Optional Locking

Options: Specify & Add

LKT	Optional Locking	\$	42
WMENDS	Optional Wire Management Ends	\$	98


CENTER DRAWER	61-1622CD	22	16	2 3/4	-	-	7	1.4	\$ 203
---------------	-----------	----	----	-------	---	---	---	-----	--------


Description

- Attaches Under Worksurfaces
- Built in Pen Tray
- Field Installed Only


For ordering options, see back of Cameo Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price	
RECEPTION DESK DOUBLE PEDESTAL	61-1	74	39	42	-	-	442	97.2	W \$	7151
									P \$	7016


Consists of:
Qty

61-3672RS	1	• Reception Station Shell	W \$	3710
			P \$	3575
61-1622CD	1	• Center Drawer	W \$	203
61-2418PD1	1	• Component Pedestal Box/Box/File	W \$	1619
61-2418PD2	1	• Component Pedestal File/File	W \$	1619


RECEPTION STATION L-GROUP	61-2	74	82	42	-	-	590	130.5	W \$	9368
									P \$	9124


Consists of:
Qty

61-3672RS	1	• Reception Station Shell	W \$	3710
			P \$	3575
61-2548RSRF	1	• Reception Station Right Return Shell	W \$	1545
61-1276RTP	1	• Transaction Riser for Return Shell	W \$	875
			P \$	766
61-2418PD2	2	• Component Pedestal File/File	W \$	3238

For ordering options, see back of Cameo Identification card at the beginning of section.

Item	Model No.	W	D	H	K	R	Ship Wt	Cubic Ft	List Price
RECEPTION STATION U-GROUP	61-3	86	88	42	-	-	796	182.6	W \$ 12271 P \$ 12003


Consists of:
Qty

61-3684RS	1	• Reception Station Shell	W \$ 3990 P \$ 3940
61-2548RSLF	1	• Reception Station Left Return Shell	W \$ 1545
61-2548RSRF	1	• Reception Station Right Return Shell	W \$ 1545
61-1276RTP	2	• Transaction Riser for Return Shell	W \$ 1750 P \$ 1532
61-2418PD1	1	• Component Pedestal Box/Box/File	W \$ 1619
61-2418PD2	1	• Component Pedestal File/File	W \$ 1619
61-1622CD	1	• Center Drawer	W \$ 203

For ordering options, see back of Cameo Identification card at the beginning of section.

TACKBOARDS: RECEPTION DESK SHELL ONLY - 9" TALL

Size	Model #	COM ydg	COM, Grade 1, 2 or 3 List Price	Grade 4 List Price	Grade 5 List Price	Grade 6 List Price	Grade 7 List Price	Grade 8 List Price	Grade 9 List Price	Grade 10 List Price
60"	TB-6160	1.75	\$ 133	\$ 287	\$ 357	\$ 434	\$ 536	\$ 644	\$ 774	\$ 921
66"	TB-6166	2.00	\$ 143	\$ 319	\$ 399	\$ 487	\$ 603	\$ 727	\$ 875	\$ 1043
72"	TB-6172	2.25	\$ 156	\$ 354	\$ 444	\$ 543	\$ 674	\$ 813	\$ 980	\$ 1169
78"	TB-6178	2.50	\$ 190	\$ 410	\$ 510	\$ 620	\$ 765	\$ 920	\$ 1105	\$ 1315
84"	TB-6184	2.50	\$ 194	\$ 414	\$ 514	\$ 624	\$ 769	\$ 924	\$ 1109	\$ 1319
90"	TB-6190	2.75	\$ 205	\$ 447	\$ 557	\$ 678	\$ 838	\$ 1008	\$ 1212	\$ 1443
96"	TB-6196	3.00	\$ 215	\$ 479	\$ 599	\$ 731	\$ 905	\$ 1091	\$ 1313	\$ 1565



[illegible]



Indiana[®]
FURNITURE

1224 Mill Street
PO Box 270
Jasper, Indiana 47547-0270
Tel 812.482.5727
Tol 800.422.5727
Fax 812.482.9035
sales@indianafurniture.com

www.indianafurniture.com



Federal Classification: Small Business