

ships in
5
Days

Seating and Perks:

Kwik Office seating and Perks products are available to ship within five business days upon receipt of a credit-approved order.

ships in
10
Days

Casegoods, Tables, Systems, and Metal Filing:

Kwik Office Priority, Senator, Interworks EQ, Traxx, Footprint, and Metal Filing products are available to ship within ten business days upon receipt of a credit-approved order.

Order Size:

The Kwik Office program has a limited weekly volume capacity, with orders being entered on a first come, first served basis. Casegoods, Systems, and Metal Filing orders, individually, may not exceed \$100,000 list. Consult your Customer Service Team for any seating order with more than 20 of a specific model. Production schedules will be verified to ensure shipment within the time period listed above.

Price List



This price list is effective February 1, 2016 and supercedes all previously printed or electronically released versions.


► See page

General Information	2
How to Use this Price List	2
How to Specify Our Products	3
Terms and Conditions	4
Asset Tag Locations	4
Product Warranty	6
Warranty for Bingo	7
Sustainability	8
ANSI/BIFMA	9
Casegoods	13
Priority™	13
Senator®	19
Lighting	25
Tables	26
Perks®	29
Seating	33
Systems	53
Interworks® EQ	59
Traxx® & Tiles	81
Footprint®	85
Lighting	100
Metal Filing	101
LF Series™	104
Fundamental®	108
Universal	114
Model Number Index	115
Finishes & Materials	A1


How to Use this Price List

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.


We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.




Statement of Line provides a snapshot of the entire product line available for quick shipment. We've included an illustration and page cross references to the applicable pricing and how to specify pages.




Overviews offer a quick look at the distinguishing features of the product line.



Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Pricing pages list each Kwik Office model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.



Look in the Finishes and Materials appendix to see what materials, fabrics, and finishes are available on Kwik Office products. All other finishes and materials available on Kwik Office models are listed on the individual pricing pages.

Product Warranty	➤ See page 6
Warranty for Bingo	7
Operating Load Capacities	9
BIFMA Chair Testing	11

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.

The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.



How to Specify Our Products

Complete specifications are built by following a set of steps. These “How to Specify” steps are located on each pricing page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some model numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ①, ②, or ③) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.

INTERWORKS® EQ
System

Tackable Acoustical Panels

Pricing

34", 42", and 48"H

Q11.2M.111-1

Connectors	15mm panel
Swivel	91
Metal Filing	91
Primers & Materials	101

D	W	H	Model	Powered Panels		Non-Powered Panels	
				Fabric Price Grade A	Grade B	Fabric Price Grade A	Grade B
34"H Panels							
24"	36"	34"	Q11P1834A	---	---	\$336	\$364
24"	36"	42"	Q11P2434A	\$487	\$513	367	393
30"	36"	34"	Q11P3034A	\$15	\$47	366	431
30"	36"	42"	Q11P3634A	\$42	\$66	423	466
36"	36"	34"	Q11P4234A	\$75	\$21	425	527
36"	36"	42"	Q11P4834A	\$24	\$40	474	520
42"	36"	34"	Q11P6034A	702	746	563	629
42"H Panels							
24"	48"	42"	Q11P1842A	---	---	\$394	\$394
24"	48"	48"	Q11P2442A	\$560	\$592	439	471
30"	48"	42"	Q11P3042A	\$59	\$55	479	511
30"	48"	48"	Q11P3642A	\$51	707	530	566
36"	48"	42"	Q11P4242A	\$69	753	569	630
36"	48"	48"	Q11P4842A	717	775	596	653
42"	48"	42"	Q11P6042A	\$29	\$87	707	768

18"H panel is available non-powered only, but does not accept power entry or modularity.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades in a panel.

Finish channels (required for change-of-direction)

➤ See page 53

In the connector lists (required for each in-line connection)

➤ See page 58

End trim connectors for finished look at end of panel runs

➤ See page 59

Electrical components

➤ See page 64

Standard Includes

- Top rails
- Two swiveling covers
- Two panel hinges
- Two panel gaskets
- Capilgr grooves
- Power distribution assembly on powered panels

How to Specify

- **M** Model
- **P** Power option
- **H** Powered
- **N** Non-powered
- **H** Horizontal
- **V** Vertical
- **A** Acoustic
- **B** Bass
- **C** Coved
- **E** End trim
- **F** Finish
- **G** Gasket
- **H** Hinge
- **I** Interconnect
- **J** Junction
- **K** Keyhole
- **L** Lock
- **M** Mount
- **N** Non-powered
- **O** Open
- **P** Panel
- **Q** Quick
- **R** Rail
- **S** Swivel
- **T** Top
- **U** Under
- **V** Vertical
- **W** Wall
- **X** X-axis
- **Y** Y-axis
- **Z** Z-axis
- **AA** A-axis
- **BB** B-axis
- **CC** C-axis
- **DD** D-axis
- **EE** E-axis
- **FF** F-axis
- **GG** G-axis
- **HH** H-axis
- **II** I-axis
- **JJ** J-axis
- **KK** K-axis
- **LL** L-axis
- **MM** M-axis
- **NN** N-axis
- **OO** O-axis
- **PP** P-axis
- **QQ** Q-axis
- **RR** R-axis
- **SS** S-axis
- **TT** T-axis
- **UU** U-axis
- **VV** V-axis
- **WW** W-axis
- **XX** X-axis
- **YY** Y-axis
- **ZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C-axis
- **DDD** D-axis
- **EEE** E-axis
- **FFF** F-axis
- **GGG** G-axis
- **HHH** H-axis
- **III** I-axis
- **JJJ** J-axis
- **KKK** K-axis
- **LLL** L-axis
- **MMM** M-axis
- **NNN** N-axis
- **OOO** O-axis
- **PPP** P-axis
- **QQQ** Q-axis
- **RRR** R-axis
- **SSS** S-axis
- **TTT** T-axis
- **UUU** U-axis
- **VVV** V-axis
- **WWW** W-axis
- **XXX** X-axis
- **YYY** Y-axis
- **ZZZ** Z-axis
- **AAA** A-axis
- **BBB** B-axis
- **CCC** C

11PW panel is available non-powered only, does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)

In-line connector kits (required for each in-line connector)

End ties (required for finished look at end of panel runs)

Electrical components

See page 64

Page 49

Systems

Categories > See page 5
Seating 25
Metal Filing 21
Fishes & Materials 105

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel gables
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- ① Model
- ② Power option: P = Powered, N = Non-powered
- ③ Hardware (-HSD to non-powered)
- ④ Top cap material: P = Panel
- ⑤ Type of power system (omit for non-powered and hardware): H = 8-wire, 4-wire, C = Coaxial
- ⑥ Top cap profile: C = Crowned
- ⑦ Wireway cover punch option (omit for 11PW): See page 43 for designators
- ⑧ Trim finish designator
- ⑨ Hinge color designator
- ⑩ Side 1 fabric grade
- ⑪ Side 1 fabric number
- ⑫ Side 2 fabric grade
- ⑬ Side 2 fabric number

Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the “How to Specify” steps.

Sample Specification:

The example below shows a complete model number for an **Interworks EQ tackable acoustical panel**.
➤ See page 59 for the corresponding pricing table and How to Specify steps.

① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫

Q112434A P P 84 C P1 462 403 A 16106 B 2216

Base Model

Product Warranty	➤ See page 6
Warranty for Bingo	7
Operating Load Capacities	9
BIFMA Chair Testing	11

Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*™. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

Terms and Conditions

Ordering Procedures:

Purchase orders must be received with complete information, which includes the following:

- Complete/valid model numbers
- All textiles, finish, and material specifications for each line item.
- "Ship to" address and contact
- Special shipping instructions (tagging, requested dates, etc.)
- Billing address
- Net prices

Submit orders electronically via EDI or OrderXchange.

To order literature or check order status on-line, please visit us at www.kimballoffice.com.

The customer bears sole responsibility for order correctness. Orders are accepted only by issuance of Kimball Office's formal order confirmation and are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms.

The order confirmation is the final agreement between the customer and Kimball Office and supersedes all prior oral, written or electronically transmitted statements regarding the order. Kimball Office will attempt to meet all requested ship or delivery dates. If no specific date is requested, we will assign the best possible ship date available.

Changes and Cancellations:

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Kimball Office. Expenses incurred because of the changes shall be charged to the Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Kimball Office. Changes may affect delivery dates.

No changes or cancellations will be accepted after order entry for non-standard lead time products including:

- Kwik Office offerings
- Engineer-to-Order (modified or non-standard products)
- Alliance program upholstery
- Customer's Own Material (COM)
- Customer's Own Leather (COL)
- Customer Specified Laminate (CSL)
- Customer Specified Paint (CSP)
- Mock Ups
- Service Parts/Replacements

Modified Product:

Our manufacturing flexibility allows us to accommodate requests for non-cataloged product. We are happy to discuss your unique product requirements and determine feasibility and pricing.

►Contact **By Design** for assistance at 800.482.1616 extension 6002.

Finishes and Materials:

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

Kimball Office will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Terms and Pricing:

Net 30 days. If the invoice amount is not paid in full within the terms of the invoice, the invoice may be subject to a monthly finance charge equal to the lesser of 1.5% or the highest amount permitted by law. List prices include freight charges; however, they do not include:

- Storage and insurance charges
- Sales and other taxes
- Local delivery, unloading, or installation

These items will be invoiced as separate line items.

All prices herein are delivered list price, unless noted, effective August 24, 2015, and supersede all other published prices. Prices shown cover standard product only, additional charges will be applied for changes to standard product. Kimball Office reserves the right to change prices without prior notice. Prices herein are only for shipment within the continental United States or Canada.

Selling Information

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Kimball Office customers. Kimball Office price lists and catalogs are not available to the general public.

Product Design:

Kimball Office reserves the right to make changes in design, specifications, and construction or discontinue products without prior notice.

Shipping/Freight:

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

Kimball Office reserves the right to select the most appropriate shipping terms.

Product Warranty	►See page 6
Warranty for Bingo	7
Operating Load Capacities	9
BIFMA Chair Testing	11

Asset Tag Locations:

Bar code labels have been placed on most Kimball Office products.

Products with pedestals or lateral files

Underside of top drawer near front edge in right pedestal (if no right pedestal, left pedestal).

Highback organizers and overhead cabinets

Back left of tasklight facade.

Bookcases

Underside of lowest shelf (not bottom panel) on the left front edge. If glass shelves, top panel in cornice area.

Bridges and worksurfaces,

Underside of the top surface (user's side) on the front edge.

Tables

Underside of table top near the outside edge.

Metal filing

Underside of top drawer near front edge.

Seating

Underside of seat pan.

Terms and Conditions

continued

Delivery:

Normal delivery hours are 8:00 a.m. to 5:00 p.m. Monday through Thursday and 8:00 a.m. to 3:00 p.m. on Friday. Any delivery arrangements made outside of normal delivery times are subject to additional charges.

➤ See at right.

Any charges incurred because of failure to receive a shipment or offload a shipment in a timely manner (maximum time allowed to offload trailer: 3 hours), will be billed to the sold-to customer.

Any charges as a result of rerouting a shipment while in transit will be billed to the sold-to customer.

Any order requiring **Special Delivery Service** will incur additional charges. All such requirements must be noted on the purchase order. These are services that are not included in the standard price of the product or require the usage of specialized carriers. These services include:

- Weekend delivery (after 3:00 p.m. Friday through Sunday evening)—minimum \$500 charge.
- Inside delivery—minimum \$50 charge.
Note: Must be approved and coordinated 10 days prior to shipment.
- Non-dock delivery—minimum \$50 charge.
- JIT delivery (specific day and/or time)—Orders under \$25,000 list will incur a \$125 charge.

- Rush delivery (1-3 days from ship date)—Contact Customer Service for charges.

Carrier Selection

Kimball Office reserves the right to select the most appropriate mode of shipment. Kimball Office relinquishes all responsibility for goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

Kimball Office's standard method of shipping is to carton all items. Certain full truck load shipments may qualify for special consideration. Contact Kimball Office for guidelines. International shipments can be crated at the customer's request. The expense of crating will be the responsibility of the customer.

Palletizing

Kimball Office may elect to palletize key products on projects when it effectively reduces carton waste and improves stability within the shipment.

Loss, Damage, or Delay

Kimball Office shall not be liable for loss, damage, detention or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Storage

If the customer requests a change of ship date and the product is in production, Kimball Office reserves the right to transfer the product to storage at the customer's risk and expense. All requests to store product must be approved by Kimball Office Customer Service and may be subject to storage fees. Such transfer to storage will be deemed delivery to the customer for all purposes including insurance, liabilities, invoicing, and payment.

Returned Merchandise

Merchandise will only be accepted for return under the following conditions:

- ① The product is a "made to stock" item; *and*
- ② Return Goods Authorization (RGA) is given to you by your Customer Service Team.

All returns are subject to a 50% restocking fee. All freight charges for returned product are the responsibility of the customer. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected in the original cartons. Upon receipt, all returned merchandise will be thoroughly inspected. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Claim Process:

All products produced by Kimball Office are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortages, or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

- ① Before signing for the merchandise, make notation of all visible damage, shortages and/or time of truck arrival on the bill of lading.
- ② Contact Customer Service within 15 calendar days of delivery receipt to report issue. We will advise whether a freight claim will need to be filed based on mode of transportation.
- ③ If claim must be filed, carrier must be contacted within 15 calendar days of delivery. Retain all shipping cartons for inspection by the carrier agent.
- ④ A copy of the Carrier Disposition Letter must be sent to Customer Service to receive additional credit on concealed damage issues via Redistribution/ LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Product Warranty	➤ See page 6
Warranty for Bingo	7
Operating Load Capacities	9
BIFMA Chair Testing	11

Contact Information:

Kimball Office

1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales Customer Service

800.647.2010

Product Warranty

Lifetime Assurance of Quality

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its products are free from defects in materials and workmanship given normal use and care for a lifetime of single-shift service. Normal use is defined as the equivalent of a single shift, 40-hour work week.

Exception: Itsa and Campos seating models are warranted for three-shift (24/7) service. Wish seating, excluding Wish Classic, is warranted for three-shift (24/7) service and up to 400 lb. user weight.

Exception: Some products and parts have limited warranty periods.

➤ See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold by Kimball Office in North America after November 6, 2000, which fails under normal use as a result of such defect.

In the event that use of a product exceeds normal use as defined above, the warranty period for such product will be reduced to 12 years from date of manufacture, and the warranty for the product's components that fall under different warranty limitations, as listed at right, will be reduced to one-third of the original warranty.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY

PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

All warranties run from date of manufacture.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

10-Year Warranty

- Seating mechanisms
- Veneers
- Laminate
- Pneumatic lifts (cylinder assembly)

5-Year Warranty

- High-wear parts (such as casters, glides, drawer slides, moving chair arms)
- Electrical/power products
- Inflatable lumbar supports
- Lighting
- Desk sets
- Monitor arms
- Keyboard kits
- Covering materials (such as foam, most textiles, 3D laminate, and decorative trim)
- Marker Boards

3-Year Warranty

- Wool felt
- Custom products
- Carnegie fabrics
- Itsa mesh
- Campos mesh
- Wish mesh

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Natural variations in marble and leather
- Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- C.O.M. (Customer's Own Material) or any other non-standard material specified by the customer, including attributes such as appearance, durability, quality, performance, colorfastness, etc.
- Alliance program fabrics
- Fabric, leather, and felt fading and wear, discoloration from contact with liquids or change in color or texture caused by application of finishes (flame proofing, stain resistance)
- Alterations to the product not expressly authorized by Kimball Office
- Products considered to be of consumable nature (such as bulbs, light ballast, and certain electronic products)

Terms & Conditions	➤ See page 4
Warranty for Bingo	7
Operating Load Capacities	9
BIFMA Chair Testing	11

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. **Serial numbers may be required** before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- ③ Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

Product Warranty for Bingo®

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its Bingo products are free from defects in materials and workmanship given normal use and care for **five years** of single shift service. Normal use is defined as the equivalent of a single-shift, 40-hour work week.

Exceptions: Some products and parts have limited warranty periods.

➤ See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold in North America after June 18, 2001, which fails under normal use as a result of such defect.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

3-Year Warranty

(from the date of manufacture)

- Custom products

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- Alterations to the product not expressly authorized by Kimball Office

Terms & Conditions	➤ See page 4
Product Warranty	6
Operating Load Capacities	9
BIFMA Chair Testing	11

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. **Serial numbers may be required** before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- ③ Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

Sustainability

Enhancing the Home We All Share

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to stake initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example.

Throughout our more than 40 years of documented environmental actions, we have been a responsible steward of resources and have acted as an agent of sustainable change in our industry.

Design for the Environment is our approach to product development to ensure the inherent sustainability of our offerings. By considering a full continuum of environmental factors, we have greatly improved the life cycle performance of our furniture.

Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.



ANSI/BIFMA level™

We offer one of the most sustainable portfolios in the industry, which includes systems, casegoods, tables, and seating.



ecoScorecard™

Through this free online tool, you have 24/7 access to the environmental attributes of our products. EcoScorecard enables speed and accuracy in the calculation of environmental credits for LEED®, saving you time and ultimately, money.

➤ See how easy it is at kimballoffice.ecoscorecard.com.



LEED® Certification

Kimball Office offers furniture solutions which may contribute toward LEED® certification. The LEED Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:

- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:

- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:

- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

Indoor Air Quality

One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. Kimball Office tests and certifies many of our products to the ANSI/BIFMA e3 2014 standard credits (7.6.1, 7.6.2, 7.6.3).



Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broad range of products to exceed indoor air quality standards and help our customers achieve LEED credits.



The mark of responsible forestry

FSC-Certified Wood

Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood.

➤ Contact **By Design** at 800.482.1616 for pricing and lead time information.



Asset Network for Education Worldwide, Inc. (ANEW)

ANEW is an effective way to responsibly disposition surplus furniture, fixtures and equipment. ANEW can repurpose your equipment to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

Product Warranty	➤ See page 6
Warranty for Bingo	7
Operating Load Capacities	9
BIFMA Chair Testing	11

➤ Find more specific details regarding the environmental aspects of our product offerings at: www.kimballoffice.com

ANSI/BIFMA


Operating Load Capacities for Caseloads

Terms & Conditions	➤ See page 4
Product Warranty	6
BIFMA Chair Testing	11

The operating load capacities for various Kimball Office products shown in the table at right represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

All Caseloads components meet or exceed the following ANSI/BIFMA Functional and Proof Loading requirement tests:

- X5.5 2014 Desk/Table Products Test
- X5.9 2012 Storage Units Test



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURERS ASSOCIATION

Component	Operating Load Capacity (Functional Loads)	Example
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W-72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space <i>Note: File drawers are to support hanging files only; they are not intended for bottom loading.</i>	24"D x 18"W x 12"H = 88 lbs.
Transaction counter, secondary surface <16"D, or shelf	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard support <36"W	66 lbs., distributive loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements (drawer, shelves, etc.)	.017 lb. per cubic inch of drawer interior filing space, distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase top <38"H	200 lbs. concentrated loading .20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.
Storage or bookcase top 38"H-60"H	.20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.
Storage or bookcase top >60"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18" in height)	24"D x 36"W x 18"H = 264 lbs.

Square inches should be calculated using this formula: Surface depth x surface width of available storage

Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

ANSI/BIFMA

Operating Load Capacities for Systems

Terms & Conditions	➤ See page 4
Product Warranty	6
BIFMA Chair Testing	11

The operating load capacities for various Kimball Office products shown in the table at right represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

All Systems components meet or exceed the following ANSI/BIFMA Functional and Proof Loading requirement tests:

- X5.6 2015 Panel Systems Test
- X5.5 2014 Desk/Table Products Test
- X5.9 2012 Storage Unit Test



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURERS ASSOCIATION

Component	Operating Load Capacity (Functional Loads)	Examples
Worksurface	200 lb.s over 12" diameter area, concentrated loading; 1.5 lb. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs. t.w.
Transaction counter	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Round and rectangular tables	1.5 lb. per inch of perimeter, distributive loading	36" dia. = 170 lbs. t.w. 36"D x 60"W = 288 lbs. t.w.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	24"D x 18"W x 12"H wood = 88 lbs. t.w. 24"D x 15"W x 12"H metal = 73 lbs. t.w.
Pedestal shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	22"D x 30"W = 134 lbs. t.w.
Center-mount cabinet	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 12"H metal = 163.5 lbs. t.w.
Flipper door cabinet	Top shelf—NO load Bottom shelf—.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading*	36"W x 16"H metal = 117 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Open shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"H metal = 59 lbs. t.w. 36"W x 19"H wood = 140 lbs. t.w.
Lateral file drawers	.017 lb. per cubic inch of drawer interior filing space (hanging load on file hangers)	30"W x 18"D x 12"H metal = 110 lbs. t.w. 30"W x 24"D x 12"H wood = 147 lbs. t.w.
Bookcase and wardrobe shelves	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	36"W x 8"D metal = 59 lbs. t.w. 36"W x 12"D wood = 88 lbs. t.w.

Cubic inches should be calculated using this formula:

Surface length x surface depth x height of available storage above the surface (limited to 12 inches above the surface)

t.w. = total weight

ANSI/BIFMA

Chair Testing

Terms & Conditions	➤ See page 4
Product Warranty	6
Warranty for Bingo	7
Operating Load Capacities	9

The following tests were developed by the Business and Institutional Furniture Manufacturer's Association (BIFMA) and approved by the American National Standards Institute (ANSI):

- X5.1–2011 General Purpose Office Chair Tests
- X5.4–2012 Lounge and Public Seating Tests

These performance tests determine the stamina of seating in its day to day use. Individual tests are described at right and on the next page.

Generally, Kimball Office seating products within this price list meet or exceed the applicable ANSI/BIFMA standards:


ANSI/BIFMA chair testing does not serve as a warranty or guarantee.



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURER'S ASSOCIATION



Backrest Strength Test: Type **I**—back tilt chair, 200 lb. force applied, 300 lb. proof load. Type **II & III**—back tilt chair, 150 lb. force applied, 250 lb. proof load.



Base Test: Using 2500 lb. force for one minute, 2500 lb. proof load.



Drop Test: Using 225 lb. weight, 300 lb. proof load with 6" drop.




Swivel Cycle Test: 250 lb. on seat rotating base, 60,000 cycles at mid point and 60,000 lowest position.




Tilt Mechanism Test: 300,000 tilts with 225 lb. in seat.



Seat Durability Test: 125 lb. weight dropped onto seat 100,000 cycles.




Front Load Ease: 165 lb. alternating for 40,000 cycles.




Front Stability Test: Apply 135 lb. on front edge of seat while applying horizontal 4.5 lb. force at top of seat.




Rear Stability Test: 173 lb. on seat, no less than 20 lb. of pressure should be required to tip chair back.



Arm Strength Test—Downward Application: 169 lb. force applied downward at arm's weakest point, 253 lb. proof load.



Arm Strength Test—Outward Application: 100 lb. force applied outward at arm's weakest point, 150 lb. proof load.



Chair/Chair Base Durability Test: 2,000 cycles over obstruction, 98,000 over smooth along a 30" distance with a 250 lb. load.

ANSI/BIFMA


Chair Testing, continued

Terms & Conditions	➤ See page 4
Product Warranty	6
Warranty for Bingo	7
Operating Load Capacities	9




Backrest Durability Test:

Type **I**—with 225 lb. on seat with chair fully reclined with 100 lb. force, 80,000 cycles. Type **II** & **III**—with 225 lb. on seat and tilting with 75 lbs. force, 80,000 cycles. After 80,000 are complete, 40,000 will be off center testing.




Leg Strength Test—Front

Application: 75 lb. force applied, 113 lb. proof load.




Leg Strength Test—Side

Application: 75 lb. force applied, 113 lb. proof load.




Footrest Durability Test: 200 lb. weight applied along a 4" length of the footrest, 50,000 cycles.

Footrest Vertical Static Load Test: 200 lb. functional load, 300 lb. proof load.



Arm Durability Test: Apply 90 lb. force at 10° angle for 60,000 cycles.



Out Stop Test for Chairs with Manually Adjustable Seat Depth:

163 lb. forward force with 55 lb. downward force for 25 cycles.



Tablet Arm Test—Static: 150 lb. load level for 1 minute.





Table Arm Load Ease Test—


Cyclic: 77 lb. dropped onto tablet center surface for 100,000 cycles.

Features	➤ See page 14
Filing Capabilities	15
Lighting	25
Finishes & Materials	A1




Desks

- Single pedestal, left
- Single pedestal, right
- See page 16.




Executive Returns

- File/file pedestal
- See page 16.



Bridges

- With modesty panel
- See page 16.




Credenzas

- Kneespace
- File/file, left or right
- See page 17.




Lateral Files

- Two drawer
- See page 17.



Freestanding Bookcases

- Four shelves (two adjustable)
- Five shelves (three adjustable)
- See page 18.



Highback Organizers

- Solid doors
- See page 18.



Tackboard

- For use with highback organizer
- See page 18.



Task Lights

- 23"
- 47"
- See page 25.

Filing Capabilities	➤ See page 15
Lighting	25
Finishes & Materials	A1


Priority Laminate models offer great flexibility in finish selections. The worksurface, PVC rim, drawer/door fronts, and chassis may be specified in different colors to create a more transitional to contemporary feel.

Exterior wood surfaces on Priority Wood models are plain-sliced, slip-matched cherry or maple. Veneers are carefully selected and matched to assure proper balance and consistency.

Rim is 1/8" thick.

Pedestals are full height and letter width on assembled units.

Drawer fronts are 3/4"-thick, 3-ply construction. Five-sided drawer construction allows easy removal of drawer fronts.




Features

Joints are securely fastened with dowels and mechanical fasteners to ensure maximum strength.


Worksurfaces are 13/16"-thick, 3-ply, balanced construction and available in wood or laminate.

Laminate worksurfaces feature high-pressure laminate (HPL) and is available in all standard laminate patterns and colors; customer specified laminate is also available.



Softened rim profile (P or F) appears on all four edges of the worksurface.

Black plastic (G1) grommets are available on select models.
➤ See pricing pages for availability.
➤ See the Priority Price List for location descriptions and dimensions.



Studio (89) pulls in platinum metallic are standard.

Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB005.

Chassis and drawer/door fronts on Priority Laminate models feature thermally fused laminate (TFL). Grain direction runs top to bottom.

Drawer sides and back are 1/2" thick and wrapped in natural woodgrain vinyl. Bottoms are 3/16" thick.

Drawer suspensions feature black slides with precision steel ball bearings to ensure long-lasting, quiet, smooth operation. Box drawers are 3/4 extension. File drawers and lateral file drawers are full extension.

Black filing rods are standard in all file drawers and accommodate various filing requirements.
➤ See page 15 for filing capabilities.

Hinged modesty panels are standard on fully assembled bridges, returns, kneespace, and single pedestal credenzas. Panel swings inward to allow access to wall outlets. It lifts from the floor and is held in place by leveling feet.

Hinged access doors on the approach side of desks allow access to cable routing compartment.

Description	Type	Interior Dimensions			Standard Filing Capabilities	
		Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side
Desks						
72"W single pedestal desks	Box	17"	11½"	3"	—	—
	File	25"	12"	9"	Letter	Legal, double letter, and EDP
Returns						
File/file pedestal 24 x 48	Box	17"	11½"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
Credenzas						
Kneespace and single pedestal	File	17"	12"	9"	Letter	Legal, letter, and EDP
Lateral Files						
24"D x 36"W	Lateral	15"	32¾"	9"	Legal, letter, and EDP	Legal and letter

Paper Reference:


- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞".

Desks, Returns, and Bridges

Pricing

GSA SIN 711-8

Lighting	➤ See page 25
Seating	33
Finishes & Materials	A1



**Single-Pedestal Desks
with Pedestal on Right**

Standard Includes


- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K3672DRFBL101 =
36" x 72" laminate with PVC rim
Q53K3672DRFBW101 =
36" x 72" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K3672DRFBL101	\$2331
Q53K3672DRFBW101	\$3389



**Single-Pedestal Desks
with Pedestal on Left**

Standard Includes


- Softened rim profile
- Box/box/file pedestal
- Lock, key random
- Breakfront modesty panel
- Two hinged access doors
- Grommets left and right
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K3672DLFBL101 =
36" x 72" laminate with PVC rim
Q53K3672DLFBW101 =
36" x 72" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K3672DLFBL101	\$2331
Q53K3672DLFBW101	\$3389



**Executive Returns
with Pedestal on Right**

Standard Includes


- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K2448RREFL20 = 24" x 48"
laminate with PVC rim
Q53K2448RREFW201 = 24" x
48" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2448RREFL201	\$1352
Q53K2448RREFW201	\$2063



**Executive Returns
with Pedestal on Left**

Standard Includes


- Softened rim profile
- File/file pedestal
- Lock, key random
- Hinged modesty panel
- G1 black plastic grommet, center
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K2448RLEFL201 = 24" x 48"
laminate with PVC rim
Q53K2448RLEFW201 = 24" x 48"
wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2448RLEFL201	\$1352
Q53K2448RLEFW201	\$2063



Bridges

Standard Includes

- Softened rim profile
- Hinged modesty panel
- G1 black plastic grommet, center

How to Specify

- Model:
Q53K2442BEFL01 = 24" x 42"
laminate with PVC rim
Q53K2442BEFW01 = 24" x 42"
wood with wood rim
Q53K2448BEFL01 = 24" x 48"
laminate with PVC rim
Q53K2448BEFW01 = 24" x 48"
wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing


Q53K2442BEFL01	\$553
Q53K2442BEFW01	\$997
Q53K2448BEFL01	\$574
Q53K2448BEFW01	\$1037

Credenzas and Lateral Files

Pricing

GSA SIN 711-8

Lighting	▶ See page 25
Seating	33
Finishes & Materials	A1



Kneespace Credenza

Standard Includes


- Softened rim profile
- Two file/file pedestals
- Hinged modesty panel
- Finished back
- One lock per pedestal, key random
- Center grommet
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K2472CKFL201 =
24" x 72" laminate with PVC rim
Q53K2472CKFW201 =
24" x 72" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2472CKFL201	\$2193
Q53K2472CKFW201	\$3214



**Single-Pedestal Credenza
with Pedestal on Right**

Standard Includes


- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K2472CRFL201 =
24" x 72" laminate with PVC rim
Q53K2472CRFW201 =
24" x 72" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2472CRFL201	\$2065
Q53K2472CRFW201	\$3023



**Single-Pedestal Credenza
with Pedestal on Left**

Standard Includes

- Softened rim profile
- File/file pedestal
- Hinged modesty panel
- Finished back
- Lock, key random
- Center grommet
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K2472CLFL201 =
24" x 72" laminate with PVC rim
Q53K2472CLFW201 =
24" x 72" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K2472CLFL201	\$2065
Q53K2472CLFW201	\$3023



Two-Drawer Lateral Files

Standard Includes

- Softened rim profile
- Finished top and back back
- Lock, key random
- Interlock mechanism
- Platinum metallic studio pulls

How to Specify

- Model:
Q53K2436LFF2L01 =
24" x 36" laminate with PVC rim
Q53K2436LFF2W01 =
24" x 36" wood with wood rim
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing


Q53K2436LFF2L01	\$1424
Q53K2436LFF2W01	\$2171

Bookcases and Highback Organizers

Pricing



Lighting	▶ See page 25
Seating	33
Finishes & Materials	A1



Four-Shelf Freestanding Open Bookcases

Standard Includes


- ¾"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

How to Specify

- Model:
Q53K3653BCOFL01 =
52⅞"H laminate
Q53K3653BCOFW01 =
52⅞"H wood
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K3653BCOFL01	\$848
Q53K3653BCOFW01	\$1527



Five-Shelf Freestanding Open Bookcases

Standard Includes


- ¾"-thick shelves
- Unfinished back
- Fully finished top with flat edge (no rim profile)

How to Specify

- Model:
Q53K3667BCOFL01 =
67"H laminate
Q53K3667BCOFW01 =
67"H wood
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K3667BCOFL01	\$1038
Q53K3667BCOFW01	\$1867



Highback Organizers

Standard Includes

- Four solid doors
- Unfinished back
- Three black plastic grommets
- Fully finished top with flat edge (no rim profile)
- Non-locking

How to Specify

- Model:
Q53K7238HBHL01 =
71¾"W laminate
Q53K7238HBHW01 =
71¾"W wood
- Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

Q53K7238HBHL01	\$1331
Q53K7238HBHW01	\$2195



Tackboards

Standard Includes

- Fusion 16105 Mineral upholstery

Note: For use with 72"W highback organizer

How to Specify

- Model:
QKAC7016TBK16105 =
70⅞"W

Pricing

QKAC7016TBK16105	\$422
-------------------------	-------

Features	➤ See page 20
Filing Capabilities	21
Lighting	25
Finishes & Materials	A1




Desks

- Double pedestal
- Single pedestal
- See page 22.




Executive Returns

- Pencil/box/file pedestal
- See page 22.



Bridges

- Hinged modesty panel
- See page 22.



Credenzas

- Storage
- Kneespace
- Lateral file
- See page 23.




Lateral Files

- Two drawer
- Four drawer
- See page 23.



Bookcases

- Open
- See page 24.



Bookcase Tops and Bases

- For one unit
- See page 24.



Task Lights

- 23"
- 47"
- See page 25.

Filing Capabilities	➤ See page 21
Lighting	25
Finishes & Materials	A1

Exterior surfaces are cherry (plain sliced, slip matched) or walnut (plain sliced, book matched) veneer. Veneers are carefully selected and matched to assure proper balance and consistency.

Rims are solid hardwood with precisely mitered corners.

Decorative molding is standard on desks, returns, bridges, and credenzas.

Leveling glides adjust for uneven floors.

Drawer fronts are 3/4" thick 3-ply with vertically matched grain.

Tops are 1 3/16" thick, 3-ply balanced construction. Wood grain laminate is also available.

Writing shelf is standard on single- and double-pedestal desks with breakfront modesty panel.

Full height pedestals have one pencil drawer, one box drawer, and one file drawer. Hardwood corner post and panel construction is reinforced with tenon and groove joinery.

Drawer sides and back are 1/2" thick with veneer faces. Drawer bottoms are 1/4" thick. 5-sided construction allows easy removal of drawer front. Dowel joint assembly is used for maximum strength. Interiors are sealed, sanded, and finished with a clear lacquer finish to protect against swelling, shrinking, or warping and to provide a smooth feel and appearance.

Center drawer is standard on double-pedestal and single-pedestal desks. Bottom of drawer is lined with black leather.

Centra™ locking is featured on double and single pedestal desks, credenzas, and lateral files to secure all drawers in the unit with a single lock. Lock cylinders are shipped installed on Kwik Office models and are keyed randomly. Key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCE001 to KCCE005.

Base rails are solid hardwood for impact and wear resistance.

Details



Breakfront modesty



Flush modesty

Modesty panel on double-pedestal desk features a breakfront appearance; single-pedestal desks are available with either a breakfront or flush appearance.



Antique brass pulls (28AB) are standard. Antique brass metal grommets are standard on returns, bridges, and select desks.

Joints are securely fastened with screws, glue, and solid hardwood cleats to ensure maximum strength.

Drawer dividers are included in desks and credenzas for placement in any box drawer.

Full extension, progressive action drawer suspensions, with precision ball bearings on file drawers, provide a smooth, quiet operation. Box drawers have full extension slides with a positive stop action.

Heavy-duty filing hardware accommodates various filing requirements. ➤ See page 21 for filing capabilities.

Description	Type	Interior Dimensions			Standard Filing Capabilities	
		Inside Depth	Inside Width	Inside Height	Front-to-Back	Side-to-Side
Desks						
Double pedestal with flush modesty panel	Pencil	17"	12"	1½"	—	—
	Box	17"	12"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	26⅜"	1½"	—	—
Single pedestal with breakfront modesty panel	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
	Center	17"	18⅛"	1½"	—	—
Single pedestal with flush modesty panel	Pencil	17"	12"	1½"	—	—
	Box	17"	12"	3"	—	—
	File	17"	12"	9"	Letter	Legal, letter, and EDP
	Center	17"	18⅛"	1½"	—	—
Returns						
	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Credenzas						
	Pencil	17"	15"	1½"	—	—
	Box	17"	15"	3"	—	—
	File	17"	15"	9"	Legal	Legal, letter, and EDP
Lateral files	Lateral	15"	32¼"	9"	Legal, letter, and EDP	Legal and letter

Paper Reference:

- Legal size paper is 8½" x 14".
- Letter size paper is 8½" x 11".
- EDP size paper is 8½" x 14⅞".

Desks, Returns and Bridges

Pricing

GSA SIN 711-8

Features	➤ See page 20
Filing Capabilities	21
Lighting	25
Finishes & Materials	A1



**Double-Pedestal Desks
with Flush Modesty Panel**

Standard Includes

- Wood worksurface
- Decorative molding
- Letter-width PBF/PBF pedestals
- Centra locking, key random
- Antique brass pulls
- No grommets

How to Specify

- 1 Model:
QSN3672DDFWMX = 36" x 72"
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QSN3672DDFWMX \$4683



**Single-Pedestal Desks
with Breakfront Modesty Panel**

Standard Includes


- Wood worksurface
- Pull-out writing shelf
- Decorative molding
- Legal-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

How to Specify

- 1 Model:
QSN3672D = 36" x 72"
- 2 Pedestal location:
RF = Right (shown)
LF = Left
- 3 Worksurface material:
WMG = Wood
- 4 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QSN3672D \$4524



**Single-Pedestal Desks
with Flush Modesty Panel**

Standard Includes


- Wood worksurface
- Decorative molding
- Letter-width PBF pedestal
- Centra locking, key random
- Antique brass pulls
- Left and right grommets

How to Specify

- 1 Model:
QSN3066D = 30" x 66"
- 2 Pedestal location:
RF = Right (shown)
LF = Left
- 3 Worksurface material:
WMG = Wood
- 4 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QSN3066D \$3653



Executive Returns

Standard Includes

- Wood worksurface
- Full modesty panel
- Decorative molding
- Legal width PBF pedestal
- Lock, key random
- Antique brass pulls
- Center grommet

How to Specify

- 1 Model:
QSN2551R = 25" x 51"
- 2 Pedestal location:
REF = Right (shown)
LEF = Left
- 3 Worksurface material:
WMG = Wood
- 4 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QSN2551R \$2622



Bridges

Standard Includes

- Wood worksurface
- Hinged modesty panel
- Decorative molding
- Center grommet

How to Specify

- 1 Model:
QSN2551BEFHWMG = 25" x 51"
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing


QSN2551BEFHWMG \$1642

Credenzas and Lateral Files

Pricing

GSA SIN 711-8
† GSA SIN 711-9

Features	▶ See page 20
Filing Capabilities	21
Lighting	25
Finishes & Materials	A1



Storage Credenzas



Kneespace Credenzas



Lateral File Credenzas



Two-Drawer Lateral Files



Four-Drawer Lateral Files

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Center storage area
- Centra lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Decorative molding
- Legal-width PBF/PBF pedestals
- Centra lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Wood worksurface
- Full modesty panel
- Decorative molding
- Two lateral file drawers
- Lock, key random
- Antique brass pulls
- No grommets

Standard Includes

- Two drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

Standard Includes

- Four drawers
- Antique brass pulls
- Centra lock, key random
- Finished back

How to Specify

- 1 Model:
QSN2475CSFWMX = 24" x 75"
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

How to Specify

- 1 Model:
QSN2475CKFWMX = 24" x 75"
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

How to Specify

- 1 Model:
QSN2475C = 24" x 75"
- 2 Pedestal location:
RF6 = Right (shown)
LF6 = Left
- 3 Worksurface material:
WMX = Wood
- 4 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

How to Specify

- 1 Model:
QSN2439LFF2W = 24"D x 39"W x 30"H
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

How to Specify

- 1 Model:
QSN2439LFF4W = 24"D x 39"W x 55"H
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QSN2475CSFWMX † \$3745

Pricing

QSN2475CKFWMX \$3619

Pricing

QSN2475C \$3919

Pricing

QSN2439LFF2W \$2081

Pricing


QSN2439LFF4W \$3681

Bookcases

Pricing

GSA SIN 711-8

Features	▶ See page 20
Filing Capabilities	21
Lighting	25
Finishes & Materials	A1



Open Bookcases

Standard Includes

- Open
- Three shelves
- Unfinished top

Note: Requires a bookcase top, specified separately.



Bookcase Tops

Standard Includes

- Top

Note: For use on bookcases in floor-standing applications.



Bookcase Bases

Standard Includes

- Base

Note: For use on bookcases in floor-standing applications.

How to Specify

- 1 Model:
QSN3648BCO = 36"W x 48"H
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

How to Specify

- 1 Model:
QSN1539CPTW = 15"D x 39"W
(top for one unit)
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

How to Specify

- 1 Model:
QSN1537CPB = 15" x 37"
- 2 Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QSN3648BCO \$1261


Pricing

QSN1539CPTW \$511

Pricing

QSN1537CPB \$264

Priority	► See page 13
Senator	19
Tables	26
Finishes & Materials	A1



Task Lights

Standard Includes

- Fixture: black
- T5 cool white single tube lamp:
14 watt on 23"W light;
28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch in center
- 90° cord plug with southwest
orientation prong configuration
- 9' cord attached in center of fixture

How to Specify

- ① Model:
- QKCU25TL** = 23"W
- QKCU49TL** = 47"W

Pricing

QKCU25TL	\$184
QKCU49TL	\$208

TABLES

Statement of Line



Priority	➤ See page 13
Senator	19
Lighting	25
Finishes & Materials	A1



Contemporary/Transitional Round Table Tops

- 42"
 - 48"
- See page 27.



Contemporary/Transitional Racetrack Table Tops

➤ See page 27.



Contemporary/Transitional Cylinder Base

➤ See page 27.



Traditional Round Table Tops

- 42"
- See page 28.



Traditional Queen Anne Pedestal Bases

➤ See page 28.

Tops and Bases

Pricing

GSA SIN 711-11

Priority	➤ See page 13
Senator	19
Lighting	25
Finishes & Materials	A1



Round Table Tops

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires one cylinder base
- Seating capabilities: 4 chairs for 41" dia. and 5 chairs for 47" diameter models

How to Specify

- 1 Model:
QCCS42RDW1JNX = 41" dia.
QCCS48RDW1JNX = 47" dia.
- 2 Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

QCCS42RDW1JNX	\$1015
QCCS48RDW1JNX	\$1273



Racetrack Table Tops

Standard Includes

- Non-rubbed finish
- Flat rim profile (self-edge)
- Requires two cylinder bases
- Seating capabilities: 8 chair

How to Specify

- 1 Model:
QCCS4896RCW1JNX = 47" x 95"
- 2 Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

QCCS4896RCW1JNX	\$2276
------------------------	--------



Cylinder Base

Standard Includes

- Wood
- 27½"H x 16" diameter

How to Specify

- 1 Model:
QCBS2716CY
- 2 Material:
W = Wood
- 3 Finish designator:
CC = Cordoba Cherry
MW = Midtown Walnut

Pricing

QCBS2716CY	\$1069
-------------------	--------

Priority	➤ See page 13
Senator	19
Lighting	25
Finishes & Materials	A1



Round Table Tops



Queen Anne Pedestal Bases

Standard Includes

- Top
- Seating capabilities: 4 chairs

Note: Requires one Queen Anne pedestal base

How to Specify

- ① Model:
QTT2-42W = 42" diameter
- ② Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut

Pricing

QTT2-42W \$2532

Standard Includes

- Base


How to Specify

- ① Model:
QTB3-4W
- ② Finish designator:
MC = Amber Cherry
TW = Tribeca Walnut


Pricing

QTB3-4W \$1397

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1




Adjustable Keyboard Kits
➤ See page 30.




Hanging CPU Holder
➤ See page 30.



File Bars
• Front-to-Back File Bars
• Side-to-Side File Bars
➤ See page 30.



Power or Voice/Data Modules
• Power Module
• Voice/Data Module
➤ See page 31.




Power Outlet Strip
➤ See page 31.

File Bars, CPU Holders, and Keyboard Kits

Pricing

GSA SIN 711-8



Front-to-Back File Bars

Standard Includes

- Black
- For use in Footprint flat profile and eclipse profile undersurface lateral files
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legal-size filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file.

How to Specify

- ① Model:
Q99KFFB = 15³/₄" x 11¹/₈" x 1³/₄"

Pricing

Q99KFFB \$23



Side-to-Side File Bars

Standard Includes

- Black


Note: For use in Footprint flat profile metal pedestals and file centers, eclipse profile file drawers, and Hum file drawers

How to Specify

- ① Model:
Q99KFB = 3/4" x 11⁵/₁₆" x 3/4"

Pricing

Q99KFB \$23



Hanging CPU Holders

Standard Includes


- 4" depth adjustment
- 9³/₄" height adjustment
- 9" width adjustment
- Attaches to underside of worksurface
- Swivels 360°
- Black

How to Specify

- ① Model:
Q99KCPUH

Pricing

Q99KCPUH \$237



Adjustable Keyboard Kits

Standard Includes

- Keyboard arm
- High-density polyethylene tray and ABS mouse tray
- Foam gel wrist rest
- Intuitive adjustment
- Q99K2208KK1 can be used in corner-mount applications.

How to Specify

- ① Model:
Q99K1706KK1 = 17" x 28¹/₂" x 6"
Q99K2208KK1 = 22" x 28¹/₂" x 8"
Q99K2319KKS1 = 23" x 28¹/₂" x 10³/₄"

Pricing

Q99K1706KK1 \$603
Q99K2208KK1 \$663
Q99K2319KKS1 \$714

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Adjustable Keyboard Kits:

Keyboard kits cannot be used with President and Senator kneespace credenzas due to the central locking mechanism; nor can they be used with Scenario tables and Fluent worksurfaces as they interfere with the support channels.


Only keyboard kit models 99K1706KK2 and (Q)99K1706KK1 work with Priority Progressive support rails and height-adjustable tables. Keyboard mount slide will need to be oriented parallel with the front edge of the worksurface. To store, lower the keyboard and swing under the surface.

Keyboard kits, when recessed, are not flush to the worksurface edge when mounted in accordance with the manufacturer's instructions.


The following adjustable keyboard kit models comply with ANSI/HFES method 2.

Series	Keyboard Arm Model
Priority™	Q99K2208KK1 Q99K2319KKS1
Definition®	Q99K2208KK1 Q99K2319KKS1
Transcend®	Q99K2208KK1 Q99K2319KKS1
Innsbruck™	Q99K2319KKS1
Footprint®	Q99K2319KKS1

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1



Power or Voice/Data Modules



Power Outlet Strip

Standard Includes

- Two 15-amp NEMA-rated receptacles
- 6" L 15-amp grounded cord
- Black housing and cord
- Frosted plastic cover
- Fits into worksurface wire manager
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles
- Data ports accept Amp Flex-Mode and Panduit Mod-Com connector modules

How to Specify

- ① Model:
- Q99KELPM** = Power module
- Q99KELDM** = Voice/data module

Pricing

Q99KELPM	\$147
Q99KELDM	\$166

Standard Includes

- 6 outlets
- 10" cord
- U.L. listed
- Not for use in New York City, Chicago, or Los Angeles

How to Specify

- ① Model:
- Q99KELPS**

Pricing

Q99KELPS	\$72
-----------------	------

SEATING

Statement of Line

Desk and Task Chairs

Ships in
5
Days

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1



Alomma

- High- or mid-back conference
- Black or white faux leather
- Chrome finish base
- See page 36.



Campos

- Upholstered or mesh back
- 2-D or 4-D arm options
- Lumber support option
- Seat slider option
- Black or polished aluminum base
- Hard or soft caster options
- See page 39.



Hero. Just for You.

- Black mesh
- Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base
- See page 42.



Ita

- 1.0 or 2.0
- Black mesh back
- Seat slider option
- See page 43.



Muirfield

- High back or mid-back
- Vertical stitching
- See page 44.



Stature

- High back or mid-back
- Wood base
- See page 48.



Wish

- High-performance task chairs
- Mesh- or upholstered back
- Mesh-upholstered or upholstered seat
- Height- and width-adjustable arms (2D or 4D), height-adjustable arms, or conference arms
- Plastic or aluminum wishbone
- Seat slider option
- See pages 49–51.



Wish Classic

- Height-adjustable arms
- Fixed arm caps
- Seat slider option
- See page 52.

SEATING

Statement of Line

Side Chairs and Lounge Seating

Ships in
5
Days

Caseloads	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1



Acapella

- Mid-back
- Arms
- See page 35.



Alumma

- Mid-back
- Black or white faux leather
- Chrome finish base
- See page 36.



Beo

- Fully upholstered back or ladderback
- See page 37.



Bingo

- Stacking
- With or without arms
- See page 38.



Bingo Stools

- Without arms
- Sold as a pair
- See page 38.



Collage

- Fully upholstered back with rolled arms or wood top rail with arched arms
- See page 40.




Event

- Round back
- With or without arms
- Static or mobile
- See page 41.



Hero. Just for You.

- Stacking
- Mesh back
- Black Lucia fabric
- See page 42.




Muirfield

- Vertical stitching
- See page 44.



Poly

- Stacking
- See page 45.



Pose

- One- and two-seat lounges
- Bench and ottoman
- Freestanding tables
- See page 46.



Stature

- Wood frame
- See page 48.


Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Frame is constructed of kiln-dried maple hardwoods.

Back and seat are fully upholstered. Cushions are high resiliency, CFC-free polyurethane foam.

Corners are reinforced with wood corner blocks and lag bolts. Metal brackets are also used on armless models to provide additional support.

Joints are double doweled and securely glued to ensure maximum strength.



Nylon glides are 7/8" in diameter and dome shaped.

Kwik Office Models



Mid-Back Side Chair (QK46AA)

- Maple hardwood frame
- Arms
- 34 1/4"H x 23 1/4"W x 23 1/4"D

Details

Seat suspension is constructed of 1/2"-thick, 9-ply, molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.

Seat cushion, applied to the flexible webbing suspension, is 1 5/8" thick.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is fitted into the frame with wood screws inserted into the wood corner blocks.

Back is constructed of heavy webbing secured to the frame with staples. 1"-thick foam is applied to the webbing. Upholstery is wrapped over the foam and secured with upholstery staples.

How to Specify

- 1 Model
➤ See model number at left.
- 2 Upholstery grade
- 3 Upholstery number
➤ See page A8 for upholstery selections.
- 4 Finish type:
STD = Group 1
- 5 Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr **QK46AA**

- | | |
|---|--------|
| 1 | \$1113 |
| 2 | \$1153 |
| 6 | \$1279 |

Caseloads	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1


Frame features a chrome finish.

Back and seat consist of faux leather over top 10mm foam.

Arms are covered with faux leather.

Knee-tilt control is standard.

Five-star base with chrome finish features casters on high-back and mid-back conference models and glides on side chairs.



Kwik Office Models



High-Back Conference Chair
K75CSHBBSL = Black faux leather
K75CSHBWSL = White faux leather
• 42"-46"H x 28"W x 27"D



Mid-Back Conference Chair
K75CSMBBSL = Black faux leather
K75CSMBWSL = White faux leather
• 35"-39"H x 28"W x 26"D




Mid-Back Side Chair
K75CFMBBSL = Black faux leather
K75CFMBWSL = White faux leather
• 35"-39"H x 28"W x 26"D

Details

Alumma seating is available in high-back and mid-back swivel conference models, as well as a mid-back side chair featuring fixed glides.

Back and seat are available in white or black faux leather. Contrasting faux leather is not available.



Side chair features glides on a five-star base for stationary, non-mobile conference seating.

Alumma seating meets all applicable BIFMA and ANSI requirements

TB117 requirements are met by Alumma seating. TB133 models are not available.

How to Specify

- 1 Model
➤ See model number at left.

Pricing

K75CSHBBSL or K75CSHBWSL
\$695

K75CSMBBSL or K75CSMBWSL
\$635

K75CFMBBSL or K75CFMBWSL
\$583

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Curved top rail is visible. It separates the front and back upholstery panels and adds to Beo's aesthetics.

Joints are securely fastened with mortise and tenon joinery or double-doweled construction to ensure long-term use.

Wall-saver back legs flare slightly so they contact the baseboard first, saving the wall's finish and protecting the chair back.

Seat rails are reinforced with wood corner blocks and cleats attached with glue and wood screws.

Seat suspension is constructed of 9/32" thick molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a secure suspension.

Seat assembly is attached with wood screws to wood cleats on the frame.

Steam-bent frame is constructed of kiln-dried European beech to supports the body's curves.

Decorative reveal detail at the arm/leg joint. Reveal is 2mm deep by 4mm wide.

Seat cushions are made of 1 1/4" thin-profile, high-resiliency, CFC-free foam for maximum comfort and durability. Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Nylon glides are 7/8" in diameter.

Kwik Office Models



Fully Upholstered Side Chair (QK58ET)

- European beech frame
- Arms
- 32 3/4" H x 22 1/4" W x 25 5/8" D



Three-Quarter Back Side Chair (QK58BT)

- European beech frame
- Arms
- 32 3/4" H x 22 1/4" W x 25 5/8" D

Details

Upholstered back is constructed of two panels that are sandwiched together. Each panel features a contoured 3-ply cross-banded plywood inner panel. Inner panels are covered with high-resiliency, CFC-free foam (1/2" on the front and 1/4" on the back). Upholstery is wrapped around the inner panels and secured with upholstery staples. Both front and back upholstery panels are securely attached to the top wood rail and cleats with Christmas-tree fasteners.

How to Specify

- 1 Model
➤ See model numbers at left.
- 2 **Back:**
- 3 Upholstery grade
Upholstery number
➤ See page A8 for upholstery selections.
- 4 **Seat:**
- 5 Upholstery grade
Upholstery number
- 6 **Frame:**
- 7 Finish type:
STD = Standard finish
- 7 Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	QK58ET	QK58BT
1	\$ 939	\$ 839
2	\$ 977	\$ 870
6	\$1093	\$ 967
L7	\$1277	\$1120

Side Chairs and Stools

Overview & Pricing


GSA SIN 711-19
† GSA SIN 711-18

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Shell is constructed of 7/16"-thick, 8-ply, molded plywood that is cross banded for strength. Shell is attached to the frame with four countersunk wood screws threaded into two wood cleats that are glued to the shell.

Arm supports, legs, and cross members are 25/32" x 3/32" hot rolled, welded, chrome plated, tubular steel.

Joints are welded.



Arm caps are 1 5/8" thick solid bentwood, finished to match the shell. Two countersunk wood screws attach each arm cap to the arm supports.

Black plastic glides fit like a cap over the ends of the tubular steel frame.

Kwik Office Models



Side Chair with Arms (K50A)

- Stacking
- 33"H x 23 3/4"W x 22 1/2"D

Side Chair without Arms (K50N)

- Stacking
- 33"H x 23 3/4"W x 22 1/2"D



Stool without Arms (K50SN†)

- 44 1/2"H x 21 1/2"W x 24 3/4"D
- Ordered in sets of two
- Shipped two per carton



Ganging Devices (K50GB†)

- Package of 5 pairs

Details

Side chairs and stools are each stackable up to four high. Rubber stack bumpers and tube closures are standard.

Side chairs are shipped four per carton when applicable.



Side chairs may be ganged with ganging devices that snap onto the legs. Armless models or alternating armless and armchair models may be connected.

Note: Two armchair models cannot be ganged side by side.

Black ganging devices, ordered separately, are sold in packages of 5 pairs. One pair is required to gang two chairs. Two pairs will gang three chairs.

How to Specify

- 1 Model
➤ See model numbers at left.
- 2 Finish designator (omit for ganging devices):
A = Amber
E = Ebony
W = White

Pricing

K50A	K50N	K50SN
\$555	\$449	\$1358 for two stools
K50GB		
\$45		

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Mesh-back models incorporate a mesh design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions.

Arm structure consists of a steel upright covered in black nylon.

Seat cushions are 2 1/8" thick—1 3/4" CFC- and CHC-free molded foam, over a seven-layer molded plywood shell.

Black, dual-wheel casters on desk chairs are 65mm in diameter. Specify hard casters (802) for use on carpet (standard) or soft casters (801) for use on hard floors (upcharge applies).

Upholstered-back models feature a nine-layer molded plywood shell surrounded by molded, CFC- and CHC-free foam and upholstery.

Standard five-star base is 30% glass-filled nylon, textured, black plastic. Cast aluminum base with a polished finish is available as an option (upcharge applies).

Back features a three-position lock with release mechanism.

T-shaped arm rests are standard with 2D adjustability. User can adjust the arm vertically within a 4 1/4" range (11 positions) and horizontally within a 2 1/2" range. Arm caps are black polyurethane.

Seat slider is available as an option to adjust the seat depth for comfort. Seat depth is adjusted by grasping the left lever below the seat, pulling upward, and sliding forward or rearward; locks within a 2" range.

Synchro mechanism provides fully synchronized seat-to-back movement. Allows user to lock the chair in multiple positions within the range of movement using a single lever.

Seat height adjusts from 15 7/8"–23" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Kwik Office Models



Mid-Back with Upholstered Back and Seat (QK15C27)

• 39 3/4"–49 3/8"H x 25 3/4"–27"W x 25"D



Mid-Back with Mesh Back and Upholstered Seat (QK17C27)

• 40 1/8"–50 1/2"H x 26"–26 3/4"W x 25"D

How to Specify

- ① Model
➤ See model numbers at left.
- Back:**
 - ② Upholstery grade (omit for mesh-back model)
 - ③ Upholstery number or mesh designator:
8140 = Black mesh
8146 = Red mesh
8147 = Beige mesh
- Seat:**
 - ④ Upholstery grade
 - ⑤ Upholstery number
 - ⑥ Lumbar support option:
604 = Adjustable (+\$133)
X = None
 - ⑦ Arm style:
703 = 2D
709 = 4D (+\$54)
 - ⑧ Seat slider option:
601 = Adjustable (+\$54)
X = None
 - ⑨ Base finish designator:
532217 = Black plastic
521304 = Polished aluminum (+\$133)
 - ⑩ Casters:
802 = Hard for use on carpet
801 = Soft for hard floors (+\$25)

Pricing

Gr	QK15C27	QK17C27
1	\$ 898	\$ 995
2	\$ 950	\$1017
6	\$1114	\$1087
L7	\$1374	\$1198

Side Chairs

Overview & Pricing


GSA SIN 711-18

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Frame is constructed of kiln-dried maple hardwoods.

Joints are double doweled and securely glued to ensure maximum strength.

Seat suspension is constructed of 1/2"-thick, 5-ply molded plywood that is machined to form an open perimeter. Unidirectional webbing is machine stretched across the open perimeter and stapled to the edges to form a suspension.



Cushions are high-resiliency, CFC-free polyurethane foam.

Back on wood top rail models is constructed of 1"-thick foam applied to 3/8"-thick, 5-ply contoured plywood. Back is attached to the frame with T-nuts, machine screws, and metal brackets.


Corners are reinforced with wood corner blocks and tie screws on all models.

Nylon glides are 7/8" in diameter.

Back on fully upholstered models is constructed of 1"-thick foam applied to 3/8"-thick, 5-ply contoured plywood. Back is attached to the frame with press fit fasteners.

Back upholstery is wrapped in place and secured with upholstery staples.

Outer back panel is constructed of 3/8"-thick foam applied to 3/16"-thick, 3-ply contoured plywood. Press fit fasteners attach outer back panel to the inner back.



Seat cushion is applied to the flexible webbing suspension. Foam is 1 3/4" thick on chairs and 2 1/2" thick on two-seat bench.

Seat upholstery is wrapped over cushion and secured to the seat suspension with upholstery staples. The entire seat assembly is attached to wood cleats on the chair frame with wood screws. Piping trims the front edge of the seat.

Kwik Office Models



Side Chair with Wood Top Rail (Q4610)

- Maple hardwood frame
- Arched arms
- 32 1/4"H x 22 1/2"W x 24 1/2"D



Side Chair with Fully Upholstered Back (Q4620)

- Maple hardwood frame
- Rolled arms
- 31 3/4"H x 22 3/4"W x 23 3/4"D

How to Specify

- ① Model
➤ See model numbers at left.
- ② Upholstery grade
- ③ Upholstery number
➤ See page A8 for upholstery selections.
- ④ Finish type:
STD = Group 1
- ⑤ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	Q4620	Q4610
1	\$1140	\$1015
2	\$1183	\$1049
6	\$1319	\$1156
L7	\$1533	\$1324

Side and Mobile Chairs

Overview & Pricing

GSA SIN 711-19

† GSA SIN 711-18

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Back and seat are fully upholstered. Seat is tilted back, and the back is slightly reclined to allow the user to assume a more natural, relaxed posture.

Back upholstery, including ¾"-thick foam for the inside back and ¼" thick foam for the outside back, is applied to the back as a slipcover and secured with upholstery staples.

Seat upholstery is wrapped over the seat cushion and secured to the seat suspension with upholstery staples.

Black nylon ball glides are standard on static 4-leg models. Hard casters are standard on mobile models.

Frames are 7/8" diameter, 14-gauge tubular steel. Cross members are ¾" diameter, 14-gauge steel. Leg frames are joined to the cross members with metal inert gas (MIG) welds. Plastic end caps are fitted into the frames of armless models.

Legs are angled for stability and available in textured powdercoat finish or smooth platinum metallic paint.

Black, hard casters are standard on mobile models.

Arm caps are injection molded nylon and attached to the frame with a pressure fit. They are color matched to the frame.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Backs are secured to the frame with 4 countersunk flat-head screws, 11-gauge steel plates, and T-nuts. Round back models are constructed using an injection molded polypropylene panel. Flair back models are constructed using ¾"-thick, 7-ply, molded plywood.


Cushions are high resilience, CFC-free polyurethane foam. Seat cushion is 1¼" thick.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the cross members. Seat pan is attached to the seat frame with four machine screws and T-nuts.

Transport dolly is available at standard lead times.

➤ See the Seating Price List.

Kwik Office Models



Side Chair with Arms (Q95-2D)

- Stacking
- 4-leg base
- 31"H x 23"W x 21"D

Side Chair without Arms (Q95-1D)

- Stacking
- 4-leg base
- 31"H x 20"W x 21"D

Mobile Chair with Arms (Q95-6D)

- 4-leg base with hard casters (C3)
- 31"H x 23"W x 21"D

Mobile Chair without Arms (Q95-7D)

- Stacking
- 4-leg base with hard casters (C3)
- 31"H x 20"W x 21"D



Ganging Devices (Q95-A†)

- Package of 5 pairs
- 2½"H x 5¾"W
- One pair required to gang two chairs

Details

4-leg models and mobile models without arms stack up to 6 chairs high; mobile models with arms stack up to 4 chairs high.

Chairs are shipped three to a carton when applicable.

How to Specify

- 1 Model
➤ See model numbers at left.

Back:

- 2 Upholstery grade
- 3 Upholstery number

Seat:

- 4 Upholstery grade
- 5 Upholstery number
➤ See page A8 for upholstery selections.

Frame:

- 6 Finish type:
STD = Standard finish
- 7 Finish designator:
462 = Cinder
- 8 Glides:
STD = Nylon ball glides
C3 = Hard casters

Pricing

Gr	Q95-2D	Q95-1D
1	\$333	\$311
2	\$361	\$339
6	\$448	\$426

Gr	Q95-6D	Q95-7D
1	\$386	\$366
2	\$414	\$394
6	\$501	\$481

Q95-A
\$49

Desk Chairs and Side Chairs

Overview & Pricing

GSA SIN 711-18
† GSA SIN 711-19

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Mesh back incorporate a ribbed design perfectly proportioned to give ergonomically correct, flexible support in all upright or reclined positions. The mesh is secured to a structural, black plastic frame made of glass-filled polypropylene.

Seat cushions are 2¹/₈" thick—1³/₄" CFC- and CHC-free molded foam, plus 3/₈" Dacron top pad.

Fabric upholstery is unglued, ensuring optimal air movement.


T-shaped arm rests are standard with 2D adjust-ability. User can adjust the arm vertically within a 4" range (11 positions); technician can adjust the arm horizontally within a 1³/₄" range (unlimited positions). Arm caps are black polyurethane.

Seat height adjusts from 16¹/₄" to 22⁷/₁₆" via a patented twist/threaded column adjustment feature and pneumatic (gas) cylinder.

Five-star base is available in glass-filled nylon black plastic.

Black, hard, dual-wheel casters on desk chairs are 65mm in diameter.

Autofit synchro mechanism with automatic weight regulation and fine adjustment is standard. 126° maximum opening angle between seat and back; can be locked in four positions.



Kwik Office Models



Mid-Back Desk Chair with Arms (QK172H701)

- Black mesh
- 5800 Black Lucia fabric
- 2-D arms
- Adjustable seat depth
- Black plastic base
- 41"-47¹/₄"H x 29³/₈"W x 28³/₈"D



Mesh-Back Stacking Side Chair (QK570H01)

- Black mesh
- 5800 Black Lucia fabric
- 2217 Black frame
- 41"-47¹/₄"H x 29³/₈"W x 28³/₈"D

Side chairs feature a 7/₈" tubular steel frame. Mesh-back construction is the same as desk chair. Seat cushions are 1⁹/₁₆" CFC- and CHC-free molded foam. Stackable up to 4 high.

How to Specify

- ① Model
- See model numbers at left.

Pricing

QK172H701
\$2023

QK570H01 †
\$1620 for two chairs

Note: Side chairs are ordered in sets of two and shipped two per carton.

1.0 and 2.0 Desk Chairs

Overview & Pricing

GSA SIN 711-18


Caseloads	See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Mesh back, available in seven colors, is 84% texturized polyester and 16% elastin. The mesh is pulled over a metal frame and stapled into a plastic insert at the bottom.

Seat cushions feature a seamless, pull-over style upholstery. 1.0 models have 2½" of molded, CFC-free, urethane foam applied over a recycled plastic seat shell. 2.0 models (shown) have 1" slab foam with a ½" foam overlay topper and a ½" foam bottom (to give contour to seat) applied over a plywood seat shell.

5-prong base on 1.0 and 2.0 task chairs is constructed of extremely rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Black, hard dual-wheel casters are standard.



Arm caps are soft, self-skinning polyurethane foam molded over a steel core for strength.

Arms are height adjustable within a 2½" range by the push of a button. 1.0 models (shown) lock into one of 7 positions. 2.0 models lock into one of 5 positions.

Height- and width-adjustable arms on 1.0 models also have a width adjustable range of 4¼".

Contoured "sit spot" and waterfall front edge provides optimal seated support and prevents undue pressure in the lower thigh/knee area.

Kwik Office Models



Itsa 1.0

- Knee tilt (**QK38AA**) or synchro tilt (**QK38BB**)
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 38½"-43"H x 27¾"W x 25½"D



Itsa 2.0

- Knee tilt (**QK38CC**) or synchro tilt (**QK38DD**)
- Jet (black) mesh back
- Select Spectrum fabric on seat
- Seat slider optional
- 38½"-43"H x 27½"W x 26½"D

How to Specify

- ① Model
➤ See model numbers at left.
- ② **Back:**
Mesh color number:
8202 = Jet
- ③ **Seat:**
Upholstery grade:
2 = Price Grade 2
- ④ Upholstery number:
20011 = Spectrum Sand
20020 = Spectrum Black
20022 = Spectrum Burgundy
20067 = Spectrum Navy
20081 = Spectrum Charcoal
- ⑤ Seat slider:
SL = Seat slider (+\$106)
X = None

Pricing

QK38AA or QK38CC
\$803

QK38BB or QK38DD
\$917

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Outer back has 1/4" foam and is fully upholstered.

Shell on desk chair is a one-piece, 9-ply molded plywood panel.

Arms have rigid, molded-urethane inserts, wrapped with 1/2"-thick foam (1" thick on arm tops), and secured to the seat and back with metal L-brackets, T-nuts, and machine screws.

5-prong base on desk chairs has a rigid, steel understructure. Maple hardwood radius-end base caps (B75) with Antique English hooded-ball casters (C44) are standard.

Frame on side chairs is kiln-dried maple hardwoods. Joints on back legs are double doweled and glued. Front legs use mortise and tenon joinery. Wood corner blocks, screws, and tie screws reinforce frame corners.

Nickel-plated glides on side chairs are 7/8" in diameter.

Cushions are 2 1/4"-thick, high-resiliency, CFC-free polyurethane foam.

Upholstery is wrapped over cushions and secured with staples.

Waterfall front edge slopes forward to reduce pressure and increase circulation in the user's legs.

Back suspension on side chair is constructed of vertical and horizontal webbing stapled to the back frame.

Seat suspension on side chair is constructed of unidirectional webbing that is machine stretched across the frame and stapled to the side rails. Seat cushion is 3 1/2" thick.

Kwik Office Models



High Back Desk Chair (Q22-2833V)

- Vertical stitching
- 42"-47"H x 26 1/4"W x 28 1/4"D

Mid-Back Desk Chair (Q22-2832V)

- Wood base and arms
- 39"-44"H x 26 1/4"W x 28 1/4"D



4-Leg Side Chair (Q22-5032V)

- 38 1/2"H x 27"W x 29 3/4"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Controls on desk chairs are attached to the frame with T-nuts and machine screws.

How to Specify

- 1 Model
➤ See model numbers at left.
- 2 Upholstery grade
- 3 Upholstery number
➤ See page A8 for upholstery selections.
- 4 Finish type:
STD = Group 1
- 5 Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca
- 6 Base number (omit for side chair):
B75 = Radius end base caps
- 7 Casters (omit for side chair):
C44 = Hooded ball casters

Pricing

Gr	Q22-2833V	Q22-2832V
1	\$1794	\$1766
2	\$1881	\$1847
6	\$2152	\$2099
L7	\$2581	\$2497

Gr Q22-5032V

1	\$1129
2	\$1216
6	\$1487
L7	\$1916


Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

100% polyester mesh back and seat is available in five colors:

- Big Sky
- Black Tie
- Crimson
- Tangerine
- Kiwi

Legs have a polished chrome finish.

Black plastic glides are standard and can be used to gang adjacent chairs.



Back and seat frame is black plastic.

Mesh on the front of the seat features a tighter weave for additional support.

Kwik Office Models




Single Side Chairs

- Big Sky mesh (K95MBSB1)
- Black Tie mesh (K95MBKB1)
- Crimson mesh (K95MCRB1)
- Kiwi mesh (K95MKWB1)
- Tangerine mesh (K95MTGB1)
- Stacking up to 30 high on dolly or up to 10 high on floor
- 22"D x 19⁵/₈"W x 31³/₄"H

Set of Four Side Chairs

- Big Sky mesh (K95MBSB4)
- Black Tie mesh (K95MBKB4)
- Crimson mesh (K95MCRB4)
- Kiwi mesh (K95MKWB4)
- Tangerine mesh (K95MTGB4)



Transport Dolly (K95TD)

- 32"D x 22⁵/₈"W x 13³/₈"H


Details

TB133 approved as standard.

Chairs are available singly or in sets of four chairs. Sets of four are available under one model number; all chairs in the set will have the same mesh color.

Chairs are shipped four to a carton when applicable.

Poly chairs accommodate up to 253 lbs.



Transport dolly is available to move up to 30 chairs. Dolly has a tubular steel frame, gray powdercoat finish, and four 8" semi-pneumatic ball-bearing wheels. Poly chairs stacked 30 high on the dolly will have an overall height of 70" and overall width of 37".

How to Specify

- ① Model
- See model numbers at left.

Pricing

Single Chairs (all colors)
\$ 424

Set of Four Chairs (all colors)
\$1258

Transport Dolly
\$ 525

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Frame is constructed of 3/4" plywood, utilizing lap joint construction that is glued and screwed. All upholstered models are standard in kiln-dried maple hardwoods.

Outside panels are 1/2"-thick, high-grade polyurethane foam. Upholstery is a sewn slipcover that is stapled into place.

Lounge units feature a wall-saver back leg.

Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. The base frame is then attached to the seat frame with wood screws through the corner blocks. Units over 48"L feature additional screws to provide extra support. Rails and top of the legs are accented with a decorative reveal.

Seats have a high-tension strip webbing suspension that is stapled to the frame. Seat upholstery features a wrap-around upholstery method and is stapled into place.

All models are fully upholstered. Bottom is finished with a black, fabric dust cover prior to the wood frame being attached.


Piping is standard around the entire edge of both the front and back of the back cushion.

Cushions are high-resiliency, CFC-free, polyurethane foam. Seat cushions, specifically, are 5"-thick, high-grade, laminated polyurethane foam that is custom shaped.

Non-skid glides are 3/4" in diameter and adjustable.

Ottoman and bench frame are constructed of 5 1/2"-thick, high-grade polyurethane foam applied to a 3/4" plywood frame using lap joint construction that is glued and screwed. A sewn slipcover is applied over the foam and attached with upholstery staples. Benches feature a sewn seam in the center. Legs and rails of base frames are constructed using double dowel and glue construction with corner blocks, which are also glued and screwed to the base rails. The rails feature a 1/4" set back when attached to the legs. Tops of the legs are accented with 1/4" decorative reveal. The base frame is then attached to the seat frame with wood screws through the corner blocks.

Kwik Office Models




One-Seat Lounge (QK35AA)

• 34 1/4"D x 29 3/4"W x 35 1/2"H

Two-Seat Lounge (QK35BB)

• 34 1/4"D x 53 3/4"W x 35 1/2"H



Bench (QK35KK)

• 24"D x 48"W x 17 1/2"H

Ottoman (QK35JJ)

• 24"D x 24"W x 17 1/2"H

Details

Back features a non-stretch woven suspension that is stapled to the frame, over which upholstery is placed.

Back cushions are 5 1/2"-thick, high-grade polyurethane foam wrapped with 3/4 oz. bonded polyester, which is slipcovered and closed with a zipper.

Contrasting upholstery may be selected for the back cushion; use electronic specification tool for accurate pricing.

Contrasting piping may be specified in Kimball Office fabric or leather.

How to Specify

- Model
➤ See model numbers at left.
- Back upholstery** (include for AA and BB models only):
 - Upholstery grade
 - Upholstery number
- Seat upholstery:**
 - Upholstery grade
 - Upholstery number
- Piping** (include for AA and BB models only):
 - Upholstery grade
 - Upholstery number
 ➤ See page A8 for upholstery.
- Finish type:
STD = Group 1
- Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

Gr	QK35AA	QK35BB
1	\$2024	\$2859
2	\$2166	\$3085
6	\$2613	\$3794
L7	\$3316	\$4910


Gr	QK35KK	QK35JJ
1	\$1784	\$ 829
2	\$1831	\$ 872
6	\$1976	\$1008
L7	\$2206	\$1222

Note: Lounge pieces take more production time than side or guest seating. Orders of more than 5 units may experience longer lead times.

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Tops feature a 1/4" x 1/4" reveal and are 3/4" veneered plywood.

Corners are mitered utilizing double biscuit joinery which is glued and cleated together.



Corners are mitered utilizing double biscuit joinery which is glued and cleated together.

3/4" non-skid, adjustable glides are standard on all Pose tables.


Legs and rails of base frames are constructed using double dowel and glue constructions with corner blocks which are also glued and screwed to base rails. Tops of the legs and rails feature a 1/4" decorative reveal. The base frame is then attached to the table frame with wood screws through cleats.

Kwik Office Models




End Table (QK35T242416W)

• 24"D x 24"W x 16"H



Corner Table (QK35T303016W)

• 30"D x 30"W x 16"H



Magazine Table (QK35T244816W)

• 24"D x 48"W x 16"H

Details

End and corner tables are constructed of 3/4" veneered plywood. Tops are attached to the table frame with metal brackets and screws.

Magazine table tops feature mitered corners with 1/4" x 1/4" reveal are 3/4" veneered plywood utilizing biscuit joinery that is glued and cleated together. End panels are 3/4" veneered plywood; attachment of bottom shelf utilizes joints which are securely fastened with screws, dowels, and concealed fasteners to ensure maximum strength. The center divider is constructed of 3/4" veneered plywood that is attached to the bottom panel with glue and screws. The side rails feature a 1/4" setback of

5 3/4" and are attached to the underside of the bottom shelf with screws through the corner blocks.

How to Specify

- 1 Model
➤ See model numbers at left.
- 2 Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca

Pricing

QK35T242416W
\$1333

QK35T303016W
\$1577

QK35T244816W
\$2063

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Outer back is fully upholstered. Back shell is contoured, blow-molded polyethylene with built-in stress-relieving flex.

Back cushion is high-resiliency, CFC-free, polyurethane foam and 1½" thick. Back is upholstered using a slipcover-style upholstery technique.

Hardwood base caps are kiln-dried maple supported by a rigid steel substructure.

Hard, black, dual-wheel casters for use on carpeted floors are standard.

Seat rails on side chairs are ¾" outside diameter, 14-gauge, tubular steel.

Glides on wood frame side chair are dome-shaped plastic and 7/8" in diameter.

Arms on desk chairs are maple hardwoods with black urethane arm caps. Arms are attached to the seat with a metal support bracket and ¼"-diameter machine screws.

Seat cushion is CFC-free molded urethane foam and 2" thick. Seat is upholstered using a pull-around upholstery technique.

Waterfall front edge slopes forward to reduce pressure and increase circulation for the user's legs.

Hardwood-frame side chairs are kiln-dried maple. Joints are double doweled and glued to ensure maximum strength. Frame assembly is mounted in holes bored into the leg and secured with steel brackets and wood screws.

Kwik Office Models



High-Back Desk Chair (QK11AA)

- Wood base and arms
- 38½"-43½"H x 26⅜"W x 26⅜"D

Mid-Back Desk Chair (QK11CC)

- Wood base and arms
- 34¾"-39¾"H x 26⅜"W x 25½"D



4-Leg Side Chair (QK11EE)

- 35½"H x 26⅜"W x 25¼"D

Details

Adjustability features on desk chairs include knee tilt, upright back lock, tilt tension, swivel, and pneumatic height adjustment. Shroud and controls are black.

Seat pan is contoured, blow-molded polyethylene. Channels within the seat pan fit over the metal seat rails on side chair frame and the control mechanism of desk chair.

How to Specify

- ① Model
➤ See model numbers at left.
- ② Upholstery grade
- ③ Upholstery number
➤ See page A8 for upholstery.
- ④ Finish type:
STD = Group 1
- ⑤ Finish designator:
MC = Amber
CC = Cordoba
MW = Midtown
TW = Tribeca
- ⑥ Casters (omit for side chair):
C3 = Hard casters

Pricing

Gr	QK11AA	QK11CC
1	\$1402	\$1337
2	\$1452	\$1380
6	\$1607	\$1516
L7	\$1852	\$1730

Gr	QK11EE
1	\$1026
2	\$1069
6	\$1205
L7	\$1419


High-Performance Task Chairs

Mesh Back | Mesh-Upholstered Seat

Overview & Pricing

GSA SIN 711-18

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1



Kwik Office Models

QK20TMPMHA

- Mesh back, mesh-upholstered seat
- Plastic wishbone
- Height-adjustable arms with fixed arm caps
- 40¼"-45"H x 27½"W x 23⅞"D

QK20TMAM2D

- Mesh back, mesh-upholstered seat
- Aluminum wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 40¼"-45"H x 26¼"-27⅝"W x 23⅞"D

Details



Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

Inner seat panel is molded ⅞"-thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

① Model

Back:

- ② Mesh color
➤ See page A9 for mesh selections.

Seat:

- ③ Mesh color
- ④ Wishbone finish:
462 = Cinder plastic
501 = Platinum metallic plastic (+\$50)
497 = Polished aluminum
- ⑤ Arm upright finish (include for 2D only):
462 = Cinder
497 = Polished aluminum (+\$54)
- ⑥ Lumbar support (shown):
LUM = Adjustable lumbar (+\$54)
X = None
- ⑦ Seat slider:
SL = Seat slider (+\$74)
X = None
- ⑧ Control finish:
462 = Cinder
497 = Polished aluminum (+\$80)
- ⑨ Base finish:
462 = Cinder on plastic base
501 = Platinum metallic on aluminum base (+\$69)
497 = Polished aluminum (+\$80)
- ⑩ Casters:
C40 = Hard 65mm
C41 = Soft 65mm (+\$25)

Pricing

QK20TMPMHA

\$ 867

QK20TMAM2D

\$1152

High-Performance Seating

Mesh Back | Upholstered Seat

Overview & Pricing

GSA SIN 711-18

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Optional lumbar support is made of high-performance polyurethane elastomer. Position of the lumbar support is adjusted by sliding it up and down on a track within a range of 2¾".

Arm caps are soft, black, self-skinning polyurethane foam, insert-molded over a steel core.

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.



Seat cushion is 2½" thick and consists of 1¾" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, upholstered with seating fabric or leather.

Inner seat panel is molded 9/16"-thick, 7-ply, single-shell construction with a waterfall front edge.

Conference arms are available with or without armcaps.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters (C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).



Kwik Office Models

QK20TMPUHA

- High-performance task chair
- Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with fixed arm caps
- 40¼"-45"H x 27½"W x 23⅞"D

QK20TMAU2D

- High-performance task chair
- Mesh back, upholstered seat
- Aluminum wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 40¼"-45"H x 26¼"-27⅝"W x 23⅞"D

QK20TMPU4D

- High-performance task chair
- Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 40¼"-45"H x 26¼"-27⅝"W x 23⅞"D

QK20TMAUCA

- High-performance task chair
- Mesh back, upholstered seat
- Aluminum wishbone
- Polished conference (C) arms
- 40¼"-45"H x 26¼"W x 23⅞"D

QK20TMPU4DLH

- High-performance low-height task chair
- Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 38⅞"-41¼"H x 26¼"-27⅝"W x 23⅞"D

QK20TMPU4DSTS

- High-performance sit-to-stand
- Mesh back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 43⅞"-51⅝"H x 26¼"-27⅝"W x 23⅞"D

Details

Wishbone back is available in plastic (injection-molded, glass-filled nylon) or polished die-cast aluminum.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

① Model

Back:

② Mesh color

➤ See page A9 for mesh selections.

Seat:

③ Upholstery grade

④ Upholstery number

⑤ Wishbone finish:

462 = Cinder plastic

501 = Platinum metallic plastic (+\$50)

497 = Polished aluminum

⑥ Arm upright finish (include for 2D and 4D only):

462 = Cinder

497 = Polished aluminum (+\$54)

⑦ Lumbar support (shown):

LUM = Adjustable lumbar (+\$54)

X = None

⑧ Seat slider:

SL = Seat slider (+\$74)

X = None

⑨ Control finish:

462 = Cinder

497 = Polished aluminum (+\$80)

⑩ Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on

aluminum base (+\$69)

497 = Polished aluminum (+\$80)

⑪ Footring finish (include for STS model only):

462 = Cinder

⑫ Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$25)

Pricing

Gr	QK20TMPMHA	QK20TMAU2D
1	\$ 867	\$1152
2	\$ 893	\$1178
6	\$ 975	\$1260
L7	\$1104	\$1389

Gr	QK20TMPU4D	QK20TMAUCA
1	\$1053	\$1189
2	\$1081	\$1215
6	\$1168	\$1297
L7	\$1306	\$1426

Gr	QK20TMPU4DLH
1	\$1089
2	\$1117
6	\$1204
L7	\$1342

QK20TMPU4DSTS

1	\$1311
2	\$1339
6	\$1426
L7	\$1564

High-Performance Task Chairs

Upholstered Back | Upholstered Seat

Overview & Pricing

GSA SIN 711-18

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1


Seat cushion is 2 1/8" thick and consists of 1 3/4" of CFC- and CHC-free molded foam over a seven-layer molded plywood shell, upholstered with seating fabric or leather.

Arm caps are soft, black, self-skinning polyurethane foam, insert-molded over a steel core.

Arm supports are glass-filled nylon insert-molded over a steel core for superior support.

5-prong base plastic base is standard. Plastic base is constructed of rigid, glass-filled nylon, features a black textured surface for scuff resistance; aluminum base in platinum metallic or polished finish is available (upcharge applies).

65mm hard dual-wheeled casters (C40) are standard on task chairs and stools; soft dual-wheeled casters (C41) for use on hard floors are available (upcharge applies).



Kwik Office Models

QK20TUPUHA

- High-performance task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with fixed arm caps
- 37 3/4"-42 1/2"H x 27 1/2"W x 25"D

QK20TUPU2D

- High-performance task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with fixed arm caps (2D)
- 37 3/4"-42 1/2"H x 26 1/4"-27 5/8"W x 25"D

QK20TUPU4D

- High-performance task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 40 1/4"-45"H x 26 1/4"-27 5/8"W x 23 7/8"D

QK20TUPU4DLH

- High-performance low-height task chair
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 38 7/8"-41 1/4"H x 26 1/4"-27 5/8"W x 23 7/8"D

QK20TUPU4DSTS

- High-performance sit-to-stand
- Upholstered back, upholstered seat
- Plastic wishbone
- Height- and width-adjustable arms with adjustable arm caps (4D)
- 43 7/8"-51 5/8"H x 26 1/4"-27 5/8"W x 23 7/8"D

Details

Wishbone back is available in plastic (injection-molded, glass-filled nylon).

Inner seat panel is molded 9/16"-thick, 7-ply, single-shell construction with a waterfall front edge.

All Wish high-performance task chairs meet 300 lb. weight and three-shift work requirements and are warranted for three-shift, 24/7 service.

How to Specify

① Model

Back:

- ② Upholstery grade
- ③ Upholstery number
- See page A8 for upholstery selections.

Seat:

- ④ Upholstery grade
- ⑤ Upholstery number
- ⑥ Wishbone finish:
462 = Cinder plastic
501 = Platinum metallic plastic (+\$54)
- ⑦ Arm upright finish (include for 2D and 4D only):
462 = Cinder
497 = Polished aluminum (+\$54)

⑧ Seat slider:

SL = Seat slider (+\$74)

X = None

⑨ Control finish:

462 = Cinder

497 = Polished aluminum (+\$80)

⑩ Base finish:

462 = Cinder on plastic base

501 = Platinum metallic on

aluminum base (+\$69)

497 = Polished aluminum (+\$80)

⑪ Footring finish (include for STS model only):

462 = Cinder

⑫ Casters:

C40 = Hard 65mm

C41 = Soft 65mm (+\$25)

Pricing

Gr	QK20TUPUHA	QK20TUPU2D
1	\$ 964	\$1029
2	\$1007	\$1072
6	\$1144	\$1209
L7	\$1359	\$1424

Gr QK20TUPU4D

1	\$1074
2	\$1121
6	\$1266
L7	\$1496

Gr QK20TUPU4DLH

1	\$1172
2	\$1219
6	\$1364
L7	\$1594

QK20TUPU4DSTS

1	\$1342
2	\$1389
6	\$1534
L7	\$1764

Casegoods	➤ See page 13
Systems	53
Metal Filing	101
Finishes & Materials	A1

Lumbar support pad, made of polypropylene, moves 2½" for optimal comfort and support. Neoprene covers the foam in the lumbar area and facilitates movement of the lumbar pad.


Height-adjustable arms adjust with a push button to one of 5 positions within a range of 2¼" and can be specified with fixed or 3-D adjustable arm caps.

Arm supports are glass filled nylon, insert molded over a steel core for superior support.

5-prong base is constructed of rigid, glass-filled nylon. Black surface is textured for scuff resistance.

Seat slider option is available on task chairs to adjust the seat depth for comfort. Seat depth is adjusted via a single lever and locks in one of 6 positions within a 2" range. Upcharge applies. Seat slider is not available on stools.

Low seat-height option, compatible with the BIFMA recommended minimum of 15", is available. The seat height adjustment range is 3". Upcharge applies.



Contoured CFC-free polyurethane foam provides comfort consistency and proper ergonomic support.

Back cushions have 1¾" CFC-free polyurethane foam to enhance comfort and reduce fatigue. Edges of foam used on seat and back are wrapped with ¾" of higher density foam for cleaner edges and contours.

Arm caps are soft, black, self-skinning polyurethane foam, insert molded over a steel core for strength.

Seat cushions have 2" base foam, plus a ½" soft topper pad to enhance comfort and reduce fatigue. Base foam includes ½" filler centered on the bottom of the cushion for added support. Seat cushions feature a waterfall front edge.

Hard dual-wheel casters (C1) are standard.

Kwik Office Models



Task Chair with Height-Adjustable Arms (QK20BT)

- Fixed arm caps
- 39¼"–44"H x 27½"W x 26½"D

Details



Wishbone back frame is injection molded, glass-filled nylon. Frame is attached with 2 high-tensile M10-1.5 x 35mm Allen-head bolts with grade 8 heavy steel flat washers.

Inner back panel is injection molded polypropylene, designed with a reinforcing pattern to ensure rigidity.

Inner seat panel is molded 9/16"-thick, 9-ply (1/16" poplar per ply), single-shell construction with a waterfall front edge.

Seamed slipcover-style upholstery on the back and seat accommodates a wide variety of fabrics and leather.

How to Specify

- Model
➤ See model number at left.
- Back:**
- Upholstery grade
- Upholstery number
➤ See page A8 for upholstery selections.
- Seat:**
- Upholstery grade
- Upholstery number
- Back frame finish:
462 = Cinder
501 = Platinum metallic (+\$54)
- Seat slider:
X = None
SL = With seat slider (+\$74)
- Pneumatic cylinder:
STD = Standard
LS = Low seat (+\$27)
- Base finish:
462 = Cinder
- Castors:
C1 = Hard casters

Pricing

Gr	QK20BT
1	\$ 975
2	\$1013
6	\$1129

SYSTEMS

Interworks® EQ


Statement of Line



Tackable Acoustical Panels

- 34", 42", 48", 54", 62", 66", and 80"H

➤ See pages 59–61.



Finish Channels

- Straight/T
- Corner/L
- 4-Ways


➤ See pages 63–66.



Trim

- Top caps
- End caps
- In-line fill caps
- In-line connector kits
- End trim

➤ See pages 67–71.




Traxx Starter Kits

➤ See page 72.



Wall-Mount Connectors


➤ See page 73.



Electrical Components

- Power distribution assemblies
- Jumper cables
- Receptacles
- Power entries
- Hardwire components
- New York City retrofit kits


➤ See pages 74–77.



Power/Data Poles

- Straight/T or 4-Way X
- Corner/L
- End

➤ See page 78.



Data Components and Data Channels

- Data cover plates
- Tinnerman clips
- Straight/T, corner/L, and in-line data channels

➤ See page 79–80.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Wireway Cover Options:

NP2	2 non-punched
P1	1 power punched 1 non-punched
P2	2 power punched
PD1	1 power & data punched 1 non-punched
PD2	2 power & data punched
H1	1 hardwire punched 1 non-punched
H2	2 hardwire punched
HD1	1 hardwire & data punched 1 non-punched
HD2	2 hardwire & data punched

Punch Dimensions:

Power: 2.71"W x 1.38"H

Data: 3.00"W x 2.19"H


SYSTEMS

Traxx® and Tiles

Statement of Line




Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1





Traxx Components

- Traxx
- Splice plates
- Fastener concealment
- See page 81.



Fabric Tiles

- 36"H
- See page 82.



End Trim

- Full end trim
- Single end trim
- See page 83.



Trim Channels

- Fabric
- Paint
- See page 84.



Vertical Cable Manager

- Black
- Fabric
- See page 84.


SYSTEMS

Statement of Line

Footprint® 1³/₁₆" Worksurfaces and Support




Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1




Straight

- Wire manager
- Double rim
- See page 85.




Straight Corner

- Wire manager
- Double rim
- See page 86.



Curved Corner

- Wire manager
- Double rim
- See page 87.



U-Top

- Wire manager
- Single rim
- See page 88.




Table Tops

- Round
- Square
- Rectangular
- Racetrack
- See page 89.




Brackets

- For use with Interworks EQ panels
- For use with Traxx
- For freestanding applications
- See page 90.




Metal Support Panels

- For Traxx and freestanding metal applications
- Corner posts
- See page 91.



Metal Modesty Panels

- For use with flat profile storage
- See page 92.



Column Legs and Bases

- Column legs
- X-bases
- T-bases
- See page 93.


SYSTEMS

Footprint® Storage and Lighting

Statement of Line




Caseloads	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1




Flat Profile Pedestals

- Suspended box/file
 - Box/box/file
 - File/file
- See page 94.




Flat Profile Lateral Files

- Two drawers
- See page 95.




Flat Profile File Center

- Box/box on left, file on right, lateral file below
 - Box/box on right, file on left, lateral file below
- See page 95.




Flat Profile Mobile Pedestals

- Box/box/file
 - File/file
- See page 96.



Bevel Profile Overhead Cabinets

- Painted doors
- See page 97.



Bevel Profile Overhead Shelves

- Half-height shelves
 - Full-height shelves
- See page 98.



Bevel Profile Overhead Brackets

- For use with Cetra panels
 - For use with Traxx
 - Ganging brackets
- See page 99.



Task Lights

- 13"
 - 23"
 - 35"
 - 47"
- See page 100.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1


Interworks EQ panels, Traxx and tiles, Footprint worksurfaces, and metal bevel and flat profile storage components are available in a wide offering to allow you to complete your office in one quick stop.

➤ See the Systems Price List for detailed product information and application guidelines.

Interworks EQ tackable acoustical panels are available in all standard heights and widths for maximum flexibility when configuring quick set ups.

Traxx and tiles are available to coordinate with 66"H Interworks EQ panels.

Flat profile undersurface storage and metal supports are available in all non-metallic, core collection paints for consistent color palette options throughout your office setting. Pedestals, lateral files, and mobile pedestals are available for your selection.



Traxx starter kits and wall-mount connectors are available to start a panel run from a building wall.

Bevel profile overhead storage is metal and available in all non-metallic, core collection paints. Available in receding door cabinets, half-height shelf, or full-height shelf models.

Worksurfaces are available in a variety of shapes, sizes, and profile options for your specifying convenience. They are offered in select laminates and feature coordinating PVC rims.

SYSTEMS


Thought Starters

Overview




Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1


The workstations shown at right are typical of configurations that are possible using Kwik Office systems components.




8'W x 8'D x 66"H



8'W x 6'D x 42"H



7'W x 7'D x 54"H



12'W x 24'D x 42"H

Tackable Acoustical Panels

Pricing

34", 42", and 48"H

GSA SIN 711-1



18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 63.

In-line connector kits (required for each in-line connection)
➤See page 68.

End trim (required for finished look at end of panel runs)
➤See page 69.

Electrical components
➤See page 74.

Powered Panels

Fabric Price Grade
A B

Non-Powered Panels

Fabric Price Grade
A B

D W H Model

34"H Panels

2"	18"	34 1/4"	Q11P1834A	—	—	\$367	\$395
	24"		Q11P2434A	\$528	\$556	398	426
	30"		Q11P3034A	559	595	428	456
	36"		Q11P3634A	587	637	458	508
	42"		Q11P4234A	624	674	494	544
	48"		Q11P4834A	644	694	514	564
	60"		Q11P6034A	761	811	632	682

42"H Panels

2"	18"	42 1/4"	Q11P1842A	—	—	\$416	\$416
	24"		Q11P2442A	\$607	\$643	476	512
	30"		Q11P3042A	649	677	519	555
	36"		Q11P3642A	706	766	575	635
	42"		Q11P4242A	746	816	613	683
	48"		Q11P4842A	777	839	645	707
	60"		Q11P6042A	898	960	766	828

Casegoods	➤See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- 1 Model
- 2 Power option:
P = Powered
N = Non-powered
H = Hardwired (+\$58 to non-powered)
- 3 Top cap material:
P = Paint
- 4 Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
- 5 Top cap profile:
C = Crowned
- 6 Wireway cover punch option (omit for 18"W):
➤See page 53 for designators.
- 7 Trim finish designator
- 8 Hinge color designator
- 9 Side 1 fabric grade
- 10 Side 1 fabric number
- 11 Side 2 fabric grade
- 12 Side 2 fabric number

Tackable Acoustical Panels

Pricing

48" and 54"H

GSA SIN 711-1



18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤See page 63.

In-line connector kits (required for each in-line connection)
➤See page 68.

End trim (required for finished look at end of panel runs)
➤See page 69.

Electrical components
➤See page 74.

Powered Panels

Fabric Price Grade
A B

Non-Powered Panels

Fabric Price Grade
A B

D W H Model

48"H Panels

2"	18"	48 1/4"	Q11P1848A	—	—	\$482	\$522
	24"		Q11P2448A	\$676	\$716	546	586
	30"		Q11P3048A	729	769	600	640
	36"		Q11P3648A	790	850	660	640
	42"		Q11P4248A	849	919	720	790
	48"		Q11P4848A	883	961	753	831
	60"		Q11P6048A	1024	1102	894	972

54"H Panels

2"	18"	54 1/4"	Q11P1854A	—	—	\$498	\$540
	24"		Q11P2454A	\$685	\$727	554	596
	30"		Q11P3054A	744	786	611	653
	36"		Q11P3654A	809	869	676	736
	42"		Q11P4254A	870	940	737	807
	48"		Q11P4854A	902	980	770	848
	60"		Q11P6054A	1040	1128	908	996

Casegoods	➤See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels

How to Specify

- 1 Model
- 2 Power option:
P = Powered
N = Non-powered
H = Hardwired (+\$58 to non-powered)
- 3 Top cap material:
P = Paint
- 4 Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
- 5 Top cap profile:
C = Crowned
- 6 Wireway cover punch option (omit for 18"W):
➤See page 53 for designators.
- 7 Trim finish designator
- 8 Hinge color designator
- 9 Side 1 fabric grade
- 10 Side 1 fabric number
- 11 Side 2 fabric grade
- 12 Side 2 fabric number

Tackable Acoustical Panels

Pricing

62", 66", and 80"H

GSA SIN 711-1



18"W panel is available non-powered only; does not accept power entry or receptacles.

Use an electronic specification tool for accurate pricing when specifying two different fabric grades on a panel.

Finish channels (required for change-of-direction)
➤ See page 63.

In-line connector kits (required for each in-line connection)
➤ See page 68.

End trim (required for finished look at end of panel runs)
➤ See page 69.

Electrical components
➤ See page 74.

				Powered Panels		Non-Powered Panels	
<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Fabric A</i>	<i>Price Grade B</i>	<i>Fabric A</i>	<i>Price Grade B</i>
62"H Panels							
2"	18"	62¼"	Q11P1862A	—	—	\$517	\$559
	24"		Q11P2462A	\$696	\$738	566	608
	30"		Q11P3062A	761	632	632	682
	36"		Q11P3662A	838	898	706	766
	42"		Q11P4262A	887	957	758	828
	48"		Q11P4862A	928	1006	796	874
	60"		Q11P6062A	1054	1154	923	1023
66"H Panels							
2"	18"	66¼"	Q11P1866A	—	—	\$570	\$612
	24"		Q11P2466A	\$759	\$801	627	669
	30"		Q11P3066A	849	899	720	770
	36"		Q11P3666A	923	983	793	853
	42"		Q11P4266A	972	1042	841	911
	48"		Q11P4866A	1009	1087	877	955
	60"		Q11P6066A	1143	1243	1012	1112
80"H Panels							
2"	18"	80¼"	Q11P1880A	—	—	\$765	\$827
	24"		Q11P2480A	\$957	\$1019	826	888
	30"		Q11P3080A	1014	1076	881	943
	36"		Q11P3680A	1077	1205	947	1075
	42"		Q11P4280A	1172	1300	1041	1169
	48"		Q11P4880A	1206	1334	1076	1204

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Top cap
- Two wireway covers
- Two panel hinges
- Two panel glides
- Carpet grippers
- Power distribution assembly on powered panels




How to Specify

- 1 Model
- 2 Power option:
P = Powered
N = Non-powered
H = Hardwired (+\$58 to non-powered)
- 3 Top cap material:
P = Paint
- 4 Type of power system (omit for non-powered and hardwired):
84 = 8-wire, 4-circuit
- 5 Top cap profile:
C = Crowned
- 6 Wireway cover punch option (omit for 18"W):
➤ See page 53 for designators.
- 7 Trim finish designator
- 8 Hinge color designator
- 9 Side 1 fabric grade
- 10 Side 1 fabric number
- 11 Side 2 fabric grade
- 12 Side 2 fabric number

Supplemental Brackets

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>L</i>	<i>Model</i>	<i>Price</i>
X Bracket				
1/2"	24"	24"	Q10PSBPNCX	\$89
T Bracket				
1/2"	12"	24"	Q10PSBPNCT	\$89
L Bracket				
1 1/2"	12"	12"	Q10PSBPNCL	\$89
S Bracket				
1/2"	1/2"	24"	Q10PSBPNCs	\$89
Supplemental Bracket Spacer				
			Q10PSBSPCR	No charge

Specify supplemental brackets for maximum stability when wing panel is not tied to worksurface at front and back.

Specify bracket spacer when using a supplemental bracket to reinforce the connection between:

- 10P tackable acoustical (monolithic) panels and 10P sectional or glass panels (old models); or
- 10P tackable acoustical (monolithic) panels and 11P sectional or glass panels.

The bracket spacer will accommodate the difference in the depth of the top channel (cable trough).

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Bracket
- Attachment screws

How to Specify

- 1 Model




Finish Channels

For Same-Height Panel Connections

Pricing

GSA SIN 711-1

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Straight/T Same-Height Panel Configurations				
7/16"	2 3/8"	34"	Q10P34CNT	\$104
		42"	Q10P42CNT	104
		48"	Q10P48CNT	104
		54"	Q10P54CNT	104
		62"	Q10P62CNT	104
		66"	Q10P66CNT	104
		80"	Q10P80CNT	104
Corner/L Same-Height Panel Configurations				
2 1/8"	2 1/8"	34"	Q10P34CNL	\$104
		42"	Q10P42CNL	104
		48"	Q10P48CNL	104
		54"	Q10P54CNL	104
		62"	Q10P62CNL	104
		66"	Q10P66CNL	104
		80"	Q10P80CNL	104
120°/V Configurations				
2 1/8"	2 1/8"	34"	Q10P34CNV	\$104
		42"	Q10P42CNV	104
		48"	Q10P48CNV	104
		54"	Q10P54CNV	104
		62"	Q10P62CNV	104
		66"	Q10P66CNV	104
		80"	Q10P80CNV	104



T-configurations with one lower-height in-line or perpendicular panel require specification of additional models, including the straight/T finish channel shown on this page.

➤ See page 64 for lower-height inline T configuration.

➤ See page 66 for lower-height perpendicular T configuration.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Finish channel top cap
- Fabric channel
- Metal base cover
- Alignment clip

How to Specify


- 1 Model
- 2 Top cap material:
P = Paint
- 3 Top cap profile:
C = Crowned
- 4 Trim finish designator
- 5 Fabric grade
- 6 Fabric number

Finish Channels

For Varied-Height 3-Way Connections—One Lower Panel

Pricing

GSA SIN 711-1



Select finish channel based on the difference in panel heights.

IMPORTANT: T-configurations with one lower-height inline panel (as shown on this page) require specification of an additional finish channel model and a top cap not on this page:

- Same-height straight/T finish channel the same height as the lower panel (10P**CNT); and
 - 3-way/T top cap (10PCNTTC5 or 10PCNTTC6) to sit between the straight/T finish channel and the varied-height 3-way finish channel.
- See page 66 for T-configurations with one lower-height perpendicular panel.


Straight/T finish channels

➤ See page 63.

3-way/T top caps

➤ See page 67.

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
3-Way with One Lower-Height Panel				
2 1/8"	1 1/2"	4"	Q11P4CNHT	\$92
		6"	Q11P6CNHT	92
		8"	Q11P8CNHT	92
		12"	Q11P12CNHT	92
		14"	Q11P14CNHT	92
		18"	Q11P18CNHT	92
		20"	Q11P20CNHT	98
		24"	Q11P24CNHT	98
		26"	Q11P26CNHT	98
		28"	Q11P28CNHT	98
		32"	Q11P32CNHT	104
		38"	Q11P38CNHT	104
		46"	Q11P46CNHT	104



Caseloads	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Fabric corner/L channel
- Top cap

How to Specify


- ① Model
- ② End trim material:
P = Paint
- ③ Top cap profile:
C = Crowned
- ④ Trim finish designator
- ⑤ Fabric grade
- ⑥ Fabric number

Finish Channels

Pricing

For Varied-Height 4-Way Connections—One Lower Panel

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
4-Way with One Lower-Height Panel				
7/16"	23/8"	4"	Q10P4CNHL	\$84
		6"	Q10P6CNHL	84
		8"	Q10P8CNHL	84
		12"	Q10P12CNHL	84
		14"	Q10P14CNHL	84
		18"	Q10P18CNHL	84
		20"	Q10P20CNHL	84
		24"	Q10P24CNHL	84
		26"	Q10P26CNHL	84
		28"	Q10P28CNHL	84
		32"	Q10P32CNHL	84
		38"	Q10P38CNHL	84
		46"	Q10P46CNHL	84

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Finish channel top cap
- Fabric channel
- Alignment clip
- In-line fill cap

How to Specify

- 1 Model
- 2 Top cap material:
P = Paint
- 3 Top cap profile:
C = Crowned
- 4 Trim finish designator
- 5 Fabric grade
- 6 Fabric number


Select finish channel based on the difference in panel heights.

Finish Channels


For Varied-Height 4-Way Connections—Two Lower Panels

Pricing

GSA SIN 711-1



Select finish channel based on the difference in panel heights.



Models on this page can also be used to create T-configurations with one lower-height perpendicular panel.

Specify:

- Varied-height 4-way/X with two lower-height panels finish channel (10P**CNHLL) for the side with the lower-height perpendicular panel; and
- Same-height straight/T finish channel in the appropriate height for the straight side (10P**CNT).

Note: One of the fabric channels included with the varied-height model will not be used.

Straight/T finish channels

➤ See page 63.

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
4-Way with Two Lower-Height In-Line Panels				
7/16"	2 3/8"	4"	Q10P4CNHLL	\$90
		6"	Q10P6CNHLL	90
		8"	Q10P8CNHLL	90
		12"	Q10P12CNHLL	90
		14"	Q10P14CNHLL	90
		18"	Q10P18CNHLL	90
		20"	Q10P20CNHLL	90
		24"	Q10P24CNHLL	90
		26"	Q10P26CNHLL	90
		28"	Q10P28CNHLL	90
		32"	Q10P32CNHLL	90
		38"	Q10P38CNHLL	90
		46"	Q10P46CNHLL	90

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Finish channel top cap
- Two fabric channels
- Two alignment clips
- Two in-line fill caps


How to Specify

- 1 Model
- 2 Top cap material:
P = Paint
- 3 Top cap profile:
C = Crowned
- 4 Trim finish designator:
Paint number or
501 = Platinum Metallic (+10%)
- 5 Fabric grade
- 6 Fabric number

Trim Top Caps

Pricing

GSA SIN 711-1



Select appropriate top cap for your application based on drawings above.

When using a 3-way/T top cap, specify a straight finish channel that is the same height as the lower panels.

When using a 3-way varied-height finish channel, specify a 10PCNTTC5 or 10PCNTTC6 top cap, as well with a straight/T finish channel.
➤See page 64.

For 10PCNLTC1 and 10PCNLTC2, 10PCNTTC1, 10PCNTTC2, 10PCNTTC3, and 10PCNTTC4, specify a hi-lo end trim for the exposed edge of the higher panel.
➤See page 71.

Model	Description	Price
Corner/L Top Caps		
Q10PCNLTC1	Tops 2 varied height 90° perpendicular panels at low panels.	\$29
Q10PCNLTC2	Tops 2 varied height 90° perpendicular panels at low panels.	29
3-Way/T Top Caps		
Q10PCNTTC1	Tops 3 varied height panels (2 low, 1 high) at low panels.	\$29
Q10PCNTTC2	Tops 3 varied height panels (2 low, 1 high) at low panels.	29
Q10PCNTTC3	Tops 3 varied height panels (2 low, 1 high) at low panels.	29
Q10PCNTTC4	Tops 3 varied height panels (1 low, 2 high) at low panel.	29
Q10PCNTTC5	Tops 3 varied height panels (1 low, 2 high) at low panel.	29
Q10PCNTTC6	Tops 3 varied height panels (1 low, 2 high) at low panel.	29
3-Way/Y 120° Top Cap		
Q10PCNYTC1	Tops 3 same height panels	\$29
4-Way/X Top Caps		
Q10PCNXTTC1	Tops 4 same height panels (4 high) at all panels. Includes two alignment clips.	\$29

Casegoods	➤See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Top cap



How to Specify

- ① Model
- ② Top cap material:
P = Paint
- ③ Top cap profile:
C = Crowned
- ④ Trim finish designator

In-Line Fill Caps

Pricing

GSA SIN 711-1



Model	Description	Price
In-Line Fill Cap		
Q10PCNIFC	Fills gap between two in-line panels of varied height in straight panel run. Includes straight alignment clip. For use with 10P and 11P models.	\$27
In-Line Connector Kit		
Q10PCNIL	Set of 2; kit includes 2 in-line connectors and 2 straight alignment clips. For use in same height applications. For use with 10P and 11P models.	\$29

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- In-Line Fill Cap**
- Fill cap
 - Straight alignment clip
- In-Line Connector Kit**
- 2 in-line connectors
 - 2 straight alignment clips


How to Specify

- 1 Model
- 2 Top cap material:
P = Paint
- 3 Top cap profile:
C = Crowned
- 4 Finish designator

Full-Height End Trim

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
2 1/8"	1/2"	34"	Q10P34EC	\$74
		42"	Q10P42EC	74
		48"	Q10P48EC	74
		54"	Q10P54EC	74
		62"	Q10P62EC	74
		66"	Q10P66EC	74
		80"	Q10P80EC	74

Caseloads	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- End trim
- End trim top cap

How to Specify

- ① Model
- ② End trim material:
P = Paint
- ③ Top cap profile:
C = Crowned
- ④ Trim finish designator

Hi-Lo End Trim

For Use at In-Line Connections

Pricing

GSA SIN 711-1


Caseloads	See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Vertical end trim
- Two in-line fill caps

How to Specify

- ① Model
- ② End trim material:
P = Paint
- ③ Top cap profile:
C = Crowned
- ④ Trim finish designator




<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
2 1/8"	1/2"	4" Q10P4HTC	\$84
		6" Q10P6HTC	84
		8" Q10P8HTC	84
		12" Q10P12HTC	84
		14" Q10P14HTC	84
		18" Q10P18HTC	84
		20" Q10P20HTC	89
		24" Q10P24HTC	89
		26" Q10P26HTC	89
		28" Q10P28HTC	89
		32" Q10P32HTC	89
		38" Q10P38HTC	89
		46" Q10P46HTC	89

Hi-Lo End Trim

For Use at L or T Connections

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
2 1/8"	1/2"	4"	Q11P4HLT	\$55
		6"	Q11P6HLT	55
		8"	Q11P8HLT	55
		12"	Q11P12HLT	55
		14"	Q11P14HLT	55
		18"	Q11P18HLT	55
		20"	Q11P20HLT	60
		24"	Q11P24HLT	60
		26"	Q11P26HLT	60
		28"	Q11P28HLT	60
		32"	Q11P32HLT	60
		38"	Q11P38HLT	60
		46"	Q11P46HLT	60

Caseloads	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Vertical end trim
- In-line fill cap

How to Specify

- ① Model
- ② End trim material:
P = Paint
- ③ Top cap profile:
C = Crowned
- ④ Trim finish designator


- Corner/L and 3-way/T top caps
- See page 67.

Connectors

Pricing

Traxx® Starter Kits

GSA SIN 711-1



D	W	H	Model	Description	Price
Traxx Starter Kits					
1/4"	2"	29 7/8"	Q10P34CNS	For use with 34"H panel.	\$125
		37 7/8"	Q10P42CNS	For use with 42"H panel.	125
		43 7/8"	Q10P48CNS	For use with 48"H panel.	125
		49 7/8"	Q10P54CNS	For use with 54"H panel.	125
		57 7/8"	Q10P62CNS	For use with 62"H panel.	125
		61 7/8"	Q10P66CNS	For use with 66"H panel.	125
		75 7/8"	Q10P80CNS	For use with 80"H panel.	125

Related Products:

D	W	H	Model	Description	Price
Traxx Panel-Height Full End Trim					
3/4"	1 1/2"	66"	Q10P66CNETP	For 66"H or shorter Interworks panel. Use when using Traxx Panel Starter Kit at exposed end of Traxx (full to the floor). Specify paint to match adjoining panel.	\$124

Specify the starter to match the height of the panel.

Traxx Panel Starter Kit includes only the necessary hardware to attach panel perpendicular to Traxx.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using Traxx panel starter kit or panel wall mount.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Traxx starter
- In-line filler cap

How to Specify

Traxx Starter Kit

- ① Model
- ② Top cap material (omit for end trim):
P = Paint
- ③ Trim finish designator

End Trim


- ① Model
- ② Trim finish designator

Connectors

Pricing

Wall-Mount

GSA SIN 711-1



D	W	H	Model	Description	Price
Wall-Mount Connector					
1/4"	2"	29 7/8"	Q10P34CNWMP	For use with 34"H panel.	\$117
		37 7/8"	Q10P42CNWMP	For use with 42"H panel.	117
		43 7/8"	Q10P48CNWMP	For use with 48"H panel.	117
		49 7/8"	Q10P54CNWMP	For use with 54"H panel.	117
		57 7/8"	Q10P62CNWMP	For use with 62"H panel.	117
		61 7/8"	Q10P66CNWMP	For use with 66"H panel.	117
		75 7/8"	Q10P80CNWMP	For use with 80"H panel.	117

Specify the starter to match the height of the panel.

Selection and purchase of the proper attachment fasteners for your wall is the responsibility of the installer.

In-line filler cap, included, is used to fill the gap at top of panel side rail when using or panel wall mount.

Specify same height panel.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- In-line fill cap

How to Specify


- ① Model
- ② Finish designator

Electrical Components

Pricing

Power Distribution Assemblies and Jumper Cables

GSA SIN 711-1



Model	Description	Function	Price
Power Distribution Assemblies			
Q10P24ED	For 24"W panel	Carries power to receptacles	\$134
Q10P30ED	For 30"W panel	Carries power to receptacles	134
Q10P36ED	For 36"W panel	Carries power to receptacles	134
Q10P42ED	For 42"W panel	Carries power to receptacles	134
Q10P48ED	For 48"W panel	Carries power to receptacles	134
Q10P60ED	For 60"W panel	Carries power to receptacles	134
Jumper Cables			
Q10PEJA	From panel to panel	Routes power panel to panel	\$66
Q10PEJB	Thru finish channel	Routes power panel to panel straight through in-line finish channel or X connection	66
Q10PEJC	Thru 90° or 120° connection	Routes power panel to panel around a turn	66
Q10P18EPTA	Thru 18"W panel	Routes power panel to panel through 18"W panel	170
Q10P18EPTB	Thru finish channel AND 18"W panel	Routes power panel to panel straight through in-line finish channel or X connection and an 18"W panel	170

Power distribution assemblies accommodate up to 4 receptacles.

Prior to 2007, Interworks used an unshielded 6-wire and 4-wire system. "Transitioning" models enable connection of previous- generation electrical system with the current 8-wire system.

➤See the Systems Price List.

Casegoods	➤See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Power distribution assembly or jumper cable

How to Specify


- ① Model
- ② Type of electrical system:
84 = 8-wire, 4-circuit

Electrical Components

Pricing

Receptacles and Power Entries

GSA SIN 711-1



Model	Description	Function	Price
Duplex Receptacles			
<i>For 3 + 1 Circuit Configuration</i>			
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$34
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	34
Q10PER3	Circuit 3	Delivers power from circuit 3 with shared neutral and ground	34
Q10PER4	Circuit 4 (dedicated)	Delivers power from dedicated circuit 4 with ded. neutral and ground	34
<i>For 2 + 2 Circuit Configuration</i>			
Q10PER1	Circuit 1	Delivers power from circuit 1 with shared neutral and ground	\$34
Q10PER2	Circuit 2	Delivers power from circuit 2 with shared neutral and ground	34
Q10PER4	Circuit 4 (designated)	Delivers power from desig. circuit 4 with shared neutral and ground	34
Q10PER5	Circuit 5 (designated)	Delivers power from desig. circuit 5 with shared neutral and ground	34
Base Power Entry			
Q10PEFPE1S	Straight base power entry	Provides access to power from the floor or wall	\$245
Q10PEFPE1L	Corner base power entry	Provides access to power from the floor or wall	245
Q10PEFPE1E	End base power entry	Provides access to power from the floor or wall	245
Q10PESPE1P	Side base power entry	Provides access to power from the floor or wall	245
Ceiling Power Entry Assembly			
Q10PECPE1	8-wire	Provides access to power from the ceiling. Includes junction box, jumper cable, and hardware.	\$245

Caseloads	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

Receptacle

- Receptacle

Base Power Entry

- Conduit is 1/2" trade size; actual outside diameter is 7/8"
- Cover plate for straight, end, or corner

Ceiling Power Entry Assembly

- Junction box
- Jumper cable
- Hardware

How to Specify


- ① Model
- ② Type of electrical system:
84 = 8-wire, 4-circuit

Electrical Components

Pricing

Hardwire

GSA SIN 711-1



Model	Description	Function	Price
-------	-------------	----------	-------

Hardwire Junction Box Kit

Q10PEHJB		Required for field installation of hardwired electrical. Includes junction box and two end caps with knockouts: 462 Cinder	\$52
-----------------	--	--	------

Hardwire Side Feed Plates

Q10PEHSFP	Set of 4	For side in-feed of power using hardwire junction box	\$33
------------------	----------	---	------

Hardwire End Caps for Hardwire Applications

Q10PEHEC	End	Replaces wireway end cap at in-feed; 462 Cinder	\$28
Q10PEHCC	Corner	Replaces corner finish channel cover at in-feed; 462 Cinder	28
Q10PEHSC	Straight	Replaces straight finish channel cover at in-feed; 462 Cinder	28

Raceway Removal Tool

Q10PRT2R	Set of 2.	Tool is required to remove hardwire raceway covers	No charge
-----------------	-----------	--	-----------

Standard duplex access is not available in 30"W or 36"W panels. Leviton brand or equivalent modular duplexes are required.

Junction box is required for field installation of hardwire electrical; not for use in 18"W panels.

Specify one raceway removal tool per order when specifying hardwire panels.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

How to Specify

Junction Box

- ① Model
- ② Width of panel

Side Feed Plates, End Caps, and Raceway Removal Tool


- ① Model

Electrical Components

Pricing

New York City

GSA SIN 711-1



Model	Description	Price
New York City Retrofit Kits		
Q10P30EHPA	For 30"W panel	\$847
Q10P36EHPA	For 36"W panel	847
Q10P42EHPA	For 42"W panel	847
Q10P48EHPA	For 48"W panel	847
Q10P60EHPA	For 60"W panel	847

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Internal wireway with hardwire electrical system
- Jumper cable
- Junction box assembly
- Two end caps: 462 Cinder
- Wireway covers; one with knockouts to punch as needed, one blank.

How to Specify

- ① Model
- ② Finish designator

NYC electrical is only required in starter panels (first panel in run)

They are not for use in 18"W or 24"W panels.

Power/Data Poles

Pricing

GSA SIN 711-1




Casegoods	► See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Poles
- Cover
- Ceiling plate
- Appropriate base cover
- Alignment clips
- In-line fill caps

How to Specify


- ① Model
- ② Top cap profile:
C = Crowned
- ③ Finish designator



D	W	H	Model	Function	Price
Straight/T or 4-Way/X					
2 1/8"	2 1/8"	10'	Q10PCDPSP	Used to run voice/data cables and/or electrical from ceiling to panel	\$139
Corner/L					
2 1/8"	2 1/8"	10'	Q10PCPDPLP	Used to run voice/data cables and/or electrical from ceiling to panel	\$139
End					
2 1/8"	2 1/8"	10'	Q10PCPDPEP	Used to run voice/data cables and/or electrical from ceiling to panel	\$139

Poles accommodate up to two ceiling power entry assemblies, specify separately.

Ceiling power entry assembly
► See page 75.



Data Components

Pricing

GSA SIN 711-1

Model	Description	Function	Price
Data Cover Plates			
Q10PECP1	Painted/grommet	Used to run voice/data into panel. Set of 6.	\$42
Q10PEHRCP	Painted	Covers access windows no longer in use. Set of 6.	42
Tinnerman Clips			
Q10ATMC	Package of 100	Attaches to cutout to provide screw location for attachment of coverplates and data ports. Order additional Tinnerman clips only when using cover plates or data ports purchased commercially.	\$27

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Cover plate or clips

How to Specify

Cover Plates

- ① Model
- ② Finish designator

Tinnerman Clips




- ① Model

Data Channels

Pricing

GSA SIN 711-1

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Straight/T Data Channels				
2 1/8"	2 1/8"	42"	Q10P42EDCT	\$118
		48"	Q10P48EDCT	118
		54"	Q10P54EDCT	118
		62"	Q10P62EDCT	118
		66"	Q10P66EDCT	118
		80"	Q10P80EDCT	118
Corner/L Data Channels				
2 1/8"	2 1/8"	42"	Q10P42EDCL	\$118
		48"	Q10P48EDCL	118
		54"	Q10P54EDCL	118
		62"	Q10P62EDCL	118
		66"	Q10P66EDCL	118
		80"	Q10P80EDCL	118
In-Line Data Channels				
2 1/8"	2 1/8"	4"	Q10P04EDCI	\$74
		6"	Q10P06EDCI	74
		8"	Q10P08EDCI	74
		12"	Q10P12EDCI	74
		14"	Q10P14EDCI	74
		18"	Q10P18EDCI	74
		20"	Q10P20EDCI	74
		24"	Q10P24EDCI	74
		26"	Q10P26EDCI	74
		28"	Q10P28EDCI	74
		32"	Q10P32EDCI	74
		38"	Q10P38EDCI	74
		46"	Q10P46EDCI	74



Data channels are used to run voice/data cables through two adjacent panels at different heights.

Knockouts are provided at each panel height to allow for communication access.

For 4-way/X configurations, use in-line data channels plus in-line fill caps for each lower panel in the configuration.

Caseloads	See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Cover
- Channel top cap
- Base cover
- Alignment clip
- In-line fill caps
- Top cap for lower height panel for in-line model




How to Specify

- 1 Model
- 2 Top cap material:
P = Paint
- 3 Width of lower height panel
(include for in-line model only)
- 4 Top cap profile
C = Crowned
- 5 Finish designator

Traxx Components

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
Traxx					
1 ¹ / ₁₆ "	72"	2"	QTTWMT72	Set of 2 Traxx and 4 splice plates	\$323
	144"		QTTWMT144	Set of 2 Traxx and 4 splice plates	464
Splice Plates					
	4"	7/8"	QTTSP04	Set of 4 splice plates	\$9
Fastener Concealment					
	700"	7/8"	QTTFCF	One roll; black felt	\$31

Traxx can be cut to size in the field.

IMPORTANT: Specify vinyl fastener concealment when using presentation tools. Accommodates two sets of Traxx

Four splice plates are included with each set of Traxx. Specify additional splice plates only if needed for your installation.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

Traxx

- Set of 2 Traxx
- Four splice plates

Splice Plates

- Set of 4 plates

Fastener Concealment

- Roll: black vinyl or black felt

How to Specify

Traxx

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator


Splice Plates or Fastener Concealment

- ① Model

Fabric Tiles

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	Fabric Price Grade	
				<i>A</i>	<i>B</i>
36"H Tiles					
1½"	12"	35½"	QHIT1236A	\$253	\$280
	18"		QHIT1836A	281	308
	24"		QHIT2436A	290	317
	30"		QHIT3036A	339	366
	36"		QHIT3636A	349	376
	42"		QHIT4236A	360	387
	48"		QHIT4836A	372	399
	54"		QHIT5436A	408	435
	60"		QHIT6036A	413	466

IMPORTANT: 36"H tiles correspond to 66"H Interworks EQ panels.

Tiles can be field scribed. Additional trim channels should be specified separately if additional tiles are created.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Fabric tile
- 2 matching trim channels



How to Specify

- ① Model
- ② Fabric grade
- ③ Fabric number

End Trim

Pricing

GSA SIN 711-1



D	W	H	Model	Description	Price
Full End Trim					
For Use with 36"H Tiles					
11/16"	1 1/2"	39"	QTTET39	For use on upper and lower Traxx	\$90
Single End Trim					
11/16"	1 1/2"	2"	QTTET02	For use on single Traxx	\$36

Specify end trim for finish detail when end of Traxx and tiles are exposed. Use full end trim to cover the exposed edge of tile and upper and lower Traxx. Use single end trim to cover the end of a single Traxx.

Trim cap slips into the top ledge of the upper Traxx to add finishing detail for Traxx applications.

Full end trim may be used for finish detail when end of wall mounted overhead is exposed.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- End trim

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

Trim Channels and Vertical Cable Managers

Pricing

GSA SIN 711-1

D	W	H	Model	Description	Price
---	---	---	-------	-------------	-------

Trim Channels


For Use with 36"H Tiles

1/2"	3/4"	35 7/8"	QTTTC36N	Fabric; one trim channel	\$55
			QTTTC36P	Paint; one trim channel	45

Vertical Cable Manager

For Use with Curved, Lunar, Flat, and Bevel Profile Overheads and 36"H Tiles

1"	1"	19 1/2"	QTTVCM20B	Black	\$33
			QTTVCM20N	Fabric	43



Trim channels are provided with all tiles. Specify only if additional trim channels are required.

Vertical cable manager engages between the tile and trim channel.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Trim channel or cable manager

How to Specify

Trim Channels

- ① Model
- ② If paint, finish price group:
STD = Group 1
If fabric, fabric grade
- ③ Finish designator or fabric number



Vertical Cable Managers

- ① Model
- ② Fabric grade (include for fabric models only)
- ③ Fabric number (include for fabric models only)

Straight Laminate 1³/₁₆" Worksurfaces

Pricing

GSA SIN 711-1



Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

D	W	H	Model	Description	Wire Manager	Double Rim
23 ⁷ / ₈ "	23 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS2424WSSL	Available with wire manager only.	\$243	—
	29 ⁷ / ₈ "		QSS2430WSSL	Available with wire manager only.	262	—
	35 ⁷ / ₈ "		QSS2436WSSL		275	\$458
	41 ⁷ / ₈ "		QSS2442WSSL		297	475
	47 ⁷ / ₈ "		QSS2448WSSL		328	505
	53 ⁷ / ₈ "		QSS2454WSSL		379	553
	59 ⁷ / ₈ "		QSS2460WSSL		396	570
	65 ⁷ / ₈ "		QSS2466WSSL		451	622
	71 ⁷ / ₈ "		QSS2472WSSL		467	636
	77 ⁷ / ₈ "		QSS2478WSSL		548	763
	83 ⁷ / ₈ "		QSS2484WSSL		591	832
	89 ⁷ / ₈ "		QSS2490WSSL		626	896
	95 ⁷ / ₈ "		QSS2496WSSL		667	984
29 ⁷ / ₈ "	23 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS3024WSSL	Available with wire manager only.	249	—
	29 ⁷ / ₈ "		QSS3030WSSL	Available with wire manager only.	268	—
	35 ⁷ / ₈ "		QSS3036WSSL		300	479
	41 ⁷ / ₈ "		QSS3042WSSL		308	489
	47 ⁷ / ₈ "		QSS3048WSSL		344	519
	53 ⁷ / ₈ "		QSS3054WSSL		415	584
	59 ⁷ / ₈ "		QSS3060WSSL		427	598
	65 ⁷ / ₈ "		QSS3066WSSL		485	654
	71 ⁷ / ₈ "		QSS3072WSSL		529	685
	77 ⁷ / ₈ "		QSS3078WSSL		652	740
	83 ⁷ / ₈ "		QSS3084WSSL		694	796
	89 ⁷ / ₈ "		QSS3090WSSL		745	839
	95 ⁷ / ₈ "		QSS3096WSSL		794	895
35 ⁷ / ₈ "	71 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS3672WSSL	Available with double rim only.	—	750

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edge.

Rim Profiles:



PVC (P) on wire manager



PVC (P) on double rim

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Worksurface


How to Specify

- 1 Model
- 2 Rim option:
3 = Wire manager
2 = Double rim
- 3 Rim profile:
P = PVC rim
- 4 Surface finish price group:
STD = Group 1
- 5 Surface finish designator
- 6 PVC rim finish designator
- 7 Wire manager finish designator
(omit for double rim model)


Straight Corner Laminate 1³/₁₆" Worksurfaces

Pricing

GSA SIN 711-1



Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

A	B	C	D	E	H	Model	Wire Manager	Double Rim
24"/24" Return Combo								
35 ⁷ / ₈ "	35 ⁷ / ₈ "	23 ⁷ / ₈ "	23 ⁷ / ₈ "	17 ¹ / ₈ "	1 ³ / ₁₆ "	QSS24363624WSCSL	\$447	\$616
41 ⁷ / ₈ "	41 ⁷ / ₈ "			25 ⁵ / ₈ "		QSS24424224WSCSL	464	633
47 ⁷ / ₈ "	47 ⁷ / ₈ "			34 ¹ / ₈ "		QSS24484824WSCSL	503	668
30"/30" Return Combo								
41 ⁷ / ₈ "	41 ⁷ / ₈ "	29 ⁷ / ₈ "	29 ⁷ / ₈ "	17 ¹ / ₈ "	1 ³ / ₁₆ "	QSS30424230WSCSL	\$557	\$718
47 ⁷ / ₈ "	47 ⁷ / ₈ "			25 ⁵ / ₈ "		QSS30484830WSCSL	627	785

Rim Profiles:



PVC (P) on wire manager



PVC (P) on double rim

IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Casegoods	▶ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Worksurface

How to Specify


- 1 Model
- 2 Rim option:
3 = Wire manager
2 = Double rim
- 3 Rim profile:
P = PVC rim
- 4 Surface finish price group:
STD = Group 1
- 5 Surface finish designator
- 6 PVC rim finish designator
- 7 Wire manager finish designator
(omit for double rim model)

Curved Corner Laminate 1³/₁₆" Worksurfaces


Pricing

GSA SIN 711-1

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1



Wire Manager



Double Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager.

A	B	C	D	H	Model	Description	Wire Manager	Double Rim
24"/24" Return Combos								
35 ⁷ / ₈ "	35 ⁷ / ₈ "	23 ⁷ / ₈ "	23 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS24363624WSCCL		\$477	\$644
41 ⁷ / ₈ "	41 ⁷ / ₈ "				QSS24424224WSCCL		497	661
47 ⁷ / ₈ "	47 ⁷ / ₈ "				QSS24484824WSCCL		535	698
59 ⁷ / ₈ "	59 ⁷ / ₈ "				QSS24606024WSCCL		1048	1179
30"/30" Return Combos								
41 ⁷ / ₈ "	41 ⁷ / ₈ "	29 ⁷ / ₈ "	29 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS30424230WSCCL		\$595	\$755
47 ⁷ / ₈ "	47 ⁷ / ₈ "				QSS30484830WSCCL		671	827
59 ⁷ / ₈ "	59 ⁷ / ₈ "				QSS30606030WSCCL	Available in double rim only.	—	1225

Rim Profiles:



PVC (P) on wire manager



PVC (P) on double rim

Grain Direction:



IMPORTANT: Brackets must be specified separately.

Side edges are finished to match the PVC rim; wire manager on applicable models is on the back edges.

Return combo dimensions are determined from left to right when seated at the worksurface.

Standard Includes

- Worksurface


How to Specify

- 1 Model
- 2 Rim option:
3 = Wire manager
2 = Double rim
- 3 Rim profile:
P = PVC rim
- 4 Surface finish price group:
STD = Group 1
- 5 Surface finish designator
- 6 PVC rim finish designator
- 7 Wire manager finish designator (omit for double rim model)


U-Top Laminate 1³/₁₆" Worksurfaces

Pricing


GSA SIN 711-1




Wire Manager



Single Rim



Wire Manager



Single Rim

Note: Bold line indicates location of rim detail; double line indicates location of wire manager. Arrow on surface indicates grain direction.

IMPORTANT: Brackets must be specified separately.

Wire manager is on the back edge.

U-tops used in freestanding applications must be attached to a return or extension for additional support.

D	W	H	Model	Wire Manager	Single Rim
Radius					
29 ⁷ / ₈ "	59 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS3060WSUL	\$838	\$729
	65 ⁷ / ₈ "		QSS3066WSUL	878	788
	71 ⁷ / ₈ "		QSS3072WSUL	913	845
35 ⁷ / ₈ "	59 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS3660WSUL	890	830
	65 ⁷ / ₈ "		QSS3666WSUL	926	865
	71 ⁷ / ₈ "		QSS3672WSUL	964	900
Crowned					
29 ⁷ / ₈ "	59 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS3060WSUCL	\$838	\$729
	65 ⁷ / ₈ "		QSS3066WSUCL	878	788
	71 ⁷ / ₈ "		QSS3072WSUCL	913	845
35 ⁷ / ₈ "	59 ⁷ / ₈ "	1 ³ / ₁₆ "	QSS3660WSUCL	890	830
	65 ⁷ / ₈ "		QSS3666WSUCL	926	865
	71 ⁷ / ₈ "		QSS3672WSUCL	964	900

Rim Profiles:



PVC (P) on wire manager



PVC (P) on single rim

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Worksurface

How to Specify


- 1 Model
- 2 Rim option:
3 = Wire manager
1 = Single rim
- 3 Rim profile:
P = PVC rim
- 4 Surface finish price group:
STD = Group 1
- 5 Surface finish designator
- 6 PVC rim finish designator
- 7 Wire manager finish designator
(omit for single rim model)

Laminate 1³/₁₆" Table Tops

Pricing

GSA SIN 711-1

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Round				
29 ⁵ / ₈ " diameter	1 ³ / ₁₆ "		QSS30TTRNL	\$218
35 ⁵ / ₈ " diameter			QSS36TTRNL	321
41 ⁵ / ₈ " diameter			QSS42TTRNL	398
47 ⁵ / ₈ " diameter			QSS48TTRNL	441
Square				
29 ⁵ / ₈ "	29 ⁵ / ₈ "	1 ³ / ₁₆ "	QSS3030TTSQL	\$218
35 ⁵ / ₈ "	35 ⁵ / ₈ "		QSS3636TTSQL	321
41 ⁵ / ₈ "	41 ⁵ / ₈ "		QSS4242TTSQL	398
Rectangular				
29 ⁵ / ₈ "	59 ⁵ / ₈ "	1 ³ / ₁₆ "	QSS3060TTRTL	\$487
	71 ⁵ / ₈ "		QSS3072TTRTL	603
35 ⁵ / ₈ "	59 ⁵ / ₈ "		QSS3660TTRTL	516
	71 ⁵ / ₈ "		QSS3672TTRTL	661
Race Track				
35"	59"	1 ³ / ₁₆ "	QSS3660TTRCL	\$549
	71"		QSS3672TTRCL	694
	83"		QSS3684TTRCL	729



Note: Arrow on surface indicates grain direction.

One base is required for round and square tops; two bases are required for rectangular and racetrack tops.









Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Table top

How to Specify

- ① Model
- ② Rim profile:
P = PVC rim
- ③ Surface finish price group:
STD = Group 1
- ④ Surface finish designator
- ⑤ Rim finish designator



Brackets are sold individually, unless otherwise specified.

Worksurface Support Brackets

Pricing

GSA SIN 711-1

Model	Description	Price
Edge Support Brackets		
<i>Right-Hand</i>		
QIBRWSE	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	\$26
<i>Left-Hand</i>		
QIBRWSEL	For use with Interworks EQ panel-mounted worksurface. Cinder finish.	\$26
Transaction Counter Brackets		
<i>Right-Hand</i>		
QIBTCBR1	For use with Interworks EQ panel-mounted transaction counters.	\$27
<i>Left-Hand</i>		
QIBTCBL1	For use with Interworks EQ panel-mounted transaction counters.	\$27
Drop Brackets		
QIB0224D	For use with 24"D worksurfaces. 2" drop. Cinder finish.	\$43
QIB0230D	For use with 30"D worksurfaces. 2" drop. Cinder finish.	\$55
Flat Bracket		
QIBF1	Secures two flush, adjacent/perpendicular worksurfaces. Galvanized finish. 2"D x 5½"W.	\$12
Cantilever Brackets		
<i>Right-Hand</i>		
QIB24CR	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 21¾"D x 3¼"W x 20"H.	\$102
<i>Left-Hand</i>		
QIB24CL	For use with Interworks EQ panel-mounted worksurface. Cinder finish. 21¾"D x 3¼"W x 20"H.	\$102
Traxx Worksurface Bracket		
QIBTWS	Single bracket; Cinder finish.	\$14
Gusset Bracket		
QFBG	Non-handed. For use as additional support for metal support panel that is not next to component or modesty panel. 97⁄8" x 97⁄8".	\$29

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Bracket

Note: Specify two right-hand and two left-hand transaction counter brackets for each surface.

How to Specify

Transaction Counter Bracket or Gusset Bracket

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

Edge Support, Drop, Flat, or Cantilever Bracket






- ① Model

Worksurface Support Panels

Pricing

GSA SIN 711-1

D	W	H	Model	Description	Price
Support Panels for Use with Interwork EQ Applications					
Half End Panel					
16½"	1¼"	27¼"	QIB1827H	Non-handed.	\$210
Full End Panel					
23⅝"	1¼"	27¼"	QIB2427F	Non-handed.	\$260
29⅝"			QIB3027F	Non-handed.	317
Support Panels for Use with Traxx or Freestanding Metal Applications					
Half End Panel					
16½"	1¼"	27¼"	QIF1827H	Non-handed. Two glides.	\$210
Full End Panel					
22⅝"	1¼"	27¼"	QIF2427F	Non-handed. Two glides.	\$260
28⅝"			QIF3027F	Non-handed. Two glides.	317
34⅝"			QIF3627F	Non-handed. Two glides.	375
Return Support Panels for Use with Traxx or Freestanding Metal Applications					
7⅞"	1¼"	27¼"	QIF0827RS	Non-handed. Use to create 24"D return. One glide.	\$92
12"			QIF1227RS	Non-handed. Use to create 30"D return. One glide.	126
Support Panel					
12"	1¼"	27¼"	QIF1227WSP	Includes filler panel.	\$160
Corner Post					
6⅞"	6⅞"	27¼"	QIF0727CP	Creates freestanding corner.	\$287



Gusset bracket may be specified separately to provide additional support when used with a return or support panel.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

End Panels

- Panel
- Two floor glides (one glide on 8" return support panel)

Note: End panels, support panels and corner post are designed to secure modesty panel.


How to Specify

- ① Model
- ② Surface finish price group:
STD = Group 1
- ③ Finish designator

Modesty Panels

Pricing

GSA SIN 711-1



IMPORTANT: All supports must be specified separately.

Modesty panels are pre-drilled and attach 4" inset from rear of pedestal or end panel only. Gap between top of modesty panel and underside of worksurface is 1½"; gap from bottom of modesty panel to floor is 3".

To determine modesty panel width required, subtract total **nominal** width of support (pedestals or end panels) from **nominal** width of worksurface. Example:

72"W worksurface
– 30"W support (Two 15"W peds)
= 42"W modesty panel required
➤ See the Systems Price List for planning guideline chart.

D	W	H	Model	Description	Price
Metal Modesty Panels (for use with Flat Profile Storage)					
1½"	19½"	23"	QIF2023M		\$137
	23⅞"		QIF2423M	Use with 36"W corner.	137
	25½"		QIF2623M		149
	29⅞"		QIF3023M	Use with 42"W corner.	154
	31½"		QIF3223M		162
	33¼"		QIF3423M		162
	35⅞"		QIF3623M	Use with 48"W corner.	162
	37½"		QIF3823M		171
	39⅞"		QIF4023M		171
	41⅞"		QIF4223M		180
	43½"		QIF4423M		180
	45¼"		QIF4623M		180
	47⅞"		QIF4823M	Use with 60"W corner.	188
	49½"		QIF5023M		188
	51¼"		QIF5223M		188
	53⅞"		QIF5423M		188
	55½"		QIF5623M		193
	57¼"		QIF5823M		193
	59⅞"		QIF6023M		193
	63¼"		QIF6423M		202
	65⅞"		QIF6623M		202
	67½"		QIF6823M		202
	69¼"		QIF7023M		215
	73½"		QIF7423M		215
	79½"		QIF8023M		222
	81¼"		QIF8223M		222
	87¼"		QIF8823M		228
	93¼"		QIF9423M		234

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Modesty panel: metal


How to Specify

- ① Model
- ② Surface finish price group:
STD = Group 1
- ③ Finish designator

Legs and Bases

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
Adjustable-Height Column Leg					
4" diameter		26½"-30½"	QIB0427AC	For use as additional support option.	\$293
X-Bases					
26"	26"	27"	QTBS2627XP	Painted. For use with 30" and 36" round and square worksurfaces.	\$568
34"	34"	27"	QTBS3427XP	Painted. For use with 42" and 48" round and 42" square worksurfaces.	596
T-Bases					
	26"	27"	QTBS2627TP	Painted. For use with rectangular and racetrack worksurfaces. Set of 2.	\$843

IMPORTANT: All brackets and supports must be specified separately.

One X-base is required for use with round or square tops.

Two T-bases are required for use with rectangular or racetrack tops.

Glides adjustable to ½".

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Base

How to Specify



- ① Model
- ② Surface finish price group:
STD = Group 1
- ③ Finish designator

Flat Profile Undersurface Storage

Pricing

15"W Pedestals—Metal

GSA SIN 711-1



D	W	H	Model	Price
---	---	---	-------	-------

Suspended Box/File

22¾"	15"	19¼"	Q12S2415PUBFM	\$452
28¾"			Q12S3015PUBFM	489

Box/Box/File

22¾"	15"	27¼"	Q12S2415PUBBFM	\$608
28¾"			Q12S3015PUBBFM	648

File/File Pedestal

22¾"	15"	27¼"	Q12S2415PUFFM	\$557
28¾"			Q12S3015PUFFM	595

Related Products:

Model	Description	Price
-------	-------------	-------

Lock Core for Key Specific Option

QKSCD001 to QKSCD025	Specify exact key number desired.	\$23
-----------------------------	-----------------------------------	------

Change Key

QKSCD1CK	Removes any QKSCD lock	\$7
-----------------	------------------------	-----

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock, keyed randomly between 001–025: black
- Open top

How to Specify

- ① Model
- ② Pull option:
E = Extended
ARC462 = Arc, cinder (+\$17)
- ③ Lock option:
KRB = Key random
KSB = Key specific (-\$23); specify lock core separately.
- ④ Metal finish price group:
STD = Group 1
STD M = Group M (+10%)
- ⑤ Metal finish designator

Not for use as standalone units.



File drawers utilize drawer sides for front-to-back filing.

Flat Profile Undersurface Storage

Pricing

30", 36", and 42"W Pedestals—Metal

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Lateral Files				
18 ³ / ₄ "	30"	27 ¹ / ₄ "	Q12S1830LFU2M	\$802
	36"		Q12S1836LFU2M	882
	42"		Q12S1842LFU2M	1006

File Centers

Box/Box on Left, File Drawer on Right (shown)

18 ³ / ₄ "	30"	27 ¹ / ₄ "	Q12S1830FCBBLM	\$1613
----------------------------------	-----	----------------------------------	-----------------------	--------

Box/Box on Right, File Drawer on Left

18 ³ / ₄ "	30"	27 ¹ / ₄ "	Q12S1830FCBBRM	\$1613
----------------------------------	-----	----------------------------------	-----------------------	--------

Related Products:

<i>Model</i>	<i>Description</i>	<i>Price</i>
Lock Core for Key Specific Option		
QKSCD001 to QKSCD025	Specify exact key number desired.	\$23
Change Key		
QKSCD1CK	Removes any QKSCD lock	\$7

Undersurface lateral files and file centers have open tops and are not to be used as stand-alone units.

File center file drawers utilize drawer sides for front-to-back filing.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Four spacers
- Lock, keyed randomly between 001–025: black (locks all drawers)
- Open top

How to Specify


- ① Model
- ② Pull option:
E = Extended
ARC462 = Arc, cinder (+\$17)
- ③ Lock option:
KRB = Key random
KSB = Key specific (-\$23); specify lock core separately.
- ④ Metal finish price group:
STD = Group 1
STD M = Group M (+10%)
- ⑤ Metal finish designator

Flat Profile Undersurface Storage

Pricing

Mobile Pedestals—Metal

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Mobile Box/Box/File				
22 ³ / ₄ "	15"	27"	Q12S2415PMBBFM	\$774

Mobile File/File				
22 ³ / ₄ "	15"	27"	Q12S2415PMFFM	\$727

Related Products:

<i>Model</i>	<i>Description</i>	<i>Price</i>
Lock Core for Key Specific Option		
QKSCD001 to QKSCD025	Specify exact key number desired.	\$23
Change Key		
QKSCD1CK	Removes any QKSCD lock	\$7

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Chassis: metal
- Drawer fronts: metal
- Cushion on cushion top model: all seating fabrics, except leather
- Lock, keyed randomly between 001–025: black
- Four non-locking casters
- One counterweight

How to Specify


- ① Model
- ② Pull option:
E = Extended
ARC462 = Arc, cinder (+\$17)
- ③ Lock option:
KRB = Key random
KSB = Key specific (-\$23); specify lock core separately.
- ④ Metal finish price group:
STD = Group 1
STDM = Group M (+10%)
- ⑤ Metal finish designator

Bevel Profile Overhead Storage

Pricing

Overhead Cabinets

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Number of Locks</i>	<i>Price</i>
Overhead Cabinet with Painted Doors					
14 ⁷ / ₈ "	23 ³ / ₄ "	16 ⁵ / ₈ "	QIS142416RP	1	\$544
	29 ³ / ₄ "		QIS143016RP	1	555
	35 ³ / ₄ "		QIS143616RP	1	591
	41 ³ / ₄ "		QIS144216RP	1	606
	47 ³ / ₄ "		QIS144816RP	1	626
	53 ³ / ₄ "		QIS145416RP	2	787
	59 ³ / ₄ "		QIS146016RP	2	873
	71 ³ / ₄ "		QIS147216RP	2	993

Related Products:

<i>Model</i>	<i>Description</i>	<i>Price</i>
Lock Core for Key Specific Option		
QKSCD001 to QKSCD025	Specify exact key number desired.	\$23
Change Key		
QKSCD1CK	Removes any QKSCD lock	\$7

IMPORTANT: Brackets must be specified separately.
Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets should be specified when hanging overheads side by side.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Chassis: metal
- Receding door(s): metal; 24"W–48"W units have one receding door and 54"W–72"W units have two individually locking doors.
- Lock(s), keyed randomly between 001–025: black
- Cutouts for cable routing

How to Specify



- ① Model
- ② Lock option:
KRB = Key random
KSB = Key specific (–\$23 per lock); specify lock core separately.
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

Bevel Profile Overhead Storage

Pricing

Overhead Shelves

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Half Height Shelves				
14 ⁷ / ₈ "	23 ³ / ₄ "	8 ⁷ / ₈ "	QIS142409OS	\$198
	29 ³ / ₄ "		QIS143009OS	210
	35 ³ / ₄ "		QIS143609OS	226
	41 ³ / ₄ "		QIS144209OS	231
	47 ³ / ₄ "		QIS144809OS	239
	53 ³ / ₄ "		QIS145409OS	250
	59 ³ / ₄ "		QIS146009OS	259
	71 ³ / ₄ "		QIS147209OS	275
Full Height Shelves				
14 ⁷ / ₈ "	23 ³ / ₄ "	16 ⁵ / ₈ "	QIS142416OS	\$392
	29 ³ / ₄ "		QIS143016OS	401
	35 ³ / ₄ "		QIS143616OS	411
	41 ³ / ₄ "		QIS144216OS	421
	47 ³ / ₄ "		QIS144816OS	428
	53 ³ / ₄ "		QIS145416OS	444
	59 ³ / ₄ "		QIS146016OS	464
	71 ³ / ₄ "		QIS147216OS	484

IMPORTANT: Brackets must be specified separately.
Exception: No additional bracketry is required when hanging bevel profile overheads on Interworks EQ panels.

Ganging brackets must be specified when hanging overheads side by side.

Half-height shelves are for use with Interworks EQ panels only.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Chassis: metal
- Cutouts for cable routing

How to Specify



- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator

Overhead Storage Brackets

Pricing

GSA SIN 711-1

Model	Description	Price
Bevel Profile and Flat Profile Overhead Brackets		
<i>For Use with Cetra Panels</i>		
QISBRKC	Set of 2; one right and one left. One set required per overhead. 2" x ¾" x 16"	\$31
<i>For Use with Traxx Applications</i>		
QISBRKT	Set of two; one set required per overhead.	\$36
Bevel Profile and Flat Profile Overhead Ganging Brackets		
QIBSC	Set of 4; for use when mounting overheads side by side on Xsite, Cetra, Interworks EQ, or Traxx. Designed to accommodate the Cetra and Interworks EQ panel reveal. Shims (not furnished) may be required for Traxx or Xsite applications.	\$29
Traxx Spacers for Use with Bevel Profile and Flat Profile Overheads		
QISBRKTSO	Set of 2; one set required per overhead. ½"D x 3⅜"W x 14⅞"L	\$72



IMPORTANT: Brackets must be specified separately.

Ganging brackets are required when mounting bevel overheads side by side.

Casegoods	➤ See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

How to Specify

Overhead Brackets and Traxx Spacers

- ① Model
- ② Finish price group:
STD = Group 1
STD M = Group M (+10%)
- ③ Finish designator


Ganging Brackets

- ① Model

Task Lights

Pricing

GSA SIN 711-1



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
Standard Task Lights					
4 $\frac{3}{8}$ "	13"	1 $\frac{5}{16}$ "	QKSU14TL	For use with 24"W units.	\$229
	23 $\frac{1}{4}$ "		QKSU25TL	For use with 30"–36"W units.	239
	35"		QKSU37TL	For use with 42"–48"W units.	257
	46 $\frac{7}{8}$ "		QKSU49TL	For use with 54"–72"W units.	272

Casegoods	► See page 13
Seating	33
Metal Filing	101
Finishes & Materials	A1

Standard Includes

- Fixture: black
- T5 cool white single tube lamp: 14 watt on 23"W light; 21 watt on 35"W light; 28 watt on 47"W light
- High-frequency electronic ballast
- Prismatic lens
- Rocker-type on/off switch; center
- 90° cord plug with southwest orientation prong configuration
- 9' cord attached in center of fixture

How to Specify

- 1 Model

All lighting components are U.L. approved. Consult local codes for application restrictions.

For use on highback organizers and overhead storage.

Specify quick release brackets separately as required by local codes.
► See the Systems Price List


METAL FILING

LF Series™

Statement of Line




Overview	➤ See page 104
Filing Capacities	105
Systems	53
Finishes & Materials	A1




Two-High Lateral Files

- Two standard-height drawers
- See page 106.




Three-High Lateral Files

- Three standard-height drawers
- See page 106.




Four-High Lateral Files

- Four standard-height drawers
- See page 106.



Five-High Lateral Files

- Five standard-height drawers
- Four standard-height drawers and one roll-out shelf with lift door.
- See page 106.



Counterweight Kits

- See page 107.


METAL FILING

Fundamental®

Statement of Line




Overview	➤ See page 108
Filing Capacities	109
Systems	53
Finishes & Materials	A1




Two-High Lateral Files

- Two drawers
- See page 110.




Three-High Lateral Files

- Three drawers
- See page 110.




Four-High Lateral Files

- Four drawers
- See page 110.




Five-High Lateral Files

- Five drawers
- Four drawers and one fixed shelf with lift door.
- Five drawers, ADA compliant
- See page 110.




Counterweight Kits

- See page 111.



Overfiles

- See page 112.



Storage Cabinets

- Two high
- Three high
- Four high
- Five high
- See page 112.



Overfile/Storage Cabinet Shelves

- See page 113.



Wardrobe Kits

- See page 113.


METAL FILING

Statement of Line

Universal




LF Series	➤ See page 104
Fundamental	108
Systems	53
Finishes & Materials	A1



Universal Laminate File Tops

➤ See page 114.



Universal Paper Management Accessories

- Front-to-back file bars
- Side-to-side file bars
- Drawer divider

➤ See page 114.



Lock Cores for Key Specific Option

➤ See page 114.

Filing Capacities	➤ See page 105
Lock Cores	114
Finishes & Materials	A1

Top is finished so the file can be used as a stand alone unit.

Roll-out shelf with lift door (in applicable five-high models) replaces top drawer and adds 1" to overall height of the file. Accommodates standing binders up to 12"H.

Built-in anti-rebound catch prevents drawer from accidentally rolling open.

Heavy-gauge frame is reinforced at all corners and built into the front of the file so openings are always true and square. Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide $\frac{3}{4}$ " adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are pre-painted cinder.

Knockouts are standard for ganging side-by-side.

Locking is standard. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.

Two 6"H half-height drawers may replace existing drawer in any position.

Full ball-bearing, progressive-slide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Silencing bumpers ensure quiet drawer operation and are added to suspension wherever a steel-to-steel contact would otherwise be made.

Side-to-side file bar is standard; one per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard; one per drawer.

Drawer Pulls:



Drawer pull is recessed along the full front edge.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Select key random or key specific when specifying.













Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.

Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.

IMPORTANT: If you select the key specific option, you must specify the lock core separately.

➤ See page 114.

Description	Inside Depth	Inside Width	Height	Filing Inches and Arrangements			
18"D x 30"W lateral	14 ⁷ / ₈ "	26 ⁷ / ₈ "	9 ³ / ₈ "				
				29 ⁵ / ₈ " letter Front-to-back file bars (2) Side-to-side file bar (1)	25 ¹ / ₄ " legal Front-to-back file bar (1) Side-to-side file bar (1)	26 ¹³ / ₁₆ " letter Side-to-side file bar (1)	26 ¹³ / ₁₆ " legal Side-to-side file bar (1)
18"D x 36"W lateral	14 ⁷ / ₈ "	32 ⁷ / ₈ "	9 ³ / ₈ "				
				29 ⁵ / ₈ " letter Front-to-back file bars (2) Side-to-side file bar (1)	29 ⁵ / ₈ " legal Front-to-back file bars (2) Side-to-side file bar (1)	32 ¹³ / ₁₆ " letter Side-to-side file bar (1)	32 ¹³ / ₁₆ " legal Side-to-side file bar (1)
18"D x 42"W lateral	14 ⁷ / ₈ "	38 ⁷ / ₈ "	9 ³ / ₈ "				
				44 ⁷ / ₁₆ " letter Front-to-back file bars (2) Side-to-side file bar (1)	35 ⁵ / ₈ " legal Front-to-back file bars (2) Side-to-side file bar (1)	38 ¹³ / ₁₆ " letter Side-to-side file bar (1)	38 ¹³ / ₁₆ " legal Side-to-side file bar (1)

Filing Hardware:

Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.
➤ See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.
➤ See page 114.

LF SERIES™


Metal Filing

Lateral Files


Pricing

GSA SIN 711-3


Overview	➤ See page 104
Filing Capacities	105
Lock Cores	114
Finishes & Materials	A1




Two-High Lateral Files




Three-High Lateral Files



Four-High Lateral Files



Five-High Lateral Files



Five-High with Lift Door

Standard Includes

- Two standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 25¾"H

Standard Includes

- Three standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 37¼"H

Standard Includes

- Four standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 48¼"H

Standard Includes

- Five standard-height drawers
- One side-to-side file bar per drawer
- 18"D x 60¼"H

Standard Includes

- Four standard-height drawers
- Roll-out shelf with lift door
- One side-to-side file bar per drawer
- 18"D x 62¼"H

How to Specify

- Model:
QLFF18302 = 30"W
QLFF18362 = 36"W
QLFF18422 = 42"W
- Pull:
F = Full pull
- Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- Base:
X = No additional base
- Finish price group:
STD = Group 1
- Finish designator

How to Specify

- Model:
QLFF18303 = 30"W
QLFF18363 = 36"W
QLFF18423 = 42"W
- Pull:
F = Full pull
- Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- Base:
X = No additional base
- Finish price group:
STD = Group 1
- Finish designator

How to Specify

- Model:
QLFF18304 = 30"W
QLFF18364 = 36"W
QLFF18424 = 42"W
- Pull:
F = Full pull
- Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- Base:
X = No additional base
- Finish price group:
STD = Group 1
- Finish designator

How to Specify

- Model:
QLFF18305 = 30"W
QLFF18365 = 36"W
QLFF18425 = 42"W
- Pull:
F = Full pull
- Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- Base:
X = No additional base
- Finish price group:
STD = Group 1
- Finish designator

How to Specify

- Model:
QLFF18305LD = 30"W
QLFF18365LD = 36"W
QLFF18425LD = 42"W
- Pull:
F = Full pull
- Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- Base:
X = No additional base
- Finish price group:
STD = Group 1
- Finish designator

Pricing

QLFF18302	\$950
QLFF18362	\$1079
QLFF18422	\$1140

Pricing

QLFF18303	\$1292
QLFF18363	\$1500
QLFF18423	\$1635

Pricing

QLFF18304	\$1641
QLFF18364	\$1906
QLFF18424	\$2124

Pricing

QLFF18305	\$2039
QLFF18365	\$2244
QLFF18425	\$2458

Pricing

QLFF18305LD	\$2124
QLFF18365LD	\$2328
QLFF18425LD	\$2544

Overview	➤ See page 104
Filing Capacities	105
Lock Cores	114
Finishes & Materials	A1



Counterweight Kit

Standard Includes

- Required for freestanding files

How to Specify

- ① Model:
- QLFCW30** = for 30"W files
 - QLFCW36** = for 36"W files
 - QLFCW42** = for 42"W files

Pricing

QLFCW30	\$193
QLFCW36	\$193
QLFCW42	\$193

Filing Capacities	► See page 109
Lock Cores	114
Finishes & Materials	A1

Top is finished so the file can be used as a stand alone unit.

Knockouts are standard for ganging side-by-side or for securing to a wall.

Fixed shelf with lift door on applicable five-high lateral files replaces top drawer and accommodates standing binders up to 12"H.

Drawer fronts and lift doors in the top position on five-high lateral files are 19/16" taller than the other drawer fronts to accommodate the receding lift-door application.

Counterweight kit, specified separately, is required for all individual freestanding units. Kits include counterweight and bracket, packaged individually.

Four glides, standard, provide 3/4" adjustability and allow for sturdy, four-point loading.

Steel drawer interiors are pre-painted cinder. Replacement drawer fronts can be field installed.

Locking is standard. Select key random or key specific.
Note: Lock cores must be specified separately for key specific option.

Integrated drawer slide and single interlock mechanism are part of the slide design, providing for quieter drawer operation and ensuring only one drawer may be opened at a time.

Built-in anti-rebound catch prevents drawer from accidentally rolling open.

Right angle bend of the coach seam makes the strongest use of formed metal and presents a clean exterior with no exposed welds.


Full ball-bearing, progressive-slide drawer suspension allows both the drawer and suspension to extend together and provides smooth drawer operation.

Side-to-side file bars are standard; two per drawer.

Front-to-back file bars are available separately for easy field installation.

Label holder is standard with extended pull; one per drawer.

Drawer Pulls:



Extended Rail Arc

Extended is recessed along the full front edge and is painted the same color as the unit. Rail pull is textured black. Arc pull is available in 462 Cinder.

Locks:

Lateral files are predrilled to accept lock cores. Lock secures all drawers in the unit. Specify key random or key specific.

Keying:

Key Random Option—Key numbers will be assigned arbitrarily at the factory with key numbers ranging from QKSCD001 to QKSCD025. Locks are shipped separately for field installation.













Key Specific Option—Specify any key number between QKSCD001 and QKSCD025. Locks are shipped separately for field installation.

IMPORTANT: If you select the key specific option, you must specify the lock core separately.

► See page 114.

ADA-Compliant Models:

Lock is placed at 38 5/8"H, making it accessible from a seated position. Rail or arc pulls are available.

Description	Inside Depth	Inside Width	Height	Filing Arrangements			
18"D x 30"W lateral	14 ⁷ / ₈ "	26 ⁷ / ₈ "	9 ³ / ₈ "				
				29 ⁵ / ₈ " letter Front-to-back file bars (2) Side-to-side file bars (2)	25 ¹ / ₄ " legal Front-to-back file bar (1) Side-to-side file bars (2)	26 ¹³ / ₁₆ " letter Side-to-side file bars (2)	26 ¹³ / ₁₆ " legal Side-to-side file bars (2)
18"D x 36"W lateral	14 ⁷ / ₈ "	32 ⁷ / ₈ "	9 ³ / ₈ "				
				29 ⁵ / ₈ " letter Front-to-back file bars (2) Side-to-side file bars (2))	29 ⁵ / ₈ " legal Front-to-back file bars (2) Side-to-side file bars (2)	32 ¹³ / ₁₆ " letter Side-to-side file bars (2)	32 ¹³ / ₁₆ " legal Side-to-side file bars (2)
18"D x 42"W lateral	14 ⁷ / ₈ "	38 ⁷ / ₈ "	9 ³ / ₈ "				
				44 ⁷ / ₁₆ " letter Front-to-back file bar (2) Side-to-side file bars (2)	35 ⁵ / ₈ " legal Front-to-back file bars (2) Side-to-side file bars (2)	38 ¹³ / ₁₆ " letter Side-to-side file bars (2)	38 ¹³ / ₁₆ " legal Side-to-side file bars (2)

Filing Hardware:


Heavier lines in the illustrations at right indicate filing hardware.

Front-to-back file bars can be specified separately.
➤ See the Perks Price List.

Side-to-side file bar is standard; one per drawer.

Drawer divider can be specified separately.
➤ See page 114.

Overview	➤ See page 108
Filing Capacities	109
Lock Cores	114
Finishes & Materials	A1



Two-High Lateral Files

Standard Includes


- Two drawers
- Two side-to-side file bars per drawer
- 18"D x 27¼"H

How to Specify

- 1 Model:
QFND18302 = 30"W
QFND18362 = 36"W
QFND18422 = 42"W
- 2 Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
- 3 Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- 4 Finish price group:
STD = Group 1
- 5 Finish designator

Pricing

QFND18302	\$860
QFND18362	\$936
QFND18422	\$1008



Three-High Lateral Files

Standard Includes


- Three drawers
- Two side-to-side file bars per drawer
- 18"D x 39¾"H

How to Specify

- 1 Model:
QFND18303 = 30"W
QFND18363 = 36"W
QFND18423 = 42"W
- 2 Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
- 3 Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- 4 Finish price group:
STD = Group 1
- 5 Finish designator

Pricing

QFND18303	\$1006
QFND18363	\$1143
QFND18423	\$1242



Four-High Lateral Files

Standard Includes

- Four drawers
- Two side-to-side file bars per drawer
- 18"D x 51⅞"H

How to Specify

- 1 Model:
QFND18304 = 30"W
QFND18364 = 36"W
QFND18424 = 42"W
- 2 Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
- 3 Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- 4 Finish price group:
STD = Group 1
- 5 Finish designator

Pricing

QFND18304	\$1222
QFND18364	\$1376
QFND18424	\$1552



Five-High Lateral Files

Standard Includes


- Five drawers
- Two side-to-side file bars per drawer
- 18"D x 64½"H

How to Specify

- 1 Model:
QFND18305 = 30"W
QFND18365 = 36"W
QFND18425 = 42"W
- 2 Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
- 3 Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- 4 Finish price group:
STD = Group 1
- 5 Finish designator

Pricing

QFND18305	\$1637
QFND18365	\$1792
QFND18425	\$1960



Five-High with Lift Door

Standard Includes

- Four drawers
- Fixed shelf and lift door
- Two side-to-side file bars per drawer
- 18"D x 64½"H

How to Specify

- 1 Model:
QFND18305LD = 30"W
QFND18365LD = 36"W
QFND18425LD = 42"W
- 2 Pull:
E = Extended
R = Raill
ARC462 = Arc, Cinder
- 3 Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- 4 Finish price group:
STD = Group 1
- 5 Finish designator

Pricing


QFND18305LD	\$1710
QFND18365LD	\$1864
QFND18425LD	\$2030

ADA Lateral Files & Counterweight Kits

Pricing

GSA SIN 711-3

Overview	➤ See page 108
Filing Capacities	109
Lock Cores	114
Finishes & Materials	A1



**ADA-Compliant
Five-High Lateral Files**

Standard Includes


- Five drawers
- Two side-to-side file bars per drawer
- Lock at 38⁵/₈"H
- 18"D x 64¹/₂"H

How to Specify

- 1 Model:
QFND18305ADA = 30"W
QFND18365ADA = 36"W
QFND18425ADA = 42"W
- 2 Pull:
R = Raill
ARC462 = Arc, Cinder
- 3 Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- 4 Finish price group:
STD = Group 1
- 5 Finish designator

Pricing

QFND18305ADA	\$1792
QFND18365ADA	\$1944
QFND18425ADA	\$2114



Counterweight Kit

Standard Includes

- Required for freestanding files

How to Specify

- 1 Model:
QFNDACW = for any width file

Pricing


QFNDACW	\$189
----------------	-------

Overfiles and Storage Cabinets


Pricing

GSA SIN 711-3


Overview	➤ See page 108
Filing Capacities	109
Lock Cores	114
Finishes & Materials	A1




Overfile




Two-High Storage Cabinets



Three-High Storage Cabinets



Four-High Storage Cabinets



Five-High Storage Cabinets

Standard Includes

- For use on top of lateral file or storage cabinet
- 18"D x 29¼"H

Standard Includes

- 18"D x 27¼"H

Standard Includes

- 18"D x 39¾"H

Standard Includes

- 18"D x 51½"H

Standard Includes

- 18"D x 64½"H

How to Specify

- ① Model:
QFND1830OF = 30"W
QFND1836OF = 36"W
QFND1842OF = 42"W
- ② Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

How to Specify

- ① Model:
QFND18302SC = 30"W
QFND18362SC = 36"W
QFND18422SC = 42"W
- ② Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

How to Specify

- ① Model:
QFND18303SC = 30"W
QFND18363SC = 36"W
QFND18423SC = 42"W
- ② Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

How to Specify

- ① Model:
QFND18304SC = 30"W
QFND18364SC = 36"W
QFND18424SC = 42"W
- ② Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

How to Specify

- ① Model:
QFND18305SC = 30"W
QFND18365SC = 36"W
QFND18425SC = 42"W
- ② Lock option:
KRB = Key random
KSB = Key specific (-\$23)
- ③ Finish price group:
STD = Group 1
- ④ Finish designator

Pricing

QFND1830OF	\$764
QFND1836OF	\$801
QFND1842OF	\$867

Pricing

QFND18302SC	\$894
QFND18362SC	\$945
QFND18422SC	\$1057

Pricing

QFND18303SC	\$945
QFND18363SC	\$991
QFND18423SC	\$1103

Pricing

QFND18304SC	\$991
QFND18364SC	\$1049
QFND18424SC	\$1161

Pricing


QFND18305SC	\$1045
QFND18365SC	\$1110
QFND18425SC	\$1222

Shelves and Wardrobe Kits

Pricing

GSA SIN 711-3

Overview	➤ See page 108
Filing Capacities	109
Lock Cores	114
Finishes & Materials	A1



Overfile/Storage Cabinet Shelves

Standard Includes

- Shelf is adjustable in 2" increments

How to Specify

- Model:
QFND1830LFSHP = for 30"W unit
QFND1836LFSHP = for 36"W unit
QFND1842LFSHP = for 42"W unit
- Finish price group:
STD = Group 1
- Finish designator

Pricing

QFND1830LFSHP	\$83
QFND1836LFSHP	\$86
QFND1842LFSHP	\$89



Wardrobe Kits

Standard Includes


- For use with storage cabinets

How to Specify

- Model:
QFND1830WB = for 30"W unit
QFND1836WB = for 36"W unit
QFND1842WB = for 42"W unit

Pricing

QFND1830WB	\$72
QFND1836WB	\$80
QFND1842WB	\$83



Laminate File Tops

Standard Includes


- Single top may be secured to any combination of file widths to create a continuous surface
- PVC rim on front edge
- 18"D x 13¹/₁₆"H

How to Specify

- Model:
QSS1830LFTL = 30"W
QSS1836LFTL = 36"W
QSS1842LFTL = 42"W
QSS1860LFTL = 60"W
QSS1872LFTL = 72"W
QSS1884LFTL = 84"W
- Rim:
P = PVC
- Finish type:
STD = Standard
- Finish designator
- Rim color

Pricing

QSS1830LFTL	\$293
QSS1836LFTL	\$326
QSS1842LFTL	\$367
QSS1860LFTL	\$498
QSS1872LFTL	\$621
QSS1884LFTL	\$765



Front-to-Back File Bars

Standard Includes


- Black
- Set of two (one set required per drawer)
- Provides two rows of letter-size or one row of legal-size filing in 30"W file; two rows of letter-size or legal-size filing in 36"W file; three rows of letter-size or two rows of legal-size filing in 42"W file

How to Specify

- Model:
Q99KFFB

Pricing

Q99KFFB	\$23
----------------	------



Side-to-Side File Bars

Standard Includes

- Galvanized metal

How to Specify

- Model:
QKFD30SS = for 30"W unit
QKFD36SS = for 36"W unit
QKFD42SS = for 42"W unit

Pricing

QKFD30SS	\$56
QKFD36SS	\$60
QKFD42SS	\$65



Drawer Dividers

Standard Includes

- Hooks on back of drawer body and can be used in any file.
- Black
- 10¹/₁₆"D x 3¹/₁₆"W x 7¹/₂"H

How to Specify

- Model:
QKFDPM

Pricing

QKFDPM	\$36
---------------	------



Lock Cores for Key Specific Option and Change Keys

Important

- Lock cores must be specified separately for models with key specific option (KSB)
- Change key is required to remove QKSCD lock cores in the field; it is not required for the initial installation of lock cores

How to Specify

- Model:
QKSCD = Lock core and key
QKSCD1CK = Change key
- Key number (omit for change key):
001 to 025

Pricing

QKSCD	\$23
QKSCD1CK	\$7

Model Number Index

Terms & Conditions	➤ See page 4
Product Warranty	6
Warranty for Bingo	7
Operating Load Capacities	9

Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page
K50A	38	Q10P18HTC	70	Q10P42CNT	63	Q10P62CNV	63	Q10PCNXC1	67
K50GB	38	Q10P20CNHL	65	Q10P42CNV	63	Q10P62CNWMP	73	Q10PCNYTC1	67
K50N	38	Q10P20CNHLL	66	Q10P42CNWMP	73	Q10P62EC	69	Q10PCPDPEP	78
K50SN	38	Q10P20EDCI	80	Q10P42EC	69	Q10P62EDCL	80	Q10PCPDPLP	78
K75CFMBBSL	36	Q10P20HTC	70	Q10P42ED	74	Q10P62EDCT	80	Q10PCPDPS	78
K75CFMBWSL	36	Q10P24CNHL	65	Q10P42EDCL	80	Q10P66CNETP	72	Q10PECPC1	79
K75CSHBBSL	36	Q10P24CNHLL	66	Q10P42EDCT	80	Q10P66CNL	63	Q10PECPE1	75
K75CSHBWSL	36	Q10P24ED	74	Q10P42EHPA	77	Q10P66CNS	72	Q10PEFPE1E	75
K75CSMBBSL	36	Q10P24EDCI	80	Q10P46CNHL	65	Q10P66CNT	63	Q10PEFPE1L	75
K75CSMBWSL	36	Q10P24HTC	70	Q10P46CNHLL	66	Q10P66CNV	63	Q10PEFPE1S	75
K95MBKB1	45	Q10P26CNHL	65	Q10P46EDCI	80	Q10P66CNWMP	73	Q10PEHCC	76
K95MBKB4	45	Q10P26CNHLL	66	Q10P46HTC	70	Q10P66EC	69	Q10PEHEC	76
K95MBSB1	45	Q10P26EDCI	80	Q10P48CNL	63	Q10P66EDCL	80	Q10PEHJB	76
K95MBSB4	45	Q10P26HTC	70	Q10P48CNS	72	Q10P66EDCT	80	Q10PEHRC	79
K95MCRB1	45	Q10P28CNHL	65	Q10P48CNT	63	Q10P66CNHL	65	Q10PEHSC	76
K95MCRB4	45	Q10P28CNHLL	66	Q10P48CNV	63	Q10P66CNHLL	66	Q10PEHSFP	76
K95MKWB1	45	Q10P28EDCI	80	Q10P48CNWMP	73	Q10P6HTC	70	Q10PEJA	74
K95MKWB4	45	Q10P28HTC	70	Q10P48EC	69	Q10P80CNL	63	Q10PEJB	74
K95MTGB1	45	Q10P30ED	74	Q10P48ED	74	Q10P80CNS	72	Q10PEJC	74
K95MTGB4	45	Q10P30EHPA	77	Q10P48EDCL	80	Q10P80CNT	63	Q10PER1	75
K95TD	45	Q10P32CNHL	65	Q10P48EDCT	80	Q10P80CNV	63	Q10PER2	75
Q10ATMC	79	Q10P32CNHLL	66	Q10P48EHPA	77	Q10P80CNWMP	73	Q10PER3	75
Q10P04EDCI	80	Q10P32EDCI	80	Q10P4CNHL	65	Q10P80EC	69	Q10PER4	75
Q10P06EDCI	80	Q10P32HTC	70	Q10P4CNHLL	66	Q10P80EDCL	80	Q10PER5	75
Q10P08EDCI	80	Q10P34CNL	63	Q10P4HTC	70	Q10P80EDCT	80	Q10PESPE1P	75
Q10P12CNHL	65	Q10P34CNS	72	Q10P54CNL	63	Q10P8CNHL	65	Q10PRT2R	76
Q10P12CNHLL	66	Q10P34CNT	63	Q10P54CNS	72	Q10P8CNHLL	66	Q10PSBPNC	62
Q10P12EDCI	80	Q10P34CNV	63	Q10P54CNT	63	Q10P8HTC	70	Q10PSBPNC	62
Q10P12HTC	70	Q10P34CNWMP	73	Q10P54CNV	63	Q10PCNIFC	68	Q10PSBPNC	62
Q10P14CNHL	65	Q10P34EC	69	Q10P54CNWMP	73	Q10PCNIL	68	Q10PSBPNC	62
Q10P14CNHLL	66	Q10P36ED	74	Q10P54EC	69	Q10PCNLTC1	67	Q10PSBPNC	62
Q10P14EDCI	80	Q10P36EHPA	77	Q10P54EDCL	80	Q10PCNLTC2	67	Q11P12CNHT	64
Q10P14HTC	70	Q10P38CNHL	65	Q10P54EDCT	80	Q10PCNTTC1	67	Q11P12HLT	71
Q10P18CNHL	65	Q10P38CNHLL	66	Q10P60ED	74	Q10PCNTTC2	67	Q11P14CNHT	64
Q10P18CNHLL	66	Q10P38EDCI	80	Q10P60EHPA	77	Q10PCNTTC3	67	Q11P14HLT	71
Q10P18EDCI	80	Q10P38HTC	70	Q10P62CNL	63	Q10PCNTTC4	67	Q11P1834A	59
Q10P18EPTA	74	Q10P42CNL	63	Q10P62CNS	72	Q10PCNTTC5	67	Q11P1842A	59
Q10P18EPTB	74	Q10P42CNS	72	Q10P62CNT	63	Q10PCNTTC6	67	Q11P1848A	60

Model Number Index

continued

Terms & Conditions	➤ See page 4
Product Warranty	6
Warranty for Bingo	7
Operating Load Capacities	9

Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page
Q11P1854A.....	60	Q11P38HLT.....	71	Q12S2415PUFFM.....	94	Q95-7D.....	41	QFND18365SC.....	112
Q11P1862A.....	61	Q11P4234A.....	59	Q12S3015PUBBFM.....	94	Q95-A.....	41	QFND1836LFSHP.....	113
Q11P1866A.....	61	Q11P4242A.....	59	Q12S3015PUBFM.....	94	Q99K1706KK1.....	30	QFND1836OF.....	112
Q11P1880A.....	61	Q11P4248A.....	60	Q12S3015PUFFM.....	94	Q99K2208KK1.....	30	QFND1836WB.....	113
Q11P18CNHT.....	64	Q11P4254A.....	60	Q22-2832V.....	44	Q99K2319KKS1.....	30	QFND18422.....	110
Q11P18HLT.....	71	Q11P4262A.....	61	Q22-2833V.....	44	Q99KCPUH.....	30	QFND18422SC.....	112
Q11P20CNHT.....	64	Q11P4266A.....	61	Q22-5032V.....	44	Q99KELDM.....	31	QFND18423.....	110
Q11P20HLT.....	71	Q11P4280A.....	61	Q4610.....	40	Q99KELPM.....	31	QFND18423SC.....	112
Q11P2434A.....	59	Q11P46CNHT.....	64	Q4620.....	40	Q99KELPS.....	31	QFND18424.....	110
Q11P2442A.....	59	Q11P46HLT.....	71	Q53K2436LFF2L01.....	17	Q99KFB.....	30, 114	QFND18424SC.....	112
Q11P2448A.....	60	Q11P4834A.....	59	Q53K2436LFF2W01.....	17	QCBS2716CY.....	27	QFND18425.....	110
Q11P2454A.....	60	Q11P4842A.....	59	Q53K2442BEFL01.....	16	QCCS42RDW1JNX.....	27	QFND18425ADA.....	111
Q11P2462A.....	61	Q11P4848A.....	60	Q53K2442BEFW01.....	16	QCCS4896RCW1JNX.....	27	QFND18425LD.....	110
Q11P2466A.....	61	Q11P4854A.....	60	Q53K2448BEFL01.....	16	QCCS48RDW1JNX.....	27	QFND18425SC.....	112
Q11P2480A.....	61	Q11P4862A.....	61	Q53K2448BEFW01.....	16	QFBG.....	90	QFND1842LFSHP.....	113
Q11P24CNHT.....	64	Q11P4866A.....	61	Q53K2448RLEFL201.....	16	QFND18302.....	110	QFND1842OF.....	112
Q11P24HLT.....	71	Q11P4880A.....	61	Q53K2448RLEFW201.....	16	QFND18302SC.....	112	QFND1842WB.....	113
Q11P26CNHT.....	64	Q11P4CNHT.....	64	Q53K2448RREFL201.....	16	QFND18303.....	110	QFNDACW.....	111
Q11P26HLT.....	71	Q11P4HLT.....	71	Q53K2448RREFW201.....	16	QFND18303SC.....	112	QHIT1236A.....	82
Q11P28CNHT.....	64	Q11P6034A.....	59	Q53K2472CKFL201.....	17	QFND18304.....	110	QHIT1836A.....	82
Q11P28HLT.....	71	Q11P6042A.....	59	Q53K2472CKFW201.....	17	QFND18304SC.....	112	QHIT2436A.....	82
Q11P3034A.....	59	Q11P6048A.....	60	Q53K2472CLFL201.....	17	QFND18305.....	110	QHIT3036A.....	82
Q11P3042A.....	59	Q11P6054A.....	60	Q53K2472CLFW201.....	17	QFND18305ADA.....	111	QHIT3636A.....	82
Q11P3048A.....	60	Q11P6062A.....	61	Q53K2472CRFL201.....	17	QFND18305LD.....	110	QHIT4236A.....	82
Q11P3054A.....	60	Q11P6066A.....	61	Q53K2472CRFW201.....	17	QFND18305SC.....	112	QHIT4836A.....	82
Q11P3062A.....	61	Q11P6CNHT.....	64	Q53K3653BCOFL01.....	18	QFND1830FSHP.....	113	QHIT5436A.....	82
Q11P3066A.....	61	Q11P6HLT.....	71	Q53K3653BCOFW01.....	18	QFND1830OF.....	112	QHIT6036A.....	82
Q11P3080A.....	61	Q11P8CNHT.....	64	Q53K3667BCOFL01.....	18	QFND1830WB.....	113	QIB0224D.....	90
Q11P32CNHT.....	64	Q11P8HLT.....	71	Q53K3667BCOFW01.....	18	QFND18362.....	110	QIB0230D.....	90
Q11P32HLT.....	71	Q12S1830FCBBLM.....	95	Q53K3672DLFBL101.....	16	QFND18362SC.....	112	QIB0427AC.....	93
Q11P3634A.....	59	Q12S1830FCBBRM.....	95	Q53K3672DLFBW101.....	16	QFND18363.....	110	QIB1827H.....	91
Q11P3642A.....	59	Q12S1830LFU2M.....	95	Q53K3672DRFBL101.....	16	QFND18363SC.....	112	QIB2427F.....	91
Q11P3648A.....	60	Q12S1836LFU2M.....	95	Q53K3672DRFBW101.....	16	QFND18364.....	110	QIB24CL.....	90
Q11P3654A.....	60	Q12S1842LFU2M.....	95	Q53K7238HBHL01.....	18	QFND18364SC.....	112	QIB24CR.....	90
Q11P3662A.....	61	Q12S2415PMBBFM.....	96	Q53K7238HBHW01.....	18	QFND18365.....	110	QIB3027F.....	91
Q11P3666A.....	61	Q12S2415PMFFM.....	96	Q95-1D.....	41	QFND18365ADA.....	111	QIBF1.....	90
Q11P3680A.....	61	Q12S2415PUBBFM.....	94	Q95-2D.....	41	QFND18365LD.....	110	QIBRWSEL.....	90
Q11P38CNHT.....	64	Q12S2415PUBFM.....	94	Q95-6D.....	41			QIBRWSE.....	90

Model Number Index

continued

Terms & Conditions	➤ See page 4
Product Warranty	6
Warranty for Bingo	7
Operating Load Capacities	9

Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page
QIBSC	99	QIF8823M	92	QK20TMAUCA	50	QKSU37TL	100	QSS1884LFTL	114
QIBTCBL1	90	QIF9423M	92	QK20TMPMHA	49	QKSU49TL	100	QSS2424WSSL	85
QIBTCBR1	90	QIS142409OS	98	QK20TMPU4D	50	QLFCW30	107	QSS2430WSSL	85
QIBTWS	90	QIS142416OS	98	QK20TMPU4DLH	50	QLFCW36	107	QSS24363624WSCCL	87
QIF0727CP	91	QIS142416RP	97	QK20TMPU4DSTS	50	QLFCW42	107	QSS24363624WSCSL	86
QIF0827RS	91	QIS143009OS	98	QK20TMPUHA	50	QLFF18302	106	QSS2436WSSL	85
QIF1227RS	91	QIS143016OS	98	QK20TUPU2D	51	QLFF18303	106	QSS24424224WSCCL	87
QIF1227WSP	91	QIS143016RP	97	QK20TUPU4D	51	QLFF18304	106	QSS24424224WSCSL	86
QIF1827H	91	QIS143609OS	98	QK20TUPU4DLH	51	QLFF18305	106	QSS2442WSSL	85
QIF2023M	92	QIS143616OS	98	QK20TUPU4DSTS	51	QLFF18305LD	106	QSS24484824WSCCL	87
QIF2423M	92	QIS143616RP	97	QK20TUPUHA	51	QLFF18362	106	QSS24484824WSCSL	86
QIF2427F	91	QIS144209OS	98	QK35AA	46	QLFF18363	106	QSS2448WSSL	85
QIF2623M	92	QIS144216OS	98	QK35BB	46	QLFF18364	106	QSS2454WSSL	85
QIF3023M	92	QIS144216RP	97	QK35JJ	46	QLFF18365	106	QSS24606024WSCCL	87
QIF3027F	91	QIS144809OS	98	QK35KK	46	QLFF18365LD	106	QSS2460WSSL	85
QIF3223M	92	QIS144816OS	98	QK35T242416W	47	QLFF18422	106	QSS2466WSSL	85
QIF3423M	92	QIS144816RP	97	QK35T244816W	47	QLFF18423	106	QSS2472WSSL	85
QIF3623M	92	QIS145409OS	98	QK35T303016W	47	QLFF18424	106	QSS2478WSSL	85
QIF3627F	91	QIS145416OS	98	QK38AA	43	QLFF18425	106	QSS2484WSSL	85
QIF3823M	92	QIS145416RP	97	QK38BB	43	QLFF18425LD	106	QSS2490WSSL	85
QIF4023M	92	QIS146009OS	98	QK38CC	43	QSN1537CPB	24	QSS2496WSSL	85
QIF4223M	92	QIS146016OS	98	QK38DD	43	QSN1539CPTW	24	QSS3024WSSL	85
QIF4423M	92	QIS146016RP	97	QK46AA	35	QSN2439LFF2W	23	QSS3030TTSQL	89
QIF4623M	92	QIS147209OS	98	QK570H01	42	QSN2439LFF4W	23	QSS3030WSSL	85
QIF4823M	92	QIS147216OS	98	QK58BT	37	QSN2475C	23	QSS3036WSSL	85
QIF5023M	92	QIS147216RP	97	QK58ET	37	QSN2475CKFWMX	23	QSS30424230WSCCL	87
QIF5223M	92	QISBRKC	99	QKAC7016TBK16105	18	QSN2475CSFWMX	23	QSS30424230WSCSL	86
QIF5423M	92	QISBRKT	99	QKCU25TL	25	QSN2551BEFHWMG	22	QSS3042WSSL	85
QIF5623M	92	QISBRKTSO	99	QKCU49TL	25	QSN2551R	22	QSS30484830WSCCL	87
QIF5823M	92	QK11AA	48	QKFD30SS	114	QSN3066D	22	QSS30484830WSCSL	86
QIF6023M	92	QK11CC	48	QKFD36SS	114	QSN3648BCO	24	QSS3048WSSL	85
QIF6423M	92	QK11EE	48	QKFD42SS	114	QSN3672D	22	QSS3054WSSL	85
QIF6623M	92	QK15C27	39	QKFDPM	114	QSN3672DDFWMX	22	QSS30606030WSCCL	87
QIF6823M	92	QK172H701	42	QKSCD	114	QSS1830LFTL	114	QSS3060TTRTL	89
QIF7023M	92	QK17C27	39	QKSCD001	94, 95, 96, 97	QSS1836LFTL	114	QSS3060WSSL	85
QIF7423M	92	QK20BT	52	QKSCD1CK	94, 95, 96, 97	QSS1842LFTL	114	QSS3060WSUCL	88
QIF8023M	92	QK20TMAM2D	49	QKSU14TL	100	QSS1860LFTL	114	QSS3060WSUL	88
QIF8223M	92	QK20TMAU2D	50	QKSU25TL	100	QSS1872LFTL	114	QSS3066WSSL	85

Model Number Index

continued

Terms & Conditions	➤ See page 4
Product Warranty	6
Warranty for Bingo	7
Operating Load Capacities	9

Model	➤ See page
QSS3066WSUCL	88
QSS3066WSUL	88
QSS3072TTRTL	89
QSS3072WSSL	85
QSS3072WSUCL	88
QSS3072WSUL	88
QSS3078WSSL	85
QSS3084WSSL	85
QSS3090WSSL	85
QSS3096WSSL	85
QSS30TTRNL	89
QSS3636TTSQL	89
QSS3660TTRCL	89
QSS3660TTRTL	89
QSS3660WSUCL	88
QSS3660WSUL	88
QSS3666WSUCL	88
QSS3666WSUL	88
QSS3672TTRCL	89
QSS3672TTRTL	89
QSS3672WSSL	85
QSS3672WSUCL	88
QSS3672WSUL	88
QSS3684TTRCL	89
QSS36TTRNL	89
QSS4242TTSQL	89
QSS42TTRNL	89
QSS48TTRNL	89
QTB3-4W	28
QTBS2627TP	93
QTBS2627XP	93
QTBS3427XP	93
QTT2-42W	28
QTTFC	81
QTTET02	83
QTTET39	83
QTTSP04	81

Model	➤ See page
QTTTC36N	84
QTTTC36P	84
QTTVCM20B	84
QTTVCM20N	84
QTTWMT144	81
QTTWMT72	81


FINISHES & MATERIALS

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



▶ See page

Program Overview	A2
Finishes & Materials	A3
For Caseloads & Tables	A3
For Seating	A4
For Systems	A5
For Metal Filing	A6
Panel Fabrics	A7
Seating Fabrics	A8
Contrasting Upholstery	A9
Standard Regulation Testing	A10

Program Overview

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on work-surfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Finishes	➤ See page A3
Panel Fabrics	A7
Seating Fabrics	A8

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

For Casegoods and Tables

	Wood Finishes			
	MC Amber Cherry	CC Cordoba Cherry	MW Midtown Walnut	TW Tribeca Walnut
Price Group	1	1	1	1
Priority		•	•	
Senator	•			•
Contemporary Table Tops & Bases		•	•	
42" Traditional Table Tops	•			•
Queen Anne Table Bases	•			•

Priority and contemporary table tops and bases feature our Pura® finish, a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs).

Senator and Traditional tables feature our conventional high-quality catalyzed lacquer or catalyzed varnish finish, incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

Key:

- = Available finish

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

➤ See the Casegoods Price List for additional information on wood finish characteristics, care, and maintenance.

For Seating

Key:

• = Available finish

	Wood Finishes								Paint & Non-Paint			
	MC Amber	CC Cordoba	MW Midtown	TW Tribeca	A Amber	E Ebony	W White	462 Cinder	501 Platinum Metallic	Black	Chrome	Polished Aluminum
Price Group	1	1	1	1								
Acapella	•	•	•	•								
Beo	•	•	•	•								
Bingo					•	•	•				•	
Campos									•		•	
Collage	•	•	•	•								
Event							•					
Itsa									•			
Muirfield	•	•	•	•								
Poly										•		
Pose	•	•	•	•								
Stature	•	•	•	•								
Wish							•	•				
Xtreme									•			

All exterior wood surfaces feature a high quality catalyzed varnish finish incorporating the latest technology. Chemically cross-linked materials insure toughness, imprint and mar resistance, adhesion, stability against checking and chemical resistance for lasting beauty and low maintenance.

For Systems

Key:

• = Available finish

	Paint & Plastic Colors												Laminates												
	480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	499 Satin	CC Cordoba Cherry	MW Midtown Walnut	480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	807 Silicon Evolv	805 Titanium Evolv	CC Cordoba Cherry	MW Midtown Walnut
Price Group	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1
Interworks EQ																									
Panel Frames & Wireway Covers	•	•	•	•	•	•	•	•	•																
Top Caps	•	•	•	•	•	•	•	•	•																
Panel Hinges	•	•	•	•	•	•	•	•	•																
Traxx	•	•	•	•	•	•	•	•	•	•															
End Trim	•	•	•	•	•	•	•	•	•																
Trim Channels	•	•	•	•	•	•	•	•	•																
Footprint																									
Worksurfaces													•	•	•	•	•	•	•	•	•	•	•	•	•
Molded Plastic Rim	•	•	•	•	•	•	•	•	•		•	•													
Wire Manager on Laminate	•	•	•	•	•	•	•	•	•																
Support for Interworks EQ	•	•	•	•	•	•	•	•	•																
Brackets for Interworks EQ			•																						
Metal Supports, Bases, Panels	•	•	•	•	•	•	•	•	•																
Flat Profile Storage	•	•	•	•	•	•	•	•	•																

For Metal Filing

Key:

• = Available finish

	Paint & Plastic Colors												Laminates											
	480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	CC Cordoba Cherry	MW Midtown Walnut		480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	461 Graphite	420 Sandstone	460 Storm	807 Silicon Evolv	CC Titanium Evolv	MW Cordoba Cherry
Price Group	1	1	1	1	1	1	1	1	1	1			1	1	1	1	1	1	1	1	1	1	1	1
LF Series	•	•	•	•	•	•	•	•	•															
Fundamental	•	•	•	•	•	•	•	•	•															
Universal File Tops													•	•	•	•	•	•	•	•	•	•	•	•
Universal File Top Plastic Rims	•	•	•	•	•	•	•	•	•	•														

Price Grade A

Crossroads

Price Grade: **A**
Content: 59.97% post-industrial recycled polyester, 40.03% post-consumer recycled polyester
Backing: Light acrylic
Pattern: Directional
Repeat: 7.5"H x 14.285"V
Cleaning: WS
Restrictions: Not available on Perks tackboards

10303 Pewter
10307 Storm

Fusion

Price Grade: **A**
Content: 84% post-industrial recycled polyester, 16% post-consumer recycled polyester
Pattern: Directional
Repeat: 0.0" H x 1.212" V
Cleaning: S

16105 Mineral
16106 Nickel
16110 Platinum

Tapestry

Price Grade: **A**
Content: 60% pre-consumer recycled polyester, 40% polypropylene
Pattern: Directional
Repeat: None
Cleaning: WS

10241 Bark
10246 Sterling

Price Grade B

Linen

Price Grade: **B**
Content: 58% post-consumer recycled polyester, 42% pre-consumer recycled polyester
Pattern: Directional
Repeat: 16.75"H x 20"V
Cleaning: WS

2216 Paraffin
2275 Melba

Seating Fabrics

Price Grade 1

Disperse

Price Grade: **1**
 Content: 100% polyester,
 (62% recycled)
 Finish: Stain repellent
 Backing: Latex
 Width: 54"W
 Repeat: None
 Abrasion: **A** 100,000 double rubs
 Cleaning: WS

11750	Wasabi
11751	Meadow
11752	Oceanside
11753	Aquamarine
11754	Latte
11755	Scarlet
11756	Cocoa
11757	Midnight Blue
11758	Smoke
11759	Ash
11760	Cabernet
11761	Noir

Seasons

Price Grade: **1**
 Content: 50% pre-consumer
 recycled polyester,
 50% post-consumer
 recycled polyester
 Width: 54"W
 Repeat: 4"H x 1.7"V
 Abrasion: **A** 50,000 double rubs
 Cleaning: WS

10980	Almond
10981	Espresso
10982	Fern
10984	Lakeshore
10985	Nightline
10986	Ruby
10987	Slate

Soundbyte

Price Grade: **1**
 Content: 100% recycled polyester
 Finish: Scotchguard®
 Width: 54"W
 Repeat: 7"H x 35"V
 Abrasion: **A** 30,000 double rubs
 Cleaning: WS

10900	Cactus
10901	Carbon
10902	Heatwave
10903	Lakeshore
10904	Merlot
10905	Mudbath
10906	Poppy
10907	Safari
10908	Solar
10909	Topaz

Price Grade 2

Dolce (polyurethane)

Price Grade: **2**
 Content: 100% polyurethane
 Finish: Superior Abrasion/
 Silverguard
 Backing: 100% rayon
 Width: 54"W
 Repeat: None
 Abrasion: **A** 400,000 double rubs
 Cleaning: WS; cleanable with diluted
 bleach solution
 Restrictions: Not available on tack-
 boards or fabric-covered
 overheads

11900	Black
11901	Mocha
11902	Meteor
11903	Artesian
11904	Indigo
11905	Peacock
11906	Grass
11907	Citron
11908	Fuschia
11909	Poppy
11910	Tangelo
11911	Burgundy
11912	Chocolate
11913	Lion
11914	Latte
11915	Ivory
11916	White
11917	Camel
11918	Mushroom

Spectrum

Price Grade: **2**
 Content: 100% pre-consumer recy-
 cled polyester
 Finish: Blockaide™
 Backing: SBR latex
 Width: 54"W
 Repeat: None
 Abrasion: **A** 100,000+ double rubs
 Cleaning: WS

20001	Mimosa
20022	Burgundy
20033	Pine
20039	Cornflower
20040	Ruby
20045	Chocolate
20050	Camel
20062	Grey
20067	Navy
20072	Breeze
20079	Tangerine
20081	Charcoal
20095	Red

Key:

A = Heavy duty upholstery
a = General contract upholstery

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. This does not indicate that the fabric or application is deficient, but is considered a normal, inherent characteristic.

Some upholsteries (i.e. Essence, leathers and some woven fabrics) may relax over time creating a loosely upholstered appearance.

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristic of leather.

Kimball Office will always ship a satisfactory commercial match. Because of industry dye-lot variation, colors may not match exactly.

Fabrics and leathers are not warranted against fading and wear, discoloration from contact with liquids, or change in color or texture caused by application of finishes (flame proofing, stain resistance).

Seating Fabrics

continued

Twilight

Price Grade: **2**
Content: 100% pre-consumer recycled polyester; Green-e certified
Finish: Blockaide™
Width: 54"W
Repeat: None
Abrasion: **A** 50,000 double rubs
Cleaning: WS

23101	Ocean
23103	Nightshadow
23104	Gaze
23105	Goldrush
23106	Saucy
23108	Rust
23109	Barley
23110	Espresso
23111	Bronze
23114	Willow
23115	Fresh
23116	Cinder
23117	Vapor
23119	Tangerine
23120	Nude

Price Grade 6

Essence/Ultraleather™

Price Grade: **6**
Content: 100% polyurethane
Backing: 100% reinforced rayon
Width: 54"W
Repeat: None
Abrasion: **A** 400,000 double rubs
Cleaning: WS/B

3611	Light Oyster
3612	Red
3613	Wheat
3614	Stone
3615	Dove Grey
3617	White
3628	Midnight Metallic
3636	Chamois
3640	Garnet
3647	Loden
3651	Green Tea Metallic
3663	Walnut
3667	Taupe
3679	Raven
3683	Pecan
3690	Papyrus
3692	Admiral

Price Grade L7

Davenport

Price Grade: **L7**
Content: Top grain leather
Abrasion: **A** 1,000+ cycles (Tabor Test)

70115	Black
-------	-------

Mesh

Applies to:

- Wish

8150	Sand
8151	Java
8152	Raven
8153	Grey
8154	Quick Silver
8155	Magenta
8156	Yellow
8157	Moss
8158	Turquoise

Contrasting Upholstery:

Contrasting upholstery is defined by entire back and seat upholstery application. Contrasting upholstery is available on the following seating series:

- Beo
- Event (all models)
- Pose (lounge models)
- Wish (all models)

Select any contrasting Kimball Office, Alliance Program, COM, or COL upholstery.

IMPORTANT: When specifying contrasting fabric, use an electronic specification tools for pricing. If one is not available, you may contact Customer Service.

Special Applications:
Pose contrasting back upholstery applies to the cushion back only. Remainder of the chair (seat, arms, and outer shell) is contrasting.

Key:

- A** = Heavy duty upholstery
a = General contract upholstery

Cleaning Codes:

Cleaning Code B

- Cleanable with diluted bleach solution

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Leather:

Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Air dry.

Seating Fabrics

Flammability Standard Regulation Testing

<i>Pattern</i>	<i>California TB117-2013 Section E</i>	<i>UFAC Classification 1 or A</i>	<i>Port Authority of NY and NJ (Method 5903)</i>
Disperse	•	•	
Dolce	•	•	
Essence/Ultraleather™	•	•	
Seasons	•	•	
Soundbyte	•	•	
Spectrum	•	•	•
Twilight	•	•	•

TB117-2013

California Flammability Regulation #117-2013 is a set of minimum allowable standards of flammability to which all upholstered furniture sold in the State of California must comply. It relates primarily to fabric coverings and resilient fillings. All shipments of Kimball Office upholstery comply with Regulation #117-2013 and our invoices and law labels for such goods bear certification that our upholstered products comply.

UFAC

All Kimball Office seating is made in accordance with the Upholstered Furniture Action Council (UFAC) criteria to reduce chance of ignition by burning cigarettes.

TB133 Factor

TB133 factor is a full-scale fire test for furniture manufactured for public use in which an entire piece of furniture is tested as a unit. Kimball Office offers a wide variety of seating products that can be manufactured to meet TB133.

Double Upholstery Method

Kimball Office products are first upholstered with a fire barrier, the upholstery is then applied over the barrier. The addition of this barrier may slightly alter the comfort and/or aesthetics of the seating product.

Key:

- = Complies with standard

Advisory

Purchaser must consult local fire and code official to determine the suitability of product being selected for any particular application.

Certain jurisdictions may require the use of additional fire retardants of composite flammability testing. Kimball Office assumes no responsibility for composite testing or for compliance with any particular code or other flammability standards different than as contained in applicable catalog information unless such requirements are specified in writing by purchaser to Kimball Office prior to confirmation of order. Cost of additional flammability treatments or testing needs of purchaser shall be borne by purchaser.

ACAPELLA®
ALUMMA™
BEO®
BINGO®
CAMPOS™
COLLAGE™
EVENT™
FOOTPRINT®
FUNDAMENTAL®
HERO. JUST FOR YOU.™
INTERWORKS® EQ
ITSA™
LF SERIES™
LIGHTING
MUIRFIELD™
PERKS®
POLY™
POSE™
PRIORITY™
SENATOR®
STATUE®
TABLES
WISH™
TRAXX® & TILES
UNIVERSAL PRODUCTS

PRICE LIST
KWIK OFFICE™
EFFECTIVE 8.24.2015

Kimball®Office

A unit of Kimball International ©2015 Kimball International, Inc. Form No. PLKWIW Ver. 0815

1600 Royal Street
Jasper, Indiana 47549

800.482.1818
kimballoffice.com

November 2015

This document provides a summary of revisions made to the price list since August 24, 2015.

These revisions are effective November 6, 2015.

Seating

Wish task chairs, low-height task chairs, and sit-to-stand seating with 4D arm adjustability have been added to the Kwik Office offering.

➤ See pages 50–51.

General Information

Casegoods and tables on the Kwik Office program are now part of the “ships in 10 days” offering.

➤See page 1.

Limited weekly order volume

applies to Kwik Office orders. This information was inadvertently left out of this current price list.

➤See page 1.

Sustainability information has been revised.

➤See page 8.

Finishes & Materials

Wood finishes on seating products features a varnish finish.

➤See page A4.