

TABLES Price List

Legacy Collection



This price list is effective February 1, 2016 and supercedes all previously printed or electronically released versions.


➤ See page

General Information	
How to Use this Price List	2
How to Specify Our Products	3
Terms and Conditions	4
Asset Tag Locations	5
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8
Legacy Collection	
Contemporary/Transitional	9
Retractable Power	33
Traditional	39
Innsbruck™	47
Aspire®	51
Configuration	55
Complementary Furniture	61
Locking Information	64
Model Number Index	69
Appendix	
Finishes & Materials	A1


How to Use this Price List

Kimball Office has made every effort to make this price list accurate and complete with all of the information you need to specify our products.


We suggest that you become familiar with the format of this price list. You'll find information about the product line, planning guidelines, pricing, and how to specify the product.




Statement of Line provides a snapshot of the entire product line. We've included an illustration and page cross references to the applicable pricing and how to specify pages.




Product Information and Application Guidelines pages provide detailed information about the product, connections that can be made with other models, and planning factors.



Look in the Finishes and Materials appendix to see what materials and finishes are available. Matrices for wood finishes, laminate, paint, fabrics, and other surface materials offer a quick reference by product.



Overviews offer a quick look at the distinguishing features of the product line.



Pricing pages list each model individually along with its list prices. How to Specify steps instruct you how to build a complete model that includes all of its options and materials.

Terms & Conditions	➤ See page 4
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8

Dimensions provided in this price list are nominal. Products are manufactured to meet standard industry tolerances.

Illustrations and specifications contained in this price list are based on the latest product information at time of publication. Kimball Office reserves the right to make changes at any time without notice.

Standard product modifications are available on select products.
➤ See the Product Modifications Price List at www.kimballoffice.com

Items listed herein are considered by Kimball Office as portable furniture and as such are subject to local fire, electrical, and building codes applicable to portable furniture.

Only Underwriters' Laboratory (U.L.) or Canadian Standards Association (C.S.A.) listed electrical components are used in electrical devices and are so labeled.


The customer is responsible for the proper application of products to the local codes under which installation must be made. Further specifications are available on request.



Complete specifications are built by following a set of steps. These “How to Specify” steps are located in the far right column of each pricing page and are specific to the models found on that page. These steps will guide you in the proper order to specify the base model, materials, finishes, options, etc.

Base model numbers may be comprised of two or more steps. For concise presentation, some models numbers have been truncated within the pricing table.

- The steps numbered using a solid circle with a white number inside (e.g., ①, ②, or ③) make up of the base model number.
- Steps numbered using an outlined circle with black number inside (e.g., ④, ⑦, or ⑨) are required to complete the specification.



Refer to the “standard includes” list to see what ships standard as part of the base model.


Follow these steps to build a complete model specification.

Options that incur an upcharge or decrease the base price are noted within the “How to Specify” steps.

Sample Specification:

The example below shows a complete model number for a **contemporary/transitional table top**.

➤ See page 20 for the corresponding pricing table and How to Specify steps.



Terms & Conditions	➤ See page 4
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8

Pricing Table Abbreviations:

D = Depth

W = Width

H = Height

T = Thickness

AO = Approach Overhang

ED = End Depth

KW = Kneespace Width

KH = Kneespace Height

WC = Worksurface Clearance

Electronic Catalog and Specification Software:

Kimball Office promotes the use of electronic drawing and specification tools to automate the furniture sales, design, and specification process. We provide our symbol and product information to industry leading design and specification software companies. We work closely with 20-20 Technologies Inc. to develop additional automation routines for our products; these are available in CAP and Giza software tools. We also partner with KISP and all of our products are available in The KITS *collaborator*TM. As noted in our Terms and Conditions, the customer bears the responsibility for order correctness.

Terms and Conditions

Ordering Procedures:

Purchase orders must be received with complete information, which includes the following:

- Complete/valid model numbers
- All textiles, finish, and material specifications for each line item.
- "Ship to" address and contact
- Special shipping instructions (tagging, requested dates, etc.)
- Billing address
- Net prices

Submit orders electronically via EDI or OrderXchange.

To order literature or check order status on-line, please visit us at www.kimballoffice.com.

The customer bears sole responsibility for order correctness. Orders are accepted only by issuance of Kimball Office's formal order confirmation and are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms.

The order confirmation is the final agreement between the customer and Kimball Office and supersedes all prior oral, written or electronically transmitted statements regarding the order. Kimball Office will attempt to meet all requested ship or delivery dates. If no specific date is requested, we will assign the best possible ship date available.

Changes and Cancellations:

A confirmed order may not be changed or cancelled, in whole or in part, without prior written consent of Kimball Office. Expenses incurred because of the changes shall be charged to the Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Kimball Office. Changes may affect delivery dates.

No changes or cancellations will be accepted after order entry for non-standard lead time products including:

- Kwik Office offerings
- Engineer-to-Order (modified or non-standard products)
- Alliance program upholstery
- Customer's Own Material (COM)
- Customer's Own Leather (COL)
- Customer Specified Laminate (CSL)
- Customer Specified Paint (CSP)
- Mock Ups
- Service Parts/Replacements

Modified Product:

Our manufacturing flexibility allows us to accommodate requests for non-cataloged product. We are happy to discuss your unique product requirements and determine feasibility and pricing.

➤Contact **By Design** for assistance at 800.482.1616 extension 6002.

Finishes and Materials:

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. Kimball Office carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

Kimball Office will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Terms and Pricing:

Net 30 days. If the invoice amount is not paid in full within the terms of the invoice, the invoice may be subject to a monthly finance charge equal to the lesser of 1.5% or the highest amount permitted by law. List prices include freight charges; however, they do not include:

- Storage and insurance charges
- Sales and other taxes
- Local delivery, unloading, or installation

These items will be invoiced as separate line items.

All prices herein are delivered list price, unless noted, effective August 24, 2015, and supersede all other published prices. Prices shown cover standard product only, additional charges will be applied for changes to standard product. Kimball Office reserves the right to change prices without prior notice. Prices herein are only for shipment within the continental United States or Canada.

Selling Information

Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Kimball Office customers. Kimball Office price lists and catalogs are not available to the general public.

Product Design:

Kimball Office reserves the right to make changes in design, specifications, and construction or discontinue products without prior notice.

Shipping/Freight:

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

Kimball Office reserves the right to select the most appropriate shipping terms.

How to Specify	➤See page 3
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8

Contact Information:

Kimball Office

1600 Royal Street
Jasper, Indiana 47549
800.482.1818
812.482.8300 (fax)

Government Sales Customer Service

800.647.2010

Terms and Conditions

continued

Delivery:

Normal delivery hours are 8:00 a.m. to 5:00 p.m. Monday through Thursday and 8:00 a.m. to 3:00 p.m. on Friday. Any delivery arrangements made outside of normal delivery times are subject to additional charges.
➤ See at right.

Any charges incurred because of failure to receive a shipment or offload a shipment in a timely manner (maximum time allowed to offload trailer: 3 hours), will be billed to the sold-to customer.

Any charges as a result of rerouting a shipment while in transit will be billed to the sold-to customer.

Any order requiring **Special Delivery Service** will incur additional charges. All such requirements must be noted on the purchase order. These are services that are not included in the standard price of the product or require the usage of specialized carriers. These services include:

- Weekend delivery (after 3:00 p.m. Friday through Sunday evening)—minimum \$500 charge.
- Inside delivery—minimum \$50 charge.
Note: Must be approved and coordinated 10 days prior to shipment.
- Non-dock delivery—minimum \$50 charge.
- JIT delivery (specific day and/or time)—Orders under \$25,000 list will incur a \$125 charge.

- Rush delivery (1-3 days from ship date)—Contact Customer Service for charges.

Carrier Selection

Kimball Office reserves the right to select the most appropriate mode of shipment. Kimball Office relinquishes all responsibility for goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

Kimball Office's standard method of shipping is to carton all items. Certain full truck load shipments may qualify for special consideration. Contact Kimball Office for guidelines. International shipments can be crated at the customer's request. The expense of crating will be the responsibility of the customer.

Palletizing

Kimball Office may elect to palletize key products on projects when it effectively reduces carton waste and improves stability within the shipment.

Loss, Damage, or Delay

Kimball Office shall not be liable for loss, damage, detention or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Storage

If the customer requests a change of ship date and the product is in production, Kimball Office reserves the right to transfer the product to storage at the customer's risk and expense. All requests to store product must be approved by Kimball Office Customer Service and may be subject to storage fees. Such transfer to storage will be deemed delivery to the customer for all purposes including insurance, liabilities, invoicing, and payment.

Returned Merchandise

Merchandise will only be accepted for return under the following conditions:

- ① The product is a "made to stock" item; and
- ② Return Goods Authorization (RGA) is given to you by your Customer Service Team.

All returns are subject to a 50% restocking fee. All freight charges for returned product are the responsibility of the customer. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packed and protected in the original cartons. Upon receipt, all returned merchandise will be thoroughly inspected. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

Claim Process:

All products produced by Kimball Office are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortages, or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

- ① Before signing for the merchandise, make notation of all visible damage, shortages and/or time of truck arrival on the bill of lading.
- ② Contact Customer Service within 15 calendar days of delivery receipt to report issue. We will advise whether a freight claim will need to be filed based on mode of transportation.
- ③ If claim must be filed, carrier must be contacted within 15 calendar days of delivery. Retain all shipping cartons for inspection by the carrier agent.
- ④ A copy of the Carrier Disposition Letter must be sent to Customer Service to receive additional credit on concealed damage issues via Redistribution/ LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

How to Specify	➤ See page 3
Product Warranty	6
Sustainability	7
ANSI/BIFMA	8

Asset Tag Locations:

Bar code labels have been placed on most Kimball Office products.

Products with pedestals or lateral files

Underside of top drawer near front edge in right pedestal (if no right pedestal, left pedestal).

Highback organizers and overhead cabinets

Back left of task light facade.

Bookcases

Underside of lowest shelf (not bottom panel) on the left front edge. If glass shelves, top panel in cornice area.

Vertical storage cabinets

Underside of top drawer near front edge. If no drawers, underside of lowest shelf on left front edge.

Bridges, corner units, worksurfaces, computer support furniture, P-, U-, and keyhole-shaped desks

Underside of the top surface (user's side) on the front edge.

Component modesty panels

Center top of the panel on the inside (kneespace area).

Tables

Underside of table top near the outside edge.

Product Warranty

Lifetime Assurance of Quality

Our Pledge:

Kimball Office stands behind the craftsmanship of our products. When brought to our attention, we will address warranty issues quickly and effectively.

Recommendations:

Facilities managers and users are urged to make periodic inspections to look for signs of structural fatigue, damage or potential failure that may occur as a result of daily handling and use. Inspections should include the structural joints, corner blocks, screws or fasteners, welds, and any other points of stress. If any problems are found, the product should be taken out of service and Kimball Office Customer Service should be contacted promptly at 800-482-1818.

Limited Product Warranty:

Kimball Office warrants that its products are free from defects in materials and workmanship given normal use and care for a lifetime of single-shift service. Normal use is defined as the equivalent of a single shift, 40-hour work week.

Exception: Itsa and Campos seating models are warranted for three-shift (24/7) service. Wish seating, excluding Wish Classic, is warranted for three-shift (24/7) service and up to 400 lb. user weight.

Exception: Some products and parts have limited warranty periods.

➤ See lists at right.

At its option, Kimball Office will repair or replace with comparable product, free of charge to the customer, any product, part or component manufactured and/or sold by Kimball Office in North America after November 6, 2000, which fails under normal use as a result of such defect.

In the event that use of a product exceeds normal use as defined above, the warranty period for such product will be reduced to 12 years from date of manufacture, and the warranty for the product's components that fall under different warranty limitations, as listed at right, will be reduced to one-third of the original warranty.

This warranty is made by Kimball Office to the original customer for as long as the original customer owns and uses the product.

This warranty is only valid if the products are given normal and proper use, and installed or used in accordance with Kimball Office installation and/or application guidelines, and installed by an authorized Kimball Office dealer or agent. Kimball Office assumes no responsibility for repairs to products sustaining damages resulting from user modification, attachments to a product, misuse, abuse, alteration, or negligent use of our products.

EXCEPT AS EXPRESSLY SET FORTH ABOVE, THERE ARE NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY

PARTICULAR PURPOSE. WE EXCLUDE AND WILL NOT PAY CONSEQUENTIAL, PUNITIVE, OR INCIDENTAL DAMAGES UNDER THIS WARRANTY.

All warranties run from date of manufacture.

Warranty Periods:

Warranty periods are limited for certain products and/or component parts as follows:

10-Year Warranty

- Seating mechanisms
- Veneers
- Laminate
- Pneumatic lifts (cylinder assembly)

5-Year Warranty

- High-wear parts (such as casters, glides, drawer slides, moving chair arms)
- Electrical/power products
- Inflatable lumbar supports
- Lighting
- Desk sets
- Monitor arms
- Keyboard kits
- Covering materials (such as foam, most textiles, 3D laminate, and decorative trim)
- Marker Boards

3-Year Warranty

- Wool felt
- Custom products
- Carnegie fabrics
- Itsa mesh
- Campos mesh
- Wish mesh

Warranty Exclusions:

This warranty does not cover:

- The substitution of non-Kimball Office components for use in place of Kimball Office components
- Naturally occurring variations and differences in grain character and color between and within wood species
- Natural variations in marble and leather
- Damage caused by a freight carrier
- Normal wear and tear arising from product use
- Damage resulting from improper use or storage of the product
- C.O.M. (Customer's Own Material) or any other non-standard material specified by the customer, including attributes such as appearance, durability, quality, performance, colorfastness, etc.
- Alliance program fabrics
- Fabric, leather, and felt fading and wear, discoloration from contact with liquids or change in color or texture caused by application of finishes (flame proofing, stain resistance)
- Alterations to the product not expressly authorized by Kimball Office
- Products considered to be of consumable nature (such as bulbs, light ballast, and certain electronic products)

How to Specify	➤ See page 3
Terms & Conditions	4
Sustainability	7
ANSI/BIFMA	8

Process for Warranty Issues:

- ① A customer should contact his or her dealer, who will contact Customer Service at 800-482-1818. The purchase order or acknowledgement number, model number, and a detailed description of the warranty issue should be provided. **Serial numbers may be required** before the claim can be processed.
- ② Customer Service will determine and pre-approve all resolutions to the claim, such as replacement units, service parts, and labor charges related to repair or redelivery of damaged or defective product.
- ③ Upon approval, a Case Number and resolution will be assigned to an authorized dealer, and all parts and components necessary for the repair/replace will be sent to the authorized dealer, which will carry out the resolution. The dealer should include the Case Number on all invoices for reimbursement once the warranty repair/replace has been completed. Kimball Office shall not be responsible for any unauthorized expenses. Kimball Office will only accept dealer invoices submitted within 90 days of the final approval by Customer Service; invoices received after 90 days will not be approved for dealer credit or payment. All warranty information should be sent to:

Kimball Office
ATTN: Customer Service
1600 Royal Street
Jasper, Indiana 47549
Telephone: 800.482.1818
800.647.2010 (Gov't Sales)

At Kimball Office, we are proud of our environmental stewardship. We are committed to sustainable business practices and continuous improvement. It's part of our heritage to stake initiative, to reduce waste, to conserve energy, to commit fully, and to lead by example.

Throughout our more than 40 years of documented environmental actions, we have been a responsible steward of resources and have acted as an agent of sustainable change in our industry.

Design for the Environment is our approach to product development to ensure the inherent sustainability of our offerings. By considering a full continuum of environmental factors, we have greatly improved the life cycle performance of our furniture.

Ultimately, the more we do in the area of sustainability, the more it helps you to achieve your environmental aims. Let us show you just how easy it is with Kimball Office.



ANSI/BIFMA level™

We offer one of the most sustainable portfolios in the industry, which includes systems, casegoods, tables, and seating.



ecoScorecard™

Through this free online tool, you have 24/7 access to the environmental attributes of our products. EcoScorecard enables speed and accuracy in the calculation of environmental credits for LEED®, saving you time and ultimately, money.

➤ See how easy it is at kimballoffice.ecoscorecard.com.



LEED® Certification

Kimball Office offers furniture solutions which may contribute toward LEED® certification. The LEED Green Building Rating System™ is the nationally accepted benchmark for design, construction, and operation of high performance green buildings. Kimball Office has sought and received LEED certification for several of its facilities across the country.

LEED-CI Gold:

- Jasper, IN showroom
- San Francisco, CA showroom

LEED-CI Silver:

- Atlanta, GA showroom
- Chicago, IL showroom

LEED-CI:

- Corporate Headquarters
- New York, NY showroom
- R&D Team Rooms

Indoor Air Quality

One of the largest contributions office furniture can make to a building's LEED certification is indoor air quality via low-emitting products. Kimball Office tests and certifies many of our products to the ANSI/BIFMA e3 2014 standard credits (7.6.1, 7.6.2, 7.6.3).



Pura® is our proprietary wood finish that has virtually no volatile organic compounds (VOCs). Pura is a key part of our sustainability story, enabling a broad range of products to exceed indoor air quality standards and help our customers achieve LEED credits.



The mark of responsible forestry

FSC-Certified Wood

Due to our roots in crafting fine wood furniture, we have a natural respect for responsible forestry. Several series in select finishes are available in FSC wood.

➤ Contact **By Design** at 800.482.1616 for pricing and lead time information.



Asset Network for Education Worldwide, Inc. (ANEW)

ANEW is an effective way to responsibly disposition surplus furniture, fixtures and equipment. ANEW can repurpose your equipment to benefit those in need, while diverting materials from landfills. ANEW calls it "Doing what's right with what's left." We call it smart.

➤ Find more specific details regarding the environmental aspects of our product offerings at: www.kimballoffice.com

The operating load capacities for various Kimball Office products shown in the table at right represent the BIFMA functional loads which are equivalent to loads that can be expected in normal use of the component.

All components meet or exceed the following ANSI/BIFMA Functional and Proof Loading requirement tests:

- X5.5 2014 Desk/Table Products Test
- X5.9 2012 Storage Units Test



MEMBER
THE BUSINESS AND INSTITUTIONAL FURNITURE
MANUFACTURERS' ASSOCIATION

Component	Operating Load Capacity (Functional Loads)	Example
Desk/table <45"W	200 lbs. over 12" diameter area, concentrated loading	
Desk/table 45"W–72"W	200 lbs. over 12" diameter area, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 72"W = 288 lbs.
Desk/table >72"W	Two 200 lb. loads over two 12" diameter areas, concentrated loading 1.5 lbs. per inch of perimeter, distributive loading	24"D x 84"W = 324 lbs.
Pedestal drawer	.017 lb. per cubic inch of drawer interior filing space <i>Note: File drawers are to support hanging files only; they are not intended for bottom loading.</i>	24"D x 18"W x 12"H = 88 lbs.
Transaction counter, secondary surface <16"D, or shelf	.017 lb. per cubic inch above surface (not to exceed 12"H), distributive loading	12"D x 60"W = 147 lbs. t.w.
Adjustable keyboard support <36"W	66 lbs., distributive loading	
Writing shelf	25 lbs., distributive loading	
Extendible elements (drawer, shelves, etc.)	.017 lb. per cubic inch of drawer interior filing space, distributive loading	24"D x 15"W x 12"H = 73 lbs.
Center/pencil drawers	5 lbs., distributive loading	
Storage or bookcase top <38"H	200 lbs. concentrated loading .20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.
Storage or bookcase top 38"H–60"H	.20 lb. per square inch of surface area, distributive loading	24"D x 36"W = 173 lbs.
Storage or bookcase top >60"H	.09 lb. per square inch of surface area, distributive loading	24"D x 36"W = 78 lbs.
Storage or bookcase bottom	.017 lb. per cubic inch above surface, distributive loading (not more than 18" in height)	24"D x 36"W x 18"H = 264 lbs.

Square inches should be calculated using this formula: Surface depth x surface width of available storage


Cubic inches should be calculated using this formula: Surface length x surface depth x height of available storage above the surface (limited to 18 inches above the surface)

Tables Tops and Power/Data Centers




Round Tops

➤ See page 18 to specify.




Square Tops

➤ See page 19 to specify.



Rectangular Tops

➤ See page 20 to specify.




Arc Rectangle Tops

➤ See page 21 to specify.



Racetrack Tops

➤ See page 22 to specify.




Boat-Shaped Tops

➤ See page 23 to specify.



10" Power/Data Center

➤ See page 12 for technology management information.
➤ See page 24 to specify.



40" Power/Data Center

➤ See page 12 for technology management information.
➤ See page 24 to specify.

Features	➤ See page 11
Technology Management	12
Base Requirements	15

Shapes, Sizes & Seating Capacities:

Shape	Dimensions	Seating Capacity
	36" diameter	4
	42" diameter	4
	48" diameter	5
	54" diameter	6
	60" diameter	6
	36" x 36"	4
	42" x 42"	4
	48" x 48"	4


Rectangular, Racetrack, Boat-Shaped, & Arc Rectangle

	36" x 72" *	6
	48" x 96"	8
	48" x 120"	10
	48" x 144"	12
	48" x 168"	14
	48" x 192"	16
	48" x 216" *	18
	48" x 240" *	20
	60" x 144"	12
	60" x 168"	14
	60" x 192"	16
	60" x 216"	18
	60" x 240"	20

* Boat-shaped tops not available 36" x 72", 48" x 216", or 48" x 240"

Features	➤See page 11
Technology Management	12
Base Requirements	15


Table Bases



Wood Cylinder Bases
Also available in laminate.
➤See page 25 to specify.



Wood Square Bases
➤See page 26 to specify.



Wood Hinged Door Bases
Available in cylinder and square models.
➤See page 27 to specify.



Wood Ellipse Bases
➤See page 28 to specify.




Wood Rectangular Bases
➤See page 28 to specify.




Wood Panel Bases
➤See page 29 to specify.




Metal Column Legs
Available in standard, tapered, and mobile tapered models.
➤See page 30 to specify



Metal X-Bases
Available in wood base caps, static, and mobile models.
➤See page 30 to specify.



Metal Double T-Leg Bases
➤See page 30 to specify.




Metal Disc Bases
➤See page 31 to specify.

Table tops are available in wood, laminate, and laminate with a wood rim. They are 3-ply balanced construction and are 1⁹/₁₆" thick.

A wide variety of bases in wood or metal are available. All bases must be specified separately.

➤ See pages 15–17 for base applicability and requirements.



Details

Exterior surfaces are available in the following veneers:


- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched)

premium veneer; upcharge applies. Veneers are carefully selected and matched to assure proper balance and consistency.

Wood tops feature a semi-open pore finish and may be specified with a satin (50) or gloss (70) sheen.

All rims are wood, except PVC (V). Flat (J) rim is a self edge and is available in wood or laminate.

Rim thickness is 5/16" on A, B, C, D, E, F, G, H, and M rims; rim thickness is 1" on CH, S and RS rims.



Tops up to 96"W are one piece. 120"–192"W models are two-piece tops. 216"–240"W models are three-piece tops.

Statement of Line	➤ See page 9
Technology Management	12
Base Requirements	15

Rim Profiles:

Type 1—Applies to all wood or all laminate tops only.



J Flat

Type 2—Applies to wood and laminate with wood rim tops only.



A Radius



B Bevel



C Double Radius



D Bullnose



E Transitional



F Softened



G Beaded



H Crescent



M Reed

Type 3—Applies to wood and laminate with wood rim tops only.



CH Chamfer



RS Rv. Knife



S Knife

Type 4—Applies to laminate tops.



V PVC


Note: Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products.

Features	➤ See page 11
Power/Data Cut-Outs	13
Grommet Options	14
Base Requirements	15


Details

Two power/data center models are available for use with:

- Rectangular table tops
- Racetrack table tops
- Boat-shaped table tops
- Arc rectangle table tops



10" power/data center features two power receptacles, three blank data ports, and one 10' power cord on each side, for a total of four power receptacles, six data ports, and two power cords per unit. Voice/adaptor kit is included to accept couplers and jacks when required. Top opens and closes with a touch-pivot action. Clear anodized aluminum.



40" power data center features two power/data centers separated by a decorative resin center with a white frost appearance. Includes a total of eight power receptacles, eight blank data ports, and four 10' power cords. Voice/adaptor kit is included to accept couplers and jacks when required. Top opens and closes with a touch-pivot action. Clear anodized aluminum.

Power/data cutout option must be specified for the table top; field scribing of the surface to accept power/data centers is not recommended.


➤ See page 13.

Grommets may be specified for factory installation on all table tops in pre-determined locations. Grommets are matte black plastic.

➤ See page 14.



Grommet lid raises up for cord access; push down to close.



Round power/communication grommet is available for field installation into a standard grommet opening to provide power, voice, or data directly to the table top. It includes two power outlets, one RJ11 voice jack, and one RJ45 data jack.

➤ See the Perks Price List.

Undersurface wire managers are available to route cables underneath tables.

Related Products


Looking for power/data tables and retractable power/data centers?

➤ See page 33.

Top Size	Cut-Out Location Designators	Location of Cut-Outs
36" x 72" 48" x 96"	C2E = One C2 cut-out, end location C2A = Two C2 cut-outs, both end locations C3C = One C3 cut-out, center location (not available on 36" x 72") X = No cut-outs	
48" x 120" 48" x 144" 48" x 168" 48" x 192"	C2C = One C2 cut-out, center location C2E = One C2 cut-out, end location C2LR = Two C2 cut-outs, left and right end locations C2CE = Two C2 cut-outs, center and end locations C2A = Three C2 cut-outs, center and both end locations C3C = One C3 cut-out, center location C2LRC3C = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location X = No cut-outs	
48" x 216" 48" x 240"	C2C2 = Two C2 cut-outs, both inside/center locations C2E2 = Two C2 cut-outs, both outside/end locations C2A = Four C2 cut-outs, all inside/center and outside/end locations C3C = One C3 cut-out, center location C2LRC3C = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location X = No cut-outs	
60" x 144" 60" x 168" 60" x 192"	C2C = One C2 cut-out, center location C2E = One C2 cut-out, end location C2LR = Two C2 cut-outs, left and right end locations C2CE = Two C2 cut-outs, center and end locations C2A = Three C2 cut-outs, center and both end locations C3C = One C3 cut-out, center location C2LRC3C = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location X = No cut-outs	
60" x 216" 60" x 240"	C2C2 = Two C2 cut-outs, both inside/center locations C2E2 = Two C2 cut-outs, both outside/end locations C2A = Four C2 cut-outs, all inside/center and outside/end locations C3C = One C3 cut-out, center location C2LRC3C = Two C2 cut-outs, left and right end locations; and one C3 cut-out, center location X = No cut-outs	



Factory-installed C2 cut-outs are sized to fit 10" power/data centers (model KCU0810ELPDC and KCU0810ELPDCH), specified separately.










Factory-installed C3 cut-outs are sized to fit 40" power/data centers (model KCU0840ELPDC), specified separately.

How to Specify

Insert the **location designator** for step ⑥ in the table top's model number sequence.

Note: G10 grommets cannot be specified along with C2 or C3 power/data cutouts.


Grommet Options

Top Size	Cut-Out Location Designators	Location of Cut-Outs	
Round	G10C = One G10 grommet, center location X = No grommets		
Square	G10C = One G10 grommet, center location X = No grommets		
36" x 72" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192"	G10C = One G10 grommet, center location G10E = One G10 grommet, end location G10LR = Two G10 grommets, left and right end locations G10CE = Two G10 grommets, center and end locations G10A = Three G10 grommets, center and end locations X = No grommets		
48" x 216" 48" x 240"	G10C2 = Two G10 grommets, both inside center locations G10E2 = Two G10 grommets, both outside end locations G10A = Four G10 grommets, all center and end locations X = No cut-outs		
60" x 144" 60" x 168" 60" x 192"	G10C = One G10 grommet, center location G10E = One G10 grommet, end location G10LR = Two G10 grommets, left and right end locations G10CE = Two G10 grommets, center and end locations G10A = Three G10 grommets, center and end locations X = No grommets		
60" x 216" 60" x 240"	G10C2 = Two G10 grommets, both inside center locations G10E2 = Two G10 grommets, both outside end locations G10A = Four G10 grommets, all center and end locations X = No cut-outs		

Features	➤ See page 11
Technology Management	12
Base Requirements	15



Factory-installed G10 grommets may be specified on all table tops in pre-determined locations. Grommets are matte black plastic.



Round power/communication grommet is available for field installation into a standard grommet opening to provide power, voice, or data directly to the table top. It includes two power outlets, one RJ11 voice jack, and one RJ45 data jack.

➤ See the Perks Price List.

How to Specify

Insert the location designator for step ⑥ in the table top's model number sequence.

Note: G10 grommets cannot be specified along with C2 or C3 power/data cutouts.





























For Table Tops without Cut-Outs or Grommets

Key:







= Number of bases required
grey = Base is not available for use
with top shape.

Base Locations:

Applies to cylinder, square, ellipse, rectangular, and panel bases (as applicable) on rectangular, arc rectangle, racetrack, and boat-shaped tops.

		Cylinder										Square				Ellipse		Rect	Pnl	Metal																																																																																																																																																																									
		CBS1624CYW		CBS2716CY*		CBS2716CYW		CBS2716CYHW		CBS2724CYW		CBS2724CYHW		CBS1627SSW		CBS1627SQW		CBS2427SQHW		CBS2427SSW		CBS2427SQW		CBS3027ELW		CBS2327RTW		CBS2827RTW		CBM2427PNW		CBM2802C		CBM2804C		CBM2803CT (static)		CBS3327XW		CBM3428X (mobile)		CBM3428X (static)		CBM34281T		CBM2428D																																																																																																																																															
																																																																																																																																																																																													

* Boat-shaped table top is not available 36" x 72", 48" x 216, or 48" x 240".





















Base Requirements

For Table Tops with Cut-Outs

Application Guidelines

Key:

= Number of bases required
grey = Base is not available for use with top shape.

		C2 Cut-Outs Only										C2 and/or C3				
		Cylinder					Square					Ellipse	Rect			
		CBS1624CYW	CBS2716CY*	CBS2716CYW	CBS2716CYHW	CBS2724CYW	CBS2724CYHW	CBS1627SSW	CBS1627SQW	CBS1627SQHW	CBS2427SQW	CBS2427SQHW	CBS3027ELW	CBS2327FTW	CBS2827FTW	
																
H	W	16"	27½"	27½"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	27¾"	
Top Shape	W	24"	16"	16"	16"	24"	24"	16"	16"	16"	24"	24"	26½"	31¾"	22⅝"	27¾"
Rectangular	36" x 72" *					2				2						
	48" x 96"									2			2			
	48" x 120"					3				3			3			
Arc Rectangle	48" x 144"					3				3			3			
	48" x 168"					3				3			3			
	48" x 192"					3				3			3			
Racetrack	48" x 216" *					4				4			4			
	48" x 240" *					4				4			4			
	60" x 144"						3				3		3			3
Boat-Shaped	60" x 168"						3				3		3			3
	60" x 192"						3				3		3			3
	60" x 216"						4				4		4			4
	60" x 240"						4				4		4			4


IMPORTANT:
are for use w
or rectangular
or combinati

IMPORTANT: Cylinder and square bases are for use with C2 cut-outs only. Specify Ellipse or rectangular bases for tops with C3 cut-outs or combination C2 and C3 cut-outs

* Boat-shaped table top is not available 36" x 72", 48" x 216", or 48" x 240".

Base Locations:

Applies to cylinder, square, ellipse, rectangular, and panel bases (as applicable) on rectangular, arc rectangle, racetrack, and boat-shaped tops.














































Base Requirements

For Table Tops with Grommets

Application Guidelines

Key:

= Number of bases required
grey = Base is not available for use
with top shape.

		Cylinder										Square					Ellipse	Rect	Pnl	Metal																																																																																																																																																																																																																																																																																																																																																											
		CBS1624CYW					CBS2716CYW					CBS2716CYW					CBS2724CYW					CBS1627SSW					CBS1627SQW					CBS2427SQW					CBS2427SQW					CBS2527ELW					CBS3027ELW					CBS2827RTW					CBM2802C					CBM2804C					CBM2803CT (static)					CBM2803CT (mobile)					CBM3427XW					CBM3428X (static)					CBM3428T (mobile)					CBM2428D																																																																																																																																																																																																																																																																																			
																																																																																																																																																																																																																																																																																																																																																																															

Round Table Tops

Pricing

GSA SIN 711-11



Diameter	H	Number of Top Pieces	Model	Wood Surface			Laminate with Wood Rim		Laminate	
				Type 1	Type 2	Type 3	Type 2	Type 3	Type 1	Type 4
				Rim	Rim	Rim	Rim	Rim	Rim	Rim
Round Table Tops										
36"	19 ¹ / ₁₆ "	1	CCS36RD	\$837	\$1582	\$1682	\$1582	\$1682	\$773	\$773
42"		1	CCS42RD	1015	1848	2020	1848	2020	912	912
48"		1	CCS48RD	1273	2468	2588	2468	2588	1065	1065
54"		1	CCS54RD	2235	3087	3440	3087	3440	1583	1583
60"		1	CCS60RD	2670	3662	4001	3662	4001	1721	1721

Features	►See page 11
Grommet Options	14
Base Requirements	15

Standard Includes

- Table top


How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = J rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
 ►See page 11.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
 ►See page 11.
- 6 Grommet option:
 ►See page 14 for grommet options (+\$85 per grommet)
X = Without grommet
- 7 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 8 Surface finish designator
- 9 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Square Table Tops

Pricing

GSA SIN 711-11



					Wood Surface			Laminate with Wood Rim		Laminate	
D	W	H	Number of Top Pieces	Model	Type 1	Type 2	Type 3	Type 2	Type 3	Type 1	Type 4
					Rim	Rim	Rim	Rim	Rim	Rim	Rim
Square Table Tops											
36"	36"	19 ¹ / ₁₆ "	1	CCS3636SQ	\$837	\$1302	\$1376	\$1302	\$1376	\$773	\$773
42"	42"		1	CCS4242SQ	1016	1429	1489	1429	1489	914	914
48"	48"		1	CCS4848SQ	1273	1830	2057	1830	2057	1065	1065

Features	➤ See page 11
Grommet Options	14
Base Requirements	15

Standard Includes

- Table top


How to Specify

- ① Model
- ② Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- ③ Rim type:
1 = J rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
 ➤ See page 11.
- ④ Finish option (include for wood top only):
N = Satin
R = Gloss
- ⑤ Rim profile:
 ➤ See page 11.
- ⑥ Grommet option:
 ➤ See page 14 for grommet options (+\$85 per grommet)
X = Without grommet
- ⑦ Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ⑧ Surface finish designator
- ⑨ Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- ⑩ Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Rectangular Table Tops

Pricing

GSA SIN 711-11



					Wood Surface			Laminate with Wood Rim		Laminate	
D	W	H	Number of Top Pieces	Model	Type 1 Rim	Type 2 Rim	Type 3 Rim	Type 2 Rim	Type 3 Rim	Type 1 Rim	Type 4 Rim
Rectangular Table Tops											
36"	72"	19 ¹ / ₁₆ "	1	CCS3672RT	\$1580	\$2563	\$2690	\$2563	\$2690	\$1406	\$1406
48"	96"		1	CCS4896RT	2276	3555	3739	3555	3739	2006	2006
	120"		2	CCS48120RT	3196	4738	4974	4738	4974	2793	2793
	144"		2	CCS48144RT	3800	5687	5976	5687	5976	3319	3319
	168"		2	CCS48168RT	4947	6389	6718	6389	6718	4350	4350
	192"		2	CCS48192RT	5578	6891	7241	6891	7241	4911	4911
	216"		3	CCS48216RT	6276	7752	8146	7752	8146	5523	5523
	240"		3	CCS48240RT	7059	8722	9167	8722	9167	6214	6214
60"	144"		2	CCS60144RT	4987	7467	7843	7467	7832	4359	4359
	168"		2	CCS60168RT	6492	8386	8817	8386	8817	5710	5710
	192"		2	CCS60192RT	7320	9045	9503	9045	9503	6444	6444
	216"		3	CCS60216RT	8236	10175	10692	10175	10692	7250	7250
	240"		3	CCS60240RT	9265	11447	12030	11447	12030	8156	8156

Features	▶ See page 11
Power/Data Cut-Outs	13
Grommet Options	14
Base Requirements	15

Standard Includes

- Table top

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = J rim
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
▶ See page 11.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
▶ See page 11.
- 6 Cut-out or grommet option:
▶ See page 13 for cut-out options (+\$54 per cut-out)
▶ See page 14 for grommet options (+\$85 per grommet)
X = Without cutouts or grommets
- 7 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 8 Surface finish designator
- 9 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Arc Rectangle Table Tops

Pricing

GSA SIN 711-11


Features	▶ See page 11
Power/Data Cut-Outs	13
Grommet Options	14
Base Requirements	15

Standard Includes

- Table top

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = J rim*
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
▶ See page 11.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
▶ See page 11.
- 6 Cut-out or grommet option:
▶ See page 13 for cut-out options (+\$54 per cut-out)
▶ See page 14 for grommet options (+\$85 per grommet)
X = Without cutouts or grommets
- 7 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 8 Surface finish designator
- 9 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Rim finish designator (include for laminate top with wood or PVC (V) rim only)



D	W	H	Number of Top Pieces	Model	Wood Surface			Laminate with Wood Rim		Laminate	
					Type 1	Type 2	Type 3	Type 2	Type 3	Type 1	Type 4
					Rim	Rim	Rim	Rim	Rim	Rim	Rim
Arc Rectangle Table Tops											
36"	72"	19 ¹ / ₁₆ "	1	CCS3672AR	\$1580	\$3077	\$3239	\$3077	\$3239	\$1406	\$1406
48"	96"		1	CCS4896AR	2276	4165	4376	4165	4376	2006	2006
	120"		2	CCS48120AR	3196	5032	5285	5032	5285	2793	2793
	144"		2	CCS48144AR	3800	6114	6432	6114	6432	3321	3321
	168"		2	CCS48168AR	4947	6996	7332	6996	7332	4350	4350
	192"		2	CCS48192AR	5578	7687	8077	7687	8077	4911	4911
	216"		3	CCS48216AR	6276	8648	9087	8648	9087	5523	5523
	240"		3	CCS48240AR	7059	9730	10222	9730	10222	6214	6214
60"	144"		2	CCS60144AR	4987	8028	8442	8028	8442	4359	4359
	168"		2	CCS60168AR	6492	9182	9620	9182	9620	5710	5710
	192"		2	CCS60192AR	7320	10091	10601	10091	10601	6444	6444
	216"		3	CCS60216AR	8236	11351	11927	11351	11927	7250	7250
	240"		3	CCS60240AR	9265	12770	13418	12770	13418	8156	8156

*60"D wood tops with J rim are
actually 58 5/8"D.

Racetrack Table Tops

Pricing

GSA SIN 711-11



					Wood Surface			Laminate with Wood Rim		Laminate	
D	W	H	Number of Top Pieces	Model	Type 1 Rim	Type 2 Rim	Type 3 Rim	Type 2 Rim	Type 3 Rim	Type 1 Rim	Type 4 Rim
Racetrack Table Tops											
36 "	72"	19 ¹ / ₁₆ "	1	CCS3672RC	\$1580	\$3077	\$3239	\$3077	\$3239	\$1406	\$1406
48"	96"		1	CCS4896RC	2276	4165	4376	4165	4376	2006	2006
	120"		2	CCS48120RC	3196	5032	5285	5032	5285	2793	2793
	144"		2	CCS48144RC	3800	6114	6432	6114	6432	3321	3321
	168"		2	CCS48168RC	4947	6996	7332	6996	7332	4350	4350
	192"		2	CCS48192RC	5578	7687	8077	7687	8077	4911	4911
	216"		3	CCS48216RC	6276	8648	9087	8648	9087	5523	5523
	240"		3	CCS48240RC	7059	9730	10222	9730	10222	6214	6214
60"	144"		2	CCS60144RC	4987	8028	8442	8028	8442	4359	4359
	168"		2	CCS60168RC	6492	9182	9620	9182	9620	5710	5710
	192"		2	CCS60192RC	7320	10091	10601	10091	10601	6444	6444
	216"		3	CCS60216RC	8236	11351	11927	11351	11927	7250	7250
	240"		3	CCS60240RC	9265	12770	13418	12770	13418	8156	8156

*60"D wood tops with J rim are
actually 58 5/8"D.

Features	▶ See page 11
Power/Data Cut-Outs	13
Grommet Options	14
Base Requirements	15

Standard Includes

- Table top

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = J rim*
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
▶ See page 11.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
▶ See page 11.
- 6 Cut-out or grommet option:
▶ See page 13 for cut-out options (+\$54 per cut-out)
▶ See page 14 for grommet options (+\$85 per grommet)
X = Without cutouts or grommets
- 7 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 8 Surface finish designator
- 9 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Rim finish designator (include for laminate top with wood or PVC (V) rim only)

Boat-Shaped Table Tops

Pricing

GSA SIN 711-11


Features	►See page 11
Power/Data Cut-Outs	13
Grommet Options	14
Base Requirements	15

Standard Includes

- Table top

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = J rim*
2 = A, B, C, D, E, F, G, H, or M rim
3 = CH, RS, or S rim
4 = V rim (laminate top only)
 ►See page 11.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
 ►See page 11.
- 6 Cut-out or grommet option:
 ►See page 13 for cut-out options (+\$54 per cut-out)
 ►See page 14 for grommet options (+\$85 per grommet)
X = Without cutouts or grommets
- 7 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 8 Surface finish designator
- 9 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 10 Rim finish designator (include for laminate top with wood or PVC (V) rim only)



D	W	H	Number of Top Pieces	Model	Wood Surface			Laminate with Wood Rim		Laminate	
					Type 1 Rim	Type 2 Rim	Type 3 Rim	Type 2 Rim	Type 3 Rim	Type 1 Rim	Type 4 Rim
Boat-Shaped Table Tops											
48 "	96"	19 ¹ / ₁₆ "	1	CCS4896BT	\$2276	\$4165	\$4376	\$4165	\$4376	\$2006	\$2006
	120"		2	CCS48120BT	3196	5032	5285	5032	5285	2793	2793
	144"		2	CCS48144BT	3800	6114	6432	6114	6432	3321	3321
	168"		2	CCS48168BT	4947	6996	7332	6996	7332	4350	4350
	192"		2	CCS48192BT	5578	7687	8077	7687	8077	4911	4911
60**	144"		2	CCS60144BT	4987	8028	8442	8028	8442	4359	4359
	168"		2	CCS60168BT	6492	9182	9620	9182	9620	5710	5710
	192"		2	CCS60192BT	7320	10091	10601	10091	10601	6444	6444
	216"		3	CCS60216BT	8236	11351	11927	11351	11927	7250	7250
	240"		3	CCS60240BT	9265	12770	13418	12770	13418	8156	8156


Note: End depth is 36" on 48"D tops and 48" on 60"D tops.

*60"D wood tops with J rim are actually 58⁵/₈"D.

Rectangular Power/Data Centers

Pricing

GSA SIN 711-11



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
10" Rectangular Power/Data Center					
8"	10"	2½"	KCU0810ELPDC	For use with C2 cut-out option	\$949
<i>For Hardwire Application</i>					
8"	10"	2½"	KCU0810ELPDCH	For use with C2 cut-out option	\$998
40" Rectangular Power/Data Center					
8"	40"	2½"	KCU0840ELPDC	For use with C3 cut-out option	\$2404

For field-installation only in tops with factory-installed cutouts.

➤See page 13.

U.L. listed. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Features	➤See page 11
Power/Data Cut-Outs	13
Grommet Options	14
Base Requirements	15

Standard Includes

10" Rectangular Power/Data Center

- Four power receptacles (2 per side)
- Six blank data ports (3 per side)
- Voice/adaptor kit to accept couplers and jacks
- One touch pivot open/close
- Two 10' power cords
- Clear anodized aluminum

40" Rectangular Power/Data Center

- Eight power receptacles (4 per side [2 left and 2 right])
- Eight blank data ports; 4 left and 4 right (2 on each side)
- Resin center section: white frost
- Voice/adaptor kit to accept couplers and jacks
- One touch pivot open/close
- Four 10' power cords
- Clear anodized aluminum

How to Specify



- ① Model

Cylinder Bases

Pricing

Wood or Laminate

GSA SIN 711-11



<i>Diameter</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
16"H Cylinder Base			
Wood			
24"	16"	CBS1624CYW	\$1109
27 1/2"H Cylinder Base			
Wood			
16"	27 1/2"	CBS2716CYW	\$1069
24"		CBS2724CYW	1548
Laminate			
16"	27 1/2"	CBS2716CYL	\$822
24"		CBS2724CYL	1209
27 1/2"H Cylinder Base with Cable Management			
Wood			
16"	27 1/2"	CBS2716CYWW	\$1335
Laminate			
16"	27 1/2"	CBS2716CYWL	\$993

Cylinder base with cable management is recommended for use with power/communication grommet.

Cylinder bases do not have adjustable glides.



Features	▶ See page 11
Base Requirements	15

Standard Includes

- Base: wood or laminate

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator



Square Bases

Pricing

Wood

GSA SIN 711-11

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Soft-Square				
16"	16"	27 ³ / ₄ "	CBS1627SSW	\$1069
Square				
16"	16"	27 ³ / ₄ "	CBS1627SQW	\$1069
24"	24"	27 ³ / ₄ "	CBS2427SQW	1455

Features	▶ See page 11
Base Requirements	15

Standard Includes

- Base: wood

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator

Soft-square and square bases have adjustable glides.



Corner posts on soft-square model are solid wood with a quarter-round shape.

Hinged-Door Bases

Pricing

Wood

GSA SIN 711-11



Diameter	H	Model	Price
----------	---	-------	-------

Cylinder Base with Hinged Access Door

16"	27 ³ / ₄ "	CBS2716CYHW	\$1491
24"	27 ³ / ₄ "	CBS2724CYHW	1548

D	W	H	Model	Price
---	---	---	-------	-------

Square Base with Hinged Access Door

16"	16"	27 ³ / ₄ "	CBS1627SQHW	\$1491
24"	24"	27 ³ / ₄ "	CBS2427SQHW	1618

Hinged door allows access to power/data cables.

Hollow construction provides direct access to floor power.

Features [▶ See page 11](#)
Base Requirements 15

Standard Includes

- Base: wood
- Adjustable glides
- Cut-outs for horizontal cable management along top edge
- 8" x 8" hinged access door

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator



Ellipse and Rectangular Bases

Pricing

Wood

GSA SIN 711-11

Features [▶ See page 11](#)
Base Requirements 15



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Ellipse Bases				
97/16"	26 1/2"	27 3/4"	CBS2527ELW	\$1767
	31 3/4"	27 3/4"	CBS3027ELW	1857
Rectangular Bases				
7 3/4"	22 5/8"	27 3/4"	CBS2327RTW	\$1767
	27 3/4"		CBS2827RTW	1857

Standard Includes

- Base: wood
- Adjustable glides
- Cut-outs for horizontal cable management along top edge
- Metal trim: Cinder or Silver Satin finish

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator
- ④ Metal trim color:
462 = Cinder
511 = Silver Satin


Outer panels are removable (no tools required) to allow access to power/data cables and floor power.

Panel Bases

Pricing

Wood

GSA SIN 711-11



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Panel Base				
2"	23 ¹¹ / ₁₆ "	27 ³ / ₄ "	CBS2427PNW	\$620

Features	▶ See page 11
Base Requirements	15

Standard Includes

- Base: wood
- Adjustable glides

How to Specify

- ① Model
- ② Finish price group:
 - STD** = Group 1
 - STD2** = Group 2 (+20%)
- ③ Finish designator


Column Legs, X-Bases, and T-Leg Bases

Pricing

Metal

GSA SIN 711-11

<i>D</i>	<i>W</i>	<i>H</i>	<i>Column Diameter</i>	<i>Model</i>	<i>Price</i>	<i>462 Cinder or 501 Platinum Metallic (F1)</i>	<i>490 Chrome or 495 Brushed Steel (F2)</i>
Column Legs							
		27¾"	2"	CBM2802C		\$186	\$252
			4"	CBM2804C		315	404
Static or Mobile Tapered Column Leg.							
		27¾"	3" (tapers to 2" at bottom)	CBM2803CT		\$348	\$444
X-Base with Wood Base Caps							
32½"	32½"	27½"		CBS3327XW	\$433	—	—
Static or Mobile X-Base							
34"	34"	27¾"	2"	CBM3428X	—	\$638	\$762
Double T-Leg Base							
34"	27¾"	2"		CBM3428TT	—	\$481	\$540



Features [▶ See page 11](#)
Base Requirements 15

Standard Includes

- Leg or base: metal
- Black metal column with solid maple wood base caps over a metal understructure and adjustable glides on X-Base with wood base caps
- Locking dual-wheel caster(s) on mobile tapered column legs and mobile X-base


How to Specify

Column Legs, Static X-Base, Mobile X-Base, and Double T-Leg Base

- ① Model
- ② Finish price group
F1 = Cinder, Platinum Metallic, or Carbon Metallic
F2 = Chrome or Brushed Steel
- ③ Static or mobile (include for CBM3428X model only):
S = Static
M = Mobile
- ④ Finish designator:
462 = Cinder
501 = Platinum Metallic
514 = Carbon Metallic
490 = Chrome
495 = Brushed Steel

X-Base with Wood Base Caps

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator



Disc Base

Pricing

Metal

GSA SIN 711-11

<i>D</i>	<i>W</i>	<i>H</i>	<i>Column Diameter</i>	<i>Model</i>	<i>462 Cinder or 501 Platinum Metallic (F1)</i>	<i>490 Chrome or 495 Brushed Steel (F2)</i>
Disc Base						
24"	24"	27¾"	4"	CBM2428D	\$920	\$1095

Features	▶ See page 11
Base Requirements	15


Standard Includes

- Disk base: metal


How to Specify

- ① Model
- ② Finish price group:
 - F1** = Cinder, Platinum Metallic, or Carbon Metallic
 - F2** = Chrome or Brushed Steel
- ③ Finish designator:
 - 462** = Cinder
 - 501** = Platinum Metallic
 - 514** = Carbon Metallic
 - 490** = Chrome
 - 495** = Brushed Steel

Tables and Bases



Rectangular Tops
➤ See page 35 to specify.



Racetrack retractable-power Tops
➤ See page 36 to specify.





Retractable Square Power/Data Centers
➤ See page 37 to specify.



Hinged-Door Cylinder Bases
➤ See page 38 to specify.

Features	➤ See page 34
Rectangular Tops	35
Racetrack Tops	36
Power/Data Center	37

Shapes, Sizes & Seating Capacities:

Shape	Dimensions	Seating Capacity
Rectangular		
	48" x 96"	8
	48" x 120"	10
	48" x 144"	12
	48" x 168"	14
	48" x 192"	16
Racetrack		
	48" x 96"	8
	48" x 120"	10
	48" x 144"	12
	48" x 168"	14
	48" x 192"	16

RETRACTABLE POWER Tables

Features

Overview



Retractable-power table tops are available in wood, laminate, and laminate with a wood rim. They are 3-ply balanced construction and are 1 $\frac{9}{16}$ " thick.

Power/data centers, specified separately, are available for field installation in retractable-power table tops. Cut-outs are standard on retractable-power table tops


On wood veneer tops, top for the retractable power/data center is cut from the same piece of wood as the table top to ensure a matching grain.

Specially designed bases facilitate easy access to cables and floor monuments, and provide cut-outs for horizontal cord management.

➤ See page 38.



While in use, the retractable power center can be lowered to fit flush with the table top to conceal excess cabling. Black brushes on all four sides allow cords to pass through easily, while helping to keep foreign objects out.



Retractable power/data center is designed to be concealed within the table top; a simple touch raises the spring-activated unit exposing power communication and data connections on all four sides. Includes:

- Four duplex receptacles
- Four RJ11 (voice)
- Four RJ45 (data) couplers
- One 15 amp/125 volt circuit breaker for overload protection
- One six foot power cord

All components and wiring of the power/data center are UL listed or recognized.

Details


Exterior surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
 - Maple (plain sliced, slip matched)
 - Walnut (plain sliced, book matched)
 - Sapele (quarter sliced, slip matched)
- premium veneer; upcharge applies. Veneers are carefully selected and matched to assure proper balance and consistency.

Wood tops feature a semi-open pore finish and may be specified with a satin (50) or gloss (70) sheen.

Rim thickness is $\frac{5}{16}$ " on A, B, C, D, E, F, G, H, and M rims; rim thickness is 1" on CH, S and RS rims.

All rims are wood, except PVC (V). Flat (J) rim is a self edge and is available in wood or laminate.



72"W and 96"W tops are one piece.



120"W, 144"W, 168"W, and 192"W tops are two-piece tops.

Statement of Line	➤ See page 33
Rectangular Tops	35
Racetrack Tops	36
Power/Data Center	37

Rim Profiles:

Type 1—Applies to all wood or all laminate tops only.



J Flat

Type 2—Applies to wood and laminate with wood rim tops only.



A Radius Rad.



B Bevel



C Dbl.



D Bullnose



E Transitional



F Softened



G Beaded



H Crescent



M Reed

Type 3—Applies to wood and laminate with wood rim tops only.



RS Rv. Knife



S Knife

Type 4—Applies to laminate tops.



V PVC

Note: Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products.

Rectangular Table Tops

For Use with Power/Data Center

Pricing

GSA SIN 711-11


Features	►See page 34
Power/Data Center	37
Hinged-Door Base	38

Standard Includes

- Table top with two power/data cut-outs

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = Flat (J)
2 = A, B, C, D, E, F, G, H, or M
3 = Knife (S) or reverse knife (RS)
4 = Plastic (V) rim—laminate top only
 ►See page 34.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
 ►See page 34.
- 6 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Surface finish designator
- 8 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 9 Rim finish designator (include for laminate top with wood or PVC (V) rim only)



D	W	H	Model	Wood	Laminate with Wood Rim	Laminate
Type 1 Rim Profile						
48"	96"	19 ¹ / ₁₆ "	CCS4896RTV	\$2839	—	\$2564
	120"	19 ¹ / ₁₆ "	CCS48120RTV	3757	—	3351
	144"	19 ¹ / ₁₆ "	CCS48144RTV	4359	—	3881
	168"	19 ¹ / ₁₆ "	CCS48168RTV	5506	—	4913
	192"	19 ¹ / ₁₆ "	CCS48192RTV	6139	—	5472
Type 2 Rim Profiles						
48"	96"	19 ¹ / ₁₆ "	CCS4896RTV	\$4112	\$4112	—
	120"	19 ¹ / ₁₆ "	CCS48120RTV	5301	5301	—
	144"	19 ¹ / ₁₆ "	CCS48144RTV	6250	6250	—
	168"	19 ¹ / ₁₆ "	CCS48168RTV	6946	6946	—
	192"	19 ¹ / ₁₆ "	CCS48192RTV	7449	7449	—
Type 3 Rim Profiles						
48"	96"	19 ¹ / ₁₆ "	CCS4896RTV	\$4301	\$4301	—
	120"	19 ¹ / ₁₆ "	CCS48120RTV	5534	5534	—
	144"	19 ¹ / ₁₆ "	CCS48144RTV	6537	6537	—
	168"	19 ¹ / ₁₆ "	CCS48168RTV	7278	7278	—
	192"	19 ¹ / ₁₆ "	CCS48192RTV	7801	7801	—
Type 4 Rim Profile						
48"	96"	19 ¹ / ₁₆ "	CCS4896RTV	—	—	\$2564
	120"	19 ¹ / ₁₆ "	CCS48120RTV	—	—	3351
	144"	19 ¹ / ₁₆ "	CCS48144RTV	—	—	3881
	168"	19 ¹ / ₁₆ "	CCS48168RTV	—	—	4913
	192"	19 ¹ / ₁₆ "	CCS48192RTV	—	—	5472

IMPORTANT: Tops include two cut-outs to accept retractable power/data center, specified separately. Two centers are required.
 ►See page 37.

Requires two cylinder bases with hinged access door for one-piece tops; three bases are required for two-piece tops.
 ►See page 38.


Undersurface wire managers are available to route cables underneath tables.
 ►See the Perks Price List.

Racetrack Table Tops

For Use with Power/Data Center

Pricing

GSA SIN 711-11



IMPORTANT: Table tops include two cut-outs to accept retractable power/data center, specified separately. Two centers are required.
➤See page 37.

Requires two cylinder bases with hinged access door for one-piece tops; three bases are required for two-piece tops.
➤See page 38.

Undersurface wire managers are available to route cables underneath tables.
➤See page 37 to specify

D	W	H	Model	Wood	Laminate with Wood Rim	Laminate
Type 1 Rim Profile						
48"	96"	19/16"	CCS4896RCV	\$2839	—	\$2564
	120"	19/16"	CCS48120RCV	3757	—	3351
	144"	19/16"	CCS48144RCV	4359	—	3881
	168"	19/16"	CCS48168RCV	5506	—	4913
	192"	19/16"	CCS48192RCV	6139	—	5472
Type 2 Profiles						
48"	96"	19/16"	CCS4896RCV	\$4724	\$4724	—
	120"	19/16"	CCS48120RCV	5594	5594	—
	144"	19/16"	CCS48144RCV	6677	6677	—
	168"	19/16"	CCS48168RCV	7556	7556	—
	192"	19/16"	CCS48192RCV	8249	8249	—
Type 3 Rim Profiles						
48"	96"	19/16"	CCS4896RCV	\$4935	\$4935	—
	120"	19/16"	CCS48120RCV	\$5848	5848	—
	144"	19/16"	CCS48144RCV	\$6992	6992	—
	168"	19/16"	CCS48168RCV	\$7889	7889	—
	192"	19/16"	CCS48192RCV	\$8638	8638	—
Type 4 Rim Profile						
47"	95"	19/16"	CCS4896RCV	—	—	\$2564
	120"	19/16"	CCS48120RCV	—	—	3351
	144"	19/16"	CCS48144RCV	—	—	3881
	168"	19/16"	CCS48168RCV	—	—	4913
	192"	19/16"	CCS48192RCV	—	—	5472

Features	➤See page 34
Power/Data Center	37
Hinged-Door Base	38


Standard Includes

- Table top with two power/data cut-outs

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = Flat (J)
2 = A, B, C, D, E, F, G, H, or M
3 = Knife (S) or reverse knife (RS)
4 = Plastic (V) rim—laminate top only
 ➤See page 34.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
 ➤See page 34.
- 6 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Surface finish designator
- 8 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 9 Rim finish designator (include for laminate top with wood or PVC (V) rim only)

RETRACTABLE POWER Tables



Requires two cylinder bases with hinged access door for one-piece tops; three bases are required for two-piece tops.

All components and wiring of the power/data center are U.L. listed or recognized. The customer is responsible for the proper application of products to the local codes under which installation must be made.

Retractable Power/Data Center

Pricing

GSA SIN 711-11

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Retractable Power/Data Center				
13"	13"	4½"	KAC1313ELRINT	\$2714
For Hardwire Application				
13"	13"	4½"	KAC1313ELRINTH	\$2714

Related Products:

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Description</i>	<i>Price</i>
Undersurface Cable Manager					
3"	48"	1½"	KAC48WMH	For use under a retractable-power table top to help manage cords horizontally; set of two 48"L sections. Black.	\$120


Features	See page 34
Rectangular Tops	35
Racetrack Tops	36
Hinged-Door Base	38

Standard Includes

- Four duplex receptacles
- Four RJ11 (voice)
- Four RJ45 (data) couplers
- One 15 amp/125 volt circuit breaker for overload protection
- One six foot power cord

How to Specify

- 1 Model



Wood Cylinder Bases

For Use with Power/Data Center

Pricing

GSA SIN 711-11

Diameter	H	Model	Price
27 1/2" H Wood Cylinder Base with Hinged Access Door			
24"	27 1/2"	CBS2724CYHW	\$1548

Available in wood finishes only.

Two bases are required for one-piece rectangular or racetrack table tops; three bases are required for two-piece rectangular or racetrack table tops.

Hinged door allows access to power/data cables.

Hollow construction provides direct access to floor power.

Features	▶ See page 34
Rectangular Tops	35
Racetrack Tops	36
Power/Data Center	37

Standard Includes

- Base: wood
- Adjustable glides
- Cut-outs for horizontal cable management along top edge
- 8" x 8" hinged access door

How to Specify

- ① Model
- ② Finish price group:
 - STD** = Group 1
 - STD2** = Group 2 (+20%)
- ③ Finish designator

Tables



Round Tops
Available in standard veneer or pie-cut walnut veneer.
➤See page 42 to specify.




Rectangular Tops
➤See page 43 to specify.




Boat-Shaped Tops
➤See page 44 to specify.



Elliptical Tops
Available in walnut veneer only.
➤See page 45 to specify.



Panel Bases
➤See page 46 to specify.



Queen Anne Pedestal Base
➤See page 46 to specify.

Features	➤See page 40
Base Requirements	41


Seating Capacities:

Table size	Number of Chairs
42" diameter	4
48" diameter	5
8'	8
10'	10
12'	12
14'	14
16'	16
18'	18
20'	20
22'	22
8' Elliptical	7

Tops feature walnut or cherry veneers.

Note: Cherry veneer is available on select models.

A variety of bases are available. All bases must be specified separately.



Details




Round, rectangular, boat, and elliptical table shapes are available.



Round table top with pie-cut pattern walnut veneer is available.

Grain runs vertical on apron rails on boat-shaped and rectangular tops

Wood tops have a semi-open pore finish with a lustrous sheen (70).



Panel bases may be used with boat-shaped and rectangular tops.










Queen Anne bases may be used with any traditional top, except round tops with ash burl center (AT1).

The number of bases required varies depending on the size and shape of the top.

[▶ See page 41.](#)

Base Requirements

Application Guidelines

Top Shape		 	
Round Standard Veneer or Pie-Cut Walnut Veneer  	42" dia.		1
	48" dia.		1
Elliptical 	48" x 96"		2
Rectangular 	42" x 96"	2	2
	48" x 120"	3	3
	48" x 144"	3	3
Boat-Shaped 	42" x 96"	2	2
	48" x 120"	3	3
	48" x 144"	3	3
	48" x 168"	3	3
	48" x 192"	3	3
	48" x 216"	4	4
	48" x 240"	4	4
	48" x 264"	4	4

Key:

= Number of bases required
 grey = Base is not available for use with top shape.

The chart at left lists the number of bases that must be used with each top size for proper stability.

Traditional table bases are designed specifically for use with traditional table tops and are not recommended for use with any other Kimball Office tables.



96"W tops are one piece.



120"W, 144"W, 168"W, and 192"W tops are two-piece tops.



216"W, 240"W, and 264"W tops are three-piece tops.

Round Table Tops

Pricing

GSA SIN 711-11



<i>Diameter</i>	<i>H</i>	<i>Arm Chair Clearance</i>	<i>Number of Bases Required</i>	<i>Model</i>	<i>Price</i>
Round Table Tops					
Standard Veneer					
42"	1 1/16"	28"	1	TT2-42W	\$2532
48"	1 1/16"	28"	1	TT2-48W	3075
With Pie-Cut Veneer Pattern					
42"	1 1/16"	28"	1	TT1-42W	\$2756
48"	1 1/16"	28"	1	TT1-48W	3358

Queen Anne base must be specified separately for round standard veneer or pie-cut veneer models.

42"W tables accommodate 4 chairs;
48"W tables accommodates 5 chairs.

Features	➤ See page 40
Base Requirements	41
Wood Bases	46

Standard Includes

- Table top

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

Rectangular Table Tops

Pricing

GSA SIN 711-11

Features	➤ See page 40
Base Requirements	41
Wood Bases	46

Standard Includes

- Table top

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator



<i>D</i>	<i>W</i>	<i>H</i>	<i>Arm Chair Clearance</i>	<i>Number of Bases Required</i>	<i>Model</i>	<i>Price</i>
Rectangular Table Tops						
42"	96" (8')	3¼"	26⅞"	2	TT3-4296W	\$3468
48"	120" (10')	3¼"	26⅞"	3	TT3-48120W	4685
48"	144" (12')	3¼"	26⅞"	3	TT3-48144W	5791

Queen Anne or panel bases must be specified separately.

8' top is one piece; 10' and 12' tops are two pieces.

Boat-Shaped Table Tops

Pricing

GSA SIN 711-11

Features	➤ See page 40
Base Requirements	41
Wood Bases	46

Standard Includes

- Table top

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator



<i>D</i>	<i>W</i>	<i>H</i>	<i>Arm Chair Clearance</i>	<i>Number of Bases Required</i>	<i>Model</i>	<i>Price</i>
Boat-Shaped Table Tops						
42"	96" (8')	3¾"	26⅞"	2	TT1-4296W	\$4430
48"	120" (10')	3¾"	26⅞"	3	TT1-48120W	6206
48"	144" (12')	3¾"	26⅞"	3	TT1-48144W	7620
48"	168" (14')	3¾"	26⅞"	3	TT1-48168W	8944
48"	192" (16')	3¾"	26⅞"	3	TT1-48192W	9822
48"	216" (18')	3¾"	26⅞"	4	TT1-48216W	12867
48"	240" (20')	3¾"	26⅞"	4	TT1-48240W	13773
48"	264" (22')	3¾"	26⅞"	4	TT1-48264W	14729

Queen Anne or panel bases must be specified separately.

8' top is one piece; 10', 12', 14', and 16' tops are two pieces; 18', 20', and 22' tops are three pieces.

End depth for 42"D boat-shaped top is 34"; end depth for 48"D top is 38½".

Elliptical Table Tops

Pricing

GSA SIN 711-11



<i>D</i>	<i>W</i>	<i>H</i>	<i>Arm Chair Clearance</i>	<i>Number of Bases Required</i>	<i>Model</i>	<i>Price</i>
Elliptical Table Tops						
48"	96"	11 ¹ / ₁₆ "	28	2	TT1-4896WE	\$4365

Features	➤ See page 40
Base Requirements	41
Wood Bases	46

Standard Includes

- Table top

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

Queen Anne bases must be specified separately.
➤ See page 46.

Wood Bases

Pricing

GSA SIN 711-11

H	Base Width	Model	Price
---	------------	-------	-------

Panel Bases

Without Molding

28 1/4"	25"	TB1-2530W	\$579
---------	-----	-----------	-------



With Molding

28 1/4"	25"	TB1-2530WM	\$806
---------	-----	------------	-------

Queen Anne Bases

28 1/4"	35 1/4"	TB1-4W	\$2074
---------	---------	--------	--------

28 1/4"	32 1/2"	TB3-4W	\$1397
---------	---------	--------	--------



Traditional panel bases are designed specifically for use with traditional table tops and are not recommended for use with any other Kimball Office tables.

Traditional Queen Anne table bases are designed specifically for use with traditional table tops (TT1, TT2, and TT3) and are not recommended for use with any other Kimball Office tables.

Features	See page 40
Base Requirements	41

Standard Includes

- Base

How to Specify

- 1 Model
- 2 Finish price group:
STD = Group 1
- 3 Finish designator

Tables



Round Tables
➤ See page 49 to specify.



4-Leg Round Tables
➤ See page 49 to specify



Racetrack Tops
➤ See page 49 to specify.




Pedestal Bases
➤ See page 50 to specify.

Seating Capacities:

Table size	Number of Chairs
Conference Table Tops	
48" diameter round	5
8' racetrack	8
10' racetrack	10
12' racetrack	12
4-Leg Round Conference Table	
48" diameter	4

Tops feature a figured cherry veneer and plain apron rail without decorative molding overlay.

Innsbruck base features white ash burl veneer on the lower platform.



Details



Round and racetrack table shapes are available.

Wood tops feature a full-fill finish with a lustrous sheen (70).



Innsbruck base is specified separately for round or racetrack table tops.

Round table tops require one base.

Racetrack tables require two bases.



4-leg round conference table is also available. 4-leg base is standard with top.

Table Tops

Pricing

GSA SIN 711-11

<i>Diameter</i>	<i>H</i>	<i>Number of Bases Required</i>	<i>Model</i>	<i>Price</i>	
Round Table Top					
48"	3¾"	1	IN48RD	\$4134	
Round 4-Leg Table					
48"	30¼"	Included	IN484RD	\$4990	
Racetrack Table Tops					
48"	96"	3¾"	2	IN4896RC	\$7116
	120"	2	IN48120RC	9746	
	144"	2	IN48144RC	11378	



Features	➤ See page 48
Bases	50

Standard Includes

Round Conference Table Top

- Pie-cut figured cherry veneer top
- Plain apron without decorative molding overlay

4-Leg Round Conference Table

- Pie-cut figured cherry veneer top
- Plain apron without decorative molding overlay
- 4-leg base
- Ships ready-to-assemble

Racetrack Table Top

- Eight section figured cherry veneer top with reverse diamond match pattern (96"W tops are one piece; 120" and 144"W tops are two pieces).
- Plain apron without decorative molding overlay

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
- ③ Finish designator

Base must be specified separately for table top models.

Wood Table Bases

Pricing

GSA SIN 711-11



Lower Platform			Upper Platform	Model	Price
D	W	H	Diameter		
Pedestal Base					
29"	29"	29 ¹³ / ₁₆ "	41 ³ / ₄ "	IN2930C	\$2073


Features	➤ See page 48
Tables	49

- Standard Includes**
- Unfinished upper platform (mounting pad)
 - Lower platform: white ash burl veneer


- How to Specify**
- ① Model
 - ② Finish price group:
STD = Group 1
 - ③ Finish designator

For use under Innsbruck round and racetrack tops.

Tables



Boat-Shaped Folding Tables
➤ See page 53 to specify.



Rectangular Folding Tables
➤ See page 53 to specify.

Features	➤ See page 52
Pricing	53


Seating Capacities:

<i>Table size</i>	<i>Number of Chairs</i>
40 x 94	8
40 x 110	10
48 x 94	8
48 x 110	10

Tops feature 3-ply balanced construction and are 1 1/16" thick.

Base legs are polished aluminum.

4" dual wheel locking casters are standard on folding tables. Casters are black.



Details

Exterior surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies
- Zebrawood premium composite veneer; upcharge applies



Veneers are carefully selected and matched to assure proper balance and consistency.

Table top support understructure is black metal.


Folding table tops are fully finished on top and underneath side.

Folding tables ship fully assembled.
Note: Folding tables lock into position when unfolded.

Rim Profiles:



Folding and Storing:





Folding tables store upright when folded and are 68"H. Casters remain functional when table is folded for easy movement and storage.

Folding Tables

Pricing

GSA SIN 711-11



<i>D</i>	<i>W</i>	<i>H</i>	<i>Arm Chair Clearance</i>	<i>Knee End Clearance</i>	<i>End Depth</i>	<i>Model</i>	<i>Price</i>
Boat-Shaped							
47¼"	94½"	28¾"	27¼"	8⅝"	35½"	AS4894BTFMW	\$9715
47¼"	110"	28¾"	27¼"	16½"	35½"	AS48110BTFMW	10069
Rectangular							
39¾"	94½"	28¾"	27¼"	8⅝"		AS4094RTFMW	\$9715
39¾"	110"	28¾"	27¼"	16½"		AS40110RTFMW	10069

Statement of Line [▶ See page 51](#)
Features 52


Standard Includes

- Two-piece table top
- Two sets of folding legs
- 4 locking casters


How to Specify

- ① Model
- ② Rim option:
F = Softened
S = Knife
- ③ Top finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ④ Top finish designator
- ⑤ Base finish:
497 = Polished Aluminum


Table Tops and Bases




Rectangular Tops
➤ See page 58 to specify.




Tapered Column Legs
Available in static and mobile models.
➤ See page 59 to specify.



Column Legs
Available in static and mobile models.
➤ See page 59 to specify.




T-Legs
Available in static and mobile models.
➤ See page 59 to specify.



Folding T-Legs
➤ See page 59 to specify.

Table tops are available in wood, laminate, and laminate with a wood rim. They are 3-ply balanced construction and are 1³/₁₆" thick.

Support is specified separately. Select from several column and T-leg models.
➤ See page 57 for base requirements.



Details

All exposed wood surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched) premium veneer; upcharge applies

Veneers are carefully selected and matched to assure proper balance and consistency.

Rim profile appears on all sides of table top for the following rim profiles:

- Radius (A)
- Bevel (B)
- Double Radius (C)
- Bullnose (D)
- Transitional (E)
- Softened (F)
- Beaded (G)
- Crescent (H)
- Flat (J)
- Reed (M)
- PVC (V)


Knife (S) and reverse knife (RS) rim profiles on rectangular tops appear on the front and back edges; end edges have a flat profile for a flush fit when positioning tables end to end.

Rim thickness is 5/16" on A, B, C, D, E, F, G, H, and M rims; rim thickness is 1" on S and RS rims.

All rims are wood, except PVC (V). Flat (J) rim is a self edge and is available in wood or laminate.

Rim Profiles:









Rims for Wood Tops and Laminate Tops with Wood Rim



Rims for Laminate Tops



Note: Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products.

Top Shape		<div>Static Tapered Column Leg</div> <div>Mobile Tapered Column Leg</div> <div>Static Column Leg</div> <div>Mobile Column Leg</div> <div>Static T-Leg</div> <div>Mobile T-Leg</div> <div>Folding T-Leg</div>							
									
Rectangular 	48"W	4	4	4	4				
	60"W	4	4	4	4				
	66"W	4	4	4	4	2	2	2	
	72"W	4	4	4	4	2	2	2	

Key:

= Number of bases required
grey = Base is not available for use with top shape.


This chart lists the number of bases that must be used with each top size for proper stability.

Configuration table bases are designed specifically for use with Configuration Tables and are not recommended for use with any other Kimball Office tables.

Rectangular Tops

Pricing

GSA SIN 711-11



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Wood</i>	<i>Laminate with Wood Rim</i>	<i>Laminate</i>
Flat (J) Rim Profile (Self-Edge)						
24"	48"	1 ³ / ₁₆ "	CCST2448RT	\$790	—	\$635
	60"		CCST2460RT	832	—	742
	66"		CCST2466RT	894	—	806
	72"		CCST2472RT	962	—	823
30"	60"	1 ³ / ₁₆ "	CCST3060RT	936	—	860
	66"		CCST3066RT	975	—	890
	72"		CCST3072RT	1025	—	936
A, B, C, D, E, F, G, H, M, and X Rim Profiles						
24"	48"	1 ³ / ₁₆ "	CCST2448RT	\$822	\$822	—
	60"		CCST2460RT	894	894	—
	66"		CCST2466RT	930	930	—
	72"		CCST2472RT	1003	1003	—
30"	60"	1 ³ / ₁₆ "	CCST3060RT	984	984	—
	66"		CCST3066RT	1026	1026	—
	72"		CCST3072RT	1072	1072	—
Knife (S) and Reverse Knife (RS) Rim Profiles						
24"	48"	1 ³ / ₁₆ "	CCST2448RT	\$972	\$972	—
	60"		CCST2460RT	1019	1019	—
	66"		CCST2466RT	1079	1079	—
	72"		CCST2472RT	1130	1130	—
30"	60"	1 ³ / ₁₆ "	CCST3060RT	1113	1113	—
	66"		CCST3066RT	1173	1173	—
	72"		CCST3072RT	1226	1226	—
PVC (V) Rim Profile						
24"	48"	1 ³ / ₁₆ "	CCST2448RT	—	—	\$635
	60"		CCST2460RT	—	—	742
	66"		CCST2466RT	—	—	806
	72"		CCST2472RT	—	—	823
30"	60"	1 ³ / ₁₆ "	CCST3060RT	—	—	860
	66"		CCST3066RT	—	—	890
	72"		CCST3072RT	—	—	936

Table tops have specific base requirements.

Features	➤ See page 56
Base Requirements	57
Bases	59

Standard Includes

- Table top

How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
L = Laminate
- 3 Rim type:
1 = Flat (J)
2 = A, B, C, D, E, F, G, H, or M
3 = Knife (S) or reverse knife (RS)
4 = Plastic (V) rim—laminate top only
➤ See page 56.
- 4 Finish option (include for wood top only):
N = Satin
R = Gloss
- 5 Rim profile:
➤ See page 56 for designators.
- 6 Surface finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- 7 Surface finish designator
- 8 Rim finish price group (include for laminate top with wood rim only):
STD = Group 1
STD2 = Group 2 (+20%)
- 9 Rim finish designator (include for laminate top with wood or PVC (V) rim only)

CONFIGURATION

Tables

Bases

Pricing

GSA SIN 711-11

<i>D</i>	<i>W</i>	<i>H</i>	<i>Column Diameter</i>	<i>Model</i>	<i>Price</i>
Tapered Column Legs (static or mobile)					
<i>Paint Finish</i>					
	27 ³ / ₄ "		3" (tapers to 2")	CBM2803CTF1	\$348
<i>Non-Paint Finish</i>					
	27 ³ / ₄ "		3" (tapers to 2")	CBM2803CTF2	\$444
Column Leg (static or mobile)					
1 ¹ / ₂ "	27 ³ / ₄ "	1 ¹ / ₂ "		AB2802BC	\$227
Non-Folding T-Leg (static or mobile)					
22"	27 ³ / ₄ "	2"		AB2228T	\$335
Folding T-Leg (static)					
<i>Paint Finish</i>					
22"	27 ³ / ₄ "	2"		CBM2228TF1	\$440
<i>Non-Paint Finish</i>					
22"	27 ³ / ₄ "	2"		CBM2228TF2	\$486







Table tops have specific base requirements.

Folding T-leg locks into place when folded. For use on 24 x 66, 24 x 72, 30 x 66, and 30 x 72 rectangular tops only.

Features	➤ See page 56
Base Requirements	57
Tops	58

Standard Includes

Tapered Column Leg or Column Leg

- Leg
- Locking dual-wheel caster on mobile model; floor glide on static model
- Attachment hardware

Non-Folding or Folding T-Leg

- Leg
- Two locking dual-wheel caster on mobile model; two floor glides on static model
- Attachment hardware

How to Specify


Tapered Column Leg, Column Leg, or Non-Folding T-Leg

- ① Model
- ② Static or mobile (omit for folding T-leg):
S = Static
M = Mobile
- ③ Finish price group (omit for tapered column legs):
STD = Group 1
- ④ Finish designator


Folding T-Leg

- ① Model
- ② Finish designator

Furniture



Buffet Credenzas
➤ See page 65 to specify.



Utility/AV Cart
➤ See page 66 to specify.




Serving Cart
➤ See page 66 to specify.




Hospitality Cart
➤ See page 66 to specify.



Telephone Stand
➤ See page 66 to specify.




Visual Board with Sliding Doors
➤ See page 67 to specify.




Floor Lectern
➤ See page 68 to specify.

Tops on credenzas, carts and telephone stand are available in wood or laminate with wood rim.



Metal corner posts are standard on vertical storage, credenzas, carts, telephone stand, and floor lectern. Available in three paint colors:

- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel



Locking is standard on utility/AV cart, hospitality cart, and telephone stand. Locks are available keyed randomly or keyed specific. Specify lock cores separately for key specific option.

➤ See page 64 for lock information.

Details

Buffet credenza's lower left compartment features a pull-out door with black trash container.

Utility/AV cart is a multi-functional unit that serves as a serving cart, projector stand, or mobile TV cart. Lower section is locking. Includes cut-out in back panel for cable management and a side handle. Interior dimensions of open shelf are 34½"W x 22"D x 5½"H.

Serving cart features a hinged drop-leaf surface on all four sides, one fixed shelf, and a side handle.

Hospitality cart includes side handle and two box drawers with a black silverware organizer. Lower left compartment features a pull-out door with black, 24 quart trash disposal container. Lower right section is locking. Power strip, located on left side of cart, includes three power outlets and a 10' cord. Black grommet for routing cord is located in the back panel.

Telephone stand features a hinged drop-leaf surface on both sides that extends 7". There is one adjustable shelf behind locking hinged door.

Floor lectern includes an adjustable shelf behind a non-locking hinged door. Presentation surface includes a cut-out for cable management.

Carts, telephone stand, and floor lectern are mobile and include four locking, dual-wheel casters.

All exposed wood surfaces are available in the following veneers:

- Cherry (plain sliced, slip matched)
- Maple (plain sliced, slip matched)
- Walnut (plain sliced, book matched)
- Sapele (quarter sliced, slip matched)

Veneers are carefully selected and matched to assure proper balance and consistency.

➤ See page A3 for finish selections.

Wood tops on credenzas, carts, and stands feature a semi-open pore finish with a satin (50) or gloss (70) sheen.


Woodgrain laminate top with wood rim is also available in select finishes on all models, except serving cart.

➤ See page A6.

Drawer suspensions feature black, precision steel ball bearings to ensure long lasting, quiet, and smooth operation. Box drawers are ¾ extension and have a 75 lb. load rating.


Rim Profiles:

Rims are designed to match rim shapes offered on other Kimball Office casegoods and systems products. All rims are wood.



Knife (S) and reverse knife (RS) rim profiles on vertical storage units, buffet credenzas, utility/AV cart, and hospitality cart appear on the front edge only; sides and back are flat. All other rim profiles appear on all four sides of the top.

Definition® Series Pulls:



92 Cove
(+\$27/unit)

93 Aero

96 Luna

Finishes:

Plated—

487 Brushed Nickel
490 Polished Chrome

Paint—

462 Cinder
501 Platinum Metallic
514 Carbon Metallic


Boring Patterns:

Cove	n/a
Aero	128 mm
Luna	n/a

Pull Size:

	Width	Height	Projection
Cove	5½"	1⅛"	1/16"
Aero	5½"	¾"	¾"
Luna	1⅞"	¾"	¾"

Note: Cove and Luna pulls are recessed into the drawer front.



95 Deco

97 Linear

Finishes:

Plated—

487 Brushed Nickel
490 Polished Chrome

Anodized—

486 Clear Anodized (available on Linear pull only)

Boring Patterns:


Deco	76 mm
Linear	n/a

Pull Size:

	Width	Height	Projection
Deco	4⅞"	⅝"	1"
Linear	10⅛"	¼"	⅝"

Note: Linear pull wraps the drawer face and attaches on the backside of the drawer.

Priority™ Series Pulls:



89 Studio

91 Niche

90 Trinity
(+\$27/unit)

Finishes:

Paint—


405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic

Boring Patterns:

Studio	192 mm
Niche	96 mm
Trinity	160 mm

Pull Size:

	Width	Height	Projection
Studio	7⅞"	¾"	1⅛"
Niche	5⅜"	⅞"	⅞"
Trinity	9¼"	¾"	⅞"



61 Helix

63 Link

64 Wisp

Finishes:

Paint—

405 Designer White
462 Cinder
501 Platinum Metallic
514 Carbon Metallic

SF Silver Frost Metallic

Boring Patterns:

Helix	160 mm
Link	160 mm
Wisp	190 mm

Pull Size:

	Width	Height	Projection
Helix	7⅝"	½"	1¼"
Link	6⅝"	1⅛"	1"
Wisp	9⅞"	⅝"	1⅛"

How to Specify

Specify pull option and finish together in one step.

If pull finish designator is a number, insert an underscore between the pull designator and the finish designator. For finish designators that are letters, put the pull and finish together without a space or underscore.

Examples:

93_487 = Aero pull, brushed nickel
61SF = Helix pull, silver frost metallic


Locking units can be specified as:

- Key random with a black lock core and hinged key (KRB); or
- Key specific (KS)

Key Random Option:

When key random option is selected, key numbers will be assigned arbitrarily at the factory with key numbers ranging from KCCB001 to KCCB300.

Randomly numbered lock core(s) will ship standard along with your order for field installation.




With random keying, different furniture units may or may not have the same key number. If you must have all locks keyed differently or all locks keyed the same, choose the key specific option.

Key Specific Option:

When key specific option is selected, the storage unit will be pre-drilled to accept a lock core; however, no lock cores will be shipped standard with the unit. If lock cores are standard on the unit, the price of the unit is reduced by the price of the lock core or cores.

You must specify lock core(s) separately for key specific option; specify any key number from KCCB001 to KCCB300.



To key all the furniture units in a workstation or department alike, choose the key specific option and order the quantity of locks needed for your installation.

Black lock cores and hinged keys are identical to the ones used with other caseloads and systems products.

Standard key that ships with the lock core can be used for the initial installation of the lock core in the field.

Change key model KCCB1CK allows removal of lock cores for key numbers ranging from KCCB001 to KCCB300.

IMPORTANT: A change key, specified separately, is required to remove lock cores in the field.

Master key model KC2GMK will unlock any lock with key numbers ranging from KCCB001 to KCCB300.

Features	See page 62
Pull Options	63

Model/Key Range	Price
-----------------	-------



Black Lock Cores	
KCCB001 to KCCB300	\$23

Change Key	
KCCB1CK	\$7

Master Key	
KC2GMK	\$13

How to Specify



1 Specify exact key number for lock cores as the model number or model number for change or master key

Buffet Credenzas

Pricing

GSA SIN 711-9

<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Three Box Drawers with One Pull-Out and Two Hinged-Door Compartments				
24½"	54½"	35½"	CR2454CB	\$4553
Four Box Drawers with One Pull-Out and Three Hinged-Door Compartments				
24½"	73"	35½"	CR2472CB	\$5511



Knife (S) and reverse knife (RS) rim profiles appear on the front edge only; sides and back are flat. All other rim profiles appear on all four sides of top.

Features	➤ See page 62
Pull Options	63
Locking Information	64

Standard Includes

- Non-locking doors and drawers
- Pull-out trash container (24 quart capacity) in lower left compartment
- Silverware organizer for use in any box drawer
- One adjustable shelf in each hinged-door compartment.


How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
- 3 Finish option (omit for laminate):
N = Satin
R = Gloss
- 4 Rim profile:
➤ See page 62 for designators.
- 5 Pull number and designator:
➤ See page 63 for designators.
- 6 Finish price group:
STD = 1
STD2 = 2 (+20%)
- 7 Finish designator
- 8 Rim finish price group (omit for wood top):
STD = 1
STD2 = 2 (+20%)
- 9 Rim finish designator (omit for wood top)
- 10 Metal corner post finish designator
462 = Cinder
501 = Platinum Metallic
503 = Satin Nickel

Carts and Telephone Stands

Pricing

GSA SIN 711-9



<i>D</i>	<i>W</i>	<i>H</i>	<i>Number of Locks</i>	<i>Number of Shelves</i>	<i>Model</i>	<i>Price</i>
Utility/AV Cart						
24 $\frac{1}{4}$ "	36 $\frac{7}{8}$ "	35"	2	2 adjustable (1 per compartment)	CR2436MUC	\$3138
Serving Cart						
28"	46 $\frac{3}{4}$ "	31 $\frac{1}{4}$ "	0	1 fixed	CR1938MSC	\$2459
19 $\frac{1}{4}$ "	38"	36"		(with leaves folded up)		
Hospitality Cart						
24 $\frac{1}{4}$ "	36 $\frac{7}{8}$ "	35"	1	1 adjustable	CR2436MHC	\$3516
Telephone Stand						
18 $\frac{3}{8}$ "	18 $\frac{3}{8}$ "	27 $\frac{3}{4}$ "	1	1 adjustable	CR1717PMTM	\$1572

Knife (S) and reverse knife (RS) rim profiles appear on the front edge only on utility/AV and hospitality carts; sides and back are flat. All other rim profiles appear on all four sides of top.

Serving cart and telephone stand are standard with a flat edge profile.

Features	➤ See page 62
Pull Options	63
Locking Information	64

Standard Includes

- Four locking, dual-wheel casters
- Side handle on carts
- Lock(s), if applicable
- Shelves


How to Specify

- 1 Model
- 2 Material:
W = Wood
LW = Laminate with wood rim
(not available on serving cart)
- 3 Finish option: (omit for laminate):
N = Satin
R = Gloss
- 4 Rim profile (omit for serving cart and telephone stand):
➤ See page 62 for designators.
- 5 Pull number and finish designator (omit for serving cart):
➤ See page 63 for designators.
- 6 Lock option (omit for serving cart):
KRB = Key random
KSB = Key specific (-\$23 per lock); specify lock core(s) separately
- 7 Finish price group:
STD = 1 **STD2** = 2 (+20%)
- 8 Finish designator
- 9 Rim finish price group (omit for wood top):
STD = 1 **STD2** = 2 (+20%)
- 10 Rim finish designator (omit for wood top)
- 11 Metal corner post, side handle (if applicable), and caster finish designator:
462 = Cinder
501 = Platinum metallic
503 = Satin Nickel metallic

Visual Boards

Pricing

GSA SIN 711-9



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Visual Board with Sliding Wood Doors				
23 ³ / ₈ "	50"	50"	CR5050VBW	\$3134
	98" (when doors are fully open)			

Features	➤ See page 62
Pull Options	63
Locking Information	64

Standard Includes

- White HPL writing surface
- Door handles; metal
- Marker tray; metal

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator
- ④ Metal finish designator:
462 = Cinder
501 = Platinum metallic
503 = Satin Nickel metallic

For use in wall mount applications and with dry-erase markers only.

Expo or Expo2 dry erase markers are recommended for use on marker boards. Low-odor dry erase markers are not recommended, as they may leave undesirable results when erased.

Lecterns

Pricing

GSA SIN 711-9



<i>D</i>	<i>W</i>	<i>H</i>	<i>Model</i>	<i>Price</i>
Floor Lectern				
26¼"	24½"	48"	CR2448LCW	\$3366

Features	➤ See page 62
Pull Options	63
Locking Information	64

Standard Includes

- Adjustable shelf behind hinged door in lower compartment
- Presentation surface with cut-out for cable management
- Four locking dual-wheel casters
- Wood top and chassis with metal corner posts
- Non-locking lower compartment

How to Specify

- ① Model
- ② Finish price group:
STD = Group 1
STD2 = Group 2 (+20%)
- ③ Finish designator
- ④ Metal support/corner posts finish designator:
462 = Cinder
501 = Platinum metallic
503 = Satin Nickel metallic

Model Number Index

Terms & Conditions	➤ See page 4
Asset Tag Locations	5
Product Warranty	6
ANSI/BIFMA	8

Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page	Model	➤ See page
AB2228T	59	CCS3672AR	21	CCS4896AR	21	CR1938MSC	66	TT2-42W	42
AB2802BC	59	CCS3672RC	22	CCS4896BT	23	CR2436MHC	66	TT2-48W	42
AS40110RTFMW	53	CCS3672RT	20	CCS4896RC	22	CR2436MUC	66	TT3-4296W	43
AS4094RTFMW	53	CCS36RD	18	CCS4896RCV	36	CR2448LCW	68	TT3-48120W	43
AS48110BTFMW	53	CCS4242SQ	19	CCS4896RT	20	CR2454CB	65	TT3-48144W	43
AS4894BTFMW	53	CCS42RD	18	CCS4896RTV	35	CR2472CB	65		
CBM2228TF1	59	CCS48120AR	21	CCS48RD	18	CR5050VBW	67		
CBM2228TF2	59	CCS48120BT	23	CCS54RD	18	IN2930C	50		
CBM2428D	31	CCS48120RC	22	CCS60144AR	21	IN48120RC	49		
CBM2802C	30	CCS48120RCV	36	CCS60144BT	23	IN48144RC	49		
CBM2803CT	30	CCS48120RT	20	CCS60144RC	22	IN484RD	49		
CBM2803CTF1	59	CCS48120RTV	35	CCS60144RT	20	IN4896RC	49		
CBM2803CTF2	59	CCS48144AR	21	CCS60168AR	21	IN48RD	49		
CBM2804C	30	CCS48144BT	23	CCS60168BT	23	KAC1313ELRINT	37		
CBM3428TT	30	CCS48144RC	22	CCS60168RC	22	KAC1313ELRINTH	37		
CBM3428X	30	CCS48144RCV	36	CCS60168RT	20	KAC48WMH	37		
CBS1624CYW	25	CCS48144RT	20	CCS60192AR	21	KC2GMK	64		
CBS1627SQHW	27	CCS48144RTV	35	CCS60192BT	23	KCCB001	64		
CBS1627SQW	26	CCS48168AR	21	CCS60192RC	22	KCCB1CK	64		
CBS1627SSW	26	CCS48168BT	23	CCS60192RT	20	KCU0810ELPDC	24		
CBS2327RTW	28	CCS48168RC	22	CCS60216AR	21	KCU0810ELPDCH	24		
CBS2427PNW	29	CCS48168RCV	36	CCS60216BT	23	KCU0840ELPDC	24		
CBS2427SQHW	27	CCS48168RT	20	CCS60216RC	22	TB1-2530W	46		
CBS2427SQW	26	CCS48168RTV	35	CCS60216RT	20	TB1-2530WM	46		
CBS2527ELW	28	CCS48192AR	21	CCS60240AR	21	TB1-4W	46		
CBS2716CYHW	27	CCS48192BT	23	CCS60240BT	23	TB3-4W	46		
CBS2716CYL	25	CCS48192RC	22	CCS60240RC	22	TT1-4296W	44		
CBS2716CYW	25	CCS48192RCV	36	CCS60240RT	20	TT1-42W	42		
CBS2716CYWL	25	CCS48192RT	20	CCS60RD	18	TT1-48120W	44		
CBS2716CYWW	25	CCS48192RTV	35	CCST2448RT	58	TT1-48144W	44		
CBS2724CYHW	27	CCS48216AR	21	CCST2460RT	58	TT1-48168W	44		
CBS2724CYL	25	CCS48216RC	22	CCST2466RT	58	TT1-48192W	44		
CBS2724CYW	25	CCS48216RT	20	CCST2472RT	58	TT1-48216W	44		
CBS2827RTW	28	CCS48240AR	21	CCST3060RT	58	TT1-48240W	44		
CBS3027ELW	28	CCS48240RC	22	CCST3066RT	58	TT1-48264W	44		
CBS3327XW	30	CCS48240RT	20	CCST3072RT	58	TT1-4896WE	45		
CCS3636SQ	19	CCS4848SQ	19	CR1717PMT	66	TT1-48W	42		


Terms & Conditions	▶ See page 4
Asset Tag Locations	5
Product Warranty	6
ANSI/BIFMA	8

Samples:

Samples of Kimball Office materials are available upon request. Samples are to be used as guidelines only. Slight variations within commercial tolerance may occur between samples and finished products. Kimball Office carefully selects all materials used in every product, ensuring a commercially acceptable color and finish.

To order samples:

- Visit the Partner web site at www.kimballoffice.com to order materials electronically
- Contact your Kimball Office Sales Representative or the nearest Kimball Office Showroom
- For Alliance program fabrics, contact our Alliance partner directly.



▶ See page

Program Overview	A2
Wood Finishes	A3
Special Wood Finishes	A4
Characteristics & Care	A5
Laminate	A6
Woodgrain, Solid, & CSL	A6
Pattern	A7
Customer-Specified (CSL)	A8
Paint and Non-Paint	A9
PVC	A10

Program Overview

Fabric Collection:

Our collection of fabrics offers a wide variety of materials that include both timeless classics, as well as a selection of trendy colors and patterns to keep the offering fresh and current.

The classic patterns are perfect for establishing new standard color palettes, while the trendy patterns are great for adding accents and pops of color to make a statement and to show that you are in tune with the pulse of today's fast-paced world.

The fabric collection was developed with an international flare to make it easy for global companies to standardize in all locations. It contains both standard in-line and alliance patterns. Our alliance partners are chosen with great care to give us the best selections and service in the industry.

You will find that colors were developed to coordinate very well between the in-line and alliance offerings, as well as between the seating and panel fabric offerings.

The fabric collection will provide options for the discerning client for many years to come.

Wood Collection:

Our wood finishes offer fresh options that provide natural-looking finishes to meet today's design expectations. From the lightest Brighton Maple to the darkness of Urban Walnut, these finishes were chosen with great attention to offer a complete range of color options making it simple to specify the look you want. You can achieve contemporary or transitional looks, or choose to update your traditional style by selecting one of the newer walnut or cherry finishes.

Kimball Office carefully selects veneers and solid woods to provide high quality wood furniture. Variations in color, grain, and texture occur naturally in all wood species, but are most apparent in lighter colored woods, and especially in natural finishes.

The wood collection offers a number of light finishes that will not hide or mask the natural characteristics of wood. Mineral streaks, pitch pockets, and color variations from piece to piece are all characteristics that occur in natural veneers and are what make each piece unique. While the finishing process is identical for all pieces, each finished piece accepts the stain differently to create its own individual beauty. These characteristics are part of the inherent natural beauty of wood and are not considered defects.

Darker finishes can be selected to hide more of the veneer's characteristics. Several beautiful coordinating woodgrain laminate options are also available for the customer who wants complete color and grain consistency throughout.

Two surfaces with grain directions that are at different angles to a light source will reflect the light differently and look a slightly different color. This natural phenomenon is called flip. This can happen within a single piece as alternating veneer leaves are placed side by side or from piece to piece. Flip is often noticed on worksurfaces installed at a 90° angle to each other.

Two premium veneers—Sapele and Zebrawood—are part of the standard offering to provide options for high impact styles without having to quote custom veneers. Premium veneers could receive extended lead times based on supplier availability at the time the order is placed.

Wood Finishes	➤ See page A3
Woodgrain & Solid Lam.	A6
Pattern Laminate	A7
Paint & Non-Paint	A9

Discontinuation Policy:

Kimball Office strives to give all business partners advanced notification of surface materials that are scheduled for discontinuation. Efforts will be made to support discontinued materials as specified in the deletion announcement. Pricing cannot be guaranteed. Extended leadtimes and minimum order requirements may apply.

Disclaimer:

Kimball Office will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. Kimball Office reserves the right to cancel or make changes to standard products and surface materials.

Wood

Finishes

	Cherry				Maple		Oak		Walnut				Sapele				Zebrawood	
	MC Amber	CC Cordoba	MH Mocha	SC Sedona	IM Brighton	TM Huntington	CO Canyon	YO Monterey	ES Espresso	MW Midtown	TW Tribeca	NW Tuscan	UW Urban	CX Coco	SX Siena	CS Coco	SS Siena	CZ Clear
Price Group	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	
Contemporary/Transitional	•	•	•	•	•	•			•	•	•	•			•	•		
Retractable Power	•	•	•	•	•	•			•	•	•	•			•	•		
Traditional—round pie-cut									•	•	•	•						
Traditional—elliptical									•	•	•	•						
Traditional—all other models	•	•	•	•					•	•	•	•						
Innsbruck	•	•	•															
Aspire	•	•	•	•	•	•			•	•	•	•			•	•	•	
Configuration	•	•	•	•	•	•			•	•	•	•			•	•		
Complementary Furniture	•	•	•	•	•	•			•	•	•	•			•	•	•	

Key:

• = Standard finish

Kimball Office is known as the wood leader in the office furniture industry. Exceeding our customer expectations has always been our goal.

It is important to educate your customers on what to expect from the wood furniture they order. If they require a specific characteristic or look, please contact **By Design** to review veneer options and discuss special quotes.

➤ See page A2 for program overview.

➤ See page A5 for wood characteristics (including descriptions for veneer cut and grain matching) care, and maintenance.

Price Groups:

STD = Group 1 (list price)

STD2 = Group 2 (20% upcharge)

Wood

Special Wood Finishes

Kimball Office offers the following options for special wood finishes:

- Standard finish color on alternate wood species
- Previously developed special finish
- Custom finish

Standard finish colors available on an alternate wood species include:

- Amber on Maple
- Amber on Walnut
- Mocha on Walnut

These finishes can be specified without going through the finish approval process described at right.

Previously developed special finishes can be selected from an extensive library developed by Kimball Office. Samples of previously developed special finishes are available from Customer Service upon request.

Custom finishes can be developed to meet specific needs, if an acceptable match is not available in our library.

IMPORTANT: Kimball Office reserves the right to decline the opportunity to match a finish color.

Applicability:

Applicability of special finish colors depends on the wood species to which they are applied. The matrix below shows the types of woods used for each series.

	Cherry	Maple	Walnut	Sapele
Price Group	1	1	1	2
Arpeggio	•	•		
Bloom	•	•	•	•
Collaborative	•	•	•	•
Contemporary	•	•	•	•
Dock	•	•	•	•
Definition	•	•	•	•
Fluent	•	•	•	•
Innsbruck	•			
Perks Keyboard Drawers		•		
Perks Center Drawers		•		
Pose	•	•	•	•
President			•	
Priority	•	•	•	•
Scenario	•	•	•	•
Senator	•		•	
Stow	•	•	•	•
Teem	•	•	•	•
Traditional	•		•	
Transcend	•	•	•	•
Villa Tables	•	•	•	•

• = standard wood species

Note: Special finishes are not available on Zebrawood, Canyon Oak, Monterey Oak, or Tuscan Walnut.

Upcharges:

A one-time fee of **\$300** (net) will be billed for the development of each new custom finish. This fee covers all Kimball Office product lines on which the finish may be used.

A **10%** upcharge per line item (model number) will be applied for a standard finish on an alternative wood species, a previously developed special finish, or a custom finish. This upcharge is calculated on the base price, before other option upcharges are added.

For upholstered products, the upcharge is calculated on the Grade 1 upholstery price then added to the price for the selected fabric grade, to arrive at the list price.

Custom Finish

Approval Process:

- ① Send desired finish sample (no smaller than 3" x 5"), along with a purchase order for the \$300 (net) special finish development fee, to Customer Service along with a complete list of the products and wood species to which the special custom finish is to be applied. Include dealer name, contact, and project reference.
- ② If a previously developed sample is found to be compatible, a sample will be sent for customer approval. If not, a custom finish will generally require at least a week for a matched sample. Samples sent to the customer will advise of any restrictions that may apply.
- ③ Customer signs off on the sample and returns the approval form to Customer Service. Approval is required prior to order entry.

Note: The one-time fee of \$300 will not be charged unless a custom match finish is required.

Key:

• = Standard wood species

How to Specify

- ① **Model:**
Build the complete model specification by following the How to Specify steps on the pricing page for the product that is to receive the special finish.
- ② **Finish type:**
For the "Finish type" step, insert a special code (in place of STD):
ZCHY1 = Special cherry finish
ZMAP1 = Special maple finish
ZWAL1 = Special walnut finish
ZSAP1 = Special sapele finish
Note: Choose the special finish code based on the standard wood species used in the product line (see matrix at left).
- ③ **Finish designator:**
For the "Finish designator" step, insert the designator below or the one provided to you by Customer Service:
MA00174KOG = Amber on Maple
WA02905KOG = Amber on Walnut
WA02905KOG = Mocha on Walnut a

Characteristics, Care, and Maintenance Tips

Kimball Office's experience in wood finishing extends from past generations of craftsmen to present day state-of-the-art technology.

Our Pura® finish is a proprietary, water-based, ultraviolet (UV) wood finish that has virtually no volatile organic compounds (VOCs). It uses less energy than our conventional finishing process and meets or exceeds BIFMA Furniture Emission Standards (FES) and U.S. Green Building Council LEED requirements for indoor air quality. Pura is exceptionally clear and durable and allows the beauty of our wood to shine through. The durability, depth, clarity, and beauty of Pura meets the high expectations customers have of Kimball Office finishes.

Finish fill and sheen level for the top surfaces is appropriate for the design and wood species. If different specifications are required, contact Customer Service.

➤ See the individual chapters for fill and sheen information by line.

All wood products are very susceptible to darkening from age and exposure to UV rays (sunlight and other sources), especially cherry and maple. Although a special UV inhibitor is added to finishes, care in placement of furniture near light sources and elimination of prolonged covering of surfaces is necessary to reduce uneven color change of the wood.

Fine scratches from everyday use may be more visible on furniture with dark finishes. Darker finishes absorb more light, while fine scratches reflect the light. Therefore, scratches can be more emphasized due to this contrast. The use of a desk pad is recommended to keep scratching to a minimum.

The beauty of wood is that, as a natural product, it will have differences in grain characteristics, color, and other features among wood species. The characteristics of our top grade veneers are appreciated and welcomed; it's the differences in characteristics that offer each office a unique look.

Maple veneers are plain sliced and slip matched. Brighton Maple is a clear finish for those who appreciate the inherent beauty of wood. Differences in grain character and color are natural characteristics of wood and will show through in the finished product.

Walnut veneers are plain sliced, and applied book and center matched.

Cherry veneers are plain sliced and slip matched. Grain characteristics of cherry veneer such as gum streaks and gum pockets occur naturally and add to the authentic look and feel of natural veneer. These are inherent to this veneer and should not be considered defects.

Sapele veneers are quarter sliced and slip matched.

Canyon Oak, Monterey Oak, Tuscan Walnut, and Zebrawood are quartered (straight) grain finishes.

Specification of particular cuts, characteristics, or wood species can be accommodated. For example, a customer may ask for a limited amount of cathedrals or very limited variation in color from one veneer flitch to the next. Kimball Office systems products are able to satisfy those expectations, as long as we are notified prior to order placement. Depending on the request, the higher grade veneer may require an upcharge. Orders would also need to be handled through our custom quote process.

The wood species on seating may vary from the wood species on the casegood or system. Different wood species offer unique texture and grain which provide more variation in finish color; however seating finishes are compatible with casegoods and systems finishes.

Wood Finishes	➤ See page A3
Woodgrain & Solid Lam.	A6
Pattern Laminate	A7
Paint & Non-Paint	A9

To Maximize Longevity and Beauty of the Wood Finish:

- Clean all surfaces frequently with a water dampened soft cloth following direction of the grain.
- Dry with a separate cloth if needed.
- Avoid exposure to strong sunlight or extremes in temperature or humidity.
- Avoid exposure to harsh solvents and always remove any spilled liquids immediately.
- Use a desk pad. This will help protect against possible damage and imprinting caused by writing instruments and sharp objects.
- Pads with foam backing are not recommended.
- If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe.
- Do not leave plastic, vinyl, or rubber items on finished wood surfaces. Sustained contact could damage the finish.

Laminate

Woodgrain, Solid, and CSL

CSL GSA Non-Contract

Key:

● = Standard finish

	Woodgrain													Solid																CSL
	MC Amber Cherry	CC Cordoba Cherry	MH Mocha Cherry	SC Sedona Cherry	IM Brighton Maple	TM Huntington Maple	CO Canyon Oak	YO Monterey Oak	MW Midtown Walnut	TW Tribeca Walnut	NW Tuscan Walnut	UW Urban Walnut	CZ Clear Zebrawood	480 Antique White	403 Chamois	462 Cinder	440 Cloud	405 Designer White	450 Fog	488 Frosty White	461 Graphite	416 Putty	420 Sandstone	425 Shadow	460 Storm	419 Wallaby				
Complementary Furniture	•	•	•	•	•	•			•	•		•	•		•	•	•	•	•	•	•	•	•	•	•	•	•			
Contemporary Tables & Bases†	•	•	•	•	•	•			•	•		•	•		•	•	•	•	•	•	•	•	•	•	•	•	•			
Configuration Tables	•	•	•	•	•	•			•	•		•	•		•	•	•	•	•	•	•	•	•	•	•	•	•			

† Woodgrain, solid, and pattern laminates are available on base models CBS2716 and CBS2724 only.

Woodgrain laminate is a commercially compatible match to the wood finish of the same name and designator with consideration for the most common application—laminate surfaces on a wood chassis. When laminate and wood are mixed in other applications, the flip that occurs naturally in veneer may influence the overall match from piece to piece.

Laminate

Pattern

Key:
● = Standard finish

	874	842	823	841	862	844	843	846	812	860	808	807	873	805	809	802	814
	Bronze Legacy	Canyon Zephyr	Carbon Evolv	Desert Zephyr	Grey Glace	Loden Zephyr	Misted Zephyr	Moro Zephyr	Mushroom Tigris	Neutral Santos	Nickel Evolv	Silicon Evolv	Tawny Legacy	Titanium Evolv	Tungsten Evolv	White Nebula	White Tigris
	Pattern																
Complementary Furniture	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Contemporary Tables & Bases†	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Configuration Tables	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

† Woodgrain, solid, and pattern laminates are available on base models CBS2716 and CBS2724 only.

Laminate

Customer Specified Laminate

GSA Non-Contract

Customer specified high-pressure laminate (CSL) is available select products.

➤Contact Customer Service to initiate approval.

Kimball Office reserves the right to decline a customer specified laminate which may not be suitable for application.

Kimball Office assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate.

Metal, embossed, specialty, and supplier discontinued laminates must be custom quoted.

➤Contact **By Design** at 800.482.1616 extension 6002.

Kimball Office orders and procures all customer specified laminates.

Laminate sheen level must not exceed 60° for maximum durability of work-surfaces.

Lead times may vary for certain laminates. Minimum order quantities may apply.

Pricing:

A **20% upcharge per line item** (model) for CSL orders for supplier standard laminates applies. Upcharge is calculated on the base price, before other option upcharges are added.

Wood Finishes	➤See page A3
Woodgrain & Solid Lam.	A6
Pattern Laminate	A7
Paint & Non-Paint	A9

How to Specify

- ① **Model:** Build the complete model specification (excluding the finish type and finish designator) by following the How to Specify on the appropriate pricing page for the product that is to receive the special finish.
- ② **Finish type:** For the "Finish type" step, insert a special finish code (in place of STD).
ZFMA1 = Formica
ZLMT1 = Lamin-Art
ZLTC1 = Lamitech
ZNEV1 = Nevamar
ZPTE1 = Pionite
ZWST1 = Wilsonart
- ③ **Finish designator:** For the "Finish designator" step, insert the laminate designator (color number) of the laminate to be applied to the product.

Paint and Non-Paint Finishes

Key:

• = Standard finish

	Solid Paint																				Metallic Paint					Non-Paint						
	480 Antique White	427 Barley	437 Cement	403 Chamois	462 Cinder	440 Cloud	485 Dark Chocolate	405 Designer White	459 Environmental Grey	450 Fog	488 Frosty White	445 Graphite	416 Moon Beam	420 Putty	425 Sandstone	465 Shadow	460 Smoke	429 Storm	419 Tantalum	419 Wallaby	514 Carbon Metallic	501 Platinum Metallic	503 Satin Nickel Metallic	510 Silver Frost Metallic	511 Silver Satin Metallic	490 Chrome	495 Brushed Steel	500 Light-Brushed Aluminum	Brushed	Sandblasted	White	
Contemporary metal bases					•																•	•				•	•					
Configuration tapered legs					•																•	•				•	•					
Configuration column legs					•																											
Configuration T-legs					•																											
Configuration folding T-legs					•																•	•				•	•					

IMPORTANT: Due to the reflective qualities of metallic paint, variations in color may occur.

	Solid Color Plastic												Woodgrain Plastic																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	480	Antique White	403	Chamois	462	Cinder	440	Cloud	485	Dark Chocolate	405	Designer White	450	Fog	488	Frosty White	461	Graphite	420	Sandstone	425	Shadow	460	Storm	MC	Amber Cherry	CC	Cordoba Cherry	MH	Mocha Cherry	SC	Sedona Cherry	IM	Brighton Maple	TM	Huntington Maple	CO	Canyon Oak	YO	Monterey Oak	MW	Midtown Walnut	TW	Tribeca Walnut	NW	Tuscan Walnut	UW	Urban Walnut	CZ	Olear Zebrawood																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Collaborative plastic rim (P)	•	•	•	•			•	•		•	•		•	•		•		•		•		•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

ASPIRE®
CONFIGURATION
COMPLEMENTARY FURNITURE
CONTEMPORARY / TRANSITIONAL
INNSBRUCK™
RETRACTABLE POWER
TRADITIONAL

PRICE LIST
TABLES LEGACY
EFFECTIVE 8.24.2015

Kimball®Office

A unit of Kimball International ©2015 Kimball International, Inc. Form No. PLTALEG Ver. 0815

1600 Royal Street
Jasper, Indiana 47549

800.482.1818
kimballoffice.com

TABLES LEGACY PRICE LIST

Revision Summary

February 2016

This document provides a summary of revisions made to the price list since August 24, 2015.

These revisions are effective February 1, 2016, as noted.

General Information

Sustainability information has been revised.

➤See page 7.

Aspire

Power/data center is not available on Aspire. Paragraph deleted from the Aspire tables features page.

➤See page 52.

Finishes & Materials

Wood characteristics have been clarified with regard to the cut and grain matching.

➤See page A5.