

NATIONAL®

Furniture with Personality®

Casegoods

Arrowood™ Laminate

Arrowood™ Veneer

Barrington®

Captivate®

Casbah®

Clever®

Escalade®

Flourish®

Hiland™

Roosevelt™

Exhibit™ Wall Rail Solution

Chameleon™ Dividers

Accessories/Work Tools

Occasional Tables

Bookcases/Files

1

Price List

October 19, 2015

National Office Furniture - Warranty

National warrants that each piece of furniture will be free from defects in workmanship given normal use and care for as long as you, the original customer, owns and uses the product.

Normal use is defined as the equivalent of a single shift, 40 hour work week. In the event that a product is used more than normal use, the applicable warranty period will be reduced to 12 years and items that fall under different warranty limitations, as listed below, will be reduced to one-third (ex: Wood chair frames will be 4 years instead of 12 years). National, at its option, will repair or replace with comparable product any product, part or component shipped after September 1, 2000, if the claim is eligible under the conditions of this warranty. This warranty is valid only if the product is given proper care and maintenance.

Limitations

Twelve Years	Wood Chair Frames
Ten Years	Seating Controls, Wood Veneers and Laminates
Five Years	Mechanical and High Wear Parts Such As: Electrical Components, Polymer Based Components, Pneumatic Cylinders, Swivel Arm Pads, Casters, Chair Glides, Textiles, Foam, Covering Materials and Decorative Trim

Exclusions

This warranty does not apply to:

- Damage caused by a carrier
- Normal wear and tear which is to be expected during the period of ownership
- Appearance, durability, quality, behavior, colorfastness or any other attribute of COM (Customer's Own Materials) or any other non-standard National material (including Arc-Com, Stinson, Maharam, Momentum, and Ultrafabrics) specified by the customer after application to a National product
- Color, grain or texture of wood, laminate and other covering materials
- Non-compliance with installation and maintenance instructions
- Electrical grommets where the box has been opened
- Damages or failures resulting from modifications, alterations, misuse, abuse or negligence or improper care and maintenance of our products

NOTE: If using a protective glass top, always place felt spacer pads under the glass to allow the wood to breathe. A glass addition has the potential to accentuate deflection.

Gotcha™ 24 Hour Use Seating

Warranty on Gotcha 24 Hour Use models is 5 years from date of purchase for seating controls and pneumatic cylinders and 2 years from date of purchase for casters, textiles and foam.

Engineer-to-Order Products

National warrants all Engineer-to-Order products to be free from defects in workmanship given normal use and care for 3 years of single shift service.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Follow these procedures to process warranty issues:

1. Contact National Customer Service (800.482.1717) and provide them with the serial number from the product in question and the purchase order number or acknowledgement number and a detailed description of the warranty issue. **Serial numbers are mandatory before the claim can be processed.**
2. Customer Service will determine and pre-approve all resolutions to the claim such as replacement units, service parts, labor and repair charges. Upon approval, resolutions will be assigned an authorization number.
3. The authorization number must be included on all invoices for reimbursement. Any unauthorized charges will not be the responsibility of National.

As the manufacturer of your furniture, we stand behind our craftsmanship and pledge to do everything we can to resolve any problems you may have within the terms of this warranty as quickly as possible.

There are no other warranties except as expressly set forth here, either expressed or implied including any warranty of merchantability or fitness for any particular purpose. We exclude and will not pay consequential or incidental damages under this warranty.

National Office Furniture
1610 Royal Street
Jasper, Indiana 47549
800.482.1717 Fax 812.482.8800
www.NationalOfficeFurniture.com

GENERAL INFORMATION

Contact Information	2
Order Procedures	2
Order Confirmation	2
Changes and Cancellations	2
Terms and Pricing	2
Product Design	2
Shipping/Freight	2
Delivery	2
Claim Process	3
Quick Delivery Program	3
Sustainability Information	4
Asset Tag Locations	6
Life Cycle Management Program	7
Finishes and Materials	7
BIFMA and ANSI Testing	8
National Seating Upholstery	11
Alliance Program Textiles	16

CASEGOODS

Arrowood™ Laminate	31
Arrowood™ Veneer	49
Barrington®	73
Captivate®	97
Casbah®	125
Clever®	169
Escalade®	189
Flourish®	213
Hiland™	225
Roosevelt™	239

WALL RAIL SOLUTION

Exhibit™	253
--------------------	-----

DIVIDERS

Chameleon™	335
----------------------	-----

ACCESSORIES

General Accessories	349
-------------------------------	-----

OCCASIONAL TABLES

Myriad™	379
Pegos®	385
Staccato®	389

POWER/DATA ELECTRICAL 395

BOOKCASES 403

FILES 419

COM YARDAGE REQUIREMENTS 433

INDEX 439

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

General Information

Contact Information

National Office Furniture
1610 Royal Street
Jasper, Indiana 47549

To order literature, check order status, and check lead times on-line, please visit us at www.NationalOfficeFurniture.com.

Telephone: 800.482.1717
Fax: 812.482.8800
E-mail customer service: Service@NationalOfficeFurniture.com

Ordering Procedures

For prompt delivery, all orders **MUST** include:

1. Purchase Order Number (on each page of order)
2. Billing Address
3. "Ship To" Information
4. Special Shipping Instructions (requested ship or delivery dates, ship complete or split shipments, and tags if applicable)
5. Complete Model Numbers
6. Net Price

National does not accept orders verbally. Fax or e-mail orders directly to:

Fax: 812.482.8800
E-mail: Orders@NationalOfficeFurniture.com

(This e-mail requires an attached PDF order. General correspondence should go through Service@NationalOfficeFurniture.com.)

Order Confirmation

All complete orders will be acknowledged with ship dates **upon entry of a clean, credit approved order** into our system. This acknowledgement is the final agreement between National and the customer superseding all previous communications regarding the order.

NOTE: Please examine this acknowledgement carefully and advise National immediately of any discrepancies.

Changes and Cancellations

We regret that changes and cancellations are not possible once your order is entered into our system. In order to support our lead time commitments, orders are scheduled into our production cycle immediately upon order entry.

This includes changes/cancellations to:

- Quick Delivery Casegoods
- Made-to-Order Casegoods
- Engineered-to-Order (ETO) Casegoods

Please contact customer service for assistance.

Terms and Pricing

Prices are list prices for shipment within the continental United States; for Canadian pricing, please reference www.NationalOfficeFurniture.com

Price subject to change without prior notice.

Merchandise will be billed at prices prevailing at time of placing order.

Distribution of this price list does not itself constitute an offer to sell.

Orders can be received only from authorized National Dealers.

Product Design

National reserves the right to make changes in design, specifications, and construction and to discontinue products without prior notice. Dimensions referenced in this book are nominal.

Shipping/Freight

All shipments are C.P.T. point of shipment, freight prepaid and allowed to one continental U.S. or one Canadian destination. International shipments and shipments into the states of Alaska and Hawaii are freight prepaid and allowed to port of exit.

Additional energy surcharges may apply.

National reserves the right to select the most appropriate F.O.B. point, carrier, and routing on all shipments.

Delivery Hours

Pricing is based on standard delivery between 8am and 3pm Monday through Friday.

Special Delivery Services

Any charges incurred from failure to receive a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to the "sold to" account number on the order. Detention charges may be incurred for untimely off-loading of product.

Any order requiring **Special Delivery Services will incur additional charges.**

All such requirements must be noted on the purchase order. These are services that are not included in the price of the product or require the usage of specialized carriers. Examples of such Special Delivery services include:

- **Inside Delivery**
Minimum \$50 charge
- **Non-Standard Delivery Time (before 7:00am or after 5:00pm)**
Contact customer service for charges and availability
- **Non-Dock Delivery**
Minimum \$50 charge
- **JIT Delivery (specific day and/or time)**
Orders under \$10,000 list will incur a minimum \$125 charge
- **Weekend Delivery (Friday after 5:00pm until 7:00am Monday morning)**
Minimum \$500 charge per delivery
- **Residential Delivery**
Customer service may assist you in determining your special delivery requirement and any additional charges that may apply

Contact customer service if you are not sure if your order requires one or more of the above services. We will make every attempt to avoid the additional charges by giving options on what we can do within our standard delivery price.

Carrier Selection

National reserves the right to select the most appropriate mode of shipment. National relinquishes all responsibility for the goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

Packaging

National's standard method of shipping is to carton all items. Certain full truck load items may qualify for special consideration. Contact customer service for guidelines. International shipments can be crated at the customer's request. The expense of crating or specialized packaging will be the responsibility of the customer.

Loss, Damage, or Delay

National shall not be liable for loss, damage, detention, or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

Claim Process for Merchandise Damage/Shortage/Carrier Delay

All the products produced by National are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

1. Before signing for merchandise, **make notation** of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
2. **Contact National Customer Service within 15 calendar days of goods receipt to report issue.** We will advise whether a freight claim will need to be filed based on the mode of transportation. Claims must be filed by dealer on Redistribution/LTL carrier shipments. Claim will be disputed if product is moved from original consignee location.
3. If claim must be filed, carrier must be contacted **within 15 calendar days of goods receipt.** Retain all shipping cartons for inspection by the carrier agent.
4. **Copy of Carrier Disposition Letter must be sent to National** to receive additional credit on concealed damage issues via Redistribution/LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

Claim Process for Warranty Issues

If a warranty issue is discovered, contact customer service immediately. To file the warranty claim, the following information is required:

- Serial number and warranty number are **mandatory** (see chart on page 6 for asset tag locations)
- Dealer purchase order number or National acknowledgement number
- Detailed description of issue

Customer service must **pre-approve** all resolutions such as replacement units, service parts, labor and repair charges. We reserve the right to resolve the issue in the most cost effective manner. All approved resolutions will be assigned an authorization number which must be included on all replacement orders or invoices for reimbursement. Any unauthorized charge will not be the responsibility of National.

Please see the inside Front cover for a full description of our Lifetime Product Warranty.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Finishes, when exposed to ultraviolet rays, may change color. Also, some desktop accessories with plastic or rubber feet can penetrate or burn the finish. These issues are not warranty defects and will not be the responsibility of National.

Return Merchandise

We discourage product returns due to the likelihood of damage during the return transportation. In the event a product return is necessary, we will make every attempt to help keep the product in the field. Please contact customer service for assistance.

If attempts to keep the product in the field are unsuccessful, National will allow **returns on stocking items only** with the following stipulations:

50% Restocking fee

Freight Charge prepaid by dealer

Product NEVER removed from original carton

Product must be returned within 30 days of RGA issue date

Credit will not be issued if product returned is damaged

Please note most models in the Quick Delivery Program are produced on demand and cannot be returned.

Freight damage, signs of usage or removal from original carton, or missing parts will result in no credit being issued. All returns require written authorization; any unauthorized return will not receive credit.

National will not be responsible for resolving damage claims on returned product.

Quick Delivery Program

Our most popular series and options are available to you on our "To You in 10 Days or Less" Quick Delivery program.



Need 10 offices in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 10? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

Specific models from the following series are available on Quick Delivery:

Arrowood Laminate	Flourish
Arrowood Veneer	Roosevelt
Barrington	Universal Bookcases
Clever	Universal Files
Escalade	

Quick Delivery Model Numbers

Quick Delivery models are available in select National finishes and have predetermined options. The Quick Delivery finishes are shaded in grey at the top of each page and the model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

On the Product Specifications and Options page at the beginning of every series, there is a grey shaded box to show you what options are included with the Quick Delivery model numbers.

Quick Delivery Ordering

Orders may not be changed or cancelled. Include only Quick Delivery models on your order. Create a separate order for any products that are not included in the Quick Delivery program. Remember that 10 business days does not include weekends or holidays. The day your order is placed with National counts as day zero.

Large Quantity Ordering

Large quantities of models on an order, or large dollar volume orders, may receive lead times greater than those posted on www.NationalOfficeFurniture.com. Please work with your project management team to confirm availability on your specific project.

EZ Arrangement Model Numbers

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done. If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models.

Standard Modifications

Simple product modifications or "special products" are available. National Office Furniture offers product modifications, provided the change does not affect the form, fit or function of the current product (which may require additional testing). Product modifications are assigned a revised model number which references the standard model that includes a SIN code. A modest upcharge may be levied which can be based on product quantity ordered or other criteria. To confirm that a product modification will be handled as a contract item, please contact Government Customer Service at 800-482-1213.

Sustainability Information

Our Statement on Sustainability

We aim to create lasting stakeholder value through responsible growth and deep commitment to the well-being of future generations. We cherish the Earth's natural resources and hold sustainability and environmental protection as our key priorities.

As our company fulfills its responsibilities to our customers, shareholders, employees and the public, six commitments provide a framework for focusing our energies toward the greatest good:

- Product Stewardship
- Environmental Preservation
- Green Building Development
- Regulatory Compliance
- Social Accountability
- Economic Responsibility

Our Products Reflect Stewardship

National is committed to providing quality products that will improve indoor air quality for the health of building occupants and visitors. Our products have achieved certification to the Indoor Advantage Gold label from Scientific Certification Systems (SCS) by meeting the BIFMA Furniture Emissions Standard (FES) for office furniture, and the California 01350 Special Environmental Requirements and Collaborative for High Performance Schools (CHPS).



In addition, all National manufactured products carry the level® 2 or 3 label for meeting the far-reaching ANSI/BIFMA e3 Sustainability Standard. This standard addresses the areas of material and energy use, greenhouse gas impacts, human and eco-system health considerations, and social responsibility. Modeled after the LEED® building rating system, furniture products are evaluated against a variety of credit criteria (after first meeting certain prerequisites), accumulating points toward increasing levels of recognition associated with reduced environmental impact. Purchasing products certified to level® gives you the assurance that the product was produced in an environmentally and socially responsible manner.

National products that meet the above specifications are identified with corresponding logos throughout this price list.

In further support of our commitment to indoor air quality, National utilizes IntegraClear®, an environmentally-friendly, ultra-violet finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards and is standard on all casegoods. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through.

National offers products that are not only economically viable, but are environmentally responsible and socially beneficial. An example of this is the option of Forest Stewardship Council (FSC) Certified wood (call for availability). Additionally, our casegoods include a recycled material content of at least 82 percent. A wide range of 100 percent recycled polyester choices are available for upholstered seating products while our casegoods packaging contains an average of 60 percent recycled content and our seating packaging contains an average of 50 percent recycled content. Our Corporate Recycling Center diverts over 4 million pounds of waste material per year from landfills by recycling 65 different types of materials.



What's more, National manufacturing facilities are registered to the ISO 14001 standard. This management tool enables us to identify and control the environmental impact of our operations, continually improve our company's environmental performance and systematically set environmental objectives and demonstrate their achievement.

At National, we realize that the environmental impact of a product throughout its entire life is important. Thus, we have conducted a Life Cycle Assessment (LCA) that is compliant to ISO 14040/14044 on a number of our products. LCA is a method of addressing the environmental aspects throughout a product's life cycle from raw material acquisition through production, use, end-of-life treatment and disposal. An LCA can help us establish targets for lessening the product's environmental impact.



We further support environmental improvements by shipping via our sister company, Kimball International Transit (KIT). KIT has earned certification in the SmartWaySM Transportation Partnership by the EPA. The SmartWaySM Transport Partnership is an innovative collaboration between the EPA and freight industry to increase energy efficiency while significantly reducing greenhouse gases and air pollution.

Growing With Green Buildings

National facilities testify to our belief in sustainable building practices. As a member of the U.S. Green Building Council (USGBC), we prioritize building practices that support the LEED® (Leadership in Energy and Environmental Design) Green Building Rating System.

LEED® Registered Projects

Corporate Showroom, Jasper, IN – LEED Gold

Research and Development Rooms, Jasper, IN – LEED Certified

Showroom, Atlanta, GA – LEED Pending

Showroom, Boston, MA – LEED Pending

Showroom, Chicago, IL – LEED Silver

Showroom, Dallas, TX – LEED Gold

Showroom, New York, NY – LEED Certified

Showroom, Washington, DC – LEED Silver

Manufacturing Facility, Santa Claus, IN – LEED Silver



ecoScorecard™

By partnering with ecoScorecard, we provide 24/7 access to research and compare the sustainable attributes of our products, making the specification of green products easier. EcoScorecard also does the calculations necessary for rating systems such as LEED®, the Green Guide for Health Care™, and others. This web-based tool produces the product documentation necessary for inclusion in the submission process.

Casegoods	Indoor Advantage Gold	level® 2	level® 3	FSC-Certified Option	LCA
Arrowood™ Laminate	✓		✓	✓	✓
Arrowood™ Veneer	✓		✓		✓
Barrington®	✓		✓		✓
Captivate®	✓		✓		✓
Casbah®	✓		✓	✓	✓
Clever®	✓		✓		
Escalade®	✓		✓		✓
Flourish®	✓		✓		
Hiland™	✓		✓		✓
Myriad™ Laminate	✓	✓			
Myriad™ Veneer	✓	✓			
Pegos®	✓	✓			
Roosevelt™	✓		✓		
Staccato® Laminate	✓	✓			
Staccato® Veneer	✓	✓			
Wall Rail Solution					
Exhibit™	✓	✓			
Dividers					
Chameleon™ Polycarbonate	✓	✓			
Chameleon™ Veneer	✓	✓			



ecoScorecard™

For comprehensive sustainability information that includes LEED® point contribution information, visit NationalOfficeFurniture.ecoScorecard.com.

For FSC certified wood information and availability, visit www.NationalOfficeFurniture.com/ProdMods.

General Information

Each National Unit has an asset tag. The matrix below indicates the location of these asset tags. The asset tag includes the model number as well as the serial number and warranty number. It is necessary to provide customer service with this information for warranty issues, replacement units, service parts, labor and repairs, etc.

ASSET TAG LOCATIONS	
Bookcases	Underside of the lowest shelf on the front edge
Bridges Corner Units Modular Worksurfaces Computer Support Furniture	Underneath the top surface
Component Modesty Panels	Top, center of the panel on the inside (kneespace area)
Conference and Occasional Tables	Underneath the top surface
Desks (Double and Single Pedestal) Returns Credenzas Lateral Files Modular Pedestals Mobile Pedestals	Underside of top drawer bottom, near the front edge; tag would be on the right pedestal unless a left pedestal, desk, return, etc
Dividers Toppers	Underneath the bottom frame
Highback Organizers	Back side of task light facade on the left-hand side
Horizontal Wire Manager	Underside of the bottom
Overhead Cabinets (wall mount or suspended)	Back side of task light facade on the left-hand side
P-Shaped U-Shaped Keyhole Shaped Desks	Underneath the top surface on the front edge (user's side)
Slat Zone Magna Zone	On the back
Tack Boards	Back of panel
Vertical Storage Cabinets with Drawers	Underside of top drawer bottom, near the front edge
Vertical Storage Cabinets with Shelves (no drawers)	Underside of the lowest shelf

Life Cycle Management Program

National offers a diverse collection of surface materials as well as a Life Cycle Management Program. This program includes our Essentials collection and Discontinuation Policy to help make informed planning decisions.

Discontinuation Policy

National strives to give all business partners advanced notification of surface materials that are scheduled for deletion. Efforts will be made to support discontinued materials as specified in the deletion announcement. Extended lead times and minimum order requirements may apply. Pricing cannot be guaranteed.

Disclaimer

National will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. National reserves the right to cancel or make changes to standard products and surface materials.

Finishes and Materials

Wood Finish Color Matching

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

Fabric Color Matching

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

Seating Finish and Thread

National's seating finishes can withstand cleaning solutions that include bleach, hydrogen peroxide (Virox), alcohol (CaviWipes, hand sanitizers), quaternary ammonium compounds (Virex, Ecolab A-456 II, Lysol,) and phenols (Wex-cide) when they are used in accordance with the manufacturer's label instructions.

National manufactured seating features sewing thread by Guardian with Microban® Antimicrobial Product Protection. Microban protection helps prevent the growth of bacteria that can cause stains and odors on the thread providing an added level of protection in seam crevices that are susceptible to microbe activity.

Customer Specified Laminate (CSL) Program

Program Details

- National understands that some orders have specialized needs regarding laminate specifications
- In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only**
- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering

CSL Ordering Process

- Laminate sheen level not to exceed 60° for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
Please include:
 1. Manufacturer's Name
 2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL Policy

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration or any other performance characteristic of a customer specified laminate

BIFMA and ANSI Casegoods Testing


ANSI/BIFMA X5.5-2008 Desk/Table Products-Tests

National products are designed and manufactured to meet or exceed BIFMA and American National Standards Institute (ANSI) standards. National is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA).




5 of the 21 tests in the ANSI/BIFMA X5.5-2008 Desk/Table Products – Tests

Top Load Ease Cyclic Test




- Evaluates the durability of casegoods to withstand cyclic loading of the top worksurface
- 200-lb. bag raised until entire weight is off the top and then eased onto the top
- 10,000 cycles

Extendible Elements Cycle Test




- Evaluates the operation of casegood extendible member to ensure that suspension systems can support typical loads while being opened and closed
- Extendible member load – .017 lb./cubic inch of filing volume
- 30,000 cycles in center of pull area
- 10,000 cycles on each side of center pull

Desk/Table Unit Drop Test




- Evaluates how well casegoods withstand impact on closed bases
- Each end of the desk is picked up 4.7" or 7.1" (depending on unit weight) one end at a time and dropped

Leg Panel Strength Test



- Evaluates the ability of end panels to withstand typical static loads
- Horizontal inward force
Functional load: 100 lbs.
Proof load: 150 lbs.
- Outward force
Functional load: 50 lbs.
Proof load: 75 lbs.

Stability Test



- Evaluates the stability of casegoods
- Largest drawer in each pedestal is opened and loaded
- Opening and loading should not tip the unit

The table below lists operating load capacities of various casegoods components. Components meet or exceed the ANSI/BIFMA X5.5-2008 Desk/Table Products Test and X5.9-2012 Storage Units Test Functional and Proof loading requirements.

The Operating Load Capacities listed below represent the BIFMA Functional Loads which is equivalent to loads that can be expected in normal use of the component.

Contact National Customer Service if additional testing information is needed.

COMPONENT	OPERATING LOAD CAPACITY
Desk/Table Top Load (Primary Surface, less than or Equal to 45" Long)	Concentrated - 200 lb. over 12" Diameter Area
Desk/Table Top Load (Primary Surface, greater than 45" to Less than or Equal to 72" Long)	Concentrated - 200 lb. over a 12" Diameter Area Distributive - 1.5 lb. per Linear inch of Product Top Perimeter
Desk/Table Top Load (Primary Surface, greater than 72" Long)	Concentrated - Two - 200 lb. over two 12" Diameter Areas Distributive - 1.5 lb. per Linear Inch of Product Top Perimeter
Pedestal Drawer	.017 lb. per Cubic Inch of Drawer Interior Filing Space (File Drawers are to Support Hanging Files Only; File Drawers are not Intended for Bottom Loading)
Secondary, Transaction, and Shelf Load	.017 lb. per Cubic Inch Above Surface (Not More Than 12" in Height)
Adjustable Keyboard (less than or equal to 36" Width)	66 lb. Distributed Across the Keyboard Surface
Writing Shelf	25 lb. Distributed Across the Writing Shelf
Extendible Elements (Drawers, Shelves, etc.)	.017 lb. per Cubic Inch or Drawer Interior Filing Space Distributive Loading
Center/Pencil Drawers	5 lb. Distributive Loading
Unit Top (Storage/Bookcase, greater than 60" tall)	Distributive - .09 lb. per Square Inch of Surface Area
Unit Top (Storage/Bookcase, greater than 38" to less than 60" tall)	Distributive - .26 lb. per Square Inch of Surface Area
Unit Top (Storage/Bookcase, less than 38" tall)	Distributive - .26 lb. per Square Inch of Surface Area Concentrated - 200 lb.
Unit Bottom (Storage/Bookcase)	Distributive - .017 lb. per Cubic Inch Above Surface (Not More Than 18" in Height)

Square inches should be calculated using this formula:
Surface Depth x Surface Width of Available Storage

Cubic inches should be calculated using this formula:
Surface Length x Surface Depth x Height of Available Storage Above the Surface (limited to 18" above the surface)

General Information

Cut Yardage Program

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade		US List Price Per Yard
1		\$ 41
2		\$ 63
3		\$ 82
4		\$ 109
6		\$ 177
7		\$ 222
Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	\$ 643	\$ 1318
L8	\$ 763	\$ 1570

How to specify cut yardage:

1. Model Number

NOFUPHCUTYDG = seating fabric
NOFLTHRRHIDE = leather (half hide)
NOFLTHRFHIDE = leather (full hide)

2. Upholstery grade

3. Upholstery number



Crypton® is a textile that is stain, water, odor and bacteria resistant.

Each fiber of a Crypton® Fabric is encapsulated to resist stains and bacteria, and Crypton's® moisture barrier is integrated into the fabric, ensuring permanent protection.

Crypton® is engineered to be extremely easy to clean, allowing spots and spills to be easily removed. Crypton® Care Stain Removers make cleaning upholstery simple and easy.

Crypton® Super Fabrics have ultra-low or non-detectable emissions.

Source: www.cryptonfabric.com

Crypton® Cleaners www.cryptoncare.com



100% of the electricity used to make this product is matched by Green-e certified renewable energy certificates. www.green-e.org



- Reduces energy consumption and conserves petroleum-based resources by offsetting the need to produce virgin synthetic fibers, providing a reprieve for our environment.
- U Trust™ verification program ensures that Repreve recycled fibers are traceable, transparent and certifiably sustainable.
- Consistent yarn quality; adheres to Unifi's first-quality standards.
- Repreve supports environmental non-profit organizations through its "Repreve Gives Back" campaign.

Repreve is a trademark of Unifi, Inc. and is registered with the U.S. Patent and Trademark Office and with others.

U Trust is a trademark of Unifi, Inc.

www.repreve.com



SILVERGUARD® is a natural environmentally friendly bacteria-fighting defense to inhibit odor and stain causing bacteria, plus the SILVERGUARD® technology is EPA registered and FDA approved. SILVERGUARD® stays fresh and lasts long due to the proprietary manufacturing process which promotes a controlled release of antibacterial properties. It continues to provide its bacteria-fighting protection after repetitive cleanings. The elemental protection of silver in SILVERGUARD® is an antibacterial agent. It is safe and efficient in diminishing odors, promoting freshness, and extending the life cycle of a product by attacking bacteria and other destructive organisms.



Terratec is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.



Reduced environmental impact due to recycled content, improved manufacturing process, no backing, rapidly renewable materials, PVC-free and/or chrome-free.

American Graffiti — Grade 1

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 7.5" V (Non-matched)
Cleaning Code: W
96,000 Double Rubs

5304	Jeans	5318	Cruisin'	5379	Leather
5305	Honey Mustard	5336	Catsup	5392	Convertible
5312	Roller Skates	5375	Chrome	5395	Diner

Plush — Grade 1

100% Polyester
54" Wide
Teflon Finish; Polyester Backing
Repeat: None (Non-matched)
Cleaning Code: W
100,000 Double Rubs

11701	Moss	11704	Sable	11707	Suede
11702	Down	11705	Kringle	11708	Snuggle
11703	Willow	11706	Fur	11709	Velvet

Ridge — Grade 1

100% Polyester
54" Wide
Teflon Finish; Latex Backing
Repeat: None (Non-matched)
Cleaning Code: W
100,000 Double Rubs

12001	Meadow	12005	Crimson	12009	Sea Breeze
12002	Shine	12006	Driftwood	12010	Midnight
12003	Sunset	12007	Peak	12011	Sand
12004	Fog	12008	Pebble	12012	Dune

Speedway — Grade 1

52% Polypropylene, 48% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 0.375" H x 0.5" V (Non-matched)
Cleaning Code: WS
45,000 Double Rubs

10105	Pace Car	10137	Victory Lap	10175	Start Your Engines
10110	Checkered Flag	10140	Infield	10190	Winner's Circle
10120	Trophy	10150	Finish Line		

Stardust — Grade 1

54% Polyester; 46% Repreve® Polyester
(30% Pre-Consumer/16% Post-Consumer blend)
54" Wide
No Finish; Acrylic Backing
Repeat: 5" H x 4.35" V (Non-matched)
Cleaning Code: W
30,000 Double Rubs

10501	Lynx	10504	Hydra	10507	Pavo
10502	Crux	10505	Carina	10508	Vela
10503	Draco	10506	Mensa	10509	Ara



Cathedral — Grade 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 0.375" H x 0.875" V (Non-matched)
Cleaning Code: W
70,000 Double Rubs

3906	Chartres	3917	Stonehenge	3936	Derby
3907	Florence	3924	Belgrade	3982	Wells
3911	Westminster				

COM — Grade 2

Orbit — Grade 2

100% Polyester
54" Wide
Teflon Finish; Acrylic Backing
Repeat: 7" H x 6" V (Matched)
Cleaning Code: W
40,000 Double Rubs

20401	Galaxy	20404	Moon	20407	Comet
20402	Nebula	20405	Star	20408	Asteroid
20403	Nova	20406	Planet	20409	Cosmic

Pixie — Grade 2

100% Polyurethane
54" Wide
i-clean™ and Antimicrobial Finish; 85% Polyester, 15% Cotton Backing
Repeat: None (Non-Matched)
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

20201	Lime	20206	Chocolate	20211	Malt
20202	Honey	20207	Blackberry	20212	Licorice
20203	Orange	20208	Vanilla	20213	Root Beer
20204	Caramel	20209	Blue Raspberry		
20205	Cinnamon	20210	Blueberry		

Sedona — Grade 2

100% Vinyl
54" Wide
Napa Topcoat Finish: 100% Polyester Hi-Loft™ Backing
Repeat: None (Non-matched)
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

22101	Cactus	22141	Sand	22157	Horizon
22115	Tumbleweed	22142	Terra Cotta	22159	Desert
22123	Sierra	22143	Earth	22162	Indigo
22125	Yucca	22145	Buckskin	22166	Sagebrush
22126	Poppy	22147	Mesa	22177	Canyon
22129	Mirage	22151	Plateau	22185	Nighthawk
22131	Adobe				

National Seating Fabric Offering

Shenanigans — Grade 2

67% Pre-Consumer Recycled Polyester, 33% Nylon
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 4.5" H x 4.5" V (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

20300 Gimmick	20344 Wile	20373 Ruse
20301 Antics	20352 Lark	20380 Tom Foolery
20317 Monkey Shine	20360 Maneuver	20389 Frolic
20322 Caper	20364 Stunt	20399 Mischievous

Spectrum — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: None (Non-matched)
Cleaning Code: WS
100,000 Double Rubs

20001 Mimosa	20039 Cornflower	20072 Breeze
20003 Lime	20040 Ruby	20079 Tangerine
20011 Sand	20045 Chocolate	20081 Charcoal
20015 Marigold	20050 Camel	20084 Royal
20020 Black	20062 Grey	20095 Red
20022 Burgundy	20067 Navy	
20033 Pine	20069 Grape	

Strand — Grade 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 5" V (Non-matched)
Cleaning Code: W
40,000 Double Rubs

20101 Charcoal	20105 Red Licorice	20109 Cumulus
20102 Mineral	20106 Wheat	20110 Coast
20103 Fudge	20107 Peacock	20111 Sand
20104 Blueberry	20108 Blaze	20112 Stone

Tranquility — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 3.375" H x 2.4375" V (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

21302 Crackling Fire	21341 Subtle	21379 Shadow
21305 Flax	21354 Whisper	21386 Sonatas
21325 Poetry	21357 Bath	21398 Wisteria
21334 Hush	21361 Meadow	

Twilight — Grade 2

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; No Backing
Repeat: None (Non-matched)
Cleaning Code: WS
50,000 Double Rubs

23101 Ocean	23109 Barley	23115 Fresh
23103 Nightshadow	23110 Espresso	23116 Cinder
23104 Gaze	23111 Bronze	23117 Vapor
23105 Goldrush	23112 Chartreuse	23118 Gingerbread
23106 Saucy	23113 Luxe	23119 Tangerine
23107 Aristocrat	23114 Willow	23120 Nude
23108 Rust		



Boardwalk — Grade 3

100% Pre-Consumer Recycled Polyester
54" Wide
BLOCKaide™ Finish; SBR Latex Backing
Repeat: 5" V (Non-matched)
Cleaning Code: WS
30,000 Double Rubs
This pattern is railroaded, stripes run vertically

30501 Boulevard	30504 Track	30507 Aisle
30502 Avenue	30505 Alley	30508 Lane
30503 Footpath	30506 Trail	30509 Gateway

Jacks — Grade 3

100% Eco Intelligent® Polyester
54" Wide
Soil and Stain Repellant Finish; No Backing
Repeat: 7.18" H x 5.15" V (Non-matched)
Cleaning Code: WS
100,000 Double Rubs

30701 Beanstalk	30705 Sprat	30709 Frost
30702 Flash	30706 Russell	30710 In The Box
30703 Olantern	30707 And Jill	
30704 Pot	30708 Be Nimble	

Pop Rocks — Grade 3

100% Eco Intelligent® Polyester
54" Wide
Soil and Stain Repellant Finish; No Backing
Repeat: 1.2" H x 1.9" V (Non-matched)
Cleaning Code: WS
100,000 Double Rubs

31301 Green Apple	31305 Strawberry	31309 Wild Berry
31302 Lemon	31306 Milk Chocolate	31310 Blue Razz
31303 Pumpkin Patch	31307 Cola	31311 Cream Soda
31304 Cherry	31308 Malt	31312 Caramel

 Big City — Grade 4

50% Pre-Consumer Recycled Solution Dyed Nylon, 50% Solution Dyed Nylon
 54" Wide
 BLOCKaide™ Finish, Acrylic Backing
 Repeat: 14.2" H x 8.7" V (Non-matched)
 Cleaning Code: WS, 4:1 Bleach Solution
 100,000 Double Rubs

40901 Dublin	40904 Rome	40907 NYC
40902 Istanbul	40905 Sydney	40908 London
40903 Barcelona	40906 Tokyo	40909 Amsterdam

 Bumble — Grade 4

65% Pre-Consumer Recycled Polyester,
 35% Post-Consumer Recycled Polyester
 54" Wide
 BLOCKaide™ Finish; No Backing
 Repeat: 0.75" H x 1.1" V (Matched)
 Cleaning Code: WS
 75,000 Double Rubs



41501 Pollen	41505 Honeycomb	41509 Scout
41502 Bee	41506 Hive	41510 Sting
41503 Nectar	41507 Swarm	41511 Worker
41504 Wax	41508 Queen	

Connect Four — Grade 4

100% Vinyl
 54" Wide
 PERMABLOK³® Finish; 100% Recycled Hi-Loft²™ Backing
 Repeat: 18" H x 18" V (Non-matched)
 SILVERGUARD® Silver Ion Technology
 Antifungal/Antibacterial
 Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
 100,000 Double Rubs

42401 Lime	42404 Snickerdoodle	42407 Silver Dollar
42402 Butterscotch	42405 Penny	42408 Sea Glass
42403 Clementine	42406 Coffee Bean	42409 Blueberry

 Echo — Grade 4

100% Pre-Consumer Recycled Polyester
 54" Wide
 Polyester Binder Finish; No Backing
 Repeat: 6.75" H x 11.25" V (Non-matched)
 Cleaning Code: WS
 100,000 Double Rubs



41101 Natural	41106 Seaport	41111 Cabochon
41102 Gold	41107 Limestone	41112 Cedar
41103 Russet	41108 Crystal	41114 Henna
41104 Lichen	41109 Oxide	
41105 Jute	41110 Peppercorn	

Silvertex™ — Grade 4

100% Vinyl
 54" Wide
 PERMABLOK³® Finish; 100% Polyester Hi-Loft™ Backing
 Repeat: None (Non-matched)
 SILVERGUARD® Silver Ion Technology
 Antifungal/Antibacterial
 Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
 100,000 Double Rubs

41301 Basil	41310 Sapphire	41318 Borscht
41302 Ice	41311 Champagne	41319 Lagoon
41303 Mandarin	41312 Celery	41320 Turquoise
41304 Raspberry	41313 Meteor	41321 Marine Blue
41305 Sunkist	41314 Cream	41322 Umber
41306 Mocha	41315 Chestnut	41323 Blackberry
41307 Carbon	41316 Luggage	41324 Sage
41308 Jet	41317 Taupe	41325 Bottle
41309 Storm		

 Essence/Ultraleather™ — Grade 6

100% Polyurethane
 54" Wide
 No Finish; 100% Reinforced Rayon Backing
 Repeat: None (Non-matched)
 Cleaning Code: WS
 400,000 Double Rubs

3611 Light Oyster	3628 Midnight Metallic	3667 Taupe
3612 Red	3636 Chamois	3679 Raven
3613 Wheat	3640 Garnet	3683 Pecan
3614 Stone	3647 Loden	3690 Papyrus
3615 Dove Grey	3651 Green Tea Metallic	3692 Admiral
3617 White	3663 Walnut	

 Flock — Grade 6

100% Eco Intelligent® Wool
 54" Wide
 No Finish; No Backing
 Repeat: None
 Cleaning Code: WS
 40,000 Cycles

60400 Meadow	60405 Lasso	60410 Straw
60401 Sun	60406 Black Sheep	60411 Heather Cloud
60402 Bonfire	60407 Heather Gravel	60412 Heather Gunmetal
60403 Barn	60408 Sky	
60404 Apple	60409 Pond	

 Scribe — Grade 6

65% Pre-Consumer Recycled Polyester;
 35% Post-Consumer Recycled Polyester
 56" Wide
 Crypton® Green Finish; Moisture Barrier; Antimicrobial
 Repeat: None (Non-matched)
 Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
 210,000 Double Rubs

60201 Juniper	60204 Chianti	60207 Alloy
60202 Pool	60205 Atlantis	
60203 Flicker	60206 Nutmeg	

National Seating Fabric Offering

Brisa® — Grade 7

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None (Non-matched)
Cleaning Code: WS
200,000 Double Rubs

71001 Black Onyx	71006 Celery	71013 Canyon
71002 Cambridge Blue	71007 Bark	71014 Aztec
71003 Salsa	71008 Truffle	71015 Cabernet
71004 Abyss	71011 Desert Clay	
71005 Ash	71012 Sterling Blue	

Brisa® Distressed — Grade 7

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None (Non-matched)
Cleaning Code: WS
200,000 Double Rubs

72001 Buckskin	72003 Lasso	72006 Manila
72002 Prairie	72005 Iron	72007 Moccasin

Promessa® — Grade 7

100% Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Antimicrobial
Repeat: None (Non-matched)
Cleaning Code: WS
400,000 Double Rubs

73001 Briarwood	73005 Bronze	73010 Tudor
73002 Horsehair	73006 Atlantic	73012 Woodpecker
73003 Linen	73007 Aquamarine	73016 Fields
73004 Parchment	73008 Shale	

Silica™ — Grade 7

100% Silicone
54" Wide
No Finish; Polyester Backing
Repeat: None (Non-matched)
Cleaning Code: W or 4:1 Bleach Solution
365,000 Double Rubs

70901 Appletini	70908 Skyward	70915 Quartz
70902 Medal	70909 Cumulus	70916 Brownstone
70903 Marigold	70910 Gallant	70917 Alloy
70904 Garnet	70911 Dewpoint	70918 Glade
70905 Bistro	70912 Ginger	70919 Haze
70906 Terra	70913 Coppercrest	70920 Tropic
70907 Nero	70914 Burnished	70921 Herbal

Davenport — Grade L7

100% Leather
Top grain leather

70101 Chamois	70108 Celadon	70114 Tomato
70102 Camel	70109 Austin	70115 Black
70103 Earthy	70110 Olive	70116 Plum
70105 Bark	70111 Brown	70117 Smoke
70106 Fennel	70112 Atlantis	70118 Dusk
70107 Glass Block	70113 Yonder	

Showcase — Grade L8

100% Leather
Chrome free full grain leather

80101 Sky	80105 Greige	80109 Bittersweet
80102 Butler	80106 Power	80110 Jet
80103 Cream	80107 Garnet	
80104 Bonton	80108 Chestnut	

Cleaning Fabrics:

Cleaning Code S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

Cleaning Code WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

Cleaning Code W

- Use water-based cleaning agents or foam.
- Cleaning by a professional furniture service is recommended.

Crypton® Cleaners

- Cleaning solutions for Crypton® fabric maintenance available at www.cryptoncare.com

Fabric Characteristics

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

Leather Characteristics

Leather is a natural product. Healed scars, scratches, cuts and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

Cleaning Leather:

Regular Cleaning

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

Deep Cleaning

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

Textile Application Guidelines

National has listed textile application guidelines for each seating series. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order.

National Seating Fabrics

Pattern	Grade	Fabric Guidelines
American Graffiti	1	none
Big City	4	3
Boardwalk	3	1
Brisa®	7	none
Brisa® Distressed	7	none
Bumble	4	2
Cathedral	2	none
Connect Four	4	1
Davenport	L7	none
Echo	4	none
Essence/Ultraleather™	6	none
Flock	6	3
Jacks	3	none
Orbit	2	2
Pixie	2	none
Plush	1	none
Pop Rocks	3	none
Promessa®	7	none
Ridge	1	none
Scribe	6	1
Sedona	2	1
Shenanigans	2	1
Showcase	L8	none
Silica™	7	none
Silvertex™	4	none
Spectrum	2	none
Speedway	1	none
Stardust	1	none
Strand	2	none
Tranquility	2	none
Twilight	2	none

National, Alliance and COM Fabric Application Guidelines

Casegoods Series	Textile Application Guidelines					
	1	2	3	4	5	6
Casbah and Clever Mobile Pedestal Cushion Tops	✓		✓	✓		

Textile Appearance Guidelines

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1–4 are simply explanations of what you may see on your product. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

- 1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
- 2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
- 3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
- 4 Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

Textile Restriction Guidelines

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable models.

- 5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
- 6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Alliance Program Textiles

Alliance Program Overview

National has developed joint programs with Arc-Com, Maharam, Momentum, Stinson and Ultrafabrics to offer you quality office furniture with exciting lines of designer upholsteries. This program enables you to issue just one purchase order, providing simplified ordering and the most convenient, yet complete, furniture choices available from a single source. All Alliance patterns meet TB117-2013.

Fabric listing for “no added” fire retardant fabrics can be found at www.nationalofficefurniture.com

Application

Application of the Alliance Program upholstery will be depicted as on the memo sample or website. If a different application is desired the pattern will need to be custom quoted.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders will need to be custom quoted.

Lead Times/Availability

Models specified with Alliance Program fabrics will be acknowledged at standard lead times based on the supplier’s delivery schedule. Exceptions may occur when extended lead times apply. Each supplier reserves the right to discontinue patterns and colors. National will not be held responsible for suppliers discontinuing patterns/colors or when minimum order quantities apply. Contact customer service for availability before finalizing orders.

Warranty

Alliance Program fabrics are non-standard materials and are **not** covered under our warranty.

Pricing

Alliance Program graded pricing includes the cost of material. Repeat is also accounted for and no additional upcharge is required.

Fabric and Seating Construction

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric.) This does not indicate that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

Important: The information provided was the most current information available at the time this price list was printed. Contact customer service for availability before finalizing orders.

Fabric Samples

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	www.arc-com.com
Maharam	800.645.3943	www.maharam.com
Momentum	800.366.6839	www.memosamples.com
Stinson	800.841.6279	www.cfstinson.com
Ultrafabrics	877.309.6648	www.ultrafabricsllc.com

Analog — Grade R

100% Pre-Consumer Recycled Solution Dyed Nylon
54" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 14" H x 21.25" V
Cleaning Code: WS, 5:1 Bleach Solution
150,000 Double rubs

60880 Sand	60885 Adobe	60890 Bayou
60881 Smoke	60886 Papaya	60891 Baltic
60882 Cocoa	60887 Flame	60892 Midnight
60883 Coal	60888 Merlot	60893 Truffle
60884 Mocha	60889 Mallard	60894 Onyx

Astral — Grade L

44% Nylon, 31% Cotton, 16% Post-Consumer Recycled Polyester,
9% Polyester
54" Wide
INCASE™ Finish; Acrylic Backing
Repeat: 9.25" H x 8.5" V
Cleaning Code: WS
110,000 Double Rubs

61030 Ash	61036 Taupe	61042 Fire
61031 Smoke	61037 Shark	61043 Tangerine
61032 Moonstone	61038 Bark	61044 Lime
61033 Fog	61039 Truffle	61045 Caribbean
61034 Pebble	61040 Butterscotch	61046 Ocean
61035 Cocoa	61041 Nutmeg	61047 Sapphire

Boardwalk — Grade E

100% Post-Consumer Recycled Polyester
54" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 7" H x 3.25" V
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs

61110 Flame	61117 Caribbean	61124 Taupe
61111 Sunflower	61118 Ocean	61125 Shark
61112 Tangerine	61119 Baltic	61126 Bark
61113 Berry	61120 Pebble	61127 Fog
61114 Amethyst	61121 Sand	61128 Coal
61115 Citron	61122 Chestnut	61129 Onyx
61116 Lime	61123 Godiva	

Crossroads — Grade F

58% Polyester, 27% Pre-Consumer Recycled Polyester,
15% Post-Consumer Recycled Polyester
54" Wide
Crypton® Finish; Moisture Barrier; Antimicrobial
No Repeat
Cleaning Code: WS, 10:1 Bleach Solution, or Crypton® Cleaners
100,000 Double Rubs

61090 Pebble	61096 Berry	61102 Ocean
61091 Honey	61097 Amethyst	61103 Sapphire
61092 Chestnut	61098 Sweet Pea	61104 Mallard
61093 Tangerine	61099 Kiwi	61105 Cocoa
61094 Terracotta	61100 Caribbean	61106 Truffle
61095 Ruby	61101 Baltic	61107 Coal

Dynasty — Grade G

100% Polyurethane
54" Wide
Wipeout® Stain Protection and AEGIS Microbe Shield® Finish;
100% Polyester Backing
No Repeat
Cleaning Code: WS, 4:1 Bleach Solution
300,000 Double Rubs

60500 Mushroom	60511 Emerald	60522 Sand
60501 Sunflower	60512 Caribbean	60523 Butterscotch
60502 Apricot	60513 Aqua	60524 Chamomile
60503 Tangerine	60514 Pacific	60525 Moonstone
60504 Papaya	60515 Baltic	60526 Ice Blue
60505 Fire	60516 Cornflower	60527 Steel
60506 Garnet	60517 Blueberry	60528 Ash
60507 Flamingo	60518 Midnight	60529 Mink
60508 Lilac	60519 Beach	60530 Truffle
60509 Lime	60520 Pebble	60531 Bark
60510 Kiwi	60521 Clay	

Isabella — Grade E

100% Vinyl
54" Wide
Resilience® Finish; Polyester Knit Backing
Repeat: 1.25" H x 2.5" V
Cleaning Code: WS, 10:1 Bleach Solution
300,000 Double Rubs

60850 Wheat	60856 Papaya	60862 Rainstorm
60851 Sand	60857 Lemon	60863 Grape
60852 Nickel	60858 Lime	60864 Goldenrod
60853 Amber	60859 Seafoam	60865 Truffle
60854 Hazelnut	60860 Baltic	60866 Smoke
60855 Terracotta	60861 Sapphire	

Moon Beam 2 — Grade H

61% Polyester, 27% Cotton, 11% Rayon, 1% Nylon
54" Wide
Crypton® Finish; Moisture Barrier; Antimicrobial
No Repeat
Cleaning Code: WS or Crypton® Cleaners
150,000 Double Rubs

60580 Fog	60589 Cayenne	60598 Baltic
60581 Moonstone	60590 Tangerine	60599 Blueberry
60582 Mist	60591 Papaya	60600 Ash
60583 Mineral	60592 Fire	60601 Coal
60584 Stone	60593 Flamingo	60602 Raisin
60585 Latte	60594 Plum	60603 Godiva
60586 Topaz	60595 Citron	60604 Truffle
60587 Hazelnut	60596 Sage	
60588 Chestnut	60597 Ocean	



Arc-Com Program Textiles

Polished — Grade G

100% Polyurethane
54" Wide
Wipeout® Stain Protection and AEGIS Microbe Shield® Finish;
100% Polyester Backing
No Repeat
Cleaning Code: WS, 4:1 Bleach Solution
300,000 Double Rubs

60740 Flame	60750 Cypress	60760 Dune
60741 Mustard	60751 Moonstone	60761 Sand
60742 Nutmeg	60752 Slate	60762 Pebble
60743 Bronze	60753 Federal	60763 Saddle
60744 Copper	60754 Caribbean	60764 Cocoa
60745 Garnet	60755 Periwinkle	60765 Taupe
60746 Burgundy	60756 Sapphire	60766 Truffle
60747 Tea	60757 Mist	60767 Seal
60748 Avocado	60758 Cement	60768 Shark
60749 Seafoam	60759 Fog	60769 Bark

Radius — Grade M

79% Post-Consumer Recycled Polyester, 21% Nylon
54" Wide
Nano-Tex® Finish; Acrylic Backing
Repeat: 13.75" H x 14.5" V
Cleaning Code: WS, 3:1 Bleach Solution
150,000 Double Rubs

61140 Onyx	61145 Tangerine	61150 Sapphire
61141 Ash	61146 Papaya	61151 Federal
61142 Fog	61147 Fire	61152 Amethyst
61143 Chestnut	61148 Avocado	61153 Smoke
61144 Cocoa	61149 Green Apple	61154 Godiva

Robotic — Grade I

100% Polyester
54" Wide
Crypton® Finish; Moisture Barrier; Antimicrobial
Repeat: 3.75" H x 3.75" V
Cleaning Code: WS, 10:1 Bleach Solution, or Crypton® Cleaners
95,000 Double Rubs

60790 Ash	60795 Ochre	60800 Sapphire
60791 Beach	60796 Papaya	60801 Coal
60792 Pebble	60797 Flame	60802 Truffle
60793 Stone	60798 Herb	
60794 Wheat	60799 Baltic	

Santa Fe — Grade H

57% Polyester, 25% Viscose, 18% Cotton
54" Wide
Stain Resistant Finish; No Backing
No Repeat
Cleaning Code: S
100,000 Double Rubs

60270 Pebble	60277 Paprika	60284 Amethyst
60271 Cream	60278 Ruby	60285 Seafoam
60272 Sand	60279 Flamingo	60286 Smoke
60273 Hazelnut	60280 Lime	60287 Cocoa
60274 Mist	60281 Green Apple	60288 Truffle
60275 Clementine	60282 Pacific	
60276 Papaya	60283 Blueberry	

Spot On — Grade J



100% Polyester
54" Wide
Crypton® Finish; Moisture Barrier; Antimicrobial
Repeat: 3.75" H x 3.75" V
Cleaning Code: WS, 10:1 Bleach Solution, or Crypton® Cleaners
70,000 Double Rubs

60810 Sand	60814 Adobe	60818 Periwinkle
60811 Beach	60815 Cherry	60819 Fog
60812 Grain	60816 Bay Leaf	60820 Ash
60813 Nutmeg	60817 Mallard	60821 Coffee

Tally — Grade G

100% Vinyl
54" Wide
PERMABLOK® Finish; Polyester Hi-Loft™ Backing
Repeat: 6" H x 6" V
Cleaning Code: WS, 5:1 Bleach Solution
300,000 Double Rubs

60830 Moonstone	60836 Chili Pepper	60842 Ocean
60831 Green Tea	60837 Kiwi	60843 Blueberry
60832 Antique Gold	60838 Cypress	60844 Grape
60833 Nutmeg	60839 Caribbean	60845 Fog
60834 Terracotta	60840 Seafoam	60846 Beach
60835 Papaya	60841 Sky	60847 Wheat



 Abacus Standard 466140 — Grade F

54% Pre-Consumer Recycled Polyester, 46% Post-Consumer Recycled Polyester
54" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 14.25" H x 29" V
Cleaning Code: WS
65,000 Double Rubs
This fabric will be railroaded when upholstered

010 Replica 011 Cellar 012 Extract

 Anagram 466067 — Grade T

42% Cotton, 32% Polyester, 26% Solution-dyed Nylon
54" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 9.25" H x 20" V
Cleaning Code: S
90,000 Double Rubs
This fabric will be railroaded when upholstered

001 Quarry 003 Electric 005 Settle
002 Hush 004 Range

 ***Bar 466227 — Grade C**

60% Post-Consumer Recycled Polyester, 40% Post-Industrial Recycled Polyester
59" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 4.75" H x 5" V
Cleaning Code: WS, 10:1 Bleach Solution
60,000 Double Rubs

001 004 007
002 005
003 006

 Bevel 466131 — Grade D

63% Polyester, 24% Post-Consumer Recycled Polyester, 13% Pre-Consumer Recycled Polyester
54" Wide
PFOA-Free Stain Resistant Finish; Polyester Backing
Repeat: 7.25" H x 13" V
Cleaning Code: WS
70,000 Double Rubs

001 Whisper 006 Envy 011 Suede
002 Surplus 007 Fjord 012 Tarnish
003 Amber 008 Carbon 013 Cinnabar
004 Tortoise 009 Lazuli
005 Chartreuse 010 Geyser

 Blip 466129 — Grade Q

44% Rayon, 24% Solution-dyed Nylon, 21% Post-Industrial Recycled Polyester, 11% Post-Consumer Recycled Polyester
54" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 13.5" H x 20.25" V
Cleaning Code: S
70,000 Double Rubs

001 Miner 004 Tank 007 Robust
002 Relic 005 Cove 008 Siege
003 Lowland 006 Coal

 ***Coin 466233 — Grade B**

43% Polyester, 37% Post-Industrial Recycled Polyester, 20% Post-Consumer Recycled Polyester
57" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs

001 004 007
002 005
003 006

***Disc 466221 — Grade C**

100% Polyester
57" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 4.75" H x 4.5" V
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs

001 004 007
002 005
003 006

 ***Divide 466220 — Grade C**

45% Polyester, 36% Post-Industrial Recycled Polyester, 19% Post-Consumer Recycled Polyester
57" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 3" H x 2.25" V
Cleaning Code: WS, 10:1 Bleach Solution
60,000 Double Rubs

001 004 007
002 005 008
003 006 009

 Exchange 466027 — Grade E

52% Pre-Consumer Recycled Polyester, 48% Post-Consumer Recycled Polyester
57" Wide
Stain Resistant Finish; No Backing
Repeat: 7" H x 5" V
Cleaning Code: WS, 10:1 Bleach Solution
60,000 Double Rubs

001 Cinder 006 Coastline 010 Rhubarb
002 Sable 007 Clay 011 Punch
003 Elm 008 Buck
004 Gull 009 Maple

*Select Maharam textile colors do not have names and are identified by number only

Maharam Program Textiles

*Lariat — Grade C

100% Vinyl
54" Wide
No Finish; Polyester Backing
Repeat: None
Cleaning Code: W, 10:1 Bleach Solution
140,000 Double Rubs

001 Camel	015 Mahogany	028
002 Russet	016 Pebble	029
003 Brick Red	017 Putty	030
004 Indigo	018 Fatigue	031
005 Hunter	019 Ivy	032
006 Black	020 Lake	033
007 Oyster	021 Navy	034
008 Fern	022 Crimson	035
010 Taupe	023	036
011 Chocolate	024	037
012 Oxblood	025	038
013 Ivory	026	
014 Sand	027	

Manner 466177 — Grade B

65% Post-Industrial Recycled Polyester, 35% Post-Consumer Recycled Polyester
54" Wide
PFOA-Free Stain Resistant Finish; No Backing
Repeat: None
Cleaning Code: WS
300,000 Double Rubs

001 Magic	010 Cola	019 Caper
002 Carob	011 Ember	020 Parakeet
003 Porpoise	012 Wagon	021 Greenway
004 Flint	013 Ablaze	022 Aquatic
005 Hush	014 Peel	023 Cottage
006 Nuance	015 Penny	024 Dahlia
007 Thicket	016 Butterscotch	025 Vivid
008 Cocoa	017 Harvest	026 Basin
009 Pathway	018 Lioness	027 Schooner

Medium 463490 — Grade B

100% Polyester
54" Wide
Stain Resistant Finish; No Backing
Repeat: None
Cleaning Code: WS
220,000 Double Rubs

001 Raven	030 Cream	043 Thistle
002 Smoke	031 Sift	044 Washed
003 Alloy	032 Prospect	045 Sculpture
004 Flax	033 Honey	046 Thatched
006 Bark	034 Furrow	047 Hike
007 Espresso	035 Hazard	048 Tangle
008 Pecan	036 Delight	049 Pacific
012 Pumpkin	037 Iris	050 Cosmic
013 Persimmon	038 Lavender	051 Cascade
014 Laser	039 Nautical	052 Blackberry
016 Port	040 Pool	053 Nasturtium
022 Marina	041 Mallard	054 Wooded
029 Pistachio	042 Clover	

Messenger 458640 — Grade B

78% Post-Industrial Recycled Polyester, 15% Polyester, 7% Nylon
54" Wide
PFOA-Free Stain Resistant Finish; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

001 Balsa	050 Hydrangea	071 Satsuma
006 Tobacco	051 Lilac	072 Maize
007 Shadow	052 Chestnut	073 Hay
008 Bayou	053 Tangelo	074 Cashew
010 Zinc	054 Lumine	075 Satchel
024 Poppy	055 Russet	076 Fossil
025 Mao	056 Sequoia	077 Ash
027 Violet	057 Carbon	078 Tusk
029 Onyx	058 Snow	079 Oyster
031 Cloud	059 Fennel	080 Pensive
038 Depth	060 Peridot	081 Husk
040 Nile	061 Capri	082 Fireside
041 Azure	062 Ultramarine	083 Chili
043 Fir	063 Squall	084 Robust
045 Cactus	066 Cassis	085 Beyond
046 Ice	067 Aster	086 Voyage
047 Turf	068 Spice	087 Everglade
048 Neon	069 Cherry	088 Electric
049 Isle	070 Vibrant	

Metric 466014 — Grade B

51% Post-Industrial Recycled Polyester, 49% Polyester
54" Wide
PFOA-Free Stain Resistant Finish; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

001 Phantom	011 Brick	021 Envy
002 Fog	012 Cardinal	022 Bonsai
003 Fleece	013 Lava	023 Tar
004 Sourdough	014 Oriole	024 Anchor
005 Toffee	015 Cedar	025 Twilight
006 Driftwood	016 Sorrel	026 Admiral
007 Mineral	017 Caramel	027 Seaport
008 Bittersweet	018 Pollen	028 Scuba
009 Arabica	019 Tupelo	
010 Cerise	020 Alligator	

*Oblique 466222 — Grade C

100% Polyester
58" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 5" H x 6" V
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs

001	004	007
002	005	
003	006	

*Select Maharam textile colors do not have names and are identified by number only

***Pick 466224 — Grade B**

100% Polyester
58" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 5" H x 2.5" V
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs

001	005	009
002	006	010
003	007	
004	008	

Plait 466052 — Grade F

53% Pre-Consumer Recycled Polyester, 32% Polyester, 15% Post-Consumer Recycled Polyester
58" Wide
Stain Resistant Finish; No Backing
Repeat: 15" H x 14.75" V
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs

001 Cobblestone	005 Sequoia	009 Stormy
002 Sachet	006 Rhubarb	010 Dapper
003 Mesa	007 Sangria	
004 Tavern	008 Reef	

***Pocket 466243 — Grade L**

56% Post-Consumer Recycled Polyester, 24% Solution-dyed Nylon, 20% Post-Industrial Recycled Polyester
54" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 4.5" H x 10.5" V
Cleaning Code: WS
130,000 Double Rubs

001	004	007
002	005	
003	006	

Reel 466065 — Grade M

43% Solution-dyed Nylon, 36% Cotton, 21% Polyester
53" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 9" H x 4.5" V
Cleaning Code: S
80,000 Double Rubs

001 Bramble	004 Sprout	008 Redwood
002 Antler	005 Mirage	009 Sumac
003 Lichen	006 Cub	

Runner Standard 466167 — Grade I

57% Pre-Consumer Recycled Polyester, 43% Post-Consumer Recycled Polyester
58" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: 7.5" H x 14" V
Cleaning Code: WS
80,000 Double Rubs
This fabric will be railroaded when upholstered

007 Bluff	009 Grove	011 Plot
008 Arid	010 Starboard	012 Carousel

Sequence 466179 — Grade I

100% Solution-Dyed Polyolefin
54" Wide
PFOA-Free Stain Resistant Finish; No Backing; Antimicrobial
Repeat: .25" H x 2.25" V
Cleaning Code: WS, 10:1 Bleach Solution
100,000 Double Rubs
This fabric will be railroaded when upholstered

001 Driftwood	004 Alfresco	007 Veranda
002 Boardwalk	005 Plunge	008 Lodge
003 Rattan	006 Starboard	009 Flare

Shuttle Standard 466168 — Grade H

84% Pre-Consumer Recycled Polyester, 16% Post-Consumer Recycled Polyester
54" Wide
PFOA-Free Stain Resistant Finish; Latex Backing
Repeat: 6.5" V
Cleaning Code: WS
50,000 Double Rubs
This fabric will be railroaded when upholstered

016 Clam	017 Plateau	018 Shoal
----------	-------------	-----------

Skein 466170 — Grade E

56% Post-Consumer Recycled Polyester, 44% Polyester
54" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS
60,000 Double Rubs

001 Burrow	005 Pomegranate	009 Dock
002 Thatch	006 Cavern	010 Cadet
003 Maize	007 Bitter	011 Marsh
004 Sumac	008 Cinder	

***Technic 466226 — Grade B**

60% Post-Industrial Recycled Polyester, 40% Post-Consumer Recycled Polyester
55" Wide
Stain Resistant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS, 10:1 Bleach Solution
90,000 Double Rubs

001	003	005
002	004	

***Tilt 466256 — Grade M**

56% Cotton, 35% Polyester, 9% Rayon
55" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 13.75" H x 13.5" V
Cleaning Code: S
90,000 Double Rubs

001	004	007
002	005	008
003	006	

*Select Maharam textile colors do not have names and are identified by number only

Maharam Program Textiles

*Vestige 466259 — Grade 0

71% Polyester, 29% Rayon
54" Wide
PFOA-Free Stain Resistant Finish; Acrylic Backing
Repeat: 14.25" H x 18.5" V
Cleaning Code: S
75,000 Double Rubs

001	005	009
002	006	010
003	007	
004	008	

Waxen 466078 — Grade D

100% Polyester
54" Wide
Incase™ Finish; Acrylic Backing
Repeat: None
Cleaning Code: S
85,000 Double Rubs

001	Appear	007	Patina	015	Polar
002	Toast	010	Ruby	016	Jay
003	Savanna	011	Ember	017	Gazer
004	Rye	012	Harvest	019	Bayou
005	Frozen	013	Yolk		
006	Highland	014	Fresh		

*Select Maharam textile colors do not have names and are identified by number only

Beeline — Grade B

100% Polyurethane
54" Wide
Antimicrobial, Antibacterial Finish/Polyester Backing
Repeat: None
Cleaning Code: W, 4:1 Bleach Solution
500,000 Double Rubs

9125510	Canvas	9125576	Geyser	9125642	Sprout
9125521	Cork	9125587	Nimbus	9125653	Sundance
9125532	Eclipse	9125598	Oriole	9125664	Tidal
9125543	Eucalyptus	9125609	Parade	9126357	Walnut
9125554	Forge	9125620	Portobello		
9125565	Fossil	9125631	Sisal		

Bloc — Grade I

100% Repreve Solution Dyed Recycled Nylon
54" Wide
No Finish/Nylon Backing
Repeat: 6.75" L x 7" W
Cleaning Code: W, 4:1 Bleach Solution
100,000 Double Rubs

9128502	Bash	9128535	Canal	9129723	Terrapin
9128513	Bluegrass	9129701	Carbon	9128568	Trek
9128524	Breeze	9129712	Slate	9129734	Yam

Echo — Grade D

100% Vinyl
54" Wide
PERMABLOK³® Finish/Polyester Knit Backing
Repeat: 4.5" L x 4.5" W
Cleaning Code: L, 10:1 Bleach Solution
100,000 Double Rubs

9112486	Bisque	9112519	Dusk	9112552	Spring
9112497	Clarity	9112530	Juiced		
9112508	Climate	9112541	Maple		

Elevate — Grade K

42% Post-Consumer Recycled Polyester,
35% Pre-Consumer Recycled Polyester,
23% Rayon
54" Wide
Crypton® Green Finish; Moisture Barrier; Antimicrobial
Repeat: 27" L x 14" W
Cleaning Code: W or Crypton® Cleaners
50,000 Double Rubs
This fabric will be railroaded when upholstered

9125345	Charged	9125367	Lightful	9125378	Quench
9125356	Ecstatic	9125422	Ocean Deep	9125433	Sunspill

Estrella — Grade H

100% Repreve Solution Dye Recycled Nylon
54" Wide
No Finish/Nylon Backing
Repeat: 18.75" L x 14" W
Cleaning Code: WS, 4:1 Bleach Solution
100,000 Double Rubs

9128337	Driftwood	9128348	Lumen	9128381	Verbena
9129690	Ember	9128359	Nightfall		
9129679	Habitat	9128370	Stone		

Foray — Grade F

54" Wide
100% Polyurethane
Resilience® Finish/Polyester Backing
Repeat: None
Cleaning Code: W, 10:1 Bleach Solution
714,000 Double Rubs

9103862	Acorn	9103972	Clay	9104082	Kashmir
9103873	Artichoke	9103983	Cordovan	9104093	Mineral
9103884	Aubergine	9103994	Currant	9104104	Peapod
9103895	Beige	9104005	Cypress	9104115	Pebble
9103906	Bordeaux	9104016	Dew	9104126	Quarry
9103917	Camel	9104027	Eucalyptus	9104137	Royal
9103928	Cane	9104038	Garnet	9104148	Seaport
9103939	Canvas	9104049	Glacier	9104159	Straw
9103950	Cinder	9104060	Henna	9104170	Woodland
9103961	Citron	9104071	Iron		

Idyll — Grade G

59% Post-Consumer Recycled Polyester, 41% Polyester
54" Wide
Crypton® Green Finish; Moisture Barrier; Antimicrobial
Repeat: 14.5" W x 13.25" L
Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
50,000 Double Rubs

9118690	Cardamom	9118734	Grain	9118767	Tidal
9118701	Dream	9118745	Harvest		
9118723	Ember	9118756	Inland		

Isla — Grade D

55% Pre-Consumer Recycled Polyester,
29% Post-Consumer Recycled Polyester, 16% Polyester
56" Wide
Crypton® Green Finish; Moisture Barrier; Antimicrobial
Repeat: 7.5" W x 8" L
Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
50,000 Double Rubs

9119724	Celeste	9119746	Skyline	9119768	Toffee
9119735	Nectar	9119757	Thyme		

Mensa — Grade N

56% Post-Consumer Recycled Polyester,
44% Polyester
54" Wide
Crypton® Green Finish; Moisture Barrier; Antimicrobial
Repeat: 14.5" W x 15.75" L
Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
100,000 Double Rubs

9123827	Gretna	9123849	Tizzy	9123871	Turret
9123838	Spire	9123860	Tranquil	9123882	Gateway



Momentum Program Textiles

Oath — Grade D

100% Polyester
55" Wide
Crypton® Finish; Moisture Barrier; Antimicrobial
Repeat: None
Cleaning Code: W, 10:1 Bleach Solution or Crypton® Cleaners
204,000 Double Rubs

9126709	Anise	9126940	Chocolate	9126841	Lodestone
9126720	Azure	9126962	Cordovan	9126852	Madder
9126731	Balsam	9126786	Crocus	9126863	Mineral
9126742	Burlwood	9126929	Driftwood	9126874	Nectar
9126753	Cane	9126797	Ecru	9126951	Sandbar
9126764	Carnelian	9126808	Fieldstone	9126885	Tango
9126918	Celadon	9126819	Foothill	9126896	Taupe
9126775	Charcoal	9126830	Juniper	9126907	Verbena

Proximity — Grade L

100% Repreve Solution Dye Recycled Nylon
54" Wide
No Finish/Nylon Backing
Repeat: 7" L x 8" W
Cleaning Code: WS, 4:1 Bleach Solution
100,000 Double Rubs

9128139	Alloy	9129668	Java	9128194	Poolside
9128150	Blueprint	9128172	Jojoba		
9128161	Fossil	9128183	Path		

Silica Tech — Grade F

51% Silicone, 49% Polyester (100% Silicone Face)
54" Wide
No Finish/100% Polyester Backing
Repeat: None
Cleaning Code: WS, 4:1 Bleach Solution
270,000 Double Rubs

9127875	Calm	9127930	Mineralize	9127985	Verdigris
9127886	Fog	9127941	Paloma	9127996	Vintage
9127897	Gleam	9127952	Sablewood	9128007	Willow
9127908	Kohl	9127963	Sandstone		
9127919	Macadamia	9127974	Urbanite		

Torque — Grade I

42% Post-Consumer Recycled Polyester,
35% Pre-Consumer Recycled Polyester, 23% Rayon
54" W
Crypton® Green Finish; Moisture Barrier; Antimicrobial
Repeat: 16" L x 14" W
Cleaning Code: W or Crypton® Cleaners
50,000 Double Rubs

9125279	Blackest	9125301	Quarry	9125323	Tropicalia
9125444	Clementine	9125455	Skylight		
9125290	Edge	9125312	Taro		



Twist — Grade H

100% Repreve Solution Dye Recycled Nylon
54" Wide
No Finish/Nylon Backing
Repeat: 7.25" L x 7" W
Cleaning Code: W, 4:1 Bleach Solution
100,000 Double Rubs

9128403	Glacier	9128436	Scent	9128469	Vapor
9128414	Graphite	9128447	Shadow	9128480	Vellum
9128425	Reef	9128458	Tamarind		

Vario — Grade C

100% Polyester
54" Wide
InCase® Finish/Acrylic Backing; Antimicrobial
Repeat: None
Cleaning Code: W or Crypton® Cleaners
141,000 Double Rubs

9109912	Aloe	9109956	Cranberry	9110000	Pool
9109923	Aubergine	9109967	Linen	9110011	Scarlet
9109934	Blazer	9109978	Metal	9112123	Pacific
9109945	Calico	9109989	Nightlife	9112134	Macchiatto

Venue — Grade C

100% Polyester
54" Wide
InCase® Finish/Acrylic Backing; Antimicrobial
Repeat: 0.375" L x 0.5" W
Cleaning Code: W or Crypton® Cleaners
120,000 Double Rubs

9110033	Blackstone	9110066	Sesame	9110095	Wave
9110044	Granny Smith	9110077	Tory	9112145	Scorch
9110055	Radish	9110085	Truffle	9112156	Gulf Stream

Whim — Grade H

54" Wide
100% Repreve Solution Dyed Recycled Nylon
No Finish/Nylon Backing
Repeat: None
Cleaning Code: WS, 4:1 Bleach Solution
100,000 Double Rubs
This fabric will be railroaded when upholstered

9133606	Alfresco	9133650	Outback	9133694	Seed
9133617	Grappa	9133661	Painterly	9133705	Shitake
9133628	Harvest	9133672	Sable	9133716	Symphony
9133639	Hearthstone	9133683	Scout	9133727	Tanager

Affinity — Grade G

100% Vinyl
54" Wide
Zeron® Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

AFF_01	Rhubarb	AFF_05	Egyptian	AFF_09	Bermuda
AFF_02	Salem	AFF_06	Concord	AFF_10	Charleston
AFF_03	Manchester	AFF_07	Chiffon	AFF_11	Kendall
AFF_04	Capri	AFF_08	Stardust	AFF_12	Twilight

Ascend — Grade H

57% Polyester, 43% Nylon
54" Wide
Enhanced Soil and Stain Protection; Acrylic Backing
Repeat: 1.75" H x 1.25" V
Cleaning Code: WS
90,000 Double Rubs

ASC_63095	Mist	ASC_63098	Sky	ASC_63101	Tide
ASC_63096	Dune	ASC_63099	Fern	ASC_63102	Trail
ASC_63097	Peony	ASC_63100	Blaze		

Bass Line — Grade K

100% Post Industrial Recycled Solution-Dyed Nylon
54" Wide
Non-Flourine Soil and Stain Repellant; Nylon Backing
Repeat: 7.25" H x 8.5" V
Cleaning Code: WS
105,000 Double Rubs

BSL_63055	Mellow	BSL_63058	Metal	BSL_63061	Blue Note
BSL_63056	Bebop	BSL_63059	Treble	BSL_63062	Tuxedo
BSL_63057	Harmony	BSL_63060	Red Hot		

Diva — Grade C

100% Vinyl
54" Wide
Advanced Soil and Stain Resistant Top Coat; 100% Polyester Knit Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

DVA_40	Dazzle	DVA_46	Siren	DVA_52	Attitude
DVA_41	Champagne	DVA_47	Allure	DVA_53	Envy
DVA_42	Diamond	DVA_48	Soiree	DVA_54	Fame
DVA_43	Palladium	DVA_49	Limelight	DVA_55	Tux
DVA_44	Platinum	DVA_50	Gala	DVA_56	Passion
DVA_45	Spa	DVA_51	Bronze		

Flex — Grade E

100% Polyester
54" Wide
Polartec® Non-PFOA Enhanced Soil and Stain Protection with Polygiene
Antimicrobial; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

FLX_63230	Refresh	FLX_63234	Energize	FLX_63238	Passion
FLX_63231	Lightning	FLX_63235	Zest	FLX_63239	Firecracker
FLX_63232	Contrast	FLX_63236	Storm	FLX_63240	Thunder
FLX_63233	Escape	FLX_63237	Moody		

Juxy — Grade F

100% Vinyl
54" Wide
Zeron® Finish; 100% Polyester Backing
Repeat: 3.3" H x 3.3" V
Cleaning Code: WS
100,000 Double Rubs

JUX_01	Crystalline	JUX_06	Sunspot	JUX_11	Burst
JUX_02	Radius	JUX_07	Ariel	JUX_12	Ultraviolet
JUX_03	Phylite	JUX_08	Vela	JUX_13	Spectra
JUX_04	Pulsar	JUX_09	Basalt		
JUX_05	Photon	JUX_10	Parallax		

Leaps and Bounds — Grade I

61% Polyester, 39% Post Consumer Recycled Polyester
54" Wide
Enhanced Soil and Stain Protection; Acrylic Backing
Repeat: 4.875" H x 3.125" V
Cleaning Code: WS
65,000 Double Rubs

LEA_63173	Bounce	LEA_63176	Propel	LEA_63179	Climb
LEA_63174	Skip	LEA_63177	Sprint	LEA_63180	Hop
LEA_63175	Hurdle	LEA_63178	Spring	LEA_63181	Stride

Swivel — Grade L

74% Post Consumer Recycled Polyester, 26% Nylon
54" Wide
Enhanced Soil and Stain Protection; Light Acrylic Backing
Repeat: 9.125" H x 9.5" V
Cleaning Code: WS
100,000 Double Rubs

SWV_63120	Granite	SWV_63124	Wire	SWV_63128	Clove
SWV_63121	Chalk	SWV_63125	Cobalt	SWV_63129	Navy
SWV_63122	Red	SWV_63126	Absinthe	SWV_63130	Jet
SWV_63123	Jute	SWV_63127	Amethyst		

View — Grade I



73% Post Consumer Recycled Polyester,
20% Polyester, 7% Post Industrial Recycled Polyester
54" Wide
Crypton® 2.0 Finish; Moisture Barrier; Antimicrobial
Repeat: 14.75" H x 12.875" V
Cleaning Code: WS
60,000 Double Rubs

VIE_63184	Woodland	VIE_63187	Passage	VIE_63191	Adventure
VIE_63185	Red Rocks	VIE_63188	Bluff	VIE_63192	Abyss
VIE_63186	Double Take	VIE_63189	Scene		
		VIE_63190	Vista		

Whirl — Grade L

73% Post Consumer Recycled Polyester, 27% Nylon
54" Wide
Enhanced Soil and Stain Protection; Light Acrylic Backing
Repeat: 9.25" H x 9.875" V
Cleaning Code: WS
100,000 Double Rubs

WRL_63195	Azure	WRL_63198	Blue	WRL_63200	Lights Out
WRL_63196	Lemon		Yonder	WRL_63201	Razzle
	Twist	WRL_63199	Good as Gold		Dazzle
WRL_63197	Zing				

Ultrafabrics Carded Textiles

Brillante 702 — Grade B

100% Polyurethane
54" Wide
No Finish; 55% Viscose Rayon, 45% Polyester Backing
Repeat: None
Cleaning Code: WS, 5:1 Bleach Solution
200,000 Double Rubs

00072 White Opal	36392 Smokey Topaz	59172 Black Satin
25672 Very Blue	44222 Key Lime	72042 Cotton Candy
33422 Quartz	58822 Silver Lining	94192 Iris
35192 Champagne	59072 Onyx	

Pompeii 704 — Grade B

100% Polyurethane
54" Wide
No Finish; 55% Viscose Rayon, 45% Polyester Backing
Repeat: None
Cleaning Code: WS, 5:1 Bleach Solution
200,000 Double Rubs

00092 Cotton	33812 Copper Tone	36292 Brazil
13682 Red Earth	34212 White Smoke	43602 Jade
26362 Cyrus	34272 Hazelnut	59122 Fieldstone
33442 Sand Dune	34302 Mesa	59132 Night Shadow
33632 Sandstorm	35882 River Bank	

Primera 700 — Grade B

100% Polyurethane
54" Wide
No Finish; 55% Viscose Rayon, 45% Polyester Backing
Repeat: None
Cleaning Code: WS, 5:1 Bleach Solution
400,000 Double Rubs

00042 Chalk	34312 Ecru	39542 Desert
13092 Barn Red	34322 Rattan	44382 Seedling
13372 Merlot	34332 Fossil	44392 Herb
25362 Spa	34382 Toffee	56282 Slate
25372 Chambray	34392 Carob	56392 Coal
25382 Blueprint	34402 Java	56842 Mist
34202 Scone	34882 Irish Lace	82172 Terracotta

Strada 703 — Grade B

100% Polyurethane
54" Wide
No Finish; 55% Viscose Rayon, 45% Polyester Backing
Repeat: None
Cleaning Code: WS, 5:1 Bleach Solution
200,000 Double Rubs

00032 Enamel	34292 Pearl Gray	43592 Flag Stone
13332 Picante	36322 Mud Pie	50212 Ocean Night
26532 Armada	36502 Squirrel	58842 Thunder
33662 Desert Sand	37072 Nudar	59152 Black Sea
33702 Caravan	37522 Rich Earth	73082 Spruce
33832 Redwood	38772 Otter	93732 Chili Pepper
33872 Tar Brown	38922 Maple Syrup	93762 Royal Red
34252 Spanish Saddle	43442 Bogg	

Toscana 701 — Grade B

100% Polyurethane
54" Wide
No Finish; 55% Viscose Rayon, 45% Polyester Backing
Repeat: None
Cleaning Code: WS, 5:1 Bleach Solution
200,000 Double Rubs

13582 Sangria	35272 Rustic	44212 Oregano
25692 Deep Sea	35342 Boar	58782 London Fog
31172 Crema	36402 Stag	59092 Tunnel
33232 White Sand	36592 Topo	72892 Sea Foam
33272 Antler	37222 Stone Wall	73052 Mallard
33392 Golden Oak	43102 Willow	82002 Papaya
35132 Oso	43342 Meadow	94242 Grape

Ultraleather Pro 554 — Grade F

100% Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None
Cleaning Code: WS
500,000 Double Rubs

0008 White Wash	3352 Shore	5216 Butterfly
1329 Rhubarb	3353 Tundra	5241 Butternut
1357 Cranberry	3376 Dark Chocolate	5618 Dark Knight
2522 Capri	3444 Toasted Bagel	5626 Char
2530 Sky	3595 Cork	5648 Cloud
2547 Sailor	3803 Parfait	5649 Ember
2661 Blue Bird	3811 Swan	5733 Mortar
2711 Blueberry	4443 Laurel	7200 Blush
3087 Woodcres	4453 Persian Green	8229 Campfire
3209 Cougar	4478 Sea Mist	9336 Aubergine
3214 Chestnut	4530 Coastal	9395 Violet

Textile Application Guidelines

National has listed textile application guidelines for applicable models. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics, Arc-Com, Maharam, Momentum, Stinson, and Ultrafabrics fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order. Reference page 15 for models and guidelines.

Arc-Com

Pattern	Grade	Fabric Guidelines
Analog	R	2,3
Astral	L	2
Boardwalk	E	2
Crossroads	F	none
Dynasty	G	none
Isabella	E	2
Moon Beam 2	H	none
Polished	G	1
Radius	M	2
Robotic	I	2
Santa Fe	H	none
Spot On	J	2
Tally	G	2

Stinson

Pattern	Grade	Fabric Guidelines
Affinity	G	none
Ascend	H	2
Bass Line	K	2,3
Diva	C	1
Flex	E	none
Juxy	F	none
Leaps and Bounds	I	2
Swivel	L	2
View	I	1,2
Whirl	L	2

Maharam

Pattern	Grade	Fabric Guidelines
Abacus Standard	F	2
Anagram	T	2
Bar	C	2
Bevel	D	2
Blip	Q	2
Coin	B	2
Disc	C	2
Divide	C	2
Exchange	E	2
Lariat	C	none
Manner	B	none
Medium	B	none
Messenger	B	none
Metric	B	none
Oblique	C	2
Pick	B	2
Plait	F	2
Pocket	L	2
Reel	M	2
Runner Standard	I	2
Sequence	I	2
Shuttle Standard	H	2
Skein	E	none
Technic	B	none
Tilt	M	2
Vestige	O	2
Waxen	D	none

Momentum

Pattern	Grade	Fabric Guidelines
Beeline	B	none
Bloc	I	2,3
Echo	D	1
Elevate	K	1
Estrella	H	2,3
Foray	F	none
Idyll	G	1,2
Isla	D	1
Mensa	N	1,2
Oath	D	1
Proximity	L	2,3
Silica Tech	F	none
Torque	I	1
Twist	H	3
Vario	C	none
Venue	C	none
Whim	H	3

Ultrafabrics

Pattern	Grade	Fabric Guidelines
Brillante	B	none
Pompeii	B	none
Primera	B	none
Strada	B	none
Toscana	B	none
Ultraleather Pro	F	none

Textile Appearance Guidelines

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1–4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

- 1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
- 2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
- 3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
- 4 Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

Textile Restriction Guidelines

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable models.

- 5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
- 6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

Reference www.NationalOfficeFurniture.com/Alliance for the most up-to-date fabric guidelines, grades and additional pattern/color availability.

COM (Customer's Own Material)

Select casegoods can be upholstered with appropriate material furnished by the customer. Customer is responsible for the fabric meeting the appropriate California TB117 Standard. Prices are listed under grade 2/B, depending upon product type.

Grade 2 seating fabric – mobile pedestal cushion tops and box/file height storage cushions

Grade B tack board fabric – Epicenter, Exhibit and Tack Boards

Customer's Own Leather (COL) is not available on casegoods.

COM is not available on Quick Delivery tack board models.

COM yardage requirements for mobile pedestal cushion tops and box/file height storage cushions in this price list are based on the use of 54" wide fabric and the fabric being cut "up the roll". If the COM fabric is to be railroaded, please contact customer service for revised yardage requirements.

COM yardage requirements for Epicenter, Exhibit and Tack Boards in this price list are based on the use of non-directional fabric 54" and 66" wide. **The model number will determine if the fabric is cut "up the roll" or "railroad" with the exception of the TBR Accessory Tack Boards; they are available as "railroad" only.**

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference pages 433-437 for COM yardage requirements
- Please refer to the textile application guidelines listed on page 15 or the COM Approval Search on www.NationalOfficeFurniture.com when ordering a COM on mobile pedestal cushion tops and box/file height storage cushions

COM Disposal

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

COM Decorative/Directional Fabrics

Mobile pedestal cushion tops and box/file height storage cushions (Exception: Waveworks Metal Mobile Pedestal cushion top):

- Yardage requirements are greatly affected by not only size of repeats but also by the print or pattern
- National will cut patterns with aesthetic concerns in mind for high quality and consistency
- Some COM fabrics are considered directional that may not be considered directional by the fabric supplier, due to the upholstering process used by National
- Application of the COM upholstery will be depicted as on the COM supplier memo sample or website. If a different application is desired the pattern would need to be custom quoted.

Epicenter, Exhibit, Tack Boards and WaveWorks Metal Mobile Pedestal Cushion:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Fabric will be wrapped on panel based upon the model number selected – standard or railroad
- Tack Boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered.
- **TBR and TBRA Accessory Tack Board models will be upholstered with "railroad" fabric. If "up the roll" is desired, contact our custom quotes team.**

Flammability

- TB133 models are not available for mobile pedestal cushion tops and box/file height storage cushions. This request would need to be custom quoted.
- Tack Boards meet Universal Building Code requirement of ASTM-E84 Class C when specifying fabric that is 100% polyester (recycled polyester allowed), light or no backing, no finish, weight less/equal to 12.96 oz./lin. yd.
- If ASTM-E84 Class A is requested, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if it meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

COM Evaluation

National reserves the right to inspect, approve or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability or warranty on the part of National as to appearance, behavior, durability or tailoring of COM.

Confirm COM Application

Visit www.NationalOfficeFurniture.com to see if your COM has already been evaluated for application.

If the COM has not been evaluated prior to placing an order, please send the memo and/or test fabric to the following locations depending upon model type.

Mobile pedestal cushion tops and box/file height storage cushions:

Send a memo sample to:

National Office Furniture
Attn: COM Coordinator
1610 Royal Street
Jasper, IN 47549-1001

Epicenter, Exhibit, Tack Boards (all tackable fabrics):
Test yardage needs to be sent to two locations:

2.25 YARDS
Kimball Office - Jasper
National COM Testing
1037 E 15th Street
Dock 21/22
Jasper, IN 47549

2 YARDS
National Office Furniture
National COM Testing - Tack
340 E 11th Avenue
Jasper, IN 47549

Rarely, but occasionally, really light colored fabrics may allow the tackable substrate to telegraph through the material. We do not approve/reject based upon color. If you are concerned about a light color, make sure you send in that color for application evaluation. If the pattern is already listed in the COM Approval Listing, ask Customer Service if that color was evaluated. If that color was not evaluated, a memo needs to be sent to the two addresses listed above for color-only evaluation.

All COM orders must:

1. Include fabric supplier's name, fabric name/number and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

1. Dealer Name and Purchase Order Number
2. National Model Numbers
3. Ship Prepaid to

Mobile Pedestals with Cushion Tops and Cushions for Box/File Height Storage:

National Office Furniture
Attn: COM Administrator
340 East 11th Avenue
Jasper, IN 47549-1001

Epicenter Tack Board and Slat with Tack Inserts, Exhibit Combo Slat/Tack Inserts (Exhibit Tack Board Inserts excluded), and WaveWorks Metal Tack Boards:

Kimball Office - Jasper
Attn: NOF COM Department
1037 E 15th Street
Dock 21/22
Jasper, IN 47549

Accessories and Casbah Reception Desk Tack Boards (WaveWorks Metal Tack Boards excluded) and Exhibit Tack Board Inserts (Exhibit Combo Slat/Tack Inserts excluded), Vertical Cable Managers and Fabric Wrapped Trim Channels, Exhibit TV Mount Inserts, and Edge Mount/Set-On Privacy Screen models:

National Office Furniture
National COM Testing - Tack
340 E 11th Avenue
Jasper, IN 47549

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

How to Order National Casegoods with COM**Specify:**

1. Model Number
2. Fabric Manufacturer
3. Pattern Name and/or Number
4. Color Name and/or Number

Sample Order Numbers:

Following is a sample order number for a Model NAC6920TBRA

NAC6920TBRA—Accessory Tack Board upholstered in Designtex Circuit in 5121 101 Pebble color

<u>NAC6920TBRA</u>	/	<u>COM</u>	/	<u>Designtex</u>	/	<u>Circuit</u>	/	<u>5121 101 Pebble</u>
\		\		\		\		\
Model		Grade		Manufacturer		Pattern		Color

ArrowoodTM

Laminate

Arrowood - Laminate

PRODUCT SPECIFICATIONS

WORKSURFACE

- 131/16 TFL (thermally fused laminate)
- Mitered rim
- Grain direction runs left-to-right unless noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- 3/4 and full pedestal options
- 5/8 thick modesty panels
- Full height modesty panels on all full pedestal units, bridge units and arc top units
- 3/4 height modesty panels on all 3/4 pedestal units
- 1" thick end panels
- Standard leveling glides
- Modesty panels have horizontal grain unless otherwise noted

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are 1/2" thick woodgrain vinyl wrapped
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT


- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (See accessory pages)

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	121/16	17"	3 1/2"	N/A
File Drawer—Desk	121/16	17"	9 1/2"	Letter
Box Drawer—Executive Return & Multi-File	121/16	17"	3 1/2"	N/A
File Drawer—Executive Return & Multi-File	121/16	17"	9 1/2"	Letter
Box Drawer—Credenza	151/16	17"	3 1/2"	N/A
File Drawer—Credenza	151/16	17"	9 1/2"	Legal
Lateral File Drawer—Lateral File & Multi-File	3111/16	15"	9 1/2"	Letter, Legal, EDP

- All file drawers file Letter, Legal and EDP side-to-side




For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

LAMINATES

IM	Brighton
NM	Natural
HN2	Honey 2
CL	Caramel
TF	Truffle
AC2	Autumn 2
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha
791	Palisander
792	Sable
793	Acorn

RIM PROFILE




GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G13LR	Left & Right
G13C	Center



Round Grommet
Plastic

LOCKING

Key Random

KRB	Black
KRS	Silver

Key Specific

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Mitered
Grommets:	Included on highbacks, bridges and returns
Locking:	Random black cores
Finish:	Must specify Amber (MC) or Cordovan (CW)

Arrowood - Laminate L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Center grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	AC2	Autumn 2	791	Palisander
NM	Natural	MC	Amber	792	Sable
HN2	Honey 2	CW	Cordovan	793	Acorn
CL	Caramel	DW	Judicial		
TF	Truffle	MH	Mocha		

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	Model No./Description	List Price	L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Full Pedestal 	21N8572LLFL 84¾D x 71¾W \$ 2341		Right L-Configuration Full Pedestal 	21N8572LRFL 84¾D x 71¾W \$ 2341	
	consists of			consists of	
	21N3672DRFL1 Right Pedestal Desk 1454			21N3672DLFL1 Left Pedestal Desk 1454	
	21N2449RLEFL2 Left Pedestal Return 887			21N2449RREFL2 Right Pedestal Return 887	
	21N7972LLFL 78¾D x 71¾W \$ 2300			21N7972LRFL 78¾D x 71¾W \$ 2300	
	consists of			consists of	
	21N3672DRFL1 Right Pedestal Desk 1454			21N3672DLFL1 Left Pedestal Desk 1454	
	21N2443RLEFL2 Left Pedestal Return 846			21N2443RREFL2 Right Pedestal Return 846	
	21N7966LLFL 78¾D x 66W \$ 2246			21N7966LRFL 78¾D x 66W \$ 2246	
	consists of			consists of	
	21N3066DRFL1 Right Pedestal Desk 1359			21N3066DLFL1 Left Pedestal Desk 1359	
	21N2449RLEFL2 Left Pedestal Return 887			21N2449RREFL2 Right Pedestal Return 887	
	21N7366LLFL 72¾D x 66W \$ 2205			21N7366LRFL 72¾D x 66W \$ 2205	
	consists of			consists of	
	21N3066DRFL1 Right Pedestal Desk 1359			21N3066DLFL1 Left Pedestal Desk 1359	
	21N2443RLEFL2 Left Pedestal Return 846			21N2443RREFL2 Right Pedestal Return 846	
Left L-Configuration ¾ Pedestal 	Q21N8572LLQL 84¾D x 71¾W \$ 1814		Right L-Configuration ¾ Pedestal 	Q21N8572LRQL 84¾D x 71¾W \$ 1814	
	21N8572LLQL 84¾D x 71¾W \$ 1814			21N8572LRQL 84¾D x 71¾W \$ 1814	
	consists of			consists of	
	21N3672DRQL3 Right Pedestal Desk 1111			21N3672DLQL3 Left Pedestal Desk 1111	
	21N2449RLEQL3 Left Pedestal Return 703			21N2449RREQL3 Right Pedestal Return 703	
	Q21N7972LLQL 78¾D x 71¾W \$ 1771			Q21N7972LRQL 78¾D x 71¾W \$ 1771	
	21N7972LLQL 78¾D x 71¾W \$ 1771			21N7972LRQL 78¾D x 71¾W \$ 1771	
	consists of			consists of	
	21N3672DRQL3 Right Pedestal Desk 1111			21N3672DLQL3 Left Pedestal Desk 1111	
	21N2443RLEQL3 Left Pedestal Return 660			21N2443RREQL3 Right Pedestal Return 660	
	21N7966LLQL 78¾D x 66W \$ 1721			21N7966LRQL 78¾D x 66W \$ 1721	
	consists of			consists of	
	21N3066DRQL3 Right Pedestal Desk 1018			21N3066DLQL3 Left Pedestal Desk 1018	
	21N2449RLEQL3 Left Pedestal Return 703			21N2449RREQL3 Right Pedestal Return 703	
	21N7366LLQL 72¾D x 66W \$ 1678			21N7366LRQL 72¾D x 66W \$ 1678	
	consists of			consists of	
	21N3066DRQL3 Right Pedestal Desk 1018			21N3066DLQL3 Left Pedestal Desk 1018	
	21N2443RLEQL3 Left Pedestal Return 660			21N2443RREQL3 Right Pedestal Return 660	

Laminate - Arrowood U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:





- Center grommet in bridge
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	AC2	Autumn 2	791	Palisander
NM	Natural	MC	Amber	792	Sable
HN2	Honey 2	CW	Cordovan	793	Acorn
CL	Caramel	DW	Judicial		
TF	Truffle	MH	Mocha		

To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration Full Pedestal		21N10872ULFL 107¼D x 71¾W \$ 3063		Right U-Configuration Full Pedestal		21N10872URFL 107¼D x 71¾W \$ 3063	
		consists of				consists of	
		21N3672DRFL1 Right Pedestal Desk	1454			21N3672DLFL1 Left Pedestal Desk	1454
		21N2448BEFL Bridge	385			21N2448BEFL Bridge	385
		21N2472CLFL2 Left Pedestal Credenza	1224			21N2472CRFL2 Right Pedestal Credenza	1224
		21N10472ULFL 104D x 71¾W \$ 3043				21N10472URFL 104D x 71¾W \$ 3043	
		consists of				consists of	
		21N3672DRFL1 Right Pedestal Desk	1454			21N3672DLFL1 Left Pedestal Desk	1454
		21N2445BEFL Bridge	365			21N2445BEFL Bridge	365
		21N2472CLFL2 Left Pedestal Credenza	1224			21N2472CRFL2 Right Pedestal Credenza	1224
		21N10266ULFL 101¼D x 66W \$ 2924				21N10266URFL 101¼D x 66W \$ 2924	
		consists of				consists of	
		21N3066DRFL1 Right Pedestal Desk	1359			21N3066DLFL1 Left Pedestal Desk	1359
		21N2448BEFL Bridge	385			21N2448BEFL Bridge	385
		21N2466CLFL2 Left Pedestal Credenza	1180			21N2466CRFL2 Right Pedestal Credenza	1180
		21N9866ULFL 98D x 66W \$ 2904				21N9866URFL 98D x 66W \$ 2904	
		consists of				consists of	
		21N3066DRFL1 Right Pedestal Desk	1359			21N3066DLFL1 Left Pedestal Desk	1359
		21N2445BEFL Bridge	365			21N2445BEFL Bridge	365
		21N2466CLFL2 Left Pedestal Credenza	1180			21N2466CRFL2 Right Pedestal Credenza	1180
Left U-Configuration ¾ Pedestal		Q21N10872ULQL 107¼D x 71¾W \$ 2467		Right U-Configuration ¾ Pedestal		Q21N10872URQL 107¼D x 71¾W \$ 2467	
		21N10872ULQL 107¼D x 71¾W \$ 2467				21N10872URQL 107¼D x 71¾W \$ 2467	
		consists of				consists of	
		21N3672DRQL3 Right Pedestal Desk	1111			21N3672DLQL3 Left Pedestal Desk	1111
		21N2448BEFL Bridge	385			21N2448BEFL Bridge	385
		21N2472CLQL3 Left Pedestal Credenza	971			21N2472CRQL3 Right Pedestal Credenza	971
		Q21N10472ULQL 104D x 71¾W \$ 2447				Q21N10472URQL 104D x 71¾W \$ 2447	
		21N10472ULQL 104D x 71¾W \$ 2447				21N10472URQL 104D x 71¾W \$ 2447	
		consists of				consists of	
		21N3672DRQL3 Right Pedestal Desk	1111			21N3672DLQL3 Left Pedestal Desk	1111
		21N2445BEFL Bridge	365			21N2445BEFL Bridge	365
		21N2472CLQL3 Left Pedestal Credenza	971			21N2472CRQL3 Right Pedestal Credenza	971
		21N10266ULQL 101¼D x 66W \$ 2335				21N10266URQL 101¼D x 66W \$ 2335	
		consists of				consists of	
		21N3066DRQL3 Right Pedestal Desk	1018			21N3066DLQL3 Left Pedestal Desk	1018
		21N2448BEFL Bridge	385			21N2448BEFL Bridge	385
		21N2466CLQL3 Left Pedestal Credenza	932			21N2466CRQL3 Right Pedestal Credenza	932
		21N9866ULQL 98D x 66W \$ 2315				21N9866URQL 98D x 66W \$ 2315	
		consists of				consists of	
		21N3066DRQL3 Right Pedestal Desk	1018			21N3066DLQL3 Left Pedestal Desk	1018
		21N2445BEFL Bridge	365			21N2445BEFL Bridge	365
		21N2466CLQL3 Left Pedestal Credenza	932			21N2466CRQL3 Right Pedestal Credenza	932

Arrowood - Laminate

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

21N3672DRFAL1 AC2 G13LR KRB AC2

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top—Full Pedestal 	21N3672DDFAL8	\$ 2144	35¾	71¾	29½	12 1/8	39½	307 lbs.	57.4
	21N3666DDFAL8	2074	35¾	66	29½	12 1/8	34 7/8	285 lbs.	52.3
	• Arc rim has flat edge detail • Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Double Pedestal Desk Arc Top—¾ Pedestal 	21N3672DDYAL3	\$ 1769	35¾	71¾	29½	12 1/8	39½	286 lbs.	57.4
	21N3666DDYAL3	1711	35¾	66	29½	12 1/8	34 7/8	280 lbs.	52.3
	• Arc rim has flat edge detail • Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Double Pedestal Desk Full Pedestal 	21N3672DDFL8	\$ 1702	35¾	71¾	29½	12 1/8	39½	341 lbs.	57.4
	21N3666DDFL8	1646	35¾	66	29½	12 1/8	34 7/8	285 lbs.	52.3
	21N3066DDFL8	\$ 1568	29¾	66	29½	61/8	34 7/8	277 lbs.	47.0
	21N3060DDFL8	1496	29¾	59¾	29½	61/8	27½	247 lbs.	41.5
	• Unit has a full modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Double Pedestal Desk ¾ Pedestal 	Q21N3672DDQL3	\$ 1333	35¾	71¾	29½	12 1/8	39½	320 lbs.	57.4
	21N3672DDQL3	1333	35¾	71¾	29½	12 1/8	39½	320 lbs.	57.4
	21N3666DDQL3	1290	35¾	66	29½	12 1/8	34 7/8	285 lbs.	52.3
	21N3066DDQL3	\$ 1181	29¾	66	29½	51/8	34 7/8	277 lbs.	47.0
	21N3060DDQL3	1127	29¾	59¾	29½	51/8	28	231 lbs.	41.5
	• Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

Specify selections, left to right:

Base Model	Grommet Option	Locking	Laminate
	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 791 Palisander 792 Sable 793 Acorn
21N3672DRFAL1	G13LR	KRB	AC2


	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
	D	W	H	A	KW					
Single Pedestal Desk Arc Top—Full Pedestal	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	21N3672DLFAL1	21N3672DRFAL1	\$ 1899	35¾	71¾	29½	121/8	30¾	257 lbs.	57.4



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


	<i>Left Pedestal</i>	<i>Right Pedestal</i>		D	W	H	A	KW	Cartoned Weight	Cubic Feet
Freestanding Single Pedestal Desk Arc Top—Full Pedestal	21N3672DLFFAL1	21N3672DRFFAL1	\$ 1899	35¾	71¾	29½	121/8	553/16	257 lbs.	57.4



Left shown

- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components


	<i>Left Pedestal</i>	<i>Right Pedestal</i>		D	W	H	A	KW	Cartoned Weight	Cubic Feet
Single Pedestal Desk Arc Top—¾ Pedestal	21N3672DLYAL3	21N3672DRYAL3	\$ 1553	35¾	71¾	29½	121/8	30¾	242 lbs.	57.4



Right shown

- Not recommended as a freestanding unit due to routing in the rim
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	<i>Left Pedestal</i>	<i>Right Pedestal</i>		D	W	H	A	KW	Cartoned Weight	Cubic Feet
Freestanding Single Pedestal Desk Arc Top—¾ Pedestal	21N3672DLYFAL3	21N3672DRYFAL3	\$ 1553	35¾	71¾	29½	121/8	553/16	242 lbs.	57.4



Right shown

- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Arrowood - Laminate

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

21N3672DULL HN2


To You In
10
DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
Single Pedestal Desk Full Pedestal  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	21N3672DLFL1	21N3672DRFL1	\$ 1454	35¾	71¾	29½	12½	30¾	291 lbs.	57.4
	21N3666DLFL1	21N3666DRFL1	1407	35¾	66	29½	12½	26¾	250 lbs.	52.3
	21N3066DLFL1	21N3066DRFL1	\$ 1359	29¾	66	29½	61/8	251/16	230 lbs.	45.3
	• Not recommended as a freestanding unit due to routing in the rim • Unit has a full modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
Freestanding Single Pedestal Desk Full Pedestal  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	21N3672DLFFL1	21N3672DRFFL1	\$ 1454	35¾	71¾	29½	12½	553/16	291 lbs.	57.4
	21N3666DLFFL1	21N3666DRFFL1	1407	35¾	66	29½	12½	493/8	250 lbs.	52.3
	21N3066DLFFL1	21N3066DRFFL1	\$ 1359	29¾	66	29½	61/8	493/8	230 lbs.	45.3
	21N3060DLFFL1	21N3060DRFFL1	1314	29¾	59¾	29½	61/8	433/16	215 lbs.	42.0
• Unit has a full modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components										
Single Pedestal Desk ¾ Pedestal  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	Q21N3672DLQL3	Q21N3672DRQL3	\$ 1111	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
	21N3672DLQL3	21N3672DRQL3	1111	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
	21N3666DLQL3	21N3666DRQL3	1075	35¾	66	29½	12½	26¾	250 lbs.	52.3
	21N3066DLQL3	21N3066DRQL3	\$ 1018	29¾	66	29½	61/8	251/16	218 lbs.	45.3
• Not recommended as a freestanding unit due to routing in the rim • Unit has a ¾ modesty panel • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

Specify selections, left to right:

Base Model	Grommet Option	Locking	Laminate
21N3672DULL	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 791 Palisander 792 Sable 793 Acorn HN2

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
	Left Pedestal	Right Pedestal		D	W	H	A	KW		
Freestanding Single Pedestal Desk ¾ Pedestal  Left shown	21N3672DLQFL3	21N3672DRQFL3	\$ 1111	35¾	71¾	29½	12½	553/16	276 lbs.	57.4
	21N3666DLQFL3	21N3666DRQFL3	1075	35¾	66	29½	12½	493/8	250 lbs.	52.3
	21N3066DLQFL3	21N3066DRQFL3	\$ 1018	29¾	66	29½	61/8	493/8	218 lbs.	45.3
	21N3060DLQFL3	21N3060DRQFL3	951	29¾	59¾	29½	61/8	433/16	215 lbs.	42.0
	- Unit has a ¾ modesty panel - Grommet (G13LR) available - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available - Freestanding use only; cannot be used with a bridge or other connecting components									

	<i>Left U</i>	<i>Right U</i>		D	W	H				
U-Shaped Desk  Left shown	21N3672DULL	21N3672DURL	\$ 1038	35¾	71¾	29½	—	30¾	143 lbs.	5.3
- Not recommended as a freestanding unit due to routing in the rim - Must specify support base, see below for support base options - Curved rim has flat edge detail - Grommets not available										

	<i>Left U</i>	<i>Right U</i>		D	W	H				
U-Shaped Desk with Modesty  Left shown	21N3672DULFL	21N3672DURFL	\$ 1332	35¾	71¾	29½	—	30¾	152 lbs.	6.1
- Not recommended as a freestanding unit due to routing in the rim - Must specify support base, see below for support base options - Curved rim has flat edge detail - Grommets not available										

Support Bases				DI		H			
	NAC2804SFB	Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFBS	Platinum Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFBN	Satin Nickel Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0
- Adjustable glide standard - For use with U-Shaped desks									

Arrowood - Laminate

Dimension Key






D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

21N3737CFSL	G13C	HN2
21N2449RLEQL3	G13C	KS1B MH

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
Corner Unit 	21N3737CFSL	\$ 917	37¼	37¼	29½	—	17	135 lbs.	5.9	
	• Not recommended as a freestanding unit due to routing in the rim • Some assembly required • Unit can be attached to bridge, return or multi-file return only • Grommet (G13C) available									
Transaction Counter Desk Unit 	21N1569TCL	\$ 444	14¾	69	153/16	—	—	61 lbs.	2.4	
	21N1563TCL	418	14¾	63	153/16	—	—	58 lbs.	2.2	
	• Transaction surface spans over the desk only • Some assembly required • 1569 transaction counter to be used with 36 x 72 single ped desk • 1563 transaction counter to be used with 30 x 66 single ped desk									
Transaction Counter L Unit 	21N6981TCL	\$ 660	8027/32	69	153/16	—	—	87 lbs.	3.3	
	21N6375TCL	630	7427/32	63	153/16	—	—	81 lbs.	3.0	
	• Some assembly required • 6981 transaction counter to be used with 36 x 72 single ped desk and 2449 return • 6375 transaction counter to be used with 30 x 66 single ped desk and 2449 return									
Return Full Pedestal  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	21N2464RLEFL2	21N2464RREFL2	\$ 931	23¾	64	29½	—	47¼	180 lbs.	30.0
	21N2449RLEFL2	21N2449RREFL2	887	23¾	49	29½	—	3127/32	160 lbs.	28.7
	21N2443RLEFL2	21N2443RREFL2	846	23¾	43	29½	—	2627/32	150 lbs.	25.9
	• Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Unit has a full modesty panel • Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
Return ¾ Pedestal  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	21N2464RLEQL3	21N2464RREQL3	\$ 739	23¾	64	29½	—	47¼	180 lbs.	30.0
	Q21N2449RLEQL3	Q21N2449RREQL3	703	23¾	49	29½	—	3127/32	142 lbs.	28.7
	21N2449RLEQL3	21N2449RREQL3	703	23¾	49	29½	—	3127/32	142 lbs.	28.7
	Q21N2443RLEQL3	Q21N2443RREQL3	660	23¾	43	29½	—	2627/32	133 lbs.	25.9
	21N2443RLEQL3	21N2443RREQL3	660	23¾	43	29½	—	2627/32	133 lbs.	25.9
	• Grain direction runs front-to-back on worksurface • Grain direction runs vertical on modesty panel • Unit has a ¾ modesty panel • Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Specify selections, left to right:

Base Model	Grommet Option	Locking	Laminate
	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 791 Palisander 792 Sable 793 Acorn
21N3737CFSL	G13C		HN2


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Return Multi-File	<i>Left Pedestal</i>				
	<i>Right Pedestal</i>				
	21N2472RLEFL10 21N2472RREFL10	\$ 1408	23¾ 71¾ 29½ — 3563/64	191 lbs.	40.6



Left shown


- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Bridge	Q21N2448BEFL	\$ 385	23¾ 47¾ 29½ — 47¾	76 lbs.	3.9
	21N2448BEFL	385	23¾ 47¾ 29½ — 47¾	76 lbs.	3.9
	Q21N2445BEFL	365	23¾ 44½ 29½ — 44½	67 lbs.	3.5
	21N2445BEFL	365	23¾ 44½ 29½ — 44½	67 lbs.	3.5




- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grain direction runs vertical on modesty panel
- Grommet (G13C) available

Storage Credenza Full Pedestal	21N2472CSFL2	\$ 1732	23¾ 71¾ 29½ — —	346 lbs.	40.6
	21N2466CSFL2	1697	23¾ 66 29½ — —	334 lbs.	37.5



- Features a standard adjustable shelf
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Storage Credenza ¾ Pedestal	Q21N2472CSQL3	\$ 1361	23¾ 71¾ 29½ — —	296 lbs.	40.6
	21N2472CSQL3	1361	23¾ 71¾ 29½ — —	296 lbs.	40.6
	21N2466CSQL3	1325	23¾ 66 29½ — —	284 lbs.	37.5



- Features a standard adjustable shelf
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Arrowood - Laminate

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:


21N2466CRQL3 G13LR KS1B CW

To You In
10
...or Less


Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	21N2472CKFL2	\$ 1519	23¾	71¾	29½	—	33½	279 lbs.	40.6
	21N2466CKFL2	1479	23¾	66	29½	—	2815/16	267 lbs.	37.5
	21N2460CKFL2	1382	23¾	59¾	29½	—	28¾	256 lbs.	33.7


- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

	Q21N2472CKQL3	\$ 1148	23¾	71¾	29½	—	33½	239 lbs.	40.6
	21N2472CKQL3	1148	23¾	71¾	29½	—	33½	239 lbs.	40.6
	21N2466CKQL3	1111	23¾	66	29½	—	2815/16	227 lbs.	37.5
	21N2460CKQL3	1038	23¾	59¾	29½	—	28¾	220 lbs.	33.7

- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

	Left Pedestal	Right Pedestal							
	21N2472CLFL2	21N2472CRFL2	\$ 1224	23¾	71¾	29½	—	277/8	239 lbs. 40.6
	21N2466CLFL2	21N2466CRFL2	1180	23¾	66	29½	—	221/8	227 lbs. 37.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


	Left Pedestal	Right Pedestal							
	21N2472CLFFL2	21N2472CRFFL2	\$ 1224	23¾	71¾	29½	—	52¼	239 lbs. 40.6
	21N2466CLFFL2	21N2466CRFFL2	1180	23¾	66	29½	—	467/16	227 lbs. 37.5
	21N2460CLFFL2	21N2460CRFFL2	1145	23¾	59¾	29½	—	40¼	220 lbs. 33.7

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Left shown


Specify selections, left to right:

Base Model	Grommet Option	Locking	Laminate
	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 791 Palisander 792 Sable 793 Acorn
21N2466CRQL3	G13LR	KS1B	CW

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza ¾ Pedestal—Box/File 	<i>Left Pedestal</i>				
	Q21N2472CLQL3	\$ 971	23¾ 71¾ 29½ — 277/8	219 lbs.	40.6
	21N2472CLQL3	971	23¾ 71¾ 29½ — 277/8	219 lbs.	40.6
	21N2466CLQL3	932	23¾ 66 29½ — 221/8	207 lbs.	37.5

Left shown


- Not recommended as a freestanding unit due to routing in the rim
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**Freestanding
Single Pedestal Credenza
¾ Pedestal—Box/File**


Left shown

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	<i>Left Pedestal</i>				
	21N2472CLQLF3	\$ 971	23¾ 71¾ 29½ — 52¼	219 lbs.	40.6
	21N2466CLQLF3	932	23¾ 66 29½ — 467/16	207 lbs.	37.5
	21N2460CLQLF3	904	23¾ 59¾ 29½ — 40¼	200 lbs.	33.7


- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

**Single Pedestal Credenza
Full Pedestal—Lateral File**


Right shown

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	<i>Left Pedestal</i>				
	21N2472CLFL6	\$ 1368	23¾ 71¾ 29½ — 11¼	279 lbs.	40.6
	21N2466CLFL6	1331	23¾ 66 29½ — 5¼	267 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**Freestanding
Single Pedestal Credenza
Full Pedestal—Lateral File**


Right shown

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	<i>Left Pedestal</i>				
	21N2472CLFFL6	\$ 1368	23¾ 71¾ 29½ — 353/8	279 lbs.	40.6
	21N2466CLFFL6	1331	23¾ 66 29½ — 299/16	267 lbs.	37.5

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Arrowood - Laminate

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Sample Model Number:

21N2472CLFL10 G13LR KS2B AC2

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description		List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
				D	W	H	A			
Single Pedestal Credenza	Left Pedestal	Right Pedestal								
Full Pedestal—Multi-File	21N2472CLFL10	21N2472CRFL10	\$ 1420	23¾	71¾	29½	—	11¼	279 lbs.	40.6



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Freestanding Single Pedestal Credenza Full Pedestal—Multi-File




Left shown

		<i>Left Pedestal</i>	<i>Right Pedestal</i>								
		21N2472CLFFL10	21N2472CRFFL10	\$ 1420	23¾	71¾	29½	—	3538	279 lbs.	40.6

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Highback Organizer




Laminate Doors

21N8136HBHL	\$ 1144	14¾	80¾	363/16	—	—	240 lbs.	42.0
21N7536HBHL	1100	14¾	74¾	363/16	—	—	230 lbs.	38.0
Q21N6936HBHL	1058	14¾	69	363/16	—	—	220 lbs.	25.8
21N6936HBHL	1058	14¾	69	363/16	—	—	220 lbs.	25.8
21N6336HBHL	1018	14¾	63	363/16	—	—	173 lbs.	23.6
21N5736HBHL	976	14¾	573/16	363/16	—	—	148 lbs.	22.0

- Highback organizer features (4) side hinged doors and full back panels with cord management
- For tack board models, see pages 370-378
- Not for use in open plan applications due to open pin holes in backs
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

Base Model	Grommet Option	Locking	Laminate
	G13LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 791 Palisander 792 Sable 793 Acorn
21N2472CLFL10	G13LR	KS2B	AC2

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Overhead Cabinet Wall Mount 	Laminate Doors				
	21N3017SOHML TFL	\$ 494	14¾ 2958 17 — —	89 lbs.	8.3
	Q21N3617SOHML TFL	546	14¾ 3558 17 — —	100 lbs.	9.7
	21N3617SOHML TFL	546	14¾ 3558 17 — —	100 lbs.	9.7

- Flat edge detail
- Inside dimensions of 21N3017SOHML are 127⅞ deep, 281⅞ wide and 12¾" high
- Inside dimensions of 21N3617SOHML are 127⅞ deep, 341⅞ wide and 12¾" high
- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 370-378
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Single Storage Cabinet/Wardrobe



Left shown

<i>Left Hinged</i>	<i>Right Hinged</i>									
21N1866VSWHLL	21N1866VSWHRL	Laminate Top	\$ 1559	2338	18	6538	—	—	160 lbs.	23.6
Inside Dimensions				1811/32	16½	617/32	—	—	—	—

- Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard
- Unit has an unfinished back
- Specify laminate only

Arrowood - Laminate

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

21N2436LFF4L	KRB	AC2
21N2430PTL	G13C	TF




To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Two Drawer 	Q21N2436LFF2L	\$ 887	23¾	35¾	29½	—	—	184 lbs.	17.7
	21N2436LFF2L	887	23¾	35¾	29½	—	—	184 lbs.	17.7
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Lateral File Three Drawer 	21N2436LFF3L	\$ 1447	23¾	35¾	44½	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Lateral File Four Drawer 	21N2436LFF4L	\$ 2007	23¾	35¾	58¾	—	—	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Bookcase 	Q21N3365BCOFL	\$ 800	13	33	657/16	—	—	135 lbs.	27.4
	21N3365BCOFL	800	13	33	657/16	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back								
Bookcase 	21N3353BCOFL	\$ 693	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								

Specify selections, left to right:

Base Model	Grommet Option	Locking	Laminate
21N2436LFF4L	G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 791 Palisander 792 Sable 793 Acorn
		KRB	AC2

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Q21N3336BCOL	\$ 563	13	33	363/16	—	—	85 lbs.	15.8
	21N3336BCOL	563	13	33	363/16	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back								
	21N2430PTL	\$ 680	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4	65	For use as a mobile unit					1 lbs.	0.2
	• Fixed shelf is 12" deep and 27¾" wide and ¾" thick • Open back • Grommet (G13C) available								
	30" Square		131⁄16" Top Thickness						
	21N3030SQL	\$ 405	30	30	13/16	—	—	33 lbs.	2.0
	36" Square								
	21N3636SQL	\$ 476	36	36	13/16	—	—	42 lbs.	2.4
	42" Square								
	21N4242SQL	\$ 682	42	42	13/16	—	—	58 lbs.	3.2
	48" Square								
	21N4848SQL	\$ 935	48	48	13/16	—	—	76 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases • Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 53 for options and upcharge								

Arrowood - Laminate

ArrowoodTM

Veneer

Arrowood - Veneer

PRODUCT SPECIFICATIONS

WORKSURFACE

- 13/16" slipmatched cherry and maple veneer, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Arrowood Veneer series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full and ¾ pedestal options
- ¾ modesty panels on HPL top ¾ pedestal only. Other versions have full modesty panels
- ¾" thick modesty panels
- 11/16" thick end panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Standard leveling glides
- Grain direction runs vertical on all modesty panels

SHELVES


- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (see accessory pages)

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Box Drawer—Desk	12 1/16"	17"	3 1/8"	N/A
File Drawer—Desk	12 1/16"	17"	9 1/2"	Letter
Pencil Drawer—Operational Return	12 1/16"	17"	1 1/2"	N/A
Box Drawer—Return	12 1/16"	17"	3 1/8"	N/A
File Drawer—Return	12 1/16"	17"	9 1/2"	Letter
Box Drawer—Credenza				
21 x 72	15 1/16"	17"	3 1/8"	N/A
21 x 66	15 1/16"	17"	3 1/8"	N/A
File Drawer—Credenza				
21 x 72	15 1/16"	17"	9 1/2"	Legal
21 x 66	15 1/16"	17"	9 1/2"	Legal
Lateral File Drawer—Lateral File	31 11/32"	15"	9 1/2"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha

WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILE




GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

- G13LR Left & Right
- G13C Center



Round Grommet
Plastic

LOCKING

Key Random

- KRB Black
- KRS Silver

Key Specific

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Mitered
- Grommets: Included on bridges, returns and credenzas
- Locking: Random black cores
- Sheen: Standard
- Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

Arrowood - Veneer L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





Arrangements Include:

- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	Model No./Description	List Price	L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Full Pedestal Wood Top 	Q31N8872LLFW 87½D x 71¾W	\$ 4101	Right L-Configuration Full Pedestal Wood Top 	Q31N8872LRFW 87½D x 71¾W	\$ 4101
	31N8872LLFW 87½D x 71¾W	\$ 4101		31N8872LRFW 87½D x 71¾W	\$ 4101
	consists of			consists of	
	31N3672DRFW1 Right Pedestal Desk	2394		31N3672DLFW1 Left Pedestal Desk	2394
	31N2452RLEFW2 Left Pedestal Return	1707		31N2452RREFW2 Right Pedestal Return	1707
	Q31N8072LLFW 79½D x 71¾W	\$ 4004		Q31N8072LRFW 79½D x 71¾W	\$ 4004
	31N8072LLFW 79½D x 71¾W	\$ 4004		31N8072LRFW 79½D x 71¾W	\$ 4004
	consists of			consists of	
	31N3672DRFW1 Right Pedestal Desk	2394		31N3672DLFW1 Left Pedestal Desk	2394
	31N2444RLEFW2 Left Pedestal Return	1610		31N2444RREFW2 Right Pedestal Return	1610
	31N8266LLFW 81½D x 66W	\$ 3893		31N8266LRFW 81½D x 66W	\$ 3893
	consists of			consists of	
	31N3066DRFW1 Right Pedestal Desk	2186		31N3066DLFW1 Left Pedestal Desk	2186
	31N2452RLEFW2 Left Pedestal Return	1707		31N2452RREFW2 Right Pedestal Return	1707
	31N7466LLFW 73½D x 66W	\$ 3796		31N7466LRFW 73½D x 66W	\$ 3796
	consists of			consists of	
	31N3066DRFW1 Right Pedestal Desk	2186		31N3066DLFW1 Left Pedestal Desk	2186
	31N2444RLEFW2 Left Pedestal Return	1610		31N2444RREFW2 Right Pedestal Return	1610
Left L-Configuration Full Pedestal Laminate Top 	31N8872LLFLW 87½D x 71¾W	\$ 3755	Right L-Configuration Full Pedestal Laminate Top 	31N8872LRFLW 87½D x 71¾W	\$ 3755
	consists of			consists of	
	31N3672DRFLW1 Right Pedestal Desk	2221		31N3672DLFLW1 Left Pedestal Desk	2221
	31N2452RLEFLW2 Left Pedestal Return	1534		31N2452RREFLW2 Right Pedestal Return	1534
	31N8072LLFLW 79½D x 71¾W	\$ 3657		31N8072LRFLW 79½D x 71¾W	\$ 3657
	consists of			consists of	
	31N3672DRFLW1 Right Pedestal Desk	2221		31N3672DLFLW1 Left Pedestal Desk	2221
	31N2444RLEFLW2 Left Pedestal Return	1436		31N2444RREFLW2 Right Pedestal Return	1436
	31N8266LLFLW 81½D x 66W	\$ 3546		31N8266LRFLW 81½D x 66W	\$ 3546
	consists of			consists of	
	31N3066DRFLW1 Right Pedestal Desk	2012		31N3066DLFLW1 Left Pedestal Desk	2012
	31N2452RLEFLW2 Left Pedestal Return	1534		31N2452RREFLW2 Right Pedestal Return	1534
	31N7466LLFLW 73½D x 66W	\$ 3448		31N7466LRFLW 73½D x 66W	\$ 3448
	consists of			consists of	
	31N3066DRFLW1 Right Pedestal Desk	2012		31N3066DLFLW1 Left Pedestal Desk	2012
	31N2444RLEFLW2 Left Pedestal Return	1436		31N2444RREFLW2 Right Pedestal Return	1436

Veneer - Arrowood U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:


- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish


To Order, Specify Finish:


IM Brighton	TF Truffle	CW Cordovan
NM Natural	AC Autumn	DW Judicial
HN Honey	MC Amber	MH Mocha
CL Caramel		

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration Full Pedestal Wood Top 	Q31N10872ULFW 107¼D x 71¾W \$ 4784	
	31N10872ULFW 107¼D x 71¾W \$ 4784	
	consists of	
	31N3672DRFW1 Right Pedestal Desk	2394
	31N2451BEFW Bridge	508
	31N2172CLFW2 Left Pedestal Credenza	1882
	Q31N10272ULFW 101¼D x 71¾W \$ 4744	
	31N10272ULFW 101¼D x 71¾W \$ 4744	
	consists of	
	31N3672DRFW1 Right Pedestal Desk	2394
	31N2445BEFW Bridge	468
	31N2172CLFW2 Left Pedestal Credenza	1882
	31N10266ULFW 101¼D x 66W \$ 4530	
	consists of	
	31N3066DRFW1 Right Pedestal Desk	2186
	31N2451BEFW Bridge	508
	31N2166CLFW2 Left Pedestal Credenza	1836
	31N9666ULFW 95¼D x 66W \$ 4490	
	consists of	
	31N3066DRFW1 Right Pedestal Desk	2186
	31N2445BEFW Bridge	468
	31N2166CLFW2 Left Pedestal Credenza	1836

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration Full Pedestal Wood Top 	Q31N10872URFW 107¼D x 71¾W \$ 4784	
	31N10872URFW 107¼D x 71¾W \$ 4784	
	consists of	
	31N3672DLFW1 Left Pedestal Desk	2394
	31N2451BEFW Bridge	508
	31N2172CRFW2 Right Pedestal Credenza	1882
	Q31N10272URFW 101¼D x 71¾W \$ 4744	
	31N10272URFW 101¼D x 71¾W \$ 4744	
	consists of	
	31N3672DLFW1 Left Pedestal Desk	2394
	31N2445BEFW Bridge	468
	31N2172CRFW2 Right Pedestal Credenza	1882
	31N10266URFW 101¼D x 66W \$ 4530	
	consists of	
	31N3066DLFW1 Left Pedestal Desk	2186
	31N2451BEFW Bridge	508
	31N2166CRFW2 Right Pedestal Credenza	1836
	31N9666URFW 95¼D x 66W \$ 4490	
	consists of	
	31N3066DLFW1 Left Pedestal Desk	2186
	31N2445BEFW Bridge	468
	31N2166CRFW2 Right Pedestal Credenza	1836

Left U-Configuration Full Pedestal Laminate Top 	31N10872ULFLW 107¼D x 71¾W \$ 4367	
	consists of	
	31N3672DRFLW1 Right Pedestal Desk	2221
	31N2451BEFLW Bridge	439
	31N2172CLFLW2 Left Pedestal Credenza	1707
	31N10272ULFLW 101¼D x 71¾W \$ 4329	
	consists of	
	31N3672DRFLW1 Right Pedestal Desk	2221
	31N2445BEFLW Bridge	401
	31N2172CLFLW2 Left Pedestal Credenza	1707
	31N10266ULFLW 101¼D x 66W \$ 4121	
	consists of	
	31N3066DRFLW1 Right Pedestal Desk	2012
	31N2451BEFLW Bridge	439
	31N2166CLFLW2 Left Pedestal Credenza	1670
	31N9666ULFLW 95¼D x 66W \$ 4083	
	consists of	
	31N3066DRFLW1 Right Pedestal Desk	2012
	31N2445BEFLW Bridge	401
	31N2166CLFLW2 Left Pedestal Credenza	1670

Right U-Configuration Full Pedestal Laminate Top 	31N10872URFLW 107¼D x 71¾W \$ 4367	
	consists of	
	31N3672DLFLW1 Left Pedestal Desk	2221
	31N2451BEFLW Bridge	439
	31N2172CRFLW2 Right Pedestal Credenza	1707
	31N10272URFLW 101¼D x 71¾W \$ 4329	
	consists of	
	31N3672DLFLW1 Left Pedestal Desk	2221
	31N2445BEFLW Bridge	401
	31N2172CRFLW2 Right Pedestal Credenza	1707
	31N10266URFLW 101¼D x 66W \$ 4121	
	consists of	
	31N3066DLFLW1 Left Pedestal Desk	2012
	31N2451BEFLW Bridge	439
	31N2166CRFLW2 Right Pedestal Credenza	1670
	31N9666URFLW 95¼D x 66W \$ 4083	
	consists of	
	31N3066DLFLW1 Left Pedestal Desk	2012
	31N2445BEFLW Bridge	401
	31N2166CRFLW2 Right Pedestal Credenza	1670

Arrowood - Veneer L Arrangements





Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM Brighton	TF Truffle	CW Cordovan
NM Natural	AC Autumn	DW Judicial
HN Honey	MC Amber	MH Mocha
CL Caramel		

L-CONFIGURATIONS	Model No./Description	List Price	L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration ¾ Pedestal Wood Top 	31N8872LLYW 87½D x 71¾W \$ 3755		Right L-Configuration ¾ Pedestal Wood Top 	31N8872LRYW 87½D x 71¾W \$ 3755	
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk 2221			31N3672DLYW3 Left Pedestal Desk 2221	
	31N2452RLEYW3 Left Pedestal Return 1534			31N2452RREYW3 Right Pedestal Return 1534	
	31N8072LLYW 79½D x 71¾W \$ 3657			31N8072LRYW 79½D x 71¾W \$ 3657	
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk 2221			31N3672DLYW3 Left Pedestal Desk 2221	
	31N2444RLEYW3 Left Pedestal Return 1436			31N2444RREYW3 Right Pedestal Return 1436	
	31N8266LLYW 81½D x 66W \$ 3546			31N8266LRYW 81½D x 66W \$ 3546	
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk 2012			31N3066DLYW3 Left Pedestal Desk 2012	
	31N2452RLEYW3 Left Pedestal Return 1534			31N2452RREYW3 Right Pedestal Return 1534	
	31N7466LLYW 73½D x 66W \$ 3448			31N7466LRYW 73½D x 66W \$ 3448	
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk 2012			31N3066DLYW3 Left Pedestal Desk 2012	
	31N2444RLEYW3 Left Pedestal Return 1436			31N2444RREYW3 Right Pedestal Return 1436	
Left L-Configuration ¾ Pedestal Laminate Top 	31N8872LLQLW 87½D x 71¾W \$ 3240		Right L-Configuration ¾ Pedestal Laminate Top 	31N8872LRQLW 87½D x 71¾W \$ 3240	
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk 1873			31N3672DLQLW3 Left Pedestal Desk 1873	
	31N2452RLEQLW3 Left Pedestal Return 1367			31N2452RREQLW3 Right Pedestal Return 1367	
	31N8072LLQLW 79½D x 71¾W \$ 3141			31N8072LRQLW 79½D x 71¾W \$ 3141	
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk 1873			31N3672DLQLW3 Left Pedestal Desk 1873	
	31N2444RLEQLW3 Left Pedestal Return 1268			31N2444RREQLW3 Right Pedestal Return 1268	
	31N8266LLQLW 81½D x 66W \$ 3042			31N8266LRQLW 81½D x 66W \$ 3042	
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk 1675			31N3066DLQLW3 Left Pedestal Desk 1675	
	31N2452RLEQLW3 Left Pedestal Return 1367			31N2452RREQLW3 Right Pedestal Return 1367	
	31N7466LLQLW 73½D x 66W \$ 2943			31N7466LRQLW 73½D x 66W \$ 2943	
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk 1675			31N3066DLQLW3 Left Pedestal Desk 1675	
	31N2444RLEQLW3 Left Pedestal Return 1268			31N2444RREQLW3 Right Pedestal Return 1268	

Veneer - Arrowood U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:


- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish


To Order, Specify Finish:

IM Brighton	TF Truffle	CW Cordovan
NM Natural	AC Autumn	DW Judicial
HN Honey	MC Amber	MH Mocha
CL Caramel		

U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration ¾ Pedestal Wood Top 	31N10872ULYW 107¼D x 71¾W \$ 4436	
	consists of	
	31N3672DRYW3 Right Pedestal Desk	2221
	31N2451BEFW Bridge	508
	31N2172CLYW3 Left Pedestal Credenza	1707
	31N10272ULYW 101¼D x 71¾W \$ 4396	
	consists of	
	31N3672DRYW3 Right Pedestal Desk	2221
	31N2445BEFW Bridge	468
	31N2172CLYW3 Left Pedestal Credenza	1707
	31N10266ULYW 101¼D x 66W \$ 4190	
	consists of	
	31N3066DRYW3 Right Pedestal Desk	2012
	31N2451BEFW Bridge	508
	31N2166CLYW3 Left Pedestal Credenza	1670
	31N9666ULYW 95¼D x 66W \$ 4150	
	consists of	
	31N3066DRYW3 Right Pedestal Desk	2012
	31N2445BEFW Bridge	468
	31N2166CLYW3 Left Pedestal Credenza	1670

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration ¾ Pedestal Wood Top 	31N10872URYW 107¼D x 71¾W \$ 4436	
	consists of	
	31N3672DLYW3 Left Pedestal Desk	2221
	31N2451BEFW Bridge	508
	31N2172CRYW3 Right Pedestal Credenza	1707
	31N10272URYW 101¼D x 71¾W \$ 4396	
	consists of	
	31N3672DLYW3 Left Pedestal Desk	2221
	31N2445BEFW Bridge	468
	31N2172CRYW3 Right Pedestal Credenza	1707
	31N10266URYW 101¼D x 66W \$ 4190	
	consists of	
	31N3066DLYW3 Left Pedestal Desk	2012
	31N2451BEFW Bridge	508
	31N2166CRYW3 Right Pedestal Credenza	1670
	31N9666URYW 95¼D x 66W \$ 4150	
	consists of	
	31N3066DLYW3 Left Pedestal Desk	2012
	31N2445BEFW Bridge	468
	31N2166CRYW3 Right Pedestal Credenza	1670

Left U-Configuration ¾ Pedestal Laminate Top 	31N10872ULQLW 107¼D x 71¾W \$ 3837	
	consists of	
	31N3672DRQLW3 Right Pedestal Desk	1873
	31N2451BEFLW Bridge	439
	31N2172CLQLW3 Left Pedestal Credenza	1525
	31N10272ULQLW 101¼D x 71¾W \$ 3799	
	consists of	
	31N3672DRQLW3 Right Pedestal Desk	1873
	31N2445BEFLW Bridge	401
	31N2172CLQLW3 Left Pedestal Credenza	1525
	31N10266ULQLW 101¼D x 66W \$ 3598	
	consists of	
	31N3066DRQLW3 Right Pedestal Desk	1675
	31N2451BEFLW Bridge	439
	31N2166CLQLW3 Left Pedestal Credenza	1484
	31N9666ULQLW 95¼D x 66W \$ 3560	
	consists of	
	31N3066DRQLW3 Right Pedestal Desk	1675
	31N2445BEFLW Bridge	401
	31N2166CLQLW3 Left Pedestal Credenza	1484

Right U-Configuration ¾ Pedestal Laminate Top 	31N10872URQLW 107¼D x 71¾W \$ 3837	
	consists of	
	31N3672DLQLW3 Left Pedestal Desk	1873
	31N2451BEFLW Bridge	439
	31N2172CRQLW3 Right Pedestal Credenza	1525
	31N10272URQLW 101¼D x 71¾W \$ 3799	
	consists of	
	31N3672DLQLW3 Left Pedestal Desk	1873
	31N2445BEFLW Bridge	401
	31N2172CRQLW3 Right Pedestal Credenza	1525
	31N10266URQLW 101¼D x 66W \$ 3598	
	consists of	
	31N3066DLQLW3 Left Pedestal Desk	1675
	31N2451BEFLW Bridge	439
	31N2166CRQLW3 Right Pedestal Credenza	1484
	31N9666URQLW 95¼D x 66W \$ 3560	
	consists of	
	31N3066DLQLW3 Left Pedestal Desk	1675
	31N2445BEFLW Bridge	401
	31N2166CRQLW3 Right Pedestal Credenza	1484

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31N3672DDFW8 X KRB N CW
31N3672DDFLW8 G13LR KS2B CW


To You In
10
Days
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top—Full Pedestal 	31N3672DDFAW8 Wood Top	\$ 3419	35¾	71¾	29½	1078	3915/16	317 lbs.	57.4
	31N3672DDFALW8 HPL Top	3127	35¾	71¾	29½	1078	3915/16	317 lbs.	57.4
	31N3666DDFAW8 Wood Top	\$ 3282	35¾	66	29½	1078	34¼	285 lbs.	52.3
	31N3666DDFALW8 HPL Top	3002	35¾	66	29½	1078	34¼	285 lbs.	52.3
• Unit has a full modesty panel • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
Double Pedestal Desk Arc Top—¾ Pedestal 	31N3672DDYAW3 Wood Top	\$ 3071	35¾	71¾	29½	1078	3915/16	291 lbs.	57.4
	31N3672DDQALW3 HPL Top	2800	35¾	71¾	29½	1078	3915/16	291 lbs.	57.4
	31N3666DDYAW3 Wood Top	\$ 2949	35¾	66	29½	1078	34¼	280 lbs.	52.3
	31N3666DDQALW3 HPL Top	2687	35¾	66	29½	1078	34¼	280 lbs.	52.3
• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
Double Pedestal Desk Full Pedestal 	Q31N3672DDFW8 Wood Top	\$ 2800	35¾	71¾	29½	1078	3915/16	361 lbs.	57.4
	31N3672DDFW8 Wood Top	2800	35¾	71¾	29½	1078	3915/16	361 lbs.	57.4
	31N3672DDFLW8 HPL Top	2449	35¾	71¾	29½	1078	3915/16	361 lbs.	57.4
	31N3666DDFW8 Wood Top	\$ 2687	35¾	66	29½	1078	34¼	285 lbs.	52.3
	31N3666DDFLW8 HPL Top	2351	35¾	66	29½	1078	34¼	285 lbs.	52.3
	31N3066DDFW8 Wood Top	\$ 2628	29¾	66	29½	478	34¼	277 lbs.	47.0
	31N3066DDFLW8 HPL Top	2268	29¾	66	29½	478	34¼	277 lbs.	47.0
	31N3060DDFW8 Wood Top	\$ 2527	29¾	59¾	29½	478	2715/16	261 lbs.	41.5
• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									


Specify selections, left to right:

Base Model	Grommet Option	Locking	Sheen (wood tops only)	Finish
	G13LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
31N3672DDFW8	X	KRB	N	CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
Double Pedestal Desk ¾ Pedestal 	31N3672DDYW3 Wood Top	\$ 2449	35¾	71¾	29½	1078	3915/16	325 lbs.	57.4
	31N3672DDQLW3 HPL Top	2105	35¾	71¾	29½	1078	3915/16	325 lbs.	57.4
	31N3666DDYW3 Wood Top	\$ 2351	35¾	66	29½	1078	34¼	285 lbs.	52.3
	31N3666DDQLW3 HPL Top	2021	35¾	66	29½	1078	34¼	285 lbs.	52.3
	31N3066DDYW3 Wood Top	\$ 2268	29¾	66	29½	478	34¼	277 lbs.	47.0
	31N3066DDQLW3 HPL Top	1933	29¾	66	29½	478	34¼	277 lbs.	47.0
	31N3060DDYW3 Wood Top	\$ 2181	29¾	59¾	29½	478	2715/16	235 lbs.	41.5
	31N3060DDQLW3 HPL Top	1859	29¾	59¾	29½	478	2715/16	235 lbs.	41.5

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**Single Pedestal Desk
Arc Top—Full Pedestal**




Left shown

		Left Pedestal	Right Pedestal								
31N3672DLFAW1	31N3672DRFAW1	Wood Top	\$ 3015	35¾	71¾	29½	1078	321/16	267 lbs.	57.4	
31N3672DLFALW1	31N3672DRFALW1	HPL Top	2938	35¾	71¾	29½	1078	321/16	267 lbs.	57.4	

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**Freestanding
Single Pedestal Desk
Arc Top—Full Pedestal**



Left shown

		Left Pedestal	Right Pedestal								
31N3672DLFFAW1	31N3672DRFFAW1	Wood Top	\$ 3015	35¾	71¾	29½	1078	5413/16	267 lbs.	57.4	
31N3672DLFFALW1	31N3672DRFFALW1	HPL Top	2938	35¾	71¾	29½	1078	5413/16	267 lbs.	57.4	

- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31N3672DRFW1 X KS1B R CW
31N3672DRFLW1 G13LR KRB CW

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description			List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
 Right shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>												
	31N3672DLYAW3	31N3672DRYAW3	Wood Top	\$ 2841	35¾	71¾	29½	1078	321/16	247 lbs.	57.4			
	31N3672DLQALW3	31N3672DRQALW3	HPL Top	2578	35¾	71¾	29½	1078	321/16	247 lbs.	57.4			
	• Not recommended as a freestanding unit due to routing in the rim • Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available													
 Right shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>												
	31N3672DLYFAW3	31N3672DRYFAW3	Wood Top	\$ 2841	35¾	71¾	29½	1078	5413/16	247 lbs.	57.4			
	31N3672DLQFALW3	31N3672DRQFALW3	HPL Top	2578	35¾	71¾	29½	1078	5413/16	247 lbs.	57.4			
	• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components													
 Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>												
	Q31N3672DLFW1	Q31N3672DRFW1	Wood Top	\$ 2394	35¾	71¾	29½	1078	321/16	311 lbs.	57.4			
	31N3672DLFW1	31N3672DRFW1	Wood Top	2394	35¾	71¾	29½	1078	321/16	311 lbs.	57.4			
	31N3672DLFLW1	31N3672DRFLW1	HPL Top	2221	35¾	71¾	29½	1078	321/16	311 lbs.	57.4			
	31N3666DLFW1	31N3666DRFW1	Wood Top	\$ 2298	35¾	66	29½	1078	265/16	250 lbs.	52.3			
	31N3666DLFLW1	31N3666DRFLW1	HPL Top	2132	35¾	66	29½	1078	265/16	250 lbs.	52.3			
	31N3066DLFW1	31N3066DRFW1	Wood Top	\$ 2186	29¾	66	29½	478	265/16	246 lbs.	45.3			
31N3066DLFLW1	31N3066DRFLW1	HPL Top	2012	29¾	66	29½	478	265/16	246 lbs.	45.3				
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available														

Specify selections, left to right:

Base Model	Grommet Option	Locking	Sheen (wood tops only)	Finish
	G13LR X	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
31N3672DRFW1	X	KS1B	R	CW

Freestanding Single Pedestal Desk Full Pedestal




Left shown

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Left Pedestal	Right Pedestal								
31N3672DLFFW1	31N3672DRFFW1	Wood Top \$ 2394	35¾	71¾	29½	1078	5413/16	311 lbs.	57.4
31N3672DLFFLW1	31N3672DRFFLW1	HPL Top 2221	35¾	71¾	29½	1078	5413/16	311 lbs.	57.4
31N3666DLFFW1	31N3666DRFFW1	Wood Top \$ 2298	35¾	66	29½	1078	491/16	250 lbs.	52.3
31N3666DLFFLW1	31N3666DRFFLW1	HPL Top 2132	35¾	66	29½	1078	491/16	250 lbs.	52.3
31N3066DLFFW1	31N3066DRFFW1	Wood Top \$ 2186	29¾	66	29½	478	491/16	246 lbs.	45.3
31N3066DLFFLW1	31N3066DRFFLW1	HPL Top 2012	29¾	66	29½	478	491/16	246 lbs.	45.3
31N3060DLFFW1	31N3060DRFFW1	Wood Top \$ 2098	29¾	59¾	29½	478	42¾	215 lbs.	42.0
31N3060DLFFLW1	31N3060DRFFLW1	HPL Top 1931	29¾	59¾	29½	478	42¾	215 lbs.	42.0

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Single Pedestal Desk ¾ Pedestal



Left shown

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Left Pedestal	Right Pedestal								
31N3672DLYW3	31N3672DRYW3	Wood Top \$ 2221	35¾	71¾	29½	1078	321/16	281 lbs.	57.4
31N3672DLQLW3	31N3672DRQLW3	HPL Top 1873	35¾	71¾	29½	1078	321/16	281 lbs.	57.4
31N3666DLYW3	31N3666DRYW3	Wood Top \$ 2132	35¾	66	29½	1078	265/16	250 lbs.	52.3
31N3666DLQLW3	31N3666DRQLW3	HPL Top 1797	35¾	66	29½	1078	265/16	250 lbs.	52.3
31N3066DLYW3	31N3066DRYW3	Wood Top \$ 2012	29¾	66	29½	478	265/16	222 lbs.	45.3
31N3066DLQLW3	31N3066DRQLW3	HPL Top 1675	29¾	66	29½	478	265/16	222 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Sample Model Numbers:

31N3672DULW R CW
31N3672DULFW R CW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Freestanding Single Pedestal Desk ¾ Pedestal




Left shown

Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
<i>Left Pedestal</i>	<i>Right Pedestal</i>								
31N3672DLYFW3	31N3672DRYFW3	Wood Top \$ 2221	35¾	71¾	29½	107/8	5413/16	281 lbs.	57.4
31N3672DLQFLW3	31N3672DRQFLW3	HPL Top 1873	35¾	71¾	29½	107/8	5413/16	281 lbs.	57.4
31N3666DLYFW3	31N3666DRYFW3	Wood Top \$ 2132	35¾	66	29½	107/8	491/16	250 lbs.	52.3
31N3666DLQFLW3	31N3666DRQFLW3	HPL Top 1797	35¾	66	29½	107/8	491/16	250 lbs.	52.3
31N3066DLYFW3	31N3066DRYFW3	Wood Top \$ 2012	29¾	66	29½	47/8	491/16	222 lbs.	45.3
31N3066DLQFLW3	31N3066DRQFLW3	HPL Top 1675	29¾	66	29½	47/8	491/16	222 lbs.	45.3
31N3060DLYFW3	31N3060DRYFW3	Wood Top \$ 1931	29¾	59¾	29½	47/8	42¾	215 lbs.	42.0
31N3060DLQFLW3	31N3060DRQFLW3	HPL Top 1608	29¾	59¾	29½	47/8	42¾	215 lbs.	42.0

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

U-Shaped Desk




Left shown

<i>Left U</i>	<i>Right U</i>								
31N3672DULW	31N3672DURW	Wood Top \$ 2014	35¾	71¾	29½	1/16	30¾	139 lbs.	5.9
31N3672DULLW	31N3672DURLW	HPL Top 1858	35¾	71¾	29½	1/16	30¾	143 lbs.	5.9

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see below
- Grommets not available

U-Shaped Desk with Modesty



Left shown

<i>Left U</i>	<i>Right U</i>								
31N3672DULFW	31N3672DURFW	Wood Top \$ 2400	35¾	71¾	29½	1/32	30¾	161 lbs.	5.9
31N3672DULFLW	31N3672DURFLW	HPL Top 2247	35¾	71¾	29½	1/32	30¾	165 lbs.	5.9


- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 61
- Grommets not available


Specify selections, left to right:


Base Model	Grommet Option	Locking	Sheen (wood tops only)	Finish
31N3672DULW	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha CW

Model No./Description			List Price	Dimensions				Cartoned Weight	Cubic Feet
				D	W	H	A		
 Support Base				DI	H				
	NAC2804SFB	Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFB5	Platinum Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFBN	Satin Nickel Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFBW	Wood	486	4	—	27¾-29¼	—	6 lbs.	1.0

			D	W	H	A	KW		
	NAC2812SHB	Wood Half	\$ 608	6	117/8	27¾	—	13 lbs.	2.6
- Adjustable glide standard - Specify veneer finish for wood support bases									

	31N3636CFSW	Wood Top	\$ 1547	36	36	29½	1/16	17	122 lbs.	5.2
	31N3636CFSW	HPL Top	1460	36	36	29½	1/16	17	117 lbs.	5.2
- Not recommended as a freestanding unit due to routing in the rim - Unit can be attached to bridge, return or multi-file return only - Some assembly required - Grain direction runs diagonal on worksurface - Grommet (G13C) available										

	31N1569TCW	Wood Top	\$ 759	1425/32	691/32	153/16	—	—	73 lbs.	2.4
	31N1569TCLW	HPL Top	697	1425/32	691/32	153/16	—	—	73 lbs.	2.4
	31N1563TCW	Wood Top	\$ 681	1425/32	631/32	153/16	—	—	67 lbs.	2.2
	31N1563TCLW	HPL Top	618	1425/32	631/32	153/16	—	—	67 lbs.	2.2
- Transaction surface spans over the desk only - Some assembly required 1569 transaction counter to be used with 36 x 72 single ped desk 1563 transaction counter to be used with 30 x 66 single ped desk										

	31N6983TCW	Wood Top	\$ 1086	82½	691/32	153/16	—	—	101 lbs.	3.3
	31N6983TCLW	HPL Top	992	82½	691/32	153/16	—	—	101 lbs.	3.3
	31N6377TCW	Wood Top	\$ 1006	76½	631/32	153/16	—	—	84 lbs.	3.1
	31N6377TCLW	HPL Top	914	76½	631/32	153/16	—	—	84 lbs.	3.1
- Some assembly required 6981 transaction counter to be used with 36 x 72 single ped desk and 2449 return 6375 transaction counter to be used with 30 x 66 single ped desk and 2449 return										

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Number:

31N2452RLEFW2	X	KS1B	N	MC
31N2451BEFLW	X	MC		
31N2451BEFW	X	R	CL	

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Return Full Pedestal								
<i>Left Pedestal</i>								
31N2464RLEFW2	\$ 1775	23¾	63¾	29½	1/16	4658	180 lbs.	30.2
31N2464RLEFLW2	1595	23¾	63¾	29½	1/16	4658	180 lbs.	30.2
<i>Right Pedestal</i>								
Q31N2452RLEFW2	\$ 1707	23¾	51¾	29½	1/16	3478	169 lbs.	30.1
31N2452RLEFW2	1707	23¾	51¾	29½	1/16	3478	169 lbs.	30.1
31N2452RLEFLW2	1534	23¾	51¾	29½	1/16	3478	169 lbs.	30.1
<i>Left Pedestal</i>								
Q31N2444RLEFW2	\$ 1610	23¾	43¾	29½	1/16	2618	156 lbs.	25.9
31N2444RLEFW2	1610	23¾	43¾	29½	1/16	2618	156 lbs.	25.9
31N2444RLEFLW2	1436	23¾	43¾	29½	1/16	2618	156 lbs.	25.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Return ¾ Pedestal								
<i>Left Pedestal</i>								
31N2464RLEYW3	\$ 1595	23¾	63¾	29½	1/16	4658	180 lbs.	30.2
31N2464RLEQLW3	1421	23¾	63¾	29½	1/16	4658	180 lbs.	30.2
<i>Right Pedestal</i>								
31N2452RLEYW3	\$ 1534	23¾	51¾	29½	1/16	3478	151 lbs.	30.1
31N2452RLEQLW3	1367	23¾	51¾	29½	1/16	3478	151 lbs.	30.1
<i>Left Pedestal</i>								
31N2444RLEYW3	\$ 1436	23¾	43¾	29½	1/16	2618	139 lbs.	25.9
31N2444RLEQLW3	1268	23¾	43¾	29½	1/16	2618	139 lbs.	25.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Specify selections, left to right:

Base Model	Grommet Option	Locking	Sheen (wood tops only)	Finish
	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MC
31N2452RLEFW2	X	KS1B	N	MC

	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
					D	W	H	A	KW		
Return Multi-File	<i>Left Pedestal</i>		<i>Right Pedestal</i>								
	31N2472RLEFW10	31N2472RREFW10	Wood Top	\$ 2382	23¾	71¾	29½	1/16	35	197 lbs.	40.6
	31N2472RLEFLW10	31N2472RREFLW10	HPL Top	2208	23¾	71¾	29½	1/16	35	197 lbs.	40.6

Left shown

Bridge 	Q31N2451BEFW	Wood Top	\$ 508	23¾ 50½ 29½ ¼ 48	81 lbs. 3.1
	31N2451BEFW	Wood Top	508	23¾ 50½ 29½ ¼ 48	81 lbs. 3.1
	31N2451BEFLW	HPL Top	439	23¾ 50½ 29½ ¼ 48	79 lbs. 3.1
	Q31N2445BEFW	Wood Top	\$ 468	23¾ 44½ 29½ 1/16 39½	71 lbs. 2.8
	31N2445BEFW	Wood Top	468	23¾ 44½ 29½ 1/16 39½	71 lbs. 2.8
	31N2445BEFLW	HPL Top	401	23¾ 44½ 29½ 1/16 39½	74 lbs. 2.8
- Some assembly required - Grain direction runs front-to-back on worksurface - Grommet (G13C) available					

Storage Credenza Full Pedestal 	Q31N2172CSFW2	Wood Top	\$ 2648	21 71¾ 29½ 1/16 —	309 lbs. 36.4
	31N2172CSFW2	Wood Top	2648	21 71¾ 29½ 1/16 —	309 lbs. 36.4
	31N2172CSFLW2	HPL Top	2300	21 71¾ 29½ 1/16 —	309 lbs. 36.4
	31N2166CSFW2	Wood Top	\$ 2397	21 66 29½ 1/16 —	307 lbs. 33.6
	31N2166CSFLW2	HPL Top	2050	21 66 29½ 1/16 —	307 lbs. 33.6
	72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick) - Grommet (G13LR) available - Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available				

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

31N2172CLFW2 G13LR KRB R MH


To You In
10
Days
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Storage Credenza ¾ Pedestal 	31N2172CSYW3 Wood Top	\$ 2300	21	71¾	29½	1/16	—	279 lbs.	36.4
	31N2172CSQLW3 HPL Top	2129	21	71¾	29½	1/16	—	279 lbs.	36.4
	31N2166CSYW3 Wood Top	\$ 2050	21	66	29½	1/16	—	257 lbs.	33.6
	31N2166CSQLW3 HPL Top	1855	21	66	29½	1/16	—	257 lbs.	33.6
• 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) • 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick) • Grommet (G13LR) available • Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
Entertainment Credenza 	31N2472CBVW Wood	\$ 3760	2225/32	7113/16	3415/16	—	—	309 lbs.	36.4
	31N2472CBVLW Laminate/Wood	3760	2225/32	7113/16	3415/16	—	—	309 lbs.	36.4
• 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick) • Inside dimension of each storage section is 21" deep x 34½" wide x 23¾" high • Unfinished back panel • Cutouts in back panel for venting • Grommet (G13LR) available • Rim on front and sides of model • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
Kneespace Credenza Full Pedestal 	Q31N2172CKFW2 Wood Top	\$ 2589	21	71¾	29½	1/16	3438	252 lbs.	36.4
	31N2172CKFW2 Wood Top	2589	21	71¾	29½	1/16	3438	252 lbs.	36.4
	31N2172CKFLW2 HPL Top	2241	21	71¾	29½	1/16	3438	252 lbs.	36.4
	31N2166CKFW2 Wood Top	\$ 2340	21	66	29½	1/16	2858	240 lbs.	33.6
	31N2166CKFLW2 HPL Top	1992	21	66	29½	1/16	2858	240 lbs.	33.6
	31N2160CKFW2 Wood Top	\$ 2246	21	59¾	29½	1/16	2778	256 lbs.	33.0
	31N2160CKFLW2 HPL Top	1913	21	59¾	29½	1/16	2778	256 lbs.	33.0
	• Standard wire management centered in the modesty panel and 1¼" from the top • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								


Specify selections, left to right:

Base Model	Grommet Option	Locking	Sheen (wood tops only)	Finish
	G13LR X	KRB KRS KS1B KS1S KS2B KS2S	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
31N2172CLFW2	G13LR	KRB	R	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Kneespace Credenza ¾ Pedestal 	31N2172CKYW3 Wood Top	\$ 2241	21 71¾ 29½ 1/16 3438	212 lbs.	36.4
	31N2172CKQLW3 HPL Top	2066	21 71¾ 29½ 1/16 3438	212 lbs.	36.4
	31N2166CKYW3 Wood Top	\$ 1992	21 66 29½ 1/16 2858	200 lbs.	33.6
	31N2166CKQLW3 HPL Top	1795	21 66 29½ 1/16 2858	200 lbs.	33.6
	31N2160CKYW3 Wood Top	\$ 1913	21 59¾ 29½ 1/16 27¾	190 lbs.	33.0
	31N2160CKQLW3 HPL Top	1723	21 59¾ 29½ 1/16 27¾	190 lbs.	33.0

- Standard wire management centered in the modesty panel and 1¾" from the top
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**Single Pedestal Credenza
Full Pedestal**




Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
Q31N2172CLFW2	Q31N2172CRFW2	Wood Top	\$ 1882	21	71¾	29½	1/16	293/16	232 lbs.	36.4
31N2172CLFW2	31N2172CRFW2	Wood Top	1882	21	71¾	29½	1/16	293/16	232 lbs.	36.4
31N2172CLFLW2	31N2172CRFLW2	HPL Top	1707	21	71¾	29½	1/16	293/16	232 lbs.	36.4
31N2166CLFW2	31N2166CRFW2	Wood Top	\$ 1836	21	66	29½	1/16	235/16	200 lbs.	33.6
31N2166CLFLW2	31N2166CRFLW2	HPL Top	1670	21	66	29½	1/16	235/16	200 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**Freestanding
Single Pedestal Credenza
Full Pedestal**



Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>									
31N2172CLFFW2	31N2172CRFFW2	Wood Top	\$ 1882	21	71¾	29½	1/16	5113/16	232 lbs.	36.4
31N2172CLFFLW2	31N2172CRFFLW2	HPL Top	1707	21	71¾	29½	1/16	5113/16	232 lbs.	36.4
31N2166CLFFW2	31N2166CRFFW2	Wood Top	\$ 1836	21	66	29½	1/16	461/16	200 lbs.	33.6
31N2166CLFFLW2	31N2166CRFFLW2	HPL Top	1670	21	66	29½	1/16	461/16	200 lbs.	33.6
31N2160CLFFW2	31N2160CRFFW2	Wood Top	\$ 1763	21	59¾	29½	1/16	39¾	190 lbs.	33.0
31N2160CLFFLW2	31N2160CRFFLW2	HPL Top	1603	21	59¾	29½	1/16	39¾	190 lbs.	33.0

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

31N7236HBHW	KRB	MC
31N2136LFF2W	KRB	N CW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Highback Organizer



Model No./Description


List Price Dimensions D W H A KW Cartoned Weight Cubic Feet

Wood Doors

31N8636HBHW		\$ 2135	14¾	83½	36	1/16	—	250 lbs.	45.0
31N8036HBHW		2068	14¾	77½	36	1/16	—	240 lbs.	42.0
31N7836HBHW		2004	14¾	75½	36	1/16	—	230 lbs.	38.0
Q31N7236HBHW		1943	14¾	69	36	1/16	—	181 lbs.	34.9
31N7236HBHW		1943	14¾	69	36	1/16	—	181 lbs.	34.9
31N6636HBHW		1883	14¾	63	36	1/16	—	165 lbs.	32.1
31N6036HBHW		1823	14¾	57¾	36	1/16	—	148 lbs.	25.0

- Highback organizer features (4) side hinged doors, full back panels with cord management
- Features a laminate (LPL) top
- For tack board models, see pages 370-378
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Overhead Cabinet Wall Mount





Wood Doors

Q31N3618S0HMMW	Wood Top	\$ 954	14¾	3558	17½	—	—	101 lbs.	9.7
31N3618S0HMMW	Wood Top	954	14¾	3558	17½	—	—	101 lbs.	9.7
31N3018S0HMMW	Wood Top	874	14¾	2958	17½	—	—	86 lbs.	7.9

- Cabinet has flat edge detail
- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 370-378
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

Base Model	Locking	Sheen (wood tops only)	Finish
	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
31N7236HBHW	KRB		MC

	Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
Single Storage Cabinet/Wardrobe 	<i>Left Hinged</i>	<i>Right Hinged</i>									
	31N1866VSWHLW	31N1866VSWHRW	Wood Top	\$ 2057	21	181/32	65½	—	—	160 lbs.	23.6
	Inside Dimensions				181 1/32	16½	617/32	—	—	—	—
	• Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves • Removable coat rod is standard • Unit has an unfinished back • Specify finish only										
	Left shown										
Lateral File Two Drawer 	Q31N2136LFF2W	Wood Top	\$ 1399	21	35½	29½	—	—	193 lbs.	15.6	
	31N2136LFF2W	Wood Top	1399	21	35½	29½	—	—	193 lbs.	15.6	
	31N2136LFF2LW	HPL Top	1345	21	35½	29½	—	—	201 lbs.	15.6	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										
Lateral File Three Drawer 	31N2136LFF3W	Wood Top	\$ 1816	21	361/16	435/8	—	—	210 lbs.	30.0	
	31N2136LFF3LW	HPL Top	1771	21	361/16	435/8	—	—	210 lbs.	30.0	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
Lateral File Four Drawer 	31N2136LFF4W	Wood Top	\$ 2286	21	361/16	575/16	—	—	291 lbs.	40.2	
	31N2136LFF4LW	HPL Top	2257	21	361/16	575/16	—	—	291 lbs.	40.2	
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

31N2040MGLW AC
31N2430PTLW G13C MH





To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Bookcase Set-On 	Q31N3238BCOW Wood Top	\$ 914	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	914	13	31½	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
Bookcase 	Q31N3266BCOFW Wood Top	\$ 1321	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	1321	13	31½	65¾	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
Bookcase 	31N3253BCOFW Wood Top	\$ 1033	13	31½	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								

Specify selections, left to right:


Base Model	Grommet Option	Sheen (wood tops only)	Finish
31N2040MGLW	G13C X Black, Center No Grommet	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha AC

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
	D	W	H							
	31N2430PTLW	Laminate/Wood	\$ 1075	23¾	29½	29½	—	—	89 lbs.	18.7
	MPK-4	Set of 4 Casters	65	For use as a mobile unit					1 lbs.	0.2
	• Fixed shelf is 12" deep, 27¾ wide and ¾" thick • Open back • Grommet (G13C) available									
Magazine Table Panel Legs	31N2040MGLW	HPL Top	\$ 676	19¾	39½	16	¼	—	67 lbs.	12.2
										
End Table Panel Legs	31N2424ENLW	HPL Top	\$ 616	23¾	23½	19	¼	—	63 lbs.	11.0
										
Magazine Table Turned Legs	Q31N2040MGPLW	HPL Top	\$ 980	1925/32	3925/32	173/16	—	—	42 lbs.	3.0
	31N2040MGPLW	HPL Top	980	1925/32	3925/32	173/16	—	—	42 lbs.	3.0
	• Some assembly required									
End Table Turned Legs	Q31N2424ENPLW	HPL Top	\$ 918	2325/32	2325/32	207/16	—	—	33 lbs.	2.2
	31N2424ENPLW	HPL Top	918	2325/32	2325/32	207/16	—	—	33 lbs.	2.2
	• Some assembly required									
										

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Square Table Top 19 1/16" Thick



Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
30" Square 19 1/16" Top Thickness									
31NN3030SQW	Wood	\$ 887	30	30	19 1/16	—	—	33 lbs.	2.0
31NN3030SQLW	Laminate/Wood	887	30	30	19 1/16	—	—	33 lbs.	2.0
36" Square									
31NN3636SQW	Wood	\$ 1044	36	36	19 1/16	—	—	45 lbs.	2.4
31NN3636SQLW	Laminate/Wood	1044	36	36	19 1/16	—	—	45 lbs.	2.4
42" Square									
31NN4242SQW	Wood	\$ 1171	42	42	19 1/16	—	—	61 lbs.	3.2
31NN4242SQLW	Laminate/Wood	1171	42	42	19 1/16	—	—	61 lbs.	3.2
48" Square									
31NN4848SQW	Wood	\$ 1302	48	48	19 1/16	—	—	79 lbs.	4.2
31NN4848SQLW	Laminate/Wood	1302	48	48	19 1/16	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases
- See Tables Price List pages 54-57 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 53 for options and upcharge

Square Table Top 13 1/16" Thick



30" Square 13 1/16" Top Thickness									
31N3030SQW	Wood	\$ 790	30	30	13 1/16	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	790	30	30	13 1/16	—	—	33 lbs.	2.0
36" Square									
31N3636SQW	Wood	\$ 930	36	36	13 1/16	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	930	36	36	13 1/16	—	—	42 lbs.	2.4
42" Square									
31N4242SQW	Wood	\$ 1058	42	42	13 1/16	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1058	42	42	13 1/16	—	—	58 lbs.	3.2
48" Square									
31N4848SQW	Wood	\$ 1189	48	48	13 1/16	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1189	48	48	13 1/16	—	—	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases
- See Tables Price List pages 54-57 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 53 for options and upcharge

Barrington®

Barrington

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1 1/16" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Barrington series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- 3/4" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- 3/4" thick end panels
- Standard leveling glides
- Back panels are semi-finished (stained with some exposed hardware) unless noted

MOLDING AND PULLS


- Solid wood, mitered, overlay moldings on modesty panel and end panels of desks
- Three pull styles available

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are 1/2" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets available in predetermined locations
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers

LOCKING

- Black lock cores are available
- Lock cores/keys are not factory installed in undersurface units; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358
- Highbacks, bookcases and wardrobes use a brass lock (keyed random 1-5) with a non-removable/changeable lock core when the Provincial or Classic pulls are ordered
- Highbacks, bookcases and wardrobes use a black lock (keyed random 1-5) with a non-removable/changeable lock core when Verona pull is ordered

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Dictation Slide	13 1 1/16"	24 3/4"	3/4"	N/A
Center Drawers				
3672DP, 3066DP	28 1/2"	17"	27 7/8"	N/A
3672LP, 3672RP	28 1/2"	17"	27 7/8"	N/A
3066LP, 3066RP	22 3/4"	17"	27 7/8"	N/A
Box Drawer	12 1 1/16"	17"	31 7/8"	N/A
File Drawer – Desk	12 1 1/16"	17"	9 1/2"	Letter
File Drawer – Return and Credenza	15 1 1/16"	17"	9 1/2"	Legal
File Drawer – Lateral File	30 1 1/16"	15"	9 1/2"	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- TF Truffle
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin


RIM PROFILE




PULLS/KNOBS



Provincial (80)
80AB Antique Brass
(Boring Pattern 76mm)



Classic (81)
81AB Antique Brass
(Boring Pattern 76mm)




Verona (85)
85AB Antique Brass
85CN Classic Nickel
(Boring Pattern 160mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G13C Center



**Round Grommet
Plastic**

LOCKING

Key Random

KRB Black

Key Specific

- KS1B Black, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS3B Black, 3 locks per unit
- KS4B Black, 4 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Traditional
- Pull: Classic 81AB Antique Brass
- Grommets: Included on bridges and returns
- Locking: Random black cores
- Sheen: Standard
- Finish: Cordovan (CW)

Barrington L Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Classic, Antique Brass pulls
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish





To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha



Classic, Antique Brass pulls

To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	Model No./Description		List Price	L-CONFIGURATIONS	Model No./Description		List Price
Left L-Configuration Wood Top	Q50N8672LLFW	85¾D x 71¾W	\$ 5052	Right L-Configuration Wood Top	Q50N8672LRFW	85¾D x 71¾W	\$ 5052
	50N8672LLFW	85¾D x 71¾W	\$ 5052		50N8672LRFW	85¾D x 71¾W	\$ 5052
	consists of				consists of		
	50N3672DRFW1	Right Pedestal Desk	2856		50N3672DLFW1	Left Pedestal Desk	2856
	50N2450RLEFW2	Left Pedestal Return	2196		50N2450RREFW2	Right Pedestal Return	2196
	50N8066LLFW	79¾D x 66W	\$ 4971		50N8066LRFW	79¾D x 66W	\$ 4971
	consists of				consists of		
	50N3066DRFW1	Right Pedestal Desk	2775		50N3066DLFW1	Left Pedestal Desk	2775
	50N2450RLEFW2	Left Pedestal Return	2196		50N2450RREFW2	Right Pedestal Return	2196
Left L-Configuration Laminate Top	50N8672LLFLW	85¾D x 71¾W	\$ 5052	Right L-Configuration Laminate Top	50N8672LRFLW	85¾D x 71¾W	\$ 5052
	consists of				consists of		
	50N3672DRFLW1	Right Pedestal Desk	2856		50N3672DLFLW1	Left Pedestal Desk	2856
	50N2450RLEFLW2	Left Pedestal Return	2196		50N2450RREFLW2	Right Pedestal Return	2196
	50N8066LLFLW	79¾D x 66W	\$ 4971		50N8066LRFLW	79¾D x 66W	\$ 4971
	consists of				consists of		
	50N3066DRFLW1	Right Pedestal Desk	2775		50N3066DLFLW1	Left Pedestal Desk	2775
	50N2450RLEFLW2	Left Pedestal Return	2196		50N2450RREFLW2	Right Pedestal Return	2196

Barrington U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Classic, Antique Brass pulls
- Standard sheen
- Center grommet in bridge
- Random black lock cores
- Must specify finish

To Order, Specify Finish:


TF Truffle DW Judicial
CW Cordovan MH Mocha





Classic, Antique Brass pulls


To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration Wood Top 	Q50N10772ULFW 106¾D x 71¾W \$ 5848	
	50N10772ULFW 106¾D x 71¾W \$ 5848	
	consists of	
	50N3672DRFW1 Right Pedestal Desk	2856
	50N2450BEFW Bridge	768
	50N2172CLFW2 Left Pedestal Credenza	2224
	Q50N9972ULFW 98¾D x 71¾W \$ 5807	
	50N9972ULFW 98¾D x 71¾W \$ 5807	
	consists of	
	50N3672DRFW1 Right Pedestal Desk	2856
	50N2442BEFW Bridge	727
	50N2172CLFW2 Left Pedestal Credenza	2224
	50N10266ULFW 101¾D x 66W \$ 5463	
	consists of	
	50N3066DRFW1 Right Pedestal Desk	2775
	50N2450BEFW Bridge	768
	50N2166CLFW2 Left Pedestal Credenza	1920
	50N9366ULFW 92¾D x 66W \$ 5422	
	consists of	
	50N3066DRFW1 Right Pedestal Desk	2775
	50N2442BEFW Bridge	727
	50N2166CLFW2 Left Pedestal Credenza	1920

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration Wood Top 	Q50N10772URFW 106¾D x 71¾W \$ 5848	
	50N10772URFW 106¾D x 71¾W \$ 5848	
	consists of	
	50N3672DLFW1 Left Pedestal Desk	2856
	50N2450BEFW Bridge	768
	50N2172CRFW2 Right Pedestal Credenza	2224
	Q50N9972URFW 98¾D x 71¾W \$ 5807	
	50N9972URFW 98¾D x 71¾W \$ 5807	
	consists of	
	50N3672DLFW1 Left Pedestal Desk	2856
	50N2442BEFW Bridge	727
	50N2172CRFW2 Right Pedestal Credenza	2224
	50N10266URFW 101¾D x 66W \$ 5463	
	consists of	
	50N3066DLFW1 Left Pedestal Desk	2775
	50N2450BEFW Bridge	768
	50N2166CRFW2 Right Pedestal Credenza	1920
	50N9366URFW 92¾D x 66W \$ 5422	
	consists of	
	50N3066DLFW1 Left Pedestal Desk	2775
	50N2442BEFW Bridge	727
	50N2166CRFW2 Right Pedestal Credenza	1920

Left U-Configuration Laminate Top 	50N10772ULFLW 106¾D x 71¾W \$ 5848	
	consists of	
	50N3672DRFLW1 Right Pedestal Desk	2856
	50N2450BEFLW Bridge	768
	50N2172CLFLW2 Left Pedestal Credenza	2224
	50N9972ULFLW 98¾D x 71¾W \$ 5807	
	consists of	
	50N3672DRFLW1 Right Pedestal Desk	2856
	50N2442BEFLW Bridge	727
	50N2172CLFLW2 Left Pedestal Credenza	2224
	50N10266ULFLW 101¾D x 66W \$ 5463	
	consists of	
	50N3066DRFLW1 Right Pedestal Desk	2775
	50N2450BEFLW Bridge	768
	50N2166CLFLW2 Left Pedestal Credenza	1920
	50N9366ULFLW 92¾D x 66W \$ 5422	
	consists of	
	50N3066DRFLW1 Right Pedestal Desk	2775
	50N2442BEFLW Bridge	727
	50N2166CLFLW2 Left Pedestal Credenza	1920

Right U-Configuration Laminate Top 	50N10772URFLW 106¾D x 71¾W \$ 5848	
	consists of	
	50N3672DLFLW1 Left Pedestal Desk	2856
	50N2450BEFLW Bridge	768
	50N2172CRFLW2 Right Pedestal Credenza	2224
	50N9972URFLW 98¾D x 71¾W \$ 5807	
	consists of	
	50N3672DLFLW1 Left Pedestal Desk	2856
	50N2442BEFLW Bridge	727
	50N2172CRFLW2 Right Pedestal Credenza	2224
	50N10266URFLW 101¾D x 66W \$ 5463	
	consists of	
	50N3066DLFLW1 Left Pedestal Desk	2775
	50N2450BEFLW Bridge	768
	50N2166CRFLW2 Right Pedestal Credenza	1920
	50N9366URFLW 92¾D x 66W \$ 5422	
	consists of	
	50N3066DLFLW1 Left Pedestal Desk	2775
	50N2442BEFLW Bridge	727
	50N2166CRFLW2 Right Pedestal Credenza	1920

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50N3672DDFW8 80AB KRB N MH
50N2450RLEFW2 81AB X KRB R MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	Q50N3672DDFW8 Wood Top	\$ 3354	35¾	71¾	29½	7¾	3258	362 lbs.	57.4	
	50N3672DDFW8 Wood Top	3354	35¾	71¾	29½	7¾	3258	362 lbs.	57.4	
	50N3672DDFLW8 HPL Top	3354	35¾	71¾	29½	7¾	3258	362 lbs.	57.4	
	50N3066DDFW8 Wood Top	\$ 3125	29¾	66	29½	1¾	2513/16	285 lbs.	45.3	
	50N3066DDFLW8 HPL Top	3125	29¾	66	29½	1¾	2513/16	285 lbs.	45.3	
	• Desk chassis measures 627⁸/₈ • The user side overhang is 1" • Comes with center drawer and dictation slide • Random lock core (KRB) and specified lock core (KS3B) available									
	50N3672DTW Wood Top	\$ 2054	35¾	71¾	29½	—	—	129 lbs.	10.7	
	50N3672DTLW HPL Top	2054	35¾	71¾	29½	—	—	129 lbs.	10.7	
	• Comes with center drawer • Some assembly required									
	50N3672DTQW Wood Top	\$ 2744	35¾	71¾	29½	—	—	130 lbs.	10.7	
	50N3672DTQLW HPL Top	2744	35¾	71¾	29½	—	—	129 lbs.	10.7	
	• Comes with center drawer • Some assembly required									
	Left Pedestal	Right Pedestal								
	Q50N3672DLFW1	Q50N3672DRFW1 Wood Top	\$ 2856	35¾	71¾	29½	7¾	311/8	311 lbs.	57.4
	50N3672DLFW1	50N3672DRFW1 Wood Top	2856	35¾	71¾	29½	7¾	311/8	311 lbs.	57.4
	50N3672DLFLW1	50N3672DRFLW1 HPL Top	2856	35¾	71¾	29½	7¾	311/8	311 lbs.	57.4
	50N3066DLFW1	50N3066DRFW1 Wood Top	\$ 2775	29¾	66	29½	1¾	257/16	245 lbs.	45.3
	50N3066DLFLW1	50N3066DRFLW1 HPL Top	2775	29¾	66	29½	1¾	257/16	245 lbs.	45.3
• Not recommended as a freestanding unit due to routing in the rim • Random lock core (KRB) and specified lock core (KS2B) available										

Left shown


Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
50N3672DDFW8	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS3B Key Specific, Black KRB	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha MH


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------

Reception Desk/Return

Left shown



Right shown

**Reception Desk****Left Pedestal Right Pedestal**

50N3072DTLFW1	50N3072DTRFW1	Wood Top	\$ 3991	307/32 71¾ 431/16 — —	530 lbs. 69.9
50N3072DTLFLW1	50N3072DTRFLW1	HPL Top	3991	307/32 71¾ 431/16 — —	530 lbs. 69.9

- Must be used with reception return
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

Reception Return**Left Right**

50N2451RTLW2	50N2451RTRW2	Wood Top	\$ 2544	239/16 50¾ 42 — —	300 lbs. 43.1
50N2451RTLW2	50N2451RTRLW2	HPL Top	2544	239/16 50¾ 42 — —	300 lbs. 43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available


Return

Left shown

Left Pedestal Right Pedestal

Q50N2450RLEFW2	Q50N2450RREFW2	Wood Top	\$ 2196	23¾ 50 29½ — 303/16	159 lbs. 29.7
50N2450RLEFW2	50N2450RREFW2	Wood Top	2196	23¾ 50 29½ — 303/16	159 lbs. 29.7
50N2450RLEFLW2	50N2450RREFLW2	HPL Top	2196	23¾ 50 29½ — 303/16	159 lbs. 29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

Corner Unit

50N3636CFSW	Wood Top	\$ 1916	36 36 29½ — —	104 lbs. 5.2
50N3636CFSLW	HPL Top	1916	36 36 29½ — —	104 lbs. 5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit should be attached to bridge and return
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

Barrington

Product Specifications

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key




D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

50N2172CBW	80AB	KRB	N	MH
50N2172CBLW	80AB	KRB	MH	
50N2450BEFW	X	N	MH	
50N2172CLFW6	81AB	KRB	N	DW

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Bridge 	Q50N2450BEFW Wood Top	\$ 768	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFW Wood Top	768	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFLW HPL Top	768	23¾	50	29½	—	50	72 lbs.	3.0
	Q50N2442BEFW Wood Top	\$ 727	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFW Wood Top	727	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFLW HPL Top	727	23¾	42	29½	—	42	65 lbs.	2.6
	• Some assembly required • Grain direction runs front-to-back on worksurface • Grommet (G13C) available								
Storage Credenza 	Q50N2172CSFW2 Wood Top	\$ 3190	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFW2 Wood Top	3190	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFLW2 HPL Top	3190	21	71¾	29½	—	—	340 lbs.	36.4
	• Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick • Random lock core (KRB) and specified lock core (KS2B) available								
Storage Credenza Ganging 	50N2169CSFW2C Wood Top	\$ 3190	21	69½	29½	—	—	269 lbs.	30.7
	50N2169CSFLW2C HPL Top	3190	21	69½	29½	—	—	269 lbs.	30.7
	• Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals • Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick • Random lock core (KRB) and specified lock core (KS2B) available								
Buffet Credenza 	50N2172CBW Wood	\$ 3697	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLW Laminate/Wood	3697	21	71¾	34½	—	—	379 lbs.	42.9
	• Center storage section features an adjustable shelf • Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high • Locking featured on doors only • Unfinished back panel • Grommet option not available • Random lock core (KRB) and specified lock core (KS1B) available								
Entertainment Credenza 	50N2172CBVW Wood	\$ 3697	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBVLW Laminate/Wood	3697	21	71¾	34½	—	—	379 lbs.	42.9
	• Center storage section features an adjustable shelf • Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high • Locking featured on doors only • Cutouts in back panel for venting • Unfinished back panel • Grommet (G13C) available • Random lock core (KRB) and specified lock core (KS1B) available								

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS4B Key Specific, Black	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
50N2172CBW	80AB		KRB	N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Lateral File Credenza	50N2172CFFW Wood Top	\$ 3190	21 71¾ 29½ — —	333 lbs.	36.4
	50N2172CFFLW HPL Top	3190	21 71¾ 29½ — —	333 lbs.	36.4




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS4B) available

Kneespace Credenza	Q50N2172CKFW2 Wood Top	\$ 3085	21 71¾ 29½ — 331/8	234 lbs.	36.4
	50N2172CKFW2 Wood Top	3085	21 71¾ 29½ — 331/8	234 lbs.	36.4
	50N2172CKFLW2 HPL Top	3085	21 71¾ 29½ — 331/8	234 lbs.	36.4
	50N2166CKFW2 Wood Top	\$ 2871	21 65¾ 29½ — 271/8	175 lbs.	33.6
	50N2166CKFLW2 HPL Top	2871	21 65¾ 29½ — 271/8	175 lbs.	33.6



- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Random lock core (KRB) and specified lock core (KS2B) available

Kneespace Credenza Ganging	50N2169CKFW2C Wood Top	\$ 3085	21 69½ 29½ — 331/8	221 lbs.	30.7
	50N2169CKFLW2C HPL Top	3085	21 69½ 29½ — 331/8	221 lbs.	30.7
	50N2163CKFW2C Wood Top	\$ 2871	21 63½ 29½ — 271/8	175 lbs.	33.1
	50N2163CKFLW2C HPL Top	2871	21 63½ 29½ — 271/8	175 lbs.	33.1



- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Random lock core (KRB) and specified lock core (KS2B) available


Single Pedestal Credenza Lateral File	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	50N2172CLFW6	50N2172CRFW6	Wood Top	\$ 2336	21 71¾ 29½ — 109/16	234 lbs.	36.4			
	50N2172CLFLW6	50N2172CRFLW6	HPL Top	2336	21 71¾ 29½ — 109/16	234 lbs.	36.4			



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available

Single Pedestal Credenza File/File	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	Q50N2172CLFW2	Q50N2172CRFW2	Wood Top	\$ 2224	21 71¾ 29½ — 281/8	195 lbs.	36.4			
	50N2172CLFW2	50N2172CRFW2	Wood Top	2224	21 71¾ 29½ — 281/8	195 lbs.	36.4			
	50N2172CLFLW2	50N2172CRFLW2	HPL Top	2224	21 71¾ 29½ — 281/8	195 lbs.	36.4			
	50N2166CLFW2	50N2166CRFW2	Wood Top	\$ 1920	21 65¾ 29½ — 221/8	155 lbs.	33.6			
	50N2166CLFLW2	50N2166CRFLW2	HPL Top	1920	21 65¾ 29½ — 221/8	155 lbs.	33.6			



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Random lock core (KRB) and specified lock core (KS1B) available

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

50N7236HBHW 80AB MH
50N7129SOHMMW 81AB CW


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	36" High								
	Q50N7236HBHW	\$ 2257	14¾	71¾	36	—	—	177 lbs.	36.2
	50N7236HBHW	2257	14¾	71¾	36	—	—	177 lbs.	36.2
	50N6636HBHW	2141	14¾	66	36	—	—	156 lbs.	29.6

- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 370
- For tack board models, see pages 370-378
- Random lock core is factory installed



Highback Organizer



49" High

50N7149HBHRW	Grille Doors	\$ 4121	16	71 1/8	49 1/16	—	—	246 lbs.	49.0
50N7149HBHGW	Glass Doors	4121	16	71 1/8	49 1/16	—	—	246 lbs.	49.0
50N7149HBHW	Wood Doors	4121	16	71 1/8	49 1/16	—	—	246 lbs.	49.0
50N6649HBHRW	Grille Doors	4005	16	66	49 1/16	—	—	213 lbs.	42.0
50N6649HBHGW	Glass Doors	4005	16	66	49 1/16	—	—	213 lbs.	42.0
50N6649HBHW	Wood Doors	4005	16	66	49 1/16	—	—	213 lbs.	42.0


- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 370
- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- For tack board models, see pages 370-378
- Random lock core is factory installed



Specify selections, left to right:




Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N7236HBHW	80AB		MH

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Overhead Cabinet Wall Mount	18" High								
	Q50N7218S0HMMW Wood Door	\$ 2614	14¾	71¾	18	—	—	150 lbs.	25.1
	50N7218S0HMMW Wood Door	2614	14¾	71¾	18	—	—	150 lbs.	25.1
	50N6618S0HMMW Wood Door	2443	14¾	66	18	—	—	117 lbs.	16.2



- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board models, see pages 370-378
- Random lock core is factory installed

Overhead Cabinet Wall Mount	29" High								
	50N7129S0HMMW Wood Door	\$ 3912	16	71 1/8	29	—	—	182 lbs.	29.0
	50N7129S0HMRW Grille Door	3912	16	71 1/8	29	—	—	182 lbs.	29.0
	50N7129S0HMGW Glass Door	3912	16	71 1/8	29	—	—	182 lbs.	29.0
	50N6629S0HMMW Wood Door	3796	16	66	29	—	—	172 lbs.	27.0
	50N6629S0HMRW Grille Door	3796	16	66	29	—	—	172 lbs.	27.0
	50N6629S0HMGW Glass Door	3796	16	66	29	—	—	172 lbs.	27.0



- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board models, see pages 370-378
- Random lock core is factory installed

Barrington

Product Specification

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key




D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N2137LFF2W 81AB KRB R CW
50N1974VSWHLW 81AB MH

To You In
10
Days
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Two Drawer 	Q50N2137LFF2W Wood Top	\$ 1825	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W Wood Top	1825	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW HPL Top	1825	21	37¼	29½	—	—	123 lbs.	15.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB) and specified lock core (KS2B) available								
Lateral File Three Drawer 	50N2137LFF3W Wood Top	\$ 2443	21 1/16	37¼	43 11/16	—	—	190 lbs.	24.0
	50N2137LFF3LW HPL Top	2443	21 1/16	37¼	43 11/16	—	—	190 lbs.	24.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB) and specified lock core (KS1B) available								
Lateral File Four Drawer 	50N2137LFF4W Wood Top	\$ 3061	21	37¼	55 7/8	—	—	236 lbs.	29.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB) and specified lock core (KS1B) available								
Wardrobe 	50N3778VHHW Wood Doors	\$ 2760	23½	37	78	—	—	250 lbs.	48.6
	• Wardrobe has unfinished back • Removable coat rod is standard; positioned on left side of wardrobe • Features three adjustable shelves and one fixed • Random lock core is factory installed								
Wardrobe Ganging 	50N3778VHHWC Wood Doors	\$ 2760	23½	37	78	—	—	250 lbs.	48.6
	• Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals • Wardrobe has unfinished back • Removable coat rod is standard; positioned on left side of wardrobe • Base molding on three sides of unit to allow for ganging • Features three adjustable shelves and one fixed • Random lock core is factory installed • Ganging wardrobe can only be ganged with ganging bookcase listed on page 85								

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	KRB Key Random, Black	R Standard	TF Truffle
	81AB Classic, Antique Brass	KS1B Key Specific, Black	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass	KS2B Key Specific, Black		DW Judicial
	85CN Verona, Classic Nickel			MH Mocha
50N2137LFF2W	81AB	KRB	R	CW

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Wardrobe/Storage Cabinet	<i>Left Hinged</i> <i>Right Hinged</i>								
	50N1974VSWHLW 50N1974VSWHRW Wood Doors	\$ 2275	21	197/16	74	—	—	160 lbs.	26.7



Left shown


- Wardrobe has unfinished back
- Removable coat rod is standard
- Features three adjustable shelves and one fixed
- Random lock core is factory installed

Wardrobe/Storage Cabinet Ganging

Left shown

	<i>Left Hinged</i> <i>Right Hinged</i>								
	50N1974VSWHLWC 50N1974VSWHRWC Wood Doors	\$ 2275	21	183/8	74	—	—	160 lbs.	26.7


- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Wardrobe has unfinished back
- Removable coat rod is standard
- Features three adjustable shelves and one fixed
- Base molding on two sides of unit to allow for ganging
- Random lock core is factory installed
- Ganging wardrobe/storage cabinet can only be used with ganging credenzas on pages 80-81, 49" highback organizers on page 82, and 29" overhead cabinets on page 83

Bookcase Ganging

Left shown

	<i>Left Ganging</i> <i>Right Ganging</i>								
	50N1974BCOLWC 50N1974BCORWC	\$ 1526	14½	18¾	74	—	—	150 lbs.	26.7

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Shaded shelves are adjustable
- Base molding on two sides of unit to allow for ganging
- Bookcase has an unfinished back

Bookcase Set-On

Q50N3436BCOW	Bookcase	\$ 1138	12¼	33½	35¾	—	—	76 lbs.	17.2
50N3436BCOW	Bookcase	1138	12¼	33½	35¾	—	—	76 lbs.	17.2
Q50N1436CPCFW	Cornice Frame	256	14 1/8	35¾	11/16	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	256	14 1/8	35¾	11/16	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	203	13 5/8	34¾	3¼	—	—	18 lbs.	1.6
50N1435CPBW	Base	203	13 5/8	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- For set-on surface use, only the bookcase and the cornice frame need to be ordered

Barrington

Product Specification

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N3452BCHGW 80AB CW



To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Double Bookcase	\$ 3225	141/8	69 3/4	56 1/2	—	—	243 lbs.	39.4
	Q50N3452BCOFW Bookcase (each—order 2)	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase (each—order 2)	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	50N1469CPCFW Cornice Frame	510	141/8	69 3/4	11/16	—	—	30 lbs.	1.2
	50N1468CPBW Base	303	135/8	68 3/4	3 3/4	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								
	Single Bookcase	\$ 1665	141/8	35 3/4	56 1/2	—	—	128 lbs.	19.8
	Q50N3452BCOFW Bookcase	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6
	50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6
	• Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable								

Specify selections, left to right:

Base Model	Pull Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	R Standard	TF Truffle
	81AB Classic, Antique Brass	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass		DW Judicial
	85CN Verona, Classic Nickel		MH Mocha
50N3452BCHGW	80AB		CW

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Double Bookcase	\$ 4461	141/8	69 1/4	56 1/2	—	—	361 lbs.	39.4
	50N3452BCHGW Bookcase (each—order 2)	1824	12 1/4	33 1/2	51 3/4	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	510	141/8	69 1/4	11/16	—	—	30 lbs.	1.2
	50N1468CPBW Base	303	135/8	68 1/4	3 1/4	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Random lock core is factory installed								
	Single Bookcase	\$ 2283	141/8	35 3/4	56 1/2	—	—	187 lbs.	19.8
	50N3452BCHGW Bookcase	1824	12 1/4	33 1/2	51 3/4	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	203	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6
	50N1435CPBW Base	203	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6
• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Random lock core is factory installed									

Dimension Key




D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

50N2430PTW	X	N	TF
50N2424ENW	N	MH	
50N2040MGQW	N	MH	


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Double Bookcase	\$ 4621	141/8	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHRW Bookcase (each—order 2)	1904	12¼	33½	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	510	141/8	69¼	11/16	—	—	30 lbs.	1.2
	50N1468CPBW Base	303	135/8	68¼	3¼	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Random lock core is factory installed								
	Single Bookcase	\$ 2363	141/8	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHRW Bookcase	1904	12¼	33½	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	256	141/8	35¾	11/16	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	256	141/8	35¾	11/16	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	203	135/8	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW Base	203	135/8	34¾	3¼	—	—	18 lbs.	1.6
	• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Random lock core is factory installed								
	50N2430PTW Wood	\$ 1393	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW Laminate/Wood	1393	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4 Set of 4 casters	65	For use as a mobile unit					1 lbs.	0.2
	• Fixed shelf is 12" deep, 261/8 wide and ¾" thick • Height from top of shelf to bottom of top is 1831/16" • Open back • Picture frame molding on sides • Grommet (G13C) available								
	50N2421PTHW Wood	\$ 1308	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW Laminate/Wood	1308	23¾	20¾	29½	—	—	115 lbs.	16.0
	• Left-hinged door on unit • Grommet option not available								

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	G13C Black, Center	R Standard	TF Truffle
	81AB Classic, Antique Brass	X No Grommet	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass			DW Judicial
	85CN Verona, Classic Nickel			MH Mocha
50N2430PTW		X	N	TF

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Q50N2040MGW Wood Top	\$ 945	19 3/4 39 3/4 185/16 — —	42 lbs.	3.0
	50N2040MGW Wood Top	945	19 3/4 39 3/4 185/16 — —	42 lbs.	3.0
	50N2040MGLW HPL Top	821	19 3/4 39 3/4 185/16 — —	46 lbs.	3.0

- Some assembly required
- HPL top tables have veneer legs/bases

	Q50N2424ENW Wood Top	\$ 832	23 3/4 23 3/4 225/16 — —	38 lbs.	2.8
	50N2424ENW Wood Top	832	23 3/4 23 3/4 225/16 — —	38 lbs.	2.8
	50N2424ENLW HPL Top	730	23 3/4 23 3/4 225/16 — —	38 lbs.	2.8


- Some assembly required
- HPL top tables have veneer legs/bases

	50N2040MGQW Wood Top	\$ 1304	19 3/4 39 3/4 185/16 — —	36 lbs.	3.0
---	----------------------	---------	--------------------------	---------	-----

- Some assembly required

	50N2424ENQW Wood Top	\$ 1226	23 3/4 23 3/4 225/16 — —	32 lbs.	3.3
---	----------------------	---------	--------------------------	---------	-----

- Some assembly required

	50N4240VBW	\$ 2256	5 417/8 392/3 — —	72 lbs.	7.4
---	------------	---------	-------------------	---------	-----

- Tackable black fabric covers inside panels
- A set of 4 dry erase markers and an eraser are standard
- Frame of visual board is black
- Grommet option not available

	Q50N1531KDFW	\$ 254	15 305/8 41/8 — —	11 lbs.	1.1
	50N1531KDFW	254	15 305/8 41/8 — —	11 lbs.	1.1

- Keyboard drawer features flip-down front for easy access to keyboard

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


Sample Model Numbers:

50N3452BCOFW	MH	
50N1931BEXW	N	MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
	30" Round <i>19/16" Top Thickness</i>			DI		H				
	50NN30RDW	Wood	\$ 1169	30	—	19/16	—	—	33 lbs.	2.0
	50NN30RDLW	Laminate/Wood	1169	36	—	19/16	—	—	33 lbs.	2.0
	36" Round									
	50NN36RDW	Wood	\$ 1376	36	—	19/16	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	1376	36	—	19/16	—	—	45 lbs.	2.4
	42" Round									
	50NN42RDW	Wood	\$ 1504	42	—	19/16	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	1504	42	—	19/16	—	—	61 lbs.	3.2
	48" Round									
	50NN48RDW	Wood	\$ 1860	48	—	19/16	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	1860	48	—	19/16	—	—	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases • See Tables Price List pages 60-65 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 59 for options and upcharge									

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
	30" Square <i>19/16" Top Thickness</i>									
	50NN3030SQW	Wood	\$ 1169	30	30	19/16	—	—	33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1169	30	30	19/16	—	—	33 lbs.	2.0
	36" Square									
	50NN3636SQW	Wood	\$ 1376	36	36	19/16	—	—	45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	1376	36	36	19/16	—	—	45 lbs.	2.4
	42" Square									
	50NN4242SQW	Wood	\$ 1504	42	42	19/16	—	—	61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	1504	42	42	19/16	—	—	61 lbs.	3.2
	48" Square									
	50NN4848SQW	Wood	\$ 1860	48	48	19/16	—	—	79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	1860	48	48	19/16	—	—	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases • See Tables Price List pages 60-65 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 59 for options and upcharge									

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
50N3452BC0FW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	KRB Key Random, Black KS2B Key Specific, Black	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha

Wall Unit



Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Wall Unit—Wood Top		\$ 7968	21	101½	825/16	32 1/8	—	622 lbs.	78.7
Q50N3452BC0FW	Bookcase (each-order 2)	1206	12¼	33½	51¾	32 1/8	—	92 lbs.	17.6
50N3452BC0FW	Bookcase (each-order 2)	1206	12¼	33½	51¾	32 1/8	—	92 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
50N1931BEXW	Bridge	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
50N3225S00W	Open storage unit	740	12¼	32¼	24¾	32 1/8	—	56 lbs.	9.5
Wall Unit—HPL Top		\$ 7968	21	101½	825/16	32 1/8	—	552 lbs.	78.7
Q50N3452BC0FW	Bookcase (each-order 2)	1206	12¼	33½	51¾	32 1/8	—	92 lbs.	17.6
50N3452BC0FW	Bookcase (each-order 2)	1206	12¼	33½	51¾	32 1/8	—	92 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1825	21	37¼	29½	32 1/8	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
50N3225S00W	Open storage unit	740	12¼	32¼	24¾	32 1/8	—	56 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N1931BEXW N MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Wall Unit—Wood Top	\$ 8464	21	101½	825/16	32 1/8	—	612 lbs.	69.2
	50N3452BCHGW Bookcase (each-order 2)	1824	12¼	33½	51¾	32 1/8	—	115 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
	50N14102CPCFW Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
	50N1931BEXW Bridge	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
	Wall Unit—HPL Top	\$ 8464	21	101½	825/16	32 1/8	—	614 lbs.	69.2
	50N3452BCHGW Bookcase (each-order 2)	1824	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	1825	21	37¼	29½	32 1/8	—	123 lbs.	15.6
	50N14102CPCFW Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
50N1931BEXW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	KRB Key Random, Black KS2B Key Specific, Black	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Wall Unit—Wood Top	\$ 8624	21	101½	825/16	32 1/8	—	684 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	1904	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	1825	18¾	37¼	11/16	32 1/8	—	158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	1825	18¾	37¼	11/16	32 1/8	—	158 lbs.	15.6
	50N14102CPCFW Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
	50N1931BEXW Bridge	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
	Wall Unit—HPL Top	\$ 8624	21	101½	825/16	32 1/8	—	614 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	1904	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	1825	21	37¼	29½	32 1/8	—	123 lbs.	15.6
	50N14102CPCFW Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

50N3452BCHRW 80AB KRB DW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Wall Unit with Glass Doors and Closed Storage Units



Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Wall Unit—Wood Top	\$ 9809	21	101½	825/16	32 1/8	—	751 lbs.	78.7
50N3452BCHGW Bookcase (each-order 2)	1824	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
Q50N2137LFF2W Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
50N2137LFF2W Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
50N14102CPCFW Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
50N1931BEXW Bridge	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
50N32255OHGW Storage Unit	1345	12¼	32¼	24¾	32 1/8	—	67 lbs.	9.5
Wall Unit—HPL Top	\$ 9809	21	101½	825/16	32 1/8	—	681 lbs.	78.7
50N3452BCHGW Bookcase (each-order 2)	1824	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
50N2137LFF2LW Lat. File/HPL (each-order 2)	1825	21	37¼	29½	32 1/8	—	123 lbs.	15.6
50N14102CPCFW Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
50N1931BEXLW Bridge/HPL Top	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
50N32255OHGW Storage Unit	1345	12¼	32¼	24¾	32 1/8	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	KRB Key Random, Black	R Standard	TF Truffle
	81AB Classic, Antique Brass	KS2B Key Specific, Black	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass			DW Judicial
	85CN Verona, Classic Nickel			MH Mocha
50N3452BCHRW	80AB	KRB		DW


Wall Unit with Grille Doors and Closed Storage Units




Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Wall Unit—Wood Top		\$10,023	21	101½	825/16	32 1/8	—	751 lbs.	79.7
50N3452BCHRW	Bookcase (each-order 2)	1904	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1825	21	37¼	29½	32 1/8	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
50N1931BEXW	Bridge	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
50N3225SOHRW	Storage Unit	1399	12¼	32¼	24¾	32 1/8	—	67 lbs.	9.5
Wall Unit—HPL Top		\$10,023	21	101½	825/16	32 1/8	—	681 lbs.	78.7
50N3452BCHRW	Bookcase (each-order 2)	1904	12¼	33½	51¾	32 1/8	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1825	21	37¼	29½	32 1/8	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	718	14 1/8	101½	11/16	32 1/8	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	448	18¾	30½	11/16	32 1/8	—	21 lbs.	1.1
50N3225SOHRW	Storage Unit	1399	12¼	32¼	24¾	32 1/8	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit


Barrington Ganging Unit Typicals



Model No.	Description	List Price
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 2275
50N1974VSWHRWC	Single Wardrobe Right Ganging	2275
50N7149HBHW	Highback Organizer	4121
50N2169CSFW2C	Storage Credenza Ganging	3190
Total		\$ 11,861



Model No.	Description	List Price
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 2275
50N1974VSWHRWC	Single Wardrobe Right Ganging	2275
50N2169CKFW2C	Kneespace Credenza Ganging	3085
50N7149HBHW	Highback Organizer	4121
Total		\$ 11,756



Model No.	Description	List Price
50N1974BCOLWC	Single Bookcase Left Ganging	\$ 1526
50N1974BCORWC	Single Bookcase Right Ganging	1526
50N3778VHHWC	Wardrobe Ganging	2760
Total		\$ 5812

Captivate®

PRODUCT SPECIFICATIONS

WORKSURFACE

- 131/16" slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Captivate series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- 3/4" thick modesty panels
- 11/16" thick end panels
- 3/4" inside panels
- Leveling glides – 2 on end panels, 2 on inside panel
- All units feature fully finished backs unless noted; rim profile and base detail not featured on back of units
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Available in two pull styles: summit and spiral
- Available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are 1/2" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT—See pages 100-101

- Zinc racetrack grommet and aluminum channel are available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic
- Desks feature hinged access doors for cable routing
- End panel grommets are wood and are finished to match unit

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	15 1/16"	16 15/16"	2 1/2"	N/A
File Drawer—Desk	15 1/16"	17"	9 7/16"	Legal
Box Drawer—Return	12 1/16"	17"	2 1/2"	N/A
File Drawer—Return	12 1/16"	17"	9 7/16"	Letter
Box Drawer—Credenza	15 1/16"	16 15/16"	2 1/2"	N/A
File Drawer—Credenza	15 1/16"	17"	9 7/16"	Legal
File Drawer—Lateral File	31 11/32"	15"	9 5/16"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

IM	Brighton
NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC	Autumn
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha


WORKSURFACE SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE OPTIONS



Oblique (TA)



Slide (TB)

PULL OPTIONS



Summit (70)

70SN	Satin Nickel Metallic
70MB	Cinder
70PL	Platinum Metallic
(Boring Pattern 128mm)	



Spiral (71)

71SN	Satin Nickel Metallic
71MB	Cinder
71PL	Platinum Metallic
(Boring Pattern 128mm)	

GROMMET OPTIONS

If no grommet is desired, specify an X
(No Grommet)

Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet

G11SNLR	Left & Right
G11SNC	Center

Racetrack Grommet, Cinder

\$30 list for each grommet

G11MBLR	Left & Right
G11MBC	Center

Racetrack Grommet, Platinum Metallic


\$30 list for each grommet

G11PLLR	Left & Right
G11PLC	Center

Channel Grommet

\$180 list for channel grommet

CH11SN	Satin Nickel Metallic
CH11MB	Cinder
CH11PL	Platinum Metallic



LOCKING


Key Random

KRB	Black
KRS	Silver

Key Specific


KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.




Grommet Specifications


- Racetrack grommets are available as an option on desks, bridges, returns, credenzas, and corner unit for an additional upcharge
- Racetrack grommets are factory installed in the worksurface and end panels in predetermined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit; end panels on ganging units do not feature grommets
- Inside end panels feature cable route in top corner of panel for cable management




Single and Double Pedestal Arc Top Desks
Grommets on worksurface and end panels
(36N3773DDFAW8 Shown)




Single and Double Pedestal Desks
Grommets on worksurface and end panels
(36N3773DDFW8 Shown)




Storage Credenza and Single Pedestal Credenza
Grommets on worksurface and end panels
(36N2473CSFW2 Shown)




Kneespace Credenza
Grommets on worksurface and end panels
(36N2473CKFW2 Shown)




Executive Return (Box/Box/File or File/File)
Center grommet on worksurface and grommet on end panel
(36N2553RLEFW1 Shown)




Executive Return (Lateral File)
Center grommet on worksurface and grommet on end panel
(36N2559RLEFW6 Shown)



Bridge
Center grommet on worksurface
(36N2551BEFW Shown)




Corner Unit
Corner grommet on worksurface
(36N3636CFWS Shown)




Channel Specifications

- The channel is an aluminum extrusion with black brushes, and includes a zinc "C" grommet on each end with a zinc lid
- The channel is available as an option on select models for an additional upcharge
- The channel is factory installed in the worksurface with racetrack grommets in the end panels in predetermined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit; end panels on ganging units do not feature grommets
- Inside end panels feature cable route in top corner of panel for cable management




Storage Credenza

Channel on worksurface and grommets on end panels
(36N2473CSFW2 Shown)




Kneespace Credenza and Single Pedestal Credenza

Channel on worksurface and grommets on end panels
(36N2473CKFW2 Shown)




Executive Return (Box/Box/File or File/File)

Channel on worksurface and grommet on end panel
(36N2553RLEFW1 Shown)




Executive Return (Lateral File)

Channel on worksurface and grommet on end panel
(36N2559RLEFW6 Shown)



Bridge

Channel on worksurface
(36N2551BEFW Shown)



Captivate L Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.













Arrangements Include:

- Spiral, Satin Nickel pulls
- Oblique rim profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				



L-CONFIGURATIONS	Model No./Description		List Price	L-CONFIGURATIONS	Model No./Description		List Price
Left L-Configuration Wood Top	36N9073LLFW	89¾D x 73W	\$ 5945	Right L-Configuration Wood Top	36N9073LRFW	89¾D x 73W	\$ 5945
	consists of				consists of		
	36N3773DRFW1	Right Pedestal Desk	3340		36N3773DLFW1	Left Pedestal Desk	3340
	36N2553RLEFW2	Left Pedestal Return	2605		36N2553RREFW2	Right Pedestal Return	2605
	36N8273LLFW	81¾D x 73W	\$ 5611		36N8273LRFW	81¾D x 73W	\$ 5611
	consists of				consists of		
	36N3773DRFW1	Right Pedestal Desk	3340		36N3773DLFW1	Left Pedestal Desk	3340
	36N2545RLEFW2	Left Pedestal Return	2271		36N2545RREFW2	Right Pedestal Return	2271
	36N8468LLFW	83¾D x 67½W	\$ 5855		36N8468LRFW	83¾D x 67½W	\$ 5855
	consists of				consists of		
	36N3168DRFW1	Right Pedestal Desk	3250		36N3168DLFW1	Left Pedestal Desk	3250
	36N2553RLEFW2	Left Pedestal Return	2605		36N2553RREFW2	Right Pedestal Return	2605
	36N7668LLFW	75¾D x 67½W	\$ 5521		36N7668LRFW	75¾D x 67½W	\$ 5521
	consists of				consists of		
	36N3168DRFW1	Right Pedestal Desk	3250		36N3168DLFW1	Left Pedestal Desk	3250
	36N2545RLEFW2	Left Pedestal Return	2271		36N2545RREFW2	Right Pedestal Return	2271
Left L-Configuration Laminate Top	36N9073LLFLW	89¾D x 73W	\$ 5945	Right L-Configuration Laminate Top	36N9073LRFLW	89¾D x 73W	\$ 5945
	consists of				consists of		
	36N3773DRFLW1	Right Pedestal Desk	3340		36N3773DLFLW1	Left Pedestal Desk	3340
	36N2553RLEFLW2	Left Pedestal Return	2605		36N2553RREFLW2	Right Pedestal Return	2605
	36N8273LLFLW	81¾D x 73W	\$ 5611		36N8273LRFLW	81¾D x 73W	\$ 5611
	consists of				consists of		
	36N3773DRFLW1	Right Pedestal Desk	3340		36N3773DLFLW1	Left Pedestal Desk	3340
	36N2545RLEFLW2	Left Pedestal Return	2271		36N2545RREFLW2	Right Pedestal Return	2271
	36N8468LLFLW	83¾D x 67½W	\$ 5855		36N8468LRFLW	83¾D x 67½W	\$ 5855
	consists of				consists of		
	36N3168DRFLW1	Right Pedestal Desk	3250		36N3168DLFLW1	Left Pedestal Desk	3250
	36N2553RLEFLW2	Left Pedestal Return	2605		36N2553RREFLW2	Right Pedestal Return	2605
	36N7668LLFLW	75¾D x 67½W	\$ 5521		36N7668LRFLW	75¾D x 67½W	\$ 5521
	consists of				consists of		
	36N3168DRFLW1	Right Pedestal Desk	3250		36N3168DLFLW1	Left Pedestal Desk	3250
	36N2545RLEFLW2	Left Pedestal Return	2271		36N2545RREFLW2	Right Pedestal Return	2271

Captivate U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Spiral, Satin Nickel pulls
- Oblique rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				



U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration Wood Top 	36N11273ULFW 111¾D x 73W \$ 7372	
	consists of	
	36N3773DRFW1 Right Pedestal Desk 3340	
	36N2551BEFW Bridge 1191	
36N10673ULFW 105¾D x 73W \$ 7338	36N2473CLFW2 Left Pedestal Credenza 2841	
	consists of	
	36N3773DRFW1 Right Pedestal Desk 3340	
	36N2545BEFW Bridge 1157	
36N10668ULFW 105¾D x 67½W \$ 7199	36N2473CLFW2 Left Pedestal Credenza 2841	
	consists of	
	36N3168DRFW1 Right Pedestal Desk 3250	
	36N2551BEFW Bridge 1191	
36N10068ULFW 99¾D x 67½W \$ 7165	36N2468CLFW2 Left Pedestal Credenza 2758	
	consists of	
	36N3168DRFW1 Right Pedestal Desk 3250	
	36N2545BEFW Bridge 1157	

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration Wood Top 	36N11273URFW 111¾D x 73W \$ 7372	
	consists of	
	36N3773DLFW1 Left Pedestal Desk 3340	
	36N2551BEFW Bridge 1191	
36N10673URFW 105¾D x 73W \$ 7338	36N2473CRFW2 Right Pedestal Credenza 2841	
	consists of	
	36N3773DLFW1 Left Pedestal Desk 3340	
	36N2545BEFW Bridge 1157	
36N10668URFW 105¾D x 67½W \$ 7199	36N2473CRFW2 Right Pedestal Credenza 2841	
	consists of	
	36N3168DLFW1 Left Pedestal Desk 3250	
	36N2551BEFW Bridge 1191	
36N10068URFW 99¾D x 67½W \$ 7165	36N2468CRFW2 Right Pedestal Credenza 2758	
	consists of	
	36N3168DLFW1 Left Pedestal Desk 3250	
	36N2545BEFW Bridge 1157	

Left U-Configuration Laminate Top 	36N11273ULFLW 111¾D x 73W \$ 7372	
	consists of	
	36N3773DRFLW1 Right Pedestal Desk 3340	
	36N2551BEFLW Bridge 1191	
36N10673ULFLW 105¾D x 73W \$ 7338	36N2473CLFLW2 Left Pedestal Credenza 2841	
	consists of	
	36N3773DRFLW1 Right Pedestal Desk 3340	
	36N2545BEFLW Bridge 1157	
36N10668ULFLW 105¾D x 67½W \$ 7199	36N2473CLFLW2 Left Pedestal Credenza 2841	
	consists of	
	36N3168DRFLW1 Right Pedestal Desk 3250	
	36N2551BEFLW Bridge 1191	
36N10068ULFLW 99¾D x 67½W \$ 7165	36N2468CLFLW2 Left Pedestal Credenza 2758	
	consists of	
	36N3168DRFLW1 Right Pedestal Desk 3250	
	36N2545BEFLW Bridge 1157	

Right U-Configuration Laminate Top 	36N11273URFLW 111¾D x 73W \$ 7372	
	consists of	
	36N3773DLFLW1 Left Pedestal Desk 3340	
	36N2551BEFLW Bridge 1191	
36N10673URFLW 105¾D x 73W \$ 7338	36N2473CRFLW2 Right Pedestal Credenza 2841	
	consists of	
	36N3773DLFLW1 Left Pedestal Desk 3340	
	36N2545BEFLW Bridge 1157	
36N10668URFLW 105¾D x 67½W \$ 7199	36N2473CRFLW2 Right Pedestal Credenza 2841	
	consists of	
	36N3168DLFLW1 Left Pedestal Desk 3250	
	36N2551BEFLW Bridge 1191	
36N10068URFLW 99¾D x 67½W \$ 7165	36N2468CRFLW2 Right Pedestal Credenza 2758	
	consists of	
	36N3168DLFLW1 Left Pedestal Desk 3250	
	36N2545BEFLW Bridge 1157	

Product Specifications

- Specify same color for pull and grommet/channel
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 100-101 for grommet locations


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:


36N3773DDFW8	TA	70SN	G11SNLR	KRB	R	MH
36N3773DDFLW8	TA	71SN	G11SNLR	KRB	AC	
36N3773DFLW	TA	KRB	N	AC		
36N3773DFLW	TA	KRB	N	CW		

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top	36N3773DDFAW8 Wood Top	\$ 4467	37¼	73¼	2938	117/16	3411/16	328 lbs.	60.0
	36N3773DDFALW8 HPL Top	4467	37¼	73¼	2938	117/16	3411/16	328 lbs.	60.0




- Depth of arc is 37¼" at its widest point
- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Double Pedestal Desk	36N3773DDFW8 Wood Top	\$ 3663	37¼	73¼	2938	638	3411/16	348 lbs.	60.0
	36N3773DDFLW8 HPL Top	3663	37¼	73¼	2938	638	3411/16	348 lbs.	60.0
	36N3168DDFW8 Wood Top	\$ 3525	31¼	67½	2938	638	2815/16	302 lbs.	47.5
	36N3168DDFLW8 HPL Top	3525	31¼	67½	2938	638	2815/16	302 lbs.	47.5




- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Table Desk	36N3773DTW Wood Top	\$ 3294	37¼	73¼	2938	1¼	—	228 lbs.	60.0
	36N3773DTLW HPL Top	3294	37¼	73¼	2938	1¼	—	228 lbs.	60.0



- Do not specify pull
- Some assembly required
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Center drawer included

	Pedestal			List Price	Dimensions					Cartoned Weight	Cubic Feet
	Left	Right			D	W	H	A	KW		
Single Pedestal Desk Arc Top	36N3773DLFAW1	36N3773DRFAW1	Wood Top	\$ 3919	37¼	73¼	2938	117/16	279/16	265 lbs.	60.0
	36N3773DLFALW1	36N3773DRFALW1	HPL Top	3919	37¼	73¼	2938	117/16	279/16	265 lbs.	60.0





Left shown


- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc is 37¼" at its widest point
- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11MBLR Cinder, Left & Right G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
36N3773DDFW8	TA	70SN	G11SNLR	KRB	R	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
 Left shown	Single Pedestal Desk				
	<i>Left Pedestal</i>				
	36N3773DLFW1	36N3773DRFW1	Wood Top	\$ 3340	37¼ 73¼ 2938 638 279/16 284 lbs. 60.0
	36N3773DLFLW1	36N3773DRFLW1	HPL Top	3340	37¼ 73¼ 2938 638 279/16 284 lbs. 60.0
	36N3168DLFW1	36N3168DRFW1	Wood Top	\$ 3250	31¼ 67½ 2938 638 2113/16 242 lbs. 47.5
	36N3168DLFLW1	36N3168DRFLW1	HPL Top	3250	31¼ 67½ 2938 638 2113/16 242 lbs. 47.5
• Not recommended as a freestanding unit due to routing in the rim • Hinged doors located on the approach side allow for easy access to cable routing • Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available					

 Left shown	Fin-Shaped Desk				
	<i>Left Fin</i>	<i>Right Fin</i>			
	36N3773DFLW	36N3773DFRW	Wood Top	\$ 2825	37¼ 737/16 2938 — 333/16 117 lbs. 7.4
	36N3773DFLLW	36N3773DFRLW	HPL Top	2825	37¼ 737/16 2938 — 333/16 117 lbs. 7.4
• Not recommended as a freestanding unit due to routing in the rim • Do not specify metal color • Support base must be ordered separately; see below for support base models • Fin-shaped desk is 37¼" at the widest point • Fin faces the approach side for conferencing • Some assembly required					

 Left shown	Fin-Shaped Desk with Modesty				
	<i>Left Fin —with Modesty</i>	<i>Right Fin —with Modesty</i>			
	36N3773DFLFW	36N3773DFRFW	Wood Top	\$ 3018	37¼ 737/16 2938 157/16 333/16 137 lbs. 9.4
	36N3773DFLFLW	36N3773DFRFLW	HPL Top	3018	37¼ 737/16 2938 157/16 333/16 137 lbs. 9.4
• Not recommended as a freestanding unit due to routing in the rim • Support base must be ordered separately; see below for support base models • Fin-shaped desk is 37¼" at the widest point • Fin faces the approach side for conferencing • Some assembly required					



Support Base

			DI		H				
NAC2804SFB	Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs.	1.0	
NAC2804SFBS	Platinum Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0	
NAC2804SFBN	Satin Nickel Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0	
NAC2804SFBW	Wood	486	4	—	27¾-29¼	—	6 lbs.	1.0	
			D	W	H	A	KW		
NAC2812SHB	Wood Half	\$ 608	6	117/8	27¾	—	—	13 lbs. 2.6	

- Adjustable glide standard
- Specify veneer finish for wood support bases



Product Specifications


- Specify same color for pull and grommet/channel
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 100-101 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:


36N3636CFSW	TA	G11SNC	N	MH					
36N3275DTLFW1	TB	71SN	G11SNLR	KRB	R	MC			
36N2452RTRW2	TB	71SN	CH11SN	KRB	R	MC			
36N2553RLEFW1	TA	70SN	CH11SN	KRB	N	HN			
36N2553RLEFLW1	TA	70SN	CH11SN	KRB	HN				
36N2551BEFW	TA	G11SNC	N	CW					

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	36N3636CFSW Wood Top	\$ 2248	3558	3558	2938	—	—	125 lbs.	30.1
	36N3636CFSW HPL Top	2248	3558	3558	2938	—	—	125 lbs.	30.1
• Not recommended as a freestanding unit due to routing in the rim • Unit can attach to a bridge or return • Grain direction runs diagonally on worksurface • Channel grommet not available • Grommet (G11SNC, G11MBC, G11PLC) available • Rim front is 15¼" wide									

Reception Desk/Return



Left shown



Right shown

Reception Desk

Left Pedestal

Right Pedestal

36N3275DTLFW1	36N3275DTRFW1	Wood Top	\$ 4561	327/16	75	4278	—	3378	325 lbs.	71.4
36N3275DTLFW1	36N3275DTRFW1	HPL Top	4561	327/16	75	4278	—	3378	325 lbs.	71.4

- Must be used with reception return
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included

Reception Return


Left

Right

36N2452RTLW2	36N2452RTRW2	Wood Top	\$ 3082	2418	51½	41¾	—	3311/16	185 lbs.	39.7
36N2452RTLW2	36N2452RTRW2	HPL Top	3082	2418	51½	41¾	—	3311/16	185 lbs.	39.7

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Return Box/Box/File



Left shown

Left Pedestal

Right Pedestal

36N2553RLEFW1	36N2553RREFW1	Wood Top	\$ 2575	2458	52½	2938	—	34¾	165 lbs.	31.0
36N2553RLEFLW1	36N2553RREFLW1	HPL Top	2575	2458	52½	2938	—	34¾	165 lbs.	31.0

36N2545RLEFW1	36N2545RREFW1	Wood Top	\$ 2241	2458	44½	2938	—	26¾	143 lbs.	26.8
36N2545RLEFLW1	36N2545RREFLW1	HPL Top	2241	2458	44½	2938	—	26¾	143 lbs.	26.8

- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Captivate

Product Specifications

- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 100-101 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:


36N2473CBLW	TA	70SN	MC						
36N2469CSFW2C	TB	70SN	G11SNLR	KRB	N	MH			
36N2473CFFW	TA	70SN	G11SNLR	KRB	R	MC			
36N2473CKFW2	TA	71SN	CH11SN	KRB	R	MH			

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Buffet Credenza	36N2473CBW Wood	\$ 4385	24	73¼	357/8	—	—	382 lbs.	49.6
	36N2473CBLW HPL Top	4385	24	73¼	357/8	—	—	382 lbs.	49.6




- Rim and base molding on front and sides of model
- Credenza features an adjustable shelf (211/16" deep, 33¾" wide and 1" thick)
- Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high
- Grommet option not available
- Doors are non-locking

Entertainment Credenza	36N2473CBVW Wood	\$ 4385	24	73¼	357/8	—	—	382 lbs.	49.6
	36N2473CBVLW HPL Top	4385	24	73¼	357/8	—	—	382 lbs.	49.6




- Rim and base molding on front and sides of model
- Credenza features an adjustable shelf (211/16" deep, 33¾" wide and 1" thick)
- Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high
- Cutouts in back panel for venting
- Doors are non-locking
- Grommets (G11SNLR, G11MBLR, G11PLLR) available \$60 list upcharge; if grommets are specified, corresponding end panel grommets will be included
- Unfinished back panel

Storage Credenza	36N2473CSFW2 Wood Top	\$ 3789	24	73¼	293/8	—	—	373 lbs.	41.0
	36N2473CSFLW2 HPL Top	3789	24	73¼	293/8	—	—	373 lbs.	41.0
	36N2468CSFW2 Wood Top	\$ 3539	24	67½	293/8	—	—	365 lbs.	38.0
	36N2468CSFLW2 HPL Top	3539	24	67½	293/8	—	—	365 lbs.	38.0



- Rim and base molding on three sides of unit
- 73" credenza features an adjustable shelf (12" deep, 33¾" wide and 1" thick)
- 68" credenza features an adjustable shelf (12" deep, 28" wide and 1" thick)
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Storage Credenza Ganging	36N2469CSFW2C Wood Top	\$ 3789	24	69¼	293/8	—	—	368 lbs.	38.9
	36N2469CSFLW2C HPL Top	3789	24	69¼	293/8	—	—	368 lbs.	38.9




36N2464CSFW2C Wood Top	\$ 3539	24	63½	293/8	—	—	360 lbs.	36.0
36N2464CSFLW2C HPL Top	3539	24	63½	293/8	—	—	360 lbs.	36.0

- Rim and base molding on front edge only to allow for ganging
- 69" credenza features an adjustable shelf (12" deep, 33¾" wide and 1" thick)
- 64" credenza features an adjustable shelf (12" deep, 28" wide and 1" thick)
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
36N2473CBLW	TA Oblique TB Slide TA	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met. 70SN	G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha MC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Lateral File Credenza	36N2473CFFW Wood Top	\$ 4385	24 73¼ 2938 — —	345 lbs.	41.0
	36N2473CFFLW HPL Top	4385	24 73¼ 2938 — —	345 lbs.	41.0




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding on three sides of unit
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Lateral File Credenza Ganging	36N2469CFFWC Wood Top	\$ 4385	24 69¼ 2938 — —	340 lbs.	38.9
	36N2469CFFLWC HPL Top	4385	24 69¼ 2938 — —	340 lbs.	38.9



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding on front edge only to allow for ganging
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


Kneespace Credenza	36N2473CKFW2 Wood Top	\$ 3371	24 73¼ 2938 — 34¾	267 lbs.	41.0
	36N2473CKFLW2 HPL Top	3371	24 73¼ 2938 — 34¾	267 lbs.	41.0



	36N2468CKFW2 Wood Top	\$ 3167	24 67½ 2938 — 29	259 lbs.	38.0
	36N2468CKFLW2 HPL Top	3167	24 67½ 2938 — 29	259 lbs.	38.0

- Rim and base molding on three sides of unit
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Kneespace Credenza Ganging	36N2469CKFW2C Wood Top	\$ 3371	24 69¼ 2938 — 34¾	262 lbs.	38.9
	36N2469CKFLW2C HPL Top	3371	24 69¼ 2938 — 34¾	262 lbs.	38.9





	36N2464CKFW2C Wood Top	\$ 3167	24 63½ 2938 — 29	254 lbs.	36.0
	36N2464CKFLW2C HPL Top	3167	24 63½ 2938 — 29	254 lbs.	36.0


- Rim and base molding on front edge only to allow for ganging
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11MBLR Cinder, Left & Right G11PLLR Plat. Met., Left & Right CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
36N2473CLFW1	TB	70SN	CH11SN	KRB	R	CW

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza File/File Ganging  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2471CLFW2C	36N2471CRFW2C	Wood Top	\$ 2781	24 71¼ 2938 — 279/16	210 lbs. 38.9
	36N2471CLFW2C	36N2471CRFW2C	HPL Top	2781	24 71¼ 2938 — 279/16	210 lbs. 38.9
	36N2466CLFW2C	36N2466CRFW2C	Wood Top	2698	24 65½ 2938 — 2113/16	202 lbs. 36.0
	36N2466CLFW2C	36N2466CRFW2C	HPL Top	2698	24 65½ 2938 — 2113/16	202 lbs. 36.0
• Not recommended as a freestanding unit due to routing in the rim • Channel option (CH) available • Rim and base molding on two sides of unit to allow for ganging • Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available						

Single Pedestal Credenza Lateral File  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2473CLFW6	36N2473CRFW6	Wood Top	\$ 3256	24 73¼ 2938 — 107/8	254 lbs. 41.0
	36N2473CLFW6	36N2473CRFW6	HPL Top	3256	24 73¼ 2938 — 107/8	254 lbs. 41.0
	36N2468CLFW6	36N2468CRFW6	Wood Top	2938	24 67½ 2938 — 51/8	246 lbs. 38.0
	36N2468CLFW6	36N2468CRFW6	HPL Top	2938	24 67½ 2938 — 51/8	246 lbs. 38.0
• Not recommended as a freestanding unit due to routing in the rim • Front-to-back filing is standard with lateral files; four rods per drawer are included • Channel option (CH) available • Rim and base molding on three sides of unit • Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available						

Single Pedestal Credenza Lateral File Ganging  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2471CLFW6C	36N2471CRFW6C	Wood Top	\$ 3256	24 71¼ 2938 — 107/8	249 lbs. 38.9
	36N2471CLFW6C	36N2471CRFW6C	HPL Top	3256	24 71¼ 2938 — 107/8	249 lbs. 38.9
	36N2466CLFW6C	36N2466CRFW6C	Wood Top	2938	24 65½ 2938 — 51/8	241 lbs. 36.0
	36N2466CLFW6C	36N2466CRFW6C	HPL Top	2938	24 65½ 2938 — 51/8	241 lbs. 36.0
• Not recommended as a freestanding unit due to routing in the rim • Front-to-back filing is standard with lateral files; four rods per drawer are included • Channel option (CH) available • Rim and base molding on two sides of unit to allow for ganging • Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available						

Single Pedestal Credenza Multi-File  Left shown	<i>Left Pedestal</i>	<i>Right Pedestal</i>				
	36N2473CLFW10	36N2473CRFW10	Wood Top	\$ 3408	24 73¼ 2938 — 107/8	254 lbs. 41.0
	36N2473CLFW10	36N2473CRFW10	HPL Top	3408	24 73¼ 2938 — 107/8	254 lbs. 41.0
	• Not recommended as a freestanding unit due to routing in the rim • Channel option (CH) available • Rim and base molding on three sides of unit • Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available					

Captivate

Product Specifications

- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 100-101 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

36N7245HBHW	KS1B	MH					
36N2437LFF2W	TA	70SN	KRB	R	CW		
36N2437LFF4W	TA	70SN	KRB	TF			



	Model No./Description			List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
					D	W	H	A			
Single Pedestal Credenza Multi-File Ganging	<i>Left Pedestal</i>	<i>Right Pedestal</i>									
	36N2471CLFW10C	36N2471CRFW10C	Wood Top	\$ 3408	24	71¼	2938	—	1078	249 lbs.	38.9
	36N2471CLFLW10C	36N2471CRFLW10C	HPL Top	3408	24	71¼	2938	—	1078	249 lbs.	38.9



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on two sides of unit to allow for ganging
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Highback Organizer



Wood Doors

36N7245HBHW	\$ 2991	14½	71¾	451/8	—	—	229 lbs.	38.8
36N6645HBHW	\$ 2878	14½	66	451/8	—	—	211 lbs.	35.8





Glass Doors

36N7245HBHGW	\$ 3128	14½	71¾	451/8	—	—	229 lbs.	38.8
36N6645HBHGW	\$ 3013	14½	66	451/8	—	—	211 lbs.	35.8

- Specify finish only
- Center two wood doors lock
- Highback organizer features (4) side hinge doors, full back panels with cord management, and finished backs
- Standard round grommet is located in center of back panel
- Utilize 72" highback organizer on 73", 71" and 69" credenzas
- Utilize 66" highback organizer on 68", 66" and 64" credenzas
- Glass door units feature silk screened glass
- For tack board models, see pages 370-378
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
36N7245HBHW	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11MBLR Cinder, Left & Right G11PLLR Plat. Met., Left & Right CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
				KS1B		MH

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
Wall Mount Cabinet 	Wood Doors									
	36N7224S0HMW	\$ 3250	14½	71¾	2358	—	—	134 lbs.	23.1	
	36N6624S0HMW	\$ 3090	14½	66	2358	—	—	124 lbs.	21.4	
	Glass Doors									
	36N7224S0HMGW	\$ 3340	14½	71¾	2358	—	—	134 lbs.	23.1	
	36N6624S0HMGW	\$ 3231	14½	66	2358	—	—	124 lbs.	21.4	
	• Specify finish only • Center two wood doors lock • Glass door units feature silk screened glass • Wall mount bracket is included with unit • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
	Lateral File Two Drawer 	36N2437LFF2W	Wood Top	\$ 2326	24	37¼	2938	—	—	162 lbs.
36N2437LFF2LW		HPL Top	2326	24	37¼	2938	—	—	162 lbs.	21.5
• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
Lateral File Three Drawer 	36N2437LFF3W	Wood Top	\$ 2898	24	375/16	43½	—	—	219 lbs.	31.2
	36N2437LFF3LW	HPL Top	2898	24	375/16	43½	—	—	219 lbs.	31.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
Lateral File Four Drawer 	36N2437LFF4W	Wood Top	\$ 3469	24	37¼	56½	—	—	254 lbs.	38.0
	36N2437LFF4LW	HPL Top	3469	24	37¼	56½	—	—	254 lbs.	38.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Captivate

Product Specification






- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

36N3773VVHW	70SN	KS2B	MH
36N3773VWHWC	KRB	HN	
36N1971VSWHLW	CW		
36N2071VHL2W	71SN	MC	


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
Double Door Unit	36N2437PFHW Wood Top	\$ 2159	24	37¼	293/8	—	—	136 lbs.	21.5
	• Rim and base molding on three sides of unit • Features a single adjustable shelf • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Entertainment Cabinet	36N3773VVHW Wood	\$ 4895	23½	37	73	—	—	311 lbs.	52.1
	• Specify rim, pull and finish only • Cornice and base molding on front and sides of model • Interior dimensions 21¼" D, 34" W, upper storage 4313/16H, lower storage 25½" H • Shaded shelves are adjustable • Features standard sheen • Includes grommets in back panel for wire access and venting • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Entertainment Cabinet Ganging	36N3773VWHWC	\$ 4895	23½	37	73	—	—	311 lbs.	52.1
	• Cornice on three sides of unit • Base molding on front side of unit only to allow for ganging • Must be used with right and left ganging bookcases (see below) • Interior dimensions 21¼" D, 34" W, upper storage 4313/16H, lower storage 25½" H • Shaded shelves are adjustable • Pulls on bottom door, touch latch on top doors • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Bookcase - Open Ganging	Left Right								
	36N1971BCOLWC	36N1971BCORWC	\$ 1824	14½	18¾	717/16	—	—	91 lbs. 20.6
	• Specify finish only • Cornice and base molding on two sides of unit to allow for ganging • Must be ganged to ganging entertainment cabinet or ganging double door wardrobe only • Shaded shelves are adjustable								
Left shown									
Double Door Wardrobe	36N3773VWHW	\$ 4625	23½	37	73	—	—	281 lbs.	52.1
	• Specify finish only • Removable coat rod is standard; positioned on left side of wardrobe • Cornice and base molding on three sides of unit • Shaded shelves are adjustable • Touch latch doors • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Locking	Sheen (wood tops only)	Finish
36N3773VWHW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		70SN	KS2B		MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------


Double Door Wardrobe Ganging



36N3773VWHWC	\$ 4625	23½ 37 73 — —	281 lbs.	52.1
--------------	---------	---------------	----------	------

- Specify finish only
- Removable coat rod is standard; positioned on left side of wardrobe
- Cornice on three sides of unit
- Base molding on front side of unit only to allow for ganging
- Must be used with right and left ganging bookcases (see previous page)
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Wardrobe/Storage Cabinet




Right shown

Left Hinged	Right Hinged								
36N1971VSWHLW	36N1971VSWHRW	\$ 2877	23½	197/16	717/16	—	—	167 lbs.	30.2

- Specify finish only
- Cornice and base molding on three sides of unit
- Can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Wardrobe/Storage Cabinet Ganging




Right shown

Left Hinged	Right Hinged								
36N1971VSWHLWC	36N1971VSWHRWC	\$ 2877	23½	197/16	717/16	—	—	167 lbs.	30.2

- Specify finish only
- Cornice on three sides of unit
- Base molding on two sides of unit only to allow for ganging
- Can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Storage Cabinet with File/File Pedestal



Right shown

Left Hinged	Right Hinged								
36N2071VHL2W	36N2071VHR2W	\$ 2966	23½	201/16	717/16	—	—	187 lbs.	30.9

- Cornice and base molding on three sides of unit
- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Captivate

Product Specification





- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

36N3571BCOHFW	71SN	KRB	MH
36N2448MGW	TA	N	AC
36N2016PMBFW	71SN	MC	


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Storage Cabinet with File/File Pedestal Ganging  Right shown	<i>Left Hinged</i>								
	<i>Right Hinged</i>								
	36N2071VHL2WC	\$ 2966	23½	201/16	717/16	—	—	187 lbs.	30.9
	• Cornice on three sides of unit • Base molding on two sides of unit to allow for ganging • Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Bookcase - Open 	36N3571BCOFW	\$ 2376	14½	35	717/16	—	—	158 lbs.	33.7
	36N3557BCOFW	\$ 2149	14½	35	565/8	—	—	134 lbs.	27.3
	• Specify finish only • Cornice and base molding on three sides of unit • Shaded shelves are adjustable • 3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves								
Bookcase - Storage 	36N3571BCOHFW	\$ 2839	14½	35	717/16	—	—	178 lbs.	33.7
	36N3557BCOHFW	\$ 2672	14½	35	565/8	—	—	154 lbs.	27.3
	• Cornice and base molding on three sides of unit • Shaded shelves are adjustable • 3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Bookcase Set-On 	<i>Wood Door</i>								
	36N3544BCHW	\$ 2710	14½	35	435/8	—	—	134 lbs.	20.0
	<i>Glass Door</i>								
	36N3544BCHGW	\$ 2825	14½	35	435/8	—	—	134 lbs.	20.0
	• Specify finish only • Cornice on top only • Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Locking	Sheen (wood tops only)	Finish
36N3571BCOHFW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		71SN	KRB		MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------


Magazine Table



36N2448MGW	Wood Top	\$ 1496	24 48 16 — —	57 lbs.	5.5
------------	----------	---------	--------------	---------	-----

- Features a functional, non-locking center drawer without a pull
- Some assembly required


End Table



36N2424ENW	Wood Top	\$ 1371	24 24 20½ — —	38 lbs.	3.5
------------	----------	---------	---------------	---------	-----

- Some assembly required


Console Table



36N2048CSW	Wood Top	\$ 1797	20 48 28¾ — —	66 lbs.	5.6
------------	----------	---------	---------------	---------	-----

- Features a functional, non-locking center drawer without a pull
- Some assembly required

Mobile Pedestal



36N2016PMBFW		\$ 1323	20 1638 23 — —	72 lbs.	8.1
--------------	--	---------	----------------	---------	-----

- Four double wheel locking casters
- Maximum weight unit can hold is 300 lbs.
- Unit features a finished wood top

Byrne Interlink System

PRODUCT SPECIFICATIONS

BYRNE® INTERLINK SYSTEM

- Series of up to eight electrical/data modules and bypass jumpers that bring electrical outlets and data ports to the worksurface
- Can be used with as few as two outlets or as many as eight outlets
- Modules are color coded, keyed, and numbered
- Byrne Interlink and Bypass Jumper System allows easy connection or disconnection of any tap-off unit without power disruption to other units
- Each Interlink module includes 2 electrical outlets and 2 optional data ports
- Includes voice/data adapter kit for data openings; adapters accommodate couplers/jacks from the following manufacturers:

Avaya/At&T/Lucent	www.avaya.com
Amp/Tyco	www.amp.com
Panduit	www.panduit.com
Allen Tel	www.allentel.com
Leviton	www.leviton.com
Krone	www.krone.com
Hubbell	www.hubbell.com
Ortronics	www.ortronics.com

- UL Recognized
- 15 Amp
- 60 Hz
- 115V
- Single circuit reset

WIRE MANAGER

- Comes in packages of five
- Available in black only

Electrical Standards

Each country has its own set of Electrical standards and wiring rules. In addition, each state, county, and municipality may have Electrical standards and wiring rules that may be similar to those used elsewhere, but may have subtle (but significant) differences. In all cases you should check the local standards to ensure that you will comply with the regulations.


Power Consumption

The Byrne Interlink and Bypass System from National is rated for the United States of America. It is rated 115V 60Hz. The maximum power capacity of the system is 15 Amps, which may be used by any combination of one to eight electrical/data modules. The total combined power consumption of all equipment on a single system cannot exceed 15 Amps.

Before installing the Byrne Interlink and Bypass System from National, please check the power consumption for each item that will be powered from the system to ensure that you do not exceed the rated capacity of the system. The table below lists some typical power consumption values for common office equipment. Remember to add the power consumption for all devices to be powered from a single system to determine how many devices can be connected to a single system. (This listing is a guide only; please be sure to check the listing on each item you will be powering.)


Office Equipment	Amps(A)
Computer Server	1-6
Personal Computer	1-2
Laptop	1-1.5
LCD Display	1-1.8
CRT Display	1.3-2.5
Laser Printer	1.5-6
Inkjet Printer	0.4-1.6
Dot-Matrix Printer	1.5-3
Photocopier	10-16
Fax Machine	0.8-1.2
Scanner	0.4-0.8
PDA	0.04-0.06
LED/Incandescent Light	0.6-1
Clock	0.02-0.04
Radio	0.2-0.4
Calculator	0.1-0.25
Cellphone Charger	0.6-1.5
Battery Charger	0.06-0.6
Audio Speakers	0.05-0.15
Network Router/Switch	0.4-1
Shredder	1.5-3

Example 1:



Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Total AC Load	12 Amps(A)

Example 2:



Laptop	1.5 Amps
LCD Display	1.8 Amps
Laser Printer	6.0 Amps
Scanner	0.8 Amps
Total AC Load	13.8 Amps(A)


The following devices should NOT be used in Electrical Installations

The following electrical devices have very high power consumption and some will affect the quality of the power for other electrical devices that are connected to the same electrical system. We recommend that you DO NOT plug these units into the Interlink System power outlets. High power devices should be plugged directly into the main wall power outlets. These include but are not limited to:


Heaters, Hair Dryers, Kettles, Coffee Makers, Motorized Machines, Shoe Polishers, Water Dispensers, Air Conditioners, Electric Fans, Microwave Ovens, Televisions, Video Machines, Fluorescent Lights, Multi-socket Outlets, Power Strips, Extension Cords, Power Tools, Electrical Dimmers

Any devices that will not be regularly used at the workstation should be connected to the main wall power outlets.

Byrne Interlink System




Interlink System shown using all interlink modules with no bypass jumpers; specify NACELIL1, NACELIL2, NACELIL3, and NACELIL4




Interlink System shown using a bypass jumper for position 1, connecting to the power source and then 2 interlink modules; specify NACELILJ1, NACELIL2, and NACELIL3

Product Specifications

- Interlink #1 cord with plug is 126" in length
- Bypass Jumper #1 with plug is 124" in length
- Length of cord from coupler to unit on all units is 14"
- Interlink #2-#8 cord is 66" in length
- Bypass Jumpers #2-#8 are 60" in length

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
	NACELIL1	Interlink #1 with Plug	\$ 256	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ1	Bypass Jumper #1 with Plug	143	—	—	—	—	1 lbs.	0.2
	NACELIL2	Interlink #2	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ2	Bypass Jumper #2	73	—	—	—	—	1 lbs.	0.2
	NACELIL3	Interlink #3	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ3	Bypass Jumper #3	73	—	—	—	—	1 lbs.	0.2
	NACELIL4	Interlink #4	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ4	Bypass Jumper #4	73	—	—	—	—	1 lbs.	0.2
	NACELIL5	Interlink #5	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ5	Bypass Jumper #5	73	—	—	—	—	1 lbs.	0.2
	NACELIL6	Interlink #6	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ6	Bypass Jumper #6	73	—	—	—	—	1 lbs.	0.2
	NACELIL7	Interlink #7	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	NACELIJ7	Bypass Jumper #7	73	—	—	—	—	1 lbs.	0.2
	NACELIL8	Interlink #8	183	4 1/8	25/8	8 1/2	—	2 lbs.	0.2
	• UL Recognized • Interlink models contain a power center that features 2 electrical receptacles and 2 blank data ports • Includes voice/data adapter kit for data ports; adapters accommodate couplers/jacks from manufacturers listed on page 120 • Interlink System can be used with Captivate® and Casbah® • Black • This can be field installed or order unit with racetrack grommet option to place in hole								

Undersurface Wire Manager	NAC03WM	Black Plastic (Set of 5)	\$ 27	5 1/4	25/8	1 3/4	—	—	3 lbs.	0.1
---------------------------	---------	--------------------------	-------	-------	------	-------	---	---	--------	-----



Byrne Interlink System

How to specify the Byrne Interlink System from National

The Byrne Interlink System from National can be used with as few as one Interlink module and up to as many as eight modules. You may also add to the system as your power needs grow (up to eight modules total). Shown below are examples of how to specify a series of Interlink modules from one up to a full set of eight.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7	NACELI8
Single module (one Power Center)	✓							
Set of two modules (two Power Centers)	✓	✓						
Set of three modules (three Power Centers)	✓	✓	✓					
Set of four modules (four Power Centers)	✓	✓	✓	✓				
Set of five modules (five Power Centers)	✓	✓	✓	✓	✓			
Set of six modules (six Power Centers)	✓	✓	✓	✓	✓	✓		
Set of seven modules (seven Power Centers)	✓	✓	✓	✓	✓	✓	✓	
Set of eight modules (eight Power Centers)	✓	✓	✓	✓	✓	✓	✓	✓

How to specify Byrne Interlink Bypass Jumpers

Byrne Interlink Bypass Jumpers are interchangeable with Interlink Modules and are used where you do not need a Power Center at a particular location and wish to skip to the next link. Shown below are examples of how to substitute a compatible Bypass Jumper for a specific Byrne Interlink module.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7
Bypass Jumper for position #1 (connects to power source)	✓						
Bypass Jumper for position #2		✓					
Bypass Jumper for position #3			✓				
Bypass Jumper for position #4				✓			
Bypass Jumper for position #5					✓		
Bypass Jumper for position #6						✓	
Bypass Jumper for position #7							✓

Casbah®

PRODUCT SPECIFICATIONS**WORKSURFACE**

- 13¹/₈" slipmatched cherry and maple veneer
- Wood rim with softened edge profile
- Tops appear to be suspended with a recessed façade worksurface detail
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

RECESSED FAÇADE

- Available in reed* (RE) or flat (FL) profile
 - *Reed profile option is available with an upcharge
- Reed is available in wood finishes only
- Flat profile is available in wood finishes, Satin Nickel Metallic, Cinder or Platinum Metallic painted MDF
- Flat veneer profile features quarter cut cherry or maple veneer
- Recessed façade is ¾" thick x 1½" tall, and is 269¹/₈" from bottom of façade to floor
- Grain direction runs horizontal on all recessed façades
- Keyboard trays and center drawers cannot be used on any Casbah models due to recessed façade

FINISH APPLICATION

- Casbah series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick modesty panels and end panels
- Desk modesty panels feature a straight or arc shape; grain direction runs horizontal
- Arc modesty available on desks only
- All units feature fully finished backs unless noted
- Adjustable leveling glides (2 on end panels, 2 on side panels) compensate for uneven floors

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS

- Available in three options: Groove, Sweep and Balance
- Available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- Reference page 130 for interior drawer dimensions

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers

CORD MANAGEMENT—See page 131


- Zinc racetrack grommets are available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic
- Tambour modesty panel is available on credenzas, bridges, and returns to allow for easy access to fixed wall electrical and data connections
- End panel grommets are solid wood and are finished to match unit

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha

WORKSURFACE SHEEN OPTIONS

- R Standard
- N Matte/Satin

PAINT COLORS

- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

FAÇADE PROFILES

- FL Flat
- RE Reed (+10% upcharge)

PULL OPTIONS



Balance (72)

- 72SN Satin Nickel Metallic
- 72MB Cinder
- 72PL Platinum Metallic
- (Boring Pattern 128mm)



Sweep (73)

- 73SN Satin Nickel Metallic
- 73MB Cinder
- 73PL Platinum Metallic
- (Boring Pattern 128mm)



Groove (74)

- 74SN Satin Nickel Metallic
- 74MB Cinder
- 74PL Platinum Metallic
- (Boring Pattern 128mm)


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet


- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNA Left, Right & Center



Racetrack Grommet, Cinder

\$30 list for each grommet


- G11MBL Left
- G11MBR Right
- G11MBLR Left & Right
- G11MBC Center
- G11MBA Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$30 list for each grommet

- G11PLL Left
- G11PLR Right
- G11PLLR Left & Right
- G11PLC Center
- G11PLA Left, Right & Center



LOCKING


Key Random

- KRB Black
- KRS Silver


Key Specific

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit
- KS3B Black, 3 locks per unit
- KS3S Silver, 3 locks per unit
- KS4B Black, 4 locks per unit
- KS4S Silver, 4 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.




Arc Modesty Desks
Wood Flat Profile or
Painted




Straight Modesty Desks
Wood Flat Profile or
Painted

- Shaded area represents the wood flat (FL) modesty/façade profile from the approach side; wood flat features $\frac{1}{4}$ cut horizontal grain pattern
- Shaded area represents the painted flat (FL) modesty/façade profile from the approach side



Arc Modesty Desks
Wood Reed Profile



Straight Modesty Desks
Wood Reed Profile

- Striped area represents the wood reed (RE) modesty/façade profile from the approach side
- Reed (RE) profile is available on wood finish units only; not available on painted units


Drawer Specifications

Description	Interior Dimensions			Filing Capabilities	
	Drawer	Inside Width	Inside Depth	Inside Height	
Desk—Recessed Modesty Panel 36 x 72, 30 x 66	Box	147 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter, legal, and EDP side-to-side filing
	File	151 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 60	Box	117 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter filing front-to-back or side-to-side
	File	121 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72, 30 x 66	Box	147 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter, legal, and EDP side-to-side filing
	File	151 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal filing front-to-back
Executive Return 24 x 60, 24 x 48, 24 x 42	Box	111 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter filing front-to-back or side-to-side
	File	121 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal and EDP filing side-to-side
Credenzas 24 x 72, 24 x 66	Box	147 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter, legal, and EDP side-to-side filing
	File	151 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal filing front-to-back
Credenzas 24 x 60	Box	117 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter filing front-to-back or side-to-side
	File	121 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	323 ⁸ / ₈	15"	87 ⁸ / ₈	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72, 24 x 66	Box	147 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter, legal, and EDP side-to-side filing
	File	151 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal filing front-to-back
Single Pedestal Credenzas 24 x 60	Box	117 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter filing front-to-back or side-to-side
	File	121 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	323 ⁸ / ₈	15"	87 ⁸ / ₈	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File 36" width	Lateral File	323 ⁸ / ₈	15"	87 ⁸ / ₈	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File 30" width	Lateral File	263 ⁸ / ₈	15"	87 ⁸ / ₈	Letter, legal and EDP filing front-to-back or side-to-side
Vertical Storage Cabinet 18 x 68	Box	147 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter, legal, and EDP side-to-side filing
	File	151 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box	147 ¹ / ₁₆	17"	33 ¹ / ₁₆	Letter, legal, and EDP side-to-side filing
	File	151 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box	117 ¹ / ₁₆	17"	5 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	121 ¹ / ₁₆	17"	87 ⁸ / ₈	Legal and EDP filing side-to-side
Mobile Pedestals 23 x 15	Box	117 ¹ / ₁₆	17"	5 ¹ / ₂ "	Letter filing front-to-back or side-to-side
	File	121 ¹ / ₁₆	17"	87 ⁸ / ₈	EDP and legal filing side-to-side

- Exterior dimension of legal width pedestal is 18". Letter width is 15"


Grommet Specifications

- Racetrack grommets are available as an option on desks, bridges, returns, credenzas, and corner unit for an additional upcharge
- Racetrack grommets are factory installed in the worksurface and end panels in predetermined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit
- Inside end panels feature oval grommet in top corner of panel for cable management




Single and Double Pedestal Desks

Left and right grommets on worksurface and end panels
(38N3672DDFW8 Shown)




Credenzas

Left and right grommets on worksurface and end panels
(38N2478CSFW1 Shown)





Executive Returns

Left and right grommets on worksurface and grommet on end panel
(38N2448RLEFW1 Shown)




Bridges

Left and right grommets on worksurface
(38N2448BEFW Shown)




P-Shaped and U-Shaped Desks

Grommet on worksurface
(38N307242DPLFEW Shown)




Credenzas

Center grommet on worksurface and end panels
(38N2478CSFW1 Shown)



Executive Returns

Center grommet on worksurface and grommet on end panel
(38N2448RLEFW1 Shown)



Corner Units

Corner grommet on worksurface
(38N3636CFSW Shown)

Casbah L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:



- Balance, Satin Nickel pulls
- Flat façade profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				



Balance, Satin Nickel pulls

L-CONFIGURATIONS	Model No./Description	List Price	L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Wood Façade 	38N8572LLFW 841" x 7115" x 16"	\$ 6178	Right L-Configuration Wood Façade 	38N8572LRFW 841" x 7115" x 16"	\$ 6178
	consists of			consists of	
	38N3672DRFW1 Right Pedestal Desk	3472		38N3672DLFW1 Left Pedestal Desk	3472
	38N2448RLEFW2 Left Pedestal Return	2706		38N2448RREFW2 Right Pedestal Return	2706
	38N7972LLFW 781" x 7115" x 16"	\$ 6089		38N7972LRFW 781" x 7115" x 16"	\$ 6089
	consists of			consists of	
	38N3672DRFW1 Right Pedestal Desk	3472		38N3672DLFW1 Left Pedestal Desk	3472
	38N2442RLEFW2 Left Pedestal Return	2617		38N2442RREFW2 Right Pedestal Return	2617
	38N7966LLFW 781" x 66W	\$ 6085		38N7966LRFW 781" x 66W	\$ 6085
	consists of			consists of	
	38N3066DRFW1 Right Pedestal Desk	3379		38N3066DLFW1 Left Pedestal Desk	3379
	38N2448RLEFW2 Left Pedestal Return	2706		38N2448RREFW2 Right Pedestal Return	2706
	38N7366LLFW 721" x 66W	\$ 5996		38N7366LRFW 721" x 66W	\$ 5996
	consists of			consists of	
	38N3066DRFW1 Right Pedestal Desk	3379		38N3066DLFW1 Left Pedestal Desk	3379
	38N2442RLEFW2 Left Pedestal Return	2617		38N2442RREFW2 Right Pedestal Return	2617

Casbah U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:



- Balance, Satin Nickel pulls
- Flat façade profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				



Balance, Satin Nickel pulls

U-CONFIGURATIONS		Model No./Description		List Price	U-CONFIGURATIONS		Model No./Description		List Price
Left U-Configuration		38N10972ULFW		1081" x 7115" x 16" \$ 7657	Right U-Configuration		38N10972URFW		1081" x 7115" x 16" \$ 7657
Wood Façade		consists of			Wood Façade		consists of		
		38N3672DRFW1	Right Pedestal Desk	3472			38N3672DLFW1	Left Pedestal Desk	3472
		38N2448BEFW	Bridge	1235			38N2448BEFW	Bridge	1235
		38N2472CLFW2	Left Pedestal Credenza	2950			38N2472CRFW2	Right Pedestal Credenza	2950
		38N10372ULFW		1021" x 7115" x 16" \$ 7623			38N10372URFW		1021" x 7115" x 16" \$ 7623
		consists of					consists of		
		38N3672DRFW1	Right Pedestal Desk	3472			38N3672DLFW1	Left Pedestal Desk	3472
		38N2442BEFW	Bridge	1201			38N2442BEFW	Bridge	1201
		38N2472CLFW2	Left Pedestal Credenza	2950			38N2472CRFW2	Right Pedestal Credenza	2950
		38N10366ULFW		1021" x 66" \$ 7479			38N10366URFW		1021" x 66" \$ 7479
		consists of					consists of		
		38N3066DRFW1	Right Pedestal Desk	3379			38N3066DLFW1	Left Pedestal Desk	3379
		38N2448BEFW	Bridge	1235			38N2448BEFW	Bridge	1235
		38N2466CLFW2	Left Pedestal Credenza	2865			38N2466CRFW2	Right Pedestal Credenza	2865
		38N9766ULFW		961" x 66" \$ 7445			38N9766URFW		961" x 66" \$ 7445
		consists of					consists of		
		38N3066DRFW1	Right Pedestal Desk	3379			38N3066DLFW1	Left Pedestal Desk	3379
		38N2442BEFW	Bridge	1201			38N2442BEFW	Bridge	1201
		38N2466CLFW2	Left Pedestal Credenza	2865			38N2466CRFW2	Right Pedestal Credenza	2865

Product Specifications





- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Due to recessed façade, keyboard trays and center drawers cannot be used
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:


38N3684DDFCW8	FL	72SN	G11SNLR	KRB	R	MH	
38N3684DDFCWP8	72SN	G11SNL	KRB	R	MH	503	
38N3684DTWP	G11SNL	N	AC	503			
38N3684DTW	RE	G11SNLR	N	HN			
38N3672DLFW1	RE	72SN	G11SNL	KRB	R	AC	
38N3672DLFWP1	72SN	G11SNL	KRB	R	AC	503	

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
	<i>Desk—Wood Modesty/Façade</i>									
	38N3684DDFCW8	Box/Box/File—File/File	\$ 5353	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
	38N3672DDFCW8	Box/Box/File—File/File	4646	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
	38N3684DDFCW9	File/File—Box/Box/File	\$ 5353	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
	38N3672DDFCW9	File/File—Box/Box/File	4646	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
	<i>Desk—Painted Modesty/Façade</i>									
	38N3684DDFCWP8	Box/Box/File—File/File	\$ 5353	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
	38N3672DDFCWP8	Box/Box/File—File/File	4646	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
	38N3684DDFCWP9	File/File—Box/Box/File	\$ 5353	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
	38N3672DDFCWP9	File/File—Box/Box/File	4646	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

Double Pedestal Desk with Straight Modesty



Box/Box/File—File/File



File/File—Box/Box/File

Desk—Wood Modesty/Façade

38N3684DDFW8	Box/Box/File—File/File	\$ 4594	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
38N3672DDFW8	Box/Box/File—File/File	3808	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
38N3066DDFW8	Box/Box/File—File/File	3665	301/16	66	29¼	—	2978	285 lbs.	44.9
38N3684DDFW9	File/File—Box/Box/File	\$ 4594	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
38N3672DDFW9	File/File—Box/Box/File	3808	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
38N3066DDFW9	File/File—Box/Box/File	3665	301/16	66	29¼	—	2978	285 lbs.	44.9


Desk—Painted Modesty/Façade

38N3684DDFWP8	Box/Box/File—File/File	\$ 4594	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
38N3672DDFWP8	Box/Box/File—File/File	3808	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
38N3066DDFWP8	Box/Box/File—File/File	3665	301/16	66	29¼	—	2978	285 lbs.	44.9
38N3684DDFWP9	File/File—Box/Box/File	\$ 4594	361/16	8315/16	29¼	—	473/16	374 lbs.	65.8
38N3672DDFWP9	File/File—Box/Box/File	3808	361/16	7115/16	29¼	—	3513/16	349 lbs.	57.0
38N3066DDFWP9	File/File—Box/Box/File	3665	301/16	66	29¼	—	2978	285 lbs.	44.9


- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N3684DDFCW8	FL	72SN	G11SNLR	KRB	R	MH	

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Table Desk 	Desk—Wood Façade					
	38N3684DTW	\$ 4136	36 1/16 83 15/16 29 1/4 —	6658	202 lbs.	64.4
	38N3672DTW	3427	36 1/16 71 15/16 29 1/4 —	5458	185 lbs.	20.9
	Desk—Painted Façade					
	38N3684DTWP	\$ 4136	36 1/16 83 15/16 29 1/4 —	6658	202 lbs.	64.4
	38N3672DTWP	3427	36 1/16 71 15/16 29 1/4 —	5458	185 lbs.	20.9

- Do not specify a pull
- Some assembly required

Single Pedestal Desk with Arc Modesty


Left shown


Wood Modesty/Façade
Left Pedestal Right Pedestal

38N3684DLFCW1	38N3684DRFCW1	Box/Box/File	\$ 4646	36 1/16 83 15/16 29 1/4 —	4178	334 lbs.	65.8
38N3672DLFCW1	38N3672DRFCW1	Box/Box/File	4074	36 1/16 71 15/16 29 1/4 —	2978	309 lbs.	57.0

Painted Modesty/Façade
Left Pedestal Right Pedestal

38N3684DLFCWP1	38N3684DRFCWP1	Box/Box/File	\$ 4646	36 1/16 83 15/16 29 1/4 —	4178	334 lbs.	65.8
38N3672DLFCWP1	38N3672DRFCWP1	Box/Box/File	4074	36 1/16 71 15/16 29 1/4 —	2978	309 lbs.	57.0

- Not recommended as a freestanding unit due to routing in the rim
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Single Pedestal Desk with Straight Modesty


Left shown

Wood Modesty/Façade
Left Pedestal Right Pedestal

38N3684DLFW1	38N3684DRFW1	Box/Box/File	\$ 3973	36 1/16 83 15/16 29 1/4 —	4178	334 lbs.	65.8
38N3672DLFW1	38N3672DRFW1	Box/Box/File	3472	36 1/16 71 15/16 29 1/4 —	2978	309 lbs.	57.0
38N3066DLFW1	38N3066DRFW1	Box/Box/File	3379	30 1/16 66 29 1/4 —	2315/16	245 lbs.	44.9

Painted Modesty/Façade
Left Pedestal Right Pedestal

38N3684DLFWP1	38N3684DRFWP1	Box/Box/File	\$ 3973	36 1/16 83 15/16 29 1/4 —	4178	334 lbs.	65.8
38N3672DLFWP1	38N3672DRFWP1	Box/Box/File	3472	36 1/16 71 15/16 29 1/4 —	2978	309 lbs.	57.0
38N3066DLFWP1	38N3066DRFWP1	Box/Box/File	3379	30 1/16 66 29 1/4 —	2315/16	245 lbs.	44.9

- Not recommended as a freestanding unit due to routing in the rim
- Keyboard kits cannot be used on 38N3066 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Product Specifications

- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N367248DLFECW1	FL	72SN	G11SNLR	KRB	R	AC
38N367248DLFECWP1	72SN	G11SNLR	KRB	R	AC	503
38N3672DULW	RE	G11SN	R	CW		
38N3672DULWP	G11SN	R	CW			503
38N3072DPLW	FL	G11SN	R	AC		
38N3072DPLFW	G11SN	R	AC			503

Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
		D	W	H				
Single Pedestal Desk Extended Corner with Arc Modesty								
Wood Modesty/Façade								
<i>Left Pedestal</i>								
<i>Right Pedestal</i>								
38N367248DLFECW1	38N367248DRFECW1	Box/Box/File	\$ 4236	483/16	7115/16	29¼	—	297/8 344 lbs. 73.9



Left shown


Painted Modesty/Façade

Left Pedestal *Right Pedestal*

38N367248DLFECWP1	38N367248DRFECWP1	Box/Box/File	\$ 4236	483/16	7115/16	29¼	—	297/8 344 lbs. 73.9
-------------------	-------------------	--------------	---------	--------	---------	-----	---	---------------------

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11MBL, G11MBR, G11MBLR, G11PLL, G11PLR, G11PLLR available
- Keyboard kits cannot be placed in the radius corner of extended corner desks
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Single Pedestal Desk
Extended Corner
with Straight Modesty



Left shown

Wood Modesty/Façade

Left Pedestal *Right Pedestal*

38N367248DLFEW1	38N367248DRFEW1	Box/Box/File	\$ 3611	483/16	7115/16	29¼	—	297/8 344 lbs. 73.9
38N306642DLFEW1	38N306642DRFEW1	Box/Box/File	3540	421/16	66	29¼	—	2315/16 278 lbs. 73.9


Painted Modesty/Façade

Left Pedestal *Right Pedestal*

38N367248DLFEWP1	38N367248DRFEWP1	Box/Box/File	\$ 3611	483/16	7115/16	29¼	—	297/8 344 lbs. 73.9
38N306642DLFEWP1	38N306642DRFEWP1	Box/Box/File	3540	421/16	66	29¼	—	2315/16 278 lbs. 73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11MBL, G11MBR, G11MBLR, G11PLL, G11PLR, G11PLLR available
- Keyboard kits cannot be placed in the radius corner of extended corner desks
- Keyboard kits cannot be used on 38N306642 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

U-Shaped Desk
with Support Base



Left shown


Left U

Right U

38N3672DULW	38N3672DURW	Wood Façade	\$ 2939	361/16	7115/16	29¼	—	301/16 234 lbs. 57.0
38N3672DULWP	38N3672DURWP	Painted Façade	2939	361/16	7115/16	29¼	—	301/16 234 lbs. 57.0

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

U-Shaped Desk
with Modesty Panel
and Support Base



Left shown

Left U

Right U

38N3672DULFW	38N3672DURFW	Wood Façade	\$ 3924	361/16	7115/16	29¼	—	301/16 252 lbs. 57.0
38N3672DULFWP	38N3672DURFWP	Painted Façade	3924	361/16	7115/16	29¼	—	301/16 252 lbs. 57.0


- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SN Sat. Nick. Met. G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11MB Cinder G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11PL Plat. Met. G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N367248DLFECW1	FL	72SN	G11SNLR	KRB	R	AC	

Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
-----------------------	------------	-----------------------	----	-----------------	------------

U-Shaped Extended Corner Desk with Support Base




Left shown

Left U	Right U									
38N367248DULEW	38N367248DUREW	Wood Façade	\$ 3057	481/16	7115/16	29¼	—	301/16	270 lbs.	73.9
38N367248DULEWP	38N367248DUREWP	Painted Façade	3057	481/16	7115/16	29¼	—	301/16	270 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

U-Shaped Extended Corner Desk with Modesty Panel and Support Base




Left shown

Left U	Right U									
38N367248DULFEW	38N367248DURFEW	Wood Façade	\$ 4026	481/16	7115/16	29 1/4	—	301/16	288 lbs.	73.9
38N367248DULFEWP	38N367248DURFEWP	Painted Façade	4026	481/16	7115/16	29 1/4	—	301/16	288 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

P-Shaped Desk with Support Base




Left shown

Left P	Right P									
38N3072DPLW	38N3072DPRW	Wood Façade	\$ 3088	361/16	7115/16	29 1/4	—	301/16	209 lbs.	57.0
38N3072DPLWP	38N3072DPRWP	Painted Façade	3088	361/16	7115/16	29 1/4	—	301/16	209 lbs.	57.0

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

P-Shaped Desk with Modesty Panel and Support Base



Left shown

Left P	Right P									
38N3072DPLFW	38N3072DPRFW	Wood Façade	\$ 4059	361/16	7115/16	29 1/4	—	301/16	230 lbs.	57.0
38N3072DPLFWP	38N3072DPRFWP	Painted Façade	4059	361/16	7115/16	29 1/4	—	301/16	230 lbs.	57.0

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

Product Specifications

- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N3672DTLFCW1	RE	74SN	G11SNLR	KRB	A	8610	R	MH
38N3672DTLFCWP1	74SN	G11SNLR	KRB	A	8610	R	MH	503
38N2460RLEFW1	FL	73SN	G11SNA	KRB	R	MC		
38N2460RLEFWP1	73SN	G11SNA	KRB	R	MC	503		

Model No./Description	List Price	Dimensions	Cartoned Weight	Cubic Feet
		D W H A KW		

P-Shaped Extended Corner Desk with Support Base




Left shown

Left P	Right P									
38N307242DPLEW	38N307242DPREW	Wood Façade	\$ 3240	361/16	7115/16	29 3/4	—	301/16	272 lbs.	73.9
38N307242DPLEWP	38N307242DPREWP	Painted Façade	3240	361/16	7115/16	29 3/4	—	301/16	272 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

P-Shaped Extended Corner Desk with Modesty Panel and Support Base




Left shown

Left P	Right P									
38N307242DPLFEW	38N307242DPRFEW	Wood Façade	\$ 4224	361/16	7115/16	29 3/4	—	301/16	290 lbs.	73.9
38N307242DPLFEWP	38N307242DPRFEWP	Painted Façade	4224	361/16	7115/16	29 3/4	—	301/16	290 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled


Corner Unit



38N3636CFSW	Wood Façade	\$ 2338	361/16	361/16	29 3/4	—	173/32	144 lbs.	26.6
38N3636CFSWP	Painted Façade	2338	361/16	361/16	29 3/4	—	173/32	144 lbs.	26.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available
- Grain direction runs diagonally on worksurface
- Keyboard kits cannot be used

Single Pedestal Reception Desk with Arc Modesty



Left shown

Wood Modesty/Façade									
Left Pedestal	Right Pedestal	Grade A	Grade B						
38N3672DTLFCW1	38N3672DTRFCW1	\$ 5158	\$ 5221	361/16	7115/16	42	—	301/16	363 lbs.

Painted Modesty/Façade									
Left Pedestal	Right Pedestal								
38N3672DTLFCWP1	38N3672DTRFCWP1	\$ 5158	\$ 5221	361/16	7115/16	42	—	301/16	363 lbs.


- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11MBL, G11MBR, G11MBLR, G11PLL, G11PLR, G11PLLR available
- Unit will have a tack board panel included; must specify grade and tack board fabric color immediately following the grommet option; see page 377 for fabric options
- To make a U reception station, specify a left pedestal reception desk, right pedestal reception desk, and a reception bridge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Casbah tack board fabrics are always railroaded

Specify selections, left to right:


Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
38N3672DTLFCW1	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SN Sat. Nick. Met. G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MB Cinder G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PL Plat. Met. G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
	RE	74SN	G11SNLR	KRB	R	MH	

Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
-----------------------	------------	-----------------------	----	-----------------	------------

**Reception Return
with Straight Modesty**



Left—Box/Box/File shown



Left—File/File shown

Wood Modesty/Façade

Left Return Right Return

38N2442RTLW1	38N2442RTRW1	Box/Box/File	\$ 3425	2315/16 4113/16 4013/16 —	—	184 lbs.	34.8
38N2442RTLW2	38N2442RTRW2	File/File	3425	2315/16 4113/16 4013/16 —	—	184 lbs.	34.8


Painted Façade

Left Return Right Return

38N2442RTLWP1	38N2442RTRWP1	Box/Box/File	\$ 3425	2315/16 4113/16 4013/16 —	—	184 lbs.	34.8
38N2442RTLWP2	38N2442RTRWP2	File/File	3425	2315/16 4113/16 4013/16 —	—	184 lbs.	34.8

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


**Reception Bridge
Arc Modesty**



38N2886BTCW	Wood Modesty/Façade	\$ 2553	2615/16 857/8	417/16 —	—	134 lbs.	12.4
38N2886BTCWP	Painted Modesty/Façade	2553	2615/16 857/8	417/16 —	—	134 lbs.	12.4

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Some assembly required
- Bridge width is 48", Reception counter is 857/8 wide

**Return
Box/Box/File**



Left shown

Wood Façade

Left Return Right Return

38N2460RLEFW1	38N2460RREFW1	\$ 2866	24 60 29¼ —	4115/16 199 lbs.	33.7
38N2448RLEFW1	38N2448RREFW1	2676	24 481/16 29¼ —	30 175 lbs.	28.1
38N2442RLEFW1	38N2442RREFW1	2587	24 421/16 29¼ —	24 166 lbs.	25.0

Painted Façade

Left Return Right Return

38N2460RLEFWP1	38N2460RREFWP1	\$ 2866	24 60 29¼ —	4115/16 199 lbs.	33.7
38N2448RLEFWP1	38N2448RREFWP1	2676	24 481/16 29¼ —	30 175 lbs.	28.1
38N2442RLEFWP1	38N2442RREFWP1	2587	24 421/16 29¼ —	24 166 lbs.	25.0

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2442 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Product Specifications


- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N2460RLEFW2 FL 73SN G11SNC KRB N CW
38N2460RLEFWP2 73SN G11SNC KRB N CW 503

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
Return Box/Box/File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty								
	<i>Left Return</i>	<i>Right Return</i>							
	38N2460RLEFTW1	38N2460RREFTW1	\$ 2991	24	60	29¼	—	4115/16 199 lbs.	33.7
	38N2448RLEFTW1	38N2448RREFTW1	2802	24	481/16	29¼	—	30 175 lbs.	28.1
	38N2442RLEFTW1	38N2442RREFTW1	2712	24	421/16	29¼	—	24 166 lbs.	25.0
	Painted Façade—Tambour Modesty								
	<i>Left Return</i>	<i>Right Return</i>							
	38N2460RLEFTWP1	38N2460RREFTWP1	\$ 2991	24	60	29¼	—	4115/16 199 lbs.	33.7
	38N2448RLEFTWP1	38N2448RREFTWP1	2802	24	481/16	29¼	—	30 175 lbs.	28.1
	38N2442RLEFTWP1	38N2442RREFTWP1	2712	24	421/16	29¼	—	24 166 lbs.	25.0
• Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty returns for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC1406KK4) is the only kit that can be used on 38N2448 and 38N2460 models • Keyboard kits cannot be used on 38N2442 models • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Return File/File




Left shown


	Wood Façade								
	<i>Left Return</i>	<i>Right Return</i>							
	38N2460RLEFW2	38N2460RREFW2	\$ 2866	24	60	29¼	—	4115/16 199 lbs.	33.7
	38N2448RLEFW2	38N2448RREFW2	2676	24	481/16	29¼	—	30 175 lbs.	28.1
	38N2442RLEFW2	38N2442RREFW2	2587	24	421/16	29¼	—	24 166 lbs.	25.0
	Painted Façade								
	<i>Left Return</i>	<i>Right Return</i>							
	38N2460RLEFWP2	38N2460RREFWP2	\$ 2866	24	60	29¼	—	4115/16 199 lbs.	33.7
	38N2448RLEFWP2	38N2448RREFWP2	2676	24	481/16	29¼	—	30 175 lbs.	28.1
	38N2442RLEFWP2	38N2442RREFWP2	2587	24	421/16	29¼	—	24 166 lbs.	25.0
	• Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2442 models • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2460RLEFW2	FL	73SN	G11SNC	KRB	N	CW	

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Return File/File with Tambour Modesty  Left shown	Wood Façade—Tambour Modesty					
	<i>Left Return</i> <i>Right Return</i>					
	38N2460RLEFTW2 38N2460RREFTW2	\$ 2991	24 60 29¼ —	4115/16	199 lbs.	33.7
	38N2448RLEFTW2 38N2448RREFTW2	2802	24 481/16 29¼ —	30	175 lbs.	28.1
Painted Façade—Tambour Modesty <i>Left Return</i> <i>Right Return</i>	38N2442RLEFTW2 38N2442RREFTW2	2712	24 421/16 29¼ —	24	166 lbs.	25.0
	38N2460RLEFTWP2 38N2460RREFTWP2	\$ 2991	24 60 29¼ —	4115/16	199 lbs.	33.7
	38N2448RLEFTWP2 38N2448RREFTWP2	2802	24 481/16 29¼ —	30	175 lbs.	28.1
	38N2442RLEFTWP2 38N2442RREFTWP2	2712	24 421/16 29¼ —	24	166 lbs.	25.0


- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used on 38N2448 and 38N2460 models
- Keyboard kits cannot be used on 38N2442 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Return Lateral File


Left shown

Left Return		Right Return									
38N2460RLEFW6	38N2460RREFW6	Wood Façade	\$ 3072	24	60	29¼	—	241/8	218 lbs.	33.7	
38N2460RLEFWP6	38N2460RREFWP6	Painted Façade	3072	24	60	29¼	—	241/8	218 lbs.	33.7	

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Return Lateral File with Tambour Modesty


Left shown

Tambour Modesty										
Left Return	Right Return									
38N2460RLEFTW6	38N2460RREFTW6	Wood Façade	\$ 3197	24	60	29¼	—	241/8	218 lbs.	33.7
38N2460RLEFTWP6	38N2460RREFTWP6	Painted Façade	3197	24	60	29¼	—	241/8	218 lbs.	33.7

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Product Specifications

- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

38N2460RLEFW12	RE	72SN	G11SNA	KRB	N	HN	
38N2460RLEFWP12	72SN	G11SNA	KRB	N	HN	503	
38N2448BEFWP	G11SNA	R	MH	503			
38N2448BEFW	RE	G11SNA	R	MH			


	Model No./Description			List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
					D	W	H	A			
Return Box/Box/File—File/File 	<i>Left Return</i>	<i>Right Return</i>									
	38N2460RLEFW12	38N2460RREFW12	Wood Façade	\$ 3427	24	60	29¼	—	241/8	218 lbs.	33.7
	38N2460RLEFWP12	38N2460RREFWP12	Painted Façade	3427	24	60	29¼	—	241/8	218 lbs.	33.7



Left shown

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Return
Box/Box/File—File/File
with Tambour Modesty




Left shown

		Tambour Modesty										
		Left Return	Right Return									
		38N2460RLEFTW12	38N2460RREFTW12	Wood Façade	\$ 3551	24	60	29¼	—	241/8	218 lbs.	33.7
		38N2460RLEFTWP12	38N2460RREFTWP12	Painted Façade	3551	24	60	29¼	—	241/8	218 lbs.	33.7

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Bridge



		Wood Façade										
		38N2448BEFW			\$ 1205	24	481/16	29¼	—	—	72 lbs.	4.6
		38N2442BEFW			1171	24	421/16	29¼	—	—	64 lbs.	4.1
		38N2436BEFW			1135	24	361/16	29¼	—	—	52 lbs.	3.6
		38N2430BEFW			1103	24	301/16	29¼	—	—	43 lbs.	3.1

Painted Façade

		38N2448BEFWP			\$ 1205	24	481/16	29¼	—	—	72 lbs.	4.6
		38N2442BEFWP			1171	24	421/16	29¼	—	—	64 lbs.	4.1
		38N2436BEFWP			1135	24	361/16	29¼	—	—	52 lbs.	3.6
		38N2430BEFWP			1103	24	301/16	29¼	—	—	43 lbs.	3.1


- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Some assembly required

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2460RLEFW12	RE	72SN	G11SNA	KRB	N	HN	

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

Bridge with Tambour Modesty



Wood Façade—Tambour Modesty


38N2448BEFTW	\$ 1332	24 48 1/16 29 1/4 — —	95 lbs.	10.4
38N2442BEFTW	1298	24 42 1/16 29 1/4 — —	85 lbs.	9.2
38N2436BEFTW	1260	24 36 1/16 29 1/4 — —	73 lbs.	8.1
38N2430BEFTW	1228	24 30 1/16 29 1/4 — —	63 lbs.	6.9

Painted Façade—Tambour Modesty

38N2448BEFTWP	\$ 1332	24 48 1/16 29 1/4 — —	95 lbs.	10.4
38N2442BEFTWP	1298	24 42 1/16 29 1/4 — —	85 lbs.	9.2
38N2436BEFTWP	1260	24 36 1/16 29 1/4 — —	73 lbs.	8.1
38N2430BEFTWP	1228	24 30 1/16 29 1/4 — —	63 lbs.	6.9

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty bridges for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used

Buffet Credenza



Wood Façade

38N2490CBW	Wood	\$ 5504	24 89 15/16 34 1/16 — —	469 lbs.	56.9
38N2472CBW	Wood	4561	24 71 15/16 34 1/16 — —	381 lbs.	46.7

Painted Façade

38N2490CBWP	Wood	\$ 5504	24 89 15/16 34 1/16 — —	469 lbs.	56.9
38N2472CBWP	Wood	4561	24 71 15/16 34 1/16 — —	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable laminate shelf (1" thick and 21 3/8 deep)
- (3) shelves in 90" cabinet are each 28 7/16 wide
- (2) shelves in 72" cabinet are each 34 7/16 wide
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

Product Specifications




- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



Sample Model Numbers:

38N2496CSFW7	RE	72SN	G11SNC	KRB	R	MH	
38N2496CSFWP7	72SN	G11SNC	KRB	R	MH	503	
38N2496CSFW1	FL	73SN	X	KRB	R	MH	
38N2496CSFWP1	73SN	X	KRB	R	MH	503	



	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Wood Façade								
	38N2490CBVW	\$ 5504	24	8915/16	341/16	—	—	469 lbs.	56.9
	38N2472CBVW	4561	24	7115/16	341/16	—	—	381 lbs.	46.7
	Painted Façade								
	38N2490CBVWP	\$ 5504	24	8915/16	341/16	—	—	469 lbs.	56.9
	38N2472CBVWP	4561	24	7115/16	341/16	—	—	381 lbs.	46.7
	• Drawers are in the recessed façade detail • Locking standard on doors • Credenza features an adjustable shelf (1" thick and 213$\frac{3}{8}$ deep) • (3) shelves in 90" cabinet are each 287$\frac{1}{8}$wide • (2) shelves in 72" cabinet are each 347$\frac{1}{8}$wide • Cutouts in back panel for venting • Grommets available for \$30 list upcharge per grommet; 72" unit (G11SNLR, G11MBLR, G11PLLR), 90" unit (G11SNLR, G11MBLR, G11PLLR, G11SNC, G11MBC, G11PLC) • Unfinished back panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units								
 90" and 96"  72" and 84"	Wood Façade								
	38N2496CSFW7	\$ 5552	24	957/8	29 $\frac{1}{4}$	—	—	468 lbs.	52.5
	38N2490CSFW7	5392	24	8915/16	29 $\frac{1}{4}$	—	—	446 lbs.	49.5
	38N2484CSFW7	4887	24	8315/16	29 $\frac{1}{4}$	—	—	425 lbs.	46.4
	38N2472CSFW7	3980	24	7115/16	29 $\frac{1}{4}$	—	—	346 lbs.	40.6
	Painted Façade								
	38N2496CSFWP7	\$ 5552	24	957/8	29 $\frac{1}{4}$	—	—	468 lbs.	52.5
	38N2490CSFWP7	5392	24	8915/16	29 $\frac{1}{4}$	—	—	446 lbs.	49.5
	38N2484CSFWP7	4887	24	8315/16	29 $\frac{1}{4}$	—	—	425 lbs.	46.4
	38N2472CSFWP7	3980	24	7115/16	29 $\frac{1}{4}$	—	—	346 lbs.	40.6
	• Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Storage credenza features an adjustable laminate shelf (1" thick and 213$\frac{3}{8}$ deep) • (3) shelves in 96" cabinet are 347$\frac{1}{8}$wide in the center section and 287$\frac{1}{8}$wide in the side sections • (3) shelves in 90" cabinet are each 287$\frac{1}{8}$wide • (2) shelves in 84" cabinet are each 407$\frac{1}{8}$wide • (2) shelves in 72" cabinet are each 347$\frac{1}{8}$wide • For 72" and 84" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • For 90" and 96" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver KS4B Key Specific, Black KS4S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2496CSFW7	RE	72SN	G11SNC	KRB	R	MH	

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Storage Credenza File/File—Double Door  96"  66" to 78"	Wood Façade					
	38N2496CSFW2	\$ 5552	24 957/8 29¼ — —	—	468 lbs.	52.5
	38N2478CSFW2	4330	24 7715/16 29¼ — —	—	403 lbs.	43.3
	38N2472CSFW2	3980	24 7115/16 29¼ — —	—	346 lbs.	40.6
	38N2466CSFW2	3717	24 66 29¼ — —	—	334 lbs.	37.5
	Painted Façade					
	38N2496CSFWP2	\$ 5552	24 957/8 29¼ — —	—	468 lbs.	52.5
	38N2478CSFWP2	4330	24 7715/16 29¼ — —	—	403 lbs.	43.3
	38N2472CSFWP2	3980	24 7115/16 29¼ — —	—	346 lbs.	40.6
	38N2466CSFWP2	3717	24 66 29¼ — —	—	334 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Storage credenza features an adjustable laminate shelf (1" thick and 213 $\frac{3}{8}$ deep)
- (2) shelves in 96" cabinet are each 287 $\frac{1}{8}$ wide
- Shelf in 78" cabinet is 407 $\frac{1}{8}$ wide
- Shelf in 72" cabinet is 347 $\frac{1}{8}$ wide
- Shelf in 66" cabinet is 287 $\frac{1}{8}$ wide
- For 66", 72" and 78" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

Storage Credenza Box/Box/File—Double Door  96"  66" to 78"	Wood Façade					
	38N2496CSFW1	\$ 5552	24 957/8 29¼ — —	—	468 lbs.	52.5
	38N2478CSFW1	4330	24 7715/16 29¼ — —	—	403 lbs.	43.3
	38N2472CSFW1	3980	24 7115/16 29¼ — —	—	346 lbs.	40.6
	38N2466CSFW1	3717	24 66 29¼ — —	—	334 lbs.	37.5
	Painted Façade					
	38N2496CSFWP1	\$ 5552	24 957/8 29¼ — —	—	468 lbs.	52.5
	38N2478CSFWP1	4330	24 7715/16 29¼ — —	—	403 lbs.	43.3
	38N2472CSFWP1	3980	24 7115/16 29¼ — —	—	346 lbs.	40.6
	38N2466CSFWP1	3717	24 66 29¼ — —	—	334 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Storage credenza features an adjustable laminate shelf (1" thick and 213 $\frac{3}{8}$ deep)
- (2) shelves in 96" cabinet are each 287 $\frac{1}{8}$ wide
- Shelf in 78" cabinet is 407 $\frac{1}{8}$ wide
- Shelf in 72" cabinet is 347 $\frac{1}{8}$ wide
- Shelf in 66" cabinet is 287 $\frac{1}{8}$ wide
- For 66", 72" and 78" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

Product Specifications


- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:


38N2496CKFTW2 RE 73SN G11SNC KRB R MH
38N2496CKFTWP2 73SN G11SNC KRB R MH 503

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Wood Façade								
	38N2496CSFW6	\$ 5552	24	957/8	29¼	—	—	508 lbs.	52.5
	38N2490CSFW6	5392	24	8915/16	29¼	—	—	486 lbs.	49.5
	Painted Façade								
	38N2496CSFWP6	\$ 5552	24	957/8	29¼	—	—	508 lbs.	52.5
	38N2490CSFWP6	5392	24	8915/16	29¼	—	—	486 lbs.	49.5
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Storage credenza features an adjustable laminate shelf (1" thick and 213⅝ deep) • Shelf in 96" cabinet is 347⅞wide • Shelf in 90" cabinet is 287⅞wide • Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available								

Lateral File Credenza



90" and 96"



72"

Wood Façade

38N2496CFFW6	\$ 6183	24	957/8	29¼	—	—	528 lbs.	52.5
38N2490CFFW6	5606	24	8915/16	29¼	—	—	506 lbs.	49.5
38N2472CFFW6	4608	24	7115/16	29¼	—	—	346 lbs.	40.6

Painted Façade

38N2496CFFWP6	\$ 6183	24	957/8	29¼	—	—	528 lbs.	52.5
38N2490CFFWP6	5606	24	8915/16	29¼	—	—	506 lbs.	49.5
38N2472CFFWP6	4608	24	7115/16	29¼	—	—	346 lbs.	40.6


- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- For 72" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" and 96" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2496CKFTW2	RE	73SN	G11SNC	KRB	R	MH	

Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
-----------------------	------------	-----------------------	----	-----------------	------------

Kneespace Credenza File/File



Wood Façade


38N2496CKFW2	\$ 5177	24 957/8 29¼ —	59¾	322 lbs.	52.5
38N2490CKFW2	4694	24 8915/16 29¼ —	5313/16	318 lbs.	49.5
38N2484CKFW2	4272	24 8315/16 29¼ —	4713/16	309 lbs.	46.4
38N2478CKFW2	3874	24 7715/16 29¼ —	4113/16	299 lbs.	43.3
38N2472CKFW2	3512	24 7115/16 29¼ —	3513/16	279 lbs.	40.6
38N2466CKFW2	3153	24 66 29¼ —	297/8	267 lbs.	37.5

Painted Façade

38N2496CKFWP2	\$ 5177	24 957/8 29¼ —	59¾	322 lbs.	52.5
38N2490CKFWP2	4694	24 8915/16 29¼ —	5313/16	318 lbs.	49.5
38N2484CKFWP2	4272	24 8315/16 29¼ —	4713/16	309 lbs.	46.4
38N2478CKFWP2	3874	24 7715/16 29¼ —	4113/16	299 lbs.	43.3
38N2472CKFWP2	3512	24 7115/16 29¼ —	3513/16	279 lbs.	40.6
38N2466CKFWP2	3153	24 66 29¼ —	297/8	267 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Kneespace Credenza File/File with Tambour Modesty



Wood Façade—Tambour Modesty

38N2496CKFTW2	\$ 5303	24 957/8 29¼ —	59¾	322 lbs.	52.5
38N2490CKFTW2	4818	24 8915/16 29¼ —	5313/16	318 lbs.	49.5
38N2484CKFTW2	4398	24 8315/16 29¼ —	4713/16	309 lbs.	46.4
38N2478CKFTW2	3998	24 7715/16 29¼ —	4113/16	299 lbs.	43.3
38N2472CKFTW2	3761	24 7115/16 29¼ —	3513/16	279 lbs.	40.6
38N2466CKFTW2	3276	24 66 29¼ —	297/8	267 lbs.	37.5

Painted Façade—Tambour Modesty

38N2496CKFTWP2	\$ 5303	24 957/8 29¼ —	59¾	322 lbs.	52.5
38N2490CKFTWP2	4818	24 8915/16 29¼ —	5313/16	318 lbs.	49.5
38N2484CKFTWP2	4398	24 8315/16 29¼ —	4713/16	309 lbs.	46.4
38N2478CKFTWP2	3998	24 7715/16 29¼ —	4113/16	299 lbs.	43.3
38N2472CKFTWP2	3761	24 7115/16 29¼ —	3513/16	279 lbs.	40.6
38N2466CKFTWP2	3276	24 66 29¼ —	297/8	267 lbs.	37.5

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Product Specifications


- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:


38N2472CLFW1	FL	72SN	X	KRB	R	MC
38N2472CLFWP1	72SN	X	KRB	R	MC	503
38N2472CLFTW1	FL	72SN	X	KRB	R	MC
38N2472CLFTWP1	72SN	X	KRB	R	MC	503

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
 Left shown	Wood Façade								
	Left Pedestal	Right Pedestal							
	38N2484CLFW1	38N2484CRFW1	\$ 3515	24	8315/16	29¼	—	4178	263 lbs. 46.4
	38N2478CLFW1	38N2478CRFW1	3188	24	7715/16	29¼	—	3578	254 lbs. 43.3
	38N2472CLFW1	38N2472CRFW1	2890	24	7115/16	29¼	—	2978	239 lbs. 40.6
	38N2466CLFW1	38N2466CRFW1	2805	24	66	29¼	—	2315/16	227 lbs. 37.5
	Painted Façade								
	Left Pedestal	Right Pedestal							
	38N2484CLFWP1	38N2484CRFWP1	\$ 3515	24	8315/16	29¼	—	4178	263 lbs. 46.4
	38N2478CLFWP1	38N2478CRFWP1	3188	24	7715/16	29¼	—	3578	254 lbs. 43.3
38N2472CLFWP1	38N2472CRFWP1	2890	24	7115/16	29¼	—	2978	239 lbs. 40.6	
38N2466CLFWP1	38N2466CRFWP1	2805	24	66	29¼	—	2315/16	227 lbs. 37.5	
• Not recommended as a freestanding unit due to routing in the rim • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2466 models • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2472CLFW1	FL	72SN	X	KRB	R	MC	

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Single Pedestal Credenza Box/Box/File with Tambour Modesty									
Wood Façade—Tambour Modesty									
<i>Left Pedestal</i>	<i>Right Pedestal</i>								
38N2484CLFTW1	38N2484CRFTW1	\$ 3639	24	8315/16	29¼	—	417/8	263 lbs.	46.4
38N2478CLFTW1	38N2478CRFTW1	3351	24	7715/16	29¼	—	357/8	254 lbs.	43.3
38N2472CLFTW1	38N2472CRFTW1	3015	24	7115/16	29¼	—	297/8	239 lbs.	40.6
38N2466CLFTW1	38N2466CRFTW1	2929	24	66	29¼	—	2315/16	227 lbs.	37.5
Painted Façade—Tambour Modesty									
<i>Left Pedestal</i>	<i>Right Pedestal</i>								
38N2484CLFTWP1	38N2484CRFTWP1	\$ 3639	24	8315/16	29¼	—	417/8	263 lbs.	46.4
38N2478CLFTWP1	38N2478CRFTWP1	3351	24	7715/16	29¼	—	357/8	254 lbs.	43.3
38N2472CLFTWP1	38N2472CRFTWP1	3015	24	7115/16	29¼	—	297/8	239 lbs.	40.6
38N2466CLFTWP1	38N2466CRFTWP1	2929	24	66	29¼	—	2315/16	227 lbs.	37.5



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Tambour modesty is not fully finished on back
- Grommet option is required on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Product Specifications


- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N2484CLFW2	FL	72SN	X	KRB	N	TF
38N2484CLFW6	RE	73SN	G11SNR	KRB	R	NM
38N2484CLFTWP6	73SN	X	KRB	N	CL	503

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Single Pedestal Credenza File/File  Left shown	Wood Façade								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	38N2484CLFW2	38N2484CRFW2	\$ 3515	24	8315/16	29¼	—	4178	263 lbs. 46.4
	38N2478CLFW2	38N2478CRFW2	3188	24	7715/16	29¼	—	3578	254 lbs. 43.3
	38N2472CLFW2	38N2472CRFW2	2890	24	7115/16	29¼	—	2978	239 lbs. 40.6
	38N2466CLFW2	38N2466CRFW2	2805	24	66	29¼	—	2315/16	227 lbs. 37.5
	Painted Façade								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	38N2484CLFWP2	38N2484CRFWP2	\$ 3515	24	8315/16	29¼	—	4178	263 lbs. 46.4
	38N2478CLFWP2	38N2478CRFWP2	3188	24	7715/16	29¼	—	3578	254 lbs. 43.3
	38N2472CLFWP2	38N2472CRFWP2	2890	24	7115/16	29¼	—	2978	239 lbs. 40.6
	38N2466CLFWP2	38N2466CRFWP2	2805	24	66	29¼	—	2315/16	227 lbs. 37.5
• Not recommended as a freestanding unit due to routing in the rim • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2466 models • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Single Pedestal Credenza
File/File
with Tambour Modesty




Left shown

Wood Façade—Tambour Modesty									
<i>Left Pedestal</i>	<i>Right Pedestal</i>								
38N2484CLFTW2	38N2484CRFTW2	\$ 3639	24	8315/16	29¼	—	4178	263 lbs.	46.4
38N2478CLFTW2	38N2478CRFTW2	3351	24	7715/16	29¼	—	3578	254 lbs.	43.3
38N2472CLFTW2	38N2472CRFTW2	3015	24	7115/16	29¼	—	2978	239 lbs.	40.6
38N2466CLFTW2	38N2466CRFTW2	2929	24	66	29¼	—	2315/16	227 lbs.	37.5
Painted Façade—Tambour Modesty									
<i>Left Pedestal</i>	<i>Right Pedestal</i>								
38N2484CLFTWP2	38N2484CRFTWP2	\$ 3639	24	8315/16	29¼	—	4178	263 lbs.	46.4
38N2478CLFTWP2	38N2478CRFTWP2	3351	24	7715/16	29¼	—	3578	254 lbs.	43.3
38N2472CLFTWP2	38N2472CRFTWP2	3015	24	7115/16	29¼	—	2978	239 lbs.	40.6
38N2466CLFTWP2	38N2466CRFTWP2	2929	24	66	29¼	—	2315/16	227 lbs.	37.5
• Not recommended as a freestanding unit due to routing in the rim • Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty credenzas for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC1406KK4) is the only kit that can be used • Keyboard kits cannot be used on 38N2466 models • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2484CLFW2	FL	72SN	X	KRB	N	TF	

Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Lateral File					
Wood Façade					
<i>Left Pedestal</i>					
<i>Right Pedestal</i>					
38N2484CLFW6	\$ 4288	24 8315/16 29¼ —	2315/16	343 lbs.	46.4
38N2478CLFW6	3808	24 7715/16 29¼ —	1715/16	333 lbs.	43.3
38N2472CLFW6	3427	24 7115/16 29¼ —	1115/16	279 lbs.	40.6
38N2466CLFW6	3076	24 66 29¼ —	12	267 lbs.	37.5




Left shown

Painted Façade					
<i>Left Pedestal</i>					
<i>Right Pedestal</i>					
38N2484CLFWP6	\$ 4288	24 8315/16 29¼ —	2315/16	343 lbs.	46.4
38N2478CLFWP6	3808	24 7715/16 29¼ —	1715/16	333 lbs.	43.3
38N2472CLFWP6	3427	24 7115/16 29¼ —	1115/16	279 lbs.	40.6
38N2466CLFWP6	3076	24 66 29¼ —	12	267 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2466, 38N2472, 38N2478, or 38N2484 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Single Pedestal Credenza Lateral File with Tambour Modesty



Left shown

Wood Façade—Tambour Modesty					
<i>Left Pedestal</i>					
<i>Right Pedestal</i>					
38N2484CLFTW6	\$ 4413	24 8315/16 29¼ —	2315/16	343 lbs.	46.4
38N2478CLFTW6	3930	24 7715/16 29¼ —	1715/16	333 lbs.	43.3
38N2472CLFTW6	3551	24 7115/16 29¼ —	1115/16	279 lbs.	40.6
38N2466CLFTW6	3202	24 66 29¼ —	12	267 lbs.	37.5

Painted Façade—Tambour Modesty					
<i>Left Pedestal</i>					
<i>Right Pedestal</i>					
38N2484CLFTWP6	\$ 4413	24 8315/16 29¼ —	2315/16	343 lbs.	46.4
38N2478CLFTWP6	3930	24 7715/16 29¼ —	1715/16	333 lbs.	43.3
38N2472CLFTWP6	3551	24 7115/16 29¼ —	1115/16	279 lbs.	40.6
38N2466CLFTWP6	3202	24 66 29¼ —	12	267 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466, 38N2472, 38N2478, or 38N2484 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Product Specifications


- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 354
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

38N2496CLFW30 FL 73SN G11SNC KRB R HN
38N2496CLFWP30 73SN G11SNC KRB R HN 503

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Single Pedestal Credenza Box/Box/File—File/File  Left shown	Wood Façade								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	38N2484CLFW12	38N2484CRFW12	\$ 4175	24	8315/16 29¼	—	2315/16	343 lbs.	46.4
	38N2478CLFW12	38N2478CRFW12	3888	24	7715/16 29¼	—	1715/16	333 lbs.	43.3
	38N2472CLFW12	38N2472CRFW12	3544	24	7115/16 29¼	—	1115/16	279 lbs.	40.6
	Painted Façade								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	38N2484CLFWP12	38N2484CRFWP12	\$ 4175	24	8315/16 29¼	—	2315/16	343 lbs.	46.4
	38N2478CLFWP12	38N2478CRFWP12	3888	24	7715/16 29¼	—	1715/16	333 lbs.	43.3
	38N2472CLFWP12	38N2472CRFWP12	3544	24	7115/16 29¼	—	1115/16	279 lbs.	40.6
• Not recommended as a freestanding unit due to routing in the rim • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC2208KK1) cannot be used • Keyboard kits cannot be used on 38N2472, 38N2478, or 38N2484 models • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

Single Pedestal Credenza
Box/Box/File—File/File
with Tambour Modesty




Left shown

	Wood Façade—Tambour Modesty								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	38N2484CLFTW12	38N2484CRFTW12	\$ 4299	24	8315/16 29¼	—	2315/16	343 lbs.	46.4
	38N2478CLFTW12	38N2478CRFTW12	4011	24	7715/16 29¼	—	1715/16	333 lbs.	43.3
	38N2472CLFTW12	38N2472CRFTW12	3669	24	7115/16 29¼	—	1115/16	279 lbs.	40.6
	Painted Façade—Tambour Modesty								
	<i>Left Pedestal</i>								
	<i>Right Pedestal</i>								
	38N2484CLFTWP12	38N2484CRFTWP12	\$ 4299	24	8315/16 29¼	—	2315/16	343 lbs.	46.4
	38N2478CLFTWP12	38N2478CRFTWP12	4011	24	7715/16 29¼	—	1715/16	333 lbs.	43.3
	38N2472CLFTWP12	38N2472CRFTWP12	3669	24	7115/16 29¼	—	1115/16	279 lbs.	40.6
• Not recommended as a freestanding unit due to routing in the rim • Tambour modesty is not fully finished on back • Grommet option is recommended on all tambour modesty credenzas for tambour modesty function • Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available • Keyboard kit (NAC1406KK4) is the only kit that can be used • Keyboard kits cannot be used on 38N2472, 38N2478, or 38N2484 models • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2496CLFW30	FL	73SN	G11SNC	KRB	R	HN	

Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
-----------------------	------------	-----------------------	----	-----------------	------------

Single Pedestal Credenza
Box/Box/File—Lateral File

Left shown

Wood Façade

Left Pedestal

Right Pedestal

38N2496CLFW30	38N2496CRFW30	\$ 5220	24	957/8	29¼	—	1715/16	387 lbs.	52.5
38N2490CLFW30	38N2490CRFW30	4729	24	8915/16	29¼	—	12	377 lbs.	49.5
38N2484CLFW30	38N2484CRFW30	4288	24	8315/16	29¼	—	12	368 lbs.	46.4


Painted Façade

Left Pedestal

Right Pedestal

38N2496CLFWP30	38N2496CRFWP30	\$ 5220	24	957/8	29¼	—	1715/16	387 lbs.	52.5
38N2490CLFWP30	38N2490CRFWP30	4729	24	8915/16	29¼	—	12	377 lbs.	49.5
38N2484CLFWP30	38N2484CRFWP30	4288	24	8315/16	29¼	—	12	368 lbs.	46.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Single Pedestal Credenza
Box/Box/File—Lateral File
with Tambour Modesty

Left shown

Wood Façade—Tambour Modesty

Left Pedestal

Right Pedestal

38N2496CLFTW30	38N2496CRFTW30	\$ 5345	24	957/8	29¼	—	1715/16	387 lbs.	52.5
38N2490CLFTW30	38N2490CRFTW30	4853	24	8915/16	29¼	—	12	377 lbs.	49.5
38N2484CLFTW30	38N2484CRFTW30	4413	24	8315/16	29¼	—	12	368 lbs.	46.4

Painted Façade—Tambour Modesty

Left Pedestal

Right Pedestal

38N2496CLFTWP30	38N2496CRFTWP30	\$ 5345	24	957/8	29¼	—	1715/16	387 lbs.	52.5
38N2490CLFTWP30	38N2490CRFTWP30	4853	24	8915/16	29¼	—	12	377 lbs.	49.5
38N2484CLFTWP30	38N2484CRFTWP30	4413	24	8315/16	29¼	—	12	368 lbs.	46.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Product Specifications




- Refer to pages 349-378 for accessories
- Tack boards are available; reference page 370

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:




- 38N10838HBHW KS4B AC
- 38N10838HBHGW AC

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
 90" to 108"	38" High—Wood Doors											
	38N10838HBHW	2 Pieces	\$ 4056	14¾	10711/16	81/8	—	—	278 lbs.	58.7		
	38N10238HBHW	2 Pieces	3907	14¾	101¾	381/8	—	—	266 lbs.	54.1		
	38N9638HBHW	2 Pieces	3756	14¾	95¾	381/8	—	—	254 lbs.	52.8		
	38N9038HBHW		3607	14¾	89¾	381/8	—	—	235 lbs.	46.8		
	38N8438HBHW		3459	14¾	83¾	381/8	—	—	212 lbs.	43.9		
	38N7838HBHW		3308	14¾	7713/16	381/8	—	—	196 lbs.	41.0		
	38N7238HBHW		3164	14¾	7113/16	381/8	—	—	181 lbs.	38.0		
	38N6638HBHW		3015	14¾	6513/16	381/8	—	—	166 lbs.	35.1		
	38N6038HBHW		2872	14¾	5913/16	381/8	—	—	150 lbs.	32.9		
 60" to 84"	38N4838HBHW		2748	14¾	477/8	381/8	—	—	127 lbs.	26.9		
	38" High—Glass Doors											
	38N10838HBHGW	2 Pieces	\$ 4168	14¾	10711/16	81/8	—	—	278 lbs.	58.7		
	38N10238HBHGW	2 Pieces	4026	14¾	101¾	381/8	—	—	266 lbs.	54.1		
	38N9638HBHGW	2 Pieces	3875	14¾	95¾	381/8	—	—	254 lbs.	52.8		
	38N9038HBHGW		3726	14¾	89¾	381/8	—	—	235 lbs.	46.8		
	38N8438HBHGW		3576	14¾	83¾	381/8	—	—	212 lbs.	43.9		
	38N7838HBHGW		3427	14¾	7713/16	381/8	—	—	196 lbs.	41.0		
	38N7238HBHGW		3277	14¾	7113/16	381/8	—	—	181 lbs.	38.0		
	38N6638HBHGW		3133	14¾	6513/16	381/8	—	—	166 lbs.	35.1		
 60" to 84"	38N6038HBHGW		2991	14¾	5913/16	381/8	—	—	150 lbs.	32.9		
	38N4838HBHGW		2866	14¾	477/8	381/8	—	—	127 lbs.	26.9		

- Wood doors lock
- Glass door units feature silk screened glass
- Highback organizers feature full, finished back panel with cord management
- 90" to 108" highback organizers feature (6) side hinged doors
- 60" to 84" highback organizers feature (4) side hinged doors
- 48" highback organizers feature (3) side hinged doors
- For tack board models, see pages 370-378
- For 48", 60", 66", 72", 78" and 84" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96", 102" and 108" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

Specify selections, left to right:

Base Model	Locking	Finish
	KRB Key Random, Black	IM Brighton
	KRS Key Random, Silver	NM Natural
	KS2B Key Specific, Black	HN Honey
	KS2S Key Specific, Silver	CL Caramel
	KS3B Key Specific, Black	TF Truffle
	KS3S Key Specific, Silver	AC Autumn
	KS4B Key Specific, Black	MC Amber
	KS4S Key Specific, Silver	CW Cordovan
		DW Judicial
		MH Mocha
38N10838HBHW	KS4B	AC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Highback Organizer					
 90" to 108"	50" High—Wood Doors				
	38N10850HBHW 2 Pieces	\$ 4678	14¾ 10711/16 4915/16 — —	382 lbs.	74.8
	38N10250HBHW 2 Pieces	4529	14¾ 101¾ 4915/16 — —	366 lbs.	71.0
	38N9650HBHW 2 Pieces	4394	14¾ 95¾ 4915/16 — —	350 lbs.	67.3
	38N9050HBHW	4231	14¾ 89¾ 4915/16 — —	316 lbs.	59.7
	38N8450HBHW	4082	14¾ 83¾ 4915/16 — —	283 lbs.	55.9
	38N7850HBHW	3930	14¾ 7713/16 4915/16 — —	264 lbs.	52.2
	38N7250HBHW	3800	14¾ 7113/16 4915/16 — —	244 lbs.	48.5
	38N6650HBHW	3676	14¾ 6513/16 4915/16 — —	225 lbs.	45.7
	38N6050HBHW	3496	14¾ 5913/16 4915/16 — —	205 lbs.	41.7
 60" to 84"	38N4850HBHW	3203	14¾ 477/8 4915/16 — —	175 lbs.	34.1
	50" High—Glass Doors				
	38N10850HBHGW 2 Pieces	\$ 4793	14¾ 10711/16 4915/16 — —	382 lbs.	74.8
	38N10250HBHGW 2 Pieces	4648	14¾ 101¾ 4915/16 — —	366 lbs.	71.0
	38N9650HBHGW 2 Pieces	4497	14¾ 95¾ 4915/16 — —	350 lbs.	67.3
	38N9050HBHGW	4349	14¾ 89¾ 4915/16 — —	316 lbs.	59.7
	38N8450HBHGW	4199	14¾ 83¾ 4915/16 — —	283 lbs.	55.9
	38N7850HBHGW	4051	14¾ 7713/16 4915/16 — —	264 lbs.	52.2
	38N7250HBHGW	3900	14¾ 7113/16 4915/16 — —	244 lbs.	48.5
	38N6650HBHGW	3762	14¾ 6513/16 4915/16 — —	225 lbs.	45.7
 90" to 108"	38N6050HBHGW	3613	14¾ 5913/16 4915/16 — —	205 lbs.	41.7
	38N4850HBHGW	3364	14¾ 477/8 4915/16 — —	175 lbs.	34.1

- Wood doors lock
- Glass door units feature silk screened glass, some assembly required
- Highback organizers feature full, finished back panel with cord management
- 90" to 108" highback organizers feature (6) side hinged doors
- 60" to 84" highback organizers feature (4) side hinged doors
- 48" highback organizers feature (3) side hinged doors
- Shaded shelves are adjustable
- For tack board models, see pages 370-378
- For 48", 60", 66", 72", 78" and 84" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96", 102" and 108" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

Product Specifications





- Refer to pages 349-378 for accessories
- Reed profile is available on wood façade models only for a 10% list upcharge

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Sample Model Number:

38N2436LFF2W RE 73SN G11SN KRB R CW
38N2436LFF4W FL 72SN KRB MH
38N2436PFHW RE 72SN G11SN KRB R MC


	Model No./Description	List Price	Dimensions							
			D	W	H	A	KW	Cartoned Weight	Cubic Feet	
Overhead Cabinet Wall Mount  	18" High—Wood Doors									
	38N4818SOHMMW	\$ 2124	14¾	477/8	181/8	—	—	102 lbs.	14.8	
	38N4218SOHMMW	2013	14¾	417/8	181/8	—	—	91 lbs.	13.2	
	38N3618SOHMMW	1901	14¾	357/8	181/8	—	—	75 lbs.	11.5	
	38N3018SOHMMW	1794	14¾	2915/16	181/8	—	—	65 lbs.	9.9	
	18" High—Glass Doors									
	38N4818SOHMGW	\$ 2225	143/16	477/8	181/8	—	—	102 lbs.	14.8	
	38N4218SOHMGW	2113	143/16	417/8	181/8	—	—	91 lbs.	13.2	
	38N3618SOHMGW	2000	143/16	357/8	181/8	—	—	75 lbs.	11.5	
	38N3018SOHMGW	1894	143/16	2915/16	181/8	—	—	65 lbs.	9.9	
• Specify finish only • Wood doors lock • Glass door units feature silk screened glass, some assembly required • 42" and 48" units feature (3) side hinged doors; 30" and 36" units feature (2) side hinged doors • Wall mount bracket is included with unit • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board models, see pages 370-378 • For 30" and 36" random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • For 42" and 48" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										
Overhead Cabinet Wall Mount  	30" High—Wood Doors									
	38N4830SOHMMW	\$ 2667	14¾	477/8	2915/16	—	—	144 lbs.	22.1	
	38N4230SOHMMW	2479	14¾	417/8	2915/16	—	—	131 lbs.	19.6	
	38N3630SOHMMW	2294	14¾	357/8	2915/16	—	—	103 lbs.	17.2	
	38N3030SOHMMW	2106	14¾	2915/16	2915/16	—	—	90 lbs.	14.7	
	30" High—Glass Doors									
	38N4830SOHMGW	\$ 2766	143/16	477/8	2915/16	—	—	144 lbs.	22.1	
	38N4230SOHMGW	2579	143/16	417/8	2915/16	—	—	131 lbs.	19.6	
	38N3630SOHMGW	2393	143/16	357/8	2915/16	—	—	103 lbs.	17.2	
	38N3030SOHMGW	2205	143/16	2915/16	2915/16	—	—	90 lbs.	14.7	
• Specify finish only • Wood doors lock • Shaded shelves are adjustable • Glass door units feature silk screened glass, some assembly required • 42" and 48" units feature (3) side hinged doors; 30" and 36" units feature (2) side hinged doors • Wall mount bracket is included with unit • It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board models, see pages 370-378 • For 30" and 36" random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • For 42" and 48" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

Specify selections, left to right:


Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SN Sat. Nick. Met. G11MB Cinder G11PL Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2436LFF2W	RE	73SN	G11SN	KS4B	R	CW	

	Model No./Description		List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	NAC1420SMCW Wood		\$ 682	12 14 197/8 — —	13 lbs.	0.9
	NAC1420SMCL Laminate		322	12 14 197/8 — —	13 lbs.	0.9


- Assembly required
- Three fixed shelves on unit
- Specify chassis laminate or finish only
- Utilize under highback organizer; sits on worksurface
- When using with tack board, see page 370 for applicable tack board that will properly fit in space

	38N2436LFF2W Wood Façade		\$ 2416	24 361/16 29¼ — —	201 lbs.	21.6
	38N2436LFF2WP Painted Façade		2416	24 361/16 29¼ — —	201 lbs.	21.6


- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	38N2436LFF3W Wood Façade		\$ 3012	24 361/16 4115/16 — —	248 lbs.	31.9
	38N2436LFF3WP Painted Façade		3012	24 361/16 4115/16 — —	248 lbs.	31.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	38N2436LFF4W Wood Façade		\$ 3607	24 361/16 5438 — —	291 lbs.	40.2
	38N2436LFF4WP Painted Façade		3607	24 361/16 5438 — —	291 lbs.	40.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	38N2436PFHW Wood Façade		\$ 2243	24 361/16 29¼ — —	171 lbs.	21.6
	38N2436PFHWP Painted Façade		2243	24 361/16 29¼ — —	171 lbs.	21.6

- Grommets G11SN, G11MB, G11PL available in predetermined location
- Features a single adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Product Specifications

- Refer to pages 349-378 for accessories
- Refer to page 127 for recessed façade details
- Refer to page 131 for grommet locations
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:


38N3680BC0FW	MC
38N3680BC0HFW	72SN KRB MC
38N3680VVHW	72SN KRB MC

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Entertainment Cabinet	38N3680VVHW	\$ 5699	239/16	357/8	79¼	—	—	345 lbs.	56.5
	38N3668VVHW	5089	239/16	357/8	677/16	—	—	299 lbs.	48.6




- Specify pull and finish only
- Features standard sheen
- Interior dimensions for 80" unit:
22" D, 347/16W, upper storage from the fixed shelf 45½" H, lower storage 2313/16H
- Interior dimensions for 68" unit:
22" D, 347/16W, upper storage from the fixed shelf 3311/16H, lower storage 2313/16H
- Features an adjustable shelf in lower storage
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Double Door Wardrobe	38N3680VHHW	\$ 5544	239/16	357/8	79¼	—	—	350 lbs.	59.8
	38N3668VHHW	4808	239/16	357/8	677/16	—	—	304 lbs.	51.5




- Specify finish only
- 80" unit features (3) adjustable shelves and (2) fixed shelves
- 68" unit features (3) adjustable shelves and (1) fixed shelf
- Removable coat rod is standard; positioned on left side of wardrobe
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

68"

Wardrobe Storage Cabinet	<i>Left Hinged</i>	<i>Right Hinged</i>							
	38N1880VSWHLW	38N1880VSWHRW	\$ 3427	239/16	1715/16	79¼	—	—	202 lbs. 34.4
	38N1868VSWHLW	38N1868VSWHRW	2992	239/16	1715/16	677/16	—	—	170 lbs. 29.6

80"




68"

- Specify finish only
- Do not specify sheen option; features standard sheen
- Can be used as a wardrobe unit by removing the adjustable shelves
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Specify selections, left to right:

Base Model	Pull Option	Locking	Finish
38N3680BCOFW	72SN Balance, Satin Nickel Metallic	KRB Key Random, Black	IM Brighton
	72MB Balance, Cinder	KRS Key Random, Silver	NM Natural
	72PL Balance, Platinum Metallic	KS1B Key Specific, Black	HN Honey
	73SN Sweep, Satin Nickel Metallic	KS1S Key Specific, Silver	CL Caramel
	73MB Sweep, Cinder	KS2B Key Specific, Black	TF Truffle
	73PL Sweep, Platinum Metallic	KS2S Key Specific, Silver	AC Autumn
	74SN Groove, Satin Nickel Metallic		MC Amber
	74MB Groove, Cinder		CW Cordovan
	74PL Groove, Platinum Metallic		DW Judicial
			MH Mocha
			MC


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Storage Cabinet with File/File Pedestal 	<i>Left Hinged</i>								
	<i>Right Hinged</i>								
	38N1880VHL2W	\$ 3545	239/16	1715/16	79 1/4	—	—	212 lbs.	34.4
	38N1868VHL2W	3099	239/16	1715/16	67 7/16	—	—	180 lbs.	29.6

- Specify pull and finish only
- Do not specify sheen option; features standard sheen
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


80"




68"

Bookcase 	38N3680BCOFW	\$ 2766	1315/16	357/8	79 1/4	—	—	184 lbs.	38.3
	38N3668BCOFW	2474	1315/16	357/8	67 7/16	—	—	157 lbs.	33.0
	38N3653BCOFW	2234	1315/16	357/8	52 13/16	—	—	137 lbs.	26.4

- Specify finish only
- Shaded shelves are adjustable

Bookcase - Storage 	38N3680BCOHFW	\$ 3428	14 3/4	357/8	79 1/4	—	—	207 lbs.	40.6
	38N3668BCOHFW	2952	14 3/4	357/8	67 7/16	—	—	186 lbs.	35.0

- Shaded shelf is adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Bookcase Set-On 	38N3650BCOW	\$ 2267	1315/16	357/8	49 15/16	—	—	109 lbs.	25.5
	38N3050BCOW	1956	1315/16	29 15/16	49 15/16	—	—	97 lbs.	21.9
	38N1850BCOW	1008	1315/16	17 15/16	49 15/16	—	—	81 lbs.	14.7
	38N3638BCOW	1851	1315/16	357/8	38 1/8	—	—	84 lbs.	19.9
	38N3038BCOW	1682	1315/16	29 15/16	38 1/8	—	—	72 lbs.	17.1
	38N1838BCOW	897	1315/16	17 15/16	38 1/8	—	—	64 lbs.	11.4

- Specify finish only
- Shaded shelves are adjustable

Product Specifications



- Reed profile available on wood façade models for a 10% list upcharge
- Refer to pages 349-378 for accessories

Dimension Key



D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:


38N2448MGW	RE	R	AC	
38N2448MGWP	R	AC	503	
38N2315PMBFW	72SN	KRB	MH	
38N2315PMBFCW	72SN	KRB	20022	MH

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Bookcase - with Doors Set-On  	50" High—Wood Doors								
	38N3650BCHW	\$ 3157	14¾	357/8	4915/16	—	—	150 lbs.	26.7
	38N3050BCHW	2870	14¾	2915/16	4915/16	—	—	131 lbs.	22.9
	50" High—Glass Doors								
	38N3650BCHGW	\$ 3291	143/16	357/8	4915/16	—	—	144 lbs.	25.5
	38N3050BCHGW	2991	143/16	2915/16	4915/16	—	—	126 lbs.	21.9
	38" High—Wood Doors								
	38N3638BCHW	\$ 2818	14¾	357/8	381/8	—	—	110 lbs.	19.9
	38N3038BCHW	2560	14¾	2915/16	381/8	—	—	98 lbs.	18.0
	38" High—Glass Doors								
	38N3638BCHGW	\$ 2938	143/16	357/8	381/8	—	—	110 lbs.	19.9
	38N3038BCHGW	2667	143/16	2915/16	381/8	—	—	94 lbs.	17.1
	• Specify finish only • Shaded shelves are adjustable • 50" high models have three adjustable shelves; 38" high models have two adjustable shelves • Wood doors lock and have touch latch • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

- Specify finish only
- Shaded shelves are adjustable
- 50" high models have three adjustable shelves; 38" high models have two adjustable shelves
- Wood doors lock and have touch latch
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Bookcase - with Doors Set-On  	Wood Doors								
	Left Hinged	Right Hinged							
	38N1850BCHLW	38N1850BCHRW	\$ 2609	14¾	1715/16	4915/16	—	—	103 lbs. 15.4
	38N1838BCHLW	38N1838BCHRW	1645	14¾	1715/16	3818	—	—	81 lbs. 12.0
	Glass Doors								
	Left Hinged	Right Hinged							
	38N1850BCHLGW	38N1850BCHRGW	\$ 2720	143/16	1715/16	4915/16	—	—	98 lbs. 14.7
	38N1838BCHLGW	38N1838BCHRGW	1744	143/16	1715/16	3818	—	—	77 lbs. 11.4


- Specify finish only
- Shaded shelves are adjustable
- 50" high models have three adjustable shelves; 38" high models have two adjustable shelves
- Wood door locks and has touch latch
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Magazine Table 	38N2448MGW	Wood Façade	\$ 1478	24	481/16	1615/16	—	—	77 lbs. 19.1
	38N2448MGWP	Painted Façade	1478	24	481/16	1615/16	—	—	77 lbs. 19.1

- Some assembly required


Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72MB Balance, Cinder 72PL Balance, Platinum Metallic 73SN Sweep, Satin Nickel Metallic 73MB Sweep, Cinder 73PL Sweep, Platinum Metallic 74SN Groove, Satin Nickel Metallic 74MB Groove, Cinder 74PL Groove, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Platinum Metallic 503 Satin Nickel Metallic
38N2448MGW	RE			R	AC	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	38N2424ENW Wood Façade	\$ 1342	24 24 21 — —	55 lbs.	12.6
	38N2424ENWP Painted Façade	1342	24 24 21 — —	55 lbs.	12.6
	• Some assembly required				

	38N1848CSW Wood Façade	\$ 1870	181/8 481/16 29¾ — —	74 lbs.	24.1
	38N1848CSWP Painted Façade	1870	181/8 481/16 29¾ — —	74 lbs.	24.1
	• Some assembly required				

Mobile Pedestal	38N2315PMBFW Veneer Top	\$ 1377	2215/16 153/16 221/16 — —	76 lbs.	8.7
-----------------	-------------------------	---------	---------------------------	---------	-----



Grade / List Price									
	1	2/COM	3	4	6	7	L7	L8	
38N2315PMBFCW Cushion Top	\$ 1359	1377	1386	1400	1440	1473	1631	1682	



Alliance Grade / List Price										
	A	B	C	D	E	F	G	H	I	J
\$	1390	1408	1425	1440	1457	1477	1490	1509	1529	1547
	K	L	M	N	O	P	Q	R	S	T
\$	1576	1637	1674	1693	1713	1732	1751	1769	1788	1807

Dimensions (Cushion Top)

Depth	2215/16	Height	237/16	Weight	78
Width	153/16			Cubic Ft.	9.2

- Non-locking pedestal
- Four double wheel locking casters
- Maximum weight unit can hold is 300 lbs.
- Specify fabric grade and color for cushion top pedestal; refer to pages 11-29 for specifications and colors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Dimension Key
D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Deluxe Drawer Organizer 	NAC1211D0	Black	\$ 122	11¾	1038	1¾	—	—	3 lbs.	0.6
• Black plastic • Features compartments for storing post-its, paper clips, pens, pencils, etc. • Shipped standard in each Casbah top box desk drawer • Drawer expands to 16" wide										
Square Table Top 	42" Square	13/16" Top Thickness								
	38N4242SQW	Wood Façade	\$ 1936	421/16	421/16	211/16	—	—	104 lbs.	6.9
	38N4242SQWP	Painted Façade	1936	421/16	421/16	211/16	—	—	104 lbs.	6.9
	48" Square									
	38N4848SQW	Wood Façade	\$ 2377	481/16	481/16	211/16	—	—	131 lbs.	8.7
	38N4848SQWP	Painted Façade	2377	481/16	481/16	211/16	—	—	131 lbs.	8.7
• Reference Table Base Guide in the Tables Price List on pages 30-32 for applicable bases • See Tables Price List pages 74-75 for coordinating conference table tops • Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 73 for options and upcharge										

PRODUCT SPECIFICATIONS

BYRNE® INTERLINK SYSTEM

- Series of up to eight electrical/data modules and bypass jumpers that bring electrical outlets and data ports to the worksurface
- Can be used with as few as two outlets or as many as eight outlets
- Modules are color coded, keyed, and numbered
- Byrne Interlink and Bypass Jumper System allows easy connection or disconnection of any tap-off unit without power disruption to other units
- Each Interlink module includes 2 electrical outlets and 2 optional data ports
- Includes voice/data adapter kit for data openings; adapters accommodate couplers/jacks from the following manufacturers:

Avaya/At&T/Lucent	www.avaya.com
Amp/Tyco	www.amp.com
Panduit	www.panduit.com
Allen Tel	www.allentel.com
Leviton	www.leviton.com
Krone	www.krone.com
Hubbell	www.hubbell.com
Ortronics	www.ortronics.com

- UL Recognized
- 15 Amp
- 60 Hz
- 115V
- Single circuit reset

WIRE MANAGER

- Comes in packages of five
- Available in black only

Byrne Interlink System

Electrical Standards

Each country has its own set of Electrical standards and wiring rules. In addition, each state, county, and municipality may have Electrical standards and wiring rules that may be similar to those used elsewhere, but may have subtle (but significant) differences. In all cases you should check the local standards to ensure that you will comply with the regulations.

Power Consumption


The Byrne Interlink and Bypass System from National is rated for the United States of America. It is rated 115V 60Hz. The maximum power capacity of the system is 15 Amps, which may be used by any combination of one to eight electrical/data modules. The total combined power consumption of all equipment on a single system cannot exceed 15 Amps.

Before installing the Byrne Interlink and Bypass System from National, please check the power consumption for each item that will be powered from the system to ensure that you do not exceed the rated capacity of the system. The table below lists some typical power consumption values for common office equipment. Remember to add the power consumption for all devices to be powered from a single system to determine how many devices can be connected to a single system. (This listing is a guide only; please be sure to check the listing on each item you will be powering.)

Office Equipment	Amps(A)
Computer Server	1-6
Personal Computer	1-2
Laptop	1-1.5
LCD Display	1-1.8
CRT Display	1.3-2.5
Laser Printer	1.5-6
Inkjet Printer	0.4-1.6
Dot-Matrix Printer	1.5-3
Photocopier	10-16
Fax Machine	0.8-1.2
Scanner	0.4-0.8
PDA	0.04-0.06
LED/Incandescent Light	0.6-1
Clock	0.02-0.04
Radio	0.2-0.4
Calculator	0.1-0.25
Cellphone Charger	0.6-1.5
Battery Charger	0.06-0.6
Audio Speakers	0.05-0.15
Network Router/Switch	0.4-1
Shredder	1.5-3


Here are two examples of correct installation and power consumption for the Byrne Interlink System

Example 1:



Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Laptop	1.5 Amps
Total AC Load	12 Amps(A)

Example 2:




Laptop	1.5 Amps
LCD Display	1.8 Amps
Laser Printer	6.0 Amps
Scanner	0.8 Amps
Total AC Load	13.8 Amps(A)

The following devices should NOT be used in Electrical Installations


The following electrical devices have very high power consumption and some will affect the quality of the power for other electrical devices that are connected to the same electrical system. We recommend that you DO NOT plug these units into the Interlink System power outlets. High power devices should be plugged directly into the main wall power outlets. These include but are not limited to:

Heaters, Hair Dryers, Kettles, Coffee Makers, Motorized Machines, Shoe Polishers, Water Dispensers, Air Conditioners, Electric Fans, Microwave Ovens, Televisions, Video Machines, Fluorescent Lights, Multi-socket Outlets, Power Strips, Extension Cords, Power Tools, Electrical Dimmers

Any devices that will not be regularly used at the workstation should be connected to the main wall power outlets.



Interlink System shown using all interlink modules with no bypass jumpers; specify NACELIL1, NACELIL2, NACELIL3, and NACELIL4



Interlink System shown using a bypass jumper for position 1, connecting to the power source and then 2 interlink modules; specify NACELILJ1, NACELIL2, and NACELIL3


Byrne Interlink System


Product Specifications

- Interlink #1 cord with plug is 126" in length
- Bypass Jumper #1 with plug is 124" in length
- Length of cord from coupler to unit on all units is 14"
- Interlink #2-#8 cord is 66" in length
- Bypass Jumpers #2-#8 are 60" in length

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	Model No./Description		List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
	NACELIL1	Interlink #1, with Plug	\$ 256	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ1	Bypass Jumper #1, with Plug	143	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL2	Interlink #2	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ2	Bypass Jumper #2	73	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL3	Interlink #3	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ3	Bypass Jumper #3	73	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL4	Interlink #4	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ4	Bypass Jumper #4	73	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL5	Interlink #5	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ5	Bypass Jumper #5	73	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL6	Interlink #6	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ6	Bypass Jumper #6	73	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL7	Interlink #7	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	NACELILJ7	Bypass Jumper #7	73	—	—	—	—	—	—	—	—	1 lbs.	0.2
	NACELIL8	Interlink #8	183	41/8	25/8	8½	—	—	—	—	—	2 lbs.	0.2
	• UL recognized • Interlink models contain a power center that features 2 electrical receptacles and 2 blank data ports • Includes voice/data adapter kit for data ports; adapters accommodate couplers/jacks from manufacturers listed on page 163 • Interlink System can be used with Captivate® and Casbah® • Black • Pop up electrical not available for use on the drawer side of lateral file and multi-file returns/credenzas when using the channel wire management option; available for use on the non-pedestal side only • This can be field installed or order unit with racetrack grommet option to place in hole												
Undersurface Wire Manager	NAC03WM	Black Plastic (Set of 5)	\$ 27	5½	25/8	1¾	—	—	—	—	—	3 lbs.	0.1



How to specify the Byrne Interlink System from National

The Byrne Interlink System from National can be used with as few as one Interlink module and up to as many as eight modules. You may also add to the system as your power needs grow (up to eight modules total). Shown below are examples of how to specify a series of Interlink modules from one up to a full set of eight.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7	NACELI8
Single module (one Power Center)	✓							
Set of two modules (two Power Centers)	✓	✓						
Set of three modules (three Power Centers)	✓	✓	✓					
Set of four modules (four Power Centers)	✓	✓	✓	✓				
Set of five modules (five Power Centers)	✓	✓	✓	✓	✓			
Set of six modules (six Power Centers)	✓	✓	✓	✓	✓	✓		
Set of seven modules (seven Power Centers)	✓	✓	✓	✓	✓	✓	✓	
Set of eight modules (eight Power Centers)	✓	✓	✓	✓	✓	✓	✓	✓

How to specify Byrne Interlink Bypass Jumpers

Byrne Interlink Bypass Jumpers are interchangeable with Interlink Modules and are used where you do not need a Power Center at a particular location and wish to skip to the next link. Shown below are examples of how to substitute a compatible Bypass Jumper for a specific Byrne Interlink module.

	NACELI1	NACELI2	NACELI3	NACELI4	NACELI5	NACELI6	NACELI7
Bypass Jumper for position #1 (connects to power source)	✓						
Bypass Jumper for position #2		✓					
Bypass Jumper for position #3			✓				
Bypass Jumper for position #4				✓			
Bypass Jumper for position #5					✓		
Bypass Jumper for position #6						✓	
Bypass Jumper for position #7							✓

Clever®

PRODUCT SPECIFICATIONS

WORKSURFACE

- 11/16" slipmatched cherry and maple veneer, bookmatched walnut veneer or TFL (thermally fused laminate)
- Medium density fiberboard profiled knife edge
- Grain direction runs left-to-right unless otherwise noted
- Worksurfaces attach with a factory installed quick-fastener
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Clever series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- 3/4" thick full modesty panels
- 11/16" thick end panels
- Standard leveling glides
- All units feature fully finished backs unless noted
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Satin Nickel pulls

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are 1/2" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (See accessory pages)

LOCKING

- Black lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	121/16"	17"	31/8"	N/A
File Drawer—Desk	121/16"	17"	9 1/2"	Letter
Box Drawer—Return	121/16"	17"	31/8"	N/A
File Drawer—Return	121/16"	17"	9 1/2"	Letter
Box Drawer—Credenza	121/16"	17"	31/8"	N/A
File Drawer—Credenza	121/16"	17"	9 1/2"	Letter
File Drawer—Lateral File	3111/32"	15"	9 1/2"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha

WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILE



PULL



Keen


77SN Satin Nickel
(Boring Pattern 96mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Flex Grommet, Black

- G14L Left
- G14R Right
- G14LR Left & Right
- G14C Center
- G14A All



LOCKING

Key Random

- KRB Black

Key Specific

- KS1B Black, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS3B Black, 3 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a “Q” will have the following options in stock:

- Rim Profile: Knife
- Pull: Keen
- Grommets: Included on bridges, returns and credenzas
- Locking: Random black cores
- Sheen: Standard
- Finish: Must specify Amber (MC) or Cordovan (CW)

Clever L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Keen, Satin Nickel pulls
- Standard sheen
- Left or right grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:





IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				

To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Keen, Satin Nickel pulls

L-CONFIGURATIONS	Model No./Description		List Price	L-CONFIGURATIONS	Model No./Description		List Price
Left L-Configuration Wood Top	CLN8072LLFW	79½D x 71¾W	\$ 3837	Right L-Configuration Wood Top	CLN8072LRFW	79½D x 71¾W	\$ 3837
	consists of				consists of		
	CLN3672DRFW1	Right Pedestal Desk	2108		CLN3672DLFW1	Left Pedestal Desk	2108
	CLN2544RLEFW2	Left Pedestal Return	1729		CLN2544RREFW2	Right Pedestal Return	1729
Left L-Configuration Laminate Top	QCLN8072LLFLW	79½D x 71¾W	\$ 3609	Right L-Configuration Laminate Top	QCLN8072LRFLW	79½D x 71¾W	\$ 3609
	consists of				consists of		
	CLN3672DRFLW1	Right Pedestal Desk	1981		CLN3672DLFLW1	Left Pedestal Desk	1981
	CLN2544RLEFLW2	Left Pedestal Return	1628		CLN2544RREFLW2	Right Pedestal Return	1628

Clever U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Keen, Satin Nickel pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

To Order, Specify Finish:





IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				

To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Keen, Satin Nickel pulls

U-CONFIGURATIONS		Model No./Description		List Price	U-CONFIGURATIONS		Model No./Description		List Price
Left U-Configuration Wood Top		CLN10672ULFW		10513/16x 71¾W \$ 4889	Right U-Configuration Wood Top		CLN10672URFW		10513/16x 71¾W \$ 4889
		consists of					consists of		
		CLN3672DRFW1	Right Pedestal Desk	2108			CLN3672DLFW1	Left Pedestal Desk	2108
		CLN2648BEFHSW	Serpentine Bridge	771			CLN2648BEFHSW	Serpentine Bridge	771
		CLN2272CLFW2	Left Pedestal Credenza	2010			CLN2272CRFW2	Right Pedestal Credenza	2010
		CLN9472ULFW		9313/16x 71¾W \$ 4803			CLN9472URFW		9313/16x 71¾W \$ 4803
		consists of					consists of		
		CLN3672DRFW1	Right Pedestal Desk	2108			CLN3672DLFW1	Left Pedestal Desk	2108
		CLN2636BEFWH	Bridge	685			CLN2636BEFWH	Bridge	685
		CLN2272CLFW2	Left Pedestal Credenza	2010			CLN2272CRFW2	Right Pedestal Credenza	2010
Left U-Configuration Laminate Top		QCLN10672ULFLW		10513/16x 71¾W \$ 4595	Right U-Configuration Laminate Top		QCLN10672URFLW		10513/16x 71¾W \$ 4595
		CLN10672ULFLW		10513/16x 71¾W \$ 4595			CLN10672URFLW		10513/16x 71¾W \$ 4595
		consists of					consists of		
		CLN3672DRFLW1	Right Pedestal Desk	1981			CLN3672DLFLW1	Left Pedestal Desk	1981
		CLN2648BEFHSLW	Serpentine Bridge	726			CLN2648BEFHSLW	Serpentine Bridge	726
		CLN2272CLFLW2	Left Pedestal Credenza	1888			CLN2272CRFLW2	Right Pedestal Credenza	1888
		QCLN9472ULFLW		9313/16x 71¾W \$ 4515			QCLN9472URFLW		9313/16x 71¾W \$ 4515
		CLN9472ULFLW		9313/16x 71¾W \$ 4515			CLN9472URFLW		9313/16x 71¾W \$ 4515
		consists of					consists of		
		CLN3672DRFLW1	Right Pedestal Desk	1981			CLN3672DLFLW1	Left Pedestal Desk	1981
		CLN2636BEFHLW	Bridge	646			CLN2636BEFHLW	Bridge	646
		CLN2272CLFLW2	Left Pedestal Credenza	1888			CLN2272CRFLW2	Right Pedestal Credenza	1888

Clever

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:


CLN3672DDFAW8	77SN	G14LR	KRB	N	MH
CLN3672DRFALW1	77SN	X	KRB	MH	

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Double Pedestal Desk Arc Top 	CLN3672DDFAW8 Wood Top	\$ 2966	35¾	71¾	29½	—	3858	317 lbs.	57.4
	CLN3672DDFALW8 Laminate Top	2781	35¾	71¾	29½	—	3858	317 lbs.	57.4
	CLN3666DDFAW8 Wood Top	\$ 2682	35¾	66	29½	—	3278	305 lbs.	53.0
	CLN3666DDFALW8 Laminate Top	2520	35¾	66	29½	—	3278	305 lbs.	53.0

- Depth of arc is 35¾" at its widest point
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

Double Pedestal Desk 	CLN3672DDFW8 Wood Top	\$ 2464	35¾	71¾	29½	—	3858	317 lbs.	57.4
	QCLN3672DDFLW8 Laminate Top	2306	35¾	71¾	29½	—	3858	317 lbs.	57.4
	CLN3672DDFLW8 Laminate Top	2306	35¾	71¾	29½	—	3858	317 lbs.	57.4
	CLN3666DDFW8 Wood Top	\$ 2225	35¾	66	29½	—	3278	305 lbs.	53.0
	CLN3666DDFLW8 Laminate Top	2092	35¾	66	29½	—	3278	305 lbs.	53.0
	CLN3066DDFW8 Wood Top	\$ 1980	30	66	29½	—	3278	290 lbs.	50.0
	CLN3066DDFLW8 Laminate Top	1862	30	66	29½	—	3278	290 lbs.	50.0
	CLN3060DDFW8 Wood Top	\$ 1757	30	60	29½	—	26316	280 lbs.	48.0
	CLN3060DDFLW8 Laminate Top	1652	30	60	29½	—	26316	280 lbs.	48.0

- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

Clever

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

CLN3672DULW	X	N	MH
CLN3672DURFLW	X	MH	

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Freestanding Single Pedestal Desk




Left shown

Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
<i>Left Pedestal</i>	<i>Right Pedestal</i>								
CLN3672DLFFW1	CLN3672DRFFW1	Wood Top \$ 2108	35¾	71¾	29½	—	5213/16	267 lbs.	57.4
CLN3672DLFFLW1	CLN3672DRFFLW1	Laminate Top 1981	35¾	71¾	29½	—	5213/16	267 lbs.	57.4
CLN3666DLFFW1	CLN3666DRFFW1	Wood Top \$ 1877	35¾	66	29½	—	47	253 lbs.	53.0
CLN3666DLFFLW1	CLN3666DRFFLW1	Laminate Top 1762	35¾	66	29½	—	47	253 lbs.	53.0
CLN3066DLFFW1	CLN3066DRFFW1	Wood Top \$ 1666	30	66	29½	—	47	245 lbs.	50.0
CLN3066DLFFLW1	CLN3066DRFFLW1	Laminate Top 1565	30	66	29½	—	47	245 lbs.	50.0
CLN3060DLFFW1	CLN3060DRFFW1	Wood Top \$ 1533	30	60	29½	—	41	238 lbs.	47.0
CLN3060DLFFLW1	CLN3060DRFFLW1	Laminate Top 1440	30	60	29½	—	41	238 lbs.	47.0

- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS1B) available
- Freestanding use only; cannot be used with a bridge or other connecting components

U-Shaped Desk




Left shown

<i>Left U</i>	<i>Right U</i>								
CLN3672DULW	CLN3672DURW	Wood Top \$ 2136	35¾	71¾	29½	—	—	150 lbs.	7.8
CLN3672DULLW	CLN3672DURLW	Laminate Top 2007	35¾	71¾	29½	—	—	150 lbs.	7.8

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 177 for support base models
- Some assembly required
- Grommet (G14L for left U) and (G14R for right U) available

U-Shaped Desk with Modesty



Left shown

<i>Left U</i>	<i>Right U</i>								
CLN3672DULFW	CLN3672DURFW	Wood Top \$ 2548	35¾	71¾	29½	—	—	172 lbs.	7.8
CLN3672DULFLW	CLN3672DURFLW	Laminate Top 2396	35¾	71¾	29½	—	—	172 lbs.	7.8


- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 177 for support base models
- Some assembly required
- Grommet (G14L for left U) and (G14R for right U) available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
CLN3672DULW	77SN Keen, Satin Nickel	G14L Black, Left G14R Black, Right G14LR Black, Left & Right X No Grommet	KRB Key Random, Black KS1B Key Specific, Black	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		X		N	MH

Model No./Description			List Price	Dimensions				Cartoned Weight	Cubic Feet
				D	W	H	A	KW	
				DI	H				
	NAC2804SFB	Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFBN	Satin Nickel Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0
	NAC2804SFBW	Wood	486	4	—	27¾-29¼	—	6 lbs.	1.0
				D	W	H	A	KW	
	NAC2812SHB	Wood Half	\$ 608	6	117/8	27¾	—	13 lbs.	2.6
	• Adjustable glide standard • Specify veneer finish for wood support bases								

- Adjustable glide standard
- Specify veneer finish for wood support bases

Reception Desk/Return**Reception Desk****Left Pedestal****Right Pedestal**

CLN3672DTLFW1	CLN3672DTRFW1	Wood Top	\$ 3645	3525/32	71¾	42	—	2721/32	480 lbs.	80.1
CLN3672DTLFLW1	CLN3672DTRFLW1	Laminate Top	3428	3525/32	71¾	42	—	2721/32	480 lbs.	80.1

- Must be used with reception return
- Grommet (G14LR) available

Reception Return**Left****Right**

CLN2542RTLW2	CLN2542RTRW2	Wood Top	\$ 1958	24¾	42	42	—	273/16	260 lbs.	36.3
CLN2542RTLLW2	CLN2542RTRLW2	Laminate Top	1842	24¾	42	42	—	273/16	260 lbs.	36.3

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G14L for left return) and (G14R for right return) available
- Random lock core (KRB) and specified lock core (KS1B) available

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

CLN2648BEFHSW	G14C	N	MH
CLN2560RLEFLW10	77SN	KRB	X MH
CLN2272CKFLW2	77SN	KRB	X MH


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
Return File/File 	Left Pedestal	Right Pedestal			D	W	H	A	KW		
	CLN2544RLEFW2	CLN2544RREFW2	Wood Top	\$ 1729	2515/32	43¾	29½	—	273/16	140 lbs.	27.6
	QCLN2544RLEFLW2	QCLN2544RREFLW2	Laminate Top	1628	2515/32	43¾	29½	—	273/16	140 lbs.	27.6
	CLN2544RLEFLW2	CLN2544RREFLW2	Laminate Top	1628	2515/32	43¾	29½	—	273/16	140 lbs.	27.6
	• Grain direction runs front-to-back on worksurface • Grommet (G14L for left return) and (G14R for right return) available • Random lock core (KRB) and specified lock core (KS1B) available										
Left shown											
Return Lateral File 	Left Pedestal	Right Pedestal			D	W	H	A	KW		
	CLN2560RLEFW6	CLN2560RREFW6	Wood Top	\$ 2053	2515/32	59¾	29½	—	239/16	214 lbs.	36.4
	CLN2560RLEFLW6	CLN2560RREFLW6	Laminate Top	1929	2515/32	59¾	29½	—	239/16	214 lbs.	36.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grain direction runs front-to-back on worksurface • Grommet (G14LR) available • Random lock core (KRB) and specified lock core (KS2B) available										
	Right shown										
Return Multi-File 	Left Pedestal	Right Pedestal			D	W	H	A	KW		
	CLN2560RLEFW10	CLN2560RREFW10	Wood Top	\$ 2524	2515/32	59¾	29½	—	239/16	214 lbs.	36.4
	CLN2560RLEFLW10	CLN2560RREFLW10	Laminate Top	2374	2515/32	59¾	29½	—	239/16	214 lbs.	36.4
	• Grain direction runs front-to-back on worksurface • Grommet (G14LR) available • Random lock core (KRB) and specified lock core (KS2B) available										
	Left shown										
Bridge 	CLN2636BEFWH	Wood Top	\$ 685	2515/32	36	29½	—	36	50 lbs.	3.7	
	QCLN2636BEFLW	Laminate Top	646	2515/32	36	29½	—	36	50 lbs.	3.7	
	CLN2636BEFLW	Laminate Top	646	2515/32	36	29½	—	36	50 lbs.	3.7	
	• Hinged modesty panel; one-way hinge allows modesty to hinge toward user only • Grain direction runs front-to-back on worksurface • Grommet (G14C) available • Pulls not available										

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
CLN2648BEFHSW	77SN Keen, Satin Nickel	G14L Black, Left G14R Black, Right G14LR Black, Left & Right G14C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
		G14C		N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	CLN2648BEFHSW Wood Top	\$ 771	2515/32 48 29½ — 48	82 lbs.	4.7
	QCLN2648BEFHSLW Laminate Top	726	2515/32 48 29½ — 48	82 lbs.	4.7
	CLN2648BEFHSLW Laminate Top	726	2515/32 48 29½ — 48	82 lbs.	4.7

- Hinged modesty panel; one-way hinge allows modesty to hinge toward user only
- Grain direction runs front-to-back on worksurface
- Grommet (G14C) available


	CLN2472CBVW Wood	\$ 5050	25½ 73¾ 3413/16 — — 275 lbs.	37.8
	CLN2472CBVLW Laminate/Wood	5050	25½ 73¾ 3413/16 — — 275 lbs.	37.8

- Cutouts in back panel for venting
- Unfinished back panel
- Features an adjustable shelf behind each set of doors
- Grommet (G14LR) available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Random lock core (KRB) and specified lock core (KS2B) available

	CLN2272CKFW2 Wood Top	\$ 2746	221/16 71¾ 29½ — 385/8 238 lbs.	37.8
	QCLN2272CKFLW2 Laminate Top	2580	221/16 71¾ 29½ — 385/8 238 lbs.	37.8
	CLN2272CKFLW2 Laminate Top	2580	221/16 71¾ 29½ — 385/8 238 lbs.	37.8

CLN2266CKFW2 Wood Top	\$ 2483	221/16 66 29½ — 327/8 229 lbs.	34.9
CLN2266CKFLW2 Laminate Top	2333	221/16 66 29½ — 327/8 229 lbs.	34.9
CLN2260CKFW2 Wood Top	\$ 2444	221/16 60 29½ — 26¼ 220 lbs.	31.0
CLN2260CKFLW2 Laminate Top	2296	221/16 60 29½ — 26¼ 220 lbs.	31.0

- Only adjustable keyboard mechanism NAC1406KK4 can be used
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

Single Pedestal Credenza File/File	Left Pedestal	Right Pedestal									
	CLN2272CLFW2	CLN2272CRFW2	Wood Top	\$ 2010	221/16	71¾	29½	—	2721/32	188 lbs.	37.8
	QCLN2272CLFLW2	QCLN2272CRFLW2	Laminate Top	1888	221/16	71¾	29½	—	2721/32	188 lbs.	37.8
	CLN2272CLFLW2	CLN2272CRFLW2	Laminate Top	1888	221/16	71¾	29½	—	2721/32	188 lbs.	37.8
	CLN2266CLFW2	CLN2266CRFW2	Wood Top	\$ 1788	221/16	66	29½	—	23¾	175 lbs.	34.9
	CLN2266CLFLW2	CLN2266CRFLW2	Laminate Top	1680	221/16	66	29½	—	23¾	175 lbs.	34.9

Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS1B) available

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

CLN2288CLFW6	77SN	G14A	KRB	R	MH
CLN2288CLFW10	77SN	G14A	KRB	R	MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Freestanding Single Pedestal Credenza File/File




Left shown

Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
Left Pedestal	Right Pedestal		D	W	H	A	KW		
CLN2272CLFFW2	CLN2272CRFFW2	Wood Top \$ 2010	22 1/16	71 3/4	29 1/2	—	52 3/4	188 lbs.	37.8
CLN2272CLFFLW2	CLN2272CRFFLW2	Laminate Top 1888	22 1/16	71 3/4	29 1/2	—	52 3/4	188 lbs.	37.8
CLN2266CLFFW2	CLN2266CRFFW2	Wood Top \$ 1788	22 1/16	66	29 1/2	—	47	175 lbs.	34.9
CLN2266CLFFLW2	CLN2266CRFFLW2	Laminate Top 1680	22 1/16	66	29 1/2	—	47	175 lbs.	34.9
CLN2260CLFFW2	CLN2260CRFFW2	Wood Top \$ 1587	22 1/16	60	29 1/2	—	41	168 lbs.	31.5
CLN2260CLFFLW2	CLN2260CRFFLW2	Laminate Top 1491	22 1/16	60	29 1/2	—	41	168 lbs.	31.5

- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS1B) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Single Pedestal Credenza Lateral File



Left shown

Left Pedestal	Right Pedestal		D	W	H	A	KW		
CLN2288CLFW6	CLN2288CRFW6	Wood Top \$ 2690	22 1/16	88	29 1/2	—	249/32	261 lbs.	45.5
CLN2288CLFLW6	CLN2288CRFLW6	Laminate Top 2528	22 1/16	88	29 1/2	—	249/32	261 lbs.	45.5
CLN2272CLFW6	CLN2272CRFW6	Wood Top \$ 2206	22 1/16	71 3/4	29 1/2	—	61/32	238 lbs.	37.8
CLN2272CLFLW6	CLN2272CRFLW6	Laminate Top 2072	22 1/16	71 3/4	29 1/2	—	61/32	238 lbs.	37.8
CLN2266CLFW6	CLN2266CRFW6	Wood Top \$ 1963	22 1/16	66	29 1/2	—	5 1/4	225 lbs.	34.9
CLN2266CLFLW6	CLN2266CRFLW6	Laminate Top 1845	22 1/16	66	29 1/2	—	5 1/4	225 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- 72"/66" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

Clever

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

CLN3618SOHMAW	KRB	MH
CLN2016PMBFC	77SN	20003 MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Highback Organizer




Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
CLN8836HBHAW	\$ 2408	16¾	88	36 1/16	—	—	205 lbs.	46.8
CLN7836HBHAW	2227	16¾	79½	36 1/16	—	—	200 lbs.	45.0
QCLN7136HBHAW	2110	16¾	71	36 1/16	—	—	184 lbs.	39.4
CLN7136HBHAW	2110	16¾	71	36 1/16	—	—	184 lbs.	39.4
CLN6536HBHAW	1999	16¾	65	36 1/16	—	—	172 lbs.	36.3
CLN5936HBHAW	1889	16¾	60	36 1/16	—	—	148 lbs.	25.0

- Units feature full back panels with cord management
- Center doors lock
- Units have a semi-finished back (fully stained with exposed hardware)
- Units feature a fluted resin insert panel on doors
- Rail is arched
- For tack board models, see pages 370-378
- For 65" and 71" random lock core (KRB) and specified lock core (KS1B) available
- For 88" random lock core (KRB) and specified lock core (KS3B) available

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
CLN3618SOHMAW	77SN Keen, Satin Nickel	KRB Key Random, Black KS1B Key Specific, Black KS3B Key Specific, Black	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Overhead Cabinet Wall Mount 	QCLN3618SOHMAW	\$ 1137	1478 3529/32 1778 — —	62 lbs.	9.7
	CLN3618SOHMAW	1137	1478 3529/32 1778 — —	62 lbs.	9.7
	CLN3018SOHMAW	1038	1478 2978 1778 — —	56 lbs.	8.2

- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs). National will not be liable for wall mount cabinets that are not properly installed
- Wall mount cabinets rimmed on front side only to allow for flush side by side mounting
- For tack board models, see pages 370-378
- Random lock core (KRB) and specified lock core (KS1B) available

**Mobile Pedestal
Cushion Top**



	Grade / List Price							
	1	2/COM	3	4	6	7	L7	L8
CLN2016PMBFC	\$ 1014	1032	1041	1055	1095	1128	1286	1337

	Alliance Grade / List Price									
	A	B	C	D	E	F	G	H	I	J
\$	1045	1063	1080	1095	1112	1132	1145	1164	1184	1202
	K	L	M	N	O	P	Q	R	S	T
\$	1231	1292	1329	1348	1368	1387	1406	1424	1443	1462

Dimensions

Depth	20	Height	22¾	Weight	74
Width	161/8			Cubic Ft.	7.9

- Four double wheel locking casters
- Maximum weight unit can hold is 300 pounds
- Non-locking pedestal
- Specify fabric grade and color for cushion top pedestal; refer to pages 11-29 for specification and colors

Dimension Key





D Depth
 W Width
 H Height
 A Overhang: Approach Side
 KW Kneespace Width

Sample Model Numbers:

CLN2237LFF2W 77SN KRB N MH
 CLN3564BCOFW MH
 CLN2040MGW R TF


To You In
10
 DAYS
...or Less


Shaded model numbers are available on our
 "To You in 10 Days or Less" Quick Delivery
 program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Lateral File Two Drawer 	CLN2237LFF2W Wood Top	\$ 1541	221/16	3738	29½	—	—	145 lbs.	18.2
	QCLN2237LFF2LW Laminate Top	1460	221/16	3738	29½	—	—	145 lbs.	18.2
	CLN2237LFF2LW Laminate Top	1460	221/16	3738	29½	—	—	145 lbs.	18.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Semi-finished back panel (fully stained with exposed hardware) • Random lock core (KRB) and specified lock core (KS2B) available								
Lateral File Three Drawer 	CLN2237LFF3W Wood Top	\$ 2109	221/16	37½	4338	—	—	210 lbs.	30.0
	CLN2237LFF3LW Laminate Top	1986	221/16	37½	4338	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Semi-finished back panel (fully stained with exposed hardware) • Random lock core (KRB) and specified lock core (KS1B) available								
Lateral File Four Drawer 	CLN2237LFF4W Wood Top	\$ 2676	221/16	3738	5578	—	—	252 lbs.	34.4
	CLN2237LFF4LW Laminate Top	2513	221/16	3738	5578	—	—	252 lbs.	34.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Semi-finished back panel (fully stained with exposed hardware) • Do not specify sheen option; features standard sheen • Random lock core (KRB) and specified lock core (KS1B) available								
Wardrobe/Storage Cabinet 	CLN3765VWHAW	\$ 3612	221/16	3738	6458	—	—	320 lbs.	36.6
	• Shaded shelves are adjustable • Removable coat rod is standard under top shelf • Semi-finished back panel (fully stained with exposed hardware) • Unit features a fluted resin insert panel on doors • Unit has no center divider • Random lock core (KRB) and specified lock core (KS1B) available								



Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
CLN2237LFF2W	77SN Keen, Satin Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	77SN	KRB	N	MH

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Bookcase Double 		\$ 3372	14	737/16	645/8	—	—	304 lbs.	58.0
	QCLN3564BCOFW Bookcase (each—order 2)	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase (each—order 2)	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	CLN1473CPCFW Cornice Frame (wood)	520	14	737/16	1	—	—	74 lbs.	2.8
	• Must order (2) bookcases and a cornice frame for double unit • Shaded shelves are adjustable • Units have semi-finished back panels (fully stained with exposed hardware)								

Bookcase Single 		\$ 1708	14	3723/32	645/8	—	—	132 lbs.	29.2
	QCLN3564BCOFW Bookcase	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	QCLN1438CPCFW Cornice Frame (wood)	282	14	3723/32	1	—	—	17 lbs.	1.6
	CLN1438CPCFW Cornice Frame (wood)	282	14	3723/32	1	—	—	17 lbs.	1.6

• Must order a cornice frame for bookcase
 • Shaded shelves are adjustable
 • Unit has semi-finished back panel (fully stained with exposed hardware)

Bookcase Set-On  	QCLN3836BCOW Open	\$ 1027	16¾	377/8	361/16	—	—	92 lbs.	21.8
	CLN3836BCOW Open	1027	16¾	377/8	361/16	—	—	92 lbs.	21.8
	CLN3836BCHAW Hinged Doors	1179	16¾	377/8	361/16	—	—	92 lbs.	21.8

• Shaded shelves are adjustable
 • Unit has semi-finished back panel (fully stained with exposed hardware)
 • Unit features a fluted resin insert panel on doors
 • Random lock core (KRB) and specified lock core (KS1B) available





Clever

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter


Sample Model Numbers:

CLN2424SQW N MH
CLNN3636SQW X R CW

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Magazine Table 	QCLN2040MGW Wood Top	\$ 1029	20	40	17 1/16	—	—	40 lbs.	2.4
	CLN2040MGW Wood Top	1029	20	40	17 1/16	—	—	40 lbs.	2.4
	• Some assembly required								
End Table 	QCLN2424ENW Wood Top	\$ 966	24	24	20 5/16	—	—	29 lbs.	1.9
	CLN2424ENW Wood Top	966	24	24	20 5/16	—	—	29 lbs.	1.9
	• Some assembly required								
Square Nesting Table Top 	CLN2424SQW Wood Top	\$ 553	24	24	1 1/16	—	—	21 lbs.	0.7
	CLN2424SQLW Laminate Top	520	24	24	1 1/16	—	—	21 lbs.	0.7
	• For use with 22" disc base								
Square Table Top 	30" Square 1 9/16" Top Thickness								
	CLNN3030SQW Wood	\$ 1131	30	30	1 9/16	—	—	33 lbs.	2.0
	36" Square								
	CLNN3636SQW Wood	\$ 1332	36	36	1 9/16	—	—	45 lbs.	2.4
	42" Square								
	CLNN4242SQW Wood	\$ 1617	42	42	1 9/16	—	—	61 lbs.	3.2
	48" Square								
	CLNN4848SQW Wood	\$ 1903	48	48	1 9/16	—	—	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases • See Tables Price List pages 78-85 for coordinating conference table tops • Grommet options available on 19 1/16" round and square tops are G10C and CUT-G15C, reference Tables Price List page 77 for grommet options and upcharge								

Specify selections, left to right:

Base Model	Grommet/Cutout Option	Sheen (wood tops only)	Finish
	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
CLN2424SQW		N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Round Table Top 	30" Round 19¹/₈" Top Thickness		DI H		
	CLNN30RDW Wood	\$ 1131	30 — 19 ¹ / ₈ — —	33 lbs.	2.0
	36" Round				
	CLNN36RDW Wood	\$ 1332	36 — 19 ¹ / ₈ — —	45 lbs.	2.4
	42" Round				
	CLNN42RDW Wood	\$ 1617	42 — 19 ¹ / ₈ — —	61 lbs.	3.2
	48" Round				
	CLNN48RDW Wood	\$ 1903	48 — 19 ¹ / ₈ — —	79 lbs.	4.2
	30" Round 11¹/₈" Top Thickness				
	CLN30RDW Wood	\$ 1034	30 — 11 ¹ / ₈ — —	33 lbs.	2.0
	36" Round				
	CLN36RDW Wood	\$ 1216	36 — 11 ¹ / ₈ — —	42 lbs.	2.4
	42" Round				
	CLN42RDW Wood	\$ 1504	42 — 11 ¹ / ₈ — —	58 lbs.	3.2
	48" Round				
	CLN48RDW Wood	\$ 1790	48 — 11 ¹ / ₈ — —	76 lbs.	4.2
	30" Round 1" Top Thickness				
	CLN30RDLW Laminate	\$ 970	30 — 1 — —	33 lbs.	2.0
	36" Round				
	CLN36RDLW Laminate	\$ 1141	36 — 1 — —	42 lbs.	2.4
	42" Round				
	CLN42RDLW Laminate	\$ 1412	42 — 1 — —	58 lbs.	3.2
	48" Round				
	CLN48RDLW Laminate	\$ 1681	48 — 1 — —	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases
- See Tables Price List pages 78-85 for coordinating conference table tops
- Grommet options available on 19¹/₈" round and square tops are G10C and CUT-G15C, reference Tables Price List page 77 for grommet options and upcharge
- Grommet option available on 11¹/₈" round tops is G10C, reference Tables Price List page 77 for grommet options and upcharge

Escalade®

Escalade

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" combined worksurface and mitered wood rim
- Slipmatched cherry and maple veneer, bookmatched walnut veneer
- Grain direction runs left-to-right unless noted
- Mitered wood rim detail
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Escalade series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable floor levelers are standard on all casegoods
- ¾" thick full height modesty panels
- 1½" thick end panels and support panels
- Vertical grain direction on all modesty panels
- Unfinished back panels unless noted
- Mitered wood base detail

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

DRAWERS


- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- Heavy-duty file rods in file drawers

DRAWER PULLS

- Satin Nickel drawer pulls and knobs



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

ABOVE SURFACE DOORS

- Wood or crackled silkscreen glass

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Length		
Box Drawer - 30x66 Single Ped Desks	12 1/16"	17"	31 1/16"	N/A
File Drawer - 30x66 Single Ped Desks	12 1/16"	17"	9 1/8"	Letter
Box Drawer - All Other Desks	15 1/16"	17"	31 1/16"	N/A
File Drawer - All Other Desks	15 1/16"	17"	9 1/8"	Legal
Box Drawer - Return	12 1/16"	17"	31 1/16"	N/A
File Drawer - Return	12 1/16"	17"	9 1/8"	Letter
Lateral Drawer - Return	31 11/16"	15"	9 1/8"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Box Drawer - Credenza	15 1/16"	15"	31 1/16"	N/A
File Drawer - Credenza	15 1/16"	15"	9 1/8"	Legal
Lateral Drawer - Credenza	31 11/16"	15"	9 1/8"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Lateral File Drawer	31 11/16"	15"	9 1/8"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
30" Center Drawer	20 7/16"	15"	1 1/2"	N/A
36" Center Drawer	26 7/16"	15"	1 1/2"	N/A
Keyboard Drawer	26"	15 1/4"	2 1/4"	N/A

- All file drawers, with the exception of 30x66 single pedestal desks, file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

IM	Brighton
NM	Natural
HN	Honey
CL	Caramel
TF	Truffle
AC	Autumn
MC	Amber
CW	Cordovan
DW	Judicial
MH	Mocha


WORKSURFACE SHEEN OPTIONS

R	Standard
N	Matte/Satin

METAL COLORS


462	Cinder
503	Satin Nickel Metallic

RIM PROFILE



Tribeca

PULL



Fluid (79)


79SN Satin Nickel
(Boring Pattern 64mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G1LR	Left & Right
G1C	Center



Round Grommet
Plastic

LOCKING

Key Random

KRB	Black
KRS	Silver

Key Specific

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Tribeca
Pull:	Fluid (79)
Grommets:	Included on bridges, returns and credenzas (does not include storage credenza)
Locking:	Random black cores
Sheen:	Standard
Finish:	Must specify Amber (MC) or Cordovan (CW)

Escalade L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:

- Fluid, Satin Nickel pulls
- Standard sheen
- Left and right grommets in return
- Random black lock cores
- Must specify finish


To Order, Specify Finish:


IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Fluid, Satin Nickel pulls

L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Wood Top 	QECN8573LLFW 84½D x 72½W	\$ 5616
	ECN8573LLFW 84½D x 72½W	\$ 5616
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3198
	ECN2548RLEFW2 Left Pedestal Return	2418
	QECN7973LLFW 78½D x 72½W	\$ 5571
	ECN7973LLFW 78½D x 72½W	\$ 5571
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3198
	ECN2542RLEFW2 Left Pedestal Return	2373
	ECN7967LLFW 78½D x 66½W	\$ 5495
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3077
	ECN2548RLEFW2 Left Pedestal Return	2418
	ECN7367LLFW 72½D x 66½W	\$ 5450
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3077
	ECN2542RLEFW2 Left Pedestal Return	2373

L-CONFIGURATIONS	Model No./Description	List Price
Right L-Configuration Wood Top 	QECN8573LRFW 84½D x 72½W	\$ 5616
	ECN8573LRFW 84½D x 72½W	\$ 5616
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	3198
	ECN2548RREFW2 Right Pedestal Return	2418
	QECN7973LRFW 78½D x 72½W	\$ 5571
	ECN7973LRFW 78½D x 72½W	\$ 5571
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	3198
	ECN2542RREFW2 Right Pedestal Return	2373
	ECN7967LRFW 78½D x 66½W	\$ 5495
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	3077
	ECN2548RREFW2 Right Pedestal Return	2418
	ECN7367LRFW 72½D x 66½W	\$ 5450
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	3077
	ECN2542RREFW2 Right Pedestal Return	2373

Escalade U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:


- Fluid, Satin Nickel pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

To Order, Specify Finish:


IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				


To You In
10 DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Fluid, Satin Nickel pulls

U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration Wood Top 	QECN10773ULFW 1069/1B x 72½W \$ 6971	
	ECN10773ULFW 1069/1B x 72½W \$ 6971	
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3198
	ECN2548BEFW Bridge	1089
	ECN2273CLFW2 Left Pedestal Credenza	2684
	QECN10173ULFW 1009/1B x 72½W \$ 6940	
	ECN10173ULFW 1009/1B x 72½W \$ 6940	
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3198
	ECN2542BEFW Bridge	1058
	ECN2273CLFW2 Left Pedestal Credenza	2684
	ECN10167ULFW 1009/1B x 66½W \$ 6812	
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3077
	ECN2548BEFW Bridge	1089
	ECN2267CLFW2 Left Pedestal Credenza	2646
	ECN9567ULFW 949/1B x 66½W \$ 6781	
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3077
	ECN2542BEFW Bridge	1058
	ECN2267CLFW2 Left Pedestal Credenza	2646

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration Wood Top 	QECN10773URFW 1069/1B x 72½W \$ 6971	
	ECN10773URFW 1069/1B x 72½W \$ 6971	
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	3198
	ECN2548BEFW Bridge	1089
	ECN2273CRFW2 Right Pedestal Credenza	2684
	QECN10173URFW 1009/1B x 72½W \$ 6940	
	ECN10173URFW 1009/1B x 72½W \$ 6940	
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	3198
	ECN2542BEFW Bridge	1058
	ECN2273CRFW2 Right Pedestal Credenza	2684
	ECN10167URFW 1009/1B x 66½W \$ 6812	
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	3077
	ECN2548BEFW Bridge	1089
	ECN2267CRFW2 Right Pedestal Credenza	2646
	ECN9567URFW 949/1B x 66½W \$ 6781	
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	3077
	ECN2542BEFW Bridge	1058
	ECN2267CRFW2 Right Pedestal Credenza	2646

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Number:

ECN3673DDFBAW8 79SN X KRB N MH

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Double Pedestal Desk Arc Top 	ECN3673DDFBAW8	\$ 4312	3511/16	72½	29½	6	343/16	320 lbs.	57.4
	ECN3667DDFBAW8	4225	3511/16	66½	29½	6	257/8	305 lbs.	53.0
• Depth of arc top is 3511/16 at its widest point • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
Double Pedestal Desk 	QECN3673DDFBW8	\$ 3534	36¼	72½	29½	—	343/16	361 lbs.	57.4
	ECN3673DDFBW8	3534	36¼	72½	29½	—	343/16	361 lbs.	57.4
	ECN3667DDFBW8	3463	3511/16	66½	29½	—	257/8	325 lbs.	53.0
	ECN3067DDFBW8	\$ 3402	30¼	66½	29½	—	257/8	285 lbs.	45.3
	ECN3061DDFBW8	3334	30¼	60½	29½	—	257/8	270 lbs.	42.0
	• Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Table Desk Arc Top 	ECN3673DTAW	\$ 3180	3511/16	72½	29½	6	—	140 lbs.	13.9
• Unit features a functional, non-locking drawer • Height to the bottom of the rail from the floor is 25" • Some assembly required • Grommets not available									
Single Pedestal Desk Arc Top 	<i>Left Pedestal</i>								
	ECN3673DLFBAW1		3511/16	72½	29½	6	27¾	267 lbs.	57.4
• Not recommended as a freestanding unit due to routing in the rim • Depth of arc top is 3511/16 at its widest point • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

Right shown

Specify selections, left to right:


Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish	Metal Color
ECN3673DDFBW8	79SN Fluid, Satin Nickel	G1LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 503 Satin Nickel Metallic
	79SN	X	KRB	N	MH	

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Freestanding Single Pedestal Desk Arc Top	<i>Left Pedestal</i>				
	<i>Right Pedestal</i>				
	ECN3673DLFFBW1 ECN3673DRFFBW1	\$ 3709	35 11/16 72 1/2 29 1/2 6 50 1/16	267 lbs.	57.4



Right shown


- Depth of arc top is 35 11/16" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Single Pedestal Desk

Left shown

	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	QECN3673DLFBW1	QECN3673DRFBW1	\$ 3198	36 1/4	72 1/2	29 1/2	—	27 3/4	311 lbs.	57.4
	ECN3673DLFBW1	ECN3673DRFBW1	3198	36 1/4	72 1/2	29 1/2	—	27 3/4	311 lbs.	57.4
	ECN3667DLFBW1	ECN3667DRFBW1	3134	36 1/4	66 1/2	29 1/2	—	24 3/4	290 lbs.	49.0
	ECN3067DLFBW1	ECN3067DRFBW1	\$ 3077	30 1/4	66 1/2	29 1/2	—	24 3/4	245 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Freestanding Single Pedestal Desk

Left shown

	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN3673DLFFBW1	ECN3673DRFFBW1	\$ 3198	36 1/4	72 1/2	29 1/2	—	50 1/16	311 lbs.	57.4
	ECN3667DLFFBW1	ECN3667DRFFBW1	3134	36 1/4	66 1/2	29 1/2	—	50 1/16	290 lbs.	49.0
	ECN3067DLFFBW1	ECN3067DRFFBW1	\$ 3077	30 1/4	66 1/2	29 1/2	—	47	245 lbs.	45.3
	ECN3061DLFFBW1	ECN3061DRFFBW1	3015	30 1/4	60 5/8	29 1/2	—	41 1/8	230 lbs.	42.0

- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

Dimension Key


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:


ECN3672DULW	79SN	R	MH	
ECN3672DULFW	79SN	R	MH	462
ECN2548RLEFW1	79SN	G1LR	KRB	R NM

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
 Left shown	Left U								
	ECN3672DULW								
	ECN3672DURW	\$ 2610	36	72¼	29½	1758	2713/16	155 lbs.	13.9
	ECN3672DULFW								
	ECN3672DURFW	w/modesty 2927	36	72¼	29½	1758	2713/16	175 lbs.	13.9

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be specified separately; see below for support base options
- Some assembly required
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

 Left shown	Left P								
	ECN3672DPLW	\$ 2751	36	72¼	29½	1158	2713/16	145 lbs.	13.9
	ECN3672DPLFW								
	ECN3672DPRFW	w/modesty 3103	36	72¼	29½	1158	2713/16	165 lbs.	13.9

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be specified separately; see below for support base options
- "P" faces approach side for conferencing use
- Some assembly required
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available



Support Base			DI		H			
	NAC2804SFB	Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs. 1.0
	NAC2804SFBN	Satin Nickel Metallic	267	4	—	27¾-29¼	—	10 lbs. 1.0
	NAC2804SFBW	Wood	486	4	—	27¾-29¼	—	10 lbs. 1.0

				D	W	H	A	KW		
	NAC2812SHB	Wood Half	\$ 608	6	117/8	27¾	—	—	13 lbs.	2.6

- Adjustable glide standard
- Specify model number only on metal base
- Specify veneer finish for wood support bases

Corner Unit	ECN3636CFW	\$ 2054	3638	3638	29½	—	—	75 lbs.	29.5
--------------------	-------------------	---------	------	------	-----	---	---	---------	------


- Not recommended as a freestanding unit due to routing in the rim
- Unit can be attached to bridge and return
- Front edge is 161/8
- Grain direction runs diagonally
- Grommet (G1C) available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish	Metal Color
ECN3672DULW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 503 Satin Nickel Metallic
	79SN			R	MH	

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

Reception Desk/Return



Reception Desk

Left Pedestal *Right Pedestal*

ECN3276DTLFW1	ECN3276DTRFW1	\$ 4401	32¼	75½	43¼	—	283/16	325 lbs.	67.0
---------------	---------------	---------	-----	-----	-----	---	--------	----------	------


- Must be used with reception return
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Reception Return

Left *Right*

ECN2550RTLW2	ECN2550RTRW2	\$ 2929	257/16	497/8	41¼	—	29¾	195 lbs.	37.4
--------------	--------------	---------	--------	-------	-----	---	-----	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Must be used with reception desk
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Return
Box/Box/File

Right shown

Left Pedestal *Right Pedestal*

ECN2548RLEFW1	ECN2548RREFW1	\$ 2418	25¼	48¼	29½	—	281/16	147 lbs.	29.0
ECN2542RLEFW1	ECN2542RREFW1	2373	25¼	42¼	29½	—	221/16	137 lbs.	25.9

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Return
File/File

Left shown

Left Pedestal *Right Pedestal*

QECN2548RLEFW2	QECN2548RREFW2	\$ 2418	25¼	48¼	29½	—	281/16	147 lbs.	29.0
ECN2548RLEFW2	ECN2548RREFW2	2418	25¼	48¼	29½	—	281/16	147 lbs.	29.0
QECN2542RLEFW2	QECN2542RREFW2	2373	25¼	42¼	29½	—	221/16	137 lbs.	25.9
ECN2542RLEFW2	ECN2542RREFW2	2373	25¼	42¼	29½	—	221/16	137 lbs.	25.9

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Return
Multi-File

Right shown

Left Pedestal *Right Pedestal*

ECN2572RLEFW10	ECN2572RREFW10	\$ 3213	25¼	72¼	29½	—	337/8	197 lbs.	41.7
----------------	----------------	---------	-----	-----	-----	---	-------	----------	------

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 210 for ganging examples

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN2273CBW 79SN R TF
ECN2273CSFW2 79SN KRB N CL
ECN2271CFFWC 79SN KRB N CL


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	QECN2548BEFW	\$ 1089	2411/16	481/16	29½	—	—	85 lbs.	3.4
	ECN2548BEFW	1089	2411/16	481/16	29½	—	—	85 lbs.	3.4
	QECN2542BEFW	1058	2411/16	421/16	29½	—	—	75 lbs.	3.0
	ECN2542BEFW	1058	2411/16	421/16	29½	—	—	75 lbs.	3.0

- Some assembly required
- Grain direction on worksurface runs front-to-back
- Grommet (G1C) available


Buffet Credenza



ECN2273CBW	Wood	\$ 4234	22¼	72½	3511/16	—	—	380 lbs.	45.2
------------	------	---------	-----	-----	---------	---	---	----------	------

- Rim and base molding on front and sides of model
- Center two doors lock
- Unfinished back panel
- Unit features three standard adjustable shelves
- Unit features a functional, non-locking drawer
- Grommet option not available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Entertainment Credenza



ECN2273CBWV	Wood	\$ 4234	22¼	72½	3511/16	—	—	380 lbs.	45.2
-------------	------	---------	-----	-----	---------	---	---	----------	------

- Rim and base molding on front and sides of model
- Center two doors lock
- Unfinished back panel
- Unit features three standard adjustable shelves
- Unit features a functional, non-locking drawer
- Cutouts in back panel for venting
- Grommet (G1C) available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Storage Credenza



QECN2273CSFW2		\$ 3662	225/16	72½	29½	—	—	340 lbs.	37.8
ECN2273CSFW2		3662	225/16	72½	29½	—	—	340 lbs.	37.8
ECN2267CSFW2		3419	225/16	66½	29½	—	—	329 lbs.	34.9

- Storage credenza features a standard adjustable shelf
- Standard center drawer, non-locking
- Rim and base molding detail on three sides of unit
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Storage Credenza Ganging







ECN2271CSFW2C		\$ 3662	22¼	70½	29½	—	—	340 lbs.	37.8
ECN2265CSFW2C		3419	22¼	64½	29½	—	—	329 lbs.	34.9

- Storage credenza features a standard adjustable shelf
- Standard center drawer, non-locking
- Rim and base molding detail on front edge only to allow for ganging
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish
ECN2273CBW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha TF

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Lateral File Credenza 	ECN2273CFFW	\$ 3827	22¼	72½	29½	—	—	334 lbs.	37.8
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Lateral File Credenza Ganging 	ECN2271CFFWC	\$ 3827	22¼	70½	29½	—	—	334 lbs.	37.8
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding detail on front edge only to allow for ganging • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Kneespace Credenza 	QECN2273CKFW2	\$ 3255	22¼	72½	29½	—	343/16	234 lbs.	37.8
	ECN2273CKFW2	3255	22¼	72½	29½	—	343/16	234 lbs.	37.8
	ECN2267CKFW2	3061	22¼	66½	29½	—	283/16	223 lbs.	34.9
	ECN2261CKFW2	2865	22¼	605/8	29½	—	275/8	215 lbs.	31.0
	• Rim and base molding on three sides of unit • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
Kneespace Credenza Ganging 	ECN2271CKFW2C	\$ 3255	22¼	70½	29½	—	343/16	234 lbs.	37.8
	ECN2265CKFW2C	3061	22¼	64½	29½	—	283/16	223 lbs.	34.9
	ECN2259CKFW2C	2865	22¼	58½	29½	—	275/8	215 lbs.	31.0
	• Rim and base molding on front and inside kneespace only to allow for ganging • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 210 for ganging examples

Dimension Key





- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

ECN2272CLFW1C 79SN G1LR KRB N CL
ECN2266CLFW2C 79SN X KRB N CL


To You In
10
Days
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN2273CLFW1	ECN2273CRFW1	\$ 2684	22¼	72½	29½	—	27¾	195 lbs.	37.8
	ECN2267CLFW1	ECN2267CRFW1	2646	22¼	66½	29½	—	21¾	184 lbs.	34.9
	• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on three sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
	Right shown									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN2273CLFFW1	ECN2273CRFFW1	\$ 2684	22¼	72½	29½	—	50	195 lbs.	37.8
	ECN2267CLFFW1	ECN2267CRFFW1	2646	22¼	66½	29½	—	44	184 lbs.	34.9
	ECN2261CLFFW1	ECN2261CRFFW1	2594	22¼	6058	29½	—	38	175 lbs.	30.0
	• Rim and base molding detail on three sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Freestanding use only; cannot be used with a bridge or other connecting components									
Right shown										
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	ECN2272CLFW1C	ECN2272CRFW1C	\$ 2684	22¼	71½	29½	—	27¾	195 lbs.	37.8
	ECN2266CLFW1C	ECN2266CRFW1C	2646	22¼	65½	29½	—	21¾	184 lbs.	34.9
	• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on two sides of unit to allow for ganging • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
	Left shown									
	<i>Left Pedestal</i>	<i>Right Pedestal</i>								
	QECN2273CLFW2	QECN2273CRFW2	\$ 2684	22¼	72½	29½	—	27¾	195 lbs.	37.8
	ECN2273CLFW2	ECN2273CRFW2	2684	22¼	72½	29½	—	27¾	195 lbs.	37.8
	ECN2267CLFW2	ECN2267CRFW2	2646	22¼	66½	29½	—	21¾	184 lbs.	34.9
	• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on three sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
Right shown										


Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish
ECN2272CLFW1C	79SN Fluid, Satin Nickel	G1LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	G1LR	KRB	N	CL

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Freestanding Single Pedestal Credenza File/File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	ECN2273CLFFW2	ECN2273CRFFW2	\$ 2684	22¼ 72½ 29½ — 50	195 lbs. 37.8
	ECN2267CLFFW2	ECN2267CRFFW2	2646	22¼ 66½ 29½ — 44	184 lbs. 34.9
	ECN2261CLFFW2	ECN2261CRFFW2	2594	22¼ 605/8 29½ — 38	175 lbs. 30.0


Right shown

- Rim and base molding detail on three sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Single Pedestal Credenza File/File Ganging 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	ECN2272CLFW2C	ECN2272CRFW2C	\$ 2684	22¼ 71½ 29½ — 27¾	195 lbs. 37.8
	ECN2266CLFW2C	ECN2266CRFW2C	2646	22¼ 65½ 29½ — 21¾	184 lbs. 34.9


Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on two sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Single Pedestal Credenza Lateral File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	ECN2273CLFW6	ECN2273CRFW6	\$ 3145	22¼ 72½ 29½ — 9¾	235 lbs. 37.8
	ECN2267CLFW6	ECN2267CRFW6	2925	22¼ 66½ 29½ — 3¾	224 lbs. 34.9

Right shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on three sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Freestanding Single Pedestal Credenza Lateral File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	ECN2273CLFFW6	ECN2273CRFFW6	\$ 3145	22¼ 72½ 29½ — 321/16	235 lbs. 37.8
	ECN2267CLFFW6	ECN2267CRFFW6	2925	22¼ 66½ 29½ — 261/16	224 lbs. 34.9

Right shown

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on three sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

Escalade

Product Specifications

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 210 for ganging examples

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Sample Model Numbers:

ECN2273CLFW10 79SN X KRB N CL
ECN2272CLFW10C 79SN X KRB N CW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
		D	W	H	A	KW		
Single Pedestal Credenza Lateral File Ganging								
<i>Left Pedestal</i>								
<i>Right Pedestal</i>								
ECN2272CLFW6C	\$ 3145	22¼	71½	29½	—	9¾	235 lbs.	37.8
ECN2266CLFW6C	2925	22¼	65½	29½	—	3¾	224 lbs.	34.9



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on two sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Single Pedestal Credenza Multi-File



Right shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>							
ECN2273CLFW10	ECN2273CRFW10	\$ 3291	22¼	72½	2958	—	9¾	235 lbs. 37.8
• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on three sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								


Freestanding Single Pedestal Credenza Multi-File



Right shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>							
ECN2273CLFFW10	ECN2273CRFFW10	\$ 3291	22¼	72½	2958	—	321/16	235 lbs. 37.8
• Rim and base molding detail on three sides of unit • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Freestanding use only; cannot be used with a bridge or other connecting components								

Single Pedestal Credenza Multi-File Ganging






Left shown

<i>Left Pedestal</i>	<i>Right Pedestal</i>							
ECN2272CLFW10C	ECN2272CRFW10C	\$ 3291	22¼	71½	29½	—	9¾	235 lbs. 37.8
• Not recommended as a freestanding unit due to routing in the rim • Rim and base molding detail on two sides of unit to allow for ganging • Modesty panel of joining unit will attach above the base molding detail • Grommet (G1LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish
ECN2273CLFW10	79SN Fluid, Satin Nickel	G1LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	X	KRB	N	CL

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Highback Organizer  	Wood Doors								
	ECN8450HBHPW	\$ 3623	15½	83¾	503/16	—	—	250 lbs.	55.0
	ECN7850HBHPW	3483	15½	775/8	503/16	—	—	225 lbs.	50.0
	QECN7250HBHPW	3350	15½	72	503/16	—	—	200 lbs.	41.7
	ECN7250HBHPW	3350	15½	72	503/16	—	—	200 lbs.	41.7
	ECN6650HBHPW	3222	15½	66	503/16	—	—	180 lbs.	38.5
	ECN6050HBHPW	3093	15½	60	503/16	—	—	170 lbs.	35.0
	Glass Doors								
	ECN8450HBHPGW	\$ 3781	15½	83¾	503/16	—	—	250 lbs.	55.0
	ECN7850HBHPGW	3636	15½	775/8	503/16	—	—	225 lbs.	50.0
	ECN7250HBHPGW	3496	15½	72	503/16	—	—	200 lbs.	41.7
	ECN6650HBHPGW	3365	15½	66	503/16	—	—	180 lbs.	38.5
	ECN6050HBHPGW	3258	15½	60	503/16	—	—	170 lbs.	35.0
	• Highback organizers feature (4) side hinged doors, full back panels with a grommet for cord management • Under shelf clearance is 20¾" • Center two doors lock • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Small Office Highback Organizer 	ECN8442HBHPGW	\$ 3070	15½	83¾	417/8	—	—	245 lbs.	53.0
	ECN7842HBHPGW	2952	15½	775/8	417/8	—	—	220 lbs.	48.0
	ECN7242HBHPGW	2839	15½	72	417/8	—	—	190 lbs.	35.9
	ECN6642HBHPGW	2715	15½	66	417/8	—	—	170 lbs.	32.1
	ECN6042HBHPGW	2607	15½	60	417/8	—	—	165 lbs.	30.0
	• Unit features (2) side hinged doors, full back panel with a grommet for cord management • 84"/78" models feature a divider panel in the center of the open shelves • Center shelf is fixed; upper shelf is adjustable • Small office highback organizer cannot be used in a ganging application • Under door clearance is 1215/16 • Under shelf clearance is 20¾" • Both doors lock • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

Escalade

Product Specifications

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 210 for ganging examples

Dimension Key



D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

ECN2238PFHW 79SN KRB R CW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Overhead Cabinet Wall Mount  	Wood Doors								
	QECN7230SOHMMW	\$ 3140	15½	72	2958	—	—	150 lbs.	25.1
	ECN7230SOHMMW	3140	15½	72	2958	—	—	150 lbs.	25.1
	ECN6630SOHMMW	3018	15½	66	2958	—	—	140 lbs.	23.2
	Glass Doors								
	ECN7230SOHMGW	\$ 3286	15½	72	2958	—	—	150 lbs.	25.1
	ECN6630SOHMGW	3162	15½	66	2958	—	—	140 lbs.	23.2
	• Wall mount cabinets must be secured by a minimum of two solid attachment points on a load bearing wall • Wall mount bracket is included with unit • Center two doors lock • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Lateral File Two Drawer 	QECN2238LFF2W	\$ 2211	22¼	383/16	29½	—	—	155 lbs.	17.8
	ECN2238LFF2W	2211	22¼	383/16	29½	—	—	155 lbs.	17.8
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Lateral File Three Drawer 	ECN2238LFF3W	\$ 2783	22¼	383/16	4115/16	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Lateral File Four Drawer 	ECN2238LFF4W	\$ 3357	22¼	383/16	54½	—	—	265 lbs.	32.9
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								


Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen	Finish
ECN2238PFHW	79SN Fluid, Satin Nickel	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	KRB	R	CW

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------

Double Door Unit**ECN2238PFHW****\$ 2092**

22¾ 383/16 29½ — — 140 lbs. 17.8




- Unit features a single adjustable shelf
- Unit features a functional, non-locking drawer
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Entertainment Cabinet**ECN3879VVHW**

Wood

\$ 4772


237/16 383/16 78½ — — 340 lbs. 48.9



- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unfinished back panel
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 2013¼ D, 345⅝ W, 471⅝ H
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Entertainment Cabinet Ganging**ECN3879VVHWC****\$ 4772**


237/16 383/16 78½ — — 340 lbs. 48.9



- For use with side open bookcase - ganging only
- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unfinished back panel
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 2013¼ D, 345⅝ W, 471⅝ H
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Side Bookcase - Open Ganging**Left****Right****ECN2071BCOLWC****ECN2071BCORWC****\$ 1590**

15¾ 19½ 7015/16 — — 155 lbs. 17.7




Left shown

- For use with entertainment cabinet - ganging only
- Shaded shelves are adjustable
- Specify finish only

Double Wardrobe**ECN3879VHHW****\$ 4436**

237/16 383/16 78½ — — 340 lbs. 48.9



- Shaded shelves are adjustable
- Removable coat rod is standard, positioned on left side of wardrobe
- Cornice and base detail on three sides of unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Escalade

Product Specifications

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 210 for ganging examples

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

ECN3871BCOFW CW
ECN3871BCOHFW 79SN KRB MH

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
Storage - File/File Cabinet Ganging  Right shown	<i>Left Hinged</i>	<i>Right Hinged</i>								
	ECN2071VHL2WC	ECN2071VHR2WC	\$ 2877	237/16	201/16	7015/16	—	—	200 lbs.	23.8
	• Not recommended as a freestanding unit due to routing in the rim • Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
Wardrobe/Storage Cabinet Ganging  Right shown	<i>Left Hinged</i>	<i>Right Hinged</i>								
	ECN2071VSWHLWC	ECN2071VSWHRWC	\$ 2781	237/16	201/16	7015/16	—	—	175 lbs.	23.8
	• Not recommended as a freestanding unit due to routing in the rim • Shaded shelves are adjustable • Removable coat rod is standard • Single door cabinet can be used as a wardrobe unit by removing the adjustable shelves • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
Bookcase - Open 	QECN3871BCOFW	\$ 2297	15¾	383/16	7015/16	—	—	190 lbs.	31.3	
	ECN3871BCOFW	2297	15¾	383/16	7015/16	—	—	190 lbs.	31.3	
	ECN3857BCOFW	2072	15¾	383/16	571/8	—	—	150 lbs.	25.4	
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • 58" bookcase has two adjustable shelves and a finished top panel • Specify finish only									
Bookcase - Open Ganging  Left shown	<i>Left</i>	<i>Right</i>								
	ECN3771BCOLWC	ECN3771BCORWC	\$ 2297	15¾	371/8	7015/16	—	—	190 lbs.	31.3
	ECN3757BCOLWC	ECN3757BCORWC	2072	15¾	371/8	571/8	—	—	150 lbs.	25.4
	• Shaded shelves are adjustable • User can gang two 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase • Cornice and base detail on two sides of unit • 58" bookcase has two adjustable shelves and a finished top panel • Specify finish only									

Specify selections, left to right:

Base Model	Pull Option	Locking	Finish
ECN3871BCOFW	79SN Fluid, Satin Nickel	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha CW

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Bookcase - Storage	ECN3871BCOHFW	\$ 2755	15¾ 383/16 7015/16 — —	210 lbs.	31.3
	ECN3857BCOHFW	2561	15¾ 383/16 571/8 — —	170 lbs.	25.4



- Shaded shelves are adjustable
- Bookcase has an unfinished back
- Cornice and base detail on three sides of unit
- 58" bookcase has one adjustable shelf and a finished top panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Bookcase - Storage Ganging	Left	Right							
	ECN3771BCOHFLWC	ECN3771BCOHFRWC	\$ 2755	15¾	371/8	7015/16	—	—	210 lbs.
	ECN3757BCOHFLWC	ECN3757BCOHFRWC	2561	15¾	371/8	571/8	—	—	170 lbs.

Left shown

- Shaded shelves are adjustable
- User can gang two 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase
- Cornice and base detail on two sides of unit
- 58" bookcase has one adjustable shelf and a finished top panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Bookcase - Set On	Wood Doors								
	QECN3750BCHW	\$ 2618	15½	375/8	503/16	—	—	130 lbs.	22.5
	ECN3750BCHW	2618	15½	375/8	503/16	—	—	130 lbs.	22.5

Glass Doors

ECN3750BCHGW	\$ 2731	15½	375/8	503/16	—	—	130 lbs.	22.5
--------------	---------	-----	-------	--------	---	---	----------	------

- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Double Bookcase - Set On Glass Doors									
	ECN7250BCHGW	\$ 4772	15½	72	503/16	—	—	260 lbs.	41.7
	ECN6650BCHGW	4594	15½	66	503/16	—	—	250 lbs.	38.5

- Shaded shelves are adjustable
- Center doors lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Dimension Key




D Depth
 W Width
 H Height
 A Overhang: Approach Side
 KW Kneespace Width

Sample Model Numbers:

ECN2040MGW N MH
 NAC3639VBL TF

To You In
10
 DAYS
...or Less


Shaded model numbers are available on our
 "To You in 10 Days or Less" Quick Delivery
 program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	ECN2238MUCW Wood	\$ 2128	22¼	38½	35½	16	—	145 lbs.	24.7
	• Can function as a service cart, overhead projector stand or TV cabinet • Unit features a single adjustable shelf • Unfinished back panel • Four dual wheel non-locking casters are standard • Grommet (G1C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
	QECN2040MGW	\$ 1329	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW	1329	19¾	39¾	18	—	—	70 lbs.	4.3
	QECN2424ENW	\$ 1248	23½	16	23½	16	24	40 lbs.	3.9
	ECN2424ENW	1248	23½	16	23½	16	24	40 lbs.	3.9
	ECN1948CSW	\$ 1486	189	16	48	28½	—	85 lbs.	4.9
	• Rim detail on three sides of unit								
	ECN0637CPCFW	\$ 474	5¾	377	16	315	16	35 lbs.	1.1
	ECN0643CPCFW	547	5¾	433	8	315	16	40 lbs.	1.3
	• ECN0637CPCFW fits on top of NAC3639VBW • ECN0643CPCFW fits on top of NAC4239VBW								

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish	Laminate		
ECN2040MGW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	IM Brighton NM Natural HN2 Honey 2 CL Caramel TF Truffle AC2 Autumn 2 MC Amber CW Cordovan DW Judicial MH Mocha 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite	462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White 491H Linear Designer White 492 Linear Horizontal 492H Cinder Linear 791 Palisander 791H Palisander 792 Sable 792H Sable Horizontal 793 Acorn	

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------


Visual Board**Wood**

NAC3639VBW	36"	\$ 1702	415/16 3578 3911/16 — —	65 lbs.	5.9
NAC4239VBW	42"	2190	415/16 4115/16 3911/16 — —	82 lbs.	7.1

Laminate


NAC3639VBL	36"	\$ 1405	415/16 3578 3911/16 — —	65 lbs.	5.9
NAC4239VBL	42"	1628	415/16 4115/16 3911/16 — —	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of four dry erase markers and an eraser are standard
- Marker board is not magnetic

Keyboard Drawer


QECN1733KDFW	\$ 409	1625/32 331/8 39/16 — —	20 lbs.	2.1
ECN1733KDFW	409	1625/32 331/8 39/16 — —	20 lbs.	2.1

- Use on 72" double pedestal desk, 72" kneespace credenza, and bridge
- When using a wood keyboard drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK
- Specify finish only

Center Drawer

QECN1733CDW	\$ 339	1625/32 331/8 2½ — —	20 lbs.	2.1
ECN1733CDW	339	1625/32 331/8 2½ — —	20 lbs.	2.1
QECN1727CDW	321	1625/32 271/16 2½ — —	15 lbs.	1.9
ECN1727CDW	321	1625/32 271/16 2½ — —	15 lbs.	1.9
ECN1724CDW	314	1625/32 24 2½ — —	13 lbs.	1.0

- Use ECN1733CDW on 72" double pedestal desk and 72" kneespace credenza
- Use ECN1727CDW on 66" double pedestal desk and 36" x 72" single pedestal desk
- Use ECN1724CDW on 30" x 66" single pedestal desk
- When using a wood center drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK
- Specify finish only

Keyboard/Drawer Mounting Kit

NAC0802KMK	\$ 61	8 2 ¾ — —	3 lbs.	0.3
------------	-------	-----------	--------	-----

- Must be used with keyboard kits, Escalade keyboard drawer or Escalade center drawer when attaching to Escalade unit
- Specify model number only

Escalade

Product Specifications


- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

Sample Model Number:

ECN2271CKFW2C 79SN G1LR KRB R TF


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Ganging Wall Unit	\$12,313							
	ECN2271CKFW2C Kneespace Cred.—Ganging	3255	22¼	72½	29½	—	—	234 lbs.	37.8
	ECN2071VSWHLWC Wardrobe Right—Ganging	2781	237/16	201/16	7015/16	—	—	175 lbs.	23.8
	ECN2071VSWHRWC Wardrobe Left—Ganging	2781	237/16	201/16	7015/16	—	—	175 lbs.	23.8
	ECN7250HBHPGW Highback Organizer—Glass Doors	3496	15½	72	2958	—	—	200 lbs.	41.7

Executive Unit Ganging



	Ganging Executive Unit	\$12,988							
ECN3673DLFBW1	Single Pedestal Desk	3198	36¼	72½	29½	—	4913/16	311 lbs.	57.4
ECN2548BEFW	48" Bridge	1089	2411/16	481/16	29½	—	481/16	85 lbs.	3.4
ECN2272CRFW1C	Single Ped. Cred.—Ganging	2684	22¼	71½	29½	—	4913/16	195 lbs.	37.8
ECN7230SOHMMW	Wall Mount Cabinet—Wood Doors	3140	15½	72	2958	—	—	150 lbs.	25.1
ECN2071VHR2WC	Storage Cabinet—Ganging	2877	237/16	201/16	7015/16	—	—	200 lbs.	23.8

Entertainment Wall Unit Ganging




	Ganging Entertainment Wall Unit	\$ 7952							
ECN3879VVHWC	TV/VCR Cabinet—Ganging	4772	237/16	383/16	78½	—	—	340 lbs.	48.9
ECN2071BCORWC	Open Bookcase—Ganging	1590	15¾	19½	7015/16	—	—	155 lbs.	17.7
ECN2071BCOLWC	Open Bookcase—Ganging	1590	15¾	19½	7015/16	—	—	155 lbs.	17.7

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen	Finish
ECN2271CKFW2C	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	G1LR	KRB	R	TF

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Round Table Top 	30" Round 19/16" Top Thickness		DI H		
	ECN30RDW Wood	\$ 1316	30 1/16 — 19 1/16 — —	33 lbs.	2.0
	36" Round				
	ECN36RDW Wood	\$ 1550	36 1/16 — 19 1/16 — —	45 lbs.	2.4
	42" Round				
	ECN42RDW Wood	\$ 1746	42 1/16 — 19 1/16 — —	74 lbs.	4.0
	48" Round				
	ECN48RDW Wood	\$ 2143	48 1/16 — 19 1/16 — —	94 lbs.	5.1
	• Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases • See Tables Price List pages 110-115 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 109 for options and upcharge				

Square Table Top 	30" Square 19/16" Top Thickness		D W H A KW		
	ECN3030SQW Wood	\$ 1316	30 1/16 30 1/16 19 1/16 — —	33 lbs.	2.0
	36" Square				
	ECN3636SQW Wood	\$ 1550	36 1/16 36 1/16 19 1/16 — —	45 lbs.	2.4
	42" Square				
	ECN4242SQW Wood	\$ 1746	42 1/16 42 1/16 19 1/16 — —	61 lbs.	3.2
	48" Square				
	ECN4848SQW Wood	\$ 2143	48 1/16 48 1/16 19 1/16 — —	79 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases • See Tables Price List pages 110-115 for coordinating conference table tops • Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 109 for options and upcharge				

Flourish®

Flourish

PRODUCT SPECIFICATIONS

WORKSURFACE

- 11/16" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard shaped profile
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Flourish series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- 3/4" thick modesty panels
- 11/16" thick end panels
- 3/4" inside panels
- Leveling glides – 2 on end panels, 1 on inside panel
- Back panels are finished on desks, bridges and returns only
- Grain direction runs vertical on all modesty panels

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS


- Two pull styles: Curved and Elongated
- Available in two colors: Black and Platinum Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are 1/2" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations for an additional upcharge

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Box Drawer—Desk, Return, Credenza	121 1/16"	17"	33 1/16"	N/A
File Drawer—Desk	121 1/16"	17"	9 1/2"	Letter
File Drawer—Return	121 1/16"	17"	9 1/2"	Letter
File Drawer—Credenza	121 1/16"	17"	9 1/2"	Letter
File Drawer—Lateral File	31 11/32"	15"	9 1/2"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.


WOOD FINISHES

- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE
SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILES




Fluted (TC)




Eased (TD)

PULL OPTIONS



Curved (83)

- 83MB Black
- 83PL Platinum Metallic
(Boring Pattern 128mm)



Elongated (84)

- 84MB Black
- 84PL Platinum Metallic
(Boring Pattern 128mm)


GROMMET OPTIONS

If no grommet is desired, specify an X
(No Grommet)

Round Grommet, Black Plastic

\$25 list for each grommet

- G13LR Left & Right
- G13C Center



Round Grommet
Plastic

LOCKING

Key Random

- KRB Black
- KRS Silver

Key Specific

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Rim Profile: Fluted

Pull: Curved, Black

Grommets: Included on bridges, returns and credenzas

Locking: Random black cores

Sheen: Standard

Finish: Must specify Amber (MC) or Cordovan (CW)

Flourish L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:

- Curved, Black pulls
- Fluted rim profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish


To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Curved, Black pulls



Fluted rim profile

L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Wood Top 	Q19N8772LLFW 8611/1D6x 72W	\$ 3713
	19N8772LLFW 8611/1D6x 72W	\$ 3713
	consists of	
	19N3672DRFW1 Right Pedestal Desk	2131
	19N2451RLEFW2 Left Pedestal Return	1582
	19N8067LLFW 797/1B x 66½W	\$ 3588
	consists of	
	19N3067DRFW1 Right Pedestal Desk	2006
	19N2451RLEFW2 Left Pedestal Return	1582

L-CONFIGURATIONS	Model No./Description	List Price
Right L-Configuration Wood Top 	Q19N8772LRFW 8611/1D6x 72W	\$ 3713
	19N8772LRFW 8611/1D6x 72W	\$ 3713
	consists of	
	19N3672DLFW1 Left Pedestal Desk	2131
	19N2451RREFW2 Right Pedestal Return	1582
	19N8067LRFW 797/1B x 66½W	\$ 3588
	consists of	
	19N3067DLFW1 Left Pedestal Desk	2006
	19N2451RREFW2 Right Pedestal Return	1582

L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Laminate Top 	19N8772LLFLW 8611/1D6x 72W	\$ 3526
	consists of	
	19N3672DRFLW1 Right Pedestal Desk	2023
	19N2451RLEFLW2 Left Pedestal Return	1503
	19N8067LLFLW 797/1B x 66½W	\$ 3406
	consists of	
	19N3067DRFLW1 Right Pedestal Desk	1903
	19N2451RLEFLW2 Left Pedestal Return	1503

L-CONFIGURATIONS	Model No./Description	List Price
Right L-Configuration Laminate Top 	19N8772LRFLW 8611/1D6x 72W	\$ 3526
	consists of	
	19N3672DLFLW1 Left Pedestal Desk	2023
	19N2451RREFLW2 Right Pedestal Return	1503
	19N8067LRFLW 797/1B x 66½W	\$ 3406
	consists of	
	19N3067DLFLW1 Left Pedestal Desk	1903
	19N2451RREFLW2 Right Pedestal Return	1503

Flourish U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


Arrangements Include:


- Curved, Black pulls
- Fluted rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish


To Order, Specify Finish:


IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				


To You In 10 Days or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration Wood Top 	Q19N11172ULFW 110½D x 72W	\$ 4360
	19N11172ULFW 110½D x 72W	\$ 4360
	consists of	
	19N3672DRFW1 Right Pedestal Desk	2131
	19N2451BEFW Bridge	531
	19N2472CLFW2 Left Pedestal Credenza	1698
	Q19N10572ULFW 1045/1B x 72W	\$ 4355
	19N10572ULFW 1045/1B x 72W	\$ 4355
	consists of	
	19N3672DRFW1 Right Pedestal Desk	2131
	19N2445BEFW Bridge	526
	19N2472CLFW2 Left Pedestal Credenza	1698
	19N10467ULFW 103¼D x 66½W	\$ 4110
	consists of	
	19N3067DRFW1 Right Pedestal Desk	2006
	19N2451BEFW Bridge	531
	19N2467CLFW2 Left Pedestal Credenza	1573
	19N9867ULFW 971/1B x 66½W	\$ 4105
	consists of	
	19N3067DRFW1 Right Pedestal Desk	2006
	19N2445BEFW Bridge	526
	19N2467CLFW2 Left Pedestal Credenza	1573

U-CONFIGURATIONS	Model No./Description	List Price
Right U-Configuration Wood Top 	Q19N11172URFW 110½D x 72W	\$ 4360
	19N11172URFW 110½D x 72W	\$ 4360
	consists of	
	19N3672DLFW1 Left Pedestal Desk	2131
	19N2451BEFW Bridge	531
	19N2472CRFW2 Right Pedestal Credenza	1698
	Q19N10572URFW 1045/1B x 72W	\$ 4355
	19N10572URFW 1045/1B x 72W	\$ 4355
	consists of	
	19N3672DLFW1 Left Pedestal Desk	2131
	19N2445BEFW Bridge	526
	19N2472CRFW2 Right Pedestal Credenza	1698
	19N10467URFW 103¼D x 66½W	\$ 4110
	consists of	
	19N3067DLFW1 Left Pedestal Desk	2006
	19N2451BEFW Bridge	531
	19N2467CRFW2 Right Pedestal Credenza	1573
	19N9867URFW 971/1B x 66½W	\$ 4105
	consists of	
	19N3067DLFW1 Left Pedestal Desk	2006
	19N2445BEFW Bridge	526
	19N2467CRFW2 Right Pedestal Credenza	1573

Left U-Configuration Laminate Top 	19N11172ULFLW 110½D x 72W	\$ 4081
	consists of	
	19N3672DRFLW1 Right Pedestal Desk	2023
	19N2451BEFLW Bridge	479
	19N2472CLFLW2 Left Pedestal Credenza	1579
	19N10572ULFLW 1045/1B x 72W	\$ 4076
	consists of	
	19N3672DRFLW1 Right Pedestal Desk	2023
	19N2445BEFLW Bridge	474
	19N2472CLFLW2 Left Pedestal Credenza	1579
	19N10467ULFLW 103¼D x 66½W	\$ 3847
	consists of	
	19N3067DRFLW1 Right Pedestal Desk	1903
	19N2451BEFLW Bridge	479
	19N2467CLFLW2 Left Pedestal Credenza	1465
	19N9867ULFLW 971/1B x 66½W	\$ 3842
	consists of	
	19N3067DRFLW1 Right Pedestal Desk	1903
	19N2445BEFLW Bridge	474
	19N2467CLFLW2 Left Pedestal Credenza	1465

Right U-Configuration Laminate Top 	19N11172URFLW 110½D x 72W	\$ 4081
	consists of	
	19N3672DLFLW1 Left Pedestal Desk	2023
	19N2451BEFLW Bridge	479
	19N2472CRFLW2 Right Pedestal Credenza	1579
	19N10572URFLW 1045/1B x 72W	\$ 4076
	consists of	
	19N3672DLFLW1 Left Pedestal Desk	2023
	19N2445BEFLW Bridge	474
	19N2472CRFLW2 Right Pedestal Credenza	1579
	19N10467URFLW 103¼D x 66½W	\$ 3847
	consists of	
	19N3067DLFLW1 Left Pedestal Desk	1903
	19N2451BEFLW Bridge	479
	19N2467CRFLW2 Right Pedestal Credenza	1465
	19N9867URFLW 971/1B x 66½W	\$ 3842
	consists of	
	19N3067DLFLW1 Left Pedestal Desk	1903
	19N2445BEFLW Bridge	474
	19N2467CRFLW2 Right Pedestal Credenza	1465

Flourish

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


Sample Model Numbers:

19N3672DLFW1	TC	83MB	G13LR	KRB	R	MC
19N3672DLFLW1	TC	83MB	G13LR	KRB	MC	
19N2451RLEFW2	TC	83PL	G13C	KRB	R	MH
19N2451RLEFLW2	TC	83PL	G13C	KRB	MH	
NAC2804SFBW	AC					

To You In
10 DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Double Pedestal Desk Arc Top	19N3672DDFAW8 Wood Top	\$ 2580	35¾	72¼	29	10½	4058	385 lbs.	50.3
	19N3672DDFALW8 TFL Top	2472	35¾	72¼	29	10½	4058	385 lbs.	50.3




- Depth of arc is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Double Pedestal Desk	Q19N3672DDFW8 Wood Top	\$ 2504	36¼	72¼	29	513/16	4058	385 lbs.	50.3
	19N3672DDFW8 Wood Top	2504	36¼	72¼	29	513/16	4058	385 lbs.	50.3
	19N3672DDFLW8 TFL Top	2402	36¼	72¼	29	513/16	4058	385 lbs.	50.3
	19N3067DDFW8 Wood Top	\$ 2388	29	66½	29	3¾	3478	287 lbs.	39.2
	19N3067DDFLW8 TFL Top	2285	29	66½	29	3¾	3478	287 lbs.	39.2
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								




Single Pedestal Desk Arc Top 	<i>Left Pedestal</i>	<i>Right Pedestal</i>										
	19N3672DLFAW1	19N3672DRFAW1	Wood Top	\$ 2193	35¾	72¼	29	101/8	551/8	277 lbs.	50.3	
	19N3672DLFALW1	19N3672DRFALW1	TFL Top	2085	35¾	72¼	29	101/8	551/8	277 lbs.	50.3	



Left shown

- Depth of arc is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Single Pedestal Desk  Left shown	<i>Left Pedestal</i>		<i>Right Pedestal</i>								
	Q19N3672DLFW1	Q19N3672DRFW1	Wood Top	\$ 2131	36¼	72¼	29	513/16	551/8	267 lbs.	50.3
	19N3672DLFW1	19N3672DRFW1	Wood Top	2131	36¼	72¼	29	513/16	551/8	267 lbs.	50.3
	19N3672DLFLW1	19N3672DRFLW1	TFL Top	2023	36¼	72¼	29	513/16	551/8	267 lbs.	50.3
19N3067DLFW1	19N3067DRFW1	Wood Top	\$ 2006	29	66½	29	3¾	493/8	236 lbs.	39.2	
19N3067DLFLW1	19N3067DRFLW1	TFL Top	1903	29	66½	29	3¾	493/8	236 lbs.	39.2	




Left shown

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N3672DLFW1	TC	83MB	G13LR	KRB	R	MC

	Model No./Description	List Price	Dimensions D W H	A	KW	Cartoned Weight	Cubic Feet
U-Shaped Desk	19N3672DUW Wood Top	\$ 1586	367/8 72¼ 29	1715/16	—	139 lbs.	5.9
	19N3672DULW TFL Top	1478	367/8 72¼ 29	1715/16	—	139 lbs.	5.9



- Not recommended as a freestanding unit
- Support base must be ordered separately, see below for support base options
- Some assembly required

U-Shaped Desk with Modesty	19N3672DUFW Wood Top	\$ 1847	367/8 72¼ 29	1715/16	—	161 lbs.	5.9
	19N3672DUFLW TFL Top	1739	367/8 72¼ 29	1715/16	—	161 lbs.	5.9



- Not recommended as a freestanding unit
- Must specify support base; see below for support base options
- Some assembly required

Support Bases		DI		H			
	NAC2804SFB Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs. 1.0
	NAC2804SFB5 Platinum Metallic	267	4	—	27¾-29¼	—	10 lbs. 1.0
	NAC2804SFBW Wood	486	4	—	27¾-29¼	—	6 lbs. 1.0



	D	W	H	A	KW
NAC2812SHB Wood Half	6	117/8	27¾	—	—

- Adjustable glide standard
- Specify veneer finish for wood support bases

Return File/File	Left Pedestal	Right Pedestal								
	Q19N2451RLEFW2	Q19N2451RREFW2	Wood Top	\$ 1582	239/16	507/16	29	¼	3338	163 lbs. 24.9
	19N2451RLEFW2	19N2451RREFW2	Wood Top	1557	239/16	507/16	29	¼	3338	163 lbs. 24.9
	19N2451RLEFLW2	19N2451RREFLW2	TFL Top	1478	239/16	507/16	29	¼	3338	163 lbs. 24.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Left shown

Flourish

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

19N2451BEFW TC G13C N MC
19N2451BEFLW TC G13C MC
19N2472CLFW2 TD 84MB X KRB N MC
19N2472CLFLW2 TD 84MB X KRB MC
19N7236HBHW TC KRB CL


To You In
10
DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
Bridge 	Q19N2451BEFW	Wood Top	\$ 531	239/16	5011/16	29	¼	485/16	78 lbs.	3.3			
	19N2451BEFW	Wood Top	506	239/16	5011/16	29	¼	485/16	78 lbs.	3.3			
	19N2451BEFLW	TFL Top	454	239/16	5011/16	29	¼	485/16	78 lbs.	3.3			
	Q19N2445BEFW	Wood Top	\$ 526	239/16	44½	29	¼	421/8	64 lbs.	3.0			
	19N2445BEFW	Wood Top	501	239/16	44½	29	¼	421/8	64 lbs.	3.0			
	19N2445BEFLW	TFL Top	449	239/16	44½	29	¼	421/8	64 lbs.	3.0			
• Some assembly required • Grain direction runs front-to-back on worksurface • Grommet (G13C) available													
Storage Credenza 	Q19N2472CSFW2	Wood Top	\$ 2565	239/16	72¼	29	7/16	—	320 lbs.	34.4			
	19N2472CSFW2	Wood Top	2515	239/16	72¼	29	7/16	—	320 lbs.	34.4			
	19N2472CSFLW2	TFL Top	2301	239/16	72¼	29	7/16	—	320 lbs.	34.4			
	19N2467CSFW2	Wood Top	\$ 2395	239/16	66½	29	7/16	—	299 lbs.	31.1			
	19N2467CSFLW2	TFL Top	2183	239/16	66½	29	7/16	—	299 lbs.	31.1			
• Features an adjustable shelf measuring 12" deep, 32¾" wide, and 1" thick • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available													
Kneespace Credenza 	Q19N2472CKFW2	Wood Top	\$ 2287	239/16	72¼	29	7/16	405/8	270 lbs.	34.4			
	19N2472CKFW2	Wood Top	2262	239/16	72¼	29	7/16	405/8	270 lbs.	34.4			
	19N2472CKFLW2	TFL Top	2154	239/16	72¼	29	7/16	405/8	270 lbs.	34.4			
	19N2467CKFW2	Wood Top	\$ 2114	239/16	66½	29	7/16	347/8	257 lbs.	31.1			
	19N2467CKFLW2	TFL Top	1989	239/16	66½	29	7/16	347/8	257 lbs.	31.1			
• Grommet (G13C) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available													
Single Pedestal Credenza File/File 	Left Pedestal		Right Pedestal										
	Q19N2472CLFW2	Q19N2472CRFW2	Wood Top	\$ 1698	239/16	72¼	29	7/16	551/8	234 lbs.	34.4		
	19N2472CLFW2	19N2472CRFW2	Wood Top	1648	239/16	72¼	29	7/16	551/8	234 lbs.	34.4		
	19N2472CLFLW2	19N2472CRFLW2	TFL Top	1529	239/16	72¼	29	7/16	551/8	234 lbs.	34.4		
	19N2467CLFW2	19N2467CRFW2	Wood Top	\$ 1523	239/16	66½	29	7/16	493/8	212 lbs.	31.1		
Left shown	19N2467CLFLW2	19N2467CRFLW2	TFL Top	1415	239/16	66½	29	7/16	493/8	212 lbs.	31.1		
• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available													


Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
19N2451BEFW	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	TC		G13C		N	MC

	Model No./Description	List Price	Dimensions D W H	A	KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Lateral File  Left shown	<i>Left Pedestal</i>						
	19N2472CLFW6	19N2472CRFW6	Wood Top	\$ 2017	23 ⁹ / ₁₆ 72 ¹ / ₄ 29	7 ¹ / ₁₆ 35 ¹ / ₂	246 lbs. 34.4
	19N2472CLFLW6	19N2472CRFLW6	TFL Top	1909	23 ⁹ / ₁₆ 72 ¹ / ₄ 29	7 ¹ / ₁₆ 35 ¹ / ₂	246 lbs. 34.4
	19N2467CLFW6	19N2467CRFW6	Wood Top	\$ 1898	23 ⁹ / ₁₆ 66 ¹ / ₂ 29	7 ¹ / ₁₆ 29 ³ / ₄	236 lbs. 31.1
	19N2467CLFLW6	19N2467CRFLW6	TFL Top	1795	23 ⁹ / ₁₆ 66 ¹ / ₂ 29	7 ¹ / ₁₆ 29 ³ / ₄	236 lbs. 31.1
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available						

Highback Organizer  19½"	Q19N7236HBHW	\$ 1705	14 ⁹ / ₁₆ 72 ¹ / ₈ 35 ⁷ / ₈	—	—	182 lbs.	25.6
	19N7236HBHW	1705	14 ⁹ / ₁₆ 72 ¹ / ₈ 35 ⁷ / ₈	—	—	182 lbs.	25.6
	19N6636HBHW	\$ 1619	14 ⁹ / ₁₆ 66 ³ / ₈ 35 ⁷ / ₈	—	—	171 lbs.	23.5
	• Highback organizer features (4) side hinge doors, full back panels with cord management • Standard round grommet is located in center of back panel • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available						

Overhead Cabinet Wall Mount



Q19N3618SOHWW	\$ 909	14 ¹ / ₈	35 ¹⁵ / ₁₆	17 ⁷ / ₈	—	—	68 lbs.	9.9
19N3618SOHWW	909	14 ¹ / ₈	35 ¹⁵ / ₁₆	17 ⁷ / ₈	—	—	68 lbs.	9.9
19N3018SOHWW	\$ 842	14 ¹ / ₈	29 ¹⁵ / ₁₆	17 ⁷ / ₈	—	—	60 lbs.	8.5
ABWMD	48" Wall Mount Kit	\$ 59	½	48	2	—	2 lbs.	0.1
ABWME	72" Wall Mount Kit	62	½	72	2	—	4 lbs.	0.1

• Wall mount bracket, for attachment to wall, is included

• It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed

• Rim detail is on front edge of cabinet only

• For tack board models, see pages 370-378

• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Numbers:

19N2436LFF2W	TC	83PL	KRB	R	CL
19N2436PFHW	TD	84PL	KRB	R	DW
19N1865VSWHLW	TD	DW			
19N42RDW	TD	G10C	R		AC
19N42RDLW	TD	X	AC		

To You In
10 DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
Lateral File Two Drawer 	Q19N2436LFF2W Wood Top	\$ 1386	239/16	36	29	—	—	160 lbs.	17.0			
	19N2436LFF2W Wood Top	1386	239/16	36	29	—	—	160 lbs.	17.0			
	19N2436LFF2LW TFL Top	1331	239/16	36	29	—	—	160 lbs.	17.0			
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											
Lateral File Three Drawer 	19N2436LFF3W Wood Top	\$ 1808	239/16	36	4338	—	—	248 lbs.	31.9			
	19N2436LFF3LW TFL Top	1751	239/16	36	4338	—	—	248 lbs.	31.9			
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
Lateral File Four Drawer 	19N2436LFF4W Wood Top	\$ 2262	239/16	36	5638	—	—	282 lbs.	32.0			
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
Double Door Unit 	19N2436PFHW Wood Top	\$ 1392	239/16	36	29	—	—	156 lbs.	17.0			
	19N2436PFHLW TFL Top	1336	239/16	36	29	—	—	156 lbs.	17.0			
	• Unit features an adjustable shelf • Grommets not available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
Single Storage Wardrobe Cabinet 	Left Hinged	Right Hinged										
	19N1865VSWHLW	19N1865VSWHRW	\$ 1978	2023/32	1815/32	65	—	—	197 lbs.	17.9		
	• Can be used as a wardrobe unit by removing the 4 adjustable shelves • Removable coat rod is standard											


Left shown

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Locking	Sheen (wood tops only)	Finish
	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N2436LFF2W	TC	83PL	KRB	R	CL

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Bookcase 	Q19N3666BC0FW	\$ 1249	12¾ 363/16 65½ — —	129 lbs.	30.3
	19N3666BC0FW	1249	12¾ 363/16 65½ — —	129 lbs.	30.3

- Shaded shelves are adjustable

Bookcase Set-On 	Q19N3636BC0W	\$ 886	12¾ 3515/16 357/8 — —	76 lbs.	17.2
	19N3636BC0W	886	12¾ 3515/16 357/8 — —	76 lbs.	17.2

- Shaded shelves are adjustable
- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shelves can be adjusted 2½" up or down

Round Table Top	42" Round	11/16" Top Thickness	DI	H					
	19N42RDW	Wood Top	\$ 863	42	—	11/16	—	—	54 lbs. 3.2

42" Round	1" Top Thickness								
19N42RDLW	TFL Top	\$ 767	42	—	1	—	—	54 lbs.	3.2

- Reference Table Base Guide in the Tables Price List on page 30-31 for applicable bases
- Grommet option available on round tops is G10C, reference Tables Price List page 117 for options and upcharge

Hiland™

PRODUCT SPECIFICATIONS

WORKSURFACE

- 131⁄16" slipmatched cherry and maple veneer
- 131⁄16" bookmatched walnut veneer
- Solid wood rims, shaped on approach and user side
- Three rim options including Taper, Pillar and Reed
- Grain direction runs left-to-right unless noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Hiland series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals and modesty panels
- ¾" thick modesty panels
- 11⁄16" thick end panels
- Standard leveling glides
- Grain direction runs vertical
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

SHELVES

- Shelves behind doored units will be laminate
- Shelves on open bookcases will be veneer

PULLS

- Available in three pull styles: bar, triangle and crescent
- Available in two colors: Platinum Metallic and Cinder

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING


- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

Drawer Description	Interior Dimensions		Height	Front-To-Back Filing Capabilities
	Width	Depth		
Box Drawer—Desk	121⁄16"	17"	31⁄8"	N/A
File Drawer—Desk	121⁄16"	17"	9½"	Letter
Box Drawer—Return	121⁄16"	17"	31⁄8"	N/A
File Drawer—Return	121⁄16"	17"	9½"	Letter
Box Drawer—Credenza	151⁄16"	17"	31⁄8"	N/A
File Drawer—Credenza	151⁄16"	17"	9½"	Legal
File Drawer—Lateral File	3111⁄32"	15"	9½"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.



CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models


WOOD FINISHES

- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha


WORKSURFACE SHEEN OPTIONS

- R Standard
- N Matte/Satin


RIM PROFILE OPTIONS



Taper (T1)



Pillar (T2)



Reed (T3)

PULL OPTIONS



Triangle (1)

- 1MB Cinder
- 1PL Platinum Metallic
(Boring Pattern 32mm)



Crescent (2)

- 2MB Cinder
- 2PL Platinum Metallic
(Boring Pattern 32mm)



Bar (3)


- 3MB Cinder
- 3PL Platinum Metallic
(Boring Pattern 32mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black

- G13LR Left & Right
- G13C Center



Round Grommet Plastic

LOCKING

Key Random

- KRB Black
- KRS Silver

Key Specific

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

Hiland L Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Arrangements Include:

- Bar, Cinder pulls
- Reed rim profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				



L-CONFIGURATIONS	Model No./Description	List Price	L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration	35N8772LLFW 86½D x 71¾W \$ 4604		Right L-Configuration	35N8772LRFW 86½D x 71¾W \$ 4604	
	consists of			consists of	
	35N3672DRFW1 Right Pedestal Desk 2682			35N3672DLFW1 Left Pedestal Desk 2682	
	35N2451RLEFW2 Left Pedestal Return 1922			35N2451RREFW2 Right Pedestal Return 1922	
	35N8072LLFW 79½D x 71¾W \$ 4491			35N8072LRFW 79½D x 71¾W \$ 4491	
	consists of			consists of	
	35N3672DRFW1 Right Pedestal Desk 2682			35N3672DLFW1 Left Pedestal Desk 2682	
	35N2444RLEFW2 Left Pedestal Return 1809			35N2444RREFW2 Right Pedestal Return 1809	
	35N8166LLFW 80½D x 66W \$ 4400			35N8166LRFW 80½D x 66W \$ 4400	
	consists of			consists of	
	35N3066DRFW1 Right Pedestal Desk 2478			35N3066DLFW1 Left Pedestal Desk 2478	
	35N2451RLEFW2 Left Pedestal Return 1922			35N2451RREFW2 Right Pedestal Return 1922	
	35N7466LLFW 73½D x 66W \$ 4287			35N7466LRFW 73½D x 66W \$ 4287	
	consists of			consists of	
	35N3066DRFW1 Right Pedestal Desk 2478			35N3066DLFW1 Left Pedestal Desk 2478	
	35N2444RLEFW2 Left Pedestal Return 1809			35N2444RREFW2 Right Pedestal Return 1809	

Hiland U Arrangements


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.



Arrangements Include:

- Bar, Cinder pulls
- Reed rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

To Order, Specify Finish:

IM	Brighton	TF	Truffle	CW	Cordovan
NM	Natural	AC	Autumn	DW	Judicial
HN	Honey	MC	Amber	MH	Mocha
CL	Caramel				








U-CONFIGURATIONS	Model No./Description	List Price	U-CONFIGURATIONS	Model No./Description	List Price
Left U-Configuration	35N10672ULFW 105¼D x 71¾W \$ 5369		Right U-Configuration	35N10672URFW 105¼D x 71¾W \$ 5369	
	consists of			consists of	
	35N3672DRFW1 Right Pedestal Desk 2682			35N3672DLFW1 Left Pedestal Desk 2682	
	35N2448BEFW Bridge 643			35N2448BEFW Bridge 643	
	35N2172CLFW2 Left Pedestal Credenza 2044			35N2172CRFW2 Right Pedestal Credenza 2044	
	35N10072ULFW 99¼D x 71¾W \$ 5322			35N10072URFW 99¼D x 71¾W \$ 5322	
	consists of			consists of	
	35N3672DRFW1 Right Pedestal Desk 2682			35N3672DLFW1 Left Pedestal Desk 2682	
	35N2442BEFW Bridge 596			35N2442BEFW Bridge 596	
	35N2172CLFW2 Left Pedestal Credenza 2044			35N2172CRFW2 Right Pedestal Credenza 2044	
	35N10066ULFW 99¼D x 66W \$ 5080			35N10066URFW 99¼D x 66W \$ 5080	
	consists of			consists of	
	35N3066DRFW1 Right Pedestal Desk 2478			35N3066DLFW1 Left Pedestal Desk 2478	
	35N2448BEFW Bridge 643			35N2448BEFW Bridge 643	
	35N2166CLFW2 Left Pedestal Credenza 1959			35N2166CRFW2 Right Pedestal Credenza 1959	
	35N9466ULFW 93¼D x 66W \$ 5033			35N9466URFW 93¼D x 66W \$ 5033	
	consists of			consists of	
	35N3066DRFW1 Right Pedestal Desk 2478			35N3066DLFW1 Left Pedestal Desk 2478	
	35N2442BEFW Bridge 596			35N2442BEFW Bridge 596	
	35N2166CLFW2 Left Pedestal Credenza 1959			35N2166CRFW2 Right Pedestal Credenza 1959	

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

35N3672DLFW1 T1 1MB X KRB N MH
35N3672DUFW T2 R CL


	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	35N3672DDFAW8	\$ 3791	35¾	71¾	29½	101/8	397/8	320 lbs.	57.4	
	• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
	35N3672DDFW8	\$ 3160	35¾	71¾	29½	101/8	397/8	361 lbs.	57.4	
	35N3066DDFW8	3033	29¾	66	29½	41/8	397/8	285 lbs.	45.3	
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
	Left Pedestal	Right Pedestal								
	35N3672DLFAW1	35N3672DRFAW1	\$ 3316	35¾	71¾	29½	101/8	545/8	270 lbs.	57.4
	• Depth of arc top is 35¾" at its widest point • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
	Left Pedestal	Right Pedestal								
	35N3672DLFW1	35N3672DRFW1	\$ 2682	35¾	71¾	29½	101/8	545/8	311 lbs.	57.4
	35N3066DLFW1	35N3066DRFW1	2478	29¾	66	29½	41/8	487/8	246 lbs.	45.3
• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available										
	35N3672DUW	\$ 2219	35¾	71¾	29½	—	54	140 lbs.	5.9	
	• Not recommended as a freestanding unit • Must specify support base; see page 232 for support base options • Some assembly required • Grommet not available									

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N3672DLFW1	T1	1MB	X	KRB	N	MH

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
--	-----------------------	------------	--------------------------	-----------------	------------


U-Shaped Desk with Modesty



35N3672DUFW	w/modesty	\$ 2609	35¼ 71¼ 29½ — 54	162 lbs.	5.9
-------------	-----------	---------	------------------	----------	-----

- Not recommended as a freestanding unit
- Must specify support base; see page 232 for support base options
- Some assembly required
- Grommet not available

P-Shaped Desk




Left shown

Left P	Right P									
35N3072DPLW	35N3072DPRW	\$ 2389	29¼	71¼	29½	—	54	125 lbs.	5.9	

- Not recommended as a freestanding unit
- Must specify support base; see page 232 for support base models
- Some assembly required
- "P" faces approach side for conferencing use
- Grommet not available

P-Shaped Desk with Modesty



Right shown

Left P	Right P									
35N3072DPLFW	35N3072DPRFW	\$ 2773	29¼	71¼	29½	—	54	149 lbs.	5.9	




- Not recommended as a freestanding unit
- Must specify support base; see page 232 for support base models
- Some assembly required
- "P" faces approach side for conferencing use
- Grommet not available

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter

Sample Model Number:

35N2444RREFW2 T3 3MB G13C KRB N AC

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			DI	H						
	NAC2804SFB	Cinder	\$ 267	4	—	27¾-29¼	—	10 lbs.	1.0	
	NAC2804SFB5	Platinum Metallic	267	4	—	27¾-29¼	—	10 lbs.	1.0	
	NAC2804SFBW	Wood	486	4	—	27¾-29¼	—	6 lbs.	1.0	
			D	W	H	A	KW			
	NAC2812SHB	Wood Half	\$ 608	6	117/8	27¾	—	—	13 lbs.	2.6
- Adjustable glide standard - Specify veneer finish for wood support bases										
Corner Unit	35N4242CFSW	\$ 1824	42	42	29½	1/16	257/16	166 lbs.	6.9	
	- Not recommended as a freestanding unit due to routing in the rim - Front edge is 255/8 - Unit can be attached to bridge, return and multi-file return only - Some assembly required - Grain direction runs diagonal across worksurface - Grommet (G13C) available									
Transaction Counter Desk Unit	35N1472TCW	\$ 821	14¾	7121/32	153/16	—	—	70 lbs.	2.5	
	35N1466TCW	740	14¾	6529/32	153/16	—	—	71 lbs.	2.3	
	- Some assembly required - Transaction surface spans over the desk only									
Transaction Counters L Unit	35N7286TCW	\$ 1182	863/16	7121/32	153/16	—	—	106 lbs.	3.4	
	35N6680TCW	1105	80¾	6529/32	153/16	—	—	97 lbs.	3.2	
	- Some assembly required - Transaction surface spans over desk, while privacy is added to return									


Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N2444RREFW2	T3	3MB	G13C	KRB	N	AC

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Return Box/Box/File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	35N2451RLEFW1	35N2451RREFW1	\$ 1922	23¾ 50¾ 29½ 1/16 35 1/16	169 lbs. 30.1
	35N2444RLEFW1	35N2444RREFW1	1809	23¾ 43¾ 29½ 1/16 30 1/16	156 lbs. 25.9


- Grain direction runs front-to-back on the worksurface
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Left shown

Return File/File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	35N2451RLEFW2	35N2451RREFW2	\$ 1922	23¾ 50¾ 29½ 1/16 35 1/16	169 lbs. 30.1
	35N2444RLEFW2	35N2444RREFW2	1809	23¾ 43¾ 29½ 1/16 30 1/16	156 lbs. 25.9


- Grain direction runs front-to-back on the worksurface
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Left shown

Return Multi-File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>			
	35N2472RLEFW10	35N2472RREFW10	\$ 2528	23¾ 71¾ 29½ 1/16 36	197 lbs. 40.6

- Units can be attached to corner unit, single pedestal desk, keyhole or U-shaped desks only
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Left shown

Bridge 	35N2448BEFW	\$ 643	23¾ 48½ 29½ 1/16 48½	73 lbs. 3.1
	35N2442BEFW	596	23¾ 42½ 29½ 1/16 42½	67 lbs. 2.8






- Grain direction runs front-to-back on the worksurface
- Some assembly required
- Grommet (G13C) available

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

35N2166CKFW2 T2 1PL G13LR KRB N MC
35N2472CLFW10 T3 2MB X KRB R CW

	Model No./Description	List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
Storage Credenza 	35N2172CSFW2	\$ 2947	21	71¾	29½	1/16	—	309 lbs.	36.4			
	35N2166CSFW2	2690	21	66	29½	1/16	—	308 lbs.	33.6			
	• Features an adjustable shelf which measures 12" deep, 32¾" wide and 1" thick • Grommet (G13LR) available • Unfinished back panel • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											
Kneespace Credenza 	35N2172CKFW2	\$ 2813	21	71¾	29½	1/16	337/8	252 lbs.	36.4			
	35N2166CKFW2	2607	21	66	29½	1/16	277/8	241 lbs.	33.6			
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											
Single Pedestal Credenza Box/Box/File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>										
	35N2172CLFW1	35N2172CRFW1	\$ 2044	21	71¾	29½	1/16	515/8	232 lbs.	36.4		
	35N2166CLFW1	35N2166CRFW1	1959	21	66	29½	1/16	457/8	201 lbs.	33.6		
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
Single Pedestal Credenza File/File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>										
	35N2172CLFW2	35N2172CRFW2	\$ 2044	21	71¾	29½	1/16	515/8	232 lbs.	36.4		
	35N2166CLFW2	35N2166CRFW2	1959	21	66	29½	1/16	457/8	201 lbs.	33.6		
	• Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
Single Pedestal Credenza Lateral File 	<i>Left Pedestal</i>	<i>Right Pedestal</i>										
	35N2172CLFW6	35N2172CRFW6	\$ 2211	21	71¾	29½	1/16	34¾	252 lbs.	36.4		
	35N2166CLFW6	35N2166CRFW6	2127	21	66	29½	1/16	29¼	241 lbs.	33.6		
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommet (G13LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available											

Left shown


Left shown

Left shown

Left shown


Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N2166CKFW2	T2	1PL	G13LR	KRB	N	MC


	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Multi-File 	<i>Left Pedestal</i>				
	<i>Right Pedestal</i>				
	35N2472CLFW10 35N2472CRFW10	\$ 2720	23¾ 71¾ 29½ 1/16 34¾	279 lbs.	40.6

Left shown

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Highback Organizer 	35N7236HBHW	\$ 2119	14¾ 715/8 36 1/16 —	183 lbs.	36.2
	35N6636HBHW	2014	14¾ 655/8 36 1/16 —	171 lbs.	33.5
	• Highback organizers feature (4) side hinged doors, full back panels with cord management and finished backs • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available				

Overhead Cabinet Wall Mount 	35N3618S0HM	\$ 1173	14¾ 357/8 18 1/16 —	70 lbs.	9.7
	35N3018S0HM	1105	14¾ 2915/16 18 1/16 —	113 lbs.	8.2
	• Wall mount bracket, for attachment to wall, is included • National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed • For tack board models, see pages 370-378 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available				





Lateral File Two Drawer 	35N2136LFF2W	\$ 1623	21 35¾ 29½ 1/16 —	141 lbs.	15.6
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available				

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

35N2136LFF4W	T2	3MB	KRB	MC
35N3636BCOW	T1	CW		


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Lateral File Three Drawer 	35N2136LFF3W	\$ 2262	21	35½	43½	1/16	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Lateral File Four Drawer 	35N2136LFF4W	\$ 2898	21	35¾	55½	1/16	—	268 lbs.	29.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Double Door Unit 	35N2136PFHW	\$ 1451	21	35¾	29½	1/16	—	138 lbs.	15.6
	• Double door unit features an adjustable shelf • Grommet option not available • Unfinished back panel • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
Entertainment Cabinet (Shown on Double Door Unit) 	35N3636V0VHW	\$ 2557	21	3525/32	36	—	—	144 lbs.	19.1
	Inside Dimensions		1811/32	347/32	341/16				
	• Entertainment cabinet can sit on top of double door unit • Entertainment cabinet has one adjustable shelf • From top of bottom panel to bottom of shelf (in its lowest position), the height is 311/16 • From top of shelf (in its lowest position) to bottom of top panel, the height is 291/8; height between the shelf holes is 2½"; each time a shelf is moved, the 311/16 and 291/8 dimensions will increase/decrease 2½"; there are 10 adjustment holes • Unit has an unfinished back • Unit doors have a 170° hinge • Do not specify sheen option; features standard sheen • Includes grommets in back panel for wire access and venting • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Grommet Option	Locking	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Platinum Metallic 2MB Crescent, Cinder 2PL Crescent, Platinum Metallic 3MB Bar, Cinder 3PL Bar, Platinum Metallic	G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N2136LFF4W	T2	3MB		KRB		MC

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------

Single Storage Cabinet/Wardrobe



Left shown


Left Hinged

Right Hinged

35N1866VSWHLW	35N1866VSWHRW	\$ 2129	21 181/32 65½ — —	160 lbs. 23.6
Inside Dimensions			1811/32 16½ 617/32 — —	

- Single storage cabinet can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod is standard
- Unit has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


Bookcase



35N3666BCOFW	\$ 1666	1131/32 3558 65½ — —	129 lbs. 30.3
--------------	---------	----------------------	---------------

- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Shelves can be adjusted 2½" up or down
- Bookcase has an unfinished back


Bookcase Set-On



35N3636BCOW	\$ 1019	1131/32 3558 36 — —	76 lbs. 17.2
-------------	---------	---------------------	--------------

- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Shelves can be adjusted 2½" up or down
- Bookcase has an unfinished back


Printer/Telephone Stand



35N2430PTW	\$ 1196	23¾ 29¾ 29½ 1/16 2738	94 lbs. 18.7
MPK-4	Set of 4 Casters	65	For use as a mobile unit 1 lbs. 0.2

- Open back
- Grommet (G13C) available


Computer Table



35N2451CTW	\$ 1196	23¾ 51 29½ 1/16 4938	140 lbs. 24.4
MPK-4	Set of 4 Casters	65	For use as a mobile unit 4 lbs. 0.2

- Grommet (G13C) available

Dimension Key
D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Round Table Top 	30" Round	13/16" Top Thickness		DI		H				
	35N30RDW	Wood	\$ 1024	30	—	13/16	—	—	33 lbs.	2.0
	36" Round									
	35N36RDW	Wood	\$ 1204	35 1/8	—	13/16	—	—	42 lbs.	2.4
	42" Round									
	35N42RDW	Wood	\$ 1487	42 1/2	—	13/16	—	—	58 lbs.	3.2
	48" Round									
	35N48RDW	Wood	\$ 1845	48	—	13/16	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 27-32 for applicable bases
- Grommet options available on round tops are G10C and CUT-G15C, reference Tables Price List page 121 for options and upcharge

Roosevelt™

Roosevelt

PRODUCT SPECIFICATIONS

WORKSURFACE

- 11/16" bookmatched walnut veneer or 1" TFL (thermally fused laminate) worksurface
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Roosevelt series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- 3/4" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- 3/4" thick end panels
- Standard leveling glides
- Back panels are finished on desks, bridges, corner units and returns only

MOLDING

- Solid wood, mitered, overlay moldings optional on modesty panels of desks only (excluding reception desk)

PULLS


- Available with one pull: Scroll with matching knob for highbacks and wardrobes
- Available in two colors: Antique Brass or Classic Nickel

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are 1/2" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets available in predetermined locations for an additional upcharge
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers
- Wire management cutout included on inside pedestal panel for routing of wires from pedestal to kneespace area when grommet is featured on surface

LOCKING

- Black lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 358

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

Drawer Description	Interior Dimensions Width	Depth	Height	Front-To-Back Filing Capabilities
Dictation Slide	1311/16	24 1/4"	3/4"	N/A
Center Drawers				
3672DP, 3066DP	28 1/2"	17"	27 7/8"	N/A
3672LP, 3672RP	28 1/2"	17"	27 7/8"	N/A
3066LP, 3066RP	22 3/4"	17"	27 7/8"	N/A
Box Drawer	121 1/16	17"	31 1/8"	N/A
File Drawer – Desk	121 1/16	17"	9 1/2"	Letter
File Drawer – Return and Credenza	151 1/16	17"	9 1/2"	Legal
File Drawer – Lateral File	301 1/16	15"	9 1/2"	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

WOOD FINISHES

TF Truffle
CW Cordovan
DW Judicial
MH Mocha


**WORKSURFACE
SHEEN OPTIONS**

R Standard
N Matte/Satin

MOLDING (Desks Only)

M Molding
X No molding

RIM PROFILE



PULL/KNOB



Scroll (82)

82AB Antique Brass
82CN Classic Nickel
(Boring Pattern 102mm)


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

\$25 list for each grommet

G13C Center
G13LR Left & Right



**Round Grommet
Plastic**

LOCKING

Key Random

KRB Black

Key Specific

KS1B Black, 1 lock per unit
KS2B Black, 2 locks per unit
KS3B Black, 3 locks per unit
KS4B Black, 4 locks per unit

Unit list price will be reduced by \$14 per lock when selecting Key Specific option. Must order specific lock cores separately (\$14 list each). See page 358 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Rim Profile: Traditional

Molding: Included on desks only

Pull: Scroll 82AB Antique Brass

Grommets: Included on bridges, returns and credenzas

Locking: Random black cores

Sheen: Standard

Finish: Cordovan (CW)

Roosevelt L Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Scroll, Antique Brass pulls
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish





To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha

To You In 10 DAYS or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Scroll, Antique Brass pulls

L-CONFIGURATIONS	Model No./Description	List Price	L-CONFIGURATIONS	Model No./Description	List Price
Left L-Configuration Wood Top	51N8672LLFW 85¾D x 71¾W \$ 4152		Right L-Configuration Wood Top	51N8672LRFW 85¾D x 71¾W \$ 4152	
	consists of			consists of	
	51N3672DRFW1 Right Pedestal Desk 2394			51N3672DLFW1 Left Pedestal Desk 2394	
	51N2450RLEFW2 Left Pedestal Return 1758			51N2450RREFW2 Right Pedestal Return 1758	
	51N8066LLFW 79¾D x 66W \$ 3907			51N8066LRFW 79¾D x 66W \$ 3907	
	consists of			consists of	
	51N3066DRFW1 Right Pedestal Desk 2149			51N3066DLFW1 Left Pedestal Desk 2149	
	51N2450RLEFW2 Left Pedestal Return 1758			51N2450RREFW2 Right Pedestal Return 1758	
Left L-Configuration Laminate Top	Q51N8672LLFLW 85¾D x 71¾W \$ 3858		Right L-Configuration Laminate Top	Q51N8672LRFLW 85¾D x 71¾W \$ 3858	
	51N8672LLFLW 85¾D x 71¾W \$ 3858			51N8672LRFLW 85¾D x 71¾W \$ 3858	
	consists of			consists of	
	51N3672DRFLW1 Right Pedestal Desk 2218			51N3672DLFLW1 Left Pedestal Desk 2218	
	51N2450RLEFLW2 Left Pedestal Return 1640			51N2450RREFLW2 Right Pedestal Return 1640	
	51N8066LLFLW 79¾D x 66W \$ 3622			51N8066LRFLW 79¾D x 66W \$ 3622	
	consists of			consists of	
	51N3066DRFLW1 Right Pedestal Desk 1982			51N3066DLFLW1 Left Pedestal Desk 1982	
	51N2450RLEFLW2 Left Pedestal Return 1640			51N2450RREFLW2 Right Pedestal Return 1640	

Roosevelt U Arrangements

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

Arrangements Include:

- Scroll, Antique Brass pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish





To Order, Specify Finish:

TF Truffle DW Judicial
CW Cordovan MH Mocha

To You In 10 DAYS ...or Less
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Scroll, Antique Brass pulls

U-CONFIGURATIONS		Model No./Description	List Price	U-CONFIGURATIONS		Model No./Description	List Price
Left U-Configuration Wood Top		51N10772ULFW 106¾D x 71¾W	\$ 5333	Right U-Configuration Wood Top		51N10772URFW 106¾D x 71¾W	\$ 5333
		consists of				consists of	
		51N3672DRFW1 Right Pedestal Desk	2394			51N3672DLFW1 Left Pedestal Desk	2394
		51N2450BEFW Bridge	789			51N2450BEFW Bridge	789
		51N2172CLFW2 Left Pedestal Credenza	2150			51N2172CRFW2 Right Pedestal Credenza	2150
		51N9972ULFW 98¾D x 71¾W	\$ 5288			51N9972URFW 98¾D x 71¾W	\$ 5288
		consists of				consists of	
		51N3672DRFW1 Right Pedestal Desk	2394			51N3672DLFW1 Left Pedestal Desk	2394
		51N2442BEFW Bridge	744			51N2442BEFW Bridge	744
		51N2172CLFW2 Left Pedestal Credenza	2150			51N2172CRFW2 Right Pedestal Credenza	2150
		51N10166ULFW 100¾D x 66W	\$ 4783			51N10166URFW 100¾D x 66W	\$ 4783
		consists of				consists of	
		51N3066DRFW1 Right Pedestal Desk	2149			51N3066DLFW1 Left Pedestal Desk	2149
		51N2450BEFW Bridge	789			51N2450BEFW Bridge	789
		51N2166CLFW2 Left Pedestal Credenza	1845			51N2166CRFW2 Right Pedestal Credenza	1845
		51N9366ULFW 92¾D x 66W	\$ 4738			51N9366URFW 92¾D x 66W	\$ 4738
		consists of				consists of	
		51N3066DRFW1 Right Pedestal Desk	2149			51N3066DLFW1 Left Pedestal Desk	2149
		51N2442BEFW Bridge	744			51N2442BEFW Bridge	744
		51N2166CLFW2 Left Pedestal Credenza	1845			51N2166CRFW2 Right Pedestal Credenza	1845
Left U-Configuration Laminate Top		Q51N10772ULFLW 106¾D x 71¾W	\$ 4951	Right U-Configuration Laminate Top		Q51N10772URFLW 106¾D x 71¾W	\$ 4951
		51N10772ULFLW 106¾D x 71¾W	\$ 4951			51N10772URFLW 106¾D x 71¾W	\$ 4951
		consists of				consists of	
		51N3672DRFLW1 Right Pedestal Desk	2218			51N3672DLFLW1 Left Pedestal Desk	2218
		51N2450BEFLW Bridge	759			51N2450BEFLW Bridge	759
		51N2172CLFLW2 Left Pedestal Credenza	1974			51N2172CRFLW2 Right Pedestal Credenza	1974
		Q51N9972ULFLW 98¾D x 71¾W	\$ 4907			Q51N9972URFLW 98¾D x 71¾W	\$ 4907
		51N9972ULFLW 98¾D x 71¾W	\$ 4907			51N9972URFLW 98¾D x 71¾W	\$ 4907
		consists of				consists of	
		51N3672DRFLW1 Right Pedestal Desk	2218			51N3672DLFLW1 Left Pedestal Desk	2218
		51N2442BEFLW Bridge	715			51N2442BEFLW Bridge	715
		51N2172CLFLW2 Left Pedestal Credenza	1974			51N2172CRFLW2 Right Pedestal Credenza	1974
		51N10166ULFLW 100¾D x 66W	\$ 4388			51N10166URFLW 100¾D x 66W	\$ 4388
		consists of				consists of	
		51N3066DRFLW1 Right Pedestal Desk	1982			51N3066DLFLW1 Left Pedestal Desk	1982
		51N2450BEFLW Bridge	759			51N2450BEFLW Bridge	759
		51N2166CLFLW2 Left Pedestal Credenza	1647			51N2166CRFLW2 Right Pedestal Credenza	1647
		51N9366ULFLW 92¾D x 66W	\$ 4344			51N9366URFLW 92¾D x 66W	\$ 4344
		consists of				consists of	
		51N3066DRFLW1 Right Pedestal Desk	1982			51N3066DLFLW1 Left Pedestal Desk	1982
		51N2442BEFLW Bridge	715			51N2442BEFLW Bridge	715
		51N2166CLFLW2 Left Pedestal Credenza	1647			51N2166CRFLW2 Right Pedestal Credenza	1647

Roosevelt

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:


51N3672DDFW8 M 82AB G13LR KS3B N MH
51N3672DTW 82AB R MH
51N2450RLEFW2 82AB X KRB R MH


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	51N3672DDFW8 Wood Top	\$ 2554	35¾	71¾	29½	7¾	325/8	362 lbs.	57.4
	Q51N3672DDFLW8 Laminate Top	2449	35¾	71¾	29½	7¾	325/8	362 lbs.	57.4
	51N3672DDFLW8 Laminate Top	2449	35¾	71¾	29½	7¾	325/8	362 lbs.	57.4
	51N3066DDFW8 Wood Top	\$ 2497	29¾	66	29½	1¾	2513/16	285 lbs.	45.3
	51N3066DDFLW8 Laminate Top	2388	29¾	66	29½	1¾	2513/16	285 lbs.	45.3
	• The user side overhang is 1" • Locking center drawer and dictation slide included with unit • Grommet (G13LR) available • Optional molding on approach side • Line art shown with optional molding • Quick Delivery model includes molding • Random lock core (KRB) and specified lock core (KS3B) available								

Desk with optional molding

	51N3672DTW Wood Top	\$ 1909	35¾	71¾	29½	—	—	129 lbs.	10.7
	51N3672DTLW Laminate Top	1790	35¾	71¾	29½	—	—	129 lbs.	10.7
	• Do not specify molding or grommet options • Non-locking center drawer included with unit • Some assembly required								

 Right shown	Left Pedestal		Right Pedestal								
	51N3672DLFW1	51N3672DRFW1	Wood Top	\$ 2394	35¾	71¾	29½	7¾	311/8	311 lbs.	57.4
	Q51N3672DLFLW1	Q51N3672DRFLW1	Laminate Top	2218	35¾	71¾	29½	7¾	311/8	311 lbs.	57.4
	51N3672DLFLW1	51N3672DRFLW1	Laminate Top	2218	35¾	71¾	29½	7¾	311/8	311 lbs.	57.4
	51N3066DLFW1	51N3066DRFW1	Wood Top	\$ 2149	29¾	66	29½	1¾	257/16	245 lbs.	45.3
	51N3066DLFLW1	51N3066DRFLW1	Laminate Top	1982	29¾	66	29½	1¾	257/16	245 lbs.	45.3
• Not recommended as a freestanding unit due to routing in the rim • Grommet (G13LR) available • Optional molding on approach side • Quick Delivery model includes molding • Random lock core (KRB) and specified lock core (KS2B) available											


Right shown

Specify selections, left to right:


Base Model	Molding	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
51N3672DDFW8	M Molding X No molding M	82AB Antique Brass 82CN Classic Nickel 82AB	G13LR Left & Right G13C Center X No Grommet G13LR	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS3B Key Specific, Black KS3B	R Standard N Matte/Satin N	TF Truffle CW Cordovan DW Judicial MH Mocha MH

Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
-----------------------	------------	--------------------------	-----------------	------------


Reception Desk/Return



Left Reception Desk



Right Reception Return



Reception Desk

Left Pedestal Right Pedestal

51N3072DTLFW1	51N3072DTRFW1	Wood Top	\$ 3524	307/32	71¾	431/16	—	—	530 lbs.	69.9
51N3072DTLFLW1	51N3072DTRFLW1	Laminate Top	3353	307/32	71¾	431/16	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available
- Molding option not available
- Random lock core (KRB) and specified lock core (KS1B) available


Reception Return

Left Right

51N2451RTLW2	51N2451RTRW2	Wood Top	\$ 2354	239/16	50¾	42	—	—	300 lbs.	43.1
51N2451RTLLW2	51N2451RTRLW2	Laminate Top	2267	239/16	50¾	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

Return



Right shown


Left Pedestal

Right Pedestal

51N2450RLEFW2	51N2450RREFW2	Wood Top	\$ 1733	23¾	50	29½	—	303/16	159 lbs.	29.7
Q51N2450RLEFLW2	Q51N2450RREFLW2	Laminate Top	1640	23¾	50	29½	—	303/16	159 lbs.	29.7
51N2450RLEFLW2	51N2450RREFLW2	Laminate Top	1615	23¾	50	29½	—	303/16	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

Corner Unit



51N3636CFSW	Wood Top	\$ 1346	36	36	29½	—	—	104 lbs.	5.2
51N3636CFLW	Laminate Top	1233	36	36	29½	—	—	104 lbs.	5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit must be attached to bridge and/or return
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

Roosevelt

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

51N2172CFFW 82AB G13LR KRB N DW
51N2172CLFW6 82CN X KRB N DW
51N7236HBHW 82CN KRB DW

To You In
10
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Bridge 	51N2450BEFW Wood Top	\$ 764	23¾	50	29½	—	50	78 lbs.	3.0
	Q51N2450BEFLW Laminate Top	759	23¾	50	29½	—	50	72 lbs.	3.0
	51N2450BEFLW Laminate Top	734	23¾	50	29½	—	50	72 lbs.	3.0
	51N2442BEFW Wood Top	\$ 719	23¾	42	29½	—	42	71 lbs.	2.6
	Q51N2442BEFLW Laminate Top	715	23¾	42	29½	—	42	65 lbs.	2.6
	51N2442BEFLW Laminate Top	690	23¾	42	29½	—	42	65 lbs.	2.6
	• Do not specify pull • Grommet (G13C) available • Some assembly required • Grain direction runs front-to-back on worksurface								
Storage Credenza 	51N2172CSFW2 Wood Top	\$ 2584	21	71¾	29½	—	—	340 lbs.	36.4
	Q51N2172CSFLW2 Laminate Top	2444	21	71¾	29½	—	—	340 lbs.	36.4
	51N2172CSFLW2 Laminate Top	2394	21	71¾	29½	—	—	340 lbs.	36.4
	• Features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick • Grommet (G13LR) available • Unfinished back panel • Random lock core (KRB) and specified lock core (KS2B) available								
Lateral File Credenza 	51N2172CFFW Wood Top	\$ 2584	21	71¾	29½	—	—	333 lbs.	36.4
	51N2172CFFLW Laminate Top	2394	21	71¾	29½	—	—	333 lbs.	36.4
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Grommet (G13LR) available • Random lock core (KRB) and specified lock core (KS4B) available								
Kneespace Credenza 	51N2172CKFW2 Wood Top	\$ 2334	21	71¾	29½	—	33⅞	234 lbs.	36.4
	Q51N2172CKFLW2 Laminate Top	2168	21	71¾	29½	—	33⅞	234 lbs.	36.4
	51N2172CKFLW2 Laminate Top	2143	21	71¾	29½	—	33⅞	234 lbs.	36.4
	51N2166CKFW2 Wood Top	\$ 2121	21	65¾	29½	—	27⅞	175 lbs.	24.5
	51N2166CKFLW2 Laminate Top	2023	21	65¾	29½	—	27⅞	175 lbs.	24.5
	• Features standard wire management centered in the modesty panel and 1¾" down from the top • Grommet (G13LR, G13C) available • Quick Delivery model includes G13C center grommet • Random lock core (KRB) and specified lock core (KS2B) available								

Specify selections, left to right:

Base Model	Pull Option	Grommet Option	Locking	Sheen (wood tops only)	Finish
	82AB Antique Brass 82CN Classic Nickel	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS4B Key Specific, Black	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
51N2172CFFW	82AB	G13LR	KRB	N	DW


Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Single Pedestal Credenza Lateral File				
<i>Left Pedestal</i>				
51N2172CLFW6	\$ 2159	21 71¾ 29½ — 10916	234 lbs.	36.4
51N2172CLFLW6	2041	21 71¾ 29½ — 10916	234 lbs.	36.4



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available


Single Pedestal Credenza File/File										
<i>Left Pedestal</i>	<i>Right Pedestal</i>									
51N2172CLFW2	51N2172CRFW2	Wood Top	\$ 2100	21	71¾	29½	—	2818	195 lbs.	36.4
Q51N2172CLFLW2	Q51N2172CRFLW2	Laminate Top	1974	21	71¾	29½	—	2818	195 lbs.	36.4
51N2172CLFLW2	51N2172CRFLW2	Laminate Top	1924	21	71¾	29½	—	2818	195 lbs.	36.4
51N2166CLFW2	51N2166CRFW2	Wood Top	\$ 1795	21	65¾	29½	—	2238	155 lbs.	24.5
51N2166CLFLW2	51N2166CRFLW2	Laminate Top	1597	21	65¾	29½	—	2238	155 lbs.	24.5



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13LR left and right grommets
- Random lock core (KRB) and specified lock core (KS1B) available

Highback Organizer										
<i>36" High</i>										
Q51N7236HBHW	Wood Doors	\$ 2218	14¾	71¾	36	—	—	177 lbs.	36.2	
51N7236HBHW	Wood Doors	2218	14¾	71¾	36	—	—	177 lbs.	36.2	
51N6636HBHW	Wood Doors	\$ 2101	14¾	65¾	36	—	—	150 lbs.	30.1	



- Specify pull and finish only
- Highback organizer features (4) side hinged doors, full back panel with cord management
- For tack board models, see pages 370-378
- Random lock core (KRB) and specified lock core (KS1B) available

Dimension Key



D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

51N3778VHHW	82CN	KRB	CW
51N3618SOHMMW	82CN	KRB	CW

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Overhead Cabinet Wall Mount 	18" High								
	Q51N3618SOHMMW Wood Doors	\$ 1080	14½	3529/32	177/8	—	—	76 lbs.	7.7
	51N3618SOHMMW Wood Doors	1080	14½	3529/32	177/8	—	—	76 lbs.	7.7
	51N3018SOHMMW Wood Doors	1005	14½	297/8	177/8	—	—	64 lbs.	6.4
	- Units feature (2) side hinged doors - It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed - Wall mount bracket, for attachment to wall, is included - For tack board models, see pages 370-378 - Random lock core (KRB) and specified lock core (KS1B) available								
Lateral File Two Drawer 	51N2137LFF2W Wood Top	\$ 1709	21	37¼	29½	—	—	158 lbs.	15.6
	Q51N2137LFF2LW Laminate Top	1650	21	37¼	29½	—	—	123 lbs.	15.6
	51N2137LFF2LW Laminate Top	1650	21	37¼	29½	—	—	123 lbs.	15.6
	- Front-to-back filing is standard with lateral files; four rods per drawer are included - Random lock core (KRB) and specified lock core (KS2B) available								
Lateral File Three Drawer 	51N2137LFF3W Wood Top	\$ 2349	21½/16	37¼	4311/16	—	—	190 lbs.	24.0
	51N2137LFF3LW Laminate Top	2291	21½/16	37¼	4311/16	—	—	190 lbs.	24.0
	- Front-to-back filing is standard with lateral files; four rods per drawer are included - Random lock core (KRB) and specified lock core (KS1B) available								
Lateral File Four Drawer 	51N2137LFF4W Wood Top	\$ 2907	21	37¼	557/8	—	—	236 lbs.	29.4
	- Do not specify sheen option; features standard sheen - Front-to-back filing is standard with lateral files; four rods per drawer are included - Random lock core (KRB) and specified lock core (KS1B) available								

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
	82AB Antique Brass 82CN Classic Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
51N3778VHHW	82CN	KRB		CW

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			

Wardrobe



51N3778VHHW Wood Doors

\$ 2671

23½

37

78

—


—

250 lbs.

48.6

- Removable coat rod is standard; positioned on left side of wardrobe
- Features four adjustable laminate shelves
- Random lock core (KRB) and specified lock core (KS2B) available

Double Bookcase



Double Bookcase

\$ 3156

141/8

69¼

56½

—

—

243 lbs.

39.4

Q51N3452BCOFW Bookcase (each—order 2)

1186

12¼

33½

51¼

—

—

92 lbs.

17.6

51N3452BCOFW Bookcase (each—order 2)

1186

12¼

33½

51¼

—

—

92 lbs.

17.6

51N1469CPCFW Cornice Frame

494

141/8

69¼

11/16

—

—

30 lbs.

1.2

51N1468CPBW Base

290

135/8

68¼

3¼

—

—

29 lbs.

3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

Roosevelt

Product Specifications

- Specify and add \$25 list for EACH grommet

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

51N3452BCOFW MH
51N1436CPCFW MH
51N1435CPBW MH
51N2424ENW N MH
51N2430PTW G13C N MH


To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Single Bookcase	\$ 1623	141/8	35¾	56½	—	—	128 lbs.	19.8
	Q51N3452BCOFW Bookcase	1186	12¼	33½	51¾	—	—	92 lbs.	17.6
	51N3452BCOFW Bookcase	1186	12¼	33½	51¾	—	—	92 lbs.	17.6
	Q51N1436CPCFW Cornice Frame	246	141/8	35¾	11/16	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	246	141/8	35¾	11/16	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	191	135/8	34¾	3¼	—	—	18 lbs.	1.6
	51N1435CPBW Base	191	135/8	34¾	3¼	—	—	18 lbs.	1.6
• Bookcase components are shipped separately • For set-on surface use, only the bookcase and the cornice frame need to be ordered • For a freestanding use, order the bookcase, cornice frame and base • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable									
	Single Bookcase	\$ 1554	141/8	35¾	401/16	—	—	112 lbs.	19.4
	Q51N3436BCOFW Bookcase	1117	12¼	33½	35¾	—	—	76 lbs.	17.2
	51N3436BCOFW Bookcase	1117	12¼	33½	35¾	—	—	76 lbs.	17.2
	Q51N1436CPCFW Cornice Frame	246	141/8	35¾	11/16	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	246	141/8	35¾	11/16	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	191	135/8	34¾	3¼	—	—	18 lbs.	1.6
	51N1435CPBW Base	191	135/8	34¾	3¼	—	—	18 lbs.	1.6
• Bookcase components are shipped separately • For set-on surface use, only the bookcase and the cornice frame need to be ordered • For a freestanding use, order the bookcase, cornice frame and base • Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable									
	Printer/Telephone Stand								
	51N2430PTW Wood Top	\$ 1380	23¾	29¾	30	—	—	81 lbs.	18.7
	51N2430PTLW Laminate Top	1352	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4 Set of 4 casters	65	For use as a mobile unit					4 lbs.	0.2
• Grommet (G13C) available • Fixed shelf is 12" deep, 261/8 wide and ¾" thick • Height between shelves is 1831/8 • Open back									
	Magazine Table								
	51N2040MGW Wood Top	\$ 925	19¾	39¾	185/16	—	—	42 lbs.	3.0
	Q51N2040MGLW Laminate Top	796	19¾	39¾	185/16	—	—	42 lbs.	3.0
	51N2040MGLW Laminate Top	796	19¾	39¾	185/16	—	—	46 lbs.	3.0
• Some assembly required • Laminate top tables have veneer legs/base									

Specify selections, left to right:

Base Model	Grommet Option	Sheen (wood tops only)	Finish
51N3452BCOFW	G13C Center X No Grommet	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha MH

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
End Table 	51N2424ENW Wood Top	\$ 796	23¾	23¾	22½	16	—	38 lbs.	2.8
	Q51N2424ENLW Laminate Top	707	23¾	23¾	22½	16	—	38 lbs.	2.8
	51N2424ENLW Laminate Top	707	23¾	23¾	22½	16	—	38 lbs.	2.8
	• Some assembly required • Laminate top tables have veneer legs/base								
Keyboard Drawer 	Q51N1531KDFW	\$ 250	15	30½	8	4	—	11 lbs.	1.1
	51N1531KDFW	250	15	30½	8	4	—	11 lbs.	1.1
	• Specify finish only • Keyboard drawer features flip-down front for easy access to keyboard								

Exhibit™

Wall Rail Solution

Exhibit

PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 13/16" HPL (high pressure laminate) and feature a softened 3mm PVC rim or a PVC knife rim profile
- Veneer surfaces are 13/16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surface available on three sides
- Refer to page 257 for rim profiles and colors

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen.
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of one or two and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align two adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD/TACK BOARD/SLAT WALL/ORGANIZER SHELF INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include two trim channels
- Tack board insert is available in fabric, see page 256 for fabric options
- Slat wall inserts are powder coated aluminum and available in Cinder, Platinum Metallic or Satin Nickel Metallic
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

EXHIBIT TV MOUNT INSERT

- Fabric insert is not tackable; see page 256 for fabric options
- Laminate, veneer, or fabric inserts; TV mount included with insert

TAPERED BASES

- MDF material available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Adjustable glides are standard
- Features removable panels for wire access

TRIM CHANNELS

- Quantity of two is standard with each board/insert
- Available in powder coat paint or fabric; Paint options of White, Cinder, Platinum Metallic or Satin Nickel Metallic and in the same fabric option as the tack board inserts
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet
- Available in fabric to match tack board insert or black plastic

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet
- Available in fabric, laminate, or veneer to match the insert

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

POWER/DATA ELECTRICAL SPECIFICATIONS**ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)**

- UL Listed
- To be ordered with G15 cutout options
- Must be inserted and installed into CUT-G15C cutout in field
- One touch door remains open during use
- Silver or black anodized aluminum available
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) Two power outlets (110 volts each), two blank communication ports, one port with two charging USB, and one HDMI
- Corded units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Hardwire units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable
- For more specification information: www.byrne-electrical.com

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into CUT-G16C cutout in field
- Silver or black powder coat available
- Power/Data Oasis (G162) unit will feature six power receptacles with two 108" power cords and molded plugs rated at 12 Amps 120 volts, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature six power receptacles with one 72" long hardwire conduit covered pigtail cable on one end which carries two 20 Amp 120 volt circuits to power two sides of the Power/Data Oasis, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Standard units have cords that are 9 ft. long rated at 15 Amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 Amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

MARINA™ HDMI COLLABORATIVE MEETING TECHNOLOGY SOLUTION (G26)

- ETL Listed
- Must be inserted and installed into CUT-G26C cutout in field
- HDMI switcher
- Four HDMI Show Me cables, 6 ft.
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 3.0, 2.1 Amp USB ports
- Two blank telecom plates
- 72" power cord
- Graphite Gray powder coat interior
- Powder coat bezel with sliding doors; available in silver or black
- For more specification information: www.electri-cable.com

GETAWAY™ PORTABLE MEETING TECHNOLOGY SOLUTION (G26 MOBILE)

- ETL Listed
- Freestanding portable unit
- HDMI 4 power switcher
- Four 6 ft. Show Me cables
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 2.1 Amp USB ports
- 108" power cord
- Carrying case
- Powder coat finish; available in silver or black
- For more specification information: www.electri-cable.com



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

Exhibit - Configuration Options

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

TRIM CHANNEL PAINT COLORS

401 White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

END TRIM/END CAP PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

TACK BOARD INSERT/TRIM CHANNEL/WIRE MANAGER FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8604 Kamelos
8606 Pebble
8607 Gecho
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness
8621 Golden

Repetition (Grade A)
100% Pre-Consumer
Recycled Polyester

3700 Ash
3705 Willow
3709 Java
3713 Stainless
3715 Almond
3721 Reed
3726 Kiwi
3737 Sisal
3744 Tawny
3753 Steel
3766 Wicker
3775 Grey Green
3782 Honeycomb
3785 Blue Grass
3792 Spa
3799 Cornflower


COM (Grade B)

Flax (Grade B)
49% Pre-Consumer Recycled Polyester,
38% Repreve® Polyester (Post-
Consumer Recycled Polyester),
13% Polyester
22801 Bark
22802 Daffodil
22803 Earth
22804 Iris
22805 Lake
22806 Leaf
22807 Lily
22808 Rain
22809 Seed
22810 Sunset
22811 Tulip
22812 Wheat

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
25408 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

EXHIBIT COMPONENTS



WOOD FINISHES (Organizer Shelf Insert)

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha
792 Sable

LAMINATE COLORS (Organizer Shelf Insert)

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander*
791H Palisander Horizontal*
792 Sable
792H Sable Horizontal
793 Acorn*

Solid Laminate


405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Not available on laminate/wood models

MDF TAPER BASE PAINT COLORS


- 405 Designer White
- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



6 STD Channel Height

G15 and G16 Grommet Channel
(6" deep)



8 G26 Marina™ Channel Height

G26 Grommet Channel
(8" deep)

TOP SHAPES AND SIZES



Square

48" x 48"
60" x 60"



Rectangle

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"



Wedge

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"



U-Shaped

48" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

- IM Brighton
- NM Natural
- HN Honey
- CL Caramel
- TF Truffle
- AC Autumn
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha
- 792 Sable

TOP SHEEN OPTIONS

- R Standard
- N Matte/Satin

TOP LAMINATE COLORS

Woodgrain Laminate

- IM Brighton
- NM Natural
- HN2 Honey 2
- CL Caramel
- TF Truffle
- AC2 Autumn 2
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha
- 791 Palisander
- 792 Sable
- 793 Acorn


Solid Laminate

- 405 Designer White
- 417 Mojave
- 418 Mouse
- 419 Wallaby
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 478 Platinum Grey
- 488 Frosty White
- 491 Designer White Linear
- 492 Cinder Linear


Pattern Laminate

- 809 Tungsten Evolv
- 814 White Tigris
- 818 Crisp Linen
- 819 Flax Gauze
- 820 Paloma Bisque
- 821 Elemental Concrete
- 822 Smoke Quarstone
- 874 Bronze Legacy


RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)



Knife (K)

Woodgrain PVC Rim

- IM Brighton
- NM Natural
- HN2 Honey 2
- CL Caramel
- TF Truffle
- AC2 Autumn 2
- MC Amber
- CW Cordovan
- DW Judicial
- MH Mocha
- 791 Palisander
- 792 Sable
- 793 Acorn

Solid PVC Rim

- 405 Designer White
- 417 Mojave
- 418 Mouse
- 419 Wallaby
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 478 Platinum Grey
- 488 Frosty White
- 491 Designer White Linear
- 492 Cinder Linear

SH6 ORGANIZER SHELF HEIGHT OPTIONS FOR 36"/37"/48"/49" HIGH MODELS

- A Align with 13H Overhead
 - B Align with 18H Overhead
 - C Align with 30H Overhead*
- *48"/49" high models only

Exhibit - Configuration Options


GROMMET CUTOUT OPTIONS

Mio Exhibit tops are available with grommet cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.


Cutout Option for One Touch Double Pivoting Power Grommet

\$25 list upcharge per cutout


CUT-G15C Center



- Reference below for cutout locations of CUT-G15C



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)




NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15C option
- Reference page 334 for pricing and details


Cutout Option for Power/Data Oasis

\$25 list upcharge per cutout

CUT-G16C Center



- Reference below for cutout locations of CUT-G16C




NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16C option
- Reference page 334 for pricing and details


Cutout Option for Marina™ HDMI Collaborative Meeting Technology Solution

\$25 list upcharge per cutout

CUT-G26C Center



- Reference below for cutout locations of CUT-G26C



NACG26ELB and NACG26ELS (Sold Separately)

- Must order model NACG26ELB or NACG26ELS to fit into CUT-G26C option
- Reference page 334 for pricing and details

WORKSURFACE WIRE MANAGER OPTIONS


Only available on Exhibit mount tops

If no wire manager is desired, specify an X (No Wire Manager)

Specify location and color option
Comes attached to worksurface

Locations:


X	No Wire Manager	
NT1	Notch with Sleeve	\$25 list upcharge
D1B	Back	\$40 list upcharge



Colors:

403	Chamois
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
485	Dark Chocolate

Notch



WORKSURFACE WIRE MANAGER COLORS

403 Chamois	425 Shadow	462 Cinder
405 Designer White	440 Cloud	478 Platinum Grey
419 Wallaby	461 Graphite	485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois	425 Shadow	462 Cinder
405 Designer White	440 Cloud	485 Dark Chocolate
419 Wallaby	461 Graphite	

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Woodgrains	
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
NM Natural	403 Chamois 419 Wallaby
HN2 Honey 2	403 Chamois 419 Wallaby
CL Caramel	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
MH Mocha	485 Dark Chocolate
791 Palisander	462 Cinder 485 Dark Chocolate
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Solid Laminates	
405 Designer White	405 Designer White
417 Mojave	419 Wallaby
418 Mouse	478 Platinum Grey
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
Pattern Laminates	
809 Tungsten Evolv	403 Chamois 425 Shadow
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
820 Paloma Bisque	419 Wallaby 425 Shadow
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite
874 Bronze Legacy	425 Shadow

Grommet Locations

Table Lengths








Grommet or Notch Wire Manager Location/Options	48"	54"	60"	66"
CUT-G15C CUT-G16C CUT-G26C NT1 Center				

Table Lengths

Grommet or Notch Wire Manager Location/Options	72"	78"	84"
CUT-G15C CUT-G16C CUT-G26C NT1 Center			

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SHAPES

TOP SIZES	 Square	 Rectangle	 Wedge	 U-Shaped
48" x 48"	4	N/A	3-4	4
60" x 60"	4-6	N/A	4-5	4-6
48" x 54"	N/A	5	4	4
48" x 60"	N/A	5	5	5
48" x 66"	N/A	5-6	5-6	5-6
48" x 72"	N/A	6	6	6
48" x 78"	N/A	6-7	6-7	6-7
48" x 84"	N/A	7-8	7	7
60" x 48"	N/A	4	4	4
60" x 54"	N/A	6	5	5
60" x 66"	N/A	5-6	5-6	5-6
60" x 72"	N/A	6	6	6
60" x 78"	N/A	6-7	6-7	6-7
60" x 84"	N/A	7-8	7	7

- Customer determines the size of the Exhibit TV Mount Insert; no restrictions

MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
Top Size	 Square	 Rectangle	 Wedge	 U-Shaped	
48" x 48"	✓		✓	✓	4828
48" x 54"		✓	✓	✓	5428
48" x 60"		✓	✓	✓	6028
48" x 66"		✓	✓	✓	6628
48" x 72"		✓	✓	✓	7228
48" x 78"		✓	✓	✓	7828
48" x 84"		✓	✓	✓	8428
60" x 48"		✓	✓	✓	4828
60" x 54"		✓	✓	✓	5428
60" x 60"	✓	✓	✓	✓	6028
60" x 66"		✓	✓	✓	6628
60" x 72"		✓	✓	✓	7228
60" x 78"		✓	✓	✓	7828
60" x 84"		✓	✓	✓	8428
48" x 48"	✓	✓	✓	✓	4840
48" x 54"		✓	✓	✓	5440
48" x 60"		✓	✓	✓	6040
48" x 66"		✓	✓	✓	6640
48" x 72"		✓	✓	✓	7240
48" x 78"		✓	✓	✓	7840
48" x 84"		✓	✓	✓	8440
60" x 48"		✓	✓	✓	4840
60" x 54"		✓	✓	✓	5440
60" x 60"	✓	✓	✓	✓	6040
60" x 66"		✓	✓	✓	6640
60" x 72"		✓	✓	✓	7240
60" x 78"		✓	✓	✓	7840
60" x 84"		✓	✓	✓	8440

✓ denotes the size of top that goes with each corresponding base size


Overview

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

Exhibit with WaveWorks and Epic Models

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic workspaces and components. Attaching workspaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



Application Guidelines

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers not greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point


RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
<i>Steel Studs</i> (½" to ¾" drywall)	
Hilti® Toggler® anchor toggle bolts, ¼"-20 x 2" grade 5 bolts	
<i>Wood Studs</i> (¼" to ½" drywall)	
Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.	
Pan head sheet metal screw	10-2 PHPMS
<i>Solid Masonry</i>	
Crown Bolt lag shields ¼" x 1½"	
Buildex Tapcon concrete anchor screw ¼" x 2¾"	
<i>Masonry Block</i>	
Hilti Toggler anchor toggle bolts, ¼"-20 x 2" grade 5 bolts	
Crown Bolt lag shields ¼" x 1½"	
Buildex Tapcon concrete anchor screw ¼" x 2¾"	


- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends 7/8" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the five heights to achieve the customer's needs.


Exhibit

Product Specifications


- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align two sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 326-329

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
 Exhibit Wall Rail and Faceplate	Wall Rail and Faceplate									
	11N72EXFP2	Set of Two	\$ 241	7/8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of Two	344	7/8	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of One	\$ 139	7/8	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of One	191	7/8	144	1¾	—	—	12 lbs.	1.4

- Set of two includes two rails, two faceplates, and four alignment brackets
- Set of one includes one rail, one faceplate, and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic

Exhibit Wall Rail 	Wall Rail								
	11N72EXP1 One Rail/No faceplate	\$ 83	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1 One Rail/No faceplate	121	¾	144	1¾	—	—	12 lbs.	1.4



- Includes one wall rail and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

To Order, Specify:


1. Model Number
 2. Paint Color
 3. Fabric Grade (tack board insert only)
 4. Fabric Color (tack board insert only)
- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N72EXFP2 462
11N1834TB B 25413



Shaded rectangle portrays a railroaded tack board.

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
Tack Board Inserts	34"H Tack Board Inserts									
		Grade A	Grade B/COM							
	11N1834TBA	Railroad	\$ 203	\$ 238	½	18	34 1/8	—	3 lbs.	0.5
	11N1834TB	Standard	197	232	½	18	34 1/8	—	3 lbs.	0.5
	11N2434TBA	Railroad	\$ 212	\$ 247	½	24	34 1/8	—	4 lbs.	0.6
	11N2434TB	Standard	207	242	½	24	34 1/8	—	4 lbs.	0.6
	11N3034TBA	Railroad	\$ 248	\$ 283	½	30	34 1/8	—	5 lbs.	0.8
	11N3034TB	Standard	243	278	½	30	34 1/8	—	5 lbs.	0.8
	11N3634TBA	Railroad	\$ 260	\$ 302	½	36	34 1/8	—	6 lbs.	0.9
	11N3634TB	Standard	249	284	½	36	34 1/8	—	6 lbs.	0.9
	11N4234TBA	Railroad	\$ 267	\$ 309	½	42	34 1/8	—	7 lbs.	1.0
	11N4234TB	Standard	255	290	½	42	34 1/8	—	7 lbs.	1.0
	11N4834TBA	Railroad	\$ 286	\$ 335	½	48	34 1/8	—	8 lbs.	1.2
	11N4834TB	Standard	264	299	½	48	34 1/8	—	8 lbs.	1.2
	11N5434TBA	Railroad	\$ 325	\$ 381	½	54	34 1/8	—	9 lbs.	1.3
	11N5434TB	Standard	293	328	½	54	34 1/8	—	9 lbs.	1.3
	11N6034TBA	Railroad	\$ 327	\$ 383	½	60	34 1/8	—	10 lbs.	1.4
	11N6034TB	Standard	294	329	½	60	34 1/8	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered


Exhibit

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
Tack Board Inserts (continued)	Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	36"H Tack Board Inserts									
		Grade A	Grade B/COM							
	11N1836TBA Railroad	\$ 216	\$ 251	½	18	369/16	—	—	3 lbs.	0.5
	11N1836TB Standard	211	246	½	18	369/16	—	—	3 lbs.	0.5
	11N2436TBA Railroad	\$ 226	\$ 261	½	24	369/16	—	—	4 lbs.	0.6
	11N2436TB Standard	220	255	½	24	369/16	—	—	4 lbs.	0.6
	11N3036TBA Railroad	\$ 262	\$ 297	½	30	369/16	—	—	5 lbs.	0.8
	11N3036TB Standard	256	291	½	30	369/16	—	—	5 lbs.	0.8
	11N3636TBA Railroad	\$ 277	\$ 319	½	36	369/16	—	—	6 lbs.	0.9
	11N3636TB Standard	266	301	½	36	369/16	—	—	6 lbs.	0.9
	11N4236TBA Railroad	\$ 284	\$ 326	½	42	369/16	—	—	7 lbs.	1.0
	11N4236TB Standard	274	309	½	42	369/16	—	—	7 lbs.	1.0
	11N4836TBA Railroad	\$ 304	\$ 353	½	48	369/16	—	—	8 lbs.	1.2
	11N4836TB Standard	282	317	½	48	369/16	—	—	8 lbs.	1.2
	11N5436TBA Railroad	\$ 344	\$ 400	½	54	369/16	—	—	9 lbs.	1.3
	11N5436TB Standard	312	347	½	54	369/16	—	—	9 lbs.	1.3
	11N6036TBA Railroad	\$ 347	\$ 403	½	60	369/16	—	—	10 lbs.	1.4
	11N6036TB Standard	314	349	½	60	369/16	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered


To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N6036TB A 8600



Shaded rectangle portrays a railroaded tack board.

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Tack Board Inserts (continued)		Compatible with WaveWorks 69" High WWN Models							
37"H Tack Board Inserts		Grade A		Grade B/COM					
11N1837TBA	Railroad	\$ 216	\$ 251	½	18	37	—	—	3 lbs. 0.5
11N1837TB	Standard	211	246	½	18	37	—	—	3 lbs. 0.5
11N2437TBA	Railroad	\$ 226	\$ 261	½	24	37	—	—	4 lbs. 0.6
11N2437TB	Standard	220	255	½	24	37	—	—	4 lbs. 0.6
11N3037TBA	Railroad	\$ 262	\$ 297	½	30	37	—	—	5 lbs. 0.8
11N3037TB	Standard	256	291	½	30	37	—	—	5 lbs. 0.8
11N3637TBA	Railroad	\$ 277	\$ 319	½	36	37	—	—	6 lbs. 0.9
11N3637TB	Standard	266	301	½	36	37	—	—	6 lbs. 0.9
11N4237TBA	Railroad	\$ 284	\$ 326	½	42	37	—	—	7 lbs. 1.0
11N4237TB	Standard	274	309	½	42	37	—	—	7 lbs. 1.0
11N4837TBA	Railroad	\$ 304	\$ 353	½	48	37	—	—	8 lbs. 1.2
11N4837TB	Standard	282	317	½	48	37	—	—	8 lbs. 1.2
11N5437TBA	Railroad	\$ 344	\$ 400	½	54	37	—	—	9 lbs. 1.3
11N5437TB	Standard	312	347	½	54	37	—	—	9 lbs. 1.3
11N6037TBA	Railroad	\$ 347	\$ 403	½	60	37	—	—	10 lbs. 1.4
11N6037TB	Standard	314	349	½	60	37	—	—	10 lbs. 1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Exhibit

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Model No./Description				List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
Tack Board Inserts (continued)				Compatible with WaveWorks 79" High WW Models										
48"H Tack Board Inserts														
				Grade A	Grade B/COM									
11N1848TBA Railroad				\$ 248	\$ 290	½	18	4838	—	—			4 lbs.	1.2
11N1848TB Standard				243	285	½	18	4838	—	—			4 lbs.	1.2
11N2448TBA Railroad				\$ 259	\$ 301	½	24	4838	—	—			5 lbs.	1.3
11N2448TB Standard				253	295	½	24	4838	—	—			5 lbs.	1.3
11N3048TBA Railroad				\$ 302	\$ 344	½	30	4838	—	—			6 lbs.	1.7
11N3048TB Standard				296	338	½	30	4838	—	—			6 lbs.	1.7
11N3648TBA Railroad				\$ 307	\$ 349	½	36	4838	—	—			7 lbs.	2.0
11N3648TB Standard				302	344	½	36	4838	—	—			7 lbs.	2.0
11N4248TBA Railroad				\$ 318	\$ 360	½	42	4838	—	—			8 lbs.	2.3
11N4248TB Standard				313	355	½	42	4838	—	—			8 lbs.	2.3
11N4848TBA Railroad				\$ 333	\$ 382	½	48	4838	—	—			9 lbs.	2.7
11N4848TB Standard				322	364	½	48	4838	—	—			9 lbs.	2.7
11N5448TBA Railroad				\$ 380	\$ 436	½	54	4838	—	—			10 lbs.	3.0
11N5448TB Standard				358	400	½	54	4838	—	—			10 lbs.	3.0
11N6048TBA Railroad				\$ 383	\$ 439	½	60	4838	—	—			11 lbs.	3.3
11N6048TB Standard				361	403	½	60	4838	—	—			11 lbs.	3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered



To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N6049TB A 8600



Shaded rectangle portrays a railroaded tack board.

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Tack Board Inserts (continued)		Compatible with WaveWorks 80" High WWN Models							
		49"H Tack Board Inserts							
				Grade A	Grade B/COM				
	11N1849TBA	Railroad	\$ 248	\$ 290	½	18	4813/16 —	—	4 lbs. 1.2
	11N1849TB	Standard	243	285	½	18	4813/16 —	—	4 lbs. 1.2
	11N2449TBA	Railroad	\$ 259	\$ 301	½	24	4813/16 —	—	5 lbs. 1.3
	11N2449TB	Standard	253	295	½	24	4813/16 —	—	5 lbs. 1.3
	11N3049TBA	Railroad	\$ 302	\$ 344	½	30	4813/16 —	—	6 lbs. 1.7
	11N3049TB	Standard	296	338	½	30	4813/16 —	—	6 lbs. 1.7
	11N3649TBA	Railroad	\$ 307	\$ 349	½	36	4813/16 —	—	7 lbs. 2.0
	11N3649TB	Standard	302	344	½	36	4813/16 —	—	7 lbs. 2.0
	11N4249TBA	Railroad	\$ 318	\$ 360	½	42	4813/16 —	—	8 lbs. 2.3
	11N4249TB	Standard	313	355	½	42	4813/16 —	—	8 lbs. 2.3
	11N4849TBA	Railroad	\$ 333	\$ 382	½	48	4813/16 —	—	9 lbs. 2.7
	11N4849TB	Standard	322	364	½	48	4813/16 —	—	9 lbs. 2.7
	11N5449TBA	Railroad	\$ 380	\$ 436	½	54	4813/16 —	—	10 lbs. 3.0
	11N5449TB	Standard	358	400	½	54	4813/16 —	—	10 lbs. 3.0
	11N6049TBA	Railroad	\$ 383	\$ 439	½	60	4813/16 —	—	11 lbs. 3.3
	11N6049TB	Standard	361	403	½	60	4813/16 —	—	11 lbs. 3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Exhibit

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
Marker Board Inserts 	34"H Marker Board Inserts									
	HPL									
	Porcelain									
	11N2434MB	\$ 377	11N2434MBP	\$ 393	½	24	34 1/8	—	14 lbs.	0.6
	11N3034MB	378	11N3034MBP	397	½	30	34 1/8	—	18 lbs.	0.8
	11N3634MB	424	11N3634MBP	458	½	36	34 1/8	—	22 lbs.	0.9
	11N4234MB	456	11N4234MBP	459	½	42	34 1/8	—	25 lbs.	1.0
	11N4834MB	557	11N4834MBP	637	½	48	34 1/8	—	29 lbs.	1.2
	11N5434MB	558	11N5434MBP	643	½	54	34 1/8	—	32 lbs.	1.3
	11N6034MB	560	11N6034MBP	649	½	60	34 1/8	—	36 lbs.	1.4
Compatible with WaveWorks 68" High WW and Epic 68" High Models										
36"H Marker Board Inserts										
HPL										
Porcelain										
11N2436MB	\$ 391	11N2436MBP	\$ 409	½	24	36 9/16	—	14 lbs.	0.6	
11N3036MB	392	11N3036MBP	411	½	30	36 9/16	—	18 lbs.	0.8	
11N3636MB	440	11N3636MBP	474	½	36	36 9/16	—	22 lbs.	0.9	
11N4236MB	472	11N4236MBP	476	½	42	36 9/16	—	25 lbs.	1.0	
11N4836MB	575	11N4836MBP	655	½	48	36 9/16	—	29 lbs.	1.2	
11N5436MB	577	11N5436MBP	661	½	54	36 9/16	—	32 lbs.	1.3	
11N6036MB	580	11N6036MBP	668	½	60	36 9/16	—	36 lbs.	1.4	
Compatible with WaveWorks 69" High WWN Models										
37"H Marker Board Inserts										
HPL										
Porcelain										
11N2437MB	\$ 391	11N2437MBP	\$ 409	½	24	37	—	14 lbs.	0.6	
11N3037MB	392	11N3037MBP	411	½	30	37	—	18 lbs.	0.8	
11N3637MB	440	11N3637MBP	474	½	36	37	—	22 lbs.	0.9	
11N4237MB	472	11N4237MBP	476	½	42	37	—	25 lbs.	1.0	
11N4837MB	575	11N4837MBP	655	½	48	37	—	29 lbs.	1.2	
11N5437MB	577	11N5437MBP	661	½	54	37	—	32 lbs.	1.3	
11N6037MB	580	11N6037MBP	668	½	60	37	—	36 lbs.	1.4	
• HPL marker board inserts can be field scribed • Additional trim channels should be specified separately if additional inserts are created • Porcelain marker board inserts are magnetic • Specify model number only • Two trim channels included with each marker board insert in white to match board • Marker board inserts available in white only										

To Order, Specify:

1. Model Number

Sample Model Number:

11N2434MB

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
Marker Board Inserts (continued)	Compatible with WaveWorks 79" High WW Models									
	48"H Marker Board Inserts									
	HPL	Porcelain								
	11N2448MB	\$ 457	11N2448MBP	\$ 499	½	24	4838	—	16 lbs.	1.3
	11N3048MB	458	11N3048MBP	501	½	30	4838	—	20 lbs.	1.7
	11N3648MB	510	11N3648MBP	575	½	36	4838	—	24 lbs.	2.0
	11N4248MB	554	11N4248MBP	632	½	42	4838	—	27 lbs.	2.3
	11N4848MB	670	11N4848MBP	788	½	48	4838	—	31 lbs.	2.7
	11N5448MB	673	11N5448MBP	940	½	54	4838	—	34 lbs.	3.0
	11N6048MB	679	11N6048MBP	1027	½	60	4838	—	38 lbs.	3.3
Compatible with WaveWorks 80" High WWN Models										
49"H Marker Board Inserts										
	HPL	Porcelain								
	11N2449MB	\$ 457	11N2449MBP	\$ 499	½	24	4813/16	—	16 lbs.	1.3
	11N3049MB	458	11N3049MBP	501	½	30	4813/16	—	20 lbs.	1.7
	11N3649MB	510	11N3649MBP	575	½	36	4813/16	—	24 lbs.	2.0
	11N4249MB	554	11N4249MBP	632	½	42	4813/16	—	27 lbs.	2.3
	11N4849MB	670	11N4849MBP	788	½	48	4813/16	—	31 lbs.	2.7
	11N5449MB	673	11N5449MBP	940	½	54	4813/16	—	34 lbs.	3.0
	11N6049MB	679	11N6049MBP	1027	½	60	4813/16	—	38 lbs.	3.3
• HPL marker board inserts can be field scribed • Additional trim channels should be specified separately if additional inserts are created • Porcelain marker board inserts are magnetic • Specify model number only • Two trim channels included with each marker board insert in white to match board • Marker board inserts available in white only										


Exhibit

Product Specifications

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	34"H Full Slat								
	11N2434SW	\$ 979	½	24	34 1/8	—	—	45 lbs.	1.2
	11N3034SW	984	½	30	34 1/8	—	—	57 lbs.	1.4
	11N3634SW	1124	½	36	34 1/8	—	—	69 lbs.	1.7
	11N4234SW	1125	½	42	34 1/8	—	—	79 lbs.	2.0
	11N4834SW	1249	½	48	34 1/8	—	—	91 lbs.	2.3
Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	36"H Full Slat								
	11N2436SW	\$ 992	½	24	36 9/16	—	—	48 lbs.	1.2
	11N3036SW	998	½	30	36 9/16	—	—	60 lbs.	1.4
	11N3636SW	1139	½	36	36 9/16	—	—	72 lbs.	1.7
	11N4236SW	1141	½	42	36 9/16	—	—	82 lbs.	2.0
	11N4836SW	1268	½	48	36 9/16	—	—	94 lbs.	2.3
Compatible with WaveWorks 69" High WWN Models									
	37"H Full Slat								
	11N2437SW	\$ 992	½	24	37	—	—	48 lbs.	1.2
	11N3037SW	998	½	30	37	—	—	60 lbs.	1.4
	11N3637SW	1139	½	36	37	—	—	72 lbs.	1.7
	11N4237SW	1141	½	42	37	—	—	82 lbs.	2.0
	11N4837SW	1268	½	48	37	—	—	94 lbs.	2.3
Compatible with WaveWorks 79" High WW Models									
	48"H Full Slat								
	11N2448SW	\$ 1170	½	24	48 3/8	—	—	63 lbs.	1.6
	11N3048SW	1178	½	30	48 3/8	—	—	80 lbs.	1.9
	11N3648SW	1345	½	36	48 3/8	—	—	97 lbs.	2.0
	11N4248SW	1347	½	42	48 3/8	—	—	111 lbs.	2.2
	11N4848SW	1496	½	48	48 3/8	—	—	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 330-333


To Order, Specify:

1. Model Number
2. Paint Color

- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N2434SW 462

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
Slat Wall Inserts (continued) 	Compatible with WaveWorks 80" High WWN Models									
	49"H Full Slat									
	11N2449SW	\$ 1170	½	24	48	13/16	—	—	63 lbs.	1.6
	11N3049SW	1178	½	30	48	13/16	—	—	80 lbs.	1.9
	11N3649SW	1345	½	36	48	13/16	—	—	97 lbs.	2.0
	11N4249SW	1347	½	42	48	13/16	—	—	111 lbs.	2.2
	11N4849SW	1496	½	48	48	13/16	—	—	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 330-333


Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description				List Price	Dimensions					Cartoned Weight	Cubic Feet
						D	W	H	A	KW		
Slat Wall Inserts Combo Slat/Tack	23"H Slat with 11"H Tack											
	<i>Fabric Trim</i>	<i>Painted Trim</i>		Grade A	Grade B/COM							
	11N2434SWTBFA	11N2434SWTBPA	Railroad	\$ 886	\$ 907	½	24	34 1/8	—	—	32 lbs.	1.2
	11N2434SWTBF	11N2434SWTBP	Standard	881	895	½	24	34 1/8	—	—	32 lbs.	1.2
	11N3034SWTBFA	11N3034SWTBPA	Railroad	\$ 889	\$ 915	½	30	34 1/8	—	—	41 lbs.	1.4
	11N3034SWTBF	11N3034SWTBP	Standard	884	898	½	30	34 1/8	—	—	41 lbs.	1.4
	11N3634SWTBFA	11N3634SWTBPA	Railroad	\$ 1015	\$ 1045	½	36	34 1/8	—	—	50 lbs.	1.7
	11N3634SWTBF	11N3634SWTBP	Standard	1009	1023	½	36	34 1/8	—	—	50 lbs.	1.7
	11N4234SWTBFA	11N4234SWTBPA	Railroad	\$ 1016	\$ 1051	½	42	34 1/8	—	—	59 lbs.	2.0
	11N4234SWTBF	11N4234SWTBP	Standard	1010	1024	½	42	34 1/8	—	—	59 lbs.	2.0
	11N4834SWTBFA	11N4834SWTBPA	Railroad	\$ 1129	\$ 1169	½	48	34 1/8	—	—	68 lbs.	2.3
	11N4834SWTBF	11N4834SWTBP	Standard	1124	1138	½	48	34 1/8	—	—	68 lbs.	2.3
Compatible with WaveWorks 68" High WW and Epic 68" High Models												
	23"H Slat with 13"H Tack											
	<i>Fabric Trim</i>	<i>Painted Trim</i>		Grade A	Grade B/COM							
	11N2436SWTBFA	11N2436SWTBPA	Railroad	\$ 900	\$ 921	½	24	36 9/16	—	—	35 lbs.	1.2
	11N2436SWTBF	11N2436SWTBP	Standard	895	909	½	24	36 9/16	—	—	35 lbs.	1.2
	11N3036SWTBFA	11N3036SWTBPA	Railroad	\$ 905	\$ 931	½	30	36 9/16	—	—	44 lbs.	1.4
	11N3036SWTBF	11N3036SWTBP	Standard	899	913	½	30	36 9/16	—	—	44 lbs.	1.4
	11N3636SWTBFA	11N3636SWTBPA	Railroad	\$ 1030	\$ 1060	½	36	36 9/16	—	—	53 lbs.	1.7
	11N3636SWTBF	11N3636SWTBP	Standard	1025	1039	½	36	36 9/16	—	—	53 lbs.	1.7
	11N4236SWTBFA	11N4236SWTBPA	Railroad	\$ 1032	\$ 1067	½	42	36 9/16	—	—	62 lbs.	2.0
	11N4236SWTBF	11N4236SWTBP	Standard	1027	1041	½	42	36 9/16	—	—	62 lbs.	2.0
	11N4836SWTBFA	11N4836SWTBPA	Railroad	\$ 1145	\$ 1185	½	48	36 9/16	—	—	71 lbs.	2.3
	11N4836SWTBF	11N4836SWTBP	Standard	1140	1154	½	48	36 9/16	—	—	71 lbs.	2.3

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 330-333
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model



To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color


- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N2434SWTBF A 8600 501



Shaded rectangle portrays a railroaded tack board.

**Slat Wall Inserts
Combo Slat/Tack
(continued)**

Model No./Description					List Price	Dimensions					Cartoned Weight	Cubic Feet
						D	W	H	A	KW		
Compatible with WaveWorks 69" High WWN Models												
23"H Slat with 14"H Tack												
Fabric Trim		Painted Trim		Grade A	Grade B/COM							
11N2437SWTBFA	11N2437SWTBPA	Railroad	\$ 900	\$ 921	1/2	24	37	—	—		35 lbs.	1.2
11N2437SWTBF	11N2437SWTBP	Standard	895	913	1/2	24	37	—	—		35 lbs.	1.2
11N3037SWTBFA	11N3037SWTBPA	Railroad	\$ 905	\$ 931	1/2	30	37	—	—		44 lbs.	1.4
11N3037SWTBF	11N3037SWTBP	Standard	899	917	1/2	30	37	—	—		44 lbs.	1.4
11N3637SWTBFA	11N3637SWTBPA	Railroad	\$ 1030	\$ 1060	1/2	36	37	—	—		53 lbs.	1.7
11N3637SWTBF	11N3637SWTBP	Standard	1025	1043	1/2	36	37	—	—		53 lbs.	1.7
11N4237SWTBFA	11N4237SWTBPA	Railroad	\$ 1032	\$ 1067	1/2	42	37	—	—		62 lbs.	2.0
11N4237SWTBF	11N4237SWTBP	Standard	1027	1045	1/2	42	37	—	—		62 lbs.	2.0
11N4837SWTBFA	11N4837SWTBPA	Railroad	\$ 1145	\$ 1185	1/2	48	37	—	—		71 lbs.	2.3
11N4837SWTBF	11N4837SWTBP	Standard	1140	1158	1/2	48	37	—	—		71 lbs.	2.3
Compatible with WaveWorks 79" High WW Models												
23"H Slat with 25"H Tack												
Fabric Trim		Painted Trim		Grade A	Grade B/COM							
11N2448SWTBFA	11N2448SWTBPA	Railroad	\$ 1061	\$ 1082	1/2	24	4838	—	—		45 lbs.	1.4
11N2448SWTBF	11N2448SWTBP	Standard	1056	1077	1/2	24	4838	—	—		45 lbs.	1.4
11N3048SWTBFA	11N3048SWTBPA	Railroad	\$ 1066	\$ 1092	1/2	30	4838	—	—		58 lbs.	1.7
11N3048SWTBF	11N3048SWTBP	Standard	1061	1082	1/2	30	4838	—	—		58 lbs.	1.7
11N3648SWTBFA	11N3648SWTBPA	Railroad	\$ 1214	\$ 1244	1/2	36	4838	—	—		71 lbs.	2.1
11N3648SWTBF	11N3648SWTBP	Standard	1209	1230	1/2	36	4838	—	—		71 lbs.	2.1
11N4248SWTBFA	11N4248SWTBPA	Railroad	\$ 1216	\$ 1251	1/2	42	4838	—	—		83 lbs.	2.5
11N4248SWTBF	11N4248SWTBP	Standard	1211	1232	1/2	42	4838	—	—		83 lbs.	2.5
11N4848SWTBFA	11N4848SWTBPA	Railroad	\$ 1351	\$ 1391	1/2	48	4838	—	—		96 lbs.	2.9
11N4848SWTBF	11N4848SWTBP	Standard	1346	1367	1/2	48	4838	—	—		96 lbs.	2.9

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 330-333
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model


Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
Slat Wall Inserts Combo Slat/Tack (continued) 	Compatible with WaveWorks 80" High WWN Models										
	23"H Slat with 26"H Tack										
	<i>Fabric Trim</i>	<i>Painted Trim</i>		Grade A	Grade B/COM						
	11N2449SWTBFA	11N2449SWTBPA	Railroad	\$ 1061	\$ 1082	½	24	4813/16	—	45 lbs.	1.4
	11N2449SWTBF	11N2449SWTBP	Standard	1056	1077	½	24	4813/16	—	45 lbs.	1.4
	11N3049SWTBFA	11N3049SWTBPA	Railroad	\$ 1066	\$ 1092	½	30	4813/16	—	58 lbs.	1.7
	11N3049SWTBF	11N3049SWTBP	Standard	1061	1082	½	30	4813/16	—	58 lbs.	1.7
	11N3649SWTBFA	11N3649SWTBPA	Railroad	\$ 1214	\$ 1244	½	36	4813/16	—	71 lbs.	2.1
	11N3649SWTBF	11N3649SWTBP	Standard	1209	1230	½	36	4813/16	—	71 lbs.	2.1
	11N4249SWTBFA	11N4249SWTBPA	Railroad	\$ 1216	\$ 1251	½	42	4813/16	—	83 lbs.	2.5
	11N4249SWTBF	11N4249SWTBP	Standard	1211	1232	½	42	4813/16	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	\$ 1351	\$ 1391	½	48	4813/16	—	96 lbs.	2.9	
11N4849SWTBF	11N4849SWTBP	Standard	1346	1367	½	48	4813/16	—	96 lbs.	2.9	
• Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels • Slat wall insert requires the use of trim channels and mounting bracket included with the model • Slat wall should only be used with National certified work tools and monitor arms; reference pages 330-333 • Slat section must be located on the lower portion of the insert • Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered • Not recommended to use more than two monitor arms per combo slat/tack model											

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3634SH1W MH
 11N3634SH1LW 462 CW
 11N3634SH1L 405 478



Shaded rectangle portrays a railroaded tack board.

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
	34"H Organizer Shelf Inserts					
	11N3634SH1W Wood	\$ 1629	10½ 3515/16 341/8 — —	—	47 lbs.	3.1
	11N3634SH1LW Laminate Shelves, Wood Wall	1629	10½ 3515/16 341/8 — —	—	47 lbs.	3.1
	11N3634SH1L Laminate	1124	10½ 3515/16 341/8 — —	—	47 lbs.	3.1
	11N3634SH1WL Wood Shelves, Laminate Wall	1629	10½ 3515/16 341/8 — —	—	47 lbs.	3.1
	11N4234SH1W Wood	\$ 1630	10½ 4115/16 341/8 — —	—	53 lbs.	3.3
	11N4234SH1LW Laminate Shelves, Wood Wall	1630	10½ 4115/16 341/8 — —	—	53 lbs.	3.3
	11N4234SH1L Laminate	1125	10½ 4115/16 341/8 — —	—	53 lbs.	3.3
	11N4234SH1WL Wood Shelves, Laminate Wall	1630	10½ 4115/16 341/8 — —	—	53 lbs.	3.3
	11N4834SH1W Wood	\$ 1812	10½ 4715/16 341/8 — —	—	58 lbs.	3.5
	11N4834SH1LW Laminate Shelves, Wood Wall	1812	10½ 4715/16 341/8 — —	—	58 lbs.	3.5
	11N4834SH1L Laminate	1249	10½ 4715/16 341/8 — —	—	58 lbs.	3.5
	11N4834SH1WL Wood Shelves, Laminate Wall	1812	10½ 4715/16 341/8 — —	—	58 lbs.	3.5
	11N5434SH1W Wood	\$ 1993	10½ 537/8 341/8 — —	—	64 lbs.	3.5
	11N5434SH1LW Laminate Shelves, Wood Wall	1993	10½ 537/8 341/8 — —	—	64 lbs.	3.5
	11N5434SH1L Laminate	1375	10½ 537/8 341/8 — —	—	64 lbs.	3.5
	11N5434SH1WL Wood Shelves, Laminate Wall	1993	10½ 537/8 341/8 — —	—	64 lbs.	3.5
	11N6034SH1W Wood	\$ 2193	10½ 5915/16 341/8 — —	—	71 lbs.	3.9
	11N6034SH1LW Laminate Shelves, Wood Wall	2193	10½ 5915/16 341/8 — —	—	71 lbs.	3.9
	11N6034SH1L Laminate	1513	10½ 5915/16 341/8 — —	—	71 lbs.	3.9
	11N6034SH1WL Wood Shelves, Laminate Wall	2193	10½ 5915/16 341/8 — —	—	71 lbs.	3.9



- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet		
			D	W	H	A	KW				
Organizer Shelf Inserts (continued) 	34"H Organizer Shelf Inserts (continued)										
	11N3634SH2W	Wood	\$ 1629	10½	3515/16	341/8	—	—	47 lbs.	3.1	
	11N3634SH2LW	Laminate Shelves, Wood Wall	1629	10½	3515/16	341/8	—	—	47 lbs.	3.1	
	11N3634SH2L	Laminate	1124	10½	3515/16	341/8	—	—	47 lbs.	3.1	
	11N3634SH2WL	Wood Shelves, Laminate Wall	1629	10½	3515/16	341/8	—	—	47 lbs.	3.1	
	11N4234SH2W	Wood	\$ 1630	10½	4115/16	341/8	—	—	53 lbs.	3.3	
	11N4234SH2LW	Laminate Shelves, Wood Wall	1630	10½	4115/16	341/8	—	—	53 lbs.	3.3	
	11N4234SH2L	Laminate	1125	10½	4115/16	341/8	—	—	53 lbs.	3.3	
	11N4234SH2WL	Wood Shelves, Laminate Wall	1630	10½	4115/16	341/8	—	—	53 lbs.	3.3	
	11N4834SH2W	Wood	\$ 1812	10½	4715/16	341/8	—	—	58 lbs.	3.5	
	11N4834SH2LW	Laminate Shelves, Wood Wall	1812	10½	4715/16	341/8	—	—	58 lbs.	3.5	
	11N4834SH2L	Laminate	1249	10½	4715/16	341/8	—	—	58 lbs.	3.5	
	11N4834SH2WL	Wood Shelves, Laminate Wall	1812	10½	4715/16	341/8	—	—	58 lbs.	3.5	
	11N5434SH2W	Wood	\$ 1993	10½	537/8	341/8	—	—	64 lbs.	3.5	
	11N5434SH2LW	Laminate Shelves, Wood Wall	1993	10½	537/8	341/8	—	—	64 lbs.	3.5	
	11N5434SH2L	Laminate	1375	10½	537/8	341/8	—	—	64 lbs.	3.5	
	11N5434SH2WL	Wood Shelves, Laminate Wall	1993	10½	537/8	341/8	—	—	64 lbs.	3.5	
		11N6034SH2W	Wood	\$ 2193	10½	5915/16	341/8	—	—	71 lbs.	3.9
		11N6034SH2LW	Laminate Shelves, Wood Wall	2193	10½	5915/16	341/8	—	—	71 lbs.	3.9
		11N6034SH2L	Laminate	1513	10½	5915/16	341/8	—	—	71 lbs.	3.9
		11N6034SH2WL	Wood Shelves, Laminate Wall	2193	10½	5915/16	341/8	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3634SH3W MH
 11N3634SH3WL MH 405
 11N3634SH3L 405 478

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
	34"H Organizer Shelf Inserts (continued)									
	11N3634SH3W	Wood	\$ 1385	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N3634SH3LW	Laminate Shelves, Wood Wall	1385	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N3634SH3L	Laminate	955	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N3634SH3WL	Wood Shelves, Laminate Wall	1385	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N4234SH3W	Wood	\$ 1386	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4234SH3LW	Laminate Shelves, Wood Wall	1386	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4234SH3L	Laminate	956	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4234SH3WL	Wood Shelves, Laminate Wall	1386	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4834SH3W	Wood	\$ 1540	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N4834SH3LW	Laminate Shelves, Wood Wall	1540	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N4834SH3L	Laminate	1062	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N4834SH3WL	Wood Shelves, Laminate Wall	1540	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N5434SH3W	Wood	\$ 1694	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N5434SH3LW	Laminate Shelves, Wood Wall	1694	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N5434SH3L	Laminate	1169	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N5434SH3WL	Wood Shelves, Laminate Wall	1694	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N6034SH3W	Wood	\$ 1864	10½	5915/16	341/8	—	—	66 lbs.	5.3
	11N6034SH3LW	Laminate Shelves, Wood Wall	1864	10½	5915/16	341/8	—	—	66 lbs.	5.3
	11N6034SH3L	Laminate	1286	10½	5915/16	341/8	—	—	66 lbs.	5.3
	11N6034SH3WL	Wood Shelves, Laminate Wall	1864	10½	5915/16	341/8	—	—	66 lbs.	5.3



- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit


Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
	34"H Organizer Shelf Inserts (continued)									
	11N3634SH4W	Wood	\$ 1417	10½	3515/16	341/8	—	—	49 lbs.	3.3
	11N3634SH4LW	Laminate Shelves, Wood Wall	1417	10½	3515/16	341/8	—	—	49 lbs.	3.3
	11N3634SH4L	Laminate	978	10½	3515/16	341/8	—	—	49 lbs.	3.3
	11N3634SH4WL	Wood Shelves, Laminate Wall	1417	10½	3515/16	341/8	—	—	49 lbs.	3.3
	11N4234SH4W	Wood	\$ 1418	10½	4115/16	341/8	—	—	57 lbs.	3.8
	11N4234SH4LW	Laminate Shelves, Wood Wall	1418	10½	4115/16	341/8	—	—	57 lbs.	3.8
	11N4234SH4L	Laminate	979	10½	4115/16	341/8	—	—	57 lbs.	3.8
	11N4234SH4WL	Wood Shelves, Laminate Wall	1418	10½	4115/16	341/8	—	—	57 lbs.	3.8
	11N4834SH4W	Wood	\$ 1576	10½	4715/16	341/8	—	—	65 lbs.	4.3
	11N4834SH4LW	Laminate Shelves, Wood Wall	1576	10½	4715/16	341/8	—	—	65 lbs.	4.3
	11N4834SH4L	Laminate	1087	10½	4715/16	341/8	—	—	65 lbs.	4.3
	11N4834SH4WL	Wood Shelves, Laminate Wall	1576	10½	4715/16	341/8	—	—	65 lbs.	4.3
	11N5434SH4W	Wood	\$ 1734	10½	537/8	341/8	—	—	73 lbs.	4.8
	11N5434SH4LW	Laminate Shelves, Wood Wall	1734	10½	537/8	341/8	—	—	73 lbs.	4.8
	11N5434SH4L	Laminate	1196	10½	537/8	341/8	—	—	73 lbs.	4.8
	11N5434SH4WL	Wood Shelves, Laminate Wall	1734	10½	537/8	341/8	—	—	73 lbs.	4.8
	11N6034SH4W	Wood	\$ 1908	10½	5915/16	341/8	—	—	81 lbs.	5.3
	11N6034SH4LW	Laminate Shelves, Wood Wall	1908	10½	5915/16	341/8	—	—	81 lbs.	5.3
	11N6034SH4L	Laminate	1316	10½	5915/16	341/8	—	—	81 lbs.	5.3
	11N6034SH4WL	Wood Shelves, Laminate Wall	1908	10½	5915/16	341/8	—	—	81 lbs.	5.3
	• Some assembly required									
	• “SH4” models have two shelves that align with the horizontal shelves of the “SH1” and “SH2” shelves									
	• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves									
	• Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves									
	• Each horizontal shelf has a 50 lb. maximum limit									



To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3634SH6W MH
 11N3634SH6WL MH 405
 11N3634SH6L 405 478

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
	D	W	H	A	KW					
Organizer Shelf Inserts (continued)  	34"H Organizer Shelf Inserts (continued)									
	11N3634SH6W	Wood	\$ 1385	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N3634SH6LW	Laminate Shelves, Wood Wall	1385	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N3634SH6L	Laminate	955	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N3634SH6WL	Wood Shelves, Laminate Wall	1385	10½	3515/16	341/8	—	—	41 lbs.	3.3
	11N4234SH6W	Wood	\$ 1386	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4234SH6LW	Laminate Shelves, Wood Wall	1386	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4234SH6L	Laminate	956	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4234SH6WL	Wood Shelves, Laminate Wall	1386	10½	4115/16	341/8	—	—	48 lbs.	3.8
	11N4834SH6W	Wood	\$ 1540	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N4834SH6LW	Laminate Shelves, Wood Wall	1540	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N4834SH6L	Laminate	1062	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N4834SH6WL	Wood Shelves, Laminate Wall	1540	10½	4715/16	341/8	—	—	54 lbs.	4.3
	11N5434SH6W	Wood	\$ 1694	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N5434SH6LW	Laminate Shelves, Wood Wall	1694	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N5434SH6L	Laminate	1169	10½	537/8	341/8	—	—	59 lbs.	4.8
	11N5434SH6WL	Wood Shelves, Laminate Wall	1694	10½	537/8	341/8	—	—	59 lbs.	4.8
11N6034SH6W	Wood	\$ 1864	10½	5915/16	341/8	—	—	66 lbs.	5.3	
11N6034SH6LW	Laminate Shelves, Wood Wall	1864	10½	5915/16	341/8	—	—	66 lbs.	5.3	
11N6034SH6L	Laminate	1286	10½	5915/16	341/8	—	—	66 lbs.	5.3	
11N6034SH6WL	Wood Shelves, Laminate Wall	1864	10½	5915/16	341/8	—	—	66 lbs.	5.3	


- Some assembly required
- "SH6" 34" high models have one shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit


Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
Organizer Shelf Inserts (continued) 	Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	36"H Organizer Shelf Inserts									
	11N3636SH1W	Wood	\$ 1652	10½	3515/16	369/16	—	—	51 lbs.	3.4
	11N3636SH1LW	Laminate Shelves, Wood Wall	1652	10½	3515/16	369/16	—	—	51 lbs.	3.4
	11N3636SH1L	Laminate	1139	10½	3515/16	369/16	—	—	51 lbs.	3.4
	11N3636SH1WL	Wood Shelves, Laminate Wall	1652	10½	3515/16	369/16	—	—	51 lbs.	3.4
	11N4236SH1W	Wood	\$ 1655	10½	4115/16	369/16	—	—	57 lbs.	3.6
	11N4236SH1LW	Laminate Shelves, Wood Wall	1655	10½	4115/16	369/16	—	—	57 lbs.	3.6
	11N4236SH1L	Laminate	1141	10½	4115/16	369/16	—	—	57 lbs.	3.6
	11N4236SH1WL	Wood Shelves, Laminate Wall	1655	10½	4115/16	369/16	—	—	57 lbs.	3.6
	11N4836SH1W	Wood	\$ 1839	10½	4715/16	369/16	—	—	62 lbs.	3.9
	11N4836SH1LW	Laminate Shelves, Wood Wall	1839	10½	4715/16	369/16	—	—	62 lbs.	3.9
	11N4836SH1L	Laminate	1268	10½	4715/16	369/16	—	—	62 lbs.	3.9
	11N4836SH1WL	Wood Shelves, Laminate Wall	1839	10½	4715/16	369/16	—	—	62 lbs.	3.9
	11N5436SH1W	Wood	\$ 2022	10½	537/8	369/16	—	—	68 lbs.	4.1
	11N5436SH1LW	Laminate Shelves, Wood Wall	2022	10½	537/8	369/16	—	—	68 lbs.	4.1
	11N5436SH1L	Laminate	1395	10½	537/8	369/16	—	—	68 lbs.	4.1
	11N5436SH1WL	Wood Shelves, Laminate Wall	2022	10½	537/8	369/16	—	—	68 lbs.	4.1
	11N6036SH1W	Wood	\$ 2225	10½	5915/16	369/16	—	—	74 lbs.	4.3
	11N6036SH1LW	Laminate Shelves, Wood Wall	2225	10½	5915/16	369/16	—	—	74 lbs.	4.3
	11N6036SH1L	Laminate	1535	10½	5915/16	369/16	—	—	74 lbs.	4.3
	11N6036SH1WL	Wood Shelves, Laminate Wall	2225	10½	5915/16	369/16	—	—	74 lbs.	4.3



- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3636SH2W MH
 11N3636SH2WL MH 405
 11N3636SH2L 405 478

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Organizer Shelf Inserts (continued)	Compatible with WaveWorks 68" High WW and Epic 68" High Models								
	36"H Organizer Shelf Inserts (continued)								
	11N3636SH2W	Wood	\$ 1652	10½	3515/16	369/16	—	—	51 lbs. 3.4
	11N3636SH2LW	Laminate Shelves, Wood Wall	1652	10½	3515/16	369/16	—	—	51 lbs. 3.4
	11N3636SH2L	Laminate	1139	10½	3515/16	369/16	—	—	51 lbs. 3.4
	11N3636SH2WL	Wood Shelves, Laminate Wall	1652	10½	3515/16	369/16	—	—	51 lbs. 3.4
	11N4236SH2W	Wood	\$ 1655	10½	4115/16	369/16	—	—	57 lbs. 3.6
	11N4236SH2LW	Laminate Shelves, Wood Wall	1655	10½	4115/16	369/16	—	—	57 lbs. 3.6
	11N4236SH2L	Laminate	1141	10½	4115/16	369/16	—	—	57 lbs. 3.6
	11N4236SH2WL	Wood Shelves, Laminate Wall	1655	10½	4115/16	369/16	—	—	57 lbs. 3.6
	11N4836SH2W	Wood	\$ 1839	10½	4715/16	369/16	—	—	62 lbs. 3.9
	11N4836SH2LW	Laminate Shelves, Wood Wall	1839	10½	4715/16	369/16	—	—	62 lbs. 3.9
	11N4836SH2L	Laminate	1268	10½	4715/16	369/16	—	—	62 lbs. 3.9
	11N4836SH2WL	Wood Shelves, Laminate Wall	1839	10½	4715/16	369/16	—	—	62 lbs. 3.9
	11N5436SH2W	Wood	\$ 2022	10½	537/8	369/16	—	—	68 lbs. 4.1
	11N5436SH2LW	Laminate Shelves, Wood Wall	2022	10½	537/8	369/16	—	—	68 lbs. 4.1
	11N5436SH2L	Laminate	1395	10½	537/8	369/16	—	—	68 lbs. 4.1
	11N5436SH2WL	Wood Shelves, Laminate Wall	2022	10½	537/8	369/16	—	—	68 lbs. 4.1
	11N6036SH2W	Wood	\$ 2225	10½	5915/16	369/16	—	—	74 lbs. 4.3
	11N6036SH2LW	Laminate Shelves, Wood Wall	2225	10½	5915/16	369/16	—	—	74 lbs. 4.3
	11N6036SH2L	Laminate	1535	10½	5915/16	369/16	—	—	74 lbs. 4.3
	11N6036SH2WL	Wood Shelves, Laminate Wall	2225	10½	5915/16	369/16	—	—	74 lbs. 4.3



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Organizer Shelf Inserts (continued)	Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	36"H Organizer Shelf Inserts (continued)									
	11N3636SH3W	Wood	\$ 1404	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N3636SH3LW	Laminate Shelves, Wood Wall	1404	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N3636SH3L	Laminate	968	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N3636SH3WL	Wood Shelves, Laminate Wall	1404	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N4236SH3W	Wood	\$ 1407	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4236SH3LW	Laminate Shelves, Wood Wall	1407	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4236SH3L	Laminate	970	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4236SH3WL	Wood Shelves, Laminate Wall	1407	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4836SH3W	Wood	\$ 1563	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N4836SH3LW	Laminate Shelves, Wood Wall	1563	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N4836SH3L	Laminate	1078	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N4836SH3WL	Wood Shelves, Laminate Wall	1563	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N5436SH3W	Wood	\$ 1719	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N5436SH3LW	Laminate Shelves, Wood Wall	1719	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N5436SH3L	Laminate	1186	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N5436SH3WL	Wood Shelves, Laminate Wall	1719	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N6036SH3W	Wood	\$ 1891	10½	5915/16	369/16	—	—	69 lbs.	5.6
	11N6036SH3LW	Laminate Shelves, Wood Wall	1891	10½	5915/16	369/16	—	—	69 lbs.	5.6
	11N6036SH3L	Laminate	1305	10½	5915/16	369/16	—	—	69 lbs.	5.6
	11N6036SH3WL	Wood Shelves, Laminate Wall	1891	10½	5915/16	369/16	—	—	69 lbs.	5.6

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)







To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3636SH4W MH
 11N3636SH4WL MH 405
 11N3636SH4L 405 478

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Compatible with WaveWorks 68" High WW and Epic 68" High Models 36"H Organizer Shelf Inserts (continued)				
	11N3636SH4W Wood	\$ 1437	10½ 3515/16 369/16 — —	51 lbs.	3.5
	11N3636SH4LW Laminate Shelves, Wood Wall	1437	10½ 3515/16 369/16 — —	51 lbs.	3.5
	11N3636SH4L Laminate	991	10½ 3515/16 369/16 — —	51 lbs.	3.5
	11N3636SH4WL Wood Shelves, Laminate Wall	1437	10½ 3515/16 369/16 — —	51 lbs.	3.5
	11N4236SH4W Wood	\$ 1440	10½ 4115/16 369/16 — —	59 lbs.	4.1
	11N4236SH4LW Laminate Shelves, Wood Wall	1440	10½ 4115/16 369/16 — —	59 lbs.	4.1
	11N4236SH4L Laminate	993	10½ 4115/16 369/16 — —	59 lbs.	4.1
	11N4236SH4WL Wood Shelves, Laminate Wall	1440	10½ 4115/16 369/16 — —	59 lbs.	4.1
	11N4836SH4W Wood	\$ 1600	10½ 4715/16 369/16 — —	68 lbs.	4.6
	11N4836SH4LW Laminate Shelves, Wood Wall	1600	10½ 4715/16 369/16 — —	68 lbs.	4.6
	11N4836SH4L Laminate	1103	10½ 4715/16 369/16 — —	68 lbs.	4.6
	11N4836SH4WL Wood Shelves, Laminate Wall	1600	10½ 4715/16 369/16 — —	68 lbs.	4.6
	11N5436SH4W Wood	\$ 1759	10½ 537/8 369/16 — —	76 lbs.	5.1
	11N5436SH4LW Laminate Shelves, Wood Wall	1759	10½ 537/8 369/16 — —	76 lbs.	5.1
	11N5436SH4L Laminate	1214	10½ 537/8 369/16 — —	76 lbs.	5.1
	11N5436SH4WL Wood Shelves, Laminate Wall	1759	10½ 537/8 369/16 — —	76 lbs.	5.1
	11N6036SH4W Wood	\$ 1936	10½ 5915/16 369/16 — —	85 lbs.	5.6
	11N6036SH4LW Laminate Shelves, Wood Wall	1936	10½ 5915/16 369/16 — —	85 lbs.	5.6
	11N6036SH4L Laminate	1335	10½ 5915/16 369/16 — —	85 lbs.	5.6
	11N6036SH4WL Wood Shelves, Laminate Wall	1936	10½ 5915/16 369/16 — —	85 lbs.	5.6

- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit


Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Organizer Shelf Inserts (continued)	Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	36"H Organizer Shelf Inserts (continued)									
	11N3636SH6W	Wood	\$ 1404	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N3636SH6LW	Laminate Shelves, Wood Wall	1404	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N3636SH6L	Laminate	968	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N3636SH6WL	Wood Shelves, Laminate Wall	1404	10½	3515/16	369/16	—	—	43 lbs.	3.5
	11N4236SH6W	Wood	\$ 1407	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4236SH6LW	Laminate Shelves, Wood Wall	1407	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4236SH6L	Laminate	970	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4236SH6WL	Wood Shelves, Laminate Wall	1407	10½	4115/16	369/16	—	—	49 lbs.	4.1
	11N4836SH6W	Wood	\$ 1563	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N4836SH6LW	Laminate Shelves, Wood Wall	1563	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N4836SH6L	Laminate	1078	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N4836SH6WL	Wood Shelves, Laminate Wall	1563	10½	4715/16	369/16	—	—	56 lbs.	4.6
	11N5436SH6W	Wood	\$ 1719	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N5436SH6LW	Laminate Shelves, Wood Wall	1719	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N5436SH6L	Laminate	1186	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N5436SH6WL	Wood Shelves, Laminate Wall	1719	10½	537/8	369/16	—	—	63 lbs.	5.1
	11N6036SH6W	Wood	\$ 1891	10½	5915/16	369/16	—	—	69 lbs.	5.6
	11N6036SH6LW	Laminate Shelves, Wood Wall	1891	10½	5915/16	369/16	—	—	69 lbs.	5.6
	11N6036SH6L	Laminate	1305	10½	5915/16	369/16	—	—	69 lbs.	5.6
	11N6036SH6WL	Wood Shelves, Laminate Wall	1891	10½	5915/16	369/16	—	—	69 lbs.	5.6
										</

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3637SH1W MH
 11N3637SH1WL MH 405
 11N3637SH1L 405 478

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Organizer Shelf Inserts (continued) 	Compatible with WaveWorks 69" High WWN Models									
	37"H Organizer Shelf Inserts									
	11N3637SH1W	Wood	\$ 1652	10½	3515/16	37	—	—	51 lbs.	3.4
	11N3637SH1LW	Laminate Shelves, Wood Wall	1652	10½	3515/16	37	—	—	51 lbs.	3.4
	11N3637SH1L	Laminate	1139	10½	3515/16	37	—	—	51 lbs.	3.4
	11N3637SH1WL	Wood Shelves, Laminate Wall	1652	10½	3515/16	37	—	—	51 lbs.	3.4
	11N4237SH1W	Wood	\$ 1655	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4237SH1LW	Laminate Shelves, Wood Wall	1655	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4237SH1L	Laminate	1141	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4237SH1WL	Wood Shelves, Laminate Wall	1655	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4837SH1W	Wood	\$ 1839	10½	4715/16	37	—	—	62 lbs.	3.9
	11N4837SH1LW	Laminate Shelves, Wood Wall	1839	10½	4715/16	37	—	—	62 lbs.	3.9
	11N4837SH1L	Laminate	1268	10½	4715/16	37	—	—	62 lbs.	3.9
	11N4837SH1WL	Wood Shelves, Laminate Wall	1839	10½	4715/16	37	—	—	62 lbs.	3.9
	11N5437SH1W	Wood	\$ 2022	10½	537/8	37	—	—	68 lbs.	4.1
	11N5437SH1LW	Laminate Shelves, Wood Wall	2022	10½	537/8	37	—	—	68 lbs.	4.1
	11N5437SH1L	Laminate	1395	10½	537/8	37	—	—	68 lbs.	4.1
11N5437SH1WL	Wood Shelves, Laminate Wall	2022	10½	537/8	37	—	—	68 lbs.	4.1	
	11N6037SH1W	Wood	\$ 2225	10½	5915/16	37	—	—	74 lbs.	4.3
	11N6037SH1LW	Laminate Shelves, Wood Wall	2225	10½	5915/16	37	—	—	74 lbs.	4.3
	11N6037SH1L	Laminate	1535	10½	5915/16	37	—	—	74 lbs.	4.3
	11N6037SH1WL	Wood Shelves, Laminate Wall	2225	10½	5915/16	37	—	—	74 lbs.	4.3



- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
	Compatible with WaveWorks 69" High WWN Models									
	37"H Organizer Shelf Inserts (continued)									
	11N3637SH2W	Wood	\$ 1652	10½	3515/16	37	—	—	51 lbs.	3.4
	11N3637SH2LW	Laminate Shelves, Wood Wall	1652	10½	3515/16	37	—	—	51 lbs.	3.4
	11N3637SH2L	Laminate	1139	10½	3515/16	37	—	—	51 lbs.	3.4
	11N3637SH2WL	Wood Shelves, Laminate Wall	1652	10½	3515/16	37	—	—	51 lbs.	3.4
	11N4237SH2W	Wood	\$ 1655	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4237SH2LW	Laminate Shelves, Wood Wall	1655	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4237SH2L	Laminate	1141	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4237SH2WL	Wood Shelves, Laminate Wall	1655	10½	4115/16	37	—	—	57 lbs.	3.6
	11N4837SH2W	Wood	\$ 1839	10½	4715/16	37	—	—	62 lbs.	3.9
	11N4837SH2LW	Laminate Shelves, Wood Wall	1839	10½	4715/16	37	—	—	62 lbs.	3.9
	11N4837SH2L	Laminate	1268	10½	4715/16	37	—	—	62 lbs.	3.9
	11N4837SH2WL	Wood Shelves, Laminate Wall	1839	10½	4715/16	37	—	—	62 lbs.	3.9
	11N5437SH2W	Wood	\$ 2022	10½	537/8	37	—	—	68 lbs.	4.1
	11N5437SH2LW	Laminate Shelves, Wood Wall	2022	10½	537/8	37	—	—	68 lbs.	4.1
	11N5437SH2L	Laminate	1395	10½	537/8	37	—	—	68 lbs.	4.1
	11N5437SH2WL	Wood Shelves, Laminate Wall	2022	10½	537/8	37	—	—	68 lbs.	4.1
11N6037SH2W	Wood	\$ 2225	10½	5915/16	37	—	—	74 lbs.	4.3	
11N6037SH2LW	Laminate Shelves, Wood Wall	2225	10½	5915/16	37	—	—	74 lbs.	4.3	
11N6037SH2L	Laminate	1535	10½	5915/16	37	—	—	74 lbs.	4.3	
11N6037SH2WL	Wood Shelves, Laminate Wall	2225	10½	5915/16	37	—	—	74 lbs.	4.3	
• Some assembly required • “SH2” shelves are a mirrored version of the “SH1” shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves										

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)







To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3637SH3W MH
 11N3637SH3WL MH 405
 11N3637SH3L 405 478

	Model No./Description	List Price	Dimensions D W H	A	KW	Cartoned Weight	Cubic Feet
	Compatible fwith WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts (continued)						
	11N3637SH3W Wood	\$ 1404	10½ 3515/16 37	—	—	43 lbs.	3.6
	11N3637SH3LW Laminate Shelves, Wood Wall	1404	10½ 3515/16 37	—	—	43 lbs.	3.6
	11N3637SH3L Laminate	968	10½ 3515/16 37	—	—	43 lbs.	3.6
	11N3637SH3WL Wood Shelves, Laminate Wall	1404	10½ 3515/16 37	—	—	43 lbs.	3.6
	11N4237SH3W Wood	\$ 1407	10½ 4115/16 37	—	—	50 lbs.	4.1
	11N4237SH3LW Laminate Shelves, Wood Wall	1407	10½ 4115/16 37	—	—	50 lbs.	4.1
	11N4237SH3L Laminate	970	10½ 4115/16 37	—	—	50 lbs.	4.1
	11N4237SH3WL Wood Shelves, Laminate Wall	1407	10½ 4115/16 37	—	—	50 lbs.	4.1
	11N4837SH3W Wood	\$ 1563	10½ 4715/16 37	—	—	56 lbs.	4.6
	11N4837SH3LW Laminate Shelves, Wood Wall	1563	10½ 4715/16 37	—	—	56 lbs.	4.6
	11N4837SH3L Laminate	1078	10½ 4715/16 37	—	—	56 lbs.	4.6
	11N4837SH3WL Wood Shelves, Laminate Wall	1563	10½ 4715/16 37	—	—	56 lbs.	4.6
	11N5437SH3W Wood	\$ 1719	10½ 537/8 37	—	—	63 lbs.	5.1
	11N5437SH3LW Laminate Shelves, Wood Wall	1719	10½ 537/8 37	—	—	63 lbs.	5.1
	11N5437SH3L Laminate	1186	10½ 537/8 37	—	—	63 lbs.	5.1
	11N5437SH3WL Wood Shelves, Laminate Wall	1719	10½ 537/8 37	—	—	63 lbs.	5.1
	11N6037SH3W Wood	\$ 1891	10½ 5915/16 37	—	—	70 lbs.	5.7
	11N6037SH3LW Laminate Shelves, Wood Wall	1891	10½ 5915/16 37	—	—	70 lbs.	5.7
	11N6037SH3L Laminate	1305	10½ 5915/16 37	—	—	70 lbs.	5.7
	11N6037SH3WL Wood Shelves, Laminate Wall	1891	10½ 5915/16 37	—	—	70 lbs.	5.7

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3637SH6W MH
 11N3637SH6WL MH 405
 11N3637SH6L 405 478

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	Compatible with WaveWorks 69" High WWN Models 37"H Organizer Shelf Inserts (continued)									
	11N3637SH6W	Wood	\$ 1404	10½	3515/16	37	—	—	43 lbs.	3.6
	11N3637SH6LW	Laminate Shelves, Wood Wall	1404	10½	3515/16	37	—	—	43 lbs.	3.6
	11N3637SH6L	Laminate	968	10½	3515/16	37	—	—	43 lbs.	3.6
	11N3637SH6WL	Wood Shelves, Laminate Wall	1404	10½	3515/16	37	—	—	43 lbs.	3.6
	11N4237SH6W	Wood	\$ 1407	10½	4115/16	37	—	—	50 lbs.	4.1
	11N4237SH6LW	Laminate Shelves, Wood Wall	1407	10½	4115/16	37	—	—	50 lbs.	4.1
	11N4237SH6L	Laminate	970	10½	4115/16	37	—	—	50 lbs.	4.1
	11N4237SH6WL	Wood Shelves, Laminate Wall	1407	10½	4115/16	37	—	—	50 lbs.	4.1
	11N4837SH6W	Wood	\$ 1563	10½	4715/16	37	—	—	56 lbs.	4.6
	11N4837SH6LW	Laminate Shelves, Wood Wall	1563	10½	4715/16	37	—	—	56 lbs.	4.6
	11N4837SH6L	Laminate	1078	10½	4715/16	37	—	—	56 lbs.	4.6
	11N4837SH6WL	Wood Shelves, Laminate Wall	1563	10½	4715/16	37	—	—	56 lbs.	4.6
	11N5437SH6W	Wood	\$ 1719	10½	5378	37	—	—	63 lbs.	5.1
	11N5437SH6LW	Laminate Shelves, Wood Wall	1719	10½	5378	37	—	—	63 lbs.	5.1
	11N5437SH6L	Laminate	1186	10½	5378	37	—	—	63 lbs.	5.1
	11N5437SH6WL	Wood Shelves, Laminate Wall	1719	10½	5378	37	—	—	63 lbs.	5.1
	11N6037SH6W	Wood	\$ 1891	10½	5915/16	37	—	—	70 lbs.	5.7
	11N6037SH6LW	Laminate Shelves, Wood Wall	1891	10½	5915/16	37	—	—	70 lbs.	5.7
	11N6037SH6L	Laminate	1305	10½	5915/16	37	—	—	70 lbs.	5.7
	11N6037SH6WL	Wood Shelves, Laminate Wall	1891	10½	5915/16	37	—	—	70 lbs.	5.7



- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
Organizer Shelf Inserts (continued) 	Compatible with WaveWorks 79" High WW Models									
	48"H Organizer Shelf Inserts									
	11N3648SH1W	Wood	\$ 1951	10½	3515/16	4838	—	—	69 lbs.	5.0
	11N3648SH1LW	Laminate Shelves, Wood Wall	1951	10½	3515/16	4838	—	—	69 lbs.	5.0
	11N3648SH1L	Laminate	1345	10½	3515/16	4838	—	—	69 lbs.	5.0
	11N3648SH1WL	Wood Shelves, Laminate Wall	1951	10½	3515/16	4838	—	—	69 lbs.	5.0
	11N4248SH1W	Wood	\$ 1954	10½	4115/16	4838	—	—	77 lbs.	5.2
	11N4248SH1LW	Laminate Shelves, Wood Wall	1954	10½	4115/16	4838	—	—	77 lbs.	5.2
	11N4248SH1L	Laminate	1347	10½	4115/16	4838	—	—	77 lbs.	5.2
	11N4248SH1WL	Wood Shelves, Laminate Wall	1954	10½	4115/16	4838	—	—	77 lbs.	5.2
	11N4848SH1W	Wood	\$ 2169	10½	4715/16	4838	—	—	85 lbs.	5.5
	11N4848SH1LW	Laminate Shelves, Wood Wall	2169	10½	4715/16	4838	—	—	85 lbs.	5.5
	11N4848SH1L	Laminate	1496	10½	4715/16	4838	—	—	85 lbs.	5.5
	11N4848SH1WL	Wood Shelves, Laminate Wall	2169	10½	4715/16	4838	—	—	85 lbs.	5.5
	11N5448SH1W	Wood	\$ 2388	10½	5378	4838	—	—	93 lbs.	5.8
	11N5448SH1LW	Laminate Shelves, Wood Wall	2388	10½	5378	4838	—	—	93 lbs.	5.8
	11N5448SH1L	Laminate	1646	10½	5378	4838	—	—	93 lbs.	5.8
11N5448SH1WL	Wood Shelves, Laminate Wall	2388	10½	5378	4838	—	—	93 lbs.	5.8	
	11N6048SH1W	Wood	\$ 2625	10½	5915/16	4838	—	—	101 lbs.	6.1
	11N6048SH1LW	Laminate Shelves, Wood Wall	2625	10½	5915/16	4838	—	—	101 lbs.	6.1
	11N6048SH1L	Laminate	1810	10½	5915/16	4838	—	—	101 lbs.	6.1
	11N6048SH1WL	Wood Shelves, Laminate Wall	2625	10½	5915/16	4838	—	—	101 lbs.	6.1
• Some assembly required • 48" and 49" high shelf inserts have five shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves										

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)


• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3648SH2W MH
 11N3648SH2WL MH 405
 11N3648SH2L 405 478

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet	
	D	W	H	A	KW						
Organizer Shelf Inserts (continued) 	Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)										
	11N3648SH2W	Wood	\$ 1951	10½	3515/16	4838	—	—	69 lbs.	5.0	
	11N3648SH2LW	Laminate Shelves, Wood Wall	1951	10½	3515/16	4838	—	—	69 lbs.	5.0	
	11N3648SH2L	Laminate	1345	10½	3515/16	4838	—	—	69 lbs.	5.0	
	11N3648SH2WL	Wood Shelves, Laminate Wall	1951	10½	3515/16	4838	—	—	69 lbs.	5.0	
	11N4248SH2W	Wood	\$ 1954	10½	4115/16	4838	—	—	77 lbs.	5.2	
	11N4248SH2LW	Laminate Shelves, Wood Wall	1954	10½	4115/16	4838	—	—	77 lbs.	5.2	
	11N4248SH2L	Laminate	1347	10½	4115/16	4838	—	—	77 lbs.	5.2	
	11N4248SH2WL	Wood Shelves, Laminate Wall	1954	10½	4115/16	4838	—	—	77 lbs.	5.2	
	11N4848SH2W	Wood	\$ 2169	10½	4715/16	4838	—	—	85 lbs.	5.5	
	11N4848SH2LW	Laminate Shelves, Wood Wall	2169	10½	4715/16	4838	—	—	85 lbs.	5.5	
	11N4848SH2L	Laminate	1496	10½	4715/16	4838	—	—	85 lbs.	5.5	
	11N4848SH2WL	Wood Shelves, Laminate Wall	2169	10½	4715/16	4838	—	—	85 lbs.	5.5	
	11N5448SH2W	Wood	\$ 2388	10½	5378	4838	—	—	93 lbs.	5.8	
	11N5448SH2LW	Laminate Shelves, Wood Wall	2388	10½	5378	4838	—	—	93 lbs.	5.8	
	11N5448SH2L	Laminate	1646	10½	5378	4838	—	—	93 lbs.	5.8	
	11N5448SH2WL	Wood Shelves, Laminate Wall	2388	10½	5378	4838	—	—	93 lbs.	5.8	
		11N6048SH2W	Wood	\$ 2625	10½	5915/16	4838	—	—	101 lbs.	6.1
		11N6048SH2LW	Laminate Shelves, Wood Wall	2625	10½	5915/16	4838	—	—	101 lbs.	6.1
		11N6048SH2L	Laminate	1810	10½	5915/16	4838	—	—	101 lbs.	6.1
		11N6048SH2WL	Wood Shelves, Laminate Wall	2625	10½	5915/16	4838	—	—	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves





Exhibit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
	Compatible with WaveWorks 79" High WW Models									
	48"H Organizer Shelf Inserts (continued)									
	11N3648SH3W	Wood	\$ 1658	10½	3515/16	4838	—	—	53 lbs.	4.5
	11N3648SH3LW	Laminate Shelves, Wood Wall	1658	10½	3515/16	4838	—	—	53 lbs.	4.5
	11N3648SH3L	Laminate	1143	10½	3515/16	4838	—	—	53 lbs.	4.5
	11N3648SH3WL	Wood Shelves, Laminate Wall	1658	10½	3515/16	4838	—	—	53 lbs.	4.5
	11N4248SH3W	Wood	\$ 1661	10½	4115/16	4838	—	—	61 lbs.	5.2
	11N4248SH3LW	Laminate Shelves, Wood Wall	1661	10½	4115/16	4838	—	—	61 lbs.	5.2
	11N4248SH3L	Laminate	1145	10½	4115/16	4838	—	—	61 lbs.	5.2
	11N4248SH3WL	Wood Shelves, Laminate Wall	1661	10½	4115/16	4838	—	—	61 lbs.	5.2
	11N4848SH3W	Wood	\$ 1844	10½	4715/16	4838	—	—	69 lbs.	5.9
	11N4848SH3LW	Laminate Shelves, Wood Wall	1844	10½	4715/16	4838	—	—	69 lbs.	5.9
	11N4848SH3L	Laminate	1272	10½	4715/16	4838	—	—	69 lbs.	5.9
	11N4848SH3WL	Wood Shelves, Laminate Wall	1844	10½	4715/16	4838	—	—	69 lbs.	5.9
	11N5448SH3W	Wood	\$ 2030	10½	5378	4838	—	—	77 lbs.	6.5
	11N5448SH3LW	Laminate Shelves, Wood Wall	2030	10½	5378	4838	—	—	77 lbs.	6.5
	11N5448SH3L	Laminate	1399	10½	5378	4838	—	—	77 lbs.	6.5
	11N5448SH3WL	Wood Shelves, Laminate Wall	2030	10½	5378	4838	—	—	77 lbs.	6.5
	11N6048SH3W	Wood	\$ 2231	10½	5915/16	4838	—	—	86 lbs.	7.2
	11N6048SH3LW	Laminate Shelves, Wood Wall	2231	10½	5915/16	4838	—	—	86 lbs.	7.2
	11N6048SH3L	Laminate	1539	10½	5915/16	4838	—	—	86 lbs.	7.2
	11N6048SH3WL	Wood Shelves, Laminate Wall	2231	10½	5915/16	4838	—	—	86 lbs.	7.2
	• Some assembly required • “SH3” models have one shelf that aligns with the top shelf of the “SH1” and “SH2” shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit									

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3648SH4W MH
 11N3648SH4WL MH 405
 11N3648SH4L 405 478

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Organizer Shelf Inserts (continued)				
	Compatible with WaveWorks 79" High WW Models				
	48"H Organizer Shelf Inserts (continued)				
	11N3648SH4W Wood	\$ 1697	10½ 3515/16 4838 — —	60 lbs.	4.5
	11N3648SH4LW Laminate Shelves, Wood Wall	1697	10½ 3515/16 4838 — —	60 lbs.	4.5
	11N3648SH4L Laminate	1170	10½ 3515/16 4838 — —	60 lbs.	4.5
	11N3648SH4WL Wood Shelves, Laminate Wall	1697	10½ 3515/16 4838 — —	60 lbs.	4.5
	11N4248SH4W Wood	\$ 1700	10½ 4115/16 4838 — —	71 lbs.	5.2
	11N4248SH4LW Laminate Shelves, Wood Wall	1700	10½ 4115/16 4838 — —	71 lbs.	5.2
	11N4248SH4L Laminate	1172	10½ 4115/16 4838 — —	71 lbs.	5.2
	11N4248SH4WL Wood Shelves, Laminate Wall	1700	10½ 4115/16 4838 — —	71 lbs.	5.2
	11N4848SH4W Wood	\$ 1887	10½ 4715/16 4838 — —	81 lbs.	5.9
	11N4848SH4LW Laminate Shelves, Wood Wall	1887	10½ 4715/16 4838 — —	81 lbs.	5.9
	11N4848SH4L Laminate	1302	10½ 4715/16 4838 — —	81 lbs.	5.9
	11N4848SH4WL Wood Shelves, Laminate Wall	1887	10½ 4715/16 4838 — —	81 lbs.	5.9
	11N5448SH4W Wood	\$ 2078	10½ 5378 4838 — —	90 lbs.	6.5
	11N5448SH4LW Laminate Shelves, Wood Wall	2078	10½ 5378 4838 — —	90 lbs.	6.5
	11N5448SH4L Laminate	1432	10½ 5378 4838 — —	90 lbs.	6.5
	11N5448SH4WL Wood Shelves, Laminate Wall	2078	10½ 5378 4838 — —	90 lbs.	6.5
	11N6048SH4W Wood	\$ 2284	10½ 5915/16 4838 — —	100 lbs.	7.2
	11N6048SH4LW Laminate Shelves, Wood Wall	2284	10½ 5915/16 4838 — —	100 lbs.	7.2
	11N6048SH4L Laminate	1575	10½ 5915/16 4838 — —	100 lbs.	7.2
	11N6048SH4WL Wood Shelves, Laminate Wall	2284	10½ 5915/16 4838 — —	100 lbs.	7.2



- Some assembly required
- "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)									
	11N3648SH5W	Wood	\$ 1756	10½	3515/16	4838	—	—	69 lbs.	4.5
	11N3648SH5LW	Laminate Shelves, Wood Wall	1756	10½	3515/16	4838	—	—	69 lbs.	4.5
	11N3648SH5L	Laminate	1211	10½	3515/16	4838	—	—	69 lbs.	4.5
	11N3648SH5WL	Wood Shelves, Laminate Wall	1756	10½	3515/16	4838	—	—	69 lbs.	4.5
	11N4248SH5W	Wood	\$ 1759	10½	4115/16	4838	—	—	81 lbs.	5.2
	11N4248SH5LW	Laminate Shelves, Wood Wall	1759	10½	4115/16	4838	—	—	81 lbs.	5.2
	11N4248SH5L	Laminate	1212	10½	4115/16	4838	—	—	81 lbs.	5.2
	11N4248SH5WL	Wood Shelves, Laminate Wall	1759	10½	4115/16	4838	—	—	81 lbs.	5.2
	11N4848SH5W	Wood	\$ 1952	10½	4715/16	4838	—	—	92 lbs.	5.9
	11N4848SH5LW	Laminate Shelves, Wood Wall	1952	10½	4715/16	4838	—	—	92 lbs.	5.9
	11N4848SH5L	Laminate	1346	10½	4715/16	4838	—	—	92 lbs.	5.9
	11N4848SH5WL	Wood Shelves, Laminate Wall	1952	10½	4715/16	4838	—	—	92 lbs.	5.9
	11N5448SH5W	Wood	\$ 2149	10½	5378	4838	—	—	104 lbs.	6.5
	11N5448SH5LW	Laminate Shelves, Wood Wall	2149	10½	5378	4838	—	—	104 lbs.	6.5
	11N5448SH5L	Laminate	1481	10½	5378	4838	—	—	104 lbs.	6.5
11N5448SH5WL	Wood Shelves, Laminate Wall	2149	10½	5378	4838	—	—	104 lbs.	6.5	
										
	11N6048SH5W	Wood	\$ 2363	10½	5915/16	4838	—	—	115 lbs.	7.2
	11N6048SH5LW	Laminate Shelves, Wood Wall	2363	10½	5915/16	4838	—	—	115 lbs.	7.2
	11N6048SH5L	Laminate	1629	10½	5915/16	4838	—	—	115 lbs.	7.2
	11N6048SH5WL	Wood Shelves, Laminate Wall	2363	10½	5915/16	4838	—	—	115 lbs.	7.2
• Some assembly required • "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3648SH6W MH A
 11N3648SH6WL MH 405 B
 11N3648SH6L 405 478 C

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Compatible with WaveWorks 79" High WW Models 48"H Organizer Shelf Inserts (continued)				
	11N3648SH6W Wood	\$ 1658	10½ 3515/16 4838 — —	53 lbs.	4.5
	11N3648SH6LW Laminate Shelves, Wood Wall	1658	10½ 3515/16 4838 — —	53 lbs.	4.5
	11N3648SH6L Laminate	1143	10½ 3515/16 4838 — —	53 lbs.	4.5
	11N3648SH6WL Wood Shelves, Laminate Wall	1658	10½ 3515/16 4838 — —	53 lbs.	4.5
	11N4248SH6W Wood	\$ 1661	10½ 4115/16 4838 — —	61 lbs.	5.2
	11N4248SH6LW Laminate Shelves, Wood Wall	1661	10½ 4115/16 4838 — —	61 lbs.	5.2
	11N4248SH6L Laminate	1145	10½ 4115/16 4838 — —	61 lbs.	5.2
	11N4248SH6WL Wood Shelves, Laminate Wall	1661	10½ 4115/16 4838 — —	61 lbs.	5.2
	11N4848SH6W Wood	\$ 1844	10½ 4715/16 4838 — —	69 lbs.	5.9
	11N4848SH6LW Laminate Shelves, Wood Wall	1844	10½ 4715/16 4838 — —	69 lbs.	5.9
	11N4848SH6L Laminate	1272	10½ 4715/16 4838 — —	69 lbs.	5.9
	11N4848SH6WL Wood Shelves, Laminate Wall	1844	10½ 4715/16 4838 — —	69 lbs.	5.9
	11N5448SH6W Wood	\$ 2030	10½ 5378 4838 — —	77 lbs.	6.5
	11N5448SH6LW Laminate Shelves, Wood Wall	2030	10½ 5378 4838 — —	77 lbs.	6.5
	11N5448SH6L Laminate	1399	10½ 5378 4838 — —	77 lbs.	6.5
	11N5448SH6WL Wood Shelves, Laminate Wall	2030	10½ 5378 4838 — —	77 lbs.	6.5
	11N6048SH6W Wood	\$ 2231	10½ 5915/16 4838 — —	86 lbs.	7.2
	11N6048SH6LW Laminate Shelves, Wood Wall	2231	10½ 5915/16 4838 — —	86 lbs.	7.2
	11N6048SH6L Laminate	1539	10½ 5915/16 4838 — —	86 lbs.	7.2
	11N6048SH6WL Wood Shelves, Laminate Wall	2231	10½ 5915/16 4838 — —	86 lbs.	7.2



- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18" or 30" high overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
	Compatible with WaveWorks 79" High WW Models									
	48"H Organizer Shelf Inserts (continued)									
	11N3648SH7W	Wood	\$ 1697	10½	3515/16	4838	—	—	60 lbs.	4.5
	11N3648SH7LW	Laminate Shelves, Wood Wall	1697	10½	3515/16	4838	—	—	60 lbs.	4.5
	11N3648SH7L	Laminate	1170	10½	3515/16	4838	—	—	60 lbs.	4.5
	11N3648SH7WL	Wood Shelves, Laminate Wall	1697	10½	3515/16	4838	—	—	60 lbs.	4.5
	11N4248SH7W	Wood	\$ 1700	10½	4115/16	4838	—	—	71 lbs.	5.2
	11N4248SH7LW	Laminate Shelves, Wood Wall	1700	10½	4115/16	4838	—	—	71 lbs.	5.2
	11N4248SH7L	Laminate	1172	10½	4115/16	4838	—	—	71 lbs.	5.2
	11N4248SH7WL	Wood Shelves, Laminate Wall	1700	10½	4115/16	4838	—	—	71 lbs.	5.2
	11N4848SH7W	Wood	\$ 1887	10½	4715/16	4838	—	—	81 lbs.	5.9
	11N4848SH7LW	Laminate Shelves, Wood Wall	1887	10½	4715/16	4838	—	—	81 lbs.	5.9
11N4848SH7L	Laminate	1302	10½	4715/16	4838	—	—	81 lbs.	5.9	
11N4848SH7WL	Wood Shelves, Laminate Wall	1887	10½	4715/16	4838	—	—	81 lbs.	5.9	
11N5448SH7W	Wood	\$ 2078	10½	5378	4838	—	—	90 lbs.	6.5	
11N5448SH7LW	Laminate Shelves, Wood Wall	2078	10½	5378	4838	—	—	90 lbs.	6.5	
11N5448SH7L	Laminate	1432	10½	5378	4838	—	—	90 lbs.	6.5	
11N5448SH7WL	Wood Shelves, Laminate Wall	2078	10½	5378	4838	—	—	90 lbs.	6.5	
11N6048SH7W	Wood	\$ 2284	10½	5915/16	4838	—	—	100 lbs.	7.2	
11N6048SH7LW	Laminate Shelves, Wood Wall	2284	10½	5915/16	4838	—	—	100 lbs.	7.2	
11N6048SH7L	Laminate	1575	10½	5915/16	4838	—	—	100 lbs.	7.2	
11N6048SH7WL	Wood Shelves, Laminate Wall	2284	10½	5915/16	4838	—	—	100 lbs.	7.2	
• Some assembly required • “SH7” models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)






To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3649SH1W MH
 11N3649SH1WL MH 405
 11N3649SH1L 405 478

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
	D	W	H	A					
Organizer Shelf Inserts (continued)	Compatible with WaveWorks 80" High WWN Models								
	49"H Organizer Shelf Inserts								
	11N3649SH1W	Wood	\$ 1951	10½	3515/16	4813/16	—	—	69 lbs. 5.0
	11N3649SH1LW	Laminate Shelves, Wood Wall	1951	10½	3515/16	4813/16	—	—	69 lbs. 5.0
	11N3649SH1L	Laminate	1345	10½	3515/16	4813/16	—	—	69 lbs. 5.0
	11N3649SH1WL	Wood Shelves, Laminate Wall	1951	10½	3515/16	4813/16	—	—	69 lbs. 5.0
	11N4249SH1W	Wood	\$ 1954	10½	4115/16	4813/16	—	—	77 lbs. 5.2
	11N4249SH1LW	Laminate Shelves, Wood Wall	1954	10½	4115/16	4813/16	—	—	77 lbs. 5.2
	11N4249SH1L	Laminate	1347	10½	4115/16	4813/16	—	—	77 lbs. 5.2
	11N4249SH1WL	Wood Shelves, Laminate Wall	1954	10½	4115/16	4813/16	—	—	77 lbs. 5.2
	11N4849SH1W	Wood	\$ 2169	10½	4715/16	4813/16	—	—	85 lbs. 5.5
	11N4849SH1LW	Laminate Shelves, Wood Wall	2169	10½	4715/16	4813/16	—	—	85 lbs. 5.5
	11N4849SH1L	Laminate	1496	10½	4715/16	4813/16	—	—	85 lbs. 5.5
	11N4849SH1WL	Wood Shelves, Laminate Wall	2169	10½	4715/16	4813/16	—	—	85 lbs. 5.5
	11N5449SH1W	Wood	\$ 2388	10½	537/8	4813/16	—	—	93 lbs. 5.8
	11N5449SH1LW	Laminate Shelves, Wood Wall	2388	10½	537/8	4813/16	—	—	93 lbs. 5.8
	11N5449SH1L	Laminate	1646	10½	537/8	4813/16	—	—	93 lbs. 5.8
	11N5449SH1WL	Wood Shelves, Laminate Wall	2388	10½	537/8	4813/16	—	—	93 lbs. 5.8
	11N6049SH1W	Wood	\$ 2625	10½	5915/16	4813/16	—	—	101 lbs. 6.1
	11N6049SH1LW	Laminate Shelves, Wood Wall	2625	10½	5915/16	4813/16	—	—	101 lbs. 6.1
	11N6049SH1L	Laminate	1810	10½	5915/16	4813/16	—	—	101 lbs. 6.1
	11N6049SH1WL	Wood Shelves, Laminate Wall	2625	10½	5915/16	4813/16	—	—	101 lbs. 6.1



- Some assembly required
- 48" and 49" high shelf inserts have five shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves


Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions							
			D	W	H	A	KW	Cartoned Weight	Cubic Feet	
Organizer Shelf Inserts (continued)  	Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
	11N3649SH2W	Wood	\$ 1951	10½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N3649SH2LW	Laminate Shelves, Wood Wall	1951	10½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N3649SH2L	Laminate	1345	10½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N3649SH2WL	Wood Shelves, Laminate Wall	1951	10½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N4249SH2W	Wood	\$ 1954	10½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4249SH2LW	Laminate Shelves, Wood Wall	1954	10½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4249SH2L	Laminate	1347	10½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4249SH2WL	Wood Shelves, Laminate Wall	1954	10½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4849SH2W	Wood	\$ 2169	10½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N4849SH2LW	Laminate Shelves, Wood Wall	2169	10½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N4849SH2L	Laminate	1496	10½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N4849SH2WL	Wood Shelves, Laminate Wall	2169	10½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N5449SH2W	Wood	\$ 2388	10½	537/8	4813/16	—	—	93 lbs.	5.8
	11N5449SH2LW	Laminate Shelves, Wood Wall	2388	10½	537/8	4813/16	—	—	93 lbs.	5.8
	11N5449SH2L	Laminate	1646	10½	537/8	4813/16	—	—	93 lbs.	5.8
	11N5449SH2WL	Wood Shelves, Laminate Wall	2388	10½	537/8	4813/16	—	—	93 lbs.	5.8
	11N6049SH2W	Wood	\$ 2625	10½	5915/16	4813/16	—	—	101 lbs.	6.1
	11N6049SH2LW	Laminate Shelves, Wood Wall	2625	10½	5915/16	4813/16	—	—	101 lbs.	6.1
	11N6049SH2L	Laminate	1810	10½	5915/16	4813/16	—	—	101 lbs.	6.1
	11N6049SH2WL	Wood Shelves, Laminate Wall	2625	10½	5915/16	4813/16	—	—	101 lbs.	6.1
• Some assembly required • “SH2” shelves are a mirrored version of the “SH1” shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves										



To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)







To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3649SH3W MH
 11N3649SH3WL MH 405
 11N3649SH3L 405 478

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)				
	11N3649SH3W Wood	\$ 1658	10½ 3515/16 4813/16 — —	53 lbs.	4.6
	11N3649SH3LW Laminate Shelves, Wood Wall	1658	10½ 3515/16 4813/16 — —	53 lbs.	4.6
	11N3649SH3L Laminate	1143	10½ 3515/16 4813/16 — —	53 lbs.	4.6
	11N3649SH3WL Wood Shelves, Laminate Wall	1658	10½ 3515/16 4813/16 — —	53 lbs.	4.6
	11N4249SH3W Wood	\$ 1661	10½ 4115/16 4813/16 — —	61 lbs.	5.2
	11N4249SH3LW Laminate Shelves, Wood Wall	1661	10½ 4115/16 4813/16 — —	61 lbs.	5.2
	11N4249SH3L Laminate	1145	10½ 4115/16 4813/16 — —	61 lbs.	5.2
	11N4249SH3WL Wood Shelves, Laminate Wall	1661	10½ 4115/16 4813/16 — —	61 lbs.	5.2
	11N4849SH3W Wood	\$ 1844	10½ 4715/16 4813/16 — —	69 lbs.	5.9
	11N4849SH3LW Laminate Shelves, Wood Wall	1844	10½ 4715/16 4813/16 — —	69 lbs.	5.9
	11N4849SH3L Laminate	1272	10½ 4715/16 4813/16 — —	69 lbs.	5.9
	11N4849SH3WL Wood Shelves, Laminate Wall	1844	10½ 4715/16 4813/16 — —	69 lbs.	5.9
	11N5449SH3W Wood	\$ 2030	10½ 5378 4813/16 — —	78 lbs.	6.6
	11N5449SH3LW Laminate Shelves, Wood Wall	2030	10½ 5378 4813/16 — —	78 lbs.	6.6
	11N5449SH3L Laminate	1399	10½ 5378 4813/16 — —	78 lbs.	6.6
	11N5449SH3WL Wood Shelves, Laminate Wall	2030	10½ 5378 4813/16 — —	78 lbs.	6.6
	11N6049SH3W Wood	\$ 2231	10½ 5915/16 4813/16 — —	86 lbs.	7.2
	11N6049SH3LW Laminate Shelves, Wood Wall	2231	10½ 5915/16 4813/16 — —	86 lbs.	7.2
	11N6049SH3L Laminate	1539	10½ 5915/16 4813/16 — —	86 lbs.	7.2
	11N6049SH3WL Wood Shelves, Laminate Wall	2231	10½ 5915/16 4813/16 — —	86 lbs.	7.2



- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
Organizer Shelf Inserts (continued) 	Compatible with WaveWorks 80" High WWN Models 49"H Organizer Shelf Inserts (continued)									
	11N3649SH4W	Wood	\$ 1697	10½	3515/16	4813/16	—	—	61 lbs.	4.6
	11N3649SH4LW	Laminate Shelves, Wood Wall	1697	10½	3515/16	4813/16	—	—	61 lbs.	4.6
	11N3649SH4L	Laminate	1170	10½	3515/16	4813/16	—	—	61 lbs.	4.6
	11N3649SH4WL	Wood Shelves, Laminate Wall	1697	10½	3515/16	4813/16	—	—	61 lbs.	4.6
	11N4249SH4W	Wood	\$ 1700	10½	4115/16	4813/16	—	—	71 lbs.	5.2
	11N4249SH4LW	Laminate Shelves, Wood Wall	1700	10½	4115/16	4813/16	—	—	71 lbs.	5.2
	11N4249SH4L	Laminate	1172	10½	4115/16	4813/16	—	—	71 lbs.	5.2
	11N4249SH4WL	Wood Shelves, Laminate Wall	1700	10½	4115/16	4813/16	—	—	71 lbs.	5.2
	11N4849SH4W	Wood	\$ 1887	10½	4715/16	4813/16	—	—	81 lbs.	5.9
	11N4849SH4LW	Laminate Shelves, Wood Wall	1887	10½	4715/16	4813/16	—	—	81 lbs.	5.9
	11N4849SH4L	Laminate	1302	10½	4715/16	4813/16	—	—	81 lbs.	5.9
	11N4849SH4WL	Wood Shelves, Laminate Wall	1887	10½	4715/16	4813/16	—	—	81 lbs.	5.9
	11N5449SH4W	Wood	\$ 2078	10½	537/8	4813/16	—	—	91 lbs.	6.6
	11N5449SH4LW	Laminate Shelves, Wood Wall	2078	10½	537/8	4813/16	—	—	91 lbs.	6.6
	11N5449SH4L	Laminate	1432	10½	537/8	4813/16	—	—	91 lbs.	6.6
	11N5449SH4WL	Wood Shelves, Laminate Wall	2078	10½	537/8	4813/16	—	—	91 lbs.	6.6
	11N6049SH4W	Wood	\$ 2284	10½	5915/16	4813/16	—	—	100 lbs.	7.2
	11N6049SH4LW	Laminate Shelves, Wood Wall	2284	10½	5915/16	4813/16	—	—	100 lbs.	7.2
	11N6049SH4L	Laminate	1575	10½	5915/16	4813/16	—	—	100 lbs.	7.2
	11N6049SH4WL	Wood Shelves, Laminate Wall	2284	10½	5915/16	4813/16	—	—	100 lbs.	7.2
	• Some assembly required • “SH4” models have two shelves that align with the top shelves of the “SH1” and “SH2” shelves • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit									

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)







To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3649SH5W MH
 11N3649SH5WL MH 405
 11N3649SH5L 405 478

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Organizer Shelf Inserts (continued)				
	Compatible with WaveWorks 80" High WWN Models				
	49"H Organizer Shelf Inserts (continued)				
	11N3649SH5W Wood	\$ 1756	10½ 3515/16 4813/16 — —	69 lbs.	4.6
	11N3649SH5LW Laminate Shelves, Wood Wall	1756	10½ 3515/16 4813/16 — —	69 lbs.	4.6
	11N3649SH5L Laminate	1211	10½ 3515/16 4813/16 — —	69 lbs.	4.6
	11N3649SH5WL Wood Shelves, Laminate Wall	1756	10½ 3515/16 4813/16 — —	69 lbs.	4.6
	11N4249SH5W Wood	\$ 1759	10½ 4115/16 4813/16 — —	81 lbs.	5.2
	11N4249SH5LW Laminate Shelves, Wood Wall	1759	10½ 4115/16 4813/16 — —	81 lbs.	5.2
	11N4249SH5L Laminate	1212	10½ 4115/16 4813/16 — —	81 lbs.	5.2
	11N4249SH5WL Wood Shelves, Laminate Wall	1759	10½ 4115/16 4813/16 — —	81 lbs.	5.2
	11N4849SH5W Wood	\$ 1952	10½ 4715/16 4813/16 — —	93 lbs.	5.9
	11N4849SH5LW Laminate Shelves, Wood Wall	1952	10½ 4715/16 4813/16 — —	93 lbs.	5.9
	11N4849SH5L Laminate	1346	10½ 4715/16 4813/16 — —	93 lbs.	5.9
	11N4849SH5WL Wood Shelves, Laminate Wall	1952	10½ 4715/16 4813/16 — —	93 lbs.	5.9
	11N5449SH5W Wood	\$ 2149	10½ 537/8 4813/16 — —	104 lbs.	6.6
	11N5449SH5LW Laminate Shelves, Wood Wall	2149	10½ 537/8 4813/16 — —	104 lbs.	6.6
	11N5449SH5L Laminate	1481	10½ 537/8 4813/16 — —	104 lbs.	6.6
	11N5449SH5WL Wood Shelves, Laminate Wall	2149	10½ 537/8 4813/16 — —	104 lbs.	6.6
	11N6049SH5W Wood	\$ 2363	10½ 5915/16 4813/16 — —	116 lbs.	7.2
	11N6049SH5LW Laminate Shelves, Wood Wall	2363	10½ 5915/16 4813/16 — —	116 lbs.	7.2
	11N6049SH5L Laminate	1629	10½ 5915/16 4813/16 — —	116 lbs.	7.2
	11N6049SH5WL Wood Shelves, Laminate Wall	2363	10½ 5915/16 4813/16 — —	116 lbs.	7.2



- Some assembly required
- "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

Product Specifications

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Organizer Shelf Inserts (continued)	Compatible with WaveWorks 80" High WWN Models									
	49"H Organizer Shelf Inserts (continued)									
	11N3649SH6W	Wood	\$ 1658	10½	3515/16	4813/16	—	—	53 lbs.	4.6
	11N3649SH6LW	Laminate Shelves, Wood Wall	1658	10½	3515/16	4813/16	—	—	53 lbs.	4.6
	11N3649SH6L	Laminate	1143	10½	3515/16	4813/16	—	—	53 lbs.	4.6
	11N3649SH6WL	Wood Shelves, Laminate Wall	1658	10½	3515/16	4813/16	—	—	53 lbs.	4.6
	11N4249SH6W	Wood	\$ 1661	10½	4115/16	4813/16	—	—	61 lbs.	5.2
	11N4249SH6LW	Laminate Shelves, Wood Wall	1661	10½	4115/16	4813/16	—	—	61 lbs.	5.2
	11N4249SH6L	Laminate	1145	10½	4115/16	4813/16	—	—	61 lbs.	5.2
	11N4249SH6WL	Wood Shelves, Laminate Wall	1661	10½	4115/16	4813/16	—	—	61 lbs.	5.2
	11N4849SH6W	Wood	\$ 1844	10½	4715/16	4813/16	—	—	69 lbs.	5.9
	11N4849SH6LW	Laminate Shelves, Wood Wall	1844	10½	4715/16	4813/16	—	—	69 lbs.	5.9
	11N4849SH6L	Laminate	1272	10½	4715/16	4813/16	—	—	69 lbs.	5.9
	11N4849SH6WL	Wood Shelves, Laminate Wall	1844	10½	4715/16	4813/16	—	—	69 lbs.	5.9
	11N5449SH6W	Wood	\$ 2030	10½	537/8	4813/16	—	—	78 lbs.	6.6
	11N5449SH6LW	Laminate Shelves, Wood Wall	2030	10½	537/8	4813/16	—	—	78 lbs.	6.6
	11N5449SH6L	Laminate	1399	10½	537/8	4813/16	—	—	78 lbs.	6.6
	11N5449SH6WL	Wood Shelves, Laminate Wall	2030	10½	537/8	4813/16	—	—	78 lbs.	6.6
	11N6049SH6W	Wood	\$ 2231	10½	5915/16	4813/16	—	—	86 lbs.	7.2
	11N6049SH6LW	Laminate Shelves, Wood Wall	2231	10½	5915/16	4813/16	—	—	86 lbs.	7.2
	11N6049SH6L	Laminate	1539	10½	5915/16	4813/16	—	—	86 lbs.	7.2
	11N6049SH6WL	Wood Shelves, Laminate Wall	2231	10½	5915/16	4813/16	—	—	86 lbs.	7.2
• Some assembly required • "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18", or 30" high overhead • The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves • Each horizontal shelf has a 50 lb. maximum limit										

To Order Wood Units, Specify:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

To Order LW Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

To Order Laminate Units, Specify:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)


To Order WL Units, Specify:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)


• See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3649SH7W MH
 11N3649SH7WL MH 405
 11N3649SH7L 405 478

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Organizer Shelf Inserts (continued)				
	Compatible with WaveWorks 80" High WWN Models				
	49"H Organizer Shelf Inserts (continued)				
	11N3649SH7W Wood	\$ 1697	10½ 3515/16 4813/16 — —	61 lbs.	4.6
	11N3649SH7LW Laminate Shelves, Wood Wall	1697	10½ 3515/16 4813/16 — —	61 lbs.	4.6
	11N3649SH7L Laminate	1170	10½ 3515/16 4813/16 — —	61 lbs.	4.6
	11N3649SH7WL Wood Shelves, Laminate Wall	1697	10½ 3515/16 4813/16 — —	61 lbs.	4.6
	11N4249SH7W Wood	\$ 1700	10½ 4115/16 4813/16 — —	71 lbs.	5.2
	11N4249SH7LW Laminate Shelves, Wood Wall	1700	10½ 4115/16 4813/16 — —	71 lbs.	5.2
	11N4249SH7L Laminate	1172	10½ 4115/16 4813/16 — —	71 lbs.	5.2
	11N4249SH7WL Wood Shelves, Laminate Wall	1700	10½ 4115/16 4813/16 — —	71 lbs.	5.2
	11N4849SH7W Wood	\$ 1887	10½ 4715/16 4813/16 — —	81 lbs.	5.9
	11N4849SH7LW Laminate Shelves, Wood Wall	1887	10½ 4715/16 4813/16 — —	81 lbs.	5.9
	11N4849SH7L Laminate	1302	10½ 4715/16 4813/16 — —	81 lbs.	5.9
	11N4849SH7WL Wood Shelves, Laminate Wall	1887	10½ 4715/16 4813/16 — —	81 lbs.	5.9
	11N5449SH7W Wood	\$ 2078	10½ 5378 4813/16 — —	91 lbs.	6.6
	11N5449SH7LW Laminate Shelves, Wood Wall	2078	10½ 5378 4813/16 — —	91 lbs.	6.6
	11N5449SH7L Laminate	1432	10½ 5378 4813/16 — —	91 lbs.	6.6
	11N5449SH7WL Wood Shelves, Laminate Wall	2078	10½ 5378 4813/16 — —	91 lbs.	6.6
	11N6049SH7W Wood	\$ 2284	10½ 5915/16 4813/16 — —	100 lbs.	7.2
	11N6049SH7LW Laminate Shelves, Wood Wall	2284	10½ 5915/16 4813/16 — —	100 lbs.	7.2
	11N6049SH7L Laminate	1575	10½ 5915/16 4813/16 — —	100 lbs.	7.2
	11N6049SH7WL Wood Shelves, Laminate Wall	2284	10½ 5915/16 4813/16 — —	100 lbs.	7.2

- Some assembly required
- "SH7" models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 326
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N3637TVFA B 25413



Shaded rectangle portrays a railroaded insert.

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Fabric TV Mount Exhibit Inserts (continued)		Compatible with WaveWorks 69" High WWN Models							
		37"H Fabric TV Mount Exhibit Inserts							
		Grade A	Grade B/COM						
11N3637TVFA	Railroad	\$ 1261	\$ 1302	½	3515/16	37	—	51 lbs.	3.4
11N3637TVF	Standard	1257	1291	½	3515/16	37	—	51 lbs.	3.4
11N4237TVFA	Railroad	\$ 1263	\$ 1304	½	4115/16	37	—	57 lbs.	3.6
11N4237TVF	Standard	1259	1293	½	4115/16	37	—	57 lbs.	3.6
11N4837TVFA	Railroad	\$ 1386	\$ 1433	½	4715/16	37	—	62 lbs.	3.9
11N4837TVF	Standard	1382	1416	½	4715/16	37	—	62 lbs.	3.9
11N5437TVFA	Railroad	\$ 1509	\$ 1563	½	5378	37	—	68 lbs.	4.1
11N5437TVF	Standard	1505	1539	½	5378	37	—	68 lbs.	4.1
11N6037TVFA	Railroad	\$ 1645	\$ 1699	½	5915/16	37	—	74 lbs.	4.3
11N6037TVF	Standard	1641	1675	½	5915/16	37	—	74 lbs.	4.3
		Compatible with WaveWorks 79" High WW Models							
		48"H Fabric TV Mount Exhibit Inserts							
11N3648TVFA	Railroad	\$ 1461	\$ 1502	½	3515/16	4838	—	69 lbs.	5.0
11N3648TVF	Standard	1457	1498	½	3515/16	4838	—	69 lbs.	5.0
11N4248TVFA	Railroad	\$ 1463	\$ 1504	½	4115/16	4838	—	77 lbs.	5.2
11N4248TVF	Standard	1459	1500	½	4115/16	4838	—	77 lbs.	5.2
11N4848TVFA	Railroad	\$ 1607	\$ 1654	½	4715/16	4838	—	85 lbs.	5.5
11N4848TVF	Standard	1603	1644	½	4715/16	4838	—	85 lbs.	5.5
11N5448TVFA	Railroad	\$ 1753	\$ 1807	½	5378	4838	—	93 lbs.	5.8
11N5448TVF	Standard	1749	1790	½	5378	4838	—	93 lbs.	5.8
11N6048TVFA	Railroad	\$ 1912	\$ 1966	½	5915/16	4838	—	101 lbs.	6.1
11N6048TVF	Standard	1908	1949	½	5915/16	4838	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.

Exhibit

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 326
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description			List Price	Dimensions					Cartoned Weight	Cubic Feet
Fabric TV Mount Exhibit Inserts (continued)	Compatible with WaveWorks 80" High WWN Models										
	49"H Fabric TV Mount Exhibit Inserts										
		Grade A	Grade B/COM								
	11N3649TVFA	Railroad	\$ 1461	\$ 1502	½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N3649TVF	Standard	1457	1498	½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N4249TVFA	Railroad	\$ 1463	\$ 1504	½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4249TVF	Standard	1459	1500	½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4849TVFA	Railroad	\$ 1607	\$ 1654	½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N4849TVF	Standard	1603	1644	½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N5449TVFA	Railroad	\$ 1753	\$ 1807	½	537/8	4813/16	—	—	93 lbs.	5.8
	11N5449TVF	Standard	1749	1790	½	537/8	4813/16	—	—	93 lbs.	5.8
11N6049TVFA	Railroad	\$ 1912	\$ 1966	½	5915/16	4813/16	—	—	101 lbs.	6.1	
11N6049TVF	Standard	1908	1949	½	5915/16	4813/16	—	—	101 lbs.	6.1	

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.



To Order, Specify:

1. Model Number
2. Finish/Laminate Color
(veneer/laminate insert only)
3. Fabric Grade (fabric insert only)
4. Fabric Color (fabric insert only)


- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3649TVFA B 25413
 11N3634TVL 462
 11N3634TVW MC



Shaded rectangle portrays a railroaded insert.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
TV Mount Exhibit Inserts 	34"H TV Mount Exhibit Inserts									
	11N3634TVW	Wood	\$ 1732	½	3515/16	341/8	—	—	47 lbs.	3.1
	11N3634TVL	Laminate	1241	½	3515/16	341/8	—	—	47 lbs.	3.1
	11N4234TVW	Wood	\$ 1733	½	4115/16	341/8	—	—	53 lbs.	3.3
	11N4234TVL	Laminate	1242	½	4115/16	341/8	—	—	53 lbs.	3.3
	11N4834TVW	Wood	\$ 1909	½	4715/16	341/8	—	—	58 lbs.	3.5
	11N4834TVL	Laminate	1363	½	4715/16	341/8	—	—	58 lbs.	3.5
	11N5434TVW	Wood	\$ 2085	½	537/8	341/8	—	—	64 lbs.	3.5
	11N5434TVL	Laminate	1485	½	537/8	341/8	—	—	64 lbs.	3.5
	11N6034TVW	Wood	\$ 2279	½	5915/16	341/8	—	—	71 lbs.	3.9
	11N6034TVL	Laminate	1619	½	5915/16	341/8	—	—	71 lbs.	3.9
	Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	36"H TV Mount Exhibit Inserts									

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.


Exhibit

Product Specifications

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 326
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
TV Mount Exhibit Inserts (continued) 	Compatible with WaveWorks 69" High WVN Models									
	37"H TV Mount Exhibit Inserts									
	11N3637TVW	Wood	\$ 1754	½	3515/16	37	—	—	51 lbs.	3.4
	11N3637TVL	Laminate	1256	½	3515/16	37	—	—	51 lbs.	3.4
	11N4237TVW	Wood	\$ 1757	½	4115/16	37	—	—	57 lbs.	3.6
	11N4237TVL	Laminate	1258	½	4115/16	37	—	—	57 lbs.	3.6
	11N4837TVW	Wood	\$ 1935	½	4715/16	37	—	—	62 lbs.	3.9
	11N4837TVL	Laminate	1381	½	4715/16	37	—	—	62 lbs.	3.9
	11N5437TVW	Wood	\$ 2113	½	5378	37	—	—	68 lbs.	4.1
	11N5437TVL	Laminate	1504	½	5378	37	—	—	68 lbs.	4.1
	11N6037TVW	Wood	\$ 2310	½	5915/16	37	—	—	74 lbs.	4.3
	11N6037TVL	Laminate	1640	½	5915/16	37	—	—	74 lbs.	4.3
	Compatible with WaveWorks 79" High WW Models									
	48"H TV Mount Exhibit Inserts									
	11N3648TVW	Wood	\$ 2044	½	3515/16	4838	—	—	69 lbs.	5.0
	11N3648TVL	Laminate	1456	½	3515/16	4838	—	—	69 lbs.	5.0
	11N4248TVW	Wood	\$ 2047	½	4115/16	4838	—	—	77 lbs.	5.2
	11N4248TVL	Laminate	1458	½	4115/16	4838	—	—	77 lbs.	5.2
11N4848TVW	Wood	\$ 2256	½	4715/16	4838	—	—	85 lbs.	5.5	
11N4848TVL	Laminate	1602	½	4715/16	4838	—	—	85 lbs.	5.5	
11N5448TVW	Wood	\$ 2468	½	5378	4838	—	—	93 lbs.	5.8	
11N5448TVL	Laminate	1748	½	5378	4838	—	—	93 lbs.	5.8	
11N6048TVW	Wood	\$ 2699	½	5915/16	4838	—	—	101 lbs.	6.1	
11N6048TVL	Laminate	1907	½	5915/16	4838	—	—	101 lbs.	6.1	

- TV mount included; some assembly required; VESA mounting compliant
- Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.

To Order, Specify:

1. Model Number
2. Finish/Laminate Color

- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

11N3637TVL 462
11N3637TVW MC



TV Mount Exhibit Inserts (continued)	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet	
			D	W	H	A				
	Compatible with WaveWorks 80" High WWN Models									
	49"H TV Mount Exhibit Inserts									
	11N3649TVW	Wood	\$ 2044	½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N3649TVL	Laminate	1456	½	3515/16	4813/16	—	—	69 lbs.	5.0
	11N4249TVW	Wood	\$ 2047	½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4249TVL	Laminate	1458	½	4115/16	4813/16	—	—	77 lbs.	5.2
	11N4849TVW	Wood	\$ 2256	½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N4849TVL	Laminate	1602	½	4715/16	4813/16	—	—	85 lbs.	5.5
	11N5449TVW	Wood	\$ 2468	½	537/8	4813/16	—	—	93 lbs.	5.8
	11N5449TVL	Laminate	1748	½	537/8	4813/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	\$ 2699	½	5915/16	4813/16	—	—	101 lbs.	6.1	
11N6049TVL	Laminate	1907	½	5915/16	4813/16	—	—	101 lbs.	6.1	
• TV mount included; some assembly required; VESA mounting compliant • Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert • Maximum TV weight is 120 lbs.										

Exhibit TV Mount Vertical Wire Manager



		Grade A	Grade B/COM					KW	Cartoned Weight	Cubic Feet
				D	W	H	A			
11N0615WMVW	Wood	\$ 300		1½	53/8	157/16	—	—	8 lbs.	0.6
11N0615WMVL	Laminate	200		1½	53/8	157/16	—	—	8 lbs.	0.6
11N0615WMVFA	Fabric, Railroad	300	\$ 307	1½	53/8	157/16	—	—	8 lbs.	0.6
11N0615WMVVF	Fabric, Standard	300	307	1½	53/8	157/16	—	—	8 lbs.	0.6
• Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables • When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager										

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 258 for grommet and cutout locations
- Reference page 261 for top and base guide

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
	48" Square									
	15N4848SQDW	Wood	\$ 1849	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQDL	Laminate	1298	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQDW	Wood	\$ 2274	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQDL	Laminate	1817	58 5/8	60	13/16	—	—	150 lbs.	8.3
• For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325 • Must be properly supported following the standard support guidelines • Modified depth and width not available • If using top with Exhibit, refer to the Exhibit section for guidelines • Tops only have a rim profile on three sides; profiled corners have a 4" radius • Wire manager available on back side; see page 258 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List • Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311 • Four Exhibit worksurface mounting brackets included with each Exhibit mount top										
	48" Square									
	15N4848SQDWK	Wood	\$ 2404	48	48 1/16	13/16	—	—	59 lbs.	4.5
	15N4848SQDLK	Laminate	1687	48	48 1/16	13/16	—	—	59 lbs.	4.5
	60" Square									
	15N6060SQDWK	Wood	\$ 2957	58 5/8	60	13/16	—	—	150 lbs.	8.3
	15N6060SQDLK	Laminate	2362	58 5/8	60	13/16	—	—	150 lbs.	8.3
• For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325 • Must be properly supported following the standard support guidelines • Modified depth and width not available • If using top with Exhibit, refer to the Exhibit section for guidelines • Tops only have a rim profile on three sides; profiled corners have a 4" radius • Wire manager available on back side; see page 258 for wire manager colors and upcharge • When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List • Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311 • Four Exhibit worksurface mounting brackets included with each Exhibit mount top										

To Order, Specify:

1. Model Number
 2. Rim Profile
 3. PVC Rim Color (laminate models)
 4. Grommet
 5. Wire Manager
 6. Top Sheen (wood models)
 7. Veneer Top Finish/Laminate Top Color
- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

15N6060SQDL V425 CUT-G15C NT1 425
 15N6060SQDW F X NT1 N MC

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Exhibit Mount Rectangle Top Softened Rim 	48" x 54"									
	15N4854RTDW	Wood	\$ 1957	48	54	13/16	—	—	92 lbs.	5.5
	15N4854RTDL	Laminate	1406	48	54	13/16	—	—	92 lbs.	5.5
	48" x 60"									
	15N4860RTDW	Wood	\$ 2065	48	60	13/16	—	—	110 lbs.	6.2
	15N4860RTDL	Laminate	1514	48	60	13/16	—	—	110 lbs.	6.2
	48" x 66"									
	15N4866RTDW	Wood	\$ 2173	48	66	13/16	—	—	135 lbs.	7.5
	15N4866RTDL	Laminate	1622	48	66	13/16	—	—	135 lbs.	7.5
	48" x 72"									
	15N4872RTDW	Wood	\$ 2281	48	72	13/16	—	—	158 lbs.	7.9
	15N4872RTDL	Laminate	1730	48	72	13/16	—	—	158 lbs.	7.9
	48" x 78"									
	15N4878RTDW	Wood	\$ 2389	48	78	13/16	—	—	180 lbs.	8.3
	15N4878RTDL	Laminate	1838	48	78	13/16	—	—	180 lbs.	8.3
	48" x 84"									
	15N4884RTDW	Wood	\$ 2497	48	84	13/16	—	—	210 lbs.	10.0
	15N4884RTDL	Laminate	1946	48	84	13/16	—	—	210 lbs.	10.0
	60" x 48"									
	15N6048RTDW	Wood	\$ 2065	585/8	481/16	13/16	—	—	121 lbs.	6.9
	15N6048RTDL	Laminate	1514	585/8	481/16	13/16	—	—	121 lbs.	6.9
	60" x 54"									
	15N6054RTDW	Wood	\$ 2119	585/8	54	13/16	—	—	135 lbs.	7.5
	15N6054RTDL	Laminate	1568	585/8	54	13/16	—	—	135 lbs.	7.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
 2. Rim Profile
 3. PVC Rim Color (lamine models)
 4. Grommet
 5. Wire Manager
 6. Top Sheen (wood models)
 7. Veneer Top Finish/Laminate Top Color
- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

15N4854RTDWK K CUT-G26C D1B425 R AC
 15N4854RTDLK K425 CUT-G26C D1B425 AC2

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Exhibit Mount Rectangle Top Knife Rim (continued)	48" x 72"								
	15N4872RTDWK Wood	\$ 2965	48	72	13/16	—	—	158 lbs.	7.9
	15N4872RTDLK Laminate	2249	48	72	13/16	—	—	158 lbs.	7.9
	48" x 78"								
	15N4878RTDWK Wood	\$ 3106	48	78	13/16	—	—	180 lbs.	8.3
	15N4878RTDLK Laminate	2389	48	78	13/16	—	—	180 lbs.	8.3
	48" x 84"								
	15N4884RTDWK Wood	\$ 3246	48	84	13/16	—	—	210 lbs.	10.0
	15N4884RTDLK Laminate	2530	48	84	13/16	—	—	210 lbs.	10.0
	60" x 48"								
	15N6048RTDWK Wood	\$ 2685	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
	15N6048RTDLK Laminate	1968	58 5/8	48 1/16	13/16	—	—	121 lbs.	6.9
	60" x 54"								
	15N6054RTDWK Wood	\$ 2755	58 5/8	54	13/16	—	—	135 lbs.	7.5
	15N6054RTDLK Laminate	2038	58 5/8	54	13/16	—	—	135 lbs.	7.5
	60" x 66"								
	15N6066RTDWK Wood	\$ 3097	58 5/8	66	13/16	—	—	182 lbs.	9.1
	15N6066RTDLK Laminate	2503	58 5/8	66	13/16	—	—	182 lbs.	9.1
	60" x 72"								
	15N6072RTDWK Wood	\$ 3237	58 5/8	72	13/16	—	—	210 lbs.	9.6
	15N6072RTDLK Laminate	2643	58 5/8	72	13/16	—	—	210 lbs.	9.6
	60" x 78"								
	15N6078RTDWK Wood	\$ 3378	58 5/8	78	13/16	—	—	245 lbs.	10.0
	15N6078RTDLK Laminate	2784	58 5/8	78	13/16	—	—	245 lbs.	10.0
	60" x 84"								
	15N6084RTDWK Wood	\$ 3518	58 5/8	84	13/16	—	—	270 lbs.	10.8
	15N6084RTDLK Laminate	2924	58 5/8	84	13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit


Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 258 for grommet and cutout locations
- Reference page 261 for top and base guide

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Exhibit Mount Wedge Top Softened Rim



Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
48" x 48"									
15N4848WGDW	Wood	\$ 1997	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
15N4848WGDL	Laminate	1402	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGDW	Wood	\$ 2114	48	54	13 1/16	—	—	92 lbs.	5.5
15N4854WGDL	Laminate	1518	48	54	13 1/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDW	Wood	\$ 2230	48	60	13 1/16	—	—	110 lbs.	6.2
15N4860WGDL	Laminate	1635	48	60	13 1/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDW	Wood	\$ 2347	48	66	13 1/16	—	—	135 lbs.	7.5
15N4866WGDL	Laminate	1752	48	66	13 1/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDW	Wood	\$ 2463	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
15N4872WGDL	Laminate	1868	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDW	Wood	\$ 2580	48	77 15/16	13 1/16	—	—	180 lbs.	8.3
15N4878WGDL	Laminate	1985	48	77 15/16	13 1/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDW	Wood	\$ 2697	48	83 15/16	13 1/16	—	—	210 lbs.	10.0
15N4884WGDL	Laminate	2102	48	83 15/16	13 1/16	—	—	210 lbs.	10.0


- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
 2. Rim Profile
 3. PVC Rim Color (laminate models)
 4. Grommet
 5. Wire Manager
 6. Top Sheen (wood models)
 7. Veneer Top Finish/Laminate Top Color
- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

15N6048WGD L V478 CUT-G15C NT1 478
 15N6048WGD W F CUT-G15C NT1 N CW

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Exhibit Mount Wedge Top Softened Rim (continued) 	60" x 48"									
	15N6048WGDW	Wood	\$ 2230	5858	481/16	13/16	—	—	121 lbs.	6.9
	15N6048WGD L	Laminate	1635	5858	481/16	13/16	—	—	121 lbs.	6.9
	60" x 54"									
	15N6054WGDW	Wood	\$ 2289	5858	54	13/16	—	—	135 lbs.	7.5
	15N6054WGD L	Laminate	1693	5858	54	13/16	—	—	135 lbs.	7.5
	60" x 60"									
	15N6060WGDW	Wood	\$ 2456	5858	60	13/16	—	—	150 lbs.	8.3
	15N6060WGD L	Laminate	1963	5858	60	13/16	—	—	150 lbs.	8.3
	60" x 66"									
	15N6066WGDW	Wood	\$ 2573	5858	66	13/16	—	—	182 lbs.	9.1
	15N6066WGD L	Laminate	2079	5858	66	13/16	—	—	182 lbs.	9.1
	60" x 72"									
	15N6072WGDW	Wood	\$ 2689	5858	7115/16	13/16	—	—	210 lbs.	9.6
	15N6072WGD L	Laminate	2196	5858	7115/16	13/16	—	—	210 lbs.	9.6
	60" x 78"									
	15N6078WGDW	Wood	\$ 2806	5858	7715/16	13/16	—	—	245 lbs.	10.0
	15N6078WGD L	Laminate	2312	5858	7715/16	13/16	—	—	245 lbs.	10.0
	60" x 84"									
	15N6084WGDW	Wood	\$ 2923	5858	8315/16	13/16	—	—	270 lbs.	10.8
	15N6084WGD L	Laminate	2429	5858	8315/16	13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit


Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 258 for grommet and cutout locations
- Reference page 261 for top and base guide

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Exhibit Mount Wedge Top Knife Rim



Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
48" x 48"									
15N4848WGDWK	Wood	\$ 2596	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
15N4848WGDLK	Laminate	1822	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGDWK	Wood	\$ 2748	48	54	13 1/16	—	—	92 lbs.	5.5
15N4854WGDLK	Laminate	1974	48	54	13 1/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDWK	Wood	\$ 2899	48	60	13 1/16	—	—	110 lbs.	6.2
15N4860WGDLK	Laminate	2126	48	60	13 1/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDWK	Wood	\$ 3051	48	66	13 1/16	—	—	135 lbs.	7.5
15N4866WGDLK	Laminate	2277	48	66	13 1/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDWK	Wood	\$ 3203	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
15N4872WGDLK	Laminate	2429	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDWK	Wood	\$ 3354	48	77 15/16	13 1/16	—	—	180 lbs.	8.3
15N4878WGDLK	Laminate	2581	48	77 15/16	13 1/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDWK	Wood	\$ 3506	48	83 15/16	13 1/16	—	—	210 lbs.	10.0
15N4884WGDLK	Laminate	2732	48	83 15/16	13 1/16	—	—	210 lbs.	10.0


- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
 2. Rim Profile
 3. PVC Rim Color (laminate models)
 4. Grommet
 5. Wire Manager
 6. Top Sheen (wood models)
 7. Veneer Top Finish/Laminate Top Color
- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

15N6048WGDWK K CUT-G16C X R AC
 15N6048WGDLC K405 CUT-G16C X 461

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Exhibit Mount Wedge Top Knife Rim (continued) 	60" x 48"									
	15N6048WGDWK	Wood	\$ 2899	5858	481/16	13/16	—	—	121 lbs.	6.9
	15N6048WGDLK	Laminate	2126	5858	481/16	13/16	—	—	121 lbs.	6.9
	60" x 54"									
	15N6054WGDWK	Wood	\$ 2975	5858	54	13/16	—	—	135 lbs.	7.5
	15N6054WGDLK	Laminate	2201	5858	54	13/16	—	—	135 lbs.	7.5
	60" x 60"									
	15N6060WGDWK	Wood	\$ 3193	5858	60	13/16	—	—	150 lbs.	8.3
	15N6060WGDLK	Laminate	2551	5858	60	13/16	—	—	150 lbs.	8.3
	60" x 66"									
	15N6066WGDWK	Wood	\$ 3345	5858	66	13/16	—	—	182 lbs.	9.1
	15N6066WGDLK	Laminate	2703	5858	66	13/16	—	—	182 lbs.	9.1
	60" x 72"									
	15N6072WGDWK	Wood	\$ 3496	5858	7115/16	13/16	—	—	210 lbs.	9.6
	15N6072WGDLK	Laminate	2855	5858	7115/16	13/16	—	—	210 lbs.	9.6
	60" x 78"									
	15N6078WGDWK	Wood	\$ 3648	5858	7715/16	13/16	—	—	245 lbs.	10.0
	15N6078WGDLK	Laminate	3006	5858	7715/16	13/16	—	—	245 lbs.	10.0
	60" x 84"									
	15N6084WGDWK	Wood	\$ 3800	5858	8315/16	13/16	—	—	270 lbs.	10.8
	15N6084WGDLK	Laminate	3158	5858	8315/16	13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit

Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 258 for grommet and cutout locations
- Reference page 261 for top and base guide

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Exhibit Mount U-Shaped Top Softened Rim



Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
48" x 48"									
15N4848UDW	Wood	\$ 2017	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
15N4848UDL	Laminate	1416	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDW	Wood	\$ 2135	48	54	13 1/16	—	—	92 lbs.	5.5
15N4854UDL	Laminate	1534	48	54	13 1/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UDW	Wood	\$ 2253	48	60	13 1/16	—	—	110 lbs.	6.2
15N4860UDL	Laminate	1651	48	60	13 1/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDW	Wood	\$ 2370	48	66	13 1/16	—	—	135 lbs.	7.5
15N4866UDL	Laminate	1769	48	66	13 1/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDW	Wood	\$ 2488	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
15N4872UDL	Laminate	1887	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDW	Wood	\$ 2606	48		13 1/16	—	—	180 lbs.	8.3
15N4878UDL	Laminate	2005	48		13 1/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDW	Wood	\$ 2724	48		13 1/16	—	—	210 lbs.	10.0
15N4884UDL	Laminate	2123	48		13 1/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
 2. Rim Profile
 3. PVC Rim Color (laminate models)
 4. Grommet
 5. Wire Manager
 6. Top Sheen (wood models)
 7. Veneer Top Finish/Laminate Top Color
- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

15N6048UDW F X NT1 R AC
 15N6048UDL V462 X NT1 405

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Exhibit Mount U-Shaped Top Softened Rim (continued) 	60" x 48"									
	15N6048UDW	Wood	\$ 2253	5858	481/16	131/16	—	—	121 lbs.	6.9
	15N6048UDL	Laminate	1651	5858	481/16	131/16	—	—	121 lbs.	6.9
	60" x 54"									
	15N6054UDW	Wood	\$ 2311	5858	54	131/16	—	—	135 lbs.	7.5
	15N6054UDL	Laminate	1710	5858	54	131/16	—	—	135 lbs.	7.5
	60" x 60"									
	15N6060UDW	Wood	\$ 2481	5858	60	131/16	—	—	150 lbs.	8.3
	15N6060UDL	Laminate	1982	5858	60	131/16	—	—	150 lbs.	8.3
	60" x 66"									
	15N6066UDW	Wood	\$ 2599	5858	66	131/16	—	—	182 lbs.	9.1
	15N6066UDL	Laminate	2100	5858	66	131/16	—	—	182 lbs.	9.1
	60" x 72"									
	15N6072UDW	Wood	\$ 2716	5858	7115/16	131/16	—	—	210 lbs.	9.6
	15N6072UDL	Laminate	2218	5858	7115/16	131/16	—	—	210 lbs.	9.6
	60" x 78"									
	15N6078UDW	Wood	\$ 2834	5858		131/16	—	—	245 lbs.	10.0
	15N6078UDL	Laminate	2336	5858		131/16	—	—	245 lbs.	10.0
	60" x 84"									
	15N6084UDW	Wood	\$ 2952	5858		131/16	—	—	270 lbs.	10.8
	15N6084UDL	Laminate	2453	5858		131/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

Exhibit


Product Specifications

- Grommet options available are the cutouts for G15, G16, and G26
- Reference page 258 for grommet and cutout locations
- Reference page 261 for top and base guide

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Exhibit Mount U-Shaped Top Knife Rim



Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
48" x 48"									
15N4848UDWK	Wood	\$ 2622	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
15N4848UDLK	Laminate	1841	48	48 1/16	13 1/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDWK	Wood	\$ 2775	48	54	13 1/16	—	—	92 lbs.	5.5
15N4854UDLK	Laminate	1994	48	54	13 1/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UDWK	Wood	\$ 2928	48	60	13 1/16	—	—	110 lbs.	6.2
15N4860UDLK	Laminate	2147	48	60	13 1/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDWK	Wood	\$ 3081	48	66	13 1/16	—	—	135 lbs.	7.5
15N4866UDLK	Laminate	2300	48	66	13 1/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDWK	Wood	\$ 3235	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
15N4872UDLK	Laminate	2453	48	71 15/16	13 1/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDWK	Wood	\$ 3388	48		13 1/16	—	—	180 lbs.	8.3
15N4878UDLK	Laminate	2606	48		13 1/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDWK	Wood	\$ 3541	48		13 1/16	—	—	210 lbs.	10.0
15N4884UDLK	Laminate	2760	48		13 1/16	—	—	210 lbs.	10.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

To Order, Specify:

1. Model Number
 2. Rim Profile
 3. PVC Rim Color (laminite models)
 4. Grommet
 5. Wire Manager
 6. Top Sheen (wood models)
 7. Veneer Top Finish/Laminate Top Color
- See pages 256-259 for all options available in Exhibit

Sample Model Numbers:

15N6048UDWK K X X R AC
 15N6048UDLK K462 X X 405

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Exhibit Mount U-Shaped Top Knife Rim (continued) 	60" x 48"									
	15N6048UDWK	Wood	\$ 2928	5858	481/16	13/16	—	—	121 lbs.	6.9
	15N6048UDLK	Laminate	2147	5858	481/16	13/16	—	—	121 lbs.	6.9
	60" x 54"									
	15N6054UDWK	Wood	\$ 3005	5858	54	13/16	—	—	135 lbs.	7.5
	15N6054UDLK	Laminate	2223	5858	54	13/16	—	—	135 lbs.	7.5
	60" x 60"									
	15N6060UDWK	Wood	\$ 3225	5858	60	13/16	—	—	150 lbs.	8.3
	15N6060UDLK	Laminate	2577	5858	60	13/16	—	—	150 lbs.	8.3
	60" x 66"									
	15N6066UDWK	Wood	\$ 3378	5858	66	13/16	—	—	182 lbs.	9.1
	15N6066UDLK	Laminate	2730	5858	66	13/16	—	—	182 lbs.	9.1
	60" x 72"									
	15N6072UDWK	Wood	\$ 3531	5858	7115/16	13/16	—	—	210 lbs.	9.6
	15N6072UDLK	Laminate	2883	5858	7115/16	13/16	—	—	210 lbs.	9.6
	60" x 78"									
	15N6078UDWK	Wood	\$ 3684	5858		13/16	—	—	245 lbs.	10.0
	15N6078UDLK	Laminate	3036	5858		13/16	—	—	245 lbs.	10.0
	60" x 84"									
	15N6084UDWK	Wood	\$ 3838	5858		13/16	—	—	270 lbs.	10.8
	15N6084UDLK	Laminate	3189	5858		13/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 324-325
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 258 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 318 in the Tables Price List
- Notch cutout option available on back side, see page 258 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 311
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top


Exhibit

Product Specifications


- STD channel height is 6" tall and should be specified when using the G15, G16, or no grommet
- G26 Marina™ channel height is 8" tall and should be specified when using the G26 Marina™ grommet
- Taper base shipped in three separate cartons

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Taper Base Bar Height Exhibit Mount 	15N4840TPOBP Painted	\$ 2655	12	36 1/16	39 3/4	—	—	105 lbs.	18.1
	15N5440TPOBP Painted	2730	12	42	39 3/4	—	—	115 lbs.	20.7
	15N6040TPOBP Painted	2806	12	48	39 3/4	—	—	125 lbs.	23.3
	15N6640TPOBP Painted	2884	12	54	39 3/4	—	—	135 lbs.	25.9
	15N7240TPOBP Painted	2966	12	59 15/16	39 3/4	—	—	145 lbs.	28.5
	15N7840TPOBP Painted	3046	12	65 15/16	39 3/4	—	—	155 lbs.	31.1
	15N8440TPOBP Painted	3126	12	71 15/16	39 3/4	—	—	165 lbs.	33.7

STD Channel Height



G26 Marina™ Channel Height

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/8" desk height bottom channel inside dimension is 53 1/32" top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 93 1/8" top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 261 for top and base guide


To Order, Specify:

1. Model Number
2. Base Wire Channel Height
3. Paint Color


- See pages 256-259 for all options available in Exhibit

Sample Model Number:

15N4828TPOBP 6 405

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Taper Base Desk Height Exhibit Mount 	15N4828TPOBP Painted	\$ 2414	12	36 1/16	27 1/4	—	—	95 lbs.	13.0
	15N5428TPOBP Painted	2482	12	42	27 1/4	—	—	105 lbs.	14.8
	15N6028TPOBP Painted	2551	12	48	27 1/4	—	—	115 lbs.	16.7
	15N6628TPOBP Painted	2622	12	54	27 1/4	—	—	125 lbs.	18.6
	15N7228TPOBP Painted	2696	12	59 15/16	27 1/4	—	—	135 lbs.	20.4
	15N7828TPOBP Painted	2772	12	65 15/16	27 1/4	—	—	145 lbs.	22.3
	15N8428TPOBP Painted	2849	12	71 15/16	27 1/4	—	—	155 lbs.	24.2
• Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall • Adjustable glides standard; 1 1/2" glide adjustment • Bases have wire access and removable panels for access to floor mounted electrical • Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 53 1/8" desk height bottom channel inside dimension is 53 1/32" top channel top inside dimension is 10 1/2"; top channel bottom inside dimension for STD height is 93 1/8" top channel bottom inside dimension for G26 Marina™ is 8 3/4" • Reference page 261 for top and base guide									

STD Channel Height



G26 Marina™ Channel Height

Exhibit

Product Specifications

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet	
			D	W	H	A	KW			
	Full End Trim									
	For use with 34"H Inserts									
	11N37ETP	Powder Coated	\$ 66	11/16	1½	371/8	—	—	1 lbs.	0.2
	Compatible with WaveWorks 68" High WW and Epic 68" High Models									
	For use with 36"H Inserts									
	11N39ETP	Powder Coated	\$ 70	11/16	1½	397/16	—	—	1 lbs.	0.3
	Compatible with WaveWorks 69" High WW Models									
	For use with 37"H Inserts									
	11N40ETP	Powder Coated	\$ 70	11/16	1½	397/8	—	—	1 lbs.	0.3
	Compatible with WaveWorks 79" High WW Models									
	For use with 48"H Inserts									
	11N51ETP	Powder Coated	\$ 80	11/16	1½	51¼	—	—	1 lbs.	0.3
	Compatible with WaveWorks 80" High WW Models									
	For use with 49"H Inserts									
	11N52ETP	Powder Coated	\$ 80	11/16	1½	5111/16	—	—	1 lbs.	0.4
• Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed • Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail • Available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)										

Vertical Cable Manager

	11N20WMV	Black Plastic	\$ 25		1	1	20	—	—	1 lbs.	0.5
	11N20WMVFA	Fabric, Railroad	35	\$ 42	1	1	20	—	—	1 lbs.	0.5
	11N20WMVF	Fabric, Standard	33	36	1	1	20	—	—	1 lbs.	0.5
	• For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached • Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered										

		Grade A	Grade B/COM								
11N31WMV	Black Plastic	\$ 34		1	1	31	—	—	2 lbs.	0.6	
11N31WMVFA	Fabric, Railroad	43	\$ 50	1	1	31	—	—	2 lbs.	0.6	
11N31WMVF	Fabric, Standard	41	44	1	1	31	—	—	2 lbs.	0.6	
• For use with 48" or 49" inserts when a single height cabinet is attached • Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered											



To Order, Specify:

1. Model Number
2. Fabric Grade
3. Fabric Color

- See pages 256-259 for all options available in Exhibit


Sample Model Numbers:

11N37ETP 501
11N34TCF B 25413



Shaded rectangle portrays a railroad cable manager.

	Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			

Single End Cap**11N01ETP****\$ 31****1/8****13/8****13/8****—****—****1 lbs.****0.3**

- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

Fabric Wrapped Trim Channels**34"H Trim Channels****Grade A****Grade B/COM**

11N34TCFA	Fabric, Railroad	\$ 41	\$ 48	1/2	3/4	34 1/8	—	—	1 lbs.	0.3
11N34TCF	Fabric, Standard	39	42	1/2	3/4	34 1/8	—	—	1 lbs.	0.3

Compatible with WaveWorks 68" High WW and Epic 68" High Models
36"H Trim Channels

11N36TCFA	Fabric, Railroad	\$ 42	\$ 49	1/2	3/4	36 9/16	—	—	1 lbs.	0.3
11N36TCF	Fabric, Standard	40	43	1/2	3/4	36 9/16	—	—	1 lbs.	0.3

Compatible with WaveWorks 69" High WW Models
37"H Trim Channels

11N37TCFA	Fabric, Railroad	\$ 42	\$ 49	1/2	3/4	37	—	—	1 lbs.	0.3
11N37TCF	Fabric, Standard	40	43	1/2	3/4	37	—	—	1 lbs.	0.3

Compatible with WaveWorks 79" High WW Models
48"H Trim Channels

11N48TCFA	Fabric, Railroad	\$ 48	\$ 55	1/2	3/4	48 3/8	—	—	1 lbs.	0.3
11N48TCF	Fabric, Standard	46	50	1/2	3/4	48 3/8	—	—	1 lbs.	0.3

Compatible with WaveWorks 80" High WW Models
49"H Trim Channels

11N49TCFA	Fabric, Railroad	\$ 48	\$ 55	1/2	3/4	48 13/16	—	—	1 lbs.	0.3
11N49TCF	Fabric, Standard	46	50	1/2	3/4	48 13/16	—	—	1 lbs.	0.3

- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

Exhibit

Product Specifications

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	34"H Trim Channels								
	11N34TCP Powder Coated	\$ 34	½	¾	34 1/8	—	—	1 lbs.	0.3
	Compatible with WaveWorks 68" High WW and Epic 68" High Models								
	36"H Trim Channels								
	11N36TCP Powder Coated	\$ 36	½	¾	36 9/16	—	—	1 lbs.	0.3
	Compatible with WaveWorks 69" High WW Models								
	37"H Trim Channels								
	11N37TCP Powder Coated	\$ 36	½	¾	37	—	—	1 lbs.	0.3
	Compatible with WaveWorks 79" High WW Models								
	48"H Trim Channels								
	11N48TCP Powder Coated	\$ 43	½	¾	48 3/8	—	—	1 lbs.	0.3
	Compatible with WaveWorks 80" High WW Models								
	49"H Trim Channels								
	11N49TCP Powder Coated	\$ 43	½	¾	48 13/16	—	—	1 lbs.	0.3

- Available in White (401), Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered

To Order, Specify:

1. Model Number
2. Wood/Laminate Finish


- See pages 256-259 for all options available in Exhibit

Sample Model Number:

11N34TCP 462

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				

Worksurface Mounting Bracket



11NBRS Single Bracket

\$ 11

2

3

½

—

—

1 lbs.


0.3

- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

Filler Strips



For Exhibit mount overheads

11NCPFSW	Wood	\$ 45	1	3	27¼	—	—	1 lbs.	0.3
11NCPFSL	Laminate	23	1	3	27¼	—	—	1 lbs.	0.3

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Not required for WaveWorks metal overhead units
- Available in: Brighton (IM), Natural (NM), Honey/Honey 2 (HN/HN2), Caramel (CL), Truffle (TF), Autumn/Autumn 2 (AC/AC2), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH), Designer White (405), Mojave (417), Mouse (418), Wallaby (419), Shadow (425), Cloud (440), Graphite (461), Cinder (462), Platinum Grey (478), Frosty White (488), Designer White Linear (491), Cinder Linear (492), Palisander (791), Sable (792), Acorn (793)

Exhibit





Product Specifications

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Metal Work Tools

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Shelf 	NAC0924SHM Powder Coated	\$ 90	91/8	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM Powder Coated	101	91/8	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM Powder Coated	112	91/8	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM Powder Coated	125	91/8	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM Powder Coated	136	91/8	48	2¼	—	—	9 lbs.	1.4
Single Side Tray 	NAC1217SPTM Single Tray	\$ 81	115/8	17	23/8	—	—	5 lbs.	0.7
Double Side Tray 	NAC1217DPTM Double Tray	\$ 112	115/8	17	5	—	—	9 lbs.	1.0
Pocket Organizer 	NAC16POM Single Pocket	\$ 69	11/8	155/8	7¼	—	—	4 lbs.	1.1
Slant Sorter 	NAC1212SSM Polished Aluminum Dividers	\$ 81	11¾	12	7¾	—	—	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets								
Marker Holder 	NACMRHM	\$ 79	215/16	615/16	4	—	—	1 lbs.	0.1

To Order, Specify:


1. Model Number
2. Paint Color

- See pages 256-259 for all options available in Exhibit

Sample Model Number:

NAC0924SHM 462

Metal Work Tools

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Binder Shelf	NAC0905SHBM	\$ 50	9 1/8	5	8 1/16	—	—	3 lbs.	0.5
	• Not recommended for use under Epicenter mounted overhead storage cabinets								
Pencil Tray	NAC0510PTB	\$ 59	5	10	1	—	—	1 lbs.	0.1
	• Available in Black only • Specify model number only								

Metal Tools Operating Load Capacities

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

Exhibit



Product Specification

- For use with WaveWorks slat walls, Chameleon slat zone, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Plastic Work Tools

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Pencil Cup 	NACCP Black Plastic	\$ 34	½	4	4	—	—	1 lbs.	0.4
	NACCP Clear Plastic	34	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.								
Legal Paper Tray 	NAC1115SPT Black Plastic	\$ 50	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC Clear Plastic	50	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.								
Accessory Tray 	NAC1010AT Black Plastic	\$ 45	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC Clear Plastic	45	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.								
Phone Holder 	NACPH Black Plastic	\$ 45	9½	8½	2	—	—	1 lbs.	0.1
	NACPHC Clear Plastic	45	9½	8½	2	—	—	1 lbs.	0.1
	• Holds telephone								
Binder Shelf 	NACBS Black Plastic	\$ 37	10½	5	9	—	—	1 lbs.	0.3
	• Holds binders and folders • Not recommended for use under Epicenter mounted overhead storage cabinets								
Slant Sorter 	NACSS Black Plastic	\$ 52	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC Clear Plastic	52	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets								


To Order, Specify:

1. Model Number

Sample Model Number:

NACCP

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Intuitive Monitor Arm Slat Wall Mount	NACMAPSMB Black	\$ 504	29½	2½	1311/16	—	—	12 lbs.	2.7
	NACMAPSMS Silver	504	29½	2½	1311/16	—	—	12 lbs.	2.7



- Weight capacity: 13 pounds
- One monitor arm every 24" on slat wall and only one monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper four slats of a full slat wall and slat wall combo insert

Monitor Arm Information

National Model:	NACMAPSMB/S
Description:	slat wall mount black/silver
Monitor Rotation:	port/landscape 30° each side
Monitor Extension:	12"
Monitor Tilt Adjustment:	25° + or –
Arm Height Adjustment:	10" dynamic
Monitor Weight Capacity (maximum approved weight):	arm: 20 lbs., slat rail: 13 lbs.
Mounting Option:	slat wall mount
Pole Height:	N/A
Maximum Width Per Monitor:	no maximum width
Worksurface Requirements— Desk Clamp:	N/A
Worksurface Requirements— Grommet Mount:	N/A

Exhibit



To Order, Specify:

1. Model Number

- See pages 256-259 for all options available in Exhibit


Sample Model Number:

NACG15EL

	Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
				D	W	H				
One Touch Double Pivoting Power Grommet (G15)  NACG15EL	NACG15EL	Silver	\$ 794	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELB	Black	794	8	9¾	1½	—	—	4 lbs.	0.4
	NACG15ELH	Silver/Hardwire	794	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELHB	Black/Hardwire	794	8	9¾	1½	—	—	4 lbs.	0.4
 NACG152ELS	NACG152ELS	Silver	\$ 1150	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELB	Black	1150	8	9¾	1½	—	—	4 lbs.	0.4
	NACG152ELHS	Silver/Hardwire	1150	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELHB	Black/Hardwire	1150	8	9¾	1½	—	—	4 lbs.	0.4

- See page 255 for detailed specifications


Power/Data Oasis (G162)



NACG162ELS	Silver Powder Coat	\$ 2100	9	15	4	—	—	8 lbs.	1.2
NACG162ELB	Black Powder Coat	2100	9	15	4	—	—	8 lbs.	1.2
NACG162ELHS	Silver Powder Coat/Hardwire	2450	9	15	4	—	—	8 lbs.	1.2
NACG162ELHB	Black Powder Coat/Hardwire	2450	9	15	4	—	—	8 lbs.	1.2

- See page 255 for detailed specifications

Marina™ HDMI Collaborative Meeting Technology Solution



NACG26ELB	Black	\$ 7000	8	14	715/16	—	—	20 lbs.	2.4
NACG26ELS	Silver	7000	8	14	715/16	—	—	20 lbs.	2.4

- See page 255 for detailed specifications

Getaway™ Portable Meeting Technology Solution



NACG26ELMB	Black	\$ 7500	12	147/8	4	—	—	18 lbs.	1.2
NACG26ELMS	Silver	7500	12	147/8	4	—	—	18 lbs.	1.2

- See page 255 for detailed specifications

Chameleon™

Chameleon

PRODUCT SPECIFICATIONS

DIVIDERS

- Exoskeletal frame is 2½" thick x 1" wide extruded aluminum
- Foot is 2" diameter steel tubing with black plastic cap
- Adjustable foot allows for 1½" of adjustment
- Veneer dividers are a class C fire rating
- Corner cap is die-cast zinc
- Oval grommet is plastic and is specified when ordering
- Polycarbonate insert is ¼" thick extruded twin-wall polycarbonate
- Polycarbonate dividers are a class A fire rating
- Veneer insert is 7/32" thick MDF with veneer face and back (Honey finish is on maple, all other finishes are on cherry)
- Living hinge is extruded black plastic

TOPPERS

- Insert material is 3/16" thick dual sided frosted resin
- Exoskeletal frame is 2½" thick x 1" wide extruded aluminum
- Frame topper cap is plastic

MAGNA ZONE

- Provides application for a magnetic surface and is used for magnets and marker zones
- A formed steel sheet that attaches via a steel bracket to the Chameleon exoskeletal frame

SLAT ZONE

- Aluminum extrusion attaches via a steel bracket to the exoskeletal frame and provides horizontal grooves for hanging a variety of accessories
- Steel brackets attach to the exoskeletal frame as the attachment method to the divider

MARKER ZONE

- Magnet backed, vinyl dry erase board magnetizes to the magna zone
- Dry erase boards available in 3 colors: white, beige speckle, and grey speckle

HORIZONTAL WIRE MANAGER

- Aluminum extrusion that provides wire management

SLAT LINK

- Aluminum extrusion that links two slat zones or wall mounted slat zones together with no gaps

CARPET GRIPPER

- Molded plastic that snaps into bottom of foot

HARD FLOOR GRIPPER

- Peel and stick rubberized non-skid pad that attaches to the bottom of foot



WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

PAINT COLORS

462 Cinder
501 Platinum Metallic*

*15% list upcharge

POLYCARBONATES

1 Smoke
3 Clear

RESIN

9 Frosted

GROMMET OPTIONS

G Grommet
X No Grommet

How To Specify:

Step 1

Plan your space by determining how you will be using the Chameleon dividers. For example, are you wrapping existing casegoods in an open plan? Are you starting from scratch with a predetermined amount of space?

When wrapping Chameleon around existing or new casegoods in an open plan, measure the overall dimensions of the casegoods to be wrapped then proceed to Step 2.

When starting from scratch with a predetermined amount of space, use the dimensional measurement of the overall space to plan your Chameleon product and guide you to the casegoods that will fit the needs of the space.

Regardless of where and how you are using Chameleon, plan your space first.

Step 2

Determine what divider sizes and models to use. With 5 sizes of L's, 5 sizes of single dividers and 2 Butterfly sizes, a work space can be configured in many different ways.

For example, a 12' run of Chameleon dividers can be achieved in multiple ways:

- | | |
|---|---|
| 6 - 24" Single Dividers | 2 - 4'x2' L's (rotated into an inline configuration) |
| 4 - 36" Single Dividers | 2 - 3'x3' L's (rotated into an inline configuration) |
| 3 - 48" Single Dividers | 3 - 2'x2' L's (rotated into an inline configuration) |
| 2 - 42" Single Dividers + 2 - 30" Single Dividers | 1 - 4'x4' L (rotated into an inline configuration) + 1 - 48" Single Divider |

Spec Tip

Put it to paper! Whether using our convenient e-tools or just a simple aerial hand sketch, putting the divider configuration to paper will make it easier to get a view of the workspace and sizing.

Step 3

Determine where the casegoods will be positioned within the dividers.

Step 4


Decide where toppers, power, wire management and accessories will be needed.

Step 5

Specify it! Use the National™ Price List to specify the model numbers, in veneer or polycarbonate, and select your options for grommets and frame paint color.

54" Seated Height Privacy


- Achieved by specifying standard height dividers
- Allows for standing visual interaction among co-workers
- Provides ample coverage for the majority of computer monitors when placed on worksurface
- Promotes employee interaction while providing individual privacy



Touchdown Workstations without Toppers

68" Standing Height Privacy

- Achieved by adding toppers to standard height dividers
- Allows for most highback organizers and wardrobes to be concealed for a clean aesthetic
- Provides the opportunity to easily remove the toppers when standing height privacy is no longer necessary



Touchdown Workstations with Toppers


Chameleon

No Creep Factor

With conventional panel systems, "panel creep" refers to the addition of inches along a run of panels (due to the connections between panels). With conventional panel systems, these inches can add up to a significant dimension on long panel runs. Chameleon dividers have zero creep, so you can be certain that dividers will fit your space as planned (see example).



Butterfly and perpendicular support dividers have a slight creep factor of 2½". Two 36" dividers equal 74½" (see example).




Space Planning

Space planning is easy with Chameleon's true-to-size measurements. When wrapping existing caseloads in the market place, it is best to first review the sizing conventions for the series product that you are wrapping. Some caseload lines have true-to-size dimensions where the caseload models have exact dimensions, which match the model numbers. Others have nominal sizing where the caseload models could be over or under the nominal measurement reflected in the model number. Either way, all work perfect with Chameleon!

Example of true-to-size caseloads: WaveWorks®

DESCRIPTION	MODEL	SIZE
Single Pedestal Desk	WW3066DRFL1	30"
Bridge	WW2442BEFL	42"
Credenza	WW2466CLFL2	24"
		96"


- Wrap with a 96" divider run



Example of nominal size caseloads: Arrowood™

DESCRIPTION	MODEL	SIZE
Single Pedestal Desk	31N3066DRFW1	29¾"
Bridge	31N2445BEFW	44½"
Credenza	31N2166CLFW2	21"
		95¼"


- Wrap with a 96" divider run



Example of nominal size caseloads: Hiland™

DESCRIPTION	MODEL	SIZE
Single Pedestal Desk	35N3066DRFW1	29¾"
Return	35N2444RLEFW1	43¾"
		73½"

- Wrap with a 78" divider run




Divider Stability Guidelines


Chameleon dividers offer exceptional strength and durability, but they aren't freestanding by themselves. To ensure proper stability, please use one of the methods below when specifying your configurations.

When specifying all Veneer or a combination of Veneer & Polycarbonate Dividers:


Note: Guidelines below are shown at maximum run length; the same guidelines for configurations apply for runs less than the maximum.



When specifying all Polycarbonate Dividers:



Permanent wall application with Veneer or Polycarbonate Dividers:



Any straight line run off of a wall mount more than 48" and up to 12' requires a return divider (any size, any material). See the guidelines for 12' runs on this page.

Chameleon

Product Specifications


- See planning guide for product application
- When specifying a polycarbonate model, do not specify a finish
- When specifying a wood model, do not specify a polycarbonate color
- 501 Platinum Metallic paint is a 15% upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


Sample Model Numbers:

45N4854DVI	G	1	462
45N3654DV33W	X	MH	501
45N4854DVL42W	G	MC	462
45N4854DV444Y	X	3	462

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Single Divider 	45N4854DVY	Polycarbonate	\$ 581	2½	48	54	—	—	36 lbs.	5.7
	45N4854DVW	Wood	984	2½	48	54	—	—	48 lbs.	5.7
	45N4254DVY	Polycarbonate	\$ 565	2½	42	54	—	—	31 lbs.	5.0
	45N4254DVW	Wood	893	2½	42	54	—	—	41 lbs.	5.0
	45N3654DVY	Polycarbonate	\$ 536	2½	36	54	—	—	26 lbs.	4.4
	45N3654DVW	Wood	816	2½	36	54	—	—	34 lbs.	4.4
	45N3054DVY	Polycarbonate	\$ 519	2½	30	54	—	—	21 lbs.	3.8
	45N3054DVW	Wood	726	2½	30	54	—	—	27 lbs.	3.8
	45N2454DVY	Polycarbonate	\$ 465	2½	24	54	—	—	16 lbs.	3.1
	45N2454DVW	Wood	643	2½	24	54	—	—	20 lbs.	3.1

- Includes two hinges

L Hinged Divider






45N4854DV44Y	4x4 Polycarbonate	\$ 1080	2½	48	54	—	—	52 lbs.	11.4
45N4854DV44W	4x4 Wood	1920	2½	48	54	—	—	68 lbs.	11.4
45N3654DV33Y	3x3 Polycarbonate	\$ 996	2½	36	54	—	—	42 lbs.	8.9
45N3654DV33W	3x3 Wood	1593	2½	36	54	—	—	54 lbs.	8.9
45N2454DV22Y	2x2 Polycarbonate	\$ 887	2½	24	54	—	—	32 lbs.	6.3
45N2454DV22W	2x2 Wood	1252	2½	24	54	—	—	40 lbs.	6.3

- Both divider sections must feature the same material, finish and frame
- Depth in folded position is 5"
- Recommend using a carpet or hard floor gripper shown on page 343
- Ships with hinge installed

Specify selections, left to right:

Base Model	Grommet Option	Polycarbonate Color	Finish	Frame Paint Color
	G Grommet X No Grommet	1 Smoke 3 Clear	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Platinum Metallic
45N4854DVY	G	1		462

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet		
L Hinged Divider 	<i>Left</i>	<i>Right</i>									
	45N4854DVL42Y	45N4854DVR42Y	4x2 Polycarbonate	\$ 1026	2½	48	54	—	—	62 lbs.	11.4
	45N4854DVL42W	45N4854DVR42W	4x2 Wood	1593	2½	48	54	—	—	82 lbs.	11.4
	- Both divider sections must feature the same material, finish and frame - Depth in folded position is 5" - Recommend using a carpet or hard floor gripper shown below - Ships with hinge installed										
	Left shown										
Butterfly Hinged Divider 	45N4854DV444Y	4x4x4 Polycarbonate	\$ 1704	2½	48	54	—	—	108 lbs.	17.1	
	45N4854DV444W	4x4x4 Wood	2898	2½	48	54	—	—	144 lbs.	17.1	
	45N3654DV333Y	3x3x3 Polycarbonate	\$ 1456	2½	36	54	—	—	78 lbs.	13.3	
	45N3654DV333W	3x3x3 Wood	2391	2½	36	54	—	—	102 lbs.	13.3	
	- All 3 divider sections must feature the same material, finish and frame - Depth in folded position is 7½" - Recommend using a carpet or hard floor gripper shown below - Ships with hinge installed										
Divider Carpet Gripper 	45NCGRIP6	Pack of 6	\$ 36	—	—	—	—	—	2 lbs.	0.1	
	45NCGRIP4	Pack of 4	31	—	—	—	—	—	2 lbs.	0.1	
	45NCGRIP2	Pack of 2	26	—	—	—	—	—	2 lbs.	0.1	
	- Specify base model only - Recommend using for any perpendicular connection										
Divider Hard Floor Gripper 	45NHGRIP6	Pack of 6	\$ 36	—	—	—	—	—	2 lbs.	0.1	
	45NHGRIP4	Pack of 4	31	—	—	—	—	—	2 lbs.	0.1	
	45NHGRIP2	Pack of 2	26	—	—	—	—	—	2 lbs.	0.1	
	- Specify base model only - Recommend using for any perpendicular connection										

Chameleon

Product Specification



- See planning guide for product application
- Topper to be installed onto divider frame extrusion; tools not required
- 501 Platinum Metallic paint is a 15% upcharge

Dimension Key

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

Sample Model Numbers:

45N4814DVT	9	462
45N54WME	462	
45N484SW	501	

	Model No./Description	List Price	Dimensions	D	W	H	A	KW	Cartoned Weight	Cubic Feet
	Divider Corner Stabilization Kit	\$ 61	—	—	—	—	—	—	1 lbs.	0.7
	• Specify frame color only • Recommend using for any perpendicular connection • Kit includes a rigid, black PVC interference-fit corner lock and a painted, formed steel bracket • Stabilizes any 90° corner									
	Divider Inline Stabilization Kit	\$ 69	—	—	—	—	—	—	1 lbs.	0.7
	• Specify base model only • Kit includes a hook and loop strap set and a self-adhesive pressure fit connector strip • Installs to a casegood (pedestal and/or edge of worksurface) and divider frame to create a stable connection									
	45N4814DVT	\$ 274	2½	48	14	—	—	—	14 lbs.	1.88
	45N4214DVT	\$ 261	2½	42	14	—	—	—	13 lbs.	1.67
	45N3614DVT	\$ 251	2½	36	14	—	—	—	11 lbs.	1.46
	45N3014DVT	\$ 216	2½	30	14	—	—	—	9 lbs.	1.25
	45N2414DVT	\$ 186	2½	24	14	—	—	—	7 lbs.	1.04
	• Order hinges shown below if desired to eliminate slight gaps between topper connections; this is not required, but is recommended									
	45NHNG	Pack of 10	\$ 97	—	—	49¼	—	—	3 lbs.	0.1
	• Specify base model only • Extruded black plastic									

Specify selections, left to right:

Base Model	Polycarbonate Color	Resin	Finish	Frame Paint Color
45N4814DVT	1 Smoke 3 Clear	9 Frosted	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Platinum Metallic
		9		462

	Model No./Description	List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
Wall Mount Extrusion Starter Kit 	45N54WME • Specify paint color only • Must be installed using National installation instructions • Must be attached to a load bearing wall • Mounted with customer supplied hardware • See planning guide for more information	\$ 119	2½	1	51	—	—	10 lbs.	0.3
Slat Zone for Dividers 	45N484SW 45N424SW 45N364SW 45N304SW 45N244SW • Reference page 348 for available plastic accessories • When using plastic work tools with slat zone for dividers, the dividers must be wrapping casegoods product	133 121 111 103 94	1 1 1 1 1	46 40 34 28 22	4 4 4 4 4	— — — — —	— — — — —	6 lbs. 5 lbs. 4 lbs. 3 lbs. 3 lbs.	0.4 0.4 0.3 0.3 0.2
Slat Zone Wall Mounted 	45N954SWM 45N714SWM • Must be attached to a load bearing wall • Mounted with customer supplied hardware • Not recommended for use with slat mount monitor arms • Reference page 348 for available plastic accessories	276 206	1 1	95 71	4 4	— —	— —	12 lbs. 8 lbs.	0.9 0.7

Chameleon

Product Specifications

- See planning guide for product application
- 501 Platinum Metallic paint is a 15% upcharge

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

45N4814MB2 462

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Slat Link 	45N952SWL	\$ 133	½	95	1	—	—	5 lbs.	0.5
	45N712SWL	113	½	71	1	—	—	4 lbs.	0.3
	45N482SWL	82	½	48	1	—	—	2 lbs.	0.2
	45N422SWL	74	½	42	1	—	—	2 lbs.	0.2
	45N362SWL	69	½	36	1	—	—	2 lbs.	0.2
	45N302SWL	64	½	30	1	—	—	2 lbs.	0.2
	45N242SWL	56	½	24	1	—	—	2 lbs.	0.2

- Attaches two slat zones together to create a seamless visual

Magna Zone 	45N4814MZ	\$ 294	1	46	14	—	—	13 lbs.	1.0
	45N4214MZ	271	1	40	14	—	—	10 lbs.	0.9
	45N3614MZ	246	1	34	14	—	—	9 lbs.	0.7
	45N3014MZ	222	1	28	14	—	—	8 lbs.	0.6
	45N2414MZ	198	1	22	14	—	—	7 lbs.	0.5

- Must purchase to use marker zone

Marker Zone 	45N4814MB _	\$ 113	—	46	14	—	—	1 lbs.	0.1
	45N4214MB _	103	—	40	14	—	—	1 lbs.	0.1
	45N3614MB _	91	—	34	14	—	—	1 lbs.	0.1
	45N3014MB _	77	—	28	14	—	—	1 lbs.	0.1
	45N2414MB _	66	—	22	14	—	—	1 lbs.	0.1

- Specify color designator on end of model:
1=white, 2=beige speckle, 3=grey speckle
- Magnetic back magnetizes to magna zone
- Magna zone must be purchased separately

Specify selections, left to right:

Base Model	Paint Color
	462 Cinder
	501 Platinum Metallic
45N4814MB2	462

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	45N488WMH	\$ 231	1¾	46	8	—	—	9 lbs.	0.7
	45N428WMH	208	1¾	40	8	—	—	8 lbs.	0.7
	45N368WMH	187	1¾	34	8	—	—	7 lbs.	0.6
	45N308WMH	167	1¾	28	8	—	—	6 lbs.	0.5
	45N248WMH	143	1¾	22	8	—	—	5 lbs.	0.4

- Specify paint color only
- Attaches to the aluminum extrusion on the divider frame

Chameleon

Product Specification

- For use with WaveWorks slat walls, Chameleon slat zone, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

- NACCP
- NACELPDC

Plastic Work Tools


Pencil Cup



Model No./Description	List Price	Dimensions	D	W	H	A	KW	Cartoned Weight	Cubic Feet
NACCP Black Plastic	\$ 34	1/2	4	4	—	—	—	1 lbs.	0.4
NACCP Clear Plastic	34	1/2	4	4	—	—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.


Legal Paper Tray



NAC1115SPT Black Plastic	\$ 50	10½	15	2	—	—	—	1 lbs.	0.1
NAC1115SPTC Clear Plastic	50	10½	15	2	—	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

Accessory Tray



NAC1010AT Black Plastic	\$ 45	10	9½	2	—	—	—	1 lbs.	0.2
NAC1010ATC Clear Plastic	45	10	9½	2	—	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

Phone Holder



NACPH Black Plastic	\$ 45	9½	8½	2	—	—	—	1 lbs.	0.1
NACPHC Clear Plastic	45	9½	8½	2	—	—	—	1 lbs.	0.1

- Holds telephone

Binder Shelf



NACBS Black Plastic	\$ 37	10½	5	9	—	—	—	1 lbs.	0.3
----------------------------	-------	-----	---	---	---	---	---	--------	-----

- Holds binders and folders
- Not recommended for use under Epicenter mounted overhead storage cabinets

Slant Sorter



NACSS Black Plastic	\$ 52	12½	7	7½	—	—	—	1 lbs.	0.2
NACSSC Clear Plastic	52	12½	7	7½	—	—	—	1 lbs.	0.2

- Holds folders, papers, etc.
- Not recommended for use under Epicenter mounted overhead storage cabinets

Accessories

Accessories

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer	K	NAC1706KK3	Basic Adjustable Keyboard Kit
B	NACC1824CDW	Wood Center Drawer	L	NACMA1GMB	Flexible Single Monitor Arm
C	NAC2421CDL	Laminate Center Drawer	M	NACMA1GMS	Flexible Single Monitor Arm
D	NAC0613ST	Box Drawer Convenience Tray	N	NAC1406KK4	Keyboard Kit
E	NAC1211DO	Deluxe Organizer	O	NAC1322SL1	Metal Corner Sleeve
F	NAC1624CT	Black Carousel Tray	P	NAC1322SL2	Metal Corner Sleeve
G	NAC1922CD	Plastic Center Drawer	Q	NAC1222SL	Metal Corner Sleeve
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit	R	NAC1424KT	Keyboard Tray
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit	S	NAC1924KTM	Keyboard Tray/Mouse Pad
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit	T	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit

*Not applicable for Tambour Modesty models

- Hinged Modesty models cannot use center drawer or keyboard kits

	Arrowood	Barrington	Captivate	Casbah	Clever	
Double Pedestal Desks						
36" x 72"	A,B,C,D,E,F,G,H,I,J,K,L,M,R,S,T	D,E,L,M	A,B,C,D,E,F,G,H,I,J,K,L,M,R,S,T	E,H,I,J,K,L,M,T	D,E,L,M	
30" x 66"		D,E,L,M	A,B,C,E,F,G,L,M,R,S	E,H,I,J,K,L,M,T	D,E,L,M	
30" x 60"	A,B,C,D,E,F,G,L,M,R,S					
Single Pedestal Desks						
36" x 72"	A,B,C,D,E,F,G,H,I,J,K,L,M,P,R,S,T	D,E,L,M,O	A,B,C,E,F,G,H,I,J,K,L,M,R,S,T	E,H,I,J,K,L,M,T	D,E,L,M,O	
30" x 66"	D,E,L,M,P	D,E,L,M,O	E,L,M	E,L,M		
U-Units and P-Units						
without modesty panel	H,I,J,K,L,M,P,T			L,M	H,I,L,M,O	
with modesty panel	L,M,P			L,M	L,M,O	
Reception Desk		A,B,C,D,F,G,L,M,O,R,S	A,B,C,D,F,G,H,I,J,K,L,M,R,S,T	H,I,J,K,L,M,T	D,L,M,O	
Reception Return			A,B,C,F,G,L,M,R,S	L,M	L,M,O	
Returns						
File/File 24" x 50", 25" x 53"	A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S	A,B,C,F,G,L,M,R,S			
File/File 24" x 48", 25" x 45"			B,C,F,G,L,M,R,S	H*,I*,J*,K*,L,M,T		
File/File 24" x 42"	A,B,C,F,G,L,M,P,R,S				L,M,O	
Box/Box/File 24" x 50", 25" x 53"	A,B,C,D,E,F,G,L,M,P,R,S		A,B,C,D,E,F,G,L,M,R,S			
Box/Box/File 24" x 48"				E,H*,I*,J*,K*,L,M,T		
Box/Box/File 24" x 42", 25" x 45"	A,B,C,D,E,F,G,L,M,P,R,S		B,C,D,E,F,G,L,M		D,E,L,M,O	
Multi-File 24" x 72", 24" x 60"	A,B,C,D,E,F,G,L,M,P,R,S		D,E,L,M	E,L,M	E,L,M,O	
Lateral File 24" x 60"			L,M	L,M		
Corner Units						
36" x 36"	L,M	L,M	L,M	L,M		
42" x 42"						
Bridges						
24" x 48"	A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S	L,M	H*,I*,J*,K*,L,M,T	N	
24" x 42"	A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S	L,M	H*,I*,J*,K*,L,M,T	N	
Credenzas						
File/File 72"		A,B,C,F,G,L,M,O,R,S		H*,I*,J*,K*,L,M,T		
File/File 66"				L,M		
File/File 60"						
Lateral File 72"		L,M,O		L,M		
Lateral File 66"						
Kneespace 72"		A,B,C,F,G,L,M,R,S	A,B,C,F,G,L,M,R,S	H*,I*,J*,K*,L,M,T	N	
Kneespace 66"			A,B,C,F,G,L,M,R,S	H*,I*,J*,K*,L,M,T	N	
Shell Based Desk						
Shell Based Return, Bridge, Credenza						

	Escalade	Flourish	Hiland	Roosevelt
	A,B,C,D,E,F,G,H,I,J,K,L,M,R,S,T	A,B,C,D,E,F,G,H,I,J,K,L,M,R,S,T	A,B,C,D,E,F,G,H,I,J,K,L,M,R,S,T	D,E,L,M
	A,B,C,D,E,F,G,L,M,R,S	D,E,L,M	A,B,C,D,E,F,G,L,M,R,S	D,E,L,M
	A,B,C,E,F,G,H,J,K,L,M,Q,R,S,T	A,B,C,E,F,G,H,J,K,L,M,O,R,S,T	A,B,C,D,E,F,G,H,I,J,K,L,M,P,R,S,T	D,E,L,M,O
	D,E,L,M,Q	A,B,C,D,E,F,G,L,M,O,R,S	A,B,C,D,E,F,G,L,M,P,R,S	D,E,L,M,O
	A,B,C,F,G,H,I,J,K,L,M,Q,R,S,T	A,B,C,F,G,H,I,J,K,L,M,O,R,S,T	A,B,C,F,G,H,I,J,K,L,M,P,R,S,T	
	L,M,Q	L,M,O	L,M,P	
	A,B,C,F,G,H,J,K,L,M,Q,R,S,T			A,B,C,D,F,G,L,M,O,R,S
	A,B,C,F,G,L,M,Q,R,S			
			A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S
	A,B,C,F,G,L,M,Q,R,S	A,B,C,F,G,L,M,O,R,S		
	L,M,Q		A,B,C,F,G,L,M,P,R,S	
			A,B,C,D,E,F,G,L,M,P,R,S	
	A,B,C,D,E,F,G,L,M,Q,R,S			
	D,E,L,M,Q		A,B,C,D,E,F,G,L,M,P,R,S	
	A,B,C,E,F,G,L,M,Q,R,S		A,B,C,D,E,F,G,L,M,P,R,S	
				L,M
			H,I,J,K,L,M,T	
	F,G,L,M,Q	A,B,C,D,F,G,L,M,O,R,S	A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S
	F,G,L,M,Q	A,B,C,F,G,L,M,O,R,S	A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S
	B,C,F,G,L,M,O		A,B,C,F,G,L,M,P,R,S	A,B,C,F,G,L,M,O,R,S
	L,M,O		A,B,C,F,G,L,M,P,R,S	
	L,M,O		A,B,C,F,G,L,M,P,R,S	L,M,O
	L,M,O		A,B,C,F,G,L,M,P,R,S	
	B,C,F,G,L,M	A,B,C,F,G,L,M,R,S	A,B,C,F,G,L,M,R,S	A,B,C,F,G,L,M,R,S
	B,C,F,G,L,M	A,B,C,F,G,L,M,R,S	A,B,C,F,G,L,M,R,S	

Accessories

Product Specification

- See pages 350-351 for the application matrix for these accessories

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

NAC2421CDL 405
NAC1824CDW MC
NAC0613ST






To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Wood Center Drawer 	QNAC2124CDW	Wood	\$ 220	21	24	2¾	—	—	9 lbs.	1.1
	NAC2124CDW	Wood	220	21	24	2¾	—	—	9 lbs.	1.1
	QNAC1824CDW	Wood	146	18	24	2¾	—	—	9 lbs.	1.1
	NAC1824CDW	Wood	146	18	24	2¾	—	—	9 lbs.	1.1
• Drawer extends 10" from worksurface and measures 21 1/16" from bottom of the worksurface to the bottom of the drawer • Drawer features a pencil divider, drawer stops and hardware • NAC2124CDW features an upgraded suspension • Center drawers are solid ash										
Laminate Center Drawer 	QNAC2421CDL	Laminate	\$ 126	20	24	2¾	—	—	12 lbs.	1.0
	NAC2421CDL	Laminate	126	20	24	2¾	—	—	12 lbs.	1.0
Keyboard Tray 	NAC1424KT	Black Metal	\$ 155	14	25½	1¼	—	—	10 lbs.	1.3
• Keyboard height can range from 21 1/32" to 31 1/32" in 7/32" increments • Tray is 24" wide										
Keyboard Tray/Mouse Pad 	NAC1924KTM	Black Metal	\$ 339	19	25½	23/8	—	—	20 lbs.	1.3
• Keyboard height can range from 21 1/16" to 31 1/16" in 7/32" increments • Unit features adjustable palm rest and sliding mouse pad • Mouse pad will extend 9" on each side (right or left) of bar keyboard and accommodates an 8½" x 10" or smaller mouse pad • Tray is 24" wide										
Box Drawer Convenience Tray 	NAC0613ST	Black Plastic	\$ 23	55/8	127/8	½	—	—	1 lbs.	0.1
• Applicable for use on letter width drawers • Convenience tray rests on box drawer edge • For use on 15" pedestals										
Black Carousel Tray 	NAC1624CT	Black Plastic	\$ 116	16	235/8	15/8	—	—	4 lbs.	0.7
• Rotates outward from either side to gain access to tray and can be pushed or pulled open • Features a self-centering mechanism which acts as a stop and maintains proper alignment with the worksurface front edge										

Specify selections, left to right:

Base Model	Finish (wood only)	Laminate (laminate only)			
	IM Brighton	IM Brighton	440	Cloud	
	NM Natural	NM Natural	461	Graphite	
	HN Honey	HN2 Honey 2	462	Cinder	
	CL Caramel	CL Caramel	478	Platinum Grey	
	TF Truffle	TF Truffle	488	Frosty White	
	AC Autumn	AC2 Autumn 2	491	Designer White Linear	
	MC Amber	MC Amber	491H	Designer White Linear Horizontal	
	CW Cordovan	CW Cordovan	492	Cinder Linear	
	DW Judicial	DW Judicial	492H	Cinder Linear Horizontal	
	MH Mocha	MH Mocha	791	Palisander	
	792 Sable	405 Designer White	791H	Palisander Horizontal	
		417 Mojave	792	Sable	
		418 Mouse	792H	Sable Horizontal	
		419 Wallaby	793	Acorn	
		425 Shadow			
NAC2421CDL		403			

	Model No./Description	List Price	Dimensions D W H	A	KW	Cartoned Weight	Cubic Feet
Plastic Center Drawer 	NAC1922CD Black Plastic	\$ 64	193/16 22 2	—	—	5 lbs.	0.5
	Individual compartments neatly organize pens, pencils, paper clips, etc.						
Intuitive Adjustable Keyboard Kit 	NAC1706KK1 17" Arm—Black	\$ 608	17 28½ 6	—	—	18 lbs.	1.1
	NAC2208KK1 21¾" Arm—Black	671	21¾ 28½ 8	—	—	21 lbs.	1.1
Ergonomic Adjustable Keyboard Kit 	NAC1706KK2 17" Arm—Black	\$ 526	17 28½ 6	—	—	17 lbs.	1.1
	- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray - Dial tilt allows for adjustment from -10° to 15° and slides in and out under worksurface - Arm tilts and moves up and down 360° swivel - Width of keyboard kit includes mouse tray - Mouse tray can be moved to support right or left-handed users - Mouse tray has tilt adjustment and fence to protect mouse from falling - ANSI/HFES compliant						
Basic Adjustable Keyboard Kit 	NAC1706KK3 17" Arm—Black	\$ 428	17 28½ 6	—	—	14 lbs.	1.4
	- Includes keyboard mechanism, clamp, wrist pad, and mouse tray - Kit to be used with keyboard - Simultaneous tilt and height adjustment 360° swivel - Swivel mouse tray can be moved to support right or left-handed users - ANSI/HFES compliant						
Clever® Keyboard Kit 	NAC1406KK4 14" Arm—Black	\$ 488	14 28½ 6	—	—	15 lbs.	1.1
	- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray - Can be used on Clever kneespace credenza, Clever bridge units and Casbah where specified - Simultaneous tilt and height adjustment 360° swivel - Swivel mouse tray can be moved to support right or left-handed users - ANSI/HFES compliant						

Accessories

Product Specification

- See pages 350-351 for the application matrix for these accessories

Dimension Key







D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NAC2319KKS1

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Sit-to-Stand Adjustable Keyboard Kit 	NAC2319KKS1	\$ 671	23	28½	10¾	—	—	21 lbs.	1.1
	• Black • Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¼" above surface) • Tray adjusts from -10° to +15° • ANSI/HFES compliant								
Keyboard/Drawer Mounting Kit 	NAC0611KMK Casbah	\$ 61	11	6	1¼	—	—	5 lbs.	1.0
	• Must be used with adjustable keyboard kits when attaching to Casbah units								
	NAC0802KMK Escalade	\$ 61	8	2	¾	—	—	5 lbs.	0.1
	• Must be used with adjustable keyboard kits, center drawers and keyboard drawers when attaching to Escalade units								
Flexible Single Monitor Arm Grommet Mount 	NACMA1GMB Black	\$ 407	30¼	6½	12½	—	—	10.5 lbs.	1.4
	NACMA1GMS Silver	407	30¼	6½	12½	—	—	10.5 lbs.	1.4
	• Attachment method via bolt through grommet • Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel • Not recommended for use with a top that is utilizing any mobile base • When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm • Not recommended to turn the monitor arms away from the user side								
Flexible Single Monitor Arm Clamp Mount 	NACMA1CMB Black	\$ 407	30¼	6½	12½	—	—	12 lbs.	1.4
	NACMA1CMS Silver	407	30¼	6½	12½	—	—	12 lbs.	1.4
	• Not recommended for use with knife edge tops • Not recommended for use with a top that is utilizing any mobile base • When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm • Not recommended to turn the monitor arms away from the user side								
Flexible Dual Monitor Arm Grommet Mount 	NACMA2GMB Black	\$ 773	30¼	6½	12½	—	—	14 lbs.	1.4
	NACMA2GMS Silver	773	30¼	6½	12½	—	—	14 lbs.	1.4
	• Not recommended for use with a top that is utilizing any mobile base • When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm • Not recommended to turn the monitor arms away from the user side								
Flexible Dual Monitor Arm Clamp Mount 	NACMA2CMB Black	\$ 773	30¼	6½	12½	—	—	15.5 lbs.	1.4
	NACMA2CMS Silver	773	30¼	6½	12½	—	—	15.5 lbs.	1.4
	• Not recommended for use with knife edge tops • Not recommended for use with a top that is utilizing any mobile base • When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm • Not recommended to turn the monitor arms away from the user side								

Specify selections, left to right:

Base Model

NAC2319KKS1

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Triple Mount Monitor Arm Kit	NACMA3KB Black	\$ 155	6 2½ 5¼ — —	4 lbs.	0.4
	NACMA3KS Silver	155	6 2½ 5¼ — —	4 lbs.	0.4



- Add onto Flexible Dual Monitor Arm pole to add a third monitor

Monitor Arm Information

National Model:	NACMA1GMB/S	NACMA1CMB/S	NACMA2GMB/S	NACMA2CMB/S	NACMA3KB/S
Description:	MFlex pole with single arm fixed/dynamic arm bolt thru mount - silver	MFlex pole with single arm fixed/dynamic arm clamp mount - silver	MFlex pole with dual arms fixed/dynamic arm bolt thru mount - silver	MFlex pole with dual arms fixed/dynamic arm clamp mount - silver	Add on triple mount and ball joint
Monitor Rotation:	port/landscape 30° each side	port/landscape 30° each side	port/landscape 30° each side	port/landscape 30° each side	port/landscape 30° each side
Monitor Extension:	21.2"	21.2"	21.2"	21.2"	N/A
Monitor Tilt Adjustment:	25° + or -	25° + or -	25° + or -	25° + or -	25° + or -
Arm Height Adjustment:	10" dynamic, 8" manual	10" dynamic, 8" manual	10" dynamic, 8" manual	10" dynamic, 8" manual	8" manual
Monitor Weight Capacity (maximum approved weight):	20 lbs.	20 lbs.	20 lbs. per monitor	20 lbs. per monitor	20 lbs.
Mounting Option:	grommet	desk clamp	grommet	desk clamp	N/A
Pole Height:	12"	12"	12"	12"	N/A
Maximum Width Per Monitor:	no maximum width	no maximum width	30"	30"	21"
Worksurface Requirements—Desk Clamp:	N/A	0.5" to 2.5"	N/A	0.5" to 2.5"	N/A
Worksurface Requirements—Grommet Mount:	0.75" to 2.5" thick worksurface; hole diameter 0.5" to 3"	N/A	0.75" to 2.5" thick worksurface; hole diameter 0.5" to 3"	N/A	N/A

Accessories

To Order, Specify:



1. Model Number
 2. Veneer Chassis Finish/
Laminate Chassis Color
- See page 285 in the Casegoods Book 2
Price List for finishes and laminates

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Numbers:

NAC3105MSW CW
NAC3105MSL 403

	Model No./Description		List Price	Dimensions					Cartoned Weight	Cubic Feet
				D	W	H	A	KW		
Organizing Stacker 	NAC4005MSW	Wood	\$ 580	125/16	40 1/8	413/16	—	—	14 lbs.	1.8
	NAC4005MSL	Laminate	276	125/16	40 1/8	413/16	—	—	14 lbs.	1.8
	NAC3605MSW	Wood	\$ 561	125/16	36 1/8	413/16	—	—	14 lbs.	1.6
	NAC3605MSL	Laminate	266	125/16	36 1/8	413/16	—	—	14 lbs.	1.6
	NAC3405MSW	Wood	\$ 551	125/16	34 1/8	413/16	—	—	13 lbs.	1.5
	NAC3405MSL	Laminate	261	125/16	34 1/8	413/16	—	—	13 lbs.	1.5
	NAC3305MSW	Wood	\$ 546	125/16	33 1/8	413/16	—	—	13 lbs.	1.4
	NAC3305MSL	Laminate	259	125/16	33 1/8	413/16	—	—	13 lbs.	1.4
	NAC3105MSW	Wood	\$ 538	125/16	31 1/8	413/16	—	—	12 lbs.	1.2
	NAC3105MSL	Laminate	254	125/16	31 1/8	413/16	—	—	12 lbs.	1.2
	NAC3005MSW	Wood	\$ 533	125/16	30 1/8	413/16	—	—	12 lbs.	1.1
	NAC3005MSL	Laminate	252	125/16	30 1/8	413/16	—	—	12 lbs.	1.1
	NAC2805MSW	Wood	\$ 522	125/16	28 1/8	413/16	—	—	11 lbs.	0.9
	NAC2805MSL	Laminate	248	125/16	28 1/8	413/16	—	—	11 lbs.	0.9
	NAC2605MSW	Wood	\$ 514	125/16	26 1/8	413/16	—	—	11 lbs.	0.8
	NAC2605MSL	Laminate	244	125/16	26 1/8	413/16	—	—	11 lbs.	0.8
	• Allows user to create smaller slots within the unit for additional organization; Available for use within Casbah, Epic, Renegade or WaveWorks highback organizers, overheads and bookcases • Reference Organizing Stacker Applicability chart on the following page for installing appropriate size Organizing Stacker • Assembly required									
Vertical Pigeon Hole Storage 	NAC1420SMCW	Wood	\$ 682	12	14	197/8	—	—	13 lbs.	0.9
	NAC1420SMCL	Laminate	322	12	14	197/8	—	—	13 lbs.	0.9
	• Assembly required • Three fixed shelves on unit • Specify chassis laminate or finish only • Utilize under Casbah, Epic, Renegade and WaveWorks highback organizers; sits on worksurface • When using with tack board, see page 370 for applicable tack board that will properly fit in space									

Highback or Overhead Model No.	Applicable Organizing Stacker
-----------------------------------	----------------------------------

Casbah

38N10850HBH_	NAC3405SMS_
38N10838HBH_	NAC3405SMS_
38N10250HBH_	NAC3305SMS_
38N10238HBH_	NAC3305SMS_
38N9650HBH_	NAC3005SMS_
38N9638HBH_	NAC3005SMS_
38N9050HBH_	NAC2805SMS_
38N9038HBH_	NAC2805SMS_
38N8450HBH_	NAC4005SMS_
38N8438HBH_	NAC4005SMS_
38N7850HBH_	NAC3605SMS_
38N7838HBH_	NAC3605SMS_
38N7250HBH_	NAC3405SMS_
38N7238HBH_	NAC3405SMS_
38N6650HBH_	NAC3105SMS_
38N6638HBH_	NAC3105SMS_
38N6050HBH_	NAC2805SMS_
38N6038HBH_	NAC2805SMS_
38N4850HBH_	NAC3005SMS_
38N4838HBH_	NAC3005SMS_
38N4830SOHM_	NAC3005SMS_
38N4818SOHM_	NAC3005SMS_
38N4230SOHM_	NAC2605SMS_
38N4218SOHM_	NAC2605SMS_
38N3630SOHM_	NAC3405SMS_
38N3618SOHM_	NAC3405SMS_
38N3030SOHM_	NAC2805SMS_
38N3018SOHM_	NAC2805SMS_

Accessories

Product Specification

- See pages 350-351 for the application matrix for these accessories

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NACPUH

To You In
10
DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Metal Corner Sleeve 	NAC1322SL1 Black Metal	\$ 108	13	22	11/16	—	—	5 lbs.	0.3
	NAC1322SL2 Black Metal	108	13	22	13/16	—	—	5 lbs.	0.3
	NAC1222SL Black Metal	139	115/8	22	1½	—	—	5 lbs.	0.6
	• NAC1322SL1 is applicable to Barrington, Clever, Flourish and Roosevelt • NAC1322SL2 is applicable to Arrowood Laminate, Arrowood Veneer, Captivate, Epic, Hiland and WaveWorks 13/16 • NAC1222SL is applicable to Escalade and WaveWorks 19 1/8 • Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use								
CPU Holder 	NACPUH Black	\$ 282	9¾	9¾	18¼	—	—	10 lbs.	0.9
	• Vertically mounts to underside of workstation • Self-locking ratchet style storage device • Teflon glide storage • Height adjustable 13" to 25" • Width adjustable 3" to 9" • 360° swivel • Supports up to 85 lbs.								
CPU Cart Mobile 	NACCPUMCB Black	\$ 149	15	8½	85/16	—	—	7 lbs.	4.2
	• Adjusts to support CPU's up to 9" wide and 40 lbs. • Adds 3¾" to the height of installed CPU • Non-locking casters								
Specific Lock Cores and Keys 	NCCB_ _ _ Lock Core and Key, Black	\$ 14	—	—	—	—	—	1 lbs.	0.1
	NCCB_ _ _S Lock Core and Key, Silver	14	—	—	—	—	—	1 lbs.	0.1
	• _ _ _ Specify key number 001 through 200 for black • _ _ _ Specify key number 001 through 050 for silver • A change key must be specified separately to change lock cores • All casegoods product indicating locking will be shipped with random locking • Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU								
	NCCBCK Change Key	\$ 14	—	—	—	—	—	1 lbs.	0.01
	NCCBMK Master Key	14	—	—	—	—	—	1 lbs.	0.01
	• Master Key will open all locks 001-200								

Specify selections, left to right:

Base Model

NACPUH

	Model No./Description		List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
	NAC25TLB	14 Watts	\$ 217	45/16	23¾	138	—	—				8 lbs.	0.6
	NAC49TLB	28 Watts	248	45/16	467/8	138	—	—				11 lbs.	1.2
	• Tasks lights are applicable for all highback organizers, wall mount cabinets and work organizers (wood, laminate and metal) • Black finish • 9' black power cord centered in back of light (UL approved) • Electronic ballast • Warm white lamps included • For proper application, the task light dimension must be less than the overhead cabinet dimension												

	NAC16LTSP	Single Unit	\$ 235	1	1558	1	—	—				1 lbs.	0.18
	NAC25LTSP	Single Unit	259	1	24¾	1	—	—				2 lbs.	0.25
	NAC31LTSP	Single Unit	281	1	309/16	1	—	—				2 lbs.	0.31
	NAC16LTSPD	Daisy Chain Starter Unit	\$ 279	1	1558	1	—	—				2 lbs.	0.18
	NAC25LTSPD	Daisy Chain Starter Unit	303	1	24¾	1	—	—				2 lbs.	0.25
	NAC31LTSPD	Daisy Chain Starter Unit	324	1	309/16	1	—	—				3 lbs.	0.31
	NAC16LTSPA	Add-on Unit for Daisy Chaining	\$ 213	1	1558	1	—	—				1 lbs.	0.18
	NAC25LTSPA	Add-on Unit for Daisy Chaining	281	1	24¾	1	—	—				2 lbs.	0.25
	NAC31LTSPA	Add-on Unit for Daisy Chaining	303	1	309/16	1	—	—				2 lbs.	0.31
	• Can daisy chain up to 3 lights by ordering a Starter Unit and then up to 2 Add-on Units • Magnetizes to the underside of any metal highback organizer, overhead cabinet or Epic metal storage cubby • Mounting hardware is included for use with laminate or wood highback organizers and overhead cabinets • Silver finish • UL listed												

Accessories

Product Specification

- See pages 350-351 for the application matrix for these accessories

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NAC1211D0

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	NAC17TLL Single/Starter Unit	\$ 242	2	17	3/5	—	—	1 lbs.	0.20
	NAC31TLL Single/Starter Unit	345	2	31	3/5	—	—	2 lbs.	0.25
	NAC44TLL Single/Starter Unit	448	2	44	3/5	—	—	2 lbs.	0.30
	NAC17TLLA Adder Unit (Interconnect)	\$ 232	2	17	3/5	—	—	2 lbs.	0.20
	NAC31TLLA Adder Unit (Interconnect)	335	2	31	3/5	—	—	2 lbs.	0.25
	NAC44TLLA Adder Unit (Interconnect)	438	2	44	3/5	—	—	3 lbs.	0.30
	NACTLSEN Modular Occupancy Sensor	\$ 160	—	—	—	—	—	1 lbs.	0.10
• Standard output: 17" – 24 LEDs, 31" – 48 LEDs, 44" – 72 LEDs • 60 W power supply • Metal trough reflector with diffuser lens • Soft touch switching with instant on to fade away off • Automatic time out (after 10 hours) • Clear anodized aluminum with white color end caps • Mounting kit includes (1) kit clip/magnets, (1) kit clip/screws, and (1) kit of two adhesive cord managers • Interconnect kit includes (1) 8", (1) 30" jumper cord, and (2) adhesive cord managers									


Specify selections, left to right:

Base Model

NAC1211DO

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				

Deluxe Drawer Organizer



NAC1211DO Black

\$ 122

11¾ 10⅜ 1¾ — — 3 lbs. 0.6

- Black plastic
- Features compartments for storing post-its, paper clips, pens, pencils, etc.
- Shipped standard in each Casbah top box desk drawer
- Drawer expands to 16" wide

Desk Pad


**DISCONTINUED**

D W H A KW

~~NAC1623DPLB Black \$ 354 16 22⅝ 1⅝ — — 7 lbs. 0.1~~

- Faux leather with white top-stitching
- Features felt bottom to protect surface

Waste Container



			D	W	H	A	KW		

NAC1721WBSK White

\$ 244

13 16½ 21 — — 6 lbs. 2.6

- Concealed, pivoting waste container
- For use in buffet or double door storage credenza

Personal Pull-up Table



			D	W	H	A	KW		

10N1622RTPUW Wood

\$ 927

13¾ 22 28½ — — 32 lbs. 9.25

10N1622RTPUL Laminate

927

13¾ 22 28½ — — 32 lbs. 9.25

- 50 lb. weight limit
- Specify metal finish (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Specify laminate or wood finish; **Laminates** (NM) Natural, (HN2) Honey 2, (CL) Caramel, (TF) Truffle, (AC2) Autumn 2, (MC) Amber, (CW) Cordovan, (DW) Judicial, (MH) Mocha, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; **Wood Finishes** (NM) Natural, (HN) Honey, (CL) Caramel, (TF) Truffle, (AC) Autumn, (MC) Amber, (CW) Cordovan, (DW) Judicial, (MH) Mocha, (405) Designer White, (462) Cinder, (792) Sable, or (793) Acorn

Accessories

Product Specification

- For use with WaveWorks slat walls, Chameleon slat zone, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

Sample Model Numbers:

NACCP
NACELPDC

To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Plastic Work Tools


Pencil Cup



Model No./Description	List Price	Dimensions	D	W	H	A	KW	Cartoned Weight	Cubic Feet
NACCP Black Plastic	\$ 34	1/2	4	4	—	—	—	1 lbs.	0.4
NACCP Clear Plastic	34	1/2	4	4	—	—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.

Legal Paper Tray



NAC1115SPT Black Plastic	\$ 50	10 1/2	15	2	—	—	—	1 lbs.	0.1
NAC1115SPTC Clear Plastic	50	10 1/2	15	2	—	—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.

Accessory Tray



NAC1010AT Black Plastic	\$ 45	10	9 1/2	2	—	—	—	1 lbs.	0.2
NAC1010ATC Clear Plastic	45	10	9 1/2	2	—	—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

Phone Holder



NACPH Black Plastic	\$ 45	9 1/2	8 1/2	2	—	—	—	1 lbs.	0.1
NACPHC Clear Plastic	45	9 1/2	8 1/2	2	—	—	—	1 lbs.	0.1

- Holds telephone

Binder Shelf



NACBS Black Plastic	\$ 37	10 1/2	5	9	—	—	—	1 lbs.	0.3
----------------------------	-------	--------	---	---	---	---	---	--------	-----

- Holds binders and folders
- Not recommended for use under Epicenter mounted overhead storage cabinets

Slant Sorter








NACSS Black Plastic	\$ 52	12 1/2	7	7 1/2	—	—	—	1 lbs.	0.2
NACSSC Clear Plastic	52	12 1/2	7	7 1/2	—	—	—	1 lbs.	0.2

- Holds folders, papers, etc.
- Not recommended for use under Epicenter mounted overhead storage cabinets

Specify selections, left to right:

Base Model

NACCP

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
	D	W	H						
Power/Data Center 	NACELPDC Black	\$ 266	2¼	758	2¾	—	—	2 lbs.	0.4
	• 2 simplex receptacles and 2 blank data ports • 6 ft., 15 Amp cord • Black housing and cords • UL listed • Fits into G1 cutout - round grommet hole • Blank data ports will accommodate Amp flex-mode and Panduit mod-com connector modules								
Convenience Outlet 	NAC0902EL5C Black	\$ 186	13	22	11/16	—	—	2 lbs.	0.3
	• 5 grounded electrical receptacles • 1 telephone jack with 14 ft. cord • 10 ft. power cord • Includes remote on/off power switch • Black housing and cords • UL listed								
Corner Channel with Power 	NAC1305ELCC Black	\$ 308	4½	4½	13	—	—	4 lbs.	0.4
	• Can be mounted vertically or horizontally above or below worksurfaces along any inside corner • UL listed • Four grounded electrical receptacles rated at 15 Amps/120 Volts • Voice/data section has an internal metal isolation barrier (separated from electrical) • Overload protection (15 Amp circuit breaker) • 6 ft. heavy-duty power cord, with 15 Amp molded plug • Voice/data section includes 1 RJ11 phone and 1 RJ45 data connector								
Power Director 	NAC1002ELPD2 Black	\$ 117	4½	9¾	2	—	—	3 lbs.	0.1
	• 10 foot heavy-duty right angle power cord • UL listed • Solid state phone/fax/modem, surge protector • 12 Amp, 120 Volt, 60 Hz • 3 receptacles in back are controlled by main switch, and 3 non-switched receptacles (1 in back, 2 in front of unit) • 5 high speed data ports • 2 sets of dual USB ports								
Power Center 	NACELR4 Black	\$ 222	41/8	258	10	—	—	2 lbs.	0.2
	• 4 simplex receptacles • Length of cord is 10' • 15 Amp • UL Listed • Extends 7" above worksurface • To be used with racetrack or channel grommets • Pop up electrical not available for use on the drawer side of lateral file and multi-file returns/credenzas when using the channel wire management option; available for use on the non-pedestal side only • Cannot be used on media credenzas								

Accessories

Product Specification

- See pages 350-351 for the application matrix for these accessories

Dimension Key





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

Sample Model Number:

NAC17WM

To You In
10
...or Less




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Power/Communication Center 	NACELR2C Black • 2 flush mounted 15 Amp simplexes, accommodate a variety of 5-15P power cords and adapters • Length of cord is 10' • UL Listed • Extends 7½" above worksurface • To be used with racetrack or channel grommets • Pop up electrical not available for use on the drawer side of lateral file and multi-file returns/credenzas when using the channel wire management option; available for use on the non-pedestal side only • Cannot be used on media credenzas • Adapters accommodate couplers and jacks from many manufacturers: Avaya/At&T/Lucent www.avaya.com Amp/Tyco www.amp.com Panduit www.panduit.com Allen Tel www.allentel.com Leviton www.leviton.com Krone www.krone.com Hubbell www.hubbell.com Ortronics www.ortronics.com	\$ 208	41/8	25/8	8½	—	—	2 lbs.	0.2
Wire Manager 	NAC17WM Black Plastic • Wire manager is made of plastic and attaches with Velcro® • Wire manager can be used on any unit to route cords	\$ 23	21/16	16¾	13/16	—	—	1 lbs.	0.1
Horizontal Undersurface Wire Manager 	NAC30WMH Black Plastic (Set of 6) • Wire manager can be used on any unit to route cords	\$ 81	3	29½	1½	—	—	1 lbs.	0.1
Undersurface Wire Manager 	NAC03WM Black Plastic (Set of 5)	\$ 27	5½	25/8	1¾	—	—	3 lbs.	0.1

Specify selections, left to right:

Base Model

NAC17WM

Model No./Description			List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
				D	W	H				
Grommet				DI		H				
	NACG1	Black	\$ 29	2¼	—	13/16	—	—	1 lbs.	0.1
	• Field installable • Standard on these series: Arrowood Laminate, Arrowood Veneer, Barrington, Flourish, Hiland and Roosevelt									
Flexi Grommet										
	NACG2	Black	\$ 29	23⁄8	—	13/16	—	—	1 lbs.	0.1
	• Field installable • Standard on Clever									
Electrical Grommet				D	W	H	A	KW		
	NACG10EL	Electrical/Black	\$ 393	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Black	63	4¼	4¼	17/8	—	—	1 lbs.	0.06
			• NACG10EL features 2 120 Volt receptacles and 2 Cat5E data ports and 6' AC cord; data ports are not pre-wired • Field installable • For conference tables only							
Marker Board										
	NAC3048MBW		\$ 391	½	477⁄8	30	—	—	35 lbs.	1.4
	• Installation hardware included									

Accessories

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NAC6018PVSP 1 1677 462

Model No./Description	List Price			Dimensions					Cartoned Weight	Cubic Feet
	Grade 1	Grade 2	Grade 3	D	W	H	A	KW		
Privacy Screen Set-On Surface Rectangular, Resin										
NAC7218PVSP	\$ 727	\$ 1207	\$ 1389	3/16	72	18	—	—	24 lbs.	2.9
NAC6618PVSP	692	1132	1299	3/16	66	18	—	—	22 lbs.	2.6
NAC6018PVSP	656	1056	1208	3/16	60	18	—	—	19 lbs.	2.4
NAC5418PVSP	621	981	1118	3/16	54	18	—	—	17 lbs.	2.2
NAC4818PVSP	586	911	1035	3/16	48	18	—	—	16 lbs.	2.0
NAC4218PVSP	550	830	936	3/16	42	18	—	—	14 lbs.	1.8
NAC3618PVSP	512	757	850	3/16	36	18	—	—	12 lbs.	1.6
NAC3018PVSP	476	681	759	3/16	30	18	—	—	10 lbs.	1.3
NAC2718PVSP	459	644	714	3/16	27	18	—	—	9 lbs.	1.2
NAC2418PVSP	439	599	660	3/16	24	18	—	—	8 lbs.	1.1
NAC2118PVSP	422	567	622	3/16	21	18	—	—	7 lbs.	1.0


- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

Specify selections, left to right:

Base Model

NAC6018PVSP

Privacy Screen
Set-On Surface
Rectangular, Fabric



Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
		Grade A	Grade B/COM						
NAC7218PVS2PFA	Railroad	\$ 1216	\$ 1279	11/16	72	18	—	24 lbs.	2.9
NAC6618PVS2PFA	Railroad	\$ 1141	\$ 1197	11/16	66	18	—	22 lbs.	2.6
NAC6018PVS2PFA	Railroad	\$ 1065	\$ 1121	11/16	60	18	—	19 lbs.	2.4
NAC6018PVS2PF	Standard	1060	1095	11/16	60	18	—	19 lbs.	2.4
NAC5418PVS2PFA	Railroad	\$ 990	\$ 1039	11/16	54	18	—	17 lbs.	2.2
NAC5418PVS2PF	Standard	985	1020	11/16	54	18	—	17 lbs.	2.2
NAC4818PVS2PFA	Railroad	\$ 920	\$ 962	11/16	48	18	—	16 lbs.	2.0
NAC4818PVS2PF	Standard	915	950	11/16	48	18	—	16 lbs.	2.0
NAC4218PVS2PFA	Railroad	\$ 837	\$ 879	11/16	42	18	—	14 lbs.	1.8
NAC4218PVS2PF	Standard	832	867	11/16	42	18	—	14 lbs.	1.8
NAC3618PVS2PFA	Railroad	\$ 764	\$ 799	11/16	36	18	—	12 lbs.	1.6
NAC3618PVS2PF	Standard	759	794	11/16	36	18	—	12 lbs.	1.6
NAC3018PVS2PFA	Railroad	\$ 688	\$ 723	11/16	30	18	—	10 lbs.	1.3
NAC3018PVS2PF	Standard	683	711	11/16	30	18	—	10 lbs.	1.3
NAC2718PVS2PFA	Railroad	\$ 651	\$ 679	11/16	27	18	—	9 lbs.	1.2
NAC2718PVS2PF	Standard	646	667	11/16	27	18	—	9 lbs.	1.2
NAC2418PVS2PFA	Railroad	\$ 606	\$ 634	11/16	24	18	—	8 lbs.	1.1
NAC2418PVS2PF	Standard	600	621	11/16	24	18	—	8 lbs.	1.1
NAC2118PVS2PFA	Railroad	\$ 574	\$ 595	11/16	21	18	—	7 lbs.	1.0
NAC2118PVS2PF	Standard	569	590	11/16	21	18	—	7 lbs.	1.0

- Specify tack fabric grade and color
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screens are 11/16" thick tackable fabric
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces
- Privacy screens that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Not intended to create a continuous screen by placing models end to end


Accessories

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

Sample Model Number:

NAC6018PVSTP 2 2877 501

Model No./Description					List Price	Dimensions					Cartoned Weight	Cubic Feet
Privacy Screen Set-On Surface Tapered, Resin 	Grade 1	Grade 2	Grade 3		D	W	H	A	KW			
	NAC7218PVSTP	\$ 727	\$ 1207	\$ 1389		3/16	72	18	—	—	24 lbs.	2.9
	NAC6618PVSTP	692	1132	1299		3/16	66	18	—	—	22 lbs.	2.6
	NAC6018PVSTP	656	1056	1208		3/16	60	18	—	—	19 lbs.	2.4
	NAC5418PVSTP	621	981	1118		3/16	54	18	—	—	17 lbs.	2.2
	NAC4818PVSTP	586	911	1035		3/16	48	18	—	—	16 lbs.	2.0
	NAC4218PVSTP	550	830	936		3/16	42	18	—	—	14 lbs.	1.8
	NAC3618PVSTP	512	757	850		3/16	36	18	—	—	12 lbs.	1.6
	NAC3018PVSTP	476	681	759		3/16	30	18	—	—	10 lbs.	1.3
	NAC2718PVSTP	459	644	714		3/16	27	18	—	—	9 lbs.	1.2
	NAC2418PVSTP	439	599	660		3/16	24	18	—	—	8 lbs.	1.1
	NAC2118PVSTP	422	567	622		3/16	21	18	—	—	7 lbs.	1.0


- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

Specify selections, left to right:

Base Model

NAC6018PVSTP

Privacy Screen
Set-On Surface
Rectangular, Felt



Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
		D	W	H				
NAC7218PVSFP	\$ 1389	9'16	72	18	—	—	24 lbs.	2.9
NAC6618PVSFP	1300	9'16	66	18	—	—	22 lbs.	2.6
NAC6018PVSFP	1208	9'16	60	18	—	—	19 lbs.	2.4
NAC5418PVSFP	1118	9'16	54	18	—	—	17 lbs.	2.2
NAC4818PVSFP	1035	9'16	48	18	—	—	16 lbs.	2.0
NAC4218PVSFP	936	9'16	42	18	—	—	14 lbs.	1.8
NAC3618PVSFP	850	9'16	36	18	—	—	12 lbs.	1.6
NAC3018PVSFP	759	9'16	30	18	—	—	10 lbs.	1.3
NAC2718PVSFP	715	9'16	27	18	—	—	9 lbs.	1.2
NAC2418PVSFP	659	9'16	24	18	—	—	8 lbs.	1.1
NAC2118PVSFP	622	9'16	21	18	—	—	7 lbs.	1.0

- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Specify felt color: Orange (66), Light Blue (60), Stone Grey (67), or Off White (63)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces
- Felt privacy screens are dual sided felt; non-tackable

Tack Board Applicability



Highback, Overhead or Reception Model No.	Applicable Tack Board	Highback or Overhead Model No.	Applicable Tack Board 1 Pigeon Hole Storage	Applicable Tack Board 2 Pigeon Hole Storage	
Casbah		This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.			
38N10850HBH	Use 2 — NAC5219TBR	Casbah 38N10850HBH 38N10838HBH 38N10250HBH 38N10238HBH 38N9650HBH 38N9638HBH 38N9050HBH 38N9038HBH 38N8450HBH 38N8438HBH 38N7850HBH 38N7838HBH 38N7250HBH 38N7238HBH 38N6650HBH 38N6638HBH 38N6050HBH 38N6038HBH 38N4850HBH 38N4838HBH 38N4830SOHM 38N4818SOHM 38N4230SOHM 38N4218SOHM 38N3630SOHM 38N3618SOHM 38N3030SOHM 38N3018SOHM	Use 1 — NAC5219TBR	Use 2 — NAC3819TBR	
38N10838HBH	Use 2 — NAC5219TBR		Use 1 — NAC3819TBR		
38N10250HBH	Use 2 — NAC4919TBR		Use 1 — NAC5219TBR	Use 2 — NAC3819TBR	
38N10238HBH	Use 2 — NAC4919TBR		Use 1 — NAC3819TBR		
38N9650HBH	Use 2 — NAC4619TBR		Use 1 — NAC4919TBR	Use 2 — NAC3519TBR	
38N9638HBH	Use 2 — NAC4619TBR		Use 1 — NAC3519TBR		
38N9050HBH	NAC8819TBRA		Use 1 — NAC4919TBR	Use 2 — NAC3519TBR	
38N9038HBH	NAC8819TBRA		Use 1 — NAC4919TBR		
38N8450HBH	NAC8219TBRA		Use 1 — NAC3519TBR	Use 2 — NAC3519TBR	
38N8438HBH	NAC8219TBRA		Use 1 — NAC4919TBR		
38N7850HBH	NAC7619TBRA		Use 1 — NAC3519TBR	Use 2 — NAC3519TBR	
38N7838HBH	NAC7619TBRA		Use 1 — NAC4619TBR	Use 2 — NAC3219TBR	
38N7250HBH	NAC7019TBRA		Use 1 — NAC3219TBR		
38N7238HBH	NAC7019TBRA		Use 1 — NAC4619TBR	Use 2 — NAC3219TBR	
38N6650HBH	NAC6419TBRA		Use 1 — NAC3219TBR		
38N6638HBH	NAC6419TBRA		38N9050HBH	NAC7419TBRA	NAC6019TBR
38N6050HBH	NAC5819TBR		38N9038HBH	NAC7419TBRA	NAC6019TBR
38N6038HBH	NAC5819TBR		38N8450HBH	NAC6819TBRA	NAC5419TBR
38N4850HBH	NAC4619TBR		38N8438HBH	NAC6819TBRA	NAC5419TBR
38N4838HBH	NAC4619TBR	38N7850HBH	NAC6219TBRA	NAC4819TBR	
38N4830SOHM	NAC4819TBR	38N7838HBH	NAC6219TBRA	NAC4819TBR	
38N4818SOHM	NAC4819TBR	38N7250HBH	NAC5619TBR	NAC4219TBR	
38N4230SOHM	NAC4219TBR	38N7238HBH	NAC5619TBR	NAC4219TBR	
38N4218SOHM	NAC4219TBR	38N6650HBH	NAC5019TBR	NAC3619TBR	
38N3630SOHM	NAC3619TBR	38N6638HBH	NAC5019TBR	NAC3619TBR	
38N3618SOHM	NAC3619TBR	38N6050HBH	NAC4419TBR	NAC3019TBR	
38N3030SOHM	NAC3019TBR	38N6038HBH	NAC4419TBR	NAC3019TBR	
38N3018SOHM	NAC3019TBR	38N4850HBH	NAC3219TBR	NAC1819TBR	
		38N4838HBH	NAC3219TBR	NAC1819TBR	

Highback, Overhead or Reception Model No.	Applicable Tack Board	Highback, Overhead or Reception Model No.	Applicable Tack Board	Highback, Overhead or Reception Model No.	Applicable Tack Board
Arrowood		Captivate		Flourish	
31N8636HBHW	NAC8117TBRA	36N7245HBH	NAC6719TBRA	19N7236HBHW	NAC6917TBRA
31N8036HBHW	NAC7517TBRA	36N7224SOHM	NAC6919TBRA	19N6636HBHW	NAC6317TBRA
31N7836HBHW	NAC7317TBRA	36N6645HBH	NAC6119TBR	19N3618SOHMW	NAC3617TBR
31N6036HBHW	NAC5417TBRA	36N6624SOHM	NAC6319TBRA	19N3018SOHMW	NAC3017TBR
31N6036HBHW	NAC5417TBR	36N3275DTRFW1	NAC7212TBDA		
31N7236HBH	NAC6617TBRA	36N3275DTRFLW1	NAC7212TBDA	Hiland	
31N6983TCW	NAC6714TBDA	36N3275DTLFLW1	NAC7212TBDA	35N7286TCW	NAC7014TBDA
31N6983TCLW	NAC6714TBDA	36N3275DTLFW1	NAC7212TBDA	35N7236HBHW	NAC6917TBRA
31N6636HBH	NAC6017TBR			35N6680TCW	NAC6414TBDA
31N6377TCW	NAC6114TBD	Clever		35N6636HBHW	NAC6317TBRA
31N6377TCLW	NAC6114TBD	CLN8836HBH	NAC8416TBRA	35N3618SOHM	NAC3617TBR
31N3618SOHM	NAC3618TBR	CLN7836HBHAW	NAC7616TBRA	35N3018SOHM	NAC3017TBR
31N3018SOHM	NAC3018TBR	CLN7136HBH	NAC6816TBRA	35N1472TCW	NAC7014TBDA
31N1569TCW	NAC6714TBDA	CLN6536HBH	NAC6216TBRA	35N1466TCW	NAC6414TBDA
31N1569TCLW	NAC6714TBDA	CLN5936HBHAW	NAC5616TBRA		
31N1563TCW	NAC6114TBD	CLN5936HBHAW	NAC5616TBR	Roosevelt	
31N1563TCLW	NAC6114TBD	CLN3672DTRFW1	NAC6713TBDA	51N7236HBHW	NAC6717TBRA
21N8136HBHL	NAC7917TBRA	CLN3672DTRFLW1	NAC6713TBDA	51N6636HBHW	NAC6117TBR
21N7536HBHL	NAC7317TBRA	CLN3672DTLFW1	NAC6713TBDA	51N3618SOHMW	NAC3617TBR
21N6981TCL	NAC6714TBDA	CLN3672DTLFLW1	NAC6713TBDA	51N3072DTRFW1	NAC6813TBDA
21N6936HBHL	NAC6617TBR	CLN3618SOHMAW	NAC3617TBR	51N3072DTRFLW1	NAC6813TBDA
21N6375TCL	NAC6114TBD	CLN3018SOHMAW	NAC3017TBR	51N3072DTLFW1	NAC6813TBDA
21N6336HBHL	NAC6017TBR			51N3072DTLFLW1	NAC6813TBDA
21N5736HBHL	NAC5517TBRA	Escalade		51N3018SOHMW	NAC3017TBR
21N5736HBHL	NAC5517TBR	ECN8450HBHPW	NAC8020TBRA		
21N3617SOHML	NAC3618TBR	ECN8450HBHPGW	NAC8020TBRA		
21N3017SOHML	NAC3018TBR	ECN7850HBHPW	NAC7420TBRA		
21N1569TCL	NAC6714TBDA	ECN7850HBHPGW	NAC7420TBRA		
21N1563TCL	NAC6114TBD	ECN7250HBH	NAC6920TBRA		
		ECN7242HBHPGW	N/A		
Barrington		ECN7230SOHM	NAC7019TBRA		
50N7236HBH	NAC6717TBRA	ECN6650HBH	NAC6320TBRA		
50N7218SOHM	NAC6917TBRA	ECN6642HBHPGW	N/A		
50N7149HBH	NAC6617TBRA	ECN6630SOHM	NAC6419TBRA		
50N7129SOHM	NAC6919TBRA	ECN6050HBHPW	NAC5720TBRA		
50N6649HBH	NAC6117TBR	ECN6050HBHPW	NAC5720TBR		
50N6636HBH	NAC6117TBR	ECN6050HBHPGW	NAC5720TBRA		
50N6629SOHM	NAC6319TBRA	ECN6050HBHPGW	NAC5720TBR		
50N6618SOHM	NAC6317TBRA	ECN3276DTRFW1	NAC7212TBDA		
50N3072DTRFW1	NAC6813TBDA	ECN3276DTLFW1	NAC7212TBDA		
50N3072DTRFLW1	NAC6813TBDA				
50N3072DTLFW1	NAC6813TBDA				
50N3072DTLFLW1	NAC6813TBDA				



Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

Specify selections, left to right:

Base Model	Grade	Fabric Designator	Repetition (Grade A) 100% Pre-Consumer Recycled Polyester	COM (Grade B) Flax (Grade B) 49% Pre-Consumer Recycled Polyester, 38% Repreve® Polyester (Post- Consumer Recycled Polyester), 13% Polyester	Pact (Grade B) 65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
	A Grade A	Dune (Grade A)			
	B Grade B	100% Polyester			
		8600 Drift	3700 Ash	22801 Bark	25401 Aloe
		8601 Windblown	3705 Willow	22802 Daffodil	25402 Azure
		8602 Erosion	3709 Java	22803 Earth	25403 Calla
		8603 Haze	3713 Stainless	22804 Iris	25404 Coastal
		8604 Kamelos	3715 Almond	22805 Lake	25405 Delft
		8606 Pebble	3721 Reed	22806 Leaf	25406 Dove
		8607 Gecho	3726 Kiwi	22807 Lily	25407 Dragon
		8608 Nectar	3737 Sisal	22808 Rain	25408 Eureka
		8610 Clear Sky	3744 Tawny	22809 Seed	25409 Fern
		8614 Basin	3753 Steel	22810 Sunset	25410 Harbour
		8615 Raven	3766 Wicker	22811 Tulip	25411 Lily
		8620 Darkness	3775 Grey Green	22812 Wheat	25412 Lime
		8621 Golden	3782 Honeycomb		25413 Midnight
			3785 Blue Grass		25414 Nectar
			3792 Spa		25415 Patina
			3799 Cornflower		25416 Putty
NAC8819TBRA	A	3705			



Shaded rectangle portrays a railroaded tack board.



	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Tack Board  Front view  Back view	20" High	Grade A	Grade B/COM			
	NAC8020TBRA Railroad	\$ 469	\$ 533	7/8 803/16 20 1/4 — —	26 lbs.	1.5
	NAC7420TBRA Railroad	\$ 464	\$ 526	7/8 74 1/4 20 1/4 — —	25 lbs.	1.4
	QNAC6920TBRA Railroad	\$ 424	\$ 483	7/8 689/16 20 1/4 — —	24 lbs.	1.3
	NAC6920TBRA Railroad	424	483	7/8 689/16 20 1/4 — —	24 lbs.	1.3
	NAC6320TBRA Railroad	\$ 397	\$ 450	7/8 629/16 20 1/4 — —	22 lbs.	1.4
	NAC5720TBRA Railroad	\$ 375	\$ 423	7/8 56 1/2 20 1/4 — —	20 lbs.	1.1
	NAC5720TBR Standard	370	390	7/8 56 1/2 20 1/4 — —	20 lbs.	1.1
	19" High					
	NAC8819TBRA Railroad	\$ 487	\$ 560	7/8 881/16 19 1/2 — —	31 lbs.	2.0
	NAC8219TBRA Railroad	\$ 460	\$ 527	7/8 821/16 19 1/2 — —	29 lbs.	1.9
	NAC7619TBRA Railroad	\$ 433	\$ 496	7/8 761/8 19 1/2 — —	26 lbs.	1.7
	NAC7419TBRA Railroad	\$ 424	\$ 486	7/8 741/16 19 1/2 — —	24 lbs.	1.5
	NAC7219TBRA Railroad	\$ 415	\$ 477	7/8 7113/16 19 1/2 — —	25 lbs.	1.6
	QNAC7019TBRA Railroad	\$ 414	473	7/8 701/8 19 1/2 — —	25 lbs.	1.6
	NAC7019TBRA Railroad	414	473	7/8 701/8 19 1/2 — —	25 lbs.	1.6
	NAC6919TBRA Railroad	\$ 413	\$ 472	7/8 6815/16 19 1/2 — —	23 lbs.	1.5
	NAC6819TBRA Railroad	\$ 411	\$ 467	7/8 681/16 19 1/2 — —	22 lbs.	1.4

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 5/16" will exist between back of tack board and highback or wall
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370

Tack Boards

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


	Model No./Description				List Price	Dimensions					Cartoned Weight	Cubic Feet
			Grade A	Grade B/COM		D	W	H	A	KW		
Tack Board (continued)	19" High Cont.											
	NAC6719TBRA	Railroad	\$ 410	\$ 466		7/8	6613/16	19½	—	—	24 lbs.	1.5
 Front view	NAC6619TBRA	Railroad	\$ 409	\$ 465		7/8	657/8	19½	—	—	23 lbs.	1.5
	NAC6419TBRA	Railroad	\$ 393	\$ 446		7/8	641/8	19½	—	—	22 lbs.	1.5
	NAC6319TBRA	Railroad	\$ 386	\$ 439		7/8	637/16	19½	—	—	21 lbs.	1.4
 Back view	NAC6219TBRA	Railroad	\$ 377	\$ 430		7/8	621/8	19½	—	—	20 lbs.	1.3
	NAC6119TBRA	Railroad	\$ 374	\$ 427		7/8	611/8	19½	—	—	21 lbs.	1.4
	NAC6119TBR	Standard	369	389		7/8	611/8	19½	—	—	21 lbs.	1.4
	NAC6019TBRA	Railroad	\$ 368	\$ 368		7/8	597/8	19½	—	—	21 lbs.	1.4
	NAC6019TBR	Standard	362	382		7/8	597/8	19½	—	—	21 lbs.	1.4
	NAC5819TBRA	Railroad	\$ 364	\$ 413		7/8	581/8	19½	—	—	20 lbs.	1.3
	NAC5819TBR	Standard	357	377		7/8	581/8	19½	—	—	20 lbs.	1.3
	NAC5619TBRA	Railroad	\$ 358	\$ 407		7/8	561/8	19½	—	—	18 lbs.	1.2
	NAC5619TBR	Standard	352	372		7/8	561/8	19½	—	—	18 lbs.	1.2
	NAC5419TBRA	Railroad	\$ 356	\$ 405		7/8	541/16	19½	—	—	17 lbs.	1.3
NAC5419TBR	Standard	350	370		7/8	541/16	19½	—	—	17 lbs.	1.3	
NAC5219TBRA	Railroad	\$ 352	\$ 401		7/8	523/16	19½	—	—	18 lbs.	1.2	
NAC5219TBR	Standard	345	365		7/8	523/16	19½	—	—	18 lbs.	1.2	
NAC5019TBRA	Railroad	\$ 349	\$ 391		7/8	501/8	19½	—	—	16 lbs.	1.1	
NAC5019TBR	Standard	342	362		7/8	501/8	19½	—	—	16 lbs.	1.1	

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 5/16" will exist between back of tack board and highback or wall
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370



Tack Boards

Specify selections, left to right:

Base Model	Grade	Fabric Designator	Repetition (Grade A)	COM (Grade B)	Pact (Grade B)
	A Grade A	Dune (Grade A)	100% Pre-Consumer Recycled Polyester	Flax (Grade B)	65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
	B Grade B	100% Polyester		49% Pre-Consumer Recycled Polyester, 38% Repreve® Polyester (Post-Consumer Recycled Polyester), 13% Polyester	
		8600 Drift	3700 Ash	22801 Bark	25401 Aloe
		8601 Windblown	3705 Willow	22802 Daffodil	25402 Azure
		8602 Erosion	3709 Java	22803 Earth	25403 Calla
		8603 Haze	3713 Stainless	22804 Iris	25404 Coastal
		8604 Kamelos	3715 Almond	22805 Lake	25405 Delft
		8606 Pebble	3721 Reed	22806 Leaf	25406 Dove
		8607 Gecho	3726 Kiwi	22807 Lily	25407 Dragon
		8608 Nectar	3737 Sisal	22808 Rain	25408 Eureka
		8610 Clear Sky	3744 Tawny	22809 Seed	25409 Fern
		8614 Basin	3753 Steel	22810 Sunset	25410 Harbour
		8615 Raven	3766 Wicker	22811 Tulip	25411 Lily
		8620 Darkness	3775 Grey Green	22812 Wheat	25412 Lime
		8621 Golden	3782 Honeycomb		25413 Midnight
			3785 Blue Grass		25414 Nectar
			3792 Spa		25415 Patina
			3799 Cornflower		25416 Putty
NAC3619TBR	A	3705			



Shaded rectangle portrays a railroaded tack board.

		Model No./Description	List Price	Dimensions						Cartoned Weight	Cubic Feet
				D	W	H	A	KW			
Tack Board (continued)		19" High Cont.	Grade A	Grade B/COM							
	Front view	NAC4919TBRA	Railroad	\$ 347	\$ 389	7/8	493/16	19½	—	18 lbs.	1.2
		NAC4919TBR	Standard	341	361	7/8	493/16	19½	—	18 lbs.	1.2
	Back view	NAC4819TBRA	Railroad	\$ 345	\$ 387	7/8	477/8	19½	—	17 lbs.	1.1
		NAC4819TBR	Standard	340	360	7/8	477/8	19½	—	17 lbs.	1.1
		NAC4619TBRA	Railroad	\$ 338	\$ 380	7/8	463/16	19½	—	16 lbs.	1.1
		NAC4619TBR	Standard	332	352	7/8	463/16	19½	—	16 lbs.	1.1
		NAC4419TBRA	Railroad	\$ 329	\$ 371	7/8	441/8	19½	—	14 lbs.	1.0
		NAC4419TBR	Standard	323	343	7/8	441/8	19½	—	14 lbs.	1.0
		NAC4219TBRA	Railroad	\$ 322	\$ 364	7/8	4115/16	19½	—	15 lbs.	1.0
		NAC4219TBR	Standard	317	337	7/8	4115/16	19½	—	15 lbs.	1.0
		NAC3819TBRA	Railroad	\$ 305	\$ 347	7/8	383/16	19½	—	12 lbs.	0.8
		NAC3819TBR	Standard	300	320	7/8	383/16	19½	—	12 lbs.	0.8
		NAC3619TBRA	Railroad	\$ 291	\$ 326	7/8	3515/16	19½	—	13 lbs.	0.9
		NAC3619TBR	Standard	287	307	7/8	3515/16	19½	—	13 lbs.	0.9
		NAC3519TBRA	Railroad	\$ 287	\$ 322	7/8	353/16	19½	—	12 lbs.	0.8
		NAC3519TBR	Standard	283	303	7/8	353/16	19½	—	12 lbs.	0.8
		NAC3219TBRA	Railroad	\$ 274	\$ 302	7/8	323/16	19½	—	11 lbs.	0.7
		NAC3219TBR	Standard	269	289	7/8	323/16	19½	—	11 lbs.	0.7
		NAC3019TBRA	Railroad	\$ 268	\$ 296	7/8	2915/16	19½	—	11 lbs.	0.7
		NAC3019TBR	Standard	263	283	7/8	2915/16	19½	—	11 lbs.	0.7
		NAC1819TBRA	Railroad	\$ 214	\$ 235	7/8	183/16	19½	—	7 lbs.	0.4
		NAC1819TBR	Standard	210	217	7/8	183/16	19½	—	7 lbs.	0.4

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 5/16" will exist between back of tack board and highback or wall
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370



Tack Boards

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

To You In
10
DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description				List Price	Dimensions					Cartoned Weight	Cubic Feet
						D	W	H	A	KW		
Tack Board (continued)	18" High		Grade A	Grade B/COM								
	NAC3618TBRA	Railroad	\$ 291	\$ 326	7/8	359/16	181/8	—	—	12 lbs.	0.8	
 Front view	NAC3618TBR	Standard	287	307	7/8	359/16	181/8	—	—	12 lbs.	0.8	
	NAC3018TBRA	Railroad	\$ 268	\$ 296	7/8	299/16	181/8	—	—	10 lbs.	0.7	
	NAC3018TBR	Standard	263	283	7/8	299/16	181/8	—	—	10 lbs.	0.7	
	17" High											
 Back view	NAC8117TBRA	Railroad	\$ 446	\$ 513	7/8	8015/16	1615/16	—	—	26 lbs.	1.5	
	NAC7917TBRA	Railroad	\$ 444	\$ 508	7/8	78¾	1615/16	—	—	25 lbs.	1.5	
	NAC7517TBRA	Railroad	\$ 419	\$ 481	7/8	7415/16	1615/16	—	—	25 lbs.	1.4	
	NAC7317TBRA	Railroad	\$ 417	\$ 476	7/8	7215/16	1615/16	—	—	24 lbs.	1.4	
	QNAC6917TBRA_ _ _ _	Railroad	\$ 413	472	7/8	695/16	177/16	—	—	22 lbs.	1.4	
	NAC6917TBRA	Railroad	413	472	7/8	695/16	177/16	—	—	22 lbs.	1.4	
	QNAC6717TBRA_ _ _ _	Railroad	\$ 410	466	7/8	671/16	1615/16	—	—	21 lbs.	1.4	
	NAC6717TBRA	Railroad	410	466	7/8	671/16	1615/16	—	—	21 lbs.	1.4	
	QNAC6617TBRA_ _ _ _	Railroad	\$ 409	465	7/8	669/16	1615/16	—	—	20 lbs.	1.4	
	NAC6617TBRA	Railroad	409	465	7/8	669/16	1615/16	—	—	20 lbs.	1.4	
	NAC6317TBRA	Railroad	\$ 386	\$ 439	7/8	637/16	177/16	—	—	20 lbs.	1.3	
	NAC6117TBRA	Railroad	\$ 374	\$ 427	7/8	615/16	1615/16	—	—	19 lbs.	1.3	
NAC6117TBR	Standard	369	389	7/8	615/16	1615/16	—	—	19 lbs.	1.3		

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 5/16" will exist between back of tack board and highback or wall
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370




Front view





Back view

Specify selections, left to right:

Base Model	Grade	Fabric Designator	Repetition (Grade A) 100% Pre-Consumer Recycled Polyester	COM (Grade B) Flax (Grade B) 49% Pre-Consumer Recycled Polyester, 38% Repreve® Polyester (Post-Consumer Recycled Polyester), 13% Polyester	Pact (Grade B) 65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
	A Grade A	Dune (Grade A)	3700 Ash	22801 Bark	25401 Aloe
	B Grade B	100% Polyester	3705 Willow	22802 Daffodil	25402 Azure
		8600 Drift	3709 Java	22803 Earth	25403 Calla
		8601 Windblown	3713 Stainless	22804 Iris	25404 Coastal
		8602 Erosion	3715 Almond	22805 Lake	25405 Delft
		8603 Haze	3721 Reed	22806 Leaf	25406 Dove
		8604 Kamelos	3726 Kiwi	22807 Lily	25407 Dragon
		8606 Pebble	3737 Sisal	22808 Rain	25408 Eureka
		8607 Gecho	3744 Tawny	22809 Seed	25409 Fern
		8608 Nectar	3753 Steel	22810 Sunset	25410 Harbour
		8610 Clear Sky	3766 Wicker	22811 Tulip	25411 Lily
		8614 Basin	3775 Grey Green	22812 Wheat	25412 Lime
		8615 Raven	3782 Honeycomb		25413 Midnight
		8620 Darkness	3785 Blue Grass		25414 Nectar
		8621 Golden	3792 Spa		25415 Patina
			3799 Cornflower		25416 Putty
NAC3618TBR	A	3705			



Shaded rectangle portrays a railroaded tack board.



	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Tack Board (continued)  Front view  Back view	17" High Cont.					
	Grade A					
	Grade B/COM					
	NAC6017TBRA Railroad	\$ 368	7/8 609/16 1615/16 —	—	19 lbs.	1.2
	NAC6017TBR Standard	362	7/8 609/16 1615/16 —	—	19 lbs.	1.2
	NAC5517TBRA Railroad	\$ 322	7/8 55 1615/16 —	—	17 lbs.	1.1
	NAC5517TBR Standard	317	7/8 55 1615/16 —	—	17 lbs.	1.1
	NAC5417TBRA Railroad	\$ 320	7/8 54½ 1615/16 —	—	16 lbs.	1.1
	NAC5417TBR Standard	315	7/8 54½ 1615/16 —	—	16 lbs.	1.1
	NAC3617TBRA Railroad	\$ 291	7/8 35¾ 177/16 —	—	12 lbs.	0.8
	NAC3617TBR Standard	287	7/8 35¾ 177/16 —	—	12 lbs.	0.8
	NAC3017TBRA Railroad	\$ 268	7/8 295/8 177/16 —	—	10 lbs.	0.7
	NAC3017TBR Standard	263	7/8 295/8 177/16 —	—	10 lbs.	0.7
	16" High					
	NAC8416TBRA Railroad	\$ 404	7/8 841/16 16 —	—	24 lbs.	1.6
	NAC7616TBRA Railroad	\$ 386	7/8 76 16 —	—	23 lbs.	1.4
	NAC6916TBRA Railroad	\$ 357	7/8 693/16 16½ —	—	21 lbs.	1.4
	QNAC6816TBRA Railroad	\$ 347	7/8 6713/16 16 —	—	20 lbs.	1.3
	NAC6816TBRA Railroad	347	7/8 6713/16 16 —	—	20 lbs.	1.3
	NAC6316TBRA Railroad	\$ 328	7/8 631/8 16½ —	—	19 lbs.	1.3
	NAC6216TBRA Railroad	\$ 314	7/8 621/16 16 —	—	18 lbs.	1.2

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 5/16" will exist between back of tack board and highback or wall
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370


Tack Boards

Dimension Key


D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	Model No./Description		List Price	Dimensions						Cartoned Weight	Cubic Feet
	16" High Cont.		Grade A	Grade B/COM	D	W	H	A	KW		
 Front view	NAC5716TBRA	Railroad	\$ 313	\$ 362	7/8	57 1/8	16 1/2	—	—	17 lbs.	1.1
	NAC5716TBR	Standard	308	325	7/8	57 1/8	16 1/2	—	—	17 lbs.	1.1
	NAC5616TBRA	Railroad	\$ 311	\$ 359	7/8	56	16	—	—	16 lbs.	1.1
	NAC5616TBR	Standard	306	323	7/8	56	16	—	—	16 lbs.	1.1
 Back view	NAC4516TBRA	Railroad	\$ 277	\$ 319	7/8	45	16 1/2	—	—	14 lbs.	1.0
	NAC4516TBR	Standard	272	289	7/8	45	16 1/2	—	—	14 lbs.	1.0
	NAC3916TBRA	Railroad	\$ 249	\$ 291	7/8	39	16 1/2	—	—	12 lbs.	0.8
	NAC3916TBR	Standard	245	262	7/8	39	16 1/2	—	—	12 lbs.	0.8
• For use with highback organizers or overhead cabinets • Tack board is unfinished on back • Tack board is routed in the back for wire management • Hardware included to attach to highback organizer or to the wall • Gap of 5/16" will exist between back of tack board and highback or wall • Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered • Reference tack board applicability on page 370											

Tack Board



Front view



Back view


		Grade A	Grade B/COM								
1683TBA	Railroad	\$ 367	\$ 430	7/8	83¼	16	—	—	20 lbs.	1.3	
1672TBA	Railroad	\$ 285	\$ 348	7/8	69¼	16	—	—	16 lbs.	1.1	
1669TBA	Railroad	\$ 282	\$ 338	7/8	66¼	16	—	—	15 lbs.	1.1	
1666TBA	Railroad	\$ 279	\$ 335	7/8	63¼	16	—	—	15 lbs.	1.1	
1660TBA	Railroad	\$ 271	\$ 327	7/8	57¼	16	—	—	13 lbs.	1.0	
1660TB	Standard	267	287	7/8	57¼	16	—	—	13 lbs.	1.0	

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Hardware included to attach to highback organizer or to the wall
- Gap of 5/8" will exist between back of tack board and highback or wall
- All corners are square
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered

Tack Boards

Specify selections, left to right:

Base Model	Grade	Fabric Designator	Repetition (Grade A) 100% Pre-Consumer Recycled Polyester	COM (Grade B) Flax (Grade B) 49% Pre-Consumer Recycled Polyester, 38% Repreve® Polyester (Post- Consumer Recycled Polyester), 13% Polyester	Pact (Grade B) 65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
	A Grade A	Dune (Grade A)			
	B Grade B	100% Polyester			
		8600 Drift	3700 Ash		25401 Aloe
		8601 Windblown	3705 Willow		25402 Azure
		8602 Erosion	3709 Java		25403 Calla
		8603 Haze	3713 Stainless		25404 Coastal
		8604 Kamelos	3715 Almond	22801 Bark	25405 Delft
		8606 Pebble	3721 Reed	22802 Daffodil	25406 Dove
		8607 Gecho	3726 Kiwi	22803 Earth	25407 Dragon
		8608 Nectar	3737 Sisal	22804 Iris	25408 Eureka
		8610 Clear Sky	3744 Tawny	22805 Lake	25409 Fern
		8614 Basin	3753 Steel	22806 Leaf	25410 Harbour
		8615 Raven	3766 Wicker	22807 Lily	25411 Lily
		8620 Darkness	3775 Grey Green	22808 Rain	25412 Lime
		8621 Golden	3782 Honeycomb	22809 Seed	25413 Midnight
			3785 Blue Grass	22810 Sunset	25414 Nectar
			3792 Spa	22811 Tulip	25415 Patina
			3799 Cornflower	22812 Wheat	25416 Putty
1683TBA	A	3705			



Shaded rectangle portrays a railroaded tack board.



	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Reception Tack Board Front view Back view	14" High					
	Grade A					
	Grade B/COM					
	NAC7015TBDA Railroad	\$ 357	\$ 420	7/8 70 1/8 14 1/2 — —	16 lbs.	1.5
	NAC6415TBDA Railroad	\$ 328	\$ 384	7/8 64 1/8 14 1/2 — —	14 lbs.	1.5
	13" High					
	NAC7014TBDA Railroad	\$ 357	\$ 420	7/8 69 7/8 13 7/8 — —	15 lbs.	1.5
	NAC6714TBDA Railroad	\$ 354	\$ 410	7/8 67 1/4 13 7/8 — —	15 lbs.	1.5
	NAC6414TBDA Railroad	\$ 328	\$ 384	7/8 64 1/8 13 7/8 — —	14 lbs.	1.5
	NAC6114TBDA Railroad	\$ 314	\$ 370	7/8 61 1/4 13 7/8 — —	14 lbs.	1.0
	NAC6114TBD Standard	310	324	7/8 61 1/4 13 7/8 — —	14 lbs.	1.0
	NAC6713TBDA Railroad	\$ 347	\$ 403	7/8 67 3/8 13 1/8 — —	15 lbs.	1.5
	12" High					
	NAC6813TBDA Railroad	\$ 347	\$ 403	7/8 68 12 13/16 — —	15 lbs.	1.5
	NAC7212TBDA Railroad	\$ 357	\$ 420	7/8 71 3/4 12 3/16 — —	16 lbs.	1.5
	NAC6912TBDA Railroad	\$ 357	\$ 413	7/8 69 1/4 12 — —	15 lbs.	1.5

- For use with reception desks and transaction counters
- Tack board is unfinished on back
- Hardware included to attach to reception desk or transaction counter
- Gap of 1/3 will exist between back of tack board and reception unit
- Does not include route in back for wire management
- Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370

Tack Boards

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	Model No./Description				List Price	Dimensions					Cartoned Weight	Cubic Feet
						D	W	H	A	KW		
Reception Tack Board (continued)  Front view  Back view	11" High		Grade A	Grade B/COM								
	NAC6011TBDA	Railroad	\$ 311	\$ 367	7/8	59¾	11¼	—	—		14 lbs.	1.0
	NAC6011TBD	Standard	306	320	7/8	59¾	11¼	—	—		14 lbs.	1.0
	NAC5711TBDA	Railroad	\$ 311	\$ 360	7/8	575/16	11¼	—	—		12 lbs.	1.0
	NAC5711TBD	Standard	306	320	7/8	575/16	11¼	—	—		12 lbs.	1.0
	NAC4811TBDA	Railroad	\$ 275	\$ 317	7/8	4713/16	11¼	—	—		10 lbs.	1.0
	NAC4811TBD	Standard	270	284	7/8	4713/16	11¼	—	—		10 lbs.	1.0
10" High												
NAC6010TBDA	Railroad	\$ 311	\$ 367	7/8	59¾	101/8	—	—		14 lbs.	1.0	
NAC6010TBD	Standard	306	320	7/8	59¾	101/8	—	—		14 lbs.	1.0	
NAC5710TBDA	Railroad	\$ 311	\$ 360	7/8	575/16	101/8	—	—		12 lbs.	1.0	
NAC5710TBD	Standard	306	320	7/8	575/16	101/8	—	—		12 lbs.	1.0	
NAC4810TBDA	Railroad	\$ 275	\$ 317	7/8	4713/16	101/8	—	—		10 lbs.	1.0	
NAC4810TBD	Standard	270	284	7/8	4713/16	101/8	—	—		10 lbs.	1.0	

- For use with reception desks and transaction counters
- Tack board is unfinished on back
- Hardware included to attach to reception desk or transaction counter
- Gap of 1/3 will exist between back of tack board and reception unit
- Does not include route in back for wire management
- Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Reference tack board applicability on page 370

Myriad™ Occasional Tables

Myriad Occasional Tables

BOX AND FLOATING TOP SIZES

End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"
Console Table 18" x 50"

CUBE SIZES


End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"

CYLINDER SIZES

End Table 24" Diameter
Coffee Table 36" Diameter

GLASS TOP KITS AVAILABLE FOR

Box styles
Cube styles
Cylinder styles



WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

LAMINATES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White
Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

METAL COLORS

462 Cinder
497 Polished Aluminum
501 Platinum Metallic
503 Satin Nickel Metallic

GLASS OPTION

3 Clear

SURFACE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G12C Cutout only for G12 One Touch Pivoting Power Grommet
CUT-G17C Cutout only for G17 One Touch Pivoting Power Grommet
CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

SIDE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards








For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

Sample Model Number:

91NB2424ENW X X MH 501

Model No./Description		List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Myriad Box		<i>Wood</i>							
 End Table	91NB2424ENW	End Table	\$ 1327	24	24	20½	—	55 lbs.	12.6
	91NB1850CSW	Console Table	1808	18	50	31½	—	75 lbs.	20.2
	91NB2448MGW	Magazine Table	1420	24	48	16½	—	77 lbs.	19.1
	91NB3636MGW	Coffee Table	1478	36	36	16½	—	65 lbs.	15.0
		<i>Laminate</i>							
 Optional Surface and Side Grommet Locations	91NB2424ENL	End Table	\$ 1099	24	24	20½	—	55 lbs.	12.6
	91NB1850CSL	Console Table	1580	18	50	31½	—	75 lbs.	20.2
	91NB2448MGL	Magazine Table	1194	24	48	16½	—	77 lbs.	19.1
	91NB3636MGL	Coffee Table	1249	36	36	16½	—	65 lbs.	15.0
		• Optional glass and solid surface kits available; reference page 394 • Features an aluminum base in three color options • Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$25 list) • Optional side grommet cutout available in G23 cutout (+\$25 list) • Grommet option not available on console table • Power grommet sold separately; reference pages 397, 398-399, and 402 for pricing and details • Wood tables feature matte/satin sheen • Pattern laminates not available on Console Tables							
 Console Table									
 Magazine Table									
 Coffee Table									

Myriad Occasional Tables

To Order, Specify:

1. Model Number
2. Surface Grommet
3. Side Grommet (Cubes Only)
4. Finish/Laminate Color


Sample Model Numbers:

91NA2424CUW X X MH
91NA2424CYW X NM


	Model No./Description		List Price	Dimensions			D	W	H	A	KW	Cartoned Weight	Cubic Feet
 End Table	Wood			DI		H							
	91NA2424CYW	End Table	\$ 966	24	—	20½	—	—	35 lbs.	11.0			
	91NA3636MGYW	Coffee Table	1301	36 11/16	—	16½	—	—	55 lbs.	18.6			
 Coffee Table	Laminate												
	91NA2424CYL	End Table	\$ 591	24	—	20½	—	—	35 lbs.	11.0			
	91NA3636MGYL	Coffee Table	883	36 11/16	—	16½	—	—	55 lbs.	18.6			
	• Optional glass and solid surface kits available; reference page 394 • Optional surface center grommet cutout available in G12, G17, and G23 cutout (+\$25 list) • Wood tables feature matte/satin sheen • Power grommet sold separately; reference pages 397, 398-399, and 402 for pricing and details												

- Optional glass and solid surface kits available; reference page 394
- Optional surface center grommet cutout available in G12, G17, and G23 cutout (+\$25 list)
- Wood tables feature matte/satin sheen
- Power grommet sold separately; reference pages 397, 398-399, and 402 for pricing and details


Myriad Cube




End Table




Optional Surface and Side Grommet Locations




Magazine Table



Coffee Table



Optional Surface and Side Grommet Locations



Optional Surface and Side Grommet Locations

Wood										
91NA2424CUW	End Table	\$ 966	24	24	20½	—	—	33 lbs.	11.1	
91NA2448MGTW	Magazine Table	1222	24	48	16½	—	—	66 lbs.	17.2	
91NA3636MGUW	Coffee Table	1222	36	36	16½	—	—	55 lbs.	18.9	
Laminate										
91NA2424CUL	End Table	\$ 591	24	24	20½	—	—	33 lbs.	11.1	
91NA2448MGTL	Magazine Table	815	24	48	16½	—	—	66 lbs.	17.2	
91NA3636MGUL	Coffee Table	815	36	36	16½	—	—	55 lbs.	18.9	


- Optional glass and solid surface kits available; reference page 394
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$25 list)
- Optional side grommet cutout available in G23 cutout (+\$25 list)
- Wood tables feature matte/satin sheen
- Power grommet sold separately; reference pages 397, 398-399, and 402 for pricing and details

To Order, Specify:

1. Model Number
2. Glass
3. Metal Color


Sample Model Number:

91NC2424ENG 3 462


			List Price	Dimensions				Cartoned Weight	Cubic Feet
Model No./Description				D	W	H	A	KW	
	Myriad Floating Top		<i>Glass Tops</i>						
	91NC2424ENG	End Table	\$ 1564	24	24	20½	—	—	30 lbs. 2.2
	91NC1850CSG	Console Table	2023	18	50	28½	—	—	53 lbs. 5.2
	91NC2448MGG	Magazine Table	1818	24	48	16½	—	—	57 lbs. 5.5
	91NC3636MGG	Coffee Table	1818	36	36	16½	—	—	50 lbs. 3.5

- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base in four color options
- Glass is 3/8" thick


End Table



Console Table



Magazine Table



Coffee Table





Myriad Occasional Tables

To Order, Specify:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

Sample Model Number:

91NC2424ENW MH 501

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
 End Table	Veneer Tops									
	91NC2424ENW	End Table	\$ 1302	24	24	20½	—	—	30 lbs.	2.2
	91NC1850CSW	Console Table	1648	18	50	28½	—	—	53 lbs.	5.2
	91NC2448MGW	Magazine Table	1478	24	48	16½	—	—	57 lbs.	5.5
	91NC3636MGW	Coffee Table	1478	36	36	16½	—	—	50 lbs.	3.5
 Console Table	Laminate Tops									
	91NC2424ENL	End Table	\$ 1073	24	24	20½	—	—	30 lbs.	2.2
	91NC1850CSL	Console Table	1420	18	50	28½	—	—	53 lbs.	5.2
	91NC2448MGL	Magazine Table	1249	24	48	16½	—	—	57 lbs.	5.5
	91NC3636MGL	Coffee Table	1249	36	36	16½	—	—	50 lbs.	3.5
 Magazine Table	• Floating top style with laminate tops are available in a CSL; reference page 7 for program details • Features an aluminum base in four color options • Grommet not available on floating top styles • Floating top is 3/8 thick • Veneer tables feature matte/satin sheen									
 Coffee Table										

Pegos® Occasional Tables


Pegos Occasional Tables

ROUND TOP SIZES

End Table 24" x 24"
Magazine Table 36" x 36"

SQUARE SIZES

End Table 24" x 24"
Magazine Table 20" x 40"
Console Table 18" x 42"



WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

LAMINATES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards

To Order, Specify:






1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color
4. Paint Color

Sample Model Number:

81N3636MGW R MH 501

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet	
			D	W	H					
Pegos Magazine Table  	Round									
	81N3636MGW	Wood Top	\$ 1309	36	36	18	—	—	33 lbs.	4.3
	81N3636MGLW	Laminate Top	1200	36	36	18	—	—	33 lbs.	4.3
	Square									
	81N2040MGSQW	Wood Top	\$ 1309	20	40	18	—	—	33 lbs.	4.3
	81N2040MGSQLW	Laminate Top	1200	20	40	18	—	—	33 lbs.	4.3
	• Wood veneer or laminate top options • Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic • Grommet options not available • 11/16" tops with knife edge • Some assembly required									
Pegos End Table  	Round									
	81N2424ENW	Wood Top	\$ 1230	24	24	20	—	—	17 lbs.	3.9
	81N2424ENLW	Laminate Top	1121	24	24	20	—	—	17 lbs.	3.9
	Square									
	81N2424ENSQW	Wood Top	\$ 1230	24	24	20	—	—	17 lbs.	3.9
	81N2424ENSQW	Laminate Top	1121	24	24	20	—	—	17 lbs.	3.9
	• Wood veneer or laminate top options • Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic • Grommet options not available • 11/16" tops with knife edge • Some assembly required									
Pegos Console Table 	81N1842CSW	Wood Top	\$ 1521	18	42	30	—	—	35 lbs.	4.9
	81N1842CSLW	Laminate Top	1412	18	42	30	—	—	35 lbs.	4.9
	• Wood veneer or laminate top options • Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic • Grommet options not available • Bottom shelf standard in veneer • 11/16" tops with knife edge • Some assembly required									

Staccato® Occasional Tables

Staccato Occasional Tables

ROUND TABLE SIZES

End Table 24" Diameter

Coffee Table 36" Diameter

SOFT SQUARE TABLE SIZES


End Table 24" x 24"

Coffee Table 36" x 36"

GLASS TOP KITS AVAILABLE FOR

Round

Soft Square



WOOD FINISHES

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH Mocha

LAMINATES

Woodgrain Laminate

IM Brighton
NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha
791 Palisander
792 Sable
793 Acorn

Solid Laminate

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White
Linear
492 Cinder Linear

Pattern Laminate

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

METAL COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards



For comprehensive sustainability information that includes LEED® point contribution, visit NationalOfficeFurniture.ecoScorecard.com.

To Order, Specify:





1. Model Number
2. Finish/Laminate Color
3. Paint

Sample Model Number:

82N3636MGRDW MH 462

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Staccato Coffee Table  	Round		DI		H				
	82N3636MGRDW Wood	\$ 1818	3611/16	—	1715/16	—	—	97 lbs.	9.6
	82N3636MGRDL Laminate	1585	3611/16	—	1715/16	—	—	97 lbs.	9.6
	Soft Square		D	W	H				
	82N3636MGSQW Wood	\$ 1924	36	36	1715/16	—	—	97 lbs.	9.6
	82N3636MGSQL Laminate	1691	36	36	1715/16	—	—	97 lbs.	9.6
	• Some assembly required • No grommet cutouts available • Optional glass and solid surface kits available; reference page 394 • 3" column base • Glide adjustment of +/- 1/8 • 41/8 height top								
Staccato End Table  	Round		DI		H				
	82N2424MGRDW Wood	\$ 1564	235/8	—	2013/16	—	—	64 lbs.	7.3
	82N2424MGRDL Laminate	1331	235/8	—	2013/16	—	—	64 lbs.	7.3
	Soft Square		D	W	H				
	82N2424MGSQW Wood	\$ 1670	24	24	2013/16	—	—	64 lbs.	7.3
	82N2424MGSQL Laminate	1437	24	24	2013/16	—	—	64 lbs.	7.3
	• Some assembly required • No grommet cutouts available • Optional glass and solid surface kits available; reference page 394 • 3" column base • Glide adjustment of +/- 1/8 • 41/8 height top								

Universal

To Order, Specify:



1. Model Number

Sample Model Number:



10N3636RDG

Dimension Key





D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Universal Glass Top  	Round		DI		H				
	10N3636RDG White Back Painted Glass	\$ 1829	367/8	—	1½	—	—	97 lbs.	9.6
	10N2424RDG White Back Painted Glass	1340	237/8	—	1½	—	—	64 lbs.	7.3
	Soft Square								
	10N3636SQG White Back Painted Glass	\$ 1829	355/8	355/8	1½	—	—	97 lbs.	9.6
	10N2424SQG White Back Painted Glass	1340	235/8	235/8	1½	—	—	64 lbs.	7.3

- 24" top for use with 22" occasional height or collaborative height disc or soft square base on page 393
- 36" top for use with 27" occasional height disc or soft square base on page 393
- Not recommended to be used with other bases or heights
- 1½" thickness includes the glass and substrate

	Model No./Description	Grade A	Grade B	Grade C	Dimensions		A	KW	Cartoned Weight	Cubic Feet
					D	W				
Universal Corian® Round Top  	Round				DI		H			
	10N36RDS Corian Solid Surface	\$ 2275	\$ 2482	\$ 2761	36	—	1½	—	59 lbs.	2.7
	10N24RDS Corian Solid Surface	1428	1520	1644	24	—	1½	—	26 lbs.	1.3
	Soft Square									
	10N3636SSQS Corian Solid Surface	\$ 2275	\$ 2482	\$ 2761	36	36	1½	—	79 lbs.	2.7
	10N2424SSQS Corian Solid Surface	1428	1520	1644	24	24	1½	—	38 lbs.	1.3

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade B), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases
- 24" top for use with 22" occasional height or collaborative height disc or soft square base on page 393
- 36" top for use with 27" occasional height disc or soft square base on page 393

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Disc Base Occasional Table Height 	CBV2715DB Cinder	\$ 648	3 273/16 16 — —	60 lbs.	1.9
	CBV2715DS Platinum Metallic	648	3 273/16 16 — —	60 lbs.	1.9
	CBV2715DN Satin Nickel Metallic	648	3 273/16 16 — —	60 lbs.	1.9
	CBV2215DB Cinder	\$ 489	3 22 16 — —	43 lbs.	1.9
	CBV2215DS Platinum Metallic	489	3 22 16 — —	43 lbs.	1.9
	CBV2215DN Satin Nickel Metallic	489	3 22 16 — —	43 lbs.	1.9
• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8					
Disc Base Collaborative Table Height 	CBV2219DB Cinder	\$ 624	3 22 19 1/3 — —	45 lbs.	2.3
	CBV2219DS Platinum Metallic	624	3 22 19 1/3 — —	45 lbs.	2.3
	CBV2219DN Satin Nickel Metallic	624	3 22 19 1/3 — —	45 lbs.	2.3
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8				
Soft Square Base Occasional Table Height 	CBV2715SQDB Cinder	\$ 754	3 273/16 16 — —	60 lbs.	1.9
	CBV2715SQDS Platinum Metallic	754	3 273/16 16 — —	60 lbs.	1.9
	CBV2715SQDN Satin Nickel Metallic	754	3 273/16 16 — —	60 lbs.	1.9
	CBV2215SQDB Cinder	\$ 595	3 22 16 — —	50 lbs.	1.9
	CBV2215SQDS Platinum Metallic	595	3 22 16 — —	50 lbs.	1.9
	CBV2215SQDN Satin Nickel Metallic	595	3 22 16 — —	50 lbs.	1.9
• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8					
Soft Square Base Collaborative Table Height 	CBV2219SQB Cinder	\$ 724	3 22 19 1/3 — —	45 lbs.	2.3
	CBV2219SQS Platinum Metallic	724	3 22 19 1/3 — —	45 lbs.	2.3
	CBV2219SQN Satin Nickel Metallic	724	3 22 19 1/3 — —	45 lbs.	2.3
	• 3" column base • Some assembly required • Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List • Glide adjustment of +/- 1/8				

Universal

To Order, Specify:




1. Model Number
2. Sheen
3. Solid Surface Grade
4. Solid Surface Color

Sample Model Number:




10N2424SQSK N A 7101

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	Model No./Description		List Price			Dimensions			A	KW	Cartoned Weight	Cubic Feet
			Grade A	Grade B	Grade C	D	W	H				
Universal Corian® Solid Surface Kits   	Square/Rectangular											
	10N2424SQSK	End Table Kit	\$ 1039	\$ 1131	\$ 1255	24	24	38	—	—	25 lbs.	1.05
	10N2448RTSK	Magazine Table Kit	1530	1714	1962	24	48	38	—	—	47 lbs.	2.0
	10N3636SQSK	Coffee Table Kit	1530	1737	2016	36	36	38	—	—	52 lbs.	2.2
	10N1850RTSK	Console Table Kit	1530	1674	1868	18	50	38	—	—	38 lbs.	1.6
	Soft Square											
	10N2424SSQSK	End Table Kit	\$ 1023	\$ 1115	\$ 1239	24	24	38	—	—	25 lbs.	1.1
	10N3636SSQSK	Coffee Table Kit	1585	1792	2071	36	36	38	—	—	52 lbs.	2.2
	Round					DI		H				
	10N2424RDSK	End Table Kit	\$ 1023	\$ 1115	\$ 1239	24	—	38	—	—	23 lbs.	1.1
	10N3636RDSK	Coffee Table Kit	1585	1792	2071	36	—	38	—	—	49 lbs.	2.2
	• For use on box, cylinder, soft square and cube styles on pages 381-382 and 391 • Solid surface is available with a beveled rim in four different colors: 7101 Bisque (Grade A), 7201 Glacier White (Grade B), 7301 Concrete (Grade C), and 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen											

Universal Glass Kits

  	Square/Rectangular											
	10N2424SQGK	End Table Kit			\$ 569	24	24	38	—	—	55 lbs.	12.6
	10N2448RTGK	Magazine Table Kit			796	24	48	38	—	—	77 lbs.	19.1
	10N3636SQGK	Coffee Table Kit			796	36	36	38	—	—	75 lbs.	20.2
	10N1850RTGK	Console Table Kit			796	18	50	38	—	—	65 lbs.	15.0
	Soft Square											
	10N2424SSQGK	End Table Kit			\$ 796	24	—	24	—	—	22 lbs.	1.0
	10N3636SSQGK	Coffee Table Kit			1194	24	—	36	—	—	49 lbs.	2.1
	Round					DI		H				
	10N2424RDGK	End Table Kit			\$ 796	24	—	38	—	—	18 lbs.	1.0
	10N3636RDGK	Coffee Table Kit			1194	36	—	38	—	—	37 lbs.	2.1
	• For use on box, cylinder, soft square and cube styles on pages 381-382 and 391 • Specify model number only • Glass is clear with beveled rim • Glass comes with stanchions for easy attachment to table • Square kits feature square stanchions and soft square/round kits feature round stanchions											

Power/Data Electrical

POWER/DATA ELECTRICAL SPECIFICATIONS

ONE TOUCH PIVOTING POWER GROMMET (G12 AND G122)

- Field installable
- One touch door remains open during use
- Clear or black anodized aluminum
- (G12) Two power outlets and two blank ports can accommodate one of eight provided adapter plates
- (G122) Two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates
- Hardwire solution must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Specify model number only
- Standard units have 10 ft. cords and hardwire cords have 6 ft. cords
- UL Listed

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adaptor kit to accept couplers and jacks when required
- UL Listed

POWER GROMMET (G23)





- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two power outlets and two power USB ports
- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

To Order, Specify:

1. Model Number

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width




	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
 NACG12EL  NACG12ELHS	One Touch Pivoting Power Grommet (G12)								
	NACG12ELS	Clear Anodized Aluminum	\$ 409	43/8	83/8	1½	—	2 lbs.	0.2
	NACG12ELB	Black	409	43/8	83/8	1½	—	2 lbs.	0.2
	NACG12ELHS	Hardwire, Clear Anodized Aluminum	409	43/8	83/8	1½	—	3 lbs.	0.2
	NACG12ELHB	Hardwire, Black	409	43/8	83/8	1½	—	2 lbs.	0.2
	NACG122ELS	Clear Anodized Aluminum	\$ 510	43/8	83/8	1½	—	2 lbs.	0.2
	NACG122ELB	Black	510	43/8	83/8	1½	—	2 lbs.	0.2
	NACG122ELHS	Hardwire, Clear Anodized Aluminum	510	43/8	83/8	1½	—	3 lbs.	0.2
	NACG122ELHB	Hardwire, Black	510	43/8	83/8	1½	—	2 lbs.	0.2
 NACELIQPPG18  NACELIQ2PPG18	Byrne Training Table Interlink IQ System (G12)								
	NACELIQPPG18	Full Set 1-8	\$ 3525	43/8	8¼	1½	—	25 lbs.	4.0
	NACELIQPPG1	Interlink Starter	575	43/8	8¼	1½	—	3 lbs.	3.0
	NACELIQPPG	Interlink Add-on	443	43/8	8¼	1½	—	3 lbs.	3.0
	NACELIQJ	Interlink IQ Jumper	74	—	60	—	—	3 lbs.	0.15
	• Each power grommet includes two power outlets and two blank ports that can accommodate one of eight provided adapter plates								
	NACELIQ2PPG18	Full Set 1-8	\$ 4393	43/8	8¼	1½	—	25 lbs.	4.0
	NACELIQ2PPG1	Interlink Starter	917	43/8	8¼	1½	—	3 lbs.	3.0
	NACELIQ2PPG	Interlink Add-on	497	43/8	8¼	1½	—	3 lbs.	3.0
	• Each power grommet includes two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates • Non-sequential "Daisy chain" solution for flip/nest training tables • When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet • When Interlink solution is ordered, use table ganging brackets shown below • Specify model number only • Interlink cord with plug is 120" in length • Length of cord from coupler to unit on all units is 14" • Length from coupler to coupler is 60" • Only available in clear anodized aluminum								

Dimension Key

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width


Sample Model Number:

NACG17ELB


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	NACG17ELB Black Powder Coat	\$ 284	4¼	5¼	2½	—	—	1 lbs.	0.2
	NACG17ELS Silver Powder Coat	284	4¼	5¼	2½	—	—	1 lbs.	0.2
	• Includes one power outlet and one blank voice/data port								
	NACG172ELB Black Powder Coat	\$ 289	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELS Silver Powder Coat	289	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes two power outlets								
	NACG173ELB Black Powder Coat	\$ 296	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG173ELS Silver Powder Coat	296	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes one power outlet and two charging USB (2.1)								

To Order, Specify:

1. Model Number



G17 Unit




G172 Unit


Model No./Description		List Price	Dimensions				A	KW	Cartoned Weight	Cubic Feet
			D	W	H					
Byrne Interlink IQ System (G17) Full Set of Eight Units										
NACG17ELIQB18	Black - G17	\$ 2304	4¼	5¼	2½	—	—	—	19 lbs.	1.55
NACG17ELIQS18	Silver - G17	2304	4¼	5¼	2½	—	—	—	19 lbs.	1.55
NACG172ELIQB18	Black - G172	2436	4¼	5¼	2½	—	—	—	19 lbs.	1.55
NACG172ELIQS18	Silver - G172	2436	4¼	5¼	2½	—	—	—	19 lbs.	1.55
Interlink Starter Units										
NACG17ELIQB1	Black - G17	\$ 354	4¼	5¼	2½	—	—	—	3 lbs.	0.15
NACG17ELIQS1	Silver - G17	354	4¼	5¼	2½	—	—	—	3 lbs.	0.15
NACG172ELIQB1	Black - G172	370	4¼	5¼	2½	—	—	—	3 lbs.	0.15
NACG172ELIQS1	Silver - G172	370	4¼	5¼	2½	—	—	—	3 lbs.	0.15
Interlink Add-on Units										
NACG17ELIQB	Black - G17	\$ 279	4¼	5¼	2½	—	—	—	3 lbs.	0.15
NACG17ELIQS	Silver - G17	279	4¼	5¼	2½	—	—	—	3 lbs.	0.15
NACG172ELIQB	Black - G172	295	4¼	5¼	2½	—	—	—	3 lbs.	0.15
NACG172ELIQS	Silver - G172	295	4¼	5¼	2½	—	—	—	3 lbs.	0.15
Interlink IQ Starter and Jumper										
NACELIQ1	Interlink IQ starter plug	\$ 177	—	120	—	—	—	—	3 lbs.	0.15
NACELIQJ	Interlink IQ Jumper	74	—	60	—	—	—	—	3 lbs.	0.15

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- Refer to page 121 for electrical loading standards

Configuration of Byrne IQ System for 72" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run




Configuration of Byrne IQ System for 66" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run




Configuration of Byrne IQ System for 60" WaveWorks Training Tables - Max of 8 Byrne IQ Units per run

8 Power Units




Item	Qty
Starter	1
Add-on	7

7 Power Units




Item	Qty
Starter	1
Add-on	6

6 Power Units




Item	Qty
Starter	1
Add-on	5

5 Power Units




Item	Qty
Starter	1
Add-on	4

4 Power Units




Item	Qty
Starter	1
Add-on	3

3 Power Units



Item	Qty
Starter	1
Add-on	2

2 Power Units



Item	Qty
Starter	1
Add-on	1

Power/Data Electrical

To Order, Specify:

- 1. Model Number

Dimension Key

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


Sample Model Number:

NACG23ELB

Power/Data Electrical

Model No./Description			List Price	Dimensions					KW	Cartoned Weight	Cubic Feet
				D	W	H	A				
Power Grommet (G23)	NACG23ELB	Black	\$ 418	2½	4½	3¼	—		—	2.3 lbs.	0.2
	NACG23ELS	Silver	418	2½	4½	3¼	—		—	2.3 lbs.	0.2

- Includes two power outlets and two power USB ports



Bookcases

Bookcases

Specify selections, left to right:




Base Model	Laminate
21N3365BCOFL	IM Brighton
	NM Natural
	HN2 Honey 2
	CL Caramel
	TF Truffle
	AC2 Autumn 2
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
	791 Palisander
	792 Sable
	793 Acorn
	HN2

Sample Model Number:

21N3365BCOFL HN2

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Arrowood Laminate Bookcase								
	Q21N3365BCOFL	\$ 800	13	33	657/16	—	—	135 lbs.	27.4
	21N3365BCOFL	800	13	33	657/16	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 31								
	Arrowood Laminate Bookcase								
	21N3353BCOFL	\$ 693	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 31								
	Arrowood Laminate Bookcase Set-On								
	Q21N3336BCOL	\$ 563	13	33	363/16	—	—	85 lbs.	15.8
	21N3336BCOL	563	13	33	363/16	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 31								

Specify selections, left to right:




Base Model	Finish
	IM Brighton
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
31N3266BCOFW	NM

Sample Model Number:

31N3266BCOFW NM

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
	D	W	H	A					
Arrowood Veneer Bookcase 	Q31N3266BCOFW Wood Top	\$ 1321	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	1321	13	31½	65¾	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 49								
Arrowood Veneer Bookcase 	31N3253BCOFW Wood Top	\$ 1033	13	31½	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 49								
Arrowood Veneer Bookcase Set-On 	Q31N3238BCOW Wood Top	\$ 914	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	914	13	31½	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 49								

Bookcases

Specify selections, left to right:

Base Model	Finish
	TF Truffle
	CW Cordovan
	DW Judicial
	MH Mocha
50N3452BCOFW	MH


Sample Model Number:

50N3452BCOFW MH


To You In
10
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
	Double Bookcase	\$ 3225	141/8	69 3/4	56 1/2	—	—	243 lbs.	39.4
	Q50N3452BCOFW Bookcase (each—order 2)	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase (each—order 2)	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	50N1469CPCFW Cornice Frame	510	141/8	69 3/4	11/16	—	—	30 lbs.	1.2
	50N1468CPBW Base	303	135/8	68 3/4	3 3/4	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • Bookcase components are shipped separately • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73								

	Single Bookcase	\$ 1665	141/8	35 3/4	56 1/2	—	—	128 lbs.	19.8
	Q50N3452BCOFW Bookcase	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	50N3452BCOFW Bookcase	1206	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6
	50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

	Q50N3436BCOW Bookcase	\$ 1138	12 1/4	33 1/2	35 3/4	—	—	76 lbs.	17.2
	50N3436BCOW Bookcase	1138	12 1/4	33 1/2	35 3/4	—	—	76 lbs.	17.2
	Q50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6
	50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

Specify selections, left to right:


Base Model	Pull Option	Finish
	80AB Provincial, Antique Brass	TF Truffle
	81AB Classic, Antique Brass	CW Cordovan
	85AB Verona, Antique Brass	DW Judicial
	85CN Verona, Classic Nickel	MH Mocha
50N3452BCHRW	80AB	MH

Sample Model Number:


50N3452BCHRW 80AB MH

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Barrington Bookcase with Grille Doors 	Double Bookcase	\$ 4621	141/8	69 1/4	56 1/2	—	—	361 lbs.	39.4
	50N3452BCHRW Bookcase (each—order 2)	1904	12 1/4	33 1/2	51 3/4	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	510	141/8	69 1/4	11/16	—	—	30 lbs.	1.2
	50N1468CPBW Base	303	135/8	68 1/4	3 1/4	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

Barrington Bookcase with Grille Doors

	Single Bookcase	\$ 2363	141/8	35 3/4	56 1/2	—	—	187 lbs.	19.8
50N3452BCHRW	Bookcase	1904	12 1/4	33 1/2	51 3/4	—	—	151 lbs.	17.6
Q50N1436CPCFW	Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	203	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6
50N1435CPBW	Base	203	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

Bookcases

Specify selections, left to right:



Base Model	Pull Option	Finish
	80AB Provincial, Antique Brass	TF Truffle
	81AB Classic, Antique Brass	CW Cordovan
	85AB Verona, Antique Brass	DW Judicial
	85CN Verona, Classic Nickel	MH Mocha
50N3452BCHGW	80AB	DW

Sample Model Number:

50N3452BCHGW 80AB DW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Barrington Bookcase with Glass Doors 	Double Bookcase	\$ 4461	141/8	69 3/4	56 1/2	—	—	361 lbs.	39.4
	50N3452BCHGW Bookcase (each—order 2)	1824	12 1/4	33 1/2	51 3/4	—	—	151 lbs.	17.6
	50N1469CPCFW Cornice Frame	510	141/8	69 3/4	11/16	—	—	30 lbs.	1.2
	50N1468CPBW Base	303	135/8	68 3/4	3 3/4	—	—	29 lbs.	3.0
	• Must order (2) bookcases for double unit • For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Random lock core is factory installed • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73								
Barrington Bookcase with Glass Doors 	Single Bookcase	\$ 2283	141/8	35 3/4	56 1/2	—	—	187 lbs.	19.8
	50N3452BCHGW Bookcase	1824	12 1/4	33 1/2	51 3/4	—	—	151 lbs.	17.6
	Q50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	50N1436CPCFW Cornice Frame	256	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6
	50N1435CPBW Base	203	135/8	34 3/4	3 3/4	—	—	18 lbs.	1.6
	• For credenza top use, only the bookcase and the cornice frame need to be ordered • Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Random lock core is factory installed • Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73								

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Locking	Finish
36N3571BCOFW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha

Sample Model Number:

36N3571BCOFW TA MC

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
	36N3571BCOFW	\$ 2376	14½	35	717/16	—	—	158 lbs.	33.7
	36N3557BCOFW	\$ 2149	14½	35	565/8	—	—	134 lbs.	27.3

- Specify finish only
- Cornice and base molding on three sides of unit
- Shaded shelves are adjustable
- 3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97

	36N3571BCOHFW	\$ 2839	14½	35	717/16	—	—	178 lbs.	33.7
	36N3557BCOHFW	\$ 2672	14½	35	565/8	—	—	154 lbs.	27.3

- Cornice and base molding on three sides of unit
- Shaded shelves are adjustable
- 3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97




Bookcases

Specify selections, left to right:

Base Model	Pull Option	Locking		Finish	
38N3680BCOHFW	72SN Balance, Satin Nickel Metallic	KRB	Key Random, Black	IM	Brighton
	72MB Balance, Cinder	KRS	Key Random, Silver	NM	Natural
	72PL Balance, Platinum Metallic	KS1B	Key Specific, Black	HN	Honey
	73SN Sweep, Satin Nickel Metallic	KS1S	Key Specific, Silver	CL	Caramel
	73MB Sweep, Cinder			TF	Truffle
	73PL Sweep, Platinum Metallic			AC	Autumn
	74SN Groove, Satin Nickel Metallic			MC	Amber
	74MB Groove, Cinder			CW	Cordovan
	74PL Groove, Platinum Metallic			DW	Judicial
				MH	Mocha
38N3680BCOHFW	73SN	KRB		TF	

Sample Model Number:

38N3680BCOHFW 73SN KRB TF

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
	Casbah Bookcase								
	38N3680BCOHFW	\$ 2766	1315/16	3578	79¼	—	—	184 lbs.	38.3
	38N3668BCOHFW	2474	1315/16	3578	677/16	—	—	157 lbs.	33.0
	38N3653BCOHFW	2234	1315/16	3578	5213/16	—	—	137 lbs.	26.4
	- Specify finish only - Shaded shelves are adjustable - Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125								
	Casbah Bookcase - Storage								
	38N3680BCOHFW	\$ 3428	14¾	3578	79¼	—	—	207 lbs.	40.6
	38N3668BCOHFW	2952	14¾	3578	677/16	—	—	186 lbs.	35.0
	- Shaded shelf is adjustable - Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available - Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125								
	Casbah Bookcase Set-On								
	38N3650BCOW	\$ 2267	1315/16	3578	4915/16	—	—	109 lbs.	25.5
	38N3050BCOW	1956	1315/16	2915/16	4915/16	—	—	97 lbs.	21.9
	38N1850BCOW	1008	1315/16	1715/16	4915/16	—	—	81 lbs.	14.7
	38N3638BCOW	1851	1315/16	3578	3818	—	—	84 lbs.	19.9
	38N3038BCOW	1682	1315/16	2915/16	3818	—	—	72 lbs.	17.1
	38N1838BCOW	897	1315/16	1715/16	3818	—	—	64 lbs.	11.4
	- Specify finish only - Shaded shelves are adjustable - Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125								

Specify selections, left to right:


Base Model	Finish
	IM Brighton
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
CLN3564BCOFW	DW

Sample Model Number:


CLN3564BCOFW DW

To You In
10
DAYS
...or Less



Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Clever Bookcase Double 		\$ 3372	14	737/16	645/8	—	—	304 lbs.	58.0
	QCLN3564BCOFW Bookcase (each—order 2)	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase (each—order 2)	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	CLN1473CPCFW Cornice Frame (wood)	520	14	737/16	1	—	—	74 lbs.	2.8

- Must order (2) bookcases and a cornice frame for double unit
- Shaded shelves are adjustable
- Units have semi-finished back panels (fully stained with exposed hardware)
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169

Clever Bookcase Single 		\$ 1708	14	3723/32	645/8	—	—	132 lbs.	29.2
	QCLN3564BCOFW Bookcase	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase	1426	12	3523/32	635/8	—	—	115 lbs.	27.6
	QCLN1438CPCFW Cornice Frame (wood)	282	14	3723/32	1	—	—	17 lbs.	1.6
	CLN1438CPCFW Cornice Frame (wood)	282	14	3723/32	1	—	—	17 lbs.	1.6

- Must order a cornice frame for bookcase
- Shaded shelves are adjustable
- Unit has semi-finished back panel (fully stained with exposed hardware)
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169

Clever Bookcase Set-On  	QCLN3836BCOW Open	\$ 1027	16¾	377/8	361/16	—	—	92 lbs.	21.8
	CLN3836BCOW Open	1027	16¾	377/8	361/16	—	—	92 lbs.	21.8
	CLN3836BCHAW Hinged Doors	1179	16¾	377/8	361/16	—	—	92 lbs.	21.8

- Shaded shelves are adjustable
- Unit has semi-finished back panel (fully stained with exposed hardware)
- Unit features a fluted resin insert panel on doors
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169

Bookcases

Specify selections, left to right:






Base Model	Pull Option	Locking	Finish
ECN3871BCOFW	79SN Fluid, Satin Nickel Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha DW

Sample Model Numbers:

ECN3871BCOFW DW
ECN3871BCOHFW 79SN KRB TF

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
	Escalade Bookcase - Open QECN3871BCOFW	\$ 2297	15¾ 383/16 7015/16 — —	190 lbs.	31.3
	ECN3871BCOFW	2297	15¾ 383/16 7015/16 — —	190 lbs.	31.3
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189				
	Escalade Bookcase - Open ECN3857BCOFW	\$ 2072	15¾ 383/16 571/8 — —	150 lbs.	25.4
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189				
	Escalade Bookcase - Storage ECN3871BCOHFW	\$ 2755	15¾ 383/16 7015/16 — —	210 lbs.	31.3
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189				
	Escalade Bookcase - Storage ECN3857BCOHFW	\$ 2561	15¾ 383/16 571/8 — —	170 lbs.	25.4
	• Shaded shelves are adjustable • Bookcase has an unfinished back • Cornice and base detail on three sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189				
	Escalade Bookcase - Set On QECN3750BCHW	\$ 2618	15½ 375/8 503/16 — —	130 lbs.	22.5
	ECN3750BCHW	2618	15½ 375/8 503/16 — —	130 lbs.	22.5
	Wood Doors				
	Glass Doors				
	ECN3750BCHGW	\$ 2731	15½ 375/8 503/16 — —	130 lbs.	22.5
	• Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189				

Specify selections, left to right:

Base Model	Rim Profile	Finish
	TC Fluted	IM Brighton
	TD Eased	NM Natural
		HN Honey
		CL Caramel
		TF Truffle
		AC Autumn
		MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
19N3666BCOFW	TC	


Sample Model Number:

19N3666BCOFW TC

To You In
10
DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Flourish Bookcase	Q19N3666BCOFW	\$ 1249	12	3523/32	65½	—	—	145 lbs.	26.0
	19N3666BCOFW	1249	12	3523/32	65½	—	—	145 lbs.	26.0



- Shaded shelves are adjustable
- Reference Flourish for detailed product information, laminates and entire Flourish offering starting on page 213

Flourish Bookcase Set-On	Q19N3636BCOW	\$ 886	12¾	3515/16	357/8	—	—	76 lbs.	17.2
	19N3636BCOW	886	12¾	3515/16	357/8	—	—	76 lbs.	17.2





- Shaded shelves are adjustable
- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shelves can be adjusted 2½" up or down
- Reference Flourish for detailed product information, laminates and entire Flourish offering starting on page 213

Bookcases

Specify selections, left to right:

Base Model	Rim Profile	Finish
35N3666BCOFW	T1 Taper	IM Brighton
	T2 Pillar	NM Natural
	T3 Reed	HN Honey
		CL Caramel
		TF Truffle
		AC Autumn
		MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
	T2	NM

Sample Model Number:
35N3666BCOFW T2 NM

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	Hiland Bookcase 35N3666BCOFW	\$ 1666	1131/32	3558	65½	—	—	129 lbs.	30.3
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Shelves can be adjusted 2½" up or down • Bookcase has an unfinished back • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 225								
	Hiland Bookcase Set-On 35N3636BCOW	\$ 1019	1131/32	3558	36	—	—	76 lbs.	17.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Shelves can be adjusted 2½" up or down • Bookcase has an unfinished back • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 225								

Specify selections, left to right:

Base Model	Finish
	TF Truffle
	CW Cordovan
	DW Judicial
	MH Mocha
51N3452BCOFW	TF


Sample Model Number:

51N3452BCOFW TF
51N1435CPBW TF

To You In
10
DAYS
...or Less



Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
	D	W	H	A					
Roosevelt Double Bookcase	<i>Double Bookcase</i>	\$ 3156	141/8	69 1/4	56 1/2	—	—	243 lbs.	39.4
	Q51N3452BCOFW Bookcase (each—order 2)	1186	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	51N3452BCOFW Bookcase (each—order 2)	1186	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	51N1469CPCFW Cornice Frame	494	141/8	69 1/4	11/16	—	—	30 lbs.	1.2
	51N1468CPBW Base	290	135/8	68 1/4	3 1/4	—	—	29 lbs.	3.0



- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239

Roosevelt Single Bookcase	<i>Single Bookcase</i>	\$ 1623	141/8	35 3/4	56 1/2	—	—	128 lbs.	19.8
	Q51N3452BCOFW Bookcase	1186	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	51N3452BCOFW Bookcase	1186	12 1/4	33 1/2	51 3/4	—	—	92 lbs.	17.6
	Q51N1436CPCFW Cornice Frame	246	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	246	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	191	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6
	51N1435CPBW Base	191	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6



- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239

	<i>Single Bookcase</i>	\$ 1554	141/8	35 3/4	40 1/16	—	—	112 lbs.	19.4
	Q51N3436BCOFW Bookcase	1117	12 1/4	33 1/2	35 3/4	—	—	76 lbs.	17.2
	51N3436BCOFW Bookcase	1117	12 1/4	33 1/2	35 3/4	—	—	76 lbs.	17.2
	Q51N1436CPCFW Cornice Frame	246	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	51N1436CPCFW Cornice Frame	246	141/8	35 3/4	11/16	—	—	18 lbs.	0.6
	Q51N1435CPBW Base	191	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6
	51N1435CPBW Base	191	135/8	34 3/4	3 1/4	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31 3/4" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239

Bookcases

Specify selections, left to right:

Base Model

Finish





	IM Brighton
	NM Natural
	HN Honey
	CL Caramel
	TF Truffle
	AC Autumn
	MC Amber
	CW Cordovan
	DW Judicial
	MH Mocha
10N3630BCOFW	CW

Sample Model Number:

10N3630BCOFW CW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.





		Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
				D	W	H				
Universal Veneer Bookcase Set-On  		Q10N3630BCOFW Wood	\$ 516	12	35¾	30	—	—	73 lbs.	13.0
		10N3630BCOFW Wood	516	12	35¾	30	—	—	73 lbs.	13.0
		Q10N3636BCOFW Wood	578	12	35¾	36	—	—	78 lbs.	15.9
		10N3636BCOFW Wood	578	12	35¾	36	—	—	78 lbs.	15.9
		• Bookcase shelves hold 100 lbs. of evenly distributed weight • ¾" flakeboard core sides and ¾" shelves • Flat edge detail • Shaded shelves are adjustable • Bookcase has an unfinished back • Shipped assembled								
Universal Veneer Bookcase    		Q10N3648BCOFW Wood	\$ 695	12	35¾	48	—	—	100 lbs.	20.1
		10N3648BCOFW Wood	695	12	35¾	48	—	—	100 lbs.	20.1
		Q10N3660BCOFW Wood	824	12	35¾	60	—	—	124 lbs.	25.2
		10N3660BCOFW Wood	824	12	35¾	60	—	—	124 lbs.	25.2
		Q10N3672BCOFW Wood	973	12	35¾	72	—	—	168 lbs.	32.9
		10N3672BCOFW Wood	973	12	35¾	72	—	—	168 lbs.	32.9
		Q10N3684BCOFW Wood	1035	12	35¾	84	—	—	206 lbs.	34.6
		10N3684BCOFW Wood	1035	12	35¾	84	—	—	206 lbs.	34.6
		• Bookcase shelves hold 100 lbs. of evenly distributed weight • ¾" flakeboard core sides and ¾" shelves • Flat edge detail • Shaded shelves are adjustable • Bookcase has an unfinished back • Shipped assembled								

Specify selections, left to right:

Base Model	Laminate		
	IM Brighton	440	Cloud
	NM Natural	462	Cinder
	HN2 Honey 2	791	Palisander
	CL Caramel	792	Sable
	TF Truffle	793	Acorn
	AC2 Autumn 2		
	MC Amber		
	CW Cordovan		
	DW Judicial		
	MH Mocha		
	405 Designer White		
10N3630BCOFL	HN2		

Sample Model Number:

10N3630BCOFL HN2

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Universal Laminate Bookcase      	10N3630BCOFL TFL	\$ 284	11¾	35¾	30	—	—	51 lbs.	2.5
	10N3636BCOFL TFL	364	11¾	35¾	36	—	—	51 lbs.	2.8
	10N3648BCOFL TFL	400	11¾	35¾	48	—	—	80 lbs.	3.2
	10N3660BCOFL TFL	480	11¾	35¾	60	—	—	91 lbs.	3.9
	10N3672BCOFL TFL	544	11¾	35¾	72	—	—	159 lbs.	7.0
	10N3684BCOFL TFL	649	11¾	35¾	84	—	—	170 lbs.	8.0

- Insert laminate designator before model
- Bookcase shelves hold 100 lbs. of evenly distributed weight
- ¾" flakeboard core sides and 1" shelves
- Flat edge detail
- Shaded shelves are adjustable
- Bookcase has an unfinished back
- Assembly required

Files

Files

Specify selections, left to right:



Base Model	Locking	Laminate
21N2436LFF2L	KRB	Key Random, Black
	KRS	Key Random, Silver
	KS1B	Key Specific, Black
	KS1S	Key Specific, Silver
	KS2B	Key Specific, Black
	KS2S	Key Specific, Silver
	KRB	IM Brighton
		NM Natural
		HN2 Honey 2
		CL Caramel
		TF Truffle
		AC2 Autumn 2
		MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
		791 Palisander
		792 Sable
		793 Acorn
		HN2

Sample Model Number:

21N2436LFF2L KRB HN2

To You In
10 DAYS
...or Less

Shaded model numbers are available on our “To You in 10 Days or Less” Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Arrowood Laminate Lateral File Two Drawer 	Q21N2436LFF2L	\$ 887	23¾	35¾	29½	—	—	184 lbs.	17.7
	21N2436LFF2L	887	23¾	35¾	29½	—	—	184 lbs.	17.7
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 31								
Arrowood Laminate Lateral File Three Drawer 	21N2436LFF3L	\$ 1447	23¾	35¾	44½	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 31								
Arrowood Laminate Lateral File Four Drawer 	21N2436LFF4L	\$ 2007	23¾	35¾	58¾	—	—	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 31								

Specify selections, left to right:

Base Model

31N2136LFF2W

Sheen
(wood tops only)R Standard
N Matte/Satin

Locking


KRB Key Random, Black
KRS Key Random, Silver
KS1B Key Specific, Black
KS1S Key Specific, Silver
KS2B Key Specific, Black
KS2S Key Specific, Silver

Finish

IM Brighton
NM Natural
HN Honey
CL Caramel
TF Truffle
AC Autumn
MC Amber
CW Cordovan
DW Judicial
MH MochaTo You In
10
DAYS
...or LessShaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

Sample Model Number:


31N2136LFF2W R KRB DW

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Arrowood Veneer Lateral File Two Drawer 	Q31N2136LFF2W Wood Top	\$ 1399	21 35½ 29½ — —	193 lbs.	15.6
	31N2136LFF2W Wood Top	1399	21 35½ 29½ — —	193 lbs.	15.6
	31N2136LFF2LW HPL Top	1345	21 35½ 29½ — —	201 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 49

Arrowood Veneer Lateral File Three Drawer 	31N2136LFF3W Wood Top	\$ 1816	21 361/16 435/8 — —	210 lbs.	30.0
	31N2136LFF3LW HPL Top	1771	21 361/16 435/8 — —	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 49

Arrowood Veneer Lateral File Four Drawer 	31N2136LFF4W Wood Top	\$ 2286	21 361/16 575/16 — —	291 lbs.	40.2
	31N2136LFF4LW HPL Top	2257	21 361/16 575/16 — —	291 lbs.	40.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 49

Files

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
	80AB Provincial, Antique Brass	KRB Key Random, Black	R Standard	TF Truffle
	81AB Classic, Antique Brass	KS1B Key Specific, Black	N Matte/Satin	CW Cordovan
	85AB Verona, Antique Brass	KS2B Key Specific, Black		DW Judicial
	85CN Verona, Classic Nickel			MH Mocha
50N2137LFF2W	81AB	KRB	R	MH

Sample Model Number:

50N2137LFF2W 81AB KRB R MH

To You In
10
Days
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
 Barrington Lateral File Two Drawer	Q50N2137LFF2W Wood Top	\$ 1825	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W Wood Top	1825	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW HPL Top	1825	21	37¼	29½	—	—	123 lbs.	15.6




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

Barrington Lateral File Three Drawer	50N2137LFF3W Wood Top	\$ 2443	21 1/16	37¼	43 1/16	—	—	—	190 lbs.	24.0
	50N2137LFF3LW HPL Top	2443	21 1/16	37¼	43 1/16	—	—	—	190 lbs.	24.0



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

Barrington Lateral File Four Drawer	50N2137LFF4W Wood Top	\$ 3061	21	37¼	55 7/8	—	—	—	236 lbs.	29.4
--	-----------------------	---------	----	-----	--------	---	---	---	----------	------




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 73

Specify selections, left to right:

Base Model	Rim Profile	Pull Option	Locking	Sheen (wood tops only)	Finish
	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
36N2437LFF2W	TA	71SN	KRB	N	TF

Sample Model Number:

36N2437LFF2W TA 71SN KRB N TF

	Model No./Description	List Price	Dimensions D W H A KW	Cartoned Weight	Cubic Feet
Captivate Lateral File Two Drawer 	36N2437LFF2W Wood Top	\$ 2326	24 37¼ 2938 — —	162 lbs.	21.5
	36N2437LFF2LW HPL Top	2326	24 37¼ 2938 — —	162 lbs.	21.5
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97				
Captivate Lateral File Three Drawer 	36N2437LFF3W Wood Top	\$ 2898	24 375/16 43½ — —	219 lbs.	31.2
	36N2437LFF3LW HPL Top	2898	24 375/16 43½ — —	219 lbs.	31.2
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97				
Captivate Lateral File Four Drawer 	36N2437LFF4W Wood Top	\$ 3469	24 37¼ 56½ — —	254 lbs.	38.0
	36N2437LFF4LW HPL Top	3469	24 37¼ 56½ — —	254 lbs.	38.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Rim and base molding on three sides of unit • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 97				


Specify selections, left to right:

Base Model	Façade Profile (wood only)	Pull Option	Grommet Option	Locking	Sheen	Finish	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72MB Balance, Cinder 72PL Balance, Platinum Metallic 73SN Sweep, Satin Nickel Metallic 73MB Sweep, Cinder 73PL Sweep, Platinum Metallic 74SN Groove, Satin Nickel Metallic 74MB Groove, Cinder 74PL Groove, Platinum Metallic	G11SN Satin Nickel Metallic G11MB Cinder G11PL Platinum Metallic X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha	462 Cinder 501 Platinum Metallic 503 Satin Nickel Metallic
38N2436LFF2W	RE	72SN	G11SN	KRB	R	NM	

Sample Model Numbers:


38N2436LFF2W RE 72SN G11SN KRB R NM
38N2436LFF2WP 72SN R G11SN KRB AC 503

Model No./Description		List Price	Dimensions						Cartoned Weight	Cubic Feet
			D	W	H	A	KW			
Casbah Lateral File Two Drawer	38N2436LFF2W	Wood Façade	\$ 2416	24	361/16	29¾	—	—	201 lbs.	21.6
	38N2436LFF2WP	Painted Façade	2416	24	361/16	29¾	—	—	201 lbs.	21.6




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reed profile is available on wood façade models only for a 10% list upcharge
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125

Casbah Lateral File Three Drawer	38N2436LFF3W	Wood Façade	\$ 3012	24	361/16	4115/16	—	—	248 lbs.	31.9
	38N2436LFF3WP	Painted Façade	3012	24	361/16	4115/16	—	—	248 lbs.	31.9



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reed profile is available on wood façade models only for a 10% list upcharge
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125

Casbah Lateral File Four Drawer	38N2436LFF4W	Wood Façade	\$ 3607	24	361/16	5438	—	—	291 lbs.	40.2
	38N2436LFF4WP	Painted Façade	3607	24	361/16	5438	—	—	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Reed profile is available on wood façade models only for a 10% list upcharge
- Do not specify sheen option; features standard sheen
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 125

Specify selections, left to right:

Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
CLN2237LFF2W	77SN Keen, Satin Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	77SN	KRB	R	MC


Sample Model Numbers:

CLN2237LFF2W 77SN KRB R MC
 CLN2237LFF2LW 77SN KRB MC

To You In
10 DAYS
 ...or Less


Shaded model numbers are available on our
 "To You in 10 Days or Less" Quick Delivery
 program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
			D	W	H	A			
Clever Lateral File Two Drawer	CLN2237LFF2W Wood Top	\$ 1541	22 1/16	37 3/8	29 1/4	—	—	145 lbs.	18.2
	QCLN2237LFF2LW Laminate	1460	22 1/16	37 3/8	29 1/4	—	—	145 lbs.	18.2
	CLN2237LFF2LW Laminate	1460	22 1/16	37 3/8	29 1/4	—	—	145 lbs.	18.2




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169

Clever Lateral File Three Drawer	CLN2237LFF3W Wood Top	\$ 2109	22 1/16	37 1/2	43 3/8	—	—	210 lbs.	30.0
	CLN2237LFF3LW Laminate	1986	22 1/16	37 1/2	43 3/8	—	—	210 lbs.	30.0



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169

Clever Lateral File Four Drawer	CLN2237LFF4W Wood Top	\$ 2676	22 1/16	37 3/8	55 7/8	—	—	252 lbs.	34.4
	CLN2237LFF4LW Laminate	2513	22 1/16	37 3/8	55 7/8	—	—	252 lbs.	34.4



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Do not specify sheen option; features standard sheen
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 169

Files


Specify Escalade selections, left to right:

Base Model	Pull Option	Locking	Sheen	Finish
ECN2238LFF3W	79SN Fluid, Satin Nickel Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
	79SN	KRB	R	DW

Sample Model Number:

ECN2238LFF3W 79SN KRB R DW

**To You In
10 DAYS
...or Less**
Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions					Cartoned Weight	Cubic Feet
			D	W	H	A	KW		
Escalade Lateral File Two Drawer 	QECN2238LFF2W	\$ 2211	22¼	383/16	29½	—	—	155 lbs.	17.8
	ECN2238LFF2W	2211	22¼	383/16	29½	—	—	155 lbs.	17.8
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189								
Escalade Lateral File Three Drawer 	ECN2238LFF3W	\$ 2783	22¼	383/16	4115/16	—	—	210 lbs.	30.0
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189								
Escalade Lateral File Four Drawer 	ECN2238LFF4W	\$ 3357	22¼	383/16	54½	—	—	265 lbs.	32.9
	• Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 189								

Specify selections, left to right:


Base Model	Rim Profile	Pull Option	Locking	Sheen	Finish
	TC Fluted TD Eased	83MB Curved, Black 83SV Curved, Silver 84MB Elongated, Black 84SV Elongated, Silver	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
19N2436LFF2W	TD	84MB	KRB	N	TF

Sample Model Number:


19N2436LFF2W TD 84MB KRB N TF

To You In
10 DAYS
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
Flourish Lateral File Two Drawer 	Q19N2436LFF2W Wood Top	\$ 1386	239/16	36	29	—	—	160 lbs.	17.0
	19N2436LFF2W Wood Top	1386	239/16	36	29	—	—	160 lbs.	17.0
	19N2436LFF2LW TFL Top	1331	239/16	36	29	—	—	160 lbs.	17.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 213

Flourish Lateral File Three Drawer 	19N2436LFF3W Wood Top	\$ 1808	239/16	36	4338	—	—	248 lbs.	31.9
	19N2436LFF3LW TFL Top	1751	239/16	36	4338	—	—	248 lbs.	31.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 213

Flourish Lateral File Four Drawer 	19N2436LFF4W Wood Top	\$ 2262	239/16	36	561/16	—	—	282 lbs.	32.0
---	------------------------------	----------------	--------	----	--------	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 213




Files

Specify Hiland selections, left to right:

Base Model	Rim Profile	Pull Option	Locking	Sheen	Finish
	T1 Taper T2 Pillar T3 Reed	1MB Triangle, Cinder 1PL Triangle, Plat. Met. 2MB Crescent, Cinder 2PL Crescent, Plat. Met. 3MB Bar, Cinder 3PL Bar, Plat. Met.	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	IM Brighton NM Natural HN Honey CL Caramel TF Truffle AC Autumn MC Amber CW Cordovan DW Judicial MH Mocha
35N2136LFF3W	T1	3PL	KRB	R	CW

Sample Model Number:

35N2136LFF3W T1 3PL KRB R CW

	Model No./Description	List Price	Dimensions D W H A	KW	Cartoned Weight	Cubic Feet
Hiland Lateral File Two Drawer 	35N2136LFF2W • Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 225	\$ 1623	21 35¾ 29½ 1/16	—	141 lbs.	15.6
Hiland Lateral File Three Drawer 	35N2136LFF3W • Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 225	\$ 2262	21 35½ 43½ 1/16	—	210 lbs.	30.0
Hiland Lateral File Four Drawer 	35N2136LFF4W • Front-to-back filing is standard with lateral files; four rods per drawer are included • Lateral file has an unfinished back • Do not specify sheen option; features standard sheen • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Hiland for detailed product information, finishes and entire Hiland offering starting on page 225	\$ 2898	21 35¾ 55½ 1/16	—	268 lbs.	29.4

Specify selections, left to right:


Base Model	Pull Option	Locking	Sheen (wood tops only)	Finish
	82AB Antique Brass 82CN Classic Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	TF Truffle CW Cordovan DW Judicial MH Mocha
51N2137LFF2W	82AB	KRB	R	CW

Sample Model Number:

51N2136LFF2W 82AB KRB R CW

To You In
10
DAYS
...or Less

Shaded model numbers are available on our
"To You in 10 Days or Less" Quick Delivery
program and will be delivered within 10 days.

	Model No./Description	List Price	Dimensions				KW	Cartoned Weight	Cubic Feet
	D	W	H	A					
Roosevelt Lateral File Two Drawer 	51N2137LFF2W Wood Top	\$ 1709	21	37¼	29½	—	—	158 lbs.	15.6
	Q51N2137LFF2LW Laminate Top	1650	21	37¼	29½	—	—	123 lbs.	15.6
	51N2137LFF2LW Laminate Top	1650	21	37¼	29½	—	—	123 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239

Roosevelt Lateral File Three Drawer 	51N2137LFF3W Wood Top	\$ 2349	21 1/16	37 1/4	43 11/16	—	—	190 lbs.	24.0
	51N2137LFF3LW Laminate Top	2291	21 1/16	37 1/4	43 11/16	—	—	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239

Roosevelt Lateral File Four Drawer 	51N2137LFF4W Wood Top	\$ 2907	21	37¼	55 7/8	—	—	236 lbs.	29.4
--	-----------------------	---------	----	-----	--------	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 239

Files

Specify selections, left to right:

Base Model	Locking	Laminate
	KRB Key Random, Black	IM Brighton
	KRS Key Random, Silver	NM Natural
	KS1B Key Specific, Black	HN2 Honey 2
	KS1S Key Specific, Silver	CL Caramel
		TF Truffle
		AC2 Autumn 2
		MC Amber
		CW Cordovan
		DW Judicial
		MH Mocha
		440 Cloud
		462 Cinder
		791 Palisander
		792 Sable
		793 Acorn
10N2136LFF4L	KRB	DW

Sample Model Number:

10N2136LFF4L KRB DW

Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
		D	W	H				
Q10N2136LFF4L TFL Top	\$ 1886	209/16	36¼	57	—	—	297 lbs.	29.0
10N2136LFF4L TFL Top	1886	209/16	36¼	57	—	—	297 lbs.	29.0

Universal Lateral File Four Drawer



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file accommodates legal, letter, and EDP side-to-side filing and letter/letter, letter/legal and legal/legal front-to-back filing
- Quick Delivery models available in Amber and Cordovan laminates
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available





To Order, Specify:

1. Model Number
2. Pull
3. Locking
4. Paint

- See pages 487-488 of Casegoods Book 2 for all options available in WaveWorks Metal

Sample Model Number:

WW1842LFF2M 5 KRB 462

	Model No./Description	List Price	Dimensions			A	KW	Cartoned Weight	Cubic Feet
			D	W	H				
	WW1842LFF2M Two Drawer	\$ 833	18	42	27¼	—	—	121 lbs.	16.4
	QWW1836LFF2M Two Drawer	732	18	36	27¼	—	—	113 lbs.	14.2
	WW1836LFF2M Two Drawer	732	18	36	27¼	—	—	113 lbs.	14.2
	WW1830LFF2M Two Drawer	683	18	30	27¼	—	—	100 lbs.	12.0
	WW36CW2M Counterweight—Two Drawer	144	1⅞	23¼	11⅝	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units									
	WW1842LFF3M Three Drawer	\$ 1095	18	42	39⅜	—	—	164 lbs.	23.0
	WW1836LFF3M Three Drawer	1003	18	36	39⅜	—	—	146 lbs.	19.9
	WW1830LFF3M Three Drawer	951	18	30	39⅜	—	—	128 lbs.	16.8
	WW36CW2M Counterweight—Three Drawer	144	1⅞	23¼	11⅝	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units								
	WW1842LFF4M Four Drawer	\$ 1350	18	42	51⅞	—	—	191 lbs.	29.5
	QWW1836LFF4M Four Drawer	1137	18	36	51⅞	—	—	169 lbs.	25.6
	WW1836LFF4M Four Drawer	1137	18	36	51⅞	—	—	169 lbs.	25.6
	WW1830LFF4M Four Drawer	1080	18	30	51⅞	—	—	148 lbs.	21.7
	WW36CW2M Counterweight—Four Drawer	144	1⅞	23¼	11⅝	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units									
	WW1842LFF5M Five Drawer	\$ 1633	18	42	64½	—	—	212 lbs.	36.8
	WW1836LFF5M Five Drawer	1505	18	36	64½	—	—	187 lbs.	31.9
	WW1830LFF5M Five Drawer	1415	18	30	64½	—	—	162 lbs.	26.9
	WW36CW2M Counterweight—Five Drawer	144	1⅞	23¼	11⅝	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units								
	WW1842LFF5DM Five Drawer with Recessed Door	\$ 1732	18	42	64½	—	—	212 lbs.	36.8
	WW1836LFF5DM Five Drawer with Recessed Door	1594	18	36	64½	—	—	187 lbs.	31.9
	WW1830LFF5DM Five Drawer with Recessed Door	1529	18	30	64½	—	—	162 lbs.	26.9
	WW36CW2M Counterweight—Five Drawer	144	1⅞	23¼	11⅝	—	—	37 lbs.	0.1
	• Counterweight must be used unless ganging multiple lateral file units								
• Drawer fronts are picture framed • File drawers accommodate side-to-side letter/legal filing • Additional filing hardware may be purchased for front-to-back filing capability • See additional filing hardware on page 505 of Casegoods Book 2 • Counterweight must be ordered separately; specify model only • Knockouts are standard to allow for ganging side-by-side • File cannot be moved loaded • Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Pulls must be field installed for freestanding lateral files • Reference WaveWorks Metals for detailed product information, finishes and entire WaveWorks Metal offering starting on page 485 of Casegoods Book 2									

COM YARDAGE REQUIREMENTS (54" Width – Cut up the roll)

MODEL	Railroaded Contact customer service 800-482-1717 for ydg requirements	Non Directional Or Solid	1"-4" Repeat 4" Vertical X 4" Horizontal	5"-11" Repeat 11" Vertical X 11" Horizontal	12"-18" Repeat 18" Vertical X 18" Horizontal
Box/File Height Storage Cushions					
NAC1824CUSH		0.70	1.20	1.50	2.70
NAC1830CUSH		0.90	1.40	1.70	2.70
NAC1836CUSH		1.10	1.40	1.70	2.70
NAC2124CUSH		0.70	1.20	1.70	2.70
NAC2130CUSH		1.00	1.40	1.70	2.70
NAC2136CUSH		1.10	1.40	1.70	2.70
NAC2424CUSH		0.80	1.70	2.30	2.70
NAC2430CUSH		1.20	1.70	2.30	2.70
NAC2436CUSH		1.20	1.70	2.30	2.70

Mobile peds

CLN2016PMBFC	0.90	1.00	1.10	1.00
38N2315PMBFCW	0.90	1.00	1.10	1.00
25N2315PMBFCL	0.90	1.00	1.10	1.00
25N2315PMBFCW	0.90	1.00	1.10	1.00
75N2315PMBFC	0.90	1.00	1.10	1.00
WW2315PMBFCL	0.90	1.00	1.10	1.00
WW2315PMBFCW	0.90	1.00	1.10	1.00
WW2315PMBFCWL	0.90	1.00	1.10	1.00
WW2315PMBFCM	1.00	1.00	1.00	1.00
WW2315PMBFC2M	1.00	1.00	1.00	1.00

Tackable	54" Wide Roll	66" Wide Roll	Tackable	54" Wide Roll	66" Wide Roll
11N1834TB	1.25	1.25	11N2437SWTBP	0.50	0.50
11N1834TBA	1.00	1.00	11N2437SWTBPA	0.80	0.80
11N1836TB	1.25	1.25	11N2437TB	1.25	1.25
11N1836TBA	1.00	1.00	11N2437TBA	1.00	1.00
11N1837TB	1.25	1.25	11N2448SWTBF	1.50	1.50
11N1837TBA	1.00	1.00	11N2448SWTBFA	1.10	1.10
11N1848TB	1.50	1.50	11N2448SWTBP	0.90	0.90
11N1848TBA	1.00	1.00	11N2448SWTBPA	0.80	0.80
11N1849TB	1.50	1.50	11N2448TB	1.50	1.50
11N1849TBA	1.00	1.00	11N2448TBA	1.00	1.00
11N20WMVF	0.75	0.75	11N2449SWTBF	1.50	1.50
11N20WMVFA	0.25	0.25	11N2449SWTBFA	1.10	1.10
11N2434SWTBF	1.10	1.10	11N2449SWTBP	0.90	0.90
11N2434SWTBFA	1.50	1.50	11N2449SWTBPA	0.80	0.80
11N2434SWTBP	0.50	0.50	11N2449TB	1.50	1.50
11N2434SWTBPA	0.80	0.80	11N2449TBA	1.00	1.00
11N2434TB	1.25	1.25	11N3034SWTBF	1.10	1.10
11N2434TBA	1.00	1.00	11N3034SWTBFA	1.60	1.60
11N2436SWTBF	1.10	1.10	11N3034SWTBP	0.50	0.50
11N2436SWTBFA	1.30	1.30	11N3034SWTBPA	1.00	1.00
11N2436SWTBP	0.50	0.50	11N3034TB	1.25	1.25
11N2436SWTBPA	0.80	0.80	11N3034TBA	1.25	1.25
11N2436TB	1.25	1.25	11N3036SWTBF	1.10	1.10
11N2436TBA	1.00	1.00	11N3036SWTBFA	1.50	1.50
11N2437SWTBF	1.20	1.20	11N3036SWTBP	0.50	0.50
11N2437SWTBFA	1.30	1.30	11N3036SWTBPA	1.00	1.00

COM Yardage Requirements

Tackable	54" Wide Roll	66" Wide Roll
11N3036TB	1.25	1.25
11N3036TBA	1.25	1.25
11N3037SWTBF	1.20	1.20
11N3037SWTBFA	1.50	1.50
11N3037SWTBP	0.50	0.50
11N3037SWTBPA	1.00	1.00
11N3037TB	1.25	1.25
11N3037TBA	1.25	1.25
11N3048SWTBF	1.50	1.50
11N3048SWTBFA	1.30	1.30
11N3048SWTBP	0.90	0.90
11N3048SWTBPA	1.00	1.00
11N3048TB	1.50	1.50
11N3048TBA	1.25	1.25
11N3049SWTBF	1.50	1.50
11N3049SWTBFA	1.30	1.30
11N3049SWTBP	0.90	0.90
11N3049SWTBPA	1.00	1.00
11N3049TB	1.50	1.50
11N3049TBA	1.25	1.25
11N31WMVF	1.00	1.00
11N31WMVFA	0.25	0.25
11N34TCF	1.00	1.00
11N34TCFA	0.25	0.25
11N3634SWTBF	1.10	1.10
11N3634SWTBFA	1.80	1.80
11N3634SWTBP	0.50	0.50
11N3634SWTBPA	1.10	1.10
11N3634TB	1.25	1.25
11N3634TBA	1.50	1.50
11N3636SWTBF	1.10	1.10
11N3636SWTBFA	1.60	1.60
11N3636SWTBP	0.50	0.50
11N3636SWTBPA	1.10	1.10
11N3636TB	1.25	1.25
11N3636TBA	1.50	1.50
11N3637SWTBF	1.20	1.20
11N3637SWTBFA	1.60	1.60
11N3637SWTBP	0.50	0.50
11N3637SWTBPA	1.10	1.10
11N3637TB	1.25	1.25
11N3637TBA	1.50	1.50
11N3648SWTBF	1.50	1.50
11N3648SWTBFA	1.50	1.50
11N3648SWTBP	0.90	0.90
11N3648SWTBPA	1.10	1.10
11N3648TB	1.50	1.50
11N3648TBA	1.50	1.50
11N3649SWTBF	1.50	1.50
11N3649SWTBFA	1.50	1.50
11N3649SWTBP	0.90	0.90
11N3649SWTBPA	1.10	1.10
11N3649TB	1.50	1.50
11N3649TBA	1.50	1.50
11N36TCF	1.25	1.25
11N36TCFA	0.25	0.25
11N37TCF	1.25	1.25

Tackable	54" Wide Roll	66" Wide Roll
11N37TCFA	0.25	0.25
11N4234SWTBF	1.10	1.10
11N4234SWTBFA	2.00	2.00
11N4234SWTBP	0.50	0.50
11N4234SWTBPA	1.30	1.30
11N4234TB	1.25	1.25
11N4234TBA	1.50	1.50
11N4236SWTBF	1.10	1.10
11N4236SWTBFA	1.80	1.80
11N4236SWTBP	0.50	0.50
11N4236SWTBPA	1.30	1.30
11N4236TB	1.25	1.25
11N4236TBA	1.50	1.50
11N4237SWTBF	1.20	1.20
11N4237SWTBFA	1.80	1.80
11N4237SWTBP	0.50	0.50
11N4237SWTBPA	1.30	1.30
11N4237TB	1.25	1.25
11N4237TBA	1.50	1.50
11N4248SWTBF	1.50	1.50
11N4248SWTBFA	1.60	1.60
11N4248SWTBP	0.90	0.90
11N4248SWTBPA	1.30	1.30
11N4248TB	1.50	1.50
11N4248TBA	1.50	1.50
11N4249SWTBF	1.50	1.50
11N4249SWTBFA	1.60	1.60
11N4249SWTBP	0.90	0.90
11N4249SWTBPA	1.30	1.30
11N4249TB	1.50	1.50
11N4249TBA	1.50	1.50
11N4834SWTBF	1.10	1.10
11N4834SWTBFA	2.10	2.10
11N4834SWTBP	0.50	0.50
11N4834SWTBPA	1.50	1.50
11N4834TB	1.25	1.25
11N4834TBA	1.75	1.75
11N4836SWTBF	1.10	1.10
11N4836SWTBFA	2.00	2.00
11N4836SWTBP	0.50	0.50
11N4836SWTBPA	1.50	1.50
11N4836TB	1.25	1.25
11N4836TBA	1.75	1.75
11N4837SWTBF	1.20	1.20
11N4837SWTBFA	2.00	2.00
11N4837SWTBP	0.50	0.50
11N4837SWTBPA	1.50	1.50
11N4837TB	1.25	1.25
11N4837TBA	1.75	1.75
11N4848SWTBF	1.50	1.50
11N4848SWTBFA	1.80	1.80
11N4848SWTBP	0.90	0.90
11N4848SWTBPA	1.50	1.50
11N4848TB	1.50	1.50
11N4848TBA	1.75	1.75
11N4849SWTBF	1.50	1.50
11N4849SWTBFA	1.80	1.80

COM Yardage Requirements

Tackable	54" Wide Roll	66" Wide Roll
11N4849SWTBP	0.90	0.90
11N4849SWTBPA	1.50	1.50
11N4849TB	1.50	1.50
11N4849TBA	1.75	1.75
11N48TCF	1.50	1.50
11N48TCFA	0.25	0.25
11N49TCF	1.50	1.50
11N49TCFA	0.25	0.25
11N5434TB	N/A	1.25
11N5434TBA	2.00	2.00
11N5436TB	N/A	1.25
11N5436TBA	2.00	2.00
11N5437TB	N/A	1.25
11N5437TBA	2.00	2.00
11N5448TB	N/A	1.50
11N5448TBA	2.00	2.00
11N5449TB	N/A	1.50
11N5449TBA	2.00	2.00
11N6034TB	N/A	1.25
11N6034TBA	2.00	2.00
11N6036TB	N/A	1.25
11N6036TBA	2.00	2.00
11N6037TB	N/A	1.25
11N6037TBA	2.00	2.00
11N6048TB	N/A	1.50
11N6048TBA	2.00	2.00
11N6049TB	N/A	1.50
11N6049TBA	2.00	2.00
1660TB	N/A	0.75
1660TBA	2.00	2.00
1666TBA	2.00	2.00
1669TBA	2.25	2.25
1672TBA	2.25	2.25
1683TBA	2.50	2.50
26N2411SWTB	0.30	0.30
26N2411SWTBA	0.80	0.80
26N2411TB	0.40	0.40
26N2411TBA	0.80	0.80
26N2432TB	1.00	1.00
26N2432TBA	0.80	0.80
26N2439TB	1.20	1.20
26N2439TBA	0.80	0.80
26N3011SWTB	0.30	0.30
26N3011SWTBA	1.00	1.00
26N3011TB	0.40	0.40
26N3011TBA	1.00	1.00
26N3032TB	1.00	1.00
26N3032TBA	1.00	1.00
26N3039TB	1.20	1.20
26N3039TBA	1.00	1.00
26N3611SWTB	0.30	0.30
26N3611SWTBA	1.10	1.10
26N3611TB	0.40	0.40
26N3611TBA	1.10	1.10
26N3632TB	1.00	1.00
26N3632TBA	1.10	1.10
26N3639TB	1.20	1.20

Tackable	54" Wide Roll	66" Wide Roll
26N3639TBA	1.20	1.20
26N4211SWTB	0.30	0.30
26N4211SWTBA	1.30	1.30
26N4211TB	0.40	0.40
26N4211TBA	1.30	1.30
26N4232TB	1.00	1.00
26N4232TBA	1.30	1.30
26N4239TB	1.20	1.20
26N4239TBA	1.30	1.30
26N4811SWTB	0.30	0.30
26N4811SWTBA	1.50	1.50
26N4811TB	0.40	0.40
26N4811TBA	1.50	1.50
26N4832TB	1.00	1.00
26N4832TBA	1.50	1.50
26N4839TB	1.20	1.20
26N4839TBA	1.50	1.50
26N5411SWTB	N/A	0.30
26N5411SWTBA	1.60	1.60
26N5411TB	N/A	0.40
26N5411TBA	1.60	1.60
26N5432TB	N/A	1.00
26N5432TBA	1.70	1.70
26N5439TB	N/A	1.20
26N5439TBA	1.70	1.70
26N6011SWTB	N/A	0.30
26N6011SWTBA	1.80	1.80
26N6011TB	N/A	0.40
26N6011TBA	1.80	1.80
26N6032TB	N/A	1.00
26N6032TBA	1.80	1.80
26N6039TB	N/A	1.20
26N6039TBA	1.80	1.80
26N6611SWTBA	2.00	2.00
26N6611TBA	2.00	2.00
26N6632TBA	2.00	2.00
26N6639TBA	2.00	2.00
26N7211SWTBA	2.10	2.10
26N7211TBA	2.10	2.10
26N7232TBA	2.20	2.20
26N7239TBA	2.20	2.20
38N3672DTLFCW1	2.25	2.25
38N3672DTLFCWP1	2.25	2.25
38N3672DTRFCW1	2.25	2.25
38N3672DTRFCWP1	2.25	2.25
NAC1819TBC	0.25	0.25
NAC1819TBCA	0.75	0.75
NAC1819TBR	0.25	0.25
NAC1819TBRA	0.75	0.75
NAC2211TBD2	0.50	0.50
NAC2211TBDA2	0.75	0.75
NAC3017TBR	0.75	0.75
NAC3017TBRA	1.00	1.00
NAC3018TBR	0.75	0.75
NAC3018TBRA	1.00	1.00
NAC3019TBC	0.75	0.75
NAC3019TBCA	1.00	1.00

COM Yardage Requirements

Tackable	54" Wide Roll	66" Wide Roll
NAC3019TBR	0.75	0.75
NAC3019TBRA	1.00	1.00
NAC3219TBR	0.75	0.75
NAC3219TBRA	1.00	1.00
NAC3220TBM	0.70	0.70
NAC3220TBMA	1.00	1.00
NAC3519TBR	0.75	0.75
NAC3519TBRA	1.25	1.25
NAC3617TBR	0.75	0.75
NAC3617TBRA	1.25	1.25
NAC3618TBR	0.75	0.75
NAC3618TBRA	1.25	1.25
NAC3619TBC	0.75	0.75
NAC3619TBCA	1.25	1.25
NAC3619TBR	0.75	0.75
NAC3619TBRA	1.25	1.25
NAC3819TBR	0.75	0.75
NAC3819TBRA	1.50	1.50
NAC3820TBM	0.70	0.70
NAC3820TBMA	1.20	1.20
NAC3916TBR	0.75	0.75
NAC3916TBRA	1.50	1.50
NAC4219TBC	0.75	0.75
NAC4219TBCA	1.50	1.50
NAC4219TBR	0.75	0.75
NAC4219TBRA	1.50	1.50
NAC4419TBR	0.75	0.75
NAC4419TBRA	1.50	1.50
NAC4420TBM	0.70	0.70
NAC4420TBMA	1.40	1.40
NAC4516TBR	0.75	0.75
NAC4516TBRA	1.50	1.50
NAC4619TBR	0.75	0.75
NAC4619TBRA	1.50	1.50
NAC4810TBD	0.50	0.50
NAC4810TBDA	1.50	1.50
NAC4811TBD	0.50	0.50
NAC4811TBDA	1.50	1.50
NAC4819TBR	0.75	0.75
NAC4819TBRA	1.50	1.50
NAC4819TBS	0.75	0.75
NAC4819TBSA	1.50	1.50
NAC4919TBR	0.75	0.75
NAC4919TBRA	1.50	1.50
NAC5019TBR	N/A	0.75
NAC5019TBRA	1.50	1.50
NAC5219TBR	N/A	0.75
NAC5219TBRA	1.75	1.75
NAC5417TBR	0.60	0.60
NAC5417TBRA	1.60	1.60
NAC5419TBR	N/A	0.75
NAC5419TBRA	1.75	1.75
NAC5517TBR	0.60	0.60
NAC5517TBRA	1.60	1.60
NAC5616TBR	0.60	0.60
NAC5616TBRA	1.70	1.70
NAC5619TBR	N/A	0.75

Tackable	54" Wide Roll	66" Wide Roll
NAC5619TBRA	1.75	1.75
NAC5620TBM	N/A	0.70
NAC5620TBMA	1.70	1.70
NAC5710TBD	N/A	0.50
NAC5710TBDA	1.75	1.75
NAC5711TBD	N/A	0.50
NAC5711TBDA	1.75	1.75
NAC5716TBR	N/A	0.60
NAC5716TBRA	1.75	1.75
NAC5720TBR	0.70	0.70
NAC5720TBRA	1.70	1.70
NAC5819TBR	N/A	0.75
NAC5819TBRA	1.75	1.75
NAC6010TBD	N/A	0.50
NAC6010TBDA	2.00	2.00
NAC6011TBD	N/A	0.50
NAC6011TBDA	2.00	2.00
NAC6017TBR	N/A	0.75
NAC6017TBRA	2.00	2.00
NAC6019TBR	N/A	0.75
NAC6019TBRA	2.00	2.00
NAC6019TBS	N/A	0.75
NAC6019TBSA	2.00	2.00
NAC6114TBD	N/A	0.67
NAC6114TBDA	2.00	2.00
NAC6117TBR	N/A	0.75
NAC6117TBRA	2.00	2.00
NAC6119TBR	N/A	0.75
NAC6119TBRA	2.00	2.00
NAC6216TBRA	2.00	2.00
NAC6219TBRA	2.00	2.00
NAC6316TBRA	2.00	2.00
NAC6317TBRA	2.00	2.00
NAC6319TBRA	2.00	2.00
NAC6320TBRA	2.00	2.00
NAC6414TBDA	2.00	2.00
NAC6415TBDA	2.00	2.00
NAC6419TBRA	2.00	2.00
NAC6617TBRA	2.00	2.00
NAC6619TBRA	2.00	2.00
NAC6619TBSA	2.00	2.00
NAC6713TBDA	2.00	2.00
NAC6714TBDA	2.00	2.00
NAC6717TBRA	2.00	2.00
NAC6719TBRA	2.00	2.00
NAC6813TBDA	2.00	2.00
NAC6816TBRA	2.00	2.00
NAC6819TBRA	2.00	2.00
NAC6820TBMA	2.10	2.10
NAC6912TBDA	2.00	2.00
NAC6916TBRA	2.25	2.25
NAC6917TBRA	2.25	2.25
NAC6919TBRA	2.25	2.25
NAC6920TBRA	2.25	2.25
NAC7014TBDA	2.25	2.25
NAC7015TBDA	2.25	2.25
NAC7019TBRA	2.25	2.25

COM Yardage Requirements

Tackable	54" Wide Roll	66" Wide Roll
NAC7212TBDA	2.25	2.25
NAC7219TBRA	2.25	2.25
NAC7219TBSA	2.25	2.25
NAC7317TBRA	2.10	2.10
NAC7419TBRA	2.25	2.25
NAC7420TBRA	2.20	2.20
NAC7517TBRA	2.20	2.20
NAC7616TBRA	2.20	2.20

Tackable	54" Wide Roll	66" Wide Roll
NAC7619TBRA	2.25	2.25
NAC7917TBRA	2.30	2.30
NAC8020TBRA	2.30	2.30
NAC8117TBRA	2.40	2.40
NAC8219TBRA	2.50	2.50
NAC8416TBRA	2.50	2.50
NAC8819TBRA	2.75	2.75

Model	Page	Model	Page	Model	Page	Model	Page
10N1622RTPUL	361	11N2436SWTBP	274	11N3049TB	269	11N3637MB	270
10N1622RTPUW	361	11N2436SWTBPA	274	11N3049TBA	269	11N3637MBP	270
10N1850RTGK	394	11N2436TB	266	11N31WMV	326	11N3637SH1L	287
10N1850RTSK	394	11N2436TBA	266	11N31WMVF	326	11N3637SH1LW	287
10N2136LFF4L	430	11N2437MB	270	11N31WMVFA	326	11N3637SH1W	287
10N2424RDG	392	11N2437MBP	270	11N34TCF	327	11N3637SH1WL	287
10N2424RDGK	394	11N2437SW	272	11N34TCFA	327	11N3637SH2L	288
10N2424RDSK	394	11N2437SWTBF	275	11N34TCP	328	11N3637SH2LW	288
10N2424SQG	392	11N2437SWTBFA	275	11N3634MB	270	11N3637SH2W	288
10N2424SQGK	394	11N2437SWTBP	275	11N3634MBP	270	11N3637SH2WL	288
10N2424SQSK	394	11N2437SWTBPA	275	11N3634SH1L	277	11N3637SH3L	289
10N2424SSQGK	394	11N2437TB	267	11N3634SH1LW	277	11N3637SH3LW	289
10N2424SSQS	392	11N2437TBA	267	11N3634SH1W	277	11N3637SH3W	289
10N2424SSQSK	394	11N2448MB	271	11N3634SH1WL	277	11N3637SH3WL	289
10N2448RTGK	394	11N2448MBP	271	11N3634SH2L	278	11N3637SH4L	290
10N2448RTSK	394	11N2448SW	272	11N3634SH2LW	278	11N3637SH4LW	290
10N24RDS	392	11N2448SWTBF	275	11N3634SH2W	278	11N3637SH4W	290
10N3630BCOFL	417	11N2448SWTBFA	275	11N3634SH2WL	278	11N3637SH4WL	290
10N3630BCOFW	416	11N2448SWTBP	275	11N3634SH3L	279	11N3637SH6L	291
10N3636BCOFL	417	11N2448SWTBPA	275	11N3634SH3LW	279	11N3637SH6LW	291
10N3636BCOFW	416	11N2448TB	268	11N3634SH3W	279	11N3637SH6W	291
10N3636RDG	392	11N2448TBA	268	11N3634SH3WL	279	11N3637SH6WL	291
10N3636RDGK	394	11N2449MB	271	11N3634SH4L	280	11N3637SW	272
10N3636RDSK	394	11N2449MBP	271	11N3634SH4LW	280	11N3637SWTBF	275
10N3636SQG	392	11N2449SW	273	11N3634SH4W	280	11N3637SWTBFA	275
10N3636SQGK	394	11N2449SWTBF	276	11N3634SH4WL	280	11N3637SWTBP	275
10N3636SQSK	394	11N2449SWTBFA	276	11N3634SH6L	281	11N3637SWTBPA	275
10N3636SSQGK	394	11N2449SWTBP	276	11N3634SH6LW	281	11N3637TB	267
10N3636SSQS	392	11N2449SWTBPA	276	11N3634SH6W	281	11N3637TBA	267
10N3636SSQSK	394	11N2449TB	269	11N3634SH6WL	281	11N3637TVF	307
10N3648BCOFL	417	11N2449TBA	269	11N3634SW	272	11N3637TVFA	307
10N3648BCOFW	416	11N3034MB	270	11N3634SWTBF	274	11N3637TVL	310
10N3660BCOFL	417	11N3034MBP	270	11N3634SWTBFA	274	11N3637TVW	310
10N3660BCOFW	416	11N3034SW	272	11N3634SWTBP	274	11N3648MB	271
10N3672BCOFL	417	11N3034SWTBF	274	11N3634SWTBPA	274	11N3648MBP	271
10N3672BCOFW	416	11N3034SWTBFA	274	11N3634TB	265	11N3648SH1L	292
10N3684BCOFL	417	11N3034SWTBP	274	11N3634TBA	265	11N3648SH1LW	292
10N3684BCOFW	416	11N3034SWTBPA	274	11N3634TVF	306	11N3648SH1W	292
10N36RDS	392	11N3034TB	265	11N3634TVFA	306	11N3648SH1WL	292
11N01ETP	327	11N3034TBA	265	11N3634TVL	309	11N3648SH2L	293
11N0615WMVF	311	11N3036MB	270	11N3634TVW	309	11N3648SH2LW	293
11N0615WMVFA	311	11N3036MBP	270	11N3636MB	270	11N3648SH2W	293
11N0615WMVL	311	11N3036SW	272	11N3636MBP	270	11N3648SH2WL	293
11N0615WMVW	311	11N3036SWTBF	274	11N3636SH1L	282	11N3648SH3L	294
11N144EXFP1	264	11N3036SWTBFA	274	11N3636SH1LW	282	11N3648SH3LW	294
11N144EXFP2	264	11N3036SWTBP	274	11N3636SH1W	282	11N3648SH3W	294
11N144EXP1	264	11N3036SWTBPA	274	11N3636SH1WL	282	11N3648SH3WL	294
11N1834TB	265	11N3036TB	266	11N3636SH2L	283	11N3648SH4L	295
11N1834TBA	265	11N3036TBA	266	11N3636SH2LW	283	11N3648SH4LW	295
11N1836TB	266	11N3037MB	270	11N3636SH2W	283	11N3648SH4W	295
11N1836TBA	266	11N3037MBP	270	11N3636SH2WL	283	11N3648SH4WL	295
11N1837TB	267	11N3037SW	272	11N3636SH3L	284	11N3648SH5L	296
11N1837TBA	267	11N3037SWTBF	275	11N3636SH3LW	284	11N3648SH5LW	296
11N1848TB	268	11N3037SWTBFA	275	11N3636SH3W	284	11N3648SH5W	296
11N1848TBA	268	11N3037SWTBP	275	11N3636SH3WL	284	11N3648SH5WL	296
11N1849TB	269	11N3037SWTBPA	275	11N3636SH4L	285	11N3648SH6L	297
11N1849TBA	269	11N3037TB	267	11N3636SH4LW	285	11N3648SH6LW	297
11N20WMV	326	11N3037TBA	267	11N3636SH4W	285	11N3648SH6W	297
11N20WMVF	326	11N3048MB	271	11N3636SH4WL	285	11N3648SH6WL	297
11N20WMVFA	326	11N3048MBP	271	11N3636SH6L	286	11N3648SH7L	298
11N2434MB	270	11N3048SW	272	11N3636SH6LW	286	11N3648SH7LW	298
11N2434MBP	270	11N3048SWTBF	275	11N3636SH6W	286	11N3648SH7W	298
11N2434SW	272	11N3048SWTBFA	275	11N3636SH6WL	286	11N3648SH7WL	298
11N2434SWTBF	274	11N3048SWTBP	275	11N3636SW	272	11N3648SW	272
11N2434SWTBFA	274	11N3048SWTBPA	275	11N3636SWTBF	274	11N3648SWTBF	275
11N2434SWTBP	274	11N3048TB	268	11N3636SWTBFA	274	11N3648SWTBFA	275
11N2434SWTBPA	274	11N3048TBA	268	11N3636SWTBP	274	11N3648SWTBP	275
11N2434TB	265	11N3049MB	271	11N3636SWTBPA	274	11N3648SWTBPA	275
11N2434TBA	265	11N3049MBP	271	11N3636TB	266	11N3648TB	268
11N2436MB	270	11N3049SW	273	11N3636TBA	266	11N3648TBA	268
11N2436MBP	270	11N3049SWTBF	276	11N3636TVF	306	11N3648TVF	307
11N2436SW	272	11N3049SWTBFA	276	11N3636TVFA	306	11N3648TVFA	307
11N2436SWTBF	274	11N3049SWTBP	276	11N3636TVL	309	11N3648TVL	310
11N2436SWTBFA	274	11N3049SWTBPA	276	11N3636TVW	309	11N3648TVW	310

Index

Model	Page	Model	Page	Model	Page	Model	Page
11N3649MB	271	11N4234SWTBFA	274	11N4237TVW	310	11N4249SWTBFA	276
11N3649MBP	271	11N4234SWTBP	274	11N4248MB	271	11N4249SWTBP	276
11N3649SH1L	299	11N4234SWTBPA	274	11N4248MBP	271	11N4249SWTBPA	276
11N3649SH1LW	299	11N4234TB	265	11N4248SH1L	292	11N4249TB	269
11N3649SH1W	299	11N4234TBA	265	11N4248SH1LW	292	11N4249TBA	269
11N3649SH1WL	299	11N4234TVF	306	11N4248SH1W	292	11N4249TVF	308
11N3649SH2L	300	11N4234TVFA	306	11N4248SH1WL	292	11N4249TVFA	308
11N3649SH2LW	300	11N4234TVL	309	11N4248SH2L	293	11N4249TVL	311
11N3649SH2W	300	11N4234TVW	309	11N4248SH2LW	293	11N4249TVW	311
11N3649SH2WL	300	11N4236MB	270	11N4248SH2W	293	11N4834MB	270
11N3649SH3L	301	11N4236MBP	270	11N4248SH2WL	293	11N4834MBP	270
11N3649SH3LW	301	11N4236SH1L	282	11N4248SH3L	294	11N4834SH1L	277
11N3649SH3W	301	11N4236SH1LW	282	11N4248SH3LW	294	11N4834SH1LW	277
11N3649SH3WL	301	11N4236SH1W	282	11N4248SH3W	294	11N4834SH1W	277
11N3649SH4L	302	11N4236SH1WL	282	11N4248SH3WL	294	11N4834SH1WL	277
11N3649SH4LW	302	11N4236SH2L	283	11N4248SH4L	295	11N4834SH2L	278
11N3649SH4W	302	11N4236SH2LW	283	11N4248SH4LW	295	11N4834SH2LW	278
11N3649SH4WL	302	11N4236SH2W	283	11N4248SH4W	295	11N4834SH2W	278
11N3649SH5L	303	11N4236SH2WL	283	11N4248SH4WL	295	11N4834SH2WL	278
11N3649SH5LW	303	11N4236SH3L	284	11N4248SH5L	296	11N4834SH3L	279
11N3649SH5W	303	11N4236SH3LW	284	11N4248SH5LW	296	11N4834SH3LW	279
11N3649SH5WL	303	11N4236SH3W	284	11N4248SH5W	296	11N4834SH3W	279
11N3649SH6L	304	11N4236SH3WL	284	11N4248SH5WL	296	11N4834SH3WL	279
11N3649SH6LW	304	11N4236SH4L	285	11N4248SH6L	297	11N4834SH4L	280
11N3649SH6W	304	11N4236SH4LW	285	11N4248SH6LW	297	11N4834SH4LW	280
11N3649SH6WL	304	11N4236SH4W	285	11N4248SH6W	297	11N4834SH4W	280
11N3649SH7L	305	11N4236SH4WL	285	11N4248SH6WL	297	11N4834SH4WL	280
11N3649SH7LW	305	11N4236SH6L	286	11N4248SH7L	298	11N4834SH6L	281
11N3649SH7W	305	11N4236SH6LW	286	11N4248SH7LW	298	11N4834SH6LW	281
11N3649SH7WL	305	11N4236SH6W	286	11N4248SH7W	298	11N4834SH6W	281
11N3649SW	273	11N4236SH6WL	286	11N4248SH7WL	298	11N4834SH6WL	281
11N3649SWTBF	276	11N4236SW	272	11N4248SW	272	11N4834SW	272
11N3649SWTBFA	276	11N4236SWTBF	274	11N4248SWTBF	275	11N4834SWTBF	274
11N3649SWTBP	276	11N4236SWTBFA	274	11N4248SWTBFA	275	11N4834SWTBFA	274
11N3649SWTBPA	276	11N4236SWTBP	274	11N4248SWTBP	275	11N4834SWTBP	274
11N3649TB	269	11N4236SWTBPA	274	11N4248SWTBPA	275	11N4834SWTBPA	274
11N3649TBA	269	11N4236TB	266	11N4248TB	268	11N4834TB	265
11N3649TVF	308	11N4236TBA	266	11N4248TBA	268	11N4834TBA	265
11N3649TVFA	308	11N4236TVF	306	11N4248TVF	307	11N4834TVF	306
11N3649TVL	311	11N4236TVFA	306	11N4248TVFA	307	11N4834TVFA	306
11N3649TVW	311	11N4236TVL	309	11N4248TVL	310	11N4834TVL	309
11N36TCF	327	11N4236TVW	309	11N4248TVW	310	11N4834TVW	309
11N36TCFA	327	11N4237MB	270	11N4249MB	271	11N4836MB	270
11N36TCP	328	11N4237MBP	270	11N4249MBP	271	11N4836MBP	270
11N37ETP	326	11N4237SH1L	287	11N4249SH1L	299	11N4836SH1L	282
11N37TCF	327	11N4237SH1LW	287	11N4249SH1LW	299	11N4836SH1LW	282
11N37TCFA	327	11N4237SH1W	287	11N4249SH1W	299	11N4836SH1W	282
11N37TCP	328	11N4237SH1WL	287	11N4249SH1WL	299	11N4836SH1WL	282
11N39ETP	326	11N4237SH2L	288	11N4249SH2L	300	11N4836SH2L	283
11N40ETP	326	11N4237SH2LW	288	11N4249SH2LW	300	11N4836SH2LW	283
11N4234MB	270	11N4237SH2W	288	11N4249SH2W	300	11N4836SH2W	283
11N4234MBP	270	11N4237SH2WL	288	11N4249SH2WL	300	11N4836SH2WL	283
11N4234SH1L	277	11N4237SH3L	289	11N4249SH3L	301	11N4836SH3L	284
11N4234SH1LW	277	11N4237SH3LW	289	11N4249SH3LW	301	11N4836SH3LW	284
11N4234SH1W	277	11N4237SH3W	289	11N4249SH3W	301	11N4836SH3W	284
11N4234SH1WL	277	11N4237SH3WL	289	11N4249SH3WL	301	11N4836SH3WL	284
11N4234SH2L	278	11N4237SH4L	290	11N4249SH4L	302	11N4836SH4L	285
11N4234SH2LW	278	11N4237SH4LW	290	11N4249SH4LW	302	11N4836SH4LW	285
11N4234SH2W	278	11N4237SH4W	290	11N4249SH4W	302	11N4836SH4W	285
11N4234SH2WL	278	11N4237SH4WL	290	11N4249SH4WL	302	11N4836SH4WL	285
11N4234SH3L	279	11N4237SH6L	291	11N4249SH5L	303	11N4836SH6L	286
11N4234SH3LW	279	11N4237SH6LW	291	11N4249SH5LW	303	11N4836SH6LW	286
11N4234SH3W	279	11N4237SH6W	291	11N4249SH5W	303	11N4836SH6W	286
11N4234SH3WL	279	11N4237SH6WL	291	11N4249SH5WL	303	11N4836SH6WL	286
11N4234SH4L	280	11N4237SW	272	11N4249SH6L	304	11N4836SW	272
11N4234SH4LW	280	11N4237SWTBF	275	11N4249SH6LW	304	11N4836SWTBF	274
11N4234SH4W	280	11N4237SWTBFA	275	11N4249SH6W	304	11N4836SWTBFA	274
11N4234SH4WL	280	11N4237SWTBP	275	11N4249SH6WL	304	11N4836SWTBP	274
11N4234SH6L	281	11N4237SWTBPA	275	11N4249SH7L	305	11N4836SWTBPA	274
11N4234SH6LW	281	11N4237TB	267	11N4249SH7LW	305	11N4836TB	266
11N4234SH6W	281	11N4237TBA	267	11N4249SH7W	305	11N4836TBA	266
11N4234SH6WL	281	11N4237TVF	307	11N4249SH7WL	305	11N4836TVF	306
11N4234SW	272	11N4237TVFA	307	11N4249SW	273	11N4836TVFA	306
11N4234SWTBF	274	11N4237TVL	310	11N4249SWTBF	276	11N4836TVL	309

Model	Page	Model	Page	Model	Page	Model	Page
11N4836TVW	309	11N4848TVW	310	11N5434TVF	306	11N5448SH4L	295
11N4837MB	270	11N4849MB	271	11N5434TVFA	306	11N5448SH4LW	295
11N4837MBP	270	11N4849MBP	271	11N5434TVL	309	11N5448SH4W	295
11N4837SH1L	287	11N4849SH1L	299	11N5434TVW	309	11N5448SH4WL	295
11N4837SH1LW	287	11N4849SH1LW	299	11N5436MB	270	11N5448SH5L	296
11N4837SH1W	287	11N4849SH1W	299	11N5436MBP	270	11N5448SH5LW	296
11N4837SH1WL	287	11N4849SH1WL	299	11N5436SH1L	282	11N5448SH5W	296
11N4837SH2L	288	11N4849SH2L	300	11N5436SH1LW	282	11N5448SH5WL	296
11N4837SH2LW	288	11N4849SH2LW	300	11N5436SH1W	282	11N5448SH6L	297
11N4837SH2W	288	11N4849SH2W	300	11N5436SH1WL	282	11N5448SH6LW	297
11N4837SH2WL	288	11N4849SH2WL	300	11N5436SH2L	283	11N5448SH6W	297
11N4837SH3L	289	11N4849SH3L	301	11N5436SH2LW	283	11N5448SH6WL	297
11N4837SH3LW	289	11N4849SH3LW	301	11N5436SH2W	283	11N5448SH7L	298
11N4837SH3W	289	11N4849SH3W	301	11N5436SH2WL	283	11N5448SH7LW	298
11N4837SH3WL	289	11N4849SH3WL	301	11N5436SH3L	284	11N5448SH7W	298
11N4837SH4L	290	11N4849SH4L	302	11N5436SH3LW	284	11N5448SH7WL	298
11N4837SH4LW	290	11N4849SH4LW	302	11N5436SH3W	284	11N5448TB	268
11N4837SH4W	290	11N4849SH4W	302	11N5436SH3WL	284	11N5448TBA	268
11N4837SH4WL	290	11N4849SH4WL	302	11N5436SH4L	285	11N5448TVF	307
11N4837SH6L	291	11N4849SH5L	303	11N5436SH4LW	285	11N5448TVFA	307
11N4837SH6LW	291	11N4849SH5LW	303	11N5436SH4W	285	11N5448TVL	310
11N4837SH6W	291	11N4849SH5W	303	11N5436SH4WL	285	11N5448TVW	310
11N4837SH6WL	291	11N4849SH5WL	303	11N5436SH6L	286	11N5449MB	271
11N4837SW	272	11N4849SH6L	304	11N5436SH6LW	286	11N5449MBP	271
11N4837SWTBF	275	11N4849SH6LW	304	11N5436SH6W	286	11N5449SH1L	299
11N4837SWTBFA	275	11N4849SH6W	304	11N5436SH6WL	286	11N5449SH1LW	299
11N4837SWTBP	275	11N4849SH6WL	304	11N5436TB	266	11N5449SH1W	299
11N4837SWTBPA	275	11N4849SH7L	305	11N5436TVF	306	11N5449SH1WL	299
11N4837TB	267	11N4849SH7LW	305	11N5436TVFA	306	11N5449SH2L	300
11N4837TBA	267	11N4849SH7W	305	11N5436TVFA	306	11N5449SH2LW	300
11N4837TVF	307	11N4849SH7WL	305	11N5436TVL	309	11N5449SH2W	300
11N4837TVFA	307	11N4849SW	273	11N5436TVW	309	11N5449SH2WL	300
11N4837TVL	310	11N4849SWTBF	276	11N5437MB	270	11N5449SH3L	301
11N4837TVW	310	11N4849SWTBFA	276	11N5437MBP	270	11N5449SH3LW	301
11N4848MB	271	11N4849SWTBP	276	11N5437SH1L	287	11N5449SH3W	301
11N4848MBP	271	11N4849SWTBPA	276	11N5437SH1LW	287	11N5449SH3WL	301
11N4848SH1L	292	11N4849TB	269	11N5437SH1W	287	11N5449SH4L	302
11N4848SH1LW	292	11N4849TBA	269	11N5437SH1WL	287	11N5449SH4LW	302
11N4848SH1W	292	11N4849TVF	308	11N5437SH2L	288	11N5449SH4W	302
11N4848SH1WL	292	11N4849TVFA	308	11N5437SH2LW	288	11N5449SH4WL	302
11N4848SH2L	293	11N4849TVL	311	11N5437SH2W	288	11N5449SH5L	303
11N4848SH2LW	293	11N4849TVW	311	11N5437SH2WL	288	11N5449SH5LW	303
11N4848SH2W	293	11N48TCF	327	11N5437SH3L	289	11N5449SH5W	303
11N4848SH2WL	293	11N48TCFA	327	11N5437SH3LW	289	11N5449SH5WL	303
11N4848SH3L	294	11N48TCP	328	11N5437SH3W	289	11N5449SH6L	304
11N4848SH3LW	294	11N49TCF	327	11N5437SH3WL	289	11N5449SH6LW	304
11N4848SH3W	294	11N49TCFA	327	11N5437SH4L	290	11N5449SH6W	304
11N4848SH3WL	294	11N49TCP	328	11N5437SH4LW	290	11N5449SH6WL	304
11N4848SH4L	295	11N51ETP	326	11N5437SH4W	290	11N5449SH7L	305
11N4848SH4LW	295	11N52ETP	326	11N5437SH4WL	290	11N5449SH7LW	305
11N4848SH4W	295	11N5434MB	270	11N5437SH6L	291	11N5449SH7W	305
11N4848SH4WL	295	11N5434MBP	270	11N5437SH6LW	291	11N5449SH7WL	305
11N4848SH5L	296	11N5434SH1L	277	11N5437SH6W	291	11N5449TB	269
11N4848SH5LW	296	11N5434SH1LW	277	11N5437SH6WL	291	11N5449TBA	269
11N4848SH5W	296	11N5434SH1W	277	11N5437TB	267	11N5449TVF	308
11N4848SH5WL	296	11N5434SH1WL	277	11N5437TBA	267	11N5449TVFA	308
11N4848SH6L	297	11N5434SH2L	278	11N5437TVF	307	11N5449TVL	311
11N4848SH6LW	297	11N5434SH2LW	278	11N5437TVFA	307	11N5449TVW	311
11N4848SH6W	297	11N5434SH2W	278	11N5437TVL	310	11N6034MB	270
11N4848SH6WL	297	11N5434SH2WL	278	11N5437TVW	310	11N6034MBP	270
11N4848SH7L	298	11N5434SH3L	279	11N5448MB	271	11N6034SH1L	277
11N4848SH7LW	298	11N5434SH3LW	279	11N5448MBP	271	11N6034SH1LW	277
11N4848SH7W	298	11N5434SH3W	279	11N5448SH1L	292	11N6034SH1W	277
11N4848SH7WL	298	11N5434SH3WL	279	11N5448SH1LW	292	11N6034SH1WL	277
11N4848SW	272	11N5434SH4L	280	11N5448SH1W	292	11N6034SH2L	278
11N4848SWTBF	275	11N5434SH4LW	280	11N5448SH1WL	292	11N6034SH2LW	278
11N4848SWTBFA	275	11N5434SH4W	280	11N5448SH2L	293	11N6034SH2W	278
11N4848SWTBP	275	11N5434SH4WL	280	11N5448SH2LW	293	11N6034SH2WL	278
11N4848SWTBPA	275	11N5434SH6L	281	11N5448SH2W	293	11N6034SH3L	279
11N4848TB	268	11N5434SH6LW	281	11N5448SH2WL	293	11N6034SH3LW	279
11N4848TBA	268	11N5434SH6W	281	11N5448SH3L	294	11N6034SH3W	279
11N4848TVF	307	11N5434SH6WL	281	11N5448SH3LW	294	11N6034SH3WL	279
11N4848TVFA	307	11N5434TB	265	11N5448SH3W	294	11N6034SH4L	280
11N4848TVL	310	11N5434TBA	265	11N5448SH3WL	294	11N6034SH4LW	280

Index

Model	Page	Model	Page	Model	Page	Model	Page
11N6034SH4W	280	11N6048SH2L	293	15N4848SQDL	312	15N4884RTDW	313
11N6034SH4WL	280	11N6048SH2LW	293	15N4848SQDLK	312	15N4884RTDWK	315
11N6034SH6L	281	11N6048SH2W	293	15N4848SQDW	312	15N4884UDL	320
11N6034SH6LW	281	11N6048SH2WL	293	15N4848SQDWK	312	15N4884UDLK	322
11N6034SH6W	281	11N6048SH3L	294	15N4848UDL	320	15N4884UDW	320
11N6034SH6WL	281	11N6048SH3LW	294	15N4848UDLK	322	15N4884UDWK	322
11N6034TB	265	11N6048SH3W	294	15N4848UDW	320	15N4884WGD	316
11N6034TBA	265	11N6048SH3WL	294	15N4848UDWK	322	15N4884WGD	318
11N6034TVF	306	11N6048SH4L	295	15N4848WGD	316	15N4884WGDW	316
11N6034TVFA	306	11N6048SH4LW	295	15N4848WGD	318	15N4884WGDWK	318
11N6034TVL	309	11N6048SH4W	295	15N4848WGDW	316	15N5428TPOBP	325
11N6034TVW	309	11N6048SH4WL	295	15N4848WGDWK	318	15N5440TPOBP	324
11N6036MB	270	11N6048SH5L	296	15N4854RTDL	313	15N6028TPOBP	325
11N6036MBP	270	11N6048SH5LW	296	15N4854RTDLK	314	15N6040TPOBP	324
11N6036SH1L	282	11N6048SH5W	296	15N4854RTDW	313	15N6048RTDL	313
11N6036SH1LW	282	11N6048SH5WL	296	15N4854RTDWK	314	15N6048RTDLK	315
11N6036SH1W	282	11N6048SH6L	297	15N4854UDL	320	15N6048RTDW	313
11N6036SH1WL	282	11N6048SH6LW	297	15N4854UDLK	322	15N6048RTDWK	315
11N6036SH2L	283	11N6048SH6W	297	15N4854UDW	320	15N6048UDL	321
11N6036SH2LW	283	11N6048SH6WL	297	15N4854UDWK	322	15N6048UDLK	323
11N6036SH2W	283	11N6048SH7L	298	15N4854WGD	316	15N6048UDW	321
11N6036SH2WL	283	11N6048SH7LW	298	15N4854WGD	318	15N6048UDWK	323
11N6036SH3L	284	11N6048SH7W	298	15N4854WGDW	316	15N6048WGD	317
11N6036SH3LW	284	11N6048SH7WL	298	15N4854WGDWK	318	15N6048WGD	319
11N6036SH3W	284	11N6048TB	268	15N4860RTDL	313	15N6048WGDW	317
11N6036SH3WL	284	11N6048TBA	268	15N4860RTDLK	314	15N6048WGDWK	319
11N6036SH4L	285	11N6048TVF	307	15N4860RTDW	313	15N6054RTDL	313
11N6036SH4LW	285	11N6048TVFA	307	15N4860RTDWK	314	15N6054RTDLK	315
11N6036SH4W	285	11N6048TVL	310	15N4860UDL	320	15N6054RTDW	313
11N6036SH4WL	285	11N6048TVW	310	15N4860UDLK	322	15N6054RTDWK	315
11N6036SH6L	286	11N6049MB	271	15N4860UDW	320	15N6054UDL	321
11N6036SH6LW	286	11N6049MBP	271	15N4860UDWK	322	15N6054UDLK	323
11N6036SH6W	286	11N6049SH1L	299	15N4860WGD	316	15N6054UDW	321
11N6036SH6WL	286	11N6049SH1LW	299	15N4860WGD	318	15N6054UDWK	323
11N6036TB	266	11N6049SH1W	299	15N4860WGDW	316	15N6054WGD	317
11N6036TBA	266	11N6049SH1WL	299	15N4860WGDWK	318	15N6054WGD	319
11N6036TVF	306	11N6049SH2L	300	15N4866RTDL	313	15N6054WGDW	317
11N6036TVFA	306	11N6049SH2LW	300	15N4866RTDLK	314	15N6054WGDWK	319
11N6036TVL	309	11N6049SH2W	300	15N4866RTDW	313	15N6060SQDL	312
11N6036TVW	309	11N6049SH2WL	300	15N4866RTDWK	314	15N6060SQDLK	312
11N6037MB	270	11N6049SH3L	301	15N4866UDL	320	15N6060SQDW	312
11N6037MBP	270	11N6049SH3LW	301	15N4866UDLK	322	15N6060SQDWK	312
11N6037SH1L	287	11N6049SH3W	301	15N4866UDW	320	15N6060UDL	321
11N6037SH1LW	287	11N6049SH3WL	301	15N4866UDWK	322	15N6060UDLK	323
11N6037SH1W	287	11N6049SH4L	302	15N4866WGD	316	15N6060UDW	321
11N6037SH1WL	287	11N6049SH4LW	302	15N4866WGD	318	15N6060UDWK	323
11N6037SH2L	288	11N6049SH4W	302	15N4866WGDW	316	15N6060WGD	317
11N6037SH2LW	288	11N6049SH4WL	302	15N4866WGDWK	318	15N6060WGD	319
11N6037SH2W	288	11N6049SH5L	303	15N4872RTDL	313	15N6060WGDW	317
11N6037SH2WL	288	11N6049SH5LW	303	15N4872RTDLK	315	15N6060WGDWK	319
11N6037SH3L	289	11N6049SH5W	303	15N4872RTDW	313	15N6066RTDL	314
11N6037SH3LW	289	11N6049SH5WL	303	15N4872RTDWK	315	15N6066RTDLK	315
11N6037SH3W	289	11N6049SH6L	304	15N4872UDL	320	15N6066RTDW	314
11N6037SH3WL	289	11N6049SH6LW	304	15N4872UDLK	322	15N6066RTDWK	315
11N6037SH4L	290	11N6049SH6W	304	15N4872UDW	320	15N6066UDL	321
11N6037SH4LW	290	11N6049SH6WL	304	15N4872UDWK	322	15N6066UDLK	323
11N6037SH4W	290	11N6049SH7L	305	15N4872WGD	316	15N6066UDW	321
11N6037SH4WL	290	11N6049SH7LW	305	15N4872WGD	318	15N6066UDWK	323
11N6037SH6L	291	11N6049SH7W	305	15N4872WGDW	316	15N6066WGD	317
11N6037SH6LW	291	11N6049SH7WL	305	15N4872WGDWK	318	15N6066WGD	319
11N6037SH6W	291	11N6049TB	269	15N4878RTDL	313	15N6066WGDW	317
11N6037SH6WL	291	11N6049TBA	269	15N4878RTDLK	315	15N6066WGDWK	319
11N6037TB	267	11N6049TVF	308	15N4878RTDW	313	15N6072RTDL	314
11N6037TBA	267	11N6049TVFA	308	15N4878RTDWK	315	15N6072RTDLK	315
11N6037TVF	307	11N6049TVL	311	15N4878UDL	320	15N6072RTDW	314
11N6037TVFA	307	11N6049TVW	311	15N4878UDLK	322	15N6072RTDWK	315
11N6037TVL	310	11N72EXFP1	264	15N4878UDW	320	15N6072UDL	321
11N6037TVW	310	11N72EXFP2	264	15N4878UDWK	322	15N6072UDLK	323
11N6048MB	271	11N72EXP1	264	15N4878WGD	316	15N6072UDW	321
11N6048MBP	271	11NBRS	329	15N4878WGD	318	15N6072UDWK	323
11N6048SH1L	292	11NCPFSL	329	15N4878WGDW	316	15N6072WGD	317
11N6048SH1LW	292	11NCPFSW	329	15N4878WGDWK	318	15N6072WGD	319
11N6048SH1W	292	15N4828TPOBP	325	15N4884RTDL	313	15N6072WGDW	317
11N6048SH1WL	292	15N4840TPOBP	324	15N4884RTDLK	315	15N6072WGDWK	319

Model	Page	Model	Page	Model	Page	Model	Page
15N6078RTDL	314	19N2467CRFLW6	221	21N1866VSWHRL	45	21N3066DLFL1	34-35, 38
15N6078RTDLK	315	19N2467CRFW2	217, 220	21N2430PTL	47	21N3066DLQFL3	39
15N6078RTDW	314	19N2467CRFW6	221	21N2436LFF2L	46, 420	21N3066DLQL3	34-35, 38
15N6078RTDWK	315	19N2467CSFLW2	220	21N2436LFF3L	46, 420	21N3066DRFFL1	38
15N6078UDL	321	19N2467CSFW2	220	21N2436LFF4L	46, 420	21N3066DRFL1	34-35, 38
15N6078UDLK	323	19N2472CKFLW2	220	21N2443RLEFL2	34, 40	21N3066DRQFL3	39
15N6078UDW	321	19N2472CKFW2	220	21N2443RLEQL3	34, 40	21N3066DRQL3	34-35, 38
15N6078UDWK	323	19N2472CLFLW2	217, 220	21N2443RREFL2	34, 40	21N3336BCOL	47, 404
15N6078WGD	317	19N2472CLFLW6	221	21N2443RREQQL3	34, 40	21N3353BCOFL	46, 404
15N6078WGD	319	19N2472CLFW2	217, 220	21N2445BEFL	35, 41	21N3365BCOFL	46, 404
15N6078WGD	317	19N2472CLFW6	221	21N2448BEFL	35, 41	21N3617SOHML	45
15N6078WGDWK	319	19N2472CRFLW2	217, 220	21N2449RLEFL2	34, 40	21N3636SQL	47
15N6084RTDL	314	19N2472CRFLW6	221	21N2449RLEQL3	34, 40	21N3666DDFAL8	36
15N6084RTDLK	315	19N2472CRFW2	217, 220	21N2449RREFL2	34, 40	21N3666DDFL8	36
15N6084RTDW	314	19N2472CRFW6	221	21N2449RREQQL3	34, 40	21N3666DDQL3	36
15N6084RTDWK	315	19N2472CSFLW2	220	21N2460CKFL2	42	21N3666DDYAL3	36
15N6084UDL	321	19N2472CSFW2	220	21N2460CKQL3	42	21N3666DLFFL1	38
15N6084UDLK	323	19N3018SOHML	221	21N2460CLFFL2	42	21N3666DLFL1	38
15N6084UDW	321	19N3067DDFLW8	218	21N2460CLQFL3	43	21N3666DLQFL3	39
15N6084UDWK	323	19N3067DDFW8	218	21N2460CRFFL2	42	21N3666DLQL3	38
15N6084WGD	317	19N3067DLFLW1	216-218	21N2460CRQFL3	43	21N3666DRFFL1	38
15N6084WGD	319	19N3067DLFW1	216-218	21N2464RLEFL2	40	21N3666DRFL1	38
15N6084WGD	317	19N3067DRFLW1	216-218	21N2464RLEQL3	40	21N3666DRQFL3	39
15N6084WGDWK	319	19N3067DRFW1	216-218	21N2464RREFL2	40	21N3666DRQL3	38
15N6628TPOBP	325	19N3618SOHML	221	21N2464RREQQL3	40	21N3672DDFAL8	36
15N6640TPOBP	324	19N3636BCOW	223, 413	21N2466CKFL2	42	21N3672DDFL8	36
15N7228TPOBP	325	19N3666BCOFW	223, 413	21N2466CKQL3	42	21N3672DDQL3	36
15N7240TPOBP	324	19N3672DDFALW8	218	21N2466CLFFL2	42	21N3672DDYAL3	36
15N7828TPOBP	325	19N3672DDFAW8	218	21N2466CLFFL6	43	21N3672DLFAL1	37
15N7840TPOBP	324	19N3672DDFLW8	218	21N2466CLFL2	35, 42	21N3672DLFFAL1	37
15N8428TPOBP	325	19N3672DDFW8	218	21N2466CLFL6	43	21N3672DLFFL1	38
15N8440TPOBP	324	19N3672DLFALW1	218	21N2466CLQFL3	43	21N3672DLFL1	34-35, 38
1660TB	376	19N3672DLFAW1	218	21N2466CLQL3	35, 43	21N3672DLQFL3	39
1660TBA	376	19N3672DLFLW1	216-218	21N2466CRFFL2	42	21N3672DLQL3	34-35, 38
1666TBA	376	19N3672DLFW1	216-218	21N2466CRFFL6	43	21N3672DLYAL3	37
1669TBA	376	19N3672DRFALW1	218	21N2466CRFL2	35, 42	21N3672DLYFAL3	37
1672TBA	376	19N3672DRFAW1	218	21N2466CRFL6	43	21N3672DRFAL1	37
1683TBA	376	19N3672DRFLW1	216-218	21N2466CRQFL3	43	21N3672DRFFAL1	37
19N10467ULFLW	217	19N3672DRFW1	216-218	21N2466CRQL3	35, 43	21N3672DRFFL1	38
19N10467ULFW	217	19N3672DUFLW	219	21N2466CSFL2	41	21N3672DRFL1	34-35, 38
19N10467URFLW	217	19N3672DUFW	219	21N2466CSQL3	41	21N3672DRQFL3	39
19N10467URFW	217	19N3672DULW	219	21N2472CKFL2	42	21N3672DRQL3	34-35, 38
19N10572ULFLW	217	19N3672DUW	219	21N2472CKQL3	42	21N3672DRYAL3	37
19N10572ULFW	217	19N42RDLW	223	21N2472CLFFL10	44	21N3672DRYFAL3	37
19N10572URFLW	217	19N42RDW	223	21N2472CLFFL2	42	21N3672DULFL	39
19N10572URFW	217	19N6636HBHW	221	21N2472CLFFL6	43	21N3672DULL	39
19N11172ULFLW	217	19N7236HBHW	221	21N2472CLFL10	44	21N3672DURFL	39
19N11172ULFW	217	19N8067LLFLW	216	21N2472CLFL2	35, 42	21N3672DURL	39
19N11172URFLW	217	19N8067LLFW	216	21N2472CLFL6	43	21N3737CFSL	40
19N11172URFW	217	19N8067LRFLW	216	21N2472CLQFL3	43	21N4242SQL	47
19N1865VSWHLLW	222	19N8067LRFW	216	21N2472CLQL3	35, 43	21N4848SQL	47
19N1865VSWHRLW	222	19N8772LLFLW	216	21N2472CRFFL10	44	21N5736HBHL	44
19N2436LFF2LW	222, 427	19N8772LLFW	216	21N2472CRFFL2	42	21N6336HBHL	44
19N2436LFF2W	222, 427	19N8772LRFLW	216	21N2472CRFFL6	43	21N6375TCL	40
19N2436LFF3LW	222, 427	19N8772LRFW	216	21N2472CRFL10	44	21N6936HBHL	44
19N2436LFF3W	222, 427	19N9867ULFLW	217	21N2472CRFL2	35, 42	21N6981TCL	40
19N2436LFF4W	222, 427	19N9867ULFW	217	21N2472CRFL6	43	21N7366LLFL	34
19N2436PFHLW	222	19N9867URFLW	217	21N2472CRQFL3	43	21N7366LLQL	34
19N2436PFW	222	19N9867URFW	217	21N2472CRQL3	35, 43	21N7366LRFL	34
19N2445BEFLW	217, 220	21N10266ULFL	35	21N2472CSFL2	41	21N7366LRQL	34
19N2445BEFW	217, 220	21N10266ULQL	35	21N2472CSQL3	41	21N7536HBHL	44
19N2451BEFLW	217, 220	21N10266URFL	35	21N2472RLEFL10	41	21N7966LLFL	34
19N2451BEFW	217, 220	21N10266URQL	35	21N2472RREFL10	41	21N7966LLQL	34
19N2451RLEFLW2	216, 219	21N10472ULFL	35	21N3017SOHML	45	21N7966LRFL	34
19N2451RLEFW2	216, 219	21N10472ULQL	35	21N3030SQL	47	21N7966LRQL	34
19N2451RREFLW2	216, 219	21N10472URFL	35	21N3060DDFL8	36	21N7972LLFL	34
19N2451RREFW2	216, 219	21N10472URQL	35	21N3060DDQL3	36	21N7972LLQL	34
19N2467CKFLW2	220	21N10872ULFL	35	21N3060DLFFL1	38	21N7972LRFL	34
19N2467CKFW2	220	21N10872ULQL	35	21N3060DLQFL3	39	21N7972LRQL	34
19N2467CLFLW2	217, 220	21N10872URFL	35	21N3060DRFFL1	38	21N8136HBHL	44
19N2467CLFLW6	221	21N10872URQL	35	21N3060DRQFL3	39	21N8572LLFL	34
19N2467CLFW2	217, 220	21N1563TCL	40	21N3066DDFL8	36	21N8572LLQL	34
19N2467CLFW6	221	21N1569TCL	40	21N3066DDQL3	36	21N8572LRFL	34
19N2467CRFLW2	217, 220	21N1866VSWHLL	45	21N3066DLFFL1	38	21N8572LRQL	34

Index

Model	Page	Model	Page	Model	Page	Model	Page
21N9866ULFL	35	31N2166CRFLW2	53, 65	31N2464RREYW3	62	31N3666DRFFLW1	59
21N9866ULQL	35	31N2166CRFLW6	66	31N2472CBVLW	64	31N3666DRFFW1	59
21N9866URFL	35	31N2166CRFW2	53, 65	31N2472CBVW	64	31N3666DRFLW1	58
21N9866URQL	35	31N2166CRFW6	66	31N2472CLFFLW10	67	31N3666DRFW1	58
31N10266ULFLW	53	31N2166CRQFLW3	66	31N2472CLFFW10	67	31N3666DRQFLW3	60
31N10266ULFW	53	31N2166CRQLW3	55, 66	31N2472CLFLW10	67	31N3666DRQLW3	59
31N10266ULQLW	55	31N2166CRYFW3	66	31N2472CLFW10	67	31N3666DRYFW3	60
31N10266ULYW	55	31N2166CRYW3	55, 66	31N2472CRFFLW10	67	31N3666DRYW3	59
31N10266URFLW	53	31N2166CSFLW2	63	31N2472CRFFW10	67	31N3672DDFALW8	56
31N10266URFW	53	31N2166CSFW2	63	31N2472CRFLW10	67	31N3672DDFAW8	56
31N10266URQLW	55	31N2166CSQLW3	64	31N2472CRFW10	67	31N3672DDFLW8	56
31N10266URYW	55	31N2166CSYW3	64	31N2472RLEFLW10	63	31N3672DDFW8	56
31N10272ULFLW	53	31N2172CKFLW2	64	31N2472RLEFW10	63	31N3672DDQALW3	56
31N10272ULFW	53	31N2172CKFW2	64	31N2472RREFLW10	63	31N3672DDQLW3	57
31N10272ULQLW	55	31N2172CKQLW3	65	31N2472RREFW10	63	31N3672DDYAW3	56
31N10272ULYW	55	31N2172CKYW3	65	31N3018SOHMMW	68	31N3672DDYW3	57
31N10272URFLW	53	31N2172CLFFLW2	65	31N3030SQLW	72	31N3672DLFALW1	57
31N10272URFW	53	31N2172CLFFLW6	67	31N3030SQW	72	31N3672DLFAW1	57
31N10272URQLW	55	31N2172CLFFW2	65	31N3060DDFLW8	56	31N3672DLFFALW1	57
31N10272URYW	55	31N2172CLFFW6	67	31N3060DDFW8	56	31N3672DLFFAW1	57
31N10872ULFLW	53	31N2172CLFLW2	53, 65	31N3060DDQLW3	57	31N3672DLFFLW1	59
31N10872ULFW	53	31N2172CLFLW6	66	31N3060DDYW3	57	31N3672DLFFW1	59
31N10872ULQLW	55	31N2172CLFW2	53, 65	31N3060DLFFLW1	59	31N3672DLFLW1	52-53, 58
31N10872ULYW	55	31N2172CLFW6	66	31N3060DLFFW1	59	31N3672DLFW1	52-53, 58
31N10872URFLW	53	31N2172CLQFLW3	66	31N3060DLQFLW3	60	31N3672DLQALW3	58
31N10872URFW	53	31N2172CLQLW3	55, 66	31N3060DLYFW3	60	31N3672DLQFALW3	58
31N10872URQLW	55	31N2172CLYFW3	66	31N3060DRFFLW1	59	31N3672DLQFLW3	60
31N10872URYW	55	31N2172CLYW3	55, 66	31N3060DRFFW1	59	31N3672DLQLW3	54-55, 59
31N1563TCLW	61	31N2172CRFFLW2	65	31N3060DRQFLW3	60	31N3672DLYAW3	58
31N1563TCW	61	31N2172CRFFLW6	67	31N3060DRYFW3	60	31N3672DLYFAW3	58
31N1569TCLW	61	31N2172CRFFW2	65	31N3060DDFLW8	56	31N3672DLYFW3	60
31N1569TCW	61	31N2172CRFFW6	67	31N3060DDFW8	56	31N3672DLYW3	54-55, 59
31N1866VSWHLW	69	31N2172CRFLW2	53, 65	31N3060DDQLW3	57	31N3672DRFALW1	57
31N1866VSWHRW	69	31N2172CRFLW6	66	31N3060DDYW3	57	31N3672DRFAW1	57
31N2040MGLW	71	31N2172CRFW2	53, 65	31N3060DLFFLW1	59	31N3672DRFFALW1	57
31N2040MGPLW	71	31N2172CRFW6	66	31N3060DLFFW1	59	31N3672DRFFAW1	57
31N2136LFF2LW	69, 421	31N2172CRQFLW3	66	31N3060DLFLW1	52-53, 58	31N3672DRFFLW1	59
31N2136LFF2W	69, 421	31N2172CRQLW3	55, 66	31N3060DLFW1	52-53, 58	31N3672DRFFW1	59
31N2136LFF3LW	69, 421	31N2172CRYFW3	66	31N3060DLQFLW3	60	31N3672DRFLW1	52-53, 58
31N2136LFF3W	69, 421	31N2172CRYW3	55, 66	31N3060DLQLW3	54-55, 59	31N3672DRFW1	52-53, 58
31N2136LFF4LW	69, 421	31N2172CSFLW2	63	31N3060DLYFW3	60	31N3672DRQALW3	58
31N2136LFF4W	69, 421	31N2172CSFW2	63	31N3060DLYW3	54-55, 59	31N3672DRQFALW3	58
31N2160CKFLW2	64	31N2172CSQLW3	64	31N3060DRFFLW1	59	31N3672DRQFLW3	60
31N2160CKFW2	64	31N2172CSYW3	64	31N3060DRFFW1	59	31N3672DRQLW3	54-55, 59
31N2160CKQLW3	65	31N2424ENLW	71	31N3060DRFLW1	52-53, 58	31N3672DRYAW3	58
31N2160CKYW3	65	31N2424ENPLW	71	31N3060DRFW1	52-53, 58	31N3672DRYFAW3	58
31N2160CLFFLW2	65	31N2430PTLW	71	31N3060DRQFLW3	60	31N3672DRYFW3	60
31N2160CLFFW2	65	31N2444RLEFLW2	52, 62	31N3060DRQLW3	54-55, 59	31N3672DRYW3	54-55, 59
31N2160CLQFLW3	66	31N2444RLEFW2	52, 62	31N3060DRYFW3	60	31N3672DULFLW	60
31N2160CLYFW3	66	31N2444RLEQLW3	54, 62	31N3060DRYW3	54-55, 59	31N3672DULFW	60
31N2160CRFFLW2	65	31N2444RLEYW3	54, 62	31N3238BCOW	70, 405	31N3672DULLW	60
31N2160CRFFW2	65	31N2444RREFLW2	52, 62	31N3253BCOFW	70, 405	31N3672DULW	60
31N2160CRQFLW3	66	31N2444RREFW2	52, 62	31N3266BCOFW	70, 405	31N3672DURFLW	60
31N2160CRYFW3	66	31N2444RREQLW3	54, 62	31N3618SOHMMW	68	31N3672DURFW	60
31N2166CKFLW2	64	31N2444RREYW3	54, 62	31N3636CFSW	61	31N3672DURLW	60
31N2166CKFW2	64	31N2445BEFLW	53, 55, 63	31N3636CFSW	61	31N3672DURW	60
31N2166CKQLW3	65	31N2445BEFW	53, 55, 63	31N3636SQLW	72	31N4242SQLW	72
31N2166CKYW3	65	31N2451BEFLW	53, 55, 63	31N3636SQW	72	31N4242SQW	72
31N2166CLFFLW2	65	31N2451BEFW	53, 55, 63	31N3666DDFALW8	56	31N4848SQLW	72
31N2166CLFFLW6	67	31N2452RLEFLW2	52, 62	31N3666DDFAW8	56	31N4848SQW	72
31N2166CLFFW2	65	31N2452RLEFW2	52, 62	31N3666DDFLW8	56	31N6036HBHW	68
31N2166CLFFW6	67	31N2452RLEQLW3	54, 62	31N3666DDFW8	56	31N6377TCLW	61
31N2166CLFLW2	53, 65	31N2452RLEYW3	54, 62	31N3666DDQALW3	56	31N6377TCW	61
31N2166CLFLW6	66	31N2452RREFLW2	52, 62	31N3666DDQLW3	57	31N6636HBHW	68
31N2166CLFW2	53, 65	31N2452RREFW2	52, 62	31N3666DDYAW3	56	31N6983TCLW	61
31N2166CLFW6	66	31N2452RREQLW3	54, 62	31N3666DDYW3	57	31N6983TCW	61
31N2166CLQFLW3	66	31N2452RREYW3	54, 62	31N3666DLFFLW1	59	31N7236HBHW	68
31N2166CLQLW3	55, 66	31N2464RLEFLW2	62	31N3666DLFFW1	59	31N7466LLFLW	52
31N2166CLYFW3	66	31N2464RLEFW2	62	31N3666DLFLW1	58	31N7466LLFW	52
31N2166CLYW3	55, 66	31N2464RLEQLW3	62	31N3666DLFW1	58	31N7466LLQLW	54
31N2166CRFFLW2	65	31N2464RLEYW3	62	31N3666DLQFLW3	60	31N7466LLYW	54
31N2166CRFFLW6	67	31N2464RREFLW2	62	31N3666DLQLW3	59	31N7466LRFLW	52
31N2166CRFFW2	65	31N2464RREFW2	62	31N3666DLYFW3	60	31N7466LRFW	52
31N2166CRFFW6	67	31N2464RREQLW3	62	31N3666DLYW3	59	31N7466LRQLW	54

Model	Page	Model	Page	Model	Page	Model	Page
31N7466LRYW	54	35N2430PTW	237	36N1971VSWHLWC	115	36N2471CRFW2C	111
31N7836HBHW	68	35N2442BEFW	229, 233	36N1971VSWHRW	115	36N2471CRFW6C	111
31N8036HBHW	68	35N2444RLEFW1	233	36N1971VSWHRWC	115	36N2473CBLW	108
31N8072LLFLW	52	35N2444RLEFW2	228, 233	36N2016PMBFW	117	36N2473CBVLW	108
31N8072LLFW	52	35N2444RREFW1	233	36N2048CSW	117	36N2473CBVW	108
31N8072LLQLW	54	35N2444RREFW2	228, 233	36N2071VHL2W	115	36N2473CBW	108
31N8072LLYW	54	35N2448BEFW	229, 233	36N2071VHL2WC	116	36N2473CFFLW	109
31N8072LRLFW	52	35N2451CTW	237	36N2071VHR2W	115	36N2473CFFW	109
31N8072LRFW	52	35N2451RLEFW1	233	36N2071VHR2WC	116	36N2473CKFLW2	109
31N8072LRQLW	54	35N2451RLEFW2	228, 233	36N2424ENW	117	36N2473CKFW2	109
31N8072LRYW	54	35N2451RREFW1	233	36N2437LFF2LW	113, 423	36N2473CLFLW1	110
31N8266LLFLW	52	35N2451RREFW2	228, 233	36N2437LFF2W	113, 423	36N2473CLFLW10	111
31N8266LLFW	52	35N2472CLFW10	235	36N2437LFF3LW	113, 423	36N2473CLFLW2	103, 110
31N8266LLQLW	54	35N2472CRFW10	235	36N2437LFF3W	113, 423	36N2473CLFLW6	111
31N8266LLYW	54	35N2472RLEFW10	233	36N2437LFF4LW	113, 423	36N2473CLFW1	110
31N8266LRLFW	52	35N2472RREFW10	233	36N2437LFF4W	113, 423	36N2473CLFW10	111
31N8266LRFW	52	35N3018SOHM	235	36N2437PFW	114	36N2473CLFW2	103, 110
31N8266LRQLW	54	35N3066DDFW8	230	36N2448MGW	117	36N2473CLFW6	111
31N8266LRYW	54	35N3066DLFW1	228-230	36N2452RTLW2	106	36N2473CRFLW1	110
31N8636HBHW	68	35N3066DRFW1	228-230	36N2452RTLW2	106	36N2473CRFLW10	111
31N8872LLFLW	52	35N3072DPLFW	231	36N2452RFLW2	106	36N2473CRFLW2	103, 110
31N8872LLFW	52	35N3072DPLW	231	36N2452RTRW2	106	36N2473CRFLW6	111
31N8872LLQLW	54	35N3072DPRFW	231	36N2464CKFLW2C	109	36N2473CRFW1	110
31N8872LLYW	54	35N3072DPRW	231	36N2464CKFW2C	109	36N2473CRFW10	111
31N8872LRLFW	52	35N30RDW	238	36N2464CSFW2C	108	36N2473CRFW2	103, 110
31N8872LRFW	52	35N3618SOHM	235	36N2464CSFW2C	108	36N2473CRFW6	111
31N8872LRQLW	54	35N3636BCOW	237, 414	36N2466CLFLW1C	110	36N2473CSFLW2	108
31N8872LRYW	54	35N3636VOVHW	236	36N2466CLFLW2C	111	36N2473CSFW2	108
31N9666ULFLW	53	35N3666BCOFW	237, 414	36N2466CLFLW6C	111	36N2545BEFLW	103, 107
31N9666ULFW	53	35N3672DDFAW8	230	36N2466CLFW1C	110	36N2545BEFW	103, 107
31N9666ULQLW	55	35N3672DDFW8	230	36N2466CLFW2C	111	36N2545RLEFLW1	106
31N9666ULYW	55	35N3672DLFAW1	230	36N2466CLFW6C	111	36N2545RLEFLW2	102, 107
31N9666URFLW	53	35N3672DLFW1	228-230	36N2466CRFLW1C	110	36N2545RLEFW1	106
31N9666URFW	53	35N3672DRFAW1	230	36N2466CRFLW2C	111	36N2545RLEFW2	102, 107
31N9666URQLW	55	35N3672DRFW1	228-230	36N2466CRFLW6C	111	36N2545RREFLW1	106
31N9666URYW	55	35N3672DUFW	231	36N2466CRFW1C	110	36N2545RREFLW2	102, 107
31NN3030SQLW	72	35N3672DUW	230	36N2466CRFW2C	111	36N2545RREFW1	106
31NN3030SQW	72	35N36RDW	238	36N2466CRFW6C	111	36N2545RREFW2	102, 107
31NN3636SQLW	72	35N4242CFSW	232	36N2468CKFLW2	109	36N2551BEFLW	103, 107
31NN3636SQW	72	35N42RDW	238	36N2468CKFW2	109	36N2551BEFW	103, 107
31NN4242SQLW	72	35N48RDW	238	36N2468CLFLW1	110	36N2553RLEFLW1	106
31NN4242SQW	72	35N6636HBHW	235	36N2468CLFLW2	103, 110	36N2553RLEFLW2	102, 107
31NN4848SQLW	72	35N6680TCW	232	36N2468CLFLW6	111	36N2553RLEFW1	106
31NN4848SQW	72	35N7236HBHW	235	36N2468CLFW1	110	36N2553RLEFW2	102, 107
35N10066ULFW	229	35N7286TCW	232	36N2468CLFW2	103, 110	36N2553RREFLW1	106
35N10066URFW	229	35N7466LLFW	228	36N2468CLFW6	111	36N2553RREFLW2	102, 107
35N10072ULFW	229	35N7466LRFW	228	36N2468CRFLW1	110	36N2553RREFW1	106
35N10072URFW	229	35N8072LLFW	228	36N2468CRFLW2	103, 110	36N2553RREFW2	102, 107
35N10672ULFW	229	35N8072LRFW	228	36N2468CRFLW6	111	36N2559RLEFLW10	107
35N10672URFW	229	35N8166LLFW	228	36N2468CRFW1	110	36N2559RLEFLW6	107
35N1466TCW	232	35N8166LRFW	228	36N2468CRFW2	103, 110	36N2559RLEFW10	107
35N1472TCW	232	35N8772LLFW	228	36N2468CRFW6	111	36N2559RLEFW6	107
35N1866VSWHLW	237	35N8772LRFW	228	36N2468CSFLW2	108	36N2559RREFLW10	107
35N1866VSWHRW	237	35N9466ULFW	229	36N2468CSFW2	108	36N2559RREFLW6	107
35N2136LFF2W	235, 428	35N9466URFW	229	36N2469CFFLWC	109	36N2559RREFW10	107
35N2136LFF3W	236, 428	36N10068ULFLW	103	36N2469CFFWC	109	36N2559RREFW6	107
35N2136LFF4W	236, 428	36N10068ULFW	103	36N2469CKFLW2C	109	36N3030SQ2LW	118
35N2136PFW	236	36N10068URFLW	103	36N2469CKFW2C	109	36N3030SQ2W	118
35N2166CKFW2	234	36N10068URFW	103	36N2469CSFLW2C	108	36N3030SQLW	118
35N2166CLFW1	234	36N10668ULFLW	103	36N2469CSFW2C	108	36N3030SQW	118
35N2166CLFW2	229, 234	36N10668ULFW	103	36N2471CLFLW10C	112	36N3168DDFLW8	104
35N2166CLFW6	234	36N10668URFLW	103	36N2471CLFLW1C	110	36N3168DDFW8	104
35N2166CRFW1	234	36N10668URFW	103	36N2471CLFLW2C	111	36N3168DLFLW1	102-103, 105
35N2166CRFW2	229, 234	36N10673ULFLW	103	36N2471CLFLW6C	111	36N3168DLFW1	102-103, 105
35N2166CRFW6	234	36N10673ULFW	103	36N2471CLFW10C	112	36N3168DRFLW1	102-103, 105
35N2166CSFW2	234	36N10673URFLW	103	36N2471CLFW1C	110	36N3168DRFW1	102-103, 105
35N2172CKFW2	234	36N10673URFW	103	36N2471CLFW2C	111	36N3275DTLFLW1	106
35N2172CLFW1	234	36N11273ULFLW	103	36N2471CLFW6C	111	36N3275DTLFW1	106
35N2172CLFW2	229, 234	36N11273ULFW	103	36N2471CRFLW10C	112	36N3275DTRFLW1	106
35N2172CLFW6	234	36N11273URFLW	103	36N2471CRFLW1C	110	36N3275DTRFW1	106
35N2172CRFW1	234	36N11273URFW	103	36N2471CRFLW2C	111	36N3544BCHGW	116
35N2172CRFW2	229, 234	36N1971BCOLWC	114	36N2471CRFLW6C	111	36N3544BCHW	116
35N2172CRFW6	234	36N1971BCORWC	114	36N2471CRFLW10C	112	36N3557BCOFW	116, 409
35N2172CSFW2	234	36N1971VSWHLW	115	36N2471CRFW1C	110	36N3557BCOHFW	116, 409

Index

Model	Page	Model	Page	Model	Page	Model	Page
36N3571BCOFW	116, 409	38N10838HBHGW	154	38N2448BEFTW	143	38N2466CRFTWP2	150
36N3571BCOHFW	116, 409	38N10838HBHW	154	38N2448BEFTWP	143	38N2466CRFTWP6	151
36N3636CFSW	106	38N10850HBHGW	155	38N2448BEFW	133, 142	38N2466CRFW1	148
36N3636CFSW	106	38N10850HBHW	155	38N2448BEFWP	142	38N2466CRFW2	133, 150
36N3636SQ2LW	118	38N10972ULFW	133	38N2448MGW	160	38N2466CRFW6	151
36N3636SQ2W	118	38N10972URFW	133	38N2448MGWP	160	38N2466CRFWP1	148
36N3636SQLW	118	38N1838BCHLGW	160	38N2448RLEFTW1	140	38N2466CRFWP2	150
36N3636SQW	118	38N1838BCHLW	160	38N2448RLEFTW2	141	38N2466CRFWP6	151
36N3773DDFALW8	104	38N1838BCHRGW	160	38N2448RLEFTWP1	140	38N2466CSFW1	145
36N3773DDFAW8	104	38N1838BCHRW	160	38N2448RLEFTWP2	141	38N2466CSFW2	145
36N3773DDFLW8	104	38N1838BCOW	159, 410	38N2448RLEFW1	139	38N2466CSFWP1	145
36N3773DDFW8	104	38N1848CSW	161	38N2448RLEFW2	132, 140	38N2466CSFWP2	145
36N3773DFFLW	105	38N1848CSWP	161	38N2448RLEFWP1	139	38N2472CBVW	144
36N3773DFFLW	105	38N1850BCHLGW	160	38N2448RLEFWP2	140	38N2472CBVWP	144
36N3773DFFLW	105	38N1850BCHLW	160	38N2448RREFTW1	140	38N2472CBW	143
36N3773DFFLW	105	38N1850BCHRGW	160	38N2448RREFTW2	141	38N2472CBWP	143
36N3773DFFLW	105	38N1850BCHRW	160	38N2448RREFTWP1	140	38N2472CFFW6	146
36N3773DFFLW	105	38N1850BCOW	159, 410	38N2448RREFTWP2	141	38N2472CFFWP6	146
36N3773DFFLW	105	38N1868VHL2W	159	38N2448RREFW1	139	38N2472CKFTW2	147
36N3773DFFLW	105	38N1868VHR2W	159	38N2448RREFW2	132, 140	38N2472CKFTWP2	147
36N3773DFFLW	105	38N1868VSWHLW	158	38N2448RREFWP1	139	38N2472CKFW2	147
36N3773DFFLW	105	38N1868VSWHRW	158	38N2448RREFWP2	140	38N2472CKFWP2	147
36N3773DFFLW	105	38N1880VHL2W	159	38N2460RLEFTW1	140	38N2472CLFTW1	149
36N3773DFFLW	105	38N1880VHR2W	159	38N2460RLEFTW12	142	38N2472CLFTW12	152
36N3773DFFLW	105	38N1880VSWHLW	158	38N2460RLEFTW2	141	38N2472CLFTW2	150
36N3773DFFLW	105	38N1880VSWHRW	158	38N2460RLEFTW6	141	38N2472CLFTW6	151
36N3773DFFLW	105	38N2315PMBFCW	161	38N2460RLEFTWP1	140	38N2472CLFTWP1	149
36N3773DFFLW	105	38N2315PMBFW	161	38N2460RLEFTWP2	142	38N2472CLFTWP12	152
36N3773DFFLW	105	38N2424ENW	161	38N2460RLEFTWP6	141	38N2472CLFTWP2	150
36N3773DFFLW	105	38N2424ENWP	161	38N2460RLEFTWP6	141	38N2472CLFTWP6	151
36N3773DFFLW	105	38N2430BEFTW	143	38N2460RLEFW1	139	38N2472CLFW1	148
36N3773DFFLW	105	38N2430BEFTWP	143	38N2460RLEFW12	142	38N2472CLFW12	152
36N3773DFFLW	105	38N2430BEFW	142	38N2460RLEFW2	140	38N2472CLFW2	133, 150
36N3773DFFLW	105	38N2430BEFWP	142	38N2460RLEFW6	141	38N2472CLFW6	151
36N3773DFFLW	105	38N2436BEFTW	143	38N2460RLEFWP1	139	38N2472CLFWP1	148
36N3773DFFLW	105	38N2436BEFTWP	143	38N2460RLEFWP12	142	38N2472CLFWP12	152
36N3773DFFLW	105	38N2436BEFW	142	38N2460RLEFWP2	140	38N2472CLFWP2	150
36N3773DFFLW	105	38N2436BEFWP	142	38N2460RLEFWP6	141	38N2472CLFWP6	151
36N3773DFFLW	105	38N2436LFF2W	157, 424	38N2460RREFTW1	140	38N2472CRFTW1	149
36N3773DFFLW	105	38N2436LFF2WP	157, 424	38N2460RREFTW12	142	38N2472CRFTW12	152
36N3773DFFLW	105	38N2436LFF3W	157, 424	38N2460RREFTW2	141	38N2472CRFTW2	150
36N3773DFFLW	105	38N2436LFF3WP	157, 424	38N2460RREFTW6	141	38N2472CRFTW6	151
36N3773DFFLW	105	38N2436LFF4W	157, 424	38N2460RREFTWP1	140	38N2472CRFTWP1	149
36N3773DFFLW	105	38N2436LFF4WP	157, 424	38N2460RREFTWP12	142	38N2472CRFTWP12	152
36N3773DFFLW	105	38N2436PFHW	157	38N2460RREFTWP2	141	38N2472CRFTWP2	150
36N3773DFFLW	105	38N2436PFHWP	157	38N2460RREFTWP6	141	38N2472CRFTWP6	151
36N3773DFFLW	105	38N2442BEFTW	143	38N2460RREFW1	139	38N2472CRFW1	148
36N3773DFFLW	105	38N2442BEFTWP	143	38N2460RREFW12	142	38N2472CRFW12	152
36N3773DFFLW	105	38N2442BEFW	133, 142	38N2460RREFW2	140	38N2472CRFW2	133, 150
36N3773DFFLW	105	38N2442BEFWP	142	38N2460RREFW6	141	38N2472CRFW6	151
36N3773DFFLW	105	38N2442RLEFTW1	140	38N2460RREFWP1	139	38N2472CRFWP1	148
36N3773DFFLW	105	38N2442RLEFTW2	141	38N2460RREFWP12	142	38N2472CRFWP12	152
36N3773DFFLW	105	38N2442RLEFTWP1	140	38N2460RREFWP2	140	38N2472CRFWP2	150
36N3773DFFLW	105	38N2442RLEFTWP2	141	38N2460RREFWP6	141	38N2472CRFWP6	151
36N3773DFFLW	105	38N2442RLEFW1	139	38N2466CKFTW2	147	38N2472CSFW1	145
36N3773DFFLW	105	38N2442RLEFW2	132, 140	38N2466CKFTWP2	147	38N2472CSFW2	145
36N3773DFFLW	105	38N2442RLEFWP1	139	38N2466CKFW2	147	38N2472CSFW7	144
36N3773DFFLW	105	38N2442RLEFWP2	140	38N2466CKFWP2	147	38N2472CSFWP1	145
36N3773DFFLW	105	38N2442RREFW1	140	38N2466CLFTW1	149	38N2472CSFWP2	145
36N3773DFFLW	105	38N2442RREFW2	141	38N2466CLFTW2	150	38N2472CSFWP7	144
36N3773DFFLW	105	38N2442RREFWP1	140	38N2466CLFTW6	151	38N2478CKFTW2	147
36N3773DFFLW	105	38N2442RREFWP2	141	38N2466CLFTWP1	149	38N2478CKFTWP2	147
36N3773DFFLW	105	38N2442RREFW1	139	38N2466CLFTWP2	150	38N2478CKFW2	147
36N3773DFFLW	105	38N2442RREFW2	132, 140	38N2466CLFTWP6	151	38N2478CKFWP2	147
36N3773DFFLW	105	38N2442RREFWP1	139	38N2466CLFW1	148	38N2478CLFTW1	149
36N3773DFFLW	105	38N2442RREFWP2	140	38N2466CLFW2	133, 150	38N2478CLFTW12	152
36N3773DFFLW	105	38N2442RTLW1	139	38N2466CLFW6	151	38N2478CLFTW2	150
36N3773DFFLW	105	38N2442RTLW2	139	38N2466CLFWP1	148	38N2478CLFTW6	151
36N3773DFFLW	105	38N2442RTLWP1	139	38N2466CLFWP2	150	38N2478CLFTWP1	149
36N3773DFFLW	105	38N2442RTLWP2	139	38N2466CLFWP6	151	38N2478CLFTWP12	152
36N3773DFFLW	105	38N2442RTRW1	139	38N2466CRFTW1	149	38N2478CLFTWP2	150
36N3773DFFLW	105	38N2442RTRW2	139	38N2466CRFTW2	150	38N2478CLFTWP6	151
36N3773DFFLW	105	38N2442RTRWP1	139	38N2466CRFTW6	151	38N2478CLFW1	148
36N3773DFFLW	105	38N2442RTRWP2	139	38N2466CRFTWP1	149	38N2478CLFW12	152

Model	Page	Model	Page	Model	Page	Model	Page
38N2478CLFW2	150	38N2490CBW	143	38N3072DPLFW	137	38N3680VVHW	158
38N2478CLFW6	151	38N2490CBWP	143	38N3072DPLFWP	137	38N3684DDFCW8	134
38N2478CLFWP1	148	38N2490CFFW6	146	38N3072DPLW	137	38N3684DDFCW9	134
38N2478CLFWP12	152	38N2490CFFWP6	146	38N3072DPLWP	137	38N3684DDFCWP8	134
38N2478CLFWP2	150	38N2490CKFTW2	147	38N3072DPRFW	137	38N3684DDFCWP9	134
38N2478CLFWP6	151	38N2490CKFTWP2	147	38N3072DPRFWP	137	38N3684DDFW8	134
38N2478CRFTW1	149	38N2490CKFW2	147	38N3072DPRW	137	38N3684DDFW9	134
38N2478CRFTW12	152	38N2490CKFWP2	147	38N3072DPRWP	137	38N3684DDFWP8	134
38N2478CRFTW2	150	38N2490CLFTW30	153	38N3618SOHMGW	156	38N3684DDFWP9	134
38N2478CRFTW6	151	38N2490CLFTWP30	153	38N3618SOHWW	156	38N3684DLFCW1	135
38N2478CRFTWP1	149	38N2490CLFW30	153	38N3630SOHMGW	156	38N3684DLFCWP1	135
38N2478CRFTWP12	152	38N2490CLFWP30	153	38N3630SOHWW	156	38N3684DLFW1	135
38N2478CRFTWP2	150	38N2490CRFTW30	153	38N3636CFSW	138	38N3684DLFWP1	135
38N2478CRFTWP6	151	38N2490CRFTWP30	153	38N3636CFSWP	138	38N3684DRFCW1	135
38N2478CRFW1	148	38N2490CRFW30	153	38N3638BCHGW	160	38N3684DRFCWP1	135
38N2478CRFW12	152	38N2490CRFWP30	153	38N3638BCHW	160	38N3684DRFW1	135
38N2478CRFW2	150	38N2490CSFW6	146	38N3638BCOW	159, 410	38N3684DRFWP1	135
38N2478CRFW6	151	38N2490CSFW7	144	38N3650BCHGW	160	38N3684DTW	135
38N2478CRFWP1	148	38N2490CSFWP6	146	38N3650BCHW	160	38N3684DTWP	135
38N2478CRFWP12	152	38N2490CSFWP7	144	38N3650BCOW	159, 410	38N4218SOHMGW	156
38N2478CRFWP2	150	38N2496CFFW6	146	38N3653BCOFW	159, 410	38N4218SOHWW	156
38N2478CRFWP6	151	38N2496CFFWP6	146	38N3668BCOFW	159, 410	38N4230SOHMGW	156
38N2478CSFW1	145	38N2496CKFTW2	147	38N3668BCOHFW	159, 410	38N4230SOHWW	156
38N2478CSFW2	145	38N2496CKFTWP2	147	38N3668VHHW	158	38N4242SQW	162
38N2478CSFWP1	145	38N2496CKFW2	147	38N3668VHHW	158	38N4242SQWP	162
38N2478CSFWP2	145	38N2496CKFWP2	147	38N367248DLFECW1	136	38N4818SOHMGW	156
38N2484CKFTW2	147	38N2496CLFTW30	153	38N367248DLFECWP1	136	38N4818SOHWW	156
38N2484CKFTWP2	147	38N2496CLFTWP30	153	38N367248DLFEW1	136	38N4830SOHMGW	156
38N2484CKFW2	147	38N2496CLFW30	153	38N367248DLFEWP1	136	38N4830SOHWW	156
38N2484CKFWP2	147	38N2496CLFWP30	153	38N367248DRFECW1	136	38N4838HBHGW	154
38N2484CLFTW1	149	38N2496CRFTW30	153	38N367248DRFECWP1	136	38N4838HBHW	154
38N2484CLFTW12	152	38N2496CRFTWP30	153	38N367248DRFEW1	136	38N4848SQW	162
38N2484CLFTW2	150	38N2496CRFW30	153	38N367248DRFEWP1	136	38N4848SQWP	162
38N2484CLFTW30	153	38N2496CRFWP30	153	38N367248DULEW	137	38N4850HBHGW	155
38N2484CLFTW6	151	38N2496CSFW1	145	38N367248DULEWP	137	38N4850HBHW	155
38N2484CLFTWP1	149	38N2496CSFW2	145	38N367248DULFEW	137	38N6038HBHGW	154
38N2484CLFTWP12	152	38N2496CSFW6	146	38N367248DULFEWP	137	38N6038HBHW	154
38N2484CLFTWP2	150	38N2496CSFW7	144	38N367248DUREW	137	38N6050HBHGW	155
38N2484CLFTWP30	153	38N2496CSFWP1	145	38N367248DUREWP	137	38N6050HBHW	155
38N2484CLFTWP6	151	38N2496CSFWP2	145	38N367248DURFEW	137	38N6638HBHGW	154
38N2484CLFW1	148	38N2496CSFWP6	146	38N367248DURFEWP	137	38N6638HBHW	154
38N2484CLFW12	152	38N2496CSFWP7	144	38N3672DDFCW8	134	38N6650HBHGW	155
38N2484CLFW2	150	38N2886BTCW	139	38N3672DDFCW9	134	38N6650HBHW	155
38N2484CLFW30	153	38N2886BTCWP	139	38N3672DDFCWP8	134	38N7238HBHGW	154
38N2484CLFW6	151	38N3018SOHMGW	156	38N3672DDFCWP9	134	38N7238HBHW	154
38N2484CLFWP1	148	38N3018SOHWW	156	38N3672DDFW8	134	38N7250HBHGW	155
38N2484CLFWP12	152	38N3030SOHMGW	156	38N3672DDFW9	134	38N7250HBHW	155
38N2484CLFWP2	150	38N3030SOHWW	156	38N3672DDFWP8	134	38N7366LLFW	132
38N2484CLFWP30	153	38N3038BCHGW	160	38N3672DDFWP9	134	38N7366LRFW	132
38N2484CLFWP6	151	38N3038BCHW	160	38N3672DLFCW1	135	38N7838HBHGW	154
38N2484CRFTW1	149	38N3038BCOW	159, 410	38N3672DLFCWP1	135	38N7838HBHW	154
38N2484CRFTW12	152	38N3050BCHGW	160	38N3672DLFW1	132-133, 135	38N7850HBHGW	155
38N2484CRFTW2	150	38N3050BCHW	160	38N3672DLFWP1	135	38N7850HBHW	155
38N2484CRFTW30	153	38N3050BCOW	159, 410	38N3672DRFCW1	135	38N7966LLFW	132
38N2484CRFTW6	151	38N306642DLFEW1	136	38N3672DRFCWP1	135	38N7966LRFW	132
38N2484CRFTWP1	149	38N306642DLFEWP1	136	38N3672DRFW1	132-133, 135	38N7972LLFW	132
38N2484CRFTWP12	152	38N306642DRFEW1	136	38N3672DRFWP1	135	38N7972LRFW	132
38N2484CRFTWP2	150	38N306642DRFEWP1	136	38N3672DTLFCW1	138	38N8438HBHGW	154
38N2484CRFTWP30	153	38N3066DDFW8	134	38N3672DTLFCWP1	138	38N8438HBHW	154
38N2484CRFTWP6	151	38N3066DDFW9	134	38N3672DTRFCW1	138	38N8450HBHGW	155
38N2484CRFW1	148	38N3066DDFWP8	134	38N3672DTRFCWP1	138	38N8450HBHW	155
38N2484CRFW12	152	38N3066DDFWP9	134	38N3672DTW	135	38N8572LLFW	132
38N2484CRFW2	150	38N3066DLFW1	132-133, 135	38N3672DTWP	135	38N8572LRFW	132
38N2484CRFW30	153	38N3066DLFWP1	135	38N3672DULFW	136	38N9038HBHGW	154
38N2484CRFW6	151	38N3066DRFW1	132-133, 135	38N3672DULFWP	136	38N9038HBHW	154
38N2484CRFWP1	148	38N3066DRFWP1	135	38N3672DULW	136	38N9050HBHGW	155
38N2484CRFWP12	152	38N307242DPLEW	138	38N3672DULWP	136	38N9050HBHW	155
38N2484CRFWP2	150	38N307242DPLEWP	138	38N3672DURFW	136	38N9638HBHGW	154
38N2484CRFWP30	153	38N307242DPLFEW	138	38N3672DURFWP	136	38N9638HBHW	154
38N2484CRFWP6	151	38N307242DPLFEWP	138	38N3672DURW	136	38N9650HBHGW	155
38N2484CSFW7	144	38N307242DPREW	138	38N3672DURWP	136	38N9650HBHW	155
38N2484CSFWP7	144	38N307242DPREWP	138	38N3680BCOFW	159, 410	38N9766ULFW	133
38N2490CBVW	144	38N307242DPRFEW	138	38N3680BCOHFW	159, 410	38N9766URFW	133
38N2490CBVWP	144	38N307242DPRFEWP	138	38N3680VHHW	158	45N2414DVT	344

Index

Model	Page	Model	Page	Model	Page	Model	Page
45N2414MB _	346	50N10772URFW	77	50N3066DLFLW1	76-78	50NN4848SQLW	90
45N2414MZ	346	50N14102CPCFW	91-95	50N3066DLFW1	76-78	50NN4848SQW	90
45N242SWL	346	50N1435CPBW	85-88, 406-408	50N3066DRFLW1	76-78	50NN48RDLW	90
45N244SW	345	50N1436CPCFW	85-88, 406-408	50N3066DRFW1	76-78	50NN48RDW	90
45N2454DV22W	342	50N1468CPBW	86-88, 406-408	50N3072DTLFLW1	79	51N10166ULFLW	243
45N2454DV22Y	342	50N1469CPCFW	86-88, 406-408	50N3072DTLFW1	79	51N10166ULFW	243
45N2454DVW	342	50N1531KDFW	89	50N3072DTRFLW1	79	51N10166URFLW	243
45N2454DVY	342	50N1931BEXLW	91-95	50N3072DTRFW1	79	51N10166URFW	243
45N248WMH	347	50N1931BEXW	91-95	50N3225SOHGW	94	51N10772ULFLW	243
45N3014DVT	344	50N1974BCOLWC	85, 96	50N3225SOHRW	95	51N10772ULFW	243
45N3014MB _	346	50N1974BCORWC	85, 96	50N3225S00W	91	51N10772URFLW	243
45N3014MZ	346	50N1974VSWHLW	85	50N3436BCOW	85, 406	51N10772URFW	243
45N302SWL	346	50N1974VSWHLWC	85, 96	50N3452BCHGW	87, 92, 94, 408	51N1435CPBW	250, 415
45N304SW	345	50N1974VSWHRW	85	50N3452BCHRW	88, 93, 95, 407	51N1436CPCFW	250, 415
45N3054DVW	342	50N1974VSWHRWC	85, 96	50N3452BCOFW	86, 91, 406	51N1468CPBW	249, 415
45N3054DVY	342	50N2040MGLW	89	50N3636CFSLW	79	51N1469CPCFW	249, 415
45N308WMH	347	50N2040MGQW	89	50N3636CFW	79	51N1531KDFW	251
45N3614DVT	344	50N2040MGW	89	50N3672DDFLW8	78	51N2040MGLW	250
45N3614MB _	346	50N2137LFF2LW	84, 91-95, 422	50N3672DDFW8	78	51N2040MGW	250
45N3614MZ	346	50N2137LFF2W	84, 91-95, 422	50N3672DLFLW1	76-78	51N2137LFF2LW	248, 429
45N362SWL	346	50N2137LFF3LW	84, 422	50N3672DLFW1	76-78	51N2137LFF2W	248, 429
45N364SW	345	50N2137LFF3W	84, 422	50N3672DRFLW1	76-78	51N2137LFF3LW	248, 429
45N3654DV333W	343	50N2137LFF4W	84, 422	50N3672DRFW1	76-78	51N2137LFF3W	248, 429
45N3654DV333Y	343	50N2163CKFLW2C	81	50N3672DTLW	78	51N2137LFF4W	248, 429
45N3654DV33W	342	50N2163CKFW2C	81	50N3672DTQLW	78	51N2166CKFLW2	246
45N3654DV33Y	342	50N2166CKFLW2	81	50N3672DTQW	78	51N2166CKFW2	246
45N3654DVW	342	50N2166CKFW2	81	50N3672DTW	78	51N2166CLFLW2	243, 247
45N3654DVY	342	50N2166CLFLW2	77, 81	50N3778VHHW	84	51N2166CLFW2	243, 247
45N368WMH	347	50N2166CLFW2	77, 81	50N3778VHHWC	84, 96	51N2166CRFLW2	243, 247
45N4214DVT	344	50N2166CRFLW2	77, 81	50N4240VBW	89	51N2166CRFW2	243, 247
45N4214MB _	346	50N2166CRFW2	77, 81	50N6618SOHMMW	83	51N2172CFFLW	246
45N4214MZ	346	50N2169CKFLW2C	81	50N6629SOHMGW	83	51N2172CFFW	246
45N422SWL	346	50N2169CKFW2C	81, 96	50N6629SOHMRW	83	51N2172CKFLW2	246
45N424SW	345	50N2169CSFLW2C	80	50N6629SOHMMW	83	51N2172CKFW2	246
45N4254DVW	342	50N2169CSFW2C	80, 96	50N6636HBHW	82	51N2172CLFLW2	243, 247
45N4254DVY	342	50N2172CBLW	80	50N6649HBHGW	82	51N2172CLFLW6	247
45N428WMH	347	50N2172CBVLW	80	50N6649HBHRW	82	51N2172CLFW2	243, 247
45N4814DVT	344	50N2172CBVW	80	50N6649HBHW	82	51N2172CLFW6	247
45N4814MB _	346	50N2172CBW	80	50N7129SOHMGW	83	51N2172CRFLW2	243, 247
45N4814MZ	346	50N2172CFFLW	81	50N7129SOHMRW	83	51N2172CRFLW6	247
45N482SWL	346	50N2172CFFW	81	50N7129SOHMRW	83	51N2172CRFW2	243, 247
45N484SW	345	50N2172CKFLW2	81	50N7149HBHGW	82	51N2172CRFW6	247
45N4854DV444W	343	50N2172CKFW2	81	50N7149HBHRW	82	51N2172CSFLW2	246
45N4854DV444Y	343	50N2172CLFLW2	77, 81	50N7149HBHW	82, 96	51N2172CSFW2	246
45N4854DV44W	342	50N2172CLFLW6	81	50N7218SOHMMW	83	51N2424ENLW	251
45N4854DV44Y	342	50N2172CLFW2	77, 81	50N7236HBHW	82	51N2424ENW	251
45N4854DVL42W	343	50N2172CLFW6	81	50N8066LLFLW	76	51N2430PTLW	250
45N4854DVL42Y	343	50N2172CRFLW2	77, 81	50N8066LLFW	76	51N2430PTW	250
45N4854DVR42W	343	50N2172CRFLW6	81	50N8066LRFLW	76	51N2442BEFLW	243, 246
45N4854DVR42Y	343	50N2172CRFW2	77, 81	50N8066LRFW	76	51N2442BEFW	243, 246
45N4854DVW	342	50N2172CRFW6	81	50N8672LLFLW	76	51N2450BEFLW	243, 246
45N4854DVY	342	50N2172CSFLW2	80	50N8672LLFW	76	51N2450BEFW	243, 246
45N488WMH	347	50N2172CSFW2	80	50N8672LRLW	76	51N2450RLEFLW2	242, 245
45N54WME	345	50N2421PTHLW	88	50N8672LRFW	76	51N2450RLEFW2	242, 245
45N712SWL	346	50N2421PTHW	88	50N9366ULFLW	77	51N2450RREFLW2	242, 245
45N714SWM	345	50N2424ENLW	89	50N9366ULFW	77	51N2450RREFW2	242, 245
45N952SWL	346	50N2424ENQW	89	50N9366URFLW	77	51N2451RTLW2	245
45N954SWM	345	50N2424ENW	89	50N9972ULFLW	77	51N2451RTLW2	245
45NCGRIP2	343	50N2430PTLW	88	50N9972ULFW	77	51N2451RTRLW2	245
45NCGRIP4	343	50N2430PTW	88	50N9972ULFW	77	51N2451RTRW2	245
45NCGRIP6	343	50N2442BEFLW	77, 80	50N9972URFLW	77	51N3018SOHMMW	248
45NHGRIP2	343	50N2442BEFW	77, 80	50N9972URFW	77	51N3066DDFLW8	244
45NHGRIP4	343	50N2450BEFLW	77, 80	50NN3030SQLW	90	51N3066DDFW8	244
45NHGRIP6	343	50N2450BEFW	77, 80	50NN3030SQW	90	51N3066DLFLW1	242-244
45NHNG	344	50N2450RLEFLW2	76, 79	50NN3030SQLW	90	51N3066DLFW1	242-244
45NSTCNR	344	50N2450RLEFW2	76, 79	50NN3030RDW	90	51N3066DRFLW1	242-244
45NSTINL	344	50N2450RREFLW2	76, 79	50NN3636SQLW	90	51N3066DRFW1	242-244
50N10266ULFLW	77	50N2450RREFW2	76, 79	50NN3636SQW	90	51N3072DTLFLW1	245
50N10266ULFW	77	50N2451RTLW2	79	50NN3636RDW	90	51N3072DTLFW1	245
50N10266URFLW	77	50N2451RTLW2	79	50NN36RDW	90	51N3072DTRFLW1	245
50N10266URFW	77	50N2451RTRLW2	79	50NN4242SQLW	90	51N3072DTRFW1	245
50N10772ULFLW	77	50N2451RTRW2	79	50NN4242SQW	90	51N3436BCOFW	250, 415
50N10772ULFW	77	50N3066DDFLW8	78	50NN42RDLW	90	51N3452BCOFW	249-250, 415
50N10772URFLW	77	50N3066DDFW8	78	50NN42RDW	90	51N3618SOHMMW	248

Model	Page	Model	Page	Model	Page	Model	Page
51N3636CFSWL	245	91NC3636MGG	383	CLN2272CRFFW6	181	CLN3666DLFFW1	176
51N3636CFSW	245	91NC3636MGL	384	CLN2272CRFLW10	181	CLN3666DLFLW1	175
51N3672DDFLW8	244	91NC3636MGW	384	CLN2272CRFLW2	173, 179	CLN3666DLFW1	175
51N3672DDFW8	244	ABWMD	221	CLN2272CRFLW6	180	CLN3666DRFFLW1	176
51N3672DLFLW1	242-244	ABWMF	221	CLN2272CRFW10	181	CLN3666DRFFW1	176
51N3672DLFW1	242-244	CBV2215DB	393	CLN2272CRFW2	173, 179	CLN3666DRFLW1	175
51N3672DRFLW1	242-244	CBV2215DN	393	CLN2272CRFW6	180	CLN3666DRFW1	175
51N3672DRFW1	242-244	CBV2215DS	393	CLN2288CLFFLW10	181	CLN3672DDFALW8	174
51N3672DTLW	244	CBV2215SQDB	393	CLN2288CLFFLW6	181	CLN3672DDFAW8	174
51N3672DTW	244	CBV2215SQDN	393	CLN2288CLFFW10	181	CLN3672DDFLW8	174
51N3778VHHW	249	CBV2215SQDS	393	CLN2288CLFFW6	181	CLN3672DDFW8	174
51N6636HBHW	247	CBV2715DB	393	CLN2288CLFLW10	181	CLN3672DLFALW1	175
51N7236HBHW	247	CBV2715DN	393	CLN2288CLFLW6	180	CLN3672DLFAW1	175
51N8066LLFLW	242	CBV2715DS	393	CLN2288CLFW10	181	CLN3672DLFFALW1	175
51N8066LLFW	242	CBV2715SQDB	393	CLN2288CLFW6	180	CLN3672DLFFAW1	175
51N8066LRLFW	242	CBV2715SQDN	393	CLN2288CRFFLW10	181	CLN3672DLFFLW1	176
51N8066LRFW	242	CBV2715SQDS	393	CLN2288CRFFW10	181	CLN3672DLFFW1	176
51N8672LLFLW	242	CLN10672ULFLW	173	CLN2288CRFFW6	181	CLN3672DLFLW1	172-173, 175
51N8672LLFW	242	CLN10672ULFW	173	CLN2288CRFFW6	181	CLN3672DLFW1	172-173, 175
51N8672LRLFW	242	CLN10672URFLW	173	CLN2288CRFLW10	181	CLN3672DRFALW1	175
51N8672LRFW	242	CLN10672URFW	173	CLN2288CRFLW6	180	CLN3672DRFAW1	175
51N9366ULFLW	243	CLN1438CPCFW	185, 411	CLN2288CRFW10	181	CLN3672DRFFALW1	175
51N9366ULFW	243	CLN1473CPCFW	185, 411	CLN2288CRFW6	180	CLN3672DRFFAW1	175
51N9366URFLW	243	CLN2016PMBFC	183	CLN2424ENW	186	CLN3672DRFFLW1	176
51N9366URFW	243	CLN2040MGW	186	CLN2424SQLW	186	CLN3672DRFFW1	176
51N9972ULFLW	243	CLN2237LFF2LW	184, 425	CLN2424SQW	186	CLN3672DRFLW1	172-173, 175
51N9972ULFW	243	CLN2237LFF2W	184, 425	CLN2472CBVLW	179	CLN3672DRFW1	172-173, 175
51N9972URFLW	243	CLN2237LFF3LW	184, 425	CLN2472CBVW	179	CLN3672DTLFLW1	177
51N9972URFW	243	CLN2237LFF3W	184, 425	CLN2542RTLW2	177	CLN3672DTLFW1	177
81N1842CSLW	387	CLN2237LFF4LW	184, 425	CLN2542RTLW2	177	CLN3672DTRFLW1	177
81N1842CSW	387	CLN2237LFF4W	184, 425	CLN2542RTRLW2	177	CLN3672DTRFW1	177
81N2040MGSQLW	387	CLN2260CKFLW2	179	CLN2542RTRW2	177	CLN3672DULFLW	176
81N2040MGSQW	387	CLN2260CKFW2	179	CLN2544RLEFLW2	172, 178	CLN3672DULFW	176
81N2424ENLW	387	CLN2260CLFFLW2	180	CLN2544RLEFW2	172, 178	CLN3672DULLW	176
81N2424ENSQW	387	CLN2260CLFFW2	180	CLN2544RREFLW2	172, 178	CLN3672DULW	176
81N2424ENSQW	387	CLN2260CRFFLW2	180	CLN2544RREFW2	172, 178	CLN3672DURFLW	176
81N2424ENW	387	CLN2260CRFFW2	180	CLN2560RLEFLW10	178	CLN3672DURFW	176
81N3636MGLW	387	CLN2266CKFLW2	179	CLN2560RLEFLW6	178	CLN3672DURLW	176
81N3636MGW	387	CLN2266CKFW2	179	CLN2560RLEFW10	178	CLN3672DURW	176
82N2424MGRDL	391	CLN2266CLFFLW2	180	CLN2560RLEFW6	178	CLN36RDLW	187
82N2424MGRDW	391	CLN2266CLFFLW6	181	CLN2560RREFLW10	178	CLN36RDW	187
82N2424MGSQL	391	CLN2266CLFFW2	180	CLN2560RREFLW6	178	CLN3765VWHAW	184
82N2424MGSQW	391	CLN2266CLFFW6	181	CLN2560RREFW10	178	CLN3836BCHAW	185, 411
82N3636MGRDL	391	CLN2266CLFLW2	179	CLN2560RREFW6	178	CLN3836BCOW	185, 411
82N3636MGRDW	391	CLN2266CLFLW6	180	CLN2636BEFHLW	173, 178	CLN42RDLW	187
82N3636MGSQL	391	CLN2266CLFW2	179	CLN2636BEFHW	173, 178	CLN42RDW	187
82N3636MGSQW	391	CLN2266CLFW6	180	CLN2648BEFHSLW	173, 179	CLN48RDLW	187
91NA2424CUL	382	CLN2266CRFFLW2	180	CLN2648BEFHSW	173, 179	CLN48RDW	187
91NA2424CUW	382	CLN2266CRFFLW6	181	CLN3018SOHMAW	183	CLN5936HBHAW	182
91NA2424CYL	382	CLN2266CRFFW2	180	CLN3060DDFLW8	174	CLN6536HBHAW	182
91NA2424CYW	382	CLN2266CRFFW6	181	CLN3060DDFW8	174	CLN7136HBHAW	182
91NA2448MGTL	382	CLN2266CRFLW2	179	CLN3060DLFFLW1	176	CLN7836HBHAW	182
91NA2448MGTW	382	CLN2266CRFLW6	180	CLN3060DLFW1	176	CLN8072LLFLW	172
91NA3636MGUL	382	CLN2266CRFW2	179	CLN3060DRFFLW1	176	CLN8072LLFW	172
91NA3636MGUW	382	CLN2266CRFW6	180	CLN3060DRFFW1	176	CLN8072LRFLW	172
91NA3636MGYL	382	CLN2272CKFLW2	179	CLN3066DDFLW8	174	CLN8072LRFW	172
91NA3636MGYW	382	CLN2272CKFW2	179	CLN3066DDFW8	174	CLN8836HBHAW	182
91NB1850CSL	381	CLN2272CLFFLW10	181	CLN3066DLFFLW1	176	CLN9472ULFLW	173
91NB1850CSW	381	CLN2272CLFFLW2	180	CLN3066DLFFW1	176	CLN9472ULFW	173
91NB2424ENL	381	CLN2272CLFFLW6	181	CLN3066DLFLW1	175	CLN9472URFLW	173
91NB2424ENW	381	CLN2272CLFFW10	181	CLN3066DLFW1	175	CLN9472URFW	173
91NB2448MGL	381	CLN2272CLFFW2	180	CLN3066DRFFLW1	176	CLNN3030SQW	186
91NB2448MGW	381	CLN2272CLFFW6	181	CLN3066DRFFW1	176	CLNN30RDW	187
91NB3636MGL	381	CLN2272CLFLW10	181	CLN3066DRFLW1	175	CLNN3636SQW	186
91NB3636MGW	381	CLN2272CLFLW2	173, 179	CLN3066DRFW1	175	CLNN36RDW	187
91NC1850CSG	383	CLN2272CLFLW6	180	CLN30RDW	187	CLNN4242SQW	186
91NC1850CSL	384	CLN2272CLFW10	181	CLN30RDW	187	CLNN42RDW	187
91NC1850CSW	384	CLN2272CLFW2	173, 179	CLN3564BCOFW	185, 411	CLNN4848SQW	186
91NC2424ENG	383	CLN2272CLFW6	180	CLN3618SOHMAW	183	CLNN48RDW	187
91NC2424ENL	384	CLN2272CRFFLW10	181	CLN3666DDFALW8	174	ECN0637CPCFW	208
91NC2424ENW	384	CLN2272CRFFLW2	180	CLN3666DDFAW8	174	ECN0643CPCFW	208
91NC2448MGG	383	CLN2272CRFFLW6	181	CLN3666DDFLW8	174	ECN10167ULFW	193
91NC2448MGL	384	CLN2272CRFFW10	181	CLN3666DDFW8	174	ECN10167URFW	193
91NC2448MGW	384	CLN2272CRFFW2	180	CLN3666DLFFLW1	176	ECN10173ULFW	193

Index

Model	Page	Model	Page	Model	Page	Model	Page
ECN10173URFW	193	ECN2273CRFFW6	201	ECN3871BCOHFW	207, 412	NAC16POM	330
ECN10773ULFW	193	ECN2273CRFW1	200	ECN3879VHHW	205	NAC1706KK1	353
ECN10773URFW	193	ECN2273CRFW10	202	ECN3879VVHW	205	NAC1706KK2	353
ECN1724CDW	209	ECN2273CRFW2	193, 200	ECN3879VHVWC	205, 210	NAC1706KK3	353
ECN1727CDW	209	ECN2273CRFW6	201	ECN4242SQW	211	NAC1721WBSK	361
ECN1733CDW	209	ECN2273CSFW2	198	ECN42RDW	211	NAC17TLL	360
ECN1733KDFW	209	ECN2424ENW	208	ECN4848SQW	211	NAC17TLLA	360
ECN1948CSW	208	ECN2542BEFW	193, 198	ECN48RDW	211	NAC17WM	364
ECN2040MGW	208	ECN2542RLEFW1	197	ECN6042HBHPGW	203	NAC1819TBR	373
ECN2071BCOLWC	205, 210	ECN2542RLEFW2	192, 197	ECN6050HBHPGW	203	NAC1819TBRA	373
ECN2071BCORWC	205, 210	ECN2542RREFW1	197	ECN6050HBHPW	203	NAC1824CDW	352
ECN2071VHL2WC	206	ECN2542RREFW2	192, 197	ECN6630SOHMGW	204	NAC1922CD	353
ECN2071VHR2WC	206, 210	ECN2548BEFW	193, 198, 210	ECN6630SOHMW	204	NAC1924KTM	352
ECN2071VSWHLWC	206, 210	ECN2548RLEFW1	197	ECN6642HBHPGW	203	NAC2118PVS2PF	367
ECN2071VSWHRWC	206, 210	ECN2548RLEFW2	192, 197	ECN6650BCHGW	207	NAC2118PVS2PFA	367
ECN2238LFF2W	204, 426	ECN2548RREFW1	197	ECN6650HBHPGW	203	NAC2118PVSP	369
ECN2238LFF3W	204, 426	ECN2548RREFW2	192, 197	ECN6650HBHPW	203	NAC2118PVSP	366
ECN2238LFF4W	204, 426	ECN2550RTLW2	197	ECN7230SOHMGW	204	NAC2118PVSTP	368
ECN2238MUCW	208	ECN2550TRW2	197	ECN7230SOHMW	204, 210	NAC2124CDW	352
ECN2238PFHW	205	ECN2572RLEFW10	197	ECN7242HBHPGW	203	NAC2208KK1	353
ECN2259CKFW2C	199	ECN2572RREFW10	197	ECN7250BCHGW	207	NAC2319KKS1	354
ECN2261CKFW2	199	ECN3030SQW	211	ECN7250HBHPGW	203, 210	NAC2418PVS2PF	367
ECN2261CLFFW1	200	ECN3061DDFBW8	194	ECN7250HBHPW	203	NAC2418PVS2PFA	367
ECN2261CLFFW2	201	ECN3061DLFFBW1	195	ECN7367LLFW	192	NAC2418PVSP	369
ECN2261CRFFW1	200	ECN3061DRFFBW1	195	ECN7367LRFW	192	NAC2418PVSP	366
ECN2261CRFFW2	201	ECN3067DDFBW8	194	ECN7842HBHPGW	203	NAC2418PVSTP	368
ECN2265CKFW2C	199	ECN3067DLFBW1	192-193, 195	ECN7850HBHPGW	203	NAC2421CDL	352
ECN2265CSFW2C	198	ECN3067DLFFBW1	195	ECN7850HBHPW	203	NAC25LTSP	359
ECN2266CLFW1C	200	ECN3067DRFBW1	192-193, 195	ECN7967LLFW	192	NAC25LTSPA	359
ECN2266CLFW2C	201	ECN3067DRFFBW1	195	ECN7967LRFW	192	NAC25LTSPD	359
ECN2266CLFW6C	202	ECN30RDW	211	ECN7973LLFW	192	NAC25TLB	359
ECN2266CRFW1C	200	ECN3276DTLFW1	197	ECN7973LRFW	192	NAC2605SMSL	356
ECN2266CRFW2C	201	ECN3276DTRFW1	197	ECN8442HBHPGW	203	NAC2605SMSW	356
ECN2266CRFW6C	202	ECN3636CFSW	196	ECN8450HBHPGW	203	NAC2718PVS2PF	367
ECN2267CKFW2	199	ECN3636SQW	211	ECN8450HBHPW	203	NAC2718PVS2PFA	367
ECN2267CLFFW1	200	ECN3667DDFBW8	194	ECN8573LLFW	192	NAC2718PVSP	369
ECN2267CLFFW2	201	ECN3667DDFBW8	194	ECN8573LRFW	192	NAC2718PVSP	366
ECN2267CLFFW6	201	ECN3667DLFBW1	195	ECN9567ULFW	193	NAC2718PVSTP	368
ECN2267CLFW1	200	ECN3667DLFFBW1	195	ECN9567URFW	193	NAC2804SFB	39, 61, 105, 177, 196, 219, 232
ECN2267CLFW2	193, 200	ECN3667DRFBW1	195	MPK-4	47, 71, 88, 237, 250	NAC2804SFBN	39, 61, 105, 177, 196
ECN2267CLFW6	201	ECN3667DRFFBW1	195	NAC03WM	123, 166, 364	NAC2804SFB	39, 61, 105, 219, 232
ECN2267CRFFW1	200	ECN3672DPLFW	196	NAC0510PTB	331	NAC2804SFBW	61, 105, 177, 196, 219, 232
ECN2267CRFFW2	201	ECN3672DPLW	196	NAC0611KMK	354	NAC2805SMSL	356
ECN2267CRFFW6	201	ECN3672DPRFW	196	NAC0613ST	352	NAC2805SMSW	356
ECN2267CRFW1	200	ECN3672DPRW	196	NAC0802KMK	209, 354	NAC2812SHB61	105, 177, 196, 219, 232
ECN2267CRFW2	193, 200	ECN3672DULFW	196	NAC0902EL5C	363	NAC3005SMSL	356
ECN2267CRFW6	201	ECN3672DULW	196	NAC0905SHBM	331	NAC3005SMSW	356
ECN2267CSFW2	198	ECN3672DURFW	196	NAC0924SHM	330	NAC3017TBR	375
ECN2271CFFWC	199	ECN3672DURW	196	NAC0930SHM	330	NAC3017TBRA	375
ECN2271CKFW2C	199, 210	ECN3673DDFBW8	194	NAC0936SHM	330	NAC3018PVS2PF	367
ECN2271CSFW2C	198	ECN3673DDFBW8	194	NAC0942SHM	330	NAC3018PVS2PFA	367
ECN2272CLFW10C	202	ECN3673DLFBW1	194	NAC0948SHM	330	NAC3018PVSP	369
ECN2272CLFW1C	200	ECN3673DLFFBW1	192-193, 195, 210	NAC1002ELPD2	363	NAC3018PVSP	366
ECN2272CLFW2C	201	ECN3673DLFFBAW1	195	NAC1010AT	332, 348, 362	NAC3018PVSTP	368
ECN2272CLFW6C	202	ECN3673DLFFBW1	195	NAC1010ATC	332, 348, 362	NAC3018TBR	374
ECN2272CRFW10C	202	ECN3673DRFBW1	194	NAC1115SPT	332, 348, 362	NAC3018TBRA	373
ECN2272CRFW1C	200, 210	ECN3673DRFFBW1	192-193, 195	NAC1115SPTC	332, 348, 362	NAC3019TBR	373
ECN2272CRFW2C	201	ECN3673DRFFBAW1	195	NAC1211DO	162, 361	NAC3019TBRA	373
ECN2272CRFW6C	202	ECN3673DRFFBW1	195	NAC1212SSM	330	NAC3048MBW	365
ECN2273CBW	198	ECN3673DTAW	194	NAC1217DPTM	330	NAC30WMH	364
ECN2273CBW	198	ECN36RDW	211	NAC1217SPTM	330	NAC3105SMSL	356
ECN2273CFFW	199	ECN3750BCHGW	207, 412	NAC1222SL	358	NAC3105SMSW	356
ECN2273CKFW2	199	ECN3750BCHW	207, 412	NAC1305ELCC	363	NAC311TSP	359
ECN2273CLFFW1	200	ECN3757BCOHFLWC	207	NAC1322SL1	358	NAC311TSPA	359
ECN2273CLFFW10	202	ECN3757BCOHFRWC	207	NAC1322SL2	358	NAC311TSPD	359
ECN2273CLFFW2	201	ECN3757BCOLWC	206	NAC1406KK4	353	NAC31TLL	360
ECN2273CLFFW6	201	ECN3757BCORWC	206	NAC1420SMCL	157, 356	NAC31TLLA	360
ECN2273CLFW1	200	ECN3771BCOHFLWC	207	NAC1420SMCW	157, 356	NAC3219TBR	373
ECN2273CLFW10	202	ECN3771BCOHFRWC	207	NAC1424KT	352	NAC3219TBRA	373
ECN2273CLFW2	193, 200	ECN3771BCOLWC	206	NAC1623DPLB	361		
ECN2273CLFW6	201	ECN3771BCORWC	206	NAC1624CT	352		
ECN2273CRFFW1	200	ECN3857BCOFW	206, 412	NAC16LTSP	359		
ECN2273CRFFW10	202	ECN3857BCOHFW	207, 412	NAC16LTSPA	359		
ECN2273CRFFW2	201	ECN3871BCOFW	206, 412	NAC16LTSPD	359		

Model	Page	Model	Page	Model	Page	Model	Page
NAC3305SMSL	356	NAC5616TBRA	376	NAC7917TBRA	374	NACG17ELIQS1	399
NAC3305SMSW	356	NAC5619TBR	372	NAC8020TBRA	371	NACG17ELIQS18	399
NAC3405SMSL	356	NAC5619TBRA	372	NAC8117TBRA	374	NACG17ELS	398
NAC3405SMSW	356	NAC5710TBD	378	NAC8219TBRA	371	NACG2	365
NAC3519TBR	373	NAC5710TBDA	378	NAC8416TBRA	375	NACG23ELB	402
NAC3519TBRA	373	NAC5711TBD	378	NAC8819TBRA	371	NACG23ELS	402
NAC3605SMSL	356	NAC5711TBDA	378	NACBS	332, 348, 362	NACG26ELB	334
NAC3605SMSW	356	NAC5716TBR	376	NACCP	332, 348, 362	NACG26ELMB	334
NAC3617TBR	375	NAC5716TBRA	376	NACCP	332, 348, 362	NACG26ELMS	334
NAC3617TBRA	375	NAC5720TBR	371	NACCPUMCB	358	NACG26ELS	334
NAC3618PVS2PF	367	NAC5720TBRA	371	NACELIL1	123, 166	NACMA1CMB	354
NAC3618PVS2PFA	367	NAC5819TBR	372	NACELIL2	123, 166	NACMA1CMS	354
NAC3618PVSFP	369	NAC5819TBRA	372	NACELIL3	123, 166	NACMA1GMB	354
NAC3618PVSP	366	NAC6010TBD	378	NACELIL4	123, 166	NACMA1GMS	354
NAC3618PVSTP	368	NAC6010TBDA	378	NACELIL5	123, 166	NACMA2CMB	354
NAC3618TBR	374	NAC6011TBD	378	NACELIL6	123, 166	NACMA2CMS	354
NAC3618TBRA	374	NAC6011TBDA	378	NACELIL7	123, 166	NACMA2GMB	354
NAC3619TBR	373	NAC6017TBR	375	NACELIL8	123, 166	NACMA2GMS	354
NAC3619TBRA	373	NAC6017TBRA	375	NACELILJ1	123, 166	NACMA3KB	355
NAC3639VBL	209	NAC6018PVS2PF	367	NACELILJ2	123, 166	NACMA3KS	355
NAC3639VBW	209	NAC6018PVS2PFA	367	NACELILJ3	123, 166	NACMAPSMB	333
NAC3819TBR	373	NAC6018PVSFP	369	NACELILJ4	123, 166	NACMAPSMS	333
NAC3819TBRA	373	NAC6018PVSP	366	NACELILJ5	123, 166	NACMRHM	330
NAC3916TBR	376	NAC6018PVSTP	368	NACELILJ6	123, 166	NACPH	332, 348, 362
NAC3916TBRA	376	NAC6019TBR	372	NACELILJ7	123, 166	NACPHC	332, 348, 362
NAC4005SMSL	356	NAC6019TBRA	372	NACELIQ1	399	NACPUH	358
NAC4005SMSW	356	NAC6114TBD	377	NACELIQ2PPG	397	NACSS	332, 348, 362
NAC4218PVS2PF	367	NAC6114TBDA	377	NACELIQ2PPG1	397	NACSSC	332, 348, 362
NAC4218PVS2PFA	367	NAC6117TBR	374	NACELIQ2PPG18	397	NACTLSEN	360
NAC4218PVSFP	369	NAC6117TBRA	374	NACELIQJ	397, 399	NCCB_ _ _	358
NAC4218PVSP	366	NAC6119TBR	372	NACELIQPPG	397	NCCB_ _ _S	358
NAC4218PVSTP	368	NAC6119TBRA	372	NACELIQPPG1	397	NCCBCK	358
NAC4219TBR	373	NAC6216TBRA	375	NACELIQPPG18	397	NCCBMK	358
NAC4219TBRA	373	NAC6219TBRA	372	NACELPDC	363	NEWNUMBER	48
NAC4239VBL	209	NAC6316TBRA	375	NACELR2C	364	Q10N2136LFF4L	430
NAC4239VBW	209	NAC6317TBRA	374	NACELR4	363	Q10N3630BCOFW	416
NAC4419TBR	373	NAC6319TBRA	372	NACG1	365	Q10N3636BCOFW	416
NAC4419TBRA	373	NAC6320TBRA	371	NACG10	365	Q10N3648BCOFW	416
NAC44TLL	360	NAC6414TBDA	377	NACG10EL	365	Q10N3660BCOFW	416
NAC44TLLA	360	NAC6415TBDA	377	NACG122ELB	397	Q10N3672BCOFW	416
NAC4516TBR	376	NAC6419TBRA	372	NACG122ELHB	397	Q10N3684BCOFW	416
NAC4516TBRA	376	NAC6617TBRA	374	NACG122ELHS	397	Q19N10572ULFW	217
NAC4619TBR	373	NAC6618PVS2PFA	367	NACG122ELS	397	Q19N10572URFW	217
NAC4619TBRA	373	NAC6618PVSFP	369	NACG12ELB	397	Q19N11172ULFW	217
NAC4810TBD	378	NAC6618PVSP	366	NACG12ELHB	397	Q19N11172URFW	217
NAC4810TBDA	378	NAC6618PVSTP	368	NACG12ELHS	397	Q19N2436LFF2W	222, 427
NAC4811TBD	378	NAC6619TBRA	372	NACG12ELS	397	Q19N2445BEFW	220
NAC4811TBDA	378	NAC6713TBDA	377	NACG152ELB	334	Q19N2451BEFW	220
NAC4818PVS2PF	367	NAC6714TBDA	377	NACG152ELHB	334	Q19N2451RLEFW2	219
NAC4818PVS2PFA	367	NAC6717TBRA	374	NACG152ELHS	334	Q19N2451RREFW2	219
NAC4818PVSFP	369	NAC6719TBRA	372	NACG152ELS	334	Q19N2472CKFW2	220
NAC4818PVSP	366	NAC6813TBDA	377	NACG15EL	334	Q19N2472CLFW2	220
NAC4818PVSTP	368	NAC6816TBRA	375	NACG15ELB	334	Q19N2472CRFW2	220
NAC4819TBR	373	NAC6819TBRA	371	NACG15ELH	334	Q19N2472CSFW2	220
NAC4819TBRA	373	NAC6912TBDA	377	NACG15ELHB	334	Q19N3618SOHMMW	221
NAC4919TBR	373	NAC6916TBRA	375	NACG162ELB	334	Q19N3636BCOW	223, 413
NAC4919TBRA	373	NAC6917TBRA	374	NACG162ELHB	334	Q19N3666BCOFW	223, 413
NAC49TLB	359	NAC6919TBRA	371	NACG162ELHS	334	Q19N3672DDFW8	218
NAC5019TBR	372	NAC6920TBRA	371	NACG162ELS	334	Q19N3672DLFW1	218
NAC5019TBRA	372	NAC7014TBDA	377	NACG172ELB	398	Q19N3672DRFW1	218
NAC5219TBR	372	NAC7015TBDA	377	NACG172ELIQB	399	Q19N7236HBBW	221
NAC5219TBRA	372	NAC7019TBRA	371	NACG172ELIQB1	399	Q19N8772LLFW	216
NAC5417TBR	375	NAC7212TBDA	377	NACG172ELIQB18	399	Q19N8772LRFW	216
NAC5417TBRA	375	NAC7218PVS2PFA	367	NACG172ELIQS	399	Q21N10472ULQL	35
NAC5418PVS2PF	367	NAC7218PVSFP	369	NACG172ELIQS1	399	Q21N10472URQL	35
NAC5418PVS2PFA	367	NAC7218PVSP	366	NACG172ELIQS18	399	Q21N10872ULQL	35
NAC5418PVSFP	369	NAC7218PVSTP	368	NACG172ELS	398	Q21N10872URQL	35
NAC5418PVSP	366	NAC7219TBRA	371	NACG173ELB	398	Q21N2436LFF2L	46, 420
NAC5418PVSTP	368	NAC7317TBRA	374	NACG173ELS	398	Q21N2443RLEQL3	40
NAC5419TBR	372	NAC7419TBRA	371	NACG17ELB	398	Q21N2443RREQL3	40
NAC5419TBRA	372	NAC7420TBRA	371	NACG17ELIQB	399	Q21N2445BEFL	41
NAC5517TBR	375	NAC7517TBRA	374	NACG17ELIQB1	399	Q21N2448BEFL	41
NAC5517TBRA	375	NAC7616TBRA	375	NACG17ELIQB18	399	Q21N2449RLEQL3	40
NAC5616TBR	376	NAC7619TBRA	371	NACG17ELIQS	399	Q21N2449RREQL3	40

Index

Model	Page	Model	Page	Model	Page	Model	Page
Q21N2472CKQL3	42	Q50N1436CPCFW	85-88, 406-408	Q51N7236HBHW	247	QECN2548BEFW	198
Q21N2472CLQL3	43	Q50N1531KDFW	89	Q51N8672LLFLW	242	QECN2548RLEFW2	197
Q21N2472CRQL3	43	Q50N2040MGW	89	Q51N8672LRLFW	242	QECN2548RREFW2	197
Q21N2472CSQL3	41	Q50N2137LFF2W	84, 91-95, 422	Q51N9972ULFLW	243	QECN3673DDFBW8	194
Q21N3336BCOL	47, 404	Q50N2172CKFW2	81	Q51N9972URFLW	243	QECN3673DLFBW1	195
Q21N3365BCOFL	46, 404	Q50N2172CLFW2	81	QCLN10672ULFLW	173	QECN3673DRFBW1	195
Q21N3617SOHML	45	Q50N2172CRFW2	81	QCLN10672URFLW	173	QECN3750BCHW	207, 412
Q21N3672DDQL3	36	Q50N2172CSFW2	80	QCLN1438CPCFW	185, 411	QECN3871BCOFW	206, 412
Q21N3672DLQL3	38	Q50N2424ENW	89	QCLN2040MGW	186	QECN7230SOHMMW	204
Q21N3672DRQL3	38	Q50N2442BEFW	80	QCLN2237LFF2LW	184, 425	QECN7250HBHPW	203
Q21N6936HBHL	44	Q50N2450BEFW	80	QCLN2272CKFLW2	179	QECN7973LLFW	192
Q21N7972LLQL	34	Q50N2450RLEFW2	79	QCLN2272CLFLW2	179	QECN7973LRFW	192
Q21N7972LRQL	34	Q50N2450RREFW2	79	QCLN2272CRFLW2	179	QECN8573LLFW	192
Q21N8572LLQL	34	Q50N3436BCOW	85, 406	QCLN2424ENW	186	QECN8573LRFW	192
Q21N8572LRQL	34	Q50N3452BCOFW	86, 91, 406	QCLN2544RLEFLW2	178	QNAC1824CDW	352
Q31N10272ULFW	53	Q50N3672DDFW8	78	QCLN2544RREFLW2	178	QNAC2124CDW	352
Q31N10272URFW	53	Q50N3672DLFW1	78	QCLN2636BEFLW2	178	QNAC2421CDL	352
Q31N10872ULFW	53	Q50N3672DRFW1	78	QCLN2648BEFHSLW	179	QNAC6617TBRA	374
Q31N10872URFW	53	Q50N7218SOHMMW	83	QCLN3564BCOFW	185, 411	QNAC6717TBRA	374
Q31N2040MGPLW	71	Q50N7236HBHW	82	QCLN3618SOHMAW	183	QNAC6816TBRA	375
Q31N2136LFF2W	69, 421	Q50N8672LLFW	76	QCLN3672DDFLW8	174	QNAC6917TBRA	374
Q31N2172CKFW2	64	Q50N8672LRFW	76	QCLN3672DLFLW1	175	QNAC6920TBRA	371
Q31N2172CLFW2	65	Q50N9972ULFW	77	QCLN3672DRFLW1	175	QNAC7019TBRA	371
Q31N2172CRFW2	65	Q50N9972URFW	77	QCLN3836BCOW	185, 411	QWW1836LFF2M	431
Q31N2172CSFW2	63	Q51N10772ULFLW	243	QCLN7136HBHAW	182	QWW1836LFF4M	431
Q31N2424ENPLW	71	Q51N10772URFLW	243	QCLN8072LLFLW	172	WW1830LFF2M	431
Q31N2444RLEFW2	62	Q51N1435CPBW	250, 415	QCLN8072LRLFW	172	WW1830LFF3M	431
Q31N2444RREFW2	62	Q51N1436CPCFW	250, 415	QCLN9472ULFLW	173	WW1830LFF4M	431
Q31N2445BEFW	63	Q51N1531KDFW	251	QCLN9472URFLW	173	WW1830LFF5DM	431
Q31N2451BEFW	63	Q51N2040MGLW	250	QECN10173ULFW	193	WW1830LFF5M	431
Q31N2452RLEFW2	62	Q51N2137LFF2LW	248, 429	QECN10173URFW	193	WW1836LFF2M	431
Q31N2452RREFW2	62	Q51N2172CKFLW2	246	QECN10773ULFW	193	WW1836LFF3M	431
Q31N3238BCOW	70, 405	Q51N2172CLFLW2	247	QECN10773URFW	193	WW1836LFF4M	431
Q31N3266BCOFW	70, 405	Q51N2172CRFLW2	247	QECN1727CDW	209	WW1836LFF5DM	431
Q31N3618SOHMMW	68	Q51N2172CSFLW2	246	QECN1733CDW	209	WW1836LFF5M	431
Q31N3672DDFW8	56	Q51N2424ENLW	251	QECN1733KDFW	209	WW1842LFF2M	431
Q31N3672DLFW1	58	Q51N2442BEFLW	246	QECN2040MGW	208	WW1842LFF3M	431
Q31N3672DRFW1	58	Q51N2450BEFLW	246	QECN2238LFF2W	204, 426	WW1842LFF4M	431
Q31N7236HBHW	68	Q51N2450RLEFLW2	245	QECN2273CKFW2	199	WW1842LFF5DM	431
Q31N8072LLFW	52	Q51N2450RREFLW2	245	QECN2273CLFW2	200	WW1842LFF5M	431
Q31N8072LRFW	52	Q51N3436BCOFW	250, 415	QECN2273CRFW2	200	WW36CW2M	431
Q31N8872LLFW	52	Q51N3452BCOFW	249-250, 415	QECN2273CSFW2	198	WW36CW3M	431
Q31N8872LRFW	52	Q51N3618SOHMMW	248	QECN2424ENW	208	WW36CW4M	431
Q50N10772ULFW	77	Q51N3672DDFLW8	244	QECN2542BEFW	198	WW36CW5M	431
Q50N10772URFW	77	Q51N3672DLFLW1	244	QECN2542RLEFW2	197		
Q50N1435CPBW	85-88, 406-408	Q51N3672DRFLW1	244	QECN2542RREFW2	197		

For more information about our products and services or to find a certified National® dealer near you, please visit us at www.NationalOfficeFurniture.com or contact our Customer Service Team at 800.482.1717.

Intellectual Property

Acquaint®, Admire®, Arlington™, Arrowood™, Aurora®, Barrington®, Captivate®, Casbah®, Chameleon™, Cinch®, Clever®, Confide®, Davari®, Ditto™, Eloquence®, Epic™, Epicenter®, Escalade®, Esssay™, Exhibit™, Flourish®, Fold™, Fuel®, Fringe®, Gotcha™, Hiland™, IntegraClear®, Jewel™, Jiminy®, Lavoro™, Medalist™, Mio™, Mix-it®, Monterrey™, Myriad™, Pegos®, Pennant™, Remedy®, Renegade™, Reno®, Respect®, Result®, Roosevelt™, Staccato®, Swift™, Tag®, Timberlane™, Triumph™, Toss™, and Wander™, WaveWorks®, and Whimsy™, are registered trademarks of National Office Furniture. Trademarks of other parties are identified wherever possible and National acknowledges their rights.

BLOCKaide™ and Terratex® are registered trademarks of Interface, Inc.

Brisa®, Brisa® Distressed, Promessa® and Ultraleather™ are registered trademarks of Ultrafabrics, LLC.

Byrne Interlink® is a registered trademark of Byrne Electrical Specialists, Inc.

Corian® is a registered trademark of E.I. du Pont Nemours and Company.

Cradle to Cradle™ is a registered trademark of McDonough Braungart Design Chemistry, LLC.

Crypton®, Crypton® Green and INCASE™ are registered trademarks of Crypton, Inc.

Hi-Loft™, Hi-Loft²™, PERMABLOK³®, SILVERGUARD® and Silvertex™ are registered trademarks of Spradling Holdings, Inc.

Hilti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

At National, sustainability is embedded throughout the professional and personal fabric of our lives. That extends from our products and processes to the materials we provide you showcasing our solutions, such as this price list. It is printed on paper and is certified by the Forest Stewardship Council (FSC®), which lends the assurance of being sourced from sustainably managed forests.

This price list is available in printed form; however, we encourage you to conserve natural resources with us and consult the online version at www.NationalOfficeFurniture.com/Resources.

Perhaps we've sent you more copies than you find necessary, or you no longer wish to receive our mailings. If so, please email us at Service@NationalOfficeFurniture.com. And as always, when you no longer have a need for this catalog, please recycle it.

Read more about our journey to create a better tomorrow at www.NationalOfficeFurniture.com/Sustainability.

At National Office Furniture,
we see our legacy as
more than quality furniture.

It is also a reverence for nature, which inspires our resolve
to protect, nurture and preserve nature's gifts.

NATIONAL | Furniture with Personality®

www.NationalOfficeFurniture.com

1610 Royal Street, Jasper, IN 47549

800.482.1717 Fax 812.482.8800

©Kimball International, Inc. 2015

Printed in the USA

Form No. NPLC1 Ver. 15

A Unit of Kimball International