the focused

Deveraux

Specification & Pricing Guide version 1.02





Table of Contents

Specifications Guide

Built-In Power & Data	
Built-In Power & Data	46
Accessories	
Popular Combinations	42
Polygonal Pricing Guide	
Polygonal Build Guide	
Straight (Double Face) Pricing Guide	
Straight (Double Face) Build Guide	
Straight (Single Face) Pricing Guide	
Straight (Single Face) Build Guide	
Popular Combinations	32
Bullet Pricing Guide	31
Bullet Build Guide	30
Pod Pricing Guide	29
Pod Build Guide	28
Straight (Double Face) Pricing Guide	27
Straight (Double Face) Build Guide	26
Straight (Single Face) Pricing Guide	
Straight (Single Face) Build Guide	24
Round (Leg) Pricing Guide	21
Round (Leg) Build Guide	20
Rectangle (Leg) Pricing Guide	19
Rectangle (Leg) Build Guide	
Rectangle (Panel) Pricing Guide	
Rectangle (Panel) Build Guide	16
Pricing Guide Tutorial	12
Shipping Pricing Guide	
LIAT Shipping Zones	10
Terminology and Tips	g
Electrical / Power	3
Divider Specifications	7
Shelf Specifications	7
Keel and Panel Specifications	6
Leg Specifications	5
Carrel Size Specifications	5
Table Size Specifications	5
Top Specifications	4

Add-On Power & Data	50
Add-On Power & Data	51
Add-On Power & Data	52
Add-On Power & Data	
Add-On Wire Management	
Monitor Arms & CPU Holders	
Terms and Conditions	
Deveraux Terms and Conditions	56
GSA Terms and Conditions	58

Specifications Guide

Top Specifications


Leg Base Table Top

Tops - The tops shall be 1-1/8" thick, particle board core.

Laminate - .050" thick high pressure laminate top surface and a phenolic backing sheet.

Edges - The edges shall be internally banded with a 3/4" wide flush edge band.

External flush edges are available for an upcharge.




Carrel Top


Tops - The tops shall be **1-1/8" thick**, particle board core.


The top will not be flush with the carrel back panel and will include a 2" cord drop on the back side to allow for wire management.


Laminate - .050" thick high pressure laminate top surface and a phenolic backing sheet.


Edges - The edges shall be internally banded with a **3/4**" **wide drop edge band** on the user's side. The back edge shall be internally banded with a **1/4**" **solid hardwood band**. *External edges are available for an upcharge*.












Е



Internal Edge Profiles

Edge details **shall be specified at time of order** and are available in the "A", "B", "C", "E", and "I" profiles.

Pod computer tables are only available with an "A" edge profile.

Apron Frames

The apron rail shall be constructed of 3" wide x 3/4" thick solid hardwood with a 1/8" radius on the bottom edge. The connection of the apron rails to the legs shall provide an integral space frame construction. All four apron rails shall be shaped with a 6" arch on either side to be 1-1/4" in the middle to ensure ADA compliance. The apron rails shall attach to each other using solid hardwood corner blocks, and the frame shall attach to the tops using 1-1/2" wood screws.




Table Size Specifications

Table Height

Height - 29".

Additional heights of 25", 27", and 36" are available upon request.

Leg base study tables are also available at 39" upon request.

Table Width

See specific sections for available table widths.

Width selection may vary from the actual overall footprint width.

Table Length

See specific sections for available table lengths.

Length selection may vary from the actual overall footprint length.

Tables **60" in length** and longer will receive a **14 gauge channeled stress bar** for added support.

Carrel Size Specifications

Carrel Height

Height - 29".

Overall Height - 48".

Additional top heights of 25", 32", and 39" are available upon request.

Carrel Width

See specific sections for available carrel widths.

Width selection may vary from the actual overall footprint width.

Carrel Length

See specific sections for available carrel lengths.

Carrels 48" in length and longer will receive a 14 gauge channeled stress bar for added support.

Length selection may vary from the actual overall footprint length.

Leg Specifications


Table Legs


The legs shall be constructed of glued-up solids and shall be 2-1/4" square.

All vertical edges shall have a 3/16" radius, and the bottom edges shall be eased.

The legs attach to the aprons with two **3" lag bolts** passing through a solid hardwood corner block, and tightened with lock washers and hex nuts.

Any table longer than 72" shall receive an additional leg for added support.







Glides

Each leg shall be fitted with two **1-1/4**" diameter rubber cushioned adjustable leveling glides with a **15/16**" stem.

Keel and Panel Specifications

Table Keels

Panel base study tables shall include two keels constructed of 1" **thick** particle board core with grade "A" veneer faces and externally banded with a **1/4**" solid hardwood on the bottom side extending **6-1/2**" down from the top and spaced **6"** from one another.

The keels shall attach to the end panels by means of Mod-eez clips and shoulder screws, and to the top by means of angle mounting brackets and screws.



The back panel shall be constructed of 1" thick particle board core with grade "A" veneer faces and externally banded with a 1/4" solid hardwood on the bottom side.

The panel shall be captured inside of the end/intermediate panels and start **9-1/4**" above the ground extending to the bottom of the top.

The back panel shall attach to the end/intermediate panels by means of Mod-eez clips and shoulder screws and shall attach to the underside of the work surface by means of angle mounting brackets.

The back panels of double-faced units shall receive one pass-through grommet.

Table End and Intermediate Panel

The end and intermediate panels shall be constructed of **1-1/4**" thick particle board core with grade "**A**" veneer faces.

The panels shall be externally banded on all four edges with 3/4" solids.

The panels shall protrude 1/2" above the work surface and shall be attached be attached to the top by means of a z-bar connector.

All intermediate panels shall include a grommet hole for wire passage.

Carrel Back Panels

The back panel shall be constructed of 1" thick particle board core with grade "A" veneer faces.

The back panel shall be externally banded on the top and bottom edges with 1/4" solid hardwood bands.

The panel shall attach to the end panels by means of Mod-eez clips and shoulder screws.

The double face back panels shall receive one pass-through grommet.


Carrel End and Intermediate Panels

The end and intermediate panels shall be constructed of **1-1/4**" thick particle board core with grade "A" veneer faces.


The panels shall be externally banded on all four edges with 3/4" thick solid hardwood bands.


The panels shall be attached to the work surface by means of z-bar connectors.

All intermediate panels shall include a grommet hole for wire passage.









Shelf Specifications

Shelf

The shelf shall be **9**" deep and constructed of **1**" thick particle board core with grade "**A**" veneer faces.

The front edge shall be externally banded with a 1/4" eased solid hardwood band.

Each shelf shall attach to the end/intermediate panels by means of shoulder screws and Mod-eez clips, and secured to the back panels by means of an embedded connector.

All carrels shall receive a shelf, available as a top shelf or bottom shelf.

The shelf location must be specified at the time of order.

Valance Shelf

Any top shelf will also receive a valance, which shall be constructed of 1" thick particle board core with grade "A" veneer faces.

The bottom edge shall be externally banded with a 1/4" eased solid hardwood band.

The valance shall extend **2-1/2**" below the shelf, and attach by means of **(3) wood screws** passing through the valance and into the shelf.

Divider Specifications


Wood Divider

The wood divider replaces the back panel and shall be constructed of 1" thick particle board core with grade "A" veneer faces and be externally banded with a 1/4" solid hardwood band on the bottom side, and 1/2" solid hardwood bands on the other sides.

The panel shall be captured inside of the end/intermediate panels and start **9-1/4**" above the ground extending above top, available at **8**", **12**", and **16**" high.

The panel shall attach to the end/intermediate panels by means of Mod-eez clips and shoulder screws and shall attach to the underside of the work surface by means of z-bar connectors.

The wood dividers of double-faced units shall receive one pass-through grommet underneath the work surface.



Acrylic Divider


The acrylic divider replaces the back panel and shall be constructed of 1" thick particle board core with grade "A" veneer faces and be externally banded with a 1/4" solid hardwood band on the bottom side, and 1/2" solid hardwood bands on the other sides.

The top of the panel shall have a 1/4" route to accept a 1/4" thick clear acrylic panel, frosted both sides, extending 8".

The panel shall be captured inside of the end/intermediate panels and start **9-1/4**" above the ground extending above top, available at **12**", **16**", and **20**" high.

The panel shall attach to the end/intermediate panels by means of Mod-eez clips and shoulder screws and shall attach to the underside of the work surface by means of z-bar connectors.

The acrylic dividers of double-faced units shall receive one pass-through grommet underneath the work surface.



Electrical / Power

Electrical / Power

There are several standard table-top electrical options complete with power outlets, data ports, and/or USB ports.

See the accessories for standard offerings, or contact project management to customize your desired configurations.

Wire Manager Leg

Table legs are available as a wire manager leg and shall be constructed of glued-up solids and shall be **2-1/4**" square.

All vertical edges shall have a 3/16" radius, and the bottom edges shall be eased.

The leg shall be routed out to allow wires to pass through, and a removable veneer covered metal strip will attach to the leg by means of **(6) wood screws** to hide the wires.

The legs attach to the underside of the table tops through a 1/4" thick 5" x 5" steel plate.

The plate attaches to the leg with two bolts threading into a barrel nut inserted into the leg.

The plate attaches to the underside of the table top with **(5)** 5/16" x 1" machine bolts engaging threaded inserts.

Any table longer than 72" shall receive an additional leg for added support.

Wire Manager Tray

All computer tables shall include a wire manager trough constructed of 1" thick particle board core with grade "A" veneer faces and externally banded with a 1/4" solid hardwood on the top edge.

The trough shall attach to the end panels by means of Mod-eez clips and shoulder screws at a **45°** angle with mouse holes on either side.

There should be at least 5" space between the top and the trough for access to wires.


J-Wire Manager


All carrel and computer table products, as well as study tables **with a power cutout upgrade** are to **come standard** with one j-wire manager made of extruded plastic to hold wires.

The j-wire manager is shipped loose and comes with double sided tape to assist with placement in the field.

All j-wire managers must be installed with the included screws.









Terminology and Tips

The following guide is provided as a reference to some of LIAT's **Deveraux Carrel terminology** along with tips to help with the planning process.




ISLAND

Island units are stand-alone or free-standing units.



STARTER


Starter units act as a **starting point** for a run of desking units. All starters must be ordered with an end unit.



ADDER


Adder units act as an extension for a run of desking units.

All adders must be ordered with both a starter and an end unit. There is no limit to the amount of adders allowed in a given run.



END


End units act as an **ending point** for a run of desking units. All ends must be ordered with a starter unit.



LIAT Shipping Zones

Shipping | Pricing Guide

Use the following guide to **determine the delivered pricing** for your LIAT furniture product by **selecting your zone** from the map and reviewing the price changes for each zone. To **determine your list price**, add your prices from your selected furniture and then **add the shipping cost based on your designated zone**.



Zone 1 No extra cost

Zone 2 Add 4% to the list price

Zone 3 Add 7% to the list price


Zone 1 orders less than \$5,000 list will have a flat fee of \$375 added to invoice

Zone 2 orders less than \$5,000 list will have a flat fee of **\$375** added to invoice, plus **4%** of list


Zone 3 orders less than \$5,000 list will have a flat fee of **\$375** added to invoice, plus **7%** of list

Hawaii, Alaska, and International

Note. This system does not apply to our international customers or those living in Alaska and Hawaii, freight must be quoted separately for these orders.



Example 1 Below \$5,000 list



DV-ST-3666-29-PB-PD

List Price - \$1,828

Nominal Size - 36" W x 66" L x 29" H

Actual Footprint -

Power & Data - Node Power Unit

Leg Shape - Panel Based


Top Shape - Straight

Zone 1 List Price: \$1,828 + \$375(flat fee) = \$2,203

Zone 2 List Price: \$1,828 + \$375(flat fee) + \$73(4% of list) = \$2,276

Zone 3 List Price: \$1,828 + \$375(flat fee) + \$128(7% of list) = \$2,331

Example 2 Above \$5,000 list



DV-ST-3666-29-PB-PD (more than one)

List Price - \$7,312

Nominal Size - 36" W x 66" L x 29" H

Actual Footprint -

Power & Data - Node Power Unit

Leg Shape - Panel Based

Top Shape - Straight

Zone 1 List Price: \$7,312 = \$7,312

Zone 2 List Price: \$7,312 + \$293(4% of list) = \$7,604


Zone 3 List Price: \$7,312 + \$512(7% of list) = \$7,824


^{*}LIAT product is shipped knocked down (KD). Assembly in the field is required.

Pricing Guide Tutorial

How to use this pricing guide

These pages are a guide on how to build and customize your Deveraux table using this specification and pricing guide.





12

Unit Shown DV-ST-3660-29-PB-PD

Shown options creating a

unique product code

List Price: \$1,748

Price of

unit shown



Rectangle (Frame) | Pricing Guide




To compare various combinations, use price chart

Component	Code	Description	36" Wide	42" Wide	48" Wide
1 Width	36	36" Wide Unit	\$0	-	-
	42	42" Wide Unit	-	\$0	-
	48	48" Wide Unit	-	-	\$0
2 Length	36	36" Long Unit	\$1,492	-	-
	42	42" Long Unit	\$1,573	\$1,736	-
	48	48" Long Unit	\$1,654	\$1,816	\$1,979
	60	60" Long Unit	\$1,702	\$1,865	\$2,027
	66	66" Long Unit	\$1,783	\$1,946	\$2,108
	72	72" Long Unit	\$1,864	\$2,026	\$2,189
3 Height	25	25" High Unit	\$0	\$0	\$0
	27	27" High Unit	\$0	\$0	\$0
	29	29" High Unit	\$0	\$0	\$0
	36	36" High Unit	\$212	\$247	\$283
4 Table Style	PB	Panel Base	\$0	\$0	\$0
vailable Upgrades					
Component	Code	Description	36" Wide	42" Wide	48" Wide
5 Power	-PD	Power/Data Cutout	\$45	\$45	\$45
		-Includes 1 cutout; Power unit ordered	separately		

DV-ST-3660-27-PB-PD


\$1,748



DV-ST-3666-29-PB-PD

Nominal Size - 36" W x 66" L x 29" H Actual Footprint - 36" W x 66" L x 29" H

Power - Power/Data Cutout



DV-ST-4260-29-PB

Nominal Size - 42" W x 60" L x 29" H Actual Footprint - 42" W x 60" L x 29" H **List Price - \$1,828**


List Price - \$1,865





Rectangle (Panel) | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.




height

Unit Shown DV-ST-3660-29-PB-PD

List Price \$1,748

Required Selections					
Component	Code	Description	36" Wide	42" Wide	48" Wide
1 Width	36	36" Wide Unit	\$0	-	-
	42	42" Wide Unit	-	\$0	-
	48	48" Wide Unit	-	-	\$0
2 Length	36	36" Long Unit	\$1,492	-	-
	42	42" Long Unit	\$1,573	\$1,736	-
	48	48" Long Unit	\$1,654	\$1,816	\$1,979
	60	60" Long Unit	\$1,702	\$1,865	\$2,027
	66	66" Long Unit	\$1,783	\$1,946	\$2,108
	72	72" Long Unit	\$1,864	\$2,026	\$2,189
3 Height	25	25" High Unit	\$0	\$0	\$0
	27	27" High Unit	\$0	\$0	\$0
	29	29" High Unit	\$0	\$0	\$0
	36	36" High Unit	\$212	\$247	\$283
4 Table Style	PB	Panel Base	\$0	\$0	\$0
Available Upgrades					
Component	Code	Description	36" Wide	42" Wide	48" Wide
5 Power	-PD	Power/Data Cutout	\$45	\$45	\$45
		-Includes 1 cutout; Power uni	t ordered separately		



DV-ST-3666-29-PB-PD

List Price - \$1,828


Nominal Size - 36" W x 66" L x 29" H

Actual Footprint - 36" W x 66" L x 29" H

Power - Power/Data Cutout

DV-ST-4260-29-PB


List Price - \$1,865



Rectangle (Leg) | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.






Unit Shown DV-ST-4266-29-LB-PD

List Price \$1,402

Component Code Width 24 30 36 42 48 Length 36 42 48 60 66 72 Height 25 27 29 36 Table Style LB railable Upgrades Component Code	Description 24" Wide Unit 30" Wide Unit 36" Wide Unit 42" Wide Unit 48" Wide Unit 48" Wide Unit 48" Long Unit 48" Long Unit 48" Long Unit 60" Long Unit	\$969 \$1,026 \$1,082 \$1,179	\$0" Wide - \$0 - - \$1,010 \$1,066 \$1,123 \$1,220	\$0	42" Wide \$0 - \$1,147 \$1,203	48" Wid \$
30 36 42 48 Length 36 42 48 60 66 72 Height 25 27 29 36 Table Style LB	30" Wide Unit 36" Wide Unit 42" Wide Unit 48" Wide Unit 36" Long Unit 42" Long Unit 48" Long Unit	\$969 \$1,026 \$1,082 \$1,179	\$0 - - - \$1,010 \$1,066 \$1,123	\$1,050 \$1,107 \$1,163	- \$0 - \$1,147	
36 42 48 Length 36 42 48 60 66 72 Height 25 27 29 36 Table Style LB ailable Upgrades	36" Wide Unit 42" Wide Unit 48" Wide Unit 36" Long Unit 42" Long Unit 48" Long Unit 60" Long Unit	\$1,026 \$1,082 \$1,179	\$1,010 \$1,066 \$1,123	\$1,050 \$1,107 \$1,163	- \$1,147	
42 48 Length 36 42 48 60 66 72 Height 25 27 29 36 Table Style LB ailable Upgrades	42" Wide Unit 48" Wide Unit 36" Long Unit 42" Long Unit 48" Long Unit 60" Long Unit	\$1,026 \$1,082 \$1,179	\$1,010 \$1,066 \$1,123	\$1,050 \$1,107 \$1,163	- \$1,147	•
Length 36 42 48 60 66 72 Height 25 27 29 36 Table Style LB ailable Upgrades	48" Wide Unit 36" Long Unit 42" Long Unit 48" Long Unit 60" Long Unit	\$1,026 \$1,082 \$1,179	\$1,010 \$1,066 \$1,123	\$1,107 \$1,163	- \$1,147	
Length 36	36" Long Unit 42" Long Unit 48" Long Unit 60" Long Unit	\$1,026 \$1,082 \$1,179	\$1,010 \$1,066 \$1,123	\$1,107 \$1,163		
42 48 60 66 72 Height 25 27 29 36 Table Style LB	42" Long Unit 48" Long Unit 60" Long Unit	\$1,026 \$1,082 \$1,179	\$1,066 \$1,123	\$1,107 \$1,163		\$1,24
48 60 66 72 Height 25 27 29 36 Table Style LB	48" Long Unit 60" Long Unit	\$1,082 \$1,179	\$1,123	\$1,163		\$1,24
60 66 72 Height 25 27 29 36 Table Style LB	60" Long Unit	\$1,179	,		\$1,203	Φ1,24
Height 25 27 29 36 Table Style LB ailable Upgrades	•		\$1 //0		#4 200	64.0 /
Height 25 27 29 36 Table Style LB ailable Upgrades	66" Long Unit		. ,	\$1,260	\$1,300	\$1,34
Height 25 27 29 36 Table Style LB ailable Upgrades	=0".1"	\$1,236	\$1,276	\$1,317	\$1,357	\$1,39
27 29 36 Table Style LB ailable Upgrades	72" Long Unit	\$1,292	\$1,333	\$1,373	\$1,413	\$1,45
29 36 Table Style LB ailable Upgrades	25" High Unit	\$0	\$0	\$0	\$0	\$
Table Style LB ailable Upgrades	27" High Unit	\$0	\$0	\$0	\$0	\$
Table Style LB ailable Upgrades	29" High Unit	\$0	\$0	\$0	\$0	9
ailable Upgrades	36" High Unit	\$226	\$226	\$226	\$226	\$22
	Leg Base	\$0	\$0	\$0	\$0	9
Component Code						
Component Code	Description	24" Wide	30" Wide	36" Wide	42" Wide	48" Wid
Power -PD	Power/Data Cutout	\$45	\$45	\$45	\$45	\$4
_	-Includes 1 cutout; Pow	er unit ordered se	parately			
Wire Leg -WL		\$61	\$61	\$61	\$61	\$6



DV-ST-4242-29-LB-PD

Nominal Size - 42" W x 42" L x 29" H

Actual Footprint - 42" W x 42" L x 29" H

Power - Power/Data Cutout

DV-ST-3072-27-LB

Nominal Size - 30" W x 72" L x 27" H

Actual Footprint - 30" W x 72" L x 27" H


List Price - \$1,333

List Price - \$1,192

Round (Leg) | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.





Unit Shown DV-ST-60D-29-LB-PD

List Price \$1,532

Required Selections							
Component	Code	Description	36" Dia	42" Dia	48" Dia	54" Dia	60" Dia
1 Diameter	36	36" Dia Unit	\$1,018	Dia		о т Біа -	oo Dia
Diameter						_	_
	42	42" Dia Unit	-	\$1,115	_	-	-
	48	48" Dia Unit	-	-	\$1,212	-	-
	54	54" Dia Unit	-	-	-	\$1,373	-
	60	60" Dia Unit	-	-	-	-	\$1,486
2 Top Shape	D	Round	\$0	\$0	\$0	-	-
3 Height	25	25" High Unit	\$0	\$0	\$0	\$0	\$0
	27	27" High Unit	\$0	\$0	\$0	\$0	\$0
	29	29" High Unit	\$0	\$0	\$0	\$0	\$0
	36	36" High Unit	\$226	\$226	\$226	\$226	\$226
4 Table Style	LB	Leg Base	\$0	\$0	\$0	\$0	\$0
Available Upgrades							
Component	Code	Description	36" Dia	42" Dia	48" Dia	54" Dia	60" Dia
5 Power	-PD	Power/Data Cutout	\$45	\$45	\$45	\$45	\$45
		-Includes 1 cutout; Powe	r unit ordered sepa	arately			
6 Wire Leg	-WL	Wire Leg	\$61	\$61	\$61	\$61	\$61
		-Not available on units le	ss than 29" high				



DV-ST-36D-36-LB-PD-WL

List Price - \$1,350

Nominal Size - 36" Dia x 36" H

Actual Footprint - 36" Dia x 36" H


Power - Power/Data Cutout

Wire Management - Wire Leg

DV-ST-42D-29-LB

List Price - \$1,115

Nominal Size - 42" Dia x 29" H Actual Footprint - 42" Dia x 29" H



DV-ST-54D-29-LB

List Price - \$1,373

Nominal Size - 54" Dia x 29" H Actual Footprint - 54" Dia x 29" H






Straight (Single Face) | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.






Unit Shown DV-CT-3066S-29-I-AD12-PD

List Price \$2,663

Component	Code	Description	24" Wide	30" Wide				
Width	24	24" Wide Unit	\$0	-				
	30	30" Wide Unit	-	\$0				
Length	30	30" Long Unit	\$1,208	\$1,301				
	36	36" Long Unit	\$1,346	\$1,439				
	42	42" Long Unit	\$1,484	\$1,577				
	60	60" Long Unit	\$1,869	\$1,962				
	66	66" Long Unit	\$2,007	\$2,100				
	72	72" Long Unit	\$2,144	\$2,238				
Top Shape	S	Straight	\$0	\$0				
Height	25	25" High Unit	\$0	\$0				
	27	27" High Unit	\$0	\$0				
	29	29" High Unit	\$0	\$0				
Unit Type	I	Island	\$293	\$366				
•	S	Starter	\$293	\$366				
	Α	Adder	\$0	\$0				
	E	End	\$0	\$0				
ilable Upgrade	es							
Component	Code	Description	30" Long	36" Long	42" Long	60" Long	66" Long	72" Lon
Divider	-AD	Acrylic Divider	\$40	\$40	\$40	\$40	\$40	\$4
	-WD	Wood Divider	\$101	\$121	\$141	\$202	\$222	\$24
Divider								
Height	80	8" High Divider	\$0	\$0	\$0	\$0	\$0	\$
		-8" Height not availa	•					
	12	12" High Divider	\$50	\$61	\$71	\$101	\$111	\$12
	16	16" High Divider	\$101	\$121	\$141	\$202	\$222	\$24
	20	20" High Divider	\$151	\$182	\$212	\$303	\$333	\$36
	20							
	20	-20" Height not avail	able with Wood D	ivider				
Power	-PD	-20" Height not avail: Power/Data Cutout	able with Wood D	ivider \$45	\$45	\$45	\$45	\$4



DV-CT-2436S-29-I-PD

Nominal Size - 24" W x 36" L x 29" H

Actual Footprint - 24" W x 36" L x 29" H

Unit Type - Island


Power - Power/Data Cutout

List Price - \$1,684

Straight (Double Face) | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.






Unit Shown DV-CT-4860S-29-I-AD16-PD

List Price \$3,420

Component	Code	Description	48" Wide	60" Wide				
Width	48	48" Wide Unit	\$0	-				
-	60	60" Wide Unit	-	\$0				
Length	30	30" Long Unit	\$1,747	\$1,954				
-	36	36" Long Unit	\$1,909	\$2,116				
	42	42" Long Unit	\$2,071	\$2,278				
	60	60" Long Unit	\$2,501	\$2,708				
	66	66" Long Unit	\$2,663	\$2,870				
	72	72" Long Unit	\$2,825	\$3,032				
Top Shape	S	Straight	\$0	\$0				
Height	25	25" High Unit	\$0	\$0				
-	27	27" High Unit	\$0	\$0				
	29	29" High Unit	\$0	\$0				
Unit Type	I	Island	\$586	\$732				
-	S	Starter	\$586	\$732				
	Α	Adder	\$0	\$0				
	E	End	\$0	\$0				
ailable Upgrad	es							
Component	Code	Description	30" Long	36" Long	42" Long	60" Long	66" Long	72" Lo
Divider	-AD	Acrylic Divider	\$40	\$40	\$40	\$40	\$40	\$
	-WD	Wood Divider	\$101	\$121	\$141	\$202	\$222	\$2
Divider								
Height	80	8" High Divider	\$0	\$0	\$0	\$0	\$0	;
		-8" Height not availa						
	12	12" High Divider	\$50	\$61	\$71	\$101	\$111	\$1:
	16	16" High Divider	\$101	\$121	\$141	\$202	\$222	\$2
	20	20" High Divider	\$151	\$182	\$212	\$303	\$333	\$30
		-20" Height not avail	able with Wood [Divider				
		Power/Data						
Power	-PD	Cutout	\$91	\$91	\$91	\$91	\$91	\$9



DV-CT-4866S-29-I-PD

Nominal Size - 48" W x 66" L x 29" H

Actual Footprint - 48" W x 66" L x 29" H

Unit Type - Island


Power - Power/Data Cutout

List Price - \$3,339

Pod | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.







Unit Shown DV-CT-4884P-29-I-AD12-PD

List Price \$7,257

Component	Code	Description	48" Wide		
Width	48	48" Wide Unit	\$0		
Length	66	66" Long Unit	\$5,990		
	84	84" Long Unit	\$6,232		
	92	92" Long Unit	\$6,354		
Top Shape	Р	Pod	\$0		
Height	25	25" High Unit	\$0		
-	27	27" High Unit	\$0		
	29	29" High Unit	\$0		
Unit Type	I	Island	\$586		
	S1	Starter 1	\$586		
	S2	Starter 2	\$586		
	S3	Starter 3	\$586		
	A1	Adder 1	\$0		
	A2	Adder 2	\$0		
	E	End	\$0		
ailable Upgrades					
Component	Code	Description	66" Long	84" Long	92" Long
Divider	-AD	Acrylic Divider	\$121	\$121	\$12
	-WD	Wood Divider	\$303	\$363	\$42
Divider Height	08	8" High Divider	\$0	\$0	5
		-8" Height not available with Ac	rylic Divider		
	12	12" High Divider	\$151	\$182	\$2
	16	16" High Divider	\$303	\$363	\$42
	20	20" High Divider	\$454	\$545	\$63
		-20" Height not available with W	lood Divider		





DV-CT-4892P-29-I-WD12-PD

Nominal Size - 48" W x 92" L x 29" H

Actual Footprint - 101" W x 116-5/8" L x 29" H

Unit Type - Island

Power - Power/Data Cutout

Dividers - Wood

DV-CT-4866P-29-I

Nominal Size - 48" W x 66" L x 29" H

Actual Footprint - 77-3/4" W x 89-3/4" L x 29" H

Unit Type - Island

List Price - \$7,711


List Price - \$6,576

29

Bullet | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.






Unit Shown DV-CT-6084B-29-I-PD

List Price \$3,187



Component	Code	Description	48" Wide	60" Wide		
Component	Code	Description		ou wide		
Width	48	48" Wide Unit	\$0	-		
_	60	60" Wide Unit	-	\$0		
2 Length	60	60" Long Unit	\$1,616	\$1,777		
	66	66" Long Unit	\$1,778	\$1,939		
	72	72" Long Unit	\$1,940	\$2,102		
	84	84" Long Unit	\$2,248	\$2,410		
Top Shape	В	Bullet	\$0	\$0		
4 Height	25	25" High Unit	\$0	\$0		
_	27	27" High Unit	\$0	\$0		
	29	29" High Unit	\$0	\$0		
Unit Type	I	Island	\$586	\$732		
	S	Starter	\$586	\$732		
	Е	End	\$0	\$0		
vailable Upgrades						
Component	Code	Description	60" Long	66" Long	72" Long	84" Long
Power	-PD	Power/Data Cutout	\$45	\$45	\$45	\$45
		4-Window Dropshare				
	-DS4	Cutout	\$45	\$45	\$45	\$4
		6-Window Dropshare				
	-DS6	Cutout	\$45	\$45	\$45	\$4:



DV-CT-4884B-29-I-DS4

List Price - \$2,879

Nominal Size - 48" W x 84" L x 29" H

Actual Footprint - 48" W x 84" L x 29" H

Unit Type - Island

Power - 4-Window DropShare Cutout



DV-CT-4866B-29-I


List Price - \$2,364

Nominal Size - 48" W x 66" L x 29" H Actual Footprint - 48" W x 66" L x 29" H

Unit Type - Island

Popular Combinations

The following products are **popular and frequently desking runs**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.




DV-CT-PC08-01

List Price - \$6,396

Per Seat - \$800

(1) DV-CT-4866S-29-S-AD12-PD (1) DV-CT-4866S-29-E-AD12-PD

8-Person combination



DV-CT-PC09-01

List Price - \$5,476

Per Seat - \$608

(1) DV-CT-4866S-29-S-AD12-PD (1) DV-CT-4872B-29-E-PD 9-Person combination




DV-CT-PC10-01

List Price - \$4,556

Per Seat - \$455

(1) DV-CT-4872B-29-S-PD (1) DV-CT-4872B-29-E-PD • 10-Person combination




DV-CT-PC10-02

List Price - \$10,213

Per Seat - \$1,021

(1) DV-CT-4892P-29-S1-WD12-PD (1) DV-CT-4866S-29-E-WD12-PD 10-Person combination




DV-CT-PC12-01

List Price - \$13,343

Per Seat - \$1,112

(1) DV-CT-4884P-29-S1-AD12-PD (1) DV-CT-4884P-29-E-AD12-PD


12-Person combination



DV-CT-PC15-01

(1) DV-CT-4866P-29-S3-AD12-PD (3) DV-CT-4866S-29-E-AD12-PD 15-Person combination List Price - \$15,114

Per Seat - \$1,008



DV-CT-PC16-01


(1) DV-CT-4884P-29-S2-PD (2) DV-CT-4872B-29-E-PD 16-Person combination **List Price - \$10,339**

Per Seat - \$646



(1) DV-CT-4884P-29-S1-AD12-PD (1) DV-CT-4866S-29-A-AD12-PD (1) DV-CT-4884P-29-E-AD12-PD 16-Person combination List Price - \$16,248


Per Seat - \$1,015



DV-CT-PC17-01

(1) DV-CT-4866P-29-S3-AD12-PD (1) DV-CT-4860B-29-E (2) DV-CT-4884P-29-E-AD12-PD 17-Person combination List Price - \$21,358

Per Seat - \$1,256



DV-CT-PC21-01

(1) DV-CT-4866P-29-S3-AD12-PD (3) DV-CT-4884P-29-E-AD12-PD 20-Person combination **List Price - \$26,414**


Per Seat - \$1,258






Straight (Single Face) | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Carrel by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.



Required Selections				
Component	Code	Description	24" Wide	30" Wide
1 Width	24	24" Wide Unit	\$0	-
	30	30" Wide Unit	-	\$0
2 Length	36	36" Long Unit	\$1,688	\$1,829
	42	42" Long Unit	\$1,862	\$2,003
3 Carrel Height	48	48" High Carrel	\$0	\$0
4 Top Height	27	27" High Top	\$0	\$0
	29	29" High Unit	\$0	\$0
	32	32" High Unit	\$0	\$0
	39	39" High Unit	\$0	\$0
5 Unit Type	I	Island	\$485	\$606
	S	Starter	\$485	\$606
	Α	Adder	\$0	\$0
	E	End	\$0	\$0
Component	Code	Description	36" Long	42" Long
6 Shelf	BS	Bottom Shelf	\$0	\$0
	TS	Top Shelf	\$40	\$53
		-Top shelf not available on 39" hig	h units	

Component	Code	Description	24" Wide	30" Wide
Top Height Adapter	-HA27	Adapt to 27"	\$0	\$
_	-HA29	Adapt to 29"	\$0	\$
	-HA32	Adapt to 32"	\$0	\$
	-HA39	Adapt to 39"	\$0	\$
		-Height adapters only available on Starter	and Adder units	
Shelf Adapter	-SAB	Shelf Adapt to Bottom Shelf	\$0	\$
	-SAT	Shelf Adapt to Top Shelf	\$0	\$
		-Top Shelf Adapter not available with 39"	Height Adapter	
		-Shelf adapters only available on Starter	and Adder units	



DV-CA-2436-4829-I-TS


List Price -\$2,213

Nominal Size - 24" W x 36" L x 48" H Actual Footprint - 24" W x 36" L x 48" H Unit Type - Island Shelf Location - Top

Deveraux

Straight (Double Face) | Build Guide


Use the following guide to **determine the catalog number** for your Deveraux Carrel by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.



equired Selections				
Component	Code	Description	48" Wide	60" Wide
Width	48	48" Wide Unit	\$0	
	60	60" Wide Unit	-	\$
Length	36	36" Long Unit	\$2,504	\$2,78
	42	42" Long Unit	\$2,706	\$2,98
Carrel Height	48	48" High Carrel	\$0	\$
Top Height	27	27" High Top	\$0	\$
	29	29" High Unit	\$0	\$
	32	32" High Unit	\$0	\$
	39	39" High Unit	\$0	\$
Unit Type	I	Island	\$969	\$1,21
	S	Starter	\$969	\$1,21
	Α	Adder	\$0	\$
	E	End	\$0	\$
Component	Code	Description	36" Long	42" Long
Shelf	BS	Bottom Shelf	\$0	\$
	TS	Top Shelf	\$81	\$10

-Top shelf not available on 39" I	high	units
-----------------------------------	------	-------

Available Upgrades				
Component	Code	Description	48" Wide	60" Wide
7 Top Height Adapter	-HA27	Adapt to 27"	\$0	\$0
	-HA29	Adapt to 29"	\$0	\$0
	-HA32	Adapt to 32"	\$0	\$0
	-HA39	Adapt to 39"	\$0	\$0
		-Height adapters only available on Sta	rter and Adder units	
8 Shelf Adapter	-SAB	Shelf Adapt to Bottom Shelf	\$0	\$0
	-SAT	Shelf Adapt to Top Shelf	\$0	\$0
		-Top Shelf Adapter not available with 3	9" Height Adapter	
		-Shelf adapters only available on Start	er and Adder units	



DV-CA-6042-4829-I-BS

List Price - \$4,200

Nominal Size - 60" W x 42" L x 48" H

Actual Footprint - 60" W x 42" L x 48" H


Unit Type - Island

Shelf Location - Bottom

Deveraux

Polygonal | Build Guide

Use the following guide to **determine the catalog number** for your Deveraux Table by **selecting your choice** from the available options. To **determine your list price**, add all prices for your selected items from the table to the right.




Required Selections						
Component	Code	Description	Hex 3	Hex 6	Octa 4	Octa 8
1 Top Widths	24	24" Wide Unit	\$0	\$0	\$0	\$0
2 Top Lengths	36	36" Long Unit	\$5,549	\$10,128	\$7,237	\$13,505
	42	42" Long Unit	\$5,670	\$10,371	\$7,398	\$13,828
3 Carrel Height	48	48" High Carrel	\$0	\$0	\$0	\$0
4 Top Height	27	27" High Top	\$0	\$0	\$0	\$0
	29	29" High Unit	\$0	\$0	\$0	\$0
	32	32" High Unit	\$0	\$0	\$0	\$0
	39	39" High Unit	\$0	\$0	\$0	\$0
5 Unit Type	Н3	Hex - 3 Station	\$0	-	-	-
	H6	Hex - 6 Station	-	\$0	-	-
	04	Octa - 4 Station	-	-	\$0	-
	O8	Octa - 8 Station	-	-	-	\$0
6 Shelf	BS	Bottom Shelf	\$0	\$0	\$0	\$0
	TS	Top Shelf	\$121	\$242	\$162	\$323

-Top shelf not available on 39"	high units
---------------------------------	------------

Available Upgrades						
Component	Code	Description	Hex 3	Hex 6	Octa 4	Octa 8
7 Power	-PD	Power/Data Cutout	\$136	\$273	\$182	\$363
		-Includes 1 cutout per back p	oanel; Power units orde	ered separately		





DV-CA-2442-4829-H3-TS-PD

Nominal Size - 24" W x 42" L x 48" H

Actual Footprint - 38-5/16" W x 86-3/8" L x 48" H

Unit Type - Hex 3

Power - Power/Data Cutout

DV-CA-2436-4829-O8-BS

Nominal Size - 24" W x 36" L x 48" H

Actual Footprint - 92-1/4" W x 92-1/4" L x 48" H


Unit Type - Octa 8

List Price - \$5,927

Deveraux

Popular Combinations

The following products are **popular and frequently ordered carrel runs**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.




DV-CA-PC02-01

(1) DV-CA-2442-4829-S-TS (1) DV-CA-2442-4829-E-TS

2-Person combination

List Price - \$4,313


Per Seat - \$2,156



DV-CA-PC02-02

(1) DV-CA-2442-4829-S-BS (1) DV-CA-2442-4829-E-BS 2-Person combination **List Price - \$4,208**


Per Seat - \$2,104



DV-CA-PC03-01

(1) DV-CA-2442-4829-S-TS (1) DV-CA-2442-4829-A-TS (1) DV-CA-2442-4829-E-TS 3-Person combination **List Price - \$6,227**

Per Seat - \$2,075



DV-CA-PC03-02


(1) DV-CA-2442-4829-S-TS-SAB (1) DV-CA-2442-4829-A-BS-SAT (1) DV-CA-2442-4829-E-TS 3-Person combination **List Price - \$6,174**

Per Seat - \$2,058



(1) DV-CA-2442-4829-S-TS (2) DV-CA-2442-4829-A-TS (1) DV-CA-2442-4829-E-TS 4-Person combination **List Price - \$8,142**


Per Seat - \$2,035



DV-CA-PC04-02

(1) DV-CA-4842-4829-S-TS (1) DV-CA-4842-4829-E-TS 4-Person combination List Price - \$6,591


Per Seat - \$1,648



DV-CA-PC04-03

(1) DV-CA-4842-4829-S-BS (1) DV-CA-4842-4829-E-BS 4-Person combinationn **List Price - \$6,381**


Per Seat - \$1,595



DV-CA-PC06-01

(1) DV-CA-4842-4829-S-TS (1) DV-CA-4842-4829-A-TS (1) DV-CA-4842-4829-E-TS 6-Person combination **List Price - \$9,402**

Per Seat - \$1,567



DV-CA-PC06-02

(1) DV-CA-4842-4829-S-TS-SAB (1) DV-CA-4842-4829-A-BS-SAT (1) DV-CA-4842-4829-E-TS 6-Person combination List Price - \$9,297

Per Seat - \$1,550



(1) DV-CA-4842-4829-S-TS (2) DV-CA-4842-4829-A-TS (1) DV-CA-4842-4829-E-TS 8-Person combination **List Price - \$12,212**

Per Seat - \$1,526






Deveraux Accessories

Built-In Power & Data

The following products are **popular and frequently ordered accessories**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.




LA-MOH4-202-C120

Moire (Hole Mount)

Power/Data - 2 Power; 2 Open Data

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)




LA-MOH4-211-C120

Moire (Hole Mount)

Power/Data - 2 Power; 1 USB; 1 Open Data

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)




LA-MOH4-310-C120

Moire (Hole Mount)

Power/Data - 3 Power; 1 USB Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)




LA-MOH4-400-C120

Moire (Hole Mount)

Power/Data - 4 Power Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)



LA-MOH4-220-C120

Moire (Hole Mount)

Power/Data - 2 Power; 2 USB Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)

List Price - \$222

List Price - \$307

List Price - \$307

List Price - \$278



LA-NOD2-101-C120

List Price - \$165

Node (Hole Mount)

Power/Data - 1 Power; 1 Open Data

Power Supply - 120" Cord

Finish Options - Parchment (-PP); Silver (-SP); Midnight (-MP)




LA-NOD2-110-C120

List Price - \$250

Node (Hole Mount)

Power/Data - 1 Power; 1 USB Power Supply - 120" Cord

Finish Options - Parchment (-PP); Silver (-SP); Midnight (-MP)



LA-NOD2-200-C120

List Price - \$173

Node (Hole Mount)

Power/Data - 2 Power Power Supply - 120" Cord

Finish Options - Parchment (-PP); Silver (-SP); Midnight (-MP)



LA-HEM3-210-C120

List Price - \$230

Hemisphere (Hole Mount)

Power/Data - 2 Power; 1 USB Power Supply - 120" Cord

Finish Options - Soft Touch Plastic: Black (-B); White (-W); Green (-G); Orange (-O)



LA-HEM3-300-C120

List Price - \$230

Hemisphere (Hole Mount)

Power/Data - 3 Power Power Supply - 120" Cord

Finish Options - Soft Touch Plastic: Black (-B); White (-W); Green (-G); Orange (-O)




Dropshare an effective media sharing solution


The unit dropshare accessories go with must have a power cutout in it.

The catalog number, description, specifications, color options, and list prices are all provided.

Contact project management for any further information.







LA-DSX4-4-200-C120


DropShare Media Sharing

User Configuration - 4-User **Video Input/Output -** HDMI

Power/Data Configuration - 2 Power (each side)

Power Supply - 120" Cord

Finish Options - Clear Anodized (-SB); Black Anodized (-BB)



LA-DSX6-6-310-C120

DropShare Media Sharing


User Configuration - 6-User **Video Input/Output -** HDMI

Power/Data Configuration - 3 Power; 1 USB (each side)

Power Supply - 120" Cord

Finish Options - Clear Anodized (-SB); Black Anodized (-BB)

List Price - \$4,833



LA-PERNO-18L

Perno "L" LED Task Light - 18"

Occupancy Sensor - Yes (30 minute delay preset)
Watts/Luminous Flux - 6W / 401 Lumen
Size - 1-3/32" T x 3-11/32" W x 18-25/32" L
Light Type/Color - LED / Neutral White (4,100 °K)
Finish - Silver

LA-PERNO-24L Perno "L" LED Task Light - 24"

Occupancy Sensor - Yes (30 minute delay preset) Watts/Luminous Flux - 8W / 609 Lumen Size - 1-3/32" T x 3-11/32" W x 24-17/32" L Light Type/Color - LED / Neutral White (4,100 °K) Finish - Silver


LA-PERNO-36L

Perno "L" LED Task Light - 36"

Occupancy Sensor - Yes (30 minute delay preset)
Watts/Luminous Flux - 14W / 997 Lumen
Size - 1-3/32" T x 3-11/32" W x 36-11/32" L
Light Type/Color - LED / Neutral White (4,100 °K)
Finish - Silver

List Price - \$191


List Price - \$258



Deveraux Accessories

Add-On Power & Data

The following products are **popular and frequently ordered accessories**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.



LA-AXX4-202-C120


List Price - \$308

Axil X (Edge Mount)

Power/Data Configuration - 2 Power; 2 Open Data

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXX4-211-C120


List Price - \$387

Axil X (Edge Mount)

Power/Data Configuration - 2 Power; 1 USB; 1 Open Data

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXX4-310-C120


List Price - \$403

Axil X (Edge Mount)

Power/Data Configuration - 3 Power; 1 USB

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXX4-400-C120


List Price - \$414

Axil X (Edge Mount)

Power/Data Configuration - 4 Power

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXX4-220-C120

List Price - \$465

Axil X (Edge Mount)

Power/Data Configuration - 2 Power; 2 USB

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXY4-202-C120

List Price - \$308

Axil Y (Edge Mount)

Power/Data Configuration - 2 Power; 2 Open Data

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXY4-211-C120

List Price - \$387

Axil Y (Edge Mount)

Power/Data Configuration - 2 Power; 1 USB; 1 Open Data

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXY4-310-C120


List Price - \$403

Axil Y (Edge Mount)

Power/Data Configuration - 3 Power; 1 USB

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXY4-400-C120

List Price - \$414

Axil Y (Edge Mount)

Power/Data Configuration - 4 Power

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)



LA-AXY4-220-C120

List Price - \$465

Axil Y (Edge Mount)

Power/Data Configuration - 2 Power; 2 USB


Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B); Gloss Silver (-S)

Deveraux Accessories

Add-On Power & Data

The following products are **popular and frequently ordered accessories**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.



LA-ASR2-200-C120


List Price - \$335

Power/Data Configuration - 2 Power Power Supply - 120" Cord

Assemble Reveal (Under Surface)

Finish - Silver Aluminum

Trim Color Options - White (-WT); Black (-BT); Silver (-ST)



LA-ASR2-110-C120


List Price - \$400

Assemble Reveal (Under Surface)

Power/Data Configuration - 1 Power; 1 USB

Power Supply - 120" Cord Finish - Silver Aluminum

Trim Color Options - White (-WT); Black (-BT); Silver (-ST)



LA-ASR4-211-C120


List Price - \$424

Assemble Reveal (Under Surface)

Power/Data Configuration - 2 Power; 1 USB; 1 Open Data

Power Supply - 120" Cord **Finish -** Silver Aluminum

Trim Color Options - White (-WT); Black (-BT); Silver (-ST)



LA-ASR4-310-C120


List Price - \$441

Assemble Reveal (Under Surface)

Power/Data Configuration - 3 Power; 1 USB

Power Supply - 120" Cord Finish - Silver Aluminum

Trim Color Options - White (-WT); Black (-BT); Silver (-ST)



LA-ASR4-220-C120

List Price - \$502


Assemble Reveal (Under Surface)

Power/Data Configuration - 2 Power; 2 USB

Power Supply - 120" Cord

Finish - Silver Aluminum

Trim Color Options - White (-WT); Black (-BT); Silver (-ST)



Suggested Item O

ISLE a free standing charging hub

LA-ISLE-930-C108

Power/Data Configuration - 9 Power; 3 USB
Power Supply - 108" Cord
Finish Options - Gloss White (-GW) Gloss Black (-GB) Silver Pearl (-S)
Size - 18"W x 18"L x 25-1/2"H

List Price - \$1,679

List Price - \$707

List Price - \$257



LA-DRI6-330-C108


Drifter (Free Standing - Table Top)

Power/Data Configuration - 3 Power; 3 USB

Power Supply - 108" Cord

Finish Options - Gloss White (-GW); Gloss Black (-GB); Silver Pearl (-S)

Size - 10"W x 10"L x 2-7/8"H



LA-MOT4-400-C120


Moire (Free Standing - Table Top)

Power/Data Configuration - 4 Power

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)

Size - 3-7/8"W x 3-7/8"L x 2"H



LA-MOT4-21B-C120


Moire (Free Standing - Table Top)

Power/Data Configuration - 2 Power; 1 USB; 1 Blank

Power Supply - 120" Cord

Finish Options - Gloss White (-W); Gloss Black (-B)

Size - 3-7/8"W x 3-7/8"L x 2"H



4TRAC

Contact Project Management for Configuration & Pricing

4-Trac Power Supply System

Power System - 4 wires; 2 circuits; 20 Amps each


Power Supply - Cord and hardwire power options available

Power Output - Allows up to 26 duplex receptacles (13 per circuit)

Deveraux Accessories

Add-On Wire Management


The following products are **popular and frequently ordered add-on wire management accessories**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.



LA-WM7

VELCRO Wire Management Guide

Size - 1-3/4" x 3-1/2" **Color -** Black




LA-WM24-90M

Under Counter Sombrero Cable Wrap

Size - 1-17/32"T x 4"Dia

Color - Black




LA-WM23B-90

Cable Management Flexible Loop Guide

Size - 1-5/8"T x 2-19/32"W x 3-5/8"L

Color - Black



LA-WM16

Snake Wire Manager

Size - 31-1/8"L


Color - Metallic Silver (-23); Black (-90)

List Price - \$13

List Price - \$20

List Price - \$45

The following products are **popular and frequently ordered monitor arm & CPU holder accessories**. The catalog number, description, specifications, color options, and list prices are all provided. Contact project management for any further information.



LA-CPU600 List Price - \$196

Vertical Hanging CPU Holder (Fixed Mount)


Size Adjustments - Fits CPUs 3.6" - 9" wide by 12" - 120" high

Track Lengh - 16"

Maximum CPU weight - 30 pounds

Rotation - 360°

Colors - White/Brushed Aluminum (-W); Black/Brushed Aluminum (-B)



LA-9189 List Price - \$354


POS Through-Counter Mount

Installation - Tube passes through counter and has internal cable routing **Adjusting -** Quickly adjust monitor height from 7" - 12", Pivot, turn, or lock

Supports monitors up to 25 pounds

Color - Dark Grey

Supports monitors, signature capture devices, kiosks and more



LA-5800-S-14-DC

List Price - \$541

EVO Pole Arm

Rotation - 360° at two joints; 180° at base


Monitor Tilt - 90° up & 20° down; Landscape/Portrait Pivot

Monitor Compatibility - VESA 75mm and 100mm

Monitor Weight - Up to 20 pounds (9.0 kg)

Mounting Options - Desk Edge; Grommet; Thru-Desk

Colors - Silver Powder Coat (-124); Vista Black Powder Coat (-104)



LA-5700-DC-SPM

List Price - \$639

EVO LCD Arm

Rotation - 360° at two joints; 180° at base


Monitor Tilt - 90° up & 20° down; Landscape/Portrait Pivot

Monitor Compatibility - VESA 75mm and 100mm

Monitor Weight - 7 - 20 pounds (3.2 - 9.0 kg)

Mounting Options - Desk Edge; Grommet; Thru-Desk

Colors - Silver Powder Coat (-124); Vista Black Powder Coat (-104)



LA-7000 List Price - \$780

Flexible Flat Panel Radial Arm

Rotation - 360° at three joints

Monitor Tilt - 180° down from center; Landscape/Portrait Pivot

Monitor Compatibility - VESA 75mm and 100mm

Monitor Weight - 2 - 13 pounds (0.9 - 5.9 kg)

Mounting Options - Desk Edge; Grommet; Thru-Desk

Colors - Silver (-124); Linen White (-232); Vista Black (-104)

Terms and Conditions

Deveraux Terms and Conditions

The following terms & conditions apply to all LIAT, LLC products.

- 1. ACCEPTANCE, MODIFICATION, ASSIGNMENT: By placing this order for furniture, material or other products (sometimes collectively referred to as "Goods"), Customer agrees to these Terms and Conditions which shall prevail over inconsistent provisions in any other form or document of Customer. No change or modification shall be applicable unless set forth in writing and signed by Company. Neither this order nor any interest therein shall be assigned by Customer except with the prior written consent of Company.
- 2. PRICING: LIAT, LLC assumes no responsibility for the quantities or the interpretation of competitive product. Pricing is based on standard LIAT furniture including standard construction, materials, finishes and sizes. Unit prices shall prevail. Pricing subject to change without notice Prices are those in effect at the time of order entry.
- 3. PAYMENT: Customer agrees to pay deposit or down payment as required by Company. Customer agrees to pay to Company the amount indicated on the Invoice, 1% 15 days, net 30 days from date of Invoice (U.S. Funds only), for Goods ordered. INTEREST WILL BE CHARGED AFTER 30 DAYS FROM THE DATE OF INVOICE AT THE RATE OF ONE AND A HALF PERCENT (1.5%) PER MONTH. International sales will require additional payment arrangements. No Goods shall be sold on consignment or conditional sales basis. Payment for the Goods delivered hereunder shall constitute acceptance thereof.
- 4. DELIVERY: The specific terms of delivery are as stated on the sales order acknowledgment. Goods which are delivered in advance of schedule are delivered at the risk of Customer. The Company is not liable for delays or failure to ship due to fire, strike, act of God, the public enemy or other causes beyond the control of the Company. With respect to LIAT, LLC, all shipments which are F.O.B. Factory or Delivered, LIAT, LLC reserves the right to select the appropriate carrier. Special requests including, but not limited to, inside delivery, installation, and call before delivery are not included in the price. Any charges arising from failure to meet shipment, rerouting while in transit, or carrier storage charges are the responsibility of the Customer.
- *LIAT product is shipped knocked down. Assembly in the field is required.
 - 5. CARE AND MAINTENANCE: To maintain your LIAT product for years of use, please follow these care and maintenance guidelines:

Wood Care and Maintenance: Use a damp, lint free cotton cloth for general dusting. Work with the grain of the wood.

Laminate Tops: Laminates may be cleaned using a damp cloth and mild soap.

Marmoleum Tops: Marmoleum can be maintained by dry or wet maintenance systems. For detailed product specifications or maintenance information, contact Forbo Industries Support Services at 1-800-842-7839 or visit their website www.forbo-industries.com.

Metal Finishes: Mix a solution of liquid soap and warm water. Saturate a clean cloth with this mixture. Wipe down metal then dry completely.

Acrylic Products: Use only products specifically recommended for cleaning acrylic, or a mild solution of dish detergent and warm water. Do **NOT** use any cleaner containing ammonia to clean your acrylic products. Do **NOT** use a dry cloth or your hand to clean the acrylic - this will rub the dirt and dust into the acrylic and can scratch the surface.

Fabric Care: The ability to be cleaned will vary based on the type of fabric. For best results, a professional service is recommended. Dirt and crumbs may be gently brushed or vacuumed off. Spill should be wiped up immediately with a cloth. if upholstery has been protected with Scotchgard or Zepel, the coating should be re-applied yearly. Vinyl textiles can be cleaned with warm soapy water and then wiped down with a warm damp cloth.

6. CLAIMS. All shipments are delivered to the carrier in good condition and

Company's liability ceases after acceptance by carrier. If shipment arrives short or damaged, the Customer must file a claim immediately with the carrier. In the event of concealed damage, notify carrier and request an immediate inspection. Keep all cartons and packing material. Failure to file claim within 15 days after receipt of Goods constitutes acceptance and a waiver of any such claims

7. DISCLAIMER OF WARRANTIES: The express warranties below are the Company's sole warranties of its Goods, there are no understandings, agreements, representations, or warranties, express or implied (including any regarding the merchantability or fitness for a particular purpose), not specified herein, respecting the Goods. Except for those obligations of the Company identified in these Terms and Conditions, all risks related to the quality and performance of the Goods and responsibility for repair or service costs rests solely on the Customer. Company reserves the right to limit the applicable warranty to the Goods depending upon the division or catalogue through which said Goods were sold. Some states do not allow limitations on implied warranties, limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply to all Customers. This warranty gives the Customer specific legal rights, and each Customer may also have other rights which vary from state to

8. EXPRESS WARRANTIES: The express warranties of the Company are as follows:

LIAT, LLC

LIAT, LLC WARRANTS TO THE ORIGINAL PURCHASER THAT EACH CASEGOOD WILL BE FREE FROM DEFECTS IN WORKMANSHIP GIVEN NORMAL USE FOR A PERIOD OF TWENTY (20) YEARS OF SINGLE SHIFT SERVICE. LIAT WARRANTS THEIR SEATING PRODUCTS TO THE ORIGINAL PURCHASER THAT EACH PIECE OF FURNITURE WILL BE FREE FROM DEFECTS GIVEN NORMAL USE FOR FIVE (5) YEARS. LIAT, LLC WILL, AT ITS OPTION, REPAIR OR REPLACE ANY DEFECTIVE FURNITURE WITHIN THE TERMS OF THE WARRANTY. THIS WARRANTY DOES NOT APPLY TO DAMAGE RESULTING FROM ACCIDENT, ALTERATION, OR MISUSE. ALL LIAT ELECTRICAL COMPONENTS AND ACCESSORIES ARE WARRANTED TO THE EXTENT OF THE ORGINAL MANUFACTURER.

Goods other than furniture are sold by Company to Customer without warranty.

- 9. ATTORNEYS' FEES: Customer shall be responsible for all expenses and costs in connection with the enforcement by Company of these Terms and Conditions and the costs of collection (including the fees of any collection agencies to whom the Customer's account may be referred), plus reasonable attorneys' fees (which attorneys' fees shall not be less than 25% of the amount due, unless a lower amount is specified by applicable law).
- 10. CANCELLATION: All cancellations must be made in writing. Administrative and/or labor charges may be incurred by the Customer depending upon the production stage of the order. Orders specifying special finish cannot be cancelled once finishing has begun. Cancellations cannot be accepted once final production has begun.
- 11. ORDER CHANGES: All changes to an order must be made in writing and are subject to Company's ability to conform. Administrative and/or labor charges may be incurred by the Customer depending upon the production stage of the order. Once final production has begun, no changes can be accepted.

- 12. REMEDIES: The remedies herein reserved shall be cumulative, and additional to any other or further remedies provided in law or equity. No waiver of a breach of any provision of these Terms and Conditions shall constitute waiver of any other breach or of such provision.
- 13. INSOLVENCY: Company may forthwith cancel this order in the event of the happening of any of the following or any other comparable event: insolvency of the Customer, the filing of a voluntary petition in bankruptcy, the filing of any involuntary petition to have Customer declared bankrupt provided it is not vacated within thirty (30) days from the date of filing, the appointment of a receiver or trustee for Customer provided such appointment is not vacated within thirty (30) days from the date of such appointment, or the execution by Customer of an assignment for the benefit of creditors.
- 14. LIMITATION OF LIABILITY: The Company shall not under any circumstances be liable to the Customer, owner of the Goods or any third party for special, indirect, incidental, or consequential damages, including, without limitation, loss of profits or revenues, loss or damage to other property or equipment, cost of capital or of purchased or replacement goods, or expense, delay or inconvenience caused by or arising from the purchase, sale, use, repair or inability to use the Goods or by any performance or non-performance under, or breach of, these Terms and Conditions. The Company's sole liability for any defective Goods shall be its repair or its replacement pursuant to the Express Warranties set forth above, or if amended, as applicable at the time of manufacture or repair of the Goods. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusion may not apply to all Customers. Any action resulting from any breach on the part of Company as to the Goods or services delivered hereunder must be commenced within one year after the cause of action has occurred.
- 15. RETURNS AND ALLOWANCES: Reasonable touch-up and deluxing is the dealer's responsibility. The Company will not make allowances for trip or delivery charges, but will only make allowance for actual work performed to correct manufacturing defects. Allowances may be authorized only by a Company officer. It is the responsibility of the field sales representatives to inspect any defective merchandise and make suggestions and recommendations as to the proper disposition. Field personnel cannot obligate or bind the Company by definite agreement, without final authorization by a Company officer. Company will not accept automatic charge backs which do not have prior authorization. All defects must be called to the Company's attention upon arrival at the Customer's "Ship To" destination. To initiate any type of claim or request for parts, it is imperative to have the model number or fabric number, which may be located on the tag attached to the frame of the unit. Authorization for return to the Company for any reason must be issued by the Company via a Return Goods Authorization. Any authorized returns not due to damage or defect will be assessed a 30% restocking charge and all return freight charges must be prepaid. Company will not issue credit allowances for any repairs without Company's prior consent. Under no circumstances shall the Company accept COD (Cash on Delivery) returns, and any such shipment will be refused.
- **16. SECURITY AGREEMENT:** The Company may require and Customer shall grant a security interest in Goods sold pursuant to any credit the Company may extend to the Customer.
- 17. GOVERNING LAW: All disputes between the parties, whether or not arising out of these Terms and Conditions, will be governed by the laws of the State of North Carolina. Customer agrees to submit to the jurisdiction of and agrees all lawsuits relating to any disputes between the Customer and the Company will be brought only in a state court located in Dubois County, North Carolina or the United States District Court for the Southern District of

- North Carolina. THE CUSTOMER HEREBY WAIVES THE RIGHT TO A TRIAL BY JURY IN ANY ACTION, PROCEEDING, CLAIM, OR COUNTERCLAIM WHETHER IN CONTRACT OR TORT, AT LAW OR IN EQUITY, ARISING OUT OF OR RELATING IN ANY WAY TO THESE TERMS AND CONDITIONS AND ALL OTHER DISPUTES BETWEEN THE PARTIES.
- 18. MITIGATION: If the Company repossesses the Goods prior to payment by the Customer of all amounts due hereunder, the Company may sell the Goods, AS IS, WHERE IS, free and clear of all rights of the Customer at either public or private sale, and apply the net proceeds (after deducting expenses of repossession and sale) to the obligation of Customer hereunder. The Customer shall remain liable for any deficiency. THE COMPANY MAY DISPOSE OF THE GOODS IN ANY COMMERCIALLY REASONABLE PLACE AND MANNER AND THE CUSTOMER WAIVES ANY NOTICE OF TIME, PLACE AND MANNER OF SALE.
- 19. INTEGRATION: This order for Goods, including these Terms and Conditions, along with any Credit Application, Invoice, Statement, Dealer Contract, Acknowledgment, Bill of Lading (and any exhibits, addenda or amendments thereto) of which this order may be a part, constitutes the sole and complete agreement between the Company and the Customer with respect to the purchase of the Goods.
- 20. DIMENSIONS/SPECIFICATIONS/FINISHES: All dimensions are approximate and may vary due to the upholstery technique of each craftsman. If exact dimensions are required, it is necessary for the Customer to state such specifications with the order. Detailed specification sheets are available for each series of Goods, and Customer should consult the Company's Customer Service Department for these specification sheets. Company reserves the right to make changes in dimensions, style, or specifications if Company believes these changes will improve the Goods' quality or appearance. Company reserves the right to substitute hardwoods due to availability at production. Due to the natural characteristics of wood, environmental effects, and material upgrades, the Company cannot guarantee exact finish matches on existing Goods previously ordered from Company. If an exact match to Customer's existing Goods are required, it must be specified so that the proper procedures can be followed to ensure an acceptable finish. Company will accept no liability for the finish if this procedure is not followed. Company reserves the right to make changes in a finish formula if Company believes the change will improve the quality or appearance of Company's Goods.
- 21. ACKNOWLEDGEMENT: All orders will be acknowledged promptly, showing how the order was entered, the approximate shipping time and other pertinent information. It is the Customer's obligation to examine this acknowledgment carefully and notify Company immediately of any discrepancies. Every reasonable effort is made to ship as acknowledged, however, the acknowledged ship date is approximate. Company will generally ship within five (5) working days of the acknowledged ship date. If a firm ship date is necessary, Customer must inform Company at time of order and Company will make all reasonable efforts to meet each Customer's request. Acknowledged shipping dates are contingent upon the force majeure conditions contained in these Terms and Conditions.
- 22. COMPANY'S PERFORMANCE OF ITS OBLIGATIONS: The production and delivery of the Goods to the extent delayed or hindered or prevented from the performance by reason of natural disasters, acts of God, strikes, lockouts, labor troubles, inability to procure materials, casualties, failure of power, restrictive governmental laws or regulations, riots, insurrection, acts of terrorism, war or other reason of a like nature not the fault of the Company shall excuse for the period of the delay the Company's performance and the period for the performance shall be extended for a period equivalent to the period of such delay.

GSA Terms and Conditions

Contractor: LIAT LLC, dba Jasper Library Furniture

Business Size: Small Business

Cage Code: 6BHB5

Contract Number: GS-28F-004AA

Contract Period: 10/10/12 thru 10/09/17

694 North Main Street Troutman, NC 28166 Phone: 888.440.8205 Fax: 704.528.6519

Web Site: www.liatfurniture.com E-mail: blish@liatfurniture.com Contract Administration: Brian Lish

- 1a. Item Description: Furniture Systems and Workstation Clusters Special Item Numbers (SIN) Awarded: SIN 71-305 Library Furniture
- 2. Maximum Order: \$100,000.00 net
- 3. Minimum Order: \$100.00 net
- 4. Geographic Coverage: 48 Contiguous States, including the District of Columbia, Alaska, Hawaii, and Puerto Rico.
- 5. Point of Production: Same as company address
- 6. Discount: 58.5% off of list price (inclusive of IFF)
- 7. Quantity Discounts: None
- 8. Prompt Payment Terms: 1% discount for payments received in less than 20 days.
- 9a. Government Commercial Credit Card: Government commercial credit cards (Visa & MC) are not accepted.
- 9b. Discount for Government Credit Card: N/A
- 10. Foreign Items: None
- 11a. Time of Delivery: 6 to 8 weeks.
- 11b. Expedited Delivery: Negotiated on an order by order basis.
- 11c. Overnight and 2-Day Delivery: Contact contractor for availability and additional shipping charges.
- 11d. Urgent Requirements: Available upon request.
- 12. F.O.B Point: Origin

- 13a. Ordering Address: Same as Contractor
- 14. Payment Address: Same as company address.
- 15. Warranty Provisions: LIAT warrants their casegoods to the original purchaser that each piece of furniture will be free from defects in workmanship given normal use for a period of twenty years. LIAT will, at its option, repair or replace any defective merchandise within the terms of the warranty. LIAT warrants their seating products to the original purchaser that each piece of furniture will be free from defects in workmanship given normal use for five years. The casegoods and seating warranties do not apply to damage resulting from accident, alteration, or misuse. All LIAT electrical components and accessories are warranted to the extent of the original manufacturer.
- 16. Export Packing Charges: N/A
- 17. Terms and Conditions of Government Commercial Credit Card Acceptance: N/A
- 18. Terms and Conditions of rental, maintenance, and repair: N/A
- 19. Terms and Conditions of Installation: Negotiated on a case by case basis with the participating dealer.
- 20. Terms and Conditions of Repair Parts: N/A
- 21. List of Service and Distribution Points: N/A
- 22. Participating Dealer: Contact LIAT for a list of participants.
- 23. Preventative Maintenance: N/A
- 24a. Environmental Attributes: N/A
- 25. Data Universal Numbering System (DUNS) number: 038281451
- 26: Notification regarding registration in Central Registration (CCR) database: Registered



design the furniture. innovate the space. engage the users.