



Classroom Training desks, tables, and study carrels



Collaboration group learning and conference tables



Retrofit Kits available for existing furniture and cabinetry

Audio/Visual Lecterns traditional and adjustable height



www.novadesk.com

Office furniture available online!




Visit www.novadesk.com for a digital catalog including:

- Desks, Credenzas, and Work Surfaces
- Hutches, Shelving and Storage Units
- Reception, Circulation Desks, and more!

*For printed office catalog requests, contact Customer Service at 800-730-6682







1

Terms & Conditions

TERMS

NOVA Solutions' (NOVA) standard terms are net 30 days with approved credit. All prices are in U.S. Dollars. Prices herein are list prices effective with the date printed on the cover and supersede all other published price lists. NOVA reserves the right to change prices without prior notice.

SELLING INFORMATION

Distribution of this price list does not in itself constitute an offer to sell. Offers can be received only from authorized NOVA dealers.

PRICES

All prices listed are suggested retail prices, F.O.B. point of shipment, freight allowed (included in list prices) when shipping within the continental United States. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, NOVA shall have the right to use the published list prices effective at time of shipment.

ORDER PLACEMENT

NOVA requires that all orders be in writing and accompanied by a layout/drawing. This is to insure that orders are complete, avoid errors, and avoid duplication. Please order products by model numbers specified to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. NOVA cannot be held responsible for errors, omissions, and order duplication due to non-compliance with this procedure.

ORDERING INFORMATION

Mail, fax or e-mail all orders to:

NOVA Solutions. Inc. 421 W. Industrial Avenue P.O. Box 725 Effingham, Illinois 62401 Phone: 217-342-7070 Phone: 800-730-6682 Fax: 217-342-7006 Fax: 800-940-6682 E-mail: orders@novasolutionsinc.com

For prompt delivery, all orders must include:

- 1) Purchase order number
- Attached layout/drawing
- Billing address
- Ship-to information and e-mail address 4)
- Special handling instructions Complete model and finish number 5)
- 6)
- 7) Correct pricing
- CPU / Monitor Dimensions (Where Applicable) 8)

ORDER ACKNOWLEDGMENT

Please notify NOVA immediately of any discrepancies in your order acknowledgement. The customer assumes all responsibility for order accuracy. NOVA does not assume responsibility for errors caused by miscommunications from the customer. Orders are accepted only by issuance of NOVA's formal acknowledgement. Orders are subject to the terms and conditions set forth herein, notwithstanding any variance in terms and conditions set forth on buyer's order forms. The order acknowledgement is the final confirmation of the agreement between the customer and NOVA and supersedes all prior oral and written statements regarding the order. Once the order confirmation has been sent, only NOVA approved and signed modifications will supersede the original confirmation.

QUOTATIONS

Quotations are valid for a period of ninety (90) days.

CHANGES

NOVA reserves the right to make changes in design, specifications, construction, pricing or to discontinue products without prior notice. Prices shown in price book have priority over electronic catalog contents. Dimensions are approximate and are within normal industry standards.

ORDER CHANGES

Upon acknowledgement of an order, NOVA may not be able to accept a change order. NOVA will not accept changes on specials or customer items once production begins. Every attempt to make the requested change will be made and the following conditions apply:

- 1) Requested changes must be submitted in writing
- 2) Additional charges for materials, labor, and administrative costs may be charged
- 3) Completion dates may be rescheduled as required based on changes

ORDER CANCELLATIONS

Order cancellations must be requested in writing no later than 48 hours after receipt of original order and are subject to approval of NOVA Solutions, Inc. Cancellations cannot be accepted otherwise.

STORAGE

Orders in which shipment is delayed by the customer beyond 30 days after acknowledged shipping date are subject to a 3% weekly storage fee. Such transfer to storage will be deemed delivery to purchaser for all purposes including invoicing and payment. Customer must provide notification of "shipment delay" at least two weeks prior to the originally scheduled ship date.

SHIPPING INFORMATION

Freight

All shipments are Free On Board (F.O.B.) point of shipment, freight prepaid and allowed (included in list prices) when shipping within the continental United States. Please contact Customer Support for shipments to Alaska, Hawaii, and international. NOVA reserves the right to select the most appropriate carrier and routing on all shipments.

NOVA's product pricing is dock delivered, based on standard delivery between normal business hours Monday through Friday, excluding weekends and holidays. Any charge arising from failure to accept a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to "Sold To" account number on the order. Detention charges will be incurred for untimely off-loading of product or other time delays incurred.

Any orders under list pricing shown below or requiring Special Delivery Services will incur additional charges. All such requirements must be noted on the purchase order. Examples of such services include:

Handling Fee (all orders not able to be shipped via UPS): All orders under \$15,000 list will incur \$100 handling fee

Multiple site deliveries: \$75 per order and location drop charge

Non-Standard Detention Time: \$75 per hour after two hours for each delivery location Delivery Time (outside normal delivery hours): Contact Customer Support for charges and availability

Fuel Surcharge: A fuel surcharge will be added to all items shipped via UPS, Federal Express, or other small parcel carriers.

Carriage

NOVA reserves the right to choose the best method of delivery. All furniture is carefully inspected and securely packed before shipment. The carrier will only accept packages in good condition and agrees to deliver it in the same condition. NOVA relinquishes all responsibility for goods shipped upon a signed receiving document from the carrier.

2

Terms & Conditions

SHIPPING INFORMATION (continued)

It is the customer's responsibility to inspect merchandise immediately upon receipt.

Loss, Damage or Delay

NOVA shall not be liable for loss, damage, or delay resulting from causes beyond its reasonable control, including but not limited to fire, strike, inclement weather, accidents, or delay in transportation. In the event of a delay, due to any such cause, the delivery date will be postponed.

Shortages

If the shipment is not delivered in accordance with the quantity of cartons and packages shown on the Bill of Lading and/or Freight Bill, do not accept it until such shortages are noted on both documents.

FREIGHT CLAIMS

The merchandise is carefully packed and thoroughly inspected before shipment. The carrier upon acceptance of the shipment assumes responsibility for its safe delivery. Claims for loss or damage sustained in transit must therefore, be made upon the carrier as follows:

Signing the Bill of Lading as "Subject to Inspection" does not make the carrier liable for damage.

Concealed Loss or Damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, make a written request for inspection by the carrier's agent within 7 days of the delivery date. Then file a claim with the carrier since such damage is the carrier's responsibility.

Visible Damage or Shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in the carrier refusing to honor a damage claim. The carrier will supply the form required to file such a claim. All cartons and packaging must be kept with the merchandise at the delivered location. Failure to do so constitutes acceptance and a waiver of any such claim.

RETURNS

NOVA will not accept the return of any merchandise without a Returned Material Authorization (RMA). Special order items may not be returned for credit. No returns will be allowed after sixty (60) days from the ship date. If merchandise is approved for return, a restocking fee will be applied. Upon receipt, all returned merchandise will be thoroughly inspected, and any discrepancies will result in an adjustment to the amount of credit issued.

LIMITED LIFETIME WARRANTY

NOVA Solutions warrants that its products are free from defects in materials and workmanship given normal use and care for the lifetime of service; proof of delivery being the only official document accepted by NOVA for any claim. In the event that a product is used more than normal use, the applicable warranty period may be reduced.

This warranty is made by NOVA Solutions to the original customer for as long as the original customer owns and uses the product. NOVA Solutions' warranty is only valid if the products are given normal and proper use, and installed in accordance with NOVA Solutions' installation and/or application guidelines, and installed by an authorized NOVA Solutions' dealer or agent. NOVA Solutions assumes no responsibility for repairs to products sustaining damages resulting from end-user modifications, attachments to a product, misuse, abuse, alteration, or negligence.

This warranty is subject to the limitations, exclusions, and other provisions provided below:

- Twenty-five years: Thermofused laminate
- Twenty years: Drawer slides
- Ten years: Locks
- Five years: Downview technology with flat panel monitor Flat Panel Display Security Arm, high-pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions, adjustable surface mechanisms, and accessories.
- Three years: The Trolley[™] E and The Trolley[™] EXL with Intelligent Motion Technology and NovaLinked[™] Components:

One year for parts and repair labor; second and third year for parts only. Additional installation labor charges may not be covered by this warranty. Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.

 Five years: Electric Hydraulic Lift for Sit-Stand Lectern: Two years for parts and repair labor; third, fourth, and fifth year for parts only. Additional installation labor charges may not be covered by this warranty. Variation in finishes is characteristic, in terms of color & texture, and does not constitute a defect.

As your manufacturer, we stand behind our quality products and will do everything possible to resolve any problems that might arise within the terms of this warranty.

For more information, or to file a warranty claim, please contact NOVA Solutions' Customer Support at 800-730-6682.

GOVERNING LAWS

This contract shall be construed and governed in accordance with the laws and regulations of the state of Illinois.

Product Benefits

Integrated Furniture Features

Extensive Product Portfolio

NOVA Solutions is proud to offer a diverse product portfolio in high-quality laminate, targeting markets that include office, education, training, hospitality, and health care. GSA and State Contracts allow government agencies to participate in NOVA's extensive offering. Architects and designers are critical contacts and liaisons for specifying "The Right SolutionsTM" from NOVA's unique product portfolio.

Exceptional Quality

Quality furniture shipped complete and on time is the standard of excellence required with customers to even be considered a viable offering. NOVA partners with quality suppliers that demand this same philosophy. NOVA's extensive investment in the latest state-of-theart machining technology provides unlimited flexibility while insuring we exceed our promised fit and finish. Attention to detail at every level in the manufacturing process is a requirement. "Would I spend my money to buy that finished product?" is the final quality check.

Durable Construction

Durability and strength are necessities for the utmost value in quality furniture. Our durable thermofused laminate components provide that strength, coupled with our metal-to-metal hardware assembly. Added rigidity is integrated through framed and recessed back panels. Our first-class engineering ensures every product's design includes maximum durability and strength.

Integrated Technology

Our various Visual Display Options (The Trolley, Downview, and Surface Mount Arm for example) are unique solutions that differentiate NOVA from any other furniture manufacturer. The Trolley[™] Personal Monitor Arm System with Intelligent Motion Technology[™] is the latest addition to the family. The Trolley is a mainstream solution allowing you to view your flat panel display in its normal position. Then with the push of a button, your monitor recedes below the work surface allowing full utilization of the work area. Whereas our Downview technology positions your flat panel display below the work surface at a natural reading angle while also allowing you to use the entirety of the workspace in addition to the display. We also offer our Surface Mount Arm that allows you to secure your display in an upright position above the worksurface.

Quality Look

Attention to detail integrated throughout our product portfolio creates a quality look. Overlapped drawer and door designs in our office solutions products ensure the proper fit for every function. Matching edge banding on all surfaces allows a seamless view that accentuates the product's clean lines. Our Classroom Training Series gets high marks for providing a clear, crisp design that allows our Visual Display Options to blend in perfectly.

Multiple Selections

NOVA Solutions' comprehensive product portfolio confirms your only limitation is your imagination. Impress others with a vast variety of components with multiple options that fit your every need — from the back room to the boardroom. Now you can maintain a consistent company image that matches your facility and its function. Make your furniture an essential element of your productive environment!

Unlimited Flexibility

Throughout each product offering, unlimited flexibility gives you colors and shapes that can be mixed or matched to fit your style in any working or learning environment. Enjoy the freedom to create your own environment!

Customer Friendly

The majority of NOVA Solutions' furniture is shipped assembled, ready-to-install in your working or learning environment. Those components that require some assembly are designed to fit together with simplicity and minimal effort.

Environmental Accountability


NOVA Solutions takes our environmental accountability seriously with regards to our daily processes and products we produce. It is our corporate responsibility to our employees, customers, and community. We maintain the highest sensitivity and follow-through in preserving our natural resources today, and more importantly, for our future generations.

We have chosen suppliers that share this same commitment. Particleboard, the foundation of our furniture design, is manufactured from 100% recycled post-industrial materials. We ensure it is low formaldehyde emission particleboard, use water-based adhesives that are non-toxic in lamination, and band any exposed edges to seal the substrate.

To reduce materials in landfill sites, we integrate remaining cuttings into smaller products or packaging material. Our sawdust is recycled for use on local farms. We use recycled cardboard in all our packaging. NOVA also recycles cardboard, paper, plastics, steel, and aluminum. Even our Visual Display Options (Downview technology and The Trolley[™]) are completely recyclable.

NOVA continually evaluates all initiatives for improving our environmental accounability while providing the highest quality products to our customers.

Classroom Training







Classroom Training

These products are uniquely suited for the following environments...

- K-12 Classrooms
- College & University Classrooms
- Technical Schools
- Private Training & Tutoring Companies
- Lecture Halls
- Testing Centers
- Corporate Training Rooms
- Government Training Facilities
- Government & Private Security Centers
- Libraries
- Computer Labs
- Common Areas & Lobbies
- Healthcare Facilities
- Correctional Institutions

Smart tools. Smart thinking.

Flat PVC edge banding Thermofused laminate top Metal or laminate bases

Classroom Training Workstations with Total Access iMod



Features, Benefits and Solutions

- Solutions for all learning environments
- Visual Display Options available
- Work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- ADA compliant desks available
- Total Access iMod compartment with removable modesty panels (locking optional) for easier networking
- Matching edge banding colors
- Wire management system and power strip included
- · Manufactured with recycled post-industrial materials
- Metal ends use 1" square tubing

How To Order

1. Select model number

- Ex: 46-SM303630RX
- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single workstation or \$293 for double workstation. Ex: 46-SM303632RX
- 2. Select laminate or metal base and laminate work surface color (see page 59)
 - 227 044 Ex:
 - Worksurface Base
- 3. Select metal color for removable metal iMod modesty or laminate base color for removable laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty)

227 (Fashion Grey laminate color for laminate modesty)


OPTIONS

- 4. Select visual display options (see page 15) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)
- 5. Select essential options (see page 54)
- Ex: RWG01 (Round wire grommet)

Please Note:

Power strip, wire management and CPU storage shelf are included in Total Access iMod workstations. To indicate no power strip, add -X to model number and deduct \$50 from list price for a single desk and \$100 for a double.

Model Number Structure



Visual Display Options To order, see page 15.

The Trolley™ Personal Monitor Arm System

Maximum dimensions for widescreen: EXL: 21/2" D x 22 7/8" W x 141/2" H E: 21/2" D x 18 7/8" W x 14 1/2" H NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 ¾" (171mm)

Downview[™]

Maximum dimensions for widescreen-

18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H) 21x21 viewport: 201/8"W x 19"H (511mm W x 483mm H) 16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H) 18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H) 21x24 widescreen viewport: 221/2"W x 19"H (572mm W x 482mm H)

Surface Mount Arm

Maximum weight for widescreen: 21 lbs. Maximum dimensions for widescreen: Up to 24" diagonal widescreen

NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.

Work Surface Edge Detail

Standard Flat PVC edge 2mm 1" thick

End Styles Straight end panels are standard.

Panel Ends



Optional Contour End Panels - Specify "S"

Add to list price \$99 for a single desk, and \$147 for a double desk for Contour

Metal Ends

Optional Metal Ends - Specify "M" and a metal color



Add to list price \$292 for a single desk, and \$438 for a double desk for Metal Ends. If finishing end caps are needed, see page 14 to order.

Grommets

Standard grommets in end panels are rectangular black plastic.



End Panels.

To order, specify:

- Model number Laminate base and worksurface colors 1. 2. 3. Color for removable metal or laminate iMod modesty

4. CPU / Monitor Dimensions

Optional - Select visual display option(s)
 Optional - Add essential accessory options

Visual Display Options available:

- The Trolley™ E / EXL
- Downview-Flat Panel Display
- · Surface Mount Flat Panel Display

Workstations with Perforated Metal Total Access iMod Modesty

Specify colors for worksurface, base and removable metal iMod modesty

CPU Storage Shelf Width: See "How to Order" page.

 Suggested Keyboard Width:

 SINGLES
 • 32" W Unit = 30" KB ● 36" W, 42" W Unit = 34" KB

 DOUBLES
 • 63" W Unit = 30" KB ● 71" = 34" KB

	D x W x H (in.)	ft ³ / lbs	Model	List Price		D x W x H (in.)	ft ³ / lbs	Model	List Price
Single perforated metal modesty	, ,	CPU storage rig ith casters (Sp	jht becify "C" and add \$	100)	Double perforated metal modesty	Monitors LEFT • Available w	, . .	ight becify "C" and add \$	150)
\sim	24 x 32 x 30	16.4 / 125	46-SM243230RX	\$1,029		24 x 63 x 30	31.3 / 232	46-DM246330RX	\$1,883
$\boldsymbol{\wedge}$	24 x 36 x 30	18.3 / 133	46-SM243630RX	\$1,085	\sim	24 x 71 x 30	35.2 / 248	46-DM247130RX	\$1,996
	24 x 42 x 30	21.2/144	46-SM244230RX	\$1,276					
						26 x 63 x 30	33.8 / 240	46-DM266330RX	\$1,984
\sim	26 x 32 x 30	17.7 / 130	46-SM263230RX	\$1,087		26 x 71 x 30	37.9 / 256	46-DM267130RX	\$2,104
	26 x 36 x 30	19.8 / 138	46-SM263630RX	\$1,145					
	26 x 42 x 30	22.9 / 150	46-SM264230RX	\$1,347		30 x 63 x 30	38.6 / 257	46-DM306330RX	\$2,204
						30 x 71 x 30	43.3 / 273	46-DM307130RX	\$2,337
٢	30 x 32 x 30	20.2 / 140	46-SM303230RX	\$1,206					
	30 x 36 x 30	22.6 / 148	46-SM303630RX	\$1,272	(iiiiiiiii				
	30 x 42 x 30	26.1 / 161	46-SM304230RX	\$1,495					

Workstations with Laminate Total Access iMod Modesty

Specify colors for worksurface, base and removable laminate iMod modesty (base color only)

Suggested Keyboard Width:	C
SINGLES • 32" W Unit = 30" KB • 36" W, 42" W Unit = 34" KB	
<u>DOUBLES</u> • 63" W Unit = $30"$ KB • $71" = 34"$ KB	

CPU Storage Shelf Width: See "How to Order" page.

Single laminate modesty	Monitor LEFT, CPU storage right • Available with casters (Specify "C" and add \$100)				Double laminate modesty	Monitors LEFT, CPU storage right • Available with casters (Specify "C" and add \$15(
	24 x 32 x 30	16.4 / 125	46-SL243230RX	\$636		24 x 63 x 30	31.3 / 232	46-DL246330RX	\$1,238
	24 x 36 x 30	18.3 / 133	46-SL243630RX	\$648		24 x 71 x 30	35.2 / 248	46-DL247130RX	\$1,311
\frown	24 x 42 x 30	21.2/144	46-SL244230RX	\$842					
\wedge					~	26 x 63 x 30	33.8 / 240	46-DL266330RX	\$1,298
	26 x 32 x 30	17.7 / 130	46-SL263230RX	\$670		26 x 71 x 30	37.9 / 256	46-DL267130RX	\$1,344
	26 x 36 x 30	19.8 / 138	46-SL263630RX	\$682					
	26 x 42 x 30	22.9 / 150	46-SL264230RX	\$874		30 x 63 x 30	38.6 / 257	46-DL306330RX	\$1,356
	1			•		30 x 71 x 30	43.3 / 273	46-DL307130RX	\$1,377
	30 x 32 x 30	20.2 / 140	46-SL303230RX	\$704		1			+-,
	30 x 36 x 30	22.6 / 148	46-SL303630RX	\$714					
	30 x 42 x 30	26.1 / 161	46-SL304230RX	\$907					

ADA Workstations with Electric Hydraulic Lifts

Electrically adjustable base height from 30" with 2 1/2" travel. Specify colors for worksurface, base and removable metal or laminate iMod modesty. Available with contoured end panels (Specify "S" & add \$99)

• Specify "AX" for no CPU shelf

Perforated metal	24 x 36 x 30	18.3 / 133	46-SM243630AD	\$4,445	Laminate	24 x 36 x 30	18.3 / 133	46-SL243630AD	\$4,008
modesty	24 x 42 x 30	21.2 / 144	46-SM244230AD	\$4,636	modesty	24 x 42 x 30	21.2 / 144	46-SL244230AD	\$4,202
~ ~					∩ t≶				
2 1/2"	26 x 36 x 30	19.8 / 138	46-SM263630AD	\$4,505	2 1/2" Range	26 x 36 x 30	19.8 / 138	46-SL263630AD	\$4,042
Hange	26 x 42 x 30	22.9 / 150	46-SM264230AD	\$4,707		26 x 42 x 30	22.9 / 150	46-SL264230AD	\$4,234
∇	30 x 36 x 30	20.2 / 140	46-SM303630AD	\$4,632	∇	30 x 36 x 30	20.2 / 140	46-SL303630AD	\$4,074
	30 x 42 x 30	22.6 / 148	46-SM304230AD	\$4,855		30 x 42 x 30	22.6 / 148	46-SL304230AD	\$4,266

Flat PVC edge banding Thermofused laminate top Metal or laminate bases

Classroom Training Curved Workstations with Total Access iMod



How To Order

1. Select model number

- Ex: 46-CM303630RX60
- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single workstation or \$293 for double workstation. Ex: 46-CM303632RX60
- 2. Select laminate base and work surface color (see page 59) Ex: $\underline{227} \ \underline{044}$

Base Worksurface

3. Select metal color for removable metal iMod modesty or laminate base color for removable laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty)

227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

- 4. Select visual display options (see page 15) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)
- 5. Select essential options (see page 54)

Ex: RWG01 (Round wire grommet)

Please Note:

Power strip, wire management and CPU storage shelf are included in iMod workstations.


Model Number Structure



When adding a Trolley E or 21" W	ide Downview Visual Display Option:
32" W Unit = 7 7/16"	48" W Unit = 8 1/2"
36" W Unit = 8 1/2"	63" W Unit = 7 7/16"
42" W Unit = 8 1/2"	71" W Unit = 8 1/2"
When adding a Trolley EXL or 24"	Wide Downview Visual Display Option:
32" W Unit = 4"	48" W Unit = 8 1/2"
36" W Unit = 6 3/4"	63" W Unit = 4"
42" W Unit = 8 1/2"	71" W Unit = 6 3/4"
18"W Downview or No Visual Dis	play Option
All Widths = $8 1/2$ "	

NOVA Linked[™]

NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.



0 © 2015 NOVA Solutions, Inc. *Curved Workstations with Total Access iMod*

To order, specify: . Model number . Base and worksurface colors . Color for removable metal or laminate iMod modesty

1. 2. 3.

4. CPU / Monitor Dimensions

Optional - Select visual display option(s)
 Optional - Add essential accessory options

Visual Display Options available:

- The Trolley™ E / EXL
- Downview-Flat Panel Display
- · Surface Mount Flat Panel Display

Curved Workstations with Perforated Metal Total Access iMod Modesty

Specify colors for worksurface, base and removable metal iMod modesty. Specify arc radius with either 48, 60 or 72 at end of model number. [Ex. 46-CM243630RX48]

Suggested Keyboard Width: 27" KB CPU Storage Shelf Width: See "How to Order" page.

	D x W x H (in.)	ft ³ / lbs	Model	Arc Radius	List Price		D x W x H (in.)	ft³ / lbs	Model	Arc Radius	List Price
Single perforated metal modesty	Monitor LEFT, (• Available wi	•	•	d add \$10	0)	Double perforated metal modesty	Monitors LEFT • Available wi		, ,	•	0)
	24 x 32 x 30	16.4 / 125	46-CM2432	30RX	\$1,664		24 x 63 x 30	31.3 / 232	46-CM2463	330RX	\$3,121
\sim	24 x 36 x 30	18.3 / 133	46-CM2436	30RX	\$1,733	\sim	24 x 71 x 30	35.2 / 248	46-CM247	30RX	\$3,306
$\langle \rangle$	24 x 42 x 30	21.2 / 144	46-CM2442	30RX	\$2,117						
							26 x 63 x 30	33.8 / 240	46-CM2663	330RX	\$3,282
	26 x 32 x 30	17.7 / 130	46-CM2632	30RX	\$1,757		26 x 71 x 30	37.9 / 256	46-CM267	30RX	\$3,448
\vee	26 x 36 x 30	19.8 / 138	46-CM2636	30RX	\$1,827		ſ				
	26 x 42 x 30	22.9 / 150	46-CM2642	30RX	\$2,221		30 x 63 x 30	38.6 / 257	46-CM3063	330RX	\$3,559
							30 x 71 x 30	43.3 / 273	46-CM3071	30RX	\$3,714
7	30 x 32 x 30	20.2 / 140	46-CM3032	30RX	\$1,909						
	30 x 36 x 30	22.6 / 148	46-CM3036	30RX	\$1,986	7					
	30 x 42 x 30	26.1/161	46-CM3042	30RX	\$2,401						

Curved Workstations with Laminate Total Access iMod Modesty

Specify colors for worksurface, base and removable laminate iMod modesty (base color only) Specify arc radius with either 48, 60 or 72 at end of model number. [Ex. 46-CL243630RX48]

Suggested Keyboard Width: 27" KB CPU Storage Shelf Width: See "How to Order" page

Single laminate Monitor LEFT, CPU storage right • Available with casters (Specify "C" and add \$100)				Double laminate modesty			e, CPU storage right pecify "C" and add \$1	50)	
	24 x 32 x 30	16.4 / 125	46-CL243230RX	\$1,271		24 x 63 x 30	31.3 / 232	46-CL246330RX	\$2,476
	24 x 36 x 30	18.3 / 133	46-CL243630RX	\$1,296		24 x 71 x 30	35.2 / 248	46-CL247130RX	\$2,621
\frown	24 x 42 x 30	21.2 / 144	46-CL244230RX	\$1,683	~				
$\boldsymbol{\kappa}$						26 x 63 x 30	33.8 / 240	46-CL266330RX	\$2,595
	26 x 32 x 30	17.7 / 130	46-CL263230RX	\$1,340		26 x 71 x 30	37.9 / 256	46-CL267130RX	\$2,644
	26 x 36 x 30	19.8 / 138	46-CL263630RX	\$1,363					
	26 x 42 x 30	22.9 / 150	46-CL264230RX	\$1,748		30 x 63 x 30	38.6 / 257	46-CL306330RX	\$2,711
	}					30 x 71 x 30	43.3 / 273	46-CL307130RX	\$2,754
	30 x 32 x 30	20.2 / 140	46-CL303230RX	\$1,407		1			
-	30 x 36 x 30	22.6 / 148	46-CL303630RX	\$1,428					
	30 x 42 x 30	26.1 / 161	46-CL304230RX	\$1,813					

Curved ADA Workstations with Electric Hydraulic Lifts

Electrically adjustable base height from 30" with 2 1/2" travel. Specify colors for worksurface, base and removable metal or laminate Total Access iMod modesty. • Available with contoured end panels (Specify "S" & add \$99)

Perforated metal	24 x 36 x 30	18.3 / 133	46-CM243630AD\$5,09		24 x 36 x 30	18.3 / 133	46-CL243630AD	\$4,656
modesty	24 x 42 x 30	21.2 / 144	46-CM244230AD\$5,47	7 modesty	24 x 42 x 30	21.2 / 144	46-CL244230AD	\$5,043
2 1/2"	26 x 36 x 30	19.8 / 138	46-CM263630AD \$5,18	2 1/2"	26 x 36 x 30	19.8 / 138	46-CL263630AD	\$4,675
Range	26 x 42 x 30	22.9 / 150	46-CM264230AD\$5,58	Range	26 x 42 x 30	22.9 / 150	46-CL264230AD	\$5,108
	30 x 36 x 30	20.2 / 140	46-CM303630AD \$5,34		30 x 36 x 30	20.2 / 140	46-CL303630AD	\$4,788
	30 x 42 x 30	22.6 / 148	46-CM304230AD \$5,09		30 x 42 x 30	22.6 / 148	46-CL304230AD	\$5,173
					1			

Flat PVC edge banding Thermofused laminate top Metal or laminate bases



How To Order

1. Select model number

- Ex: 46-SM303630RX
- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single workstation or \$293 for double workstation. Ex: 46-SM303632RX
- 2. Select laminate base and work surface color (see page 59) Ex: <u>227</u> <u>044</u>
 - Base Worksurface
- 3. Select metal color for removable metal iMod modesty or laminate base color for removable laminate iMod modesty
 - Ex: PSL (Polished silver metal color for metal modestv)

227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

- 4. Select visual display options (see page 15)
- Ex: TE0724NK (The Trolley E with Nova keyboard drawer) 5. Select essential options (see page 54)
- Ex: RWG01 (Round wire arommet)

Workstations - Monitor CENTER

Suggested Keyboard Width: 34" CPU Storage Shelf Width: 11"

Monitor center, CPU storage right. Specify colors for worksurface, base and removable metal or laminate Total Access iMod modesty

- Available with contoured end panels (Specify "S" & add \$99)
- Available with casters (Specify "C" & add \$100)

	D x W x H (in.)	ft³ / lbs	Model	List Price
Laminate Modesty	24 x 48 x 30	24.1 / 139	46-SL244830RXC	\$1,011
	30 x 48 x 30	29.7 / 156	46-SL304830RXC	\$1,077
\sim	36 x 48 x 30	35.2 / 173	46-SL364830RXC	\$1,274

Perforated Modesty	M


etal 24 x 48 x 30 24.1 / 139 46-SM244830RXC \$1,301 30 x 48 x 30 29.7 / 156 46-SM304830RXC \$1,368 35.2 / 173 46-SM364830RXC \$1,563 36 x 48 x 30

ADA Compliant Workstation - Monitor CENTER

Suggested Keyboard Width: 34" CPU Storage Width: 11"

Monitor center, CPU storage right. Specify colors for worksurface, base and removable metal or laminate Total Access iMod modesty







Perforated Metal Modesty

30 x 48 x 32 31.5 / 165 46-AM304832RXC \$1,563



Workstation

Teacher's Stand-up Desks

Suggested Keyboard Width: 34" KB CPU Storage Shelf Width: See "How to Order" page.

Stand-up height. Monitor left, CPU storage right. Specify colors for worksurface, base and removable metal or laminate Total Access iMod modesty.

• Available with heavy duty casters (Specify "C" and add \$366) Height will increase by 2 3/4".

 Available with Flip-up Shelf. For factory prep, must specify "U" for left-handed or "V" for right-handed placement.

	DxWxH(in.)	ft ³ / lbs	Model	List Price
Laminate	24 x 36 x 40	24.1 / 130	46-SL243640RX	\$1,036
Modesty	24 x 42 x 40	27.9 / 152	46-SL244240RX	\$1,212
\frown	24 x 48 x 40	31.6 / 158	46-SL244840RX	\$1,270
$\wedge 1$				
	30 x 36 x 40	29.6 / 149	46-SL303640RX	\$1,090
	30 x 42 x 40	34.3 / 172	46-SL304240RX	\$1,267
\vee \langle \rangle	30 x 48 x 40	38.9 / 179	46-SL304840RX	\$1,325
	36 x 36 x 40	35.1 / 176	46-SL363640RX	\$1,433
	36 x 42 x 40	40.7 / 193	46-SL364240RX	\$1,495
36" W & 42"W Workstation	36 x 48 x 40	46.2 / 200	46-SL364840RX	\$1,564
WUINSIALIUII				



Workstation

Perforated Metal	24 x 36 x 40	24.1 / 130	46-SM243640RX	\$1,326
Modesty	24 x 42 x 40	27.9 / 152	46-SM244240RX	\$1,502
\sim	24 x 48 x 40	31.6 / 158	46-SM244840RX	\$1,560
$\langle \rangle$				
	30 x 36 x 40	29.6 / 149	46-SM303640RX	\$1,380
	30 x 42 x 40	34.3 / 172	46-SM304240RX	\$1,558
	30 x 48 x 40	38.9 / 179	46-SM304840RX	\$1,614
	36 x 36 x 40	35.1 / 176	46-SM363640RX	\$1,722
	36 x 42 x 40	40.7 / 193	46-SM364240RX	\$1,785
36" W & 42"W	36 x 48 x 40	46.2 / 200	46-SM364840RX	\$1,854
Workstation				



To order, specify:

- Model number
 Laminate base and worksurface colors
 Color for removable metal or laminate iMod modesty

CPU / Monitor Dimensions
 Optional - Select visual display option(s)
 Optional - Add essential accessory options

Visual Display Options available:

The Trolley™ E / EXL

I I

S

- Downview-Flat Panel Display
- Surface Mount Flat Panel Display

Suggested Keyboard Width: 34" KB

CPU Storage Shelf Width: See "How to Order" page.

6" D x 27" H shelf intended for a flat panel monitor with base.

Monitor left, CPU storage right.

Specify colors for worksurface, base and removable metal or laminate Total Access iMod modesty.

• Available with contoured end panels (Specify "S" & add \$99 for a Single Workstation and add \$147 for a Double Workstation)

• Available with casters (Specify "C" & add \$100 for Single Workstation & add \$150 for Double Workstation)

Available with Surface Mount Arm (SMA0203NK) VDO only

	DxWxH(in.)	ft ³ / lbs	Model	List Price
Laminate Modes	ty			
 ▶18"	Single, Monitor	Left, CPU Stor	age right	
	24 x 36 x 30	18.3 / 123	46-SL243630ST	\$903
	24 x 42 x 30	21.2 / 130	46-SL244230ST	\$1,127
	30 x 36 x 30	22.6 / 138	46-SL303630ST	\$970
Single 24"D Vorkstation	30 x 42 x 30	26.1 / 145	46-SL304230ST	\$1,194
ingle 30" D Vorkstation	1			
118"	Double, Monito	ors Left in wor	kspace, CPU Storage r	ight
Strate 1	24 x 63 x 30	31.3 / 200	46-DL246330ST	\$1,425
	24 x 71 x 30	35.2 / 212	46-DL247130ST	\$1,523
Double	✓ 30 x 63 x 30	38.6 / 220	46-DL306330ST	\$1,491
24"D Vorkstation	30 x 71 x 30	43.3 / 234	46-DL307130ST	\$1,596

	D x W x H (in.)	ft³ / Ibs	Model	List Price
Perforated Metal	Single, Monitor	Left, CPU Stor	age right	
Modesty	24 x 36 x 30	18.3 / 123	46-SM243630ST	\$1,194
	24 x 42 x 30	21.2 / 130	46-SM244230ST	\$1,416
	30 x 36 x 30	22.6 / 138	46-SM303630ST	\$1,260
27" Single 24"D Workstation	30 x 42 x 30	26.1 / 145	46-SM304230ST	\$1,483
27 Single 30 °D Workstation				
6°	Double, Monitor	r s Left in work 31.3 / 200	space, CPU Storage rig	pht \$2,005



	Double, Monito	IS LEIL IN WORKS	pace, GPU Storage rig	nt
	24 x 63 x 30	31.3 / 200	46-DM246330ST	\$2,005
	24 x 71 x 30	35.2 / 212	46-DM247130ST	\$2,103
1	30 x 63 x 30	38.6 / 220	46-DM306330ST	\$2,076
	30 x 71 x 30	43.3 / 234	46-DM307130ST	\$2,175



			board Options splay Options ordered)	
Factory Installed Nova Keyboard	Keyboard lengt 22" - 34" wide	h to fit 13	casegoods ordered NK	\$123
Factory Installed Center Mount Articulating Keyboard Mechanism & Tray	Keyboard lengt 28", 30", 34" wide		casegoods ordered CK	\$256

Double 30" D

Flat PVC edge banding Thermofused laminate top Metal or laminate bases



How To Order Miscellaneous D x W x H (in.) ft³ / lbs List Price Model 1. Select model number Shipped Separately. Color matches work surface of unit Ex: 46-SM303630RX Flip-up shelf ordered. Located 3" down from work surface. • To specify an ADA Height unit, change height from 30 to 32 in model number For 24" & 26" Deep Workstationsand add \$196 for single workstation or \$293 for double workstation. Ex: 46-SM303632RX Attaches to the LEFT side panel of desk. 2. Select laminate base and work surface color (see page 59) 46-SH202001L 20 x 20 x 01 1.0/14\$511 Ex: <u>227</u> 044 Attaches to the RIGHT side panel of desk. Base Worksurface 46-SH202001R 1.0/14 \$511 20 x 20 x 01 3. Select metal color for removable metal iMod modesty or laminate For 30" Deep Workstationsbase color for removable laminate iMod modesty Attaches to the LEFT side panel of desk. Ex: PSL (Polished silver metal color for metal modestv) 22 x 20 x 01 1.0/1446-SH222001L \$511 Attaches to the RIGHT side panel of desk. 227 (Fashion Grey laminate color for laminate modesty) 46-SH222001R 22 x 20 x 01 1.0/14\$511 **OPTIONS** 4. Select visual display options (see page 15) Locking options To specify a locking CPU Door, replace "X" in the model number with "D" and add \$351 for a single desk and \$701 for a double desk. Ex: TE0724NK (The Trolley E with Nova keyboard drawer) Lockina Example: 46-SM243630RX becomes 46-SM243630RD 5. Select essential options (see page 54) CPU Door • Not available on workstations 32" or 63" wide Ex: RWG01 (Round wire arommet) • Not available in combination with Contoured End Panels (-S) Will lose 1-1/2" W CPU Space Miscellaneous -D \$351 / Single desk \$701 / Double desk D x W x H (in.) ft³ / lbs Model List Price To specify a locking modesty cover, specify "L" and add \$152 for a Lockina Casters Includes stabilization bracket. single desk and \$303 for a double desk. Modestv (Locking Modesty included with Locking CPU Door) Cover Single Workstation / Set of 4 (all locking) 2 5/8 x 1 3/4 x 3 1/4 \$100/set -C Wedges ≡≡ For 24" D units 90 Degree - Includes end panels. Must specify base and work Hardware included Double Workstation / Set of 6 surface color. 2 5/8 x 1 3/4 x 3 1/4 -C \$150/set 24 x 33¹⁵/₁₆ x 30 / 49 46-WG24333090 \$407 Teacher Standup / Set of 4. For 30" D units Heavy duty caster. Will increase height by 2 3/4" 90 Degree - Includes end panels. Must specify base and work Heavy duty casters \$366/set 3-1/2 x 03 x 4 surface color. 30 x 42³/16 x 30 / 63 46-WG30423090 \$434 Not available on workstations with Locking Door option (-D) Contoured end \$99/Single desk -S panels **Privacy Panels** For factory prep, must specify "PP" on desk model \$147/Double desk number. Specify base color only. 6" radius on front. Field for Single Monitor Workstation installed. 24 x 32 x 15 46-PP243215 \$357 1.3/36 46-PP243615 1.5/37\$370 24 x 36 x 15 24 x 42 x 15 1.7 / 40 46-PP244215 \$405 46-PP244815 24 x 48 x 15 1.9/42\$448 Metal end Not available on workstations with Locking Door option (-D) 26 x 32 x 15 1.3/37 46-PP263215 \$375 \$292 / Single desk -M 46-PP263615 \$387 26 x 36 x 15 1.5/38 \$438 / Double desk 26 x 42 x 15 1.7/4146-PP264215 \$424 26 x 48 x 15 1.9/43 46-PP264815 \$465 1.3/40 46-PP303215 \$397 30 x 32 x 15 46-PP303615 30 x 36 x 15 1.5/42\$409 30 x 42 x 15 1.7/44 46-PP304215 \$451 Fits on right or left open end of metal end. One 2 11/16" W 30 x 48 x 15 1.9/47 46-PP304815 \$496 Finishing end caps and one 4 3/8" W end cap. Specify metal color. for metal end style For factory prep, must specify "PP" on desk model **Privacy Panels** \$125 / set 01 x 08 x 23 0.1/3 46-08END23 number. Specify base color only. 6" radius on front. Field for Double Monitor installed. Workstation 24 x 63 x 15 1.6/48 46-PP246315 \$562 24 x 71 x 15 1.8/51 46-PP247115 \$632 1.6/4946-PP266315 \$580 26 x 63 x 15 26 x 71 x 15 1.8/52 46-PP267115 \$651 **Rectangular Wire** Black plastic grommet cover is removable for easy wire management. 30 x 63 x 15 1.6/52 46-PP306315 \$618 If Installed (available for work surface only): Grommet 1.8/55 46-PP307115 30 x 71 x 15 \$696 Please provide sketch to indicate placement location 17/8 x 31/4 x 11/4 (cutout dimensions) WG1080 \$72 30" W Workstation Available with casters (Specify "C" and add \$100) If Sold Separately (not part of base model): for Surface Mount & Single laminate Total Access iMod modesty 17/8 x 31/4 x 11/4 (cutout dimensions) AC-WG1080 \$37 Downview only 16.4 / 125 46-SL243030RX \$603 24 x 30 x 30 For other arommet options, see page 55 \$637

No Powerstrip

-X Deduct \$50 / Single desk Deduct \$100 / Double desk

46-SL263030RX 26 x 30 x 30 17.7 / 130 30 x 30 x 30 20.2 / 135 46-SL303030RX Single perforated metal Total Access iMod modesty 46-SM243030RX 24 x 30 x 30 16.4 / 125 26 x 30 x 30 17.7 / 13046-SM263030RX 20.2 / 135 46-SM303030RX 30 x 30 x 30

\$670

\$996

\$1,053

\$1,172

14 © 2015 NOVA Solutions, Inc. *Workstations with Total Access iMod Accessories*

Powerstrip included in all workstations by default, to remove:

Visual Display Options

Single monitor workstations require one (1) visual display option. Double monitor workstations require two (2) visual display options.

For Workstations with iMod

Factory installed keyboard-only option for Workstations with Total Access iMod available on page 13.

For details and installation specifications, refer to pages 47-51.

For CRT applications, please contact Customer Support: 1-800-730-6682

The Trolley™ ■ Trolley comes installed in model ■ Trol	required for Trolley <u>Keyboard Tray</u> ter of wall mount or is 6 ¾" (171mm)	Nova Keyboar TE0728NK	Wt. Keyboard Drawer rd Drawer installed in assembled units only. 48 The Trolley EXL with Nova Keyboard drawer	List Price Qty 2 required for Double Workstations/Tables \$1,775 ea.
The Trolley™ EXL Maximum Dimensions for Widescreen: 2 ½" D x 22 7/8" W x 14½" H up to 24" diagonal widescreen 36" min. worksurface widthThe Trolley™ Maximum Dim Widescreen: 2½" D x 18 7/8" up to 21" (diago 20" (widescreen: 20" (widescreen: 2½" D x 18 7/8" up to 21" (diago 20" (widescreen: 00" (widescreen: 2½" D x 18 7/8" up to 21" (diago 20" (widescreen: 20" (widescreen: 2½" D x 18 7/8" up to 21" (diago 	nensions for 'W x 14½" H nal) or 1)	Center Mount 26" Min. word TE0728CK TE0724CK International C	 48 The Trolley E with Nova Keyboard drawer Mount Articulating Keyboard Mechanism and Keyboard Tray installed in assembled units only. <i>Issurface depth required.</i> 47 The Trolley EXL with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 47 The Trolley E with Center Mount Artic. Keyboard Drawer 48 The Trolley E with Center Mount Artic. Keyboard Drawer 	\$2,006 ea. \$1,535 ea.
Downview™		Model	Wt.	List Price Qty 2 required for Double Workstations/Tables
Maximum Dimensions for Widescreen: 17"W x 14½"H up to 19" diagonal 26" min. work surface depthMaximum Di Widescreen: up to 21" wides 24" min. work21"D x 21"W viewport Maximum Dimensions for Widescreen: 20 1/8"W x 19"H up to 21" diagonal 30" min. work surface depth18"D x 21"W viewport Maximum Di Widescreen: up to 21" wides 26" min. work Surface depth• Tinted, tempered glass viewport • Keeps monitor under glass below work surface • Wire management system and power strip included21"D x 24"W viewport Maximum Di Widescreen: up to 21" wides 26" min. word 26" min. word 30" min. word	rk surface depth viewport (Widescreen) mensions for 20 1/8"W x 14½"H creen rk surface depth viewport (Widescreen) mensions for 22 1/2"W x 19"H		 Keyboard Drawer bva Keyboard Drawer installed in assembled units only. Includes 16"D x 21"W viewport, adjustable arm, and visor Includes 18"D x 21"W viewport, adjustable arm, and visor Includes 21"D x 21"W viewport, adjustable arm, and visor Includes 21"D x 21"W viewport, adjustable arm, and visor Includes 21"D x 24"W viewport, adjustable arm, and visor 	\$438 ea. \$438 ea. \$511 ea.
Surface Mount A Surface mount arm does not c Surface mount arm does not c any unit Maximum Weight / Dimensions for Widescreen: 21 lbs. / Up to 24" diagonal widescreen • Wire management system and power strip include	ome installed in	Nova Keyboar SMA0203NK With Cente	er Mount Articulating Keyboard Mechani Keyboard Tray installed in assembled units only.	List Price Qty 2 required for Double Workstations/Tables \$317 ea. Sm and Tray \$523 ea.

Flat PVC edge banding Thermofused laminate top Metal or laminate bases

Classroom Training Tables with Total Access iMod



Features, Benefits and Solutions

- Solutions for all learning environments
- Visual Display Options available
- Work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- ADA compliant desks available
- Total Access iMod compartment with removable modesty panels (locking optional) for easier networking
- Matching edge banding colors
- Wire management system and power strip included
- · Manufactured with recycled post-industrial materials

How To Order

1. Select model number

- Ex: 26-RM303630TL
- To specify an ADA Height unit, change height from 30 to 32 in model
- number and add \$196 for single table or \$293 for double table. Ex: 26-RM303632TL • To specify an ADA Lift unit, change model number from R to A and add \$4,277 to list price. Ex. 26-AM303630TL. Available on single units only.
- 2. Select metal color for legs and laminate color for work surface (see page 59 & 60)
 - Ex: PBL 044
- 3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty
 - Ex: PSL (Polished silver metal color for metal modesty) 227 (Fashion Grev laminate color for laminate modesty)
- **OPTIONS**

4. Casters or height-adjustable legs:

For casters, add -C to the model number and add \$50 list, per leq. Ex: 26-RM244830AL-C

For height-adjustable legs, add -H to the model number and add \$140 list, per leg.

Ex: 26-RM244830AL-H

- 5. Select visual display options (see page 24) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)
- 6. Select essential options (see page 54) Ex: RWG01 (Round wire grommet)
- 7. Select end caps for iMod table with metal modesty Ex: 26-ENDCAP22 (End caps)

Specify metal color for end caps

Ex: PSL (Polished silver metal color)

Please Note:

Power strip, wire management and CPU holder are included by default in iMod tables.

For no power strip, add -X to the model number and deduct \$50 list, per user. Ex: 26-RM244230TL-X For no CPU holder, add -XC to the model number and deduct \$110 list, per user. Ex: 26-RM244230TL-XC For Small Form Factor CPU's, contact Customer Service.

Visual Display Options To order, see page 24.

The Trollev™ Personal Monitor Arm System

Maximum dimensions for widescreen: EXL: 21/2" D x 22 7/8" W x 141/2" H

E: 21/2" D x 18 7/8" W x 14 1/2" H NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 3/4" (171mm)

Downview™

Maximum dimensions for widescreen-18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H) 21x21 viewport: 201/8"W x 19"H (511mm W x 483mm H) 16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H) 18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H) 21x24 widescreen viewport: 221/2"W x 19"H (572mm W x 482mm H)

Surface Mount Arm


Maximum weight for widescreen: 21 lbs. Maximum dimensions for widescreen: Up to 24" diagonal widescreen



NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. To order, see page 26.

Model Number Structure





303630

Size


TL - T-leg

TL

Leg Base Styles & Options

Туре

(see pg. 18)



CPU Storage - Maximum Widths

When adding a Trolley E or 21" Wide Downview Visual Display Option: 36° W Unit = 7

42" W Unit = 7.5'

- 72" W Unit = 7
- When adding a Trolley EXL or 24" Wide Downview Visual Display Option:
- 36" W Unit = 4.5' 42" W Unit = 7.5"
- 72" W Unit = 4.5'
- 18"W Downview or No Visual Display Option

All Widths = 7.5

To order, specify:

Model number Metal leg color & laminate worksurface colors

3 Metal iMod color -or- base color for laminate iMod

CPU / Monitor Dimensions 4

Optional - Ht.-Adjustable Legs or Casters Optional - Select visual display option(s) Optional - Add essential accessory options 6.

Optional - Specify End caps for metal iMod & specify color

The Trolley™ E / EXL

- Downview-Flat Panel Display
- · Surface Mount Flat Panel Display

Visual Display Options available:


Tables with Perforated Metal Total Access iMod Modesty (See p. 22 for optional end caps)

Specify colors for worksurface, metal leg and removable metal iMod modesty


Suggested Keyboard Width: 36W & 72W Table = 30" KB • 42W Table = 32" KB

8

CPU Holder Width: See "How To Order" page.



T legs		- Single lamina h casters (Spe	ate modesty cify "C" and add \$100))
\sim	24 x 36 x 30	18.3 / 124	26-RL243630TL	\$1,219
	24 x 42 x 30	21.2 / 131	26-RL244230TL	\$1,320
	26 x 36 x 30	19.8 / 126	26-RL263630TL	\$1,255
	26 x 42 x 30	22.9 / 134	26-RL264230TL	\$1,360
	30 x 36 x 30	22.6 / 133	26-RL303630TL	\$1,395
	30 x 42 x 30	26.1 / 142	26-RL304230TL	\$1,511



Flat PVC edge banding Thermofused laminate top Tables

How To Order				Recta	ngle Tabl	es	
				D x W x H (in.)	ft ³ / lbs	Model	List Pri
I. Select model numb	er and choose le	g style		Arch Legs			
Ex: 25-RT247230AL			\sim	Two leg bases.			
2. Select finish color f	for legs and lami	nate color for	$\langle \rangle$	18 x 36 x 30	5.5 / 50	25-RT183630AL	\$72
work surface (see)	page 59-60)			18 x 42 x 30	5.7 / 55	25-RT184230AL	\$74
				18 x 48 x 30 18 x 60 x 30	6.1 / 59 6.6 / 86	25-RT184830AL 25-RT186030AL	\$77 \$89
Ex: PBL 044			\sim	10 x 00 x 30	0.07 00	23-111100030AL	φΟι
base work				24 x 36 x 30	6.0/61	25-RT243630AL	\$76
surface OPTIONS			(-C, 2 legs)	24 x 42 x 30	6.3 / 65	25-RT244230AL	\$78
	Produkte In the A	ushed an T lane and A	• (-)3-)	24 x 48 x 30	6.7 / 71	25-RT244830AL	\$80
_		rched or T-legs only)		24 x 60 x 30	7.4 / 102	25-RT246030AL	\$9
-		and add \$50 list, per leg.		30 x 36 x 30	6.5/68	25-RT303630AL	\$7
Ex: 25-RT247230AL-	-C			30 x 42 x 30	6.9/74	25-RT304230AL	\$8
For height-adjustal	ble legs, add -H to	the model number and add		30 x 48 x 30	7.5 / 80	25-RT304830AL	\$8
\$140 list, per leg.				30 x 60 x 30	8.3/114	25-RT306030AL	\$1,0
Ex: 25-RT247230AL-	·H			36 x 42 x 30	7.6/97	25-RT364230AL	\$8
4. Select essential ac	cossory ontions	(see nage 5/)		36 x 48 x 30	8.1 / 104	25-RT364830AL	\$8
		(See page 54)		36 x 60 x 30	9.2 / 136	25-RT366030AL	\$1,0
Ex: RWG01 (Round wire	e grommet)		3rd leg base is replaced				
			with stiffener bars		-	iffener bars in middle fo	
Modol Number	r Ctrusture		\sim	18 x 72 x 30 18 x 84 x 30	8.2 / 93 8.8 / 101	27-RT187230AL 27-RT188430AL	\$90 \$1,18
Model Numbe	i Structure			10 / 04 / 00	0.07 101	17 111100400AL	ψı,ı
			$\langle \rangle$	24 x 72 x 30	9.2/111	27-RT247230AL	\$1,0
25 - RT	247230	AL	d.	24 x 84 x 30	10.0 / 120	27-RT248430AL	\$1,2
7 - Double table Top Shape	Size	Leg		007000	10.0 / 100	07 DT00700041	¢4.0
with RT-Rectangle		Leg NL - Arched leg		30 x 72 x 30 30 x 84 x 30	10.3 / 126 11.2 / 138	27-RT307230AL 27-RT308430AL	\$1,0 \$1,4
stiffener bar	T	L - T-leg		30 × 04 × 30	11.27150	27-111300430AL	φ1,4
nstead of middle leg base		SL - Straight leg AC - Arched leg w/ casters*	(-C, 2 legs)	36 x 72 x 30	11.3 / 151	27-RT367230AL	\$1,2
log base		C - T-leg w/ casters*		36 x 84 x 30	12.4 / 165	27-RT368430AL	\$1,5
	*	Nesting tables only	\sim	Three log baca	c.		
	oo 0 Ontion			Three leg base 18 x 72 x 30	8.2 / 93	25-RT187230AL	\$96
Leg Base Style	$es \alpha$ upului	15	$\langle \mathcal{A} \rangle$	18 x 84 x 30	8.8 / 101	25-RT188430AL	\$1,18
					9.4 / 107	05 DT400000AL	
• 2-inch diameter meta	Lleas 16 aguas m	latal	4	18 x 96 x 30	0.17 101	25-RT189630AL	\$1,4
 2-inch diameter meta 		etal					
 Leg mounting plates 1 		etal		24 x 72 x 30	9.2 / 111	25-RT247230AL	\$1,0
 Leg mounting plates 1 		etal			9.2 / 111 10.0 / 120	25-RT247230AL 25-RT248430AL	\$1,03 \$1,24
		etal	(-C. 3 leas)	24 x 72 x 30 24 x 84 x 30	9.2 / 111	25-RT247230AL	\$1,48 \$1,03 \$1,24 \$1,55
 Leg mounting plates 1 Powder coated paint 		etal	(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL	\$1,03 \$1,24 \$1,55 \$1,09
 Leg mounting plates 1 		etal	(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT308430AL	\$1,03 \$1,24 \$1,55 \$1,05 \$1,05 \$1,4
 Leg mounting plates 1 Powder coated paint 		etal	(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL	\$1,03 \$1,24 \$1,55 \$1,09 \$1,09
 Leg mounting plates 1 Powder coated paint 		etal	(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT308430AL 25-RT309630AL	\$1,0 \$1,2 \$1,5 \$1,5 \$1,0 \$1,4 \$1,4
Leg mounting plates 1 Powder coated paint Styles	1/4" thick		(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT308430AL	\$1,03 \$1,24 \$1,55 \$1,09 \$1,4 \$1,4 \$1,72 \$1,23
 Leg mounting plates 1 Powder coated paint 		etal	(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30	9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL	\$1,03 \$1,24 \$1,53 \$1,09 \$1,44 \$1,72 \$1,23 \$1,23 \$1,55
Leg mounting plates 1 Powder coated paint Styles Arched leg	1/4" thick		(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL	\$1,03 \$1,24
Leg mounting plates 1 Powder coated paint Styles Arched leg	1/4" thick		(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL	\$1,03 \$1,24 \$1,53 \$1,09 \$1,44 \$1,72 \$1,23 \$1,23 \$1,55
 Leg mounting plates 1 Powder coated paint Styles Arched leg	1/4" thick		(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL	\$1,0 \$1,2 \$1,5 \$1,4 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8
Leg mounting plates 1 Powder coated paint Styles Arched leg	1/4" thick		(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases.	9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165 13.2/181	25-RT247230AL 25-RT248430AL 25-RT307230AL 25-RT307230AL 25-RT308430AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL	\$1,03 \$1,24 \$1,53 \$1,09 \$1,44 \$1,72 \$1,23 \$1,23 \$1,55
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options	1/4" thick	Straight leg	(-C, 3 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 96 x 30 36 x 72 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30	9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165 13.2/181 5.5/50 5.7/55 6.4/59	25-RT247230AL 25-RT248430AL 25-RT307230AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT183630TL 25-RT184230TL 25-RT184830TL	\$1,03 \$1,22 \$1,53 \$1,04 \$1,44 \$1,72 \$1,23
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg 	1/4" thick	Straight leg		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30	9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165 13.2/181 5.5/50 5.7/55	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT183630TL 25-RT183630TL 25-RT184230TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters 	1/4" thick	Straight leg	(-C, 2 legs)	24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 60 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT183630TL 25-RT184830TL 25-RT184830TL 25-RT184830TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg 	1/4" thick	Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37"		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases 18 x 36 x 30 18 x 48 x 30 18 x 60 x 30 24 x 36 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61	25-RT247230AL 25-RT248430AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT367230AL 25-RT369630AL 25-RT369630AL 25-RT369630AL 25-RT184230TL 25-RT184030TL 25-RT184030TL 25-RT184030TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$6 \$5 \$6 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 60 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86	25-RT247230AL 25-RT248430AL 25-RT249630AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT183630TL 25-RT184830TL 25-RT184830TL 25-RT184830TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 36 x 96 x 30 T Legs Two leg bases 18 x 36 x 30 18 x 42 x 30 18 x 60 x 30 24 x 36 x 30 24 x 42 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65	25-RT247230AL 25-RT248430AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT186030TL 25-RT184830TL 25-RT184830TL 25-RT186030TL 25-RT186030TL 25-RT243630TL 25-RT243630TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 60 x 30 24 x 36 x 30 24 x 48 x 30 24 x 60 x 30	9.2/111 10.0/120 10.7/130 10.3/126 11.2/138 12.1/150 11.3/151 12.4/165 13.2/181 5.5/50 5.7/55 6.4/59 6.6/86 6.0/61 6.3/65 6.7/71 7.4/102	25-RT247230AL 25-RT248430AL 25-RT307230AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT368630AL 25-RT368630AL 25-RT184830TL 25-RT184830TL 25-RT184830TL 25-RT244630TL 25-RT244630TL 25-RT244630TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$6 \$6 \$6 \$6 \$6 \$6 \$6
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg Available with Arched &		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 96 x 30 36 x 72 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 48 x 30 24 x 36 x 30 24 x 42 x 30 24 x 48 x 30 24 x 60 x 30 30 x 36 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68	25-RT247230AL 25-RT248430AL 25-RT307230AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT367230AL 25-RT369630AL 25-RT369630AL 25-RT184230TL 25-RT184830TL 25-RT184830TL 25-RT244630TL 25-RT244630TL 25-RT244630TL 25-RT244630TL	\$1,0 \$1,2 \$1,5 \$1,4 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg Available with Arched &		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 96 x 30 36 x 72 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 60 x 30 24 x 36 x 30 24 x 48 x 30 30 x 36 x 30 30 x 42 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68 6.9 / 74	25-RT247230AL 25-RT248430AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT369630AL 25-RT184230TL 25-RT184830TL 25-RT184830TL 25-RT244630TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT244830TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg Available with Arched &		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 96 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 48 x 30 24 x 36 x 30 24 x 48 x 30 30 x 36 x 30 30 x 48 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68 6.9 / 74 7.5 / 80	25-RT247230AL 25-RT248430AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT369630AL 25-RT369630AL 25-RT369630AL 25-RT184230TL 25-RT184230TL 25-RT184830TL 25-RT2443630TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT304830TL 25-RT304830TL	\$1,0 \$1,2 \$1,5 \$1,4 \$1,4 \$1,7 \$1,2 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg Available with Arched &		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 96 x 30 36 x 72 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 60 x 30 24 x 36 x 30 24 x 48 x 30 30 x 36 x 30 30 x 42 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68 6.9 / 74	25-RT247230AL 25-RT248430AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT368430AL 25-RT369630AL 25-RT369630AL 25-RT184230TL 25-RT184830TL 25-RT184830TL 25-RT244630TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT244830TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$7
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg Available with Arched &		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 96 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 T Legs Two leg bases. 18 x 36 x 30 18 x 42 x 30 18 x 48 x 30 18 x 48 x 30 24 x 36 x 30 24 x 48 x 30 30 x 36 x 30 30 x 48 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68 6.9 / 74 7.5 / 80	25-RT247230AL 25-RT248430AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT369630AL 25-RT369630AL 25-RT369630AL 25-RT184230TL 25-RT184230TL 25-RT184830TL 25-RT2443630TL 25-RT244830TL 25-RT244830TL 25-RT244830TL 25-RT304830TL 25-RT304830TL	\$1,0 \$1,2 \$1,5 \$1,0 \$1,4 \$1,7 \$1,2 \$1,5 \$1,8 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5
 Leg mounting plates 1 Powder coated paint Styles Arched leg Options Arched leg with casters (-C) 	1/4" thick	Straight leg Straight leg Height-adjustable legs (-H) Adjustable height from 27"-37" Specify -H & add \$140 list, per leg Available with Arched &		24 x 72 x 30 24 x 84 x 30 24 x 96 x 30 30 x 72 x 30 30 x 84 x 30 30 x 96 x 30 36 x 72 x 30 36 x 84 x 30 36 x 96 x 30 36 x 96 x 30 T Legs Two leg bases . 18 x 36 x 30 18 x 42 x 30 18 x 42 x 30 18 x 48 x 30 24 x 36 x 30 24 x 48 x 30 24 x 48 x 30 24 x 60 x 30 30 x 36 x 30 30 x 42 x 30 30 x 48 x 30 30 x 60 x 30	9.2 / 111 10.0 / 120 10.7 / 130 10.3 / 126 11.2 / 138 12.1 / 150 11.3 / 151 12.4 / 165 13.2 / 181 5.5 / 50 5.7 / 55 6.4 / 59 6.6 / 86 6.0 / 61 6.3 / 65 6.7 / 71 7.4 / 102 6.5 / 68 6.9 / 74 7.5 / 80 8.3 / 114	25-RT247230AL 25-RT248430AL 25-RT307230AL 25-RT307230AL 25-RT309630AL 25-RT309630AL 25-RT367230AL 25-RT369630AL 25-RT369630AL 25-RT184830TL 25-RT184830TL 25-RT184830TL 25-RT244630TL 25-RT244830TL 25-RT244830TL 25-RT304630TL 25-RT304630TL 25-RT304630TL 25-RT304630TL	\$1,0 \$1,2 \$1,5 \$1,4 \$1,4 \$1,7 \$1,2 \$1,2 \$1,2 \$1,5 \$1,5 \$1,5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5 \$5

	Rect	angle Tal	bles			Recta	ngle Tab	les	
	D x W x H (in.)	ft ³ / lbs	Model	List Price		D x W x H (in.)	ft ³ / lbs	Model	List Pri
eg base is replaced	T-Legs					Straight Legs			
stiffener bars		-	ffener bars in middle f		\sim	Six legs			
~	18 x 72 x 30	8.2 / 93	27-RT187230TL	\$689		18 x 72 x 30	4.2 / 93	25-RT187230SL	\$74
/ . >	18 x 84 x 30	8.8 / 101	27-RT188430TL	\$880		18 x 84 x 30	4.7 / 101	25-RT188430SL	\$95
						18 x 96 x 30	5.3 / 107	25-RT189630SL	\$1,14
	24 x 72 x 30	9.2/111	27-RT247230TL	\$824	U				
	24 x 84 x 30	10.0 / 120	27-RT248430TL	\$973	•	24 x 72 x 30	5.3/111	25-RT247230SL	\$89
\sim	00 70 00	10.0 (100	OT DTOOTOOT	0044		24 x 84 x 30	5.9 / 120	25-RT248430SL	\$105
	30 x 72 x 30	10.3 / 126	27-RT307230TL	\$841		24 x 96 x 30	6.7 / 130	25-RT249630SL	\$1,28
	30 x 84 x 30	11.2 / 138	27-RT308430TL	\$1,125		20 x 70 x 20	0.0 / 100		¢O
(-C, 3 legs)	36 x 72 x 30	11.3 / 151	27-RT367230TL	\$961		30 x 72 x 30 30 x 84 x 30	6.2 / 126 7.2 / 138	25-RT307230SL 25-RT308430SL	\$90 \$1,2
(0, 0 1093)	36 x 84 x 30	12.4 / 165	27-RT368430TL	\$1,206		30 x 96 x 30	8.1 / 150	25-RT309630SL	\$1,2
	50 x 04 x 50	12.47 103	27-111500-5012	φ1,200		30 x 30 x 30	0.17150	2J-1113030303L	φ1,4
	T Legs					36 x 72 x 30	6.5 / 151	25-RT367230SL	\$10
\frown	Three leg base	S				36 x 84 x 30	8.4 / 165	25-RT368430SL	\$1,3
	18 x 72 x 30	8.2 / 93	25-RT187230TL	\$689		36 x 96 x 30	9.4 / 181	25-RT369630SL	\$1,5
	18 x 84 x 30	8.8 / 101	25-RT188430TL	\$880		00 x 00 x 00	0117 101		. ,.
	18 x 96 x 30	9.4 / 107	25-RT189630TL	\$1,055		Nocti	ng Table	00	
<u>^</u>				. ,		พธุรแ	ily labic	50	
	24 x 72 x 30	9.2/111	25-RT247230TL	\$824	Stiffeners included	on tables 60" w	ide and un		
	24 x 84 x 30	10.0 / 120	25-RT248430TL	\$973			•		
A '	24 x 96 x 30	10.7 / 130	25-RT249630TL	\$1,191	Table with arched		5.4/50	25-NT183630AL	\$1,0
	007000	10.0 / 100		0.44	legs & folding top	18 x 42 x 30	5.7 / 55	25-NT184230AL	\$9
(-C, 3 legs)	30 x 72 x 30	10.3/126	25-RT307230TL	\$841	\sim	18 x 48 x 30	6.1/59	25-NT184830AL	\$1,0
	30 x 84 x 30	11.2 / 138	25-RT308430TL	\$1,125 \$1,317		18 x 60 x 30	6.6/65	25-NT186030AL 25-NT187230AL	\$1,1
	30 x 96 x 30	12.17150	25-RT309630TL	\$1,317		18 x 72 x 30 18 x 84 x 30	7.1 / 72 7.7 / 80	25-NT18/230AL 25-NT188430AL	\$1,1 \$1,2
	36 x 72 x 30	11.3 / 151	25-RT367230TL	\$961		18 x 96 x 30	8.2 / 86	25-NT189630AL	\$1,2 \$1,2
	36 x 84 x 30	12.4 / 165	25-RT368430TL	\$1,206		10 × 30 × 30	0.2700	23-11103030AL	2,19
	36 x 96 x 30	13.2 / 181	25-RT369630TL	\$1,399		24 x 36 x 30	6.1/61	25-NT243630AL	\$9
	30 × 30 × 30	13.27101	2J-113030301L	φ1,333		24 x 42 x 30	6.3 / 65	25-NT244230AL	\$1,0
	Straight legs				B	24 x 48 x 30	6.7 / 71	25-NT244830AL	\$1,0
\sim	Four legs					24 x 60 x 30	7.5/80	25-NT246030AL	\$1,2
	18 x 36 x 30	2.3 / 50	25-RT183630SL	\$565		24 x 72 x 30	8.2/89	25-NT247230AL	\$1,2
U	18 x 42 x 30	2.5 / 55	25-RT184230SL	\$577		24 x 84 x 30	8.9 / 98	25-NT248430AL	\$1,3
	18 x 48 x 30	2.8 / 59	25-RT184830SL	\$588		24 x 96 x 30	9.6 / 108	25-NT249630AL	\$1,4
	18 x 60 x 30	3.3 / 86	25-RT186030SL	\$641	0				
						30 x 36 x 30	6.5/68	25-NT303630AL	\$9
	24 x 36 x 30	2.7 / 61	25-RT243630SL	\$597		30 x 42 x 30	6.9/74	25-NT304230AL	\$1,0
	24 x 42 x 30	3.1 / 65	25-RT244230SL	\$610		30 x 48 x 30	7.4/80	25-NT304830AL	\$1,1
	24 x 48 x 30	3.5 / 71	25-RT244830SL	\$624		30 x 60 x 30	8.3/91	25-NT306030AL	\$1,3
	24 x 60 x 30	4.2 / 102	25-RT246030SL	\$679		30 x 72 x 30	9.2/103	25-NT307230AL	\$1,3
						30 x 84 x 30 30 x 96 x 30	10.1 / 115 10.9 / 127	25-NT308430AL 25-NT309630AL	\$1,3 \$1,4
	30 x 36 x 30	3.3 / 68	25-RT303630SL	\$646			10.37 127	23-111303030AL	φ1,4
	30 x 42 x 30	3.7 / 74	25-RT304230SL	\$666	Table with arched		5.4 / 52	25-NT183630AC	\$1,0
	30 x 48 x 30	4.2 / 80	25-RT304830SL	\$700	legs, folding top	18 x 42 x 30	5.7 / 57	25-NT184230AC	\$1,0
	30 x 60 x 30	5.1/114	25-RT306030SL	\$773	& casters	18 x 48 x 30	6.1/61	25-NT184830AC	\$1,1
				4		18 x 60 x 30	6.6/67	25-NT186030AC	\$1,2
	36 x 42 x 30	4.4/97	25-RT364230SL	\$724		18 x 72 x 30	7.1/74	25-NT187230AC	\$1,3
	36 x 48 x 30	4.9/104	25-RT364830SL	\$752		18 x 84 x 30	7.7 / 82	25-NT188430AC	\$1,3
	36 x 60 x 30	5.9 / 136	25-RT366030SL	\$846		18 x 96 x 30	8.2/88	25-NT189630AC	\$1,3
						24 x 36 x 30	6.1/63	25-NT243630AC	\$1,0
	B. I. I.I. (e	24 x 42 x 30	6.3 / 67	25-NT244230AC	\$1,1
middle legs are	Double table W/	4 straight legs &	stiffener bars in middle	for support.	Å	24 x 48 x 30	6.7 / 73	25-NT244830AC	\$1,1
ed with stiffener	18 x 72 x 30	4.2 / 93	27-RT187230SL	\$689		24 x 60 x 30	7.5 / 82	25-NT246030AC	\$1,3
\sim	18 x 84 x 30	4.2 / 93	27-RT188430SL	\$880		24 x 72 x 30	8.2 / 91	25-NT247230AC	\$1,3
	10 x 0+ x 30	. .,, 101	27-1111004303L	ψυυυ		24 x 84 x 30	8.9 / 100	25-NT248430AC	\$1,4
	24 x 72 x 30	5.3/111	27-RT247230SL	\$824		24 x 96 x 30	9.6 / 110	25-NT249630AC	\$1,5
r	24 x 84 x 30	5.9 / 120	27-RT248430SL	\$973	*a *				
		0.07120	27 1112404000L	ψ313	~ M	30 x 36 x 30	6.5 / 70	25-NT303630AC	\$1,1
	30 x 72 x 30	6.2 / 126	27-RT307230SL	\$841	•	30 x 42 x 30	6.9/76	25-NT304230AC	\$1,1
	30 x 84 x 30	7.2 / 138	27-RT308430SL	\$1,125		30 x 48 x 30	7.4 / 82	25-NT304830AC	\$1,2
	50 / 01 / 00	1.27100	2	<i>ψ</i> 1,120		30 x 60 x 30	8.3 / 93	25-NT306030AC	\$1,3
	36 x 72 x 30	6.5 / 151	27-RT367230SL	\$961		30 x 72 x 30	9.2 / 105	25-NT307230AC	\$1,4
	20 2 . 00		2			30 x 84 x 30	10.1 / 117	25-NT308430AC	\$1,4
	36 x 84 x 30	8.4 / 165	27-RT368430SL	\$1,206		30 x 96 x 30	10.9 / 129	25-NT309630AC	\$1,4

Flat PVC edge banding Thermofused laminate top

Classroom Training Tables

Nesting Tables

	ING21	ily lable	5	
	D x W x H (in.)	ft ³ / lbs	Model	List Price
able with T-legs	18 x 36 x 30	5.4 / 50	25-NT183630TL	\$754
& folding top	18 x 42 x 30	5.7 / 55	25-NT184230TL	\$804
a loiding top	18 x 48 x 30	6.1 / 59	25-NT184830TL	\$855
\sim	18 x 60 x 30	6.6 / 65	25-NT186030TL	\$1,010
	18 x 72 x 30	7.1 / 72	25-NT187230TL	\$1,050
	18 x 84 x 30	7.7 / 80	25-NT188430TL	\$1,093
\checkmark $^{\circ}$	18 x 96 x 30	8.2 / 86	25-NT189630TL	\$1,131
	10 x 00 x 00	0.2700	20 11110000012	¢I,IOI
	24 x 36 x 30	6.1/61	25-NT243630TL	\$806
6	24 x 42 x 30	6.3 / 65	25-NT244230TL	\$856
	24 x 48 x 30	6.7 / 71	25-NT244830TL	\$908
	24 x 60 x 30	7.5 / 80	25-NT246030TL	\$1,072
	24 x 72 x 30	8.2 / 89	25-NT247230TL	\$1,096
	24 x 84 x 30	8.9 / 98	25-NT248430TL	\$1,180
12	24 x 96 x 30	9.6 / 108	25-NT249630TL	\$1,247
	24 × 30 × 30	5.07 100	20-11124303012	Ψ1,247
	30 x 36 x 30	6.5/68	25-NT303630TL	\$866
	30 x 42 x 30	6.9/74	25-NT304230TL	\$912
	30 x 48 x 30	7.4 / 80	25-NT304830TL	\$961
	30 x 60 x 30	8.3 / 91	25-NT306030TL	\$1,160
	30 x 72 x 30	9.2 / 103	25-NT307230TL	\$1,212
	30 x 84 x 30	10.1 / 115	25-NT308430TL	\$1,228
	30 x 96 x 30	10.9 / 127	25-NT309630TL	\$1,315
able with T-legs,	18 x 36 x 30	5.4 / 52	25-NT183630TC	\$866
olding top &	18 x 42 x 30	5.7 / 57	25-NT184230TC	\$917
asters	18 x 48 x 30	6.1 / 61	25-NT184830TC	\$967
\sim	18 x 60 x 30	6.6 / 67	25-NT186030TC	\$1,124
	18 x 72 x 30	7.1/74	25-NT187230TC	\$1,161
	18 x 84 x 30	7.7 / 82	25-NT188430TC	\$1,206
	18 x 96 x 30	8.2 / 88	25-NT189630TC	\$1,244
	<u></u>	0.4.4.00		
× /	24 x 36 x 30	6.1/63	25-NT243630TC	\$919
	24 x 42 x 30	6.3/67	25-NT244230TC	\$969
.18	24 x 48 x 30	6.7 / 73	25-NT244830TC	\$1,020
	24 x 60 x 30	7.5 / 82	25-NT246030TC	\$1,183
	24 x 72 x 30	8.2 / 91	25-NT247230TC	\$1,250
	24 x 84 x 30	8.9 / 100	25-NT248430TC	\$1,291
	24 x 96 x 30	9.6/110	25-NT249630TC	\$1,360
1	30 x 36 x 30	6.5 / 70	25-NT303630TC	¢075
	30 x 30 x 30 30 x 42 x 30	6.9 / 76	25-NT304230TC	\$975 \$1,022
	30 x 48 x 30	7.4/82	25-NT304830TC	\$1,074
	30 x 60 x 30	8.3/93	25-NT306030TC	\$1,272
	30 x 72 x 30	9.2/105	25-NT307230TC	\$1,325
	30 x 84 x 30	10.1 / 117	25-NT308430TC	\$1,340
	30 x 96 x 30	10.9 / 129	25-NT309630TC	\$1,426

Quarter Round Tables Height-adjustable leg not available.

17.1/32

17.9/47

18.9/62

17.1/32

17.9/47

18.9/62

1.1/32

2.9/47

3.8/62

6.1/44

25-0B242430XS

25-QR303030XS

25-QR363630XS

25-QR242430XA

25-QR303030XA

25-QR363630XA

25-0R242430SL

25-0R303030SL

25-QR363630SL

25-QR303030TL

\$650

\$765

\$850

\$868

\$949

\$868

\$949

\$764

\$850

\$1,042

\$1,042

Quarter round tables

Straight X-leg 24 x 24 x 30

30 x 30 x 30

36 x 36 x 30

Arched X-leg 24 x 24 x 30

30 x 30 x 30

36 x 36 x 30

on both sides. 30 x 30 x 30

36 x 36 x 30







Straight leg 24 x 24 x 30 30 x 30 x 30 36 x 36 x 30



20

25-QR363630TL 7.1/59

T-leg for stability only. Designed to attach to other units

Round Tables

	D x W x H (in.)	ft³ / lbs	Model	List Price
Round tables	Height-adjusta	able leg not av	vailable.	
\frown	Straight X-leg			
	30 x 30 x 30	17.9/46	25-FR303030XS	\$602
	36 x 36 x 30	18.9 / 67	25-FR363630XS	\$693
\gg	42 x 42 x 30	20.1 / 85	25-FR424230XS	\$935
	48 x 48 x 30	21.4 / 102	25-FR484830XS	\$1,028
\bigcirc	Arched X-leg			4
	30 x 30 x 30	17.9/46	25-FR303030XA	\$772
J.	36 x 36 x 30	18.9/67	25-FR363630XA	\$847
	42 x 42 x 30	20.1 / 85	25-FR424230XA	\$1,099
	48 x 48 x 30	21.4 / 102	25-FR484830XA	\$1,140
\frown	Straight legs			
	30 x 30 x 30	2.9 / 46	25-FR303030SL	\$772
J J	36 x 36 x 30	3.8 / 67	25-FR363630SL	\$847
U U	42 x 42 x 30	4.9 / 85	25-FR424230SL	\$1,099
	48 x 48 x 30	6.3 / 102	25-FR484830SL	\$1,140
	Squa	re Table	S	

Square tables Height-adjustable leg not available.

			Straight X-leg
\$580	25-SQ303030XS	17.9/46	30 x 30 x 30
\$681	25-SQ363630XS	18.9 / 67	36 x 36 x 30
\$917	25-SQ424230XS	20.1 / 85	42 x 42 x 30
\$981	25-SQ484830XS	21.4 / 102	48 x 48 x 30
			Arched X-leg
\$752	25-SQ303030XA	17.9/46	30 x 30 x 30
\$823	25-SQ363630XA	18.9 / 67	36 x 36 x 30
\$1,031	25-SQ424230XA	20.1 / 85	42 x 42 x 30
\$1,084	25-SQ484830XA	21.4 / 102	48 x 48 x 30
			Straight leg
\$752	25-SQ303030SL	2.9 / 46	30 x 30 x 30
\$823	25-SQ363630SL	3.8 / 67	36 x 36 x 30
\$1,031	25-SQ424230SL	4.9 / 85	42 x 42 x 30
\$1,084	25-SQ484830SL	6.3 / 102	48 x 48 x 30

Factory Installed Keyboard Options Only for Tables

Factory Installed Nova Keyboard

Keyboard length to fit casegoods ordered 22" - 34" wide 13 NK

Factory Installed Center Mount Articulating Keyboard

Keyboard length to fit casegoods ordered CK \$256

\$123






28", 30", 34" wide 15

© 2015 NOVA Solutions, Inc.

Tables

1. Model number

2. Finish color for legs and laminate color for work surface.
 3. Optional - Select essential accessory options.



er	Use to preven	t sagging o	of top. Standard color is I	olack.
0	01 x 48 x 02	/1	25-ST014802	\$98
━━━━(01 x 60 x 02	/1	25-ST016002	\$98
	01 x 72 x 02	/2	25-ST017202	\$125
U	01 x 84 x 02	/3	25-ST018402	\$135
	01 x 96 x 02	/4	25-ST019602	\$157

D x W x H (in.) ft³ / lbs

Quick connector

n abaining two or more tables. Standard color is lls h

TABLE 1	TABLE 2
*	'

use when	chaining two or	more tables. Standard	COIOF IS
black.			
03 x 06	/.5	25-QC060600	\$47

Model

List Price

1	
19	
/ 🎍 🦯	
* *	

Modesty Panels

e modesty	Specify a base Single modes			
uded	01 x 36 x 12	.25 / 8	25-SM013612	\$174
·	01 x 42 x 12	.3/9	25-SM014212	\$184
	01 x 48 x 12	.3/10	25-SM014812	\$195
	01 x 60 x 12	.5 / 13	25-SM016012	\$208
	01 x 36 x 22	.45/14	25-SM013622	\$205
	01 x 42 x 22	.5/16	25-SM014222	\$208
	01 x 48 x 22	.6/18	25-SM014822	\$218
	01 x 60 x 22	.75 / 23	25-SM016022	\$232
	Double modes			
	01 x 72 x 12	.5 / 15	25-SM017212	\$347
	01 x 84 x 12	.6 / 18	25-SM018412	\$364
	01 x 96 x 12	.75 / 20	25-SM019612	\$387
	01 x 72 x 22	1 / 28	25-SM017222	\$407
	01 x 84 x 22	1/32	25-SM018422	\$413
	01 x 96 x 22	1.2/37	25-SM019622	\$432
ed metal	Specify a meta			
y panels	Single modes	.25/8		070
uueu	01 x 42 x 12	.25/8	25-PM013612 25-PM014212	\$378 \$409
1111 C	01 x 42 x 12 01 x 48 x 12	.3/9	25-PM014212 25-PM014812	\$409
	01 x 48 x 12 01 x 60 x 12	.5 / 13	25-PM014812 25-PM016012	\$447 \$496
	01 x 36 x 22	.45 / 14	25-PM013622	\$445
	01 x 42 x 22	.5/17	25-PM013022	\$463
	01 x 48 x 22	.6/19	25-PM014222	\$403
	01 x 60 x 22	.75 / 24	25-PM014022	\$566
	Double modes	stv		
	01 x 72 x 12	.5/16	25-PM017212	\$755
	01 x 84 x 12	.6/18	25-PM018412	\$814
	01 x 96 x 12	.75 / 21	25-PM019612	\$889
	L. NOO NIL			<i>4000</i>
	01 x 72 x 22	1 / 29	25-PM017222	\$887
	01 x 84 x 22	1 / 33	25-PM018422	\$922

Adjustable height from 27"-37".

legs

-Н

Flat PVC edge banding Thermofused laminate top Metal or laminate bases

Classroom Training Tables with Total Access iMod Access



List Price

How To Order

1. Select model number

- Ex: 26-RM303630TL
- To specify an ADA Height unit, change height from 30 to 32 in model number and add \$196 for single table or \$293 for double table. Ex: 26-RM303632TL
- 2. Select metal color for legs and laminate color for work surface (see page 59-60) Ex: PBL 044

Base Worksurface

3. Select metal color for metal iMod modesty or laminate base color for laminate iMod modesty

Ex: PSL (Polished silver metal color for metal modesty)

227 (Fashion Grey laminate color for laminate modesty)

OPTIONS

End cap

For metal iMod

Extra ADA end cap

For metal iMod

Casters

legs

4. Casters or height-adjustable legs:

For casters, add -C to the model number and add \$50 list, per leg. Ex: 26-RM303630TL-C

For height-adjustable legs, add -H to the model number and add \$140 list, per leg.

Ex: 26-RM303630TL-H

- 5. Select visual display options (see page 24) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)
- 6. Select essential options (see page 54) Ex: RWG01 (Round wire grommet)
- 7. Select end caps for iMod table with metal modesty Ex: 26-ENDCAP22 (End caps) Specify metal color for end caps

D x W x H (in.) ft³ / lbs

01 x 03 x 20 0.1 / 3

Specify metal color.

Miscellaneous

Model

26-ENDCAP22

Fits on right or left open end of metal iMod compartment.

To be used with ADA height units that are intended for stand-alone use only (i.e. Units that are not used as part of

Ex: PSL (Polished silver metal color)

Privacy Panels for Single Table		• /	cify "PP" on table mo r only. 6" radius on fr	
	24 x 36 x 15	1.5/37	26-PP243615	\$370
\land	24 x 42 x 15	1.7 / 40	26-PP244215	\$405
$\left(\sum_{i=1}^{n} \right)$	26 x 36 x 15	1.5 / 38	26-PP263615	\$387
\checkmark	26 x 42 x 15	1.7 / 41	26-PP264215	\$424
	30 x 36 x 15	1.5 / 42	26-PP303615	\$407
	30 x 42 x 15	1.7 / 44	26-PP304215	\$451
Drivacy Danole	For factory p	ron must sno	oifu "DD" on tablo ma	dol

ft³ / lbs

Mode

D x W x H (in.)

Privacy Panels for Double Table

For factory prep, must specify "PP" on table model number. Specify base color only. 6" radius on front. Field

	ilistalleu.			
	24 x 71 x 15	1.8 / 51	26-PP247115	\$632
\nearrow	26 x 71 x 15	1.8 / 52	26-PP267115	\$651
\sim				
	30 x 71 x 15	1.8 / 55	26-PP307115	\$696

Rectangular Wire Grommet

Black plastic grommet cover is removable for easy wire management. If Installed (available for work surface only): Please provide sketch to indicate placement location

1 ⁷ /8 x 3 ¹ / ₄ x 1 ¹ / ₄ (cutout dimensions) WG1080	\$72
If Sold Separately (not part of base model):	
17/8 x 31/4 x 11/4 (cutout dimensions) AC-WG1080	\$37
For other grommet options, see page 55.	
Specify "L" and add \$152 for a single table and \$303 for	a

Locking option For locking modesty cover(s)

double table.





List Price


\$92

ADA lift option

Hvdraulic lift 21/2" travel

Change model number to 26-AM ... / 26-AL ... Electric Hydraulic lift stored within legs, activated with buttons mounted beneath worksurface. Available on single units only. See "How to Order" on pg. 16 \$4.277





Tables with Total Access iMod Accessories © 2015 NOVA Solutions, Inc. 22

Flat PVC edge banding Thermofused laminate top & base

Classroom Training Study Carrels




List Price

Features, Benefits and Solutions

- Solutions for library and learning resource environments
- Visual Display Options available
- Work surface thickness: 1"
- Standard edge detail: 2mm Flat PVC
- Matching edge banding colors
- Wire management system and power strip optional
- Manufactured with recycled post-industrial materials

Study Carrels

Wire opening on top. Wire access on side panel of add-on carrels only. If a Visual Display Option is specified, a CPU shelf, wire management channel, and power strip will be added. Rectangular black plastic grommet in work surface. Work surface height: 30". Work surface depth: 28"



Single-sided

carrels 53" H

	Starter			
	30 x 36 x 35	3.5 / 126	65-SC303635CS	\$884
	Add-on			
	30 x 35 x 35	2.8 / 99	65-SC303535CA	\$707
5				

Model

303635

Size

CS

Placement

CS-Starter

CA-Add-on

How To Order

1. Select model number

- Ex: 65-SC303635CS (single sided study carrel, starter)
- 2. Select laminate base and work surface color (see page 59)

Ex: 008 C24 Base Worksurface

OPTIONS

65-SC303635CS

3. Select visual display options (see page 24) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)

Model Number Structure

Work Surface Edge Detail

65

Series

4. Select essential accessory options (see page 54) Ex: RWG01 (Round wire grommet)

SC


Туре

DC-Double-sided carrel

SC-Single-sided carrel D x W x H

Standard Flat PVC edge 2mm

1" thick



	Starter			
	30 x 36 x 53	4.7 / 167	65-SC303653CS	\$1237
١	Add-on			
	30 x 35 x 53	3.56 / 126	65-SC303553CA	\$970

8" D fixed accessory shelf. Clearance 15-3/8".

ed	Starter			
H	59 x 36 x 35	5.4 / 208	65-DC593635CS	\$1,325
	Add-on			
	59 x 35 x 35	4.3 / 155	65-DC593535CA	\$1,020



8" D fixed accessory shelf. Clearance 15-3/8".

Double	-siaea	
carrels	53" H	




ADA Bracket Kit

Starte

Metal bracket and hardware to raise the surface of any carrel from 30" to 32". Package of six. Order one kit per surface. 65-KT010104AD 01 x 01 x 04 .3 / 1 \$132

NK

CK



Mechanism & Tray

800-730-6682

www.novadesk.com

\$123

\$256

Visual Display Options

Single monitor workstations require one (1) visual display option. Double monitor workstations require two (2) visual display options.

For Tables with iMod & Study Carrels

Factory installed keyboard-only options available on pg. 22 for Tables with iMod, pg. 23 for Study Carrels

• For details and installation specifications, refer to pages 47-51

• For CRT applications, please contact Customer Support: 1-800-730-6682

Trolley 26" m with <u>0</u> Maxin	hin, worksu Center Mou mum distar plate to bo is for 2" H creen e width lift & lower idjustment in ure under d	come installed in any unit. rface depth required for Trolley nt Articulating Keyboard Tray ice from center of wall mount ttom of monitor is 6 ¾" (171mm) The Trolley™ E Maximum Dimensions for Widescreen: 2½" D x 18 7/8" W x 14½" H up to 21" (diagonal) or 20" (widescreen) monitor n "up" position esktop	Nova Keyboa TE0728NK TE0724NK International	Wt. Keyboard Drawer rd Drawer installed in assembled units only. 48 The Trolley EXL with Nova Keyboard drawer 48 The Trolley EXL with Nova Keyboard drawer 48 The Trolley E with Nova Keyboard drawer 20 Customers: Trolleys include Universal Power Control Unith all power requirements inside and outside the U.S.	List Price Oty 2 required for Double Workstations/Tables
Bits Down 18"D x 18"W viewport Maximum Dimension Widescreen: 17"W x 14 up to 19" diagonal 26" min. work surface 26" min. work surface 10" diagonal 26" min. work surface 10" diagonal 26" min. work surface 10" diagonal 28-30" min. work surface 10" diagonal 29" diagonal 28" diagonal 29" diagonal 28" diagonal 28-30" min. work surface 10" diagonal 29" diagonal 28" diagonal	ns for 4½"H ce depth t ns for / x 19"H rface ss viewport glass	16"D x 21"W viewport (Widescreen) Maximum Dimensions for Widescreen: 19½"W x 12½" H up to 21" widescreen 24" min. work surface depth 18"D x 21"W viewport (Widescreen) Maximum Dimensions for Widescreen: 20 1/8"W x 14½"H up to 21" widescreen 26" min. work surface depth 21"D x 24"W viewport (Widescreen) Maximum Dimensions for Widescreen: 22 1/2"W x 14%"H up to 21" widescreen 26" min. work surface depth 21"D x 24"W viewport (Widescreen) Maximum Dimensions for Widescreen: 22 1/2"W x 19"H up to 23" widescreen 30" min. work surface depth 36" min. work surface width		Wt. Keyboard Drawer ova Keyboard Drawer installed in assembled units only. 35 Includes 16"D x 21"W viewport, adjustable arm, and viso 35 Includes 18"D x 18"W viewport, adjustable arm, and viso 35 Includes 18"D x 21"W viewport, adjustable arm, and viso 37 Includes 21"D x 21"W viewport, adjustable arm, and viso 39 Includes 21"D x 24"W viewport, adjustable arm, and viso	r. \$438 ea. r. <mark>\$438 ea.</mark> r. \$511 ea.
	ice Mount / unit Dimensions	n	Nova Keyboar SMA0203NK With Cente	er Mount Articulating Keyboard Mechani Keyboard Tray installed in assembled units only.	List Price Aty 2 required for Double Workstations/Tables \$317 ea. Som and Tray \$523 ea.

Hardwiring

How To Order Hardwire-Standard Workstation

- 1. Select a standard workstation, and add -W to the end of the model number
- 2. Complete room layout with workstations
- 3. Select power entry
- 4. Select jumper length
- 5. Select receptacle block
- 6. Select mounting bracket quantities for all receptacle blocks.
- NOTE: Mounting brackets with receptacle block always located
- behind CPU storage.

Standard Features

4-wires, 2 circuits, 20 Amps each (Circuit 1 and 2 only)
13-Duplex receptacles per circuit, 26-15 Amp Duplex receptacles per power infeed maximum Easy to specify
Easy to install and reconfigure
Requires less space
UL Listed as a Manufactured Wiring System
More economical than 8-Wire System

Electrical Components

	D x W x H (in.)	Model	List Price		D x W x H (in.)	Model	List Price
Receptacle Block	number (Circuit 1 or C	ock for Ćircuit 1 would be m		Female to Female Jumper	6" W 12" W 18" W 22" W	BE41920-3-6 BE41920-3-12 BE41920-3-18 BE41920-3-22	\$104 \$114 \$121 \$126
	Mounting bracket sold se	BE41917-3-A8 parately. See below.	B \$117	and the set	24" W 30" W 36" W	BE41920-3-24 BE41920-3-30 BE41920-3-36	\$130 \$138 \$146
Receptacle to Receptacle Block Connector		BE41919-3	\$26		42" W 48" W 54" W 60" W	BE41920-3-42 BE41920-3-48 BE41920-3-54 BE41920-3-54 BE41920-3-60	\$154 \$169 \$179 \$188
					66" W 72" W 78" W	BE41920-3-66 BE41920-3-72 BE41920-3-78	\$198 \$206 \$216
4-Way "H" Connector		BE41921-3	\$43		84" W 90" W 96" W 102" W	BE41920-3-84 BE41920-3-90 BE41920-3-96 BE41920-3-102	\$226 \$236 \$245 \$253
Spring clip		BE41955	\$8		108" W 114" W 120" W	BE41920-3-108 BE41920-3-114 BE41920-3-120	\$264 \$274 \$281
mounting bracket with Screws		DL41500	ψŪ		126" W 132" W 138" W 144" W	BE41920-3-126 BE41920-3-132 BE41920-3-138 BE41920-3-144	\$292 \$301 \$310 \$320
·				Power Entry	36" W 42" W	BE41922-3-36 BE41922-3-42	\$186 \$195
Transition wall power plate Power entry not included		BE42171-3-06	\$179		48" W 54" W 60" W 66" W	BE41922-3-48 BE41922-3-54 BE41922-3-60 BE41922-3-66	\$211 \$220 \$228 \$238
51 SC				•	72" W 78" W 84" W 90" W 96" W	BE41922-3-72 BE41922-3-78 BE41922-3-84 BE41922-3-84 BE41922-3-90	\$248 \$258 \$266 \$276 \$285
	Sample La	yout			102" W 108" W	BE41922-3-96 BE41922-3-102 BE41922-3-108	\$295 \$304
		Power entry Circuit 1 Receptacle			114" W 120" W 126" W 132" W 138" W	BE41922-3-114 BE41922-3-120 BE41922-3-126 BE41922-3-132 BE41922-3-138	\$314 \$323 \$332 \$342 \$351
		Circuit 2 Receptacle F/F Jumper			144" W	BE41922-3-144	\$360
			8				

800-730-6682

► NOVALinked[™] Components

NOVALinked[™] is a networking system that provides complete control of NOVA's Trolley E monitor lifts in a classroom or training room setting. Utilizing a Crestron, Extron, AMX or other major brand controller, or an ISI component, instructors can raise or lower all of the Trolley monitor lifts in the classroom simultaneously.

\$245



LCI - Linking Control Interface

The LCI is required for all NOVALInked[™] installations. One LCI is required to control each Trolley E monitor lift. It can be located in an inconspicuous location on each desk/table or within the total access iMod[™] compartment (if available). 1-9/16" D x 4" W x 1-3/4" H

AC-LCI.....



JCN - Junction

The JCN is a parallel 3 way splitter for the NovaLinked System. One Junction required per row. Designed for use only with the NovaLinked System.


1-9/16" D x 4" W x 1-3/4" H

AC-JCN3 (Three RJ45 ports).....\$184



CAT6 Patch Cable

Cat6 molded boot patch cable.	
AC-CAT6-1 (1 Ft.)	.\$25
AC-CAT6-2 (2 Ft.)	.\$29
AC-CAT6-5 (5 Ft.)	
AC-CAT6-7 (7 Ft.)	.\$34
AC-CAT6-10 (10 Ft.)	.\$42
AC-CAT6-14 (14 Ft.)	.\$52



ISI - Independent Switching Interface

The ISI allows full control of the On/Off and Up/Down functions of the NOVALinked System without interfacing with a control system. The ISI Module is designed to be housed in the lecternbased Trolley E control panel.

AC-ISI (for Wired Systems).....\$413 AC-ISIRF (for Wireless RF Systems)\$413



CSIM - Control System Interface Module The CSIM is required for "wired" NOVALInked™ installations. One CSIM is needed for every thirty LCI units/Trolley E monitor lifts. Includes a 24V = 1.67A, 40W MAX Power Supply with Cord. 1-9/16" D x 4-1/8" W x 2-15/16" H

AC-CSIM.....\$486

Components for Wireless NOVALinked[™]

The Wireless NOVALinked application eliminates the issue of running power from the lectern to the first row of desks, and from row to row.



TXM - Transmitter

The Transmitter allows wireless control of the Trolleys, and is housed in the lectern or any other location in the room. The Transmitter connects to the Controller or ISI, and each one has a unique frequency address. It sends separate commands for On, Off, Up and Down. AC-TXM.....\$465



RCVR - Receiver

One Receiver required per row of desks, including the last row.

C-RCVR	 \$46	55

NOTE: If not using a major brand controller, order ISI component for wireless sytems (AC-ISIRF)

NOTE: Typically one CSIM is required for every 30 LCI units in the classroom. Each Trolley unit requires one LCI (even with the wireless configuration).

All NOVALinked[™] components shown on this page.





Inked™ Sample Layouts


RF Transmitter, typically located on lectern (Qty 1) Has a unique frequency. AC-TXM Receiver 1 per row (Qty 4) AC-RCVR **Independent Switching** Interface, typically located on lectern (Qty 1) AC-ISIRF (for Wireless RF Systems) **Linking Control Interface** 1 per Trolley, except in Lectern when using a CSIM or Transmitter If Lectern utilizes a Trolley with CSIM or Transmitter, then no need for an LCI. (Qty 20) AC-LCI **CAT6** Patch Cable 1ft or 2ft cable needed to run from RCVR to the 1st LCI in each row (Qty 4) AC-CAT6-2

Q


AC-CA16-2 5ft or 7ft cables needed to run from LCl to LCl in each row (Qty 16) AC-CAT6-5







Audio/Visual Lecterns







Audio/Visual Lecterns


Modern designs provide a one-stop solution for integrating the latest technology into presentation lecterns.

- Accommodates latest A/V equipment
- Offers shelves and rack rail systems
- Some models available with Visual Display Options
- Hides wires and cables for a clutter-free look
- · Heavy duty casters
- Removable modesty panel covers available in laminate or perforated metal
- Easy access to the back of equipment
- Provides security and prevents accidental damage to equipment

Presenting a complete solution.

Flat PVC edge detail Laminate or metal modesty panels

Flat PVC edge detail Thermofused laminate top and base Laminate or metal modesty names



How To Order

1. Select model number

Ex: 67-LS303641LM (Lectern 30x36x41 with pullout shelf and laminate modesty)

2. Select color laminate and work surface (see page 59) If ordering perforated metal modesty, select metal color

<u>129</u> <u>376</u> Base Worksurface Ex: <u>SLL</u> Metal

3. Select door/drawer pull style and finish Ex: CB (Cup pull with Black Matt finish)

OPTIONS

- 4. Select visual display options (see page 37) Ex: TE0724NK (The Trollev E with Nova keyboard drawer)
- 5. Select essential accessory options (see page 54) Ex: RWG01 (Round wire grommet)

Visual Display Options To order, see page 37

The Trolley™ Personal Monitor Arm System

Maximum dimensions for widescreen-EXL: 21/2" D x 22 7/8" W x 141/2" H E: 21/2" D x 18 7/8" W x 14 1/2" H NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 ¾" (171mm)

Downview™


Maximum dimensions for widescreen-18x18 viewport: 17"W x 141/2"H (432mm W x 368mm H) 21x21 viewport: 201/8"W x 19" H (511mm W x 483mm H) 16x21 widescreen viewport: 191/2"W x 121/2" H (495mm W x 318mm H) 18x21 widescreen viewport: 201/8"W x 141/2"H (511mm W x 368mm H)

21x24 widescreen viewport: 221/2"W x 19"H (572mm W x 482mm H)

Surface Mount Arm


Maximum weight for widescreen: 21 lbs. Maximum dimensions for widescreen: Up to 24" diagonal widescreen

Model Number Structure



MM - Metal modesty panels MR - Metal modesty; D-top right MX - Metal modesty; No CPU shelf

Work Surface Edge Detail & Thickness



Grommets

Standard grommets are rectangular black plastic.

Door/Drawer Pull Style and Finish

Cup / Black Matt (CB)

Cup / Stainless Steel (CS) Cup / Chrome Polished (CP)

Wave / Nickel (WN) Wave / Black (WB)

Steel / Black (SB) Steel / Chrome Matt (SM) Steel / Chrome Polished (SP)

ſħ

Modern / Chrome Matt (MC) Modern / Black Matt (MB)

To order, specify: 1. Model number.

2. Colors for base and work surface

3. Door/Drawer Pull Style and Finish

4. Optional-Select visual display options

5. Optional - Select essential accessory options

Visual Display Options (Not available on all units, as noted):

10 RU rack rails. 30 x 30 x 46½

30 x 36 x 46½

36 x 36 x 46½

36 x 30 x 46½ 23.8 / 386

- The Trolley™ E / EXL Downview - Flat Panel Display
- Surface Mount Arm



List Price

\$3,990

\$4,101

\$4.331

\$4.440

Lecterns with Pull-out Shelf

Locking pull-out shelf for digital presenter on right side. Locking rear access panels. Locking front access panel for digital presenter. Power strip. Casters. Locking doors. Wire access grommets. 30", 36", 42" W lectern have two doors. 48" W lectern has three doors.

Storage Dimensions: 30° W Unit: Rack rails on left side of storage area - 19 ¼° W. Remaining space is 8 5/8° W 36° W Unit: Left compartment - 14 5/8° W. Right compartment w/ rack rails - 19 ¼° W 42° W Unit: Left compartment w/ rack rails - 19 ¼° W. Right compartment w/ rack rails - 19 ¼° W 48" W Unit: Left compartment w/ rack rails - 25 ¾" W. Right compartment w/ rack rails - 19 ¼" W Suggested Keyboard Width: Pull-out shelf Interior Dimensions: 30" W Unit: 28" 42" W Unit: 28" 30" D Lecterns: 22-1/4" D x 20-3/8" W x 7-3/4" H 36" W Unit: 34" 48" W Unit: 28" 36" D Lecterns: 28-1/4" D x 20-3/8" W x 7-3/4" H Lectern

10 RU rack rails.

30 x 30 x 41

30 x 36 x 41

36 x 30 x 41

36 x 36 x 41

30 x 42 x 41

30 x 48 x 41

36 x 42 x 41

36 x 48 x 41

10 RU rack rails. 30 x 30 x 41

30 x 36 x 41

36 x 30 x 41

36 x 36 x 41

30 x 42 x 41

30 x 48 x 41

36 x 42 x 41

36 x 48 x 41

10 RU rack rails. 30 x 30 x 461/2

30 x 36 x 461/2

36 x 36 x 461⁄2

Laminate modesty

Only 48" W lecterns can accommodate Visual Display Options

25.5 / 382

30.3 / 414

25.5 / 382

30.3 / 414

20 RU rack rails (10 RU's on Left; 10 RU's on Right).

35.1 / 456

39.9 / 508

35.1 / 456

39.9 / 508

22.6 / 382

26.8/414

22.6/382

26.8 / 414

20 RU rack rails (10 RU's on Left; 10 RU's on Right).

31.0 / 456

35.2 / 508

31.0 / 456

35.2 / 508

D x W x H (in.) ft³ / lbs Model List Price Perforated metal modesty

67-LS303041MM

67-LS303641MM

67-LS363041MM

67-LS363641MM

67-LS304241MM

67-LS304841MM

67-LS364241MM

67-LS364841MM

67-LS303041LM

67-LS303641LM

67-I \$3630411 M

67-LS363641LM

67-LS304241LM

67-LS304841LM

67-LS364241LM

67-LS364841LM

67-LP303047MM

67-LP363047MM

67-LP363647MM

67-LP304247MM

67-LP304847MM

67-LP364247MM

67-LP364847MM

67-LP303647MM

\$4.611

\$4,745

\$4,995

\$5.130

\$4,818

\$4,958

\$5.213

\$5,352

\$3,852

\$3,963

\$4.194

\$4,304

\$4,025

\$4,140

\$4,384

\$4,488

\$4,775

\$4,911

\$5,160

\$5,297

\$4,983

\$5,123

\$5.376

\$5.517



10 RU rack rails



20 RU rack rails 3 drs. avail. on 48" W only

10 RU rack rails



20 RU rack rails 3 drs. avail. on 48" W only

Lectern with Privacv Sides

26.7 / 386

31.7 / 418

31.7 / 418

Only 48" W lecterns can accommodate Visual Display Options

Perforated metal modesty

36 x 30 x 46½ 26.7 / 386

10 RU rack rails



20 RU rack rails (10 RU's on Left; 10 RU's on Right). 30 x 42 x 46½ 36.7 / 460 30 x 48 x 461⁄2 41.7 / 512 36 x 42 x 46½ 36.7 / 460 20 RH rack rails 36 x 48 x 46½ 41.7 / 512 3 drs. avail. on 48" W only

800-730-668	

ft ³ / lbs
<u>lesty</u>

10 RU rack rails



RU rack rails (1	0 RU's on Left; 1	0 RU's on Right).	
x 42 x 46½	35 / 460	67-LP304247LM	\$4,164
x 48 x 46½	39.2 / 512	67-LP304847LM	\$4,278
x 42 x 46½	41.13 / 460	67-LP364247LM	\$4,513
x 48 x 46½	47 / 512	67-LP364847LM	\$4,626

Model

67-LP303047LM

67-LP303647LM

67-LP363047LM

67-LP363647LM

20 RU rack rails 3 drs. avail. on 48" W only

Lectern with Curved Top & Bottom

20 F

30 30

36

36

Only 48"/54" W lecterns can accommodate Visual Display Options

23.8 / 386

28.2/418

28.2/418

Perforated metal modesty

X>	10 RU rack rails.			
	30 x 30/36* x 41	30.3 / 383	67-LC303641MM	\$5,107
	30 x 36/42* x 41	35.1 / 415	67-LC304241MM	\$5,242
ð 🗸	36 x 30/36* x 41	30.3 / 383	67-LC363641MM	\$5,491
;	36 x 36/42* x 41	35.1 / 415	67-LC364241MM	\$5,626
~	20 RU rack rails (1	10 RU's on Left; 1	10 RU's on Right).	
\sim	30 x 42/48* x 41	39.9 / 456	67-LC304841MM	\$5,314
A .	30 x 48/54* x 41	44.6 / 507	67-LC305441MM	\$5,454

36 x 42/48* x 41 39.9 / 456 36 x 48/54* x 41 44.6 / 507

10 RU rack rails

*Chassis width / Top width

20 RU rack rails 3 drs. avail. on 48" W only



10 RU rack rails. 30 x 30/36* x 4 30 x 3

Laminate modesty

\$4,200	07-LU3U3041LIVI	20.8/383	30 X 30/30 X 41
\$4,378	67-LC304241LM	31.0 / 415	30 x 36/42* x 41
\$4,609	67-LC363641LM	26.8 / 383	36 x 30/36* x 41
\$4,719	67-LC364241LM	31.0/415	36 x 36/42* x 41

20 RU rack rails (10 RU's on Left; 10 RU's on Right).

67-LC364841MM

67-LC365441MM

67-LC304841LM

67-LC305441LM

67-LC364841LM

67-LC365441LM

\$5,707

\$5,849

\$4,439

\$4,555

\$4,788

\$4,903

10 RU rack rails




20 RU rack rails

3 drs. avail. on 48" W only

*Chassis width / Top width

30 x 42/48* x 41 35.2 / 456



www.novadesk.com

Laminate or metal modesty panels

Flat PVC edge detail Thermofused laminate top and base Laminate or metal moderity reaches

How To Order

1. Select model number

Ex: 67-LS303641LM (Lectern 30x36x41 with pullout shelf and laminate modesty)

2. Select color laminate and work surface (see page 59) If ordering perforated metal modesty, select metal color

129 376 Ex: SLL Metal Base Worksurface

3. Select door/drawer pull style and finish Ex: CB (Cup pull with Black Matt finish)

OPTIONS

- 4. Select visual display options (see page 37) Ex: TE0724NK (The Trollev E with Nova keyboard drawer)
- 5. Select essential accessory options (see page 54) Ex: RWG01 (Round wire grommet)

Lecterns

36" W - 48"W available with all Visual Display Options Trolley EXL not available on 30" W lectern

Locking rear access panels. Power strip. Casters. Locking doors. Wire access grommets. 30", 36", 42" W lectern have two doors. 48" W lectern has three doors.

Storage Dimensions:

- 30" W Unit: Rack rails on left side of storage area 19 ¼" W. Remaining space is 8 5/8" W 36" W Unit: Left compartment 14 5/8" W. Right compartment w/ rack rails 19 ¼" W 42" W Unit: Left compartment w/ rack rails 19 ¼" W. Right compartment w/ rack rails 19 ¼" W
- 48" W Unit: Left compartment w/ rack rails 25 ¾" W. Right compartment w/ rack rails 19 ¼" W

Suggested Keyboard Width:

W Unit: 28" / 36" W Unit: 34" / 42" W Unit: 28" / 48" W Unit: 28'

	D x W x H (in.)	ft³ / Ibs	Model	
	Perforated me 14 RU rack rails.			
	30 x 30 x 41	25.5/372	66-LS303041MM	
	30 x 36 x 41	30.3 / 404	66-LS303641MM	
	36 x 30 x 41	25.5/372	66-LS363041MM	
J k rails	36 x 36 x 41	30.3 / 404	66-LS363641MM	
	28 RU rack rails	(14 RU's on Left	; 14 RU's on Right).	
\rightarrow	30 x 42 x 41	35.1 / 446	66-LS304241MM	
	30 x 48 x 41	39.9 / 498	66-LS304841MM	
	36 x 42 x 41	35.1 / 446	66-LS364241MM	
k rails	36 x 48 x 41	39.9 / 498	66-LS364841MM	

Laminate modesty 14 RU rack rails.

30 x 30 x 41

30 x 36 x 41

36 x 30 x 41

36 x 36 x 41

30 x 42 x 41

30 x 48 x 41

36 x 42 x 41

36 x 48 x 41

22.6 / 372

26.8 / 404

22.6/372

26.8 / 404

28 RU rack rails (14 RU's on Left; 14 RU's on Right).

31.0/446

35.2 / 498

31.0 / 446

35.2 / 498

28 BLI rack ra 3 drs. avail. on 48" W only

14 RU rad



14 RU rack rails



3 drs. avail. on 48" W only

Lecterns with Privacy Sides

36" W - 48"W available with all Visual Display Options Trolley EXL not available on 30" W lectern

D x W x H (in.) ft³ / lbs Model List Price Perforated metal modesty 14 RU rack rails. 30 x 30 x 461/2 26.7 / 376 66-LP303047MM \$4,224 31.7 / 408 66-LP303647MM 30 x 36 x 46½ \$4,358 14 RU rack rails 36 x 30 x 461/2 26.7 / 376 66-LP363047MM \$4,609 66-I P363647MM \$4,743 36 x 36 x 461/2 31.7 / 408 28 BU rack rails (14 BU's on Left: 14 BU's on Right). 30 x 42 x 46½ 36.7 / 450 66-LP304247MM \$4,432 30 x 48 x 461/2 41.7 / 502 66-LP304847MM \$4,571 36.7/450 66-LP364247MM 36 x 42 x 461/2 \$4.825 28 RU rack rails 36 x 48 x 46½ 41.7 / 502 66-LP364847MM \$4,965 3 drs. avail. on 48" W only Laminate modesty 14 RU rack rails. 66-LP303047LM 23.8 / 376 \$3.529 30 x 30 x 46½ 30 x 36 x 461/2 28.2 / 408 66-LP303647LM \$3,640 66-LP363047LM 14 RU rack rails 36 x 30 x 46½ 23.8/376 \$3.870 36 x 36 x 46½ 28.2 / 408 66-LP363647LM \$3,979 28 RU rack rails (14 RU's on Left; 14 RU's on Right).

List Price

\$4,059

\$4,194

\$4,445

\$4,580

\$4.266

\$4,406

\$4,661

\$4,801

\$3,391

\$3.502

\$3.733

\$3.842

\$3.563

\$3.679

\$3,912

\$4,027

66-LS303041LM

66-LS303641LM

66-LS363041LM

66-LS363641LM

66-LS304241LM

66-LS304841LM

66-LS364241LM

66-LS364841LM

	36 x 42 x 46½	32.6 / 45
28 RU rack rails	36 x 48 x 46½	37.1/50
3 drs. avail. on 48" W only		

30 x 42 x 46½ 32.6 / 450

66-LP304847LM 30 x 48 x 46½ 37.1 / 502 \$3,817 50 66-LP364247LM \$4,052 02 66-LP364847LM \$4,165

66-LP304247LM

66-LC304841MM

66-LC364841MM

66-LC365441MM

66-I C3036411 M

66-LC304241LM

66-LC305441MM

\$3.703

\$4.762

\$4,902

\$5,156

\$5,295

\$3,805

\$3,917

Lectern with Curved Top & Bottom

36" W - 48"W available with all Visual Display Options Trolley EXL not available on 30" W lectern

Perforated metal modesty

30 x 42/48* x 41 39.9 / 452

30 x 48/54* x 41 44.6 / 504

36 x 42/48* x 41 39.9 / 452

36 x 48/54* x 41 44.6 / 504

*Chassis width / Top width

		-	14 RU rack rails.
\$4,555	66-LC303641MM	30.3 / 378	30 x 30/36* x 41
\$4,690	66-LC304241MM	35.1 / 410	30 x 36/42* x 41
\$4,941	66-LC363641MM	30.3 / 378	36 x 30/36* x 41
\$5.074	66-LC364241MM	35.1 / 410	36 x 36/42* x 41

28 RU rack rails (14 RU's on Left; 14 RU's on Right).




14 RU rack rails

28 RU rack rails 3 drs. avail. on 48" W only

Laminate modesty 14 RU rack rails. 30 x 30/36* x 41 26.8 / 378 30 x 36/42* x 41 31.0 / 410

1 / RH ra	ck rail







*Chassis width / Top width


To order, specify:

5. Optional - Select essential accessory options

1. Model number. 2. Colors for base and work surface 3. Door/Drawer Pull Style and Finish 4. Optional-Select visual display options

Seated Height Lecterns **Available with all Visual Display Options**

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 14 RU rack rails in far right compartment: $19\ 4''W.$ Suggested keyboard width: 30''



26 x 60 30 x 60

Shown with metal mod

Visual Display Options (Not available on all units, as noted):

• The Trolley™ E / EXL

- Downview Flat Panel Display
- Surface Mount Arm

Sit-Stand Lecterns

Available with all Visual Display Options

iMod modesty. Rear access panels. Wire management and power strip. Locking doors. 12 RU rack rails in far right compartment: 19~%" W. Suggested keyboard width: ~30"

/ x H (in.)	ft³ / lbs	Model	List Price	Adjustment	Electrically adjustable Rocker switch, interna			
orated me	tal modesty				tection. ADA complian			
52¼ x 30	28.0 / 217	66-LS265230MX	\$1,766	I	D w W w II (in)	ft ³ / lbs	Madal	List Price
52¼ x 30	32.0 / 229	66-LS305230MX	\$1,862	~	D x W x H (in.)	11 ³ / 105	Model	LIST Price
					Perforated met	al modestv		
inate moc	lesty			$\langle \Lambda \rangle$		35.0 / 267	66-SS305730MX	\$4,896
52¼ x 30	28.0 / 217	66-LS265230LX	\$1,460					
52¼ x 30	32.0 / 229	66-LS305230LX	\$1,539		I ominato mod			
					Laminate mode 30 x 58¼ x 30		66-SS305730LX	\$4,574
					30 X 3074 X 30	33.07 207	00-33303730LA	\$4, 374
shalf CPU	storage width: {	21/5"						
vailable wit	h Trolley™ EXL.	572		· · · · · · · · · · · · · · · · · · ·				
					\geq			
	tal modesty							
52¼ x 30	28.0 / 236	66-LS265230MC	\$1,851					
52¼ x 30	32.0 / 248	66-LS305230MC	\$1,947					
inate moc	<u>lesty</u>			Shown with metal I	nod			
52¼ x 30	28.0 / 236	66-LS265230LC	\$1,545					
52¼ x 30	32.0 / 248	66-LS305230LC	\$1,625		CPU shelf. CPU st		01/2"	
				$\langle \Lambda \rangle$	Not available with	Irolley IM EXL		
					Perforated met	al modestv		
					30 x 58¼ x 30	35.0 / 286	66-SS305730MC	\$4,980
				\rightarrow				
ing CPU do	or. CPU storage	width: 10" (8" w/ Troll	ey™ EXL)					
nratod me	tal modestv			κ	Laminate mode			
60¼ x 30	32.2 / 255	66-LS266030MD	\$2,152		30 x 58¼ x 30	35.0 / 286	66-SS305730LC	\$4,659
60¼ x 30	36.8 / 267	66-LS306030MD	\$2,247					
00/4 // 00	00.07 207		φ_,	· Y				
inate mod	lestv			\sim	<			
60¼ x 30	32.2 / 255	66-LS266030LD	\$1,809		7			
60¼ x 30	36.8 / 267	66-LS306030LD	\$1,889					
2271200	2010 / 201		+.,		/			
				Chaum with re-t-1	mad			
				Shown with metal I	1100			


Locking CPU door. CPU storage width: 10" (8" w/ Trolley™ EXL)

66-SS306530MD

66-SS306530LD

\$5.281

\$4,923



Shown with metal mod

800-730-6682

Laminate or metal modesty panels

Flat PVC edge detail Thermofused laminate top and base



List Price

\$1.387

\$2.083

How To Order

1. Select model number

Ex: 67-LS303641LM (Lectern 30x36x41 with pullout shelf and laminate modesty)

2. Select color laminate and work surface (see page 59) If ordering perforated metal modesty, select metal color

129 376 Ex: SLL Metal Base Worksurface

3. Select door/drawer pull style and finish Ex: CB (Cup pull with Black Matt finish)

OPTIONS

- 4. Select visual display options (see page 37) Ex: TE0724NK (The Trollev E with Nova keyboard drawer)
- 5. Select essential accessory options (see page 54) Ex: RWG01 (Round wire grommet)

Lectern with Shelves

Available with all Visual Display Options

Locking modesty. Rear access panels. Wire management and power strip. Locking doors.

 Available with heavy duty casters (Specify "C" and add \$366). Height will increase by 2 ¾".
 Available with Flip-up Shelf. For factory prep, must specify "U" for left-handed or "V" for right-handed placement.

Perforated metal Total Access modesty

24.1/194

29.6 / 196

35.1 / 231

40.7 / 323

46.2 / 375

66-LS243640MD

66-LS303640MD

66-LS363640MD

66-LS244240MD

66-LS244840MD

66-LS246040MD

66-LS304240MD

66-LS304840MD

66-LS306040MD

66-LS364240MD

66-LS364840MD

\$2,513

\$2,577

\$2,854

\$2.994

\$3,088

\$3,423

\$3,060

\$3,154

\$3.499

\$3,447

\$3.461

36" W	

2 adjustable shelves & 1 fixed shelf. Rear access door. Separate compartment on right with door. 24 x 42 x 40 27.9/212 24 x 48 x 40 31.6 / 224 24 x 60 x 40 41.0 / 236 30 x 42 x 40 34.3 / 294 30 x 48 x 40 38.9 / 306 50.5/318 30 x 60 x 40

36 x 42 x 40

36 x 48 x 40

2 fixed shelves.

24 x 36 x 40

30 x 36 x 40

36 x 36 x 40





36" W

24 x 36 x 40	24.1 / 194	66-LS243640LD	\$2,22
30 x 36 x 40	29.6 / 196	66-LS303640LD	\$2,288
36 x 36 x 40	35.1 / 231	66-LS363640LD	\$2,564

	ight man abon	paranone on i	ooparato oom
\$2,705	66-LS244240LD	27.9 / 212	24 x 42 x 40
\$2,799	66-LS244840LD	31.6 / 224	24 x 48 x 40
\$3,134	66-LS246040LD	41.0 / 236	24 x 60 x 40
\$2,771	66-LS304240LD	34.3 / 294	30 x 42 x 40
\$2,835	66-LS304840LD	38.9 / 306	30 x 48 x 40
\$3,209	66-LS306040LD	50.5 / 318	30 x 60 x 40
\$3,156	66-LS364240LD	40.7 / 323	36 x 42 x 40
\$3,171	66-LS364840LD	46.2 / 375	36 x 48 x 40



Perforated metal modesty

166/-

32.0/-

D x W x H (in.) ft³ / lbs Power strip. Locking rear access panels. 1 adjustable shelf. Lectern-1 fixed shelf. Locking door. 16 RU rack rails. Work surface **Door swing Left** height: (User side) 41-1/8". Storage Dimensions: 19 1/4" W



Shown with metal mod

Laminate modesty

21 x 21 x 50

30 x 30 x 50

21 x 21 x 50	16.6 / —	66-LD212150LR	\$1,159
30 x 30 x 50	32.0 / —	66-LD303050LR	\$1,855

Model


66-LD212150MR

66-LD303050MR

Optional === Perforated metal modesty



Attaches to right side of 66-LD212150LMR or 66-LD303050MR. Available with E Trolley, *FPA1621NK and Surface Mount Arm. Suggested keyboard width: 28" 21 x 39 x 34 66-DT213934MR \$1,107



*FPA1621NK Flat Panel Arm will be mounted to modesty panel.

Lectern-Door swing Right

Optional ===

on Left

Power strip, Locking rear access panels, 1 adjustable shelf. 1 fixed shelf. Locking door. 16 RU rack rails. Work surface height: (User side) 41-1/8". Storage Dimensions: 19 1/4" W

Perforated metal modesty 66-LD212150ML \$1,387 21 x 21 x 50 16.6/-66-LD303050ML \$2.083 30 x 30 x 50 32.0/-Laminate modesty Shown with metal mod 16.6/-66-LD212150LL \$1,159 21 x 21 x 50

30 x 30 x 50 66-LD303050LL 32.0/-\$1,855

Perforated metal modesty

Attaches to left side of 66-LD212150LML or 66-LD303050ML. D-top Workstation Available with E Trolley, *FPA1621NK and Surface Mount Arm. Suggested keyboard width: 28"

21 x 39 x 34 66-DT213934ML \$1.107

Laminate modesty

Attaches to left side of 66-LD212150LL or 66-LD303050LL. Available with E Trolley, *FPA1621NK and Surface Mount Arm. Suggested keyboard width: 28' 21 x 39 x 34 66-DT213934LL \$740 20.8 /

*FPA1621NK Flat Panel Arm will be mounted to modesty panel.



5. Optional - Select essential accessory options

Visual Display Options (Not available on all units, as noted): • The Trolley™ E / EXL • Downview - Flat Panel Display • Surface Mount Arm

To order, specify: 1. Model number. 2. Colors for base and work surface 3. Door/Drawer Pull Style and Finish 4. Optional-Select visual display options

Misc	ellaneou	JS	
D x W x H (in.)	ft ³ / lbs	Model	List Price
1 fixed shelf. P	encil lip - star	dard is black.	
Perforated me	tal modestv		
18 x 18 x 44	10.7 / 86	66-LS181844MM	\$936
21 x 24 x 44	16.0/86	66-LS212444MM	\$1,325
Lominato mod	octv		
		66-I \$181844I M	\$667
21 x 24 x 44	16.0 / 86	66-LS212444LM	\$1,009
NOT AVAILABL	E WITH VISU	AL DISPLAY OPTIONS	
1 fixed shelf.			
Perforated me	tal modesty		
18 x 18 x 44	10.7 / 86	66-LP181844MM	\$936
21 x 24 x 44	16.0/86	66-LP212444MM	\$1,325
l aminate mod	estv		
18 x 18 x 44	10.7 / 86	66-LP181844LM	\$657
21 x 24 x 44	16.0 / 86	66-LP212444LM	\$1,009
NUT AVAILABL	E WITH VISU	AL DISPLAT OPTIONS	
Locking door. 1	6 RU rack rails	s. Storage dimensions:	19 ¾" W
Perforated me	tal modesty		
24 x 21 x 36	13.2 / 86	66-LC242136MM	\$1,586
Lominato mod	octv		
		66-I C242136I M	\$1,322
NOT AVAILABL	E WITH VISU	AL DISPLAY OPTIONS	
1 adjustable into	erior shelf. 1 fi	xed shelf. 2 casters. Po	wer strip.
	BII rack rails	. Storage dimensions: 1	9 ¾" W
Locking door. 16		•	
Perforated me	tal modesty	Ū	_
Ū		66-LC242138MM	\$1,658
Perforated me	tal modesty 13.9 / 86	66-LC242138MM	\$1,658
Perforated me	tal modesty 13.9 / 86	66-LC242138MM 66-LC242138LM	\$1,658 \$1,381
	D x W x H (in.) 1 fixed shelf. Poreforated me 18 x 18 x 44 21 x 24 x 44 Laminate mod 18 x 18 x 44 21 x 24 x 44 NOT AVAILABL 1 fixed shelf. Perforated me 18 x 18 x 44 21 x 24 x 44 Laminate mod 18 x 18 x 44 21 x 24 x 44 NOT AVAILABL 1 adjustable int Locking door. 10 Perforated me 24 x 21 x 36 NOT AVAILABL	D x W x H (in.) ft ³ / lbs 1 fixed shelf. Pencil lip - stan Perforated metal modesty 18 x 18 x 44 $10.7 / 86$ 21 x 24 x 44 $16.0 / 86$ Laminate modesty 18 x 18 x 44 $10.7 / 86$ 21 x 24 x 44 $16.0 / 86$ NOT AVAILABLE WITH VISUA 1 fixed shelf. Perforated metal modesty 18 x 18 x 44 $10.7 / 86$ 21 x 24 x 44 $16.0 / 86$ Laminate modesty 18 x 18 x 44 $10.7 / 86$ 21 x 24 x 44 $16.0 / 86$ Laminate modesty 18 x 18 x 44 $10.7 / 86$ 21 x 24 x 44 $16.0 / 86$ NOT AVAILABLE WITH VISUA 1 adjustable interior shelf. 1 f Locking door. 16 RU rack raits Perforated metal modesty 24 x 21 x 36 $13.2 / 86$ NOT AVAILABLE WITH VISUA	I fixed shelf. Pencil lip - standard is black. Perforated metal modesty 18 x 18 x 44 10.7 / 86 66-LS181844MM 21 x 24 x 44 16.0 / 86 66-LS212444MM Laminate modesty 18 x 18 x 44 10.7 / 86 66-LS212444MM Laminate modesty 18 x 18 x 44 10.7 / 86 66-LS212444LM 21 x 24 x 44 16.0 / 86 66-LS212444LM NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS 1 fixed shelf. Perforated metal modesty 18 x 18 x 44 10.7 / 86 66-LP181844MM 21 x 24 x 44 16.0 / 86 66-LP212444MM Laminate modesty 18 x 18 x 44 10.7 / 86 66-LP181844LM 21 x 24 x 44 16.0 / 86 66-LP212444LM Laminate modesty 18 x 18 x 44 10.7 / 86 66-LP181844LM 21 x 24 x 44 16.0 / 86 66-LP212444LM NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS 1 adjustable interior shelf. 1 fixed shelf. 2 casters. PLocking door. 16 RU rack rails. Storage dimensions: Perforated metal modesty 24 x 21 x 36 13.2 / 86 66-LC242136MM Laminate modesty 24 x 21 x 36 <t< th=""></t<>

NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Desktop lectern

 Freestanding.
 Available in base color only.

 17 x 24 x 17
 5.5 / 37
 66-DP172417
 \$317 NOT AVAILABLE WITH VISUAL DISPLAY OPTIONS

Flat PVC edge detail Thermofused laminate top and base Laminate or metal modesty panels Audio/Visual Lecterns

Options for Audio/Visual Lecterns with Laminate and Perforated Metal Modestys

Factory Installed Keyboard Options (Only ordered when NO Visual Display Options ordered)

	D x W x H (in.)	ft ³ / lbs	Model	List Price		D x W x H (in.)	ft ³ / lbs	Model	List Price
Flip-up shelf	dered. Located must specify "	3" down from U" on lectern n	tches work surface of work surface. For fa nodel number for left for right-handed pla	ctory prep, -handed, or	Factory Installed Nova Keyboard	Keyboard ler 22" - 34" wide	n <mark>gth to fit le</mark> 13	ctern ordered NK	\$123
	For 21" D Lecter Attaches to the	LEFT side pane							
	20 x 20 x 01	0.9/24	66-SH202001L	\$511	Factory Installed	Keyboard ler	ıgth to fit le	ctern ordered	
	Attaches to the 20 x 20 x 01	0.9 / 24	el of Lectern. 66-SH202001R	\$511	Center Mount Articulating Keyboard Mechanism & Tray	28", 30", 34" wi	ide 15	CK	\$256
	For 30" D or 36' Attaches to the		l of Lecterns.		Mechanism & Tray				
	22 x 20 x 01	1.0/24	66-SH222001L	\$511					
	Attaches to the	RIGHT side pan	el of Lecterns.						
	22 x 20 x 01	1.0/24	66-SH222001R	\$511					
2 space rack drawer	Attaches to ra 50 lb. weight (s up 2RU space.						
	20 x 15 x 3½		66-2DRAWER	\$560					
Sliding shelf	Attaches to ra 20 x 15 x 01	ick rails. 35 lb 10.4 / 15	weight capacity. 66-SSHELF	\$369					
$\langle \rangle$	20 × 10 × 01	10.47 10		φ000					
2 space rack she	If Attaches to ra 50 lb. weight (s up 2RU space.						
	20 x 15 x 3½	10.4 / 15	66-2SHELF	\$216					
Removable									
console	04 x 28 x 01	2.0 / 20	66-CONSOLE01	\$644					
Ventilation fan			ectern. 115V fan rat	ed at					
	57 CFM. 30 dE 01 x 06 x 06	2.0 / 3	66-FAN	\$226					
		2.070	00-1AN	ΨLLU					

Visual Display Options *Adding a Flat Panel Arm or Trolley visual display option may affect CPU storage widths.

For Audio/Visual Lecterns

	Maximum distar	COME come installed in any unit. nce from center of wall mount ottom of monitor is 6 ¾" (171mm)	Nova Keyboard	Wt. Keyboard Drawer I Drawer installed in assembled units only. 48 The Trolley EXL with Nova Keyboard drawer ksurface width required	List Price \$1,775 ea
 Low voltage n Provides vertion Durable metal 	hensions for "W x 14½" H hal widescreen xsurface width notor to lift & lower cal tilt adjustment i il enclosure under d	n "up" position	TE0724NK	48 The Trolley E with Nova Keyboard drawer Istomers: Trolleys include Universal Power Control Units, in all power requirements inside and outside the U.S.	\$1,339 ea.
18"D x 18"W vi	Downviev	W TM 16"D x 21"W viewport (Widescreen)	Model With Nova	Wt. Keyboard Drawer	List Price
Maximum Dim Widescreen: 1 up to 19" diagona 26" min. work	7"W x 14½"H	Maximum Dimensions for Widescreen: 19½"W x 12½" H up to 21" widescreen 24" min. work surface depth	Downview & No FPA1621NK FPA1818NK FPA1821NK FPA2121NK	 xa Keyboard Drawer installed in assembled units only. Includes 16"D x 21"W viewport, adjustable arm, and visor. Includes 18"D x 18"W viewport, adjustable arm, and visor. Includes 18"D x 21"W viewport, adjustable arm, and visor. Includes 21"D x 21"W viewport, adjustable arm, and visor. 	\$413 ea. \$438 ea. \$438 ea. \$511 ea.
21"D x 21"W vi Maximum Dim Widescreen: 2 up to 21" diagona 30" min. work	nensions for 10 1/8"W x 19"H	18"D x 21"W viewport (Widescreen) Maximum Dimensions for Widescreen: 20 1/8"W x 14½"H up to 21" widescreen 26" min. work surface depth	FPA2124NK	39 Includes 21"D x 24"W viewport, adjustable arm, and visor.	\$558 ea.
 Keeps monitor below work su 	urface ment system and	21"D x 24"W viewport (Widescreen) Maximum Dimensions for Widescreen: 22 1/2"W x 19"H up to 23" widescreen 30" min. work surface depth 36" min. work surface width			
tÂ.	Surface	Mount Arm	Model	Wt.	List Price
Maximum Wei	Surface Mount A any unit ight / Dimensions	Arm does not come installed in	With Nova	Keyboard Drawer Drawer installed in assembled units only.	\$317 ea.

With Center Mount Articulating Keyboard Mechanism and Tray Center Mount Keyboard Tray installed in assembled units only. SMA0203CK 15 \$523 ea.

• For details and installation specifications, refer to pages 47-51.


• For CRT applications, please contact Customer Support: 1-800-730-6682


for Widescreen:

21 lbs. / Up to 24" diagonal widescreen

• Wire management system and power strip included

Collaboration







Collaboration

Facilitate the benefits of technology enhanced group learning in the following environments..

- Corporate Training Rooms
- College & University Classrooms
- Government Training Facilities
- Distance Learning Environments
- Testing Centers
- K-12 Classrooms
- Conference Rooms
- Government & Private Security Centers
- Libraries
- Computer Labs
- Common Areas & Lobbies
- Healthcare Facilities
- Correctional Institutions

Take peer interaction to the next level.

Flat PVC edge banding Thermofused laminate top Collaboration Tables



How To Order

1. Select model number

Ex: 46-CR919630CS (Collaboration Table, Round, 6-Seats)

- 2. Select laminate base and work surface color (see page 59) Ex: <u>227</u> 044
 - Base Worksurface

OPTIONS


- 4. Select visual display options (see page 24) Ex: TE0724NK (The Trolley E with Nova keyboard drawer)
- 5 . Select essential options (see page 54) Ex: RWG01 (Round wire grommet)

Wire management system and power strip included. Monitor and mounting pole NOT included.

Collaboration Tables

Available Visual Display Options — Trolley E or EXL with Nova Keyboard, Downview (FPA1621NK only), Surface Mount Arm (SMA0203NK only).

Two-piece, 6 person table. Center laminate base.



D x W x H (in.)	Seats	Model	List Price
90-13/16 x 95-5/8 x 30	6	46-CR919630CS	\$10.857

 With ADA electric hydraulic lift option. Available for 1-user.

 Electrically adjustable base height from 30" with 2 1/2" travel.

 90-13/16 x 95-5/8 x 30

 46-CR919630AD

 \$14,217

ADA Electric Hydraulic Lift Raises one section of the work surface.

Available Visual Display Options — Trolley E or EXL with Nova Keyboard, Downview (FPA1621NK), Surface Mount Arm (SMA0203NK only).

Two-piece, 5 person table. Center laminate base.

Trolley VDO shown for illustration ONLY. Not included in pricing. Pricing shown is without Visual Display Options or Accessories.


Model Number Structure







CS-Starter AD-with ADA Lift CX-No CPU AX-ADA Lift, No CPU








D x W x H (in.)	Seats	Model	List Price
93-3/8 x 95-5/8 x 30	5	46-CR949630CS	\$13,248






41

Flat PVC edge banding Thermofused laminate top Collaboration Tables

How To Order Collaboration Tables ----1. Select model number D x W x H (in.) Model List Price Ex: 46-CR919630CS (Collaboration Table, Round, 6-Seats) 2. Select laminate base and work surface color (see page 59) Six Person 60 x 117-7/16 x 30 46-CT6011830CS \$9,645 Ex: 227 044 6" D x 38" W Compartment on end for cables Base Worksurface 117 7/16" -6' **OPTIONS** 4. Select visual display options (see page 24) 36" 60" Ex: TE0724NK (The Trolley E with Nova keyboard drawer) 5. Select essential options (see page 54) Ex: RWG01 (Round wire grommet) 111 7/16" Wire management system and power strip included. Monitor and mounting pole NOT included. **Seven Person** 60 x 137-3/8 x 30 46-CT6014230CS \$11,175 Trolley VDO shown for illustration ONLY. Not included in pricing. Pricing 6" D x 38" W Compartment shown is without Visual Display Options or Accessories. on end for cables With ADA electric hydraulic lift option. Available for user on end. 60 x 137-3/8 x 30 7 46-CT6014230AD \$14,294 ____ Collaboration Tables 137 3/8' Available Visual Display Options — Trolley E or EXL with Nova Keyboard, -6' Downview (FPA1621NK only), Surface Mount Arm (SMA0203NK only). 60" CPU shelf width is 7". D x W x H (in.) Seats Model List Price 36' **Four Person** 46-CT608230CS \$6,584 60 x 82 x 30 Δ 6" D x 38" W Compartment 82' 131 3/8' on end for cables 6" **Eight Person** 60 x 154 x 30 46-CT6015630CS \$13,630 8 6" D x 38" W Compartment 36' 60' on end for cables 155" -6 76' 36' 60' **Five Person** 60 x 101-5/16 x 30 5 46-CT6010230CS \$8,115 6" D x 38" W Compartment on end for cables With ADA electric hydraulic lift option. Available for user on end. 149 60 x 101-5/16 x 30 46-CT6010230AD \$11,234 5 100 5/16" -16 60 x 191-1/16 x 30 10 46-CT6019230CS \$15,766 **Ten Person** 6" D x 38" W Compartment 191 1/16" on end for cables 36" 60" 6' 36" 60' -72 185 1/16"-

How To Order



\$1,557

8.5 / 360

\$474

\$542

\$700

\$708

\$615

\$707

\$928

\$667

\$500

\$374

Retrofit

Technology Support Systems

The Trolley™



Downview[™]



Surface Mount Arm



How To Order

1. Select model number

Ex: FPA-0-1818-NK-30 (Flat Panel Arm Kit with 18"x18" viewport and Nova keyboard drawer, 30" wide.)

0724

0724 - Trolley E

0728 - Trolley EXL

Technology Description

The Trolley™ Personal Monitor Arm System Maximum dimensions for widescreen: EXL: 21/2" D x 22 7/8" W x 141/2" H

E: 21/2" D x 18 7/8" W x 14 1/2" H NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6 ¾" (171mm)

- · Provides flexible, mainstream flat screen location when raised
- · Low voltage motor to lift and lower monitor
- Intelligent Motion Technology[™] provides operational intuition
- Clears line-of-sight when submerged
- Allows for multi-use workstations and classrooms
- Hides confidential information when necessary
- Reduces the risk of damage to flat panels displays
- Creates a clean, uncluttered look in the classroom or office
- · Reduces the risk of damage to computer equipment
- Provides clean, ergonomical solutions
- Manage technology in your workspace environment

Downview[™]

Maximum dimensions for widescreen — 18x18 viewport: 17"W x 18"H (432mm x 457.2mm) 21x21 viewport: 20-1/8" W x 19" H (511mm x 482mm) 16x21 widescreen viewport: 191/2" W x 121/2"H (495mm x 318mm) 18x21 widescreen viewport: 20-1/8" W x 141/2"H (511 mm x 368 mm)

- 21x24 widescreen viewport: 22-1/2" W x 19"H (572 mm x 482 mm)
- · Keeps monitor under glass below work surface
- Allows for multi-use working and learning environments
- Proven to be ergonomically beneficial, increase productivity
- Saves premium classroom and desktop space
- Hides confidential information
- Creates a clean, uncluttered look in the classroom
- · Reduces the risk of damage to computer equipment

Surface Mount Arm

Maximum weight for widescreen: 21 lbs.

Maximum dimensions for widescreen: Up to 24" diagonal widescreen

- Allows for multi-use working and learning environments
- · Proven to be ergonomically beneficial, increase productivity
- Saves premium classroom and desktop space
- · Creates a clean, uncluttered look in the classroom or office
- · Reduces the risk of damage to computer equipment
- Height and tilt adjustable

RETROFIT KIT PRICING DOES NOT INCLUDE INSTALLATION.



Technology

Туре

SMA-Surface Mount Arm

TE - Trollev

U Monitor Location 0-Fully-Recessed

Model Number Structure





30

Keyboard

Size

(Width)

30

Keyboard

Ťype

NK-Nova keyboard

CK-Center mount

keyboard XK-No keyboard

NK

44

The Trolley™ E for Widescreens up to 20" widescreen format

For Widescreens that have a VESA standard attachment method on the back. NOTE: Maximum distance from center of wall mount VESA plate to bottom of monitor is 6¾" (171mm).


- Maximum dimensions for widescreen: 21/2" D x 18 7/8" W x 14 1/2" H
- Minimum 28" work surface height required.
- Minimum 24" depth of clearance underneath work surface.
- Weight of widescreen cannot exceed 21 lbs.
- Fits most displays up to 21" diagonal or 20" widescreen

Min. Clearance (Width)

The Trolley

y E	With Nova keyb	oard drawer.		
	22" wide	4.7 / 43	TE-0-0724-NK-22	\$1,490
>	25-7/8" wide	4.8 / 44	TE-0-0724-NK-24	\$1,490
	28-5/8" wide	4.9 / 45	TE-0-0724-NK-27	\$1,490
	29-1/2" wide	4.9 / 45	TE-0-0724-NK-28	\$1,490
	31-5/8" wide	5.0 / 46	TE-0-0724-NK-30	\$1,490
	35-1/2" wide	5.2 / 48	TE-0-0724-NK-34	\$1,490

Ft3 / Wt.



/ith Center N	Nount Articulating	g keyboard drawer.	
8"	5.3 / 47	TE-0-0724-CK-28	\$1,685
0"	5.4 / 47	TE-0-0724-CK-30	\$1,685
4"	5.7 / 47	TE-0-0724-CK-34	\$1,685

Model

Without keyboard drawer 3.7 / 32 TE-0-0724-XK 21"

Box size: 11"D x 26" W x 26"H

International Customers: E units include Universal Power Control Units. compatible with all power requirements inside and outside the U.S.

The Trolley[™] EXL for Widescreens up to 24" widescreen format

• Maximum dimensions for widescreen: 21/2" D x 22 7/8" W x 14 1/2" H

With Nova keyboard drawer.

- Minimum 28" work surface height required.
- Minimum 24" depth of clearance underneath work surface
- Minimum 27" kneespace width
- Weight of widescreen cannot exceed 21 lbs.
- Fits most displays up to 24" diagonal widescreen

28-5/8"

29-1/2"

31-5/8"

35-1/2

28" 30" 34"

Min. Clearance (Width)	Model

The Trolley EXL

	P

' wide	4.9 / 45	TE-0-0728-NK-27	\$1,971
' wide	4.9 / 45	TE-0-0728-NK-28	\$1,971
' wide	5.0 / 46	TE-0-0728-NK-30	\$1,971
' wide	5.2 / 48	TE-0-0728-NK-34	\$1,971

With Center Mount Articulating keyboard drawer.

5.3 / 47	TE-0-0728-CK-28	\$2,168
5.4 / 47	TE-0-0728-CK-30	\$2,168
5.7 / 47	TE-0-0728-CK-34	\$2,168

Without keyboard drawer 3.7/32 TE-0-0728-XK \$1,886 25" Box size: 11"D x 30" W x 26"H

Downview

For Widescreens that have a VESA standard attachment method on the back.

Kit includes: glass, visor, trim ring, Nova keyboard drawer with hangers, and adjustable arm. · Weight of widescreen cannot exceed 21 lbs.

- Minimum 28" work surface height required.

	Min. Clearance (Width)	Ft3 / Wt.	Model L	ist Price			
16"D x 21"W Widescreen Viewport	(495mm x 318m	m) *Dimensio	idescreen: 19½" W x 12½ ons do not include display arance underneath work s	base.			
	With Nova keyboard drawer						
	25-7/8" wide	3.4 / 27	FPA-0-1621-NK-24	\$572			
	28-5/8" wide	3.4 / 27	FPA-0-1621-NK-27	\$572			
	29-1/2" wide	3.4 / 27	FPA-0-1621-NK-28	\$572			



List Price

\$1,403

List Price

8.	20 110 Wide	0.4721	11A-0-1021-MK-24
). III	28-5/8" wide	3.4 / 27	FPA-0-1621-NK-27
	29-1/2" wide	3.4 / 27	FPA-0-1621-NK-28
	31-5/8" wide	4.7 / 34	FPA-0-1621-NK-30
	35-1/2" wide	4.9 / 35	FPA-0-1621-NK-34

Without keyboard drawer 22

3.4/18 FPA-0-1621-XK

\$572 \$572

\$481



• Maximum dimensions for widescreen: 17" W x 141/2" H

(432mm x 368mm) *Dimensions do not include display base.

• Minimum 24" depth of clearance underneath work surface.

With Nova keyboard drawer FPA-0-1818-NK-22 \$597 22" wide 3.4 / 26

		0.4720		φ001
2	25-7/8" wide	3.4 / 27	FPA-0-1818-NK-24	\$597
	28-5/8" wide	3.4 / 27	FPA-0-1818-NK-27	\$597
	29-1/2" wide	3.4 / 27	FPA-0-1818-NK-28	\$597
/	31-5/8" wide	4.7 / 34	FPA-0-1818-NK-30	\$597
	35-1/2" wide	4.9 / 35	FPA-0-1818-NK-34	\$597

Without ke	yboard drawer		
19"	3.4 / 18	FPA-0-1818-XK	\$505

Widescreen Viewport

18"D x 21"W

• Maximum dimensions for widescreen: 20-1/8" W x 141/2" H	1
(511mm x 368mm) *Dimensions do not include display base	

	With Nova key	board drawer		
	25-7/8" wide	3.4 / 27	FPA-0-1821-NK-24	\$597
Ì	28-5/8" wide	3.4 / 27	FPA-0-1821-NK-27	\$597
	29-1/2" wide	3.4 / 27	FPA-0-1821-NK-28	\$597
	31-5/8" wide	4.7 / 34	FPA-0-1821-NK-30	\$597
/	35-1/2" wide	4.9 / 35	FPA-0-1821-NK-34	\$597

Without key	board drawer		
22"	3.4 / 18	FPA-0-1821-XK	\$505

Н

Retrofit

How To Order

1. Select model number

Ex: FPA-0-1818-NK-30 (Retro, Flat Panel Arm, 18" x 18", Nova Kybd, 30" W)

Surface Mount Arm

Up to 24" diagonal widescreen

For Widescreens that have a VESA standard attachment method on the back. Kit includes: Surface mount arm and keyboard drawer. Arm mounts under work surface through grommet cutout.

- Weight of widescreen cannot exceed 21 lbs.
- Maximum dimensions for widescreen: Up to 24" diagonal widescreen
- Minimum 18" depth of clearance underneath work surface.

Downview

For Widescreens that have a VESA standard attachment method on the back. Kit includes: glass, visor, trim ring, Nova keyboard drawer with hangers, and adjustable arm.

- Weight of widescreen cannot exceed 21 lbs.
- Minimum 28" work surface height required.

	Model	Ft3 / Wt.	Min. Clearance (Width)
--	-------	-----------	---------------------------





•	,	s do not include display b earance underneath work	
With Nova key	board drawer		
25-7/8" wide	3.4 / 28	FPA-0-2121-NK-24	\$669
28-5/8" wide	3.4 / 29	FPA-0-2121-NK-27	\$669
29-1/2" wide	3.4 / 29	FPA-0-2121-NK-28	\$669
31-5/8" wide	4.8 / 32	FPA-0-2121-NK-30	\$669
35-1/2" wide	4.9 / 33	FPA-0-2121-NK-34	\$669

Without keyboard drawer 3.4 / 20 FPA-0-2121-XK 22

	D x W x H	Ft3 / Wt.	Model	List Price
Surface Mount Arm	With Nova keyb	oard drawer		
	22" wide	2.4 / 12	SMA-1-0203-NK-22	2 \$390
	25-7/8" wide	2.5 / 12	SMA-1-0203-NK-24	4 \$390
	28-5/8" wide	2.6 / 12	SMA-1-0203-NK-27	7 \$390
	29-1/2" wide	2.7 / 12	SMA-1-0203-NK-28	3 \$390
	31-5/8" wide	2.8/13	SMA-1-0203-NK-30	\$390
	35-1/2" wide	2.9/13	SMA-1-0203-NK-34	4 \$390
_ &				
	With Center Mo	ount Articulati	ng keyboard drawer	
	28"	3.1 / 15	SMA-1-0203-CK-28	3 \$597
	30"	3.2 / 15	SMA-1-0203-CK-30) \$597
A	34"	3.4 / 15	SMA-1-0203-CK-34	\$597
Alle -				
	Without keybo	oard drawer		
	-	1.4/3	SMA-1-0203-XK	\$299

Arm for Widescreen


· Weight of widescreen cannot exceed 21 lbs.



\$578

Adjustable from fully- to semi-recessed positions. Converts existing standard Nova Downview CRT monitor system to a widescreen system.

.2/3	FPA-8-2006	\$258



21"D x 24"W	• Maximum dimensions for widescreen: 22-1/2" W x 19" H
Widescreen Viewport	(572mm x 482mm) *Dimensions do not include display base
	Minimum 07 4/48 death of death and an address of the second

• Minimum 27-1/4" depth of clearance underneath work surface.

With Nova keyboard drawer 28-5/8 29-1/2 31-5/8 35-1/2

2124-NK-27 \$74	3.4 / 29 FPA-0-	3" wide
2124-NK-28 \$74	3.4 / 29 FPA-0-	2" wide
2124-NK-30 \$74	4.8 / 32 FPA-0-	3" wide
2124-NK-34 \$74	4.9 / 33 FPA-0-	2" wide

Without keybo	oard drawer	
25"	3.4 / 20	FPA-0-2124-XK

	φ/ 4 0		Ontione				
8	\$740		Options				
0	\$740						
4	\$740	Tinted and tempered glass	Can only be ordered as replacement glass. Must provide PO number of purchased desk. Shipped separately.				
			18 x 18 x ¼	.5 / 8	AC-SG10701818	\$89	
			21 x 18 x ¼	.5/9	AC-SG10721821	\$92	
	\$651		21 x 21 x ¼	.6 / 10	AC-SG10712121	\$102	
			24 x 21 x ¼	.6 / 11	AC-SG10732124	\$106	

Widescreen	glass
16 x 21 x ¼	5/9

16 x 21 x ¼	.5/9	AC-SG10701621W	\$92
18 x 21 x ¼	.5/9	AC-SG10721821W	\$92
21 x 24 x ¼	.6/11	AC-SG10732124W	\$106

The Trolley EXL / Components and Dimensions

Work surface footprint: 28 1/2" W x 8½" D Work surface cut-out: 28 1/8" W x 7 7/8" D

Min. work surface depth: 24" Min. kneespace width: 27"


Maximum Dimensions for Flat Panel Display: 2½" D x 22 7/8" W x 14 1/2" H Fits most widescreens up to 24" diagonal


TROLLEY EXL


Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion Technology™ provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close. Secure to worksurface with supplied locking clips.

KEYBOARD DRAWER


Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.







Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
27"	28 ⁵ /8" (727 mm)	25 ⁵ /16" (643 mm)
28"	29 ½" (742 mm)	26 ¹ /8" (663 mm)
30"	31 ⁵ /8" (799 mm)	28 ¹ /16" (712 mm)
34"	35 ½" (900 mm)	32 ¹ /8" (815 mm)



Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.

Retrofit

The Trolley E / Components and Dimensions

Work surface footprint: 24 1/2" W x 8 1/2"D Work surface cut-out: 24 3/32" W x 7 7/8" D

Min. work surface depth: 24" Min. kneespace width: 25"


Maximum Dimensions for Flat Panel Di0splay: 2½" D x 18-7/8" W x 14½" H Fits most monitors up to 21" (diagonal) or 20" widescreen


TROLLEY E


Low voltage electrical motor to lift and lower monitor. Display submerges into desktop when not in use. Intelligent Motion TechnologyTM provides operational intuition. Tamper guard security hardware. Provides vertical tilt adjustment in "up" position. Access doors automtically open and close. Secure to worksurface with supplied locking clips.

KEYBOARD DRAWER


Textured black thermoformed ABS keyboard drawer features soft radius edges. Five positive inward and outward stop locations. Outward locking tabs prevent accidental removal of keyboard drawer.








Keyboard size	Dimension A Min. Kneespace Width	Dimension B Keyboard drill pattern
22"	22" (562 mm)	18 ¹³ /16" (478 mm)
24"	25 ⁷ /8" (658 mm)	22 19/32" (574 mm)
27"	28 ⁵ /8" (727 mm)	25 ⁵ /16" (643 mm)
28"	29 ½" (742 mm)	26 ¹ /8" (663 mm)
30"	31 ⁵ /8" (799 mm)	28 ¹ /16" (712 mm)
34"	35 ½" (900 mm)	32 ¹ /8" (815 mm)




Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal.




Retrofit

Downview[™] / Components and Dimensions



The flat panel arm ships with 100mm VESA plate only. 75mm VESA plate available as seperate item (See Page 57). Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal. To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.



Dimensions are for underneath side of worksurface. Product specifications are subject to change without notice. Dimensions are nominal. To offset your viewport and keyboard drawer, please call Customer Support at 1-800-730-6682 for special installation instructions.

51

Visual Display Options

Display Option

Features, Benefits and Options



The Trolley[™] Personal Monitor Arm Systems

- Available in all Series
- Low voltage electrical motor to lift and lower monitor
- Intelligent Motion Technology[™] provides operational intuition
- Optional keyboard choices
- **EXL** suitable for most widescreens up to 24" diagonal
- E suitable for most widescreens up to 21" diagonal or 20" widescreen

Downview™

- Available in all Series except Tables
- Monitor size varies by Visual Display Option selected
- Places display at a natural viewing angle
- Saves valuable desktop space
- Tamper-guard security hardware

- Display submerges into desktop when not in use
- Tamper-guard security hardware
- Access door automatically opens and closes
- Provides vertical tilt adjustment in "up" position
- Ideal for secure environments
- Durable metal enclosure under desktop
- Available retrofit kit

- Tinted, tempered glass viewport
- Protects valuable hardware
- Available retrofit kit
- Optional keyboard choices



Surface Mount Arm for Widescreen

- Available in all Series
- Height and tilt adjustable
- Easily accommodates up to 24" diagonal widescreen monitor
- Provides added security and control in any environment
- Secures flat panel to desk to protect valuable hardware
- Optional keyboard choices

Dimensions & Tolerances

Keyboard Options See next page for keyboard details and other Essential Accessories

- Minimum work surface depth: 24"
- Minimum knee space width: E: 25" EXL: 27"
- Work surface footprint: **EXL:** 28.5" W x 8.5" D **E:** 24.5" W x 8.5" D
- Monitor, viewport and keyboard sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray Trolley E - 22" to 34" Widths Trolley EXL - 27" to 34" Widths



Center Mount Articulating Keyboard Mechanism and Tray 28" to 34" Widths

- Minimum work surface depth: 24"-26"
- Viewport and monitor sizes vary by Series. For specifications, refer to Visual Display Options page in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths

Center Mount Articulating Keyboard Mechanism and Tray is not available with this Visual Display Option

- Minimum work surface depth: 18"
- Monitor sizes vary by Series. For specifications, refer to Visual Display Options in each selected Series.



NOVA Keyboard Tray 22" to 34" Widths



Center Mount Articulating Keyboard Mechanism and Tray 28" to 34" Widths

Essential Accessories



Center Mount Articulating Retractable Keyboard Mechanism & Tray

Features lift and lock arm and easy guide track. Swivels, tilts, and tucks neatly under work surface. Tray is black, matte finish plastic with room for a mouse.

AC-CK102802KM	28"\$329
AC-CK103002KM	30"\$329
AC-CK103402KM	34"\$329



Organizer Drawer - Large Keep small supplies organized with this handy drawer. Attaches to underside of work surface.

19" D x 23.5" W x 2.5 H"

AC-ODL17243.....\$146



NOVA	Key	vboa	rd	Trav
NUM	ILC	ynou	IU	nuy

Tucks neatly away under the work surface. Five locking positions. Tray is black, matte finish plastic.

AC-NK102022	22"W\$196
AC-NK102024	24"W\$196
AC-NK102027	27"W\$196
AC-NK102028	28"W\$196
AC-NK102030	30"W\$196
AC-NK102034	34"W\$196



Organizer Drawer - Small Smaller, smart design keeps office supplies within easy reach. Attaches to underside of work surface.

16.5" D x 22.5" W x 2.5" H

AC-0DS17203.....\$134



Organizer Tray

Black plastic tray fits into standard sized box drawer. Provides ample space for small office supplies. Tray can be removed or slid out of the way for access to the bottom of the drawer.

12.75" W x 6" D x 1" H

AC-0TB61.....\$32

Please Note: All items on this page must be Field installed.



Rectangular Wire Grommet Black plastic grommet cover is removable for easy wire management. 1 7/8" D x 3 1/4" W x 1 1/4" H (cutout dimensions)

If Installed (available for work surface only): Please provide sketch to indicate placement location WG1080......\$72 If Sold Separately (not part of base model): AC-WG1080.....\$37



Power Center

Two grounded receptacles. 6Ft, 15 Amp cord. Made of die-cast zinc. Black powder coat finish. UL Listed.

3 3/4"D x 5"W cutout dimensions

If Installed (available for work surface only):

Please provide sketch to indicate placement location.

11225PP......\$346 If Sold Separately (not part of base model): AC-11225PP......\$303



Round Wire Grommet Black plastic grommet cover can be swiveled

shut if not in use. 2.75" Diameter x 1" H

If Installed (available for work surface only): Please provide sketch to indicate placement location RWG01......\$85 If Sold Separately (not part of base model): AC-RWG01.....\$43



Power/Data Center

One grounded receptacle. One opening for voice/ data jack. 6Ft, 15 Amp cord. Made of die-cast zinc. Black powder coat finish. Voice/Data Adapter Kit (included) provides adapters for couplers & jacks from a variety of manufacturers. UL Listed. 3 3/4"D x 5"W cutout dimensions

If Installed (available for work surface only):
Please provide sketch to indicate
placement location.
11225PD \$346
If Sold Separately (not part of base model):
AC-11225PD\$303



Star Cut Wire Grommet

Black plastic grommet with star cut opening allows more cords and cables to pass through. 2.75" Diameter x 1" H

If Installed (available for work surface only): Please provide sketch to indicate placement location RWGSC......\$85 If Sold Separately (not part of base model): AC-RWGSC.....\$43

Essential Accessories (continued)



Power Strip

Six foot power cord. Six outlets total. Switch is located on the strip. UL listed. 15A 125V 60Hz 1875W. Please verify your local codes before making electrical connections.

AC-PS1125.....\$104



Adjustable CPU Holder

Mounts to underside of work surface. Fits most CPUs up to 18" H. Width adjusts to fit CPUs from 4.25" to 7.5" W.

AC-ACPU1.....\$196



Wire Management

Black plastic self-adhesive wire channel keeps all cords and cables under control. Position wherever cable management is needed.

98.5" x 1.5" x 1.5"

AC-WM68.....\$69



Task Light & Connector Cord

16 Watt, T4 fluorescent bulb produces warm, 3000K, white light. Ten foot power cord.

3 5/16" D x 19 1/2" W x 1 7/8" H

AC-TL1220BLACK.....\$142

Connector cord

AC-FC891 (12"	long)	\$12
AC-FC892 (24"	long)	\$13
AC-FC893 (48"	long)	\$16

....



USB Port Extension

Features one USB port with living hinged cover. Fits into designated opening on top of Trolley E housing. Six foot cord plugs into USB port in CPU.

2.5" x 1" x 1"

AC-USB01.....\$62

Please Note: All items on this page and next page are Field installed.




Visor

Black plastic visor can be used with NOVA's downview technology when unusual lighting conditions are present.

12" D x 23-1/2" W x 6" H (for 21" W Viewport)

AC-1062......\$81 12"D x 26-1/2"W x 6" H (for 24" W Viewport) AC-1064.....\$90



Flat Panel Adapter

Allows NOVA CRT desks to accommodate widescreens and still use NOVA's downview technology. For 18" x 18" or 18" x 21" viewports AC-FA4018\$43 For 21" x 21" viewports AC-FA4021\$43



Tackboards

NOVA tackboards come in a variety of colors and sizes to fit under any size hutch we offer.

See the end of each product section for specific sizes.

See the inside back cover of this catalog for fabric color selections.



Extended VESA Plate Adapter

For widescreens with off-center VESA mount locations, an Extended VESA Plate Adapter is required for use with NOVA Visual Display Options

3 3/4" W x 6 1/8" H

AC-VESA\$44



Wire Hutch Dividers

Keep things organized with these wire dividers designed for your overhead storage hutch. Set of six. Note: Hutches come with one set of dividers included.

Wire hutch dividers for Office Solutions only.

AC-1100.....\$56




75mm VESA Plate

For monitors with 75mm VESA plates, required for use with NOVA Visual Display Options

3" W x 3" H

AC-VESA75\$22



Tinted and tempered glass

Replacement Viewport Glass

For furniture that incorporates the Downview Visual Display Option — replacement viewport glass.

AC-SG10701818 AC-SG10721821	
AC-SG10712121 AC-SG10732124	

Widescreen glass

(16"D x 21"W)\$92
(18"D x 21"W)\$92
(21"D x 24"W)\$106

For series specific accessories, please refer to the back of each product section

Sample Purchase Order

Customer Information

Customer Name Address City, State, Zip Phone # Fax # E-mail Address

Purchase Order # _____

Date Issued:

Vendor Information

NOVA Solutions, Inc. P.O. Box 725 Effingham, IL, USA 62401

Ship To:

Name (your point of destination) Address (your point of destination) City, State, Zip Phone # Delivery Contact Name

		Model Numbers	Description	Qty	List Price	Ext. List Price
Line 1: Base Model Number:		66-LS304841LM	Lectern, 30"D x 48"W x 41"H Laminate modesty, three front doors	1	\$3,679	\$3,679
Subset of Line 1*	Color:	174 030	Black/Graphite Nebula (Base & Work Surface)			
	Drawer or Door Pull Style/Finish:	SM	Steel pull / Chrome Matt finish			
	Visual Display: Accessories:	FPA1821NK RWGO1	Downview-Flat panel display 18"D x 21"W Round wire grommet (Specify location on worksurface)	1 1	\$ 438 \$ 85	\$ 438 \$ 85
			Subtotal (line 1)		\$ 4,202	\$4,202
Line	e 2: Base Model Number:	66-SH222201L	Flip-up Shelf, Left (Field Installed)	1	\$ 511	\$ 511
Subtotal (all lines)				\$4,713		
Handling Fee**					\$ 100	
Grand Total					\$4,813	

Please add any taggings:

Example: Computer classroom #104

Please add point of contact, phone number and e-mail address:

Example: Debbie Smith, 800-555-5678, dsmith@domainname.com

Please add any shipping or special instructions:

Example: Please call Doug at 555-687-5309, 24 hours before delivery Example: Must have delivery by 12/31


Laminate Selections

B = Base Color W = Work Surface Color



Colors are subject to variations in printing. For exact color matching, please request a laminate chip sample by calling customer support at 1-800-730-6682 or your local sales representative.

Matching Metal Colors



Colors are subject to variations in printing. For exact color matching, please request a metal chip sample by calling customer support at 1-800-730-6682 or your local sales representative.

Company Overview

It all began when John Lechman, cofounder of a kitchen cabinet company in Denver, Colorado, discovered a unique computer desk concept at an office furniture trade show in Chicago, IL. All of the computer hardware was contained beneath the work surface with the monitor positioned at an angle beneath the desktop.

Mr. Lechman secured the rights to produce the product in wood and laminate— purchasing the parts and materials from an Effingham, Illinois-based company. Production began on the new line of wood computer furniture in Denver, Colorado in 1988. He then began selling the product to corporate offices across the United States and Canada. Soon after, users began to report experiencing less neck and eye discomfort after using the new desk technology. The "Downward Gaze"™ angle was, in fact, a viable, ergonomic solution that helped to alleviate many of the physical problems experienced by computer users.

In 1990, John Lechman moved the operation to Effingham, Illinois. In 1995 the company changed its name from Nova Office Furniture to Nova Solutions, Inc. The new name better reflected the company's quest to provide furniture solutions for computer users in a variety of market segments.

In 2003, Mr. Lechman began the daunting task of developing a solution for flat panel displays. The goal was to find an innovative solution for computer users who preferred to view their monitor in the traditional, straightforward position, while maximizing desktop work space and providing a level of security and privacy. After years of testing, field research, and several prototypes, The Trolley[™] was born. The Trolley[™] is a Personal Monitor Arm System that raises and lowers a flat panel display from beneath the desktop on demand. The Trolley[™] gets its name from the inner workings of the mechanism. The display mounts to an arm that moves up and down on a track much like a trolley car.

Today, Nova Solutions, Inc., remains one of the industry's fastest growing and most innovative manufacturers of unique computer desks and high quality office furniture.

Although integrating technology via the *Downview* or *The Trolley*TM remains an important part of Nova's success, the company has grown to be much more than just a computer workstation company. Nova provides a comprehensive array of laminate furniture that allows users to make the most of available work space.

From reception areas and training rooms to mid-management and executive offices, Nova provides complete solutions for a variety of work environments. Our "solutions" and accessories are used in virtually every electronic environment imaginable, including offices, call centers, banks, hotels, medical facilities, airports, training companies, classrooms, kitchens, homes, and many other locations.





421 W. Industrial Avenue Effingham, IL 62401 Phone: 800-730-6682 Fax: 800-940-6682 www.novadesk.com









© 2015, NOVA Solutions, Inc. Reorder #: CT006 Version Date: December 2015 NOVA Solutions products are protected by various U.S. and foreign patents issued and/or pending.

2015 Catalog