January 3, 2011 Updated April 24, 2015 800-424-2432







Contents
Refer to KI Terms & Conditions document or visit ki.com.

| Ordering C.O.M., C.O.L., and C.O.V.      | Bonduel, Green Bay, Ontario, and Tupelo | 2  |
|--|---|----|
| , ,                                      | Shipping Location                       | 4  |
| Logix® System                            | General Information                     | 6  |
|  | Seating Units                           | 8  |
|  | Seating Units                           | 10 |
|  | Seating Units                           | 12 |
|  | Table Units                             | 14 |
|  | Seat Level Table Units                  | 16 |
|  | Planters                                | 18 |
|  | Planters                                | 20 |
|  | Trash Receptacles                       | 22 |
|  | Trash Receptacles                       | 24 |
| Promenade® Seating System                | General Information                     | 26 |
|  | Tandem Seating                          | 28 |
|  | Tandem Seating                          | 30 |
|  | Seating Components                      | 32 |
|  | Arm and Base Components                 | 34 |
|  | Fiberglass Elements                     | 36 |
|  | Fiberglass Elements                     | 38 |
|  | Fiberglass Elements                     | 40 |
|  | Beam Mounted Tables                     | 42 |
| Reclaim Recycling Containers and Centers | General Information                     | 44 |
|  | Containers                              | 46 |
|  | Centers                                 | 48 |
| Index                                    |   | 50 |

### Ordering C.O.M., C.O.L., and C.O.V.


Bonduel, Green Bay, Ontario, and Tupelo

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric

direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors. By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous



#### C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

#### C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

> Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

> Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

#### **Intricate Patterns**

testing, and

with the order.

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a on backrest sketch noting requirements, as in Diagram Center left to right & top to bottom B, along with materials for

Diagram B

#### **Treated Materials**

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

#### **Split Orders**

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

#### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

#### C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement

Purchasing Agent (Dealer or buying organization) Attention Address City

Please see information below and check the appropriate box.

on seat

■ Submitted for testing.

Purchase Order Number

Test approved. Submitted for production.

KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

Selvage Top and Bottom



B Selvage Side and Side



Type of seating and number of units of each type

Project Name

Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo



### Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

#### C.O.M. SHIPPING LOCATION

| Architectural Walls             |
|---------------------------------|
| Genius WallsMN                  |
| Casegoods                       |
| Dante BenchesAG                 |
| Darwin TackboardsMN             |
| Aristotle TackboardsMN          |
| Classroom Furniture             |
| 360° Classroom Furniture BW     |
| Intellect Wave ChairsGB         |
| Dorsal 1090 Chairs              |
| Dorsal Student Desks            |
| Learn2GB                        |
|                                 |
| Desking                         |
| 700 Series DeskingKP            |
| Balance OverheadsMN             |
| Genesis DeskingMN               |
| True DeskingKP                  |
| Universal OverheadsMN           |
| WorkZone DeskingMN              |
| Files & Storage                 |
| 700 Series Pedestal Cushion     |
| U-Series Pedestal CushionGB     |
|                                 |
| Fixed Seating                   |
| Concerto Auditorium Seating BW  |
| Single Pedestal SeatingGB       |
| Jury Base SeatingGB             |
| Lancaster Auditorium Seating BW |
| Sequence SeatingGB              |
| University Seating              |
| Panel Systems                   |
| All TerrainKP                   |
| Balance OverheadsMN             |
| Customs 2000 MNI                |

| Wireworks   | ^  ` |
|---|------|
| Unite   | MN   |
| Residence Hall Furniture                            |      |
| RoomScape Furniture                                 | MN   |
| Screens   |      |
| True/Volition                                       |      |
| Genesis   | KF   |
| Seating   |      |
| 100 Series Folding Chairs                           | BW   |
| 300 Series Folding Chairs                           |      |
| 600 Series Stools                                   |      |
| 700 Series Folding Chairs                           |      |
| 1000 Series   |      |
| Aerdyn Guest Seating                                |      |
| Affina Collection                                   |      |
| Arissa Lounge                                       |      |
| Altus Task Chairs                                   |      |
| Apply Stack Chairs                                  |      |
| Auditorium Folding Chairs                           |      |
| Avail Task Chairs                                   |      |
| Bantam Guest Seating                                |      |
| Briar Multiple & Healthcare Seating                 |      |
| Boss Design Chairs                                  |      |
| Cinturon Lounge & Professional Seating              |      |
| Cody Lounge Seating  Connection Zone Privacy Booths |      |
| Dorsal Stack & Tandem Seating                       |      |
| Engage Task Chairs & Stools                         |      |
| Flex Multiple & Healthcare Seating                  |      |
| Front Row Seats (Silk Screening)                    |      |
| GateOne Public Seating                              |      |
| Grazie Seating                                      |      |
| Hub Modular Lounge Seating                          |      |
| Impress Task Chairs                                 |      |
| Impress Ultra Task Chairs                           |      |
|   | • 1  |
|   |      |

Universal Overheads......MN

|                                      | 10 |
|--------------------------------------|----|
| Jessa Lounge Seating                 | HN |
| Jubi Guest Chair                     |    |
| Kismet Task/Guest Chairs & Stools    | OM |
| Kurv Benches                         | HN |
| LaResta Day Beds                     | HN |
| Maestro Stack Chairs                 |    |
| Matrix Stack Chairs                  | GE |
| Medical & Laboratory Stools          | OM |
| Mesa Lounge & Task Seating           |    |
| MyWay Seating                        |    |
| Neena Benches                        | HN |
| Opt4                                 | GE |
| Perry Stack Chairs                   | GE |
| Perth Multiple & Healthcare Seating  | HN |
| Perth II Healthcare Seating          | HN |
| Pilot Task Chairs                    | OM |
| Piretti Stack Chairs                 | GE |
| Promenade Seating System             | BW |
| Rapture Stack Chairs & Stools        |    |
| Relax Lounge Seating                 | HN |
| Rose Healthcare                      | BW |
| Sela Lounge Seating                  |    |
| Sift Task Chairs                     | TM |
| Silhouette Stack Chairs & Stools     | BW |
| Soltice Metal Collection             |    |
| Soltice Multiple, Healthcare & Guest |    |
| Soltice II Healthcare Seating        |    |
| Strive Multiple, Stack & Task        |    |
| Tea Cup Lounge Seating               |    |
| Three Multiple, Healthcare & Lounge. |    |
| Three II Healthcare Seating          |    |
| Torsion-on-the-Go! Nesting Chairs    |    |
| Torsion Air Stack and Task Seating   |    |
| Torsion Stack and Task Seating       |    |
| Versa Stack Chairs & Stools          | GB |
|                                      |    |

Logix.....BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG Contact KI at I-800-424-2432 GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3

Green Bay, WI 54302

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 HN KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Crossroads
Attn: Brianne Linn
280 North Road
Clinton County
Industrial Park
McElhattan, PA 17748

KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Site Furnishings

OM KI-Impress Attn: COM Storage IIIO S. Mildred Ave. Ontario, CA 91761 MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

TM KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location







Quater Circle Inside Back, Quarter Circle **Planter** 



Corner Seat, Square Seat, Square Seat Level Table, Quarter Circle Seat Level Table

#### General

- Two-piece molded fiberglass construction. Available in all fibergalss finishes.
- · May be weighted for added stability.

#### Seating

- · Upholstered seating modules available in KI fabrics, vinyls or
- · Seat backs and arms are supported by fiberglass liners secured to the base and covered by polyurethane foam and
- Cushions are supported by plywood base covered with polyurethane foam and fabric.
- Cushions fasten with velcro.

#### Seating


|                    | •      |        | •      | Quarter | Inside         | Outside    | 45    |  |
|--------------------|--------|--------|--------|---------|----------------|------------|-------|--|
|                    | Square | Narrow | Corner | Circle  | Curved         | Curved     | Wedge |  |
| Overall Dimensions |        |        |        |         |                |            |       |  |
| width              | 30"    | 12"    | 30"    | 30"     | 231/2", 293/4" | 29¾", 23½" | 23"   |  |
| depth              | 30"    | 30"    | 30"    | 30"     | 30"            | 30"        | 30"   |  |
| height             | 30"    | 30"    | 30"    | 30"     | 30"            | 30"        | 30"   |  |
| seat height        | 17"    | 17"    | 17"    | 17"     | 17"            | 17"        | 17"   |  |
|                    |        |        |        |         |                |            |       |  |



**PVC Standpipe** 



Ganging Straps included with all units to maintain spacing and alignment.



Sand Weighting

#### **SPECIFICATIONS**

#### **Base Units**

Bases are constructed of fiberglass reinforced plastic with a nominal wall thickness of 3/16". All side walls have a 1.5° draft.

#### **Recessed Bases**

All recessed bases are same color as the body and are 2-1/2" deep and 3" high.

#### Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements

#### **Outdoor Use**

Not recommended for upholstered units.

#### **Table Surfaces**

1" thick veneer or plastic laminate covered plywood.

#### Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

#### FIRE RETARDANTS

Fiberglass items:

Fire retardant treatment (FR) allows product to not exceed a peak heat release of 300 kW/ m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup> when tested to ASTM E1354.

Upholstered Seating items:

Fire retardant treatment (FR) allows seating products to be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.

#### Sand Weighting

The following products offer options for sand weighting. Sand is not provided. Seating Capacity 200# max. Opening Under cushion

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specify-

ing the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.



#### Tables

- Tables available 12" or 17" high.
  12" table has top in plastic laminate.
  17" seat level table has solid color fiberglass top.

- Receptacles
   Heights in one through four modules 12, 22, 32 or 42" high.
- Covers fit securely and are easily removable to change trash liner.

- Planters
   Heights in one through four modules 12, 22, 32 or 42" high.
   Includes fiberglass liner
   PVC standpipe available for water maintenance.

#### Tables, Planters, Receptacles

#### INFORMATION

#### Warranty

Refer to KI Terms & Conditions document or visit ki.com

## Logix® System Seating Units

|      |  |          |               | _              |          |                  |                     |              |                               |
|------|--|----------|---------------|----------------|----------|------------------|---------------------|--------------|-------------------------------|
|      |  |          |               | MODEL NU       | MBER     |                  | 1                   |              |                               |
|      | MODEL  | Features | WxDxH         | Basic<br>Model | Finish   | Element<br>Color | Upholstery<br>Color | Fire<br>Code | Approx.<br>Packaged<br>Weight |
|      | Square Seat with Back                                  | Standard | 30 x 30 x 30" | SSQSSB1        |          |                  |                     |              | 34.0#                         |
|      | • C.O.M. 2-1/2 yards<br>• 17"H Seat                    | Premium  | 30 x 30 x 30" | SSQSSB1/P      |          |                  |                     |              | 34.0#                         |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
|      | Square Backless Seat                                   | Standard | 30 x 30 x 17" | SSQSS01        |          |                  |                     |              | 30.0#                         |
|      | <ul><li>C.O.M. 2 yards</li><li>17"H Seat</li></ul>     | Premium  | 30 x 30 x 17" | SSQSS01/P      |          |                  |                     |              | 30.0#                         |
|      | 17 11 0000   |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
| EXCT | Narrow Seat with Back                                  | Standard | 12 x 30 x 30" | SRTSSB1        |          |                  |                     |              | 18.0#                         |
|      | • C.O.M. 2-1/2 yards                                   | Premium  | 12 x 30 x 30" | SRTSSB1/P      |          |                  |                     |              | 18.0#                         |
|      | • 17"H Seat  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
|      | Narrow Backless Seat                                   | Standard | 12 x 30 x 17" | SRTSS01        |          |                  |                     |              | 16.0#                         |
|      | <ul><li>C.O.M. 1-1/2 yards</li><li>17"H Seat</li></ul> | Premium  | 12 x 30 x 17" | SRTSS01/P      |          |                  |                     |              | 16.0#                         |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               | A              | <b>B</b> | •                | 0                   | <b>(3</b>    |                               |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

- Gloss finish AF - Granex finish (Premium) GX MT - Matte finish - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

- No TB133 fire retardant NFR - Fire retardant

See pricing column for TB133 upcharge.

#### FINISH INFORMATION

#### California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

#### **Sand Weighting**

A body closure and plug are factory applied in base of product to contain sand. Prebagged sand is recommended. Sand is not included. Add /SW to end of model number. Upcharge \$122 list/unit.

#### C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L.



| Pri<br>Fal<br>1 8 | livered<br>cing<br>oric Grade<br>& C.O.M. | Pric<br>Fab<br>2 | ric Grade | Prio<br>Fab | cing<br>ric Grade | Pri<br>Vin<br>2 | cing<br>yl Group | Prio<br>Pal<br>Gro | cing<br>las Fabric<br>oup P0 | Pri<br>Pal<br>Gro | cing<br>las Fabric<br>oup P1 | Pri<br>Pal<br>Gro | oup P2 | Prio<br>Pall<br>Gro | ing<br>as Fabric<br>up P3 | Prio<br>Pal<br>Gro | as Fabric a<br>up P4 p | ΓB133<br>add to<br>orice | list |
|-------------------|---|------------------|-----------|-------------|-------------------|-----------------|------------------|--------------------|------------------------------|-------------------|------------------------------|-------------------|--------|---------------------|---------------------------|--------------------|------------------------|--------------------------|------|
| \$                | 1951                                      |                  |           |             |                   | \$              |                  |                    |                              | \$                |                              | \$                |        |                     |                           |                    | 2347                   | \$                       | 182  |
|                   | 2338                                      |                  | 2450      |             | 2482              |                 | 2482             |                    | 2432                         |                   | 2472                         |                   | 2562   |                     | 2652                      |                    | 2736                   |                          | 182  |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
| \$                | 1577                                      | \$               | 1667      | \$          | 1693              | \$              | 1693             | \$                 | 1645                         | \$                | 1685                         | \$                | 1756   | \$                  | 1825                      | \$                 | 1898                   | \$                       | 147  |
|                   | 1891                                      |                  | 1979      |             | 2004              |                 | 2004             |                    | 1956                         |                   | 1996                         |                   | 2068   |                     | 2139                      |                    | 2208                   |                          | 147  |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           | _           |                   | _               |                  | _                  |                              | _                 |                              | _                 |        | _                   |                           | _                  |                        |                          |      |
| \$                | 1589                                      |                  |           |             |                   | \$              |                  |                    |                              | \$                |                              | \$                |        |                     |                           |                    | 1905                   | \$                       | 149  |
|                   | 1905                                      |                  | 1994      |             | 2019              |                 | 2019             |                    | 1973                         |                   | 2013                         |                   | 2084   |                     | 2152                      |                    | 2224                   |                          | 149  |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
| \$                | 1240                                      | \$               | 1304      | \$          | 1326              | \$              | 1326             | \$                 | 1286                         | \$                | 1321                         | \$                | 1373   | \$                  | 1423                      | \$                 | 1477                   | \$                       | 116  |
|                   | 1488                                      |                  | 1556      |             | 1573              |                 | 1573             |                    | 1529                         |                   | 1569                         |                   | 1619   |                     | 1672                      |                    | 1728                   |                          | 116  |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |
|                   |   |                  |           |             |                   |                 |                  |                    |                              |                   |                              |                   |        |                     |                           |                    |                        |                          |      |

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #150.

## Logix® System Seating Units

|      |  |          |               | MODEL NUI      | /IBER    |                  |                     |              |                               |
|------|--|----------|---------------|----------------|----------|------------------|---------------------|--------------|-------------------------------|
|      | MODEL  | Features | WxDxH         | Basic<br>Model | Finish   | Element<br>Color | Upholstery<br>Color | Fire<br>Code | Approx.<br>Packaged<br>Weight |
|      | 12° Curved Seat with Outside Back  | Standard | 30 x 30 x 30" | SCRSSB01       |          |                  |                     |              | 34.0#                         |
|      | <ul> <li>C.O.M. 2-1/2 yards</li> <li>23-1/2" (front) x 30" (back)</li> </ul> | Premium  | 30 x 30 x 30" | SCRSSB01/P     |          |                  |                     |              | 34.0#                         |
|      | • 17"H Seat  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LVOT |  |          |               |                |          |                  |                     |              |                               |
| LXST | 12° Curved Seat with Inside Back   | Standard | 30 x 30 x 30" | SCRSSBI1       |          |                  |                     |              | 34.0#                         |
|      | <ul> <li>C.O.M. 2-1/2 yards</li> </ul>                                       | Premium  | 30 x 30 x 30" | SCRSSBI1/P     |          |                  |                     |              | 34.0#                         |
|      | • 30" (front) x 23-1/2" (back)   | Tromium  | 00 X 00 X 00  | OOTTOODIT/T    |          |                  |                     |              | 04.0#                         |
|      | • 17"H Seat  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
|      | 12° Curved Backless Seat  • C.O.M. 1-1/2 yards                               | Standard | 30 x 30 x 17" | SCRSS01        |          |                  |                     |              | 30.0#                         |
|      | • 23-1/2" (front) x 30"W (back)  | Premium  | 30 x 30 x 17" | SCRSS01/P      |          |                  |                     |              | 30.0#                         |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
|      | Corner Seat with Back  | Standard | 30 x 30 x 30" | SSQSSA1        |          |                  |                     |              | 40.0#                         |
|      | <ul><li>C.O.M. 3-1/2 yards</li><li>17"H Seat</li></ul>                       | Premium  | 30 x 30 x 30" | SSQSSA1/P      |          |                  |                     |              | 40.0#                         |
|      | • 17 H Seat  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
| LASI | Quarter Circle Seat with Inside Back   | Standard | 30 x 30 x 30" | SQRSSB1        |          |                  |                     |              | 32.0#                         |
|      | <ul> <li>C.O.M. 2-1/2 yards</li> </ul>                                       | Premium  | 30 x 30 x 30" | SQRSSB1/P      |          |                  |                     |              | 32.0#                         |
|      | • 17"H Seat  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               |                |          |                  |                     |              |                               |
| LXST |  |          |               |                |          |                  |                     |              |                               |
|      |  |          |               | A              | <b>B</b> | •                | •                   | <b>3</b>     |                               |
|      |  |          |               |                |          |                  |                     |              |                               |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish

| 001001 | iiiioii.                  |
|--------|---------------------------|
| AF     | - Gloss finish            |
| GX     | - Granex finish (Premium) |
| MT     | - Matte finish            |
| PT     | - Polycrete finish        |

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Model numbers with '/P' use GX=Granex Finish only

- Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

- No TB133 fire retardant NFR - Fire retardant

See pricing column for TB133 upcharge.

#### FINISH INFORMATION

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

#### **Sand Weighting**

A body closure and plug are factory applied in base of product to contain sand. Prebagged sand is recommended. Sand is not included. Add /SW to end of model number. Upcharge \$122 list/unit.

#### C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L.



| Pr<br>Fa | elivered<br>ricing<br>bric Grade<br>& C.O.M. | Pri | livered<br>icing<br>bric Grade | Pr | livered<br>icing<br>bric Grade | Pr | livered<br>icing<br>nyl Group | Pr<br>Pa | livered<br>icing<br>Ilas Fabric<br>oup P0 | Pr<br>Pa | elivered<br>icing<br>Ilas Fabric<br>oup P1 | Pr<br>Pa | livered<br>icing<br>Ilas Fabric<br>oup P2 | Pri<br>Pa | livered<br>icing<br>Ilas Fabric<br>oup P3 | Pr<br>Pa | livered<br>icing<br>Ilas Fabric<br>oup P4 | TB133<br>add to<br>price |     |
|----------|--|-----|--------------------------------|----|--------------------------------|----|-------------------------------|----------|---|----------|--|----------|---|-----------|---|----------|---|--------------------------|-----|
| \$       | 1951   | \$  | 2061                           | \$ | 2094                           | \$ | 2094                          | \$       | 2043                                      | \$       | 2083                                       | \$       | 2169                                      | \$        | 2259                                      | \$       | 2347                                      | \$                       | 182 |
|          | 2338   |     | 2450                           |    | 2482                           |    | 2482                          |          | 2432                                      |          | 2472                                       |          | 2562                                      |           | 2652                                      |          | 2736                                      |                          | 182 |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
| \$       | 1951   | \$  | 2061                           | \$ | 2094                           | \$ | 2094                          | \$       | 2043                                      | \$       | 2083                                       | \$       | 2169                                      | \$        | 2259                                      | \$       | 2347                                      | \$                       | 18  |
| •        | 2338   | •   | 2450                           | •  | 2482                           | ,  | 2482                          | •        | 2432                                      | ,        | 2472                                       | ,        | 2562                                      | •         | 2652                                      | ,        | 2736                                      | ,                        | 18  |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    | 1000                           |    |                               |          |   |          |  |          | .===                                      |           | 100=                                      |          |   |                          |     |
| \$       | 1577   | \$  | 1667                           | \$ | 1693                           | \$ | 1693                          | \$       | 1645                                      | \$       | 1685                                       | \$       | 1756                                      | \$        | 1825                                      | \$       | 1898                                      | \$                       | 14  |
|          | 1891   |     | 1979                           |    | 2004                           |    | 2004                          |          | 1956                                      |          | 1996                                       |          | 2068                                      |           | 2139                                      |          | 2208                                      |                          | 14  |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
| \$       | 2240   | \$  | 2395                           | \$ | 2443                           | \$ | 2443                          | \$       | 2387                                      | \$       | 2427                                       | \$       | 2549                                      | \$        | 2677                                      | \$       | 2799                                      | \$                       | 21  |
|          | 2694   |     | 2849                           |    | 2893                           |    | 2893                          |          | 2840                                      |          | 2880                                       |          | 3004                                      |           | 3124                                      |          | 3249                                      |                          | 21  |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
|          |  |     |                                |    |                                |    |                               |          |   |          |  |          |   |           |   |          |   |                          |     |
| ¢        | 1552   | \$  | 1662                           | \$ | 1694                           | \$ | 1694                          | \$       | 1668                                      | \$       | 1708                                       | \$       | 1797                                      | \$        | 1887                                      | \$       | 1973                                      | \$                       | 14  |
| φ        | 1859   | φ   | 1971                           | ψ  | 2003                           | ψ  | 2003                          | φ        | 1979                                      | ψ        | 2019                                       | ψ        | 2106                                      | φ         | 2197                                      | ψ        | 2286                                      | φ                        | 14  |
|          | 1303   |     | 1071                           |    | 2000                           |    | 2000                          |          | 1010                                      |          | 2010                                       |          | 2100                                      |           | 2101                                      |          |   |                          |     |

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

## Logix® System Seating Units

|      |   |             |               | MODEL NUM  | BER                     |                     |            |      |          |
|------|---|-------------|---------------|------------|-------------------------|---------------------|------------|------|----------|
|      |   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      | Approx.  |
|      | MODEL   | F           | W - B - H     | Basic      |                         | Element             | Upholstery | Fire | Packaged |
|      | MODEL   | Features    | WxDxH         | Model      | Finish                  | Color               | Color      | Code | Weight   |
|      | Quarter Circle Backless Seat  C.O.M. 2-1/2 yards                        | Standard    | 30 x 30 x 17" | SQRSS01    |                         |                     |            |      | 30.0#    |
|      | - 0.0.ivi. 2 1/2 yards  | Premium     | 30 x 30 x 17" | SQRSS01/P  |                         |                     |            |      | 30.0#    |
|      |   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      |          |
| LVCT |   |             |               |            |                         |                     |            |      |          |
| LXST | 450 Ownerd Wades Oast with C  | Standard    | 23 x 30 x 30" | SWGSSB01   |                         |                     |            |      | 18.0#    |
|      | 45° Curved Wedge Seat with Outside<br>Back                              | Premium     | 23 x 30 x 30" | SWGSSB01/P |                         |                     |            |      | 18.0#    |
|      | • C.O.M. 2-1/2 yards  | FIEIIIIIIII | 23 X 30 X 30  | 3WG33BU1/F |                         |                     |            |      | 18.0#    |
|      | • 17"H Seat   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      |          |
| LXST |   |             |               |            |                         |                     |            |      |          |
|      | 45° Curred Wedge Cost with Incide Book                                  | Standard    | 23 x 30 x 30" | SWGSSBI1   |                         |                     |            |      | 16.0#    |
| A    | 45° Curved Wedge Seat with Inside Back                                  | Premium     | 23 x 30 x 30" | SWGSSBI1/P |                         |                     |            |      | 16.0#    |
|      | <ul><li>C.O.M. 2 yards</li><li>17"H Seat</li></ul>                      |             |               |            |                         |                     |            |      |          |
|      | • 17 H Seat   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      |          |
| LXST |   |             |               |            |                         |                     |            |      |          |
|      | <ul><li>45° Curved Wedge Backless Seat</li><li>C.O.M. 2 yards</li></ul> | Standard    | 23 x 30 x 17" | SWGSS01    |                         |                     |            |      | 15.0#    |
|      | - 0.0.ivi. 2 yarus  | Premium     | 23 x 30 x 17" | SWGSS01/P  |                         |                     |            |      | 15.0#    |
|      |   |             |               |            |                         |                     |            |      |          |
|      |   |             |               |            |                         |                     |            |      |          |
| LXST |   |             |               |            |                         |                     |            |      |          |
| LAUI |   |             |               |            |                         |                     |            |      |          |
|      |   |             |               | A          | $oldsymbol{\mathbf{B}}$ | $oldsymbol{\Theta}$ | O          | •    |          |
|      |   |             |               |            |                         |                     |            |      |          |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

AF - Gloss finish - Granex finish (Premium) GX MT - Matte finish - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

Select element color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select TB133.

- No TB133 fire retardant NFR - Fire retardant

See pricing column for TB133 upcharge.

#### FINISH INFORMATION

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

#### Sand Weighting

A body closure and plug are factory applied in base of product to contain sand. Prebagged sand is recommended. Sand is not included. Add /SW to end of model number. Upcharge \$122 list/unit.

#### C.O.M. Upholstery

The yardage shown above is based on 54" wide nondirectional fabric for orders of 10 seats or less. For testing and larger orders, see "ordering C.O.M., C.O.V. and C.O.L.



| Delivered<br>Pricing<br>Fabric Grade<br>1 & C.O.M. | Delivered<br>Pricing<br>Fabric Grade<br>2 | Delivered<br>Pricing<br>Fabric Grade<br>3 | Delivered<br>Pricing<br>Vinyl Group<br>2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P0 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P1 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P3 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P4 | TB133<br>add to list<br>price |
|--|---|---|--|---|---|---|---|---|-------------------------------|
| \$ 1577  | \$ 1667                                   | \$ 1693                                   | \$ 1693                                  | \$ 1645   | \$ 1685   | \$ 1756   | \$ 1825   | \$ 1898   | \$ 147                        |
| 1891   | 1979                                      | 2004                                      | 2004                                     | 1955  | 1995  | 2068  | 2139  | 2208  | 147                           |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
| 4 1005   |   | <b>*</b>                                  |  |   |   | 4   |   |   |                               |
| \$ 1325  | \$ 1412                                   | \$ 1438                                   | \$ 1438                                  | \$ 1393   | \$ 1433   | \$ 1503   | \$ 1571   | \$ 1642   | \$ 127                        |
| 1587   | 1676                                      | 1701                                      | 1701                                     | 1655  | 1695  | 1764  | 1834  | 1904  | 127                           |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
| \$ 1325  | \$ 1412                                   | \$ 1438                                   | \$ 1438                                  | \$ 1393   | \$ 1433   | \$ 1503   | \$ 1571   | \$ 1642   | \$ 127                        |
| 1587   | 1676                                      | 1701                                      | 1701                                     | 1655  | 1695  | 1764  | 1834  | 1904  | 127                           |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
| \$ 1062  | \$ 1138                                   | \$ 1154                                   | \$ 1154                                  | \$ 1132   | \$ 1172   | \$ 1243   | \$ 1313   | \$ 1383   | \$ 99                         |
| 1276   | 1343                                      | 1365                                      | 1365                                     | 1341  | 1381  | 1451  | 1520  | 1591  | 99                            |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |
|  |   |   |  |   |   |   |   |   |                               |

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

|       |                             |                         |               | MODEL NU       | MBER   |                  |                        |           |
|-------|-----------------------------|-------------------------|---------------|----------------|--------|------------------|------------------------|-----------|
|       | MODEL                       | Features                | WxDxH         | Basic<br>Model | Finish | Element<br>Color | Top<br>Finish<br>Color | FR        |
|       | Square Table                | Laminate Top - Standard | 30 x 30 x 12" | SSQTLT1        |        |                  |                        |           |
|       |                             | Laminate Top - Premium  | 30 x 30 x 12" | SSQTLT1/P      |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
| LXTB  |                             |                         |               |                |        |                  |                        |           |
|       | Narrow Table                | Laminate Top - Standard | 12 x 30 x 12" | SRTTLT1        |        |                  |                        |           |
|       |                             | Laminate Top - Premium  | 12 x 30 x 12" | SRTTLT1/P      |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
| ··    |                             |                         |               |                |        |                  |                        |           |
| LXTB  | 0 1 0 1 7 1                 |                         | 00 00 40      | 0007174        |        |                  |                        |           |
|       | Quarter Circle Table        | Laminate Top - Standard | 30 x 30 x 12" | SQRTLT1        |        |                  |                        |           |
|       |                             | Laminate Top - Premium  | 30 x 30 x 12" | SQRTLT1/P      |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
| LXTB  |                             |                         |               |                |        |                  |                        |           |
| D.110 | 12° Curved Table            | Laminate Top - Standard | 30 x 30 x 12" | SCRTLT1        |        |                  |                        |           |
|       | • 23-1/2"W (fr) x 30"W (bk) | Laminate Top - Premium  | 30 x 30 x 12" | SCRTLT1/P      |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
| LXTB  |                             |                         |               |                |        |                  |                        |           |
|       | 45° Curved Wedge Table      | Laminate Top - Standard | 23 x 30 x 12" | SWGTLT1        |        |                  |                        |           |
|       |                             | Laminate Top - Premium  | 23 x 30 x 12" | SWGTLT1/P      |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
|       |                             |                         |               |                |        |                  |                        |           |
| LXTB  |                             |                         |               |                |        |                  |                        |           |
|       |                             |                         |               | A              | B      | Θ                | 0                      | <b>(3</b> |
|       |                             |                         |               | -              | -      | -                | _                      | _         |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

AF - Gloss finish
GX - Granex finish (Premium)
MT - Matte finish
PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

- Select base finish and color.
  Refer to color addendum at ki.com or KI
  Fabrics & Finishes binder.
- Select top surface color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Fire retardant

Select fire retardant (FR).

NFR - No Fire Retardant

See pricing column for Fire Retardant upcharge.

### FINISH INFORMATION

#### **Fire Retardant**

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number. Add upcharge.

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.



# Logix® System Table Units

| A                             |           |        | ED.          |      |
|-------------------------------|-----------|--------|--------------|------|
| Approx.                       | Delivered | l<br>, | FR<br>add to | liet |
| Approx.<br>Packaged<br>Weight | Pricing   | a<br>F | price        | IISL |
| 33.0#                         | \$ 1693   |        | \$           | 160  |
| 33.0#                         | 2029      |        |              | 160  |
|                               |           |        |              |      |
|                               |           |        |              |      |
|                               |           |        |              |      |
|                               |           |        |              |      |
| 30.0#                         | \$ 1417   |        | \$           | 132  |
| 30.0#                         | 1700      |        |              | 132  |
|                               |           |        |              |      |
|                               |           |        |              |      |
|                               |           |        |              |      |
| 0.1.0."                       | A         |        |              |      |
| 31.0#                         |           |        | \$           | 137  |
| 31.0#                         | 1774      |        |              | 137  |
|                               |           |        |              |      |
|                               |           |        |              |      |
|                               |           |        |              |      |
| 33.0#                         | \$ 1693   |        | \$           | 160  |
| 33.0#                         | 2029      |        | Ψ            | 160  |
| 00.0#                         | LULU      |        |              | 100  |
|                               |           |        |              |      |
|                               |           |        |              |      |
|                               |           |        |              |      |
| 16.0#                         | \$ 1153   |        | \$           | 107  |
| 16.0#                         | 1382      |        |              | 107  |
|                               |           |        |              |      |
|                               |           |        |              |      |

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

### Logix® System Seat Level Table Units

|      |                        |   |                                | MODEL NUM              | IBER   |                  |    |                               |
|------|------------------------|---|--------------------------------|------------------------|--------|------------------|----|-------------------------------|
|      | MODEL                  | Features  | WxDxH                          | Basic<br>Model         | Finish | Element<br>Color | FR | Approx.<br>Packaged<br>Weight |
|      | Square Table           | Fiberglass Top - Standard                             | 30 x 30 x 17"                  | SSQTSLT1               |        |                  |    | 34.0#                         |
|      |                        | Fiberglass Top - Premium                              | 30 x 30 x 17"                  | SSQTSLT1/P             |        |                  |    | 34.0#                         |
| LXTB |                        |   |                                |                        |        |                  |    |                               |
|      | Narrow Table           | Fiberglass Top - Standard                             | 12 x 30 x 17"                  | SRTTSLT1               |        |                  |    | 31.0#                         |
|      |                        | Fiberglass Top - Premium                              | 12 x 30 x 17"                  | SRTTSLT1/P             |        |                  |    | 31.0#                         |
| LXTB |                        |   |                                |                        |        |                  |    |                               |
|      | Quarter Circle Table   | Fiberglass Top - Standard<br>Fiberglass Top - Premium | 30 x 30 x 17"<br>30 x 30 x 17" | SQRTSLT1<br>SQRTSLT1/P |        |                  |    | 32.0#<br>32.0#                |
| LXTB |                        |   |                                |                        |        |                  |    |                               |
|      | 12° Curved Table       | Fiberglass Top - Standard<br>Fiberglass Top - Premium | 30 x 30 x 17"<br>30 x 30 x 17" | SCRTSLT1<br>SCRTSLT1/P |        |                  |    | 34.0#<br>34.0#                |
| LXTB |                        |   |                                |                        |        |                  |    |                               |
| LAID | 45° Curved Wedge Table | Fiberglass Top - Standard                             | 23 x 30 x 17"                  | SWGTSLT1               |        |                  |    | 25.0#                         |
|      | TO Oursel Weige land   | Fiberglass Top - Premium                              | 23 x 30 x 17"                  | SWGTSLT1/P             |        |                  |    | 25.0#                         |
|      |                        |   |                                |                        |        |                  |    |                               |

#### **HOW TO ORDER**

LXTB

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect finish.

AF - Gloss finish
GX - Granex finish (Premium)
MT - Matte finish
PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

Select element color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select fire retardant (FR).

NFR - No Fire Retardant

FR - Fire retardant

See pricing column for Fire Retardant

upcharge.

#### FINISH INFORMATION

#### Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

**3** 

**(A)** 

 $\Theta$ 

0

Add FR to end of model number. Add upcharge.

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.





| Delivered | FR<br>add to | list |
|-----------|--------------|------|
| Pricing   | price        |      |
| \$ 1891   | \$           | 178  |
| 2281      |              | 178  |
|           |              |      |
|           |              |      |
|           |              |      |
|           |              |      |
| \$ 1528   | \$           | 140  |
| 1846      |              | 140  |
|           |              |      |
|           |              |      |
|           |              |      |
| \$ 1646   | \$           | 154  |
| 1974      |              | 154  |
|           |              |      |
|           |              |      |
|           |              |      |
| \$ 1891   | \$           | 178  |
| 2281      |              | 178  |
|           |              |      |
|           |              |      |
|           |              |      |
|           |              |      |
| \$ 1272   | \$           | 122  |
| 1534      |              | 122  |
|           |              |      |
|           |              |      |
|           |              |      |

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

|          |   |   |               | MODEL   | NUMBER   | 3       | ,  |  |
|----------|---|---|---------------|---------|----------|---------|----|--|
|          |   |   |               |         |          |         |    |  |
|          |   |   |               |         |          |         |    |  |
|          |   |   |               | Basic   |          | Element |    |  |
|          | MODEL   | Features  | WxDxH         | Model   | Finish   | Color   | FR |  |
|          | Square Planter                                      | One unit high, Standard, 2.0 cu. ft. Capacity   | 30 x 30 x 12" | SSQP1   |          |         |    |  |
|          | <ul> <li>Net opening is 18-1/2 x 18-1/2"</li> </ul> | One unit high, Premium, 2.0 cu. ft. Capacity    | 30 x 30 x 12" | SSQP1/P |          |         |    |  |
|          |   | Two unit high, Standard, 4.3 cu. ft. Capacity   | 30 x 30 x 22" | SSQP2   |          |         |    |  |
|          |   | Two unit high, Premium, 4.3 cu. ft. Capacity    | 30 x 30 x 22" | SSQP2/P |          |         |    |  |
|          |   | Three unit high, Standard, 6.8 cu. ft. Capacity | 30 x 30 x 32" | SSQP3   |          |         |    |  |
| <b>\</b> |   | Three unit high, Premium, 6.8 cu. ft. Capacity  | 30 x 30 x 32" | SSQP3/P |          |         |    |  |
| PL       |   | Four unit high, Standard, 9.2 cu. ft. Capacity  | 30 x 30 x 42" | SSQP4   |          |         |    |  |
|          |   | Four unit high, Premium, 9.2 cu. ft. Capacity   | 30 x 30 x 42" | SSQP4/P |          |         |    |  |
|          | Narrow Planter                                      | One unit high, Standard, 2.0 cu. ft. Capacity   | 12 x 30 x 12" | SRTP1   |          |         |    |  |
|          | <ul> <li>Net opening is 22-1/2 x 4-1/2"</li> </ul>  | One unit high, Premium, 2.0 cu. ft. Capacity    | 12 x 30 x 12" | SRTP1/P |          |         |    |  |
|          |   | Two unit high, Standard, 2.3 cu. ft. Capacity   | 12 x 30 x 22" | SRTP2   |          |         |    |  |
|          |   | Two unit high, Premium, 2.3 cu. ft. Capacity    | 12 x 30 x 22" | SRTP2/P |          |         |    |  |
|          |   | Three unit high, Standard, 3.4 cu. ft. Capacity | 12 x 30 x 32" | SRTP3   |          |         |    |  |
| PL       |   | Three unit high, Premium, 3.4 cu. ft. Capacity  | 12 x 30 x 32" | SRTP3/P |          |         |    |  |
|          |   | Four unit high, Standard, 4.5 cu. ft. Capacity  | 12 x 30 x 42" | SRTP4   |          |         |    |  |
|          |   | Four unit high, Premium, 4.5 cu. ft. Capacity   | 12 x 30 x 42" | SRTP4/P |          |         |    |  |
|          | Quarter Circle Planter                              | One unit high, Standard, 1.0 cu. ft. Capacity   | 30 x 30 x 12" | SQRP1   |          |         |    |  |
|          | <ul> <li>Net opening is 25-1/2 x 17"</li> </ul>     | One unit high, Premium, 1.0 cu. ft. Capacity    | 30 x 30 x 12" | SQRP1/P |          |         |    |  |
|          |   | Two unit high, Standard, 2.2 cu. ft. Capacity   | 30 x 30 x 22" | SQRP2   |          |         |    |  |
|          |   | Two unit high, Premium, 2.2 cu. ft. Capacity    | 30 x 30 x 22" | SQRP2/P |          |         |    |  |
|          |   | Three unit high, Standard, 3.4 cu. ft. Capacity | 30 x 30 x 32" | SQRP3   |          |         |    |  |
| PL .     |   | Three unit high, Premium, 3.4 cu. ft. Capacity  | 30 x 30 x 32" | SQRP3/P |          |         |    |  |
|          |   | Four unit high, Standard, 4.6 cu. ft. Capacity  | 30 x 30 x 42" | SQRP4   |          |         |    |  |
|          |   | Four unit high, Premium, 4.6 cu. ft. Capacity   | 30 x 30 x 42" | SQRP4/P |          |         |    |  |
|          |   |   |               | A       | <b>B</b> | •       | •  |  |
|          |   |   |               |         | Ð        | G       | U  |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

- Gloss finish ĀF - Granex finish (Premium) GX MT - Matte finish - Polycrete finish Refer to color addendum at ki.com or

KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire retardant (FR)

NFR - No Fire Retardant - Fire retardant See pricing column for Fire Retardant upcharge.

#### FINISH INFORMATION

#### Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup>.

Add FR to end of model number. Add upcharge.

#### Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water. Add /ST to end of model number Upcharge \$60 list/unit

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for

custom color.



| Approx.<br>Packaged | Delivered |      | l to list |
|---------------------|-----------|------|-----------|
| Weight              | Pricing   | pric |           |
| 28.0#               | \$ 1577   | \$   |           |
| 28.0#               | 1891      |      | 147       |
| 48.0#               | 2480      |      | 230       |
| 48.0#               | 2973      |      | 230       |
| 71.0#               | 3365      |      | 314       |
| 71.0#               | 4034      |      | 314       |
| 96.0#               | 4245      |      | 396       |
| 96.0#               | 5096      |      | 396       |
| 18.0#               | \$ 1344   | \$   |           |
| 18.0#               | 1615      |      | 128       |
| 31.0#               | 2018      |      | 187       |
| 31.0#               | 2421      |      | 187       |
| 44.0#               | 2657      |      | 246       |
| 44.0#               | 3185      |      | 246       |
| 57.0#               | 3309      |      | 308       |
| 57.0#               | 3971      |      | 308       |
| 26.0#               | \$ 1577   | \$   |           |
| 26.0#               | 1891      |      | 147       |
| 46.0#               | 2480      |      | 230       |
| 46.0#               | 2973      |      | 230       |
| 69.0#               | 3365      |      | 314       |
| 69.0#               | 4034      |      | 314       |
| 94.0#               | 4245      |      | 396       |
| 94.0#               | 5096      |      | 396       |
|                     |           |      |           |

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

|      |   |   |               | MODEL N        | UMRFR    | 1                |    |  |
|------|---|---|---------------|----------------|----------|------------------|----|--|
|      |   |   |               | IIIODEE II     |          |                  |    |  |
|      | MODEL                                       | Features  | WxDxH         | Basic<br>Model | Finish   | Element<br>Color | FR |  |
|      | 12° Curved Planter                          | One unit high, Standard, 1.7 cu. ft. Capacity   | 30 x 30 x 12" | SCRP1          |          |                  |    |  |
|      | <ul> <li>Net opening is 18 x 15"</li> </ul> | One unit high, Premium, 1.7 cu. ft. Capacity    | 30 x 30 x 12" | SCRP1/P        |          |                  |    |  |
|      |   | Two unit high, Standard, 3.4 cu. ft. Capacity   | 30 x 30 x 22" | SCRP2          |          |                  |    |  |
|      |   | Two unit high, Premium, 3.4 cu. ft. Capacity    | 30 x 30 x 22" | SCRP2/P        |          |                  |    |  |
|      |   | Three unit high, Standard, 5.3 cu. ft. Capacity | 30 x 30 x 32" | SCRP3          |          |                  |    |  |
|      |   | Three unit high, Premium, 5.3 cu. ft. Capacity  | 30 x 30 x 32" | SCRP3/P        |          |                  |    |  |
| LXPL |   | Four unit high, Standard, 7.3 cu. ft. Capacity  | 30 x 30 x 42" | SCRP4          |          |                  |    |  |
|      |   | Four unit high, Premium, 7.3 cu. ft. Capacity   | 30 x 30 x 42" | SCRP4/P        |          |                  |    |  |
| _    | 45° Curved Wedge Planter                    | One unit high, Standard, 0.4 cu. ft. Capacity   | 23 x 30 x 12" | SWGP1          |          |                  |    |  |
|      | <ul> <li>Net opening is 15 x 12"</li> </ul> | One unit high, Premium, 0.4 cu. ft. Capacity    | 23 x 30 x 12" | SWGP1/P        |          |                  |    |  |
|      |   | Two unit high, Standard, 0.8 cu. ft. Capacity   | 23 x 30 x 22" | SWGP2          |          |                  |    |  |
|      |   | Two unit high, Premium, 0.8 cu. ft. Capacity    | 23 x 30 x 22" | SWGP2/P        |          |                  |    |  |
|      |   | Three unit high, Standard, 1.3 cu. ft. Capacity | 23 x 30 x 32" | SWGP3          |          |                  |    |  |
| LXPL |   | Three unit high, Premium, 1.3 cu. ft. Capacity  | 23 x 30 x 32" | SWGP3/P        |          |                  |    |  |
|      |   | Four unit high, Standard, 1.8 cu. ft. Capacity  | 23 x 30 x 42" | SWGP4          |          |                  |    |  |
|      |   | Four unit high, Premium, 1.8 cu. ft. Capacity   | 23 x 30 x 42" | SWGP4/P        |          |                  |    |  |
|      |   |   |               | A              | <b>B</b> | Θ                | 0  |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

upcharge.

- Gloss finish AF - Granex finish (Premium) GX MT - Matte finish PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire retardant (FR) NFR - No Fire Retardant - Fire retardant See pricing column for Fire Retardant

#### FINISH INFORMATION

#### Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup>.

Add FR to end of model number. Add upcharge.

#### Stand Pipe

Two-inch diameter PVC pipe permanently attached to the inside of the container for extracting excess water. Add /ST to end of model number Upcharge \$60 list/unit

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for

custom color.



| Appro<br>Packa<br>Weigh | ged | Delivered<br>Pricing | FR<br>add<br>pric | to lis | it  |
|-------------------------|-----|----------------------|-------------------|--------|-----|
| 28.                     | 0#  | \$ 1577              | \$                | 1      | 47  |
| 28.                     | 0#  | 1891                 |                   | 1      | 47  |
| 48.                     | 0#  | 2480                 |                   | 2      | 230 |
| 48.                     | 0#  | 2973                 |                   | 2      | 230 |
| 71.                     | 0#  | 3365                 |                   | 3      | 814 |
| 71.                     | 0#  | 4034                 |                   | 3      | 314 |
| 96.                     | 0#  | 4245                 |                   | 3      | 96  |
| 96.                     | 0#  | 5096                 |                   | 3      | 396 |
| 13.                     | 0#  | \$ 1344              | \$                | 1      | 28  |
| 13.                     | 0#  | 1615                 |                   | 1      | 28  |
| 24.                     | 0#  | 2018                 |                   | 1      | 87  |
| 24.                     | 0#  | 2421                 |                   | 1      | 87  |
| 35.                     | 0#  | 2657                 |                   | 2      | 246 |
| 35.                     | 0#  | 3185                 |                   | 2      | 246 |
| 47.                     | 0#  | 3309                 |                   | 3      | 808 |
| 47.                     | 0#  | 3971                 |                   | 3      | 808 |
|                         |     |                      |                   |        |     |

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

## Logix® System Trash Receptacles

|      |                                 |                           |               | MODEL          | NUMBER   | ?                |    |                               |  |
|------|---------------------------------|---------------------------|---------------|----------------|----------|------------------|----|-------------------------------|--|
|      |                                 |                           |               |                |          |                  |    |                               |  |
|      | MODEL                           | Features                  | WxDxH         | Basic<br>Model | Finish   | Element<br>Color | FR | Approx.<br>Packaged<br>Weight |  |
|      | Square Trash Receptacle         | One unit high, Standard   | 30 x 30 x 12" | SSQR1          |          |                  |    | 28.0#                         |  |
|      |                                 | One unit high, Premium    | 30 x 30 x 12" | SSQR1/P        |          |                  |    | 28.0#                         |  |
|      |                                 | Two unit high, Standard   | 30 x 30 x 22" | SSQR2          |          |                  |    | 48.0#                         |  |
|      |                                 | Two unit high, Premium    | 30 x 30 x 22" | SSQR2/P        |          |                  |    | 48.0#                         |  |
|      |                                 | Three unit high, Standard | 30 x 30 x 32" | SSQR3          |          |                  |    | 71.0#                         |  |
|      |                                 | Three unit high, Premium  | 30 x 30 x 32" | SSQR3/P        |          |                  |    | 71.0#                         |  |
| LXRT |                                 | Four unit high, Standard  | 30 x 30 x 42" | SSQR4          |          |                  |    | 96.0#                         |  |
|      |                                 | Four unit high, Premium   | 30 x 30 x 42" | SSQR4/P        |          |                  |    | 96.0#                         |  |
|      | Narrow Trash Receptacle         | One unit high, Standard   | 12 x 30 x 12" | SRTR1          |          |                  |    | 18.0#                         |  |
|      |                                 | One unit high, Premium    | 12 x 30 x 12" | SRTR1/P        |          |                  |    | 18.0#                         |  |
|      |                                 | Two unit high, Standard   | 12 x 30 x 22" | SRTR2          |          |                  |    | 31.0#                         |  |
|      |                                 | Two unit high, Premium    | 12 x 30 x 22" | SRTR2/P        |          |                  |    | 31.0#                         |  |
| ~    |                                 | Three unit high, Standard | 12 x 30 x 32" | SRTR3          |          |                  |    | 44.0#                         |  |
| LXRT |                                 | Three unit high, Premium  | 12 x 30 x 32" | SRTR3/P        |          |                  |    | 44.0#                         |  |
|      |                                 | Four unit high, Standard  | 12 x 30 x 42" | SRTR4          |          |                  |    | 57.0#                         |  |
|      |                                 | Four unit high, Premium   | 12 x 30 x 42" | SRTR4/P        |          |                  |    | 57.0#                         |  |
|      | Quarter Circle Trash Receptacle | One unit high, Standard   | 30 x 30 x 12" | SQRR1          |          |                  |    | 26.0#                         |  |
|      |                                 | One unit high, Premium    | 30 x 30 x 12" | SQRR1/P        |          |                  |    | 26.0#                         |  |
|      |                                 | Two unit high, Standard   | 30 x 30 x 22" | SQRR2          |          |                  |    | 46.0#                         |  |
|      |                                 | Two unit high, Premium    | 30 x 30 x 22" | SQRR2/P        |          |                  |    | 46.0#                         |  |
|      |                                 | Three unit high, Standard | 30 x 30 x 32" | SQRR3          |          |                  |    | 69.0#                         |  |
| LXRT |                                 | Three unit high, Premium  | 30 x 30 x 32" | SQRR3/P        |          |                  |    | 69.0#                         |  |
|      |                                 | Four unit high, Standard  | 30 x 30 x 42" | SQRR4          |          |                  |    | 94.0#                         |  |
|      |                                 | Four unit high, Premium   | 30 x 30 x 42" | SQRR4/P        |          |                  |    | 94.0#                         |  |
|      |                                 |                           |               | A              | <b>B</b> | •                | 0  |                               |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

AF - Gloss finish - Granex finish (Premium) GX MT - Matte finish PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

DSelect fire retardant (FR).

NFR - No Fire Retardant - Fire retardant See pricing column for Fire Retardant upcharge.

#### FINISH INFORMATION

#### **Fire Retardant**

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup>.

Add FR to end of model number. Add upcharge.

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.



|    |         | FR     |      |
|----|---------|--------|------|
| De | livered | add to | list |
|    | cing    | price  |      |
| \$ | 1577    | \$     | 147  |
|    | 1891    |        | 147  |
|    | 2480    |        | 230  |
|    | 2973    |        | 230  |
|    | 3365    |        | 314  |
|    | 4034    |        | 314  |
|    | 4245    |        | 396  |
|    | 5096    |        | 396  |
| \$ | 1344    | \$     | 128  |
|    | 1615    |        | 128  |
|    | 2018    |        | 187  |
|    | 2421    |        | 187  |
|    | 2657    |        | 246  |
|    | 3185    |        | 246  |
|    | 3309    |        | 308  |
|    | 3971    |        | 308  |
| \$ | 1577    | \$     | 147  |
|    | 1891    |        | 147  |
|    | 2480    |        | 230  |
|    | 2973    |        | 230  |
|    | 3365    |        | 314  |
|    | 4034    |        | 314  |
|    | 4245    |        | 396  |
|    | 5096    |        | 396  |
|    |         |        |      |

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

## Logix® System Trash Receptacles

|      |                                   |                           |               | MODEL N        | UMBER    |                  |    |                               |
|------|-----------------------------------|---------------------------|---------------|----------------|----------|------------------|----|-------------------------------|
|      |                                   |                           |               |                |          |                  |    |                               |
|      | MODEL                             | Features                  | WxDxH         | Basic<br>Model | Finish   | Element<br>Color | FR | Approx.<br>Packaged<br>Weight |
|      | 12° Curved Trash Receptacle       | One unit high, Standard   | 30 x 30 x 12" | SCRR1          |          |                  |    | 28.0#                         |
|      |                                   | One unit high, Premium    | 30 x 30 x 12" | SCRR1/P        |          |                  |    | 28.0#                         |
|      |                                   | Two unit high, Standard   | 30 x 30 x 22" | SCRR2          |          |                  |    | 48.0#                         |
|      |                                   | Two unit high, Premium    | 30 x 30 x 22" | SCRR2/P        |          |                  |    | 48.0#                         |
|      |                                   | Three unit high, Standard | 30 x 30 x 32" | SCRR3          |          |                  |    | 71.0#                         |
|      |                                   | Three unit high, Premium  | 30 x 30 x 32" | SCRR3/P        |          |                  |    | 71.0#                         |
| LXRT |                                   | Four unit high, Standard  | 30 x 30 x 42" | SCRR4          |          |                  |    | 96.0#                         |
|      |                                   | Four unit high, Premium   | 30 x 30 x 42" | SCRR4/P        |          |                  |    | 96.0#                         |
|      | 45° Curved Wedge Trash Receptacle | One unit high, Standard   | 23 x 30 x 12" | SWGR1          |          |                  |    | 13.0#                         |
|      |                                   | One unit high, Premium    | 23 x 30 x 12" | SWGR1/P        |          |                  |    | 13.0#                         |
|      |                                   | Two unit high, Standard   | 23 x 30 x 22" | SWGR2          |          |                  |    | 24.0#                         |
|      |                                   | Two unit high, Premium    | 23 x 30 x 22" | SWGR2/P        |          |                  |    | 24.0#                         |
|      |                                   | Three unit high, Standard | 23 x 30 x 32" | SWGR3          |          |                  |    | 35.0#                         |
| LXRT |                                   | Three unit high, Premium  | 23 x 30 x 32" | SWGR3/P        |          |                  |    | 35.0#                         |
|      |                                   | Four unit high, Standard  | 23 x 30 x 42" | SWGR4          |          |                  |    | 47.0#                         |
|      |                                   | Four unit high, Premium   | 23 x 30 x 42" | SWGR4/P        |          |                  |    | 47.0#                         |
|      |                                   |                           |               | A              | <b>B</b> | <b>G</b>         | 0  |                               |

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect finish.

| AF            | - Gloss finish                       |
|---------------|--------------------------------------|
| GX            | - Granex finish (Premium)            |
| MT            | - Matte finish                       |
| PT            | - Polycrete finish                   |
| D = f = u + = | and a madala advisa at his a assault |

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only

- Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect fire retardant (FR).

|            | , |
|------------|---|
| NFR        | - No Fire Retardant                     |
| FR         | - Fire retardant                        |
| See pricir | ng column for Fire Retardan             |
| upcharge   |   |

#### FINISH INFORMATION

#### **Fire Retardant**

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup>.

Add FR to end of model number. Add upcharge.

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.



## Logix® System Trash Receptacles

| De<br>Pri | livered<br>cing | FR<br>add to<br>price | list |
|-----------|-----------------|-----------------------|------|
| \$        | 1577            | \$                    | 141  |
|           | 1891            |                       | 141  |
|           | 2480            |                       | 230  |
|           | 2973            |                       | 230  |
|           | 3365            |                       | 314  |
|           | 4034            |                       | 314  |
|           | 4245            |                       | 396  |
|           | 5096            |                       | 396  |
| \$        | 1344            | \$                    | 128  |
|           | 1615            |                       | 128  |
|           | 2018            |                       | 187  |
|           | 2421            |                       | 187  |
|           | 2657            |                       | 246  |
|           | 3185            |                       | 246  |
|           | 3309            |                       | 308  |
|           | 3971            |                       | 308  |
|           |                 |                       |      |

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

### Promenade® Seating System

General Information







Seat w/Fiberglass Table Elements PRM

|                             | Seating                            | g          | Beam Mounted       | Tables     |              | Fiberglass I | Elements, Freestanding or for attaching bea | am Freestanding C | ylindrical Elements |
|-----------------------------|------------------------------------|------------|--------------------|------------|--------------|--------------|---|-------------------|---------------------|
| Features                    | Seat                               | Bench      | Full Size          | Half Round | Corner Table | Square       | Half Round                                  | Planter           | Trash Receptacle    |
| Steel construction          | •                                  | •          | •                  |            | •            |              |   | •                 | •                   |
| Fiberglass construction     |                                    |            |                    |            |              | •            | •   | •                 | •                   |
| Upholstery available        | •                                  | •          |                    |            |              |              |   |                   |                     |
| Laminates available         |                                    |            | •                  | •          | •            | •            |   |                   |                     |
| Suitable for outdoor use    | •(ste                              | el) •(stee | el) •(steel)       |            | ●(steel)     | •            | •   |                   |                     |
| Dimensions                  |                                    |            |                    |            |              |              |   |                   |                     |
| overall width               | 21"                                | 21"        | 21"                | 201/4"     | 30"          | 221/2"       | 111⁄4"                                      | 16" & 20" dia.    | 16" & 20" dia.      |
| overall depth               | 263/16"                            | 22½"       | 221/2"             | 2½"        | 30"          | 221/2"       | 22½"  |                   |                     |
| overall height              | 31%"                               | 16"        | 16"                | 16"        | 16"          | 19" & 25"    | 19" & 25"                                   | 28" & 36"         | 28" & 36"           |
| seat height                 | 17%"                               | 16"        |                    |            |              |              |   |                   |                     |
| Bench w/fixed bases         |                                    | 14 1/8"*   |                    |            |              |              |   |                   |                     |
| Bench w/embedded bases      |                                    | 14 1/8"*   |                    |            |              |              |   |                   |                     |
| Bench w/movable bases       |                                    | 14 7/8" *( | w/glides fully ins | erted)     |              |              |   |                   |                     |
| Seat w/fixed bases          | 16"*                               |            |                    |            |              |              |   |                   |                     |
| Seat w/embedded bases       | 16"*                               |            |                    |            |              |              |   |                   |                     |
| Seat w/movable bases        | 16 <sup>3</sup> / <sub>4</sub> "   | * (w/glide | s fully inserted)  |            |              |              |   |                   |                     |
| Overall Dimensions          |                                    |            |                    |            |              |              |   |                   |                     |
| Seat height w/fixed bases   | 30"*                               |            |                    |            |              |              |   |                   |                     |
| Seat height w/embedded base | s 30"*                             |            |                    |            |              |              |   |                   |                     |
| Seat height w/movable base  | s 30 <sup>3</sup> / <sub>4</sub> " | * (w/glide | s fully inserted)  |            |              |              |   |                   |                     |

<sup>\*</sup>For units with upholstery, add additional 7/8" Note: Tables are the same height as benches. Glides could add 1/2" when fully extended.

#### **SPECIFICATIONS**

#### Seat, Benches, or Metal Tables with Perforated Steel Exteriors

14-ga. Sheet steel, die formed and welded to a 1" x 14 ga. Seam welded tubular steel frame. Perforations are 3/8" diameter.

#### Arms

Constructed of 1" x 14-ga. Tubular steel, die formed and welded to mounting yoke. Textured plastic arm cap is permanently attached.

#### Mounting

Seats, benches and tables have steel spiders and yokes welded into an integral unit. The yoke is placed over the steel beam and secured with bolts.

#### Beams

Beams 11-ga. 1-1/2" x 2" seamless steel. Plastic end caps.

#### Freestanding Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. Cast aluminum base is bolted to the column. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts. Adjustable glides.

#### Wallsaver Extension

Attaches to base with rear glide. Contacts the wall at the floor to prevent seat back from touching the wall. Black only.

#### **Anchored Base**

The base may be drilled for anchoring with 3/8" diameter bolts. Anchoring bolts not provided.

#### Embedded Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. 16" length for embedding in concrete. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts.

#### Metal Finsh

Indoor finishes are nonchipping epoxy powder, electrostatically applied, then baked on. Outdoor finishes are nonchipping polyester powder, electrostatically applied, then baked on over a rust-inhibiting sealer.

#### Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

#### "L" Corner Table Assembly

For mounting modular units at a 90 degree angle. Corners are formed by mounting beam extensions joined by a table top and supported by a leg for each beam. A 2-5/8" o.d. leg with a leveling glide supports the back corner of the table top. Corner table

surfaces match in-line tables.

#### Plastic Laminate In-line Tables

May be used in place of seats on the beam, or for corner table applications. Solid core top 7/8" thick consisting of high-density particle board with plastic laminate surface and vinyl bullnose edge. Rounded corners. For interior use only.

#### Fiberglass Elements

Dimensions shown are nominal. If dimensions are critical contact KI. Nominal 3/16" wall thickness. Sides which may have beams attached have 3/4" thick plywood embedded in fiberglass. These are drilled at the factory for beam installation as required by the order. Mounting hardware is supplied.


#### **Table Elements**

Half-round shapes have solid fiberglass table tops.

Full size shapes are available with fiberglass or plastic laminate table tops.

#### **Planter Elements**

# Promenade® Seating System General Information



Square shapes are available as planters with a fiberglass liner.

#### FIRE RETARDANTS

Fiberglass items:

Fire retardant treatment (FR) allows product to not exceed a peak heat release of 300 kW/ m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup> when tested to ASTM E1354.

Upholstered Seating items:

Fire retardant treatment (FR) allows seating products to be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.

### **Sand Weighting**

Fiberglass elements have an enclosed bottom. Bagged sand can be placed in the units when extra stability is needed.

#### Anchorina

Fiberglass elements may be anchored to floors or permanent hard surface. Factory installed 3/8" diameter holes can be specified and include expansion bolts.

### Order Review/Design Service

It is KI's policy with this product to check all incoming orders for accuracy. When ordering, please provide a plan-view sketch and identify desired components.

KI will provide a design and engineering service, upon request, to tailor this product to your needs. This includes a comprehensive proposal. Contact KI for further information.

#### INFORMATION

Designed by the KI Design Team.

#### C.O.M. and C.O.V. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 12" x 12" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional

in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Leather must be free of imperfections.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### INFORMATION

#### Warranty

Refer to KI Terms & Conditions document or visit ki.com

#### Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to

the Special Cost Request.

### Promenade® Seating System

Tandem Seating

|       | MODEL   | WxDxH         | Basic<br>Model | Table<br>Style | Frame<br>Color | Surface<br>Finish | Edge<br>Color | Upholstery<br>Color | Fire<br>Code |  |
|-------|---|---------------|----------------|----------------|----------------|-------------------|---------------|---------------------|--------------|--|
|       | SEAT - Armless Unupholstered with Mov-  | 45 x 26 x 32" | PRM2/S1/1T     |                |                |                   |               |                     |              |  |
|       | able Base   | 45 x 26 x 32" | PRM2/S2/0T     |                |                |                   |               |                     |              |  |
|       | <ul> <li>Seats and tables clamp to mounting<br/>beam. Tables interchange with seats</li> </ul>            | 69 x 26 x 32" | PRM3/S2/1T     |                |                |                   |               |                     |              |  |
|       | anywhere on the beam  | 69 x 26 x 32" | PRM3/S3/0T     |                |                |                   |               |                     |              |  |
|       | <ul> <li>Laminate tables are full size, 22-1/2" D x</li> </ul>  | 93 x 26 x32"  | PRM4/S3/1T     |                |                |                   |               |                     |              |  |
|       | 21" W   | 93 x 26 x32"  | PRM4/S4/0T     |                |                |                   |               |                     |              |  |
|       |   |               |                |                |                |                   |               |                     |              |  |
| PRM2  |   |               |                |                |                |                   |               |                     |              |  |
| PRM3  |   |               |                |                |                |                   |               |                     |              |  |
| PRM4  |   |               |                |                |                |                   |               |                     |              |  |
|       | SEAT - Armless Upholstered with Mov-  | 45 x 26 x 32" | PRM2U/S1/1T    |                |                |                   |               |                     |              |  |
|       | able Base   | 45 x 26 x 32" | PRM2U/S2/0T    |                |                |                   |               |                     |              |  |
|       | <ul> <li>Seats and tables clamp to mounting<br/>beam. Tables interchange with seats</li> </ul>            | 69 x 26 x 32" | PRM3U/S2/1T    |                |                |                   |               |                     |              |  |
|       | anywhere on the beam  | 69 x 26 x 32" | PRM3U/S3/0T    |                |                |                   |               |                     |              |  |
|       | <ul> <li>Laminate tables are full size, 22-1/2" D x</li> </ul>  | 93 x 26 x 32" | PRM4U/S3/1T    |                |                |                   |               |                     |              |  |
|       | 21" W   | 93 x 26 x 32" | PRM4U/S4/0T    |                |                |                   |               |                     |              |  |
|       | <ul> <li>Foam pads on upholstered units for ad-<br/>ditional comfort in interior settings. May</li> </ul> |               |                |                |                |                   |               |                     |              |  |
| PRM2U | be removed for cleaning or reupholstery   |               |                |                |                |                   |               |                     |              |  |
| PRM3U | - · · · · · · · · · · · · · · · · · · ·   |               |                |                |                |                   |               |                     |              |  |
| PRM4U |   |               |                |                |                |                   |               |                     |              |  |
|       |   |               | A              | ß              | G              | 0                 | <b>(3</b>     | (3                  | 0            |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect table style.

SL - Square laminate SM - Square Metal; add \$143

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select table edge color.
Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect TB133.

NFR - No TB133 fire retardant
FR - Fire retardant
See pricing column for TB133
upcharge.

#### FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.



# Promenade® Seating System Tandem Seating

| <br>Approx.<br>Packaged<br>Weight | Delivered<br>Pricing | Delivered<br>Pricing<br>Fabric Grade<br>1 & C.O.M. | Delivered<br>Pricing<br>Fabric Grade<br>2 | Delivered<br>Pricing<br>Fabric Grade<br>3 | Delivered<br>Pricing<br>Vinyl Group<br>2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P0 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P1 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P3 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P4 | TB133<br>add to list<br>price |
|-----------------------------------|----------------------|--|---|---|--|---|---|---|---|---|-------------------------------|
| 107.0#                            | \$ 1789              |  |   |   |  |   |   |   |   |   | N/A                           |
| 72.0#                             | 1566                 |  |   |   |  |   |   |   |   |   | N/A                           |
| 135.0#                            | 2302                 |  |   |   |  |   |   |   |   |   | N/A                           |
| 99.0#                             | 2078                 |  |   |   |  |   |   |   |   |   | N/A                           |
| 163.0#                            | 2816                 |  |   |   |  |   |   |   |   |   | N/A                           |
| 127.0#                            | 2590                 |  |   |   |  |   |   |   |   |   | N/A                           |
|                                   |                      |  |   |   |  |   |   |   |   |   |                               |
|                                   |                      |  |   |   |  |   |   |   |   |   |                               |
|                                   |                      |  |   |   |  |   |   |   |   |   |                               |
|                                   |                      |  |   |   |  |   |   |   |   |   |                               |
| 119.0#                            | N/A                  | \$ 2232  | \$ 2396                                   | \$ 2419                                   | \$ 2419                                  | \$ 2307   | \$ 2319   | \$ 2375   | \$ 2427   | \$ 2484   | \$ 149                        |
| 83.0#                             | N/A                  | 2008   | 2175                                      | 2196                                      | 2196                                     | 2068  | 2091  | 2148  | 2204  | 2259  | 149                           |
| 153.0#                            | N/A                  | 2966   | 3219                                      | 3250                                      | 3250                                     | 3073  | 3096  | 3182  | 3263  | 3348  | 226                           |
| 117.0#                            | N/A                  | 2742   | 2993                                      | 3023                                      | 3023                                     | 2836  | 2871  | 2954  | 3038  | 3124  | 226                           |
| 187.0#                            | N/A                  | 3703   | 4037                                      | 4079                                      | 4079                                     | 3842  | 3876  | 3988  | 4097  | 4208  | 300                           |
| 151.0#                            | N/A                  | 3478   | 3811                                      | 3851                                      | 3851                                     | 3605  | 3650  | 3762  | 3873  | 3984  | 300                           |
|                                   |                      |  |   |   |  |   |   |   |   |   |                               |

### OPTIONS

#### **Outdoor Coating**

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$154 3 place = \$210 4 place = \$258

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

### Promenade® Seating System

Tandem Seating

|         | MODEL NUMBER   |               |             |       |       |          |       |             |      |  |  |  |  |
|---------|--|---------------|-------------|-------|-------|----------|-------|-------------|------|--|--|--|--|
|         |  |               | WODEL NOW   | JLN   | 1     |          | T     |             | T    |  |  |  |  |
|         |  |               |             |       |       |          |       |             |      |  |  |  |  |
|         |  |               |             |       |       |          |       |             |      |  |  |  |  |
|         |  |               | Basic       | Table | Frame | Surface  | Edge  | Upholstery  | Fire |  |  |  |  |
|         | MODEL  | WxDxH         | Model       | Style | Color | Finish   | Color | Color       | Code |  |  |  |  |
|         | BENCH - Armless Unupholstered with   | 45 x 26 x 32" | PRM2/B1/1T  |       |       |          |       |             |      |  |  |  |  |
|         | Movable Base   | 45 x 26 x 32" | PRM2/B2/0T  |       |       |          |       |             |      |  |  |  |  |
|         | <ul> <li>Benches and tables clamp to mounting<br/>beam. Tables interchange with benches</li> </ul> | 69 x 26 x 32" | PRM3/B2/1T  |       |       |          |       |             |      |  |  |  |  |
|         | anywhere on the beam   | 69 x 26 x 32" | PRM3/B3/0T  |       |       |          |       |             |      |  |  |  |  |
|         | <ul> <li>Laminate tables are full size, 22-1/2" D x</li> </ul>                                     | 93 x 26 x32"  | PRM4/B3/1T  |       |       |          |       |             |      |  |  |  |  |
|         | 21" W  | 93 x 26 x32"  | PRM4/B4/0T  |       |       |          |       |             |      |  |  |  |  |
| PRM2    |  |               |             |       |       |          |       |             |      |  |  |  |  |
| PRM3    |  |               |             |       |       |          |       |             |      |  |  |  |  |
| PRM4    |  |               |             |       |       |          |       |             |      |  |  |  |  |
| $\sim$  | BENCH - Armless Upholstered with Mov-  | 45 x 26 x 32" | PRM2U/B1/1T |       |       |          |       |             |      |  |  |  |  |
|         | able Base  | 45 x 26 x 32" | PRM2U/B2/0T |       |       |          |       |             |      |  |  |  |  |
|         | <ul> <li>Benches and tables clamp to mounting</li> </ul>   | 69 x 26 x 32" | PRM3U/B2/1T |       |       |          |       |             |      |  |  |  |  |
|         | beam. Tables interchange with benches anywhere on the beam   | 69 x 26 x 32" | PRM3U/B3/0T |       |       |          |       |             |      |  |  |  |  |
|         | Laminate tables are full size, 22-1/2" D x   | 93 x 26 x32"  | PRM4U/B3/1T |       |       |          |       |             |      |  |  |  |  |
| •       | 21" W  | 93 x 26 x32"  | PRM4U/B4/0T |       |       |          |       |             |      |  |  |  |  |
| PRM2U   | Foam pads on upholstered units for ad-   |               | 3/2 // 01   |       |       |          |       |             |      |  |  |  |  |
| PRM3U   | ditional comfort in interior settings. May<br>be removed for cleaning or reupholstery              |               |             |       |       |          |       |             |      |  |  |  |  |
| PRM4U   | be removed for cleaning or reuphoistery  |               |             |       |       |          |       |             |      |  |  |  |  |
| TTUVITO |  |               | _           |       | _     |          |       | _           |      |  |  |  |  |
|         |  |               | A           | ₿     | Θ     | <b>O</b> | •     | <b>(3</b> ) | G    |  |  |  |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect table style.

SL - Square laminate
SM - Square Metal; add \$143

Select frame color.

style selections.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge

Select table edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge

style selections.

Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect TB133.

NFR - No TB133 fire retardant
FR - Fire retardant
See pricing column for TB133
upcharge.

#### FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.



# Promenade® Seating System Tandem Seating

| Approx.<br>Packaged<br>Weight | Delivered<br>Pricing | Delivered<br>Pricing<br>Fabric Grade<br>1 & C.O.M. | Delivered<br>Pricing<br>Fabric Grade<br>2 | Delivered<br>Pricing<br>Fabric Grade<br>3 | Delivered<br>Pricing<br>Vinyl Group<br>2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P0 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P1 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P3 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P4 | TB133<br>add to I<br>price |     |
|-------------------------------|----------------------|--|---|---|--|---|---|---|---|---|----------------------------|-----|
| 107.0#                        | \$ 1789              |  |   |   |  |   |   |   |   |   |                            | N/A |
| 72.0#                         | 1566                 |  |   |   |  |   |   |   |   |   |                            | N/A |
| 135.0#                        | 2302                 |  |   |   |  |   |   |   |   |   |                            | N/A |
| 99.0#                         | 2078                 |  |   |   |  |   |   |   |   |   |                            | N/A |
| 163.0#                        | 2816                 |  |   |   |  |   |   |   |   |   |                            | N/A |
| 127.0#                        | 2590                 |  |   |   |  |   |   |   |   |   |                            | N/A |
|                               |                      |  |   |   |  |   |   |   |   |   |                            |     |
|                               |                      |  |   |   |  |   |   |   |   |   |                            |     |
|                               |                      |  |   |   |  |   |   |   |   |   |                            |     |
| 119.0#                        | N/A                  | \$ 2232  | \$ 2396                                   | \$ 2419                                   | \$ 2419                                  | \$ 2307   | \$ 2319   | \$ 2375   | \$ 2427   | \$ 2484   | \$                         | 149 |
| 83.0#                         | N/A                  | 2008   | 2175                                      | 2196                                      | 2196                                     | 2068  | 2091  | 2148  | 2204  | 2259  |                            | 149 |
| 153.0#                        | N/A                  | 2966   | 3219                                      | 3250                                      | 3250                                     | 3073  | 3096  | 3182  | 3263  | 3348  |                            | 226 |
| 117.0#                        | N/A                  | 2742   | 2993                                      | 3023                                      | 3023                                     | 2836  | 2871  | 2954  | 3038  | 3124  |                            | 226 |
| 187.0#                        | N/A                  | 3703   | 4037                                      | 4079                                      | 4079                                     | 3842  | 3876  | 3988  | 4097  | 4208  |                            | 300 |
| 151.0#                        | N/A                  | 3478   | 3811                                      | 3851                                      | 3851                                     | 3605  | 3650  | 3762  | 3873  | 3984  |                            | 300 |
|                               |                      |  |   |   |  |   |   |   |   |   |                            |     |
|                               |                      |  |   |   |  |   |   |   |   |   |                            |     |

#### OPTIONS

#### **Outdoor Coating**

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$154 3 place = \$210 4 place = \$258

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

### Promenade® Seating System

**Seating Components** 

|        |   |                        |                   | MODEL NUMB     | ER                  |                     |              |
|--------|---|------------------------|-------------------|----------------|---------------------|---------------------|--------------|
|        |   |                        |                   |                |                     |                     |              |
|        |   |                        |                   |                |                     |                     |              |
|        |   |                        |                   |                | _                   |                     | <u></u>      |
|        | MODEL   | Features               | WxDxH             | Basic<br>Model | Frame<br>Color      | Upholstery<br>Color | Fire<br>Code |
|        | Armless Seat  | Perforated Steel Seat  | 21 x 22-1/2 x 16" | PRMSEAT        |                     | 00101               | Oouc         |
| LIDDDT | Heavy gauge perforated steel backrest   |                        |                   |                |                     |                     |              |
| HRDPT  | and seat welded to tubular steel frame  | (w/Outdoor Coating)    | 21 x 22-1/2 x 16" | PRMSEAT.OD     |                     |                     |              |
| PROMU  | <ul> <li>Seats clamp to mounting beam and may</li> </ul>  | Upholstered Seat       | 21 x 22-1/2 x 16" | PRSB           |                     |                     |              |
|        | be interchanged with full size tables   |                        |                   |                |                     |                     |              |
|        | <ul> <li>Foam pads on upholstered units for ad-<br/>ditional comfort in interior settings. May</li> </ul> |                        |                   |                |                     |                     |              |
|        | be removed for cleaning or reupholstery   |                        |                   |                |                     |                     |              |
|        | Seat price includes mounting beam   |                        |                   |                |                     |                     |              |
|        |   |                        |                   |                |                     |                     |              |
|        |   |                        |                   |                |                     |                     |              |
|        | Bench Seat  | Perforated Steel Bench | 21 x 26 x 32"     | PRMBENCH       |                     |                     |              |
|        | Heavy gauge perforated steel seat   | (w/Outdoor Coating)    | 21 x 26 x 32"     | PRMBENCH.OD    |                     |                     |              |
|        | welded to tublular steel frame • Seats clamp to mounting beam and may                                     | Upholstered Bench      | 21 x 26 x 32"     | PRMB           |                     |                     |              |
| HRDPT  | be interchanged with full size tables   |                        |                   |                |                     |                     |              |
| PROMU  | Foam pads on upholstered units for ad-  |                        |                   |                |                     |                     |              |
|        | ditional comfort in interior settings. May  |                        |                   |                |                     |                     |              |
|        | <ul><li>be removed for cleaning or reupholstery</li><li>Seat price includes mounting beam</li></ul>       |                        |                   |                |                     |                     |              |
|        | • Seat price includes mounting beam   |                        |                   |                |                     |                     |              |
|        |   |                        |                   |                |                     |                     |              |
|        |   |                        |                   |                |                     |                     |              |
|        |   |                        |                   | A              | $oldsymbol{\Theta}$ | œ                   | 0            |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select frame color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect TB133.

NFR - No TB133 fire retardant
FR - Fire retardant
See pricing column for TB133
upcharge.

#### FINISH INFORMATION

#### C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

Benches require 3/4 yards of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

#### California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

#### OPTIONS

#### **Outdoor Coating**

Model numbers that end in OD indicate they are manufactured with outdoor coating.



# Promenade® Seating System Seating Components

| Approx.<br>Packaged<br>Weight | ivered<br>cing | Delivered<br>Pricing<br>Fabric Grade<br>1 & C.O.M. | Delivered<br>Pricing<br>Fabric Grade<br>2 | Delivered<br>Pricing<br>Fabric Grade<br>3 | Delivered<br>Pricing<br>Vinyl Group<br>2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P0 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P1 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P2 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P3 | Delivered<br>Pricing<br>Pallas Fabric<br>Group P4 | TB133<br>add to list<br>price |
|-------------------------------|----------------|--|---|---|--|---|---|---|---|---|-------------------------------|
| 24.0#                         | \$<br>514      |  |   |   |  |   |   |   |   |   | N/A                           |
| 24.0#                         | 562            |  |   |   |  |   |   |   |   |   | N/A                           |
| 30.0#                         | N/A            | 738  | 820                                       | 828                                       | 828                                      | 767   | 779   | 809   | 832   | 864   | 73                            |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
| 20.0#                         | \$<br>514      |  |   |   |  |   |   |   |   |   | N/A                           |
| 20.0#                         | 562            |  |   |   |  |   |   |   |   |   | N/A                           |
| 25.0#                         | N/A            | 738  | 820                                       | 828                                       | 828                                      | 767   | 779   | 809   | 832   | 864   | 73                            |
|                               |                |  |   |   |  |   |   |   |   |   |                               |
|                               |                |  |   |   |  |   |   |   |   |   |                               |

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Promenade® Seating System Arm and Base Components

|                    |  |                                  | MODEL NUMBER            | R              |                               |  |
|--------------------|--|----------------------------------|-------------------------|----------------|-------------------------------|--|
|                    | MODEL  | Features                         | Basic<br>Model          | Frame<br>Color | Approx.<br>Packaged<br>Weight |  |
|                    | Universal Loop Arm   | Tubular Steel Armrest            | PRMLA                   |                | 7.0#                          |  |
|                    | <ul> <li>May be used individually or in pairs<br/>between each pair of seats</li> <li>Clamps to beam and is secured with<br/>bolts. Removable</li> <li>Arm has black high-impact rigid PVC<br/>armrest permanently attached</li> </ul> | (w/Outdoor Coating)              | PRMLA.OD                |                | 7.0#                          |  |
| HRDPT              |  |                                  |                         |                |                               |  |
|                    | Freestanding Base  | Fixed Inboard Base               | PRMFBASE                |                | 10.0#                         |  |
|                    | <ul> <li>Heavy gauge tubular steel column. Cast<br/>aluminum leg with adjustable glides</li> </ul>   | (w/Outdoor Coating)              | PRMFBASE.OD             |                | 10.0#                         |  |
|                    | · Clamps to beam directly or may be used   | Fixed Outboard Base              | PRMFOBASE               |                | 10.0#                         |  |
|                    | for clamping to seats or tables and the  | (w/Outdoor Coating)              | PRMFOBASE.OD            |                | 10.0#                         |  |
| PRMFOBASE PRMFBASE | <ul><li>beam. Secured with bolts. Removable</li><li>Base is drilled for anchoring bolts when</li></ul>   | Movable Inboard Base             | PRMMBASE                |                | 10.0#                         |  |
|                    | fixed base ontion is specified   | (w/Outdoor Coating)              | PRMMBASE.OD             |                | 10.0#                         |  |
|                    | Inboard base sits directly under center of   | Movable Outboard Base            | PRMMOBASE               |                | 10.0#                         |  |
|                    | <ul><li>Seat</li><li>Outboard base can be attached at any</li></ul>  | (w/Outdoor Coating)              | PRMMOBASE.OD            |                | 10.0#                         |  |
| 9 9                | location on the beam   |                                  |                         |                |                               |  |
| PRMMOBASE PRMMBASE |  |                                  |                         |                |                               |  |
|                    |  |                                  |                         |                |                               |  |
| HRDPT              | Forbodded Book   | Fach added in Occasion laborated | DDMEDAGE                |                | 0.0#                          |  |
|                    | <ul><li>Embedded Base</li><li>Heavy gauge tubular steel column has</li></ul>   | Embedded in Concrete Inboard     | PRMEBASE<br>PRMEBASE.OD |                | 8.0#<br>8.0#                  |  |
|                    | extra length.  | (w/Outdoor Coating)              |                         |                |                               |  |
| H H                | Clamps to beam directly or may be used   | Embedded in Concrete Outboard    | PRMEOBASE               |                | 8.0#                          |  |
| $\Psi$             | for clamping to seats or tables and the beam. Secured with bolts. Removable  | (w/Outdoor Coating)              | PRMEOBASE.OD            |                | 8.0#                          |  |
| PRMEOBASE PRMEBASE | beam. Secured with boils. Hemovable  |                                  |                         |                |                               |  |
| HRDPT              |  |                                  |                         |                |                               |  |
| ו וטווו            | Back-to-Back Ganging Bar   |                                  | 87.6232                 |                | 5.0#                          |  |
|                    | Connects two units back to back  | (w/Outdoor Coating)              | 87.6232.0D              |                | 5.0#                          |  |
| ME                 |  | (w/outdoor ooatmg)               | 07.0232.00              |                | J.01r                         |  |
|                    |  |                                  |                         |                |                               |  |
|                    |  |                                  |                         |                |                               |  |
| HRDPT              |  |                                  |                         |                |                               |  |
|                    | Wallsaver Extension  |                                  | PWSE.BL                 |                | 1.0#                          |  |
| HRDPT              | · Heavy gauge steel, held in place by rear   |                                  |                         |                |                               |  |
|                    | glide  Available in black only   |                                  |                         |                |                               |  |
|                    | Available in black only  |                                  |                         |                |                               |  |
|                    |  |                                  | A                       | <b>B</b>       |                               |  |
|                    |  |                                  | w                       | บ              |                               |  |

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

#### OPTIONS

**Outdoor Coating**Model numbers that end in OD indicate they are manufactured with outdoor coating.



## Promenade® Seating System Arm and Base Components

| D  | elivered   |  |
|----|------------|--|
| Pi | ricing     |  |
| \$ | 129        |  |
|    | 136        |  |
|    |            |  |
|    |            |  |
|    |            |  |
|    |            |  |
| 6  | 295        |  |
| Φ  | 325        |  |
|    | 295        |  |
|    | 325        |  |
|    | 269        |  |
|    | 296        |  |
|    | 269        |  |
|    | 296        |  |
|    |            |  |
|    |            |  |
|    |            |  |
|    |            |  |
| \$ | 174        |  |
|    | 193        |  |
|    | 174        |  |
|    | 193        |  |
|    |            |  |
|    |            |  |
| Φ. | 105        |  |
| \$ | 105<br>113 |  |
|    | 113        |  |
|    |            |  |
|    |            |  |
|    |            |  |
| \$ | 58         |  |
| Ψ  | - 55       |  |

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

|  |                           |                  | MODEL NUMBE    | 3            |        |                  |               |          |                               |
|--|---------------------------|------------------|----------------|--------------|--------|------------------|---------------|----------|-------------------------------|
|  |                           |                  |                |              |        |                  |               |          |                               |
|  | Features                  | W x D            | Basic<br>Model | Beam<br>Type | Finish | Element<br>Color | Top<br>Insert | FR       | Approx.<br>Packaged<br>Weight |
| _  | Standard 19" H, 1 Segment | 22-1/2 x 22-1/2" | PRMSBE191PL    |              |        |                  |               |          | 69.0#                         |
|  | Premium 19" H, 1 Segment  | 22-1/2 x 22-1/2" | PRMSBE191PL/P  |              |        |                  |               |          | 69.0#                         |
|  |                           |                  |                |              |        |                  |               |          |                               |
|  |                           |                  |                |              |        |                  |               |          |                               |
|  |                           |                  |                |              |        |                  |               |          |                               |
| PROM   |                           |                  |                |              |        |                  |               |          |                               |
| Cube Fiberglass Element-Planter                                    |                           |                  |                |              |        |                  |               |          |                               |
| <ul> <li>Available as planter or tabletop with</li> </ul>          |                           |                  |                |              |        |                  |               |          |                               |
| fiberglass or laminate inserts  • Mounting beam for seating may be |                           |                  |                |              |        |                  |               |          |                               |
| attached to 1, 2, 3 or 4 sides                                     |                           |                  |                |              |        |                  |               |          |                               |
| Seamless one-piece molded  |                           |                  |                |              |        |                  |               |          |                               |
| fiberglass construction for strength.                              |                           |                  |                |              |        |                  |               |          |                               |
| Sides have 3/4" plywood embedded in fiberglass                     |                           |                  |                |              |        |                  |               |          |                               |
| <ul> <li>Cement weighting or anchoring to the</li> </ul>           | )                         |                  |                |              |        |                  |               |          |                               |
| floor is optional  |                           |                  |                |              |        |                  |               |          |                               |
|  | Standard 19" H, 1 Segment | 22-1/2 x 22-1/2" | PRMSBE191FG    |              |        |                  |               |          | 60.0#                         |
| PROM   | Premium 19" H, 1 Segment  | 22-1/2 x 22-1/2" | PRMSBE191FG/P  |              |        |                  |               |          | 60.0#                         |
| Cube Fiberglass Element-Fiberglass<br>Table Top                    |                           |                  |                |              |        |                  |               |          |                               |
|  | Standard 19" H, 1 Segment | 22-1/2 x 22-1/2" | PRMSBE191LA    |              |        |                  |               |          | 63.0#                         |
| PROM   | Premium 19" H, 1 Segment  | 22-1/2 x 22-1/2" | PRMSBE191LA/P  |              |        |                  |               |          | 63.0#                         |
| Cube Fiberglass Element-Laminate<br>Table Top                      |                           |                  |                |              |        |                  |               |          |                               |
|  |                           |                  | •              | <b>3</b>     | 0      | <b>O</b>         | <b>3</b>      | <b>3</b> |                               |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect number of sides w/beams.

| UU    | - Square base, Freestanding |
|-------|-----------------------------|
| 01    | - Square Base, 1 Side       |
| 02    | - Square Base, 2 Opposite   |
| Sides |                             |
| 03    | - Square Base, 3 Sides      |
| 04    | - Square Base, 4 Sides      |
| A2    | - Square Base, 2 Adjacent   |

Sides Select finish.

| AF       | - Gloss finish                                 |
|----------|--|
| GX       | - Granex finish                                |
| MT       | - Matte finish                                 |
| PT       | <ul> <li>Polycrete finish (Premium)</li> </ul> |
| Refer to | color addendum at ki.com or KI                 |
| Fabrics  | & Finishes binder.                             |

DSelect element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select element top surface.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire retardant (FR).

- Fire retardant - No Fire Retardant See pricing column for Fire Retardant

#### FINISH INFORMATION

#### **Fire Retardant**

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m<sup>2</sup> at a heat flux of 50 kW/m2.

Add FR to end of model number. Add upcharge.

#### **Anchoring**

Factory applied 3/8" diameter holes on bottom of element. Add /AN to end of model number. Upcharge \$46/element

#### **Concrete Weighting**

Factory applied concrete. Add /CW to end of model number. Upcharge \$186/element



| F | Delivered<br>Pricing | FR<br>add to<br>price |     |
|---|----------------------|-----------------------|-----|
| 9 | \$ 2034              |                       | 177 |
|   | 2202                 |                       | 177 |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   |                      |                       |     |
|   | \$ 1694              | \$                    | 169 |
| 4 | 1863                 |                       | 169 |
|   | 1000                 |                       | 103 |
|   |                      |                       |     |
| 9 | \$ 1694              | \$                    | 169 |
| • | 1863                 |                       | 169 |
|   |                      |                       |     |
|   |                      |                       |     |

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

|  |                           |                  | MODEL NUMBER      | 3                   |        |                  |               |             |                    |  |  |
|--|---------------------------|------------------|-------------------|---------------------|--------|------------------|---------------|-------------|--------------------|--|--|
|  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
|  |                           |                  |                   |                     |        |                  | _             |             | Approx.            |  |  |
|  | Features                  | WxD              | Basic<br>Model    | Beam<br>Type        | Finish | Element<br>Color | Top<br>Insert | FR          | Packaged<br>Weight |  |  |
|  | Standard 25" H, 1 Segment | 22-1/2 x 22-1/2" | PRMSBE251PL       |                     |        |                  |               |             | 84.0#              |  |  |
|  | Premium 25" H, 1 Segment  | 22-1/2 x 22-1/2" | PRMSBE251PL/P     |                     |        |                  |               |             | 84.0#              |  |  |
|  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
|  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
|  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
|  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
|  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| PROM   |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| Square Fiberglass Element-Planter  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| <ul> <li>Available as planter or tabletop with<br/>fiberglass or laminate inserts</li> </ul> |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| Mounting beam for seating may be   |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| attached to 1, 2, 3 or 4 sides   |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| <ul> <li>Seamless one-piece molded<br/>fiberglass construction for strength.</li> </ul>      |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| Sides have 3/4" plywood embedded   |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| in fiberglass  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| <ul> <li>Cement weighting or anchoring to the<br/>floor is optional</li> </ul>               |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| поот 15 орионат  | Standard 25" H, 1 Segment | 22-1/2 x 22-1/2" | PRMSBE251FG       |                     |        |                  |               |             | 75.0#              |  |  |
| PROM   | Premium 25" H, 1 Segment  | 22-1/2 x 22-1/2" | PRMSBE251FG/P     |                     |        |                  |               |             | 75.0#              |  |  |
| Square Fiberglass Element-Fiberglass   |                           | LL 1/L X LL 1/L  | T THINOBEZOTI G/T |                     |        |                  |               |             | 10.0#              |  |  |
| Table Top  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
|  | Standard 25" H, 1 Segment | 22-1/2 x 22-1/2" | PRMSBE251LA       |                     |        |                  |               |             | 78.0#              |  |  |
| PROM   | Premium 25" H, 1 Segment  | 22-1/2 x 22-1/2" | PRMSBE251LA/P     |                     |        |                  |               |             | 78.0#              |  |  |
| Square Fiberglass Element-Laminate<br>Table Top  |                           |                  |                   |                     |        |                  |               |             |                    |  |  |
| ·  |                           |                  |                   | -                   | •      | -                | •             | •           |                    |  |  |
|  |                           |                  | A                 | $oldsymbol{\Theta}$ | Θ      | O                | <b>(3</b>     | <b>(3</b> ) |                    |  |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select number of sides w/beams.

| g |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

**G**Select finish

| AF       | - Gloss finish                                 |
|----------|--|
| GX       | - Granex finish                                |
| MT       | - Matte finish                                 |
| PT       | <ul> <li>Polycrete finish (Premium)</li> </ul> |
| Refer to | color addendum at ki.com or KI                 |
| Fabrics  | & Finishes binder.                             |

DSelect element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select element top surface.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire retardant (FR).

- Fire retardant - No Fire Retardant See pricing column for Fire Retardant

FINISH INFORMATION

#### **Fire Retardant**

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m<sup>2</sup> at a heat flux of 50 kW/m<sup>2</sup>.

Add FR to end of model number. Add upcharge.

#### **Anchoring**

Factory applied 3/8" diameter holes on bottom of element. Add /AN to end of model number. Upcharge \$46/element

#### **Concrete Weighting**

Factory applied concrete. Add /CW to end of model number. Upcharge \$186/element



|                   | -ED                   |            |
|-------------------|-----------------------|------------|
| Delivered         | FR<br>add to<br>price | list       |
| Delivered Pricing | price                 |            |
| \$ 2202           | \$                    | 211        |
| 2373              |                       | 211        |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
|                   |                       |            |
| ♠ 0070            | \$                    | 174        |
| \$ 2373<br>2540   | Þ                     | 174<br>174 |
| 2040              |                       | 1/4        |
|                   |                       |            |
| \$ 2202           | ¢                     | 174        |
| 2373              | φ                     | 174        |
| 23/3              |                       | 174        |
|                   |                       |            |

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

### Promenade® Seating System

Fiberglass Elements

|      |  |                               |                  | MODEL NUMB     | ER     |                  |    |  |
|------|--|-------------------------------|------------------|----------------|--------|------------------|----|--|
|      | MODEL  | Features                      | W x D            | Basic<br>Model | Finish | Element<br>Color | FR |  |
|      | Half Round Fiberglass Element  | Standard 19" H Fiberglass Top | 11-1/4 x 22-1/2" | PRMHBE191      |        |                  |    |  |
|      | <ul> <li>Available with one-piece fiberglass top<br/>only</li> </ul>                         | Premium 19" H Fiberglass Top  | 11-1/4 x 22-1/2" | PRMHBE191/P    |        |                  |    |  |
|      | <ul> <li>Mounting beam for seating attaches to</li> </ul>                                    | Standard 25" H Fiberglass Top | 11-1/4 x 22-1/2" | PRMHBE251      |        |                  |    |  |
|      | straight side. Drilled at factory to fasten  | Premium 25" H Fiberglass Top  | 11-1/4 x 22-1/2" | PRMHBE251/P    |        |                  |    |  |
|      | beam   |                               |                  |                |        |                  |    |  |
|      | <ul> <li>Seamless one-piece molded fiberglass construction for strength. Straight</li> </ul> |                               |                  |                |        |                  |    |  |
|      | sides have 3/4" plywood embedded in  |                               |                  |                |        |                  |    |  |
|      | fiberglass   |                               |                  |                |        |                  |    |  |
|      | <ul> <li>Cement weighting or anchoring to the<br/>floor are optional</li> </ul>              |                               |                  |                |        |                  |    |  |
|      | For stability element is always connected.   |                               |                  |                |        |                  |    |  |
|      | to beam  |                               |                  |                |        |                  |    |  |
| PROM |  |                               |                  |                |        |                  |    |  |
|      |  |                               |                  | A              | 3      | •                | 0  |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect finish.

| AF    | - Gloss finish           |
|-------|--------------------------|
| GX    | - Granex finish          |
| MT    | - Matte finish           |
| PT    | - Polycrete finish (Pre- |
| mium) |                          |
|       |                          |

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select element color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select fire retardant (FR).

FR - Fire retardant

NFR - No Fire Retardant See pricing column for Fire Retardant upcharge.

#### FINISH INFORMATION

#### Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number. Add upcharge.

#### Anchoring

Factory applied 3/8" diameter holes on bottom of element. Add /AN to end of model number. Upcharge \$46/element

#### **Concrete Weighting**

Factory applied concrete.

Add /CW to end of model number.
Upcharge \$186/element

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.



| Approx.<br>Packaged<br>Weight | Delivered<br>Pricing | FR<br>add to<br>price | list |
|-------------------------------|----------------------|-----------------------|------|
| 22.0#                         | \$ 1186              | \$                    | 91   |
| 22.0#                         | 1354                 |                       | 91   |
| 28.0#                         | 1354                 |                       | 107  |
| 28.0#                         | 1523                 |                       | 107  |
|                               |                      |                       |      |

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Promenade® Seating System Beam Mounted Tables

|  |   |                   | MODEL NUMBI    | R               |                  |               |                               |
|--|---|-------------------|----------------|-----------------|------------------|---------------|-------------------------------|
|  | Features  | WxDxH             | Basic<br>Model | Table<br>Finish | Table<br>Surface | Edge<br>Color | Approx.<br>Packaged<br>Weight |
|  | Full Size Perforated Steel                        | 21 x 22-1/2 x 16" | PRMSMT         |                 |                  |               | 34.0#                         |
|  | (w/Outdoor Coating)                               | 21 x 22-1/2 x 16" | PRMSMT.OD      |                 |                  |               | 34.0#                         |
|  | Full Size Plastic Laminate                        | 21 x 22-1/2 x 16" | PRMSLT         |                 |                  |               | 15.0#                         |
|  |   |                   |                |                 |                  |               |                               |
|  |   |                   |                |                 |                  |               |                               |
|  |   |                   |                |                 |                  |               |                               |
| HRDPT  |   |                   |                |                 |                  |               |                               |
| PMSL   |   |                   |                |                 |                  |               |                               |
| Beam Mounted Inline Full Size Tables   |   |                   |                |                 |                  |               |                               |
| Tables clamp to mounting beam and  |   |                   |                |                 |                  |               |                               |
| are secured with bolts   |   |                   |                |                 |                  |               |                               |
| Full size table may be interchanged  |   |                   |                |                 |                  |               |                               |
| <ul><li>with seat or bench</li><li>Table price includes mounting beam</li></ul>  |   |                   |                |                 |                  |               |                               |
| Plastic laminate tables are suitable   |   |                   |                |                 |                  |               |                               |
| for indoor applications only   |   |                   |                |                 |                  |               |                               |
|  | Connects to 1 Freestanding Unit, Perforated Steel | 30 x 30 x 16"     | PRMSMTL0       |                 |                  |               | 90.0#                         |
|  | (w/Outdoor Coating)                               | 30 x 30 x 16"     | PRMSMTLO.OD    |                 |                  |               | 90.0#                         |
|  | Connects 2 Freestanding Units, Perforated Steel   | 30 x 30 x 16"     | PRMSMTL        |                 |                  |               | 90.0#                         |
| -  | (w/Outdoor Coating)                               | 30 x 30 x 16"     | PRMSMTL.OD     |                 |                  |               | 90.0#                         |
|  | Connects to 1 Freestanding Unit, Laminate         | 30 x 30 x 16"     | PRMSLTL0       |                 |                  |               | 66.0#                         |
|  | Connects 2 Freestanding Units, Laminate           | 30 x 30 x 16"     | PRMSLTL        |                 |                  |               | 66.0#                         |
| U  |   |                   |                |                 |                  |               |                               |
| HRDPT  |   |                   |                |                 |                  |               |                               |
| PMSC   |   |                   |                |                 |                  |               |                               |
| Beam Mounted Corner Table  |   |                   |                |                 |                  |               |                               |
| Heavy gauge steel surface welded to  |   |                   |                |                 |                  |               |                               |
| a tubular steel frame  |   |                   |                |                 |                  |               |                               |
| Tables clamp to mounting beam and  |   |                   |                |                 |                  |               |                               |
| <ul><li>are secured with bolts</li><li>Joins two units at right angles</li></ul> |   |                   |                |                 |                  |               |                               |
| <ul> <li>May be attached to one unit at end</li> </ul>                           |   |                   |                |                 |                  |               |                               |
| When specifying, units to be attached  |   |                   |                |                 |                  |               |                               |
| must be identified  Includes corner table leg and mount-                         |   |                   |                |                 |                  |               |                               |
| ing beam extensions  |   |                   |                |                 |                  |               |                               |
| <ul> <li>Outboard bases must be ordered</li> </ul>                               |   |                   |                |                 |                  |               |                               |
| separately (1 per connection)  |   |                   |                |                 |                  |               |                               |
|  |   |                   | A              | B               | Θ                | 0             |                               |
|  |   |                   | •              | U               | •                | •             |                               |

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select metal component color.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

#### **OPTIONS**

#### **Outdoor Coating**

Model numbers that end in OD indicate they are manufactured with outdoor coating.



## Promenade® Seating System Beam Mounted Tables

| Delivered |
|-----------|
| Pricing   |
| \$ 513    |
| 561       |
|           |
| 337       |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
| A         |
| \$ 1142   |
| 1254      |
| 1192      |
| 1310      |
|           |
| 641       |
| 1175      |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |
|           |

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

General Information





Radius Square - RSR2436

Center - RSQ483616

#### **Features**

| Recycling logo and label   | • | • |
|----------------------------|---|---|
| Seamless molded fiberglass | • | • |
| Two-part container         | • | • |
| Indoor/outdoor use         | • | • |
| Finishes                   |   |   |
| Gloss                      | • | • |
| Matte                      | • | • |
| Polycrete                  | • | • |
| Granex                     | • | • |

#### **SPECIFICATIONS**

#### Dimensions

Nominal dimensions are given. If dimensions are critical, please write for exact measurements.

#### **Logos and Labeling**

Vinyl die-cut recycling logo and label. Factory applied.

#### **Custom Work**

We welcome the opportunity to discuss variations of standard product design, including special sizes and details. We also welcome the challenge or quoting on your special project requirements.

#### Fiberglass Finishes

Gloss - Integrally colored gel coat buffed to a smooth shiny finish.

Matte - Integrally colored gel coat sanded to remove the gloss and coated with a dull finishing sealer.

Polycrete - Natural sand is embedded into

colored gel coat then sand blasted to a smooth finish. Surface is coated with a dull finishing sealer.

Granex - Synthetic granules are embedded into layers of polyester resin to create a unique speckled appearance with exceptional durability.

#### Maintenance

Fiberglass should be cleaned as required with a soft damp cloth, using any mild detergent cleaner or spray cleaner.

#### Fire Retardants

Fire retardant treatment (FR) allows product to not exceed a peak heat release of 300 kW/  $\rm m^2$  at a heat flux of 50 kW/m² when tested to ASTM E1354.



# Reclaim® Recycling Containers and Centers General Information

### INFORMATION

Refer to KI Terms & Conditions document or visit ki.com

Containers

|    |  |                            |               | MODEL NUI  | MRFR     |       |        |          |    |  |
|----|--|----------------------------|---------------|------------|----------|-------|--------|----------|----|--|
|    |  |                            |               | MODEL NO   | VIDEN    |       |        |          |    |  |
|    |  |                            |               |            |          |       |        |          |    |  |
|    |  |                            |               | Basic      | Opening  | Decal |        | Element  |    |  |
|    | MODEL  | Features                   | WxDxH         | Model      | One      | Color | Finish | Color    | FR |  |
|    | Radius Square Container  | Standard, 24 gal. Capacity | 18 x 18 x 24" | RSR1824    |          |       |        |          |    |  |
| RS | Two part container     Ton lifts off for complains                     | Premium, 24 gal. Capacity  | 18 x 18 x 24" | RSR1824/P  |          |       |        |          |    |  |
|    | <ul><li>Top lifts off for emptying</li><li>Bag ring included</li></ul> | Standard, 42 gal. Capacity | 18 x 18 x 36" | RSR1836    |          |       |        |          |    |  |
|    | Dag mg moladoa   | Premium, 42 gal. Capacity  | 18 x 18 x 36" | RSR1836/P  |          |       |        |          |    |  |
|    |  | Standard, 57 gal. Capacity | 21 x 21 x 36" | RSR2136    |          |       |        |          |    |  |
|    |  | Premium, 57 gal. Capacity  | 21 x 21 x 36" | RSR2136/P  |          |       |        |          |    |  |
|    |  | Standard, 74 gal. Capacity | 24 x 24 x 36" | RSR2436    |          |       |        |          |    |  |
|    |  | Premium, 74 gal. Capacity  | 24 x 24 x 36" | RSR2436/P  |          |       |        |          |    |  |
|    | Radius Square Container with Liner                                     | Standard, 24 gal. Capacity | 18 x 18 x 24" | RSR1824L   |          |       |        |          |    |  |
| RS |  | Premium, 24 gal. Capacity  | 18 x 18 x 24" | RSR1824L/P |          |       |        |          |    |  |
|    |  | Standard, 42 gal. Capacity | 18 x 18 x 36" | RSR1836L   |          |       |        |          |    |  |
|    |  | Premium, 42 gal. Capacity  | 18 x 18 x 36" | RSR1836L/P |          |       |        |          |    |  |
|    |  | Standard, 57 gal. Capacity | 21 x 21 x 36" | RSR2136L   |          |       |        |          |    |  |
|    |  | Premium, 57 gal. Capacity  | 21 x 21 x 36" | RSR2136L/P |          |       |        |          |    |  |
|    |  | Standard, 74 gal. Capacity | 24 x 24 x 36" | RSR2436L   |          |       |        |          |    |  |
|    |  | Premium, 74 gal. Capacity  | 24 x 24 x 36" | RSR2436L/P |          |       |        |          |    |  |
|    |  |                            |               | A          | <b>3</b> | Θ     | 0      | <b>3</b> | •  |  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select opening one.

C1 - Cans 4" Dia
G1 - Glass 5-1/2" Dia
L1 - Plastic 5-1/2" Dia
P1 - Paper 2"x11"
W1 - Waste Single 9" Dia, Centers
5-1/2" x 11" Oval

Select decal color.

B - Black H - White

Select finish.

AF - Gloss finish
GX - Granex finish (Premium)
MT - Matte finish
PT - Polycrete finish

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only Select element color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select fire retardant (FR).

FR - Fire retardant
NFR - No Fire Retardant
See pricing column for Fire Retard

See pricing column for Fire Retardant upcharge.

#### FINISH INFORMATION

#### Fire Retardant

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m².

Add FR to end of model number. Add upcharge.

#### **Concrete Weighting**

Factory applied concrete. Add /CW to end of model number. Upcharge \$180/element

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.



| Approx.<br>Packaged<br>Weight | Delivered<br>Pricing | FR<br>add to<br>price | list |
|-------------------------------|----------------------|-----------------------|------|
| 27.0#                         | \$ 897               | \$                    | 8    |
| 27.0#                         | 1078                 |                       | 8    |
| 28.0#                         | 1137                 |                       | 10   |
| 28.0#                         | 1361                 |                       | 10   |
| 30.0#                         | 1228                 |                       | 114  |
| 30.0#                         | 1473                 |                       | 114  |
| 32.0#                         | 1361                 |                       | 129  |
| 32.0#                         | 1631                 |                       | 129  |
| 27.0#                         | \$ 1074              | \$                    | 8    |
| 27.0#                         | 1254                 |                       | 86   |
| 28.0#                         | 1327                 |                       | 105  |
| 28.0#                         | 1553                 |                       | 105  |
| 30.0#                         | 1435                 |                       | 114  |
| 30.0#                         | 1682                 |                       | 114  |
| 32.0#                         | 1588                 |                       | 129  |
| 32.0#                         | 1859                 |                       | 12   |

#### **Bottom Rubber Edging**

To order replacement bottom rubber edging, specify #13.0424 at \$3 per foot list price.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #150.

Center

|   |                        |               | MODEL NUM      | MODEL NUMBER   |                |                  |                 |                |        |         |    |
|---|------------------------|---------------|----------------|----------------|----------------|------------------|-----------------|----------------|--------|---------|----|
|   | Features               | WxDxH         | Basic<br>Model | Opening<br>One | Opening<br>Two | Opening<br>Three | Opening<br>Four | Decal<br>Color | Finish | Element | FR |
|   | Standard, 40 gal. Cap. | 24 x 16 x 36" | RSD243616      |                | IWO            | Tillee           | roui            |                |        | Color   |    |
|   | Premium, 40 gal. Cap.  | 24 x 16 x 36" | RSD243616/P    |                |                |                  |                 |                |        |         |    |
| MAST GAS MIT COS  | Standard, 60 gal. Cap. | 36 x 16 x 36" | RST363616      |                |                |                  |                 |                |        |         |    |
| WASTE CHASS NOTE  | Premium, 60 gal. Cap.  | 36 x 16 x 36" | RST363616/P    |                |                |                  |                 |                |        |         |    |
|   | Standard, 80 gal. Cap. | 48 x 16 x 36" | RSQ483616      |                |                |                  | 100             |                |        |         |    |
|   | Premium, 80 gal. Cap.  | 48 x 16 x 36" | RSQ483616/P    |                |                |                  |                 |                |        |         |    |
|   | r romain, σο gai. σαρ. | 13 / 10 / 00  | 110010010/1    |                |                |                  |                 |                |        |         |    |
| RS  |                        |               |                |                |                |                  |                 |                |        |         |    |
| enter   |                        |               |                |                |                |                  |                 |                |        |         |    |
|   |                        |               |                |                |                |                  |                 |                |        |         |    |
| Containers with two (40 gal.) three (60 gal.) and four (80 gal.) hole |                        |               |                |                |                |                  |                 |                |        |         |    |
| openings  |                        |               |                |                |                |                  |                 |                |        |         |    |
| Two part container  |                        |               |                |                |                |                  |                 |                |        |         |    |
| Top lifts off for emptying Includes individual liners with 20 gal.    |                        |               |                |                |                |                  |                 |                |        |         |    |
| capacity  |                        |               |                |                |                |                  |                 |                |        |         |    |
| Available with 5-1/2" x 11" oval open-                                |                        |               |                |                |                |                  |                 |                |        |         |    |
| ings only   |                        |               |                |                |                |                  |                 |                |        |         |    |
|   |                        |               | A              | B              | Θ              | 0                | <b>(3</b>       | <b>(3</b> )    | Э      | (h)     | 0  |

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER** A Select basic model. BSelect opening one. C1 G1 - Cans - Glass - Paper - Plastic - Waste Select opening two. C2 - Cans - Glass L2 Plastic - Paper W2 - Waste Select opening three. - Cans G3 - Glass L3 - Plastic P3 - Paper W3 - Waste

Select opening four. Select fire retardant (FR). C4 - Fire retardant - Cans G4 - No Fire Retardant - Glass - Plastic See pricing column for Fire Retardant - Paper upcharge. - Waste Select decal color. - Black - White GSelect finish. Gloss finish GX - Granex finish (Premium) - Matte finish - Polycrete finish Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Model numbers with '/P' use GX=Granex Finish only Select element color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.



Centers

| F | Approx.<br>Packaged<br>Weight | Delivered<br>Pricing | FR<br>add to<br>price | list |
|---|-------------------------------|----------------------|-----------------------|------|
|   | 40.0#                         | \$ 1435              | \$                    | 133  |
|   | 40.0#                         | 1723                 |                       | 133  |
|   | 60.0#                         | 1700                 |                       | 160  |
|   | 60.0#                         | 2038                 |                       | 160  |
|   | 80.0#                         | 2269                 |                       | 211  |
|   | 80.0#                         | 2720                 |                       | 211  |
|   |                               |                      |                       |      |

#### FINISH INFORMATION

#### **Fire Retardant**

ASTM E1354 "Standard Test Method for Heat and Visible Smoke Release Rates for Materials and Products Using an Oxygen Consumption Calorimeter". Fire retardant materials used allow product to not exceed a peak heat release of 300 kW/m² at a heat flux of 50 kW/m². Add FR to end of model number.

#### **Concrete Weighting**

Factory applied concrete. Add /CW to end of model number. Upcharge \$180/element

#### **Custom Fiberglass Color**

Custom colors are available on a special order basis. Submit a 3 x 3" swatch for matching. Custom color upcharge of \$320 per order. Request a quotation from KI for custom color.

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. **Bonduel, Wisconsin 54107** factory. Freight class #150.

### Index

| Model No.          | Description   | Page     |
|--------------------|---|----------|
| 87.6232            | Arm and Base Components: Back-to-Back Ganging Bar                               | 34       |
| PRM2/B1/1T         | Tandem Seating: BENCH - Armless Unupholstered with Movable Base                 | 30       |
| PRM2/S1/1T         | Tandem Seating: SEAT - Armless Unupholstered with Movable Base                  | 28       |
| PRM2U/B1/1T        | Tandem Seating: BENCH - Armless Upholstered with Movable Base                   | 30       |
| PRM2U/S1/1T        | Tandem Seating: SEAT - Armless Upholstered with Movable Base                    | 28       |
| PRMBENCH           | Seating Components: Bench Seat  | 32       |
| PRMEBASE           | Arm and Base Components: Embedded Base  | 34       |
| PRMFBASE           | Arm and Base Components: Freestanding Base                                      | 34       |
| PRMHBE191          | Fiberglass Elements: Half Round Fiberglass Element                              | 40       |
| PRMLA              | Arm and Base Components: Universal Loop Arm                                     | 34       |
| PRMSBE191FG        | Fiberglass Elements: Cube Fiberglass Element-Fiberglass Table Top               | 36       |
| PRMSBE191LA        | Fiberglass Elements: Cube Fiberglass Element-Laminate Table Top                 | 36       |
| PRMSBE191PL        | Fiberglass Elements: Cube Fiberglass Element-Planter                            | 36       |
| PRMSBE251FG        | Fiberglass Elements: Square Fiberglass Element-Fiberglass Table Top             | 38       |
| PRMSBE251LA        | Fiberglass Elements: Square Fiberglass Element-Laminate Table Top               | 38       |
| PRMSBE251PL        | Fiberglass Elements: Square Fiberglass Element-Planter                          | 38       |
| PRMSEAT            | Seating Components: Armless Seat  | 32       |
| PRMSMT             | Beam Mounted Tables: Beam Mounted Inline Full Size Tables                       | 42       |
| PRMSMTL0           | Beam Mounted Tables: Beam Mounted Corner Table                                  | 42       |
| PWSE.BL            | Arm and Base Components: Wallsaver Extension                                    | 34       |
| RSD243616          | Centers: Center   | 48       |
| RSR1824            | Containers: Radius Square Container   | 46       |
| RSR1824L           | Containers: Radius Square Container with Liner                                  | 46       |
| SCRP1              | Planters: 12° Curved Planter  | 20       |
| SCRR1              | Trash Receptacles: 12° Curved Trash Receptacle                                  | 24       |
| SCRSSBI1           | Seating Units: 12° Curved Seat with Inside Back                                 | 10       |
| SCRSSB01           | Seating Units: 12° Curved Seat with Outside Back                                | 10       |
| SCRSS01            | Seating Units: 12° Curved Backless Seat   | 10       |
| SCRTLT1            | Table Units: 12° Curved Table   | 14       |
| SCRTSLT1           | Seat Level Table Units: 12° Curved Table  | 16       |
| SQRP1              | Planters: Quarter Circle Planter  | 18       |
| SQRR1              | Trash Receptacles: Quarter Circle Trash Receptacle                              | 22       |
| SQRSSB1            | Seating Units: Quarter Circle Seat with Inside Back                             | 10       |
| SQRSS01            | Seating Units: Quarter Circle Backless Seat                                     | 12       |
| SQRTLT1            | Table Units: Quarter Circle Table   | 14       |
| SQRTSLT1           | Seat Level Table Units: Quarter Circle Table                                    | 16       |
| SRTP1              | Planters: Narrow Planter  | 18       |
| SRTR1              | Trash Receptacles: Narrow Trash Receptacle                                      | 22       |
| SRTSSB1            | Seating Units: Narrow Seat with Back  | 8        |
| SRTSS01            | Seating Units: Narrow Backless Seat   | 8        |
| SRTTLT1            | Table Units: Narrow Table   | 14       |
| SRTTSLT1           | Seat Level Table Units: Narrow Table  | 16       |
| SSQP1              | Planters: Square Planter  Track Population Square Track Population              | 18<br>22 |
| SSQR1              | Trash Receptacles: Square Trash Receptacle Seating Units: Corner Seat with Back | 10       |
| SSQSSA1<br>SSQSSB1 | Seating Units: Square Seat with Back  | 8        |
| SSQSS01            | Seating Units: Square Backless Seat   | 8        |
| SSQTLT1            | Table Units: Square Table   | 14       |
| SSQTSLT1           | Seat Level Table Units: Square Table  | 16       |
| SWGP1              | Planters: 45° Curved Wedge Planter  | 20       |
| SWGR1              | Trash Receptacles: 45° Curved Wedge Trash Receptacle                            | 24       |
| SWGSSBI1           | Seating Units: 45° Curved Wedge Seat with Inside Back                           | 12       |
| SWGSSB01           | Seating Units: 45° Curved Wedge Seat with Inside Back                           | 12       |
| SWGSS01            | Seating Units: 45° Curved Wedge Backless Seat                                   | 12       |
| SWGTLT1            | Table Units: 45° Curved Wedge Table   | 14       |
| SWGTSLT1           | Seat Level Table Units: 45° Curved Wedge Table                                  | 16       |
| SVIGIOLII          | Cour Level Table Office. To Carrod Wouge Table                                  | 10       |





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11391R3/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.