MyWay<sup>™</sup> Collection Price List ■

December 11, 2013 Updated February 4, 2015 800-424-2432



# Ordering C.O.M., C.O.L., and C.O.V. **High Point**

# Customer's Own Material

Specifications Form

March 2015

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS MUST BE PREPAID TO: 217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

I. Name and address

2. Your purchase order number

3. Our style number to which fabric is to be applied

4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRE BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	4"-2 " REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	40%	50%	60%	70%
5 "-53"	15%	25%	30%	35%	45%	60%	70%	80%
48"-50"	20%	30%	35%	40%	50%	65%	75%	85%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





3

# Customer's Own Material 🔳

Specifications Form March 2015

RECTION OF PATTERN

RAILROADED

TOPPED

ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.

• Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.


ALL COM MUST BE APPROVED. Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)

YOUR COMPANY NAME		
PHONE	FAX	
Material Supplier		
Material Name	Number	
Material Color	Width	
Vertical Repeat	Horizontal Repeat	
Fiber Content		
Direction Stripe/Pattern to be applied		

COM TO BE USED ON THE FOLLOWING:

OTY PR	DUCT NAME/NUMBER
--------	------------------



# C.O.M. SHIPPING LOCATION

#### Architectural Walls

Genius W	/alls	MN
----------	-------	----

#### Casegoods

Dante BenchesAG	
Darwin TackboardsMN	
Aristotle TackboardsMN	

# Classroom Furniture

360° Classroom Furniture	BW
Intellect Wave Chairs	GB
Dorsal 1090 Chairs	GB
Dorsal Student Desks	GB
Learn2	GB

#### Desking

700 Series Desking	KP
Balance Overheads	MN
Genesis Desking	MN
True Desking	КР
Universal Overheads	MN
WorkZone Desking	MN

#### Files & Storage

700 Series Pedestal CushionG	В
U-Series Pedestal CushionG	В

#### **Fixed Seating**

Concerto Auditorium Seating	BW
Single Pedestal Seating	. GB
Jury Base Seating	. GB
Lancaster Auditorium Seating	BW
Sequence Seating	. GB
University Seating	. GB

#### Panel Systems

All Ierrain	KP
Balance Overheads	. MN
System 3000	. MN

<u>GB</u>

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

Universal Overheads	MN
Wireworks	MN
Unite	MN
Unite	MN

# Residence Hall Furniture

RoomScape	FurnitureI	MN

# Screens

True/VolitionK	P
GenesisK	P

## Seating

Sacing
100 Series Folding Chairs BW
300 Series Folding Chairs BW
600 Series Stools BW
700 Series Folding Chairs BW
1000 SeriesGB
Aerdyn Guest SeatingHN
Affina Collection HN
Arissa LoungeHN
Altus Task ChairsTM
Apply Stack ChairsGB
Auditorium Folding Chairs BW
Avail Task ChairsOM
Bantam Guest SeatingHN
Briar Multiple & Healthcare Seating HN
Boss Design ChairsHN
Cinturon Lounge & Professional Seating HN
Cody Lounge Seating HN
Connection Zone Privacy Booths HN
Dorsal Stack & Tandem SeatingGB
Engage Task Chairs & StoolsGB
Flex Multiple & Healthcare Seating HN
Front Row Seats (Silk Screening)BW
GateOne Public SeatingBW
Grazie SeatingGB
Hub Modular Lounge Seating HN
Impress Task ChairsOM
Impress Ultra Task ChairsOM

`	
Jessa Lounge Seating	. HN
Jubi Guest Chair	GB
Kismet Task/Guest Chairs & Stools	.OM
Kurv Benches	. HN
LaResta Day Beds	. HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	.OM
Mesa Lounge & Task Seating	. HN
MyWay Seating	. HN
Neena Benches	. HN
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	. HN
Perth II Healthcare Seating	. HN
Pilot Task Chairs	.OM
Piretti Stack Chairs	GB
Promenade Seating System	. BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	. HN
Rose Healthcare	
Sela Lounge Seating	. HN
Sift Task Chairs	
Silhouette Stack Chairs & Stools	. BW
Soltice Metal Collection	. HN
Soltice Multiple, Healthcare & Guest	. HN
Soltice II Healthcare Seating	. HN
Strive Multiple, Stack & Task	GB
Tea Cup Lounge Seating	. HN
Three Multiple, Healthcare & Lounge	. HN
Three II Healthcare Seating	. HN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
Torsion Stack and Task Seating	GB
Versa Stack Chairs & Stools	GB

#### Site Furnishings

Logix.....BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>AG</u> Contact KI at I -800-424-2432

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

#### <u>HN</u> KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

<u>KI Crossroads</u> Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748 KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

OM KI-Impress Attn: COM Storage III0 S. Mildred Ave. Ontario, CA 91761 <u>MN</u> KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>TM</u> KI Tupelo 2112 South Green St. Tupelo, MS 38804


5





# MyWay<sup>™</sup> Lobby and Lounge Seating

General Information



### UPHOLSTERY INFORMATION

#### C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

# FINISH INFORMATION

#### SPECIAL FINISH MATCHES

KI can match special finish requests at an upcharge of \$70 List per item, up to 12 or a maximum charge of \$840 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders

# MyWay<sup>™</sup> Lobby and Lounge Seating General Information



4






	Low Arm/Work Arm Sled Chair (MYLW or MYWL)	High Arm Sled Chair (MYHH)	High Arm/Work Arm Sled Chair (MYHW or MYWH)	Small End Table (MYTB9012)	End Table (MYTB9013)	Coffee Table (MYTB9014)
General Dimensions						
Seat width	20"	20"	20"			
Seat depth	20"	20"	20"			
Seat height	18"	18"	18"			
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm			
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"			
Overall Dimensions						
Width	33-1/2"	40"	34-1/2"	24"	24"	42"
Depth	36"	34-1/2"	40"	24"	24"	24"
Height	29-1/2"	29-1/2"	29-1/2"	16"	22"	16"
Tablet width	9-1/2"		9-1/2"			
Tablet depth	13-3/8"		13-3/8"			

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com.

# MyWay<sup>™</sup> Lobby and Lounge Seating

General Information



#### UPHOLSTERY INFORMATION

#### C.O.M. Fabric

For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Multiple rolls have shorter pieces of fabric on them and do not allow nesting and stacking of the fabric to achieve the best yeild as is done with one large roll. This results in yardage shortages and requests for additional fabric from the client, which can delay an order. For each roll that is sent, one yard needs to be added to one of the rolls, not separately.

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

# FINISH INFORMATION

#### **SPECIAL FINISH MATCHES**

KI can match special finish requests at an upcharge of \$70 List per item, up to 12 or a maximum charge of \$840 List per order per color. Special finish requests must be sent to your KI customer service representative.

Upon receipt from KI, the finishing department will prepare a "strike-off" which will be sent to the customer for approval.

The approval form accompanying the strikeoff should be faxed to your KI customer service representative. Upon receipt of the signed approval form, KI will proceed with the order. Disapproved samples may be sent back to KI directly with an explanation of disapproval. A Special Finish Number (SFN) will be assigned to this finish sample for future reference or reorders

# MyWay<sup>™</sup> Lobby and Lounge Seating General Information




4

	Low Arm/Work Arm 4-Leg Chair (MYLW4L or MYWL4L)	High Arm 4-Leg Chair (MYHH4L)	High Arm/Work Arm 4-Leg Chair (MYHW4L or MYWH4L)
General Dimensions			
Seat width	20"	20"	20"
Seat depth	20"	20"	20"
Seat height	18"	18"	18"
Arm width	11" Front of Work Arm/ 4-1/4" Low Arm	4-1/4"	11" Front of Work Arm/ 4-1/4" High Arm
Arm height	21" Low Arm/ 29-1/2" High Arm	29-1/2"	29-1/2"
Overall Dimensions			
Width	33-1/2"	40"	34-1/2"
Depth	36"	34-1/2"	40"
Height	29-1/2"	29-1/2"	29-1/2"
Tablet width	9-1/2"		9-1/2"
Tablet depth	13-3/8"		13-3/8"

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com.

# MyWay<sup>™</sup> Lobby and Lounge Seating




Model MYHL

10




11




Model MYWN

# <sup>12</sup> MyWay<sup>™</sup> Lobby and Lounge Seating Typicals




Two Seat - Low Arm/High Arm Configuration




Two Seat - No Arm/High Arm Configuration










# Three Seat - Work Arm/No Arm Configuration

# <sup>14</sup> MyWay<sup>™</sup> Lobby and Lounge Seating



Two Seat - No Arm/High Arm Configuration

# MyWay<sup>™</sup> Lobby and Lounge Seating Typicals



# MyWay<sup>™</sup> Lobby and Lounge Seating

				MODEL NUM	IBER		MODEL NUMBER														
	MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Base Finish	Ganging Option	Glide Option	Moisture Barrier												
	No Arm Sled Base Lounge	Non-contrast	4 yd	MYNN/NC																	
K L																					
N) ~																					
1																					
MYN1																					
	No Arm 4-Leg Lounge	Non-contrast	4 yd	MYNN4L/NC																	
$\mathbb{K}$																					
N X X																					
U																					
MYN1																					
				A	6	G	O	Ø	6												
					U	G	U	G	U												

# **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
   2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

- $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

## A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **C**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect ganging option. HNG No gangers HWG Ganging; add \$52 Two ganging assemblies shipped per unit.

Belect glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5

• Select moisture barrier. NMB - No moisture barrier MB - Moisture barrier

See pricing column for moisture barrier upcharge.

MyWay<sup>™</sup> Lobby and Lounge Seating

Approx. Packaged Weight	Grade C.O.M.		Grade C	Grade D	e	Gra E 8 C.C	x	Gra F	ade	Gra G	ade	GI	rade	G	rade		Gra J	de	Gr K	ade	ade _eather	ade Leather	Mois Barri add t price	er o list
80.0#	\$ 1474	1 :	\$ 1608	\$1	643	\$	1685	\$	1713	\$	1770	\$	1827	\$	189	8	\$	2038	\$	2180	\$ 2322	\$ 2604	\$	144
80.0#	\$ 1713	3	\$ 1848	\$ 1	882	\$	1925	\$	1953	\$	2010	\$	2067	\$	213	7	\$	2278	\$	2420	\$ 2562	\$ 2844	\$	144

#### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### **C.O.L.** Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

# **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNN	\$202
MYNN4L	\$202

# **SPECIAL SERVICES**

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

			MODEL N	UMBER							
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	4.75 yd	MYNL/NC								90.0#
	Contrast		MYNL/FC								90.0#
2											
2											
MYL2											
Left Facing No Arm/ Right Facing Low											
Arm Sled Base Lounge											
<ul> <li>1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd</li> </ul>											
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>											
C.O.M. = 3.25 yd											
$\sim$	Non-contrast	4.75 yd	MYLN/NC								90.0#
	Contrast		MYLN/FC								90.0#
2											
2											
MYL2											
Left Facing Low Arm/ Right Facing No											
<ul> <li>Arm Sled Base Lounge</li> <li>1 = Arm (Fabric Contrast 1) C.O.M. =</li> </ul>											
1.5 yd											
• 2 = Seat and back (Fabric Contrast 2)											
C.O.M. = 3.25 yd											
			A	B	O	D	Ø	G	G	0	

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect cup holder option. MNCH No cup holder MCH Cup holder; add \$164 Cup holder is available on Low Arm only.
- Select glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5

- Gelect ganging option. HNG No gangers HWG
  - Ganging; add \$52 Two ganging assemblies shipped per unit.
- Celect moisture barrier.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.

19



Grade C.O.M.	Gra C	de	Gra D	ade	Εð	ade & D.L.	Gra F	ade	Gr G	ade	G H	rade	G	irade		Gra J	de	Gra K	ade		rade Leather		ade Leather	Moist Barrie add to price	r
\$ 1615		1769	\$		\$	1858	\$	1890	\$	1954	\$		\$				2262	\$	2423	\$	2584	\$	2908	\$	149
1675		1829		1869		1918		1950		2014		2080		2160			2322		2483		2644		2968		149
 \$ 1615	\$	1769	\$	1809	\$	1858	\$	1890	\$	1954	\$	2020	\$	2100	-	\$	2262	\$	2423	\$	2584	\$	2908	\$	149
1675		1829	Ψ	1869	Ψ	1918	Ψ	1950	Ψ	2014	Ψ	2080	Ψ	2160		-	2322	Ψ	2483	Ψ	2644	Ψ	2968	Ŷ	149
.010										2011		2000		2100			2022		2.00		2011		2000		. 10

# NOTE

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54<sup>4</sup> wide. If less than 54<sup>4</sup> wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements. Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNL	\$218
MYLN	\$218
MYNL4L	\$218
MYLN4L	\$218

# **SPECIAL SERVICES**

## Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

# MyWay<sup>™</sup> Lobby and Lounge Seating

				MODEL NUI	MBER					
	MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Ganging Option	Moisture Barrier	
	Left Facing No Arm/ Right Facing Low	Non-contrast	4.75 yd	MYNL4L/NC						
	Arm 4-Leg Lounge	Contrast		MYNL4L/FC						
2	<ul> <li>1 = Arm (Fabric Contrast 1) C.O.M. = 1.5 yd</li> </ul>									
	<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> <li>C.O.M. = 3.25 yd</li> </ul>									
$\bigvee$	2									
MYL2										
	Left Facing Low Arm/ Right Facing No	Non-contrast	4.75 yd	MYLN4L/NC						
2	<ul> <li>Arm 4-Leg Lounge</li> <li>1 = Arm (Fabric Contrast 1) C.O.M. = 1.5</li> </ul>	Contrast		MYLN4L/FC						
	yd • 2 = Seat and back (Fabric Contrast 2) C.O.M. = 3.25 yd									
$\checkmark$	-									
MYL2										
				A	6	C	D	Ø	6	

# **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

- $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

## A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect cup holder option. MNCH No cup holder MCH Cup holder; add \$164 Cup holder is available on Low Arm only.
- Select ganging option. HNG No gangers - Ganging; add \$52 HWG Two ganging assemblies shipped per unit.
- Select moisture barrier. - No moisture barrier NMB MB - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	ade D.M.	Gra C	ade	Gra D	ade	Εð	ade & D.L.	Gra F	ade	Gra G	ade	Gra H	ade	Gr I	ade	Gr J	ade	Gra K	ade	ade .eather	ade Leather	Mois Barri add f price	er o list	
90.0#	\$ 1855	\$	2009	\$	2049	\$	2098	\$	2130	\$	2194	\$	2260	\$	2340	\$	2502	\$	2663	\$ 2824	\$ 3148	\$	149	_
90.0#	1915		2069		2109		2158		2190		2254		2320		2400		2562		2723	2884	3208		149	
90.0#	\$ 1855	\$	2009	\$	2049	\$	2098	\$	2130	\$	2194	\$	2260	\$	2340	\$	2502	\$	2663	\$ 2824	\$ 3148	\$	149	_
90.0#	1915		2069		2109		2158		2190		2254		2320		2400		2562		2723	2884	3208		149	

# NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

## Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### **C.O.L.** Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

### mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNL	\$218
MYLN	\$218
MYNL4L	\$218
MYLN4L	\$218

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

				MODEL N	JMBER						
	MODEL	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Ganging Option	Moisture Barrier	
~	Left Facing No Arm/ Right Facing High	Non-contrast	5.25 yd	MYNH/NC							
	Arm Sled Base Lounge	Contrast		MYNH/FC							
$\left( \begin{array}{c} 2 \\ 1 \end{array} \right)$	• 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5										
	yd • 2 = Seat and back (Fabric Contrast 2)										
	C.O.M. = 3  yd										
MYN2											
$\wedge$	Left Facing High Arm/ Right Facing No	Non-contrast	5.25 yd	MYHN/NC							
2	Arm Sled Base Lounge	Contrast		MYHN/FC							
2	• 1 = Arm (Fabric Contrast 1) C.O.M. = 2.5										
	<ul> <li>yd</li> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>										
	C.O.M. = 3  yd										
MYN2											
				A	6	C	D	Ø	G	G	

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

# A Select basic model.

- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option. GNY - Nylon glides (cream color); add \$5
- Select ganging option.
   HNG No gangers
   HWG Ganging; add \$52 Two ganging assemblies shipped per unit.

GSelect moisture barrier. <u>NMB</u> - No moisture barrier

MB - Moisture barrier See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grad C.O.I		Gra C	ıde	Gra D	ade	Εð	ade & D.L.	Gra F	ade	Gr G	ade	Gr H	ade	Gr I	ade	Gr J	ade	Gr K	ade	ade ₋eather		ade Leather	Mois Barri add f price	er o list
105.0#	\$ 1	1771	\$	1943	\$	1989	\$	2044	\$	2080	\$	2153	\$	2225	\$	2316	\$	2497	\$	2679	\$ 2861	\$	3224	\$	153
105.0#	1	1831		2003		2049		2104		2140		2213		2285		2376		2557		2739	2921		3284		153
105.0#	\$ 1	1771	\$	1943	\$	1989	\$	2044	\$	2080	\$	2153	\$	2225	\$	2316	\$	2497	\$	2679	\$ 2861	\$	3224	\$	153
105.0#	. 1	1831		2003	,	2049	,	2104		2140		2213	,	2285	,	2376		2557	,	2739	2921	,	3284		153
														0											

### NOTE

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNH	\$223
MYHN	\$223
MYNH4L	\$223
MYHN4L	\$223

# **SPECIAL SERVICES**

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

				MODEL NUN	ABER				
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Ganging Option	Moisture Barrier	
	Left Facing No Arm/ Right Facing High	Non-contrast	5.25 yd	MYNH4L/NC					
	Arm 4-Leg Lounge	Contrast		MYNH4L/FC					
	<ul> <li>1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 vd</li> </ul>								
	<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>								
$\bigvee$	C.O.M. = 3 yd								
MYN2									
$\land$	Left Facing High Arm/ Right Facing No	Non-contrast	5.25 yd	MYHN4L/NC					
2	Arm 4-Leg Lounge	Contrast		MYHN4L/FC					
	<ul> <li>1 = Arm (Fabric Contrast 1) C.O.M. = 2.5 yd</li> </ul>								
L'IFV	<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>								
$\bigvee$	C.O.M. = 3 yd								
MYN2									
				A	•	C	D	e	

- Indicate the following information on order form:
- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

# A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- ©Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect ganging option. HNG - No gangers HWG - Ganging; add \$52 Two ganging assemblies shipped per unit.

 Select moisture barrier.
 MMB - No moisture barrier
 Mainture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
105.0#	\$ 2011	\$ 2183	\$ 2229	\$ 2284	\$ 2320	\$ 2393	\$ 2464	\$ 2556	\$ 2737	\$ 2919	\$ 3101	\$ 3464	\$ 153
105.0#	2071	2243	2289	2344	2379	2453	2524	2616	2797	2979	3161	3524	153
105.0#	\$ 2011	\$ 2183	\$ 2229	\$ 2284	\$ 2320	\$ 2393	\$ 2464	\$ 2556	\$ 2737	\$ 2919	\$ 3101	\$ 3464	\$ 153
105.0#	2071	2243	2289	2344	2379	2453	2524	2616	2797	2979	3161	3524	153

#### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

## Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54<sup>4</sup> wide. If less than 54<sup>4</sup> wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNH	\$223
MYHN	\$223
MYNH4L	\$223
MYHN4L	\$223

# SPECIAL SERVICES

# Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

			MODEL NU	IMBER								
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Lam Cir	Power Option	Ganging Option	Moisture Barrier	•
	Non-contrast	5 yd	MYNW/NC									
1	Contrast		MYNW/FC									
MYN3												
Left Facing No Arm/ Right Facing Work												
Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
<ul><li>2 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>												
C.0.M. = 3.25  yd												
	Non-contrast	5 yd	MYWN/NC									
	Contrast		MYWN/FC									
2												
MYN3												
Left Facing Work Arm/ Right Facing No												
Arm Sled Base Lounge												
• 1 = Arm (Fabric Contrast 1) C.O.M. =												
<ul><li>2 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>												
• $2 = \text{Seat and back (Fabric Contrast 2)}$ C.O.M. = 3.25 yd												
-			A	6	C	D	Ø	6	G	0	0	

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

# A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Oselect base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on

# beech.

- Select power option.
   NP No power
   MPB Black power module; add
   \$245
   MPS Silver power module; add
   \$245
   MPW White power module; add
   \$245
- Select ganging option.
   HNG No gangers
   HWG Ganging; add \$52
   Two ganging assemblies shipped per unit.
- Select moisture barrier. <u>NMB</u> - No moisture barrier <u>MB</u> - Moisture barrier See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moistu Barrier add to price	
110.0#	\$ 1747	\$ 1929	\$ 1977	\$ 2034	\$ 2073	\$ 2149	\$ 2227	\$ 2323	\$ 2515	\$ 2705	\$ 2897	\$ 3281	\$	158
110.0#	1807	1989	2037	2094	2133	2209	2287	2383	2575	2765	2957	3341		158
440.0 //	A 1747	<b>   1</b> 0 0 0	¢ 1077	<b>0004</b>	<b></b> 0070	<b>0140</b>	<b>A</b> 0007	<b></b>	<b>0545</b>	ф 0705	<b></b> 0007	<b></b> 0001	•	450
110.0#	\$ 1747	\$ 1929	\$ 1977	\$ 2034	\$ 2073	\$ 2149	\$ 2227	\$ 2323	\$ 2515	\$ 2705	\$ 2897	\$ 3281	\$	158
110.0#	1807	1989	2037	2094	2133	2209	2287	2383	2575	2765	2957	3341		158

## NOTE

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

California	TB133	Fire	Safety	Code
------------	-------	------	--------	------

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$234
MYWN	\$234
MYNW4L	\$234
MYWN4L	\$234
MYLL	\$234
MYLL4L	\$234

Μ

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

# 28 MyWay<sup>™</sup> Lobby and Lounge Seating

			MODEL NUM	BER						
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Lam Clr	Power Option	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	5 yd	MYNW4L/NC							110.0#
	Contrast		MYNW4L/FC							110.0#
MYN3										
Left Facing No Arm/ Right Facing Work Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. =										
2 yd • 2 = Seat and back (Fabric Contrast 2) <u>C.O.M. = 3.25 yd</u>										
	Non-contrast	5 yd	MYWN4L/NC							110.0#
2	Contrast		MYWN4L/FC							110.0#
MYN3										
Left Facing Work Arm/ Right Facing No Arm 4-Leg Lounge										
• 1 = Arm (Fabric Contrast 1) C.O.M. =										
2 yd • 2 = Seat and back (Fabric Contrast 2)										
C.O.M. = 3.25 yd										
			A	6	C	D	0	6	©	

# **HOW TO ORDER**

Indicate the following information on order form:

- Numity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

# A Select basic model.

- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

# Select power option.

NP	- No power
MPB	<ul> <li>Black power module; add</li> </ul>
\$245	
MPS	<ul> <li>Silver power module; add</li> </ul>
\$245	
MPW	- White nower module: add

# \$245

 Select ganging option.
 HNG - No gange - No gangers - Ganging; add \$52 HWG Two ganging assemblies shipped per unit.

#### GSelect moisture barrier.

NMB - No moisture barrier - Moisture barrier MB See pricing column for moisture barrier upcharge.



Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
\$ 1987	\$ 2169	\$ 2217	\$ 2274	\$ 2313	\$ 2389	\$ 2467	\$ 2563	\$ 2754	\$ 2945	\$ 3137	\$ 3521	\$ 158
2047	2229	2277	2334	2373	2449	2527	2623	2814	3005	3197	3581	158
\$ 1987	\$ 2169	\$ 2217	\$ 2274	\$ 2313	\$ 2389	\$ 2467	\$ 2563	\$ 2754	\$ 2945	\$ 3137	\$ 3521	\$ 158
2047	2229	2277	2334	2373	2449	2527	2623	2814	3005	3197	3581	158

#### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### **C.O.L.** Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

# mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model MYNW \$234 MYWN \$234 MYNW4L \$234 MYWN4L \$234 MYLL \$234 MYLL4L \$234

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

			MODEL NU	MBER							
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	5.25 yd	MYLL/NC								100.0#
	Contrast		MYLL/FC								100.0#
2											
$2 \rightarrow 1$											
MYL1											
Low Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.5 yd											
• 2 = Seat and back (Fabric Contrast 2)											
C.O.M. = 3 yd											
$\sim$	Non-contrast	5.25 yd	MYLL4L/NC								100.0#
	Contrast		MYLL4L/FC								100.0#
X1 JVV											
$\checkmark$											
MYL1											
Low Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.5 yd											
<ul> <li>2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd</li> </ul>											
0.0.W. = 3 yu											
			A	ß	G	D	Ø	G	G	0	
			-	-	-	-	-	-	-	-	

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

- $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

## A Select basic model.

GSelect glide option.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select cup holder option. 
   MNCH
   - No cup holder

   MWLC
   - Left facing cup holder; add
   \$164 MWRC - Right facing cup holder; add \$164 Cup holder is available on Low Arm only.

- NGL - No glides GNY - Nylon glides (cream color); add \$5

GSelect ganging option. HNG - No gangers HWG - Ganging; add \$52 Two ganging assemblies shipped per unit.

GSelect moisture barrier. NMB - No moisture barrier

MB - Moisture barrier See pricing column for moisture barrier upcharge.

31



	rade .O.M.	Gr C	ade	Gra	ade	Εá	ade & D.L.	Gr F	ade	Gra G	ade	Gr H	ade	Gr I	ade	Gra J	ade	Gr K	ade	ade .eather	ade Leather	Moi: Barr add price	ier to lis	
\$	1633	\$	1815	\$	1863	\$	1921	\$	1959	\$	2036	\$	2112	\$	2208	\$	2400	\$	2592	\$ 2784	\$ 3168	\$	-	158
	1693		1875		1923		1981		2019		2096		2172		2268		2460		2652	2844	3227		-	158
\$	1873	\$	2055	\$	2103	\$	2160	\$	2199	\$	2276	\$	2352	\$	2448	\$	2640	\$	2832	\$ 3024	\$ 3407	\$		158
ŕ	1933	•	2115		2163		2220	•	2258	•	2336		2412	•	2508		2700		2892	3084	3467			158

## NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54\* wide. If less than 54\* wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

# Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

# California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYNW	\$234
MYWN	\$234
MYNW4L	\$234
MYWN4L	\$234
MYLL	\$234
MYLL4L	\$234

#### **SPECIAL SERVICES**

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

						_		_			
			MODEL N	UMBER							
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	5.75 yd	MYLH/NC								110.0#
2 1 2	Contrast		MYLH/FC								110.0#
MYL3											
Left Facing Low Arm/ Right Facing High Arm Sled Base Lounge											
<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M.</li> </ul>											
= 3 yd											
<ul> <li>2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 vd</li> </ul>											
<u> </u>	Non-contrast	5.75 yd	MYHL/NC								110.0#
	Contrast		MYHL/FC								110.0#
2											
2											
MYL3											
Left Facing High Arm/ Right Facing											
Low Arm Sled Base Lounge											
<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M.</li> <li>= 3 vd</li> </ul>											
<ul> <li>2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd</li> </ul>											
			A	6	O	D	0	6	G	0	_

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - · Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Belect cup holder option. MNCH No cup holder MCH Cup holder; add \$164 Cup holder is available on Low Arm only.
- Select glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5

- GSelect ganging option. - Ganging; add \$52 HWG
  - Two ganging assemblies shipped per unit.

# Celect moisture barrier.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.

33



Grade

Grade

Grade

Grade

Grade

E &

Grade

					Lobby and l	ounge Seating
Grade	Grade	Grade	Grade	Grade	Grade	Moisture Barrier add to list

0.0.IVI.	U	D	0.0.L.	F	G	Н	1	J	ĸ	L Leatner	IVI Leather	price
\$ 1832	\$ 2033	\$ 2086	\$ 2149	\$ 2192	\$ 2277	\$ 2362	\$ 2468	\$ 2679	\$ 2892	\$ 3103	\$ 3527	\$ 164
1892	2093	2146	2209	2252	2337	2422	2528	2739	2952	3163	3587	164
\$ 1832	\$ 2033	\$ 2086	\$ 2149	\$ 2192	\$ 2277	\$ 2362	\$ 2468	\$ 2679	\$ 2892	\$ 3103	\$ 3527	\$ 164
1892	2093	2146	2209	2252	2337	2422	2528	2739	2952	3163	3587	φ 164 164
1052	2000	2140	2205	2202	2001	2722	2020	2105	2502	5105	0007	104

# NOTE

# Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each

yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

Model	
MYLH	\$245
MYHL	\$245
MYLH4L	\$245
MYHL4L	\$245
MYHH	\$245
MYHH4L	\$245

available with moisture barrier.

California TB133 Fire Safety Code

The above seating products can be manu-

factured as a Special Cost Request using the appropriate flame-retardant materials and

fabric selections for compliance to California

customer service for fabric compliance. Not

Technical Bulletin 133. Please contact KI

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

				MODEL NU	/IBER				
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Ganging Option	Moisture Barrier
	Left Facing Low Arm/ Right Facing High	Non-contrast	5.75 yd	MYLH4L/NC					
	Arm 4-Leg Lounge	Contrast		MYLH4L/FC					
2 1	• 1 = Arms (Fabric Contrast 1) C.O.M. = 3								
	<ul> <li>yd</li> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>								
· · ·	C.O.M. = 3  yd								
	-								
YL3									
$\sim$	Left Facing High Arm/ Right Facing Low	Non-contrast	5.75 yd	MYHL4L/NC					
	Arm 4-Leg Lounge	Contrast		MYHL4L/FC					
	<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M. = 3 yd</li> </ul>								
1 $2$ $1$	<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>								
	C.O.M. = 3 yd								
σ									
YL3									
				A	₿	C	D	Ø	G

Indicate the following information on order form:

- 1. Quantity of each item.
   2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

# A Select basic model.

- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Celect fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect cup holder option. MNCH No cup holder MCH Cup holder; add \$164 Cup holder is available on Low Arm only.
- Belect ganging option. HNG No gangers HWG Ganging; add \$52 Two ganging assemblies shipped per unit.
- Select moisture barrier. NMB- No moisture barrierMB- Moisture barrier - Moisture barrier

See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
110.0#	\$ 2072	\$ 2273	\$ 2326	\$ 2389	\$ 2432	\$ 2517	\$ 2602	\$ 2708	\$ 2919	\$ 3132	\$ 3343	\$ 3767	\$ 164
110.0#	2132	2333	2386	2449	2492	2577	2662	2768	2979	3192	3403	3827	164
110.0#	\$ 2072	\$ 2273	\$ 2326	\$ 2389	\$ 2432	\$ 2517	\$ 2602	\$ 2708	\$ 2919	\$ 3132	\$ 3343	\$ 3767	\$ 164
110.0#	2132	2333	2386	2449	2492	2577	2662	2768	2979	3192	3403	3827	164

### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

# INFORMATION

# C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### **C.O.L.** Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### **Minimum Fabric/Leather Quantity**

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

# mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$245
MYHL	\$245
MYLH4L	\$245
MYHL4L	\$245
MYHH	\$245
MYHH4L	\$245

# **SPECIAL SERVICES**

# **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

	MODEL NUMBER												
	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Cup Holder	Glide Option	Lam Clr	Power Option	Ganging Option	Moisture Barrier	
~	Non-contrast	5.5 yd	MYLW/NC										
1	Contrast		MYLW/FC										
MYL4													
Left Facing Low Arm/ Right Facing Work Arm Sled Base Lounge													
• 1 = Arms (Fabric Contrast 1) C.O.M.													
<ul> <li>= 2.75 yd</li> <li>2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd</li> </ul>													
	Non-contrast	5.5 yd	MYWL/NC										
	Contrast		MYWL/FC										
MYL4													
Left Facing Work Arm/ Right Facing Low Arm Sled Base Lounge													
<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M.</li> <li>= 2.75 yd</li> </ul>													
<ul> <li>2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 yd</li> </ul>													
			A	6	C	D	Ø	6	G	0	0	0	

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

## A Select basic model.

- Select non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Oselect base finish color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.
- Select cup holder option. MNCH - No cup holder MCH - Cup holder; add \$164 Cup holder is available on Low Arm only.
- Select glide option.

   NGL
   - No glides

   GNY
   - Nylon glides (cream color);

   add \$5
   - Nylon glides (cream color);

### upcharge.

Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

# Celect power option.

- NP
   - No power

   MPB
   - Black power module; add

   \$245
   - Silver power module; add

   \$245
   - Silver power module; add

   \$245
   - White power module; add
- **WPW** White power module; add \$245

# Select ganging option. HNG - No gangers

**HWG** - Ganging; add \$52 Two ganging assemblies shipped per unit.

# **J**Select moisture barrier.

 NMB
 - No moisture barrier

 MB
 - Moisture barrier

 See pricing column for moisture barrier



Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
115.0#	\$ 1813	\$ 2024	\$ 2079	\$ 2146	\$ 2190	\$ 2279	\$ 2367	\$ 2479	\$ 2701	\$ 2923	\$ 3145	\$ 3589	\$ 164
115.0#	1873	2084	2139	2206	2250	2339	2427	2539	2761	2983	3205	3649	164
115.0#	\$ 1813	\$ 2024	\$ 2079	\$ 2146	\$ 2190	\$ 2279	\$ 2367	\$ 2479	\$ 2701	\$ 2923	\$ 3145	\$ 3589	\$ 164
115.0#	1873	2084	2139	2206	2250	2339	2427	2539	2761	2983	3205	3649	164

#### NOTE

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLW	\$251
MYWL	\$251
MYLW4L	\$251
MYWL4L	\$251

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NUM	IDED							
											-
	Features	COM	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Cup Holder	Lam Clr	Power Option	Ganging Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	5.5 yd	MYLW4L/NC								115.0#
	Contrast		MYLW4L/FC								115.0#
2											
2											
MYL4											
Left Facing Low Arm/ Right Facing											
Work Arm 4-Leg Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
= 2.75 yd											
<ul> <li>2 = Seat and back (Fabric Contrast 2) C.O.M. = 3 vd</li> </ul>											
<u> </u>	Non-contrast	5.5 yd	MYWL4L/NC								115.0#
	Contrast	)	MYWL4L/FC								115.0#
2	oonnaor										
1 $2$ $1$											
MYL4											
Left Facing Work Arm/ Right Facing											
Low Arm 4-Leg Lounge											
<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M.</li> <li>= 2.75 vd</li> </ul>											
<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>											
C.O.M. = 3 yd											
			A	6	C	D	Ø	G	G	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\Box$  indicates that a choice is required.

- The absence of the  $\Box$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

## A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect cup holder option. - Cup holder; add \$164 MCH Cup holder is available on Low Arm only.
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

- No power

Select power option. NP - No pow

- MPB - Black power module; add \$245
- MPS - Silver power module; add \$245
- MPW - White power module; add \$245

## GSelect ganging option. HNG - No gange

- No gangers - Ganging; add \$52 HWG Two ganging assemblies shipped per unit.

Celect moisture barrier.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.



Gra C.C		Gra C	ade	Gra	ade	Εð	ade & D.L.	Gra F	ıde	Gra G	ade	Gra H	ade	Gr I	ade	Gra J	ade	Gra K	ıde		ade .eather		ade Leather	Mois Barri add t price	er o list
	2052	\$	2264	\$	2318	\$	2386	\$	2430	\$	2519	\$	2607	\$	2718	\$	2941	\$	3163	\$	3384	\$	3829	\$	164
	2112		2324		2378		2446		2490		2579		2667		2778		3001		3223		3444		3889		164
\$	2052	\$	2264	\$	2318	\$	2386	\$	2430	\$	2519	\$	2607	\$	2718	\$	2941	\$	3163	\$	3384	\$	3829	\$	164
•	2112	Ψ	2324	Ψ	2378	Ψ	2446	Ŷ	2490	Ψ	2579	Ψ	2667	Ψ	2778	Ŷ	3001		3223	Ŷ	3444	Ψ	3889	Ψ	164
					20.0		25		2.00		20.0		2007		23		0001		0220		0		0000		

#### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### **C.O.L.** Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

## Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

#### mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLW	\$251
MYWL	\$251
MYLW4L	\$251
MYWL4L	\$251

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

				MODEL NUN	IBER					
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Moisture Barrier	
	High Arm Sled Base Lounge	Non-contrast	6.75 yd	MYHH/NC						
	<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M. = 4 yd</li> </ul>	Contrast		MYHH/FC						
2 1	• 2 = Seat and back (Fabric Contrast 2)									
	C.O.M. = 3 yd									
MYH1										
	High Arm 4-Leg Lounge	Non-contrast	6.75 yd	MYHH4L/NC						
	• 1 = Arms (Fabric Contrast 1) C.O.M. = 4	Contrast		MYHH4L/FC						
2 1	yd • 2 = Seat and back (Fabric Contrast 2)									
	C.O.M. = 3 yd									
· · · · ·										
MYH1										
				A	6	O	D	Ø	0	

upcharge.

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
   2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- BSelect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- **D**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option. NGL - No glides GNY - Nylon glides (cream color); add \$5
- Select moisture barrier. NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier



Approx. Packaged Weight	ade D.M.	Gra C	ıde	Gra D	ade	Gra E & C.(		Gra F	ıde	Gra G	ade	Gra H	ade	Gra I	ade	Gra J	ade	Gra K	ade	ade .eather	Gra M I	ade Leather	Mois Barri add t price	er o list
115.0#	\$ 1854	\$	2094	\$	2157	\$	2232	\$	2284	\$	2384	\$	2485	\$	2612	\$	2863	\$	3116	\$ 3368	\$	3873	\$	174
115.0#	1914		2154		2217		2292		2344		2444		2545		2672		2923		3176	3428		3933		174
115.0#	\$ 2094	\$	2334	\$	2397	\$	2472	\$	2523	\$	2624	\$	2725	\$	2851	\$	3103	\$	3356	\$ 3608	\$	4113	\$	174
115.0#	2154		2394		2457		2532		2583		2684		2785		2911		3163		3416	3668		4173		174

#### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

## C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### Contrasting Upholstery

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYLH	\$245
MYHL	\$245
MYLH4L	\$245
MYHL4L	\$245
MYHH	\$245
MYHH4L	\$245

#### **SPECIAL SERVICES**

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

			MODEL NU	MBER		_					
	Features	сом	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Base Finish	Glide Option	Lam Clr	Power Option	Moisture Barrier	Approx. Packaged Weight
	Non-contrast	6 yd	MYHW/NC								120.0#
	Contrast		MYHW/FC								120.0#
2											
MYH2											
Left Facing High Arm/ Right Facing											
Work Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
<ul><li>= 3.25 yd</li><li>2 = Seat and back (Fabric Contrast 2)</li></ul>											
C.0.M. = 3  vd											
	Non-contrast	6 yd	MYWH/NC								120.0#
	Contrast		MYWH/FC								120.0#
MYH2											
Left Facing Work Arm/ Right Facing											
High Arm Sled Base Lounge											
• 1 = Arms (Fabric Contrast 1) C.O.M.											
<ul> <li>= 3.25 yd</li> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>											
C.0.M. = 3  yd											
			A	6	C	D	Ø	G	G	0	
			Ŧ	0		0	0		0	Ŧ	

#### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\square$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Oselect base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select glide option.

   NGL
   - No glides

   GNY
   - Nylon glides (cream color);

   add \$5
   - Nylon glides (cream color);
- Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on

## beech.

## GSelect power option.

 NP
 - No power

 MPB
 - Black power module; add

 \$245
 - Silver power module; add

 \$245
 - White power module; add

 \$245
 - White power module; add

#### Belect moisture barrier. NMB - No moisture barrier

MB - Moisture barrier See pricing column for moisture barrier upcharge.



Gra C.C	ade ).M.	Gra C	ade	Gra D	ade	Εá	ade & D.L.	Gr F	ade	Gra G	ade	G H	rade	G	rade	G J	rade	Gi K	rade	rade Leather	rade Leather	Moist Barrie add t price	er o list
\$	2008	\$	2248	\$	2311	\$	2387	\$	2437	\$	2538	\$	2639	\$	2765	\$	3017	\$	3270	\$ 3522	\$ 4026	\$	174
	2068		2308		2371		2447		2497		2597		2699		2825		3077		3330	3582	4086		174
\$	2008	\$	2248	\$	2311	\$	2387	\$	2437	\$	2538	\$		\$		\$		\$		\$	\$	\$	174
	2068		2308		2371		2447		2497		2597		2699		2825		3077		3330	3582	4086		174

#### NOTE

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

#### INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54<sup>4</sup> wide. If less than 54<sup>4</sup> wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

## **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

## California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYHW	\$273
MYWH	\$273
MYHW4L	\$273
MYWH4L	\$273

#### **SPECIAL SERVICES**

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

# MyWay<sup>™</sup> Lobby and Lounge Seating

				MODEL NUM	IBER					
	MODEL	Features	СОМ	Basic Model	Non-Contrast or Fabric Contrast 1	Fabric Contrast 2	Lam Clr	Power Option	Moisture Barrier	
~	Left Facing High Arm/ Right Facing Work	Non-contrast	6 yd	MYHW4L/NC						
	Arm 4-Leg Lounge	Contrast		MYHW4L/FC						
2	<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M. =</li> <li>2 5 µd</li> </ul>									
	<ul> <li>3.25 yd</li> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>									
	C.O.M. = 3  yd									
¥										
MYH2										
	Left Facing Work Arm/ Right Facing High	Non-contrast	6 yd	MYWH4L/NC						
	Arm 4-Leg Lounge	Contrast		MYWH4L/FC						
$\begin{pmatrix} 2 \\ 1 \\ \end{pmatrix}$	<ul> <li>1 = Arms (Fabric Contrast 1) C.O.M. = 3.25 yd</li> </ul>									
	<ul> <li>2 = Seat and back (Fabric Contrast 2)</li> </ul>									
×↓↓ ×	C.O.M. = 3 yd									
σ										
MYH2										
				A	B	G	D	Ø	G	

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

### A Select basic model.

- Belect non-contrast or fabric contrast 1. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- C Select fabric contrast 2. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Tablet edge finish is always Natural on beech.

#### Select power option.

NP	-	No power
MP	'B -	Black power module; add
\$24	45	
MP	'S -	Silver power module; add
\$24	45	
MP	- W	White power module: add

### \$245

## Select moisture barrier.

NMB - No moisture barrier MB - Moisture barrier See pricing column for moisture barrier upcharge.



Approx. Packaged Weight	rade O.M.	Gra C	ade	Gra D	ade	Εð	ade & D.L.	Gra F	ade	Gra G	ade	Gra H	ade	Gr	ade	Gra J	ade	Gr K	ade	ade .eather	ade Leather	Mois Barri add t price	er o list
120.0#	\$ 2248	\$	2487	\$	2551	\$	2627	\$	2677	\$	2777	\$	2879	\$	3005	\$	3257	\$	3510	\$ 3762	\$ 4266	\$	174
120.0#	2308		2547		2611		2687		2737		2837		2939		3065		3317		3570	3822	4326		174
120.0#	\$ 2248	\$	2487	\$	2551	\$	2627	\$	2677	\$	2777	\$	2879	\$	3005	\$	3257	\$	3510	\$ 3762	\$ 4266	\$	174
120.0#	2308		2547		2611		2687		2737		2837		2939		3065		3317		3570	3822	4326		174

#### NOTE

#### **Base Finish**

4-leg lounge base finish is polished aluminum.

#### Ganging

Only Low Arm to Low Arm, No Arm to No Arm, and No Arm to Low Arm sides will gang together. Work Arm and High Arm sides cannot gang.

## INFORMATION

## C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54<sup>4</sup> wide. If less than 54<sup>st</sup> wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e.,  $4.75 \times 18 = 85.5$  sq. ft.).

#### **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

## Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approximately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier.

Model	
MYHW	\$273
MYWH	\$273
MYHW4L	\$273
MYWH4L	\$273

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

## MyWay<sup>™</sup> Tables

	MODEL NU						
MODEL	Basic Model	Base Finish	Glide Option	Laminate Color	Edge Color	Power Option	Approx. Packaged Weight
Small Laminate End Table	MYTB9012						45.0#
MYTB							
Laminate End Table	MYTB9013						50.0#
$\langle \rangle$							
МҮТВ							
Laminate Coffee Table	MYTB9014						75.0#
$\sim$							
$\forall$							
МҮТВ							
	A	B	G	D	Ø	G	-
	<b>W</b>	0	0	0	0		

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note:  $\bullet$  The  $\Box$  indicates that a choice is required.
  - $\bullet$  The absence of the  $\Box$  indicates that no choice is required.
  - Alpha-numeric characters in place of  $\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

#### A Select basic model.

- **B**Select base finish color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- CSelect glide option. 
   NGL
   - No glides

   GNY
   - Nylon glides (cream color);
   add \$5
- **D**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select primary edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select power option.
   NP No power
   MTPB Black table power module<price o="1301721" ps="4" s="44"

## t="1"/>

MTPS - Silver table power module<price o="1301721" ps="4" s="44"

t="1"/> MTPW - White table power module<price o="1301721" ps="4" s="44"

t="1"/>

Deli	ered				
Pric	ered ng				
\$	752				
\$	763				
\$	970				

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information N/C

Shipping Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

## KI

| 330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 | -800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 Krueger International, Inc. All Rights Reserved. Code KI-11604/KI/PDF/1213