
January 11, 2012 Updated April 15, 2015 800-424-2432







Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo	2
Learn2™ Classroom Furniture	
General Information	4
Learn2® Classroom Furniture	
Intellect Wave® Seating w/Worksurface	10
Strive® Seating w/Worksurface	14
Intellect Wave® Seating No Worksurface	30
Strive® Seating No Worksurface	34

Ordering C.O.M., C.O.L., and C.O.V.


Bonduel, Green Bay, Ontario, and Tupelo

How to Specify C.O.M. UpholsteryTextile designs often have intricate patterns.
Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

> KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

Type of seating and number of units of each type

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order ProcessingFor products shipped from Green Bay, WI facility, ship upholstery material to:

KI Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801 For products shipped from Bonduel, WI facility, ship material to:

KI Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107


For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests,

provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

Kl assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. A copy of this form should accompany test ■ Submitted for testing. Test approved. Submitted for production. requests and production orders. Please fill it out completely, and, if your order has been Purchase Order Number KI Acknowledgement Number acknowledged, provide the acknowledgement number. Purchasing Agent (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. Attention B Selvage Side and Side Selvage Top and Bottom Address City State 7in Project Name


Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Wireworks	MN
Unite	MN
Residence Hall Furniture	
RoomScape Furniture	MN
creens	
True/Volition	KF
Genesis	KF
Seating	
100 Series Folding Chairs	
300 Series Folding Chairs	
600 Series Stools	
700 Series Folding Chairs	
1000 Series	
Aerdyn Guest Seating	
Affina Collection	
Arissa Lounge	
Altus Task Chairs	
Apply Stack Chairs	
Auditorium Folding Chairs	
Avail Task Chairs	
Bantam Guest Seating	
Briar Multiple & Healthcare Seating	
Boss Design Chairs	
Cinturon Lounge & Professional Seatin	
Cody Lounge Seating	
Connection Zone Privacy Booths	
Dorsal Stack & Tandem Seating	
Engage Task Chairs & Stools	
Flex Multiple & Healthcare Seating	
Front Row Seats (Silk Screening)	
GateOne Public Seating	
Grazie Seating	
Hub Modular Lounge Seating	
Impress Task Chairs	
Impress Ultra Task Chairs	OM

Universal Overheads......MN

	•
Jessa Lounge Seating	HN
Jubi Guest Chair	GB
Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	HN
LaResta Day Beds	HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	HN
MyWay Seating	HN
Neena Benches	HN
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	OM
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	HN
Rose Healthcare	BW
Sela Lounge Seating	HN
Sift Task Chairs	TM
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	HN
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	GB
Tea Cup Lounge Seating	HN
Three Multiple, Healthcare & Lounge	HN
Three II Healthcare Seating	HN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
Torsion Stack and Task Seating	GB
Versa Stack Chairs & Stools	GB

Logix.....BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG Contact KI at I-800-424-2432

KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Site Furnishings

MN KI Manitowoc Attn: COM Storage I 400 S. 41 st St. Manitowoc, WI 54220

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 KI Crossroads
Attn: Brianne Linn
280 North Road
Clinton County
Industrial Park
McElhattan, PA 17748

OM KI-Impress Attn: COM Storage IIIO S. Mildred Ave. Ontario, CA 91761

KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



General Information







Wave with Accessory Rack (L2WTP/SAR)

Wave with Cup Holder Rack (L2WTP/CAR)

Features

Accessory rack		•	•
Cup holder			•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17"	17"	17"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"
Arms to floor			

Overall Dimensions

With worksurface; no accessory rack	23-1/4"W x 28"-34"D		
With worksurface; with accessory rack		23-1/4"W x 28"-34"D	23-1/4"W x 28"-34"D
Height	33-1/3"	33-1/3"	33-1/3"
Worsurface width x depth	21-1/2"W x 13"D	21-1/2"W x 13"D	21-1/2"W x 13"D

NOTE: Overall dimensions above are with surface centered to chair back. Dimensions of surface movement and rotation are not included.







Cup Holder Rack



Flat Accessory Rack

SPECIFICATIONS

Frame

Frame shall consist of 14-gauge, 1" O.D. steel tubing bent and welded to a 13-gauge steel stamped seat plate and finished with baked-on powder coated paint. The chair frame shall be topped by two aluminum die castings with a baked-on black powder coated paint finish. Castings support the chair seat and provide a means of rotation of the tablet about the seat.

Shell

Shell swivels a total fo 55° (27.5° each way from center) for ease of entry and exist.

Intellect Wave Shell

One-piece contoured shell made of high-impact polypropylene. Colorfastness ensured through complete color impregnation throughout the molded part. Strength and durability shall be assured through an engineered internal structural cavity which eliminates the need for unsightly ribs on the

back of the shell. Rolled edges for comfort and strength, textured front and back with a wide, ergonomic handle molded into chair back for ease of mobility. Fastens to frame by a 12-gauge formed steel plate with six torx head screws.

Optional upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the seat and fastened to an inner shell with screws.

Strive Shell

Injection molded polypropylene back with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Injection molded polypropylene seat shall be secured to the chair by a 12-gauge formed steel plate.

Optional upholstered seats have molded urethane foam attached to an injection molded polypropylene seat board, then upholstered using a drawstring process. The assembled seat pad is attached to the seat by means of hidden fasteners.

With optional cantilever arms, the supporting structure is 7/8" O.D. x 13-gauge tubular steel welded directly to the seat support structure and matching the seat and back color. The armcaps are injection molded glass filled polypropylene matching the seat and back color. The armcaps are attached to the steel structure by means of screws.

Strive Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Surface Support

The worksurface shall be supported from the chair frame by a formed and welded support tube made from 1.125 O.D. 14-gauge steel.

The worksurface shall be supported from the support tube by an aluminum gusset die casting with a black powder coated paint finish. The support tube rotates around the chair seat a total of 220° (110° each way from front center). A 1/2" thick steel plug shall be drilled, tapped, and welded into the end of the support tube. The worksurface shall be structurally secured to the support tube with Grade 5, 3/8-16 bolt, held in place with an epoxy patch.

Surface Mechanism

The gusset die casting shall rotate about the support tube by means of a plastic bushing connection, rotating a total of 154° around the support tube. The worksurface shall slide back and forth for a total of 6° of straight in and out movement. The sliding motion shall be accomplished with an aluminum extruded rail and plastic bushing mechanism.

1

Learn2™ Classroom Furniture

General Information



Strive (L2STP/NA/NAR)

Strive with Accessory Rack (L2STP/NA/SAR)

Strive w/Cup Holder Rack (L2STP/NA/CAR)

Strive Armchair (L2STP/CA/NAR)

Strive Armchair with Acc. Rack (L2STP/CA/SAR)

Strive Armchair w/Flat Accessory Rack (L2STP/CA/FBR)

Features

Accessory rack		•	•		•	•
Cup holder			•			•
General Dimensions						
Seat width	18"	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Arms to floor				27"	27"	27"

Overall Dimensions

With worksurface; no accessory rack	23-1/4"W x 28"-34"D			24-1/4"W x 28"-34"D		
With worksurface; with accessory rack		23-1/4"W x 28"-34"D	23-1/4"W x 28"-34"D		24-1/4"W x 28"-34"D	24-1/4"W x 28"-34"D
Height	34-1/2"	34-1/2"	34-1/2"	34-1/2"	34-1/2"	34-1/2"
Worsurface width x depth	21-1/2"W x 13"D					

Surface

Plastic

The writing surface of the plastic worksurface shall be injection molded polycarbonate. The understructure of the plastic worksurface shall be black injection molded nylon with fiberglass reinforcement filling.

Laminate

The laminate worksurface shall be 18mm thick Baltic Birch plywood core with .040" laminate face and .020" paper backing sheet. The edge of the wood surface is shaped and sanded with a sealed and clear-coat lacquered finish.

Accessory Rack

Optional accessory rack is constructed of 14-gauge perforated steel wrapped with .25° O.D. steel wire and welded to the frame. Optional cup holder is made of a .25° O.D. steel wire welded with an 11-gauge flat metal round trim plate to the steel racks. Acces-

sory racks (with or without cup holder) are not field-installable or retrofittable.

Casters

Double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Carpet or hard floor casters are black only. Optional Bell glides (2" high) made of high-impact plastic also available, black only.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Design

Strive is designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information



Strive No Worksurface (L2SNAP/NA/CAR)



Strive Armchair No Worksurface (L2SNAP/CA/CAR)

Features

reatures			
Accessory rack	•	•	
Cup holder	•	•	
General Dimensions			
Seat width	17-1/2"	18"	18"
Seat depth	17"	18"	18"
Seat height (upholstered add 1")	18-1/2"	18-1/2"	18-1/2"
Arms to floor			27"
Overall Dimensions			
No worksurface; no accessory rack	21-1/5"W x 23-1/4"D	21-1/2"W x 23-1/4""D	22-1/2"W x 23-1/4"D
No worksurface; with accessory rack	23-1/4"W x 23-1/4"D	23-1/4"W x 23-1/4"D	21-1/4"W x 23-1/4"D
Height	33-1/3"	34-1/2"	34-1/2"

Wave

No Worksurface

SPECIFICATIONS

Frame

Frame shall consist of 14-gauge, 1° 0.D. steel tubing bent and welded to a 13-gauge steel stamped seat plate and finished with baked-on powder coated paint. The chair frame shall be topped by two aluminum die castings with a baked-on black powder coated paint finish. Castings support the chair seat and provide a means of rotation of the tablet about the seat.

Shell

Shell swivels a total fo 55° (27.5° each way from center) for ease of entry and exist.

Intellect Wave Shell

One-piece contoured shell made of high-impact polypropylene. Colorfastness ensured through complete color impregnation throughout the molded part. Strength and durability shall be assured through an engineered internal structural cavity which eliminates the need for unsightly ribs on the

back of the shell. Rolled edges for comfort and strength, textured front and back with a wide, ergonomic handle molded into chair back for ease of mobility. Fastens to frame by a 12-gauge formed steel plate with six torx head screws.

Optional upholstered chairs have partially exposed polypropylene surfaces. Fabric is upholstered over 9/16" foam on the seat and fastened to an inner shell with screws.

Strive Shell

Injection molded polypropylene back with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire. Injection molded polypropylene seat shall be secured to the chair by a 12-gauge formed steel plate.

Optional upholstered seats have molded urethane foam attached to an injection molded polypropylene seat board, then upholstered using a drawstring process. The assembled seat pad is attached to the seat by means of hidden fasteners.

With optional cantilever arms, the supporting structure is 7/8" O.D. x 13-gauge tubular steel welded directly to the seat support structure and matching the seat and back color. The armcaps are injection molded spilled polypropylene matching the seat and back color. The armcaps are attached to the steel structure by means of screws.

Strive Optional Upholstered Seat

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

Strive Optional Upholstered Back - No Worksurface Models

1/2" thick urethane foam is attached to an injection molded polypropylene back board,

then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

Accessory Rack

Optional accessory rack is constructed of 14-gauge perforated steel wrapped with .25° O.D. steel wire and welded to the frame. Optional cup holder is made of a .25° O.D. steel wire welded with an 11-gauge flat metal round trim plate to the steel racks. Accessory racks (with or without cup holder) are not field-installable or retrofittable.

Casters

Double wheels (60mm) of high-impact thermoplastic with high-impact plastic frame. Carpet or hard floor casters are black only. Optional Bell glides (2" high) made of high-impact plastic also available, black only.



Learn2[™] Classroom Furniture

General Information

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI Attn: C.O.M. Specialist 1441 Ontario Street Green Bay, WI 54311

Design

Strive is designed by Giancarlo Piretti and manufactured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Intellect Wave® Seating

	MODEL NUMBER										
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Without Accessory Rack	Polypropylene	L2WTP/NAR								
	 Non-handed worksurface in choice of plastic or laminate 	Upholstered Seat	L2WTUS/NAR								
	plactic of farmato										
o ∥ o#											
08)											
2WWSP											
2WWSU											
6	Accessory Rack	Polypropylene	L2WTP/SAR								
	 Non-handed worksurface in choice of plastic or laminate 	Upholstered Seat	L2WTUS/SAR								
	 Accessory rack included on both sides of 	f									
	frame										
2WWSP											
2WWSU											
6	Cup Holder/Accessory Rack	Polypropylene	L2WTP/CAR								
	 Non-handed worksurface in choice of plastic or laminate 	Upholstered Seat	L2WTUS/CAR								
	 Cup holder/accessory rack included on 										
	both sides of frame										
2WWSP											
2WWSU											
			A	B	· ·	• O	3	G	Ю	•	
			4	U	G	ש	G	U	U	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect worksurface type.

LW - Laminate worksurface; add \$49 PW - Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

Select shell color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

C - Carpet casters
S - Hard floor casters
GL - Glides
SG - Front hard floor casters, rear
glides
CG - Front carpet casters, rear
glides



Learn2[™] Classroom Furniture Intellect Wave® Seating

Approx. Packaged Weight		ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
37.0#	\$	550									
40.0#		N/A	605	609	618	618	609	647	661	677	690
46.0#	\$	572									
49.0#	Ψ	N/A	627	631	640	640	631	669	682	699	712
40.0"	Φ.	000									
46.0#	\$	608 N/A	662	667	676	676	667	705	710	705	740
49.0#		N/A	663	667	6/6	6/6	667	705	718	735	748

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$62

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

MODEL NUMBER Surface Finish/ Basic Surface Frame Fire Shell Plastic Glide Uph. MODEL **Features** Model Color Color Туре Color Code Color Option L2WTP/FBR Flat Accessory Rack Polypropylene Non-handed worksurface in choice of Upholstered Seat L2WTUS/FBR plastic or laminate · Flat accessory rack included 2WWSP 2WWSU A **3** Θ • 0 0 0 **(3**)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49

PW - Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

• Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select shell color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

C - Carpet casters
S - Hard floor casters
GL - Glides
SG - Front hard floor casters, rear glides
CG - Front carpet casters, rear glides



Learn2® Classroom Furniture Intellect Wave® Seating

46.0# \$ 651	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	46.0#	\$ 651									
49.0# N/A 705 710 718 718 710 748 761 777 790	49.0#	N/A	705	710	718	718	710	748	761	777	790

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compli-ant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$62

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

			MODEL NUMBE	R							
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Without Accessory Rack	Polypropylene	L2STP/NA/NAR								
	Non-handed worksurface in choice of plastic or laminate	Upholstered Seat	L2STUS/NA/NAR								
OD											
2SWSP											
2SWSU											
	Accessory Rack	Polypropylene	L2STP/NA/SAR								
	Non-handed worksurface in choice of plastic or laminate Accessory rack included on both sides o frame	Upholstered Seat f	L2STUS/NA/SAR								
2SWSP											
2SWSU											
	Cup Holder/Accessory Rack Non-handed worksurface in choice of	Polypropylene	L2STP/NA/CAR								
	Plastic or laminate Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2STUS/NA/CAR								
2SWSP											
2SWSU											
			A	3	0	0	3	()	О	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49 **PW**

- Plastic worksurface

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

- Carpet casters - Hard floor casters GL - Glides - Front hard floor casters, rear SG glides **CG** - Front carpet casters, rear glides



Strive® Seating

Approx. Packaged Weight	ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
48.0#	\$ 654					G. 5 GP . 5	G. 64 P. 1	G. 64 P. 1	G. 5 G P . 5	G. Gap 1 1
51.0#	 N/A	711	737	749	749	743	782	800	820	836
57.0#	\$ 676									
60.0#	N/A	732	759	771	771	765	803	822	841	858
57.0#	\$ 712									
60.0#	N/A	768	795	807	807	801	839	858	877	894

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

MODEL NUMBER Surface Finish/ Shell Basic Surface Frame Fire Plastic Glide Uph. MODEL **Features** Model Type Color Code Color Color Option Color Flat Accessory Rack Non-handed worksurface in choice of Polypropylene L2STP/NA/FBR **Upholstered Seat** L2STUS/NA/FBR plastic or laminate Flat accessory rack included 2SWSP 2SWSU A **B** 0 Θ 0 • • 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49

PW - Plastic worksurface

© Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OSelect fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

C - Carpet casters
S - Hard floor casters
GL - Glides
SG - Front hard floor casters, rear glides
CG - Front carpet casters, rear glides



O	o
Strive®	Seating

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
57.0#	\$ 754									
60.0#	N/A	811	837	849	849	844	882	900	920	936

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/NA/NAR									51.0#
2SWTS											
Without Accessory Rack with Top											
Stitch on Seat											
Non-handed worksurface in choice of											
plastic or laminate											20.2%
	Upholstered Seat	L2STTSUS/NA/SAR									60.0#
3											
<i>₹</i>											
2SWTS											
Accessory Rack with Top Stitch on Seat											
Non-handed worksurface in choice of											
plastic or laminate											
Accessory rack included on both sides of frame											
		A	3	Θ	0	(3	•	Ф	0	0	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49 **PW**

- Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

- **G**Select surface finish.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

- Carpet casters - Hard floor casters - Glides SG - Front hard floor casters, rear glides **CG**

- Front carpet casters, rear glides



Learn2™ Classroom Furniture Strive® Seating

Delivered Pricing Pallas Fabric Group P1

\$ 820

\$ 841

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Classroom Furniture

Strive® Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/NA/CAR									60.0#
2SWTS											
Cup Holder/Accessory Rack with Top											
Stitch on Seat											
Non-handed worksurface in choice of											
plastic or laminate • Cup holder/accessory rack included											
on both sides of frame											
	Upholstered Seat	L2STTSUS/NA/FBR									60.0#
3											
○DB 2SWTS											
Flat Accessory Rack with Top Stitch on Seat											
 Non-handed worksurface in choice of plastic or laminate 											
Flat accessory rack included											
-									•		
		A	B	•	0	(3	(3	O	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49 **PW**

- Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

- GSelect surface finish.
 - Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

- Carpet casters - Hard floor casters - Glides SG - Front hard floor casters, rear glides **CG**

- Front carpet casters, rear glides



Learn2™ Classroom Furniture Strive® Seating

Delivered Pricing Pallas Fabric Group P1

877

920 \$

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

	MODEL NUMBER										
	MODEL	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	
	Armchair without Accessory Rack	Polypropylene	L2STP/CA/NAR								
	Non-handed worksurface in choice of plastic or laminate	Upholstered Seat	L2STUS/CA/NAR								
2SWSP 2SWSU											
	Armchair with Accessory Rack Non-handed worksurface in choice of plastic or laminate Accessory rack included on both sides or frame	Polypropylene Upholstered Seat f	L2STP/CA/SAR L2STUS/CA/SAR								
2SWSP											
2SWSU		Polypropylene	L2STP/CA/CAR								
	Armchair with Cup Holder/Accessory Rack Non-handed worksurface in choice of plastic or laminate Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2STUS/CA/CAR								
2SWSP											
2SWSU											
			Δ	B	0	0	(3	3	Ф	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49 **PW**

- Plastic worksurface

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

- Carpet casters - Hard floor casters GL - Glides - Front hard floor casters, rear SG glides **CG** - Front carpet casters, rear

glides



	Strive Seating

Approx. Packaged Weight		ivered cing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
51.0#	\$	709									
54.0#		N/A	765	791	803	803	798	836	855	874	891
60.0#	\$	730									
63.0#		N/A	787	813	825	825	820	858	876	896	912
60.0#	\$	766									
63.0#	φ	N/A	823	849	861	861	856	894	912	932	948
03.0#		IV/A	023	049	001	301	000	094	312	332	940

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

MODEL NUMBER Surface Finish/ Shell Glide Basic Surface Frame Fire Plastic Uph. MODEL **Features** Model Color Code Color Color Option Color Type **Armchair with Flat Accessory Rack** Polypropylene L2STP/CA/FBR Non-handed worksurface in choice of Upholstered Seat L2STUS/CA/FBR plastic or laminate Flat accessory rack included 2SWSP 2SWSU A 0 Θ 0 **(3 (3**) **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49

PW - Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

• Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect caster/glide option.

C - Carpet casters
S - Hard floor casters
GL - Glides
SG - Front hard floor casters, rear
glides
CG - Front carpet casters, rear
glides



Learn2® Classroom Furniture Strive® Seating

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
60.0#	\$ 809									
63.0#	N/A	865	892	904	904	898	936	955	974	991

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/CA/NAR									54.0#
2SWTS											
Armchair without Accessory Rack with											
Top Stitch on Seat											
 Non-handed worksurface in choice of plastic or laminate 											
	Upholstered Seat	L2STTSUS/CA/SAR									63.0#
9											
2SWTS											
Armchair with Accessory Rack with Top Stitch on Seat											
Non-handed worksurface in choice of											
plastic or laminate											
 Accessory rack included on both sides of frame 											
Sides of Hame		_	•	<u> </u>		-	A	<u> </u>	Ф		
		A	$oldsymbol{\Theta}$	•	0	(3	(3	œ	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49 **PW**

- Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

GSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

- Carpet casters - Hard floor casters - Glides SG - Front hard floor casters, rear glides **CG**

- Front carpet casters, rear glides



Learn2™ Classroom Furniture Strive® Seating

Delivered Pricing Pallas Fabric Group P1

\$ 874

896

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

		MODEL NUMBER									
	Features	Basic Model	Surface Type	Frame Color	Fire Code	Shell Color	Top Stitch Color	Surface Finish/ Plastic Color	Glide Option	Uph. Color	Approx. Packaged Weight
	Upholstered Seat	L2STTSUS/CA/CAR									63.0#
ODD 2SWTS											
Armchair with Cup Holder/Accessory											
Rack with Top Stitch on Seat											
Non-handed worksurface in choice of											
plastic or laminateCup holder/accessory rack included											
on both sides of frame											
	Upholstered Seat	L2STTSUS/CA/FBR									63.0#
SWTS											
Armchair with Flat Accessory Rack											
vith Top Stitch on Seat											
Non-handed worksurface in choice of plastic or laminate Flat accessory rack included											
•					_				Φ.		
		A	B	•	0	•	(3	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select worksurface type.

LW - Laminate worksurface; add \$49

PW - Plastic worksurface

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

- GSelect surface finish.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select caster/glide option.

- Carpet casters - Hard floor casters - Glides SG - Front hard floor casters, rear

glides CG - Front carpet casters, rear glides



Learn2[™] Classroom Furniture Strive® Seating

Delivered Pricing Pallas Fabric Group P1

\$ 932

\$ 974

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Intellect Wave® Seating

			MODEL NUMBER						
						_			
				_		01 11	01.1		Approx.
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Packaged Weight
	No Western Company Company Dealer	Polypropylene	L2WNP/NAR						33.0#
	No Worksurface - Without Accessory Rack	Upholstered Seat	L2WNUS/NAR						36.0#
	·								
Q8 Q4									
Q#									
2WNSP									
2WNSU									
	No Worksurface - Accessory Rack	Polypropylene	L2WNP/SAR						42.0#
	 Accessory rack included on both sides of 	Upholstered Seat	L2WNUS/SAR						45.0#
\	frame								
OMMOD.									
2WNSP 2WNSU									
	No Worksurface - Cup Holder/Accessory	Polypropylene	L2WNP/CAR				ПП		42.0#
	Rack	Upholstered Seat	L2WNUS/CAR						45.0#
	Cup holder/accessory rack included on	·							
	both sides of frame								
a a									
OD									
2WNSP									
2WNSU									
			A	B	Θ	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

• Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
alides	

- Front carpet casters, rear glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CG



Learn2[™] Classroom Furniture Intellect Wave® Seating

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 410	404	400	477	477	400	507	500	500	F.40
N/A	464	469	477	477	469	507	520	536	549
\$ 432	400	101	400	100	101	500	540	550	574
N/A	486	491	499	499	491	529	542	558	571
\$ 468									
N/A	522	526	535	535	526	565	578	594	607

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$62

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Learn2® Classroom Furniture Intellect Wave® Seating

	MODEL NUM	BER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
6	No Worksurface - Flat Accessory Rack	Polypropylene	L2WNP/FBR						42.0#
	Flat accessory rack included	Upholstered Seat	L2WNUS/FBR						45.0#
2WNSP									
2WNSU									
			A	B	Θ	0	(3	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

• Select shell color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
glides	

CG - Front carpet casters, rear glides



Learn2® Classroom Furniture Intellect Wave® Seating

Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 510									
N/A	565	569	578	578	569	607	620	637	650

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement is 5/8 yard per chair for seat of 54" wide nondirectional fabric. For complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$20 Model=Upholstered Seat Added List Price=\$62

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

MODEL NUMBER									
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
		Polypropylene	L2SNP/NA/NAR						44.0#
	No Workeyrfood Without According Dock	Upholstered Seat	L2SNUS/NA/NAR						47.0#
2SNSP 2SNSU									
	No Worksurface - Accessory Rack	Polypropylene	L2SNP/NA/SAR						53.0#
	Accessory rack included on both sides of frame	Upholstered Seat	L2SNUS/NA/SAR						56.0#
3									
2SNSP									
2SNSU									
		Polypropylene	L2SNP/NA/CAR						53.0#
	Cup holder/accessory rack included on both sides of frame	Upholstered Seat	L2SNUS/NA/CAR						56.0#
	both sides of frame								
8									
2SNSP									
2SNSU									
			A	B	0	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133

- OSelect poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
alides	

- Front carpet casters, rear glides
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CG



Learn2[™] Classroom Furniture

Strive® Seating

	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing	Delivered Pricing
Delivered Pricing	Fabric Grade 1 & C.O.M.	Fabric Grade 2	Fabric Grade 3	Vinyl Group 2	Pallas Fabric Group P0	Pallas Fabric Group P1	Pallas Fabric Group P2	Pallas Fabric Group P3	Pallas Fabric Group P4
\$ 520									
N/A	577	603	615	615	609	647	666	686	702
\$ 542									
N/A	598	625	637	637	631	669	688	707	724
 ф F70									
\$ 578	CO.4	001	070	670	CCZ	705	70.4	740	700
\$ 578 N/A	634	661	673	673	667	705	724	743	760
	634	661	673	673	667	705	724	743	760
	634	661	673	673	667	705	724	743	760

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #300.

		MODEL NUMBE	MBER						
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Glide Option	Upholstery Color	Approx. Packaged Weight
	No Worksurface - Flat Accessory Rack	Polypropylene	L2SNP/NA/FBR						53.0#
	Flat accessory rack included	Upholstered Seat	L2SNUS/NA/FBR						56.0#
•									
2SNSP									
2SNSU									
			A	B	0	0	(3	(3)	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

DSelect poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
alides	

- Front carpet casters, rear

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CG

glides



Learn2® Classroom Furniture Strive® Seating

Delivered Fabric Grade Fabric Grade Fabric Grade Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas	cing Pricing las Fabric Pallas Fabric oup P3 Group P4
\$ 620	
N/A 677 703 715 715 710 748 766	786 802

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

			MODEL NUMBER							
			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Without Accessory Rack	Upholstered Seat	L2SNTSUS/NA/NAR							
	with Top Stitch on Seat									
b										
2SNTS										
251015	No Worksurface - Accessory Rack with	Upholstered Seat	L2SNTSUS/NA/SAR							
	Top Stitch on Seat									
	 Accessory rack included on both sides of frame 									
2SNTS		Upholstered Seat	L2SNTSUS/NA/CAR							
	No Worksurface - Cup Holder/Accessory Rack with Top Stitch on Seat	opnoistered Seat	L25N15U5/NA/UAR							
	 Cup holder/accessory rack included on both sides of frame 									
	both sides of frame									
- 3										
₫										
2SNTS										
			A	3	•	0	(3	(3	@	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

 BLTS Black
 WHTS White

Select caster/glide option.

- Carpet casters

S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
glides	
CG	- Front carpet casters, rear
glides	

GSelect upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Learn2[™] Classroom Furniture Strive® Seating

Approx. Packaged Weight

Delivered Pricing Pallas Fabric Group P1

47.0#

\$ 686

56.0# \$ 707

56.0# \$ 743

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #300.

Strive® Seating

			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Flat Accessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/NA/FBR							
	Flat accessory rack included									
2SNTS										
			Δ	$oldsymbol{\Theta}$	Θ	0	•	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge

- Select poly seat and back color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select top stitch color.

BLTS - Black WHTS - White

Select caster/glide option.

C - Carpet casters

- S Hard floor casters
 GL Glides
 SG Front hard floor casters, rear
 glides
 CG Front carpet casters, rear
 glides
- Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Learn2® Classroom Furniture Strive® Seating

Approx. Packaged Weight

Delivered Pricing Pallas Fabric Group P1

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

			_						
			MODEL NUMBE	R					
									Approx.
			Basic	Frame	Fire	Shell	Glide	Upholstery	Packaged
	MODEL	Features	Model	Color	Code	Color	Option	Color	Weight
	No Worksurface - Armchair without Ac-	Polypropylene	L2SNP/CA/NAR						47.0#
	cessory Rack	Upholstered Seat	L2SNUS/CA/NAR						50.0#
g g									
d									
2SNSP									
2SNSU									
	No Worksurface - Armchair with Acces-	Polypropylene	L2SNP/CA/SAR						56.0#
	sory Rack	Upholstered Seat	L2SNUS/CA/SAR						59.0#
	 Accessory rack included on both sides of frame 	f							
	ITanie								
3									
3									
2SNSP									
2SNSU									
	No Worksurface - Armchair with Cup	Polypropylene	L2SNP/CA/CAR						56.0#
	Holder/Accessory Rack	Upholstered Seat	L2SNUS/CA/CAR						59.0#
	 Cup holder/accessory rack included on both sides of frame 								
	both sides of manie								
3									
34									
2SNSP									
2SNSU									
			A	B	Θ	0	(3	(3	
			•	_	•	_	•	•	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

See Upholstery Information for TB133

- OSelect poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
alidae	

CG - Front carpet casters, rear glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Strive® Seating

	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
Delivered Pricing	Pricing Fabric Grade 1 & C.O.M.	Pricing Fabric Grade 2	Pricing Fabric Grade 3	Pricing Vinyl Group 2	Pricing Pallas Fabric Group P0	Pricing Pallas Fabric Group P1	Pricing Pallas Fabric Group P2	Pricing Pallas Fabric Group P3	Pricing Pallas Fabric Group P4
\$ 574									
N/A	631	657	669	669	675	713	720	740	756
\$ 596									
W 330	653	679	691	691	686	724	742	762	778
14//1	000	010	031	001	000	727	7-72	702	770
\$ 632									
N/A	689	715	727	727	722	760	778	798	814

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

MODEL NUMBER Approx. Basic Frame Fire Shell Glide Upholstery Packaged MODEL **Features** Model Option Color Weight Color Code Color L2SNP/CA/FBR 56.0# Polypropylene No Worksurface - Armchair with Flat **Accessory Rack** L2SNUS/CA/FBR **Upholstered Seat** 59.0# · Flat accessory rack included 2SNSP 2SNSU A **3** Θ 0 **3 3**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013

See Upholstery Information for TB133

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select caster/glide option.

C	- Carpet casters
S	- Hard floor casters
GL	- Glides
SG	- Front hard floor casters, rear
alides	

- Front carpet casters, rear glides

Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CG



Learn2® Classroom Furniture Strive® Seating

	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered	Delivered
	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing	Pricing
Delivered	Fabric Grade	Fabric Grade	Fabric Grade	Vinyl Group	Pallas Fabric				
Pricing	1 & C.O.M.	2	3	2	Group P0	Group P1	Group P2	Group P3	Group P4

675 N/A 731 758 770 770 764 802 821 840 857

UPHOLSTERY INFORMATION

C.O.M. Upholstery C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

			1							
			MODEL NUMBER							
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Armchair without Ac- cessory Rack with Top Stitch on Seat	Upholstered Seat	L2SNTSUS/CA/NAR							
Ÿ										
2SNTS										
	No Worksurface - Armchair with Accessory Rack with Top Stitch on Seat Accessory rack included on both sides of frame	Upholstered Seat	L2SNTSUS/CA/SAR							
2SNTS		Upholstered Seat	L2SNTSUS/CA/CAR							
	No Worksurface - Armchair with Cup Holder/Accessory Rack with Top Stitch	opnoistered ocat	LZ3N1303/0A/0AN							
	on Seat									
	 Cup holder/accessory rack included on both sides of frame 									
	both sides of manie									
2SNTS										
			A	B	•	0	3	G	Э	
			•	9	•	•	9	•	· ·	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select fire code.

- Compliance to TB 117-2013

See Upholstery Information for TB133

- Fabrics & Finishes binder.

Select caster/glide option.

- Carpet casters

BSelect frame color.

- Compliance to TB 133

Select poly seat and back color.

Refer to color addendum at ki.com or KI

Select top stitch color.

BLTS - Black
WHTS - White

	glides	- Front carpet casters, rear						
9	Select upholstery grade/color. Refer to color addendum at ki.com or Kl Fabrics & Finishes binder.							

- Hard floor casters

- Front hard floor casters, rear

- Glides

GL

SG

glides



Strive® Seating

Approx. Packaged Weight

Delivered Pricing Pallas Fabric Group P1

59.0# \$ 762

\$ 798

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Polypropylene Added List Price=\$11 Model=Upholstered Seat Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #300.

Strive® Seating

	MODEL NUMBER									
	MODEL	Features	Basic Model	Frame Color	Fire Code	Shell Color	Top Stitch Color	Glide Option	Upholstery Color	
	No Worksurface - Armchair with Flat Accessory Rack with Top Stitch on Seat Flat accessory rack included	Upholstered Seat	L2SNTSUS/CA/FBR							
2SNTS										
			A	B	O	0	(3	3	О	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

See Upholstery Information for TB133

- Select poly seat and back color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top stitch color.

BLTS - Black
WHTS - White

Select caster/glide option. - Carpet casters

- Hard floor casters GL - Glides SG - Front hard floor casters, rear glides CG - Front carpet casters, rear glides
- **G**Select upholstery grade/color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Approx. Packaged Weight Delivered Pricing Pallas Fabric Group P1

59.0#

\$ 840

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L."

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model=Polypropylene
Added List Price=\$11
Model=Upholstered Seat
Added List Price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302** factory. Freight class #300.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2012 KI All Rights Reserved. Code KI-11584/KI/PDF/111