
January 3, 2011 Updated April 29, 2015 800-424-2432











Unitrame® Rectan	gular Tables with Seating		
	General Information		2
	Rectangular Table with	n Benches	4
	Rectangular Table with		6
	Rectangular Table with	•	8
	- Tootangalar Table Will	. 01001 00010	· ·
Uniframe® Round	Tables with Seating		
	General Information		12
	Round Table with Spli	t Benches	14
	Round Table with Stoo		16
	riouna rabio mini oto	,, could	.0
Uniframe® Tables	without Seating		
	General Information		20
	Rectangular Table		22
	Round Table		24
	Oval Table		26
	Square Table		28
	Hexagonal Table		30
	-		32
	Octagonal Table	ht Tabla	34
	Round Stand-up Heigl	it lable	34
IInites man @ Marie	hair Assassible Tebl	ith Castina	
unitrame" wheeld	chair Accessible Tables w	ıııı seating	00
	General Information	D 1	36
	Rectangular Table with		38
	Rectangular Table with	1 Stool Seats	40
Uniframe® Wheeld	chair Accessible Tables w	ithout Seating	
	General Information		44
	Rectangular Table		46
	Round Table		48
	Oval Table		50
	Square Table		52
	Hexagonal Table		54
	Octagonal Table		56
Uniframe® Conver			
	General Information		58
	Uniframe® Convertible	Bench	60
Uniframe® Tables			
	General Features and I	Benefits	62
Premier® Folding	Tables		
	General Information		
			64
			64 66
 Heritage™ Folding	Tables		
Heritage™ Folding	Tables General Information		
 Heritage™ Folding			66 68
Heritage [™] Folding			66
Heritage [™] Folding	General Information		66 68
	General Information		66 68 70
	General Information		66 68
	General Information		66 68 70
Emissary® Folding	General Information Tables General Information		66 68 70
Emissary® Folding	General Information Tables General Information ight Folding Tables		66 68 70 72 74
Emissary® Folding	General Information Tables General Information		66 68 70 72 74
Emissary® Folding	General Information Tables General Information ight Folding Tables		66 68 70 72 74
Emissary® Folding DuraLite® Lightwe	General Information Tables General Information General Information General Inf		66 68 70 72 74
Emissary® Folding	General Information Tables General Information Information General Information		66 68 70 72 74 76 78
Emissary® Folding DuraLite® Lightwe	General Information Tables General Information General Information General Inf		66 68 70 72 74 76 78
Emissary® Folding DuraLite® Lightwe	General Information Tables General Information Information General Information		66 68 70 72 74 76 78
Emissary® Folding DuraLite® Lightwe ValueLite® Folding	General Information Tables General Information ight Folding Tables General Information Tables General Information		66 68 70 72 74 76 78
Emissary® Folding DuraLite® Lightwe ValueLite® Folding	General Information Tables General Information General Information General Information Tables General Information General Information		66 68 70 72 74 76 78 80 82
Emissary® Folding DuraLite® Lightwe ValueLite® Folding	General Information Tables General Information ight Folding Tables General Information Tables General Information age and Accessories General Information		66 68 70 72 74 76 78 80 82
Emissary® Folding DuraLite® Lightwe ValueLite® Folding	General Information Tables General Information General Information General Information Tables General Information General Information	ies	66 68 70 72 74 76 78 80 82
Emissary® Folding DuraLite® Lightwe ValueLite® Folding Folding Table Stor	General Information Tables General Information ight Folding Tables General Information Tables General Information age and Accessories General Information	ies	66 68 70 72 74 76 78 80 82
Emissary® Folding DuraLite® Lightwe ValueLite® Folding	General Information Tables General Information ight Folding Tables General Information Tables General Information age and Accessories General Information	ies	66 68 70 72 74 76 78 80 82

General Information







Rectangular Tables with Split Benches (UF12SB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)

Seating Capacity:

ouning ouplions.											
Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity							
UF12BE	20	16	16	12							
UF10BE	16	12	12	8							
UF08BE	12	12	8	8							
UF12SB	16	16	16	8							
UF128	16	16	16	16							
UF126	12	12	12	12							
UF106	12	12	12	12							
UF084	8	8	8	8							

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 0.40 high-pressure laminate face is used for the top surface with a balanced high pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame steel with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. Each split bench requires two plates. Full benches for 8' tables require two plates; full benches for 10' and 12' tables require three plates. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:
A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to rein-

force points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat PVC (polyvinyl chloride) edge banding that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information



Rectangular Tables with Stool Seats (UF128)

Features

i dataree	
Solid core top	•
High-pressure laminate surface	•
Bullnose edge	•
73P edge	•
Perfect edge	•
27" height	•
29" height	•

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent

accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of eight per table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of the table top when in the open position. Tamperresistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed to applicable UL standards and


requirements by Underwriters Laboratories,

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table with Benches



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high
29	- 29" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select bench surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select bench edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select frame color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrom Upcha add to price	rge
295.0#	\$ 2018	\$ 2118	\$ 2408	\$	161
341.0#	2086	2190	2647		164
371.0#	2234	2347	2737		160

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Split Benches

			MODEL	NUMBE	R					
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color
$\overline{}$	Rectangular Table with Split Benches	59 x 139-1/2"	UF12SB							
	Pricing is "Delivered"Available in 12' models									
	 Unitized all-steel frames provide superior. 									
	stability and durability									
	 KI's exclusive combination pneumatic lift assist and torsional energy storage 									
	system results in a controlled, effortless									
UFRCS	folding. Also holds tables in a teepee									
	position for easy cleaningStorage lock standard for added safety									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of									
	tables folding unexpectedly Listed to applicable UL standards and									
	requirements by Underwriters Laborato-									
	ries, Inc									
	 Dimensions include overall depth and width of table and seating 									
	Ç									
			A	B	0	0	3	3	G	•

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height

27 - 27" high **29** - 29" high

Oselect surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select bench surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select bench edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
 Edge color offerings are based on edge style selections.

Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Approx.

Weight

385.0#

\$ 2452

\$ 2575

Packaged

Uniframe® Rectangular Tables with Seating Rectangular Table with Split Benches

\$ 178

Chrome 3/4" 73P Upcharge Edge (73P) Flat Vinyl T-Edge Perfect Edge add to list (PR) price

\$ 3126

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

			MODEL N	UMBER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
$\overline{}$	Rectangular Table with Stool Seats -	60-1/2 x 96"	UF084/PY							299.0#
	Polypropylene	60-1/2 x 120"	UF106/PY							353.0#
	Pricing is "Delivered" Available in 81, 101 and 181 madels	60-1/2 x 139-1/2"	UF126/PY							377.0#
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	60-1/2 x 139-1/2"	UF128/PY							385.0#
	stability and durability									
	KI's exclusive combination pneumatic									
UFRCP	lift assist and torsional energy storage system results in a controlled, effortless									
	folding. Also holds tables in a teepee									
	position for easy cleaning									
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 									
	position and eliminates possibility of									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato- ries, Inc									
	Dimensions include overall depth and									
	width of table and seating									
			A	B	Θ	0	(3	(3	œ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge PR - Perfect edge

Select height.

- 27" high - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

ESelect surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chron Upcha add to price	arge o list
\$ 2316	\$ 2432	\$ 2561	\$	155
2443	2566	2695		169
2562	2690	2828		186
2657	2790	2928		178

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

			MODEL N	UMBER						
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
$\overline{}$	Rectangular Table with Stools - Thermo-	60-1/2 x 96"	UF084/CX							299.0#
	set Hard Plastic	60-1/2 x 120"	UF106/CX							353.0#
	Pricing is "Delivered" Available in 81 101 and 101 madels	60-1/2 x 139-1/2"	UF126/CX							377.0#
	 Available in 8', 10' and 12' models Unitized all-steel frames provide superior 	60-1/2 x 139-1/2"	UF128/CX							385.0#
	stability and durability									
	KI's exclusive combination pneumatic									
UFRCT	lift assist and torsional energy storage system results in a controlled, effortless									
	folding. Also holds tables in a teepee									
	position for easy cleaning									
	Storage lock standard for added safety Gravity lock stabilizes tables in the apparent.									
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 									
	tables folding unexpectedly									
	Listed to applicable UL standards and									
	requirements by Underwriters Laborato- ries. Inc									
	Dimensions include overall depth and									
	width of table and seating									
			A	B	0	0	(3	(3	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge - Perfect edge

Select height.

- 27" high - 29" high

DSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

ESelect surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to list price	
\$ 2473	\$ 2597	\$ 2715	\$ 15	5
2666	2799	2921	16	9
2786	2926	3052	18	6
2962	3110	3228	17	8

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information





Round Tables with Split Benches (UFRD5SB/BN/CH)

Round Tables with Stool Seats (UFRD58/PR/PB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
27" height	•	•
29" height	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)

Seating Capacity:

Model	Max. Child Capacity	Rec. Child Capacity	Max. Adult Capacity	Rec. Adult Capacity
UFRD5SB	12	8	8	4
LIEDDEO				0

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A 040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius

Split Benches

Bench supports shall be robotically welded steel construction consisting of a 14-gauge tubular frame with 6° square, heavy-duty 11-gauge steel plates welded to the uprights. Benches are secured to the steel plates with deep thread screws. There shall be two plates for each split bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may

occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat PVC (polyvinyl chloride) edge banding

that is chemically bonded to the table or bench core.

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" o.d. 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information

Frame Finish

Frame finish is one of the following:
A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.
B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Round Table with Split Benches

			MODEL N	UMBER							
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	Approx. Packaged Weight
	Round Table with Split Benches	81"	UFRD5SB								335.0#
	Pricing is "Delivered"Unitized all-steel frames provide superior										
	stability and durability										
	KI's exclusive combination pneumatic										
	lift assist and torsional energy storage system results in a controlled, effortless										
	folding. Also holds tables in a teepee										
UFRDS	position for easy cleaning										
	Storage lock standard for added safety										
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 										
	tables folding unexpectedly										
	Listed to applicable UL standards and										
	requirements by Underwriters Laborato- ries, Inc										
	Dimensions include overall depth and										
	width of table and seating; Diameter of										
	top is 60"										
			A	B	0	0	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

BN	- Flat vinyl T-edge	
73P	- 3/4" 73P edge	
PR	- Perfect edge	

Select height.

27	- 27" high
29	- 29" high

DSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- Select bench surface. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect bench edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/ pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Uniframe® Round Tables with Seating Round Table with Split Benches



3/4" 73P



Chrome Upcharge Perfect Edge add to list price \$

Flat Vinyl T-Edge (BN) \$ 2358

Edge (73P) \$ 2476

\$ 3003

150

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Round Table with Stool Seats

			MODEL NU	MBER							
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight	
	Round Table with Stool Seats - Polypro-	86"	UFRD58/PY							331.0#	
	pylene										
	Pricing is "Delivered"Unitized all-steel frames provide superior										
	stability and durability										
	 KI's exclusive combination pneumatic lift assist and torsional energy storage 										
HEDDD	system results in a controlled, effortless										
UFRDP	folding. Also holds tables in a teepee										
	position for easy cleaningAvailable in 8-stool model only										
	Storage lock standard for added safety										
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 										
	tables folding unexpectedly										
	 Listed to applicable UL standards and 										
	requirements by Underwriters Laborato- ries, Inc										
	Dimensions include overall depth and										
	width of table and seating										
	Diameter of top is 60"										
			A	3	•	0	(3	(3	O		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment, frame finish and stool material.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high **29** - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Polypropylene

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Round Table with Stool Seats





Tiouria Table With Gloof Goals

Flat Vinyl T-Edge (BN)

(BN) \$ 2018 3/4" 73P Edge (73P) \$ 2118

Perfect Edge (PR)

\$ 2263

Chrome Upcharge add to list price

\$

150

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Round Table with Stool Seats

			MODEL NU	MBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Stool Color	Frame Color	Approx. Packaged Weight
	Round Table with Stool Seats - Thermoset	86"	UFRD58/CX							331.0#
	Hard Plastic									
	 Pricing is "Delivered" Unitized all-steel frames provide superior									
	stability and durability									
	KI's exclusive combination pneumatic lift assist and tarrianal apargu storage									
HEDDI	lift assist and torsional energy storage system results in a controlled, effortless									
UFRDT	folding. Also holds tables in a teepee									
	 position for easy cleaning Available in 8-stool model only 									
	Storage lock standard for added safety									
	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of tables folding unexpectedly									
	 Listed to applicable UL standards and 									
	requirements by Underwriters Laborato- ries, Inc									
	Dimensions include overall depth and									
	width of table and seating									
	 Diameter of top is 60" 									
			A	3	Θ	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table

with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select stool color - Thermoset Hard Plastic (CX).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Round Tables with Seating Round Table with Stool Seats

Chrome

Flat Vinyl T-Edge (BN) \$ 2202

3/4" 73P Edge (73P) \$ 2312

Perfect Edge

\$ 2448

price \$ 150

Upcharge add to list

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information







Round Table (UFRD5)



Oval Table (UFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P edge	•	•	•
Perfect edge	•	•	•
27" height	•	•	•
29" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table.

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with

deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat PVC (polyvinyl chloride) edge banding that is chemically bonded to the table or bench core

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a supe-

rior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright



General Information









Square Table (UFSQ4)

Hexagonal Table (UFHX4)

Octagonal Table (UFOC5)

Stand-Up Table (UFSU5)

Features

realures				
Solid core top	•	•	•	•
High-pressure laminate surface	•	•	•	•
Bullnose edge	•	•	•	•
73P edge	•	•	•	•
Perfect edge	•	•	•	•
27" height	•	•	•	
29" height	•	•	•	
42" height				•

duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

General


Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high **29** - 29" high

Surface finish offerings are based on edge

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Rectangular Table

	3/4* 73P		Chrom Upchai	
Flat Vinyl T-Edge	Edge	Perfect Edge	add to	
(BN)	(73P)	(PR)	price	
\$ 1223	\$ 1284	\$ 1462	\$	139
1340	1407	1538		77
1474	1548	1680		65

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Table

MODEL NUMBER									
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Round Table - Without Seating	48"	UFRD4						98.0#
	Pricing is "Delivered"	60"	UFRD5						132.0#
	 Unitized all-steel frames provide superior stability and durability 	72"	UFRD6						158.0#
2	KI's exclusive combination pneumatic								
	lift assist and torsional energy storage								
UFRDN	system results in a controlled, effortless								
	folding. Also holds tables in a teepee position for easy cleaning								
	Storage lock standard for added safety								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of tables folding unexpectedly								
	Safety lock engages in a semi-open								
	position to halt downward opening								
	movement T-leg design furnishes maximum leg								
	room and seating capacity								
	 Dimensions include overall depth and 								
	width of table								
	 Ideal for multi-purpose seating 								
			A	B	0	O	3	G	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



	3/4* 73P		Chrom Upcha	
Flat Vinyl T-Edge	Edge	Perfect Edge	add to	
(BN)	(73P)	(PR)	price	
\$ 1027	\$ 1078	\$ 1206	\$	28
1086	1140	1265		30
1460	1534	1801		31

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Oval Table

			MODEL	NUMBE	R				
	MODEL	DxL	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Oval Table - Without Seating	60 x 66"	UFOV66						143.0#
	Pricing is "Delivered" Uniting all steel frames provide superior	60 x 72"	UF0V72						151.0#
	 Unitized all-steel frames provide superior stability and durability 								
	KI's exclusive combination pneumatic								
	lift assist and torsional energy storage								
UFOVN	system results in a controlled, effortless folding. Also holds tables in a teepee								
	position for easy cleaning								
	Storage lock standard for added safety								
	Gravity lock stabilizes tables in the open								
	position and eliminates possibility of tables folding unexpectedly								
	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movement • T-leg design furnishes maximum leg								
	room and seating capacity								
	Dimensions include overall depth and								
	width of table								
	 Ideal for multi-purpose seating 								
			A	3	О	0	3	3	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Oval Table

	Chrome Jpcharg	e
Flat Vinyl T-Edge Edge Perfect Edge a	idd to lis	st
(BN) (73P) (PR)	rice	
\$ 1281	\$	28
1331 1398 1609		31

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Square Table

		MODEL	NUMB	ER				
MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
Square Table - Without Seating	48 x 48"	UFSQ4						108.0#
Pricing is "Delivered" Unitized all-steel frames provide superio	r							
stability and durability								
KI's exclusive combination pneumatic lift assist and torsional energy storage								
System results in a controlled, effortless								
folding. Also holds tables in a teepee position for easy cleaning								
 Storage lock standard for added safety 								
 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
tables folding unexpectedly								
 Safety lock engages in a semi-open position to halt downward opening 								
movement								
 T-leg design furnishes maximum leg room and seating capacity 								
 Dimensions include overall depth and 								
width of table Ideal for multi-purpose seating								
• ideal for multi-purpose seating								
		A	B	•	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Square Table



Flat Vinyl T-Edge (BN)

\$ 978

3/4" 73P

Edge (73P)

\$ 1027



\$ 1157

Chrome Upcharge Perfect Edge add to list price \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Hexagonal Table

			MODEL	NUMB	ER				
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
UFHXN	Hexagonal Table - Without Seating Pricing is "Delivered" Unitized all-steel frames provide superior stability and durability Kl's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Dimensions include overall depth and width of table	48"	UFHX4						101.0#
	Ideal for multi-purpose seating		A	3	©	D	9	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
Basic model includes base no. of table
with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Hexagonal Table



3/4" 73P



Chrome

Flat Vinyl T-Edge (BN) \$ 1086

Edge (73P) \$ 1140

Perfect Edge

\$ 1265

price

Upcharge add to list

\$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Octagonal Table

			MODEL NUMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Octagonal Table - Without Seating	60"	UFOC5						134.0#
	Pricing is "Delivered"Unitized all-steel frames provide superior								
	stability and durability								
	KI's exclusive combination pneumatic								
	lift assist and torsional energy storage								
UFOCN	system results in a controlled, effortless folding. Also holds tables in a teepee								
	position for easy cleaning								
	Storage lock standard for added safety								
	 Gravity lock stabilizes tables in the open position and eliminates possibility of 								
	tables folding unexpectedly								
	 Safety lock engages in a semi-open 								
	position to halt downward opening								
	movement • T-leg design furnishes maximum leg								
	room and seating capacity								
	 Dimensions include overall depth and 								
	width of table								
	 Ideal for multi-purpose seating 								
			A	B	Θ	O	3	(3	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

27 - 27" high 29 - 29" high

Select surface finish.

Refer to color addend

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Octagonal Table

3/4" 73P

Chrome Upcharge add to list

Flat Vinyl T-Edge (BN) \$ 1121

Edge (73P) \$ 1176

Perfect Edge

\$ 1309

\$

price

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Stand-up Height Table

MODEL MODEL Basic Edge Frame Color Color Weight Round Stand-up Height Table - Without Seating Pricing is "Delivered" Unitized all-steel frames provide superior stability and durability Ki's sexclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortiess folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity										
MODEL Basic Model Style Height Surface Finish Su		MODEL	. NUMB	ER						
MODEL Round Stand-up Height Table - Without Seating Pricing is "Delivered" UIFDU UFRDU UFRU UFRU UFRU Basic Model Style Height Finish Color Color Weight 48" UFSU4 42 10 109.0# 129.0# 129.0# UFSU5 42 129.0# UFSU5 42 129.0# 129.0# UFRU										
MODEL Round Stand-up Height Table - Without Seating Pricing is "Delivered" UIFRDU UFRDU Negroup - Color Color Weight Frame Packaged Weight - Weight Golor Golor Weight - Golor Gol										Approx
Round Stand-up Height Table - Without Seating Pricing is "Delivered" Pricing is "Delivered" Vilnitzed all-steel frames provide superior stability and durability Kl's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg				Basic	Edge		Surface	Edge	Frame	
Seating 60° UFSU5		MODEL	DIA			Height				
Pricing is "Delivered" Unitized all-steel frames provide superior stability and durability Ki's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg		Round Stand-up Height Table - Without	48"	UFSU4		42				109.0#
UFRDU • Unitized all-steel frames provide superior stability and durability • KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning • Storage lock standard for added safety • Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly • Safety lock engages in a semi-open position to halt downward opening movement • T-leg design furnishes maximum leg			60"	UFSU5		42				129.0#
stability and durability KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg										
KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg	TAT									
lift assist and torsional energy storage system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg	1									
UFRDU system results in a controlled, effortless folding. Also holds tables in a teepee position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg	•									
position for easy cleaning Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg	HEDDII	system results in a controlled, effortless folding. Also holds tables in a teepee								
Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg	טראטט									
Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg		position for easy cleaning								
position and eliminates possibility of tables folding unexpectedly • Safety lock engages in a semi-open position to halt downward opening movement • T-leg design furnishes maximum leg										
tables folding unexpectedly Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg										
 Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg 										
movement T-leg design furnishes maximum leg										
T-leg design furnishes maximum leg										
Toon and obtaing supurity										
		room and osciling bullatory								
A B O D B				Λ	B	<u>a</u>	•	A	A	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
Basic model includes base no. of table
with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

GSelect height.

42 - 42" high

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select surface edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge

style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Uniframe® Tables without Seating Round Stand-up Height Table

Flat Vinyl T-Edge	3/4" 73P Edge	Perfect Edge	Chrome Upcharg	ge
(BN)	(73P)	(PR)	price	
\$ 1140	\$ 1197	\$ 1313	\$	28
1200	1260	1369		26

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

General Information







Wheelchair Accessible Tables w/Stools (WAUF126)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Perfect edge	•	•
31-3/4" height	•	•







73P Edge



Perfect Edge (Lifetime Top Warranty)

SPECIFICATIONS

Lift Mechanism

Tables fold and open in one fluid motion, assisted by a combination of pneumatic cylinders and a torsional energy storage system. This combination ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling. Torsion-bar-only assists or spring assists are not to be used.

Tops and Benches

Table tops and benches are solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Benches

Bench supports are robotically welded steel construction of 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Benches are secured to steel plates with deep thread screws. There shall be three plates for each full bench. No field assembly required.

Stools

Stool supports are robotically welded steel construction consisting of a 14-gauge tubular frame with 6" square, heavy-duty 11-gauge steel plates welded to uprights. Poly stools are attached to the steel plate with deep thread screws. Thermoset hard plastic stools are attached with carriage bolts. No field assembly required.

Stools are one of the following:

A. Poly: High-impact polypropylene stools of heavy-duty construction with ribs to reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may

occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter.

B. Thermoset Hard Plastic: Highly durable thermoset hard plastic stool seats of molded melamine and wood flour mixture are available. Seats are scratch resistant with color permeating through seat. Stool is 13" diameter.

Edaes

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat PVC (polyvinyl chloride) edge banding

that is chemically bonded to the table or bench core.

C. Perfect edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a superior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. Horizontal and vertical tubing is 1-1/4" OD 14-gauge steel. Hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.



General Information

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. KI's exclusive storage lock is gravity operated for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and

storage locks is possible from either side of the table.

Casters

Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability. When the table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the end of the bench unit or outermost stool when in the open position. Tamper-resistant caster covers are used to prevent the trapping of dirt, dust or food. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of nylon plastic material are standard. Set of four per table.

General

Tables ship fully assembled. Tables are listed with Underwriters Laboratories in compliance with testing for public safety

(Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table with Benches

			MODEL NU	MBER							
	MODEL	D x W	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Bench Surface	Bench Edge Color	Frame Color	
	Wheelchair Accessible Rectangular Table	56-1/2 x 139-1/2"	WAUF12BE		31						
	with Benches										
	Pricing is "Delivered"										
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 										
	table										
	Full bench Storage lock standard for added safety Gravity lock stabilizes tables in the open										
UWRCB											
UWNOD	position and eliminates possibility of tables folding unexpectedly										
	Listed to applicable UL standards and										
	requirements Underwriters Laboratories,										
	Inc										
	Dimensions include overall depth and										
	width of table and seating										
			Δ	B	•	0	3	G	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table
with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select bench surface.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select bench edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. When additional laminates are specified, top surface and bench surface are the same (bench edge color will match surface edge color).



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Benches

Approx.		3/4" 73P		Chrome Upcharge
Packaged Weight	Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	add to list price
309.0#	\$ 2130	\$ 2237	\$ 2606	\$ 150

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select surface edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge

style selections.

Select stool color - Polypropylene (PY).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

INFORMATION

Polypropylene Stool

High-impact polypropylene stools of heavyduty construction, with ribs, reinforce points of stress. Edges are rolled for comfort and strength. Front is textured and color permeates stool. White marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool. Stool is 13" diameter and fastens with screws.



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4" 73P Edge (73P)	Perfect Edge (PR)	Chrom Upcha add to price	rge	
312.0#	\$ 2443	\$ 2566	\$ 2691	\$	170	_
316.0#	2530	2656	2785		170	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

Rectangular Table with Stool Seats



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.

31 - 31" high

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select surface edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge

style selections.

Select stool color - Thermoset Hard Plastic (CX).

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. (BL) Std-no upcharge, all other colors have \$10 upcharge, see price column for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Uniframe® Wheelchair Accessible Tables with Seating Rectangular Table with Stool Seats

Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	3/4* 73P Edge (73P)	Perfect Edge (PR)	Chrome Upcharge add to lis price	
312.0#	\$ 2552	\$ 2679	\$ 2802	\$ 1	70
316.0#	2683	2817	2937	1	70

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #200.

General Information



WA Rectangular Table (WAUFRT12)



WA Round Table (WAUFRD5)



WA Oval Table (WAUFOV66)

Features

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge		•	
751 Luge		<u> </u>	<u> </u>
Perfect Edge	•	•	•
31-3/4" height	•	•	•



Bullnose Edge



73P Edge



Perfect Edge (Lifetime Top Warranty)



T-Style Leg

SPECIFICATIONS

Lift Mechanism

Rectangular tables fold and open in one fluid motion, assisted by a torsional energy storage system. This ensures safety and ease of use through a controlled, effortless operation. Table stays in a teepee position for easy handling.

Shaped tables fold in one fluid motion without pneumatic or torsional energy assistance. Safety lock engages in the semiopen position to halt downward movement. Safety lock can be released from either side of the table

Tops

Table tops are of solid core warp-resistant construction. Center core is 5/8" thick 45# high-density particleboard. A .040 high-pressure laminate face is used for the top surface with a balanced high-pressure laminate backer for the bottom surface. Table tops are attached to the table frame with

deep thread screws; expansion rivets are not to be used. Corners have a 1-1/2" radius.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat PVC (polyvinyl chloride) edge banding that is chemically bonded to the table or bench core

C. Perfect Edge: Made of 1/4" thick by 3/4" high cast black polyurethane. The Perfect Edge is mechanically and chemically bonded to the table core and chemically bonded to the laminate surface edge, providing a supe-

rior, permanently sealed barrier to moisture, dirt and bacteria penetration.

Frames for Rectangular Tables without Seating

Table frames are fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge channel steel, pierced to securely anchor the tops. End leg and center leg assemblies are robotically wire-welded. End leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" x 2" 14-gauge bottom tube. Center leg weldment consists of 1" x 2" 14-gauge vertical tube, 1-1/4" round 14-gauge top tube and 1" round 14-gauge bottom tube. Center hinge plates are 7-gauge steel. Stretcher bars are 3/4" x 1-1/2" 14-gauge oval steel tubing. All legs operate from the unitized frame, not the table top.

Frames for Shaped Tables without Seating

Table frame is fabricated using a welded unitized construction, integrating all structural steel members into a self-supporting unit. The table top support apron is 11-gauge angle steel, pierced to securely anchor the tops. Leg weldments are robotically wire-welded. Leg consists of 1" x 2" 14-gauge vertical tube and bottom tube, 1" round 14-gauge top tube and two support gussets for added strength. Center hinge plates are 7-gauge steel. Stretcher bars are 1" 7-gauge steel. All legs operate from the unitized frame, not the table top.

Frame Finish

Frame finish is one of the following:

A. Powder-Coated Finish: Epoxy powder coating is electrostatically applied. The dry coating is fused and cured in a baking oven to form a smooth, continuous film. Finish is chemical-resistant, hard, tough and chip/mar-resistant. Standard finish is black.



General Information







WA Hexagonal Table (WAUFHX4)



WA Octagonal Table (WAUFOC5)

Features	F	e	a	tı	u	r	e	S
----------	---	---	---	----	---	---	---	---

Solid core top	•	•	•
High-pressure laminate surface	•	•	•
Bullnose edge	•	•	•
73P Edge	•	•	•
Perfect Edge	•	•	•
31-3/4" height	•	•	•

B. Chrome Finish: Bright and semi-bright duplex nickel chrome is applied to the frame in a twenty-two step process, creating a superior surface finish that is extremely resistant to staining, scuffing, scratching and corrosion.

Locks for Rectangular Tables

Gravity lock constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Kl's exclusive storage lock is spring loaded for automatic engagement and semi-concealed to prevent accidental release. Release of gravity and storage locks is possible from either side of the table.

Locks for Shaped Tables

Gravity lock with spring assist constructed of 3/8" solid steel rods engages automatically into slots in apron hinge, eliminating the possibility of folding unexpectedly. Safety lock engages in a semi-open position to halt downward opening movement. Release of

gravity lock is possible from either side of the table.

Casters

Large 4" diameter heavy duty hard rubber swivel casters provide easy and safe maneuverability. When table is in use, casters lift off the floor to prevent table from rolling. To avoid tripping hazards, casters do not extend beyond the outer edge of table top when table is in the open position. Casters are self-lubricating.

Glides

For increased surface area and durability, non-marring 1.25" x 12" glides made of ABS plastic material are standard. Set of four per table.

Genera


Tables ship fully assembled. Rectangular tables without seating are listed with Underwriters Laboratories in compliance with testing for public safety (Mobile Folding Tables).

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Rectangular Table



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

Oselect surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

	3/4" 73P		Chron Upcha	arge
Flat Vinyl T-Edge	Edge	Perfect Edge	add to	
(BN)	(73P)	(PR)	price	
\$ 1240	\$ 1302	\$ 1484	\$	137
1358	1427	1552		77
1493	1567	1690		62

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Round Table

			MODEL NU	JMBER						
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight	
	Wheelchair Accessible Round Table - Without Seating	48"	WAUFRD4		31				89.0#	
		60"	WAUFRD5		31				115.0#	
	Pricing is "Delivered"Storage lock standard for added safety	72"	WAUFRD6		31				149.0#	
UWRDN	Gravity lock stabilizes tables in the open									
	position and eliminates possibility of									
	tables folding unexpectedly									
	 Safety lock engages in a semi-open position to halt downward opening 									
	movement									
	T-leg design furnishes maximum leg									
	room and seating capacity									
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 									
	table									
			A	B	G	0	3	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table
with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Edge color offerings are based on edge

style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.

	3/4" 73P			Chrome Upcharge	
Flat Vinyl T-Edge (BN)	Edge (73P)	Perfect Edge (PR)	· ·	add to list price	
\$ 1041	\$ 1093	\$ 1224			31
1106	1161	1286		2	28
1482	1556	1820		2	26

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Oval Table

MODEL NUMBER Approx. Packaged Basic Edge Surface Edge Frame Weight DxL Model Style Height Finish Color Color 60 x 66" WAUFOV66 31 132.0# Wheelchair Accessible Oval Table -Without Seating WAUFOV72 140.0# 60 x 72" 31 · Pricing is "Delivered" Storage lock standard for added safety Gravity lock stabilizes tables in the open position and eliminates possibility of tables folding unexpectedly **UWOVN** Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity Height to top of surface is 31-3/4" 31" clearance from floor to underside of table A **3** 0 0 **(3**) **(3**)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

Oselect surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Flat Vinyl T-Edge	3/4* 73P Edge	Perfect Edge	Chrome Upchar add to	ge
(BN)	(73P)	(PR)	price	iiot
\$ 1296	\$ 1361	\$ 1543	\$	27
1351	1418	1625		26

SPECIAL SERVICES


Special Carton Marking

With specially marked information

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Square Table



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select frame color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Flat Vinyl T-Edge

993

Uniframe® Wheelchair Accessible Tables without Seating

./

3/4" 73P

Edge (73P)

\$ 1044

\$ 1173

Perfect Edge

add to list price

\$

Chrome

Upcharge

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Hexagonal Table

			MODEL N	JMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Hexagonal Table - Without Seating	48"	WAUFHX4		31				94.0#
Pricing is "Delivered"									
UWHXN	Storage lock standard for added safety Gravity lock stabilizes tables in the open								
UWHXN position and eliminates possibility of tables folding unexpectedly • Safety lock engages in a semi-open position to halt downward opening movement • T-leg design furnishes maximum leg room and seating capacity • Height to top of surface is 31-3/4"									
	31" clearance from floor to underside of table								
			A	B	Θ	0	(3	(3	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model. Basic model includes base no. of table with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

Select height.
31 - 31" high

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select surface edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.



Flat Vinyl T-Edge (BN)

\$ 1106

Uniframe® Wheelchair Accessible Tables without Seating

Chrome

Upcharge

add to list price

\$



3/4" 73P

Edge (73P)

\$ 1161



Perfect Edge \$ 1286

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Octagonal Table

			MODEL NU	JMBER					
	MODEL	DIA	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Approx. Packaged Weight
	Wheelchair Accessible Octagonal Table - Without Seating	60"	WAUFOC5		31				140.0#
	Pricing is "Delivered"								
	 Storage lock standard for added safety Gravity lock stabilizes tables in the open 								
UWOCN	position and eliminates possibility of tables folding unexpectedly								
 Safety lock engages in a semi-open position to halt downward opening movement T-leg design furnishes maximum leg room and seating capacity 									
	 Height to top of surface is 31-3/4" 31" clearance from floor to underside of 								
	table								
			A	$oldsymbol{\Theta}$	Θ	0	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.
Basic model includes base no. of table
with codes for length of table, edge treatment and frame finish.

BSelect edge style.

 BN
 - Flat vinyl T-edge

 73P
 - 3/4" 73P edge

 PR
 - Perfect edge

GSelect height.

31 - 31" high

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select surface edge color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
 Edge color offerings are based on edge

style selections.

Select frame color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

(BL) Std-no upcharge, all other colors
have \$10 upcharge, see price column
for Chrome upcharge

FINISH INFORMATION

Additional Laminate Offering

Additional laminates are available with two weeks extended leadtime and a \$61 per table list upcharge. To specify additional laminates from the suppliers, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Pionite - LP/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern.





3/4" 73P



Chrome Upcharge add to list

price

Flat Vinyl T-Edge (BN) \$ 1142

Edge (73P) \$ 1198

Perfect Edge

\$ 1324

\$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #150.

Uniframe® Convertible Bench

General Information





Shown as Bench with Worksurface (UCB)

Shown as Bench with Back Support (UCB)

Features

Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Bench height 17"	•	•
Top height 27"	•	
Top height 29"	•	
Open depth 29-1/2"	•	•





Bullnose Edge

73P Edge

SPECIFICATIONS

Tops/Backs and Benches

Tops/backs and benches are of solid core 3/4" thick warp-resistant construction.
Center core is 45 PCF high-density particle-board. A .030 high-pressure laminate face is used for the top surface with a .030 high-pressure laminate backer for the bottom surface. Table tops and benches are attached to the table frame with deep thread screws; expansion rivets are not to be used. Corners have a 2-1/2" radius. Tops measure 14-3/4" wide by 3/4" thick by the length of the bench.

Edges

Table top and bench edges are finished in one of the following:

A. Bullnose edge: (Flat vinyl T-edge) Edges are banded with an abrasion-resistant black vinyl bullnose molding. The barbed "T" design is inserted into a routed groove in the solid particleboard top and held in place

with nails driven from the underside, spaced approximately 8-10" apart.

B. 73P Edge: Edges are banded with a 2mm flat PVC (polyvinyl chloride) edge banding that is chemically bonded to the table or bench core.

Frames

Table frames are fabricated using a welded unitized construction, integrating all structural steel members and the ganging mechanism into a self-supporting unit. The top/back support apron is 18-gauge bent and welded steel tubing, using double tube construction for leg support vertical and leg support bottom cross tube. The main pivot folding action is heavy-duty 14-gauge steel tubing coupled with thick 11-gauge saddles. The lower leg base shall be welded to the leg assembly.

Frame Finish

Painted frame finish is non-chipping electrostatically applied and baked. Finish

is black only.

Ganging Mechanism

Steel ganging mechanism is provided on all tables as standard, allowing two tables to be locked together into a common unit. Mechanism is located on end of foot for ease of operation.

Bench Support Foot Caps

Bench support foot caps are non-marring rubber.

Casters

Large 4" diameter hard rubber swivel casters, two locking and two non-locking, provide easy and safe maneuverability.

General

Convertible benches ship knocked down in two boxes for customer assembly (unassembled). Benches are listed with Underwriters Laboratories in compliance with testing for public safety (Folding Rollaway Tables).



Uniframe® Convertible Bench





Shown as 2 Benches Ganged Together (UCB-two units)

Shown as 2 Benches Nested Together (UCB-two units)

Features		
Solid core top	•	•
High-pressure laminate surface	•	•
Bullnose edge	•	•
73P edge	•	•
Folded height 33-1/4"		•
Folded depth 22"		•
Bench height 17"	•	
Top height 27"	•	
Top height 29"	•	

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

Uniframe® Convertible Bench Uniframe® Convertible Bench

			MODE	NUMB	ER					
	MODEL	SIZE	Basic Model	Edge Style	Height	Surface Finish	Edge Color	Frame Color	Leg Finish	Approx. Packaged Weight
		96"	UCB8					BL		135.0#
	Pricing is "Delivered"									
	Tops/backs and seat tops are con-									
	structed of laminated surfaces with solid, high-density particleboard core									
	Vinyl bullnose edge banding or 73P edge									
	banding									
	Unitized all-steel frames provide superior									
	stability and durability									
	Black frame finish and black or chrome									
Jb.	legs • Wide wheel base and large 4" swivel									
UCB	casters permit easy and safe maneuver-									
	ability									
	Non-marring rubber surface glides									
	Standard, built-in ganging mechanism									
	Listed to applicable UL standards and									
	requirements Underwriters Laboratories,									
	Assembly required									
	. issuing required									
			A	B	•	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Basic model includes length of bench.

BSelect edge style.

- Flat vinyl T-edge - 3/4" 73P edge 73P

Height

27 29 - 27" high - 29" high

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

Frame Color

style selections.

C Leg Finish BLF - Black leg finish

CHF - Chrome leg finish; add



Uniframe® Convertible Bench Uniframe® Convertible Bench



Flat Vinyl T-Edge (BN) 859

3/4" 73P Edge (73P)

\$ 902

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

Uniframe® Tables from KI


General Features and Benefits



Uniframe tables have ample doorway clearance and can be moved in the safe, closed and locked position through standard door openings.




For safety and convenience, the storage lock engages automatically when the table is folded and can't move out of correct alignment like competitor' tables can. The lock release is easily accessible from either side of the table without a long reach under the unit.



Textured polypropylene stool seats are standard or choose the Thermoset Hard Plastic option. Thermoset Hard Plastic provides the ultimate seat for lasting appearance and cleaning simplicity.



Uniframe rectangular tables provide sufficient clearance between top halves to prevent fingers from being caught or pinched. Pinch-free center hinges also assure safe operation.



Kl's unique design stores stool seats parallel to the tabletop, discouraging children from climbing and minimizing dust build-up during storage.



Split benches have a generous 4-1/2" clearance between seats for greater comfort and easy access.

Uniframe® Tables from KI General Features and Benefits





T-legs increase knee room and seating capacity around the table and eliminate the need to straddle table leg uprights.



KI's exclusive combination pneumatic lift assist and torsional energy storage system results in a controlled, effortless folding operation. So much so, these tables are the easiest to operate...bar none!



Uniframe rectangular tables automatically stay in a teepee (semi-folded) position for safe, fast and easy floor cleaning. Just lift slightly, clean and push back down.



For non-rectangular units the semi-open safety lock prevents injury from downward opening by keeping the table in a semi-open position until fingers are out of the way.



KI attaches stools to a heavy, 11-gauge, metal plate before shipping. This provides greater strength, durability and stability than the competitors' plastic sleeve and pin style stools that require field installation. With polypropylene stools, white marks may occur on the stool top at attachment points but do not alter the structural integrity of the table or stool.



The exclusive caster support has a sleek tamperresistant cover that won't trap dust, dirt or food and won't scuff shoes.

Premier® Folding Tables

General Information



Premier® Round Leg Table

Features

Lightweight core	•
High-pressure laminate top	•
Bullnose edge	•
Round legs	•
General Dimensions	
Standard height	29"
Width range	18 - 36"
Length range	60 - 96"



Solid Core (Bench and Round Tables Only)
A. 030" thick, high-pressure laminate surface.

- B. 1-1/8" thick for benches, 5/8" thick for round tables, high-density, high-strength solid core top.
- C. Standard one-piece, roll-formed, 18-gauge steel apron.
- Extruded vinyl bullnose edge.
 Bradded at the joint.

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, one-piece construction, fastened to top with screws spaced approximately 12" apart.

Rectangular Tables, Round Legs

1-1/8" o.d. steel tubing. Powder coated legs have non-marring polypropylene feet; chrome legs have self-leveling glides.

Wishbone Folding Legs

18" wide tables have 1" o.d. steel tubing with knifelock hinge. 16-gauge, 1-5/8" dieformed steel apron.

Table Tops

Rectangular and square tables feature routed cellular core construction by means of a high-density particleboard substrate.

Extruded vinyl edges are "T" shaped with serrations mechanically locked into table with brads at the joint.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Round Table Legs

1" O.D., 14-gauge steel tubing. 16-gauge, 2 3/8" die-formed steel apron.

Round Tops

Round tops are 5/8" thick solid core. 1 1/8" thick solid core high-density particleboard with .030" high-pressure melamine laminate surface with .030" phenolic backer.

Laminate Surfaces

Premier® series tables are 3/4" thick. Simulated woodgrain tops are .030" high-pressure laminate with .030" laminate backing sheet.

Finish

Nonchipping electrostatically applied baked on powder-coating.

Premier® Folding Tables General Information







Premier® Adjustable Height Table

Premier® Round Table

Feature	25
---------	----

Solid core top		•
Lightweight core	•	
High-pressure laminate top	•	•
Bullnose edge	•	•
Round legs	•	•
General Dimensions		
Standard height		29"
Width range	30 - 36"	60 "
Length range	72 - 96"	
Adjustable height range	23-3/4 - 34-3/4"	

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Premier® Folding Tables

			MODE	L NUMBER			
			MODE	NOMBLIT			
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Enamel Color	Approx. Packaged Weight
	Fixed Height Folding Table - Lightweight	24 x 72"	TP6				42.0#
MY	Core Top	24 x 96"	TP8				53.0#
<u> </u>	Lightweight core top High pressure leminate curface and	30 x 60"	NP5				47.0#
	High-pressure laminate surface and backer with bullnose edge	30 x 72"	NP6				57.0#
	Powder coat finish on legs and frame	30 x 96"	NP8				71.0#
	Legs equipped with safety lock	36 x 72"	WP6				64.0#
RTP	 Polyalloner feet 	36 x 96"	WP8				80.0#
	Adjustable Height Folding Table- Light-	30 x 72"	NP6A				60.0#
	weight Core Top	30 x 96"	NP8A				74.0#
	Lightweight core top High-pressure laminate surface and backer with bullnose edge	36 x 72"	WP6A				67.0#
		36 x 96"	WP8A				83.0#
	 Powder coat finish on legs and frame 						
	Legs equipped with safety lockPolvalloner feet						
RTP	Height adjustable in 1" increments						
	Round Folding Table - Solid Core Top	60" Diameter	RP5				102.0#
	 Top made of a single piece of 5/8" thick particleboard 						
	High-pressure laminate surface and						
	backer with bullnose edge						
	 Powder coat finish on legs and frame Legs equipped with two-piece lock 						
	Polyalloner feet						
RDP							
			A	B	•	0	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select enamel frame finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Premier® Folding Tables



Deli	ered
Pric	
	
	367
	386
	404
	426
	474
	498
\$	415
	439
	486
	511
\$	596

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (Delivered) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

Heritage™ Folding Tables

General Information





Heritage™ Fixed Leg

Heritage™ Adjustable Leg

Features

Solid core top	•	•
High-pressure laminate top	•	•
Bullnose edge	•	•
Round legs	•	•
General Dimensions		
Standard height	29"	
Width range	18 - 36"	30 - 36"
Length range	60 - 96"	72 - 96"
Adjustable height range		23-3/4" - 34-3/4"



Solid Core

- A. High-pressure laminate surface.
- B. 3/4" thick, high-density, high-strength Particleboard solid core top.
- C. Standard one-piece, roll-formed, 18-gauge steel apron.
- Extruded vinyl bullnose edge.
 Bradded at the joint.

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, one-piece construction, fastened to top with screws.

Rectangular Tables, Round Legs

1-1/8" o.d. steel tubing. Powder coat legs have polypropylene feet.

Adjustable Height Table Legs

1" o.d. tubing upper section; 7/8" o.d. telescoping section. Die-formed steel housing and lock mechanisms; spring-loaded safety lock. Height adjusts in 1" increments in a 23-3/4" to 34-3/4" height range. Nonmarring polypropylene feet.

Wishbone Legs

18" wide tables have 1" o.d., steel tubing with knifelock hinge. 16-gauge, 2-1/4" die-

formed steel apron.

Table Tops

3/4" thick particleboard core with highpressure laminate surface. Extruded bullnose edges are "T"-shaped with serrations mechanically locked into table with brads at the joint.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Enamel Finish

Powder coat finish on legs and frame.





INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

Heritage[™] Folding Tables

			MODEL NUMBER				
			MODEL NUMBER				
							Approx.
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Frame Color	Packaged Weight
	Fixed Height Folding Table - Solid Core	24 x 72"	TH6				59.0#
	Top	24 x 96"	TH8				76.0#
High-prosurface Powder	High-pressure textured plastic laminate	30 x 60"	NH5				63.0#
	surface with bullnose edge	30 x 72"	NH6				69.0#
	 Powder coat finish on legs, frame and apron 	30 x 96"	NH8				91.0#
HRT	Legs equipped with safety lock	36 x 72"	WH6				77.0#
	Legs fold flat within frame for storage Delygrapy lane feet.	36 x 96"	WH8				105.0#
	 Polypropylene feet 						
	Adjustable Height Folding Table - Solid	30 x 72"	NH6A				70.0#
	Core Top	30 x 96"	NH8A				92.0#
	 High-pressure textured plastic laminate surface with bullnose edge 	36 x 72"	WH6A				79.0#
Powder apron HRT • Legs eq	•	36 x 96"	WH8A				107.0#
	apron						
	Legs equipped with safety lockLegs fold flat within frame for storage						
	Safety lock; 1" increment height adjust-						
	ment						
	 Polypropylene feet 						
			A	B	G	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Heritage™ Folding Tables

	Deliver	red
F	Pricing	
\$	33	33
	35	56
	33	33
	34	44
	36	67
	38	80
	40	04
\$	35	56
	38	80
	39	92
	41	15

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (Delivered) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

Emissary® Folding Tables General Information





Emissary® (Heritage) Folding Table

Emissary® (Premier) Folding Table

Eο	atı	n.	20
гн	ИII	ш	HN.

i eatures		
Solid core top	•	
Lightweight core		•
High-pressure laminate top	•	•
Bullnose edge	•	•
General Dimensions		
Standard height	29 ⁿ	29"
Width range	18 & 24"	18 & 24"
Length range	60 - 96"	60 - 96"
Adjustable height range		

SPECIFICATIONS

Table, Legs and Frames

Legs fold in pairs. Constructed of 18-gauge seam-welded tubular steel. Folding linkage, hinges, locks and fastening hardware of die-formed steel. Aprons are roll-formed for solid, 1-piece construction, fastened to top with screws.

1-1/8" O.D. steel tubing. Powder-coated legs with chrome self-leveling glides.

Aprons

16-gauge, 2-1/4" die-formed steel. Powdercoated.

Table Tops

Solid Core (Heritage) Style 3/4" thick particleboard core with .030" high-pressure laminate surface and .030" backing sheet. Extruded bullnose edges are "T" shaped with serrations mechanically locked into table

with brads.

Lightweight Core (Premier) Style 5/8" thick particleboard frame with routed cellular core construction. .030" highpressure laminate surface and .030" backing sheet. Extruded bullnose edges are "T" shaped with serrations mechanically locked into table with brads.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Emissary® Folding Tables General Information



Emissary® Folding Tables

	MODEL NUMBER							
			INOBEL NO	VIDEII				
	MODEL	SIZE	Basic Model	Laminate Color	Edge Color	Frame Color	Glide Option	Approx. Packaged Weight
_	Heritage™ Folding Table	18 x 60"	SEMH/1860				SG	40.3#
N	Solid core tops provide great durability High pressure plantin laminate surface.	18 x 72"	SEMH/1872				SG	47.8#
	 High-pressure plastic laminate surface with bullnose edge 	18 x 96"	SEMH/1896				SG	59.8#
	Powder coat finish on legs, frame and	24 x 60"	SEMH/2460				SG	49.6#
	apron	24 x 72"	SEMH/2472				SG	60.3#
EM	 Legs equipped with safety lock Legs fold flat within frame for storage 	24 x 96"	SEMH/2496				SG	75.8#
	Polypropylene feet							
	Premier® Folding Table	18 x 60"	SEMP/1860				SG	34.7#
N	 Lightweight core tops provide superior strength 	18 x 72"	SEMP/1872				SG	39.1#
	High-pressure plastic laminate surface	18 x 96"	SEMP/1896				SG	48.2#
	with bullnose edge • Powder coat finish on legs, frame and	24 x 60"	SEMP/2460				SG	43.1#
		24 x 72"	SEMP/2472				SG	48.7#
SEM	apronLegs equipped with safety lock	24 x 96"	SEMP/2496				SG	49.8#
	Legs fold flat within frame for storage							
	 Polypropylene feet 							
			A	(3)	0	0	(3	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select laminate color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base option. SG - Steel glides



Emissary® Folding Tables

Delivered	
Delivered	
Pricing	
\$ 339	
353	
383	
368	
383	
414	
\$ 392	
414	
443	
429	
474	
505	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (Delivered) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

DuraLite® Lightweight Folding Tables

General Information



Rectangular Top

Round Top

Features

i cutures		
Honeycomb cellular core	•	•
High-impact ABS surface	•	•
Corner protection covers	•	•
Aluminum framework	•	•
Adjustable legs		
General Dimensions		
Height range	29"	29"
Width range	30"	60 - 72 ["]
Length range	60 - 96"	60 - 72"



Honeycomb Core

- A. Honeycomb core
- B. Sonically welded edges
- C. Molded corner covers
- D. Aluminum beam structure
- E. Aluminum leg plate attached to aluminum beam
- F. .080" thick co-extruded ABS top shell
- G. .095" thick co-extruded ABS
- bottom shell H. Edge extrusion

SPECIFICATIONS

Table Top

The top is composed of a .080" thick, high impact Lustran 752 ABS top shell, internal core, internal framework and .095" thick high impact Lustran 752 ABS bottom shell, chemically bonded together. Edges of top and bottom shell are ultrasonically welded together to form a fully enclosed unit that cannot separate and is impervious to moisture seepage. The 3/4" thick table edge accepts standard industry skirt clips and is protected by a PVC edge bumper which allows for rigorous use and ensures a smooth, snao-free edge.

ABS top and bottom shells are supplied in a "flatline haircell" texture which provides the optimal combination of concealment to scratches.

The undersurface is clean and smooth for better appearance and discourages collection of gum or other undesirable materials.

Four black rubber stacking bumpers are attached to the underside of each table top to protect table surfaces when stacked, and to keep loads from shifting on table caddies.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Internal Framework

Extruded aluminum channels create a framework around the entire perimeter of the top and are joined at the corners with a molded, high-impact polycarbonate corner reinforcing bracket. Unique aluminum leg attachment brackets attach directly to the aluminum side channels, creating superior strength.

Internal Core

3/4" thick honeycomb cellular core is chemically bonded under pressure to the top and bottom shells creating excellent rigidity and strength with minimum added weight.

Corner Protection Covers

Rectangular table corners are protected by an exclusive high-impact polycarbonate corner cover. These are field-replaceable to allow table corners to be "freshened up" in case of damage from misuse or abuse.

Table Legs

Fixed height legs are constructed of 18gauge, 1-1/8" o.d., seam-welded tubular steel with a non-marring polyethylene glide. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The leg lock is a gravity operated C-shape designed to prevent binding in the leg mechanism during the folding process. Leg uprights are attached to the inverse-U shaped lower section by "fish-mouthing" the uprights to match the curvature of the lower section tubing and are securely welded together. Metal-to-metal leg attachment to table top ensures durability and allows for sure and easy leg replacement, if necessary. Legs and mechanisms are furnished in a

high quality black electrostatically applied and baked on enamel finish.



DuraLite® Lightweight Folding Tables General Information

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

DuraLite® Lightweight Folding Tables

			MODEL	NUMBER			
	MODEL	SIZE	Basic Model	Top Color	Frame Color		
	Rectangular Tables, Fixed Height	30 x 60"	DL3060		BL	41.0#	
	Temp rating for the top is 180 degree F	30 x 72"	DL3072		BL	43.0#	
		30 x 96"	DL3096		BL	52.0#	
H . 1							
U							
DLT							
	Round Tables, Fixed Height Temp rating for the top is 180 degree F	60" Diameter	DLR60		BL	58.0#	
		72" Diameter	DLR72		BL	71.0#	
Ű							
DLT							
			A	ß	Θ		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select top color. Includes top and bottom shell and edge band. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select frame color.

BL - Black

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



DuraLite® Lightweight Folding Tables

De	elivered	
Pi	ricing	
\$	463	
	545	
	581	
\$	689	
	889	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. (Delivered) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #85.

ValueLite® Folding Tables General Information







ValueLite® Rectangle Top

ValueLite® Round Top

ValueLite® Picnic Table

_			
Εc	atı	POC	

reatures			
Blow molded top	•	•	•
Folding frames	•	•	
Steel framework	•	•	•
Round legs	•	•	•
General Dimensions			
Height	29"	29"	29"
Width range	30"	48, 60, 71"	60"
Length range	60 - 96"	48, 60, 71"	72"
Stack height	2-1/8" - 2-1/4"	3-5/8"	

SPECIFICATIONS

Table Top

The top is composed of high density polyethylene. The blow molded top is seamless, eliminating the possibility of separation. Added UV inhibitors prevent fading and maintain appearance. The polyethelyne tops are resistent to stains and easy to clean.

KI tables can hold a maximum of 1.5 lbs for each inch of perimeter evenly distributed over the top.

Rectangle Table Legs

Fixed height legs are constructed of 19 ga. 1-1/8" tubing O.D., seam-welded tubular steel with non-marring feet. Folding linkage, hinges, locks and fastening hardware are of heavy-duty die-formed steel. The gravity operated chain link leg lock puts 200% more material at the point of stress. Leg brace below the bend is stronger than common u-shaped legs.

Round Table Legs

Fixed height legs are constructed of 19 ga. 1-1/4" tubing O.D., seam-welded tubular steel with non-marring feet with snap lock

Legs and mechanisms are furnished in a high quality, black hammertone powder coat finish.

Picnic Table Legs

Fixed height frame construction, 19 ga. frame. Top and bench high density poly-

ValueLite® Folding Tables General Information

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

		MODEL NUMBER	
	MODEL	Basic Model	Approx. Packaged Weight
	Rectangle Tables	VL.2448.BL.WH	20.0#
	For indoor and outdoor use	VL.3060.BL.WH	30.0#
H I	 Top constructed of lightweight blow molded high density polyethylene plastic 	VL.3072.BL.WH	35.0#
И, , ,	with added UV inhibitors	VL.3096.BL.WH	48.0#
ı	 Seam-welded tubular steel legs fold 		
HRDPT	within the frame • Safety lock		
	Frame and legs have a black hammer-		
	tone powder coat finish		
	Polypropylene feetTop thickness is 1-7/8"		
	• Top thickness is 1-7/6		
	Rectangular Table-Folds in Half	VLF.3072.BL.WH	47.0#
HRDPT	 For indoor and outdoor use Top constructed of lightweight blow 		
	molded high density polyethylene plastic		
	with added UV inhibitors		
	 Seam-welded tubular steel legs fold within the frame 		
	Safety lock		
	 Frame and legs have a black hammer- 		
	tone powder coat finish Polypropylene feet		
	 Table top folds in half, latch and carrying 		
	handle allow for convenient transport		
	 Top thickness is 1-7/8" 		
	Round Tables	VL.48R.BL.WH	34.0#
	For indoor and outdoor use	VL.46N.BL.WH	53.0#
	 Top constructed of lightweight blow 	VI 71D DI WILI	73.0#
	molded high density polyethylene plastic with added UV inhibitors	VE.7 III.DE.WII	10.011
1 I .	Seam-welded tubular steel legs fold		
HRDPT	within the frame		
TINDITI	Snap lock legsFrame and legs have a black hammer-		
	tone powder coat finish		
	Polypropylene feet		
	 Storage caddy KTR9 holds - 12 ea Top thickness is 1-7/8" 		
	Tup mickness is 1-7/0		
		· · ·	
		W	



Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

1

ValueLite® Folding Tables

Deliver	red
Pricing	g
	92
	296
	27
38	880
\$ 30	
φ 31	
\$ 38	
	63
5	570

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Tupelo, Mississippi 38804 factory. Freight class #70.

		MODEL NUMBER		
		Basic	Approx. Packaged	
	MODEL	Model	Weight	
	Square Tables	VL.3636.BL.WH	47.0#	
HRDPT	For indoor and outdoor use			
	 Top constructed of lightweight blow molded high density polyethylene plastic 			
	with added UV inhibitors			
	Seam-welded tubular steel legs fold			
	within the frame • Safety lock			
	Frame and legs have a black hammer-			
	tone powder coat finish			
	Polypropylene feetTop thickness is 1-7/8"			
	· τομ unickness is 1-7/6			
		A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 227

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled f.o.b. Tupelo, Mississippi 38804 factory. Freight class #70.

		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
	Picnic Tables • For indoor and outdoor use	VP.3072.BL.WH	79.0#		
	Top and benches constructed of high density polyethylene plastic in speckled white Seam-welded tubular steel frame Frame has a black hammer tone powder coat finish				
HRDPT					
	Top thickness is 1-7/8"				



HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 545

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804 factory. Freight class #92.5.

Folding Table Storage and Accessories

General Information

Features

Capacity

Length

Width

Casters

Stackable for storage

General Dimensions

Height from floor





32"

4"

Vertical Storage Caddy (KTV68) Horizontal Storage Caddy (KTH6) Rectangular or square table storage Standard beige enamel finish 9 (8 for Premier® / 6 for Emissary®) 10 (7 for Emissary®) 78" 78" 26-5/8" 26-5/8"

28-1/8"

4"

SPECIFICATIONS

KTV and KTH Table Caddy Frames

Uni-welded construction with all components welded into an integral unit. 16-gauge, 1-1/2" x 4-1/2" angle steel side members with 2-1/4" x 7" channel steel cross members. 18-gauge, 1-1/8" o.d. tubular removable endposts and sideposts.

KTR9 Table Caddy Frame

14-gauge, 1" x 2" seam-welded tubular steel frame welded into an integral unit. Tubular steel table supports of 1-1/8" o.d., 18-gauge seam-welded tubular steel; removable.

Table Caddy Wheels

Black phenolic wheels with roller bearings; 2 fixed and 2 swivel. KTV and KTH have 4" wheels; KTR9 has 5" wheels. (Not recommended for wood floors.)

Enamel

Nonchipping enamel is electostatically applied, then baked; alkyd urea formula.



Folding Table Storage and Accessories General Information





Horizontal Storage Caddy (KTH8)

Vertical Storage Caddy (KTR9)

Features								
Rectangular or square table storage	•	•						
Standard beige enamel finish	•	•						
Stackable for storage	•	•						
Capacity	10 (7 for Emissary®)	8 (10 for Duralite®)						
General Dimensions								
Length	99-3/8"	55-1/4"						
Width	26-5/8"	32-5/8"						
Height from floor	32"	44-3/4"						
Casters	4"	5"						

INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com

			MODEL NUMBER			
MODEL		WxL	Basic Model	Enamel Color	Base	Approx. Packaged Weight
Folding • Canac	Table Vertical Storage Caddy ity: 9 tables (8 for Premier® / 8 for	26-5/8 x 78"	KTV68	BE		70.0#
Emiss	ary®)					
storag						
	" wheels: 2 fixed, 2 swivel for verability					
• 28-1/8	" high from floor empty osts are removable for stacking					
empty	caddies					
TCAD • Beige colors	enamel finish standard (additional available at an upcharge)					
	, ,					
Folding Conno	Table Horizontal Storage ity: 10 tables (7 for Emissary®)	26-5/8 x 78"	KTH6	BE		53.0#
• For 6'	or 8' rectangular or square table	26-5/8 x 99-3/8"	KTH8	BE		68.0#
	storageFour 4" wheels: 2 fixed, 2 swivel for					
	overability gh from floor empty					
• Endpo	sts are removable for stacking					
• Beige	caddies enamel finish standard (additional					
TCAD colors	available at an upcharge)					
	Table Vertical Storage Caddy	32-5/8 x 55-1/4"	KTR9	BE		63.0#
	ity: 8 Tables (10 for DuraLite®) , 5' or 6' diameter round table					
storag						
" " manet	verability					
• Endpo	I" high from floor empty sts are removable for stacking					
empty	caddies enamel finish standard (additional					
colors	available at an upcharge)					
• Maxin	num weight 880 lbs.					
			A	B	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect enamel finish.

BE - Beige Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Standard wheels - All swivel wheels; add \$19



Delivered Pricing	
ricing	
604	
\$ 498	
545	
\$ 853	
) 000	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped knockdown f.o.b. (Delivered) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

			MODEL NU	MBER		
	MODEL	Features	Basic Model	Frame Color	Approx. Packaged Weight	
	Round Folding Legs • 1-1/8" round tubular steel	30"W and 36"W Solid and Honeycomb	87.0111.A		15.0#	
HRDPT	Enamel finish	24"W	87.0126.A		15.0#	
	 Polypropylene feet 					
	Hardware included					
	Wishbone Folding Legs	48", 60" Round	87.0010.P		18.0#	
HRDPT	 1" round tubular steel 	40 , 00 Hound	07.0010.1		10.0#	
	Enamel finishPolypropylene feet					
	Hardware included					
	Adjustable Height Folding Legs	30"W and 36"W	87.0147.A		18.0#	
HRDPT	 1" round tubular steel Height adjustment 23-3/4" to 34-3/4" in 1" increments (includes allowance for 					
	3/4" top) • Enamel finish					
	Polypropylene feet					
	Replacement Feet for Tables	Cap Style Foot	NN.06.0001		0.0#	
HRDPT	1-1/8" diameter Beige is standard color	oup orlyio i our	1414.00.0001		0.011	
	Replacement Feet for Benches & Tables 1 " diameter polypropylene feet Beige only		06.0019		0.0#	
HRDPT						
			A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



elivered
ricing
106
117
210
135
1
4
1

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped knockdown f.o.b. (Delivered) or freight prepaid f.o.b. (delivered) Bonduel, Wisconsin 54107 factory. Freight class #85.

Index

Model No.	Description	Page	WAUFSQ4	Table - Without Seating Square Table: Wheelchair Accessible Square Table -	46
06.0019	Storage and Accessories: Replacement Feet for Benches & Tables	92		Without Seating	52
87.0010.P	Storage and Accessories: Wishbone Folding Legs	92			
87.0111.A	Storage and Accessories: Round Folding Legs	92			
87.0147.A	Storage and Accessories: Adjustable Height Folding Legs	92			
DL3060	Rectangular Tables, Fixed Height	78			
		78			
DLR60	Round Tables, Fixed Height				
KTH6	Storage and Accessories: Folding Table Horizontal Storage				
KTR9	Storage and Accessories: Folding Table Vertical Storage Ca				
KTV68	Storage and Accessories: Folding Table Vertical Storage Ca	-			
NH6A	Adjustable Height Folding Table - Solid Core Top	70			
NN.06.0001	Storage and Accessories: Replacement Feet for Tables	92			
NP6A	Adjustable Height Folding Table- Honeycomb Core Top	66			
RP5	Round Folding Table - Solid Core Top	66			
SEMH/1860	Heritage [™] Folding Table	74			
SEMP/1860	Premier® Folding Table	74			
TH6	Fixed Height Folding Table - Solid Core Top	70			
TP6	Fixed Height Folding Table - Honeycomb Core Top	66			
UCB8	Uniframe® Convertible Bench: Convertible Bench	60			
UF084/CX	Rectangular Table with Stool Seats: Rectangular Table				
	with Stools - Thermoset Hard Plastic	10			
UF084/PY	Rectangular Table with Stool Seats: Rectangular Table				
0.00.,.	with Stool Seats - Polypropylene	8			
UF08BE	Rectangular Table with Benches: Rectangular Table	0			
OTOODL	with Benches	4			
LIE10CD		4			
UF12SB	Rectangular Table with Split Benches: Rectangular	c			
LIELIVA	Table with Split Benches	6			
UFHX4	Hexagonal Table: Hexagonal Table - Without Seating	30			
UFOC5	Octagonal Table: Octagonal Table - Without Seating	32			
UFOV66	Oval Table: Oval Table - Without Seating	26			
UFRD4	Round Table: Round Table - Without Seating	24			
UFRD58/CX	Round Table with Stool Seats: Round Table with Stool				
	Seats - Thermoset Hard Plastic	18			
UFRD58/PY	Round Table with Stool Seats: Round Table with Stool				
	Seats - Polypropylene	16			
UFRD5SB	Round Table with Split Benches: Round Table with				
	Split Benches	14			
UFRT08	Rectangular Table: Rectangular Table - Without Seating	22			
UFSQ4	Square Table: Square Table - Without Seating	28			
UFSU4	Round Stand-up Height Table: Round Stand-up Height				
	Table - Without Seating	34			
VL.2448.BL.WH	Rectangle Tables	82			
VL.3636.BL.WH	=	84			
VL.48R.BL.WH		82			
	H Rectangular Table-Folds in Half	82			
VP.3072.BL.WH		86			
		00			
WAUF126/CX	Rectangular Table with Stool Seats: WA Rectangular	40			
14/41/E400/DV/	Table w/Stools - Thermoset Hard Plastic	42			
WAUF126/PY	Rectangular Table with Stool Seats: WA Rectangular				
	Table with Stool Seats - Polypropylene	40			
WAUF12BE	Rectangular Table with Benches: Wheelchair Acces-				
	sible Rectangular Table with Benches	38			
WAUFHX4	Hexagonal Table: Wheelchair Accessible Hexagonal				
	Table - Without Seating	54			
WAUFOC5	Octagonal Table: Wheelchair Accessible Octagonal				
	Table - Without Seating	56			
WAUFOV66	Oval Table: Wheelchair Accessible Oval Table - Without				
	Seating	50			
WAUFRD4	Round Table: Wheelchair Accessible Round Table -				
	Without Seating	48			
WAUFRT08	Rectangular Table: Wheelchair Accessible Rectangular	70			
***************************************	modungular labio. Wilebiolian Accessible Nectangulal				

Index



KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11487R2/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.