Folding Chairs & Stools Price List

January 3, 2011

Updated May 6, 2015

800-424-2432

Furnishing Knowledge®

Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.		
	Bonduel, Green Bay, Ontario, and Tupelo	2
	Shipping Location	4
Front Row Seating	Specifications Form	6
Intellectual Property Authorization		8
100, 300, 700 Series® Folding Chairs		
	General Information	10
100 Series	Folding Chairs (Delivered Pricing)	14
300 Series		16
700 Series®		18
Auditorium, Design Line™ Folding Chairs		
	General Information	22
Auditorium	Folding Chairs (Delivered Pricing)	24
Design Line™		26
Front Row Seats®	General Information	28
	Folding Chairs (Delivered Pricing)	30
Folding Chairs - 05	General Information	38
	Folding Chairs (Delivered Pricing)	42
Storage Caddies for Folding Chairs - 05		58
Novite™	General Information	62
	Folding Chairs (Delivered Pricing)	64
Folding Chair Storage and Accessories		
	General Information	66
	Folding Chairs (Delivered Pricing)	68
Industrial/Mechanical Adjustable Stools		
	General Information	74
600 Series	Industrial Stools (Delivered Pricing)	78
800 Series		84
Medical and Laboratory		
	General Information	86
	Stools	88
Index		90

Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo

How to Specify C.O.M. Upholstery
Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing
KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production
Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns
In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Diagram B

Treated Materials
If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders
If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material
KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders
KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)

Attention

Address

City State Zip

Project Name

Type of seating and number of units of each type

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number

☐ Test approved. Submitted for production.

KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom

☐ B Selvage Side and Side



Ordering C.O.M., C.O.L., and C.O.V.

Bonduel, Green Bay, Ontario, and Tupelo

Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION

Architectural Walls
- Genius Walls ..... MN

Casegoods
- Dante Benches ..... AG
- Darwin Tackboards ..... MN
- Aristotle Tackboards ..... MN

Classroom Furniture
- 360° Classroom Furniture ..... BW
- Intellect Wave Chairs ..... GB
- Dorsal 1090 Chairs ..... GB
- Dorsal Student Desks ..... GB
- Learn2 ..... GB

Desking
- 700 Series Desking ..... KP
- Balance Overheads ..... MN
- Genesis Desking ..... MN
- True Desking ..... KP
- Universal Overheads ..... MN
- WorkZone Desking ..... MN

Files & Storage
- 700 Series Pedestal Cushion ..... GB
- U-Series Pedestal Cushion ..... GB

Fixed Seating
- Concerto Auditorium Seating ..... BW
- Single Pedestal Seating ..... GB
- Jury Base Seating ..... GB
- Lancaster Auditorium Seating ..... BW
- Sequence Seating ..... GB
- University Seating ..... GB

Panel Systems
- All Terrain ..... KP
- Balance Overheads ..... MN
- System 3000 ..... MN
- Universal Overheads ..... MN
- Wireworks ..... MN
- Unite ..... MN

Residence Hall Furniture
- RoomScape Furniture ..... MN

Screens
- True/Volition ..... KP
- Genesis ..... KP

Seating
- 100 Series Folding Chairs ..... BW
- 300 Series Folding Chairs ..... BW
- 600 Series Stools ..... BW
- 700 Series Folding Chairs ..... BW
- 1000 Series ..... GB
- Aerdyn Guest Seating ..... HN
- Affina Collection ..... HN
- Arissa Lounge ..... HN
- Altus Task Chairs ..... TM
- Apply Stack Chairs ..... GB
- Auditorium Folding Chairs ..... BW
- Avail Task Chairs ..... OM
- Bantam Guest Seating ..... HN
- Briar Multiple & Healthcare Seating ..... HN
- Boss Design Chairs ..... HN
- Cinturon Lounge & Professional Seating ..... HN
- Cody Lounge Seating ..... HN
- Connection Zone Privacy Booths ..... HN
- Dorsal Stack & Tandem Seating ..... GB
- Engage Task Chairs & Stools ..... GB
- Flex Multiple & Healthcare Seating ..... HN
- Front Row Seats (Silk Screening) ..... BW
- GateOne Public Seating ..... BW
- Grazie Seating ..... GB
- Hub Modular Lounge Seating ..... HN
- Impress Task Chairs ..... OM
- Impress Ultra Task Chairs ..... OM
- Jessa Lounge Seating ..... HN
- Jubi Guest Chair ..... GB
- Kismet Task/Guest Chairs & Stools ..... OM
- Kurv Benches ..... HN
- LaResta Day Beds ..... HN
- Maestro Stack Chairs ..... GB
- Matrix Stack Chairs ..... GB
- Medical & Laboratory Stools ..... OM
- Mesa Lounge & Task Seating ..... HN
- MyWay Seating ..... HN
- Neena Benches ..... HN
- Opt4 ..... GB
- Perry Stack Chairs ..... GB
- Perth Multiple & Healthcare Seating ..... HN
- Perth II Healthcare Seating ..... HN
- Pilot Task Chairs ..... OM
- Piretti Stack Chairs ..... GB
- Promenade Seating System ..... BW
- Rapture Stack Chairs & Stools ..... GB
- Relax Lounge Seating ..... HN
- Rose Healthcare ..... BW
- Sela Lounge Seating ..... HN
- Sift Task Chairs ..... TM
- Silhouette Stack Chairs & Stools ..... BW
- Soltice Metal Collection ..... HN
- Soltice Multiple, Healthcare & Guest ..... HN
- Soltice II Healthcare Seating ..... HN
- Strive Multiple, Stack & Task ..... GB
- Tea Cup Lounge Seating ..... HN
- Three Multiple, Healthcare & Lounge ..... HN
- Three II Healthcare Seating ..... HN
- Torsion-on-the-Go! Nesting Chairs ..... GB
- Torsion Air Stack and Task Seating ..... GB
- Torsion Stack and Task Seating ..... GB
- Versa Stack Chairs & Stools ..... GB

Site Furnishings
- Logix ..... BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG
Contact KI at
1-800-424-2432

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

HN
KI-HN
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

KI Crossroads
Attn: Brianne Linn
280 North Road
Clinton County
Industrial Park
McElhattan, PA 17748

OM
KI-Impress
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

TM
KI Tupelo
2112 South Green St.
Tupelo, MS 38804

© 2015 Krueger International Inc. All Rights reserved. Code KI-51332R7/KI/PDF/215

Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

Front Row Seating

Specifications Form

Front Row Seating Chairs

Specifications Form

April 2012

Please note:

- All logos require camera ready art in Adobe Illustrator .eps, .ai or .pdf format in the measurements below.* Additional charges will apply to each proof change (size, color or font).
- For specific pricing details, visit www.ki.com/planning/pricelists.aspx?RSid=937.
- Once complete, submit this form and the signed "Intellectual Property Authorization" agreement along with your order.
- Contact your customer service rep. with additional questions.

Chair Model # _____ Qty Ordered _____

Frame Color _____

Feet/Bumper Colors _____

Vinyl Color _____

*Group 2 vinyls cannot be silk-screened.

Cushion Back Description _____

_____

_____

_____

Lettering Style _____

Common Effects _____

Seat Back Pantone Colors**

Color #1 _____

Color #2 _____

Color #3 _____

**Total number of ink colors per logo is three. Contact customer service for orders requiring more than three ink colors per logo.

Seat Cushion Description

_____

_____

_____

Lettering Style _____

Common Effects _____

Seat Cushion Pantone Colors**

Color #1 _____

Color #2 _____

Color #3 _____

**Total number of ink colors per logo is three. Contact customer service for orders requiring more than three ink colors per logo.

PO# _____

Project or School Name _____

Contact Name _____

Email for Proof _____

KI Internal Information

KI Order Number _____

KI Sales Rep _____

Artwork File Name _____

If logo/lettering is not predetermined, below is a list of popular lettering styles and common effects.

Script & Calligraphic	Athletic	Block and San Serif	Serif and Misc.
Brody	ALLSTAR	IMPACT	COOPER BLACK
Brush Script	EUROSTYLE	ARIAL BLACK	PLAYBILL
Kauflinn	JERSEY	TEMPEST GILL	STENCIL
Sanvito	MACHINE	SERPENTINE	TIMES
Snell Roundhand	ROCKWELL	OPTIMA	MARKER

Common Effects

SHADOW SLANTED ARCHED UPPER ARCH

*Max size for artwork on back: 12" wide x 5" high
Max size for artwork on seating: 9.5" wide x 10.5" high
Sized to maximum unless otherwise stated.

1330 Bellevue Street • P. O. Box 8100 • Green Bay, WI 54308-8100 • Tel 1-800-424-2432 • www.ki.com

© 2012 KI All Rights Reserved • Litho in USA • Code KI-11535R1/KI/PDF/412

Furnishing Knowledge®

Intellectual Property Authorization

INTELLECTUAL PROPERTY AUTHORIZATION

This Intellectual Property Authorization is effective this ____ day of _____, 20____, by and between KRUEGER INTERNATIONAL, INC. (hereafter "KI") a Wisconsin corporation located and doing business at 1330 Bellevue Street, Green Bay, Wisconsin 54302, and _____, located and doing business at _____(hereafter, "OWNER").

WHEREAS, OWNER is the sole owner of the entire rights, title, and interests in, to and under the Intellectual Property identified on Exhibit "A" attached hereto (hereafter, "IP"); and

WHEREAS, OWNER has requested KI to produce and manufacture the products identified on Exhibit "A" attached hereto (hereafter, "Products") for OWNER, and OWNER desires that Products display/use the IP; and.

WHEREAS, KI is willing, subject to the terms and conditions set forth herein, to produce and manufacture Products for OWNER such that said Products display/use OWNER'S IP.

NOW, THEREFORE, in consideration of the mutual covenants, obligations, and undertakings set forth herein, and for other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties hereby agree as follows:

1. OWNER represents and warrants that: (a) it is the sole owner of the entire rights, title and interests in, to and under the IP; and (b) it has full and unlimited authority to enter into this agreement and to grant KI the use of the IP as set forth herein.

2. OWNER hereby grants KI the right to use and/or display the IP on the Product KI is producing and manufacturing for OWNER.

3. OWNER agrees to indemnify, defend and hold KI harmless from and against any and all claims, actions, judgments, losses, damages (including, but not limited to, actual, incidental, consequential and punitive damages) and/or any other expenses (including, but not limited to, actual attorneys' fees), which KI may incur as a result of the use/display of the IP on Product for OWNER. OWNER'S duty hereunder shall specifically include and extend to any third party claims that the IP infringes such third party's rights in any way.

Dated the day and year first written above.

KRUEGER INTERNATIONAL, INC.	OWNER: _____
Nathan A. Jeske	_____
By: Nathan A. Jeske Print Name	By: _____ Print Name
Its: Product Manager Title	Its: _____ Title

EXHIBIT A

INTELLECTUAL PROPERTY

Trademarks:

Copyrights:

Other:

PRODUCTS

(KI product name(s) to be applied with the logo)

100, 300, 700 Series® Folding Chairs

General Information

	100 Series Steel Seat (101)	100 Series Upholstered Seat (103)	100 Series Upholstered Seat and Back (104)
Features			
Seam-welded tubular steel frame	•	•	•
Steel Seat	•	•	•
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
2 welded crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•
General Dimensions			
Seat height	17-1/2"	17-1/2"	17-1/2"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-3/4"	19-3/4"	19-3/4"
Overall height	30-1/4"	30-1/4"	30-1/4"
Ganging on center	18-1/2"	18-1/2"	18-1/2"

SPECIFICATIONS

100 Series Frames
Electrically seam-welded 18-gauge, 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage.

Backrests
One-piece, 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 8-1/2" high for maximum support. 2" deep concave shape for maximum support.

104 Upholstered Backrest
24-gauge steel. 14-1/2" x 6" x 1/2" polyfoam stapled to linerboard panel. Replaceable, attached to backrest by screws.

Seats
20-gauge cold-rolled drawn and shaped steel with fully curled edges for strength and safety. Front corners have a "waterfall" shape.

103, 104 Upholstered Seat
20-gauge recessed steel seat pan. 13-1/4" x 13-1/2" x 5/8" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

300 Series Frames
Electrically seam-welded 19-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage. Reinforced at pivot points with frame strengtheners. Crossbraces double riveted to each leg.

300 Backrests
One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 8-1/2" high for maximum support. 2" deep concave shape for maximum support.

304 Upholstered Backrest
24-gauge steel. 14-1/2" x 6" x 1/2" polyfoam stapled to linerboard panel. Replaceable, attached to backrest by screws.

301 Seats
One-piece 20-gauge cold-rolled with fully curled edge for strength and safety. Front corners have a waterfall shape.

303, 304 Upholstered Seats
20-gauge recessed steel seat pan. 5/8"polyfoam sealed to linerboard panel. Replaceable, attached by mechanical fasteners.

Feet
Replaceable, non-marring, durable, linear polypropylene.

Frame Finish
Baked-on, electrostatically-applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements
KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of cutomer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI
204 West South Street
Bonduel, WI 54107

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

100, 300, 700 Series® Folding Chairs

General Information

	300 Series Steel Seat (301D)	300 Series Upholstered Seat (303DU)	300 Upholstered Seat and Back (304DU)
Features			
Seam-welded tubular steel frame	•	•	•
Steel Seat	•	•	•
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
2 double-riveted crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•
General Dimensions			
Seat height	17-1/2"	17-1/2"	17-1/2"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-1/2"	19-1/2"	19-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Ganging on center	18-1/2"	18-1/2"	18-1/2"

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

100, 300, 700 Series® Folding Chairs

General Information

	700 Series Steel Seat (701)	700 Series Upholstered Seat (703)	700 Series Upholstered Seat and Back (704)
Features			
Seam-welded tubular steel frame	•	•	•
Steel Seat	•	•	
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
3 welded crossbraces	•	•	•
2 double-riveted crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•
Steel seat bridge	•		
General Dimensions			
Seat height	17-1/2"	17-1/2"	17-1/2"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-1/2"	19-1/2"	19-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"

SPECIFICATIONS

700 Series® Frames
Electrically seam-welded 18-gauge, 7/8” o.d. tubing. Front legs reinforced at pivot points with frame strengtheners/seat spacers. Three leg braces of 19-gauge, 5/8” o.d. steel tubing.

Steel Backrests
7-1/2” high, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

704 Upholstered Backrest
Replaceable backrest panel of 1/2” poly foam stapled to linerboard base. Attached to backrest by screws.

701 Steel Seats
Seat pivots on 1/4" tempered steel rivets. One-piece 20-gauge cold-rolled drawn and shaped steel with fully curled edges.

703, 704U Upholstered Seats
20-gauge recessed steel seat pan. 5/8” poly foam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

703S, 704S Upholstered Seat
20-gauge recessed steel seat pan. 1” poly foam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

FTAR Miracle Fold Tablet Arm
Arm folds independently of chair and has a high degree of clearance from seat to underside of tablet arm. Front hinge lock of die-formed 14-gauge steel and molded copolymer, 14-gauge, 7/8” o.d. tubular steel arm support. Rear dual action hinge laminated of 11- and 14-gauge steel. Tablet is 5/8” high-density MDF faced with high-pressure plastic laminate top and backing sheets.

Feet
Replaceable non-marring linear polypropylene. Ganging (armless models only). Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Frame Finish
Baked-on, electrostatically applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements
KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of cutomer’s own material for testing. A 1” square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI
204 West South Street
Bonduel, WI 54107

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

100, 300, 700 Series® Folding Chairs

General Information

	Miracle Fold Tablet Arm (704DFTAR/U)
Features	
Seam-welded tubular steel frame	•
Steel Seat	•
Steel backrest	•
Polyfoam seat pad	•
Polyfoam backrest pad	•
3 welded crossbraces	•
Wallsaver design	•
3" frame strengtheners (a KI exclusive)	•
General Dimensions	
Seat height	17-1/2"
Overall width	24"
Overall depth	26-1/4"
Overall height	30-1/4"
Tablet arm	12-1/2" x 22-1/2"

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

100 Series

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Frame Color	TB133	Upholstery Color	Feet/Bumper Color	
100	**Steel Seat** • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 welded crossbraces, front and rear • 3" frame strengtheners (A KI exclusive) • Wallsaver design	Unupholstered	101	□□□			□□□	11.0#
100U	**Upholstered Seat** • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 welded crossbraces, front and rear • Polyfoam seat pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design	1" Seat Pad	103S	□□□	□□□	□□□□□	□□□	11.0#
		5/8" Seat Pad	103U	□□□	□□□	□□□□□	□□□	11.0#
100U	**Upholstered Seat and Back** • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 welded crossbraces, front and rear • Polyfoam seat and backrest pad • 1/2" polyfoam backrest pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design	1" Seat Pad	104S	□□□	□□□	□□□□□	□□□	11.0#
		5/8" Seat Pad	104U	□□□	□□□	□□□□□	□□□	11.0#
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 103
Added Lead Time-1 Week
Added List Price=$9
Model = 104
Added Lead Time=1 Week
Added List Price=$15

100 Series

Folding Chairs (Delivered Pricing)

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 53		
N/A	$ 92	$ 92
N/A	86	86
N/A	$ 106	$ 106
N/A	100	100

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

300 Series

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	TB133	Upholstery Color	Feet/Bumper Color	Approx. Packaged Weight
300	**Steel Seat** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 "double riveted" crossbraces, front and rear • 3" frame strengtheners (A KI exclusive) • Wallsaver design	Unupholstered	301D	□□□			□□□	10.0#
300U	**Upholstered Seat** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 "double riveted" crossbraces, front and rear • Polyfoam seat pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design	1" Seat Pad	303DS	□□□	□□□	□□□□□	□□□	11.0#
		5/8" Seat Pad	303DU	□□□	□□□	□□□□□	□□□	11.0#
300U	**Upholstered Seat and Back** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 "double riveted" crossbraces, front and rear • Polyfoam seat pad and backrest • 1/2" polyfoam backrest pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design	1" Seat Pad	304DS	□□□	□□□	□□□□□	□□□	12.0#
		5/8" Seat Pad	304DU	□□□	□□□	□□□□□	□□□	12.0#
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest.
3/4" high letters. Three lines maximum.
Set-up charge $238.
Upcharge is $5 per chair. Contact KI to order.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 303
Added Lead Time-1 Week
Added List Price=$9
Model = 304
Added Lead Time=1 Week
Added List Price=$15

300 Series

Folding Chairs (Delivered Pricing)

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 64		
N/A	$ 96	$ 96
N/A	90	90
N/A	$ 110	$ 110
N/A	105	105

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

700 Series®

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	TB133	Upholstery Color	Feet/Bumper Color	Approx. Packaged Weight
7C	**Steel Seat** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • 3" frame strengtheners (A KI exclusive) • Wallsaver design	Unupholstered	701D	□□□			□□□	11.0#
7UC	**Upholstered Seat** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • Polyfoam seat pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design	1" Seat Pad	703DS	□□□	□□□	□□□□	□□□	12.0#
		5/8" Seat Pad	703DU	□□□	□□□	□□□□	□□□	12.0#
7UC	**Upholstered Seat and Back** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • Polyfoam seat and backrest pad • 1/2" polyfoam backrest pad • 3" frame strengtheners (A KI exclusive) • Wallsaver	1" Seat Pad	704DS	□□□	□□□	□□□□	□□□	13.0#
		5/8" Seat Pad	704DU	□□□	□□□	□□□□	□□□	13.0#
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest.
3/4" high letters. Three lines maximum.
Set-up charge $238.
Upcharge is $5 per chair. Contact KI to order.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 703
Added Lead Time-1 Week
Added List Price=$9
Model = 704
Added Lead Time=1 Week
Added List Price=$15

700 Series®

Folding Chairs (Delivered Pricing)

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 68		
N/A	$ 94	$ 94
N/A	88	88
N/A	$ 108	$ 108
N/A	102	102

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

700 Series®

Folding Chairs (Delivered Pricing)

7TA

7TAU

Miracle Fold Tablet Arm

- Double hinge
- Seam-welded tubular steel frame
- Heavy-duty steel seat and backrest
- 3 welded crossbraces, front and rear
- 3" frame strengtheners (A KI exclusive)
- Wallsaver design
- Left hand version available
- Tablet arm folds independently of chair

Features	MODEL NUMBER						Approx. Packaged Weight
	Basic Model	Frame Color	TB133	Upholstery Color	Tablet Arm Color	Feet/Bumper Color	
Steel Seat, Left Hand	701DFTAL	□□□			□□□	□□□	19.0#
Steel Seat, Right Hand	701DFTAR	□□□			□□□	□□□	19.0#
Seat Pad, Steel Back, Left Hand	703DFTAL/U	□□□	□□□	□□□□	□□□	□□□	20.0#
Seat Pad, Steel Back, Right Hand	703DFTAR/U	□□□	□□□	□□□□	□□□	□□□	20.0#
Seat Pad, Padded Back, Left Hand	704DFTAL/U	□□□	□□□	□□□□	□□□	□□□	20.0#
Seat Pad, Padded Back, Right Hand	704DFTAR/U	□□□	□□□	□□□□	□□□	□□□	20.0#
	Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	Ⓕ	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select tablet arm color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓕ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest
Available on upholstered and steel backrest.
3/4" high letters. Three lines maximum.
Set-up charge $238.
Upcharge is $5 per chair. Contact KI to order.

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 703
Added Lead Time-1 Week
Added List Price=$9
Model = 704
Added Lead Time=1 Week
Added List Price=$15

700 Series®

Folding Chairs (Delivered Pricing)

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 249		
249		
N/A	267	267
N/A	267	267
N/A	278	278
N/A	278	278

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Auditorium, Design Line Folding Chairs

General Information

	Auditorium Upholstered Seat and Back (731)	Auditorium Upholstered Seat and Back (734)
Features		
Interlocking ganging mechanism	•	•
Tubular steel frame	•	•
Steel rod "K" brace on front leg frame	•	
Reinforced steel insert tubes on front legs	•	•
Two rear crossbraces	•	•
2-1/2" seat cushion	•	
2" seat cushion		•
1/2" back cushion	•	
5/8" back cushion		•
Optional interlocking armrest	•	
General Dimensions		
Seat height	18-1/2"	17-1/2"
Overall width - armless	19"	18-1/4"
Overall height - open	31-7/8"	31-1/2"
Overall height - closed	40-3/4"	
Folded depth	5"	

SPECIFICATIONS

Auditorium 731 Series Frames
Electrically welded 19-gauge x 7/8" o.d. tubular steel. Front legs reinforced with two tubular steel inserts. U-shaped front leg crossbrace. Steel rod "K" brace welded between front leg frame and "U" brace for added strength. Two 19-gauge x 5/8" cross-braces welded to rear legs.

Auditorium 731 Series Uph. Backrests
1/2" polyfoam attached with screws to 3/16" molded backboard. Steel back panel is welded to frame. Replaceable upholstery.

Auditorium 731 Upholstered Seats
18-gauge x 7/8" tubular steel seat frame with 8" x 3/4" x 18-gauge steel tubes inserted for added strength. 2-1/2" polyfoam attached with screws to 5/8" Novoply™ seat base. Replaceable upholstery. Rectangular numbering plate attached to underside of seat.

Auditorium 731 Series Rubber Feet
Non-marring, heavy-duty rubber feet. Rotatable to compensate for wear.

Auditorium 731 Series Interlocking Ganging Bracket
Heavy-duty steel. Female interlocks with keyhole slots welded to leg. Male shoulder studs riveted to main chair frame and interlock with female interlocks. Each chair provided with two male interlocks and one female interlock.

Auditorium 731 Series Frame Finish
Baked-on, electrostatically-applied epoxy powder coating.

Auditorium 734 Frame
Legs are 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Front legs reinforced with 18-gauge, 3/4" o.d. steel tubing inserts (tube-within-a-tube construction). Frame reinforced at pivot points with frame strengtheners. Two rear and one front crossbrace of 19-gauge, 5.8" o.d. steel tubing welded to legs. Steel pivots on 1/4" tempered steel rivets at front and 3/16" rivets at rear legs.

Auditorium 734 Backrest
8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edges and spot-welded to frame. Replaceable backrest panel is of 5/8" polyfoam on a 1/4" pre-formed backboard, secured to the backrest with screws.

Auditorium 734 Seat
18-gauge electrically seam-welded 7/8" square steel tubing at front and sides, reinforced by 18-gauge, 3.4" o.d. tubular steel insert (tube-within-a-tube construction). Back of seat has 18-gauge formed steel angle support. 2" polyfoam bonded to 5/8" Novoply™ base. Replaceable seat cushions fasten to frame with screws.

Auditorium 734 Feet
Replaceable non-marring linear poly.

Auditorium 734 Folding Arms
Steel frame with a padded and upholstered cushion. Laminated steel frame hinge with 16-gauge, 1/2" o.d. tubular steel arm support.

Auditorium 734 Frame Finish
Baked-on, electrostatically-applied epoxy powder coating.

Design Line 1100 Series Frames
Legs of electrically seam-welded 19-gauge, 7/8" o.d. steel tubing. Front legs reinforced at pivot points with frame strengtheners. Two leg braces of 19-gauge, 5/8" o.d. steel tubing.

Design Line Steel Backrests
8-1/2" deep, curved 24-gauge cold-rolled steel. Fully curled edges add to backrest rigidity. Backrest pitch enhances proper posture.

Design Line Upholstered Backrests
Replaceable backrest panel of 5/8" polyfoam

Auditorium, Design Line Folding Chairs

General Information

	Design Line (1104)
Features	
Seam-welded tubular steel frame	•
Polyfoam seat pad	•
Polyfoam backrest pad	•
Molded foam seat cushion	
3 welded crossbraces	
2 welded crossbraces	•
3" frame strengtheners (a KI exclusive)	•
Ganging option	•
General Dimensions	
Seat height	17-1/2"
Overall width	18-1/4"
Overall depth	19-3/4"
Overall height	30-1/4"

glued to linerboard. Attached to backrest by screws.

Design Line Upholstered Seats
20-gauge recessed steel seat pan, 1-1/2" polyfoam stapled to liner panel. Replaceable, attached by mechanical fasteners.

Design Line Feet
Replaceable non-marring, high-impact polypropylene.

Design Line Frame Finish
Baked-on, electrostatically applied-epoxy powder coating.

INFORMATION

C.O.M. Testing & Production Requirements
KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI
204 West South Street
Bonduel, WI 54107

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

Auditorium

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER				
			Basic Model	Frame Color	TB133	Upholstery Color	Feet/Bumper Color
INDF	**731 Auditorium Folding Chair** • Welded tubular steel frame • Polyfoam seat and backrest • 1/2" polyfoam back; 2-1/2" polyfoam seat • Interlocking ganging • Independent seat rise • Double rear crossbraces	2-1/2" Seat Pad,1/2" Back Pad	731	□□□	□□□	□□□□□	□□□
INDF	**734 Upholstered Chair** • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 2-1/2" foam cushioned seat • 5/8" foam cushioned backrest • 3 welded crossbraces • 3" frame strengthener (A KI exclusive)	Nonganging	734	□□□	□□□	□□□□□	□□□
		Steel Leg Cap	734SC	□□□	□□□	□□□□□	□□□
INDF	**734 Upholstered Armchair** • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 2-1/2" foam cushioned seat • 5/8" foam cushioned backrest • 3 welded crossbraces • Arms fold with chair • 3" frame strengthener (A KI exclusive)	Nonganging	734FM	□□□	□□□	□□□□□	□□□
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 731
Added Lead Time-1 Week
Added List Price=$34
Model = 734
Added Lead Time=1 Week
Added List Price=$35

Carton Option

Cartoned two per carton (2P).

Auditorium

Folding Chairs (Delivered Pricing)

Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Vinyl Group 1 & C.O.V.	Delivered Pricing Vinyl Group 2
21.0#	$ 294	$ 323	$ 294	$ 338
19.0#	$ 261	$ 288	$ 261	$ 302
19.0#	270	300	270	316
23.0#	$ 385	$ 423	$ 385	$ 445

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Design Line

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER					Approx. Packaged Weight
			Basic Model	Frame Color	TB133	Upholstery Color	Feet/Bumper Color	
11U	**Upholstered Seat** • Seam-welded tubular steel frame • Heavy-gauge steel seat and backrest • Tubular steel, front and rear crossbraces • Upholstered seat • Wallsaver design • 3" frame strengthener (A KI exclusive)	Upholstered Seat	1103	□□□	□□□	□□□□□	□□□	11.0#
11U	**Upholstered Seat and Back** • Seam-welded tubular steel frame • Heavy-gauge steel seat and backrest • Tubular steel, front and rear crossbraces • Upholstered seat and back • Wallsaver design • 3" frame strengthener (A KI exclusive)	Upholstered Seat/Back	1104	□□□	□□□	□□□□□	□□□	12.0#
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = 1103
Added Lead Time-1 Week
Added List Price=$13
Model = 1104
Added Lead Time-1 Week
Added List Price=$17

Design Line

Folding Chairs (Delivered Pricing)

Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 89	$ 89
$ 113	$ 113

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Front Row Seats®

General Information

	Front Row Seats® 734 Upholstered (FRS734)	Front Row Seats® 704 Upholstered Seat/Back (FRS704D/U)
Features		
Seam-welded tubular steel frame	•	•
Steel Seat	•	•
Steel backrest	•	•
Polyfoam seat pad	•	•
Polyfoam backrest pad	•	•
Welded crossbraces	•	•
Wallsaver design	•	•
3" frame strengtheners (a KI exclusive)	•	•
Tube-witin-a-tube construction	•	
General Dimensions		
Seat height	17-1/2"	17-1/2"
Ganging on center	18-1/2"	18-1/2"
Overall width	18"	18-1/4"
Overall depth	20-1/2"	19-1/2"
Overall height	31-1/2"	30-1/4"

SPECIFICATIONS

Front Row Seats® 734 Frame
Legs 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Frame reinforced at pivot points with frame strengtheners. Two rear and one front crossbrace of 19-gauge, 5/8" o.d. steel tubing welded to legs. Seat pivots on 1/4" tempered steel rivets at front and 3/16" rivets at rear legs.

Front Row Seats® 734 Backrests
8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edges and spot-welded to frame. Replaceable backrest panel is of 5/8" polyfoam on a 1/4" preformed backboard, secured to the backrest with screws.

Front Row Seats® 734 Seat
18-gauge electrically seam-welded 7/8" square steel tubing at front and sides, reinforced by 18-gauge, 3/4" o.d. tubular steel insert (tube-within-a-tube construction). Back of seat has 18-gauge formed steel angle support. 2" polyfoam bonded to 5/8" Novoply™ base. Replaceable seat cushions fasten to frame with screws.

Front Row Seats® 734 Folding Arms
Steel frame with a padded and upholstered cushion. Laminated steel frame hinge with 16-gauge, 1/2" o.d. tubular steel arm support.

Front Row Seats® 704 Frames
Legs 19-gauge electrically seam-welded 7/8" o.d. tubing. Front legs reinforced at pivot points with frame strengtheners/seat spacers. Three leg braces of 19-gauge, 5/8" o.d. steel tubing.

Front Row Seats® 704 Steel Backrests
8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

Front Row Seats® 704 Upholstered Backrest
Replaceable backrest panel of 1/2" polyfoam stapled to linerboard base. Attached to backrest by screws.

Front Row Seats® 704U Upholstered Seats
20-gauge recessed steel seat pan. 5/8" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners, upholstered in vinyl.

Front Row Seats® 704S Upholstered Seats
20-gauge recessed steel seat pan. 1" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

Front Row Seats® Feet
Replaceable non-marring linear polypropylene.

Front Row Seats® Frame Finish
Baked-on electrostatically-applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements
KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI
204 West South Street
Bonduel, WI 54107

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required

Front Row Seats®

General Information

Silk Screening Charges	Seat or Back Only			Seat and Back		
	1-Color Logo	2-Color Logo	3-Color Logo	1-Color Logo	2-Color Logo	3-Color Logo
Silk Screen Set-up Charge	$61	$122	$179	$122	$245	$352
Silk Screen Application Charge (per chair)						
25-50 Chairs	7	14	22	14	31	46
51-100 Chairs	5	9	12	10	18	26
101+ Chairs	3	6	9	8	10	16

Artwork Charge (per logo)	$179

Reorders: No artwork charge if ordered within 1 year of initial order. All other charges apply.

Minimum order of 25 chairs.

Please complete the Front Row Seating Specification Form and Intellectual Property Authorization Form located at the front of this price list.

to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Licensing Requirements
The ability to manufacture and market Front Row Seats may be limited by licensing requirements. Contact KI Customer Service.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

Front Row Seats®

Folding Chairs (Delivered Pricing)

FS

Upholstered Seat and Back

- Double hinged
- Artwork silk screened on seat, back, or seat and back
- Replaceable polyfoam seat and backrest pad
- Seam-welded tubular steel frame with heavy-gauge steel backrest
- Wallsaver design
- 3" frame strengtheners (A KI exclusive)
- 1/2" back pad

FS

Upholstered Chair

- Artwork silk-screened on seat, back, or seat and back
- 2" foam cushioned seat; 5/8" cushioned backrest
- Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction
- 3 welded crossbraces
- Wallsaver design

	MODEL NUMBER							
Features	Basic Model	Silk Screen Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	TB133	Upholstery Color	Feet/Bumper Color
1" Seat Pad	FRS704D/S	□□□□	□□□□□□□	□□□□□□□	□□□	□□□	□□□□□	□□□
5/8" Seat Pad	FRS704D/U	□□□□	□□□□□□□	□□□□□□□	□□□	□□□	□□□□□	□□□
Nonganging	FRS734	□□□□	□□□□□□□	□□□□□□□	□□□	□□□	□□□□□	□□□
	Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	Ⓕ	Ⓖ	Ⓗ

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select silk screen placement.

SSS	- Seat only
SSB	- Back only
SSSB	- Seat and back

Ⓒ Select number of seat ink colors.

NSIK	- No seat ink colors
1INKST	- 1 seat ink color
2INKST	- 2 seat ink colors
3INKST	- 3 seat ink colors

Ⓓ Select number of back ink colors.

NBIK	- No back ink colors
1INKBK	- 1 back ink color
2INKBK	- 2 back ink colors
3INKBK	- 3 back ink colors

Ⓔ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓕ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓖ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓗ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Front Row Seats®

Folding Chairs (Delivered Pricing)

Approx. Packaged Weight	Delivered Pricing Vinyl Group 1 & C.O.V.
13.0#	$ 108
13.0#	101
19.0#	$ 262

OPTIONS

Special Enamel Frame
Submit paint sample to KI. Orders will not be accepted without prior suitability approval. Add upcharge to standard chair or C.O.M. price. Minimum quantities required.

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = FRS704
Added Lead Time-1 Week
Added List Price=$11
Model = FRS734
Added Lead Time-1 Week
Added List Price=$25

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping
Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Front Row Seats®

Folding Chairs (Delivered Pricing)

FS

Upholstered Seat and Back

- Double hinged
- Artwork silk screened on seat, back, or seat and back
- Replaceable polyfoam seat and backrest pad
- Seam-welded tubular steel frame with heavy-gauge steel backrest
- Wallsaver design
- 3" frame strengtheners (A KI exclusive)
- 1/2" back pad

FS

Upholstered Chair

- Artwork silk-screened on seat, back, or seat and back
- 2" foam cushioned seat; 5/8" cushioned backrest
- Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction
- 3 welded crossbraces
- Wallsaver design

	MODEL NUMBER							
Features	Basic Model	Silk Screen Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	TB133	Upholstery Color	Feet/Bumper Color
1" Seat Pad	FRS704D/S	□□□□	□□□□□□□	□□□□□□□	□□□	□□□	□□□□□	□□□
5/8" Seat Pad	FRS704D/U	□□□□	□□□□□□□	□□□□□□□	□□□	□□□	□□□□□	□□□
Nonganging	FRS734	□□□□	□□□□□□□	□□□□□□□	□□□	□□□	□□□□□	□□□
	Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	Ⓕ	Ⓖ	Ⓗ

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select silk screen placement.

SSS	- Seat only
SSB	- Back only
SSSB	- Seat and back

Ⓒ Select number of seat ink colors.

NSIK	- No seat ink colors
1INKST	- 1 seat ink color
2INKST	- 2 seat ink colors
3INKST	- 3 seat ink colors

Ⓓ Select number of back ink colors.

NBIK	- No back ink colors
1INKBK	- 1 back ink color
2INKBK	- 2 back ink colors
3INKBK	- 3 back ink colors

Ⓔ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓕ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓖ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓗ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Front Row Seats®

Folding Chairs (Delivered Pricing)

Approx. Packaged Weight	Delivered Pricing Vinyl Group 1 & C.O.V.
13.0#	$ 84
13.0#	80
19.0#	$ 207

OPTIONS

Special Enamel Frame
Submit paint sample to KI. Orders will not be accepted without prior suitability approval. Add upcharge to standard chair or C.O.M. price. Minimum quantities required.

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = FRS704
Added Lead Time-1 Week
Added List Price=$10
Model = FRS734
Added Lead Time-1 Week
Added List Price=$23

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping
Shipped **assembled f.o.b. Delivered Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Front Row Seats®

Folding Chairs (Delivered Pricing)

	MODEL	MODEL NUMBER							
		Basic Model	Silk Screen Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	TB133	Upholstery Color	Feet/Bumper Color
FS	**Upholstered Armchair** • Artwork silk-screened on seat, back, or seat and back • 2" foam cushioned seat; 5/8" cushioned backrest • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 3 welded crossbraces • Wallsaver design • Arms fold with chair	FRS734FM	□□□□	□□□□□□	□□□□□□	□□□	□□□	□□□□□	□□□
		Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	Ⓕ	Ⓖ	Ⓗ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select silk screen placement.

SSS	- Seat only
SSB	- Back only
SSSB	- Seat and back

Ⓒ Select number of seat ink colors.

NSIK	- No seat ink colors
1INKST	- 1 seat ink color
2INKST	- 2 seat ink colors
3INKST	- 3 seat ink colors

Ⓓ Select number of back ink colors.

NBIK	- No back ink colors
1INKBK	- 1 back ink color
2INKBK	- 2 back ink colors
3INKBK	- 3 back ink colors

Ⓔ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓕ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓖ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓗ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Front Row Seats®

Folding Chairs (Delivered Pricing)

Approx. Packaged Weight	Delivered Pricing Vinyl Group 1 & C.O.V.
19.0#	$ 413

OPTIONS

Special Enamel Frame
Submit paint sample to KI. Orders will not be accepted without prior suitability approval. Add upcharge to standard chair or C.O.M. price. Minimum quantities required.

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = FRS704
Added Lead Time-1 Week
Added List Price=$11
Model = FRS734
Added Lead Time-1 Week
Added List Price=$25

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping
Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Front Row Seats®

Folding Chairs (Delivered Pricing)

	MODEL	MODEL NUMBER							
		Basic Model	Silk Screen Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	TB133	Upholstery Color	Feet/Bumper Color
FS	**Upholstered Armchair** • Artwork silk-screened on seat, back, or seat and back • 2" foam cushioned seat; 5/8" cushioned backrest • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 3 welded crossbraces • Wallsaver design • Arms fold with chair	FRS734FM	□□□□	□□□□□□	□□□□□□	□□□	□□□	□□□□□	□□□
		Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	Ⓕ	Ⓖ	Ⓗ

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select silk screen placement.

SSS	- Seat only
SSB	- Back only
SSSB	- Seat and back

Ⓒ Select number of seat ink colors.

NSIK	- No seat ink colors
1INKST	- 1 seat ink color
2INKST	- 2 seat ink colors
3INKST	- 3 seat ink colors

Ⓓ Select number of back ink colors.

NBIK	- No back ink colors
1INKBK	- 1 back ink color
2INKBK	- 2 back ink colors
3INKBK	- 3 back ink colors

Ⓔ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓕ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓖ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓗ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Front Row Seats®

Folding Chairs (Delivered Pricing)

Approx. Packaged Weight	Delivered Pricing Vinyl Group 1 & C.O.V.
19.0#	$ 332

OPTIONS

Special Enamel Frame
Submit paint sample to KI. Orders will not be accepted without prior suitability approval. Add upcharge to standard chair or C.O.M. price. Minimum quantities required.

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = FRS704
Added Lead Time-1 Week
Added List Price=$10
Model = FRS734
Added Lead Time-1 Week
Added List Price=$23

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping
Shipped **assembled f.o.b. Delivered Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

General Information

	Value® Lite Single Hinge (VL.100)	Steel Seat Double Hinge w/ Three Crossbraces (331D)	Fabric Upholstered Seat and Back (344DF)
Features			
Seam-welded tubular steel frame	•	•	•
Steel Seat		•	•
Steel backrest		•	•
Single hinge	•		•
Double hinge		•	•
2 double-riveted crossbraces			•
3 double-riveted crossbraces		•	
3" frame strengtheners (a KI exclusive)		•	•
Wallsaver design	•	•	
General Dimensions			
Seat height	17-3/4"	17" (18" uph)	17-1/2"
Overall width	18-1/2"	18-1/4"	18-1/2"
Overall depth	21-1/8"	19-1/2"	21"
Overall height	33-3/8"	30-1/4"	31"
Folded depth	3"	2-1/2"	2-3/4"

SPECIFICATIONS
331D

Frame
Electrically seam-welded 18-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, reinforced at pivot points with both front and rear leg frame strengtheners. 5/8" dia. crossbraces double riveted to each leg.

Steel Backrest
One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 2" deep concave shape for maximum support. Rounded back for comfort.

Steel Seat
One-piece 22-gauge cold-rolled with fully curled safety edge, securely riveted to frame. Front corners have a waterfall shape.

344DV, 344DF

Frame
Electrically seam-welded 18-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 3/4" dia. crossbraces double riveted to each leg.

Upholstered Backrest
One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 7/8" polyfoam stapled to linerboard panel attached with screws to backrest. Higher back for added comfort.

Upholstered Seat
One-piece 22-gauge cold-rolled with fully curled safety edge, securely riveted to frame. 1-3/8" polyfoam sealed to linerboard panel attached with rivets to seat pan.

VL100

Frame
Electrically seam-welded 17-gauge x 1-1/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 2-1/4" 11-gauage under seat support brace, 13-gauge side seat support 3/4" arched welded crossbraces.

Seat and Backrest
1-1/4" thick high-density polyethylene plastic.

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Folding Chairs - 05

General Information

	Vinyl Upholstered Seat and Back (344DV)
Features	
Seam-welded tubular steel frame	•
Steel Seat	•
Steel backrest	•
Single hinge	•
Double hinge	•
2 double-riveted crossbraces	•
3" frame strengtheners (a KI exclusive)	•
Wallsaver design	
General Dimensions	
Seat height	17-1/2"
Overall width	18-1/2"
Overall depth	21"
Overall height	31"
Folded depth	2-3/4"

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

Folding Chairs - 05

General Information

	Steel Seat Double Hinge w/ Tablet Arm (301DTA)	Vinyl Upholstered Seat Double Hinge w/ Tablet Arm (301DVTA)	Double Tier Storage Caddy (KDT84)	Vertical Storage Caddy (KV50A)
Features				
Seam-welded tubular steel frame	•	•		
Steel Seat	•	•		
Steel backrest	•	•		
Polyfoam seat pad		•		
Polyfoam backrest pad		•		
Double hinge	•	•		
2 double-riveted crossbraces	•	•		
Front frame strengtheners	•	•		
Features (Capacity)				
301, 301D, 331D			84	50
344DV, 344DF			72	42
301DTA, 301DVTA			0	25
VL.100			0	50
General Dimensions				
Seat height	16-1/2"	17-1/2"		
Overall width	21"	21"	33-3/4"	20-7/8"
Overall depth	28-1/4"	28-1/4"	61-1/2"	106-1/2"
Overall height	30-1/4"	30-1/4"	67-5/8"	30"
Tablet arm	11-1/4" x 21-7/8"	11-1/4" x 21-7/8"		
Tablet arm height from floor	26-1/2"	26-1/2"		
Folded depth	4"	4-1/2"		
Wheels on center			30"	15-1/2"

SPECIFICATIONS
301DTA

Frame
Electrically seam-welded 18-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, reinforced at pivot points with both front and rear leg frame strengtheners. 5/8" diameter crossbraces double riveted to each leg.

Steel Backrest
One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 2" deep concave shape for maximum support. Rounded back for comfort.

Steel Seat
One-piece 22-gauge cold-rolled with fully curled safety edge, securely riveted to frame. Front corners have a waterfall shape.

301DVTA

Frame
Electrically seam-welded 18-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 3/4" diameter crossbraces double riveted to each leg.

Upholstered Backrest
One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 7/8" polyfoam stapled to linerboard panel attached with screws to backrest. Higher back for added comfort.

Upholstered Seat
One-piece 22-gauge cold-rolled with fully curled safety edge, securely riveted to frame. 1-3/8" polyfoam sealed to linerboard panel attached with rivets to seat pan.

Tablet Arm
Tablet arm is constructed of high-density particleboard with high-pressure laminate top.

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty
Refer to KI Terms & Conditions document
or visit ki.com

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	Approx. Packaged Weight
 FC	**Steel Seat Double Hinge w/ 3 Cross-braces** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • Added rear double-riveted crossbrace for superior strength • 3" frame strengtheners (A KI exclusive) • Wallsaver design • Matching feet (BS has black feet)	Unupholstered Beige	331D/BE	11.0#
		Unupholstered Black	331D/BL	11.0#
		Unupholstered Brown	331D/BR	11.0#
		Unupholstered Baltic	331D/BS	11.0#
		Unupholstered Warm Grey	331D/WG	11.0#

Ⓐ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 331D - 4 units per carton
Model VL.100 - 4 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 55
55
55
55
55

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	Approx. Packaged Weight
 FC	**Steel Seat Double Hinge w/ 3 Cross-braces** • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • Added rear double-riveted crossbrace for superior strength • 3" frame strengtheners (A KI exclusive) • Wallsaver design • Matching feet (BS has black feet)	Unupholstered Beige	331D/BE	11.0#
		Unupholstered Black	331D/BL	11.0#
		Unupholstered Brown	331D/BR	11.0#
		Unupholstered Baltic	331D/BS	11.0#
		Unupholstered Warm Grey	331D/WG	11.0#

Ⓐ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 331D - 4 units per carton
Model VL.100 - 4 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	Delivered Pricing
	$ 39
	39
	39
	39
	39

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. Delivered Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	MODEL NUMBER Basic Model	Approx. Packaged Weight
 HRDPT	**ValueLite® Single Hinge** • Single hinge • High-density polyethylene seat and back • Front and back arched welded cross-braces • Polyethylene glides • Frame color hammer tone black • Seat and back color speckled white • Sold 4 per carton • Integrated handle in backrest • Seat and back thickness 1-1/4"	VL.100.BL.WH Ⓐ	13.0#

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 344DV - 4 units per carton
Model 344DF - 4 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	Delivered Pricing
	$ 80

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	MODEL NUMBER Basic Model	Approx. Packaged Weight
 HRDPT	**ValueLite® Single Hinge** • Single hinge • High-density polyethylene seat and back • Front and back arched welded cross-braces • Polyethylene glides • Frame color hammer tone black • Seat and back color speckled white • Sold 4 per carton • Integrated handle in backrest • Seat and back thickness 1-1/4"	VL.100.BL.WH Ⓐ	13.0#

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 344DV - 4 units per carton
Model 344DF - 4 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	Delivered Pricing
	$ 60

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled f.o.b. Delivered Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	Approx. Packaged Weight
	Vinyl Upholstered • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort	Beige Frame/Beige Vinyl	344DV/BE/VBE	12.0#
		Beige Frame/Brown Vinyl	344DV/BE/VBR	12.0#
		Warm Grey Frame/Blue Vinyl	344DV/WG/VBH	12.0#
		Warm Grey Frame/Black Vinyl	344DV/WG/VBL	12.0#
		Warm Grey Frame/Burgundy Vinyl	344DV/WG/VBU	12.0#
		Warm Grey Frame/Grey Vinyl	344DV/WG/VGY	12.0#
FC	Not available for sale in the state of California			
	Fabric Upholstered • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backseat • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort	Beige Frame/Beige Fabric	344DF/BE/FBE	12.0#
		Black Frame/Charcoal Fabric	344DF/BL/FCH	12.0#
		Brown Frame/Walnut Fabric	344DF/BR/FWA	12.0#
		Warm Grey Frame/Blue Fabric	344DF/WG/FBH	12.0#
		Warm Grey Frame/Burgundy Fabric	344DF/WG/FBU	12.0#
FC	Not available for sale in the state of California			
			Ⓐ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 301DTAR - 2 units per carton
Model 301DVTAR - 2 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 76
76
76
76
76
76
$ 78
78
78
78
78

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	Approx. Packaged Weight
	Vinyl Upholstered • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort	Beige Frame/Beige Vinyl	344DV/BE/VBE	12.0#
		Beige Frame/Brown Vinyl	344DV/BE/VBR	12.0#
		Warm Grey Frame/Blue Vinyl	344DV/WG/VBH	12.0#
		Warm Grey Frame/Black Vinyl	344DV/WG/VBL	12.0#
		Warm Grey Frame/Burgundy Vinyl	344DV/WG/VBU	12.0#
		Warm Grey Frame/Grey Vinyl	344DV/WG/VGY	12.0#
FC	Not available for sale in the state of California			
	Fabric Upholstered • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backseat • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort	Beige Frame/Beige Fabric	344DF/BE/FBE	12.0#
		Black Frame/Charcoal Fabric	344DF/BL/FCH	12.0#
		Brown Frame/Walnut Fabric	344DF/BR/FWA	12.0#
		Warm Grey Frame/Blue Fabric	344DF/WG/FBH	12.0#
		Warm Grey Frame/Burgundy Fabric	344DF/WG/FBU	12.0#
FC	Not available for sale in the state of California			
			Ⓐ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 301DTAR - 2 units per carton
Model 301DVTAR - 2 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 52
52
52
52
52
52
$ 57
57
57
57
57

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled f.o.b. Delivered Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	Approx. Packaged Weight
	Tablet Arm and Steel Seat • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair	Beige Frame/Oak Tablet-Right	301DTAR/BE/LOK	17.0#
		Warm Grey Frame/Grey Tablet-Right	301DTAR/WG/LGE	17.0#
FC				
	Tablet Arm and Vinyl Upholstered Seat • Double-hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad Not available for sale in the state of California	Warm Grey Frame/Grey Vinyl/Grey Tablet-Right	301DVTAR/WG/VGY/LGE	18.0#
FC				
			Ⓐ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 301DTAR - 2 units per carton
Model 301DVTAR - 2 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 117
117
$ 137

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	Approx. Packaged Weight
	Tablet Arm and Steel Seat • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair	Beige Frame/Oak Tablet-Right	301DTAR/BE/LOK	17.0#
		Warm Grey Frame/Grey Tablet-Right	301DTAR/WG/LGE	17.0#
FC				
	Tablet Arm and Vinyl Upholstered Seat • Double-hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad Not available for sale in the state of California	Warm Grey Frame/Grey Vinyl/Grey Tablet-Right	301DVTAR/WG/VGY/LGE	18.0#
FC				
			Ⓐ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model 301DTAR - 2 units per carton
Model 301DVTAR - 2 units per carton

Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	Delivered Pricing
	$ 73
	73
	$ 89

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. Delivered Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Storage Caddies for Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	W	MODEL NUMBER Basic Model	Approx. Packaged Weight
 CCAD	**Vertical Storage Caddy** • Heavy-duty 16-gauge steel frame • Adjustable middle post - standard • Tablet arm chairs require double the space of non-tablet arm chairs • Beige finish only Consult General Information page for appropriate caddy for your selected chairs.	50"	KV50A/BE/C	63.0#
 CCAD	**Double-Tier Storage Caddy** • Heavy-duty 11-gauge, 1" x 2" tubular steel • Chairs suspend from tines • NOTE: Cannot store tablet arm chairs • Beige finish only Consult General Information page for appropriate caddy for your selected chairs.	84"	KDT84/BE/C	100.0#
			Ⓐ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model KV50A - 1 unit per carton
Model KDT84 - 1 unit per carton

Storage Caddies for Folding Chairs - 05

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 637
$ 1619

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Storage Caddies for Folding Chairs - 05

Folding Chairs (Delivered Pricing)

	MODEL	W	MODEL NUMBER Basic Model	Approx. Packaged Weight
 CCAD	**Vertical Storage Caddy** • Heavy-duty 16-gauge steel frame • Adjustable middle post - standard • Tablet arm chairs require double the space of non-tablet arm chairs • Beige finish only Consult General Information page for appropriate caddy for your selected chairs.	50"	KV50A/BE/C	63.0#
 CCAD	**Double-Tier Storage Caddy** • Heavy-duty 11-gauge, 1" x 2" tubular steel • Chairs suspend from tines • NOTE: Cannot store tablet arm chairs • Beige finish only Consult General Information page for appropriate caddy for your selected chairs.	84"	KDT84/BE/C	100.0#

Ⓐ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.
• The absence of the ☐ indicates that no choice is required.
• Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

INFORMATION

Cartoning
Model KV50A - 1 unit per carton
Model KDT84 - 1 unit per carton

Storage Caddies for Folding Chairs - 05

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 468
$ 1170

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. Delivered Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Novite™

General Information

Novite Folding Chair

Features	
Indoor/outdoor use	•
All plastic construction	•
Lightweight	•
100% recyclable	•
General Dimensions	
Seat height	18"
Overall Dimensions	
Width	18-1/4"
Depth	20-1/2"
Height	32-3/4"
Length	
Casters on center	

SPECIFICATIONS

Material
All polypropylene construction.

Disclaimer
Excessive exposure to sunlight over time may cause the color to fade.

INFORMATION

Warranty
Refer to KI Terms & Conditions document
or visit ki.com

Novite™

Folding Chairs (Delivered Pricing)

	MODEL	MODEL NUMBER		
		Basic Model	Poly Color	Approx. Packaged Weight
NOV	**Folding Chair** • 38 chair stacking capacity • Indoor/outdoor use • All plastic construction • Lightweight • 100% recyclable • Weighs 10 lbs. per chair	NOVITE	□□□□	10.0#
		Ⓐ	Ⓑ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select plastic color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Novite™

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 120

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

General Information

Vertical Storage Caddy

	KV25	KV35	KV50	KVDM
Features (Capacity)				
100, 300, 331, 700, 1100	25 Chairs	35 Chairs	50 Chairs	N/A
VL100 (Value Lite)	21 Chairs	30 Chairs	50 Chairs	N/A
344	21 Chairs	31 Chairs	42 Chairs	N/A
354DF, 731, 734, 702CL	14 Chairs	20 Chairs	30 Chairs	N/A
734FM	11 Chairs	16 Chairs	21 Chairs	N/A
Novite	N/A	N/A	38 Chairs	N/A
DMFC.MBL.BL (DuraMesh)	N/A	N/A	N/A	55 Chairs
General Dimensions				
Length	56-1/2"	80-1/2"	106-1/2"	80-1/2"
Width	20-7/8"	20-7/8"	20-7/8"	21-7/8"
Height from floor	30"	30"	30"	30"
Casters on center	15-1/2"	15-1/2"	15-1/2"	

Replacement Feet (Polypropylene)

Replacement Feet (Rubber)

Replacement Bumper

SPECIFICATIONS

The capacity listed in the above chart is for non-tablet arm chairs. Tablet arm chairs require double the space. Replacement feet and bumpers are available.

KV Series Vertical Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. To each end, a 4-1/2" x 1-1/2" angle steel member is electrically welded. To each outside corner of the bed is welded a 14-gauge, 1-1/4" o.d. end post socket to support removable 1-1/8" o.d., 18-gauge end posts. Loading stops are stamped into the bed. 4" high x 1-1/4" wide roller-bearing wheels.

Optional adjustable end post sockets are constructed of welded steel. Sockets and removable end post are positioned against partial loads to eliminate load from shifting.

KH Series Horizontal Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. Side rails are fitted into sockets welded to end posts. Distance between side rails is equal to folded height of chairs from top to bottom crossbrace for snug storage. 4" high x 1-1/4" wide roller-bearing wheels.

KDT84 Caddy

Legs, uprights and crossbrace are fabricated of 11-gauge, 1" x 2" tubular steel. Legs are welded to uprights; crossbraces are bolted. Open tubing ends are covered with plastic end caps. Chair suspension tines of 14-gauge, 1" o.d. round tubing. 5" high x 1-3/8" wide roller bearing wheels.

NOTE: Do not use KDT84 for tablet arm chairs.

Folding Chair Storage and Accessories

General Information

	Horizontal Storage Caddy KH50	KH51	Double-Tier Storage Caddy KDT84
Features (Capacity)			
100, 300, 331, 700, 1100	50 Chairs	50 Chairs	84 Chairs
354DF, 731, 734, 702CL	N/A	N/A	47 Chairs
734FM	N/A	N/A	36 Chairs
Novite	38 Chairs	N/A	N/A
General Dimensions			
Length	106-1/2"	106-1/2"	61-1/2"
Width	35-3/8"	33-3/8"	33-3/4"
Height from floor	22"	22"	67-5/8"
Casters on center	15-1/2"	15-1/2"	30"

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	Base	Approx. Packaged Weight
CCAD	**Vertical Storage Caddy** • One-piece solid bed design • All steel construction • 4" wheels: 2 fixed, 3 swivel • 50 chair caddies have swivel wheel in bed center • Beige finish standard (other colors available at an upcharge) • 30" high from floor-empty; 44" high-loaded • Tablet arm chairs require double the space of non-tablet arm chairs Consult General Information page for appropriate caddy for your selected chairs.	Capacity 25	KV25	□□□	□□	44.0#
		Capacity 25 - Adjustable Middle Post	KV25A	□□□	□□	54.0#
		Capacity 35	KV35	□□□	□□	52.0#
		Capacity 35 - Adjustable Middle Post	KV35A	□□□	□□	62.0#
		Capacity 50	KV50	□□□	□□	63.0#
		Capacity 50 - Adjustable Middle Post	KV50A	□□□	□□	73.0#
 CCAD	**Horizontal Storage Caddy** • One-piece solid bed design • All steel construction • 4" wheels: 2 fixed, 3 swivel • Swivel wheel in bed center • Models for #100, #300 and #700 chairs • Beige finish standard (others available at an upcharge) • 22" high from floor-empty; 24-1/2" high-loaded; 40-1/8" wide loaded • Tablet arm chairs require double the space of non-tablet arm chairs Consult General Information page for appropriate caddy for your selected chairs.	Capacity 50,700 Series®	KH50	□□□	□□	68.0#
		Capacity 50,700 Series® - Adjustable End Post	KH50A	□□□	□□	78.0#
		Capacity 50,300 Series Chairs	KH51	□□□	□□	76.0#
		Capacity 50,300 Series Chairs - Adjustable End Post	KH51A	□□□	□□	86.0#
			Ⓐ	Ⓑ	Ⓒ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select base option.

C	- Standard swivel/fixed wheels
SC	- All swivel wheels; add $21

OPTIONS

Adjustable End post and Sockets

Adapts to KV, KH50 and KH51 series chair caddies. Allows end posts to be repositioned to prevent partial loads from shifting. Speciality #86.5002 for a KV caddy, and #86.5003 for a KH caddy for field-installable parts. Add #10 weight. Upcharge is $47

Folding Chair Caddy Brake Kits

KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify #09.0050
Upcharge is $12

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 450
497
502
549
590
637
$ 695
742
695
742

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
			Basic Model	Frame Color	Base	
CCAD	**Double-Tier Storage Caddy** • Rectangular and square tubular steel construction • Chairs suspended from tines • 5" wheels: 2 fixed, 2 swivel • Beige finish standard (other colors available at an upcharge) • 67-7/8" high from floor, empty • NOTE: Cannot store tablet arm chairs Consult General Information page for appropriate caddy for your selected chairs.	Capacity 84	KDT84	□□□	□□	100.0#
			Ⓐ	Ⓑ	Ⓒ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select base option.

C	- Standard swivel/fixed wheels
SC	- All swivel wheels; add $21

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

	Delivered Pricing
	$ 1619

SPECIAL SERVICES

Special Carton Marking

With specially marked information	N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

	MODEL	Features	MODEL NUMBER Basic Model	MODEL NUMBER Frame Color	Approx. Packaged Weight
HRDPT	**Replacement Feet** • High-impact polypropylene	100,300,700,734	53.6150	□□□	0.0#
HRDPT	**Replacement Feet** • Rubber foot	100,300,700	06.0020.BE		0.0#
HRDPT	**Ganging Clamp** • Removable • Fits 100, 300, and 700 chairs • 1 clamp per chair required • Will not work on tablet arm chairs		85.1505	□□□	0.1#
HRDPT	**Replacement Bumpers** • Plastic bumper fits into top end of rear leg above hinge	100,300,700	53.6154	□□□	0.0#
			Ⓐ	Ⓑ	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:
- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Folding Chair Storage and Accessories

Folding Chairs (Delivered Pricing)

Delivered Pricing
$ 1
$ 2
$ 2
$ 1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Industrial/Mechanical Adjustable Stools

General Information

	Lowboy Filing Stool (614)	Steel Seat Stool (630)	Upholstered Seat Stool (618U)	Wood Seat Stool (624WA)
Features				
Three height ranges available		•	•	•
Adjustable height legs optional		•	•	•
Masonite hardboard seat	•	•		
Wood seat				•
Casters	•			
Upholstered seat	•		•	
General Dimensions				
Seat height	14"	18", 24", 30"	18" - 38"	19" - 39"
Seat diameter	14"	14"	14"	14"
Base spread	13"	15-1/2"	14"	15-1/4"

600 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames
Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; shaped for an enlarged weld area at point of contact with leg. Replaceable polyethylene feet.

Steel Seat
20-gauge die-formed steel pan with fully curled edges for strength and safety. 14" diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seat
20-gauge die-formed steel pan. 14" diameter. Replaceable 5/8" foam pad mounted to linerboard, fastened into seat recess with mechanical fasteners. Upholstered in vinyl.

Wood Seat
14" diameter, 1-1/4" hardwood with clear lacquer finish. Attached to seat with screws.

Polypropylene Stool Seats
Injection-molded thermoplastic with integral rib construction for strength. 13" diameter. Color permeates throughout. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the chair.

Nonstandard Steel Stool Seat Heights
Minimum order of 10 stools. Minimum height is 15". Specify standard model with next greater height than required.

Base Spreads
Base spread for 18" stools are 14"; 24" stools are 15-1/4"; 30" stools are 15-1/2".

Glides
Glides are available on standard or adjustable stools. Glides are optional on non-adjustable stools.

Frame Finish
Baked-on, electrostatically-applied epoxy powder coating.

Industrial/Mechanical Adjustable Stools

General Information

	Steel Seat/Back Stool (618B)	Upholstered Seat/Back Stool (630BU)	Wood Seat/Back Stool (624BW)	Polypropylene Seat Stool (624P)
Features				
Three height ranges available	•	•	•	
Adjustable height legs optional	•	•	•	
Masonite hardboard seat	•			
Wood seat			•	
Upholstered seat		•		
Steel backrest	•		•	
Polypropylene seat				•
Upholstered backrest		•		
General Dimensions				
Seat height	18" - 38"	18" - 38"	18" - 38"	18" - 38"
Seat diameter	14"	14"	14"	14"
Backrest height	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	
Backrest width	11-3/4"	11-3/4"	11-3/4"	
Base spread	14"	15-1/2"	15-1/4"	15-1/4"

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

Industrial/Mechanical Adjustable Stools

General Information

	Upholstered Seat Stool (830A)	Upholstered Seat/Back Stool (830BA)	Upholstered Swivel Seat/Back Stool (824SB)
Features			
Three height ranges available	•	•	
Adjustable height legs optional	•	•	
Masonite hardboard seat			
Upholstered seat	•	•	•
Steel backrest			
Upholstered backrest		•	•
General Dimensions			
Seat width			
Seat depth			
Seat height	19" - 39"	18" - 38"	24" - 28"
Seat diameter	14"	14"	14"
Backrest height from seat		13-3/8" - 15-3/8"	13-3/8" - 15-3/8"
Backrest width		11-3/4"	11-3/4"
Base spread	15-1/2"	15-1/2"	14-1/2"

800 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames
Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d. Footrings are shaped for an enlarged weld area at point of contact with leg. The 824SB footring is 19-gauge, 5/8" o.d tubular steel. Replaceable polyethylene feet.

Steel Backrest
18-gauge curved steel back with 6-gauge steel support. 2" height and 2" depth adjustment range.

Upholstered Backrest
18-gauge curved steel back with 6-gauge steel support. 5/8" foam pad upholstered in vinyl. Replaceable. 2" height and 2" depth adjustment range.

800 Series Steel Seat
Heavy-gauge die-formed steel pan, 14" diameter. 1-1/8" foam pad upholstered in vinyl, fastened to linerboard.

824SB Adjustable Height
Seat swivels 360º. Height adjustment is made by rotating a bell on a threaded post. It locks with a set screw. Self-leveling stainless steel capped nylon base glides.

Adjustable Legs
Nickel-plated telescoping leg section is drilled and tapped for set screw. The height range is 8" in 1" increments. Self-leveling stainless steel capped glides.

Base Spreads
Base spread are 13-1/2" (718); 15" (724); 15" (730); 14" (818); 14-1/2" (824); 15-1/2" (830).

Frame Finish
Baked-on, electrostatically-applied epoxy powder coating.

MECHANICAL ADJUSTABLE STOOLS SPECIFICATIONS

Backrest
6-gauge spring steel support. 2" horizontal adjustment; locks with wing screw. 2" vertical adjustment; locks with hand wheel. Backrest hinged at top.

Steel Seats
14" diameter heavy-gauge die-formed steel with fully curled edges for safety and strength. 1/8" tempered hardboard Masonite in recess. Riveted to lift assembly.

Plywood Seats and Backs
Waterfall design, compound curved for comfort. 15-3/8" wide x 15-5/8" deep seat; 13" wide x 6-1/4" high backrest. 5-ply with hardwood veneer surface, sealed and lacquered. Meets NEMA standards. Seats riveted to lift assembly; backrests to back support.

Box Cushion Upholstered Seats, Upholstered Backrests
2" foam cushion fastened to particleboard base. 1" foam on backrest. 15-1/2" wide x 14" deep seat; 13-5/8" wide x 6-1/2" high backrest. Seats riveted to lift assembly; backrests to back support.

Adjustable Height Mechanism
Seat swivels 360º. Height adjustment is made by rotating a bell on a threaded post. Locks with a set screw. 6" height range.

Tubular Steel Bases
Seam-welded tubular steel, welded in an integral unit. Legs: 1.1" x 14-gauge; footrings: 3/4" x 18-gauge; 15" diameter. Self-leveling rubber cushioned glides with a steel base.

Base Spread
All stools maintain a 16-1/4" base spread.

Frame Finish
Baked-on, electrostatically-applied epoxy powder coating.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com

600 Series

Industrial Stools (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/Bumper Color	Approx. Packaged Weight
600 600U	**Lowboy Filing Stool** • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • 14" diameter, steel seat with tempered hardboard insert • Casters are standard	Unupholstered, 14"H	614	□□□				9.0#
		Upholstered, 14"H	614U	□□□	□□□	□□□□□		10.0#
600	**Steel Rimmed Seat Stool** • Seam-welded tubular steel frame with steel seat pan • Fixed leg or adjustable height leg models available • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with tempered hardboard inset	Fixed Height, 18"H	618	□□□			□□□	8.0#
		Adjustable Height, 19"-27"H	618A	□□□				11.0#
		Fixed Height, 24"H	624	□□□			□□□	10.0#
		Adjustable Height, 25"-33"H	624A	□□□				12.0#
		Fixed Height, 30"H	630	□□□			□□□	11.0#
		Adjustable Height, 31"-39"H	630A	□□□				13.0#
600U	**Upholstered Seat Stool** • Seam-welded tubular steel frame with steel seat pan • Fixed leg or adjustable height leg models available • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with upholstered seat pad	Fixed Height, 18"H	618U	□□□	□□□	□□□□□	□□□	8.0#
		Adjustable Height, 19"-27"H	618UA	□□□	□□□	□□□□□		11.0#
		Fixed Height, 24"H	624U	□□□	□□□	□□□□□	□□□	10.0#
		Adjustable Height, 25"-33"H	624UA	□□□	□□□	□□□□□		12.0#
		Fixed Height, 30"H	630U	□□□	□□□	□□□□□	□□□	11.0#
		Adjustable Height, 31"-39"H	630UA	□□□	□□□	□□□□□		13.0#
				Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Selection of feet color for 614 and 614U will substitute polyethylene feet for casters.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=$10

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=$15 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x $25/Set of 4 legs

600 Series

Industrial Stools (Delivered Pricing)

Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 112	
N/A	131
$ 69	
94	
81	
105	
94	
124	
N/A	$ 87
N/A	111
N/A	96
N/A	118
N/A	102
N/A	122

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	Fire Code	Upholstery Color	Feet/Bumper Color	Approx. Packaged Weight
600	**Wood Seat** • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish	Fixed Height, 18"H	618W	□□□			□□□	16.0#
		Adjustable Height, 19"-27"H	618WA	□□□				18.0#
		Fixed Height, 24"H	624W	□□□			□□□	17.0#
		Adjustable Height, 25"-33"H	624WA	□□□				19.0#
		Fixed Height, 30"H	630W	□□□			□□□	18.0#
		Adjustable Height, 31"-39"H	630WA	□□□				20.0#
600	**Steel Rimmed Seat/Backrest** • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with tempered hardboard inset • Steel backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618B	□□□			□□□	15.0#
		Adjustable Height, 19"-27"H	618BA	□□□				17.0#
		Fixed Height, 24"H	624B	□□□			□□□	16.0#
		Adjustable Height, 25"-33"H	624BA	□□□				18.0#
		Fixed Height, 30"H	630B	□□□			□□□	17.0#
		Adjustable Height, 31"-39"H	630BA	□□□				19.0#
600U	**Upholstered Seat/Backrest** • Seam-welded tubular steel frame with steel seat pan • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter steel seat with vinyl upholstered seat and back pads • Backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618BU	□□□	□□□	□□□□□	□□□	14.0#
		Adjustable Height, 19"-27"H	618BUA	□□□	□□□	□□□□□		16.0#
		Fixed Height, 24"H	624BU	□□□	□□□	□□□□□	□□□	16.0#
		Adjustable Height, 25"-33"H	624BUA	□□□	□□□	□□□□□		18.0#
		Fixed Height, 30"H	630BU	□□□	□□□	□□□□□	□□□	16.0#
		Adjustable Height, 31"-39"H	630BUA	□□□	□□□	□□□□□		18.0#
				Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=$10

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=$15 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x $25/Set of 4 legs

600 Series

Industrial Stools (Delivered Pricing)

Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.
$ 122	
157	
131	
159	
131	
164	
$ 116	
140	
120	
146	
133	
166	
N/A	$ 130
N/A	159
N/A	141
N/A	165
N/A	164
N/A	192

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	Seat Color	Feet/Bumper Color	Approx. Packaged Weight
 600	**Wood Seat/Backrest Stool** • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter, 1-1/4" rubberwood seat with clear lacquer finish • Steel backrest with 2" vertical and 2" horizontal adjustment	Fixed Height, 18"H	618BW	□□□		□□□	16.0#
		Adjustable Height, 19"-27"H	618BWA	□□□			18.0#
		Fixed Height, 24"H	624BW	□□□		□□□	17.0#
		Adjustable Height, 25"-33"H	624BWA	□□□			19.0#
		Fixed Height, 30"H	630BW	□□□		□□□	18.0#
		Adjustable Height, 31"-39"H	630BWA	□□□			20.0#
600	**Polypropylene Seat** • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs	Fixed Height, 18"H	618P	□□□	□□□	□□□	16.0#
		Adjustable Height, 19"-27"H	618PA	□□□	□□□		18.0#
		Fixed Height, 24"H	624P	□□□	□□□	□□□	17.0#
		Adjustable Height, 25"-33"H	624PA	□□□	□□□		19.0#
		Fixed Height, 30"H	630P	□□□	□□□	□□□	18.0#
		Adjustable Height, 31"-39"H	630PA	□□□	□□□		20.0#
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select seat color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓓ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=$15 each

Steel Stool Adjustable Leg Components
600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x $25/Set of 4 legs

600 Series

Industrial Stools (Delivered Pricing)

Delivered Pricing
$ 179
211
190
205
170
203
$ 90
124
95
126
99
135

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

800 Series

Industrial Stools (Delivered Pricing)

	MODEL	Features	MODEL NUMBER: Basic Model	Frame Color	TB133	Upholstery Color	Feet/Bumper Color	Approx. Packaged Weight
800U	**Upholstered Seat Stool** • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter seat • Foam cushioned seat upholstered in vinyl upholstery	Fixed, 18"H	818	□□□	□□□	□□□□□	□□□	9.0#
		Adjustable, 19"-27"H	818A	□□□	□□□	□□□□□		11.0#
		Fixed, 24"H	824	□□□	□□□	□□□□□	□□□	10.0#
		Adjustable, 25"-33"H	824A	□□□	□□□	□□□□□		12.0#
		Fixed, 30"H	830	□□□	□□□	□□□□□	□□□	12.0#
		Adjustable, 31"-39"H	830A	□□□	□□□	□□□□□		14.0#
 800U	**Upholstered Seat/Backrest** • Seam-welded tubular steel frame with steel seat pan • Enamel frame • Fixed legs have polyethylene feet • Adjustable height legs have 8" range in 1" increments and have self-leveling glides • Nickel-plated telescoping leg section locks with set screws • 14" diameter seat • Foam cushioned seat and backrest upholstered in vinyl upholstery • Backrest has 2" vertical and 2" horizontal adjustment	Fixed, 18"H	818B	□□□	□□□	□□□□□	□□□	15.0#
		Adjustable, 19"-27"H	818BA	□□□	□□□	□□□□□		17.0#
		Fixed, 24"H	824B	□□□	□□□	□□□□□	□□□	16.0#
		Adjustable, 25"-33"H	824BA	□□□	□□□	□□□□□		18.0#
		Fixed, 30"H	830B	□□□	□□□	□□□□□	□□□	18.0#
		Adjustable, 31"-39"H	830BA	□□□	□□□	□□□□□		20.0#
800U	**Upholstered Swivel Seat/Backrest Stool** • Seam-welded tubular steel frame with steel seat pan • Enamel frame • 14" diameter seat • Foam cushioned seat and backrest upholstered in vinyl upholstery • Backrest has 2" vertical and 2" horizontal adjustment • 360° swivel seat, height locks with seat screw • Self-leveling glides	Upholstered, 24"-28"H	824SB	□□□	□□□	□□□□□		21.0#
			Ⓐ	Ⓑ	Ⓒ	Ⓓ	Ⓔ	

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select frame color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓒ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓓ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Ⓔ Select feet/bumper color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Steel Stool Adjustable Leg Components
800 Series Adjustable Legs: May be added to any stool except 828SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #13.0700.x $25/Set of 4 legs

Nonstandard Steel Stool Seat Height
Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge=$15 each

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=$13

800 Series

Industrial Stools (Delivered Pricing)

Delivered Pricing Vinyl Group 1 & C.O.V.
$ 129
155
135
166
141
164
$ 170
201
181
205
181
209
$ 166

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Medical and Laboratory

General Information

	KICL12	KICL13	KICL14	KICL15
Features				
Upholstered seat	•	•	•	•
Casters	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•
General Dimensions				
Seat height	16" - 21"	22" - 32"	16" - 21"	16" - 21"
Overall height	16" - 21"	22" - 32"	16" - 21"	28" - 36"
Seat diameter	16"	16"	16"	16"
Back size				13"W x 9"H
Overall width	19"	19"	19"	25"

SPECIFICATIONS

Medical & Laboratory Stools are shipped unassembled.

Upholstered Seat
The seat has a unibody molded 2-1/2" HR foam on plywood.

Pneumatic Ring
The KICL12 and KICL13 stools offer height adjustment with a pneumatic 360-degree, hand-activated ring. The KICL14 and KICL15 stools offer height adjustment with a pneumatic 360-degree, foot-activated ring.

Pneumatic Cylinder
Cylinders have a 5" range, except the KICL13 stool which has a 10" range.

Base
The KICL12, KICL13, and KICL14 have a 20" base. The KICL15 has a 24" base. All bases are die-cast aluminum with a chrome finish.

Casters
All stools have safety soft casters.

INFORMATION

C.O.M. Testing and Production Requirements
Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KICL
Attn: C.O.M. Department
1110 S. Mildred Ave.
Ontario, CA 91761

Fabric Disclaimer
Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty
Refer to KI Terms & Conditions document
or visit ki.com

Medical and Laboratory

Stools

	MODEL	MODEL NUMBER Basic Model	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2
EXAM	**KICL12 Stool** • 5" Seat height range • 360-degree, hand activation pneumatic	KICL12	□□□	□□□□□	28.0#	$ 304	$ 355
 EXAM	**KICL13 Stool** • 10" Seat height range • 360-degree, hand activation pneumatic • 18" chrome footring	KICL13	□□□	□□□□□	28.0#	$ 420	$ 473
EXAM	**KICL14 Stool** • 5" Seat height range • 360-degree, foot activation pneumatic	KICL14	□□□	□□□□□	28.0#	$ 434	$ 485
EXAM	**KICL15 Stool** • 5" Seat height range • 360-degree, foot activation pneumatic	KICL15	□□□	□□□□□	33.0#	$ 583	$ 646
		Ⓐ	Ⓑ	Ⓒ			

HOW TO ORDER

Indicate the following information on order form:
1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Ⓐ Select basic model.

Ⓑ Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See Options for TB133 upcharge.

Ⓒ Select upholstery grade/color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

C.O.M. Upholstery

C.O.M. requirement for KICL12, KICL13, and KICL14 is 3/4 yards per chair of 54" wide nondirectional fabric. C.O.M. requirement for KICL15 is 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L. section.

Medical and Laboratory
Stools

Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
$ 361	$ 304	$ 361	$ 346	$ 384	$ 405	$ 428	$ 446
$ 479	$ 420	$ 479	$ 462	$ 500	$ 523	$ 545	$ 564
$ 491	$ 434	$ 491	$ 477	$ 516	$ 535	$ 557	$ 576
$ 661	$ 583	$ 661	$ 652	$ 690	$ 718	$ 749	$ 772

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Model = Upholstered
Added Lead Time-1 Week
Added List Price=$97

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Shipped **k.d. freight prepaid f.o.b. Ontario, California 91761** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Index

Model No.	Description	Page
06.0020.BE	Folding Chairs (Delivered Pricing): Replacement Feet	72
101	Folding Chairs (Delivered Pricing): Steel Seat	14
103S	Folding Chairs (Delivered Pricing): Upholstered Seat	14
104S	Folding Chairs (Delivered Pricing): Upholstered Seat and Back	14
1103	Folding Chairs (Delivered Pricing): Upholstered Seat	26
1104	Folding Chairs (Delivered Pricing): Upholstered Seat and Back	26
301D	Folding Chairs (Delivered Pricing): Steel Seat	16
301DTAR/BE/LOK	Folding Chairs (Delivered Pricing): Tablet Arm and Steel Seat	54
301DVTAR/WG/VGY/LGE	Folding Chairs (Delivered Pricing): Tablet Arm and Vinyl Upholstered Seat	54
303DS	Folding Chairs (Delivered Pricing): Upholstered Seat	16
304DS	Folding Chairs (Delivered Pricing): Upholstered Seat and Back	16
331D/BE	Folding Chairs (Delivered Pricing): Steel Seat Double Hinge w/ 3 Crossbraces	42
344DF/BE/FBE	Folding Chairs (Delivered Pricing): Fabric Upholstered	50
344DV/BE/VBE	Folding Chairs (Delivered Pricing): Vinyl Upholstered	50
53.6150	Folding Chairs (Delivered Pricing): Replacement Feet	72
53.6154	Folding Chairs (Delivered Pricing): Replacement Bumpers	72
614	Industrial Stools (Delivered Pricing): Lowboy Filing Stool	78
618	Industrial Stools (Delivered Pricing): Steel Rimmed Seat Stool	78
618B	Industrial Stools (Delivered Pricing): Steel Rimmed Seat/Backrest	80
618BU	Industrial Stools (Delivered Pricing): Upholstered Seat/ Backrest	80
618BW	Industrial Stools (Delivered Pricing): Wood Seat/Back-rest Stool	82
618P	Industrial Stools (Delivered Pricing): Polypropylene Seat	82
618U	Industrial Stools (Delivered Pricing): Upholstered Seat Stool	78
618W	Industrial Stools (Delivered Pricing): Wood Seat	80
701D	Folding Chairs (Delivered Pricing): Steel Seat	18
701DFTAL	Folding Chairs (Delivered Pricing): Miracle Fold Tablet Arm	20
703DS	Folding Chairs (Delivered Pricing): Upholstered Seat	18
704DS	Folding Chairs (Delivered Pricing): Upholstered Seat and Back	18
731	Folding Chairs (Delivered Pricing): 731 Auditorium Folding Chair	24
734	Folding Chairs (Delivered Pricing): 734 Upholstered Chair	24
734FM	Folding Chairs (Delivered Pricing): 734 Upholstered Armchair	24
818	Industrial Stools (Delivered Pricing): Upholstered Seat Stool	84
818B	Industrial Stools (Delivered Pricing): Upholstered Seat/ Backrest	84
824SB	Industrial Stools (Delivered Pricing): Upholstered Swivel Seat/Backrest Stool	84
85.1505	Folding Chairs (Delivered Pricing): Ganging Clamp	72
FRS704D/S	Folding Chairs (Delivered Pricing): Upholstered Seat and Back	30
FRS734	Folding Chairs (Delivered Pricing): Upholstered Chair	30
FRS734FM	Folding Chairs (Delivered Pricing): Upholstered Armchair	34
KDT84	Folding Chairs (Delivered Pricing): Double-Tier Storage Caddy	70
KDT84/BE/C	Folding Chairs (Delivered Pricing): Double-Tier Storage Caddy	58
KH50	Folding Chairs (Delivered Pricing): Horizontal Storage Caddy	68
KICL12	Stools: KICL12 Stool	88
KICL13	Stools: KICL13 Stool	88
KICL14	Stools: KICL14 Stool	88
KICL15	Stools: KICL15 Stool	88
KV25	Folding Chairs (Delivered Pricing): Vertical Storage Caddy	68
KV50A/BE/C	Folding Chairs (Delivered Pricing): Vertical Storage Caddy	58
NOVITE	Folding Chairs (Delivered Pricing): Folding Chair	64
VL.100.BL.WH	Folding Chairs (Delivered Pricing): ValueLite® Single Hinge	46

Index

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54308-8100
1-800-424-2432
www.ki.com

KI and Furnishing Knowledge
are registered trademarks
of Krueger International, Inc.

© 2011 KI
All Rights Reserved.
Litho in USA.
Code KI-11480R2/KI/VL/211

Printed using only water-based inks,
including metallics. Please recycle.