October 23, 2013 Updated April 15, 2015 800-424-2432



Contents
Refer to KI Terms & Conditions document or visit ki.com.



		Dual Sided Support Frames	80
Ordering C.O.M., C.O.L., and C.O.V.			
High Point	4	Electrical Wire Harnesses for Single Sided Applications	82
Shipping Location	6	Wire Harnesses for Dual-Sided Applications	84
Connection Zone® Benching		Electrical - Hardwired Applications	
General Information	8	Wire Harnesses for Single Sided Hardwired Applications	86
		Wire Harnesses for Dual-Sided Hardwired Applications	88
Single-Sided Rectilinear Worksurfaces			
24" Deep, Unpowered, No Modesty Panel	10	Electrical Receptacles and Infeeds	90
24" Deep, Unpowered, with Modesty Panel	12	Jumpers	92
24" Deep, Powered, No Modesty Panel with Single Power Harness	14		
24" Deep, Powered, No Modesty Panel with Double Power Harness	16	Activ8® System	94
24" Deep, Powered, with Modesty Panel and Single Power Harness	18		
24" Deep, Powered, with Modesty Panel and Double Power Harness	20	Above Worksurface Privacy Screen	
30" Deep, Unpowered, No Modesty Panel	22	13" High with Framed Fabric Insert	100
30" Deep, Unpowered, with Modesty Panel	24	19" High with Framed Fabric Insert	102
30" Deep, Powered, No Modesty Panel with Single Power Harness	26	31" High with Framed Fabric Insert	104
30" Deep, Powered, No Modesty Panel with Double Power Harness	28		
30" Deep, Powered, with Modesty Panel and Single Power Harness	30	Above Worksurface Divider Screen	
30" Deep, Powered, with Modesty Panel and Double Power Harness	32	13, 19" or 31" High with Framed Fabric Insert	106
Dual-Sided Rectilinear Worksurfaces		13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfac	
	2.4	es	108
24" Deep, Unpowered 24" Deep, Powered with Single Power Harness	34 36		
24 Deep, Powered with Snight Power Harness 24" Deep, Powered with Double Power Harness	38	Above Worksurface Privacy Screen	440
30" Deep, Unpowered	40	13" High with Tool Rail and Framed Fabric Insert	110
30" Deep, Powered with Single Power Harness	42	19" High with Tool Rail and Framed Fabric Insert	112
30" Deep, Powered with Double Power Harness	44	Above Worksurface Divider Screen	
oo boop, I oword wan bound I own Harrison			114
Extended Corner Worksurfaces		13 or 19" High with Tool Rail and Framed Fabric Insert 13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicula	
24" and 30" Deep	46	Worksurfaces	116
2. 4.4 66 866		WOLKSULIACES	110
Adjoining Worksurfaces	48	Above Worksurface Privacy Screen	
		13" High with Framed Acrylic Insert	118
Return Worksurfaces	50	19" High with Framed Acrylic Insert	120
Peninsula Worksurfaces	52	Above Worksurface Divider Screen	
		13 or 19" High with Framed Acrylic Insert	122
Conference End Worksurfaces	54	13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksur-	
		faces	124
Single-Sided Frames - 24" Fixed			
Supports Single Sided 24" Deep Fixed Worksurfaces	56	Above Worksurface Privacy Screen	
		13" High with Tool Rail and Framed Acrylic Insert	126
Single-Sided Frames - 24" Fixed with Conference Ends	58	19" High with Tool Rail and Framed Acrylic Insert	128
Oinels Oided Farmer 000 Fired		Above Worksurface Divider Screen	
Single-Sided Frames - 30" Fixed	00	13 or 19" High with Tool Rail and Framed Acrylic Insert	130
Supports Single Sided 30" Deep Fixed Worksurfaces	60	13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicul	
		Worksurfaces	132
Single Sided Support Frames	62	WOLKSULIACES	132
Dual-Sided Frames - 48" Fixed		Accessories	
Supports Two 24" Deep Back-to-Back Fixed Worksurfaces	64	Steel Modesty Panel	134
Supports two 24 Deep Back-to-Back Fixed Worksurfaces	04	Data Cable and Cord Management	136
Dual-Sided Frames - 48" Sliding		Task Lights	138
Supports Two 24" Deep Back-to-Back Sliding Worksurfaces	66	Task Lights with Occupancy Sensors	140
Supports two 24 Deep back to back stiding worksurfaces	00	Light Bases	142
Dual-Sided Frames - 60" Fixed		Tool Rail Accessories	144
Supports Two 30" Deep Back-to-Back Fixed Worksurfaces	68		
oupports two our bully back to back thou worksurfaces	00	Connection Zone® Storage	
Dual-Sided Frames - 60" Sliding		General Information	146
Supports Two 30" Deep Back-to-Back Sliding Worksurfaces	70		
capports the conscious sales change from carried to		Credenzas with Elevated Bases	
Dual-Sided Frame - 48" Fixed with Conference Ends		Steel Shell and Drawers 18" High	148
Supports Two 24" Deep Back-to-Back Fixed Worksurfaces	72	Steel Shell and Drawers 21" High	150
		Steel Shell and Drawers 24" High	152
Dual-Sided Frame - 60" Fixed with Conference Ends		Steel Shell, Laminate Front 18" High	154
Supports Two 30" Deep Back-To-Back Fixed Worksurfaces	74	Steel Shell, Laminate Front 21" High	156
		Steel Shell, Laminate Front 24" High	158
Dual-Sided Frame - 48" Sliding with Conference Ends		·	
Supports Two 24" Deep Back-to-Back Sliding Worksurfaces	76	Credenza Tops	160
Dual-Sided Frame - 60" Sliding with Conference Ends		Credenza Pads	162
Supports Two 30" Deep Back-To-Back Sliding Worksurfaces	78		

Contents
Refer to KI Terms & Conditions document or visit ki.com.

164
166
168
170
172
174
176
178
180
182
184
186
188



Contents
Refer to KI Terms & Conditions document or visit ki.com.



Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material ■

Specifications Form March 2015

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. FABRIC WITH NAP: IF USING MOHAIR, VELVET OR ANY FABRIC WITH A "NAP", INCREASE YARDAGE REQUIRE BY 11%. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	40%	50%	60%	70%
51"-53"	15%	25%	30%	35%	45%	60%	70%	80%
48"-50"	20%	30%	35%	40%	50%	65%	75%	85%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.





Ordering C.O.M., C.O.L., and C.O.V.

Customer's Own Material ■

Specifications Form March 2015


ADDITIONAL NOTES:

- Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, list PO#
- The cost of the COM sample will be paid by the client.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not satisfactory for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fabric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)




YOUR COMPANY NAME		
PHONE	FAX	
Material Supplier		
Material Name		
Material Color		
Vertical Repeat		
Fiber Content		
Direction Stripe/Pattern to be applied		
COM TO BE USED ON THE FOLLOWING:		
QTY PRODUCT NAME/NUMBER		



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION



Universal Overheads	MN
Wireworks	MN
Unite	MN
Residence Hall Furniture	
RoomScape Furniture	MN
Screens	
True/Volition	KP
Genesis	KP
Seating	
100 Series Folding Chairs	BW
300 Series Folding Chairs	BW
600 Series Stools	BW
700 Series Folding Chairs	BW
1000 Series	GB
Aerdyn Guest Seating	
Affina Collection	HN
Arissa Lounge	HN
Altus Task Chairs	
Apply Stack Chairs	
Auditorium Folding Chairs	
Avail Task Chairs	
Bantam Guest Seating	HN
Briar Multiple & Healthcare Seating	HN
Boss Design Chairs	
Cinturon Lounge & Professional Seatin	g HN
Cody Lounge Seating	_
Connection Zone Privacy Booths	HN
Dorsal Stack & Tandem Seating	
Engage Task Chairs & Stools	GB
Flex Multiple & Healthcare Seating	
Front Row Seats (Silk Screening)	
GateOne Public Seating	
Grazie Seating	
Hub Modular Lounge Seating	
Impress Task Chairs	
Impress Ultra Task Chairs	
•	

Jessa Lounge Seating	HN
Jubi Guest Chair	GB
Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	HN
LaResta Day Beds	HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	HN
MyWay Seating	HN
Neena Benches	HN
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	OM
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	HN
Rose Healthcare	BW
Sela Lounge Seating	HN
Sift Task Chairs	TM
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	HN
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	GB
Tea Cup Lounge Seating	HN
Three Multiple, Healthcare & Lounge.	HN
Three II Healthcare Seating	HN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
Torsion Stack and Task Seating	GB
Versa Stack Chairs & Stools	GB

Logix.....BW

.1

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG Contact KI at I-800-424-2432

KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KI-HN
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7

Site Furnishings

KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107 KI Crossroads Attn: Brianne Linn 280 North Road Clinton County Industrial Park McElhattan, PA 17748 OM KI-Impress Attn: COM Storage IIIO S. Mildred Ave. Ontario, CA 91761

IM KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



Connection Zone® Benching

General Information

Worksurfaces

Connection Zone Benching offers a variety of worksurface shapes designed to provide flexible workstation planning. All are available in a wide range of sizes.

Worksurfaces feature a 1-1/8" thick high density particle board core with high pressure laminate top and phenolic backing sheet. Tops are predrilled to accept bases and standard components. Total dimension is 1-1/4" thick. Worksurface options include:

- Rectilinear
- Peninsula
- Extended Corner
- Return
- Adjoining
- Conference End

74P and Knife edge styles are available and grommet locations may be specified for most worksurfaces Knife edge use is restricted to the edge facing the occupant.

Overhang of worksurface will vary by configuration and screen use.

Frames

Single- & dual-sided support frames provide structural support for the worksurfaces. They are available in single sided (24" & 30"depths), and dual-sided (48" & 60" depths) applications. Frames are specified as "starter" or "adder," depending upon their placement in a row. Single Sided frames support fixed worksurfaces only, while dual-sided frames support either fixed or sliding worksurfaces.

Gap of 1-5/8" will be present between base structure and worksurface when assembled.

Base support profile is 1-1/2" x 2-3/8".

Sliding worksurface bracket adds 1/8" to finished table height.

Connection Zone support beams are telescopic to allow for support of multiple worksurface widths. Frame Size ranges include the following;

34-42' 48-72'

72-96'

Starter models contain a set of end frames along with the necessary worksurface brackets and beam(s). These units are used as standalone by themselves or in conjunction with adder models to create rows of workstations.

Adder models contain a single Intermediate frame support and the necessary worksurface brackets and beam(s) to be used along with a starter model number to create rows. A typical row would contain (1) starter model and any number of adder models

Perpendicular Support Frames are a group of parts that provide structural support for worksurfaces that are configured perpendicular to the main frame supported beams. Frames are available for support of single worksurface depths of 24" and 30" or for support of dual worksurface depths of 48" and 60". Perpendicular support frames can also be ordered as needed for reconfigurations.

Screens and Dividers

Screens and Dividers are constructed with an aluminum frame that provides superior strength and can be powder coated in frame matching or accent colors. The standard top rail provides a single slot that may be used to hang accessories; alternately an optional tool rail containing slots may be specified. Insert materials options include acrylic, acrylic markerboard, and upholstered tackable fabric.

Screens and dividers are offered in heights of 13" and 19"

for all insert materials and in a 31" height with fabric only inserts. Single, uninterrupted screens are available in 6" increments from 48 to 78". 60", 64", 72" and 84" screens are offered with center segmentation, and 90" and 96" units are available in two or three equal segments. Privacy Screens are located flush with the bottom of the worksurfaces and run parallel with the support beam. On single-sided applications, mounting brackets are attached directly to the bottom of the worksurfaces. On dual-sided applications, mounting brackets are attached to the support frames.

Divider Screens rest on top of the worksurface and run perpendicular to Privacy Screens. They attach to the Privacy Screens on one end and are supported by worksurface attachment brackets on the other end

Modesty Panels

Modesty panels are 10" tall and constructed of 14 gauge steel with ¼" diameter holes on ¾" centers. They are available in standard powder coat colors and are supported by herackets

Electrical

The prewired electrical is a 10-Wire 6-2-2 system (UL183): (6) hot wires, (2) shared oversized neutral wires, (2) ground wires (1) isolated ground, and (1) building ground). The 6-2-2 system allows more workstations to feed from one power supply point. Each wireway is designed to accept one duplex receptacle per side on each end, for a total of four. Table to table electrical is accomplished by jumpers. The system is energized by either a Floor Feed (liquid tight covered flexible conduit) or a Top Feed (metal flexible conduit housed by an extruded aluminum pole). Hardwire electrical is also offered.

Connection Zone® Benching General Information



Single-Sided Rectilinear Worksurfaces 24" Deep, Unpowered, No Modesty Panel

			MODEL NUMBER						
									Approx.
			Basic	Edge	Grommet	Grommet	Surface	Edge	Packaged
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Weight
\rightarrow	Single-Sided Applications with One	24 x 36	CZBWR24361NM						32.0#
*#\\\	Cutout Option	24 x 42	CZBWR24421NM						38.0#
	Support frames are specified separatelyC grommet option only	24 x 48	CZBWR24481NM						44.0#
***	 Intended for installation where non-user 	24 x 54	CZBWR24541NM						50.0#
CZRS	side abuts a wall								
	• Unpowered								
	See grommet locations below								
	Single-Sided Applications with One or	24 x 60	CZBWR24601NM						55.0#
	Two Cutout Options	24 x 64	CZBWR24641NM						58.0#
	Support frames are specified separately Land B grammat leastings are centered.	24 x 66	CZBWR24661NM						60.0#
	L and R grommet locations are centered for two users	24 x 72	CZBWR24721NM						65.0#
	Intended for installation where non-user	24 x 78	CZBWR24781NM						70.0#
	side abuts a wall	24 x 84	CZBWR24841NM						76.0#
	UnpoweredSee grommet locations below								
γ.	See grommet locations below								
CZRS									
	Single-Sided Applications with One, Two	24 x 90	CZBWR24901NM						81.0#
	or Three Cutout Options	24 x 96	CZBWR24961NM						86.0#
	Support frames are specified separately								
	 C and LCR grommet locations are centered for three users 								
	L, R and LR grommet locations are								
	centered for two users								
	Intended for installation where non-user aida abuta a well								
9/1	side abuts a wall Unpowered								
CZRS	See grommet locations below								
			_	•	•	-	-		
			Δ	$oldsymbol{\Theta}$	œ	O	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge

74P KN - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Single-Sided Rectilinear Worksurfaces 24" Deep, Unpowered, No Modesty Panel

TAP Edge	ı				
\$ 212		74P (74P	Edge ')	Knife (KN)	fe Edge
278 300 336 366 \$ 342 \$ 372 344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479					
\$ 342 \$ 372 344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479					
\$ 342 \$ 372 344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479					
344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479			336		366
344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479					
344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479					
344 380 377 413 381 420 412 447 421 454 \$ 440 \$ 479					
377 413 381 420 412 447 421 454 \$ 440 \$ 479					
381 420 412 447 421 454 ***********************************					
412 447 421 454 \$ 440 \$ 479					
421 454 \$ 440 \$ 479					
\$ 440 \$ 479					
			421		454
		¢	440	c	470
447 400					
			447		400

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 24" Deep, Unpowered, with Modesty Panel

MODEL D x W Basic Model Single-Sided Applications with One Cutout Option Support frames are specified separately C grommet option only Features perforated steel modesty panel Unpowered See grommet locations below MODEL NUMBER Basic Edge Style Location CZBWR24361MP CZBWR24421MP CZBWR24421MP CZBWR24421MP CZBWR24481MP CZBWR24451MP CZBWR24541MP CZBWR24541MP CZBWR24541MP CZBWR24541MP
MODEL D x W Model Style Location Color Finish Color Color Single-Sided Applications with One Cutout Option Support frames are specified separately C grommet option only Features perforated steel modesty panel Unpowered O x W Model Style Location Color Finish Color Color Calor Color Colo
MODEL D x W Model Style Location Color Finish Color Color Single-Sided Applications with One Cutout Option Support frames are specified separately C grommet option only Features perforated steel modesty panel Unpowered O x W Model Style Location Color Finish Color Color Calor Color Colo
MODEL D x W Model Style Location Color Finish Color Color Single-Sided Applications with One Cutout Option Support frames are specified separately C grommet option only Features perforated steel modesty panel Unpowered O x W Model Style Location Color Finish Color Color Calor Color Color Color Col
Single-Sided Applications with One Cutout Option Support frames are specified separately • C grommet option only • Features perforated steel modesty panel • Unpowered Model Style Location Color Finish Color Color Color Color Cathering Color Color Color Color Color Finish Color Color Color Finish Color Color Cathering Color Color Color Finish Color Color Color Finish Color Color Cathering Color Color Color Finish Color Color Color Finish Color Color Cathering Color Color Color Finish Color Color Color Color Color Finish Color Color Color Color Color Color Color Color Color Finish Color Color Color Color Color Color Color Finish Color C
Cutout Option Support frames are specified separately Cgrommet option only Features perforated steel modesty panel Unpowered Cutout Option 24 x 42 CZBWR24421MP CZBWR24481MP CZBWR24541MP CZBWR24541MP CZBWR24541MP CZBWR24541MP
Support frames are specified separately C grommet option only Features perforated steel modesty panel Unpowered Support frames are specified separately 24 x 48 CZBWR24481MP CZBWR24541MP CZBWR24541MP
C grommet option only Features perforated steel modesty panel Unpowered CZBWR24541MP Unpowered CZBWR24541MP
Features perforated steel modesty panel 24 x 54 CZBWR24541MP
RS • Unpowered
See grommet locations below
Single-Sided Applications with One or 24 x 60 CZBWR24601MP DDD DDD
Two Cutout Options 24 x 64 CZBWR24641MP
• Land B grommet locations are centered
for two users 24 x /2 GZBWRZ4/ZIMP LILL LILL LILL LILL LILL LILL LILL L
Unpowered Features perforated steel modesty panel 24 x 84 C7BWR24781MP
Features perforated steel modesty panel 24 x 84 CZBWR24841MP □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□ □□□
Source grammer assume assume
RS
Single-Sided Applications with One, Two 24 x 90 CZBWR24901MP
or Three Cutout Options 24 x 96 CZBWR24961MP CCC CZBWR24961MP
Support frames are specified separately
C and LCR grommet locations are
centered for three users • L, R and LR grommet locations are
centered for two users
Unpowered Feature of control and at a page 1
Features perforated steel modesty panel See grommet locations below
SS Society of ministration and the second se
A B O D B G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style

- 74P edge 74P - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right;

N - Pick for all models

add \$72

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Single-Sided Rectilinear Worksurfaces 24" Deep, Unpowered, with Modesty Panel

				$\overline{}$
		Y /_		
Approx.				
Packaged	74	P Edge	Kni	fe Edge
Weight	(74		(KN	
39.0#	\$	368	\$	390
47.0#		382		404
55.0#		470		492
63.0#		543		573
69.0#	\$	560	\$	591
73.0#		611		622
75.0#		625		659
82.0#		637		673
88.0#		681		716
95.0#		695		731
101.0#	\$	730	\$	768
108.0#		749		788

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, No Modesty Panel with Single Power Harness

			MODEL NUMBER						
I	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One	24 x 36	CZBWR2436S1NM						
		24 x 42	CZBWR2442S1NM						
	Support frames are specified separately	24 x 48	CZBWR2448S1NM						
	C grommet option only Intended for installation where non-user	24 x 54	CZBWR2454S1NM						
RS	side abuts a wall								
•	Single power harness included;								
	receptacles, infeeds and table-to-table jumpers must be specified separately								
	Single power harness accommodates up								
	to two receptacles								
•	See grommet locations below								
\rightarrow	Single-Sided Applications with One or	24 x 60	CZBWR2460S1NM						
	Two Cutout Options	24 x 72	CZBWR2472S1NM						
	Support frames are specified separately								
	L and R grommet locations are centered for two users								
	Intended for installation where non-user								
	side abuts a wall								
•	Single power harness included; receptacles, infeeds and table-to-table								
~	jumpers must be specified separately								
RS •	Single power harness accommodates up								
_	to two receptacles See grommet locations below								
•	See gronimet locations below								
			A	B	(O	(3	(3)	e

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right;

add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, No Modesty Panel with Single Power Harness

Approx. Packaged Weight	(74	' Edge P)	Knife Edge (KN)
41.0#	\$	391	\$ 414
47.0#		407	429
53.0#		567	589
60.0#		634	663
69.0#	\$	691	\$ 722
77.0#	*	781	816

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, No Modesty Panel with Double Power Harness

			MODEL NUMBER						
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
	Single-Sided Applications with One or	24 x 60	CZBWR2460D1NM						
	Two Cutout Options	24 x 64	CZBWR2464D1NM						
	Support frames are specified separately	24 x 66	CZBWR2466D1NM						
	 L and R grommet locations are centered for two users 	24 x 72	CZBWR2472D1NM						
	Intended for installation where non-user	24 x 78	CZBWR2478D1NM						
	side abuts a wall	24 x 84	CZBWR2484D1NM						
	 Double power harness included; receptacles, infeeds and table-to-table 								
Α.	jumpers are specified separately								
ZRS	 Double power harness accommodates 								
	up to four receptacles								
	See grommet locations below								
	Single-Sided Applications with One, Two	24 x 90	CZBWR2490D1NM						
	or Three Cutout Options	24 x 96	CZBWR2496D1NM						
	 Support frames are specified separately C and LCR grommet locations are 								
	centered for three users								
	. L, R and LR grommet locations are								
	centered for two users								
	 Intended for installation where non-user side abuts a wall 								
	 Double power harness included; 								
ZRS .	receptacles, infeeds and table-to-table								
	jumpers are specified separately Double power harness accommodates								
	up to four receptacles								
	 See grommet locations below 								
			A	B	0	(D)	(3)	(3)	Ф
			•	•	•	9	9	•	O O

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- Select grommet color.

Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect wire access cover powdercoat Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, No Modesty Panel with Double Power Harness

•		
Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)
66.0#	\$ 857	\$ 888
70.0#	889	923
71.0#	929	963
77.0#	946	969
83.0#	975	1010
89.0#	983	1018
97.0#	\$ 1017	\$ 1056
102.0#	1024	1062

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, with Modesty Panel and Single Power Harness

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
<u> </u>	Single-Sided Applications with One	24 x 36	CZBWR2436S1MP						
****	Cutout Option	24 x 42	CZBWR2442S1MP						
	Support frames are specified separately	24 x 48	CZBWR2448S1MP						
***	 C grommet option only Features perforated steel modesty panel 	24 x 54	CZBWR2454S1MP						
CZRS	 Single power harness included; 								
	receptacles, infeeds and table-to-table jumpers must be specified separately								
	Single power harness accommodates up								
	to two receptacles								
	See grommet locations below								
		0400	07014/00 40004440						
	Single-Sided Applications with One or Two Cutout Options	24 x 60 24 x 72	CZBWR2460S1MP CZBWR2472S1MP						
	Support frames are specified separately	24 X / Z	CZBWRZ47Z5TWP						
	 L and R grommet locations are centered 								
**//	for two users • Features perforated steel modesty panel								
	Single power harness included;								
	receptacles, infeeds and table-to-table								
***	jumpers must be specified separately Single power harness accommodates up 								
ZRS	to two receptacles								
	See grommet locations below								
			A	ß	Θ	0	(3)	(3)	Ө

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, with Modesty Panel and Single Power Harness

Approx.					
Packaged Weight	74P Edge (74P)	Knife Edge			
		(KN)			
46.0#	\$ 523	\$ 545			
55.0#	544	565			
64.0#	638	661			
73.0#	720	751			
80.0#	\$ 755	\$ 784	_	_	_
94.0#	880	915			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, with Modesty Panel and Double Power Harness

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
				-			-		
	Single-Sided Applications with One or	24 x 60	CZBWR2460D1MP						
*6)	Two Cutout Options • Support frames are specified separately	24 x 64	CZBWR2464D1MP						
	L and R grommet locations are centered	24 x 66	CZBWR2466D1MP						
	for two users	24 x 72	CZBWR2472D1MP						
*//	 Features perforated steel modesty panel 	24 x 78	CZBWR2478D1MP						
	Double power harness included;	24 x 84	CZBWR2484D1MP						
	receptacles, infeeds and table-to-table jumpers must be specified separately								
> *	Double power harness accommodates								
CZRS	up to four receptacles								
	 See grommet locations below 								
	Single-Sided Applications with One, Two	24 x 90	CZBWR2490D1MP						
	or Three Cutout Options	24 x 96	CZBWR2496D1MP						
///	Support frames are specified separately	24 X 90	GZBWNZ490D HVIF						
	C and LCR grommet locations are								
	centered for three users								
```Y <i>``</i>	L, R and LR grommet locations are								
	centered for two users • Features perforated steel modesty panel								
	Double power harness included;								
***	receptacles, infeeds and table-to-table								
ZRS	jumpers are specified separately								
	Double power harness accommodates								
	up to four receptacles • See grommet locations below								
	ooo grommot loodtiolis bolow								
				_					
			A	$oldsymbol{\Theta}$	Θ	O	•	<b>(3</b> )	<b>(</b>

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 24" Deep, Powered, with Modesty Panel and Double Power Harness

Approx.		-
Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
80.0#	\$ 920	\$ 951
84.0#	962	996
86.0#	1016	1051
94.0#	1049	1086
101.0#	1084	1108
108.0#	1107	1129
100.0#	1107	1129
116.0#	\$ 1113	\$ 1153
124.0#	1139	1178
124.0#	1139	1176

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Rectilinear Worksurfaces 30" Deep, Unpowered, No Modesty Panel

			MODEL NUMBER	R					
									Approx.
			Basic	Edge	Grommet	Grommet	Surface	Edge	Packaged
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Weight
	Single-Sided Applications with One	30 x 36	CZBWR30361NM						41.0#
<i>*************************************</i>	Cutout Option	30 x 42	CZBWR30421NM						48.0#
	<ul><li>Support frames are specified separately</li><li>C grommet option only</li></ul>	30 x 48	CZBWR30481NM						55.0#
***	Intended for installation where non-user	30 x 54	CZBWR30541NM						62.0#
CZRS	side abuts a wall								
	Unpowered								
	See grommet locations below								
*	Single-Sided Applications with One or	30 x 60	CZBWR30601NM						68.0#
	Two Cutout Options	30 x 64	CZBWR30641NM						73.0#
	<ul> <li>Support frames are specified separately</li> <li>L and R grommet locations are centered</li> </ul>	30 x 66	CZBWR30661NM						75.0#
	for two users	30 x 72	CZBWR30721NM						81.0#
**///	Intended for installation where non-user	30 x 78	CZBWR30781NM						88.0#
<i>*/*/</i>	side abuts a wall	30 x 84	CZBWR30841NM						94.0#
	<ul><li>Unpowered</li><li>See grommet locations below</li></ul>								
0	occ grommer locations below								
ZRS									
	Single-Sided Applications with One, Two	30 x 90	CZBWR30901NM						101.0#
	or Three Cutout Options	30 x 96	CZBWR30961NM						107.0#
*/////	<ul> <li>Support frames are specified separately</li> <li>C and LCR grommet locations are</li> </ul>								
	centered for three users								
	L, R and LR grommet locations are								
	centered for two users								
	<ul> <li>Intended for installation where non-user side abuts a wall</li> </ul>								
	Unpowered								
***	See grommet locations below								
CZRS									
			A	B	0	0	<b>(3</b> )	(a)	-
			w	U	G	U	G	U	

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

**B**Select edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

C - Pick for all models

- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- Select grommet color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

• Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 30" Deep, Unpowered, No Modesty Panel

6		
7-	4P Edge	Knife Edge
(7	74P)	(KN)
	223	\$ 245
	279	306
	312	339
	365	398
\$	371	\$ 404
	414	457
	451	495
	455	502
	496	542
	502	548
\$	512	\$ 557
	520	564

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Rectilinear Worksurfaces 30" Deep, Unpowered, with Modesty Panel

			MODEL NUMBER	n					
			MODEL NUMBE	n					
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
	Single-Sided Applications with One	30 x 36	CZBWR30361MP						
	<ul><li>Cutout Option</li><li>Support frames are specified separately</li></ul>	30 x 42	CZBWR30421MP						
	C grommet option only	30 x 48	CZBWR30481MP						
<b>**</b>	Features perforated steel modesty panel	30 x 54	CZBWR30541MP						
ZRS	• Unpowered								
	See grommet locations below								
			07011000001						
<i>&gt;</i> >	Single-Sided Applications with One or Two Cutout Options	30 x 60	CZBWR30601MP						
×/6	<ul> <li>Support frames are specified separately</li> </ul>	30 x 64	CZBWR30641MP						
	L and R grommet locations are centered	30 x 66	CZBWR30661MP						
	for two users	30 x 72	CZBWR30721MP						
	<ul><li> Unpowered</li><li> Features perforated steel modesty panel</li></ul>	30 x 78	CZBWR30781MP						
	See grommet locations below	30 x 84	CZBWR30841MP						
	· ·								
ZRS									
	Single-Sided Applications with One, Two	30 x 90	CZBWR30901MP						
	or Three Cutout Options	30 x 96	CZBWR30961MP						
	<ul> <li>Support frames are specified separately</li> </ul>								
	<ul> <li>C and LCR grommet locations are centered for three users</li> </ul>								
	L, R and LR grommet locations are								
	centered for two users								
	<ul><li> Unpowered</li><li> Features perforated steel modesty panel</li></ul>								
	See grommet locations below								
***	• • • • • • • • • • • • • • • • • • • •								
RS									
			A	B	G	0	<b>(3</b>	<b>(3</b> )	Ю
			•	0	•	•	9	•	•

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style

- 74P edge 74P - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 30" Deep, Unpowered, with Modesty Panel

Approx.						
Packaged Weight	74F	P Edge	Knif	fe Edge		
Weight	(74		(KN			
48.0#	\$	378	\$	400	·	·
57.0#		439		465		
66.0#		504		530		
75.0#		570		603		
82.0#	\$	587	\$	620	_	
87.0#		642		684		
90.0#		697		740		
98.0#		710		752		
106.0#		764		809		
113.0#		779		823		
121.0#	\$	800	\$	846		
129.0#		820		865		

## **SPECIAL SERVICES**

### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, No Modesty Panel with Single Power Harness

			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Single-Sided Applications with One	30 x 36	CZBWR3036S1NM						
<b>*</b>	Cutout Option	30 x 42	CZBWR3042S1NM						
	Support frames are specified separately	30 x 48	CZBWR3048S1NM						
	<ul> <li>C grommet option only</li> <li>Intended for installation where non-user</li> </ul>	30 x 54	CZBWR3054S1NM						
ZRS	side abuts a wall								
	<ul> <li>Single power harness included;</li> </ul>								
	receptacles, infeeds and table-to-table								
	jumpers must be specified separately <ul> <li>Single power harness accommodates up</li> </ul>								
	to two receptacles								
	<ul> <li>See grommet locations below</li> </ul>								
	Single-Sided Applications with One or	30 x 60	CZBWR3060S1NM						
	Two Cutout Options	30 x 72	CZBWR3072S1NM						
<i>```</i>	Support frames are specified separately								
	<ul> <li>L and R grommet locations are centered for two users</li> </ul>								
<b>*</b>	<ul> <li>Intended for installation where non-user</li> </ul>								
*/*/	side abuts a wall								
	<ul> <li>Single power harness included; receptacles, infeeds and table-to-table</li> </ul>								
	jumpers must be specified separately								
	<ul> <li>Single power harness accommodates up</li> </ul>								
RS	to two receptacles								
	See grommet locations below								
			A	<b>B</b>	0	· · ·	<b>(3</b>	a	О

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style

- 74P edge 74P - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right;

N - Pick for all models

add \$72

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, No Modesty Panel with Single Power Harness

Approx. Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
42.0#	\$ 402	\$ 423
52.0#	465	491
62.0#	601	627
72.0#	661	694
79.0#	\$ 719	\$ 751
93.0#	853	896

## **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, No Modesty Panel with Double Power Harness

			MODEL NUMBER						
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
	Single-Sided Applications with One or	30 x 60	CZBWR3060D1NM						
	Two Cutout Options	30 x 64	CZBWR3064D1NM						
<i>```</i>	<ul> <li>Support frames are specified separately</li> <li>L and R grommet locations are centered</li> </ul>	30 x 66	CZBWR3066D1NM						
	for two users	30 x 72	CZBWR3072D1NM						
<b>`</b> \	Intended for installation where non-user	30 x 78	CZBWR3078D1NM						
*/*/	side abuts a wall	30 x 84	CZBWR3084D1NM						
	<ul> <li>Double power harness included; receptacles, infeeds and table-to-table</li> </ul>								
	jumpers are specified separately								
	Double power harness accommodates								
RS	up to four receptacles								
	See grommet locations below								
	Single-Sided Applications with One, Two	30 x 90	CZBWR3090D1NM						
	or Three Cutout Options	30 x 96	CZBWR3096D1NM						
*/*///	Support frames are specified separately								
	C and LCR grommet locations are centered for three users								
	L, R and LR grommet locations are								
	centered for two users								
	<ul> <li>Intended for installation where non-user side abuts a wall</li> </ul>								
	Double power harness included;								
	receptacles, infeeds and table-to-table								
S	jumpers are specified separately								
	<ul> <li>Double power harness accommodates up to four receptacles</li> </ul>								
	See grommet locations below								
			•	0	<u> </u>	•	A	•	•
			A	<b>B</b>	œ	<b>O</b>	<b>(3</b>	•	<b>G</b>

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style

- 74P edge 74P - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect wire access cover powdercoat

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, No Modesty Panel with Double Power Harness

•		
Approx.		
Packaged Weight	74P Edge	Knife Edge
Weight	(74P)	(KN)
79.0#	\$ 885	\$ 918
84.0#	946	979
86.0#	1001	1043
93.0#	1015	1049
101.0#	1058	1104
107.0#	1066	1112
116.0#	\$ 1088	\$ 1132
123.0#	1094	1139

## **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, with Modesty Panel and Single Power Harness

			MODEL NUMBER						
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
	Single-Sided Applications with One	30 x 36	CZBWR3036S1MP						
<i>*</i> 6	Cutout Option	30 x 42	CZBWR3042S1MP						
	<ul> <li>Support frames are specified separately</li> <li>C grommet option only</li> </ul>	30 x 48	CZBWR3048S1MP						
	Features perforated steel modesty panel	30 x 54	CZBWR3054S1MP						
CZRS	Single power harness included;								
	receptacles, infeeds and table-to-table								
	jumpers must be specified separately <ul> <li>Single power harness accommodates up</li> </ul>								
	to two receptacles								
	See grommet locations below								
>	omgre oraca rependancine in in one or	30 x 60	CZBWR3060S1MP						
	Two Cutout Options	30 x 72	CZBWR3072S1MP						
	<ul> <li>Support frames are specified separately</li> <li>L and R grommet locations are centered</li> </ul>								
	for two users								
*//	Features perforated steel modesty panel								
	Single power harness included; receptacles, infeeds and table-to-table								
	jumpers must be specified separately								
<b>\</b>	Single power harness accommodates up								
	to two receptacles								
CZRS	See grommet locations below								
			A	<b>3</b>	•	O	<b>(3</b>	G	<b>G</b>

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right;

N - Pick for all models

add \$72

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer LCR - Pick only for models 90" and longer
- Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, with Modesty Panel and Single Power Harness

Approx. Packaged Weight	74P Edge (74P)	Knife Edge (KN)	
55.0#	\$ 534	\$ 555	
65.0#	602	627	
75.0#	640	666	
85.0#	749	782	
93.0#	\$ 783	\$ 816	
110.0#	953	996	

# **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, with Modesty Panel and Double Power Harness

			MODEL NUMBER						
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
	Single-Sided Applications with One or	30 x 60	CZBWR3060D1MP	1000		1000			
	Two Cutout Options	30 x 64	CZBWR3064D1MP						
<i>```\</i>	Support frames are specified separately	30 x 66	CZBWR3066D1MP						
	<ul> <li>L and R grommet locations are centered for two users</li> </ul>	30 x 72	CZBWR3072D1MP						
	Features perforated steel modesty panel	30 x 78	CZBWR3078D1MP						
*/*/>	<ul> <li>Double power harness included;</li> </ul>	30 x 84	CZBWR3084D1MP						
	receptacles, infeeds and table-to-table								
`•\\	<ul><li>jumpers must be specified separately</li><li>Double power harness accommodates</li></ul>								
ŕ	up to four receptacles								
ZRS	<ul> <li>See grommet locations below</li> </ul>								
	Single-Sided Applications with One, Two	30 x 90	CZBWR3090D1MP						
	or Three Cutout Options	30 x 96	CZBWR3096D1MP						
*/////	<ul> <li>Support frames are specified separately</li> <li>C and LCR grommet locations are</li> </ul>								
	centered for three users								
	<ul> <li>L, R and LR grommet locations are</li> </ul>								
× /////	centered for two users								
	<ul><li>Features perforated steel modesty panel</li><li>Double power harness included;</li></ul>								
	receptacles, infeeds and table-to-table								
\mathrew\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\rightarrow\ri	jumpers are specified separately								
ZRS	<ul> <li>Double power harness accommodates up to four receptacles</li> </ul>								
	See grommet locations below								
			A	<b>B</b>	•	<b>O</b>	<b>(3</b>	<b>(3</b> )	O
			•	•	•	•	•	•	•

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect edge style.

- 74P edge - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48 - Grommet : Left/center/right; add \$72

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- LCR Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect modesty panel & wire access cover powdercoat finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Single-Sided Rectilinear Worksurfaces 30" Deep, Powered, with Modesty Panel and Double Power Harness

Approx.		-
Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
93.0#	\$ 963	\$ 983
99.0#	1032	1074
101.0#	1090	1132
110.0#	1094	1151
119.0#	1170	1215
126.0#	1190	1236
136.0#	\$ 1219	\$ 1264
145.0#	1244	1289

## **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# **Dual-Sided Rectilinear Worksurfaces**

24" Deep, Unpowered

			MODEL NUM	BER						
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat	
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color	
$\rightarrow$	Dual-Sided Applications with One Cutout	24 x 36	CZBWR24362							
	Option	24 x 42	CZBWR24422							
	<ul><li>Includes two identical worksurfaces</li><li>Support frames are specified separately</li></ul>	24 x 48	CZBWR24482							
	C grommet option only	24 x 54	CZBWR24542							
	<ul> <li>Unpowered</li> </ul>									
CZRD	See grommet locations below									
<u>ک</u> .	Dual-Sided Applications with One or Two	24 x 60	CZBWR24602							
	Cutout Options	24 x 64	CZBWR24642							
	<ul><li>Includes two identical worksurfaces</li><li>Support frames are specified separately</li></ul>	24 x 66	CZBWR24662							
	LR grommet locations are centered for	24 x 72	CZBWR24722							
	two users	24 x 78	CZBWR24782							
/>>	• Unpowered	24 x 84	CZBWR24842							
×///	See grommet locations below									
CZRD										
	Dual-Sided Applications with One, Two or	24 x 90	CZBWR24902							
	Three Cutout Options	24 x 96	CZBWR24962							
	Includes two identical worksurfaces									
	<ul> <li>Support frames are specified separately</li> <li>C and LCR grommet locations are</li> </ul>									
	centered for three users									
	<ul> <li>LR grommet locations are centered for</li> </ul>									
<i>*// %</i>	two users									
	<ul><li>Unpowered</li><li>See grommet locations below</li></ul>									
	222 970111101 1004110110 501011									
CZRD										
			•	B	•	•	<b>3</b>	G	О	
			A	$\mathbf{o}$	U	ש	•	v	U	

### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  74P 74P edge

74P KN - Knife edge

Select grommet location.

- No Grommet - Grommet : Center; add \$48 - Grommet : Left/right; add \$96 LR LCR - Grommet : Left/center/right; add \$144

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

• Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Dual-Sided Rectilinear Worksurfaces 24" Deep, Unpowered

	(		(		
Approx.					
Package	d 7	4P Edge		Knife Edge	
Weight	(7	74P)		KN)	
72.0a	\$	547	;	592	
85.0a	ŧ	578		622	
98.0	ŧ	714		758	
111.0	ŧ	831		893	
122.0 _i		877		937	
130.0a		923		1094	
134.0 _i	ŧ	960		1029	
145.0a	ŧ	967		1035	
157.0 _i	ŧ	1110		1181	
170.0a	ŧ	1125		1196	
181.0 _i	£ \$	1195	;	1273	
192.0 _i	ŧ	1210		1287	

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Rectilinear Worksurfaces

24" Deep, Powered with Single Power Harness

			MODEL NUME	BER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Dual-Sided Applications with One Cutout	24 x 36	CZBWR2436S2				1000		
	Option	24 x 42	CZBWR2442S2						
	<ul> <li>Includes two identical worksurfaces</li> </ul>	24 x 48	CZBWR2448S2						
	<ul> <li>Support frames are specified separately</li> <li>C grommet option only</li> </ul>	24 x 54	CZBWR2454S2						
	Single power harness is suspended								
CZRD	between worksurfaces; receptacles,								
	infeeds and table-to-table jumpers must be specified separately								
	Single power harness accommodates up								
	to four receptacles								
	See grommet locations below								
<u>ک</u>	Dual-Sided Applications with One or Two	24 x 60	CZBWR2460S2						
	Cutout Options	24 x 72	CZBWR2472S2						
	<ul><li>Includes two identical worksurfaces</li><li>Support frames are specified separately</li></ul>								
	LR grommet locations are centered for								
	two users								
	<ul> <li>Single power harness is suspended between worksurfaces; receptacles,</li> </ul>								
<i>*</i> // <i>*/</i> //////////////////////////////	infeeds and table-to-table jumpers must								
	be specified separately								
**	<ul> <li>Single power harness accommodates up to four receptacles</li> </ul>								
0700	See grommet locations below								
CZRD									
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	O	<b>(3</b>	<b>(3</b> )	œ

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

74P - 74P edge KN - Knife edge

Select grommet location.

N - No Grommet
C - Grommet : Center; add \$48
LR - Grommet : Left/right; add \$96
LCR - Grommet : Left/center/right;
add \$144

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

• Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G** Select power channel and cable tray powdercoat color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Dual-Sided Rectilinear Worksurfaces 24" Deep, Powered with Single Power Harness

Approx.		, and the second		
Packaged Weight	74P Edge (74P)	Knife Edge		
		(KN)		
77.0#	\$ 710	\$ 755		
91.0#	811	844		
105.0#	887	931		
119.0#	1009	1069		
131.0#	\$ 1073	\$ 1133		
155.0#	1206	1276		
100.0#	30			

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Rectilinear Worksurfaces

24" Deep, Powered with Double Power Harness

		MODEL NUMBER							
MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color	
Dual-Sided Applications with One or Two	24 x 60	CZBWR2460D2							
Cutout Options	24 x 64	CZBWR2464D2							
Includes two identical worksurfaces	24 x 66	CZBWR2466D2							
Support frames are specified separately     LR grommet locations are centered for	24 x 72	CZBWR2472D2							
	24 x 78	CZBWR2478D2							
Double power harness is suspended be-	24 x 84	CZBWR2484D2							
tween worksurfaces; receptacles, infeeds									
and table-to-table jumpers are specified separately									
Double power harness accommodates									
up to eight receptacles									
<ul> <li>See grommet locations below</li> </ul>									
Dual-Sided Applications with One, Two or	24 x 90	CZBWR2490D2							
	24 x 96	CZBWR2496D2							
Includes two identical worksurfaces									
Support frames are specified separately     C and LCR grommet locations are									
centered for three users									
LR grommet locations are centered for									
two users									
Double power harness is suspended between worksurfaces; receptacles, infeeds									
and table-to-table jumpers are specified									
separately									
Double power harness accommodates									
up to eight receptacles • See grommet locations below									
ood gronning loodatons below									
		A	B	0	· D	(a)	G	(A)	

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style.

74P - 74P edge
KN - Knife edge

Select grommet location.

N - No Grommet
C - Grommet : Center; add \$48
LR - Grommet : Left/right; add \$96
LCR - Grommet : Left/center/right;
add \$144

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

• Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select power channel and cable tray powdercoat color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Dual-Sided Rectilinear Worksurfaces 24" Deep, Powered with Double Power Harness

Approx.		
Packaged	74P Edge	Knife Edge
Weight	(74P)	(KN)
133.0#	\$ 1237	\$ 1297
142.0#	1265	1345
146.0#	1325	1394
157.0#	1337	1408
171.0#	1420	1491
184.0#	1440	1511
197.0#	\$ 1516	\$ 1594
208.0#	1537	1614

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Rectilinear Worksurfaces

30" Deep, Unpowered

			MODEL NUM	BER					
			Basic	Edge	Grommet	Grommet	Surface	Edge	Powdercoat
	MODEL	D x W	Model	Style	Location	Color	Finish	Color	Color
$\rightarrow$	<b>Dual-Sided Applications with One Cutout</b>	30 x 36	CZBWR30362						
	Option	30 x 42	CZBWR30422						
	<ul><li>Includes two identical worksurfaces</li><li>Support frames are specified separately</li></ul>	30 x 48	CZBWR30482						
	C grommet option only	30 x 54	CZBWR30542						
	<ul> <li>Unpowered</li> </ul>								
CZRD	See grommet locations below								
<i>&gt;</i> ₀	Dual-Sided Applications with One or Two	30 x 60	CZBWR30602						
	Cutout Options	30 x 64	CZBWR30642						
	<ul> <li>Includes two identical worksurfaces</li> <li>Support frames are specified separately</li> </ul>	30 x 66	CZBWR30662						
	Support frames are specified separately     LR grommet locations are centered for two users	30 x 72	CZBWR30722						
***		30 x 78	CZBWR30782						
		30 x 84	CZBWR30842						
*// <i>*</i> /									
~									
ZRD									
<i>&gt;</i> >>	Dual-Sided Applications with One, Two or		CZBWR30902						
*// •//>	Three Cutout Options  Includes two identical worksurfaces	30 x 96	CZBWR30962						
	Support frames are specified separately     C and LCR grommet locations are centered for three users     LR grommet locations are centered for two users     Unpowered								
	<ul> <li>See grommet locations below</li> </ul>								
0700									
CZRD									
			A	$oldsymbol{\Theta}$	•	O	<b>(3</b>	<b>(3</b> )	œ

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

74P - 74P edge KN - Knife edge

Select grommet location.

N - No Grommet
C - Grommet : Center; add \$48
LR - Grommet : Left/right; add \$96
LCR - Grommet : Left/center/right;
add \$144

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

OSelect grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select cable tray powder coat color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Dual-Sided Rectilinear Worksurfaces 30" Deep, Unpowered

	Ć		<u> </u>		
Appro	X				
Packa	ged	74P Edge	ľ	(nife Edge	
Weigh		(74P)		KN)	
		\$ 569	\$	611	
105	.0#	690		742	
120	.0#	782		834	
135	.0#	887		952	
148	.0#	\$ 931	\$	998	
159	.0#	1024		1109	
164	.0#	1104		1189	
177	.0#	1110		1196	
193	.0#	1277		1368	
206	.0#	1292		1382	
221	.0# 3	\$ 1336	\$	1427	
234	.0#	1351		1441	

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Rectilinear Worksurfaces

30" Deep, Powered with Single Power Harness

			MODEL NUME	BER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color
	Dual-Sided Applications with One Cutout	30 x 36	CZBWR3036S2						
*//>	Option	30 x 42	CZBWR3042S2						
	<ul><li>Includes two identical worksurfaces</li><li>Support frames are specified separately</li></ul>	30 x 48	CZBWR3048S2						
	C grommet option only	30 x 54	CZBWR3054S2						
Ť	Single power harness is suspended between worksurfaces; receptacles, infeeds and table-to-table jumpers must								
CZRD									
	be specified separately								
	Single power harness accommodates up								
	to four receptacles								
	See grommet locations below								
$\sim$	Dual-Sided Applications with One or Two	30 x 60	CZBWR3060S2						
	Cutout Options  • Includes two identical worksurfaces	30 x 72	CZBWR3072S2						
	<ul> <li>Support frames are specified separately</li> </ul>								
	LR grommet locations are centered for								
	two users								
	<ul> <li>Single power harness is suspended between worksurfaces; receptacles,</li> </ul>								
<i>*</i> // <i>*/</i> //>,	infeeds and table-to-table jumpers must								
	be specified separately								
**	<ul> <li>Single power harness accommodates up to four receptacles</li> </ul>								
0700	See grommet locations below								
CZRD									
			A	<b>B</b>	$oldsymbol{\Theta}$	O	<b>(3</b>	<b>(3</b> )	<b>G</b>

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

74P - 74P edge KN - Knife edge

Select grommet location.

N - No Grommet
C - Grommet : Center; add \$48
LR - Grommet : Left/right; add \$96
LCR - Grommet : Left/center/right;
add \$144

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

• Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G**Select power channel and cable tray powdercoat color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Dual-Sided Rectilinear Worksurfaces 30" Deep, Powered with Single Power Harness

-			
Approx.	745	D. E.J	Maife Educ
Packaged Weight	(74	P Edge	Knife Edge
			(KN)
95.0#	\$	732	\$ 774
111.0#		855	901
127.0#		958	1000
143.0#		1077	1138
157.0#	\$	1210	\$ 1316
187.0#		1280	1365

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Rectilinear Worksurfaces

30" Deep, Powered with Double Power Harness

		MODEL NUMB	MODEL NUMBER								
MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Powdercoat Color			
Dual-Sided Applications	s with One or Two 30 x 60	CZBWR3060D2									
Cutout Options	30 x 64	CZBWR3064D2									
Includes two identical		CZBWR3066D2									
Support frames are sp     LR grommet locations		CZBWR3072D2									
two users	30 x 78	CZBWR3078D2									
Double power harness		CZBWR3084D2									
tween worksurfaces; r and table-to-table jum											
separately	pers are specified										
Double power harness											
up to eight receptacles											
See grommet location:	S Delow										
Dual-Sided Applications	s with One, Two or 30 x 90	CZBWR3090D2									
Three Cutout Options	30 x 96	CZBWR3096D2									
Includes two identical     Support frames are sp											
C and LCR grommet to											
centered for three use											
LR grommet locations two users	are centered for										
Double power harness	s is suspended be-										
tween worksurfaces; r	eceptacles, infeeds										
and table-to-table jum	pers are specified										
separately Double power harness	accommodates										
CRD up to eight receptacles	3										
See grommet locations	s below										
		A	<b>3</b>	Θ	<b>O</b>	<b>(3</b>	<b>(3</b>	<b>G</b>			

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select edge style.

74P - 74P edge KN - Knife edge

Select grommet location.

N - No Grommet
C - Grommet : Center; add \$48
LR - Grommet : Left/right; add \$96
LCR - Grommet : Left/center/right;

add \$144

N - Pick for all models

C - Pick for all models

LR - Pick only for models 60" and longer LCR - Pick only for models 90" and longer

• Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

**G** Select power channel and cable tray powdercoat color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Dual-Sided Rectilinear Worksurfaces 30" Deep, Powered with Double Power Harness

Approx.	74D Edga	Voito Edga
Packaged Weight	74P Edge (74P)	Knife Edge (KN)
159.0#	\$ 1381	\$ 1491
171.0#	1423	1514
176.0#	1461	1530
189.0#	1479	1556
207.0#	1647	1739
220.0#	1667	1758
237.0#	\$ 1718	\$ 1808
250.0#	1739	1830

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Extended Corner Worksurfaces

24" and 30" Deep

			MODEL NUMBER					
	MODEL	AxBxCxD	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color
\	24" and 30" Deep Extended Corner	24 x 60 x 48 x 24"	CZBWEC24604824					
		24 x 72 x 48 x 24"	CZBWEC24724824					
	<ul> <li>48" side always runs in line with center beam</li> </ul>	30 x 72 x 48 x 30"	CZBWEC30724830					
	Adjacent work surface width always runs							
4 4 ×	in line with 48" side							
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Grommets along extended edge will be							
ZEC	centered on extended portion only  • L grommet is on B dimension							
	R grommet is on C dimension							
	Grain direction runs along long dimen-							
	sion and is perpendicular to beam • Requires perpendicular frame support							
	for non-attached end, specified sepa-							
	rately							
<i>&gt;</i>	ET and do Book Extended Corner	24 x 48 x 60 x 24"	CZBWEC24486024					
See See	And add a formation of the Board of the annual of	24 x 48 x 72 x 24"	CZBWEC24487224					
	beam	30 x 48 x 72 x 30"	CZBWEC30487230					
	Adjacent work surface width always runs							
EC	Adjacent work surface width always runs in line with 48" side Grommets along extended edge will be centered on extended portion only L grommet is on B dimension							
	<ul> <li>R grommet is on C dimension</li> <li>Grain direction runs along long dimen-</li> </ul>							
	sion and is perpendicular to beam							
	Requires perpendicular frame support							
	for non-attached end, specified sepa- rately							
	Tately							
			<b>A</b>	<b>B</b>	•	0	<b>(3</b>	<b>3</b>

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.

Select edge style.

74P - 74P edge

KN - Knife edge - Knife edge

Select grommet location.

- No Grommets - Grommet : To user's left on B dimension; add \$24

- Grommet : To user's right on C dimension; add \$24

- Grommets : Left and right; add \$48

**D**Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Extended Corner Worksurfaces 24" and 30" Deep

Approx. Package	d 74P	Edge	Knit	ife Edge
Weight	(74P		(KN	
78.0#	\$	490	\$	534
86.0#	!	512		555
103.0#	!	519		564

78.0#	\$ 490	\$ 534
86.0#	512	555
103.0#	519	564

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Adjoining Worksurfaces

	MODEL NUM	BER							
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Adjoining Worksurfaces 24"D	24 x 24"	CZBWR24241						24.0#
*/	For use adjacent to Extended Corners and Peninsula Worksurfaces	24 x 30"	CZBWR24301						30.0#
	<ul> <li>Support frames are specified separately</li> </ul>	24 x 36"	CZBWR24361						35.0#
	<ul> <li>When used adjacent to Extended Corner</li> </ul>	24 x 42"	CZBWR24421						40.0#
*/*/	Worksurfaces, the maximum width	24 x 48"	CZBWR24481						45.0#
	allowed is 48" Includes two splice plates Does not include electrical components Does not include modesty panel	24 x 54"	CZBWR24541						51.0#
		24 x 60"	CZBWR24601						56.0#
		24 x 66"	CZBWR24661						61.0#
CZRA	See grommet locations below	24 x 72"	CZBWR24721						66.0#
*	Adjoining Worksurfaces 30"D	30 x 24"	CZBWR30241						30.0#
	<ul> <li>For use adjacent to Extended Corners and Peninsula Worksurfaces</li> </ul>	30 x 30"	CZBWR30301						36.0#
	Support frames are specified separately	30 x 36"	CZBWR30361						43.0#
	When used adjacent to Extended Corner	30 x 42"	CZBWR30421						49.0#
	Worksurfaces, the maximum width allowed is 48"	30 x 48"	CZBWR30481						56.0#
*/*/	Includes two splice plates	30 x 54"	CZBWR30541						63.0#
	Does not include electrical components	30 x 60"	CZBWR30601						69.0#
0	<ul> <li>Does not include modesty panel</li> </ul>	30 x 66"	CZBWR30661						76.0#
	See grommet locations below	30 x 72"	CZBWR30721						82.0#
CZRA									
			A	<b>B</b>	Θ	0	<b>(3</b>	•	

## **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

74P - 74P edge 74P KN - Knife edge

Select grommet location.

- No Grommet - Grommet : Left; add \$24 - Grommet : Center; add \$24 - Grommet : Right; add \$24 - Grommet : Left/right; add \$48

N - Pick for all models

- C Pick for all models
- L Pick only for models 60" and longer
- R Pick only for models 60" and longer
- LR Pick only for models 60" and longer
- Select grommet color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## Adjoining Worksurfaces

74P Edge (74P)	Knife Edge (KN)
\$ 193	\$ 213
200	220
215 223	237 246
230	253
306	336
311	343
348	382
353	388
\$ 211	\$ 231
219	241
239	260
282 287	308 314
367	400
373	406
454	497
459	504

## SPECIAL SERVICES

## **Special Carton Marking**


With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Return Worksurfaces



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select edge style.

**74P** - 74P edge

**©**Select grommet location.

N - No Grommet

G - Grommet : Center

**C** - Grommet : Center; add \$48

- Select grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select surface finish.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select edge color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



## Return Worksurfaces

74P Edge

74F (74	P Edge P)
\$	193
	200
	215
	223
	230
	306
	211
	219
	239
	282
	284
	367

## SPECIAL SERVICES

## **Special Carton Marking**


With specially marked information

## N/C

## Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Peninsula Worksurfaces



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select edge style.

  74P 74P edge
- Select grommet location.

N - No Grommet
L - Grommet : Left; add \$24
R - Grommet : Right; add
\$24

- Select grommet color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select surface finish.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- Select edge color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

## Peninsula Worksurfaces





## 74P Edge (74P)

\$ 306

347

352

454

458

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Conference End Worksurfaces

				BER					
	MODEL	D x W	Basic Model	Edge Style	Grommet Location	Grommet Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Unpowered Conference End for Dual-	24 x 48"	CZBWCE2448						44.0#
	Sided Applications without Screens	30 x 60"	CZBWCE3060						68.0#
	Requires use of two post legs (specified								
	separately).  • Worksurface spans entire depth of dual-								
	sided applications that do not feature a								
	center screen								
CZCE	<ul> <li>Knife edge, when specified, is featured on outer three sides</li> </ul>								
	Worksurface is unpowered								
	Grain direction runs perpendicular to								
	beams								
	<ul> <li>For use only on dual-sided frames with conference end attachment brackets</li> </ul>								
	Conference end worksurfaces are always								
	fixed								
	Unpowered Conference End for Dual-	24 x 50"	CZBWCE2450						46.0#
all the same of th	Sided Applications Using Center Privacy	30 x 62"	CZBWCE3062						71.0#
	Screens								
	<ul> <li>Requires use of two post legs (specified separately).</li> </ul>								
	<ul> <li>Worksurface spans entire depth of dual-</li> </ul>								
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	sided applications that include a center								
<b>&gt;</b> //	screen								
CZCE	<ul><li>Screens are specified separately</li><li>Knife edge, when specified, is featured</li></ul>								
	on outer three sides								
	Worksurface is unpowered								
	Grain direction runs perpendicular to beams								
	For use only on dual-sided frames with								
	conference end attachment brackets								
	Conference end worksurfaces are always								
	fixed								
			A	<b>B</b>	•	0	<b>(3</b>	•	

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge KN - Knife edge - Knife edge

**©**Select grommet location.

- No Grommet - Grommet : Center; add \$48

- Select grommet color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.









74F (74	Edge P)
\$	227
	265

_

Knife Edge

(KI	1)	
\$	250	
	308	

:	\$ 332	\$ 367
	448	491

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Frames - 24" Fixed Supports Single Sided 24" Deep Fixed Worksurfaces

		MODEL NUMBE	ER			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	24" Single-Sided Standalone/Starter	CZBSS243642/F			38.0#	
	Frame	CZBSS244872/F			42.0#	
	<ul> <li>Includes two 24" fixed end legs that are non-handed and integrated telescopic beam</li> </ul>	CZBSS247296/F			46.0#	
	For use under either a 24" or 30" deep					
	fixed worksurface					
Ų	<ul> <li>24" worksurfaces centered on frame; 30" is cantilevered</li> </ul>					
CZBS	Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96" • 10" knee clearance to beam with 24"					
	worksurfaces					
	• 16" knee clearance to beam with 30"					
	worksurfaces					
	,					
	24" Single-Sided Adder Frame	CZBSA243642/F			26.0#	
	<ul> <li>Includes one 24" intermediate fixed leg and integrated telescopic beam</li> </ul>	CZBSA244872/F			30.0#	
	Requires attachment to 24" deep fixed	CZBSA247296/F			34.0#	
	starter frame; may not be used alone					
	<ul> <li>For use under either a 24" or 30" deep fixed worksurface</li> </ul>					
Ų	<ul> <li>24" worksurfaces centered on frame; 30"</li> </ul>					
	is cantilevered					
CZBS	Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96" • 10" knee clearance to beam with 24"					
	worksurfaces					
	• 16" knee clearance to beam with 30"					
	worksurfaces					
		A	<b>B</b>	0		

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select powdercoat.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



# Single-Sided Frames - 24" Fixed Supports Single Sided 24" Deep Fixed Worksurfaces

Delivered	
Pricing	
\$ 633	
640	
686	
m 400	
\$ 439	
442	
442	
442	
442	
442	
442	
442	
442	
442	
442	

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Single-Sided Frames - 24" Fixed with Conference Ends Supports Single Sided 24" Deep Fixed Worksurfaces

		MODEL NUMBER				
					Approx.	
		Basic	Paint	Glide	Packaged	
	MODEL	Model	Color	Color	Weight	
	Conference End One Side	CZBSS1E243642/F			41.0#	
	Includes one 24" fixed end leg and one	CZBSS1E244872/F			45.0#	
	24" intermediate fixed leg that are non- handed and integrated telescopic beam	CZBSS1E247296/F			49.0#	
	For use under either a 24" or 30" deep					
<b>U</b>	fixed worksurface					
Ų	<ul> <li>24" worksurfaces centered on frame; 30" is cantilevered</li> </ul>					
CZBS	Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96"					
	10" knee clearance to beam with 24"					
	worksurfaces • 16" knee clearance to beam with 30"					
	worksurfaces					
	<ul> <li>Intended for use in an "L" configuration</li> </ul>					
	Conference End Two Sides	CZBSS2E243642/F			45.0#	
	Includes two 24" intermediate fixed legs	CZBSS2E244872/F			49.0#	
	<ul> <li>and integrated telescopic beam</li> <li>Requires attachment to 24" deep fixed</li> </ul>	CZBSS2E247296/F			53.0#	
	starter frame; may not be used alone					
<b>U</b>	• For use under either a 24" or 30" deep					
Ψ	fixed worksurface • 24" worksurfaces centered on frame; 30"					
CZBS	is cantilevered					
	<ul> <li>Accommodates worksurface width range</li> </ul>					
	of 36-42", 48-72" or 72-96"					
	<ul> <li>10" knee clearance to beam with 24" worksurfaces</li> </ul>					
	16" knee clearance to beam with 30"					
	worksurfaces					
	<ul> <li>Intended for use in an "L" configuration</li> </ul>					
		A	B	Θ		
		w	U	G		

## **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



# Single-Sided Frames - 24" Fixed with Conference Ends Supports Single Sided 24" Deep Fixed Worksurfaces

Delive	vered
Pricin	ing
\$ 6	
6	684
7	718
φ -	744
\$ 7	
	718
Ī	752

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Single-Sided Frames - 30" Fixed Supports Single Sided 30" Deep Fixed Worksurfaces

		I					
		MODEL NUMBE	R				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight		
	30" Single-Sided Standalone/Starter	CZBSS303642/F			40.0#		
	Telescopic Beam Frame	CZBSS304872/F			44.0#		
	Includes one 30" deep left leg and one	CZBSS307296/F			48.0#		
	30" deep right leg • Features integrated telescopic beam						
	For use under a 30" deep fixed worksur-						
	face only						
	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>						
	• 16" knee clearance to beam						
CZBS							
	30" Single-Sided Adder Telescopic Beam	CZBSA303642/F			26.0#		
	Frame	CZBSA304872/F			30.0#		
A STATE OF THE PARTY OF THE PAR	<ul> <li>Includes one intermediate 30" fixed leg and integrated telescopic beam</li> </ul>	CZBSA307296/F			34.0#		
	Requires attachment to 30" deep fixed						
	starter frame; may not be used alone						
U	For use under a 30" deep fixed worksur- face.						
	face • Accommodates worksurface width range						
CZBS	of 48-72" or 72-96"						
	16" knee clearance to beam						
		A	<b>3</b>	•			

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select powdercoat.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



# Single-Sided Frames - 30" Fixed Supports Single Sided 30" Deep Fixed Worksurfaces

Deli Pric	Delivered Pricing	
	719	
	766	
\$	6 490	
	482	
	529	

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Single Sided Support Frames

		MODEL NUMBER	R			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	Single Side Support Frame	CZBLS24			17.0#	
	Supports peninsula, return or extended	CZBLS30			18.0#	
	corner worksurfaces • For use with fixed applications only					
· U	. o. assa applications only					
-						
CZBL						
	Single Adder End Frame  • Supports peninsula, return or extended corner worksurfaces  • For use with fixed applications only	CZBSAE243642/F			24.0#	
		CZBSAE244872/F			28.0#	
		CZBSAE247296/F			32.0#	
	<ul> <li>Includes one 24" fixed end leg that is</li> </ul>					
Ť	non-handed and integrated telescopic					
CZBS	beam					
$\Rightarrow$	Post Leg Support	CZBLP			10.0#	
	<ul> <li>Two post legs are required for conference end support</li> </ul>					
Ų	Includes one splice plate					
	<ul> <li>Leg profile is 1-1/2 x 2-3/8"</li> </ul>					
CZBL	<ul> <li>For use with fixed applications only</li> </ul>					
		A	(3)	0		

## **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



## Single Sided Support Frames

Deliv	vered	
Delly	reteu	
Prici		
\$	292	
	332	
	332	
\$	414	
	414	
	422	
	456	
	400	
\$	91	

## SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Frames - 48" Fixed Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBE	R			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	48" Dual-Sided Standalone/Starter Tele-	CZBDS483642/F			50.0#	
	scopic Beam Frame	CZBDS484872/F			54.0#	
	<ul> <li>Includes two 48" fixed end legs and integrated telescopic beams</li> </ul>	CZBDS487296/F			58.0#	
	For use under back-to-back 24" deep					
	fixed worksurfaces					
	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>					
•	• 10" knee clearance to beam					
CZBD						
	48" Dual-Sided Adder Telescopic Beam	CZBDA483642/F			30.0#	
	Frame	CZBDA484872/F			34.0#	
	<ul> <li>Includes one intermediate fixed leg and integrated telescopic beams</li> </ul>	CZBDA487296/F			38.0#	
	Requires attachment to 48" deep fixed					
	dual-sided starter base; may not be used					
U	alone • For use under back-to-back 24" deep					
	fixed worksurfaces					
CZBD	<ul> <li>Accommodates worksurface width range</li> </ul>					
	of 36-42", 48-72" or 72-96"  • 10" knee clearance to beam					
	• 10 knee clearance to beam					
		A	<b>B</b>	<b>G</b>		

## **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select powdercoat.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



## Dual-Sided Frames - 48" Fixed Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

Deliv Prici	livered
	1039
	980
	1074
	703
	674
	780

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

# Dual-Sided Frames - 48" Sliding Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBE	R			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	48" Dual-Sided Standalone/Starter Tele-	CZBDS483642/S			63.0#	
	scopic Beam Frame	CZBDS484872/S			67.0#	
	<ul> <li>Includes two 48" sliding end legs and</li> </ul>	CZBDS487296/S			71.0#	
	integrated telescopic beams					
	<ul> <li>For use under back-to-back 24" deep sliding worksurfaces</li> </ul>					
	Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96"					
CZBD	Sliding worksurface bracket add 1/8" to					
GZBD	finished table height  • 10" knee clearance to beam					
		CZBDA483642/S			36.0#	
<i>A</i> n	48" Dual-Sided Adder Telescopic Beam Frame	CZBDA483842/S			40.0#	
					44.0#	
	integrated telescopic beams	GZDDA407290/3			44.0#	
	Requires attachment to 48" deep sliding					
	dual-sided starter base; may not be used alone					
•	Base support profile is 1-1/2" x 2-3/8"					
0700	<ul> <li>For use under back-to-back 24" deep</li> </ul>					
CZBD	sliding worksurfaces					
	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>					
	• Sliding worksurface bracket adds 1/8" to					
	finished table height					
	<ul> <li>10" knee clearance to beam</li> </ul>					
		A	<b>B</b>	•		

## **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select powdercoat.
  Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



## Dual-Sided Frames - 48" Sliding Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

Dellinon d	
Delivered Pricing	
\$ 1273	
1058	
1151	
1101	
\$ 958	
\$ 950 772	
878	

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

## Dual-Sided Frames - 60" Fixed Supports Two 30" Deep Back-to-Back Fixed Worksurfaces

	MODEL NUMBER						
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight		
•	60" Dual-Sided Standalone/Starter Tele-	CZBDS603642/F			56.0#		
	scopic Beam Frame	CZBDS604872/F			60.0#		
	<ul> <li>Includes two 60" fixed end legs and integrated telescopic beams</li> </ul>	CZBDS607296/F			64.0#		
The state of the s	For use under back-to-back 30" deep						
	fixed worksurfaces						
U	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>						
ZBD	• 16" knee clearance to beam						
	60" Dual-Sided Adder Telescopic Beam	CZBDA603642/F			30.0#		
	Frame  Includes one intermediate fixed leg and	CZBDA604872/F			34.0#		
	<ul> <li>Includes one intermediate fixed leg and integrated telescopic beams</li> </ul>	CZBDA607296/F			38.0#		
	Requires attachment to 60" deep fixed						
	sided starter base; may not be used						
U	alone • For use under back-to-back 30" deep						
	fixed worksurfaces						
ZBD	Accommodates worksurface width range						
	of 36-42, 48-72" or 72-96" • 16" knee clearance to beam						
	10 Milos disarando to bourn						
		A	<b>B</b>	$\mathbf{\Theta}$			

## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

- Black



## Dual-Sided Frames - 60" Fixed Supports Two 30" Deep Back-to-Back Fixed Worksurfaces

D	vered
P	ing
\$	1055
	1002
	1094
\$	703
	686
	780

## **SPECIAL SERVICES**

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

# Dual-Sided Frames - 60" Sliding Supports Two 30" Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER				
		MODEL NOMBE				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	60" Dual-Sided Standalone/Starter Tele-	CZBDS603642/S			73.0#	
	scopic Beam Frame	CZBDS604872/S			77.0#	
	Includes two 60" sliding end legs and	CZBDS607296/S			81.0#	
	integrated telescopic beams  • For use under back-to-back 30" deep					
	slider worksurfaces					
U	Accommodates worksurface width range					
CZBD	of 36-42", 48-72" or 72-96" • Sliding worksurface bracket adds 1/8" to					
	finished table height					
	16" knee clearance to beam					
	60" Dual-Sided Adder Telescopic Beam	CZBDA603642/S			46.0#	
	Frame	CZBDA604872/S			50.0#	
	<ul> <li>Includes one intermediate sliding leg and integrated telescopic beams</li> </ul>	CZBDA607296/S			54.0#	
	<ul> <li>Requires attachment to 60" deep sliding</li> </ul>					
	dual-sided starter base; may not be used					
Ų	alone • For use under back-to-back 30" deep					
	slider worksurfaces					
CZBD	Accommodates worksurface width range					
	of 48-72" or 72-96"  • Sliding worksurface bracket adds 1/8" to					
	finished table height					
	16" knee clearance to beam					
		A	<b>3</b>	$\Theta$		

## **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

## HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

- Black



## Dual-Sided Frames - 60" Sliding Supports Two 30" Deep Back-to-Back Sliding Worksurfaces

Deli Pric	livered
	1289
	1114
	1207
_	
S	958
\$	958 833
\$	833
\$	
\$	833
\$	833
\$	833
\$	833
\$	833
\$	833
\$	833

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

# Dual-Sided Frame - 48" Fixed with Conference Ends Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

		MODEL NUMBER				
			B : (		Approx.	
	MODEL	Basic Model	Paint Color	Glide Color	Packaged Weight	
	48" Dual-Sided Standalone/Starter	CZBDS1E483642/F			57.0#	
	Telescopic Beam Frame with Attach-	CZBDS1E484872/F			61.0#	
	ment Brackets for One Conference End Worksurface	CZBDS1E487296/F			65.0#	
	<ul> <li>Includes one 48"fixed end leg, one con- ference end leg and integrated telescopic</li> </ul>					
	beams					
U	<ul> <li>For use under back-to-back 24" deep fixed worksurfaces and supports one</li> </ul>					
CZBD	conference end					
0200	<ul> <li>Includes brackets for conference end attachment on one side</li> </ul>					
	Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96"					
	10" knee clearance to beam					
	48" Dual-Sided Standalone/Starter	CZBDS2E483642/F			64.0#	
	Telescopic Beam Frame with Attache-	CZBDS2E484872/F			68.0#	
	ment Brackets for Two Conference End Worksurfaces	CZBDS2E487296/F			72.0#	
	Includes two 48" fixed conference end					
	legs and integrated telescopic beams					
	<ul> <li>For use under back-to-back 24" deep fixed worksurfaces with two conference</li> </ul>					
Ų	ends					
CZBD	<ul> <li>Includes brackets for conference end attachment one on both sides</li> </ul>					
	Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96"  • 10" knee clearance to beam					
	- 10 Kilee digarance to beam					
		A	<b>B</b>	$\mathbf{\Theta}$		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

- Black



# Dual-Sided Frame - 48" Fixed with Conference Ends Supports Two 24" Deep Back-to-Back Fixed Worksurfaces

Delivered	
Pricing	_
\$ 1196	
1141	
1235	
\$ 1350	
1163	
1255	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Dual-Sided Frame - 60" Fixed with Conference Ends Supports Two 30" Deep Back-To-Back Fixed Worksurfaces

		MODEL NUMBER				
		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	60" Dual-Sided Standalone/Starter	CZBDS1E603642/F			70.0#	
	Telescopic Beam Frame with Attach-	CZBDS1E604872/F			74.0#	
	ment Brackets for One Conference End Worksurface	CZBDS1E607296/F			78.0#	
	<ul> <li>Includes one 60" fixed end leg, one con- ference end leg and integrated telescopic</li> </ul>					
	beams					
Ш	<ul> <li>For use under back-to-back 30" deep fixed worksurfaces and supports one</li> </ul>					
CZBD	conference end					
	<ul> <li>Includes brackets for conference end attachment on one side</li> </ul>					
	<ul> <li>Accommodates worksurface width range</li> </ul>					
	of 36-42", 48-72" or 72-96" • 16" knee clearance to beam					
	To know distillation to bouili					
	60" Dual-Sided Standalone/Starter	CZBDS2E603642/F			63.0#	
	Telescopic Beam Frame with Attache- ment Brackets for Two Conference End	CZBDS2E604872/F			67.0#	
	Worksurfaces	CZBDS2E607296/F			71.0#	
	Includes two 60" fixed conference end					
	legs and integrated telescopic beams • For use under back-to-back 30" deep					
	fixed worksurfaces with two conference					
CZBD	ends • Includes brackets for conference end					
	attachment on both sides					
	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>					
	• 16" knee clearance to beam					
		<b>A</b>	B			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

- Black



## Dual-Sided Frame - 60" Fixed with Conference Ends Supports Two 30" Deep Back-To-Back Fixed Worksurfaces

Delivered Principle 2	
Pricing Pricin	
\$ 1212	
1302	
1395	
\$ 1366	
1324	
1416	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

# Dual-Sided Frame - 48" Sliding with Conference Ends Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	48" Dual-Sided Standalone/Starter	CZBDS1E483642/S			75.0#	
	Telescopic Beam Frame with Attach-	CZBDS1E484872/S			79.0#	
	ment Brackets for One Conference End Worksurface	CZBDS1E487296/S			83.0#	
	Includes one 48"sliding end leg, one					
	conference end leg and integrated					
	telescopic beams • For use under back-to-back 24" deep					
U	sliding worksurfaces and supports one					
CZBD	<ul> <li>conference end</li> <li>Includes brackets for conference end</li> </ul>					
	attachment on one side					
	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>					
	• 10" knee clearance to beam					
		CZBDS2E483642/S			88.0#	
	Worksurfaces	CZBDS2E484872/S			92.0#	
		CZBDS2E487296/S			96.0#	
	<ul> <li>Includes two 48" sliding conference end legs and integrated telescopic beams</li> </ul>					
	<ul> <li>For use under back-to-back 24" deep</li> </ul>					
U	sliding worksurfaces with two confer- ence ends					
CZBD	Includes brackets for conference end					
0233	attachment on both sides  • Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96"					
	10" knee clearance to beam					
		A	<b>B</b>	Θ		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

- Black



# Dual-Sided Frame - 48" Sliding with Conference Ends Supports Two 24" Deep Back-to-Back Sliding Worksurfaces

Delivered
Pricing
\$ 1458
1219
1312
\$ 1634
1261
1353

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

# Dual-Sided Frame - 60" Sliding with Conference Ends Supports Two 30" Deep Back-To-Back Sliding Worksurfaces

		MODEL NUMBER				
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight	
	60" Dual-Sided Standalone/Starter	CZBDS1E603642/S			87.0#	
	Telescopic Beam Frame with Attache-	CZBDS1E604872/S			91.0#	
	ment Brackets for One Conference End Worksurface	CZBDS1E607296/S			95.0#	
	<ul> <li>Includes one 60" sliding end leg, one conference end leg and integrated</li> </ul>					
	telescopic beams					
U	<ul> <li>For use under back-to-back 30" deep sliding worksurfaces and supports one</li> </ul>					
CZBD	conference end					
OZDD	<ul> <li>Includes brackets for conference end attachment on one side</li> </ul>					
	<ul> <li>Accommodates worksurface width range of 36-42", 48-72" or 72-96"</li> </ul>					
	16" knee clearance to beam					
	60" Dual-Sided Standalone/Starter	CZBDS2E603642/S			102.0#	
	Telescopic Beam Frame with Attache-	CZBDS2E604872/S			106.0#	
		CZBDS2E607296/S			110.0#	
	Includes two 60" sliding conference end					
	legs and integrated telescopic beams					
	For use under back-to-back 30" deep  "idea of the back and the ba					
V	sliding worksurfaces with two conference ends					
CZBD	Includes brackets for conference end					
	attachment on both sides  • Accommodates worksurface width range					
	of 36-42", 48-72" or 72-96"					
	16" knee clearance to beam					
		A	<b>B</b>	Θ		

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White - Black



## Dual-Sided Frame - 60" Sliding with Conference Ends Supports Two 30" Deep Back-To-Back Sliding Worksurfaces

Delivered Pricing
Fileling
\$ 1474
1379
1473
\$ 1653
1422
1514
***

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

### Support Frames

		MODEL NUMBER					
		MODELI	TOWIDE	n 			
	MODEL	Basic Model	Paint Color	Glide Color	Approx. Packaged Weight		
	Perpendicular Support Frame	CZBLS48			25.0#		
Supports peninsula, return or extended corner worksurfaces     For use with fixed applications only		CZBLS60			28.0#		
CZBL							
	Perpendicular Conference End Support	CZBLC48			32.0#		
~	Frame	CZBLC60			35.0#		
	Supports back-to-back peninsula, return						
	or extended corner worksurfaces and a conference end						
U	For use with fixed applications only						
CZBL							
		A	ß	Θ			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select glide color.

GWH - White

- Black



### Support Frames

Delivered Pricing

\$ 472

482

\$ 633

643

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Electrical
Wire Harnesses for Single Sided Applications

			MODEL NUI	WBER		
					Approx.	
	MODEL	w	Basic Model	Paint Color	Packaged Weight	
		30"	CZBE1S30		5.0#	
	-icomical riccomary, cingic ciaca rip	36"	CZBE1S36		6.0#	
	040	42"	CZBE1S30		7.0#	
	directional nower from table to table in a					
	0-2-2 Configuration	48"	CZBE1S48		8.0#	
ob).	Assembly includes single power harness		CZBE1S54		9.0#	
	Oin als sided and limiting and date assessed	60"	CZBE1S60		10.0#	
CZE1	to two receptacles on user side of beam	72"	CZBE1S72		11.0#	
•	Receptacles, infeeds and jumpers are					
	specified separately					
•	<ul> <li>Wire Harnesses need only be specified to retrofit an existing non-powered</li> </ul>					
	worksurface					
	Electrical Assembly; Single-Sided Ap-	60"	CZBE1D60		11.0#	
		64"	CZBE1D64		11.0#	
	810 power provides continuous non-	66"	CZBE1D66		11.0#	
	directional power from table to table in a 6-2-2 configuration	72"	CZBE1D72		12.0#	
		78"	CZBE1D78		13.0#	
	ness with jumper, and access cover	84"	CZBE1D84		13.0#	
•	<ul> <li>Single-sided application provides access to four receptacles on user side of beam</li> </ul>	90"	CZBE1D90		15.0#	
CZE1	Receptacles, infeeds and table-to-table	96"	CZBE1D96		16.0#	
	jumpers are specified separately					
•	Wire Harnesses need only be specified					
	to retrofit an existing non-powered worksurface					
	WUTKSUTTACE					
			_	-		
			A	<b>B</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Electrical
Wire Harnesses for Single Sided Applications

D		
P		
\$		
\$		
φ		

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

Wire Harnesses for Dual-Sided Applications

			MODEL NU	MBER		
	MODEL	W	Basic Model	Paint Color	Approx. Packaged Weight	
	Electrical Assembly; Dual-Sided Applica-	48"	CZBE2S48		8.0#	
	tions with Single Harness	54"	CZBE2S54		9.0#	
	<ul> <li>810 power provides continuous non- directional power from table to table in a</li> </ul>	60"	CZBE2S60		10.0#	
	6-2-2 configuration	72"	CZBE2S72		11.0#	
	<ul> <li>Assembly includes single power harness</li> </ul>					
	<ul><li>and access cover</li><li>Dual-sided application provides access</li></ul>					
CZE2	to two receptacles per side					
	Receptacles, infeeds and jumpers are					
	<ul><li>specified separately</li><li>Wire Harnesses need only be specified</li></ul>					
	to retrofit an existing non-powered					
	worksurface					
	Electrical Assembly; Dual-Sided Applica-	60"	CZBE2D60		11.0#	
	tions with Double Harness	64"	CZBE2D64		11.0#	
	810 power provides continuous non-	66"	CZBE2D66		12.0#	
	directional power from table to table in a 6-2-2 configuration	72"	CZBE2D72		12.0#	
	Assembly includes double power har-	78"	CZBE2D78		14.0#	
	ness with jumper, and access cover	84"	CZBE2D84		14.0#	
CZE2	<ul> <li>Dual-sided application provides access to four receptacles per side</li> </ul>	90"	CZBE2D90		16.0#	
CZE2	Receptacles, infeeds and table-to-table	96"	CZBE2D96		16.0#	
	jumpers are specified separately					
	<ul> <li>Wire Harnesses need only be specified to retrofit an existing non-powered</li> </ul>					
	worksurface					
			A	<b>3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- Select power channel powdercoat.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



Electrical
Wire Harnesses for Dual-Sided Applications

Delive	ared		
Pricing	a a		
\$ 1			
	190		
	209		
2	253		
Φ 0	070		
\$ 3			
	375		
	378		
	384		
3	389		
3	393		
	400		
	406		

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

## Electrical - Hardwired Applications Wire Harnesses for Single Sided Hardwired Applications

			MODEL NUMI	BER			
					A		
			Basic	Paint	Approx. Packaged		
	MODEL	W	Model	Color	Weight		
		30"	CZBE1S30HW		2.8#		
•	Electrical Assembly; Single-Sided Hard- wired Applications with Two Cutouts	36"	CZBE1S36HW		3.5#		
	Assembly includes access cover	42"	CZBE1S42HW		4.1#		
		48"	CZBE1S48HW		4.7#		
	<ul> <li>Single-sided application provides access to two receptacles on user side of beam</li> </ul>	54"	CZBE1S54HW		5.4#		
<b>1</b>	<ul> <li>Galvanized enclosure to house recep-</li> </ul>	60"	CZBE1S60HW		6.0#		
CZE1	tacles and wiring provided by electrician	66"	CZBE1S66HW		6.4#		
	<ul> <li>Flexible conduit and connectors bridging table to table must also be provided by electrician</li> </ul>	72"	CZBE1S72HW		7.0#		
		78"	CZBE1S78HW		7.6#		
	Appropriate for Chicago or New York						
	City installations; See planning guide for						
	details						
		60"	CZBE1D60HW		6.1#		
	Electrical Assembly; Single-Sided Hard- wired Applications with Four Cutouts	72"	CZBE1D72HW		7.1#		
		84"	CZBE1D84HW		8.1#		
	Assembly includes access cover	90"	CZBE1D90HW		8.7#		
	<ul> <li>Single-sided application provides access to four receptacles on user side of beam</li> </ul>	96"	CZBE1D96HW		9.3#		
OF STATE OF	Galvanized enclosure to house recep-						
CZE1	tacles and wiring provided by electrician						
	Flexible conduit and connectors bridging						
	table to table must also be provided by electrician						
	Appropriate for Chicago or New York						
	City installations; See planning guide for						
	details						
			A	•			
				U			

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select wire access cover powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## Electrical - Hardwired Applications Wire Harnesses for Single Sided Hardwired Applications

Delive	ored.	
Pricin	ina	
\$ 2		
	242	
	255	
	268	
	275	
	288	
	303	
	365	
	422	
	312	
	496	
	510	
5	523	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

## Electrical – Hardwired Applications Wire Harnesses for Dual-Sided Hardwired Applications

			MODEL NUMBER			
				Approx.		
			Basic	Packaged		
	MODEL	W	Model	Weight		
		36"	CZBE2S36HW	3.1#		
		42"	CZBE2S42HW	3.5#		
	Per Side	48"	CZBE2S48HW	3.8#		
	<ul><li>Assembly includes access cover</li><li>Dual-sided application provides access</li></ul>	54"	CZBE2S54HW	4.2#		
	to two receptacles per side	60"	CZBE2S60HW	4.6#		
45	<ul> <li>Galvanized enclosure to house recep-</li> </ul>	66"	CZBE2S66HW	5.0#		
HRDPT	tacles and wiring provided by electrician • Flexible conduit and connectors bridging table to table must also be provided by	72"	CZBE2S72HW	5.4#		
		78"	CZBE2S78HW	5.8#		
	electrician					
	Appropriate for Chicago or New York					
	City installations					
	Electrical Assembly; Dual-Sided Hard-	60"	CZBE2D60HW	4.8#		
	wired Applications with Four Cutouts	72"	CZBE2D72HW	5.6#		
	Per Side	84"	CZBE2D84HW	6.3#		
	Assembly includes access cover	90"	CZBE2D90HW	6.7#		
	<ul> <li>Dual-sided application provides access to four receptacles per side</li> </ul>	96"	CZBE2D96HW	7.1#		
93	Galvanized enclosure to house recep-					
HRDPT	tacles and wiring provided by electrician					
	Flexible conduit and connectors bridging     to be to table must also be presided by					
	table to table must also be provided by electrician					
	Appropriate for Chicago or New York					
	City installations					
			A			

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.



## Electrical - Hardwired Applications Wire Harnesses for Dual-Sided Hardwired Applications

Delivered	
Pricing	
\$ 204	
205	
213	
218	
222	
234	
238	
249	
\$ 226	
241	
260	
270	
279	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

Receptacles and Infeeds

MODEL NUMBER    Basic	
MODEL Features L Model Color Packaged Weight  15-Amp Duplex Receptacle for Raceway Use: 6 Circuit Snaps to rigid wireway Receptacle color is black for circuits 1, 2  Circuit 3  Gircuit 4  46.2880.3.BL 1.0#  1.0#  1.0#  1.0#  1.0#	
Use: 6 Circuit Snaps to rigid wireway Receptacle color is black for circuits 1, 2  Signature 4.6.2880.2.BL 1.0# 46.2880.3.BL 1.0#	
Snaps to rigid wireway     Receptacle color is black for circuits 1, 2	
Receptacle color is black for circuits 1, 2     Receptacle color is black	
and 3	
HRDPT • Receptacle color is orange with white Circuit 5 46.2880.5I 1.0#	
lettering for circuits 4I, 5I and 6I Circuit 6 46.2880.6I 1.0#	
Floor Infeed 10-Wire 96" CZBFF 🗆 5.0#	
Provides power from fixed floor or wall sources to table power distribution	
sources to table power distribution system	
Must be hard-wired to the building	
power source by a licensed electrician	
96" length liquid tight conduit     Includes (2) mounting clips	
HRDPT	
Overhead Infeed 10-Wire for Single- Left 120" CZBTF1L □□ 5.0#	
Sided Applications Right 120" CZBTF1R □□ 5.0#	
Provides power from ceiling source to     Single-sided table power distribution	
system	
Must be hard-wired to building power	
source by a licensed electrician	
144" length flexible oval conduit     Includes 10' long aluminum pole with	
HRDPT separate channel for electrical and data	
entry and pre-wired harness	
Includes Single mounting bracket	
Overhead Infeed 10-Wire for Dual-Sided 120" CZBTF2 □□ 5.0#	
Applications	
Provides power from ceiling source     to Dual-sided table power distribution	
system	
Must be hard-wired to building power	
source by a licensed electrician	
144" length flexible oval conduit     Includes 10' long aluminum pole with	
separate channel for electrical and data	
HRDPT entry and pre-wired harness	
Includes Dual mounting bracket	
<u> </u>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Receptacles and Infeeds

Deli	vered			
Pric \$	ing 23			
Þ	23			
	23			
	23			
	23			
	23			
\$	193			
	490			
	490			
\$	490			

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	L	Basic Model	Approx. Packaged Weight	
- All	Electrical Worksurface-to-Worksurface Jumpers  Flexible metal conduit jumper  TJ, required for standard top to top  24 spans 24" peninsula top  30 spans 30" peninsula top  48 spans (2) - 24" peninsula tops	18-1/2"	CZBJP.TJ	3.0#	
CER MINING MET		42-1/2"	CZBJP.24	3.5#	
		48-1/2"	CZBJP.30	4.0#	
		66-1/2"	CZBJP.48	5.5#	
HRDPT		78-1/2"	CZBJP.60	6.5#	
		84-1/2"	CZBJP.72	7.5#	
	<ul> <li>60 spans (2) - 30" peninsula tops</li> <li>60 spans 60" leg of extended corner top</li> </ul>				
	• 72 spans 72" leg of extended corner top				
	60 & 72 include Velcro cord manager				
			Α		

#### **HOW TO ORDER**

Indicate the following information on order

- form:

  1. Quantity of each item.

  2. Model number, including options. See
  "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
  Alpha-numeric characters in place of
- $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing			
\$ 91			
125			
137			
153			
178			
194			

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
	Activ8® Infeed	AC8IF.108	2.0#		
	108" cord plugs into standard 15 amp outlet				
	Control module is located 6" from table				
<b>2</b>	connection				
HRDPT	Diagnostic LED indicator shows power status (see details below)				
	Controller automatically limits number of				
	connections to 8				
	40 Ft maximum string, not including infeed cord				
	Will not work with GFI/GCFI outlets				
		AC8RPTCZB.12	1.0#		
	Activ8® Module and Attachment Bracket	7.001.11025.12	110#		
	Duplex receptacles provide 2 outlets				
	<ul> <li>Power module provides 15 amp power</li> <li>Up to 8 modules may be used per infeed</li> </ul>				
THE STATE OF THE S	per UL Standard 962				
	Modules may be connected (recon- nected in any order without sequential				
HRDPT	keying)				
	Jumpers ordered separately				
	<ul> <li>No data cord management is provided</li> <li>Attached cord is approximately 9"</li> </ul>				
		A			

#### **HOW TO ORDER**

Indicate the following information on order

- form:

  1. Quantity of each item.

  2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

\$ 217

\$ 75

### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

		MODEL NU	MBER			
	MODEL	Basic Model	PowerUp Module Color	Approx. Packaged Weight		
HRDPT	Activ8® Power-Up Module  Duplex receptacles provide 2 outlets Power module provides 15 amp power Up to 8 modules may be used per infeed per UL Standard 962 Modules may be connected (reconnected in any order without sequential keying) Attached cord is approximately 5° Data tree is provided to allow data jacks to be inserted in the module Jumpers ordered separately	AC8PUM.7		1.0#		
HRDPT	Activ8® Villa Power Module with Metal Cover  Duplex receptacles provide 2 outlets Power module provides 15 amp power Up to 8 modules may be used per infeed per UL Standard 962 Modules may be connected (reconnected in any order without sequential keying) Attached cord is approximately 5° Data tree is provided to allow data jacks to be inserted in the module Jumpers ordered separately	AC8VMC.7		3.0#		
	Activ8® Villa Power Module without Cover	AC8VMN.7		2.0#		
HRDPT	Duplex receptacles provide 2 outlets Power module provides 15 amp power Up to 8 modules may be used per infeed per UL Standard 962 Modules may be connected (reconnected in any order without sequential keying) Attached cord is approximately 5" Data tree is provided to allow data jacks to be inserted in the module For use on tables with existing KI grommets Jumpers ordered separately					
		A	6			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select module color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.

#### INFORMATION

Grommet location must be specified in worksurface model number for Activ8®



Delivered Pricing \$ 202
\$ 202
\$ 348
\$ 280

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

			MODEL NUMBER		
	MODEL	L	Basic Model	Approx. Packaged Weight	
	Activ8® Jumper • Refer to Connection Zone Benching	29"	AC8JP.29	1.0#	
		53"	AC8JP.53	1.0#	
	Planning Guide for size recommenda- tions	77"	AC8JP.77	1.0#	
<b>E</b> 3	Jumpers are all keyed alike	101"	AC8JP.101	1.0#	
HRDPT					



### **HOW TO ORDER**

Indicate the following information on order

- form:

  1. Quantity of each item.

  2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delive Pricir	rered ng		
\$	68		
	80		
	92		

### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #85.

## Above Worksurface Privacy Screen 13" High with Framed Fabric Insert

			MODEL NUME	BER					
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight	
_	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSF2413/1					11.0#	
	Aluminum powdercoated screen runs	1-3/16 x 30 x 13"	CZBPSF3013/1					13.0#	
	<ul><li>along width of worksurface</li><li>Standard top rail features one slot for</li></ul>	1-3/16 x 36 x 13"	CZBPSF3613/1					14.0#	
	hang-on accessories	1-3/16 x 42 x 13"	CZBPSF4213/1					15.0#	
	<ul> <li>Integral linking strip included</li> </ul>	1-3/16 x 48 x 13"	CZBPSF4813/1					16.0#	
CZPF	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 13"	CZBPSF5413/1					17.0#	
	rately	1-3/16 x 60 x 13"	CZBPSF6013/1					18.0#	
	<ul> <li>Bottom of privacy screen is flush with</li> </ul>	1-3/16 x 66 x 13"	CZBPSF6613/1					20.0#	
	bottom of worksurface	1-3/16 x 72 x 13"	CZBPSF7213/1					21.0#	
		1-3/16 x 78 x 13"	CZBPSF7813/1					22.0#	
	13" with Center Intersection	1-3/16 x 60 x 13"	CZBPSF6013/2					21.0#	
	<ul> <li>Screen includes two equal panels</li> <li>Center intersection allows for divider</li> </ul>	1-3/16 x 64 x 13"	CZBPSF6413/2					22.0#	
	screen attachment	1-3/16 x 72 x 13"	CZBPSF7213/2					23.0#	
		1-3/16 x 84 x 13"	CZBPSF8413/2					26.0#	
CZPF		1-3/16 x 90 x 13"	CZBPSF9013/2					27.0#	
		1-3/16 x 96 x 13"	CZBPSF9613/2					28.0#	
	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSF9013/3					30.0#	
	Screen includes three equal panels     Intersections allow for divider screen	1-3/16 x 96 x 13"	CZBPSF9613/3					31.0#	
	attachment								
CZPF									
			A	<b>B</b>	Θ	0	<b>(3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 13" High with Framed Fabric Insert

D	elivered	Deli	vered
Pi	ricing	Pric	
Fa	abric Grade	Fabi	ic Grade
1	& C.O.M.	2	
\$	350	\$	356
	378		384
	400		408
	414		422
	426		437
	485		494
	507		519
	515		527
	531		545
	555		569
\$	736	\$	748
	752		770
	780		795
	807		823
	833		853
	834		854
\$	1096	\$	1113
	1109		1133

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

## Above Worksurface Privacy Screen 19" High with Framed Fabric Insert

			MODEL NUMI	BER					
						End		Approx.	
			Basic	Screen	Paint	Cap	Upholstery	Packaged	
	MODEL	DxWxH	Model	Location	Color	Color	Color	Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSF2419/1					13.0#	
	<ul> <li>Aluminum powdercoated screen runs along width of worksurface</li> </ul>	1-3/16 x 30 x 19"	CZBPSF3019/1					14.0#	
	Standard top rail features one slot for	1-3/16 x 36 x 19"	CZBPSF3619/1					16.0#	
	hang-on accessories	1-3/16 x 42 x 19"	CZBPSF4219/1					17.0#	
	Integral linking strip included	1-3/16 x 48 x 19"	CZBPSF4819/1					19.0#	
CZPF	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 19"	CZBPSF5419/1					20.0#	
	rately	1-3/16 x 60 x 19"	CZBPSF6019/1					22.0#	
	<ul> <li>Bottom of privacy screen is flush with</li> </ul>	1-3/16 x 66 x 19"	CZBPSF6619/1					23.0#	
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSF7219/1					25.0#	
		1-3/16 x 78 x 19"	CZBPSF7819/1					26.0#	
	19" with Center Intersection	1-3/16 x 60 x 19"	CZBPSF6019/2					25.0#	
	<ul> <li>Screen includes two equal panels</li> <li>Center intersection allows for divider</li> </ul>	1-3/16 x 64 x 19"	CZBPSF6419/2					27.0#	
	screen attachment	1-3/16 x 72 x 19"	CZBPSF7219/2					28.0#	
		1-3/16 x 84 x 19"	CZBPSF8419/2					31.0#	
		1-3/16 x 90 x 19"	CZBPSF9019/2					32.0#	
		1-3/16 x 96 x 19"	CZBPSF9619/2					34.0#	
CZPF									
	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSF9019/3					35.0#	
	<ul> <li>Screen includes three equal panels</li> <li>Intersections allow for divider screen</li> </ul>	1-3/16 x 96 x 19"	CZBPSF9619/3					37.0#	
	attachment								
CZPF									
			A	B	Θ	0	<b>(3</b>		
			$\mathbf{w}$	•	•	9	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	Ī
SST	- Single Starter	

Select powdercoat.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

- DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 19" High with Framed Fabric Insert

Delivered	Delive			
Pricing	Pricin	ng		
Fabric Grade 1 & C.O.M.	Fabrio 2	ic Grade		
\$ 406		414		
450		459		
462		472		
486		497		
498		512		
628		644		
652		669		
660		677		
676		695		
723		747		
\$ 880		899		
891		912		
904	(	925		
951		974		
977		003		
986	10	005		
\$ 1309	\$ 10	338		
1360	1;	379		

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

## Above Worksurface Privacy Screen 31" High with Framed Fabric Insert

			1						
			MODEL NUMI	BER					
						End		Approx.	
			Basic	Screen	Paint	Cap	Upholstery	Packaged	
	MODEL	DxWxH	Model	Location	Color	Color	Color	Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 30 x 31"	CZBPSF3031/1					18.0#	
	<ul> <li>Aluminum powdercoated screen runs along width of worksurface</li> </ul>	1-3/16 x 36 x 31"	CZBPSF3631/1					20.0#	
	Standard top rail features one slot for	1-3/16 x 42 x 31"	CZBPSF4231/1					22.0#	
	hang-on accessories	1-3/16 x 48 x 31"	CZBPSF4831/1					25.0#	
	<ul> <li>Integral linking strip included</li> </ul>								
	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>								
	rately								
CZPF	<ul> <li>Bottom of privacy screen is flush with</li> </ul>								
	bottom of worksurface								
	31" with Center Intersection	1-3/16 x 60 x 31"	CZBPSF6031/2					32.0#	
	Screen includes two equal panels     Center intersection allows for divider screen attachment	1-3/16 x 64 x 31"	CZBPSF6431/2					35.0#	
		1-3/16 x 72 x 31"	CZBPSF7231/2					37.0#	
		1-3/16 x 84 x 31"	CZBPSF8431/2					41.0#	
		1-3/16 x 90 x 31"	CZBPSF9031/2					43.0#	
		1-3/16 x 96 x 31"	CZBPSF9631/2					45.0#	
CZPF									
	31" with Two Intersections	1-3/16 x 90 x 31"	CZBPSF9031/3					47.0#	
	<ul> <li>Screen includes three equal panels</li> <li>Intersections allow for divider screen</li> </ul>	1-3/16 x 96 x 31"	CZBPSF9631/3					49.0#	
	attachment								
	attasimism								
CZPF									
			A	B	•	0	<b>(3</b>		
			•	9	•	•	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 31" High with Framed Fabric Insert

Delivered	Delivered		
Pricing	Pricing		
Pricing Fabric Grade	Fabric Grade		
1 & C.O.M.	2		
\$ 563	\$ 581		
596	618		
621	645		
646	673		
\$ 994	\$ 1028		
1026	1060		
1053	1094		
1099	1143		
1102	1147		
1143	1195		
\$ 1479	\$ 1529		
1498	1549		
	.5.10		

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen 13, 19" or 31" High with Framed Fabric Insert

			MODEL NUMBER					
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight
	Single, Uninterrupted Screen Length  Divider screens may only be specified for attachment to worksurfaces with 74P edges  Aluminum powdercoated screen runs perpendicular to privacy screen  Bottom of divider screen rests on top of worksurface  Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side  Must specify by location and fixed or sliding function	1-3/16 x 24 x 13"	CZBDSF2413/1					9.0#
		1-3/16 x 30 x 13"	CZBDSF3013/1					10.0#
		1-3/16 x 24 x 19"	CZBDSF2419/1					11.0#
		1-3/16 x 30 x 19"	CZBDSF3019/1					12.0#
		1-3/16 x 24 x 31"	CZBDSF2431/1					14.0#
CZDF		1-3/16 x 30 x 31"	CZBDSF3031/1					16.0#
	Standard top rail features one slot for							
	hang-on accessories							
	<ul> <li>Integral linking strip included</li> </ul>							
			A	3	0	0	<b>(3</b>	•

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

FLE	- FIXED LETT END	
FMI	- Fixed Middle	
FRE	- Fixed Right End	
SLE	- Sliding Left End	
SMI	- Sliding Middle	
SRE	- Sliding Right End	

- Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ①Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Divider Screen 13, 19" or 31" High with Framed Fabric Insert

Pri Fat	cing	elivered ricing abric Grade
\$	332	337
	359	365
	385	393
	429	439
	543	560
	546	563

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen 13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces

			MODEL NUME	EFR				
			MODEL NOME					
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight
	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSF6013/1					15.0#
	Aluminum powdercoated screen runs     Aluminum powdercoated screen runs	1-3/16 x 66 x 13"	CZBDSF6613/1					16.0#
	perpendicular to privacy screen  • Bottom of divider screen rests on top of	1-3/16 x 72 x 13"	CZBDSF7213/1					17.0#
	worksurface .	1-3/16 x 78 x 13"	CZBDSF7813/1					18.0#
	Attaches at end or intersection of privacy	1-3/16 x 60 x 19"	CZBDSF6019/1					19.0#
	screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSF6619/1					20.0#
CZDF	Must specify by location and fixed or	1-3/16 x 72 x 19"	CZBDSF7219/1					21.0#
	sliding function	1-3/16 x 78 x 19"	CZBDSF7819/1					23.0#
	Standard top rail features one slot for							
	hang-on accessories  Integral linking strip included							
	For use on Extended Corner, Return and							
	Peninsula Worksurfaces							
			A	<b>3</b>	0	0	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

FLE	- Fixed Left End
FMI	- Fixed Middle
FRE	- Fixed Right End

Select powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Divider Screen 13 or 19" High with Framed Fabric Insert for Use on Perpendicular Worksurfaces

Pric Fabr	ing ric Grade	Delivered Pricing Fabric Grade 2	
\$	477	\$ 488	
	490	502	
	506	520	
	528	540	
	619	636	
	633	651	
	649	668	
	693	716	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

# Above Worksurface Privacy Screen 13" High with Tool Rail and Framed Fabric Insert

MODEL NUMBER									
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSFT2413/1					12.0#	
	Aluminum powdercoated screen runs along width of worksurface	1-3/16 x 30 x 13"	CZBPSFT3013/1					13.0#	
	Tool rail features three slots for hang-on	1-3/16 x 36 x 13"	CZBPSFT3613/1					15.0#	
	accessories	1-3/16 x 42 x 13"	CZBPSFT4213/1					16.0#	
•	Integral linking strip included	1-3/16 x 48 x 13"	CZBPSFT4813/1					17.0#	
CZPF	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 13"	CZBPSFT5413/1					19.0#	
	rately	1-3/16 x 60 x 13"	CZBPSFT6013/1					20.0#	
	<ul> <li>Bottom of privacy screen is flush with</li> </ul>	1-3/16 x 66 x 13"	CZBPSFT6613/1					22.0#	
	bottom of worksurface	1-3/16 x 72 x 13"	CZBPSFT7213/1					23.0#	
		1-3/16 x 78 x 13"	CZBPSFT7813/1					24.0#	
	13" with Center Intersection	1-3/16 x 60 x 13"	CZBPSFT6013/2					23.0#	
	<ul> <li>Screen includes two equal panels</li> <li>Center intersection allows for divider</li> </ul>	1-3/16 x 64 x 13"	CZBPSFT6413/2					24.0#	
	screen attachment	1-3/16 x 72 x 13"	CZBPSFT7213/2					25.0#	
		1-3/16 x 84 x 13"	CZBPSFT8413/2					28.0#	
•		1-3/16 x 90 x 13"	CZBPSFT9013/2					30.0#	
CZPF		1-3/16 x 96 x 13"	CZBPSFT9613/2					31.0#	
<b>a</b>	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSFT9013/3					32.0#	
	<ul> <li>Screen includes three equal panels</li> <li>Intersections allow for divider screen</li> </ul>	1-3/16 x 96 x 13"	CZBPSFT9613/3					33.0#	
	attachment								
CZPF									
			A	<b>B</b>	•	0	<b>(3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

- Dual Adder	
- Dual Starter	Ī
- Single Adder	Ī
- Single Starter	Ī
	- Dual Starter - Single Adder

Select powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 13" High with Tool Rail and Framed Fabric Insert

F	Delivered Pricing Fabric Grade 1 & C.O.M.	Pric	ivered Sing ric Grade
9	\$ 343	\$	347
	358		363
	394		400
	414		420
	428		435
	481		489
	494		500
	519		528
	522		532
	570		581
5	\$ 697	\$	705
	730		764
	768		780
	808		820
	834		849
	836		852
9	1035	\$	1047
	1102		1121

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

# Above Worksurface Privacy Screen 19" High with Tool Rail and Framed Fabric Insert

			MODEL NUMB	:R			I	
						End		Approx.
	MODEL	D - W - H	Basic	Screen	Paint	Cap	Upholstery	Packaged
	MODEL	DxWxH	Model	Location	Color	Color	Color	Weight
	Single, Uninterrupted Screen Length  • Aluminum powdercoated screen runs	1-3/16 x 24 x 19"	CZBPSFT2419/1					14.0#
	along width of worksurface	1-3/16 x 30 x 19"	CZBPSFT3019/1					15.0#
	Tool rail features three slots for hang-on	1-3/16 x 36 x 19"	CZBPSFT3619/1					17.0#
	accessories	1-3/16 x 42 x 19"	CZBPSFT4219/1					19.0#
	<ul><li>Integral linking strip included</li><li>Linking posts allow for perpendicular</li></ul>	1-3/16 x 48 x 19"	CZBPSFT4819/1					20.0#
CZPF	attachment of dividers, specified sepa-	1-3/16 x 54 x 19"	CZBPSFT5419/1					22.0#
	rately	1-3/16 x 60 x 19"	CZBPSFT6019/1					24.0#
	<ul> <li>Bottom of privacy screen is flush with</li> </ul>	1-3/16 x 66 x 19"	CZBPSFT6619/1					25.0#
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSFT7219/1					27.0#
		1-3/16 x 78 x 19"	CZBPSFT7819/1					29.0#
	19" with Center Intersection	1-3/16 x 60 x 19"	CZBPSFT6019/2					27.0#
	Screen includes two equal panels	1-3/16 x 64 x 19"	CZBPSFT6419/2					29.0#
	Center intersection allows for divider screen attachment	1-3/16 x 72 x 19"	CZBPSFT7219/2					30.0#
	oor oon attaonmone	1-3/16 x 84 x 19"	CZBPSFT8419/2					33.0#
		1-3/16 x 90 x 19"	CZBPSFT9019/2					35.0#
•		1-3/16 x 96 x 19"	CZBPSFT9619/2					37.0#
CZPF								
	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSFT9019/3					38.0#
	Screen includes three equal panels	1-3/16 x 96 x 19"	CZBPSFT9619/3					39.0#
	attacimient							
CZPF								
			•	•			•	1
			A	$oldsymbol{f B}$	Θ	0	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

- Dual Adder
- Dual Starter
- Single Adder
- Single Starter

Select powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- DSelect end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 19" High with Tool Rail and Framed Fabric Insert

Delivered Pricing	Pri	livered cing
Fabric Grade	Fab	oric Grade
1 & C.O.M.	2	
\$ 389	\$	394
407		414
451		459
471 485		479
562		495 571
585		596
599		610
614		628
651		663
\$ 795	\$	807
844	Ψ	849
882		898
922		937
926		941
950		969
\$ 1182	\$	1199
1251		1273

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert

			MODEL NUMBE	R				
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight
_	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSFT2413/1					10.0#
	<ul> <li>Divider screens may only be specified for attachment to worksurfaces with 74P</li> </ul>	1-3/16 x 30 x 13"	CZBDSFT3013/1					11.0#
	edges	1-3/16 x 24 x 19"	CZBDSFT2419/1					11.0#
	Aluminum powdercoated screen runs	1-3/16 x 30 x 19"	CZBDSFT3019/1					13.0#
CZDF	perpendicular to privacy screen  Bottom of divider screen rests on top of worksurface  Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side  Must specify by location and fixed or sliding function  Tool rail features three slots for hang-on accessories  Integral linking strip included							
			A	<b>3</b>	O	0	<b>(3</b>	1

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

FLE	- FIXEG LETT ENG
FMI	- Fixed Middle
FRE	- Fixed Right End
SLE	- Sliding Left End
SMI	- Sliding Middle
SRE	- Sliding Right End

- Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.



# Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Fabric Insert

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen

13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces

		MODEL NUMBE	:R					
	MODEL	D x W x H	Basic Model	Screen Location	Paint Color	End Cap Color	Upholstery Color	Approx. Packaged Weight
100-	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSFT6013/1					17.0#
	<ul> <li>Aluminum powdercoated screen runs perpendicular to privacy screen</li> </ul>	1-3/16 x 66 x 13"	CZBDSFT6613/1					18.0#
	Bottom of divider screen rests on top of	1-3/16 x 72 x 13"	CZBDSFT7213/1					20.0#
	worksurface  Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side  Must specify by location and fixed or sliding function	1-3/16 x 78 x 13"	CZBDSFT7813/1					21.0#
		1-3/16 x 60 x 19"	CZBDSFT6019/1					20.0#
		1-3/16 x 66 x 19"	CZBDSFT6619/1					22.0#
CZDF		1-3/16 x 72 x 19"	CZBDSFT7219/1					24.0#
		1-3/16 x 78 x 19"	CZBDSFT7819/1					25.0#
	Tool rail features three slots for hang-on							
	accessories  Integral linking strip included							
	For use on Extended Corner, Return and							
	Peninsula Worksurfaces							
			A	<b>B</b>	0	0	<b>(3</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect screen location.

FLE	- Fixed Left End
FMI	- Fixed Middle
FRE	- Fixed Right End

Select powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

### Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Fabric Insert for Use on Perpendicular Worksurfaces

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2		
\$ 462	\$ 470		
494	503		
497	507		
542	553		
553	564		
572	584		
588	602		
620	634		

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

# Above Worksurface Privacy Screen 13" High with Framed Acrylic Insert

	MODEL NUMBER								
							End	Approx.	
			Basic		Screen	Paint	Cap	Packaged	
	MODEL	DxWxH	Model	Acrylic	Location	Color	Color	Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSA2413/1					12.0#	
1//	<ul> <li>Aluminum powdercoated screen runs along width of worksurface</li> </ul>	1-3/16 x 30 x 13"	CZBPSA3013/1					14.0#	
1/,	Standard top rail features one slot for	1-3/16 x 36 x 13"	CZBPSA3613/1					15.0#	
	hang-on accessories	1-3/16 x 42 x 13"	CZBPSA4213/1					16.0#	
	Integral linking strip included	1-3/16 x 48 x 13"	CZBPSA4813/1					18.0#	
CZPA	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 13"	CZBPSA5413/1					19.0#	
	rately	1-3/16 x 60 x 13"	CZBPSA6013/1					21.0#	
	Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 66 x 13"	CZBPSA6613/1					22.0#	
		1-3/16 x 72 x 13"	CZBPSA7213/1					23.0#	
		1-3/16 x 78 x 13"	CZBPSA7813/1					25.0#	
	with Center Intersection     Screen includes two equal panels     Center intersection allows for divider screen attachment	1-3/16 x 60 x 13"	CZBPSA6013/2					23.0#	
//.		1-3/16 x 64 x 13"	CZBPSA6413/2					25.0#	
		1-3/16 x 72 x 13"	CZBPSA7213/2					26.0#	
		1-3/16 x 84 x 13"	CZBPSA8413/2					29.0#	
•		1-3/16 x 90 x 13"	CZBPSA9013/2					30.0#	
CZPA		1-3/16 x 96 x 13"	CZBPSA9613/2					32.0#	
	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSA9013/3					33.0#	
	<ul> <li>Screen includes three equal panels</li> <li>Intersections allow for divider screen</li> </ul>	1-3/16 x 96 x 13"	CZBPSA9613/3					35.0#	
	attachment								
CZPA									
			A	(3)	0	0	<b>(3</b>		
			•	•			•		

#### **HOW TO ORDER**

Indicate the following information on order

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect acrylic color.

See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 13" High with Framed Acrylic Insert

Ac	crylic	Acrv	vlic	
Gr			ylic de 2	
\$			413	
	352		439	
	376		492	
	407		559	
	408		560	
	489		780	
	503		792	
	512		801	
	516		807	
	542		832	
\$		\$	857	
	707		912	
	732		964	
	795		1097	
	797		1100	
	804		1106	
\$			1276	
	1066		1385	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

# Above Worksurface Privacy Screen 19" High with Framed Acrylic Insert

			MODEL NUME	ER					
							En d	A	
			Basic		Screen	Paint	End Cap	Approx. Packaged	
	MODEL	D x W x H	Model	Acrylic	Location	Color	Color	Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSA2419/1					14.0#	
	Aluminum powdercoated screen runs	1-3/16 x 30 x 19"	CZBPSA3019/1					16.0#	
1//	<ul><li>along width of worksurface</li><li>Standard top rail features one slot for</li></ul>	1-3/16 x 36 x 19"	CZBPSA3619/1					18.0#	
1//	hang-on accessories	1-3/16 x 42 x 19"	CZBPSA4219/1					19.0#	
	<ul> <li>Integral linking strip included</li> </ul>	1-3/16 x 48 x 19"	CZBPSA4819/1					21.0#	
CZPA	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 19"	CZBPSA5419/1					23.0#	
	rately	1-3/16 x 60 x 19"	CZBPSA6019/1					25.0#	
	<ul> <li>Bottom of privacy screen is flush with</li> </ul>	1-3/16 x 66 x 19"	CZBPSA6619/1					26.0#	
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSA7219/1					28.0#	
		1-3/16 x 78 x 19"	CZBPSA7819/1					30.0#	
	19" with Center Intersection     Screen includes two equal panels     Center intersection allows for divider screen attachment	1-3/16 x 60 x 19"	CZBPSA6019/2					28.0#	
		1-3/16 x 64 x 19"	CZBPSA6419/2					30.0#	
1//		1-3/16 x 72 x 19"	CZBPSA7219/2					31.0#	
///		1-3/16 x 84 x 19"	CZBPSA8419/2					35.0#	
		1-3/16 x 90 x 19"	CZBPSA9019/2					37.0#	
•		1-3/16 x 96 x 19"	CZBPSA9619/2					38.0#	
CZPA									
	19" with Two Intersections	1-3/16 x 90 x 19"	CZBPSA9019/3					40.0#	
	<ul> <li>Screen includes three equal panels</li> <li>Intersections allow for divider screen</li> </ul>	1-3/16 x 96 x 19"	CZBPSA9619/3					42.0#	
	attachment								
//, ///									
//									
CZPA									
			A	<b>(3</b> )	œ	0	<b>(3</b>		
			•	_	•	_	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.

BSelect acrylic color. See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

• Select powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 19" High with Framed Acrylic Insert

rylic Acry
ade 1 Grad
385 \$
406
457
471
472
650 1
663 1
673 1
677 1
702 1
791 \$ 1
849 1
894 1
894 1 921 1
894 1
894 1 921 1
894       1         921       1         923       1
894 1 921 1 923 1 929 1
894 1 921 1 923 1 929 1
1

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen

13 or 19" High with Framed Acrylic Insert

		MODEL NUMB	ER					
	MODEL	D x W x H	Basic Model	Acrylic	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight
1000	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSA2413/1					10.0#
	<ul> <li>Divider screens may only be specified for attachment to worksurfaces with 74P</li> </ul>	1-3/16 x 30 x 13"	CZBDSA3013/1					12.0#
'//	edges	1-3/16 x 24 x 19"	CZBDSA2419/1					11.0#
	<ul> <li>Aluminum powdercoated screen runs</li> </ul>	1-3/16 x 30 x 19"	CZBDSA3019/1					13.0#
CZDA	perpendicular to privacy screen  Bottom of divider screen rests on top of worksurface  Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side  Must specify by location and fixed or sliding function  Standard top rail features one slot for hang-on accessories							
	<ul> <li>Integral linking strip included</li> </ul>		A	<b>B</b>	•	0	<b>(3</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect acrylic color.

See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

FLE	- Fixed Left End
FMI	- Fixed Middle
FRE	- Fixed Right End
SLE	- Sliding Left End
SMI	- Sliding Middle
SRF	- Sliding Right End

• Select powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Above Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert

Acrylic	Acrylic
Acrylic Grade 1	Acrylic Grade 2
\$ 320	\$ 394
326	413
365	489
385	536

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces

		MODEL NUMBER							
	MODEL	D x W x H	Basic Model	Acrylic	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSA6013/1					17.0#	
	Aluminum powdercoated screen runs perpendicular to privacy screen	1-3/16 x 66 x 13"	CZBDSA6613/1					19.0#	
	Bottom of divider screen rests on top of	1-3/16 x 72 x 13"	CZBDSA7213/1					20.0#	
	worksurface	1-3/16 x 78 x 13"	CZBDSA7813/1					21.0#	
	<ul> <li>Attaches at end or intersection of privace</li> </ul>	1-3/16 x 60 x 19"	CZBDSA6019/1					22.0#	
4	screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSA6619/1					23.0#	
CZDA	Must specify by location and fixed or	1-3/16 x 72 x 19"	CZBDSA7219/1					25.0#	
	sliding function	1-3/16 x 78 x 19"	CZBDSA7819/1					26.0#	
	Standard top rail features one slot for								
	hang-on accessories  Integral linking strip included								
	For use on Extended Corner, Return and								
	Peninsula Worksurfaces								
			A	<b>B</b>	•	0	<b>3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect acrylic color. See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

FLE	- Fixed Left End	
FMI	- Fixed Middle	i
FRE	- Fixed Right End	Ī

• Select powdercoat.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



### Above Worksurface Divider Screen 13 or 19" High with Framed Acrylic Insert for Use on Perpendicular Worksurfaces

Aon	dia	Anndia
Acry Grad	de 1	Acrylic Grade 2
	464	\$ 755
	480	770
	485	775
	506	797
	630	1198
	645	1214
	651	1219
	673	1240

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

# Above Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert

			MODEL NUMBE	R					
							End	Approx.	
	MODEL	D x W x H	Basic Model	Acrylic	Screen Location	Paint Color	Cap Color	Packaged Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBPSAT2413/1					13.0#	
	Aluminum powdercoated screen runs	1-3/16 x 30 x 13"	CZBPSAT3013/1					14.0#	
	along width of worksurface  Tool rail features three slots for hang-on	1-3/16 x 36 x 13"	CZBPSAT3613/1					16.0#	
	accessories	1-3/16 x 42 x 13"	CZBPSAT4213/1					18.0#	
	Integral linking strip included	1-3/16 x 48 x 13"	CZBPSAT4813/1					19.0#	
CZPA	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 13"	CZBPSAT5413/1					21.0#	
	rately	1-3/16 x 60 x 13"	CZBPSAT6013/1					22.0#	
	Bottom of privacy screen is flush with bottom of worksurface	1-3/16 x 66 x 13"	CZBPSAT6613/1					24.0#	
		1-3/16 x 72 x 13"	CZBPSAT7213/1					25.0#	
		1-3/16 x 78 x 13"	CZBPSAT7813/1					27.0#	
	13" with Center Intersection     Screen includes two equal panels     Center intersection allows for divider screen attachment	1-3/16 x 60 x 13"	CZBPSAT6013/2					25.0#	
		1-3/16 x 64 x 13"	CZBPSAT6413/2					26.0#	
		1-3/16 x 72 x 13"	CZBPSAT7213/2					28.0#	
777		1-3/16 x 84 x 13"	CZBPSAT8413/2					31.0#	
WE-		1-3/16 x 90 x 13"	CZBPSAT9013/2					33.0#	
CZPA		1-3/16 x 96 x 13"	CZBPSAT9613/2					34.0#	
	13" with Two Intersections	1-3/16 x 90 x 13"	CZBPSAT9013/3					35.0#	
	<ul><li>Screen includes three equal panels</li><li>Intersections allow for divider screen</li></ul>	1-3/16 x 96 x 13"	CZBPSAT9613/3					37.0#	
	attachment								
CZPA									
			A	<b>B</b>	•	0	<b>(3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select acrylic color.

See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 13" High with Tool Rail and Framed Acrylic Insert

A di .	A1! -	
Acrylic Grade 1	Acrylic Grade 2	
\$ 343	\$ 408	
364	451	
374	490	
428	579	
430	581	
516	806	
529	820	
544	833	
549	839	
585	876	
\$ 708	\$ 882	
718	912	
727	960	
836	1139	
922	1392	
935	1402	
\$ 1052	\$ 1312	
1077	1321	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

# Above Worksurface Privacy Screen 19" High with Tool Rail and Framed Acrylic Insert

			MODEL MUMAN	-D					
			MODEL NUMBE	:K					
							End	Approx.	
	MODEL	D x W x H	Basic Model	Acrylic	Screen Location	Paint Color	Cap Color	Packaged Weight	
	Single, Uninterrupted Screen Length	1-3/16 x 24 x 19"	CZBPSAT2419/1					15.0#	
	<ul> <li>Aluminum powdercoated screen runs</li> </ul>	1-3/16 x 30 x 19"	CZBPSAT3019/1					17.0#	
1//	along width of worksurface  Tool features three slots for hang-on	1-3/16 x 36 x 19"	CZBPSAT3619/1					19.0#	
	accessories	1-3/16 x 42 x 19"	CZBPSAT4219/1					21.0#	
	<ul> <li>Integral linking strip included</li> </ul>	1-3/16 x 48 x 19"	CZBPSAT4819/1					22.0#	
CZPA	<ul> <li>Linking posts allow for perpendicular attachment of dividers, specified sepa-</li> </ul>	1-3/16 x 54 x 19"	CZBPSAT5419/1					24.0#	
	rately	1-3/16 x 60 x 19"	CZBPSAT6019/1					26.0#	
	<ul> <li>Bottom of privacy screen is flush with</li> </ul>	1-3/16 x 66 x 19"	CZBPSAT6619/1					28.0#	
	bottom of worksurface	1-3/16 x 72 x 19"	CZBPSAT7219/1					30.0#	
		1-3/16 x 78 x 19"	CZBPSAT7819/1					32.0#	
	19" with Center Intersection     Screen includes two equal panels     Center intersection allows for divider screen attachment	1-3/16 x 60 x 19"	CZBPSAT6019/2					29.0#	
		1-3/16 x 64 x 19"	CZBPSAT6419/2					31.0#	
		1-3/16 x 72 x 19"	CZBPSAT7219/2					33.0#	
1//		1-3/16 x 84 x 19"	CZBPSAT8419/2					37.0#	
		1-3/16 x 90 x 19"	CZBPSAT9019/2					39.0#	
CZPA		1-3/16 x 96 x 19"	CZBPSAT9619/2					41.0#	
	<ul><li>19" with Two Intersections</li><li>Screen includes three equal panels</li></ul>	1-3/16 x 90 x 19"	CZBPSAT9019/3					42.0#	
	Intersections allow for divider screen	1-3/16 x 96 x 19"	CZBPSAT9619/3					44.0#	
	attachment								
//,									
//, ///									
<b>u</b> -									
CZPA									
			A	<b>B</b>	Θ	0	<b>3</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect acrylic color.

See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

DAD	- Dual Adder	
DST	- Dual Starter	
SAD	- Single Adder	
SST	- Single Starter	

Select powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Above Worksurface Privacy Screen 19" High with Tool Rail and Framed Acrylic Insert

Ac	ervlic	Acrylic	
Gr	crylic rade 1	Grade 2	
\$	385	\$ 491	
	418	569	
	430	581	
	491	725	
	492	730	
	677	1245	
	690	1257	
	705	1272	
	710	1277	
	746	1313	
\$		\$ 1117	
	825	1130	
	840	1141	
	962	1431	
	966	1434	
	969	1436	
\$		\$ 1666	
	1246	1699	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert

		MODEL NUMBE	R					
	MODEL	D x W x H	Basic Model	Acrylic	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight
_	Single, Uninterrupted Screen Length	1-3/16 x 24 x 13"	CZBDSAT2413/1					10.0#
	Divider screens may only be specified	1-3/16 x 30 x 13"	CZBDSAT3013/1					12.0#
	for attachment to worksurfaces with 74P edges	1-3/16 x 24 x 19"	CZBDSAT2419/1					12.0#
	<ul> <li>Aluminum powdercoated screen runs</li> </ul>	1-3/16 x 30 x 19"	CZBDSAT3019/1					14.0#
DA	perpendicular to privacy screen  Bottom of divider screen rests on top of worksurface  Attaches at end or intersection of privacy screen on one side and to worksurface edge on opposite side  Must specify by location and fixed or sliding function  Tool rail features three slots for hang-on accessories  Integral linking strip included							
			A	3	Θ	0	<b>(3</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect acrylic color.

See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

FLE	- Fixed Left End
FMI	- Fixed Middle
FRE	- Fixed Right End
SLE	- Sliding Left End
SMI	- Sliding Middle
SRF	- Sliding Right End

- Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Acrylic Insert

Acrylic	Acrylic
Acrylic Grade 1	Acrylic Grade 2
\$ 325	\$ 389
344	432
366	471
397	548

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Above Worksurface Divider Screen

13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces

		MODEL NUMBER						
	MODEL	D x W x H	Basic Model	Acrylic	Screen Location	Paint Color	End Cap Color	Approx. Packaged Weight
_	Single, Uninterrupted Screen Length	1-3/16 x 60 x 13"	CZBDSAT6013/1					19.0#
	Aluminum powdercoated screen runs     perpendicular to privacy serson	1-3/16 x 66 x 13"	CZBDSAT6613/1					20.0#
	perpendicular to privacy screen  • Bottom of divider screen rests on top of	1-3/16 x 72 x 13"	CZBDSAT7213/1					22.0#
	worksurface	1-3/16 x 78 x 13"	CZBDSAT7813/1					23.0#
	Attaches at end or intersection of privacy	1-3/16 x 60 x 19"	CZBDSAT6019/1					23.0#
	screen on one side and to worksurface edge on opposite side	1-3/16 x 66 x 19"	CZBDSAT6619/1					25.0#
CZDA	Must specify by location and fixed or	1-3/16 x 72 x 19"	CZBDSAT7219/1					27.0#
	sliding function	1-3/16 x 78 x 19"	CZBDSAT7819/1					29.0#
	Tool rail features three slots for hang-on							
	accessories  Integral linking strip included							
	For use on Extended Corner, Return and							
	Peninsula Worksurfaces							
			A	<b>B</b>	Θ	0	<b>(3</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select acrylic color.

See pricing columns for acrylic color

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select screen location.

FLE - Fixed Left End FLE - Fixed Middle FRE - Fixed Right End

• Select powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select end cap color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



### Above Worksurface Divider Screen 13 or 19" High with Tool Rail and Framed Acrylic Insert for Use on Perpendicular Worksurfaces

Aor	ndio	Appelio
Gra	ylic ide 1	Acrylic Grade 2
	498	\$ 788
	519	808
	524	814
	556	847
	657	1224
	677	1245
	683	1251
	716	1284

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #70.

### Accessories Steel Modesty Panel

			MODEL NUI	MBER			
	MODEL	WxH	Basic Model	Paint Color	Approx. Packaged Weight		
		18-1/2 x 10"	CZBMP24		6.0#		
	Steel modesty panel features perforated     nettern of 1/4" diameter belon at 2/4"	24-1/2 x 10"	CZBMP30		7.0#		
	pattern of 1/4" diameter holes at 3/4" center-to-center spacing	30-1/2 x 10"	CZBMP36		9.0#		
	14 gauge powdercoated steel     Reveal of approximately 1" is present between panel and leg     Assembly includes panel, brackets and	36-1/2 x 10"	CZBMP42		10.0#		
		42-1/2 x 10"	CZBMP48		11.0#		
		48-1/2 x 10"	CZBMP54		13.0#		
CZMP	mounting screws	54-1/2 x 10"	CZBMP60		14.0#		
	· ·	58-1/2 x 10"	CZBMP64		15.0#		
		60-1/2 x 10"	CZBMP66		16.0#		
		66-1/2 x 10"	CZBMP72		17.0#		
		72-1/2 x 10"	CZBMP78		18.0#		
		78-1/2 x 10"	CZBMP84		19.0#		
		84-1/2 x 10"	CZBMP90		20.0#		
		90-1/2 x 10"	CZBMP96		22.0#		
			A	<b>B</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.

Select powdercoat.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.



### Accessories Steel Modesty Panel

_			
	Delivered Pricing	rd	
	\$ 145		
	156		
	169	9	
	174	4	
	205	5	
	220	0	
	236	6	
	241		
	260		
	271		
	283		
	296		
	302		
	321	1	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

### Accessories Data Cable and Cord Management

			MODEL NU	MBER	
	MODEL	W x L or W x D x H	Basic Model	Paint Color	Approx. Packaged Weight
^ ^	Cable Tray Assemblies	12-5/8 x 28"	CZBCT36		8.0#
<i>"</i>	Included in standard dual frame model	12-5/8 x 34"	CZBCT42		9.0#
//./	numbers • Cable tray assembly attaches to beams	12-5/8 x 40"	CZBCT48		10.0#
	under power harness to manage cords	12-5/8 x 46"	CZBCT54		11.0#
	For use with dual-sided applications only	12-5/8 x 52"	CZBCT60		12.0#
BC .	<ul> <li>Supports hard-wired or plug-and-play applications</li> </ul>	12-5/8 x 58"	CZBCT64		13.0#
	<ul> <li>48-72" assemblies feature a single tray</li> </ul>	12-5/8 x 58"	CZBCT66		14.0#
	<ul> <li>78-96" applications feature two side-by-</li> </ul>	12-5/8 x 64"	CZBCT72		15.0#
	side trays	12-5/8 x 70"	CZBCT78		17.0#
		12-5/8 x 76"	CZBCT84		18.0#
		12-5/8 x 82"	CZBCT90		19.0#
		12-5/8 x 88"	CZBCT96		20.0#
BR	Dual Adder Leg Cable Riser     Cable riser conceals power cords at any intermediate/adder leg location     Riser consists of front and rear panels with support hook     Panels fit between vertical legs and extend the entire width of leg opening to create enclosure     For use on intermediate/adder leg in dual-sided applications only		CZBDACR		5.0#
	Provides enclosure for data wire to enter the grommet located in the bottom near the end of all beams	2-1/2 x 1-3/4 x 24-1/4*	CZBBCR		3.0#
RDPT			<b>Q</b>	3	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select powdercoat.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



### Accessories Data Cable and Cord Management

Del	livered
Pric	cing
\$	177
	181
	184
	186
	229
	230
	230
	235
	314
	328
	341
	353
\$	193
\$	130

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

### Accessories Task Lights

		MODEL NUI	MBER		
	MODEL	Basic Model	Color	Approx. Packaged Weight	
	LED Double Arm Task Light with Free-	CZBTLF		6.0#	
	standing Base Includes light and base Twatts, 18 fractional LED's Automatic shut-off after 10 hours 50,000 hour life				
	Aluminum and plastic construction				
HRDPT	<ul><li>Touch and hold dimming</li><li>Base is 6.5" in diameter and 1-1/4" high</li></ul>				
	Light paddle is approximately 5 x 4"				
	Horizontal arm extends 15" with paddle from vertical arm				
	<ul> <li>6 foot cord</li> </ul>				
	LED Double Arm Task Light, Tool Rail Mount • Includes light and tool rail mount	CZBTLT		2.0#	
\\	<ul> <li>7 watts, 18 fractional LED's</li> <li>Automatic shut-off after 10 hours</li> </ul>				
<u>, </u>	<ul> <li>Automatic shut-on after to hours</li> <li>50,000 hour life</li> </ul>				
u*	Aluminum and plastic construction				
HRDPT	<ul> <li>Touch and hold dimming</li> <li>Mounting clip measures 3.5 x 3.5"</li> </ul>				
	<ul> <li>Horizontal arm extends 15" with paddle from vertical arm</li> </ul>				
	6 foot cord				
		A	<b>B</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.

Select color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.



# Accessories Task Lights

Delivered Pricing

\$ 416

\$ 410

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

### Accessories Task Lights with Occupancy Sensors

		MODEL NUI	MBER			
	MODEL	Basic Model CZBTLOF	Color	Approx. Packaged Weight 6.0#		
	LED Double Arm Task Light with Occu- pancy Sensor and Freestanding Base					
HRDPT	<ul> <li>Includes light and base</li> <li>7 watts, 18 fractional LED's</li> <li>Automatic shut-off after 30 minutes of non-movement near light</li> <li>50,000 hour life</li> <li>Aluminum and plastic construction</li> <li>Touch and hold dimming</li> <li>Base is 6-1/5" in diameter and 1-1/4" high</li> <li>Light paddle is approximately 5 x 4"</li> <li>Horizontal arm extends 15" with paddle from vertical arm</li> <li>6 foot cord</li> </ul>					
HRDPT	LED Double Arm Task Light with Occupancy Sensor and Tool Rail Mount Includes light and tool rail mount Twatts, 18 fractional LED's Automatic shut-off after 30 minutes of non-movement near light So,000 hour life Aluminum and plastic construction Touch and hold dimming Mounting clip measures 3-1/2 x 3-1/2" Horizontal arm extends 15" with paddle from vertical arm	CZBTLOT		2.0#		
		A	<b>B</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



### Accessories Task Lights with Occupancy Sensors

Delivered Pricing

502

\$ 496

#### SPECIAL SERVICES

### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

### Accessories Light Bases

		MODEL NUMBER			
	MODEL	Basic Model	Color	Approx. Packaged Weight	
HRDPT	Freestanding Base (Retrofit or Replace- ment)	CZBTLBASE		5.0#	
HRDPT	Tool Rail Mount Base (Retrofit or Replacement)	CZBTLTOOL		1.0#	



#### **3**

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select color.

  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



## Accessories Light Bases

Deli Pric	vered
\$	91

\$ 86

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

### Accessories

#### Tool Rail Accessories

			l		
			MODEL	NUMBER	
	MODEL	W x D x H	Basic Model	Powdercoat Color	Approx. Packaged Weight
4	Paper Tray	11-3/8 x 8-7/8 x 1-5/8"	CZBPML		3.0#
	<ul><li>Steel construction</li><li>Accepts letter sized papers</li></ul>				
(· )	<ul> <li>Suspends from screen top rail or tool</li> </ul>				
	rail				
$\checkmark$					
HRDPT					
	Pencil Holder	2-1/4 X 1-5/8 X 4-3/4"	CZBPMP		0.5#
A a	<ul><li>Steel construction</li><li>Suspends from screen top rail or tool</li></ul>				
	rail				
HRDPT					
THEFT	Box	3 x 3-1/2 x 3"	CZBPMB		0.5#
1	<ul><li>Steel construction</li><li>Suspends from screen top rail or tool</li></ul>				
	rail				
$\bigvee$					
HRDPT					
НКОРТ	Cell Phone Holder	3-1/8 x 1-1/8 x 5-1/4"	CZBPMC		0.5#
R	<ul> <li>Steel construction</li> </ul>	5 1/6 X 1 1/6 X 5 1/4	OZDI WIO		U.UII
$\langle   \rangle$	<ul> <li>Suspends from screen top rail or tool rail</li> </ul>				
	· Lower edge is extended to allow for				
	angled placement				
HRDPT		5 4 10 4 4 5 10 1	0700141		0.5"
R	Name Plate Holder  • Steel construction	5-1/8 x 1 x 1-5/8"	CZBPMN		0.5#
	<ul> <li>Suspends from screen top rail or tool</li> </ul>				
	rail • Area for name is approximately 3/8 x				
HRDPT	3-3/8"				
	Name plate not supplied with holder				
			A	ß	
			•	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select powdercoat.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



#### Accessories Tool Rail Accessories

Deliv	varad
Prici	vered ing
\$	55
\$	32
\$	33
\$	31
\$	32

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #70.

### Connection Zone® Storage

General Information

#### GENERAL INFORMATION

The Connection Zone Storage offering is a collection of elements created for space efficiency within open environments. The collection consists of shared Lockers and individual Credenzas and Pedestals.

#### **CONSTRUCTION AND STANDARD FEATURES**

#### **Shared Lockers:**

Standard size and large lockers are sized to accommodate binders, bags and other personal items. A coat hook is standard and an optional fixed blank shelf (which divides the compartment vertically in two) is available for the large lockers. Large lockers are double the height of standard lockers. Both the standard and large locker shells are available in 30 & 36" widths. The standard locker is available in 3 heights: 33-1/8", 48-7/16" & 63-3/4" and large locker is available in 2 heights: 33-1/8" & 63-3/4".

#### Interior Clearance:

Single Module: 13-1/2 & 16-1/2W x 16-7/8D x 14-1/2H Double Module: 13-1/2 & 16-1/2W x 16-7/8D x 30-1/8H

#### Shell:

Connection Locker shells are formed of 18 ga, uprights, top and bottom reinforcements welded together to create a rigid box frame. The outer skin is constructed of 19 and 20 ga CRS with a seamless back detail. Lockers feature leveling glides with a 1" adjustment range. Shell is common to the 700 Series lateral storage units.

#### Partitions:

A 1-1/2" thick double wall hidden partition divides the locker shell in half running from top to bottom into which the cupboard doors lock.

#### Shelves

1" thick shelves with front and back flanges screw into the upright members of the case and center partition to create separation between modules.

#### Doors

Locker doors are single-wall construction with a structural hinge channel running the length of the door. Self-closing European style hinges with 110 degree opening provide 3 way adjustment of door to ensure consisting gapping and operation.

#### Locker Locks

There are four locking options for Connection Zone lockers: Standard Key lock

- · Requires key for operation
- Best suited for dedicated user who will not lose the key Pad lock
- · Pad lock must be supplied by user
- Best suited for extended use by either temporary or dedicated users

#### Combination lock

- Requires no physical implement to lock or unlock
- Best suited for dedicated use
- Each user sets unique code for use

#### Digital lock

- Requires battery to operate (battery lasts approximately 4 years)
- · Requires no physical implement to lock or unlock
- Well suited for regular turnover of lockers throughout day
- Each user sets unique code for use
- Master override key required to reset dead batteries; lock remains locked when battery is dead

#### Credenzas:

Connection Zone credenza shells are constructed of 18 and 20 ga steel components with 18 ga structural top and bottom reinforcements and vertical uprights. Credenzas are available in 60" & 72" widths and feature variations of open bookcase and drawer sections. Credenzas are available in heights of 17-11/16", 20-3/4" and 23-13/16."

#### Interior Configuration & Clearance:

17-11/16 high unit:

Bookcase section - 12-3/8" H x 28-1/2" & 34-1/5" W x 18"D

Drawer Section – A) 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately)

B) Qty, 2 6" box drawers that will accept plate dividers (sold separately)

#### 20-3/4" high unit:

Bookcase section – 15-7/16" H x 28-1/2" & 34-1/5" W x 18"D

Drawer Section – 3" Pencil Drawer & 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately)

#### 23-13/16" high unit:

Bookcase section - 18-1/2" H x 28-1/2" & 34-1/5" W x 18"D with 1 adjustable blank shelf

Drawer Section – 6" Drawer that will accept plate dividers (sold separately), 12" Drawer with 27 & 33 lineal inches of filing side to side. Unit standard with side to side folder bars, optional plate dividers (sold separately)

#### Drawers:

Steel and laminate drawer fronts that accept exterior pulls are available as standard. Fronts are screw-mounted to roll-out shelves to build drawers. All drawers feature smooth riding, full-extension, ball bearing slides. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls. Key lock is standard on 12" drawers.

#### Testing

Components have been tested to accept loads of 125 pounds, exceeding ANSI/BIFM X5.9 2004 standards for filing when recommended counterbalance weight is installed.

#### Partition:

A 1-1/2" thick double wall partition runs down the center of the unit dividing the bookcase section from the file section.

#### Leas

1-1/2" x 34" Steel legs with threaded insert and 16 ga top plate are bolted to the underside of the credenza raising it 3-1/16 off the floor. Adjustable leveling glides provide 1" of adjustment.

#### Pedestals:

Mobile Box/ File Pedestals 15 W  $\times$  21-3/4" are available in 3 depths, 17-5/8", 21-5/8" and 27-5/8"

#### Basic She

Twenty-gauge steel body with 20-gauge steel top and box frame front and back uprights. Uprights are notched in 3" intervals for drawer suspension mounting.

#### Drawers

Single wall metal or laminate fronts screw mount to prepainted drawer bodies and overlap the face of the unit. Box (6") Drawers operate on 2 piece ¾ extensions ball bearing suspensions, File Drawers operate on 3 piece full extension ball bearing suspensions. Pull options include ADA-compliant nickel plated loop pulls or nickel-plated rectangular pulls.

# Connection Zone® Storage General Information



## Credenzas with Elevated Bases Steel Shell and Drawers 18" High

				MODEL NUMBE	R				
				Danie.	Last	0111	D	Pull	
	MODEL	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Color	Style	
	Lateral File, Open	Lateral File Left, Open Right	60 x 18 x 17-3/4"	CZSCS60120F0					
	Features one 12" lateral file drawer and	Lateral File Left, Open Right	72 x 18 x 17-3/4"	CZSCS72120F0					
	opposite open shelf	Open Left, Lateral File Right	60 x 18 x 17-3/4"	CZSCS601200F					
	<ul><li>Steel shell and drawers</li><li>Full extension slides</li></ul>	Open Left, Lateral File Right	72 x 18 x 17-3/4"	CZSCS721200F					
	<ul> <li>Hanging file bars included for side-to-</li> </ul>	Open Leit, Lateral File Right	12 X 10 X 11-3/4	02303721200F					
CZSC	side filing  Optional pad specified separately								
6236									
		D (D ) (1 0 D) (1		0700000100000					
	Box/Box, Open • Features two 6" box drawers and op-	Box/Box Left, Open Right	60 x 18 x 17-3/4""	CZSCS60120BB0					
	posite open shelf	Box/Box Left, Open Right	72 x 18 x 17-3/4"	CZSCS72120BB0					
	Steel shell and drawers	Open Left, Box/Box Right	60 x 18 x 17-3/4"	CZSCS601200BB					
	<ul> <li>Full extension slides</li> </ul>	Open Left, Box/Box Right	72 x 18 x 17-3/4"	CZSCS721200BB					
	Optional pad specified separately     Non locking								
CZSC	<ul> <li>Non-locking</li> </ul>								
				A	ß	0	0	<b>(3</b> )	
				•	•	9	Ð	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select lock option.

KS	<ul> <li>Key standard</li> </ul>
NLC	- No lock core
KA	- Key alike

- Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select drawer powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select pull style.

0.00t p	an orgion
CZP	- Connection Zone Pull
IISP	- II-Series Pull



# Credenzas with Elevated Bases Steel Shell and Drawers 18" High

Annrox		
Annrox		
Packag	ed	Delivered
Approx Packag Weight	-	Pricing
143.0		\$ 1400
163.0	#	1446
143.0	#	1400
163.0	#	1446
158.0	#	\$ 1644
181.0		1707
158.0		1644
181.0		1707
101.0	ır	1707

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## Credenzas with Elevated Bases Steel Shell and Drawers 21" High

			MODEL NUMBE	R				
	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style	
	Pencil/Lateral File Left, Open with Adjustable Shelf Right	60 x 18 x 20-3/4"	CZSCS60150PF0					
	Pencil/Lateral File Left, Open with Adjustable Shelf Right	72 x 18 x 20-3/4"	CZSCS72150PF0					
	Open with Adjustable Shelf Left, Pencil/Lateral File Right	60 x 18 x 20-3/4"	CZSCS601500PF					
	Open with Adjustable Shelf Left, Pencil/Lateral File Right	72 x 18 x 20-3/4"	CZSCS721500PF					
CZSC								
Pencil/Lateral File, Open								
<ul> <li>Features upper 3" pencil drawer, lower 12" lateral file and opposite open with adjustable shelf</li> </ul>								
Steel shell and drawers								
Full extension slides								
<ul> <li>Hanging file bars included for side- to-side filing</li> </ul>								
Optional pad specified separately								
			A	<b>3</b>	0	0	<b>(3</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER** A Select basic model. **B**Select lock option. KS NLC - Key standard - No lock core - Key alike Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. • Select drawer powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select pull style. CZP USP - Connection Zone Pull - U-Series Pull



Steel Shell and Drawers 21" High

171.0# \$ 1627 193.0# 1702 171.0# 1627 193.0# 1702	Approx. Packaged Weight	Delivered Pricing	
171.0# 1627	171.0#	\$ 1627	
	193.0#	1702	
193.0# 1702	171.0#	1627	
	193.0#	1702	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## Credenzas with Elevated Bases Steel Shell and Drawers 24" High

			MODEL NUMBER				
	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Color	Pull Style
	Box/Lateral File Left, Open with Adjustable Shelf Right	60 x 18 x 23-7/8"	CZSCS60180BF0				
	Box/Lateral File Left, Open with Adjustable Shelf Right	72 x 18 x 23-7/8"	CZSCS72180BF0				
	Open with Adjustable Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	CZSCS601800BF				
	Open with Adjustable Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	CZSCS721800BF				
SC							
x/Lateral File, Open with Adjustable elf							
Features upper 6" box drawer, lower							
12" lateral file and opposite open with adjustable shelf							
Steel shell and drawers							
Full extension slides							
Hanging file bars included for side- to-side filing							
Optional pad specified separately							
			A	<b>B</b>	•	0	<b>(3</b>

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### A Select basic model. **B**Select lock option. - Key standard KS NLC - No lock core - Key alike Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. • Select drawer powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select pull style. CZP - Connection Zone Pull - U-Series Pull

HOW TO BUILD A MODEL NUMBER



Steel Shell and Drawers 24" High

Weight Pricing  175.0# \$ 1692  199.0# 1769  175.0# 1692  199.0# 1769	Approx. Packaged	Delivered	
199.0# 1769 175.0# 1692	Weight		
175.0# 1692	175.0#	\$ 1692	
	199.0#	1769	
199.0# 1769	175.0#	1692	
	199.0#	1769	

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Steel Shell, Laminate Front 18" High

			MODEL NUMBE	MODEL NUMBER					
									Approx.
	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Laminate	Edge Color	Pull Style	Packaged Weight
	Lateral File Left, Open Right	60 x 18 x 17-5/8"	CZSCL60120F0						149.0#
	Lateral File Left, Open Right	72 x 18 x 17-5/8"	CZSCL72120F0						172.0#
	Open Left, Lateral File Right	60 x 18 x 17-5/8"	CZSCL601200F						149.0#
	Open Left, Lateral File Right	72 x 18 x 17-5/8"	CZSCL721200F						172.0#
	opon zon, zatorar mo mgm	72 / 10 / 11 0/0	02002727200						11210#
CZSC									
Lateral File, Open									
Features one 12" lateral file drawer									
Features one 12" lateral file drawer and opposite open shelf									
Steel shell; laminate drawer front									
<ul> <li>Full extension slides</li> <li>Hanging file bars included for side-</li> </ul>									
to-side filing									
<ul> <li>Optional pad specified separately</li> </ul>									
Laminate drawers feature pattern-									
matched poly edging									
	Box/Box Left, Open Right	60 x 18 x 17-5/8"	CZSCL60120BB0						165.0#
	Box/Box Left, Open Right	72 x 18 x 17-5/8"	CZSCL72120BB0						188.0#
	Open Left, Box/Box Right	60 x 18 x 17-5/8"	CZSCL601200BB						165.0#
	Open Left, Box/Box Right	72 x 18 x 17-5/8"	CZSCL721200BB						188.0#
DZSC									
Box/Box, Open									
Features two 6" box drawers and									
opposite open shelf  Steel shell; laminate drawer front									
Full extension slides									
Optional pad specified separately									
<ul> <li>Laminate drawers feature pattern- matched poly edging</li> </ul>									
Non-locking									
-									1
			A	₿	$oldsymbol{\Theta}$	<b>O</b>	<b>(3</b> )	<b>(3</b> )	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect lock option.

- Key standard KS NLC - No lock core - Key alike

- Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- DSelect drawer laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select pull style.

CZP - Connection Zone Pull - U-Series Pull

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime.



## Credenzas with Elevated Bases Steel Shell, Laminate Front 18" High

D	elivered
P	ricing
\$	1532
	1578
	1532
	1578
\$	1876
	1939
	1876
	1939

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Steel Shell, Laminate Front 21" High

			MODEL NUMBE	R					
	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Lam	Edge Color	Pull Style	
	Pencil/Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 20-7/8"	CZSCL60150PF0						
	Pencil/Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 20-7/8"	CZSCL72150PF0						
	Open w/Adjustable Shelf Left, Pencil/Lateral File Right	60 x 18 x 20-7/8"	CZSCL601500PF						
	Open w/Adjustable Shelf Left, Pencil/Lateral File Right	72 x 18 x 20-7/8"	CZSCL721500PF						
CZSC									
Pencil/Lateral File, Open									
Features upper 3" pencil drawer,									
lower 12" lateral file and opposite open with adjustable shelf									
Steel shell; laminate drawer front									
<ul> <li>Full extension slides</li> </ul>									
<ul> <li>Hanging file bars included for side- to-side filing</li> </ul>									
Optional pad specified separately									
<ul> <li>Laminate drawers feature pattern-</li> </ul>									
matched poly edging									
			A	<b>3</b>	•	O	<b>3</b>	<b>(3</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect lock option

OUICUL IUUN	
KS	- Key standard
NLC	- No lock core
KΔ	- Kov aliko

- Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select drawer laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select pull style.

CZP - Connection Zone Pull - U-Series Pull

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Steel Shell, Laminate Front 21" High

Approx. Packaged Weight	Delivered Pricing	
180.0#	\$ 1875	
203.0#	1936	
180.0#	1875	
203.0#	1936	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Steel Shell, Laminate Front 24" High

			MODEL NUMBE	:R					
	Features	WxDxH	Basic Model	Lock Option	Shell Color	Drawer Laminate	Edge Color	Pull Style	
	Box/Lateral File Left, Open w/Adjustable Shelf Right	60 x 18 x 23-7/8"	CZSCL60180BF0						
	Box/Lateral File Left, Open w/Adjustable Shelf Right	72 x 18 x 23-7/8"	CZSCL72180BF0						
	Open w/Adjustable Shelf Left, Box/Lateral File Right	60 x 18 x 23-7/8"	CZSCL601800BF						
	Open w/Adjustable Shelf Left, Box/Lateral File Right	72 x 18 x 23-7/8"	CZSCL721800BF						
CZSC									
Box/Lateral File, Open with Adjustable Shelf									
Features upper 6" box drawer, lower									
12" lateral file and opposite open with adjustable shelf									
Steel shell; laminate drawer front									
Full extension slides									
<ul> <li>Hanging file bars included for side- to-side filing</li> </ul>									
Optional pad specified separately									
Laminate drawers feature pattern-									
matched poly edging									
			A	<b>B</b>	•	O	<b>(3</b>	•	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect lock option.

KS	- Key standard
NLC	- No lock core
KA	- Key alike

- Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select drawer laminate. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select pull style.

CZP - Connection Zone Pull USP - U-Series Pull

#### FINISH INFORMATION

#### **Additional Laminate Offering**

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Steel Shell, Laminate Front 24" High

Approx. Packaged Weight	Delivered Pricing	
185.0#	\$ 1940	
210.0#	2003	
185.0#	1940	
210.0#	2003	

#### SPECIAL SERVICES

#### **Special Carton Marking**


With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## Credenza Tops



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of
   indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **3** Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



## Credenza Tops

Del Prio	livered cing	
\$	337	
	390	
\$	495	
	538	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

### Credenza Pads

			MODEL NU	MODEL NUMBER			
	MODEL	W x D x H	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	
Control of the Contro	Credenza Pads	30 x 18 x 1-1/8"	CZSCP3018		7.5#	\$ 119	
	<ul> <li>Foam and medium density fiberboard construction</li> </ul>	36 x 18 x 1-1/8"	CZSCP3618		9.0#	128	
	Non-skid pads on underside						
;	•						
CZSP							
			A	<b>B</b>			

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select upholstery grade and color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



### Credenza Pads

Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 131	\$ 133	\$ 133	\$ 145	\$ 156	\$ 156	\$ 169
143	145	147	158	171	172	187

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

### Personal Lockers

Standard Size - All Doors

			MODEL NUMB	ER					
								Approx.	
			Basic	Lock	Shell	Door	Pull	Packaged	
	Features	WxDxH	Model	Option	Color	Color	Style	Weight	
$\widehat{}$	Standard Personal Lockers 2 X 2	30 x 18 x 33-1/8"	CZSLKSTD3030					122.0#	
	Standard Personal Lockers 2 X 3	30 x 18 x 48-7/16"	CZSLKSTD3045					163.0#	
	Standard Personal Lockers 2 X 4	30 x 18 x 63-3/4"	CZSLKSTD3060					205.0#	
1 1									
CZLK									
30" Wide									
Steel construction with steel doors									
<ul> <li>Shell and door finishes are specified independently</li> </ul>									
Standard doors are 15" high									
<ul> <li>Individual doors are 14" wide on 30"</li> </ul>									
models <ul><li>4 locking options are offered</li></ul>									
4 locking options are offered	0		07011/0770000					400.0%	
	Standard Personal Lockers 2 X 2	36 x 18 x 33-1/8"	CZSLKSTD3630					132.0#	
	Standard Personal Lockers 2 X 3	36 x 18 x 48-7/16"	CZSLKSTD3645					178.0#	
	Standard Personal Lockers 2 X 4	36 x 18 x 63-3/4"	CZSLKSTD3660					223.0#	
0711/									
CZLK 36" Wide									
<ul><li>Steel construction with steel doors</li><li>Shell and door finishes are specified</li></ul>									
independently									
<ul> <li>Standard doors are 15" high</li> </ul>									
Individual doors are 17" wide on 36"  models.									
models <ul><li>4 locking options are offered</li></ul>									
			A	$oldsymbol{\Theta}$	Θ	O	<b>(3</b> )		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect lock option.

SLCK PLCK - Standard lock - Padlock CLCK - Combination lock DLCK - Digital lock

Select shell powdercoat.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select door powdercoat.

Select pull style.

CZP - Connection Zone Pull

LSpriag Pull - U-Series Pull

Pull Style pick is only available when standard lock has been selected.



## Personal Lockers Standard Size - All Doors

Standard Lock	Padlock	Combination Lock	Digital Lock	
\$ 1416	\$ 1508	\$ 2005	\$ 2501	
1959	2096	2842	3586	
2530	2713	3706	4700	

\$ 1485	\$ 1	578	\$ 2074	\$ 2571
2055	2	193	2939	3683
2658	2	1842	3835	4828

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

### Personal Lockers

Standard Size with Lower Drawer

			MODEL NUMBE	R				
								Approx.
			Basic	Lock	Shell	Door	Pull	Packaged
	Features	WxDxH	Model	Option	Color	Color	Style	Weight
	Standard Lockers, Bottom Drawers 2 X 2	30 x 18 x 33-1/8"	CZSLKSTDD3030					146.0#
	Standard Lockers, Bottom Drawers 2 X 3	30 x 18 x 48-7/16"	CZSLKSTDD3045					187.0#
	Standard Lockers, Bottom Drawers 2 X 4	30 x 18 x 63-3/4"	CZSLKSTDD3060					229.0#
1 1								
CZLK								
30" Wide with Lower Drawer								
Steel construction with steel doors								
<ul> <li>Lowest lockers feature sliding draw-</li> </ul>								
ers								
<ul> <li>Shell and door/drawer finishes are specified independently</li> </ul>								
<ul> <li>Standard doors/drawers are 15" high</li> </ul>								
Individual doors are 14" wide on 30"								
models <ul><li>4 locking options are offered</li></ul>								
	Standard Lockers, Bottom Drawers 2 X 2	36 x 18 x 33-1/8"	CZSLKSTDD3630					159.0#
	Standard Lockers, Bottom Drawers 2 X 3	36 x 18 x 48-7/16"	CZSLKSTDD3645					204.0#
	Standard Lockers, Bottom Drawers 2 X 4	36 x 18 x 63-3/4"	CZSLKSTDD3660					249.0#
H								
CZLK								
36" Wide with Lower Drawer								
Steel construction with steel doors								
<ul> <li>Lowest lockers feature sliding drawers</li> </ul>								
Shell and door/drawer finishes are								
specified independently								
<ul> <li>Standard doors/drawers are 15" high</li> <li>Individual doors are 17" wide on 36"</li> </ul>								
models								
4 locking options are offered								
					_			1
			A	ß	Θ	0	<b>9</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect lock option.

SLCK - Standard lock
PLCK - Padlock - Combination lock CLCK DLCK - Digital lock

© Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select door powdercoat.

Select pull style.

CZP - Connection Zone Pull

USP - U-Series Pull

Pull Style pick is only available when standard lock has been selected.



## Personal Lockers Standard Size with Lower Drawer

	Combin ck Lock	ation Digital Lock	
2157 2	707 \$ 220	2 \$ 2700	
	295 303	9 3785	
2727 2	910 390	5 4897	

\$ 1	683 \$	1775	\$ 2272	\$ 2768
2	254	2392	3136	3882
2	2856	3039	4033	5026

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## Personal Lockers Large Size - All Doors

			MODEL NUMB	ER			
			Basic	Lock	Shell	Door	Pull
MODEL	Features	WxDxH	Model	Option	Color	Color	Style
30" Wide	Large Personal Lockers 2 X 1	30 x 18 x 33-1/8"	CZSLKLRG3030				
Steel construction with steel doors  Ohalf and door finished are a second finished.	Large Personal Lockers 2 X 2	30 x 18 x 63-3/4"	CZSLKLRG3060				
• Shell and door finishes are specified independently							
Large doors are 30" high							
• Individual doors are 14" wide on 30"							
models <ul> <li>4 locking options are offered</li> </ul>							
Includes one coat hook in each locker							
CZLK • Accepts one centered shelf, specified							
separately							
36" Wide	Large Personal Lockers 2 X 1	36 x 18 x 33-1/8"	CZSLKLRG3630				
Steel construction with steel doors     Shell and door finishes are specified	Large Personal Lockers 2 X 2	36 x 18 x 63-3/4"	CZSLKLRG3660				
independently							
Large doors are 30" high							
• Individual doors are 17" wide on 36" models							
4 locking options are offered							
<ul> <li>Includes one coat hook in each locker</li> </ul>							
CZLK • Accepts one centered shelf, specified separately							
Senaratety							
ooparato.y							

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- BSelect lock option.

SLCK - Standard lock
PLCK - Padlock - Combination lock CLCK DLCK - Digital lock

- © Select shell powdercoat. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select door powdercoat.

Select pull style.

CZP - Connection Zone Pull

USP - U-Series Pull Pull Style pick is only available when standard lock has been selected.



## Personal Lockers Large Size - All Doors

Approx. Packaged Weight	Sta	andard ck	ı	adlock	ombination ock	Digi	ital ck	
98.0#	\$	1196	;	1241	\$ 1490	\$	1739	
185.0#		2092		2184	2681		3177	
108.0#	\$	1255		1302	\$ 1549		1798	
200.0#		2198		2290	2786		3283	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## Locker Accessories Large Locker Fixed Shelves

			MODEL NUI	MBER		
	MODEL	WxDxH	Basic Model	Shelf Color	Approx. Packaged Weight	
	Large Locker Fixed Shelves	13-1/2 x 15-7/8 x 7/8"	CZLK30FS		5.0#	
	For use with large lockers only	16-1/2 x 15-7/8 x 7/8"	CZLK36FS		6.0#	
CZAC						
			A	<b>B</b>		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select shelf color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



## Locker Accessories Large Locker Fixed Shelves

Delivered Pricing

74

83

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

### Pedestals

			MODEL NUM	BER					
			Basic	Shell	Drawer	Drawer	Edge	Lock	Pull
	MODEL	WxDxH	Model	Color	Color	Laminate	Color	Option	Style
	Steel Shell and Drawer	15 X 17-5/8 X 21-3/4"	CZPDS20MBF						
	<ul> <li>Upper box drawer, lower file</li> <li>5th wheel eliminates need for counter-</li> </ul>	15 x 21-5/8 x 21-3/4"	CZPDS24MBF						
	balance weight	15 x 27-5/8 x 21-3/4"	CZPDS30MBF						
	<ul> <li>Steel shell and steel fronts</li> </ul>								
	Optional dividers specified separately								
	<ul> <li>Optional pad specified separately</li> </ul>								
ZPD									
	Steel Shell, Laminate Front	15 x 17-5/8 x 21-3/4"	CZPDL20MBF						
	<ul> <li>Upper box drawer, lower file</li> <li>5th wheel eliminates need for counter-</li> </ul>	15 x 21-5/8 x 21-3/4"	CZPDL24MBF						
	balance weight	15 x 27-5/8 x 21-3/4"	CZPDL30MBF						
	Steel shell with laminate drawer fronts								
	Optional dividers specified separately     Optional and appointed separately								
	<ul> <li>Optional pad specified separately</li> </ul>								
ZPD									
			A	<b>3</b>	•	O	<b>(3</b>	<b>(3</b>	<b>(</b>

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select shell color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select drawer color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select drawer laminate.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option.

001001 10	on option.
KS	- Key standard
NLC	- No lock core
KA	- Key alike

Select pull style.

CZP - Con
USP - U-S

- Connection Zone Pull - U-Series Pull



## Pedestals

Approx. Packaged Weight	De Pr	elivered icing	
51.0#	\$	364	
54.0#		388	
66.0#		429	
48.0#	\$	544	
51.0#		568	
63.0#		609	

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

## Pedestals

			MODEL NU	MBER				
	MODEL	W x D	Basic Model	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.		
	Pedestal Pads	15 x 17-5/8"	CZSPP1520		4.0#	\$ 89		
	Foam and medium density fiberboard	15 x 21-5/8"	CZSPP1524		5.0#	101		
	<ul><li>construction</li><li>Non-slip pads on underside</li></ul>	15 x 27-5/8"	CZSPP1530		6.0#	109		
i.								
CZSP								
			A	<b>B</b>				

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select upholstery grade and color.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.



### Pedestals Pads

\$ 96 \$ 97 \$ 95 \$ 106 \$ 114 \$ 114 \$ 123 114 116 120 131 144 145 158 123 125 128 139 152 153 168	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	\$ 96	\$ 97	\$ 95	\$ 106	\$ 114	\$ 114	\$ 123
123 125 128 139 152 153 168	114	116	120	131	144	145	158
	123	125	128	139	152	153	168

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #100.

### Connection Zone® Mobile Screens


General Information







Grid pattern Printed surface



Solid white Unprinted surface



Translucent crystal Unprinted surface

Connection Zone® Screens, as part of the Connection Zone® Collection, offer freestanding mobile collaboration and space division. Mobile screens feature steel frames and acrylic inserts, either printed or unprinted, with dry-erase coating. All Connection Zone® Screen models meet or exceed relevant ANSI/BIFMA X5.6-2010/ BIFMA 5.9-2012 standards, available upon request.

### CONSTRUCTION AND STANDARD FEATURES

#### Frame Construction

Mobile frames are constructed of steel tube supports. Tubes are shaped and joined to create a screen with interior storage compartments. Frame is fully coated with dry-erase powdercoat paint, allowing marker writability on all painted surfaces. Frames support the attachment of acrylic sheets for the creation of a two-sided complete screen, and frame design allows for physical connection of one screen to another. Frames

feature 2 steel formed hooks for attachment of flip chart pads.

Screens available in heights of 72" and 80", and in widths of 36" and 42". Screen floor space depth is 22-1/2".

#### **Acrylic Inserts**

One-quarter inch thick acrylic sheets are captured on either side of steel frame. Acrylic features dry-erase coating on userfacing side of each sheet for full surface writability.

Inserts may be specified in either unprinted or printed styles. See images above and pricelist for available options. Other print patterns and customization are available through KI Custom Options, subject to additional lead time and set up charges.

#### Casters

Casters feature 4" black swivel twin wheels, and are plate-mounted.

#### Ledge

An optional steel accessory shelf ledge is available allowing for placement of foam board or other presentation materials at the bottom of the unit.

# Connection Zone® Mobile Screens



## Connection Zone® Mobile Screens Mobile Screens - Printed Acrylic

		NOM					
	MODEL	WxHxD	Basic Model	Print Pattern	Paint Color	Approx. Packaged Weight	
	Printed Acrylic Surface Screen Acrylic insert with dry-erase coating Gradient and grid print patterns allow graduated translucency and permeation of light Includes storage tray and ganging hardware Black casters	36 x 72 X 22-1/2"	CZMSAP3672			104.0#	
		42 x 72 X 22-1/2"	CZMSAP4272			128.0#	
		42 x 80 X 22-1/2"	CZMSAP4280			142.0#	
CZMS							
			A	<b>B</b>	•		

#### **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\square$  indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

Select acrylic type.

AGRA - Gradient Pattern

AGRD - Grid Pattern

Select paint color.

SLDE - Silver Dry-Erase
WHDE - White Dry-Erase
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Connection Zone® Mobile Screens Mobile Screens - Printed Acrylic

Delivered Pricing

\$ 4674

4674

4674

# SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

# Connection Zone® Mobile Screens Mobile Screens - Unprinted Acrylic

			MODEL NUM	BER		
	MODEL	WxHxD	Basic Model	Print Pattern	Paint Color	Approx. Packaged Weight
	Unprinted Acrylic Surface Screen	36 x 72 X 22-1/2"				104.0#
	<ul> <li>Acrylic does not feature any print pattern</li> </ul>	42 x 72 X 22-1/2"				128.0#
	Includes storage tray and ganging	42 x 80 X 22-1/2"	CZMSAS4280			142.0#
	hardware					
/ //	Black casters					
& M						
CZMS						
			A	<b>B</b>	Θ	

# **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of  $\hfill\Box$  indicate that no other alternatives are available.

# **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.

Select acrylic type.

CRYS - Translucent crystal
WHTE - Solid white

Select paint color.

SLEE - Silver Dry-Erase
WHDE - White Dry-Erase
WHOE - White Dry-Erase
Reference 0 Finished binder KI Fabrics & Finishes binder.



# Connection Zone® Mobile Screens Mobile Screens - Unprinted Acrylic

Delivered
Pricing

\$ 4161

4161

4161

# SPECIAL SERVICES

# **Special Carton Marking**

With specially marked information


N/C

## Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

# Connection Zone® Mobile Screens



## **HOW TO ORDER**

Indicate the following information on order form:

- Quantity of each item.
   Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- · Alpha-numeric characters in place of  $\square$  indicate that no other alternatives are available.

# HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

SLDE - Silver Dry-Erase
WHDE - White Dry-Erase Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



# Connection Zone® Mobile Screens

Delivered Pricing

39

42

# SPECIAL SERVICES

## **Special Carton Marking**

With specially marked information

N/C

## Shipping

Shipped k.d. freight prepaid f.o.b. Manitowoc, Wisconsin 54220 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

# Connection Zone® Privacy Booth

General Information

Connection Zone Privacy Booths create the perfect getaway in a bustling environment. Their interesting design encourages use and allows visibility while clearly communicating that privacy is desired.

#### **CONSTRUCTION:**

#### Frame

25 mm slim tubular, contoured board base features internal and external sound-reducing treatment for visual and acoustic privacy. Exterior of unit is fully upholstered in a variety of finish options, with twin stitch detail and piping.

#### Base

Swivel base is constructed of steel and features soft running casters.

### Suspension—Seat and Back

The seat and back are sprung with stretch webbing stapled into position onto a circular CNC timber base.

#### **Seat and Back**

Seat cushion is formed from dual-density CMHR foam.

#### Upholstery

Outer booth is upholstered in Blazer or Pallas Sheepish as standard.

Inner booth is upholstered in Blazer Quilt Hourglass as standard.


Seat back and cushion may be upholstered in a variety of approved KI and Pallas fabrics. Refer to approved listing for details.

Fire rated and moisture barrier options may be available at an upcharge. Contact plant for details.

# Connection Zone® Privacy Booth General Information



# Connection Zone® Privacy Booth



### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
   "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of

   indicate that no other alternatives are available.

### **HOW TO BUILD A MODEL NUMBER**

- A Select basic model.
- **B**Select seat and back cushions fabric, contrast 1.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select outer booth fabric, contrast 2.

Outer booth is upholstered in Blazer or Sheepish as standard.

Refer to color addendum at ki.com or Kl

Fabrics & Finishes binder.

Select inner booth fabric, contrast 3.
Inner booth is upholstered in Blazer Quilt Hourglass.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select kick panel.

KP - Kick panel; add \$82
NKP - No kick panel

- Select kick panel fabric, contrast 4.
  Only select if kick panel is selected.
  Refer to color addendum at ki.com or
  KI Fabrics & Finishes binder.
- **G**Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier
See pricing column for moisture barrier upcharge.
Note: Moisture barrier available on seat and back only.



# Connection Zone® Privacy Booth

Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
143.0#	\$ 4464	\$ 4540	\$ 4559	\$ 4585	\$ 4600	\$ 4633	\$ 4665	\$ 4706	\$ 4786	\$ 4867	\$ 4948	\$ 5109	\$ 180

# INFORMATION

#### C.O.M. Requirements

C.O.M. yardage requirements listed above are based on plain goods 54" wide. If less than 54" wide or fabrics requiring matching (stripes, plaids, prints, large patterns), additional yardage will be needed. Consult C.O.M. matrix on the Ordering C.O.M. and C.O.L. page for additional yardage needed. For C.O.M. fabric sent to KI-High Point on multiple rolls, add an additional yard of fabric per roll to the yardage requirements.

#### C.O.L. Requirements

Figure 18 sq. ft. of leather (C.O.L.) for each yard shown (i.e., 4.75 x 18 = 85.5 sq. ft.).

## **Contrasting Upholstery**

When contrasting fabric is chosen, price at highest in-grade.

#### Minimum Fabric/Leather Quantity

Minimum order for fabric is 1 yard. Minimum order for leather is 1 hide (approxi-

mately 50 sq. ft).

#### California TB133 Fire Safety Code

The above seating products can be manufactured as a Special Cost Request using the appropriate flame-retardant materials and fabric selections for compliance to California Technical Bulletin 133. Please contact KI customer service for fabric compliance. Not available with moisture barrier

### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

N/C

#### Shipping

Shipped assembled freight prepaid f.o.b. High Point, North Carolina 27263 factory. Freight class #175.

Specifications and prices are subject to change without prior notice.

Model No.	Description	Page	Model No.	Description	Page
46.2880.1.BL	Receptacles and Infeeds: 15-Amp Duplex Receptacle			faces: 48" Dual-Sided Standalone/Starter Telescopic	
	for Raceway Use: 6 Circuit	90		Beam Frame	64
AC8IF.108	Activ8® Infeed	94	CZBDS483642/S	Supports Two 24" Deep Back-to-Back Sliding	
AC8JP.29	Activ8® Jumper	98		Worksurfaces: 48" Dual-Sided Standalone/Starter	
AC8PUM.7	Activ8® Power-Up Module	96		Telescopic Beam Frame	66
AC8RPTCZB.12	Activ8® Module and Attachment Bracket	94	CZBDS603642/F	Supports Two 30" Deep Back-to-Back Fixed Worksur-	
AC8VMC.7	Activ8® Villa Power Module with Metal Cover	96		faces: 60" Dual-Sided Standalone/Starter Telescopic	
AC8VMN.7	Activ8® Villa Power Module without Cover	96		Beam Frame	68
CZBBCR	Data Cable and Cord Management: Data Floor Infeed	136	CZBDS603642/S		
CZBCT36	Data Cable and Cord Management: Cable Tray Assemblies	136		Worksurfaces: 60" Dual-Sided Standalone/Starter	
CZBDA483642/F	The state of the s			Telescopic Beam Frame	70
	faces: 48" Dual-Sided Adder Telescopic Beam Frame	64	CZBDSA2413/1	13 or 19" High with Framed Acrylic Insert: Single,	
CZBDA483642/S	Supports Two 24" Deep Back-to-Back Sliding Work-	00		Uninterrupted Screen Length	122
0700400040/5	surfaces: 48" Dual-Sided Adder Telescopic Beam Frame	66	CZBDSA6013/1	13 or 19" High with Framed Acrylic Insert for Use on	
CZBDA603642/F	Supports Two 30" Deep Back-to-Back Fixed Worksur-	00		Perpendicular Worksurfaces: Single, Uninterrupted	
0700400040/0	faces: 60" Dual-Sided Adder Telescopic Beam Frame	68		Screen Length	124
CZBDA603642/S	11 0	70	CZBDSAT2413/1	3	
0700400	surfaces: 60" Dual-Sided Adder Telescopic Beam Frame	70		Insert: Single, Uninterrupted Screen Length	130
CZBDACR	Data Cable and Cord Management: Dual Adder Leg	400	CZBDSAT6013/1	3	
0700045400040	Cable Riser	136		sert for Use on Perpendicular Worksurfaces: Single,	
CZBDS1E483642				Uninterrupted Screen Length	132
	Supports Two 24" Deep Back-to-Back Fixed Worksur-		CZBDSF2413/1	13, 19" or 31" High with Framed Fabric Insert: Single,	
	faces: 48" Dual-Sided Standalone/Starter Telescopic Beam Frame with Attachment Brackets for One		0700000000	Uninterrupted Screen Length	106
		70	CZBDSF6013/1	13 or 19" High with Framed Fabric Insert for Use on	
CZBDS1E483642	Conference End Worksurface	72		Perpendicular Worksurfaces: Single, Uninterrupted	400
UZDD31E403042			070005704404	Screen Length	108
	Supports Two 24" Deep Back-to-Back Sliding Worksurfaces: 48" Dual-Sided Standalone/Starter		CZBDSFT2413/1	9	444
	Telescopic Beam Frame with Attachment Brackets for		0700057004044	Insert: Single, Uninterrupted Screen Length	114
	One Conference End Worksurface	76	CZBDSFT6013/1	13 or 19" High with Tool Rail and Framed Fabric In-	
CZBDS1E603642		70		sert for Use on Perpendicular Worksurfaces: Single,	110
0ZDD31L003042	Supports Two 30" Deep Back-To-Back Fixed Worksur-		07051000	Uninterrupted Screen Length	116
	faces: 60" Dual-Sided Standalone/Starter Telescopic		CZBE1D60	Wire Harnesses for Single Sided Applications: Electri-	0000
	Beam Frame with Attachment Brackets for One		CZBE1D60HW	cal Assembly; Single-Sided Applications with Double Harne	8882
	Conference End Worksurface	74	CZDETDOURW	Wire Harnesses for Single Sided Hardwired Applica-	
CZBDS1E603642		74		tions: Electrical Assembly; Single-Sided Hardwired Applications with Four Cutouts	86
0200012000042	Supports Two 30" Deep Back-To-Back Sliding		CZBE1S30	Wire Harnesses for Single Sided Applications: Electri-	00
	Worksurfaces: 60" Dual-Sided Standalone/Starter		02DL1000	cal Assembly; Single-Sided Applications with Single Harnes	00
	Telescopic Beam Frame with Attachement Brackets		CZBE1S30HW	Wire Harnesses for Single Sided Hardwired Applica-	5 02
	for One Conference End Worksurface	78	OZDL 133011W	tions: Electrical Assembly; Single-Sided Hardwired	
CZBDS2E483642		70		Applications with Two Cutouts	86
0	Supports Two 24" Deep Back-to-Back Fixed Worksur-		CZBE2D60	Wire Harnesses for Dual-Sided Applications: Electri-	00
	faces: 48" Dual-Sided Standalone/Starter Telescopic		OZDLZDOO	cal Assembly; Dual-Sided Applications with Double Harness	8.4
	Beam Frame with Attachement Brackets for Two		CZBE2D60HW	Wire Harnesses for Dual-Sided Hardwired Applica-	. 01
	Conference End Worksurfaces	72	OZBEZBOOTIW	tions: Electrical Assembly; Dual-Sided Hardwired	
CZBDS2E483642	2/S			Applications with Four Cutouts Per Side	88
	Supports Two 24" Deep Back-to-Back Sliding		CZBE2S36HW	Wire Harnesses for Dual-Sided Hardwired Applica-	
	Worksurfaces: 48" Dual-Sided Standalone/Starter		02222000	tions: Electrical Assembly; Dual-Sided Hardwired	
	Telescopic Beam Frame with Attachment Brackets for			Applications with Two Cutouts Per Side	88
	Two Conference End Worksurfaces	76	CZBE2S48	Wire Harnesses for Dual-Sided Applications: Electri-	
CZBDS2E603642	2/F			cal Assembly; Dual-Sided Applications with Single Harness	84
	Supports Two 30" Deep Back-To-Back Fixed Worksur-		CZBFF	Receptacles and Infeeds: Floor Infeed 10-Wire	90
	faces: 60" Dual-Sided Standalone/Starter Telescopic		CZBJP.TJ	Jumpers: Electrical Worksurface-to-Worksurface Jumpers	92
	Beam Frame with Attachement Brackets for Two		CZBLC48	Perpendicular Conference End Support Frame	80
	Conference End Worksurfaces	74	CZBLP	Post Leg Support	62
CZBDS2E603642	2/S		CZBLS24	Single Side Support Frame	62
	Supports Two 30" Deep Back-To-Back Sliding		CZBLS48	Perpendicular Support Frame	80
	Worksurfaces: 60" Dual-Sided Standalone/Starter		CZBMP24	Steel Modesty Panel: Steel Modesty Panel	134
	Telescopic Beam Frame with Attachement Brackets		CZBPMB	Tool Rail Accessories: Box	144
	for Two Conference End Worksurfaces	78	CZBPMC	Tool Rail Accessories: Cell Phone Holder	144
CZBDS483642/F	Supports Two 24" Deep Back-to-Back Fixed Worksur-		CZBPML	Tool Rail Accessories: Paper Tray	144
				•	



Model No.	Description	Page	Model No. Description Page
CZBPMN	Tool Rail Accessories: Name Plate Holder	144	CZBSS1E243642/F
CZBPININ	Tool Rail Accessories: Name Plate Holder  Tool Rail Accessories: Pencil Holder	144	Supports Single Sided 24" Deep Fixed Worksurfaces:
CZBPSA2413/1	13" High with Framed Acrylic Insert: Single, Uninter-	144	Conference End One Side 58
0251 0/12 110/1	rupted Screen Length	118	CZBSS243642/F Supports Single Sided 24" Deep Fixed Worksurfaces:
CZBPSA2419/1	19" High with Framed Acrylic Insert: Single, Uninter-		24" Single-Sided Standalone/Starter Frame 56
	rupted Screen Length	120	CZBSS2E243642/F
CZBPSA6013/2	13" High with Framed Acrylic Insert: 13" with Center		Supports Single Sided 24" Deep Fixed Worksurfaces:
	Intersection	118	Conference End Two Sides 58
CZBPSA6019/2	19" High with Framed Acrylic Insert: 19" with Center		CZBSS303642/F Supports Single Sided 30" Deep Fixed Worksurfaces:
	Intersection	120	30" Single-Sided Standalone/Starter Telescopic Beam Frame 60
CZBPSA9013/3	13" High with Framed Acrylic Insert: 13" with Two		CZBTF1L Receptacles and Infeeds: Overhead Infeed 10-Wire
	Intersections	118	for Single-Sided Applications 90
CZBPSA9019/3	19" High with Framed Acrylic Insert: 19" with Two		CZBTF2 Receptacles and Infeeds: Overhead Infeed 10-Wire
0700047044044	Intersections	120	for Dual-Sided Applications 90
CZBPSAT2413/1	3	100	CZBTLBASE Light Bases: Freestanding Base (Retrofit or Replacement) 142
070004104404	Single, Uninterrupted Screen Length	126	CZBTLF Task Lights: LED Double Arm Task Light with Free-
CZBPSAT2419/1	· ·	100	standing Base 138
C7DDC AT6012/2	Single, Uninterrupted Screen Length	128	CZBTLOF Task Lights with Occupancy Sensors: LED Double
02DP3A10013/2	13" High with Tool Rail and Framed Acrylic Insert: 13" with Center Intersection	126	Arm Task Light with Occupancy Sensor and Free- standing Base 140
C7RDS AT6010/2	19" High with Tool Rail and Framed Acrylic Insert: 19"	120	CZBTLOT Task Lights with Occupancy Sensors: LED Double
02DI 3A10013/2	with Center Intersection	128	Arm Task Light with Occupancy Sensor and Tool Rail Mount140
C7RPSAT9013/3	13" High with Tool Rail and Framed Acrylic Insert: 13"	120	CZBTLT Task Lights: LED Double Arm Task Light, Tool Rail Mount 138
02DI 0A13010/0	with Two Intersections	126	CZBTLTOOL Light Bases: Tool Rail Mount Base (Retrofit or
C7BPSAT9019/3	19" High with Tool Rail and Framed Acrylic Insert: 19"	120	Replacement) 142
022. 07.1.00.070	with Two Intersections	128	CZBWCE2448 Unpowered Conference End for Dual-Sided Applica-
CZBPSF2413/1	13" High with Framed Fabric Insert: Single, Uninter-	.20	tions without Screens 54
	rupted Screen Length	100	CZBWCE2450 Unpowered Conference End for Dual-Sided Applica-
CZBPSF2419/1	19" High with Framed Fabric Insert: Single, Uninter-		tions Using Center Privacy Screens 54
	rupted Screen Length	102	CZBWEC24486024
CZBPSF3031/1	31" High with Framed Fabric Insert: Single, Uninter-		24" and 30" Deep: 24" and 30" Deep Extended Corner
	rupted Screen Length	104	Worksurfaces 46
CZBPSF6013/2	13" High with Framed Fabric Insert: 13" with Center		CZBWEC24604824
	Intersection	100	24" and 30" Deep: 24" and 30" Deep Extended Corner
CZBPSF6019/2	19" High with Framed Fabric Insert: 19" with Center		Worksurfaces 46
	Intersection	102	CZBWP2460 24" and 30" Deep Unpowered Peninsula Worksurfaces 52
CZBPSF6031/2	31" High with Framed Fabric Insert: 31" with Center		CZBWR24241 Adjoining Worksurfaces 24"D 48
070000010/0	Intersection	104	CZBWR24361MP 24" Deep, Unpowered, with Modesty Panel: Single-
CZBPSF9013/3	13" High with Framed Fabric Insert: 13" with Two	100	Sided Applications with One Cutout Option 12
CZBPSF9019/3	Intersections 19" High with Framed Fabric Insert: 19" with Two	100	CZBWR24361NM 24" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One Cutout Option 10
02013/3019/3	Intersections	102	CZBWR24362 24" Deep, Unpowered: Dual-Sided Applications with
CZBPSF9031/3	31" High with Framed Fabric Insert: 31" with Two	102	One Cutout Option 34
0221 01 000 1/0	Intersections	104	CZBWR2436S1MP
CZBPSFT2413/1			24" Deep, Powered, with Modesty Panel and Single
	Single, Uninterrupted Screen Length	110	Power Harness: Single-Sided Applications with One
CZBPSFT2419/1			Cutout Option 18
	Single, Uninterrupted Screen Length	112	CZBWR2436S1NM
CZBPSFT6013/2	13" High with Tool Rail and Framed Fabric Insert: 13"		24" Deep, Powered, No Modesty Panel with Single
	with Center Intersection	110	Power Harness: Single-Sided Applications with One
CZBPSFT6019/2	19" High with Tool Rail and Framed Fabric Insert: 19"		Cutout Option 14
	with Center Intersection	112	CZBWR2436S2 24" Deep, Powered with Single Power Harness: Dual-
CZBPSFT9013/3	13" High with Tool Rail and Framed Fabric Insert: 13"		Sided Applications with One Cutout Option 36
	with Two Intersections	110	CZBWR24601MP 24" Deep, Unpowered, with Modesty Panel: Single-
CZBPSFT9019/3	19" High with Tool Rail and Framed Fabric Insert: 19"		Sided Applications with One or Two Cutout Options 12
	with Two Intersections	112	CZBWR24601NM 24" Deep, Unpowered, No Modesty Panel: Single-
CZBSA243642/F	Supports Single Sided 24" Deep Fixed Worksurfaces:		Sided Applications with One or Two Cutout Options 10
070040000407	24" Single-Sided Adder Frame	56	CZBWR24602 24" Deep, Unpowered: Dual-Sided Applications with
CZBSA303642/F		00	One or Two Cutout Options 34
C7DCAE0406407	30" Single-Sided Adder Telescopic Beam Frame	60	CZBWR2460D1MP
UZDSAEZ43042/	F Single Adder End Frame	62	24" Deep, Powered, with Modesty Panel and Double

CZBWR30361MP 30" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One Cutout Option 24 CZMSAS3672 Unprinted Acrylic: Printed Acrylic Surface Screen 180 CZBWR30361NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One Cutout Option 22 CZPS25 Privacy Booth: Connection Zone Booth 186 CZBWR30362 30" Deep, Unpowered: Dual-Sided Applications with One Cutout Option 40 CZPDS20MBF Mobile: Steel Shell, Laminate Front 18" High: Box/Box, Open 154 30" Deep, Powered, with Modesty Panel and Single Power Harness: Single-Sided Applications with One Cutout Option 30 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120F0 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120F0 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120F0 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120F0 Steel Shell, Laminate Front 21" High: Pencil/Lateral File, Open 156 CZSCL60120F0 Steel Shell, Laminate Front 24" High: Box/Box, Open 154 CZSCL60180BF0 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open with Adjustable Shelf 158 CZSCL60120F0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCL60120F0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCL60120F0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCL60120F0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCL60120F0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCSC60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCK60120F0 Ste	Model No.	Description	Page	Model No.	Description	Page
22 AP Deap, Powered, Mol Modesty Panel with Double Power Harmess: Single-Sided Applications with One or Two Cutnet Options or Two Cutnet Options with Modesty Panel and Single Power Harmess: Single-Sided Applications with One or Two Cutnet Options or Two Cutnet Options with Modesty Panel and Single Power Harmess: Single-Sided Applications with One or Two Cutnet Options or Two Cutnet Options with Modesty Panel and Single Power Harmess: Single-Sided Applications with One or Two Cutnet Options or Two Cutn					or Two Cutout Options	32
24 Deep, Powered, Min Modesty Panel with Double Power Harmess: Single-Sided Applications with One or Year Cutroit Options or Year Cutroit Options		•	20	CZBWR3060D1N	M	
Power Harmess: Single-Sided Applications with Double Power Harmess: Single-Sided Applications with Double Power Harmess: Power Harmess: Single-Sided Applications with One or Two Cutout Options   2	CZBWR2460D1N				· · · · · · · · · · · · · · · · · · ·	
CZBWR249001   File Orange   Powered with Double Power Harness: Dual-Sided Applications with One or Two Cutout Options   20						
CZEWR3090TMP   24" Deep, Powered, with Modesty Panel single-   22   CZEWR3090TMP   24" Deep, Powered, Na Modesty Panel single-   22   CZEWR3090TMP   24" Deep, Powered, Na Modesty Panel single-   24" Deep,			16	0701110000000		28
Data-Sided Applications with One or Two Cutout Options   26   22BWR3006STMP   24° Deep, Powered, with Modesty Panel and Single   Power Harness: Single-Sided Applications with One or Two Cutout Options   26° Deep, Powered, Min Modesty Panel with Single   Power Harness: Single-Sided Applications with One or Two Cutout Options   26° Deep, Powered, Min Modesty Panel with Single Power Harness: Single-Sided Applications with One or Two Cutout Options   26° Deep, Powered with Single Power Harness: Data-Sided Applications with One or Two Cutout Options   26° Deep, Powered with Single Power Harness: Data-Sided Applications with One or Two Cutout Options   26° Deep, Powered, with Modesty Panel Single-Sided Applications with One or Two Cutout Options   27° Deep, Deep Powered, with Modesty Panel Single-Sided Applications with One   27° Deep, Powered, with Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   27° Deep, Powered, with Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered, with Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered Marks Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered Marks Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered Marks Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered Marks Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered Marks Single-Sided Applications with One, Two or Three Cutout Options   28° Deep, Powered Marks Single-Sided Applications with One, Two or Three Cutout Options   28° Deep,	C7RWR2460D2		10	CZBWK3060D2	•	11
22 Poep, Powered, with Modesty Panel and Single Power Harmess: Single-Sided Applications with One or Two Cutout Options   22 Poep, Powered, Name Modesty Panel with Single Power Harmess: Single-Sided Applications with One or Two Cutout Options   24 Poep, Powered, Name Modesty Panel with Single Power Harmess: Single-Sided Applications with One or Two Cutout Options   26 Power Harmess: Single-Sided Applications with One or Two Cutout Options   27 Poep, Powered, Name Modesty Panel with Single Power Harmess: Single-Sided Applications with One or Two Cutout Options   28 Poep, Powered with Single Power Harmess: Dual Sided Applications with One, Two or Three Cutout Options   28 Poep, Powered, with Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   28 Poep, Powered, with Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   29 Poep, Powered, with Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   29 Poep, Powered, With Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   29 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   29 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   20 Poep, Powered, With Modesty Panel Single-Sided Applications with One, Two or Three Cutout Options   20 Poep, Powered,	0257712 10052	•	38	C7RWR3060S1W		44
24° Deep, Powered, with Modesty Panel and Single Power Harnases: Single-Sided Applications with One or Two Cutout Options   18	CZBWR2460S1M			025************************************		
Power Harmass: Single-Sided Applications with One or Two Cutour Options   20		24" Deep, Powered, with Modesty Panel and Single				
24 Deep, Powered with Single   Power Harness: Single-Sided Applications with One or Two Cutout Options   24 Deep, Powered with Single   Power Harness: Single-Sided Applications with One or Two Cutout Options   25 CZBWR24901		• ,,			or Two Cutout Options	30
24" Deep, Powered, No Modesty Panel with Single Power Harmess: Single-Sided Applications with One or Two Cutour Options or Two Cutour Options with One or Two Cutour Options or Two Cutour Option or T		·	18	CZBWR3060S1N		
Power Harmess: Single-Sided Applications with One or Two Cutout Options   24	CZBWR2460S1N					
22BWR30901MP   24* Deep, Unpowered, with Modesty Panel Single-Side Applications with One or Two Cutout Options   22BWR3091MP   24* Deep, Unpowered, With Modesty Panel Single-Side Applications with One, Two or Three Cutout Options   22BWR3091MP   24* Deep, Unpowered, No Modesty Panel Single-Side Applications with One, Two or Three Cutout Options   22BWR3091MP   24* Deep, Unpowered Dual-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Unpowered Dual-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Unpowered Dual-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Unpowered Dual-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Unpowered Dual-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Single Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Single Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty Panel with Single Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   24BWR3091MP   24* Deep, Dewered, with Modesty		• • • • • • • • • • • • • • • • • • • •				00
24   Deep, Powered with Single Power Harness: Dual-   Sided Applications with One or Two Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options   Sided Applications with One or Two Or Three Cutout Options			14	C2B/MB306063		26
Sided Applications with One or Two Cutout Options   22	CZBWR2460S2			02DW11300032		42
Scale   Scal			36	CZBWR30901MF	· · · · · · · · · · · · · · · · · · ·	12
	CZBWR24901MP	24" Deep, Unpowered, with Modesty Panel: Single-				24
Sided Applications with One, Two or Three Cutout Options   30° Deep, Unpowered: Dual-Sided Applications with One, Two or Three Cutout Options   34° CZBWR309021   30° Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   32° CZBWR309001   30° Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   32° CZBWR309001   30° Deep, Powered, Not Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   30° Deep, Powered, Not Modesty Panel with Options   30° Deep, Powered, Not Modesty Panel with Options   30° Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   30° Deep, Powered, Not Modesty Panel with Options   30° Deep, Powered, Not Modesty Panel with Options   30° Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   30° Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   30° Deep, Powered, Not Modesty Panel with Option   30° Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   30° Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   30° Deep, Powered Mile Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   40° CZBWR30361MP   30° Deep, Devowered, No Modesty Panel: Single-Sided Applications with One Cutout Option   40° CZBWR30361MP   30° Deep, Unpowered: Dual-Sided Applications with One Cutout Option   40° CZBWR30361MP   30° Deep, Devowered, Dual-Sided Applications with One Cutout Option   40° CZBWR30361MP   30° Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One Cutout Option   40° CZBWR30361MP   30° Deep, Powered, Dual-Sided Applications with One Cutout Option   40° CZBWR30361MP   30° Deep, Powered			12	CZBWR30901NN	1 30" Deep, Unpowered, No Modesty Panel: Single-	
24   Deep, Powered, with Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   34   CZBWR309D1MM	CZBWR24901NN					22
One, Two or Three Cutout Options   24   Deep, Powered, with Modesty Panel and Double   Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   20   CZBWR2490D1NM	07044004000		10	CZBWR30902		
24" Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   20	GZBWR24902		24	07014/0000004		40
24' Deep, Powered, with Modesty Panel and Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options	C7RWR2490D1M		34	CZBWR3090DTW		
Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   2d Deep, Powered, No Modesty Panel with Double   Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   2d Deep, Powered with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   2d Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   2d Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   2d Deep, Powered with Double Power Harness: Dual-Sided Applications with One Cutout Options   2d Deep, Unpowered, No Modesty Panel: Single-Sided Applications with One Cutout Option   2d CZBWR30361M3   3d Deep, Unpowered, No Modesty Panel: Single-Sided Applications with One Cutout Option   2d CZBWR30361M3   3d Deep, Unpowered: Dual-Sided Applications with One Cutout Option   2d CZBWR30361M3   3d Deep, Unpowered: Dual-Sided Applications with One Cutout Option   2d CZBWR30361M3   3d Deep, Unpowered: Dual-Sided Applications with One Cutout Option   2d CZBWR303651M3   2d Deep, Unpowered: Dual-Sided Applications with One Cutout Option   2d CZBWR303651M3   2d Deep, Unpowered: Dual-Sided Applications with One Cutout Option   2d CZBWR303651M3   2d Deep, Powered with Modesty Panel and Single Power Harness: Single-Sided Applications with One Cutout Option   2d CZBWR303651M3   2d Deep, Powered with Single Power Harness: Dual-Sided Applications with One Cutout Option   2d CZBWR303651M3   2d Deep, Powered with Single Power Harness: Dual-Sided Applications with One or Two Cutout Option   2d CZBWR303652   2d Deep, Unpowered: Dual-Sided Applications with One Cutout Option   2d CZBWR303652   2d Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Option   2d CZBWR303652   2d Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Option   2d CZBWR303652   2d Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Option   2d CZBWR303652   2d Deep, Unpowered: Dual-Sided Appl	0257712 1005 117					
Two or Three Cutout Options   24   Deep, Powered, No Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   28   Two or Three Cutout Options   30   Deep, Powered with Double Power Harness: Cutout Options   30   Deep, Powered with Double Power Harness: Cutout Options   44   Two or Three Cutout Options   44   Two or Three Cutout Option   46   CZLK30FS   Large Locker Fixed Shelves: Large L						32
24" Deep, Powered, No Modesty Panel with Double Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   16		Two or Three Cutout Options	20	CZBWR3090D1N	•	
Power Harness: Single-Sided Applications with One, Two or Three Cutout Options   16   CZBWR3090D2   24' Deep, Powered with Double Power Harness: Dual-Sided Applications with One, Two or Three Cutout Options   38   CZBWR3091D2   24' and 30' Deep Unpowered Returns   50   CZBWR3091D1   30' Deep, Unpowered, with Modesty Panel: Single-Sided Applications with One Cutout Option   24   CZMSAP3672   Printed Acrylic Surface Screen   178   CZMSAP3672   Unprinted Acrylic Surface Screen   178   Unprinted Acryl	CZBWR2490D1N	M			30" Deep, Powered, No Modesty Panel with Double	
Two or Three Cutout Options   16   CZBWR3090D2   30° Deep, Powered with Double Power Harness:   Dual-Sided Applications with One, Two or Three   Cutout Options   38   CZBWR12424   24" and 30° Deep Unpowered Returns   50   CZBWR30241   Adjoining Worksurfaces 30°D   48   CZLK30°S   Large Locker Fixed Shelves: 170   CZMSAS3672   Dirpinted Acrylic: Printed Acry						
Dual-Sided Applications with One, Two or Three Cutout Options   44   24   24   24   24   24   24   2			40		•	28
Dual-Sided Applications with One, Two or Three   Cutout Options   24   24   and 30" Deep Unpowered Returns   50   50   50   50   50   50   50   5	C7DWD0400D0	· ·	16	CZBWR3090D2	•	
CZBWR30361M 30° Deep, Unpowered, with Modesty Panel: Single-Sided Applications with One Cutout Option 22° CZBWR30361M 30° Deep, Unpowered. No Modesty Panel: Single-Sided Applications with One Cutout Option 24° CZMSA93672 Unprinted Acrylic: Unprinted Acrylic: Unprinted Acrylic: Surface Screen 178° CZMSA9361M 30° Deep, Unpowered. No Modesty Panel: Single-Sided Applications with One Cutout Option 24° CZMSA93672 Unprinted Acrylic: Unprinted Acrylic: Surface Screen 180° CZMSA936872 Unprinted Acrylic: Unprinted Acrylic: Surface Screen 180° CZMSL91368 Accessories: Attachable Ledge Tray 182° CZMSL91368	UZDWN249UDZ					4.4
CZBWR30361MP 30' Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One Cutout Option CZBWR30361NM 30' Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One Cutout Option CZBWR303651NM 30' Deep, Unpowered: Dual-Sided Applications with One Cutout Option CZBWR303651NM 30' Deep, Powered, with Modesty Panel and Single One Cutout Option CZBWR303651NM One Cutout Option CZBWR303651NM One Cutout Option CZBWR303651NM One Cutout Option CZBWR303651NM One Cutout Option One Outout Option O		· ·	38	CZBWBT2424	The state of the s	
CZBWR30361MP 30" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One Cutout Option CZBWR30361NM 30" Deep, Unpowered: Dual-Sided Applications with One Cutout Option CZBWR30362 30" Deep, Unpowered: Dual-Sided Applications with One Cutout Option CZBWR303651MP One Cutout Option One One Option One Cutout Option One Option	CZBWR30241					
Sided Applications with One Cutout Option   24 CZMSAS3672   Unprinted Acrylic: Unprinted Acrylic Surface Screen   180 CZBWR30361NM 30" Deep, Unpowered, No Modesty Panel: Single-   Sided Applications with One Cutout Option   22 CZMSL36   Accessories: Attachable Ledge Tray   182 Accessories: Attachable Ledge Tray   182   182   182   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   183   1	CZBWR30361MP				•	
Sided Applications with One Cutout Option  ZDBWR30362  ZDBWR303651MP  ZDBWR303651MP  ZDBWR303651MV  ZDBWR303652  ZDBWR3036			24	CZMSAS3672		180
CZBWR30362 30" Deep, Unpowered: Dual-Sided Applications with One Cutout Option 40 CZPDS20MBF Mobile: Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120B80 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120B80 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60120B80 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60150PF0 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 CZSCL60150PF0 Steel Shell, Laminate Front 21" High: Pencil/Lateral File, Open 156 CZSCL60150PF0 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 156 CZSCL60180BF0 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 156 CZSCL60180BF0 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 156 CZSCL60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCR040180BF0 Steel Shell and Drawers 18" High: Box/Lateral File, Open 148 CZSCS60120BD Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCS60120BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 156 CZSCSG0180BF0 Steel Shel	CZBWR30361NN			CZMSL36	Accessories: Attachable Ledge Tray	182
One Cutout Option  One Cutout Option  One Cutout Option  One Cutout Option  Ore Powered, with Modesty Panel and Single Power Harness: Single-Sided Applications with One Cutout Option  Outout Option  Ou	0704400000		22			
CZBWR3036S1MP CZSCL60120B00 Steel Shell, Laminate Front 18" High: Box/Box, Open 154 30" Deep, Powered, with Modesty Panel and Single Power Harness: Single-Sided Applications with One Cutout Option 30  CZBWR3036S1NM Single Power Harness: Single-Sided Applications with One CUtout Option 30  CZBWR3036S1NM CUtout Option 30  Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One Cutout Option 26  CZSCL60180BF0 Steel Shell, Laminate Front 18" High: Lateral File, Open 156  CZSCL60180BF0 Steel Shell, Laminate Front 24" High: Pencil/Lateral File, Open with Adjustable Shelf 158  CZSCL60180BF0 Steel Shell and Drawers 18" High: Box/Box/Dox, Open 148  CZSCL60180BF0 Steel Shell and Drawers 18" High: Box/Box/Dox, Open 148  CZSCL60180BF0 Steel Shell and Drawers 18" High: Box/Box/Dox, Open 148  CZSCL60180BF0 Steel Shell and Drawers 18" High: Box/Box/Dox, Open 148  CZSCL60180BF0 Steel Shell and Drawers 18" High: Box/Box/Dox, Open 148  CZSCL60180BF0 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open with Adjustable Shelf 162  CZSCL60120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCL60120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCL60120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/Box/Dox Open 148  CZSCCSC0120BB0 Steel Shell and Drawers 18" High: Box/B	CZBWR30362		40			
30" Deep, Powered, with Modesty Panel and Single Power Harness: Single-Sided Applications with One Cutout Option 30 File, Open 50" Steel Shell, Laminate Front 21" High: Pencil/Lateral File, Open 5156 Steel Shell, Laminate Front 21" High: Pencil/Lateral File, Open 5156 Steel Shell, Laminate Front 21" High: Pencil/Lateral File, Open 5156 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 5156 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 5156 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 5156 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 5156 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 5156 Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 18" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 18" High: Lateral File, Open 5156 Steel Shell and Drawers 18" High: Lateral File, Open 5156 Steel Shell and Drawers 18" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 5156 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell and Drawers 24" High: Box/Lateral File, Open 5156 Steel Shell Adaptive Steel	C7RWR3036S1M		40			
CZSUMR3036S1NM 30" Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One CUtout Option 26 CZSCS60120B0 Steel Shell, Laminate Front 21" High: Pencil/Lateral File, Open 156 CZSWR3036S1NM 20" Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One Cutout Option 26 CZSCS60120B0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCS60120B0 Steel Shell and Drawers 18" High: Lateral File, Open 148 CZSCS60120F0 Steel Shell and Drawers 18" High: Lateral File, Open 148 CZSCS60180F0 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 148 CZSCS60180F0 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 148 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180F0 St	02000110					
CUTOUNT OPTION 30 File, Open 156 CZBWR3036S1NM CZSCL60180BFO Steel Shell, Laminate Front 24" High: Box/Lateral File, Open 158 30" Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One Cutout Option 26 CZSCR560120B00 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZBWR3036S2 30" Deep, Powered with Single Power Harness: Dual-Sided Applications with One Cutout Option 42 CZSCS60120FO Steel Shell and Drawers 18" High: Lateral File, Open 150 CZBWR30601MP 30" Deep, Unpowered, with Modesty Panel: Single-Sided Applications with One or Two Cutout Options 24 CZSCS60180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single-Sided Applications with One or Two Cutout Options 24 Open with Adjustable Shelf 152 CZBWR30601 MP Sided Applications with One or Two Cutout Options 22 CZSCT6036 Back to Back Credenza Top 160 CZBWR30601MP One or Two Cutout Options 40 CZSLKLRG3030 Large Size - All Doors: 30" Wide 168 CZBWR30601MP One or Two Cutout Options 25 Standard Size - All Doors: 30" Wide 164 30" Deep, Powered, with Modesty Panel and Double 25 Standard Size - All Doors: 36" Wide 164					, , ,	104
30" Deep, Powered, No Modesty Panel with Single Power Harness: Single-Sided Applications with One CZBWR3036S2 30" Deep, Powered with Single Power Harness: Dual- Sided Applications with One Cutout Option  CZBWR30601MP 30" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30601MP 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30601MP 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30601MP 30" Deep, Powered, with Modesty Panel and Double  SIGH Applications with One or Two Cutout Options  CZSCK60120BD Steel Shell and Drawers 21" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Box 0pen 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Box 0pen 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Box 0pen 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Box 0pen 150  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Box 0pen 150  CZSCK560		Cutout Option	30			156
Power Harness: Single-Sided Applications with One Cutout Option 26 CZSCS60120BB0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCS60120BP0 Steel Shell and Drawers 18" High: Box/Box, Open 148 CZSCS60120BP0 Steel Shell and Drawers 18" High: Lateral File, Open 148 CZSCS60120F0 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 148 CZSCS60120F0 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 148 CZSCS60120F0 Steel Shell and Drawers 21" High: Pencil/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BF0 Steel Shell and Drawers 24" Hig	CZBWR3036S1N			CZSCL60180BF0	Steel Shell, Laminate Front 24" High: Box/Lateral File,	
CZBWR30601MP 30" Deep, Unpowered, with One or Two Cutout Options CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options CZBWR30601 MP 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options CZBWR30601 MP 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options CZBWR30601 MP 30" Deep, Unpowered No Modesty Panel: Single- Sided Applications with One or Two Cutout Options CZBWR30601 MP 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options CZBWR30601 MP 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options CZBWR30601 MP 30" Deep, Powered, with Modesty Panel and Double  CZSCK360120FO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open with Adjustable Shelf 152 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open 150 CZSCS60180BFO Steel Shell and Drawers 24" High: Box/La					•	
CZBWR30601MP 30" Deep, Unpowered, with Modesty Panel: Single- CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30602 30" Deep, Unpowered, With Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30602 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30601NM One or Two Cutout Options  CZSCK360120FO Steel Shell and Drawers 21" High: Box/Lateral File, Open Occasional Drawers 21" High: Box/Lateral File, Open Vith Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open Vith Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open Vith Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open Vith Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 21" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open With Adjustable Shelf  CZSCK360180BFO Steel Shell and Drawe		•	00			
Sided Applications with One Cutout Option  CZBWR30601MP 30" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30602 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR30601MP  CZSCK60150FO Steel Shell and Drawers 21" High: Pencil/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  Single Credenza Tops  CZSCK60180BFO Steel Shell and Drawers 24" High: Pencil/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Pencil/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Pencil/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Pencil/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Pencil/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK560180BFO Steel Shell and Drawers 24" High: Box/Lateral File, Open with Adjustable Shelf  CZSCK5601	C2BWD303663	•	26			
CZBWR30601MP 30" Deep, Unpowered, with Modesty Panel: Single- Sided Applications with One or Two Cutout Options  CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options  Sided Applications with One or Two Cutout Options  CZBWR30602 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options  CZBWR3060D1MP  CZSCT6018 Single Credenza Tops  CZSCT6036 Back to Back Credenza Top  CZSLKLRG3030 Large Size - All Doors: 30" Wide  CZSLKLRG3630 Large Size - All Doors: 36" Wide  CZSLKSTD3030 Standard Size - All Doors: 30" Wide  164  CZSLKSTD3630 Standard Size - All Doors: 36" Wide	02DW11303032		42			
Sided Applications with One or Two Cutout Options 24 Open with Adjustable Shelf 152 CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single- Sided Applications with One or Two Cutout Options 22 CZSCT6036 Back to Back Credenza Top 160 CZBWR30602 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options 22 CZSCT6036 Back to Back Credenza Top 160 CZSLKLRG3030 Large Size - All Doors: 30" Wide 168 CZSLKLRG3601 Large Size - All Doors: 36" Wide 168 CZSLKSTD3030 Standard Size - All Doors: 30" Wide 164 30" Deep, Powered, with Modesty Panel and Double CZSLKSTD3630 Standard Size - All Doors: 36" Wide 164	CZBWR30601MP		72			150
CZBWR30601NM 30" Deep, Unpowered, No Modesty Panel: Single-Sided Applications with One or Two Cutout Options 22 CZSCT6018 Back to Back Credenza Top 160 CZBWR30602 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options 40 CZSLKLRG3030 Large Size - All Doors: 30" Wide 168 CZBWR3060D1MP CZSLKLRG3030 Standard Size - All Doors: 30" Wide 164 30" Deep, Powered, with Modesty Panel and Double CZSLKSTD3030 Standard Size - All Doors: 36" Wide 164			24	0200000100010		152
CZBWR30602 30" Deep, Unpowered: Dual-Sided Applications with One or Two Cutout Options 40 CZSLKLRG3030 Large Size - All Doors: 30" Wide 168 CZBWR3060D1MP CZSLKSTD3030 Standard Size - All Doors: 30" Wide 164 30" Deep, Powered, with Modesty Panel and Double CZSLKSTD3030 Standard Size - All Doors: 36" Wide 164	CZBWR30601NN	1 30" Deep, Unpowered, No Modesty Panel: Single-		CZSCT6018	•	
One or Two Cutout Options 40 CZSLKLRG3630 Large Size - All Doors: 36" Wide 168 CZBWR3060D1MP CZSLKSTD3030 Standard Size - All Doors: 30" Wide 164 30" Deep, Powered, with Modesty Panel and Double CZSLKSTD3630 Standard Size - All Doors: 36" Wide 164			22			160
CZBWR3060D1MP CZSLKSTD3030 Standard Size - All Doors: 30" Wide 30" Deep, Powered, with Modesty Panel and Double CZSLKSTD3630 Standard Size - All Doors: 36" Wide 164	CZBWR30602				=	168
30" Deep, Powered, with Modesty Panel and Double CZSLKSTD3630 Standard Size - All Doors: 36" Wide 164	070440000000		40			
	07RMK3000D1M					
		Power Harness: Single-Sided Applications with One			Standard Size - All Doors: 35" Wide ) Standard Size with Lower Drawer: 30" Wide with	104



Model No.	Description	Page
	Lower Drawer	166
CZSLKSTDD363	30 Standard Size with Lower Drawe	r: 36" Wide with
	Lower Drawer	166
CZSPP1520	Pads: Pedestal Pads	174

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2013 Krueger International, Inc. All Rights Reserved. Code KI-11601/KI/PDF/1013