
January 3, 2011 Updated April 13, 2015 800-424-2432



Contents
Refer to KI Terms & Conditions document or visit ki.com.



All Terrain® Storage	- All Models		
	General Information		2
All Terrain® Pedesta	ls		4
	Box/File		6
	Pencil/Box/File with R	letractable Handle	8
	Pencil/Box/File with O	Outriggers	12
	Pencil/Box/File		16
	File/File (Compact) wi	ith Retractable Handle	20
	File/File (Compact) wi	th Outriggers	24
	File/File (Compact)		28
	File/File with Retracta	ble Handle	32
	File/File with Outrigge	rs	34
	File/File		38
	Box/Box/File with Ret	ractable Handle	40
	Box/Box/File with Out	riggers	44
	Box/Box/File		48
	Accessories		52
	Retrofit Kits		58
All Terrain® Binder T			
	General Information		60
	Pencil/Shelf/File with	Outriggers	62
	Pencil/Shelf/File		66
	Shelf/File with Outrigg	gers	70
	Shelf/File		74
	Shelf/Shelf with Outri	ggers	78
	Shelf/Shelf		82
	Accessories		86
All Terrain® Low Hei	nht Storano		
All Icitatii Low IIci	General Information		92
	File/File (Compact)		94
	File/File		96
	Accessories		100
All Terrain® Storage	Towers		
	General Information		106
	39" Single Module To	wer	110
	39" Double Module To	ower	114
	39" Single Module To	wers with Landing Pads	116
	44" Single Module To	wer	120
	44" Single Module To	wers with Landing Pads	126
		owers with Landing Pads	132
	48" Double Module To		136
	54" Double Module To	owers	144
	66" Double Module To		166
	66" Triple Module Tov		186
	66" Double Module W		188
	66" Triple Module Wa	rdrobes	194
	Accessories		202
All Townin® AV Town	***		
All Terrain® AV Towe			000
	General Information		208
	66" Towers Accessories		210 212
	Accessories		212
Pull Out Worksurface	e Storage		216
Product Indicator			218
Indov			200
Index			220

All Terrain® Storage - All Models

General Information

STORAGE

Locks

Locks are standard on all All Terrain® storage units except for certain binder tower units (see binder tower general information). Locks are a high-security double-bit design. One KI break-away key and one standard key are included with each lock. Units are standard with random keys in a range of 200 different numbers. Note that All Terrain® units with multiple locks are keyed alike as standard. Specific key combinations are available at no additional charge. This information must be included with the order. Locks can be master keyed. Please see the accessories sections of this price book for order information on master keys, extractor (core-removal) keys, key blanks, cut keys, and core and key sets.

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key numbered locks.

Bases

All Terrain® pedestals, binder towers, and low height storage units are offered in a choice of 3" dual-wheeled casters (3-1/2" with threaded insert) or 3" glides. These units may be specified with 4 casters (2 locking), 2 casters and 2 glides or 4 glides. Outrigger casters are offered on some models.

All Terrain® storage towers and AV towers are offered with larger 4" casters (4-1/2" with threaded insert) or with a plinth base. Plinth base features adjustable glides.

Casters are black with white wheel hubs and are nylon. Plinth base is steel.

Inboard casters or glides shall be mounted to cast aluminum plates.

The optional outriggers shall be cast aluminum. The outriggers are mounted to the bottom of the shell by four 1/4" - 20 machine screws fastened to the weldnuts. The outriggers on peds hold the caster stems at a 5° angle to the floor. This provides more true tracking of the ped when it is being pulled or pushed.

For similar models, inboard mounting plate, outriggers, casters and glides are completely interchangeable to adapt the level of mobility or aesthetic to changing needs. Changing the casters, glides, etc., will not affect the unit's height.

Finishes

All Terrain® storage units have standard detail and finish options, providing the designer with a wide variety of looks. Some of these options include paint colors, laminate fronts, pull designs and optional top styles. See below for information on paint and laminate choices and conditions. See the general information section for the particular storage type for design choices applicable to that product group.

Standard Paint Finishes

All KI storage products are chemically pre-pared prior to painting. This process enhances top coat bonding. Standard topcoat finishes are electrostatically applied powder and /or medium solids ALKYD baking enamel provide a stain- and scratch-resistant surface.

All inside and outside shell and drawer front surfaces are painted with the same specified paint color. Interior components and accessories are Black. Mechanical components are plated. Additional colors are standard and may be available where specifications call for painted surfaces.

Special Paint Finishes

All special colors, including other manufacturers' standard finishes, are available and subject to the following conditions: 1) Two steel color chips (min 3" x 5") are requested for color matching purposes. Paper samples are acceptable, however, a reasonable tolerance must be allowed when comparing the two variations. 2) All nonstandard colors are available at no additional charge (excluding hi-chromatic colors), but may be subject to extended lead times. Order will not be processed until color match is approved. Written confirmation must accompany order. 3) Textured paint finishes are available at a 5% upcharge. All other nonstandard textured colors follow the same procedure for color matching as listed above. 4) Special metallic and mica finishes are subject to an upcharge. The upcharge will be based on the particular color requested. All metallic or mica finishes must have a steel color chip sample provided. All metallic and mica finishes require a 3 week turn-around on samples and require an extended lead time on the actual order. Please be aware that metallic finishes can be inconsistent. The metal fleck can create patterns that are visible on large flat surfaces.

Nonstock Plastic Laminates

Additional laminates are available but may be subject to additional lead time. Other special laminates require an upcharge and additional lead time. Contact KI.

Door Fronts

All Terrain® AV towers, modular towers with cupboard modules, and binder towers configured with doors will have hinged doors. All Terrain® modular tower cupboard doors utilize 94° concealed hinges. The AV tower and binder tower doors utilize 270° "wrap-around" hinges.

Steel doors are constructed from outer door bodies and inner door liners. The door body is constructed from 20-gauge formed steel. A 3/4" flange is formed on all edges. The pull edge has an additional flange, formed inward to accept the liner. The liner is formed from 20-gauge steel and is spot-and MIG-welded to the door body. The steel door is specified with one of the four pull options (see below). The steel door is standard with a lock.

Laminate doors are constructed from .03 HPL laminate front and back and on the edges. Core material is particleboard. The laminate door is constructed to a finished thickness of 3/4". The laminate door is specified with one of the three pull options (see below). The laminate door does not accommodate the inset plastic pull. The laminate door is standard with a lock.

Drawer Fronts

All All Terrain® storage drawers (except binder tower file drawers) include an over-lapping drawer front (see binder tower specifications). Drawer fronts are screwmounted to the drawer body.

The steel-front option outer fronts are fabricated to accept the associated plastic or protruding pull options (see below). The front is 20-gauge formed steel with 3/4" flanges on all four sides. Behind the front is welded18-gauge steel mounting strips at both side ends. The laminate front option outer fronts are fabricated to accept the associated protruding pull options (see below). Laminate fronts are 3/4" thick with a particleboard core, .03 HPL laminate front and edge banding and phenolic backing sheet.

Drawer and Door Pulls

All All Terrain® storage units are available with steel fronts with inset molded plastic pulls, steel fronts or laminate fronts with a choice of protruding pulls.

The inset plastic pull is constructed from molded polycarbonate. It is colored KIGlacier white. The inset plastic pull is mounted to steel drawers only. The steel drawer has a relief formed into it to allow room for a hand behind the pull.

The protruding pulls are made from aluminum and attach to steel or laminate fronts by use of two machine screws. The metric pull is available in an aluminum finish. The bow tie pull is available in a nickel or alu-minum finish.

Tops

All All Terrain® storage units (except binder towers) are available in a seamless 20-gauge cold-rolled steel painted top. All storage units are available with a 3/4" thick non-steel directly attached top. Some All Terrain® storage units are available with a landing pad top.

Non-Steel Tops

Non-steel directly attached or landing pad tops are 3/4" thick. The laminate tops are constructed from .03 HPL laminate on top and a .03 melamine sheet backer on the bottom. 74P banding is applied to the edges. Core material is particleboard.

Landing Pad Tops

Landing pad tops are non-steel tops that are elevated above a standard steel top. Landing pads are useful for providing additional worksurfaces. The landing pad tops are fixed to the steel tops by four aluminum posts with steel through-bolts. The top surface of a landing pad is flat and smooth with no through-holes or any protrusions.

Installation Information

Complete instructions on the proper installation and use of KI files and storage are provided in each unit shipped.

When applicable, the installation instructions refer to the correct methods of leveling, ganging (lateral files only) and loading.

Counterbalance weights should be installed in all single free-standing lateral files. All Terrain® pedestals, binder towers, low height and modular tower units are shipped with factory-installed counter weights as required.

Field Reconfiguration

As needs change, All Terrain® storage units can readily be field-changed; however, this process should be undertaken by a qualified service technician.

All Terrain® Storage - All Models



General Information

PEDESTALS

General Information

See All Terrain® General Storage Specifications located within this price book for specification information common to all All Terrain® storage products. All Terrain® pedestals are available in sizes and drawer combinations to suit any personal storage requirement. Most All Terrain® mobile pedestals are designed to fit below worksurfaces. Pedestals with landing pads are designed to supplement worksurface space. Pedestals with ourtriggers are specially designed to provide straight tracking when pushed or pulled but still allow unit movement in all directions. Pedestals with retractable handles provide the highest level of ergonomic mobility and allow pushing as well as pulling the unit.

Mobility

All Terrain® pedestals are available in 3 levels of mobility. All pedestals come standard with large 3" twin-wheel swiveling casters. The optional caster outriggers provide straight tracking of the units when pushed or pulled. The optional retractable handle provides the highest level of ergonomic mobility by allowing pushing or pulling of the unit from an ergonomically friendly position.

Height

Pedestal height is determined by the drawer configuration and top style. For units with steel tops, there are three unit heights of: 23-11/16", 26-3/4", and 29-13/16" (will not fit under a 29" high worksurface). An optional direct-mounted top adds 3/4" to these heights. Optional landing pad tops on the two shorter box sizes increase the unit height to 29" (to match worksurface height). An optional landing pad top on the largest box size increases unit height to 34-13/32".

Depth and Width

All pedestals are 15" wide and are available in two standard depths: 17-5/8" and 21-5/8". Optional outriggers add 3-23/32" to the overall width and depth.

Basic Shell

All Terrain® pedestal shell is constructed of components consisting of top, wrapper (sides and back), front and back interior uprights, and bottom reinforcements. The pedestal shell is spot-welded and MIG-welded together.

The top is 20-gauge cold-rolled steel (C.R.S) with 1-1/8" flanges on all four sides. The front face has an additional flange formed inward to provide additional strength. The front 1-1/8" flange has a prepunched hole approximately 2" from the right corner for the lock.

The wrapper is formed 20-gauge C.R.S. The wrapper is formed with 3/4" flanges along the 2 vertical sides. An additional flange is formed inward for additional strength and accepts the upright interior side panels. The upper edges are offset formed to accept the 1-1/8" top flange. The bottom edges are formed with a 3/4" flange to accept the uprights and bottom supports.

The bottom reinforcement is formed 20-gauge C.R.S. with 3/4" flanges on two sides. Two bottom 20-gauge reinforcements are welded inward along the front and back of the bottom of the pedestal shell. The bottom reinforcements are made with eight 1/4 - 20 threaded weldnuts that accept plate-mount or outrigoer-mount casters.

The interior uprights are made from formed 20-gauge C.R.S. They are welded on each side of the pedestal at the front and back. The rear edge has 3/4" flange for strength. The front upright assembly is a spot-welded box frame design, in which both front upright members are securely welded to the top reinforcement and the bottom reinforcement to provide a strong, square frame. Each corner or joint has a unique bracing design punched from the parent material. This design provides for a double thickness at each corner for maximum strength.

Drawer

Drawers are available in 3" (pencil), 6" (box), 9" (box with hidden extending pencil drawer), 10-1/2" (compact file), and 12" (file) heights.

The drawer back is formed from 22-gauge prepainted C.R.S. with a 30° form along the top edge and is mechanically clenched to the body. Each file drawer has a Z-shaped component welded to the front liner to function as a support for one end of the hanging folders. The other end of the hanging folder is supported by locating the full-height divider in the appropriate slots.

The drawer body is formed from 22-gauge prepainted steel. The upper edges are formed to provide a smooth edge as well as providing full-length reinforcements. The box and file drawers are designed with four rows of slots to accept adjustable dividers. The drawer body is sized to allow for hanging of legal-sized All Terrain® soft bins by the use of dividers. The file drawer size allows for hanging of letter-sized hanging file folders and All Terrain® hard bins and fitting of All Terrain® letter-sized soft bins. A second set of punched holes allows mounting of the divider for hanging A4-sized hanging file folders.

NOTE: The 10-1/2" compact file drawer does not contain slots for drawer dividers, cannot hang legal files and cannot accept All Terrain® hard bins.

Drawer Suspension

The pencil and box drawers operate on a 3/4" travel, two-section slide assembly constructed from roll-formed precision sections, rolling on hardened steel ball bearings. The file drawers operate on a three-piece suspension assembly that allows for the drawer

body to extend clear of the front face of the pedestal. The roll-formed precision sections operate on hardened steel ball bearings. The suspension has a hold-in or retaining device to hold the drawer in a closed position. Slides are a decorative black finish.

Counterbalance

A counterbalance weight is installed in the pedestal to assure stability when the drawers are extended.

Interlock

All 6", 9", 10-1/2" and 12" pedestal drawers are equipped with a unique patented inter-lock safety system which permits only one drawer to be opened at a time. The system is designed to reduce the risk of a stand-alone unit tipping over. To minimize possible damage to the interlock system, activating cams restage. If during servicing or installing more than one opening is extended, these openings can be closed without damage to the interlock components.

Binders

Three-ring binder storage in pedestals is best accomplished by utilizing All Terrain® soft bins inside of the pedestal drawers.

Bins

All Terrain® hard bins hang in pedestal drawers or can rest on the shelves and landing pad/top. All Terrain® soft bins rest in pedestal drawers with and without hanger bars or can rest on the shelves and landing pad/top.

Finish

The pedestal shell, drawers, steel doors, out-riggers, and landing pad posts are thoroughly cleaned and subjected to a phosphate etching process before painting. A modified polyester backing enamel is applied to all metal surfaces and baked at 300° for 20 minutes to ensure a durable scratch-resistant finish.

Sizes


Height: 23-11/16", 24-7/16", 26-3/4" 27-1/2", 29", 29-13/16", 30-9/16", and 34-25-32"

Width: 15", 18-1/8"

Depth: 17-5/8", 21-5/8", 21-11/32", and 25-11/32"

Fahric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.





All Terrain® Pedestals General Information

Drawer Dimensions		20"			24"	
	W	D	Н	W	D	Н
Hidden Pencil Drawer	12¹/s"	145/16"	11/2"	121/8"	185/8"	11/2"
3" Drawer	121/8"	$16^{7}/_{32}$ "	21/4"	121/8"	195/16"	21/4"
6" Drawer	121/8"	$16^{7}/_{32}$ "	55/16"	121/8"	195/16"	5 ⁵ / ₁₆ "
9" (Comes with Hidden Pencil Drawer Only)	12 ¹ / ₈ "	$16^{7}/_{32}$ "	6"	121/8"	195/16"	6"
10 ¹ / ₂ " Drawer	12 ¹ / ₈ "	$16^{7}/_{32}$ "	9 ²⁹ / ₃₂ "	12¹/₅"	195/16"	9 ²⁹ / ₃₂ "
12" Drawer	121/8"	16 ⁷ / ₃₂ "	12¹/₅"	121/8"	195/16"	12 ¹ / ₈ "

Note: Hard bins will not fit in $10^{1}/2^{11}$ compact file drawers.

File Storage	Capacity	and Configurations
--------------	-----------------	--------------------

20" Pedestal

24" Pedestal

Letter front-to-back

side-to-side

Legal

- •15¹³/₁₆" lineal inch capacity
- Holds two large 61/2" soft bins
- •Holds three 5" soft bins
- Holds three hard bins



- •12 lineal inch capacity
 - Holds two legal-size soft bins




- 187/8" lineal inch capacity
- Holds two large
- 6¹/₂" soft bins Holds three 5" soft bins
- Holds four hard bins



- •12 lineal inch capacity plus 35/8" of front-to-back letter-size capacity

 • Holds two legal-size
- soft bins



MODEL NUMBER	
Front Front Approx.	
Basic Model/ Pull Unit Surface Edge Surface Lock Packaged W x D x H Edge Style Style Base Color Finish Color Finish Option Weight	
15 x 17-5/8 x 23-11/16" ATPE1520BF	
15 x 21-5/8 x 23-11/16" ATPE1524BF	
10 X 2 1 0/0 X 20 11/10 MT 2 10 2 401 10 10 10 10 10 10 10 10 10 10 10 10 10	
ATPE	
Steel Top	
One 6" box drawer; one 12" file	
drawer with hanging folder partition	
15 x 17-5/8 x 24-7/16" ATPE1520BFT-74P	
15 x 21-5/8 x 24-7/16" ATPE1524BFT-74P	
ATPE	
Bowed Front Top	
3/4" thick bowed front top with 74PTN edge	
One 6" box drawer; one 12" file	
drawer with hanging folder partition	
15 x 17-5/8 x 29" ATPE1520BFL-74P 🗆 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 100.0#	
15 x 21-5/8 x 29" ATPE1524BFL-74P DD DDD DDD DDD DDD DDD 105.0#	
ATPE Landing Pad - Bowed Front Top	
LANDON FAU - DOWED FROM TOO	
3/4" thick laminate bowed front top	
3/4" thick laminate bowed front top with 74PTN edge band	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	 Steel/inset plastic pull
S2	 Steel/aluminum metric
S3	 Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

CSelect base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	 2 casters bl/wh, 2 glides bl/

wh

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

OUICUL IOUK	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

S1	S2, S3 & S4	L2, L3 & L4
Steel Front Plastic Pull	Steel Front Bow Tie or Metric Pull	Laminate Front Bow Tie or Metric Pull
\$ 775	\$ 817	\$ 971
796	834	992
\$ 921	\$ 962	\$ 1117
944	987	1141
\$ 956	\$ 999	\$ 1153
\$ 956 984	\$ 999 1023	1179
JU4	1023	1117

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Pencil/Box/File with Retractable Handle

	MODEL NUMBER									
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 26-3/4"	ATPE1520PBFHR								100.0#
	18-1/8 x 25-11/32 x 26-3/4"	ATPE1524PBFHR								105.0#
ATPE										
Steel Front Top										
 Outrigger casters only One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder partition 										
	18-1/8 x 21-11/32 x 27-1/2"	ATPE1520PBFHRT-74P								110.0#
	18-1/8 x 25-11/32 x 27-1/2"	ATPE1524PBFHRT-74P								115.0#
	10 1/0 / 20 11/02 / 21 1/2	7111 21102 11 3111111 7 11								1.00%
ATPE										
Bowed Front Top										
Outrigger casters only3/4" thick bowed front top with										
74PTN edge										
One 3" pencil drawer; one 6" box drawer; one 12" file drawer with										
drawer; one 12" file drawer with hanging folder partition										
29 P			•	•	•	-	•	•	•	
		A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	0	•	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S 3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	 Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

- Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **G**Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	



All Terrain® Pedestals Pencil/Box/File with Retractable Handle

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 1285	\$ 1346	\$ 1518
1322	1385	1554
A	* 4400	A 1001
\$ 1432	\$ 1492	\$ 1664
1469	1534	1704

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Pencil/Box/File with Retractable Handle

	MODEL NUMBER									
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 29"	ATPE1520PBFHRL-74P								110.0#
	18-1/8 x 25-11/32 x 29"	ATPE1524PBFHRL-74P								115.0#
ATPE										
Landing Pad - Bowed Front Top										
Outrigger casters only										
 3/4" thick landing pad with 74PTN 										
edge creates open space of 1-9/32" high										
One 3" pencil drawer; one 6" box										
drawer; one 12" file drawer with										
hanging folder partition										
		A	3	0	0	(3	()	(0	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	 Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie

- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

• Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	



All Terrain® Pedestals Pencil/Box/File with Retractable Handle

S1	S2, S3 & S4	L2, L3 & L4	
Steel Front	Steel Front	Laminate Front	
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull	
\$ 1458	\$ 1522	\$ 1693	
1497	1563	1732	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Pencil/Box/File with Outriggers

	MODEL NUMBER									
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 26-3/4"	ATPE1520PBFR								95.0#
	18-1/8 x 25-11/32 x 26-3/4"	ATPE1524PBFR								100.0#
ATPE										
Steel Top										
 Outrigger casters only One 3" pencil drawer; one 6" box drawer; one 12" file drawer with 										
hanging folder partition										
<u></u>	18-1/8 x 21-11/32 x 27-1/2"	ATPE1520PBFRT-74P								105.0#
	18-1/8 x 25-11/32 x 27-1/2"	ATPE1524PBFRT-74P								110.0#
ATPE										
Bowed Front Top										
 Outrigger casters only 3/4" thick bowed front top with 74PTN edge 										
One 3" pencil drawer; one 6" box drawer; one 12" file drawer with										
hanging folder partition		•	B	•	0	3	3	О	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S 3	 Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
1.4	- Laminato/nickel how tie

Select base style.

4CW	 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters bl/wh, 2 glides bl/

wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

G Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

201001 10010	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Pencil/Box/File with Outriggers

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
 \$ 1021	\$ 1086	\$ 1256
1048	1110	1279
\$ 1165	\$ 1231	\$ 1400
1199	1261	1433

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Pencil/Box/File with Outriggers

		MODEL NUMBER								
		MODEL NUMBER								
			Front					Front		Approx.
		Basic Model/	Pull		Unit	Surface	Edge	Surface	Lock	Packaged
	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Finish	Option	Weight
	18-1/8 x 21-11/32 x 29"	ATPE1520PBFRL-74P								105.0#
	18-1/8 x 25-11/32 x 29"	ATPE1524PBFRL-74P								110.0#
Dr. O										
ATPE										
Landing Pad - Bowed Front Top										
Outrigger casters or glides										
 3/4" thick landing pad with 74PTN 										
edge creates open space of 1-9/32"										
high										
 One 3" pencil drawer; one 6" box drawer; one 12" file drawer with 										
hanging folder partition										
gg paration										
		A	$oldsymbol{\mathbf{G}}$	$\mathbf{\Theta}$	0	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

81	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW	- 4 bl/wh casters (2	locking)
4GB	- 4 bl/wh glides	
4MW	- 2 casters hl/wh 2	alides hl/

wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Surface finish offerings are based on
 edge style selections.
- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selections.
- **G** Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

701001 1001	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Pencil/Box/File with Outriggers

S1	S2, S3 & S4	L2, L3 & L4
Steel Front Plastic Pul	Steel Front	Laminate Front Bow Tie or Metric Pull
\$ 1199	\$ 1261	\$ 1433
1226	1289	1458

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Pencil/Box/File

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	15 x 17-5/8 x 26-3/4"	ATPE1520PBF								95.0#
	15 x 21-5/8 x 26-3/4"	ATPE1524PBF								100.0#
ATPE										
Steel Top										
 One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder partition 										
	15 x 17-5/8 x 27-1/2"	ATPE1520PBFT-74P								105.0#
	15 x 21-5/8 x 27-1/2"	ATPE1524PBFT-74P								110.0#
ATPE										
Bowed Front Top										
3/4" thick bowed front top with										
74PTN edge • One 3" pencil drawer; one 6" box										
drawer; one 12" file drawer with										
hanging folder partition										
		A	•	Θ	0	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters hl/wh 2 glides hl/

4MW - 2 casters bl/wh, 2 glides bl wh

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

(G) Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

301001	our opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Pencil/Box/File

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 909	\$ 971	\$ 1142	
935	998	1165	
\$ 1055 1085	\$ 1118 1148	\$ 1289 1320	
1000	1140	1320	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #100.

Pencil/Box/File

MODEL NUMBER Front Front Basic Model/ Pull Unit Surface Surface Edge Lock WxDxH Edge Style Style Base Color Finish Color Finish Option 15 x 17-5/8 x 29" Landing Pad - Bowed Front ATPE1520PBFL-74P 3/4" thick landing pad with 74PTN edge 15 x 21-5/8 x 29" ATPE1524PBFL-74P creates open space of 1-9/32" high • One 3" pencil drawer; one 6" box drawer; one 12" file drawer with hanging folder ATPE A **(3**) Θ 0 **3** • **(** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

	one pan otyro.
S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	 Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	 Laminate/nickel bow tie

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters bl/wh, 2 glides bl/
wh	

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- GSelect front surface finish.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select lock optiion

J 0 1 0 0 E 1 0	on opinon	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Pencil/Box/File

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
105.0#	\$ 1085	\$ 1148	\$ 1320
110.0#	1114	1179	1346

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File (Compact) with Retractable Handle

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 26-3/4"	ATPE1520YYHR								100.0#
	18-1/8 x 25-11/32 x 26-3/4"	ATPE1524YYHR								105.0#
ATPE										
Steel Top										
 Outrigger casters only Two 10-1/2' file drawers withhanging folder partition (will not accept molded hard bins) 										
	18-1/8 x 21-11/32 x 27-1/2"	ATPE1520YYHRT-74P								110.0#
	18-1/8 x 25-11/32 x 27-1/2"	ATPE1524YYHRT-74P								115.0#
Ď ATPE										
Bowed Front Top										
Outrigger casters only										
 3/4" thick bowed front top with 										
74PTN edge Two 10-1/2" file drawers with hang-										
ing folder partition (will not accept										
molded hard bins)										
		A	B	•	0	(3	•	@	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

81	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

- Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select lock optiion

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File (Compact) with Retractable Handle

S1 Steel Front	S2, S3 & S4 Steel Front	L2, L3 & L4 Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
		\$ 1436
1237	1278	1465
\$ 1351	\$ 1394	\$ 1580
1386	1430	1617
	Steel Front Plastic Pull \$ 1207 1237	Steel Front Bow Tie or Metric Pull

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File (Compact) with Retractable Handle

		MODEL NUMBER								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 29"	ATPE1520YYHRL-74P								110.0#
	18-1/8 x 25-11/32 x 29"	ATPE1524YYHRL-74P								115.0#
ď										
ATPE										
Landing Pad - Bowed Front										
 Outrigger casters only 										
3/4" thick bowed front top with										
74PTN edge creates open space of 1-9/32" high										
Two 10-1/2" file drawers with hang-										
ing folder partition (will not accept										
molded hard bins)										
		A	3	•	0	(3	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

00.001.0	on opinon	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File (Compact) with Retractable Handle

S1	S2, S3 & S4	L2, L3 & L4
Steel Front	Steel Front	Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
\$ 1382	\$ 1425	\$ 1610
1416	1457	1643

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File (Compact) with Outriggers

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 26-3/4"	ATPE1520YYR								95.0#
	18-1/8 x 25-11/32 x 26-3/4"	ATPE1524YYR								100.0#
ATPE Steel Top										
Outrigger casters or glides Two 10-1/2' file drawers with hanging folder partition (will not accept molded hard bins)										
	18-1/8 x 25-11/32 x 27-1/2"	ATPE1520YYRT-74P								105.0#
	18-1/8 x 25-11/32 x 27-1/2"	ATPE1524YYRT-74P								110.0#
ă Č ATPE										
Bowed Front Top										
Outrigger casters or glides										
 3/4" thick bowed front top with 74PTN edge 										
• Two 10-1/2" file drawers with hang-										
ing folder partition (will not accept										
molded hard bins)										
		A	B	•	0	(3	(3)	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	 Steel/inset plastic pull
S2	 Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
1.4	Laminata/niokal how tia

Select base style.

4CW	 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	 2 casters bl/wh, 2 glides bl/
wh	

OSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

©Select front surface finish.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

	oon opinon	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File (Compact) with Outriggers

04	00 00 8 04	10 10 0 14
S1	S2, S3 & S4	L2, L3 & L4
Steel Front	Steel Front	Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
\$ 944	\$ 987	\$ 1175
964	1005	1192
\$ 1091	\$ 1132	\$ 1320
1114	1155	1342

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File (Compact) with Outriggers

W x D x H Basic Model/ Pull Surface Edge Style Base Color Finish Color Finish Option Weight 18-1/8 x 21-11/32 x 29* ATPE1520YYRL-74P	
18-1/8 x 21-11/32 x 29° ATPE1520YYRL-74P □	
18-1/8 x 25-11/32 x 29" ATPE1524YYRL-74P □□ □□□	
Õ ~	
ATPE	
Landing Pad - Bowed Front	
Outrigger casters or glides	
• 3/4" thick landing pad with 74PTN	
edge creates open space of 1-9/32" high	
• Two 10-1/2" file drawers with hang-	
ing folder partition (will not accept	
molded hard bins)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

00.001 84	00 01,101
4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	 2 casters hl/wh 2 glides hl/

Select unit color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

wh

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

G Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

701001 1001	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



File/File (Compact) with Outriggers

 S1
 S2, S3 & S4
 L2, L3 & L4

 Steel Front
 Steel Front
 Laminate Front

 Plastic Pull
 Bow Tie or Metric Pull
 Bow Tie or Metric Pull

 \$ 1117
 \$ 1158
 \$ 1345

 1145
 1186
 1374

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File (Compact)

			MODEL NUMBER								
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
~	Steel Top	15 x 17-5/8 x 26-3/4"	ATPE1520YY								
	Two 10-1/2" file drawers withhanging folder partition (will not accept molded)	15 x 21-5/8 x 26-3/4"	ATPE1524YY								
	folder partition (will not accept molded hard bins)										
	nara sinay										
80											
ATPE											
	Bowed Front Top 3/4" thick bowed front top with 74PTN edge Two 10-1/2" file drawers with hanging	15 x 17-5/8 x 27-1/2"	ATPE1520YYT-74P								
		15 x 21-5/8 x 27-1/2"	ATPE1524YYT-74P								
	folder partition (will not accept molded										
	hard bins)										
- 6-0											
ATPE											
			A	ß	Θ	0	3	G	Э	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S 3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
1.4	Laminata/niakal haw tia

Select base style.

46W	- 4 DI/WIT Casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters bl/wh, 2 glides bl/
wh	

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

	oon opinon	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



File/File (Compact)
--------------------	---

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
95.0#	\$ 830	\$ 874	\$ 1060
100.0#	855	896	1083
105.0#	\$ 975	\$ 1018	\$ 1205
110.0#	1000	1044	1230

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File (Compact)

MODEL NUMBER Front Front Basic Model/ Pull Surface Surface Lock Unit Edge MODEL WxDxH Edge Style Style Base Color Finish Color Finish Option Landing Pad - Bowed Front 15 x 17-5/8 x 29" ATPE1520YYL-74P ПП 3/4" thick landing pad with 74PTN edge 15 x 21-5/8 x 29" ATPE1524YYL-74P creates open space of 1-9/32" high Two 10-1/2" file drawers with hanging folder partition (will not accept molded hard bins) ATPE **((3**) **(3**) 0 0 0 **3** 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P e

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

51	- Steel/Inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	 Laminate/nickel bow tie

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters bl/wh, 2 glides bl/
wh	

Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

G Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

,0.001	ioon opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File (Compact)

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
105.0#	\$ 1005	\$ 1049	\$ 1236
110.0#	1029	1073	1259

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File with Retractable Handle

		MODEL NUMBER								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 29-13/16"	ATPE1520FFHR								105.0#
	18-1/8 x 25-11/32 x 29-13/16"	ATPE1524FFHR								110.0#
ATPE										
Steel Top										
 Outrigger casters only Two 12" file drawers with hanging folder partition 										
	18-1/8 x 21-11/32 x 30-9/16"	ATPE1520FFHRT-74P								115.0#
	18-1/8 x 25-11/32 x 30-9/16"	ATPE1524FFHRT-74P								120.0#
ATPE										
Bowed Front Top										
Outrigger casters only3/4" thick bowed front top with										
74PTN edge • Two 12" file drawers with hanging folder partition										
	18-1/8 x 21-11/32 x 34-25/32"	ATPE1520FFHRL-74P								115.0#
	18-1/8 x 25-11/32 x 34-25/32"	ATPE1524FFHRL-74P								120.0#
ATPE										
Landing Pad - Bowed Front										
Outrigger casters only										
 3/4" thick bowed front top with 74PTN edge creates open space of 										
3-7/8" high										
 Two 12" file drawers with hanging folder partition 										
ισίασι ματιμίστι										
		A	(3)	Θ	O	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style

91	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	 Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
14	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

- Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select lock optiion

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File with Retractable Handle

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1187	\$ 1230	\$ 1444	
1216	1259	1476	
\$ 1333	\$ 1376	\$ 1588	
1371	1409	1626	
13/1	1409	1020	
\$ 1368	\$ 1407	\$ 1623	
1400	1443	1658	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File with Outriggers

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 29-13/16"	ATPE1520FFR								100.0#
	18-1/8 x 25-11/32 x 29-13/16"	ATPE1524FFR								105.0#
ATPE										
Steel Top										
 Outrigger casters or glides Two 12" file drawers with hanging folder partition 										
	18-1/8 x 21-11/32 x 30-9/16"	ATPE1520FFRT-74P								110.0#
	18-1/8 x 25-11/32 x 30-9/16"	ATPE1524FFRT-74P								115.0#
ATPE U										
Bowed Front Top										
 Outrigger casters or glides 										
 3/4" thick bowed front top with 74PTN edge 										
 Two 12" file drawers with hanging 										
folder partition										
		A	$oldsymbol{\mathbf{B}}$	$oldsymbol{\Theta}$	O	(3	3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	 Laminate/nickel bow tie

Select base style.

4CW	 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters bl/wh, 2 glides bl/

4MW - 2 casters bl/wh, 2 glides bl wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

G Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

,0.001	ioon opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File with Outriggers

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 925	\$ 966	\$ 1182
946	990	1204
\$ 1070	\$ 1113	\$ 1328
1094	1139	1351
1004	1100	1001

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File with Outriggers

11007 11111070										
		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 34-25/32"	ATPE1520FFRL-74P								110.0#
	18-1/8 x 25-11/32 x 34-25/32"	ATPE1524FFRL-74P								115.0#
L)										
ATPE										
Landing Pad - Bowed Front Top										
Outrigger casters or glides										
 3/4" thick landing pad with 74PTN edge creates open space of 3-7/8" high 										
Two 12" file drawers with hanging										
folder partition										
		A	B	G	0	3	(3)	O	0	
		_	-				_	_		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.
S1 - Steel/inset plastic pull

0.	Otool/illoct plastic pail
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
1.4	Laminata/niokal how tio

Select base style.

wh

00.001 00.	
4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	 2 casters hl/wh 2 glides hl/wh

Select unit color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

201001 10010	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals File/File with Outriggers

S1	S2, S3 & S4	L2, L3 & L4
Steel Front	Steel Front	Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
\$ 1102	\$ 1146	\$ 1360
1129	1172	1386

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	15 x 17-5/8 x 29-13/16"	ATPE1520FF								100.0#
	15 x 21-5/8 x 29-13/16"	ATPE1524FF								105.0#
ATPE										
Steel Top										
Two 12" file drawers with hanging folder partition										
	15 x 17-5/8 x 30-9/16"	ATPE1520FFT-74P								110.0#
	15 x 21-5/8 x 30-9/16"	ATPE1524FFT-74P								115.0#
ATPE										
Bowed Front Top										
• 3/4" thick bowed front top with										
74PTN edge										
Two 12" file drawers with hanging										
folder partition										
	15 x 17-5/8 x 34-25/32"	ATPE1520FFL-74P								110.0#
	15 x 21-5/8 x 34-25/32"	ATPE1524FFL-74P								115.0#
ATPE										
Landing Pad - Bowed Front Top										
• 3/4" thick landing pad with 74PTN										
edge creates open space of 3-7/8" high										
Two 12" file drawers with hanging										
folder partition										
		(A)	3	•	0	(3	(3)	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	 Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
1.4	Laminata/niokal how tia

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
41/1/4/	- 2 cactore bl/wh 2 glidge bl/

4MW - 2 casters bl/wh, 2 glides I wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Surface finish offerings are based on

edge style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Edge color offerings are based on

edge style selections.

Select front surface finish.
Refer to color addendum at ki.com or

KI Fabrics & Finishes binder.

Select lock optiion

701001 1001	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



	00.00.004	10.10.0.14
S1 Steel Front	S2, S3 & S4 Steel Front	L2, L3 & L4 Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
\$ 812	\$ 856	\$ 1069
829	873	1088
\$ 956	\$ 999	\$ 1213
985	1024	1240
\$ 991	\$ 1031	\$ 1246
1015	1056	1273

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Box/Box/File with Retractable Handle

		MODEL NUMBER								
		INIODEL MOMBEL								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
7	18-1/8 x 21-11/32 x 29-13/16"	ATPE1520BBFHR								105.0#
	18-1/8 x 25-11/32 x 29-13/16"	ATPE1524BBFHR								110.0#
ATPE										
Steel Top										
 Outrigger casters only Two 6" box drawers; one 12" file 										
drawer with hanging folder partition										
	18-1/8 x 21-11/32 x 30-9/16"	ATPE1520BBFHRT-74P								115.0#
	18-1/8 x 25-11/32 x 30-9/16"	ATPE1524BBFHRT-74P								120.0#
Č) ATPE										
Bowed Front Top										
Outrigger casters only										
 3/4" thick bowed front top with 74PTN edge 										
Two 6" box drawers; one 12" file										
drawer with hanging folder partition		A	B	G	0	3	3	G	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	 Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie

- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

- Key alike	
 Key standard 	
- No lock core	
	- Key alike - Key standard

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Box/Box/File with Retractable Handle

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 1275	\$ 1338	\$ 1536
1312	1375	1574
\$ 1391	\$ 1481	\$ 1680
1461	1523	1724

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Box/Box/File with Retractable Handle

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 34-25/32"	ATPE1520BBFHRL-74P								115.0#
	18-1/8 x 25-11/32 x 34-25/32"	ATPE1524BBFHRL-74P								120.0#
ATPE										
Landing Pad - Bowed Front										
Outrigger casters only										
• 3/4" thick landing pad with 74PTN										
edge creates open space of 3-7/8" high										
Two 6" box drawers; one 12" file										
drawer with hanging folder partition										
		A	B	Θ	0	3	•	Ю	0	-
		•	•	0	•	9	•	•	Ψ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

81	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)

- Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

- Key alike	
 Key standard 	
- No lock core	
	- Key alike - Key standard

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Box/Box/File with Retractable Handle

S1	S2, S3 & S4	L2, L3 & L4	
Steel Front	Steel Front	Laminate Front	
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull	
\$ 1450	\$ 1515	\$ 1712	
1493	1560	1758	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Box/Box/File with Outriggers

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 29-13/16"	ATPE1520BBFR								100.0#
	18-1/8 x 25-11/32 x 29-13/16"	ATPE1524BBFR								105.0#
ATPE Steel Top										
Outrigger casters or glides										
 Two 6" box drawers; one 12" file drawer with hanging folder partition 										
	18-1/8 x 21-11/32 x 30-9/16"	ATPE1520BBFRT-74P								110.0#
	18-1/8 x 25-11/32 x 30-9/16"	ATPE1524BBFRT-74P								115.0#
ă										
ATPE										
Bowed Front Top Outrigger casters or glides										
 3/4" thick bowed front top with 										
74PTN edge • Two 6" box drawers; one 12" file										
drawer with hanging folder partition										
		A	B	•	0	3	•	О	0	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S 3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
1.4	Laminata/niakal haw tia

Select base style.

4CW	 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	 2 casters bl/wh, 2 glides bl/

wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Surface finish offerings are based on edge style selections.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- **G**Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

00.000	on opinon	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Box/Box/File with Outriggers

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1011	\$ 1073	\$ 1273	
1040	1099	1300	
\$ 1155	\$ 1218	\$ 1419	
1187	1248	1449	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Box/Box/File with Outriggers

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18-1/8 x 21-11/32 x 34-25/32"	ATPE1520BBFRL-74P								110.0#
	18-1/8 x 25-11/32 x 34-25/32"	ATPE1524BBFRL-74P								115.0#
0										
ATPE										
Landing Pad - Bowed Front Top										
Outrigger casters or glides										
 3/4" thick landing pad with 74PTN edge creates open space of 3-7/8" 										
high										
 Two 6" box drawers; one 12" file 										
drawer with hanging folder partition										
		A	3	•	0	(3	(3	œ	(1)	
		_	_	_	_	_	_	_	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

51	- Steel/Inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	 Laminate/nickel bow tie

Select base style.

wh

	,
4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters hl/wh 2 glides hl/

DSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

201001 10010	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Box/Box/File with Outriggers

S1	S2, S3 & S4	L2, L3 & L4
Steel Front	Steel Front	Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
\$ 1188	\$ 1252	\$ 1450
1221	1284	1484

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Box/Box/File

		MODEL NUMBER								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	15 x 17-5/8 x 29-13/16"	ATPE1520BBF		_			00101	Tillion		100.0#
	15 x 21-5/8 x 29-13/16"	ATPE1524BBF								105.0#
	10 % 21 0/0 % 20 10/10	7 2.102.133.								100.0%
ATPE										
Steel Top										
• Two 6" box drawers; one 12" file										
drawer with hanging folder partition										
	15 x 17-5/8 x 30-9/16"	ATPE1520BBFT-74P								110.0#
	15 x 21-5/8 x 30-9/16"	ATPE1524BBFT-74P								115.0#
0)										
ATPE Bowed Front Top										
Boweu Front Top										
3/4" thick bowed front top with 74PTN edge.										
74PTN edge • Two 6" box drawers; one 12" file										
drawer with hanging folder partition										
			-	_	-	•	•	•	Φ.	
		A	$oldsymbol{\Theta}$	Θ	0	•	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

31	- Steel/Illset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
1/	- Laminate/nickel how tie

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
A BAINAI	2 agotoro bl/wb 2 glidos bl/

4MW - 2 casters bl/wh, 2 glides b wh

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- **G** Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select lock optiion

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



	el Front stic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	La	l, L3 & L4 minate Front ow Tie or Metric Pull
\$	898	\$ 961	\$	1158
	926	991		1187
\$	1044	\$ 1107	\$	1304
	1076	1140		1338

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #100.

Box/Box/File

		MODEL NUMBER								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	15 x 17-5/8 x 34-25/32"	ATPE1520BBFL-74P								110.0#
	15 x 21-5/8 x 34-25/32"	ATPE1524BBFL-74P								115.0#
ATPE										
Landing Pad - Bowed Front Top										
• 3/4" thick landing pad with 74PTN										
edge creates open space of 3-7/8" high										
Two 6" box drawers; one 12" file										
drawer with hanging folder partition										
		A	B	•	0	(3	•	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

51	- Steel/Inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	 Laminate/nickel bow tie

Select base style.

00.001 84	00 01,101
4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters hl/wh 2 glides hl/

OSelect unit color.

wh

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

G Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

701001 1001	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Box/Box/File

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 1078	\$ 1141	\$ 1340
1108	1172	1373

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #100.

			MODEL N	IUMBEF					
	MODEL	WxDxH	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Pri	livered cing).M.	
	Cushioned Seat - Mobile Pedestal	15 x 17 x 1-7/8"	PDCU/17			5.0#	\$	163	
	 For use on 15" wide pedestals only for use on steel tops only 	15 x 20 x 1-7/8"	PDCU/20			6.0#		174	
	• 17" deep used with 17-5/8" deep mobile								
PDCU	pedestal								
	• 20" deep, used with 21-5/8" deep mobile								
	pedestalAdds 2-1/4" to pedestal height								
	Not for use with Landing Pad								
	 Fabric runs side to side 								
	Lip height is 3-1/4"								
			A	B	•				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect trim color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



All Terrain® Pedestals Accessories

Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 163	\$ 185	\$ 195	\$ 204	\$ 215	\$ 228	\$ 253	\$ 260
174	194	207	214	226	238	266	272

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

MODEL MODEL Features H Model 3-3-3/6" 3-3-3/6" 2.KP80493 1.0# HRDPT 3-3-3/6" 2.KP80413 1.0# HRDPT Caster Non-Locking One caster with twin 2-15/16" diameter wheels 3-3-3/6" 2.KP80413 1.0# 1.0# HRDPT Caster with twin 2-15/16" diameter wheels Same height as casters Provides 1/2" height adjustment ATAC/4I ATAC/4I 1.5# ATAC/4I ATAC/4I 2.0# ATAC/P4R Date of the part of the par								
MODEL Features H Model Color Weight 3° Casters - Locking - One caster with twin 2-15/16' diameter wheels 1.0# 3° Casters - Non-Locking - One caster with twin 2-15/16' diameter wheels 1.0# 3° Casters - Non-Locking - One caster with twin 2-15/16' diameter wheels 6 Glides - Same height as casters - Same height as casters - Same height adjustment 1.0# Caster Mount Kit - Inset - Inset caster mount kit - Casters not included - For use on pedestals only - Casters are angled 5° ATACC A					MODEL NUMBER	R		
One caster with twin 2-15/16' diameter wheels S" Casters - Non-Locking One caster with twin 2-15/16' diameter wheels 1.0# One caster with twin 2-15/16' diameter wheels One caster with twin 2-15/16' diameter wheels 1.0# Glides Osame height as casters Provides 1/2' height adjustment Caster Mount Kit - Inset Inset caster mount kit Osaters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC			Features		Model		Packaged Weight	
HRDPT 3*Casters - Non-Locking One caster with twin 2-15/16* diameter wheels HRDPT Glides Same height as casters Provides 1/2* height adjustment Caster Mount Kit - Inset Inset caster mount kit Casters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters are angled 5° ATAC ATAC ATAC ATAC ATAC ATAC/P4R Casters are angled 5° ATAC/P4R Casters are angled 5° ATAC/P4R		3" Casters - Locking		3-3/8"	2.KP80493		1.0#	
### Same height as casters - Non-Locking - One caster with twin 2-15/16" diameter wheels #### Glides - Same height as casters - Provides 1/2" height adjustment ###################################								
HRDPT Glides Same height as casters Provides 1/2" height adjustment Caster Mount Kit - Inset Inset caster mount kit Casters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters are angled 5° ATAC ATAC ATAC/P4R Description Casters are angled 5° ATAC/P4R	HRDPT							
HRDPT Glides Same height as casters Provides 1/2" height adjustment Caster Mount Kit - Inset Inset caster mount kit Casters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters are angled 5° ATAC ATAC ATAC/P4R Description Casters are angled 5° ATAC/P4R		3" Casters - Non-Locking		3-3/8"	2.KP80413		1.0#	
HRDPT Caster Mount Kit - Inset Inset caster mount kit Casters not included Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC ATAC ATAC/P4R DIATAC ATAC/P4R								
Caster Mount Kit - Inset Inset caster mount kit Casters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters are angled 5° ATAC Casters are angled 5° Casters are angled 5° Casters are angled 5° Casters are angled 5° Casters Are Casters are angled 5° Casters are angled 5° Casters Are Casters Are Casters Casters Are Casters Are Casters Are Casters Are Casters Caster		WIICCIS						
Caster Mount Kit - Inset Inset caster mount kit Casters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters are angled 5° ATAC Casters are angled 5° Casters are angled 5° Casters are angled 5° Casters are angled 5° Casters Are Casters are angled 5° Casters are angled 5° Casters Are Casters Are Casters Casters Are Casters Are Casters Are Casters Are Casters Caster	Прирт							
Same height as casters Provides 1/2* height adjustment Caster Mount Kit - Inset Inset caster mount kit Casters not included ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC	חמטרו	Clidae		3_3/8"	2 KB1U3UUUBI WH		1 0#	
HRDPT Caster Mount Kit - Inset Inset caster mount kit Casters not included TAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC ATAC ATAC/4I 1.5# 2.0# ATAC/P4R Caster Mount Kit - Outrigger Outrigger caster mount kit Casters are angled 5°		 Same height as casters 		3-3/0	Z.KF103000DLWII		1.0#	
Caster Mount Kit - Inset Inset caster mount kit Casters not included Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC/4I 1.5# ATAC/4I 1.5# ATAC/4I 2.0# ATAC/P4R ATAC/P4R		Provides 1/2" height adjustment						
Caster Mount Kit - Inset Inset caster mount kit Casters not included Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC/4I 1.5# ATAC/4I 1.5# ATAC/4I 2.0# ATAC/P4R ATAC/P4R								
Caster Mount Kit - Inset Inset caster mount kit Casters not included Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC/4I 1.5# ATAC/4I 1.5# ATAC/4I 2.0# ATAC/P4R ATAC/P4R	LIDDAT							
Inset caster mount kit Casters not included Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC ATAC ATAC/P4R 2.0#	нкигі	Castor Mount Vit Inset			ATAC/AL		1.5#	
ATAC Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC	000	 Inset caster mount kit 			AIAU/4I		1.5#	
Caster Mount Kit - Outrigger Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC/P4R D 2.0# 2.0#	<i>⇔</i> ″	Casters not included						
Outrigger caster mount kit Casters not included For use on pedestals only Casters are angled 5° ATAC	ATAC							
Casters not included For use on pedestals only Casters are angled 5° ATAC		Caster Mount Kit - Outrigger			ATAC/P4R		2.0#	
Casters are angled 5° ATAC		 Casters not included 						
ATAC		For use on pedestals only Costars are applied 5°						
	ATAC	Casters are angled 5						
	,,,,,,				•	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



All Terrain® Pedestals Accessories

Deliv	vered
Prici	ing
\$	34
\$	31
\$	33
\$	56
Φ.	404
Ъ	131

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

			MODEL NUMB	ER		
	MODEL	Features	Basic Model	Unit Color	Approx. Packaged Weight	
	Box Drawer Partition		ATAC/D6		0.5#	
	6" partition for 6: box drawers					
ATAC						
	Hanging Folder Partition • Hanging folder partition for 12" file drawers		ATAC/D12		1.0#	
ATAC						
	Pencil Tray • Pencil tray for 3", 6", or hidden 3" pencil		ATAC/PENTRAY		0.5#	
ATAC						
	Touch-Up Paint - Steel One-ounce brush applicator for painted steel		ATAC/97003		1.5#	
ATAC						
	Double Bit Keys	Master Key	2.KP20550		0.2#	
HRDPT		Extractor Key	2.KP20551		0.2#	
		Key Blank	2.KP20552		0.2#	
		Cut Key	2.KP20557		0.2#	
			Ø	B		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



All Terrain® Pedestals Accessories

Deliv Prici	ered na				
\$	6				
\$	9				
φ	3				
\$	9				
\$	39				
\$	10			 	
	10				
	3 5				
	J				

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

Retrofit Kits

			MODEL NUMBER				
	Features	W x D x H	Basic Model/ Edge Style	Unit Color	Surface Finish	Edge Color	Approx. Packaged Weight
a a		1-9/32"	ATAC/LPPK2				0.5#
		3-7/8"	ATAC/LPPK4				0.5#
A A		4-15/32"	ATAC/LPPK5				0.5#
• •							
ATAC							
Landing Pad Post Kit for Pedestals with Non-steel Tops							
ATAC/LPPK2 model number intended							
for 26-1/4" high pedestals with non-							
steel tops							
 ATAC/LPPK4 model number intended for 29-13/16" high pedestals with 							
non-steel tops							
 ATAC/LPPK5 model number intended for 23-11/16" high pedestals with 							
non-steel tops							
·	For pedestals 17-5/8" D and 26-1/4" H	15 x 18-3/8 x 2-1/32"	ATAC/1518LP3-74P				7.0#
	For pedestals 17-5/8" D and 29-13/16" H	15 x 18-3/8 x 4-5/8"	ATAC/1518LP4-74P				7.0#
	For pedestals 17-5/8" D and 23-11/16" H	15 x 18-3/8 x 5-7/32"	ATAC/1518LP5-74P				7.0#
	For pedestals 21-5/8" D and 26-1/4" H	15 x 22-3/8 x 2-1/32"	ATAC/1522LP3-74P				8.0#
ATAC	For pedestals 21-5/8" D and 29-13/16" H	15 x 22-3/8 x 4-5/8"	ATAC/1522LP4-74P				8.0#
Landing Pad Retrofit Kit for Pedestals with Steel Tops	For pedestals 21-5/8" D and 23-11/16" H	15 x 22-3/8 x 5-7/32"	ATAC/1522LP5-74P				8.0#
	For pedestals 17-5/8" D	15 x 18-3/8 x 3/4"	ATAC/1518T-74P				7.0#
	For pedestals 21-5/8" D	15 x 22-3/8 x 3/4"	ATAC/1522T-74P				8.0#
ATAC							
Attached Top Retrofit Kit for Pedestals with Steel Tops							
with steel tohs							
			A	$oldsymbol{\mathbf{B}}$	œ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model/edge style.

 74P -3/4" laminate top w/74P
 edge band
- Select unit color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select surface finish.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Pedestals Retrofit Kits

Delivere	
Pricing	eu
	55
	55
	55
\$ 13	
13	
13	
16	
16	
16	60
\$ 14	
16	60

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

General Information

BINDER TOWERS

General Information

See All Terrain® General Storage Specifications located within this price book for specification information common to all All Terrain® storage products. All Terrain® binder towers are available in heights and drawer combinations to suit personal or shared storage requirements. Binder towers specified without drawers are optimized for book, binder or bin storage. These units include two adjustable shelves. Units may be specified with a single file drawer that can be used for letter files, legal files or bins, or for A4 files. Units with a file drawer include one fixed and one adjustable shelf and may also be specified with pullout pencil drawer.

All Terrain® binder towers may be specified with or without a door, on casters or glides with or without outriggers. The binder tower always includes a laminate either directly attached or as a raised landing pad. These tops can be specified as bowed front rectangular or as shaped.

Height

All Terrain® binder towers are available in 39-3/4" or 44-11/32" heights. Both heights provide a standing-height worksurface that invites collaboration. Specifying a landing pad, outriggers, casters or glides do not affect the unit height.

Depth and Width

All Åll Terrain® binder towers shells are 18"wide and 17" deep. A shaped top or outriggers add to the overall unit width and depth. Optional outriggers add 3-23/32" to the overall width and depth. Shaped tops add 2-1/2" to the depth and 4" to the width.

Binder Tower Shell

All Terrain® binder tower shells are constructed of components consisting of top, top reinforcements, bottom, wrapper (sides and back), upright interior side panels, and bottom reinforcements. The binder tower shell is spot-welded and MIG-welded together.

The top is 18-gauge cold-rolled steel (C.R.S.) with 3/4" flanges on all four sides. The front face has an additional flange formed inward to provide additional strength. Two top 20-gauge reinforcements are welded inward along each side of the top. The reinforcements are punched to allow mounting of the pencil drawer.

The wrapper is formed 20-gauge C.R.S. The wrapper is formed with 3/4" flanges along the two vertical sides. An additional flange is formed inward for additional strength and accepts the upright interior side panels. The upper edges are offset formed to accept the 3/4" top flange. The bottom edges are formed with a 3/4" flange to accept the binder tower bottom.

The bottom is formed 20-gauge C.R.S. with 3/4" flanges on all four sides. The front face

has an additional flange formed inward to provide additional strength. Two bottom 20-gauge reinforcements are welded inward along each side of the bottom. The bottom reinforcements are made with eight 1/4" - 20 threaded weldnuts that accept plate-mount or outrigger-mount casters.

The upright interior side panels are made from formed 20-gauge C.R.S. They fill up the interior left and right side of the binder tower. The front and the upright is formed to fit inside the channel form of the wrapper. The rear edge has a 3/4" flange for strength. The uprights are MIG-welded internally at each end, top and bottom. The welding provides a rugged shell design. The uprights are punched with 1" slots on a 1-inch increment pattern to hang the shelf supports. The uprights are also punched to mount the drawer suspensions.

Acrylic Doors

In addition to no door, steel door and laminate door options (see general storage specifications), All Terrain® binder towers are available with an acrylic door. The acrylic door is constructed from 1/4" thick frosted clear polycarbonate. The edges are finished with a rounded edge. The door's pull is machined into the door. Acrylic doors are reversible to change between right and left swinging. Acrylic doors do not include locks.

Drawer

Drawer fronts are fabricated from 20-gauge steel, are hemmed at the top, and have a 3/4" flange at the bottom for welding to the drawer body. The front is punched to receive a 1-1/2" diameter rubber grommet pull.

The drawer back is formed from 20-gauge C.R.S. and is hemmed along the top edge. The back is spot-welded to the drawer body.

The drawer body is formed from 20-gauge steel and is hemmed along the top edges. It is spot-welded to the drawer back and drawer front. The drawer body is sized to allow for hanging of legal-size hanging file folders and fitting of legal-size All Terrain® soft bins. Also, binder tower drawers do not lock. The sides of the drawer are punched to allow the mounting of hanging bars. The hanger bars allow for hanging of letter-sized hanging file folders and All Terrain® hard bins and fitting of All Terrain® letter-sized soft bins. A second set of punched holes allows mounting of the divider for hanging A4-sized hanging file folders.

The optional pencil drawer is a plastic drawer with multiple compartments for small items such as pens, paperclips, etc., and letter or A4-size paper.

Counterbalance

To ensure stability when the drawer is open, a counterbalance weight is factory-installed in binder towers specified with file drawer.

Drawer Suspension


The three-piece suspension assembly allows for the drawer body to extend. The roll-formed precision sections operate on hardened steel ball bearings. The suspension has a hold-in or retaining device to hold the drawer in a closed position.

Binder Tower Shelf and Support

Binder tower shelves are formed from 20-gauge C.R.S. with 3/4" flanges front and back. The front and back faces have an additional flange formed inward 3/4" and another small flange formed upwards to provide additional strength. The shelf support is formed from 20-gauge steel and supports the shelf along the full length of the left and right sides of the shelf. The shelves move up and down the interior of the binder tower in 1" increments.

Bin Hanging Slot

A 12-1/4" wide slot is punched on both sides of the binder tower shell. This slot provides a hanging edge for All Terrain® hard bins or tool rail accessories. The bottom of the slot is 7-5/8" below the top of the unit when a landing pad is specified and 4-3/4" below for units without landing pads. The slot is finished with a KI Translucent RPVC extrusion to allow for the hanging of All Terrain® hard bins. The slot on a 44" binder tower without a landing pad will allow a hard bin to hang above a 29" high worksurface.



All Terrain® Binder Towers General Information





Binder Tower Drawer

	W	D	Н
Inside Drawer Dimensions	151/	131/2"	113/4"

Binder Tower Drawer Suspended Filing Configurations

Letter

Legal

side-to-side

front-to-back

- 15¹/₈" side-to-side letter-sized file or bin capacity
- Holds two large 6¹/₂" soft bins or three hard bins or three 5" soft bins

Files, 5" hard or soft letter-sized bins



- 141/2" front-to-back legal-sized file or bin capacity
- Holds two legal-sized soft bins

Files, 5" soft legal-sized bins



Files, $6^{1}/_{2}$ " soft letter-sized bins



Pencil/Shelf/File with Outriggers

		MODEL NUMBER								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Top Style	Lock Option
	21-1/8 x 19-13/16 x 39-3/4"	ATBT39PFRLC-74P								
	21-1/8 x 19-13/16 x 44-11/32"	ATBT44PFRLC-74P								
Ğ										
ATBT										
Landing Pad - Bowed Front										
Outrigger casters or glides										
 3/4" landing pad, bowed front creates space of 3-7/8" 	S									
Two accessory slots										
12" file drawer, legal front-to-back										
Pencil drawer under top of cabinet										
 One fixed and one adjustable shelf 44" unit provides two rows and 39" 										
unit provides one row of 16-3/8 lines	al									
inches for book, binder or bin storag										
		A	3	Θ	0	(3	(3	O	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model/edge style.
 - **74P** 3/4" laminate top w/74P edge band
- BSelect front/pull style.

N	- None
S1L	- Steel/inset plastic pull (hinge
left)	

- S1R Steel/inset plastic pull (hinge right)

 S2L Steel/aluminum metric (hinge
- left)

 S2R Steel/aluminum metric (hinge right)
- S3L Steel/aluminum bow tie (hinge left)
- S3R Steel/aluminum bow tie (hinge right)
- Steel/nickel bow tie (hinge left)
- S4R Steel/nickel bow tie (hinge
- right)
 PL Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)
L2L - Laminate/aluminum metric
(hinge left)

L2R - Laminate/aluminum metric (hinge right)

L3L - Laminate/aluminum bow tie (hinge left) L3R - Laminate/aluminum bow tie

LAR - Laminate/aluminum bow tie (hinge right) LAL - Laminate/nickel bow tie

(hinge left)

L4R - Laminate/nickel bow tie (hinge right)

- Select base style.
 - 4CW 4 bl/wh casters (2 locking) 4GB - 4 bl/wh glides
 - 4MW 2 casters bl/wh, 2 glides bl/ wh
- Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

- Select edge color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
 Edge color offerings are based on
 edge style selections.
- Select front surface finish.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select top

LO - Lectern; add \$31 NL - No lectern

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/



All Terrain® Binder Towers Pencil/Shelf/File with Outriggers

115.0# \$ 1345 \$ 1516 \$ 1537 \$ 1783 \$ 1783 120.0# 1367 1536 1558 1838 1851	Approx. Packaged Weight	"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
120.0# 1367 1536 1558 1838 1851	115.0#	\$ 1345	\$ 1516	\$ 1537	\$ 1783	\$ 1783
	120.0#	1367	1536	1558	1838	1851

pull option.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

N/C

Pencil/Shelf/File with Outriggers

		MODEL NUMBER									
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Top Style	Lock Option	Approx. Packaged Weight
	22 x 19-5/8 x 39-3/4"	ATBT39PFRLS-74P									118.0#
	22 x 19-5/8 x 44-11/32"	ATBT44PFRLS-74P									123.0#
ATBT											
Landing Pad - Shaped											
Outrigger casters or glides3/4" landing pad, shaped top creates											
space of 3-7/8"											
Two accessory slots12" file drawer, legal front-to-back											
 Pencil drawer under top of cabinet One fixed and one adjustable shelf 											
44" unit provides two rows and 39"											
unit provides one row of 16-3/8 linea											
inches for book, binder or bin storage											
		A	B	0	0	(3	•	G	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

N - None
S1L - Steel/inset plastic pull (hinge left)
S1R - Steel/inset plastic pull (hinge

right)

S2L - Steel/aluminum metric (hinge left)

S2R - Steel/aluminum metric (hinge right)

S3L - Steel/aluminum bow tie

(hinge left)

S3R - Steel/aluminum bow tie
(hinge right) _____

S4L - Steel/nickel bow tie (hinge left)

S4R - Steel/nickel bow tie (hinge right)

PL - Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)
L2L - Laminate/aluminum metric
(hinge left)

L2R - Laminate/aluminum metric (hinge right)

L3L - Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

L4L - Laminate/nickel bow tie (hinge left) L4R - Laminate/nickel bow tie

(hinge right)

Select base style.

4CW - 4 bl/wh casters (2 locking) 4GB - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/ wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top

LO - Lectern; add \$31 NL - No lectern

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/



All Terrain® Binder Towers Pencil/Shelf/File with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1369	\$ 1536	\$ 1555	\$ 1803	\$ 1803	
1381	1555	1575	1855	1868	

pull option.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Pencil/Shelf/File

			_							
		MODEL NUMBE	R							
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	18 x 18-1/2 x 39-3/4"	ATBT39PFLC-74P								114.0#
	18 x 18-1/2 x 44-11/32"	ATBT44PFLC-74P								119.0#
ATBT										
Landing Pad - Bowed Front										
 3/4" landing pad, bowed front creates 										
space of 3-7/8"										
Two accessory slots Two accessory slots										
 12" file drawer, legal front-to-back Pencil drawer under top of cabinet 										
 One fixed and one adjustable shelf 										
 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal 										
inches for book binder or bin storage										
	22 x 19-5/8 x 39-3/4"	ATBT39PFLS-74P								117.0#
	22 x 19-5/8 x 44-11/32"	ATBT44PFLS-74P								122.0#
, D										
ATBT										
Landing Pad - Shaped										
 3/4" landing pad, shaped top creates space of 3-7/8" 										
Two accessory slots										
 12" file drawer, legal front-to-back 										
Pencil drawer under top of cabinetOne fixed and one adjustable shelf										
 44" unit provides two rows and 39" 										
unit provides one row of 16-3/8 lineal										
inches for book binder or bin storage										
		A	ß	Θ	0	(3	(3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S₁L - Steel/inset plastic pull (hinge left)

S1R - Steel/inset plastic pull (hinge right) - Steel/aluminum metric (hinge

S2L left) S2R - Steel/aluminum metric (hinge

right) S3L - Steel/aluminum bow tie (hinge left)

- Steel/aluminum bow tie S3R (hinge right)

S4L - Steel/nickel bow tie (hinge left)

- Steel/nickel bow tie (hinge S4R right) - Frosted acrylic (hinge left)

- Frosted acrylic (hinge right) L2L - Laminate/aluminum metric (hinge left)

L2R - Laminate/aluminum metric (hinge right)

- Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

- Laminate/nickel bow tie (hinge left)

L4R - Laminate/nickel bow tie

(hinge right)

Select base style.

- 4 bl/wh casters (2 locking) - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/

DSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

• Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

- Key alike - Key standard - No lock core NLC

Lock option not available when "N", "PL" or "PR" is selected for door front/ pull option.



Pencil/Shelf/File

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1238	\$ 1408	\$ 1430	\$ 1674	\$ 1674	
1252	1427	1447	1728	1742	

\$ 1256	\$ 1427	\$ 1447	\$ 1691	\$ 1693	
1273	1444	1466	1745	1762	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

Pencil/Shelf/File

			MODEL NUMBE	R						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
	Bowed Front Top	18 x 18-3/4 x 39-3/4"	ATBT39PFC-74P							
	• 3/4"bowed front top, 1-3/4" overhang on	18 x 18-3/4 x 44-11/32"	ATBT44PFC-74P							
	front only • Two accessory slots									
	12" file drawer, legal front-to-back									
	 Pencil drawer under top of cabinet 									
0	One fixed and one adjustable shelf Adjust a regulation true regulation and 20" unit									
	 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches 									
0	for book binder or bin storage									
BT										
	Shaped Top	22 x 19-5/8 x 39-3/4"	ATBT39PFS-74P							
	3/4" shapped top, 1-5/16" overhang front and back 2" overhang left and right	22 x 19-5/8 x 44-11/32"	ATBT44PFS-74P							
	and back, 2" overhang left and rightTwo accessory slots									
	 12" file drawer, legal front-to-back 									
	Pencil drawer under top of cabinet									
0	 One fixed and one adjustable shelf 44" unit provides two rows and 39" unit 									
	provides one row of 16-3/8 lineal inches									
W	for book binder or bin storage									
BT										
			A	B	•	0	(3	(3)	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S₁L - Steel/inset plastic pull (hinge left) S1R - Steel/inset plastic pull (hinge right) S2L - Steel/aluminum metric (hinge left) S2R - Steel/aluminum metric (hinge right) S3L - Steel/aluminum bow tie

(hinge left) - Steel/aluminum bow tie S3R (hinge right)

S4L - Steel/nickel bow tie (hinge left)

- Steel/nickel bow tie (hinge S4R right) - Frosted acrylic (hinge left)

- Frosted acrylic (hinge right) L2L - Laminate/aluminum metric (hinge left)

L2R - Laminate/aluminum metric (hinge right)

- Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

- Laminate/nickel bow tie (hinge left)

L4R - Laminate/nickel bow tie

(hinge right)

Select base style.

- 4 bl/wh casters (2 locking) - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/ wh

DSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

- Key alike - Key standard - No lock core NLC

Lock option not available when "N", "PL" or "PR" is selected for door front/ pull option.



Pencil/Shelf/File

	"N" No Door	Steel Front	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
121.0#	\$ 1230	\$ 1401	\$ 1423	\$ 1704	\$ 1705
126.0#	1244	1425	1444	1743	1774

124.0# \$ 1247 \$ 1420 \$ 1442 \$ 1724 129.0# 1262 1443 1464 1762 1793						
129.0# 1262 1443 1464 1762 1793	124.0#	\$ 1247	\$ 1420 \$	1442 \$	1724	\$ 1724
	129.0#	1262		1464	1762	1793

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

Shelf/File with Outriggers

		MODEL NUMBER	R							
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Top Style	Lock Option
	21-1/8 x 19-13/16 x 39-3/4"	ATBT39FRLC-74P								
	21-1/8 x 19-13/16 x 44-11/32"	ATBT44FRLC-74P								
ATBT										
Landing Pad - Bowed Front										
Outrigger casters or glides 3/4" landing pad, bowed front creates space of 3-7/8" Two accessory slots										
12" file drawer, legal front-to-back										
One fixed and one adjustable shelf44" unit provides two rows and 39"										
unit provides one row of 16-3/8 lineal inches for book binder or bin storage										
	22 x 19-5/8 x 39-3/4"	ATBT39FRLS-74P								
	22 x 19-5/8 x 44-11/32"	ATBT44FRLS-74P					l .			
ATBT										
Landing Pad - Shaped										
 Outrigger casters or glides 3/4" landing pad, bowed front creates space of 3-7/8" 										
Two accessory slots12" file drawer, legal front-to-back										
One fixed and one adjustable shelf										
 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal 										
inches for book binder or bin storage										
		A	B	Θ	0	(3	(3	Ф	0	0
		-								_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

N - None
S1L - Steel/inset plastic pull (hinge left)

\$1R - Steel/inset plastic pull (hinge right)

\$2L - Steel/aluminum metric (hinge

left)

\$2R - Steel/aluminum metric (hinge right)

right)

S3L - Steel/aluminum bow tie (hinge left)

S3R - Steel/aluminum bow tie (hinge right)

S4L - Steel/nickel bow tie (hinge left)

S4R - Steel/nickel bow tie (hinge right)
PL - Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)
L2L - Laminate/aluminum metric
(hinge left)

L2R - Laminate/aluminum metric (hinge right)

L3L - Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

L4L - Laminate/nickel bow tie (hinge left) L4R - Laminate/nickel bow tie

L4R - Laminate/nickel bow tie (hinge right)

Select base style.

4CW - 4 bl/wh casters (2 locking)
4GB - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/

Select unit color.
Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Edge color offerings are based on
edge style selections.

Select front surface finish.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select top

LO - Lectern; add \$31 NL - No lectern

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/



Shelf/File with Outriggers

Approx. Packaged Weight	"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
114.0#	\$ 1259	\$ 1430	\$ 1449	\$ 1696	\$ 1696
114.0#	1276	1448	1468	1750	1764

117.0# \$ 1278	\$ 1467	\$ 1467	\$ 1711	\$ 1713	
122.0# 1293	1448	1488	1767	1783	

pull option.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

Shelf/File with Outriggers

		MODEL NUMBE	:R							
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	21-1/8 x 19-13/16 x 39-3/4"	ATBT39FRC-74P								121.0#
	21-1/8 x 19-13/16 x 44-11/32"	ATBT44FRC-74P								121.0#
ATBT Bowed Front Top										
Outrigger casters or glides 3/4" bowed front top, 1-3/4" overhang on front only Two accessory slots 12" file drawer, legal front-to-back One fixed and one adjustable shelf 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches for book binder or bin storage										
	22 x 19-5/8 x 39-3/4"	ATBT39FRS-74P								124.0#
	22 x 19-5/8 x 44-11/32"	ATBT44FRS-74P								124.0#
ATBT										
Shaped Top										
 Outrigger casters or glides 3/4"shaped top, 1-5/16" overhang front and back, 2" overhang left and right Two accessory slots 12" file drawer, legal front-to-back One fixed and one adjustable shelf 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches for book binder or bin storage 										
		A	3	Θ	0	(3	G	O	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

N - None
S1L - Steel/inset plastic pull (hinge left)

S1R - Steel/inset plastic pull (hinge right)

S2L - Steel/aluminum metric (hinge

left)

S2R - Steel/aluminum metric (hinge

right)

S3L - Steel/aluminum bow tie (hinge left)

\$3R - Steel/aluminum bow tie

(hinge right) **S4L** - Steel/nickel bow tie (hinge left)

S4R - Steel/nickel bow tie (hinge right)

PL - Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)

L2L - Laminate/aluminum metric
(hinge left)

L2R - Laminate/aluminum metric (hinge right)

L3L - Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

L4L - Laminate/nickel bow tie (hinge left)

L4R - Laminate/nickel bow tie (hinge right)

CSelect base style.

4CW - 4 bl/wh casters (2 locking) 4GB - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/ wh

OSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Edge color offerings are based on
edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/pull option.



Shelf/File with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1251	\$ 1425	\$ 1443	\$ 1725	\$ 1727	
1264	1444	1466	1762	1797	

\$ 1272	\$ 1442	\$ 1464	\$ 1744	\$ 1745	
1208	1465	1484	1784	1816	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

Shelf/File

			MODEL NUMB	ER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
$\overline{}$	Landing Pad - Bowed Front	18 x 18-3/4 x 39-3/4"	ATBT39FLC-74P							
	• 3/4" landing pad, bowed front creates	18 x 18-3/4 x 44-11/32"	ATBT44FLC-74P							
	space of 3-7/8" Two accessory slots									
	12" file drawer, legal front-to-back One fixed and analyticately shalf									
	 One fixed and one adjustable shelf 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches 									
₩ ATBT	for book binder or bin storage									
וטו	Landing Pad - Shaped	22 x 19-5/8 x 39-3/4"	ATBT39FLS-74P							
	• 3/4" landing pad, shaped top creates	22 x 19-5/8 x 44-11/32"	ATBT44FLS-74P							
	space of 3-7/8" • Two accessory slots	ZE X 10 0/0 X 11 11/02	7.1.5171120711							
	 12" file drawer, legal front-to-back 									
	One fixed and one adjustable shelf Adl unit provides two rows and 20" unit									
	 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches 									
	for book binder or bin storage									
ATBT										
			A	B	•	0	(3	(3	e	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S2L

N - None
S1L - Steel/inset plastic pull (hinge left)
S1R - Steel/inset plastic pull (hinge right)

- Steel/aluminum metric (hinge

left)

\$2R - Steel/aluminum metric (hinge

right)

S3L - Steel/aluminum bow tie (hinge left)

S3R - Steel/aluminum bow tie (hinge right)

S4L - Steel/nickel bow tie (hinge left)
S4R - Steel/nickel bow tie (hinge

right)
PL - Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)
L2L - Laminate/aluminum metric
(hinge left)
L2R - Laminate/aluminum metric

L2R - Laminate/aluminum metric (hinge right) L3L - Laminate/aluminum bow tie

(hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

L4L - Laminate/nickel bow tie (hinge left) L4R - Laminate/nickel bow tie

L4R - Laminate/nickel bow tie (hinge right)

Select base style.

4CW - 4 bl/wh casters (2 locking)
4GB - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/pull option.



Approx. Packaged Weight	"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
113.0#	\$ 1150	\$ 1322	\$ 1342	\$ 1585	\$ 1586
118.0#	1163	1341	1355	1642	1653
116.0#	\$ 1165	\$ 1341	\$ 1355	\$ 1605	\$ 1606
121.0#	1184	1354	1378	1658	1674

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

			MODEL NUME	BER						
			Basic Model/	Front Pull		Unit	Surface	Edge	Front Surface	Lock
	MODEL	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Finish	Option
	Bowed Front Top	18 x 18-3/4 x 39-3/4"	ATBT39FC-74P							
	• 3/4" bowed front top, 1-3/4" overhang on	18 x 18-3/4 x 44-11/32"	ATBT44FC-74P							
ATBT	front only • Two accessory slots									
	12" file drawer, legal front-to-back									
	 One fixed and one adjustable shelf 									
	44" unit provides two rows and 39" unit									
0	provides one row of 16-3/8 lineal inches for book binder or bin storage									
ATBT	for book billed of bill deorage									
	Shaped Top	22 x 19-5/8 x 39-3/4"	ATBT39FS-74P							
	• 3/4"shaped top, 1-5/16" overhang front	22 x 19-5/8 x 44-11/32"	ATBT44FS-74P							
	and back, 2" overhang left and rightTwo accessory slots									
	12" file drawer, legal front-to-back									
	 One fixed and one adjustable shelf 									
	44" unit provides two rows and 39" unit									
0	provides one row of 16-3/8 lineal inches for book binder or bin storage									
ATBT	101 book billdor of bill storage									
				•			A	A		
			A	₿	Œ	O	✐	(3)	Œ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S₁L - Steel/inset plastic pull (hinge left) S1R - Steel/inset plastic pull (hinge

right) - Steel/aluminum metric (hinge S2L left)

S2R - Steel/aluminum metric (hinge right) - Steel/aluminum bow tie

(hinge left) - Steel/aluminum bow tie S3R

(hinge right) S4L - Steel/nickel bow tie (hinge

left) - Steel/nickel bow tie (hinge S4R

right) - Frosted acrylic (hinge left)

- Frosted acrylic (hinge right) L2L - Laminate/aluminum metric (hinge left)

L2R - Laminate/aluminum metric (hinge right)

- Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

- Laminate/nickel bow tie (hinge left)

L4R - Laminate/nickel bow tie

(hinge right)

Select base style.

- 4 bl/wh casters (2 locking) - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/ wh

DSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

- Key alike - Key standard NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/ pull option.



Approx. Packaged Weight	"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
120.0#	\$ 1142	\$ 1319	\$ 1334	\$ 1619	\$ 1620
125.0#	1156	1337	1354	1654	1687

123.0#	\$ 1158	\$ 1333	\$ 1352	\$ 1635	\$ 1635	
128.0#	1179	1353	1376	1674	1705	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

Shelf/Shelf with Outriggers

		MODEL NUMBE	R								
	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Top Style	Lock Option	Approx. Packaged Weight
	21-1/8 x 19-13/16 x 39-3/4"	ATBT39RLC-74P									79.0#
ATBT	21-1/8 x 19-13/16 x 44-11/32*	ATBT44RLC-74P									84.0#
Landing Pad - Bowed Front											
 Outrigger casters or glides 3/4" landing pad, bowed front creates space of 3-7/8" Two accessory slots Two adjustable shelves 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches for book, binder or bin storage 											
	22 x 19-5/8 x 39-3/4"	ATBT39RLS-74P									82.0#
	22 x 19-5/8 x 44-11/32"	ATBT44RLS-74P									87.0#
ATBT											
Landing Pad - Shaped											
 Outrigger casters or glides 3/4" landing pad, shaped top creates space of 3-7/8" Two accessory slots Two adjustable shelves 44" unit provides two rows and 39" unit provides one row of 16-3/8 lineal inches for book, binder or bin storage 											
		•	B	Э	0	3	3	Э	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S₁L - Steel/inset plastic pull (hinge left)

S1R - Steel/inset plastic pull (hinge right) - Steel/aluminum metric (hinge S2L

left) S2R - Steel/aluminum metric (hinge

right) - Steel/aluminum bow tie (hinge left)

- Steel/aluminum bow tie S3R (hinge right)

S4L - Steel/nickel bow tie (hinge left)

- Steel/nickel bow tie (hinge S4R right)

- Frosted acrylic (hinge left)

- Frosted acrylic (hinge right) L2L - Laminate/aluminum metric (hinge left)

L2R - Laminate/aluminum metric (hinge right)

- Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

- Laminate/nickel bow tie (hinge left)

L4R - Laminate/nickel bow tie

(hinge right)

Select base style.

- 4 bl/wh casters (2 locking) - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/ wh

DSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select top

- Lectern; add \$31 - No lectern

Select lock optiion

- Key alike - Key standard - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/



Shelf/Shelf with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1159	\$ 1330	\$ 1351	\$ 1599	\$ 1599	
1179	1350	1373	1652	1668	

\$ 1182	\$ 1350	\$ 1373	\$ 1618	\$ 1619
1195	1373	1390	1671	1685

pull option.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

N/C

Shelf/Shelf with Outriggers

NODEL NUMBER Sasic Model/ Edge Style S	
ATBT Bowed Front Top • Outrigger casters or glides • 3.4' bowed front top, 1-3/4' overhang on front only • Two accessory slots • Two adjustable shelves • 44' unit provides three rows and 39' unit provides two rows of 16-3/8' lineal inches for book, binder or bin storage 22 x 19-5/8 x 39-3/4' ATBT39RS-74P ATBT44RS-74P	
ATBT Bowed Front Top Outrigger casters or glides 3 '34' bowed front top, 1-3/4' overhang on front only 1 Two accessory slots 1 Two adjustable shelves 4 'unit provides three rows and 39' unit provides three rows of 16-3/8' lineal inches for book, binder or bin storage 22 x 19-5/8 x 39-3/4' ATBT39RS-74P ATBT44RS-74P ATBT44RS-74P ATBT44RS-74P	
Outrigger casters or glides 3/4" bowed front top, 1-3/4" overhang on front only Two accessory slots Two adjustable shelves 44" unit provides three rows and 39" unit provides two rows of 16-3/8" lineal inches for book, binder or bin storage 22 x 19-5/8 x 39-3/4" 22 x 19-5/8 x 44-11/32" ATBT44RS-74P ATBT44RS-74P	
Outrigger casters or glides 3/4" bowed front top, 1-3/4" overhang on front only Two accessory slots Two adjustable shelves 44" unit provides three rows and 39" unit provides three rows of 16-3/8" lineal inches for book, binder or bin storage 22 x 19-5/8 x 39-3/4" ATBT39RS-74P ATBT44RS-74P ATBT44RS-74P ATBT44RS-74P ATBT44RS-74P ATBT44RS-74P ATBT44RS-74P ATBT44RS-74P	
ATBT ATBT	
ATBT	
Shaped Top	
Outrigger casters or glides 3/4" shaped top, 1-5/16" overhang front and back, 2" overhang left and right Two accessory slots Two adjustable shelves 44" unit provides three rows and 39" unit provides two rows of 16-3/8 lineal inches for book, binder or bin storage	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

N - None
S1L - Steel/inset plastic pull (hinge left)

\$1R - Steel/inset plastic pull (hinge right)

\$2L - Steel/aluminum metric (hinge

left)

\$2R - Steel/aluminum metric (hinge

right)

S3L - Steel/aluminum bow tie (hinge left)

S3R - Steel/aluminum bow tie (hinge right)

S4L - Steel/nickel bow tie (hinge left)
S4R - Steel/nickel bow tie (hinge

right)
PL - Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)
L2L - Laminate/aluminum metric
(hinge left)

L2R - Laminate/aluminum metric (hinge right)

L3L - Laminate/aluminum bow tie (hinge left)

L3R - Laminate/aluminum bow tie (hinge right)

L4L - Laminate/nickel bow tie (hinge left) L4R - Laminate/nickel bow tie

(hinge right)

Select base style.

4CW - 4 bl/wh casters (2 locking) 4GB - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/

Select unit color.

Refer to color addendum at

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/pull option.



Shelf/Shelf with Outriggers

"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
\$ 1154	\$ 1327	\$ 1345	\$ 1629	\$ 1630	
1165	1346	1371	1669	1701	

1187 1370			
1107 1370	1389	1686	1718

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

Shelf/Shel

		MODEL NUMBER									
			MODEL NOWE	LII							
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	Landing Pad - Bowed Front	18 x 18-3/4 x 39-3/4"	ATBT39LC-74P								
	 3/4" landing pad, bowed front creates 	18 x 18-3/4 x 44-11/32"	ATBT44LC-74P								
	space of 3-7/8" Two accessory slots										
	Two adjustable shelves										
	 44" unit provides two rows and 39" unit 										
	provides one row of 16-3/8 lineal inches										
	for book, binder or bin storage										
ATBT											
	Landing Pad - Shaped • 3/4" landing pad, shaped top creates	22 x 19-5/8 x 39-3/4"	ATBT39LS-74P								
		22 x 19-5/8 x 44-11/32"	ATBT44LS-74P								
	space of 3-7/8" Two accessory slots										
7	Two adjustable shelves										
	• 44" unit provides two rows and 39" unit										
	provides one row of 16-3/8 lineal inches for book, binder or bin storage										
	ior book, billion of bill storage										
ATBT											
			A	(3)	(•	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

| S1L | - Steel/inset plastic pull (hinge left) | S1R | - Steel/inset plastic pull (hinge right) | - Steel/aluminum metric (hinge left) | S2L | - Steel/aluminum metric (hinge right) | - Steel/aluminum bow tie

(hinge left)

S3R - Steel/aluminum bow tie (hinge right)

S4L - Steel/nickel bow tie (hinge left)
S4R - Steel/nickel bow tie (hinge

right)

PL - Frosted acrylic (hinge left)

PR - Frosted acrylic (hinge right)
L2L - Laminate/aluminum metric
(hinge left)

L2R - Laminate/aluminum metric (hinge right)

L3L - Laminate/aluminum bow tie (hinge left) L3B - Laminate/aluminum bow tie

LAR - Laminate/aluminum bow tie (hinge right) LAL - Laminate/nickel bow tie

(hinge left)

L4R - Laminate/nickel bow tie (hinge right)

Select base style.

4CW - 4 bl/wh casters (2 locking)
4GB - 4 bl/wh glides

4MW - 2 casters bl/wh, 2 glides bl/

- Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select front surface finish.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

Lock option not available when "N", "PL" or "PR" is selected for door front/pull option.



Approx. Packaged Weight	"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
78.0#	\$ 1052	\$ 1223	\$ 1241	\$ 1489	\$ 1489
83.0#	1066	1241	1261	1542	1558

78.0#	\$ 1070	\$ 1240	\$ 1261	\$ 1509	\$ 1509	
83.0#	1088	1260	1281	1563	1577	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

			MODEL NUM	BER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
	Bowed Front Top	18 x 18-3/4 x 39-3/4"	ATBT39C-74P							
	3/4" bowed front top, 1-3/4" overhang on front only	22 x 19-5/8 x 44-11/32"	ATBT44C-74P							
	front only • Two accessory slots									
	 Two adjustable shelves 									
	 44" unit provides three rows and 39" unit provides two rows of 16-3/8 lineal 									
	inches for book, binder or bin storage									
ВТ	Ohanad Tan	00 4.0. 0 /4 00. 0 /4	ATDT000 74D							
	Shaped Top • 3/4" shaped top, 1-5/16" overhang front	22 x 18-3/4 x 39-3/4"	ATBT39S-74P							
	and back, 2" overhang left and right	22 x 19-5/8 x 44-11/32"	ATBT44S-74P							
	Two accessory slotsTwo adjustable shelves									
	 44" unit provides three rows and 39" 									
	unit provides two rows of 16-3/8 lineal inches for book, binder or bin storage									
0	illolles for book, billider of bill storage									
ВТ										
			A	3	•	0	(3	(3	e	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S₁L - Steel/inset plastic pull (hinge left) S1R - Steel/inset plastic pull (hinge right) S2L - Steel/aluminum metric (hinge left) S2R - Steel/aluminum metric (hinge right) - Steel/aluminum bow tie

(hinge left) - Steel/aluminum bow tie S3R (hinge right)

S4L - Steel/nickel bow tie (hinge left)

- Steel/nickel bow tie (hinge S4R right) - Frosted acrylic (hinge left)

- Laminate/aluminum bow tie (hinge left) L3R - Laminate/aluminum bow tie (hinge right) - Laminate/nickel bow tie (hinge left)

L4R - Laminate/nickel bow tie (hinge right) Select base style.

- Frosted acrylic (hinge right)

- Laminate/aluminum metric

- Laminate/aluminum metric

L2L

L2R

(hinge left)

(hinge right)

- 4 bl/wh casters (2 locking) - 4 bl/wh glides 4MW - 2 casters bl/wh, 2 glides bl/

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

- Key alike - Key standard - No lock core NLC Lock option not available when "N",

"PL" or "PR" is selected for door front/ pull option.



Shelf/Shelf

Approx. Packaged Weight	"N" No Door	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	PR & PL Acrylic Door	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
85.0#	\$ 1047	\$ 1216	\$ 1238	\$ 1518	\$ 1520	
90.0#	1058	1239	1260	1560	1588	
88.0#	\$ 1062	\$ 1237	\$ 1257	\$ 1538	\$ 1538	
93.0#	1080	1259	1278	1577	1609	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped **assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1** factory.
Freight class #100.

					MODEL NUMBER				
	1	MODEL	Features	Н	Basic Model	Unit Color	Approx. Packaged Weight		
		3" Casters - Locking		3-3/8"	2.KP80493		1.0#		
(One caster with twin 2-15/16" diameter wheels 							
HRDPT	· C								
		3" Casters - Non-Locking		3-3/8"	2.KP80413		1.0#		
		 One caster with twin 2-15/16" diameter wheels 							
		Wilde							
HRDPT	, 0								
ППОГІ		Glides		3-3/8"	2.KP103000BLWH		1.0#		
	Δ.	Same height as casters		0 0/0	Z.KI TOOGOODEVIII		1.5#		
	dh.	Provides 1/2" height adjustment							
HRDPT		Caster Mount Kit - Inset			ATAC/AL		1.5.4		
<	> ~ .	Inset caster mount kit			ATAC/4I		1.5#		
		 Casters not included Not to be used on pedestals 							
ATAC	•	Not to be used on pedestals							
		Caster Mount Kit - Outrigger			ATAC/T4R		2.0#		
Ø		Outrigger caster mount kit Casters not included							
		Not to be used on pedestals							
ATAC									
		Folder Bar Channel			ATAC/BTFB		0.5#		
_		Fits binder tower file drawerBlack finish only							
	•	DIAUN IIIIISII UIIIY							
ATA C									
ATAC					_				
					A	$oldsymbol{\Theta}$			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Accorcoring

Deli\ Prici	ivered
\$	34
\$	31
Ψ	
\$	33
ф	
\$	56
φ	
\$	122
\$	30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A 0E1 factory.
Freight class #70.

MODEL MODEL W x D x H Basic Model/ Edge Style Color Finish Color Finish Color Weight 16-3/4 x 7 x 5-3/8* ATAC/177SS-74P 16-3/4 x 7 x 5-3/8* ATAC/177SS-74P 16-3/4 x 7 x 5-3/8* ATAC/177SS-74P 16-1/2 x 16-3/8 x 3/4* ATAC/1817BS ATAC/1817BS ATAC/1817BS ATAC/1817BS ATAC/1817BS ATAC/1817BS 18-3/8 x 13-3/4 x 1-3/16* ATAC/8TPENDR 2.0#								
Removable Side Shelf 16-3/4 x 7 x 5-3/8" ATAC/177SS-74P 19-3/4 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x				MODEL NUMBE	R			
ATAC Attaches to accessory slot on side of binder towers, storage towers or into tool rail slots No tools or fasteners required Adjustable Blank Shelf Blank Shelf Blank Shelf Blank Shelf ATAC ATAC/1817BS ATAC/1817BS		MODEL	W x D x H					Packaged
binder towers, storage towers or into tool rail slots No tools or fasteners required Adjustable Blank Shelf Blank Shelf 16-1/2 x 16-3/8 x 3/4* ATAC/1817BS Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16* ATAC/BTPENDR 2.0#	_		16-3/4 x 7 x 5-3/8"	ATAC/177SS-74P				6.0#
ATAC Adjustable Blank Shelf Blank shelf Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only Black finish only 16-1/2 x 16-3/8 x 3/4* ATAC/1817BS ATAC/1817BS ATAC/1817BS 4.0# ATAC/1817BS 2.0#	<i>\$</i> 2.							
ATAC Adjustable Blank Shelf Blank Shelf 16-1/2 x 16-3/8 x 3/4* ATAC/1817BS Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16* ATAC/BTPENDR 2.0#		tool rail slots						
Adjustable Blank Shelf Blank shelf 16-1/2 x 16-3/8 x 3/4* ATAC/1817BS 4.0# Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16* ATAC/BTPENDR 2.0#	T.	No tools or fasteners required						
ATAC Adjustable Blank Shelf Blank Shelf Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only Black finish only ATAC ATAC/1817BS ATAC/1817BS 4.0# ATAC/1817BS ATAC/1817BS 4.0# ATAC/BTPENDR 2.0#	ATAC							
Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16" ATAC/BTPENDR 2.0#			16-1/2 x 16-3/8 x 3/4"	ATAC/1817BS				4.0#
Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16" ATAC/BTPENDR 2.0#	No.	Blank shelf						
Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16" ATAC/BTPENDR 2.0#								
Pencil Drawer Kit Retrofit kit to add the pull-out pencil drawer Black finish only 13-3/8 x 13-3/4 x 1-3/16" ATAC/BTPENDR 2.0#								
Retrofit kit to add the pull-out pencil drawer Black finish only ATAC	ATAC							
drawer • Black finish only			13-3/8 x 13-3/4 x 1-3/16"	ATAC/BTPENDR				2.0#
Black finish only ATAC								
	ATAC							
				A	B	•	• •	I

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model/edge style. 74P - 3/4" laminate top w/74P edge band
- **B**Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- OSelect edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.



Delivered Pricing

\$ 186

64

\$ 136

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUN	IRFR		
	MODEL	Features	Н	Basic Model	Unit Color	Approx. Packaged Weight	
4. 4.	Landing Pad Post Kit Landing pad post kit for Binder Towers		3-7/8"	ATAC/LPPK4		0.5#	
T T	Landing pad post kit for billder fowers						
7 7							
ATAC							
	Touch-Up Paint - Steel			ATAC/97003		1.5#	
9	One-ounce brush application touch-up paint for painted steel						
\square							
ATAO							
ATAC	Double Bit Keys	Master Key		2.KP20550		0.2#	
HRDPT	Duble Dit Reys	Extractor Key		2.KP20551		0.2#	
		Key Blank		2.KP20552		0.2#	
		Cut Key		2.KP20557		0.2#	
				A	B		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Belect unit color.
 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.



Accessories

Delivered
Pricina

\$ 55

\$ 39

\$ 10 10

3

5

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

General Information

LOW HEIGHT STORAGE

General Information

All Terrain® low height storage units are available in sizes and drawer combinations to suit personal or group storage requirements. They are sized to tuck under worksurfaces or, with a landing pad option, to provide supplemental worksurfaces.

Base Options

Base options for low height storage units include exposed 75mm (3") wheeled casters or glides or a combination. With the combined caster/glide option, units can be positioned flush to walls/panels while still providing a more static look and function.

Heigh

All Terrain® low height storage unit height is determined by the drawer configuration and top style. For units with steel tops, there are two unit heights of 26-3/4" and 29-3/16" (will not fit under a 29" high worksurface). An optional direct-mounted top adds 3/4" to these heights. Optional landing pad tops on the shorter box size increases the unit height to 29" (to match the worksurface height). An optional landing pad top on the largest box size increases unit height to 34-13/32".

Depth and Width

All All Terrain® low height storage units are 21-5/8" deep, and are available in two standard widths of 24" and 30".

Basic Shell

All Terrain® low height storage unit shell is constructed of components consisting of top, wrapper (sides and back), front and back interior uprights, and bottom reinforcements. The unit shell is spot-welded and MIG welded together.

The wrapper is formed 20-gauge C.R.S. The wrapper is formed with 3/4" flanges along the two vertical sides. An additional flange is formed inward for additional strength and accepts the upright interior side panels. The upper edges are offset-formed to accept the 1-1/8" top flange. The bottom edges are formed with a 3/4" flange to accept the uprights and bottom.

The bottom reinforcement is formed 20-gauge C.R.S. with 3/4" flanges on two sides. Two bottom 20-gauge reinforcements are welded inward along the front and back of the bottom of the unit shell. The bottom reinforcements are made with eight 1/4" - 20 threaded weldnuts that accept plate-mount or outrigger-mount casters.

The interior uprights are made from formed 20-gauge C.R.S. They are welded on each side of the unit at the front and back. The rear edge has 3/4" flange for strength. The front upright assembly is a spot-welded boxframe design, in which both front upright members are securely welded to the top reinforcement and the bottom reinforcement to provide a strong, square frame. Each corner or joint has a unique bracing design

punched from the parent material. This design provides for a double thickness at each corner for maximum strength.

Drawer

Drawers are available in 10-1/2" (compact file) and 12" (file) heights. Fronts are screw mounted to the drawer body.

The drawer back is formed from 22-gauge pre-painted C.R.S. with a 30° form along the top edge and is mechanically clenched to the body.

Each file drawer has a Z-shaped component welded to the front liner to function as a support for one end of the hanging folders. The other end of the hanging folder is supported by locating the full-height divider in the appropriate slots.

The drawer body is formed from 22-gauge pre-painted steel. The upper edges are formed to provide a smooth edge as well as providing full-length reinforcements. The box and file drawers are designed with four rows of slots to accept adjustable dividers. The drawer body is sized to allow for hanging of legal-size hanging file folders and fitting of legal-size All Terrain® soft bins by the use of dividers. The file drawer size allows for hanging of letter-size hanging file folders and All Terrain® letter-size soft bins. A second set of punched holes allows mounting of the divider for hanging A4-size hanging file folders.

Drawer Suspension


The file drawers operate on a three-piece suspension assembly. The roll-formed precision sections operate on hardened steel ball bearings. The suspension has a hold-in or retaining device to hold the drawer in a closed position.

Counterbalance

A counterbalance weight is installed in low height storage units to assure stability when the drawers are extended.

Interlock

All Terrain® low height storage unit drawers are equipped with a unique patented interlock safety system, which permits only one drawer to be opened at a time. The system is designed to reduce the risk of a standalone unit tipping over. To minimize possible damage to the interlock system, activating cams restage. If during servicing or installing more than one opening is extended, these openings can be closed without damage to the interlock components.





Low Height Storage Drawers Inside Drawer Dimensions		24" W Lateral			30" W Lateral			
	w	D	Н	W	D	Н		
10 ¹ / ₂ " File	203/4"	$19^{21}/_{32}$ "	9 ²⁹ / ₃₂ "	26 ³ / ₄ "	1921/32"	$9^{29}/_{32}$ "		
12" File	203/4"	19 ²¹ / ₃₂ "	111/2"	263/4"	1921/32"	117/16"		

Note: Hard bins will not fit in $10^{1}/_{2}$ file drawers.

Lateral File Filing Config	gurations	24" W Lateral	30" W Lateral
Letter	side-to-side	 20³/₄ lineal inch capacity Holds three 6¹/₂" soft bins Holds four 5" soft or hard bins plus one letter- or legal-sized bin 	 26³/₄ lineal inch capacity Holds four 6¹/₂" soft bins Holds five 5" soft bins plus two letter-sized bins of any size
Letter	front-to-back	Not recommended	 Requires two sets of ATAC/FBK 38'/₂" lineal inch capacity with "k" bar Holds six 6'/₂" soft bins Holds eight 5" soft bins
Legal	side-to-side	 20³/₄ lineal inch capacity Holds six 6¹/₂" soft bins Holds eight 5" soft or hard bins 	 26³/₄ lineal inch capacity Bins will not fit behind legal files
Legal	front-to-back	Not recommended	Not recommended

File/File (Compact)

			MODEL NUMBER								
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	Steel Top	24 x 21-5/8 x 26-3/4"	ASLH2422YY								
	Steel top	30 x 21-5/8 x 26-3/4"	ASLH3022YY								
	 Two 10-1/2" file drawers with hanging folder partition (will not accept molded 										
	hard bins)										
0 0											
⊙											
ASLH											
	Bowed Front Top • 3/4" bowed front top • Two 10-1/2" file drawers with hanging folder partition (will not accept molded	24 x 21-5/8 x 27-1/2"	ASLH2422YYT-74P								
		30 x 21-5/8 x 27-1/2"	ASLH3022YYT-74P								
	hard bins)										
0											
Ψ											
ASLH											
	 Landing Pad - Bowed Front 3/4" landing pad, bowed front, creates 	24 x 21-5/8 x 29"	ASLH2422YYL-74P								
	space of 1-9/32"	30 x 21-5/8 x 29"	ASLH3022YYL-74P								
	 Two 10-1/2" file drawers with hanging 										
	folder partition (will not accept molded hard bins)										
	naru vilis)										
0											
ASLH											
АЭГЦ			_								
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0	(3)	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW	 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters bl/wh, 2 glides bl/

wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

©Select front surface finish.

Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

,0.001	ioon opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
139.0#	\$ 1085	\$ 1125	\$ 1265
151.0#	1154	1195	1368
151.0#	\$ 1262	\$ 1302	\$ 1447
167.0#	1350	1392	1564
152.0#	\$ 1341	\$ 1382	\$ 1524
167.0#	1434	1474	1643

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

File/File



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S 3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
41/1/4/	- 2 cactore bl/wh 2 glidge bl/

4MW - 2 casters bl/wh, 2 glides bl/wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

	1001 10010	
-	(A	- Key alike
	(S	- Key standard
Ī	NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



S1
Steel Front Steel Front Laminate Front Plastic Pull Bow Tie or Metric Pull \$ 1107 \$ 1244 \$ 1303
Plastic Pull Bow Tie or Metric Pull Bow Tie or Metric Pull \$ 1107 \$ 1244 \$ 1303
1184 1226 1449
\$ 1285 \$ 1326 \$ 1484
1385 1426 1648

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

File/File

		MODEL NUMBER									
			Fuent					Format		A	
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight	
	24 x 21-5/8 x 34-13/32"	ASLH2422FFL-74P								156.0#	
	30 x 21-5/8 x 34-13/32"	ASLH3022FFL-74P								171.0#	
6											
ASLH											
Landing Pad - Bowed Front											
• 3/4" landing pad, bowed front, cre-											
ates space of 3-7/8"											
Two 12" file drawers with hanging folder partition											
folder partition											
		A	$oldsymbol{\Theta}$	•	0	(3	(3	œ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style

ગા	- Steel/iliset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
14	- Laminate/nickel how tie

Select base style.

4CW	- 4 bl/wh casters (2 locking)
4GB	- 4 bl/wh glides
4MW	- 2 casters hl/wh 2 glides hl/

4MW - 2 casters bl/wh, 2 glides bl. wh

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Surface finish offerings are based on edge style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

G Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

JOIOUL IOUK	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



S1	S2, S3 & S4	L2, L3 & L4
Steel Front	Steel Front	Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pu
\$ 1368	\$ 1403	\$ 1564
1464	1506	1728

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUMBER		
	MODEL	Features	WxDxH	Basic Model	Unit Color	Approx. Packaged Weight
- ^	3" Casters - Locking		3-3/8"	2.KP80493		1.0#
	One caster with twin 2-15/16" diameter wheels					
HRDPT						
	3" Casters - Non-Locking		3-3/8"	2.KP80413		1.0#
	 One caster with twin 2-15/16" diameter wheels 					
90						
HRDPT						
	Glides • Same height as casters		3-3/8"	2.KP103000BLWH		1.0#
	 Provides 1/2" height adjustment 					
HRDPT						
ППИГІ	Caster Mount Kit - Inset			ATAC/4I		1.5#
000	Inset caster mount kitCasters not included					1100
ATAC						
	Caster Mount Kit - Outrigger			ATAC/T4R		2.0#
	Outrigger caster mount kitCasters not included					
End Care	Not to be used on pedestals					
ATAC						
MAG						
				A	₿	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv	ored.
Prici	neu 1g
\$	34
\$	31
\$	33
_	
\$	56
\$	122

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUM	/IBER	
	MODEL	Features	WxDxH	Basic Model	Unit Color	Approx. Packaged Weight
	Type A Folder Bar	1 catalos	24"	ATAC/24FBA	00101	1.0#
	Files one row legal or letter, side-to-side		21"	ATAC/30FBA		3.0#
	Black finish only		21	/ti/to/out b/t		0.0#
ATAC						
	Type K Folder Bar		20.313"	ATAC/TFBK		5.0#
	 Converts side-to-side filing to front-to- back filing 					
	One set (two bars) required per row of					
	filing					
	Legal or letterBlack finish only					
ATAC				ATA 0 /07000		45"
	Touch-Up Paint - Steel One-ounce brush application touch-up			ATAC/97003		1.5#
	paint for painted steel					
ATAC						
	Double Bit Keys	Master Key		2.KP20550		0.2#
HRDPT		Extractor Key		2.KP20551		0.2#
		Key Blank		2.KP20552		0.2#
		Cut Key		2.KP20557		0.2#
				A	B	
				_	-	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Delive	ered						
Pricir	ng						
	39						
-	39						
	00						
\$	39	 		 		 	
Φ.	00						
\$	39						
\$	10						
*	10						
	3						
	5						

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Accessorie

					MODEL NUMBER			
		MODEL	Factoria	W v D v II	Basic Model/	Unit	Surface	Edge
		MODEL Landing Pad Retrofit Kit	Features	W x D x H 1-9/32"	Edge Style ATAC/LPPK2	Color	Finish	Color
J	T	ATAC/LPPK2 model number intended for 26-1/4" high units		3-7/8"	ATAC/LPPK4			
T	T	 ATAC/LPPK4 model number intended for 29-13/16" high units 						
AC								
	^	Landing Pad Kit	For 24" W x 26-1/4" H units	24 x 22-3/8 x 2-1/32"	ATAC/2422LP2-74P			
			For 24" W x 29-13/16" H units	24 x 22-3/8 x 4-5/8"	ATAC/2422LP4-74P			
		∌	For 24" W x 23-11/16" H units	24 x 22-3/8 x 5-7/32"	ATAC/2422LP5-74P			
			For 30" W x 26-1/4" H units	30 x 22-3/8 x 2-1/32"	ATAC/3022LP2-74P			
AC			For 30" W x 29-13/16" H units	30 x 22-3/8 x 4-5/8"	ATAC/3022LP4-74P			
			For 30" W x 23-11/16" H units	30 x 22-3/8 x 5-7/32"	ATAC/3022LP5-74P			
	_	Attached Top	For 24" units	24 x 22-3/8 x 3/4"	ATAC/2422T-74P			
			For 30" units	30 x 22-3/8 x 3/4"	ATAC/3022T-74P			
		€						
AC								
					A	B	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model/edge style.

 74P -3/4* laminate top w/74P
 edge band
- Belect unit color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- © Select surface finish.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Surface finish offerings are based on
 edge style selections.
- Oselect edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selectinos.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.



	Approx.			
	Approx. Packaged Weight	Deli	ivered cing	
	0.5#	\$	55	
	0.5#		55	
	13.0#	\$	164	
	13.0#		164	
	13.0#		229	
	15.0#		143	
	15.0#		143	
	15.0#		278	
•	12.0#	\$	234	
	15.0#		278	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

All Terrain® Storage Towers

General Information

STORAGE TOWERS

General Information

See All Terrain® General Storage Specifications located within this price book for specification information common to all All Terrain® storage products.

All Terrain® storage towers are available in sizes for drawer and other module type combinations to suit any personal, shared, or group storage requirement. Storage tower configurations range in heights from standing height 39"to tall 66" height. They are always 24" deep to stand next to worksurfaces without wasting the space behind. Storage towers come in 24" and 30" widths.

All Terrain® storage towers are modular in construction. In this way, a vast number of different configurations are available to perfectly suit users' needs. Modules are bolted together in the factory to provide a fully assembled configured unit.

All All Terrain® storage towers are built upon a base module and a drawer module. Other modules may be bolted above or beside the drawer module. There is always a top module bolted to the top of the tower. The types of modules that can be bolted above the drawer module are: bookcase modules (open to the side of the tower), cupboard modules (front facing with cupboard doors), and binder drawer modules (roll-out drawers with side access for binders or bins). Modules are bolted together using #10 bolts, nuts and sheet metal screws.

Base module options include a heavy-duty base that includes exposed large wheeled caster or a box (plinth) base that includes concealed leveling glides.

Top modules include choice of a 3/4" steel or laminate top. Also available for 39" and 44" towers are landing pad tops.

All modules include a lock, except for bookcase modules. Units with multiple locks are keyed.

Bin Hanging Slot

Binder drawer, cupboard, and drawer modules include a bin or tool rail accessory hanging slot on their exposed sides. These 12-1/4" wide slots are punched into the module side 4" below the top of the module.

The slot is finished with a KI Translucent RPVC extrusion to allow for the hanging of All Terrain® hard bins or tool rail accessories.

Laminate Fronts

When laminate fronts are specified on storage towers, the laminate is applied to drawer fronts, cupboard doors and tie bars. Base modules, steel top modules (if specified) and tower sides and back are all painted. For storage towers with bookcase modules, a laminate front option is only available upon

special request.

Storage Tower Sizes:

DEPTHS

All All Terrain® storage towers are 24" deep. Optional outriggers add 3-23/32" to the overall width and depth. Optional protruding pulls add 1-1/8" to the depth.

WIDTHS

Storage towers come in 24" and 30" widths. Optional caster or glide outriggers add 3-23/32" to the overall width and depth.

HEIGHTS

Available storage tower heights: Heights with tops at a standing height are 39" (39-3/4" actual), and 44" (44-11/32" actual). Other heights: 48" (48-15/16" actual), 54" (55-1/16" actual), and 66" (67-5/16" actual).

Storage Tower Modules - Module Construction

All storage tower modules consist of a wrapper and reinforcement channels. Some modules also include flush liners.

Wrapper

All storage tower modules have a 20-gauge steel wrapper with 1" flanges on top and bottom edges for bolting together the modules. Wardrobe modules have an L-shaped wrapper that bolts to the top, bottom and side of adjacent modules. The back edge of the wrapper includes a 1" flange for bolting to the side of adjacent modules. All modules have a 3/4" channel formed in the front edge providing a seamless rigid form.

Reinforcements

All storage tower modules have 18-gauge top hat channel reinforcement channels providing strength, rigidity and, where applicable, a firm structure for attachment of drawer slides. Drawer modules (including binder drawer modules) include two sets of reinforcement channels welded to the sides of the wrapper. Each channel set is constructed by welding three sections of channel into a U-shaped structure. This structural channel set is welded to the rapper with the bottom of the U-shaped section forming reinforcement across the top of the module. Bookcase and cupboard modules include two pairs of reinforcement channels welded across the top and bottom of the wrapper. Wardrobe modules have a pair of reinforcement channels across the top of the module. Additionally, there is a front flush filler welded to the front edge of the wrapper.

Liners

Bookcase and cupboard modules include liners. Bookcase modules include 20-gauge flush liners welded to the wrapper along the bottom and sides. The sideliners provide a rigid box structure as well as providing shelving slots on 1/2" centers. 22-gauge top liners are screwed in place to finish bookcase. A 20-gauge top front filler finishes the top front of the cupboard modules and provides a secure point for locking.

Drawer Modules

All All Terrain® storage towers consist of a base module bolted to a drawer module. Drawer modules come in widths of 30" (30" wide towers only), 24" and 15" wide (24" wide towers with a wardrobe). All drawer modules have a 1-1/2" high lock bar above the set of drawers and usually have fullwidth drawers.

30" wide drawer modules can contain two vertical rows of 15" wide drawers. In this configuration there are two independent locks in the full-width lock bar (one for each row of drawers). This is particularly useful for allowing a single unit to be shared by individuals.

The height of the drawer modules is dictated by the number and height of the drawers. All Terrain® storage tower drawers pull out toward the front of the unit. Drawer heights available are: 3" (pencil), 4-1/2" (box), 6" (box), 7-1/2" (box), 1-1/2" (file), and 12" (file) heights. Smaller drawers are always above larger drawers.

Binder Drawer Module

Binder drawer modules are 15" wide. They contain a single drawer with independent lock. One side of the drawer body is full height while the other has a drawer pan height of 4-1/2". This provides side access for convenient storage of books, binders and/or letter-sized bins. Binder drawers are not intended for file storage. (Use bins to efficiently store files.) Binder drawer modules are always positioned directly above a drawer module and next to either a bookcase, cupboard or wardrobe module.

Sizes

Height: 13.781", 15.31", 16.84" Width: 15"

Depth: 24"

Drawer Suspension

All All Terrain® storage tower drawers operate on a three-piece suspension assembly. The roll-formed precision sections operate on hardened steel ball bearings. The suspension has a hold-in or retaining device to hold the drawer in a closed position. Slides are a decorative black finish.

Interlock

All drawers (except 3" pencil drawers) are equipped with a unique patented interlock safety system, which permits only one drawer to be opened at a time. The system is designed to reduce the risk of a stand-alone unit tipping over. Modules with side-by-side drawers have two independent interlock systems that allow unimpeded drawer access in shared tower situations. To minimize possible damage to the interlock system, activating cams restage. If during servicing or installing more than one opening is extended, these openings can be closed without damage to the interlock components

Bookcase Modules

Bookcase modules always face the side of

the tower. When facing this module from the tower side, the module measures 24" wide and 15" deep. Bookcase modules are perfect for storing books, binders, bins or other items that are frequently accessed. Clutter remains unseen since the opening faces the side. Bookcase modules are always mounted above a drawer module. When configured with a 26" or 29-3/32" lower drawer module, the bookcase height is slightly above a typical worksurface height. This makes the unit ideal for positioning at the end of a worksurface.

Sizes

Height: 13.781", 15.31", 16.84", 19.906", 21.438", 22.969", 35.219"
Width: 24"

Depth: 15"

Cupboard Modules

Cupboard modules are always front facing with one or more doors. They are always 24" deep. They may span the width of the unit or may be configured next to bookcase, binder drawer, or wardrobe modules.

Sizes

Height: 13.781", 15.31", 16.84", 19.906", 21.438", 22.969", 35.219"
Width: 9", 15", 21", 24", 30"

Depth: 24"

Shelf and Supports

The shelves for both bookcase and cupboard modules are formed from 20-gauge C.R.S. with 3/4" flanges front and back. The front and back faces have an additional flange formed inward 3/4" and another small flange formed upwards to provide additional strength. The shelf support is formed from 20-gauge steel and supports the shelf along the full length of the left and right sides of the shelf. The shelves move up and down the interior of the bookcases and cupboards in 1/2" increments.

Wardrobe Modules


Wardrobe modules are 9" wide and include coat hanger hooks at the top. Wardrobe modules are bolted to the base of the unit and to the side of two or more modules.

Sizes

Height: 41.34", 43.25", 44.41", 49.25", 61.25"

Width: 9" Depth: 24"





Storage Tower Drawers Inside Drawer Dimensions		ler Drawers 12¹/₂" W			15" W	
	W	D	Н	W	D	Н
3" Pencil	N/A	N/A	N/A	121/8"	195/16"	21/4"
4 ¹ / ₂ " Box	N/A	N/A	N/A	N/A	N/A	N/A
6" Box	N/A	N/A	N/A	12 ¹ / ₈ "	195/16"	55/16"
7 ¹ / ₂ " Box	N/A	N/A	N/A	121/8"	195/16"	$6^{27}/_{32}$ "
10 ¹ / ₂ " File	N/A	N/A	N/A	12 ¹ / ₈ "	195/16"	9 ²⁹ / ₃₂ "
12" File	N/A	N/A	N/A	12 ¹ / ₈ "	19 ⁵ / ₁₆ "	$11^{7}/_{16}$ "
13" Binder	121/8"	195/16"	1231/32"	N/A	N/A	N/A
15" Binder	12 ¹ / ₈ "	195/16"	141/2"	N/A	N/A	N/A
16" Binder	121/8"	195/16"	161/32"	N/A	N/A	N/A

Note: Hard bins will not fit in 10¹/₂" file drawers.

Lateral File Filing Confi		Binder Drawers 12¹/₅" W	15" W
Letter	side-to-side	Binder drawers do not accommodate side-to-side filing.	Not recommended
Letter	front-to-back	 19³/₄ lineal inch capacity Holds three 6¹/₂" soft bins Holds four 5" soft or hard bins 	 Front-to-back filing recommended for 15" wide drawers 19'/₄" lineal inch capacity Holds three 6'/₂" soft bins Holds four 5" soft or hard bins
Legal	side-to-side	Binder drawers do not accommodate legal-size files.	12 lineal inch capacityHolds two legal-size bins
Legal	front-to-back	Binder drawers do not accommodate legal-size files.	15" wide drawers do not accommodate front-to-back legal-size filing.



Storage Tower Drawers Inside Drawer Dimensions		24" W Lateral			30" W Lateral	
	W	D	Н	W	D	Н
3" Pencil	211/8"	195/16"	21/4"	271/8"	195/16"	21/4"
4 ¹ / ₂ " Box	203/4"	195/16"	$3^{25}/_{32}$ "	263/4"	195/16"	$3^{25}/_{32}$ "
6" Box	203/4"	$19^{21}/_{32}$ "	5 ⁵ / ₁₆ "	263/4"	$19^{21}/_{32}$ "	55/16"
7¹/₂" Box	203/4"	1921/32"	$6^{27}/_{32}$ "	263/4"	$19^{21}/_{32}$ "	6 ²⁷ / ₃₂ "
10 ¹ / ₂ " File	203/4"	1921/32"	9 ²⁹ / ₃₂ "	26³/ ₄ "	$19^{21}/_{32}$ "	9 ²⁹ / ₃₂ "
12" File	203/4"	1921/32"	11 ⁷ / ₁₆ "	26³/₄"	$19^{21}/_{32}$ "	117/16"
13" Binder	N/A	N/A	N/A	N/A	N/A	N/A
15" Binder	N/A	N/A	N/A	N/A	N/A	N/A
16" Binder	N/A	N/A	N/A	N/A	N/A	N/A

Lateral File Filing Config	gurations	24" W Lateral	30" W Lateral
Letter	side-to-side	 20³/₄ lineal inch capacity Holds three 6¹/₂* soft bins Holds four 5" soft or hard bins plus one letter- or legal-sized bin 	26³/₄ lineal inch capacity Holds four 6¹/₂" soft bins Holds five 5" soft bins plus two letter-sized bins of any size
Letter	front-to-back	Not recommended	 Requires two sets of ATAC/FBK 38¹/₂ lineal inch capacity with "k" bar Holds six 6¹/₂" soft bins Holds eight 5" soft bins
Legal	side-to-side	 20³/₄ lineal inch capacity Holds six 6¹/₂" soft bins Holds eight 5" soft or hard bins 	 26³/₄ lineal inch capacity Bins will not fit behind legal files
Legal	front-to-back	Not recommended	Not recommended

39" Single Module Tower

MODEL NUMBER											
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	39" Unit	30 x 24 x 39-3/4"	AT39301MM-NT								
	 One drawer lock Three drawers - 30" wide by 10-1/2" high Two accessory slots 	30 x 24 x 39-3/4*	AT39301MM-74P								
AS39											
	39" Unit	30 x 24 x 39-3/4"	AT39301MN-NT								
	One drawer lock	30 x 24 x 39-3/4"	AT39301MN-74P								
	 One drawer - 30" wide by 7-1/2" high Two drawers - 30" wide by 12" high Two accessory slots 										
AS39											
	 39" Unit Two drawer locks Six drawers - 15" wide by 10-1/2" high Two accessory slots 	30 x 24 x 39-3/4" 30 x 24 x 39-3/4"	AT39301M2M-NT AT39301M2M-74P								
AS39											
	 39" Unit Two drawer locks Two drawers - 15" wide by 7-1/2" high Four drawers - 15" wide by 12" high Two accessory slots 	30 x 24 x 39-3/4" 30 x 24 x 39-3/4"	AT39301M2N-NT AT39301M2N-74P								
AS39											
			A	3	•	O	(3	•	Ө	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie \$4 - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

_		
	KA	- Key alike
	KS	- Key standard
	NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 39" Single Module Tower

Approx. Packaged Weight	S1 Steel Front Plastic Pull	5	S2, S3 & S4 Steel Front Sow Tie or Metric Pull	La	L3 & L4 ninate Front w Tie or Metric Pull		
174.0#	\$ 1682	\$	1742	\$	2000		
174.0#	1817		1876		2134		
176.0#	\$ 1647	\$	1710	\$	2006		
176.0#	1783		1846		2141		
185.0#	\$ 2100	ď	2223	ď.	2664		
185.0#	2234	4	2356	Ф	2796		
103.0#	2234		2300		2/90		
192.0#	\$ 2077		2200	\$	2638		
192.0#	2210	4	2335	Ψ	2772		
102.0//	LLIO						

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

39" Single Module Tower

			MODEL NUMBER	l							
				Front					Front		
			Basic Model/	Pull		Unit	Surface	Edge	Surface	Lock	
	MODEL	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Finish	Option	
	39" Unit	24 x 24 x 39-3/4"	AT39241MM-NT								
	One drawer lock Three drawers 24" wide by 10.1/2" high	24 x 24 x 39-3/4"	AT39241MM-74P								
	 Three drawers - 24" wide by 10-1/2" high Two accessory slots 										
	,										
AS39											
	39" Unit	24 x 24 x 39-3/4"	AT39241MN-NT								
	One drawer lockOne drawer - 24" wide by 7-1/2" high	24 x 24 x 39-3/4"	AT39241MN-74P								
	Two drawers - 24" wide by 7-1/2 high										
	Two accessory slots										
AS39											
			A	(3)	0	0	(3	G	Э	()	
			•	Ð	9	•	9	•	U	Ψ	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

ספופטנ וט	ck optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 39" Single Module Tower

	Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
•	155.0#	\$ 1652	\$ 1713	\$ 1970
	155.0#	1786	1850	2103
	158.0#	\$ 1636	\$ 1697	\$ 1994
	158.0#	1770	1830	2130

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

39" Double Module Tower

			MODEL NUMBER							
			Basic Model/	Front Pull		Unit	Surface	Edge	Front Surface	Lock
	MODEL	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Finish	Option
_	39" Unit	30 x 24 x 39-3/4"	AT39302MLB-NT							
	One 30" wide cupboard holds one 28- 1/2" row of books/binders	30 x 24 x 39-3/4"	AT39302MLB-74P							
	One drawer lock									
	 One drawer - 30" wide by 6" high 									
	One drawer - 30" wide by 12" high									
	 Four accessory slots 									
Q										
\S39										
	39" Unit	24 x 24 x 39-3/4"	AT39242MLB-NT							
	One 24" wide cupboard holds one 22- 1/2" recover fibration for the sale fibration.	24 x 24 x 39-3/4"	AT39242MLB-74P							
[]	1/2" row of books/binders • One drawer lock									
	One drawer lock One drawer - 24" wide by 6" high									
	 One drawer - 24" wide by 12" high 									
	 Four accessory slots 									
AS39										
				•		_		•		
			A	$oldsymbol{\Theta}$	G	0	•	(3	G	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

	ck optiion	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 39" Double Module Tower

	Approx. Packaged Weight	l eel Front astic Pull	St	l, S3 & S4 eel Front w Tie or Metric Pull	La	, L3 & L4 minate Front w Tie or Metric Pull
_	168.0#	\$ 1856	\$	1939	\$	2287
	168.0#	1993		2073		2423
	169.0#	\$ 1811	\$	1896	\$	2065
	169.0#	1948		2028		2199

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

							_			
			MODEL NUMBE	R						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
	39" Unit with Landing Pad	30 x 24 x 39-3/4"	AT39301LI-74P							
	One drawer lock One drawer 30" wide by 3" bigb									
	One drawer - 30" wide by 3" highTwo drawers - 30" wide by 12" high									
	 Two accessory slots 									
D										
200										
S39	39" Unit with Landing Pad	30 x 24 x 39-3/4"	AT39301LJ-74P							
	One drawer lock	30 X 24 X 39-3/4	A139301LJ-74P							
	Two drawers - 30" wide by 7-1/2" high One drawers - 30" wide by 10" high									
	One drawer - 30" wide by 12" highTwo accessory slots									
S	,									
W										
S39			47000011015:-							
	39" Unit with Landing PadTwo drawer locks	30 x 24 x 39-3/4"	AT39301L2I-74P							
	 Two drawers 15" wide by 3" high 									
	Four drawers - 15" wide by 12" highTwo accessory slots									
	Two doodsory stote									
2 2										
S39										
			A	3	•	0	(3	(3)	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style

91	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
14	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike
KS	- Key standard
MI C	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
200.0#	\$ 1996	\$ 2058	\$ 2356
181.0#	\$ 1992	\$ 2049	\$ 2305
208.0#	\$ 2429	\$ 2551	\$ 2996
200.07	Ψ 4744	Ψ 2001	Ψ 2000

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

			MODEL NUMBE	R						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
	39" Unit with Landing Pad • Two drawer locks	30 x 24 x 39-3/4"	AT39301L2J-74P							
	 Iwo drawer locks Four drawers - 15" wide by 7-1/2" high 									
	 Two drawers - 15" wide by 12" high 									
	 Two accessory slots 									
AS39										
	39" Unit with Landing Pad One drawer lock	24 x 24 x 39-3/4"	AT39241LI-74P							
	 Two drawers - 24" wide by 3" high 									
	 Two drawers - 24" wide by 12" high 									
	Two accessory slots									
of o										
S39										
	39" Unit with Landing Pad One drawer lock	24 x 24 x 39-3/4"	AT39241LJ-74P							
	Two drawers 24" wide by 7-1/2" high									
	One drawers - 24" wide by 12" high Two appearant elets									
	Two accessory slots									
0										
AS39										
			A	ß	Θ	D	(3	(3	Ф	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style

51	- Steel/Inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

• Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or

KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged	S1 Steel Front	S2, S3 & S4 Steel Front	L2, L3 & L4 Laminate Front
Weight	Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
187.0#	\$ 2385	\$ 2505	\$ 2949
165.0#	\$ 1923	\$ 1982	\$ 2221
10107	A 101=	A 10=0	A 2000
164.0#	\$ 1917	\$ 1976	\$ 2202

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping
Shipped assembled freight prepaid f.o.b.
Pembroke, Ontario K8A OE1 factory. Freight class #100.

44" Single Module Tower



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie
L2 - Laminate/aluminum metric
L3 - Laminate/aluminum bow tie
L4 - Laminate/hickel bow tie

©Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections.

GSelect front surface finish.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

OCIOCE IO	ok optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 44" Single Module Tower

Approx. S1							
188.0# 1840 1902 2236 193.0# \$ 1945 \$ 2022 \$ 2394	Packaged	Steel Fr	ront	Ste	el Front	Lai	minate Front
193.0# \$ 1945	188.0#	\$ 170	05	\$	1766	\$	2101
	188.0#	184	40		1902		2236
193.0# 2077 2158 2531	193.0#	\$ 194	45	\$	2022		
	193.0#	207	77		2158		2531

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

44" Single Module Tower



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge
band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie
L2 - Laminate/aluminum bow tie
L3 - Laminate/aluminum bow tie
L4 - Laminate/hickel bow tie

©Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections.

GSelect front surface finish.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

0100110	on opinon	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 44" Single Module Tower

Approx. Packaged Weight	S1 Steel Fr Plastic I	ont	Ste		La	, L3 & L4 minate Front w Tie or Metric Pull
197.0#	\$ 214	1	\$	2262	\$	2696
197.0#	227	5		2396		2831
212.0#	\$ 242	1	\$	2582	\$	3175
212.0#	255	5		2719		3308

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

44" Single Module Tower

			MODEL NUMBER	R							
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	44" Unit	24 x 24 x 44-11/32"	AT44241MP-NT								
	One drawer lockThree drawers - 24" wide by 12" high	24 x 24 x 44-11/32"	AT44241MP-74P								
	Two accessory slots										
-											
AS44											
	44" Unit	24 x 24 x 44-11/32"	AT44241MQ-NT								
	One drawer lockTwo drawers - 24" wide by 6" high	24 x 24 x 44-11/32"	AT44241MQ-74P								
	Two drawers - 24 wide by 6 high Two drawers - 24" wide by 12" high										
	 Two accessory slots 										
Ψ											
AS44											
			A	$oldsymbol{\Theta}$	Θ	0	3	3	G	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

DEIECT	lock optiloli
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 44" Single Module Tower

Approx. Packaged Weight	S1 Steel Front Plastic Pull	St	2, S3 & S4 eel Front ow Tie or Metric Pull	Lai	L3 & L4 minate Front w Tie or Metric Pull	
169.0#	\$ 1685	\$	1744	\$	1982	
169.0#	1819		1879		2117	
172.0#	\$ 1923	\$	2006		2311	
172.0#	2059		2141		2445	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

			MODEL NUMBE	R							
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
^	44" Unit with Landing Pad	30 x 24 x 44-11/32"	AT44301LM-74P								
	One drawer lockThree drawers - 30" wide by 10-1/2" high										
	Two accessory slots										
AS44											
	44" Unit with Landing Pad One drawer lock	30 x 24 x 44-11/32"	AT44301LN-74P								
	One drawer lock One drawer - 30" wide by 7-1/2" high										
	Two drawers - 30" wide by 12" high Two googgery elects										
	 Two accessory slots 										
AS44											
			A	B	•	0	(3	(3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style

91	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S 3	 Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
14	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

• Select unit color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

edge style selections.

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight 182.0#

Steel Front Plastic Pull \$ 2043

S2, S3 & S4 Steel Front Bow Tie or Metric Pull \$ 2103

L2, L3 & L4 Laminate Front Bow Tie or Metric Pull

\$ 2361

186.0# \$ 2011 \$ 2071

\$ 2366

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

			MODEL NUMBER								
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	44" Unit with Landing Pad	30 x 24 x 44-11/32"	AT44301L2M-74P								
	Two drawer locksSix drawers - 15" wide by 10-1/2" high										
	Two accessory slots										
AS44											
	44" Unit with Landing Pad • Two drawer locks	30 x 24 x 44-11/32"	AT44301L2N-74P								
	Six drawers - 15" wide by 7-1/2" high										
	Four drawers - 15" wide by 12" high										
	 Two accessory slots 										
AS44											
			A	B	•	0	(3	(3)	œ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

81	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	 Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight 204.0#

Steel Front Plastic Pull \$ 2460

S2, S3 & S4 Steel Front Bow Tie or Metric Pull \$ 2583

L2, L3 & L4 Laminate Front Bow Tie or Metric Pull

\$ 3024

200.0# \$ 2440 \$ 2563

\$ 3000

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

			MODEL NUMBE	R							
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
_	44" Unit with Landing Pad	24 x 24 x 44-11/32"	AT44241LM-74P								
	One drawer lockThree drawers - 24" wide by 10-1/2" high										
	Two accessory slots										
0											
AS44											
	 44" Unit with Landing Pad One drawer lock One drawer - 24" wide by 7-1/2" high Two drawers - 24" wide by 12" high 	24 x 24 x 44-11/32"	AT44241LN-74P								
	Two accessory slots										
AC44											
AS44			_								
			A	$oldsymbol{\Theta}$	Θ	0	(3	(3)	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style

51	- Steel/Inset plastic pull
S2	- Steel/aluminum metric
S 3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight 169.0#

Steel Front Plastic Pull \$ 1970

S2, S3 & S4 Steel Front Bow Tie or Metric Pull \$ 2031

L2, L3 & L4 Laminate Front Bow Tie or Metric Pull

\$ 2242

164.0# \$ 1953 \$ 2013

\$ 2246

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

			MODEL NUMBER								
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	44" Unit with Landing Pad	30 x 24 x 44-11/32"	AT44302LLB-74P								
	 One 30" wide cupboard holds one 22- 1/2" row of books/binders 										
	One drawer lock										
	One drawer - 30" wide by 6" high										
	 One drawer - 30" wide by 12" high Four accessory slots 										
	,										
AS44											
	44" Unit with Landing Pad	30 x 24 x 44-11/32"	AT44302LL2B-74P								
	 One 30" wide cupboard holds one 22- 1/2" row of books/binders 										
	Two drawer locks										
	Two drawers - 15" wide by 6" high										
	 Two drawers - 15" wide by 12" high Four accessory slots 										
	1 our accessory stores										
<i>D</i>											
AS44											
			A	3	Θ	0	3	(3	œ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

81	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	- Laminate/aluminum bow tie
L4	- Laminate/nickel bow tie

Select base style.

4CW	 4 bl/wh casters (2 locking)
PLNT	- Traditional Plinth Base

• Select unit color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight 186.0#

Steel Front Plastic Pull \$ 2183

S2, S3 & S4 Steel Front Bow Tie or Metric Pull \$ 2263

L2, L3 & L4 Laminate Front Bow Tie or Metric Pull

\$ 2614

201.0# \$ 2509 \$ 2632

\$ 3092

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

		MODEL NUMBER	}							
MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
Unit with Landing Pad One 24" wide cupboard holds one 22-	24 x 24 x 44-11/32"	AT44242LLB-74P								
1/2" row of books/binders										
 One drawer - 24" wide by 6" high 										
•										
		A	B	•	0	(3	(3	G	(1)	
	44" Unit with Landing Pad One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock	44" Unit with Landing Pad One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high	MODEL W x D x H Edge Style 44" Unit with Landing Pad One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Four accessory slots	MODEL W x D x H Basic Model/ Pull Style 44" Unit with Landing Pad • One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock • One drawer - 24" wide by 6" high • One drawer - 24" wide by 12" high • Four accessory slots	MODEL W x D x H Edge Style 44" Unit with Landing Pad One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Four accessory slots	MODEL W x D x H Basic Model/ Edge Style 44" Unit with Landing Pad One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Front Pull Style Base Color AT44242LLB-74P	MODEL W x D x H Basic Model/ Edge Style 44" Unit with Landing Pad One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Front Pull Style Base Color Finish AT44242LLB-74P	MODEL W x D x H Basic Model/ Edge Style Edge Style Style Base Color Front Pull Style Base Color Finish Color AT44242LLB-74P One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Four accessory slots	MODEL W x D x H Basic Model/ Edge Style Style Base Color Front Surface Finish AT44242LLB-74P One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Four accessory slots	MODEL W x D x H Basic Model/ Edge Style Edge Style Surface Finish Color Front Pull Style Base Color Finish Color Finish Color Finish One 24" wide cupboard holds one 22-1/2" row of books/binders One drawer lock One drawer - 24" wide by 6" high One drawer - 24" wide by 12" high Four accessory slots

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style. **74P** - 3/4" laminate top w/74P edge band

BSelect front/pull style.

_		u pan otyro.
	S1	- Steel/inset plastic pull
	S2	- Steel/aluminum metric
	S3	- Steel/aluminum bow tie
	S4	- Steel/nickel bow tie
	L2	- Laminate/aluminum
	metric	
	L3	- Laminate/aluminum bow
	tie	
	L4	- Laminate/nickel bow tie

Select base style.

4CW	 4 bl/wh casters (2 lock-
ing)	
PLNT	- Traditional Plinth Base

• Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight 158.0#

Steel Front Plastic Pull \$ 2130

S2, S3 & S4 Steel Front Bow Tie or Metric Pull \$ 2207

L2, L3 & L4 Laminate Front Bow Tie or Metric Pull

\$ 2533

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

48" Double Module Towers

MODEL NUMBER Front Basic Model/ Pull Unit Surface Edge Lock MODEL WxDxH Edge Style Style Base Color Finish Color Option AT48242MW42APF-NT 48" Unit with Locker 24 x 24 x 48-15/16" ПП • One 9" wide front wardrobe left or right 24 x 24 x 48-15/16" AT48242MW42B0F-NT 000 00 AT48242MW42APF-74P $\Box\Box$ 24 x 24 x 48-15/16" • One 15" deep side bookcase holds one 24 x 24 x 48-15/16" AT48242MW42B0F-74P 22-1/2" row of books/binders · One drawer lock Two drawers - 15" wide by 12" high One accessory slot AS48 A 0 Θ 0 **(3** 0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

\$1 - Steel/inset plastic pull \$2 - Steel/aluminum metric \$3 - Steel/aluminum bow tie \$4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 48" Double Module Towers

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
141.0#	\$ 1733	\$ 1793	
141.0#	1733	1793	
141.0#	1867	1928	
141.0#	1867	1928	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

48" Double Module Towers

		MODEL NUMBER								
			Front					Front		Approx.
		Basic Model/	Pull		Unit	Surface	Edge	Surface	Lock	Packaged
	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Finish	Option	Weight
	24 x 24 x 48-15/16"	AT48242MW42ASF-NT								158.0#
	24 x 24 x 48-15/16"	AT48242MW42BTF-NT								158.0#
	24 x 24 x 48-15/16"	AT48242MW42ASF-74P								158.0#
	24 x 24 x 48-15/16"	AT48242MW42BTF-74P								158.0#
- Ø										
S48										
8" Unit with Locker										
One 9" wide front wardrobe left or										
right side										
One 15" wide binder drawer open										
front with lock One drawer lock										
Two drawers - 15" wide by 12" high										
Two accessory slots										
			_	_	_		_	_		1
		A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$	0	(3	•	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
11	- Laminate/nickel how tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

0100110	on optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 48" Double Module Towers

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 1884	\$ 1967	\$ 2335
1884	1967	2335
2019	2101	2469
2019	2101	2469

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

48" Double Module Towers

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
~	48" Unit with Locker	24 x 24 x 48-15/16"	AT48242MW42APG-NT						
	 One 9" wide front wardrobe left or right side 	24 x 24 x 48-15/16"	AT48242MW42APG-74P						
	One 15" deep side bookcase holds one	24 x 24 x 48-15/16"	AT48242MW42BOG-NT						
	22-1/2" row of books/binders	24 x 24 x 48-15/16"	AT48242MW42BOG-74P						
	 One drawer lock Two drawers - 15" wide by 6" high 								
	One drawer - 15" wide by 12" high								
	One accessory slot								
W -									
AS48									
			A	B	•	0	(3	(3	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

201001 101	on optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 48" Double Module Towers

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
147.0#	\$ 1875	\$ 1955
147.0#	2011	2091
147.0#	1875	1955
147.0#	2011	2091

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

48" Double Module Towers

		MODEL NUMBER								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	24 x 24 x 48-15/16"	AT48242MW42ASG-NT								164.0#
	24 x 24 x 48-15/16"	AT48242MW42ASG-74P								164.0#
	24 x 24 x 48-15/16"	AT48242MW42BTG-NT								164.0#
	24 x 24 x 48-15/16"	AT48242MW42BTG-74P								164.0#
0										
0)										
348										
8" Unit with Locker										
One 9" wide front wardrobe left or										
right side One 15" wide binder drawer open										
front with lock										
One drawer lock										
Two drawers - 15" wide by 12" high Two accessory slots										
TWO docessory stots										
		A	B	Θ	0	(3	(3	œ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1	- Steel/inset plastic pull
S2	- Steel/aluminum metric
S3	- Steel/aluminum bow tie
S4	- Steel/nickel bow tie
L2	- Laminate/aluminum metric
L3	 Laminate/aluminum bow tie
11	- Laminate/nickel how tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

01001 101	on optiion	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 2029	\$ 2131	\$ 2575
2164	2263	2710
2029	2131	2575
2164	2263	2710

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

			MODEL NUMBER						
MODEL		WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
54" Unit		30 x 24 x 55-1/16"	AT54302MAF-NT						
	5" deep side bookcase holds one 2") row of books/binders or two	30 x 24 x 55-1/16"	AT54302MAF-74P						
	45") of soft bins with 10-1/4" - 10-	30 x 24 x 55-1/16"	AT54302MBF-NT						
1/2" cl	earance	30 x 24 x 55-1/16"	AT54302MBF-74P						
	5" wide cupboard holds one (13- ow of books/binders or two rows								
	of soft bins with 10-1/4" - 10-1/2"								
cleara	nce								
/ _	rawer lock								
Two drawers - 30" wide by 12" high Three accessory slots									
	addition y didto								
100									
Ψ									
S54									
			A	B	Θ	0	3	(3	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge
band

BSelect front/pull style.

\$1 - Steel/inset plastic pull \$2 - Steel/aluminum metric \$3 - Steel/aluminum bow tie \$4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect lock optiion

KS - Key standard
NLC - No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



214.0# \$ 2239 \$ 2301 214.0# 2376 2436 214.0# 2239 2301	Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
214.0# 2239 2301	214.0#	\$ 2239	\$ 2301
	214.0#	2376	2436
214.0# 2376 2436	214.0#	2239	2301
217.07 2070 2700	214.0#	2376	2436

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

					MODEL NUMBER								
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option			
	54" Unit	30 x 24 x 55-1/16"	AT54302MLF-NT										
	 One 30" wide cupboard holds one (22- 1/2") row of books/binder or two rows 	30 x 24 x 55-1/16"	AT54302MLF-74P										
	(57") of soft bins with 10-1/4" - 10-1/2"												
	clearance												
	One drawer lock Two drawers 20" wide by 10" bigh												
	Two drawers - 30" wide by 12" highFour accessory slots												
a 8 a	Tour doodsory stots												
AS54													
			A	B	0	0	(3	(3)	G	0			
			•		9		•	•	•	•			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge
band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie
L2 - Laminate/aluminum metric
L3 - Laminate/aluminum bow tie
L4 - Laminate/hickel bow tie

CSelect base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

BSelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

Select front surface finish.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

DOIGGE IC	ok optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
200.0#	\$ 2088	\$ 2167	\$ 2541
200.0#	2223	2303	2676

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
	54" Unit	30 x 24 x 55-1/16"	AT54302MAG-NT						
	 One 15" deep side bookcase holds one (22-1/2") row of books/binders or two 	30 x 24 x 55-1/16"	AT54302MAG-74P						
	rows (45") of soft bins with 10-1/4" - 10-	30 x 24 x 55-1/16"	AT54302MBG-NT						
	1/2" clearance	30 x 24 x 55-1/16"	AT54302MBG-74P						
	One 15" wide cupboard holds one (13-								
	1/2") row of books/binders or two rows (27") of soft bins with 10-1/4" - 10-1/2"								
	clearance								
<u></u>	One drawer lock The drawer of Oll wide her Cliff high								
	 Two drawers - 30" wide by 6" high One drawer - 30" wide by 12" high 								
	Three accessory slots								
100									
Ψ									
54									
			A	B	Θ	0	(3	(3)	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

KS	 Key standard 	
NLC	- No lock core	
KA	- Key alike	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
226.0#	\$ 2489	\$ 2571	
226.0#	2625	2705	
226.0#	2489	2571	
226.0#	2625	2705	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

	MODEL NUMBER									
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	30 x 24 x 55-1/16"	AT54302MLG-NT								212.0#
	30 x 24 x 55-1/16"	AT54302MLG-74P								212.0#
🐠										
554										
4" Unit										
One 30" wide cupboard holds one										
(22-1/2") row of books/binder or two										
rows (57") of soft bins with 10-1/4" - 10-1/2" clearance										
One drawer lock										
Two drawers - 30" wide by 6" high										
One drawer - 30" wide by 12" high										
Four accessory slots										
		A	ß	G	0	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie \$4 - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

JUIUUL IU	ok optiion	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



S1	S2, S3 & S4	L2, L3 & L4
Steel Front	Steel Front	Laminate Front
Plastic Pull	Bow Tie or Metric Pull	Bow Tie or Metric Pull
\$ 2256	\$ 2356	\$ 2763
2391	2490	2899

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

			MODEL NUMBER								
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	54" Unit	30 x 24 x 55-1/16"	AT54302MI2F-NT								
	Two 15" deep side bookcases each hold Two 100 deep side bookcases each hold Two 100 deep side bookcases each hold	30 x 24 x 55-1/16"	AT54302MI2F-74P								
	one (22-1/2") row of books/binders (45" total) or two rows (90") of soft bins with										
	10-1/4" - 10-1/2" clearance										
	 Two drawer locks Four drawers -15" wide by 6" high Two accessory slots 										
	1 WO accessory stors										
AS54											
$\overline{}$	54" Unit	30 x 24 x 55-1/16"	AT54302ML2F-NT								
	 One 30" wide cupboard holds one (22- 1/2") row of books/binder or two rows 	30 x 24 x 55-1/16"	AT54302ML2F-74P								
	(57") of soft bins with 10-1/4" - 10-1/2"										
	clearance										
	Twp drawer locks Two drawers of 5 and by the state of the sta										
	Four drawers - 15" wide by 12" highFour accessory slots										
	. Sa. accessory croto										
AS54											
			A	B	•	0	(3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie
L2 - Laminate/aluminum bow tie
L3 - Laminate/aluminum bow tie
L4 - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

DSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

ESelect surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Edge color offerings are based on edge style selections.

Select front surface finish.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select lock optiion

JOIOUL II	ook optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
224.0#	\$ 2430	\$ 2513	N/A
224.0#	2566	2648	N/A
218.0#	\$ 2356	\$ 2478	\$ 2917
218.0#	2490	2614	3051

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

			MODEL NUMBER								
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
^	54" Unit	30 x 24 x 55-1/16"	AT54302MI2G-NT								
	 Two 15" deep side bookcases each hold one (22-1/2") row of books/binders (45" 	30 x 24 x 55-1/16"	AT54302MI2G-74P								
	total) or two rows (90") of soft bins with										
	10-1/4" - 10-1/2" clearance										
	Two drawer locks Town drawers of Ellewide by Clining										
	 Four drawers -15" wide by 6" high Two drawers - 15" wide by 12" high 										
	Two accessory slots										
AS54											
	54" Unit	30 x 24 x 55-1/16"	AT54302ML2G-NT								
	 One 30" wide cupboard holds one (22- 1/2") row of books/binder or two rows 	30 x 24 x 55-1/16"	AT54302ML2G-74P								
🟚	(57") of soft bins with 10-1/4" - 10-1/2"										
	clearance										
	Twp drawer locks Four drawers 15" wide by 6" high										
	 Four drawers - 15" wide by 6" high Two drawers - 15" wide by 12" high 										
200	Four accessory slots										
AS54											
			A	(3)	œ	0	(3	(3	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie \$4 - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

JOIOUL II	ook optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	Lar	L3 & L4 ninate Front Tie or Metric Pull
237.0#	\$ 2711	\$ 2832		N/A
237.0#	2845	2967		N/A
231.0#	\$ 2637	\$ 2796		3395
231.0#	2771	2930		3531

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

				1							
				MODEL NUMBER							
		MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option	
		54" Unit	24 x 24 x 55-1/16"	AT54242MAF-NT							
		 One 15" deep side bookcase holds one (22-1/2") row of books/binders or two 	24 x 24 x 55-1/16"	AT54242MAF-74P							
		rows (45") of soft bins with 10-1/4" - 10- 1/2" clearance • One 9" wide cupboard holds one (7-1/2") row of books/binders or two (15") rows of soft bins with 10-1/4" - 10-1/2" clear-	24 x 24 x 55-1/16"	AT54242MBF-NT							
			24 x 24 x 55-1/16"	AT54242MBF-74P							
	9	ance									
		One drawer lock									
		Two drawers - 24" wide by 12" high									
		Three accessory slots									
	-										
AS54											
				A	3	0	O	3	(3	Ф	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge
band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

	on opinon	
KS	 Key standard 	
NLC	- No lock core	
KA	- Key alike	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
	\$ 2201	\$ 2262
190.0#	2336	2396
190.0#	2201	2262
190.0#	2336	2396

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

			MODEL NUMBER	l							
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	54" Unit	24 x 24 x 55-1/16"	AT54242MLF-NT								
	 One 24" wide cupboard holds one (22-1/2") row of books/binder or two (45") rows of soft bins with 10-1/4" - 10-1/2" clearance 	24 x 24 x 55-1/16"	AT54242MLF-74P								
[•]											
	One drawer lock										
	Two drawers - 24" wide by 12" highFour accessory slots										
4054	,										
AS54											
			A	$oldsymbol{G}$	Θ	0	(3	(3)	G	(1)	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie \$4 - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock ontion

Select it	ock optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
176.0#	\$ 2001	\$ 2083	\$ 2400
176.0#	2135	2213	2537

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

				MODEL NUMBER							
		MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option	
		54" Unit with Locker	24 x 24 x 55-1/16"	AT54242MW49APF-NT							
		 One 9" wide front wardrobe left or right One 15" deep side bookcase holds one 	24 x 24 x 55-1/16"	AT54242MW49APF-74P							
		(22-1/2") row of books/binders or two (45") rows of soft bins with 10-1/4" - 10-1/2" clearance One drawer lock Two drawers - 15" wide by 12" high	24 x 24 x 55-1/16"	AT54242MW49B0F-NT							
			24 x 24 x 55-1/16"	AT54242MW49B0F-74P							
	One accessory slot										
	0										
AS54											
				Δ	B	0	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect lock optiion

001001 10	Joil Optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Packaged	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
405.0%	\$ 1883	Bow Tie or Metric Pull \$ 1946
165.0#	2018	2081
165.0#	1883	1946
165.0#	2018	2081

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

			MODEL NUMBER							
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option	
	54" Unit with Locker	24 x 24 x 55-1/16"	AT54242MW49APG-NT							
	 One 9" wide front wardrobe left or right One 15" deep side bookcase holds one 	24 x 24 x 55-1/16"	AT54242MW49APG-74P							
	(22-1/2") row of books/binders or two	24 x 24 x 55-1/16"	AT54242MW49BOG-NT							
	(45") rows of soft bins with 10-1/4" - 10-	24 x 24 x 55-1/16"	AT54242MW49B0G-74P							
	1/2" clearanceOne drawer lockTwo drawers - 15" wide by 6" high									
	One drawer - 15" wide by 12" high									
	 One accessory slot 									
8										
~ % ~										
AS54										
			Ø	B	0	0	(3	(3	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge
band

BSelect front/pull style.

\$1 - Steel/inset plastic pull \$2 - Steel/aluminum metric \$3 - Steel/aluminum bow tie \$4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

201001 101	on optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Packaged S	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
	Plastic Pull \$ 1982	Bow Tie or Metric Pull \$ 2066
171.0#	2117	2200
171.0#	1982	2066
171.0#	2117	2200

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

54" Double Module Towers

MODEL NUMBER Front Basic Model/ Pull Unit Surface Edge Lock MODEL WxDxH Edge Style Style Base Color Finish Color Option 54" Unit with Locker 24 x 24 x 55-1/16" AT54242MW49API-NT $\Box\Box$ One 9" wide front wardrobe left or right 24 x 24 x 55-1/16" AT54242MW49API-74P One 15" deep side bookcase holds one 24 x 24 x 55-1/16" AT54242MW49BOI-NT $\Box\Box$ $\Box\Box$ (22-1/2") row of books/binders 24 x 24 x 55-1/16" AT54242MW49BOI-74P One drawer lock One drawer - 15" wide by 3" high Two drawers - 15" wide by 12" high One accessory slot AS54 **(A) 3** 0 0 **3 (3**) **(**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

\$1 - Steel/inset plastic pull \$2 - Steel/aluminum metric \$3 - Steel/aluminum bow tie \$4 - Steel/nickel bow tie

CSelect base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Packaged	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
	\$ 2011	\$ 2091
171.0#	2144	2226
171.0#	2011	2091
171.0#	2144	2226

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

		MODEL NUMBER									
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	66" Unit	30 x 24 x 67-5/16"	AT66302MLF-NT								
	One 30" wide cupboard with two shelves, One 30" wide cupboard with two shelves,	30 x 24 x 67-5/16"	AT66302MLF-74P								
	holds two (45") rows of books/binders or three (67-1/2") rows of soft bins with										
•	10-1/4" clearance										
	One drawer lock										
	 Two drawers - 30" wide by 12" high Four accessory slots 										
	• Four accessory stors										
AS66											
	66" Unit	30 x 24 x 67-5/16"	AT66302MLG-NT								
	 One 30" wide cupboard with two shelves, holds two (45") rows of books/binders 	30 x 24 x 67-5/16"	AT66302MLG-74P								
	or three (67-1/2") rows of soft bins with										
•	10-1/4" clearance										
	One drawer lock True drawers 20" wide by 6" bigb										
	 Two drawers - 30" wide by 6" high One drawer - 30" wide by 12" high 										
	Four accessory slots										
Ø											
AS66											
			A	ß	•	0	(3	(3)	(A)	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on

edge style selections.

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **G**Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
222.0#	\$ 2283	\$ 2364	\$ 2886
222.0#	2420	2500	3020
235.0#	\$ 2452	\$ 2554	\$ 3108
235.0#	2586	2689	3244

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL NUMBER							
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
	66" Unit	30 x 24 x 67-5/16"	AT66302MI2F-NT							
	 Two 15" deep side bookcases with four shelves, each hold two (45") rows of book/binders (90" total) or three 	30 x 24 x 67-5/16"	AT66302MI2F-74P							
	(67-1/2") rows of soft bins with 10-1/4" clearance Two drawer locks Four drawers -15" wide by 12" high Two accessory slots									
9										
66										
	66" Unit	30 x 24 x 67-5/16"	AT66302ML2F-NT							
	One 30" wide cupboard with two shelves, holds two (45") rows of books/binders or three (67-1/2") rows of soft bins with	30 x 24 x 67-5/16"	AT66302ML2F-74P							
	10-1/4" clearance									
	Two drawer locks Four drawers, 15" wide by 12" high									
	Four drawers -15" wide by 12" highFour accessory slots									
00	•									
66										
			A	\mathbf{B}	$oldsymbol{\Theta}$	0	(3	(3)	O	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **G**Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
259.0#	\$ 2687	\$ 2766	N/A
259.0#	2820	2901	N/A
241.0#	\$ 2555	\$ 2676	\$ 3260
241.0#	2690	2814	3396

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

		MODEL NUMBER							
MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
66" Unit	30 x 24 x 67-5/16"	AT66302MI2G-NT					00.0.		
Two 15" deep side bookcases with	30 x 24 x 67-5/16"	AT66302MI2G-74P							
four shelves, each hold two (45") row	3	7.1.00002111124 7 11							
of book/binders (90" total) or three (67-1/2") rows of soft bins with 10-1/									
clearance									
Two drawer locks Four drawers - 15" wide by 6" high									
• Two drawers - 15" wide by 6" high									
AS66 • Two accessory slots									
66" Unit	30 x 24 x 67-5/16"	AT66302ML2G-NT							
One 30" wide cupboard with two shell holds two (45") rows of books/binders	es, 30 x 24 x 67-5/16"	AT66302ML2G-74P							
or three (67-1/2") rows of soft bins wi									
10-1/4" clearance									
Two drawer locks Four drawers - 15" wide by 6" high									
Two drawers - 15" wide by 12" high									
Four accessory slots									
AS66									
		A	B	Θ	0	(3	•	œ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) 74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull **S2** - Steel/aluminum metric **S3** - Steel/aluminum bow tie **S4** - Steel/nickel bow tie 12 - Laminate/aluminum metric L3 - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

,0.001	ioon opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx.	S1	S2, S3 & S4	L2, L3 & L4
Packaged Weight	Steel Front Plastic Pull	Steel Front Bow Tie or Metric Pull	Laminate Front Bow Tie or Metric Pull
272.0#	\$ 2965	\$ 3086	N/A
272.0#	3099	3221	N/A
254.0#	\$ 2833	\$ 2997	\$ 3740
254.0#	2969	3132	3876

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
	66" Unit	30 x 24 x 67-5/16"	AT66302MAP-NT						
	 One 15" deep side bookcases with shelf holds one (22-1/2") row of books/bind- 	30 x 24 x 67-5/16"	AT66302MAP-74P						
	ers or two (45") rows of soft bins with	30 x 24 x 67-5/16"	AT66302MBP-NT						
	10-1/4" clearance	30 x 24 x 67-5/16"	AT66302MBP-74P						
-	 One 15" wide cupboard with shelf holds one (13-1/2") row of books/binders or two (27") rows with shelf of soft bins 								
155									
0	with 10-1/4" clearance								
	One drawer lock								
	Three drawers - 30" wide by 12" highThree accessory slots								
	Times accessory diets								
₩ 7									
6									
			A	B	•	0	(3	(3)	œ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

	our opinon	
KS	 Key standard 	
NLC	- No lock core	Ī
KA	- Key alike	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
256.0#	\$ 2620	\$ 2700	
256.0#	2755	2834	
256.0#	2620	2700	
256.0#	2755	2834	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL MUMERE									
					MODEL NUMBER							
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option		
	66" Unit	30 x 24 x 67-5/16"	AT66302MIP-NT									
	 Two 15" deep side bookcases with two shelves, each hold one (22-1/2") row of books/binders or two (45") rows of soft bins with 10-1/4" clearance 	30 x 24 x 67-5/16"	AT66302MIP-74P									
	One drawer lock Three drawers - 30" wide by 12" high Two accessory slots											
AS66												
	66" Unit	30 x 24 x 67-5/16"	AT66302MLP-NT									
	 One 30" wide cupboard with shelf holds one (22-1/2") row of books/binders or two (45") rows with shelf of soft bins 	30 x 24 x 67-5/16"	AT66302MLP-74P									
	with 10-1/4" clearance • One drawer lock											
	 Three drawers - 30" wide by 12" high 											
	 Four accessory slots 											
<u>a</u>												
AS66												
			A	B	$oldsymbol{\Theta}$	0	(3	(3)	G	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
247.0#	\$ 2457	\$ 2518	N/A	
247.0#	2592	2654	N/A	
242.0#	\$ 2386	\$ 2484	\$ 2970	
242.0#	2518	2620	3104	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
	66" Unit	30 x 24 x 67-5/16"	AT66302MA2P-NT						
	 One 15" deep side bookcases with shelf holds one (22-1/2") row of books/bind- 	30 x 24 x 67-5/16"	AT66302MA2P-74P						
	ers or two (45") rows of soft bins with	30 x 24 x 67-5/16"	AT66302MB2P-NT						
	10-1/4" clearance	30 x 24 x 67-5/16"	AT66302MB2P-74P						
	One 15" wide cupboard with shelf holds one (12.1 (2") row of books (hinders or								
	one (13-1/2") row of books/binders or two (27") rows with shelf of soft bins								
0	with 10-1/4" clearance								
	Two drawer locks								
	Six drawers - 15" wide by 12" highThree accessory slots								
	Tilloc accessory slots								
9									
88									
866									
			A	B	œ	0	(3	(3)	G

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 □ indicate that no other alternatives
 are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

201001 101	on optiion	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull
Weight 283.0#	Plastic Pull \$ 3051	Bow Tie or Metric Pull \$ 3195
283.0#	3187	3329
283.0#	3051	3195
283.0#	3187	3329

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL NUMBER							
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
	• Two 15" deep side bookcases with two	30 x 24 x 67-5/16"	AT66302MI2P-NT							
		30 x 24 x 67-5/16"	AT66302MI2P-74P							
	shelves, each hold one (22-1/2") row of books/binders or two (45") rows of soft									
	bins with 10-1/4" clearance									
	Two drawer locks									
	 Six drawers -15" wide by 12" high Two accessory slots 									
	1 WO accessory stors									
Ø										
AS66										
	 66" Unit One 30" wide cupboardholds one (22-1/2") row of books/binders or two (45") 	30 x 24 x 67-5/16"	AT66302ML2P-NT							
		30 x 24 x 67-5/16"	AT66302ML2P-74P							
	rows of soft bins with 10-1/4" clearance									
	 Two drawer locks Six drawers - 15" wide by 12" high Four accessory slots 									
	Four accessory stots									
010										
AS66										
			A	B	•	0	3	(3	G	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

	oon opinon	
KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
274.0#	\$ 2891	\$ 3012	N/A
274.0#	3026	3146	N/A
269.0#	\$ 2817	\$ 2978	\$ 3560
269.0#	2953	3113	3696

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL NUMBER								
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
				_				COIOI	FIIIISII	-	
	66" UnitOne 24" wide cupboard with two shelves,	24 x 24 x 67-5/16"	AT66242MLF-NT								
	holds two (45") rows of books/binders	24 x 24 x 67-5/16"	AT66242MLF-74P								
	or three (67-1/2") rows of soft bins with										
	10-1/4" clearance										
	One drawer lock										
	Two drawers - 24" wide by 12" high										
	 Four accessory slots 										
AS66											
	66" Unit	24 x 24 x 67-5/16"	AT66242MLG-NT								
	One 24" wide cupboard with two shelves,	24 x 24 x 67-5/16"	AT66242MLG-74P								
	holds two (45") rows of books/binders or three (67-1/2") rows of soft bins with										
"	10-1/4" clearance										
	One drawer lock										
	 Two drawers - 24" wide by 6" high 										
	One drawer - 24" wide by 12" high										
0)	 Four accessory slots 										
AS66											
			A	B	•	0	(3	(3	(0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **G**Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

	ioon opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pul	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull			
203.0#	\$ 2198	\$ 2277	\$ 2730			_
203.0#	2331	2411	2864			
214.0#	\$ 2392	\$ 2492	\$ 3016			_
214.0#	2527	2628	3151			

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
	66" Unit	24 x 24 x 67-5/16"	AT66242MAP-NT						
	 One 15" deep side bookcase with shelf holds one (22-1/2") row of books/bind- 	24 x 24 x 67-5/16"	AT66242MAP-74P						
	ers or two (45") rows of soft bins with	24 x 24 x 67-5/16"	AT66242MBP-NT						
	10-1/4" clearance	24 x 24 x 67-5/16"	AT66242MBP-74P						
	One 9" wide cupboard with shelf holds one (7-1/2") row of books/binders or two (15") rows of soft bins with 10-1/4" clearance One drawer lock One drawer lock								
0									
	Three drawers - 24" wide by 12" highThree accessory slots								
	,								
93									
ω									
AS66									
			A	3	•	0	(3	(3)	œ

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect lock optiion

KA	- Key alike	
KS	 Key standard 	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
228.0#	\$ 2572	\$ 2654	
228.0#	2708	2787	
228.0#	2572	2654	
228.0#	2708	2787	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Towers

				MODEL NUMBER	l							
		MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	
	_	66" Unit	24 x 24 x 67-5/16"	AT66242MLP-NT								
		One 24" wide cupboard with shelf, holds one (22-1/2") row of books/binders or two (45") rows of soft bins with 10-1/4" clearance	24 x 24 x 67-5/16"	AT66242MLP-74P								
		One drawer lock										
		Three drawers - 24" wide by 12" highFour accessory slots										
	a fa	• Four accessory slots										
AS66												
				A	B	0	0	(3	()	@	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric - Steel/aluminum bow tie **S3** <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric L2 - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- **G**Select front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

,01001	TOOK OPTHOR
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
214.0#	\$ 2348	\$ 2450	\$ 2852
214.0#	2485	2584	2983

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Triple Module Towers

			MODEL NUMBER							
	MODEL	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option	
	66" Unit	30 x 24 x 67-5/16"	AT66303MLAF-NT							
	One 30" wide cupboard holds one (22-	30 x 24 x 67-5/16"	AT66303MLAF-74P							
	1/2") row of books/bindersOne 15" deep side bookcase holds one	30 x 24 x 67-5/16"	AT66303MLBF-NT							
	(22-1/2") row of books/binders	30 x 24 x 67-5/16"	AT66303MLBF-74P							
	 One 15" wide cupboard holds one (13- 1/2") row of books/binders 									
-	One drawer lock									
	 Two drawers - 30" wide by 12" high 									
₩ ~	 Five accessory slots 									
• 1										
Ψ										
AS66										
	66" UnitOne 30" wide cupboard holds one (22-	30 x 24 x 67-5/16"	AT66303MLEF-NT							
	1/2") row of books/binders	30 x 24 x 67-5/16"	AT66303MLEF-74P							
	One 15" deep side bookcase holds one	30 x 24 x 67-5/16"	AT66303MLFF-NT							
	(22-1/2") row of books/binders	30 x 24 x 67-5/16"	AT66303MLFF-74P							
	 One 15" wide binder drawer open front with lock 									
	One drawer lock									
	 Two drawers - 30" wide by 12" high 									
Φ	 Five accessory slots 									
• 7~										
7										
AS66										
			A	B	•	0	(3	(3)	œ	
			-	-	-	-	-	_	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

CSelect base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

	on opinon	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
256.0#	\$ 2734	\$ 2837	
256.0#	2869	2971	
256.0#	2734	2837	
256.0#	2869	2971	

251.0#	\$ 2736	\$ 2840
251.0#	2872	2973
251.0#	2736	2840
251.0#	2872	2973

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Wardrobes

			MODEL NUMBER						
				Front					
			Basic Model/	Pull		Unit	Surface	Edge	Lock
	MODEL	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Option
	 66" Unit with Locker One 9" wide front wardrobe open left or 	24 x 24 x 67-5/16"	AT66242MW61APF-NT						
	right	24 x 24 x 67-5/16"	AT66242MW61APF-74P						
	 One 15" deep side bookcase with two 	24 x 24 x 67-5/16"	AT66242MW61B0F-NT						
19 124	shelves, holds two (45") row of books/	24 x 24 x 67-5/16"	AT66242MW61B0F-74P						
	binders or three (67-1/2") rows of soft bins with 10-1/4" clearance								
	One drawer lock								
	 Two drawers - 15" wide by 12" high 								
- Ø	 One accessory slots 								
Ψ									
566									
	 66" Unit with Locker One 9" wide front wardrobe open left or 	24 x 24 x 67-5/16"	AT66242MW61APG-NT						
	right	24 x 24 x 67-5/16"	AT66242MW61APG-74P						
	 One 15" deep side bookcase with two 	24 x 24 x 67-5/16"	AT66242MW61BOG-NT						
	shelves, holds two (45") row of books/	24 x 24 x 67-5/16"	AT66242MW61B0G-74P						
	binders or three (67-1/2") rows of soft bins with 10-1/4" clearance								
	One drawer lock								
0	 Two drawers - 15" wide by 6" high 								
	One drawer - 15" wide by 12" high								
	 One accessory slots 								
AS66									
			A	B	•	0	(3	G	(
			•	_	•	_	•	•	_

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

\$1 - Steel/inset plastic pull \$2 - Steel/aluminum metric \$3 - Steel/aluminum bow tie \$4 - Steel/nickel bow tie

CSelect base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 66" Double Module Wardrobes

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
181.0#	\$ 1928	\$ 1989	
181.0#	2065	2125	
181.0#	1928	1989	
181.0#	2065	2125	

187.0#	\$ 2091	\$ 2171
187.0#	2226	2305
187.0#	2091	2171
187.0#	2226	2305

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Wardrobes

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
	66" Unit with Locker	24 x 24 x 67-5/16"	AT66242MW61APP-NT						
	 One 9" wide front wardrobe open left or 	24 x 24 x 67-5/16"	AT66242MW61APP-74P						
	right • One 15" deep side bookcase with two	24 x 24 x 67-5/16"	AT66242MW61BOP-NT						
	shelves, holds two (45") row of books/	24 x 24 x 67-5/16"	AT66242MW61B0P-74P						
	binders or three (67-1/2") rows of soft bins with 10-1/4" clearance • One drawer lock • Three drawers - 15" wide by 12" high								
	One accessory slot								
	·								
W									
66									
	66" Unit with LockerOne 9" wide front wardrobe open left or	24 x 24 x 67-5/16"	AT66242MW61APQ-NT						
	• One 9" wide front wardrobe open leπ or right	24 x 24 x 67-5/16"	AT66242MW61APQ-74P						
	 One 15" deep side bookcase with two 	24 x 24 x 67-5/16"	AT66242MW61BOQ-NT						
8	shelves, holds two (45") row of books/ binders or three (67-1/2") rows of soft bins with 10-1/4" clearance	24 x 24 x 67-5/16"	AT66242MW61B0Q-74P						
	One drawer lock								
9	 Two drawers - 15" wide by 6" high Two drawers - 15" wide by 12" high 								
	One accessory slot								
9									
866									
			A	B	Θ	0	(3	•	Ф

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

\$1 - Steel/inset plastic pull \$2 - Steel/aluminum metric \$3 - Steel/aluminum bow tie \$4 - Steel/nickel bow tie

CSelect base style

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect lock optiion

KA - Key alike
KS - Key standard
NLC - No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 66" Double Module Wardrobes

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
189.0#	\$ 2041	\$ 2123	
189.0#	2174	2257	
189.0#	2041	2123	
189.0#	2174	2257	

196.0#	\$ 2179	\$ 2280
196.0#	2315	2415
196.0#	2179	2280
196.0#	2315	2415

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Double Module Wardrobes

				MODEL NUMBER							
					Front						
				Basic Model/	Pull		Unit	Surface	Edge	Lock	
		MODEL	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Option	
		66" Unit with Locker	24 x 24 x 67-5/16"	AT66243MW61ALPF-NT							
		One 9" wide front wardrobe open left or	24 x 24 x 67-5/16"	AT66243MW61ALPF-74P							
		right • One 15" wide cupboard with shelf holds	24 x 24 x 67-5/16"	AT66243MW61BLOF-NT							
		one (22-1/2") row of books/binders	24 x 24 x 67-5/16"	AT66243MW61BL0F-74P							
		One 15" deep side bookcase holds one									
	84	(22-1/2") row of books/binders • One drawer lock									
		Two drawers - 15" wide by 12" high									
	* * * *	One accessory slot									
	Ψ										
AS66											
		66" Unit with LockerOne 9" wide front wardrobe open left or	24 x 24 x 67-5/16"	AT66243MW61ALPG-NT							
		right	24 x 24 x 67-5/16"	AT66243MW61ALPG-74P							
		One 15" wide cupboard with shelf holds	24 x 24 x 67-5/16"	AT66243MW61BLOG-NT							
		one (22-1/2") row of books/binders One 15" deep side bookcase holds one	24 x 24 x 67-5/16"	AT66243MW61BL0G-74P							
		(22-1/2") row of books/binders									
		One drawer lock									
		Two drawers - 15" wide by 6" high One drawers - 15" wide by 10" high									
		One drawer - 15" wide by 12" highTwo accessory slots									
		Two accessory stote									
	EST										
AS66	Ψ										
7000											1
				A	₿	Θ	0	•	•	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

CSelect base style

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.
Edge color offerings are based on
edge style selections.

GSelect lock optiion

00.001.0	on opinon	
KA	- Key alike	
KS	- Key standard	
NLC	- No lock core	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 66" Double Module Wardrobes

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
193.0#	\$ 2283	\$ 2386	
193.0#	2420	2518	
193.0#	2283	2386	
193.0#	2420	2518	

199.0#	\$ 2394	\$ 2517
199.0#	2531	2653
199.0#	2394	2517
199.0#	2531	2653

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Triple Module Wardrobes

		MODEL NUMBER								
	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option	Approx. Packaged Weight
	24 x 24 x 67-5/16"	AT66243MW61ALTF-NT	Style				COIOI	FIIIISII		199.0#
	24 x 24 x 67-5/16"	AT66243MW61ALTF-74P								199.0#
	24 x 24 x 67-5/16"	AT66243MW61BLSF-NT								199.0#
										199.0#
	24 x 24 x 67-5/16"	AT66243MW61BLSF-74P								199.0#
↔										
`										
66										
" Unit with Locker										
One 9" wide front wardrobe open left										
or right One 15" wide cupboard with shelf										
holds one (22-1/2") row of books/										
binders										
One 15" wide binder drawer open										
front with lock One drawer lock										
Two drawers - 15" wide by 12" high										
Three accessory slots										
-		A	B	Θ	0	•	•	О	0	1
			\mathbf{o}	G	ש	G	U	G	W	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock option

,0.001	ioon opinon
KA	- Key alike
KS	 Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 66" Triple Module Wardrobes

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 2394	\$ 2517	\$ 3050
2531	2653	3186
2394	2517	3050
2531	2653	3186

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Triple Module Wardrobes

		MODEL NUMBER								
			Front					Front		Approx.
		Basic Model/	Pull		Unit	Surface	Edge	Surface	Lock	Packaged
	WxDxH	Edge Style	Style	Base	Color	Finish	Color	Finish	Option	Weight
	24 x 24 x 67-5/16"	AT66243MW61ALTG-NT								206.0#
	24 x 24 x 67-5/16"	AT66243MW61ALTG-74P								206.0#
	24 x 24 x 67-5/16"	AT66243MW61BLSG-NT								206.0#
	24 x 24 x 67-5/16"	AT66243MW61BLSG-74P								206.0#
- Ø										
AS66										
66" Unit with Locker										
• One 9" wide front wardrobe open left										
or right										
 One 15" wide cupboard with shelf holds one (22-1/2") row of books/ 										
binders										
One 15" wide binder drawer open										
front with lock										
One drawer lockTwo drawers - 15" wide by 6" high										
One drawer - 15" wide by 12" high										
Three accessory slots										
		A	B	Θ	0	•	•	О	0	
		•	U	G	w	U	U	U	w	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric **S3** - Steel/aluminum bow tie <u>S4</u> - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) - Traditional Plinth Base PLNT

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock optiion

701001 1001	optiion
KA	- Key alike
KS	- Key standard
NLC	- No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 66" Triple Module Wardrobes

S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull
\$ 2534	\$ 2676	\$ 3289
2669	2814	3422
2534	2676	3289
2669	2814	3422

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Triple Module Wardrobes

			MODEL NUMBER						
	MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option
	66" Unit with Locker	24 x 24 x 67-5/16"	AT66243MW61ALPI-NT						
	One 9" wide front wardrobe open left or	24 x 24 x 67-5/16"	AT66243MW61ALPI-74P						
	right • One 15" wide cupboard holds one (13-	24 x 24 x 67-5/16"	AT66243MW61BL0I-NT						
	1/2") row of books/binders	24 x 24 x 67-5/16"	AT66243MW61BL0I-74P						
	 One 15" deep side bookcase holds one 								
1800	(22-1/2") row of books/binders • One drawer lock								
	One drawer lock One drawer - 15" wide by 3" high								
~	 Two drawers - 15" wide by 12" high 								
	 Two accessory slots 								
0									
666									
	66" Unit with Locker	24 x 24 x 67-5/16"	AT66243MW61ALTI-NT						
	 One 9" wide front wardrobe open left or right 	24 x 24 x 67-5/16"	AT66243MW61ALTI-74P						
	 One 15" wide cupboard holds one (13- 	24 x 24 x 67-5/16"	AT66243MW61BLSI-NT						
	1/2") row of books/binders	24 x 24 x 67-5/16"	AT66243MW61BLSI-74P						
	One 15" wide binder drawer open front with lock								
	One drawer lock								
8	One drawer - 15" wide by 3" high								
~	Two drawers - 15" wide by 12" highTwo accessory slots								
	- IWO doodsoory stores								
D D									
S66									
1000				_	_	_		_	
			A	$oldsymbol{eta}$	0	0	(3	•	G

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) 74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull **S2** - Steel/aluminum metric **S3** - Steel/aluminum bow tie **S4** - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect lock optiion

- Key alike Key standard - No lock core

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



All Terrain® Storage Towers 66" Triple Module Wardrobes

Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
199.0#	\$ 2379	\$ 2501	N/A	
199.0#	2514	2635	N/A	
199.0#	2379	2501	N/A	
199.0#	2514	2635	N/A	

206.0#	\$ 2531	\$ 2670	:	\$ 3299
206.0#	2665	2806		3436
206.0#	2531	2670		3299
206.0#	2665	2806		3436

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

66" Triple Module Wardrobes

				MODEL WILLDED							
				MODEL NUMBER							
		MODEL	WxDxH	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Lock Option	
	~	66" Unit with Locker	24 x 24 x 67-5/16"	AT66243MW41ALPF-NT							
		One 24" wide cupboard with shelf holds	24 x 24 x 67-5/16"	AT66243MW41ALPF-74P							
	•	one (22-1/2") row of books/binders • One 9" wide front wardrobe open left or	24 x 24 x 67-5/16"	AT66243MW41BLOF-NT							
		right	24 x 24 x 67-5/16"	AT66243MW41BL0F-74P							
		One 15" deep side bookcase holds one									
	-	(22-1/2") row of books/binders • One drawer lock									
Z.		Two drawers - 15" wide by 12" high									
_		Three accessory slots									
_											
h											
Į!											
'											
Ļ											
AS66											
	_	66" Unit with LockerOne 24" wide cupboard with shelf holds	24 x 24 x 67-5/16"	AT66243MW41ALPG-NT							
5	\Leftrightarrow	one (22-1/2") row of books/binders	24 x 24 x 67-5/16"	AT66243MW41ALPG-74P							
	• []	One 9" wide front wardrobe open left or	24 x 24 x 67-5/16"	AT66243MW41BLOG-NT							
		right • One 15" deep side bookcase holds one	24 x 24 x 67-5/16"	AT66243MW41BL0G-74P							
		(22-1/2") row of books/binders									
	100	One drawer lock									
ď		Two drawers - 15" wide by 6" high									
		 One drawer - 15" wide by 12" high Three accessory slots 									
S		imoo doodooo y ololo									
Ļ											
7	0										
AS66											
				A	•	•	0	•	•	О	
				-	-	_	-	-	-	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

NT - No optional top (steel)
74P - 3/4" laminate top w/74P edge band

BSelect front/pull style.

S1 - Steel/inset plastic pull
S2 - Steel/aluminum metric
S3 - Steel/aluminum bow tie
S4 - Steel/nickel bow tie

CSelect base style.

4CW - 4 bl/wh casters (2 locking)
PLNT - Traditional Plinth Base

Select unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

Surface finish offerings are based on edge

style selections.

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

GSelect lock optiion

KS	 Key standard 	
NLC	- No lock core	
KA	- Kev alike	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



	Wardrobes

196.0# \$ 2516 \$ 2616 196.0# 2652 2751 196.0# 2516 2616 196.0# 2652 2751	Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	
196.0# 2516 2616	196.0#	\$ 2516	\$ 2616	
	196.0#	2652	2751	
196.0# 2652 2751	196.0#	2516	2616	
	196.0#	2652	2751	

202.0#	\$ 2751	\$ 2871
202.0#	2886	3006
202.0#	2751	2871
202.0#	2886	3006

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Accessories

			MODEL NUMBE	MODEL NUMBER				
	MODEL	WxDxH	Basic Model/ Edge Style	Unit Color	Surface Finish	Edge Color	Approx. Packaged Weight	
	Removable Side Shelf	16-3/4 x 7 x 5-3/8"	ATAC/177SS-74P				6.0#	
	Storage side shelfNo tools or fasteners required							
	- No tools of fasteriers required							
ATAC								
	Adjustable Blank Shelf Blank shelf for bookcase or cupboard	15 x 24 x 3/4"	ATAC/1524BS				5.0#	
	modules	21 x 24 x 3/4"	ATAC/2124BS				6.0#	
	cuaisc	24 x 15 x 3/4"	ATAC/2415BS				5.0#	
		24 x 24 x 3/4"	ATAC/2424BS				7.0#	
ATAC		30 x 24 x 3/4"	ATAC/3024BS				9.0#	
		9 x 24 x 3/4"	ATAC/924BS				3.0#	
	4" Casters - Locking	4-1/2"	2.KP80409				1.0#	
	One caster with twin 3-15/16" diameter wheels							
$(\mathcal{Y}(0))$	Wileels							
HRDPT								
	4" Casters - Non-Locking	4-1/2"	2.KP80408				1.0#	
	One caster with twin 3-15/16" diameter wheels							
$\mathbb{Y}(0)$	Wildels							
HRDPT								
6	Caster Mount Kit - Inset		ATAC/4I				1.5#	
0,0	Inset caster mount kitCasters not included							
₩	Not to be used on pedestals							
ATAC	Angles casters 5°							
			A	B	•	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model/edge style.

 74P 3/4" laminate top w/74P edge band
- Belect unit color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- © Select surface finish.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Surface finish offerings are based on
 edge style selections.
- Select edge color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Edge color offerings are based on
 edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Deliv Prici	ered	
\$	186	
Ψ	100	
\$	66	
	76	
	66	
	79 91	
	62	
\$	44	
Ψ	••	
\$	41	
\$	56	
φ	30	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUI	MBER		
	MODEL	Features	W	Basic Model	Unit Color	Approx. Packaged Weight	
	Caster Mount Kit - Outrigger			ATAC/T4R		2.0#	
	Outrigger caster mount kitCasters not included						
	Not to be used on pedestals						
ATAC							
	Type A Folder Bar		21"	ATAC/21FBA		1.0#	
	Files one row legal or letter, side-to-side Plack finish only		24"	ATAC/24FBA		1.0#	
	Black finish only		30"	ATAC/30FBA		3.0#	
ATAC							
	Type K Folder Bar		20.313"	ATAC/TFBK		5.0#	
	 Converts side-to-side filing to front-to- back filing 						
	One set (two bars) required per row of filing						
	Legal or letter						
ATAC	Black finish only						
	Touch-Up Paint - Steel			ATAC/97003		1.5#	
\square	 One-ounce brush application touch-up paint for painted steel 						
	paint to: painted clos.						
ATAC							
AIAO	Double Bit Keys	Master Key		2.KP20550		0.2#	
HRDPT	bouble bit Keys	Extractor Key		2.KP20551		0.2#	
		Key Blank		2.KP20552		0.2#	
		Cut Key		2.KP20557		0.2#	
				A	3	•	

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Deliv	/ered	
Prici	ing	
\$	122	
\$	39	
	39	
	39	
\$	39	
φ	39	
\$	39	
\$	10	
	10	
	3	
	5	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL NUMBER			
			Approx.		
		Basic	Packaged		
	MODEL	Model	Weight		
	Pencil Tray • For 3" pencil and 6" box drawers	ATAC/PENTRAY	0.5#		
	Black finish only				
	Priced each				
ATAC					
AIAU	6" Partition	ATAC/D6	0.5#		
	For 6" box drawers	711710720	0.011		
	Black finish only Priced each				
ATAC	- Thoca cach				
	Hangin Folder Partition	ATAC/D12	1.0#		
	For 12" file drawersBlack finish only				
	Priced each				
ATAC	Binder Drawer Divider	ATAC/STBDD	1.0#		
	For storage tower binder drawers	AIAG/STBDD	1.0#		
	Black finish only				
	Priced each				
\ \					
•					
ATAC					
		A			

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delive	ered
Pricin	
\$	9
\$	6
Ψ	
\$	9
\$	38

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

General Information

AV TOWERS

General Information

All Terrain® AV towers are available in one size with two configurations. They have the same size, general look, and finish options as the 66" high x 30" wide All Terrain® storage towers. Both configurations include a top module that is a special AV cupboard module. One configuration has an AV media drawer lower module, which is specially configured for AV media. The other configuration has an AV cupboard module similar to the top module. Reinforced shelves support AV equipment and include wire apertures. The AV cupboard modules include apertures with grommets between modules (in cupboard/cupboard option) and through the back for wire management and wraparound 270° hinges.

Options

 \overrightarrow{AV} towers have all of the options available for 66" All Terrain® storage towers.

Height, Depth and Width

All Terrain® \overline{AV} towers are 67-11/32" high x 30" wide x 24" deep.

Basic Shell

All Terrain® AV tower unit is of modular construction and consists of top, cupboard and drawer modules on a base. The upper module is always a cupboard.

Upper Cupboard/Lower Cupboard

The module consists of a one-piece wrapper (sides, back and front face) with two structural upright frames and a welded-in bottom. In the upper module, both the bottom and back of the unit have two 1-1/2" diameter grommeted holes for wire management.

The wrapper is formed 20-gauge C.R.S. The wrapper is formed with 3/4" flanges along the two vertical sides. An additional flange is formed inwards for additional strength and accepts the upright interior side panels. The top and bottom edges are formed with a 1" flange with appropriate holes for fastening the top and lower module.

The upright components are 18-gauge channel-formed sections electrospot-welded together into a structural box frame. The frame consists of two vertical channels with lugging to accept the adjustable shelf, a top and bottom member. There are two frames: one at the front of the cabinet and one at the back

A 20-gauge bottom with 3/4" side, front and back flanges is welded to the wrappers.

Adjustable Shelf

The 20-gauge shelf has multiple return flanges front and back for superior strength. Notched side flanges slip into the lugging on the upright members of the case providing an integral shelf bracket. Two 18-gauge top hat channel sections are welded to the shelf stops short of the back of the case providing as space for wires to be routed.


Drawer Unit

The drawer module is identical in construction to the All Terrain® storage tower drawer modules. The drawer configuration is intended for AV media. The drawer combination includes a 4-1/2" drawer for media including VHS tapes and CD's, a 7-1/2" drawer for media including DVD's and a 12" drawer for training documents such as letter-sized files or binders (best when using hins)

Bin Hanging Slot

The drawer module includes a bin or tool rail accessory hanging lot on both exposed sides. These 12-1/4" wide slots are punched into the module side 4" below the top of the module

The slot is finished with a KI Glacier white RPVC extrusion to allow for the hanging of All Terrain® hard bins or tool rail accessories. The AV tower cupboard modules do not include bin-hanging slots.





All Terrain® AV Towers General Information

AV Tower Drawers Inside Drawer Dimensions		30" W Lateral	
	W	D	Н
4¹/₂" Box	263/4"	19 ⁵ / ₁₆ "	$3^{25}/_{32}$ "
7 ¹ / ₂ " Box	263/4"	$19^{21}/_{32}$ "	$6^{27}/_{32}$ "
12" File	263/4"	1921/32"	117/16"

Lateral File **Filing Configurations**


Letter and Multi-media side-to-side

front-to-back


- 26³/₄" lineal inch capacity Holds four 6¹/₂" soft bins Holds five 5" soft bins plus two letter-sized bins

30" W

Lateral







Letter

Requires two sets of ATAC/FBK
38¹/₂ lineal inch capacity

- Holds six 61/2" soft bins
- Holds eight 5" soft or hard bins



			MODEL NUMBER	}						
MODEL	1	W x D x H	Basic Model/ Edge Style	Front Pull Style	Base	Unit Color	Surface Finish	Edge Color	Front Surface Finish	Lock Option
AV Cupbo		30 x 24 x 67"	AV66302MA-NT							
	oboard - 30" W x 43" H x 24" D, ont with wire apertures in back,	30 x 24 x 67"	AV66302MA-74P							
	ustble shelves and lock									
• One cup	board - 30" W x 24" H x 24"									
	front with wire apertures in									
• Two bin	justable shelf and lock slots									
ф										
<u></u>										
ATAV										
		30 x 24 x 67"	AV66302MB-NT							
	ont with wire apertures in back,	30 x 24 x 67"	AV66302MB-74P							
two adju	ustble shelves and lock									
	wer 30" W x 4-1/2" H wer 30" W x 7-1/2" H									
	wer 30" W x 1-1/2 H									
• Two bin	slots									
ATAV										
7.07.0				_	_					•
			A	ß	Θ	0	(3	(3)	G	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model/edge style.

- No optional top (steel) - 3/4" laminate top w/74P edge band

BSelect front/pull style.

- Steel/inset plastic pull Steel/aluminum metric - Steel/aluminum bow tie **S3** \$4 - Steel/nickel bow tie - Laminate/aluminum metric - Laminate/aluminum bow tie - Laminate/nickel bow tie

Select base style.

4CW - 4 bl/wh casters (2 locking) PLNT - Traditional Plinth Base

DSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

GSelect front surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select lock ontition

elect loci	СОРШОП	
KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Approx. Packaged Weight	S1 Steel Front Plastic Pull	S2, S3 & S4 Steel Front Bow Tie or Metric Pull	L2, L3 & L4 Laminate Front Bow Tie or Metric Pull	
215.0#	\$ 2452	\$ 2531	\$ 3091	
215.0#	2522	2597	3091	
225.0#	\$ 2616	\$ 2715	\$ 3315	
225.0#	2684	2782	3315	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #100.

Accessories

			MODEL NUMBER				
	MODEL	WxDxH	Basic Model/ Edge Style	Unit Color	Surface Finish	Edge Color	Approx. Packaged Weight
	Removable Side Shelf	16-3/4 x 7 x 5-3/8"	ATAC/177SS-74P				6.0#
	 Storage side shelf No tools or fasteners required 						
ATAC							
	Adjustable Blank Reinforced Shelf		ATAC/3024RS				12.0#
	Blank shelf for AV cupboard						
ATAC							
	4" Casters - Locking • One caster with twin 3-15/16" diameter	4-1/2"	2.KP80409				1.0#
WO .	wheels						
HRDPT							
	4" Casters - Non-Locking • One caster with twin 3-15/16" diameter	4-1/2"	2.KP80408				1.0#
	Une caster with twin 3-15/16" diameter wheels						
% C							
HRDPT							
000	Caster Mount Kit - Inset Inset caster mount kit Casters not included		ATAC/4I				1.5#
ATAC	 Not to be used on pedestals Angles casters 5° 						
			•	B	Θ	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model/edge style.

 74P -3/4" laminate top w/74P edge band
- Select unit color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- © Select surface finish.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.

 Surface finish offerings are based on
 edge style selections.
- Oselect edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge style selectinos.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code



Deliv Prici	ered
\$	186
\$	125
\$	44
\$	41
\$	56

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUM	/IBER	
	MODEL	Features	WxDxH	Basic Model	Unit Color	Approx. Packaged Weight
	Caster Mount Kit - Outrigger			ATAC/T4R		2.0#
	 Outrigger caster mount kit Casters not included 					
En Car	Not to be used on pedestals					
ATAC						
	Type A Folder Bar		21"	ATAC/30FBA		3.0#
	Files one row legal or letter, side-to-sideBlack finish only					
	Justin milen em					
ATAC						
	Type K Folder Bar Converts side-to-side filing to front-to-		20.313"	ATAC/TFBK		5.0#
N	back filing					
	 One set (two bars) required per row of filing 					
	Legal or letter					
ATAC	Black finish only					
	Touch-Up Paint - Steel One-ounce brush application touch-up			ATAC/97003		1.5#
A	paint for painted steel					
ATAC						
	Double Bit Keys	Master Key		2.KP20550		0.2#
HRDPT		Extractor Key		2.KP20551		0.2#
		Key Blank		2.KP20552 2.KP20557		0.2#
		Cut Key				U.Z#
				A	$oldsymbol{\Theta}$	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect unit color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.



Dolin	vered
Delly	Vereu
Prici	
\$	122
\$	39
\$	39
Ψ	
\$	39
 \$	10
	10
	3
	5

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Pull Out Worksurface Storage

		MODEL NUMBER		
			Approx.	
		Basic	Packaged	
	MODEL	Model	Weight	
	Pull Out with CD Storage	P06600	5.0#	
	 Track (17.3" Long) attaches to underside of worksurface 			
	Support arm slides on track and pivots			
Li M	for easy access			
	Wire frames on both sides accommodate hanging folders. CD storage rook (20)			
	hanging folders, CD storage rack (20 CDs) and All Terrain® Hard Bin (order			
	separately)			
j	CD storage rack included			
	 Frame color in Starlight Silver Metallic (SX) only 			
AN.	(OA) only			
HRDPT				
//* * * * * * * * * * * * * * * * * * *	Pull Out with Bin and CD Storage	P0B6600	7.0#	
	 Track (17.3" Long) attaches to underside of worksurface 			
	Support arm slides on track and pivots			
	for easy access			
	 Wire frames on both sides accommodate hanging folders, CD storage rack (20 			
	CDs) and All Terrain® Hard Bin			
7	 CD storage rack and All Terrain® Hard 			
	Bin included			
	 Frame color in Starlight Silver Metallic (SX) only 			
	(,)			
HRDPT				
		A		

HOW TO ORDER

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Pull Out Worksurface Storage

Delivered Pricing

\$ 286

\$ 304

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Product Indicator

All Terrain® Pedestals



ATPE1520FFHR
File/File with Retractable Handle: Steel Top



ATPE1520FFFR File/File with Outriggers: Steel Top




ATPE1520FFRL File/File with Outriggers: Landing Pad Bowed Front

All Terrain® Binder Towers



ATATBT39PFRLC
Pencil/Shelf/File with Outriggers: Landing
Pad - Bowed Front



ATBT39FRC Shelf/File with Outriggers: Bowed Front Top



ATPE1520FFRL File/File with Outriggers: Landing Pad Bowed Front

All Terrain® Storage Towers



AT39241MM 39" Single Module Tower: 39" Unit



AT39241LJ 39' Single Module Towers with Landing Pads: 39' Unit with Landing Pad



AT39301M2M 39" Single Module Tower: 39" Unit




AT39242MLB 39" Double Module Towers: 39" Unit




AT39301LI 39' Single Module Towers with Landing Pads: 39' Unit with with Landing Pad


All Terrain® Storage Towers



AT66242MLF 66" Double Module Towers: 66" Unit



AT66303 MLAF 66" Triple Module Towers: 66" Unit



AT66242MW61APF 66" Double Module Wardrobes: 66" Unit with

Product Indicator



Index

Model No. De	escription	Page	Model No.	Description	Page
2.KP103000BLWH	Accessories: Glides	54	AT48242MW42A	SF-NT	
2.KP20550	Accessories: Double Bit Keys	56		48" Double Module Towers: 48" Unit with Locker	138
2.KP80408	Accessories: 4" Casters - Non-Locking	202	AT48242MW42A	SG-NT	
2.KP80409	Accessories: 4" Casters - Locking	202		48" Double Module Towers: 48" Unit with Locker	142
2.KP80413	Accessories: 3" Casters - Non-Locking	54	AT54242MAF-NT	54" Double Module Towers: 54" Unit	156
2.KP80493	Accessories: 3" Casters - Locking	54	AT54242MLF-NT	54" Double Module Towers: 54" Unit	158
ASLH2422FF	File/File: Steel Top	96	AT54242MW49A	PF-NT	
ASLH2422FFL-74P	File/File: Landing Pad - Bowed Front	98		54" Double Module Towers: 54" Unit with Locker	160
ASLH2422FFT-74P	File/File: Bowed Front Top	96	AT54242MW49A		
ASLH2422YY	File/File (Compact): Steel Top	94	7.1.0 12 12.1117 1071	54" Double Module Towers: 54" Unit	162
ASLH2422YYL-74F	, , , , , , , , , , , , , , , , , , , ,	94	ΔΤ54242ΜW49Δ	PI-NT54" Double Module Towers: 54" Unit	164
ASLH2422YYT-74P	(' ' '	94	AT54302MAF-NT		144
AT39241LI-74P	39" Single Module Towers with Landing Pads: 39"	J- 1	AT54302MAG-NT		148
A133241LI-74F		118	AT54302MI2F-N7		152
AT200441 1 74D	Unit with Landing Pad	110			154
AT39241LJ-74P	39" Single Module Towers with Landing Pads: 39"	110	AT54302MI2G-N AT54302ML2F-N		152
ATOOO 44 BABA BIT	Unit with Landing Pad	118			
AT39241MM-NT	39" Single Module Tower: 39" Unit	112	AT54302ML2G-N		154
AT39241MN-NT	39" Single Module Tower: 39" Unit	112	AT54302MLF-NT	54" Double Module Towers: 54" Unit	146
AT39242MLB-NT	39" Double Module Tower: 39" Unit	114	AT54302MLG-NT		150
AT39301L2I-74P	39" Single Module Towers with Landing Pads: 39"		AT66242MAP-NT		182
	Unit with Landing Pad	116	AT66242MLF-NT	66" Double Module Towers: 66" Unit	180
AT39301L2J-74P	39" Single Module Towers with Landing Pads: 39"		AT66242MLG-NT	66" Double Module Towers: 66" Unit	180
	Unit with Landing Pad	118	AT66242MLP-NT	66" Double Module Towers: 66" Unit	184
AT39301LI-74P	39" Single Module Towers with Landing Pads: 39"		AT66242MW61A	PF-NT	
	Unit with Landing Pad	116		66" Double Module Wardrobes: 66" Unit with Locker	188
AT39301LJ-74P	39" Single Module Towers with Landing Pads: 39"		AT66242MW61A	PG-NT	
	Unit with Landing Pad	116		66" Double Module Wardrobes: 66" Unit with Locker	188
AT39301M2M-NT	39" Single Module Tower: 39" Unit	110	AT66242MW61A	PP-NT	
AT39301M2N-NT	39" Single Module Tower: 39" Unit	110		66" Double Module Wardrobes: 66" Unit with Locker	190
AT39301MM-NT	39" Single Module Tower: 39" Unit	110	AT66242MW61A	PQ-NT	
AT39301MN-NT	39" Single Module Tower: 39" Unit	110		66" Double Module Wardrobes: 66" Unit with Locker	190
AT39302MLB-NT	39" Double Module Tower: 39" Unit	114	AT66243MW41A		
AT44241LM-74P	44" Single Module Towers with Landing Pads: 44"		7.1.002 101117 1111	66" Triple Module Wardrobes: 66" Unit with Locker	200
7.1.7.12.1.12.11.7.11	Unit with Landing Pad	130	AT66243MW41A	•	
AT44241LN-74P	44" Single Module Towers with Landing Pads: 44"	100	7.1.002 101117 1111	66" Triple Module Wardrobes: 66" Unit with Locker	200
AITTETILIN 7TI	Unit with Landing Pad	130	AT66243MW61A	·	200
AT44241MP-NT	44" Single Module Tower: 44" Unit	124	711002 10WW0171	66" Double Module Wardrobes: 66" Unit with Locker	192
AT44241MQ-NT	44" Single Module Tower: 44" Unit	124	AT66243MW61A		132
AT44241NIQ-N1 AT44242LLB-74P		124	A1002431VIVV01A		192
A144242LLD-74P	44" Double Module Towers with Landing Pads: 44"	104	ATECO 401/1/1/64 A	66" Double Module Wardrobes: 66" Unit with Locker	192
AT44004L0M 74D	Unit with Landing Pad	134	AT66243MW61A		100
AT44301L2M-74P	44" Single Module Towers with Landing Pads: 44"	400	ATCCO 401 AVA(C4 A	66" Triple Module Wardrobes: 66" Unit with Locker	198
AT440041 0N 74D	Unit with Landing Pad	128	AT66243MW61A		404
AT44301L2N-74P	44" Single Module Towers with Landing Pads: 44"		47000401814044	66" Triple Module Wardrobes: 66" Unit with Locker	194
	Unit with Landing Pad	128	AT66243MW61A		
AT44301LM-74P	44" Single Module Towers with Landing Pads: 44"			66" Triple Module Wardrobes: 66" Unit with Locker	196
	Unit with Landing Pad	126	AT66243MW61A		
AT44301LN-74P	44" Single Module Towers with Landing Pads: 44"			66" Triple Module Wardrobes: 66" Unit with Locker	198
	Unit with Landing Pad	126	AT66302MA2P-N		176
AT44301M2P-NT	44" Single Module Tower: 44" Unit	122	AT66302MAP-NT	66" Double Module Towers: 66" Unit	172
AT44301M2Q-NT	44" Single Module Tower: 44" Unit	122	AT66302MI2F-N7	66" Double Module Towers: 66" Unit	168
AT44301MP-NT	44" Single Module Tower: 44" Unit	120	AT66302MI2G-N	T 66" Double Module Towers: 66" Unit	170
AT44301MQ-NT	44" Single Module Tower: 44" Unit	120	AT66302MI2P-N	F 66" Double Module Towers: 66" Unit	178
AT44302LL2B-74P	44" Double Module Towers with Landing Pads: 44"		AT66302MIP-NT	66" Double Module Towers: 66" Unit	174
	Unit with Landing Pad	132	AT66302ML2F-N	T 66" Double Module Towers: 66" Unit	168
AT44302LLB-74P	44" Double Module Towers with Landing Pads: 44"	-	AT66302ML2G-N		170
	Unit with Landing Pad	132	AT66302ML2P-N		178
AT48242MW42APF	•	.52	AT66302MLF-NT		166
IOE IEMIN IEMI I	48" Double Module Towers: 48" Unit with Locker	136	AT66302MLG-NT		166
AT48242MW42AP0		100	AT66302MLP-NT		174
ATTULTE IVIVITE AFT	48" Double Module Towers: 48" Unit with Locker	140	AT66303MLAF-N		186
	TO Double Module Towers. To Offic With LOCKER	140	AT66303MLEF-N	-	186
			ATOUUUIVILLI -IV	i oo iiipio wodale towets. oo offit	100



Index

Model No. Desc	cription	Page	Model No. Des	cription	Page
ATAC/1518LP3-74P	Retrofit Kits: Landing Pad Retrofit Kit for Pedestals			Front Top	46
	with Steel Tops	58	ATPE1520BBFRT-74	P Box/Box/File with Outriggers: Bowed Front Top	44
ATAC/1518T-74P	Retrofit Kits: Attached Top Retrofit Kit for Pedestals		ATPE1520BBFT-74P	Box/Box/File: Bowed Front Top	48
	with Steel Tops	58	ATPE1520BF	Box/File: Steel Top	6
ATAC/1524BS	Accessories: Adjustable Blank Shelf	202	ATPE1520BFL-74P	Box/File: Landing Pad - Bowed Front Top	6
ATAC/177SS-74P	Accessories: Removable Side Shelf	88	ATPE1520BFT-74P	Box/File: Bowed Front Top	6
ATAC/1817BS	Accessories: Adjustable Blank Shelf	88	ATPE1520FF	File/File: Steel Top	38
ATAC/21FBA	Accessories: Type A Folder Bar	204	ATPE1520FFHR	File/File with Retractable Handle: Steel Top	32
ATAC/2422LP2-74P	Accessories: Landing Pad Kit	104	ATPE1520FFHRL-74	P File/File with Retractable Handle: Landing Pad -	
ATAC/2422T-74P	Accessories: Attached Top	104		Bowed Front	32
ATAC/24FBA	Accessories: Type A Folder Bar	102	ATPE1520FFHRT-74	P File/File with Retractable Handle: Bowed Front Top	32
ATAC/3024RS	Accessories: Adjustable Blank Reinforced Shelf	212	ATPE1520FFL-74P	File/File: Landing Pad - Bowed Front Top	38
ATAC/30FBA	Accessories: Type A Folder Bar	102	ATPE1520FFR	File/File with Outriggers: Steel Top	34
ATAC/4I	Accessories: Caster Mount Kit - Inset	54	ATPE1520FFRL-74P	File/File with Outriggers: Landing Pad - Bowed Front T	op 36
ATAC/97003	Accessories: Touch-Up Paint - Steel	56	ATPE1520FFRT-74P	File/File with Outriggers: Bowed Front Top	34
ATAC/BTFB	Accessories: Folder Bar Channel	86	ATPE1520FFT-74P	File/File: Bowed Front Top	38
ATAC/BTPENDR	Accessories: Pencil Drawer Kit	88	ATPE1520PBF	Pencil/Box/File: Steel Top	16
ATAC/D12	Accessories: Hanging Folder Partition	56	ATPE1520PBFHR	Pencil/Box/File with Retractable Handle: Steel Front To	op 8
ATAC/D6	Accessories: Box Drawer Partition	56	ATPE1520PBFHRL-7		
ATAC/LPPK2	Retrofit Kits: Landing Pad Post Kit for Pedestals			Pencil/Box/File with Retractable Handle: Landing	
	with Non-steel Tops	58		Pad - Bowed Front Top	10
ATAC/LPPK4	Retrofit Kits: Landing Pad Post Kit for Pedestals		ATPE1520PBFHRT-7	'4P	
	with Non-steel Tops	58		Pencil/Box/File with Retractable Handle: Bowed Front	Top 8
ATAC/P4R	Accessories: Caster Mount Kit - Outrigger	54	ATPE1520PBFL-74P	Pencil/Box/File: Landing Pad - Bowed Front	18
ATAC/PENTRAY	Accessories: Pencil Tray	56	ATPE1520PBFR	Pencil/Box/File with Outriggers: Steel Top	12
ATAC/STBDD	Accessories: Binder Drawer Divider	206	ATPE1520PBFRL-74	P Pencil/Box/File with Outriggers: Landing Pad -	
ATAC/T4R	Accessories: Caster Mount Kit - Outrigger	86		Bowed Front Top	14
ATAC/TFBK	Accessories: Type K Folder Bar	102	ATPE1520PBFRT-74	P Pencil/Box/File with Outriggers: Bowed Front Top	12
ATBT39C-74P	Shelf/Shelf: Bowed Front Top	84	ATPE1520PBFT-74P	·	16
ATBT39FC-74P	Shelf/File: Bowed Front Top	76	ATPE1520YY	File/File (Compact): Steel Top	28
ATBT39FLC-74P	Shelf/File: Landing Pad - Bowed Front	74	ATPE1520YYHR	File/File (Compact) with Retractable Handle: Steel Top	20
ATBT39FLS-74P	Shelf/File: Landing Pad - Shaped	74	ATPE1520YYHRL-74	IP File/File (Compact) with Retractable Handle: Land-	
ATBT39FRC-74P	Shelf/File with Outriggers: Bowed Front Top	72		ing Pad - Bowed Front	22
ATBT39FRLC-74P	Shelf/File with Outriggers: Landing Pad - Bowed Front	70	ATPE1520YYHRT-74	IP File/File (Compact) with Retractable Handle: Bowed	
ATBT39FRLS-74P	Shelf/File with Outriggers: Landing Pad - Shaped	70		Front Top	20
ATBT39FRS-74P	Shelf/File with Outriggers: Shaped Top	72	ATPE1520YYL-74P	File/File (Compact): Landing Pad - Bowed Front	30
ATBT39FS-74P	Shelf/File: Shaped Top	76	ATPE1520YYR	File/File (Compact) with Outriggers: Steel Top	24
ATBT39LC-74P	Shelf/Shelf: Landing Pad - Bowed Front	82	ATPE1520YYRL-74F	P File/File (Compact) with Outriggers: Landing Pad -	
ATBT39LS-74P	Shelf/Shelf: Landing Pad - Shaped	82		Bowed Front	26
ATBT39PFC-74P	Pencil/Shelf/File: Bowed Front Top	68	ATPE1520YYRT-74P	(1 / 00 1	24
ATBT39PFLC-74P	Pencil/Shelf/File: Landing Pad - Bowed Front	66	ATPE1520YYT-74P	File/File (Compact): Bowed Front Top	28
ATBT39PFLS-74P	Pencil/Shelf/File: Landing Pad - Shaped	66	AV66302MA-NT	66" Towers: AV Cupboard	210
ATBT39PFRLC-74P	Pencil/Shelf/File with Outriggers: Landing Pad -		AV66302MB-NT	66" Towers: AV Cupboard and File	210
	Bowed Front	62	PDCU/17	Accessories: Cushioned Seat - Mobile Pedestal	52
ATBT39PFRLS-74P	Pencil/Shelf/File with Outriggers: Landing Pad - Shape	d 64	P06600	Pull Out with CD Storage	216
ATBT39PFS-74P	Pencil/Shelf/File: Shaped Top	68	P0B6600	Pull Out with Bin and CD Storage	216
ATBT39RC-74P	Shelf/Shelf with Outriggers: Bowed Front Top	80			
ATBT39RLC-74P	Shelf/Shelf with Outriggers: Landing Pad - Bowed From	nt 78			
ATBT39RLS-74P	Shelf/Shelf with Outriggers: Landing Pad - Shaped	78			
ATBT39RS-74P	Shelf/Shelf with Outriggers: Shaped Top	80			
ATBT39S-74P	Shelf/Shelf: Shaped Top	84			
ATPE1520BBF	Box/Box/File: Steel Top	48			
ATPE1520BBFHR ATPE1520BBFHRL-74	Box/Box/File with Retractable Handle: Steel Top	40			
711 F 1050001 1111E-/-	Box/Box/File with Retractable Handle: Landing Pad				
ATPE1520BBFHRT-74	- Bowed Front 1P	42			
2102000111111-7-	Box/Box/File with Retractable Handle: Bowed Front Top	40			
ATPE1520BBFL-74P	Box/Box/File: Landing Pad - Bowed Front Top	50			
ATPE1520BBFR	Box/Box/File with Outriggers: Steel Top	44			
ATPE1520BBFRL-74F	P Box/Box/File with Outriggers: Landing Pad - Bowed				

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11494R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.