

logiflex
OFFICE FURNITURE

LOGICAL
AND
FLEXIBLE



conference • tables • wall units

usa price list

Revision on January 5, 2015

Update Summary

The January 5, 2015 web revision of the Conference Room price list presents these principal modifications:

DATE	SECTION	MODIFICATION	PAGES
January 5, 2015	All the price list	High pressure laminated products prices have been increased by 5% (CSL, CGL, OSL, OGL)	-

Previous updates:

DATE	SECTION	MODIFICATION	PAGES
August 1, 2014	All the price list	All products have been increased by 3%	-
August 1, 2014	Terms and conditions of sale	Limited lifetime warranty application	3

TABLE OF CONTENTS

SECTIONS	PAGES
1 INTRODUCTION	
Terms and conditions of sale	2
2 CONFERENCE	
Manufacturing standard	5
Wellington credenzas	7
Wellington cabinets	9
Wellington mobile service carts	10
Wellington tables with rectangular surface	12
Howard teleconference tables	15
Howard tables with racetrack surface	16
Howard tables with rounded boat shape surface	18
Howard tables with rectangular surface	20
Teleconference table with rectangular bases	22
Teleconference table with arrow bases	23
3 OCCASIONAL AND MEETING TABLES	
Manufacturing standard	25
Hatley tables	26
Stanstead tables	27
Orford tables	30
Magog tables	35
4 WALL UNITS	
General information	39
Index	40
Wall units	42
Wall units with 1 full shelf	43
Wall units with 1 shelf on the left	44
Wall units with 1 shelf on the right	45
Wall units with 2 full shelves	46

TERMS AND CONDITIONS OF SALE

PRICES

The prices are "suggested retail" and are subject to changes without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. Advanced payment for your order may be requested if the opening of your account has not been completed or if your account has become inactive.

TERMS OF PAYMENT

Net 30 days / F.O.B. Sherbrooke (Québec), Montréal (Québec) or Québec City (Québec). The invoice will be dated the same ship date and payable 30 days from that date including applicable freight charges. Logiflex remains the owner of the merchandise until the invoice is paid in full.

CUSTOMIZED PRODUCTS (SPECIAL ITEMS)

Price requests for customized products or special items can be submitted via the "Online services" section of our Web site, at www.logiflex.ca. Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

ORDERS

An official purchase order must be issued for all purchases. Your purchase order must contain the following information: your company letterhead, your reference number, the delivery address (with contact name and phone number), the complete product codes, furniture colour(s), quantities, descriptions, retail prices and net prices, project registration number (if applicable), and your approved quotation and technical drawing (for special items). Please note that a quotation cannot serve as a purchase order.

RETURNS

All returns must first be approved by Logiflex. If the return is accepted, A Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

MODIFICATIONS AND/OR CANCELLATIONS

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may modify or cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

LIABILITY

Logiflex's responsibility ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

CLAIMS

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the "Online services" section of our Web site, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation as rapidly as possible.

TERMS AND CONDITIONS OF SALE

CHANGES

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

STORAGE AND/OR SHIPPING FEES

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. The suggested retail prices in this list usually include delivery to your warehouse, for several Quebec regions; however, some conditions may apply. If the minimum amount of your order is \$10,000 net, the order can be shipped directly to your customer. In this case, a 53-foot unloading dock must be available at the time of delivery. This information must first be validated with your Logiflex customer service representative. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also incur additional charges.

LIMITED LIFETIME WARRANTY

Logiflex warrants its products to the original purchaser for as long as the original purchaser owns the products. Logiflex guarantees that [Nom de la collection] products bought new from an authorized Logiflex distributor are free from defects in materials and workmanship for the lifetime of their use. This warranty applies to [Nom de la collection] products. Only if properly used, repair or replacement of any defect covered by the warranty will be at the discretion of Logiflex. Transportation and labor are not covered by this warranty. By accepting the product to its delivery, the buyer accepts its conditions. The warranty period shall be reduced proportionately if the products are used over a period exceeding the equivalent of a shift 40 hours/week. All replacement parts will be shipped to the original shipping address.

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification or use of components or materials that have not been authorized by Logiflex;
- Delivery by a freight carrier or handling/installation by a contractor other than Logiflex;
- Natural properties of materials;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Products used for rental purposes;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.




Restrictions:

- Electrical components are guaranteed for 1 year from the date of delivery;
- Seat mechanisms, drawer slides and locks are guaranteed for 5 years from the date of delivery.

conference
storage

CONFERENCE


MANUFACTURING STANDARD - SURFACE

PREVIEW	COMPONANT	MATERIALS
	CS 1" TFL surface	Thermofused laminate (TFL) - 1" high-density particle board with 2.5mm PVC edge.
	CSL 1" surface with HPL sheet	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5mm PVC edge.
	CSZ 1" TFL surface with knife edge	Thermofused laminate (TFL) - 1" high-density particle board with 2.5mm PVC edge.
	CSZL 1" surface with HPL sheet and knife edge	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5mm PVC edge.
	CG 1 5/8" TFL surface	Thermofused laminate (TFL) - 1-5/8" high-density particle board with 2.5mm PVC edge.
	CGL 1 5/8" surface with HPL sheet	High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5mm PVC edge.
Note:	Front and back in laminate	Thermofused laminate (TFL) - 5/8" high-density particle board with 2.5mm PVC on showing edge and 0.5mm PVC on non-showing edge.


CONFERENCE

MANUFACTURING STANDARD - BASES


Wellington credenzas



Wellington tables






Howard tables



WELLINGTON CREDENZAS WITH OPEN SHELVING


MANUFACTURING STANDARD: Doors with spring-loaded latch / Base with decorative metal inserts / Horizontal wood grain on doors and legs / No lock

	CODE	1" surface		1-5/8" surface	
		CS	CSL	CG	CGL
20"H 2 doors credenza with open shelving in middle 	A B C	tfl	hpl	tfl	hpl
	Base with satin nickel decorative inserts				
	2072WELSNARBBAR20	1030	1212	1154	1341
	Base with white decorative inserts				
	2072WELPBARBBAR20	1030	1212	1154	1341
	Base with chrome decorative inserts				
	2072WELCHRARBBAR20	1056	1238	1179	1368
29"H 2 doors credenza with open shelving in middle 	A B C				
	Base with satin nickel decorative inserts				
	2072WELSNARBBAR29	1082	1265	1205	1395
	Base with white decorative inserts				
	2072WELPBARBBAR29	1082	1265	1205	1395
	Base with chrome decorative inserts				
	2072WELCHRARBBAR29	1107	1293	1231	1422
36"H 2 doors credenza with open shelving in middle with 1 fixed shelf 	A B C				
	Base with satin nickel decorative inserts				
	2072WELSNARBBAR36	1133	1320	1257	1449
	Base with white decorative inserts				
	2072WELPBARBBAR36	1133	1320	1257	1449
	Base with chrome decorative inserts				
	2072WELCHRARBBAR36	1159	1346	1282	1476

Number of shelves included in each cabinet section:

20" high: 0 adjustable shelf
 29" high: 1 adjustable shelf
 36" high: 2 adjustable shelves

HOW TO ORDER?





Notes

See

Metal	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)
Handles	To add handles, please choose from the Logiflex list/ Add \$11 list per handle			
Locks	Satin nickel lock (LKSN) offered as an option / Add \$34 list per lock			

WELLINGTON CREDENZAS

MANUFACTURING STANDARD: Doors with spring-loaded latch / Base with decorative metal inserts / Horizontal wood grain on doors and legs / No lock

		1" surface		1-5/8" surface	
CODE		CS	CSL	CG	CGL
A B	C	tfl	hpl	tfl	hpl
2 doors credenza					
					
Base with satin nickel decorative inserts					
2036WELSNCRAR20		782	886	844	950
2036WELSNCRAR29		838	945	900	1010
2036WELSNCRAR36		882	990	943	1055
Base with white decorative inserts					
2036WELPBCRAR20		782	886	844	950
2036WELPBCRAR29		838	945	900	1010
2036WELPBCRAR36		882	990	943	1055
Base with chrome decorative inserts					
2036WELCHRCRAR20		813	918	874	983
2036WELCHRCRAR29		868	977	930	1042
2036WELCHRCRAR36		913	1023	974	1088
4 doors credenza					
A B	C				
					
Base with satin nickel decorative inserts					
2072WELSNARAR20		1056	1238	1179	1368
2072WELSNARAR29		1107	1293	1231	1422
2072WELSNARAR36		1159	1346	1282	1476
Base with white decorative inserts					
2072WELPBARAR20		1056	1238	1179	1368
2072WELPBARAR29		1107	1293	1231	1422
2072WELPBARAR36		1159	1346	1282	1476
Base with chrome decorative inserts					
2072WELCHRARAR20		1082	1265	1205	1395
2072WELCHRARAR29		1133	1320	1257	1449
2072WELCHRARAR36		1185	1373	1308	1504


Number of shelves included in each cabinet section:

20" high: 0 adjustable shelf

29" high: 1 adjustable shelf

36" high: 2 adjustable shelves

HOW TO ORDER?





Notes

Metal	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)
Handles	To add handles, please choose from the Logiflex list/ Add \$11 list per handle			
Locks	Satin nickel lock (LKSN) offered as an option / Add \$34 list per lock			

WELLINGTON CABINETS

MANUFACTURING STANDARD: Doors with spring-loaded latch / Base with decorative metal inserts / Horizontal wood grain on doors and legs (except 78"H cabinet) / No lock / 5/8" thick laminate back / Adjustable shelves


	1" surface			1-5/8" surface	
	CODE	CS	CSL	CG	CGL
20" x 36" 2 doors cabinet	A B C	tfl	hpl	tfl	hpl
	Base with satin nickel decorative inserts				
	2036WELSNAR42	816	922	878	986
	2036WELSNAR78	1143	1265	1205	1330
	Base with white decorative inserts				
	2036WELPBAR42	816	922	878	986
	2036WELPBAR78	1143	1265	1205	1330
	Base with chrome decorative inserts				
	2036WELCHRAR42	846	952	907	1017
	2036WELCHRAR78	1159	1282	1221	1346
Note: Legs on 78" high cabinet have vertical wood grain 					
 Direction of wood grain					

Number of shelves included:

42" high: 2 adjustable shelves

78" high: 4 adjustable shelves and 1 fixed shelf

HOW TO ORDER?



Notes

See

Metal	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)
Handles	Handles optional. Refer to Logiflex list / Add \$11 retail each			
Shelves	Adjustable shelves (SH) can be added; price according to number of square feet. Please request a quotation to obtain price.			
Locks	Satin nickel lock (LKSN) offered as an option / Add \$34 retail per lock			

WELLINGTON MOBILE SERVICE CARTS

MANUFACTURING STANDARD: Doors with spring-loaded latch / Horizontal wood grain on doors and sides / Cart with locking casters / 1 fixed shelf with clearance for wiring / Push bar for moving cart with decorative metal insert / No lock / Ventilation opening and grommet at the bottom

...the grommet at the bottom.

Mobile service cart / Width 20"

Isometric view of a 20-inch wide mobile service cart. The cart has a width of 20 inches and a height of 36 inches. A locking caster is shown at the bottom. A wavy line indicates the direction of wood grain.

 Direction of wood grain

Mobile service cart / Width 36"

Isometric view of a 36-inch wide mobile service cart. The cart has a width of 36 inches and a height of 36 inches. A locking caster is shown at the bottom. A wavy line indicates the direction of wood grain.

 Direction of wood grain

	1" surface		1-5/8" surface	
CODE	CS	CSL	CG	CGL
A	tfl	hpl	tfl	hpl
Push bar with satin nickel finish				
WELSNCART20	843	922	878	958
Push bar with white finish				
WELPBCART20	843	922	878	958
Push bar with chrome finish				
WELCHRCART20	939	1022	973	1058

Inside view of the 20-inch wide mobile service cart. The cart has a width of 20 inches and a height of 36 inches. A fixed shelf is 15 inches from the top and 15 inches from the bottom. The bottom has a cleat, ventilation opening, and grommet.

Inside view

Push bar detail showing the metal and wood components. The metal component is 1 1/2 inches thick.

Push bar detail

	1" surface		1-5/8" surface	
CODE	CS	CSL	CG	CGL
A	tfl	hpl	tfl	hpl
Push bar with satin nickel finish				
WELSNCART36	908	1019	970	1084
Push bar with white finish				
WELPBCART36	908	1019	970	1084
Push bar with chrome finish				
WELCHRCART36	1005	1120	1067	1185


Inside view of the 36-inch wide mobile service cart. The cart has a width of 36 inches and a height of 36 inches. A fixed shelf is 15 inches from the top and 15 inches from the bottom. The bottom has a cleat, ventilation opening, and grommet.

Inside view

Push bar detail showing the metal and wood components. The metal component is 1 1/2 inches thick.

Push bar detail

HOW TO ORDER?







Notes				See
Metal	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)
Handles	To add handles, please choose from the Logiflex list/ Add \$11 list per handle			
Locks	Satin nickel lock (LKSN) offered as an option / Add \$34 list per lock			


conference
tables

WELLINGTON TABLES WITH RECTANGULAR SURFACE

MANUFACTURING STANDARD: Surfaces more than 96" are in 2 sections / Laminate base with decorative metal inserts

Conference table / Width 48"			1" surface		1-5/8" surface					
	CODE	CS	CSL	CG	CGL					
	A B	tlf	hpl	tfl	hpl					
	Base with satin nickel decorative inserts									
	4884TWELSN	3024	3539	3370	3902					
	4896TWELSN	3055	3624	3451	4038					
	48120TWELSN	3191	3869	3685	4389					
	48144TWELSN	3251	4036	3844	4659					
	48168TWELSN	3359	4254	4051	4980					
	Base with white decorative inserts									
	4884TWELPB	3024	3539	3370	3902					
	4896TWELPB	3055	3624	3451	4038					
	48120TWELPB	3191	3869	3685	4389					
	48144TWELPB	3251	4036	3844	4659					
	48168TWELPB	3359	4254	4051	4980					
	Base with chrome decorative inserts									
	4884TWELCHR	4145	4660	4491	5023					
	4896TWELCHR	4176	4744	4571	5159					
	48120TWELCHR	4312	4990	4806	5509					
	48144TWELCHR	4371	5157	4965	5780					
	48168TWELCHR	4479	5375	5172	6101					
 										
Option: Power/data centre(s)*  <table><tr><td>MH1</td><td>MH2</td></tr><tr><td>2 electrical + 2 data</td><td>3 electrical + 4 data</td></tr></table> Positioning of power/data centres L C R L C R L C R L C R							MH1	MH2	2 electrical + 2 data	3 electrical + 4 data
MH1	MH2									
2 electrical + 2 data	3 electrical + 4 data									

HOW TO ORDER?




Notes

See


Knife edge	For a surface with a knife edge, replace code (CS) with (CSZ) and code (CSL) with (CSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)
Base	Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)
*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power / data centres at end of code	
Access doors:	Wellington tables that are 120" or longer have one or more middle bases equipped with removable panels that provide access to electrical wiring

WELLINGTON TABLES WITH RECTANGULAR SURFACE

MANUFACTURING STANDARD: Surfaces more than 96" are in 2 sections / Laminate base with decorative metal inserts

	1" surface		1-5/8" surface	
	CODE	CS	CSL	CG
	A B	tlf	hpl	tfl
Conference table / Width 54" 	Base with satin nickel decorative inserts			
	5484TWELSN	3047	3608	3436
	5496TWELSN	3080	3701	3525
	54120TWELSN	3221	3966	3777
	54144TWELSN	3286	4151	3953
	54168TWELSN	3399	4387	4178
	Base with white decorative inserts			
	5484TWELPB	3047	3608	3436
	5496TWELPB	3080	3701	3525
	54120TWELPB	3221	3966	3777
	54144TWELPB	3286	4151	3953
	54168TWELPB	3399	4387	4178
	Base with chrome decorative inserts			
	5484TWELCHR	4164	4726	4554
	5496TWELCHR	4200	4821	4645
	54120TWELCHR	4341	5087	4898
	54144TWELCHR	4406	5272	5074
	54168TWELCHR	4520	5507	5298
	84" - 96" 54" 15" 120" - 168" 54" 15"			
	Option: Power/data centre(s)* MH1 MH2 2 electrical + 2 data 3 electrical + 4 data Positioning of power/data centres L C R L C R L C R L C R			

HOW TO ORDER?




Notes

		See
Knife edge	For a surface with a knife edge, replace code (CS) with (CSZ) and code (CSL) with (CSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)	
Base	Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)	
*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power / data centres at end of code		
Access doors:	Wellington tables that are 120" or longer have one or more middle bases equipped with removable panels that provide access to electrical wiring	

WELLINGTON TABLES WITH RECTANGULAR SURFACE

MANUFACTURING STANDARD: Surfaces 120" to 168" are 2 in sections and surfaces more than 168" are in 3 sections / Laminate base with decorative metal inserts

Conference table / Width 60"	1" surface		1-5/8" surface		
	CODE	CS	CSL	CG	CGL
	A B	tlf	hpl	tfl	hpl
	Base with satin nickel decorative inserts				
	6084TWELSN	3069	3677	3502	4132
	6096TWELSN	3104	3779	3599	4298
	60120TWELSN	3251	4062	3869	4711
	60144TWELSN	3320	4264	4061	5043
	60168TWELSN	3466	4548	4331	5456
	60192TWELSN	3612	4831	4601	5870
	60228TWELSN	3716	5135	4890	6368
	Base with white decorative inserts				
	6084TWELPB	3069	3677	3502	4132
	6096TWELPB	3104	3779	3599	4298
	60120TWELPB	3251	4062	3869	4711
	60144TWELPB	3320	4264	4061	5043
	60168TWELPB	3466	4548	4331	5456
	60192TWELPB	3612	4831	4601	5870
	60228TWELPB	3716	5135	4890	6368
	Base with chrome decorative inserts				
	6084TWELCHR	4190	4798	4623	5252
	6096TWELCHR	4225	4899	4719	5419
	60120TWELCHR	4370	5181	4988	5830
	60144TWELCHR	4440	5385	5182	6164
	60168TWELCHR	4587	5669	5452	6577
	60192TWELCHR	4732	5951	5721	6989
	60228TWELCHR	4837	6256	6011	7488

84" - 96"

60"

15"

15"

120" - 168"

60"

15"

15"

192" - 228"

60"

15"

15"

Option: Power/data centre(s)*

MH1

2 electrical + 2 data

MH2

3 electrical + 4 data

Positioning of power/data centres

L C R

L C R

L C R

L C R

HOW TO ORDER?

C --- (A B) T
 SERIES CODE BASE TYPE

WELSN (Satin nickel - Std)
 WELPB (White)
 WELCHR (Chrome)

* MH1SN
 MH2SN
 OPTIONAL Power/data

H V
 (Orientation) —
 Specify with MH option only

C L R LR
 (Location)

Notes

See

Knife edge	For a surface with a knife edge, replace code (CS) with (CSZ) and code (CSL) with (CSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)
Base	Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)
*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power / data centres at end of code	
Access doors:	Wellington tables that are 120" or longer have one or more middle bases equipped with removable panels that provide access to electrical wiring

HOWARD TELECONFERENCE TABLES

MANUFACTURING STANDARD: Surfaces 144" and 168" are in 3 sections, and surfaces 192" or more are 4 sections / Laminate base with metal corners / Reverse wood grain on surfaces

HOW TO ORDER?

C --- (A B C) TF --- HOWSN (Satin nickel - Std) / HOWPB (White) / HOWCHR (Chrome) --- **AD --- * MH1SN / MH2SN --- H / V --- C / L / R / LR ---
 SERIES CODE BASE TYPE OPTIONAL Access door OPTIONAL Power/data (Orientation) (Location)
 Specify with MH option only

Notes

Base Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)


*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power / data centres at end of code

Access doors: To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$191 list per access door


HOWARD TABLES WITH RACETRACK SURFACE

MANUFACTURING STANDARD: Surfaces longer than 96" are in 2 sections /
Laminate base with metal corners


Conference table / Width 54"




	1" surface		1-5/8" surface	
CODE	CS	CSL	CG	CGL
A B	tfl	hpl	tfl	hpl
Base with satin nickel inserts				
54120RTHOWSN	2844	3570	3400	4154
54144RTHOWSN	2910	3756	3577	4457
54168RTHOWSN	2975	3941	3753	4759
Base with white inserts				
54120RTHOWPB	2844	3570	3400	4154
54144RTHOWPB	2910	3756	3577	4457
54168RTHOWPB	2975	3941	3753	4759
Base with chrome inserts				
54120RTHOWCHR	3836	4562	4392	5146
54144RTHOWCHR	3902	4748	4569	5449
54168RTHOWCHR	3967	4933	4745	5751




Conference table / Width 60"



Base with satin nickel inserts				
60168RTHOWSN	2986	4044	3851	4952
Base with white inserts				
60168RTHOWPB	2986	4044	3851	4952
Base with chrome inserts				
60168RTHOWCHR	3978	5036	4843	5944



Option: Power/data centre(s)*



MH1	MH2
2 electrical + 2 data	3 electrical + 4 data

Positioning of power/data centres


L C R

L C R

L C R

L C R

HOW TO ORDER?







Notes

Base	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)
*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power / data centres at end of code				


Access doors: To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$197 list per access door

HOWARD TABLES WITH ROUNDED BOAT SHAPE SURFACE

MANUFACTURING STANDARD: Surfaces longer than 96" are in 2 sections /
Laminate base with metal corners

Conference table / Width 48"	1" surface		1-5/8" surface						
	CODE	CS	CSL	CG	CGL				
	A B C	tfl	hpl	tfl	hpl				
	Base with satin nickel inserts								
	364884BTRHOWSN	2035	2500	2381	2863				
	364896BTRHOWSN	2065	2584	2461	2999				
	3648120BTRHOWSN	2792	3451	3287	3970				
	3648144BTRHOWSN	2813	3537	3369	4121				
	Base with white inserts								
	364884BTRHOWPB	2035	2500	2381	2863				
	364896BTRHOWPB	2065	2584	2461	2999				
	3648120BTRHOWPB	2792	3451	3287	3970				
	3648144BTRHOWPB	2813	3537	3369	4121				
	Base with chrome inserts								
	364884BTRHOWCHR	2697	3162	3043	3525				
	364896BTRHOWCHR	2726	3245	3122	3660				
	3648120BTRHOWCHR	3784	4443	4279	4962				
	3648144BTRHOWCHR	3844	4605	4437	5227				
	 								
	Option: Power/data centre(s)*  <table> <tr> <th>MH1</th><th>MH2</th></tr> <tr> <td>2 electrical + 2 data</td><td>3 electrical + 4 data</td></tr> </table> Positioning of power/data centres  <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td> <td data-kind="ghost"></td>	MH1	MH2	2 electrical + 2 data	3 electrical + 4 data				
MH1	MH2								
2 electrical + 2 data	3 electrical + 4 data								

HOW TO ORDER?



Notes

See





Base Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)

*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power/data centres at end of code


Access doors: To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$197 list per access door

HOWARD TABLES WITH ROUNDED BOAT SHAPE SURFACE

MANUFACTURING STANDARD: Surfaces longer than 96" are in 2 sections /
Laminate base with metal corners

Conference table / Width 54"		1" surface		1-5/8" surface		
		CODE	CS	CSL	CG	CGL
		A B C	tfl	hpl	tfl	hpl
		Base with satin nickel inserts				
		4254120BTRHOWSN	2813	3537	3369	4121
		4254144BTRHOWSN	2876	3720	3543	4422
		4254168BTRHOWSN	2939	3903	3717	4721
		Base with white inserts				
		4254120BTRHOWPB	2813	3537	3369	4121
		4254144BTRHOWPB	2876	3720	3543	4422
		4254168BTRHOWPB	2939	3903	3717	4721
		Base with chrome inserts				
		4254120BTRHOWCHR	3805	4529	4361	5113
		4254144BTRHOWCHR	3868	4712	4535	5414
4254168BTRHOWCHR	3930	4895	4709	5713		
						
Conference table / Width 60"		1" surface		1-5/8" surface		
		CODE	CS	CSL	CG	CGL
		A B C	tfl	hpl	tfl	hpl
		Base with satin nickel inserts				
		4860168BTRHOWSN	3011	4070	3876	4978
		Base with white inserts				
		4860168BTRHOWPB	3011	4070	3876	4978
		Base with chrome inserts				
		4860168BTRHOWCHR	4003	5062	4868	5970
						
		Option: Power/data centre(s)*				
						
		MH1		MH2		
		2 electrical + 2 data		3 electrical + 4 data		
Positioning of power/data centres						
						

HOW TO ORDER?



Notes

See


Base Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)

*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power / data centres at end of code

Access doors: To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$197 list per access door

MANUFACTURING STANDARD: Surfaces longer than 96" are in 2 sections /
Laminate base with metal corners

HOW TO ORDER?



Notes

See

Knife edge	For a surface with a knife edge, replace code (CS) with (CSZ) and code (CSL) with (CSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)			
Base	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)


*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power /data centres at end of code

Access doors: To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$197 list per access door


HOWARD TABLES WITH RECTANGULAR SURFACE

MANUFACTURING STANDARD: Surfaces longer than 96" are in 2 sections /
Laminate base with metal corners


Conference table / Width 54"




	1" surface		1-5/8" surface	
CODE	CS	CSL	CG	CGL
A B	tfl	hpl	tfl	hpl
Base with satin nickel inserts				
54120THOWSN	2740	3461	3296	4045
54144THOWSN	2804	3645	3471	4346
54168THOWSN	2869	3829	3647	4647
Base with white inserts				
54120THOWPB	2740	3461	3296	4045
54144THOWPB	2804	3645	3471	4346
54168THOWPB	2869	3829	3647	4647
Base with chrome inserts				
54120THOWCHR	3732	4453	4288	5037
54144THOWCHR	3796	4637	4463	5337
54168THOWCHR	3861	4822	4640	5640




Conference table / Width 60"



Base with satin nickel inserts				
60168THOWSN	2939	3994	3804	4902
Base with white inserts				
60168THOWPB	2939	3994	3804	4902
Base with chrome inserts				
60168THOWCHR	3930	4986	4796	5894



Option: Power/data centre(s)*



MH1	MH2
2 electrical + 2 data	3 electrical + 4 data

Positioning of power/data centres

L C R

L C R

L C R

L C R

HOW TO ORDER?

C _ _ _ → (A B) T → HOWSN (Satin nickel - Std) / HOWPB (White) / HOWCHR (Chrome) → **AD → * MH1SN / MH2SN → H / V → C / L / R / LR
 SERIES → CODE → BASE TYPE → OPTIONAL Access door → OPTIONAL Power / data → (Orientation) — (Location)
 Specify with MH option only







Notes

See


Knife edge	For a surface with a knife edge, replace code (CS) with (CSZ) and code (CSL) with (CSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)			
Base	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)
*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power/data centres at end of code				
Access doors:	To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$197 list per access door			

TELECONFERENCE TABLES WITH ARROW BASES

MANUFACTURING STANDARD: Surfaces 144" and 168" are 3 sections, and surfaces 192" or more are 4 sections / Laminate base with satin nickel metal corners / Reverse wood grain on surfaces

	1" surface		1-5/8" surface						
	CODE	CS	CSL	CG	CGL				
Teleconference table / Width 72"	A B C	tfl	hpl	tfl	hpl				
	5472144TFARW	2446	3503	3336	4437				
	5472168TFARW	2858	4091	3896	5182				
									
	6078192TFARW	3626	5157	4911	6506				
	6078216TFARW	4079	5801	5525	7320				
	 Option: Power/data centre(s)*  <table><tr><th>MH1</th><th>MH2</th></tr><tr><td>2 electrical + 2 data</td><td>3 electrical + 4 data</td></tr></table> Positioning of power/data centres 					MH1	MH2	2 electrical + 2 data	3 electrical + 4 data
MH1	MH2								
2 electrical + 2 data	3 electrical + 4 data								

HOW TO ORDER?



Notes

See




*Specify positioning (C, L, R or LR) and orientation (H = Horizontal and V = Vertical) of power/data centres at end of code

Access doors: To add one or more access doors to the base(s) of a conference table, add code (AD) / Add \$188 list per access door

occasional tables





OCCASIONAL TABLES

MANUFACTURING STANDARD - SURFACE


PREVIEW	COMPONANT	MATERIALS
	OS 1" TFL surface	Thermofused laminate (TFL) - 1" high-density particle board with 2.5mm PVC edge.
	OSL 1" surface with HPL sheet	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5mm PVC edge.
	OSZ 1" TFL surface with knife edge	Thermofused laminate (TFL) - 1" high-density particle board with 2.5mm PVC edge.
	OSZL 1" surface with HPL sheet and knife edge	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5mm PVC edge.
	OG 1 5/8" TFL surface	Thermofused laminate (TFL) - 1-5/8" high-density particle board with 2.5mm PVC edge.
	OGL 1 5/8" surface with HPL sheet	High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending) with 2.5mm PVC edge.
Note:	Front and back in laminate	Thermofused laminate (TFL) - 5/8" high-density particle board with 2.5mm PVC on showing edge and 0.5mm PVC on non-showing edge.

HATLEY TABLES

MANUFACTURING STANDARD: 29" high / Chrome tapered leg with wooden inserts that match surface finish / Black support bar (BST) included for tables 60" or longer

		1" surface	
		CODE	OS OSL
Hatley table with rectangular surface 	A B	<i>tfl</i>	<i>hpl</i>
		2430THATCHR	544 636
		2436THATCHR	550 655
		2442THATCHR	556 675
		2448THATCHR	562 694
		2454THATCHR	569 714
		2460THATCHR	575 733
		3036THATCHR	558 684
		3042THATCHR	565 708
		3048THATCHR	573 731
		3054THATCHR	581 756
		3060THATCHR	588 780
Hatley table with elliptical surface 	A B	2460ELHATCHR	622 783
		2466ELHATCHR	628 802
		2472ELHATCHR	634 822
		3054ELHATCHR	628 805
		3060ELHATCHR	637 831
		3066ELHATCHR	644 855
		3072ELHATCHR	651 878
Hatley table with circular surface 	A	30TRHATCHR	599 711
		36TRHATCHR	615 762
		42TRHATCHR	633 824
Hatley table with square surface 	A	30TCHATCHR	548 656
		36TCHATCHR	564 710
		42TCHATCHR	583 771

HOW TO ORDER?



Notes


See

Knife edge For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.) *Not available for the elliptical surface

Casters Optional locking casters. Logiflex will adjust the table to achieve the total desired height.
 2 locking casters (WF2) / Add \$31 list per caster
 4 locking casters (WF4) / Add \$31 list per caster

STANSTEAD TABLES

MANUFACTURING STANDARD: 29" high / Black support bar (BST) included for tables 60" or longer / 1-1/2" tubular metal leg

		1" surface	
		CODE	OS OSL
Stanstead table with rectangular surface 	A B	<i>tfl</i>	<i>hpl</i>
	Satin nickel base		
	2436TSTA224SN	617	726
	2442TSTA224SN	622	744
	2448TSTA224SN	627	762
	2454TSTA224SN	632	781
	2460TSTA224SN	689	854
	White base		
	2436TSTA224PB	617	726
	2442TSTA224PB	622	744
	2448TSTA224PB	627	762
	2454TSTA224PB	632	781
	2460TSTA224PB	689	854
	Chrome base		
	2436TSTA224CHR	971	1099
	2442TSTA224CHR	977	1121
	2448TSTA224CHR	984	1143
	2454TSTA224CHR	990	1166
	2460TSTA224CHR	1061	1256

HOW TO ORDER?

O _ _ _ SERIES	(AB) T TOP	STA2 24 BASE	SN (<i>Satin nickel - Std</i>)
			PB (<i>White</i>)
			CHR (<i>Chrome</i>)
			(<i>Finish</i>)

Notes


See

Knife edge For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)


Bases Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)

STANSTEAD TABLES

MANUFACTURING STANDARD: 1-1/2" tubular metal leg with 4-point base

		1" surface	
		CODE	
		OS	OSL
		<i>tfl</i>	<i>hpl</i>
Stanstead table with circular surface 	A	B	
	Satin nickel base		
	24TRSTA424SN20	489	566
	24TRSTA424SN29	495	572
	White base		
	24TRSTA424PB20	489	566
	24TRSTA424PB29	495	572
	Chrome base		
	24TRSTA424CHR20	715	804
	24TRSTA424CHR29	725	814


HOW TO ORDER?




Notes				See
Knife edge	For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)			
Bases	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)

STANSTEAD TABLES

MANUFACTURING STANDARD: 1-1/2" tubular metal leg with 4-point base

		1" surface	
		CODE	OS OSL
Stanstead table with square surface 	A	B	<i>tfl</i> <i>hpl</i>
	Satin nickel base		
	24TCSTA424SN20		449 524
	24TCSTA424SN29		455 530
	White base		
	24TCSTA424PB20		449 524
	24TCSTA424PB29		455 530
	Chrome base		
	24TCSTA424CHR20		664 751
	24TCSTA424CHR29		674 760


HOW TO ORDER?



Notes				See
Knife edge	For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)			
Bases	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)

ORFORD TABLES

MANUFACTURING STANDARD: 29" high / Black support bar (BST) included for tables 60" or longer / 2-point aluminum base

		1" surface	
		CODE	OS OSL
Orford table with rectangular surface 	A B	<i>tfl</i>	<i>hpl</i>
	Satin nickel base		
	3042TORF2SN	1062	1229
	3048TORF2SN	1068	1252
	3054TORF2SN	1074	1274
	3060TORF2SN	1132	1350
	3066TORF2SN	1140	1376
	White base		
	3042TORF2PB	1062	1229
	3048TORF2PB	1068	1252
	3054TORF2PB	1074	1274
	3060TORF2PB	1132	1350
	3066TORF2PB	1140	1376
	Chrome finish		
	3042TORF2CHR	2166	2333
	3048TORF2CHR	2172	2356
	3054TORF2CHR	2178	2379
	3060TORF2CHR	2236	2455
	3066TORF2CHR	2244	2480

HOW TO ORDER?

O _ _ _	(AB) T	ORF2SN (<i>Satin nickel - Std</i>)
SERIES →	TOP	ORF2PB (<i>White</i>)
		ORF2CHR (<i>Chrome</i>)
		BASE

Notes

See

Knife edge


For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)

Bases


Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)

ORFORD TABLES

MANUFACTURING STANDARD: 29" high / Black support bar (BST) included for tables 60" or longer / 3-point aluminum base

		1" surface	
		CODE	OS OSL
Orford table with racetrack surface 	A B	<i>tfl</i>	<i>hpl</i>
	Satin nickel base		
	3066RTORF3SN	1231	1642
	3072RTORF3SN	1239	1685
	White base		
	3066RTORF3PB	1231	1642
	3072RTORF3PB	1239	1685
	Chrome base		
	3066RTORF3CHR	2451	2863
	3072RTORF3CHR	2462	2928


HOW TO ORDER?



Notes				See
Bases	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)

ORFORD TABLES

MANUFACTURING STANDARD: 20" high / 3-point aluminum base

	1" surface		
	CODE	OS	OSL
Orford table with circular surface	A B	tfl	hpl
	Satin nickel base		
	30TRORF3SN20	723	840
	32TRORF3SN20	727	857
	White base		
	30TRORF3PB20	723	840
	32TRORF3PB20	727	857
	Chrome base		
	30TRORF3CHR20	1372	1489
	32TRORF3CHR20	1376	1505


HOW TO ORDER?




Notes		See		
Knife edge	For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)			
Base	Choice of metal finishes:	- Satin nickel (SN)	- White (PB)	- Chrome (CHR)

ORFORD TABLES

MANUFACTURING STANDARD: 4-point aluminum base

		1" surface	
CODE		OS	OSL
A	B	<i>tfl</i>	<i>hpl</i>
Orford table with circular surface			
			
Satin nickel base			
30TRORF4SN20		798	920
32TRORF4SN20		802	935
30TRORF4SN29		798	920
White base			
30TRORF4PB20		798	920
32TRORF4PB20		802	935
30TRORF4PB29		798	920
Chrome base			
30TRORF4CHR20		1582	1703
32TRORF4CHR20		1586	1719
30TRORF4CHR29		1582	1703

HOW TO ORDER?



Notes


See

Knife edge For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)


Bases Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)

ORFORD TABLES

MANUFACTURING STANDARD: 4-point aluminum base

		1" surface	
CODE		OS	OSL
A	B	<i>tfl</i>	<i>hpl</i>
Orford table with square surface			
			
Satin nickel base			
24TCORF4SN20		703	828
30TCORF4SN20		758	877
24TCORF4SN29		726	853
White base			
24TCORF4PB20		703	828
30TCORF4PB20		758	877
24TCORF4PB29		726	853
Chrome base			
24TCORF4CHR20		1442	1566
30TCORF4CHR20		1542	1661
24TCORF4CHR29		1465	1591

HOW TO ORDER?



Notes

See


Knife edge	For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)		
Bases	Choice of metal finishes:	- Satin nickel (SN)	- White (PB) - Chrome (CHR)

MAGOG TABLES


MANUFACTURING STANDARD: 29" high / Black support bar (BST) included for tables 60" or longer / 24" circular base with metal glides

	CODE	1" surface		1-5/8" surface	
		OS	OSL	OG	OGI
A B		tfl	hpl	tfl	hpl
Satin nickel base					
3672RTMAGSN		1169	1462	1392	1695
3684RTMAGSN		1182	1514	1442	1787
3692RTMAGSN		1192	1550	1476	1848
4272RTMAGSN		1181	1513	1441	1786
4284RTMAGSN		1198	1576	1501	1894
4292RTMAGSN		1208	1617	1540	1966
White base					
3672RTMAGPB		1169	1462	1392	1695
3684RTMAGPB		1182	1514	1442	1787
3692RTMAGPB		1192	1550	1476	1848
4272RTMAGPB		1181	1513	1441	1786
4284RTMAGPB		1198	1576	1501	1894
4292RTMAGPB		1208	1617	1540	1966
Chrome base					
3672RTMAGCHR		1664	2013	1943	2302
3684RTMAGCHR		1682	2078	2006	2416
3692RTMAGCHR		1693	2123	2049	2492
4272RTMAGCHR		1682	2078	2006	2416
4284RTMAGCHR		1701	2155	2080	2548
4292RTMAGCHR		1714	2205	2128	2637

Magog table with racetrack surface



HOW TO ORDER?



Notes

Bases Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)


See

MAGOG TABLES

MANUFACTURING STANDARD: 24" circular base with metal glides

		1" surface		1-5/8" surface	
CODE		OS	OSL	OG	OGL
A	B	tfl	hpl	tfl	hpl
Satin nickel base					
24TRMAGSN20		653	737	702	790
30TRMAGSN20		664	779	742	860
32TRMAGSN20		668	794	756	886
36TRMAGSN20		677	827	788	944
24TRMAGSN29		658	743	708	795
30TRMAGSN29		668	783	746	864
32TRMAGSN29		673	799	761	891
36TRMAGSN29		682	833	793	949
24TRMAGSN42		668	754	718	805
30TRMAGSN42		680	795	757	876
White base					
24TRMAGPB20		653	737	702	790
30TRMAGPB20		664	779	742	860
32TRMAGPB20		668	794	756	886
36TRMAGPB20		677	827	788	944
24TRMAGPB29		658	743	708	795
30TRMAGPB29		668	783	746	864
32TRMAGPB29		673	799	761	891
36TRMAGPB29		682	833	793	949
24TRMAGPB42		668	754	718	805
30TRMAGPB42		680	795	757	876
Chrome base					
24TRMAGCHR20		918	1015	980	1079
30TRMAGCHR20		932	1066	1029	1167
32TRMAGCHR20		937	1084	1046	1200
36TRMAGCHR20		948	1126	1087	1271
24TRMAGCHR29		925	1022	987	1087
30TRMAGCHR29		938	1072	1035	1173
32TRMAGCHR29		943	1092	1054	1205
36TRMAGCHR29		954	1133	1093	1277
24TRMAGCHR42		937	1035	999	1099
30TRMAGCHR42		952	1087	1049	1186

HOW TO ORDER?



Notes


See

Knife edge For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)


Base Choice of metal finishes: - Satin nickel (SN) - White (PB) - Chrome (CHR)

MAGOG TABLES

MANUFACTURING STANDARD: 24" circular base with metal glides

		1" surface		1-5/8" surface	
CODE		OS	OSL	OG	OGL
A	B	tfl	hpl	tfl	hpl
Magog table with square surface					
					
Satin nickel base					
24TCMAGSN20		613	695	662	748
30TCMAGSN20		624	736	701	818
32TCMAGSN20		628	752	716	843
24TCMAGSN29		618	700	667	753
30TCMAGSN29		628	741	706	822
32TCMAGSN29		632	757	721	849
24TCMAGSN42		628	712	678	763
30TCMAGSN42		640	753	717	834
White base					
24TCMAGPB20		613	695	662	748
30TCMAGPB20		624	736	701	818
32TCMAGPB20		628	752	716	843
24TCMAGPB29		618	700	667	753
30TCMAGPB29		628	741	706	822
32TCMAGPB29		632	757	721	849
24TCMAGPB42		628	712	678	763
30TCMAGPB42		640	753	717	834
Chrome base					
24TCMAGCHR20		868	963	930	1028
30TCMAGCHR20		882	1014	979	1114
32TCMAGCHR20		887	1033	997	1146
24TCMAGCHR29		874	969	936	1034
30TCMAGCHR29		889	1020	985	1121
32TCMAGCHR29		892	1039	1003	1152
24TCMAGCHR42		887	983	949	1046
30TCMAGCHR42		901	1034	998	1135

HOW TO ORDER?



Notes

See

Knife edge

For a surface with a knife edge, replace code (OS) with (OSZ) and code (OSL) with (OSZL) / Add \$21 list per square foot (List price = Maximum depth x Maximum width ÷ 144 x \$21 sq. ft.)

Base

Choice of metal finishes:

- Satin nickel (SN)

- White (PB)


- Chrome (CHR)

wall units

WALL UNITS


GENERAL INFORMATION

Logiflex wall units are a versatile combination of laminate frames and panels mounted to existing building walls that helps to create clean and harmonious spaces. This series is suitable for all type of work environments: reception areas, conference or meeting rooms, open spaces, private offices, ...



Reception area

Wall unit	WU4872F
Reception station	REC3K
Credenza	2072ARCL



Conference room

Wall units (2x)	WU3636F
Wall unit	WU3672F
Wall units (2x)	WU2436F
Wall unit	WU2472F
Table	CSZ60168TWELCHR
Credenzas (2x)	2036WELCHRCRAR20
Credenza	2072WELCHEARBBAR20
Chair (10x)	1404 with Montana Gypsum White #712 fabric

Offered with or without shelves, the wall units are also available in all laminate finishes proposed by Logiflex. A wide variety of potential configurations are possible: from the single mounted unit to a combination of several units covering an entire wall.


WALL UNITS

RECOMMENDATIONS

Only metal anchors must be used for the wall fixation.

! The purchaser and installer are responsible to ensure application of appropriate attachment methods and hardware for a safe installation that meets the applicable local building codes and laws.

COMPONENTS



Legend:

A - 1" laminate crossbar with universal metal corners

B - 1" laminate upright


C - 5/8" laminate panel with 1" laminate frame

D - Shelf: 2" lightweight panel with high pressure laminate

WALL UNITS - INDEX


WU (AB)

Wall units




WU (AB) F

Wall units with 1 full shelf




WU (AB) L

Wall units with 1 shelf on the left




WU (AB) R

Wall units with 1 shelf on the right



WU (AB) FF

Wall units with 2 full shelves



WALL UNITS

Wall mounted: wall anchors not included

MANUFACTURING STANDARD : Grommets on the perimeter of the frame / Horizontal wood grain

24" high	CODE		48" high	CODE	
	A	B		A	B
	WU2424	504		WU4824	536
	WU2430	511		WU4830	548
	WU2436	519		WU4836	559
	WU2442	527		WU4842	572
	WU2448	536		WU4848	584
	WU2454	543		WU4854	596
	WU2460	551		WU4860	609
	WU2466	559		WU4866	621
	WU2472	568		WU4872	633
	WU3024	511		WU5424	543
	WU3030	520		WU5430	556
	WU3036	529		WU5436	570
	WU3042	539		WU5442	583
	WU3048	548		WU5448	596
	WU3054	556		WU5454	610
	WU3060	565		WU5460	624
	WU3066	575		WU5466	638
	WU3072	584		WU5472	651
	WU3624	519		WU6024	551
	WU3630	529		WU6030	565
	WU3636	540		WU6036	580
	WU3642	550		WU6042	594
	WU3648	559		WU6048	609
	WU3654	570		WU6054	624
	WU3660	580		WU6060	639
	WU3666	590		WU6066	653
	WU3672	600		WU6072	667
	WU4224	527			
	WU4230	539			
	WU4236	550			
	WU4242	561			
	WU4248	572			
	WU4254	583			
	WU4260	594			
	WU4266	606			
	WU4272	617			

HOW TO ORDER?

WU
SERIES → (A B)
CODE

WALL UNITS WITH 1 FULL SHELF

Wall mounted: wall anchors not included

MANUFACTURING STANDARD : Grommets on the perimeter of the frame / 1 fixed floating shelf 2" thick / Horizontal wood grain

		CODE				CODE	
24" high		A	B	48" high		A	B
		WU2424F	756			WU4824F	788
		WU2430F	773			WU4830F	810
		WU2436F	819			WU4836F	859
		WU2442F	836			WU4842F	881
		WU2448F	854			WU4848F	902
		WU2454F	898			WU4854F	952
		WU2460F	916			WU4860F	973
		WU2466F	962			WU4866F	1024
		WU2472F	980			WU4872F	1045
30" high				54" high			
		WU3024F	763			WU5424F	795
		WU3030F	782			WU5430F	818
		WU3036F	829			WU5436F	869
		WU3042F	848			WU5442F	892
		WU3048F	866			WU5448F	915
		WU3054F	912			WU5454F	965
		WU3060F	930			WU5460F	989
		WU3066F	977			WU5466F	1040
		WU3072F	996			WU5472F	1063
36" high				60" high			
		WU3624F	771			WU6024F	803
		WU3630F	791			WU6030F	827
		WU3636F	839			WU6036F	880
		WU3642F	859			WU6042F	903
		WU3648F	878			WU6048F	927
		WU3654F	925			WU6054F	980
		WU3660F	945			WU6060F	1003
		WU3666F	993			WU6066F	1056
		WU3672F	1012			WU6072F	1079
42" high				Information on the shelf			
		WU4224F	780				
		WU4230F	800				
		WU4236F	850				
		WU4242F	870				
		WU4248F	890				
		WU4254F	938				
		WU4260F	959				
		WU4266F	1008				
		WU4272F	1029				

Note:
The width of the shelf is equivalent of the whole width of the wall unit less 2" on the outline









HOW TO ORDER?

WU
SERIES → (A B) F
CODE

WALL UNITS WITH 1 LEFT SHELF

Wall mounted: wall anchors not included

MANUFACTURING STANDARD : Grommets on the perimeter of the frame / 1 fixed floating shelf 2" thick / Horizontal wood grain

		CODE				CODE	
24" high		A	B	48" high		A	B
		WU2424L	741			WU4824L	773
		WU2430L	752			WU4830L	789
		WU2436L	765			WU4836L	805
		WU2442L	779			WU4842L	823
		WU2448L	791			WU4848L	839
		WU2454L	803			WU4854L	857
		WU2460L	816			WU4860L	873
		WU2466L	857			WU4866L	919
	WU2472L	870		WU4872L	936		
30" high				54" high			
		WU3024L	748			WU5424L	780
		WU3030L	761			WU5430L	797
		WU3036L	776			WU5436L	816
		WU3042L	790			WU5442L	834
		WU3048L	803			WU5448L	852
		WU3054L	817			WU5454L	870
		WU3060L	830			WU5460L	889
		WU3066L	872			WU5466L	935
	WU3072L	887		WU5472L	954		
36" high				60" high			
		WU3624L	756			WU6024L	788
		WU3630L	770			WU6030L	806
		WU3636L	786			WU6036L	826
		WU3642L	801			WU6042L	846
		WU3648L	815			WU6048L	864
		WU3654L	830			WU6054L	885
		WU3660L	845			WU6060L	903
		WU3666L	888			WU6066L	951
	WU3672L	903		WU6072L	970		
42" high				Information on the shelf			
		WU4224L	764		Note: The width of the shelf is equivalent of half-width of the wall unit less 2" on the outline		
		WU4230L	780				
		WU4236L	796				
		WU4242L	813				
		WU4248L	827				
		WU4254L	844				
		WU4260L	859				
		WU4266L	903				
	WU4272L	920					

HOW TO ORDER?

WU
SERIES → (A B) L
CODE

WALL UNITS WITH 1 RIGHT SHELF

Wall mounted: wall anchors not included

MANUFACTURING STANDARD : Grommets on the perimeter of the frame / 1 fixed floating shelf 2" thick / Horizontal wood grain

		CODE				CODE	
24" high		A B		48" high		A B	
		WU2424R	741			WU4824R	773
		WU2430R	752			WU4830R	789
		WU2436R	765			WU4836R	805
		WU2442R	779			WU4842R	823
		WU2448R	791			WU4848R	839
		WU2454R	803			WU4854R	857
		WU2460R	816			WU4860R	873
		WU2466R	857			WU4866R	919
		WU2472R	870			WU4872R	936
30" high		A B		54" high		A B	
		WU3024R	748			WU5424R	780
		WU3030R	761			WU5430R	797
		WU3036R	776			WU5436R	816
		WU3042R	790			WU5442R	834
		WU3048R	803			WU5448R	852
		WU3054R	817			WU5454R	870
		WU3060R	830			WU5460R	889
		WU3066R	872			WU5466R	935
		WU3072R	887			WU5472R	954
36" high		A B		60" high		A B	
		WU3624R	756			WU6024R	788
		WU3630R	770			WU6030R	806
		WU3636R	786			WU6036R	826
		WU3642R	801			WU6042R	846
		WU3648R	815			WU6048R	864
		WU3654R	830			WU6054R	885
		WU3660R	845			WU6060R	903
		WU3666R	888			WU6066R	951
		WU3672R	903			WU6072R	970
42" high		A B		Information on the shelf			
		WU4224R	764			Note: The width of the shelf is equivalent of half-width of the wall unit less 2" on the outline	
		WU4230R	780				
		WU4236R	796				
		WU4242R	813				
		WU4248R	827				
		WU4254R	844				
		WU4260R	859				
		WU4266R	903				
		WU4272R	920				







HOW TO ORDER?

WU
SERIES → (A B) R
CODE

WALL UNITS WITH 2 FULL SHELVES

Wall mounted: wall anchors not included

MANUFACTURING STANDARD : Grommets on the perimeter of the frame / 2 fixed floating shelves 2" thick / Horizontal wood grain

		CODE				CODE	
		A B				A B	
36" high 		WU3624FF	1024	54" high 		WU5424FF	1048
		WU3630FF	1053			WU5430FF	1079
		WU3636FF	1139			WU5436FF	1169
		WU3642FF	1168			WU5442FF	1201
		WU3648FF	1196			WU5448FF	1233
		WU3654FF	1280			WU5454FF	1320
		WU3660FF	1309			WU5460FF	1353
		WU3666FF	1396			WU5466FF	1443
		WU3672FF	1424			WU5472FF	1475
	42" high 		WU4224FF		1032	60" high 	
		WU4230FF	1062		WU6030FF		1089
		WU4236FF	1149		WU6036FF		1179
		WU4242FF	1179		WU6042FF		1212
		WU4248FF	1208		WU6048FF		1245
		WU4254FF	1294		WU6054FF		1307
		WU4260FF	1324		WU6060FF		1368
		WU4266FF	1411		WU6066FF		1458
		WU4272FF	1441		WU6072FF		1491
48" high 			WU4824FF	1040	Information on the shelves  Note: The width of the shelves is equivalent of the whole width of the wall unit less 2" on the outline		
		WU4830FF	1071				
		WU4836FF	1159				
		WU4842FF	1190				
		WU4848FF	1221				
		WU4854FF	1307				
		WU4860FF	1338				
		WU4866FF	1427				
		WU4872FF	1457				

HOW TO ORDER?

WU (A B) FF
SERIES CODE