





Revision on August 26, 2015

Update Summary

The August 26, 2015 web revision of the Logilife price list presents these principal modifications:

| DATE | SECTION | MODIFICATION | PAGES |
|-----------------|-------------|---|----------|
| August 26, 2015 | Flex Tables | Elimination of the Flex table 3 | G-2; G-6 |
| | | Addition of the Black metal finish (BL) | |
| | | Thickness of the surfaces changes from ³ / ₄ " to 1". | |
| | | Curved fronts (CV) are now standard and straight fronts (ST) are optional. | |
| | | Different measurements for the surfaces of all tables. | |
| | | Maximum height of the adjustment mechanism is now | |
| | | 37 ". | |

Previous updates:

| DATE | SECTION | MODIFICATION | PAGES |
|------------------|----------------|---|-------------|
| January 5, 2015 | Tables | High pressure laminated products prices have been increased by 5% (LFL, LFWL) | (section G) |
| November 9, 2014 | Tables | Prices for Flex tables are now upon request | G-6 |
| October 20, 2014 | Lounge seating | Dean and Taylor products have been increased by 5% | J-2; J-3 |

Table of Contents

A INTRODUCTION

| Terms and Conditions of Sale | A-2 |
|--|-----|
| Limited Lifetime Warranty | A-3 |
| Upholstery Specification | A-4 |
| Patient Room Furniture Series Presentation | A-6 |

PATIENT ROOM FURNITURE

B CLASSIC SERIES

| Manufacturing Standard | B-2 |
|---------------------------|------|
| Bedside Cabinets | B-4 |
| Dressers | B-5 |
| Hutches | B-6 |
| Wardrobes | B-7 |
| Headboards and Footboards | B-12 |

C MODERN SERIES

| Manufacturing Standard | C-2 |
|---------------------------|------|
| Bedside Cabinets | C-4 |
| Dressers | C-5 |
| Hutches | C-6 |
| Wardrobes | C-7 |
| Headboards and Footboards | C-12 |

D TRADITIONAL SERIES

| Manufacturing Standard | D-2 |
|---------------------------|------|
| Bedside Cabinets | D-4 |
| Dressers | D-5 |
| Hutches | D-6 |
| Wardrobes | D-7 |
| Headboards and Footboards | D-12 |

E SHAKER SERIES

| Manufacturing Standard | E-2 |
|---------------------------|------|
| Bedside Cabinets | E-4 |
| Dressers | E-5 |
| Hutches | E-6 |
| Wardrobes | E-7 |
| Headboards and Footboards | E-12 |

F ARTISAN SERIES

| Manufacturing Standard | F-2 |
|---------------------------|------|
| Bedside Cabinets | F-4 |
| Dressers | F-5 |
| Hutches | F-6 |
| Wardrobes | F-7 |
| Headboards and Footboards | F-12 |

TABLES

G TABLES

| Manufacturing Standard | G-2 |
|------------------------|-----|
| All-Purpose Tables | G-3 |
| Flex Tables | G-6 |
| Occasional Tables | G-7 |

SEATING

H HOSTA WOODEN SEATS

| Manufacturing Standard | H-2 |
|-------------------------------|-----|
| Patient Armchairs | H-4 |
| Guest and Bariatric Armchairs | H-5 |
| Multiple Guest Seating | H-6 |
| Activity Chairs | H-7 |

I MIKA METAL SEATS

| Manufacturing Standard | I-2 |
|-------------------------------|-----|
| Patient Armchairs | I-4 |
| Guest and Bariatric Armchairs | I-5 |
| Tandem Seating | I-6 |
| General Purpose Chairs | I-7 |

COMPLEMENTARY FURNITURE

| J | LOUNGE SEATING | |
|---|----------------|-----|
| | Taylor | J-2 |
| | Dean | J-3 |

APPENDICES

K APPENDICES

| Accessories | K-2 |
|---------------------|-----|
| Customized Products | K-3 |

Terms and Conditions of Sale

PRICES

The prices are "suggested retail" and are subject to changes without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. Advanced payment for your order may be requested if the opening of your account has not been completed or if your account has become inactive.

TERMS OF PAYMENT

Net 30 days / F.O.B. Sherbrooke (Quebec), Montreal (Quebec) or Quebec City (Quebec). The invoice will be dated the same ship date and payable 30 days from that date including applicable freight charges. Logiflex remains the owner of the merchandise until the invoice is paid in full.

REGULAR SHIPMENTS

Please inquire about our lead time to customer service.

ORDERS

An official purchase order must be issued for all purchases. Your purchase order must contain the following information: your company letterhead, your reference number, the delivery address with contact name and phone number, the complete product codes, furniture color(s), quantities, descriptions, retail prices and net prices, project registration number if applicable, and your approved quotation and technical drawing for customized products. Please note that a quotation cannot serve as a purchase order.

RETURNS

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

MODIFICATIONS AND/OR CANCELLATIONS

You have 48 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may modify or cancel your order during this same 48-hour period. If you would like to modify or cancel your order after this 48-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

LIABILITY

Logiflex's responsibility ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

CLAIMS

Logiflex recommends inspecting the shipment before signing the carrier's delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the "Online services" section of our Web site, at www.logiflex.ca. Our after-sales service department will examine your request and help you correct the situation as rapidly as possible.

CHANGES

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

STORAGE AND/OR SHIPPING FEES

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also incur additional charges. Please contact your Logiflex account manager for more details about storage and shipping fees.

INTRODUCTION Limited Lifetime Warranty

LIMITED LIFETIME WARRANTY

Logiflex warrants its products to the original purchaser for as long as the original purchaser owns the products. Logiflex guarantees that Logilife products bought new from an authorized Logiflex distributor are free from defects in materials and workmanship for the lifetime of their use. This warranty applies to Logilife products. Only if properly used, repair or replacement of any defect covered by the warranty will be at the discretion of Logiflex. Transportation and labor are not covered by this warranty. By accepting the product to its delivery, the buyer accepts its conditions. The warranty period shall be reduced proportionately if the products are used over a period exceeding the equivalent of a shift 40 hours/week. All replacement parts will be shipped to the original shipping address.

This warranty does not apply to defects or damages resulting from:

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification or use of components or materials that have not been authorized by Logiflex;
- Delivery by a freight carrier or handling/installation by a contractor other than Logiflex;
- Natural properties of materials;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/installation contractors.

This warranty does not include:

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Products used for rental purposes;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

Restrictions:

- Electrical components are guaranteed for 1 year from the date of delivery;
- Seat mechanisms, drawer slides and locks are guaranteed for 5 years from the date of delivery.

INTRODUCTION Upholstery Specification

Logiflex offers two methods for obtaining upholstery from various suppliers depending of customer preferences:

1. Customers may specify an upholstery from any supplier. Logiflex will then confirm upholstery grade and seat cost.

2. Customers may select and purchase upholstery of their choices directly from the supplier (COM). Please consult the following page for more information about COM terms.

UPHOLSTERY SPECIFICATION

Customers may consult websites of our principal suppliers to visualize their complete product range. It is then possible to consult the graded-in list available on logiflex.ca to be informed of the appropriate Logiflex grade.

Website of the upholstery supplier also gives essential informations as maintenance, availability, quality and performance of the selected upholstery. In all cases, the upholstery supplier's warranty will apply:

Principal suppliers:

Momentum Textilesthemomgroup.comJ.Ennis Fabricsjennisfabrics.comMaharammaharam.comDesigntexdesigntex.com

GRADED-IN LIST

Seat cost depends of selected upholstery. Grade is not established according to upholstery quality or performance, but to its purchase cost. In order to help customers researches, a graded-in list presenting the entire collections od Logiflex's principal suppliers has been prepared. It is possible to consult Logiflex graded-in list by visiting logiflex.ca

Note: The graded-in list is based on information received at its publication moment. As upholstery suppliers can discontinue products or increase their prices at their discretion, this list communicated for information purposes only and can not be considered as a sale commitment by Logiflex.


APPLICATION OF UPHOLSTERY

Application of upholstery will follow the directional orientation of its pattern. Explicit instructions must be given to the customer's account manager if a specific direction is desired. Logiflex will not be responsible of problems related to upholstery direction or positioning unless formal instructions has been given along with the purchase order.

Instruction references:

Up the roll

Across the roll



FLAMMABILITY STANDARDS TO TECHNICAL BULLETIN 117 (STATE OF CALIFORNIA) The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

FLAMMABILITY STANDARDS TO TECHNICAL BULLETIN 133 (STATE OF CALIFORNIA) Technical Bulletin CAL133 is a flammability test conducted on a complete chair. The compliance of the entire product, including covering, is acknowledged when a certificate is issued by a licensed testing facility. Any change to the finished product will required a retest.

When a product must pass CAL133 test, Logilife seats must receive a non-flammable lining that, in combination with convenient foam and upholstery, may enable products to meet certification requirements. However, the use of the compliance method does not ensure that a specific combination of product and upholstery is certified as being CAL133 compliant.

Cost and procedure:

- The product assembly, test and certification cost is as follow:
- Non-flammable lining at \$45 net per yard;
- Certification at a cost of \$721 net per item;
- Cost of the product to be tested and freight to the licensed testing facility.

Please take note these costs apply whether the product passes or fails the test. 4 to 8 weeks is typically needed for the certification testing lead time. Logiflex cannot ensure CAL133 certification of a combination of product and upholstery that never passed the test. Please contact your account manager to know configurations of products and upholstery that have been tested and certified.

INTRODUCTION Upholstery Specification

CUSTOMER'S OWN MATERIAL (COM)

COM must be received three weeks prior to the acknowledged ship date. Delay in COM reception may cause deadline to be postponed. Prices of seats are then based on the grade 1 price of each model.

The following information must be included with the COM upholstery delivery and be communicated to the account manager along with the purchase order: purchase order number, customer name, upholstery supplier, upholstery name/number of the pattern and color as well as the number of yards delivered.

Customers have the option to provide Logiflex with a sample for approval prior the order. If no sample is sent for approval in advance, Logiflex is nos responsible of any cost caused by an upholstery unsuitable for the product or the production process. Furthermore, Logiflex reserve the right to refuse any upholstery that does not meet Logiflex selection criteria.

Logiflex does not assume responsibility for upholstery availability, quality, perfomance or appearance, and Logiflex warranty exclude customer's own materials.

COM SHIPPING PROCEDURE

COM must be delivered at Logiflex factory with freight and duties paid. All charges to COM acquisition on the customer's behalf will be passed onto the customer.

Shipping adress: Logiflex

Attn: Receiver 1235 St-Roch North ROad Sherbrooke (Quebec) Canada J1N 0H2

UPHOLSTERY YARDAGE CALCULATION

Yardage is calculate in yards assuming that upholstery is 54" wide with no pattern.


Additional yardage may be needed is the upholstery is less than 54" wide, if there is a pattern repeat or if it is shipped in separate pieces. Please consult the following table in order to know the percentage of extra yardage required. The repeat of the pattern is calculate by adding up the horizontal and vertical repeat measurements.

Table: Percentage of extra COM vardage

| | | ·) ··· ··· · · · · · · · · · · · · · · | | | |
|------------|-------|---|-----------|-----------|-----------|
| Upholstery | | Repeat | Repeat | Repeat | Repeat |
| Width | Plain | 2" - 14" | 15" - 19" | 20" - 27" | 28" - 36" |
| 54" | 0% | 10% | 15% | 20% | 25% |
| 53" - 50" | 16% | 20% | 25% | 30% | 35% |
| 48" | 16% | 25% | 30% | 35% | 40% |
| 45" | 40% | 50% | 55% | 60% | 65% |
| 36" | 50% | 60% | 65% | 70% | 75% |

INTRODUCTION

Patient Room Furniture | Series Presentation



CLASSIC SERIES PATIENT ROOM FURNITURE



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.


Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.



TOPS


Tops of the Classic series are featureless, in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer and cabinet fronts in the Classic series are made of 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



BASE


The sides of furniture items in the Classic series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a full kick plate in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

CLASSIC SERIES - LFC Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

HANDLE

The standard handle for the Classic series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges. Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units. Edges can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


Logilife

CLASSIC SERIES - LFC

Beside Cabinets

| MODEL | | DESCRIPTION | CODE | LFC |
|-------------|----------------------------------|---|------------|-----|
| TC1 | | Bedside cabinet: | АВС | |
| | -B A | - 1 drawer with handle; | 201832TC1 | 517 |
| | | - 1 open section | 241832TC1 | 535 |
| c c | with 1 adjustable shelf; | | | |
| | | - 1 air vent. | | |
| | | | | |
| | | | | |
| TC2 | | Bedside cabinet: | ABC | |
| | A A | 1 drawer with handle; | 201832TC2R | 590 |
| | | 1 section with door and handle, | 201832TC2L | 590 |
| | ¢ Y | and 1 adjustable shelf; | 241832TC2R | 608 |
| | | - 1 air vent. | 241832TC2L | 608 |
| | | "R" right side hinges | | |
| | | "L" left side hinges | | |
| TC3 | | Bedside cabinet: | ABC | |
| | A A | 3 drawers with handle; | 201832TC3 | 722 |
| | | - 1 air vent. | 241832TC3 | 743 |
| | ¢ Y | Height of the first drawer different | | |
| | | from the bottom drawers | | |
| | | | | |
| | | | | |
| TC4 | | Bedside cabinet: | ABC | |
| | B | 4 drawers with handle; | 201832TC4 | 903 |
| | | - 1 air vent. | 241832TC4 | 929 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | - | | | |
| See pages I | 3-2 and B-3 for series materials | s, finishes and manufacturing standard | 1 | |
| | | | | |

HOW TO ORDER?



OPTIONS

B-4

| Locking casters | | | |
|----------------------|---|----|------------------|
| S | Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height. | WF | 55 / set of 4 |
| Plastic Drawer Liner | | | |
| $\langle \rangle$ | White plastic drawer liner / For top drawer only | BP | 85 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

CLASSIC SERIES - LFC Dressers

| MODEL | DESCRIPTION | CODE | LFC |
|-------|--------------------------|------------|------|
| COM2 | Dresser: | ABC | |
| B A | - 2 drawers with handle; | 203032COM2 | 734 |
| | - 1 air vent. | 203632COM2 | 765 |
| | | 243032COM2 | 756 |
| | | 243632COM2 | 790 |
| | | | |
| COM3 | Dresser: | ABC | |
| B | - 3 drawers with handle; | 203032COM3 | 828 |
| | - 1 air vent. | 203632COM3 | 862 |
| | | 243032COM3 | 856 |
| C C | | 243632COM3 | 893 |
| | | | |
| COM4 | Dresser: | ABC | |
| B A | - 4 drawers with handle; | 203044COM4 | 1070 |
| | - 1 air vent. | 203644COM4 | 1115 |
| | | 243044COM4 | 1107 |
| | | 243644COM4 | 1156 |
| | | | |
| COM6 | Dresser: | ABC | |
| A. | - 6 drawers with handle; | 204832COM6 | 1502 |
| B | - 2 air vents. | 244832COM6 | 1545 |
| | | | |

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

| LFC | COM2 COM3 COM4 (ABC) COM6 | | H161 (Std) See section: Accessories | | DECR |
|---------|------------------------------------|-----|---|---|------------------|
| SERIES | CODE | -+• | HANDLE | → | ANTI-TIPPING KIT |
| Classic | | | | | |

| OPTIONS | | | |
|---------------------|--|------|----|
| Anti-Tipping Kit | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

CLASSIC SERIES - LFC Hutches

| MODEL | DESCRIPTION | CODE | LFC |
|--|---|---------------------------------|------------|
| HL28 | Hutch: 2 doors with handle; 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HL28 1636HL28 | 613 636 |
| HLA40 | Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA40 1636HLA40 | 692 718 |
| HLA52 | Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA52 1636HLA52 | 767 799 |
| See pages B-2 and B-3 for series materials | tinishes and manufacturing standard | 1 | |

HOW TO ORDER?

| LFC | HL28 HLA40 (A B) HLA52 | H161 (Std) See section: Accessories | | DECR | SH |
|-------------------|---------------------------------------|---|---|------------------|----|
| SERIES Classic | CODE | | ▶ | ANTI-TIPPING KIT | |

OPTIONS

| Additional Shelf | | | | |
|---------------------|--|-------|--------|--------|
| | Additional adjustable shelf with supports included | 30" W | SH1428 | 45 |
| | | 36" W | SH1434 | 55 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches. | | DECR | 45 ea. |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| MODEL PEN1 | DESCRIPTION Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges | CODE A B C 242072PEN1R 242072PEN1L | LFC 959 959 |
|---------------|---|---|-------------------|
| PEN2 | Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent. "R" right side hinges "L" left side hinges | A B C 242084PEN2R 242084PEN2L | 1229 1229 |

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

| | PEN1R PEN1L PEN2R (A B C) PEN2L | ▶ = | H161 (Std) See section: Accessories | | DECR | SH |
|---------|--|-------------|---|-----|------------------|------------------|
| SERIES | CODE | • ••• | HANDLE | ••• | OPTION | OPTION |
| Classic | | | | | Anti-Tipping Kit | Additional Shelf |

| OPTIONS | | | |
|---------------------|--|--------|----|
| Additional Shelf | | | |
| $\langle \rangle$ | Additional adjustable shelf with supports included | SH2218 | 45 |
| Anti-Tipping Kit | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |
| | | | |

| MODEL | DESCRIPTION | CODE | LFC |
|--|---|------------|------|
| PEN3 | Wardrobe: | ABC | |
| B A | - 2 doors with handle; | 243072PEN3 | 1162 |
| | - 1 safety garment rail under | 243672PEN3 | 1223 |
| | adjustable shelf; - 2 air vents. | 244272PEN3 | 1279 |
| PEN4 | Wardrobe cabinet: | ABC | |
| B | 2 doors with handle; | 243072PEN4 | 1460 |
| | 1 safety garment rail under | 243672PEN4 | 1529 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents. | 244272PEN4 | 1594 |
| Cas pages D.2 and D.2 fee series metarials | <u> </u> | | |



HOW TO ORDER?



OPTIONS Additional Shelf Additional adjustable shelf with supports included PEN3 SH2228 70 SH2234 85 SH2240 101 PEN4 SH2213 33 SH2217 43 SH2220 50 Anti-Tipping Kit Anti-tipping kit made from steel and galvanized steel cable DECR 45 Handle For handle other than the H161 standard, please see page K-2 / No charge Customized Products For further information about customized products, see page K-3

| MODEL | DESCRIPTION | CODE | LFC |
|--|------------------------------------|------------|------|
| PEN5 | Wardrobe with drawer: | ABC | |
| | - 2 doors with handle; | 243084PEN5 | 1505 |
| B > | - 1 safety garment rail under | | |
| | adjustable shelf; | 243684PEN5 | 1581 |
| | - 1 drawer with handle: | 244284PEN5 | 1654 |
| | - 2 air vents. | | |
| | 2 dir Vonto. | | |
| C | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| PEN6 | Wardrobe cabinet with drawer: | ABC | |
| B A | - 2 doors with handle; | 243084PEN6 | 1823 |
| | - 1 safety garment rail under | 243684PEN6 | 1912 |
| | adjustable shelf; | 244284PEN6 | 1997 |
| | - 1 central division; | | |
| | - 5 adjustable shelves; | | |
| | - 1 drawer with handle; | | |
| | - 2 air vents. | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| See pages B-2 and B-3 for series materials | finishes and manufacturing standar | d | |

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Additional Shelf

| | Additional adjustable shelf with supports included | PEN5 | SH2228 | 70 |
|---------------------|--|------|--------|-----|
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN6 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| | | | | |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| MODEL | DESCRIPTION | CODE | LFC |
|-------|---|------------|------|
| PEN7 | Wardrobe with drawers: | ABC | |
| B | - 2 doors with handle; | 243084PEN7 | 1662 |
| | 1 safety garment rail under | 243684PEN7 | 1744 |
| | adjustable shelf; - 2 drawers with handle; - 2 air vents. | 244284PEN7 | 1821 |
| PEN8 | Wardrobe cabinet with drawers: | ABC | |
| R A | - 2 doors with handle; | 243084PEN8 | 1934 |
| | 1 safety garment rail under | 243684PEN8 | 2024 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents. | 244284PEN8 | 2112 |

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Additional Shelf

| | Additional adjustable shelf with supports included | PEN7 | SH2228 | 70 |
|--------------------|--|------|--------|-----|
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN8 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| landle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| ustomized Products | For further information about customized products, see page K-3 | | | |

| MODEL | DESCRIPTION | CODE | LFC |
|---|--|--------------|------|
| PEN9 | Wardrobe cabinet: | ABC | |
| A. | 1 door with handle; | 244272PEN9R | 1924 |
| B A | 1 safety garment rail under | 244272PEN9L | 1924 |
| | adjustable shelf; | 244872PEN9R | 1995 |
| | - 1 open space with | 244872PEN9L | 1995 |
| | 2 adjustable shelves; | | |
| | - 3 drawers with handle; - 2 air vents. | | |
| | - 2 all vents. | | |
| | "R" right side wardrobe | | |
| | "L" left side wardrobe | | |
| | | | |
| | | | |
| | | | |
| PEN10 | Wardrobe cabinet: | ABC | |
| A. | - 1 door with handle; | 244272PEN10R | 2148 |
| B A | - 1 safety garment rail under | 244272PEN10L | 2148 |
| | adjustable shelf; - 1 cabinet with 2 doors, handle | 244872PEN10R | 2219 |
| | and 2 adjustable shelves; | 244872PEN10L | 2219 |
| | - 3 drawers with handle; | | |
| | - 2 air vents. | | |
| | | | |
| | "R" right side wardrobe | | |
| | "L" left side wardrobe | | |
| | | | |
| | | | |
| | | | |
| See pages B-2 and B-3 for series materials, | tinishes and manufacturing standard | 1 | |

| LFC | PEN9R PEN9L PEN10R (A B C) PEN10L | H161 (Std) See section: Accessories | | DECR |
|----------------|--|---|---|----------------------------|
| SERIES Classic | CODE | HANDLE | • | OPTION Anti-Tipping Kit |

| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

CLASSIC SERIES - LFC Headboards and Footboards

| MODEL | | DESCRIPTION | CODE | LFC |
|-------|-------|-----------------------|---------------------|-----|
| TLRT | B | Rectangular headboard | A B 3442TLRT | 164 |
| PLRT | B | Rectangular footboard | A B 2742PLRT | 130 |
| TLCX | C A B | Curved headboard | A B C 343742TLCX | 178 |
| PLCX | C A B | Curved footboard | A B C 273042PLCX | 144 |

See pages B-2 and B-3 for series materials, finishes and manufacturing standard

| | TLRT PLRT |
|----------------|------------------------|
| LFC | TLCX (A B C) PLCX |
| SERIES Classic | CODE |

MODERN SERIES PATIENT ROOM FURNITURE

MODERN SERIES - LFM Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.


Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.



TOPS


Tops of the Modern series are featureless, in 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer and cabinet fronts in the Classic series are made of 3/4" thermally fused laminate with 2 mm heat-sealed PVC edges.



LEGS

For an easier room maintenance, Modern series is offered with 6" H tubular metal legs, satin nickel finish, with height adjustable, non-marking glides.

6" H oval metal legs, with satin nickel finish, are available as an option. This must be specified in the order.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

MODERN SERIES - LFM Manufacturing Standard

FEATURES - CONT'D

WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

HANDLE

The standard handle for the Modern series is the H162, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermally fused laminates and PVC edges. Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units. Edges can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.




LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the legs and adjust the unit to the desired height.

Beside Cabinets

| MODEL | | DESCRIPTION | CODE | LFM |
|-------------|----------------------------------|---|--------------------------|-----|
| TC1 | × × | Bedside cabinet: | ABC | |
| | A A | - 1 drawer with handle; | 201832TC1 | 575 |
| | | - 1 open section | 241832TC1 | 592 |
| | | with 1 adjustable shelf; | | |
| | | - 1 air vent. | | |
| | | | | |
| TC2 | 5 | Bedside cabinet: | АВС | |
| 102 | B | - 1 drawer with handle; | 201832TC2R | 648 |
| | $\langle \rangle$ | - 1 section with door and handle. | 201832TC2R | 648 |
| | | and 1 adjustable shelf; | 2018321C2L 241832TC2R | 665 |
| | | - 1 air vent. | | |
| | | | 241832TC2L | 665 |
| | ₽ ° | "R" right side hinges "L" left side hinges | | |
| TC3 | | Bedside cabinet: | ABC | |
| | A A | - 3 drawers with handle; | 201832TC3 | 780 |
| | | - 1 air vent. | 241832TC3 | 800 |
| | ¢ V | Height of the first drawer different | | |
| | | from the bottom drawers | | |
| | | | | |
| | U | | | |
| TC4 | | Bedside cabinet: | ABC | |
| | A A | - 4 drawers with handle; | 201832TC4 | 967 |
| | | - 1 air vent. | 241832TC4 | 993 |
| | c v | | | |
| | | | | |
| | | | | |
| | Ŭ | | | |
| | | | - | |
| See pages C | C-2 and C-3 for series materials | s, finishes and manufacturing standard | | |

HOW TO ORDER?



OPTIONS

| Legs and Casters | | | |
|----------------------|---|---------|-----|
| \bigcirc | 6" H metal oval legs, satin nickel finish | OVAM6SN | N/C |
| S | Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the legs and adjust the unit to the desired height. | WF | N/C |
| Plastic Drawer Liner | | | |
| $\langle \rangle$ | White plastic drawer liner / For top drawer only | BP | 85 |
| Handle | For handle other than the H162 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

Dressers

| MODEL | DESCRIPTION | CODE | LFM |
|-------------------|--|------------|------|
| COM2 | Dresser: | ABC | |
| B A | 2 drawers with handle; | 203032COM2 | 796 |
| | - 1 air vent. | 203632COM2 | 827 |
| | | 243032COM2 | 819 |
| | | 243632COM2 | 853 |
| | | | |
| COM3 | Dresser: | ABC | |
| B | 3 drawers with handle; | 203032COM3 | 889 |
| $\langle \rangle$ | - 1 air vent. | 203632COM3 | 922 |
| | | 243032COM3 | 917 |
| | | 243632COM3 | 954 |
| | | | |
| COM4 | Dresser: | ABC | |
| B | 4 drawers with handle; | 203044COM4 | 1135 |
| | - 1 air vent. | 203644COM4 | 1179 |
| | | 243044COM4 | 1173 |
| | | 243644COM4 | 1221 |
| | | | |
| COM6 | Dresser: | ABC | |
| A | - 6 drawers with handle; | 204832COM6 | 1570 |
| B | - 2 air vents. | 244832COM6 | 1613 |
| | | | |

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| | COM2 COM3 COM4 | TU6SN (Std) | | H162 (Std) See section: | | |
|------------------|----------------------|-------------|---|----------------------------|---|------------------|
| LFM | (ABC) COM6 | OVAM6SN | | Accessories | | DECR |
| SERIES Modern | CODE | LEGS | • | HANDLE | • | ANTI-TIPPING KIT |

OPTIONS Oval Legs 6" H metal oval legs, satin nickel finish OVAM6SN N/C Anti-Tipping Kit Image: Colspan="2">DECR 45 Handle For handle other than the H162 standard, please see page K-2 / No charge DECR 45 Customized Products For further information about customized products, see page K-3 Image: Colspan="2">Customized Products

Hutches

| MODEL | DESCRIPTION | CODE | LFM |
|-------|---|---------------------------------|------------|
| HL28 | Hutch: 2 doors with handle; 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HL28 1636HL28 | 613 636 |
| HLA40 | Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" <i>H inside space</i> | A B C 1630HLA40 1636HLA40 | 692 718 |
| HLA52 | Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space terials, finishes and manufacturing standard | A B C 1630HLA52 1636HLA52 | 767 799 |

HOW TO ORDER?

| LFM | HL28 HLA40 (A B) HLA52 | | H162 (Std) See section: Accessories | | DECR | SH |
|---------------|---------------------------------------|---|---|---|------------------|----------------------------|
| SERIES Modern | CODE | — | HANDLE | → | ANTI-TIPPING KIT | OPTION Additional Shelf |

OPTIONS

| Additional Shelf | | | | |
|---------------------|--|-------|--------|--------|
| | Additional adjustable shelf with supports included | 30" W | SH1428 | 45 |
| | | 36" W | SH1434 | 55 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches. | | DECR | 45 ea. |
| Handle | For handle other than the H162 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

Wardrobes

| MODEL | DESCRIPTION | CODE | LFM |
|-------|---|-------------------------------------|--------------|
| PEN1 | Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges | A B C 242072PEN1R 242072PEN1L | 1038 1038 |
| PEN2 | Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent. "R" right side hinges "L" left side hinges | A B C 242084PEN2R 242084PEN2L | 1307 1307 |

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

| LFM | PEN1R PEN1L PEN2R (A B C) PEN2L | TU6SN (Std) OVAM6SN | | H162 (Std) See section: Accessories | | DECR | SH |
|---------------|--|------------------------|----|---|---|----------------------------|----------------------------|
| SERIES Modern | CODE | LEGS | -▶ | HANDLE | ₽ | OPTION Anti-Tipping Kit | OPTION Additional Shelf |


| OPTIONS Oval Legs | | | |
|----------------------|--|---------|-----|
| | 6" H metal oval legs, satin nickel finish | OVAM6SN | N/C |
| Additional Shelf | | | |
| \bigcirc | Additional adjustable shelf with supports included | SH2218 | 45 |
| Anti-Tipping Kit | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H162 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |



| MODEL | DESCRIPTION | CODE | LFM | | |
|--|--|---|---------|---|-----------------------------------|
| PEN3 | Wardrobe: | ABC | | | |
| А | - 2 doors with handle; | 243072PEN3 | 1240 | | |
| | - 1 safety garment rail under | 243672PEN3 | 1300 | | |
| | adjustable shelf; - 2 air vents. | 244272PEN3 | 1357 | | |
| PEN4 | Wardrobe cabinet: | ABC | | | |
| | - 2 doors with handle; | 243072PEN4 | 1538 | | |
| B A | - 1 safety garment rail under | 243072PEN4 243672PEN4 | | | |
| | adjustable shelf; | | 1607 | | |
| | - 1 central division; - 4 adjustable shelves; - 2 air vents. | 244272PEN4 | 1673 | | |
| | | | | | |
| See pages C-2 and C-3 for series ma | terials, finishes and manufacturing standa | ard | | | |
| | | | | | |
| LFM SERIES (ABC) Modern | PEN3 TU6SN (Std) See s PEN4 OVAM6SN Access | 2 (Std) section: sssories DECR NDLE OPTION Anti-Tipping k | | SH DPTION tional Shelf | |
| SERIES COI Modern | PEN3 TU6SN (Std) See s PEN4 OVAM6SN Access | section: pessories DECR NDLE OPTION | | OPTION | |
| SERIES CO Modern | PEN3 TU6SN (Std) See s PEN4 OVAM6SN Access | section: pessories DECR NDLE OPTION | | OPTION | |
| OPTIONS Oval Legs 6" H metal ova | PEN3 TU6SN (Std) See s PEN4 OVAM6SN Access | section: pessories DECR NDLE OPTION | | OPTION | N/C |
| OPTIONS Oval Legs | PEN3 TU6SN (std) See 3 PEN4 OVAM6SN Acce DE LEGS HAN | section: pessories DECR NDLE OPTION | | DPTION tional Shelf | N/C |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf | PEN3 TU6SN (std) See 3 PEN4 OVAM6SN Acce DE LEGS HAN | section: pessories DECR NDLE OPTION | | DPTION tional Shelf | N/C |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | it Addi | OVAM6SN SH2228 | 70 |
| OPTIONS Oval Legs Oval Legs 6" H metal ova Additional Shelf | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | it Addi | OVAM6SN SH2228 SH2234 | 70 85 |
| OPTIONS Oval Legs Oval Legs 6" H metal ova Additional Shelf | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | PEN3 | OVAM6SN SH2228 SH2234 SH2240 | 70 85 101 |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | it Addi | OVAM6SN SH2228 SH2234 SH2240 SH2213 | 70 85 101 33 |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | PEN3 | OVAM6SN SH2228 SH2234 SH2240 | 70 85 101 |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf Additional adju | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | PEN3 | OVAM6SN SH2228 SH2234 SH2240 SH2213 SH2217 | 70 85 101 33 43 |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: pessories DECR NDLE OPTION | PEN3 | OVAM6SN SH2228 SH2234 SH2240 SH2213 SH2217 | 70 85 101 33 43 |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf Additional adju | PEN3 TUGSN (<i>std</i>) See 3 PEN4 OVAM6SN Acce DE LEGS HAT | section: essories NDLE DECR OPTION Anti-Tipping k | PEN3 | OVAM6SN SH2228 SH2234 SH2240 SH2213 SH2217 | 70 85 101 33 43 |
| OPTIONS Oval Legs 6" H metal ova Additional Shelf Additional Shelf Additional Shelf Additional Shelf Additional Shelf Anti-Tipping Kit Anti-Tipping Kit For handle | PEN3 TUGSN (std) See 3 PEN4 OVAM6SN Acce DE LEGS HAI | ble | PEN3 | OVAM6SN SH2228 SH2234 SH2240 SH2213 SH2217 SH2220 | 70 85 101 33 43 50 |




| MODEL | DESCRIPTION | CODE | |
|---|---|-------------|------|
| MODEL | | | LFM |
| PEN5 | Wardrobe with drawer: | ABC | |
| | - 2 doors with handle; | 243084PEN5 | 1583 |
| | - 1 safety garment rail under | 243684PEN5 | 1659 |
| | adjustable shelf; - 1 drawer with handle; - 2 air vents. | 244284PEN5 | 1732 |
| PEN6 | Wardrobe cabinet with drawer: | АВС | |
| | - 2 doors with handle; | 243084PEN6 | 1901 |
| | - 1 safety garment rail under | 243684PEN6 | 1990 |
| | adjustable shelf; | 2430041 EN0 | 2074 |
| | 1 central division; 5 adjustable shelves; 1 drawer with handle; 2 air vents. | | 2074 |
| See pages C-2 and C-3 for series materials, | finishes and manufacturing standar | ď | |





| | DECODIDITION | 0005 | |
|---|---|------------|------|
| MODEL | DESCRIPTION | CODE | LFM |
| PEN7 | Wardrobe with drawers: | ABC | |
| | 2 doors with handle; | 243084PEN7 | 1741 |
| | 1 safety garment rail under | 243684PEN7 | 1821 |
| | adjustable shelf; - 2 drawers with handle; - 2 air vents. | 244284PEN7 | 1898 |
| PEN8 | Wardrobe cabinet with drawers: | АВС | |
| ~ ~ | - 2 doors with handle; | 243084PEN8 | 2013 |
| B A | - 1 safety garment rail under | 243684PEN8 | 2102 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents. | 244284PEN8 | 2189 |
| See pages C-2 and C-3 for series materials, | finishes and manufacturing standard | d | |



Wardrobes

| MODEL | DESCRIPTION | CODE | LFM |
|--|---|--------------|------|
| PEN9 | Wardrobe cabinet: | ABC | |
| | - 1 door with handle; | 244272PEN9R | 2001 |
| | - 1 safety garment rail under | 244272PEN9L | 2001 |
| | adjustable shelf; | 244272PEN9L | 2001 |
| | - 1 open space with | | |
| | 2 adjustable shelves; | 244872PEN9L | 2072 |
| | - 3 drawers with handle; | | |
| | - 2 air vents. | | |
| | | | |
| | "R" right side wardrobe | | |
| | "L" left side wardrobe | | |
| | | | |
| ° V | | | |
| - | | | |
| PEN10 | Wardrobe cabinet: | ABC | |
| $\sim \prec$ | 1 door with handle; | 244272PEN10R | 2225 |
| | 1 safety garment rail under | 244272PEN10L | 2225 |
| | adjustable shelf; | 244872PEN10R | 2296 |
| | - 1 cabinet with 2 doors, handle | 244872PEN10L | 2296 |
| | and 2 adjustable shelves; | | |
| | - 3 drawers with handle; | | |
| | - 2 air vents. | | |
| | | | |
| | "R" right side wardrobe "L" left side wardrobe | | |
| | | | |
| | | | |
| Y | | | |
| See pages C-2 and C-3 for series materials | finishes and manufacturing start day | | |

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

| LFM | PEN9R PEN9L PEN10R (A B C) PEN10L | | TU6SN (Std) OVAM6SN | | H162 (Std) See section: Accessories | | DECR |
|--------|--|---|------------------------|---|---|---|------------------|
| SERIES | CODE | ▶ | LEGS | — | HANDLE | → | OPTION |
| Modern | | | | | | | Anti-Tipping Kit |

| 6" H metal oval legs, satin nickel finish | OVAM6SN | N/C |
|--|---|--|
| | | |
| Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| For handle other than the H162 standard, please see page K-2 / No charge | | |
| For further information about customized products, see page K-3 | | |
| | Anti-tipping kit made from steel and galvanized steel cable For handle other than the H162 standard, please see page K-2 / No charge | Anti-tipping kit made from steel and galvanized steel cable DECR For handle other than the H162 standard, please see page K-2 / No charge |

MODERN SERIES - LFM Headboards and Footboards

| MODEL | | DESCRIPTION | CODE | LFM |
|-------|-------|-----------------------|---------------------|-----|
| TLRT | B | Rectangular headboard | A B 3442TLRT | 164 |
| PLRT | B | Rectangular footboard | A B 2742PLRT | 130 |
| TLCX | C A B | Curved headboard | A B C 343742TLCX | 178 |
| PLCX | C A B | Curved footboard | A B C 273042PLCX | 144 |

See pages C-2 and C-3 for series materials, finishes and manufacturing standard

| | TLRT PLRT |
|---------------|-------------------|
| LFM | TLCX (ABC)PLCX |
| SERIES Modern | CODE |

TRADITIONAL SERIES PATIENT ROOM FURNITURE

TRADITIONAL SERIES - LFT Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




TOPS

Tops of Traditional series have rounded edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Traditional series are madeof seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



BASE


The sides of furniture items in the Traditional series go right to the ground and are equipped with height adjustable, non-marking glides. The front features an arched kick plate in seamless thermofoil 3/4" MDF panel.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

TRADITIONAL SERIES - LFT Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

HANDLE

The standard handle for the Traditional series is the H160, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. Handles have been selected for their ergonomic characteristics.

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




SPILL-GUARD EDGE

Tops of Traditional bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


Logilife

TRADITIONAL SERIES - LFT

Beside Cabinets

| MODEL | | DESCRIPTION | CODE | LFT |
|-------------|----------------------------------|---|---|--------------------------|
| TC1 | | Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent. | A B C 201832TC1 241832TC1 | 582 609 |
| TC2 | | Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent. <i>"R" right side hinges</i> <i>"L" left side hinges</i> | A B C 201832TC2R 201832TC2L 241832TC2R 241832TC2L | 703 703 730 730 |
| ТСЗ | | Bedside cabinet: - 3 drawers with handle; - 1 air vent. Height of the first drawer different from the bottom drawers | A B C 201832TC3 241832TC3 | 835 865 |
| TC4 | | Bedside cabinet: - 4 drawers with handle; - 1 air vent. | A B C 201832TC4 241832TC4 | 1027 1062 |
| See pages [| D-2 and D-3 for series materials | , finishes and manufacturing standard | ł | |

HOW TO ORDER?



OPTIONS

| Locking casters | | | |
|----------------------|---|----|------------------|
| Spill-Guard Edge | Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height. | WF | 55 / set of 4 |
| | Spill-guard edge surface on bedside cabinet tops | SG | 21 |
| Plastic Drawer Liner | | | |
| | White plastic drawer liner / For top drawer only | BP | 85 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

TRADITIONAL SERIES - LFT Dressers

| MODEL | | DESCRIPTION | CODE | LFT |
|-------|-----|--|------------|------|
| COM2 | | Dresser: | ABC | |
| | A A | 2 drawers with handle; | 203032COM2 | 932 |
| | | - 1 air vent. | 203632COM2 | 1004 |
| | | | 243032COM2 | 970 |
| | ĭ I | | 243632COM2 | 1049 |
| | | | | |
| COM3 | | Dresser: | ABC | |
| | A | - 3 drawers with handle; | 203032COM3 | 1032 |
| | | - 1 air vent. | 203632COM3 | 1107 |
| | | | 243032COM3 | 1075 |
| | ¢ | | 243632COM3 | 1158 |
| | | | | |
| COM4 | ~ ~ | Dresser: | ABC | |
| | B | - 4 drawers with handle; | 203044COM4 | 1351 |
| | | - 1 air vent. | 203644COM4 | 1454 |
| | | | 243044COM4 | 1406 |
| | | | 243644COM4 | 1515 |
| | | | | |
| COM6 | > ~ | Dresser: | ABC | |
| | R A | - 6 drawers with handle; | 204832COM6 | 1876 |
| | | - 2 air vents. | 244832COM6 | 1947 |
| | | | | |

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

| | COM2 COM3 COM4 | H160 (Std) See section: | | |
|-----------------------|----------------------|----------------------------|---|------------------|
| LFT | (ABC) COM6 | Accessories | | DECR |
| SERIES Traditional | CODE | HANDLE | → | ANTI-TIPPING KIT |

| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

TRADITIONAL SERIES - LFT Hutches

| MODEL | DESCRIPTION | CODE | LFT |
|---|--|---------------------------------|------------|
| HL28 | Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HL28 1636HL28 | 748 798 |
| HLA40 | Hutch: 2 doors with handle; 1 adjustable shelf; 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA40 1636HLA40 | 828 882 |
| HLA52 | Hutch: 2 doors with handle; 2 adjustable shelves; 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA52 1636HLA52 | 903 963 |
| See pages D-2 and D-3 for series materials, | finishes and manufacturing standard | | |

HOW TO ORDER?

| | HL28 HLA40 | H160 (Std) See section: | | | | |
|-----------------------|----------------------|----------------------------|---|------------------|----------------------------|--|
| LFT | (A B) HLA52 | Accessories | | DECR | SH | |
| SERIES Traditional | CODE | HANDLE | ₽ | ANTI-TIPPING KIT | OPTION Additional Shelf | |

| Additional Shelf | | | | |
|---------------------|--|-------|--------|--------|
| | Additional adjustable shelf with supports included | 30" W | SH1428 | 45 |
| | | 36" W | SH1434 | 55 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches. | | DECR | 45 ea. |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| MODEL PEN1 | DESCRIPTION Wardrobe: | | LFT |
|---------------|--|----------------------------|--------------|
| | 1 door with handle; 1 safety garment rail under adjustable shelf; 1 air vent. "R" right side hinges "L" left side hinges | 242072PEN1R 242072PEN1L | 1302 1302 |
| PEN2 | Wardrobe with drawer: | | 4045 |
| | 1 door with handle; 1 safety garment rail under adjustable shelf; 1 drawer with handle; 1 air vent. "R" right side hinges "L" left side hinges | 242084PEN2R 242084PEN2L | 1615 1615 |

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| LFT SERIES – Traditional | PEN1R PEN1L PEN2R (A B C) PEN2L CODE | → | H160 (Std) See section: Accessories HANDLE | DECR OPTION Anti-Tipping Kit | SH OPTION Additional Shelf |
|--------------------------------|--|---|---|--|----------------------------------|
| maurtional | | | | Anti- ripping Kit | Additional Shelj |

 OPTIONS

 Additional Shelf

 Additional adjustable shelf with supports included
 SH2218

 Anti-Tipping Kit

 Anti-tipping kit

 DECR


 Handle

 For handle other than the H160 standard, please see page K-2 / No charge

 Customized Products

 For further information about customized products, see page K-3

| MODEL | DESCRIPTION | CODE | LFT |
|--|---|------------|------|
| PEN3 | Wardrobe: | ABC | |
| A | 2 doors with handle; | 243072PEN3 | 1673 |
| | 1 safety garment rail under | 243672PEN3 | 1841 |
| | adjustable shelf; - 2 air vents. | 244272PEN3 | 2004 |
| PEN4 | Wardrobe cabinet: | ABC | |
| | - 2 doors with handle; | 243072PEN4 | 1970 |
| | - 1 safety garment rail under | 243672PEN4 | 2147 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents. | 244272PEN4 | 2320 |
| See pages D 2 and D 2 for series materials | finishes and mean featuring standar | | |





| Additional | She |
|---------------|------|
| 7 taantioniai | 0110 |

| Additional Shelf | | | | |
|---------------------|--|------|--------|-----|
| | Additional adjustable shelf with supports included | PEN3 | SH2228 | 70 |
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN4 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| MODEL | DESCRIPTION | CODE | LFT |
|--|---|------------|------|
| PEN5 | Wardrobe with drawer: | | |
| | - 2 doors with handle; | 243084PEN5 | 2071 |
| B A | - 1 safety garment rail under | 243084PEN5 | 2266 |
| | adjustable shelf; | 244284PEN5 | 2458 |
| | - 1 drawer with handle; - 2 air vents. | | 2400 |
| | - 2 air vents. | | |
| | | | |
| | | | |
| | | | |
| | | | |
| DENG | Wardrobe cabinet with drawer: | АВС | |
| PEN6 | - 2 doors with handle; | 243084PEN6 | 2390 |
| | - 1 safety garment rail under | 243084PEN6 | 2590 |
| | adjustable shelf; | | |
| | - 1 central division; | 244284PEN6 | 2801 |
| | - 5 adjustable shelves; | | |
| | - 1 drawer with handle; | | |
| Ĭ IIII | - 2 air vents. | | |
| | | | |
| | | | |
| | | | |
| | | | |
| See pages D-2 and D-3 for series materials | finishes and manufacturing standard | - | |

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



| | Additional adjustable shalf with supports included | PEN5 | SH2228 | 70 |
|---------------------|--|------|--------|-----|
| | Additional adjustable shelf with supports included | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN6 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| MODEL | DESCRIPTION | CODE | |
|---|---|------------|------|
| MODEL | DESCRIPTION | CODE | LFT |
| PEN7 | Wardrobe with drawers: | ABC | |
| B | - 2 doors with handle; | 243084PEN7 | 2229 |
| | 1 safety garment rail under | 243684PEN7 | 2428 |
| | adjustable shelf; - 2 drawers with handle; - 2 air vents. | 244284PEN7 | 2623 |
| PEN8 | Wardrobe cabinet with drawers: | ABC | |
| | 2 doors with handle; | 243084PEN8 | 2501 |
| | 1 safety garment rail under | 243684PEN8 | 2709 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents. | 244284PEN8 | 2914 |
| See pages D-2 and D-3 for series materials, | finishes and manufacturing standard | d | |


HOW TO ORDER?



|--|

| | Additional adjustable shelf with supports included | PEN7 | SH2228 | 70 |
|---------------------|--|------|--------|-----|
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN8 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| MODEL | DESCRIPTION | CODE | LFT |
|---|---|---------------------------------------|------|
| PEN9 | Wardrobe cabinet: | ABC | |
| | 1 door with handle; | 244272PEN9R | 2410 |
| | 1 safety garment rail under | 244272PEN9L | 2410 |
| | adjustable shelf; | 244872PEN9R | 2539 |
| | 1 open space with | 244872PEN9L | 2539 |
| | 2 adjustable shelves; | | |
| | - 3 drawers with handle; | | |
| | - 2 air vents. | | |
| | | | |
| | "R" right side wardrobe "L" left side wardrobe | | |
| | | | |
| | | | |
| | | | |
| PEN10 | Wardrobe cabinet: | ABC | |
| × | - 1 door with handle; | 244272PEN10R | 2853 |
| | - 1 safety garment rail under | 244272PEN10L | 2853 |
| | adjustable shelf; | 244872PEN10R | 2982 |
| | - 1 cabinet with 2 doors, handle | 244872PEN10L | 2982 |
| | and 2 adjustable shelves; | | |
| | 3 drawers with handle; | | |
| | - 2 air vents. | | |
| | "R" right side wardrobe | | |
| | "L" left side wardrobe | | |
| | | | |
| | | | |
| | | | |
| See pages D-2 and D-3 for series materials, | finishes and manufacturing standard | ـــــــــــــــــــــــــــــــــــــ | |
| · • | J | | |



| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

TRADITIONAL SERIES - LFT Headboards and Footboards

| MODEL | | DESCRIPTION | CODE | LFT |
|-------|-------|-----------------------|---------------------|-----|
| TLRT | B | Rectangular headboard | A B 3442TLRT | 164 |
| PLRT | B | Rectangular footboard | A B 2742PLRT | 130 |
| TLCX | C A B | Curved headboard | A B C 343742TLCX | 178 |
| PLCX | | Curved footboard | A B C 273042PLCX | 144 |

See pages D-2 and D-3 for series materials, finishes and manufacturing standard

| TLRT |
|------------|
| PLRT |
| TLCX |
| (ABC) PLCX |
| CODE |
| |
| |

SHAKER SERIES PATIENT ROOM FURNITURE



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




TOPS

Tops of Shaker series have bevelled edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Shaker series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



BASE


The sides of furniture items in the Classic series go right to the ground and are equipped with height adjustable, non-marking glides. The front features a bevelled kick plate in seamless thermofoil 3/4" MDF panel.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

SHAKER SERIES - LFS Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

HANDLE

The standard handle for the Shaker series is the H160, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




SPILL-GUARD EDGE

Tops of Shaker bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.



ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.

LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the kick plate and adjust the unit to the desired height.


Logilife

SHAKER SERIES - LFS

Beside Cabinets

| MODEL | | DESCRIPTION | CODE | LFS |
|-------------|----------------------------------|--|---|--------------------------|
| TC1 | | Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent. | A B C 201832TC1 241832TC1 | 587 614 |
| TC2 | | Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent. <i>"R" right side hinges</i> | A B C 201832TC2R 201832TC2L 241832TC2R 241832TC2L | 722 722 749 749 |
| ТСЗ | | "L" left side hinges Bedside cabinet: - 3 drawers with handle; - 1 air vent. Height of the first drawer different from the bottom drawers | A B C 201832TC3 241832TC3 | 855 885 |
| TC4 | | Bedside cabinet: - 4 drawers with handle; - 1 air vent. | A B C 201832TC4 241832TC4 | 1049 1084 |
| See pages I | E-2 and E-3 for series materials | , finishes and manufacturing standard | | |

HOW TO ORDER?



| Locking casters | | | |
|----------------------|---|----|------------------|
| | Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the kick plate and adjust the unit to the desired height. | WF | 55 / set of 4 |
| Spill-Guard Edge | | | |
| | Spill-guard edge surface on bedside cabinet tops | SG | 21 |
| Plastic Drawer Liner | | | |
| | White plastic drawer liner / For top drawer only | BP | 85 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

SHAKER SERIES - LFS Dressers

| MODEL | | DESCRIPTION | CODE | LFS |
|--------|----------------|--|------------|------|
| COM2 | | Dresser: | ABC | |
| | _BA | 2 drawers with handle; | 203032COM2 | 963 |
| | | - 1 air vent. | 203632COM2 | 1041 |
| | | | 243032COM2 | 1001 |
| | | | 243632COM2 | 1086 |
| | | | | |
| COM3 | | Dresser: | ABC | |
| | B A | 3 drawers with handle; | 203032COM3 | 1066 |
| | | - 1 air vent. | 203632COM3 | 1148 |
| | | | 243032COM3 | 1109 |
| | | | 243632COM3 | 1198 |
| | | | | |
| COM4 | | Dresser: | ABC | |
| | B | - 4 drawers with handle; | 203044COM4 | 1406 |
| | | - 1 air vent. | 203644COM4 | 1519 |
| | | | 243044COM4 | 1461 |
| | | | 243644COM4 | 1581 |
| | | | | |
| COM6 | | Dresser: | АВС | |
| 001110 | | - 6 drawers with handle; | 204832COM6 | 1937 |
| | B ⁻ | - 2 air vents. | 244832COM6 | 2010 |
| | | | | |

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

| | COM2 COM3 COM4 | H160 (Std) See section: | |
|---------------|----------------------|----------------------------|------------------|
| LFS | (ABC) COM6 | Accessories | DECR |
| SERIES Shaker | CODE | HANDLE | ANTI-TIPPING KIT |

| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

SHAKER SERIES - LFS Hutches

| MODEL | DESCRIPTION | CODE | LFS |
|-------|--|---------------------------------|------------|
| HL28 | Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HL28 1636HL28 | 767 822 |
| HLA40 | Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA40 1636HLA40 | 848 905 |
| HLA52 | Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space erials, finishes and manufacturing standard | A B C 1630HLA52 1636HLA52 | 923 987 |

HOW TO ORDER?

| LFS | HL28 HLA40 (A B) HLA52 | | H160 (Std) See section: Accessories | DECR | SH |
|------------------|---------------------------------------|---|---|----------------------|----------------------------|
| | (AB) HLAJZ | | ACCESSOITES | DLCK | 211 |
| SERIES Shaker | CODE | → | HANDLE | ANTI-TIPPING KIT | OPTION Additional Shelf |

OPTIONS

| Additional Shelf | | | | |
|---------------------|--|-------|--------|--------|
| | Additional adjustable shelf with supports included | 30" W | SH1428 | 45 |
| | | 36" W | SH1434 | 55 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches. | | DECR | 45 ea. |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

Logilife

| MODEL PEN1 | DESCRIPTION Wardrobe: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges | CODE A B C 242072PEN1R 242072PEN1L | LFS 1373 1373 |
|---------------|---|---|---------------------|
| PEN2 | Wardrobe with drawer: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 1 air vent. "R" right side hinges "L" left side hinges | A B C 242084PEN2R 242084PEN2L | 1700 1700 |

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| | PEN1R PEN1L PEN2R (A B C) PEN2L | ▶ | H160 (Std) See section: Accessories | -▶ | DECR | SH |
|--------|--|---|---|----|------------------|------------------|
| SERIES | CODE | | HANDLE | | OPTION | OPTION |
| Shaker | | | | | Anti-Tipping Kit | Additional Shelf |

 OPTIONS

 Additional Shelf

 Additional adjustable shelf with supports included
 SH2218

 Anti-Tipping Kit

 Anti-Tipping Kit

 DECR

 Handle

 For handle other than the H160 standard, please see page K-2 / No charge

 Customized Products

 For further information about customized products, see page K-3

| MODEL | DESCRIPTION | CODE | LFS |
|--|---|------------|------|
| PEN3 | Wardrobe: | ABC | |
| | - 2 doors with handle; | 243072PEN3 | 1781 |
| | - 1 safety garment rail under | 243672PEN3 | 1969 |
| | adjustable shelf; - 2 air vents. | 244272PEN3 | 2156 |
| PEN4 | Wardrobe cabinet: | ABC | |
| | - 2 doors with handle; | 243072PEN4 | 2078 |
| | - 1 safety garment rail under | 243672PEN4 | 2276 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents. | 244272PEN4 | 2471 |
| See pages E 2 and E 2 for series materials | finishes and menufacturing standard | | |

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS Additional Shelf

| | Additional adjustable shelf with supports included | PEN3 | SH2228 | 70 |
|---------------------|--|------|--------|-----|
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN4 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| landle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

| DESCRIPTION | CODE | LFS |
|--|--|--|
| Wardrobe with drawer: | ABC | |
| 2 doors with handle; | 243084PEN5 | 2196 |
| 1 safety garment rail under | 243684PEN5 | 2415 |
| adjustable shelf; - 1 drawer with handle; - 2 air vents. | 244284PEN5 | 2632 |
| Wardrobe cabinet with drawer: | ABC | |
| | | 2513 |
| - 1 safety garment rail under | | 2746 |
| adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents. | 244284PEN6 | 2975 |
| | Wardrobe with drawer: 2 doors with handle; 1 safety garment rail under adjustable shelf; 1 drawer with handle; 2 air vents. Wardrobe cabinet with drawer: 2 doors with handle; 1 safety garment rail under adjustable shelf; 1 central division; 5 adjustable shelves; 1 drawer with handle; | Wardrobe with drawer: A B C - 2 doors with handle; 243084PEN5 - 1 safety garment rail under adjustable shelf; 243684PEN5 - 1 drawer with handle; 243684PEN5 - 2 air vents. 244284PEN5 Wardrobe cabinet with drawer: - 2 air vents. - 2 doors with handle; - 4 B C - 2 doors with handle; - 4 B C - 1 safety garment rail under adjustable shelf; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 1 drawer with handle; |

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



| Additional | Shelf |
|------------|-------|
| | |

| | Additional adjustable shelf with supports included | PEN5 | SH2228 | 70 |
|--------------------|--|------|--------|-----|
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN6 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| landle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| ustomized Products | For further information about customized products, see page K-3 | | | |

| MODEL | DESCRIPTION | CODE | LFS |
|-------|---|------------|------|
| PEN7 | Wardrobe with drawers: | ABC | |
| .B A | 2 doors with handle; | 243084PEN7 | 2354 |
| | - 1 safety garment rail under | 243684PEN7 | 2578 |
| | adjustable shelf; - 2 drawers with handle; - 2 air vents. | 244284PEN7 | 2799 |
| PEN8 | Wardrobe cabinet with drawers: | ABC | |
| A | - 2 doors with handle; | 243084PEN8 | 2625 |
| | - 1 safety garment rail under | 243684PEN8 | 2858 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents. | 244284PEN8 | 3089 |
| | | | |

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Additional Shelf

| | Additional adjustable shelf with supports included | PEN7 | SH2228 | 70 |
|--------------------|--|------|--------|-----|
| | Additional adjustable shell with supports included | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN8 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| andle | For handle other than the H160 standard, please see page K-2 / No charge | | | |
| ustomized Products | For further information about customized products, see page K-3 | | | |

| MODEL PEN9 | DESCRIPTION Wardrobe cabinet: - 1 door with handle; | CODE A B C 244272PEN9R | LFS |
|---|---|---|------------------------------|
| | 1 safety garment rail under adjustable shelf; 1 open space with 2 adjustable shelves; 3 drawers with handle; 2 air vents. "R" right side wardrobe "L" left side wardrobe | 244272PEN9L 244872PEN9R 244872PEN9L | 2497 2635 2635 |
| PEN10 | Wardrobe cabinet: 1 door with handle; 1 safety garment rail under adjustable shelf; 1 cabinet with 2 doors, handle and 2 adjustable shelves; 3 drawers with handle; 2 air vents. "R" right side wardrobe "L" left side wardrobe | A B C 244272PEN10R 244272PEN10L 244872PEN10R 244872PEN10L | 3003 3003 3140 3140 |
| See pages E-2 and E-3 for series materials, | finishes and manufacturing standard | 1 | |

| _LFS SERIES Shaker | PEN9R PEN9L PEN10R (A B C) PEN10L CODE | – | H160 (Std) See section: Accessories HANDLE | → [,] | DECR OPTION Anti-Tipping Kit |
|--------------------------|--|---|---|----------------|------------------------------------|
| Shaker | | | | | Anti- ripping Kit |

| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H160 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

SHAKER SERIES - LFS Headboards and Footboards

| MODEL | | DESCRIPTION | CODE | LFS |
|-------|-------|-----------------------|---------------------|-----|
| TLRT | B | Rectangular headboard | A B 3442TLRT | 164 |
| PLRT | BAA | Rectangular footboard | A B 2742PLRT | 130 |
| TLCX | C A B | Curved headboard | A B C 343742TLCX | 178 |
| PLCX | C A B | Curved footboard | A B C 273042PLCX | 144 |

See pages E-2 and E-3 for series materials, finishes and manufacturing standard

| | TLRT PLRT |
|--------|--------------|
| | TLCX |
| LFS | (ABC) PLCX |
| SERIES | CODE |
| Shaker | |

ARTISAN SERIES PATIENT ROOM FURNITURE

ARTISAN SERIES - LFA Manufacturing Standard



FEATURES

CUSTOMIZED PRODUCTS


The models presented here are suggestions: they can all be modified according to your needs. In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. Please see page K-3 for more information and suggestions about custom manufacturing.

CONSTRUCTION

Furniture is built using mechanical cams, concealed by matching PVC screw caps. This type of assembly means that components or damaged parts may be replaced on site without having to replace or alter the entire unit.

Frames are made of 3/4" thermally fused laminate. Non-exposed edges are covered with a 0.5 mm PVC strip, while exposed edges are covered with a 2 mm strip. This type of thicker and heat-sealed edge increases the unit's durability while preventing infiltration of bacteria and moisture.

All bedside cabinets, dressers and wardrobe cabinets have air vents to ensure air circulation.




TOPS

Tops of Artisan series have bevelled edges. They are made of seamless thermofoil 3/4" MDF panel.

Top overhang is 3/8" on the sides and front of the unit.


To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.



DRAWERS AND CABINETS

Drawer interiors have 5/8" white thermally fused laminate bottoms and backs, with white metal sides. The unosbtructed tracks allow partial extension and easy cleaning.

Drawer fronts and doors in the Artisan series are made of seamless thermofoil 3/4" MDF panel. The backing of drawer fronts and doors is white.



LEGS


For an easier room maintenance, Artisan series is offered with 6" H wooden legs with height adjustable, non-marking glides.

DRESSERS

Unless otherwise specified when ordering, the dresser back is recessed 2 1/4" so that the unit can be placed against a wall with electrical outlets.

ARTISAN SERIES - LFA Manufacturing Standard

FEATURES - CONT'D



WARDROBES AND CABINETS

Adjustable shelves in wardrobes and cabinets are fixed to shelf supports in order to prevent tipping. For greater safety, wardrobes are equipped with a safety garment rail that will support a maximum weight of 75 pounds.

HANDLE

The standard handle for the Classic series is the H161, satin nickel finish. However, any Logilife handle may be chosen instead of this standard; simply specify the choice when placing the order. *Handles have been selected for their ergonomic characteristics.*

6 FINISHES OFFERED

5 wood grain finishes and 1 solid color are offered in the Logilife series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco
- W Polar White

Unless otherwise specified when ordering, all finishes are coordinated to ensure matching thermofoil panels, thermally fused laminates, wooden legs and PVC edges.

Fronts and doors can be of different colors to make it easier for visually impaired individuals to identify the units.


WOOD GRAIN

Wood grain is always vertical on cabinet doors, and horizontal on drawer fronts and the kick plate.

SAFETY


For greater safety, Logiflex recommends using anchoring systems like its anti-tipping kits to prevent units from tipping forward. Wall anchoring is recommended for wardrobes and is required for dressers and hutches.

OPTIONS




SPILL-GUARD EDGE

Tops of Artisan bedside cabinets can have a spill-guard edge in order to collect spilt liquids.




PLASTIC DRAWER LINER

The white plastic drawer liner is designed specifically for easy cleaning of the top drawer of bedside cabinets: it is removable, stands up to cleaning products, and has rounded corners. Its moulded handle makes it easy to take out and put back into the drawer.




ANTI-TIPPING KIT

The anti-tipping kit, made from steel and galvanized steel cable, prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches.



ADDITIONAL ADJUSTABLE SHELF

An additional adjustable shelf, with shelf supports included, may be ordered for hutches and wardrobes.



LOCKING CASTERS

4 locking, swivel polyurethane casters can be installed on bedside cabinets. Logiflex will then remove the legs and adjust the unit to the desired height.


Logilife

ARTISAN SERIES - LFA

Beside Cabinets

| MODEL | | DESCRIPTION | CODE | LFA |
|-------------|-----------------------------------|---|---|--------------------------|
| TC1 | | Bedside cabinet: - 1 drawer with handle; - 1 open section with 1 adjustable shelf; - 1 air vent. | A B C 201832TC1 241832TC1 | 696 723 |
| TC2 | | Bedside cabinet: - 1 drawer with handle; - 1 section with door and handle, and 1 adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges | A B C 201832TC2R 201832TC2L 241832TC2R 241832TC2R 241832TC2L | 831 831 858 858 |
| TC3 | | Bedside cabinet: - 3 drawers with handle; - 1 air vent. Height of the first drawer different from the bottom drawers | A B C 201832TC3 241832TC3 | 964 994 |
| TC4 | | Bedside cabinet: - 4 drawers with handle; - 1 air vent. | A B C 201832TC4 241832TC4 | 1167 1202 |
| See pages I | F-2 and F-3 for series materials, | finishes and manufacturing standard | | |

HOW TO ORDER?



| Locking casters | | | |
|----------------------|---|----|-----|
| S | Locking, swivel polyurethane casters 4 casters per unit. Logiflex will then remove the legs and adjust the unit to the desired height. | WF | N/C |
| Spill-Guard Edge | | | |
| | Spill-guard edge surface on bedside cabinet tops | SG | 21 |
| Plastic Drawer Liner | | | |
| $\langle \rangle$ | White plastic drawer liner / For top drawer only | BP | 85 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

ARTISAN SERIES - LFA Dressers

| MODEL | | DESCRIPTION | CODE | LFA |
|--------|---------------------------|--|------------|------|
| COM2 | | Dresser: | ABC | |
| | [−] ^B | - 2 drawers with handle; | 203032COM2 | 1075 |
| | | - 1 air vent. | 203632COM2 | 1149 |
| | | | 243032COM2 | 1114 |
| | | | 243632COM2 | 1195 |
| | | | | |
| COM3 | | Dresser: | ABC | |
| | B A | 3 drawers with handle; | 203032COM3 | 1175 |
| | | - 1 air vent. | 203632COM3 | 1254 |
| | | | 243032COM3 | 1218 |
| | | | 243632COM3 | 1304 |
| | | | | |
| COM4 | | Dresser: | ABC | |
| | B | - 4 drawers with handle; | 203044COM4 | 1523 |
| | | - 1 air vent. | 203644COM4 | 1633 |
| | | | 243044COM4 | 1577 |
| | | | 243644COM4 | 1694 |
| | | | | |
| COM6 | | Dresser: | ABC | |
| 001110 | A | - 6 drawers with handle; | 204832COM6 | 2051 |
| | B | - 2 air vents. | 244832COM6 | 2123 |
| | | | | |

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

| | COM2 COM3 COM4 | H161 (Std) See section: | | | |
|----------------|----------------------|----------------------------|---|------------------|--|
| LFA | (ABC) COM6 | Accessories | | DECR | |
| SERIES Artisan | CODE | HANDLE | → | ANTI-TIPPING KIT | |

| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

ARTISAN SERIES - LFA Hutches

| MODEL | DESCRIPTION | CODE | LFA |
|---|---|---------------------------------|------------|
| HL28 | Hutch: - 2 doors with handle; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HL28 1636HL28 | 767 822 |
| HLA40 | Hutch: - 2 doors with handle; - 1 adjustable shelf; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA40 1636HLA40 | 848 905 |
| HLA52 | Hutch: - 2 doors with handle; - 2 adjustable shelves; - 1 black flexible grommet at the bottom of the back. 13" H inside space | A B C 1630HLA52 1636HLA52 | 923 987 |
| See pages F-2 and F-3 for series materials, | finishes and manufacturing standard | | |

HOW TO ORDER?

| | HL28 HLA40 | H161 (Std) See section: | | |
|---------|----------------------|----------------------------|----------------------|------------------|
| LFA | (A B) HLA52 | Accessories | DECR | SH |
| SERIES | CODE | HANDLE | ANTI-TIPPING KIT | OPTION |
| Artisan | | | | Additional Shelf |

| Additional Shelf | | | | |
|---------------------|--|-------|--------|--------|
| | Additional adjustable shelf with supports included | 30" W | SH1428 | 45 |
| | | 36" W | SH1434 | 55 |
| Anti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable. Two kits are required for hutches. | | DECR | 45 ea. |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| Customized Products | For further information about customized products, see page K-3 | | | |

DESCRIPTION CODE MODEL LFA PEN1 Wardrobe: ABC 242072PEN1R 1521 - 1 door with handle; - 1 safety garment rail under 242072PEN1L 1521 adjustable shelf; - 1 air vent. "R" right side hinges "L" left side hinges PEN2 Wardrobe with drawer: ABC - 1 door with handle; 242084PEN2R 1848 - 1 safety garment rail under 242084PEN2L 1848 adjustable shelf; - 1 drawer with handle; - 1 air vent. "R" right side hinges "L" left side hinges

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

| LFA SERIES – | PEN1R PEN1L PEN2R (A B C) PEN2L | − | H161 (Std) See section: Accessories | → | | SH . |
|-------------------|--|---|---|---|----------------------------|----------------------------|
| SERIES Artisan | CODE | | HANDLE | | OPTION Anti-Tipping Kit | OPTION Additional Shelf |
| | | | | | | |

| Additional adjustable shelf with supports included | SH2218 | 45 |
|--|---|--|
| | | |
| Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| For handle other than the H161 standard, please see page K-2 / No charge | | |
| For further information about customized products, see page K-3 | | |
| / | Anti-tipping kit made from steel and galvanized steel cable For handle other than the H161 standard, please see page K-2 / No charge | Anti-tipping kit made from steel and galvanized steel cable DECR For handle other than the H161 standard, please see page K-2 / No charge |

| MODEL | DESCRIPTION | CODE | LFA |
|-------|---|------------|------|
| PEN3 | Wardrobe: | ABC | |
| B | 2 doors with handle; | 243072PEN3 | 1921 |
| | 1 safety garment rail under | 243672PEN3 | 2106 |
| | adjustable shelf; - 2 air vents. | 244272PEN3 | 2288 |
| PEN4 | Wardrobe cabinet: | ABC | |
| B | - 2 doors with handle; | 243072PEN4 | 2219 |
| | - 1 safety garment rail under | 243672PEN4 | 2412 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 air vents. | 244272PEN4 | 2603 |

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| | PEN3 (A B C) PFN4 | H161 (Std) See section: | | DECD | | CLI |
|---------|-------------------------------|----------------------------|---|------------------|-----|------------------|
| LFA | (ADC) PEN4 | Accessories | | DECR | | SH |
| SERIES | CODE | HANDLE | ₽ | OPTION | ••• | OPTION |
| Artisan | | | | Anti-Tipping Kit | | Additional Shelf |

OPTIONS Additional Shelf

| \sim | | | | |
|--------------------|--|------|--------|-----|
| | Additional adjustable shelf with supports included | PEN3 | SH2228 | 70 |
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN4 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| | | | | |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| landle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| ustomized Products | For further information about customized products, see page K-3 | | | |

| MODEL PEN5 C | DESCRIPTION Wardrobe with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 drawer with handle; - 2 air vents. | CODE A B C 243084PEN5 243684PEN5 244284PEN5 | LFA 2336 2551 2763 |
|--------------------|--|---|-----------------------------|
| PEN6 | Wardrobe cabinet with drawer: - 2 doors with handle; - 1 safety garment rail under adjustable shelf; - 1 central division; - 5 adjustable shelves; - 1 drawer with handle; - 2 air vents. | A B C 243084PEN6 243684PEN6 244284PEN6 | 2654 2882 3106 |

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

| Additional | Shelf |
|------------|-------|
| | |

| | Additional adjustable shelf with supports included | PEN5 | SH2228 | 70 |
|--------------------|--|------|--------|-----|
| \checkmark | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN6 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| landle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| ustomized Products | For further information about customized products, see page K-3 | | | |

Logilife

ARTISAN SERIES - LFA



| MODEL | DESCRIPTION | CODE | LFA |
|---|---|------------|------|
| PEN7 | Wardrobe with drawers: | | |
| | - 2 doors with handle; | 243084PEN7 | 2495 |
| | - 1 safety garment rail under | 243684PEN7 | 2714 |
| | adjustable shelf; - 2 drawers with handle; - 2 air vents. | 244284PEN7 | 2930 |
| PEN8 | Wardrobe cabinet with drawers: | ABC | |
| | - 2 doors with handle; | 243084PEN8 | 2767 |
| | - 1 safety garment rail under | 243684PEN8 | 2995 |
| | adjustable shelf; - 1 central division; - 4 adjustable shelves; - 2 drawers with handle; - 2 air vents. | 244284PEN8 | 3221 |
| See pages F-2 and F-3 for series materials, | finishes and manufacturing standard | 1 | |

HOW TO ORDER?



| Additional | Shelf |
|------------|-------|
| | |

| | Additional adjustable shelf with supports included | PEN7 | SH2228 | 70 |
|--------------------|--|------|--------|-----|
| | | | SH2234 | 85 |
| | | | SH2240 | 101 |
| | | PEN8 | SH2213 | 33 |
| | | | SH2217 | 43 |
| | | | SH2220 | 50 |
| nti-Tipping Kit | | | | |
| | Anti-tipping kit made from steel and galvanized steel cable | | DECR | 45 |
| landle | For handle other than the H161 standard, please see page K-2 / No charge | | | |
| ustomized Products | For further information about customized products, see page K-3 | | | |

| MODEL PEN9 | DESCRIPTION Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 open space with 2 adjustable shelves; - 3 drawers with handle; - 2 air vents. "R" right side wardrobe "L" left side wardrobe | CODE <u>A B C</u> 244272PEN9R 244272PEN9L 244872PEN9R 244872PEN9L | LFA 2629 2629 2762 2762 |
|---------------|--|--|-------------------------------------|
| PEN10 | Wardrobe cabinet: - 1 door with handle; - 1 safety garment rail under adjustable shelf; - 1 cabinet with 2 doors, handle and 2 adjustable shelves; | A B C 244272PEN10R 244272PEN10L 244872PEN10R 244872PEN10L | 3135 3135 3268 3268 |

- 3 drawers with handle;

"R" right side wardrobe "L" left side wardrobe

- 2 air vents.

See pages F-2 and F-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| LFA | PEN9R PEN9L PEN10R (A B C) PEN10L | H161 (Std) See section: Accessories | | DECR |
|----------------|--|---|---|----------------------------|
| SERIES Artisan | CODE | HANDLE | → | OPTION Anti-Tipping Kit |

| OPTIONS Anti-Tipping Kit | | | |
|-----------------------------|--|------|----|
| | Anti-tipping kit made from steel and galvanized steel cable | DECR | 45 |
| Handle | For handle other than the H161 standard, please see page K-2 / No charge | | |
| Customized Products | For further information about customized products, see page K-3 | | |

ARTISAN SERIES - LFA Headboards and Footboards

| MODEL | | DESCRIPTION | CODE | LFA |
|-------|-------|-----------------------|---------------------|-----|
| TLRT | B | Rectangular headboard | A B 3442TLRT | 164 |
| PLRT | BAA | Rectangular footboard | A B 2742PLRT | 130 |
| TLCX | C A B | Curved headboard | A B C 343742TLCX | 178 |
| PLCX | C A B | Curved footboard | A B C 273042PLCX | 144 |

See pages F-2 and F-3 for series materials, finishes and manufacturing standard




TABLE SERIES FLEX, ALL-PURPOSE & OCCASIONAL TABLES



FEATURES

TOPS

All Logilife Tables, exception of Flex tables, are made of 3/4" thermally fused laminate or high pressure laminate tops with 2mm heatsealed PVC edges.



FLEX TABLES

Flex tables offer independent height adjustment of each surface. Surfaces, which are made of 1" high pressure laminates, are adjustable from 27" to 37". Bases are designed to allow maximum clearance to facilitate medical assistant duties. Tables are equipped with height adjustable glides.

TABLES WITH HEIGHT ADJUSTABLE MECHANISM

Tables provided with a pneumatic mechanism base can be adjust in height from 28" to 36".

LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

WOODGRAINS AND COLORS

| 5 wood grain colors and 1 solid color are offered in the Logilife series: | | | | | |
|---|-------------------|----|---------------|----|-------------|
| BC | Brown Cherry | DR | Driftwood | ТО | Tobacco |
| CC | Classic Chocolate | EC | Classic Maple | W | Polar White |

CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be modified according to your needs. *Please see page K-3 for more information and suggestions about custom manufacturing.*

OPTIONS



FLIP-TOP MECHANISM | TABLES WITH BPX BASES Tables with pneumatic mechanism can be ordered with a flip-top mechanism to reduce the storage footprint.



LAZY SUSAN | FLEX TABLES Flex tables can receive a central swivel circular tray.



STRAIGHT FRONT | FLEX TABLES Flex table surfaces may be straight instead of curved.




SLIDING ACTION | FLEX TABLES Each top of Flex tables can be provided with independent mechanism for adjustabily in depth in order to move tops forward. 1 mechanism per top is needed.

TABLES SERIES - LFAll-purpose Tables

| MODEL | DESCRIPTION | CODE | LF | LFL |
|---------------------------------|---|---------------------|------------|-----|
| TCAIFNSN | All-purpose table: | A | tfl | hpl |
| A | - square surface with rounded | 36TCAIFNSN | 475 | 629 |
| $\langle \rangle$ | corners; | 42TCAIFNSN | 505 | 693 |
| 29" | - 2-1/2" metal tubular legs, satin nickel finish. | | | |
| TAIFNSN | All-purpose table: | A B | tfl | hpl |
| \sim | - rectangular surface with | 2430TAIFNSN | 442 | 583 |
| B A | rounded corners; | 3036TAIFNSN | 442 | 607 |
| \sim | - 2-1/2" metal tubular legs, satin | 3648TAIFNSN | 403 505 | 649 |
| 29" | nickel finish. | 3654TAIFNSN | 505 | 673 |
| | | 3034TAIFINSIN | 527 | 073 |
| | | | | |
| TRIFNSN | All-purpose table: | A | | |
| | - circular surface; | 36TRIFNSN | 475 | 629 |
| A | - 2-1/2" metal tubular legs, satin | 42TRIFNSN | 505 | 693 |
| \leq () | nickel finish. | | 000 | |
| 29" | | | | |
| TCAOVASN | All-purpose table: | A | | |
| | - square surface with rounded corners; | 36TCAOVASN | 703 | 893 |
| | | 42TCAOVASN | 733 | 957 |
| 29" | - metal oval legs, satin nickel finish. | | | |
| TAOVASN | All-purpose table: | АВ | tfl | hpl |
| B | - rectangular surface with | 2430TAOVASN | 680 | 833 |
| | rounded corners; | 3036TAOVASN | 757 | 914 |
| | metal oval legs, satin nickel | 3648TAOVASN | 773 | 930 |
| 29'' | finish. | 3654TAOVASN | 795 | 953 |
| | | | | |
| TROVASN | All-purpose table: | A | | |
| A | - circular surface; | 36TROVASN | 703 | 893 |
| | metal oval legs, satin nickel | 42TROVASN | 733 | 957 |
| | finish. | | | |
| 29" | | | | |
| See pages G-2 and G-3 for serie | s materials, finishes and manufactu | I Iring standard | | |


See pages G-2 and G-3 for series materials, finishes and manufacturing standard HOW TO ORDER?



TABLES SERIES - LFAll-purpose Tables

| MODEL | DESCRIPTION | CODE | LF | LFL |
|---------------|--|-----------------|-----|------|
| TCASTA4 | All-purpose table: | A | tfl | hpl |
| 29" 24-30 | Square surface with rounded corners; 1-1/2" metal tubular base. | 24TCASTA424SN29 | 633 | 730 |
| TRSTA4 | All-purpose table: | A | tfl | hpl |
| 29" 24-30 | - Circular surface; - 1-1/2" metal tubular base. | 24TRSTA424SN29 | 619 | 715 |
| TASTA2 | All-purpose table: | АВ | tfl | hpl |
| \rightarrow | - Rectangular surface with | 2436TASTA224SN | 835 | 974 |
| B | rounded corners; | 2442TASTA224SN | 843 | 999 |
| | - 1-1/2" metal tubular legs. | 2448TASTA224SN | 849 | 1021 |
| K | Black support bar (BST) included for tables 60" long | 2454TASTA224SN | 855 | 1044 |
| 29" 24-30 | | 2460TASTA224SN | 926 | 1134 |

See pages G-2 and G-3 for series materials, finishes and manufacturing standard HOW TO ORDER?



TABLES SERIES - LFAll-purpose Tables

| MODEL | DESCRIPTION | CODE | LF | LFL |
|--------------|---|------------|------|------|
| TCABPXSN | All-purpose tables: | A | tfl | hpl |
| \sim | - Square surface with rounded | 38TCABPXSN | 1327 | 1512 |
| A | corners; | 42TCABPXSN | 1361 | 1577 |
| 28"-36" | - metal tubular base with pneumatic mechanism. | | | |
| | Adjustable height from 28" to 36" | | | |
| TRBPXSN | All-purpose tables: | A | | |
| \sim | - Circular surface; | 38TRBPXSN | 1332 | 1517 |
| A | - metal tubular base with | 42TRBPXSN | 1366 | 1582 |
| \mathbf{K} | pneumatic mechanism. | | | |
| 28"-36" | Adjustable height from 28" to 36" | | | |
| ARCBPXSN | All-purpose tables: | A | | _ |
| 28" - 36" | Square surface with concave corners; metal tubular base with pneumatic mechanism. Adjustable height from 28" to 36" | 42ARCBPXSN | 1422 | 1642 |
| | | | | |

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



OPTIONS

Flip-top Addition of a flip-top mechanism mechanism

TABLES SERIES - LF Flex Tables

| RIPTION | CODE | LFL |
|------------------------|--|---|
| djustable table: | | hpl |
| | | Price on demand |
| | FLEX2BL | Price on demand |
| ibles in height. | | |
| djustable table: | | |
| parate curved tops; | FLEX4TSN | Price on demand |
| | FLEX4TBL | Price on demand |
| bio in rogin. | | |
| djustable cross table: | | |
| | - | Price on demand |
| | FLEX4XBL | Price on demand |
| idies in neight. | | |
| | djustable table: parate curved tops; pendent mechanismes bles in height. djustable table: parate curved tops; pendent mechanismes bles in height. | djustable table: pendent mechanismes bles in height. djustable table: parate curved tops; pendent mechanismes bles in height. djustable table: parate curved tops; pendent mechanismes bles in height. djustable cross table: parate curved tops; FLEX4TSN FLEX4TBL djustable cross table: parate curved tops; pendent mechanismes bles in height. djustable cross table: parate curved tops; FLEX4XSN FLEX4XSN FLEX4XSN FLEX4XSN FLEX4XSN FLEX4XSN |

| | Overall Width | Overall Depth | Height Min. | Height Max. | Surfaces Width | Surfaces Depth | ø Lazy susan |
|--------|------------------|------------------|----------------|----------------|-------------------|-------------------|-----------------|
| FLEX2 | 26 | 48,75 | 27 | 37 | 26 | 24 | 12 |
| FLEX4T | 52,75 | 48,75 | 27 | 37 | 26 | 24 | 14 |
| FLEX4X | 49,75 | 49,75 | 27 | 37 | 24,5 | 24,5 | 14 |

See pages G-2 and G-3 for series materials, finishes and manufacturing standard HOW TO ORDER?

| | FLEX2 | | | | | | | |
|--------|--------|-----------|--------------|-----|-----------------|------------|---|----------------|
| | FLEX4T | | SN (std) | | | PC12 | | |
| LF_ | FLEX4X | | BL | | ST | PC14 | | AP |
| SERIES | CODES | - • ··· - | METAL FINISH | P ' | OPTION | OPTION | • | OPTION |
| Tables | | | Color | | Straight Fronts | Lazy Susan | | Sliding Action |

OPTIONS

| Lazy susan | Central swivel circular tray | PC12 | Price on demand |
|----------------|--|------|-----------------|
| | | PC14 | |
| Straight front | Straight front | ST | N/C |
| Sliding action | Each top can be provided with independent mechanism for adjustabily in depth | AP | Price on demand |
| | 1 mechanism per top is needed | | |


TABLES SERIES - LF Occasional Tables

| MODEL | DESCRIPTION | CODE | | LFW | LFWL |
|--|--|----------------|----------|-----|------|
| TCWL | Side table: | А | В | tfl | hpl |
| A | square surface; | 20TCWL2 | 22 | 491 | 581 |
| | - wooden apron and 2-1/4" x 2- | 24TCWL2 | 22 | 507 | 623 |
| | 1/4" taper legs. | | | | |
| | | | | | |
| U | | | | | |
| TWL | Side table: | | С | | |
| | - rectangular surface; | 1620TWL | | 483 | 553 |
| | - wooden apron and 2-1/4" x 2- | 2024TWL | .22 | 499 | 592 |
| | 1/4" taper legs. | | | | |
| < U U | | | | | |
| Ų | | | _ | | |
| TRWL | Side table: | | В | | |
| \prec | - circular surface; | 24TRWL2 | 22 | 597 | 711 |
| в | - wooden apron and 2-1/4" x 2- 1/4" taper legs. | | | | |
| | 1/4 tapel legs. | | | | |
| V III V | | | | | |
| | Coffee table: | A | В | | |
| | - circular surface; | A 24TRWL1 | | 573 | 685 |
| A | - wooden apron and 2-1/4" x 2- | 30TRWL1 | | 614 | 774 |
| В | 1/4" taper legs. | 36TRWL | | 644 | 864 |
| | | CONTRACE | | 011 | 004 |
| Ĵ U Ĵ | | | | | |
| TWL | Coffee table: | АВ | С | | _ |
| | rectangular surface; | 2436TWL | .16 | 528 | 688 |
| B | - wooden apron and 2-1/4" x 2- | 2448TWL | .16 | 562 | 764 |
| | 1/4" taper legs. | | | | |
| c l | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ELWL | Coffee table: | AB | С | | |
| B | - elliptical surface; | 2436ELW | | 612 | 768 |
| | - wooden apron and 2-1/4" x 2- 1/4" taper legs. | 2448ELW | ′L16 | 646 | 844 |
| | 1/4 taper legs. | | | | |
| < TT · | | | | | |
| \bigcup | | | | | |
| TWL | Sofa table: | A B | C | | |
| | Sofa table: - rectangular surface; | A B 1436TWL | <u>C</u> | 544 | 645 |
| В | - wooden apron and 2-1/4" x 2- | 14301WL | | 573 | 698 |
| | 1/4" taper legs. | 1460TWL | | 592 | 744 |
| | | | | 002 | |
| ŭ li | | | | | |
| × U | | | | | |
| Ψ | | | | | |
| See pages G-2 and G-3 for series | matorials, finishes and manufactu | ring stands | ard | | |

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

OR




TABLES SERIES - LF Occasional Tables

| MODEL | DESCRIPTION | CODE | LFW | LFWL |
|--------------|---|-------------|-----|------|
| TCWLG | Side table: | A B | tfl | hpl |
| A | square surface; | 20TCWLG22 | 564 | 651 |
| B | - wooden apron and 2-1/4" x 2- 1/4" curved legs. | 24TCWLG22 | 581 | 693 |
| TWLG > < | Side table: | A B C | | |
| BA | - rectangular surface; | 1620TWLG22 | 557 | 630 |
| | - wooden apron and 2-1/4" x 2- | 2024TWLG22 | 573 | 671 |
| | 1/4" curved legs. | | | |
| TRWLG 🔪 | Side table: | A B | | |
| A | circular surface; | 24TRWLG22 | 664 | 781 |
| B | - wooden apron and 2-1/4" x 2- 1/4" curved legs. | | | |
| | | | | |
| Ū | | | | |
| TRWLG | Coffee table: | A B | | |
| A | - circular surface; | 24TRWLG16 | 615 | 729 |
| \mathbf{K} | - wooden apron and 2-1/4" x 2- | 30TRWLG16 | 656 | 819 |
| B | 1/4" curved legs. | 36TRWLG16 | 686 | 908 |
| | | | | |
| TWLG >> < | Coffee table: | AB C | | |
| B A | rectangular surface; | 2436TWLG16 | 571 | 725 |
| | - wooden apron and 2-1/4" x 2- | 2448TWLG16 | 605 | 801 |
| | 1/4" curved legs. | | | |
| Ū | | | | |
| ELWLG | Coffee table: | | 054 | |
| B > | - elliptical surface; | 2436ELWLG16 | 654 | 813 |
| | - wooden apron and 2-1/4" x 2- 1/4" curved legs. | 2448ELWLG16 | 688 | 889 |
| c' | 1/4 curved legs. | | | |
| | | | | |
| TWLG | Sofa table: | АВС | | |
| A | - rectangular surface; | | 647 | 762 |
| В | - wooden apron and 2-1/4" x 2- | 1436TWLG30 | 647 | 752 |
| | 1/4" curved legs. | 1448TWLG30 | 675 | 805 |
| | | 1460TWLG30 | 695 | 852 |
| | s materials, finishes and manufactu | | | |

See pages G-2 and G-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



HOSTA SERIES WOODEN SEATS

HOSTA SERIES - LFH Manufacturing Standard



FEATURES



CONSTRUCTION | ARMCHAIRS*

The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.



EASY CLEANING

All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.



WALL SAVER

Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.



SAFE AND EASY INGRESS AND EGRESS

The extended and rounded wooden armrests of Hosta seats give the user optimal support for safe and easy ingress and egress.

FRAME | ARMCHAIRS*

The wooden frame is assembled with mortise and tenon construction for optimal strength. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

*Feature not available for the general purpose chair

HOSTA SERIES - LFH Manufacturing Standard

FEATURES - CONT'D

WEIGHT CAPACITY | BARIATRIC ARMCHAIRS Bariatric armchairs have a weight capacity of 750lbs.

CALIFORNIA TECHNICAL BULLETIN 117 The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

LIMITED LIFETIME WARRANTY

All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

WOODGRAINS

5 wood grain colors are offered in the Logilife series:

- BC Brown Cherry
- CC Classic Chocolate
- DR Driftwood
- EC Classic Maple
- TO Tobacco

UPHOLSTERY SPECIFICATION

Please see section A-4 for upholstery specification.

CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

OPTIONS

CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult page A-4 for more information.



POLYURETHANE ARM CAP

The optional arm cap increases durability for the armrests. It is replaceable if it becomes damaged.



REMOVABLE HEAD COVER

A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate cleaning.

HOSTA SERIES - LFH

Patient Armchairs

| | | | | | | | | СОМ | | | | | | | |
|------------------------|---|------------------|--|-----------------|----------------|---------------|--|-----------------------|-----------|------------------|------------|------------------|------|--|--|
| MODEL | | | DESC | RIPTION | N | | CODE | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | | |
| RES | | | Patient armchair: - fixed molded high back; - seat with springs; - wooden frame and armrests. | | | LFH RES | 837 | 895 | 967 | 1039 | 1111 | 1183 | | | |
| | | | | | | | For two-tone upholstery, please use the higher grade pricing | | | | | | | | |
| RESR Patient armchair: | | | | | | | | | | | | | | | |
| | - reclining molded high back; - seat with springs; - wooden frame and armrests. Angle of inclinaison ± 23° | | | LFH RESR | 959 | 1017 | 1089 | 1161 | 1233 | 1305 | | | | | |
| | | | | | | | For two-tone uph | olstery, pleas | e use the | higher gra | de pricing | | | | |
| DIMENSIONS | 5 & CON | 1 YARD | AGE | Width | | | | | | | | | | | |
| | Overall Width | Overall Depth | Overall Height | Between Arms | Seat Height | Seat Depth | Armrest Height | COM yard Seat & ba | | COM yard Seat | lage | COM yard Back | lage | | |
| LFH RES | 25 | 25 | 45,5 | 20,5 | 18 | 17 | 26 | 2 | | 1 | | 1,5 | | | |
| LFH RESR | 25 | 25 | 45,5 | 20,5 | 18 | 17 | 26 | 2 | | 1 | | 1,5 | | | |

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| LFH | RES RESR | UR | нт |
|--------|-------------|--------------|-----------|
| SERIES | CODE | OPTION | OPTION |
| Hosta | | Polyurethane | Slipcover |
| | | Arm Cap | |

| UPHOLSTERY: | MOMENTUM | ACE | CARBON | GR2 |
|-------------|------------|----------------|----------------|----------|
| | SUPPLIER | PATTERN | COLOR | GRADE |
| | Upholstery | Name or Number | Name or Number | Logiflex |

OPTIONS

| Removable | Removable slipcover for head area | COM | | | | | | | | | |
|----------------------|---|-----|-----|-----|-----|-----|-----|-----|--|--|--|
| head cover | | | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | | | |
| | | HT | 52 | 66 | 84 | 102 | 121 | 138 | | | |
| Polyurethane arm cap | Armrests top can be covered with a polyurethane cap | | | | | | UR | 87 | | | |
| Cal 133 | Application of a non-flammable lining compliant with California Technical Bulletin 133 See page A-4 | | | | | | | | | | |
| | (The non-flammable lining does not alone ensure the product certification) | | | | | | | | | | |

HOSTA SERIES - LFH Guest and Bariatric Armchairs

| | | | | | | | | | СОМ | | | | | | |
|--|--|-------------|------------------|--|--------------|---------------------|--|-------------------------------------|----------------|-----------|------------|------------|-----------|------|--|
| MODEL | | | DESC | RIPTION | ١ | | CODE | | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | |
| VIS1 | | | - mold - seat | armchair: ed middle with sprin en frame | gs; | nrests. | LFH VIS | 1 | 790 | 840 | 903 | 966 | 1030 | 1093 | |
| | | | | | | | For two-tone upholstery, please use the higher grade pricing | | | | | | | | |
| BAR | Bariatric armchair: - molded middle back; - seat with springs; - wooden frame and armrest <i>Weight capacity: 750lbs</i> | | | | | nrests. | LFH BAI | २ | 929 | 1023 | 1140 | 1258 | 1374 | 1491 | |
| | | | | | | | For two-to | ne uphols | stery, pleas | e use the | higher gra | de pricing | | | |
| DIMENSIONS | Overall | Overall | Overall | Width Between | | Seat | Armrest | | COM yard | | COM yard | lage | COM yard | lage | |
| LFH VIS1 | Width 25 | Depth 25 | Height 36,5 | Arms 20,5 | Height 18 | Depth 17 | Height 26 | | Seat & ba 2 | ck | Seat 1 | | Back 1 | | |
| LFH BAR | 34 | 25 | 36,5 | 20,5 | 18 | 17 | 26 | | 3 | | 1,5 | | 2 | | |
| See page A-5 fo See pages H-2 HOW TO ORI | and H-3 | | | • | s and m | VIS1 BAR CODE | uring stanc | lard U OPTI Polyure Arm | ION ethane | | | | | | |

| UPHOLSTERY: | MOMENTUM | ACE | CARBON | GR2 |
|-------------|------------|----------------|----------------|----------|
| | SUPPLIER | PATTERN | COLOR | GRADE |
| | Upholstery | Name or Number | Name or Number | Logiflex |

| OPTIONS | | | |
|--------------|---|----|----|
| Polyurethane | Armrests top can be covered with a polyurethane cap | UR | 87 |
| arm cap | | | |
| Cal 133 | Application of a non-flammable lining compliant with California Technical Bulletin 133 See page A-4 | | |
| | (The non-flammable lining does not alone ensure the product certification) | | |

HOSTA SERIES - LFH Tandem Seating


| | | | COM | | | | | | | |
|-----------------------|---|--|--------------|------------|------------|------------|------|------|--|--|
| MODEL | DESCRIPTION | CODE | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | | |
| VIS2 | 2-seater: - molded middle back; - seat with springs; - wooden frame and armrests. No center armrest | LFH VIS2 | 1270 | 1371 | 1498 | 1623 | 1750 | 1876 | | |
| VIS2A | 2-seater: | For two-tone uphols | stery, pieas | e use lite | nigner gra | ue pricing | | | | |
| | center armrests; molded middle back; seat with springs; wooden frame and armrests. | LFH VIS2A | 1436 | 1537 | 1663 | 1789 | 1916 | 2041 | | |
| U | | For two-tone upholstery, please use the higher grade pricing | | | | | | | | |
| VIS3 | 3-seater: | | | | | | | | | |
| | molded middle back; seat with springs; wooden frame and armrests. No center armrests | LFH VIS3 | 1731 | 1883 | 2072 | 2261 | 2450 | 2640 | | |
| | | For two-tone uphols | stery, pleas | se use the | higher gra | de pricing | | | | |
| VIS3A | 3-seater: - center armrests; - molded middle back; - seat with springs; - wooden frame and armrests. | LFH VIS3A | 2076 | 2228 | 2417 | 2606 | 2795 | 2985 | | |
| | 105 | For two-tone uphols | stery, pleas | se use the | higher gra | de pricing | | | | |
| DIMENSIONS & COM YARD | AGE | | | | | | | | | |

DIMENSIONS & COM YARDAGE

| | | | - | Width | | | | | | |
|-----------|------------------|------------------|-------------------|-----------------|----------------|---------------|-------------------|----------------------------|---------------------|---------------------|
| | Overall Width | Overall Depth | Overall Height | Between Arms | Seat Height | Seat Depth | Armrest Heiaht | COM yardage Seat & back | COM yardage Seat | COM yardage Back |
| LFH VIS2 | 47 | 25 | 36,5 | 42,5 | 18 | 17 | 26 | 4 | 2 | 2 |
| LFH VIS2A | 48 | 25 | 36,5 | 20,5 | 18 | 17 | 26 | 4 | 2 | 2 |
| LFH VIS3 | 68,5 | 25 | 36,5 | 64 | 18 | 17 | 26 | 6 | 3 | 3 |
| LFH VIS3A | 70,5 | 25 | 36,5 | 20,5 | 18 | 17 | 26 | 6 | 3 | 3 |

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard




HOSTA SERIES - LFH General Purpose Chairs

| MODEL | DESCRIPTION General purpose chair: | | | | | CODE | COM GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | |
|------------|--|--------|--|-------|----|-------------------|-----------------------|-------------------------|------------------|--------------------|-------------------|------|-----|
| | | | - molded seat; - wooden frame and armrests. | | | | LFH SAM | 494 pholstery, pleas | 530 e use the | 576 higher grad | 620 de pricing | 665 | 711 |
| DIMENSIONS | S & CON | 1 YARD | AGE | Width | | | | | | | | | |
| | Width Overall Overall Overall Between Seat Seat Width Depth Height Arms Height Depth | | | | | Armrest Height | COM yard Seat & ba | • | COM yard Seat | lage | COM yard Back | lage | |
| LFH SAM | 22,75 | 24 | 34 | 19,5 | 18 | 17 | 26 | 1,5 | | 1 | | 1 | |

See page A-5 for orders that involve COM upholstery

See pages H-2 and H-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?




| UPHOLSTERY: | MOMENTUM | | ACE | | CARBON | | GR2 |
|-------------|------------|---|----------------|---|----------------|---|----------|
| | SUPPLIER | * | PATTERN | • | COLOR | * | GRADE |
| | Upholstery | | Name or Number | | Name or Number | | Logiflex |

| OPTIONS | |
|---------|---|
| Cal 133 | Application of a non-flammable lining compliant with California Technical Bulletin 133 See page A-4 |
| | (The non-flammable lining does not alone ensure the product certification) |

MIKA SERIES METAL SEATS



FEATURES



CONSTRUCTION | ARMCHAIRS*

The structural seat frame is made of welded steel for an increased strength and durability. Its assembly allows 3 levels of adjustments in height and 2 in deepness while the metal to metal connections allows individual components to be replaced without having to replace the entire chair.



EASY CLEANING

All Logilife chairs feature a vinyl moisture barrier with aerators that covers the underside of the seat. All models are also designed with a clearance space between the back and the cushion, facilitating maintenance and cleaning.



WALL SAVER

Logilife chairs are specifically designed to prevent premature wear and damages by avoiding contacts between the back, the armrests and the surrounding walls.



SAFE AND EASY INGRESS AND EGRESS

The extended and rounded polyurethane armrests of Mika seats give the user optimal support for safe and easy ingress and egress.

FRAME | ARMCHAIRS*

The metal frame is in Satin Nickel welded steel. Logilife chairs are designed with molded backs and spring seat construction for optimal comfort and ergonomic support. Chair backs and seats utilize multi-density foam and legs are equipped with non-marking glides.

*Feature not available for the general purpose chair

Manufacturing Standard

FEATURES - CONT'D

WEIGHT CAPACITIES | BARIATRIC ARMCHAIRS Bariatric armchairs have a weight capacity of 750lbs.

CALIFORNIA TECHNICAL BULLETIN 117 The Celcor foam used meets or exceeds the California Technical Bulletin 117 norms.

LIMITED LIFETIME WARRANTY All Logilife furniture manufactured after August 1, 2012 is provided with a limited lifetime warranty.

METAL FINISH Metal finish for all Mika seats is Satin Nickel (SN)

UPHOLSTERY SPECIFICATION Please see section A-4 for upholstery specification.

CUSTOMIZED PRODUCTS

The models presented here are suggestions: they can all be customized to meet individual requirements. In addition to designing and manufacturing entirely customized furniture, Logiflex offers to simply modifying the dimensions of the models presented or to use non-standard colors.

OPTIONS

CAL 133

Logilife seats may receive a non-flammable lining compliant with California Technical Bulletin 133. Please take note the non-flammable lining does not alone ensure the product certification. Consult page A-4 for more information.



REMOVABLE HEAD COVER

A removable slipcover for head area is available in order to reduce excessive wear of the back and facilitate the cleaning.

MIKA SERIES - LFK

Patient Armchairs

| MODEL | | | DESC | RIPTION | ١ | | CODE | COM GR1 | GR2 | GR3 | GR4 | GR5 | GR6 |
|------------|---|------------------|---|-----------------|----------------|---------------|-------------------|-----------------------|-----------|------------------|------------|------------------|------|
| RES | | | Patient armchair: - fixed molded high back; - seat with springs; - metal frame and polyurethane armrests. | | | | LFK RES | 1074 | 1132 | 1204 | 1276 | 1348 | 1420 |
| | | | Detient | | | | For two-tone uph | olstery, pleas | e use the | higher gra | de pricing | | |
| RESR | RESR Patient armchair: - reclining molded high back; - seat with springs; - metal frame and polyurethane armrests. Angle of inclinaison ± 23° | | | LFK RESR | 1196 | 1254 | 1326 | 1398 | 1470 | 1542 | | | |
| | | | | | | | For two-tone uph | nolstery, pleas | e use the | higher gra | de pricing | | |
| DIMENSIONS | DIMENSIONS & COM YARDAGE | | | | | | | | | | | | |
| | Overall Width | Overall Depth | Overall Height | Between Arms | Seat Height | Seat Depth | Armrest Height | COM yard Seat & ba | 0 | COM yard Seat | lage | COM yard Back | lage |
| LFK RES | 25 | 25 | 45,5 | 20,5 | 18 | 17 | 26 | 2 | | 1 | | 1,5 | |
| LFK RESR | 25 | 25 | 45,5 | 20,5 | 18 | 17 | 26 | 2 | | 1 | | 1,5 | |

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?

| LFK | RES RESR | НТ | |
|----------------|-------------|-------------------------|---|
| SERIES Mika | CODE | OPTION Slipcover | _ |

| UPHOLSTERY: | MOMENTUM | ACE | CARBON | GR2 |
|-------------|------------|----------------|----------------|----------|
| - | SUPPLIER | PATTERN | COLOR | GRADE |
| | Upholstery | Name or Number | Name or Number | Logiflex |

| OPTIONS | | | | | | | | |
|------------|---|---------|-------------|----------|---------|-------|-----|-----|
| Removable | Removable slipcover for head area | | COM | | | | | |
| head cover | | | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 |
| | | ΗT | 52 | 66 | 84 | 102 | 121 | 138 |
| Cal 133 | Application of a non-flammable lining compliant with California | a Techi | nical Bulle | etin 133 | See pag | e A-4 | | |
| | (The non-flammable lining does not alone ensure the product certification | on) | | | | | | |

MIKA SERIES - LFK Guest and Bariatric Armchairs

| | | | | | | | | COM | | | | | |
|------------|---|------------------|-----------------|------------|------|-------------------|-----------------------|---------------------------------------|-----------|-------------|---------------------|------|-----|
| MODEL | | | DESC | RIPTION | ١ | | CODE | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 |
| VIS1 | | | Guest armchair: | | | | | | | | | | |
| | | | | | | LFK VIS1 | 1027 | 1077 | 1140 | 1203 | 1267 | 1330 | |
| | | | | | | | For two-tone uphol | stery, pleas | e use the | higher grad | le pricing | | |
| BAR | | | | c armcha | | | | | | | | | |
| | - molded middle back; - Seat with springs; - metal frame and polyurethane armrests. Weight capacity: 750lbs | | | LFK BAR | 1166 | 1260 | 1377 | 1495 | 1611 | 1728 | | | |
| | | | | | | | For two-tone uphol | stery, pleas | e use the | higher grad | le pricing | | |
| DIMENSIONS | & CON | I YARD/ | AGE | \A/: -141- | | | | | | | | | |
| | Overall Width | Overall Depth | | | | Armrest Height | COM yard Seat & ba | , , , , , , , , , , , , , , , , , , , | | | COM yardage Back | | |
| LFK VIS1 | 25 | 25 | 36,5 | 20,5 | 18 | 17 | 26 | 2 | | 1 | | 1 | |
| LFK BAR | 34 | 25 | 36,5 | 29,5 | 18 | 17 | 26 | 3 | | 1,5 | | 2 | |

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



| UPHOLSTERY: | MOMENTUM | ACE | CARBON | GR2 |
|-------------|------------|----------------|----------------|----------|
| - | SUPPLIER | PATTERN | COLOR | GRADE |
| | Upholstery | Name or Number | Name or Number | Logiflex |

| OPTIC | ONS |
|-------|-----|
|-------|-----|

Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (*The non-flammable lining does not alone ensure the product certification*)

MIKA SERIES - LFK


Tandem Seating

| | | | COM | | | | | |
|----------------------------------|---|-------------------|---------------|-----------|------------|------------|------|------|
| MODEL | DESCRIPTION | CODE | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 |
| VIS2 | 2-seater: - molded middle back; - Seat with springs; - metal frame and polyurethane | LFK VIS2 | 1507 | 1608 | 1735 | 1860 | 1987 | 2113 |
| | armrests. No center armrest | | | | | | | |
| U | | For two-tone upho | lstery, pleas | e use the | higher gra | de pricing | | |
| VIS2A | 2-seater: - center armrests; - molded middle back; | LFK VIS2A | 1740 | 1841 | 1967 | 2093 | 2220 | 2345 |
| | Seat with springs; metal frame and polyurethane armrests. | | | | | | | |
| l | | For two-tone upho | lstery, pleas | e use the | higher gra | de pricing | | |
| VIS3 | 3-seater: | | | | | | | |
| | molded middle back; Seat with springs; metal frame and polyurethane armrests. | LFK VIS3 | 1968 | 2120 | 2308 | 2498 | 2687 | 2877 |
| | No center armrests | | | | | | | |
| | | For two-tone upho | lstery, pleas | e use the | higher gra | de pricing | | |
| VIS3A | 3-seater: | | | | | | | |
| | center armrests; molded middle back; Seat with springs; metal frame and polyurethane armrests. | LFK VIS3A | 2447 | 2599 | 2788 | 2978 | 3166 | 3356 |
| U | | For two-tone upho | lstery, pleas | e use the | higher gra | de pricing | | |
| DIMENSIONS & COM YARD | | | | | | | | |
| | Width | | | | | | | |

| | Overall Width | Overall Depth | Overall Height | Between Arms | Seat Height | Seat Depth | Armrest Height | COM yardage Seat & back | COM yardage Seat | COM yardage Back |
|-----------|------------------|------------------|-------------------|-----------------|----------------|---------------|-------------------|----------------------------|---------------------|---------------------|
| LFK VIS2 | 47 | 25 | 36,5 | 42,5 | 18 | 17 | 26 | 4 | 2 | 2 |
| LFK VIS2A | 48 | 25 | 36,5 | 20,5 | 18 | 17 | 26 | 4 | 2 | 2 |
| LFK VIS3 | 68,5 | 25 | 36,5 | 64 | 18 | 17 | 26 | 6 | 3 | 3 |
| LFK VIS3A | 70,5 | 25 | 36,5 | 20,5 | 18 | 17 | 26 | 6 | 3 | 3 |

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard HOW TO ORDER?



| UPHOLSTERY: | MOMENTUM | | ACE | | CARBON | | GR2 | |
|-------------|------------|--|----------------|--|----------------|---|----------|---|
| | SUPPLIER | | PATTERN | | COLOR | * | GRADE | _ |
| | Upholstery | | Name or Number | | Name or Number | | Logiflex | |

OPTIONS

Cal 133

Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (*The non-flammable lining does not alone ensure the product certification*)


MIKA SERIES - LFK General Purpose Chairs

| | | | | | | | | COM | | | | | |
|--|---------|---------|-------------|-----------------------------|--------|-------|----------------|------------------|-----------|------------|------------|----------|------|
| MODEL | | | DESCRIPTION | | | CODE | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | |
| AM General purpose chair: - molded low back; - molded seat; - metal frame and polyurethane armrests. | | | | LFK SAM 452 481 517 553 589 | | | | | | | | | |
| | | | | | | | For two-tone u | pholstery, pleas | e use the | higher gra | de pricing | | |
| DIMENSION | S & CON | 1 YARD | AGE | | | | | | | | | | |
| | | | | Width | | | | | | | | | |
| | Overall | Overall | Overall | Between | Seat | Seat | Armrest | COM yard | age | COM yard | lage | COM yard | lage |
| | Width | Depth | Height | Arms | Height | Depth | Height | Seat & ba | ck | Seat | | Back | |
| LFK SAM | 23,5 | 24 | 32,5 | 19 | 18 | 17 | 26 | 1,5 | | 1 | | 1 | |
| | | | | | | | | | | | | | |

See page A-5 for orders that involve COM upholstery

See pages I-2 and I-3 for series materials, finishes and manufacturing standard

HOW TO ORDER?



| UPHOLSTERY: | MOMENTUM | ACE | CARBON | GR2 |
|-------------|------------|----------------|----------------|----------|
| | SUPPLIER | PATTERN | COLOR | GRADE |
| | Upholstery | Name or Number | Name or Number | Logiflex |

| OPTIONS | |
|---------|---|
| Cal 133 | Application of a non-flammable lining compliant with California Technical Bulletin 133 See page A-4 |
| | (The non-flammable lining does not alone ensure the product certification) |

LOUNGE SEATING

LOUNGE SEATING

Taylor

| 2 | | | | | | | | | СОМ | | | | | |
|---|---|----------------------------|------------------------------|---|-----------------------------------|-------------------------|--------------------------|---------------------------------|------------------|--------------------------|------------|------------|------|------|
| MODEL | | | DESC | RIPTIO | N | | CODE | | GR1 | GR2 | GR3 | GR4 | GR5 | GR6 |
| TAY1 | - medium density Celcor foam; - frame made out of recycled and recyclable particles; - oval metal legs 6" H, satin nickel finish. | | | SS TAY | | 835 | 927 | 1039 | 1256 | 1420 | 1592 | | | |
| TAVO | | | | | | | For two-tor | ne upholste | ry, pleas | se use the | higher gra | de pricing | | |
| TAY2 | | | - medi - frame and rec | c straps um densi e made o cyclable p metal leg | ty Celco ut of rec articles | or foam; cycled ; | SS TAY2 | 2 | 1083 | 1218 | 1388 | 1755 | 1985 | 2223 |
| | - | | | | | | For two-tor | ne upholste | ry, pleas | se use the | higher gra | de pricing | | |
| TAY3 | ~ | ~ | Sofa: | | | | SS TAY | | 1360 | 1427 | 1926 | 2332 | 2655 | 2989 |
| medium density Celcor foam; frame made out of recycled and recyclable particles; oval metal legs 6" H, satin nickel finish. | | | | | | | | | | | | | | |
| | | | | | | | For two-tor | ne upholste | ry, pleas | e use the | higher gra | de pricing | | |
| DIMENSION | IS & COM Overall Width | I YARD Overall Depth | AGE Overall Height | Width Between Arms | Seat Height | Seat Depth | Armrest Height | | OM yarc | lage | | | | |
| SS TAY1 | 32 | 32 | 34 | 24 | 17 | 19 | 28 | 6 | | | | | | |
| SS TAY2 | 55 | 32 | 34 | 48 | 17 | 19 | 28 | 9 | | | | | | |
| SS TAY3 | 79 | 32 | 34 | 72 | 17 | 19 | 28 | 12 | 2 | | | | | |
| See page A-5 | for orders | that invo | lve COM | l upholste | ery | | | | | | | | | |
| HOW TO ORDER? | | | | | | | | | | | | | | |
| | | UP | HOLSTERY: | SUPF | | PAT | ACE TERN or Number | CARBON COLOR Name or Numb | ▶ • er | GR2 GRADE Logiflex | | | | |
| | | | | | | | | | | | | | | |

Cal 133 Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (*The non-flammable lining does not alone ensure the product certification*)

LOUNGE SEATING Dean

| MODEL | | | DESC | RIPTIO | N | | CODE | | COM GR1 | GR2 | GR3 | GR4 | GR5 | GR6 | |
|--|------------------|------------------|--|---|---------------------|--------------------------|--|---------------------------------|------------------------|--------------------------|------------|------------|------|------|--|
| DEA1 | | | Armcha - sprin - medi - frame | Armchair: - springs for the seat and back; - medium density Celcor foam; - frame made out of recycled and recyclable particles. | | | | .1 | 1005 | 1157 | 1362 | 1565 | 1769 | 1972 | |
| | | | | | | | For two-tone upholstery, please use the higher grade pricing | | | | | | | | |
| DEA2 Love seat: - springs for the seat and back; - medium density Celcor foam; - frame made out of recycled and recyclable particles. | | | | or foam; sycled | SS DEA | 2 | 1324 | 1541 | 1817 | 2085 | 2357 | 2629 | | | |
| | | | | | | | For two-to | ne upholste | ery, pleas | e use the | higher gra | de pricing | | | |
| DEA3 Sofa: - springs for the seat an - medium density Celco - frame made out of rec and recyclable particles. | | | | | | or foam; sycled | SS DEA | | 1763 | 2049 | 2415 | 2774 | 3136 | 3503 | |
| DIMENSIONS | & CON | 1 YARD | AGE | | | | For two-to | ne upholste | ery, pleas | e use the | higher gra | de pricing | | | |
| | Overall Width | Overall Depth | Overall Height | Width Between Arms | Seat Height | Seat Depth | Armrest Height | | COM yard Fotal | lage | | | | | |
| SS DEA1 | 31 | 31 | 33 | 25 | 17 | 19 | 24 - 28 | 7 | | | | | | | |
| SS DEA2 | 56 | 31 | 33 | 50 | 17 | 19 | 24 - 28 | | 10 | | | | | | |
| SS DEA3 | 81 | 31 | 33 | 75 | 17 | 19 | 24 - 28 | 1 | 13 | | | | | | |
| See page A-5 fo | | that invo | lve CON | 1 upholste | ery | | | | | | | | | | |
| HOW TO ORI | DER? | | | | S RIES eating | DEA DEA DEA COD | 2 .3 | OP | AMSN TION L legs | _ | | | | | |
| UPHOLSTERY: MOMENTUM SUPPLIER Upholstery Name or | | | | | | | | CARBON COLOR Name or Numb | > – | GR2 GRADE Logiflex | _ | | | | |
| | finish | | | | | | | C | VAMSN | N/C | | | | | |

Cal 133

Application of a non-flammable lining compliant with California Technical Bulletin 133 | See page A-4 (*The non-flammable lining does not alone ensure the product certification*)

APPENDICES

APPENDICES

Accessories

HANDLES

| | H160 handle, satin nickel finish Drilling distance between holes: 160 mm c/c | H160 | 18 |
|---|---|------|----|
| Í | H161 handle, satin nickel finish Drilling distance between holes: 160 mm c/c | H161 | 18 |
| | H162 handle, satin nickel finish Drilling distance between holes: 160 mm c/c | H162 | 18 |

LEGS WLS6 Price on 6" H wooden leg for bedside cabinets with height adjustable, non-marking glides request Wood finishes: select a color from the Logilife laminate finishes WL6 6" H wooden leg for dressers and wardrobes with height adjustable, non-Price on marking glides request Wood finishes: select a color from the Logilife laminate finishes TU6SN 6" H tubular metal leg 1 3/4" diameter, satin nickel finish, with height adjustable, Price on non-marking glides request OVAM6SN 6" H metal oval leg, satin nickel finish, with height adjustable, non-marking Price on glides request

MISCELLANEOUS



| | White plastic liner / For top drawer of bedside cabinets only | BP | 85 | |
|---|--|------|----|--|
| × | Anti-tipping kit made from steel and galvanized steel cable The anti-tipping kit prevents units from tipping forward. For increased safety, it is recommended that dressers and wardrobes be anchored to the wall. Two kits are required for hutches. | DECR | 45 | |

APPENDICES Customized Products

The models presented here are suggestions: they can all be modified according to your needs.

In addition to designing and manufacturing entirely customized furniture, Logiflex offers the option of simply modifying the dimensions of the models presented. A sketch of the desired unit and all pertinent details must be submitted to our quotations department, which will study your request and send you a quotation and a drawing for approval as soon as possible.

CUSTOM MANUFACTURING SUGGESTIONS AVAILABLE THROUGH QUOTATION

HIGH-PRESSURE LAMINATE TOPS

Unit tops can be finished with high-pressure laminate, a material recognized for its resilient properties. This option must be specified when ordering. The laminate sheet is glued to the surface and then heat-sealed with a 2 mm PVC edge. *Unless otherwise specified in the order, the laminate finish will be coordinated to match the unit's thermally fused laminate color.*


MARMOLEUM TOPS

Unit and shelf tops can be finished in Marmoleum linoleum, a material recognized for its antibacterial properties. This option must be specified when ordering. The Marmoleum sheet is glued to the surface and then heat-sealed with a 2 mm PVC edge. To select the Marmoleum finish, please consult the Forbo catalogue at www.forboflooringna.com. Unless otherwise specified in the order, the PVC edge will be coordinated to match the unit's thermally fused laminate colour.

QUARTZ TOPS

Some unit tops can be in quartz, a material recognized for its resilient and antibacterial properties. This option must be specified when ordering. In this case, the unit's construction is adapted for quartz installation.

To select the quartz finish, please consult the Silestone catalogue at www.silestone.com.



LOCKS


Satin nickel locks can be installed on all Logilife units. This option must be specified in the order. They are randomly keyed, and two keys are provided per lock. To specify keyed alike locks, a list of the units that have identical keys must be provided with the order.

Some lock numbers may be repeated in orders of 50 units or more.



HINGED BACK ON HUTCHES

To provide easy access to wiring, the backs of hutches can be cut out and concealed by a hinged panel. This option must be specified when ordering.



CUT-OUT DRESSER TOP

Dressers intended to accommodate televisions can have a cut-out top to provide easy access to wiring. This option must be specified when ordering.



ARTISAN, SHAKER AND TRADITIONAL: OPTION OF TOP WITH FLUSH SIDES

To order units that will be placed next to each other according to a specific layout, a drawing of the unit or units must be provided, indicating the sides that should be flush.

180° OR 270° HINGES

Wardrobe doors can be installed on hinges that open 180° or up to 270°, to be specified when ordering.

MASTER KEY

A master key can be provided for units that have locks. This option must be specified when ordering.

Logilife