# **ASCEND PRICE LIST**

Number 15

effective April 1, 2013

revised 2/1/2016



### General Information

### HARDEN contract.

#### **TERMS**

1% 10 days, net 30. All prices FOB, McConnellsville, NY. All prices are subject to change without notice. Possession of this price list does not constitute authority to purchase.

#### **CANCELLATIONS**

Unless approved by our office, cancellations will not be accepted on any order which has been placed in production. Where cancellations are accepted, and received in writing a restocking charge will be assessed.

#### WARRANTY

- Harden warrants standard catalog casegoods for ten years from the date of shipment against defects in
  workmanship when put to ordinary use. This warranty does not cover damage or injury caused by unreasonable or
  abusive use, by failure to provide necessary or reasonable care, by accident, alteration, tampering or negligence by
  anyone other than Harden. Due to variations in color, texture and grain, the products are not warrantied against such
  variation.
- 2. Harden warrants standard seating from the catalog to be free of defects in workmanship under normal single shift service for a period of five years from date of shipment. While we utilize the finest upholstery fabrics available, we cannot guarantee any fabric for wearability or color fastness. Similarly, variations in fabric color cannot be avoided. We cannot be responsible for variations beyond a reasonable commercial match. If an exact color match is required, a cutting of the fabric should be submitted-with your order. Items ordered after original order must be matched with the original fabrics dye lot. If this is not possible due to dye lot availability, then exact color match cannot be guaranteed.
- 3. It is not recommended to place glass tops on solid wood tops. This will create a moisture trap that could damage the wood surface. The use of glass tops will void the product warranty should structural damage occur.
- 4. Once a COM is inspected and accepted, Harden assumes no responsibilities for its overall performance flammability, normal durability, colorfastness, or any other quality after upholstered on Harden frames.

#### DAMAGED OR DEFECTIVE MERCHANDISE

We strive to produce a fine quality product and to deliver it to our customers with the utmost care. Should problems occur, however, we will do our best to resolve them promptly and completely. In order to avoid any misunderstanding we offer the following guidelines:

- 1. Damaged or defective merchandise must be reported to our Customer Service Department in writing no later than 10 days from original shipping date.
- 2. Should any item on our truck be damaged, our driver has the authority to return it for prompt repair or replacement.
- We reserve the right to determine the most appropriate means of resolving a claim involving damage or defective merchandise.
- 4. We cannot assume responsibility for damage that occurs once merchandise leaves our trucks.
- 5. Local repair charges will not be accepted unless approved in advance, by Harden Contract.
- 6. In the event of a problem, we will assume full responsibility for transporting the merchandise between our factory and the delivery point on our trucks. We cannot assume responsibility for any secondary delivery costs to and from your customer, and will not accept the cost of returning merchandise to our factory via another carrier.

#### **DESIGNS**

All dimensions are approximate. The products shown in our catalog are, and remain, our property, and we reserve exclusive right to manufacture the items shown. We reserve the right to make changes in our designs, details, and dimensions without notice.

# ORDER ACKNOWLEDGEMENT

- 1. Order acknowledgments, indicating final production specifications, will be made promptly. It is your responsibility to check the acknowledgments for errors. Each order will be checked and acknowledged by Harden Contract. Customers should check each acknowledgement for accuracy and immediately notify Harden of any discrepancies in writing. This printed acknowledgement is the **final agreement between Harden and the customer**, superseding all previous communications regarding the order. We cannot accept telephone orders without a confirming purchase order.
- Orders will not be released for production until all information is complete (i.e. finish selection, fabric description, etc.).

#### SHIPPING

- 1. Unless otherwise specified, we will ship your order complete, as ready, on our company trucks. We reserve the right however, to route shipments via common carrier where we deem appropriate.
- 2. Shipments will normally be made to your place of business or standard receiving address. However, we may agree to deliver your order directly to the job site. In such cases, we must insist that the delivery location be fully accessible to a tractor-trailer, and that you provide the labor necessary to unload and place the merchandise.
- 3. Harden Furniture has made no provision for storage. If the customer is unable to accept delivery of furniture as scheduled, the customer has sole responsibility to provide new shipping instructions, and to accept any storage or transportation costs related to the delay.
- 4. IMPORTANT: Make certain entrances, elevators, etc. are adequate for large units. Our drivers are not responsible for delivery to anywhere other than a building receiving area. Please make certain that transportation to the point where the furniture is to be used is carefully considered and arranged for by the customer.

# CARTONING & CRATING

All merchandise will be blanket wrapped for shipment unless otherwise specified. Special cartoning or crating is available at an additional charge as shown below.

Application	Method	Seating	Case Goods
Container — loaded at factory.	Carton	5% of Net Price	5% of Net Price
Common Carrier (Freight and UPS/RPS)	Carton	5% of Net Price	8% of Net Price
Our truck to a warehouse (for later shipment via common carrier or container).	Carton	5% of Net Price	8% of Net Price
Air freight or other preventative need. Cartoned pieces, sent freight, will be re-enforced to add extra protection.	Crate	8% of Net Price	8% of Net Price

MINIMUM CARTONING CHARGE: \$52 NET
MINIMUM CRATING CHARGE: \$104 NET


PERCENTAGES - Also apply to furniture that is not normally cartoned or crated and sent via Harden Truck.

#### **SHIPPING ZONES**

Unless otherwise specified, we will ship your order on our Company trucks. We reserve the right, however, to route shipments via common carrier where we deem appropriate.

To calculate the freight cost at the time of order placement, please adhere to the following:

- 1. Determine the zone to which Harden products are to be shipped.
- 2. Use the table below to calculate the freight cost as a percentage of the total Net Price of your order.
- 3. Please indicate on your purchase order the shipping address, zone and percentage for shipping.



#### Please contact factory for any applicable fuel surcharges.

Zone 1	4%	New York State within 150 miles of Factory, McConnellsville.
Zone 2	5%	New York State Beyond 150 miles.
Zone 3	<b>7</b> %	DE, DC, MD, MI, ME, VT, NH, MA, RI, CT, NJ, OH, PA, Northern VA (above Richmond)
Zone 4	8%	IL, IN, Northern WV (Charleston & above)
Zone 5	10%	AL, AR, CO, FL, GA, IA, KS, KY, LA, MN, MS, MO, NE, NC, OK, SC, Southern VA (Richmond & below), southern WV (below Charleston), TN, TX, WI
Zone 6	11%	ND, SD
Zone 7	12%	AZ, CA, ID, MT, NV, NM, OR, UT, WA, WY

Special: Hawaii and Alaska, must use designated freight forwarding company in CA plus crating charge.

### ASCEND Series — General Information

### HARDEN contract.

#### CONSTRUCTION

1. Components are fabricated from solid cherry dimensioned stock in a manner which allows for the expansion and contraction of individual parts due to changes in temperature and humidity.

SPECIAL NOTE: All units are manufactured from the finest solid cherrywood and are subject to natural color and grain characteristics. Harden Contract cannot be responsible for variations due to natural characteristics.

- Internal structural components are of solid maple.
- All permanent joints are glued and double-doweled.
- 4. A wide variety of fastening devices are also used to ensure structural integrity.
- File frame system.

#### **DRAWER** CONSTRUCTION

- 1. All box and file drawers are constructed with solid cherry drawer fronts dovetailed to solid cherry sides and back.
- Maple plywood drawer bottoms are used for durability. 2.
- 3. Internal drawer components are always sanded, sealed and lacquered before finally being rubbed and waxed.
- 4. All file drawers are fitted with a black file frame system to maximize filing capability of-drawers

#### **DRAWER SLIDES** LOCKS

All desk, file, credenza and drawer bridge / keypads are equipped with Accuride suspensions.

- 1. Column cylinder locks are standard on all desk pedestals and match hardware finish specified on desk.
- Optional locks are also available on most other component doors and drawers -C45 Cylinder Lock Option at \$110 list each.
- 3. All cylinder locks can be **keyed-alike** upon request at no additional charge.

#### **TACKABLE SURFACES**

Inside back panel, beneath overhead storage unit, is constructed of a fabric-covered, tackable surface. Any fabric offered in the Harden Contract Fabric Program is available. For COM fabric there is a handling fee of \$30 net. Please contact your Harden Contract representative for specific yardage requirements and COM processing.

\*\*Please note: When there is no fabric specified Harden will use Maharam: Messenger 001 Balsa.

#### **HARDWARE**

BRUSHED ALUMINUM HARDWARE STANDARD ON ASCEND

All exposed cylinder locks will be Brushed Nickel.

#### **STANDARD FINISHES**

All Harden Contract Products with exposed wood are constructed of solid cherry and are available in the following: **VINTAGE ESTATE CAMBRIDGE** 

**BRANDYWINE CHAMPAGNE CINNABAR OLD TAVERN MYSTIC BORDEAUX** 

Note: Samples of each are included in your Harden Contract binder.

# **FINISHES**

SPECIAL MATCHED It is generally possible to match any special finish at an additional charge of 15%. Please submit a color panel with your order. Harden will return your original panel along with a numbered custom matched panel. Your order will not be placed in production until we receive written approval to proceed with the proposed custom finish.

#### **CATALYZED LACQUER**

Catalyzed lacquer is standard on all Ascend products. This finish is specially formulated to provide extra durability in the office environment and is hand-rubbed to a soft, satin sheen. Detailed specifications on the catalyzed finish are available by contacting the Factory.

#### **GLOBAL RESISTOVAR**<sup>TM</sup>

Available at a 10% up charge. This finish offers superior chemical, water, mar and UV resistance. Detailed specifications on the Resistovar<sup>TM</sup> finish are available by contacting the factory. **Note: Available only in satin sheen.** 

#### **GLASS TOPS**

It is not recommended to place glass tops on solid wood tops because they create a moisture trap that could damage the wood surface. The use of glass tops will void the product warranty should structural damage occur.

#### **MAINTENANCE**

All Harden products should be maintained regularly by simply dusting with a damp cloth. Polishing is only recommended on a quarterly basis. When polishing, use only a high quality, non-silicone product. Please review the care and maintenance tag shipped with the product.

#### **FILL-IN ORDERS**


When ordering fill-in pieces for an existing installation, it is advisable to submit a finish sample with your order. Aging and mellowing of wood finishes occurs over time, making an accurate match unlikely without a sample. There is no upcharge for this procedure.

#### **INSTALLATION**

Individual components are assembled completely prior to shipping. Please make certain that entrances, elevators, etc. can accommodate large units to ensure successful installation.

#### Special Note: MONITOR **PLACEMENT**

Placement of a monitor directly above the motor housing in the sit-stand desks may cause malfunction of the monitor. Magnets inside the motor may interrupt the picture on the monitor, depending on the distance and type of monitor. If this is the case, the problem may be solved by placing an iron plate/tube or another magnetic material, somewhat larger than the motor housing, between the motor and the desk top.



#### **DESKS**



C1040-330 Sit-to-Stand



C1040-320 Sit-to-Stand



Beveled Wood Modesty Panel



C1040-350 Sit-to-Stand



C1040-340 Sit-to-Stand



Traditional Wood Modesty Panel



C1041-320 Fixed Height



C1040-310 Sit-to-Stand



Contemporary Wood Modesty Panel




C1043-330 Fixed Height



C1040 / C1041 profile



C1042 / C1043 profile



Comfort Edge Detail



Sit-Stand Desk Feature



AT THE RESERVE TO THE PARTY OF THE PARTY OF

C1050-330 Sit-to-Stand



Traditional Edge Detail



Square Edge Detail



C1050-335 Sit-to-Stand

### **MOBILE PEDESTALS**



#### **CREDENZAS / HI-RISE STORAGE**



C3001-90-37-26-37 Credenza C3002-90-71-46-64-71 Hi-Rise Storage



### **DOUBLE PEDESTAL DESKS**





C3000-100

	description	dimensions	W	D	Н	list price
C1040-110	Sit-Stand Desk 72" x 36"					\$7,010
	fingertip control adjustable height pencil drawer comfort edge beveled wood modesty panel wire management tray flexible feed cord - specify right or left feet - stained to match solid wood construction	overall kneespace pencil drawer interior side exit  Please refer to Genera		36 23 9 1/2 on for impon	29 to 48 3/4 25 1/2 1 1/2 stant information on mo	nitor placement
option— C1040-310 - same as above except with so	quare edge detail					

C1040-120	Sit-Stand Desk 72" x 36"				\$7,010
	fingertip control adjustable height pencil drawer comfort edge traditional wood modesty panel wire management tray flexible feed cord - specify right or left feet - stained to match solid wood construction	overall kneespace pencil drawer interior  t side exit  Please refer to Genera	36 23 9 1/2 tion for impor	29 to 48 3/4 25 1/2 1 1/2 tant information on m	onitor placement
ontion—					

option—
 C1040-220 - same as above except with traditional edge detail and feet stained to match
 C1040-320 - same as above except with square edge detail and feet stained to match

C1040-130	Sit-Stand Desk 72" x 36"					\$7,010
	fingertip control adjustable height pencil drawer comfort edge contemporary wood modesty panel wire management tray	overall kneespace pencil drawer interior	72 66 31	36 23 9 1/2	29 to 48 3/4 25 1/2 1 1/2	
	flexible feed cord - specify right or left	t side exit				

feet - brushed aluminum trim solid wood construction Plex

solid wood construction <u>Please refer to General Information for important information on monitor placement</u>

C1040-330 - same as above except with square edge detail

C1040-140	Sit-Stand Desk 72" x 36"					\$6,895
	fingertip control adjustable height pencil drawer comfort edge wood frame acrylic panel wire management tray flexible feed cord - specify right or lef feet - brushed aluminum trim solid wood construction	overall kneespace pencil drawer interior  ft side exit  Please refer to Genera	72 66 31	36 23 9 1/2	29 to 48 3/4 25 1/2 1 1/2	
antian	colla wood constituction	riodes refer to deriere	21 11 11 01 11 11 10	don for impor	tant inionnation on m	ormor piacornoria

C1040-240 - same as above except with traditional edge detail and feet stained to match

C1040-340 - same as above except with square edge detail

Sit-Stand Desk 72" x 36"					\$6,770
fingertip control adjustable height pencil drawer comfort edge aluminum frame acrylic panel wire management tray flexible feed cord - specify right or left feet - brushed aluminum trim solid wood construction	t side exit		36 23 9 1/2	29 to 48 3/4 25 1/2 1 1/2	onitor placement
	fingertip control adjustable height pencil drawer comfort edge aluminum frame acrylic panel wire management tray flexible feed cord - specify right or left feet - brushed aluminum trim	fingertip control adjustable height overall pencil drawer kneespace comfort edge pencil drawer interior aluminum frame acrylic panel wire management tray flexible feed cord - specify right or left side exit feet - brushed aluminum trim	fingertip control adjustable height overall 72 pencil drawer kneespace 66 comfort edge pencil drawer interior 31 aluminum frame acrylic panel wire management tray flexible feed cord - specify right or left side exit feet - brushed aluminum trim	fingertip control adjustable height overall 72 36 pencil drawer kneespace 66 23 comfort edge pencil drawer interior 31 9 1/2 aluminum frame acrylic panel wire management tray flexible feed cord - specify right or left side exit feet - brushed aluminum trim	fingertip control adjustable height overall 72 36 29 to 48 3/4 pencil drawer kneespace 66 23 25 1/2 comfort edge pencil drawer interior 31 9 1/2 1 1/2 aluminum frame acrylic panel wire management tray flexible feed cord - specify right or left side exit feet - brushed aluminum trim

C1040-350 - same as above except with square edge detail



	description	dimensions	W	D	Н	list price
C1042-110	Sit-Stand Desk 66" x 30"					\$6,550
	fingertip control adjustable height pencil drawer comfort edge beveled wood modesty panel wire management tray flexible feed cord - specify right or left feet - stained to match			30 23 9 1/2	29 to 48 3/4	
option— C1042-310 - same as above except with so	solid wood construction quare edge detail	Please refer to Genera	al Informatio	n for impor	tant information on mo	nitor placement

C1042-120	Sit-Stand Desk 66" x 30"				\$6,550
	fingertip control adjustable height pencil drawer comfort edge traditional wood modesty panel wire management tray flexible feed cord - specify right or left feet - stained to match solid wood construction	overall kneespace pencil drawer interior side exit Please refer to General	30 23 9 1/2 ion for impor	29 to 48 3/4 1 1/2 tant information on me	onitor placement

option—
 C1042-220 - same as above except with traditional edge detail and feet stained to match
 C1042-320 - same as above except with square edge detail and feet stained to match

C1042-130		Sit-Stand Desk 66" x 30"					\$6,550
		fingertip control adjustable height	overall	66	30	29 to 48 3/4	
		pencil drawer	kneespace	60	23		
		comfort edge	pencil drawer interior	31	9 1/2	1 1/2	
		contemporary wood modesty panel					
	<del>-11</del>	wire management tray					
		flexible feed cord - specify right or left	side exit				

feet - brushed aluminum trim

solid wood construction Please refer to General Information for important information on monitor placement

C1042-330 - same as above except with square edge detail

C1042-140	Sit-Stand Desk 66" x 30"				\$6,440
option—	fingertip control adjustable height pencil drawer comfort edge wood frame acrylic panel wire management tray flexible feed cord - specify right or lef feet - brushed aluminum trim solid wood construction	overall kneespace pencil drawer interior  ft side exit  Please refer to Genera	30 23 9 1/2 ation for impor	29 to 48 3/4 1 1/2 tant information on me	onitor placement
<u>option—</u>					

C1042-240 - same as above except with traditional edge detail and feet stained to match

C1042-340 - same as above except with square edge detail

C1042-150	Sit-Stand Desk 66" x 30"				\$6,320
option-	fingertip control adjustable height pencil drawer comfort edge aluminum frame acrylic panel wire management tray flexible feed cord - specify right or leffeet - brushed aluminum trim solid wood construction	overall kneespace pencil drawer interior it side exit  Please refer to Genera	30 23 9 1/2	29 to 48 3/4 1 1/2 tant information on mo	onitor placement

C1042-350 - same as above except with square edge detail



# ASCEND Series - Sit-to-Stand Desk Accessories / Mobile Pedestals $\frac{\textbf{HARDEN}}{\textbf{contract}}.$

	description	dimensions	W	D	Н	list price
C1045-100	Mobile Pedestal					\$1,475
	solid wood construction	overall	17 1/2	19 1/2	21	
	one box drawer	inside	13 3/4	16 1/2	2 3/4	
	one locking file drawer	inside	13 3/4	16 1/2	11 1/2	
	five dual wheel black casters wit	th lock				
	NOTE: works with C1040 & C10	050 series of Sit-to-Stand	Desks			

C1045-200							

upholstered seat	overall	17 1/2	19 1/2	22 3/4
solid wood construction	inside	13 3/4	16 1/2	2 3/4
one box drawer	inside	13 3/4	16 1/2	11 1/2

\$1,655

one locking file drawer

five dual wheel black casters with lock

NOTE: works with C1040 & C1050 series of Sit-to-Stand Desks

**Mobile Pedestal with Upholstered Seat** 

C1050-110 Sit-Stand Pedestal Desk 72" x 36" \$8,215

fingertip control adjustable height 29 to 48 3/4 72 overall 36 17-1/2 pencil drawer kneespace 66 25 1/2 comfort edge pencil drawer interior 15-15/16 11-1/2 1-1/2

beveled wood modesty panel wire management tray


flexible feed cord - specify right or left side exit

feet - stained to match

solid wood construction Please refer to General Information for important information on monitor placement

C1050-310 - same as above except with square edge detail

#### C1050-120 Sit-Stand Pedestal Desk 72" x 36" \$8,215



29 to 48 3/4 72 fingertip control adjustable height overall 36 pencil drawer 66 17-1/2 25 1/2 kneespace comfort edge pencil drawer interior 15-15/16 11-1/2 1-1/2

traditional wood modesty panel

wire management tray


flexible feed cord - specify right or left side exit

feet - stained to match

solid wood construction Please refer to General Information for important information on monitor placement

C1050-220 - same as above except with traditional edge detail and feet stained to match C1050-320 - same as above except with square edge detail and feet stained to match

#### Sit-Stand Pedestal Desk 72" x 36" C1050-130 \$8,455



fingertip control adjustable height 29 to 48 3/4 overall 72 36 pencil drawer kneespace 66 17-1/2 25 1/2 pencil drawer interior 15-15/16 11-1/2 1-1/2 comfort edge

contemporary wood modesty panel

wire management tray

flexible feed cord - specify right or left side exit

feet - brushed aluminum trim


solid wood construction

Please refer to General Information for important information on monitor placement

\$495

C1050-330 - same as above except with square edge detail

#### C1050-140 Sit-Stand Pedestal Desk 72" x 36" \$8,375



fingertip control adjustable height overall 72 36 29 to 48 3/4 pencil drawer kneespace 66 17-1/2 25 1/2 comfort edge pencil drawer interior 15-15/16 11-1/2 1-1/2

wood frame acrylic panel wire management tray

flexible feed cord - specify right or left side exit

feet - brushed aluminum trim

solid wood construction Please refer to General Information for important information on monitor placement

C1050-240 - same as above except with traditional edge detail and feet stained to match

C1050-340 - same as above except with square edge detail

options -

C94-100

C94-150



**Brushed Aluminum Data Power Port** 3 1/2 standard with one electrical unit overall containing two 110v outlets, two RJ45 data

and a 10' power cord.

and a 10' power cord.

**Black Data Power Port** \$495 standard with one electrical unit overall 5 3 1/2 containing two 110v outlets, two RJ45 data

All grommets and Data Ports are flush mounted. Refer to chart on page 8 for clearances on desks.



29 to 48 3/4

29 to 48 3/4

C1052-110 Sit-Stand Pedestal Desk 66" x 30" \$7,365

pencil drawer

60 17-1/2 kneespace comfort edge pencil drawer interior 15-15/16 11-1/2 1-1/2

beveled wood modesty panel wire management tray

fingertip control adjustable height

flexible feed cord - specify right or left side exit


feet - stained to match

solid wood construction Please refer to General Information for important information on monitor placement

overall

C1052-310 - same as above except with square edge detail

#### C1052-120 Sit-Stand Pedestal Desk 66" x 30" \$7,365



fingertip control adjustable height overall pencil drawer kneespace pencil drawer interior comfort edge

traditional wood modesty panel wire management tray

flexible feed cord - specify right or left side exit

feet - stained to match

solid wood construction Please refer to General Information for important information on monitor placement

66

66

60

15-15/16

30


30

17-1/2

11-1/2

C1052-220 - same as above except with traditional edge detail and feet stained to match C1052-320 - same as above except with square edge detail and feet stained to match

#### C1052-130 Sit-Stand Pedestal Desk 66" x 30" \$7,190



fingertip control adjustable height 29 to 48 3/4 overall 66 30 60 17-1/2 pencil drawer pencil drawer interior 15-15/16 comfort edge 11-1/2 1-1/2contemporary wood modesty panel

wire management tray


flexible feed cord - specify right or left side exit

feet - brushed aluminum trim

solid wood construction Please refer to General Information for important information on monitor placement

C1052-330 - same as above except with square edge detail

#### C1052-140 Sit-Stand Pedestal Desk 66" x 30" \$7,165



fingertip control adjustable height overall 66 30 29 to 48 3/4 60 17-1/2 pencil drawer kneespace pencil drawer interior 15-15/16 comfort edge 11-1/2 1-1/2

wood frame acrylic panel wire management tray

flexible feed cord - specify right or left side exit

feet - brushed aluminum trim

solid wood construction Please refer to General Information for important information on monitor placement

C1052-240 - same as above except with traditional edge detail and feet stained to match

C1052-340 - same as above except with square edge detail


option -

C99 **Leather Top** available on the 66" or 72" desk top - specify any Harden Contract leather

\$45 sq. ft.

description dimensions list price

C1060-330	Ascend Sit-to-Stand Doub	le Pedestal	Desk	\$	14,620
	solid cherry	OW	80		
	the state of the s				



vertical height adjustment 3/4" safety "pinch point" 300 lb. overall weight capacity pencil drawer - no lock locks on all pedestal drawers solid wood raised panels OD 36 OH 30-1/4 – ??

Kneespace ??

#### C1060-335 Ascend Sit-to-Stand Double Pedestal Desk \$ 15,335





solid cherry
vertical height adjustment
3/4" safety "pinch point"
300 lb. overall weight capacity
pencil drawer - no lock
locks on all pedestal drawers
leather panels

OW 81-1/2 OD 36-3/4 OH 30-3/4 – 49

Kneespace ??

Different views of the Sit-To-Stand Double Pedestal Desk (C1060-330 shown)







flexible feed cord - specify right or left side exit

### ASCEND Series — Fixed Height Desks

description

# HARDEN contract.

list price


Н

Fixed Height Desk 72" x 36" \$4,635 fixed height overall 72 36 29 pencil drawer kneespace 66 23 comfort edge pencil drawer interior 31 9 1/2 1 1/2

dimensions

C1041-310 - same as above except with square edge detail

C1041-120 Fixed Height Desk 72" x 36" \$4,635



fixed height pencil drawer comfort edge traditional wood modesty panel feet - stained to match solid wood construction

beveled wood modesty panel feet - stained to match solid wood construction

> 72 36 29 kneespace 66 23 31 9 1/2 1 1/2 pencil drawer interior


W

D

C1041-110

C1041-220 - same as above except with traditional edge detail and feet stained to match C1041-320 - same as above except with square edge detail and feet stained to match

C1041-130 Fixed Height Desk 72" x 36" \$4,635




fixed height pencil drawer comfort edge contemporary wood modesty panel feet - brushed aluminum trim solid wood construction

overall 72 36 29 kneespace 66 23 pencil drawer interior 31 9 1/2 1 1/2

C1041-330 - same as above except with square edge detail

C1041-140 Fixed Height Desk 72" x 36" \$4,510 fixed height




pencil drawer comfort edge wood frame acrylic panel feet - brushed aluminum trim solid wood construction

72 36 29 kneespace 66 23 pencil drawer interior 31 9 1/2 1 1/2

C1041-240 - same as above except with traditional edge detail and feet stained to match

C1041-340 - same as above except with square edge detail

C1041-150 Fixed Height Desk 72" x 36" \$4,385



fixed height pencil drawer comfort edge aluminum frame acrylic panel feet - brushed aluminum trim solid wood construction

overall 72 36 29 66 23 kneespace pencil drawer interior 31 9 1/2 1 1/2

C1041-350 - same as above except with square edge detail

### ASCEND Series — Fixed Height Desks

# HARDEN contract.

dimensions W D Н description list price Fixed Height Desk 66" x 30" \$4,185



fixed height pencil drawer comfort edge beveled wood modesty panel feet - stained to match

overall 66 30 29 60 23 kneespace pencil drawer interior 31 9 1/2 1 1/2


C1043-110

C1043-310 - same as above except with square edge detail

C1043-120 Fixed Height Desk 66" x 30" \$4,185 fixed height 66 30 29 overall 60 23 pencil drawer kneespace comfort edge pencil drawer interior 31 9 1/2 1 1/2 traditional wood modesty panel solid wood construction

C1043-220 - same as above except with traditional edge detail and feet stained to match C1043-320 - same as above except with square edge detail and feet stained to match

C1043-130 Fixed Height Desk 66" x 30" \$4,185




fixed height pencil drawer comfort edge contemporary wood modesty panel feet - brushed aluminum trim solid wood construction

66 30 29 overall 60 23 pencil drawer interior 31 9 1/2 1 1/2

C1043-330 - same as above except with square edge detail

C1043-140 Fixed Height Desk 66" x 30" \$4,060




fixed height pencil drawer comfort edge wood frame acrylic panel feet - brushed aluminum trim solid wood construction

overall 66 30 29 60 23 kneespace 9 1/2 pencil drawer interior 31 1 1/2

C1043-240 - same as above except with traditional edge detail and feet stained to match

C1043-340 - same as above except with square edge detail

C1043-150 Fixed Height Desk 66" x 30" \$3,935



fixed height pencil drawer comfort edge aluminum frame acrylic panel feet - brushed aluminum trim solid wood construction

30 60 23 kneespace pencil drawer interior 31 9 1/2 1 1/2

C1043-350 - same as above except with square edge detail



Gescription aimensions w D A list price	descri	ption	dimensions	W	D	Н	list price
---	--------	-------	------------	---	---	---	------------

#### **DOUBLE PEDESTAL DESKS**

C3000-100	72" x 36" Standard Top					\$8,560
	pencil drawer square edge solid wood construction feet - brushed aluminum trim	overall pedestals kneespace	72 18 36	36 36 35	29 27 1/4 24 1/2	
	each pedestal contains: one cylinder lock located in kneewell two box drawers bottom file drawer which accommod		er files or one	row of legal	files side-to-side	

C3010-100	66" x 30" Standard Top					
^	pencil drawer	overall	66	30	29	
	square edge	pedestals	18	30	27 1/4	
	solid wood construction feet - brushed aluminum trim	kneespace	30	29	24 1/2	
	each pedestal contains: one cylinder lock located in kneewell					
	two box drawers					

C3020-100		Right Connection — 72" x 36" — Standard Top  Left Connection — 72" x 36" — Standard Top					\$6,995 \$6,995
C3020-101							
		square edge	overall	72	36	29	
		solid wood construction	pedestal	18	36	27 1/4	
		feet - brushed aluminum trim returns / C3025-100 thru C3025-30 bridges / C3015-036, C3015-048	kneespace 1	32	35	24 1/2	

C3020-100

C3020-101

pedestal contains:

one cylinder lock located in kneewell

two box drawers

bottom file drawer which accommodates two rows of letter files or one row of legal files side-to-side

bottom file drawer which accommodates two rows of letter files or one row of legal files side-to-side

C3030-100	-100 Right Connection — 66" x 30" — Standard Top				\$5,695		
C3030-101		Left Connection — 66" x 3	0" – Standar	d Top			\$5,695
		square edge solid wood construction	overall pedestal	66 18	30 30	29 27 1/4	
		feet - brushed aluminum trim returns / C3025-100 thru C3025-301 bridges / C3015-036, C3015-048	kneespace	26	29	24 1/2	
C3030-100	C3030-101	pedestal contains: one cylinder lock located in kneewell					

two box drawers

bottom file drawer which accommodates two rows of letter files or one row of legal files side-to-side

option specific to pedestal desks -

C14



#### **Brushed Aluminum Accent**

determine total number of inches and multiply by per inch cost

\$2.50 per inch



For additional options, please see ASCEND OPTIONS & TECHNOLOGIES MANAGEMENT SECTIONS (pages 31–32)

SPECIFICATION	NS	Standard on all 3051 and 3052 Desking Unit See page 25 for custom sizes.	ts: Consists of to	p and mode	sty panel that will	match bridge	and returns
		description	dimensions	W	D	Н	list price
DESKING UNIT	'S						
C3051-300		84" Right Bullet Top Connection					\$5,085
C3051-301		84" Left Bullet Top Connection					\$5,085
C3051-300	C3051-301	solid wood construction	overall kneespace	84	36 18	29 27 1/4	
C3051-400		72" Right Bullet Top Connection					\$4,190
C3051-401		72" Left Bullet Top Connection					\$4,190
C3051-400	C3051-401	solid wood construction	overall kneespace	72	36 18	29 27 1/4	
C3052-300		84" Right "P" Top Connection					\$5,075
C3052-301		84" Left "P" Top Connection					\$5,075
C3052-300	C3052-301	solid wood construction	overall kneespace	84 42	32 x 42 18	29 27 1/4	
C3052-400		72" Right "P" Top Connection					\$4,200
C3052-401		72" Left "P" Top Connection					\$4,200
C3052-400	C3052-401	solid wood construction	overall kneespace	72 30	32 x 42 18	29 27 1/4	
C3052-500		72" Right "P" Top Connection					\$4,110
C3052-501		72" Left "P" Top Connection					\$4,110
C3052-500	C3052-501	solid wood construction	overall kneespace	72 42	26 x 36 18	29 27 1/4	., -

RET	UR	INS
-----	----	-----

SPECIFICATION	NS	Standard with all Returns: In 18 side-to-side. In 36" pedestal units, front-to-back only. Standard with the standard wit	two rows of letter or leg	gal files are a	vailable; bo	oth letter and legal fi	'
		description	dimensions	W	D	Н	list price
C3025-100		48" Box / Box / File Righ	t Return				\$3,915
C3025-101		48" Box / Box / File Left	Return				\$3,915
C3025-100	C3025-101	square edge solid wood construction two box drawers locking file drawer feet - brushed aluminum trim	overall pedestal kneespace	48 18 30	22 21 20	29 27 1/4 27 1/4	
C3025-200		48" File / File Right Retu	rn				\$3,845
C3025-201		48" File / File Left Return	n				\$3,845
C3025-200	C3025-201	square edge solid wood construction two locking file drawers feet - brushed aluminum trim	overall pedestal kneespace	48 18 30	22 21 20	29 27 1/4 27 1/4	
C3025-300		60" File / File Right Retu	rn				\$4,500
C3025-301		60" File / File Left Return	n				\$4,500
C3025-300	C3025-301	square edge solid wood construction two locking file drawers feet - brushed aluminum trim	overall pedestal kneespace	60 36 24	22 21 20	29 27 1/4 27 1/4	

option specific to returns -

C14



#### **Brushed Aluminum Accent**

determine total number of inches and multiply by per inch cost

\$2.50 per inch

**BRIDGES** 

SPECIFICATIONS

Standard with all Bridges: Bridge consists of top, front rail and panel back to match desk and credenza panels.

Available Options — please see pages 31–32 for detailed descriptions.

 C3015-036
 36" Bridge
 \$1,615

 square edge
 overall
 36
 22
 29



 C3015-048
 48" Bridge
 \$1,990

 square edge solid wood construction
 overall
 48
 22
 29



solid wood construction

#### **SPECIFICATIONS**

**Standard with all Bridge Credenzas:** Basic solid cherry case units which can accommodate different configurations of drawers / files / work-areas as outlined in specifications below. In 18" file units, letter files are positioned front-to-back while legal files are positioned side-to-side. In 36" file units, two rows of letter or legal files are available; both letter and legal files are positioned front-to-back only. Standard with finished backs. Individual lock on each file drawer.

	and legal files are positioned front-to-back only. Standard with finished backs. Individual lock on e					drawer.
	description	dimensions	W	D	Н	list price
C3032-100	72" Right Bridge Credenza					\$4,565
C3032-101	72" Left Bridge Credenza					\$4,565
C3032-100 C3032-101	square edge solid wood construction file / file - kneespace 18" locking file unit feet - brushed aluminum trim	overall kneespace	72 54	22 21	29 27 1/4	
C3032-200	72" Right Bridge Credenza					\$5,740
C3032-201	72" Left Bridge Credenza					\$5,740
C3032-200 C3032-201	square edge solid wood construction box / box / file - file / file - kneespace 18" locking file units feet - brushed aluminum trim	overall kneespace	72 36	22 21	29 27 1/4	
C3032-300	72" Right Bridge Credenza					\$4,925
C3032-301	72" Left Bridge Credenza					\$4,925
C3032-300 C3032-301	square edge solid wood construction file / file - kneespace 36" locking file unit feet - brushed aluminum trim	overall kneespace	72 36	22 21	29 27 1/4	
C3032-400	72" Right Bridge Credenza					\$5,565
C3032-401	72" Left Bridge Credenza					\$5,565
C3032-400 C3032-401	square edge solid wood construction door - file / file - kneespace 18" locking file unit feet - brushed aluminum trim	overall kneespace	72 36	22 21	29 27 1/4	

Available Options — please see pages 31–32 for detailed descriptions.

option specific to bridge credenzas -

C14



#### **Brushed Aluminum Accent**

determine total number of inches and multiply by per inch cost

\$2.50 per inch

### **SPECIFICATIONS**

Standard with all 3004 Angle Work Stations: Corner work station consists of top, front rail, corner shelf in kneewell, side support panels, and panel back that will match bridge and credenza panels. Freestanding corner work station has additional finished panels on sides.



description

connection dimensions width height

dimension

B C D

list prices


\$755

#### **ANGLE CORNER WORK STATIONS**

C3004-110	Freestanding — Executive Height — 22" x 22"									
	cannot connect to other units 42" along wall C61 radius keypad must be used in this unit	none base s	29 ection	22	42 29 1/2	42 44 1/2	22 29	28		
C3004-310	Corner — Executive Height — 22" x 22"								\$3,785	
	connects to 22" each side 42" along wall C61 radius keypad must be used in this unit for use with credenzas or bridges	22	29	22	42	42	22	28		

option specific to angle corner work stations-

#### C61



#### **Radius Articulated Keyboard**

same features as C60 with radius back edge **accommodates corner work stations only** (C3004-110, C3004-310, C3050-100, C3050-101, C3050-200, C3050-201, C3050-300, C3050-301) (includes a surface grommet)

platform	26	12	1 1/2
wrist rest	25 1/4	1 3/4	3/4
keyboard / mouse	26	10 1/4	_

description

# HARDEN contract.

Н

list price

D

#### **SPECIFICATIONS**

**Standard with all 3050 Work Stations:** Top, front rail, corner shelf in kneewell and panel back that will match bridge and credenza panels. In 18" file units, letter files are positioned front-to-back while legal files are positioned side-to-side. In 36" file units, two rows of letter or legal files are available; both letter and legal files are positioned front-to-back only. Individual lock on all file drawers.

W

dimensions

	description	uirrierisioris	VV	D	11	list price
CORNER WORK STATIONS						
C3050-100	72" Right Corner Connection					\$5,925
C3050-101	72" Left Corner Connection					\$5,925
	solid wood construction box / box / file 18" box / box / file unit	overall kneespace	72 31	41 20 3/4	29 27 1/4	
C3050-100 C3050-101						
C3050-200	72" Right Corner Connection					\$5,705
C3050-201	72" Left Corner Connection					\$5,705
	solid wood construction file / file 18" file unit	overall kneespace	72 31	41 20 3/4	29 27 1/4	
C3050-200 C3050-201						
C3050-300	72" Right Corner Connection					\$4,595
C3050-301	72" Left Corner Connection					\$4,595
	solid wood construction open	overall kneespace	72 49	41 20 3/4	29 27 1/4	
C3050-300 C3050-301						
option specific to angle corner work stations—	-	dimension	W	D	Н	
C61	Radius Articulated Keyboard same features as C60 with radius back edge accommodates corner work stations only (C3004-110, C3004-310, C3050-100,	platform wrist rest keyboard / mouse	26 25 1/4 26	12 1 3/4 10 1/4	1 1/2 3/4 -	\$755

C3050-101, C3050-200, C3050-201,

C3050-300, C3050-301) (includes a surface grommet)

### ASCEND Series — Receptionist / Work Stations / Galleries

# HARDEN contract.

#### RECEPTIONIST / WORK STATION GALLERIES

The Receptionist / Work Station Galleries were designed to create Charging Desks or Work Stations in an "L" or "U" shaped unit. They are offered as 12" high units with fabric covered, tackable surface on the inside. The 7" top surface for writing is standard on all galleries. Radius fronts may be ordered as an option unless a cap-option is specified.

#### CONNECTION

This system must be used with an "L" or "U" Desk Unit, or a Double Bridge Credenza Unit.

#### **TACKABLE SURFACES**

Inside back panel is constructed of a fabric covered, tackable surface with a cherry wood base rail at the bottom. For COM fabric there is a handling fee of \$30 NET. Please submit COM fabric sample with order. All fabrics must be approved by Harden. Note: large repeats and matching patterns may require extra yardage.

\*\* Please note: When there is no fabric specified Harden will use Maharam: Messenger 046 Ice (4003-30).

#### TO SPECIFY

Determine type of unit to be used with gallery;

1006-11 Straight Gallery


1006-12 "L" Desk -

select desk and return unit,


1006-13 "U" Desk -

select desk, bridge and bridge credenza,

Specify fabric for tackable surface.



#### **GALLERY CLEARANCES & CUSTOM GALLERY PRICING**



#### **All Standard Galleries**

check all work surfaces and equipment inside

Determine Gallery Length (Each length when ordering "L" or "U" galleries)

Multiply overall length by \$24 per inch

- 7

11

\$24 per inch

#### **CAP LEDGE GALLERIES**

#### C3006-90




#### Cap Ledge Option / Privacy Wall



\$21 per inch

option specific to galleries—

#### C3006-91



#### **Bow Front Option**

shaped tops, such as a Radius Charging Front, are available on galleries

\$24 per inch

# TO SPECIFY STRAIGHT CREDENZAS

Select width of basic case to fit layout requirements. Note number and width of individual components case will hold. Refer to components and select type. List product number starting with basic case and continue with individual component numbers from left to right. Make sure to list open kneewell by "-X" that will replace component and may connect to other units.

#### **IMPORTANT**

Make certain entrances, elevators, etc., are adequate for large units. Our drivers are not responsible for delivery to anywhere other than a building receiving area. Please make certain that transportation to the point where the furniture is to be used is carefully considered and arranged for by the customer.

donorintian	dimonoiono	1/1/	$\cap$	$\sqcup$	lint price
description	dimensions	VV	D	П	list price

#### **CREDENZA EXAMPLE:**

# C3001-72-20-33-26 Straight Credenza — Freestanding \$6,755 72" basic case overall 72 22 29 \$2,195 -20 two box drawers / one file drawer 18 \$1,430




-33 two doors	36	-	-	\$1,780
-26 file / file	18	-	-	\$1,350

basic case number		overall		number & size of components contained in credenza	list prices
		dimensions			
	W	D	Н		

#### **C3001- STRAIGHT BASIC CASES**

Solid cherry top with square edge and two panel ends.



C3001-18	19	22	29	one 18"	\$1,250
C3001-29	30 1/2	22	29	one 30"	\$1,315
C3001-36	36 1/2	22	29	one 36" / or two 18"	\$1,355
C3001-48	48	22	29	one 18" and one 30"	\$1,605
C3001-54	54	22	29	one 36" and one 18" / or three 18"	\$1,685
C3001-60	59 1/2	22	29	two 30"	\$1,760
C3001-66	65 1/2	22	29	one 36" and one 30" / or two 18" and one 30"	\$2,110
C3001-72	71 1/2	22	29	two 36" / or one 36" and two 18" or / four 18"	\$2,195
C3001-78	77	22	29	one 18" and two 30"	\$2,300
C3001-84	83	22	29	one 36" and one 18" and one 30" / or three 18" and one 30"	\$2,390
C3001-90	89	22	29	two 36" and one 18" / or one 36" and three 18" / or five 18"	\$2,710
C3001-96	94 1/2	22	29	two 18" and two 30" / or two 30" and one 36"	\$2,775
C3001-102	100 1/2	22	29	four 18" and one 30" / or two 18" and one 30" and one 36" / or one 30" and two 36"	\$2,885
C3001-108	106 1/2	22	29	three 36" / or two 36" and two 18" / or one 36" and four 18" / or six 18"	\$3,000
C3001-114	112	22	29	three 18" and two 30" / or one 18" and two 30" and one 36"	\$3,120
C3001-120	118	22	29	five 18" and one 30" / or three 18" and one 30" and one 36 / or one 18" and one 30" and two 36"	\$3,255
C3001-126 Maximum Length i	124 n one piece t	22 top or o	29 ne 36" a	three 36" and one 18" / or two 36" and three 18" /	\$3,315

model		description	list price	model	d	escription	list price
18" W	IDE INDIVID	UAL COMPONENTS		30" WI	DE INDIVIDU	AL COMPONENTS	
-20		2 Box Drawers / 1 File Drawer cylinder lock on file drawer box drawers - 13 7/8W 17 3/8D 4 1/4H file drawer - 13 7/8W 17 3/8D 10 1/4H overall dimensions - 17 1/2W 20 3/4D	\$1,430	-30	Ir o	60" Open Unit hterior - 27 1/2W 19 3/4D 23 1/4 ne adjustable shelf verall dimensions - 29W 20D	<b>\$825</b>
-23		1 Door standard with cherry wood veneer door hinged on right, with one adjustable shelf	\$1,160	-31	si w	tandard with cherry wood veneer with one adjustable shelf compartment - 27 1/2W 19 3/4D	
-25		interior - 16W 19 3/4D 23 1/4H overall -17 1/2W 20 3/4D  Open Case	\$670	-38	b b	60" 2 File Drawers ylinder lock on each drawer oth drawers - 25 3/8W 17 3/8D verall dimensions - 29W 20 3/4D	<b>\$1,635</b> 10 1/4H
		one adjustable shelf interior - 16W 19 3/4D 23 1/4H overall dimensions - 17 1/2W 20D		36" W		JAL COMPONENTS	
-26		2 File Drawers cylinder lock on each drawer top drawer - 13 7/8W 17 3/8D 10 1/4H bottom drawer - 13 7/8W 17 3/8D 10 1/	<b>\$1,350</b>	-33	Si W	P. Doors tandard with cherry wood veneer with one adjustable shelf compartment - 33 1/2W 19 3/4D everall dimensions - 35W 20 3/4D	<b>\$1,780</b> 23 1/4H
-X		overall dimensions - 17 1/2W 20 3/4D  Open Kneewell designated open area, any length includes finished panels on sides of kneewell specify "-X" in appropriate location	\$615	-35	w co	Open Case  vith one adjustable shelf  ompartment - 33 1/2W 19 3/4D  verall dimensions - 35W 20D	
		*When ordering a credenza with open kneewell space only, a finish back or modesty panel must also be ordered.		-37	b b	Prile Drawers  ylinder lock on each drawer  oth drawers - 31 3/8W 17 3/8D  verall dimensions - 35W 20 3/4D	<b>\$1,765</b> 10 1/2H
options .	specific to creden	za system—					
-68		Finished Modes order for open kneewe determine kneewell to outside back of panels	ell, drawer, bric tal width and n	nultiply width			\$26 per inch x width
-67		Finished Full Ba order for any credenza determine credenza le and multiply width by	a ngth (each len		ering corner)		\$26 per inch x width
C14		Brushed Alumir determine total numb			per inch cost		\$2.50 per inch
C84		Fire Safe designed to fit (freestarated one hour - UL® exterior - 13 1/8W 15	Fire Endurance	e Test up to 17	700°F, outside unit	and 350 inside unit, combination lo	<b>\$705</b>
C91		Pull-out Shelf heavy duty pull out sh for use in 18" door cor shelf dimensions - 17	mponents, exte	ends out 16" t		ole standard	\$320
C92		Pull-out Shelf heavy duty pull out sh for use in 30" or 36" d shelf dimension - 32 1	oor componer	its, extends o		cess hole standard	\$395




# $HARDEN \overline{\texttt{contract}}.$

WORK SURFACE / CONFERENCE TOP	The modular Work Surface / Conference Tops offer run-off work surfaces from credenza unit. Four standard, rectangular, and "P" top shapes or custom size and shaped tops may be specified. See option below.						
CONNECTION	This system must be used with a with the depth dimension of the to		oriate knee sp	ace (30" minim	um) that co	rresponds	
TO SPECIFY	Determine size of work surface dincludes solid wood top surface,  Note: Custom "P"-tops may only	and reverse molded c	onnection.		· ·		
	description	dimensions	W	D	Н	list price	
RUN OFF TABLES							
SPECIFICATIONS	Standard with all RUN OFF TA square edge on all tabletops.	BLES: Solid cherry, th	nree-column b	pase on square	, beveled p	latform;	
C3051-100	72" Standard Bullet Top					\$2,685	
	solid wood construction	overall	72	36	29		
C3051-200	66" Standard Bullet Top					\$2,105	
	solid wood construction	overall	66	30	29		
C3052-100	72" "P"-Top — Right Retu	ırn				\$2,665	
C3052-101	72" "P"-Top — Left Retur	n				\$2,665	
C3052-100 C3052-101	solid wood construction	overall connecting de	72 ppth -	36 26	29		
C3052-200	66" "P"-Top — Right Retu	ırn				\$2,555	
C3052-201	66" "P"-Top — Left Retur	n				\$2,555	
	solid wood construction	overall connecting de	66 epth -	36 26	29 -		
C3052-200 C3052-201							

Refer to page 25 for custom work surface / desking units.

#### **RUN-OFF WORK SURFACE / DESKING UNITS**

C149-000




**Custom Run-Off Work Surface Tops** 

custom sizes, rounded corners, radius shapes and combination shapes such as "P"-Tops — specify edge detail to specify combination shapes - find overall square footage minimum square footage charge is 9 square feet some restrictions apply, contact Factory

\$160 per square foot

C149-500



**Custom "P" Tops or Bullet Tops for Desking Units** 

\*"P" Top diameter not to exceed 42"

Specify edge detail

\$160 per square foot

description dimensions W D H list price

### BASE SELECTIONS Base Only

#### C149-608

**Square Pillar Column Base** 

solid cherry four columns levelers

solid cherry

overall

8

8

29 with top

C3149-067

#### Panel Base for Run-Off

for use on a 29"H top

levelers






\$2,645

\$700

\$995



solid cherry levelers for use on a 29" H top

HI-RISE SYSTE	M	Hi-Rise	e basic cas	mponents are offered es are compatible with or functions. Standard	the modular cre	edenzas. Hi-Rise	units can also	be ordered sh							
CONNECTION		conne	cted to war	be used with freestand drobe units. Hi-Rise ur shed cases. Hardware	nits may also be	specified with <b>C</b>	77 Wall Hung	option. All unit	s are shipped o	•					
TACKABLE SUI	RFACES	base rorder.	ail at bottor	, beneath standard hei n of fabric panel. For C s must be approved b lents per each compor	OM fabric there by Harden — Ia	is a handling fee rge repeats an Units C40-C4	e of \$30 NET. Id matching p 49	Please submit	COM fabric sa require extra	mple with yardage1/2 yd1/4 yd					
		** Ple	ase note: \	When there is no fabric	specified Harde					-					
TASK LIGHTING	G			fered on noted compor ore than one lighted co			-			in work spac					
TO SPECIFY HI	-RISES	Note n	number and	asic case to fit layout re width of individual cor c case (C3002-) and co	nponents case v	vill hold. Refer to	components	and select typ		_					
		descrij	ption			dimensions	W	D	Н	list price					
HI-RISE EXAM	PLE:														
C3002-72-71-60	0-71	72" H	Hi-Rise S	Storage						\$6,055					
		-71 full	en shelf ur	or aluminum frame / sa		overall 16	71 1/2 - 30 16	15 - - -	46 - - -	\$1,965 \$1,705 \$680 \$1,705					
basic case number		Hi-Rise dimensior d	ns h	distance from bottom of shelf to work surface	number & siz contained in	re of component basic cases	S			list price					
C3002- STRAIG	HT BASI	CASE	S												
C3002-18	19	15	46		one 18"					\$1,240					
C3002-29	30 1/2	15	46		one 30"					\$1,275					
C3002-36	36 1/2	15	46		two 18" / or	one 36"				\$1,360					
C3002-48	48	15	46		one 18" and	one 30"				\$1,505					
C3002-54	54	15	46		three 18" / or	one 18" and on	e 36"			\$1,635					
C3002-59	59 1/2	15	46		two 30"					\$1,745					
-UUL-UU	65 1/2	15	46		two 18" and	one 30" / or one	30" and one 3	36"		\$1,840					
	71 1/2	15	46		four 18" / or	two 18" and one	36" / or two 3	6"		\$1,965					
C3002-66	11 1/2	10								\$2,085					
C3002-66 C3002-72	77	15	46		one 18" and	two 30"			15 46 three 18" and one 30" / or one 18" and one 30" and one 36"						
C3002-66 C3002-72 C3002-78 C3002-84							ne 18" and one	30" and one 3	36"	\$2,215					
C3002-66 C3002-72 C3002-78 C3002-84 C3002-90	77	15			three 18" and					\$2,340					
C3002-66 C3002-72 C3002-78 C3002-84 C3002-90 C3002-96	77 83	15 15	46		three 18" and five 18" / or t	d one 30" / or or	e 36" / or one	18" and two 36							
C3002-66 C3002-72 C3002-78 C3002-84 C3002-90 C3002-96	77 83 89	15 15 15	46 46		three 18" and five 18" / or t two 18" and	d one 30" / or or hree 18" and one two 30" / or two one 30" / or two	e 36" / or one 30" and one 3	18" and two 36 36"	6"	\$2,340					
C3002-66 C3002-72 C3002-78 C3002-84 C3002-90 C3002-96 C3002-102	77 83 89 94 1/2	15 15 15 15	46 46 46		three 18" and five 18" / or t two 18" and four 18" and or one 30" a	d one 30" / or or hree 18" and one two 30" / or two one 30" / or two	e 36" / or one 30" and one 3 18" and one 3	18" and two 36 36" 30" and one 36	6" 6" /	\$2,340 \$2,430					
C3002-66 C3002-72 C3002-78 C3002-84 C3002-90 C3002-96 C3002-102	77 83 89 94 1/2 100 1/2	15 15 15 15 15	46 46 46 46	15 or 21 3/4	three 18" and five 18" / or t two 18" and four 18" and or one 30" at six 18" / or fo	d one 30" / or or hree 18" and on two 30" / or two one 30" / or two nd two 36"	e 36" / or one 30" and one 3 18" and one 3 36" / or two 18	18" and two 36 86" 30" and one 36 3" and two 36"	6" / / or three 36"	\$2,340 \$2,430 \$2,435					
C3002-39 C3002-66 C3002-72 C3002-78 C3002-84 C3002-90 C3002-102 C3002-102 C3002-108 C3002-114 C3002-120	77 83 89 94 1/2 100 1/2	15 15 15 15 15 15	46 46 46 46 46	15 or 21 3/4	three 18" and five 18" / or t two 18" and or one 30" at six 18" / or for three 18" and five 18"	d one 30" / or or hree 18" and on two 30" / or two one 30" / or two and two 36" our 18" and one	e 36" / or one 30" and one 3 18" and one 3 36" / or two 18 te 18" and two e 18" and one	18" and two 36 36" 30" and one 36 3" and two 36" 30" and one 3	6" / / or three 36" / 86"	\$2,340 \$2,430 \$2,435 \$2,530					

Note: All Hi-Rise Storage units with tackboards will be shipped with one exit grommet in the lower right side.

# $\underline{HARDEN}\, \underline{contract}.$

model	description	list price	model	description list price
18" WIDE	INDIVIDUAL COMPONENTS		18" WIDE	INDIVIDUAL COMPONENTS
-40 -41 same as abo	Open Shelf Unit open case / interior 16W 13 1/2D 15 1/4H open workspace below component 24"  Open Shelf with Task Light ove with light mounted beneath  Door Unit	\$540 \$615 \$860	-70	Full Length Open Shelf Unit \$1,080 open case / interior - 16W 13 1/2D 41 3/4H 2 adjustable shelves 12" between shelves maximum adjustmant of each shelf 2" up or down
-43	one 18" door / cherry wood veneer door standard door hinged on right interior - 16W 13 1/2D 15 1/4H open workspace below component 24"  Door Unit with Task Light same as above with light mounted beneath	\$930	-71	Full Length Aluminum Frame / Satin Glass Insert Door Unit \$1,705 one 18" door / standard with door hinged on right interior - 16W 13 1/2D 41 3/4H 2 adjustable shelves 12" between shelves
-45	Aluminum Frame / Satin Glass Ins Door Unit one 18" door / standard with door hinged on rig interior - 16W 13 1/2D 15 1/4H open workspace below component 24"	\$930	-73	Full Length Door Unit \$1,675  one 18" door / cherry wood veneer doors standard with door hinged on right interior - 16W 13 1/2D 41 3/4H
-46	Aluminum Frame / Satin Glass Ins Door Unit with Task Light same as above with light mounted beneath	sert \$1,005		2 adjustable shelves 12" between shelves maximum adjustment of each shelf 2" up or down
-47	Wood Frame / Satin Glass Insert Door Unit one 18" door / standard with door hinged on rig interior - 16W 13 1/2D 15 1/4H open workspace below component 24"	<b>\$905</b> ht	-74	Full Length Wood Frame / Satin Glass Insert Door Unit \$1,620 one 18" door / standard with door hinged on right interior - 16W 13 1/2D 41 3/4H 2 adjustable shelves
-49	Wood Frame / Satin Glass Insert Door Unit with Task Light same as above with light mounted beneath	\$970		12" between shelves maximum adjustment of each shelf 2" up or down
-01	Open Shelf Unit open case / interior 16W 13 1/2D 24 3/4H open workspace below component 15"	\$790	-00	Media Wall Support used for mounting a flat screen TV per inch x width
-02	Open Shelf with Task Light same as above with light mounted beneath	\$865		wall consists of a 3/4" cherry veneer panel with exist hole for electrical connections, fixed upper shelf 8H x 5-3/4D
-03	Door Unit one 18" door / cherry wood veneer door standard door hinged on right interior - 16W 13 1/2D 24 3/4H open workspace below component 15"	\$1,185		Must be used between two Hi-Rise components.  Example: 55" TV (54-5/8" diagonal) with two 18" components on each end for a total of 91".  Select HiRise basic case from page 26 in next largest size — C3002-96-70-00-70  (TV and mounting hardware not included)
-04	Door Unit with Task Light same as above with light mounted beneath	\$1,260		(17 and mounting hardware not moldated)
-05	Aluminum Frame / Satin Glass Ins Door Unit one 18" door / standard with door hinged on rig interior - 16W 13 1/2D 24 3/4H open workspace below component 15"	\$1,310		0
-06	Aluminum Frame / Satin Glass Ins Door Unit with Task Light same as above with light mounted beneath	sert \$1,375		
-07	Wood Frame / Satin Glass Insert Door Unit one 18" door / standard with door hinged on rig interior - 16W 13 1/2D 24 3/4H open workspace below component 15"	<b>\$1,170</b> ht		
-08	Wood Frame / Satin Glass Insert Door Unit with Task Light same as above with light mounted beneath	\$1,250		

model	description	list price	model	description list price
30" WIDE IN	DIVIDUAL COMPONENTS		30" WIDE I	NDIVIDUAL COMPONENTS
-50	Open Shelf Unit open case / interior - 27 1/2W 13 1/2D 15 1 open workspace below component 24"  Open Unit with Task Light same as above with light mounted beneath	\$655 /4H \$740	-80	Full Length Open Shelf Unit \$1,410  open case / interior - 27 1/2W 13 1/2D 41 3/4H 2 adjustable shelves 12" between shelves maximum adjustment of each shelf 2" up or down
-52	Door Unit double door / cherry wood veneer doors interior - 27 1/2W 3 1/2D 15 1/4H open workspace below component 24"	\$1,240	-81	Full Length Aluminum Frame / Satin Glass Insert Door Unit \$2,565
-53	Door Unit with Task Light same as above with light mounted beneath  Aluminum Frame / Satin Glass In Door Unit double door interior - 27 1/2W 3 1/2D 15 1/4H	\$1,325 sert \$1,455		double door interior - 27 1/2W 13 1/2D 41 3/4H 2 adjustable shelves 12" between shelves maximum adjustment of each shelf 2" up or down
-56	open workspace below component 24"  Aluminum Frame / Satin Glass In  Door Unit with Task Light same as above with light mounted beneath	sert \$1,535	-82	Full Length Door Unit \$2,405  double door / cherry wood veneer doors interior - 27 1/2W 13 1/2D 41 3/4H 2 adjustable shelves 12" between shelves
-57	Wood Frame / Satin Glass Insert Door Unit double door interior - 27 1/2W 13 1/2D 15 1/4H open workspace below component 24"	\$1,350		maximum adjustment of each shelf 2" up or down
-58	Wood Frame / Satin Glass Insert Door Unit with Task Light same as above with light mounted beneath	\$1,435	-83	Full Length Wood Frame / Satin Glass Insert Door Unit double door interior - 27 1/2W 13 1/2D 41 3/4H  \$2,320
-13	Open Shelf Unit open case / interior - 27 1/2W 13 1/2D 24 3 open workspace below component 15"	<b>\$1,070</b> /4H		2 adjustable shelves 12" between shelves maximum adjustment of each shelf 2" up or down
-14	Open Unit with Task Light same as above with light mounted beneath	\$1,165		
-15	Door Unit double door / cherry wood veneer doors interior - 27 1/2W 13 1/2D 24 3/4H open workspace below component 15"	\$1,845		
-16	Door Unit with Task Light same as above with light mounted beneath	\$1,930		
-17	Aluminum Frame / Satin Glass In Door Unit double door interior - 27 1/2W 13 1/2D 24 3/4H open workspace below component 15"	sert \$1,980		
-19	Aluminum Frame / Satin Glass In Door Unit with Task Light same as above with light mounted beneath	sert \$2,060		
-20	Wood Frame / Satin Glass Insert Door Unit double door interior - 27 1/2W 13 1/2D 24 3/4H open workspace below component 15"	\$1,830		
-21	Wood Frame / Satin Glass Insert Door Unit with Task Light same as above with light mounted beneath	\$1,925		

model description list price model description list price **36" WIDE INDIVIDUAL COMPONENTS 36" WIDE INDIVIDUAL COMPONENTS** -60 **Open Shelf Unit** \$680 -91 **Full Length Open Shelf Unit** \$1,555 open case / interior - 33 1/2W 13 1/2D 15 1/4H open case / interior - 33 1/2W 13 1/2D 41 3/4H open workspace below component 24" 2 adjustable shelves 12" between shelves -61 **Open Shelf with Task Light** \$795 maximum adjustment of each shelf 2" up or down same as above with light mounted beneath **Door Unit** -62 \$1,345 double door / cherry wood veneer doors -92 ----Full Length Aluminum Frame / interior - 33 1/2W 13 1/2D 15 1/4H \$2,810 **Satin Glass Insert Door Unit** double door -63 \$1.430 **Door Unit with Task Light** interior - 33 1/2W 13 1/2D 41 3/4H same as above with light mounted beneath 2 adjustable shelves **Aluminum Frame / Satin Glass Insert** 12" between shelves -64 **Door Unit** \$1,505 maximum adjustment of each shelf 2" up or down double door -93 **Full Length Door Unit** \$2.690 interior - 33 1/2W 13 1/2D 15 1/4H double door / cherry wood veneer doors interior - 33 1/2W 13 1/2D 41 3/4H **Aluminum Frame / Satin Glass Insert** -65 **Door Unit with Task Light** 2 adjustable shelves \$1,595 same as above with light mounted beneath 12" between shelves maximum adjustment of each shelf 2" up or down Wood Frame / Satin Glass Insert -68 **Door Unit** \$1,415 -94 Full Length Wood Frame / double door **Satin Glass Insert Door Unit** \$2,575 interior - 33 1/2W 13 1/2D 15 1/4H double door -69 **Wood Frame / Satin Glass Insert** interior - 33 1/2W 13 1/2D 41 3/4H **Door Unit with Task Light** \$1,505 2 adjustable shelves same as above with light mounted beneath 12" between shelves maximum adjustment of each shelf 2" up or down -26 \$1,150 **Open Shelf Unit** open case / interior - 33 1/2W 13 1/2D 24 3/4H open workspace below component 15" Open Shelf with Task Light -27 \$1.235 same as above with light mounted beneath -28 **Wood Door Unit** \$1,955 double door / cherry wood veneer doors interior - 33 1/2W 13 1/2D 24 3/4H open workspace below component 15" -30 Wood Door Unit with Task Light \$2,040 same as above with light mounted beneath -31 **Aluminum Frame / Satin Glass Insert Door Unit** \$2,185 options specific to Hi-Rise systemdouble door \$160 **C77 Wall Hung Units** interior - 33 1/2W 13 1/2D 24 3/4H units may be ordered to be wall hung per hi-rise open workspace below component 15" (with the exception of full length units) length -32 Aluminum Frame / Satin Glass Insert hardware for securing hi-rise storage units **Door Unit with Task Light** \$2,270 to wall will be shipped with order same as above with light mounted beneath  ${\sf TO}$  SPECIFY — determine type of storage unit, specify option C77 and add \$160 per hi-rise length -33 Wood Frame / Satin Glass Insert **Door Unit** \$1,925 C3002-67 **Finished Full Back Panels** \$38 double door determine hi-rise length per inch interior - 33 1/2W 13 1/2D 24 3/4H and multiply width x \$38 per inch x width open workspace below component 15" -34 **Wood Frame / Satin Glass Insert** \$2,010 **Door Unit with Task Light** same as above with light mounted beneath

# ASCEND Series — Wardrobes / Bookcases / Lateral Files HARDEN contract.

, 10021 12 Conloc	- Waldiobes / Doorcases / Lateral Files		11/1	LI a C L.		
	description	dimensions	W	D	Н	list price
WARDROBES						
SPECIFICATIONS	<b>Standard with all Wardrobes:</b> Choice of two in otherwise specified. All freestanding wardrobes	9 9				unless
C3053-100	Wardrobe					\$2,990
	wood construction one shelf and hanger bar hinged right	overall interior — top interior — bottom	17 1/2 16 16	21 3/4 19 3/4 19 3/4	68 1/4 8 53 7/8	
C3053-200	Wardrobe					\$3,140
	wood construction three adjustable shelves hinged right	overall interior — top interior — bottom	17 1/2 16 16	21 3/4 19 3/4 19 3/4	68 1/4 8 53 7/8	
BOOKCASES						
C3054-100	Bookcase					\$2,825
	solid wood construction four adjustable shelves	overall	36	15	68 1/4	
C3054-200	Bookcase					\$1,835
	solid wood construction one adjustable shelf	overall	36	15	29 1/2	
LATERAL FILE						
SPECIFICATIONS	Standard with all Lateral Files: All units included to be opened. It also provides a positive lock, an file drawers and cylinder lock that locks all drawers.	ti-rebound feature for heavily v	weighted drav			
C3056-100	Lateral File					\$4,355
	solid wood construction four drawers each drawer accommodates two letter or two legal files front to back	overall drawer	35 31 3/8	22 17 3/8	53 10 1/2	
C3056-200	Lateral File					\$3,145
	solid wood construction two drawers each drawer accommodates two letter or two legal files front to back	overall drawer	36 31 3/8	22 17 3/8	29 10 1/2	

# $\underline{HARDEN}\, \underline{\texttt{contract}}.$

	description	dimensions	W	D	Н	list price
OPTIONS — The follows	ng options are available on most items.					
C65	Rectangular Brass Grommet includes wire management tray	overall cap opening	3 5/16W 1 1/2W	2D 3/4D		\$110
C65-005	Rectangular Black Grommet includes wire management tray	overall cap opening	3 5/16W 1 1/2W	2D 3/4D		\$110
C65-300	Rectangular Brushed Steel Grommet includes wire management tray	overall cap opening	3 5/16W 1 1/2W	2D 3/4D		\$110
C55	25" Keypad	overall keypad inside dim. grommet included	25W 22 3/4W	18 3/4D 16 1/2	3H 2 1/2H	\$445
C57	27" Keypad	overall keypad inside dim. grommet included	27W 24 3/4W	18 3/4D 16 1/2D	3H 2 1/2H	\$470
C58	Pencil Drawer	overall front compartment back compartment minimum opening	25 3/4W 22W 22W 26W	25D 18D 3D 26D	1 3/4H 1 5/16H 1 5/16H 2H	\$450
C58 1/2	Shallow Pencil Drawer	overall inside dimensions minimum opening	25 3/4W 22W 26W	18 1/2D 14D 18 1/2D	1 3/4H 1 5/16H 2H	\$435
C59	Articulated Keyboard optional full articulated keyboard arm with adjustable metal keyboard clamp includes black foam wrist rest, 15° adjustable tilt feature 10° forward and 5° backslope with 360° arm rotation profile with spring assisted keyboard arm, additional precision ball bearing slides, meets BIFMA standards	knee clearance provided	19 1/2W 25" r h pull latch u by backslop	ınder tray,	3/4H space required , 6" height adjust	
C60	Articulated Keyboard / Mouse Platfor same articulating mechanism as above except with wood platform, allows for right or left hand mouse area, accommodates enhanced keyboard, full length, padded leather wrist rest available in any Harden leather (specify leather when	platform wrist rest keyboard / mouse kneespace			1 1/2H 3/4H - space required	\$770
C60 1/2	Articulated Keyboard same articulating mechanism as above except with wood platform, full length, padded leather wrist rest available in any Harden leather (specify leather when ordering), includes a surface grommet	platform wrist rest keyboard kneespace	21W 20W 21W 24" r	12 1/2D 2 1/4D 10 1/4D minimum s	1 1/2H 3/4H - space required	\$750

description dimensions -W list price

**OPTIONS** — The following options are available on most items.

C73

#### Wire Management / Electrification

\$260

one electrical unit containing eight 110 volt outlets, two coaxial "F" connectors, two RJ45 jacks for data communications, two RJ11 jacks for fax and telephone. The flexible feed cord for plug-in connection will exit through a grommet hole and

\*\* Please Note: a sketch must be provided showing the location of the exit hole for the flexible feed cord.

C93




**Data Port** 

one electrical unit containing one 110 volt outlet, one RJ45 data communications jack and one RJ11 fax/telephone jack. The flexible feed cord for plug-in connection will exit through a grommet hole and will be approximately 10' long.

\*\* Please Note: a sketch must be provided showing the location of the exit hole for the flexible feed cord.

**C97** 



**Deluxe Data Port** 

**Black Interport Unit** 

pull-up unit for easy access

\$160

\$380

\$495

\$495

\$1,857

\$2,322

2

3 1/2

dark charcoal, textured, non glare finish and features 2 electrical receptacles, one RJ11 telephone jack, one RJ45 data jack and two USB ports on the face. The C97 offers one power receptacle and matching data, phone, USB ports on the back of the unit and a 10' 16-3 power cord with a 45 degree right angle plug.

C94-200



C94-100



C94-150



**Black Data Power Port** 

and a 10' power cord.

standard with one electrical unit

standard with one electrical unit 3 1/2 overall

opens

overall

containing two 110v outlets, two RJ45 data

C94-300



C94-350





C94-400

C94-450

C95







consists of voice/data and two receptacles

containing two 110v outlets, two RJ45 data

**Brushed Aluminum Data Power Port** 

and a 10' power cord.

**Brushed Aluminum Table Trough Power / Data** 

6 3/4 brushed aluminum 9 15

standard with six power receptacles and

two plate cutouts (telecom plates not included), 108" cord with molded plug

Fully flexible, this unit can be customized with up to 8 power receptacles or 6 fully configurable telecom plates, depending on individual requirements.

**Black Table Trough Power / Data** 

\$1,851 15 6.3/4

standard with six power receptacles and

two plate cutouts (telecom plates not included), 108" cord with molded plug

Fully flexible, this unit can be customized with up to 8 power receptacles or 6 fully configurable telecom plates, depending on individual requirements.

**Brushed Aluminum Table Trough Power / Data** same as C94-300, but allows daisy-chaining of multiple units

Black Table Trough Power / Data \$2,322

same as C94-350, but allows daisy-chaining of multiple units

 $smartCOMM^{TM}$ \$2,220

**Power and Communications Unit** 

Available for use with the 146-400 and 146-900 series

conference tables bases

Supplies power to worksurface 22 x 22 square overall

Push-down storage and access latch opening 20 1/2W 3 5/8H

Continuous grain solid top

Leather top option

Each side contains two 110V power outlets, one voice and one data communications line One electrical reset button per dock

Must be used with either 22" square, hexagonal or octagonal Serotina or Connectives base.

Price Includes Installation in Base Unit, with hinged door for easy access.




Storage Chamber



*GROMMETS & DATA POWER PORTS	All grommets and Data Ports are flush mounted Specify location on all sketches.	l. Refer to chart b	oelow for cl	earances on desk	S.	
C65	Rectangular Brass Grommet* solid brass with cap cap opening	overall		3 5/16W 1 1/2W	2D 3/4D	\$110
C65-005	Black Grommet* rectangular, black anodized metal with cap cap opening should be specified with C50 Black Hardware	overall		3 5/16W 1 1/2W	2D 3/4D	\$110
C94-100	Brushed Aluminum Data Power P standard with one electrical unit containing two 110v outlets, two RJ45 data and a 10' power cord.	<b>ort</b> overall	8	5	3 1/2	\$495
C94-150	Black Data Power Port standard with one electrical unit containing two 110v outlets, two RJ45 data and a 10' power cord.	overall	8	5	3 1/2	\$495
GROMMET & DATA POWER/ PORT CLEARANCES	Desk Type	A	В	Dimensions C	D	E
D D	ASCEND 72" x 36" Sit-Stand or Fi	<b>xed Height I</b> 2 1/2"	Desk 6"	13 1/4"	13"	54 3/4"
ı <del></del> E	ASCEND 66" x 30" Sit-Stand or Fi	•				
Indicates Grommet / Power D		2 1/2"	6"	16 1/4"	7 1/2"	46"

Special Note: MONITOR PLACEMENT Placement of a monitor directly above the motor housing in the sit-stand desks may cause malfunction of the monitor.

Magnets inside the motor may interrupt the picture on the monitor, depending on the distance and type of monitor. If this is the case, the problem may be solved by placing an iron plate/tube or another magnetic material, somewhat larger than the motor housing, between the motor and the desk top.



### **CONFERENCE TABLES**



### **LECTERN**




C121-020 Lectern

# TECHNOLOGIES MANAGEMENT


C93



C94-300



C94-100



C95



To see all of the Technologies Management options available, please refer to page 32

#### **CONFERENCE TABLE PROGRAM**

Harden offers a conference table program with a wide variety of top shapes, edge styles, and base selections of solid cherry wood construction. All conference table tops are 1 1/4" thick with an overall height of 30 1/2" high. Below is a list of the most common size tables; please specify top shape and edge detail when ordering. For sizes not listed please refer to our custom program on page 37.

\*NOTE: When figuring the number of chairs to go around a conference table:

Standard allowance – 30" clearance per chair Premium allowance – 36" clearance per chair

Panel Base Conference Tables — Solid cherry wood construction. All conference table tops are 1 1/4" thick with an overall height of 30 1/2" high. Below is a list of the most common size tables; for sizes not listed please refer to our custom program on page 37.

\*NOTE: When figuring the number of chairs to go around a conference table: Standard allowance - 30" clearance per chair


Premium allowance - 36" clearance per chair

See page 38 for seating capacity chart.

Ascend Panel Base Conference Table Series	Model	*Top Size	Top Section	# of Bases for complete tables	List price
	3146-801	48" x 96" 32 sq. ft.	1 pc	2 pc 29" x 3 1/2"	\$7,900
	3146-802	48" x 120" 40 sq. ft.	1 pc	2 pc 29" x 3 1/2"	\$9,875
	3146-803	48" x 144" 48 sq. ft.	2 pc	2 pc 29" x 3 1/2"	\$11,850
26 1/2" Clearance from bottom of table to floor Remember to specify top shape and edge detail	3146-804	48" x 168" 56 sq. ft.	2 pc	3 pc 29" x 3 1/2"	\$13,825
	3146-805	60" x 144" 60 sq. ft.	2 pc	2 pc 29" x 3 1/2"	\$14,815
	3146-806	60" x 192" 80 sq. ft.	2 pc	3 pc 29" x 3 1/2"	\$19,725

#### **EXAMPLES OF TOP SHAPES**

<sup>\*</sup> Be sure to specify top size, top shape and edge detail when ordering. The above pricing includes any top shape and edge detail shown below.



#### **ASCEND EDGE STYLE**



Square Edge

<sup>\*\*</sup>It is not recommended to place protective glass tops on these tables. This will create a moisture trap that could damage the top. The use of glass tops will void the product warranty should structural damage occur.

**Geometric Base Conference Tables** — Solid cherry wood construction. All conference table tops are 1 1/4" thick with an overall height of 30 1/2" high. Below is a list of the most common size tables; for sizes not listed please refer to our custom program on page 37.


\*NOTE: When figuring the number of chairs to go around a conference table: Standard allowance – 30" clearance per chair Premium allowance – 36" clearance per chair

See page 38 for seating capacity chart.

Geometric Base Conference Table Series	Model	*Top Size	Top Section	# of Bases for complete tables	List price
	3146-901	48" Round 16 sq. ft.	1 pc	1 pc 18" square base	\$4,515
	3146-902	60" Round 25 sq. ft.	1 pc	1 pc 21 1/2" square base	\$7,055
	3146-903	72" Round 36 sq. ft.	1 pc	1 pc hexagonal base	\$10,155
	3146-904	84" Round 49 sq. ft.	2 pc	1 pc octagonal base	\$13,825
'9" Clearance from bottom of table to floor  Remember to specify top shape and edge detail	3146-905	96" Round 64 sq. ft.	2 pc	1 pc octagonal base	\$18,040
	3146-906	48" x 120"* 40 sq. ft.	1 pc	2 pcs 18" square base	\$11,275
	3146-907	48" x 144"*	2 pc	2 pcs	\$13,545
		48 sq. ft.		21 1/2" square base	
	3146-908	48"x168"* 56 sq. ft.	2 pc	3 pcs 21 1/2" square base	\$15,785
6 1/2" Clearance from bottom of table to floor lemember to specify top shape and edge detail	3146-909	48"x 240"* 80 sq. ft.	2 pc	3 pcs 21 1/2" square base	\$22,570
	3146-910	60" x 144"* 60 sq. ft.	2 pc	2 pcs 21 1/2" square base	\$16,930
	3146-911	60" x 192"* 80 sq. ft.	2 pc	3 pcs 21 1/2" square base	\$22,570

#### **EXAMPLES OF TOP SHAPES**

<sup>\*</sup> Be sure to specify top size, top shape and edge detail when ordering. The above pricing includes any top shape and edge detail shown below.



#### **ASCEND EDGE STYLE**



Square Edge



<sup>\*\*</sup>It is not recommended to place protective glass tops on these tables. This will create a moisture trap that could damage the top. The use of glass tops will void the product warranty should structural damage occur.

#### **CUSTOM CONFERENCE TABLE PROGRAM**

In addition to the standard sizing and pricing on pages 35–36, Harden Contract has designed their conference table program to offer custom flexibility. Specify the custom size top, top shape and edge detail along with any base. To determine list price multiply the square foot pricing listed below.

#### TO SPECIFY

# The following information is required for ordering from the Custom Conference Table Program: C3146- SOLID WOOD TOPS

- 1. Select base style, top size top shape and edge style. Example: C3146-800 54" x 144" Rectangle with standard Square Edge.
- Determine exact size of table tops(s) and multiply length by width, then divide by 144 to get your square footage. If table has multiple tops or special design shape, take each top and multiply overall length times overall width and add totals. Take the square footage and multiply \$250. per square foot for table series C3146-800 and \$280. per square foot for table series C3146-900.
- Specify finish
- 4. Submit sketch when ordering table top shapes, such as an "L"-shaped, "U"-shaped, or closed loop design, showing top shape, dimensions, and general base placement.

#### See page 38 for seating capacity chart.

To compute the list price of a solid wood conference table (C3146-800), use the following: Tables 36" x 72" rectangle — minimum price.


\$250 per square foot (rounding to nearest dollar) minimum charge - \$4,320

To compute the list price of a solid wood conference table (C3146-900), use the following:

\$280 per square foot (rounding to nearest dollar) minimum charge - \$4,860

#### **EXAMPLES OF TOP SHAPES**


\* Be sure to specify top size, top shape and edge detail when ordering. The above pricing includes any top shape and edge detail shown below.



description dimensions W D H

#### **BASES**

#### C3146-800 Panel Base



solid cherry panels surround an internal steel frame engineered for maximum stability

(one piece top) up to 120" (one piece top) over 144" with additional base at each top joint

up to 120"

30" to 44"


21 1/2" x 3 1/2" 29" x 3 7/8"

45" to 66"

67" and over 48" x 3 7/8"

#### C3146-900

#### **Geometric Panel Base**



solid cherry panels configured into square, hexagonal or octagonal cylinders according to size of top ordered 48" x 48" (48" dia.) one
60" x 60" (60" dia.) one
72" x 72" (72" dia.) one
84" x 84" (84" dia.) one
96" x 96" (96" dia.) one


two

two

one at each end

18" x 18" square 22" x 22" square 31" hexagonal 41" octagonal

51" octagonal





# $\underline{HARDEN}\,\overline{contract}.$

### **SEATING CAPACITY CHART**

Estimates based on average chair dimensions; for exact capacities, chair dimensions must be determined.

STYLE	TOP SIZE
RECTANGULAR / RACETRACK	
	72" x 36"6
	84" x 42"8
	96" x 48"
	120" x 48"10
	132" x 48"11
	144" x 48"
	168" x 54"12
	192" x 54"14
	216" x 60"16
	240" x 60"
BOAT	
	96" x 48" x 36"8
	120" x 48" x 36"
	132" x 50" x 36"
	144" x 52" x 38"
	168" x 54" x 38"
	192" x 56" x 40"
	216" x 58" x 40"
	240" x 60" x 42"
OVAL	
	72" x 36"4
	84" x 42"6
	96" x 48" 6
	120" x 48"8
SQUARE	
	48" Diameter
	72" Diameter
	96" Diameter
ROUNDS	
	46" Diameter
	48" Diameter
	60" Diameter
	72" Diameter
	84" Diameter
	96" Diameter
	120" Diameter
	144" Diameter


# $\underline{HARDEN}\, \underline{contract}.$

1 1	, ,	147	-		P 1 1
description	dimensions	VV	D	Н	list prices

C3057-100	Visual Board with Doors					\$3,915
	double doors	overall	48	4 1/2	50	
	solid wood construction	opens to	96	3 1/4	50	
	LCS porcelain writing surface	COM fabric	2 yds			
	solid wood storage tray					
	cleats enclosed for wall mounting					
	fabric-covered, tackable surface insid	le doors				
	For COM fabric there is a handling fe	e of \$30 NET.				
	Please submit COM fabric sample wi					
	Note; large repeats and matching par	terns may require extra	vardage.			
	All fabrics must be approved by H		, 0			
	** Please note: When there is no f					
	Harden will use Maharam: Messe					
		g				
ption —	· <del></del> j					


option specific to visual -

**C**66



**Pull-down Projection Screen** 

matte white finish must be ordered with visual cannot be added in field



\$210

C121-020	Lectern				\$3,1
	solid wood construction	overall	24 1/2	20	50 3/4
	one fixed shelf	inside	22 3/4	19	4 3/4
	one adjustable shelf grommet feet - brushed aluminum trim	inside	22 3/4	19	24

#### Factory & Showroom -

HARDEN FURNITURE CONTRACT DIVISION 8550 Mill Pond Way

McConnellsville, NY 13401-1844

Harden has established a computerized voice mail box system in their corporate phone lines in order to expedite your incoming calls. When you call the corporate phone number, please use the following extension numbers:

#### Chicago Showroom -

Harden Contract

222 Merchandise Mart ■ Space 10-164

Chicago, IL 60654

solid wood furniture for the commercial environment

### HARDEN contract.

HARDEN FURNITURE, INC.

8550 Mill Pond Way, McConnellsville, New York 13401 315 / 675-3600 Fax 315 / 245-2884 contract@harden.com





