# HEALTHCARE

Price and Specification Guide USA



-

۲

# krug

HEALTHCARE SOLUTIONS

# TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

General Services Administration			711-16	Fully Upholstered Furniture	55.67%
Federal Supply Schedule			711-11	Tables and Accessories	55.67%
			711 8	Executive Office Furniture	55.67%
FSC GROUP 71			711-9	Executive Conference Room Furniture	55.67%
CONTRACT NUMBER: GS-03F-0			71-316	Hospital and Geriatric Chairs	00.0770
			71-310		<b>F1 CO</b> 0/
CONTRACT PERIOD: April 1, 20	16 through March 31, 2021			and Lounge Seating	51.60%
			71-315	Hospital Patient Room Furniture	51.60%
CONTRACTOR/CONTRACT ADM	IINISTRATOR:		71-318	Patient Service Systems	51.60%
Krug Inc.					
421 Manitou Drive		7.	Quantity Dis	scounts	
Kitchener, Ontario, Canada			-	SIN 711-17	
Tel: 1-800-265-2796				25,001 – 50,000	1%
Fax: 1-800-265-2798				50,001 - 100,000	2%
				100,001 – 150,000	3%
1. List of Special Item Numbe	rs on Contract			150,001 - 200,000	4%
				150,001 200,000	470
	d Offices			SIN 711-18	
711-17 Multiple				25,001 – 50,000	1%
	rpose Seating				2%
711-19 Stacking	Chairs			50,001 - 100,000	
711-16 Fully Up	holstered Furniture			100,001 – 150,000	3%
711-11 Tables a	nd Accessories			150,001 – 200,000	4%
711 8 Executiv	e Office Furniture				
	e Conference Room Furniture			SIN 711-19	
	and Geriatric Chairs and			25,001 – 50,000	1%
				50,001 – 100,000	2%
Lounge				100,001 – 150,000	3%
	Patient Room Furniture			150,001 – 200,000	4%
	Service Systems				
711-95 Installati	on			SIN 711-16	
				25,000 – 50,000	1%
2. SPECIAL ITEM MAXIMU	M			50,001 – 75,000	2%
NUMBER ORDER				75,001 – 100,000	3%
711-17 \$200,000	)			100,001 – 180,000	4%
711-18 \$200,000				180,001 – 200,000	5%
711-19 \$200,000				200,001 - 300,000	6%
711-16 \$300,000				200,001 - 300,000	070
711-11 \$500,000				SIN 711-11	
				25,000 – 50,000	1%
				50,001 – 75,000	2%
711-9 \$500,000					
71-316 \$500,000				75,001 – 100,000	3%
71-315 \$500,000	)			100,001 – 180,000	4%
71-318 \$500,000	)			180,001 – 200,000	5%
				200,001 – 300,000	6%
3. SPECIAL ITEM MINIMU	Μ				
NUMBER ORDER				SIN 711-8	
711-17 \$100.00				300,000 - 350,000	2%
711-18 \$100.00				350,001 – 400,000	4%
711-19 \$100.00					
711-16 \$100.00				SIN 711-9	
				300,000 – 350,000	2%
711-11 \$100.00 711-8 \$100.00				350,001 – 400,000	4%
· · · · · · ·					
711-9 \$100.00				SIN 71-316	10/
711-95 \$100.00				\$100,000 0 \$200,000	1%
71-316 \$100.00				\$200,000.01 - \$300,000	1.5%
71-315 \$100.00				\$300,000.01 - \$400,000	2%
71-318 \$100.00				\$400,000.01 - \$500,000	2.5%
4. Geographic Coverage				SIN 71-315	
48 contiguous States and Wa	ashington, DC			\$100,000 0 \$200,000	1%
				\$200,000.01 - \$300,000	1.5%
5. Point of Production				\$300,000.01 - \$400,000	2%
Krug Inc.				\$400,000.01 - \$500,000	2.5%
421 Manitou Drive					
				SIN 71-318	
Kitchener, Ontario, CANADA				\$100,000 0 \$200,000	1%
N2C 15L				\$200,000.01 - \$300,000	1.5%
				\$300,000.01 - \$400,000	2%
6. Discount from List Prices				\$400,000.01 - \$500,000	2.5%
71-1 Packaged Off				÷,	,
711-17 Multiple Seati	0			SIN 711-95	
711-18 Multi-purpose	Seating 55.67%			12% Maximum of Net Product Value Up	To \$150.000
711-19 Stacking Cha	rs 55.67%			Negotiable Over \$150,000	

# TERMS & CONDITIONS | INFORMATION FOR ORDERING ACTIVITIES

- 8. **Prompt Payment Terms** Net 30 Days
- 9. Visa and MasterCard are accepted above and below the micropurchase threshold.

NOTE: No additional discount will be offered on orders placed using credit cards.

### 10. Foreign Items

All items manufactured in Canada.

11a. Time of Delivery

60-90 Days ARO for all items.

### 11b. Expedited Delivery

Please contract Krug GSA Customer Service for information on Expedited Delivery/Krug Express Program. 1-800-265-2796

- 11c. Overnight & 2 day Delivery N/A
- 11d. Urgent Requirements

Please contact Krug for urgent requirements.

12. F.O.B. Point

Origin - Central Territorial Warehouse

### 13. Ordering Address

KRUG INC. 421 Manitou Drive Kitchener, Ontario, CANADA N2C 1L5 Tel. 1.800.254.2796 Fax. 1.800.265.2798 gsaorders@krug.ca

### 14. Payment Address

Same as above

### 15. Warranty

Krug warrants the construction and the finish for all our products to be free from defect in materials and workmanship for a period of 10 years from the date of purchase. This warranty does not apply to components not manufactured by Krug including textiles, which are subject to the specific warranties of those manufacturers, if any. Textiles (fabric, leather, vinyl, or any other covering material) suppliers do not guarantee their products for durability and color fastness, and not does Krug. Casters, mechanical and electrical components have a warranty of five years from the date of purchase. The Krug warranty does not apply to COM specified materials; damage caused by a carrier other than Krug, or variation in wood finishes due to natural wood color variations. Krug cannot be held responsible for variations in fabric dye lots from order to order. All fabric is carefully inspected when it is received, but a degree of variation in color should be expected. Repair or replacement of any defect covered by Krug warranty will be made at no charge to the original purchaser during the warranty period. This warranty does not apply to defects resulting from negligence, misuse, alteration, improper cleaning, stains or accidents. Krug's judgement will be final in all matters concerning the condition of the defect, and the necessity or manner of repair. Krug is not responsible for the damage or degradation of product that may occur due to extreme hot or cold temperatures after is has left Krug. Krug product should not be exposed to any extreme hot or cold temperatures during its life. All products should be stored in climate-controlled warehousing and should be transported on climate-controlled trailers and containers, in order to protect its integrity. Trailers and containers should not be used for storage of products. Products should remain in a climate-controlled

environment until the time that transport commences, and should be moved into a climate-controlled environment as soon as transport is complete. Exposure to extreme heat or cold temperature voids the Krug warranty. This warranty applies to products sold in North America only, and in made by Krug only to the original purchasers acquiring our products through authorized Krug dealers, directly from Krug, or from others specifically authorized to sell our products.

- 16. Export Packing Charges Quoted upon request
- Terms and Conditions of Government Commercial Credit Card ACCEPTANCE: KRUG will accept the government commercial credit card but will not offer any additional discount for orders placed using the credit card
- 18. Term and Conditions of Rental Maintenance and Repair.  $N\!/\!A$
- 19. Term and Conditions of Installation N/A
- 20. Term and Conditions of Repair N/A
- 20a. Term and Conditions for any other services  $N\!/\!A$
- 21. Service and Distribution points Call contractor.
- 22. Participating Dealers Call contractor.
- 23. Preventative Maintenance N/A

## Environmental Attributes Krug maintains a program to reduce the impact on the environment of our products and operations.

25. Data Universal Number System (DUNS) number 251476669

### Notification regarding registration in SAM. Krug Inc's registration in SAM is current, accurate and valid. 37310 (Cage code)

# TABLE OF CONTENTS

## **GENERAL INFORMATION**

2	General Information	201	<b>Ben</b> ches
4	Finishes & Laminates	202	Tate
5	Laminate Technical Specification	208	Zola
6	High-Pressure Laminate Technical	218	Jordan
	Specification	221	Carlyle
6	Solid Surface Technical Specification		
7	Upholstery Fabrics & Leather	223	Recliners
8	Luxe Faux Leather	224	Jordan Active Patient
8	Graded-In Upholstery Programs	230	Jordan
9	Customer's Own Material - C.O.M.	238	Jordan Bariatric
10	KrugExpress Program	241	Jordan Sleep Recliner
PRICIN	G & SPECIFICATIONS	245	Gliders
		246	Jordan
11	Guest & Multi-Purpose Seating		
12	Karma	250	Sleepers
20	Cressida	251	Amelio
24	Cressida Bariatric	258	Jordan Lounge Sleeper
25	Solis	241	Jordan Sleep Recliner
28	Solis Bariatric		
30	Jordan	269	Behavioral Health
33	Jordan Bariatric	270	Solis
36	Corfu	286	Zola
		14	Karma
42	Patient Seating		
43	Cressida	293	Occasional Tables
44	Cressida Bariatric	294	Karma
46	Solis	300	Cressida
47	Solis Bariatric	307	Leyton
49	Jordan	309	Jordan
50	Jordan Bariatric	313	Solis
		317	Zola
53	Multiple Seating		
54	Cressida	322	Infusion Bays
70	Solis	323	Tranquility
84	Jordan	240	Conservado
100	For Access and Staals	<b>340</b>	<b>Casegoods</b> Juno
<b>100</b> 101	Easy Access and Stools Karma	341 365	Trevisa
70	Solis	303	lievisa
70 84	Jordan		
04	Jordan		
109	Lounge Seating		
110	Leyton (Bariatric Rated)		
121	Cressida		
131	Zola		
141	Zola Bariatric		
150	Zola Privacy		
194	Jordan		
199	Carlyle		

## **GENERAL INFORMATION**

### **Terms and Conditions**

Net 30 days on approved credit. A late payment charge of 1% per month will be applied on overdue invoices. This charge will be pro-rated to the number of days past 30 days that the invoice is overdue. All applicable sales taxes are extra. Distribution of this price list does not in itself constitute an offer to sell. Orders can be received only from authorized Krug dealers. Acceptance of any order and terms of sale may be established at the discretion of Krug. Deposits are required on orders received from new accounts as well as on large or special orders. Krug reserves the right to discontinue designs, or to change designs, construction, prices, or materials without notice.

### **Customer Service Hours**

Please note customer service hours are: 8:30 am to 5:00 pm est 1.888.578.KRUG 1.519.748.5177 fax

### **Order Acknowledgements**

Each order will be acknowledged via e-mail or fax. This acknowledgement is the final agreement between Krug and the customer, superseding all previous communications regarding the purchase order. Where there is a discrepancy on a purchase order between a product code and a description, Krug will make every effort to resolve the discrepancy, but will be ruled by the product code ordered. Please check all acknowledgements for accuracy, and advise Krug of any discrepancies with a purchase order.

### Cancellation

A cancellation can be made only by expressed agreement with Krug. A cancellation fee may be incurred for restocking.

### Dimensions

Dimensions are in inches and approximate, and subject to change without notice. Contact Customer Service if dimensions are critical.

### **Blanket Wrapping**

Krug will blanket wrap larger seating orders at customer's request. Please indicate on your purchase order and contact Customer Service.

### **Storage Charges**

Krug reserves the right to assess a nominal storage charge if a customer does not accept shipment of an order within a week of the ship date.

### **Contact Information**

Phone: 1.888.578.KRUG (5784) Fax: 1.519.748.5177 Purchase Order Fax: 1.888.236.4783 Purchase Order E-mail: orders@krug.ca Web: www.krug.ca E-mail: solutions@krug.ca

### Installation Support

For assistance please contact Technical Support at 1-888-578-5784 x216 or e-mail installationhelp@krug.ca and you will be directed to the appropriate installation support person.

### Pricing

Krug endeavors to ensure that all prices in this price list reflect accurately our current prices. However, errors do occur and will be rectified through notices to the field. Krug's website will always have the current list price. Krug reserves the right to acknowledge pricing that may be different from the price list.

### Warranty

Krug warrants it's products to be free from defects in materials and workmanship for the lifetime of their use. This warranty is applicable to products in use by their original purchaser. This warranty does not apply to components and materials not manufactured by Krug: these are subject to the specific warranties of their manufacturers (if any). Repairs or replacement of any defect covered under this warranty by Krug will be made, at our option and method, at no charge to the original purchaser. Krug's judgement is final and binding with respect to the nature or cause of defects or damage, and the necessity or manner of repair or replacement.

This warranty does not apply to defects or damage resulting from:

- normal wear and tear occurring with the use of the product
  negligence, misuse, excessive use, alteration, improper cleaning or repair
- substitution or use of incorrect or unauthorized components or material
- handling or installation that is incorrect, or that causes damage or defect
- damage incurred by a freight carrier other than Krug
- wearing of finishes and fabrics, and normal variations in materials (including dye lot variations)
- properties of natural materials, including wood and leather
- exposure to environments with uncontrolled temperature and humidity (products must be transported, stored and used in climatecontrolled conditions)

### **Export Packaging**

Krug is pleased to provide the option for export packaging on all our products, to provide additional protection from damage.

Export packaging is provided at an upcharge of 5% of the net selling price per item.

Export Packaging is STRONGLY RECOMMENDED for:

- (A) all shipments outside of the lower 48 states and Canada.
- (B) all shipments that will be held in storage for an extended period prior to installation.

**Important:** Please note that Krug will not be responsible for damage claims on product shipped or stored in the above conditions but where export packaging has not been utilized.

Please contact Customer Service for specifications or any other assistance regarding export packaging.

### **Freight Terms and Conditions**

- 1. All product is shipped FOB the Krug factory. Freight is either pre-paid to the destination (dealer's dock or territorial warehouse, where available) or not pre-paid, depending on established customer specific freight terms.
- Docks at the selected delivery location must be equipped to handle a 53' trailer. If a dock is inadequate for delivery by Krug, Krug will re-deliver to another local location and any additional costs will be charged to the customer.
- 3. When a Krug territorial warehouse (where available) is selected as the default delivery location, it is understood that Krug pays freight cost to the territorial warehouse only, and no further. The Customer is responsible for all charges from this point.
- 4. For all deliveries, it is understood that Krug or its agent is making a dock delivery only (equipped to handle a 53' trailer), and any further work of truck unloading, delivery beyond the dock, installation, and removal of packaging is not authorized or paid for by Krug.

### Freight Terms and Conditions, con't.

- 5. Drop shipments to the installation site, and timed deliveries, are available on larger shipments (full truckloads or slightly less) at no additional charge. Drop shipments or timed deliveries for smaller shipments may not be available, or if available will require a surcharge. Deliveries on an after hours basis, or on weekends, or any other special requirements, may be subject to a surcharge. Location and contact information, and the requested time of delivery, is required at least one week prior to the acknowledged shipment date. If this information is not provided one week in advance, or if the location or time of the drop shipment is changed less than one week in advance, a surcharge may be applied, and/or the drop shipment may not be scheduled. For deliveries requested Monday to Thursday after 5:00 pm, please apply a surcharge of \$250/shipment. For deliveries requested Monday to Friday before 7:00 am, please apply a surcharge of \$250/shipment. For deliveries requested Friday (after 3:00 pm) or weekends, please apply a surcharge of \$500/shipment. (local times).
- 6. For all deliveries whether to the Customer location or drop shipment - any circumstances that result in the delay of our carrier (including unsuitable receiving facilities, or facilities not open or available), service charges will be applied at the rate of \$75/hour. Where re-delivery is necessary because of these circumstances, the full cost of re-delivery will be charged. If Less Than Truck Load is delivering, one hour is allocated to unload. Any additional time required to unload after the first hour is \$75/hour. If a Truck Load is delivering the order, three hours is allocated to unload. Any additional time required to unload is \$75/hour. Direct deliveries to site for large orders are possible, (must exceed \$60,000 net), and accommodate 48 - 53' trailers. Krug is responsible for delivery to the approved delivery address. If an address change is required, this must be authorized by Krug 5 business days prior to ship date. Any additional delivery costs incurred after this time will be charged to the customer. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

### **Product Strength and Durability Testing**

All Cressida products have been thoroughly tested, and exceed the testing requirements of ANSI/BIFMA X5.1 2002.

Specific test results and documentation are available on request.

### **Customer Satisfaction**

It is the primary goal of Krug and our staff to ensure the complete satisfaction of our customers with our products and performance. If a problem arises with a Krug product after the expiration of the limited warranty period, Krug will exercise its best efforts to achieve the satisfaction of the customer in a manner that is fair to all concerned.

### **Damaged Shipments**

All Krug product is well engineered, carefully inspected, and expertly loaded onto our trucks at our Distribution Center. If you receive any damaged freight, we ask that you do not refuse the shipment. Krug is not responsible for damage to goods that occurs in transit or storage. It is the purchaser and/or receiver's responsibility to examine the goods upon receipt and to notify Krug of any damages, overages or shortages. Any discrepancies should be noted on the Bill of Lading. The delivering carrier will not accept responsibility for shortages or damages if signed "clear". Notification of concealed damage claims must be made to Krug Distribution within 5 days of delivery, along with digital pictures if available. All product and packaging must be available for inspection. Krug liability ceases after 5 business days and Krug will not be responsible for concealed damages if shipments are left unopened. Krug is not responsible for the condition of product that is stored or installed in an environment where temperature and humidity are not controlled.

### **Field Product Report Authorization**

Krug's written authorization, in the form of an FPR number, must be obtained prior to incurring charges of any kind if Krug is expected to pay these charges. This includes authorization for field repairs and replacements, installation and delivery charges. Krug reserves the right to have its representative inspect product related to any request for such authorizations, prior to that authorization being provided. Deductions from invoices paid for any charges to Krug, without prior written authorization in the form of an FPR, will not be accepted. Digital photographs may be required to complete the FPR process.

### Returns

No merchandise may be returned without Krug's prior written consent. In the event of an authorized return, a Field Product Report (FPR) number will be issued, and a restocking charge will apply. Return transportation charges must be prepaid. Unauthorized returns will not be accepted and will be returned freight collect. All merchandise being returned must be properly packaged in its original or comparable replacement packaging to ensure protection of the product during handling and transportation. Returns on orders duplicated by the customer must be received in their original packaging to be accepted. Product being returned where Krug has authorized its liability for replacement or repair will be thoroughly inspected on its return, and the results compared to the reason for the return stated on the FPR. Any discrepancies, such as additional damage, signs of usage, missing parts, etc., will result in an adjustment to the amount of credit issued.

### **Custom Capabilities**

Over 15% of our orders involve some type of custom work, and we invite our customers to make use of our extensive capabilities.

### These include:

- 1) Dimensional customization of standard size products
- 2) Custom finishes
- For larger orders, completely custom-designed products, as well as non-standard wood species can be specified.

Custom orders may require additional production lead times. Contact Engineering at the e-mail address <u>engquotes@krug.ca</u>.

### **Care and Maintenance Leather**

Leather is a natural product and requires very little care during use. Most stains can be removed with a clean dry cloth. For stubborn spots and stains, use a mild non-detergent cleaner, rinse well and let air dry naturally. Do not use saddle soap, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, soaps or ammonia waters.

### Fabric Upholstery

Professional upholstery cleaning is recommended.

### Flammability Standards for Krug Textiles - Upholstery Program

 Passes State of California Technical Bulletin CAL 117-2013

## **FINISHES & LAMINATES**

### Wood Finishes for Seating & Occasional Tables

Standard wood finishes are:

### **Finishes on Beech**

Appalachian Cherry American Cherry Imperial Cherry Light Cherry Medium Cherry Natural Cherry Sable Cherry Standard Cherry Light Oak Harvest Oak Mahogany Mellow Oak Espresso Cordovan Walnut Natural Walnut Regular Walnut Dark Walnut Clear Beech Medium Anigre

### **Finishes on Maple**

Clear Maple Honey Maple Wheat Maple

### **METAL FINISHES**

Silver Metallic Standard - No Upcharge

Solis silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table.

Additional Solis Frame Finishes are available for an upcharge of \$44 list per seat/ table.

Available colors are:

White 
 Parchment 
 Sand 
 Taupe 
 Warm Grey 
 Cool Grey 
 Black

For all metal finishes other than Silver Metallic, there is a minimum order quantity of 30 units per color. The anti-microbial finish is included in the additional finish up-charge. Upcharges for order quantities less than 30 units per color or custom metal finishes, please contact Customer Service to obtain a quote.

### **IN-STOCK LAMINATES**

Krug's in-stock laminates are available in 16 laminate selections. There are 8 wood grain laminates, 4 solid color laminates in a selection of popular shades and 4 Exotic laminates offering a distinguished appearance. Exotic laminates are subject to minimum order quantities and extended lead times. Polymer edges will automatically match the laminate selected.

Wood Grain Name & Number	Supplier	Polymer Edge Names	Solid Laminates Name & Number	Supplier	Polymer Edge Names
Corretto Cherry HP-288-N Sugarloaf Maple T630 Mocha Cherry HP-341-N Monticello Maple 7925 Nightfall WX421-N Samba Cherry T460 Shiraz Cherry T472	Pionite Arborite Pionite Wilsonart Pionite Arborite Arborite	Corretto Cherry Sugarloaf Maple Mocha Cherry Monticello Maple Nightfall Samba Cherry Shiraz Cherry	Almond T445 Black T203 Shadows T201 White D354-60	Pionite Arborite Arborite Wilsonart	Almond Black Fog White

Exotic Laminate Name & Number	Supplier	Polymer Edge Names
Backwoods Sycamore HP689-N	Pionite	Backwoods Sycamore
Edgewood Sycamore HP690-N	Pionite	Edgewood Sycamore
Gunstock Walnut WW971-N	Pionite	Gunstock Walnut
Thunderstorm HP-359-N	Pionite	Thunderstorm

### **Non-Stocked Laminates**

For specific lead time and application questions, please contact Krug Customer Service for your requirement. Upcharges will be applicable for non-stocked laminates, depending on their cost. Non-stocked laminates may be subject to minimum orders sizes.

### **HEALTHCARE LAMINATES**

Hardrock Maple 
 Candlelight
 Mocha Cherry
 Antique White 
 Samba Cherry
 Shiraz Cherry

## Natural Characteristics of Wood

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

### **Custom Wood Finishes**

Add 10% list to your order for special finishes a minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to order.)

Special finish upcharges on seating products are calculated on a grade 1 value. For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

### **Dual Finishes**

Add 10% list per item if specifying dual finish.

### **Standard Wood Finishes**

No upcharge will be applied when specifying a finish available as standard on one species onto maple seating and occasional tables. Clear finishes are not available on other species since they are a clear finish on top of the natural veneer color.

PROPERTIES	PROPERTIES DESCRIPTION		KRUG'S PROGRAM 400 cycles - Solid Colors 125 cycles - Prints	
Near Resistance Measure of the ability of the surface to keep its design or color under abrasive wear		400 cycles		
Appearance	Presence of visual defects on decorative surface	No surface defects	No surface defects	
Scratch Resistance	Measure of the ability of decorative surface to scratch by diamond tip tool	n/a	3.4 N	
Stain Resistance	Measure of the ability of the decorative surface to resist to stain when exposed to 15 household products (see list below of products tested)	1 to 10 no effect 11 to 15 moderate (difficul to perceive the stain)	1 to 10 no effect 11 to 15 moderate	
Cleanability	Measure of the ability of a decorative surface to be cleaned when exposed to 15 soiling agents (See list below)	Maximum 20	Maximum 20	
Light Resistance	Measure of the ability of a decorative surface to retain its color when exposed to a light source close to sunlight	Slight	Slight	
High Temperature Resistance	Measure of the ability of a decorative surface to maintain its color and aspect when exposed to high temperature	Slight	Slight	
Radiant Heat Resistance	Measure of the ability of a decorative surface to resist any damage when exposed to a radiant heat source	No effect after 60 seconds	No effect after 60 seconds	
Boiling WaterMeasure of the ability of a decorative surface to resistResistanceany damage when exposed to boiling water for 20 minutes		No effect	No effect	
Impact Resistance Measure of the maximal falling height of a steel ball that does not cause fracture to the decorative surface		381 mm/n 15 in	381 mm/n 15 in	
Fire Resistance	Measure of flame sp ead rating under controlled conditions	n/a	Class III	
Warping Measure of the maximal departure of the surface from flatnes		n/a	3 mm/m	

(All references to "Laminate" in this price list mean thermofused melamine. This material is also known as low-pressure laminate or LPL)

# STAIN RESISTANCE (see above) products tested:

STAIN	PREPARATION NOTES	APPLICATION
1. Distilled Water	As received	Apply 2 drops (6 mm spot) cover with watch glass
2. Ethyl Alcohol Solution	A solution of 50% ethyl alcohol and 50% distilled water as received	As above
3. Acetone	As received	As above
4. Household Ammonia	As received (non-sudsing type)	As above
5. 10% Citric Acid	A solution of 10% citric acid in distilled water	As above
6. Vegetable Oil	As received	As above
7. Fresh Coffee	1 teaspoon instant coffee per 180 ml of distilled water	As above
8. Fresh Tea	Brew 1 tea bag per 120 ml distilled boiling water for 2 minutes	As above
9. Ketchup	As received	As above
10. Yellow Mustard	As received	As above
11. 10% Povidone lodine	As received	As above
12. Black Permanent Marker	As received	Mark spot (6 mm spot), do not cover
13. #2 Pencil	As received	As above
14. Wax Crayon	As received	As above
15. Black Paste Shoe Polish	As received	Apply (6 mm spot) do not cover

# HIGH-PRESSURE LAMINATE - TECHNICAL SPECIFICATIONS

(Specifications refer to Krug's standard high pressure laminates)

PHYSICAL PROPERTIES	NEMA LD3-2005	STANDARD HPLs	
Appearance	3.1	No ABC Defects	
Light Resistance	3.3	Slight	
Cleanability	3.4	20 (maximum)	
Stain Resistance (see Products Tested on previous page) Reagents 1-10 Reagents 11-15	3.4	No Effect Moderate	
Boiling Water Resistance	3.5	Slight	
High Temperature Resistance	3.6	Slight	
Ball Impact Resistance - mm - in	3.8	762 (minimum) 30 (minimum)	
Radiant Heat Resistance - sec	3.10	100 (minimum)	
Dimensional Change Machine Direction - % Cross Direction - %	3.11	1.1 (maximum) 1.4 (maximum)	
Wear Resistance - cycles	3.13	400 (minimum)	

## SOLID SURFACE - TECHNICAL SPECIFICATIONS

(Specifications of Solid Surface Materials vary slightly by brand. The following is a typical set of technical specifications.)

PROPERTIES	UNIT	RESULT	TEST STANDARD
Specific Gravit	g/cm³	1.8	
Tensile Strength	psi	5,400	ASTM D 638
Tensile Modulus		psi	1.4x10ASTM D 638
Elongation	% min	0.42	ASTM D 790
Flexural Strength		psi	9,200 ASTM D 790
Flexural Modulus	psi	1.38x10⁵	ASTM D 785
Hardness (Rockwell)		92	ASTM D 785
Thermal Expansion	mm/mc	3.04x10 <sup>5</sup>	ASTM D785
Gloss (60° Gardner)		5 - 20	ANSI Z124
Color Stability		No Change	NEMA LD3
Wear & Cleanability		Passes	ANSI Z124
Boiling Water Surface Resistance		No Change	NEMA LD3
High Temperature Resistance		No Change	NEMA LD3
Stain Resistance		Passes	Nema LD3
Impact Resistance		No Fracture	Nema LD3
IZOD Impact Strength	ft.lbs/in	0.28	ASTM D256
Water Absorption Weight	%max	0.03	ASTM D 570
Fungi & Bacteria		No Attack	ANSI Z124
Weatherability		No Change	ASTM D 1499
NSF 51	Listed	All Colors	NSF



## Krug Textiles - Fabric Program

Krug Grade 1, 2 and 3 fabrics are also available on a cut yardage basis.

## Grade 1

Perk	Vox	Fuse	Ехро
Auburn	Bark	Azurean	Festive
Cabana	Black	Carmine	Fog
Cedar	Cocoa	Cress	Latte
Crimson	Downpour	Ginger	Leaf
Dijon	Eco	Iris	Lemon
Ebony	Frothe	Lunar	Oasis
	Goldenrod		
Flint		Malted	Raspberry
Patriot	Honest	Morel	Sky
Pewter	Hot	Pepper	Spirit
Regal	Limelight	Pimento	Sprout
Sesame	Morel	Pristine	Tuxedo
Walnut	Mystic	Saffron	Viola
	Navy	Walnut	Zest
	Oat		
	Par		
	Ruby		
	Snap		
	Turquoise		
Grade 2			
Epic	Knack	Bangle	Lineup
Azure	Berry	Baltic	Baltic
Capri	Brisk	Cork	Fern
Espresso	Carbon	Granite	Pewter
Flare	Dark Roast	Orchid	Sandstone
Granite	Filament	Sable	Shadow
Jute	Fresco	Suede	Spice
Kiwi	Glaze	Teak	Tranquil
Limestone	Reed		
Pearl	Sax		
Porcini	Teak		
Regal	Wave		
Slice	Zest		
Steel	Zing		
Grade 3			
Solace	Current	Clang	Kinney
Almond	Birch	Amber	Coffee
Azul	Cadet	Claret	Frappe
Blaze	Eclipse	Clove	Glacier
Carmine	Espresso	Cress	Mineral
Celadon	Moss	Flint	Nectar
Cinder	Pecan	Malt	Steel
Earth	Plum	Raven	Valentine
Ebony			
Fossil			
Gilded			
Indigo			
lvory			
Mineral			
Pear			
Peony			

Grade 8			
Black	K13.1000	Graphite	K13.4000
Stone	K13.3000	Espresso	K13.8000
Sand	K13.5000	White	K13.9000

Please contact Customer Service for specific information on leathers, available colors and lead times.

# KRUG TEXTILES | LUXE | FAUX LEATHER

### Krug Textiles - Faux Leather Program

### Grade 2

White Cream Parchment Sandstone Vanilla Taupe Mocha Tan Chestnut

Bisque Chocolate Black Earth Brick Wine Garnet Rust Citron Sprig Chinchilla Steel Grey Lagoon Pacific Blue Navy Plum

# GRADED-IN UPHOLSTERY PROGRAMS

Krug has partnered with several textile brands to grade in their offerings, designed to provide a wide range of upholstery selections for our seating products.

Upholstery pricing and availability is subject to change without notice. We grade this upholstery according to the pricing of the fabric suppliers - when their pricing changes, the Krug grade may change.

When placing an order, a Krug customer must specify the complete upholstery number, along with the appropriate Krug model number and finish. Krug will supply the complete product at the prices listed. Orders specifying graded-in upholstery cannot be cancelled once the upholstery has been ordered.

### **Upholstery Grades**

To determine the price of a product for graded-in upholstery, use the reference lists located on Krug's website under - Products - Textiles, to view the upholstery grade (1-9). Krug is not responsible for the discontinuation of this upholstery. Please contact Customer Service for information on upholstery not listed.

When two upholstery selections are specified for use on seating, the higher grade upholstery price will apply to the order.

High Performance upholstery; Polyurethane, Vinyl or Crypton, is particularly suitable for healthcare and other intensive-use environments.

## CUSTOMER'S OWN MATERIAL - C.O.M.

### **Upholstery Cover Yardage Calculation** To calculate yardage required for COM and other non-standard upholstery cover orders, please contact Krug Customer Service at 1.888.578.5784.

Unless otherwise stated, upholstery cover rolls are assumed to be a minimum 54" wide. Please use the guide below to calculate the percentage of extra upholstery cover required to cover large repeats.

		2"-14"	15"-19"	20"-27"	28"-36"
FABRIC	Plain	Repeat	Repeat	Repeat	Repeat
54	0%	10%	15%	20%	25%
53-50	16%	20%	25%	30%	35%
48	16%	25%	30%	35%	40%
45	40%	50%	55%	60%	65%
36	50%	60%	65%	70%	75%

The repeat is calculated by adding both the vertical and horizontal measurements together and then referring to the chart below for extra yardage required.

## Upholstery Samples

If you require additional samples or memos for presentation, please contact fabric supplier directly.

### **Flammability Standards**

- Tunnel Test Surface Ratings Class A rating
- Class 1 UFAC
- Passes State of California Technical Bulletin 117-Section E
  - ITT-Section E

Please contact fabric supplier directly for further flammability information pertaining to specific upholstery.

### **Special Conditions**

Acknowledgements will give the estimated delivery date of the finished product. Some upholstery is imported, and availability may affect estimated delivery time. For large projects, please contact fabric supplier directly for availability of yardage.



### Customer's Own Material (COM/COL)

COM/COL must be received three weeks prior to the acknowledged ship date. Orders with COM/COL not received by the required deadline will be delayed.

A description of the upholstery cover, including supplier name, pattern name, upholstery cover name and color number must be included with the purchase order.

COM/COL testing requires 3 business days and samples are to be directed to Customer Service. The customer has the option of providing the sample COM/COL before, at time of order, or once the sample COM/COL is received. If the customer does not send a sample for approval in advance of sending actual material, Krug will not be responsible for the cost of any upholstery cover or other material that it determines to be unsuitable for the product or our process.

When the COM/COL upholstery cover is received at Krug, it must be clearly identified with the upholstery cover name and color, and tagged with name of the Krug customer and purchase order number. Krug will inspect all COM/COL upholstery covers when received to determine if it will be suitable for upholstery. Where Krug feels that the upholstery cover or leather specified will compromise the quality or integrity of our products, customers will be contacted to direct these concerns. Further, Krug reserves the right to refuse to accept and use any COM upholstery covers or leathers that will compromise our products in any way that is unacceptable to Krug. Krug cannot assume responsibility for the durability or tailoring quality of customer's own material.

Yardage specified in this price guide is approximate. In the case of multiple product orders, multiply the number of items by the COM yardage specified to determine upholstery cover required, unless otherwise indicated. Additional yardage may be needed if the material is less than 54" wide, or patterned or striped and requires matching. All COMs are cut "up the roll" unless otherwise stated by the customer. All striped upholstery covers will be applied vertically unless otherwise stated by the customer and after approval by Krug. Krug will not be responsible for directional or positional problems with its application of COM material, unless it has been provided with explicit instructions by the customer. Special instructions should be sent to Krug Customer Service, including a sample (or photocopy) of the upholstery cover rolls, or for the method of upholstery if no instructions have been provided.

Price increases and freight charges to COM/COL acquired on the customer's behalf will be passed onto the customer.

### Application of Directional Upholstery cover

Some COM upholstery covers will be considered directional by Krug even though they are not considered directional by the supplier. All COMs are automatically cut "up the roll" unless otherwise stated by the customer (please see below).





Standard-Cut "up the roll"

Non-Standard-Cut across the roll "railroad"

### COM/COL Shipping Procedures

For seating COM/COL upholstery covers, please send upholstery covers to:

Krug Inc. 111 Ahrens Street Kitchener, Ontario Canada N2H 4C2 Attention: RECEIVER COM/COL orders cannot be scheduled into production until the upholstery cover has arrived and inspection is complete.

# All packages must be clearly marked "For Customs Clearance by Russell A. Farrow Custom Brokers".

According to the North American Free Trade Agreement (NAFTA), goods shipped between the United States and Canada can qualify for exemption from all duties, or for a reduction in duties, if the goods can be proven to originate in either the United States, Canada or Mexico.

Canada Customs requires that a <u>NAFTA Certificate of Origin</u> and a <u>Commercial Invoice</u> be completed and sent with the upholstery cover shipment. The Commercial Invoice must clearly state the description of the upholstery cover, the selling price, the make-up or content, and the purchaser. The absence of these two documents will delay the shipments at the U.S./Canada border, thereby potentially delaying the customer order. If the total value of the shipment is less than \$1200 U.S., Customs will accept a Low Value Statement of Origin in place of the NAFTA Certificate of Origin. The Low Value Statement must be signed by a representative of the exporting company. This statement may either be included on the commercial invoice or attached to the invoice.

Krug is happy to answer any questions or concerns about COM/COL shipping procedures and the required documents. Please contact our Customs Specialist at 1.888.578.5784.

### CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

### C.O.L. Yardage

To calculate C.O.L. yardage required, please use the following conversions based on COM yardage: Leather must be ordered in square footage.

- 17 square feet in a yard
- Approx. 3 yards in a hide
- Approx. 51 square feet in a hide
- Please use grade 3 pricing for COL

## KRUGEXPRESS PROGRAM

### **PROGRAM DETAILS**

*KrugExpress* orders are <u>ready to ship</u> by the date acknowledged. Delivery and shipping schedules may result in actual shipping of orders at a later date. Statutory holidays and scheduled factory vacations may add to acknowledged lead times of *KrugExpress* orders. Unless otherwise specified on the order, the customer's standard method of shipping Krug products will be utilized.

Available factory capacity for *KrugExpress* is filled by orders received on a "first come, first serve" basis. If the normal KrugExpress lead time is not available for your order because available capacity has been filled, you will be immediately advised of the earliest available ready-to-ship date. Please consult your Customer Service representative in advance if you wish to confirm the specific lead time availability for a *KrugExpress* order.

Orders must be received by midnight of a given day for that day to be considered the official day the order is received. Order lead times are acknowledged from the date the order is received, but not including the date the order is received.

*KrugExpress* orders must be "clean" when received in order to be considered officially received on a given day, and lead times will be acknowledged from the date orders are determined to be "clean". Changes to *KrugExpress* orders are not allowed under any circumstances.

Orders for product on KrugExpress must clearly state: "KrugExpress".

COM and graded-in upholstery is available on Krug Express. Orders are scheduled on Krug Express, and given the best available date, when the upholstery is received at Krug. Some conditions apply.

### SEATING PROGRAM

Orders for seating products on the *KrugExpress* program may be subject to quantity maximums. Please contact Krug Customer Service for more information.

Quantity maximums are dependent upon available capacity, in order to insure that we ship all orders on time.

Please note that the CAL 133 option is not available on KrugExpress.

# **GUEST & MULTIPURPOSE SEATING**

## KARMA

12	Karma LEED Credit Summary
13	Karma Product Features
14	Karma Options & Behavioral Health Options
15	Karma Dimensions & COM Requirements
16	Pricing

## CRESSIDA

20	Cressida LEED Credit Summary
21	Cressida Guest, Patient & Multiple Product Features
22	Cressida Dimensions & COM Requirements
23	Cressida Guest Pricing
24	Cressida Bariatric Guest Picing
	SOLIS
25	Solis LEED Credit Summary
26	Solis Guest & Bariatric Product Features
28	Solis Dimensions & COM
	Requirements   Guest Seating
29	Solis Guest & Bariatric
	JORDAN

30	Jordan LEED Credit Summary
31	Jordan Guest, Patient & Multiple, Easy Access Features
33	Jordan Dimensions & COM
	Requirements   Guest Seating
34	Jordan Guest & Bariatric
	CORFU
36	Corfu LEED Credit Summary
37	Corfu Product Features

- 38 Corfu Dimensions & COM Requirements | Guest Seating
- 39 Corfu Multi-Purpose Seating

# LEED CI CREDIT SUMMARY

## KARMA

	MATERIAL CONTENT:	PRE-CONSUMER RECYCLED CONTENT = 5.51% POST-CONSUMER RECYCLED CONTENT = 24.98% Up to 73.47% of this Karma product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR-EMISSIONS

All Karma products are supplied air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



### **DESIGNED FOR COMFORT**

The seat features an enhanced standard foam thickness, combined with our proprietary webbing suspension system, to provide superior comfort and a longer life cycle. The back is contoured and angled to provide supportive sitting.

### WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.

chairs on the dolly. The optional Underseat Cover can be specified to help prevent indenting

of seat upholstery on chairs that will be

### STACKING Karma stacks 7 high on the floor, and 12

## TANDEM SEATING

stacked.

Karma chairs, and inline tables, are designed to be instantly converted to (or ordered as) tandem seating. Armed and armless chairs can be connected - when joining arm chairs the positioning prevents a pinch point between the arms. Inline tables can be configured between chairs or as end tables. And the tandem components can be easily removed to convert to freestanding.



### WEIGHT CAPACITIES

Karma has been laboratory tested to meet a weight capacity of 500 lbs, in all versions: arm and armless, and all widths (including the bariatric size).

### GLIDES

Karma's black nylon glides are non-adjustable, non-marring, and field-replaceable if damaged or degraded.



### POLYMER ARM

Karma arms are durable, comfortable, and long lasting. They are made with injected polymer that is a solid color throughout the arm and are available in three color options: Black, Grey and Taupe.



### EASY ACCESS CHAIR

This chair, designed for hip surgery patients and other applications where a higher seated position is desired, has a removable footrest that is 8" in depth, with a non-slip tread. The footrest can be swung up and inward to facilitate cleaning and eliminate the trip hazard.

### REPLACEABLE COMPONENTS

Karma is designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product.

## KARMA | FEATURES

### ANTI-MICROBIAL FINISH

Karma wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

### TABLES

Karma tables are Solid Beech & Maple edges with 1 7/8" Veneered tops. Tables are available in laminates with wood or laminates with Polymer edge. See page 5 for laminate information.

### FRAME COLORS AVAILABLE

The Karma Leg is available in 2 standard finishes; Silver Metallic and Matte Black. Polished Chrome is also available for an upcharge, please see pages 16 to 18.

### COMBINATION UPHOLSTERY COVERS

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Karma upholstered products. Pricing for this option is the grade price for the highest grade upholstery selected. If the upholstery covers are the same grade, or are COM, a 10% upcharge is applied to the graded price.

## KARMA | OPTIONS



### UNDERSEAT COVER

As an alternative to the standard dust cover under the seat, this option, in black polymer, closes off the underside of the chair, functioning as a cleanable Splashguard to protect the interior from moisture. It also assists in chair stacking, by distributing the weight to eliminate any indentations in the seat upholstery.

### REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers can be quickly installed on Karma products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Karma products that were not originally ordered with the Removable cover option, with some simple staple removal.

### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of \$44 list per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

## KARMA | BEHAVIORAL HEALTH OPTIONS



### TAMPER RESISTANT HARDWARE

All screws used on the Karma Behavioral Health units have been replaced with tamper resistant security screws.



### ADDED WEIGHT

Karma can be supplied with supplemental weight on the bottom of the seat bringing it up to 45 lbs ( total chair weight). When Chair are weighted they cannot be ganged.

### **FLOOR ANCHORING**

Sled base can be supplied with additional holes to allow for fastening thru to the floor.



## TAMPER-RESISTANT GLIDES

Karma chairs have their glides secured in place to prevent their removal and damage.



### NON-ACCESSIBLE STAPLES

The Karma back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper-resistant security screws.



### SLED BASE OPTION

Optional Sled Base frames are available, in the same three finishes (Silver Metallic, Matte Black and Polished Chrome). Sled base running from front leg to back leg, is a low profile, solid steel with nylon glides embedded on the bottom side to prevent marring.



### TAMPER RESISTANT ARMS

Polymer arms are equipped with added hardware, internal to the tube frame making them tamper resistant to removal from the tube. Available in all three colors (Black, Grey, Taupe).

# KARMA | DIMENSIONS & COM REQUIREMENTS

	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	COM	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	YRD	Cubes
Stacking Chai	r Upholstere	d	-				•	0		
Armless										
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	1	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	24	1	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	1.3	21
With Arms KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	1	18
KAR2-18.5	24.5	21.9	33.9	18	26.8	22	17	24	1	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	27	1.3	21
Stacking Chai			0010		2010	20				
Armless	I WOOD Dack	<b>`</b>								
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	22.5	0.7	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	24	0.7	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	25.5	0.7	21
With Arms										
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	24	0.7	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	25.5	0.7	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	27	0.7	21
Slad Bass Ch	air I Inhalatar	ra d								
Sled Base Cha Armless	an opnoister	eu								
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	1	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	27	1	18
KAR2-26	27.7	21.9	33.9	18	n/a	n/a	17	28.5	1.3	21
With Arms										
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	1	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	28.5	1	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	30	1.3	21
Sled Base Wo	od Back									
Armless										
KAR2-18.5	20.2	21.9	33.9	18	n/a	n/a	17	25.5	0.7	18
KAR2-22	23.7	21.9	33.9	18	n/a	n/a	17	27	0.7	18
KAR2-26 With Arms	27.7	21.9	33.9	18	n/a	n/a	17	28.5	0.7	21
KAR2-18.5	24.5	21.9	33.9	18	26.8	18.5	17	27	0.7	18
KAR2-22	28	21.9	33.9	18	26.8	22	17	28.5	0.7	18
KAR2-26	32	21.9	33.9	18	26.8	26	17	30	0.7	21
		_				_				
Easy Access l	Jpholstered									
Armless										
KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms	045	01.0	00.0	0.4	00.0	10 5	47	44 5		00
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
Easy Access V	Vood Back									
Armless KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms	20.2	21.9	39.9	24	11/a	n/a	17	43	I	20
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
	21.0	21.0	00.0		02.0	10.0		0	1	20
Counter Seat	Upholstered									
Armless										
KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms	o 4 -	04.0	00.0	<i></i>	00.5	46 -			,	0.5
KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
Counter Seat	Wood Back									
Armless	00.0	04.0	00.0	<u>c</u> (			47	40		0.5
KAR2-18.5	20.2	21.9	39.9	24	n/a	n/a	17	43	1	20
with Arms KAR2-18.5	24.5	21.9	39.9	24	32.8	18.5	17	44.5	1	20
117112-10.3	24.0	21.3	03.5	24	02.0	10.0	17	44.0	1	20

## DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.


## **KARMA**

## SIN 71-316

Description	Model	COM	2	COL 3	FAB 4	RIC GRA	DES 6	ا 7	_EATHEF 8	۲ 9
Description	Wodel	I	2	0	4	5	0	1	0	
$\frown$	18.5" Leg Frame, Matte Black or Silv	ver Metal	llic - Full	y Upholst	tered, No	Arm wit	h Standa	rd Dust (	Cover	
	KAR2-18.5L	320	338	355	379	408	433	460	496	531
	18.5" Leg Frame, Polished Chrome	- Fully U	pholster	ed, No A	rm, and S	Standard	Dust Co	ver		
	KAR2-18.5LC	393	411	428	452	481	505	533	568	603
u l u										
	18.5" Leg Frame, Matte Black or Silve	er Metalli	c - Lloho	lstered Se	at & Woo	nd back	No Arm v	vith Stan	dard Dus	t Cover
$\langle \rangle$	KAR2-18.5L	342	352	360	373	387	399	414	432	450
لأسرا		042	002	000	010	007	000	717	402	400
	18.5" Leg Frame, Polished Chrome	- Unhols	stered Se	eat & Woo	od back	No Arm	with Stan	dard Du	st Cover	
	KAR2-18.5LC	415	425	433	446	460	472	487	505	523
		110	120	100	110	100		101	000	020
	18.5" Leg Frame, Matte Black or Sil	vor Motol			harad wit	h Arm o	ad Stand	ard Duat	Covor	
	KAR2-18.5L	345	362 - 362	380	405	433	457	486	521	556
	KAR2-10.5L	345	302	300	405	433	457	400	521	000
	18.5" Leg Frame, Polished Chrome	Fully L	Inholetor	od with	Arm and	Standar		wor		
	KAR2-18.5LC	- 1 ully 0 418	435	454	478	505	530	559	594	629
	NAN2-10.3LC	410	433	434	470	505	550	559	554	029
	18.5" Leg Frame, Matte Black or Silve	or Motallic		stored Se	at & Woo	d back y	with Arm	and Stan	dard Dus	t Cover
	KAR2-18.5L	361	371	379	392	406	418	433	451	469
		501	571	579	092	400	410	400	401	409
	18.5" Leg Frame, Polished Chrome	- I Inhols	stered Se	at & Wor	nd hack	with Arm	and Sta	ndard Di	ist Cove	r
	KAR2-18.5LC	434	444	452	465	479	491	491	505	523
		-04		-52	400	470	401	401	000	020

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Tamper Resistant Hardware (no shroud, fully uph)	25
Removable Seat Covers	50	Tamper Resistant Hardware (with shroud, fully uph)	60
Removable Back Covers	50	Tamper Resistant Hardware (no shroud, wood back)	60
Polymer Underseat Shroud 18.5"	32	Tamper Resistant Hardware (with shroud, wood back)	110
Polymer Underseat Shroud 22"	43	Tamper Resistant Arms (per chair)	25
Polymer Underseat Shroud 26"	55	Tamper Resistant Glides (4 legged chairs)	25
Sled Base Matte Black or Silver Metallic	89	Non Accessible Staples	60
(Tamper Resistant Glides)		Added Weight (to 45lbs total chair weight)	350
Sled Base Polished Chrome (Tamper Resistant Glides)	151		



## KARMA

SIN 71-316

									0	
		COM		COL	FAB	RIC GRA	ADES		LEATHE	R
Description	Model	1	2	3	4	5	6	7	8	9
	22" Leg Frame, Matte Blac	k or Silver Metallic	- Fully	Upholste	red, No A	Arm with	Standard	Dust Co	over	
	KAR2-22L	347	364	382	407	434	459	487	523	558
	22" Leg Frame, Polished C	hrome - Fully Uph	olstered	d, No Arm	n, and St	andard [	Dust Cove	r		
	KAR2-22LC	436	453	471	496	523	548	577	612	647
ļ										
	22" Leg Frame, Matte Black	or Silver Metallic -	Uphols	stered Sea	at & Woo	d back, l	No Arm wi	th Stand	dard Dus	t Cover
	KAR2-22L	374	382	392	404	418	431	445	462	480
	22" Leg Frame, Polished C	hrome - Upholster	ed Sea	t & Wood	back, N	o Arm w	ith Standa	ard Dust	Cover	
	KAR2-22LC	463	471	481	493	507	520	534	551	569
Ű										
	22" Leg Frame, Matte Blac	k or Silver Metallic	- Fully	Upholste	red, with	Arm and	d Standard	d Dust C	Cover	
	KAR2-22L	372	390	407	432	460	484	512	547	582
	22" Leg Frame, Polished C	hrome - Fully Uph	olstered	d, with Ar	m and Si	tandard	Dust Cove	er		
	KAR2-22LC	461	479	496	521	549	573	601	636	671
	22" Leg Frame, Matte Black	or Silver Metallic-	Uphols	tered Sea	at & Woo	d back, v	vith Arm a	nd Stan	dard Dus	t Cove
	KAR2-22L	393	401	411	423	437	450	464	481	499
	22" Leg Frame, Polished C	hrome - Upholster	ed Sea	t & Wood	back, w	ith Arm a	and Stand	ard Dus	t Cover	
	KAR2-22LC	482	490	500	512	526	539	553	570	588
U U										
ų		a al a atima r Evana a C				D.		-l - 1/ I		

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Tamper Resistant Hardware (no shroud, fully uph)	25
Removable Seat Covers	50	Tamper Resistant Hardware (with shroud, fully uph)	60
Removable Back Covers	50	Tamper Resistant Hardware (no shroud, wood back)	60
Polymer Underseat Shroud 18.5"	32	Tamper Resistant Hardware (with shroud, wood back)	110
Polymer Underseat Shroud 22"	43	Tamper Resistant Arms (per chair)	25
Polymer Underseat Shroud 26"	55	Tamper Resistant Glides (4 legged chairs)	25
Sled Base Matte Black or Silver Metallic	89	Non Accessible Staples	60
(Tamper Resistant Glides)		Added Weight (to 45lbs total chair weight)	350
Sled Base Polished Chrome (Tamper Resistant Glides)	151		

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2	18.5L	В	U	AB	S
Karma	Stacking Chair	18.5"	Matte Black	Fully Upholstered	Black	Polymer Shroud
		22L	S	W	AG	D
		22"	Silver Metallic	Wood Back	Grey	Standard
		26L	С		AT	Dust Cover
		26"	Polished Chrome		Taupe	
		18.5S			NB	
		18.5" Sled Base			No Arm (Matte Black)	
		228			NS	
		22" Sled Base			No Arm (Silver Metallic)	
		26S			NC	
		26" Sled Base			No Arm (Polished Chrome)	
		18.5E				
		18.5" Easy Access Chair				
		18.5C				
		18.5" Counter Height Stool				


# KARMA

## SIN 71-316

	COM COL FABRIC GRADES		DES	I	R						
Description	Model	Species	1	2	3	4	5	6	7	8	9
	26" Leg Fi KAR2-26L	rame, Matte Black or -	Silver Metallio 416	c - Fully 450	Upholste 484	red, Arm 531	less with 585	Standaro 632	d Dust C 686	over 754	821
	26" Leg F KAR2-26L	rame, Polished Chroi .C	me - Fully Upl 506	holstered 540	d, Armles 574	s, with S 622	tandard 675	Dust Cov 722	er 776	844	911
	•	ame, Matte Black or		•							
( iii	KAR2-26L	-	429	445	460	483	508	531	556	587	619
	26" Leg F	rame, Polished Chroi	me - Upholste	ered Sea	t & Wood	back, A	rmless, v	vith Stand	dard Dus	t Cover	
	KAR2-26L		519	535	550	573	598	621	646	677	709
	26" Lea F	rame, Matte Black or	Silver Metallio	c - Fully	Upholste	red. with	Arm and	l Standar	d Dust C	Cover	
	KAR2-26L	,	441	475	508	556	610	657	711	779	847
	26" Leg F	rame, Polished Chroi	me - Fully Upl	holstered	d,with Arr	m and St	andard D	oust Cove	er		
	KAR2-26L	.C	531	565	598	646	700	747	801	868	937
	26" Leg Fr	ame, Matte Black or	Silver Metallic	- Uphols	stered Sea	at & Woo	d back, v	vith Arm a	and Stan	dard Dus	st Cover
	KAR226L		448	464	479	502	526	549	575	606	637
	26" Leg F	rame, Polished Chroi	me - Upholste	ered Sea	t & Wood	l back, w	vith Arm a	and Stand	dard Dus	t Cover	
	KAR226L0	C	538	554	569	592	616	639	665	696	727
ļ		IG NOTES: When se	lecting Frame	Color ar	nd Arm St	tula nlead	a cao Dr	oduct Co	da Kav h	helow	

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below.

Karma Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Tamper Resistant Hardware (no shroud, fully uph)	25
Removable Seat Covers	50	Tamper Resistant Hardware (with shroud, fully uph)	60
Removable Back Covers	50	Tamper Resistant Hardware (no shroud, wood back)	60
Polymer Underseat Shroud 18.5"	32	Tamper Resistant Hardware (with shroud, wood back)	110
Polymer Underseat Shroud 22"	43	Tamper Resistant Arms (per chair)	25
Polymer Underseat Shroud 26"	55	Tamper Resistant Glides (4 legged chairs)	25
Sled Base Matte Black or Silver Metallic	89	Non Accessible Staples	60
(Tamper Resistant Glides)		Added Weight (to 45lbs total chair weight)	350
Sled Base Polished Chrome (Tamper Resistant Glides)	151		




## KARMA SIN 71-316

Description	Model	Price
	Tandem Sea KAR2-GB B	ing Bracket -Matte Black (for armed chair) 52
1	Tandem Sea KAR2-GB B	ing Bracket- Silver Metallic (for armed chair) A 52
	Tandem Sea KAR2-GB B	ing Bracket- Polished Chrome (for armed chair) A 58
	Tandem Sea KAR2-GB B	ing Bracket-Matte Black (for chairs without arms) IA 47
	Tandem Sea KAR2-GB B	ing Bracket- Silver Metallic (for chairs without arms) NA 47
	Tandem Sea KAR2-GB B	ing Bracket- Polished Chrome (for chairs without arms) NA 53

## LEED CI CREDIT SUMMARY

## CRESSIDA



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR-EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **CRESSIDA** | GUEST, PATIENT & MULTIPLE FEATURES & OPTIONS



**CLEAN OUT** 

All Cressida seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.

### POLYMER ARM CAP

The optional arm cap provides enhanced durability and protection for the arms. Arm cap is available in Grey or Black and is field replaceable if it becomes damaged or degraded.



WOOD ARM

Wood Arms are available in either beech or maple hardwood and in 22 Krug standard finishes.

### WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



### METAL BACK LEGS

Cressida's metal back legs are built from structural rectangular steel tubing for exceptional strength and appealing design. Silver Metallic is offered as Krug's standard finish, additional metal finish colors are available at an upcharge - please contact Customer Service for pricing and more information.



### METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

### STEEL SEAT FRAME

Seats are constructed of high strength plywood with suspension webbing. The upholstered seat assembly is then further supported by steel frame construction running below the plywood

### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

### **ANTI-MICROBIAL FINISH**

Cressida wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

### WEIGHT CAPACITIES

Cressida weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Bariatric Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan - 750 lbs per unit

### **REPLACEABLE COMPONENTS**

Cressida chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable.

### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

### ADDITIONAL FEATURES

- Lifetime warranty
- Available CAL 133 option (see page 9)

## **OPTIONS**

### **CLEANABLE UNDER-SEAT SPLASHGUARD**

All Cressida seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable. The upcharges for the Splashquard are based on the size of the seat: 21" & 24" seats -\$40 list, 30" seat - \$47 list, 44" seat - \$55 list

### GANGING

All Cressida freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Bracket kit is available for an upcharge of \$62 list per chair.

### ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.



# **CRESSIDA** | GUEST, PATIENT & MULTIPLE OPTIONS

### COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$735 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard

### **REMOVABLE COVERS & REPLACEMENT COMPONENTS**

Cressida chair (all sizes) are available with Removeable Seat Covers for an upcharge of \$58 list per chair. Cressida chairs with Guest Backs (21", 24") are available with Removeable Back Covers for an upcharge of \$37 list per chair. Cressida 30" and 44" chairs with Guest Backs are also available with Removeable back cover option for an upcharge of \$58 list per chair. Cressida chairs with Patient Backs (21", 24") are available with Removeable Back Covers for an upcharge of \$58 list per chair. Cressida 30" chairs with Patient Backs are also available with removeable Back cover option for an upcharge of \$58 list per chair. Cressida 30" chairs with Patient Backs are also available with removeable back cover option for an upcharge of \$95 list per chair.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

# **CRESSIDA** | GUEST & BARIATRIC GUEST

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	33.75	18.5	26	21	18.75	42	14
24" Seat	27.5	28.5	33.75	18.5	26	24	18.75	46	19
30" Seat	33.5	28.5	33.75	18.5	26	30	18.75	57	20
44" Seat	47.5	28.5	33.75	18.5	26	44	18.75	69	28

### **COM - YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel	
21" - One Chair	1.4	0.8	0.7	.8	
21" - Two Chairs	2.59	1.19	1.4	.8	
21" - Three Chairs	4.08	2	2.08	.8	
21" - Four Chairs	5.18	2.38	2.8	.8	
24" - One Chair	1.75	0.8	1.4	.8	
24" - Two Chairs	3.3	1.19	2.08	.8	
24" - Three Chairs	5.05	2	3.48	.8	
24" - Four Chairs	6.6	2.38	4.16	.8	
30" - One Chair	2.5	1.1	1.4	.8	
30" - Two Chairs	5	2.2	2.8	.8	
30" - Three Chairs	7.5	3.3	4.2	.8	
30" - Four Chairs	10	4.4	5.6	.8	
44" - One Chair	2.5	1.1	1.4	.8	
44" - Two Chairs	5	2.2	2.8	.8	
44" - Three Chairs	7.5	3.3	4.2	.8	
44" - Four Chairs	10	4.4	5.6	.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

# CRESSIDA | GUEST

SIN 71-316

			СОМ		COL		BRIC GR	ADES		LEATHE	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
<b>F</b> h	21" Open Arm CRE2-G21OPS	Beech, Maple	720	756	796	867	938	1003	1078	1154	1296
	21" Open Arm wi CRE2-G21OPP	th arm cap	736	772	812	883	953	1019	1094	1170	1311
	21" Closed Arm CRE2-G21CLS	Beech, Maple	920	984	1043	1138	1237	1327	1432	1544	1721
T	21" Closed Arm v CRE2-G21CLP	vith arm cap	936	1000	1058	1154	1253	1343	1448	1559	1737
<b>Fb</b>	24" Open Arm CRE2-G24OPS	Beech, Maple	761	796	832	902	978	1048	1119	1195	1336
	24" Open Arm wi CRE2-G24OPP	th arm cap	777	812	847	918	993	1064	1135	1211	1351
	24" Closed Arm CRE2-G24CLS	Beech, Maple	961	1024	1077	1173	1277	1373	1473	1583	1761
	24" Closed Arm v CRE2-G24CLP	vith arm cap	977	1040	1093	1187	1293	1389	1489	1599	1777


### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Guest Removeable 30" & 44" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40

### PRODUCT CODE KEY



Closed Arm Polymer Arm Cap

# **CRESSIDA** | BARIATRIC GUEST

SIN 71-316

			COM		COL	FAB	RIC GR	ADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
<b>F</b> h	30" Open Arm CRE2-G30OPS	Beech, Maple	887	914	967	1069	1224	1336	1402	1514	1728
	30" Open Arm wit CRE2-G30OPP	th arm cap	903	929	983	1085	1240	1351	1418	1530	1744
	30" Closed Arm CRE2-G30CLS	Beech, Maple	1087	1171	1244	1374	1525	1660	1801	1952	2209
	30" Closed Arm v CRE2-G30CLP	vith arm cap	1103	1187	1260	1390	1540	1676	1817	1968	2225
	44" Open Arm CRE2-G44OPS	Beech, Maple	1073	1129	1190	1300	1406	1523	1638	1749	1976
	44" Open Arm wit CRE2-G44OPP	th arm cap	1089	1145	1205	1316	1422	1538	1654	1765	1992
	44" Closed Arm CRE2-G44CLS	Beech, Maple	1273	1357	1435	1572	1705	1847	1992	2138	2401
	44" Closed Arm v CRE2-G44CLP	vith arm cap	1288	1372	1451	1588	1721	1863	2008	2154	2417

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Guest Removeable 30" & 44" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40
30" Cleanable Under-Seat Splashguard	47
44" Cleanable Under-Seat Splashguard	55

Line	Series	Chair Style	Size	Arm Style
CRE	2	G	21	OPS
Cressida	Chair	Guest		Open Arm
			24	OPP Open Arm
			30	Polymer Arm Cap CLS Closed Arm
			44	CLP Closed Arm

## LEED CREDIT SUMMARY

## SOLIS GUEST

### MATERIAL CONTENT:



PRE-CONSUMER **RECYCLED CONTENT = 16%** 

POST-CONSUMER RECYCLED CONTENT = 22%

## **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

The above information regarding LEED contribution applies to both the upholstered as well as mesh back versions.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry



## AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **SOLIS** | PRODUCT FEATURES



### CLEAN OUT

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



### STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.



### HIGH DENSITY FOAM

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



### FLEX BACK

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



## URETHANE ARM

Solis arms are durable, comfortable, and long lasting. Urethane arms are available in three color options; Black, Grey and Taupe.



### WOODEN ARM

Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of **\$55 list** per arm using beech pricing.

### **REPLACEABLE COMPONENTS**

Solis chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms, frames and casters are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

### **TUBULAR STEEL CHAIR FRAME**

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of **\$44 list** per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than silver metallic is ordered. Solis silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

### WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.

### LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

### GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

### EASY ACCESS ADJUSTABLE GLIDES

With the larger footprint of this chair and critical importance of stability for the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

### WEIGHT CAPACITIES

Weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Bariatric Chairs (30" & 44") - 750 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Free Span - 525 lbs per unit 3-Seat Free Span = 750 lbs per unit

### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

### **ADDITIONAL FEATURES**

- Lifetime warranty
- · air-emissions certified
- Spring seat construction, providing exceptional comfort and longer life for seat foam.
- Solis sets a new standard for comfort and ergonomics in healthcare seating.
- Designed for ergonomically-correct posture and long- term sitting comfort, with contoured back and seat molds. Multi-density foam, provides lumbar, thoracic and pelvic support, while encouraging a healthy sitting posture.
- Large, rounded arms provide support for safe and easy ingress and egress.
- Certified to meet CTB 133/ ASTM E 1537 with appropriate fabrics

### ADJUSTABLE HEADREST

The adjustable headrest uses dual density foam providing excellent support and comfort. The headrest is securely fastened using an innovative clip allowing the headrest to be easily removed for cleaning and/or replacement. The headrest is easily adjusted by sliding the headrest vertically allowing the user to maximize their comfort.

### EASY CLEAN BACKREST COVERS

Easy clean backrest covers are available on all mesh back chairs. They are removable, replaceable and cleanable. The easy clean backrest cover features a foam interior for comfort and durability.



### WOOD SIDE BAILS

Solis can be specified with solid wood side rails, which, along with the selection of wood arms and a choice of metal finishes, provides a warmer look and feel. All Solis wood components feature Krug's anti-microbial, high durability Enduraguard finish. Wood Side Rails are available for an upcharge of \$88 list per chair in Beech or \$110 list per chair in Maple. Wood side rails are not available with closed arm panels.



### CASTERS

Casters are available on all 21" and 24" quest and patient chairs. Two rear casters are available for an upcharge of \$55 list per chair. Four casters are available for \$83 list per chair. Hard casters are standard, soft wheel casters can be ordered for \$40 list per chair or \$20 list for two casters. The Solis caster is not a heavy-duty caster - it is designed and rated for normal use and load bearing, but has the potential to fail with excessive use, force, or weight. The caster was designed to allow the chairs to be moved for ease of cleaning and furniture arranging. Krug is not responsible for caster breakage under any circumstances. Solis casters can purchased for field replacement.



### **KINETIC BACK OPTION**

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees. and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the Bariatric sizes (30" and 44").

### ANTI-MICROBIAL FINISH

Solis products are available with anti-microbial finish technology that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood and metal. The anti-microbial finish is standard on all wood components, at no additional up-charge. Solis silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table.

## **SOLIS** | PRODUCT OPTIONS

### **CAL133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for \$44 list per yard.

### **REMOVABLE COVERS & REPLACEMENT COMPONENTS**

- Seat Covers \$61 list per seat
- Back Covers (21", 24") \$39 list per chair (uph. only)
- Back Covers (30" and 44") \$61 list per chair.

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

### CLEANABLE UNDER-SEAT SPLASHGUARD

All Solis seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable. The upcharges for the Splashguard are based on the size of the seat: • 21" and 24" seats - \$28 list

- 30" seat \$33 list
- 44" seat \$44 list

### COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).

## **SOLIS** | GUEST & BARIATRIC

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLS	TERED BA	ск											
21" Seat	25	28	34.5	18.5	26	20	20	51	16	1.6	0.9	1.5	0.8
24" Seat	28	28	34.5	18.5	26	23	20	55	18	1.6	0.9	1.5	0.8
30" Seat	34	28	34.5	18.5	26	29	20	60	22	2.5	0.9	1.6	0.8
44" Seat	48	28	34.5	18.5	26	43	20	74	31	3.2	1.1	2.3	0.8
MESH BA	АСК												
21" Seat	25	28	34.5	18.5	26	20	20	49	16	-	0.9	-	0.8
24" Seat	28	28	34.5	18.5	26	23	20	52	18	-	0.9	-	0.8

## **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel	
21" & 24" - One Chair	1.6	0.9	1.5	0.8	
21" & 24" - Two Chairs	3.1	1.3	2.3	1.2	
21" & 24" - Three Chairs	4.9	2.1	3.1	1.6	
30" Bariatric - One Chair	2.5	0.9	1.6	0.8	
30" Bariatric - Two Chairs	5	1.8	3.2	1.2	
30" Bariatric - Three Chairs	7.5	2.7	4.8	1.6	
44" Bariatric - One Chair	3.2	1.1	2.3	0.8	
44" Bariatric - Two Chairs	5.6	2.2	3.9	1.2	
44" Bariatric - Three Chairs	8.7	3.3	5.5	1.6	

Multiple yardage requirements can also be used for Guest Back Easy Access chairs and Guest Back Start, Centre, End Multiple seating.

Note: Some vinyls, leathers & upholsteries are not suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

 $\ensuremath{\mathsf{2}}.$  The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

### SOLIS | GUEST & BARIATRIC I UPHOLSTERED BACKS

SOLIS | GUEST | MESH BACKS



Solis Guest Chairs with Upholstered Backs are available in 21", 24", 30" and 44" widths.



Solis Guest Chairs with Mesh Backs are available in 21" and 24" widths only.

# **SOLIS** | GUEST & BARIATRIC

SIN 71-316

									C C	
		COM		COL	FAE	BRIC GRAD	ES		LEATHER	
ODEL	Arm Type	1	2	3	4	5	6	7	8	9
21" Open Arm, Mes	sh Back									
SOL2-GM21OPU	Urethane	705	728	751	797	843	890	936	982	1054
SOL2-GM210PW	Beech	793	816	839	885	932	978	1024	1071	1142
1 / 1		744	770	010	001	005	1010	4445	1100	1000
										1338
SOL2-GU2TOPW	Beech	829	867	904	979	1053	1128	1203	1277	1427
24" Open Arm, Mes	sh Back									
SOL2-GM24OPU	Urethane	733	756	779	826	872	918	965	1011	1083
SOL2-GM24OPW	Beech	821	845	868	914	960	1007	1053	1099	1171
24" Open Arm Link	olstored Back									
			807	846	010	00/	1060	11/2	1019	1368
										1456
30L2-00240FW	Deech	000	090	504	1000	1005	1150	1231	1300	1450
30" Open Arm, Uph	olstered Back									
SOL2-GU30OPU	Urethane	897	956	1015	1131	1248	1365	1481	1599	1832
SOL2-GU30OPW	Beech	986	1044	1104	1219	1336	1453	1569	1687	1921
44" Open Arm, Uph	olstered Back									
1 / 1		1039	1097	1155	1271	1389	1505	1623	1739	1972
										2061
	21" Open Arm, Mes SOL2-GM21OPU SOL2-GM21OPW 21" Open Arm, Uph SOL2-GU21OPU SOL2-GU21OPU 24" Open Arm, Mes SOL2-GM24OPU SOL2-GM24OPW 24" Open Arm, Uph SOL2-GU24OPU SOL2-GU24OPW 30" Open Arm, Uph SOL2-GU30OPU SOL2-GU30OPU	21" Open Arm, Mesh Back         SOL2-GM21OPU       Urethane         SOL2-GM21OPW       Beech         21" Open Arm, Upholstered Back         SOL2-GU21OPW       Urethane         SOL2-GU21OPU       Urethane         SOL2-GU21OPW       Beech         24" Open Arm, Mesh Back         SOL2-GM24OPU       Urethane         SOL2-GM24OPU       Urethane         SOL2-GM24OPU       Urethane         SOL2-GM24OPU       Urethane         SOL2-GU24OPU       Urethane         SOL2-GU24OPU       Urethane         SOL2-GU24OPU       Urethane         SOL2-GU30OPU       Urethane         SOL2-GU30OPU       Urethane         SOL2-GU30OPW       Beech	ODELArm Type121" Open Arm, Mesh Back SOL2-GM21OPUUrethane705SOL2-GM21OPWBeech79321" Open Arm, Upholstered Back SOL2-GU21OPUUrethane741SOL2-GU21OPUUrethane741SOL2-GU21OPWBeech82924" Open Arm, Mesh Back SOL2-GM24OPUUrethane733SOL2-GM24OPUUrethane733SOL2-GM24OPUUrethane770SOL2-GU24OPUUrethane770SOL2-GU24OPWBeech85830" Open Arm, Upholstered Back SOL2-GU30OPUWrethane897SOL2-GU30OPUUrethane897SOL2-GU30OPUUrethane89644" Open Arm, Upholstered Back SOL2-GU44OPU1039	ODELArm Type1221" Open Arm, Mesh Back SOL2-GM21OPUUrethane705728SOL2-GM21OPWBeech79381621" Open Arm, Upholstered Back SOL2-GU21OPUUrethane741778SOL2-GU21OPUUrethane741778SOL2-GU21OPWBeech82986724" Open Arm, Mesh Back SOL2-GM24OPUUrethane733756SOL2-GM24OPUUrethane733756SOL2-GM24OPUUrethane770807SOL2-GU24OPUUrethane770807SOL2-GU24OPUUrethane770807SOL2-GU30OPUUrethane85889530" Open Arm, Upholstered Back SOL2-GU30OPU986104444" Open Arm, Upholstered Back SOL2-GU44OPU10391097	ODEL         Arm Type         1         2         3           21" Open Arm, Mesh Back         SOL2-GM210PU         Urethane         705         728         751           SOL2-GM210PU         Urethane         705         728         751           SOL2-GM210PW         Beech         793         816         839           21" Open Arm, Upholstered Back         SOL2-GU210PU         Urethane         741         778         816           SOL2-GU210PW         Beech         829         867         904           24" Open Arm, Mesh Back         SOL2-GM240PU         Urethane         733         756         779           SOL2-GM24OPU         Urethane         733         756         779         SOL2-GM24OPU         Beech         821         845         868           24" Open Arm, Upholstered Back         SOL2-GU24OPU         Urethane         770         807         846           SOL2-GU24OPU         Urethane         858         895         934           30" Open Arm, Upholstered Back         SOL2-GU30OPU         Urethane         897         956         1015           SOL2-GU30OPU         Urethane         897         956         1015         1044         1104 <td< td=""><td>ODEL         Arm Type         1         2         3         4           21" Open Arm, Mesh Back         SOL2-GM21OPU         Urethane         705         728         751         797           SOL2-GM21OPU         Urethane         705         728         751         797           SOL2-GM21OPW         Beech         793         816         839         885           21" Open Arm, Upholstered Back         SOL2-GU21OPU         Urethane         741         778         816         891           SOL2-GU21OPU         Urethane         741         778         816         891           SOL2-GU21OPW         Beech         829         867         904         979           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826           SOL2-GM24OPU         Urethane         770         807         846         919           SOL2-GU24OPU         Urethane         770         807         846         919           SOL2-GU24OPW         Beech         858         895         934         1008           30" Open Arm, Upholstered Back         SOL2-GU30OPU         Urethane         897         956         1015</td><td>ODEL         Arm Type         1         2         3         4         5           21" Open Arm, Mesh Back         SOL2-GM21OPU         Urethane         705         728         751         797         843           SOL2-GM21OPW         Beech         793         816         839         885         932           21" Open Arm, Upholstered Back         SOL2-GU21OPU         Urethane         741         778         816         891         965           SOL2-GU21OPU         Urethane         741         778         816         891         965           SOL2-GU21OPW         Beech         829         867         904         979         1053           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872           SOL2-GM24OPU         Urethane         733         756         779         826         872           SOL2-GU24OPU         Urethane         770         807         846         919         994           SOL2-GU24OPU         Urethane         770         807         846         919         994           SOL2-GU30OPU         Urethane         897         956         1015</td><td>ODEL         Arm Type         1         2         3         4         5         6           21" Open Arm, Mesh Back         SOL2-GM21OPU         Urethane         705         728         751         797         843         890           SOL2-GM21OPW         Beech         793         816         839         885         932         978           21" Open Arm, Upholstered Back         SOL2-GU21OPW         Beech         741         778         816         891         965         1040           SOL2-GU21OPW         Beech         829         867         904         979         1053         1128           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872         918           SOL2-GM24OPU         Urethane         733         756         779         826         872         918           SOL2-GM24OPU         Urethane         770         807         846         919         960         1007           24" Open Arm, Upholstered Back         SOL2-GU24OPU         Beech         858         895         934         1008         1083         1158           30" Open Arm, Upholstered Back         SOL2-GU30OPU&lt;</td><td>ODEL         Arm Type         1         2         3         4         5         6         7           21" Open Arm, Mesh Back SOL2-GM21OPU         Urethane         705         728         751         797         843         890         936           SOL2-GM21OPW         Beech         793         816         839         885         932         978         1024           21" Open Arm, Upholstered Back         SOL2-GU21OPU         Urethane         741         778         816         891         965         1040         1115           SOL2-GU21OPU         Urethane         741         778         816         891         965         1040         1115           SOL2-GU21OPW         Beech         829         867         904         979         1053         1128         1203           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872         918         965           SOL2-GM24OPU         Urethane         770         807         846         919         994         1069         1143           SOL2-GU24OPU         Urethane         879         956         1015         1131         1248</td><td>COM         COL         FABRIC GRADES         LEATHER           ODEL         Arm Type         1         2         3         4         5         6         7         8           21" Open Arm, Mesh Back SOL2-GM21OPU         Urethane         705         728         751         797         843         890         936         982           SOL2-GM21OPW         Beech         793         816         839         885         932         978         1024         1071           21" Open Arm, Upholstered Back SOL2-GU21OPU         Urethane         741         778         816         891         965         1040         1115         1189           SOL2-GU21OPW         Beech         829         867         904         979         1053         1128         1203         1277           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872         918         965         1011           SOL2-GM24OPU         Urethane         733         756         779         826         872         918         965         1011           SOL2-GU24OPU         Urethane         770         807         846         919</td></td<>	ODEL         Arm Type         1         2         3         4           21" Open Arm, Mesh Back         SOL2-GM21OPU         Urethane         705         728         751         797           SOL2-GM21OPU         Urethane         705         728         751         797           SOL2-GM21OPW         Beech         793         816         839         885           21" Open Arm, Upholstered Back         SOL2-GU21OPU         Urethane         741         778         816         891           SOL2-GU21OPU         Urethane         741         778         816         891           SOL2-GU21OPW         Beech         829         867         904         979           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826           SOL2-GM24OPU         Urethane         770         807         846         919           SOL2-GU24OPU         Urethane         770         807         846         919           SOL2-GU24OPW         Beech         858         895         934         1008           30" Open Arm, Upholstered Back         SOL2-GU30OPU         Urethane         897         956         1015	ODEL         Arm Type         1         2         3         4         5           21" Open Arm, Mesh Back         SOL2-GM21OPU         Urethane         705         728         751         797         843           SOL2-GM21OPW         Beech         793         816         839         885         932           21" Open Arm, Upholstered Back         SOL2-GU21OPU         Urethane         741         778         816         891         965           SOL2-GU21OPU         Urethane         741         778         816         891         965           SOL2-GU21OPW         Beech         829         867         904         979         1053           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872           SOL2-GM24OPU         Urethane         733         756         779         826         872           SOL2-GU24OPU         Urethane         770         807         846         919         994           SOL2-GU24OPU         Urethane         770         807         846         919         994           SOL2-GU30OPU         Urethane         897         956         1015	ODEL         Arm Type         1         2         3         4         5         6           21" Open Arm, Mesh Back         SOL2-GM21OPU         Urethane         705         728         751         797         843         890           SOL2-GM21OPW         Beech         793         816         839         885         932         978           21" Open Arm, Upholstered Back         SOL2-GU21OPW         Beech         741         778         816         891         965         1040           SOL2-GU21OPW         Beech         829         867         904         979         1053         1128           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872         918           SOL2-GM24OPU         Urethane         733         756         779         826         872         918           SOL2-GM24OPU         Urethane         770         807         846         919         960         1007           24" Open Arm, Upholstered Back         SOL2-GU24OPU         Beech         858         895         934         1008         1083         1158           30" Open Arm, Upholstered Back         SOL2-GU30OPU<	ODEL         Arm Type         1         2         3         4         5         6         7           21" Open Arm, Mesh Back SOL2-GM21OPU         Urethane         705         728         751         797         843         890         936           SOL2-GM21OPW         Beech         793         816         839         885         932         978         1024           21" Open Arm, Upholstered Back         SOL2-GU21OPU         Urethane         741         778         816         891         965         1040         1115           SOL2-GU21OPU         Urethane         741         778         816         891         965         1040         1115           SOL2-GU21OPW         Beech         829         867         904         979         1053         1128         1203           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872         918         965           SOL2-GM24OPU         Urethane         770         807         846         919         994         1069         1143           SOL2-GU24OPU         Urethane         879         956         1015         1131         1248	COM         COL         FABRIC GRADES         LEATHER           ODEL         Arm Type         1         2         3         4         5         6         7         8           21" Open Arm, Mesh Back SOL2-GM21OPU         Urethane         705         728         751         797         843         890         936         982           SOL2-GM21OPW         Beech         793         816         839         885         932         978         1024         1071           21" Open Arm, Upholstered Back SOL2-GU21OPU         Urethane         741         778         816         891         965         1040         1115         1189           SOL2-GU21OPW         Beech         829         867         904         979         1053         1128         1203         1277           24" Open Arm, Mesh Back         SOL2-GM24OPU         Urethane         733         756         779         826         872         918         965         1011           SOL2-GM24OPU         Urethane         733         756         779         826         872         918         965         1011           SOL2-GU24OPU         Urethane         770         807         846         919



## Solis Ganging Bracket SOL2-RLKBS

22

9.25 x 3.5

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Casters are available on 21" and 24" guest chairs for an upcharge of \$55 list for 2 casters or \$83 list for 4 casters.


The standard Solis Frame Color is Silver Metallic. Additional frame colors are available for an upcharge of \$44 list per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	39	44" Cleanable Under-seat Splashguard	44
30" & 44" - Removable Back Covers	61	Maple Arm upgrade per arm (add to beech price)	55
Kinetic Back option (not available for Bariatric)	83	Beech Wood Side Rails Upgrade (per chair)	88
		Maple wood Side Rails Upgrade (per chair)	110

**Closed Arm Panels (per chair)** - please add the following up charges for closed arm panels. Eabria Grados (COM) 1 - 2 - (COM) 3 - 4 - 5 - 6 - 7 - 8


Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	291	311	331	369	409	448	487	527	605

```
PRODUCT CODE KEY
```



# JORDAN | LEED CI CREDIT SUMMARY

## JORDAN GUEST



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR-EMISSIONS

All Jordan products are supplied with air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# JORDAN | GUEST, PATIENT, MULTIPLE & EASY ACCESS FEATURES



**CLEAN OUT** 

All Jordan seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.

### STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Jordan to well exceed ANSI/BIFMA standards.



FLEX BACK

The ergonomically designed back has been designed with a slight flexing action, to enhance the level of long-term sitting comfort, and provide greater ease of egress.

_

### WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility.



### **URETHANE ARM CAP**

The optional arm cap provides enhanced durability and protection for the arms. This is field replaceable if this becomes damaged or degraded and is available in three colors; Black, Grey and Taupe.

### METAL TO METAL CONNECTIONS

Steel seat frames are joined to other components, and to each other in the multiple seating products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.

### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Guest & Patient Chairs (21" & 24") - 350 lbs Bariatric Chairs (30" & 44") - 750 lbs Easy Access Chairs - 350 lbs Multiple Seating & Pre-configured - 350 lbs per seat 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan = 750 lbs per unit 21" & 24" Bench - 350 lbs 30" Bench - 750 lbs 48" Bench - 525 lbs per unit 72" Bench - 750 lbs per unit

### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

### ANTI-MICROBIAL FINISH

Jordan wood surfaces come with a uniquely-formulated anti-microbial finish that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood.

### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

### **REPLACEABLE COMPONENTS**

Jordan chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs, frames are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

### EASY ACCESS ADJUSTABLE GLIDES

With the larger footprint of this chair and critical importance of stability of the user, we have included adjustable glides on the front legs - this allows the Easy Access chair to be perfectly leveled to any floor for maximum safety and stability.

### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

### **ADDITIONAL FEATURES**

- Lifetime warranty
- air-emissions Certified
- Spring seat construction, providing exceptional comfort and longer life for seat foam.
- Mortise and tenon frame construction, for optimal strength in wood joinery.
- Jordan sets a new standard for comfort and ergonomics in healthcare seating. Designed for ergonomically- correct posture and long-term sitting comfort, with contoured back and seat molds. Multi-density foam, provides lumbar, thoracic and pelvic support, while encouraging a healthy sitting posture.
- Large, rounded arms provide support for safe and easy ingress and egress.
- Certified to meet CTB 133/ ASTM E 1537 with appropriate fabrics



### KINETIC BACK OPTION

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Jordan/Solis chair back - Guest, Patient and Multiple Seating - with the exception of the Bariatric sizes (30" and 44").

# DESIGNER WHITE -D354SL SOLID SURFACE ARM CAP

Jordan Guest and Patient seating is available with an optional Solid surface arm cap for an upcharge of \$165 list per chair. The Solid Surface Arm Cap is field replaceable.

### CLEANABLE UNDER-SEAT SPLASHGUARD

All Jordan seating models are available with a plastic moisture barrier that covers and encloses the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard significantly enhances the anti-microbial and germ resistance properties of the product, by enclosing the part of the chair that can be most susceptible to infection-causing pathogens. The Splashguard is a smooth, easy to clean surface, either while on the chair or when removed, and is also field replaceable.

### GANGING

All Jordan freestanding chairs can be ganged using a ganging bracket. The powder coated metal bracket is fastened to the inside face of each side frame. Ganging Brackets are available for an upcharge of **\$39 list** per chair.

### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$772 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard

### REMOVABLE COVERS & REPLACEMENT COMPONENTS

Jordan chair (all sizes) are available with Removeable Seat Covers for an upcharge of \$61 list per chair. Jordan chairs with Guest Backs (21", 24") are available with Removeable Back Covers for an upcharge of **\$39 list** per chair. Jordan 30" and 44" chairs with Guest Backs are also available with Removeable back option for an upcharge of **\$61 list** per chair.

Jordan Patient Chairs (all sizes) are available with Removeable Seat Covers for an upcharge of **\$61 list** per chair. Jordan chairs with Patient Backs (21", 24") are available with Removeable Back Covers for an upcharge of **\$55 list** per chair. Jordan 30" Patient Back models are also available with Removeable back option for an upcharge of **\$99 list** per chair.

Replacement seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Jordan products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs

### COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

# JORDAN | GUEST & BARIATRIC

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	25	27	34.25	18.5	26	20.5	19	42	14
24" Seat	28	27	34.25	18.5	26	23.5	19	46	19
30" Seat	34	27	34.25	18.5	26	29.5	19	52	20
44" Seat	48	27	34.25	18.5	26	43.5	19	69	28

## **COM- YARDAGE REQUIREMENTS**

	COM Yardage Seat & Back	COM Yardage Seats Only	COM Yardage Back Only	COM Yardage Closed Arm Panel
21" & 24" - One Chair	1.6	0.9	1.4	0.9
21" & 24" - Two Chairs	3.2	1.3	2.8	1.35
21" & 24" - Three Chairs	4.8	2.2	4.2	1.8
21" & 24" - Four Chairs	6.4	2.6	5.6	2.7
30" & 44" - One Chair	2.7	0.9	1.6	0.9
30" & 44" - Two Chairs	5.4	1.8	3.2	1.35
30" & 44" - Three Chairs	8.1	2.7	4.8	1.8
30" & 44" - Four Chairs	10.8	3.6	6.4	2.7

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam or Momentum, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

## JORDAN | GUEST & BARIATRIC



### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	39	44" Cleanable Under-seat Splashguard	44
30" & 44" - Removable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
Kinetic Back option (not available for Bariatric)	83	Ganging Bracket	39

### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Guest Chairs (21" & 24") - 350 lbs Bariatric Guest Chairs (30" & 44") - 750 lbs

Jordan replacement parts can be viewed on-line at www.krug.ca

### FEATURES:

For a complete list of features see page 48.

## JORDAN | GUEST & BARIATRIC

SIN 71-316

			COM		COL	FA	BRIC GRAD	DES		LEATHER	
DESCRIPTION/M	ODEL	Species	1	2	3	4	5	6	7	8	9
	21" Open Arm										
	JOR2-G21OPS	Beech	816	876	936	1023	1117	1211	1310	1424	1625
	JOR2-G21OPS	Maple	876	936	997	1083	1184	1291	1398	1497	1698
	21" Open Arm Urethane	e Cap									
	JOR2-G21OPU	Beech	913	974	1033	1121	1214	1308	1408	1521	1722
U	JOR2-G21OPU	Maple	974	1033	1094	1181	1281	1388	1495	1594	1795
	21" Closed Arm										
$\bigcirc$	JOR2-G21CLS	Beech	901	961	1021	1108	1202	1295	1396	1509	1710
	JOR2-G21CLS	Maple	961	1021	1082	1169	1269	1376	1483	1582	1783
	UCHIZ GZIOŁO	Maple	501	1021	1002	1100	1200	1070	1400	1002	1700
	21" Closed Arm Urethar	ne Cap									
	JOR2-G21CLU	Beech	998	1058	1118	1206	1300	1392	1493	1607	1807
U	JOR2-G21CLU	Maple	1058	1118	1179	1266	1366	1473	1580	1680	1881
	0.4" Он на Анна										
$\bigcirc$	24" Open Arm JOR2-G24OPS	Beech	837	896	957	1043	1137	1230	1331	1444	1645
	JOR2-G24OPS	Maple	903	962	1023	1043	1211	1230	1424	1525	1645
	JUN2-0240F3	wapie	903	902	1023	1110	1211	1317	1424	1525	1724
	24" Open Arm Urethane	e Cap									
	JOR2-G24OPU	Beech	934	993	1054	1140	1234	1327	1428	1541	1742
u l	JOR2-G24OPU	Maple	1000	1060	1121	1207	1308	1415	1521	1622	1822
$\frown$	24" Closed Arm										
	JOR2-G24CLS	Beech	922	981	1042	1128	1222	1315	1416	1529	1730
PAL	JOR2-G24CLS	Maple	988	1047	1108	1195	1295	1402	1509	1610	1810
	24" Closed Arm Uretha	ne Cap									
	JOR2-G24CLU	Beech	1019	1078	1139	1225	1319	1412	1514	1626	1827
U	JOR2-G24CLU	Maple	1086	1145	1206	1292	1392	1499	1607	1707	1907
Bariatric	30" Open Arm	Deeeb	1000	1107	1001	4 4 5 4	1010	1770	1000	0004	00.17
$\frown$	JOR2-G30OPS	Beech	1090	1197	1291	1451	1612	1772	1933	2094	2347
r b	JOR2-G30OPS	Maple	1171	1278	1385	1545	1706	1865	2026	2186	2441
E LI	30" Open Arm Urethane	e Cap									
	JOR2-G30OPU	Beech	1187	1294	1388	1549	1709	1870	2030	2191	2444
	JOR2-G30OPU	Maple	1268	1375	1482	1642	1803	1964	2123	2284	2538
<i>w</i> U <sup>0</sup>											

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	39	44" Cleanable Under-seat Splashguard	44
30" & 44" - Removable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
Kinetic Back option (not available for Bariatric)	83		

Line	Series	Chair Type	Size	Arm Type
JOR	2	G	21	OPS
Jordan	Chair	Guest Seating		Open Arm
			24	OPU
				Open Arm Urethane Arm Ca
			30	CLS
				Closed Arm
			44	CLU
				Closed Arm

## JORDAN | GUEST & BARIATRIC

## SIN 71-316

			COM		COL	FAE	BRIC GRAD	ES		LEATHER	
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9
	30" Closed Arm JOR2-G30CLS	Beech	1175	1282	1376	1537	1697	1858	2018	2179	2432
	JOR2-G30CLS	Maple	1256	1363	1470	1629	1790	1951	2111	2272	2526
	30" Closed Arm L		D								
	JOR2-G30CLU	Beech	1272	1379	1473	1634	1794	1955	2115	2276	2529
U	JOR2-G30CLU	Maple	1353	1460	1567	1728	1887	2048	2208	2369	2623
	44" Open Arm JOR2-G44OPS JOR2-G44OPS 44" Open Arm Un JOR2-G44OPU JOR2-G44OPU	Beech Maple ethane Cap Beech Maple	1304 1403 1401 1502	1438 1538 1535 1635	1551 1658 1648 1755	1739 1852 1836 1949	1933 2046 2030 2143	2126 2240 2223 2337	2321 2433 2418 2530	2514 2621 2611 2718	2815 2928 2913 3025
	44" Closed Arm										
	JOR2-G44CLS	Beech	1389	1523	1636	1824	2018	2211	2405	2599	2900
	JOR2-G44CLS	Maple	1489	1623	1743	1937	2131	2325	2518	2706	3013
	44" Closed Arm L										
	JOR2-G44CLU	Beech	1486	1621	1733	1921	2115	2309	2503	2696	2998
U	JOR2-G44CLU	Maple	1586	1720	1840	2035	2228	2422	2616	2803	3110

### ORDERING NOTES:

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	39	44" Cleanable Under-seat Splashguard	44
30" & 44" - Removable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165

Line	Series	Chair Type	Size	Arm Type
JOR	2	G	21	OPS
Jordan	Chair	Guest Seating		Open Arm
			24	OPU
				Open Arm Urethane Arm Cap
			30	CLS
				Closed Arm
			44	CLU
				Closed Arm Urethane Arm Cap

## CORFU | LEED CI CREDIT SUMMARY

## CORFU



\* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



FSC<sup>®</sup> C021699

## AIR-EMISSIONS

level<sup>®</sup> CERTIFICATION

All Corfu products are supplied air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Corfu products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



## **CORFU** | FEATURES

### SUSTAINABLE DESIGN

Corfu is made with recycled materials, with an overall recycled content of 40%. Many of these same materials are also recyclable and Corfu's overall recyclable content is 17%. Corfu is air-emissions certified.

OUTDOOR SEATING

Corfu has been designed for outdoor use, with UV-resistant polypropylene components, a rust-resistant aluminum frame, and the option of drainage holes in the seat. Please specify outdoor usage when ordering.

### UNDER SEAT COVER

Each indoor version of Corfu includes an underseat system for stacking: a grey polypropylene seat pan that nests into the seat below and protects it from the frame above. It also provides for easy cleaning and maintenance by covering the underside of the chair. All outdoor versions of Corfu do not include the underseat pan, to allow for drainage, but include stacking bumpers.

## WOOD FINISH

Krug's Enduraguard<sup>™</sup> finish is a catalyzed conversion varnish topcoat, combined with a vinyl polymer-based sealer, that in independent testing has been shown to have exceptional durability characteristics in its resistance to scratching, marring, and degradation from cleaning materials and other substances.

## **BEECH PLYWOOD**

Wood seats and backs are made with European Beech hardwood veneers, featuring nine (9) plys of cross grain for added strength and durability.

## STACKING

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.



### PLASTIC COMPONENTS

Polypropylene seats, backs and other components are injection molded, with pigment diffused throughout the mold, and featuring a compound that provides UV resistance to fading and brittleness from exposure to light. Seats and backs have a minimum wall thickness of 5 mm, providing excellent strength and shock resistance. Corfu (Plastic Seat & Back) is available in six different colors. Please specify a color when ordering.

Color Selection: White, Black, Grey, Red, Blue, Sand

#### **ALUMINUM FRAME**

Corfu seating is built with high strength aluminum castings and extrusions. Aluminum is an ideal material for creating a structurally superior chair frame: it eliminates any potential for corrosion, and provides excellent fit and the tightest of tolerances in the transition between components. Finish options are Silver Metallic Powder Coat, and Polished Aluminum.

#### GANGING

Corfu can be ordered with the option of ganging for the upcharge of \$20 list per chair. Please specify ganging when ordering.

### CADDIE

The Corfu caddie provides enhanced stackability, along with the ease of movement and storage. Its design allows for the stacking and storage of all Krug stackable chairs. It has a durable tubular construction and 4 soft-wheel swivel, locking casters. This caddie is designed to stack and transport Krug's other stacking chairs.

#### PACKAGING

Corfu packaging features recycled, recyclable cardboard. The arm and armless chairs are shipped 4 units per carton; Corfu Office is shipped one unit per carton.

## **OPTIONS**

#### COMBINATION UPHOLSTERY COVERS

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Corfu upholstered products. Pricing for this option is the grade price for the highest grade upholstery selected. If the upholstery covers are the same grade, or are COM, a 10% upcharge is applied to the graded price.

### **CAL133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard.

### ADDITIONAL FEATURES

 Corfu fully upholstered seat & back is Certified to meet CTB 133/ ASTM E-1537 with appropriate upholstery cover

## DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
COR2-10S	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	4.4
COR2-10C	20.87	20.87	32.28	17.5	n/a	n/a	17	40.8	4.4
COR2-11S	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	4.4
COR2-11C	23.23	20.87	32.28	17.5	26.75	21.25	17	50.4	4.4
COR2-20S	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	4.4
COR2-20C	20.87	20.87	32.28	17.5	n/a	n/a	17	53.6	4.4
COR2-21S	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	4.4
COR2-21C	23.23	20.87	32.28	17.5	26.75	21.25	17	63.2	4.4
COR2-30S	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	4.4
COR2-30C	20.87	20.87	32.28	17.5	n/a	n/a	17	63.2	4.4
COR2-31S	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	4.4
COR2-31C	23.23	20.87	32.28	17.5	26.75	21.25	17	71.2	4.4
COR2-40S	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	4.4
CORS-40C	20.87	20.87	32.28	17.5	n/a	n/a	17	71.2	4.4
COR2-41S	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	4.4
COR2-41C	23.23	20.87	32.28	17.5	26.75	21.25	17	80.8	4.4
COR2-50S	20.87	20.87	32.28	17.5	n/a	n/a	17	48	4.4
COR2-50C	20.87	20.87	32.28	17.5	n/a	n/a	17	48	4.4
COR2-51S	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	4.4
COR2-51C	23.23	20.87	32.28	17.5	26.75	21.25	17	57.6	4.4
COR2-60S	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	4.4
COR2-60C	20.87	20.87	32.28	17.5	n/a	n/a	17	69.2	4.4
COR2-61S	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	4.4
COR2-61C	23.23	20.87	32.28	17.5	26.75	21.25	17	78.8	4.4
COR6	24	31	15.75						

## COM REQUIREMENTS

	COM Yardage Seat Pad Only	Yardage Per Chair - Seat Pad Only	COM Yardage Fully Upholstered Seat Only	Yardage Per Chair - Fully Upholstered Seat Only	COM Yardage Seat & Back Pads	Yardage Per Chair - Seat & Back Pads	COM Yardage Fully Upholstered Seat & Back	Yardage Per Chair - Fully Upholstered Seat & Back
One Chair	0.7	0.7	0.7	0.7	0.7	0.7	1	1
Two Chair	0.7	0.35	0.7	0.35	1.1	0.55	1.7	0.85
Three Chair	1.4	0.47	1.4	0.47	1.8	0.6	2.7	0.9
Four Chair	1.4	0.35	1.4	0.35	2.2	0.55	3.4	0.85

Note: Some vinyls, leathers & upholsteries are not suitable on Corfu seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam or Momentum, Krug will obtain the upholstery cover sample.

2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.

3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

SIN 711-18

DESCRIPTION/MOI	DEL	COM 1	2	COL 3	FAE 4	BRIC GRA	DES 6	7	LEATHER 8	9
	Plastic Seat & Back, Armless, with Silver Metallic frame COR2-10S	342								
	Plastic Seat & Back, Armless, with Polished Aluminum frame COR2-10C	386								
	Plastic Seat & Back, Plastic Arr with Silver Metallic frame COR2-11S	ns 397								
	Plastic Seat & Back, Polished A with Polished Aluminum frame COR2-11C	lluminum 435	Arms							
	Plastic Seat & Back with Uphole Armless, with Silver Metallic fra		ads,							
	COR2-20S	458	482	506	530	555	579	603	627	652
	Plastic Seat & Back with Uphol: Armless, with Polished Aluminu	m frame								
U	COR2-20C	502	526	550	574	599	623	647	671	696
	Plastic Seat & Back with Uphole		ads,							
	Plastic Arms, with Silver Metalli COR2-21S	513	537	561	585	610	634	658	682	707
	Plastic Seat & Back with Uphol									
W U	Polished Aluminum Arms, with COR2-21C	551	576	600	624	648	673	697	721	745

### **ORDERING NOTES:**

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of **\$22 list** per chair, please specify on order.

For the outdoor version of the plastic seat & back Corfu Multi-purpose chair, please specify on order.

Line	Series	Chair Style	Arm Style	Metal Finish	
COR	2 Multi-Purpose	1 Plastic Seat & Back	0 Armless	Silver Metallic	
		2 Plastic with Upholstered Seat & Back Pads	1 Armed	C Polished Aluminum	
		3 Wood Seat & Back			
		4 Fully Upholstered Seat & Back			
		5 Plastic Back, Plastic Seat with Upholstered Pad			
		6 Wood Back, Fully Upholstered Seat			

SIN 711-18		СОМ		COL	FARE	RIC GRAD	FS	1	EATHER	
DESCRIPTION/MODEI	_ Species	1	2	3	4	5	6	7	8	9
	Plastic Back, Plastic Seat with Armless, with Silver Metallic fr COR2-50S	•	ered pad, 441	458	474	491	507	524	540	557
	Plastic Back, Plastic Seat with Armless, with Polished Alumin COR2-50C	•		502	518	535	551	568	584	601
	Plastic Back, Plastic Seat with Plastic Arms with Silver Metall COR2-51S	•	ered pad, 496	513	529	546	562	579	595	612
	Plastic Back, Plastic Seat with Polished Aluminum arms, with COR2-51C	•	•	m frame 551	568	584	601	617	634	650
	Wood Seat & Back, Armless, with Silver Metallic frame COR2-30S Beech	496								
M	Wood Seat & Back, Armless, with Polished Aluminum frame COR2-30C Beech									
	Wood Seat & Back, Silver Met with Silver Metallic frame COR2-31S Beech		5,							
	Wood Seat & Back, Polished A with Polished Aluminum frame COR2-31C Beech	9	Arms,							


## ORDERING NOTES:

When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered version stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.



## SIN 711-18

DESCRIPTION/MODEL         Species         1         2         3         4         5         6         7         8         9           Wood Back, Fully Upholstered Seat Armless, with Silver Metallic frame COR2-60S         Beech         540         564         589         613         637         662         686         710         734           Wood Back, Fully Upholstered Seat Armless, with Polished Aluminum frame COR2-60C         Beech         590         614         638         663         687         711         735         760         784           Wood Back, Fully upholstered Seat, Sliver Metallic Arms, with Sliver Metallic frame COR2-61C         Beech         639         664         688         712         736         761         785         809         833           Wood Back, Fully upholstered Seat, Polished Aluminum arms, with Polished Aluminum frame COR2-61C         Beech         700         724         749         773         797         821         846         870         894           Fully Upholstered Seat & Back, Armless, with Polished Aluminum frame COR2-40C         662         595         628         662         695         728         761         794         827           Fully Upholstered Seat & Back, Armless, with Polished Aluminum frame COR2-40C         612         645										SIN	/ 1 1-10
Wood Back, Fully Upholstered Seat Armless, with Silver Metallic frame COR2-60S         Beech         540         564         589         613         637         662         686         710         734           Wood Back, Fully Upholstered Seat Armless, with Polished Aluminum frame COR2-60C         Beech         590         614         638         663         687         711         735         760         784           Wood Back, Fully Upholstered Seat, Silver Metallic Arms, with Silver Metallic frame COR2-61S         Beech         639         664         688         712         736         761         785         809         833           Wood Back, Fully upholstered Seat, Silver Metallic frame COR2-61C         Beech         700         724         749         773         797         821         846         870         894           Wood Back, Fully upholstered Seat & Back, Armless, with Silver Metallic frame COR2-40S         562         595         628         662         695         728         761         794         827           Fully Upholstered Seat & Back, Armless, with Silver Metallic frame COR2-40S         612         645         678         711         744         777         810         843         876           With Silver Metallic frame COR2-41S         662         695         728<						FAE					
Armless, with Silver Metallic frame         COR2-60S       Beech       540       564       589       613       637       662       686       710       734         Wood Back, Fully Upholstered Seat,       Armless, with Polished Aluminum frame       COR2-60C       Beech       590       614       638       663       687       711       735       760       784         Wood Back, Fully Upholstered Seat,       Silver Metallic Arms, with Silver Metallic frame       COR2-61S       Beech       639       664       688       712       736       761       785       809       833         Wood Back, Fully upholstered seat,       Polished Aluminum arms, with Polished Aluminum frame       COR2-61C       Beech       700       724       749       773       797       821       846       870       894         Fully Upholstered Seat & Back, Armless,       with Silver Metallic frame       COR2-40S       562       595       628       662       695       728       761       794       827         Fully Upholstered Seat & Back, Armless,       with Silver Metallic frame       COR2-40C       612       645       678       711       744       777       810       843       876         Fully Upholstered Seat & Back,       Si	DESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
Armless, with Polished Aluminum frame COR2-60C         Beech         590         614         638         663         687         711         735         760         784           Wood Back, Fully upholstered Seat, Silver Metallic Arms, with Silver Metallic frame COR2-61S         Beech         639         664         688         712         736         761         785         809         833           Wood Back, Fully upholstered seat, Silver Metallic Arms, with Silver Metallic frame COR2-61S         Beech         700         724         749         773         797         821         846         870         894           Wood Back, Fully upholstered seat, Polished Aluminum arms, with Polished Aluminum frame COR2-61S         Beech         700         724         749         773         797         821         846         870         894           Fully Upholstered Seat & Back, Armless, with Silver Metallic frame COR2-40S         562         595         628         662         695         728         761         794         827           Fully Upholstered Seat & Back, Silver Metallic Arms, with Silver Metallic frame COR2-41S         662         695         728         761         794         827         860         893         926           Fully Upholstered Seat & Back, Polished Aluminum Arms, with Polished Aluminum frame CO	Armless,	with Silver Metallic fra	ime	564	589	613	637	662	686	710	734
Silver Metallic Arms, with Silver Metallic frame COR2-61S       Beech       639       664       688       712       736       761       785       809       833         Wood Back, Fully upholstered seat, Polished Aluminum arms, with Polished Aluminum frame COR2-61C       Beech       700       724       749       773       797       821       846       870       894         Image: Silver Metallic frame COR2-61C       Beech       700       724       749       773       797       821       846       870       894         Image: Silver Metallic frame COR2-40S       562       595       628       662       695       728       761       794       827         Fully Upholstered Seat & Back, Armless, with Polished Aluminum frame COR2-40C       612       645       678       711       744       777       810       843       876         Image: Silver Metallic Arms, with Silver Metallic frame COR2-41S       662       695       728       761       794       827       860       893       926         Image: Silver Metallic Arms, with Silver Metallic frame COR2-41S       662       695       728       761       794       827       860       893       926         Image: Silver Metallic Arms, with Polished Aluminum frame COR2-41S	Armless,	with Polished Aluminu	um frame	614	638	663	687	711	735	760	784
Polished Aluminum arms, with Polished Aluminum frame COR2-61C         Beech         700         724         749         773         797         821         846         870         894           Image: Second Secon	Silver Me	etallic Arms, with Silver	Metallic		688	712	736	761	785	809	833
with Silver Metallic frame COR2-40S       562       595       628       662       695       728       761       794       827         Fully Upholstered Seat & Back, Armless, with Polished Aluminum frame COR2-40C       612       645       678       711       744       777       810       843       876         Fully Upholstered Seat & Back, Silver Metallic Arms, with Silver Metallic frame COR2-41S       662       695       728       761       794       827       860       893       926         Fully Upholstered Seat & Back, Polished Aluminum Arms, with Polished Aluminum frame COR2-41C       722       755       788       821       854       888       921       954       987         Caddie       <	Polished	Aluminum arms, with	Polished /			773	797	821	846	870	
with Polished Aluminum frame COR2-40C         612         645         678         711         744         777         810         843         876           Fully Upholstered Seat & Back, Silver Metallic Arms, with Silver Metallic frame COR2-41S         662         695         728         761         794         827         860         893         926           Fully Upholstered Seat & Back, Polished Aluminum Arms, with Polished Aluminum frame COR2-41C         722         755         788         821         854         888         921         954         987           Caddie	with Silve	er Metallic frame			628	662	695	728	761	794	827
Silver Metallic Arms, with Silver Metallic frame COR2-41SSilver Metallic frame 662Silver Metallic frame<	with Polis	shed Aluminum frame			678	711	744	777	810	843	876
Polished Aluminum Arms, with Polished Aluminum frame COR2-41C       Polished Aluminum Arms         COR2-41C       722       755       788       821       854       888       921       954       987         Caddie       Cadie	Silver Me	etallic Arms, with Silver	r Metallic		728	761	794	827	860	893	926
	Polished	Aluminum Arms, with	Polished			821	854	888	921	954	987
			584								

### **ORDERING NOTES:**


When ordering the Silver Metallic frame with Plastic Seat and Back, the arm color matches the seat and back.

When ordering the Polished Aluminum frame, arms are Polished Aluminum.

Corfu chairs are stackable, to a maximum of 13 chairs for the wood or plastic versions, and 10 chairs for the upholstered version, when stacked on the Corfu caddie. Corfu chairs are stackable to a maximum of 9 chairs for the wood or plastic versions and 6 chairs for the upholstered version when stacked on the floor. The upholstered versions stack to a height of 74" in the armless version, and 76" with arms. The non-upholstered versions stack to a height of 70" in the armless version and 72" in the version with arms.

Ganging is optional on all Corfu Multi-purpose seating for an upcharge of \$22 list per chair, please specify on order.

For the outdoor version of the plastic seat & back Corfu Multi-purpose chair, please specify on order.



## PATIENT SEATING

## CRESSIDA

- 43 Cressida LEED Credit Summary
- 44 Cressida Dimensions & COM
- Requirements | Patient Seating
- 45 Cressida Patient & Bariatric Patient

## SOLIS

- 46 Solis LEED Credit Summary
- 47 Cressida Dimensions & COM
- Requirements | Patient Seating
- 48 Solis Patient & Bariatric

## JORDAN

- 49 Jordan LEED Credit Summary
- 50 Jordan Dimensions & COM
- Requirements | Patient Seating
- 51 Jordan Patient & Bariatric

## **CRESSIDA PATIENT**

	MATERIAL CONTENT: 4.35% Fabric 35.87% Plywood 6.52% Cardboard 38.04% Steel 6.52% Urethane Foam	PRE-CONSUMER RECYCLED CONTENT = 6.66% POST-CONSUMER RECYCLED CONTENT = 22.07% Up to 53.26% of this Cressida product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR-EMISSIONS All Cressida products are supplied air-emissions certified. Contact customer service for information.

**FSC**<sup>®</sup>

I

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



## **CRESSIDA** | PATIENT & BARIATRIC PATIENT

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21" Seat	24.5	28.5	43.5	18.5	26	21	18.75	45	17
24" Seat	27.5	28.5	43.5	18.5	26	24	18.75	51	22
30" Seat	33.5	28.5	43.5	18.5	26	30	18.75	60	28

### **COM - YARDAGE REQUIREMENTS**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Panel
1" - One Chair	2.2	0.95	1.25	.8
1" - Two Chairs	4.25	1.3	2.95	.8
1" - Three Chairs	6.45	2.25	4.2	.8
1" - Four Chairs	8.5	4.6	3.9	.8
4" - One Chair	2.1	0.8	1.95	.8
4" - Two Chairs	4.14	1.19	2.95	.8
4" - Three Chairs	6.45	2	4.9	.8
24" - Four Chairs	8.28	2.38	5.9	.8
0" Bariatric - One Chair	3.15	1.2	1.95	.8
0" Bariatric - Two Chairs	6.3	2.4	3.9	.8
0" Bariatric - Three Chairs	9.21	3.6	5.85	.8
0" Bariatric - Four Chairs	12.6	4.8	7.8	.8

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Patient Removeable 21" & 24" Back Covers	58
Patient Removeable 30" Back Covers	99
21" & 24" Cleanable Under-Seat Splashguard	40
30" Cleanable Under-Seat Splashguard	47

#### WEIGHT CAPACITIES

Cressida weight capacities are as follows: Patient Chairs (21" & 24") - 350 lbs Bariatric Patient Chair (30") - 750 lbs

### FEATURES:

For a complete list of features see page 21.

# **CRESSIDA** | PATIENT & BARIATRIC PATIENT

SIN 71-316

										SIN	/1-316
			COM		COL	FAF	BRIC GR	ADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Open Arm CRE2-P21OPS	Beech, Maple	792	842	887	983	1078	1133	1265	1361	1548
AA	21" Open Arm wi CRE2-P21OPP	th arm cap	807	858	903	999	1094	1149	1281	1377	1563
	21" Closed Arm CRE2-P21CLS	Beech, Maple	991	1070	1133	1254	1378	1494	1619	1750	1973
	21" Closed Arm v CRE2-P21CLP	with arm cap	1007	1086	1149	1269	1393	1510	1635	1766	1989
	24" Open Arm CRE2-P24OPS	Beech, Maple	832	882	927	1023	1119	1210	1305	1401	1588
AM	24" Open Arm wi CRE2-P24OPP	th arm cap	847	898	943	1038	1135	1225	1321	1416	1603
	24" Closed Arm CRE2-P24CLS	Beech, Maple	1031	1110	1173	1295	1419	1534	1659	1790	2013
	24" Closed Arm v CRE2-P24CLP	with arm cap	1047	1126	1189	1310	1434	1550	1675	1806	2029
	30" Open Arm CRE2-P30OPS	Beech, Maple	988	1054	1121	1243	1382	1508	1637	1777	2020
AM	30" Open Arm wi CRE2-P30OPP	th arm cap	1004	1070	1137	1259	1398	1524	1636	1792	2036
	30" Closed Arm CRE2-P30CLS	Beech, Maple	1188	1282	1347	1514	1681	1832	1991	2165	2445
	30" Closed Arm v CRE2-P30CLP	with arm cap	1203	1298	1363	1530	1697	1848	2007	2181	2461
		COM	COL	FAB	RIC GRA	DES	I	LEATHER	{		
DESCRIPTION	MODEL	1 2	3	4	5	6	7	8	9	WEIGHT	CUBE
	Adjustable Headr CRE2-RH	rest for 21", 24" 110 120	& 30" 130	145	160	175	190	205	235	3	0.9

## FEATURES:

For a complete list of features see page 21.

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	Р	21	OPS
Cressida	Chair	Patient		Open Arm
			24	OPP Open Arm Polymer Arm Cap
			30	CLS Closed Arm
			44	CLP Closed Arm Polymer Arm Cap

. . .

## SOLIS | LEED CI CREDIT SUMMARY

## SOLIS PATIENT

	MATERIAL CONTENT:	PRE-CONSUMER
	2% Steel Seat Springs	RECYCLED CONTENT = 17%
	3% Plywood 6% Fabric	POST-CONSUMER
Therease	9% Cardboard 15% Urethane Foam	RECYCLE CONTENT = 22%
	65% Steel	
1		

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



## level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

## AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **SOLIS** | PATIENT & BARIATRIC

## **DIMENSIONS & COM. REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back	COM Yardage Closed Arm Panel
UPHOLS	TERED B	ACK											
21" Seat	25	28	43.75	18.5	26	20	20	54	21	2.1	0.9	2.0	0.8
24" Seat	28	28	43.75	18.5	26	23	20	58	23	2.1	0.9	2.0	0.8
30" Seat	34	28	43.75	18.5	26	29	20	64	28	3.1	0.9	2.2	0.8
MESH BA	АСК												
21" Seat	25	28	43.75	18.5	26	20	20	50	21	-	0.9	-	0.8
24" Seat	28	28	43.75	18.5	26	23	20	53	23	-	0.9	-	0.8

## **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Arm Panel	
21" & 24" - One Chair	2.1	0.9	2	0.8	
21" & 24" -Two Chairs	4	1.3	3.1	1.2	
21" & 24" - Three Chairs	6.1	2.1	4.2	1.6	
30" Bariatric - One Chair	3.1	0.9	2.2	0.8	
30" Bariatric - Two Chairs	6.2	1.8	4.4	1.2	
30" Bariatric - Three Chairs	9.3	2.6	6.6	1.6	
				Real Ctart Contro. End Multiple conting	

Multiple yardage requirements can also be used for Patient Back Easy Access chairs and Patient Back Start, Centre, End Multiple seating.

Note: Some vinyls, leathers & fabrics may not be suitable for application on Solis seating.

The approval process is as follows:

1. A sample of the COM. must be provided to Krug Customer Service prior to or at the time of order. For Maharam, Momentum or CF Stinson, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM. fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### FEATURES:

For a complete list of features see page 26.

## SOLIS | PATIENT I UPHOLSTERED BACK

## SOLIS | PATIENT I MESH BACK



Solis Patient Chairs with Upholstered Backs are available in 21", 24" and 30" widths.



Solis Patient Chairs with Mesh Backs are available in 21" and 24" widths only.

## **SOLIS | PATIENT, PATIENT BARIATRIC & OTTOMAN**

SIN 71-316	,														
				COM		COL		E	ABRIC GRA	DES			LE	ATHER	
DESCRIPTION/M	IODEL	Arm Ty	rpe	1	2	3		4	5	6		7		8	9
	21" Open Arm, M SOL2-PM21OPU SOL2-PM21OPW	Ureth	ane	771 859	794 882	817 905		863 951	910 998	956 1044		1002 1090		1048 1137	1120 1208
<b>A</b>	21" Open Arm, U SOL2-PU21OPU SOL2-PU21OPW	Ureth	ane	ack 810 899	859 947	908 997		1007 1095	1104 1192	1203 1291		1300 1388		1398 1486	1594 1682
	24" Open Arm, M SOL2-PM24OPU SOL2-PM24OPW	Ureth	ane	798 886	821 910	845 933		891 979	937 1025	983 1072		1030 1118		1076 1164	1148 1236
	24" Open Arm, U SOL2-PU24OPU SOL2-PU24OPW	Ureth	ane	ack 839 927	889 977	937 1025		1035 1123	1133 1222	1230 1319		1330 1418		1428 1516	1624 1712
	30" Open Arm, U SOL2-PU30OPU SOL2-PU30OPW ORDERING NOT	Ureth Beec	iane h	1042 1130	1115 1203	1186 1274 Ganging		1331 1419 xet	1476 1564	1621 1709		1765 1853		1910 1998	2199 2288
DESCRIPTION/M		COM. 1	2	COL 3		BRIC GRA		7	LEATHER 8	9	W	D	Н	Weigh	t Cubes
	Ottoman SOL5	370	385	400	430	460	489	519	549	609	18.2	5 18.2	5 13	12	5
μų	Fabric Yardage	Required	d: 1 ott	oman = 0.	.7 yards 2	2 ottoman	= 1 ya	rds							
	Easy Clean Bac SOL2-BCM21 SOL2-BCM24	krest Co 76 76	ver, Me 84 84	esh Back 90 90	104 104	118 118	134 134	148 148	160 160	178 178	20 23	0.5 0.5	8 8	3 3	0.9 0.9
	Easy Clean Bac SOL2-BCU21 SOL2-BCU24	krest Co 76 76	ver, Up 84 84	oholstered 90 90	l Back 104 104	118 118	134 134	148 148	160 160	178 178	20 23	0.5 0.5	8 8	3 3	0.9 0.9
	Adjustable Head SOL2-HRM SOL2-HRU Adjustable head	121 121	132 132 one siz	143 143 ze and car	160 160 n be usec	176	193 193 ient C	209 209 hair mo	226 226 dels.	259 259	15	3	6.75	3	0.9

Fabric Yardage Required: 1 headrest = 0.3 yards 2 headrest = 0.6 yards 3 headrest = 0.6 yards

#### **ORDERING NOTES:**

Complete Mesh backs (21" & 24") can be ordered and field replaced. Casters are available on 21" and 24" guest chairs for an upcharge of \$55 list for 2 casters or \$83 list for 4 casters. The standard Solis Frame Color is Silver Metallic. Additional frame colors are available for an upcharge of \$44 list per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table. See page 26 for more information on options and features.

Solis Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Patient chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	39	Maple Arm upgrade per arm (add to beech price)	55
30" & 44" - Removable Back Covers	61	Beech Wood Side Rails Upgrade (per chair)	88
Kinetic Back option ( not available for Bariatric)	83	Maple wood Side Rails Upgrade (per chair)	110

### Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	291	311	331	369	409	448	487	527	605

Line	Series	Chair Type	Back Type	Size	Arm Type	
SOL	2	Р	U	21	OPW	
Solis	Chair	Patient Seating	Upholstered Back		Open Arm - Wood Arm	
			Μ	24	OPU	
			Mesh Back 21" & 24" Only		Open Arm Urethane Arm	
			,	30	CLW	
					Closed Arm - Wood Arm	
				44	CLU	
					Closed Arm Urethane Arm	

## JORDAN | LEED CI CREDIT SUMMARY

## JORDAN PATIENT

	MATERIAL CONTENT:	PRE-CONSUMER RECYCLED CONTENT = 5.9% POST-CONSUMER RECYCLED CONTENT = 14.8%
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



CREDIT 7

## level<sup>®</sup> CERTIFICATION

Certified Wood

(MUST BE REQUESTED)

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



FSCº C021699 rk of responsible forestr



### **AIR-EMISSIONS**

All Jordan products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

1 point(s)

## JORDAN | PATIENT & BARIATRIC

## **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" Seat	25	27	43.5	18.5	26	20.5	19	47	17
24" Seat	28	27	43.5	18.5	26	23.5	19	51	22
30" Seat	34	27	43.5	18.5	26	29.5	19	62	28
Ottoman	20	18	11.5					14	5

## **COM - YARDAGE REQUIREMENTS**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage
	Seats & Backs Only	Seat Only	Back Only	Closed Arm Panel
21" & 24" - One Chair	2.2	0.9	1.9	0.9
21" & 24" - Two Chairs	4.2	1.3	3.8	1.35
21" & 24" - Three Chairs	6.3	2.2	5.7	1.8
21" & 24" - Four Chairs	8.4	2.6	7.6	2.7
30" Bariatric - One Chair	3.1	0.9	2.21	0.9
30" Bariatric - Two Chairs	6.2	1.8	4.5	1.35
30" Bariatric - Three Chairs	9.3	2.7	6.7	1.8
30" Bariatric - Four Chairs	12.4	3.6	9	2.7
Ottoman	0.66			

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam or Momentum, Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

## JORDAN | PATIENT



#### ORDERING NOTES:

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Patient chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
30" - Removable Back Covers	99		
Kinetic Back option (not available for Bariatric)	83		

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Patient Chairs (21" & 24") - 350 lbs Bariatric Patient Chair (30") - 750 lbs

Jordan replacement parts can be viewed on-line at www.krug.ca

#### FEATURES:

For a complete list of features see page 31.

## JORDAN | PATIENT & BARIATRIC

## SIN 71-316

		Species	СОМ	0	COL				_	LEATHER	
DESCRIPTION/MO	DESCRIPTION/MODEL		1	2	3	4	5	6	7	8	9
$\frown$	21" Open Arm										
	JOR2-P21OPS	Beech	1003	1096	1190	1351	1510	1671	1831	1992	2233
	JOR2-P21OPS	Maple	1069	1163	1257	1418	1578	1739	1899	2059	2300
FAL											
	21" Open Arm Uret	hane Cap									
	JOR2-P21OPU	Beech	1100	1194	1288	1448	1609	1768	1929	2089	2330
U	JOR2-P21OPU	Maple	1166	1260	1354	1515	1675	1836	1996	2156	2397
	21" Closed Arm										
	JOR2-P21CLS	Beech	1088	1182	1276	1435	1596	1756	1917	2077	2317
	JOR2-P21CLS	Maple	1154	1248	1342	1503	1663	1822	1983	2144	2385
TH I											
	21" Closed Arm Ure	ethane Cap									
	JOR2-P21CLU	Beech	1185	1279	1373	1532	1693	1853	2014	2174	2416
U	JOR2-P21CLU	Maple	1252	1345	1439	1599	1760	1921	2080	2241	2482
	24" Open Arm										
	JOR2-P24OPS	Beech	1033	1129	1225	1391	1556	1721	1886	2052	2299
	JOR2-P24OPS	Maple	1101	1198	1294	1461	1625	1790	1956	2121	2369
FAL											
	24" Open Arm Uret	hane Cap									
	JOR2-P24OPU	Beech	1133	1229	1326	1491	1657	1821	1988	2152	2399
U	JOR2-P24OPU	Maple	1202	1298	1395	1560	1725	1891	2055	2222	2469
	24" Closed Arm										
	JOR2-P24CLS	Beech	1121	1217	1314	1478	1644	1809	1975	2139	2387
	JOR2-P24CLS	Maple	1189	1286	1381	1547	1712	1878	2043	2208	2456
FALI											
	24" Closed Arm Ure	ethane Cap									
	JOR2-P24CLU	Beech	1220	1317	1413	1579	1744	1908	2075	2239	2488
U	JOR2-P24CLU	Maple	1290	1386	1482	1646	1813	1978	2141	2309	2557

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Patient chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
30" - Removable Back Covers	99		
Kinetic Back option (not available for Bariatric)	83		

Line	Series	Chair Type	Size	Arm Type
JOR	2	Р	21	OPS
Jordan	Chair	Patient Seating		Open Arm
			24	OPU
				Open Arm Urethane Arm Cap
			30	CLS
				Closed Arm
				CLU
				Closed Arm Urethane Arm Cap

# JORDAN | PATIENT & BARIATRIC

SIN 71-316

			COM		COL	FA	BRIC GRAD	LEATHER				
DESCRIPTION/MOD	DEL	Species	1	2	3	4	5	6	7	8	9	
$\overline{}$	30" Open Arm											
	JOR2-P30OPS	Beech	1224	1316	1410	1571	1731	1892	2052	2213	2453	
	JOR2-P30OPS	Maple	1290	1384	1477	1638	1798	1959	2119	2280	2520	
	30" Open Arm Urethane Cap											
	JOR2-P30OPU	Beech	1321	1415	1508	1668	1829	1989	2150	2310	2550	
	JOR2-P30OPU	Maple	1387	1481	1574	1735	1895	2056	2216	2377	2617	
$\frown$	30" Closed Arm											
	JOR2-P30CLS	Beech	1309	1402	1496	1656	1817	1977	2138	2298	2538	
	JOR2-P30CLS	Maple	1375	1469	1562	1723	1883	2043	2204	2365	2605	
	30" Closed Arm Uret	hane Cap										
<i>w</i>	JOR2-P30CLU	Beech	1406	1499	1593	1753	1914	2074	2235	2395	2636	
	JOR2-P30CLU	Maple	1476	1566	1659	1819	1980	2141	2301	2462	2702	

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Patient chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
30" - Removable Back Covers	99	-	

#### PRODUCT CODE KEY

Line	e		Series			Chair	Туре			Size			Arm Type
JOF	7		2			Р				21			OPS
Jorda	an		Chair			Patient S	Seating						Open Arm
					24				OPU				
									_			Ure	Open Arm thane Arm Cap
									L	30			CLS
													Closed Arm
													CLU
													Closed Arm thane Arm Cap
		COM		COL	FA	BRIC GR	ADES		LEATHER		Fabric	Shipping	
DESCRIPTIO	N/MODEL	1	2	3	4	5	6	7	8	9	Yardage	Weight	Cubes
	21" Adjustable He	adrest											
A	JOR2-RHR21	227	261	281	301	321	342	361	381	408	0.9	2.3	0.9
	24" Adjustable He	adrest											
	JOR2-RHR24	250	287	309	331	353	376	398	419	449	0.9	2.3	0.9
	30" Bariatric Patie	nt Headre	st										
	JOR2-RHR30	299	342	368	394	420	447	473	499	534	0.9	2.3	0.9
~	Ottoman												
	JOR-5 Beech	467	488	508	529	548	569	589	609	642	0.66	14	5
	Maple	502	521	542	561	582	602	622	642	676	0.66	14	5

ORDERING NOTE: Ottoman is not available on KrugExpress.

## MULTIPLE SEATING

### CRESSIDA

- 54 Cressida Multiple Seating Instructions
- 56 Cressida Dimensions & COM Requirements | Multiple Seating
- 57 Cressida Multiple Seating Pre-Configu ed Units
- 59 Cressida Dimensions & COM Requirements | Start, Center & End
- 60 Cressida Multiple Seating | Start, Center & End Units
- 65 Cressida Dimensions & COM Requirements | Freespan Units
- 66 Cressida Multiple Seating | Freespan Units with Center Arms

### SOLIS

- 70 Solis Dimensions & COM Requirements | Guest Backs
- 72 Solis Multiple Seating Pre-Configu ed Guest Units
- 73 Solis Multiple Seating | Start, Center & End Guest Units
- 75 Solis Pre-Configu ed Freespan Multiple Seating Guest Unit Without Center Arm
- 76 Solis Pre-Configu ed Freespan Multiple Seating Guest Unit With Center Arm
- 77 Solis Dimensions & COM Requirements | Patient Backs
- 79 Solis Multiple Seating Pre-Configu ed Patient Units
- 80 Solis Multiple Seating | Patient Start & Center Units
- 81 Solis Multiple Seating | Patient End Units
- 82 Solis Pre-Configu ed Freespan Multiple Seating Patient Unit Without Center Arm
- 83 Solis Pre-Configu ed Freespan Multiple Seating Patient Unit With Center Arm

## JORDAN

- 84 Jordan Multiple Seating Instructions
- 86 Jordan Dimensions & COM Requirements | Multiple Seating
- 87 Jordan Multiple Seating Pre-Configu ed Units
- 89 Jordan Dimensions & COM Requirements | Start, Center & End
- 90 Jordan Multiple Seating | Start, Center & End Units

## **CRESSIDA** | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Cressida Multiple Seating, we have compiled the following summary. It explains the three different types of Cressida Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Cressida Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.

#### **Pre-Configured Multiple Units**


Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below).

Two-Seat



#### Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Cressida Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" bariatric widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.
- Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seat units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations that can be made from taking apart the Pre-Configured Multiple Units.



### \*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.


Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

### Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.


#### Considerations if choosing to use Start, Center and End Multiple Units:

- Start, Center and End units are available in widths Guest (21", 24", 30" & 44") and Patient (21", 24" & 30")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Cressida Linking Tables can be joined to any Cressida Start or End unit only (this is because the units are engineered with the finished arms)




## **CRESSIDA** | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



#### **Freespan Multiple Units**


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



#### Considerations if choosing to use Freespan Multiple Units:

- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Cressida Linking Tables or linking brackets. See page 57 for pricing.
- Freespan Multiple Units are not available in 30" or 44" bariatric widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Cressida Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Cressida Multiple Seating together.



For more information on how to specify Cressida Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

## **CRESSIDA** | MULTIPLE SEATING - PRE-CONFIGURED UNITS

## **DIMENSIONS & COM REQUIREMENTS**

		Overall Depth			Height of Arms from Floor	Width Between Arms		Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
PCG21X2	47.25	28.5	33.75	18.5	26	21	18.75	82	30	2.6	1.2	1.4	0.4
PCP21X2	47.25	28.5	43.5	18.5	26	21	18.75	88	38	3.2	1.2	2	0.4
PCG21X3		28.5	33.75	18.5	26	21	18.75	117	44	4.08	2	2.08	0.4
PCP21X3	70	28.5	43.5	18.5	26	21	18.75	125	56	5	2	3	0.4
PCG24X2			33.75	18.5	26	24	18.75	85	34	3.3	1.2	2.08	0.4
PCP24X2	53.25	28.5	43.5	18.5	26	24	18.75	95	43	4.14	1.2	3	0.4
PCG24X3	79	28.5	33.75	18.5	26	24	18.75	121	50	5.05	2	3.48	0.4
PCP24X3	79	28.5	43.5	18.5	26	24	18.75	135	63	6.25	2	4.9	0.4

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 9 for C.O.M approval process.

#### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Patient Removeable 21" & 24" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40

**Patient backs** are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCP, CRE2-PCP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	\$57	66	75	87	102	114	129	148	166
24" Chairs	\$65	74	83	96	110	123	138	156	174

#### WEIGHT CAPACITIES

Cressida weight capacities are as follows: Pre-configured - 350 lbs per seat

### PRE-CONFIGURED MULTIPLE UNITS

Two-Seat



Three-Seat



FEATURES:

For a complete list of features see page 21.

## **CRESSIDA** | MULTIPLE SEATING - PRE-CONFIGURED UNITS

SIN 71-316

DESCRIPTION	MODEL	SPECIES	COM	2	COL 3	FAB 4	RIC GR	ADES 6	ا 7	LEATHEI 8	R 9
	2 Seat - 21" Open Arm CRE2-PCG21X2OPS	Pre-configured Beech, Maple		iest Back 1482	(s 1552	1651	1763	1862	1975	2116	2256
	CRE2-PCG21X2OPP	Decon, maple	1435	1506	1576	1675	1787	1886	1999	2140	2281
	2 Seat - 21" Closed Ari	m Pre-configured	d Unit, G	auest Ba	cks						
	CRE2-PCG21X2CLS	Beech, Maple	1709	1824	1920	2057	2212	2350	2505	2701	2895
	CRE2-PCG21X2CLP		1734	1848	1945	2081	2237	2374	2529	2725	2919
	3 Seat - 21" Open Arm CRE2-PCG21X3OPS CRE2-PCG21X3OPP	Pre-configured Beech, Maple	,	est Back 2133 2165	xs 2244 2276	2399 2432	2578 2610	2733 2766	2911 2943	3133 3166	3356 3388
	3 Seat - 21" Closed Ari CRE2-PCG21X3CLS	m Pre-configured Beech, Maple	,	Guest Ba 2588	cks 2735	2941	3176	3383	3617	3912	4206
	CRE2-PCG21X3CLP		2452	2621	2768	2974		3416	3650	3945	4239

### ORDERING NOTES:

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Patient Removeable 21" & 24" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40

PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP Pre-configured Patient	21x3	OPP Open Arm Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP Closed Arm
				Delument Arms Can

Polymer Arm Cap

## **CRESSIDA** | MULTIPLE SEATING - PRE-CONFIGURED UNITS

SIN 71-316

			COM		COL	FAB	RIC GR	ADES	LEATHER		R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	2 Seat - 24" Open Arm	Pre-configured	Unit, G	uest Back	s						
	CRE2-PCG24X2OPS	Beech, Maple	1456	1527	1598	1697	1808	1907	2020	2161	2303
	2 Seat - 24" Open Arm with arm cap Pre-configured Unit, Guest Backs										
	CRE2-PCG24X2OPP	i with ann cap F	1482	1551	1622		1832	1931	2044	2185	2327
	0112-1 002472011		1402	1551	1022	1721	1002	1901	2044	2100	2021
	2 Seat - 24" Closed Ar	m Pre-configure	d Unit, (	Guest Ba	cks						
	CRE2-PCG24X2CLS	Beech, Maple	1755	1869	1966	2103	2258	2395	2552	2746	2940
			_								
	2 Seat - 24" Closed Ar	m with arm cap		0				0.410	0570	0770	0004
	CRE2-PCG24X2CLP		1779	1893	1990	2127	2282	2419	2576	2770	2964
	3 Seat - 24" Open Arm	Pre-configured	Unit, G	uest Back	s						
	CRE2-PCG24X3OPS	Beech, Maple	2106	2218	2329	2484	2662	2818	2996	3218	3440
6 6 0 1											
	3 Seat - 24" Open Arm	with arm cap P	re-confi	aured Un	it. Gues	t Backs					
	CRE2-PCG24X3OPP		2139	2250	2361	2517	2694	2851	3028	3251	3472
l °											
	3 Seat - 24" Closed Ar	m Pre-configure	d I Init (	Guest Ra	rks						
	CRE2-PCG24X3CLS	0	,	2673	2820	3026	3262	3467	3703	3997	4291
		,									
	3 Seat - 24" Closed Ar	m with arm cap	Pre-con	figured U	Init. Gue	est Back	s				
	CRE2-PCG24X3CLP		2538	2706	2853	3059	3295	3500	3736	3940	4324
U											

## A drawing showing the configuration of the multiple seating and tables is required with each purchase order. ORDERING NOTES:

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Patient Removeable 21" & 24" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40

Patient backs are available on multiple units, please change the model number CRE2-PCG to CRE2-PCP, CRE2-PCG to CRE2-PCP, CRE2-PCP, CRE2-PCP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	\$57	66	75	87	102	114	129	148	166
24" Chairs	\$65	74	83	96	110	123	138	156	174

## PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCG	21x2	OPS
Cressida	Chair	Pre-configured Guest		Open Arm
		PCP	21x3	OPP
		Pre-configured Patient		Open Arm
				Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm

Closed Arm Polymer Arm Cap

~~~

~~~

## **DIMENSIONS & COM REQUIREMENTS**

### **CRESSIDA START UNITS**

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (1 Arm) Yardage	COM Fabric Closed Arm Panel (2 Arms) Yardage
SG21	24.5	28.5	33.75	18.5	26	21	18.75	47	14	1.4	0.8	0.7	0.4	0.8
SP21	24.5	28.5	43.75	18.5	26	21	18.75	49	17	1.8	0.8	1	0.4	0.8
SG24	27.5	28.5	33.75	18.5	26	24	18.75	52	19	1.4	0.8	0.7	0.4	0.8
SP24	27.5	28.5	43.75	18.5	26	24	18.75	55	22	1.8	0.8	1.95	0.4	0.8
SG30	33.5	28.5	33.75	18.5	26	30	18.75	61	20	2.5	1.1	1.4	0.4	0.8
SP30	33.5	28.5	43.75	18.5	26	30	18.75	64	28	3.15	1.1	1.95	0.4	0.8
SG44	47.5	28.5	33.75	18.5	26	44	18.75	73	28	2.5	1.1	1.4	0.4	0.8

#### **CRESSIDA CENTER UNITS**

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
CG21	22.75	28.5	33.75	18.5	26	21	18.75	41	14	1.4	0.8	0.7	0.4
CP21	22.75	28.5	43.75	18.5	26	21	18.75	44	17	1.8	0.8	1	0.4
CG24	25.75	28.5	33.75	18.5	26	24	18.75	45	19	1.4	0.8	0.7	0.4
CP24	25.75	28.5	43.75	18.5	26	24	18.75	50	22	1.8	0.8	1.95	0.4
CG30	31.75	28.5	33.75	18.5	26	30	18.75	54	20	2.5	1.1	1.4	0.4
CP30	31.75	28.5	43.75	18.5	26	30	18.75	56	28	3.15	1.1	1.95	0.4
CG44	45.75	28.5	33.75	18.5	26	44	18.75	67	28	2.5	1.1	1.4	0.4

### **CRESSIDA END UNITS**

	Overall Width	Overall Depth	, Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	28.5	33.75	18.5	26	21	18.75	38	14	1.4	0.8	0.7	0.4
EP21	22.75	28.5	43.75	18.5	26	21	18.75	41	17	1.8	0.8	1	0.4
EG24	25.75	28.5	33.75	18.5	26	24	18.75	41	19	1.4	0.8	0.7	0.4
EP24	25.75	28.5	43.75	18.5	26	24	18.75	46	22	1.8	0.8	1.85	0.4
EG30	31.75	28.5	33.75	18.5	26	30	18.75	51	20	2.5	1.1	1.4	0.4
EP30	31.75	28.5	43.75	18.5	26	30	18.75	53	28	3.15	1.1	1.95	0.4
EG44	45.75	28.5	33.75	18.5	26	44	18.75	63	28	2.5	1.1	1.4	0.4

When ordering more than one Start, Center or End unit, please refer to page 22 for COM yardage requirements for guest chairs or page 44 for COM yardage requirements for patient chairs.

### ORDERING NOTES:

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List	Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44	Patient Removeable 21" & 24" Back Covers	58
Removable Seat Covers	58	Patient Removeable 30" Back Covers	95
Guest Removeable 21" & 24" Back Covers	37	21" & 24" Cleanable Under-Seat Splashguard	40
Guest Removeable 30" & 44" Back Covers	58	30" Cleanable Under-Seat Splashguard	47
		44" Cleanable Under-Seat Splashquard	55

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	\$57	66	75	87	102	114	129	148	166
24" Chairs	\$65	74	83	96	110	123	138	156	174
30" Chairs	\$92	104	116	132	151	167	186	210	233

#### WEIGHT CAPACITIES

Cressida weight capacities are as follows: Multiple Seating & Pre-configured - 350 lbs per seat

#### FEATURES:

For a complete list of features see page 21.

SIN 71-316


DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	L 7	EATHEI. 8	R 9
Start	21" Open Arm Start U CRE2-SG21OPS	nit, Guest Back Beech, Maple	770	811	851	908	972	1030	1095	1176	1258
	21" Open Arm with arr CRE2-SG21OPP	m cap Start Unit,	Guest E 785	3ack 826	884	924	988	1046	1111	1192	1274
	21" Closed Arm Start CRE2-SG21CLS	Unit, Guest Back Beech, Maple	968	1038	1096	1179	1273	1355	1449	1566	1683
	21" Closed Arm with a CRE2-SG21CLP	arm cap Start Uni	t, Guest 984	Back 1054	1112	1195	1288	1370	1465	1581	1699
	21" Closed Arm / Ope CRE2-SG21COS	n Center Arm Sta Beech, Maple	art Unit, 869	Guest Ba 924	ack 973	1044	1121	1193	1272	1371	1471
	21" Closed Arm with a CRE2-SG21COP	arm cap / Open C	enter Ar 885	m with a 940	arm cap 989	Start Un 1059	it, Gues 1137		1287	1387	1487
	24" Open Arm Start U CRE2-SG24OPS	nit, Guest Back Beech, Maple	803	844	884	942	1006	1064	1128	1210	1292
	24" Open Arm with arr CRE2-SG24OPP	m cap Start Unit,	Guest E 819	Back 860	900	958	1022	1079	1143	1225	1307
	24" Closed Arm Start CRE2-SG24CLS	,	1003	1071	1130	1213	1306	1388	1482	1600	1717
	24" Closed Arm with a CRE2-SG24CLP	arm cap Start Uni	t, Guest 1019	Back 1087	1146	1229	1322	1404	1500	1616	1733
	24" Closed Arm / Ope CRE2-SG24COS	n Center Arm Sta Beech, Maple	art Unit, 903	Guest Ba 958		1077	1156	1225	1305	1404	1567
	24" Closed Arm with a CRE2-SG24COP	arm cap / Open C	enter Ar 919	m with a 973		Start Un 1093	iit, Gues 1172		1321	1420	1582

Please see page 59 for Ordering Notes and Yardage requirements. PRODUCT CODE KEY

Line	Series	Chair Style	Size	Arm Style
CRE	2 Chair	SG Start Unit Guest Multiple Seating	21	OPS Open Arm
		CG	24	OPP
		Center Unit Multiple Seating	30	Open Arm Polymer Arm Cap
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP Closed Arm/Open Center Arm Polymer Arm Cap
				CLS
				Closed Arm
				Closed Arm Polymer Arm Cap

SIN 71-316

			0014								
DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	ГАВ 4	RIC GR 5	ADES 6	7	EATHE 8	к 9
	30" Open Arm Start U CRE2-SG30OPS	Init, Guest Back Beech, Maple	970	1027	1174	1162	1252	1330	1421	1532	1645
	30" Open Arm with ar CRE2-SG30OPP	m cap Start Unit,	Guest E 986	ack 1043	1190	1178	1267	1346	1416	1548	1661
	30" Closed Arm Start CRE2-SG30CLS	Unit, Guest Back Beech, Maple		1255	1329	1433	1551	1655	1775	1923	2071
	30" Closed Arm with a CRE2-SG30CLP	arm cap Start Un	it, Guest 1187	Back 1271	1345	1449	1567	1671	1790	1938	2086
	30" Closed Arm/Oper CRE2-SG30COS	n Center Arm Star Beech, Maple		iuest Bao 1141	ck 1206	1298	1402	1493	1597	1727	1839
	30" Closed Arm with a CRE2-SG30COP	arm cap/Open Ce	enter Arn 1087	n with an 1157		tart Unit 1314	, Guest 1418		1613	1743	1854
	44" Open Arm Start U CRE2-SG44OPS	Init, Guest Back Beech, Maple	1327	1401	1463	1532	1647	1733	1830	1953	2076
	44" Open Arm with ar CRE2-SG44OPP	m cap Start Unit,	Guest E 1343	Back 1416	1478	1548	1663	1748	1846	1969	2092
	44" Closed Arm Start CRE2-SG44CLS	Unit, Guest Back Beech, Maple		1629	1708	1820	1947	2057	2184	2343	2502
	44" Closed Arm with a CRE2-SG44CLP	arm cap Start Un	it, Guest 1555	Back 1644	1724	1835	1962	2073	2200	2358	2518
	44" Closed Arm/Oper CRE2-SG44COS	n Center Arm Star Beech, Maple	-	iuest Bao 1515	ck 1586	1797	1785	1895	2008	2148	2288
	44" Closed Arm with a CRE2-SG44COP	arm cap/Open Ce	enter Arn 1455	n with an 1531	m cap Si 1601			Back 1911	2023	2164	2304
Please see page 59 for Ord PRODUCT CODE KEY	dering Notes and Yardag	je requirements.									



HEALTHCARE | USA | 61


SIN 71-316

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR	ADES 6	L 7	EATHEI 8	R 9
Center	21" Open Arm Center CRE2-CG21OPS	Unit, Guest Back Beech, Maple	725	765	805	863	927	985	1049	1131	1213
	21" Open Arm with an CRE2-CG210PP	m cap Center Un	t, Guest 733	Back 774	814	872	936	993	1057	1139	1221
	21" Closed Arm Cente CRE2-CG21CLS	er Unit, Guest Bao Beech, Maple	ck 823	879	928	998	1077	1147	1226	1325	1425
	21" Closed Arm with a CRE2-CG21CLP	arm cap Center U	nit, Gue 832	st Back 887	937	1006	1086	1155	1235	1334	1433
	24" Open Arm Center CRE2-CG24OPS	Unit, Guest Back Beech, Maple	762	802	843	900	965	1022	1087	1169	1250
	24" Open Arm with an CRE2-CG24OPP	m cap Center Un	it, Guest 771	Back 811	852	908	973	1030	1095	1177	1258
	24" Closed Arm Cente CRE2-CG24CLS	er Unit, Guest Bao Beech, Maple	ck 861	917	966	1035	1115	1184	1264	1363	1463
	24" Closed Arm with a CRE2-CG24CLP	arm cap Center U	nit, Gue 869	st Back 925	974	1044	1124	1193	1273	1371	1471
	30" Open Arm Center CRE2-CG30OPS	Unit, Guest Back Beech, Maple	901	957	1013	1092	1181	1260	1349	1463	1575
	30" Open Arm with an CRE2-CG30OPP	m cap Center Un	it, Guest 909	Back 965	1022	1100	1190	1268	1358	1471	1583
	30" Closed Arm Cente CRE2-CG30CLS	er Unit, Guest Bao Beech, Maple		1071	1136	1227	1331	1423	1527	1657	1747
	30" Closed Arm with a CRE2-CG30CLP	arm cap Center U	nit, Gue 1009	st Back 1079	1145	1236	1340	1431	1535	1665	1756
Please see page 59 for Ord	lering Notes and Yardage	e requirements.									

JCT CODE KEY				
Line	Series	Chair Style	Size	Arm Style
CRE	2	SG	21	OPS
Cressida	Chair	Start Unit Guest Multiple Seating		Open Arm
		CG	24	OPP
		Center Unit Multiple Seating		Open Arm Polymer Arm Cap
		EG	30	COS
		End Unit Multiple Seating		Closed Arm/Open Center Arm
			44	COP
				Closed Arm/Open Center Arm
				Polymer Arm Cap
				CLS
				Closed Arm
				CLP
				Closed Arm Polymer Arm Cap

SIN 71-316

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	ا 7	_EATHEI 8	R 9
	44" Open Arm Center CRE2-CG44OPS	Unit, Guest Back Beech, Maple		1163	1223	1310	1408	1494	1592	1715	1838
	44" Open Arm with arr CRE2-CG44OPP	n cap Center Un	it, Guest 1098	Back 1172	1232	1319	1416	1503	1600	1723	1846
	44" Closed Arm Cente CRE2-CG44CLS	r Unit, Guest Ba Beech, Maple	ck 1201	1277	1347	1446	1558	1656	1769	1909	2051
	44" Closed Arm with a CRE2-CG44CLP	rm cap Center U	Init, Gue 1210	st Back 1285	1356	1454	1567	1664	1778	1917	2059
End	21" Open Arm End Un CRE2-EG21OPS	it, Guest Back Beech, Maple	690	730	771	827	894	949	1015	1096	1177
	21" Open Arm with arr CRE2-EG21OPP	n cap End Unit, (	Guest Ba 698	ack 738	779	836	902	958	1024	1105	1185
	21" Closed Arm End U CRE2-EG21CLS	Init, Guest Back Beech, Maple	790	843	895	964	1043	1112	1192	1290	1390
	21" Closed Arm with a CRE2-EG21CLP	rm cap End Unit	, Guest I 798	Back 852	903	972	1051	1120	1200	1299	1399
	24" Open Arm End Un CRE2-EG24OPS	it, Guest Back Beech, Maple	727	768	809	865	930	987	1052	1133	1215
	24" Open Arm with arr CRE2-EG24OPP	n cap End Unit, (	Guest Ba 735	ack 776	817	874	939	995	1061	1141	1223
	24" Closed Arm End U CRE2-EG24CLS	Init, Guest Back Beech, Maple	826	881	931	1000	1079	1149	1229	1327	1427
	24" Closed Arm with a CRE2-EG24CLP	rm cap End Unit	, Guest I 835	Back 889	940	1008	1088	1157	1237	1336	1435
Please see page 59 for Ord	lering Notes and Yardage	e requirements.									




SIN 71-316

DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR 5	ADES 6	L 7	EATHEI 8	R 9
	30" Open Arm End Un CRE2-EG30OPS	it, Guest Back Beech, Maple	866	922	979	1057	1147	1225	1316	1427	1540
	30" Open Arm with arr CRE2-EG30OPP	n cap End Unit, (	Guest Ba 875	ack 930	987	1066	1155	1234	1324	1419	1549
	30" Closed Arm End U CRE2-EG30CLS	Init, Guest Back Beech, Maple	966	1036	1100	1193	1297	1388	1492	1622	1752
	30" Closed Arm with a CRE2-EG30CLP	rm cap End Unit	, Guest E 974	3ack 1045	1109	1201	1305	1397	1500	1631	1761
	44" Open Arm End Un CRE2-EG44OPS	it, Guest Back Beech, Maple	1067	1128	1190	1275	1373	1/50	1557	1679	1902
	44" Open Arm with arr				1190	1275	1373	1430	1557	1079	1002
	CRE2-EG44OPP		1075	1136	1198	1283	1382	1467	1566	1687	1810
	44" Closed Arm End U CRE2-EG44CLS	Init, Guest Back Beech, Maple	1167	1242	1313	1410	1524	1622	1734	1875	2015
	44" Closed Arm with a CRE2-EG44CLP	rm cap End Unit	, Guest E 1175	Back 1251	1321	1419	1532	1631	1742	1884	2023

Please see page 59 for Ordering Notes and Yardage requirements.

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	\$57	66	75	87	102	114	129	148	166
24" Chairs	\$65	74	83	96	110	123	138	156	174
30" Chairs	\$92	104	116	132	151	167	186	210	233



### **DIMENSIONS & COM REQUIREMENTS**

### UNIT WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2B	47.25	28.5	33.75	18.5	26	21	18.75	97	30	2.6	1.2	1.4
PCFP21X2B	47.25	28.5	43.5	18.5	26	21	18.75	103	38	3.19	1.2	2
PCFG21X3B	70	28.5	33.75	18.5	26	21	18.75	135	44	4.08	2	2.08
PCFP21X3B	70	28.5	43.5	18.5	26	21	18.75	145	56	5	2	3
PCFG24X2B	53.25	28.5	33.75	18.5	26	24	18.75	104	34	3.3	1.2	2.08
PCFP24X2B	53.25	28.5	43.5	18.5	26	24	18.75	111	43	4.2	1.2	2.95
PCFG24X3B	79	28.5	33.75	18.5	26	24	18.75	147	50	5.1	2	3.48
PCFP24X3B	79	28.5	43.5	18.5	26	24	18.75	157	63	6.24	2	4.9

### UNIT WITH CENTER ARM, GUEST AND PATIENT BACKS

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels ( 2 Arms)	COM Fabric Closed Arm Panels ( 3 Arms)	COM Fabric Closed Arm Panels ( 4 Arms)				
PCF21X2B	.8	1.2	1.6				
PCF21X3B	.8	1.2	1.6				
PCF24X2B	.8	1.2	1.6				
PCF24X3B	.8	1.2	1.6				

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **ORDERING NOTES:**

### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Replacement seat and back covers can be quickly installed on Cressida products that were originally ordered with the Removeable cover option. Replacement seat and back covers can also be installed on Cressida products that were not originally ordered with the Removeable cover option, with some simple staple removal on the original seats and backs.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Patient Removeable 21" & 24" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40

Patient backs are available on multiple units, please change the model number CRE2-SG to CRE2-SP, CRE2-CG to CRE2-CP, CRE2-EG to CRE2-EP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
21" Chairs	\$57	66	75	87	102	114	129	148	166	
24" Chairs	\$65	74	83	96	110	123	138	156	174	

#### WEIGHT CAPACITIES

Cressida weight capacities are as follows: 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan - 750 lbs per unit

## CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

SIN 71-316			COM		COL	FABI	RIC GR/	ADES	L	R	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	21" Pre-Configured Free CRE2-PCFG21X2BOPS					eat, Gues 1849		2093	2223	2386	2548
	21" Pre-Configured Free CRE2-PCFG21X2BOPP	espan Center A	rm Unit 1597	- Open A 1678	Arm with 1759	arm cap 1873		, Guest 2117	Backs 2247	2410	2573
	21" Pre-Configured Free CRE2-PCFG21X2BCLS			- Closed 1996		Seat, Gu 2255		ks 2581	2754	2969	3187
	21" Pre-Configured Free CRE2-PCFG21X2BCLP	espan Center A	rm Unit 1895	- Closed 2020	l Arm wit 2128		•	at, Gues 2605	at Backs 2778	2994	3211
	21" Pre-Configured Free CRE2-PCFG21X3BOPS	•		- Open A 2486		eat, Gues 2779		3145	3340	3585	3828
	21" Pre-Configured Free CRE2-PCFG21X3BOPP	espan Center A	rm Unit 2397	- Open A 2519	Arm with 2641	arm cap 2812		, Guest 3177	Backs 3373	3617	3861
	21" Pre-Configured Free CRE2-PCFG21X3BCLS			- Closed 2942		Seat, Gu 3531		ks 3795	4047	4363	4679
	21" Pre-Configured Free CRE2-PCFG21X3BCLP	espan Center A	rm Unit 2795	- Closed 2975	l Arm wit 3132		•	at, Gues 3827	st Backs 4079	4395	4711

### ORDERING NOTES:

OIN 74 040

### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Patient Removeable 21" & 24" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	40

Patient backs are available on Freespan units, please change the model number CRE2-PCFG to CRE2-PCFP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	\$57	66	75	87	102	114	129	148	166
24" Chairs	\$65	74	83	96	110	123	138	156	174

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Free Span Guest		Open Arm
			21x3	OPP Open Arm
				Polymer Arm Cap
			24x2	CLS Closed Arm
			24x3	CLP
				Closed Arm
				Polymer Arm Cap

## CRESSIDA | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

		COM			COL	FABF	IC GRA	DES	LEATHER		
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	24" Pre-Configured Free	espan Center A	Arm Unit	- Open A	rm 2 Se	at, Gues	st Backs	S			
	CRE2-PCFG24X2BOPS			1726			2051		2294	2457	2620
	24" Pre-Configured Free	espan Center A		- Open A	rm with	arm cap	o 2 Seat	, Guest	Backs		
	CRE2-PCFG24X2BOPP		1668	1750	1830	1945	2075	2188	2318	2481	2644
U											
	24" Pre-Configured Free	espan Center A	Arm Unit	- Closed	Arm 2 S	eat, Gu	est Bac	ks			
	CRE2-PCFG24X2BCLS			2067		2328		2652	2826	3041	3258
	24" Pre-Configured Free	espan Center A					ap 2 Se	at, Gues	st Backs		
U U U	CRE2-PCFG24X2BCLP		1967	2092	2200	2352	2524	2676	2850	3065	3282
	24" Pre-Configured Free	espan Center A	Arm Unit	- Open A	rm 3 Se	at. Gues	st Backs	s			
	CRE2-PCFG24X3BOPS			2592		2885	3081		3446	3691	3938
h h h											
	24" Pre-Configured Free	espan Center A						·			
"	CRE2-PCFG24X3BOPP		2503	2625	2747	2918	3113	3283	3479	3723	3970
·											
	24" Pre-Configured Free	span Contor A	vrm Llnit	Closed	Arm 3 S	Cont. Cu	oct Roo	ke			
	CRE2-PCFG24X3BCLS			3048		3427	3679		4153	4469	4785
		Booon, maple	2000	0010	0200	0121	0010	0001	1100	1100	
	24" Pre-Configured Free	espan Center A	Arm Unit	- Closed	Arm wit	h arm c	ap 3 Se	at, Gues	st Backs		
	CRE2-PCFG24X3BCLP		2901	3081	3238	3460	3712	3933	4185	4501	4817
U											

## **ORDERING NOTES:**

### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	58
Guest Removeable 21" & 24" Back Covers	37
Patient Removeable 21" & 24" Back Covers	58
21" & 24" Cleanable Under-Seat Splashguard	42

Patient backs are available on Freespan units, please change the model number CRE2-PCFG to CRE2-PCFP and add the following upcharges per back:

	Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9
21" Chairs	\$57	66	74	88	102	114	129	148	166
24" Chairs	\$65	73	83	95	110	123	138	156	174

Line	Series	Chair Style	Size	Arm Style
CRE	2	PCFG	21x2	OPS
Cressida	Chair	Pre-configured Free Span Guest		Open Arm
			21x3	OPP
				Open Arm Polymer Arm Cap
			24x2	CLS
				Closed Arm
			24x3	CLP
				Closed Arm

# **CRESSIDA** | GUEST & PATIENT REPLACEMENT COMPONENTS

## SIN 71-316

		СОМ		COL	FAE	RIC GR	ADES		LEATHER			
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	WEIGHT	CUBE
	21" Replacemen CRE2-RBCG21	t Guest E 114	Back Cov 134	vers 155	183	215	244	276	316	356	2	0.8
	24" Replacemen CRE2-RBCG24	t Guest E 116	Back Cov 135	vers 155	184	215	244	276	316	357	2.3	0.8
	30" Replacemen CRE2-RBCG30	t Guest E 155	Back Cov 192	vers 228	277	335	385	442	513	585	2.6	0.8
	44" Replacemen CRE2-RBCG44	t Guest E 165	3ack Cov 201	vers 236	287	343	394	452	523	594	3.5	0.8
	21" Replacemen CRE2-RBCP21	t Patient 165	Back Co 202	overs 237	287	344	395	452	523	594	1.9	1.0
	24" Replacemen CRE2-RBCP24	t Patient 174	Back Co 210	overs 246	295	353	403	460	531	604	2.7	1.0
	30" Replacemen CRE2-RBCP30	t Patient 194	Back Co 240	overs 288	353	427	494	568	662	755	3	1.0
	21" Replacemen CRE2-RS21	t Guest & 261	& Patient 284	Seat 306	337	373	403	439	484	528	9.5	2.7
	24" Replacemen CRE2-RS24	t Guest & 285	R Patient 307	Seat 329	360	395	426	462	506	551	10	2.7
	30" Replacemen CRE2-RS30	t Guest & 317	& Patient 339	Seat 361	393	427	459	495	539	584	11.5	3.4
	44" Replacemen CRE2-RS44	t Guest 8 389	& Patient 417	Seat 444	484	529	568	613	669	726	16.5	4.8
	21" Replacemen CRE2-RSC21	t Guest & 114	& Patient 137	Seat Co <sup>.</sup> 159	ver 190	225	256	292	336	381	1.6	0.8
	24" Replacemen CRE2-RSC24	t Guest & 114	& Patient 137	Seat Co 159	ver 190	226	256	292	337	381	1.7	0.8
	30" Replacemen CRE2-RSC30	t Guest 8 116	& Patient 138	Seat Co 160	ver 191	227	257	293	337	382	2	1.0
	44" Replacemen CRE2-RSC44	t Guest 8 129	& Patient 158	Seat Co 186	ver 225	270	309	354	411	466	2.5	1.0
	Replacement Gu CRE2-RCAL					200	206	255	202	410		
	CRE2-RCAL CRE2-RCAR CRE2-RCAC CRE2-RCACPCE	206	225	244	269	299	326	355	393	410	8	.5

CRE2-RCACPCF

# **CRESSIDA** | GUEST & PATIENT REPLACEMENT COMPONENTS

SIN 71-316

DESCRIPTION	MODEL SPECIES	PRICE	WEIGHT	CUB
	Replacement Guest & Patient Front Start Arm & Leg			
	Open Arm CRE2-RLFSOPS Beech, Maple	117	4.0	1.3
	Open Arm Polymer Cap CRE2-RLFSOPP Beech, Maple	134	4.0	1.3
	Closed arm CRE2-RLFSCLS Beech, Maple,	121	4.0	1.3
	Closed Arm Polymer Cap CRE2-RLFSCLP Beech, Maple,	139	4.0	1.3
	Replacement Guest & Patient Front Cer	ter Arm & Leg		
	Open Arm CRE2-RLFCOPS Beech, Maple	117	4.0	1.3
	Open Arm Polymer Cap CRE2-RLFCOPP Beech, Maple	134	4.0	1.3
	Closed arm CRE2-RLFCCLS Beech, Maple	121	4.0	1.3
	Closed Arm Polymer Cap CRE2-RLFCCLP Beech, Maple	139	4.0	1.3
	Replacement Guest & Patient Front End	Arm & Lea		
	Open Arm CRE2-RLFEOPS Beech, Maple	117	4.0	1.3
	Open Arm Polymer Cap CRE2-RLFEOPP Beech, Maple	134	4.0	1.3
	Closed arm CRE2-RLFECLS Beech, Maple	121	4.0	1.3
	Closed Arm Polymer Cap CRE2-RLFECLP Beech, Maple	139	4.0	1.3
	Replacement Polymer Arm Cap Black CRE2-RACB	18	1.0	.3
	Replacement Polymer Arm Cap Grey CRE2-RACG	18		
	Replacement Guest & Patient Center Fr	eespan Arm		
	Open Arm CRE2-FFLOA Beech, Maple	121	3.0	1.0
	Replacement Guest & Patient Back Leg CRE2-RLBS - Start CRE2-RLBC - Center CRE2-RLBE -End	67	6.0	1.2
↓ * ↓	Replaceable Glide - Front* (1) CRE2-RGF	13	.25	.2
	Replaceable Glide - Back** (1) CRE2-RGB	14	.25	.2
	Replaceable Glide - Set of 4 CRE2-RG4	15	1.0	.3
	Chair to Chair Linking Bracket CRE2-RCCLKB	46	1.5	5

# **SOLIS** | MULTIPLE SEATING - GUEST BACKS

# **DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACH	(												
PCGM21X2	47	28	34.5	18.5	26	20	20	90	30	-	1.3	-	1.2
PCGM21X3	69.5	28	34.5	18.5	26	20	20	126	44	-	2.1	-	1.6
PCGM24X2	53	28	34.5	18.5	26	23	20	96	34	-	1.3	-	1.2
PCGM24X3	78.5	28	34.5	18.5	26	23	20	135	50	-	2.1	-	1.6
UPHOLSTE	RED BAC	к											
PCGU21X2	47	28	34.5	18.5	26	20	20	94	30	3.1	1.3	2.3	1.2
PCGU21X3	69.5	28	34.5	18.5	26	20	20	132	44	4.7	2.1	3.1	1.6
PCGU24X2	53	28	34.5	18.5	26	23	20	102	34	3.1	1.3	2.3	1.2
PCGU24X3	78.5	28	34.5	18.5	26	23	20	144	50	4.7	2.1	3.1	1.6

# **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms Yardage
MESH	BACK													
SGM21	1 25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	4 28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHO	LSTERE	D BACK												
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	) 34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	1.6	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	3.2	0.9	2.5	0.4	0.8

# **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	ACK												
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOL	STERED E	BACK											
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	0.9	2.5	0.4

# **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	ACK												
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOLS	STERED E	ВАСК											
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	1.6	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	3.2	0.9	2.5	0.4

# ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to page 28 for Yardage Requirements.

# DIMENSIONS & COM. REQUIREMENTS - FREE SPAN WITH NO CENTER ARM

-	)verall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFGM21X2A	46.5	28	34.5	18.5	26	41.5	20	85	30	-	1.3	-	0.8
PCFGM21X3A	68	28	34.5	18.5	26	63	20	114	44	-	2.1	-	0.8
PCFGM24X2A S	52.25	28	34.5	18.5	26	47.5	20	92	34	-	1.3	-	0.8
PCFGM24X3A	77	28	34.5	18.5	26	72	20	124	50	-	2.1	-	0.8
UPHOLSTERED	О ВАСК	ζ.											
PCFGU21X2A	46.5	28	34.5	18.5	26	41.5	20	89	30	3.1	1.3	2.3	0.8
PCFGU21X3A	68	28	34.5	18.5	26	63	20	120	44	4.7	2.1	3.1	0.8
PCFGU24X2A	52.25	28	34.5	18.5	26	47.5	20	96	34	3.1	1.3	2.3	0.8
PCFGU24X3A	77	28	34.5	18.5	26	72	20	131	50	4.7	2.1	3.1	0.8

# DIMENSIONS & COM. REQUIREMENTS - FREE SPAN WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFGM21X2I	B 47.25	28	34.5	18.5	26	20	20	93	30	-	1.3	-
PCFGM21X3	B 69.5	28	34.5	18.5	26	20	20	130	44	-	2.1	-
PCFGM24X2I	B 53.25	28	34.5	18.5	26	23	20	100	34	-	1.3	-
PCFGM24X3I	B 78.5	28	34.5	18.5	26	23	20	140	50	-	2.1	-
UPHOLSTER	ED BAC	к										
PCFGU21X2E	3 47.25	28	34.5	18.5	26	20	20	97	30	3.1	1.3	2.3
PCFGU21X3E	3 69.5	28	34.5	18.5	26	20	20	136	44	4.7	2.1	3.1
PCFGU24X2E	3 53.25	28	34.5	18.5	26	23	20	104	34	3.1	1.3	2.3
PCFGU24X3E	3 78.5	28	34.5	18.5	26	23	20	147	50	4.7	2.1	3.1
		COM. Fabric osed Arm els ( 2 Arm			COM Fabric Closed A Panels ( 3 A	rm	F	COM. Fabric Closed Arm Panels ( 4 Arn				
PCFG21X2B		0.8			1.2							
PCFG21X3B		0.8						1.6				
PCFG24X2B		0.8			1.2							
PCFG24X3B		0.8						1.6				

## **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote – please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.

Casters are available on 21" and 24" guest chairs for an upcharge of \$50 list for 2 casters or \$75 list for 4 casters.

The standard Solis Frame Color is Silver Metallic. Additional frame colors are available for an upcharge of \$44 list per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table.

Solis Pre-configured Guest Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	Maple Arm upgrade per arm (add to beech price)	55
21" & 24" - Removeable Back Covers	39	Beech Wood Side Rails Upgrade (per arm)	44
30" & 44" - Removable Back Covers	61	Maple wood Side Rails Upgrade (per arm)	55
Kinetic Back option	83		

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	146	155	165	185	204	224	244	263	303
2 ARMS	291	311	331	369	409	448	487	527	605
3 ARMS	437	466	495	555	613	673	731	790	908
4 ARMS	582	621	660	739	818	896	931	1053	1211

# **SOLIS** | MULTIPLE SEATING - PRE-CONFIGURED GUEST UNITS SIN 71-316

			COM		COL		ABRIC GRAD			LEATHER	
DESCRIPTION/M	ODEL	Arm Type	1	2	3	4	5	6	7	8	9
-5	2 Seat - 21" Open Arm	Pre-configure	d Guest Ur	it, <b>Mesh B</b>	ack						
	SOL2-PCGM21X2OPU	Urethane	1329	1375	1421	1514	1606	1699	1792	1884	2028
- BAD	SOL2-PCGM21X2OPW	Beech	1461	1507	1553	1646	1739	1831	1924	2016	2160
""	2 Seat - 21" Open Arm										
U U	SOL2-PCGU21X2OPU		1396	1472	1546	1696	1844	1994	2143	2293	2591
	SOL2-PCGU21X2OPW	Beech	1528	1604	1678	1828	1977	2127	2276	2426	2723
	3 Seat - 21" Open Arm	Pre-configure	d Guest Ur	it Mesh B	ack						
$\bigcirc$	SOL2-PCGM21X3OPU	-	1906	1976	2045	2184	2323	2462	2601	2740	2955
	SOL2-PCGM21X3OPW		2083	2152	2222	2360	2499	2638	2777	2916	3131
BRS		2000.1	2000	2.02		2000	2.00	2000		2010	0.01
	3 Seat - 21" Open Arm	Pre-configure	d Guest Ur	nit, Upholst	ered Back						
	SOL2-PCGU21X3OPU	•	2004	2117	2228	2452	2676	2901	3124	3348	3797
	SOL2-PCGU21X3OPW	Beech	2181	2293	2405	2628	2852	3077	3301	3525	3973
	2 Seat - 24" Open Arm	Pre-configure	d Guest Ur	it, <b>Mesh B</b>	ack						
	SOL2-PCGM24X2OPU		1366	1412	1459	1551	1644	1736	1829	1922	2065
- DH	SOL2-PCGM24X2OPW	Beech	1498	1545	1591	1684	1776	1869	1961	2054	2197
REPT											
	2 Seat - 24" Open Arm	0		, I							
U	SOL2-PCGU24X2OPU		1435	1510	1585	1734	1884	2033	2183	2333	2631
	SOL2-PCGU24X2OPW	Beech	1568	1643	1718	1867	2016	2165	2315	2465	2763
	3 Seat - 24" Open Arm	Pre-configure	d Guest Ur	it. Mesh B	ack						
	SOL2-PCGM24X3OPU	•	1965	2034	2104	2242	2381	2520	2659	2798	3013
TH	SOL2-PCGM24X3OPW		2141	2211	2280	2419	2558	2697	2836	2975	3190
bR31											
PTI!	3 Seat - 24" Open Arm	Pre-configure	d Guest Ur	nit, Upholst	ered Back						
"    "	SOL2-PCGU24X3OPU	Urethane	2066	2176	2287	2505	2724	2944	3163	3384	3822
	SOL2-PCGU24X3OPW	Beech	2242	2353	2463	2681	2901	3120	3339	3560	3999

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Complete mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Solis Pre-configured Guest Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	Maple Arm upgrade per arm (add to beech price)	55
21" & 24" - Removeable Back Covers	39	Beech Wood Side Rails Upgrade (per arm)	44
30" & 44" - Removable Back Covers	61	Maple wood Side Rails Upgrade (per arm)	55
Kinetic Back option	83	· · · · · · · · ·	

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	PCG	U	21X2	OPW
Solis	Chair	Pre-configured Guest Multiple Unit	Upholstered Back		Open Arm - Wood Arm
			M Mesh Back	21X3	OPU Open Arm Urethane Arm
				24X2	CLW Closed Arm - Wood Arm
				24X3	CLU Closed Arm Urethane Arm

# SOLIS | MULTIPLE SEATING - START, CENTER & END GUEST UNITS

COM     COL       DESCRIPTION/MODEL     Arm Type     1     2     3       START     21" Open Arm Start Guest Unit, Mesh Back     SOL2-SGM21OPU Urethane     705     728     751       SOL2-SGM21OPW Beech     793     816     839       21" Open Arm Start Guest Unit, Upholstered Back	4 797 885	BRIC GRAD 5 843 932	6 890	7 936	_EATHER 8	9
SOL2-SGM21OPU Urethane 705 728 751 SOL2-SGM21OPW Beech 793 816 839				936	080	
SOL2-SGM21OPW Beech 793 816 839				936	000	
	885	932			982	1054
21" Open Arm Start Guest Unit, Upholstered Back			978	1024	1071	1142
21" Open Arm Start Guest Unit, Upholstered Back						
SOL2-SGU21OPU Urethane 741 778 816	891	965	1040	1115	1189	1338
SOL2-SGU21OPW Beech 829 867 904	979	1053	1128	1203	1277	1427
24" Open Arm Start Guest Unit, Mesh Back						
SOL2-SGM24OPU Urethane 733 756 779	826	872	918	965	1011	1083
SOL2-SGM24OPW Beech 821 845 868	914	960	1007	1053	1099	1171
24" Open Arm Start Guest Unit, Upholstered Back						
SOL2-SGU24OPU Urethane 770 807 846	919	994	1069	1143	1218	1368
SOL2-SGU24OPW Beech 858 895 934	1008	1083	1158	1231	1306	1456
30L2-300240FW Deech 836 895 934	1006	1003	1150	1231	1300	1450
30" Open Arm Start Guest Unit, Upholstered Back						
	1101	1040	1365	1/01	1500	1832
SOL2-SGU30OPU Urethane 897 956 1015	1131 1219	1248 1336	1365 1453	1481 1569	1599 1687	1832
	1219	1330	1453	1209	1007	1921
44" Onen Arm Start Cuent Linit Linkelatarad Bask						
44" Open Arm Start Guest Unit, Upholstered Back	1071	1000	1505	1000	1700	1070
SOL2-SGU44OPU Urethane 1039 1097 1155	1271	1389	1505	1623	1739	1972
SOL2-SGU44OPW Beech 1127 1185 1244	1359	1477	1593	1711	1827	2061
CENTER 21" Open Arm Center Guest Unit, Mesh Back						
SOL2-CGM21OPU Urethane 633 656 679	725	772	818	864	911	982
SOL2-CGM21OPW Beech 677 700 723	770	816	862	908	955	1026
21" Open Arm Center Guest Unit, Upholstered Back						
SOL2-CGU21OPU Urethane 665 702 740	815	890	964	1037	1114	1262
SOL2-CGU210PW Beech 709 746 784	859	934	1008	1082	1158	1306
24" Open Arm Center Guest Unit, Mesh Back						
SOL2-CGM24OPU Urethane 650 674 697	743	789	836	882	928	1000
SOL2-CGM24OPW Beech 695 718 741	787	833	880	926	972	1044
24" Open Arm Center Guest Unit, Upholstered Back						
SOL2-CGU24OPU Urethane 685 722 760	833	908	983	1058	1132	1282
SOL2-CGU24OPW Beech 729 766 804	878	953	1028	1103	1176	1326
	010	333	1020	1103	1170	1320
PRODUCT CODE KEY						
Line Series Chair Type Back Type	•	Size			Arm Ty	ре
SOL 2 SG U		21	7		OPW	1
		21				1
Solis Chair Start Unit Guest Multiple Seating Upholstered B	lack			Op	oen Arm -Wo	ood Arm
CG		04	1		OPU	1
		24				
Center Unit Guest Multiple Seating Mesh Back					Open Ar Urethane	
21" & 24" Or	пу		_		Orethane	Am
50		30			CLW	
EG			-	Clo	sed Arm - V	_ Vood Arm
End Unit Guest Multiple Seating						
			7			1
		44	]		CLU	
		44	]		Closed A	
		44	]			
		44	]		Closed A Urethane	Arm
		44	]		Closed A Urethane	Arm
		44	]	Closed S	Closed A Urethane	Arm ] Den Cente

COU Closed Arm / Open Center Arm Urethane Arm

# **SOLIS** | MULTIPLE SEATING - CENTER & END GUEST UNITS

SIN 71-316

9
1733
1777
1869
1913
982
1026
1262
1306
1000
1044
1282
1326
1700
1733 1777
1777
1869
1913

ORDERING NOTES: Please refer to page 21 for available options.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	SG Start Unit Guest Multiple Seating	U Upholstered Back	21	OPW Open Arm -Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EG End Unit Guest Multiple Seating		30	CLW Closed Arm - Wood Arm
				44	CLU Closed Arm Urethane Arm

# SOLIS | PRE-CONFIGURED FREE SPAN MULTIPLE SEATING GUEST UNIT WITHOUT CENTER ARM

# SIN 71-316

9 1756 1844 2520 2609 2506
1844 2520 2609
1844 2520 2609
2520 2609
2609
2609
2609
2506
2506
2000
2594
3646
3734
785
873
550
2550
638
2549
637
8690
3778
;; 11 22 3

## **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Complete mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Please refer to page 27 for more options. Please note, Kinetic back is not available on Pre-Configured Free Span multiple seating guest units without center arm.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL Solis	2 Chair	PCFG Pre-Configured Free Span	U Upholstered Back	21X2	A Unit with no	OPW Open Arm
		Multiple Guest Unit	Μ	21X3	Center Arm	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW Closed Arm - Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

# **SOLIS** | PRE-CONFIGURED FREE SPAN MULTIPLE SEATING GUEST UNIT WITH CENTER ARM

SIN 71-316

DESCRIPTION/MODE	L	Arm Type	COM 1	2	COL 3	FABI 4	RIC GRADES	S 6	L 7	EATHER 8	9
21	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 2 S	Seater, Mes	sh Back				
SC	L2-PCFGM21X2BOPU	Urethane	1360	1394	1427	1493	1559	1625	1691	1757	1857
sc	DL2-PCFGM21X2BOPW	Beech	1493	1526	1559	1625	1691	1757	1824	1890	1989
21	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 2 S	Seater, Uph	olstered Ba	ck			
SC	DL2-PCFGU21X2BOPU	Urethane	1430	1505	1580	1729	1878	2028	2176	2326	2625
SC	DL2-PCFGU21X2BOPW	Beech	1562	1637	1712	1861	2010	2160	2309	2459	2757
21	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 3 S	Seater , Me	sh Back				
SC	DL2-PCFGM21X3BOPU	Urethane	1918	1968	2018	2117	2216	2315	2414	2514	2663
sc	DL2-PCFGM21X3BOPW	Beech	2095	2144	2194	2293	2392	2492	2591	2690	2839
21	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 3 S	Seater , Up	holstered Ba	ack			
I SC	DL2-PCFGU21X3BOPU	Urethane	2019	2130	2242	2465	2690	2914	3137	3363	3810
SC	DL2-PCFGU21X3BOPW	Beech	2195	2306	2419	2642	2867	3090	3314	3539	3987
24	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 2 S	Seater, Mes	sh Back				
SC	DL2-PCFGM24X2BOPU	Urethane	1388	1421	1454	1520	1587	1653	1719	1785	1884
sc Sc	DL2-PCFGM24X2BOPW	Beech	1520	1553	1587	1653	1719	1785	1851	1917	2016
24	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 2 \$	Seater, Upł	olstered Ba	ck			
. SC	DL2-PCFGU24X2BOPU	Urethane	1459	1535	1609	1758	1907	2057	2206	2356	2654
SC	DL2-PCFGU24X2BOPW	Beech	1591	1667	1741	1891	2040	2190	2338	2488	2786
24	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 3 S	Seater, Mes	sh Back				
SC	DL2-PCFGM24X3BOPU	Urethane	1961	2011	2061	2160	2259	2358	2457	2557	2706
SC	DL2-PCFGM24X3BOPW	Beech	2138	2187	2237	2336	2435	2535	2634	2733	2882
24	" Pre-Configured Free Sp	an Center	Arm Gue	st Unit - (	Open Arm 3 S	Seater, Uph	olstered Ba	ck			
sc sc	L2-PCFGU24X3BOPU	Urethane	2063	2174	2287	2510	2734	2959	3182	3406	3854
SC	DL2-PCFGU24X3BOPW	Beech	2239	2351	2463	2687	2911	3136	3358	3582	4031

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Complete mesh backs (21" & 24") can be ordered and field replaced.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Please refer to page 27 for more options.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL Solis	2 Chair	PCFG Pre-Configured Free Span Multiple Guest Unit	U Upholstered Back	21X2	A Unit with no Center Arm	OPW Open Arm- Wood Arm
			M Mesh Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm
				24X2		CLW Closed Arm - Wood Arm
				24X3		CLU Closed Arm Urethane Arm

# **DIMENSIONS & COM. REQUIREMENTS - PRE-CONFIGURED UNITS**

	Overall Width	Overall Depth			Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK	(												
PCPM21X2	47	28	43.75	18.5	26	20	20	92	38	-	1.3	-	1.2
PCPM21X3	69.5	28	43.75	18.5	26	20	20	129	56	-	2.1	-	1.6
PCPM24X2	53	28	43.75	18.5	26	23	20	98	43	-	1.3	-	1.2
PCPM24X3	78.5	28	43.75	18.5	26	23	20	138	46	-	2.1	-	1.6
UPHOLSTEF	RED BAC	к											
PCPU21X2	47	28	43.75	18.5	26	20	20	100	38	4.0	1.3	3.1	1.2
PCPU21X3	69.5	28	43.75	18.5	26	20	20	141	56	6.1	2.1	4.2	1.6
PCPU24X2	53	28	43.75	18.5	26	23	20	108	43	4.0	1.3	3.1	1.2
PCPU24X3	78.5	28	43.75	18.5	26	23	20	153	63	6.1	2.1	4.2	1.6

# **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

	Overall Width		Overall Height		Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel (1 Arm) Yardage	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH B	АСК													
SPM21	25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM24	28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHOLS	TERED B	BACK												
SPU21	25	28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU24	28	28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU30	34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

# **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BA	ск												
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLS	TERED BA	ск											
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

# **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	АСК												
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOLS	TERED B	ACK											
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

### ORDERING NOTES:

Multiple yardage requirements for Patient back Start, Centre and End units, please refer to page 47.

# DIMENSIONS & COM. REQUIREMENTS - FREE SPAN WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH BACK													
PCFPM21X2A	46.5	28	43.75	18.5	26	41.5	20	87	38	-	1.3	-	0.8
PCFPM21X3A	68	28	43.75	18.5	26	63	20	118	56	-	2.1	-	0.8
PCFPM24X2A	52.25	28	43.75	18.5	26	47.5	20	94	43	-	1.3	-	0.8
PCFPM24X3A	77	28	43.75	18.5	26	72	20	128	63	-	2.1	-	0.8
UPHOLSTERE	D BACK												
PCFPU21X2A	46.5	28	43.75	18.5	26	41.5	20	95	38	4.0	1.3	3.1	0.8
PCFPU21X3A	68	28	43.75	18.5	26	63	20	129	56	6.1	2.1	4.2	0.8
PCFPU24X2A	52.25	28	43.75	18.5	26	47.5	20	103	43	4.0	1.3	3.1	0.8
PCFPU24X3A	77	28	43.75	18.5	26	72	20	141	63	6.1	2.1	4.2	0.8

# DIMENSIONS & COM. REQUIREMENTS - FREE SPAN WITH CENTER ARM

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage
MESH BACK												
PCFPM21X2B	47.25	28	43.75	18.5	26	20	20	96	38	-	1.3	-
PCFPM21X3B	69.5	28	43.75	18.5	26	20	20	134	56	-	2.1	-
PCFPM24X2B	53.25	28	43.75	18.5	26	23	20	102	43	-	1.3	-
PCFPM24X3B	78.5	28	43.75	18.5	26	23	20	144	63	-	2.1	-
UPHOLSTERE	D BACK	3.4										
PCFPU21X2B	47.25	28	43.75	18.5	26	20	20	103	38	4.0	1.3	3.4
PCFPU21X3B	69.5	28	43.75	18.5	26	20	20	145	56	6.1	2.1	5.4
PCFPU24X2B	53.25	28	43.75	18.5	26	23	20	111	43	4.0	1.3	3.4
PCFPU24X3B	78.5	28	43.75	18.5	26	23	20	157	63	6.1	2.1	5.4
	F Clo	COM. abric sed Arm s ( 2 Arn	-		COM Fabric Closed A Panels ( 3 A	rm	F	COM. Fabric Closed Arn Panels ( 4 Arr	-			
PCFP21X2B		0.8			1.2							
PCFP21X3B		0.8						1.6				
PCFP24X2B		0.8			1.2							
PCFP24X3B		0.8						1.6				

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Complete mesh backs (21" & 24") can be ordered and field replaced.

Solis Patient Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard (per seat)	30
21" & 24" - Removeable Back Covers	39	Maple Arm upgrade per arm (add to beech price)	55
30" - Removable Back Covers	61	Beech Wood Side Rails Upgrade (per arm)	88
Kinetic Back option	83	Maple wood Side Rails Upgrade (per arm)	110

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	146	155	165	185	204	224	244	263	303
2 ARMS	291	311	331	369	409	448	487	527	605
3 ARMS	437	466	495	555	613	673	731	790	908
4 ARMS	582	621	660	739	818	896	931	1053	1211

# SOLIS | MULTIPLE SEATING - PRE-CONFIGURED PATIENT UNITS

SIN 71-316

			COM		COL		FAB	RIC GRAD	ES	LEATHER	1			
DESCRIPTION/MODEL		Arm Type	1	2	3	4	5	6	7	8	9			
	2 Seat - 21" Open Arm Pre-configured Patient Unit, Mesh Back													
FL	SOL2-PCPM21X2OPU	Urethane	1466	1513	1559	1652	1744	1837	1929	2022	2165			
	SOL2-PCPM21X2OPW	Beech	1599	1645	1691	1784	1877	1969	2062	2154	2298			
	2 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back													
	SOL2-PCPU21X2OPU	Urethane	1541	1635	1729	1915	2102	2289	2475	2661	3035			
	SOL2-PCPU21X2OPW	Beech	1674	1767	1861	2046	2235	2421	2607	2794	3167			
	3 Seat - 21" Open Arm Pre	e-configured Pa	atient Unit	, Mesh	Back									
	SOL2-PCPM21X3OPU	Urethane	2123	2193	2262	2401	2540	2679	2818	2957	3172			
	SOL2-PCPM21X3OPW	Beech	2300	2480	2439	2578	2717	2855	2994	3133	3348			
	3 Seat - 21" Open Arm Pre-configured Patient Unit, Upholstered Back													
	SOL2-PCPU21X3OPU	Urethane	2233	2376	2518	2803	3087	3390	3656	3941	4510			
// // // ·	SOL2-PCPU21X3OPW	Beech	2409	2552	2695	2979	3263	3567	3832	4118	4687			
	24" Open Arm Urethane Cap Pre-configured Patient Unit, Mesh Back													
	SOL2-PCPM24X2OPU	Urethane	1486	1532	1579	1671	1764	1857	1949	2042	2185			
	SOL2-PCPM24X2OPW	Beech	1618	1665	1711	1804	1896	1989	2082	2174	2317			
	2 Seat - 24" Open Arm Pre-configured Patient Unit, Upholstered Back													
	SOL2-PCPU24X2OPU	Urethane	1562	., Opriois 1656	1750	1937	2123	2310	2496	2683	3056			
	SOL2-PCPU24X2OPW	Beech	1695	1788	1882	2069	2256	2442	2430	2816	3188			
	00L2 1 01 024/201 W	Decen	1000	1700	1002	2000	2200	2772	2020	2010				
	3 Seat - 24" Open Arm Pre	e-configured Pa	atient Unit	, Mesh	Back									
	SOL2-PCPM24X3OPU	Urethane	2163	2233	2302	2441	2580	2719	2858	2997	3212			
	SOL2-PCPM24X3OPW	Beech	2340	2409	2478	2617	2756	2895	3034	3173	3388			
LBRD														
ROTI	3 Seat - 24" Open Arm Pre	e-configured Pa	atient Unit	, Uphols	stered Bac	k								
	SOL2-PCPU24X3OPU	Urethane	2273	2417	2559	2843	3129	3412	3698	3982	4552			
	SOL2-PCPU24X3OPW	Beech	2450	2593	2735	3020	3305	3589	3874	4159	4729			

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Solis Patient Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard (per seat)	30
21" & 24" - Removeable Back Covers	39	Maple Arm upgrade per arm (add to beech price)	55
30" - Removable Back Covers	61	Beech Wood Side Rails Upgrade (per arm)	88
Kinetic Back option	83	Maple wood Side Rails Upgrade (per arm)	110

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

CLOSED ARM PANELS - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
3 ARMS	437	466	495	555	613	673	731	790	908
4 ARMS	582	621	660	739	818	896	931	1053	1211

### PRODUCT CODE KEY

Line	Series Chair Type	Back Type	Size	Arm Type	
SOL Solis	2 Chair Pre-config	PCP gured Patient Multiple Unit	U Upholstered Back	21X2	OPW Open Arm - Wood Arm
			Mesh Back	21X3	OPU Open Arm Urethane Arm
				24X2	CLW Closed Arm - Wood Arm

24X3

CLU Closed Arm Urethane Arm

# **SOLIS** | MULTIPLE SEATING - PATIENT START & CENTER UNITS SIN 71-316

DESCRIPTION/MODEL	A 1100	CON Type 1		2	COL 3	FABF 4	RIC GRADE	5 6	7	LEATHEF 8	9		
		51			5	4	5	0	1	0	9		
START	21" Open Arm Start SOL2-SPM21OPU		771	794	817	863	910	956	1002	1048	1120		
	SOL2-SPM210PW		859	882	905	951	998	1044	1002	1137	1208		
	50L2-5PIVI210PW	Beech	009	002	905	951	990	1044	1090	1137	1208		
	21" Open Arm Start	Patient Uni	t, Upho	Istered Ba	ck								
	SOL2-SPU21OPU	Urethane	810	859	908	1007	1104	1203	1300	1398	1594		
	SOL2-SPU21OPW	Beech	899	947	997	1095	1192	1291	1388	1486	1682		
	0012 01 02 101 11	200011		0.11				1201			1002		
	24" Open Arm Start Patient Unit, Mesh Back												
	SOL2-SPM24OPU	Urethane	798	821	845	891	937	983	1030	1076	1148		
	SOL2-SPM24OPW	Beech	886	910	933	979	1025	1072	1118	1164	1236		
	24" Open Arm Start												
U U	SOL2-SPU24OPU	Urethane	839	889	937	1035	1133	1230	1330	1428	1624		
	SOL2-SPU24OPW	Beech	927	977	1025	1123	1222	1319	1418	1516	1712		
	30" Open Arm Start												
f f	SOL2-SPU30OPU	Urethane		1115	1186	1331	1476	1620	1765	1910	2199		
	SOL2-SPU30OPW	Beech	1130	1203	1274	1419	1564	1709	1853	1998	2288		
CENTER	21" Open Arm Center Patient Unit, Mesh Back												
	SOL2-CPM21OPU		699	722	745	792	948	884	931	977	1048		
	SOL2-CPM21OPW		743	766	789	836	882	928	975	1021	1093		
	21" Open Arm Cente	er Patient U	nit, Upł	nolstered E	lack								
	SOL2-CPU21OPU	Urethane	734	784	832	931	1029	1126	1225	1323	1519		
	SOL2-CPU21OPW	Beech	778	828	876	975	1073	1170	1269	1367	1563		
	24" Open Arm Ureth	ane Can C	onter Pa	atient LInit	Mesh Ba	ck							
	SOL2-CPM24OPU		717	740	763	809	856	902	948	994	1066		
	SOL2-CPM24OPW		761	784	807	853	900	946	992	1039	1110		
	24" Open Arm Cente		· ·										
L	SOL2-CPU24OPU	Urethane	753	803	851	950	1047	1146	1244	1342	1538		
	SOL2-CPU24OPW	Beech	797	847	895	994	1091	1190	1287	1386	1582		
	30" Open Arm Cent	er Patient U	nit, Upł	nolstered E	lack								
	SOL2-CPU30OPU	Urethane	944	1017	1088	1233	1377	1521	1667	1813	2101		
	SOL2-CPU30OPW	Beech	988	1061	1132	1277	1421	1566	1711	1857	2145		

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	SP Start Unit Patient Multiple Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm
		CP Center Unit Patient Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EP End Unit Patient Multiple Seating		30	CLW Closed Arm - Wood Arm
				44	CLU Closed Arm Urethane Arm
					COW Closed Start Arm/Open Center Arm Wood Arm
					COU Closed Start Arm/Open Center Arm with Urethane Arm

# SOLIS | MULTIPLE SEATING - PATIENT END UNITS SIN 71-316

			COM		COL	FAE	BRIC GRADE	S		LEATHER	
DESCRIPTION/MOD	EL Ai	т Туре	1	2	3	4	5	6	7	8	9
END	21" Open Arm End	Unit. Mesh E	Back								
	SOL2-EPM21OPU	Urethane	699	722	745	792	838	884	931	977	1048
Ī	SOL2-EPM21OPW	Beech	743	766	789	836	882	928	975	1021	1093
	21" Open Arm End	Unit, Upholst	ered Back								
	SOL2-EPU21OPU	Urethane	734	784	832	931	1029	1126	1225	1323	1519
	SOL2-EPU210PW	Beech	778	828	876	975	1073	1170	1269	1367	1563
	24" Open Arm Urethane Cap End Unit, Mesh Back										
	SOL2-EPM24OPU	Urethane	717	740	763	809	856	902	948	994	1066
	SOL2-EPM24OPW	Beech	761	784	807	853	900	946	992	1039	1110
	24" Open Arm End	Unit, Upholst	ered Back								
	SOL2-EPU24OPU	Urethane	753	803	851	950	1047	1146	1244	1342	1538
	SOL2-EPU24OPW	Beech	797	847	895	994	1091	1190	1288	1386	1582
	30" Open Arm End	Unit, Upholst	ered Back								
	SOL2-EPU30OPU	Urethane	944	1017	1088	1233	1377	1521	1667	1813	2101
	SOL2-EPU30OPW	Beech	988	1061	1132	1277	1421	1566	1711	1857	2145

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Solis Patient Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard (per seat)	30
21" & 24" - Removeable Back Covers	39	Maple Arm upgrade per arm (add to beech price)	55
30" - Removable Back Covers	61	Beech Wood Side Rails Upgrade (per arm)	88
Kinetic Back option	83	Maple wood Side Rails Upgrade (per arm)	110

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

### **CLOSED ARM PANELS** - please add the following up charges for closed arm panels.

Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
1 ARM	146	155	165	185	204	224	244	263	303
2 ARMS	291	311	331	369	409	448	487	527	605

### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL Solis	2 Chair	SP Start Unit Patient Multiple Seating	U Upholstered Back	21	OPW Open Arm - Wood Arm
		CP Center Unit Patient Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EP End Unit Patient Multiple Seating		30	CLW Closed Arm - Wood Arm
					CLU Closed Arm

Closed Arm Urethane Arm

# **SOLIS** | PRE-CONFIGURED FREE SPAN MULTIPLE SEATING PATIENT UNIT WITHOUT CENTER ARM SIN 71-316

		COM		COL		BRIC GRAD			LEATHER	
ESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
21" Pre-Configured I	Free Span Patien	t Unit - O	pen Arm 2	Seater, Mes	sh Back					
SOL2-PCFPM21X2A	OPU Urethane	1392	1426	1459	1525	1591	1657	1723	1789	1889
SOL2-PCFPM21X2A	OPW Beech	1481	1514	1547	1613	1679	1745	1811	1878	1977
21" Pre-Configured F	Free Span Patien	t Unit - O	pen Arm 2	Seater, Uph	nolstered Ba	ack				
SOL2-PCFPU21X2A	OPU Urethane	1464	1561	1660	1856	2052	2248	2444	2640	3032
SOL2-PCFPU21X2A	OPW Beech	1552	1649	1749	1944	2140	2336	2532	2729	3120
21" Pre-Configured I	Free Span Patien	t Unit - O	pen Arm 3	Seater, Me	sh Back					
SOL2-PCFPM21X3A	OPU Urethane	1959	2009	2058	2158	2257	2356	2455	2554	270
SOL2-PCFPM21X3A	OPW Beech	2047	2097	2147	2246	2345	2444	2543	2643	2792
21" Pre-Configured F	Free Span Patien	t Unit - O	pen Arm 3	Seater, Upł	olstered Ba	ack				
SOL2-PCFPU21X3A	OPU Urethane	2062	2209	2356	2650	2944	3237	3531	3826	441
SOL2-PCFPU21X3A	OPW Beech	2150	2298	2444	2739	3032	3325	3620	3914	450
24" Pre-Configured I	Free Span Patien	t Unit - O	pen Arm 2	Seater, Me	sh Back					
SOL2-PCFPM24X2A	OPU Urethane	1419	1452	1485	1551	1617	1684	1750	1816	1915
SOL2-PCFPM24X2A	OPW Beech	1507	1540	1573	1639	1706	1772	1838	1904	2003
24" Pre-Configured F	Free Span Patien	t Unit - O	pen Arm U	rethane Cap	o 2 Seater,	Upholstered	Back			
SOL2-PCFPU24X2A	OPU Urethane	1493	1591	1689	1885	2082	2277	2473	2669	3062
SOL2-PCFPU24X2A	OPW Beech	1581	1679	1777	1973	2170	2365	2561	2757	3150
24" Pre-Configured I	Free Span Patien	t Unit - O	pen Arm 3	Seater, Me	sh Back					
SOL2-PCFPM24X3A	OPU Urethane	2001	2051	2100	2199	2299	2398	2497	2596	2745
SOL2-PCFPM24X3A	OPW Beech	2089	2139	2188	2288	2387	2486	2585	3787	2833
24" Pre-Configured F	Free Span Patien	t Unit - O	pen Arm 3	Seater, Uph	olstered Ba	ack				
SOL2-PCFPU24X3A	OPU Urethane	2106	2252	2399	2693	2988	3282	3575	3870	4457
SOL2-PCFPU24X3A	OPW Beech	2194	2341	2487	2782	3076	3370	3664	3958	4546

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Solis Patient Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard (per seat)	30
21" & 24" - Removeable Back Covers	39	Maple Arm upgrade per arm (add to beech price)	55
30" - Removable Back Covers	61	Beech Wood Side Rails Upgrade (per arm)	88
Kinetic Back option	83	Maple wood Side Rails Upgrade (per arm)	110

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

CLOSED ARM I	PANELS - plea	ase add th	e following up	o charges f	or closed arn	n panels.			
Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
2 ARMS	291	311	331	369	409	448	487	527	605

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	A	OPW
Solis	Chair	Pre-configured Free Span Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			Μ	21X3	В	OPU
			Mesh Back		Unit with Center Arm	Open Arm Urethane Arm
				24X2		CLW
						Closed Arm -Wood Arm
				24X3		CLU
						Closed Arm Urethane Arm

# SOLIS | PRE-CONFIGURED FREE SPAN MULTIPLE SEATING PATIENT UNIT WITH CENTER ARM

# SIN 71-316

		COM		COL		BRIC GRADI			LEATHER	
ESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
21" Pre-Configured Fre	e Span Center	Arm Pat	tient Unit - (	Open Arm 2	Seater, Me	sh Back				
SOL2-PCFPM21X2BO	PU Urethane	1492	1525	1558	1624	1690	1756	1822	1889	1988
SOL2-PCFPM21X2BO	PW Beech	1624	1657	1690	1756	1822	1889	1955	2021	2120
21" Pre-Configured Fre	e Span Center	Arm Pat	tient Unit - (	Open Arm 2	Seater, Up	holstered B	ack			
SOL2-PCFPU21X2BOF	PU Urethane	1569	1666	1765	1960	2156	2353	2548	2745	3137
SOL2-PCFPU21X2BOF	PW Beech	1701	1798	1897	2093	2289	2485	2680	2878	3269
21" Pre-Configured Fre	e Span Center	Arm Pat	ient Unit - (	Open Arm 3	Seater, Me	sh Back				
SOL2-PCFPM21X3BO	PU Urethane	2117	2166	2216	2315	2414	2514	2613	2712	2861
SOL2-PCFPM21X3BO	PW Beech	2293	2343	2392	2492	2591	2690	2789	2889	3037
21" Pre-Configured Fre	e Span Center	Arm Pat	ient Unit - (	Open Arm 3	Seater, Up	holstered B	ack			
SOL2-PCFPU21X3BOF	PU Urethane	2226	2374	2520	2815	3108	3402	3697	3991	4578
SOL2-PCFPU21X3BOF	PW Beech	2402	2550	2697	2991	3284	3579	3873	4167	4754
24" Pre-Configured Fre	e Span Center	Arm Pat	ient Unit - (	Open Arm 2	Seater, Me	sh Back				
SOL2-PCFPM24X2BO	PU Urethane	1519	1552	1585	1652	1718	1784	1850	1916	2015
SOL2-PCFPM24X2BO	PW Beech	1652	1685	1718	1784	1850	1916	1982	2048	2148
24" Pre-Configured Fre	a Caan Canton		iont Unit (		Contar Lin	h a latara d D	aali			
SOL2-PCFPU24X2BO			1696	1794 1794	1990	2186	2381	2579	2775	3166
SOL2-PCFPU24X2BO SOL2-PCFPU24X2BO		1730	1828	1926	2122	2100	2361	2579	2775	3299
SOL2-PCFP024X2B0F	W Beech	1730	1020	1920	2122	2319	2014	2711	2907	3299
24" Pre-Configured Fre	e Span Center	Arm Pat	tient Unit - (	Open Arm 3	Seater, Me	sh Back				
SOL2-PCFPM24X3BO	PU Urethane	2159	2208	2258	2357	2456	2556	2655	2754	2903
SOL2-PCFPM24X3BO	PW Beech	2335	2385	2434	2534	2633	2732	2831	2930	3079
24" Dro Configured Er	o Span Conta		iont Unit (		Contor Un	halatarad D				
24" Pre-Configured Fre								0740	4004	4000
SOL2-PCFPU24X3BO			2418	2564	2859	3153	3446	3740	4034	4622
SOL2-PCFPU24X3BOF RDERING NOTES:	-w Beech	2448	2594	2741	3035	3330	3623	3916	4210	4798

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Solis Patient Option Upcharges	\$ List	\$	List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard (per seat)	28
Guest chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard (per seat)	30
21" & 24" - Removeable Back Covers	39	Maple Arm upgrade per arm (add to beech price)	55
30" - Removable Back Covers	61	Beech Wood Side Rails Upgrade (per arm)	88
Kinetic Back option	83	Maple wood Side Rails Upgrade (per arm)	110

The standard Solis Frame Color is Silver Metallic. Additional frame colors are available for an upcharge of \$44 list per seat, please see page 4 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table.

CLOSED ARM F	PANELS - plea	ase add th	e following up	p charges fo	or closed arr	n panels.			
Fabric Grades	(COM) 1	2	(COL) 3	4	5	6	7	8	9
3 ARMS 4 ARMS	437 582	466 621	495 660	555 739	613 818	673 896	731 931	790 1053	908 1211

## PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
SOL	2	PCFP	U	21X2	A	OPW
Solis	Chair	Pre-configured Free Span Multiple Patient Unit	Upholstered Back		Unit with no Center Arm	Open Arm - Wood Arm
			M Mesh Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm
				24X2		CLW Closed Arm -Wood Arm
				24X3		CLU Closed Arm Urethane Arm

HEALTHCARE | USA | 83

# JORDAN | MULTIPLE SEATING INSTRUCTIONS

To aid you in the process of specifying and ordering Jordan Multiple Seating, we have compiled the following summary. It explains the three different types of Jordan Multiple Seating – (a) Pre-Configured, (b) Start, Center & End Units and (c) the Freespan Multiple Units – including the features and considerations of each type, to assist in selecting the one that best suits each application. It is a requirement for all Jordan Multiple Seating orders, a drawing or plan view layout must accompany the order, so that we can verify that the specification is correct.

When building your multiple seating layout, please note that your order should start from left to right as you are facing the configuration.

#### **Pre-Configured Multiple Units**


Pre-Configured Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size (see picture below).

Two-Seater



#### Considerations if choosing to use Pre-Configured Units:

- Linking tables can be joined to either end of a Pre-Configured Multiple Unit, but not in-between
- There are no limitations to the number of Pre-Configured Multiple units that can be ganged together with the Jordan Linking Tables
- Pre-Configured Multiple Units are not available in 30" or 44" bariatric widths
- Pre-Configured Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Jordan Linking Table or linking brackets are used in-between the different types of multiple seating.
- Pre-Configured Multiple Units are built from Start, Center and End Units and therefore, can be reconfigured to singular or two-seater units. However, you may have to purchase additional components (arms, etc...) to be able to do this. See line drawings below for possible configurations



#### \*Please note:

Example #1-A requires an additional end unit arm for chair A, and a start unit arm for chair B.

Example #1-B requires an additional end unit arm for chair A, a start and end unit arm for chair B, and a start unit arm for chair C.

#### Start, Center and End Multiple Seating Units

Start, Center and End Multiple Units are designed to be used when you have seating configurations that are greater than three chair units in size, and/or include 30" or 44" units (see picture below). Also, before you start to build your multiple seating layout, please note that your order should start from left to right as you are facing the chair, therefore begin the configuration with a Start Unit, then move to a Center Unit and finish with an End Unit.

#### Considerations if choosing to use Start, Center and End Multiple Units:


- Start, Center and End units are available in all widths (21", 24", 30" & 44")
- There are no limitations to the amount of center units that can be ganged to a start or an end unit
- Jordan Linking Tables can be joined to any Jordan Start or End unit only (this is because the units are engineered with the finished arms)

## Start Unit Center Unit End Unit



# JORDAN | MULTIPLE SEATING INSTRUCTIONS

See below for sample configurations of when you would use Start, Center and End Multiple Units.



#### Freespan Multiple Units


Freespan Multiple Units are designed to be used when you have seating configurations that are 2-3 chair units in size and a reduced number of legs are desirable. (see picture below).



### Considerations if choosing to use Freespan Multiple Units:

- Freespan Multiple Units come with a choice of a pre-configured unit with or without a center arm
- The unit with the center arm increases the overall width of the unit by 1" per arm
- Linking tables can be joined to either side of a Freespan Multiple Unit, but not in-between
- There are no limitations to the number of Freespan Multiple units that can be ganged together with the Jordan Linking Tables or linking brackets.
- Freespan Multiple Units are not available in 30" or 44" bariatric widths
- Freespan Multiple Units are not designed to work with other multiple seating (Start, Center, End Units or Freespan Units) unless a Jordan Linking Table or linking brackets are used in-between the different types of multiple seating.

Below illustrates possible configurations when you could use all three types of Jordan Multiple Seating together.



For more information on how to specify Jordan Multiple Seating, please contact Customer Service directly at 1-888-578-5784.

# JORDAN | MULTIPLE SEATING - PRECONFIGURED UNITS

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
PCG21X2	47.75	27	34.25	18.5	26	20.5	19	72	28	3.2	1.8	2.8	1.35
PCP21X2	47.75	27	43.5	18.5	26	20.5	19	82	38	4.2	1.8	3.8	1.35
PCG21X3	70.5	27	34.25	18.5	26	20.5	19	103	41	4.8	2.7	4.2	1.8
PCP21X3	70.5	27	43.5	18.5	26	20.5	19	118	56	6.3	2.7	5.7	1.8
PCG24X2	53.75	27	34.25	18.5	26	23.5	19	79	31	3.8	1.8	2.8	1.35
PCP24X2	53.75	27	43.5	18.5	26	23.5	19	89	43	4.8	1.8	3.8	1.35
PCG24X3 PCP24X3	79.5 79.5	27 27	34.25 43.5	18.5 18.5	26 26	23.5 23.5	19 19	115 130	46 63	5.7 7.2	2.7 2.7	4.2 5.7	1.8 1.8

### CONTRASTING BACKS, SEATS & CLOSED ARMS

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

PRE-CONFIGURED MULTIPLE UNITS	SEAT	GUEST BACK	PATIENT BACK	CLOSED ARM PANEL	
PC21x2	1.8	2.8	3.8	1.35	
PC21x3	2.7	4.2	5.7	1.8	
PC24X2	1.8	2.8	3.8	1.35	
PC24X3	2.7	4.2	5.7	1.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating. Please refer to page 9 for C.O.M approval process.

### **ORDERING NOTES:**

### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Patient chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
30" - Removable Back Covers	99	-	
Kinetic Back option	83		

Patient backs are available on pre-configured units, please change the model number JOR2-PCG to JOR2-PCP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$412 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$555 list, Grade 8 \$555 list, Grade 8 \$555 list, Grade 9 \$656 list.

Three-Seater

### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Pre-configured - 350 lbs per seat

Jordan replacement parts can be viewed on-line at www.krug.ca

## JORDAN | MULTIPLE SEATING & TABLES PRE-CONFIGURED MULTIPLE UNITS

Two-Seater



FEATURES: For a complete list of features see page 31.

APPA

# JORDAN | MULTIPLE SEATING - PRECONFIGURED UNITS

# SIN 71-316

			COM		COL		ABRIC GRA		_	LEATHER	
DESCRIPTION/M		Species	1	2	3	4	5	6	7	8	9
$\frown$	2 Seat - 21" Open Arm	0									
CLA	JOR2-PCG21X2OPS	Beech	1484	1591	1698	1859	2019	2193	2367	2567	2928
6AH	JOR2-PCG21X2OPS	Maple	1585	1692	1799	1959	2133	2313	2487	2688	3062
PPT -	21" Open Arm Urethar	ne Cap Pre-o	configured U	nit, Guest E	lacks						
U	JOR2PCG21X2OPU	Beech	1630	1736	1843	2004	2165	2338	2513	2713	3074
	JOR2PCG21X2OPU	Maple	1731	1838	1945	2106	2279	2459	2633	2833	3207
	2 Seat - 21" Closed Ar	m Pre-confi	gured Unit, (	Guest Backs	3						
$\frown$	JOR2-PCG21X2CLS	Beech	1612	1719	1826	1986	2147	2321	2494	2695	3056
<u>C</u> b	JOR2-PCG21X2CLS	Maple	1712	1819	1926	2087	2261	2441	2614	2815	3190
h a h											
EP-1	2 Seat - 21" Closed Ar	m Urethane	Cap Pre-co	nfigured Un	it, Guest Ba	icks					
<b>/</b> / / · ·	JOR2-PCG21X2CLU	Beech	1757	1864	1971	2132	2292	2466	2640	2841	3202
	JOR2-PCG21X2CLU	Maple	1859	1966	2073	2233	2407	2586	2761	2961	3335
	3 Seat - 21" Open Arm	n Pre-configi	ured Unit, G	uest Backs							
	JOR2-PCG21X3OPS	Beech	2206	2367	2527	2762	3015	3262	3537	3844	4386
	JOR2-PCG21X3OPS	Maple	2360	2527	2688	2928	3195	3484	3771	4045	4586
	3 Seat - 21" Open Arm	n Urethane C	Cap Pre-cont	figured Unit	, Guest Bac	ks					
U U	JOR2-PCG21X3OPU	Beech	2400	2561	2721	2956	3210	3457	3732	4040	4580
	JOR2-PCG21X3OPU	Maple	2554	2721	2882	3122	3390	3678	3965	4240	4780
	3 Seat - 21" Closed A		, ,								
Th	JOR2-PCG21X3CLS	Beech	2376	2537	2697	2932	3186	3432	3708	4015	4556
LHAH	JOR2-PCG21X3CLS	Maple	2530	2697	2858	3098	3366	3654	3940	4215	4756
RAN		0 0	с I								
	21" Closed Arm Ureth		0			0107	0000	0007	0000	1000	1751
- U -	JOR2-PCG21X3CLU	Beech	2571	2731	2892	3127	3380	3627	3902	4209	4751
	JOR2-PCG21X3CLU	Maple	2725	2892	3052	3293	3560	3849	4135	4410	4950
ORDERING NOT	ES:										

**ORDERING NOTES:** 

Ē

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on pre-configured units, please change the model number JOR2-PCG to JOR2-PCP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$555 list, Grade 8 \$555 list, Grade 8 \$555 list, Grade 9 \$656 list.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	PC Pre-configured Multiple Unit	G Guest Back	21X2	OPS Open Arm
			P Patient Back	21X3	OPU Open Arm Urethane Arm Cap
				24X2	CLS Closed Arm
				24X3	CLU Closed Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - PRECONFIGURED UNITS SIN 71-316

DESCRIPTION/MODEL		Species	COM 1	2	COL 3	FAI 4	BRIC GRAI	DES 6	ا 7	EATHER 8	9
	2 Seat - 24" Open Arn	n Pre-configu	ured Unit, G	Guest Backs	;						
$\frown$	JOR2-PCG24X2OPS	Beech	1538	1645	1752	1912	2073	2260	2420	2621	2981
Chh	JOR2-PCG24X2OPS	Maple	1652	1758	1865	2026	2201	2380	2553	2754	3129
	24" Open Arm Urethane Cap Pre-configured Unit, Guest Backs										
	JOR2-PCG24X2OPU		1684	1790	1897	2058	2218	2406	2566	2766	3128
U	JOR2-PCG24X2OPU	Maple	1798	1905	2012	2172	2346	2526	2700	2901	3274
	2 Seat - 24" Closed Ar	m Pre-config	gured Unit,	Guest Back	S						
Th	JOR2-PCG24X2CLS	Beech	1665	1772	1879	2040	2201	2387	2548	2749	3109
66A	JOR2-PCG24X2CLS	Maple	1779	1886	1993	2154	2327	2507	2681	2882	3257
	24" Closed Arm Urethane Cap Pre-configured Unit, Guest Backs										
u u	JOR2-PCG24X2CLU	Beech	1811	1918	2025	2185	2346	2534	2693	2894	3255
	JOR2-PCG24X2CLU	Maple	1925	2032	2139	2300	2474	2654	2827	3027	3402
	3 Seat - 24" Open Arm	Pre-configu	red Linit G	uest Backs							
_	JOR2-PCG24X3OPS I	0	2287	2446	2607	2842	3096	3343	3617	3925	4466
Th	JOR2-PCG24X3OPS I		2454	2621	2782	3022	3289	3578	3864	4152	4680
AS 1	24" Open Arm Urethar	ne Cap Pre-o	configured	Unit, Guest	Backs						
	JOR2-PCG24X3OPU	Beech	2481	2642	2801	3036	3290	3537	3811	4119	4660
U	JOR2-PCG24X3OPU	Maple	2648	2815	2976	3216	3484	3772	4058	4347	4874
	3 Seat - 24" Closed A	una Dua acusti	au wa al Lincit	Quest Deal	<i>(</i> 2						
	JOR2-PCG24X3CLS E		2456	2617	2777	3012	3266	3513	3787	4095	4636
	JOR2-PCG24X3CLS I		2456 2624	2017	2951	3012	3266 3460	3513	4034	4095 4322	4636 4850
Th	00112-F0024A30L3 P	viaple	2024	2130	2901	0192	5400	5141	4004	4022	4000
6640	24" Closed Arm Urethane Cap Pre-configured Unit, Guest Backs										
	JOR2-PCG24X3CLU	Beech	2652	2811	2972	3206	3461	3708	3982	4289	4830
	JOR2-PCG24X3CLU	Maple	2819	2986	3145	3387	3654	3941	4229	4517	5044

#### **ORDERING NOTES:**

A drawing showing the configuration of the multiple seating and tables is required with each purchase order. Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on pre-configured units, please change the model number JOR2-PCG to JOR2-PCP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$595 list, Grade 9 \$656 list.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	PC Pre-configured Multiple Unit	G Guest Back	21X2	OPS Open Arm
			P Patient Back	21X3	OPU Open Arm Urethane Arm Cap
				24X2	CLS Closed Arm
				24X3	CLU Closed Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - START, CENTER & END UNITS

# **DIMENSIONS & COM REQUIREMENTS**

# JORDAN MULTIPLE START UNITS

	Overall Width	_	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel (1 Arm) Yardage	COM Fabric Closed Arm Panel (2 Arms) Yardage
SG21	25	27	34.25	18.5	26	20.5	19	42	14	1.6	0.9	1.4	0.45	0.9
SP21	25	27	43.5	18.5	26	20.5	19	47	17	2.2	0.9	1.9	0.45	0.9
SG24	28	27	34.25	18.5	26	23.5	19	46	19	1.6	0.9	1.4	0.45	0.9
SP24	28	27	43.5	18.5	26	23.5	19	51	22	2.2	0.9	1.9	0.45	0.9
SG30	34	27	34.25	18.5	26	29.5	19	52	20	2.7	0.9	1.6	0.45	0.9
SP30	34	27	43.5	18.5	26	29.5	19	59	28	3.1	0.9	2.21	0.45	0.9
SG44	48	27	34.25	18.5	26	43.5	19	69	28	2.7	0.9	1.6	0.45	0.9

### JORDAN MULTIPLE CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
CG21	22.75	27	34.25	18.5	26	20.5	19	40	14	1.6	0.9	1.4	0.45
CP21	22.75	27	43.5	18.5	26	20.6	19	42	17	2.2	0.9	1.9	0.45
CG24	25.75	27	34.25	18.5	26	23.5	19	45	19	1.6	0.9	1.4	0.45
CP24	25.75	27	43.5	18.5	26	23.5	19	46	22	2.2	0.9	1.9	0.45
CG30	31.75	27	34.25	18.5	26	29.5	19	50	20	2.7	0.9	1.6	0.45
CP30	31.75	27	43.5	18.5	26	29.5	19	54	28	3.1	0.9	2.21	0.45
CG44	45.75	27	34.25	18.5	26	43.5	19	69	28	2.7	0.9	1.6	0.45

# JORDAN MULTIPLE END UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
EG21	22.75	27	34.25	18.5	26	20.5	19	40	14	1.6	0.9	1.4	0.45
EP21	22.75	27	43.5	18.5	26	20.5	19	42	17	2.2	0.9	1.9	0.45
EG24	25.75	27	34.25	18.5	26	23.5	19	45	19	1.6	0.9	1.4	0.45
EP24	25.75	27	43.5	18.5	26	23.5	19	46	22	2.2	0.9	1.9	0.45
EG30	31.75	27	34.25	18.5	26	29.5	19	50	20	2.7	0.9	1.6	0.45
EP30	31.75	27	43.5	18.5	26	29.5	19	54	28	3.1	0.9	2.21	0.45
EG44	45.75	27	34.25	18.5	26	43.5	19	69	28	2.7	0.9	1.6	0.45

When ordering more than one Start, Center or End unit, please refer to page 33 for COM yardage requirements for guest chairs or page 50 for COM yardage requirements for patient chairs.

#### ORDERING NOTES:

### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on multiple units, please change the model number JOR2-SG to JOR2-SP, JOR2-CG to JOR2-CP, JOR2-EG to JOR2-EP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$555 list, Grade 9 \$656 list.

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Multiple Seating & Pre-configured - 350 lbs per seat

Jordan replacement parts can be viewed on-line at www.krug.ca

#### FEATURES:

For a complete list of features see page 31.

### JORDAN | MULTIPLE SEATING & TABLES START, CENTER, & END MULTIPLE UNITS

Center Unit







End Unit

. . . .

- - - -

. . . .

- - - -

# **JORDAN** | MULTIPLE SEATING - START, CENTER & END UNITS SIN 71-316

SIN / 1-310			СОМ		COL	FAI	BRIC GRAD	FS		LEATHER	
DESCRIPTION/M	ODEL	Species	1	2	3	4	5	6	7	8	9
Start	21" Open Arm Sta	art Unit. Guest Ba	ck								
	JOR2-SG210PS	Beech	816	876	936	1023	1117	1211	1310	1424	1625
	JOR2-SG210PS	Maple	876	936	997	1083	1184	1291	1398	1497	1698
	00112 0021010	mapro	0.0					.201			
	21" Open Arm Ure	ethane Cap Start	Unit. Gue	st Back							
	JOR2-SG21OPU	Beech	913	974	1033	1121	1214	1308	1408	1521	1722
	JOR2-SG210PU	Maple	974	1033	1094	1181	1281	1388	1495	1594	1795
		•									
$\square$	21" Closed Arm S	start Unit, Guest E	lack								
	JOR2-SG21CLS	Beech	901	961	1021	1108	1202	1295	1396	1509	1710
	JOR2-SG21CLS	Maple	961	1021	1082	1169	1269	1376	1483	1582	1783
UU	21" Closed Arm L	Irothana Can Star	+ Unit Cu	aat Baak							
	JOR2-SG21CLU	Beech	998	1058	1118	1206	1300	1392	1493	1607	1807
	JOR2-SG21CLU	Maple	998 1058	1118	1179	1200	1366	1473	1493	1680	1881
	JUR2-5G21CLU	wapie	1056	1110	11/9	1200	1300	1473	1990	1000	1001
$\overline{\qquad}$	21" Closed Arm /	Open Center Arm	Start Un	it, Guest Ba	ack						
4 4	JOR2-SG21COS	Beech	857	918	979	1066	1160	1254	1353	1467	1668
	JOR2-SG21COS	Maple	918	979	1040	1126	1226	1333	1440	1540	1741
0 0	21" Closed Arm /	Open Center Arm	Urethane	e Cap Start	Unit, Guest	t Back					
	JOR2-SG21COU	Beech	956	1017	1076	1163	1257	1351	1450	1564	1765
	JOR2-SG21COU	Maple	1017	1076	1137	1223	1324	1431	1538	1637	1838
	24" Open Arm Sta	art Unit. Guest Ba	ck								
4 4	JOR2-SG24OPS	Beech	837	896	957	1043	1137	1230	1331	1444	1645
	JOR2-SG24OPS	Maple	903	962	1023	1110	1211	1317	1424	1525	1724
V	24" Open Arm Ure	othana Can Start	Linit Cuo	ot Book							
	JOR2-SG24OPU	Beech	934	993	1054	1140	1234	1327	1428	1541	1742
	JOR2-SG24OPU	Maple	1000	1060	1121	1207	1308	1414	1521	1622	1822
	0.4" Cleased Arms C	Nort Linit Ouast F	laali								
4 4	24" Closed Arm S JOR2-SG24CLS	Beech	922	981	1042	1128	1222	1315	1416	1529	1730
	JOR2-SG24CLS	Maple	988	1047	1108	1195	1295	1402	1509	1610	1810
	24" Closed Arm L				1100	1005	1010	1110	4544	1000	1007
	JOR2-SG24CLU JOR2-SG24CLU	Beech Maple	1019 1086	1078 1146	1139 1206	1225 1292	1319 1392	1412 1499	1514 1607	1626 1707	1827 1907
	JON2-30240E0	Maple	1000	1140	1200	1232	1002	1433	1007	1707	1307
	24" Closed Arm /										
	JOR2-SG24COS	Beech	879	938	999	1086	1179	1272	1374	1486	1687
	JOR2-SG24COS	Maple	946	1005	1066	1152	1254	1360	1467	1567	1767
U U	24" Closed Arm /	Open Center Arm	Urethane	e Cap Start	Unit, Guest	t Back					
	JOR2-SG24COU	Beech	976	1035	1096	1183	1277	1370	1471	1584	1784
	JOR2-SG24COU	Maple	1043	1103	1163	1249	1351	1458	1564	1664	1864

Please see page 89 for Ordering Notes and Yardage requirements.

PRODUCT	CODE KEY				
Line	Series	Chair Type	Back Type	Size	Arm Type
JOR	2	S	G	21	OPS
Jordan	Chair	Start Unit Multiple Seating	Guest Back		Open Arm
			P	24	OPU
			Patient Back		Open Arm
			(21" & 24" only)		Urethane Arm Cap
				30	CLS
					Closed Arm
				44	CLU
					Closed Arm
					Urethane Arm Cap
					COS
					Closed Start Arm/ Open Center Arm
					COU
					Closed Start Arm/ Open Center Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - START, CENTER & END UNITS

SIN	71-316
-----	--------

DESCRIPTION/MOD	DESCRIPTION/MODEL		COM COM Species 1 2		COL 3	FA 4	BRIC GRA 5	DES 6	7	LEATHER 8	9
	30" Open Arm Sta JOR2-SG30OPS	rt Unit, Guest E Beech	ack 1090	1197	1291	1451	1612	1772	1933	2094	2347
	JOR2-SG300PS	Maple	1171	1278	1385	1545	1706	1865	2026	2186	2441
	30" Open Arm Ure										
	JOR2-SG30OPU JOR2-SG30OPU	Beech Maple	1187 1268	1294 1375	1388 1482	1549 1642	1709 1803	1870 1964	2030 2123	2191 2284	2444 2538
	30" Closed Arm St	art Unit, Guest	Back								
	JOR2-SG30CLS JOR2-SG30CLS	Beech Maple	1175 1256	1282 1363	1376 1470	1537 1630	1697 1790	1858 1951	2018 2111	2179 2272	2432 2526
	30" Closed Arm U	rethane Cap St	art Unit, Gue	est Back							
	JOR2-SG30CLU JOR2-SG30CLU	Beech Maple	1272 1353	1379 1460	1473 1567	1634 1728	1794 1887	1955 2048	2115 2208	2276 2369	2529 2623
	30" Closed Arm/O										
	JOR2-SG30COS JOR2-SG30COS	Beech Maple	1133 1213	1240 1320	1333 1427	1494 1588	1655 1747	1815 1908	1976 2068	2136 2229	2390 2483
V V s	30" Closed Arm/O	pen Center Arn	n Urethane (	Cap Start U	Init, Guest I	Back					
	JOR2-SG30COU JOR2-SG30COU	Beech Maple	1230 1310	1337 1418	1431 1525	1591 1685	1752 1846	1912 2005	2073 2166	2233 2326	2487 2581
	14" Open Arm Sta	rt Unit, Guest E	Back								
	JOR2-SG44OPS JOR2-SG44OPS	Beech Maple	1304 1403	1438 1538	1551 1658	1739 1852	1933 2046	2126 2240	2321 2433	2514 2621	2815 2928
	14" Open Arm Ure	thane Cap Star	t Unit, Gues	t Back							
	JOR2-SG44OPU JOR2-SG44OPU	Beech Maple	1401 1502	1535 1635	1648 1755	1836 1949	2030 2143	2223 2337	2418 2530	2611 2718	2913 3025
	14" Closed Arm St	art Unit, Guest	Back								
	JOR2-SG44CLS JOR2-SG44CLS	Beech Maple	1389 1489	1523 1623	1636 1743	1824 1937	2018 2131	2211 2325	2406 2518	2599 2706	2901 3013
	14" Closed Arm U	rethane Cap St	art Unit, Gue	est Back							
	JOR2-SG44CLU JOR2-SG44CLU	Beech Maple	1486 1587	1621 1720	1733 1840	1921 2035	2115 2228	2309 2422	2503 2616	2696 2803	2998 3110
	14" Closed Arm/O	pen Center Arn	n Start Unit,	Guest Bac	k						
	JOR2-SG44COS JOR2-SG44COS	Beech Maple	1347 1446	1481 1580	1593 1700	1781 1895	1976 2088	2169 2282	2363 2476	2557 2664	2858 2971
	14" Closed Arm/O						0070	0000	0.400	0054	0055
	JOR2-SG44COU JOR2-SG44COU	Beech Maple	1444 1544	1578 1677	1691 1798	1878 1992	2073 2185	2266 2380	2460 2573	2654 2760	2955 3068

Please see page 89 for **Ordering Notes** and **Yardage** requirements.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	S Start Unit Multiple Seating	G Guest Back	21	OPS Open Arm
			P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Cap
					COS Closed Start Arm/ Open Center Arm
					COU Closed Start Arm/ Open Center Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - START, CENTER & END UNITS SIN 71-316

SIN / 1-316												
			COM		COL		RIC GRADI			LEATHER		
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9	
Center	21" Open Arm Center	r Unit, Guest	Back									
$\frown$	JOR2-CG210PS	Beech	735	796	856	944	1036	1130	1230	1344	1545	
	JOR2-CG210PS	Maple	789	856	916	1003	1104	1211	1317	1418	1617	
	21" Open Arm Uretha	ane Cap Cen	ter Unit, G	uest Back								
	JOR2-CG210PU	Beech	784	845	904	992	1086	1179	1279	1392	1593	
	JOR2-CG210PU	Maple	838	904	965	1052	1152	1259	1366	1466	1667	
	21" Closed Arm Cent			000	000	000	1070	1170	1070	1007	1500	
l fi	JOR2-CG21CLS	Beech	778	839	899	986	1079	1173	1272	1387	1588	
	JOR2-CG21CLS	Maple	831	899	959	1045	1147	1254	1360	1460	1660	
	21" Closed Arm Uret	ano Can Co	ntor   Init	Guest Back	,							
	JOR2-CG21CLU	Beech	827	888	947	1034	1128	1222	1321	1435	1636	
	JOR2-CG21CLU	Maple	880	947	1008	1094	1195	1302	1409	1508	1709	
		mapic	000	170	1000	1004	1100	1002	1700	1000	1700	
	24" Open Arm Center	r Unit, Guest	Back									
	JOR2-CG24OPS	Beech	756	816	876	962	1056	1149	1250	1364	1564	
	JOR2-CG24OPS	Maple	822	882	944	1030	1130	1230	1344	1444	1645	
ŭ	24" Open Arm Uretha		,									
	JOR2-CG24OPU	Beech	805	864	925	1011	1105	1198	1300	1412	1613	
	JOR2-CG24OPU	Maple	871	932	992	1078	1179	1279	1392	1493	1693	
	24" Closed Arm Cent	or Unit Guo	st Back									
A	JOR2-CG24CLS	Beech	798	858	918	1005	1099	1193	1293	1407	1607	
	JOR2-CG24CLS	Maple	865	925	986	1072	1173	1272	1387	1486	1687	
	BOTHE BOLE TOLE	mapio	000	020	000	TOTE	1170	1212	1001	1100	1001	
u	24" Closed Arm Uretl	hane Cap Ce	enter Unit,	Guest Back	(							
	JOR2-CG24CLU	Beech	847	906	968	1054	1148	1241	1342	1455	1656	
	JOR2-CG24CLU	Maple	914	974	1034	1121	1222	1321	1435	1535	1735	
	30" Open Arm Center	r Unit, Guest	Back									
Ē	JOR2-CG30OPS	Beech	1010	1117	1211	1372	1531	1692	1852	2013	2267	
	JOR2-CG30OPS	Maple	1090	1197	1304	1465	1625	1786	1946	2107	2360	
	30" Open Arm Uretha			uest Back								
	JOR2-CG30OPU	Beech	1058	1165	1259	1420	1580	1741	1901	2062	2315	
	JOR2-CG30OPU	Maple	1139	1246	1353	1514	1674	1835	1994	2155	2409	
	001101											
	30" Closed Arm Cent			1100	1051	1110	4574	1701	1005	0055	0010	
	JOR2-CG30CLS	Beech	1053	1160	1254	1413	1574	1734	1895	2055	2310	
	JOR2-CG30CLS	Maple	1133	1240	1347	1507	1668	1828	1989	2149	2403	
V	20" Closed Amerilia		ntor Linit	Cuppt Da-I	,							
	30" Closed Arm Uret					1460	1600	1700	1044	0104	0050	
	JOR2-CG30CLU	Beech	1101	1208	1302	1462	1623	1783	1944	2104	2358	
	JOR2-CG30CLU	Maple	1182	1289	1396	1556	1717	1876	2037	2197	2452	

Please see page 89 for Ordering Notes and Yardage requirements.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR	2	С	G	21	OPS
Jordan	Chair	Center Unit Multiple Seating	Guest Back		Open Arm
			P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS
					Closed Arm
				44	CLU
					Closed Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - START, CENTER & END UNITS

										SIN / 1-3
		COM		COL		RIC GRADE			LEATHER	
	Species	1	2	3	4	5	6	7	8	9
44" Open Arm Cente	er Unit, Gues	st Back								
JOR2-CG440PS	Beech	1224	1357	1471	1658	1852	2046	2240	2433	2735
JOR2-CG44OPS	Maple	1324	1458	1578	1772	1966	2160	2353	2540	2847
	Beech					1901			2482	2784
JOR2-CG44OPU	Maple	1373	1506	1626	1821	2014	2208	2402	2589	2896
44" Closed Arm Cor	ator Unit Gu	ost Back								
			1400	1511	1700	1005	2000	0000	0476	2777
										2891
JURZ-CG44CLS	wapie	1300	1499	1021	1015	2008	2203	2390	2003	2091
44" Closed Arm Lire	thane Can (	enter I Init	Guest Ba	ck						
					1749	1944	2137	2332	2525	2826
										2939
30112-0044020	Maple	1415	1040	1003	1000	2000	2201	2444	2002	2303
21" Open Arm End I	Unit Guest F	Back								
			796	856	944	1036	1130	1230	1344	1545
										1617
CONE EGETOR O	mapio	100	000	010	1000	1101	1211	1017	1110	1011
21" Open Arm Ureth	nane Cap En	d Unit, Gu	est Back							
JOR2-EG210PU	Beech	784	845	904	992	1086	1179	1279	1392	1593
JOR2-EG210PU	Maple	838	904	965	1052	1152	1259	1366	1466	1667
	,									
										1588
JOR2-EG21CLS	Maple	831	899	959	1045	1147	1254	1360	1460	1660
21" Closed Arm Ure	thane Cap E	nd Unit. G	iuest Back							
			888		1034	1128	1222	1321	1435	1636
JOR2-EG21CLU	Maple	880	947	1008	1094	1195	1302	1409	1508	1709
										1564
JOR2-EG24OPS	Maple	822	882	944	1030	1130	1230	1344	1444	1645
04" Open Arm Ureth	ana Can En	d Unit Cu	oot Book							
				025	1011	1105	1108	1200	1/10	1613
										1693
	Mapic	0/1	502	552	1070	1175	1210	1002	1450	1000
24" Closed Arm Enc	d Unit, Guest	Back								
JOR2-EG24CLS	Beech	798	858	918	1005	1099	1193	1293	1407	1607
JOR2-EG24CLS	Maple	865	925	986	1072	1173	1272	1387	1486	1687
	-		. –							
JOR2-EG24CLU	Beech	847	906	968	1054	1148	1241	1342	1455	1656
JOR2-EG24CLU	Maple	914	974	1034	1121	1222	1321	1435	1535	1735
		Deels								
30" Open Arm End l			1117	1011	1070	1501	1600	1050	0010	0067
30" Open Arm End I JOR2-EG30OPS	Beech	1010	1117	1211	1372	1531	1692	1852	2013	2267
30" Open Arm End l			1117 1197	1211 1304	1372 1465	1531 1625	1692 1786	1852 1946	2013 2107	2267 2360
30" Open Arm End I JOR2-EG30OPS JOR2-EG30OPS	Beech Maple	1010 1090	1197							
30" Open Arm End I JOR2-EG30OPS	Beech Maple	1010 1090	1197							
	44" Open Arm Cent JOR2-CG44OPS JOR2-CG44OPS 44" Open Arm Ureth JOR2-CG44OPU JOR2-CG44OPU 44" Closed Arm Cen JOR2-CG44CLS JOR2-CG44CLS 44" Closed Arm Ureth JOR2-CG44CLU JOR2-CG44CLU JOR2-CG44CLU 21" Open Arm End JOR2-EG21OPS 21" Open Arm Ureth JOR2-EG21OPU JOR2-EG21CLS JOR2-EG21CLS JOR2-EG21CLS 21" Closed Arm End JOR2-EG21CLU JOR2-EG21CLU JOR2-EG21CLU JOR2-EG21CLU JOR2-EG21CLU JOR2-EG21CLU 24" Open Arm Ureth JOR2-EG24OPS JOR2-EG24OPU 24" Closed Arm End JOR2-EG24OPU 24" Closed Arm End JOR2-EG24OPU	44" Open Arm Center Unit, Guest         JOR2-CG44OPS       Beech         JOR2-CG44OPS       Maple         44" Open Arm Urethane Cap Ce       JOR2-CG44OPU         JOR2-CG44OPU       Beech         JOR2-CG44OPU       Beech         JOR2-CG44OPU       Maple         44" Closed Arm Center Unit, Gu         JOR2-CG44CLS       Beech         JOR2-CG44CLS       Maple         44" Closed Arm Urethane Cap Ce         JOR2-CG44CLU       Beech         JOR2-CG44CLU       Beech         JOR2-CG44CLU       Beech         JOR2-CG44CLU       Beech         JOR2-CG44CLU       Beech         JOR2-CG44CLU       Maple         21" Open Arm End Unit, Guest E       JOR2-EG21OPS         JOR2-EG21OPS       Beech         JOR2-EG21OPU       Beech         JOR2-EG21CLS       Beech         JOR2-EG21CLS       Beech         JOR2-EG21CLS       Beech         JOR2-EG21CLU       Beech         JOR2-EG21CLU       Beech         JOR2-EG21CLU       Beech         JOR2-EG24CPS       Beech         JOR2-EG24OPS       Beech         JOR2-EG24OPU       Beech         JOR	Species144" Open Arm Center Unit, Guest Back JOR2-CG44OPSBeech1224JOR2-CG44OPSMaple132444" Open Arm Urethane Cap Center Unit, JOR2-CG44OPUBeech1272JOR2-CG44OPUBeech1272JOR2-CG44OPUMaple137344" Closed Arm Center Unit, Guest Back JOR2-CG44CLSBeech1267JOR2-CG44CLSBeech136644" Closed Arm Urethane Cap Center Unit JOR2-CG44CLUBeech1315JOR2-CG44CLUBeech1315JOR2-CG44CLUBeech1315JOR2-CG44CLUBeech1315JOR2-CG44CLUBeech735JOR2-EG21OPSBeech78921" Open Arm End Unit, Guest Back JOR2-EG21OPUBeech784JOR2-EG21OPUBeech784JOR2-EG21OPUBeech778JOR2-EG21CLSBeech778JOR2-EG21CLSBeech778JOR2-EG21CLUBeech827JOR2-EG21CLUBeech827JOR2-EG21CLUBeech756JOR2-EG21CLUBeech756JOR2-EG21CLUBeech82024" Open Arm End Unit, Guest Back JOR2-EG24OPS865JOR2-EG24OPSBeech756JOR2-EG24OPUBeech805JOR2-EG24OPUBeech805JOR2-EG24CLSBeech798JOR2-EG24CLSBeech798JOR2-EG24CLSBeech798JOR2-EG24CLSMaple865	Species         1         2           44" Open Arm Center Unit, Guest Back JOR2-CG44OPS         Beech         1224         1357           JOR2-CG44OPS         Maple         1324         1458           44" Open Arm Urethane Cap Center Unit, Guest Back JOR2-CG44OPU         Beech         1272         1407           JOR2-CG44OPU         Beech         1272         1407           JOR2-CG44OPU         Maple         1373         1506           44" Closed Arm Center Unit, Guest Back         JOR2-CG44CLS         Beech         1267         1400           JOR2-CG44CLS         Beech         1315         1449         1476           JOR2-CG44CLU         Beech         1315         1449         1415         1549           JOR2-CG44CLU         Beech         1315         1449         1415         1549           JOR2-EG21OPS         Beech         735         796         796         796         784         845           JOR2-EG21OPS         Maple         789         856         1415         1549         1415         1549           21" Open Arm Urethane Cap End Unit, Guest Back         JOR2-EG21OPU         Maple         838         904           21" Closed Arm End Unit, Guest Back         JOR2-EG21CLU	Species         1         2         3           44" Open Arm Center Unit, Guest Back         JOR2-CG440PS         Beech         1224         1357         1471           JOR2-CG440PS         Maple         1324         1458         1578           44" Open Arm Urethane Cap Center Unit, Guest Back         JOR2-CG440PU         Beech         1272         1407         1519           JOR2-CG440PU         Maple         1373         1506         1626           44" Closed Arm Center Unit, Guest Back         JOR2-CG44CLS         Beech         1267         1400         1514           JOR2-CG44CLS         Beech         1267         1400         1514         JOR2-CG44CLU         Maple         1366         1499         1621           JOR2-CG44CLU         Beech         1315         1449         1562         JOR2-CG44CLU         Maple         1415         1549         1669           21" Open Arm End Unit, Guest Back         JOR2-EG21OPS         Beech         735         796         856         916           21" Open Arm Ind Unit, Guest Back         JOR2-EG21OPU         Maple         838         904         965           21" Closed Arm Ind Unit, Guest Back         JOR2-EG21CLS         Beech         778         839	Species123444" Open Arm Center Unit, Guest BackJOR2-CG440PSBeech1224135714711658JOR2-CG440PSMaple132414581578177244" Open Arm Urethare Cap Center Unit, Guest BackJOR2-CG440PUBeech1272140715191707JOR2-CG440PUBeech1272140715191707JOR2-CG440PUMaple137315061626182144" Closed Arm Center Unit, Guest BackJOR2-CG44CLSBeech1267140015141700JOR2-CG44CLSMaple136614991621181544" Closed Arm Urethare Cap Center Unit, Guest BackJOR2-CG44CLUBeech1315144915621749JOR2-CG44CLUBeech13151449156217491003100321" Open Arm End Unit, Guest BackJOR2-EG21OPSBeech735796856944JOR2-EG21OPUBeech784845904992105221" Open Arm Urethare Cap End Unit, Guest BackJOR2-EG21CLSBeech778839899986JOR2-EG21CLSBeech778839899986105221" Closed Arm Intertare Cap End Unit, Guest BackJOR2-EG21CLUBeech8278889471034JOR2-EG21CLUBeech82788894710341094JOR2-EG24OPSBeech756816876962JOR2-EG24OPSBee	Species         1         2         3         4         5           44" Open Arm Center Unit, Guest Back JOR2-CG44OPS         Beech         1224         1357         1471         1658         1852           JOR2-CG44OPS         Maple         1324         1458         1578         1772         1966           44" Open Arm Urethane Cap Center Unit, Guest Back JOR2-CG44OPU         Beech         1272         1407         1519         1707         1901           JOR2-CG44OPU         Beech         1272         1407         1519         1707         1901           JOR2-CG44OPU         Beech         1267         1400         1514         1700         1895           JOR2-CG44CLS         Beech         1267         1409         1621         1815         2008           44" Closed Arm Urethane Cap Center Unit, Guest Back         JOR2-CG44CLU         Maple         1315         1449         1562         1749         1944           JOR2-CG44CLU         Maple         1415         1549         1669         1863         2056           21" Open Arm End Unit, Guest Back         JOR2-EG21OPS         Maple         789         856         916         1003         1104           21" Open Arm Urethane Cap End Unit, Guest	Species         1         2         3         4         5         6           44" Open Arm Center Unit, Guest Back JOR2-CG44OPS         Beech         1224         1357         1471         1658         1852         2046           JOR2-CG44OPS         Maple         1324         1458         1578         1772         1966         2160           44" Open Arm Urethane Cap Center Unit, Guest Back JOR2-CG44OPU         Beech         1272         1407         1519         1707         1901         2095           JOR2-CG44OPU         Beech         1272         1407         1519         1707         1891         2008           44" Closed Arm Center Unit, Guest Back         JOR2-CG44CLS         Beech         1267         1400         1514         1700         1895         2088           JOR2-CG44CLU         Beech         1315         1449         1662         1749         1944         2137           JOR2-CG44CLU         Beech         1315         1449         1669         1863         2056         2251           21" Open Arm End Unit, Guest Back         JOR2-EG21OPS         Beech         735         796         856         944         1036         1130           JOR2-EG21OPU         Beech	Species         1         2         3         4         5         6         7           44" Open Arm Center Unit, Guest Back JOR2-CG440PS         Beech         1224         1357         1471         1658         1852         2046         2353           44" Open Arm Urethane Cap Center Unit, Guest Back JOR2-CG440PU         Beech         1272         1407         1519         1707         1901         2095         2289           JOR2-CG440PU         Maple         1373         1506         1626         1821         2014         2208         2402           44" Closed Arm Center Unit, Guest Back JOR2-CG44CLS         Maple         1366         1499         1621         1815         2008         2282         2396           44" Closed Arm Urethane Cap Center Unit, Guest Back JOR2-CG44CLU         Beech         1315         1449         1562         1749         1944         2137         2332           JOR2-CG44CLU         Beech         735         796         856         944         1036         1130         1230           JOR2-EG210PS         Maple         789         856         916         1003         1104         1211         1317           21" Open Arm End Unit, Guest Back JOR2-EG210PU         Maple         838 <td>Species12345678<math>44^{n}</math> Open Arm Center Unit, Guest Back JOR2-CG44OPSMaple13241357147116581852204622402433JOR2-CG44OPSBeech12241357147116581852204622402433JOR2-CG44OPUBeech12721407151917071901209522892482JOR2-CG44OPUMaple13731506162618212014200824022589JOR2-CG44OLVMaple137315061626182120142008220323962583JOR2-CG44CLSMaple12671400151417001895208822822476JOR2-CG44CLJMaple13661499162118152008220323962583JOR2-CG44CLUMaple13151449156217491944213723322525JOR2-CG44CLUMaple13151449156217491944121113171441JOR2-CG44CLUMaple7357968569441036113012301344JOR2-CG21OPSBeech73579685694410361147121113171418JOR2-CG21OPUMaple8389049651052115212591366146621" Closed Arm UrethaneCap End Unit, Guest BackJOR2-EG21CLSM</td>	Species12345678 $44^{n}$ Open Arm Center Unit, Guest Back JOR2-CG44OPSMaple13241357147116581852204622402433JOR2-CG44OPSBeech12241357147116581852204622402433JOR2-CG44OPUBeech12721407151917071901209522892482JOR2-CG44OPUMaple13731506162618212014200824022589JOR2-CG44OLVMaple137315061626182120142008220323962583JOR2-CG44CLSMaple12671400151417001895208822822476JOR2-CG44CLJMaple13661499162118152008220323962583JOR2-CG44CLUMaple13151449156217491944213723322525JOR2-CG44CLUMaple13151449156217491944121113171441JOR2-CG44CLUMaple7357968569441036113012301344JOR2-CG21OPSBeech73579685694410361147121113171418JOR2-CG21OPUMaple8389049651052115212591366146621" Closed Arm UrethaneCap End Unit, Guest BackJOR2-EG21CLSM

Please see page 89 for Ordering Notes and Yardage requirements.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR	2	C	G	21	OPS
Jordan	Chair	Center Unit Multiple Seating	Guest Back		Open Arm
		E	P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Cap

# **JORDAN** | MULTIPLE SEATING - START, CENTER & END UNITS SIN 71-316

			COM		COL	FABI	RIC GRADE	S		LEATHER	
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9
	30" Closed Arm Er	nd Unit, Gue	st Back								
l h	JOR2-EG30CLS	Beech	1053	1160	1254	1413	1574	1734	1895	2055	2310
	JOR2-EG30CLS	Maple	1133	1240	1347	1507	1668	1828	1989	2149	2403
	30" Closed Arm Ur	ethane Cap	End Unit	, Guest Bac	k						
	JOR2-EG30CLU	Beech	1101	1208	1302	1462	1623	1783	1944	2104	2358
	JOR2-EG30CLU	Maple	1182	1289	1396	1556	1717	1876	2037	2197	2452
	44" Open Arm End	I Unit, Guest	Back								
l fi	JOR2-EG44OPS	Beech	1224	1357	1471	1658	1852	2046	2240	2433	2735
	JOR2-EG44OPS	Maple	1324	1458	1578	1772	1966	2160	2353	2540	2848
l	44" Open Arm Ure	thane Cap E	ind Unit,	Guest Back							
	JOR2-EG44OPU	Beech	1272	1407	1519	1707	1901	2095	2289	2482	2784
	JOR2-EG44OPU	Maple	1373	1506	1626	1821	2014	2208	2402	2589	2896
	44" Closed Arm Er	nd Unit, Gue	st Back								
h	JOR2-EG44CLS	Beech	1267	1400	1514	1700	1895	2088	2282	2476	2777
	JOR2-EG44CLS	Maple	1366	1499	1621	1815	2008	2203	2396	2583	2891
	44" Closed Arm Ur	rethane Cap	End Unit	, Guest Bac	k						
	JOR2-EG44CLU	Beech	1315	1449	1562	1749	1944	2137	2332	2525	2826
	JOR2-EG44CLU	Maple	1415	1549	1669	1863	2056	2251	2444	2632	2939

Please see page 89 for **Ordering Notes** and **Yardage** requirements.

Line	Series	Chair Type	Back Type	Size	Arm Type
JOR Jordan	2 Chair	E End Unit Multiple Seating	G Guest Back	21	OPS Open Arm
		With the Seating	P Patient Back (21" & 24" only)	24	OPU Open Arm Urethane Arm Cap
				30	CLS Closed Arm
				44	CLU Closed Arm Urethane Arm Cap

# **DIMENSIONS & COM REQUIREMENTS**

### UNIT WITH NO CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage	COM Fabric Closed Arm Panel Yardage
PCFG21X2A	46.5	27	34.25	18.5	26	42	19	70	28	3.2	1.8	2.8	0.9
PCFP21X2A	46.5	27	43.5	18.5	26	42	19	80	37	4.2	1.8	3.8	0.9
PCFG21X3A	68	27	34.25	18.5	26	63.5	19	99	40	4.8	2.7	4.2	0.9
PCFP21X3A	68	27	43.5	18.5	26	63.5	19	114	54	6.3	2.7	5.7	0.9
PCFG24X2A	52.5	27	34.25	18.5	26	48	19	77	30	3.8	1.8	2.8	0.9
PCFP24X2A	52.5	27	43.5	18.5	26	48	19	87	42	4.8	1.8	3.8	0.9
PCFG24X3A	77	27	34.25	18.5	26	72.5	19	111	45	5.7	2.7	4.2	0.9
PCFP24X3A	77	27	43.5	18.5	26	72.5	19	126	61	7.2	2.7	5.7	0.9

### UNIT WITH CENTER ARM

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Seat & Back Yardage	COM Fabric Seat Yardage	COM Fabric Back Yardage
PCFG21X2B	47.5	27	34.5	18.5	26	20.5	19	73	28	3.2	1.8	2.4
PCFP21X2B	47.5	27	43.5	18.5	26	20.5	19	83	38	4.2	1.8	3.8
PCFG21X3B	70.5	27	34.5	18.5	26	20.5	19	105	40	4.8	2.7	3.8
PCFP21X3B	70.5	27	43.5	18.5	26	20.5	19	120	56	6.3	2.7	5.7
PCFG24X2B	53.5	27	34.5	18.5	26	23.5	19	80	30	3.8	1.8	2.4
PCFP24X2B	53.5	27	43.5	18.5	26	23.5	19	90	43	4.8	1.8	3.8
PCFG24X3B	79.5	27	34.5	18.5	26	23.5	19	117	45	5.7	2.7	3.8
PCFP24X3B	79.5	27	43.5	18.5	26	23.5	19	132	63	7.2	2.7	5.7

### UNIT WITH CENTER ARM (CONTINUED), GUEST AND PATIENT BACKS

Unit With Center Arm (Continued)	COM Fabric Closed Arm Panels ( 2 Arms)	COM Fabric Closed Arm Panels ( 3 Arms)	COM Fabric Closed Arm Panels ( 4 Arms)	
PCF21X2B	0.9	1.35		
PCF21X3B	0.9		1.8	
PCF24X2B	0.9	1.35		
PCF24X3B	0.9		1.8	

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order. For Maharam or Momentum,

Krug will obtain the fabric sample.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

#### **ORDERING NOTES:**

# A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

### WEIGHT CAPACITIES

Jordan weight capacities are as follows: 2-Seat Freespan - 525 lbs per unit 3-Seat Freespan = 750 lbs per unit

Jordan replacement parts can be viewed on-line at www.krug.ca

# JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITHOUT CENTER ARMS

SIN	71	-316
-----	----	------

		COM		COL		BRIC GRA			LEATHER	
DESCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
21" Pre-Configu	ured Freespan Unit -	Open Arm	2 Seater, G	luest Back						
JOR2-PCFG21	X2AOPS Beech	1403	1510	1617	1778	1938	2112	2287	2487	2848
JOR2-PCFG212	X2AOPS Maple	1505	1612	1719	1879	2053	2233	2407	2607	2981
21" Pre-Configu	ured Freespan Unit -	Open Arm	Urethane C	Cap 2 Seate	er, Guest Ba	ck				
JOR2-PCFG212	X2AOPU Beech	1502	1609	1715	1875	2036	2209	2384	2584	2945
JOR2-PCFG212	X2AOPU Maple	1602	1709	1816	1977	2150	2330	2504	2704	3079
21" Pre-Configu	ured Freespan Unit -	Closed Arr	n 2 Seater,	Guest Bac	k					
JOR2-PCFG21	X2ACLS Beech	1489	1596	1703	1863	2024	2197	2371	2572	2933
JOR2-PCFG212	X2ACLS Maple	1590	1697	1804	1965	2138	2317	2492	2692	3067
I I 21" Pre-Configured Freespan Unit - Closed Arm Urethane Cap 2 Seater, Guest Back										
JOR2-PCFG21		1587	1693	1800	1960	2121	2295	2469	2669	3031
JOR2-PCFG212	X2ACLU Maple	1687	1794	1901	2062	2235	2416	2589	2789	3164
21" Pre-Config	ured Freespan Unit -	Open Arm	3 Seater. G	uest Backs	3					
JOR2-PCFG21		2046	2206	2367	2601	2855	3102	3377	3685	4225
JOR2-PCFG21	X3AOPS Maple	2201	2367	2527	2767	3035	3323	3610	3885	4425
21" Pre-Configu	ured Freespan Unit -	Open Arm	Urethane C	Cap 3 Seate	er, Guest Ba	cks				
JOR2-PCFG212	X3AOPU Beech	2143	2303	2464	2699	2953	3199	3474	3782	4322
JOR2-PCFG212	X3AOPU Maple	2298	2464	2624	2865	3132	3420	3708	3982	4522
21" Pre-Configu	ured Freespan Unit -	Closed Arr	n 3 Seater,	Guest Bac	ks					
JOR2-PCFG21	X3ACLS Beech	2131	2291	2452	2687	2940	3187	3462	3769	4310
JOR2-PCFG212	X3ACLS Maple	2285	2452	2612	2853	3120	3408	3696	3970	4510
21" Pre-Configu	ured Freespan Unit -	Closed Arr	n Urethane	Cap 3 Sea	iter, Guest B	acks				
JOR2-PCFG212	X3ACLU Beech	2228	2388	2549	2784	3037	3284	3559	3866	4408
JOR2-PCFG212	X3ACLU Maple	2383	2549	2709	2950	3217	3506	3793	4067	4608

### **ORDERING NOTES:**

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on multiple units, please change the model number JOR2-SG to JOR2-SP, JOR2-CG to JOR2-CP, JOR2-EG to JOR2-EP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$595 list, Grade 9 \$656 list.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
JOR	2	PCF	G	21X2	A	OPS
Jordan	Chair	Pre-Configured Freespan Multiple Unit	Guest Back		Unit with no Center Arm	Open Arm
			Р	21X3	В	OPU
			Patient Back		Unit with Center Arm	Open Arm Urethane Arm Cap
				24X2		CLS
						Closed Arm
				24X3		CLU Closed Arm
						Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITHOUT CENTER ARMS

		CO			COL		BRIC GRAD		_	LEATHER	
DESCRIPTION/MO	ODEL	Species	1	2	3	4	5	6	7	8	9
$\overline{}$	24" Pre-Configured Frees	span Unit -	Open Arm	2 Seater, 0	Guest Back	s					
e l e	JOR2-PCFG24X2AOPS	Beech	1458	1564	1671	1831	1992	2180	2340	2540	2902
	JOR2-PCFG24X2AOPS	Maple	1572	1679	1786	1946	2120	2300	2474	2675	3048
	24" Pre-Configured Frees	span Unit -	Open Arm	Urethane	Cap 2 Seat	er, Guest B	acks				
	JOR2-PCFG24X2AOPU	Beech	1555	1661	1768	1929	2089	2277	2438	2637	2999
	JOR2-PCFG24X2AOPU	Maple	1669	1776	1883	2043	2217	2397	2571	2772	3145
	24" Pre-Configured Freespan Unit - Closed Arm 2 Seater, Guest Backs										
	JOR2-PCFG24X2ACLS	Beech	1542	1649	1756	1917	2077	2265	2424	2625	2987
	JOR2-PCFG24X2ACLS	Maple	1657	1764	1871	2031	2205	2385	2559	2760	3133
U U											
	24" Pre-Configured Frees	span Unit -	Closed Ar	m Urethan	e Cap 2 Sea	ater, Guest	Backs				
	JOR2-PCFG24X2ACLU	Beech	1639	1746	1853	2014	2174	2362	2523	2723	3084
	JOR2-PCFG24X2ACLU	Maple	1754	1861	1968	2128	2302	2482	2656	2857	3230
	24" Pre-Configured Frees	span Unit -	Open Arm	3 Seater, 0	Guest Back	s					
	JOR2-PCFG24X3AOPS	Beech	2126	2287	2446	2681	2936	3182	3457	3764	4305
	JOR2-PCFG24X3AOPS	Maple	2293	2460	2621	2861	3129	3417	3703	3992	4519
	24" Pre-Configured Frees	span Unit -	Open Arm	Urethane	Cap 3 Seat	er, Guest B	acks				
	JOR2-PCFG24X3AOPU	Beech	2223	2384	2545	2778	3033	3280	3554	3862	4402
	JOR2-PCFG24X3AOPU	Maple	2391	2558	2718	2958	3226	3514	3801	4089	4616
	24" Pre-Configured Frees	span Unit -	Closed Ar	m 3 Seater	, Guest Bac	ks					
	JOR2-PCFG24X3ACLS	Beech	2211	2371	2532	2766	3021	3268	3542	3850	4390
	JOR2-PCFG24X3ACLS	Maple	2379	2546	2706	2946	3214	3502	3788	4077	4604
┝╴╺╋╸╴╺╋╸╶╸╸	1										
l	24" Pre-Configured Frees	span Unit -	Closed Ar	m Urethan	e Cap 3 Sea	ater, Guest	Backs				
	JOR2-PCFG24X3ACLU	Beech	2309	2469	2629	2863	3118	3365	3639	3947	4487
	JOR2-PCFG24X3ACLU	Maple	2476	2643	2803	3044	3311	3600	3886	4174	4701
		•									

#### **ORDERING NOTES:**

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on multiple units, please change the model number JOR2-SG to JOR2-SP, JOR2-CG to JOR2-CP, JOR2-EG to JOR2-EP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$595 list, Grade 9 \$656 list.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
JOR Jordan	2 Chair	PCF Pre-Configured Freespan Multiple Unit	G Guest Back	21X2	A Unit with no Center Arm	OPS Open Arm
			P Patient Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm Cap
				24X2		CLS Closed Arm
				24X3		CLU Closed Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

		COM		COL		BRIC GRAI			LEATHER	-
SCRIPTION/MODEL	Species	1	2	3	4	5	6	7	8	9
21" Pre-Configured Free	espan Cente	r Arm Unit	t - Open Ar	m 2 Seater,	Guest Back	<s< td=""><td></td><td></td><td></td><td></td></s<>				
JOR2-PCFG21X2BOPS	Beech	1458	1564	1671	1831	1992	2166	2340	2540	2902
JOR2-PCFG21X2BOPS	Maple	1558	1665	1772	1933	2017	2287	2460	2660	3035
21" Pre-Configured Free	•									
JOR2-PCFG21X2BOPU		1603	1710	1817	1978	2138	2312	2486	2687	3047
JOR2-PCFG21X2BOPU	Maple	1704	1811	1918	2078	2252	2432	2606	2807	2181
21" Pre-Configured Free	espan Cente	r Arm Unit	t - Closed /	Arm 2 Seate	er, Guest Ba	cks				
JOR2-PCFG21X2BCLS	Beech	1585	1692	1799	1959	2120	2293	2467	2668	3029
JOR2-PCFG21X2BCLS	Maple	1686	1793	1900	2061	2234	2414	2588	2788	3163
V V										
21" Pre-Configured Free					•	,				
JOR2-PCFG21X2BCLU		1731	1838	1945	2106	2266	2440	2613	2814	3175
JOR2-PCFG21X2BCLU	Maple	1831	1938	2046	2206	2380	2560	2734	2934	3309
21" Pre-Configured Free	espan Cente	r Arm Unit	t - Open Ar	m 3 Seater,	Guest Back	ks				
JOR2-PCFG21X3BOPS	Beech	2153	2313	2474	2708	2962	3209	3484	3792	4332
JOR2-PCFG21X3BOPS	Maple	2308	2474	2634	2874	3142	3430	3717	3992	4532
	_									
21" Pre-Configured Free										
JOR2-PCFG21X3BOPU		2347	2507	2668	2903	3156	3403	3678	3986	4527
JOR2-PCFG21X3BOPU	Maple	2502	2668	2829	3069	3336	3625	3912	4186	4728
21" Pre-Configured Free	espan Cente	r Arm Unit	t - Closed /	Arm 3 Seate	er, Guest Ba	cks				
JOR2-PCFG21X3BCLS	Beech	2323	2483	2644	2879	3132	3379	3654	3961	4503
JOR2-PCFG21X3BCLS	Maple	2477	2644	2804	3045	3312	3601	3887	4162	4703
U										
21" Pre-Configured Free						,				
JOR2-PCFG21X3BCLU	Beech	2517	2678	2838	3073	3327	3573	3849	4155	4697
JOR2-PCFG21X3BCLU	Maple	2671	2838	2999	3239	3507	3795	4081	4356	4897

#### **ORDERING NOTES:**

#### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on multiple units, please change the model number JOR2-SG to JOR2-SP, JOR2-CG to JOR2-CP, JOR2-EG to JOR2-EP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$595 list, Grade 9 \$656 list.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
JOR Jordan	2 Chair	PCF Pre-Configured Freespan Multiple Unit	G Guest Back	21X2	A Unit with no Center Arm	OPS Open Arm
			P Patient Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm Cap
				24X2		CLS Closed Arm
				24X3		CLU Closed Arm Urethane Arm Cap

# JORDAN | MULTIPLE SEATING - FREESPAN UNITS WITH CENTER ARMS

SIN	71-316
-----	--------

DESCRIPTION/MODEL	Specie	COM s 1	2	COL 3	FAE 4	BRIC GRADE	S 6	7	LEATHER 8	9
24" Pre-Co	onfigured Freespan Cen	ter Arm Unit	- Open Ar	m 2 Seater,	Guest Bac	ks				
JOR2-PCF	G24X2BOPS Beech	1510	1617	1724	1885	2046	2233	2394	2594	2955
JOR2-PCF	G24X2BOPS Maple	1625	1732	1839	2000	2173	2353	2527	2728	3102
24" Pre-Co	24" Pre-Configured Freespan Center Arm Unit - Open Arm Urethane Cap 2 Seater, Guest Backs									
U U	G24X2BOPU Beech	1657	1764	1871	2031 2023	2192	2379	2539	2740	3100
	G24X2BOPU Maple	1771	1878	1985	2145	2320	2499	2672	2873	3248
		1771	10/0	1000	2140	2020	2400	2012	2010	
24" Pre-Co	24" Pre-Configured Freespan Center Arm Unit - Closed Arm 2 Seater, Guest Backs									
JOR2-PCF	G24X2BCLS Beech	1638	1745	1852	2013	2173	2360	2521	2721	3083
JOR2-PCF	G24X2BCLS Maple	1753	1860	1967	2127	2301	2481	2655	2855	3229
24" Pro Co	onfigured Freespan Cen	tor Arm Linit	Closed	Arm Urothon		ator Cuart	Paaka			
	G24X2BCLU Beech	1784	1891	1999	2159 2 36	2320	2506	2667	2868	3228
	G24X2BCLU Beech G24X2BCLU Maple	1899	2005	2112	2139	2320	2627	2800	3001	3376
		1000	2000	2112	2210	2440	2021	2000	0001	0070
24" Pre-Co	onfigured Freespan Cen	ter Arm Unit	- Open Ar	m 3 Seater,	Guest Bac	ks				
JOR2-PCF	G24X3BOPS Beech	2233	2394	2553	2788	3043	3289	3564	3871	4412
JOR2-PCF	G24X3BOPS Maple	2400	2567	2728	2968	3236	3524	3810	4099	4626
	<i>«</i>		<b>•</b> •							
	onfigured Freespan Cen					,		0750	4000	4000
	G24X3BOPU Beech G24X3BOPU Maple	2428	2588	2749	2983	3237	3484	3758	4066	4606 4821
JOR2-PCF	G24X3BOPU Maple	2595	2762	2922	3163	3430	3719	4005	4293	4821
24" Pre-Co	onfigured Freespan Cen	ter Arm Unit	- Closed /	Arm 3 Seater	, Guest Ba	icks				
JOR2-PCF	G24X3BCLS Beech	2403	2563	2724	2958	3213	3460	3734	4042	4582
JOR2-PCF	G24X3BCLS Maple	2571	2738	2897	3139	3406	3693	3981	4269	4796
	onfigured Freespan Cen									
	G24X3BCLU Beech	2597	2758	2918	3153	3407	3654	3928	4236	4777
JOR2-PCF	G24X3BCLU Maple	2765	2932	3093	3333	3601	3889	4175	4463	4991
ORDERING NOTES:										
A drawing showing the co Combination upholstery								products Wh	en combina	ation unholsten/
is with upholstery of the sar										

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" - Removeable Patient Back Covers	61
Removable Seat Covers	61	30" - Removeable Patient Back Covers	99
21" & 24" - Removeable Guest Back Covers	39	21" & 24" Cleanable Under-seat Splashguard	28
30" - Removable Guest Back Covers	61	30" Cleanable Under-seat Splashguard	33
Designer White -D354SL Solid Surface Arm Cap	165	Kinetic Back option	83

Patient backs are available on multiple units, please change the model number JOR2-SG to JOR2-SP, JOR2-CG to JOR2-CP, JOR2-EG to JOR2-EP and add the following upcharges per back: 21" Chairs Grade 1 \$187 list, Grade 2 \$221 list, Grade 3 \$254 list, Grade 4 \$331 list, Grade 5 \$397 list, Grade 6 \$441 list, Grade 7 \$496 list, Grade 8 \$551 list, Grade 9 \$606 list. 24" Chairs Grade 1 \$198 list, Grade 2 \$237 list, Grade 3 \$268 list, Grade 4 \$353 list, Grade 5 \$419 list, Grade 6 \$474 list, Grade 7 \$529 list, Grade 8 \$595 list, Grade 9 \$656 list.

Line	Series	Chair Type	Back Type	Size	Unit Style	Arm Type
JOR Jordan	2 Chair	PCF Pre-Configured Freespan Multiple Unit	G Guest Back	21X2	A Unit with no Center Arm	OPS Open Arm
			P Patient Back	21X3	B Unit with Center Arm	OPU Open Arm Urethane Arm Cap
				24X2		CLS Closed Arm
				24X3		CLU Closed Arm Urethane Arm Cap

# EASY ACCESS & STOOLS

# KARMA

- 101 Karma LEED Credit Summary
- 102 Karma Easy Access
- 103 Karma Counter Stool

# SOLIS

- 104 Solis LEED Credit Summary
- 105 Solis Dimensions & COM
- Requirements | Easy Access Chair
- 105 Solis Easy Access Chair

# JORDAN

- 106 Jordan LEED Credit Summary
- 107 Jordan Dimensions & COM
- Requirements | Easy Access Chair
- 108 Jordan Easy Access Chair

# KARMA | LEED CI CREDIT SUMMARY

	MATERIAL CONTENT:	PRE-CONSUMER RECYCLED CONTENT = 5.51% POST-CONSUMER RECYCLED CONTENT = 24.98% Up to 73.47% of this Karma product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

AIR-EMISSIONS

All Karma products are supplied with air-emissions certified materials. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FSC<sup>®</sup> Certification:

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe, veneer and substrate material)
 (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# KARMA


# KARMA | EASY ACCESS CHAIR & COUNTER STOOL SIN 71-316

			COM		COL	FAE	BRIC GR	ADES		LEATHE	R
Description	Model	Species	1	2	3	4	5	6	7	8	9
	18.5" Leg F	rame, Matte Black o	or Silver Metal	lic - Full	y Upholst	ered, wi	th Arm a	nd Stand	ard Dust	Cover	
	KAR218.5E		600	617	635	660	687	712	740	776	811
	18.5" Leg F KAR218.5E	Frame, Polished Chro	ome - Fully Uj 640	oholster 657	ed, with A 675	Arm and 700	Standaro 727	d Dust Co 752	over 780	815	850
	18.5" Leg F	rame, Matte Black o	Silver Metallic	- Uphol	stered Se	at & Woo	od back, v	with Arm	and Star	Idard Dus	st Cover
	KAR218.5E		616	626	634	647	616	673	687	705	723

18.5" Leg Frame, Polished Chrome	- Uphols	stered Se	at & Woo	d back,	with Arm	n and Star	ndard Du	ist Cover	
KAR218.5EC	656	666	674	686	701	713	727	745	763

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below. See page 15 for dimensions and COM requirements.

Karma Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Tamper Resistant Hardware (no shroud, fully uph)	25
Removable Seat Covers	50	Tamper Resistant Hardware (with shroud, fully uph)	60
Removable Back Covers	50	Tamper Resistant Hardware (no shroud, wood back)	60
Polymer Underseat Shroud 18.5"	32	Tamper Resistant Hardware (with shroud, wood back)	110
Polymer Underseat Shroud 22"	43	Tamper Resistant Arms (per chair)	25
Polymer Underseat Shroud 26"	55	Tamper Resistant Glides (4 legged chairs)	25
Sled Base Matte Black or Silver Metallic	89	Non Accessible Staples	60
(Tamper Resistant Glides)		Added Weight (to 45lbs total chair weight)	350
Sled Base Polished Chrome (Tamper Resistant Glides)	151		



KARMA | COUNTER STOOL

	SIN	71	-31	6
_				

										SIN 7	'1-316
			COM		COL	FAB	RIC GRA	DES	I	LEATHEF	{
Description	Model	Species	1	2	3	4	5	6	7	8	9
$\sim$	18.5" Lea F	Frame, Matte Black of	or Silver Metal	lic - Full	v Upholst	tered. No	Arm. wi	ith Standa	ard Dust	Cover	
	KAR218.50		447	465	482	506	535	559	587	622	657
	18.5" Lea F	Frame, Polished Chro	ome - Fullv U	pholster	ed. No A	rm. with	Standard	d Dust Co	over		
	KAR218.50		481	499	516	541	569	594	621	656	691
	18.5" Leg F Cover	Frame, Matte Black o	or Silver Metal	lic- Uph	olstered	Seat & W	ood bac	k, No Arn	n, with S	itandard I	Dust
	KAR218.50		469	479	487	500	514	526	541	559	577
	18.5" Leg F KAR218.50	Frame, Polished Chro	ome - Uphols 504	tered Se 513	eat & Woo 522	od back, 534	No Arm, 548	with Star 560	ndard Du 575	ust Cover 593	611
	18.5" Leg F KAR218.50	Frame, Matte Black o	or Silver Metal 472	lic - Fully 486	y Upholst 507	tered, Ta 532	upe Arm 559	, with Sta 584	Indard D 613	ust Cove 648	r 683
	18.5" Leg F KAR218.50	Frame, Polished Chro CC	ome - Fully U 506	pholster 523	ed, Taupe 541	e Arm, w 566	ith Stanc 594	lard Dust 618	Cover 647	682	717
	18.5" Leg F KAR218.50	rame, Matte Black or C	Silver Metallic 488	- Uphols 498	stered Sea 506	at & Wood 519	d back, w 533	vith Arm, v 545	with Stan 559	idard Dus 577	t Cover 595
	19 5"   09 [	Frame, Polished Chro	omo Unhola	torod Sc	at & Woo	nd back	with Arm	n with St	andard [	Just Cov	or
	KAR218.50		523	532	541 541	553	567	579	594	612	630
U											

**ORDERING NOTES**: When selecting Frame Color and Arm Style please see Product Code Key below. Karma chairs all include the Standard Dust Cover (select "D" below), for optional Polymer Shroud change "D" to "S" and add upcharge listed below. See page 15 for dimensions and COM requirements.

Line	Series	Frame Size	Frame Color	Style	Arm Style	Underseat Shroud
KAR	2	18.5L	В	U	AB	S
Karma	Stacking Chair	18.5"	Matte Black	Fully Upholstered	Black	Polymer Shroud
		22L	S	W	AG	D
		22"	Silver Metallic	Wood Back	Grey	Standard
		26L	С		AT	Dust Cover
		26"	Polished Chrome		Taupe	
		18.5S			NB	
		18.5" Sled Base			No Arm (Matte Black)	
		22S			NS	
		22" Sled Base			No Arm (Silver Metallic)	
		26S			NC	
		26" Sled Base			No Arm (Polished Chrome)	
		18.5E				
		18.5" Easy Access Chair				
	1	18.5C 18.5" Counter Height Stool				

# SOLIS | LEED CI CREDIT SUMMARY

# SOLIS

	MATERIAL CONTENT: 3% Fabric 3% Plywood 10% Cardboad 1% Rubber 1% Plastic 22% Urethane Foam 59% Steel	PRE-CONSUMER RECYCLED CONTENT = 15.28% POST-CONSUMER RECYCLED CONTENT = 21.71% Up to 45.76% of this Solis product is recyclable at the end of its useful life.
1 Y	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestr

AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

## **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FSC<sup>®</sup> Certification:

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material)
 (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

EN BURGON

# SOLIS | EASY ACCESS CHAIR SIN 71-316

# **DIMENSIONS & COM. REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat & Back	COM Yardage Seat	COM Yardage Back
UPHOLSTERED GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	51	16	1.6	0.9	1.6
24" Seat	28	30.75	40.5	24.5	32	23	20	55	18	1.6	0.9	1.6
MESH GUEST BACK												
21" Seat	25	30.75	40.5	24.5	32	20	20	49	16	-	0.9	-
24" Seat	28	30.75	40.5	24.5	32	23	20	52	18	-	0.9	-
UPHOLSTERED PATIENT BACK												
21" Seat	25	30.75	49.75	24.5	32	20	20	54	21	2.1	0.9	2.0
24" Seat	28	30.75	49.75	24.5	32	23	20	58	23	2.1	0.9	2.0
MESH PATI	ENT BACK											
21" Seat	25	30.75	49.75	24.5	32	20	20	50	21	-	0.9	-
24" Seat	28	30.75	49.75	24.5	32	23	20	53	23	-	0.9	-
Footrest height (All Models) 7.25"												

When ordering more than one Easy Access chair, for yardage requirements please refer to page 28 for Guest backs and page 47 for Patient backs.

			COM.		COL	FABRIC GRADES		LEATHER			
DESCRIPTION/M	ODEL	Arm Type	1	2	3	4	5	6	7	8	9
_	21" Guest, Open Ar	m, <b>Mesh Back</b>									
$\Box$	SOL2-HGM21OPU	Urethane	1018	1041	1064	1110	1157	1203	1249	1295	1367
	SOL2-HGM210PW	Beech	1106	1129	1152	1198	1245	1291	1337	1384	1455
	21" Guest, Open Ar		Pook								
	SOL2-HGU210PU	Urethane	1072	1110	1149	1226	1302	1379	1456	1532	1687
	SOL2-HGU210PW	Beech	1160	1198	1237	1314	1390	1467	1545	1621	1775
U -	OULE HOULTON	Becch	1100	1100	1201	1014	1000	1407	1040	1021	
24" Guest, Open Arm, Mesh Back											
	SOL2-HGM24OPU	Urethane	1039	1062	1085	1131	1177	1224	1270	1316	1388
	SOL2-HGM24OPW	Beech	1127	1150	1173	1219	1266	1312	1358	1405	1476
	24" Guest, Open Ar	m. Upholstered	Back								
	SOL2-HGU24OPU	Urethane	1094	1133	1172	1250	1330	1408	1485	1563	1721
	SOL2-HGU24OPW	Beech	1182	1222	1260	1338	1418	1496	1573	1652	1809
$\square$	21" Patient, Open A SOL2-HPM21OPU	urm, <b>Mesn Bac</b> i Urethane	к 1095	1118	1141	1187	1234	1280	1326	1373	1444
	SOL2-HPM210PU SOL2-HPM210PW	Beech	1183	1206	1229	1276	1234	1260	1326	1373	1532
		Deech	1100	1200	1223	1270	1022	1000	1415	1401	1002
	21" Patient, Open A	rm, Upholstere	d Back								
	SOL2-HPU210PU	Urethane	1152	1204	1255	1358	1460	1563	1666	1771	1976
	SOL2-HPU210PW	Beech	1240	1292	1343	1446	1548	1652	1754	1859	2064
	24" Patient, Open A			4450	1170	1010	1000	1010	1050	4 405	4 470
	SOL2-HPM24OPU SOL2-HPM24OPW	Urethane	1127 1215	1150 1238	1173 1261	1219 1308	1266 1354	1312 1400	1358 1446	1405 1493	1476 1564
	SOLZ-FIPIVIZ4OPW	Beech	1215	1230	1201	1300	1334	1400	1440	1493	1304
24" Patient, Open Arm, Upholstered Back											
	SOL2-HPU24OPU	Urethane	1186	1239	1292	1398	1504	1610	1715	1822	2034
	SOL2-HPU24OPW	Beech	1274	1327	1380	1486	1592	1698	1804	1911	2122
U											

### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Solis Easy Access chairs are available with **Removable Seat Covers** for an upcharge of **\$61 list** per chair. Solis Easy Access chairs are available with **Removable Back Covers** (upholstered backs only) for an upcharge of **\$39 list** per chair. Complete mesh backs (21"& 24") can be ordered and field replaced. 21" & 24" Easy Access Chairs are available with a **Cleanable Under-Seat Splashguard** for an upcharge of **\$28 list** per chair.

CAL 133 and Moisture Barriers are available for an upcharge of \$44 list per yard.

Maple Arms are available for an upcharge on beech pricing of \$55 list per arm. Wood Side Rails are available for an upcharge of \$88 list per chair in Beech or \$110 list in Maple.

The standard **Solis Frame Color** is Silver Metallic. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 4 for color selection and ordering quantities.

Line	Series	Chair Type	Style	Back Type	Size	Arm Type
SOL	2 Chair	H Easy Access	G Guest	U Upholstered Back	21	OPW Open Arm - Wood Cap
			P Patient	M Mesh	24	OPU Open Arm Urethane Arm Cap

## JORDAN | LEED CI CREDIT SUMMARY

### JORDAN

RZ	MATERIAL CONTENT:	<ul> <li>2% Steel Seat Springs</li> <li>6% Fabric</li> <li>9% Cardboard</li> <li>19% Steel</li> <li>29% Hardwood</li> <li>1% Aluminum</li> <li>17% Plywood</li> <li>18% Purethane Foam</li> </ul>	PRE-CONSUMER RECYCLED CONTENT = 6% POST-CONSUMER RECYCLED CONTENT = 13% Up to 28.7% of this Jordan product is recyclable at the end of its useful life.
	CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management		1-2 point(s)
CREDIT 3.3	Resource Reuse		1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.2	Recycled Content		1 point
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)		1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

**AIR-EMISSIONS** 

All Jordan products are supplied with air-emissions certified materials. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.



Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## JORDAN | EASY ACCESS CHAIR

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Footrest Height	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" Guest	25	28.25	40	24	32	6.75	20.5	19	49	21
24" Guest	28	28.25	40	24	32	6.75	23.5	19	53	21
21" Patien	nt 25	28.25	49.25	24	32	6.75	20.5	19	54	26
24" Patien	nt 28	28.25	49.25	24	32	6.75	23.5	19	58	26

#### **COM YARDAGES - Guest Easy Access Chair**

	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back
21" & 24" Guest - One Chair	0.9	1.4	1.6
21" & 24" Guest - Two Chairs	1.3	2.8	3.2
21" & 24" Guest - Three Chairs	2.2	4.2	4.8
21" & 24" Guest - Four Chairs	2.6	5.6	6.4

#### **COM YARDAGES - Patient Guest Easy Access Chair**

	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back
21" & 24" Patient - One Chair	0.9	1.9	2.2
21" & 24" Patient - Two Chairs	1.3	3.8	4.2
21" & 24" Patient - Three Chairs	2.2	5.7	6.3
21" & 24" Patient - Four Chairs	2.6	7.6	8.4

#### JORDAN | EASY ACCESS CHAIR

21" Guest

21" Patient



#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Patient Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	21" & 24" Cleanable Under-seat Splashguard	28
Patient chair - Removable Seat Covers	61	30" Cleanable Under-seat Splashguard	33
21" & 24" - Removeable Back Covers	61	Designer White -D354SL Solid Surface Arm Cap	165
30" - Removable Back Covers	99		
Kinetic Back option	83		

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Easy Access Chairs (21" & 24") - 350 lbs

Jordan replacement parts can be viewed on-line at www.krug.ca

#### FEATURES:

For a complete list of features see page 31.

## JORDAN | EASY ACCESS CHAIR

#### SIN 71-316

			COM		COL	FAB	RIC GRADES	3	LE	EATHER	
DESCRIPTION/MODE	EL	Species	1	2	3	4	5	6	7	8	9
_	21" Guest, Open A	Arm									
$\int$	JOR2-HG21OPS	Beech	1169	1202	1235	1306	1378	1450	1521	1593	1692
	JOR2-HG21OPS	Maple	1246	1279	1312	1384	1455	1527	1599	1670	1770
	24" Guest, Open A	Arm									
$\pi$	JOR2-HG24OPS	Beech	1207	1240	1273	1345	1417	1488	1560	1632	1731
	JOR2-HG24OPS	Maple	1279	1312	1345	1417	1488	1560	1632	1703	1803



	21" Patient, Open	Arm									
	JOR2-HP21OPS	Beech	1257	1317	1378	1499	1621	1742	1863	1985	2161
	JOR2-HP21OPS	Maple	1317	1378	1439	1560	1681	1803	1924	2045	2222
-1											
-											



	24" Patient, Open	Arm									
	JOR2-HP24OPS	Beech	1290	1351	1411	1532	1654	1775	1896	2018	2194
	JOR2-HP24OPS	Maple	1345	1406	1466	1588	1709	1830	1951	2073	2249
1											
-											

 DESCRIPTION/MODEL	Price
Metal Footrest Cap JOR2-RHFRC	55

#### ORDERING NOTES:

For **Urethane Arm Caps**, Please change the **"S"** in the model number to a **"U"** an add an upcharge of **\$94 list** per chair. Please see page 107 for **Ordering Notes** and **Yardage** requirements.

Line	Series	Chair Type	Size	Arm Type	
JOR	2 Chair	HG Easy Access Guest Chair	21	OPS Open Arm	
Jordan	Ghair	Easy Access Guest Chair			
		HP Easy Access Patient Chair	24	OPU Open Arm Urethane Arm Cap	

## LOUNGE SEATING

	LEYTON	1
110	Leyton LEED Credit Summary	1
111	Leyton Lounge Features	18
112	Leyton Lounge Options	19
113	Leyton Dimensions & COM	19
	Requirements   Moisture Barrier	
113	Leyton Option Upcharges	
114	Leyton Lounge	1
118	Leyton Replacement Components	1
	CRESSIDA	1
121	Cressida LEED Credit Summary	1
122	Cressida Lounge Features	
123	Cressida Dimensions & COM	
	Requirements   Lounge	1
124	Cressida Lounge	1
128	Cressida Accessories	1
129	Cressida Lounge Replacement	
	Components	

#### ZOLA

	ZOLA PRIVACY
	& Electrical
149	Zola Replacement Components
148	Zola Tablets
148	Zola Seatables
145	Zola Modular Curve
	Modular Curve
144	Components Zola Dimensions & COM Requirements
143	Zola Modular Replacement
142	Zola Modular Back & Arms
141	Zola Bariatric Modular
140	Zola Modular
	Requirements   Modular
139	Zola Modular Dimensions & COM
138	Zola Bariatric Lounge
138	Zola Lounge
	Lounge
137	Zola Dimensions & COM Requirements
136	Zola Seam Locations
134	Zola Lounge Features
133	Zola Sample Configuratio
132	Zola Reconfigurabilit
131	Zola LEED Credit Summary
	LOLA

- 150 Zola Privacy LEED Credit Summary
- 151 Zola Privacy Power
- 152 Zola Privacy Sample Configuration
- 154 Zola Privacy Features
- 155 Zola Privacy Options
- 156 Zola Privacy Dimensions & COM Requirements
- 160 Zola Privacy Pricing
- 164 Zola Privacy Side Panels
- 165 Zola Privacy Twin Seats

- 167 Zola Privacy Twin Seat Side Panels 168 Zola Privacy Curved 85 Zola Privacy Twin Curved
- 91 Zola Privacy Arms & Replacement Arms
- 92 Zola Privacy Replacement Components

#### JORDAN

50	Jordan LEED Credit Summary
51	Jordan Dimensions & COM
	Requirements   Lounge
52	Jordan Lounge Features
53	Jordan Lounge

#### CARLYLE

- 155 Carlyle LEED Credit Summary
- 56 Carlyle Lounge
- 156 Carlyle Dimensions & COM Requirements | Lounge

## LEYTON | LEED CI CREDIT SUMMARY

## LEYTON

	MATERIAL CONTENT:					
	1% Hardwood Veneer 9% Urethane Arm 6% Fabric 14% Plywood 8% Steel 9% Cardboard 53% Particle Board	PRE-CONSUMER RECYCLED CONTENT = 28.61% POST-CONSUMER RECYCLED CONTENT = 9.91% Up to 8.81% of this Leyton product is recyclable at the end of its useful life.				
	CONTRIBUTES TO					
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)				
CREDIT 3.3	Resource Reuse	1 point				
CREDIT 4.1	Recycled Content	1 point				
CREDIT 4.2	Recycled Content	1 point				
CREDIT 4.5	Low Emitting Materials,					
	Systems & Seating	1 point				
CREDIT 5.1	Regional Materials*	1 point				
CREDIT 7	Certified Wood 1 point (MUST BE REQUESTED)					

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

#### **AIR EMISSIONS**

All Leyton products are supplied air-emissions certified. Contact customer service for information and upcharges.



#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

The mark of responsible forestry



In addition, architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **LEYTON | FEATURES**

#### **ARM STYLE**

Leyton features four design styles Upholstered Armless, Upholstered Full Arm, Wood Surround Armless and Wood Surround Full Arm.



Upholstered Full Arm

**Upholstered Armless** 

#### BARIATRIC WEIGHT CAPACITIES

All Leyton seating feature Bariatric Weight capacities. One-Seat - 750lbs One & Half-Seat - 750lbs Two-Seat - 975lbs Three-Seat - 1200lbs Leyton has been tested to ANSI / BIFMA.

#### ANTI-MICROBIAL FINISH

Leyton Lounge & Tables wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

#### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.



Wood Surround Full Arm

Wood Surround Armless



#### LEGS

Leyton Lounge and Tables feature Polished Chrome structural steel legs with non-marring glides.



#### **REPLACEABLE COMPONENTS**

Leyton chairs are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Seats, backs, arms and frames are field replaceable, with the only exceptions being the Upholstered Armless, Upholstered Full Arm and Upholstered Front Panel as it is one piece.

## LEYTON | OPTIONS



#### **OPTIONS**

TABLET

#### Designer White -D354SL Solid Surface Arm Cap

Leyton Lounge Full Arm version is available with an optional Solid surface arm cap for an up charge of **\$263 list** per chair. The Solid Surface Arm Cap is field replaceable.

Leyton Solid Surface tablet can be specified left or right

as seated. The tablet can be used alone or with solid

surface arm cap and is 1/2" thick.



#### CUP HOLDER

Durable and convenient, Leyton lounge is available with a solid surface cup holder. Cup holder option can be specified left or right as seated, alone or integrated with solid surface arm cap. Outside diameter is 4" and inside bottom diameter is 3 1/4".



## PUSH BAR

This is an optional feature on Leyton One Seat lounge chairs, designed to assist caregiving staff in the movement and relocation of the chair. It is Silver Metallic in color and retractable for ease of use. The Push bar is field replaceable if necessary.



#### CASTERS

Optional on Leyton lounge chairs are four - 4" diameter soft wheel swivel locking casters, featuring a large, easy-access foot activation and release lever. The caster locks both directionally and rotationally, keeping the chair securely in place when locked. Note: lounge chairs with casters are not designed or intended as patient transport devices.

~	

#### **CLEAN OUT**

Leyton lounge seating models have an optional built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product. Clean Out option is available for an upcharge, see page 130.

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit. When graded-in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Please note the Upholstered Arm and front panel are one piece and must be specified in the same fabric.

#### REMOVABLE COVERS & REPLACEMENT COMPONENTS

Optional Removeable covers (with the exception of the Upholstered Armless, Upholstered Full Arm and Front panel) can be quickly installed on Leyton products that were originally ordered with the Removable cover option. Replacement covers (with the exception of the Upholstered Armless, Full Upholstered Arm and front panel) can also be installed on Leyton products that were not originally ordered with the Removable cover option, with some simple staple removal. Please see page 130 for Removable covers upcharge.

#### **CAL 133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge, please see page 130.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# LEYTON | DIMENSIONS, COM REQUIREMENTS, MOISTURE BARRIER & OPTION UPCHARGES

DIMENSIONS	Overall Width	Overall Depth	Overall Height	Seat Height min/max	Height of Arms from	Width between	Seat	Shipping	
					Floor	Arms	Depth	Weight	Cube
LEY31UF	28.5	29.25	31	17.75	26.25	23.25	19.25	82	18.5
LEY31.5UF	35.5	29.25	31	17.75	26.25	30.25	19.25	107	25.2
LEY32UF	52	29.25	31	17.75	26.25	47	19.25	131	32.5
LEY33UF	75.75	29.25	31	17.75	26.25	70.5	19.25	179	46.5
LEY31UN	28.5	29.25	31	17.75	n/a	23.25	19.25	78	18.5
LEY31.5UN	35.5	29.25	31	17.75	n/a	30.25	19.25	103	25.2
LEY32UN	52	29.25	31	17.75	n/a	47	19.25	127	32.5
LEY33UN	75.75	29.25	31	17.75	n/a	70.5	19.25	175	46.5
LEY31WF	28.25	29.25	31	17.75	26.25	23.75	19.25	79	18.5
LEY31.5WF	35.25	29.25	31	17.75	26.25	30.25	19.25	104	25.2
LEY32WF	51.75	29.25	31	17.75	26.25	47.25	19.25	128	32.5
LEY33WF	75.5	29.25	31	17.75	26.25	71	19.25	176	46.5
LEY31WN	28.25	29.25	31	17.75	n/a	23.75	19.25	75	18.5
LEY31.5WN	35.25	29.25	31	17.75	n/a	30.25	19.25	100	25.2
LEY32WN	51.75	29.25	31	17.75	n/a	47.25	19.25	124	32.5
LEY33WN	75.5	29.25	31	17.75	n/a	71	19.25	172	46.5

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

#### COM YARDAGE REQUIREMENTS

	Fully	Wood				Armless		Full body	
	Upholstered (Complete Unit)	Surround (Seat and Back only)	Seat Cushion only (Wood or Full Uph)	Back Cushion only (Wood or Full Uph)	Full Arm & front panel (Pair)	panel & front panel (pair)	Back Panel only	with arm, Front panel & Back panel	
One-Seat - O	ne Chair								
Armless	3.75	1.6	0.9	0.8		1.75	.75	2.5	
Full Arm	4.6	1.6	0.9	0.8	2.6		.75	3.35	
One & Half-Se	eat - One Chair								
Armless	5.2	2.3	1.3	1		2.1	.75	2.85	
Full Arm	5.7	2.3	1.3	1	2.6		.75	3.35	
Two-Seat - O	ne Chair								
Armless	5.7	3	1.5	1.5		2	.75	2.75	
Full Arm	6.3	3	1.5	1.5	2.6		.75	3.35	
Three-Seat -	One Chair								
Armless	8	4.6	2.4	2.2		2.3	1.5	3.8	
Full Arm	8.7	4.6	2.4	2.2	3		1.5	4.5	

#### COM APPROVAL PROCESS:

The approval process is as follows:

1. A sample of the COM fabric must be provided to Krug Customer Service prior to or at time of order.

2. The sample will be reviewed and the customer advised if the fabric is unsuitable.

3. The COM fabric will be inspected when received at the factory to identify any further concerns with its suitability.

#### **CAL 133 MOISTURE BARRIER**

Model	Upcharge	Model	Upcharge	Model	Upcharge	Model	Upcharge
LEY31UN	\$256	LEY32UN	\$356	LEY31.5UN	\$332	LEY33UN	\$565
LEY31UF	206	LEY32UF	304	LEY31.5UF	268	LEY33UF	516
LEY31WN	94	LEY32WN	145	LEY31.5WN	122	LEY33WN	319
LEY31WF	94	LEY32WF	145	LEY31.5WF	122	LEY33WF	319

Leyton Option Upcharges	\$ List	Seat & Back Cover Upcharges	\$ List
Solid Surface Arm Cap	263	One-Seat Removable Seat Covers	105
One-Seat Clean out	32	One & Half-Seat Removable Seat Covers	147
One & Half-Seat Clean out	47	Two-Seat Removable Seat Covers	210
Two-Seat Clean out	63	Three-Seat Removable Seat Cover	315
Three-Seat Clean out	95	Seat or Back Cover only Upcharges	
Solid surface tablet & arm cap	675	One-Seat	53
Solid surface tablet	425	One & Half-Seat	74
Casters	125	Two-Seat	105
Casters with Pushbar	325	Three-Seat	158
Cup Holder (each)	137		
Solid surface arm cap (pair) with cup holder	283		


## LEYTON

#### SIN 711-16

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAB 4	RIC GRA 5	ADES 6	7	LEATHEI 8	R 9
	One-seat, Uph LEY31NUN	olstered, Armless N/A	1433	1523	1607	1727	1869	1990	2126	2300	2473
	One-seat, Uph LEY31NUF	olstered, Full Arm N/A	1523	1670	1806	2006	2231	2431	2657	2935	3224
		<b>OTE:</b> Leyton Loun hair and add an "S									
	One-seat, Woo LEY31NPN LEY31NWN	d Surround, Armle Palette Oak, Maple Walnut,	ess 1775 1775	1811 1811	1853 1853	1906 1906	1964 1964	2016 2016	2074 2074	2153 2153	2226 2226
		Cherry, Anigre Sycamore,	2142	2179	2221	2273	2331	2384	2441	2520	2594
•	ORDERING N units per speci	OTE: Please note es.	Cherry, A	Anigre an	d Sycam	ore speci	es requir	e a minim	num quar	ntity order	<sup>.</sup> of 5
	One-seat, Woo LEY31NPF LEY31NWF	od Surround, Full A Palette Oak, Maple Walnut, Palette	rm 1759 1759	1796 1796	1832 1832	1885 1885	1945 1945	2000 2000	2058 2058	2132 2132	2205 2205
		Cherry, Anigre Sycamore,	2126	2163	2200	2252	2312	2368	2426	2499	2573
ų	\$263 list per c	<b>OTE:</b> Leyton Loun hair and add an "S herry, Anigre and S	s" to the	end of th	e model	number f	ollowing	the Arm S	Style. eg.	LEY31N	UF <u>S</u>

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 112 for additional Leyton options.

#### LEYTON LOUNGE PRODUCT CODE KEY



## LEYTON

SIN 711-16


										SIN	/11-16
			COM		COL	FAB	RIC GRAI	DES	L	EATHER	ł
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One & Half-sea LEY31.5NUN	at, Upholstered, A N/A	rmless 1841	1968	2095	2273	2477	2655	2859	3113	3368
	One & Half-sea LEY31.5NUF	at, Upholstered, Fi N/A	ull Arm 1933	2060	2187	2366	2569	2748	2952	3206	3461
$\downarrow$	<b>Ordering Note:</b> Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of <b>\$263 list</b> per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF <u>S</u>										
	One & Half-sea	at, Wood Surround	d Armless	s							
	LEY31.5NPN LEY31.5NWN	Palette Oak, Maple Walnut, Palette	2109 2109	2178 2178	2246 2246	2340 2340	2449 2449	2544 2544	2652 2652	2788 2788	2924 2924
		Cherry, Anigre Sycamore	2476	2543	2611	2706	2815	2910	3019	3154	3290
	<b>Ordering Note:</b> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.										
	One & Half-sea	at, Wood Surround	d Full Arm	1		0004	0.400	0507			



One & Half-seat, Wood Surround Full Arm										
LEY31.5NPF	Palette	2093	2161	2229	2324	2432	2527	2636	2771	2907
LEY31.5NWF	Oak, Maple	2093	2161	2229	2324	2432	2527	2636	2771	2907
	Walnut, Palette									
	Cherry, Anigre	2460	2526	2595	2689	2798	2893	3002	3137	3273
	Sycamore									

**Ordering Note:** Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of **\$263 list** per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUF<u>S</u> Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 112 for additional Leyton options.



SIN /11-16		СОМ		COL	FAB	RIC GRA	DES	LEATHER		
DESCRIPTION/MODE	L SPECIES	1	2	3	4	5	6	7	8	9
	Two-seat, Upholstered, Armless LEY32NUN N/A	2300	2431	2557	2735	2935	3119	3318	3575	3827
	Two-seat, Upholstered, Full Arm LEY32NUF N/A	2394	2567	2741	2982	3260	3502	3780	4127	4473

Ordering Note: Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of \$263 list per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS

Two-seat, Woo	d Surround Armle	SSS								
LEY32NPN	Palette	2510	2578	2651	2746	2861	2961	3071	3213	3350
LEY32NPN LEY32NWN	Oak, Maple Walnut, Palette	2510	2578	2651	2746	2861	2961	3071	3213	3350
	Cherry, Anigre Sycamore	2930	2998	3071	3166	3281	3381	3491	3633	3770


Ordering Note: Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

Two-seat, Wood Surround Full Arm										
LEY32NPF	Palette	2494	2562	2636	2730	2851	2945	3071	3192	3334
LEY32NWF	Oak, Maple Walnut, Palette	2494	2562	2636	2730	2851	2945	3071	3192	3334
	Cherry, Anigre, Sycamore	2914	2982	3056	3150	3271	3365	3491	3612	3754

Ordering Note: Leyton Lounge is available with an optional Solid Surface Arm Cap for an upcharge of \$263 list per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

ORDERING NOTES: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 112 for additional Leyton options.

#### LEYTON LOUNGE PRODUCT CODE KEY



## LEYTON

SIN 711-16

			COM	0	COL				7	LEATHE	
ESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	Three-seat, U LEY33NUN	pholstered, Armle N/A	ss 3056	3213	3355	3575	3822	4037	4279	4583	4888
	Three-seat, U	pholstered, Full Ar N/A	m 3129	3318	3502	3764	4064	4326	4625	4998	5371
		e: Leyton Lounge									\$263 lis
Y -	per chair and	add an "S" to the		emoder		nowing t		iyio. og.			
	·										
	·	add an "S" to the ood Surround, Ari Palette		3386	3486	3644	3812	3964	4137	4352	4568
	Three-seat, W	ood Surround, Arr	nless								
	Three-seat, W LEY3NPN	ood Surround, Arı Palette Oak, Maple	nless 3276	3386	3486	3644	3812	3964	4137	4352	4568 4568 5040
	Three-seat, W LEY3NPN LEY33NWN	ood Surround, Arr Palette Oak, Maple Walnut, Palette Cherry, Anigre	nless 3276 3276 3276 3749	3386 3386 3859	3486 3486 3959	3644 3644 4116	3812 3812 4284	3964 3964 4436	4137 4137 4610	4352 4352 4825	4568 5040
	Three-seat, W LEY3NPN LEY33NWN Ordering Not per species.	lood Surround, Arr Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore e: Please note Ch	nless 3276 3276 3749 erry, Aniç	3386 3386 3859	3486 3486 3959	3644 3644 4116	3812 3812 4284	3964 3964 4436	4137 4137 4610	4352 4352 4825	4568 5040
	Three-seat, W LEY3NPN LEY33NWN Ordering Not per species.	ood Surround, Arr Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore	nless 3276 3276 3749 erry, Aniç	3386 3386 3859	3486 3486 3959	3644 3644 4116	3812 3812 4284	3964 3964 4436	4137 4137 4610	4352 4352 4825	4568 5040
	Three-seat, W LEY3NPN LEY33NWN Ordering Not per species. Three-seat, W	ood Surround, Arr Palette Oak, Maple Walnut, Palette Cherry, Anigre Sycamore e: Please note Ch	nless 3276 3276 3749 erry, Aniç	3386 3386 3859 gre and S	3486 3486 3959 ycamore s	3644 3644 4116	3812 3812 4284 equire a r	3964 3964 4436 minimum	4137 4137 4610 quantity	4352 4352 4825 order of	4568 5040 5 units

per chair and add an "S" to the end of the model number following the Arm Style. eg. LEY31NUFS Please note Cherry, Anigre and Sycamore species require a minimum quantity order of 5 units per species.

**ORDERING NOTES**: Leyton Lounge is available with clean out option, to add this option change the first "N" to "C" and add an upcharge of; \$32 for 1 seat, \$47 for 1 1/2 seat, \$63 for 2 seat and \$95 for 3 seat. (eg. LEY31<u>N</u>WN changes to LEY31<u>C</u>WN). See page 112 for additional Leyton options.

#### LEYTON LOUNGE PRODUCT CODE KEY Line Series Seat Count Clean Out Arm Style Arm Cap Option (Full Arm Only) Ν LEY 1 UF S 3 Leyton Soft Seating One-Seat No Clean Out Upholstered Full Arm Solid Surface Full Arm Cap С 1.5 UN One & Half-Seat Clean Out Upholstered Armless WF 2 Two-Seat Wood Surround Full Arm WN 3 Three-Seat Wood Surround Armless PF Pallet Finish Surround Full Arm ΡN Pallet Finish Surround Armless

## **LEYTON | REPLACEMENT COMPONENTS**

#### SIN 711-16

DESCRIPTION	MODEL	COM	2	COL 3	FAE 4	BRIC GF	RADES 6	L 7	EATHE. 8	R 9	WEIGHTS	CUBES
	Replacement Back	-	2	0	-	0	0	'	0		WEIGHTO	OODLO
	LEY3RB	337	355	372	397	424	449	478	512	547	12	3.5
	One & Half-Seat R	eplacen	nent Bac	k								
	LEY3R1.5B	366	390	413	444	480	512	548	593	639	15	4.5
0												
	Replacement Seat											
	LEY3RS	484	505	526	555	589	618	652	694	736	11	2.5
	One & Half-Seat R	eplacen	nent Sea	t								
	LEY3R1.5S	557	587	618	662	712	755	805	867	929	14	4
· ~	Replacement Bacl	c Cover										
	LEY3RBC	174	193	210	235	264	288	316	351	386	1	0.75
$\sum$	One & Half-Seat R	eplacen	nent Bac	k Cover								
	LEY3R1.5BC	198	222	244	276	312	344	380	425	471	1.25	1
	Replacement Seat	Cover										
	LEY3RSC	175	195	215	244	275	303	335	375	415	1.25	0.75
	One & Half-Seat R	eplacen	nent Sea	t Cover								
	LEY3R1.5SC	222	252	284	327	377	420	466	532	594	1.5	1
	One-Seat - Replac	ement l	Inholste	red Outs	ide Ba	rk Pane	1					
	LEY3R10BPU	171	189	206	231	259	284	312	347	382	10	1.5
	One-Seat - Replac	ement l	Joholste	red Outs	side Ba	ck Panel	l for Pus	sh bar o	otion			
	LEY3R10BPUPB	180	196	214	238	267	291	319	355	390	10	1.5
	One & Half-Seat -	Replace	ement Up	oholstere	d Outsi	ide Bacł	k Panel					
-	LEY3R1.50BPU	190	208	224	250	278	302	331	365	400	13	2.5
	One & Half-Seat -	Replace	ement Up	oholstere	d Outsi	ide Bacl	k Panel	for Pusl	h bar op	otion		
	LEY3R1.50BPUPE	3 197	215	233	257	286	310	338	373	408	13	2.5

Two-Seat - Replacement Upholstered Outside Back Panel LEY3R2OBPU 3.5 Three-Seat - Replacement Upholstered Outside Back Panel LEY3R3OBPU 

## LEYTON | REPLACEMENT COMPONENTS

SIN 711-16

				0	
DESCRIPTION	MODEL	OAK MAPLE WALNUT PALETTE	CHERRY ANIGRE SYCAMORE	WEIGHTS	CUBES
	One-Seat - Replacement Wood Outside Ba LEY3R10BPW	ck Panel 232	276	10	1.5
	One-Seat - Replacement Wood Outside Ba LEY3R10BPWPB	ck Panel for F 245	Push bar option 289	10	1.5
	One & Half-Seat - Replacement Wood Outs LEY3R1.50BPW	ide Back Pan 286	el 352	13	2.5
	One & Half-Seat - Replacement Wood Outs LEY3R1.50BPWPB	ide Back Pan 298	el for Push bar option 364	13	2.5
	Two-Seat - Replacement Wood Outside Bac LEY3R2OBPW	ck Panel 320	406	19	3.5
	Three-Seat - Replacement Wood Outside B LEY3R3OBPW	ack Panel 349	479	28	5
	One-Seat - Replacement Wood Front Panel LEY3R1FP	156	179	4	0.75
	One & Half-Seat - Replacement Wood Front LEY3R1.5FP	t Panel 179	193	5	1
	Two-Seat - Replacement Wood Front Panel LEY3R2FP	200	244	6	1.25
	Three-Seat - Replacement Wood Front Pan LEY3R3FP	el 222	288	8	2
	Replacement Wood Surround Full Arm with LEY3RWFLL LEY3RWFLR	arm cap (Lef 424	t, right specified as seate 573	ed 30	1.5
	Replacement Wood Surround Full Arm with LEY3RWFCL LEY3RWFCR	caster (Left, 1 536	right specified as seated 685	30	1.5
	Replacement Wood Surround Full Arm with LEY3RWFCHL LEY3RWFCHR	cup holder (L 550	eft, right specified as sea	ated 30	1.5
	Replacement Wood Surround Full Arm with LEY3RWFICHL LEY3RWFICHR	Integrated cu 571	up holder (Left, right spec 720	cified as seated 30	1.5
	Replacement Wood Surround Full Arm Table LEY3RWFTL LEY3RWFTR	et (Left, right : 612	specified as seated 761	30	1.5
	Replacement Wood Surround Full Arm Integ LEY3RWFITL LEY3RWFITR	grated Tablet 686	(Left, right specified as s 835	eated 30	1.5
TT	Replacement Wood Surround Armless (Left LEY3RWNLL LEY3RWNLR	, right specifie 432	ed as seated 580	26	1.5
	Replacement Wood Surround Armless with	casters (Left	, right specified as seate	d	

Replacement Wood Surround Armless with casters (Left, right specified as seated 26 LEY3RWNCL 543 691 LEY3RWNCR

1.5

## **LEYTON | REPLACEMENT COMPONENTS**

SIN	711	-16
-----	-----	-----

	DESCRIPTION	MODEL	PRICE	WEIGHTS	CUBES
		One-Seat Replacement Leg set (pair) LEY3R1L	) 125	8	1.25
0		One & Half-Seat Replacement Leg se LEY3R1.5L	et (pair) 149	10	1.5
		Two-Seat Replacement Leg set (pair) LEY3R2L	) 165	13	2.5
N	IJ	Three-Seat Replacement Leg set (pa LEY3R3L	ir) 249	22	3
RODL		Push bar - One-Seat LEY3RPB-1	49	2.0	1.8
		Push bar - One & Half-Seat LEY3RPB-1.5	54	2.5	2.0
ビン		Push bar Grommet (pair) LEY3RPBG	6	.2	.1
I		Note: Pushbar option is available on	One-Seat and One & Half-Seat only.		
0	$\bigcirc$	Replacement Tablet with Mounting P LEY3RT	late - Designer White - D354SL Solid Surfa 380	ace 5.0	.7
З С					
i		LEY3TAC	hite - D354SL Solid Surface (to be used w 68	1.0	.3
		Replacement Arm Cap Designer Whi LEY3RAC	ite - D354SL Solid Surface 121	1	.25
<b>A</b>		<b>Ordering Note:</b> Please note Replace the Solid Surface Arm Cap option.	ement Arm Cap can only be installed on pr	oduct orignally o	rdered with
		Replacement Integrated cup holder v LEY3RICH	with Arm Cap - Designer White - D354SL S 263	Solid Surface 1.2	.4
	0	Replacement Cup Holder - Designer LEY3RCH	White - D354SL Solid Surface 137	.5	.2
ERCIAI		Caster LEY3RC	56	3.4	0.2
OMME		Replacement Glides - Lounge & Tabl LEY3RG	e (set of four) 13	1	.25

## CRESSIDA | LEED CI CREDIT SUMMARY

## **CRESSIDA LOUNGE**

	ATERIAL CONTENT:	PRE-CONSUMER RECYCLED CONTENT - 4.22% POST-CONSUMER RECYCLED CONTENT - 14.49% Up to 24.32% of this Cressida product is recyclable at the end of its useful life.
--	------------------	---

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry



#### level® CERTIFICATION

CONTRIBUTES TO

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

#### **AIR EMISSIONS**

All Cressida products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CRESSIDA** | LOUNGE FEATURES & OPTIONS



#### CLEAN OUT

Cressida lounge seating models have a builtin clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance designed so that it does not detract from the comfort or appearance of the product.



#### ANTI-MICROBIAL FINISH

Cressida wood surfaces come with an antimicrobial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria



#### ARMS AND ARMLESS

Cressida features five arm options; Armless, Open Arm, Open Arm Polymer Arm Cap, Closed Arm, Closed Arm Polymer Arm Cap. Polymer arm cap is available in Black or Grey.



#### POLYMER ARM CAP

Available in Grey and Black colors, the Arm Cap is field- replaceable if necessary.

#### GLIDES

Cressida Lounge arm and armless versions are standard with non-marring nylon glides.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### WEIGHT CAPACITIES

Cressida weight capacities are as follows: One-Seat-350 lbs One-Seat (Bariatric) -750 lbs One-Seat Plus - 350lbs One-Seat Plus (Bariatric) - 750lbs Two-Seat Plus (Bariatric) - 750lbs Two-Seat (Bariatric) - 975lbs Three-Seat - 850 lbs Three-Seat (Bariatric) - 1200 lbs

#### **REMOVABLE AND REPLACEABLE COVERS**

Cressida Lounge Chairs are available with Removable Seat and Removable Back Covers, see page 120 for upcharges.

#### **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### **REPLACEABLE COMPONENTS**

Cressida Lounge chairs are uniquely designed to allow virtually all components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and arms are field replaceable.

#### **OPTIONS**

#### CASTERS

Cressida Lounge is available with the option of casters. Caster option comes with the two rear casters locking as standard.

#### PUSH BAR

This is a option on Cressida lounge when ordered with casters, ergonomically designed to assist care-giving staff in the movement and operation of the chair, and reduce back strain on the caregiver. The push bar is powder-coated steel in Silver Metallic finish.

#### TABLETS

Optional Tablets are available on the Cressida Lounge & Modular in veneer, glass, high pressure laminate, solid surface and palette finishes. The Cressida tablet can be fastened to the Cressida Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16 1/2" x 11 1/2" x 3/4" in size. The Cressida Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle.

#### COMBINATION UPHOLSTERY

More than one upholstery cover within the same unit, is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$44 list per yard.

**REMOVABLE AND REPLACEABLE COVERS** Cressida Lounge Chairs are available with removable seat and back covers. See page 123 for upcharges.

#### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight Open Arm	Shipping Weight Closed Arm	Cube
WITH ARMS										
One-Seat	29.5	30.5	32.5	17.25	25.75	23	19.75	52	74	22
One-Seat Plus	36.5	30.5	32.5	17.25	25.75	30	19.75	62	84	34
Two-Seat	52.25	30.5	32.5	17.25	25.75	45.75	19.75	81	103	34
Three-Seat	75	30.5	32.5	17.25	25.75	68.5	19.75	104	126	49
ARMLESS										
One-Seat	23	30.5	32.5	17.25	-	-	19.75	47	-	22
One-Seat Plus	30	30.5	32.5	17.25	-	-	19.75	57	-	34
Two-Seat	45.75	30.5	32.5	17.25	-	-	19.75	76	-	34
Three-Seat	68.75	30.5	32.5	17.25	-	-	19.75	99	-	49

Note: Cressida bariatric two-seat and three-seat units have the same dimensions as the regular two-seat and three-seat units.

#### **COM - YARDAGE REQUIREMENTS**

	COM Yardage Seat, Back & Arms	COM Yardage Seat & Back	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Closed Arms (2) Only
One-Seat - One Chair	5	2.7	1.27	1.83	2.9
One-Seat - Two Chairs	9.7	5	2.03	2.7	5.8
One-Seat - Three Chairs	14.7	7.75	3.57	4.53	8.7
One-Seat - Four Chairs	15.4	10	4.06	5.4	11.6
One-Seat Plus - One Chair	6.4	3.5	1.64	1.9	2.9
One-Seat Plus - Two Chairs	12.8	7	3.28	3.8	5.8
One-Seat Plus - Three Chairs	19.2	10.5	4.92	5.7	8.7
One-Seat Plus - Four Chairs	25.6	14	6.56	7.6	11.6
Two-Seat - One Chair	6.4	4	1.7	2.7	2.9
Two-Seat - Two Chairs	12.8	8	3.4	4.6	5.8
Two-Seat - Three Chairs	19.2	12	5.1	7.3	8.7
Two-Seat - Four Chairs	25.6	16	6.8	9.2	11.6
Three-Seat - One Chair	7.6	5.5	2.6	3.4	2.9
Three-Seat - Two Chairs	15.2	11	4.6	6.4	5.8
Three-Seat - Three Chairs	22.8	16.5	7.2	9.8	8.7
Three-Seat - Four Chairs	30.4	22	9.2	12.8	11.6

Note: Some vinyls, leathers & upholsteries are not suitable for application on Cressida seating. Please refer to page 9 for C.O.M approval process.

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	42	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	100	Two-Seat Removable Back Covers	210	
Casters (set of 4)	150	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	Two-Seat - Bariatric Upgrade	137	
Two-Seat Removable Seat Covers	210	Three-Seat - Bariatric Upgrade	158	
Three-Seat Removable Seat Covers	315			

NOTE: Bariatric Lounge is not available with caster options

SIN 711-16

		COM	_	COL FABRIC GRADE							
DESCRIPTION/MODEL	SPECIES	1	2	3	4	5	6	7	8	9	
	One-Seat, Armless CRE3-F1ALS1 n/a	1092	1150	1218	1307	1407	1496	1596	1722	1848	
	One-Seat, Open Arm CRE3-F1OPS1 Beech, May Palette One-Seat, Open Arm with a CRE3-F1OPP1 Beech, May Palette	rm cap	1323 1376	1386 1439	1465 1517	1570 1622	1670 1722	1769 1822	1885 1937	2016 2069	
	One-Seat, Closed Arm CRE3-F1CLS1 Beech, Maj Palette One-Seat, Closed Arm with	arm cap	1874	1990	2153	2342	2504	2693	2930	3161	
	CRE3-F1CLP1 Beech, Maj Palette	ole 1811	1927	2042	2205	2394	2557	2746	2982	3213	

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	42	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	Two-Seat Removable Seat Covers	210	
Two-Seat - Bariatric Upgrade	137	Three-Seat - Bariatric Upgrade	158	
Three-Seat Removable Seat Covers	315			

NOTE: Bariatric Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3 Lounge	F	1 One-Seat	ALS	1 Legs
		FB	1.5	OPS	2
		Freestanding Bariatric	One-Seat Plus 2 Two-Seat	Open Arm OPP Open Arm Polymer Arm Cap	Casters 3 Caster Combination 2 legs & 2 Rear Caste
			3 Three-Seat	CLS Closed Arm	
				CLP Closed Arm Polymer Arm Cap	

SIN 711-16

			COM		COL				LEATHER		
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
	One-Seat Plus, Arm CRE3-F1.5ALS1	iless n/a	1154	1230	1306	1412	1534	1640	1762	1914	2066
	One-Seat Plus, Ope CRE3-F1.5OPS1 One-Seat Plus, Ope CRE3-F1.5OPP1	Beech, Maple Palette	1341 ap 1393	1416 1469	1493 1546	1599 1652	1721 1773	1827 1886	1949 2001		2253 2306
	One-Seat Plus, Clos CRE3-F1.5CLS1 One-Seat Plus, Clos CRE3-F1.5CLP1	Beech, Maple Palette	1841 cap 1893	1970 2022	2100 2153	2282 2334	2490 2542	2671 2724	2878 2931		3598 3651

#### **ORDERING NOTES:**


**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat - Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105
Push Bar	42	One-Seat Plus Removable Back Covers	158
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210
Casters (set of 4)	158	Three-Seat Removable Back Covers	315
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63
One-Seat Plus Removable Seat Covers	158	Two-Seat - Bariatric Upgrade	137
Two-Seat Removable Seat Covers	210	Three-Seat - Bariatric Upgrade	158
Three-Seat Removable Seat Covers	315		

NOTE: Bariatric Lounge is not available with caster options



#### SIN 711-16

			COM COL		FABRIC GRADES			LEATHER			
DESCRIPTION/MODEL	e e e e e e e e e e e e e e e e e e e	SPECIES	1	2	3	4	5	6	7	8	9
	Two-Seat, Armless CRE3-F2ALS1	n/a	1806	1901	1990	2126	2273	2404	2557	2741	2930
	Two-Seat, Open Arn CRE3-F2OPS1 Two-Seat, Open Arn CRE3-F2OPP1	Beech, Maple Palette	1969 2021	2063 2116	2158 2210	2289 2342	2441 2494	2573 2625	2720 2772	2909 2961	3098 3150
		Falette									
	Two-Seat, Closed A CRE3-F2CLS1	rm Beech, Maple Palette	2473	2620	2767	2972	3208	3413	3649	3948	4242
	Two-Seat, Closed A CRE3-F2CLP1	rm with arm cap Beech, Maple Palette	2525	2672	2819	3024	3260	3465	3701	4001	4295

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below. Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	42	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	Two-Seat - Bariatric Upgrade	137	
Two-Seat Removable Seat Covers	210	Three-Seat - Bariatric Upgrade	158	
Three-Seat Removable Seat Covers	315			

NOTE: Bariatric Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE Cressida	3 Lounge	F	1 One-Seat	ALS	1 Legs
		FB Freestanding Bariatric	1.5 One-Seat Plus 2 Two-Seat	OPS Open Arm OPP Open Arm Polymer Arm Cap	2 Casters 3 Caster Combination 2 legs & 2 Rear Casters
			3 Three-Seat	CLS Closed Arm CLP Closed Arm Polymer Arm Cap	

SIN 711-16

DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	FAE 4	BRIC GF 5	ADES 6	ا 7	_EATHEI 8	R 9
	Three-Seat, Armle CRE3-F3ALS1	ss n/a	2452	2583	2709	2888	3098	3276	3481	3738	3995
	Three-Seat, Open CRE3-F3OPS1 Three-Seat, Open CRE3-F3OPP1	Beech, Maple Palette	2620 2672	2746 2798	2877 2930	3056 3056	3260 3313	3444 3497	3649 3701	3906 3959	4163 4216
	Three-Seat, Close CRE3-F3CLS1	Beech, Maple Palette	3119	3302	3486	3738	4032	4289	4578	4946	5308
	Three-Seat, Close CRE3-F3CLP1	d Arm with arm ca Beech, Maple Palette	p 3171	3355	3539	3791	4085	4342	4631	4998	5360

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Cressida upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

All Cressida lounge are capable of being upgraded to Bariatric weight capacity. To order please add a "B" after the 4th digit / before the size, and add appropriate upcharge below.

Example: One-Seat – Open Arm = CRE3-F10PS1, to upgrade to Bariatric add a "B" = CRE3-FB10PS1

Cressida Lounge Option Upcharges	\$ List		\$ List	
Moisture Barrier (per yard)	44	One-Seat Removable Back Covers	105	
Push Bar	42	One-Seat Plus Removable Back Covers	158	
Caster Combination (2 legs & 2 rear casters)	105	Two-Seat Removable Back Covers	210	
Casters (set of 4)	158	Three-Seat Removable Back Covers	315	
One-Seat Removable Seat Covers	105	One-Seat - Bariatric Upgrade	63	
One-Seat Plus Removable Seat Covers	158	Two-Seat - Bariatric Upgrade	137	
Two-Seat Removable Seat Covers	210	Three-Seat - Bariatric Upgrade	158	
Three-Seat Removable Seat Covers	315			

NOTE: Three-Seat Lounge is not available with caster options

Line	Series	Chair Style	Size	Arm Style	Leg Style
CRE	3 Lounge	F	1 One-Seat	ALS	1 Legs
		FB	1.5 One-Seat Plus	OPS Open Arm	2 Casters
		Bariatric	2 Two-Seat	OPP Open Arm Polymer Arm Cap	3 Caster Combinatior 2 legs & 2 Rear Caste
			3 Three-Seat	CLS Closed Arm	-
				CLP Closed Arm Polymer Arm Cap	

## **CRESSIDA** | ACCESSORIES

#### SIN 711-16

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGHT	CUBE
	Wood Tablet CREL3 T1	Beech/Maple	410	12	2
	Tablet with Palette Fir	nish			
e	CRE3 T2	n/a	305	12	2
	Solid Surface - Desig	ner White Table	t		
	CRE3 T3	n/a	494	15	2
	Laminate Tablet CRE3 T4	n/a	410	12	2
			blet comes standard with a polymer edge. Please note Cressi e specified right or left when ordering.	da Tablets	are not

## **CRESSIDA** | REPLACEMENT LOUNGE COMPONENTS

SIN 711-16

DESCRIPTION MODEL		COM 1	2	COL 3	FA 4	BRIC GI 5	RADES 6	7	LEATHE 8		WEIGHT	CUBE
LOUNGE	One-Seat Replacement Back CRE3-RB1	498	541	583	643	712	772	840	926	1011	23	4.2
Π	One-Seat Plus Replacement Ba CRE3-RB1.5B	ack 563	608	652	714	785	847	919	1008	1096	28	5.7
	Two-Seat Replacement Back CRE3-RB2	736	799	862	951	1052	1140	1241	1368	1494	38	8.8
	Three-Seat Replacement Back CRE3-RB3	985	1065	1145	1256	1383	1494	1621	1781	1939	52	12
$\bigcap $	One-Seat Replacement Back C CRE3-RBC1	Cover 201	243	286	345	414	474	543	628	714	2.0	1.0
	One-Seat Plus Replacement Ba CRE3-RBC1.5	ack Cov 210	/er 254	298	361	432	495	565	654	743	2.5	1.2
	Two-Seat Replacement Back C CRE3-RBC2	over 279	343	406	495	595	684	785	911	1037	3.5	1.8
	Three-Seat Replacement Back CRE3-RBC3	Cover 322	402	482	593	720	832	959	1118	1277	5.0	2.5
	One-Seat Replacement Seat CRE3-RS1	421	452	482	524	572	615	664	725	785	28	9.5
	One-Seat Plus Replacement Se CRE3-RS1.5	eat 545	584	622	676	738	792	854	930	1008	35	12.0
	Two-Seat Replacement Seat CRE3-RS2	654	694	734	790	853	908	972	1052	1131	53	18
	Three-Seat Replacement Seat CRE3-RS3	876	937	998	1083	1179	1264	1362	1484	1605	79	24
	One-Seat Replacement Seat C CRE3-RSC1	over 145	175	206	248	297	339	389	449	509	2.0	1.0
	One-Seat Plus Replacement Se CRE3-RSC1.5	eat Cov 180	er 218	257	311	373	426	488	566	643	2.5	1.2
~	Two-Seat Replacement Seat C CRE3-RSC2	over 192	232	272	328	391	446	510	590	669	3.5	1.8
	Three-Seat Replacement Seat CRE3-RSC3	Cover 245	306	366	452	548	633	731	853	974	5.0	2.5
	Replacement Lounge Front Arr Open Arm CRE3-LROPS Beech, Maple	n & Leg 128									4.0	1.3
	Palette Open Arm Polymer Cap CRE3-LROPP Beech, Maple Palette	154										
	Replacement Closed Arm Pane CRE3-RCA Beech, Maple	el 282	316	350	397	452	499	553	622	689	20	3.8
~	Lounge Replacement Push-Ba CRE3-RPB	r 42									2	0.3



Lounge Replacement Push-Bar CRE3-RPB 42

## **CRESSIDA** | LOUNGE & TABLE REPLACEMENT COMPONENTS

SIN 711-16

DESCRIPTION	MODEL	PRICE	WEIGH	TCUBE
$\square$	Replacement Polymer Arm Cap Black CRE3-RACB	26	1.0	0.5
0	Replacement Polymer Arm Cap Grey CRE3-RACB	26		
*	Lounge Replacement Front Leg (for arm CRE3-RLAF*	ess version) 40	0.5	0.5
8**	Lounge Replacement Front Leg (for arm CRE3-RGAF**	less version) Glide 13	0.1	0.2
*	Lounge Replacement Bariatric Center Le CRE3-RLC*	9g 37	0.5	0.5
**	Lounge Replacement Bariatric Center Le CRE3-RCG**	eg Glide 16	0.5	0.5
*	Lounge Replacement Back Leg CRE3-RLB*	54	1.8	0.5
**	Lounge Replacement Glide CRE3-RGB**	14	0.1	0.2
	Lounge Replacement Front Leg (for cast CRE3-RLCF*	er version) 37	0.5	0.5
*	Lounge Replacement Back Leg (for cast CRE3-RLCB**	er version) 37	0.5	0.5
	Replacement Casters Non-Locking CRE3-RC1*	51	.75	0.3
	Replacement Casters Locking CRE3-RC2**	51	.75	0.3
	Wood Tablet & Mounting Plate Only CRE3 RT1 Beech/Maple	276	5	0.32
	Tablet with Palette finish & Mounting Plat CRE3 RT2 n/a	e Only 193	5	0.32
	Solid Surface - Designer White Tablet & CRE3 RT3 n/a	Mounting Plate Only 249	7	0.32
	Laminate Tablet & Mounting Plate Only CRE3 RT4 n/a	276	5	0.32

## **ZOLA** | LEED CI CREDIT SUMMARY

ZOLA		
	MATERIAL CONTENT6% Fabric 8% Cardboard 20% Urethane Foar 9% Aluminum 18% Steel 37% PlywoodPRE-CONSUMER RCYCLED CONTENT = 6%POST-CONSUMER RCYCLED CONTENT = 12.12%Up to 35.11% of Zola Modular product is recyclable at the end of its useful life.	
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	

REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
redit 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



CR



The mark of responsible forestry



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

#### **AIR-EMISSIONS**

All Zola products are supplied air-emissions certified. Contact customer service for information.


#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.


Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## ZOLA'S RECONFIGURABILITY


Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry and frames are designed for fast, easy reconfiguring, and new components can be added at any time. Its unique leveller provides exceptional levelling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility. Each of the 6 sample configurations shown here use exactly the same components - highlighting Zola Modular has the ability to reconfigure again and again, in a myriad of different ways. Joining bracketry is underneath seats and backs, so no surfaces are marred or damaged when connected, and re-connected.





## SAMPLE CONFIGURATIONS & PRICING SIN 711-16














Model	Qty.	Price (\$)
ZOL3 MS2F1	2	1040
ZOL4 LKM18	2	764
ZOL3 M1101	2	1111
ZOL3 MCIS90D	2	2552
ZOL3 M2101	2	1945
ZOL4 LKC90X2	1	1864

otal	List	\$16688
oui	LIGU	φ10000









HEALTHCARE | USA | 133

## **ZOLA** | FEATURES



#### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long term value, and be an investment in sustainability.

#### RECONFIGURABILITY

Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal to metal bracketry is designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Both backs and arms can be reconfigured to either side of the unit. Its unique leveller provides exceptional leveling capability over large spans, and on uneven floors. Heavy duty casters provide seating with mobility.

#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and caregiving environments. Bariatric sizes are included in the offering.



#### **ZOLA LOUNGE & ZOLA MODULAR** COMPARISON

Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Please see page 146 for Modular offering. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables.

# wood back versions.

#### **CLEAN OUT**

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.

#### LEGS

The legs offered on Zola Lounge are silver metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans.



#### CASTERS

Optional on the Zola Lounge are the choice of: a) Four - 3 1/4" dia hard wheel casters, consisting of two non braking on the front, and two braking on the back. Braking casters have a large, easy access foot activation lever.

b) Two non braking casters on the back, and two legs on the front. Casters are NOT available on the Bariatric product(s)

#### LINKING BRACKET Seat-to-Seat



The Zola seat-to-seat linking bracket is made of sturdy, powder-coated steel construction in a black finish. This linking bracket is fastened with metal to metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.

#### URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.

#### ANTI-MICROBIAL FINISH

Zola wood backs & tables wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### **FINISH DURABILITY**

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### FULL DEPTH BENCHES

Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.


#### WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-seat (Straight or curved	l) - 300 lbs
One-seat bariatric	- 750 lbs
Two-seat (Straight or curved	d)- 525lbs
Two-seat bariatric	- 975 lbs
Three-seat	- 750 lbs
Three-seat bariatric	- 1150 lbs







## **ZOLA |** FEATURES



#### TABLETS

Optional Tablets are available on the Zola Lounge & Modular in veneer, glass, high pressure laminate and palette finishes. The Zola tablet can be fastened to the Zola Lounge & Modular chairs by the Universal Tablet Mount (mounted left or right), to existing legs and features an elliptical shape of 16  $1/2" \times 111 1/2" \times 3/4"$  in size. The Zola Tablet has a turning radius of 360 degrees, which accommodates any worksurface angle. See page 148 for pricing and specification.



#### LINKING BRACKETS Table to Seat Bracket

The Zola table to seat bracket is made of sturdy,

powder-coated steel construction in a silver metallic finish to match the legs and casters. This linking bracket is fastened with metal to metal connections from the seat to the table with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats. This feature is not available on the Lounge version.

#### TABLES MATERIALS OPTION

Tables are available in veneer, plastic laminate, and Palette finishes - and an optional solid surface top. • Beech, Maple, & Cherry Veneers

- Plastic Laminate
- Plastic Laminate with Wood Veneer sides
- Palette colors
- Solid Surface Tops (Designer White D354SL)
  Anti-microbial coating
- Leveling glides on every leg
- See page 317 for more information.

#### SOLID SURFACE TOPS



The Solid Surface Top option features Wilsonart's, Designer White D354SL, Solid Surface material: composed of minerals, acrylic resins and colors, it is a non-porous, scratch and dent-resistant material that does not stain, and does not allow microbes and bacteria to penetrate the surface. Color is throughout the material, so surface scratches are not as visible.



#### LINKING TABLES

Zola Linking Tables can be fastened in the field to Zola Modular and Zola Benches with the table to seat bracket without compromising the upholstery. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.



#### SEAT POWERDOC

The flush-mounted PowerDoc provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front. See page 193 for pricing.

#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance as original upholstery.

#### **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Please see page 139 for the Removable Upholstery Covers upcharges.

Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the velcro can occur. The velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard.

## ZOLA SEAM LOCATIONS

Due to the curved geometry of the upholstered backs, vertical seams are necessary for quality tailoring of the unit. Patterned Fabrics with "Distinctive details" - such as stripes, squares, straight lines and/or large details, will have noticeable changes in regards to the alignment of the patterns. 90 Degree units -both inside and outside curves are most noticeable. 60, 45 and 30 degree are also subject to this.

Approximate Dimensional Distortions on Patterns:


	Inside Curve	Outside Curve
30 Deg	1 1⁄2″	1″
45 Deg	2″	1 1/2"
60 Deg	2 1/2"	2″
90 Deg	3″	2 1/2"

#### **Inside Curve**

Showing colliding stripes at the lumbar portion of the back, and opening stripes at the top and bottom.

#### **Outside Curve**

Showing colliding stripes at the upper and lower portion of the back, with opening stripes at the lumbar.



## **ZOLA** | LOUNGE

#### DIMENSIONS

					Height of	Width			
	Overall	Overall C	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth H	leight	Height	Floor	Arms	Depth	Weight	Cubes
One-seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-seat (Bariatric)	36.25	27	34	18.5	26.75	30	19.25	72	22.6
COM YARDAGES (	Lounge Prod	duct Only Avail	able wit	h Arms)					
	COM	COM	(	COM	COM				
	Entire	2 Entire	3	Entire	4 Entire				
	Unit	Units	ι	Jnits	Units				
One-seat	4	7.25		11.5	14.5				
Two-seat	5.5	11		16	21.70				
Three-seat	7.1	13.25		19	28				
One-seat (Bariatric)	4.5	9		13.5	18				
COM YARDAGES (	Individual Co	omponents)							
	COM	COM	(	COM	COM	COM	(	COM	COM
	Yardage Per Seat	Yardage Pe 2 Seats		lage Per Seats	Yardage Per 4 Seats	Yardage Per Back		lage Per Backs	Yardage Per 3 Backs
One-seat	1.25	2.1	(	3.35	4.2	1.75		2.75	3.5
Two-seat	1.75	3.4		5.1	6.5	2.5		4.54	6.08
Three-seat	2.5	4.6		7	9	3.5		6.25	9
One-seat (Bariatric)	1.25	2.5	(	3.75	5	1.75		3.5	5.25
COM YARDAGES (	Individual Co	omponents)							
	COM	COM	(	COM	COM	COM			
Ň	Yardage Per	Yardage	Yard	lage Per	Yardage Per	Yardage Pe	r		
	4 Pooleo	Dor Arm	2	Armo	2 Armo	1 Armo			

	00101	CON	00101	CON	00101
	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
	4 Backs	Per Arm	2 Arms	3 Arms	4 Arms
One-seat	5.25	1.5	1.90	2.61	3.3
Two-seat	8.5	1.5	1.90	2.61	3.3
Three-seat	12.5	1.5	1.90	2.61	3.3
One-seat (Bariatri	c) 7	1.5	1.90	2.61	3.3

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units 7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and add the yardage for 3 units

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

#### **ORDERING NOTES:**

Please note, Zola Lounge chairs are pre-assembled at Krug and cannot be reconfigured into Modular units. Arms and backs cannot be removed from the seat. Please see page 140 for Modular offering. Zola Lounge chairs cannot be used in conjunction with Zola Linking Tables. Zola Bariatric Lounge Two-Seats and Three-Seats units have the same dimensions as the Regular Lounge Two-Seats and Three-seats. Zola Lounge chairs are not available with replacement components or covers. These options are only available on the Modular product.

**FEATURES:** For a complete listing of features see page 134. For information on Zola Tables see page 317, Zola Benches see page 208 and Zola Tablets see page 148.

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

## **ZOLA |** LOUNGE


SIN 711-16

DESCRIPTION/MOD	EL	COM 1	2	COL 3	FAE 4	BRIC GRAI	DES 6	7	LEATHER 8	9
	One-Seat ZOL3 F1111	1521	1604	1687	1830	1974	2117	2261	2289	2613
	Two-Seat ZOL3 F2111	2249	2354	2453	2607	2762	2916	3070	3225	3467
	Three-seat ZOL3 F3111	3054	3209	3363	3672	3981	4289	4598	4907	5436
<b>ZOLA</b>   BAF	RIATRIC LOUNGE									
DESCRIPTION/MOD		COM		COL	FAF	BRIC GRAI	DES		LEATHER	
DESCRIPTION/WOD	EL	1	2	3	4	5	6	7	8	9
	EL One-seat Bariatric ZOL3 FB1111	1 1687	2 1769					7 2426		
	One-seat Bariatric	1687	1769	3 1852	4	5	6		8	9
	One-seat Bariatric ZOL3 FB1111	1687	1769	3 1852	4	5	6		8	9
	One-seat Bariatric ZOL3 FB1111 <b>NOTE</b> : One-seat Bariatric is Two-Seat Bariatric	1687 30" wide 2310	1769 between a 2415	3 1852 Irms. 2514	4 1996 2668	5 2139 2822	6 2283 2977	2426	8 2569	9 2778
	One-seat Bariatric ZOL3 FB1111 <b>NOTE</b> : One-seat Bariatric is Two-Seat Bariatric ZOL3 FB2111	1687 30" wide 2310	1769 between a 2415	3 1852 Irms. 2514	4 1996 2668	5 2139 2822	6 2283 2977	2426	8 2569	9 2778
	One-seat Bariatric ZOL3 FB1111 <b>NOTE</b> : One-seat Bariatric is Two-Seat Bariatric ZOL3 FB2111 <b>NOTE</b> : The Two-Seat Bariat Three-Seat Bariatric	1687 30" wide 2310 rric comes 3126	1769 between a 2415 standard v 3280	3 1852 urms. 2514 with a fifth 3435	4 1996 2668 a leg for ex 3743	5 2139 2822 tra suppor 4052	6 2283 2977 t. 4361	2426 3131	8 2569 3285	9 2778 3528

#### ORDERING NOTES

Zola Lounge Seating is available with 4 casters, for an upcharge of **\$74 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Lounge Seating is available with 2 legs and 2 casters version, for an upcharge of **\$53 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. All units are shipped with legs detached.

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane and add an upcharge of **\$168 list**, for two arms.



## **ZOLA** | MODULAR

Width Depth Height Height Depth Weight Cubes	DIVIENSIONS - AR									
One-seat         23         27         34         18,5         19,26         57         9,75           Two-seat         46         27         34         18,5         19,25         89         17,6           Three-seat         69         27         34         18,5         19,25         62         11.5           Dimescat         69         27         34         18,5         19,25         62         11.5           Dimescat         00         27         34         18,5         19,25         62         11.5           Dimescat         00         00         27         34         18,5         19,25         62         11.5           Dimescat         29         27         34         18,5         19,25         120         17.6           Two-seat         52         27         34         18,5         19,25         120         17.6           Two-seat         75         27         34         18,5         19,25         164         26.3           One-seat (Bariatric)         36         277         34         18,5         19,25         96         11.5           COM Yardage Entrire Unit         2 CM Yardage 2 Entrire			(	Overall	Overall			Seat	Shipping	
Two-seat         46         27         34         18.5         19.25         89         17.6           Three-seat         69         27         34         18.5         19.25         82         22         26.3           Dene-seat (Bariatric)         30         27         34         18.5         19.25         62         11.5           Dimensions - with ARMS         Overall         Overall         Overall         Overall         East         Seat         Seat         Seat         Shipping           One-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         154         26.3           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM Yardage Entire Unit         COM Yardage         COM										
Three-seat One-seat (Bariatric)         69 30         27 27         34 34         18.5         19.25 19.25         122 62         26.3 11.5           DIMENSIONS - WITH ARMS         Overall         Overall         Overall         Seat         Seat         Shipping           Oure-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         122         28.8         9.75           Two-seat         52         27         34         18.5         19.25         122         124         26.3           One-seat         75         27         34         18.5         19.25         124         26.3           One-seat         2.2         7         34         18.5         19.25         96         11.5           COM YARDAGES - ARMLESS         UNITS         COM Yardage	One-seat	23		27	34	18.5		19.25	•••	9.75
One-seat (Bariatric)         30         27         34         18.5         19.25         62         11.5           Dimensions - with ARMS           Overall         Overall         Overall         Seat         Seat         Shipping           Width         Depth         Height         Height         Depth         Weight         Cubes           One-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         120         17.6           Three-seat         75         27         34         18.5         19.25         96         11.5           COM Yardage         2001 Yardage         2001 Yardage         2001 Yardage         26.3	Two-seat									
DIMENSIONS - WITH ARMS           Overall         Overall         Overall         Overall         Seat         Seat         Seat         Shipping           0ne-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         120         17.6           Three-seat         75         27         34         18.5         19.25         154         26.3           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM YARDAGES - ARMLESS UNITS         2         COM Yardage         2 Entire Units         4 Entire Units	Three-seat				34	18.5		19.25	122	26.3
Overall Width         Overall Depth         Overall Height         Seat         Seat         Shipping Depth         Cubes           One-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         120         17.6           Three-seat         75         27         34         18.5         19.25         120         17.6           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM Yardage Entire Unit         2 Entire Units         3 Entire Units         4 Entire Units         4 Entire Units         96         11.5           One-seat         2.2         4.6         6.38         8.8         19.25         96         11.5           One-seat         2.2         4.6         6.38         8.8         14.5         15.6         14.5           Three-seat         5.75         11         16         22         0         0         0         0         3         9.5         13.86           COM Yardage Entire Units         2 Entire Units         3 Entire Units         4 Entire Units	One-seat (Bariatric)	30		27	34	18.5		19.25	62	11.5
Width         Depth         Height         Height         Depth         Weight         Cubes           One-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         120         17.6           Three-seat         75         27         34         18.5         19.25         154         26.3           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM YARDAGES - ARMLESS UNITS         36         27         34         18.5         19.25         96         11.5           COM YARDAGES - ARMLESS UNITS         3         Entire Units         3         Entire Units         4         Entire Units         0         6.3         9.5         13.86         7         14.5         1         16         22         0         0         0         0         0         3         9.5         13.86         7         1         1         16         21.7         1	DIMENSIONS - WI	TH ARMS								
One-seat         29         27         34         18.5         19.25         88         9.75           Two-seat         52         27         34         18.5         19.25         120         17.6           Three-seat         75         27         34         18.5         19.25         154         26.3           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM Yardage Entire Units         27         34         18.5         19.25         96         11.5           COM Yardage Entire Units         27         34         18.5         19.25         96         11.5           COM Yardage Entire Unit         2 Entire Units         3 Entire Units         4 Entire Units         4 Entire Units           Wo-seat         3.8         7.9         10.75         14.5         11.5         14.5           Three-seat         5.75         11         16         22         22         11.5         14.5           W/ Arms         W/ Arms         W/ Arms         W/ Arms         W/ Arms         2.5         11.5         14.5           Three-seat         7.1         1										
Two-seat         52         27         34         18.5         19.25         120         17.6           Three-seat         75         27         34         18.5         19.25         154         26.3           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM YARDAGES - ARMLESS UNITS           COM YArdage COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         Wo/ Arms         Wo/ Arms         Wo/ Arms         Wo/ Arms         OA Arms         Soft A					Height	Heigh	t	Depth	Weight	
Three-seat         75         27         34         18.5         19.25         154         26.3           One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM YarDAGES - ARMLESS UNITS         COM Yardage Entrire Units         COM Yardage 3         COM Yardage 4         COM Yardage 4         COM Yardage 5         COM Yardage 3         COM Yardage 4         COM Yardage 4         The Units         Vol	One-seat	29		27	34	18.5		19.25	88	9.75
One-seat (Bariatric)         36         27         34         18.5         19.25         96         11.5           COM YARDAGES - ARMLESS UNITS           COM YARDAGES - ARMLESS UNITS         COM Yardage Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units         COM Yardage 5 Entire Units         COM Yardage 4 Entire Units         COM Yardage 5 Entire Units         COM Yardage 8 Entire Unit         COM Yardage 9 Entire Units         COM Yardage 9 Entire Units         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 9 Entire Units         Yardage Par         Yardage Par	Two-seat	52		27	34	18.5		19.25	120	17.6
COM YARDAGES - ARMLESS UNITS         COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           One-seat         2.2         4.6         6.38         8.8           Two-seat         3.8         7.9         10.75         14.5           Three-seat         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           One-seat         4         7.25         11.5         14.5           Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3           COM Yardage Yardage Per Yardage P	Three-seat	75		27	34	18.5		19.25	154	26.3
COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           One-seat         2.2         4.6         6.38         8.8           Two-seat         3.8         7.9         10.75         14.5           Three-seat         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 3 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 3 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units         COM Yardage 9 Entire Units         COM Yardage 9 Entire Units         COM Yardage 9 Entire Units         COM Yardage 4 Entire Units         COM Yardage 9 Entire Units         COM Yardage	One-seat (Bariatric)	36		27	34	18.5		19.25	96	11.5
Entire Unit wo/ Arms         2 Entire Units wo/ Arms         3 Entire Units wo/ Arms         4 Entire Units wo/ Arms           One-seat         2.2         4.6         6.38         8.8           Two-seat         3.8         7.9         10.75         14.5           Three-seat         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM YARDAGES - WITH ARMS           COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           w/ Arms         w/ Arms         w/ Arms         w/ Arms         w/ Arms         V/ Arms           One-seat         4         7.25         11.5         14.5         Two-seat           Two-seat         5.5         11         16         21.7         Three-seat           Three-seat         7.1         13.25         19         28         One-seat (Bariatric)         4.5         9         13.5         18.3           COM YARDAGES - Individual Components           COM         COM         COM         COM         COM         COM         Yardage         Yardage Per	COM YARDAGES -	ARMLES	S UNITS							
wo/ Arms         wo/ Arms         wo/ Arms         wo/ Arms           One-seat         2.2         4.6         6.38         8.8           Two-seat         3.8         7.9         10.75         14.5           Three-seat         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM Yardage Entire Unit         COM Yardage         COM Yardage         COM Yardage           2 Entire Units         3 Entire Units         4 Entire Units         4 Entire Units         4 Entire Units           w/ Arms         w/ Arms         w/ Arms         w/ Arms         V/ Arms           One-seat         4         7.25         11.5         14.5           Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3      /td>         COM Yardage         Yardage Per Seat         3 Seats         4 Seats           One-seat         1.90         1.75         2.75         3.5 <td>С</td> <td>OM Yarda</td> <td>ge CON</td> <td>/I Yardage</td> <td>COM Yardag</td> <td>ge COM Y</td> <td>'ardage</td> <td></td> <td></td> <td></td>	С	OM Yarda	ge CON	/I Yardage	COM Yardag	ge COM Y	'ardage			
One-seat         2.2         4.6         6.38         8.8           Two-seat         3.8         7.9         10.75         14.5           Three-seat         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM YARDAGES - WITH ARMS           COM YARDAGES - WITH ARMS         COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           W/ Arms         w/ Arms         w/ Arms         w/ Arms         w/ Arms           One-seat         4         7.25         11.5         14.5           Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3           COM YARDAGES - Individual Components           COM         Yardage Per         Yardage Per         Yardag		Entire Unit	2 Er	ntire Units	3 Entire Unit	ts 4 Entir	e Units			
Two-seat         3.8         7.9         10.75         14.5           Three-seat         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM YARDAGES - WITH ARMS           COM YARDAGES - WITH ARMS         COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           W/ Arms         w/ Arms         w/ Arms         w/ Arms         w/ Arms         v/ Arms           One-seat         4         7.25         11.5         14.5         14.5           Two-seat         5.5         11         16         21.7         11.5         14.5           Three-seat         7.1         13.25         19         28         000		wo/ Arms	W	o/ Arms	wo/ Arms	wo/	Arms			
Three-seat One-seat (Bariatric)         5.75         11         16         22           One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM YARDAGES - WITH ARMS         COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage 4 Entire Units           w/ Arms         w/ Arms         w/ Arms         w/ Arms         W/ Arms           One-seat         4         7.25         11.5         14.5           Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3           COM YARDAGES - Individual Components           COM YARDAGES - Individual Components         COM	One-seat			4.6		8	.8			
One-seat (Bariatric)         3.0         6.3         9.5         13.86           COM YARDAGES - WITH ARMS           COM YARDAGES - WITH ARMS         COM Yardage Entire Unit         COM Yardage 2 Entire Units         COM Yardage 3 Entire Units         COM Yardage 4 Entire Units         COM Yardage         COM         COM<	Two-seat									
COM YARDAGES - WITH ARMS         COM Yardage Entire Unit       COM Yardage 2 Entire Units       COM Yardage 3 Entire Units       COM Yardage 4 Entire Units         0ne-seat       4       7.25       11.5       14.5         Two-seat       5.5       11       16       21.7         Three-seat       7.1       13.25       19       28         One-seat (Bariatric)       4.5       9       13.5       18.3         COM YARDAGES - Individual Components         COM COM       COM										
COM Yardage Entire UnitCOM Yardage 2 Entire UnitsCOM Yardage 3 Entire UnitsCOM Yardage 4 Entire Unitsw/ Armsw/ Armsw/ Armsw/ Armsw/ Armsw/ Armsw/ Armsw/ ArmsOne-seat47.2511.514.5Two-seat5.5111621.7Three-seat7.113.251928One-seat (Bariatric)4.5913.518.3COM YARDAGES - Individual ComponentsCOM YARDAGES - Individual ComponentsCOM ArmsYardageYardage Per Yardage Per	One-seat (Bariatric)	3.0		6.3	9.5	13	.86			
Entire Unit2 Entire Units3 Entire Units4 Entire Unitsw/ Armsw/ Armsw/ Armsw/ ArmsOne-seat47.2511.514.5Two-seat5.5111621.7Three-seat7.113.251928One-seat (Bariatric)4.5913.518.3COM YARDAGES - Individual ComponentsCOM YARDAGES - Individual ComponentsCOM Yardage Yardage Per Seat2 Seats3 Seats4 SeatsOne-seat1.901.752.753.55.251.252.13.44.2Two-seat1.902.54.56.088.51.73.45.16.5Three-seat1.903.56.25912.52.54.679										
w/ Arms         w/ Arms         w/ Arms         w/ Arms           One-seat         4         7.25         11.5         14.5           Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3           COM YARDAGES - Individual Components           COM	C									
One-seat         4         7.25         11.5         14.5           Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3           COM YARDAGES - Individual Components           COM         C		Entire Unit	: 2 Er	ntire Units	3 Entire Unit	ts 4 Entir	e Units			
Two-seat         5.5         11         16         21.7           Three-seat         7.1         13.25         19         28           One-seat (Bariatric)         4.5         9         13.5         18.3           COM YARDAGES - Individual Components           COM YARDAGES - Individual Components         COM		w/ Arms	V	// Arms	w/ Arms	w/ A	Arms			
Three-seat One-seat (Bariatric)7.1 4.513.25 919 13.528 18.3COM YARDAGES - Individual ComponentsCOM YARDAGES - Individual ComponentsCOM <t< td=""><td>One-seat</td><td></td><td></td><td>7.25</td><td>11.5</td><td>14</td><td>1.5</td><td></td><td></td><td></td></t<>	One-seat			7.25	11.5	14	1.5			
One-seat (Bariatric)4.5913.518.3COM YARDAGES - Individual ComponentsCOMCOMCOMCOMCOMCOMCOMCOMCOMCOMArmsYardage YardageYardage Per 2 BacksYardage Per 3 BacksYardage Per 4 BacksYardage Per SeatYardage Per 2 SeatsYardage Per 3 SeatsYardage Per 4 SeatsOne-seat1.901.752.753.55.251.252.13.44.2Two-seat1.902.54.56.088.51.73.45.16.5Three-seat1.903.56.25912.52.54.679	Two-seat	5.5		11	16	21	.7			
COM YARDAGES - Individual ComponentsCOM	Three-seat	7.1		13.25	19	2	8			
COMCO	One-seat (Bariatric)	4.5		9	13.5	18	3.3			
Arms (Left & Right)Yardage Per BackYardage Per 2 BacksYardage Per 3 BacksYardage Per 4 BacksYardage Per Per SeatYardage Per 2 SeatsYardage Per 3 SeatsYardage Per 4 SeatsOne-seat1.901.752.753.55.251.252.13.44.2Two-seat1.902.54.56.088.51.73.45.16.5Three-seat1.903.56.25912.52.54.679	COM YARDAGES -	Individua								
(Left & Right)         Per Back         2 Backs         3 Backs         4 Backs         Per Seat         2 Seats         3 Seats         4 Seats           One-seat         1.90         1.75         2.75         3.5         5.25         1.25         2.1         3.4         4.2           Two-seat         1.90         2.5         4.5         6.08         8.5         1.7         3.4         5.1         6.5           Three-seat         1.90         3.5         6.25         9         12.5         2.5         4.6         7         9		COM					COM	COM		
(Left & Right)         Per Back         2 Backs         3 Backs         4 Backs         Per Seat         2 Seats         3 Seats         4 Seats           One-seat         1.90         1.75         2.75         3.5         5.25         1.25         2.1         3.4         4.2           Two-seat         1.90         2.5         4.5         6.08         8.5         1.7         3.4         5.1         6.5           Three-seat         1.90         3.5         6.25         9         12.5         2.5         4.6         7         9		Arms	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per	Yardage Per
One-seat         1.90         1.75         2.75         3.5         5.25         1.25         2.1         3.4         4.2           Two-seat         1.90         2.5         4.5         6.08         8.5         1.7         3.4         5.1         6.5           Three-seat         1.90         3.5         6.25         9         12.5         2.5         4.6         7         9	(Let	ft & Right)		2 Backs	3 Backs	4 Backs	Per Seat	2 Seats		
Two-seat1.902.54.56.088.51.73.45.16.5Three-seat1.903.56.25912.52.54.679				2.75	3.5	5.25	1.25	2.1	3.4	4.2
Three-seat         1.90         3.5         6.25         9         12.5         2.5         4.6         7         9	Two-seat	1.90	2.5		6.08	8.5	1.7	3.4	5.1	6.5
	Three-seat	1.90	3.5				2.5	4.6	7	9
	One-seat (Bariatric)	1.90	1.8	3.5	5.25	7	1.25	2.6	3.75	5.5

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit 6 Units = Take the yardage for 4 units and add the yardage for 2 units

7 Units = Take the yardage for 4 units and add the yardage for 3 units 8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

67 Units = Take the yardage for 4 units, multiply by 16, add yardage for 3 units

Zola Modular Bariatric Two-Seats and Three-Seats units have the same dimensions as the Regular Modular Two-Seats and Three-seats.

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote)

#### PACKAGING

All Modular Units, and tables will be shipped KD (Knocked Down)

Upcharge for Removable Upholstery Covers:

**DIMENSIONS - ARMLESS UNITS** 

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	53	One-seat seat	32
Interim Arm	42	Two-seat seat	47
One-seat back	47	Three-seat seat	58
Two-seat back	68	One-seat bariatric seat	42
Three-seat back	84		
One-seat bariatric back	53		

**FEATURES:** For a complete listing of features see page 134.

For information on Zola Tables see page 317, Zola Benches see page 208 and Zola Tablets see page 148.

## **ZOLA** | MODULAR

SIN	711	-16
0		

			СОМ		COL	FABRIC GRADES		LEATHER		7	
DESCRIPTION/MODEL		SPECIES	1	2	3	4	5	6	7	8	9
One-Seat, Uph Back Armless											
( ) zo	OL3 M1101	n/a	1058	1114	1169	1268	1367	1467	1566	1665	1842
 Or	One-Seat, Uph Back w/ Arms										
	DL3 M1111	n/a	1621	1703	1781	1924	2067	2210	2354	2497	2712
- U -											
Or	ne-Seat, Wood	l or Palette F	ack. Arm	less							
C.WWIA	OL3 M1201	Beech	960	982	1004	1048	1092	1136	1180	1224	1290
		Maple/	987	1009	1031	1075	1119	1163	1208	1252	1318
		Cherry									
- U -		Palette	960	982	1004	1048	1092	1136	1180	1224	1290
Or	ne-Seat, Wood	l or Palette F	ack w/ L	nh Pad A	rmless						
	DL3 M1301	Beech	1114	1147	1169	1224	1268	1313	1357	1401	1489
		Maple/	1141	1174	1196	1252	1296	1340	1384	1428	1516
		Cherry									
		Palette	1114	1147	1169	1224	1268	1313	1357	1401	1489
T\s	vo-Seat, Uph E	Back Armless									
	DL3 M2101	n/a	1852	1957	2056	2210	2365	2519	2673	2828	3070
" T											
	vo-Seat, Uph E	Poole w/ Arm									
	O-Seat, Ophic OL3 M2111	n/a	s 2415	2519	2619	2773	2927	3082	3236	3390	3633
		11/4	2410	2010	2010	2110	2021	OOOL	0200	0000	0000
" T											
	nree-Seat, Uph	Back Armia	ee								
	DL3 M3101	n/a	2658	2812	2966	3275	3584	3892	4201	4510	5039
			2000		2000	0210		CCOL	01		2000

**ORDERING NOTES:** Zola Modular Seating is available with 4 casters, for an upcharge of **\$74 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Modular Seating is available with 2 legs and 2 casters version, for an upcharge of **\$53 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane add an upcharge of **\$168 list**, for two arms. **FEATURES:** For a complete listing of features see page 134.

For information on Zola Tables see page 317, Zola Benches see page 208 and Zola Tablets see page 148.

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL	3	М	1	1	1	1
Zola	Soft Seating	Modular	One Seat	Fully Uph Back	Uph Arm	Standard Leg + Glide
		MB	2	2	2	2
		Modular Bariatric	Two Seat	Wood Back	Urethane Arm Cap	Casters
			3	3		3
			Three Seat	Wood Back with Uph Pad		Combination 2 Front Standard Legs & 2 Rear Casters

## **ZOLA** | MODULAR & MODULAR BARIATRIC

SIN 711-16

DESCRIPTION/MODEL		COM 1	2	COL 3	FAI 4	BRIC GRAI	DES 6	7	LEATHEI 8	R 9
	Three-Seat, Uph Back w/ ZOL3 M3111 n/a	Arms 3219	3374	3528	3837	4145	4454	4763	5072	5601
	One-Seat, Bariatric, UPH ZOL3 MB1101 n/a	Back, Armle 1147	ess 1180	1235	1335	1433	1533	1632	1731	1908
" T "	ORDERING NOTES: One	-seat Bariati	ric seat is	30" wide.						
	One-Seat, Bariatric, UPH ZOL3 MB1111 n/a	Back, Arms 1709	1791	1869	2012	2156	2298	2442	2585	2800
	ORDERING NOTES: One	-seat Bariati	ric seat is	30" wide l	between th	ne arms.				
	Two-Seat, Bariatric, UPH ZOL3 MB2101 n/a	Back, Armle 1913	ss 2018	2117	2271	2425	2580	2734	2889	3131
	ORDERING NOTES: The	Two-Seat B	ariatric co	mes stand	dard with a	fifth leg fo	r extra su	pport.		
	Two-Seat, Bariatric, UPH ZOL3 MB2111 n/a	Back, Arms 2475	2580	2679	2834	2988	3142	3297	3451	3694
	ORDERING NOTES: The	Two-Seat B	ariatric co	mes stand	dard with a	fifth leg fo	r extra su	pport.		
	Three-Seat, Bariatric UPH ZOL3 MB3101 n/a	Back, Arml 2729	ess 2883	3038	3346	3655	3964	4272	4581	5110
	ORDERING NOTES: The Three-Seat Bariatric comes standard with a fifth leg for extra support.									
	Three-Seat, Bariatric UPH ZOL3 MB3111 n/a	Back, Arms 3291	3445	3599	3908	4217	4526	4834	5143	5672
	ORDERING NOTES: The	Three-Seat	Bariatric c	omes sta	ndard with	a fifth leg	for extra s	upport.		

ORDERING NOTES: Zola Modular Seating is available with 4 casters, for an upcharge of \$74 list per chair. Please add a '2' at the end of the model number for casters ie; ZOL3 F1112. Zola Modular Seating is available with 2 legs and 2 casters version, for an upcharge of \$53 list per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3 F1113. Please note, bariatric versions are not available with either of these options. Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

Zola Lounge Seating is available with the option of Urethane arm caps please select "2" for Urethane add an upcharge of \$168 list, for two arms

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3 Soft Seating	M Modular	1 One Seat	1 Fully Uph Back	1 Uph Arm	1 Standard Leg + Glide
		MB	2	2	2	2
		Modular Bariatric	Two Seat	Wood Back	Urethane Arm Cap	Casters
			3	3		3
			Three Seat	Wood Back with Uph Pad		Combination 2 Front Standard Legs & 2 Rear Casters

### **ZOLA** | MODULAR BACKS & ARMS

SIN 711-16

DESCRIPTION/MC	DEL	SPECIES	COM 1	2	COL 3	FAI 4	BRIC (	GRADE	SL 7	EATHEI 8	R 9	COM YARDAGE	SHIPPING WEIGHT	
	Left, Right,or I ZOL3 MAL ZOL3 MAR	nterim Arm	י 342	370	397	453	507	563	617	673	750	1.5	19	3.1
	ZOL3 MAI ZOL3 MALU ZOL3 MARU		243 431	254 458	265 485	287 541	309 595	331 651	353 706	375 761	408 838	0.33 1.5	13 20.5	1.8 3
	ORDERING N between arms Zola Arms (left Interim arm is r	by 1" per or right) are	seating e specif	unit. T ied whe	he inter en seate	im Arn	ו does	not co	mprom	nise the	overall v	width of the c	ombined l	benches.
$\overline{\bigcap}$	UPH Back ZOL3 MB11*		546	590	634	722	811	899	1097	1185	1290	1.75	23	5.2
	ZOL3 MB21		717	777	838			1202		1445	1588	2.5	39	9.4
445	ZOL3 MB31		872	948	1026				1643		1985	3.5	54	14
	ZOL3 MBB11		607	651	695	783	872	960	1048	1136	1252	2	28	6.1
	ORDERING N units as well. (									are used	l for the	Two-Seat & T	hree-seat	Bariatric
	One-Seat Woo													
	ZOL3 MB13	Beech	431 463	441 475	452 485	475 507	497 529	519 551	541 563	563 585	595 629	0.6 0.6	21 21	3.1 3.1
LL		Maple /Cherry	403	475	400	507	529	551	505	565	029	0.0	21	5.1
		Palette	431	441	452	475	497	519	541	563	595	0.6	25	3.1
	One-Seat Woo													
	ZOL3 MB12	Beech	298 326									-	19 19	3.1 3.1
		Maple /Cherry	320									-	19	5.1
		Palette	298									-	23	3.1
		Falette												
<b>ZOLA</b>   M(	DULAR		LAC	EM	ENT	CO	MP	ONI	ΞΝΤ	S				
		- REP	СОМ		COL		BRIC (	GRADE	ES L	EATHE	R		SHIPPING	
			СОМ	2 2							R 9	COM YARDAGE		
	DDEL Modular One-	- REP SPECIES Seat Wood	COM 1 I Back		COL	FA	BRIC (	GRADE	ES L	EATHE			WEIGHT	CUBES
	DDEL	- REP SPECIES Seat Wood Beech	COM 1 Back 254		COL	FA	BRIC (	GRADE	ES L	EATHE				
	DDEL Modular One-	- REP SPECIES Seat Wooc Beech Maple /Cherry	COM 1 I Back 254 281		COL	FA	BRIC (	GRADE	ES L	EATHE			WEIGHT 19 19	3.1 3.1
	DDEL Modular One-	- REP SPECIES Seat Wooc Beech Maple	COM 1 Back 254		COL	FA	BRIC (	GRADE	ES L	EATHE			WEIGHT	CUBES 3.1
	DDEL Modular One- ZOL3 RBM12	- REP SPECIES Seat Wood Beech Maple /Cherry Palette	COM 1 I Back 254 281 254	2	COL 3	FA 4	BRIC (	GRADE	ES L	EATHE		YARDAGE - -	WEIGHT 19 19	3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One-	- REP SPECIES Seat Wood Beech Maple /Cherry Palette	COM 1 Back 254 281 254	2 w/ Uph	COL 3	FA 4	BRIC (	GRADE	5S L	EATHE 8	9	YARDAGE - - -	WEIGHT 19 19 23	CUBES 3.1 3.1 3.1
	DDEL Modular One- ZOL3 RBM12	- REP SPECIES Seat Wood Beech Maple /Cherry Palette	COM 1 I Back 254 281 254	2	COL 3	FA 4	BRIC (	GRADE	ES L	EATHE		YARDAGE - -	WEIGHT 19 19	3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One-	- REP SPECIES Seat Wood Beech Maple /Cherry Palette Seat Wood Beech Maple /Cherry	COM 1 Back 254 281 254 Back 386 419	2 w/ Uph 397 431	COL 3 olstered 408 441	FA 4 d Pad 431 463	453 485	GRADE 6 475 507	ES L 7 497 519	EATHE 8 519 541	9 551 585	YARDAGE - - - 0.6 0.6	WEIGHT 19 19 23 21 21	CUBES 3.1 3.1 3.1 3.1 3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One-	- REP SPECIES Seat Wood Beech Maple /Cherry Palette Seat Wood Beech Maple	COM 1 Back 254 281 254 1 Back 386	2 w/ Uph 397	COL 3	FA 4 d Pad 431 463	BRIC ( 5	GRADE 6 475	ES L 7 497	EATHE 8 519	9 551	YARDAGE - - - 0.6	WEIGHT 19 19 23 21	CUBES 3.1 3.1 3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One- ZOL3 RBM13	- REP SPECIES Seat Wood Beech Maple /Cherry Palette Seat Wood Beech Maple /Cherry Palette	COM 1 Back 254 281 254 Back 386 419	2 w/ Uph 397 431	COL 3 olstered 408 441	FA 4 d Pad 431 463	453 485	GRADE 6 475 507	ES L 7 497 519	EATHE 8 519 541	9 551 585	YARDAGE - - - 0.6 0.6	WEIGHT 19 19 23 21 21	CUBES 3.1 3.1 3.1 3.1 3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One-	- REP SPECIES Seat Wood Beech Maple /Cherry Palette Seat Wood Beech Maple /Cherry Palette	COM 1 Back 254 281 254 Back 386 419	2 w/ Uph 397 431	COL 3 olstered 408 441	FA 4 d Pad 431 463	453 485	GRADE 6 475 507	ES L 7 497 519	519 541 519	9 551 585	YARDAGE - - - 0.6 0.6	WEIGHT 19 19 23 21 21	CUBES 3.1 3.1 3.1 3.1 3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One- ZOL3 RBM13 Upholstered E ZOL3 RBM11 ZOL3 RBM11	- REP SPECIES Seat Wood Beech Maple /Cherry Palette Seat Wood Beech Maple /Cherry Palette	COM 1 Back 254 281 254 1 Back 386 419 386 419 386	2 w/ Uph 397 431 397 546 733	COL 3 olstered 408 441 408 590 794	FA 4 d Pad 431 463 431 463 431 678 916	453 453 453 767 1036	475 507 475 855 1158	497 519 497 1053 1279	EATHE 8 519 541 519 1141 1401	9 551 585 551 1246 1544	YARDAGE - - 0.6 0.6 0.6 0.6 0.6 1.75 2.5	WEIGHT 19 19 23 21 21 25 23 39	CUBES 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1
	DDEL Modular One- ZOL3 RBM12 Modular One- ZOL3 RBM13 Upholstered E ZOL3 RBM11	- REP SPECIES Seat Wood Beech Maple /Cherry Palette Seat Wood Beech Maple /Cherry Palette	COM 1 Back 254 281 254 1 Back 386 419 386 502	2 w/ Uph 397 431 397 546	COL 3 olstered 408 441 408 590	FA 4 d Pad 431 463 431 463 431 678 916 1136	453 453 453 767 1036	475 507 475 855 1158	497 519 497 1053 1279 1599	EATHE 8 519 541 519 1141 1401	9 551 585 551 1246	YARDAGE - - 0.6 0.6 0.6 0.6 1.75	WEIGHT 19 19 23 21 21 25 23	CUBES 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1

ORDERING NOTE: The Two-Seat & Three-Seat Upholstered Backs are used for the Two-Seat & Three-Seat Bariatric units as well. Only Upholstered Backs can be used. Modular Upholstered Replacement Backs are supplied with velcro upholstery that allows for assembly of existing "L" brackets on site prior to assembly to the bench. Replacement Backs do not include mounting brackets and legs and Replacement Seat/Benches do not include legs and joining brackets. The hardware can be transferred from the original component to the replacement component. If new hardware is required, Modular Arms/Backs/Benches should be ordered.

**COMMERCIAL DISCOUNT APPLIES TO THESE PRODUCTS** 

## **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

SIN 711-16

		СОМ		COL	FAB	RIC GF	ADES	L	EATHE	R	СОМ		
DESCRIPTION/MC	DEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Right or Left Upholste	ered Arn	n										
	ZOL3 RAMR	303	331	358	414	468	524	579	634	711	1.5	14	3
	ZOL3 RAML	000	001	000		100	021	010	001		1.0		Ũ
	ZOL3 RAMRU	392	419	446	502	557	612	667	722	799	1.5	15.5	3
	ZOL3 RAMLU	OOL	110	110	OOL	007	012	001	,	100	1.0	10.0	Ŭ
	20201841120												
	<b>ORDERING NOTES:</b>												
	Zola Replacement an	ms (left	or right	) are sp	ecified v	when se	eated. F	Replacen	nent Mo	dular A	rms are sent	without r	nodular 🚦
	hardware. Replaceme	ent Arms	do not	include	e mount	ing brad	ckets. Z	OL3 RA	MRU &	ZOL3 F	RAMLU are re	eplaceme	nt arms 🚦
	with urethane cap.												
$\langle \rangle$	UPH Seat												
	ZOL3 RSM1*	541	573	607	667	728	789	849	909	1033	1.33	25	5.2
	ZOL3 RSM2	783	821	860	943	1026	1108	1191	1274	1411	1.75	39	9.4
	ZOL3 RSM3	1020	1075	1130	1246	1362	1477	1593	1709	1852	2.5	50	14
	ZOL3 RSMB1	700	733	767	833	899	965	1031	1097	1196	1.75	26	6.1
	ZOL3 RSMB2	838	882	926	1009	1092	1174	1257	1340	1477	1.75	39	9.4
	ZOL3 RSMB3	1224	1279	1335	1433	1533	1632	1731	1830	1985	2.5	50	14
_	Back Cover												(
N)	ZOL3 RCB1*	210	254	298	386	475	563	651	739	882	2	2.8	1.7
$\mathcal{R}$ (	ZOL3 RCB2	287	353	419	551	684	816	948	1080	1246	3	3.6	1.7
	ZOL3 RCB3	353	441	529	706	882	1058	1235	1411	1632	3.75	4.3	17
	ZOL3 RCBB1	233	276	320	408	497	585	673	761	894	2	2.8	1.7
	Seat Cover												•
	ZOL3 RCS1*	188	221	254	320	386	453	519	585	684	1.33	2.3	1.7
50	ZOL3 RCS2	243	287	331	419	507	595	684	772	916	1.75	2.6	1.7
-	ZOL3 RCS3	309	364	419	475	529	585	639	695	783	2.5	3.8	1.7
	ZOL3 RCSB1	287	326	364	441	519	595	673	750	860	1.75	2.6	1.7
	Back Pad												
	OL3 RP	154	166	176	198	221	243	265	287	320	0.6	1.6	2
	02011	101	100		100		210	200	201	020	0.0	1.0	- (
	Arm Covers Right, Le	eft or Inte	erim										
	ZOL3 RCAR	188	221	254	320	386	453	519	585	673	1.5	2.5	1.7
	ZOL3 RCAL												
	ZOL3 RCAI	122	132	144	166	188	210	232	254	281	0.33	1.5	1.7
	ZOL3 RCARU	188	221	254	320	386	453	519	585	673	1.5	2.5	1.7
US .	ZOL3 RCALU												

**ORDERING NOTES:** Replacement Arm Covers (left or right) are specified as seated. ZOL3 RCARU & ZOL3 RCALU are arm covers for arms with the urethane arm cap option.



Urethane Arm Cap ZOL3 AUR 88 ZOL3 AUL

1.50.31.50.3

	Overall Width	Overall Depth	Overall Height	Seat Height	Seat Depth	Shipping Weight	Cubes
Single seat						~	
30°	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
60°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
60°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

	COM Yardage Entire Unit	COM Yardage 2 Entire Units	COM Yardage 3 Entire Units	COM Yardage 4 Entire Units	
Single seat					
Single seat 30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	

#### **COM Yardages - Individual Components**

J								
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6






Curve

Single Seat, Uph 30° Inside

30<sup>g</sup>

58"


44'




Double Seat, Uph 45° Inside Curve

60<u>°</u> 48 20 - 22"


Single Seat, Uph 60° Inside Curve



Double Seat, Uph 60° Inside Curve



Single Seat, Uph 90° Inside Curve



Double Seat, Uph 90° Inside Curve

#### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

#### DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overall Height			Seat Depth	Shipping Weight	Cubes	_
Single seat				-					_
30°	33.75	28.25	34	18.5		22.5	48	23	
45°	38.75	28.75	34	18.5		22.5	49	24	
60°	43.5	29.25	34	18.5		22.5	50	29	
90°	52	29.75	34	18.5	5	22.5	51	34	
Double seat									
30°	55.75	29.75	34	18.5	5	22.5	83	36	×
45°	60.75	31	34	18.5	5	22.5	84	40	O
60°	65.75	32.25	34	18.5	5	22.5	86	45	-
90°	74	34.5	34	18.5	5	22.5	96	56	
COM Yardages									Ζ
<u> </u>	COM Yar	rdage	COM Yardage	COM	Yardage	COM Yar	dage		Π
	Entire l	Jnit	2 Entire Units	3 Ent	ire Units	4 Entire I	Jnits		
Single seat									RCIAI
30°	3.32	2	6.14		.46	12.2	8		$\mathbf{\Sigma}$
45° 60°	3.32		6.14		.46	12.2	ö 0		
60° 90°	3.32 3.32		6.14 6.14		.46 .46	12.2 12.2			_
90	3.32	2	0.14	9.	.40	12.2	0		
Double seat									
30°	6.50		13.0		9.5	26.0			U
45°	6.50		13.0		9.5	26.0			
60° 90°	6.50 6.50	)	13.0	19	9.5	26.0			0
90-	0.50	J	13.0	13	9.5	26.0	)		ISC
COM Yardages	<ul> <li>Individual Co</li> </ul>	mponents							Õ
	COM	COM	COM	COM	COM	COM	COM	COM	
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per		Yardage Per	r 🚬
	Per Back	2 Backs	3 Backs	4 Backs	Per Seat	2 Seats	3 Seats	4 Seats	- 2
Single seat									-
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2	
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2	
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2	
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2	
Double seat									τ
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6	
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6	
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6	
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6	S
		18.75"		18.75	"		-15"-	0.5.11	
- 20				$\sim$	1			.25"	Ο
	Ŧ			27"			27"	$\overline{}$	
27"	0.05"	27"	00.75"	<i>ī</i> /	29.25"	$\checkmark$	$/ \sim \setminus$	20.75"	
$\int \int                                    $	8.25"		28.75"	$\leq$	$\sum 1$		$\langle \rangle$	29.75"	T
4	1	+			$ \rightarrow $	~			
- 30°		459	<u> </u>				909	<u> </u>	Π
-33.75"-			4	43.50	)" — -			ļ	S
Single Seat, Uph 30	)° Outside	Single Seat, Up	h 45° Outside	Single Seat, U		Si	ngle Seat, Uph 90°	Outside Curve	m
Curve		Curve		Outside Curv		0	.g.e cout, opi100		

#### **COM Yardages**

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
Single seat					
30°ॅ	3.32	6.14	9.46	12.28	
45°	3.32	6.14	9.46	12.28	
60°	3.32	6.14	9.46	12.28	
90°	3.32	6.14	9.46	12.28	
Double seat					
30°	6.50	13.0	19.5	26.0	
45°	6.50	13.0	19.5	26.0	
60°	6.50	13.0	19.5	26.0	
90°	6.50	13.0	19.5	26.0	


#### **COM Yardages - Individual Components**

COM Tartages		mponenta						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat								
30°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
45°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
60°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
90°	1.7	2.95	4.65	5.9	1.8	3.6	5.4	7.2
Double seat								
30°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
45°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
60°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6
90°	3.1	6.2	9.3	12.4	3.4	6.8	10.2	13.6





Single Seat, Uph 30° Outside Curve



Double Seat, Uph 30° Outside Curve




60.75" Double Seat, Uph 45° Outside Curve


45°

### 18.75" 29.25" -60º 43.50"


Single Seat, Uph 60° Outside Curve



Double Seat, Uph 60° Outside Curve



Single Seat, Uph 90° Outside Curve



Double Seat, Uph 90° Outside Curve

#### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

SIN 711-16 DESCRIPTION/MOD		COM 1	2	COL 3	FAE 4	BRIC GRAI	DES 6	7	LEATHEF 8	R 9
	Single-Seat, 30º Inside Cu ZOL3 MCIS30D1	rve 1605	1696	1785	1911	2056	2182	2326	2506	2686
	Single-Seat, 45° Inside Cu ZOL3 MCIS45D1	rve 1888	2003	2119	2282	2468	2629	2815	3047	3279
	Single-Seat, 60° Inside Cur ZOL3 MCIS60D1	rve 2140	2255	2371	2534	2720	2881	3067	3299	3531
	Single-Seat, 90° Inside Cur ZOL3 MCIS90D1	rve 2431	2577	2723	2926	3159	3363	3596	3888	4180
P	Single-Seat, 30° Outside C ZOL3 MCOS30D1	Curve 1445	1526	1607	1720	1850	1964	2093	2255	2417
	Single-Seat, 45º Outside C ZOL3 MCOS45D1	Curve 1699	1803	1908	2054	2221	2367	2534	2744	2951
	Single-Seat, 60° Outside C ZOL3 MCOS60D1	Curve 1926	2030	2135	2281	2448	2594	2760	2969	3177
	Single-Seat, 90° Outside C ZOL3 MCOS90D1	curve 2188	2318	2450	2633	2843	3027	3237	3500	3762

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

#### PRODUCT CODE KEY

1

Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Bariatric	O Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
146   USA   HEAL	THCARE				90D 90 Degree	

SIN 711-16

									SIN	/11-16
		COM		COL	FA	BRIC GRA	DES		LEATHE	R
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9
	Double-Seat, 30° Inside C ZOL3 MCID30D1	Curve 2809	2966	3125	3345	3597	3818	4071	4386	4701
	Double-Seat, 45° Inside C ZOL3 MCID45D1	Curve 3303	3506	3709	3992	4317	4601	4926	5331	5737
	Double-Seat, 60° Inside C ZOL3 MCID60D1	Curve 3744	3947	4150	4433	4758	5042	5367	5772	6178
	Double-Seat, 90° Inside C ZOL3 MCID90D1	Curve 4254	4509	4764	5121	5528	5885	6293	6804	7313
	Double-Seat, 30° Outside ZOL3 MCOD30D1	Curve 2528	2670	2812	3010	3238	3437	3663	3947	4232
	Double-Seat, 45° Outside ZOL3 MCOD45D1	Curve 2973	3155	3338	3593	3885	4141	4433	4799	5163
	Double-Seat, 60° Outside ZOL3 MCOD60D1	Curve 3369	3552	3735	3990	4282	4538	4830	5195	5560
	Double-Seat, 90° Outside ZOL3 MCOD90D1	Curve 3827	4058	4287	4608	4976	5297	5665	6124	6582

**ORDERING NOTES:** Please note when Zola Modular Chairs are ordered, each chair is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down).

PRODUCT CODE KEY

THEFEET COPER						
Line	Series	Chair Type	Curve Style	Seat Count	Seat Degree	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	I Inside Curve	S Single	30D 30 Degree	1 Standard Leg + Glide
		MCB Modular Bariatric	O Outside Curve	D Double	45D 45 Degree 60D 60 Degree	
					90D 90 Degree	

# **ZOLA** | SEATABLES SIN 711-16

		COM		COL	FAE	BRIC GF	RADES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Round Seatable												
	ZOL5-18D	482	499	515	538	564	587	613	646	678	1.3	18	5.2
	ZOL5-24D	623	658	693	742	798	847	904	974	1044	1.5	26	8.5
	ZOL5-30D	784	824	864	920	984	1040	1103	1182	1262	1.7	38	10.5
	Square Seatable												
	ZOL5-1818	528	560	591	635	686	731	781	844	907	1.3	27	5.2
	ZOL5-2424	630	666	700	750	805	855	911	981	1051	1.5	38	8.5
$\sim$	Rectangular Seatable												
	ZOL5-2418	579	610	642	687	737	781	832	895	958	1.3	31	6.6
	ZOL5-4824	821	864	907	968	1037	1097	1167	1254	1340	2.4	62	12.6

## **ZOLA** | TABLETS

DESCRIPTION	MODEL	SPECIES	PRICE	WEIGH	Γ CUBE
	Wood Tablet ZOL3 T1	Beech Maple /Cherry	358 375	12	2
	Tablet with Palette F ZOL3 T2	<sup>-</sup> inish n/a	287	12	2
	Glass Tablet ZOL3 T3	n/a	546	13	2
	Laminate Tablet ZOL3 T4	n/a	370	12	2

ORDERING NOTES: The laminate tablet comes standard with a polymer edge. Please note Zola Tablets are universally handed and do not need to be specified right or left when ordering.

### **ZOLA** | REPLACEMENT COMPONENTS & ELECTRICAL

SIN 711-16

	/MODEL		PRICE		WEIGHT	CUBE
	Wood Tablet	-			_	
I A	ZOL3 RT1	Beech	265		5	0.32
U		Maple /Cherry	281		5	0.32
	Painted Table	t &Mounting	Plate Only			
	ZOL3 RT2	n/a	193		5	0.32
	Glass Tablet &		late Only			
Ţ	ZOL3 RT3	n/a	453		6	0.32
	Laminate Tab	let & Mountin	g Plate Only			
$ \longrightarrow $	ZOL3 RT4	n/a	276		5	0.32
	tablet versior	n, please refe		ablets on this page include the to se note when Zola Modular Seats RLKB2).		
3	Leg ZOL3 RLS		39		1	0.125
	Leg Glide (4)					
	ZOL3 RLG		17		0.2	0.01
	Caster Leg ZOL3 RLC		27		0.4	0.125
	Caster Withou					
	ZOL3 RC1	It Drake	39		0.4	0125
		NOTE: Caster	rs cannot be ordered	as replacement items for bariatric	units.	
	Caster With E ZOL3 RC2	3rake	49		0.4	0.125
		NOTE: Caster	rs cannot be ordered	as replacement items for bariatric	units.	
	Seat to Seat I ZOL3 RLKB2		66		1	0.125
0	2					
0000						
	Table to Seat E ZOL3 RLKB1		78		3	0.125

### LEED CI CREDIT SUMMARY

### ZOLA PRIVACY



\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION & AIR EMISSIONS CERTIFICATION



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Privacy products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

#### AIR EMISSIONS

All Zola Privacy products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola Privacy products can be specified with one of two types of FS <sup>®</sup> Certification

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe , veneer and substrate material)
 (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl , and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### **ZOLA PRIVACY | POWER LOCATIONS**






When ordering Seat Power clearly indicate required location using:

A - for front center of seat

B - for left side of seat (facing)





- C for right side of seat (facing)
- D for both left and right of seat




Shelf Power Located mid-position on the shelf surface



Table PowerLocated on the front face of the tableas standard.

**COMMERCIAL DISCOUNT APPLIES TO THESE PRODUCTS** 

### **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**



\$39,159

2283

2283


2283


959

2823

2823


2823






TOTAL


Model	Qty	Price (\$)
ZOP3-M1F1S	1	1649
ZOP3-MCIS90DF1C	2	4091
ZOP3-M2F1C	4	2485
ZOP3-M1F1S	1	1649
TOTAL		\$21,420







Model	Qty	Price (\$)
ZOP3-MCID60DF0S	1	4121
ZOP3-MCID60DF0C	3	4121
ZOP3-MCID60DF0E	1	4121
ZOL4-30D15	1	970
TOTAL		\$21,575


## **ZOLA PRIVACY | SAMPLE CONFIGURATIONS & PRICING**





Model	Qty	Price (\$)
ZOP3-M2M0S	1	1810
ZOP3-MCIS90DM0C	2	3188
ZOP3-M2M0C	1	1810
ZOP3-M2M0E	3	1810
ZOL4-242415	1	827
TOTAL		\$16,253






Model	Qty	Price (\$)
ZOL4-LKE18	4	767
ZOP3-MB1F1S	2	1999
ZOP3-MCID90DF1C	2	5492
ZOP3-MB1F1E	2	1999
ZOL4E482915	1	1405
ZOP3-MB1F1S ZOP3-MCID90DF1C ZOP3-MB1F1E	2 2 2	1999 5492 1999

TOTAL

\$23,453



Model	Qty	Price (\$)
ZOP3-MPFOS	2	660
ZOP3-M3F0F	2	2778
ZOP3-MPFOE	2	660
ZOP4-E482915	1	1405
TOTAL		\$9,601

HEALTHCARE	USA	153
	00/1	100

### **ZOLA PRIVACY | FEATURES**



#### REPLACEABILITY

Zola is built to last: its heavy-duty structure is designed for intensive use environments. When any component is damaged or degraded, it can be easily changed out on its own, instead of having to replace or repair an entire unit. Along with its use of recycled and recyclable materials, the replaceability of components means Zola can provide exceptional long-term value, and be an investment in sustainability.



Zola is designed to enable change: components are inter-changeable, reconfigurable, and replaceable. Metal-to-metal brackets are designed for fast, easy reconfiguring, that does not damage or degrade the product, and new components can be added and added with ease. Arms can be added and reconfigured to either side of the unit. Its unique leveler provides exceptional leveling capability over large spans, and on uneven floors.



#### INTENSIVE USE ENVIRONMENTS

Zola has been designed for healthcare and other intensive use environments, with some important features: removable and replaceable upholstery covers, an anti-microbial finish, the option of a urethane arm cap and a standard clean-out between the seat and back. Modular construction allows for complete cleaning and disinfecting of the entire unit, and air emissions certification, make Zola an excellent solution for healthy spaces and care-giving environments. Bariatric sizes are included in the offering.



#### CLEAN OUT

Zola Lounge chairs have a built-in clean out feature: a space at the back of the seat that allows liquid, dirt and debris to fall to the floor for easy clean up and maintenance. The clean out feature was designed so that it does not detract from the comfort or appearance of the product.



#### **BACK CONNECTION**

The Zola Privacy back linking connectors are made of sturdy steel construction. It is a two part bracket fastened with metal-to-metal connections. Brackets are not visible when units are linked. Linked backs can only be reconfigured in the same start/center/end positions.



#### Seat-to-Seat

The Zola seat-to-seat linking bracket is powdercoated steel construction in a black finish. This linking bracket is fastened with metal-to-metal connections from the seat to another seat with hardened steel bolts to ensure exceptional durability and strength. Brackets mount underneath, and do not mar or damage the tables or seats.



#### Table-to-Seat

The Zola table-to-seat bracket is powder-coated steel in a Silver Metallic finish to match the legs and casters. This linking bracket is fastened with metal-to-metal connections from the seat to the table.



#### LEGS

The legs offered on Zola Lounge are silver metallic and come standard with glides that are adjustable up to 1.25", which provide leveling capability over longer spans. Caster leg is not available.

#### TWIN BACK

Zola Privacy is available in unique Twin Back models for both straight and curves styles. The one piece back-to-back design provides a clean, minimal solution for space division and maximizing seating.

#### **COMBINATION UPHOLSTERY**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics will be applied. When graded-in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).

#### ANTI-MICROBIAL FINISH

Zola wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

#### **FINISH DURABILITY**

Krug's finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### WEIGHT CAPACITIES

Zola weight capacities are as follows:

One-seat (Straight or curved)	- 300 lbs
One-seat bariatric	- 750 lbs
Two-seat (Straight or curved	l)- 525lbs
Two-seat bariatric	- 975 lbs
Three-seat	- 750 lbs
Three-seat bariatric	- 1150 lbs

#### **PRIVACY SCREEN**

Zola Privacy Screens are made of durable frosted acrylic and can be mounted to both mid and full height backs. Steel mounting hardware enables screens to be replaced in the field.



#### TABLET

Optional Tablets are available in veneer, glass, laminate and palette finishes. See page 148 for additional information. The Zola can be fastened by the Universal Tablet Mount (mounted left or right), to the single Zola leg, it is not able to mount on the Zola shared leg. The Zola Tablet has a turning radius of 360 degrees. Solid surface is available, contact Customer Service for pricing.



#### TABLES

Tables are available in veneer, high pressure laminate, Palette finishes - and an optional solid surface top. An optional flush-mounted Table PowerDoc provides dual power/USB outlets for multiple devices and is located on the front face of the table as standard. See page 317.



#### **URETHANE ARM CAP**

The optional urethane arm cap provides enhanced durability and protection for the arms. Urethane arm caps are available in two color options; Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded with the assistance of a skilled upholsterer.



#### SHELVES & POWERDOC

Back-mounted shelves can be specified in either 30", 36" or 42" and are available in veneer, laminate and Palette finishes (Solid surface overlay also available – contact customer service) The surface-mounted Shelf PowerDoc provides dual power/USB outlets for multiple devices.



#### SEAT POWERDOC

The flush-mounted PowerDoc provides dual power/USB outlets for multiple devices. It can be located on either side of the seat, or on the seat front.



#### SIDE PANELS

An alternative to arm panels, Side Panels can be specified (in either of two heights) on the ends of configurations to provide an additional degree of privacy and enclosure, and a resting corner position for users - a beneficial element in study, work and waiting area settings.

### **ZOLA PRIVACY | OPTIONS**

#### REPLACEMENT UPHOLSTERY COVERS

Replacement upholstery covers can be easily fitted onto Zola Modular components (with the exception of Zola Curve backs) originally ordered with Removable Upholstery Covers. It is possible to use replacement covers on modular components originally ordered with standard upholstery covers, but this requires some removal of staples and other basic upholstery. Please note that the tailoring of replacement upholstery covers can be less exact and refined in appearance than original upholstery.

#### **REMOVABLE UPHOLSTERY COVERS**

Removable Upholstery Covers are available on most Zola Modular upholstered components, (with the exception of Zola Curve backs) at an upcharge. This feature allows for upholstery covers to be cleaned and disinfected, and allows them to be field-replaced with replacement upholstery covers. Please note that the tailoring of Removable Upholstery Covers can be less exact and refined in appearance than standard upholstery. Please see page 16 for the Removable Upholstery Covers upcharges.

Replacement and removeable covers, (supplied with Velcro) will tailor differently than the permanently stapled upholstery. Overall form and fit is identical, however minor dimensional build up due to the thickness of the Velcro can occur. The Velcro fastening build up is directed to the least noticeable face (usually the bottom edge of a component) where ever possible.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard.

## **ZOLA PRIVACY | DIMENSIONS & COM REQUIREMENTS**

#### DIMENSIONS

		Width				Overall				
	Overall	with	Overall	Depth	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	w/ Shelf	Height	w/Screen	Height	Depth	Weight	Cubes
Full Height Back			•		-		-			
One-seat	23	29	27	39	50	62.5	18.5	20.25	69	10.6
Two-seat	46	52	27	39	50	62.5	18.5	20.25	114	20.8
Three-seat	69	75	27	39	50	62.5	18.5	20.25	165	31.0
One-seat (Bariatric)	30	36	27	39	50	62.5	18.5	20.25	81	13.8
Mid Height Back										
One-seat	23	29	27	39	37.5	50	18.5	20.25	65	9.8
Two-seat	46	52	27	39	37.5	50	18.5	20.25	107	19.1
Three-seat	69	75	27	39	37.5	50	18.5	20.25	154	28.5
One-seat (Bariatric)	30	36	27	39	37.5	50	18.5	20.25	76	12.6
Twin Full Height Ba	ck									
One-seat	23	29	52	n/a	50	62.5	18.5	20.25	102	21.0
Two-seat	46	52	52	n/a	50	62.5	18.5	20.25	171	41.2
Three-seat	69	75	52	n/a	50	62.5	18.5	20.25	241	61.3
One-seat (Bariatric)	30	36	52	n/a	50	62.5	18.5	20.25	128	27.1
Twin Mid Height Ba	ck									
One-seat	23	29	52	n/a	37.5	50	18.5	20.25	99	15.1
Two-seat	46	52	52	n/a	37.5	50	18.5	20.25	166	29.6
Three-seat	69	75	52	n/a	37.5	50	18.5	20.25	234	44.1
One-seat (Bariatric)	30	36	52	n/a	37.5	50	18.5	20.25	124	19.5

#### COM YARDAGES

	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage
L	Entire	2 Entire	3 Entire	4 Entire	per	per 2	per 3	per 4	per	per 2	per 3	per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs	Seat	Seats	Seats	Seats
Full Height Back												
One-seat	4.1	6.45	9.2	12.9	2.85	4.35	5.85	8.7	1.25	2.1	3.35	4.2
Two-seat	6.08	10.73	15.43	21.16	4.33	7.33	10.33	14.66	1.75	3.4	5.1	6.5
Three-seat	8.16	15.92	23.98	31.64	5.66	11.32	16.98	22.64	2.5	4.6	7	9
One-seat (Bariatric)	4.19	8.38	12.57	16.76	2.94	5.88	8.82	11.76	1.25	2.5	3.75	5
Mid Height Back												
One-seat	3.25	5.2	7.55	10.4	2	3.1	4.2	6.2	1.25	2.1	3.35	4.2
Two-seat	4.83	8.56	13.06	17.54	3.08	5.16	7.96	11.04	1.75	3.4	5.1	6.5
Three-seat	6.72	13.04	19.66	25.88	4.22	8.44	12.66	16.88	2.5	4.6	7	9
One-seat (Bariatric)	3.65	7.3	10.95	14.6	2.4	4.8	7.2	9.6	1.25	2.5	3.75	5
Twin Full Height Ba												
One-seat	5.03	8.73	13.78	17.46	2.93	4.53	7.48	9.06	2.1	4.2	6.3	8.4
Two-seat	7.93	12.63	18.96	25.26	4.53	6.13	9.06	12.26	3.4	6.5	9.9	13
Three-seat	10.18	19.16	29.34	38.33	5.58	10.16	15.74	20.33	4.6	9	13.6	18
One-seat (Bariatric)	5.6	11.2	16.8	22.4	3.1	6.2	9.3	12.4	2.5	5	7.5	10
Twin Mid Height Ba												
One-seat	4.3	7.52	10.7	15.05	2.2	3.32	4.4	6.65	2.1	4.2	6.3	8.4
Two-seat	6.84	12.38	18.78	24.76	3.44	5.88	8.88	11.76	3.4	6.5	9.9	13
Three-seat	8.9	16.63	25.2	33.26	4.3	7.63	11.6	15.26	4.6	9	13.6	18
One-seat (Bariatric)	4.8	9.6	14.4	19.2	2.3	4.6	6.9	9.2	2.5	5	7.5	10

### **ZOLA PRIVACY** | CURVED - DIMENSIONS & COM REQUIREMENTS

#### DIMENSIONS

DIMENSIONS											
	o "	Width	0 "	<b>D</b>	<b>•</b> "	Overall	<b>.</b> .	<b>.</b> .	o. · · ·		
	Overall Width	with Arms	Overall Depth	Depth w/ Shelf	Overall Height	Height w/Screen	Seat Height	Seat Depth	Shipping Weight	Cubes	
Curved Single-Sea				10.5			10.5		=0		
30° Inside Curve	36	42	28.5	40.5	50	62.5	18.5	20.25	73	15	
45° Inside Curve	42.5	48.5	29	41	50	62.5	18.5	20.25	81	19	
60° Inside Curve	48.5	54.5	30	42	50	62.5	18.5	20.25	89	24	(
90° Inside Curve	59	65	31.5	43.5	50	62.5	18.5	20.25	111	36	(
30° Outside Curve	33.5	39.5	28.5	40.5	50	62.5	18.5	20.25	65	12	:
45° Outside Curve	39	45	29	41	50	62.5	18.5	20.25	67	13	
60° Outside Curve	43.5	49.5	29	41	50	62.5	18.5	20.25	70	15	
90° Outside Curve	52	58	30	42	50	62.5	18.5	20.25	75	16	
Curved Single-Sea	t - Mid He	eight Bac	k								
30° Inside Curve	36	42	28.5	40.5	37.5	50	18.5	20.25	68	13	
45° Inside Curve	42.5	48.5	29	41	37.5	50	18.5	20.25	76	16	
60° Inside Curve	48.5	45.5	30	42	37.5	50	18.5	20.25	83	20	
90° Inside Curve	59	65	31.5	43.5	37.5	50	18.5	20.25	103	28	Í
30° Outside Curve	33.5	39.5	28.5	40.5	37.5	50	18.5	20.25	62	10	l i i i i i i i i i i i i i i i i i i i
45° Outside Curve	39	45	29	41	37.5	50	18.5	20.25	64	12	
60° Outside Curve	43.5	49.5	29	42	37.5	50	18.5	20.25	67	13	
90° Outside Curve	52	58	30	43.5	37.5	50	18.5	20.25	73	14	(
Curved Double-Se	at - Full H	leight Bac	:k								
30° Inside Curve	58	64	30	42	50	62.5	18.5	20.25	117	28	
45° Inside Curve	64.5	70.5	31.5	43.5	50	62.5	18.5	20.25	124	37	
60° Inside Curve	70.5	76.5	33	45	50	62.5	18.5	20.25	132	46	
90° Inside Curve	81	87	36	48	50	62.5	18.5	20.25	151	65	
30° Outside Curve	55.5	61.5	29.5	41.5	50	62.5	18.5	20.25	101	24	
45° Outside Curve	61	67	31	43	50	62.5	18.5	20.25	104	28	
60° Outside Curve	65.5	71.5	32	44	50	62.5	18.5	20.25	110	32	
90° Outside Curve	74.5	80.5	34.5	46.5	50	62.5	18.5	20.25	121	37	
Curved Double-Se 30° Inside Curve	at - Mid F 58	64 64	<b>sk</b> 30	42	37.5	50	18.5	20.25	110	24	
45° Inside Curve	64.5	70.5	31.5	43.5	37.5	50 50	18.5	20.25	116	31	
60° Inside Curve	70.5	76.5	33	43.5	37.5	50	18.5	20.25	123	38	
90° Inside Curve	81	87	36	43	37.5	50	18.5	20.25	141	52	
	01	01	00	40	07.0	00	10.0	20.20	1 - 1 1	0L	
30° Outside Curve	55.5	61.5	29.5	41.5	37.5	50	18.5	20.25	96	21	
45° Outside Curve	61	67	31	43	37.5	50	18.5	20.25	99	25	
60° Outside Curve	65.5	71.5	32	44	37.5	50	18.5	20.25	105	28	
90° Outside Curve	74.5	80.5	34.5	46.5	37.5	50	18.5	20.25	115	32	
COM YARDAGES											
	Yardage	Yardage	Yardade	Yardage	Yardade	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage Yardage

	Yardage	e vardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	rardage	Yardage	rardage
	Entire	2 Entire	3 Entire	4 Entire	per	per 2	per 3	per 4	per	per 2	per 3	per 4
	Unit	Units	Units	Units	Back	Backs	Backs	Backs	Seat	Seats	Seats	Seats
Curved Single-Seat	t - Full H	eight Back	(									
30° Inside Curve	5.2	10.4	15.6	20.8	3.4	6.8	10.2	13.6	1.8	3.6	5.4	7.2 🤇
45° Inside Curve	6.3	11.1	15.9	22.2	4.5	7.5	10.5	15	1.8	3.6	5.4	7.2 🗖
60° Inside Curve	6.7	12.2	17.67	24.37	4.9	8.6	12.27	17.17	1.8	3.6	5.4	7.2
90° Inside Curve	8.3	16.6	24.9	33.2	6.5	13	19.5	26	1.8	3.6	5.4	7.2
30° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
45° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
60° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2
90° Outside Curve	5.3	9.2	13.1	18.4	3.5	5.6	7.7	11.2	1.8	3.6	5.4	7.2

**COMMERCIAL DISCOUNT APPLIES TO THESE PRO** 

### **ZOLA PRIVACY** | CURVED - COM REQUIREMENTS

#### COM YARDAGES CONTINUED

		Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	Yardage per Seat	Yardage per 2 Seats	Yardage per 3 Seats	Yardage per 4 Seats
Curved Single-Sea	t - Mid H	eight Bacl	k									
30° Inside Curve	4.6	9.2	13.8	18.4	2.8	5.6	8.4	11.2	1.8	3.6	5.4	7.2
45° Inside Curve	5.1	9.1	13.15	18.7	3.3	5.5	7.75	11.5	1.8	3.6	5.4	7.2
60° Inside Curve	5.68	10.5	15.2	20.91	3.88	6.9	9.8	13.71	1.8	3.6	5.4	7.2
90° Inside Curve	6.5	13	19.5	26	4.7	9.4	14.1	18.8	1.8	3.6	5.4	7.2
30° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
45° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
60° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
90° Outside Curve	4.7	8.5	12.3	17	2.9	4.9	6.9	9.8	1.8	3.6	5.4	7.2
Curved Double-Se	at - Full H	leight Bac	<b>k</b>									
30° Inside Curve	8.67	17.34	26.01	34.68	5.27	10.54	15.81	21.08	3.4	6.8	10.2	13.6
45° Inside Curve	9.37	18.74	28.11	37.48	5.97	11.94	17.91	23.88	3.4	6.8	10.2	13.6
60° Inside Curve	10.73	20.13	29.53	40.26	7.33	13.33	19.33	26.66	3.4	6.8	10.2	13.6
90° Inside Curve	11.15	20.93	30.73	41.88	7.75	14.13	20.53	28.28	3.4	6.8	10.2	13.6
30° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
45° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
60° Outside Curve	8.15	14.88	21.45	29.6	4.75	8.08	11.25	16	3.4	6.8	10.2	13.6
90° Outside Curve	8.15	14.88	21.61	29.76	4.75	8.08	11.41	16.16	3.4	6.8	10.2	13.6
Curved Double-Se												
30° Inside Curve	7.8	15.6	23.4	31.2	4.4	8.8	13.2	17.6	3.4	6.8	10.2	13.6
45° Inside Curve	8.09	16.18	24.27	32.36	4.69	9.38	14.07	18.76	3.4	6.8	10.2	13.6
60° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
90° Inside Curve	8.9	16.8	24.7	33.6	5.5	10	14.5	20	3.4	6.8	10.2	13.6
30° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
45° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6
60° Outside Curve	6.8	12.6	18.4	25.2	3.4	5.8	8.2	11.6	3.4	6.8	10.2	13.6
90° Outside Curve	7.15	13.25	19.7	26.5	3.75	6.45	9.5	12.9	3.4	6.8	10.2	13.6

## **ZOLA PRIVACY** | TWIN CURVED - DIMENSIONS

DIMENSIONS

DIMENSION									
		Width				Overall			
	Overall	with	Overall	Overall	Height	Seat	Seat	Shipping	
	Width	Arms	Depth	Height	w/Screen	Height	Depth	Weight	Cubes
Twin Curved Singl	e-Seat - Ful	l Height Ba	ck						
30° Curve	49	55	53.5	50	62.5	18.5	20.25	127	31
45° Curve	61.5	67.5	54	50	62.5	18.5	20.25	146	42
60° Curve	73.5	79.5	55	50	62.5	18.5	20.25	164	55
90° Curve	94.5	100.5	56.5	50	62.5	18.5	20.25	207	79
Twin Curved Singl	e-Seat - Mic	d Height Ba	ck						
30° Curve	49	55	53.5	37.5	50	18.5	20.25	122	27
45° Curve	61.5	67.5	54	37.5	50	18.5	20.25	140	37
60° Curve	73.5	79.5	55	37.5	50	18.5	20.25	158	48
90° Curve	94.5	100.5	56.5	37.5	50	18.5	20.25	200	68
Twin Curved Doub	le-Seat - Fu	III Height B	ack						
30° Curve	71	77	55	50	62.5	18.5	20.25	199	55
45° Curve	83.5	89.5	56	50	62.5	18.5	20.25	215	73
60° Curve	95.5	101.5	58	50	62.5	18.5	20.25	237	92
Twin Curved Doub	le-Seat - M	id Height B	ack						
30° Curve	71	77	55	37.5	50	18.5	20.25	199	48
45° Curve	83.5	89.5	56	37.5	50	18.5	20.25	215	64
60° Curve	95.5	101.5	58	37.5	50	18.5	20.25	237	81

### **ZOLA PRIVACY** | TWIN CURVED - COM REQUIREMENTS

#### COM YARDAGES

	Yardage Entire Unit	Yardage 2 Entire Units	Yardage 3 Entire Units	Yardage 4 Entire Units	Yardage per Back	Yardage per 2 Backs	Yardage per 3 Backs	Yardage per 4 Backs	
	le-Seat - Full H	leight Back							
30° Curve	8.6	15.6	24.2	31.2	4.8	8	12.8	16	_
45° Curve	9.6	17.6	27.2	35.2	4.8	8	12.8	16	
60° Curve	11.53	20.8	31.2	41.6	6.33	10.4	15.6		Ö
90° Curve	11.83	24.50	36.75	48.70	6.33	13.5	20.25	20.0	
			00.10	10.10	0.00	10.0	20.20		<
	le-Seat - Mid H								
30° Curve	7.63	13.85	21.48	27.7	3.83	6.25	10.08	12.5	<
45° Curve	8.63	15.85	24.48	31.7	3.83	6.25	10.08	12.5	
60° Curve	10.2	18.4	27.6	36.8	5	8	12		J
90° Curve	10.5	21	31.5	41.7	5	10	15	20	õ
Curved Dou	ble-Seat - Full	Height Back							$\mathbf{O}$
30° Curve	12.96	27.1	40.65	54.2	6.16	13.5	20.25	27	
45° Curve	13.13	27.1	40.65	54.2	6.33	13.5	20.25	27	
60° Curve	13.23	27.3	40.95	54.6	6.33	13.5	20.25	27	
90° Curve									
		Haight Daals							
30° Curved Dou	ble-Seat - Mid 11.63	23.60	35.4	47.2	4.83	10	15	20	ISCO
45° Curve	11.8	23.60	35.4 35.4	47.2		10	15	20	
45 Curve 60° Curve	11.9	23.8	35.7	47.6	5 5	10	15	20	ŏ
60 Curve	11.9	23.0	33.7	47.0	5	10	15	20	
									Ž
									Ζ
	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	Yardage	
	1 Seat-Small	2 Seat-Small	3 Seat-Small	4 Seat-Small	1 Seat-Large	2 Seat-Large	3 Seat-Large	4 Seat-Large	
	Seat	Seats	Seats	Seats	Seat	Seats	Seats	Seats	
									U
Curved Sing	le-Seat - Full F	leight Back							Ū
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8	
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12	
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6	
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.10	14.5	5
Curved Sing	le-Seat - Mid H	leight Back							
30° Curve	1.8	3.6	5.4	7.2	2	4	6	8	
45° Curve	1.8	3.6	5.4	7.2	3	6	9	12	
60° Curve	1.8	3.6	5.4	7.2	3.4	6.8	10.2	13.6	<b>.</b>
90° Curve	1.8	3.6	5.4	7.2	3.7	7.4	11.1	14.5	
-									Т.
	ble-Seat - Full	-	10.0	10.0	0.4	<b>C</b> 0	10.0	10.0	
30° Curve 45° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	10.0	S
45° Curve 60° Curve	3.4 3.4	6.8 6.8	10.2 10.2	13.6 13.6	3.4 3.5	6.8 7	10.2 10.5		
60 Curve	3.4	0.0	10.2	13.0	0.0		10.5	14	
Curved Dou	ble-Seat - Mid	Height Back						•	
30° Curve	3.4	6.8	10.2	13.6	3.4	6.8	10.2	13.6	
30° Curve 45° Curve	3.4 3.4	6.8 6.8	10.2	13.6 13.6	3.4 3.4	6.8 6.8	10.2	13.6 13.6	
30° Curve	3.4	6.8		13.6	3.4	6.8		13.6 13.6 14	
30° Curve 45° Curve	3.4 3.4	6.8 6.8	10.2	13.6 13.6	3.4 3.4	6.8 6.8	10.2	13.6 13.6 14	
30° Curve 45° Curve 60° Curve	3.4 3.4 3.4	6.8 6.8 6.8	10.2 10.2	13.6 13.6	3.4 3.4	6.8 6.8	10.2 10.5	13.6 13.6 14	PRODL
30° Curve 45° Curve 60° Curve	3.4 3.4	6.8 6.8 6.8	10.2	13.6 13.6	3.4 3.4	6.8 6.8	10.2	13.6 13.6 14	
30° Curve 45° Curve 60° Curve Zola Privacy	3.4 3.4 3.4 y Bariatric Opti	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b>	13.6 13.6 13.6	3.4 3.4 3.4	6.8 6.8	10.2 10.5 <b>\$ List</b>		PRODUC
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Two	3.4 3.4 3.4 <b>y Bariatric Opti</b>	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90	13.6 13.6 13.6 Twin Baria	3.4 3.4 3.4 tric Two-Seat	6.8 6.8	10.2 10.5 <b>\$ List</b> 180		PRODUC
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Two Bariatric Thro	3.4 3.4 3.4 <b>y Bariatric Opti</b> o-Seat ee-Seat	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135	13.6 13.6 13.6 Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat	6.8 6.8 7	10.2 10.5 <b>\$ List</b> 180 270		
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Two Bariatric Thro Bariatric Cur	3.4 3.4 3.4 <b>y Bariatric Opti</b> o-Seat ee-Seat ve Single 30°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single	6.8 6.8 7	10.2 10.5 <b>\$ List</b> 180 270 200		PRODUC
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Two Bariatric Thro Bariatric Cur Bariatric Cur	3.4 3.4 3.4 <b>y Bariatric Opti</b> o-Seat ee-Seat ve Single 30° ve Single 45°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70 80	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single tric Curve Single	6.8 6.8 7	10.2 10.5 <b>\$ List</b> 180 270 200 240		PRODUC
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Two Bariatric Thro Bariatric Cur Bariatric Cur Bariatric Cur	3.4 3.4 3.4 <b>y Bariatric Opti</b> o-Seat ee-Seat ve Single 30° ve Single 45° ve Single 60°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70 80 90	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single tric Curve Single tric Curve Single	6.8 6.8 7 30° 45° 60°	10.2 10.5 <b>\$ List</b> 180 270 200 240 280		PRODUC
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Two Bariatric Thro Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur	3.4 3.4 3.4 <b>y Bariatric Opti</b> o-Seat ee-Seat ve Single 30° ve Single 45° ve Single 60° ve Single 90°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70 80 90 120	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single tric Curve Single tric Curve Single tric Curve Single	6.8 6.8 7 30° 45° 60° 90°	10.2 10.5 <b>\$ List</b> 180 270 200 240 280 360		PRODUC
30° Curve 45° Curve 60° Curve <b>Zola Privacy</b> Bariatric Two Bariatric Two Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur	3.4 3.4 3.4 <b>Pariatric Opti</b> D-Seat ee-Seat ve Single 30° ve Single 45° ve Single 60° ve Single 90° ve Double 30°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70 80 90 120 110	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single tric Curve Single tric Curve Single tric Curve Single tric Curve Doubl	6.8 6.8 7 30° 45° 60° 90° e 30°	10.2 10.5 <b>\$ List</b> 180 270 200 240 280 360 280		PRODUC
30° Curve 45° Curve 60° Curve <b>Zola Privacy</b> Bariatric Two Bariatric Two Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur	3.4 3.4 3.4 <b>Pariatric Opti</b> D-Seat ee-Seat ve Single 30° ve Single 45° ve Single 60° ve Single 90° ve Double 30° ve Double 45°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70 80 90 120 110 130	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single tric Curve Single tric Curve Single tric Curve Single tric Curve Doubl tric Curve Doubl	6.8 6.8 7 30° 45° 60° 90° e 30° e 45°	10.2 10.5 <b>\$ List</b> 180 270 200 240 280 360 280 320		PRODUC
30° Curve 45° Curve 60° Curve Zola Privacy Bariatric Thro Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur Bariatric Cur	3.4 3.4 3.4 <b>Pariatric Opti</b> D-Seat ee-Seat ve Single 30° ve Single 45° ve Single 60° ve Single 90° ve Double 30°	6.8 6.8 6.8	10.2 10.2 <b>\$ List</b> 90 135 70 80 90 120 110	13.6 13.6 13.6 Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria Twin Baria	3.4 3.4 3.4 tric Two-Seat tric Three-Seat tric Curve Single tric Curve Single tric Curve Single tric Curve Single tric Curve Doubl	6.8 6.8 7 30° 45° 60° 90° e 30° e 45°	10.2 10.5 <b>\$ List</b> 180 270 200 240 280 360 280		PRODUC

**FEATURES:** For a complete listing of features see page 154.

For information on Zola Tables see page 317, Zola Benches see page 208 and Zola Tablets see page 148.

# **ZOLA PRIVACY** SIN 711-16

	SIN 711-16											
	DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABI 4	RIC GRA 5	ADES 6	7	LEATHEF 8	۲ 9
		One-Seat, Full He ZOP3-M1FOF	eight Back	1342	1436	1531	1666	1820	1955	2109	2298	2498
		ZOP3-M1F1_ ORDERING NOT - 42", 36" or 30" a	eight Back with Shelf Option Beech/Laminate Maple/Palette <b>rE:</b> When ordering a back and chose required leg typ act customer service for up	1649 1715 with Shelf o e below. Fr	1743 1809 option p eestand	1838 1904 Ilease clea	1973 2039 rly specif with shelv	2127 2193 y on you ves requ	2262 2328 ur order t ire count	2416 2482 he requir rerbalanc	2605 2671 red Shelf se weight	2805 2871 Height added
			eight Back with Privacy Sc		n 1633	1728	1863	2017	2152	2306	2495	2695
		One-Seat, Mid H ZOP3-M1MOF	eight Back	1263	1337	1412	1518	1638	1744	1865	2014	2168
	R	ZOP3-M1M1_ ORDERING NOT - 36" or 30" and	eight Back with Shelf Opti Beech/Laminate Maple/Palette <b>TE:</b> When ordering a back chose required leg type be customer service for upch	1570 1636 with Shelf o elow. Frees								
		One-Seat, Mid H ZOP3-M1M2F	eight Back with Privacy So	creen Optic 1460	n 1534	1609	1715	1835	1941	2062	2211	2365
	Zola Privacy Op											
)		otion Upcharges	\$ List						\$	List		
	Seat Power Shelf Power Table Power Shared leg (for N	& CAL 133(per yar //ultiple unit config r <b>Bariatric Option</b>	rd) 44 446 418 410 urations 55	Re Re Re	movabl movabl movabl movabl	le Back Co le Back Co le Back Co le Seat Co le Seat Co le Seat Co	overs Two overs Thr overs One overs Two	o-Seat ee-Seat -Seat -Seat	\$	List 47 68 84 32 47 58		
	Seat Power Shelf Power Table Power Shared leg (for N See page 16 for	& CAL 133(per yar //ultiple unit config r <b>Bariatric Option</b>	rd) 44 446 418 410 urations 55	Re Re Re	movabl movabl movabl movabl	le Back Co le Back Co le Seat Co le Seat Co	overs Two overs Thr overs One overs Two overs Thre	o-Seat ee-Seat -Seat -Seat ee-Seat	\$ eg Type	47 68 84 32 47		
	Seat Power Shelf Power Table Power Shared leg (for N See page 16 for PRODUCT CODE	& CAL 133(per yar /lultiple unit config r <b>Bariatric Option</b> KEY	rd) 44 446 418 410 urations 55 <b>upcharges</b>	Re Re Re Re	movabl movabl movabl movabl unt ] at ] at	le Back Co le Back Co le Seat Co le Seat Co le Seat Co le Seat Co Back F0 Full Height Full Height Privacy Scr	vers Two overs Thr vers One vers Thr vers Thr vers Thr Type ght Back Back with Back with Coption Back with Back with Coption Back with Coption Back with Coption	-Seat ee-Seat -Seat -Seat -Seat -Seat 		47 68 84 32 47 58		

### **ZOLA PRIVACY**

#### SIN 711-16

			0014								
DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	ГАВ 4	RIC GR/ 5	ADES 6	7	LEATHE 8	к 9
		c, Full Height Back	1683	1777	1872	2007	2161	2296	2450	2639	2839
	ZOP3-MB1F1_	c, Full Height Back with S Beech/Laminate Maple/Palette	1999 2066	2093 2160	2188 2255	2323 2390	2477 2544	2612 2679	2766 2833	2955 3022	3155 3222
	- 42", 36" or 30" a	E: When ordering a back and chose required leg typ ct customer service for u	e below. Fr								
	One-Seat Bariatrio ZOP3-MB1F2F	c, Full Height Back with F	Privacy Scre 1932	en Opti 2026	ion 2121	2256	2410	2545	2699	2888	3088
	One-Seat Bariatrio ZOP3-MB1MOF	c, Mid Height Back	1607	1681	1756	1862	1982	2088	2209	2358	2512
	One-Seat Bariatric ZOP3-MB1M1_	c, Mid Height Back with S Beech/Laminate Maple/Palette	Shelf Optior 1923 1990	1997 2064	2072 2139	2178 2245	2298 2365	2404 2471	2525 2592	2674 2741	2828 2895
K T	- 36" or 30" and o	E: When ordering a back chose required leg type b customer service for upcl	elow. Frees								
	One-Seat Bariatric ZOP3-MB1M2F	c, Mid Height Back with F	Privacy Scre 1856	en Opt 1930	ion 2005	2111	2231	2337	2458	2607	2761
Ƴ Zola Privacy Oj	otion Upcharges	\$ List						\$	List		
Seat Power Shelf Power Table Power Shared leg (for N	& CAL 133(per yard Multiple unit configu <b>r Bariatric Option u</b>	446 418 410 rations 55	Re Re Re	movabl movabl movabl movabl	e Back Co e Back Co e Back Co e Seat Co e Seat Co e Seat Co	overs Two overs Thr overs One overs Two	o-Seat ee-Seat e-Seat -Seat		47 68 84 32 47 58		
PRODUCT CODE	KEY										
Line	Series	Chair Type	Seat Co	unt	Back	Туре	L	ед Туре			
ZOP Zola	3 Lounge	M Modular	1 One Se	]	F0	ght Back	Froos	F tanding Ur	ait		
2014	Lounge	MB Modular Bariatric	2 Two Se	]	F1 Full Height			S tart Unit	iit.		
			3 Three Se		F2 Full Height Privacy Scr	t Back with		C enter Unit			
						ght Back	E	E Ind Unit			
					Mid Height Shelf (	t Back with Option	ו				
					Mid Height Privacy Scr	t Back with					
								HEA	LIHCAH	RE USA	(  161


### **ZOLA PRIVACY**

SIN 711-16 DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FAB 4	RIC GR/ 5	ADES 6	7	LEATHE 8	R 9
	Two-Seat, Full H ZOP3-M2FOF	eight Back	2112	2252	2392	2593	2821	3022	3249	3529	3828
	Two-Seat, Full H ZOP3-M2F1_	eight Back Shelf Option Beech/Laminate Maple/Palette	2485 2554	2625 2694	2765 2834	2966 3035	3194 3263	3395 3464	3622 3691	3902 3971	420 <sup>-</sup> 4270
K	- 42", 36" or 30"	<b>TE:</b> When ordering a back of and chose required leg type act customer service for up	e below. F								
	Two-Seat, Full H ZOP3-M2F2F	eight Back with Privacy Sc	reen Optic 2454	on 2594	2734	2935	3163	3364	3491	3871	4170
	Two-Seat, Mid H ZOP3-M2MOF	eight Back	1810	1921	2032	2191	2371	2530	2710	2932	316
	Two-Seat, Mid H ZOP3-M2M1_	eight Back with Shelf Optio Beech/Laminate Maple/Palette	on 2183 2252	2294 2363	2405 2474	2564 2633	2744 2813	2903 2972	3083 3152	3305 3374	353 360
	- 36" or 30" and	<b>TE:</b> When ordering a back chose required leg type be customer service for upch	elow. Free								
	Two-Seat, Mid H ZOP3-M2M2F	eight Back with Privacy Sc	reen Optic 2152	on 2263	2374	2533	2713	2872	3052	3274	350
ola Privacy Op	tion Upcharges	\$ List						\$	List		
Seat Power Shelf Power Iable Power Shared leg (for M	& CAL 133(per yar ultiple unit configu Bariatric Option KEY	446 418 410 irations 55	Re Re Re	movabl movabl movabl movabl	le Back Co le Back Co le Seat Co le Seat Co le Seat Co le Seat Co	vers Two vers Thre vers One vers Two	o-Seat ee-Seat -Seat -Seat		47 68 84 32 47 58		
Line	Series	Chair Type	Seat Co	ount	Back	Туре	L	eg Type			
ZOP	3	Μ	1		F0			F			
Zola	Lounge	Modular MB Modular Bariatric	One Se	] eat	Full Height Shelf ( F2 Full Height Privacy Scr Mid Height Shelf ( Mid Height Shelf ( Mi	Back witi Dption Back witi reen Optic ght Back Back witi Dption	n S	tanding U S tart Unit C enter Unit E ind Unit			
162   USA   HE	ALTHCARE					2 Back wit					

### **ZOLA PRIVACY**

SIN 711-16

			COM		COL	FAB	RIC GRA	ADES	l	EATHER	7
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Three-Seat, F ZOP3-M3FOI	full Height Back =	2778	2966	3154	3423	3728	3997	4301	4677	5073



U											
	ZOP3-M3F1_ I I ORDERING NOTE	ight Back Shelf Option Beech/Laminate Maple/Palette When ordering a back w	3288 with Shelf of								
		d chose required leg type customer service for up		estand	ling units	with shel	ves requ	uire coun	terbalanc	e weight	added
		ight Back with Privacy S	<b>J</b>	20							
	ZOP3-M3F2F	ight back with hvacy c		3454	3642	3911	4216	4485	4789	5165	5561
	Three-Seat, Mid He ZOP3-M3M0F	ight Back	2615	2770	2924	3146	3398	3620	3872	4181	4510
	ZOP3-M3M1_	ight Back Shelf Option 3eech/Laminate Maple/Palette		3207 3280	3361 3434	3583 3656	3835 3908	4057 4130	4309 4382	4618 4691	4947 5020
	- 36" or 30" and ch	When ordering a back worder or a back worder with the second seco	elow. Freest								
	Three-Seat, Mid He ZOP3-M3M2F	ight Back with Privacy S		on 3258	3412	3634	3886	4108	4360	4669	4998
Zola Privacy Op	otion Upcharges	\$ List						\$	List		
Seat Power Shelf Power Table Power Shared leg (for N	& CAL 133(per yard) //ultiple unit configura r <b>Bariatric Option up</b>		Ren Ren Ren	novable novable novable novable	e Back Co e Back Co e Back Co e Seat Co e Seat Co e Seat Co e Seat Co	overs Two overs Thr overs One overs Two	o-Seat ee-Seat e-Seat o-Seat		47 68 84 32 47 58		
PRODUCT CODE	KEY										
Line	Series	Chair Type	Seat Cou	int	Back	Туре	L	eg Type			
ZOP Zola	3 Lounge	M Modular MB Modular Bariatric	1 One Sea 2 Two Sea		F0 Full Heig F1 Full Height Shelf (	ght Back		F tanding U S tart Unit	nit		
			3 Three Sea		F2 Full Height Privacy Scr	Back with		C enter Unit			
					Mid Heid	ht Back	F	End Unit			

M2 Mid Height Back with Privacy Screen Option COMMERCIAL DISCOUNT APPLIES TO THESE PRODUCTS

## **ZOLA PRIVACY | SIDE PANELS**

SIN 711-16	-											
			COM		COL	FAB	RIC GRA	ADES		LEATHER	{	
DESCRIPTION	MODEL		1	2	3	4	5	6	7	8	9	
	Side Panel, Singl	e, Full Height I	No Screen									
	ZOP3-MPF0S	Start	660	722	784	908	1032	1156	1280	1405	1653	
	ZOP3-MPF0C	Centre	851	913	975	1099	1223	1347	1471	1595	1844	
	ZOP3-MPF0E	End	660	722	784	908	1032	1156	1280	1405	1653	
	Side Panel, Singl	e, Full Height v	with Screen									
	ZOP3-MPF2S	Start	866	928	990	1114	1238	1362	1486	1611	1859	
	ZOP3-MPF2C	Centre	1057	1119	1181	1305	1429	1553	1677	1801	2050	
	ZOP3-MPF2E	End	866	928	990	1114	1238	1362	1486	1611	1859	
_	Side Panel, Singl	e, Mid Height	No Screen									
	ZOP3-MPM0S	Start	535	577	619	704	788	872	956	1040	1208	
	ZOP3-MPM0C	Centre	732	774	816	900	984	1068	1152	1236	1405	
	ZOP3-MPM0E	End	535	577	619	704	788	872	956	1040	1208	
	Side Panel, Singl	e, Mid Height	with Screen									
لمسما	ZOP3-MPM2S	Start	741	783	825	910	994	1078	1162	1246	1414	
	ZOP3-MPM2C	Centre	938	980	1022	1106	1190	1274	1358	1442	1611	
	ZOP3-MPM2E	End	741	783	825	910	994	1078	1162	1246	1414	

#### **DIMENSIONS & COM REQUIREMENTS**

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	СОМ	
Side Panel, Single	e, Full Height No Screen							
ZOP3-MPF0S	Start	3	27	43.75	38	3	2.7	
ZOP3-MPF0C	Centre	3	27	43.75	38	3	2.7	
ZOP3-MPF0E	End	3	27	43.75	38	3	2.7	
Side Panel, Single	e, Full Height with Screen							
ZOP3-MPF2S	Start	3	27	56.5	40	3	2.7	
ZOP3-MPF2C	Centre	3	27	56.5	40	3	2.7	
ZOP3-MPF2E	End	3	27	56.5	40	3	2.7	
Side Panel, Single	e, Mid Height No Screen							
ZOP3-MPM0S	Start	3	27	43.75	38	3	1.83	
ZOP3-MPM0C	Centre	3	27	43.75	38	3	1.83	
ZOP3-MPM0E	End	3	27	43.75	38	3	1.83	
Side Panel, Single	e, Mid Height with Screen							
ZOP3-MPM2S	Start	3	27	56.5	40	3	1.83	
ZOP3-MPM2C	Centre	3	27	56.5	40	3	1.83	
ZOP3-MPM2E	End	3	27	56.5	40	3	1.83	

#### PRODUCT CODE KEY

Line	Series	Chair Type	Height	Position	
ZOP	3	MP	F0	S	
Zola	Lounge	Modular Side Panel	Full Height	Start	
			F2	С	
		I	Full Height with Privacy Screen Option	Center	
			MO	E	
			Mid Height	End	
			M2		

Mid Height with Privacy Screen Option

## **ZOLA PRIVACY |** TWIN SEATS

SIN 711-16

DESCRIPTION	MODEL	COM 1	2	COL 3	FABF 4	RIC GR/ 5	ADES 6	7	LEATHEF 8	8 9
	Twin One-Seat, Full Height ZOP3-MT1FOF	Back 1988	2104	2220	2387	2575	2742	2930	3162	3409
	Twin One-Seat, Full Height ZOP3-MT1F2F	Back with 2185	Privacy Scr 2301	reen Opt 2417	ion 2584	2772	2939	3127	3359	3606
	Twin One-Seat, Mid Height ZOP3-MT1MOF	Back 1891	1990	2089	2231	2392	2535	2696	2894	3105
	Twin One-Seat, Mid Height ZOP3-MT1M2F	Back with 2088	Privacy Sc 2187	reen Opt 2286	tion 2428	2589	2732	2893	3091	3302
	Twin One-Seat Bariatric, Fu ZOP3-MBT1FOF	ll Height B 2661	ack 2777	2893	3060	3248	3415	3603	3835	4082
	Twin One-Seat Bariatric, Fu ZOP3-MBT1F2F	ll Height B 2910	ack with Pr 3026	ivacy Sc 3142	creen Option 3309	3497	3664	3852	4084	4331
	Twin One-Seat Bariatric, Mi ZOP3-MBT1MOF	d Height E 2555	ack 2654	2753	2895	3056	3199	3360	3558	3769
	Twin One-Seat Bariatric, Mi ZOP3-MBT1M2F	d Height E 2804	Back with Pr 2903	rivacy So 3002	creen Option 3144	3305	3448	3609	3807	4018
PRODUCT CODE KEY		-					. <u>-</u>			
Line	Series Chair	_	Seat Cou	unt	Back Type	e	Leg Type	e		
ZOP Zola	3 Lounge Modular MTI Modular Twi	<sup>.</sup> Twin	1 One Se 2 Two Se 3 Three Se	] at F ] eat	F0 Full Height Bac Full Height Bac Privacy Screen M0 Mid Height Bac M12 M14 Height Bac	ck with Option Back	Freestanding S Start Uni C Center Ur	] it		

HEALTHCARE | USA | 165

## ZOLA PRIVACY | TWIN SEATS


SIN 711-16

	SIN / 11-10										
	DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GR/ 5	ADES 6	7	LEATHER 8	{ 9
		Twin Two-Seat, Full H ZOP3-MT2FOF		3135	3317	3588	3890	4161	4463	4827	5243
PRODUCTS		Twin Two-Seat, Full H ZOP3-MT2F2F	leight Back Privacy 3295	Screen ( 3477	Option 3659	3930	4232	4503	4805	5169	5585
		Twin Two-Seat, Mid H ZOP3-MT2MOF	leight Back 2810	2967	3124	3352	3609	3837	4093	4407	4749
<b>FO THESE</b>		Twin Two-Seat, Mid F ZOP3-MT2M2F	leight Back with Pri 3152	vacy Scr 3309	reen Optio 3466	n 3694	3951	4179	4435	4749	5091
PLIES 7		Twin Three-Seat, Full ZOP3-MT3FOF	Height Back 4058	4292	4525	4856	5233	5564	5940	6407	6889
SCOUNT APPLIES		Twin Three-Seat, Full ZOP3-MT3F2F	Height Back Privac 4546	y Screer 4780	n Option 5013	5344	5721	6052	6428	6895	7377
Δ		Twin Three-Seat, Mid ZOP3-MT3MOF	Height Back 3735	3940	4144	4438	4770	5064	5396	5806	6239
COMMERCIAL		Twin Three-Seat, Mid ZOP3-MT3M2F	Height Back with F 4223	Privacy S 4428	creen Opt 4632	ion 4926	5258	5552	5884	6294	6727
	PRODUCT CODE KEY										
5	Line	Series	Chair Type	Seat Co	ount	Back Ty	pe	Leg Type	9		
ŏ	ZOP Zola	0	MT Modular Twin MTB Jular Twin Bariatric	1 One Se 2 Two Se 3 Three S	Pr  Seat	F0 Full Height F2 ull Height Ba ivacy Screen M0 Mid Height M2	] ack with n Option ] Back	Freestanding S Start Uni C Center Uri E	] it ] nit		
						lid Height Ba ivacy Screer		End Uni	τ		

### **ZOLA PRIVACY |** TWIN SIDE PANELS

SIN 711-16

DESCRIPTION	MODEL		COM 1	2	COL 3	FAE 4	BRIC GR	ADES 6	7	LEATHE 8	R 9
	Side Panel, Twin, F	Full Height No.9	Screen								
	ZOP3-MPTFOU ZOP3-MPTFOC	Universal End Centre	995 1492	1087 1584	1179 1676	1363 1860	1547 2044	1731 2227	1915 2411	2099 2595	2466 2963
	Side Panel, Twin, F			4 4 9 4	4500	1707	1051	0405	0010	0500	0070
<u> </u>	ZOP3-MPTF2U ZOP3-MPTF2C	Universal End Centre	1399 1896	1491 1988	1583 2080	1767 2264	1951 2448	2135 2631	2319 2815	2503 2999	2870 3367
	Side Panel, Twin, N ZOP3-MPTMOU	Universal End	827	889	951	1076	1200	1324	1448	1572	1820
	ZOP3-MPTMOC	Centre	1323	1386	1448	1572	1696	1820	1944	2068	2317
	Side Panel, Twin, I	Ved. Height wit	h Screen								
••••	ZOP3-MPTM2U ZOP3-MPTM2C	Universal End Centre	1231 1727	1293 1790	1355 1852	1480 1976	1604 2100	1728 2224	1852 2348	1976 2472	2224 2721
DIMENSIONS	& COM REQUIREN			0 "	<b>•</b> "	<u>.</u>					
			verall ïdth	Overall Depth	Overall Height	Shippiı Weigh		Cubes	CON	Л	
	gle, Full Height No	Screen									
20P3-MPTF0L 20P3-MPTF0C			3 3	51.5 51.5	43.75 43.75	66 66		6 6	4 4		
			0	01.0	40.70	00		0	7		
	gle, Full Height with	Screen	0	E1 F		~~~		c	A		
ZOP3-MPTF2U ZOP3-MPTF2C			3 3	51.5 51.5	56.5 56.5	68 68		6 6	4 4		
			~	01.0	00.0	00		Ŭ	-1		
	gle, Mid Height No	Screen	0	<b>F</b> 4 <b>F</b>	10 75	10			o =		
ZOP3-MPTMOU ZOP3-MPTMO			3 3	51.5 51.5	43.75 43.75	46 46		4 4	2.7 2.7		
	c contro		~	01.0	40.70	-0		-	2.1		
	gle, Mid Height with	n Screen		<b>E</b> 4 <b>E</b>	50 5	15			c -		
ZOP3-MPTM20 ZOP3-MPTM20			3 3	51.5 51.5	56.5 56.5	48 48		4 4	2.7 2.7		
	5 Centre		0	51.5	50.5	40		4	2.1		
	E KEY										
Line	Series	Chair	Tuno	Ноіс	sht	Dec	sition				



Mid Height with Privacy Screen Option

### **ZOLA PRIVACY** | CURVED SIN 711-16

MODEL Single-Seat, 30° Insid ZOP3-MCIS30DFOF Single-Seat, 30° Insid ZOP3-MCIS30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch the seat, contact cust Single-Seat, 30° Insid ZOP3-MCIS30DF2F	e Curve, Full Heigh Beech/Laminate Maple/Palette /hen ordering a bac nose required leg ty omer service for up	2392 t Back w 2823 2888 ck with S	2954 3019	COL 3 2654 3085 3150	4 2838 3269	3047 3478	3231 3662	7 3440	3702	н <u>9</u> 3964
ZOP3-MCIS30DFOF Single-Seat, 30° Insid ZOP3-MCIS30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch the seat, contact cust Single-Seat, 30° Insid	e Curve, Full Heigh Beech/Laminate Maple/Palette /hen ordering a bac nose required leg ty omer service for up	2392 t Back w 2823 2888 ck with S	vith Shelf 2954 3019	3085	3269					3964
ZOP3-MCIS30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch the seat, contact cust Single-Seat, 30° Insid	Beech/Laminate Maple/Palette /hen ordering a bac lose required leg ty omer service for up	2823 2888 k with S	2954 3019			3478	3662	0071		
			w. Freestar				3727 our order th			
	e Curve, Full Heigh	t Back w 2806	vith Privacy 2937	y Screei 3068	n 3252	3461	3645	3854	4116	4378
Single-Seat, 30° Insid ZOP3-MCIS30DMOF	e Curve, Mid Heigh	t Back 2283	2398	2513	2674	2858	3019	3203	3433	3662
ZOP3-MCIS30DM1_ ORDERING NOTE: W 36" or 30" and chose	Beech/Laminate Maple/Palette /hen ordering a bac required leg type b	2714 2779 ck with S below. Fre	2829 2894 Shelf optior							
Single-Seat, 30° Insid ZOP3-MCIS30DM2F ption Upcharges	e Curve, Mid Heigh <b>\$ List</b>	nt Back v 2697	vith Privac 2812	y Scree 2927	n Option 3088	3272	3433	3617 <b>\$</b>	3847 List	4076
r & CAL 133(per yard) Multiple unit configurat or Bariatric Option upo	44 446 418 410 ions 55	Remo Remo Remo	ovable Bac ovable Bac ovable Sea ovable Sea	ck Cove ck Cove at Cover at Cover	rs Two-Seat rs Three-Sea rs One-Seat rs Two-Seat	at		47 68 84 32 47	7 3 4 2 7	
E KEY Series	Chair Type	C	Curve Style		Seat Degree		Back Type		Leg Type	e
3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside Outsid	ID Curve -Dou OS le Curve -Sir OD	uble	30D 45D 60D 90D	Full H S Full H Privac	F1 eight Back whelf Option F2 eight Back w y Screen Op M0 I Height Bac	with with vtion	S Start Un C Center Un E	it ] nit
r	Single-Seat, 30° Insid ZOP3-MCIS30DM1_ ORDERING NOTE: W 36" or 30" and chose seat, contact custome Single-Seat, 30° Insid ZOP3-MCIS30DM2F ption Upcharges r & CAL 133(per yard) Multiple unit configurati r Bariatric Option upc E KEY Series 3	Single-Seat, 30° Inside Curve, Mid Heigh         ZOP3-MCIS30DM1_ Beech/Laminate         Maple/Palette         ORDERING NOTE: When ordering a back         36" or 30" and chose required leg type beseat, contact customer service for upcharges         Single-Seat, 30° Inside Curve, Mid Heigh         ZOP3-MCIS30DM2F         ption Upcharges       \$ List         r & CAL 133(per yard)       44         446         410         Multiple unit configurations       55         or Bariatric Option upcharges         E KEY         3       MC         Lounge       Modular Curve         MCB         Modular Curve	Single-Seat, 30° Inside Curve, Mid Height Back v         ZOP3-MCIS30DM1_ Beech/Laminate 2714         Maple/Palette 2779         ORDERING NOTE: When ordering a back with S         36" or 30" and chose required leg type below. Fr         seat, contact customer service for upcharge.         Single-Seat, 30° Inside Curve, Mid Height Back v         ZOP3-MCIS30DM2F       2697         ption Upcharges       \$ List         r & CAL 133(per yard)       44       Rem.         410       Rem.         410       Rem.         410       Rem.         Series       Chair Type       C         3       MC         Lounge       Modular Curve       Inside         Modular Curve       Inside       McB         Multiple       Modular Curve       Inside	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1_ Beech/Laminate       2714       2829         Maple/Palette       2779       2894         ORDERING NOTE: When ordering a back with Shelf option         36" or 30" and chose required leg type below. Freestanding         seat, contact customer service for upcharge.         Single-Seat, 30° Inside Curve, Mid Height Back with Privac         ZOP3-MCIS30DM2F       2697       2812         ption Upcharges       \$ List         r & CAL 133(per yard)       44       Removable Baa         410       Removable Baa       410         Multiple unit configurations       55       Removable Sea         r Bariatric Option upcharges       Series       Chair Type       Curve Style         3       MC       IS         Lounge       Modular Curve       Inside Curve -Sin         MCB       ID       Inside Curve -Sin         Modular Curve       Inside Curve -Sin       OS         Outside Curve -Sin       OD       OD	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1_ Beech/Laminate       2714       2829       2944         Maple/Palette       2779       2894       3009         ORDERING NOTE: When ordering a back with Shelf option please         36" or 30" and chose required leg type below. Freestanding units v         seat, contact customer service for upcharge.         Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Scree         ZOP3-MCIS30DM2F       2697       2812       2927         ption Upcharges       \$ List         r & CAL 133(per yard)       44       Removable Back Cove         410       Removable Back Cove         411       Removable Back Cove         412       Removable Seat Cover         413       Removable Seat Cover         414       Removable Seat Cover         410       Removable Seat Cover         Multiple unit configurations       55         r Bariatric Option upcharges       Inside Curve Style         3       MC       IS         Lounge       Modular Curve       Inside Curve -Single         MCB       ID       Inside Curve -Single         Modular Curve       Inside Curve -Single	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1Beech/Laminate       2714       2829       2944       3105         Maple/Palette       2779       2894       3009       3170         ORDERING NOTE: When ordering a back with Shelf option please clearly spect 36" or 30" and chose required leg type below. Freestanding units with shelves is seat, contact customer service for upcharge.         Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCIS30DM2F       2697       2812       2927       3088         ption Upcharges       \$ List         r & CAL 133(per yard)       44       Removable Back Covers One-Seat 418         Removable Back Covers Two-Seat 418       Removable Back Covers Three-Seat 410         Multiple unit configurations 55       Removable Seat Covers Three-Seat Covers Three-Seat 113         Multiple unit configurations 55       Removable Seat Covers Three-Seat Removable Seat Covers Three-Seat 110         Multiple unit configurations 55       Isemovable Seat Covers Three-Seat 15         g Eries       Chair Type       Curve Style       Seat Degree         3       MC       IS       30D         Lounge       Modular Curve       Inside Curve -Single       05         Modular Curve       Inside Curve -Single       05       00D         0D <td< td=""><td>Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1_ Beech/Laminate       2714       2829       2944       3105       3289         Maple/Palette       2779       2894       3009       3170       3354         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on ycds" or 30° and chose required leg type below. Freestanding units with shelves require c seat, contact customer service for upcharge.         Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272         ption Upcharges       \$ List        2697       2812       2927       3088       3272         ption Upcharges       \$ List        Removable Back Covers One-Seat       446       Removable Back Covers Two-Seat         410       Removable Back Covers Three-Seat       410       Removable Seat Covers Two-Seat         410       Removable Seat Covers Two-Seat       8       10       Removable Seat Covers Two-Seat         r Bariatric Option upcharges       S       Removable Seat Covers Two-Seat       10       Removable Seat Covers Two-Seat         r Bariatric Option upcharges       MC       IS       30D       10       10         3       MC       IS       30D       10</td></td<> <td>Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DIM1Beech/Laminate       2714       2829       2944       3105       3289       3450         Maple/Palette       2779       2894       3009       3170       3354       3515         ORDERING NOTE:       When ordering a back with Shelf option please clearly specify on your order th       36° or 30° and chose required leg type below. Freestanding units with shelves require counterbala         seat, contact customer service for upcharge.       Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option         ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272       3433         ption Upcharges       \$ List         r8 CAL 133(per yard)       44       Removable Back Covers One-Seat         446       Removable Back Covers Three-Seat         418       Removable Back Covers Three-Seat         410       Removable Seat Covers Three-Seat         4110       Removable Seat Covers Three-Seat         412       Removable Seat Covers Three-Seat         413       Removable Seat Covers Three-Seat         414       Removable Seat Covers Three-Seat         415       Removable Seat Covers Three-Seat         416       Removable Seat Covers Three-Seat         426</td> <td>Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1Beech/Laminate       2714       2829       2944       3105       3289       3450       3634         Maple/Palette       2779       2894       3009       3170       3354       3515       3699         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the require 36° or 30° and chose required leg type below. Freestanding units with shelves require counterbalance weilseat, contact customer service for upcharge.       Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272       3433       3617         ption Upcharges       \$ List       \$</td> <td>Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1_Beech/Laminate       2714       2829       2944       3105       3289       3450       3634       3864         Maple/Palette       2779       2894       3009       3170       3354       3515       3699       3929         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf H       3515       3699       3929         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf H       36' or 30'' and chose required leg type below. Freestanding units with shelves require counterbalance weight added seat, contact customer service for upcharge.       Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option         ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272       3433       3617       3847         ption Upcharges       \$ List       \$ List       \$ List       \$ List       46       Removable Back Covers Two-Seat       66       66       418       Removable Back Covers Two-Seat       67       68       47       Removable Seat Covers Two-Seat       68       47       Removable Seat Covers Two-Seat       58       58         Multiple unit configurations       50       Removable Seat Covers Two-Seat       58       58</td>	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1_ Beech/Laminate       2714       2829       2944       3105       3289         Maple/Palette       2779       2894       3009       3170       3354         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on ycds" or 30° and chose required leg type below. Freestanding units with shelves require c seat, contact customer service for upcharge.         Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272         ption Upcharges       \$ List        2697       2812       2927       3088       3272         ption Upcharges       \$ List        Removable Back Covers One-Seat       446       Removable Back Covers Two-Seat         410       Removable Back Covers Three-Seat       410       Removable Seat Covers Two-Seat         410       Removable Seat Covers Two-Seat       8       10       Removable Seat Covers Two-Seat         r Bariatric Option upcharges       S       Removable Seat Covers Two-Seat       10       Removable Seat Covers Two-Seat         r Bariatric Option upcharges       MC       IS       30D       10       10         3       MC       IS       30D       10	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DIM1Beech/Laminate       2714       2829       2944       3105       3289       3450         Maple/Palette       2779       2894       3009       3170       3354       3515         ORDERING NOTE:       When ordering a back with Shelf option please clearly specify on your order th       36° or 30° and chose required leg type below. Freestanding units with shelves require counterbala         seat, contact customer service for upcharge.       Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option         ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272       3433         ption Upcharges       \$ List         r8 CAL 133(per yard)       44       Removable Back Covers One-Seat         446       Removable Back Covers Three-Seat         418       Removable Back Covers Three-Seat         410       Removable Seat Covers Three-Seat         4110       Removable Seat Covers Three-Seat         412       Removable Seat Covers Three-Seat         413       Removable Seat Covers Three-Seat         414       Removable Seat Covers Three-Seat         415       Removable Seat Covers Three-Seat         416       Removable Seat Covers Three-Seat         426	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1Beech/Laminate       2714       2829       2944       3105       3289       3450       3634         Maple/Palette       2779       2894       3009       3170       3354       3515       3699         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the require 36° or 30° and chose required leg type below. Freestanding units with shelves require counterbalance weilseat, contact customer service for upcharge.       Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272       3433       3617         ption Upcharges       \$ List       \$	Single-Seat, 30° Inside Curve, Mid Height Back with Shelf         ZOP3-MCIS30DM1_Beech/Laminate       2714       2829       2944       3105       3289       3450       3634       3864         Maple/Palette       2779       2894       3009       3170       3354       3515       3699       3929         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf H       3515       3699       3929         ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf H       36' or 30'' and chose required leg type below. Freestanding units with shelves require counterbalance weight added seat, contact customer service for upcharge.       Single-Seat, 30° Inside Curve, Mid Height Back with Privacy Screen Option         ZOP3-MCIS30DM2F       2697       2812       2927       3088       3272       3433       3617       3847         ption Upcharges       \$ List       \$ List       \$ List       \$ List       46       Removable Back Covers Two-Seat       66       66       418       Removable Back Covers Two-Seat       67       68       47       Removable Seat Covers Two-Seat       68       47       Removable Seat Covers Two-Seat       58       58         Multiple unit configurations       50       Removable Seat Covers Two-Seat       58       58

SIN 711-16

			СОМ		COL	FABR	IC GRA	DES		LEATHER	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Insi ZOP3-MCIS450DFO		ght Back 2683	2828	2973	3184	3421	3632	3870	4159	4476
	Single-Seat, 45° Insi ZOP3-MCIS45DF1_	Beech/Laminate Maple/Palette	2823 2888	2954 3019	3085 3150	3269 3334	3478 3543	3662 3727	3871 3936	4133 4198	4395 4460
H-J-1	• 42", 36" or 30" and to the seat, contact of	chose required leg	g type be	low. Frees	•		2			•	•
	Single-Seat, 45° Insi ZOP3-MCIS45DF2F	de Curve, Full Hei	ght Back 2806	with Priva 2937	acy Screer 3068	n 3252	3461	3645	3854	4116	4378
	Single-Seat, 45° Insi ZOP3-MCIS45DMOI		ght Back 2540	2657	2775	2940	3129	3294	3483	3717	3956
	Single-Seat, 45° Insi ZOP3-MCIS45DM1_		-	with Shel 3100 3166	lf 3218 3284	3383 3449	3572 3638	3737 3803	3926 3992	4160 4226	4399 4465
	ORDERING NOTE: - 36" or 30" and cho the seat, contact cus Single-Seat, 45° Insi	se required leg typ stomer service for de Curve, Mid Hei	pe below upcharge ght Back	. Freestan e. with Priva	acy Scree	n Option	lves req	uire counte	erbalanc	e weight ac	Ided to
	ZOP3-MCIS45DM2F		2959	3076	3194	3359	3548	3713	3902	4136	4375
Zola Privacy Op	otion Upcharges	\$ List								\$ List	
Seat Power Shelf Power Table Power Shared leg (for N	& CAL 133(per yard) Multiple unit configurat <b>r Bariatric Option up</b> o		Rem Rem Rem Rem	iovable Ba iovable Ba iovable Ba iovable Se iovable Se iovable Se	ack Cover ack Cover eat Covers eat Covers	s Two-Sea s Three-S s One-Sea s Two-Sea	at Seat at at			47 68 84 32 47 58	
PRODUCT CODE	Series	Chair Type		Curve Style		Seat Degree		Back Type		Leg Typ	
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside Outsid	IS e Curve -Sid ID e Curve -Do OS de Curve -S de Curve -S le Curve -D	buble	30D 45D 60D 90D	Ful Priv Mid	F0 Full Height Bac Shelf Optic F2 I Height Bac vacy Screen M0 Mid Height Bac Shelf Optic Shelf Optic M2 d Height Bac	k with on Option lack k with on	Freestanding Start Un C Center U End Uni	it ] nit
							Priv	acy Screen ( HE		ARE   USA	169

**COMMERCIAL DISCOUNT APPLIES TO THESE PRODUCTS** 

SIN 711-16

SIN / 11-16			COM		COL		RIC GRA			LEATHER	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 60° Insi ZOP3-MCIS60DFOF		t Back 3049	3231	3412	3674	3974	4231	4527	4890	5277
	Single-Seat, 60° Insi ZOP3-MCIS60DF1_ ORDERING NOTE: 1 - 42", 36" or 30" and to the seat, contact of	Beech/Laminate Maple/Palette When ordering a bac chose required leg t	3616 3683 k with S ype belo	3798 3865 helf optior w. Freesta							
	Single-Seat, 60° Insi ZOP3-MCIS60DF2F				y Screer 3833	4095	4390	4652	4948	5311	5698
F	Single-Seat, 60° Insi ZOP3-MCIS60DMOI		nt Back 2904	3034	3165	3349	3558	3741	3951	4212	4475
	Single-Seat, 60° Insi ZOP3-MCIS60DM1_		nt Back v 3471 3538	vith Shelf 3601 3668	3732 3799	3916 3983	4125 4192	4308 4375	4518 4585	4779 4846	5042 5109
	Single-Seat, 60° Insi ZOP3-MCIS60DM2F		nt Back v 3325	vith Privac 3455	y Screer 3586	n Option 3770	3979	4162	4372	4633	4896
Zola Privacy Op	tion Upcharges	\$ List								\$ List	
Seat Power Shelf Power Table Power Shared leg (for N	& CAL 133(per yard) lultiple unit configurati Bariatric Option upc		Remov Remov Remov	vable Back vable Back vable Back vable Seat vable Seat vable Seat	Covers Covers Covers Covers	Two-Seat Three-Sea One-Seat Two-Seat	at			47 68 84 32 47 58	
Line	Series	Chair Type	Cu	rve Style	Se	eat Degree	E	Back Type		Leg Typ	be
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside C Outside	IS Curve -Singl ID Curve -Doub OS Curve -Sing OD Curve -Dout	le le	30D 45D 60D 90D	Full Ha Sl Full Ha Privacy Mid	F0 Height Back helf Option F2 eight Back y Screen C M0 Height Back M1 eight Back helf Option M2	x with x with Dption ack x with	Freestandir S Start U C Center U E End Ur	 nit  Jnit
170   USA   HE	ALTHCARE							eight Back Screen O			

SIN 711-16

			COM		COL		FAE	RIC GR	ADES	LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Single-Seat, 90 <sup>o</sup> ZOP3-MCIS900	<sup>9</sup> Inside Curve, Full Heig DFOF	ht Back 3481	3672	3863	4130	4435	4702	5008	5389	5771

Single-Seat, 90° Insid	e Curve, Full Height	Back wi	th Shelf							
ZOP3-MCIS90DF1_	Beech/Laminate Maple/Palette	4091 4159	4282 4350	4473 4541	4740 4808	5045 5113	5312 5380	5618 5686	5999 6067	6381 6449

**F** 


**ORDERING NOTE:** When ordering a back with Shelf option please clearly specify on your order the required Shelf Height - 42", 36" or 30" and chose required leg type below. Freestanding units with shelves require counterbalance weight added to the seat, contact customer service for upcharge.

	Single-Seat, 90° Inside ZOP3-MCIS90DF2F	e Curve, Full Height	Back wi 4145	ith Privacy 4336	/ Screen 4527	4794	5099	5366	5672	6053	6435
	Single-Seat, 90° Inside ZOP3-MCIS90DMOF	e Curve, Mid Height	Back 3188	3338	3487	3696	3935	4145	4384	4682	4981
	Single-Seat, 90° Inside	e Curve, Mid Height	Back w	ith Shelf							
	ZOP3-MCIS90DM1_	Beech/Laminate Maple/Palette	3798 3866	3948 4016	4097 4165	4306 4374	4545 4613	4755 4823	4994 5062	5292 5360	5591 5659
- 1	ORDERING NOTE: W 36" or 30" and chose seat, contact custome	required leg type b	elow. Fre	•	•	5 1	, ,				0
	Single-Seat. 90° Inside	e Curve. Mid Height	Back w	ith Privac	v Screen C	Dotion					

$\frown$	-	
	T	7
۳	+	ľ.

Single-Seat, 90° Inside Curve, Mid Height Back with Privacy Screen OptionZOP3-MCIS90DM2F385240024151436045994809504853465645

#### PRODUCT CODE KEY



### **ZOLA PRIVACY** | CURVED SIN 711-16

SIN 711-16											
DESCRIPTION	MODEL		COM 1	2	COL 3	FAB 4	RIC GRA 5	DES 6	7	8 8	EATHER. 9
	Single-Seat, 30° Outsic ZOP3-MCOS300DFOF		ht Back 2269	2393	2518	2692	2891	3065	3264	3513	3761
	Single-Seat, 30° Outsic ZOP3-MCOS30DF1_		ht Back with 2478 2540	Shelf 2602 2664	2727 2789	2901 2963	3100 3162	3274 3336	3473 3535	3722 3784	3970 4032
	<b>ORDERING NOTE:</b> We 42", 36" or 30" and che the seat, contact custo	ose required leg typ	be below. Fre								
	Single-Seat, 30º Outsic ZOP3-MCOS30DF2F	de Curve, Full Heigl	ht Back with 2516	Privacy S 2640	Screen 2765	2939	3138	3312	3511	3760	4008
	Single-Seat, 30° Outsic ZOP3-MCOS30DMOF	de Curve, Mid Heig	ht Back 2186	2294	2402	2555	2729	2881	3055	3271	3492
B	Single-Seat, 30° Outsic ZOP3-MCOS30DM1_		ht Back with 2395 2457	Shelf 2503 2565	2611 2673	2764 2826	2938 3000	3090 3152	3264 3326	3480 3542	3701 3763
	ORDERING NOTE: Wi 36" or 30" and chose r seat, contact customer Single-Seat, 30° Outsic ZOP3-MCOS30DM2F	required leg type be r service for upchar	elow. Freesta ·ge.	nding un	iits with s	helves re					
Zola Privacy O	ption Upcharges	\$ List							\$	List	
Moisture Barrie Seat Power Shelf Power Table Power Shared leg (for <b>See page 16 fo</b>	r & CAL 133(per yard) Multiple unit configuration Fariatric Option upcl	44 446 418 410 ons 55	Removabl Removabl Removabl Removabl Removabl Removabl	e Back C e Back C e Seat C e Seat C	Covers Tw Covers Thi overs One overs Two	o-Seat ree-Seat e-Seat o-Seat			4 6 8 3 4	7 8 4 2 7 8	
Line	E KEY Series	Chair Type	Curve S	Style	Seat [	Degree	B	ack Type		Leg Typ	
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	IS Inside Curve Inside Curve OS Outside Curv Outside Curv	-Double	30 45 60 90	D	[ Full Hei Shu Full Hei Privacy Mid Hei Shu	F0 leight Back F1 ght Back lef Option F2 ght Back Screen Op M0 leight Back leif Option M1 ight Back lef Option M2	with with ption ck with	Freestandin S Start Ur Center U End Ur	nit Junit
170   110 / 14								ight Back Screen Op			

SIN 711-16

	MODEL		COM	0	COL 3				7	LEATHEF	
ESCRIPTION	MODEL		1	2	3	4	5	6	7	8	9
	Single-Seat, 45° Outsic ZOP3-MCOS450DFOF		2446	ск 2570	2694	2869	3068	3242	3441	3689	3938
	Single-Seat, 45° Outsic ZOP3-MCOS45DF1_ I		-	ck with Sl 2776 2838	helf 2900 2962	3075 3137	3274 3336	3448 3510	3647 3709	3895 3957	4144 4206
	ORDERING NOTE: Wh 42", 36" or 30" and cho the seat, contact custo	se required leg	type belo	ow. Frees	•				•		0
	Single-Seat, 45° Outsic ZOP3-MCOS45DF2F	le Curve, Full He	eight Bac 2692	ck with Pr 2816	rivacy Scr 2940	een 3115	3314	3488	3687	3935	4184
Þ	Single-Seat, 45° Outsic ZOP3-MCOS45DMOF2	-	eight Bao 2466	ck 2574	2726	2900	3053	3227	3443	3663	
	Single-Seat, 45° Outsic ZOP3-MCOS45DM1_   			ck with S 2672 2734	helf 2780 2842	2932 2994	3106 3168	3259 3321	3433 3495	3649 3711	3869 393
	ORDERING NOTE: Wh 36" or 30" and chose re seat, contact customer	equired leg type	below. F				s require	counterba	alance we	eight adde	d to th
	36" or 30" and chose re	equired leg type service for upcl	below. F narge.	reestand	ling units	with shelves		counterba	3473	eight adder 3689	d to the 3909
Cola Privacy C	36" or 30" and chose reseat, contact customer Single-Seat, 45° Outsic	equired leg type service for upcl	below. F harge. eight Bao 2604	Freestand	ling units rivacy Scr	with shelves			3473		
Aoisture Barrie Geat Power Shelf Power Sable Power Shared leg (for	36" or 30" and chose me seat, contact customer Single-Seat, 45° Outsic ZOP3-MCOS45DM2F	equired leg type service for upcl le Curve, Mid He \$ Lis 44 446 418 410 ons 55	below. F harge. 2604 t Rei Rei Rei Rei Rei Rei Rei Rei	reestand ck with P 2712 movable movable movable movable	ling units rivacy Scr 2820 Back Cov Back Cov Back Cov Seat Cove Seat Cove	with shelves	3146 at at ieat at at		3473	3689	
loisture Barrie eat Power helf Power able Power hared leg (for	36" or 30" and chose reseat, contact customer Single-Seat, 45° Outsic ZOP3-MCOS45DM2F Option Upcharges r & CAL 133(per yard) Multiple unit configuration or Bariatric Option upcl	equired leg type service for upcl le Curve, Mid He \$ Lis 44 446 418 410 ons 55	below. F harge. 2604 t Rei Rei Rei Rei Rei Rei Rei Rei	reestand ck with P 2712 movable movable movable movable	ling units rivacy Scr 2820 Back Cov Back Cov Back Cov Seat Cove Seat Cove	vith shelves reen Option 2972 rers One-Se rers Two-Se rers Three-S ers One-Sea ers Two-Sea ers Two-Sea	3146 at at ieat at at		3473	3689 <b>\$ List</b> 47 68 84 32 47	
loisture Barrie eat Power helf Power able Power hared leg (for <b>ee page 16 fo</b>	36" or 30" and chose reseat, contact customer Single-Seat, 45° Outsic ZOP3-MCOS45DM2F Option Upcharges r & CAL 133(per yard) Multiple unit configuration or Bariatric Option upcl	equired leg type service for upcl le Curve, Mid He \$ Lis 44 446 418 410 ons 55	below. F narge. 2604 t Rei Rei Rei Rei Rei Rei Rei	reestand ck with P 2712 movable movable movable movable	ling units rivacy Scr 2820 Back Cov Back Cov Back Cov Seat Cove Seat Cove	vith shelves reen Option 2972 rers One-Se rers Two-Se rers Three-S ers One-Sea ers Two-Sea ers Two-Sea	3146 at at eeat at eat		3473	3689 <b>\$ List</b> 47 68 84 32 47	3909
Ioisture Barrie eat Power helf Power able Power hared leg (for ee page 16 for RODUCT CODE	36" or 30" and chose m seat, contact customer Single-Seat, 45° Outsic ZOP3-MCOS45DM2F Potion Upcharges or & CAL 133(per yard) Multiple unit configuration or Bariatric Option upcles E KEY	equired leg type service for upcl le Curve, Mid He <b>\$ Lis</b> 44 446 418 410 ons 55 harges	below. F harge. 2604 t Rei Rei Rei Rei Rei Rei Rei Rei Rei Rei	reestand ck with P 2712 movable movable movable movable movable	ling units of rivacy Scr 2820 Back Cove Back Cove Back Cove Seat Seat Seat Seat Seat Seat Seat Seat	with shelves reen Option 2972 rers One-Se rers Two-Se rers Three-S ers Two-Se ers Two-Se ers Three-S	3146 at at eat at eat Fi Full	3299	3473 ack I k with n k with	3689 <b>\$ List</b> 47 68 84 32 47 58	3909 J g Unit j iit

# **ZOLA PRIVACY** | CURVED SIN 711-16

SIN 711-16											
DESCRIPTION	MODEL		COM 1	2	COL 3	FABI 4	RIC GRAE 5	DES 6	7 L	EATHER 8	9
B	Single-Seat, 60° Outsic ZOP3-MCOS600DFOF			2673	2798	2972	3171	3345	3544	3792	4041
F	Single-Seat, 60° Outsic ZOP3-MCOS60DF1_	de Curve, Full Heig Beech/Laminate Maple/Palette		with Shelf 2876 2938	3001 3063	3175 3237	3374 3436	3548 3610	3747 3809	3995 4057	4244 4306
	<b>ORDERING NOTE:</b> We - 42", 36" or 30" and cl to the seat, contact cu	hose required leg	type belo	w. Freestan							
	Single-Seat, 60° Outsic ZOP3-MCOS60DF2F	de Curve, Full Heig	ght Back 2782	with Privacy 2906	y Screen 3031	3205	3404	3578	3777	4025	4274
	Single-Seat, 60° Outsic ZOP3-MCOS60DMOF	de Curve, Mid Hei	ght Back 2465	2574	2682	2834	3008	3161	3334	3551	3771
B	Single-Seat, 60° Outsio ZOP3-MCOS60DM1_		ght Back 2668 2730	with Shelf 2777 2839	2885 2947	3037 3099	3211 3273	3364 3426	3537 3599	3754 3816	3974 4036
	ORDERING NOTE: Wi - 36" or 30" and chose the seat, contact custo Single-Seat, 60° Outsio ZOP3-MCOS60DM2F	e required leg type mer service for up	e below. F ocharge.	reestandin	g units wi	th shelve					
Zola Privacy O	ption Upcharges	\$ List							\$	List	
Seat Power Shelf Power Table Power Shared leg (for I See page 16 fo	r & CAL 133(per yard) Multiple unit configuratic <b>r Bariatric Option upch</b>		Remo Remo Remo Remo	vable Back vable Back vable Back vable Seat vable Seat vable Seat	Covers T Covers T Covers O Covers Tv	wo-Seat hree-Sea ne-Seat vo-Seat			4 6 8 3 3 4 5	8 4 2 7	
Line	Series	Chair Type	Cu	rve Style	Seat	Degree	Ba	ick Type		Leg Type	9
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside C Inside C Outside	IS Curve -Single ID urve -Double OS Curve -Single OD Curve -Double	3 4 6 9	50D 50D 50D	Full Heig Full Heig She Full Heig Privacy S	F0 leight Back F1 ght Back w lf Option F2 ght Back w Screen Op M0 leight Back M1	vith vith tion	F eestanding S Start Un C Center Un E End Uni	ı Unit it nit
174   USA   H	EALTHCARE						She  Mid Hei	ght Back v elf Option M2 ght Back v screen Opt	vith		

SIN 711-16

			СОМ		COL	FABR	IC GRAI	DES	I	LEATHER	
DESCRIPTION	MODEL		1	2	3	4	5	6	7	8	9
	Single-Seat, 90° Outside Curve ZOP3-MCOS900DFOF		Back 3073	3198	3322	3496	3695	3869	4068	4317	4566
	Single-Seat, 90° Outside Curve ZOP3-MCOS90DF1_ Beech/L Maple/P	aminate	Back with 3269 3329	n Shelf 3394 3454	3518 3578	3692 3752	3891 3951	4065 4125	4264 4324	4513 4573	4762 4822
	<b>ORDERING NOTE:</b> When orde 42", 36" or 30" and chose requitive seat, contact customer service.	ired leg type	below. Fr	• •							•
	Single-Seat, 90° Outside Curve ZOP3-MCOS90DF2F	-	Back with 3304	n Privacy 3429	Screen 3553	3727	3926	4100	4299	4548	479
	Single-Seat, 90° Outside Curve ZOP3-MCOS90DMOF	-	Back 2753	2861	2969	3122	3296	3448	3622	3838	405
	Single-Seat, 90° Outside Curve ZOP3-MCOS90DM1_ Beech/L Maple/P	aminate	Back wit 2949 3009	h Shelf 3057 3117	3165 3225	3318 3378	3492 3552	3644 3704	3818 3878	4034 4094	425 431
	Single-Seat, 90° Outside Curve ZOP3-MCOS90DM2F	-	Back with 2984	h Privacy 3092	Screen 3200	Option 3353	3527	3679	3853	4069	429
ola Privacy O	ption Upcharges	\$ List							\$	\$ List	
eat Power helf Power able Power hared leg (for bee page 16 fo	r & CAL 133(per yard) Multiple unit configurations or Bariatric Option upcharges	44 446 418 410 55	Remova Remova Remova Remova	ble Back ble Back ble Seat ble Seat	Covers Covers Covers Covers	One-Seat Two-Seat Three-Seat One-Seat Two-Seat Three-Sea	at			47 58 34 32 47 58	
Line		air Type	Curve	e Style	Se	eat Degree		Back Type	)	Leg Typ	be
ZOP Zola	Lounge Mod	MC ular Curve MCB ular Curve ariatric	Inside Cu	D	[	30D 45D 60D	Full F	F0 II Height B F1 Height Bac Shelf Optic F2	k with	Freestandin S Start U	g Unit
			Outside Cu C Outside Cu	D	[	90D	Privad	Height Bac cy Screen M0 d Height B	Option	Center L E End Ur	
							s Mid F	Height Bac Shelf Optic M2 Height Bac y Screen (	n k with Options	ARE   US	Λ   17

### **ZOLA PRIVACY** | CURVED SIN 711-16

SIN 711-16			СОМ		COL	EAD					
DESCRIPTION	MODEL	SPECIES	1	2	3	4	RIC GRA 5	4DES 6	7	LEATHER 8	9
	Double-Seat, 30° Insic ZOP3-MCID30DFOF	le Curve, Full Heig	ht Back 3447	3659	3870	4167	4505	4801	5139	5562	5985
	Double-Seat, 30° Insic ZOP3-MCID30DF1_ ORDERING NOTE: W 42", 36" or 30" and ch the seat, contact custo	Beech/Laminate Maple/Palette hen ordering a bac ose required leg ty	3800 3518 ck with Sh	3979 3697 nelf optior	4159 3877 n please						
	Double-Seat, 30° Insic ZOP3-MCID30DF2F	le Curve, Full Heig	ht Back v 3921	vith Priva 4100	cy Scree 4280	en 4531	4818	5069	5356	5714	6073
	Double-Seat, 30° Insic ZOP3-MCID30DMOF	le Curve, Mid Heig	ht Back 3262	3441	3621	3872	4159	4410	4697	5055	5414
	Double-Seat, 30° Insic ZOP3-MCID30DM1_ ORDERING NOTE: W 36" or 30" and chose seat, contact custome	Beech/Laminate Maple/Palette hen ordering a bac required leg type b	3985 4053 ck with Sh pelow. Fre	4197 4265 nelf optior	4408 4476 n please						
	Double-Seat, 30° Insid ZOP3-MCID30DM2F	le Curve, Mid Heig	ht Back v 4106	vith Priva 4318	cy Scree 4529	en Option 4826	5164	5460	5798	6221	6644
I Zola Privacy O	ption Upcharges	\$ List								\$ List	
Moisture Barrie Seat Power Shelf Power Table Power Shared leg (for See page 16 for	r & CAL 133(per yard) Multiple unit configurat or Bariatric Option upo	44 446 418 410 ions 55	Remo Remo Remo Remo	ovable Ba ovable Ba ovable Se ovable Se	ck Cove ck Cove at Cove at Cove	ers One-Se ers Two-Se ers Three-Se rs One-Se rs Two-Se rs Three-S	eat Seat eat eat			47 68 84 32 47 58	
Line	Series	Chair Type	Cı	urve Style		Seat Degre	20	Back Typ	e	Leg Ty	pe
ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	 Inside ( [ Outside	IS Curve -Sin ID Curve -Dou OS Curve -Si OD Curve -Do	uble	30D 45D 60D 90D	Fi Pr	F0 Full Height E F1 Ill Height Bac Shelf Optic Vacy Screen Mid Height E M1 id Height Bac Shelf Optic	ck with on Ck with Option Back ck with	Freestandin S Start U C Center I End U	 Jnit
176   USA   HI								id Height Bac vacy Screen			

SIN 711-16

			COM		COL	FA	BRIC GR	ADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 4 ZOP3-MCID45	5° Inside Curve, Full Heig DFOF	ht Back 3737	3952	4168	4472	4818	5122	5468	5899	6337

	4
K	1

											•	
Double-Seat, 45° Inside Curve, Full Height Back with Shelf												
ZOP3-MCID45DF1_	Beech/Laminate	4118	4304	4490	4754	5055	5319	5619	5991	6377		
_	Maple/Palette	4187	4373	4559	4823	5124	5388	5688	6060	6446	$\leq$	
											_	



ORDERING NOTE: When ordering a back with Shelf option please clearly specify on your order the required Shelf Height -
42", 36" or 30" and chose required leg type below. Freestanding units with shelves require counterbalance weight added to
the seat, contact customer service for upcharge.




	Double-Seat, 45° Inside Curve, Full Height	Back wi	th Privacy	/ Screen						
	ZOP3-MCID45DF2F	4224	4410	4596	4860	5161	5425	5725	6097	6483
	Double-Seat, 45° Inside Curve, Mid Height	Back								<u> </u>
	ZOP3-MCID45DMOF	3558	3744	3930	4194	4495	4759	5059	5431	5817
)										
ų										
2	Double-Seat, 45° Inside Curve, Mid Height	Back wi	th Shelf							
1		1007	4540	1700	5000	5070	5000	0000	0 4 5 0	0007



 $\uparrow$ 

	Double-Seat, 45° Ins	ide Curve, Mid He	eight Back	with Shel	f							
	ZOP3-MCID45DM1_	Beech/Laminate	4297	4512	4728	5032	5378	5682	6028	6459	6897	
		Maple/Palette	4366	4581	4797	5101	5447	5751	6097	6528	6966	
	ORDERING NOTE: 36" or 30" and chose seat, contact custom	e required leg type	below. Fr	•	•						0	
	Double-Seat, 45° Ins ZOP3-MCID45DM2F	,	ight Back 4403	with Priva 4618	acy Scree 4834	n Option 5138	5484	5788	6134	6565	7003	
Zola Privacy C	Option Upcharges	\$ Lis	st						9	5 List		
Moisture Barrie	er & CAL 133(per yard)	44	Rem	ovable Ba	ack Cover	rs One-Se	eat		2	17		
Seat Power		446	Rem	ovable Ba	ack Cover	rs Two-Se	eat		6	68		
Shelf Power		418	Rem	Removable Back Covers Three-Seat 84								
		410										
Table Power		410	Rem	ovable Se		s One-Se			-	32		
Shared leg (for	Multiple unit configura	410 ations 55	Rem Rem	ovable Se ovable Se ovable Se	at Cover	s One-Se s Two-Se	at		2	32 17 58		

PRODUCT CODE KEY



# **ZOLA PRIVACY** | CURVED SIN 711-16

	SIN / 11-10											
	DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	FABF 4	RIC GRA	DES 6	7	LEATHER 8	9
		Double-Seat, 60° Insi ZOP3-MCID60DFOF	de Curve, Full Height	Back 4121	4368	4615	4971	5374	5730	6133	6626	7158
200		Double-Seat, 60° Insi ZOP3-MCID60DF1_	de Curve, Full Height Beech/Laminate Maple/Palette	Back with 4720 4789	Shelf 4967 5036	5214 5283	5570 5639	5973 6042	6329 6398	6732 6801	7225 7294	7757 7826
	ĭ↓1 ,	<b>ORDERING NOTE:</b> V 42", 36" or 30" and ch the seat, contact cust	hose required leg type	e below. Fr								
		Double-Seat, 60° Insi ZOP3-MCID60DF2F	de Curve, Full Height	Back with 4791	Privacy 5038	Screen 5285	5641	6044	6400	6803	7296	7828
2		Double-Seat, 60° Insi ZOP3-MCID60DMOF		Back 3898	4103	4307	4599	4930	5222	5553	5962	6390
		Double-Seat, 60° Insi ZOP3-MCID60DM1_	Beech/Laminate Maple/Palette	4497 4566	4702 4771	4906 4975	5198 5267	5529 5598	5821 5890	6152 6221	6561 6630	6989 7058
<b>TT</b>		ORDERING NOTE: V 36" or 30" and chose seat, contact custome	required leg type bel	ow. Freest								
		Double-Seat, 60° Insi ZOP3-MCID60DM2F	de Curve, Mid Height	Back with 4568	Privacy 4773	Screen 4977	Option 5269	5600	5892	6223	6632	7060
)	Zola Privacy O	ption Upcharges	\$ List								\$ List	
	Seat Power Shelf Power Table Power Shared leg (for	r & CAL 133(per yard) Multiple unit configura or <b>Bariatric Option up</b>		Remova Remova Remova Remova	ble Back ble Back ble Seat ble Seat	Covers Covers Covers Covers	One-Sea Two-Sea Three-Sea One-Seat Two-Seat Three-Sea	t eat			47 68 84 32 47 58	
Ś	PRODUCT CODE	KEY										
r	Line	Series	Chair Type	Curve	Style	Se	at Degree		Back Type		Leg Typ	e
	ZOP Zola	3 Lounge	MC Modular Curve MCB Modular Curve Bariatric	Inside Cur Inside Cur	ve -Single D ve -Doubl	e	30D 45D 60D	Full I	F0 III Height Ba F1 Height Back Shelf Optior F2	with 1	Freestanding S Start Un	] it
				Outside Cu Outside Cu	D		90D	Priva	Height Back cy Screen C M0 Id Height Ba	ption	Center Un	]
								Mid	Height Back Shelf Optior M2 Height Back cy Screen O	ı . with		
	178   USA   H	EALTHCARE										

SIN 711-16

										2111	/11-16
			COM		COL	FABF	RIC GRAI	DES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 90° Insi ZOP3-MCID90DFOF	de Curve, Full Height Bacl	< 4838	5094	5351	5727	6148	6524	6946	7459	8029
	Double-Seat 90º Insi	de Curve, Full Height Bacl	with Sh	۵lf							
	ZOP3-MCID90DF1_	Beech/Laminate Maple/Palette	5492 5562	5748 5818	6005 6075	6381 6451	6802 6872	7178 7248	7600 7670	8113 8183	8683 8753
<b>F</b>	42", 36" or 30" and ch	Vhen ordering a back with nose required leg type belo comer service for upcharge	ow. Frees								
	Double-Seat, 90° Insi ZOP3-MCID90DF2F	de Curve, Full Height Bacl	k with Pri 5539	vacy Sci 5795	reen 6052	6428	6849	7225	7647	8160	8730
	Double-Seat, 90° Insi ZOP3-MCID90DMOF	de Curve, Mid Height Bac	k 4493	4698	4902	5194	5525	5817	6148	6558	6985
	Double-Seat, 90° Insi ZOP3-MCID90DM1_	de Curve, Mid Height Bac Beech/Laminate Maple/Palette	k with Sh 5147 5217	5352 5422	5556 5626	5848 5918	6179 6249	6471 6541	6802 6872	7212 7282	7639 7709
	36" or 30" and chose	Vhen ordering a back with required leg type below. F er service for upcharge.									
	Double-Seat, 90° Insi ZOP3-MCID90DM2F	de Curve, Mid Height Bac	k with Pri 5194	ivacy Sc 5399	reen Op 5603	tion 5895	6226	6518	6849	7259	7686

#### PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MC Modular Curve	IS Inside Curve -Single	30D	F0 Full Height Back	F Freestanding Unit
2014	Lounge	MCB		45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS Outside Curve -Single	60D	F2 Full Height Back with	C Center Unit
				000	Privacy Screen Option	E
			OD Outside Curve -Double	90D	M0 Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

SIN 711-16 DESCRIPTION	MODEL	SPECIES	COM	2	COL 3	FABR 4	IC GRA 5	DES 6	7	LEATHEF 8	R 9
	Double-Seat, 30° Ou ZOP3-MCOD30DFO	itside Curve, Full H		3403	3602	3881	4199	4477	4795	5193	5591
	Double-Seat, 30° Ou ZOP3-MCOD30DF1_ ORDERING NOTE: 1 42", 36" or 30" and c	Beech/Laminate Maple/Palette When ordering a b chose required leg	e 3596 3661 ack with She type below.	3795 3860 elf option p							
	the seat, contact cus Double-Seat, 30° Ou ZOP3-MCOD30DF2F	itside Curve, Full H		with Privac 3821	y Scree 4020	n 4299	4617	4895	5213	5611	6009
F	Double-Seat, 30° Ou ZOP3-MCOD30DMC	,	Height Back 3068	3234	3399	3631	3896	4128	4392	4723	5054
	Double-Seat, 30° Ou ZOP3-MCOD30DM1 ORDERING NOTE: N 36" or 30" and chose seat, contact custom	<ul> <li>Beech/Laminate Maple/Palette</li> <li>When ordering a b e required leg type</li> </ul>	e 3596 3661 ack with She below. Free	3795 3860 elf option p							
	Double-Seat, 30° Ou ZOP3-MCOD30DM2		Height Back 3622	with Privad 3821	cy Scree 4020	en Option 4299	4617	4895	5213	5611	6009
Zola Privacy (	Option Upcharges	\$ Lis	st							\$ List	
Moisture Barrie Seat Power Shelf Power Table Power Shared leg (for	er & CAL 133(per yard) Multiple unit configura or Bariatric Option up	44 446 418 410 ations 55	Remov Remov Remov Remov Remov	vable Back vable Back vable Seat vable Seat	Covers Covers Covers Covers	One-Seat Two-Seat Three-Seat One-Seat Two-Seat Three-Sea	at			47 68 84 32 47 58	
Line	Series	Chair Type	Cur	ve Style	Se	eat Degree		Back Type	9	Leg Ty	pe
Line ZOP Zola		Chair Type MC Modular Curve MCB Modular Curve Bariatric	e Inside C e Inside C Outside (	ve Style IS Jurve -Single urve -Doubl OS Curve -Sing OD Curve -Doub	e [ e [ le [	30D 30D 45D 60D 90D	Full H S Privac Mid Mid H	Back Type F0 I Height Bac Shelf Optic F2 Ieight Bac y Screen M0 d Height Bac shelf Optic M2 Ieight Bac	ack k with on k with Option lack k with on	Leg Ty F Freestandin Start U C Center I E End U	ng Unit

SIN 711-16

										211	1/11-16
			COM		COL	FAB	RIC GRA	ADES		LEATHE	R
DESCRIPTION	MODEL	SPECIES	1	2	3	4	5	6	7	8	9
	Double-Seat, 45° Ou ZOP3-MCOD45DFO	tside Curve, Full Heigh F	nt Back 3347	3546	3745	4023	4342	4620	4938	5336	5734
	Double-Seat, 45° Ou	tside Curve, Full Heigh	nt Back w	th Shelf							
	ZOP3-MCOD45DF1	, 0	3739 3804	3938 4003	4137 4202	4415 4480	4734 4799	5012 5077	5330 5395	5728 5793	6126 6191
N-T	42", 36" or 30" and c	When ordering a back hose required leg type stomer service for upch	below. F								
	Double-Seat, 45° Ou	tside Curve, Full Heigh	nt Back w	ith Priva	cv Scree	n					
	ZOP3-MCOD45DF2I		3765	3964	4163	4441	4760	5038	5356	5754	6152
	Double-Seat, 45° Ou ZOP3-MCOD45DMC	tside Curve, Mid Heig DF	nt Back 3195	3360	3526	3757	4022	4254	4519	4850	5181
	Dauble Cast 45% Ou	tside Curve, Mid Heigl	at Doole w	th Chalf							
	ZOP3-MCOD45DM1		3587 3652	3752 3817	3918 3983	4149 4214	4414 4479	4646 4711	4911 4976	5242 5307	5573 5638
	36" or 30" and chose	When ordering a back e required leg type belo her service for upcharg	ow. Frees								
	Double-Seat, 45° Ou ZOP3-MCOD45DM2	tside Curve, Mid Heigł F	nt Back w 3613	ith Priva 3778	cy Scree 3944	n Option 4175	1 4440	4672	4937	5268	5599

#### PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP	3	MC	IS	30D	F0	F
Zola	Lounge	Modular Curve	Inside Curve -Single		Full Height Back	Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS	60D	F2	C
			Outside Curve -Single		Full Height Back with Privacy Screen Option	Center Unit
			OD	90D	MO	E
			Outside Curve -Double		Mid Height Back	End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

# **ZOLA PRIVACY** | CURVED SIN 711-16

SIN 711-16			СОМ		COL		RIC GRA			LEATHER	
DESCRIPTION	MODEL	SPECIES	1	2	3	4	10 GRA 5	6 6	7	8	9
	Double-Seat, 60° Out ZOP3-MCOD60DFOF		ight Back 3522	3721	3920	4198	4516	4795	5113	5511	5908
	Double-Seat, 60° Out ZOP3-MCOD60DF1_		ight Back 3912 3976	with Shelf 4111 4175	4310 4374	4588 4652	4906 4970	5185 5249	5503 5567	5901 5965	6298 6362
. <u>1</u> .	<b>ORDERING NOTE:</b> W 42", 36" or 30" and ch the seat, contact cust	lose required leg ty	vpe below								•
	Double-Seat, 60° Out ZOP3-MCOD60DF2F	side Curve, Full He	ight Back 3939	with Privac 4138	cy Scree 4337	en 4615	4933	5212	5530	5928	6325
	Double-Seat, 60° Out ZOP3-MCOD60DMOI		eight Back 3347	3512	3678	3910	4174	4406	4671	5002	5333
	Double-Seat, 60° Out ZOP3-MCOD60DM1_		eight Back 3737 3801	with Shelf 3902 3966	4068 4132	4300 4364	4564 4628	4796 4860	5061 5125	5392 5456	5723 5787
	ORDERING NOTE: W 36" or 30" and chose seat, contact custome	required leg type b	pelow. Fre								
	Double-Seat, 60° Out ZOP3-MCOD60DM2F		eight Back 3764	with Privac 3929	cy Scree 4095	en Option 4327	4591	4823	5088	5419	5750
Zola Privacy O	ption Upcharges	\$ List								\$ List	
Seat Power Shelf Power Table Power Shared leg (for	r & CAL 133(per yard) Multiple unit configurat or Bariatric Option up		Remo Remo Remo Remo	ovable Back ovable Back ovable Back ovable Seat ovable Seat ovable Seat	Covers Covers Covers Covers	Two-Seat Three-Se One-Seat Two-Seat	at			47 68 84 32 47 58	
PRODUCT CODE	Series	Chair Type	Cı	Irve Style	S	eat Degree		Back Type		Leg Typ	
Zola	Lounge	MC Modular Curve MCB Modular Curve Bariatric	 Inside ( [ Outside	IS Curve -Single ID Curve -Doubl OS Curve -Sing OD Curve -Doub	e le	30D 45D 60D 90D	Full F S Full F Privac Mid Mid F	F0 II Height Back Shelf Option F2 Height Back cy Screen C M0 d Height Back M1 Height Back	s with s with Option ack s with	Freestandin Start Ur Center U	nit Juit
182   USA   HI	EALTHCARE							M2 leight Back y Screen O			

SIN 711-16

								550			
DESCRIPTION	MODEL	SPECIES	COM 1	2	COL 3	ғав 4	RIC GRA 5	DES 6	7	LEATHEF 8	( 9
	Double-Seat, 90° Out ZOP3-MCOD90DFOF	side Curve, Full He			4345	4623	4941	5220	5538	5936	6333
	Double-Seat, 90° Out ZOP3-MCOD90DF1_		ight Back 4333 4397	with She 4532 4596	lf 4731 4795	5009 5073	5327 5391	5606 5670	5924 5988	6322 6386	6719 6783
	ORDERING NOTE: V 42", 36" or 30" and cl the seat, contact cust	nose required leg ty	vpe below.								
	Double-Seat, 90° Out ZOP3-MCOD90DF2F		ight Back 4358	with Priv 4557	acy Scree 4756	en 5034	5352	5631	5949	6347	6744
	Double-Seat, 90° Out ZOP3-MCOD90DMO		eight Back 3841	4068	4296	4648	5034	5386	5772	6227	6792
	Double-Seat, 90° Out ZOP3-MCOD90DM1 ORDERING NOTE: V 36" or 30" and chose seat, contact custom	Beech/Laminate Maple/Palette When ordering a bac required leg type b	4227 4291 ck with Sh pelow. Free	4454 4518 elf optior	4682 4746 n please c						•
	Double-Seat, 90° Out ZOP3-MCOD90DM2f		eight Back 4252	with Priv 4479	acy Scree 4707	en Optior 5059	י 5445	5797	6183	6638	7203

#### PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MC Modular Curve	IS Inside Curve -Single	30D	F0 Full Height Back	F Freestanding Unit
		MCB	ID	45D	F1	S
		Modular Curve Bariatric	Inside Curve -Double		Full Height Back with Shelf Option	Start Unit
			OS Outside Curve -Single	60D	F2 Full Height Back with	C Center Unit
					Privacy Screen Option	
			OD Outside Curve -Double	90D	M0 Mid Height Back	E End Unit
					M1 Mid Height Back with Shelf Option	
					M2 Mid Height Back with Privacy Screen Options	

# **ZOLA PRIVACY | SIDE PANELS**

SIN 711-16

			COM		COL	FAB	RIC GR	ADES		LEATHEI	R
DESCRIPTION	MODEL		1	2	3	4	5	6	7	8	9
	Side Panel, Single	e, Full Heig	ht No Screen								
	ZOP3-MPF0S	Start	660	722	784	908	1032	1156	1280	1405	1653
	ZOP3-MPF0C	Centre	851	913	975	1099	1223	1347	1471	1595	1844
	ZOP3-MPF0E	End	660	722	784	908	1032	1156	1280	1405	1653
	Side Panel, Single	e. Full Heic	ht with Scree	n							
	ZOP3-MPF2S	Start	866	928	990	1114	1238	1362	1486	1611	1859
	ZOP3-MPF2C	Centre	1057	1119	1181	1305	1429	1553	1677	1801	2050
	ZOP3-MPF2E	End	866	928	990	1114	1238	1362	1486	1611	1859
	Side Panel, Single										
	ZOP3-MPM0S	Start	535	577	619	704	788	872	956	1040	1208
	ZOP3-MPM0C	Centre	732	774	816	900	984	1068	1152	1236	1405
	ZOP3-MPM0E	End	535	577	619	704	788	872	956	1040	1208
	Side Panel, Single	a Mid Hair	abt with Scroo	'n							
	ZOP3-MPM2S	e, Mid Heig Start	741 741	783	825	910	994	1078	1162	1246	1414
	ZOP3-MPM2C	Centre	938	980	1022	1106	1190	1274	1358	1442	1611
	ZOP3-MPM2E	End	741	783	825	910	994	1078	1162	1246	1414
		Ena		100	020	010	001	1010	1102	1210	
			Width	Depth	Height	Weigh	ii.	Cubes	CON	VI	
	le, Full Height No S	Screen	0	07	40.75	00		0	0.7		
ZOP3-MPF0S ZOP3-MPF0C	Start Centre		3 3	27 27	43.75 43.75	38 38		3	2.7 2.7		
ZOP3-MPF0C	End		3	27	43.75	38		3 3	2.7		
201 3-1011 1 02	LIIG		5	21	40.75	50		5	2.1		
Side Panel, Sing											
ZOP3-MPF2S	le, Full Height with	Screen									
	le, Full Height with Start	Screen	3	27	56.5	40		3	2.7		
ZOP3-MPF2C		Screen	3	27 27	56.5 56.5	40 40		3 3	2.7 2.7		
ZOP3-MPF2C ZOP3-MPF2E	Start	Screen									
ZOP3-MPF2E	Start Centre End		3	27	56.5	40		3	2.7		
ZOP3-MPF2E Side Panel, Sing	Start Centre End le, Mid Height No S		3 3	27 27	56.5 56.5	40 40		3 3	2.7 2.7		
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S	Start Centre End le, Mid Height No S Start		3 3 3	27 27 27	56.5 56.5 43.75	40 40 38		3 3 3	2.7 2.7 1.83	3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C	Start Centre End le, Mid Height No S Start Centre		3 3 3 3	27 27 27 27 27	56.5 56.5 43.75 43.75	40 40 38 38		3 3 3 3	2.7 2.7 1.83 1.83	3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E	Start Centre End le, Mid Height No S Start Centre End	Screen	3 3 3	27 27 27	56.5 56.5 43.75	40 40 38		3 3 3	2.7 2.7 1.83	3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with	Screen	3 3 3 3 3	27 27 27 27 27 27	56.5 56.5 43.75 43.75 43.75	40 40 38 38 38		3 3 3 3 3	2.7 2.7 1.83 1.83 1.83	3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start	Screen	3 3 3 3 3 3	27 27 27 27 27 27 27	56.5 56.5 43.75 43.75 43.75 56.5	40 40 38 38 38 40		3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83	3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2S	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre	Screen	3 3 3 3 3 3 3 3 3	27 27 27 27 27 27 27 27 27	56.5 56.5 43.75 43.75 43.75 56.5 56.5	40 40 38 38 38 38 40 40		3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start	Screen	3 3 3 3 3 3	27 27 27 27 27 27 27	56.5 56.5 43.75 43.75 43.75 56.5	40 40 38 38 38 40		3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2S	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre End	Screen	3 3 3 3 3 3 3 3 3	27 27 27 27 27 27 27 27 27	56.5 56.5 43.75 43.75 43.75 56.5 56.5	40 40 38 38 38 38 40 40		3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre End	Screen Screen	3 3 3 3 3 3 3 3 3	27 27 27 27 27 27 27 27 27 27	56.5 56.5 43.75 43.75 43.75 56.5 56.5	40 40 38 38 38 40 40 40	sition	3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E PRODUCT CODE	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre End KEY	Screen Screen	3 3 3 3 3 3 3 3 3 3	27 27 27 27 27 27 27 27 27 27 	56.5 56.5 43.75 43.75 43.75 56.5 56.5 56.5 56.5	40 40 38 38 38 40 40 40 40	sition	3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0S ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2E PRODUCT CODE Line	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre End <b>KEY</b>	Screen Screen	3 3 3 3 3 3 3 2 Chair Type	27 27 27 27 27 27 27 27 27 4 Fei	56.5 56.5 43.75 43.75 43.75 56.5 56.5 56.5 56.5	40 40 38 38 38 40 40 40 40		3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2C ZOP3-MPM2E PRODUCT CODE Line ZOP	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre End KEY Series	Screen Screen	3 3 3 3 3 3 3 Chair Type	27 27 27 27 27 27 27 27 27 Enter Full F	56.5 56.5 43.75 43.75 43.75 56.5 56.5 56.5 56.5 56.5 ght leight	40 40 38 38 38 38 40 40 40 40 40 50 50	S	3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	
ZOP3-MPF2E Side Panel, Sing ZOP3-MPM0C ZOP3-MPM0E Side Panel, Sing ZOP3-MPM2S ZOP3-MPM2C ZOP3-MPM2C ZOP3-MPM2E PRODUCT CODE Line ZOP	Start Centre End le, Mid Height No S Start Centre End le, Mid Height with Start Centre End KEY Series	Screen Screen	3 3 3 3 3 3 3 Chair Type	27 27 27 27 27 27 27 27 27 27 Hei Full H	56.5 56.5 43.75 43.75 43.75 43.75 56.5 56.5 56.5 56.5 9ht	40 40 38 38 38 40 40 40 40	S	3 3 3 3 3 3 3 3 3	2.7 2.7 1.83 1.83 1.83 1.83 1.83	3 3 3 3 3	

		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	СОМ	
Side Panel, Single	e, Full Height No Screen							
ZOP3-MPF0S	Start	3	27	43.75	38	3	2.7	
ZOP3-MPF0C	Centre	3	27	43.75	38	3	2.7	
ZOP3-MPF0E	End	3	27	43.75	38	3	2.7	
Side Panel, Single	e, Full Height with Screen							
ZOP3-MPF2S	Start	3	27	56.5	40	3	2.7	
ZOP3-MPF2C	Centre	3	27	56.5	40	3	2.7	
ZOP3-MPF2E	End	3	27	56.5	40	3	2.7	
Side Panel, Single	e, Mid Height No Screen							
ZOP3-MPM0S	Start	3	27	43.75	38	3	1.83	
ZOP3-MPM0C	Centre	3	27	43.75	38	3	1.83	
ZOP3-MPM0E	End	3	27	43.75	38	3	1.83	
Side Panel, Single	e, Mid Height with Screen							
ZOP3-MPM2S	Start	3	27	56.5	40	3	1.83	
ZOP3-MPM2C	Centre	3	27	56.5	40	3	1.83	
ZOP3-MPM2E	End	3	27	56.5	40	3	1.83	

Line	Series	Chair Type	Height	Position	
ZOP Zola	3 Lounge	MP Modular Side Panel	F0 Full Height	S Start	
			F2 Full Height with Privacy Screen Option	C Center	
			M0 Mid Height	E End	
			M2		
			Mid Height with		

Privacy Screen Option

DESCRIPTION	MODEL	COM 1	2	COL 3	FABRIC 0 4	GRADES 5 6	7	LEATHER 8	9
-	Twin Single-Seat, 30° Curve, ZOP3-MCTS30DFOF	Full Heig 3629	ght Back 3848	4066	4372 47	721 5027	5376	5813	6250
	Twin Single-Seat, 30° Curve, ZOP3-MCTS30DF2F	Full Heig 4043	ght Back wit 4262	h Privacy 4480		1  35 5441	5790	6227	6664
	Twin Single-Seat, 30° Curve ZOP3-MCTS30DMOF	, Mid Hei 3439	ight Back 3635	3831	4106 44	420 4694	5008	5400	5792
	Twin Single-Seat, 30° Curve ZOP3-MCTS30DM2F	, Mid Hei 3853	ight Back wi 4049	th Privac 4245		n 334 5108	5422	5814	6206
-	Twin Single-Seat, 45° Curve ZOP3-MCTS45DFOF	, Full Hei 4092	ght Back 4319	4547	4866 52	230 5548	5913	6368	6823
	Twin Single-Seat, 45° Curve ZOP3-MCTS45DF2F	, Full Hei 4511	ght Back wi 4738	th Privacy 4966		n 649 5967	6332	6787	7242
Zola Privacy Option	Upcharges \$	5 List						\$ List	
Moisture Barrier & CA Seat Power Shelf Power Table Power Shared leg (for Multip <b>See page 16 for Bari</b>	4	446 146 18 10 55	Removable Removable Removable Removable	Back Co Back Co Seat Co Seat Co	vers One-Seat vers Two-Seat vers Three-Seat vers One-Seat vers Two-Seat vers Three-Sea	at		47 68 84 32 47 58	
PRODUCT CODE KEY	Series Chair Ty	pe	Curve Sty	/le	Seat Degree	Back Ty	rpe	Leg Type	
ZOP Zola	3 MCT Lounge Modular Cur	]	Small Radi	us-	30D	Full Height		Freestanding	
	MCTB Modular C Twin Baria	urve	D Small Radi Double Wi		45D	F2 Full Height B Privacy Scree		S Start Uni	t
					60D 90D	M0 Mid Height M2	Back	C Center Ur E	nit
						Mid Height B Privacy Scree		End Unit	t
						-	-	CARE   USA	A 185

	SIN 711-16 DESCRIPTION	MODEL	COM 1	2	COL 3	FABRI 4	C GR/ 5	ADES 6	7	LEATHER 8	9
0		Twin Single-Seat, 45° Cur ZOP3-MCTS45DMOF	ve, Mid He 3875	eight Back 4080	4285	4573	4901	5188	5517	5928	6338
		Twin Single-Seat, 45° Cur ZOP3-MCTS45DM2F	ve, Mid He 3858	eight Back wi 4054	ith Privac 4250		tion 4839	5113	5427	5819	6211
		Twin Single-Seat, 60° Cur ZOP3-MCTS60DFOF	ve, Full He 4647	ight Back 4914	5182	5556	5984	6358	6786	7321	7855
		Twin Single-Seat, 60° Cur ZOP3-MCTS60DF2F	ve, Full He 5068	ight Back wi 5335	th Privac 5603		tion 6405	6779	7207	7742	8276
		Twin Single-Seat, 60° Cur ZOP3-MCTS60DMOF	rve, Mid He 4397	eight Back 4634	4871	5202	5581	5913	6291	6765	7239
		Twin Single-Seat, 60° Cui ZOP3-MCTS60DM2F	ve, Mid He 5217	eight Back wi 5520	ith Privac 5822		tion 6731	7155	7639	8245	8850
	Zola Privacy Option	Upcharges	\$ List							\$ List	
	Moisture Barrier & CA Seat Power Shelf Power Table Power Shared leg (for Multipl	L 133(per yard)	44 446 418 410 55	Removable Removable Removable Removable	Back Co Back Co Seat Co Seat Co	vers One-Se vers Two-Se vers Three-S vers One-Sea vers Two-Sea vers Three-Se	at Seat at at			47 68 84 32 47 58	
	Line	Series Chai	Туре	Curve St	yle	Seat Degree	Э	Back Type		Leg Type	
	ZOP Zola	3 Modular 0	CT Curve Twin	S Small Rad Single Wie		30D		F0 Full Height Bac	ck	F	Unit
			TB ar Curve ariatric	D Small Rad Double Wi		45D		F2 Full Height Back rivacy Screen O		S Start Un	t
						60D		M0 Mid Height Bad	ck	C Center Ur	nit
						90D	N	Mid Height Back		End Uni	
	186   LISA   HEALTH	HCARE						ivacy Screen Op			L

										11-10
DESCRIPTION	MODEL	COM 1	2	COL 3	FAB 4	RIC GI 5	RADES 6	7	LEATHER 8	9
	Twin Single-Seat, 90° C ZOP3-MCTS90DFOF	Curve, Full He 5798	ight Back 6070	6342	6726	7163	3 7546	7983	8527	9080
	Twin Single-Seat, 90° C ZOP3-MCTS90DF2F	urve, Full Hei 6462	ght Back wi 6734	th Privacy 7006	v Screen O 7390	ption 7827	7 8210	8647	9191	9744
	Twin Single-Seat, 90° C ZOP3-MCTS90DMOF	Curve, Mid He 5450	eight Back 5691	5933	6274	6662	2 7002	7390	7873	8365
	Twin Single-Seat, 90° C ZOP3-MCTS90DM2F	Curve, Mid He 5195	eight Back w 5467	vith Privac 5740	y Screen C 6121	Option 6556	6 6937	7373	7917	8461
	Twin Double-Seat, 30° ZOP3-MCTD30DFOF	Curve, Full H 4796	eight Back 5099	5401	5825	6310	) 6734	7218	7824	8429
	Twin Double-Seat, 30° ZOP3-MCTD30DF2F	Curve, Full H 5455	eight Back v 5758	with Privad 6060	cy Screen ( 6484	Option 6969		7877	8483	9088
Zola Privacy Option	Upcharges	\$ List							\$ List	i i
Moisture Barrier & CA Seat Power Shelf Power Table Power Shared leg (for Multip	L 133(per yard)	44 446 418 410 55	Removable Removable Removable Removable Removable	Back Co Back Co Seat Cov Seat Cov	vers Two-S vers Three vers One-S vers Two-S	Seat -Seat Seat Seat			47 68 84 32 47 58	e ] g Unit
Line	Series Ch	nair Type	Curve S	tyle	Seat Deg	ree	Back Typ	e	Leg Typ	e C
ZOP Zola	Lounge Modula	MCT ar Curve Twin MCTB	Small Rad Single W		30D	]	F0 Full Height E	3ack	F Freestanding	g Unit
		lular Curve n Bariatric	Small Rad Double W		L	L	Full Height Bac Privacy Screen		Start Ur	it
			20000		60D	]	M0		С	]
					90D	1	Mid Height E	Back	Center U	nit
						ı I	Mid Height Bac		End Un	it
							HE	ALTHC	ARE   USA	A   187

# **ZOLA PRIVACY** | TWIN CURVED SIN 711-16

SIN 711-16			0014								
DESCRIPTION	MODEL		COM 1	2	COL 3	4	RIC GRA	6 6	7	LEATHER 8	9
	Twin Double-Se ZOP3-MCTD30I		e Curve, 4531	Mid Height 4803	Back 5076	5457	5892	6273	6709	7253	7797
	Twin Double-Se ZOP3-MCTD30I		e Curve, 5190	Mid Height 5462	Back with 5735	n Privacy Sc 6116	reen Op 6551	tion 6932	7368	7912	8456
	Twin Double-Se ZOP3-MCTD45		e Curve, 5407	Full Height I 5719	Back 6030	6465	6963	7398	7896	8518	9140
	Twin Double-Se ZOP3-MCTD45		e Curve, 6073	Full Height I 6385	Back with 6696	Privacy Sc 7131	reen Op 7629	tion 8064	8562	9184	9806
	Twin Double-Se ZOP3-MCTD45		e Curve, 5125	Mid Height 5405	Back 5686	6078	6527	6920	7368	7929	8490
	Twin Double-Se ZOP3-MCTD45		e Curve, 5791	Mid Height 6071	Back with 6352	n Privacy Sc 6744	reen Op 7193	tion 7586	8034	8595	9156
Zola Privacy Option	Upcharges	9	6 List							\$ List	
Moisture Barrier & CA Seat Power Shelf Power Table Power Shared leg (for Multip See page 16 for Bar PRODUCT CODE KEY	ble unit configurati	2 2 2 ons 5	14 146 118 110 55	Removable Removable Removable Removable	e Back Co e Back Co e Seat Co e Seat Co	overs One-S overs Two-S overs Three- vers One-Se vers Two-Se vers Three-S	eat Seat eat eat			47 68 84 32 47 58	
Line	Series	Chair Ty	/pe	Curve S	tyle	Seat Degr	ee	Back Typ	e	Leg Type	9
ZOP Zola	3 Lounge	MCT Modular Cu		Small Rad Single W		30D		F0 Full Height E	Back	F Freestanding	Unit
		MCTE Modular ( Twin Bari	Curve	D Small Rad Double W		45D		F2 ull Height Bac ivacy Screen		S Start Uni	t
						60D		M0 Mid Height E	Back	C Center Ur	nit
188   1194   1164   1						90D		M2 lid Height Bac vacy Screen		E End Unit	t

SIN 711-16

		COM		COL	FAB	RIC GRAD	ES		LEATHER	
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9
	Twin Double-Seat, 60° Ins ZOP3-MCTD60DFOF	side Curve, F 5900	Full Height 6216	Back 6531	6973	7478	7920	8425	9056	9687
	Twin Double-Seat, 60° Ins ZOP3-MCTD60DFOF	side Curve, F 6570	Full Height 6886	Back with 7201	n Privacy S 7643	creen Opti 8148	ion 8590	9095	9726	10357
	Twin Double-Seat, 60° Ins ZOP3-MCTD60DMOF	side Curve, M 5576	/lid Height 5861	t Back 6146	6545	7001	7400	7857	8427	8997
	Twin Double-Seat, 60° Ins ZOP3-MCTD60DM2F	side Curve, M 6246	Mid Height 6531	t Back with 6816	Privacy S 7215	Gcreen Opt 7671	ion 8070	8527	9097	9667

# **ORDERING NOTES:**

The 90° size is not available in a Double-Seat unit, order two 45° degree single units.

Zola Privacy Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133(per yard)	44	Removable Back Covers One-Seat	47
Seat Power	446	Removable Back Covers Two-Seat	68
Shelf Power	418	Removable Back Covers Three-Seat	84
Table Power	410	Removable Seat Covers One-Seat	32
Shared leg (for Multiple unit configurations	55	Removable Seat Covers Two-Seat	47
See page 16 for Bariatric Option upcharges		Removable Seat Covers Three-Seat	58

# PRODUCT CODE KEY

Line	Series	Chair Type	Curve Style	Seat Degree	Back Type	Leg Type
ZOP Zola	3 Lounge	MCT Modular Curve Twin	S Small Radius- Single Width	30D	F0 Full Height Back	F Freestanding Unit
		MCTB Modular Curve Twin Bariatric	D Small Radius- Double Width	45D	F2 Full Height Back with Privacy Screen Option	S Start Unit
				60D	M0 Mid Height Back	C Center Unit
				90D	M2 Mid Height Back with Privacy Screen Options	E End Unit

# **ZOLA PRIVACY |** TWIN SIDE PANELS

	MODEL	CON		COL		C GRADES		LEATHEF		
DESCRIPTION		t No Soroon	2	3	4	5 6	7	8	9	
	Side Panel, Twin, Full Heigh ZOP3-MPTFOU Universa ZOP3-MPTFOC Centre		1087 1584	1179 1676		1547 1731 2044 2227	1915 2411	2099 2595	2466 2963	
	Side Panel, Twin, Full Heigh ZOP3-MPTF2U Universa ZOP3-MPTF2C Centre		1491 1988	1583 2080		1951 2135 2448 2631	2319 2815	2503 2999	2870 3367	
	Side Panel, Twin, Med. Heig ZOP3-MPTMOU Universa ZOP3-MPTMOC Centre		889 1386	951 1448		1200 1324 1696 1820	1448 1944	1572 2068	1820 2317	
	Side Panel, Twin, Med. Heig ZOP3-MPTM2U Universa ZOP3-MPTM2C Centre		1293 1790	1355 1852		1604 1728 2100 2224	1852 2348	1976 2472	2224 2721	
DIMENSIONS	& COM REQUIREMENTS									
		Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes	CON	1		
Side Panel, Sin ZOP3-MPTF0L ZOP3-MPTF0C		3 3	51.5 51.5	43.75 43.75	66 66	6 6	4 4			
Side Panel, Sin ZOP3-MPTF2L ZOP3-MPTF2C		3 3	51.5 51.5	56.5 56.5	68 68	6 6	4 4			
Side Panel, Sin ZOP3-MPTM00 ZOP3-MPTM00		3 3	51.5 51.5	43.75 43.75	46 46	4 4	2.7 2.7			
Side Panel, Sin ZOP3-MPTM20 ZOP3-MPTM20		3 3	51.5 51.5	56.5 56.5	48 48	4 4	2.7 2.7			
PRODUCT COD	E KEY Series	Chair Type	Heig	jht	Positio	n				
ZOP Zola	3	MPT dular Side Panel Twin	Full He	0	U Universal (S					
			Fill Heig Privacy Scree Mid He	ht with een Option	Center /Int	terim				
190   USA   H	EALTHCARE		Mid Heig Privacy Scre	ht with						

# **ZOLA PRIVACY | ARMS & REPLACEMENT ARMS**

SIN 711-16

SCRIPTION/M	ODEL	COM 1	2	CC E	DL 3	FABF 4	RIC GRA 5	DES 6	ا 7	LEATHEI 8	R	YARDAGE	WEIGHT	CUBES
	Left, Right,or	Intorim A	rm											
	ZOL3 MAL ZOL3 MAR	342	370	39	97	453	507	563	617	673	750	1.5	19	3.1
	ZOL3 MAI	243	254	26	65	287	309	331	353	375	408	0.33	13	1.8
	ZOL3 MALU ZOL3 MARU	431	458	48	35	541	595	651	706	761	838	1.5	20.5	3
	ORDERING N between arms Zola Arms (left Interim arm is	by 1" po or right)	er seatir are spec	ng unit. cified w	The in /hen se	nterim A eated. Z	rm does	s not co	mpromis	se the ov	verall w	dth of the c	ombined l	penches
	Left or Right A ZOL3 MATL ZOL3 MATR	Arm- Twii 342	n Seats 370	39	)7	453	507	563	617	673	750	1.5	19	3.1
	ZOL3 MATLU ZOL3 MATRU	431	458	48	35	541	595	651	706	761	838	1.5	20.5	3
	Replacement	Right or												
	ZOL3 RAMR ZOL3 RAML		303	331	358	414	468	524	579	634	711	1.5	14	3
	ZOL3 RAME	J	392	419	446	502	557	612	667	722	799	1.5	15.5	3
	Replacement	Right or	Left Up				vin seati	ng						
	ZOL3 RAMR		303	331	358	414	468	524	579	634	711	1.5	14	3
	ZOL3 RAML ZOL3 RAMRL	J	392	419	446	502	557	612	667	722	799	1.5	15.5	3
	Replacement	Arm Co	ora Dia	ht l of	t or lot	orim								
	ZOL3 RCAR ZOL3 RCAR	Ann Cov	188	221	254	320	386	453	519	585	673	1.5	2.5	1.7
	ZOL3 RCAI ZOL3 RCARU ZOL3 RCALU		122 188	132 221	144 254	166 320	188 386	210 453	232 519	254 585	281 673	0.33 1.5	1.5 2.5	1.7 1.7
	Replacement	Arm Cov	ers Ria	ht. Lef	t or Int	erim foi	Twin se	atina						
	ZOL3 RCAR ZOL3 RCAL		188	221	254	320	386	453	519	585	673	1.5	2.5	1.7
	ZOL3 RCAI ZOL3 RCARU ZOL3 RCALU		122 188	132 221	144 254	166 320	188 386	210 453	232 519	254 585	281 673	0.33 1.5	1.5 2.5	1.7 1.7
	ORDERING N arm covers fo							nt) are s	pecified	as seate	ed. ZOL	.3 RCARU &	ZOL3 RC	ALU a



Urethane Arm Cap ZOL3 AUR ZOL3 AUL

88

1.5 0.3 1.5 0.3

# **ORDERING NOTES:**

Pricing for replacement backs can be custom-quoted as required, contact Customer Service.

# **ZOLA PRIVACY | REPLACEMENT COMPONENTS**

SIN 711-16

DESCRIPTION	MODEL	PRICE	WEIGHT	CUBE
	Leg ZOL3 RLS	39	1	0.125
Ţ	Shared leg ZOL3 RLC	70	1	0.125
	Leg Glide (4) ZOL3 RLG	17	0.2	0.01
	Replacement Seat-to-Seat Bracket ZOL3 RLKB2	66	1	0.125
	Replacement Table-to-Seat Bracket ZOL3 RLKB1	78	3	0.125
	Replacement Shelf Support Bracket Kit ( in ZOP3-RSSB	cludes 90eg bracket, curved bracket, fasteners) 46	2	0.32
BD <sub>C</sub>	Back Alignment Hardware Kit( includes mal ZOP3-LKBC	le & female bracket, fasteners) 39	2	0.32
	Privacy Screen Hardware (includes Bracket ZOP3-RSH	t, fasteners) 51	2	0.32
* d • •	Back-to-Seat Linking hardware ZOP3-RLKS	117	3	0.32
	Twin Back-to-Seat Linking Hardware ZOP3-RLKT	130	4	0.32

**ORDERING NOTES:** 

Pricing for replacement backs can be custom-quoted as required, contact Customer Service.

# **ZOLA** | MODULAR - REPLACEMENT COMPONENTS

SIN 711-16

	MODEL	COM	0	COL				7	LEATHEF		COM		
DESCRIPTION	MODEL	I	2	3	4	5	6	1	8	9	TARDAG		HT CUBE
	ZOL3-POWERDOC2	- Seat or	r Benc	h	451							3	0.375
	ZOP3-POWERDOC3	- Shelve	es only		460							3	0.375
$\bigcirc$	Wire Manager Shroud ZOL3 WM10	b			83							1	0.375
	ORDERING NOTES:	Comes	in a 10	)' length	when o	rdered.	Can be	cut to :	size on si	te.			

# JORDAN | LEED CI CREDIT SUMMARY

# JORDAN LOUNGE

and the second second	MATERIAL CONTENT:	PRE-CONSUMER
	MATERIAL CONTENT: 18% Foam 9% Fabric 9% Cardboard 4% Metal 1% Other 59% Wood	PRE-CONSUMER RECYCLED CONTENT = 2% POST-CONSUMER RECYCLED CONTENT = 12%

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood	1 point(s)
	(MUST BE REQUESTED)	

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



# level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



# AIR-EMISSIONS

All Jordan products are supplied air-emissions certified. Contact customer service for information.

# **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# JORDAN | LOUNGE

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
One-seater	29	30.5	34.5	17.25	26	23	20	78	22
Two-seater	52	30.5	34.5	17.25	26	46	20	106	34
Three-seater	75	30.5	34.5	17.25	26	69	20	131	49

# **COM - YARDAGE REQUIREMENTS**

	COM Yardage Entire Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arms Only	COM Yardage Kickplate
One-Seater - One Chair	4.6	1.1	1.7	2.9	0.3
One-Seater - Two Chairs	9.2	1.9	2.6	5.8	0.3
One-Seater - Three Chairs	13.8	2.9	4.3	8.7	0.6
One-Seater - Four Chairs	18.4	3.8	5.2	11.6	0.6
Two-Seater - One Chair	6	1.5	2.5	2.9	0.3
Two-Seater - Two Chairs	12	2.94	4.3	5.8	0.6
Two-Seater - Three Chairs	18	4.38	6.8	8.7	0.9
Two-Seater - Four Chairs	24	5.9	8.6	11.6	1.2
Three-Seater - One Chair	7.6	2.1	3.4	3.4	0.6
Three-Seater - Two Chairs	15.2	4.2	6.1	6.38	0.9
Three-Seater - Three Chairs	22.8	6.3	9.5	8.7	1.4
Three-Seater - Four Chairs	30.4	8.4	12.2	11.6	1.7

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating. Please refer to page 9 for C.O.M approval process.

# JORDAN | LOUNGE



**ORDERING NOTES:** 

#### CONTRASTING BACKS, SEATS & CLOSED ARMS

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Removeable Back Covers - One Seat	110
Removable Seat Covers - one seat	110	Removeable Back Covers - Two Seat	221
Removable Seat Covers - two seat	221	Removeable Back Covers - Three Seat	331
Removable Seat Covers - three seat	331	Designer White -D354SL Solid Surface Arm Cap	193

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: One -Seater - 350 lbs Two- Seater - 525 lbs Three - Seater - 750 lbs

# JORDAN | LOUNGE FEATURES & OPTIONS



# **CLEAN OUT**

Jordan lounge seating models have a built-in clean out feature: a space at the back of the seat that allows dirt debris and liquid to be forced through and fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.



#### GLIDES

Jordan Lounge is available with two options for glides - the stainless steel glide, or the white nylon glide. The white nylon glide is ideal on flooring that is easily marked. The stainless comes standard unless the white nylon glide is specified when ordering.



#### FULL URETHANE ARMS

Jordan full urethane arms have a soft outer skin that enhances comfort and provides excellent grip for safety of ingress and egress. They are highly durable, easy to clean and maintain, and will retain a like-new look even with intensive use. They are available in three colors; Taupe, Grey and Black.

#### LEGS

Jordan Lounge are available with wood legs - in either Beech or Maple, as well as in three urethane color options; Black, Grey and Taupe. Two options exist for glides on the Jordan Lounge. The white nylon glides are ideal for use on flooring that is easily marked. The stainless steel glides should be utilized for all other types floor surfaces.

#### DESIGNER WHITE -D354SL SOLID SURFACE ARM CAP

Jordan Lounge is available with an optional Solid surface arm cap for an up charge of **\$193 list** per chair. The Solid Surface Arm Cap is field replaceable.

#### **ANTI-MICROBIAL FINISH**

Jordan wood surfaces come with a uniquely-formulated anti-microbial finish that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood.

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: One -Seater - 350 lbs Two- Seater - 525 lbs Three - Seater - 750 lbs

#### **CUSTOM CAPABILITIES**

Modifications in dimension, seat and back shape or thickness, and other modifications are possible with Krug's capability to customize for specific requirements and needs. We can also provide custom finishes.

#### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### **REPLACEABLE COMPONENTS**

Jordan Lounge chairs are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats, backs and Arms are field replaceable. Pricing and model numbers can be viewed online at www.krug.ca.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

# **OPTIONS**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$772 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of **\$44 list** per yard.

#### REMOVABLE AND REPLACEABLE COVERS

Jordan Lounge Chairs are available with a Removable Seat & Back Covers. See page 199 for upcharges.

#### **ADDITIONAL FEATURES**

• Lifetime warranty

- air-emissions certified
- Spring seat construction, providing exceptional comfort and longer life for seat foam.
- Mortise and tenon frame construction, for optimal strength in wood joinery.
- Jordan sets a new standard for comfort and ergonomics in healthcare seating. Designed for ergonomically-correct posture and long-term sitting comfort, with contoured back and seat molds. Multi-density foam, provides lumbar, thoracic and pelvic support, while encouraging a healthy sitting posture.
- Large, rounded arms provide support for safe and easy ingress and egress.
- Certified to meet CTB 133/ ASTM E-1537 with appropriate fabrics

# JORDAN | LOUNGE

SIN 711-16

DESCRIPTION/MODEL		Species	COM	2	COL 3	FA 4	BRIC GRAI	DES 6	7	LEATHER 8	9
One-Seater	One-Seater, Uph									-	
One-Sealer	JOR3-1UPH	Beech	1324	1458	1632	1938	2260	2581	2902	3223	3744
	JOR3-1UPH	Maple	1364	1497	1671	1979	2300	2621	2941	3262	3784
One-Seater	One-Seater, Woo	od Arm									
	JOR3-1WOD	Beech	1458	1591	1765	2073	2394	2714	3035	3356	3877
	JOR3-1WOD	Maple	1510	1645	1818	2126	2446	2767	3088	3410	3930
One-Seater	One-Seater, Woo	od Arm with Ure	thane Arm	Cap							
	JOR3-1URE	Beech	1561	1696	1870	2176	2497	2819	3140	3460	3982
	JOR3-1URE	Maple	1615	1750	1923	2229	2551	2872	3193	3514	4035
One-Seater	One-Seater, Full	Urethane Arm									
<u> </u>	JOR3-1FUR	Beech	1342	1475	1649	1957	2278	2599	2919	3240	3762
	JOR3-1FUR	Maple	1370	1505	1678	1986	2306	2627	2948	3270	3790
Two-Seater	Two-Seater, Uph	olstered Arm									
	JOR3-2UPH	Beech	1852	2040	2353	2728	3102	3476	3851	4225	4881
	JOR3-2UPH	Maple	1879	2066	2380	2754	3129	3503	3877	4252	4907
Two-Seater	Two-Seater, Woo	od Arm									
	JOR3-2WOD	Beech	1992	2180	2487	2861	3236	3610	3984	4359	5014
	JOR3-2WOD	Maple	2046	2233	2540	2915	3289	3664	4038	4412	5067

#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Removeable Back Covers - One Seat	110
Removable Seat Covers - one seat	110	Removeable Back Covers - Two Seat	221
Removable Seat Covers - two seat	221	Removeable Back Covers - Three Seat	331
Removable Seat Covers - three seat	331	Designer White -D354SL Solid Surface Arm Cap	193

PRODUCT CODE KEY

Line	Series	Size	Arm Type	
JOR Jordan	3 Lounge Seating	 One-Seater	WOD Wood Arm	
		2 Two-Seater	UPH Upholstered Arm	
		3 Three-Seater	URE Urethane Arm Cap	
			FUR Full Urethane Arm	

# JORDAN | LOUNGE

SIN 711-16

DECODIDITION		o .	СОМ	0	COL		BRIC GRAD			LEATHER	0
DESCRIPTION/MODEL		Species	1	2	3	4	5	6	7	8	9
Two-Seater	Two-Seater, \										
	JOR3-2URE		2097	2284	2591	2966	3339	3714	4089	4463	5118
	JOR3-2URE	Maple	2150	2337	2645	3019	3394	3768	4142	4517	5171
			-								
Two-Seater	Two-Seater, I			0004	0071	0745	0100	0.40.4	0000	40.44	4000
	JOR3-2FUR JOR3-2FUR	Beech Maple	1876 1906	2064 2093	2371 2400	2745 2775	3120 3149	3494 3524	3869 3897	4244 4272	4898 4927
	JOR3-2FUR	wapie	1906	2093	2400	2115	3149	3524	3097	4272	4927
Three-Seater	Three-Seater JOR3-3UPH	· ·	d Arm 2668	2928	3236	3771	4332	4894	5455	6016	6939
	JOR3-30PH		2008	2928	3230	3810	4332	4094 4934	5455 5495	6057	6980
		Maple	2100	2000	0210	0010	4070	4004	0400	0001	0000
V											
Three-Seater	Three-Seater										
	JOR3-3WOD		2808	3062	3369	3904	4466	5027	5589	6151	7073
	JOR3-3WOD		2928	3182	3489	4024	4586	5148	5709	6271	7194
		mapio	LOLO	0102	0100	1021	1000	0110	0100	0271	1101
Three-Seater	Three-Seater	Wood Arm	with Uretha	ane Arm Car	<u>,</u>						
	JOR3-3URE		2913	3166	, 3474	4009	4570	5132	5693	6254	7177
	JOR3-3URE	Maple	3032	3287	3594	4129	4691	5252	5813	6375	7297
Three-Seater	Three-Seater	. Full Urethar	ne Arm								
	JOR3-3FUR	Beech	2692	2946	3253	3788	4350	4912	5473	6035	6957
	JOR3-3FUR	Maple	2788	3042	3349	3884	4446	5008	5569	6131	7054
NE											

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	Removeable Back Covers - One Seat	110
Removable Seat Covers - one seat	110	Removeable Back Covers - Two Seat	221
Removable Seat Covers - two seat	221	Removeable Back Covers - Three Seat	331
Removable Seat Covers - three seat	331	Designer White -D354SL Solid Surface Arm Cap	193

#### PRODUCT CODE KEY

Line	Series	Size	Arm Type	
JOR Jordan	3 Lounge Seating	 One-Seater	WOD Wood Arm	
		2 Two-Seater	UPH Uphoistered Arm	
		3 Three-Seater	URE Urethane Arm Cap	
			FUR Full Urethane Arm	

# CARLYLE | LEED CI CREDIT SUMMARY

# CARLYLE

	MATERIAL CONTENT: 29% Wood 24% Foam 8% Cardboard 7% Fabric 32% Metal	PRE-CONSUMER RECYCLED CONTENT = 3.96% POST-CONSUMER RECYCLED CONTENT = 14.38% Up to 37.5% of Carlyle product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



# level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Carlyle products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible fore



#### AIR EMISSIONS

All Carlyle products are supplied air-emissions certified. Contact customer service for information.

# **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# CARLYLE

# SIN 711-16

		COM		COL	FAI	BRIC GRA	DES		LEATHER	1
DESCRIPTION/MODEL/FINISHES		1	2	3	4	5	6	7	8	9
ONE-SEAT CAR311 CAR312	Cherry, Maple, Walnut, Anigre	2293 2293	2367 2367	2439 2439	2583 2583	2726 2726	2873 2873	3018 3018	3282 3282	3735 3735
TWO-SEAT CAR321 CAR322	Cherry, Maple, Walnut, Anigre Cherry, Maple, Walnut, Anigre		3206 3206	3313 3313	3495 3495	3677 3677	3858 3858	4037 4037	4430 4430	5160 5160
THREE-SEAT CAR331 CAR332	Cherry, Maple, Walnut, Anigre Cherry, Maple, Walnut, Anigre		4310 4310	4441 4441	4683 4683	4926 4926	5165 5165	5408 5408	5891 5891	6795 6795

# **DIMENSIONS & COM REQUIREMENTS**

	Overall Width		Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR311	33	30	32	17.5	26	21.5	22	60	24	4.5
CAR312	33	30	32	17.5	26	21.5	22	60	24	4.5
CAR321	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR322	59.5	30	32	17.5	26	47	22	94	43	7.25
CAR331	84	30	32	17.5	26	70.5	22	135	62	9.0
CAR332	84	30	32	17.5	26	70.5	22	135	62	9.0

# **ORDERING NOTES**

Carlyle Lounge Chairs are available with a removable upholstered seat cover at an upcharge of **\$110 list** per one-seater chair, **\$221 list** per two-seater chair and **\$331 list** per three-seater chair.

PRODUCT COL	PRODUCT CODE KEY Line Series		Base Style	STANDARD FINISHES For a complete list of standard wood finishes please see page 4					
CAR	3	1	1						
Carlyle	Soft Seating	One-Seat 2 Two-Seat 3 Three-Seat	Wood Base & Legs 2 Metal Base & Legs	CARLYLE LOUNGE Carlyle is available in both wood base and silver metallic bas versions.					



	TATE
202	Tate LEED Credit Summary
203	Tate Bench Features
205	Tate Benches   Fully Upholstered & Gable End
206	Tate Benches   Table End
207	Tate Benches Replacement Components
	ZOLA
208	Zola LEED Credit Summary
209	Zola Dimensions & COM
	Requirements   Modular & Modular Bariatric Bench
210	Zola Modular & Modular Bariatric Bench   Standard
	Depth & Full Depth
211	Zola Modular Curve Dimensions & COM
	Requirements   Modular Curve
213	Zola Modular Curve Bench
	JORDAN
218	Jordan LEED Credit Summary
219	Jordan Dimensions & COM
	Requirements   Bench
220	Jordan Bench

# CARLYLE

ary

222 Carlyle Bench

# TATE BENCHES | LEED CI CREDIT SUMMARY

# TATE BENCHES

MATERIAL CONTENT:

PRE-CONSUMER 13.5% Cardboard 0.7% Hardwood RECYCLED CONTENT = 9.09% Hardwood Venee 4.7% Fabric Hardwood - 0.9% Plasti - 21.6% Steel Plastic POST-CONSUMER RECYCLED CONTENT = 24.26% - 46% Plywood - 15.5% Particle Board 28.1% Urethane Foam Up to 26.97% of this Tate product is recyclable at the end of its useful life. CONTRIBUTES TO CREDIT 2.1 - 2.2 **Construction Waste Management** 1-2 point(s) CREDIT 3.3 **Resource Reuse** 1 point CREDIT 4.1 **Recycled Content** 1 point CREDIT 4.2 **Recycled Content** 1 point CREDIT 4.5 Low Emitting Materials, Systems & Seating 1 point CREDIT 5.1 **Regional Materials\*** 1 point CREDIT 7 Certified Wood 1 point(s) (MUST BE REQUESTED)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Tate Benches products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR-EMISSIONS

All Tate Benches products are supplied air-emissions certified. Contact customer service for information.

# **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.



The mark of responsible forestry

Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# STYLE

Tate Benches feature three design styles; Fully Upholstered, Gable End and Table End.





Gable End Tate Benches gable ends are 2" wide x 20" deep x 6" high on standard depth units and 2" wide x 25" deep x 6" high on deep seat units



# Table End

Tate Benches table ends are 10" wide x 20" deep x 6" high on standard depth units and 10" wide x 25" deep x 6" high on deep seat units.



#### LEGS

Tate Benches legs feature polished chrome structural steel legs with non-marring glides.

# **REPLACEABLE COMPONENTS**

Tate Benches are uniquely designed to allow major components to be field replaced, providing a very cost effective means to significally extend the life of the product. Gable ends, table ends and legs are field replaceable.

#### WEIGHT CAPACITIES

Tate Benches have the following maximum weight ratings: 2 seater - 975 lbs

3 seater - 1,200 lbs

# TATE BENCHES | FEATURES

#### **ANTI-MICROBIAL FINISH**

Tate Benches wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of high traffic environments.

#### OPTIONS

#### **Removable Covers**

Optional Removeable covers can be quickly installed on Tate Benches products that were originally ordered with the Removable cover option. Replacement covers can also be installed on Tate Benches products that were not originally ordered with the Removable cover option, with some simple staple removal.

#### CAL 133 & Moisture Barrier

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with non-flammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. CAL 133 and Moisture Barrier are available for an upcharge of **\$44 list** per yard.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

# **TATE BENCHES** | DIMENSIONS & COM REQUIREMENTS

	Overall Length	Overall Depth	Overall Height	Seat Length	Shipping Weight	Cube	COM Yardage	
TAT5-2210	43	21	17	43	48	10.7	1.4	
TAT5-2260	43	26	17	43	57	13.2	1.6	
TAT5-3210	65	21	17	65	62	15.7	2.0	
TAT5-3260	65	26	17	65	74	19.4	2.3	
TAT5-2211	47	21	17	43	56	10.7	1.4	
TAT5-2261	47	26	17	43	65	13.2	1.6	
TAT5-3211	69	21	17	65	70	15.7	2.0	
TAT5-3261	69	26	17	65	82	19.4	2.3	
TAT5-2212	63	21	17	43	70	14.3	1.4	
TAT5-2262	63	26	17	43	83	17.7	1.6	
TAT5-3212	84.5	21	17	65	84	19.2	2.0	
TAT5-3262	84.5	26	17	65	100	23.8	2.3	

# DIMENSIONS:

All dimensions are in inches and approximate and are subject to change without notice. Contact Customer Service if dimensions are critical.

# **VENEERS & FINISHES**

FINISH

Light Oak

SilverGrey on Oak

Espresso Oak

Clear Maple

Wheat Maple

Natural Walnut

Regular Walnut

Dark Walnut

SilverGrey on Walnut

#### WOOD FINISHES

Standard wood finishes are:

## VENEERS

Tate Benches veneers are quarter cut, except for White Oak, which is rift cut - both quarter cut and rift cut veneers provide a straight grain appearance. The grain direction of the veneers on vertical faces is horizontal.

# NON-STANDARD VENEER SPECIES

In addition to range of standard wood species, Tate can be made with virtually any commercially available veneers. Please contact customer service for information and pricing on wood species not included in Tate's standard offering.

#### NATURAL CHARACTERISTICS OF WOOD

Wood is a natural product with inherent color variations that will never be fully mitigated by the finishing process. Please anticipate variation in colors within a single unit, from piece to piece, and from Krug wood finish samples. If a very close match is required, a sample must be provided with the order and an upcharge will apply. Exact color matches are not possible.

#### **CUSTOM WOOD FINISHES**

Add 10% list to your order for special finishes, minimum upcharge is \$500 list per finish per order. (For example, on all orders up to \$5000 list, an upcharge of \$500 will apply, on orders \$5000 and up add 10% list to your order.)

For orders with special finishes, a sample that is a minimum 3" by 3" must be received with the order. Special finishes may add additional lead time to production schedules. Since wood is a natural product, some variations in grain, color and stain acceptance will occur. In our finishing processes, we try to minimize variations, but some variation between samples and finished goods should be anticipated.

#### ENDURAGUARD FINISH

Tate Benches features the Krug Enduraguard finish, a proprietary catalyzed varnish formulation, that has repeatedly shown through independent laboratory testing to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors and is uniquely suited to the demands of high traffic environments.

# TATE BENCHES | FULLY UPHOLSTERED & GABLE END

								5.50			711-16
DESCRIPTION/MODEL		SPECIES	COM 1	2	COL 3	ГАВ 4	RIC GRA 5	DES 6	7	_EATHEF 8	≺ 9
	Two-seat, 21 TAT5-2210	", fully upholstered	692	726	758	803	856	902	954	1020	1086
	Two-seat, 26 TAT5-2260	", fully upholstered	771	813	855	914	982	1041	1108	1192	1276
	Three-seat, 2 TAT5-3210	1", fully upholstered	831	877	924	990	1064	1130	1204	1298	1391
	Three-seat, 2 TAT5-3260	6", fully upholstered	917	973	1029	1108	1198	1276	1366	1478	1591
F	Two-seat, 21 TAT5-2211	", gable end Maple, Oak, Laminate	1043	1073	1105	1148	1198	1242	1292	1353	1415
V		Walnut, Palette	1097	1130	1162	1209	1261	1307	1360	1425	1490
	Two-seat, 26 TAT5-2261	", gable end Maple, Oak, Laminate	1131	1171	1211	1267	1330	1387	1450	1531	1611
		Walnut, Palette	1191	1233	1275	1334	1401	1460	1527	1612	1696
	Three-seat, 2 TAT5-3211	1", gable end Maple, Oak, Laminate	1172	1217	1261	1324	1394	1457	1528	1617	1706
		Walnut, Palette	1234	1281	1327	1393	1468	1534	1609	1702	1796
ate Benches Option Up	ocharges	\$ List							\$ L	ist	
AL 133 & Moisture Barri wo-seat, 21" - Removab wo-seat, 26" - Removea	ier (per yard) ble Seat Covers			ree-seat, ree-seat,						68 71	
RODUCT CODE KEY											
Line	Series	Seat Count		Sea	at Depth		Arm S	ityle			
TAT	5 Benches	2 Two-Seat			21 21"		0 Fully Upho				
		3 Three-Seat	:		26 26"		1 Gable				
							2 Table				

**COMMERCIAL DISCOUNT APPLIES TO THESE PRODUCTS** 

# TATE BENCHES | GABLE END & TABLE END

	SIN 711-16											
	DESCRIPTION/MODEL			COM	0	COL 3				7	LEATHE	
			SPECIES	1	2	3	4	5	6	1	8	9
		Three-seat, TAT5-3261	26", gable end Maple, Oak, Laminate	1276	1329	1383	1458	1542	1617	1703	1809	1916
			Walnut, Palette	1343	1400	1455	1534	1623	1702	1792	1905	2017
		Two-seat, 2 <sup>-</sup>										
	(A)	TAT5-2212	Maple, Oak, Laminate	1410	1442	1472	1516	1567	1610	1660	1722	1784
			Walnut, Palette	1485	1517	1550	1596	1649	1695	1747	1812	1877
		Two-seat, 26										
	470	TAT5-2262	Maple, Oak, Laminate	1532	1572	1612	1667	1733	1788	1852	1932	2012
			Walnut, Palette	1613	1655	1697	1756	1824	1883	1950	2034	2118
			21", table end Maple, Oak, Laminate	1540	1586	1629	1692	1763	1826	1896	1986	2074
C	6 TO											
			Walnut, Palette	1621	1668	1715	1781	1855	1922	1996	2090	2183
	TTT		26", table end Maple, Oak, Laminate	1678	1730	1785	1859	1945	2019	2104	2210	2317
5			Walnut, Palette	1766	1822	1878	1956	2046	2125	2214	2327	2439
			Walliot, Falette	1700	1022	1070	1000	2040	2120	2214	2021	2400
ļ												
	Tate Benches Option Up	ocharges	\$ List							\$	List	
	CAL 133 & Moisture Barri	-	44	г	Three-sea	at, 21" - F	Removab	le Seat C	overs	<b></b>	68	
i.	Two-seat, 21" - Removab Two-seat, 26" - Removea	le Seat Cove		Т	Three-sea	at, 26" - F	Removab	le Seat C	Covers		71	
	Two-seat, 20 - Hemovea	Die Geal OOV	613 50									
	PRODUCT CODE KEY											
	Line	Series	Seat Cour	nt	S	eat Style		Arm	Style			
	TAT	5	2			21		(	)			
	Tate	Benches	Two-Seat	t		21"		Fully Up	nolstered			
			3			26		-	1			
			Three-Sea	at		26"		Gable	e End			

2 Table End

# TATE BENCHES | REPLACEMENT COMPONENTS

												SIN 7	'11-16
			COM		COL			GRADE		EATHE			
DESCRIPTION/MODEL			1	2	3	4	5	6	7	8	9 W	/EIGHT	CUBE
	Two-seat, 21" Repl TAT5-RS221	acement Seat	534	567	600	646	698	743	796	862	927	34	4.5
	Two-seat, 26" Replacement Seat TAT5-RS226		579	615	653	706	765	818	878	952	1028	43	5.5
670	Three-seat, 21" Replacement Seat TAT5-RS321			718	765	831	905	971	1004	1139	1233	52	6
	Three-seat, 26" Replacement Seat TAT5-RS326		729	782	837	911	998	1073	1159	1267	1374	74	7.3
	Two-seat, 21" Repl TAT5-RSC221	acement Seat Covers	210	244	276	321	374	420	473	538	604	5	1.0
	Two-seat, 26" Replacement Seat Covers TAT5-RSC226		228	266	302	355	415	467	527	603	677	6	1.2
	Three-seat, 21" Replacement Seat Covers TAT5-RSC321 Three-seat, 26" Replacement Seat Covers TAT5-RSC326		273	320	366	432	507	572	647	741	835	7	1.5
			295	349	403	478	564	639	726	834	941	8	1.7
	Replacement Gable TAT5-RGE21	e End 21" Maple, Oak, Laminate Walnut, Palette	254 305									4	.30
	Replacement Gable TAT5-RGE26	e End 26" Maple, Oak, Laminate Walnut, Palette	285 359									5	.50
70	Replacement Table TAT5-RTE21	End 21" Maple, Oak, Laminate Walnut, Palette	428 524									11	1.1
	Replacement Table TAT5-RTE26	End 26" Maple, Oak, Laminate Walnut, Palette	468 568									13	1.3
tU	21" Replacement L TAT5-RL21	egs	127									7	1.1
U/	26" Replacement L TAT5-RL26	egs	138									9	1.5


# **ZOLA | LEED CI CREDIT SUMMARY**

# ZOLA

0		
200		
APPLIES 10 INESE PRODUCIS	1	
Ц Т		
	CREDIT 2.1 - 2.2	
C	CREDIT 3.3	
	CREDIT 4.1	
Ű	CREDIT 4.5	
	CREDIT 5.1	
	CREDIT 7	
AL DISCOUNT	*This credit is only applicable manufactured within a radius of	if in 500 r
500	level®	CE
		leve BIFI of s com Ecos cert
Ll S	$\int $	<b>air</b> Aii Z
Σ	FSC	FSC

w.fsc.orc FSC<sup>®</sup> C021699 nsihle fr





PRE-CONSUMER RECYCLED CONTENT = 6.43%

POST-CONSUMER RECYCLED CONTENT = 16.25%

Up to 38.93% of this Zola product is recyclable at the end of its useful life.

	CONTRIBUTES TO	
REDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
REDIT 3.3	Resource Reuse	1 point
REDIT 4.1	Recycled Content	1 point
REDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
REDIT 5.1	Regional Materials*	1 point
redit 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

total 20% of the combined value of the procurement of construction materials and in the furniture are miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# ERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION

# el<sup>®</sup> CERTIFICATION

MA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree sustainability of furniture. This standard evaluates product and company environmental attributes and npliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & psystem Health and Social Responsibility. Zola Bench products have earned level®, BIFMA's sustainability tification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

# **EMISSIONS**

Zola Bench products are supplied air emissions-certified. Contact customer service for information.

# **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

# **ZOLA** | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

#### DIMENSIONS

	Overall Width	Overall Depth	Overall (Seat) Height	Shipping Weight	Cubes	
One-seat	23	22.25	18.5	28	5.2	
Two-seat	46	22.25	18.5	48	9.4	
Three-seat	69	22.25	18.5	64	14	
One-seat (Bariatric)	30	22.25	18.5	31	6.1	
Two-seat (Bariatric)	46	22.25	18.5	48	9.4	
Three-seat (Bariatric	:) 69	22.25	18.5	64	14	
COM YARDAGES						
C	OM Yardage Bench		/ardage nches	COM Yardage 3 Benches	COM Yardage 4 Benches	

		-
		C
		- U

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches	
One-seat	1.25	2	2.75	4	
Two-seat	1.70	3.5	4.91	6.6	
Three-seat	2.5	4.5	7	8.9	
One-seat (Bariatri	c) 1.25	2.6	3.98	5.3	

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit 10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

# **ZOLA** | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

# DIMENSIONS

	Overall Width	Overall Depth	Seat Height	Shipping Weight	Cubes	
One-seat	23	26	18.5	33	11.5	
Two-seat	46	26	18.5	55	21	
Three-seat	69	26	18.5	72	32	
One-seat (Bariatric)	30	26	18.5	45	16	
Two-seat (Bariatric)	46	26	18.5	57	21	
Three-seat (Bariatric)	69	26	18.5	75	32	

#### **COM YARDAGES**

	COM Yardage Bench	COM Yardage 2 Benches	COM Yardage 3 Benches	COM Yardage 4 Benches
One-seat	1.4	2.2	3.6	4.4
Two-seat	1.85	3.7	5.6	7.4
Three-seat	2.8	5.6	8.4	11.2
One-seat (Bariatric)	1.85	3.7	5.6	7.4
Two-seat (Bariatric)	1.85	3.7	5.6	7.4
Three-seat (Bariatric)	2.8	5.6	8.4	11.2

To calculate the COM Yardage for more than 4 units, take the largest multiple (4 units) and add the closest remainder. See below for example calculations.

5 Units = Take the yardage for 4 units and add the yardage for 1 unit

7 Units = Take the yardage for 4 units and add the yardage for 3 units

8 Units = Take the yardage for 4 units and multiple by 2

9 Units = Take the yardage for 4 units, multiply by 2, add yardage for 1 unit

10 Units = Take the yardage for 4 units, multiply by 2, add yardage for 2 units

20 Units = Take the yardage for 4 units, multiply by 5

#### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Arms (Right or Left)	53	One-seat standard depth seat	32
Interim Arm	42	Two-seat standard depth seat	47
One-seat back	47	Three-seat standard depth seat	58
Two-seat back	68	One-seat bariatric standard depth seat	42
Three-seat back	84	One-seat full depth seat	36
One-seat bariatric back	53	Two-seat full depth seat	51
		Three-seat full depth seat	58
		One-seat bariatric full depth seat	46

# **ZOLA** | MODULAR & MODULAR BARIATRIC BENCH STANDARD DEPTH

SIN 711-16		COM		COL	FA	BRIC GRA	DES		LEATHEI	R	
DESCRIPTION/MOD	DEL	1	2	3	4	5	6	7	8	9	
	One-Seat ZOL3 MS11	607	639	673	733	794	855	916	975	1070	
	One-Seat Bariatric ZOL3 MSB11	767	799	833	899	965	1031	1097	1163	1262	
	ORDERING NOTES: One-seat Bariatric Bench is 30" wide.										
	Two-Seat ZOL3 MS21	849	887	926	1009	1092	1174	1257	1340	1477	
	Two-Seat Bariatric ZOL3 MSB21	904	948	992	1075	1158	1240	1323	1406	1544	
	ORDERING NOTES: The	Two-Seat B	ariatric coi	mes stand	dard with a	fifth leg fo	or extra su	pport.			
	Three-Seat ZOL3 MS31	1086	1141	1196	1313	1428	1544	1659	1776	1918	
	Three-Seat Bariatric ZOL3 MSB31	1290	1345	1401	1499	1599	1698	1798	1896	2054	
	ORDERING NOTES: The	Three-Seat	Bariatric c	omes sta	ndard with	a fifth leg	for extra s	upport.			

# ZOLA | MODULAR & MODULAR BARIATRIC BENCH FULL DEPTH

				-	_	-						
		COM		COL	FA	BRIC GRA	DES		LEATHE	3		
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9		
$\square$	One-Seat ZOL3 MS1F1	671	704	736	782	835	880	932	998	1083		
	One-Seat Bariatric ZOL3 MB1F1	807	851	895	955	1024	1085	1154	1240	1327		
• T •	ORDERING NOTES: One-seat Bariatric Bench is 30" wide.											
$\langle$	Two-Seat ZOL3 MS2F1	990	1033	1077	1137	1206	1267	1337	1423	1510		
	Two-Seat Bariatric ZOL3 MB2F1	1027	1071	1114	1174	1243	1304	1373	1560	1547		
	ORDERING NOTES: The Two-Seat Bariatric comes standard with a fifth leg for extra support.											
	Three-Seat ZOL3 MS3F1 Three-Seat Bariatric ZOL3 MB3F1	1339 1386	1405 1453	1470 1518	1558 1611	1666 1715	1758 1807	1863 1912	1994 2042	2125 2174		
•	ORDERING NOTES: The	e Three-Seat	Bariatric c	omes star	ndard with	a fifth leg	for extra s	upport.				

**ORDERING NOTES:** Zola Bench Seating is available with 4 casters, for an upcharge of **\$74 list** per chair. Please add a '2' at the end of the model number for casters ie; ZOL31112. Zola Bench Seating is available with 2 legs and 2 casters version, for an upcharge of **\$53 list** per chair. Please add a '3' at the end of the model number for leg/caster version ie; ZOL3F1113. Please note, bariatric versions are not available with either of these options.

# PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MS Modular	1 One Seat	S Standard Depth	1 Standard Leg & Glide
		MB Modular Bariatric	2 Two Seat	F Full Depth	2 Casters
			3		

Three Seat

# **ZOLA** | MODULAR CURVE


	Overall	Overall	Overall	Seat	Seat	Shipping	
	Width	Depth	Height	Height	Depth	Weight	Cubes
Single seat							
30°ॅ	36	28.5	34	18.5	22.5	50	18
45°	42	29	34	18.5	22.5	54	19
50°	48	29	34	18.5	22.5	57	22
90°	59	31	34	18.5	22.5	69	26
Double seat							
30°	58	30	34	18.5	22.5	90	32
45°	64	31	34	18.5	22.5	97.2	33
50°	70	33	34	18.5	22.5	102.6	39
90°	81	36	34	18.5	22.5	124.2	46

	COM Yardage	COM Yardage	COM Yardage	COM Yardage	
	Entire Unit	2 Entire Units	3 Entire Units	4 Entire Units	
	Entile Offic	2 Entile Office	o Entilo Offito		
Single seat					
30°	3.70	7.4	11.1	14.8	
45°	4.40	8.8	13.2	17.6	
60°	4.40	8.8	13.2	17.6	
90°	4.61	9.2	13.83	18.44	
Double seat					
30°	6.3	12.6	18.9	25.2	
45°	6.4	12.8	19.2	25.6	
60°	8.2	16.4	24.6	32.8	
90°	8.2	16.4	24.6	32.8	


## **COM Yardages - Individual Components**

	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.9 2.6 2.6 2.8	3.8 5.2 5.2 5.6	5.7 7.8 7.8 8.4	7.6 10.4 10.4 11.2	1.8 1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	2.9 3 4.8 4.8	5.8 6.0 8.8 8.8	8.7 9.0 13.5 13.5	11.6 12.0 17.4 17.4	3.4 3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6






One-Seat, Uph 30° Inside Curve




Two-Seat, Uph 30° Inside Curve







Two-Seat, Uph 45° Inside Curve




One-Seat, Uph 60° Inside Curve



Two-Seat, Uph 60° Inside Curve



One-Seat, Uph 90° Inside Curve



Two-Seat, Uph 90° Inside Curve

# Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

# **ZOLA | MODULAR CURVE**

# DIMENSIONS OUTSIDE CURVE

	Overall Width	Overall Depth	Overal Height			Seat Depth	Shipping Weight	Cubes
Single seat 30° 45° 60° 90°	33.75 38.75 43.5 52	28.25 28.75 29.25 29.75	34 34 34 34	18.5 18.5 18.5 18.5	5	22.5 22.5 22.5 22.5 22.5	48 49 50 51	23 24 29 34
Double seat 30° 45° 60° 90°	55.75 60.75 65.75 74	29.75 31 32.25 34.5	34 34 34 34	18.5 18.5 18.5 18.5	5	22.5 22.5 22.5 22.5 22.5	83 84 86 96	36 40 45 56
COM Yardages								
	COM Ya	-	COM Yardage		Yardage	COM Yar	•	
Single seat	Entire l	Jnit	2 Entire Units	3 Ent	ire Units	4 Entire	Jnits	
30° 45° 60° 90°	3.32 3.32 3.32 3.32 3.32	2	6.14 6.14 6.14 6.14	9. 9.	.46 .46 .46 .46	12.2 12.2 12.2 12.2 12.2	8 8	
Double seat 30° 45° 60° 90°	6.50 6.50 6.50 6.50	)	13.0 13.0 13.0 13.0	19 19	9.5 9.5 9.5 9.5	26.0 26.0 26.0 26.0	) )	
COM Yardages -	Individual Co	mponents						
	COM Yardage Per Back	COM Yardage Per 2 Backs	COM Yardage Per 3 Backs	COM Yardage Per 4 Backs	COM Yardage Per Seat	COM Yardage Per 2 Seats	COM Yardage Per 3 Seats	COM Yardage Per 4 Seats
Single seat 30° 45° 60° 90°	1.7 1.7 1.7 1.7	2.95 2.95 2.95 2.95 2.95	4.65 4.65 4.65 4.65	5.9 5.9 5.9 5.9	1.8 1.8 1.8 1.8 1.8	3.6 3.6 3.6 3.6	5.4 5.4 5.4 5.4	7.2 7.2 7.2 7.2 7.2
Double seat 30° 45° 60° 90°	3.1 3.1 3.1 3.1	6.2 6.2 6.2 6.2	9.3 9.3 9.3 9.3	12.4 12.4 12.4 12.4	3.4 3.4 3.4 3.4	6.8 6.8 6.8 6.8	10.2 10.2 10.2 10.2	13.6 13.6 13.6 13.6
							_ 90°	




30°

58

44<u>"</u>




One-Seat, Uph 45° Curve




Two-Seat, Uph 45° Curve




One-Seat, Uph 60° Curve



Two-Seat, Uph 60° Curve



One-Seat, Uph 90° Curve



Two-Seat, Uph 90° Curve

# Upcharge for Removable Upholstery Covers:

30

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

# ZOLA | MODULAR CURVE BENCH

								SIN 711-16		
	-	COM		COL		BRIC GRAI		_	LEATHER	
DESCRIPTION/MOD		1	2	3	4	5	6	7	8	9
	Single-Seat, 30° Curve, Star ZOL3 MCS30DS1	ndard Deptr 872	n 950	1029	1139	1264	1374	1500	1658	1814
	Single-Seat, 45° Curve, Star ZOL3 MCS45DS1	ndard Depth 950	י 1065	1179	1340	1524	1684	1867	2097	2326
	Single-Seat, 60° Curve, Star ZOL3 MCS60DS1	ndard Depth 1074	າ 1189	1303	1464	1646	1807	1991	2220	2450
	Single-Seat, 90° Curve, Star ZOL3 MCS90DS1	ndard Depth 1238	າ 1364	1490	1667	1869	2046	2248	2501	2753
	Single-Seat, 30° Curve, Full ZOL3 MCS30DF1	Depth 959	1045	1132	1253	1391	1512	1651	1823	1996
	Single-Seat, 45° Curve, Full ZOL3 MCS45DF1	Depth 1046	1172	1298	1474	1676	1852	2054	2306	2559
	Single-Seat, 60° Curve, Full ZOL3 MCS60DF1	Depth 1181	1307	1433	1610	1811	1988	2189	2442	2694
	Single-Seat, 90° Curve, Full ZOL3 MCS90DF1	Depth 1362	1500	1639	1834	2056	2251	2473	2751	3029

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

PRODUCT CODE K	EY					
Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular MCB Modular Bariatric	S Single D Double	30D 30 Degree 45D 45 Degree 60D 60 Degree	S Standard F Full	1 Standard Leg + Glide
				90D 90 Degree		

## ZOLA | MODULAR CURVE BENCH

SIN 711-16	COM		COL	FAE	BRIC GRAI	DES		LEATHER	R
DESCRIPTION/MODEL	1	2	3	4	5	6	7	8	9
Double-Seat, 30° Cu ZOL3 MCD30DS1	rve, Standard Dept 1526	th 1663	1801	1993	2213	2406	2626	2901	3176
Double-Seat, 45° Cu ZOL3 MCD45DS1	ırve, Standard Dept 1663	th 1864	2064	2345	2665	2946	3267	3668	4069
Double-Seat, 60° Cu ZOL3 MCD60DS1	irve, Standard Dept 1878	th 2079	2280	2561	2881	3162	3483	3884	4285
Double-Seat, 90° Cu ZOL3 MCD90DS1	irve, Standard Dept 2166	th 2387	2608	2918	3272	3581	3934	4376	4818

#### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Туре
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Bariatric	D Double	45D 45 Degree 60D 60 Degree 90D 90 Degree	Full	

## **ZOLA** | MODULAR CURVE BENCH

									SIN	711-16	
		COM		COL	FA	BRIC GRA	DES		LEATHE	R	
DESCRIPTION/MOD	EL	1	2	3	4	5	6	7	8	9	
	Double-Seat, 30° Curve, ZOL3 MCD30DF1	Full Depth 1754	1912	2071	2292	2545	2767	3020	3336	3652	

	7
• \ •	

_	Double-Seat, 45° Curve,	Full Depth									
	ZOL3 MCD45DF1	1912	2143	2373	2696	3065	3388	3757	4718	4679	
											1



	Double-Seat, 60° Curve, Fu ZOL3 MCD60DF1	III Depth 2161	2391	2622	2944	3314	3636	4005	4467	4928
ų										



า	Double-Seat, 90° Curve, F	ull Depth								
1	ZOL3 MCD90DF1	2491	2745	2999	3355	3762	4118	4524	5033	5542
·										

#### Upcharge for Removable Upholstery Covers:

Option	\$ List	Option	\$ List
Single-seat curve 30° seat	42	Double-seat curve 30° seat	64
Single-seat curve 45° seat	44	Double-seat curve 45° seat	71
Single-seat curve 60° seat	59	Double-seat curve 60° seat	86
Single-seat curve 90° seat	77	Double-seat curve 90° seat	88

**ORDERING NOTES:** Please note when Zola Modular Benches are ordered, each bench is automatically supplied with two seat to seat brackets (ZOL3 RLKB2). All Modular Units, and tables will be shipped KD (knocked down). Modular Curved Benches are offered in two depths. For a flush edge when joining a Modular Curved Bench to Modular seat with back choose the Full Depth.

Line	Series	Chair Type	Seat Count	Seat Degree	Seat Depth	Leg Type
ZOL Zola	3 Soft Seating	MC Modular	Single	30D 30 Degree	S Standard	1 Standard Leg + Glide
		MCB Modular Bariatric	D Double	45D 45 Degree 60D 60 Degree	Full	
				90D 90 Degree		

## **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

SIN 711-16

SIN / 11-10													
DECODIDEION		COM	•	COL		BRIC GF			LEATHE		COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	COBE
	Replacement Back Si	ngle-sea	at Insid	e Curve	;								
	ZOL3 RMCBIS30D	814	870	926	1006	1095	1175	1265	1378	1490	1.9	20	8
N )	ZOL3 RMCBIS45D	944	1006	1068	1155	1255	1342	1442	1566	1691	2.6	22	8
	ZOL3 RMCBIS60D	1150	1235	1320	1440	1575	1695	1831	2001	2171	2.6	23	10
	ZOL3 RMCBIS90D	1284	1372	1461	1584	1726	1849	1991	2168	2345	2.8	28	11
	Replacement Back Do	ouble-se	eat Insid	de Curv	e								
	ZOL3 RMCBID30D	1424	1523	1621	1760	1917	2055	2212	2410	2607	2.8	38	13
N /	ZOL3 RMCBID45D	1652	1760	1869	2021	2196	2348	2522	2739	2957	3	42	13.5
	ZOL3 RMCBID60D	2012	2161	2310	2519	2757	2966	3205	3502	3800	4.8	43	16
	ZOL3 RMCBID90D	2246	2401	2556	2772	3020	3237	3484	3794	4103	4.8	52.5	18
	Replacement Back Si	nalo-so	at Oute	ido Cur	VO								
	ZOL3 RMCBOS30D	733	783	834	905	986	1057	1138	1240	1341	1.7	15	5.0
	ZOL3 RMCBOS45D	849	905	962	1040	1130	1208	1298	1409	1521	1.7	17	7.0
	ZOL3 RMCBOS60D	1016	1111	1188	1296	1418	1526	1647	1801	1954	1.7	20	9.0
_	ZOL3 RMCBOS90D	1155	1235	1315	1426	1553	1664	1792	1951	2111	1.7	25	9.0
	202011110200000	1100	1200	1010	1420	1000	1004	1102	1001	2111	1.7	20	0.0
			1.0										
	Replacement Back De					4705	10.10	1000	0400	00.4-	<b>C</b> 1	<u> </u>	0.0
)	ZOL3 RMCBOD30D	1282		1460	1583	1725	1849	1992	2169	2347	3.1	30	9.0
	ZOL3 RMCBOD45D	1487	1584	1682	1820	1976	2113	2269	2465	2661	3.1	34	11.0
	ZOL3 RMCBOD60D	1811	1945	2079	2267	2481	2669	2883	3152	3420	3.1	35	14.0
	ZOL3 RMCBOD90D	2021	2161	2301	2495	3033	2913	3136	3415	3693	3.1	40	14.0
	Replacement Seat Sir												
	ZOL3 RMCSS30DS	798	877	956	1066	1191	1301	1427	1584	1741	1.8	30	11
	ZOL3 RMCSS45DS	877	991	1006	1266	1450	1612	1793	2023	2252	1.8	32	12
	ZOL3 RMCSS60DS	1001	1115	1230	1390	1573	1734	1917	2146	2376	1.8	34	13
	ZOL3 RMCSS90DS	1140	1266	1393	1570	1771	1949	2150	2403	2655	1.8	41	16
	Replacement Seat Do				•			0550		0100		50.0	10 5
	ZOL3 RMCSD30DS	1452	1590	1727	1919	2140	2332	2553	2828	3103	3.4	52.2	19.5
	ZOL3 RMCSD45DS	1590	1790	1991	2271	2591	2873	3193	3909	3995	3.4	56	21
	ZOL3 RMCSD60DS	1805	2006	2206	2487	2808	3088	3409	3810	4212	3.4	60	23
	ZOL3 RMCSD90DS	2069	2289	2511	2820	3174	3483	3837	4279	4721	3.4	72	28
	Dealers and Oral Of												
	Replacement Seat Sir	-		•		1010	1400	1577	1740	1000	1 0 4	26	10 E
	ZOL3 RMCSS30DF	885	971	1058	1179	1318	1439	1577	1749	1923	1.94	36 39	13.5
	ZOL3 RMCSS45DF ZOL3 RMCSS60DF	972 1108	1098 1234	1224 1360	1401 1536	1602 1738	1779 1914	1980 2116	2232 2369	2485 2621	1.94 1.94	39 41	14.5 15.5
	ZOL3 RMCSS00DF	1264	1234	1541	1737	1958	2154	2375	2653	2932	1.94	41	19
		1204	1-100	1041	1101	1000	2104	2010	2000	2002	1.34	+3	13
	Replacement Seat Do			•		0.1=-	000-		<b></b>	0	<b>•</b> -		<i></i>
	ZOL3 RMCSD30DF	1680		1997		2472	2693	2946	3262	3578	3.7	63	24
	ZOL3 RMCSD45DF	1839		2300	2623	2991	3315	3683	4144	4605	3.7	69 70	25.5
	ZOL3 RMCSD60DF	2087	2317		2871	3240	3563	3931	4393	4854		72	27
	ZOL3 RMCSD90DF	2393	2647	2901	3257	3665	4020	4427	4935	5444	3.7	86	33.5
	Replacement Seat Co		gle-sea	t Stand	ard Dep	oth Curv	/e						
	ZOL3 RMCBSCS30D		194	234	290	354	411	475	555	635		2.5	1
	ZOL3 RMCBSCS45D		199	239	295	360	416	480	560	640		3.1	1
	ZOL3 RMCBSCS60D		224	264	320	384	440	505	585	665	1.8	3.7	1.5
	ZOL3 RMCBSCS90D	S 200	240	280	336	400	456	520	601	681	1.8	4.3	1.5
	Replacement Seat Co	ver Dou	ıble-sea	at Stand	dard De	pth Cur	ve						
$ \land ) $	ZOL3 RMCBSCD30D		345	421	527	648	754	876	1027	1179	3.4	4.8	1.5
	ZOL3 RMCBSCD45D		351	427	533	654	760	881	1033	1184	3.4	5.9	1.5
	ZOL3 RMCBSCD60D		386	462	568	689	795	916	1068	1219		7.0	2.5
	ZOL3 RMCBSCD90D		399	474	580	702	808	929		1232		8.2	2.5

**COMMERCIAL DISCOUNT APPLIES TO THESE PRODUCTS** 

## **ZOLA** | MODULAR CURVE - REPLACEMENT COMPONENTS

SIN 711-16

		COM		COL	FABR	IC GRAI	DES	L	EATHE	R	COM		
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	YARDAGE	WEIGHT	CUBE
	Replacement Seat Co	ver Singl	e-seat	Full De	pth Cu	rve							
$\left( \begin{array}{c} \\ \end{array} \right)$	ZOL3 RMCBSCS30D	F 172	217	264	327	399	463	536	626	717	1.94	2.9	1
	ZOL3 RMCBSCS45D	F 177	223	269	332	404	468	541	631	722	1.94	3.6	1
	ZOL3 RMCBSCS60D	F 205	250	295	359	432	495	567	658	749	1.94	4.3	1.5
	ZOL3 RMCBSCS90D	F 218	264	309	373	445	508	582	672	763	1.94	4.9	1.5
	Replacement Seat Co	ver Dout	ole-sea	t Full D	epth Cı	urve							
	ZOL3 RMCBSCD30D	F 301	387	475	595	734	856	993	1167	1340	3.7	5.5	1.5
	ZOL3 RMCBSCD45D	F 307	394	480	602	740	861	1000	1173	1346	3.7	6.8	1.5
	ZOL3 RMCBSCD60D	F 344	431	518	638	777	899	1037	1210	1383	3.7	8.1	2.5
	ZOL3 RMCBSCD90D	F 368	455	541	662	800	922	1061	1234	1406	3.7	9.4	2.5

## JORDAN | LEED CI CREDIT SUMMARY

## JORDAN BENCHES

 12% Cardboard
 7% Fabric

 7% Fabric
 7% Fabric

 14% Hardwood
 18% Plywood

 16% Hardwood
 18% Steel

 12% Cardboard
 POST-CONSUMER

 RECYCLED CONTENT = 18.15%
 Up to 40% of this Jordan product is recyclable at the end of its useful life.

MATERIAL CONTENT:

	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR-EMISSIONS AND FSC® CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



AIR-EMISSIONS

All Jordan products are supplied air-emissions certified. Contact customer service for information and upcharges.

#### **FSC**<sup>®</sup>

FSC\* C021699



In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

In addition, architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## JORDAN | BENCHES

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cubes
21" One-seater	25	24	22	19	22	20.5	24	35	10
24" One-seater	28	24	22	19	22	23.5	24	37	11
30" One-seater Bariatric	34	24	22	19	22	29.5	24	42	13
48" Two-seater	52.5	24	22	19	22	48	24	65	19.5
72" Three-seater	77	24	22	19	22	72.75	24	91	28

#### **COM YARDAGES**

	COM Yardage Complete Unit	Yardage Per Bench - Per Complete Unit	COM Yardage Closed Arm Panel Only	Yardage Per Bench - Closed Arm Panel Only
21" One-seater	1.1	1.1	0.5	0.5
21" One-seater (2 units)	1.8	1.1	1	0.5
21" One-seater (3 units)	2.1	1.1	1.5	0.5
21" One-seater (4 units)	3.4	1.1	2	0.5
24" One-seater	1.1	1.1	0.5	0.5
24" One-seater (2 units)	1.8	1.1	1	0.5
24" One-seater (3 units)	2.1	1.1	1.5	0.5
24" One-seater (4 units)	3.4	1.1	2	0.5
30" One-seater Bariatric	1.8	1.8	0.5	0.5
30" One-seater Bariatric (2 units)	3.6	1.8	1	0.5
30" One-seater Bariatric (3 units)	5.4	1.8	1.5	0.5
30" One-seater Bariatric (4 units)	7.2	1.8	2	0.5
48" Two-seater	1.8	1.8	0.5	0.5
48" Two-seater (2 units)	3.6	1.8	1	0.5
48" Two-seater (3 units)	5.4	1.8	1.5	0.5
48" Two-seater (4 units)	7.2	1.8	2	0.5
72" Three-seater	2.1	2.1	0.5	0.5
72" Three-seater (2 units)	3.9	2.1	1	0.5
72" Three-seater (3 units)	5.4	2.1	1.5	0.5
72" Three-seater (4 units)	7.8	2.1	2	0.5

#### **ORDERING NOTES:**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Benches are available with a Moisture Barrier & CAL 133 for an upcharge of \$44 list per yard.

21" Jordan Bench is available with Removeable Seat Covers option for an upcharge of \$72 list per seat.

24" Jordan Bench is available with Removeable Seat Covers option for an upcharge of \$79 list per seat.

30" Jordan Bariatric Bench is available with Removeable Seat Covers option for an upcharge of \$100 list per seat.

48" Jordan Bench is available with Removeable Seat Covers option for an upcharge of \$108 list per seat.

72" Jordan Bench is available with Removeable Seat Covers option for an upcharge of \$186 list per seat.

Replacement seat covers can be quickly installed on Jordan products that were originally ordered with the Replaceable cover option. Replacement seat covers can also be installed on Jordan products that were not originally ordered with the Replaceable cover option, with some simple staple removal on the original seat.

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: 21" & 24" Bench - 350 lbs 30" Bench - 750 lbs 48" Bench - 525 lbs per unit 72" Bench - 750 lbs per unit

Jordan replacement parts can be viewed on-line at www.krug.ca

## JORDAN | BENCHES


SIN 711-16

DESCRIPTION/MOD	DEL	Species	COM	2	COL 3	F 4	ABRIC GRADES	S 6	7	LEATHER 8	9
-A	21" Open Arm										
I B	JOR5-B210PS	Beech	794	827	860	926	992	1058	1125	1191	1290
NP-T	JOR5-B210PS	Maple	860	893	926	992	1058	1125	1191	1257	1356
U U	21" Closed Arm										
	JOR5-B21CLS	Beech	1003	1047	1091	1180	1268	1356	1444	1532	1643
	JOR5-B21CLS	Maple	1069	1114	1158	1246	1334	1422	1510	1599	1731
	24" Open Arm										
	JOR5-B24OPS	Beech	838	871	904	970	1036	1103	1169	1235	1334
	JOR5-B24OPS	Maple	904	937	970	1036	1103	1169	1235	1301	1422
	24" Closed Arm										
	JOR5-B24CLS	Beech	1047	1091	1136	1224	1312	1400	1488	1577	1698
	JOR5-B24CLS	Maple	1114	1158	1202	1290	1378	1466	1555	1643	1764
1 and a	30" Bariatric Ope	n Arm									
	JOR5-B30OPS	Beech	965	1020	1075	1174	1273	1373	1472	1571	1736
N- T	JOR5-B300PS	Maple	1036	1091	1147	1246	1345	1444	1544	1643	1819
U	30" Bariatric Clos	sed Arm									
	JOR5-B30CLS	Beech	1174	1240	1306	1417	1527	1637	1747	1858	2029
	JOR5-B30CLS	Maple	1246	1312	1378	1488	1599	1709	1819	1929	2106
	48" Two-seater O	pen Arm									
	JOR5-B480PS	Beech	1125	1180	1235	1334	1433	1532	1632	1731	1896
	JOR5-B48OPS	Maple	1196	1251	1306	1406	1505	1604	1703	1803	1968
	T										
	48" Two-seater C	losed Arm									
	JOR5-B48CLS	Beech	1334	1400	1466	1577	1687	1797	1907	2018	2194
	JOR5-B48CLS	Maple	1406	1472	1538	1648	1758	1869	1979	2089	2266
	72" Three-seater	Open Arm									
	JOR5-B72OPS	Beech	1356	1422	1488	1621	1753	1885	2018	2150	2370
	JOR5-B72OPS	Maple	1422	1488	1555	1687	1819	1951	2084	2216	2437
u U	72" Three-seater	Closed Arm									
	JOR5-B72CLS	Beech	1566	1654	1742	1918	2095	2271	2448	2624	2867
	JOR5-B72CLS	Maple	1632	1720	1808	1985	2161	2337	2514	2690	2933
	2										

ORDERING NOTES: Please see page 219 for Ordering Notes and Yardage requirements.

Line	Series	Chair Type	Size	Arm Type	
JOR	5	В	21	OPS	
Jordan		Bench	24	Open Arm	
			30	CLS	
				Closed Arm	
			48		
			72		

## CARLYLE BENCH



CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





FSC<sup>e</sup> C021699

The mark of responsible for

AIR EMISSIONS

level® CERTIFICATION

All Carlyle Bench products are supplied air emissions-certified. Contact customer service for information.

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human &

Ecosystem Health and Social Responsibility. Carlyle Bench products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **CARLYLE BENCH**

SIN 711-16

DESCRIPTION/MODEL		COM	2	COL 3	FAE 4	BRIC GRA	DES 6	LEATHER 7 8 9		
	TWO-SEAT CAR5-2-0	1194	1254	1314	1375	1439	1503	1568	1652	1772
	TWO-SEAT - BUTTON DET CAR5-2-1	TAILING 1539	1599	1659	1720	1784	1847	1913	1996	2118
	THREE-SEAT CAR5-3-0	1571	1657	1739	1822	1905	1989	2074	2174	2443
	THREE-SEAT - BUTTON D CAR5-3-1	ETAILING 2105	2190	2271	2355	2439	2521	2606	2707	2976

DIMENSIONS & COM REQUIREMENTS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage
CAR5-2-0	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-2-1	54	26.5	17.5	-	-	-	-	75	16	2.4
CAR5-3-0	81	26.5	17.5	-	-	-	-	110	25	3.6
CAR5-3-1	81	26.5	17.5	-	-	-	-	110	25	3.6

	PRODUCT COD	E KEY Series	Seat Count	Upholstery Style	<b>CARLYLE</b> Base is available in silver metallic only.
5	CAR	5	2	0	
5	Carlyle	Bench	Two-Seat	Upholstery Standard	
			3	1	
			Three-Seat	Top Stitching	
				and Buttons	

T

## RECLINERS

#### JORDAN ACTIVE PATIENT RECLINER

- 224 Jordan Active Patient LEED Credit Summary
- 225 Jordan Active Patient Dimensions & COM
- Requirements 225 Jordan Active Patient Features
- 226 Jordan Active Patient Options
- 227 Jordan Active Patient Recliner
- 227 Jordan Active Patient Recliner Accessories & Replacement

#### JORDAN RECLINER & BARIATRIC RECLINER

- 230 Jordan Recliner LEED Credit Summary
- 231 Jordan Recliner Features

Components

- 233 Jordan Recliner Dimensions & COM Requirements | Recliner & Bariatric Recliner
- 234 Jordan Recliner
- 238 Jordan Bariatric Recliner

#### JORDAN SLEEP RECLINER

- 233 Jordan Sleep Recliner Dimensions & COM Requirements
- 241 Jordan Sleep Recliner
- 244 Jordan Sleep Recliner Options & Replacement Components

## JORDAN | LEED CI CREDIT SUMMARY

## ACTIVE PATIENT RECLINER

		<ul> <li>0.51% Hardwood</li> <li>5.9% Fabric</li> <li>5.72% Cardboard</li> <li>8.34% Plastic</li> <li>21.35% Plywood</li> <li>1.04% Steel Seat Springs</li> <li>1.2.24% Urethane Foam</li> <li>1.04% Rubber</li> <li>43.77% Steel</li> </ul>	PRE-CONSUMER RECYCLED CONTENT = 11.21% POST-CONSUMER RECYCLED CONTENT = 15.06% Up to 49.5% of this Jordan product is recyclable at the end of its useful life.
CREDIT 2.1 - 2.2			1.0 point(a)
CREDIT 2.1 - 2.2	Construction Waste Management Resource Reuse		1-2 point(s)
			1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.2	Recycled Content		1 point
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)		1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



#### level<sup>®</sup> CERTIFICATION

AIR-EMISSIONS

information.

**FSC<sup>®</sup>** 

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

All Active Patient Recliner products are supplied air-emissions certified. Contact customer service for

# FSC VWW.fsc.org

The mark of responsible forestry



In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Jordan and other Krug products can be specified with FS<sup>®</sup> Certification

Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## JORDAN | ACTIVE PATIENT RECLINER

#### DIMENSIONS

	Overall Width	Overall Width with Accessories	Overall Depth (upright)	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube
21"	28	31	27	57	43.5	18.5	26	20.5	19	92	19
24"	31	34	27	57	43.5	18.5	26	23.5	19	99	24

#### **COM REQUIREMENTS**

	COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Seat & Back	COM Yardage Arm Panel Only	COM Yardage Ottoman	
21"							
One Chair	4.88	0.9	1.3	2	2.7	0.5	
Two Chair	9.8	1.3	2	3.2	4.3	0.5	
Three Chair	14.7	2.1	3	5.2	5.9	0.9	
Four Chair	19.6	2.5	5.1	6.9	8	0.9	
24"							
One Chair	5.14	0.9	2	2	2.7	0.7	
Two Chair	4.9	1.3	3.1	3.9	4.3	0.9	
Three Chair	14.7	2.1	4.2	6	5.9	1.4	
Four Chair	19.6	2.5	5.3	7.5	8	1.8	

**ORDERING NOTES:** Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Active Patient Recliner Option Upcharges	\$ List		\$ List
Moisture Barrier & CAL 133 (per yard)	44	IV Pole and Holder	265
Ottoman Poly Cover	53	Flip Up Tablet	290
Push Bar	144	Swing Away Tablet	320
Removable Seat Cover	84	Thermal Comfort	645
Removable Back Cover	95	Patient Transfer Arm	620

## JORDAN | ACTIVE PATIENT RECLINER FEATURES



#### INDEPENDENT BACK & OTTOMAN MECHANISMS

Two independent mechanisms provide a greater range of function and positions for the Active Patient Recliner: the back can be upright or reclined, independent of the ottoman which can be closed or extended separately from the back.

# /

OTTOMAN ACTIVATION

The adjustment lever is situated to allow both the user and the caregiver to safely operate the ottoman function of the mechanism. The ottoman is generously padded for comfort, and can be given added protection with the optional Ottoman Protective Cover.



#### BACK ACTIVATION LEVER

The Active Patient Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish, and is located on the left hand side (when facing the chair) and on the caregiver side of the arm.

#### ARM OPTIONS

Arms have urethane arm caps. The textured urethane provides enhanced durability and protection for the arms and is available in three color options; Black, Grey and Taupe. Please specify color when ordering. The urethane arm cap is field replaceable if damaged or degraded.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

#### WEIGHT RATINGS

The Active Patient Recliner has a maximum weight rating of 350 lbs, under normal use (i.e. no excessive force in the use of the product). The ottoman mechanism itself will accept weight to a maximum of 60 lbs (above which it will drop down). The ottoman is designed as a leg rest only, and not designed to accept sitting or standing.

## **JORDAN | ACTIVE PATIENT RECLINER OPTIONS**



#### PUSH BAR

The optional push bar is ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.





#### **IV POLE & HOLDER**

The IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in three locations (left back only or right front or back as facing) - if ordered with the recliner, the location must be specified at time of order.



#### SWING AWAY TABLET

The Swing Away Tablet (24" x 14 3/4" x 3/4") is designed to be easily operated by the caregiver or user. The break away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to swing up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Swing Away Tablet is specified right handed based on a position facing the unit.



#### FLIP UP TABLET

The Flip Up Tablet's size is  $18" \times 14" \times 3/4"$ , and it is located on the right side based on a position facing the unit. It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat).



#### THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is operated with a hand-held controller located on the inside of the arm. It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, at a high or low heat setting. Thermal Comfort features a safety time-out that automatically shuts off heat after 30 minutes of use. Access to a 110/120 volt, 15 amp(min) electrical outlet is required. The upcharge for Thermal Comfort is \$645 list.



#### CASTERS

Four heavy-duty 3" diameter soft wheel casters are standard on the recliner. The front casters are inline and locking; the rear casters are swivel and not visible. This combination provides a noticeable and user-friendly ease of steering when the recliner is being moved. Casters are field-replaceable if damaged.



#### **OTTOMAN PROTECTIVE COVER**

This optional clear protective cover is sewn into (and over top of) the lower portion of the upholstered ottoman, providing a layer of protection from marring and damage caused by footwear, cleaning and medical equipment, etc. It has an anti-fog additive to maintain clarity, and is resistant to cleaning solutions.



#### PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed or wheelchair. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm can only specified in a right handed position based on facing the unit.

#### **COMBINATION UPHOLSTERY OPTION**

When combination upholstery is required with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **REMOVABLE COVERS AND REPLACEMENT COMPONENTS**

Active Patient Recliners are available with Removable Seat Covers for an upcharge of \$84 list per seat. Active Patient Recliners are available with Removable Back Covers for an upcharge of \$95 list per back. Removable seat and back covers can be quickly installed on products that were originally ordered with the Removable Cover Option. Removable seat and back covers can also be installed on products that were not originally ordered with the Removable Cover Option, with some simple staple removal on the original seats and backs.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133. The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$735 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of \$44 list per yard.





## JORDAN | ACTIVE PATIENT RECLINER

## SIN 71-316

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC G	RADES 6	7	LEATHER 8	9
	Active Patient Re JOR6APR21000		no options 2192	s 2307	2466	2649	2809	2991	3220	3448
	Active Patient Re JOR6APR21001		with Ottor 2245	man Poly 2359	Cover 2519	2702	2861	3044	3273	3501
	ORDERING NO	<b>FE:</b> Options	can be se	lected an	d added 1	to the pre-	configu ed	l models	, using the pr	icing below
$\square$	Active Patient Re JOR6APR21000		with Push 2336	bar 2451	2610	2793	2953	3135	3364	3592
C C C	B									
	ORDERING NO	TE: Options	s can be se	lected an	d added	to the pre-	configu ec	l models	, using the pr	ricing below
	Active Patient Re JOR6APR21200		with Flip u 2482	up Tablet 2597	2756	2939	3099	3282	3510	3738
				lootod an	daddada	to the pro	configu oc	modele	using the p	icing below
						to the pre-	conngu ec		, using the pr	
	Active Patient Re JOR6APR21100		2513	2627	2787	2969	3129	3312	3541	3768
		<b>TE:</b> Options	s can be se	lected an	d added <sup>-</sup>	to the pre-	configu ec	l models	s, using the pr	ricing below
	Active Patient Re JOR6APR21010		with Therr 2796	mal Comf 2911	ort 3070	3253	3413	3595	3824	4052
• 1)										
	ORDERING NO	TE: Options	s can be se	lected an	d added	to the pre-	configu ec	l models	, using the pr	
Active Patient Recl	iner Option Upcha	·	\$ List	:		•		l models		
Active Patient Recl Moisture Barrier & C	<b>iner Option Upcha</b> AL 133 (per yard)	·	<b>\$ List</b> 44		IV Pol	e and Hold		l models	\$	ricing below List 265
Active Patient Recl Moisture Barrier & C Ottoman Poly Cover Push Bar	<b>iner Option Upcha</b> AL 133 (per yard)	·	<b>\$ List</b> 44 53 144	:	IV Pol Flip U Swing	e and Hold p Tablet g Away Tab	der	1 models	\$	ricing below List 265 290 320
Active Patient Recl Moisture Barrier & C Ottoman Poly Cover Push Bar Removable Seat Coo Removable Back Co	<b>iner Option Upcha</b> AL 133 (per yard) ver	·	<b>\$ List</b> 44 53	:	IV Pol Flip U Swing Thern	e and Hold p Tablet	der blet t	I models	\$	ricing below List 265 290
Active Patient Recl Moisture Barrier & C Ottoman Poly Cover Push Bar Removable Seat Co Removable Back Co	<b>iner Option Upcha</b> AL 133 (per yard) ver over	rges	<b>\$ List</b> 44 53 144 84 95	- - - -	IV Pol Flip U Swing Thern Patier	e and Hold p Tablet g Away Tab nal Comfor nt Transfer	der blet t Arm		\$	ricing below List 265 290 320 645 620
Active Patient Recl Moisture Barrier & C Ottoman Poly Cover Push Bar Removable Seat Cov Removable Back Co PRODUCT CODE KEY	iner Option Upcha AL 133 (per yard) ver over Series Cha	rges air Type	\$ List 44 53 144 84 95 Size	- - - -	IV Pol Flip U Swing Thern Patier Tablets	e and Hold p Tablet g Away Tab nal Comfor nt Transfer	der blet t Arm		\$ Ottoman	ricing below List 265 290 320 645 620 Push bar
Active Patient Recl Moisture Barrier & C Ottoman Poly Cover Push Bar Removable Seat Cor Removable Back Co PRODUCT CODE KEY Line	iner Option Upcha AL 133 (per yard) ver over Series Cha 6	rges	<b>\$ List</b> 44 53 144 84 95	- - - -	IV Pol Flip U Swing Thern Patier	e and Hold p Tablet g Away Tab nal Comfor nt Transfer	der blet t Arm	ort	\$	ricing below List 265 290 320 645 620
Active Patient Recl Moisture Barrier & C Ottoman Poly Cover Push Bar Removable Seat Cor Removable Back Co PRODUCT CODE KEY Line	iner Option Upcha AL 133 (per yard) ver over Series Cha 6	rges air Type	\$ List 44 53 144 84 95 Size	- - - -	IV Pol Flip U Swing Thern Patier Tablets	e and Hold p Tablet g Away Tab nal Comfor nt Transfer <b>The</b>	der blet t Arm <b>rmal Comf</b> e	ort	\$ Ottoman	ricing below List 265 290 320 645 620 Push bar 0

## JORDAN | ACTIVE PATIENT RECLINER

SIN 71-316

DESCRIPTION	MODEL	COM 1	2	COL 3	4	FABRIC G	RADES 6	7	LEATHER 8	9
	Active Patient JOR6APR2400		, no optior 2233	ns 2353	2522	2714	2882	3075	3316	3556
	Active Patient JOR6APR2400		, with Otto 2286	man Poly 2406	Cover 2575	2767	2935	3128	3368	3609
	ORDERING N	OTE: Options	s can be s	elected a	nd added	to the pre-	configu ec	l models	, using the p	ricing below
	Active Patient JOR6APR2400		, with Pusl 2377	n bar 2497	2666	2858	3026	3219	3460	3700
	ORDERING N	OTE: Options	s can be s	elected a	nd added	to the pre-	configu ed	models	, using the p	ricing below
	Active Patient JOR6APR2420		, with Flip 2523	up Tablet 2643	2812	3004	3172	3365	3606	3846
	ORDERING N	OTE: Options	s can be se	elected ar	nd added	to the pre-	configu ed	models,	using the p	ricing below
$\left[ - \right]$	Active Patient JOR6APR2410		, with Swir 2554	ng Away 1 2673	Tablet 2842	3035	3203	3396	3636	3877
		OTE: Options	s can be se	elected ar	nd added	to the pre-	configu ed	models,	using the p	ricing below
	Active Patient JOR6APR2401		, with Ther 2837	rmal Com 2957	fort 3126	3318	3486	3679	3920	4160
	ORDERING N	OTE: Options	s can be s	elected a	nd added	to the pre-	configu ec	l models	, using the p	ricing below
Active Patient Re	cliner Option Upch	arges	\$ Lis	t					\$	List
Moisture Barrier & Ottoman Poly Cov	CAL 133 (per yard)		44 53			le and Hold Jp Tablet	ler			265 290
Push Bar			144		Swing	g Away Tab				320
Removable Seat C Removable Back (			84 95			nal Comfor nt Transfer				645 620
PRODUCT CODE KE	Y									
Line	Series C	hair Type	Size	•	Tablets	5 Ther	mal Comfo	rt O	ttoman	Push bar
JOR	6	APR	21		0	]	0	[	0	0
Jordan	Motion	Recliner			None		None	N	o Cover	None
			24		1 Swing	] The	1 rmal Comfor	t [	1 Poly Cover	1 Push bar Included
					2 Flip up Tal	blet				

## JORDAN | ACTIVE PATIENT RECLINER ACCESSORIES & REPLACEMENT COMPONENTS

				5	SIN 71-316
DESCRIPTION	MODEL	PRICE		WEIGHT	CUBES
	IV Pole JOR8-RCRIP	203		3.8	1.4
	IV Pole Holder JOR8-RCRIPB	62		2	0.2
	Flip Up Tablet with brack JOR8-RCRTK (wood or laminate)	tets 290		6.6	1.6
$\bigcirc$	Flip Up Tablet JOR8-RCRT (wood or laminate)	232	18"w x 14"d x .75"h	5.8	1.4
	Flip Up Tablet Bracket JOR8-RCRTH	82		0.8	0.2
	Swing Away Tablet with I JOR8-SRST (wood or laminate)	Mechanism 320	24"w x 14.75"d x .75"h	20	1.2
$\bigcirc$	Swing Away Tablet Only JOR8-SRRT (wood or laminate)	165		7	0.8
	Swing Away Tablet Mech JOR8-SRRTH	nanism Only 209		13	1
C B	Push Bar JOR8-SRRPB	143		2	0.3
	In line Front caster – lock JOR6-RAPRCASF	king Caster 32		2	0.2
	Swivel caster – Rear JOR6-RAPRCASR	66		2	0.2


## LEED CI CREDIT SUMMARY

## JORDAN

CREDIT 4.5

CREDIT 5.1

CREDIT 7



\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION

Low Emitting Materials, Systems & Seating

Regional Materials\*

(MUST BE REQUESTED)

Certified Wood



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

1 point

1 point

1 point(s)



rk of responsible forestr

## AIR-EMISSIONS

All Jordan Recliner products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Jordan and other Krug products can be specified with FS <sup>®</sup> Certification



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **JORDAN** | RECLINER FEATURES



#### **RECLINER - 3-POSITION MECHANISM**

This mechanism provides 3 distinct user positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 104 degrees, and the back is reclined 20 degrees from vertical. Position B - Footrest is fully extended, back is in mid-position. Seat-back angle remains at 104 degrees, and the back is 25 degrees from vertical. Position C - Full recline with footrest fully extended. Seat-back angle is opened to 125 degrees, and the back is 45 degrees from vertical

#### **RECLINER - 3-POSITION MECHANISM WITH** TRENDELENBERG

This mechanism provides the same positions described above, as well as the additional Trendelenberg position: full recline with footrest fully extended, seat-back angle remains at 125 degrees, but the back is now 65 degrees from vertical - resulting in the feet being above the head. It is activated by a foot-release lever that is accessible from either side of the recliner. Not available on Bariatric Recliners.



#### **BARIATRIC & SLEEP RECLINERS**

This mechanism provides Infinitely Adjustable positions: Position A - Seated with feet on the floor, footrest in down (closed) position. Seat-back angle is 102 degrees. Position B -Footrest is fully extended, without compromising the upright position of the back. The seat-back angle remains at 102 degrees. Position C - is the range of infinite adjustability from the seated position of 102 degrees back angle to the fully reclined position at 133 degrees. The Infinitely Adjustable Back angle can be locked in any position with the back adjustment lever that goes to a maximum of 133 degrees when fully extended. For the Sleep Recliner the maximum range increases to 175 degrees. The Jordan Recliner Infinitely Adjustable Mechanism is warrantied for one year after purchase.



#### FOOTREST LEVER

(Bariatric & Sleep Recliner Only) Jordan Sleep Recliner comes with the footrest lever, which extends and closes the built-in footrest. The footrest lever comes in a powdercoated finish to match the casters. The standard position when ordering is a left hand position based on facing the unit, unless specified otherwise.



#### **ENHANCED CUSHIONING**

The Jordan Recliners have been upgraded with a softer seat, a more pronounced headrest, and contoured back shaping for improved support. These enhancements, along with the addition of dual-density foam, make these recliners the leader in patient comfort.



#### PUSH BAR

This is a standard feature on the Jordan recliner when ordered with casters. Ergonomically designed to assist care-giving staff in the movement and operation of the recliner, and reduce back strain on the caregiver.

#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.











#### **ARM OPTIONS**

Arms are available in wood, wood with urethane arm cap or full urethane. The urethane provides enhanced durability and protection for the arms and is available in three color options; Black, Grey and Taupe. The urethane arm cap is field replaceable if damaged or degraded.

#### LEGS

Jordan Recliners are available with wood legs - in either Beech or Maple, as well as in three urethane color options; Black, Grey and Taupe. Two options exist for glides on the Jordan Recliners. The white nylon glides are ideal for use on flooring that is easily marked. The stainless steel glides should be utilized for all other types floor surfaces. The stainless steel glide is provided when ordering the Jordan Recliners unless the white nylon glide is specified. The white nylon glide is available at the same price as the stainless steel option.

#### BACK ADJUSTMENT LEVER

(Bariatric & Sleep Recliner Only)

The Jordan Sleep Recliner comes with the back adjustment lever which creates an infinite number of back adjustments within the chair. The back adjustment lever comes in a black plastic finish on the caregiver side. The standard position when ordering is left hand based on a position facing, the unit, unless specified otherwise.

#### HIGH DURABILITY MECHANISM

Jordan Recliner mechanisms are designed for high-traffic, intensive use in care-giving environments. They are built with high-strength steel, and include Delrin™ wear pads between moving components for added smoothness and longevity.

#### REMOVABLE COVERS AND REPLACEMENT COMPONENTS

Jordan Recliner and Sleep Recliners chairs are available with Removable Seat Covers for an upcharge of \$80 list per seat. Jordan Recliner and Sleep recliners are available with Removable Back Covers for an upcharge of \$90 list per back. Jordan Bariatric Recliner chairs are available with Removable Seat Covers for an upcharge of \$95 list per seat. Jordan Bariatric Recliner chairs are available with Removable Back Covers for an upcharge of \$125 list per back.

Removable seat and back covers can be quickly installed on Jordan products that were originally ordered with the Removable cover option. Removable seat and back covers can also be installed on Jordan products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs

#### CASTERS

The standard caster is 4" in diameter, softwheel, full swivel, with a lock that in a single action locks both the swivel and rotation of the caster. The Central Locking caster has the same features, with a hooded design.

#### **CLEANING & INFECTION CONTROL**

Specifically designed to ease the cleaning and disinfection of the recliner and the floor underneath. Upholstery covers can be made removable, and individual components are automatically removable, to enable thorough cleaning and disinfection.

## JORDAN | RECLINER OPTIONS



#### FOLEY HOOK

This recessed, retractable hook system provides a mounting system for catheter bags. It is spring-loaded to automatically retract when not in use, to eliminate any hazard.



#### **IV POLE & HOLDER**

The Jordan IV Pole is height adjustable (in a range of 27"), and can be added in the field. It can be located in any of four locations (left or right, front or back) -if ordered with the recliner, the location must be specified at time of order.



#### CUSHIONED ARMREST

The Cushioned Armrest was designed to maximize patient comfort during infusion treatments. The extra padded and wider arms provide comfort and support over long periods of time. Arms can be ordered in Krug standard healthcare rated gray vinyl or in coordinating textiles.



#### FLIP UP TABLET

The tablet's size is 18" x 14" x 3/4", and it can be located on either side of the recliner (must be specified if being ordered with the recliner). It is available in Beech and Maple Veneer, as well as Plastic Laminate with a Polymer edge. It folds flat (protruding 3" from the side of the recliner when flat). Please specify whether a right-handed or left-handed position is needed when ordering. Tablet must be mounted on the opposite side when a Patient Transfer Arm is ordered.



#### SWING AWAY TABLET

The Swing Away Tablet (24" x 14 3/4" x 3/4") is designed to be easily operated by the caregiver or user. The Break Away design allows for the tablet to be easily pushed away from the user in an emergency to gain quick access to the patient. The tablet has the ability to slide up and fold over and rotates 180 degrees. The kidney-shaped design is ideal for use as an eating, writing or work surface. The Footrest activation lever is specified either left or right handed based on a position facing the unit and opposite to where the tablet appears.



#### PATIENT TRANSFER ARM

The Patient Transfer Arm is designed to fold down where the arm is level with the chair seat. This design allows the caregiver to easily transport patients from the chair to bed. The arm is folded down by accessing the adjustment lever at the side of the chair. The Patient Transfer Arm is specified in a right or left handed position based on facing the unit. Please note, the Patient Transfer Arm cannot be located on the same side as IV Poles or the footrest lever or tablets.



#### FOOT TRAY

This option provides a concealed, pull-out tray to assist patients with ingress and egress. It features a non-slip tread and dedicated casters that prevent tipping when standing on the tray.



#### THERMAL COMFORT

Providing warmth to patients undergoing chemotherapy and other treatments can be vitally important. Thermal Comfort is an option available on all Jordan Recliners, and features a hand-held controller located on the inside arm of the recliner. It provides two heat zones: one in the seat and one in the back. Back and seat zones can be controlled independently, at a high or low heat setting. Controls are conveniently placed for the user to access and include a safety time-out feature after 30 minutes. Access to a 110/120 volt, 15 amp(min) electrical outlet is required. The upcharge for the Thermal Comfort is \$645 list.

#### **CENTRAL CASTER LOCKING SYSTEM**

Allows for single action locking of all four casters at one time. Casters are locked both directionally and rotationally, keeping the recliner in place when locked. Color coded external foot pedal (Red for lock, Green for unlocked) is mounted at the rear outside of the arm. Unless requested otherwise the foot pedal is on the bottom of the Left hand (facing) arm. Central locking casters are 4" diameter with soft wheel treads. Recliner Central Locking System is available for an upcharge of **\$750 list.** 

#### COMBINATION UPHOLSTERY OPTION

(more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **MOISTURE BARRIER & CAL 133 OPTION**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barrier & CAL 133 is available for an upcharge of **\$44 list** per yard.

## JORDAN | RECLINER & BARIATRIC RECLINER

#### DIMENSIONS

	Overall Width with 3 Position Mechanism	Overall Width with 3 Position Mechanism with Trendelenberg	Overall Width with Cushioned Armrest	Overall Width with Accessories	Overall Depth	Overall Depth when Reclined	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	) Cube
Recliner Bariatric		31.5	32 41.5	34.5 44	35 35	64 72	45.5 45.5	19.5 19.5	28.25 28.25	23 28.75	20 20	175 202	27 36

#### COM REQUIREMENTS

	COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only
Recliner						
One Chair	6	1.0	2.5	2.8	0.6	.75
Two Chairs	12	2.0	5	5.6	1.2	1.5
Three Chairs	18	3.0	7.5	8.4	1.8	2.25
Four Chairs	24	4.0	10	11.2	2.4	3
Bariatric						
One Chair	7.7	1	3.1	2.8	0.9	.75
Two Chairs	15.4	2	6.2	5.6	1.8	1.5
Three Chairs	23.1	3	9.3	8.4	2.7	2.25
Four Chairs	30.8	4	12.4	11.2	3.6	3

## JORDAN SLEEP RECLINERS

#### DIMENSIONS

	Overall Width w/ 4 Position Mechanism	Overall Width with Cushioned Armrest	Overall Width w/ Accessories both sides	Overall Depth	Overall Depth w/ Footrest Reclined	Overall Depth w/ Sleep Recline	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms		Shipping Weight	) Cubes
Sleep Recliner	32.25	34.5	38.25	37	54	72.5	45.5	19.5	28.25	23	20	175	27

#### **COM YARDAGES**

	COM Yardage for Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Footrest Upholstered Pad Only	Cushioned Armrest Only	
One Chair	5.8	1.0	2.5	2.8	0.4	.75	
Two Chairs	11.6	2.0	5	2.8	0.8	1.5	
Three Chairs	17.4	3.0	7.5	2.8	1.2	2.25	
Four Chairs	23.2	4.0	10	2.8	1.6	3	

**ORDERING NOTES:** All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. **Shipping note:** Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

#### Jordan Recliner Option Upcharges

	\$ List		\$ List
Moisture Barrier (per yard)	44	Foley Catheter Hook	150
Removable Seat Covers	80	Thermal Comfort	645
Removeable Back Covers	90	Central Locking System	750

SIN 71-316

			COM		COL		BRIC GRA	DES		LEATHER	
DESCRIPTION/M		Species	1	2	3	4	5	6	7	8	9
P	Cushioned Armrest, JOR8-RCINF12	3 Position Mechani Beech	ism with le 2735	gs (no pi 2857	ush bar) 2980	3152	3348	3520	3716	3961	4206
		Maple	2793	2915	3038	3210	3406	3578	3774	4019	4264
	Cushioned Armrest,	3 Position Mechani	ism with Tr	endelent	oera with	leas (no	push bar	)			
Hb	JOR8-RCINF22	Beech	2765	2887	3010	3182	3378	3550	3746	3991	4236
		Maple	2823	2945	3068	3240	3436	3608	3804	4049	4294
R	Cushioned Armrest, JOR8-RCINF11	3 Position Mechani n/a	ism with ca 2748	asters 2870	2993	3065	3361	3533	3729	3974	4219
	Cushioned Armrest,				0						
Lb	JOR8-RCINF21	n/a	2779	2901	3024	3196	3392	3564	3760	4005	4250
$\square$	Wood Arm, 3 Positio	n Mechanism with	legs (no pi	ush bar)							
<u>L</u>	JOR8-RCWOD12	Beech	2615	2737	2860	3032	3228	3400	3596	3841	4086
		Maple	2673	2795	2918	3090	3286	3458	3654	3899	4144
	Wood Arm, 3 Positio	n Mechanism with	Trendelent	pera with	leas (no	push bar	)				
La	JOR8-RCWOD22	Beech	2645	2767	2890	3062	3258	3430	3626	3871	4116
		Maple	2703	2825	2948	3120	3316	3488	3684	3929	4174

**ORDERING NOTES:** All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. See page 242 for additional options and replacement components. **Shipping note:** Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	\$ List		\$ List
Moisture Barrier	44	Foley Catheter Hook	150
Removable Seat Covers	80	Thermal Comfort	645
Removeable Back Covers	90	Central Locking System	750

Line	Series	Chair Type	Arm	Туре	Mechanism	Style
JOR	8	RC	INF	TIN	1	1
Jordan	Motion	Recliner	Cushioned Armres	t Transfer Infusion Arm	3 Position Mechanism	Casters
			WOD Wood Arm	TWD Transfer Wood	2 3 Position with	2 Wood Legs
			URE	Arm TUR	Trendelenberg Mechanism	3
			Urethane Cap	Transfer Wood Arm with Urethane Cap		Central Locking Casters (\$750 list upcharge)
			UPH	TUP		
			Upholstered Arm	Transfer Upholstered Arm		
			FUR Full Urethane	TFU Transfer Full Urethane Arm		

SIN 71-316

			СОМ		COL	FA	BRIC GF	RADES		LEATHE	R
DESCRIPTION/MC	DDEL	Species	1	2	3	4	5	6	7	8	9
$\bigcirc$	Wood Arm, 3 Position	n Mechanism with o	casters								
	JOR8-RCWOD11	Beech	2628	2750	2873	3045	3241	3413	3609	3854	4099
		Maple	2645	2767	2890	3062	3258	3430	3626	3871	4116
V											
	Wood Arm, 3 Position	n Mechanism with ]	Frendeler	nbera wit	h casters						
$\square$	JOR8-RCWOD21	Beech	2659	2781	2904	3076	3272	3444	3640	3885	4130
L	001101101100221	Maple	2676	2798	2921	3093	3289	3461	3657	3902	4147
		mapio	2010	2100	LOLI	0000	0200	0101	0001	OOOL	
$\square$	Wood Arm with Ureth				-						
	JOR8-RCURE12	Beech	2703	2825	2948	3120	3316	3488	3684	3929	4174
	(no push bar)	Maple	2761	2883	3006	3178	3374	3546	3742	3987	4232
v											
$\bigcirc$	Wood Arm with Ureth	nane Cap, 3 Positio	n Mecha	nism with	n Trendel	enberg w	ith legs				
$\parallel$	JOR8-RCURE22	Beech	2735	2857	2980	3152	3348	3520	3716	3961	4206
	(no push bar)	Maple	2793	2915	3038	3110	3306	3578	3774	4019	4264
V											
$\square$	Wood Arm with Urethane Cap, 3 Position Mechanism with casters										
	JOR8-RCURE11	Beech	2695	2817	2940	3112	3308	3480	3676	3921	4166
		Maple	2712	2834	2957	3129	3325	3497	3693	3938	4183
The state of the s											

ORDERING NOTES: All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Shipping note: Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

Jordan Recliner Option Upcharges	\$ List		\$ List
Moisture Barrier	44	Foley Catheter Hook	150
Removable Seat Covers	80	Thermal Comfort	645
Removeable Back Covers	90	Central Locking System	750

PRODUCT CODE KEY


Line	Series	Chair Type	Arm	Туре	Mechanism	Style
JOR	8	RC	INF	TIN	1	1
Jordan	Motion	Recliner	Cushioned Armres	t Transfer Infusion Arm	3 Position Mechanism	Casters
			WOD Wood Arm	TWD Transfer Wood Arm	2 3 Position with Trendelenberg Mechanism	2 Wood Legs
			URE	TUR		3
			Urethane Cap	Transfer Wood Arm with Urethane Cap		Central Locking Casters (\$750 list upcharge)
			UPH	TUP		
			Upholstered Arm	Transfer Upholstered Arm		
			FUR Full Urethane	TFU Transfer Full Urethane Arm		

#### SIN 71-316

			COM		COL	FAI	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MC	DEL	Species	1	2	3	4	5	6	7	8	9
$\bigcirc$	Wood Arm with Uret	hane Cap, 3 Pos	ition Mechan	ism with	Trendele	enberg wi	th caster	S			
	JOR8-RCURE21	Beech	2727	2849	2972	3144	3340	3512	3708	3953	4198
		Maple	2744	2866	2989	3161	3357	3529	3725	3970	4215
	Upholstered Arm, 3										
	JOR8-RCUPH12	Beech	2434	2568	2701	2889	3102	3290	3503	3771	4038
	(no push bar)	Maple	2450	2584	2717	2905	3118	3306	3519	3787	4054
	Upholstered Arm, 3 Position Mechanism with Trendelenberg, with legs										
	JOR8-RCUPH22	Beech	2500	2634	2767	2955	3168	3356	3569	3837	4104
	(no push bar)	Maple	2516	3650	2783	2971	3184	3372	3585	3853	4120
	Upholstered Arm, 3 JOR8-RCUPH11	Position Mechan n/a	ism, with cas 2490	ters 2624	2757	2945	3158	3346	3559	3827	4094
		174	2400	LULA	2101	2040	0100	0040	0000	0021	1001
	Upholstered Arm, 3 JOR8-RCUPH21	Position Mechan n/a	ism with Tren 2556	idelenbe 2690	rg, with o 2823	casters 3011	3224	3412	3625	3893	4160



**PATIENT TRANSFER ARM:** Jordan Recliners and their replacement arms are available with the option of a patient transfer arm, see image. Patient Transfer Arms cannot be used in conjunction with accessories such as the IV Pole on the same side as the transfer mechanism. To order the Patient Transfer Arm, please refer to the Product Code Key, under Arm Style and apply the following **\$650 list** upcharge to the recliner pricing. Please note, the Patient Transfer Arm is specified either right or left handed based on a position facing the unit. See page 242 for additional options and replacement components.



SIN 71-316

			СОМ		COL	FAE	BRIC GRA	DES		LEATHEF	3
DESCRIPTION/MO	DDEL	Species	1	2	3	4	5	6	7	8	9
$\bigcirc$	Full Urethane Arm, 3	Position Mechanis	n, with leg	gs							
$\ $	JOR8-RCFUR12	Beech	2537	2659	2782	2954	3150	3322	3518	3763	4008
	(no push bar)	Maple	2577	2699	2822	2994	3190	3362	3558	3803	4048
	Full Urethane Arm, 3 JOR8-RCFUR22	Position Mechanis	n with Tre 2568	ndelenbe	erg, with 2813	legs 2985	3081	3353	3549	3794	4039
	(no push bar)	Maple	2608	2730	2853	3025	3221	3393	3589	3834	4079
$\bigcirc$	Full Urethane Arm, 3	Position Mechanis	n with ca	sters							
	JOR8-RCFUR11	n/a	2549	2671	2794	2966	3162	3334	3530	3775	4020
	Full Urethane Arm, 3				0						
	JOR8-RCFUR21	n/a	2581	2703	2826	2998	3194	3366	3562	3807	4052



#### PATIENT TRANSFER ARM:

Jordan Recliners and their replacement arms are available with the option of a patient transfer arm, see image. Patient Transfer Arms cannot be used in conjunction with accessories such as the IV Pole on the same side as the transfer mechanism. To order the Patient Transfer Arm, please refer to the Product Code Key, under Arm Style and apply the following **\$650 list** upcharge to the recliner pricing. Please note, the Patient Transfer Arm is specified either right or left handed based on a position facing the unit. See page 242 for additional options and replacement components.

Line	Series	Chair Type	Arm	Туре	Mechanism	Style
JOR	8	RC	INF	TIN	1	1
Jordan	Motion	Recliner	Cushioned Armres	t Transfer Infusion Arm	3 Position Mechanism	Casters
			WOD	TWD	2	2
			Wood Arm	Transfer Wood Arm	3 Position with Trendelenberg Mechanism	Wood Legs
			URE	TUR		3
			Urethane Cap	Transfer Wood Arm with Urethane Cap		Central Locking Casters (\$750 list upcharge)
			UPH	TUP		
			Upholstered Arm	Transfer Upholstered Arm		
			FUR Full Urethane	TFU Transfer Full Urethane Arm		

## JORDAN | BARIATRIC RECLINER

SIN 71-316

			COM		COL	FA	BRIC GR	ADES	LEATHER		
DESCRIPTION/MC	-	Species	1	2	3	4	5	6	7	8	9
	Cushioned Armrest, with	ı legs									
	JOR8-BSRINF12	Beech	3807	3974	4141	4375	4642	4876	5143	5477	5811
Iba	(no push bar)	Maple	3865	4032	4199	4433	4700	4934	5201	5535	5869
a Arman A											
	Cushioned Armrest, with	ocatora									
	JOR8-BSRINF11	I Casters	4046	4213	4380	4614	4881	5115	5382	5716	6050
Th			4040	4210	4000	4014	4001	5115	330Z	5710	0000
6											
0 0 0											
	Wood Arm, with legs	<b>_</b>		0055	4000	1050	4500	4757	5004	5050	5000
	JOR8-BSRWOD12	Beech	3688	3855	4022	4256	4523	4757	5024	5358	5692
	(no push bar)	Maple	3746	3913	4080	4314	4581	4815	5082	5416	5750
* \ V											
$\overline{\qquad}$	Wood Arm, with casters										
$\left  - \right $	JOR8-BSRWOD11	Beech	3927	4094	4261	4495	4762	4996	5263	5597	5931
		Maple	3944	4111	4278	4512	4779	5013	5280	5614	5948
		mapio	0011		1210	1012	1110	0010	0200	0011	0010
* F											
Ø											
	Wood Arm with Urethane	e Cap, with legs									
$\left  - \right $	JOR8-BSRURE12	Beech	3716	3883	4050	4284	4551	4785	5052	5386	5720
	(no push bar)	Maple	3774	3941	4108	4342	4609	4843	5110	5444	5778
	· · ·	-									

**ORDERING NOTES:** All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. See page 242 for additional options and replacement components.

Shipping note: Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

#### Jordan Bariatric Recliner Option Upcharges

	\$ List		\$ List
Moisture Barrier (per yard)	44	Foley Catheter Hook	150
Removable Bariatric Seat Covers	95	Thermal Comfort	645
Removeable Bariatric Back Covers	125	Central Locking System	750

Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR	8	BSR	INF	1	1
Jordan	Motion	Bariatric Recliner	Cushioned Armrest	Bariatric Mechanism	Casters
			WOD Wood Arm		2 Legs
			URE		3
			Urethane Cap		Central Locking Casters
			UPH		(\$750 list upcharge)
			Upholstered Arm		
			FUR		
			Full Urethane		

## JORDAN | BARIATRIC RECLINER

## SIN 71-316

			COM		COL	OL FABRIC GRADES		RADES	LEATHER		ER
DESCRIPTION/MC	DEL	Species	1	2	3	4	5	6	7	8	9
$\overline{\qquad}$	Wood Arm with Ureth	nane Cap, with o	casters								
	JOR8-BSRURE11	Beech	3982	4149	4316	4550	4817	5051	5318	5652	5986
		Maple	3999	4166	4333	4567	4834	5068	5335	5669	6003
	Full Urethane Arm, w	ith legs									
	JOR8-BSRFUR12	Beech	3574	3741	3908	4142	4409	4643	4910	5244	5578
	(no push bar)	Maple	3614	3781	3948	4182	4449	4683	4950	5284	5618
	Full Urethane Arm, w JOR8-BSRFUR11	ith casters n/a	3769	3936	4103	4337	4604	4838	5105	5439	5773

**ORDERING NOTES:** All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. **Shipping note:** Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

#### Jordan Bariatric Recliner Option Upcharges

	\$ List		\$ List
Moisture Barrier (per yard)	44	Foley Catheter Hook	150
Removable Bariatric Seat Covers	95	Thermal Comfort	645
Removeable Bariatric Back Covers	125	Central Locking System	750

See page 242 for additional options and replacement components. Bariatric Recliners are not available with Patient transfer arms.

Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR Jordan	8 Motion	BSR Bariatric Recliner	INF Cushioned Armrest	1 Bariatric Mechanism	1 Casters
bordan	Woton	Banano reconter	WOD Wood Arm	Banatio Moonanism	2 Legs
			URE Urethane Cap		3 Central Locking Casters
			UPH		(\$750 list upcharge)
			Upholstered Arm		
			FUR		
			Full Urethane		

## JORDAN | BARIATRIC RECLINER

SIN 71-316

			COM		COL	FA	ABRIC GF	RADES		LEATH	ER
DESCRIPTION/M	ODEL	Species	1	2	3	4	5	6	7	8	9
	Upholstered Arm, wit	th legs									
$\parallel$	JOR8-BSRUPH12	Beech	3588	3760	3931	4171	4446	4686	4960	5304	5647
	(no push bar)	Maple	3604	3776	3947	4187	4462	4702	4976	5320	5663



Upholstered A	rm, with	n casters									
JOR8-BSRUP	H11	n/a	3726	3898	4069	4309	4584	4824	5098	5442	5785

**ORDERING NOTES:** All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. **Shipping note:** Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

#### Jordan Bariatric Recliner Option Upcharges

	\$ List		\$ List
Moisture Barrier (per yard)	44	Foley Catheter Hook	150
Removable Bariatric Seat Covers	95	Thermal Comfort	645
Removeable Bariatric Back Covers	125	Central Locking System	750

See page 242 for additional options and replacement components. Bariatric Recliners are not available with Patient transfer arms.

Line	Series	Chair Type	Arm Type	Mechanism	Style
JOR	8 Matian	BSR Baristria Basliner			
Jordan	Motion	Bariatric Recliner	Cushioned Armrest WOD Wood Arm	Bariatric Mechanism	Casters 2 Legs
			URE		3
			UPH		Central Locking Casters (\$750 list upcharge)
			Upholstered Arm		
			Full Urethane		

## JORDAN | SLEEP RECLINER SIN 71-316

			COM		COL	FAB	RIC GRA	DES		LEATHEF	3
DESCRIPTION/MC	DEL	Species	1	2	3	4	5	6	7	8	9
	Cushioned Armrest, wit JOR8-SRINF24 (no push bar)	h legs Beech Maple	3163 3222	3286 3345	3408 3467	3580 3639	3776 3835	3948 4007	4144 4203	4389 4448	4634 4693
	Cushioned Armrest, wit JOR8-SRINF14 (no push bar)	h casters	3350	3473	3595	3767	3963	4135	4331	4576	4821
	JOR8-SRINF13		3395	3518	3640	3812	4008	4180	4376	4621	4866
	Wood Arm, with legs										
$\left  - \right $	JOR8-SRWOD24	Beech	3044	3167	3289	3461	3657	3829	4025	4270	4515
	(no push bar)	Maple	3103	3226	3348	3520	3716	3888	4084	4329	4574
	Wood Arm, with casters	6									
$\square$	JOR8-SRWOD14	Beech	3231	3354	3476	3648	3844	4016	4212	4457	4702
	(no push bar)	Maple	3250	3373	3495	3667	3863	4035	4231	4476	4721
	JOR8-SRWOD13	Beech Maple	3276 3295	3399 3418	3521 3540	3693 3712	3889 3908	4061 4080	4257 4276	4502 4521	4747 4766

**ORDERING NOTES:** All Jordan Recliners components are specified either left or right handed based on a position facing the unit. **Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. **Shipping note:** Jordan Sleep Recliners ship with the back apart from the chair folded down inside the packaging.

See page 242 for additional options and replacement components.

Jordan Sleep Recliner Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	80
Removeable Back Covers	90
Foley Catheter Hook	150
Thermal Comfort	645
Central Locking System	750

Line	Series	Chair Type	Arm Type	Style	
JOR	8	SR	INF	1	3
Jordan	Motion	Sleep Recliner	Cushioned Armrest	Casters	Push Bar
			WOD Wood Arm	2 Legs	4 No Push Bar
			URE		
			Urethane Cap	Central Locking Casters (\$750 list upcharge)	
			Upholstered Arm		
			FUR Full Urethane		

## JORDAN | SLEEP RECLINER

SIN 71-316

			COM		COL	FA	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MO	DEL	Species	1	2	3	4	5	6	7	8	9
$\square$	Wood Arm with Ureth	ane Cap, with le	egs								
	JOR8-SRURE24	Beech	3102	3225	3347	3519	3715	3887	4083	4328	4573
	(no push bar)	Maple	3160	3283	3405	3577	3773	3945	4141	4386	4631
	Wood Arm with Ureth	ane Cap, with c	asters	0.400	0504	0700	0000	4074	4007	4540	4757
$\mathbb{H}$	JOR8-SRURE14	Beech	3286	3409	3531	3703	3899	4071	4267	4512	4757
	(no push bar)	Maple	3305	3428	3550	3722	3918	4090	4286	4531	4776
	JOR8-SRURE13	Beech	3332	3455	3577	3749	3945	4117	4313	4558	4803
A C		Maple	3351	3474	3596	3768	3964	4136	4332	4577	4822
	Upholstered Arm, with	h legs									
$\mathbb{H}$	JOR8-SRUPH24	Beech	2948	3077	3206	3387	3594	3775	3982	4240	4499
	(no push bar)	Maple	2965	3094	3223	3404	3611	3792	3999	4257	4516
	Upholstered Arm, witl	h casters									
$\parallel$	JOR8-SRUPH14	n/a	3008	3137	3266	3447	3654	3835	4042	4300	4559
	(no push bar)										
	· · /										
* · · · ·	JOR8-SRUPH13	n/a	3026	3155	3284	3465	3672	3853	4060	4318	4577
Ð											



Moisture Barrier (per yard) Removable Seat Covers

Removeable Back Covers

Central Locking System

Foley Catheter Hook

Thermal Comfort

Jordan Sleep Recliner Option Upcharges

#### PATIENT TRANSFER ARM:

Jordan Sleep Recliners and their replacement arms are available with the option of a patient transfer arm, see image. Patient Transfer Arms cannot be used in conjunction with accessories such as the IV Pole on the same side as the transfer mechanism. To order the Patient Transfer Arm, please refer to the Product

> **\$ List** 44

> > 80

90

150

645

750

Code Key, under Arm Style and apply the following **\$650 list** upcharge to the recliner pricing. Please note, the Patient Transfer Arm is specified either right or left handed based on a position facing the unit.

See page 242 for additional options and replacement components.

Line	Series	Chair Type	Arm Type	Style	
JOR	8	SR	INF	1	3
Jordan	Motion	Sleep Recliner	Cushioned Armrest	Casters	Push Bar
			WOD Wood Arm	2 Legs	4 No Push Bar
			URE	3	
			Urethane Cap	Central Locking Casters (\$750 list upcharge)	
			Upholstered Arm		
			FUR Full Urethane		

## JORDAN | SLEEP RECLINER

SIN 71-316

			COM		COL	FAI	BRIC GR	ADES		LEATHE	R
DESCRIPTION/MO	DEL	Species	1	2	3	4	5	6	7	8	9
$\bigcirc$	Full Urethane Arm, w	ith legs									
	JOR8-SRFUR24	Beech	2931	3054	3176	3348	3544	3716	3912	4157	4402
	(no push bar)	Maple	2971	3094	3216	3388	3584	3756	3952	4197	4442
	Full Urethane Arm, w JOR8-SRFUR14	ith casters n/a	3116	3239	3361	3533	3729	3901	4097	4342	4587
	(no push bar) JOR8-SRFUR13	n/a	3162	3285	3407	3579	3775	3947	4143	4388	4633



#### PATIENT TRANSFER ARM:

Jordan Sleep Recliners and their replacement arms are available with the option of a patient transfer arm, see image. Patient Transfer Arms cannot be used in conjunction with accessories such as the IV Pole on the same side as the transfer mechanism. To order the Patient Transfer Arm, please refer to the Product Code Key, under Arm Style and apply the following **\$650 list** upcharge to the recliner pricing. Please note, the Patient Transfer Arm is specified either right or left handed based on a position facing the unit.

See page 242 for additional options and replacement components.

Jordan Sleep Recliner Option Upcharges	\$ List
Moisture Barrier (per yard)	44
Removable Seat Covers	80
Removeable Back Covers	90
Foley Catheter Hook	150
Thermal Comfort	645
Central Locking System	750

Line	Series	Chair Type	Arm Type	Style	
JOR	8	SR	INF	1	3
Jordan	Motion	Sleep Recliner	Cushioned Armrest	Casters	Push Bar
			WOD Wood Arm	2 Legs	4 No Push Bar
			URE	3	
			Urethane Cap	Central Locking Casters	
			UPH	(\$750 list upcharge)	
			Upholstered Arm		
			FUR		
			Full Urethane		

# **JORDAN** | RECLINER OPTIONS & REPLACEMENT COMPONENTS SIN 71-316

	Price		Shipping Weight	Cubes
IV Pole JOR8-RCRIP	203		3.8	1.4
IV Pole Holder JOR8-RCRIPB	62		2	0.2
Flip Up Tablet with brac JOR8-RCRTK (wood or laminate)	ckets 290		6.6	1.6
Flip Up Tablet JOR8-RCRT (wood or laminate)	232	18"w x 14"d x .75"h	5.8	1.4
Flip Up Tablet Bracket JOR8-RCRTH	82		0.8	0.2
Swing Away Tablet with JOR8-SRST (wood or laminate)	n Mechanism 320	24"w x 14.75"d x .75"h	20	1.2
Swing Away Tablet Onl JOR8-SRRT (wood or laminate)	y 165		7	0.8
Swing Away Tablet Med JOR8-SRRTH	chanism Only 209		13	1
Push Bar JOR8-SRRPB	143		2	0.3
Replacement Foley Cat JOR8-RHK	theter Hook 150		1	0.2
Locking Rubber Wheel JOR8-RCRCASR -Bac JOR8-RCRCASF -Fror	k 66		2	0.2
Recliner Foot Tray			2.8	15
JOR8-SRRFT	314		2:0	




#### JORDAN

- 246 Jordan LEED Credit Summary
- 247 Jordan Glider Features
- 248 Jordan Dimensions & COM Requirements
- 249 Jordan Glider

## LEED CI CREDIT SUMMARY

## JORDAN GLIDER



	OGNITIED TEO TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

## level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry

#### **AIR-EMISSIONS**

All Jordan products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**®

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Jordan and other Krug products can be specified with FS<sup>®</sup> Certification



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.





#### **CLEAN OUT**

Jordan Glider seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquid to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.

#### STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Jordan Glider to well exceed ANSI/BIFMA standards.

#### **METAL-TO-METAL CONNECTIONS**

Steel seat frames are joined to other components, in Jordan Glider products, with hardened steel bolts and inserts, ensuring exceptional durability and strength, and easy reconfigurability, as well as on-site replacement of damaged or degraded components.



#### WALL SAVER DESIGN

The angle of the back and the rear legs are designed to keep the back away from the wall, in a locked position, to prevent wear and damage to both the chairs and to the walls of the facility.

#### ANTI-MICROBIAL FINISH

Jordan wood surfaces come with an antimicrobial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

#### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### **URETHANE ARM CAP**

The optional arm cap provides enhanced durability and protection for the arms. This is field removable if this becomes damaged or degraded.

#### DESIGNER WHITE -D354SL SOLID SURFACE ARM CAP

Jordan Glider is available with an optional Solid surface arm cap for an up charge of \$193 list per chair. The Solid Surface Arm Cap is field replaceable.



#### HEADREST

The headrest has a dual density foam for both comfort and support, and can be upholstered in matching or contrasting material. It is removable to allow for cleaning and replacement.

#### HORIZONTAL MOTION

The Jordan glider is designed to move the patient in a smooth, flat arc that is gentle, soothing and safe. The position of the feet is maintained on the floor throughout the glider motion, rather than being raised up down in a rocking motion.

## **JORDAN** | GLIDER FEATURES

#### **TWO WIDTHS**

21" and 24" widths are offered, allowing flexibility in accommodating patients of different sizes, and providing for the comfortable use of bolsters, pillows and other means of support for the patient.

#### MECHANISM

The mechanism is both replaceable in the field, and features a locking function so the glider can be used as a fixed chair.

#### **REMOVABLE UPHOLSTERY COVERS**

The seat and back covers can be specified to be removable, allowing for cleaning and repair, or replacement.

#### REMOVABLE AND REPLACEABLE COMPONENTS

All of the components - the seat, back, the arms, the arm cap, and the mechanism can be removed for cleaning, and replaced if damaged. Replacement Parts can be viewed on line at www.krug.ca.



The Glider's front panel has an attractive arc that serves an important function: to provide safer ingress and egress by allowing the patient to get their feet underneath their weight. This is augmented by arms that have been designed as softly rounded hand-holds, to safely and comfortably support the weight of the patient while entering and exiting the chair.

#### WEIGHT CAPACITIES

Jordan weight capacities are as follows: Glider - 350 lbs

#### **OPTIONS**

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### Moisture Barrier & CAL 133

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$772 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Moisture Barriers & CAL 133 is available for an upcharge of \$44 list per vard.





## JORDAN | GLIDER

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM Yardage Seat
21" Seat	25	28	43.5	18.5	26	20.5	20	126	17	0.9
24" Seat	28	28	43.5	18.5	26	23.5	20	131	22	0.9

#### **COM REQUIREMENTS**

	COM Yardage Complete Unit	Yardage Per Chair - Complete Unit	COM Yardage Back Only	Yardage Per Chair - Back Only	COM Yardage Seat Only	Yardage Per Chair - Seat Only	COM Yardage Inner Arm Panels (Pair)	Yardage Per Chair Inner Arm Panels (Pair
One Chair	4.6	4.6	1.97	1.97	0.9	0.9	0.5	0.5
Two Chairs	9.2	4.6	3	1.5	1.3	0.63	1	0.5
Three Chairs	13.8	4.6	4	1.33	2.37	0.79	1.5	0.5
Four Chairs	18.4	4.6	6	1.5	2.6	0.65	2	0.5

#### **COM REQUIREMENTS (Continued)**

	COM Yardage Outer Arm Panels (Pair)	Yardage Per Chair Outer Arm Panels (Pair)	COM Yardage Front Recessed Kickplate Only	Yardage Per Chair - Front Recessed Kickplate Only	COM Yardage Back Kickplate Only	Yardage Per Chair Back Kickplate Only
One Chair	1.7	1.7	0.5	0.5	0.3	0.3
Two Chairs	3.4	1.7	1	0.5	0.6	0.3
Three Chairs	5.1	1.7	1.5	0.5	0.9	0.3
Four Chairs	6.8	1.7	2	0.5	1.2	0.3

Note: Some vinyls, leathers & upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

For Maharam or Momentum, Krug will obtain the upholstery cover sample.

2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.

3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

### JORDAN | GLIDER

21"







#### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Option Upcharges	\$ List			
CAL 133 & Moisture Barrier (per yard)	44			
Removable Seat Covers	61			
Removable Back Covers	72			
Designer White -D354SL Solid Surface Arm Cap	193			
WEIGHT CAPACITIES Jordan weight capacities are as follows:				

Jordan Glider - 350 lbs

Jordan replacement parts can be viewed on-line at www.krug.ca FEATURES:

For a complete list of features see page 245.

## JORDAN | GLIDER SIN 71-316

DESCRIPTION/M	IODEL	Species	COM 1	2	COL 3	FAE 4	BRIC GRADI	ES 6	7	LEATHER 8	9
	21" Wood Arm JOR6-GL21WOD	Beech Maple	1482 1505	1574 1598	1667 1690	1760 1783	1881 1904	2003 2026	2125 2148	2274 2298	2426 2449
	21" Wood Arm with Ureth JOR6-GL21URE	aane Cap Beech Maple	1574 1598	1667 1690	1760 1783	1852 1875	1973 1997	2096 2119	2217 2240	2367 2390	2518 2541
	24" Wood Arm JOR6-GL24WOD	Beech Maple	1563 1586	1656 1679	1749 1772	1841 1864	1962 1986	2084 2107	2205 2228	2356 2379	2506 2529
	24" Wood Arm with Ureth JOR6-GL24URE	aane Cap Beech Maple	1656 1679	1749 1772	1841 1864	1934 1957	2055 2078	2176 2199	2298 2321	2449 2472	2599 2622
	21" Adjustable Headrest JOR2-RHR21		216	249	268	287	305	325	344	364	389
	24" Adjustable Headrest JOR2-RHR24		238	273	294	315	336	357	378	399	427

CONTRASTING BACKS, SEATS, ARM PANELS, RECESSED FRONT PANEL & BACK PANEL Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22** list per unit and **\$44** list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

GLIDER	SEAT	BACK	INNER ARM PANEL	OUTER ARM PANEL	RECESSED FRONT PANEL	BACK KICKPLATE
21" & 24"	0.9	1.9	0.5	1.7	0.5	0.3


Line	Series	Chair Type	Size	Arm Type
JOR Jordan	6 Motion	GL	21	WOD Show Wood
			24	URE Wood with Urethane Cap

### SLEEPERS

### AMELIO

 251 Amelio LEED Credit Summary
 252 Amelio Dimensions & COM Requirements | Sleep Sofa
 253 Amelio Custom Sizing & Features
 254 Amelio Sleep Sofa Options
 256 Amelio Sleep Sofa
 JORDAN LOUNGE SLEEPERS
 258 Jordan LEED Credit Summary

258	Jordan LEED Credit Summary
259	Jordan Dimensions & COM
	Requirements   Lounge Sleepers
260	Jordan Lounge Sleepers Features
261	Jordan Lounge Sleepers Options
262	Jordan Lounge Sleepers Instructions
263	Jordan Lounge Sleepers
266	Jordan Lounge Sleepers
	Replacement Parts



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

# level



FSC<sup>o</sup> C021699



### level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION

### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Amelio products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

### AIR-EMISSIONS

All Amelio products are supplied air-emissions certified. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Amelio and other Krug products can be specified with FS<sup>®</sup> Certification

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### AMELIO | SLEEP SOFA

### DIMENSIONS

			Overall			Width				
	Overall	Sleep Surface	Depth	Overall	Seat	Between	Arm	Seat	Shipping	
	Width	Length	Chair	Height	Height	Arms	Height	Depth	Weight	Cubes
ARMLESS										
70"	70	68	34.5	34.5	19	-	-	20	220	65
74"	74	72	34.5	34.5	19	-	-	20	230	69
78"	78	76	34.5	34.5	19	-	-	20	240	72
82"	82	80	34.5	34.5	19	-	-	20	250	76
WITH ARMS										
74"	74	68	34.5	34.5	19	68	23.5	20	239	69
78"	78	72	34.5	34.5	19	72	23.5	20	249	72
82"	82	76	34.5	34.5	19	76	23.5	20	259	76
86"	86	80	34.5	34.5	19	80	23.5	20	269	79

STORAGE CO	MPART		SIONS		SLEEP SURFACE DIMENSIONS
	SIZE	WIDTH/SEAT	DEPTH	HEIGHT	SIZE LENGTH WIDTH
ARMLESS	70"	32	18.5	8	<b>ARMLESS</b> 70" 68 28.75
	74"	34	18.5	8	74" 72 28.75
	78"	36	18.5	8	78" 76 28.75
	82"	38	18.5	8	82" 80 28.75
WITH ARMS	74"	32	18.5	8	<b>WITH ARMS</b> 74" 68 28.75
	78"	34	18.5	8	78" 72 28.75
	82"	36	18.5	8	82" 76 28.75
	86"	38	18.5	8	86" 80 28.75

### **COM REQUIREMENTS**

	COM Yardage Complete Unit Standard Back **	COM Yardage Complete Unit Finished Back	COM Yardage Seat Cushions Only	COM Yardage Outer Back Only	COM Yardage Back Seat Cushion Only	COM Yardage Arm Panel Only	COM Yardage Kick Panel Only	COM Yardage Rear Seat Only
ARMLESS					(End Cap)			
70"	8.5	10.1	2.3	1.1	2.8	1	0.8	0.5
74"	8.5	10.1	2.3	1.1	2.8	1	0.8	0.5
78"	8.5	10.1	2.3	1.1	2.8	1	0.8	0.5
32"	8.5	10.1	2.3	1.1	2.8	1	0.8	0.5
WITH ARMS	5							
74"	10	11.6	2.3	1.1	2.8	2.5	0.8	0.5
78"	10	11.6	2.3	1.1	2.8	2.5	0.8	0.5
32"	10	11.6	2.3	1.1	2.8	2.5	0.8	0.5
36"	10	11.6	2.3	1.1	2.8	2.5	0.8	0.5

NOTE: Some vinyls, leathers and upholsteries are not suitable for application on Amelio seating.

The COM approval process is as follows:


1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.

3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.

### COMBINATION UPHOLSTERY OPTIONS

When ordering combination upholstery or using COM fabric, please use the following fabric placement reference guide. Simply make a copy, note the fabrics and send in with the order



The Outer Back upholstery supplied is a latex-free gray colored vinyl, a high-durability polyester fabric with a vinyl backer, designed to withstand impact and helps prevent the passage of moisture.

### AMELIO | CUSTOM SIZING



Amelio Sleep Sofa was designed for use with all floorplans, even the most challenging spaces. The Amelio Sleep Sofa is available in custom sizes in 1" increments between the size range of 68" - 84", please use next size up for pricing when ordering 10 or more units. For non-standard sizes in quantities less than 10 units or for other customization of Amelio, please contact Customer Service to obtain a special quote.

The flip-down sleep surface instantly transforms this sofa into a full-length sleeper, without encroaching at all on the footprint of the room, and without any mechanical operation. Sleep surface cushions are held in place with accessible straps - so that they are removable for cleaning and repair, but the cushions will stay in place when the unit is in use.

The Amelio Sleep Sofa unique construction and design provides comfortable daytime seating elements for guests. The split back design provides versatile sleeping options, one back section can be folded to create a parent supervised sleeping surface for a child or the complete back can be folded to accommodate overnight visitors.



### FOLD DOWN SLEEPING SURFACE

The Amelio Sleep Sofa creates a sleep surface that does not impede the footprint of the patient room. The back custions fold down and lay flat on the seating surface to create a comfortable sleeping surface. For ease of cleaning and infection control, the sleep surface is upholstered with a healthcarerated gray vinyl and features a standard moisture barrier on the cushion's surface and sides. Back/sleep cushions are attached to the sleep sofa to prevent loss of cushions.



The Amelio Sleep Sofa has the option of 2" round steel or wood legs. All sofa sizes features a center leg for additional support and strength. An adjustable glide is standard on all legs. This helps ensure the furniture is steady and level on uneven floors.

#### PLINTH

LEGS



This base comes in standard Silver Metallic, or custom colors. It is designed to help prevent dirt, debris and liquids from accumulating under the sofa sleeper. It is removable and replaceable in the field, or can be added subsequently to units with steel legs.

### AMELIO | SLEEP SOFA FEATURES

#### CASTERS

4" Casters are available on the Amelio sleep sofa and feature five soft wheels, which lock and include an easy access foot activation and release lever. The casters can be locked both directionally and rotationally, keeping the sofa sleeper securely in place when locked.

### ARMED & ARMLESS VERSIONS

The Amelio Sleep Sofa comes available in either an armed or armless version. Arms can be added to armless units in the field. Armed versions are available with Upholstered Arm, Upholstered Arm with Urethane Cap or Upholstered Arm with Wood Cap.



#### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

### AMELIO | SLEEP SOFA FEATURES



### CLEAN OUT

A 5/8" space between the top of the seat and bottom of the back provide a clean out, for dirt and debris to fall or be swept into, going directly to the floor. The storage compartment also features vented bottoms that perform the same function.



### RAISED OFF THE FLOOR

Ample space (5.5", plus up to .5" of glide adjustment) between the bottom of the unit and the floor is designed to enable easier cleaning of the floor underneath.



### STORAGE COMPARTMENT

An optional under-seat storage compartment features a cleanable interior surface with a vented plastic bottom, with a clean-out for debris and liquids. The spring-assisted, stainless steel mechanism holds the seat in the upright position to provide safe access



### URETHANE ARM CAP

The optional urethane arm cap provides enhanced durability and protection for the arms. This component is field replaceable if it becomes damaged or degraded. Urethane arm caps are made with anti-microbial technology throughout the arms, so the anti-microbial propertied are retained even if an arm is damaged on the surface.



### WOOD ARM CAP

The optional Wood arm cap helps to create a warm and inviting environment. Wood arm caps are field replaceable if they becomes damaged or degraded. The wood arm cap is provided with a standard anti-microbial Enduraguard finish.

### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be an industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### ANTI-MICROBIAL FINISH

Amelio wood surfaces come with an antimicrobial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

### **HEAVY DUTY HARDWARE & CONNECTIONS**

High strength steel mechanisms are joined to other components in Amelio Sofa sleeper product with hardened steel bolts and metal inserts, ensuring exceptional durability, strength and on-site replacement of damaged or degraded components.

#### **REPLACEABLE COMPONENTS**

Healthcare furnishings are constantly subjected to intensive use, and even damage. Amelio Sofa sleepers are uniquely designed to allow virtually all major components to be field replaced, providing a very cost effective means to significantly extend the life of the product. Seats and Sleep surface cushions are removable (for repair and cleaning), and replaceable, as are legs, casters, arm panels, arm caps, front panels and storage mechanisms.

### OPTIONS

#### COMBINATION UPHOLSTERY OPTIONS

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22 list** per unit and **\$44 list** per unit for three fabrics. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

### **CAL 133 & MOISTURE BARRIER**

The sleep surface cushions are supplied with a standard moisture barrier applied to the top and sides of the foam cushions. CAL 133 and Moisture Barriers are available on the complete unit, please see upcharges in ordering notes. California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method which, in combination with nonflammable upholstery covers, may enable the products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier a treatment that helps to prevent the passage of liquids and moisture to inside of upholstered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this upcharge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL 133 compliant. If official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$772 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of product and upholstery have already been tested. Please contact Customer Service for additional information.

#### WEIGHT CAPACITY

Amelio Sleep Sofa has been load tested to 525 lbs.

### AMELIO | REMOVABLE SLEEP SURFACE & SEAT CUSHIONS



Amelio backs are standard with a zipper allowing access to the sleep surface cushion straps. These straps are released by simply peeling back the velcro holding them in place.



Removable upholstery cover options on seats and sleep surface cushions, to allow cleaning, repair and replacement. When ordering removable seat covers at time of order, the upcharge is **\$161 list** per seat. Removable Sleep Surface covers are a standard product feature.

Replacement Seat and Sleep Surface Cushion Covers are field replaceable and can be ordered anytime after purchase for the following list prices:

	СОМ			COL	FABRIC GRADES			LEATHER		
DESCRIPTION/MODEL	Only	1	2	3	4	5	6	7	8	9
Replacement Seat Cover Replacement Sleep Surface Cushion Cover	347 530	492 675	564 746	636 819	781 964	925 1108	1069 1252	1214 1397	1358 1541	1647 1830

### AMELIO | ANTI-MICROBIAL

Amelio Sleep Sofas are designed for environments where infection control is a priority, with several components featuring anti-microbial technology that inhibits the growth of germs and pathogens. Wood surfaces are coated in an anti-microbial finish, and Urethane caps have anti-microbial treatment through the entire component, so it will remain effective even if the arm is damaged.

### AMELIO | SLEEP SURFACE CLEANING

Amelio Sleep Sofas are standard with healthcare-rated gray vinyl sleep surface. It is easily cleanable and acts as a moisture barrier on the top of the sleep surface. Sleep surfaces can be cleaned with warm water and mild soap. Water diluted to a maximum of 25% bleach and other intensive cleaning solutions (Virucide, accelerated peroxide) such as PerCept RTU, Zolvex, Clorox Wipes, Alpha HP and Virox can be used without affecting the color or integrity of the vinyl. All cleaning products should be applied with a cloth, sponge or soft bristle brush.

### AMELIO | CONVERSION FROM SOFA TO SLEEPER

The Amelio Sleep Sofa creates a sleep surface that does not impede the footprint of the patient room. The sleep surface cushions simply fold down to create a comfortable sleep surface. For sleep surface dimensions, please see page 250.



### AMELIO | SLEEP SOFA

SIN 71-316

	COM					COL	FA	BRIC GRA	DES	LEATHER			
	DESCRIPTION/MODE	L Species	Only	1	2	3	4	5	6	7	8	9	
	Amelio Sleep Sofa with	nout stora	ge, arm	ess with st	eel legs								
	AME6SL70FALS2	n/a	2900	3319	3498	3678	4036	4395	4754	5112	5471	6188	
	AME6SL74FALS2		2959	3378	3558	3736	4096	4454	4812	5172	5530	6247	
	AME6SL78FALS2		3019	3438	3616	3796	4154	4514	4872	5230	5590	6306	
	AME6SL82FALS2		3078	3497	3676	3855	4214	4572	4931	5290	5648	6366	
Amelio Sleep Sofa without storage, armless with casters, wood legs or plinth base													
	AME6SL70FALS_	Bch/Map	3120	3539	3719	3898	4257	4615	4974	5333	5691	6409	
	AME6SL74FALS_		3180	3599	3778	3957	4316	4675	5033	5392	5751	6467	
	AME6SL78FALS_		3239	3658	3837	4016	4375	4734	5092	5451	5810	6527	
	AME6SL82FALS_		3299	3718	3896	4076	4434	4793	5152	5510	5867	6586	
	To order Amelio with casters, glides or plinth bases, replace the underscore _ in the model number with the number in product code represents the leg style required.										luct code that		
	Amelio Sleep Sofa with	n storage,	armless	with steel	legs								
	AME6SL70SALS2	n/a	3391	3810	3989	4169	4527	4886	5245	5603	5961	6679	
	AME6SL74SALS2		3446	3865	4045	4224	4583	4941	5300	5659	6017	6734	



	AME6SL78SALS2		3503	3922	4100	4280	4638	4998	5356	5714	6073	6790
	AME6SL82SALS2		3558	3977	4156	4335	4694	5053	5411	5770	6129	6845
	Amelio Sleep Sofa	with storage,	armless	with caster	rs, wood	legs or pli	nth base					
,	AME6SL70SALS_	Bch/Map	3612	4031	4209	4389	4747	5107	5465	5823	6182	6899
]	AME6SL74SALS_		3667	4086	4266	4444	4804	5162	5520	5880	6260	6955
	AME6SL78SALS_		3722	4142	4321	4499	4859	5218	5576	5935	6293	7010
	AME6SL82SALS_		3778	4197	4377	4556	4915	5273	5632	5991	6349	7065

To order Amelio with casters, glides or plinth bases, replace the underscore \_ in the model number with the number in product code that represents the leg style required.

#### **ORDERING NOTES:**

**COMBINATION UPHOLSTERY OPTIONS** - When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is **\$22** list per unit and **\$44** list per unit for three fabrics. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

The Amelio Sleep Sofa is available in **custom sizes** in 1" increments between the size range of 68" - 84", please use next size up for pricing when ordering 10 or more units. For non-standard sizes in quantities less than 10 units or for other customization of Amelio, please contact Customer Service to obtain a special quote.


#### CAL 133 & Moisture Barrier are available with an up-charge of \$44 list per yard.

The Amelio Sleep Sofa is available with a Removable Seat Covers for an upcharge of \$161 list per seat.

Amelio Sleep Sofas are standard with a latex-free gray colored back. Upholstered backs are available for the following up-charges:

Grade 1	Grade 2	Grade 3	Grade 4	Grade 5	Grade 6	Grade 7	Grade 8	Grade 9	
\$77	\$117	\$157	\$235	\$313	\$391	\$471	\$549	\$707	

#### PRODUCT CODE KEY



Please Note: All length dimensions in model numbers represent the overall, outside length of the unit (including arms, when arms are specified). For length of actual sleep surface of each model, please see page 250.

### AMELIO | SLEEP SOFA

										SIN /	1-316
		COM			COL	FA	BRIC GRAD	DES		LEATHER	
	DESCRIPTION/MODEL Species	Only	1	2	3	4	5	6	7	8	9
	Amelio Sleep Sofa without storage	, upholst	ered arms	with steel	legs						
	AME6SL74FUPH2n/a	3216	3712	3926	4139	4567	4994	5421	5849	6277	7131
	AME6SL78FUPH2	3274	3771	3984	4198	4625	5053	5481	5937	6335	7189
	AME6SL82FUPH2	3333	3829	4043	4257	4685	5111	5539	5967	6393	7271
	AME6SL86FUPH2	3391	3887	4101	4315	4743	5170	5597	6025	6452	7307
	Amelio Sleep Sofa without storage	, upholst	ered arm v	with casters	s, wood le	gs or plinth	1 base				
	AME6SL74FUPH_Bch/Map	3436	3933	4147	4359	4787	5215	5641	6069	6497	7351
	AME6SL78FUPH_	3495	3991	4205	4419	4845	5273	5701	6128	6555	7410
	AME6SL82FUPH_	3553	4049	4263	4477	4905	5332	5759	6187	6614	7469
¥	AME6SL86FUPH_	3612	4108	4322	4536	4963	5390	5818	6246	6672	7528

To order Amelio with casters, glides or plinth bases, replace the underscore \_ in the model number with the number in product code that represents the leg style required.



	Amelio Sleep Sofa with storage, up	Amelio Sleep Sofa with storage, upholstered arms with steel legs												
	AME6SL74SUPH2n/a	3706	4202	4420	4628	5056	5484	5911	6338	6766	7620			
J	AME6SL78SUPH2	3761	4257	4471	4685	5111	5539	5967	6393	6821	7676			
	AME6SL82SUPH2	3817	4313	4526	4740	5167	5595	6022	6450	6877	7732			
	AME6SL86SUPH2	3872	4368	4582	4796	5223	5650	6078	6505	6933	7787			
	Amelio Sleep Sofa with storage, up	holstered	arms with	casters, wo	ood legs c	r plinth bas	e							

12	Amelio Sleep Sofa with storage,	upholsterec	l arms wit	h casters,	wood legs	or plinth b	ase				
	AME6SL74SUPH_Bch/Map	3926	4422	4640	4849	5277	5704	6131	6560	6987	7841
	AME6SL78SUPH_	3981	4477	4691	4905	5332	5759	6187	6614	7042	7896
	AME6SL82SUPH_	4037	4533	4746	4960	5388	5816	6242	6670	7098	7952
	AME6SL86SUPH_	4092	4589	4802	5016	5443	5871	6299	6725	7153	8007

To order Amelio with casters, glides or plinth bases, replace the underscore \_ in the model number with the number in product code that represents the leg style required.

#### **ORDERING NOTES:**

COMBINATION UPHOLSTERY OPTIONS - When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest upholstery grade or contact customer service for a quote. Please provide the fabric specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

The Amelio Sleep Sofa is available in custom sizes in 1" increments between the size range of 68" - 84", please use next size up for pricing when ordering 10 or more units. For non-standard sizes in quantities less than 10 units or for other customization of Amelio, please contact Customer Service to obtain a special quote.

CAL 133 & Moisture Barrier are available with an up-charge of \$44 list per yard.

Urethane Arm Caps are available for an upcharge of \$88 list per unit

Wood Arm Caps are available for an upcharge of \$154 list per unit in Beech or \$176 list per unit in Maple.


The Amelio Sleep Sofa is available with a **Removable Seat Covers** for an upcharge of **\$161 list** per seat.

Grade 1	Grade 2	Grade 3	Grade 4 Gi	rade 5 Grade 6	6 Grade 7	Grade 8 Grade 9
\$77	\$117	\$157	\$235	\$313 \$391	\$471	\$549 \$707
PRODUCT COD	E KEY					
Line	Series	Chair Type	Size	Base Style	Arm Type	Style
AME	6	SL	70	S	ALS	1
Amelio	Motion	Sofa sleeper	70" Armless Only	With Storage	Armless	Casters
			74	F	UPH	2
			74" Armless & Armed	Without Storage	Upholstered Arm	Steel Legs
			78		WOD	3
			78" Armless & Armed	I	Upholstered Arm wit	h Wood Legs
			82		Wood Cap	
			82" Armless & Armed	I	URE	4
			86		Upholstered Arm wit Urethane Cap	h Plinth Base
			86" Armed Only		oreulane Cap	

Please Note: All length dimensions in model numbers represent the overall, outside length of the unit (including arms, when arms are specified). For length of actual sleep surface of each model, please see page 250.

### LEED CI CREDIT SUMMARY

### JORDAN LOUNGE SLEEPERS



	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION & FSC CERTIFICATION



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan Lounge Sleepers products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Jordan Lounge Sleepers and other Krug products can be specified with FS<sup>®</sup> Certification

The mark of responsible forestry



Architects, designers, and building professionals can specify FSC<sup>®</sup>-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

#### DIMENSIONS

	Overall Width	Overall Depth Chair	Overall Depth Chaise	Overall Depth Bed	Overall Height	Seat Height	Width Between Arms	Seat Depth	Shipping Weight	Cubes
One-Seat	35	38	65	87	39	19	28.5	19.5	150	41
Two-Seat	54	38	65	87	39	19	48	19.5	205	63

### COM REQUIREMENTS

	COM Yardage Complete Unit	COM Yardage Seat Only	COM Yardage Back Only	COM Yardage Arm Panel Only	COM Yardage Kickplate Upholstery Only	COM Yardage Ottoman Upholstery Only
One-Seat - One Chair	7.3	1.4	1.6	2.9	.4	1
One-Seat - Two Chairs	14.6	2.8	3.2	5.8	.8	2
One-Seat - Three Chairs	s 22	4.3	4.8	8.7	1.2	3
One-Seat - Four Chairs	29.3	5.7	6.4	11.6	1.6	4
Two-Seat - One Chair	9.0	1.8	2.2	2.9	.4	1.7
Two-Seat - Two Chairs	17.4	3.6	3.8	5.8	.8	3.4
Two-Seat - Three Chairs	s 26.4	5.4	6	8.7	1.2	5.1
Two-Seat - Four Chairs	34.8	7.2	7.6	11.6	1.6	6.8

NOTE: Some vinyls, leathers and upholsteries are not suitable for application on Jordan seating.

The approval process is as follows:

1. A sample of the COM must be provided to Krug Customer Service prior to or at the time of order.

2. The sample will be reviewed and the customer advised if the upholstery cover is unsuitable.

3. The COM upholstery cover or leather will be inspected when received at the factory, to identify any further concerns with its suitability.



### ORDERING NOTES:

WEIGHT CAPACITIES

**Combination upholstery** (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded-in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

Jordan Lounge Sleepers Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	44	Two-Seat Lounge Sleepers - Removable Seat Covers	221
One-Seat Lounge Sleepers - Removable Seat Covers	143	Two-Seat Lounge Sleepers - Removable Back Covers	200
One-Seat Lounge Sleepers - Removeable Back Covers	137	Two-Seat Lounge Sleepers - Removable Ottoman Covers	205
One-Seat Lounge Sleepers - Removable Ottoman Covers	s 132		

#### Jordan weight capacities are as follows: Jordan One-Seat Lounge Sleepers is load rated to 350 lbs. Jordan Two-Seat Lounge Sleepers is load rated to 525 lbs.

For a complete listing of features see page 258.

### JORDAN | LOUNGE SLEEPERS FEATURES



### HIGH DURABILITY MECHANISM

This product features a heavy-duty mechanism, made with heavy gauge steel and minimal moving parts - its designed to last, and is backed by a 5-year warranty on the mechanism itself, in addition to the lifetime warranty on the rest of the product. If it does become damaged or degraded, the mechanism can be fieldreplaced.



### COMFORTABLE SLEEP SURFACE

A new, enhanced sleep surface is 87" in length, providing exceptional range to stretch out in comfort, with supportive cushioning that is specifically designed for sleeping.



### CHAISE/OTTOMAN POSITION

In addition to the sitting and sleep positions, this position allows the user to sit (or even sleep) in comfort with legs elevated and supported.



#### EASY OPEN AND CLOSE

The sleeper is extended easily to either position, using a pull handle that is neatly tucked away when not in use. The sleeper can be quickly closed by raising the back, and then lowering the ottoman cushion into the storage position. Instructions for operating the sleeper are located on the front of the ottoman cushion.



### WALL SAVER DESIGN

The shape of the arm is designed to keep the back away from the wall (in a locked position), to prevent wear and damage to both the chairs and to the walls of the facility.



#### CASTERS

Enhanced accessibility of the casters allows the caregiver or visitor to easily lock and unlock them. The 3" casters are soft wheel and non-marring, with a premium lock function, which locks both the wheel rotation and the swivel rotation to rigidly hold the unit in position.



#### CLEANING AND INFECTION CONTROL

Specifically designed to ease the cleaning and disinfection of the sleeper and the floor underneath them - in the first opening stage, open access is provided to the floor underneath so it can be cleaned without having to move the sleeper. Upholstery covers can be made removable, and individual components are automatically removable, to enable thorough cleaning and disinfection.





### REMOVABLE & REPLACEABLE UPHOLSTERY & COMPONENTS

Seat, back and ottoman upholstery covers can be specified as removable, so they can be removed for cleaning, or replacement. The mechanism, casters, front kickplate, arm panels and caps - as well as seat, back and ottoman cushions - are field-replaceable if damaged or degraded - so the life of this product can be extended indefinitely, and made to look good as new.

### CUSTOM SIZING

Patient rooms can often have specific dimensional limitations, and so we have created the capability for custom sizing, which can typically be quoted within a width range of 24"-58". Other customization is possible also - just tell us what you need!

### FINISH DURABILITY

Krug's finish is a catalyzed varnish formulation that has been repeatedly shown, through independent laboratory testing, to be an industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### ANTI-MICROBIAL FINISH

Cressida wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

### JORDAN | LOUNGE SLEEPERS OPTIONS

### **ARM STYLES**

Jordan Lounge Sleepers feature four arm styles Upholstered Arm, Wood Arm, Full Urethane Arm and Wood Arm with Urethane Cap. The optional arm cap and full urethane arm provide enhanced durability and protection for the arms. Arm and arm cap are available in Black, Grey and Taupe urethane colors. The arm cap is field replaceable if it becomes damaged or degraded



WOOD ARM



FULL URETHANE ARM



URETHANE ARM CAP



LEGS

Jordan Lounge Sleepers legs are available in Beech and Maple wood as well as Grey Urethane.

#### Jordan Lounge Sleepers Option Upcharges \$ List \$ List Moisture Barrier (per yard) 44 Two-Seat Sleeper - Removable Seat Covers 221 One-Seat Sleeper - Removable Seat Covers 143 Two-Seat Sleeper - Removable Back Covers 200 One-Seat Sleeper - Removeable Back Covers 205 137 Two-Seat Sleeper - Removable Ottoman Covers One-Seat Sleeper - Removable Ottoman Covers 132

### COMBINATION UPHOLSTERY OPTIONS

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Jordan upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote -please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote.

#### **MOISTURE BARRIER & CAL 133**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified, the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$735 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks.

### JORDAN | LOUNGE SLEEPERS INSTRUCTIONS

### CONVERSION FROM CHAIR TO CHAISE TO SLEEPER (TO OPEN SLEEPER)

- 1. Chaise position lock the casters and using the hand pull, pull the ottoman out. Lift pull handle up and out to fully extend the ottoman.
- 2. Sleep position from chaise position, pull ottoman handle again away from chair to full extension. Lower the back manually forward into position.



### CONVERSION FROM SLEEPER TO CHAISE TO CHAIR (TO CLOSE SLEEPER)

- 1. Chaise position Lift the Sleeper back into it's upright position and push (using the ottoman kick plate) inward.
- 2. Chair position Lower the ottoman into the tuck away position and continue to push the ottoman inward







### SIN 71-316

One-Seat, wood arms and casters JOR7-SL1WOD1 Beech 3360         3323 3531         3702         3943         4217         4443         4717         5059         5401           Maple         3360         3531         3702         3943         4217         4456         4730         5073         5415           Maple         3360         3511         3702         3943         4217         4456         4730         5073         5415           Maple         3322         3493         3665         3824         4156         4395         4669         5012         5355           OR-Seat, upholetered arms and coasters JOR7-SL1UPH1 n/a         3170         3341         3513         3763         4027         4266         4540         4883         5225           ORE-Seat, upholetered arms and wood legs JOR7-SL1UPH2         Beech         3124         3225         3466         3705         3880         4219         4493         4835         5179           Maple         3100         3211         3482         3721         3985         4219         4493         4835         5179           Maple         3495         3667         3822         4061         4335         4575         4349         5191												
One-Seat, wood arms and casters JOR7-SL1WOD1 Beech         3346         3518         3660         3329         4203         4443         4717         5059         5401           Maple         3360         3531         3702         3943         4217         4456         4730         5073         5415           Maple         3360         3531         3702         3943         4217         4456         4730         5073         5415           Maple         3300         3471         3642         3882         4156         4395         4669         5012         5355           JOR7-SLIWOD2         Beech         3300         3471         3642         3882         4156         4395         4669         5012         5355           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and wood legs         3713         3466         3705         3980         4219         4493         4835         5179           OR         One-Seat, upholstered arms and wood legs         3714         3295         3466         3705         3980         4219         4493         4835         5179           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Le				COM		COL	FA	BRIC GRAI	DES		LEATHER	
JOR7-SL1WOD1         Beech         3346         3518         3860         3229         4203         4443         4717         5059         5401           Maple         3360         3531         3702         3943         4217         4456         4730         5073         5415           Maple         3300         3471         3642         3882         4156         4395         4669         5012         5355           JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4669         5012         5355           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholetered arms and wood legs         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5225           One-Seat, upholetered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5175           Maple         3140         3311         3482         3721         3995         4236         4510         4855         5192	Description			1	2	3	4	5	6	7	8	9
Maple         3360         3531         3702         3943         4217         4456         4730         5073         5413           One-Seat, wood arms and wood legs JOR7-SL1WOD2 Beech         3300         3471         3642         3882         4156         4395         4669         5012         5355           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4256         4540         4883         5221           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2         Maple         3124         3295         3466         3705         3980         4219         4403         4825         519           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2         Maple         3140         3311         3482         3721         3995         4236         4510         4825         519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE1         Beech         3479         3650         3822         4061         4335         4575         4849         5191         5531	$\sim$	,										
One-Seat, wood arms and wood legs JOR7-SL1WOD2 Beech         3300         3471         3642         3882         4156         4395         4669         5012         5335           Maple         3322         3493         3665         3904         4178         4418         4692         5035         5337           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholetered arms and coaters JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholetered arms and wood legs JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         5194           ORERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         Maple         3493         3867         3822         4061         4335	$\boldsymbol{\kappa}$	JOR7-SL1WOD1	Beech			3690	3929	4203	4443	4717	5059	
JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4699         5012         5537           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         JOR7-SL1URE         Beech         3479         3660         3822         4061         4335         4575         4849         5191         553			Maple	3360	3531	3702	3943	4217	4456	4730	5073	541
JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4699         5012         5537           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         JOR7-SL1URE         Beech         3479         3660         3822         4061         4335         4575         4849         5191         553												
JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4699         5012         5537           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5223           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5233           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         5194           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         3660         3822         4061         4335         4575         4849         5191         5534           JOR7-SL1URE1         Beech <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4699         5012         5537           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         JOR7-SL1URE         Beech         3479         3660         3822         4061         4335         4575         4849         5191         553												
JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4699         5012         5537           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         JOR7-SL1URE         Beech         3479         3660         3822         4061         4335         4575         4849         5191         553												
JOR7-SL1WOD2         Beech         3300         3471         3642         3882         4156         4395         4669         5012         5533           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, upholstered arms and casters         JOR7-SL1UPH1 n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH1 n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5177           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         3650         3822         4061         4335         4575         4849         5191         553           JOR7-SL1URE1         Beech         3432         3604	_	One-Seat wood	arms and	wood lea								
Maple         3322         3493         3665         3904         4178         4418         4692         5035         537           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat. upholstered arms and casters         JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         522           One-Seat. upholstered arms and wood legs         JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         517           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         Maple         3460         3775         4061         4335         4576         4849         5191         553           ORE-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE1         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           JOR7-SL1URE1         Beech         3	$\frown$			0		36/12	3883	1156	1305	4660	5012	535
ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"           One-Seat, upholstered arms and casters JOR7-SL1UPH1 n/a         3170         3341         3513         3753         4027         4266         4540         4883         522           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2         One-Seat, upholstered arms and wood legs JOR7-SL1UPH2         3245         3466         3705         3980         4219         4493         4835         517           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat, wood arms with urethane cap and casters         JOR7-SLIURE1         Beech         3479         3650         3822         4061         4335         4575         4849         5191         553           One-Seat, wood arms with urethane cap and wood legs JOR7-SLIURE1         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           Maple         3459         3630         3801         4044         4314         4555         4829         5171         551		JOHN DEIWODZ										
One-Seat, upholstered arms and casters JOR7-SL1UPH1 n/a         3170         3341         3513         3753         4027         4266         4540         4883         522           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2 Beech         3124         3295         3466         3705         3980         4219         4493         4835         517           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1 Beech         3479         3660         3822         4061         4335         4575         4849         5191         553           One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           Maple         3495         3630         3801         4040         4314         4555         4829         5171         551           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         "1         Two-Seat Sleeper - Removable Seat Covers         221         two-Se	$\ll$ $>$		Mapic	0022	0400	0000	0004	4170	110	4002	0000	507
One-Seat, upholstered arms and casters JOR7-SL1UPH1 n/a         3170         3341         3513         3753         4027         4266         4540         4883         5221           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2 Beech         3124         3295         3466         3705         3980         4219         4493         4835         5171           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1 Beech         3495         3667         3838         4078         4352         4592         4866         5208         5551           One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech         3432         3604         3775         4014         4288         4528         4802         5144         5481           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         Two-Seat Sleeper - Removable Seat Covers         221         two-Seat Sleeper - Removable Seat Covers         221           Itsues Barrier (per yard)         44         Two-Seat Sleeper - Removable Back Covers         205         221 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         5223           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         517           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3'         One-Seat, wood arms with urethane cap and casters         JOR7-SL1URE1         Beech         3479         3650         3822         4061         4335         4575         4849         5191         553           JOR7-SL1URE1         Beech         3479         3667         3838         4078         4352         4592         4866         5208         5551           One-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         5481           JOR7-SL1URE2         Beech         3432         3604         3775         4014		ORDERING NOT	E: Jordan	Lounge	Sleepers a	re availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" to	5 a "3'
JOR7-SL1UPH1         n/a         3170         3341         3513         3753         4027         4266         4540         4883         522           One-Seat, upholstered arms and wood legs JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         517           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a         "3"         "3"         One-Seat, wood arms with urethane cap and casters         JOR7-SL1URE1         Beech         3479         3650         3822         4061         4335         4575         4849         5191         553           One-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           JOR7-SL1URE2         Beech         3432         3604         37					-			-	-			
One-Seat, upholstered arms and wood legs JOR7-SL1UPH2 Beech 3124 3295 3466 3705 3980 4219 4493 4835 517. Maple 3140 3311 3482 3721 3995 4236 4510 4852 519           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3           One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1 Beech 3479 3650 3822 4061 4335 4575 4849 5191 553 Maple 3495 3667 3838 4078 4352 4592 4866 5208 555           One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4592 4866 5208 555           One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4552 4802 5144 548 Maple 3459 3630 3801 4040 4314 4555 4829 5171 551.           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3           Come-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4528 4802 5144 548. Maple 3459 3630 3801 4040 4314 4555 4829 5171 551.           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3           refan Lounge Sleeper - Removable Seat Covers 137 Ive-Seat Sleeper - Removable Seat Covers 201 te-Seat Sleeper - Removable Back Covers 132           Removable Seat Covers 132         1         WOD         1	$\frown$											
JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         5171           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         "3"         "3"         3450         3650         3822         4061         4335         4575         4849         5191         553.           JOR7-SL1URE1         Beech         3479         3650         3822         4061         4335         4575         4849         5191         553.           JOR7-SL1URE2         Beech         3479         3667         3838         4078         4352         4592         4866         5208         5551           One-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         5481           JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548	h	JOR7-SL1UPH1	n/a	3170	3341	3513	3753	4027	4266	4540	4883	522
JOR7-SL1UPH2         Beech         3124         3295         3466         3705         3980         4219         4493         4835         517           Maple         3140         3311         3482         3721         3995         4236         4510         4852         519           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3'         "3         "3         3450         3667         3822         4061         4335         4575         4849         5191         553           One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1         Beech         3479         3667         3838         4078         4352         4592         4866         5208         555           One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           Maple         3459         3630         3801         4040         4314         4555         4829         5171         551           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         "3           risture Barrier (per yard)         44												
JOR7-SL1UPH2       Beech       3124       3295       3466       3705       3980       4219       4493       4835       517         Maple       3140       3311       3482       3721       3995       4236       4510       4852       519         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat, wood arms with urethane cap and casters       JOR7-SL1URE1       Beech       3479       3650       3822       4061       4335       4575       4849       5191       553         One-Seat, wood arms with urethane cap and wood legs       JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         OR-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551      <												
JOR7-SL1UPH2       Beech       3124       3295       3466       3705       3980       4219       4493       4835       517         Maple       3140       3311       3482       3721       3995       4236       4510       4852       519         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat, wood arms with urethane cap and casters       JOR7-SL1URE1       Beech       3479       3650       3822       4061       4335       4575       4849       5191       553         One-Seat, wood arms with urethane cap and wood legs       JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         OR-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551      <												
JOR7-SL1UPH2       Beech       3124       3295       3466       3705       3980       4219       4493       4835       517         Maple       3140       3311       3482       3721       3995       4236       4510       4852       519         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat, wood arms with urethane cap and casters       JOR7-SL1URE1       Beech       3479       3650       3822       4061       4335       4575       4849       5191       553         One-Seat, wood arms with urethane cap and wood legs       JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         OR-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551      <	-											
JOR7-SL1UPH2       Beech       3124       3295       3466       3705       3980       4219       4493       4835       517         Maple       3140       3311       3482       3721       3995       4236       4510       4852       519         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         One-Seat, wood arms with urethane cap and casters       JOR7-SL1URE1       Beech       3479       3650       3822       4061       4335       4575       4849       5191       553         One-Seat, wood arms with urethane cap and wood legs       JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         OR-Seat, wood arms with urethane cap and wood legs         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551      <	^	One-Seat, uphols	stered arm	s and wo	od legs							
ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1 Beech 3479 3650 3822 4061 4335 4575 4849 5191 553 Maple 3495 3667 3838 4078 4352 4592 4866 5208 555         One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4528 4802 5144 548 Maple 3459 3630 3801 4040 4314 4555 4829 5171 551.         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         rdan Lounge Sleepers Option Upcharges         § List       \$ List         visue Sast Sleeper - Removable Seat Covers       143         Two-Seat Sleeper - Removable Back Covers       1         WOD       1	$\langle \rangle$	JOR7-SL1UPH2	Beech	3124	3295	3466	3705	3980	4219	4493	4835	517
One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1 Beech 3479 3650 3822 4061 4335 4575 4849 5191 553 Maple 3495 3667 3838 4078 4352 4592 4866 5208 555         One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4528 4802 5144 548 Maple 3459 3630 3801 4040 4314 4555 4829 5171 551         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges       \$ List         vie-Seat Sleeper - Removable Seat Covers       1         We-Seat Sleeper - Removable Back Covers       221         re-Seat Sleeper - Removable Ottoman Covers       1         WOD       1			Maple	3140	3311	3482	3721	3995	4236	4510	4852	519
One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1         One-Seat, wood arms with urethane cap and wood legs Maple         3495         3650         3822         4061         4335         4575         4849         5191         553           Maple         3495         3667         3838         4078         4352         4592         4866         5208         555           Maple         3495         3667         3838         4078         4352         4592         4866         5208         555           Maple         3495         3667         3838         4078         4352         4592         4866         5208         555           Maple         3495         3604         3775         4014         4288         4528         4802         5144         548           JOR7-SL1URE2         Beech         3432         3604         3775         4014         4288         4528         4802         5144         548           ORDERING NOTE:         Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         "3           rdan Lounge Sleeper - Removable Seat Covers         144         Two-Seat Sleeper - Removable Seat Covers         221           re-Seat Sleeper - Removable Back Covers         137	$\searrow$											
One-Seat, wood arms with urethane cap and casters JOR7-SL1URE1 Beech 3479 3650 3822 4061 4335 4575 4849 5191 553 Maple 3495 3667 3838 4078 4352 4592 4866 5208 555           One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4528 4802 5144 548 Maple 3459 3630 3801 4040 4314 4555 4829 5171 551           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"           ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"           rdan Lounge Sleeper S Option Upcharges Lee-Seat Sleeper - Removable Seat Covers tee-Seat Sleeper - Removable Seat Covers 137         Kuo-Seat Sleeper - Removable Seat Covers 132         221 Two-Seat Sleeper - Removable Back Covers 205         221 Two-Seat Sleeper - Removable Back Covers 205           ODUCT CODE KEY         E         Series         Chair Type         Size         Arm Type         Base Type Base Type           OR         7         SL         1         WOD         1												
JOR7-SL1URE1       Beech       3479       3650       3822       4061       4335       4575       4849       5191       5534         Maple       3495       3667       3838       4078       4352       4592       4866       5208       5556         Maple       JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       5488         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       5488         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       5488         JOR7-SL1URE2       Beech       3432       3603       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE:       Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"       "3"       Two-Seat Sleeper - Removable Seat Covers       221       e-Seat Sleeper - Removable Seat Covers       200       200       200       200       200       205       205       205       205       205       205       205       205	- Ju	ORDERING NOT	E: Jordan	Lounge	Sleepers a	ire availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" to	ca "3'
JOR7-SL1URE1       Beech       3479       3650       3822       4061       4335       4575       4849       5191       553         Maple       3495       3667       3838       4078       4352       4592       4866       5208       555         One-Seat, wood arms with urethane cap and wood legs       JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         JOR7-SL1URE2       Beech       3432       3630       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE:       Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"       Two-Seat Sleeper - Removable Seat Covers       221       e-Seat Sleeper - Removable Seat Covers       200       200       200       200       205       205       205       205       205       205       205       205       <												
Maple       3495       3667       3838       4078       4352       4592       4866       5208       555         One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2       Gech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE:       Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges       List       \$       List         bisture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         te-Seat Sleeper - Removable Back Covers       137       Two-Seat Sleeper - Removable Ottoman Covers       205         te-Seat Sleeper - Removable Ottoman Covers       132       Two-Seat Sleeper - Removable Ottoman Covers       205         toDUCT CODE KEY       Two       Size       Arm Type       Base Type         OR       7       SL       1       WOD       1	$\frown$				•			1005		10.10	=	
One-Seat, wood arms with urethane cap and wood legs JOR7-SL1URE2 Beech 3432 3604 3775 4014 4288 4528 4802 5144 548. Maple 3459 3630 3801 4040 4314 4555 4829 5171 551.         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         rdan Lounge Sleepers Option Upcharges       \$ List         bisture Barrier (per yard)       44         re-Seat Sleeper - Removable Seat Covers       143         Two-Seat Sleeper - Removable Back Covers       201         re-Seat Sleeper - Removable Back Covers       1         woDDUCT CODE KEY         Der       7         SL       1		JOR/-SL1URE1										
JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       5480         Maple       3459       3630       3801       4040       4314       4555       4829       5171       5517         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3"         rdan Lounge Sleepers Option Upcharges         bisture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         te-Seat Sleeper - Removable Seat Covers       143         Two-Seat Sleeper - Removable Back Covers       200         te-Seat Sleeper - Removable Back Covers       201         Two-Seat Sleeper - Removable Ottoman Covers       205         tooDUCT CODE KEY         Two Size       Arm Type       Base Type         OR       7       SL       1       WOD       1			Maple	3495	3667	3838	4078	4352	4592	4866	5208	555
JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges         SList         Sister Covers       1         Maple       3432       3604       3775       4014       4288       4528       4802       5144       548         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         Maple       5144       548         Maple       5144       548         Maple       5144       548         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         Maple       SList         Two-Seat Sleeper - Removable Seat Covers       201         No-Seat Sleeper - Removable Ottoman Covers       205         No-Seat Sleeper - Removable Ottoman Covers <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges         List         Disture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         te-Seat Sleeper - Removable Seat Covers       143       Two-Seat Sleeper - Removable Back Covers       200         te-Seat Sleeper - Removable Back Covers       1         te-Seat Sleeper - Removable Ottoman Covers       205         teoput Code Key												
JOR7-SL1URE2       Beech       3432       3604       3775       4014       4288       4528       4802       5144       548         Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges         List         Disture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         te-Seat Sleeper - Removable Seat Covers       143       Two-Seat Sleeper - Removable Back Covers       200         te-Seat Sleeper - Removable Back Covers       1         te-Seat Sleeper - Removable Ottoman Covers       205         teoput Code Key												
Maple       3459       3630       3801       4040       4314       4555       4829       5171       551         ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges       \$ List       \$ List         pisture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         ue-Seat Sleeper - Removable Seat Covers       143       Two-Seat Sleeper - Removable Back Covers       200         New Seat Sleeper - Removable Back Covers       137       Two-Seat Sleeper - Removable Ottoman Covers       205         NODUCT CODE KEY       Series       Chair Type       Size       Arm Type       Base Type         OR       7       SL       1       WOD       1	$\frown$					-						
ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3         rdan Lounge Sleepers Option Upcharges       \$ List       \$ List       \$ List       \$ List         rdan Lounge Sleepers Option Upcharges       \$ List       \$ L		JOR7-SL1URE2										
rdan Lounge Sleepers Option Upcharges       \$ List       \$ List         bisture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         bie-Seat Sleeper - Removable Seat Covers       143       Two-Seat Sleeper - Removable Back Covers       200         bie-Seat Sleeper - Removable Back Covers       137       Two-Seat Sleeper - Removable Back Covers       200         bie-Seat Sleeper - Removable Ottoman Covers       132       Two-Seat Sleeper - Removable Ottoman Covers       205         coDUCT CODE KEY       bis       Size       Arm Type       Base Type         OR       7       SL       1       WOD       1			Maple	3459	3630	3801	4040	4314	4555	4829	5171	551
rdan Lounge Sleepers Option Upcharges       \$ List       \$ List         bisture Barrier (per yard)       44       Two-Seat Sleeper - Removable Seat Covers       221         bie-Seat Sleeper - Removable Seat Covers       143       Two-Seat Sleeper - Removable Back Covers       200         bie-Seat Sleeper - Removable Back Covers       137       Two-Seat Sleeper - Removable Back Covers       200         bie-Seat Sleeper - Removable Ottoman Covers       132       Two-Seat Sleeper - Removable Ottoman Covers       205         coDUCT CODE KEY       bis       Size       Arm Type       Base Type         OR       7       SL       1       WOD       1												
Start     Start     Start       poisture Barrier (per yard)     44     Two-Seat Sleeper - Removable Seat Covers     221       nee-Seat Sleeper - Removable Seat Covers     143     Two-Seat Sleeper - Removable Back Covers     200       nee-Seat Sleeper - Removable Back Covers     137     Two-Seat Sleeper - Removable Ottoman Covers     205       nee-Seat Sleeper - Removable Ottoman Covers     1     WOD     1		ORDERING NOT	T. Lauriau	1	~					dor obono	e the "2" to	a "3
Start     Start     Start       poisture Barrier (per yard)     44     Two-Seat Sleeper - Removable Seat Covers     221       nee-Seat Sleeper - Removable Seat Covers     143     Two-Seat Sleeper - Removable Back Covers     200       nee-Seat Sleeper - Removable Back Covers     137     Two-Seat Sleeper - Removable Ottoman Covers     205       nee-Seat Sleeper - Removable Ottoman Covers     1     Start     Two-Seat Sleeper - Removable Ottoman Covers     205       noDUCT CODE KEY     Start     Start     Start     Start     Start     Start       NOR     7     SL     1     WOD     1	A~	ONDERINGTION	E: Jordan	Lounge	Sleepers a	ire availabl	e with Gre	y Urethane	Legs, to o	der chang		Ja J
ne-Seat Sleeper - Removable Seat Covers       143       Two-Seat Sleeper - Removable Back Covers       200         ne-Seat Sleeper - Removable Back Covers       137       Two-Seat Sleeper - Removable Ottoman Covers       205         NODUCT CODE KEY       132       Size       Arm Type       Base Type         OR       7       SL       1       WOD       1	¥~			Lounge	Sleepers a	ıre availabl	e with Gre	y Urethane	Legs, to o	der chang		5 8 5
Ine-Seat Sleeper - Removable Back Covers     137     Two-Seat Sleeper - Removable Ottoman Covers     205       Ine-Seat Sleeper - Removable Ottoman Covers     132     Two-Seat Sleeper - Removable Ottoman Covers     205       Ine     Series     Chair Type     Size     Arm Type     Base Type       OR     7     SL     1     WOD     1	ordan Lounge S					ire availabl	e with Gre	y Urethane	Legs, to o			
Ne-Seat Sleeper - Removable Ottoman Covers 132 NODUCT CODE KEY Ne Series Chair Type Size Arm Type Base Type OR 7 SL 1 WOD 1	/oisture Barrier (j	Sleepers Option Up	charges		List	Two-Sea	t Sleeper	- Removab	le Seat Co	vers	\$ List	
NODUCT CODE KEY       ne     Series     Chair Type     Size     Arm Type     Base Type       OR     7     SL     1     WOD     1	/oisture Barrier ( Dne-Seat Sleeper	Sleepers Option Up per yard) r - Removable Seat	<b>charges</b> Covers	\$	<b>List</b> 44 143	Two-Sea Two-Sea	t Sleeper	- Removab - Removab	le Seat Co le Back Co	vers vers	<b>\$ List</b> 221 200	
he     Series     Chair Type     Size     Arm Type     Base Type       OR     7     SL     1     WOD     1	Aoisture Barrier (j Dne-Seat Sleeper Dne-Seat Sleeper	<b>Sleepers Option Up</b> per yard) r - Removable Seat r - Removeable Bacł	charges Covers	\$	List 44 143 137	Two-Sea Two-Sea	t Sleeper	- Removab - Removab	le Seat Co le Back Co	vers vers	<b>\$ List</b> 221 200	
OR 7 SL 1 WOD 1	Aoisture Barrier (j Dne-Seat Sleeper Dne-Seat Sleeper	<b>Sleepers Option Up</b> per yard) r - Removable Seat r - Removeable Bacł	charges Covers	\$	List 44 143 137	Two-Sea Two-Sea	t Sleeper	- Removab - Removab	le Seat Co le Back Co	vers vers	<b>\$ List</b> 221 200	
OR 7 SL 1 WOD 1	Aoisture Barrier (j Die-Seat Sleeper Die-Seat Sleeper Die-Seat Sleeper	Sleepers Option Up per yard) r - Removable Seat r - Removeable Bacł r - Removable Otton	charges Covers	\$	List 44 143 137	Two-Sea Two-Sea	t Sleeper	- Removab - Removab	le Seat Co le Back Co	vers vers	<b>\$ List</b> 221 200	
	Aoisture Barrier ( Dne-Seat Sleeper Dne-Seat Sleeper Dne-Seat Sleeper PRODUCT CODE K	Sleepers Option Up per yard) r - Removable Seat r - Removable Bacł r - Removable Otton	Covers Covers Covers nan Cover	<b>\$</b> s	List 44 143 137	Two-Sea Two-Sea Two-Sea	tt Sleeper tt Sleeper tt Sleeper	- Removab - Removab - Removab	le Seat Co le Back Co le Ottomar	vers vers	<b>\$ List</b> 221 200 205	
rdan Motion Sleeper One-Seat Wood Arm Casters	Moisture Barrier ( Dne-Seat Sleeper Dne-Seat Sleeper Dne-Seat Sleeper PRODUCT CODE K	Sleepers Option Up per yard) r - Removable Seat r - Removable Back r - Removable Otton EY Series	Covers Covers Covers nan Cover	\$ s	List 44 143 137	Two-Sea Two-Sea Two-Sea <b>Siz</b>	tt Sleeper tt Sleeper tt Sleeper	- Removab - Removab - Removab	le Seat Co le Back Co le Ottomar rm Type	vers vers	\$ List 221 200 205 Base Typ	
	Moisture Barrier (j one-Seat Sleeper one-Seat Sleeper one-Seat Sleeper PRODUCT CODE K .ine	Sleepers Option Up per yard) r - Removable Seat - r - Removable Back r - Removable Otton (EY) Series 7	Covers Covers Covers nan Cover C	\$ s hair Type SL	List 44 143 137	Two-Sea Two-Sea Two-Sea <b>Siz</b>	it Sleeper it Sleeper it Sleeper	- Removab - Removab - Removab <b>A</b>	le Seat Co le Back Co le Ottomar rm Type WOD	vers vers	\$ List 221 200 205 Base Typ	
2 UPH 2	Moisture Barrier ( Dne-Seat Sleeper Dne-Seat Sleeper Dne-Seat Sleeper PRODUCT CODE K	Sleepers Option Up per yard) r - Removable Seat r - Removable Back r - Removable Otton EY Series	Covers Covers Covers nan Cover C	\$ s	List 44 143 137	Two-Sea Two-Sea Two-Sea <b>Siz</b>	it Sleeper it Sleeper it Sleeper	- Removab - Removab - Removab <b>A</b>	le Seat Co le Back Co le Ottomar rm Type WOD	vers vers	\$ List 221 200 205 Base Typ	
	Moisture Barrier (j Dne-Seat Sleeper Dne-Seat Sleeper Dne-Seat Sleeper PRODUCT CODE K .ine	Sleepers Option Up per yard) r - Removable Seat - r - Removable Back r - Removable Otton (EY) Series 7	Covers Covers Covers nan Cover C	\$ s hair Type SL	List 44 143 137	Two-Sea Two-Sea Two-Sea <b>Siz</b> One-S	it Sleeper it Sleeper it Sleeper	- Removab - Removab - Removab <b>A</b>	le Seat Co le Back Co le Ottomar <b>rm Type</b> WOD ood Arm	vers vers	\$ List 221 200 205 Base Typ [ 1 Casters	

	WOD	1
One-Seat	Wood Arm	Casters
2	UPH	2
Two-Seat	Upholstered Arm	Wood Legs
	URE Wood Arm with Urethane Arm Cap	3 Grey Urethane Legs
	FUR Full Urethane Arm	

### SIN 71-316

			COM		COL	FA	BRIC GRA	DES		LEATHER	
Description	Model	Species	1	2	3	4	5	6	7	8	9
$\frown$	One-Seat, Full U	rethane Ari	m, with cas	sters							
	JOR7-SL1FUR1	n/a	3273	3444	3616	3856	4130	4369	4643	4985	5328
$\sim$	One-Seat, Full U	rethane Ari	m, and wo	od legs							
$\kappa$	JOR7-SL1FUR2	Beech	3227	3398	3569	3808	4082	4322	4596	4938	5282
		Maple	3249	3420	3591	3830	4104	4345	4619	4961	5304
	ORDERING NOT	<b>FE:</b> Jordan	Lounge SI	eepers a	e availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" to	oa"3"
	Two-Seat, wood	arms and o	casters								
	JOR7-SL2WOD1		4138	4348	4559	4854	5191	5486	5824	6245	6668
		Maple	4152	4362	4573	4868	5205	5500	5837	6259	6680
$\sim$	Two-Seat, wood	arms and	wood legs								
	JOR7-SL2WOD2	Beech	4091	4302	4512	4807	5145	5440	5777	6198	6620
		Maple	4113	4324	4535	4830	5167	5462	5799	6221	6642
	ORDERING NOT	<b>FE:</b> Jordan	Lounge SI	eepers a	e availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" to	oa"3"
$\sim$	Two-Seat, uphols	stered arm	s and caste	ers							
	JOR7-SL2UPH1	n/a	3962	4172	4383	4678	5015	5310	5648	6069	6491
	Two-Seat, uphols	stered arm	s and woo	d legs							
$\langle \rangle$	JOR7-SL2UPH2		3914	4125	4335	4631	4969	5264	5601	6022	644
		Maple	3932	4143	4354	4649	4986	5282	5619	6041	646

ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3".

### Jordan Lounge Sleepers Option Upcharges

Jordan Lounge Sleepers Option Upcharges	\$ List		\$ List
Moisture Barrier (per yard)	44	Two-Seat Sleeper - Removable Seat Covers	221
One-Seat Sleeper - Removable Seat Covers	143	Two-Seat Sleeper - Removable Back Covers	200
One-Seat Sleeper - Removeable Back Covers	137	Two-Seat Sleeper - Removable Ottoman Covers	205
One-Seat Sleeper - Removable Ottoman Covers	132		

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Base Type
JOR Jordan	7 Motion	Sleeper	1 One-Seat	WOD Wood Arm	1 Casters
			2 Two-Seat	UPH Upholstered Arm	2 Wood Legs
				URE Wood Arm with Urethane Arm Cap	3 Grey Urethane Legs
				FUR Full Urethane Arm	

### SIN 71-316

			COM		COL	FA	FABRIC GRADES			LEATHER		
Description	Model	Species	1	2	3	4	5	6	7	8	9	
$\sim$	Two-Seat, wood	arms with	urethane	cap and ca	asters							
	JOR7-SL2URE1	Beech	4270	4480	4691	4986	5324	5619	5957	6378	6800	
		Maple	4286	4496	4707	5002	5339	5634	5971	6393	6815	
	Two-Seat, wood	arms with	urethane	cap and w	ood legs							
	JOR7-SL2URE2	Beech	4223	4434	4644	4939	5277	5572	5909	6330	6753	
		Maple	4249	4460	4671	4967	5304	5599	5936	6358	6779	
¥~	ORDERING NOT	E: Jordan	Lounge S	Sleepers ar	re availabl	e with Gre	y Urethane	Legs, to o	rder chang	e the "2" to	oa"3".	
$\frown$	Two-Seat, Full Ur	ethane Arr	n, and ca	sters								
	JOR7-SL2FUR1	n/a	4065	4275	4486	4781	5118	5413	5751	6172	6594	



Two-Seat, Full Urethane Arm, and wood legs													
JOR7-SL2FUR2	Beech	4017	4228	4438	4733	5072	5367	5704	6125	6547			
	Maple	4039	4250	4461	4757	5094	5389	5726	6148	6569			

ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3".

# Jordan Lounge Sleepers Option Upcharges

Moisture Barrier (per yard)	44	Two-Seat Sleeper - Removable Seat Covers	221
One-Seat Sleeper - Removable Seat Covers	143	Two-Seat Sleeper - Removable Back Covers	200
One-Seat Sleeper - Removeable Back Covers	137	Two-Seat Sleeper - Removable Ottoman Covers	205
One-Seat Sleeper - Removable Ottoman Covers	132		

\$ List

PRODUCT CODE KEY

Line	Series	Chair Type	Size	Arm Type	Base Type
JOR	7	SL	1	WOD	1
Jordan	Motion	Sleeper	One-Seat	Wood Arm	Casters
			2	UPH	2
			Two-Seat	Upholstered Arm	Wood Legs
				URE	3
				Wood Arm with	Grey Urethane
				Urethane Arm Cap	Legs
				FUR	

Full Urethane Arm

\$ List

# JORDAN | LOUNGE SLEEPERS REPLACEMENT PARTS

SIN 71-316

Description	Model	COM 1	2	COL 3	FAI 4	BRIC G	RADES 6	7	LEATHE 8	ER 9	Yardage	Weight	Cubes
	One-Seat Back JOR7-SL1RB	495	531	569	622	681	734	794	868	944	1.6	18	5.6
	Two-Seat Back JOR7-SL2RB	670	721	773	845	927	1000	1082	1184	1287	2.2	30.1	9.3
	One-Seat Back JOR7-SL1RBC		208	245	297	357	410	469	544	620	1.6	2.6	1
	Two-Seat Back JOR7-SL2RBC		347	400	471	554	573	709	812	915	2.2	3.5	1
	One-Seat Outb JOR7-SL1R0B		255	272	295	321	344	370	403	436	.7	8	2.5
	Two-Seat Outb JOR7-SL2R0B		331	348	371	397	420	445	479	511	.7	14	4
	One-Seat Seat JOR7-SL1RS		468	502	549	604	651	706	773	841	1.4	18.5	4.1
	Two-Seat Seat JOR7-SL2RS		721	773	845	927	1000	1082	1184	1287	1.8	31.4	6.8
	One-Seat Seat JOR7-SL1RSC		195	230	277	331	379	433	501	569	1.4	2.7	1
	Two-Seat Seat JOR7-SL2RSC		255	298	358	427	488	558	644	731	1.8	3.6	1

### JORDAN | LOUNGE SLEEPERS REPLACEMENT PARTS SIN 71-316

Description	Model	Species	COM	2	COL 3	FA 4	BRIC (	GRADE	S 7	LEATH 8	ER 9	Yardage	Weiaht	Cubes
	One-Seat Ottoma JOR7-SL1RO	in	257	280	303	337	369	406	444	491	538	1	9.6	3
	Two-Seat Ottoma JOR7-SL2RO	IN	392	432	471	527	591	647	710	790	869	1.7	17	5.3
	One-Seat Ottoma JOR7-SL1ROC	an Cover	133	156	180	212	250	282	320	366	414	1	2.4	1
	Two-Seat Ottoma JOR7-SL2ROC	ın Cover	197	237	277	333	396	452	516	595	674	1.7	3.4	1
	Wood Arm with le JOR7-SLRWOD2		621 630	689 698	757 767	852 861		1055 1065		1299 1308	1435 1445	2.9	32.8	4.9
	ORDERING NOT	E: Jordar	n Loung	ge Slee	pers are	e availa	able wi	th Grey	<sup>,</sup> Uretha	ane Leç	gs, to or	der change	e the "2"	to a "3'
	Upholstered Arm JOR7-SLRUPH2		492 496	560 563	628 631	722 726	831 834	926 929		1170 1173	1306 1309	2.9	32.8	4.9
	ORDERING NOT	E: Jordar	n Loung	ge Slee	pers are	e availa	able wi	th Grey	<sup>,</sup> Uretha	ane Leç	js, to or	der change	e the "2"	to a "3"
	Wood Arm with U JOR7-SLRURE2		Cap wit 691 699	h legs 758 767	826 835			1125 1133			1505 1513	2.9	32.8	4.9
	ORDERING NOT	<b>E:</b> Jordar	n Loung	ge Slee	pers are	e availa	able wi	th Grey	<sup>,</sup> Uretha	ane Leç	gs, to or	der change	e the "2"	to a "3"
	Full Urethane Arm JOR7-SLRFUR2			671 674	739 742	834 837		1037 1041	1146 1149	1281 1284	1418 1421	2.9	32.8	4.9
W	ORDERING NOT	E: Jordar	n Lound	ae Slee	pers are	e avail:	able wi	th Grev	, Ureth:	ane Leo	as. to or	der change	e the "2"	to a "3"

ORDERING NOTE: Jordan Lounge Sleepers are available with Grey Urethane Legs, to order change the "2" to a "3".

# JORDAN | LOUNGE SLEEPERS REPLACEMENT PARTS

SIN 71-316

			CON	Λ	С	OL	FAE	BRIC	GRADE	S	LEATH	ER			
escription	Model	Species	1	2		3	4	5	6	7	8	9	Yardage	Weight	Cubes
	Wood Arm with c	asters													
	JOR7-SLRWOD1		628	696			359		1063	1171	1306		2.9	33.4	4.9
η		Maple	633	701	77	8 0	364	972	1068	1176	1311	1448			
	Upholstered Arm	with cast	ers												
	JOR7-SLRUPH1		501	569	63	7 7	732	840	936	1044	1179	1316	2.9	33.4	4.9
- Shallon	Wood Arm with U														
	JOR7-SLRURE1	Beech Maple	705 710	773 778					1139 1145		1383	1519 1525	2.9	33.4	4.9
		Maple	710	110	04	0 0	/ - 1	1043	1145	1200	1000	1020			
_	Full Urethane Arn	n, with ca	sters												
	JOR7-SLRFUR1		617	686	75	4 8	848	957	1052	1160	1296	1432	2.9	33.4	4.9
	ORDERING NOT	E: Please	note w	hen or	derin	g Jorc	lan S	Sleepe	er repla	cement	t arms,	you mus	st specify e	ither a righ	nt or left arm
	One-Seater Kickp														
	JOR7-SL1RUP	1	47	156	166	179	19	32	07 2	22 2	40 2	59	.4	4.1	0.6
	Two-Seater Kickp		89	198	208	221	23	15 2	49 2	264 2	82 3	01	.4	7.7	1.1
					200	'	20					• •			

Description	Model	Price	W	eight	Cubes
	Locking Rubber Whee JOR7-SLRCAS	l Caster 49		3.4	0.2
	Urethane Arm Cap JOR7-SLRURE	83		3.7	0.3
	Full Urethane Arm JOR7-SRRFUR	126		12	1

### **BEHAVIORAL HEALTH**

### SOLIS


	30113
270	Solis LEED Credit Summary
271	Solis Behavioral Health Features
272	Solis Behavioral Health Options
273	Solis Dimensions & COM
	Requirements   Guest & Bariatric Guest
274	Solis Behavioral Health Guest &
	Bariatric Guest
275	Solis Dimensions & COM Requirements
	Patient & Bariatric Patient
276	Solis Behavioral Health Patient &
	Bariatric Patient
277	Solis Behavioral Health Multiple Dimensions
	& COM Requirements
278	Solis Behavioral Health Multiple Dimensions
	& COM Requirements
	ZOLA
286	Zola Behavioral Health
	LEED Credit Summary
287	Zola Behavioral Health Features
288	Zola Behavioral Health Options

- Zola Behavioral Health OptionsZola Dimensions & COM
- Requirements | Behavioral Health
- 290 Zola Behavioral Health Lounge
- 291 Zola Behavioral Health Bariatric
  - Lounge & Replacement Parts
- 292 Zola Behavioral Health Freestanding Tables

### LEED CREDIT SUMMARY

SOLIS

MATERIAL CONTENT:



RECYCLED CONTENT = 16% POST-CONSUMER RECYCLED CONTENT = 22%

### **CONTRIBUTES TO**

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (PLEASE ENQUIRE) Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

### level® CERTIFICATION & AIR-EMISSIONS CERTIFICATION



### level<sup>®</sup> CERTIFICATION

specified with FSC® Certification.

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR-EMISSIONS

All Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

### **FSC**<sup>®</sup> In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing

FSC\* C021699 ark of responsible forestry



In addition, architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth,

harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a

healthy supply of forest resources for generations to come. Behavioral Health and other Krug products can be

### SOLIS BEHAVIORAL HEALTH | FEATURES



**CLEAN OUT** 

All Solis seating models have a built-in clean out feature: a space at the back of the seat that allows dirt, debris and liquids to fall to the floor for easy clean up and maintenance - designed so that it does not detract from the comfort or appearance of the product.

### STEEL SEAT FRAME

The structural seat frame is made from welded steel with a powder-coated finish that allows Solis to well exceed ANSI/BIFMA standards.



FLEX BACK

The ergonomically-designed back has a slight flexing action, which significantly enhances comfort.



#### WALL SAVER

The angle of the back and the rear legs are designed to keep the back away from the wall, to prevent wear and damage to both the chairs and to the walls of the facility. Patient and Guest chairs with mesh backs are excluded as they do not have the wall saver feature.



#### **HIGH DENSITY FOAM**

Solis features dual density foam that is soft on the outside for comfort, dense on the inside for high durability. The seat and back foam features a compound curvature that supports healthy sitting postures, while also designed to ease ingress and egress.



### SECURED WOODEN ARM

Solis Wood Arm caps are fastened to the side frames with tamper resistant security screws. Wood arms are available in either beech or maple hardwood and in 22 Krug standard finishes. Maple arm caps are available for an up-charge of \$50 list per arm using beech pricing.



#### **URETHANE ARM**

Solis secured urethane arms are durable, comfortable, and long lasting. Urethane arms are available in three colors options; Black, Grey and Taupe.

### TAMPER RESISTANT HARDWARE

All screws used on the Solis Behavioral Health units have been replaced with tamper resistant security screws.

#### GANGING

All Solis Freestanding chairs can be ganged using a ganging bracket. The powder-coated metal plate is fastened to the underside of the steel side rails using the pre-existing holes in the frame.

#### SECURED GLIDES

Solis Behavioral Health chairs have their glides secured in place to prevent their removal and damage.

### **BOTTOM STAPLE COVER/SHIELD**

Solis Behavioral Health chairs come standard with a black painted plywood cover underneath the seat. This cover is designed to prevent access to the upholstery staples of the seat and to prevent the hiding of objects underneath the seat. The cover is also designed to allow for regular ganging hardware and proper seat ventilation. The cover is secured to the unit with tamper resistant security screws.

#### BACK STAPLE COVER STRIP

The Solis Behavioral Health back upholstery has been altered to allow a staple cover strip to be attached; this will prevent access to the upholstery staples. The cover strip is nylon coated galvanized steel with vinyl coated ends to prevent any sharp edges. The back cover strip is fastened to the unit with tamper resistant security screws.

### **TUBULAR STEEL CHAIR FRAME**

The overall aesthetic frame of the chair is built from structural steel tubing, both elliptical and rectangular for exceptional strength and appealing design. The frame is electro welded and polished joints for ease of cleaning and a one piece look. Available in eight powder-coated finishes. Silver Metallic is offered as Krug's standard finish. For all metal finishes other than Silver Metallic, there is a minimum quantity of 30 units per color and are available for an upcharge of \$44 list per seat/table. Microban anti-microbial finish is standard, with no upcharge, when frame finishes other than silver metallic is ordered. Solis silver metallic frames are available with an anti-microbial finish for an upcharge of \$44 list per chair or table. Upcharges for quantities less than 30 units per color, per order can be obtained through Customer Service.

### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

### LATEX-FREE

Krug products are made with latex-free materials, to prevent the allergic reaction that latex causes in some people.

### WEIGHT CAPACITIES

Weight capacities are as follows: Guest & Patient Chairs (21" & 24") - **500** lbs Bariatric Chairs (30" & 44") - **750** lbs

### SOLIS BEHAVIORAL HEALTH | FEATURES & OPTIONS

#### ANTI-MICROBIAL FINISH

Solis wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria. The anti-microbial finish is standard on all wood components, at no additional up-charge. Solis Silver Metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

### **ADDITIONAL FEATURES**

- Lifetime warranty
- · Air quality certified
- · Certified to meet CAL 117 with most fabrics
- Certified to meet CTB 133/ ASTM E 1537 with appropriate fabrics

### **OPTIONS**



#### **KINETIC BACK OPTION**

This optional feature provides the chair back with a very pleasant and comfortable rocking motion, which can significantly enhance long-term sitting for patients and guests alike. The durable spring-loaded mechanism provides a range of motion of 20 degrees, and can be field-installed or replaced. It's available on any Solis chair back - Guest, Patient and Multiple Seating - with the exception of the Bariatric sizes (30" and 44").

### **COMBINATION UPHOLSTERY OPTIONS**

When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics will be applied. When graded in combination upholstery is selected, use the highest upholstery selected or contact Customer Service for a quote (please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote).

### **CAL133 & MOISTURE BARRIER**

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard.

#### REMOVABLE COVERS & REPLACEMENT COMPONENTS

- Seat Covers \$55 list per seat
- Back Covers (21", 24") \$35 list per chair (uph. only)
  Back Covers (30" and 44") \$55 list per chair.

Optional Removeable seat and back covers can be quickly installed on Solis products that were originally ordered with the Removable cover option. Replacement seat and back covers can also be installed on Solis products that were not originally ordered with the Removable cover option, with some simple staple removal on the original seats and backs. Complete Mesh backs can be ordered and field replaced.

#### **NO SPRING SEATS**

The springs in the seat have been removed and replaced with a solid plywood seat pan, Additional foam has also been added in place of the springs for comfort.

### TAMPER-RESISTANT SPLASHGUARD

All Solis seating models are available with a coated steel moisture barrier that covers and enclosed the underside of the seat (while still allowing air transfer and ventilation in and out of the seat cushion). The Splashguard replaces the Bottom Staple Cover on the underside of the seat. It is designed to still allowing ganging and has folded metal edges to prevent any sharp edges. The splashguard is fastened with tamper resistant security screws.

### SOLIS BEHAVIORAL HEALTH | OPTIONS CONTINUED



### SLEIGH BASE

**CLOSED ARM** 

frame and the top of the arm.

The Solis side frames legs have the option to be tied front to back with a steel rail, this will strengthen the frames and eliminate the option of having legs.

Solis closed arm has an upholstered arm panel built into

the side frame. It is between the middle rail on the side

### FLOOR ANCHOR BRACKETS (SLEIGH BASE ONLY)

Floor mounting brackets are supplied to be secured to the bottom of the Solis sleigh base with tamper resistant security screws. The hardware to attach the brackets to the floor is not provided by Krug.

#### WEIGHTED SHIELD

In place of the Bottom Staple Cover, a weighted black coated steel version is also available. This steel shield is designed to add enough weight for the product to be a minimum of 80 lbs. The shield is also designed to allow standard ganging hardware as well as proper seat ventilation. This is all achieved while also covering/ preventing all access to the upholstery staples under the seat. The Weighted Shield is fastened with tamperresistant security screws.



#### FULLY CLOSED ARM (SLEIGH BASE ONLY)

The fully closed arm includes the regular closed arm, but also adds a second upholstered arm panel between the middle rail on the side frame and the sleigh base bottom. This feature is only available when the sleigh base option is selected.

### SOLIS BEHAVIORAL HEALTH | GUEST & BARIATRIC GUEST

### **DIMENSIONS & COM REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
21" Seat	25	28	34.5	18.5	26	20	20	51	16
24" Seat	28	28	34.5	18.5	26	23	20	55	18
30" Seat	34	28	34.5	18.5	26	29	20	60	22
44" Seat	48	28	34.5	18.5	26	43	20	74	31

### **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage Closed Upper Arm Panel	Yardage Fully Closed Arm Panel (Upper & Lower)	
21" & 24" - One Chair	1.6	0.9	0.9	0.8	1.6	
21" & 24" - Two Chairs	3.1	1.3	1.6	1.2	2.4	
21" & 24" - Three Chairs	4.7	2.1	3.7	1.6	3.2	
30" Bariatric - One Chair	2.5	0.9	1.6	1.6	3.2	
30" Bariatric - Two Chairs	5	1.8	3.2	1.2	2.4	
30" Bariatric - Three Chairs	7.5	2.7	4.8	1.6	3.2	
44" Bariatric - One Chair	2.5	0.9	2.3	0.8	1.6	
44" Bariatric - Two Chairs	5	1.8	3.9	1.2	2.4	
44" Bariatric - Three Chairs	7.5	2.7	5.5	1.6	3.2	

#### Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

	(COM)		(COL)					Leather		
Fabric Grades	1	2	3	4	5	6	7	8	9	COM
Closed Arm Panel (1 arm)	141	150	160	178	196	215	234	253	291	0.4
Closed Arm Panels (2 arms)	281	300	319	356	394	430	468	506	580	0.8
Fully Closed Arm (1 arm)	236	254	273	304	336	367	401	437	493	
Fully Closed Arm (2 arms)	471	508	545	608	674	734	802	874	984	

# SOLIS BEHAVIORAL HEALTH | GUEST & BARIATRIC GUEST

SIN	71-3	316
-----	------	-----

			COM		COL	FAB	RIC GRA	DES		LEATHER	3
DESCRIPTION/M	ODEL		1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Ba SOL2-GBHM21OPU SOL2-GBHM21OPW	ack Urethane Beech	780 864	802 886	824 908	868 952	912 996	956 1040	1000 1084	1045 1129	1113 1197
	21" Open Arm, Upholste SOL2-GBHU21OPU SOL2-GBHU21OPW	ered Back Urethane Beech	815 899	850 934	886 970	957 1041	1028 1112	1099 1183	1171 1255	1241 1325	1384 1468
	24" Open Arm, Mesh Ba SOL2-GBHM24OPU SOL2-GBHM24OPW 24" Open Arm, Upholsto	Urethane Beech	808 892	830 914	852 936	896 980	941 1025	985 1069	1029 1113	1073 1157	1141 1225
	SOL2-GBHU24OPU SOL2-GBHU24OPW	Urethane Beech	843 927	879 963	915 999	986 1070	1057 1141	1129 1268	1199 1283	1270 1354	1413 1497
R	30" Open Arm, Upholsto SOL2-GUBH30OPU SOL2-GUBH30OPW	ered Back Urethane Beech	1006 1090	1061 1145	1118 1202	1228 1312	1340 1424	1451 1535	1561 1645	1674 1758	1896 1980
	44" Open Arm, Upholst SOL2-GBHUH44OPU SOL2-GBHUH44OPW	ered Back Urethane Beech	1119 1203	1175 1259	1230 1314	1341 1425	1453 1537	1563 1647	1676 1760	1786 1870	2008 2092

**ORDERING NOTES**: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	30" & 44" - Removable Back Covers	55
Guest chair - Removable Seat Covers	55	Kinetic Back option	75
21" & 24" - Removeable Back Covers	35	Maple Arm upgrade per arm (add to beech price)	50

$\square$	
	$ \rightarrow $

Solis Behavioral Health Option Upcharges	s\$List		\$ List
Sleigh Base	146	21" Tamper- Resistant Splashguard	109
Anchor to Floor (Sleigh base only)	250	24" Tamper- Resistant Splashguard	115
Plywood Seat / No Springs	84	30" Tamper- Resistant Splashguard	237
Weight Shield (to min 80lbs) - 21" Uph.	284	44" Tamper- Resistant Splashguard	252
Weight Shield (to min 80lbs) - 21" Mesh	338		
Weight Shield (to min 80lbs) - 24" Uph.	234		
Weight Shield (to min 80lbs) - 24" Mesh	288		
Weight Shield (to min 80lbs) - 30" Uph.	125		
Weight Shield (to min 80lbs) - 44" Uph.	119		

### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	M	24	OPW
		Patient Seating	Mesh Back		Open Arm - Wood
			21" & 24" Only	30	CLW
					Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

### SOLIS BEHAVIORAL HEALTH | PATIENT & BARIATRIC PATIENT

### **DIMENSIONS & COM. REQUIREMENTS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Base Shipping Weight	Cubes
UPHOLS.	TERED BAC	ж							
21" Seat	25	28	43.75	18.5	26	20	20	54	21
24" Seat	28	28	43.75	18.5	26	23	20	58	23
30" Seat	34	28	43.75	18.5	26	29	20	64	28

### **COM - YARDAGE REQUIREMENTS**

	Yardage Seat & Back	Yardage Seat	Yardage Back	Yardage-Closed Upper Arm Panel	Yardage-Fully Closed Arm Panel (Upper & Lower)	
21" & 24" - One Chair	2.1	0.9	2	0.8	1.6	
21" & 24" -Two Chairs	4	1.3	3.4	1.2	2.4	
21" & 24" - Three Chairs	6.1	2.1	5.4	1.6	3.2	
30" Bariatric - One Chair	3.1	0.9	2.2	0.8	1.6	
30" Bariatric - Two Chairs	6.2	1.8	4.4	1.2	2.4	
30" Bariatric - Three Chairs	9.3	2.7	6.6	1.6	3.2	

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote – please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard Solis Frame Color is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 11 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

	(COM)		(COL)					Leather			
Fabric Grades	1	2	3	4	5	6	7	8	9	COM	
Closed Arm Panel (1 arm)	141	150	160	178	196	215	234	253	291	0.4	
Closed Arm Panels (2 arms)	281 (	300	319	356	394	430	468	506	580	0.8	
Fully Closed Arm (1 arm)	236	254	273	304	336	367	401	437	493		
Fully Closed Arm (2 arms)	471	508	545	608	674	734	802	874	984		

## SOLIS BEHAVIORAL HEALTH | PATIENT & BARIATRIC PATIENT

SII	N 7	′1-:	316	
	• •		010	

			COM		COL	FAB	RIC GRA	DES		LEATHER	3
DESCRIPTION	I/MODEL		1	2	3	4	5	6	7	8	9
	21" Open Arm, Mesh Bac	ĸ									
[-]	SOL2-PBHM21OPU	Urethane	811	865	887	931	975	1019	1063	1108	1176
	SOL2-PBHM21OPW	Beech	927	949	971	1015	1059	1103	1147	1192	1260
M	21" Open Arm, Upholster	ed Back									
U U	SOL2-PBHU21OPU	Urethane	881	927	974	1068	1160	1255	1347	1440	1627
	SOL2-PBHU210PW	Beech	965	1011	1058	1152	1244	1339	1431	1524	1711
	24" Open Arm, Mesh Bac	:k									
	SOL2-PBHM24OPU	Urethane	870	892	914	958	1003	1047	1091	1135	1203
64	SOL2-PBHM24OPW	Beech	954	976	998	1042	1087	1131	1175	1219	1287
<b>F</b>	24" Open Arm, Upholster	ed Back									
U	SOL2-PBHU24OPU	Urethane	909	956	1003	1096	1189	1282	1376	1470	1657
	SOL2-PBHU24OPW	Beech	993	1040	1087	1180	1273	1366	1460	1554	1741
	30" Open Arm, Upholster	ed Back									
	SOL2-PBHU30OPU	Urethane	1143	1213	1281	1418	1557	1695	1832	1970	2246
6h	SOL2-PBHU30OPW	Beech	1227	1297	1365	1502	1641	1779	1916	2054	2330

**ORDERING NOTES**: Solis Behavioral Health guest chairs are standard with; secured glides, secured Arms, Bottom Staple shield/Cover, Non-Accessible Staples (Bottom of back) and Tamper- Resistant Hardware.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	30" & 44" - Removable Back Covers	55
Guest chair - Removable Seat Covers	55	Kinetic Back option	75
21" & 24" - Removeable Back Covers	35	Maple Arm upgrade per arm (add to beech price)	50



Solis Behavioral Health Option Upcharges	\$ List		\$ List
Sleigh Base	146	21" Tamper- Resistant Splashguard	109
Anchor to Floor (Sleigh base only)	250	24" Tamper- Resistant Splashguard	115
Plywood Seat / No Springs	84	30" Tamper- Resistant Splashguard	237
Weight Shield (to min 80lbs) - 21" Uph.	284	44" Tamper- Resistant Splashguard	252
Weight Shield (to min 80lbs) - 21" Mesh	338		
Weight Shield (to min 80lbs) - 24" Uph.	234		
Weight Shield (to min 80lbs) - 24" Mesh	288		
Weight Shield (to min 80lbs) - 30" Uph.	125		
Weight Shield (to min 80lbs) - 44" Uph.	119		

### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	GBH	U	21	OPU
Solis	Chair	Guest Seating	Upholstered Back		Open Arm - Urethane
		PBH	Μ	24	OPW
		Patient Seating	Mesh Back 21" & 24" Only		Open Arm - Wood
			21 & 24 Offiy	30	CLW
					Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Woo
					FCU
					Fully Closed Arm - Uretha

### SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - GUEST

### **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

			Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth		Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	Back	. ,	COM. Fabric Closed Arm Panel (2 Arms) Yardage
MESH	BACK													
SGM2 <sup>-</sup>	1 25	28	34.5	18.5	26	20	20	41	16	-	0.9	-	0.4	0.8
SGM24	4 28	28	34.5	18.5	26	23	20	44	18	-	0.9	-	0.4	0.8
UPHO	LSTER	ED BA	СК											
SGU21	25	28	34.5	18.5	26	20	20	43	16	1.6	0.9	1.6	0.4	0.8
SGU24	28	28	34.5	18.5	26	23	20	47	18	1.6	0.9	1.6	0.4	0.8
SGU30	) 34	28	34.5	18.5	26	29	20	52	22	2.5	0.9	2.5	0.4	0.8
SGU44	48	28	34.5	18.5	26	43	20	66	31	2.5	0.9	2.5	0.4	0.8

### DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH	BACK												
CGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
CGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOL	STERE	D BACK											
CGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
CGU24	26	28	34.5	18.5	26	23	20	41	19	1.6	0.9	1.6	0.4
CGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
CGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4

### **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH	BACK												
EGM21	23	28	34.5	18.5	26	20	20	35	16	-	0.9	-	0.4
EGM24	26	28	34.5	18.5	26	23	20	38	18	-	0.9	-	0.4
UPHOL	STERE	ВАСК											
EGU21	23	28	34.5	18.5	26	20	20	37	16	1.6	0.9	1.6	0.4
EGU24	26	28	34.5	18.5	26	23	20	41	18	1.6	0.9	1.6	0.4
EGU30	32	28	34.5	18.5	26	29	20	46	22	2.5	0.9	2.5	0.4
EGU44	46	28	34.5	18.5	26	43	20	60	31	2.5	0.9	2.5	0.4

### ORDERING NOTES:

When ordering multiple Start, Center, End units please refer to page 271 for Yardage Requirements.

### Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

	(COM)		(COL)					Leather			
Fabric Grades	1	2	3	4	5	6	7	8	9	COM	
Closed Arm Panel (1 arm)	141	150	160	178	196	215	234	253	291	0.4	
Closed Arm Panels (2 arms)	281	300	319	356	394	430	468	506	580	0.8	
Fully Closed Arm (1 arm)	236	254	273	304	336	367	401	437	493		
Fully Closed Arm (2 arms)	471	508	545	608	674	734	802	874	984		

# SOLIS BEHAVIORAL HEALTH | START, CENTER & END GUEST UNITS

SIN 71-316

ESCRIPTION/MODE			COM 1	2	COL 3	FAB 4	RIC GRA	DES 6	7	LEATHEI 8	R 9
			•	2	5	4	5	0	I	0	9
START	21" Open Arm Start Gu			000	004	000	010	050	1000	1045	1110
	SOL2-SGBHM21OPU	Urethane	780	802	824	868	912	956	1000	1045	1113
	SOL2-SGBHM210PW	Beech	864	886	908	952	996	1040	1084	1129	1197
				Deels							
	21" Open Arm Start Gu	Urethane		850	000	057	1000	1000	4 4 7 4	10/1	100/
	SOL2-SGBHU21OPU SOL2-SGBHU21OPW	Urethane Beech	815 899	850 934	886 970	957 1041	1028 1112	1099 1183	1171 1255	1241 1325	1384
	50L2-5GBHU210PW	Deecn	099	934	970	1041	1112	1103	1200	1323	1468
	24" Open Arm Start Gu	est Unit, Me	sh Back								
	SOL2-SGBHM24OPU	Urethane	808	830	852	896	941	985	1029	1073	1141
	SOL2-SGBHM24OPW	Beech	892	914	936	980	1025	1069	1113	1157	1225
	24" Open Arm Start Gu	est Unit Uni	nolstered	Back							
	SOL2-SGBHU24OPU	Urethane	843	879	915	986	1057	1129	1999	1270	1413
	SOL2-SGBHU24OPW	Beech	927	963	999	1070	1141	1268	1283	1354	1497
		Beeen	021			1010		1200	1200	1001	1101
	30" Open Arm Start Gu	est Unit, Upl	nolstered	l Back							
7	SOL2-SGBHU30OPU	Urethane	1006	1061	1118	1228	1340	1451	1561	1674	1896
	SOL2-SGBHU30OPW	Beech	1090	1145	1202	1312	1424	1535	1645	1758	1980
	44" Open Arm Start Gu	ost   Init   Ini	nolstarac	Back							
	SOL2-SGBHU44OPU	Urethane	1119	1175	1230	1341	1453	1563	1676	1786	2008
	SOL2-SGBHU440PW	Beech	1203	1259	1314	1425	1537	1647	1760	1870	2092
		Dooon	1200	1200	1011	1120	1001	1011	1100	1010	2002
ENTER	21" Open Arm Center G	auest Unit, M	lesh Bac	k							
	SOL2-CGBHM21OPU	Urethane	712	734	756	800	844	888	932	976	1045
7	SOL2-CGBHM210PW	Beech	754	776	798	842	886	930	974	1018	1087
	21" Open Arm Center G										
	SOL2-CGBHU210PU	Urethane	742	778	814	885	956	1027	1097	1170	1311
	SOL2-CGBHU210PW	Beech	784	820	856	927	998	1069	1139	1212	1353
	24" Open Arm Center G	Guest Unit, M	lesh Bac	k							
	SOL2-CGBHM24OPU	Urethane	730	752	774	818	862	906	950	994	1062
	SOL2-CGBHM24OPW	Beech	772	794	816	860	904	948	992	1036	1104
	24" Open Arm Center G	Guest Unit 11	pholster	ed Back							
L	SOL2-CGBHU24OPU	Ilrethane	762	798	833	904	975	1047	1118	1188	1:3:31
L	SOL2-CGBHU24OPU SOL2-CGBHU24OPW	Urethane Beech	762 804	798 840	833 875	904 946	975 1017	1047 1089	1118 1160	1188 1230	1331 1373

### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | CENTER & END GUEST UNITS

SIN 71-316

										SIN	171-316
			COM		COL	FAB	RIC GRA	DES		LEATHEF	3
DESCRIPTION/MO	DEL		1	2	3	4	5	6	7	8	9
	30" Open Arm Center Gu	est Unit, Uphol	stered Ba	ick							
i i i i i i i i i i i i i i i i i i i	SOL2-CGBHU30OPU	Urethane	913	968	1024	1136	1246	1357	1469	1579	1802
	SOL2-CGBHU30OPW	Beech	955	1010	1066	1178	1288	1399	1511	1621	1844
U											
	44" Open Arm Center Gu				4407	10.10	1051	1 4 0 5	4 - 77	1007	1010
	SOL2-CGBHU44OPU SOL2-CGBHU44OPW	Urethane Beech	1020 1062	1077 1119	1127 1174	1243 1285	1354 1396	1465 1507	1577 1619	1687 1729	1910 1952
	30L2-06D110440FW	Deech	1002	1119	11/4	1205	1390	1307	1019	1729	1952
END	21" Open Arm End Guest	t Unit, Mesh Ba	ick								
	SOL2-EGBHM21OPU	Urethane	712	734	756	800	844	888	932	976	1045
7	SOL2-EGBHM210PW	Beech	754	776	798	842	886	930	974	1018	1087
	21" Open Arm End Guest	<i>i</i> 1									
-	SOL2-EGBHU210PU	Urethane	742	778	814	885	956	1027	1097	1170	1311
	SOL2-EGBHU210PW	Beech	784	820	856	927	998	1069	1139	1212	1353
	24" Open Arm End Guest	t Lipit Maab Ba									
	SOL2-EGBHM24OPU	Urethane	730	752	774	818	862	906	950	994	1062
	SOL2-EGBHM24OPW	Beech	772	794	816	860	904	948	992	1036	1104
		Decen	112	754	010	000	504	540	552	1000	1104
-	24" Open Arm End Guest	t Unit. Upholste	ered Back								
	SOL2-EGBHU24OPU	Urethane	762	798	833	904	975	1047	1118	1188	1331
	SOL2-EGBHU24OPW	Beech	804	840	875	946	1017	1089	1160	1230	1373
	30" Open Arm End Guest		ered Back								
	SOL2-EGBHU30OPU	Urethane	913	968	1024	1136	1246	1357	1469	1579	1802
	SOL2-EGBHU30OPW	Beech	955	1010	1066	1178	1288	1399	1511	1621	1844
	44" Open Arm End Guest	, I									
	SOL2-EGBHU44OPU	Urethane	1020	1077	1127	1243	1354	1465	1577	1687	1910
	SOL2-EGBHU44OPW	Beech	1062	1119	1174	1285	1396	1507	1619	1729	1952
L											

**ORDERING NOTES:** Please refer to page 270 for available options.

The standard **Solis Frame Color** is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 26 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
olis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG Center Unit Guest Multiple Seating	M Mesh Back 21" & 24" Only	24	OPU Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethan

HEALTHCARE | USA | 279

### SOLIS BEHAVIORAL HEALTH | MULTIPLE SEATING - PATIENT BACKS

### **DIMENSIONS & COM. REQUIREMENTS - START UNITS**

DIM	ENSIO	NS & C	OM. RE	QUIRE	MENTS -		NITS			COM.	СОМ	COM.	COM. Fabric	COM. Fabric
	Overal	l Overall	Overall	Seat	Height of Arms	Width Between	Seat	Shipping		Seat & Back	Fabric Seat		Closed Arm Panel (1 Arm)	Closed Arm Panel (2 Arms)
	Width	Depth	Height	Height	from Floor	Arms	Depth	Weight	Cube	Yardage	Yardage		. ,	Yardage
MESI	H BACK													
SPM2	21 25	28	43.75	18.5	26	20	20	42	21	-	0.9	-	0.4	0.8
SPM2	24 28	28	43.75	18.5	26	23	20	45	23	-	0.9	-	0.4	0.8
UPHO	OLSTER	ED BAC	ж											
SPU2		28	43.75	18.5	26	20	20	46	21	2.1	0.9	2.0	0.4	0.8
SPU2		28	43.75	18.5	26	23	20	50	23	2.1	0.9	2.0	0.4	0.8
SPU3	30 34	28	43.75	18.5	26	29	20	56	28	3.1	0.9	2.2	0.4	0.8

### **DIMENSIONS & COM. REQUIREMENTS - CENTER UNITS**

			l Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH B	ACK												
CPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
CPM24	26	28	43.75	18.5	26	23	20	39	23	-	0.9	-	0.4
UPHOLS	STERED	BACK											
CPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
CPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
CPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

### **DIMENSIONS & COM. REQUIREMENTS - END UNITS**

	Overall Width	Overall Depth	Overall Height	Seat Height	Height of Arms from Floor	Width Between Arms	Seat Depth	Shipping Weight	Cube	COM. Seat & Back Yardage	COM Fabric Seat Yardage	COM. Fabric Back Yardage	COM. Fabric Closed Arm Panel Yardage
MESH	BACK												
EPM21	23	28	43.75	18.5	26	20	20	36	21	-	0.9	-	0.4
EPM24	26	28	43.75	18.5	26	23	20	38	23	-	0.9	-	0.4
UPHOL	STERED	ВАСК											
EPU21	23	28	43.75	18.5	26	20	20	40	21	2.1	0.9	2.0	0.4
EPU24	26	28	43.75	18.5	26	23	20	44	23	2.1	0.9	2.0	0.4
EPU30	32	28	43.75	18.5	26	29	20	50	28	3.1	0.9	2.2	0.4

**ORDERING NOTES:** 

Multiple yardage requirements for Patient back Start, Centre and End units, please refer to page 16.

Closed Arm Panels (per chair) - please add the following up charges for closed arm panels.

	(COM)		(COL)					Leather			
Fabric Grades	1	2	3	4	5	6	7	8	9	COM	
Closed Arm Panel (1 arm)	141	150	160	178	196	215	234	253	291	0.4	
Closed Arm Panels (2 arms	) 281	300	319	356	394	430	468	506	580	0.8	
Fully Closed Arm (1 arm) Fully Closed Arm (2 arms)	236 471	254 508	273 545	304 608	336 674	367 734	401 802	437 874	493 984		

# SOLIS BEHAVIORAL HEALTH | START & CENTER PATIENT UNITS

SIN 71-316

										011	1/1-
			COM		COL	FABRIC GRADES				LEATHEF	3
DESCRIPTION/MODEL			1	2	3	4	5	6	7	8	9
OTADT	01" Open Arm Start De	tiont Unit Mool	h Pook								
START	21" Open Arm Start Par			005	007	001	075	1010	1000	1100	447
	SOL2-SPBHM21OPU	Urethane	811	865	887	931	975	1019	1063	1108	117
	SOL2-SPBHM21OPW	Beech	927	949	971	1015	1059	1103	1147	1192	126
	21" Open Arm Start Pa	tient Unit, Upho	olstered B	Back							
	SOL2-SPBHU21OPU	Urethane	881	927	974	1068	1160	1255	1347	1440	162
	SOL2-SPBHU210PW	Beech	965	1011	1058	1152	1244	1339	1431	1524	171
	24" Open Arm Start Pa	tiont I Init Mos	b Back								
	SOL2-SPBHM24OPU	Urethane	870	892	914	958	1003	1047	1091	1135	120
	SOL2-SPBHM24OPW	Beech	954	976	998	1042	1087	1131	1175	1219	128
	SOLE OF DEFINIZION	200011	00-	010	000	1072				1210	120
	24" Open Arm Start Pa	tient Unit. Upho	olstered B	Back							
	SOL2-SPBHU24OPU	Urethane	909	956	1003	1096	1189	1282	1376	1470	165
	SOL2-SPBHU24OPW	Beech	993	1040	1087	1180	1273	1366	1460	1554	174
	00L2 01 D1102401 W	Decen	550	1040	1007	1100	1210	1000	1400	1004	17-
	30" Open Arm Start Pa	tient Unit, Upho	olstered B	Back							
	SOL2-SPBHU30OPU	Urethane	1143	1213	1281	1418	1557	1695	1832	1970	224
17 17	SOL2-SPBHU30OPW	Beech	1227	1297	1365	1502	1641	1779	1916	2054	233
CENTER	21" Open Arm Center F	Patient Unit, Me	esh Back								
	SOL2-CPBHM21OPU	Urethane	775	797	819	863	907	951	995	1039	11(
	SOL2-CPBHM21OPW	Beech	817	839	861	905	949	993	1037	1081	115
	21" Open Arm Center F	atient Unit, Up	holstered	Back							
	SOL2-CPBHU21OPU	Urethane	808	856	902	995	1089	1181	1276	1369	15
Ш	SOL2-CPBHU21OPW	Beech	850	898	944	1037	1131	1223	1318	1411	159
	24" Open Arm Urethane	e Cap Center P	atient Un	it, Mesh	Back						
	SOL2-CPBHM24OPU	Urethane	793	815	837	881	925	969	1013	1057	112
	SOL2-CPBHM24OPW	Beech	835	857	879	923	967	1011	1055	1099	116
	24" Open Arm Center F				001	1015	1100	1001	1001	1000	4.5-
	SOL2-CPBHU24OPU	Urethane	827	874	921	1015	1108	1201	1294	1388	157
	SOL2-CPBHU24OPW	Beech	869	916	963	1057	1150	1243	1336	1430	161
		) oti onti l Init I In	holstored	Back							
	30" Open Arm Center F	ratient Unit, Up	noistereu	20010							
	SOL2-CPBHU30OPU	Urethane	1050	1119	1187	1325	1462	1600	1739	1877	
					1187 1229	1325 1367	1462 1504	1600 1642	1739 1781	1877 1919	215 219
	SOL2-CPBHU30OPU	Urethane	1050	1119							

### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	Μ	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU

Fully Closed Arm - Urethane

### HEALTHCARE | USA | 281

### SOLIS BEHAVIORAL HEALTH | END PATIENT UNITS

SIN 71-316

			COM		COL	FAB	RIC GRA	DES		LEATHER	3
DESCRIPTION/MC	DDEL		1	2	3	4	5	6	7	8	9
END	21" Open Arm End Unit SOL2-EPBHM21OPU SOL2-EPBHM21OPW	, <b>Mesh Back</b> Urethane Beech	775 817	797 839	819 861	863 905	907 949	951 993	995 1037	1039 1081	1108 1150
	21" Open Arm End Unit, SOL2-EPBHU21OPU SOL2-EPBHU21OPW	, Upholstered E Urethane Beech	3ack 808 850	856 898	902 944	995 1037	1089 1131	1181 1223	1276 1318	1369 1411	1556 1598
	24" Open Arm Urethane SOL2-EPBHM24OPU SOL2-EPBHM24OPW 24" Open Arm End Unit, SOL2-EPBHU24OPU	Urethane Beech	793 835	ack 815 857 874	837 879 921	881 923 1015	925 967 1108	969 1011 1201	1013 1055 1294	1057 1099 1388	1125 1167 1575
-	SOL2-EPBHU24OPW	Beech	869	916	963	1015	1150	1243	1336	1430	1617
	30" Open Arm End Unit. SOL2-EPBHU30OPU SOL2-EPBHU30OPW	, Upholstered E Urethane Beech	3ack 1050 1092	1119 1161	1187 1229	1325 1367	1462 1504	1600 1642	1739 1781	1877 1919	2152 2194

### **ORDERING NOTES:**

Combination upholstery (more than one upholstery cover within the same unit) is an option on all Solis upholstered products. When combination upholstery is with upholstery of the same grade or COM, an upcharge for dual fabrics is \$22 list per unit and \$44 list per unit for three fabrics. When graded in combination upholstery is selected, use the highest grade upholstery selected or contact Customer Service for a quote - please provide the fabrics specified and a description of where each fabric is to be applied on the product in order to obtain a quote. Complete Mesh backs (21" & 24") can be ordered and field replaced.

The standard Solis Frame Color is Silver Metallic. Additional frame colors are available for an upcharge of **\$44 list** per seat, please see page 26 for color selection and required ordering quantities. Silver metallic frames are available with an anti-microbial finish for an upcharge of **\$44 list** per chair or table.

Please refer to page 270 for more options.

Weight Shield (to min 80lbs) - 24" Mesh

Weight Shield (to min 80lbs) - 30" Uph.

Weight Shield (to min 80lbs) - 44" Uph.

Solis Guest Option Upcharges	\$ List		\$ List
CAL 133 & Moisture Barrier (per yard)	44	30" & 44" - Removable Back Covers	55
Guest chair - Removable Seat Covers	55	Kinetic Back option	75
21" & 24" - Removeable Back Covers	35	Maple Arm upgrade per arm (add to beech price)	50
Solis Behavioral Health Option Upcharges	\$ List		\$ List
Sleigh Base	569	21" Tamper- Resistant Splashguard	109
Anchor to Floor (Sleigh base only)	250	24" Tamper- Resistant Splashguard	115
Plywood Seat / No Springs	84	30" Tamper- Resistant Splashguard	237
Weight Shield (to min 80lbs) - 21" Uph.	284	44" Tamper- Resistant Splashguard	252
Weight Shield (to min 80lbs) - 21" Mesh	338		
Weight Shield (to min 80lbs) - 24" Uph.	234		

288

125

119

#### PRODUCT CODE KEY

Line	Series	Chair Type	Back Type	Size	Arm Type
SOL	2	SG	U	21	OPW
Solis	Chair	Start Unit Guest Multiple Seating	Upholstered Back		Open Arm -Wood Arm
		CG	M	24	OPU
		Center Unit Guest Multiple Seating	Mesh Back 21" & 24" Only		Open Arm Urethane Arm
		EG		30	CLW
		End Unit Guest Multiple Seating			Closed Arm - Wood
				44	CLU
					Closed Arm - Urethane
					FCW
					Fully Closed Arm - Wood
					FCU
					Fully Closed Arm - Urethane

# SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

						••••							
Description	Model	COM 1	2	COL 3	FAB 4	BRIC GR 5	ADES 6	7	LEATHEI 8	۲ 9	Yardage	SIN 7 <sup>-</sup> Weight	
Guest	21" Replacement E SOL2-RBBHGU21 21" Replacement E SOL2-RBBHGM21	352 Behaviora	385	417	463	516	acks 562	615	680	745	1.5	14 10	2.7
	24" Replacement I SOL2-RBBHGU24 24" Replacement I SOL2-RBBHGM24	367 Behaviora	399	432	478	531	acks 577	629	694	759	1.5	15 11	2.8 2.8
	30" Replacement I SOL2-RBBHGU30		l Health 454	Guest 491	Uphols 543	stered B 630	acks 655	715	790	865	1.6	19	3.4
	44" Replacement B SOL2-RBBHGU44		l Health 575	Guest 613	Uphols 666	stered B 725	acks 778	838	912	987	2.25	28	4.8
Patient	21" Replacement I SOL2-RBBHPU21 21" Replacement I SOL2-RBBHPM21	438 Behaviora	484	532	597	lstered I 671	Backs 737	812	905	999	2.0	21 15	3.8 3.8
	24" Replacement I SOL2-RBBHPU24 24" Replacement I SOL2-RBBHPM24	461 Behaviora	507	555	620	695	3acks 760	835	930	1023	2.0	21 17	3.8 3.8
	30" Replacement I SOL2-RBBHPU30		l Health 642	Patient 703	t Uphc 788	olstered 885	Backs 970	1068	1190	1311	2.2	24	4.8
Guest	21" Replacement I SOL2-RBCBHGU2 21" Replacement I	1 107 Behaviora	140	172	218	271	317	vers 369	435	500	1.5	2	.8
	SOL2-RBCBHGM2 24" Replacement I SOL2-RBCBHGU2 24" Replacement I SOL2-RBCBHGM2	3ehaviora 24 107 3ehaviora	140	173	218	271	ack Cov 317	vers 370	435	501	1.5	2 2.3 2.3	.8 .8 .8
	30" Replacement I SOL2-RBCBHGU3		l Health 155	Guest 191	Uphols 244	stered B 303	ack Cov 356	vers 416	500	566	1.6	2.6	.8
	44" Replacement I SOL2-RBCBHGU4		l Health 161	Guest 198	Uphols 251	stered B 311	ack Cov 362	vers 423	498	572	2.25	3.5	.8
Patient	21" Replacement E SOL2-RBCBHPU2 21" Replacement E SOL2-RBCBHPM2	1 138 Behaviora	185	232	297	372	Back Co 438	overs 512	606	699	2.0	2.5 2.5	.8 .8
	24" Replacement I SOL2-RBCBHPU2 24" Replacement I SOL2-RBCBHPM2	4 139 3ehaviora	185	232	297	373	438	overs 512	606	699	2.0	2.7 2.7	.8 .8
T	30" Replacement E SOL2-RBCBHPU3		l Health 231	Patient 292	t Uphol 377	lstered I 474	Back Co 559	overs 656	778	900	2.2	3	.8

# SOLIS BEHAVIORAL HEALTH | REPLACEMENT COMPONENTS

SIN 71-316		СОМ	1 -	COL		BRIC GF			LEATHE				
Description	Model	1	2	3	4	5	ADES 6	7	LEATHE 8	n 9	Yardage	Weight	Cube
Seat	21" Replacement B	ehavior	al Health	h Seat									
Geat	SOL2-RSBH21	224	245	266	295	329	358	392	435	477	.9	9	2.7
	24" Replacement B											1.0	
	SOL2-RSBH24	249	270	291	320	354	383	417	459	501	.9	10	2.7
	30" Replacement B	ehaviora	al Healtl	h Seat									
~	SOL2-RSBH30	281	302	323	353	381	416	449	491	533	.9	12	3.4
	44" Replacement B	obavior	al Hoalti	h Soat									
	SOL2-RSBH44	375	401	426	463	504	540	581	633	685	.9	14	4.8
No Caring Cost	21" Replacement B	obavior	al Hoalt	h No S	nrina Sa	at							
No Spring Seat	SOL2-RSBH21NS		329	350	379	413	442	476	519	561	.9	9	2.7
~	24" Replacement B		al Healtl	h No S	pring Se	eat							
$\langle \rangle$	SOL2-RSBH24NS	333	354	375	404	438	467	501	543	585	.9	10	2.7
	30" Replacement B	ehavior	al Healtl	h No S	orina Se	eat							
-	SOL2-RSBH30NS	365	386	407	437	465	500	533	575	617	.9	12	3.4
						1							
	44" Replacement B SOL2-RSBH44NS	ehaviora 459	al Healti 485	n No S 510	pring Se 547	eat 588	624	665	717	769	.9	12	3.4
		400	400	510	547	500	024	000	, , , ,	100	.0	12	0.4
Seat Covers					<u>^</u>								
	21" Replacement B SOL2-RSBHC21	ehaviora 75	al Healti 96	n Seat 117	Cover 146	180	209	243	285	327	1.0	1.6	.8
	24" Replacement B					100	200	210	200	0L1	110	1.0	.0
	SOL2-RSBHC24	76	97	118	147	181	210	244	286	328	1.0	1.7	.8
	30" Replacement G	unot D	ationt &	Eacy /		Soat Cov	or						
	SOL2-RSBHC30	82	98	124	154	188	217	251	293	335	1.0	2	.8
	44" Replacement B SOL2-RSBHC44	ehaviora 97	al Healtl 123	h Seat 148	Cover 185	226	261	302	354	405	1.0	2.5	.8
	30E2-113D11044	51	120	140	105	220	201	502	004	400	1.0	2.5	.0
	Replacement Close SOL2-RCA		144	153	165	100	192	206	004	040	.8	c	.9
	SULZ-RCA	135	144	153	165	180	192	200	224	242	.0	6	.9
	Replacement Lowe												
	SOL2-RCAB	95	104	113	126	140	152	167	184	202	.8	6	.9
	Bottom Staple Cov	er/Shield	d										
6	SOL2-RBC21				57								
× 4	SOL2-RBC24				58								
	SOL2-RBC30 SOL2-RBC44				66 73								
	30L2-11D044				10								
	Weighted Shield												
	SOL2-RWSU21				284								
	SOL2-RWSM21				338								
	SOL2-RWSU24				234								
	SOL2-RWSM24 SOL2-RWSU30				288 125								
	SOL2-RWSU44				119								
	Tamper- Resistant S	Splasho	uard										
	SOL2-RSGBH21				180						1	.3	
	SOL2-RSGBH24				187						2	.4	
	SOL2-RSGBH30 SOL2-RSGBH44				323 350						3 4	.5 .6	
	00L2-1100DH44				000						4	.0	

### SOLIS BEHAVIORAL HEALTH | REPLACEMENT FRAMES

SIN 71-316

			SIN / 1-316
Model	Price	Weight	Cubes
Tamper- Resistant Side Frame Assemb	9	1.5	
SOL2-RSFABHS - Urethane	123		
- Beech	248		
Tamper- Resistant Side Frame Assemb	olv - Center	9	1.5
	5		
- Beech	248		
Tompor Decistant Cide Frame Accomb	alter Frad	0	1 5
•		9	1.5
- Beech	248		
Sleigh Base Side Frame Assembly - Si	tart	9	1.5
		Ũ	
	enter	9	1.5
SOL2-RSFABHCSB - Urethane	407		
- Beech	532		
Sleigh Base Side Frame Assembly - Er	nd	9	1.5
SOL2-RSFABHESB - Urethane	407		
- Beech	532		
Sleigh Base Fully Closed Side Frame -	Start	9	1.5
SOL2-RSFABHSFC - Urethane	407		
- Beech	532		
Sleigh Base Fully Closed Side Frame -	Center	9	1.5
- Beech	532		
Sleigh Base Fully Closed Side Frame -	End	9	1.5
		5	1.0
		n places and page 4 for fin	ich coloction
	Tamper- Resistant Side Frame Assemt         SOL2-RSFABHS - Urethane         - Beech         Tamper- Resistant Side Frame Assemt         SOL2-RSFABHC - Urethane         - Beech         Tamper- Resistant Side Frame Assemt         SOL2-RSFABHC - Urethane         - Beech         Tamper- Resistant Side Frame Assemt         SOL2-RSFABHE - Urethane         - Beech         Sleigh Base Side Frame Assembly - Si         SOL2-RSFABHSSB - Urethane         - Beech         Sleigh Base Side Frame Assembly - C         SOL2-RSFABHCSB - Urethane         - Beech         Sleigh Base Side Frame Assembly - C         SOL2-RSFABHCSB - Urethane         - Beech         Sleigh Base Fully Closed Side Frame -         SOL2-RSFABHESE - Urethane         - Beech         Sleigh Base Fully Closed Side Frame -         SOL2-RSFABHSC - Urethane         - Beech         Sleigh Base Fully Closed Side Frame -         SOL2-RSFABHCFC - Urethane         - Beech         Sleigh Base Fully Closed Side Frame -         SOL2-RSFABHCFC - Urethane         - Beech	Tamper- Resistant Side Frame Assembly - Start       123         SOL2-RSFABHS - Urethane       123         - Beech       248         Tamper- Resistant Side Frame Assembly - Center         SOL2-RSFABHC - Urethane       123         - Beech       248         Tamper- Resistant Side Frame Assembly - Center         SOL2-RSFABHC - Urethane       123         - Beech       248         Tamper- Resistant Side Frame Assembly - End         SOL2-RSFABHE - Urethane       123         - Beech       248         Sleigh Base Side Frame Assembly - Start         SOL2-RSFABHSB - Urethane       407         - Beech       532         Sleigh Base Side Frame Assembly - Center         SOL2-RSFABHCSB - Urethane       407         - Beech       532         Sleigh Base Side Frame Assembly - End         SOL2-RSFABHESB - Urethane       407         - Beech       532         Sleigh Base Fully Closed Side Frame - Start         SOL2-RSFABHSFC - Urethane       407         - Beech       532         Sleigh Base Fully Closed Side Frame - Center         SOL2-RSFABHCFC - Urethane       407         - Beech       532         Sleigh Base Fully Closed Side Frame - End	Tamper- Resistant Side Frame Assembly - Start       9         SOL2-RSFABHS - Urethane       123         - Beech       248         Tamper- Resistant Side Frame Assembly - Center       9         SOL2-RSFABHC - Urethane       123         - Beech       248         Tamper- Resistant Side Frame Assembly - End       9         SOL2-RSFABHE - Urethane       123         - Beech       248         Sleigh Base Side Frame Assembly - Start       9         SOL2-RSFABHSSB - Urethane       407         - Beech       532         Sleigh Base Side Frame Assembly - Center       9         SOL2-RSFABHCSB - Urethane       407         - Beech       532         Sleigh Base Side Frame Assembly - Center       9         SOL2-RSFABHCSB - Urethane       407         - Beech       532         Sleigh Base Side Frame Assembly - End       502         Sleigh Base Fully Closed Side Frame - Start       9         SOL2-RSFABHSFC - Urethane       407         - Beech       532         Sleigh Base Fully Closed Side Frame - Center       9         SOL2-RSFABHSFC - Urethane       407         - Beech       532         Sleigh Base Fully Closed Side Frame - Center

Maple side frames are available for an upcharge of \$50 list per arm, please see page 4 for finish selection.

Tamper- Resist Tool Kit SOL2-BHTK

100

### ZOLA BEHAVIORAL HEALTH | LEED CI CREDIT SUMMARY

### ZOLA BEHAVIORAL HEALTH

	MATERIAL CONTENT:	
	16.67% Urethane Foam 15.56% Steel 3.33% Plastic 6.67% Cardboard 7.78% Fabric 5.56% MDF 44.44% Plywood	PRE-CONSUMER RECYCLED CONTENT = 2.78% POST-CONSUMER RECYCLED CONTENT = 9.71% Up to 22.22% of this Zola Behavioral Health product is recyclable at the end of its useful life.
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola Behavioral Health products have earned level®, BIFMA's sustainability certification program for furniture, certification through third-party verification against the e3 standard.



### AIR-EMISSIONS

All Zola Behavioral Health products are supplied air-emissions certified. Contact customer service for information.

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing

facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the

#### **FSC**<sup>®</sup>

The mark of responsible forestry



### growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come.

Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### ZOLA BEHAVIORAL HEALTH | FEATURES



### TAMPER-RESISTANT HARDWARE

This is utilized on all connection points of the product that are (or potentially) accessible, hindering components from being removed or the product being dis-assembled. The unique tools for these fasteners are available from Krug for any maintenance and component replacement.



### **INACCESSIBLE STAPLES**

All staples on this product are covered and made inaccessible with a secondary barrier, which is fastened with tamper-resistant hardware.




### LIGATURE RISK REDUCTION

This product has been designed to minimize the ability to use it for ligature - the closed arm panels, the elimination of legs, and the option of Restricted Access Upholstery significantly reduce the points on the product that could be used for ligature.

#### SPRINGLESS SEAT CONSTRUCTION

H

A very comfortable and durable sit is achieved without internal metal components such as springs - the high resiliency foam and heavy-duty suspension sheet webbing are materials used to deter harm or damage.



#### ARM PANEL BASE

This product has no legs (which could be used to cause harm or damage, or for ligature); instead the bottom portion of each arm panel is a 3" vinyl-clad runner. The durable covering is tightly secured, easy to clean, and will resist damage caused by cleaning equipment, etc.



#### SECURED GLIDES

The non-marring glides are epoxied and nailed in place to hinder their removal. They can be field-replaced with the use of tools.



#### WALL SAVER

The position of the back in relation to the base of this product is designed so the back won't impact when the chairs are pushed against the wall - avoiding potential damage to both the chairs and walls.

#### **CLEAN OUT**

The expanded clean out space on Zola BH seating provides an opening between the seat and back to assist in cleaning of the product, and prevents the buildup of debris and germs. It also reduces the ability to use this area for the concealment of contraband or weapons. Alternatively, Restricted Access Upholstery can be specified to hinder the use of this area for such concealment.

### FINISH DURABILITY

The Krug Enduraguard finish, a proprietary catalyzed varnish formulation, has been repeatedly shown, through independent laboratory testing, to be the industry leader in durability and abrasion resistance. The Krug finish looks better longer than competitors, and is uniquely suited to the demands of healthcare environments.

#### ANTI-MICROBIAL FINISH

Zola Behavioral Health wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria.

### LATEX FREE

Krug products are made with latex-free materials to prevent the allergic reaction that latex causes in some people.

### WEIGHT CAPACITIES

Zola Behavioral Health weight capacities are as follows: One Seat - 300lbs Two Seat - 525 Three Seat - 750 One Seat Bariatric - 750 Two Seat Bariatric - 975 Three Seat Bariatric - 1150

### ADDITIONAL FEATURES

Lifetime warranty

· Certified to meet CAL 117 with most fabrics

### **ZOLA BEHAVIORAL HEALTH | OPTIONS**



#### **RESTRICTED ACCESS UPHOLSTERY**

This option provides complete closure and elimination of the normal gap between upholstered seat, back and arm panels in the seat area of the product - hindering the use of these areas for hiding weapons and contraband. This option further reduces the ability to utilize the product for ligature.



### FLOOR ANCHORING

This can be provided when the product is ordered, or can be added in the field. In both cases, the fastening hardware attaching the steel floor anchoring brackets to the product is tamper-resistant.



#### STEEL BOTTOM SHIELD

This hinders access to the interior frame and components. The powdercoated heavy-gauge steel has venting to allow circulation (venting holes are small enough to hinder use for concealment or ligature), and is fastened with tamper-resistant hardware. The Bottom Shield also adds weight to the product.



### WEIGHTING

The option of additional weighting can be specified, to specific weight requirements. Additional weighting is achieved through steel plating that is fastened to the interior side of the Steel Bottom Shield, making it secure and inaccessible. This option increases total shipping weight to 87lbs.



#### BARIATRIC

The offering includes a standard bariatric-size 1-seater model, as well as the option to specify bariatric weight rating for all other models in the offering - this provides a weight rating that exceeds 750 lbs, and includes additional seat support and an additional back leg on the 2- and 3-seat models only.



#### **REMOVABLE/REPLACEABLE UPHOLSTERY**

Removable upholstery covers can be specified on this product, to facilitate cleaning and assist with infection control. They utilize tamper-resistant hardware, and inaccessible staples. Replacement upholstery covers have the same features, and can be field installed with tamper-resistant fastener tools.



#### TABLES

A range of occasional tables designed specifically for behavioral health environments is included in this product offering, with a similar range of features and options to provide safety and security to patients and care-givers.

### CAL133 & MOISTURE BARRIER

California Technical Bulletin 133 is a flammability test for seating. Krug offers a compliance method, in combination with non-flammable upholstery covers, may enable products to meet certification requirements for this test. This process at the same time also provides the products with a Moisture Barrier - a treatment that helps to prevent the passage of liquids and moisture to inside of the uphostered components - thereby conferring sanitary and anti-infection benefits. So when CAL 133 is specified, the product also automatically has a Moisture Barrier, and when a Moisture Barrier is specified , the product also features the compliance method and low flammability features of CAL 133.

The application of this up-charge and the compliance method does not mean that the specific configuration of product and upholstery cover are tested and officially certified as being CAL133 compliant. If the official certification is required, Krug will provide this (through an independent certified testing laboratory) at a charge of \$700 per item, plus the cost of the product to be tested. Lead time for certification testing is typically 4-8 weeks. Krug assumes no responsibility for the testing of our products in combination with upholstery covers, or for the results of any testing conducted. Some specific configurations of products and upholstery have already been tested. Please contact Customer Service for additional information. CAL 133 and Moisture Barrier is available for **\$44 list** per yard.

### ZOLA BEHAVIORAL HEALTH | LOUNGE

### DIMENSIONS

					Height of	Width			
	Overall	Overall	Overall	Seat	Arms From	Between	Seat	Shipping	
	Width	Depth	Height	Height	Floor	Arms	Depth	Weight	Cubes
One-seat	29.25	27	34	18.5	26.75	23	19.25	67	21.5
Two-seat	52.25	27	34	18.5	26.75	46	19.25	90	38
Three-seat	75.25	27	34	18.5	26.75	69	19.25	116	54.5
One-seat (Bariatric)	36.25	27	34	18.5	26.75	30	19.25	72	22.6

### COM YARDAGES (Lounge Product Only Available with Arms)

	COM Entire Unit	COM 2 Entire Units	COM 3 Entire Units	COM 4 Entire Units
One-seat	4.5	8.25	13	16.5
Two-seat	6	12	17.5	23.7
Three-seat	7.6	14.25	20.5	30
One-seat (Bariatric)	5	10	15	20

### **COM YARDAGES (Individual Components)**

	COM	COM	COM	COM	COM	COM	COM
	Yardage	Yardage Per	Yardage Per	Yardage Per	Yardage	Yardage Per	Yardage Per
	Per Seat	2 Seats	3 Seats	4 Seats	Per Back	2 Backs	3 Backs
One-seat	1.25	2.1	3.35	4.2	1.75	2.75	3.5
Two-seat	1.75	3.4	5.1	6.5	2.5	4.54	6.08
Three-seat	2.5	4.6	7	9	3.5	6.25	9
One-seat (Bariatric)	1.25	2.5	3.75	5	1.75	3.5	5.25

### COM YARDAGES (Individual Components cont'd)

	COM Yardage Per 4 Backs	COM Yardage Per Arm	COM Yardage Per 2 Arms	COM Yardage Per 3 Arms	COM Yardage Per 4 Arms
One-seat	5.25	1.75	2.4	3.3	4.2
Two-seat	8.5	1.75	2.4	3.3	4.2
Three-seat	12.5	1.75	2.4	3.3	4.2
One-seat (Bariatri	c) 7	1.75	2.4	3.3	4.2

### Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	53	One-seat seat	32
Interim Arm	42	Two-seat seat	47
One-seat back	47	Three-seat seat	58
Two-seat back	68	One-seat bariatric seat	42
Three-seat back	84		
One-seat bariatric back	53		

44
13
65
79
s) 92
120
168
5

# **ZOLA BEHAVIORAL HEALTH** | LOUNGE SIN 71-316

										_
DESCRIPTION	MODEL	COM	2	COL 3		3RIC GR 5	ADES 6	7	LEATHE 8	:R 9
DESCRIPTION	MODEL	I	2	3	4	5	0	1	0	9
	One-Seat ZOL3 BHF1111	1844	1950	2056	2231	2413	2588	2770	2844	3216
	Two-Seat ZOL3 BHF2111	2637	2766	2888	3074	3267	3453	3645	3846	4136
	Three-Seat									

3507



3684 3862 4204 4550

4891 5237 5593 6169

### Upcharge for Removable Upholstery Covers:

Option Upcharge	\$ List	Option Upcharge	\$ List
Arms (Right or Left)	53	One-seat seat	32
Interim Arm	42	Two-seat seat	47
One-seat back	47	Three-seat seat	58
Two-seat back	68	One-seat bariatric seat	42
Three-seat back	84		
One-seat bariatric back	53		

ZOL3 BHF3111

Zola Behavioral Health Option Upcharges	\$ List
CAL 133 & Moisture Barrier (per yard)	44
Restricted Access Upholstery	13
Floor Anchoring Hardware	65
One-seat Metal Bottom Shield (to min 80lbs)	79
One-seat Bariatric Metal Bottom Shield (to min 8	80lbs) 92
Two-seat Metal Bottom Shield (to min 80lbs)	120
Three-seat Metal Bottom Shield (to min 80lbs)	168

### PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F	1 One Seat	1 Upholstered	1 Upholstered	1 3" Runner
				Back - STD	Arms - STD	
		FB Freestanding Bariatric	2 Two Seat	2 Upholstered Back - no gap	2 Upholstered Arms - no gap	
			3 Three Seat			

### ZOLA BEHAVIORAL HEALTH | BARIATRIC LOUNGE

SIN 71-316

									011		
		COM			FAB	RIC GRA	ADES	LEATHER			
DESCRIPTION	MODEL	1	2	3	4	5	6	7	8	9	
	One-Seat Bariatric ZOL3 BHFB1111	2044	2149	2256	2433	2613	2790	2969	3161	3416	
	Two-Seat Bariatric ZOL3 BHFB2111	2697	2827	2948	3135	3327	3514	3705	3907	4197	
	ORDERING NOTE: The	e Two-Seat I	Bariatric co	mes stan	dard with	n center s	support.				
	Three-Seat Bariatric ZOL3 BHFB3111	3578	3756	3933	4276	4621	4962	5309	5665	6240	
	ORDERING NOTE: The	e Three-Sea	t Bariatric c	omes sta	indard wi	th center	r support				
Zola Behavioral Health Opti	ion Upcharges \$	List									
CAL 133 & Moisture Barrier	(per yard)	44									
Restricted Access Upholste	ry	13									
Floor Anchoring Hardware		65									

nestricted Access Oprioistery	10
Floor Anchoring Hardware	65
One-seat Metal Bottom Shield (to min 80lbs)	79
One-seat Bariatric Metal Bottom Shield (to min 80lbs)	92
Two-seat Metal Bottom Shield (to min 80lbs)	120
Three-seat Metal Bottom Shield (to min 80lbs)	168

### ZOLA BEHAVIORAL HEALTH | REPLACEMENT PARTS

Description	Model	Price	Weight	Cube
	Replacement Ar ZOL3RBCS	m Panel Base 117	6	.5
	Replacement Flo	por Mounting Bracket (set of 4)		



77 ZOL3RFMB

2.5

### PRODUCT CODE KEY

Line	Series	Chair Type	Seat Count	Back Type	Arm Type	Leg Type
ZOL Zola	3-BH Soft Seating	F	1 One Seat	1 Upholstered	1 Upholstered	1 3" Runner
Zola	Son Sealing	Freestanding	One Seat	Back - STD	Arms - STD	3 Runner
		FB Freestanding	2 Two Seat	2 Upholstered	2 Upholstered	
		Bariatric	3	Back - no gap	Arms - no gap	
			Three Seat			

### ZOLA BEHAVIORAL HEALTH | FREESTANDING TABLES

SIN 71-316

Description	Model	Maple Palette	Beech	Laminate side Laminate top PVC edge	Wood side Laminate top w/ PVC edge Maple	Wood side Laminate top w/ PVC edge Beech	Wood side Laminate top w/ Wood edge Maple	Wood side Laminate top w/ Wood edge Beech
	Square Tables ZOL4-BH181818 ZOL4-BH242418	969 1241	942 1225	773 978	920 1168	945 1204	958 1214	983 1251
				TABLE SIZE	Maple/Palette	LID SURFACE TO Beech	P Laminate	
				1818 2424	1254 1650	1229 1636	1058 1385	
	Rectangular Table ZOL4-BH241818 ZOL4-BH482418	s 1118 1880	1098 1844	875 1502	1054 1753	1086 1808	1095 1821	1128 1877
	/			TABLE SIZE	WITH SOI Maple/Palette	LID SURFACE TO Beech	P Laminate	
				2418 4824	1445 2424	1427 2430	1216 2125	
	Round Tables ZOL4-BH18D18 ZOL4-BH24D18 ZOL4-BH30D18	836 1022 1979	868 1061 1897	890 1124 2090	773 960 1915	856 1050 1886	862 1016 1988	944 1107 1959
				TABLE SIZE	WITH SO Maple/Palette	LID SURFACE TC Beech	P Laminate	
				18D 24D 30D	1106 1432 3958	1138 1473 3880	1178 1544 4089	
Zola Behavioral	Health Option Upch	arges	\$ List					
	Hardware - Weighting to min 8 - Weighting to min 8		62 243 166					
	<ul> <li>Weighting to min a</li> <li>standard exceeds</li> </ul>		90 n/a					
ZOL4-BH24D18	- Weighting to min 8 - Weighting to min 8 - standard exceeds	olbs	270 166 n/a					

**ORDERING NOTE**: Additional weight levels are available, contact customer service for quotes.

TABLE DIMENS	SIONS				Weight with				
Model		W	D	Н	Weight	Solid Surface top	Cube		
Square Tables									
	ZOL4-BH181818	18	18	18	39	48	4.0		
	ZOL4-BH242418	24	18	18	64	80	5.2		
Rectangular Tables									
-	ZOL4-BH241818	24	24	18	51	63	6.9		
	ZOL4-BH482418	48	24	18	123	156	13.5		
Round Tables									
	ZOL4-BH18D18								
	ZOL4-BH24D18	18	-	18	30	38	4.0		
	ZOL4-BH30D18	24	-	18	49	62	6.9		
		30	-	18	77	98	10.6		

### OCCASIONAL TABLES

### KARMA

248 249	Karma LEED Credit Summary Karma Free Standing Tables
250	Karma Linking Tables
253	Karma Linking Table Configuration
	CRESSIDA
254	Cressida LEED Credit Summary
255	Cressida Table Features
256	Cressida Box-Style Tables
257	Cressida Box-Style Linking Tables
258	Cressida Slab-Style Linking Tables
259	Cressida Light-Style Tables
260	Cressida Light-Style Linking Tables

### Cressida Light-Style Linking Tables

### LEYTON

261	Leyton LEED Credit Summary
262	Leyton Tables

### JORDAN

263	Jordan LEED Credit Summary
264	Jordan Linking Tables Features
265	Jordan Linking Tables
266	Jordan Free Standing Tables

#### SOLIS

267	Solis LEED Credit Summary
268	Solis Linking Tables Features
269	Solis Linking Tables
270	Solis Free Standing Tables

### ZOLA

271	Zola LEED Credit Summary
272	Zola Modular Linking Tables
274	Zola Freestanding Tables

### KARMA | LEED CI CREDIT SUMMARY

### KARMA

	MATERIAL CONTENT:		
		— 33.33% Steel — 46.67% Particle Board — 13.33% Cardboard — 6.67% Hardwood Veneer	PRE-CONSUMER RECYCLED CONTENT = 29.17% POST-CONSUMER RECYCLED CONTENT = 42.67% Up to 46.67% of this Karma product is recyclable at the end of its useful life.
	CONTRIBUTES TO		
CREDIT 2.1 - 2.2	Construction Waste Management		1-2 point(s)
CREDIT 3.3	Resource Reuse		1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.2	Recycled Content	1 point	
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)		1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry



#### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Karma products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

### AIR EMISSIONS

All Karma products are supplied air emissions-certified. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FS<sup>®</sup> Certification:

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe , veneer and substrate material) (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl , and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## KARMA | FREE STANDING TABLES

		Beech/	Laminate top w/Wood	Laminate top w/	Solid				SIN 7	1-316
Description	Model	Palette	Edge	Polymer Edge	Surface	W	D	Н	Weight	Cube
	Square & Rectangular Tables, I	Matte Black o	or Silver Metallio	c legs						
	KAR4 18-18-18	492	595	397	915	17.5	17.5	17.5	15	2.6
	KAR4 22-18-18	517	613	407	927	22	17.5	17.5	16.5	2.6
	KAR4 42-18-18	776	962	687	1320	42	17.5	17.5	24.5	4.6
	KAR4 18-18-21	503	604	407	925	17.5	17.5	21	17	3
5	KAR4 22-18-21	527	622	416	938	22	17.5	21	18.5	3
	KAR4 42-18-21	787	973	696	1330	42	17.5	21	26.5	4.6
	Square & Rectangular Tables, I	Polished Chro	ome legs							
	KAR4 18-18-18	581	684	485	1004	17.5	17.5	17.5	15	2.6
	KAR4 22-18-18	606	701	495	1016	22	17.5	17.5	16.5	2.6
	KAR4 42-18-18	865	789	776	1410	42	17.5	17.5	24.5	4.6
	KAR4 18-18-21	601	703	505	1024	17.5	17.5	21	17	3
	KAR4 22-18-21	626	721	515	1036	22	17.5	21	16.5	2.6
	KAR4 42-18-21	885	924	794	1428	42	17.5	21	24.5	4.6
	ORDERING NOTE: For leg fin C for Polished Chrome	nish add to t	he end of the i	model number	r; B for Mat	te Blac	k, S f	or Silv	er Metal	lic and
	Round Tables, Matte Black or	Silver Metallio	c legs							
$\frown$	KAR4 24D-18	611	834	478	1073	24	-	17.5	19	3.5
	KAR4 36D-18	836	941	525	1678	36	-	17.5	31	7.3
	KAR4 24D-21	620	845	488	1082	24	-	21	21	3.5
	KAR4 36D-21	846	951	535	1688	36	-	21	33	7.3
	Round Tables, Polished Chrom	ne leas								
	KAR4 24D-18	700	923	566	1161	24	-	17.5	19	3.5
	KAR4 36D-18	950	1055	639	1792	36	-	17.5	31	7.3
	KAR4 24D-21	719	943	587	1181	24	-	21	21	3.5
	KAR4 36D-21	970	1075	659	1812	36	-	21	33	7.3

**ORDERING NOTE:** For leg finish add to the end of the model number; B for Matte Black, S for Silver Metallic and C for Polished Chrome

# KARMA | LINKING TABLES

SIN 71-316		Beech/	Laminate top w/Wood	Laminate top w/ PVC	Solid					
Description	Model	Palette	Edge	Edge	Surface	W	D	Н	Weight	Cube
2	Square Straight Linking Tab KAR4-LKII-18-18	476	578	379	899	17.5	17.5	-	15	2.5
	Square Straight Linking Tab KAR4-LKIL-18-18	476	578	379	899	17.5	17.5	-	15	2.5
	Square Straight Linking Tab KAR4-LKIR-18-18	le, Matte Black 476	or Silver Metal 578	lic, Right hand 379	led as seate 899		osed : 17.5	seatin -	g) 15	2.5
	Square Straight Linking Tab KAR4-LKII-18-18	le, Polished Chi 581	rome, Left or R 684	ight handed (8 485	Same direct 1004		ting) 17.5	-	15	2.5
	Square Straight Linking Tab KAR4-LKIL-18-18	le, Polished Chi 581	rome, Left han 684	ded as seated 485	(Opposed 1004		) 17.5	-	15	2.5
	Square Straight Linking Tab KAR4-LKIR-18-18	le, Polished Chi 581	rome, Right ha 684	nded as seate 485	d (Opposed 1004		g) 17.5	-	15	2.5
*	Square Straight Linking End KAR4-LKEL-18-18*	d Table, Matte B 483	lack or Silver N 584	/letallic legs, L 386	eft handed 904		ed 17.5	17.5	15	2.5
2	Square Straight Linking End KAR4-LKER-18-18	d Table, Matte B 483	lack or Silver N 584	/letallic legs, R 386	light hande 904		ated 17.5	17.5	15	2.5
U	Square Straight Linking End KAR4-LKEL-18-18*	d Table, Polished 591	d Chrome legs, 693	Left handed a 495	as seated 1012	17.5	17.5	17.5	15	2.5
	Square Straight Linking End KAR4-LKER-18-18	d Table, Polished 591	d Chrome legs 693	Right handed 495	l as seated 1012	17.5	17.5	17.5	15	2.5
e	Rectangular Straight Linkin	-			or Right han 911			rectio	-	
	KAR4-LKII-22-18 Rectangular Straight Linkin KAR4-LKIL-22-18	502 g Table, Matte E 502	596 Black or Silver I 596	390 Vetallic, Left h 390			17.5 Oppos 17.5	ed se	16.5 ating) 16.5	2.8 2.8
	Rectangular Straight Linkin KAR4-LKIR-22-18					seated		osed s -		2.8
	Rectangular Straight Linkin KAR4-LKII-22-18	g Table, Polishe 607	d Chrome, Lef 702	t or Right hand 495	ded (Same o 1016		n seati 17.5	ng) -	16.5	2.8
	Rectangular Straight Linkin KAR4-LKIL-22-18					osed se		-	16.5	2.8
	Rectangular Straight Linkin KAR4-LKIR-22-18	g Table, Polishe 607	d Chrome, Rig 702	ht handed as s 495	seated (Opp 1016	oosed s 22	eating 17.5	) _	16.5	2.8
*	Rectangular Straight Linkin KAR4-LKEL-22-18*	g End Table, Ma 507	atte Black or Si 602	lver Metallic, L 397		as sea 22				g) 2.8
A A A A A A A A A A A A A A A A A A A	Rectangular Straight Linkin KAR4-LKER-22-18					ed as se		Oppos	sed seatir	
5	Rectangular Straight Linkin KAR4-LKEL-22-18*	g End Table, Po 615	lished Chrome 710	, Left handed a 505	as seated ( 1025		d seat 17.5	-	16.5	2.8
	Rectangular Straight Linkin KAR4-LKER-22-18	g End Table, Po 615	lished Chrome 710	, Right handed 505	d as seated 1025	(Oppos		ating)	16.5	2.8

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 297 for suggested configurations.

### KARMA | LINKING TABLES

			Laminate top	Laminate top w/		-			SIN 7	′1-316
Description	Model	Beech/ Palette	w/Wood Edge	PVC Edge	Solid Surface	W	D	н	Weight	Cube
	Curvilinear Connector Table 45 KAR4-LKCI-RF45	°, Matte Blac 686	k or Silver Me	etallic, Left or F 544	ight hande 1216	ed (Sam 28	e direc 24	tion, <b>i</b> -	i <b>nward</b> s 19	eating) 4.2
	Curvilinear Connector Table 456 KAR4-LKCO-RF45	, Matte Black 686	c or Silver Meta 1000	allic, Left or Rig 544	ht handed 1216	(Same) 28	directio 24	n, <b>ou</b> -	<b>tward</b> se 19	ating) 4.2
	Curvilinear Connector Table 45 KAR4-LKCL-RF45	°, Matte Blac 686	k or Silver Me 1000	tallic, Left han 544	ded as sea 1216	ted ( <b>Op</b> 28	posed 24	seati -	ing) 19	4.2
	Curvilinear Connector Table 45 KAR4-LKCR-RF45	°, Matte Blac 686	k or Silver Me 1000	tallic, Right ha 544	nded as se 1216	ated ( <b>C</b> 28	<b>)ppose</b> 24	d sea -	ating) 19	4.2
	Curvilinear Connector Table 45 KAR4-LKCI-RF45	°, Polished C 791	hrome, Left o 1011	r Right handec 649	l (Same dir 1321	ection, 28	inward 24	l seati -	ing) 19	4.2
	Curvilinear Connector Table 45 KAR4-LKCO-RF45	°, Polished C 791	hrome, Left o 1011	r Right handec 649	l (Same dire 1321	ection, 28	outwai 24	r <b>d</b> sea -	ating) 19	4.2
	Curvilinear Connector Table 45 KAR4-LKCL-RF45	791	1011	649	1321	28	24	-	19	4.2
	Curvilinear Connector Table 45 KAR4-LKCR-RF45	°, Polished C 791	hrome, Right 1011	handed as sea 649	ated ( <b>Oppo</b> 1321	sed sea 28	ating) 24	-	19	4.2
	Curvilinear Connector Table 45 inward seating)	° Matte Black	k or Silver Me	tallic, with Flat	edge, Left	or Righ	t hande	ed (Sa	ame direc	ction,
N S	KAR4-LKCI-RR45	709	1029	570	1216	28	24	-	19	4.2
	Curvilinear Connector Table 45° outward seating)	Matte Black	or Silver Metal	llic, with Flat ed	lge, Left or	Right ha	anded (	Same	directior	١,
	KAR4-LKCO-RR45	709	1029	570	1216	28	24	-	19	4.2
	Curvilinear Connector Table 45° KAR4-LKCL-RR45	Matte Black o 709	or Silver Metallio 1029	c, with Flat edge 570	e, Left hand 1216	led as s 28	eated ( <b>(</b> 24	Oppo		-
	Curvilinear Connector Table 45°							- ed ( <b>0</b>	19 nnosed (	4.2
	KAR4-LKCR-RR45	709	1029	570	1216	28	24	-	19	4.2
	Curvilinear Connector Table 45° KAR4-LKCI-RR45	Polished Chro 814	ome, with Flat e 1135	edge, Left or Rig 675	ght handed 1321	(Same o 28	directior 24	n, <b>inw</b> -	<b>ard</b> seati 19	ng) 4.2
	Curvilinear Connector Table 45° I KAR4-LKCO-RR45	Polished Chro 814	me, with Flat e 1135	dge, Left or Rig 675	ht handed ( 1321	Same di 28	irection, 24	outw -	<b>vard</b> seati 19	ing) 4.2
	Curvilinear Connector Table 45			•				ed se	0,	4.0
	KAR4-LKCL-RR45 Curvilinear Connector Table 45	814 ° Polished Cl	1135 brome with Fl	675 lat edge Bight	1321 handed as	28 seated	24 1 ( <b>Oppo</b>	- sed (	19 seating)	4.2
	KAR4-LKCR-RR45	814	1135	675	1321	28	24	-	19	4.2
	Curvilinear Connector Table 90				-			tion, i		-
A A	KAR4-LKCI-RR90 Curvilinear Connector Table 90°	892 , Matte Black	1294 or Silver Meta	715 allic, Left or Rigl	1736 ht handed (	38 Same d	24 lirection	- , outv	22 ward sea	5.5 ting)

5.5 KAR4-LKCO-RR90 Curvilinear Connector Table 90°, Matte Black or Silver Metallic, Left handed as seated (Opposed seating) 5.5 KAR4-LKCL-RR90 -Curvilinear Connector Table 90°, Matte Black or Silver Metallic, Right handed as seated (Opposed seating) KAR4-LKCR-RR90 \_ 5.5 Curvilinear Connector Table 90°, Polished Chrome, Left or Right handed (Same direction, inward seating) KAR4-LKCI-RR90 -5.5 Curvilinear Connector Table 90°, Polished Chrome, Left or Right handed (Same direction, outward seating) KAR4-LKCO-RR90 5.5 Curvilinear Connector Table 90°, Polished Chrome, Left handed as seated (Opposed seating) KAR4-LKCL-RR90 5.5 Curvilinear Connector Table 90°, Polished Chrome, Right handed as seated (Opposed seating) KAR4-LKCR-RR90 5.5


**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 297 for suggested configurations.

### KARMA | LINKING TABLES SIN 71-316

SIN 71-316 Description	Model	Beech/ Palette	Laminate top w/Wood Edge	Laminate top w/ PVC Edge	Solid Surface	W	D	Н	Weight	Cube
Rectification of the second se	Curvilinear Connector Table 90	0° Matte Black	or Silver Metal	lic, with Flat ec	lge, Left or R	light ha	nded (	Same	direction,	inward
	<ul> <li>seating)</li> <li>KAR4-LKCI-RF90</li> </ul>	841	1333	737	1736	38	24	-	22	5.5
	Curvilinear Connector Table 90	0° Matte Black	or Silver Metall	ic, with Flat edg	ge, Left or Rig	ght han	ded (Sa	ame d	irection, <b>o</b>	outward
	seating) KAR4-LKCO-RF90	841	1333	737	1736	38	24		22	5.5
	Curvilinear Connector Table 9							- d ( <b>Op</b>		
	KAR4-LKCL-RF90	841	1333	737	1736	38	24	-	22	5.5
	Curvilinear Connector Table 9							ed ( <b>O</b>		
	KAR4-LKCR-RF90	841	1333	737	1736	38	24	-	22	5.5
	Curvilinear Connector Table 9	0° Polished Cl		t edge, Left or		d (Sam	e direc	tion, <b>i</b>	nward se	eating)
	KAR4-LKCI-RF90	1024	1437	842	1840	38	24	-	22	5.5
	Curvilinear Connector Table 90 KAR4-LKCO-RF90	° Polished Ch 1024	rome, with Flat 1437	edge, Left or R 842	ight handed 1840	(Same) 38	directic 24	n, <b>ou</b> t -	tward sea 22	ating) 5.5
	Curvilinear Connector Table	90° Polished ( 1024	Chrome, with F 1437	lat edge, Left 842	handed as s 1840	eated 38	( <b>Oppo</b> ) 24	sed s	eating) 22	5.5
	Curvilinear Connector Table	90° Polished ( 1024	Chrome, with F 1437	lat edge, Righ 842	t handed as 1840	seated 38	l (Opp 24	osed : -	seating) 22	5.5
	Rectilinear Corner Connector	Table 90° Mat	te Black or Silv	er Metallic, with	n Flat edge, L	_eft or F	Right h	anded	(Same di	rection
	inward seating)									
24	KAR4-LKCI-SF90	998	1447	800	1787	30	30	-	26	5.5
	Rectilinear Connector Table	90° Matte Bla	ick or Silver M	etallic, with Fl	at edge, Let	t or Ri	ght ha	nded	(Same di	rection
	outward seating) KAR4-LKCO-SF90	998	1447	800	1787	30	30	-	26	5.5
	Rectilinear Connector Table 9 KAR4-LKCL-SF90	0°, Matte Blac 998	k or Silver Meta 1447	allic, with Flat e 800	edge Left har 1787	nded as 30	seate 30	d ( <b>Op</b>	p <b>osed</b> se 26	ating) 5.5
	Rectilinear Connector Table 9 KAR4-LKCR-SF90	0° Matte Black 998	c or Silver Meta 1447	Illic, with Flat e 800	dge, Right h 1787	anded a 30	as seat 30	ed ( <b>O</b> -	pposed s 26	eating) 5.5
	Rectilinear Corner Connector seating)	Table 90° Po	lished Chrome	, with Flat edg	e, Left or Rig	ght han	ded (S	ame o	direction,	inward
	KAR4-LKCI-SF90	1146	1595	948	1935	30	30	-	26	5.5
	Rectilinear Connector Table 9 KAR4-LKCO-SF90	0° Polished Cl 1146	nrome, with Fla 1595	t edge, Left or 948	Right hande 1935	d (Sam 30	e direc 30	tion, <b>c</b> -	outward s 26	seating) 5.5
	Rectilinear Connector Table KAR4-LKCL-SF90	90°, Polished 1146	Chrome, with I 1595	lat edge, Left 948	handed as 1935	seated 30	( <b>Oppo</b> 30	sed s	eating) 26	5.5
	Rectilinear Connector Table KAR4-LKCR-SF90	90° Polished ( 1146	Chrome, with F 1595	lat edge, Righ 948	t handed as 1935	seated	( <b>Opp</b> 30	osed	seating) 26	5.5

**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order. See page 297 for suggested configurations.

### KARMA | LINKING TABLES CONFIGURATIONS



**ORDERING NOTES:** A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

### CRESSIDA | LEED CI CREDIT SUMMARY

### CRESSIDA | TABLES

MATERIAL CONTENT:		MATERIAL CONTENT:	
1.5% Auminum 1% Peatic 2.17% Cardboard 7% Stel 1.35% Hardboard Veneer 20.67% Particle Board	PRE-CONSUMER RECYCLED CONTENT - 36.34% POST-CONSUMER RECYCLED CONTENT - 26.4% Up to 31.25% of this Cressida product is recyclable at the end of its useful life. CONTRIBUTES TO	4.5% Pywood 2% Harriwood 11.5% Particle Board 12.5% Gardwood Veneer 2.5% Gardwood Veneer 3.3% Steel	PRE-CONSUMER RECYCLED CONTENT - 30.77% POST-CONSUMER RECYCLED CONTENT - 25.68% Up to 27.88% of this Cressida product is recyclable at the end of its useful life.
CREDIT 2.1 - 2.2	Construction Waste Manager	ment	1-2 point(s)
CREDIT 3.3	Resource Reuse		1 point
CREDIT 4.1	Recycled Content		1 point
CREDIT 4.2	Recycled Content		1 point
CREDIT 4.5	Low Emitting Materials,		
	Systems & Seating		1 point
CREDIT 5.1	Regional Materials*		1 point
CREDIT 7	Certified Wood		1 point(s)
	(MUST BE REQUESTED)		

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Cressida products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



mark of responsible forestry

AIR EMISSIONS

All Cressida products are supplied air-emissions certified. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Cressida and other Krug products can be specified with one of two types of FS <sup>®</sup> Certification:

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe , veneer and substrate material)
 (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl , and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.



### **CRESSIDA** | TABLE FEATURES

#### ANTI-MICROBIAL FINISH

Cressida wood surfaces come with an anti-microbial finish that inhibits the growth of some molds and mildews. Surfaces coated in this finish support the reduction of fungal growth, and spores from germs, microbes and bacteria

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Cressida tables are available in 22 standard finishes.

#### LAMINATE

Cressida Box-style tables are available in laminate with wood side or laminate side. See page 4 for laminate information.

### SOLID SURFACE



Cressida Box-style & Slab-style tables are available with 1/2" White solid surface tops. Cressida Light-style tables are available with White full solid surface tops, 1" thick. Please contact customer service for a quote on additional solid surface color options.

### CRESSIDA | BOX-STYLE TABLES


		BEECH PALETTE		LAMINATE TOP W/BEECH	LAMINATE TOP W/ MAPLE				SIN 7	1-316
DESCRIPTION	MODEL	LAMINATE	MAPLE	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
	Square Tables CRE4A 181816 CRE4A 242416	822 1016	855 1057	853 1051	886 1093	18 24		15.75 15.75		3 5
		TABLE SIZE		OLID SURFACE TO	P UPCHARGE				0.1	
		181816 242416		321 571					34 52	3 5
	Rectangular Tabl	es								
	CRE4A 241816 CRE4A 482416	903 1453	939 1511	933 1504	971 1563	24 48		15.75 15.75		4 10
		TABLE SIZE	S	OLID SURFACE TO	P UPCHARGE					
		241816 482416		428 143					42 67	4 10
	Round Tables CRE4A 18D16 CRE4A 24D16 CRE4A 30D16	677 827 1449	705 861 1507	699 933 1584	728 971 1647	18 24 30		15.75 15.75 15.75	23	3 5 8
			0	OLID SURFACE TO						
		TABLE SIZE 18D16	-	321	PUPCHARGE				23	3
		24D16 30D16		571 394					37 75	5 8
	Rectangular Rou	nd Corner								
	CRE4 B181816	881	917	914	950	18		15.75		3
	CRE4 B241816 CRE4 B242416	994 1103	1034 1147	1036 1175	1077 1222	24 24		15.75 15.75		4 5
	CRE4 B482416	1603	1667	1716	1784	48		15.75		10
U U U		TABLE SIZE		OLID SURFACE TO	P UPCHARGE					
		181816 241816 242416 482416		321 428 571 143					26 31 38 68	3 4 5 10
	Oval Tables									
	CRE4A E241816 CRE4A E322416 CRE4A E482916	1130	951 1175 1492	1006 1223 1535	1046 1273 1596	24 32 48	24	15.75 15.75 15.75	34	4 7 12
		TABLE SIZE	S	OLID SURFACE TO	P UPCHARGE					
		241816	4	428					27	4
		322416 482916		762 382					38 72	7 12

## **CRESSIDA** | BOX-STYLE TABLES


SIN 71-316	SIN 71-316		ECH LAMINATE TOP LAMINATE TOP W/							
DESCRIPTION/M		PALETTE LAMINATE	MAPLE	W/BEECH SIDES	MAPLE SIDES	W	D	н	WEIGH.	T CUBE
	-			GIDEO	OIDEO	••			WEIGH	
	Triangular Round C CRE4B T1618-45	827	861	840	874	16	18	15.75	18	2.5
	CRE4B T2124-45	948	986	983	1022	21	24	15.75	23	4.5
	CRE4B T2529-45	1161	1208	1227	1277	25	29	15.75	28	7
	CRE4B T2818-90	1028	1069	1069	1112	28	18	15.75	24	3
U U	CRE4B T3624-90	1226	1276	1284	1336	36	24	15.75	30	7.5
	CRE4B T4429-90	1475	1534	1489	1549	44	29	15.75	36	11
		TABLE SIZE		SOLID SURFACE TO	OP UPCHARGE					
			0.45	222					0.4	0.5


21	2.5
27	4.5
34	7
0.1	0
31	3
38	7.5
45	11
	27 34 31 38

### TRIANGULAR TABLE DIMENSIONS









### **CRESSIDA** | LIGHT-STYLE TABLES

DESCRIPTION/MC	DDEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	FULL SOLID SURFACE	W	D	Н	WEIGH	T CUBE
	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	410 419 579	426 436 602	468 478 695	487 497 722	805 815 1472	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Table CRE4D 181816S CRE4D 242416S CRE4D 363616S CRE4D 181821S CRE4D 242421S	371 412 589	385 428 612 394 438	415 479 706 424 487	432 498 734 441 507	566 933 1998 581 942	18 24 36 18 24	18 24 36 18 24	16 16 16 21 21	22 33 65 25 35	3 5 12 4 5

CRESSIDA   BOX-STYLE LINKING TABLES
-------------------------------------


	DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	W	D	н	SIN 7	71-316 T CUBE
		Curvilinear 30° Tab									
		CRE4A LKC30	768	798	820	853	16	16.5	-	15	2.3
			TABLE SIZE	SOLI	SURFACE TOP	UPCHARGE					
			LKC30	229		of of white				19	2.3
			<u></u>	220						10	2.0
		Curvilinear 45° Tab									
		CRE4A LKC45	891	927	947	985	16	17	-	17	2.9
		0112 #1210010					10				2.0
			TABLE SIZE	337	O SURFACE TOP	UPCHARGE				24	2.9
			LKC45	337						24	2.9
		Curvilinear 60° Tab									
		CRE4A LKC60	1014	1055	1083	1126	16	17.5	-	20	3.7
			TABLE SIZE	SOLI	O SURFACE TOP	UPCHARGE					
			LKC60	464						20	3.7
-		Curvilinear 90° Tab	ام								
		CRE4A LKC90	1177	1224	1262	1313	16	19	-	24	5.4
			TABLE SIZE	2011	O SURFACE TOP						
			LKC60	698	J SURFACE TOP	OFCHANGE				38	5.4
			LICOU	030						30	5.4
		Curvilinear 90°x2 T									
T.		CRE4A LKC90X2	2219	2308	2380	2476	16	19	15.75	55	10
			TABLE SIZE	SOLI	O SURFACE TOP	UPCHARGE					
	Ţ		LKC90X2		1395					55	10
-											
	$\frown$	Curvilinear End Ro CRE4A LKH12	und Table 845	879	881	017	10	10	15 75	10	0.0
		CRE4A LKH12 CRE4A LKH18	845 919	879 956	960	917 999	12 18		15.75 15.75		2.3 3.6
			010	000	000	000	10	10	10.70	<i>2</i> 1	0.0
	-		TABLE SIZE	SOLI	O SURFACE TOP	UPCHARGE					
			LKH12	214						18	2.3
			LKH18	321						21	3.6

#### **ORDERING NOTES:**

16 1/16"

When fastening two linking tables together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Middle tables are automatically supplied with two (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one (table to seat bracket) bracket for fastening to benches. Cressida Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

### CURVILINEAR TABLE DIMENSIONS



### **CRESSIDA** | SLAB-STYLE LINKING TABLES

SIN 71-316

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	Laminate top l W/Beech Sides	AMINATE TOP W/ MAPLE SIDES	W	D	Н	WEIGH	T CUBE
	Square and Rectar	0								
$\leq >$	CRE4C LKI1818	490	510	474	492	18	18	-	23	1.5
	CRE4C LKI2418	537	558	566	589	24	18	-	26	2.0
		TABLE SIZE	SOLI	O SURFACE TOP U	PCHARGE					
		LKI1818	321						30	1.5
		LKI2418	428						35	2.0
	Curvilinear Slab Ta	ble with flat fro	nt							
$\langle \rangle$	CRE4C LKCRF45	716	744	729	758	28	24	16	25	1.8
	CRE4C LKCRF90	825	858	872	906	38	24	16	45	3.0
IT		TABLE SIZE	SOLI	O SURFACE TOP U	PCHARGE					
u u		LKCRF45	719						34	1.8
		LKCRF90	968						62	3.0
	Curvilinear Slab Ta	ble								
	CRE4C LKCRR45	716	744	729	758	28	24	16	23	1.8
	CRE4C LKCRR90	825	858	872	906	38	24	16	42	3.0
		TABLE SIZE	SOLI	O SURFACE TOP U	PCHARGE					
UL I		LKCRR45	719						32	1.8
		LKCRR90	968						59	3.0
	Rectilinear Corner	tabla								
	CRE4C LKCSF90	1201e 949	987	1049	1091	30	30	16	52	3.5
						50		10	02	0.0
	<b>_</b>	TABLE SIZE		D SURFACE TOP UP	PCHARGE					
Л		LKCSF90	1278						71	3.5

### **ORDERING NOTES:**

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via Linking brackets. Hardware for tables can be used left or right handed.

The design of the tables for Cressida Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:


They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

### **CRESSIDA** | LIGHT-STYLE TABLES

DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	FULL SOLID SURFACE	W	D	Н	SIN 7	1-316 CUBE
M	Square Tables CRE4D 222216 CRE4D 222221 CRE4D 422216	410 419 579	426 436 602	468 478 695	487 497 722	805 815 1472	22 22 42	22 22 22	16 21 16	32 34 55	5 7 9
	Soft Square Table CRE4D 181816S CRE4D 242416S CRE4D 363616S CRE4D 181821S CRE4D 242421S	371 412 589 379	385 428 612 394 438	415 479 706 424 487	432 498 734 441 507	566 933 1998 581 942	18 24 36 18 24	18 24 36 18 24	16 16 16 21 21	22 33 65 25 35	3 5 12 4 5

### **CRESSIDA** | LIGHT-STYLE LINKING TABLES



### **CRESSIDA** | LIGHT-STYLE LINKING TABLES

SIN 71-316 DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE SIDES	FULL SOLID SURFACE	W	D	Н	WEIGH	T CUBE
	Center Square 1 CRE4D LKI2222		429	471	490	809	22	22	-	23	1.5
	End Square Tab CRE4D LKE222		425	467	486	831	22	22	16	34	1.5
	Curvilinear Conr CRE4D LKCRF4		5° with flat 6 510	edge 467	486	1159	28	24	16	27	2.2
	Curvilinear Conr CRE4D LKCRR4		5° 510	467	486	1159	28	24	16	26	2.2
*	Curvilinear Conr CRE4D LKCRF9		0° with flat 6 554	edge 674	701	1519	38	24	16	32	2.2
	Curvilinear Conr CRE4D LKCRRS		)° 554	674	701	1519	38	24	16	32	2.2
	Rectilinear Corn CRE4D LKCSF9		Table 90° 589	677	705	1430	30	30	16	42	2.2
	Curvilinear Conr CRE4D LKCRR		30° 863	967	1006	2248	55	29	16	60	4.4


### **ORDERING NOTES:**

Linking tables can be ordered in conjunction with any of the Cressida Multiple Seating.

### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table  $90^{\circ}$  include a support leg in the outer corner. All end linking tables include 2 legs. All Curvilinear tables include one supporting center leg.

### LEYTON | LEED CI CREDIT SUMMARY



\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Leyton products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



FSC<sup>e</sup> C021699

The mark of responsible fores



### AIR EMISSIONS

All Leyton products are supplied air emissions-certified. Contact customer service for information.

#### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Leyton and other Krug products can be specified with one of two types of FSC<sup>®</sup> Certification:

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe, veneer and substrate material)
 (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **LEYTON | TABLES**

	SIN 711-8 Description	Model	Maple,Oak Walnut Palette	Cherry Anigre Sycamore	Designer White Solid Surface	W	D	Н	Weight	Cuboo
			Laminate	(5 Unit Minimum)					-	
		LEY4122412	406	452	601	12	24	12	17.5	.7
		LEY4182412	425	484	719	18	24	12	22	1.1
		LEY4242412 LEY4302412	446 467	519 553	843 956	24 30	24 24	12 12	28 32	1.4 1.8
S		LEY4362412	487	586	950 952	30	24 24	12	32 37	2.2
		LEY4422412	593	707	1211	42	24 24	12	41.5	2.2
O										
		LEY4183012 LEY4243012	464 488	533 579	822 965	18 24	30 30	12 12	23 28	1.1 1.4
		LEY4303012	400 518	621	965 1115	24 30	30 30	12	20 33	1.4
0		LEY4363012	544	663	1268	36	30	12	37.5	2.2
Ĩ		LEY4423012	643	778	1419	42	30	12	42.5	2.5
PRODUCTS		LL14423012	040	110	1415	42	50	12	42.0	2.0
THESE		LEY4182416	436	495	730	18	24	16	27	1.4
		LEY4242416	457	529	854	24	24	16	33	1.4
- #		LEY4302416	478	564	966	30	24	16	39	2.2
- ÷		LEY4362416	498	596	963	36	24	16	45	2.7
_		LEY4422416	604	717	1221	42	24	16	51	3.1
Ö	U U	LEY4183016	475	544	833	18	30	16	28	1.4
		LEY4243016	499	589	975	24	30	16	34	1.8
S		LEY4303016	528	631	1126	30	30	16	40	2.2
<b>L</b>		LEY4363016	554	673	1279	36	30	16	46	2.7
		LEY4423016	653	789	1429	42	30	16	52	3.1
DISCOUNT APPLIES TO	Note: Please note Cherry, Ani	gre and Sycamore	species req	uire a minimum qu	antity order of 5 tab	les (any co	mbinati	on of s	izes) per	species.
AL	Description	Model		Price					Weight	Cubes
COMMERCIAI		Replacement Tab LEY4R2412	ole Legs (pair	) 165					8	1
ш		LEY4R2416		172					10	1.25
Ş		LEY4R3012		192					10	2
Ň		LEY4R3016		212					12	2.25
0		Replacement Glid LEY3RG	des - Lounge	& Table (set of fo 13	ur)				1	.25

Description	Мо
	Re LE
	LE
	LE
	LE

I	Model	FIICE	weight	Cubes
	Replacement Table Legs (pair) LEY4R2412 LEY4R2416 LEY4R3012 LEY4R3016	165 172 192 212	8 10 10 12	1 1.25 2 2.25
	Replacement Glides - Lounge & Ta LEY3RG	ble (set of four) 13	1	.25

### LEED CI CREDIT SUMMARY

### JORDAN

	MATERIAL CONTENT:	
	2% Hardwood Veneer 7.5% Cardboard 21.5% Hardwood 69.5% Particle Board	PRE-CONSUMER RECYCLED CONTENT = 71.25% POST-CONSUMER RECYCLED CONTENT = 6.9%
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible forestry



#### level® CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Jordan products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

### **AIR-EMISSIONS**

All Jordan products are supplied air-emissions certified. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FSC<sup>®</sup> Certification:

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe , veneer and substrate material) (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl , and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### JORDAN | LINKING TABLES FEATURES

### ANTI-MICROBIAL FINISH

Jordan wood surfaces come with a uniquelyformulated anti-microbial finish that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood.

### WOOD SPECIES

Solid Beech & Maple frames, and edges. Veneer tops.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Jordan tables are available in 22 standard finishes.

### LAMINATE AND POLYMER EDGE

Jordan tables are available in laminates with wood or laminates with Polymer edge. See page 4 for laminate information.

### ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Krug Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.


The design of the tables for Jordan Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking Tables also feature a universal, non-handed design:

They can be moved to reverse position in almost any configuration, providing a high level of flexibility for reconfiguring.

Please note Jordan Plastic Laminate Linking Tables are not available on *KrugExpress*. Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

#### A drawing showing the configuration of the multiple seating and tables is required with each purchase order.



### JORDAN | LINKING TABLES

### SIN 711-316

								SIN 71	1-316
DESCRIPTION/MODEL		Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
	Center Square Table JOR4-LKI-22-22	454	502	515	375	22	22	18	1.5
	End Square Table JOR4-LKE-22-22	602	663	682	521	22	22	20	1.5
	Curvilinear Connector T JOR4-LKCRF45	āble 45° wi 521	ith flat edge 574	602	454	27.5	27.5	21	2.2
	Curvilinear Connector T JOR4-LKCRR45	able 45° 521	574	602	454	27.5	27.5	21	2.2
	Curvilinear Connector T JOR4-LKCRR90	able 90° 574	636	655	508	30.5	30.5	27	2.2
	Curvilinear Connector T JOR4-LKCRF90	able 90° wit 548	th flat edge 609	628	467	30.5	29	29	2.2
	Rectilinear Corner Conr JOR4-LKCSF90	nector Table 735	90° 796	829	642	30.5	30.5	32	2.2

### ORDERING NOTES:

Linking tables can be ordered in conjunction with any of the Jordan Multiple Seating.

Linking tables are connected to the Multiple Seating via U-Shaped brackets.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

Rectilinear Corner Connector table 90° include a support leg in the outer corner.

When specifying Linking Tables please ensure that each unit has legs on either side of the table. Please note Jordan Plastic Laminate Linking Tables are not available on *KrugExpress*. Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

### JORDAN | FREE STANDING TABLES

#### ANTI-MICROBIAL FINISH

Jordan wood surfaces come with a uniquelyformulated anti-microbial finish that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood.

#### WOOD SPECIES

Solid Beech & Maple frames, and edges. Veneer tops.

### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Jordan tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Jordan tables are available in laminates with wood or laminates with Polymer edge. See page 4 for laminate information.

DESCRIPTION/MO	DEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Н	Weight	Cubes
	Square Tables JOR4-22-22-16 JOR4-42-22-16 JOR4-22-22-21	702 910 722	770 1003 789	772 1000 794	653 846 671	22 42 22	22 22 22	16 16 21	26 46 28	5 9 7
	Circular Tables JOR4-18D-16 JOR4-24D-16 JOR4-36D-16 JOR4-18D-21 JOR4-24D-21	842 896 1190 863 923	929 976 1310 949 1003	926 986 1309 948 1015	783 832 1106 803 858	18 Diameter 24 Diameter 36 Diameter 18 Diameter 24 Diameter	- - -	16 16 16 21 21	20 32 43 22 35	3 5 12 4 7

### SOLIS | LEED CI CREDIT SUMMARY

30LI3		
	MATERIAL CONTENT: 2% Hardwood Veneer 8% Hardwood 10% Cardboard 38% Steel 42% Particle Board	PRE-CONSUMER RECYCLED CONTENT = 54.33% POST-CONSUMER RECYCLED CONTENT = 16.83%
	CONTRIBUTES TO	
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials,	
	Systems & Seating	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (MUST BE REQUESTED)	1 point(s)

\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION



### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Solis products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.



The mark of responsible forestry



### AIR-EMISSIONS

All Solis products are supplied air-emissions certified. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council<sup>®</sup> (FSC<sup>®</sup>) Chain-of-Custody certification for our manufacturing facilities. The FSC<sup>®</sup> Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Karma and other Krug products can be specified with one of two types of FSC<sup>®</sup> Certification:

(a) FSC<sup>®</sup>-certified (which includes FS <sup>®</sup>-certified lumbe , veneer and substrate material) (b) FSC<sup>®</sup>-mix certified (which includes substrate material onl , and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

### SOLIS

### **SOLIS** | LINKING TABLES FEATURES

### ANTI-MICROBIAL FINISH - WOOD TOPS

Solis wood products come with a uniquelyformulated anti-microbial finish that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood.

#### ANTI-MICROBIAL FINISH - FRAME

Solis Sliver Metallic legs are available with an antimicrobial finish for an upcharge of **\$44 list** per table. The anti-microbial finish is included in the upcharge when ordering the 7 additional frame finishes.

#### WOOD SPECIES

Solid Beech & Maple edges with Veneer tops.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Solis tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Solis tables are available in laminates with wood or laminates with Polymer edge. See page 4 for laminate information.

#### FRAME COLORS AVAILABLE:

The standard **Solis Leg finish** is Silver Metallic. Additional Frame Colors are available for an upcharge of **\$44 list** per table. Please see page 4 for color selection and required ordering quantities.

#### **ORDERING NOTES:**

Linking tables can be ordered in conjunction with any of the Krug Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.


The design of the tables for Solis Multiple Seating allows for any table to be very easily added or moved to a new position within the configuration - or completely replaced - after the product has been first installed. The attachment of the tables is designed so that they can be readily be taken out of the configuration without any defacing of the adjoining seat frames.

Linking tables also feature a universal, non-handed design:

They can be moved to reverse position in almost every configuration, providing a high level of flexibility for reconfiguring.

Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*. Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

#### A drawing showing the configuration of the multiple seating and tables are required with each purchase order.



### SOLIS | LINKING TABLES SIN 71-316

								SIN	71-316
DESCRIPTION/MODEL		Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	W	D	Weight	Cubes
	Center Square Table SOL4-LKI-22-22	429	451	524	412	22	22	18	1.5
	End Square Table SOL4-LKE-22-22	458	482	558	442	22	22	20	1.5
	Curvilinear Connector Tab SOL4-LKCRF45	le 45° with 417	flat edge 439	508	412	27.5	27.5	21	2.2
	Curvilinear Connector Tab SOL4-LKCRR45	le 45° 438	461	534	434	27.5	27.5	21	2.2
	Curvilinear Connector Tab SOL4-LKCRR90	le 90° 494	520	603	492	30	30	27	2.2
	Curvilinear Connector Tab SOL4-LKCRF90	le 90° with f 487	lat edge 514	594	484	30	30	29	2.2
	Rectilinear Corner Connec SOL4-LKCSF90	ctor Table 9( 548	° 577	668	515	30	30	32	2.2

#### **ORDERING NOTES:**

Linking tables can be ordered in conjunction with any of the Solis Multiple Seating. Linking tables are connected to the Multiple Seating via U-Shaped brackets.

Rectilinear Corner Connector table  $90^\circ$  include a support leg in the outer corner.

When specifying Linking Tables please ensure that each unit has legs on either side of the table.

Please note Solis Plastic Laminate Linking Tables are not available on *KrugExpress*. Wood Tops with Wood Edges are available on *KrugExpress* but with a minimum order requirement of 5 tables per order.

A drawing showing the configuration of the multiple seating and tables is required with each purchase order.

### **SOLIS** | FREE STANDING TABLES

### ANTI-MICROBIAL FINISH

Solis products come with a uniquely-formulated anti-microbial finish that inhibits the growth of molds and mildews. Surfaces coated in this finish will have reduced fungal growth, and spores from germs, microbes and bacteria will not multiply on the wood.

#### ANTI-MICROBIAL FINISH - FRAME

Solis Silver Metallic legs are available with an anti-microbial finish for an up-charge of \$44 list per table. The anti-microbial finish is included in the upcharge when ordering the 7 additional frame finishes.

#### WOOD SPECIES

Solid Beech & Maple edges with Veneer tops.

#### STANDARD FINISHES

For a complete list of standard wood finishes, please see page 4. Solis tables are available in 22 standard finishes.

#### LAMINATE AND POLYMER EDGE

Solis tables are available in laminates with wood or laminates with Polymer edge. See page 4 for laminate information.

#### FRAME COLORS AVAILABLE:

The standard Solis Leg finish is Silver Metallic. Additional Frame Colors are available for an upcharge of **\$44 list** per table. Please see page 4 for color selection and ordering quantities.

SIN 71-316 DESCRIPTION/MODEL	Beech	Maple	Laminate with Wood Edge	Laminate with Polymer Edge	w	D	н	Weight	Cubes
Square T SOL4-22		426	494	384	22	22	16	26	5
SOL4-42	2-22-16 564	594	689	528	42	22	16	46	9
SOL4-22	2-22-21 409	430	499	388	22	22	21	28	7
Circular SOL4-18		378	439	342	18 Diameter	-	16	20	3
SOL4-18	SD-21 370	390	452	352	18 Diameter	-	21	22	4
SOL4-24	D-16 380	401	464	368	24 Diameter	-	16	32	5
SOL4-24	D-21 409	430	499	396	24 Diameter	-	21	35	7
SOL4-36	5D-16 578	609	704	588	36 Diameter	-	16	43	12

### **ZOLA** | LEED CI CREDIT SUMMARY



\*This credit is only applicable if in total 20% of the combined value of the procurement of construction materials and in the furniture are manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### level® CERTIFICATION, AIR EMISSIONS AND FSC® CERTIFICATION





The mark of responsible for



### level<sup>®</sup> CERTIFICATION

BIFMA's e3 Furniture Sustainability Standard is a voluntary, multi-attribute standard that measures the degree of sustainability of furniture. This standard evaluates product and company environmental attributes and compliance systems in a wide range of elements which include Materials, Energy & Atmosphere, Human & Ecosystem Health and Social Responsibility. Zola products have earned level®, BIFMA's sustainability certification p ogram for furniture, certification th ough third-party verification against the e3 standa d.

### **AIR EMISSIONS**

All Zola products are supplied air emissions-certified. Contact customer service for information.

### **FSC**<sup>®</sup>

In 2005, Krug received Forest Stewardship Council® (FSC®) Chain-of-Custody certification for our manufacturing facilities. The FSC® Chain-of-Custody tracks certified wood from seedling to final sale. It signifies that the growth, harvesting and production of goods are entirely achieved through responsible forestry, which guarantees a healthy supply of forest resources for generations to come. Zola and other Krug products can be specified with one of two types of FS ® Certification:

(a) FSC®-certified (which includes FS ®-certified lumbe, veneer and substrate material) (b) FSC®-mix certified (which includes substrate material onl, and is a lower cost option certification Contact customer service for further information, pricing and leadtimes.

Architects, designers, and building professionals can specify FSC®-certified products in order to achieve a point from the US. Green Building Council's Leadership in Energy and Environmental Design (LEED) Rating System.

## **ZOLA | MODULAR LINKING TABLES**

	SIN 711-8		BEECH PALETTE	MAPLE	LAMINATE TOP W/BEECH	LAMINATE TOP W/ MAPLE/CHERRY					
	DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
		Middle Linking M ZOL4 LKM12 ZOL4 LKM18 ZOL4 LKM24	odular Table 689 728 750	722 767 805	758 800 824	795 843 885	12 18 24	16 16 16	- -	22 24 29	2.8 4.5 5.7
S		ZOL4 LKM24					24	10	-	29	5.7
E		ORDERING NOT	TABLE	-	ble ships with 2 ID SURFACE	KB1 brackets.					
2			SIZE		UPCHARGE						
PRODUCTS			LKM12 LKM18 LKM24	221 321 342						28 33 40	2.8 4.5 5.7
ũ		Rectangular End	Table Square (	Corner							
		ZOL4 LKE12 ZOL4 LKE18	733 767	772 805	807 843	849 885	12 18	16 16	14.75 14.75		2.8 4.5
Щ		ZOL4 LKE24	799	838	880	923	24		14.75		5.7
Ш	-	ORDERING NOT	TE: End Linking	Modular Table	ships with 1 KB	1 bracket.					
TO THESE			TABLE SIZE	SOL	ID SURFACE UPCHARGE						
0			LKE12 LKE18	221 321						25 32	2.8 4.5
F			LKE24	342						39	5.7
S Ш	$\square$	End Table Round ZOL4 ECLKH12	ed Corner 836	869	860	895	12	12	14.75	5 18	2.5
		ZOL4 ECLKH18	903	939	936	973	18		14.75		3
<b>d</b>		ORDERING NOT	RDERING NOTE: End Linking Modular Table ships with 1 KB1 bracket.								
Ā			TABLE SIZE		ID SURFACE UPCHARGE						
Z			LKH12 LKH18	221 321						21 28	2.5 3
<b>ISCOUNT APPLIES</b>		Curvilinear 30° Ta ZOL4 LKC30	able 711	750	783	824	16	16.5	-	15	2.3
			TABLE SIZE		ID SURFACE UPCHARGE						
<b>_</b>			LKC30	356						19	2.3
CIAL		Curvilinear 45° Ta ZOL4 LKC45	able 767	805	843	885	16	17	-	17	2.9
<b>E</b>			TABLE SIZE		ID SURFACE UPCHARGE						
Ξ			LKC45	441						24	2.9
COMMERCIA		Curvilinear 60° Ta ZOL4 LKC60	able 799	843	880	928	16	17.5	-	20	3.7
Ō	6863		TABLE SIZE		ID SURFACE UPCHARGE						
			LKC60	529						20	3.7


**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

### **ZOLA** | MODULAR LINKING TABLES

		BEECH		I AMINATE TOP	LAMINATE TOP W/				SIN	711-8
DECODIDITION		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY		-			
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	н	WEIGHT	CORE
	Curvilinear 90° Tab	ble								
	ZOL4 LKC90	894	943	983	1037	16	19	-	24	5.4
		TABLE	SOLID S	URFACE						
		SIZE	TOP UPCHARGE							(
		LKC90	617						38	5.4
		LIXOSO	017						00	0.4
	Curvilinear 90°x2 1			1050						
	ZOL4 LKC90X2	1776	1830	1953	2013	16	19	-	55	10
		TABLE	SOLID S	URFACE						
		SIZE	TOP UP	CHARGE						
		LKC90X2	1301						55	10
	Curvilinear Table									
	ZOL4 LKH12	777	816	856	898	16	19	14.75	18	2.3
V	NOTE: Curvilinear	: Curvilinear End Round Table ships with 1 KB1 bracket.								(
		TABLE	SOLID SI							(
		SIZE	TOP UP							
		-		JIANGE						
		LKH12	221					23	2.3	

**ORDERING NOTES:** Middle Linking Tables are automatically supplied with two ZOL3 RLKB1 (table to seat bracket) brackets for fastening to benches. End tables are automatically supplied with one ZOL3 RLKB1 (table to seat bracket) bracket for fastening to benches. When fastening two linking tables (ZOL4 LKC90X2) together, mounting hardware will be provided when ordered, that will include one leg per table (to a maximum of two legs), which will be mounted on the adjoining seam. Please note in model ZOL4 LKH12, the "12" corresponds to the length of the table. Zola Middle tables have the ability to be easily reconfigured, as they are universal and non-handed. They can be moved to a reverse position in almost any configuration to provide a high level of flexibility when specifying.

### CURVILINEAR TABLE DIMENSIONS



### **ZOLA** | FREESTANDING TABLES

SIN 711-8 DESCRIPTION	MODEL	BEECH PALETTE LAMINATE	MAPLE CHERRY	LAMINATE TOP W/BEECH SIDES	LAMINATE TOP W/ MAPLE/CHERRY SIDES	W	D	Н	WEIGHT	CUB
	Square Tables ZOL4 181815 ZOL4 242415	767 827	805 872	843 909	885 958	18 24		14.75 14.75		3 5
U		TABLE SIZE	SOLID SU							
		181815 242415	276 463						34 52	3 5
	Rectangular Table ZOL4 241815 ZOL4 482415	s 794 948	839 1006	874 1043	924 1106	24 48		14.75 14.75		4 10
ų		TABLE SIZE	SOLID SU							
		241815 482415	397 926					42 67	4 10	
	Round Tables ZOL4 18D15 ZOL4 24D15 ZOL4 30D15	816 872 970	867 920 1027	898 958 1067	952 1012 1129	18 24 30	-	14.75 14.75 14.75	23	3 5 8
		TABLE SIZE	SOLID SURFACE TOP UPCHARGE							
		18D 24D 30D	298 497 639					23	3 37 75	5 8
	Square Table - Ro ZOL4 EC181815 ZOL4 EC241815 ZOL4 EC242415 ZOL4 EC482415	und Corners 889 1000 1099 1578	925 1040 1142 1641	922 1041 1175 1679	959 1083 1222 1746	18 24 24 48	18 24	14.75 14.75 14.75 14.75	25 30	3 4 5 10
		TABLE SIZE	SOLID SU							
		181815 241815 242415 482415	321 428 571 1143						26 31 38 68	3 4 5 10
	Ellipse Table ZOL4 E241815 ZOL4 E322415 ZOL4 E482915	924 1122 1405	961 1168 1462	1045 1246 1572	1087 1296 1635	24 32 48	24	14.75 14.75 14.75	32	4 7 12
·		TABLE SIZE	SOLID SU							
		241815 322415 482915	428 762 1382						27 38 72	4 7 12

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed under Solid Surface ie: ZOL4 18D15**§** is \$816 list for beech, plus \$298 list upcharge for the solid surface option. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).


### **ZOLA** | FREESTANDING TABLES

SIN	71	1-8
-----	----	-----

		BEECH		LAMINATE TOP	LAMINATE TOP W/					
		PALETTE	MAPLE	W/BEECH	MAPLE/CHERRY					
DESCRIPTION	MODEL	LAMINATE	CHERRY	SIDES	SIDES	W	D	Н	WEIGHT	CUBE
$\sim$	Triangular Tables -	Rounded Cor	ners							
	ZOL4 CR45D1815	830	864	842	876	15.75	18	14.75	17	2.5
	ZOL4 CR45D2415	943	981	979	1017	20.5	24	14.75	22	4.5
	ZOL4 CR45D2915	1142	1189	1209	1257	25	29	14.75	27	7
ų ų	ZOL4 CR90D1815	1022	1063	1066	1105	17.5	18	14.75	23	3
	ZOL4 CR90D2415	1206	1255	1264	1315	36.25	24	14.75	29	7.5
	ZOL4 CR90D2915	1442	1499	1471	1530	44.5	29	14.75	35	11
		TABLE SIZE	SOLID S	URFACE CHARGE						
		45D1815	286						21	2.5
		45D2415	500						27	4.5
		45D2915	719						34	7
		90D1815	500						31	3
		90D2415	857						38	7.5
		90D2915	1266						45	11

### **ORDERING NOTES**

The Solid Surface top option is priced as an upcharge to existing table price. Please add a "S" to the end of the model number and then add the upcharge listed in the Solid Surface Onlay column ie: ZOL4 CR45D1815**§** is \$830 list for beech, plus \$286 list upcharge for the solid surface option. Zola Solid Surface tables have a 1/2" thickness on top of the existing table, with a 1 mm overhang (soft radius vertical edge).



### TRIANGULAR TABLE DIMENSIONS

### **INFUSION BAYS**


#### TRANQUILITY

- 323 Tranquility LEED Credit Summary
- 324 Tranquility Typical Configuration
- 325 Tranquility Features
- 327 Tranquility Required To Specify
- 327 Tranquility Product Code Key
- 328 Tranquility Options
- 329 Tranquility Wardrobes
- 330 Tranquility Benches
- 332 Tranquility Patient Divider Modules
- 333 Tranquility Sliding Resin Partitions
- 334 Tranquility Patient Entertainment Modules
- 335 Tranquility Nurses' Modules
- 337 Tranquility Connectivity Solutions
- 338 Connexus Preconfigu ed Standard Modules

### TRANQUILITY | LEED CI CREDIT SUMMARY



#### MATERIAL CONTENT:



### PRE-CONSUMER RECYCLED CONTENT = 91%


POST-CONSUMER RECYCLE CONTENT = 5%

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.5	Low Emitting Materials, (MUST BE REQUESTED)	1 point
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procured construction materials and furniture is manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Kitchener, Ontario.

### TRANQUILITY | TYPICAL CONFIGURATION



QTY	MODEL	LAMINATE	VENEER
1	IP1649	\$2072	\$2421
1	IT1559	\$1916	\$2327
1	IR1649N*	\$1747	\$1747
1	IW2129L	\$1159	\$1440
2	IC2369N	\$1109	\$1349
		\$1109	\$1349
1	IW2129R	\$1159	\$1440
1	Grommet	\$79	\$79
1	62CON BD	\$693	\$693
1	62CON BD	\$693	\$693
		\$11,736	\$13,538

\*Resin insert quoted separately Priced with Delphine front, Indus pulls, Plywood base, Laminate top.

### THERMOFORMED VINYL - TECHNICAL SPECIFICATIONS

	TEST	DESCRIPTION	NEMA LD3-2005	VINYL
3.4	STAIN	Resistance to staining from a list of staining agents and solvents (See Products Tested on previous page)	No Effect 1-10 Moderate 11-15	No Effect
3.4	CLEANABILITY	Ease with which a surface can be cleaned after exposure to various staining agents	Rating of 20 or less	9-15
3.5	BOILING WATER	Resistance to surface changes when exposed to boiling water	No Effect	None
3.7	SCRATCH	Diamond scratch resistance	3 or better (horizontal)	3
3.8	BALL IMPACT	Resistance to fracturing from a steel ball dropped on laminate surface	500mm - 1250mm 20 - 49 in	2200->3000 87-118 in
3.9	DART IMPACT	Resistance to fracturing from a 25g dart with a 5mm tip dropped on laminated surface	200mm - 500mm	>1100
3.13	WEAR	Resistance to color or print loss during prolonged abrasion cycles	400-700 cycles	500-3200

Tranquility infusion bay furniture was designed to provide effective solutions for several applications including chemotherapy units within oncology departments, and areas administering renal dialysis.

Before actual product was even contemplated, extensive research was completed to understand the needs of the infusion patient and their supporting caregivers and family or friends.

Foremost among these needs was the requirement to provide the patient with privacy during their treatment sessions or the option to socialize and share experiences with a neighboring patient. And we wanted to put the patient in control of their choices to the largest extent possible. It was clear that the furniture needed to allow the patient to embrace nature where possible and that the product components should reflec natural elements. The furniture needed to contribute to a quiet and soothing environment in which the patient could comfortably relax, rest, work or enjoy a snack. We also learned the physical requirements of each of the patients, caregivers and family and friends. This included the needs for storage of belongings, supplies, and disposal of various types of wastes, as well as the supports for the treatment. Finally, it was clear that the product had to make maximum use of space, as cost-effectively as possible.

Tranquility is a highly-effective response to the needs. The core of the design is the use of sliding resin panels embedded with organic elements to divide patient bays. At the mutual agreement of neighboring patients, the resin panels can be slid open to provide an opportunity to visit and share experiences. The patient is provided with many options - swivel to take in an outside landscape, converse with another patient or a family member, rest in privacy, read, watch a movie, or work on their computer. There is ample storage for personal belongings. A warming blanket can be located in a drawer beside them. There is space for the caregiver to store supplies, dispose of wastes and maintain charts. The unique Combination Patient Entertainment/Nurses' Module provides space for TV and DVD for two patients as well as work space and storage for caregivers, all in one unit at a minimized footprint.

Tranquility - an outstanding solution for cancer care and other treatment applications.

### **TRANQUILITY** | FEATURES

#### **BREADTH OF LINE:**

The Tranquility infusion casegoods offering provides solutions from contemporary to transitional to traditional styling. The line includes wardrobes, benches, patient divider modules, sliding resin partitions, patient entertainment module, nurses' modules and combination patient entertainment / nurses' modules.

#### CUSTOM CAPABILITY:

Krug can offer both custom sizes of standard product and completely custom units. For more information, please contact Customer Service.

#### DURABILITY:

Cabinets are constructed of <sup>3</sup>/<sub>4</sub>" thick panels including backs. In contrast to cabinets constructed with 1/8" back panels, the Tranquility units are more robust and less susceptible to damage. All exposed laminate edges are covered with 2.5 mm polymer edgebanding in colors matching the laminates. This thicker edgebanding provides an increased level of durability on all edges as well as a 2.5 mm radius on the edge. The softer radius is less likely to bruise or cut the skin of a patient or caregiver.

#### LAMINATES:

"Laminate" is variously known in the marketplace as Thermofused Melamine, Low-Pressure Laminate or LPL. There are 2 solid color options and 7 wood-grain colors. Colors are available in laminate, high-pressure laminate or thermoformed vinyl. Polymer Edgebanding matches the laminate selection. Wood finishes to match the wood-grain laminates are available for Krug Healthcare Seating.

#### **VENEER:**

The Tranquility product is also available in maple veneer. The veneered version is available with the Delphine front.

#### **AIR-EMISSIONS:**

All products can be air-emissions certified. Upcharges and extended leadtimes may apply. Please contact customer service for more information.

#### WARRANTY:

All cabinets carry a limited lifetime warranty (see page 2).

#### SUSTAINABILITY

Tranquility cabinets have a very high recycled content and contribute to both LEED credits 4.1 and 4.2. The packaging is recyclable. Non-urea-added core is available as an option and air-emissions certified product is also optionally available. FSC-certified wood may be possible on larger projects.

#### DRY FIT CONSTRUCTION:

Cabinets, other than the combination patient entertainment/nurses' modules and patient divider modules, are assembled with mechanical cams. This is known as dry fit construction. The result is that any panel can be replaced if damaged, unlike cabinets that are glued together where damage to any surface leads to replacement of the entire unit.

#### SEALED CORE:

All unseen particle board edges that are not covered by an adjoining panel are edge banded (i.e. no exposed particle board). As with the vent covers noted above, this prevents moisture and bacteria from seeping into the core.

#### BASES:

Separate plywood 4" bases including leveling glides are supplied for cabinets. Bases are included in the component pricing and do not need to be specified separately. Typically the vinyl base molding used in the room would be applied. HPL cladding can be ordered as an option. HPL is grey unless otherwise requested.

### **TRANQUILITY** | FEATURES



#### DOOR AND DRAWER PULL STYLES:

The Indus pull eliminates a protrusion that could bruise a patient or caregiver. The finish is silver metallic Circa offers a very large grip. The pull could be accessed with a closed knuckle. It has a silver metallic finish Ravenna is an attractive transitional pull in satin nickel. Padua is a traditional pull in antique brass.



**BENCH:** The cushion for the bench is 3" thick. The bariatric version of the bench supports 500 pounds



SLIDING RESIN PANELS: Krug can quote and procure a wide variety of Translucent Resin Panels, many of which are embedded with organic materials.



#### VENTS:

There is one 1" diameter vent for each drawer and each door set for air circulation on the benches & wardrobes. All vent holes are covered with plastic vents both inside and outside to eliminate exposed particle board, thus preventing moisture and bacteria from entering the core.



#### DRAWERS:

Drawers have white metal sides with white laminate bottoms and backs, and all exposed particle board edges are edge banded. The unobstructed metal sides facilitate cleaning. Bumpers are installed on all drawers and doors to soften the sound of closing. Large drawers use white Laminate sides and extension slides.



#### TOPS:

Tops can be laminate with polymer edgebanding, high-pressure laminate with polymer edgebanding or solid surface. Tops on units over 40° high are laminate only. Laminate and venes tops are 3/4° thick. High-pressure laminate and solid surface tops are 1° thick and cabinets with the

Laminate and veneer tops are 3/4" thick. High-pressure laminate and solid surface tops are 1" thick and cabinets with those tops are 1/4" taller.



#### DOOR / DRAWER FRONTS:

- Door / drawer fronts are 3/4" thick and 3 styles are available.
- Delphine Laminate with Polymer Edge or Veneer
- · Como seamless Thermoformed Vinyl with white backs
- Bassano seamless Thermoformed Vinyl with white backs (Como and Bassano fronts are not available on Patient Divider Modules)
   Veneer veneer front with 3mm wood edge

### TRANQUILITY | REQUIRED TO SPECIFY

After each product grouping in the following pages, there is a summary under the title "Required to Specify". The summary lists the elements that need to be specified including Model Numbe, Base, Pull Style and Color. Pull Style and Color refer back to the lists below.

			-	-	-	8m~9
Select one:		Indus - I *	Circa - C		Ravenna - R	Padua - P
		\$27 each Silver Metallic	\$2 each Sliver Meta	allic	No Upcharge Satin Nickel	\$2 each English Antique Brass
ORDERING NOTES * Cannot be used of	S: n Front Style Como.					
LAMINATE/VINYL C	COLORS:					
Select one:	H - Hardrock Maple A - Antique White	C - Candleli L - Samba (		D - Mocha Che S - Shiraz Cher		
**Bavarian Beech is	not available on Com	o or Bassano door/dra	wer fronts			
VENEER COLORS:						
Select one:	N-Clear Maple	G-Wheat Map	ble	Y-Honey Maple		

SOLID SURFACE: Standard color is white (other colors can be quoted).

## TRANQUILITY - PRODUCT CODE KEY

PRODUCT CODE KEY

Product Lir	ne Description	Description	Width (2 digits)	Style	Orientation (hinge side when facing cabinet)
	С	1-8		9	L
Infusion	Cushioned Bench	no. for each bench type	e.g. 32 inches	no legs or casters	Left
	W	1-4			R
	Wardrobe	no. for each wardrobe type			Right
	Р	1-3			Ν
	Patient Divider Module	2 depths			Not applicable
	R	1-2			
	Sliding Resin Partition	no. for each partition type			
	Т	1-2			
	Combined Patient Entertainment/ Nurses' Module	no. for each type			
	E	1-3			
	Patient Entertainment Module	no. for each TV type			
	Nurses' Module	1-2 no. for each module type			

#### **ORDERING NOTES:**

After each product grouping, please find the list titled "Required to Specify". The steps following provide guidance on how to specify the product you require. The model number based on the Product Codes above needs to be chosen. As a suffix to the model number, add a one-digit code to identify the door/drawer Front Style. After that you will be asked to choose among a number of variables such as top material, door/drawer pull styles, and color. Each of these is required. Beyond that is a list of Options, some of which you may want to add.

A typical selection and the ideal way to enter on your purchase order would be as follows:

IP1569ND	\$1975
Patient Divider Module with Delph	hine fronts
Base - P	n/c
Top Material - L	n/c
Pull Style - I	\$109
Top Color - H	n/c
Body Color - H	n/c
Options: Locking Doors - LK	\$100

### TRANQUILITY | OPTIONS

SIN 71-315

#### Master Key

Tranquility cabinets have the option to lock with a master key. This must be specified on the o der.

#### High - Pressure Laminate Bases

Standard Tranquility base is plywood. Optionally, this can be clad in HPL.



Locking Top Drawer or Door Tranquility cabinets have the option to lock. They can be randomly keyed for security. The lock option is factory installed and must be specified on the o der.



**Cabinet Mount Markerboard:** 

The Markerboards are 24" high by 12" wide (slightly narrower on 12" wide wardrobes). They can be mounted to the inside or outside of the cabinet door.



**Cabinet Mount Mirror Option:** The Mirrors are 24" high by 12" wide and acrylic. They can be mounted to the inside or outside of the cabinet door.

### TRANQUILITY | WARDROBES

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
IW1129	12	19.75	59	77	10
IW2129	12	19.75	59	91	10
IW3129	12	39.5	59	140	20
IW4129	12	39.5	59	168	20

		FRONT STYLES Delphine front is laminate. Como and Bassano are thermoformed vinyl.					
Description	Model	Delphine - D	Como - C	Bassano - B	Veneer - V		
Open Wardrobe with Coat Rod	IW1129N	\$958	N/A	N/A	\$1103		




### TRANQUILITY | WARDROBES

SIN 71-315

FRONT STYLES

Delphine front is laminate. Como and Bassano are thermoformed vinyl.



### **TRANQUILITY** | BENCHES

### SIN 71-315

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
C1309N	29.25	19.75	20	60	8
C1369N	35.25	19.75	20	68	9
C2309N	29.25	19.75	20	88	8
C2369N	35.25	19.75	20	102	9
C3309N	29.25	19.75	20	78	8
C3369N	35.25	19.75	20	90	9
C4369N	35.25	19.75	20	73	9
C5309N	29.25	39.5	20	109	16
C5369N	35.25	39.5	20	123	18
C6309N	29.25	39.5	20	165	16
C6369N	35.25	39.5	20	191	18
C7309N	29.25	39.5	20	145	16
C7369N	35.25	39.5	20	167	18
C8369N	35.25	39.5	20	133	18

#### ORDERING NOTES:

Cushions for Single Bench are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$21, grade 3: \$42, grade 4: \$79, grade 5: \$121, grade 6: \$160, grade 7: \$200, grade 8: \$238, grade 9: \$318. COM yardage is .85 yards for both 30" and 36" cushions. Cushions are available with Moisture Barrier for an upcharge of \$63.

Cushions for Double-Sided Bench are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$29, grade 3: \$60, grade 4: \$119, grade 5: \$179, grade 6: \$237, grade 7: \$297, grade 8: \$357, grade 9: \$477. COM yardage is 1.3 yards for both 30" and 36" cushions. Cushions are available with Moisture Barrier for an upcharge of \$100. Tranquility Benches have a load weight rating of 500lbs.

FRONT STYLES

		Delphine front is laminate. Como and Bassano are thermoformed vinyl.					
Description	Model	Delphine - D	Como - C	Bassano - B	Veneer - V		
Open Bench	IC1309N	\$719	N/A	N/A	\$907		
	IC1369N	\$798	N/A	N/A	\$1004		
2-Drawer Bench	IC2309N	\$1000	\$1083	\$1083	\$1218		
	IC2369N	\$1109	\$1218	\$1218	\$1349		
1-Drawer Bench	IC3309N	\$860	\$943	\$943	\$1061		
	IC3369N	\$951	\$1083	\$1083	\$1175		
Open Bench Bariatric	IC4369N	\$842	N/A	N/A	\$1074		



# TRANQUILITY | BENCHES

SIN 71-315

	FRONT STYLES Delphine front is laminate. Como and Bassano are thermoformed vinyl.					
Description	Model	Delphine - D	Como - C	]	Bassano - B	Veneer - V
Open Bench	IC5309N	\$921	N/A	<i>.</i>	N/A	\$1105
- Double Sided	IC5369N	\$1002	N/A		N/A	\$1194
2-Drawer Bench -Double Sided	IC6309N	\$1595	\$1761		\$1761	\$1852
	IC6369N	\$1680	\$1890		\$1890	\$1947
1-Drawer Bench -Double Sided	IC7309N	\$1332	\$1507		\$1507	\$1573
	IC7369N	\$1418	\$1636		\$1636	\$1666
Open Bench Bariatric -Double Sided	IC8369N	\$1046	N/A		N/A	\$1264
2. Base (below) 3. Pull Style (page 4. Body Color (pa 5. Options (below	including front style e 325) ige 325)	e (directly preceding)				
BASES: Select one:	Plywood-P			No Upcharge		
	HPL-H			add \$11 per lineal	foot	
OPTIONS:						
	Locking Top Drawer	or Door - LK		\$50 (each)		
	Master Key - MK			\$42		

### TRANQUILITY | PATIENT DIVIDER MODULES

# SIN 71-315

Overall Length	Overall Depth	Overall Height	Shipping Weight	Cubes			
56	20	30	200	24			
64	20	30	230	27			
56	26	30	225	31			
64	26	30	255	35			
56	20	30	162	24			
64	20	30	185	27			
	Length 56 64 56 64 56	Length         Depth           56         20           64         20           56         26           64         26           56         20           56         26           64         26           56         20	Length         Depth         Height           56         20         30           64         20         30           56         26         30           64         26         30           56         26         30           56         20         30	LengthDepthHeightWeight562030200642030230562630225642630255562030162			

FRONT STYLES

Delphine front is laminate. Como and Bassano are not available on Divider Cabinets Description Model Delphine - D Veneer - V IP1569N \$1975 \$2312 Patient Divider Module 20" Deep IP1649N \$2072 \$2421 Patient Divider IP2569N \$2066 \$2426 Module 26" Deep IP2649N \$2171 \$2539 Patient Divider IP3569L\* \$1547 \$1870 Module 20" Deep Single Sided R IP3649L \$1642 \$1979 R

**Required to Specify:** 

- 1. Model number
- 2. Base (below)
- 3. Top Material (287)
- 4. Pull Style (page 325)
- 5. Top Color (page 325)
- 6. Body Color (page 325)
- 7. Options (page 329)

### TRANQUILITY | PATIENT DIVIDER MODULES

#### SIN 71-315

BASES:									
Select one:	Plywood-P	No Upcharge							
	HPL-H	add \$11 per lineal foot							
TOP MATERIAL:	Laminate w/Polymer edge -L	HP Laminate w/Polymer Edge - P		Solid Su	rface - S				
	No Upcharge	Upcharge	quantity	<5	5-10	>10			
		20"x56" \$429		\$1507	\$1280	\$1133			
		20"x64" \$471		\$1583	\$1347	\$1188			
		26"x56" \$488		\$1592	\$1351	\$1196			
		26"x64" \$539		\$1667	\$1419	\$1251			
OPTIONS:	Locking Door - LK	\$50 (each)							
	Master Key - MK	\$42							

### **TRANQUILITY - SLIDING RESIN PARTITIONS**

#### DIMENSIONS

	Overall Length	Overall Depth	Overall Height	Shipping Weight	Cubes
IR1569	56	4	24	45	7.5
IR1649	64	4	24	51	7.5
IR2569	56	4	24	45	7.5
IR2649	64	4	24	51	7.5

#### **ORDERING NOTES:**

Price includes the frame and the machining of the resin panels, but does not include the cost of the resin. Krug can quote and procure a wide variety of Translucent Resin Panels, many of which are embedded with organic materials. Please contact customer service for assistance.

Description	Model	Price	Qty 5-10 Price	Qty 10+ Price
Sliding Resin	IR1569N	\$1668	n/a	n/a
Partition - Solid Maple Frame	IR1649N	\$1747		



Sliding Resin Partition - Solid	IR2569N	\$2325	\$1878	\$1769
Surface Frame	IR2649N	\$2434	\$1967	\$1848



Required to Specify:

1. Model number (directly preceding)

2. Specify Translucent Resin Panels (contact customer service for assistance)

### TRANQUILITY | PATIENT ENTERTAINMENT MODULES


### SIN 71-315

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
IE1259	24.75	20	40.25	102	15
IE2259	24.75	20	40.25	110	15
IE3259	24.75	26	40.25	125	19

#### **ORDERING NOTES:**

Inside space for TV units is approximately 23.25" wide x 17.25" high and the DVD space is 23.25" wide x 2.75" high



Laminate w/Polymer edge -L	HP Laminate w/P	HP Laminate w/Polymer Edge - P			Solid Surface - S			
No Upcharge	Upcharge		quantity	<5	5-10	>10		
	24.75"x20" 24.75"x26"	\$194 \$245		\$1013 \$1076	\$861 \$916	\$760 \$806		

### TRANQUILITY | NURSES' MODULES SIN 71-315

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
T1559	55.5	35.3	40.25	310	65
T1619	61.5	35.3	40.25	334	72
T2389	37.75	35.3	40.25	240	48
Г2449	43.75	35.3	40.25	264	55
V1209	20	19.25	40.25	96	13
V1269	26	19.25	40.25	114	15
12209	20	19.25	40.25	110	13
V2269	26	19.25	40.25	130	15

#### **ORDERING NOTES:**

Inside space for TV units is approximately 23.25" wide x 17.25" high and the DVD space is 23.25" wide x 2.75" high. IT1559, IT2389 have a 20" back and fit to a 20" wide Patient Divider Module.

IT1619 and IT2449 have 26" backs.

	FRONT STYLES Delphine front is laminate. Como and Bassano are thermoformed vinyl.						
Description	Model	Delphine - D	Como - C	Bassano - B	Veneer - V		
Combined Patier Entertainment/	nt IT1559N*	\$1916	\$2056	\$2056	\$2327		
Nurses' Module	IT1619N	\$2000	\$2161	\$2161	\$2432		





Back View

Combined Patien Entertainment/ Nurses' Module	R	\$1658	\$1793	\$1793	\$2048	
End Unit	- IT2449L R	\$1742	\$1898	\$1898	\$2153	





Back View

## TRANQUILITY | NURSES' MODULES

### SIN 71-315

	FRONT STYLES Delphine front is laminate. Como and Bassano are thermoformed vinyl.							
					ם			
Description	Model	Delphine - D	Como - C	Bassand	- B	V	/eneer - V	
Nurses' Module - 3 Drawers (20" Wide)	IN1209N	\$1280	\$1420	\$1420		:	\$1498	
Nurses' Module - 3 Drawers (26" Wide)	IN1269N	\$1341	\$1481	\$1481		5	\$1569	
Nurses' Module - 5 Small Drawers (20" Wide)	IN2209N	\$1437	\$1529	\$1529		:	\$1682	
Nurses' Module - 5 Small Drawers (26" Wide)	IN2269N	\$1498	\$1590	\$1590		:	\$1752	
Required to Spec 1. Model number 2. Base (below) 3. Top Material (b 4. Pull Style (page 5. Top Color (pag 6. Body Color (pa 7. Options (below	including front styl elow) e 281) e 281) ge 281)	e (directly preced	ing)					
BASES: Select one:	Plywood-P		No Upcharge					
201001 0110.	HPL-H		add \$11 per lineal f	oot				
TOP MATERIAL:	Laminate w/Polymer No Upcharge	edge -L	HP Laminate w/Pol Upcharge 55.5"x35.3" 61.5"x 35.3" 37.75"x35.3" 43.75"x35.5" 20"x19.25" 26"x19.25"		quantity < \$ \$ \$ \$ \$	olid Surfa 5 1943 2126 1536 1760 1013 1076	ace - S 5-10 \$1688 \$1852 \$1304 \$1495 \$861 \$916	>10 \$1435 \$1567 \$1152 \$1314 \$760 \$806
OPTIONS:	Locking Top Drawer	or Door - LK	\$50 (each)					
	Master Key - MK		\$42					
336   USA   HEA	LTHCARE							

### TRANQUILITY - CONNECTIVITY SOLUTIONS

#### CABLING GROMMET Cabling grommet





A black cabling grommet with an opening in the cover provides a cable passage for cords. The removable cover serves to provide a large cable passage when required.

Cabling grommets can be combined with powerbars to provide cable management as well as connections for electrical/voice/data.

Black Rectangular grommet 4 1/8" x 2 11/16"

Cabling grommets can be located on the top and sides for the Combined Patient Entertainment/ Nurses' Module.

For other nurses' modules the location is top center/back.

#### Powerbar (Category 5/6 A)




POWERBAR

The powerbar comes standard with 3 receptacles, 2 RJ45 ports and a 10' heavy duty power cord. The powerbar is a UL/CSA - approved power/data powerbar, which includes three 115-volt electrical convenience outlets and two data ports - all easily accessed behind the touch latch door of the cable management cavity in the Combined Patient Entertainment/ Nurses' Module.



**CONNEXUS™** 



Connexus™ is Krug's propriety worksurface connectivity solution. When opened, it presents power and data outlets on a convenient angle for the patient or staff and provides storage for wiring.


The faceplate of Connexus<sup>™</sup> is available in aluminum and sit flush with the top of the patient divider module. It is designed to allow wiring to pass through the surface cover in both the open and closed positions. The faceplate opens to a 100° angle from the module top.

Connexus™ utilizes UL standard receptacle outlets. Connexus offers 7 pre-configured units with a wide selection of power and data outlets.

Connexus™ will be located towards the back of the patient divider module worksurface to provide ample room for equipment and electronics.

For Connexus<sup>™</sup> options, please see page 292.

#### CABLE MANAGEMENT



Cables from the top can enter the combined Patient's Entertainment/ Nurse's Module from a grommet located in the top or the side of the unit. The cables run behind the drawers and pass through a cable grommet into the cable management cavity. Electrically and data cables can be plugged in to the powerbar located inside.

Cables from the entertainment portion of this unit also can pass through a cable grommet in the side of the cabinet into the cable management cavity and are connected to the powerbar.

The powerbar cord runs inside of the base to the power source.

The Patient's Entertainment / Nurse's Module has a convenient touch latch door to gain access to the cable management cavity.

The powerbar cord runs inside of the base to the power source.

When using a Connexus, the cables pass through these same grommets into the divider cabinet. A cable management trough is used to manage cables through the storage unit, with no interference with the items being stored. The Connexus power cord can pass through a cable grommet in the side or base of the divider cabinet to the power source.

List Price

\$79

\$84

### **CONNEXUS** | PRECONFIGURED STANDARD MODULES

SIN 711-11

Standard - 3 GANG				List Price
		Port Options	Model #	Aluminum Cover
		BASIC DATA	62 CON BD	\$693
(A) (B) (C)	A	(2) Blanks (for future use)		
	B	(2) RJ45 port (Category 6)		
	C	(2) AC power ports		
		BASIC VOICE DATA	62 CON BV	\$672
A B C	(A)	(2) Blanks (for future use)		
		—(1) RJ11 port		
	B	(1) RJ45 port (Category 6)		
	C	(2) AC power ports		
A B C		<b>EXPANDED DATA</b> (4) RJ45 port (Category 6)	62 CON ED	\$851
	<ul><li>(A)</li></ul>	(2) AC power ports		
	B			
	C	(2) AC power ports / with 15 amp of	circuit breaker	
		EXPANDED VOICE/DATA	62 CON	\$872
A B C	A	—(2) RJ11 port		
		—(4) RJ45 port (Category 6)		
	B	(2) AC power ports		
	C	(2) AC power ports / with 15 amp (	circuit breaker	
		BASIC MULTIMEDIA	62 CON BM	\$788
A B C		— (1) RJ11 port		
	(A)	_(1) RJ45 port (Category 6)		
		— (1) 3.5 mm Mini		
	B	— (1) VGA Type 15 pin HD		
	C	(2) AC power ports		

### CONNEXUS | PRECONFIGURED STANDARD MODULES SIN 711-11

Standard - 3 GANG				List Price
		Port Options	Model #	Aluminum Cover
		DATA & MULTIMEDIA	62 CON DM	\$1082
A B C	A	<ul> <li>(1) RJ11</li> <li>(1) RJ45</li> <li>(1) Fiber Optic LC Duplex</li> <li>(1) 3.5mm Stereo Mini</li> <li>(1) USB "A"</li> <li>(1) HDMI</li> </ul>		
	B	(1) DVI-I (1) VGA		
	C	(2) AC power ports		
		BASIC FIBRE OPTIC & MULTIMED	IA 62 CON BF	\$1040
	A	<ul> <li>(2) Fibre Optic SC Simplex</li> <li>(2) Fiber Optic LC Duplex</li> <li>(1) RJ11</li> <li>(1) RJ45</li> </ul>		
	В	<ul> <li>(1) HDMI</li> <li>(1) 3.5mm Stereo Mini</li> <li>(2) USB "A"</li> <li>(2) Blanks</li> </ul>		
	C	(2) AC power ports		

### CASEGOODS

#### JUNO

- 341 Juno LEED Credit Summary
- 342 Juno & Trevisa Headwalls &
- Footwalls
- 344 Juno Features
- 346 Juno Common Selections To Specify
- 347 Juno Product Code Key
- 348 Juno Options
- 349 Juno Bedside Tables
- 351 Juno Dressers
- 352 Juno Benches
- 353 Juno Wardrobe Combinations
- 355 Juno Wardrobes & Storage
- 358 Juno TV Units
- 360 Juno Bookcases361 Juno Headboards & Footboards
- 362 Juno Markerboard, Mirror &
- Corkboard
- 363 Juno Overbed Tables


#### TREVISA

- 365 Trevisa LEED Credit Summary
- 366 Trevisa Features
- 368 Trevisa Common Selections To
- Specify
- 369 Trevisa Product Code Key
- 370 Trevisa Options
- 371 Trevisa Bedside Tables
- 373 Trevisa Dressers
- 374 Trevisa Benches
- 375 Trevisa Wardrobe Combinations
- 376 Trevisa Wardrobe & Storage
- 379 Trevisa TV Units
- 381 Trevisa Bookcases
- 382 Trevisa Desks

### JUNO | LEED CI CREDIT SUMMARY



#### MATERIAL CONTENT:



### PRE-CONSUMER RECYCLED CONTENT = 88%

POST-CONSUMER RECYCLE CONTENT = 5%

#### CONTRIBUTES TO

CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.4	Low Emitting Materials, (MUST BE REQUESTED)	1 point
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procured construction materials and furniture is manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

### JUNO & TREVISA | HEADWALLS AND FOOTWALLS

The Juno and Trevisa lines include a custom offering of modular headwalls and footwalls. The offering has been designed around 24", 30" and 36" wide modules that include a back panel, canopy (1 ½" thick) and cabinets. The overall height is 82". Cabinet height can be 20" (e.g. benches), 30" (e.g. bedsides, dressers and desks) or 36" (e.g. work counters, possibly including a sinks). The cabinets can be taken with slight modification from the Juno and Trevisa offerings of bedside tables, benches, dressers, desks, wardrobes and storage units. As well, other items such as floating shelves can be incorporated. In each case, the cabinet sits on a substantial 4" inset base. Bases are typically in grey laminate. Some combinations of the modules can be freestanding while others need to be fastened to the wall.

Fronts, top profiles and pulls from the Juno and Trevisa line can be incorporated into the headwall or footwall. The tops are only profiled on the front and there is no overhang at the sides. Tops can be laminate, high-pressure laminate, thermoformed vinyl or solid surface.

The modules are designed to accommodate wiring for lighting, TVs and to support other electrical devices such as computers. Similarly, there is space for plumbing.

Advantages of modular footwalls and headwalls may include improved depreciation for tax purposes, the ability to reconfigure at some future point, replaceability of individual components and even individual panels, consistency of design, colors and pulls with freestanding cabinets in the room, and the fact that design and construction meets the same healthcare standards reflected in the balance of the Juno and Trevisa lines. A limited lifetime warranty applies.

Please contact your Krug representative or customer service for a quotation on your specific p oject.

The following are sample project configurations and associated list prices

#### Headwalls




Total List \$5704




Total List \$5788

### JUNO & TREVISA | HEADWALLS AND FOOTWALLS

### Footwalls






Total List \$8065


Total List \$7591

### **Consultation Station**



Total List \$7740

### Quiet Area



Total List \$7850

### JUNO | FEATURES

#### BREADTH OF LINE:

The healthcare casegoods lines offer solutions from contemporary to transitional to traditional styling. Juno is the contemporary version. The lines are extremely wide including 5 bedside table configurations, 3 dressers, 2 benches, 2 combination bench/wardrobes, 8 wardrobe/storage units, 4 TV units, 3 bookcases, 2 desks, a headboard and footboard, a marker board, mirror and corkboard, and 4 overbed tables. In addition custom modular headwalls and footwalls are offered.





#### **CUSTOM CAPABILITY:**

Krug can offer both custom sizes of standard product and completely custom units, including modular headwalls and footwalls.

For more information, please contact Customer Service.



#### **DURABILITY:**

Cabinets are constructed of  $\frac{3}{4}$ " thick panels including backs. In contrast to cabinets constructed with 1/8" back panels, the Juno units are more robust and less susceptible to damage. All exposed laminate edges are covered with 2.5 mm polymer edge banding in colors matching the laminates. This thicker edge banding provides an increased level of durability on all edges as well as a 2.5 mm radius on the edge. The softer radius is less likely to bruise or cut the skin of a patient or caregiver. Bottom panels extend under the side and back panels of cabinets with legs and on any units with 4 casters in order to maximize the ability of the cabinet to withstand heavy handling.



#### DRY FIT CONSTRUCTION:

Cabinets are assembled with mechanical cams. This is known as dry fit construction. The result is that any panel can be replaced if damaged, unlike in the case of cabinets that are glued together where damage to any surface leads to replacement of the entire unit.

#### VENTS:

There is one 1" diameter vent for each drawer and each door set for air circulation. All vent holes are covered with plastic vents both inside and outside to eliminate exposed particle board, thus preventing moisture and bacteria from entering the core.



#### SEALED CORE

All unseen particle board edges that are not covered by an adjoining panel are edge banded (i.e. no exposed particle board). As with the vent covers noted above, this prevents moisture and bacteria from seeping into the core.

#### DRAWERS:

Drawers have white metal sides with white laminate bottoms and backs, and all exposed particle board edges are edge banded.

The unobstructed metal sides facilitate cleaning. Bumpers are installed on all drawers and doors to soften the sound of closing.

### JUNO | FEATURES

#### TOPS:



Tops are ¾" thick and can be laminate with polymer edge banding, high-pressure laminate with polymer edge banding, or seamless thermoformed vinyl.

- Edge A Laminate with Polymer Edge, or High-Pressure Laminate with Polymer Edge
- Edge B Thermoformed Vinyl or High-Pressure Laminate with Wood Edge
- Edge C Thermoformed Vinyl or High-Pressure Laminate with Wood Edge

• Edge S - Laminate with T-Mold bumper or High-Pressure Laminate with T-Mold bumper

With Edge S the Overhang is 1/2" on all sides

Standard Top Overhang is 1/4" on 4 sides


Optional Top Overhang is 1/2" on 4 sides (to assist with movement of the cabinet) on other edges. Tops on units over 40" high are laminate only

#### DOOR / DRAWER FRONTS:

Door / drawer fronts are 3/4" thick and 2 styles are available.

- Delphine Laminate with Polymer Edge
- Lia Thermoformed Vinyl

Headboards and footboards are high-pressure laminate on 3/4" plywood with polymer edge banding. HPL and plywood are used in this application for added strength.



#### LEGS & BASE RAIL:

Cabinets are available with 4 ¼" legs (for ease of cleaning), or sides to the floor with a base-plate Style 1 that is either Laminate with Polymer Edge, or Seamless Thermoformed Vinyl, (based on the Door/Drawer front material selected).



#### DOOR AND DRAWER PULL STYLES:

Flex is an injection-molded plastic pull designed to offer some "give" or flexibility when inadvertently hit by a patient or caregiver. The color is similar to silver metallic.

The Circa offers a very large grip. The pull could be accessed with a closed knuckle. It has a silver metallic finish. The Indus pull eliminates a protrusion that could bruise a patient or caregiver. The finish is silver metallic



#### BENCH

The cushion for the bench is 3" thick. Juno benches have a load weight rating of 200 lbs.

#### **OVERBED TABLES:**

There are 4 overbed table top shapes in either high-pressure laminate or seamless thermoformed vinyl, with 3 edge profiles (2 are spill-guard edges). There is also a version with a second drop-down surface. The overbed table offering includes 2 alternative steel base styles, each available in 5 standard powdercoat finishes. The overall height of the U-base including casters is less than 2" and the H-base is 3.25".

Baskets are a frequently ordered option. They are commonly used to hold urinals to keep them off table surfaces.

#### LAMINATES:

"Laminate" is variously known in the marketplace as Thermofused Melamine, Low-Pressure Laminate or LPL.

There are 2 solid color options and 7 wood-grain colors. All colors are available in laminate, high-pressure laminate or thermoformed vinyl. Polymer Edge banding matches the laminate selection. Wood finishes to match the wood-grain laminates are available for Krug Healthcare Seating.

#### VENEER

Many items in the Juno product line are also available in maple veneer and in a combination of veneer exterior surfaces and laminate interior faces. The veneered version is available with the Delphine front and "A" top edge profile. Both high-pressure laminate and thermoformed vinyl tops can be supplied as options with the veneered cabinets. Please contact your Krug representative or customer service for a quotation on veneered product.

### JUNO | FEATURES

#### **ENVIRONMENTAL FEATURES:**

Juno cabinets have a very high recycled content and contribute to both LEED credits 4.1 and 4.2. The packaging is recyclable. Non-urea-added core is available as an option and Air Emissions certified product is also optionally available. FSC-certified wood may be possible on larger projects.

#### WARRANTY:

All cabinets carry a limited lifetime warranty. Overbed tables have a 2-year warranty.

### JUNO | COMMON SELECTIONS TO SPECIFY



Select one:

Style 1

#### **ORDERING NOTES:**

Style 1 is the Juno standard in cases where leg option is not chosen, but it must still be selected to ensure clarity.

TOP EDGE PROF	ILES:					
Select one:	-				b.	
	Edge Profile Edg	ge Profile B	Edge Profile	Edge Profile	e d on bedside tables)	
Edge Profiles B & Spill-Guard Edge	<b>ES:</b> available in Laminate with C a e available with the S can be ordered on Edge F available in Laminate with	eamless Thermofo Profiles B & C in Se	rmed Vinyl. amless Thermofori	ninate with Po med Vinyl.	olymer Edge.	
DOOR AND DRAV	WER PULL STYLES:					
	Flex - F	Circa - C	Indus - I			
Select one:	No upcharge Color is similar to Silver Metallic	\$2 each Silver Metallic	\$7 each Silver Metalli	с		
ORDERING NOT	ES: Silver Metallic Finish r	natches Juno legs	and stanchions.			
LAMINATE/VINYL	COLORS:					
Select one:	H - Hardrock Maple A - Antique White	C - Candleligh L - Samba Che		ha Cherry az Cherry		
T-MOLD BUMPE	R COLORS:					
Select one:	Beige - B	Charcoal G	rey - C	Merlot - M		
BASE COLORS F	OR OVERBED TABLES:					
Select one:	S - Silver Metallic	G - Graphite	B- Blac	ĸ	A - Almond	N - Nevada

### JUNO | PRODUCT CODE KEY

Product Line	Description	Description	Width (2 digits)	Style	Orientation (hinge side when facing cabinet)
J Cabinets with Legs	B Bedside Table	1-5 no. for each bedside type	e.g. 32 inches	1 4 Legs	L
T Units without Legs	Dresser	1-3 no. for each dresser type		2 legs/2 casters	R Right
	C Cushioned Bench	<b>1-4</b> no. for each bench type		3 2 casters	Not applicable
	Wardrobe	<b>1-8</b> no. for each wardrobe type		4 casters	
	E TV Unit	<b>1-4</b> no. for each TV unit type		6 6 legs	
	S Bookshelves/Bookcase	1-3 no. for each bookshelf/bookcase type		9 no legs or casters	
	K Desk	1-2 no. for each desk			
	F Headboard/Footboard	1-3 no. for headboard/footboard			
	Overbed Tables	1-4 no. for overbed table type			
	Markerboard	В			
	Glass	Μ			
	<b>T</b> Tackable	В			

#### PRODUCT CODE KEY

#### TO ORDER

After each product grouping, please find the list titled "Required to Specify". The steps following provide guidance on how to specify the product you require. The model number based on the Product Codes above needs to be chosen. As a suffix to the model number, add a one-digit code to identify the door/drawer Front Style. After that you will be asked to choose among a number of variables such as top material, door/drawer pull styles, and color. Each of these is required. Beyond that is a list of Options, some of which you may want to add.

A typical selection and the ideal way to enter on your purchase order would be as follows (from pages 299 and 300):

JB1201RL	\$678
Bedside Table with 1 dra	awer/1 door and Lia fronts

Top Material - T	\$54
Top Edge Profile -	n/c
Pull Style - F	n/c
Top Color - H	n/c
Body Color - H	n/c

Options: Locking Top Drawer - LK \$33 Seamless Drawer Liner - SL \$35

### JUNO | OPTIONS

#### Locking Top Drawer or Door

Juno cabinets have the option to lock. They can be randomly keyed for security. The lock option is factory installed and must be specified on the order.




#### Laminate Drawer

An optional white laminate drawer with a single-action 3/4-extension slide is available at no upcharge. All edges are banded.

#### Leg / Casters:

Juno Bedside Tables have 5 base options - 4 legs with glides, 2 front legs with glides and 2 back casters, 4 swivel casters (2 locking), no legs and adjustable glides, or no legs and 2 hidden non-swivel casters at the rear of the cabinet.



#### Leg Leveler

An adjustable glide option is available for legs when there are 4 legs on a cabinet. This is standard on units without legs. This helps ensure the furniture is steady and level on uneven floors.

#### Seamless Drawer Liner

Juno bedside tables are available with the option of a plastic drawer liner. Ideal for infection control purposes, it can be removed, sterilized or replaced when damaged or degraded.

#### Litter Bag Holder

The Litter Bag Holder option fastens to the sides of the bedside tables. It is available in a satin nickel finish. It holds small paper bags and can be field-installed. The standard placement is the side opposite the hinge.

#### **Towel Bar**

The Towel Bar option fastens to the sides of the bedside tables. It is available in a satin nickel finish. The standard placement is the side opposite the hinge.



#### Spill-Guard Edge

Juno bedside tables are available with the spill-guard edge surface on the thermoformed vinyl tops to collect liquids when spills occur.



#### **Rounded Tops**

A top with rounded corners is available as an option on bedside tables. There is a choice of laminate or high-pressure laminate. The edge is polymer to match the laminate color. The overhang is 3/4" on all 4 sides of the top. (Tops specified with T-mold bumper are also rounded at corners. In these cases the overhang is 1/2" on all sides).

#### **Gallery Rails**

Optional gallery rails are in satin nickel finish. There is a rail on each side and another across the back

#### **Cabinet Mount Markerboard:**

The Markerboards are 24" high by 12" wide. They can be mounted to the inside or outside of the cabinet door (inside is standard).

#### **Cabinet Mount Mirror Option:**

The Mirrors are 24" high by 12" wide and acrylic. They can be mounted to the inside or outside of the cabinet door (inside is standard).

#### **Cabinet Mount Corkboard Option:**

The Corkboards are 24" high by 12" wide. They can be mounted to the inside or outside of the cabinet door (inside is standard).

#### Lower Mounting Coat Rod and Shelf (ADA):

Juno Wardrobes are available with the lower shelf and coat rod for ADA compliance (shelf is 48" above the floor).

#### Pull-Out Swivel TV Tray

Juno TV Units come with the option of a pull-out swivel TV Tray. The swivel tray is factory installed and must be specified at the time of order.

#### **Extended Top Overhang**

Rather than the standard 1/4" top overhang on all sides, this can be at 1/2" to facilitate moving of the cabinet for cleaning

#### Master Key


Juno bedside tables have the option to lock with a master key. This must be specified on the o der.














-





### JUNO | BEDSIDE TABLES SIN 71-315

	Overall	Overall	Overall	Shipping	
	Width	Depth	Height	Weight	Cubes
JB1201	19.75	19.75	30	77	8
JB2201	19.75	19.75	30	74	8
JB3201	19.75	19.75	24	62	6
JB4201	19.75	19.75	30	92	8
JB5201	20.75	20.75	35.5	89	9
JB6201	20.75	19.75	35.5	88	9

FRONT STYLES

ORDERING NOTE: The dimensions above apply to codes starting with "T" as well. On TB units with 4 casters, the height is 28.75".

			Delnl	FRONT STY hine front is laminate. Lia		avl	
Description/Model		Delphine - D	Lia -L	1		Delphine - D	Lia - L
1 Drawer, 1 Door	JB1201L* R	\$590	\$678	1 Drawer, 1 Door	TB1209L* R	\$553	\$642
	JB1202L R	\$623	\$711		TB1203L R	\$589	\$677
					TB1204L R	\$613	\$701
1 Drawer, 1 Fixed Shelf	JB2201N*	\$516	\$605	1 Drawer, 1 Fixed Shelf	TB2209N*	\$481	\$569
	JB2202N	\$549	\$638		TB2203N	\$516	\$604
				e e	TB2204N	\$540	\$628
1 Drawer	JB3201N*	\$499	\$571	1 Drawer	TB3209N*	\$463	\$536
	JB3202N	\$533	\$604		TB3203N	\$498	\$571
					TB3204N	\$523	\$595
3 Drawers	JB4201N*	\$781	\$869	3 Drawers	TB4209N*	\$744	\$832
	JB4202N	\$814	\$902		TB4203N	\$779	\$868
				ff ff	TB4204N	\$804	\$892
1 Drawer, 1 Door	JB5201L* R	\$788	\$893	1 Drawer, 1 Door	TB5209L* R	\$753	\$858
	JB5202L R	\$821	\$926		TB5203L R	\$788	\$893
* Indicates model ill					TB5204L R	\$813	\$917

\* Indicates model illustrated by line drawing.

#### ORDERING NOTES:

In the above model numbers e.g. JB120<u>1</u>L or R, a "1" represents a cabinet with 4 legs. A "2" stands for the 2 leg/2 caster version. Please add the letter designating your front choice to the model number above.

#### **ORDERING NOTES:**

In the above model numbers e.g. TB120<u>3</u>L or R, a "3" stands for the 2 caster version. A "4" in the above model numbers stands for the 4 caster version. A "9" represents a cabinet with no legs or casters. A "TB" cabinet with 4 casters does not have a base rail.

Please add the letter designating your front choice to the model number above.

### JUNO | BEDSIDE TABLES

SIN 71-315

Description/Mode	el	Delphine - D	Lia -L			Delphine - D	Lia - L
1 Drawer, 1 Door	JB6201L* R	\$779	\$884	1 Drawer, 1 Door	TB6209L* R	\$744	\$849
	JB6202L R	\$813	\$917		TB6203L R	\$779	\$884
					TB6204L R	\$804	\$908

- <u>Required to Specify:</u>
  1. Model number including front style (directly preceding)
  2. Base Rail if applicable (page 346)
- 3. Top Material (below)
- 4. Top Edge Profile (page 346)
  5. Pull Style (page 346)
  6. Top Color (page 346)
  7. Body Color (page 346)
  9. Top Id here a set if a set if

- 8. T-mold bumper color if applicable (page 346)
- 9. Options (below)

TOP MATERIALS:

Select one:	Laminate W/ Polymer	HP Laminate W/ Polymer	Seamless Thermoformed	Laminate Bumper - X	HP Laminate Bumper - Y
	Edge - L (with Edge Pro	Edge - P ofile A - Page 346	Vinyl - T (with Edge Profiles B or C - Page 346	(with Edge Prof	ile S - Page 346
	No Upcharge	\$24	\$54	\$33	\$57
OPTIONS:					
Locking 1	Top Drawer or Door -	LK	\$33		
Laminate	Drawer - DR		No Charge		
Leg Level	ler - LL 4 Legs		\$9 (per unit)		
Option ap	oplies to cabinets with	h legs.			
Seamless	s Drawer Liner - SL		\$35		
Litter Bag	g Holder - BH		\$9		
Towel Bar	r - TB		\$35		
Spill Guar	rd Edge - SG		\$35		
Available	on Seamless Thermo	oformed Vinyl only.			
Rounded	Top - RT		No Charge		
Available w	vith Top Materials Lamin	ate or HPL and Top Ed	ge Profile "A"		
Gallery R	ails - GR		\$138		
Extended	I Top Overhang - EX		No Charge		
Master Ke	ey - MK		\$28		

### JUNO | DRESSERS

SIN 71-315

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
JD1321N	31.75	19.75	30	130	12
JD2321N	31.75	19.75	38.6	161	15
JD3601N	59.75	19.75	30	246	23

ORDERING NOTE: The dimensions above apply to codes starting with "T" as well.

FRONT STYLES Delphine front is laminate. Lia is thermoformed vinyl. Description/Model Delphine - D Lia - L Delphine - D Lia - L JD1321N \$863 \$1004 3 Drawer TD1329N \$827 \$968 3 Drawer -\$1271 \$1055 \$1235 JD2321N \$1091 TD2329N 4 Drawer 4 Drawer ----2 6 Drawer JD3606N \$1563 \$1827 TD3609N \$1509 \$1773 6 Drawer 0 -**Required to Specify:** 1. Model number including front style (directly preceding) 2. Base Rail if applicable (page 300) 3. Top Material (below) 4. Top Edge Profile (page 300) 5. Pull Style (page 300) 6. Top Color (page 300) 7. Body Color (page 300) 8. Options (below) TOP MATERIALS: Laminate HP Laminate Seamless W/ Polymer W/ Polymer Thermoformed Edge - L Edge - P Vinyl - T (with Edge Profile A - Page 296 (with Edge Profiles B or C - Page 296 select one: 3 or 4 drawer No Upcharge \$39 \$86 No Upcharge 6 drawer \$72 \$161 dresser **OPTIONS:** 

Locking Top Drawer or Door - LK

Laminate Drawer - DR

\$33

## JUNO | DRESSERS

### SIN 71-315

OPTIONS (Continued):		
Leg Leveler - LL		
3 Drawer / 4 Drawer: 6 Drawer:	\$9 (per unit) \$13 (per unit)	
Option applies to cabinets with legs.		
Extended Top Overhang - EX	No Charge	

Master Key - MK

\$28


### JUNO | BENCHES

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
JC1301	29.25	19.75	20	60	8
JC1361	35.25	19.75	20	68	9
JC2301	29.25	19.75	20	88	8
JC2361	35.25	19.75	20	102	9

FRONT STYLES

ORDERING NOTE: The dimensions above apply to codes starting with "T" as well.



#### ORDERING NOTES:

Cushions are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$22, grade 3: \$44, grade 4: \$88, grade 5: \$132, grade 6: \$176, grade 7: \$221, grade 8: \$265, grade 9: \$331. COM yardage is 1 yard for both 30" and 36" cushions. Cushions are available with Moisture Barrier for an upcharge of \$66.

For complete fabric and upholstery information, please see any Krug Seating Price List.

Juno and Trevisa benches have a load weight rating of 200lbs.

#### **Required to Specify:** 1. Model number including front style (directly preceding) 2. Base Rail if applicable (page 346)

- 3. Pull Style if applicable (page 346)
- 4. Body Color (page 346)
- 5. Options (below)

#### 6. Fabric Selection (any Krug Seating Price List)

#### **OPTIONS:**


	Locking Top Drawer - LK	\$30				
	5					
	Laminate Drawer (per unit) - DR	No Charge				
	Leg Leveler - LL	\$9 (per unit)				
	Master Key - MK	\$28				

### JUNO | BENCHES & WARDROBE COMBINATION

#### DIMENSIONS

Overall Width	Overall Depth	Overall Height of Bench	Overall Height of Wardrobe	Shipping Weight	Cubes
47.25	19.75	20	70	175	20
41.25	19.75	20	70	195	19
47.25	19.75	20	70	209	20
	Width 41.25 47.25 41.25	Width         Depth           41.25         19.75           47.25         19.75           41.25         19.75	Overall Width         Overall Depth         Height of Bench           41.25         19.75         20           47.25         19.75         20           41.25         19.75         20	Overall Width         Overall Depth         Height of Bench         Height of Wardrobe           41.25         19.75         20         70           47.25         19.75         20         70           41.25         19.75         20         70           47.25         19.75         20         70           41.25         19.75         20         70	Overall WidthOverall DepthHeight of BenchHeight of WardrobeShipping Weight41.2519.75207016747.2519.75207017541.2519.752070195

ORDERING NOTE: The dimensions above apply to codes starting with "T" as well. These units ship as two separate pieces.



FRONT STYLES

Delphine front is laminate. Lia is thermoformed vinyl.

\* Indicates model illustrated by line drawing.

#### **ORDERING NOTES:**

Cushions are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$22, grade 3: \$44, grade 4: \$88, grade 5: \$132, grade 6: \$176, grade 7: \$221, grade 8: \$265, grade 9: \$331. COM yardage is 1 yard for both 30" and 36" cushions. Cushions are available with Moisture Barrier for an upcharge of \$66.

For complete fabric and upholstery information, please see any Krug Seating Price List.

### JUNO | BENCHES & WARDROBE COMBINATION

SIN 71-315

#### Delphine front is laminate. Lia is thermoformed vinyl. Description/Model Delphine - D Lia - L Delphine - D Lia - L Bench with Bench with \$2059 JC4426L \$1935 \$2132 TC4429L \$1863 2 Drawers and R' 2 Drawers and R' Half Wardrobe JC4486L \$2044 \$2258 Half Wardrobe TC4489L \$1972 \$2185 R R \* Indicates model illustrated by line drawing. **Required to Specify:** 1. Model number (directly preceding) 2. Base Rail if applicable (page 346) 3. Pull Style if applicable (page 346) 4. Body Color (page 346) 5. Options (below) 6. Fabric Selection (any Krug Seating Price List) OPTIONS: \$33 Locking Top Drawer or Door - LK Laminate Drawer - DR No Charge Cabinet Mount Markerboard - MB \$107 Cabinet Mount Mirror - AM \$171 Cabinet Mount Corkboard -TB \$171 Lower Mounting Coat Rod and Shelf - AD No Charge Leg Leveler - LL \$13 (per unit) Master Key - MK \$28

FRONT STYLES

ORDERING NOTES:

Cushions are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$22, grade 3: \$44, grade 4: \$88, grade 5: \$132,

grade 6: \$176, grade 7: \$221, grade 8: \$265, grade 9: \$331. COM yardage is 1 yard for both 30" and 36" cushions.

Cushions are available with Moisture Barrier for an upcharge of \$66.

For complete fabric and upholstery information, please see any Krug Seating Price List.

## JUNO | WARDROBES & STORAGE


SIN 71-315

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
JW1121	12	19.75	70	107	11
JW2241	23.25	19.75	70	164	21
JW3241	23.25	19.75	70	185	21
JW4361	35.25	23.25	70	243	37
JW5361	35.25	23.25	70	292	37
JW6361	35.25	23.25	70	272	37
JW7321	31.25	19.75	70	252	27
IW8421	41.25	23.25	70	358	43

ORDERING NOTE: The dimensions above apply to codes starting with "T" as well.


FRONT STYLES Delphine front is laminate. Lia is thermoformed vinyl.



\* Indicates model illustrated by line drawing.

### JUNO | WARDROBES & STORAGE

SIN 71-315




FRONT STYLES Delphine front is laminate. Lia is thermoformed vinyl.

\* Indicates model illustrated by line drawing. "R" has shelves on right.

### JUNO | WARDROBES & STORAGE SIN 71-315

FRONT STYLES Delphine front is laminate. Lia is thermoformed vinyl.



# JUNO | TV UNITS

SIN 71-315

### DIMENSIONS

	Overall Width	Overall Overall Depth Height		Shipping Weight	Cubes
			Height		
E1321N	31.25	19.75	70	232	28
E2321N	31.25	19.75	70	209	28
E3321N	40	19.75	70	311	35
E4321N	40	19.75	70	277	35


ORDERING NOTES: The dimensions above apply to codes starting with "T" as well. Inside space for TV units is approximately 29" wide x 17" deep x 23" high.



FRONT STYLES Delphine front is laminate. Lia is thermoformed vinyl.

### JUNO | TV UNITS SIN 71-315

FRONT STYLES Delphine front is laminate. Lia is thermoformed vinyl.



# JUNO | BOOKCASES

### SIN 71-315 DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
JS1321N TS2309N	31.25 29.75	12 10	30 31.4	65 70	8 6
TS3489N	46	10	31.4	75	9
Description/Model	Price			Price	
-	321N \$437		Bookcase w/ 1 Fixed Shelf	TS1329N \$401	
Bookcase Top TS2 for 32" Dresser	2309N \$384				
Bookcase Top for TS3 48" Desk	3489N \$480		_		
Required to Specify: 1. Model number (dire 2. Base Rail – TS1329 3. Top Material – JS13 4. Top Edge Profile – , 5. Top Color – JS1321 6. Body Color (page 3 7. Options (below) TOP MATERIALS:	N only (page 346) 321N & TS1329N on JS1321N & TS1329N N & TS1329N only ( 446)	l only (page 346) page 346)			
Select one:	Laminate W/ Polymer Edge - L (with Edge Profile A -	HP Laminate W/ Polymer Edge - P Page 346)	Seamless Thermoformed Vinyl - T (with Edge Profiles	B or C - Page 346)	
	No Upcharge	\$23	\$52		
	NU Openalge				
ORDERING NOTE: Applic		TS1329N only.			
		TS1329N only.			
		TS1329N only.			
OPTIONS: Leg Leveler - LL JS1321N (only)	able to the JS1321N &	TS1329N only.	\$9 (per unit)		
JS1321N (only) Option applies to c	cable to the JS1321N &	TS1329N only.	\$9 (per unit)		
OPTIONS: Leg Leveler - LL JS1321N (only)	cable to the JS1321N &	TS1329N only.	\$9 (per unit) No Charge		

### JUNO | HEADBOARD/FOOTBOARD SIN 71-315

	Overall Width		Overall Depth	Overall Height	Shipping Weight	Cubes
FF1369N FF2369N FF3029N	36 36 2.375		0.75 0.75 0.75	22 16 30	17 13 3	1 0.75 0.25
Description/Model		Price				
leadboard	TF1369N	\$297				
rootboard	TF2369N	\$232				
lounting Legs (2)	TF3029N	\$155				
	ORDERING NO Hardware is not		e used to attach a he	eadboard to a bed frame.	Mounting Legs are solid ma	aple in a clear fini
Required to Spe 1. Model numbe 2. Body Color (pa 3. Options (belov	r (directly prece age 346)	ding)				

OPTIONS:

Custom Cutout - CC

\$94 per headboard or footboard


# JUNO | MARKERBOARD, MIRROR & CORKBOARD

### SIN 71-315

Cubes	Shipping Weight	Overall Height	Overall Depth	Overall Width	
1.2 1.2 1.2	11 17 9	32 32 32	0.75 0.75 0.75	20 20 20	TMB209N TGM209N TTB209N
				Price	Description/Model
				TMB209N \$325	Wall Mount Markerboard
				TGM209N \$373	Wall Mount Mirror - Glass
				TTB209N \$325	Wall Mount Corkboard
	rds.	rds, mirrors, and corkboa	pplied around markerboa	ORDERING NOTES: Laminate frames are sup	
				(directly preceding)	
			ES OPTIONS	(directly preceding)	1. Model number 2. Body (frame) C


#### Vanity drawer and Mirror

Overbed tables have the option of a vanity drawer to store patients personal items. This drawer includes a mirror and is non-locking. Please include on the order.



#### Integrated Seamless Cup Holder

The Integrated Seamless Cup Holder is available on the thermoformed vinyl tops. It is 3/8" deep and 2 1/2" in diameter. A drawing must be supplied to show the location. Two cup holders are standard on thermoformed vinyl tops when a dual top model is ordered.




#### Storage Baskets

Powder-coated wire brackets are available in  $3 \text{ sizes} - 9^{"} \times 9^{"} \times 10^{"}, 10^{"} \times 6^{"} \times 9^{"} \text{ and } 5^{"} \times 5^{"} \times 4^{"}.$ 



#### **Recessed Cup Holder**

The Recessed cup holder is a molded flexible insert with an opening in the bottom. The inner dimensions are 3.5" diameter by 2.6" deep. It fits in a cut-out in the top. The opening is edge banded. A drawing must be supplied to show the required location.



# JUNO | OVERBED TABLES

SIN 71-315

#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height Range	Shipping Weight	Cubes
TO1304N	30	16	27/43	50	15
TO2304N	30	16	27/43	50	15
TO3304N	30	16	27/43	54	15
TO4304N	30	16	27/43	54	15

ORDERING NOTES: Cubes shown above are for 2 overbed tables per carton. The overall height of the U-base including casters is less than 2" and the H-base is 3.25"

TOP SHAPES Rectangular is High-Pressure Laminate with Polymer edges. Kidney, Curved Rectangular and Peanut are Seamless Thermoformed Vinyl. Description/Model Rectangular - R Kidney - K Curved Peanut - P Rectangular - C TO1304N \$921 **Overbed Table** \$899 \$921 \$921 w/H-Base TO2304N \$899 \$921 \$921 \$921 **Overbed Table** w/U-Base TO3304N \$1583 \$1583 Dual Top n/a n/a Overbed Table w/ H - Base Dual Top TO4304N n/a n/a \$1583 \$1583 **Overbed Table** w/U-Base



# JUNO | OVERBED TABLES

SIN 71-315

#### **Required to Specify:**

1. Model number including top shape choice (directly preceding)

- 2. Top Color (page 346)
- 3. Base Color (page 346)
- 4. Options (below)

ORDERING NOTES:

Top Shape R is available in High-Pressure Laminate with Polymer Edges. Top Shapes K, C, and P are Seamless Thermoformed Vinyl and include a spill-guard edge as standard.





Seamless Thermoformed Vinyl with Spill-guard Edge

\$248
0100
Φ240
\$107
\$107
\$107
No Charge

Recessed Cup Holder - RC


\$86



# TREVISA | LEED CI CREDIT SUMMARY



### MATERIAL CONTENT:



### PRE-CONSUMER RECYCLED CONTENT = 91%

POST-CONSUMER RECYCLE CONTENT = 4%

		CONTRIBUTES TO
CREDIT 2.1 - 2.2	Construction Waste Management	1-2 point(s)
CREDIT 3.3	Resource Reuse	1 point
CREDIT 4.1	Recycled Content	1 point
CREDIT 4.2	Recycled Content	1 point
CREDIT 4.4	Low Emitting Materials, (MUST BE REQUESTED)	1 point
	Composite Wood & Laminate Adhesives	1 point
CREDIT 5.1	Regional Materials*	1 point
CREDIT 7	Certified Wood (PLEASE ENQUIRE)	1 point

\* This credit is only applicable if in total 20% of the combined value of the procured construction materials and furniture is manufactured within a radius of 500 miles. This credit will apply if the installation of the finished product occurs within 500 miles of Toronto, Ontario.

# TREVISA | FEATURES

#### **BREADTH OF LINE:**

The healthcare casegoods lines offer solutions from contemporary to transitional to traditional styling. Trevisa offers transitional and traditional. The lines are extremely wide including 5 bedside table configurations, 3 dressers, 2 benches, 2 combination bench/wardrobes, 8 wardrobe/storage units, 4 TV units, 3 bookcases, 2 desks, a headboard and footboard, a marker board, mirror and corkboard, and 4 overbed tables. In addition custom modular headwalls and footwalls are offered.





#### **CUSTOM CAPABILITY:**

Krug can offer both custom sizes of standard product and completely custom units, including modular headwalls and footwalls. For more information, please contact Customer Service.

#### **DURABILITY:**

Cabinets are constructed of <sup>3</sup>/<sub>4</sub>" thick panels including backs. In contrast to cabinets constructed with 1/8" back panels, the Trevisa units are more robust and less susceptible to damage. All exposed laminate edges are covered with 2.5mm polymer edge banding in colors matching the laminates. This thicker edge banding provides an increased level of durability on all edges as well as a 2.5 mm radius on the edge. The softer radius is less likely to bruise or cut the skin of a patient or caregiver. Bottom panels extend under the side and back panels of cabinets with 4 casters in order to maximize the ability of the cabinet to withstand heavy handling.

#### DRY FIT CONSTRUCTION:

Cabinets are assembled with mechanical cams. This is known as dry fit construction. The result is that any panel can be replaced if damaged, unlike in the case of cabinets that are glued together where damage to any surface leads to replacement of the entire unit.



#### VENTS:

There is one 1" diameter vent for each drawer and each door set for air circulation. All vent holes are covered with plastic vents both inside and outside to eliminate exposed particle board, thus preventing moisture and bacteria from entering the core.

#### SEALED CORE:

All unseen particle board edges that are not covered by an adjoining panel are edge banded (i.e. no exposed particle board). As with the vent covers noted above, this prevents moisture and bacteria from seeping into the core.



#### DRAWERS:

Drawers have white metal sides with white laminate bottoms and backs, and all exposed particle board edges are edge banded.

The unobstructed metal sides facilitate cleaning. Bumpers are installed on all drawers and doors to soften the sound of closing.

# **TREVISA** | FEATURES

#### TOPS:



Tops are ¾" thick and can be laminate with polymer edge banding, high-pressure laminate with polymer edge banding, or seamless thermoformed vinyl.

- Edge A Laminate with Polymer Edge, or High-Pressure Laminate with Polymer Edge
- Edge B Seamless Thermoformed Vinyl
- Edge C Seamless Thermoformed Vinyl
- Edge D Seamless Thermoformed Vinyl
- Edge E Seamless Thermoformed Vinyl
- Edge F Seamless Thermoformed Vinyl
- Edge G High-Pressure Laminate with Wood Edge, or Seamless Thermoformed Vinyl

• Edge S - Laminate with T-Mold bumper or High-Pressure Laminate with T-Mold bumper. With this edge the overhang is 1/2" on all sides.

Standard Top Overhang is 1/4" on 4 sides

Optional Top Overhang is 1/2" on 4 sides (to assist with movement of the cabinet)

Tops on units over 40" high are laminate only

### DOOR / DRAWER FRONTS:

Door / Drawer fronts are 3/4" thick and 7 styles are available.

- Delphine Laminate with Polymer Edge
- Lia Seamless Thermoformed Vinyl
- Como Seamless Thermoformed Vinyl
- Assano Seamless Thermoformed Vinyl
- Bassano Seamless Thermoformed Vinyl
- Elba Seamless Thermoformed Vinyl
- Rossano Seamless Thermoformed Vinyl

Headboards and footboards are high-pressure laminate on ¾" plywood with polymer edge banding. HPL and plywood are used in this application for added strength.



#### BASE RAILS (material will be the same as the Door/Drawer Fronts):

Cabinets are available with 4 1/4" legs (for ease of cleaning), or sides to the floor with the following 4 front base-rail options.

- Option 1 Laminate with Polymer Edge, or Seamless Thermoformed Vinyl
- Option 2 Laminate with Polymer Edge, or Seamless Thermoformed Vinyl
- Option 3 Laminate with Polymer Edge, or Seamless Thermoformed Vinyl
- Option 4 Laminate with Polymer Edge, or Seamless Thermoformed Vinyl



#### DOOR AND DRAWER PULL STYLES:

Flex is an injection-molded plastic pull designed to offer some "give" or flexibility when inadvertently hit by a patient or caregiver. The color is similar to silver metallic.

The Indus pull eliminates a protrusion that could bruise a patient or caregiver. The finish is silver metallic

The Ravenna and Murano are attractive transitional pulls in satin nickel.

The Renzo knob pull creates a much different cabinet appearance. The finish is satin nickel

The Verona and Padua traditional pulls are mounted with rosettes. Finish in antique brass. A complimentary brushed brass knob is used on doors.



#### BENCH

The cushion for the bench is 3" thick.

# TREVISA | FEATURES

#### LAMINATE COLORS:

There are 2 solid color options and 7 wood-grain colors. All colors are available in laminate, high-pressure laminate and thermoformed vinyl. Polymer Edge banding matches the laminate selections. Wood finishes to match the wood-grain laminates a e available for Krug Healthcare Seating.

#### VENEER

Many items in the Trevisa product line are also available in maple veneer and in a combination of veneer exterior surfaces and laminate interior faces. The veneered version is available with the Delphine front and "A" top edge profile. Both high-pressure laminate and thermoformed vinyl tops can be supplied as options with the veneered cabinets. Please contact your Krug representative or customer service for a quotation on veneered product.

#### **ENVIRONMENTAL FEATURES:**

Trevisa cabinets have a very high recycled content and contribute to both LEED credits 4.1 and 4.2. The packaging is recyclable. Non-urea-added core is available as an option and air-emissions certified p oduct is also optionally available. FSC wood may be possible on larger projects.

#### WARRANTY:

All cabinets carry a limited lifetime warranty. Overbed tables have a 2-year warranty.

### TREVISA - COMMON SELECTIONS TO SPECIFY




ORDERING NOTES:

Edge A is available in Laminate with Polymer Edge or High-Pressure Laminate with Polymer Edge.

Edge Profiles B, C, D, E, F & G are available in Seamless Thermoformed Vinyl. Laminate surface is not flush to the wood edge. Spill-guard Edge can be ordered on Edge Profiles B, C, D, E, F & G in Seamless Thermoformed Vinyl

Edge S is available in Laminate with T-Mold bumper or High-Pressure Laminate T-Mold bumper.

## DOOR AND DRAWER PULL STYLES:



# TREVISA | PRODUCT CODE KEY

PRODUCT CODE KI	EY				
Product Line	Description	Description (2)	Width	Style	Orientation
Cabinets without Legs	B Bedside Table	1-5 no. for each bedside type	e.g. 32 inches	1 L 4 Legs	Left
	D Dresser	no. for each dresser type		2 legs/2 casters	Right
	Cushioned Bench	1-4 no. for each bench type		3 2 casters	Not applicable
	Wardrobe	1-8 no. for each wardrobe type		4 casters	
	E TV Unit	<b>1-4</b> no. for each TV unit type		6 6 legs	
	Bookcase	1-3 no. for each bookshelf/bookcase type		9 no legs or casters	
	K Desk	1-2 no. for each desk type			

### TO ORDER

After each product grouping, please find the list titled "Required to Specify". The steps following provide guidance on how to specify the product you require. The model number based on the Product Codes above needs to be chosen. As a suffix to the model number, add a one-digit code to identify the door/drawer Front Style. After that you will be asked to choose among a number of variables such as top material, door/drawer pull styles, and color. Each of these is required. Beyond that is a list of Options, some of which you may want to add.

A typical selection and the ideal way to enter on your purchase order would be as follows (from pages 321 and 322):

TB1209RL	\$642
Bedside Table with 1	drawer/1 door and Lia fronts

Base Rail - 3	n/c
Top Material - T	\$54
Top Edge Profile -	n/c
Pull Style - F	n/c
Top Color - H	n/c
Body Color - H	n/c

Options: Locking Top Drawer - LK \$33 Seamless Drawer Liner - SL \$35

# TREVISA | OPTIONS

#### Locking Top Drawer or Door

Trevisa cabinets have the option to lock. They can be randomly keyed for security. The lock option is factory installed and must be specified on the order.



#### Laminate Drawer

An optional white laminate drawer with a singleaction, 3/4-extension slide is available at no upcharge. All edges are banded.

#### Leg / Casters:

Trevisa Bedside Tables have 3 base options sides to floor and front base rail, 2 non-swivel back casters, or 4 swivel casters 2 of which are locking (there is no base rail in this case).

#### Seamless Drawer Liner

Trevisa bedside tables are available with the option of a plastic drawer liner. Ideal for infection control purposes, it can be removed, sterilized or replaced when damaged or degraded

#### Litter Bag Holder

The Litter Bag Holder option fastens to the sides of the bedside tables. It is available in a satin nickel finish. It holds small paper bags and can be field-installed. The standard placement is the side opposite the hinge.

#### **Towel Bar**

The Towel Bar is an option on Trevisa and fastens to the sides of the bedside tables. It is available in a satin nickel finish. It can be fiel installed. The standard placement is the side opposite the hinge.

#### Spill-Guard Edge

Trevisa bedside tables are available with the spill-guard edge surface on the thermoformed vinyl tops to collect liquids when spills occur.

#### **Rounded Tops**

A top with rounded corners is available as an option on bedside tables. There is a choice of laminate or high-pressure laminate. The edge is polymer to match the laminate color. The overhang is 3/4" on all 4 sides of the top. (Tops specified with T-mold bumper are also rounded at corners. In these cases the overhang is 1/2" on all sides).

### Gallery Rails

Optional gallery rails are satin nickel finish. There is a rail on each side and another across the back.



#### **Cabinet Mount Markerboard:**

The Markerboards are 24" high by 12" wide. They can be mounted to the inside or outside of the cabinet door (inside is standard).




#### Cabinet Mount Mirror Option:

The Mirrors are 24" high by 12" wide and acrylic. They can be mounted to the inside or outside of the cabinet door (inside is standard)

#### Cabinet Mount Corkboard Option:

The Corkboards are 24" high by 12" wide. They can be mounted to the inside or outside of the cabinet door (inside is standard).



#### **Crown Molding**

Crown Molding is available as an option for tall units. It is in thermoformed vinyl to match the cabinet. Crown Molding ships separately and is field installed. It is supplied for the front and two sides with mitered joints.

#### Pull-Out Swivel TV Tray

Trevisa TV Units come with the option of a pull-out swivel TV Tray. The swivel tray is factory installed and must be specified at the time of order.

#### Extended Top Overhang

Rather than the standard 1/4" top overhang on all sides, this can be at 1/2" to facilitate moving of the cabinet for cleaning.

#### Master Key

Trevisa bedside tables have the option to lock with a master key. This must be specified on the o der.











### TREVISA | BEDSIDE TABLES SIN 71-315

#### DIMENSIONS

Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
WIGHT	Deptin		veight	
TB1209 (TB1203, TB1204) 19.75	19.75	30	77	8
TB2209 (TB2203, TB2204) 19.75	19.75	30	74	8
TB3209 (TB3203, TB3204) 19.75	19.75	24	62	6
TB4209 (TB4203, TB4204) 19.75	19.75	30	92	8
TB5209 (TB5203, TB5204) 20.75	20.75	35.5	89	9
TB6209 (TB6203, TB6204) 20.75	19.75	35.5	88	9

		Delphine front is laminate. All others are thermoformed vinyl.							
Description/Mode	el	Delphine - D	Lia - L	Como- C	Azzano - A	Bassano - B	Elba - E	Rossano - R	
1 Drawer, 1 Door	TB1209L* R	\$553	\$642	\$673	\$684	\$691	\$710	\$710	
	TB1203L R	\$589	\$677	\$708	\$719	\$727	\$745	\$745	
	TB1204L R	\$613	\$701	\$732	\$743	\$751	\$770	\$770	
1 Drawer, 1 Fixed Shelf	TB2209N*	\$481	\$569	\$600	\$611	\$619	\$637	\$637	
	TB2203N	\$516	\$604	\$635	\$646	\$654	\$673	\$673	
	TB2204N	\$540	\$628	\$659	\$670	\$678	\$697	\$697	
1 Drawer	TB3209N*	\$463	\$536	\$559	\$568	\$573	\$588	\$588	
E C	TB3203N	\$498	\$571	\$594	\$603	\$609	\$623	\$623	
	TB3204N	\$523	\$595	\$619	\$627	\$633	\$647	\$647	
3 Drawers	TB4209N*	\$744	\$832	\$863	\$874	\$882	\$901	\$901	
f f	TB4203N	\$779	\$868	\$899	\$910	\$917	\$936	\$936	
ß	TB4204N	\$804	\$892	\$923	\$934	\$942	\$960	\$960	
1 Drawer, 1 Door	TB5209L* R	\$753	\$858	\$894	\$908	\$917	\$942	\$942	
	TB5203L R	\$788	\$893	\$929	\$944	\$953	\$977	\$977	
	TB5204L R	\$813	\$917	\$954	\$968	\$977	\$1001	\$1001	

FRONT STYLES

\* Indicates model illustrated by line drawing.

ORDERING NOTES: In the above model numbers e.g.TB1203L or R, the "3" stands for the 2 caster, 2 glide version. A "4" in the above model numbers stands for the 4 caster version. A cabinet with 4 casters does not have a base rail. A "9" represents a cabinet with no casters. Please add the letter designating your front choice to the model number above.

# TREVISA | BEDSIDE TABLES

SIN 71-315 Description/Mode	el	Delphine - D	Lia - L	Como- C	Azzano - A	Bassano - B	Elba - E	Rossano - R
1 Drawer, 1 Door	TB6209L* R	\$744	\$849	\$885	\$900	\$908	\$933	\$933
	TB6203L R	\$779	\$884	\$921	\$935	\$944	\$968	\$968
ß	TB6204L R	\$804	\$908	\$945	\$959	\$968	\$992	\$992
Required to Spec 1. Model number 2. Base Rail (pag 3. Top Material (k 4. Top Edge Prof 5. Pull Style (pag 6. Top Color (pag 7. Body Color (pag 8. T-mold bumper 9. Options (below	r including fr je 368) below) ile (page 368 je 368) ge 368) age 368) er color if app	3)		)				
TOP MATERIALS:				05414 500				
Select one:	Laminate W/ Polymer Edge - L	HP Lamir W/ Polym Edge - P		SEAMLESS Thermoformed Vinyl - T		Laminate Bumper - X		P Laminate umper - Y
		Profile A - Page 322		(with Edge Profiles B t	o G - Page 322	(with Edge Profile S - Page 322		
	No Upcharg	e \$24		\$54		\$33	\$5	7
OPTIONS:								
Locking Top I	Drawer or Door	- LK		\$33				
Laminate Dra	wer - DR			No Charge				
Seamless Dra	awer Liner - SL			\$35				
Litter Bag Ho	lder - BH			\$9				
Towel Bar - T	В			\$35				
Spill Guard E	dge - SG			\$19				
Available on S	Seamless Therr	noformed Vinyl Top	s only.					
Rounded Top	)			No Charge				
Available with	n Top Materials	Laminate or HPL ar	nd Top Edge I	Profile "A"				
Gallery Rails	- GR			\$138				
Extended Top	o Overhand - EX	x		No Charge				
Master Key -	MK			\$28				

### TREVISA | DRESSERS SIN 71-315


DIMENSIONS								
Overa Widtł		Overall Depth		Overall Height		Shipping Weight		Cubes
TD1329N 31.75 TD2329N 31.75 TD3609N 59.75	5	19.75 19.75 19.75		30 38.6 30		130 161 246		12 15 23
				FRONT ST	YLES	-		
		Delphine front is laminate. All others are thermoformed vinyl.						
Description/Model	Delphine - D	Lia - L	Como ·		zzano - A	Bassano - B	Elba - E	Rossano - R
3 Drawer TD1329N	\$827	\$968	\$1017	\$	1035	\$1047	\$1078	\$1078
4 Drawer TD2329N	\$1055	\$1235	\$1301	\$	1325	\$1342	\$1383	\$1383
6 Drawer TD3609N	\$1509	\$1773	\$1864	\$	1899	\$1922	\$1979	\$1979
Required to Specify: 1. Model number including fro 2. Base Rail (page 368) 3. Top Material (below) 4. Top Edge Profile (page 368) 5. Pull Style (page 368) 6. Top Color (page 368) 7. Body Color (page 368) 8. Options (below)	nt style (directly	precedin	g)					
TOP MATERIALS:	Laminate		HP Laminate	SEAM	MLESS			
	W/ Polyme Edge - L (with Edg	r e Profile A -	W/ Polymer Edge - P Page 322	Vinyl		s B to G - Page 3	22	
Select one: 3 & 4 drawers	No Upcharg	ge	\$39	\$86				
6 drawer	No Upchar	ge	\$72	\$161				
OPTIONS:								
Locking Top Drawer or Door - L	<	\$33						
Laminate Drawer - DR		No (	Charge					
Extended top overhang - EX		No (	Charge					
Master Key - MK		\$28						

## TREVISA | BENCHES

SIN 71-315

### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
TC1309	29.25	19.75	20	60	8
TC1369	35.25	19.75	20	68	9
TC2309	29.25	19.75	20	88	8
TC2369	35.25	19.75	20	102	9





**ORDERING NOTES:** Cushions are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$22, grade 3: \$44, grade 4: \$88, grade 5: \$132, grade 6: \$175, grade 7: \$221, grade 8: \$265, grade 9: \$331. COM yardage is 1 yard for both 30" and 36" cushions. Cushions are available with Moisture Barrier for an upcharge of \$66. Trevisa benches are load weight rated to 200lbs.

- **Required to Specify:**
- 1. Model number including front style (directly preceding)
- 2. Base Rail (page 368)
- 3. Pull Style if applicable (page 368)
- 4. Body Color (page 368)
- 5. Options (below)

#### 6. Fabric Selection (any Krug Seating Price List)

```
OPTIONS:
```

Locking Top Drawer or Door - LK

Laminate Drawer (per unit) - DR

No Charge


Master Key - MK

\$33

### TREVISA | BENCHES & WARDROBE COMBINATION SIN 71-315

DIMENSIONS							
			Overall	Overall			
	Overall	Overall	Height of	Height of	Shipping		
	Width	Depth	Bench	Wardrobe	Weight	Cubes	
TC3426L/R	41.25	19.75	20	70	167	19	
TC3486L/R	47.25	19.75	20	70	175	20	
TC4426L/R	41.25	19.75	20	70	195	19	
TC4486L/R	47.25	19.75	20	70	209	20	

ORDERING NOTES: These units ship as two separate pieces.



Bench with 2 Drawers and

L Diamoio an	a	
Half Wardrobe	Э	
	$\square$	
	L	
	15	==;
	1000	1
	r=====	
	I I	
	I I	
	I I	
	I I	
	I I	
	1	
6	I I	
	4	
	- 1	
	I	
	1	
	-	/

TC4429L \$1863 \$2061 \$2129 \$2155 \$2173 \$2216 \$2216 R\* TC4489L \$1972 \$2185 \$2258 \$2287 \$2305 \$2352 \$2352 R

**ORDERING NOTES**: Cushions are priced in COM/Grade 1. Amounts for fabric upgrades for cushions are grade 2: \$22, grade 3: \$44, grade 4: \$88, grade 5: \$132, grade 6: \$176, grade 7: \$221, grade 8: \$265, grade 9: \$331. COM yardage is 1 yard for both 30" and 36" cushions. Cushions are available with Moisture Barrier for an upcharge of \$66. For complete fabric and upholstery information, please see any Krug Seating Price List.

\* Indicates model illustrated by line drawing.

### Required to Specify:

- 1. Model number including front style (directly preceding)
- 2. Base Rail (page 368)
- 3. Pull Style if applicable (page 368)
- 4. Body Color (page 368)
- 5. Options (below)
- 6. Fabric Selection (any Krug Seating Price List)

OPTIONS:		
Locking Top Drawer or Door - LK	\$33	
Laminate Drawer - DR	No Charge	
Cabinet Mount Markerboard - MB	\$107	
Cabinet Mount Mirror - AM	\$171	
Cabinet Mount Corkboard - TB	\$171	

# TREVISA | WARDROBES AND STORAGE


SIN 71-315

### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
	Width	Deptil	Tieight	Weight	Oubes
TW1121	12	19.75	70	107	11
TW2249	23.25	19.75	70	164	21
TW3249	23.25	19.75	70	185	21
TW4369	35.25	23.25	70	243	37
TW5369	35.25	23.25	70	292	37
TW6369	35.25	23.25	70	272	37
TW7329	31.25	19.75	70	252	27
TW8429	41.25	23.25	70	358	43

#### FRONT STYLES

Delphine front is laminate. All others are thermoformed vinyl.



#### **OPTIONS** (Continued):

Lower Mounting Coat Rod and Shelf - AD	No Charge
Crown Molding - CM	\$193
Master Key - MK	\$28

### TREVISA | WARDROBES & STORAGE SIN 71-315

			FRONT STYLES Delphine front is laminate. All others are thermoformed vinyl.						
Description/Model		Delphine - D	Lia - L	Como - C	Azzano - A	Bassano - B	Elba - E	Rossano - R	
Single Door Storage w/ 4 Fixed Shelves	TW3249L* R	\$1218	\$1452	\$1546	\$1581	\$1604	\$1664	\$1664	
2 Door Wardrobe	TW4369N	\$1481	\$1832	\$1972	\$2025	\$2061	\$2148	\$2148	
2 Door Wardrobe w/ Storage and 4 Fixed Shelves	TW5369L R*	\$1692	\$2044	\$2184	\$2237	\$2271	\$2359	\$2359	
2 Door Wardrobe w/ Partition	TW6369N	\$1695	\$2046	\$2186	\$2240	\$2274	\$2362	\$2362	

\* Indicates model illustrated by line drawing. In the case of the TW5369, "R" has shelves on right.

# TREVISA - WARDROBES & STORAGE

SIN 71-315

	FRONT STYLES Delphine front is laminate. All others are thermoformed vinyl.						
Description/Model	Delphine - D	Lia - L	Como - C	Azzano - A	Bassano - B	Elba - E	Rossano - R
2 Door, TW7329N 3 Drawer Storage w/ 2 Fixed Shelves	\$1575	\$1927	\$2067	\$2120	\$2155	\$2242	\$2242
3 Door Wardrobe w/ TW8429L 3 Drawer Storage, R* Coat Rod & 2 Fixed Shelves	\$2201	\$2610	\$2774	\$2836	\$2876	\$2979	\$2979
* Indicates model illustrated by line di <u>Required to Specify:</u> 1. Model number including from 2. Base Rail (page 368) 3. Pull Style (page 368) 4. Body Color (page 368) 5. Options (below)		preceding)					
OPTIONS:							
Locking Top Drawer or Door - LK	(	\$33					
Laminate Drawer - DR		No Charge					
Cabinet Mount Markerboard - M	В	\$107					
Cabinet Mount Mirror - AM		\$171					
Cabinet Mount Corkboard - TB		\$171					
Lower Mounting Coat Rod and S	Shelf - AD	No Charge					
Crown Molding - CM							
12" W 1 door: 2 door: 2 door / 3 drawer: 3 door / 3 drawer:		\$193 \$248 \$309 \$300 \$331					
Master Key - MK		\$28					

# TREVISA | TV UNITS

SIN 71-315


#### DIMENSIONS

	Overall Width	Overall Depth	Overall Height	Shipping Weight	Cubes
TE1329N	31.25	19.75	70	232	28
TE2329N	31.25	19.75	70	209	28
TE3329N	40	19.75	70	311	35
TE4329N	40	19.75	70	277	35

ORDERING NOTES: Inside space for TV units is approximately 29" wide x 17" deep x 23" high.

### FRONT STYLES

Delphine front is laminate. All others are thermoformed vinyl.



TV Unit w/ 3	TE1329N	\$1799	\$2111	\$2236	\$2282	\$2314	\$2391	\$2391
Drawers								



Description/Model

TV Unit w/ 2 Doors and Shelf	TE2329N	\$1612	\$1925	\$2050	\$2096	\$2128	\$2205	\$2205

TV Unit w/ 3	TE3329N	\$3116	\$3506	\$3661	\$3720	\$3760	\$3857	\$3857
Drawers and								
Pocket Doors								




# TREVISA | TV UNITS

SIN 71-315

#### FRONT STYLES Delphine front is laminate. All others are thermoformed vinyl. ШШшцт Delphine - D Description/Model Como - C Bassano - B Lia - L Azzano -A Elba - E Rossano - R TV Unit w/ 2 TE4329N \$2756 \$3151 \$3303 \$3362 \$3400 \$3498 \$3498 Doors, adjustable shelf and Pocket

Doors



**Required to Specify:** 

- 1. Model number including front style (directly preceding)
- 2. Base Rail (page 368)
- 3. Pull Style (page 368)
- 4. Body Color (page 368)
- 5. Options (below)

OPTIONS:		
Locking Top Drawer or Door - LK	\$30	
Laminate Drawer - DR	No Charge	
Crown Molding - CM	\$270	
Pull-out Swivel TV Tray -SW	\$215	
Master Key - MK	\$28	

# TREVISA | BOOKCASES

SIN 71-315

Overall Width         Overall Depth         Overall Height         Shipping Weight         Cubos           15122N         51.25         12         30         65         8           153249N         2,75         10         31.4         50         9           Description/Model         Price         9         9         9           Description/Model         State	DIMENSIONS						0
TS122N         31.25         12         30         65         8           TS3200N         29.75         10         31.4         75         9           Description/Model         Price         9         9         9           Bookrase         TS129N         \$401         VI         Free         9           Bookrase Top         TS2309N         \$384         Free         Free         Free           For 32" Dresser         Free         Free         Free         Free         Free           For 48" Desk         Free         Free         Free         Free         Free         Free           For 48" Desk         Free						Shipping Weight	Cubes
Bookcase TS1329N \$401 W1 Fixed Shelf Fixed Shelf Bookcase Top TS2309N \$384 for 32' Dresser For 32' Dresser Fixed Shelf For 32' Dresser Fixed Shelf Fixed	TS2309N	31.25 29.75	1:	2 0	30 31.4	65 50	8 6
w/ 1 Fixed Shelf Fixed Shelf Fixed Shelf Fookcase Top TS2309N \$384 For 32" Dresser Fookcase Top TS3489N \$480 For 48" Desk Fookcase Top TS3489N \$480 Fookcase Top TS3489N Fookcase Fookcase Top Top Top TS3489N Fookcase Fookcase Top Top Top TS3489N Fookcase Fookcase Top Top Top Top Top TS3489N Fookcase Fookcase Top Top Top Top TS3489	Description/Mod	lel	Price				
for 32" Dresser For 32" Dresser Bookcase Top TS3489N \$480 For 48" Desk Fequired to Specify: 1. Model number (directly preceding) 2. Base Rail – TS1329N only (page 368) 3. Top Material – TS1329N only (page 368) 3. Top Material – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 5. Top Color (page 368) 5. Top Color (page 368) 7. Options (below) TOP MATERIALS: Larinate HP Laminate SEAMLESS Thermoformed Edge – L Edge – P (with Edge Profile A - Page 322 Vinj - T (with Edge Profile B to G - Page 322			\$401				
for 32" Dresser For 32" Dresser Bookcase Top TS3489N \$480 For 48" Desk Fequired to Specify: 1. Model number (directly preceding) 2. Base Rail – TS1329N only (page 368) 3. Top Material – TS1329N only (page 368) 3. Top Material – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 5. Top Color (page 368) 5. Top Color (page 368) 7. Options (below) TOP MATERIALS: Larinate HP Laminate SEAMLESS Thermoformed Edge – L Edge – P (with Edge Profile A - Page 322 Vinj - T (with Edge Profile B to G - Page 322							
for 48" Desk Fequired to Specify: 1. Model number (directly preceding) 2. Base Rail – TS1329N only (page 368) 3. Top Material – TS1329N only (page 368) 3. Top Edge Profile – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 6. Body Color (page 366) 7. Options (below) TOP MATERIALS: Laminate HP Laminate SEAMLESS W/ Polymer W/ Polymer Thermoformed Edge - L Edge - P Vinyl - T (with Edge Profile A - Page 322 (with Edge Profiles B to G - Page 322)		TS2309N	\$384				
for 48" Desk Fequired to Specify: 1. Model number (directly preceding) 2. Base Rail – TS1329N only (page 368) 3. Top Material – TS1329N only (page 368) 3. Top Edge Profile – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 6. Body Color (page 366) 7. Options (below) TOP MATERIALS: Laminate HP Laminate SEAMLESS W/ Polymer W/ Polymer Thermoformed Edge - L Edge - P Vinyl - T (with Edge Profile A - Page 322 (with Edge Profiles B to G - Page 322)							
1. Model number (directly preceding) 2. Base Rail – TS1329N only (page 368) 3. Top Material – TS1329N only (below) 4. Top Edge Profile – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 6. Body Color (page 368) 7. Options (below) TOP MATERIALS: Laminate HP Laminate SEAMLESS W/ Polymer W/ Polymer Thermoformed Edge - L Edge - P Vinyl - T (with Edge Profile A - Page 322 (with Edge Profiles B to G - Page 322)		TS3489N	\$480				
1. Model number (directly preceding) 2. Base Rail – TS1329N only (page 368) 3. Top Material – TS1329N only (below) 4. Top Edge Profile – TS1329N only (page 368) 5. Top Color – TS1329N only (page 368) 6. Body Color (page 368) 7. Options (below) TOP MATERIALS: Laminate HP Laminate SEAMLESS W/ Polymer W/ Polymer Thermoformed Edge - L Edge - P Vinyl - T (with Edge Profile A - Page 322 (with Edge Profiles B to G - Page 322)							
LaminateHP LaminateSEAMLESSW/ PolymerW/ PolymerThermoformedEdge - LEdge - PVinyl - T(with Edge Profile A - Page 322(with Edge Profiles B to G - Page 322)	1. Model number 2. Base Rail – T 3. Top Material 4. Top Edge Pro 5. Top Color – T 6. Body Color (p	er (directly preced S1329N only (page – TS1329N only (b ofile – TS1329N only S1329N only (page page 368)	e 368) elow) ly (page 368)				
W/ PolymerW/ PolymerThermoformedEdge - LEdge - PVinyl - T(with Edge Profile A - Page 322(with Edge Profiles B to G - Page 322	TOP MATERIALS:						
Select one: No upcharge \$23 \$52		W/ Polymer Edge - L	W/ Polymer Edge - P	Thermof Vinyl - T	ormed	ge 322	
	Select one:	No upcharge	\$23	\$52			

OPTIONS:

Crown Molding - CM TS2309N \$200 TS3489N \$218 Extended Top Overhang - EX

TS1329N No Charge

# TREVISA - DESKS

SIN 71-315

### DIMENSIONS

	Overall Width	Overa Depth	h Height	Shipping Weight	Cubes
FK1489N FK2489N	47.25 47.25	19.75 19.75		101 112	18 18
			FRONT STYLE	3	
Description/Mod	del Lia	-			
Desk Shell	TK1489N \$46				
°					
Desk w/ I Drawer	TK2489N \$63	35			
1. Model numb 2. Top Material 3. Top Edge Pro 4. Pull Style – T 5. Top Color (p 6. Body Color ( 7. Options (belo	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw)	style (directly precedi 9 368)	ing)		
2. Top Material 3. Top Edge Pro	er including front s (below) ofile (page 368) K2489N only (page age 368) page 368) page 368)	ə 368)			
1. Model numb 2. Top Material 3. Top Edge Pro 4. Pull Style – T 5. Top Color (pa 6. Body Color ( 7. Options (belo	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw)	HP Laminate W/ Polymer Edge - P	ing) SEAMLESS Thermoformed Vinyl - T (with Edge Profiles B to G - Page 3	22	
1. Model numb 2. Top Material 3. Top Edge Pro 4. Pull Style – T 5. Top Color (p 6. Body Color ( 7. Options (belo	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw) Laminate W/ Polymer Edge - L	HP Laminate W/ Polymer Edge - P	SEAMLESS Thermoformed Vinyl - T	22	
Model numb     Top Material     Top Edge Pro     Top Edge Pro     Top Color (pro     Top MATERIALS:     Select one:	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw) Laminate W/ Polymer Edge - L (with Edge Profi	HP Laminate W/ Polymer Edge - P le A - Page 322	SEAMLESS Thermoformed Vinyl - T (with Edge Profiles B to G - Page 3	22	
Model numb     Top Material     Top Edge Pro     Top Edge Pro     Top Color (pro     Top MATERIALS:     Select one:	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw) Laminate W/ Polymer Edge - L (with Edge Profi No upcharge	HP Laminate W/ Polymer Edge - P le A - Page 322	SEAMLESS Thermoformed Vinyl - T (with Edge Profiles B to G - Page 3	22	
Model numb     Top Material     Top Edge Pro     Top Edge Pro     Top Color (pro     Top MATERIALS:     Select one:     DPTIONS:	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw) Laminate W/ Polymer Edge - L (with Edge Profi No upcharge	HP Laminate W/ Polymer Edge - P le A - Page 322 \$57	SEAMLESS Thermoformed Vinyl - T (with Edge Profiles B to G - Page 3	22	
1. Model numb 2. Top Material 3. Top Edge Pro 4. Pull Style – T 5. Top Color (pro 6. Body Color ( 7. Options (below TOP MATERIALS: Select one: OPTIONS: Locking Drawe	er including front s (below) ofile (page 368) 'K2489N only (page age 368) page 368) pw) Laminate W/ Polymer Edge - L (with Edge Profi No upcharge	HP Laminate W/ Polymer Edge - P le A - Page 322 \$57 \$30	SEAMLESS Thermoformed Vinyl - T (with Edge Profiles B to G - Page 3	22	



۲

۲

Ver. 1

2015

PCHEALTHUSA2015

Printed in Canada

۲



All products are air emissions certified and are available as  $\ensuremath{\mathsf{FSC}}\xspace$  certified

krug

solutions@krug.ca | www.krug.ca | 1.888.578.KRUG