


Cadence® Freestanding


Terrace® — Working with Cadence

Cadence offers unlimited versatility. Its modular flexibility creates office solutions of all shapes, sizes, and styles.




GSA Reference Page

Configurations



Full Modesty



Half Modesty



Gussets

All the right choices

Choose Cadence freestanding desking with confidence. It personalizes any work environment, accommodates a range of needs, and offers all the right features — curvilinear worksurface shapes, multiple worksurface edges, and a complete paint finish and laminate offering. Cadence is made to last with heavy-gauge steel construction. Metal-to-metal worksurface connection points make installation and reconfiguration reliable and easy. And Cadence is backed by a lifetime warranty.

Universally flexible

Cadence sets up easily and reconfigures time after time. It even shares components with Terrace, Optimize™, and Concensys®, which simplifies inventory management. Cadence is created with worksurfaces, supports, modesty panels, end panels, and brackets. Cadence is compatible with the entire line of Allsteel metal storage solutions and Extensions™ — work tools to provide personalized organization for every workstyle.

Systems integration — Cadence works in combination with Terrace, Optimize, or Concensys panels, extending the functionality of both product lines.

Highly adaptable — Make the most of building architecture by using an existing wall to create a semi-private workspace.

Space utilization — Multiple worksurface shapes offer unlimited design potential for using space creatively and efficiently.

Team interaction — Cadence design flexibility allows you to create personal workspace and a team collaboration area in the same office.



The Cadence Choice

It works in the open plan, the private office, or in combination with Terrace, Optimize, or Concensys panels, allowing complete office coordination. The flexible, universal design of Cadence supports virtually any workstyle and any interior aesthetic. Backed by Allsteel's Lifetime Warranty and manufactured to strict environmental standards, Cadence provides one high-value package.

Configurations

End Panels **E** and Support Legs **L**

Each are available in two options: freestanding or panel-mount. The only difference between the two options are the panel-mount models come with a left- or right-handed bracket to attach the support to a panel in a Cadence systems application. If the freestanding version is purchased and later needs to be converted to panel-mount, the proper handed panel-mount bracket may be purchased separately.




The 11 "D end panel is used to freestand peninsulas, curvilinear shapes, and D-Tops in panel applications.

Corner Desk Legs **C**

Corner desk legs have a 90-degree bend and welded construction. The strong construction allows gussets or half-height modesty panels to be used with corner legs.

Bridge Kits **B**

Bridge kits include: two flat brackets, two modesty panel-to-end panel attachment brackets, and two tie straps. This kit is used when attaching a bridge unit between two rectangular worksurfaces.



There are some bridge instances where only half of a bridge kit is needed (e.g. using a bridge between a rectangular worksurface and a corner or peninsula). A return kit may be ordered for these instances.


Surface **S**

Support Column **SC**

Used to support one end of curvilinear worksurfaces. Includes column, worksurface bracket kit T6BK, attaching hardware, and adjustable glides.

Return Kits **R**


Return kits include: one flat bracket, one modesty panel-to-end panel attachment bracket, and one tie strap. These are used when attaching a return to a primary desk. Return kits can also be used in some bridge applications — one example is shown below when using a peninsula.



Desk-to-Panel Attachment Kits **D**


Desk-to-panel attachment kits are used to connect a worksurface and modesty panel perpendicular to a panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg or corner leg mounted directly under this worksurface.

When using a corner or corner cove worksurface with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk — use corner w/desk attachment kit. “Hand” of unit is determined from the user’s side of the desk (right hand unit attaches to right side of modesty).



Corner w/Desktop Panel Attachment Kit CW

Corner w/desktop panel attachment kit connects the rear corner of a corner or corner cove worksurface and modesty panel to a panel when the opposing end of the worksurface shares a support leg with an adjacent freestanding desk and the support leg is mounted under the freestanding desk. "Hand" of unit is determined from the user's side of the desk (left hand unit attaches to left side of modesty).




Corner Worksurfaces

Corner worksurfaces to accommodate 90-degree corner desk legs.

In-Line Connections of Desks

Freestanding full end panels must be used to support adjacent rectangular desks, corner desks, and corner desks with returns. Freestanding support legs should NOT be used at the in-line junction. 24"D full end panels may be used at the in-line junction on 30"D rectangular desks if two worksurface tie straps are used to secure the desks together. Contact Allsteel Customer Support for ordering information.



Pedestals and Storage

Pedestals must be ordered one size smaller than the depth of the worksurface. For example, 20"D peds should be used with 24"D worksurfaces. 20"D or 23"D pedestals can be used with 30"D worksurfaces. Using 18"D laterals or personal files provide additional pull style and storage options under 24"D worksurfaces.


Modesty Panels M

The following are some general guidelines for Cadence modesty panels:

- Desk:** Modesty panel width is the same width as the worksurface
- Return:** Modesty panel width is 6" greater than the width of the worksurface
- Bridge connecting two rectangular worksurfaces:** Modesty panel width is 12" greater than the width of the bridge worksurface
- Bridge connecting a rectangular worksurface and corner or peninsula:** Modesty panel width is 6" greater than the width of the worksurface
- Corner connecting to an adjacent worksurface:** Modesty panel width is the same width as the worksurface.


Stand-Alone Corner Modesty Panels SM

Stand-alone corner modesty panels are used only when one or both sides of a corner or corner cove worksurface are freestanding and NOT attached to another worksurface. Specify the width the same as the width of the worksurface.



Gussets G

Gussets can be used in place of a modesty panel with desks 36"W to 60"W. Gussets can also be used with corner desk legs.



Cadence® Freestanding


Terrace® — Working with Cadence

GSA Reference Page


Configurations

Freestanding Desk

Example Shown	Qty.	Model	Description
1	832436A	T-Mold Edge Worksurface 24"D x 36"W	
2	CEP2429F	End-Panel Support 24"D x 29½"H	
1	CS369	Modesty Panel 36"W x 29½"H	



Panel-Attached Desk




Example Shown	Qty.	Model	Description
1	832436A	T-Mold Edge Worksurface 24"D x 36"W	
1	CEP2429F	End-Panel Support 24"D x 29½"H	
1	CS369	Modesty Panel 36"W x 29½"H	
1	DPA29R	Desk-to-Panel Attachment Kit 29½"H – RH	

C – Concensys®
TK – Terrace or Optimize™


CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
Freestanding Desk	1	2	1	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)	
Panel-Attached Desk	1	1	1		1 RH	

Return Desk (Attached to a primary or return desk.)



Return Desk (Attached to a panel-hung worksurface.)

Example Shown	Qty.	Model	Description
1	832448A	T-Mold Edge Worksurface 24"D x 48"W	
1	CS549	Modesty Panel 54"W x 29½"H	
1	CEP2429F	End-Panel Support 24"D x 29½"H	
1	CRK29	Return Kit	



Example Shown	Qty.	Model	Description
1	832436A	T-Mold Edge Worksurface 24"D x 36"W	
1	CS429	Modesty Panel 42"W x 29½"H	
1	CEP2429F	End-Panel Support 24"D x 29½"H	
1	CRK29	Return Kit	


Note: The widest modesty panel is 72"W which limits return worksurfaces to a maximum of 66"W.

CONFIGURATION OPTIONS	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Same width as Work-surface (M)	Modesty Panel	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
Return Desk	1	1	1	1	1	1	1	1

Cadence® Freestanding

Configurations

Bridge Desk (Attached between two primary desks.)




Terrace® — Working with Cadence

GSA Reference Page

Example Shown Qty.	Model	Description
1	832442A	T-Mold Edge Worksurface 24"D x 42"W
1	CS549	Modesty Panel 54"W x 29½"H
1	CBK29	Bridge Kit

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Same width as Work-surface (M)	Modesty Panel 6" wider than Work-surface (M+6)	Modesty Panel 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Bridge Kit (B)
Bridge Desk	1					1			1

Bridge Desk and Peninsula (Attached to a primary desk).



Example Shown Qty.	Model	Description
1	832442A	T-Mold Edge Worksurface 24"D x 42"W
1	833160A	T-Mold Edge Peninsula Worksurface 30"W x 60"L
1	CS489	Modesty Panel 48"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CRK29	Return Kit
1	830299	Support Column for Peninsula Worksurface 29½"H (Concessys®)
	TT629SC	(Terrace or Optimize™)

CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Same width as Work-surface (M)	Modesty Panel 6" wider than Work-surface (M+6)	Modesty Panel 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Support Column (SC)	Return Kit (R)
Bridge Desk and Peninsula	2	1	1	1	1	1		1	1

Cadence® Freestanding

Terrace® — Working with Cadence

GSA Reference Page

TERRACE

FRAMES – TILE SPECS

FRAMES – TILE PRICING

ELECTRICAL


WORKSURFACE SPECS

CADENCE SPECS

OVERHEADS & HUTCHES WORKSURFACE PRICING


Configurations

Corner Desk (Stand-alone)



Example Shown		Qty.	Model	Description
1	833624A		T-Mold Edge Worksurface 24"D x 36"W	
1	CSCMP3629		Stand-Alone Corner Modesty Panel 36"W x 29½"H	
2	CEP2429F		End-Panel Support 24"D x 29½"H	
1	CDL29		Corner Desk Leg 29½"H	


Corner Desk (With an adjacent desk attached at one side.)



Example Shown		Qty.	Model	Description
1	833624A		T-Mold Edge Corner Worksurface 24"D x 36"W	
1	832436A		T-Mold Edge Worksurface 24"D x 36"W	
1	CSCMP3629		Stand-Alone Corner Modesty Panel 36"W x 29½"H	
2	CS369		Modesty Panel 36"W x 29½"H	
2	CEP2429F		End-Panel Support 24"D x 29½"H	
1	CSL2429F		Support Leg 24"D x 29½"H	
1	CDL29		Corner Desk Leg 29½"H	

CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel Same width as Work-surface (M)	Modesty Panel 6" wider than Work-surface (M+6)	Stand-Alone Corner Modesty Panel Same width as Work-surface (SM)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)
Corner Desk	1	2				2		1
Corner Desk (with adjacent desk)	2	2	1	2		1		1

Bridge Desk (Attached between corner and primary desk.)




Example Shown		Qty.	Model	Description
1	832436A		T-Mold Edge Worksurface 24"D x 36"W	
1	CS429		Modesty Panel 42"W x 29½"H	
1	CRK29		Return Kit	
1	CSL2429F		Support Leg 24"D x 29½"H	

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel Same width as Work-surface (M)	Modesty Panel 6" wider than Work-surface (M+6)	Modesty Panel 12" wider than Work-surface (M+12)	Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Return Kit (R)
Bridge Desk	1	1	1		1				1

Cadence® Freestanding

Configurations

Corner Desk (Attached to a panel with an adjacent desk at one side.)




Terrace® — Working with Cadence

GSA Reference Page

Example Shown Qty.	Model	Description
1	833624RA	T-Mold Edge Corner Worksurface 36"W x 24"D
1	8302430A	T-Mold Edge Wave Worksurface 30"W x 24"D/30"D
1	CS369	Modesty Panel 36"W x 29½"H
1	CS309	Modesty Panel 30"W x 29½"H
1	CEP3029F	End-Panel Support 30"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	□CWD29L	Corner w/Desktop Attachment Kit 29"H LH
		C – Concensys®
		TK – Terrace or Optimize™

CONFIGURATION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel			Desk-to-Panel Attachment Kit (D)	Corner Desk Leg (C)	Corner w/Desktop Panel Attachment Kit (CW)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)	12" wider than Work-surface (M+12)			
Corner Desk	2	1	1	2					1 LH







"U" with Jetty and Corner Cove



Example Shown Qty.	Model	Description
1	834722JRM	Flat Edge Jetty RH 48"D x 72"W x 24" x 30"
1	83722ERM	Flat Edge Corner Cove RH 48"D x 72"W x 24"
2	CS489	Modesty Panel 48"W x 29½"H
1	CSCMP7229	Stand-Alone Corner Modesty Panel 72"W x 29½"H
1	CEP1129F	End-Panel Support 11"D x 29½"H
1	CSL2429F	Support Leg 24"D x 29½"H
1	CEP2429F	Full End-Panel Support 24"D x 29½"H
1	CDL29	Corner Desk Leg 29½"H
1	830299	Support Column for Jetty 29½"H
	TT629SC	(Concensys) (Terrace or Optimize)

CONFIGURATION OPTION	Work-surface (S)	End-Panel Support (E)	Desk Support Leg (L)	Modesty Panel		Stand-Alone Corner Modesty Panel	Support Column (SC)	Corner Desk Leg (C)
				Same width as Work-surface (M)	6" wider than Work-surface (M+6)			
Cove and Jetty	2	2	1	2			1	1

Cadence Supports



End-Panel Supports (page 98)

- End panels are $1\frac{1}{8}$ " thick. For use at the end of worksurface runs.
- Levelers provide $1\frac{1}{2}$ " vertical adjustment.
- Freestanding models can be converted to Terrace panel-mount with end panel bracket kit.
- Must be connected into panel slots for panel hung applications.
- Straight worksurfaces adjacent to 120° and 135° connections must be supported by full end panels.
- $11"D$ models for use with D-shaped worksurfaces or curvilinear shaped worksurfaces in freestanding applications.

Support Legs (page 98)

- Support legs are non-handed. Supports the junction of two worksurfaces.
- Leg portion is $12\frac{3}{4}"D$ and is $1\frac{1}{8}$ " thick.
- Flat bracket included.
- Levelers provide $2\frac{1}{4}$ " vertical adjustment.
- Freestanding models can be converted to Terrace panel-mount with support leg bracket (non-handed).
- Must be connected into panel slots for panel hung applications.

Corner Desk Leg (page 98)

- Attaches two modesty panels at rear of corner desk.
- Leveler provides $2\frac{1}{4}$ " vertical adjustment.
- See examples on pages 76 and 77.

Bridge Kit (page 98)

- Connects bridge worksurface and modesty panel to end panels and worksurfaces that are perpendicular to the bridge worksurface.
- Includes two flat brackets and two modesty panel-to-end-panel brackets.
- See examples on pages 72 and 75.

Return Kit (page 98)

- Connects return worksurface and modesty panel to end panel and perpendicular worksurface — non-handed.
- Includes one flat brackets and one modesty panel-to-end-panel bracket.
- See examples on pages 72 and 74.

Desk-to-Panel Attachment Kits for Terrace (page 98)

- Used to connect a worksurface and modesty panel perpendicularly to a Terrace Panel of corresponding width. Opposing end of worksurface must be attached with an end-panel, support leg or corner leg mounted directly under this worksurface.
- If using corner or corner cove with the rear corner attached to a panel, and opposing end of worksurface is attached to a freestanding desk — use corner w/desktop panel attachment kit.
- “Hand” of unit is determined from the user’s side of the desk (left hand unit attaches to left side of modesty).


Corner w/Desktop Panel Attachment Kit for Terrace (page 98)

- Used when the rear corner of a corner or corner cove worksurface and modesty panel is attached to a Terrace panel and opposing end of worksurface is attached to a freestanding desk. Opposing end of worksurface shares the support leg that is mounted under the adjacent freestanding desk.
- “Hand” of unit is determined from the user’s side of the desk.

Flat Brackets (page 98)

- Bracket and attaching hardware.
- Can be used to connect one worksurface perpendicular to another worksurface.

Wall Track, Tile attachment Kits, Modesty Panels, and Gussets



Freestanding Pedestals

- Can also be used to support one end of a panel-attached worksurface in conjunction with worksurface bracket.

Freestanding Desks


- Freestanding desks** can be created by combining primary and corner worksurfaces with modesty panels and appropriate desk supports. See pages 71-77.

Pedestal Compatibility with Cadence and Panel-hung Worksurfaces

Cadence Desking	24" Deep	30" Deep
18"D Ped	Yes	Yes
19½"D Ped	Yes*	Yes
23½"D Ped		Yes
29½"D Ped		
Systems Panel-hung	24" Deep	30" Deep
18"D Ped	Yes	Yes
19½"D Ped	Yes*	Yes
23½"D Ped	Yes*	Yes
29½"D Ped		Yes*

*Wire management grommet is blocked in these applications.

Note: Pedestal placement may affect access to receptacles in base pathway.



Universal Modesty Panels

	Peninsula		P-Shape		Jetty		Boomerang
Model	60"L	66"L	72"L	72"L	66"L	72"L	72"L
PMP41	•						
PMP47		•		•	•		
PMP53			•			•	•

Terrace Wall Track/Tile Attachment Kits (page 98)

- Allows for mounting of system panel components on permanent wall structures.
- Begin with one pair of ends; for multiple kits in line, add middle unit(s) between ends.
- Height of wall track coordinates with panel height. Field cut for lower heights.
- Wall track will add 1" to depth of attached components.
- Use Align™/Terrace wall track tile attachment kit to install tiles onto wall track. Kit includes two tile bars. Top bar may only be used in the top uppermost position on wall track. Bottom bar can be used in the bottom position at any location on wall track.
- When segmenting tiles on wall track, segment bars must be ordered for placement between all vertically adjacent tiles or at the top position of a single tile that is not in the uppermost position.
- When using Terrace wall track and using tiles to create a tackboard situation under overheads hung at 65"H, make sure to use a 30"H tile or 2-15"H tiles to cover the entire area between the overheads and the worksurface.

Modesty Panel (page 99)

- Mounts to end-panel supports, desk support legs, bridge kit, return kit, desk-to-panel, and corner w/desk panel attachment kits.
- 29½"H units provide ¾" of space between bottom of modesty panel and floor.
- Actual width of 29½"H modesty panel is 3½" less than the nominal dimension listed in the Systems Price List.
- 14"H units provide 14¼" of space between bottom of modesty panel and floor.
- Refer to pages 71-77 to select proper width.
- Use 14"H modesty panels for desks positioned against a wall to provide access to electrical receptacles.
- 14"H modesty panels, stand-alone corner modesty panels, or gussets can be used with corner or corner cove worksurfaces.

Stand-alone Corner Modesty Panel (page 99)

- 29½"H units provide ¾" of spacing between bottom of panel and floor.
- 14"H units provide 14¼" of space between bottom of modesty panel and floor.
- Actual width of modesty panel is 6½" less than the nominal dimension listed in the Systems Price List.
- Modesty panels are inset 2%; when adding pedestals consult chart at left.

Pedestal-to-Pedestal Modesty Panels (page 99)

- Widths available to work with 60"W, 66"W, and 72"W worksurfaces to create freestanding double pedestal desk using two medal support pedestals.

Gussets (page 99)

- Provides easy access to wall outlets.
- Cannot be used with suspended pedestals.
- Gussets can be used on corner and corner cove worksurfaces.

Universal Modesty Panel (page 99)

- Mounts under peninsula, P-Shape, jetty, and boomerang worksurfaces. Refer to chart below to select proper width.
- Can be used with panel-mounted and freestanding worksurfaces.
- Provides 8½" of privacy and is non-handed.
- Constructed of steel. No upcharge for Select paint.
- Only requires attachment to the worksurface.
- Does not provide electrical, data or structural support.
- Panel is 1½" thick and can be mounted at various distances from edge of worksurface based on user's preference for clearance and conferencing requirements.

Worksurfaces

Terrace® — Primary

Laminate

GSA SIN 711-1


For specification information see pages 64-70.
For non-standard worksurface sizes see page 88.



Description	Laminate w/Flat Edge Model	Laminate w/T-Mold Edge Model	Laminate w/Flat Edge			Laminate w/T-Mold Edge		
	L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price		
24"D Primary Worksurfaces								
24"W	T52424S	832424A	\$ 249	\$ 262	\$ 276	\$ 194	\$ 205	\$ 215
30"W	T52430S	832430A	\$ 262	\$ 276	\$ 290	\$ 197	\$ 208	\$ 218
36"W	T52436S	832436A	\$ 295	\$ 310	\$ 326	\$ 210	\$ 221	\$ 232
42"W	T52442S	832442A	\$ 331	\$ 347	\$ 365	\$ 256	\$ 269	\$ 282
48"W	T52448S	832448A	\$ 358	\$ 377	\$ 394	\$ 276	\$ 290	\$ 304
54"W	T52454S	832454A	\$ 386	\$ 408	\$ 425	\$ 302	\$ 317	\$ 333
60"W	T52460S	832460A	\$ 439	\$ 463	\$ 482	\$ 340	\$ 357	\$ 375
66"W	T52466S	832466A	\$ 476	\$ 502	\$ 523	\$ 370	\$ 389	\$ 407
72"W	T52472S	832472A	\$ 497	\$ 524	\$ 545	\$ 388	\$ 409	\$ 427
78"W	T52478S	N/A	\$ 644	\$ 677	\$ 707	N/A	N/A	N/A
84"W	T52484S	N/A	\$ 673	\$ 708	\$ 739	N/A	N/A	N/A
90"W	T52490S	N/A	\$ 797	\$ 837	\$ 875	N/A	N/A	N/A
96"W	T52496S	N/A	\$ 836	\$ 878	\$ 919	N/A	N/A	N/A

**30"D Primary Worksurfaces**

24"W	T53024S	833024A	\$ 262	\$ 276	\$ 290	\$ 197	\$ 208	\$ 218
30"W	T53030S	833030A	\$ 315	\$ 331	\$ 348	\$ 203	\$ 214	\$ 225
36"W	T53036S	833036A	\$ 339	\$ 356	\$ 374	\$ 228	\$ 240	\$ 252
42"W	T53042S	833042A	\$ 366	\$ 385	\$ 403	\$ 283	\$ 297	\$ 313
48"W	T53048S	833048A	\$ 386	\$ 408	\$ 425	\$ 302	\$ 317	\$ 333
54"W	T53054S	833054A	\$ 431	\$ 455	\$ 474	\$ 335	\$ 352	\$ 369
60"W	T53060S	833060A	\$ 480	\$ 506	\$ 527	\$ 374	\$ 393	\$ 412
66"W	T53066S	833066A	\$ 517	\$ 545	\$ 568	\$ 403	\$ 425	\$ 443
72"W	T53072S	833072A	\$ 561	\$ 591	\$ 616	\$ 436	\$ 459	\$ 479
78"W	T53078S	N/A	\$ 728	\$ 765	\$ 800	N/A	N/A	N/A
84"W	T53084S	N/A	\$ 760	\$ 798	\$ 835	N/A	N/A	N/A
90"W	T53090S	N/A	\$ 907	\$ 952	\$ 996	N/A	N/A	N/A
96"W	T53096S	N/A	\$ 935	\$ 981	\$ 1027	N/A	N/A	N/A



Notes: 1) Add suffix and upcharge for primary worksurfaces up to 72"W to span a "T" or extended straight connection.

Suffix = T2 (Terrace — adds 2 1/4" to width) \$32 upcharge.


Examples: **T53030T2, 833024AT2**

2) Add Suffix "N" to model number for no grommet, no upcharge. Example: **T53078SN**

3) Add Suffix "S" to model number for scallop wire management detail for flat edge models only, no upcharge.

Sample Worksurface

12"W x 12"D	831212M	\$ 210	\$ 221	\$ 233	N/A	N/A	N/A
-------------	---------	--------	--------	--------	-----	-----	-----



Description	Model	List Price
External Worksurface Support Channel (no color option) — 1 1/2"H		
30"W External Support Channel for use on 42"W Worksurface	Z5SC42	\$ 50
36"W External Support Channel for use on 48"W Worksurface	Z5SC48	\$ 52
42"W External Support Channel for use on 54"W Worksurface	Z5SC54	\$ 59
48"W External Support Channel for use on 60"W Worksurface	Z5SC60	\$ 64
54"W External Support Channel for use on 66"W Worksurface	Z5SC66	\$ 73
60"W External Support Channel for use on 72"W Worksurface	Z5SC72	\$ 79
66"W External Support Channel for use on 78"W Worksurface	Z5SC78	\$ 86
72"W External Support Channel for use on 84"W Worksurface	Z5SC84	\$ 95

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix T Laminate w/Flat 8 Laminate w/T-Mold Suffix T2 T-Span for Terrace N No Grommets S Scallops	1st Option: Laminate: See inside front cover for finishes.	2nd Option: Edge Trim Color: See inside front cover for finishes.	3rd Option: Grommet Type: P Oval Plastic (will match edge trim) M Oval Metal (Add \$11 per grommet) S Square Metal (Add \$11 per grommet)	4th Option: Grommet Color (Metal only): Oval: EL Matte Silver Square: EL Matte Silver
.	.	.	Z5SC42	.

Examples: **T52424S.LT3B.E9.P** **832472A.LT3B.E9.P** **Z5SC42**


Worksurfaces

Terrace® — Wave / Bow Front


For specification information see pages 64-70.

Laminate

GSA SIN 711-1



Description	S	Laminate w/Flat Edge Model	Laminate w/T-Mold Edge Model	Laminate w/Flat Edge			Laminate w/T-Mold Edge		
		L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price
Wave Worksurfaces									
30"W x 24"D ¹ x 30"D ²	11½"	T5302430W	8302430A	\$ 365	\$ 384	\$ 402	\$ 235	\$ 247	\$ 260
36"W x 24"D ¹ x 30"D ²	13½"	T5362430W	8362430A	\$ 388	\$ 410	\$ 427	\$ 260	\$ 273	\$ 287
42"W x 24"D ¹ x 30"D ²	15½"	T5422430W	8422430A	\$ 418	\$ 441	\$ 460	\$ 326	\$ 342	\$ 360
48"W x 24"D ¹ x 30"D ²	15½"	T5482430W	8482430A	\$ 445	\$ 470	\$ 489	\$ 347	\$ 364	\$ 382
54"W x 24"D ¹ x 30"D ²	21½"	T5542430W	8542430A	\$ 493	\$ 520	\$ 541	\$ 382	\$ 403	\$ 421
60"W x 24"D ¹ x 30"D ²	27½"	T5602430W	8602430A	\$ 549	\$ 578	\$ 603	\$ 429	\$ 452	\$ 472
66"W x 24"D ¹ x 30"D ²	33½"	T5662430W	8662430A	\$ 593	\$ 624	\$ 652	\$ 461	\$ 485	\$ 506
72"W x 24"D ¹ x 30"D ²	39½"	T5722430W	8722430A	\$ 642	\$ 675	\$ 705	\$ 496	\$ 522	\$ 545



Wave Worksurfaces									
30"W x 30"D ¹ x 24"D ²	11½"	T5303024W	8303024A	\$ 365	\$ 384	\$ 402	\$ 235	\$ 247	\$ 260
36"W x 30"D ¹ x 24"D ²	13½"	T5363024W	8363024A	\$ 388	\$ 410	\$ 427	\$ 260	\$ 273	\$ 287
42"W x 30"D ¹ x 24"D ²	15½"	T5423024W	8423024A	\$ 418	\$ 441	\$ 460	\$ 326	\$ 342	\$ 360
48"W x 30"D ¹ x 24"D ²	15½"	T5483024W	8483024A	\$ 445	\$ 470	\$ 489	\$ 347	\$ 364	\$ 382
54"W x 30"D ¹ x 24"D ²	21½"	T5543024W	8543024A	\$ 493	\$ 520	\$ 541	\$ 382	\$ 403	\$ 421
60"W x 30"D ¹ x 24"D ²	27½"	T5603024W	8603024A	\$ 549	\$ 578	\$ 603	\$ 429	\$ 452	\$ 472
66"W x 30"D ¹ x 24"D ²	33½"	T5663024W	8663024A	\$ 593	\$ 624	\$ 652	\$ 461	\$ 485	\$ 506
72"W x 30"D ¹ x 24"D ²	39½"	T5723024W	8723024A	\$ 642	\$ 675	\$ 705	\$ 496	\$ 522	\$ 545

Note: Add Suffix "N" to model number for no grommet, no upcharge.



30"D Bow-Front Worksurfaces									
30"A x 36"B x 60"C	TT53660BT	833660BTA	\$ 720	\$ 757	\$ 791	\$ 648	\$ 681	\$ 712	
30"A x 36"B x 66"C	TT53666BT	833666BTA	\$ 780		\$ 819	\$ 856	\$ 706	\$ 742	\$ 775
30"A x 36"B x 72"C	TT53672BT	833672BTA	\$ 839		\$ 881	\$ 922	\$ 759	\$ 797	\$ 834

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Flat Edge



T-Mold Edge

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Laminate: See inside front cover for finishes.	2nd Option: Edge Trim Color See inside front cover for finishes.	3rd Option: Grommet Type: P Oval Plastic (will match edge trim) M Oval Metal (Add \$11 per grommet) S Square Metal (Add \$11 per grommet)	4th Option: Grommet Color (Metal only): EL Matte Silver
.	.	.	.	E L

Examples: T5302430W.LT3B.E9.MEL 8302430A.LT3B.E9.P


Worksurfaces

Terrace® — Corner / 120°


For specification information see pages 64-70.

Laminate

GSA SIN 711-1




Flat/Wave Edge



Flat/Wave Edge



T-Mold Edge



T-Mold Edge

Description	Laminate w/Flat Edge Model	Laminate w/T-Mold Edge Model	Laminate w/Flat Edge			Laminate w/T-Mold Edge		
			L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price
24"D Corner Worksurfaces w/Straight Leading Edge								
36"W	T53624C	833624A	\$ 481	\$ 507	\$ 528	\$ 409	\$ 431	\$ 450
42"W	T54224C	834224A	\$ 504	\$ 531	\$ 553	\$ 470	\$ 495	\$ 516
48"W	T54824C	834824A	\$ 564	\$ 594	\$ 619	\$ 495	\$ 521	\$ 543

24"D Corner Worksurfaces w/Radial Leading Edge								
			L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price
36"W	T53624CR	833624RA	\$ 499	\$ 526	\$ 548	\$ 452	\$ 476	\$ 497
42"W	T54224CR	834224RA	\$ 531	\$ 559	\$ 584	\$ 503	\$ 529	\$ 552
48"W	T54824CR	834824RA	\$ 604	\$ 636	\$ 664	\$ 525	\$ 552	\$ 577

30"D Corner Worksurfaces w/Straight Leading Edge								
			L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price
42"W	T54230C	834230A	\$ 622	\$ 654	\$ 684	\$ 528	\$ 555	\$ 580
48"W	T54830C	834830A	\$ 630	\$ 663	\$ 692	\$ 588	\$ 619	\$ 646

30"D Corner Worksurfaces w/Radial Leading Edge								
			L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price
42"W	T54230CR	834230RA	\$ 641	\$ 674	\$ 704	\$ 580	\$ 610	\$ 637
48"W	T54830CR	834830RA	\$ 691	\$ 726	\$ 759	\$ 647	\$ 680	\$ 711

Note: Add Suffix "N" to model number for no grommet, no upcharge.

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
120° Corner Worksurface				
30"W x 24"D	TT53024CB	\$ 650	\$ 683	\$ 714
36"W x 24"D	TT53624CB	\$ 720	\$ 757	\$ 791
42"W x 24"D	TT54224CB	\$ 771	\$ 810	\$ 847
48"W x 24"D	TT54824CB	\$ 848	\$ 890	\$ 932



Flat Edge



T-Mold Edge

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix T Laminate w/Flat 8 Laminate w/T-Mold	1st Option: Laminate: See inside front cover for finishes.	2nd Option: Edge Trim Color : See inside front cover for finishes.	3rd Option: Grommet Type: P Oval Plastic (will match edge trim) M Oval Metal (Add \$11 per grommet) S Square Metal (Add \$11 per grommet)	4th Option: Grommet Color (Metal only): Oval: EL Matte Silver Square: EL Matte Silver

Examples: T53624C.LT3B.E9.P 833624A.LT3B.E9.P


Worksurfaces

For specification information see pages 64-70.

Terrace® — Corner Cove

Laminate

GSA SIN 711-1




Description	Laminate w/Flat Edge Model	Laminate w/T-Mold Edge Model	Laminate w/Flat Edge			Laminate w/T-Mold Edge		
	L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price
Corner Cove Worksurfaces – Extended Left								
60" x 36"-24" L / 24" R	T5822EL	83122EL	\$ 570	\$ 600	\$ 627	\$ 503	\$ 529	\$ 552
60" x 36"-24" L / 30" R	T5832EL	83132EL	\$ 592	\$ 623	\$ 651	\$ 524	\$ 551	\$ 576
60" x 48"-24" L / 24" R	T5622EL	83622EL	\$ 630	\$ 663	\$ 692	\$ 588	\$ 619	\$ 646
60" x 48"-30" L / 24" R	T5623EL	83623EL	\$ 657	\$ 691	\$ 722	\$ 615	\$ 647	\$ 676
60" x 48"-24" L / 30" R	T5632EL	83632EL	\$ 657	\$ 691	\$ 722	\$ 615	\$ 647	\$ 676
60" x 48"-30" L / 30" R	T5633EL	83633EL	\$ 681	\$ 716	\$ 748	\$ 636	\$ 669	\$ 699
72" x 36"-24" L / 24" R	T5922EL	83222EL	\$ 630	\$ 663	\$ 692	\$ 588	\$ 619	\$ 646
72" x 36"-24" L / 30" R	T5932EL	83232EL	\$ 657	\$ 691	\$ 722	\$ 615	\$ 647	\$ 676
72" x 48"-24" L / 24" R	T5722EL	83722EL	\$ 803	\$ 843	\$ 881	\$ 749	\$ 787	\$ 823
72" x 48"-30" L / 24" R	T5723EL	83723EL	\$ 830	\$ 871	\$ 913	\$ 777	\$ 816	\$ 853
72" x 48"-24" L / 30" R	T5732EL	83732EL	\$ 830	\$ 871	\$ 913	\$ 777	\$ 816	\$ 853
72" x 48"-30" L / 30" R	T5733EL	83733EL	\$ 855	\$ 898	\$ 940	\$ 799	\$ 839	\$ 877




Corner Cove Worksurfaces – Extended Right								
36" x 60"-24" L / 24" R	T5822ER	83122ER	\$ 570	\$ 600	\$ 627	\$ 503	\$ 529	\$ 552
36" x 60"-30" L / 24" R	T5832ER	83132ER	\$ 592	\$ 623	\$ 651	\$ 524	\$ 551	\$ 576
48" x 60"-24" L / 24" R	T5622ER	83622ER	\$ 630	\$ 663	\$ 692	\$ 588	\$ 619	\$ 646
48" x 60"-24" L / 30" R	T5623ER	83623ER	\$ 657	\$ 691	\$ 722	\$ 615	\$ 647	\$ 676
48" x 60"-30" L / 24" R	T5632ER	83632ER	\$ 657	\$ 691	\$ 722	\$ 615	\$ 647	\$ 676
48" x 60"-30" L / 30" R	T5633ER	83633ER	\$ 681	\$ 716	\$ 748	\$ 636	\$ 669	\$ 699
36" x 72"-24" L / 24" R	T5922ER	83222ER	\$ 630	\$ 663	\$ 692	\$ 588	\$ 619	\$ 646
36" x 72"-30" L / 24" R	T5932ER	83232ER	\$ 657	\$ 691	\$ 722	\$ 615	\$ 647	\$ 676
48" x 72"-24" L / 24" R	T5722ER	83722ER	\$ 803	\$ 843	\$ 881	\$ 749	\$ 787	\$ 823
48" x 72"-24" L / 30" R	T5723ER	83723ER	\$ 830	\$ 871	\$ 913	\$ 777	\$ 816	\$ 853
48" x 72"-30" L / 24" R	T5732ER	83732ER	\$ 830	\$ 871	\$ 913	\$ 777	\$ 816	\$ 853
48" x 72"-30" L / 30" R	T5733ER	83733ER	\$ 855	\$ 898	\$ 940	\$ 799	\$ 839	\$ 877


Note: Add Suffix "N" to model number for no grommet, no upcharge.



For Altitude® height-adjustable tables see the Seating, Collaboration, and Tables Price List.



Flat Edge



T-Mold Edge

E All Terrace models are available in the Everyday Advantage® program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix T Laminate w/Flat 8 Laminate w/T-Mold	1st Option: Laminate: See inside front cover for finishes.	2nd Option: Edge Trim Color : See inside front cover for finishes.	3rd Option: Grommet Type: P Oval Plastic (will match edge trim) M Oval Metal (Add \$11 per grommet) S Square Metal (Add \$11 per grommet)	4th Option: Grommet Color (Metal only): Oval: EL Matte Silver Square: EL Matte Silver

Examples: T5822EL.LT3B.E9.P 83122EL.LT3B.E9.P

Worksurfaces


Terrace® — Peninsula / P-Shaped / Jetty / Boomerang

For specification information see pages 64-70.


Laminate

GSA SIN 711-1

Support column
ordered separately.




Description	Laminate w/Flat Edge Model	Laminate w/T-Mold Edge Model	Laminate w/Flat Edge			Laminate w/T-Mold Edge		
	L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price
Peninsula Worksurfaces								
30"W x 60"L	T53060B	833160A	\$ 658	\$ 692	\$ 723	\$ 470	\$ 495	\$ 516
30"W x 66"L	T53066B	833166A	\$ 727	\$ 764	\$ 799	\$ 569	\$ 599	\$ 625
30"W x 72"L	T53072B	833172A	\$ 794	\$ 834	\$ 872	\$ 658	\$ 692	\$ 723
36"W x 60"L	T53660B	833660A	\$ 794	\$ 834	\$ 872	\$ 545	\$ 573	\$ 599
36"W x 66"L	T53666B	833666A	\$ 880	\$ 924	\$ 967	\$ 656	\$ 690	\$ 720
36"W x 72"L	T53672B	833672A	\$ 969	\$ 1016	\$ 1065	\$ 767	\$ 806	\$ 842




P-Shaped Worksurfaces w/42" Diameter End

30"W x 72"L	T53072PR	833272LA	\$ 909	\$ 954	\$ 999	\$ 1059	\$ 1111	\$ 1163
30"W x 72"L (shown)	T53072PL	833272RA	\$ 909	\$ 954	\$ 999	\$ 1059	\$ 1111	\$ 1163



Jetty Worksurfaces - Left-Hand


48"A x 66"B x 24"C x 30"D	T54662JL	N/A	\$ 855	\$ 898	\$ 940	N/A	N/A	N/A
48"A x 72"B x 24"C x 30"D	T54722JL	N/A	\$ 872	\$ 915	\$ 958	N/A	N/A	N/A
48"A x 66"B x 30"C x 30"D	T54663JL	N/A	\$ 892	\$ 936	\$ 980	N/A	N/A	N/A
48"A x 72"B x 30"C x 30"D	T54723JL	N/A	\$ 908	\$ 953	\$ 998	N/A	N/A	N/A




Jetty Worksurfaces - Right-Hand

48"A x 66"B x 24"C x 30"D	T54662JR	N/A	\$ 855	\$ 898	\$ 940	N/A	N/A	N/A
48"A x 72"B x 24"C x 30"D	T54722JR	N/A	\$ 872	\$ 915	\$ 958	N/A	N/A	N/A
48"A x 66"B x 30"C x 30"D	T54663JR	N/A	\$ 892	\$ 936	\$ 980	N/A	N/A	N/A
48"A x 72"B x 30"C x 30"D	T54723JR	N/A	\$ 908	\$ 953	\$ 998	N/A	N/A	N/A


Note: Add Suffix "N" to model number for no grommet, no upcharge.



Top View




Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
Boomerang Worksurfaces - Left-Hand 90°				
48"A x 72"B x 24"C	T547229BL		\$ 1047	\$ 1099
48"A x 72"B x 30"C	T547239BL		\$ 1089	\$ 1143




Boomerang Worksurfaces - Left-Hand 110°

36"A x 72"B x 24"C	T547221BL		\$ 1047	\$ 1099
36"A x 72"B x 30"C	T547231BL		\$ 1089	\$ 1143



Boomerang Worksurfaces - Right-Hand 90°

48"A x 72"B x 24"C	T547229BR		\$ 1047	\$ 1099
48"A x 72"B x 30"C	T547239BR		\$ 1089	\$ 1143



Boomerang Worksurfaces - Right-Hand 110°

36"A x 72"B x 24"C	T547221BR		\$ 1047	\$ 1099
36"A x 72"B x 30"C	T547231BR		\$ 1089	\$ 1143

Note: Add Suffix "N" to model number for no grommet, no upcharge.

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix T Laminate w/Flat 8 Laminate w/T-Mold	1st Option: Laminate: See inside front cover for finishes.	2nd Option: Edge Trim Color : See inside front cover for finishes.	3rd Option: Grommet Type: P Oval Plastic (will match edge trim) M Oval Metal (Add \$11 per grommet) S Square Metal (Add \$11 per grommet)	4th Option: Grommet Color (Metal only): Oval: EL Matte Silver Square: EL Matte Silver
	.	.	.	

Examples: T53060B.LT3B.E9.P 833160A.LT3B.EU.P


Worksurfaces

Terrace® — Reef / D-Shaped / Quarter-Round / 60°

For specification information see pages 64-70.

Description	Laminate w/Flat Edge Model	Laminate w/Flat Edge		
		L1 List Price	L2 List Price	L3 List Price
24"D Reef Worksurfaces – Left-Hand (extends to 36"D)				
66"W	T53662CL	\$ 662	\$ 696	\$ 727
72"W	T53722CL	\$ 676	\$ 711	\$ 742
30"D Reef Worksurfaces – Left-Hand (extends to 42"D)				
66"W	T54663CL	\$ 676	\$ 711	\$ 742
72"W	T54723CL	\$ 697	\$ 732	\$ 765
24"D Reef Worksurfaces – Right-Hand (extends to 36"D)				
66"W	T53662CR	\$ 662	\$ 696	\$ 727
72"W	T53722CR	\$ 676	\$ 711	\$ 742
30"D Reef Worksurfaces – Right-Hand (extends to 42"D)				
66"W	T54663CR	\$ 676	\$ 711	\$ 742
72"W	T54723CR	\$ 697	\$ 732	\$ 765

Notes: Add Suffix "N" to model number for no grommet, no upcharge.




Flat Edge



T-Mold Edge

Description	Laminate w/Flat Edge Model	Laminate w/T-Mold Edge Model	Laminate w/Flat Edge			Laminate w/T-Mold Edge		
			L1 List Price	L2 List Price	L3 List Price	L1 List Price	L2 List Price	L3 List Price
D-Shaped Worksurfaces – Half Round for Terrace								
For 2 - 24"D	TN524D	TK524D	\$ 650	\$ 683	\$ 714	\$ 342	\$ 359	\$ 377
For 2 - 30"D	TN530D	TK530D	\$ 757	\$ 795	\$ 831	\$ 414	\$ 436	\$ 455

Support column
ordered separately.



Woodgrain
Grain Direction

Quarter-Round Worksurfaces									
24"D x 24"D	TN52424Q	N/A	\$ 339	\$ 356	\$ 374	N/A	N/A	N/A	
30"D x 30"D	TN53030Q	N/A	\$ 427	\$ 451	\$ 469	N/A	N/A	N/A	

Note: Add Suffix "N" to model number for no grommet, no upcharge



60° Pie Worksurface

24"D	TN52424SD	N/A	\$ 406	\$ 429	\$ 447	N/A	N/A	N/A
------	-----------	-----	--------	--------	--------	-----	-----	-----

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

Examples: T53662CL LT3B F9 P TN524D LT3B F9





Worksurfaces

For specification information see pages 64-70.

Terrace® — Countertops and Raised Kits

Laminate and Veneer

GSA SIN 711-1



Description	Laminate w/Flat Edge Model	Veneer w/Square Edge Model	Veneer w/Knife Edge Model	Laminate w/Flat Edge			Square Edge V1 List Price	Knife Edge V1 List Price
				L1 List Price	L2 List Price	L3 List Price		
15"D Straight Countertops (order Raised Kit below)								
24"W	Y51524S	YV51524S	YTK51524SV	\$ 219	\$ 231	\$ 243	\$ 498	\$ 645
30"W	Y51530S	YV51530S	YTK51530SV	\$ 243	\$ 256	\$ 269	\$ 541	\$ 703
36"W	Y51536S	YV51536S	YTK51536SV	\$ 271	\$ 285	\$ 300	\$ 587	\$ 764
42"W	Y51542S	YV51542S	YTK51542SV	\$ 281	\$ 295	\$ 311	\$ 634	\$ 823
48"W	Y51548S	YV51548S	YTK51548SV	\$ 296	\$ 311	\$ 327	\$ 682	\$ 883
54"W	Y51554S	YV51554S	YTK51554SV	\$ 335	\$ 352	\$ 369	\$ 724	\$ 944
60"W	Y51560S	YV51560S	YTK51560SV	\$ 375	\$ 394	\$ 413	\$ 774	\$ 1006
66"W	Y51566S	YV51566S	YTK51566SV	\$ 388	\$ 410	\$ 427	\$ 818	\$ 1064
72"W	Y51572S	YV51572S	YTK51572SV	\$ 403	\$ 426	\$ 443	\$ 866	\$ 1126

15"D Corner Countertops (order Raised Kit below)

24"W x 24"W	Y52424C	YV52424C	YTK52424CV	\$ 423	\$ 447	\$ 465	\$ 1342	\$ 1740
30"W x 30"W	Y53030C	YV53030C	YTK53030CV	\$ 492	\$ 519	\$ 540	\$ 1444	\$ 1876
36"W x 36"W	Y53636C	YV53636C	YTK53636CV	\$ 546	\$ 575	\$ 600	\$ 1561	\$ 2031

Note: **V** For a straight countertop, when used with "H" in-line high-low trim kit on one side. No upcharge.

Example: Y51530SV

RV For a corner countertop, when used with "H" in-line high-low trim kit on the right side. No upcharge.

Example: Y52424CRV

LV For a corner countertop, when used with "H" in-line high-low trim kit on the left side. No upcharge.

Example: Y53636CLV

Description	Flat Top Trim Painted Model	Radius Top Trim Model	Flat Painted Top Trim		Radius Painted Top Trim	
			Core P1 List Price	Select P2 List Price	Core P1 List Price	Select P2 List Price
Raised Straight Countertop Kits (order Countertop above)						
24"W	TK851524PF	TK851524P	\$ 93	\$ 110	\$ 111	\$ 130
30"W	TK851530PF	TK851530P	\$ 98	\$ 115	\$ 116	\$ 135
36"W	TK851536PF	TK851536P	\$ 103	\$ 120	\$ 123	\$ 142
42"W	TK851542PF	TK851542P	\$ 108	\$ 125	\$ 129	\$ 148
48"W	TK851548PF	TK851548P	\$ 113	\$ 130	\$ 135	\$ 154
54"W	TK851554PF	TK851554P	\$ 124	\$ 141	\$ 148	\$ 167
60"W	TK851560PF	TK851560P	\$ 134	\$ 151	\$ 160	\$ 179
66"W	TK851566PF	TK851566P	\$ 145	\$ 162	\$ 172	\$ 191
72"W	TK851572PF	TK851572P	\$ 155	\$ 172	\$ 184	\$ 203

Raised Corner Countertop Kits (order Countertop above)

24"W	TK851524CP	N/A	N/A	\$ 142	\$ 161
30"W	TK851530CP	N/A	N/A	\$ 148	\$ 167
36"W	TK851536CP	N/A	N/A	\$ 153	\$ 172

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Paint (Countertop Kit Supports) (if applicable): See inside front cover for finishes.	1st Option: Laminate or Veneer Type and Finish (if applicable): See inside front cover for finishes. Veneer S prefix for Stratawood	2nd Option: Edge Trim Color (if applicable): See inside front cover for finishes.
.	P		

Examples: YV53030C.SE800
TK851524P.PO2


Countertops

For specification information see pages 64-70.


Terrace® — Countertop Kits

Laminate and Veneer


GSA SIN 711-1




Description	Flat Top Trim w/Flat Edge Model	Radius Top Trim w/Flat Edge Model	Laminate w/Flat Edge		
	L1 List Price	L2 List Price	L3 List Price		
15"D Straight Countertops (includes brackets, top trim, and hardware)					
24"W	TN51524SF	TN51524S	\$ 219	\$ 231	\$ 243
30"W	TN51530SF	TN51530S	\$ 243	\$ 256	\$ 269
36"W	TN51536SF	TN51536S	\$ 271	\$ 285	\$ 300
42"W	TN51542SF	TN51542S	\$ 281	\$ 295	\$ 311
48"W	TN51548SF	TN51548S	\$ 296	\$ 311	\$ 327
54"W	TN51554SF	TN51554S	\$ 335	\$ 352	\$ 369
60"W	TN51560SF	TN51560S	\$ 375	\$ 394	\$ 413
66"W	TN51566SF	TN51566S	\$ 388	\$ 410	\$ 427
72"W	TN51572SF	TN51572S	\$ 403	\$ 426	\$ 443




15"D Corner Countertops (includes brackets, top trim, and hardware)					
24"W x 24"W	TN52424CF	TN52424C	\$ 423	\$ 447	\$ 465
30"W x 30"W	TN53030CF	TN53030C	\$ 492	\$ 519	\$ 540
36"W x 36"W	TN53636CF	TN53636C	\$ 546	\$ 575	\$ 600




120° Corner Countertops (includes brackets, top trim, and hardware)					
30"W x 30"W	TN53030CSBF	TN53030CSB	\$ 619	\$ 651	\$ 680
36"W x 36"W	TN53636CSBF	TN53636CSB	\$ 683	\$ 718	\$ 750
42"W x 42"W	TN54242CSBF	TN54242CSB	\$ 739	\$ 776	\$ 812
48"W x 48"W	TN54848CSBF	TN54848CSB	\$ 803	\$ 843	\$ 881



Description	Veneer w/Square Edge Model	Square Edge V1 List Price
15"D Straight Countertops (includes brackets, radius top trim, and hardware)		
24"W	TNV51524S	\$ 498
30"W	TNV51530S	\$ 541
36"W	TNV51536S	\$ 587
42"W	TNV51542S	\$ 634
48"W	TNV51548S	\$ 682
54"W	TNV51554S	\$ 724
60"W	TNV51560S	\$ 774
66"W	TNV51566S	\$ 818
72"W	TNV51572S	\$ 866



15"D Corner Countertops (includes brackets, radius top trim, and hardware)		
24"W x 24"W	TNV52424C	\$ 1342
30"W x 30"W	TNV53030C	\$ 1444
36"W x 36"W	TNV53636C	\$ 1561



120° Corner Countertops (includes brackets, radius top trim, and hardware)		
30"W x 30"W	TNV53030CSB	\$ 1329
36"W x 36"W	TNV53636CSB	\$ 1576
42"W x 42"W	TNV54242CSB	\$ 1875
48"W x 48"W	TNV54848CSB	\$ 2158

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

Example: TN51572S.LT3B.E9.PR2 TNV51536S.SE800.P02

Worksurfaces

Terrace® — 9120 Program

Laminate and Veneer Worksurfaces / Non-Standard Sizes

GSA Reference Page

ORDERING

The 9120 Program can be used to order particle board rectangular worksurfaces in any non-standard width and depth in $\frac{1}{8}$ " increments up to a maximum of 120" W x 36" D.

Specify:

1. **Model Number** (see page 96)
Specify closest nominal width/depth model (round up).
2. **Grommet Option** (if desired)
See grommet specification instructions on this page.
3. **Grommet Type:**

P Plastic

M Metal (add \$11 per grommet for laminate)

4. **Grommet Color:**

(Metal only)

EL Matte Silver

Note: Plastic grommet will match flat edge.

5. **Laminate and Veneer Choices**

See inside front cover.

6. **Flat Edge Color Choices**

See edge colors inside front cover for laminates.

7. **Exact Size**


Specify the **exact width** and **exact depth** you require.

Width and depth is specified in $\frac{1}{8}$ " increments which is denoted as a single digit following the whole number dimension at the end of the model number string.

$\frac{1}{8}$ " = 1	$\frac{5}{8}$ " = 5
$\frac{2}{8}$ " = 2	$\frac{6}{8}$ " = 6
$\frac{3}{8}$ " = 3	$\frac{7}{8}$ " = 7
$\frac{4}{8}$ " = 4	no extra increment = 0

For example, when ordering a worksurface that is 34 $\frac{5}{8}$ " W x 20 $\frac{1}{2}$ " D, specification should be 345Wx204D.

Example: 9120R3624.G0.TM33.EU.345Wx204D.



PRODUCT SPECIFICATIONS

- Flat edge on all sides
- 45 lb. particle board
- 1 $\frac{1}{4}$ " top thickness
- .020 resin impregnated paper backer sheet
- Grommets available
- Maximum width 120" (maximum recommended unsupported span is 42")
- Maximum depth 36"
- Standard Allsteel laminates and veneers
- Quantities of 10 or greater are palletized; less than 10 are individually cartoned.

Note: 9120 worksurface maximum unsupported span is 42".

9120 worksurfaces do not have pre-drilled pilot holes or threaded metal inserts.


When spanning multiple freestanding storage units with one worksurface, add $\frac{1}{8}$ " for each additional storage unit. For example, when ordering a worksurface for three 30"W lateral files, 3 units x 30" = 90" + $\frac{1}{8}$ " + $\frac{1}{8}$ " = 90 $\frac{1}{4}$ " worksurface. Do NOT follow this rule if panel wrapping storage units.

CHANGES / CANCELLATIONS

No changes/cancellations for 9120 Program worksurfaces.

GROMMET SPECIFICATIONS

Plastic grommets are made of durable ABS plastic and grommets match edge color on laminate worksurfaces. Metal grommets are only available Matte Silver oval for laminate and square for veneer.



PRICING

See page 360 for laminate and veneer 9120 worksurface pricing.

One Grommet — GC, GL, or GR Position \$17.00

Two Grommets — G3 or G4 Position \$34.00

Note: Add \$10 per grommet for metal grommets with laminate.

ORDERING


Specify grommet location and color.

Example: 9120R10836.GCP.TM33.EU.1022Wx326D

Code Grommet Position

- | | |
|----|---|
| GC | Centered side-to-side – 3 $\frac{1}{8}$ " from rear to grommet edge; 4 $\frac{1}{2}$ " from rear to grommet center |
| GL | 3" from left side – 3 $\frac{1}{8}$ " from rear to grommet edge; 4 $\frac{1}{2}$ " from rear to grommet center |
| GR | 3" from right side – 3 $\frac{1}{8}$ " from rear to grommet edge; 4 $\frac{1}{2}$ " from rear to grommet center |
| G3 | Pair of grommets each 18" from side edge – 3 $\frac{1}{8}$ " from rear to grommet edge; 4 $\frac{1}{2}$ " from rear to grommet center (Position G3 not available on tops 60"W or less.) |
| G4 | Pair of grommets each 3 $\frac{1}{8}$ " from side edge – 3 $\frac{1}{8}$ " from rear to grommet edge; 4 $\frac{1}{2}$ " from rear to grommet center |
| G0 | No grommets |

Dimensions are from grommet center line to top edge.



Grommet positions other than those shown above are considered non-standard.

Worksurfaces

Terrace® — 9120 Program

For specification information see page 88.

Laminate and Veneer Worksurfaces / Non-Standard Sizes

GSA SIN 711-1

*Model Number — Add "R" for laminate or "V" for veneer

Maximum	Model Number*	Width		Depth		Laminate List Price			Veneer List Price		
		MIN	MAX	MIN	MAX	L1	L2	L3	V1	V3	V5
18"D											
18"W	9120 <u>1818</u>	180W	180W	121D	180D	\$ 288	\$ 303	\$ 318	\$ 700	\$ 766	\$ 849
24"W	9120 <u>2418</u>	181W	240W	121D	180D	\$ 300	\$ 315	\$ 331	\$ 745	\$ 815	\$ 905
30"W	9120 <u>3018</u>	241W	300W	121D	180D	\$ 312	\$ 328	\$ 344	\$ 789	\$ 863	\$ 958
36"W	9120 <u>3618</u>	301W	360W	121D	180D	\$ 341	\$ 358	\$ 376	\$ 818	\$ 895	\$ 993
42"W	9120 <u>4218</u>	361W	420W	121D	180D	\$ 376	\$ 395	\$ 414	\$ 866	\$ 949	\$ 1052
48"W	9120 <u>4818</u>	421W	480W	121D	180D	\$ 434	\$ 458	\$ 477	\$ 913	\$ 1000	\$ 1110
60"W	9120 <u>6018</u>	481W	600W	121D	180D	\$ 539	\$ 568	\$ 592	\$ 1037	\$ 1138	\$ 1262
72"W	9120 <u>7218</u>	601W	720W	121D	180D	\$ 650	\$ 683	\$ 714	\$ 1130	\$ 1234	\$ 1364
84"W	9120 <u>8418</u>	721W	840W	121D	180D	\$ 851	\$ 893	\$ 936	\$ 1217	\$ 1334	\$ 1480
96"W	9120 <u>9618</u>	841W	960W	121D	180D	\$ 880	\$ 924	\$ 967	\$ 1312	\$ 1440	\$ 1595
108"W	9120 <u>10818</u>	961W	1080W	121D	180D	\$ 1006	\$ 1055	\$ 1105	\$ 1329	\$ 1459	\$ 1617
120"W	9120 <u>12018</u>	1081W	1200W	121D	180D	\$ 1146	\$ 1203	\$ 1258	\$ 1418	\$ 1555	\$ 1726
24"D											
24"W	9120 <u>2424</u>	181W	240W	181D	240D	\$ 326	\$ 342	\$ 360	\$ 732	\$ 802	\$ 892
30"W	9120 <u>3024</u>	241W	300W	181D	240D	\$ 339	\$ 356	\$ 374	\$ 766	\$ 839	\$ 938
36"W	9120 <u>3624</u>	301W	360W	181D	240D	\$ 371	\$ 390	\$ 408	\$ 809	\$ 884	\$ 986
42"W	9120 <u>4224</u>	361W	420W	181D	240D	\$ 404	\$ 427	\$ 444	\$ 853	\$ 928	\$ 1044
48"W	9120 <u>4824</u>	421W	480W	181D	240D	\$ 460	\$ 485	\$ 505	\$ 937	\$ 1024	\$ 1144
60"W	9120 <u>6024</u>	481W	600W	181D	240D	\$ 566	\$ 596	\$ 623	\$ 1071	\$ 1173	\$ 1308
72"W	9120 <u>7224</u>	601W	720W	181D	240D	\$ 676	\$ 711	\$ 742	\$ 1207	\$ 1318	\$ 1464
84"W	9120 <u>8424</u>	721W	840W	181D	240D	\$ 880	\$ 924	\$ 967	\$ 1312	\$ 1436	\$ 1601
96"W	9120 <u>9624</u>	841W	960W	181D	240D	\$ 909	\$ 954	\$ 999	\$ 1421	\$ 1555	\$ 1733
108"W	9120 <u>10824</u>	961W	1080W	181D	240D	\$ 1035	\$ 1086	\$ 1137	\$ 1529	\$ 1678	\$ 1860
120"W	9120 <u>12024</u>	1081W	1200W	181D	240D	\$ 1173	\$ 1231	\$ 1289	\$ 1567	\$ 1722	\$ 1907
30"D											
30"W	9120 <u>3030</u>	241W	300W	241D	300D	\$ 391	\$ 413	\$ 430	\$ 766	\$ 839	\$ 938
36"W	9120 <u>3630</u>	301W	360W	241D	300D	\$ 412	\$ 435	\$ 453	\$ 879	\$ 963	\$ 1076
42"W	9120 <u>4230</u>	361W	420W	241D	300D	\$ 438	\$ 462	\$ 481	\$ 947	\$ 1059	\$ 1182
48"W	9120 <u>4830</u>	421W	480W	241D	300D	\$ 474	\$ 500	\$ 521	\$ 1033	\$ 1134	\$ 1262
60"W	9120 <u>6030</u>	481W	600W	241D	300D	\$ 622	\$ 653	\$ 681	\$ 1202	\$ 1318	\$ 1471
72"W	9120 <u>7230</u>	601W	720W	241D	300D	\$ 710	\$ 746	\$ 779	\$ 1362	\$ 1490	\$ 1655
84"W	9120 <u>8430</u>	721W	840W	241D	300D	\$ 1077	\$ 1130	\$ 1183	\$ 1449	\$ 1584	\$ 1768
96"W	9120 <u>9630</u>	841W	960W	241D	300D	\$ 1103	\$ 1157	\$ 1212	\$ 1544	\$ 1689	\$ 1884
108"W	9120 <u>10830</u>	961W	1080W	241D	300D	\$ 1242	\$ 1303	\$ 1365	\$ 1641	\$ 1802	\$ 1997
120"W	9120 <u>12030</u>	1081W	1200W	241D	300D	\$ 1382	\$ 1450	\$ 1518	\$ 1814	\$ 1990	\$ 2211
36"D											
36"W	9120 <u>3636</u>	301W	360W	301D	360D	\$ 556	\$ 585	\$ 611	\$ 1268	\$ 1393	\$ 1543
42"W	9120 <u>4236</u>	361W	420W	301D	360D	\$ 633	\$ 666	\$ 695	\$ 1355	\$ 1487	\$ 1649
48"W	9120 <u>4836</u>	421W	480W	301D	360D	\$ 711	\$ 747	\$ 780	\$ 1446	\$ 1584	\$ 1760
60"W	9120 <u>6036</u>	481W	600W	301D	360D	\$ 870	\$ 913	\$ 956	\$ 1450	\$ 1589	\$ 1765
72"W	9120 <u>7236</u>	601W	720W	301D	360D	\$ 1025	\$ 1076	\$ 1126	\$ 1538	\$ 1687	\$ 1869
84"W	9120 <u>8436</u>	721W	840W	301D	360D	\$ 1242	\$ 1303	\$ 1365	\$ 1568	\$ 1722	\$ 1908
96"W	9120 <u>9636</u>	841W	960W	301D	360D	\$ 1271	\$ 1334	\$ 1396	\$ 1708	\$ 1875	\$ 2080
108"W	9120 <u>10836</u>	961W	1080W	301D	360D	\$ 1410	\$ 1479	\$ 1550	\$ 1854	\$ 2032	\$ 2256
120"W	9120 <u>12036</u>	1081W	1200W	301D	360D	\$ 1549	\$ 1625	\$ 1703	\$ 2004	\$ 2201	\$ 2440

TERRACE

FRAMES – TILE SPECS FRAMES – TILE PRICING

ELECTRICAL WORKSURFACE SPECS CADENCE SPECS

WORKSURFACE PRICING OVERHEADS & HUTCHES

Worksurfaces

Terrace® — Primary

Veneer

GSA SIN 711-1


Veneer
V1
List Price



Description	"V" Veneer Model	Veneer V1 List Price
24"D Primary Worksurfaces		
24"W	TV52424S	\$ 564
30"W	TV52430S	\$ 590
36"W	TV52436S	\$ 622
42"W	TV52442S	\$ 661
48"W	TV52448S	\$ 720
54"W	TV52454S	\$ 783
60"W	TV52460S	\$ 823
66"W	TV52466S	\$ 897
72"W	TV52472S	\$ 928
78"W	TV52478S	\$ 972
84"W	TV52484S	\$ 1010
90"W	TV52490S	\$ 1048
96"W	TV52496S	\$ 1095



Description	Veneer Model	Veneer V1 List Price
30"D Primary Worksurfaces		
24"W	TV53024S	\$ 590
30"W	TV53030S	\$ 641
36"W	TV53036S	\$ 678
42"W	TV53042S	\$ 728
48"W	TV53048S	\$ 796
54"W	TV53054S	\$ 870
60"W	TV53060S	\$ 925
66"W	TV53066S	\$ 1002
72"W	TV53072S	\$ 1049
78"W	TV53078S	\$ 1081
84"W	TV53084S	\$ 1115
90"W	TV53090S	\$ 1157
96"W	TV53096S	\$ 1190



Notes: 1) Add suffix and upcharge for primary worksurfaces to span a "T" or extended straight connection.

Suffix = T2 (Terrace — adds 2 3/4" to width) \$57 upcharge (veneer).

Example: **TV53084ST2**

2) Add Suffix "N" to model number for no grommet, no upcharge. Example: **TV53078SN**

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix TV Veneer w/Square	1st Option: Veneer Type and Finish: See inside front cover for finishes. S prefix for Stratawood	2nd Option: Grommet Type: P Oval Plastic (will be EU on ALL Maple or E4 on ALL Cherry veneers) M Oval Metal S Square Metal	3rd Option: Grommet Color (Metal only): Oval: E4 Black EZ Bronze EL Matte Silver Square: EL Matte Silver
.	.	.	.

Examples: **TV52424S.SC777.P** **TV52424S.SC777.MEL**

Worksurfaces

Terrace® — Bow-Front

Veneer

GSA SIN 711-1

Veneer "V"
V1
List Price



Description	S	Veneer "V" Model	Veneer "V" V1 List Price
30"D Bow-Front Worksurfaces			
30"A x 36"B x 60"C		TV53660BT	\$ 1329
30"A x 36"B x 66"C		TV53666BT	\$ 1362
30"A x 36"B x 72"C		TV53672BT	\$ 1391

Note: Add Suffix "N" to model number for no grommet, no upcharge.



TERRACE

FRAMES – TILE SPECS FRAMES – TILE PRICING

ELECTRICAL

WORKSURFACE SPECS CADENCE SPECS

WORKSURFACE PRICING OVERHEADS & HUTCHES



For Altitude® height-adjustable tables see Seating, Collaboration, and Tables Price List.

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Laminate or Veneer Type and Finish: See inside front cover for finishes. S prefix for Stratawood	2nd Option: Grommet Type: P Oval Plastic (will be EU on ALL Maple or E4 on ALL Cherry veneers) M Oval Metal S Square Metal	3rd Option: Grommet Color (Metal only): Oval: E4 Black (veneer only) EZ Bronze (veneer only) EL Matte Silver Square: EL Matte Silver
	.	.	

Examples: TV53672BT.SC777.P TV53660BT.SC777.MEL

Worksurfaces


Terrace® — Corner

For specification information see pages 64-70.

Veneer

GSA SIN 711-1

Veneer "V"
V1
List Price



Description	Veneer "V" Model	
24"D Corner Worksurfaces w/Straight Leading Edge		
36"W	TV53624C	\$ 1029
42"W	TV54224C	\$ 1096
48"W	TV54824C	\$ 1245
24"D Corner Worksurfaces w/Radial Leading Edge		
36"W	TV53624CR	\$ 1029
42"W	TV54224CR	\$ 1096
48"W	TV54824CR	\$ 1245
30"D Corner Worksurfaces w/Straight Leading Edge		
42"W	TV54230C	\$ 1096
48"W	TV54830C	\$ 1245
30"D Corner Worksurfaces w/Radial Leading Edge		
42"W	TV54230CR	\$ 1096
48"W	TV54830CR	\$ 1245

Note: Add Suffix "N" to model number for no grommet, no upcharge.

TERRACE

FRAMES – TILE SPECS

FRAMES – TILE PRICING


ELECTRICAL

WORKSURFACE SPECS

CADDENCE SPECS

WORKSURFACE PRICING

OVERHEADS & HUTCHES WORKSURFACE PRICING



E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix TV Veneer w/Square	1st Option: Veneer Type and Finish: See inside front cover for finishes. S prefix for Stratawood	2nd Option: Grommet Type: P Oval Plastic (will be EU on ALL Maple or E4 on ALL Cherry veneers) M Oval Metal S Square Metal	3rd Option: Grommet Color (Metal only): Oval: E4 Black EZ Bronze EL Matte Silver Square: EL Matte Silver
. .			

Examples: TV54230C.SE800.MEL

Worksurfaces

For specification information see pages 64-70.

Terrace® — Corner Cove

Veneer


GSA SIN 711-1

Veneer "V"
V1
List Price



Description	Veneer "V" Model	
Corner Cove Worksurfaces – Extended Left		
60" x 36"-24" L / 24" R	TV5822EL	\$ 1392
60" x 36"-24" L / 30" R	TV5832EL	\$ 1392
60" x 48"-24" L / 24" R	TV5622EL	\$ 1859
60" x 48"-30" L / 24" R	TV5623EL	\$ 1859
60" x 48"-24" L / 30" R	TV5632EL	\$ 1859
60" x 48"-30" L / 30" R	TV5633EL	\$ 1859
72" x 36"-24" L / 24" R	TV5922EL	\$ 1519
72" x 36"-24" L / 30" R	TV5932EL	\$ 1519
72" x 48"-24" L / 24" R	TV5722EL	\$ 2031
72" x 48"-30" L / 24" R	TV5723EL	\$ 2031
72" x 48"-24" L / 30" R	TV5732EL	\$ 2031
72" x 48"-30" L / 30" R	TV5733EL	\$ 2031
Corner Cove Worksurfaces – Extended Right		
36" x 60"-24" L / 24" R	TV5822ER	\$ 1392
36" x 60"-30" L / 24" R	TV5832ER	\$ 1392
48" x 60"-24" L / 24" R	TV5622ER	\$ 1859
48" x 60"-24" L / 30" R	TV5623ER	\$ 1859
48" x 60"-30" L / 24" R	TV5632ER	\$ 1859
48" x 60"-30" L / 30" R	TV5633ER	\$ 1859
36" x 72"-24" L / 24" R	TV5922ER	\$ 1519
36" x 72"-30" L / 24" R	TV5932ER	\$ 1519
48" x 72"-24" L / 24" R	TV5722ER	\$ 2031
48" x 72"-24" L / 30" R	TV5723ER	\$ 2031
48" x 72"-30" L / 24" R	TV5732ER	\$ 2031
48" x 72"-30" L / 30" R	TV5733ER	\$ 2031

Note: Add Suffix "N" to model number for no grommet, no upcharge.



Veneer Edge

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix TV Veneer w/Square	1st Option: Veneer Type and Finish: See inside front cover for finishes. S prefix for Stratawood	2nd Option: Grommet Type: P Oval Plastic (will be EU on ALL Maple or E4 on ALL Cherry veneers) M Oval Metal S Square Metal	3rd Option: Grommet Color (Metal only): Oval: E4 Black EZ Bronze EL Matte Silver Square: EL Matte Silver
		Examples: TV5622EL.SC777.P . TV5722ER.SC777.MEZ	

Worksurfaces

Terrace® — Peninsula / P-Shaped / Jetty


For specification information see pages 64-70.

Veneer


GSA SIN 711-1

Veneer "V"
V1
List Price


Support column
ordered separately.




Description	Veneer "V" Model	
Peninsula Worksurfaces		
30"W x 60"L	TV53060B	\$ 948
30"W x 66"L	TV53066B	\$ 1062
30"W x 72"L	TV53072B	\$ 1082
36"W x 60"L	TV53660B	\$ 1116
36"W x 66"L	TV53666B	\$ 1153
36"W x 72"L	TV53672B	\$ 1182



P-Shaped Worksurfaces w/42" Diameter End	
30"W x 72"L	TV53072PR
30"W x 72"L	TV53072PL




Jetty Worksurfaces - Left-Hand	
48"A x 66"B x 24"C x 30"D	TV54662JL
48"A x 72"B x 24"C x 30"D	TV54722JL
48"A x 66"B x 30"C x 30"D	TV54663JL
48"A x 72"B x 30"C x 30"D	TV54723JL



Jetty Worksurfaces - Right-Hand	
48"A x 66"B x 24"C x 30"D	TV54662JR
48"A x 72"B x 24"C x 30"D	TV54722JR
48"A x 66"B x 30"C x 30"D	TV54663JR
48"A x 72"B x 30"C x 30"D	TV54723JR

Note: Add Suffix "N" to model number for no grommet, no upcharge.



E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. Prefix TV Veneer w/Square Edge	1st Option: Laminate or Veneer Type and Finish: See inside front cover for finishes. S prefix for Stratawood	2nd Option: Grommet Type: P Oval Plastic (will be EU on ALL Maple or E4 on ALL Cherry veneers) M Oval Metal S Square Metal	3rd Option: Grommet Color (Metal only): Oval: E4 Black EZ Bronze EL Matte Silver Square: EL Matte Silver



Examples: TV53060B.SC777.P . TV54662JL.SC701.ME4

Worksurfaces


Terrace® — 120° / D-Shaped / Quarter-Round

For specification information see pages 64-70.

Support column ordered separately.



Support column ordered separately.



Stratawood Veneer
Grain Direction

Description	Veneer "V" Model	Veneer "V" V1 List Price
120° Corner Worksurface		
30"W x 24"D	TV53024CB	\$ 1257
36"W x 24"D	TV53624CB	\$ 1489
42"W x 24"D	TV54224CB	\$ 1769
48"W x 24"D	TV54824CB	\$ 2036

Note: Add Suffix "N" to model number for no grommet, no upcharge.

D-Shaped Worksurfaces – Half Round for Terrace

For 2 - 24"D	TNV524D	\$ 1335
--------------	----------------	---------

Quarter-Round Worksurfaces

24"D x 24"D	TNV2424Q	\$ 648
30"D x 30"D	TNV53030Q	\$ 807

Note: Add Suffix "N" to model number for no grommet, no upcharge.

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Veneer Type and Finish: See inside front cover for finishes. S prefix for Stratawood	2nd Option: Grommet Type (if applicable): P Oval Plastic (will be EU on ALL Maple or E4 on ALL Cherry veneers) M Oval Metal S Square Metal	3rd Option: Grommet Color (Metal only) (if applicable): Oval: E4 Black EZ Bronze EL Matte Silver Square: EL Matte Silver
T [] .	[] .	[] .	[] .


Examples: **TV53024CB.SC777.MEZ** **TNV524D.SC777**

Worksurfaces

Terrace® — Worksurface Supports

For specification information see pages 64-70.

GSA SIN 711-1



Description	Model	P1 List Price	Select P2 List Price
End-Panel Supports			
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	\$ 176	\$ 209
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	\$ 176	\$ 209
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	\$ 189	\$ 222
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	\$ 189	\$ 222
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	\$ 206	\$ 239
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	\$ 206	\$ 239
Support Legs			
24"D x 29½"H — Panel-Mount	TKSL2429P	\$ 167	\$ 200
30"D x 29½"H — Panel-Mount	TKSL3029P	\$ 182	\$ 215
Support Columns			
29½"H / 3"Diameter	TT629SC	\$ 158	\$ 191
Cantilever Bracket — Terrace			
12"D Left-Hand	T6CB12L	\$ 45	\$ 56
12"D Right-Hand	T6CB12R	\$ 45	\$ 56
18"D Left-Hand	T6CB18L	\$ 49	\$ 60
18"D Right-Hand	T6CB18R	\$ 49	\$ 60
24" or 30"D Left-Hand	T6CB24L	\$ 54	\$ 65
24" or 30"D Right-Hand	T6CB24R	\$ 54	\$ 65
Cantilever Bracket — non-handed (Core P1 paint colors only)			
24" or 30"D	T624CB	\$ 131	N/A
Worksurface Bracket Kit			
One pair	T6BK	\$ 46	\$ 56
Worksurface Storage Bracket Kit (no color option — black only)			
One Pair	T6SB	\$ 62	N/A
Flat Brackets (no color option)			
For 12"D	T612FB	\$ 41	N/A
For 24"D	T624FB	\$ 46	N/A
For 30"D	T630FB	\$ 53	N/A
Pedestal-to-Panel Bracket			
Left	TKPPBL	\$ 76	\$ 87
Right	TKPPBR	\$ 76	\$ 87
Open End Panel Supports			
12"D x 29½"H Panel-Mount	AYBHEP1229	\$ 168	\$ 201
24"D x 29½"H Panel-Mount	AYBHEP2429	\$ 176	\$ 209
30"D x 29½"H Panel-Mount	AYBHEP3029	\$ 191	\$ 224

All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify —
Select the
Model Number
from above.

1st Option:

Paint:

See inside front
cover for finishes.

Example: TKEP1129PL.P02

Shippable by small-package carrier.

Cadence® Freestanding

Terrace® — Desk Components

For specification information see pages 71-79.

GSA SIN 711-2

TERRACE

FRAMES – TILE SPECS

FRAMES – TILE PRICING







ELECTRICAL

WORKSURFACE SPECS

CADENCE SPECS

WORKSURFACE PRICING

OVERHEADS & HUTCHES WORKSURFACE



Description	Model	P1 List Price	Select P2 List Price
End-Panel Supports			
11"D x 29½"H — Freestanding	CEP1129F	\$ 156	\$ 189
24"D x 29½"H — Freestanding	CEP2429F	\$ 169	\$ 202
30"D x 29½"H — Freestanding	CEP3029F	\$ 186	\$ 219
11"D x 29½"H — Left – Panel-Mount	TKEP1129PL	\$ 176	\$ 209
11"D x 29½"H — Right – Panel-Mount	TKEP1129PR	\$ 176	\$ 209
24"D x 29½"H — Left – Panel-Mount	TKEP2429PL	\$ 189	\$ 222
24"D x 29½"H — Right – Panel-Mount	TKEP2429PR	\$ 189	\$ 222
30"D x 29½"H — Left – Panel-Mount	TKEP3029PL	\$ 206	\$ 239
30"D x 29½"H — Right – Panel-Mount	TKEP3029PR	\$ 206	\$ 239
End-Panel Bracket Kits for Terrace			
29½"H Bracket Kit — Left	TKEB29L	\$ 37	\$ 48
29½"H Bracket Kit — Right	TKEB29R	\$ 37	\$ 48
Support Legs			
24"D x 29½"H — Freestanding	CSL2429F	\$ 146	\$ 179
30"D x 29½"H — Freestanding	CSL3029F	\$ 162	\$ 195
24"D x 29½"H — Panel-Mount	TKSL2429P	\$ 167	\$ 200
30"D x 29½"H — Panel-Mount	TKSL3029P	\$ 182	\$ 215
Support Leg Bracket for Terrace			
29½"H	TKSB29	\$ 37	\$ 48
Corner Desk Leg			
29½"H	CDL29	\$ 135	\$ 154
Bridge Kit			
29½"H	CBK29	\$ 140	\$ 151
Return Kit			
29½"H	CRK29	\$ 74	\$ 82
Desk-to-Panel Attachment Kits for Terrace			
29½"H – Left-Hand	TKDPA29L	\$ 73	\$ 84
29½"H – Right-Hand	TKDPA29R	\$ 73	\$ 84
Corner w/Desktop Panel Attachment Kit for Terrace			
29½"H – Left-Hand	TKCWD29L	\$ 73	\$ 84
29½"H – Right-Hand	TKCWD29R	\$ 73	\$ 84
Flat Brackets			
24"D	831124	\$ 46	N/A
30"D	831130	\$ 50	N/A
Note: Flint only.			
Terrace Wall Track Kit — End/Shared			
65"H — Pair of Ends	TK365YEB	\$ 196	\$ 236
65"H — Middle Unit	TK365YM	\$ 103	\$ 125
Terrace Wall Track Tile Attachment Kits — Top and Bottom			
24"W	Y324YS	\$ 153	N/A
30"W	Y330YS	\$ 157	N/A
36"W	Y336YS	\$ 169	N/A
42"W	Y342YS	\$ 191	N/A
48"W	Y348YS	\$ 210	N/A
60"W	Y360YS	\$ 233	N/A

All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify —

Select the
Model Number
from above.

1st Option:

Paint:



See inside front
cover for finishes.



Examples: CEP1129F.P02 Y324YS.P02


Shippable by small-package carrier.

Cadence® Freestanding


For specification information see pages 71-79.

Terrace® — Modesty Panels


GSA SIN 711-2




Description	Model	P1 List Price	Select P2 List Price
Modesty Panels			
29½" H x 24" W	CS249 <input checked="" type="checkbox"/>	\$ 151	\$ 170
29½" H x 30" W	CS309 <input checked="" type="checkbox"/>	\$ 156	\$ 175
29½" H x 36" W	CS369 <input checked="" type="checkbox"/>	\$ 160	\$ 179
29½" H x 42" W	CS429 <input checked="" type="checkbox"/>	\$ 164	\$ 183
29½" H x 48" W	CS489 <input checked="" type="checkbox"/>	\$ 167	\$ 186
29½" H x 54" W	CS549 <input checked="" type="checkbox"/>	\$ 169	\$ 188
29½" H x 60" W	CS609	\$ 172	\$ 191
29½" H x 66" W	CS669	\$ 174	\$ 193
29½" H x 72" W	CS729	\$ 180	\$ 199




Stand-alone Corner Modesty Panels			
29½" H x 36" W	CSCMP3629 <input checked="" type="checkbox"/>	\$ 160	\$ 179
29½" H x 42" W	CSCMP4229 <input checked="" type="checkbox"/>	\$ 164	\$ 183
29½" H x 48" W	CSCMP4829 <input checked="" type="checkbox"/>	\$ 167	\$ 186
29½" H x 60" W	CSCMP6029	\$ 172	\$ 191
29½" H x 72" W	CSCMP7229	\$ 180	\$ 199




Modesty Panels			
14" H x 24" W	CS244 <input checked="" type="checkbox"/>	\$ 143	\$ 162
14" H x 30" W	CS304 <input checked="" type="checkbox"/>	\$ 147	\$ 166
14" H x 36" W	CS364 <input checked="" type="checkbox"/>	\$ 150	\$ 169
14" H x 42" W	CS424 <input checked="" type="checkbox"/>	\$ 154	\$ 173
14" H x 48" W	CS484 <input checked="" type="checkbox"/>	\$ 159	\$ 178
14" H x 54" W	CS544 <input checked="" type="checkbox"/>	\$ 162	\$ 181
14" H x 60" W	CS604	\$ 167	\$ 186
14" H x 66" W	CS664	\$ 169	\$ 188
14" H x 72" W	CS724	\$ 172	\$ 191



Stand-alone Corner Modesty Panels			
14" H x 36" W	CSCMP3614 <input checked="" type="checkbox"/>	\$ 150	\$ 169
14" H x 42" W	CSCMP4214 <input checked="" type="checkbox"/>	\$ 154	\$ 173
14" H x 48" W	CSCMP4814 <input checked="" type="checkbox"/>	\$ 159	\$ 178
14" H x 60" W	CSCMP6014	\$ 167	\$ 186
14" H x 72" W	CSCMP7214	\$ 172	\$ 191



Pedestal-to-Pedestal Modesty Panel			
27" H x 30" W to create a 60" W Desk	TKMP60	\$ 160	\$ 179
27" H x 36" W to create a 66" W Desk	TKMP66	\$ 162	\$ 181
27" H x 42" W to create a 72" W Desk	TKMP72	\$ 168	\$ 187



Gussets			
One pair	CDG <input checked="" type="checkbox"/>	\$ 110	\$ 129


Modesty Panels			
41" W for 60" L Peninsula	PMP41 <input checked="" type="checkbox"/>	\$ 210	\$ 210
47" W for 66" L Peninsula, 72" L P-Shape, or 66" L Jetty	PMP47 <input checked="" type="checkbox"/>	\$ 214	\$ 214
53" W for 72" L Peninsula, Jetty, or Boomerang	PMP53 <input checked="" type="checkbox"/>	\$ 220	\$ 220

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Paint: <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> See inside front cover for finishes.
	. <input type="checkbox"/> P

Examples: TKMP60.P4J CS244.P28

Shippable by small-package carrier.



Product dimensions

Overhead Storage Cabinet

Width 24", 30", 36", 42", 48", 60"

Inside width Flipper or 24"-36"W Hinged door — $\frac{3}{8}$ " less than width
42"-48"W Hinged or Sliding door — two compartments that are half of $\frac{3}{8}$ " less than width

Depth 14 $\frac{1}{4}$ " RTA models 12"

Inside depth 12 $\frac{7}{8}$ " Receding door 12 $\frac{1}{8}$ " RTA models 11 $\frac{5}{8}$ "

Height 15"


Inside height 12 $\frac{1}{4}$ " Receding door 11 $\frac{1}{8}$ " RTA models 12 $\frac{3}{4}$ "

Open Shelf


Width 24", 30", 36", 42", 48", 60"

Depth 12 $\frac{7}{8}$ " RTA models 11 $\frac{1}{2}$ "



Height 4 $\frac{5}{8}$ " RTA models 5 $\frac{5}{8}$ "



- **Task lights** can be mounted beneath storage shelves and overhead storage cabinets.
- Additional panel hung and freestanding lighting options are available.



- **Cord retainer clips** fasten into panel slots to anchor power cords.
- Available in black only.
- Clips are provided with under-shelf mounted task lights. Additional clips can be purchased separately.




Specification Guidelines


- In a panel run, only two overhead storage cabinets or open storage shelves are recommended per panel side.
- Do not suspend more than one overhead storage unit per side from panels in a panel run which is mounted, at one or both ends, with an off-module connector kit.
- Overhead storage cabinets and open storage shelves can be mounted on Terrace structural and stacking panels to a maximum height of 80"H.
- When mounting an overhead on a 57½"H base panel frame, select the option for Z57 bracket.
- For all other base panel frame and base panel frames with stacking frames the YZ bracket should be selected.
- Base panel frames with stacking frames that have an overall height of 57½" also use the YZ bracket.

When overhead storage units are suspended from stacking frames, the following guidelines should be adhered to:


- Stacking frames should be added to all the parent run panels, and to, at least the first panel of each return-panel run. Stacking panels added to return panel must match the parent run configuration.
- A maximum of two overhead storage units should be suspended from each side of stacking frames on any given panel.
- With Terrace, a full height panel end cover is required for adequate stability when using overhead storage on the end of a run, or on a return panel.



- No limitation to the number of units on structural frames when run is supported with return panels on each side of storage shelves or overhead storage cabinets.



- Storage shelf, receding door overhead, RTA overhead, and RTA shelf width** must correspond with width of panel(s).
- It is possible to span two panels when combined panel width equals cabinet or shelf width.



- Terrace assembled metal overhead cabinets** can be mounted on a panel equal to or up to 18" narrower than cabinet. One side of overhead must be held on-module.

Metal Overheads & Shelves

Terrace® — Working With Overhead Storage

GSA Reference Page

TERRACE

FRAMES – TILE SPECS

FRAMES – TILE PRICING


ELECTRICAL

WORKSURFACE SPECS


CADENCE SPECS

WORKSURFACE PRICING


OVERHEADS & HUTCHES WORKSURFACE




Sliding Door Overhead




Flipper Door Overhead




Hinged Door Overhead



Open Shelf



Upmount Kit for Overhead Cabinets



Horizontal Wall Track

Overhead Storage Cabinet (page 104)

- Steel cabinet with backstop.
- Available with sliding, hinged, or flipper door(s).
- Easy-Assist flipper door optional — requires minimal assistance in opening and closing. Not available on 60"W cabinets, specify 2-30"W cabinets with Easy-Assist.
- Self-engaging safety latch to secure cabinet to panel.
- Width can correspond with width of panel, or 2 panels joined without a connector.
- Arch or square pull optional on flipper and hinged doors.
- 60"W flipper door cabinet has 2-30"W doors with 2 independent locks.
- 24"-36"W hinged door cabinets have 1 lock and 2 optional pulls, 42"-48"W have 2 locks and 4 optional pulls.
- Accommodates recessed task lighting (specified separately).
- For locking specifications, see pages 134-136.
- Cabinets are 14 $\frac{1}{4}$ "D x 15"H.
- 15"H cabinets can also be mounted on a panel equal to or up to 18"narrower than cabinet.
- Sliding doors have a built in pull.
- Sliding, hinged, and flipper door overhead weight limits:

24"W	59 lbs.	42"W	105 lbs.
30"W	74 lbs.	48"W	121 lbs.
36"W	90 lbs.	60"W	152 lbs.
- When mounting an overhead on a 57 $\frac{1}{2}$ "H base panel frame, select the option for Z57 bracket. For all other base panel frame and base panel frames with stacking frames the YZ bracket should be selected. Base panel frames with stacking frames that have an overall height of 57 $\frac{1}{2}$ "H also use the YZ bracket.

Open Shelf (page 104)

- Metal shelf with back stop.
- Locking clips (2) standard.
- Will accommodate recessed task lighting — ordered separately.
- Weight Limits:


24"W	61 lbs.	42"W	108 lbs.
30"W	77 lbs.	48"W	124 lbs.
36"W	93 lbs.	60"W	155 lbs.

Upmount Kits for Assembled Overhead Cabinets (page 104)


- Consists of two upmount brackets, full back panel and required installation hardware.
- Allows mounting of an assembled overhead cabinet up to 15" above height of panel.
- Specify "Z2" prefix model number upmount kits with 15"H, 30"H, 35"H, 50"H, or 65"H frames; and "Z4" prefix model numbers for use with 22 $\frac{1}{2}$ "H, 42 $\frac{1}{2}$ "H, or 57 $\frac{1}{2}$ "H frames.
- Brackets require a clearance of 6 $\frac{1}{2}$ " below bottom of overhead cabinet.
- Width must correspond with width of panel frame or 2 panel frames joined directly inline.
- Full back panel adds $\frac{1}{2}$ " to depth of overhead case. Full back panel only used when upmounting cabinet.
- Cannot be used with RTA models.

Horizontal Wall Track (page 104)




- Allows mounting overheads on permanent wall structures only.
- Cannot be used with RTA models.
- Track is 60"W and notched at 6" intervals as a guide for field cutting.
- For use with 15"H sliding door overhead, field modification is necessary.
- Available in Black only.
- Attachment hardware not included.




Receding Door Overhead



Receding Door Overhead Back



Stack-On Hutch



Tackboards for Hutches

Receding Door Overhead Storage Cabinet (page 105)

- Steel cabinet with open back. Optional back can be ordered separately.
- Arch or Square pull optional.
- 60"W cabinet has 2 30"W doors with 2 independent locks.
- Accommodates recessed task lighting — ordered separately.
- For locking specifications, see pages 134-136.
- Cabinets are 13½"D x 15"H. When door is recessed, interior dimensions are 12½"D x 11½"H.
- Weight Limits:
30"W 70 lbs. 48"W 110 lbs.
36"W 85 lbs. 60"W 138 lbs.
42"W 100 lbs.

Receding Door Overhead Back (page 105)

- Optional for use with recessing door overhead.
- Order width to match overhead cabinet.

Ready to Assemble (RTA) Flipper Door Overhead (page 105)

- Steel cabinet with open back.
- 60"W and 72"W cabinets have 2 doors with independent locks.
- Accommodates recessed task lighting — ordered separately.
- Random keying, for locking specifications see pages 134-136.
- Cabinets are 12"D x 15"H. Interior dimensions 11½"D x 12¼"H.

Ready to Assemble (RTA) Shelf (page 105)

- Metal shelf with locking clips.
- Accommodates recessed task lighting — ordered separately.

Stack-on Hutch (page 106)

- Have flipper doors with square horizontal edges.
- Universal model can be converted to open hutch.
- Doors are standard with a core removable lock (60"W, 66"W and 72"W have two doors and two locks.)
- Attachment tape provided.
- Order hutch to match width of worksurface(s) it covers.
- Hutches have clearance of 19¾" for computers, etc.
- Ship easy to assemble.
- Depth dimensions shown includes thickness of door.
- Universal model inside depth dimension is 12¾"
- Stack-on hutches accommodate recessed task lighting.
- For locking specification see pages 134-136.
- Chicago task light cords cannot be routed through the Hutch end panels, due to the large size of the fused plugs.

Tackboards (page 106)

- Use tackboard to close the back of stack-on or hutch below storage unit.
- Due to width of fabric roll, 72"W tackboards are available in railroad cut only.


Metal Overheads

Terrace® — Overheads / Shelves and Mounting Kits


For specification information see pages 100-103.

GSA SIN 711-1


Description	Model	Core Paint P1 List Price	Select Paint P2 List Price
15"H x 14¼"D Sliding Single Door Overhead Cabinets			
24"W	OH1524SD	\$ 564	\$ 626
30"W	OH1530SD	\$ 576	\$ 638
36"W	OH1536SD	\$ 604	\$ 666
42 W	OH1542SD	\$ 632	\$ 694
48"W	OH1548SD	\$ 659	\$ 721
60"W	OH1560SD	\$ 871	\$ 933




15"H x 14¼"D Flipper Door Overhead Cabinets			
24"W	OH1524FD	\$ 564	\$ 626
30"W	OH1530FD	\$ 576	\$ 638
36"W	OH1536FD	\$ 604	\$ 666
42 W	OH1542FD	\$ 632	\$ 694
48"W	OH1548FD	\$ 659	\$ 721
60"W	OH1560FD	\$ 871	\$ 933




15"H x 14¼"D Hinged Door Overhead Cabinets			
24"W	OH1524HD	\$ 961	\$ 1023
30"W	OH1530HD	\$ 1003	\$ 1065
36"W	OH1536HD	\$ 1051	\$ 1113
42 W	OH1542HD	\$ 1095	\$ 1157
48"W	OH1548HD	\$ 1136	\$ 1198



Note: Add suffix A for arch pull or S for square pull to model number — add \$32 per pull.					
Open Shelf (to line up with 15"H Overheads) — 12½"D					
24"W	ZS24	S	\$ 241	\$ 262	
30"W	ZS30	S	\$ 262	\$ 283	
36"W	ZS36	S	\$ 276	\$ 297	
42"W	ZS42	S	\$ 288	\$ 309	
48"W	ZS48	S	\$ 303	\$ 324	
60"W	ZS60		\$ 369	\$ 390	




Upmount Kits for Overhead Cabinets			
Specify "Z4" prefix models with 22½"H, 42½"H, or 57½"H frames; "Z2" prefix for other heights.			
24"W	Z  UP24	\$ 147	\$ 169
30"W	Z  UP30	\$ 153	\$ 175
36"W	Z  UP36	\$ 159	\$ 181
42"W	Z  UP42	\$ 167	\$ 189
48"W	Z  UP48	\$ 175	\$ 197
60"W	Z  UP60	\$ 186	\$ 208



Shelf Dividers Package of 6 T7DV \$ 85 \$ 97



Horizontal Wall Track	TWTH	\$ 75	N/A
60" W Track			



E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Pull (if applicable): A Arch pull, add \$32 per pull S Square pull, add \$32 per pull	2nd Option: System (if applicable): YZ Terrace, Stride®, or Optimize™ Z57 57"H Terrace or Stride	3rd Option: Paint: C S See inside front cover for finishes.	4th Option: Pull Color (if applicable): Arch: E4 Black EL Matte Silver Square: EL Matte Silver	5th Option: Lock Type: STD Standard — Random Keyed OMT Omit Lock Core (Deduct \$18 per door)


Examples: OH1536FEA.YZ.P01.E4.STD OH1548FDS.YZ.P52.EL.OMT **5** Shippable by small-package carrier
OH1560SD.YZ.PB2.EL.STD Z721P24.P27.TWTH

Metal Overheads

Terrace® — Overheads


For specification information see pages 100-103.

GSA SIN 711-1




Description	Model	Core Paint P1 List Price	Select Paint P2 List Price
15"H x 13½"D Receding Door Overheads (Inside dimensions with door recessed — 11½"H x 12½"D)			
30"W	OH1530RD	\$ 660	\$ 722
36"W	OH1536RD	\$ 698	\$ 760
42"W	OH1542RD	\$ 741	\$ 803
48"W	OH1548RD	\$ 802	\$ 864
60"W	OH1560RD	\$ 1214	\$ 1276

Note: Add Suffix **A** for arch pull or **S** for square pull option — add \$32 per pull.




15"H Receding Door Overhead Back

30"W	RD30FB	\$ 88	\$ 110
36"W	RD36FB	\$ 94	\$ 116
42"W	RD42FB	\$ 100	\$ 122
48"W	RD48FB	\$ 107	\$ 129
60"W	RD60FB	\$ 131	\$ 153



15"H x 12"D Ready to Assemble (RTA) Flipper Door Overhead (Inside dimensions 12¾"H x 11½"D)


24"W RTA — Flipper Door	POHRTA1524FD	\$ 442	\$ 504
30"W RTA — Flipper Door	POHRTA1530FD	\$ 453	\$ 515
36"W RTA — Flipper Door	POHRTA1536FD	\$ 474	\$ 536
42"W RTA — Flipper Door	POHRTA1542FD	\$ 496	\$ 558
48"W RTA — Flipper Door	POHRTA1548FD	\$ 517	\$ 579
60"W RTA — Flipper Door	POHRTA1560FD	\$ 684	\$ 746
72"W RTA — Flipper Door	POHRTA1572FD	\$ 925	\$ 987



5½"H x 12"D Ready to Assemble (RTA) Shelf

24"W RTA — Shelf	POHRTA24S	\$ 217	\$ 237
30"W RTA — Shelf	POHRTA30S	\$ 234	\$ 254
36"W RTA — Shelf	POHRTA36S	\$ 249	\$ 269
42"W RTA — Shelf	POHRTA42S	\$ 259	\$ 279
48"W RTA — Shelf	POHRTA48S	\$ 272	\$ 292
60"W RTA — Shelf	POHRTA60S	\$ 332	\$ 352
72"W RTA — Shelf	POHRTA72S	\$ 485	\$ 505

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above. 	1st Option: Receding Door Pull (if applicable): A Arch Pull, add \$32 per pull S Square Pull, add \$32 per pull 	2nd Option: System for Receding Door Overhead (if applicable): YZ Terrace, Stride®, Optimize™, or Concensys® Z57 57½"H Stride or Terrace 	3rd Option: Paint:  See inside front cover for finishes. 	4th Option: Receding Door Pull Color (if applicable): Arch: E4 Black EL Silver Square: EL Silver 	5th Option: Receding Door Lock (if applicable): STD Standard OMT Omit Lock Core (Deduct \$18 per door) 
---	---	--	---	--	--


Examples: OH1560RD.YZ.P7C.STD OH1536RDA.Z57.P27.E4.OMT
POHRTA1536FD.P27 RD30FB.P

Metal Hutches


Terrace® — Hutches, Tackboards, and Accessories

For specification information see pages 100-103.

GSA SIN 711-1



Description	Universal Hutch Model	Core Paint P1 List Price	Select Paint P2 List Price
Hutch w/Square Flipper Doors and Lock — 14½"D, Universal 35"H			
36"W	UH6536FD	\$ 650	\$ 715
42"W	UH6542FD	\$ 680	\$ 745
48"W	UH6548FD	\$ 702	\$ 767
60"W	UH6560FD	\$ 996	\$ 1061
66"W	UH6566FD	\$ 1043	\$ 1108
72"W	UH6572FD	\$ 1092	\$ 1157



Description	Universal Hutch Model	Core Paint P1 List Price — Fabric			Select Paint P2 List Price — Fabric		
		Grades A/B	Grades C/D	Grades E/F	Grades A/B	Grades C/D	Grades E/F
20'H Tackboards for Stack-on Hutches							
36"W Tackboard	UHTB36 S	\$ 293	\$ 379	\$ 524	\$ 313	\$ 399	\$ 544
42"W Tackboard	UHTB42 S	\$ 309	\$ 398	\$ 550	\$ 329	\$ 418	\$ 570
48"W Tackboard	UHTB48 S	\$ 336	\$ 435	\$ 601	\$ 356	\$ 455	\$ 621
60"W Tackboard	UHTB60 S	\$ 375	\$ 485	\$ 672	\$ 395	\$ 505	\$ 692
66"W Tackboard	UHTB66 S	\$ 395	\$ 511	\$ 708	\$ 415	\$ 531	\$ 728
72"W Tackboard	UHTB72 S	\$ 416	\$ 541	\$ 746	\$ 436	\$ 561	\$ 766



Description	Model	Core Paint P1 List Price	Select Paint P2 List Price
Shelf Dividers			
Package of 6	T7DV S	\$ 85	\$ 97

Note: Not compatible with RTA models.

E All Terrace models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Pull (if applicable): Add \$32 per pull. A Arch Pull S Square Pull	2nd Option: Paint: C S See inside front cover for finishes.	3rd Option: Fabric (if applicable): See inside back cover for fabrics.	3rd Option: Lock Type (if applicable): STD Standard — Random Keyed OMT Omit Lock Core (Deduct \$18 per door)	4th Option: Railroad Cut (Tackboard only): (Only applicable to 72"W Fabric Tackboards.)
		P [] .	[] [] .	[] [] [] [] .	R R

*Examples: UH6536FDA.P27.STD UHTB66.P52.CS918.RR
 UH6536FD.P27.OMT [] [] [] [] .*

S Shippable by small-package carrier.

Storage

Introduction


GSA Reference Page

Storage is an essential part of the productive workplace.

Make storage a matter of personal choice as well as necessity. Choose from metal, laminate, or veneer with features like multiple pull styles, drawer sizes, finishes, and more. It's your workspace. Shouldn't it look like it?

PERSONAL STORAGE

1. **Pedestal.**
Support, mobile, or suspended, with three drawer sizes.
2. **Personal file.**
Combines pedestal and lateral storage to create a personal filing solution for letter and legal size documents.



LATERALS AND SHARED STORAGE

3. **Personal tower.**
Versatile storage with a small footprint. It's storage that goes up, not out. Combine drawers, personal storage, and wardrobe options for the right solution.
4. **Low credenza.**
Active storage that creates a layered look in any workspace.
5. **Lateral file.**
The storage workhorse, in multiple heights and widths. Works with systems furniture or by itself.
6. **Combination file.**
The perfect combination of file storage and shelf storage, with concealed or open shelves.
7. **Storage cabinet.**
Equipped with hinged, locking doors and adjustable shelves to conceal and secure supplies.
8. **Bookcases.**
Quick access to information, in depths to match laterals or narrower profiles to stand on their own.

Storage

Storage — Pull Option Matrix

GSA Reference Page

STORAGE SOLUTIONS	PULL OPTIONS AVAILABLE							
	Straight	Arch	Square	"J"	Integral	Beveled	Linear	No Pull
Pull Letter Designator:	H	A	S	J	I	B	(None)	
Pull Reference: <i>(Pedestal Drawer Fronts)</i>								
Personal Storage								
Align All Metal Pedestals	•	•	•		•	•		
Align Metal Pedestal w/Laminate fronts	•	•	•					
Align Metal Low Storage	•	•	•		•	•		
Align Metal Low Storage w/Laminate fronts	•	•	•					
Align 24"W Metal Towers	•	•	•		•	•		
Align 12"W Metal Towers	•	•	•					
Align Metal Lockers	•	•	•		•			
Align Metal Lockers with Laminate fronts	•	•	•					
Align Metal Towers w/Laminate fronts	•	•	•					
Align All Veneer Pedestals	•	•	•	•				
Align Veneer Pedestals with Landscape fronts	•	•						
Align All Veneer Personal Files	•	•	•	•				
Align All Veneer Towers	•	•	•	•				
Essentials Pedestals	•	•			•	•		
Essentials Personal Files	•	•			•	•		
Essentials Personal Towers	•	•			•	•		
Hutches								
Align Veneer Hutch w/hinged doors								•
Align Veneer Hutch w/Landscape hinged doors								•
Universal Hutch w/flipper door	•	•						•
Overheads								
All Metal Overhead w/flipper door		•	•					•
All Metal Overhead w/hinged doors		•	•					•
All Metal Overhead w/single sliding door								•
All Metal Overhead w/recessed door		•	•					•
RTA Overhead w/flipper door								•
Align All Veneer Overhead w/hinged doors								•
Laterals and Shared Storage								
Align™ All Metal Laterals	•	•	•		•	•		
Align Metal Lateral w/Laminate Fronts	•	•	•					
Align All Veneer Laterals	•	•	•	•				
Align Veneer Laterals w/Landscape fronts	•	•						
Align Veneer Combination Files	•	•	•	•				
Align Veneer Combination Files w/Landscape fronts (hinged doors)	•	•	•					
Align All Veneer Bookcases (<i>no pulls required</i>)								•
Essentials™ Laterals	•	•			•	•		
Essentials Combination Files	•	•			•	•		
Essentials Storage Cabinets	•	•			•	•		
Essentials Bookcases (<i>no pulls required</i>)								•
Essentials Overfile								•

Align™

Metal Storage — Overview

For complete specification and pricing information see the *Storage Price List*.

[GSA Reference Page](#)

Align Metal Pedestals **E** — support or mobile



File/File
28½" H x 15" W
18", 23¼", 29¼" D



Box/Box/File
28½" H x 15" W
18", 23¼", 29¼" D



File/File
26½" H x 15" W
18", 23¼", 29¼" D



Box/Box/File
26½" H x 15" W
18", 23¼", 29¼" D



Box/File
20½" H Mobile,
22" H Freestanding
15" W x 18", 23¼", 29¼" D


Plinth base shown, models available with Stride or Terrace feet. Choice of metal or laminate fronts.

For complete specification and pricing information see the Storage Price List.

GSA Reference Page

Essentials Pedestals E

Support



File/File
28" H x 15"W
18", 19½", 22½", 28%"D




Box/Box/File
28" H x 15"W
18", 19½", 22½", 28%"D

Suspended




Box/File
19½" H x 15"W
18", 19½", 22½", 28%"D

Basic Support



File/File
28" x 15"W
19½", 22½"



Box/Box/File
28" H x 15"W
19½", 22½"

Mobile



File/File
28" H x 15"W
18", 19½", 22½", 28%"D



Box/Box/File
28" H x 15"W
18", 19½", 22½", 28%"D



Box/File
22½" H x 15"W
22½"D

Basic Mobile



File/File
28" H x 15"W
19½", 22½"



Box/Box/File
28" H x 15"W
19½", 22½"

Discontinued 6/30/2017

For complete specification and pricing information see the Storage Price List.

Leg or Plinth Base models available. Leg base units are shown below. *Indicates power ready models available.

Pedestals — 24"H and 28"H

Mobile Box/File



Freestanding Box/File



Freestanding Open



Support Box/Box/File




Support File/File



Support Open

Credenzas — 17½"H, left- and right-handed models available for handed units.

Single Lateral



Single Lateral w/Open Cubby




Corner Table

Credenzas — 24"H, left- and right-handed models available for handed units.

Box/Lateral



Box/Box Lateral



Box/Lateral w/Open Cubby*



Sliding Door Open*



Open*

Credenzas — 28"H, left- and right-handed models available for handed units.

2-High Lateral



Box/Box Lateral




Box/Box Project/Lateral



Sliding Door Open w/Cubbies*




Open*

Credenzas and Bookcase — 42"H**Bookcases — 65"H and 72½"H**


3-High Lateral




Bookcase w/Lateral



Bookcase



Bookcase w/Lateral



Bookcase

Towers — 42"H (12"W only), 50"H and 57½"H (50"H shown); left- and right-handed models available.

Full-Width Door



Hinged Door Box/File



Side Access File/File



Hinged Door Box/File



Side Access File/File

Towers — 65"H and 72½"H (65"H shown); left- and right-handed models available.

Full-Width Door (65"H)



Hinged Door Box/File



Hinged Door File/File



Full-Width Door



Hinged Door Box/File



Hinged Door File/File




Full-Width Door


For complete specification and pricing information see the Storage Price List.
Leg or Plinth Base models available. Leg base units are shown below.

GSA Reference Page


Stacking Storage — Hinged Door, left- and right-handed models available




Stacking Storage — Open




Overheads and Shelves




Soft Seating and Tables



Worksurfaces — New shapes added for Involve to the hundreds available in our existing Worksurface selection.




Supports and Accessories



Modesty Panels and Screens

Accessories




Stride®

Painted Wood Storage Overview


For complete specification and pricing information see the *Stride Price List*.

GSA Reference Page


Low Credenzas




Open




Open with Project Shelves




Hinged Doors



Lateral File with Project Drawer



Lateral File




Box/Box/Lateral




Corner Bin


High Credenzas



Open




Hinged Doors




Lateral File


Pedestals



Box/File Mobile




File/File Support




Box/Box/File Support

Towers

42½"H




Box/Box/File




File/File

50"H




File/File Side Access Sidelight




Box/Box/File Side Access Sidelight


65"H




File/File Side Access



Box/Box/File Side Access




Box/Box/File Side Access Sidelight




File/File Side Access Sidelight

Combination Files




Lateral Drawers


Overhead Cabinets



Sliding Door



Hinged Doors



Shelf with Nitch




Hinged Door/ Nitch



Open/ Nitch

Horizontal Storage



Full Depth



Shared

Perch Cabinets



Hinged Doors/ Nitch



Hinged Doors/ Drawers



For complete specification and pricing information see the *Storage Price List*.

GSA Reference Page

Align Veneer Pedestals — support or mobile, also available with Landscape™ fronts



File/File
28½" H x 15½" W
24", 30"D



Box/Box/File
28½" H x 15½" W
24", 30"D



File/File
26½" H x 15½" W
24", 30"D



Box/Box/File
26½" H x 15½" W
24", 30"D



Box/File
20½" H x 15½" W
24", 30"D

Extensions™

EXTENSIONS

Introduction

Overview 117

Organization Tools

Working with Organization Tools 118-120

Tool Rails 121

Work Tools 122

Marker Boards, Technology Modules, and Drawers 123

Ergonomic Accessories

Working with Ergonomic Accessories 124-127

Keyboard Supports, CPU Hammock,

Corner Sleeve, and Footrest 128

Monitor Arms and Tablet Holders 129

Illumination

Working with Illumination 130-131

Task Lights 132

Undercabinet LED Lights, Link™ LED Lights,

and Wand™ LED Light 133

Extensions — Introduction

Extensions accessory line by Allsteel is designed to help you create your own space.

• Create a unique space

Each person is unique, no one person works exactly like another, and different tasks require different tools. Extensions work tools allow each person the ability to create a unique environment that is all their own. Lots of paper to manage? Need active files within arm's reach? Want to maximize your worksurface space? Need light somewhere other than below a cabinet? Whatever the task, we have the tools to accommodate your workstyle.

• Create a comfortable space

With a full line of organization, ergonomic, and illumination tools, Extensions allow you to create a comfortable, ergonomic work area. Organization tools keep important items visible and within your reach. Ergonomic tools help you stay comfortable while working. Illumination tools allow you to put your light where it suits you.

• Create an organized space

Tired of all the piles of paper building up on your worksurface? Organization tools house your materials and keep them in an orderly fashion. With a combination of hanging or freestanding organizational accessories, Extensions let you manage everything from binders to paper clips.

• Organization tools

Work tools are a durable metal construction. Extensions allow you to manage your workspace smartly with tools like the phone caddy to elevate the phone off the worksurface, landscaped mail box trays to minimize worksurface intrusion, folder holders and tool box pen and pencil holders that hang off the slat rail and each other.

Increase your efficiency with organization!

• Ergonomic tools

Ergonomics is more than just comfort, it's flexibility and safety. The adjustable keyboard options allow users to maintain and vary comfortable wrist and arm positions throughout the day, whether typing or mousing. Monitor Arms offer versatile adjustability while providing optimum comfort for the eyes, neck, and shoulders.

• Illumination tools

Sleek and flexible, our lighting components offer you several choices. Recessed task lights conserve space and feature electronic ballast for longer bulb life and cooler operating temperature. LED tasklights' slim design blends in with its surrounding while utilizing energy-efficient LED technology. The Link light offers award-winning style to a highly versatile and energy efficient light.


Allsteel's tool rail works in conjunction with a variety of accessories. Modular accessories free up worksurface space and provide orderly storage that is well within reach. Units can be arranged and rearranged to respond to changing workflow. The work tools that attach to the tool rail are:

- Mail Box
- Folder Holder
- Phone Caddy
- Binder Bin
- Tool Box
- Clip Caddy™
- Sidebar™ Personal Shelf
- Paper Wave™
- Gripper Clip
- Multi-Media Hangar




Additional accessories that work with the **tool rail work tools** aesthetically are:

- Bookends
- Freestanding Mail Box

Coat hooks, marker boards and center drawers round out the organization offering.



Tool rail, shown above, is height-adjustable in 1" increments using slots in panels or metal hutch. Tool rail shown with two tool boxes, two mail boxes, folder holder, and phone caddy. Folder holders, multi-media hangars, and binder bins extend below a tool rail. Paper Wave and contents extend above a tool rail.



Tool Rails and Work Tools (page 121)

- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.
- For use with Stride®, Terrace®, Concensys®, and Optimize™ systems.
- 5" high rail (widths coordinate with panels).
- Attachment via vertical reveals.
- Can be hung from wall track. Good solution for above copiers.
- Systems tool rail is off-modular — can be used on a panel of equal width or one size smaller.
- May span two panels of appropriate size, i.e., 60"W Tool Rail on two 30"W panels.

Tool Rail for Hutches (page 121)

- Will work on Universal, Terrace, Optimize, and Concensys system hutches produced after July 2, 2000 and Align™ metal hutchess.
- Sturdy aluminum extrusion with steel support construction.
- Powder coated for durable finish.
- Use to hang Extensions tools. Cannot be used to support monitor arms.
- Suggested weight capacity not to exceed 80 lbs.
- Consideration needs to be given to height of tools and location of worksurfaces.

Mail Box (page 122)

- Holds standard letter-size paper and inter-office envelopes.
- Minimal horizontal intrusion.

Folder Holder (page 122)

- Holds manila envelopes.
- Is capable of hanging on other folder holders to maximize space.
- Stores vertically for easy access to files.

Phone Caddy (page 122)

- Holds telephone at optimum ergonomic angle.
- Wire management cut-outs.
- Accommodates standard phone sizes.

Binder Bin (page 122)

- Holds folders, binders, and manuals.

Tool Box (page 122)

- Holds pencils and other writing utensils, large post-it notes, and other desk top accessories.

Clip Caddy™ (page 122)






- Holds paper clips and other small objects.

Sidebar™ Personal Shelf (page 122)

- Holds office supplies and personal effects.

Paper Wave™ (page 122)


- Provides 3 fully divided slots for organizing files.
- Keeps papers from "bowing" at bottom.

	Gripper Clip (page 122) • Binds project papers together. • Mounts to tool rail or tool tile.
	Bookends (page 122) • Can be used on shelves or in cabinets. • Used to hold books, binders, and catalogs upright.
	Freestanding Mail Box (page 122) • Incorporates similar aesthetic to mounted Mail Box. • Mounting brackets allow for free access from front and back. • Sold in pairs of two; will stack up to eight high. • Individual mail box dimension = 1 1/4" H. • Stacking brackets are black.
	Coat Hook APMC6 (page 122) • Hangs directly into slotted Stride®, Terrace®, Optimize™, or Concensys® panel frame. Use for coat or bag. • Package of six. Available in black only.
	Power/Data Modules — Clamp On Worksurface (page 123) • On-surface mounting option, fits on any worksurface with a 4" overhang. • 6' Power cord. UL Listed. • Includes adapters to allow use of commercially available data terminals or blanks to fill unused openings. Many of the AMP, AT&T, Krone, Leviton and most commercial data terminals can be used.
	Power/Data Modules — Clamp On Worksurface (page 123) • Worksurface clamp can be used on any surface with a 2 1/2" overhang. • Must be installed at time of initial worksurface installation if installing between a worksurface and panel. • 6' Power cord. UL Listed. • The USB hub allows simultaneous powering of 2 USB-A devices. The USB hub is a charger only, no ability to connect to a PC. The charging capacity is limited and may not charge all devices.
	Power/Data Modules — Under Worksurface (page 123) • Under surface mounting can be used on any surface with a 5" clearance. • 6' Power cord. UL Listed.
	Technology Modules (page 123) • Can be mounted by clamping to worksurface or mounting flush to the worksurface top. • Must be installed at time of initial worksurface installation if mounting between a worksurface and panel. • The USB hub allows simultaneous powering of four USB-A devices. The USB hub is a charger only, no ability to connect to a PC. The charging capability is limited and may not charge all devices. • Opening size needed to flush mount in worksurface.
	Byrne's Docking Station for iPod® and iPhone® (page 123) • The iDoc charges and syncs with patent pending Roc.in.Doc™ technology eliminating the need for charging adapters. • Contact Byrne to check for compatibility with the latest technology.
	Worksurface Power/Data Module (page 123) • Provides easy access to technology at primary worksurface. • Mounts to edge of a worksurface and requires 3/8" gap. Consider whether 3/8" gap will work with layout. • Must be mounted at time of initial worksurface installation if mounting between a worksurface and a panel. Maintaining 3/8" gap may not be possible with worksurfaces that are panel wrapped.

Extensions™


Working with Organization Tools

GSA Reference Page




Marker Board (page 123)

- For use with dry marking pens.
- Hangs directly on Optimize™ or Concensys® panel frame.
- Brackets are installed for Concensys applications.
- Brackets must be field re-located for use with other systems.
- Porcelain-coated steel surface.
- White with silver trim.
- Width must correspond with width of panel.



Metal Center Drawers (page 123)

- All metal center drawers feature pencil trays with three compartments for storage.
- Center drawers will not fit in center of 24"D worksurfaces which are wider than 60" due to location of center support bracket.
- For locking specifications, see pages 134-136.
- Ball-bearing slide suspension.




Laptop Drawer — U7WDA (page 123)


- Drawer body made of sheet metal.
- Drawer front made of $\frac{3}{4}$ " particle board with high pressure laminate on both sides and fused laser edge banding.
- Core removable lock is located on right side drawer front
- $17\frac{1}{8}$ "W x 18"D x $3\frac{3}{8}$ "H Outside (interior 13"W x 16"D x $1\frac{1}{8}$ "H)
- Minimum surface depth is 21" for surfaces not using an external stiffener; and 27" for surfaces using an external stiffener.
- Drawer extends 16"
- Maximum load: 45 lbs (functional BIFMA load)
- Drawer assembly and cover have cut out in back to allow for cables to exit drawer.
- Distance from floor to bottom of unit w/glides fully retracted is $24\frac{3}{4}$ ".
- Does not interfere with Further leg mounting plates so drawer can be placed directly next to either a system or table leg.
- When being placed next tower storage using the tower ell bracket (Z6LB) to support surface the drawer must be inset 3" to clear the ell bracket.
- Can be placed directly next to any support storage from any Allsteel product line (excluding towers).
- Flat brackets — drawer must be offset 3" from seam between surfaces to clear the bracket. See illustration at left.
- Can be used with rabbet edge worksurface models but there will be a larger reveal between surface and drawer.
- Can be used with knife edge worksurface models but reveal and depth need to be considered.

Flat Brackets

Front View



Top View




Extensions™


For specification information see pages 118-119.

Organization Tool Tiles and Tool Rails

GSA SIN 711-1




Description	Model	Core Paint P1 List Price	Select Paint P2 List Price
7½"H Tool Tiles — used to support Extensions paper management accessories			
24"W	TK40724SW	\$ 228	\$ 260
30"W	TK40730SW	\$ 263	\$ 296
36"W	TK40736SW	\$ 265	\$ 298
42"W	TK40742SW	\$ 281	\$ 314
48"W	TK40748SW	\$ 300	\$ 333
60"W	TK40760SW	\$ 320	\$ 353




15"H Tool Tiles — used to support Extensions paper management accessories			
24"W	TK41524SW	\$ 249	\$ 284
30"W	TK41530SW	\$ 267	\$ 302
36"W	TK41536SW	\$ 291	\$ 326
42"W	TK41542SW	\$ 306	\$ 341
48"W	TK41548SW	\$ 324	\$ 359
60"W	TK41560SW	\$ 345	\$ 380

Note: Tool tiles placed at worksurface height limit selection of work tools available. Folder holders, multi-media hangers, and binder bins extend below a 7½"H tool tile. Paper wave and contents extend above a single 7½"H tool tile. See page 118.



5"H Tool Rails — for Panels			
24"W	EASR24	\$ 153	\$ 183
30"W	EASR30	\$ 162	\$ 192
36"W	EASR36	\$ 171	\$ 201
42"W	EASR42	\$ 178	\$ 208
48"W	EASR48	\$ 182	\$ 212
60"W	EASR60	\$ 214	\$ 244



5"H Tool Rails — for Metal Hutches			
36"W	EAHSR36	\$ 171	\$ 200
42"W	EAHSR42	\$ 178	\$ 207
48"W	EAHSR48	\$ 182	\$ 211
60"W	EAHSR60	\$ 214	\$ 243
66"W	EAHSR66	\$ 222	\$ 251
72"W	EAHSR72	\$ 237	\$ 266

All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	<i>1st Option:</i> Paint: See inside front cover for finishes.
.	P

Examples: TK41530SW.P7D EASR36.P02

Shippable by small-package carrier.

Extensions™


For specification information see pages 118-119.

Organization Work Tools

GSA SIN 711-1




Description	Model	P1 List Price	Select Paint P2 List Price
Mail Box 9"D x 15"W	EAPT S	\$ 77	\$ 91



Folder Holder 9"H x 12"W	EAFS S	\$ 79	\$ 93
------------------------------------	---------------	-------	-------



Phone Caddy 9"W x 11"D	EATS S	\$ 96	\$ 110
----------------------------------	---------------	-------	--------




Binder Bin 8½"H x 5¼"W x 10"D	EABS S	\$ 77	\$ 91
---	---------------	-------	-------




Tool Box 5"H x 5½"W x 1½"D	EADH S	\$ 62	\$ 76
--------------------------------------	---------------	-------	-------



Clip Caddy™ 2"H x 7"W x 3½"D	EAAC S	\$ 56	\$ 70
--	---------------	-------	-------




Sidebar™ Personal Shelf 2"H x 21"W x 7"D	EAPS S	\$ 79	\$ 93
--	---------------	-------	-------



Paper Wave™ Tray size: 2½"H x 6"W x 10"D Dividers: 9½"H x 9"W	EASS S	\$ 109	\$ 123
--	---------------	--------	--------



Gripper Clip Package of 2 — 5"W x 2"H	EAPC S	\$ 79	\$ 93
---	---------------	-------	-------



Bookends (specify paint color) Pair — 8"H x 6"W x 4"D	EABE S	\$ 74	\$ 88
---	---------------	-------	-------



Freestanding Mail Box (specify paint color) Pair — 4¾"H x 13¼"W x 9"D	EAFT S	\$ 157	\$ 171
---	---------------	--------	--------



Coat Hooks (black only) Package of six	APMC6 S	\$ 77	N/A
--	----------------	-------	-----

E All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify —

Select the
Model Number
from above.

1st Option:

Paint:



See inside front cover
for finishes.



Examples: EAPT.P4J EABE.P4J APMC6.P


S Shippable by small-package carrier.

Extensions™


Organization — Marker Boards / Technology Modules / Drawers

For specification information see pages 119-120.


GSA SIN 711-1, 711-2, 711-11




Description	Model	List Price
Marker Board		
36"W x 24"H	AMRK36	\$ 442
42"W x 24"H	AMRK42	\$ 481
48"W x 24"H	AMRK48	\$ 497



Description	Model	List Price
Power/Data Modules — Worksurface Clamp		
Dome — 2 Power, 2 Open Data with faceplate adaptors (FOG Fog only)	ACOMDOME2	\$ 291
2 Power, 2 USB (SNW Snow or STRM Storm)	APWRMOD2WC	\$ 400
3 Power (SNW Snow or STRM Storm)	APWRMOD3WC	\$ 310



Description	Model	List Price
2 Power, 2 USB (SNW Snow or STRM Storm)	APWRMOD2UWM	\$ 400
3 Power (SNW Snow or STRM Storm)	APWRMOD3UWM	\$ 310




Description	Model	List Price
2 Power, 2 dual USB Hubs	A87P2U1C	\$ 605
2 Power, 1 iPod Hub	A87P2D1C	\$ 740
2 Power, 1 USB, and 1 iPod Hub	A87P2U1D1C	\$ 902



Description	Model	List Price
2 Power, 1 USB Hub	A87P2U1R	\$ 645



Description	Model	List Price
2 Simplex receptacles, 1 data position	A870302	\$ 227




Angled front

Description	Model	P1 Core	P2 Select	P3 Accent	List Price
Metal Center Drawer w/Lock					
19"W x 14½"D x 3"H	CSDC19	\$ 176	\$ 192	N/A	
<ul style="list-style-type: none"> 12" drawer extension (3/4). Inside drawer dimension: 19"W x 13"D x 2½"H. Minimum clearance for mounting: 21¼"W x 19¼"D. 					



Angled front

24¼"W x 14½"D x 3"H	CSDC25	\$ 181	\$ 197	N/A	
<ul style="list-style-type: none"> 12" drawer extension (3/4). Inside drawer dimension: 24¼"W x 13½"D x 2½"H. Minimum clearance for mounting: 27¾"W x 19¼"D. 					



17¾"W x 18"D x 3½"H	U7WDA	\$ 999	\$ 1016	\$ 1032	
<ul style="list-style-type: none"> 16" drawer extension Inside drawer dimensions: 13"W x 16"D x 1½"H Minimum clearance for mounting: 17¾"W x 21"D x 3½"H 					

All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	1st Option: Laminate (Laptop drawer front if applicable): See inside front cover for finishes. L2 add \$45 L3 add \$90	2nd Option: Edge (Laptop drawer edge if applicable): See inside front cover for finishes.	3rd Option: Paint (If laptop drawer, list exterior case color here): See inside front cover for finishes. Power Data Module PR6 Silver.	4th Option: Paint (Interior of laptop drawer if applicable): See inside front cover for finishes.	5th Option: Lock (if applicable): STD Standard OMT Omit (Deduct \$18)	6th Option: Lock or Tech Module Color (if applicable): EL Silver (Lock)

Examples: AMRK36 U7WDA.LM11EV.P27.PR6.STDEL

Shippable by small-package carrier.

Articulating Keyboard Supports				
Features	Model AKM5	Model AKM3	Cobra™ Model AKMX	Model AKM1
Keyboard Support	Platform style 18½"W x 11½"D	Platform style 18½"W x 11½"D	Platform Style 19"Wx11"D	Platform style 25"W x 10½"D
Keyboard Support Material	Phenolic	Phenolic	Phenolic	Polyethylene Made of 90% post-consumer materials and completely recyclable. Free of formaldehydes and carcinogens and emit no VOCs.
Suspension	<ul style="list-style-type: none"> Nylon glides on lubricated slide track Intuitive lift and lock one touch height adjustment Visual height indicator gauge 	<ul style="list-style-type: none"> Nylon glides on lubricated slide track Intuitive lift and lock one touch height adjustment 	Lubricated slide track system: spring assisted	Nylon glides on lubricated slide track system — spring assisted
Platform Rotation	360 degrees	360 degrees	360 degrees	360 degrees
Platform Tilt	+10/-15 degrees	+/- 15 degrees	+10/-20 degrees	+10/-15 degrees
Platform Tilt Adjustment	Soft touch knob for precise tilt adjustment; visual indicator gauge	Release handle for independent tilt adjustment	Convenient tilt wheel assists desired tilt angle	Soft touch knob for simultaneous height and tilt adjustment
Platform Height Adjustment Range	8½" (1¼" above to 6¼" below)	7" (2½" above to 4½" below) Can position platform to be flush with worksurface for extended work area	12½" (7" above to 5½" below)	6¼" (1¼" above to 5" below)
Platform Height Adjustment	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower	Lift platform to raise, lift slightly and tilt back to lower	Turn knob to release platform; adjust to desired height and tilt; tighten knob to secure
Palm Rest	Detachable leatherette-covered gel palm rest	Detachable leatherette-covered gel palm rest	Fabric covered gel palm rest	Detachable leatherette-covered gel palm rest
Mouse Pad	Independent tilt and swivel with reversible design; mouse platform clicks in on left or right side, no tools required	Independent tilt and swivel with reversible design; mouse platform clicks in on left or right side, no tools required	Circular, swivel, tilt, LH/RH mounting, mouse catcher, gel rest	In-line to accommodate mouse on same level as keyboard
Microsoft Natural Compatible	No	No	Yes — by removing palm rest	Yes — by removing palm rest
Track Depth	21¼"	21"	23"	17"
Required Mounting Clearance	18½" W x 21¼"D + ¼" Recess	18½" W x 21"D + ¼" Recess	19"W x 23"D + ¼" Recess	25"W x 17"D + ¼" Recess
Adjustable Wrist Rest	No	No	Fixed mounting and height	No
Ideal For	<ul style="list-style-type: none"> Straight worksurfaces ADA/HFES compliance Extensive adjustability with mouse in line, mouse over or mouse forward of keyboard 	<ul style="list-style-type: none"> Multiple users Straight worksurfaces Extensive adjustability with mouse in line, mouse over or mouse forward of keyboard 	<ul style="list-style-type: none"> Corner worksurface applications Sit to stand applications 	<ul style="list-style-type: none"> Shallow worksurfaces Stride Beam-Based Benching Corner worksurface (17" or 21") Radius worksurface (42" or 48")
Additional Information	<ul style="list-style-type: none"> Leatherette-covered palm rests are free of formaldehydes and carcinogens. Can be cleaned and sanitized. Entire palmrest can be removed for thorough cleaning of the platform Track can be cut in the field to shorten track depth — may affect ability to fully recess platform 	<ul style="list-style-type: none"> Leatherette-covered palm rests are free of formaldehydes and carcinogens. Can be cleaned and sanitized. Entire palmrest can be removed for thorough cleaning of the platform Installer friendly — ship standard with double-sided tape to assist with installation Track can be cut in the field to shorten track depth — may affect ability to fully recess platform 	<ul style="list-style-type: none"> Track can be cut in the field to shorten track depth — may affect ability to fully recess platform 	<ul style="list-style-type: none"> Leatherette-covered palm rests are free of formaldehydes and carcinogens. Can be cleaned and sanitized. Entire palmrest can be removed for thorough cleaning of the platform Installer friendly — ship standard with double-sided tape to assist with installation Track can be cut in the field to shorten track depth — may affect ability to fully recess platform

Extensions™

Working with Ergonomic Accessories

GSA Reference Page

AKM5 Keyboard Support w/Switch-n-Click Mousepad (page 128)

- Convenient lift and lock mechanism provides $8\frac{1}{8}$ " of height adjustment and offers more precise placement accommodated with visual dial-a-tilt height and tilt gauge.
- +10°/-15° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Slim, low-profile design.
- Pairs with a convertible keyboard platform that can be positioned in-line, over, or forward of keyboard platform — without the need for tools.
- Includes detachable leatherette-covered gel palm rest, nonslip pad, mouse pad, mouse guard, and cord management clips.
- Phenolic material on keyboard platform can be cleaned and sanitized to maintain a bacteria-free environment; articulating arm made of cold-rolled steel is recyclable.
- Recommended for straight-edge worksurfaces.

AKM3 Keyboard Support w/Switch-n-Click Mousepad (page 128)

- Features intuitive lift and lock height and tilt mechanism. Provides 7" of height adjustment.
- Slim, low-profile design that can be positioned flush with the worksurface for an extended workspace.
- +15°/-15° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Pairs with a convertible keyboard platform that can be positioned in-line, over, or forward of keyboard platform — without the need for tools.
- Includes detachable leatherette-covered gel palm rest, nonslip pad, mouse pad, mouse guard, and cord management clips.
- Phenolic material on keyboard platform can be cleaned and sanitized to maintain a bacteria-free environment; articulating arm made of cold-rolled steel is recyclable.
- Recommended for straight-edge worksurfaces.

AKMX Cobra™ Keyboard Support w/Mousepad (page 128)

- Lift and lock intuitive height adjustment.
- Positive and negative tilt for the best ergonomic positioning.
- +10°/-20° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Non-handed mouse tray can be moved from right hand to left hand side.
- Surpasses ANSI/BIFMA standards.
- Black powder-coat finish.

AKM1 Keyboard Support w/Mousepad (page 128)


- Simple, spring-assisted mechanism provides $6\frac{1}{4}$ " of height adjustment.
- Features soft-touch knob for simultaneous height and tilt adjustments.
- +10°/-15° tilt adjustment and 360° rotation provides support of neutral position of shoulders, arms, and wrists while accommodating multiple working postures.
- Accommodates keyboard and mouse on the same level.
- Includes detachable leatherette-covered gel palm rest, nonslip pad, mouse pad, mouse guard, and cord management clips.
- Keyboard platform made of 90% post-consumer recycled materials and completely recyclable. Free of formaldehydes and carcinogens and emits no VOCs.

Keyboard Spacer Kit (page 128)

- Kit provides ten $2\frac{1}{8}$ "H spacers and hardware for mounting keyboard support beneath an external worksurface support channel.


CPU Hammock™ (page 128)

- Features 360° swivel with $13\frac{1}{2}$ " ball bearing glide track.
- Load capacity 55 lbs.
- Fits CPUs 5" to 20" in overall height and 3" to 6" in width.
- Height adjustable from 16" to 23" below worksurface.
- No tools required to make adjustments.
- Features a textured, silver paint finish.



Metal Corner Sleeves (page 128)






- $22\frac{1}{2}$ "W leading edge x 18"D.
- Corner sleeves connect intersecting worksurfaces to create "corner desk" work areas.
- All corner sleeves have pre-drilled holes to allow attachment of articulating keyboard platforms.



Footrest FR100 (page 128)

- Footrests increase comfort and decrease fatigue by redistributing body weight for healthier positioning of the spine and legs.
- Ideal for users who cannot rest feet comfortably on the floor.
- Platform rests 3" from the floor.
- Platform slides back and forth on frame to allow ankle flexion and extension.
- Platform dimensions: $15\frac{1}{8}$ "W x $18\frac{1}{2}$ "D x 3"H.



MONITOR ARMS	ZW8 for Tool Tile	ZW8 Single	ZW8 Dual	ZW8 Single-HD	ZW8 Dual-HD
Allsteel Model:	ZW810T	ZW810S	ZW820D	ZW810H	ZW820DH
					
Features:					
Monitor rotation	180°	180°	180°	180°	180°
Monitor Extension	15"	21"	21"	22¼"	26½"
Monitor retraction	3½"	3½"	3½"	3½"	3½"
Monitor tilt adjustment	+30°/-25°	+30°/-25°	+30°/-25°	+85°/-25°	+35°/-25°
Arm Height adjustment	11¼"	6½" to 19½" (13")	6½" to 19½" (13")	9" to 23" (14")	9" to 23" (14")
Monitor Weight capacity (maximum approved weight)	6½ to 16 lbs.	6½ to 18 lbs.	6½ to 18 lbs. per arm	17½ to 44 lbs.	12 to 38.5 lbs. each
Mounting option	Stride rail mount*	Desk clamp or grommet included	Desk clamp or grommet included	Desk clamp or grommet included	Desk clamp or grommet included
360° lockout feature	No	Yes	Yes	No	No
VESA compatibility	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm	75mm and 100mm
Laptop Tray compatible	Yes	Yes	Yes	No	No
Tool Tile / Stride Bench compatible	Yes	No	No	No	No
Pole height	N/A	N/A	N/A	N/A	N/A
Maximum width per monitor	N/A	N/A	25"**	25"	25"
Worksurface requirements — Desk Clamp	N/A	¾" to 2" thick	¾" to 2" thick	¾" to 2" thick	¾" to 2" thick
Worksurface requirements — Grommet Mount	N/A	¾" to 2" thick; hole diameter ¼" to 2"	¾" to 2" thick; hole diameter ¼" to 2"	¾" to 2" thick; hole diameter ¼" to 2"	¾" to 2" thick; hole diameter ¼" to 2"
Environmental info	99% Recycled content	99% Recycled content	99% Recycled content	99% Recycled content	99% Recycled content

*ZW810T is NOT approved for Tool Rail Models EASRxx or EAHSRxx that attach to system panel slots or hutches.


**Width of monitor can be extended with ZW8SM sliding mount.

ZW8 Series Monitor Arms (page 129)

- Versatile adjustability with a refined design and effortless, pneumatic fingertip adjustment.
- Multiple points of adjustment, including 360° swivel at two points, 21" extension and 13" of height adjustment, and a 180° lockout feature.
- Monitor tilts +30°/-25°.
- Tension adjustment feature at two locations to accommodate monitor weight and desired tilt tension.
- Maximize use of worksurface with ability to retract to minimal footprint of 3½", making ZW8 ideal for shallow worksurfaces.
- Model includes grommet and worksurface mounting options.
- Integrated cable management.
- Desk clamp mounts to surfaces ⅜" to 2" thick; grommet mount requires hole diameter of ⅝" to 2" wide, and accommodates surfaces up to 2" thick.
- Single arm supports 6½ to 18 lbs.; dual arm offers perfect horizontal alignment, and each arm supports 6½ to 18 lbs.
- ZW8 for tool tile is compatible on Allsteel tool tiles and Stride bench rail includes one dynamic extension limb. Arm extension is 15" from tile/rail, height adjustment 12".
(Not approved for tool rail models EASRx or EAHSRx that attach to system panel vertical slots or hutches.)
- ZW810S and ZW820D will fit all depths of Stride double-sided benches. Interference with support beam on 54" bench, desk clamp will not install flush to edge of worksurface, but will allow power access door to close completely.
- Mounting location on Stride single-sided bench and screen-based bench may be impacted by location of connecting brackets and supports.
- VESA 75mm and VESA 100mm compatible.
- Quick release feature simplifies monitor installation and exchanges.

ZW8SM Sliding Mount (page 129)


- Provides 9" of additional horizontal adjustability when attached to ZW810S or ZW820D above.
- Not compatible with Heavy Duty Series.
- 12¼"W x 2¾"H x 5½"D; 2 lbs.

**ZW8 Heavy Duty Series** (page 129)

- ZW810H heavy duty arm supports 7.6 to 44 lbs. in total weight.
- ZW820DH supports weight capacity 12 to 38.5 lbs. combined (to accommodate 5.5 lbs. weight of crossbar).
- Single arm features 22¼" extension, dual arm extends 26¾".
- Height adjustment range of 9" to 23" (14" total).
- Features 360° rotation at 3 points.
- Integrated cable management.
- Tension adjustment feature at two locations to accommodate monitor weight and desired tilt tension.
- Quick release feature simplifies monitor installation and exchanges.
- Monitor rotates 180° and tilts +85°/-35°.
- Dual arm crossbar length of 41"; monitors can be positioned by sliding along crossbar to accommodate various sizes. Can accommodate up to two 24" diagonal monitors (total outside casing dimension of 38" wide).
- Cannot be installed on 54" Stride double-sided bench due to interference with support beam.
- Mounting location on Stride single-sided bench and screen-based bench may be impacted by location of connecting brackets and supports.

Laptop Tray (page 129)

- Adjustable laptop tray can be used on ZW810S and ZW820D.
- Features adjustable depth of 11¾" to 17¼" to accommodate docking stations along with laptop computer.
- Width 12".
- Designed with ventilation holes for adequate heat dissipation.
- Non-skid protective pads included to prevent laptop from sliding.
- Weight of laptop tray 7 lbs; include when calculating total weight of tray + laptop to comply with weight capacity.




Extensions™


Ergonomics — Keyboard Supports / CPU Holder / Footrest

For specification information see pages 124-125.


Open Market / GSA SIN 711-1




Description	Model	List Price
Precision Fit Articulating Keyboard Support with Switch-n-Click Mousepad (Black only) 18½"W x 11½"D (Mounting clearance 21¼"D)	AKM5	\$ 553



Convertible Articulating Keyboard Support with Switch-n-Click Mousepad (Black only) 18½"W x 11½"D (Mounting clearance 21"D)	AKM3	\$ 482
--	------	--------




Cobra™ Keyboard and Mouse Support (Black only) 19"W x 11"D (Mounting clearance 23"D)	AKMX	\$ 434
---	------	--------




Articulating Keyboard Support with Integrated Mousepad (Black only) 25"W x 10½"D (Mounting clearance 17"D)	AKM1	\$ 317
---	------	--------




Keyboard Spacer Kit 10 - 2½"H Spacers and Hardware	AKMH	\$ 37
---	------	-------



CPU Hammock™ (Silver only) Adjustable Height CPU Holder with 360° swivel	ACPU4	\$ 190
---	-------	--------



Metal Corner Sleeve — for use with Optimize™, Concensys®, Terrace®, and Stride® Systems • Fits 1¼" thick square edge detail. (T-Mold worksurfaces) 22½"W leading edge x 18"D.	AWCS	\$ 89
---	------	-------



Model AWCS



Footrest (Black only) Adjustable — Rests 3" from the floor — 15½"W x 18½"D x 3"H	FR100	\$ 160
---	-------	--------

Open Market

All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify —

Select the
Model Number
from above.

1st Option:

Paint for
Corner Sleeve:



See inside front cover
for finishes.



Examples: AKMX AKM1 ACPU4 AWCS.P4J FR100


Shippable by small-package carrier.

Extensions™

Ergonomics — Monitor Arms

For specification information see pages 126-127.

GSA SIN 711-1



Description	Model	List Price
Monitor Arms — ZW8 Series		
Single — Desk Clamp	ZW810S	\$ 380
Single — Mounts to Toolrail or Tool Tile	ZW810T	\$ 380
Dual — Desk Clamp	ZW820D	\$ 651
Conversion Kit — from Single-to-Dual	ZW82KIT	\$ 380
Sliding Mount for Monitor Arm	ZW8SM	\$ 135
Single Monitor — for Heavy Duty Monitor	ZW810H	\$ 577
Dual Monitor — for Heavy Duty Monitors	ZW820DH	\$ 990
Laptop Tray	ZW8LT	\$ 243

All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify — Select the Model Number from above.	<i>1st Option:</i> Color for ZW Series: SVR Silver
ZW8 . S V R	


Examples: ZW810S.SVR ZW8LT.SVR

Shippable by small-package carrier.

Allsteel Extensions offers illumination in four styles — Task Light, Undercabinet LED Light, Wand Light, and Link Light.

Task Light


Recessed task lights conserve space and provide an efficient solution for illuminating the workplace. All models are equipped with electronic ballast for longer bulb life and cooler operating temperature.



Recessed task light models mount under storage cabinets or shelves to provide optimal space utilization. Models are available in two styles and three sizes to correspond with the width of the cabinet or shelf. Task lights with a fused plug are available to meet Chicago electrical code.

Undercabinet LED Light


The Undercabinet LED Light is a low-profile, linear solution for overhead cabinets and shelves and is an ideal solution for painted wood storage. It utilizes energy-efficient LED technology which provides a long life. The Undercabinet LED Light provides the opportunity to mount the fixture where light is needed most.



The Undercabinet LED Light features a metal trough reflector with diffuser lens. The light has a sleek $\frac{1}{2}$ " thick profile and provides two options for mounting, either magnetically or with hardware. Undercabinet LED Lights can be daisy-chained.

Optional undercabinet occupancy sensor is available which will automatically turn off the fixture after 30 minutes of no detection and back on immediately as the user re-enters the detection range using Passive Infrared (PR) sensor technology. Unit features 360° lens with 90° outward detection angle, providing a 36" coverage diameter at 18". Occupancy sensor comes with connector and is required to be connected in the sequence shown below. Connect occupancy sensor to a light, or first light in daisy chain to control all linked lights.

CONNECTION SEQUENCE*



Power → Sensor → Connector → Fixture

*Cannot deviate from this sequence

Recessed Task Lights (page 132)

- Recessed task lights are black with a 9' long black cord that is attached to the right rear corner of the fixture. (Color does not need to be specified.)
- Bulbs are included.
- RECOMMENDATION: Provide a separate circuit for task lights to ensure proper, long-term operation.
- Includes 4 cord retainer clips.
- Shorter width models can be used on wider overheads, shelves and hutches.
- All models are equipped with electronic ballast for longer bulb life and cooler operating temperature.
- On/Off switch provides individual control of tasklight within the workstation.
- Daisy chain models require a master control model — 10 fixtures maximum.

Undercabinet LED Lights (page 133)

- Low profile energy-efficient LED task light for use with overhead storage cabinets and shelves.
- 20W power supply for 10W 17" unit (.166 amps).
- 20W power supply for 20W 31" unit (.166 amps).
- 60W power supply for daisy-chain starter units (.5 amps). Must order one starter unit for each daisy-chain application.
- Specify up to 5 additional 17" interconnect units (ALED17UJMP30) to daisy-chain together with 17" daisy-chain starter fixture (ALED17U60).


Example: Daisy-chain 4-17" undercabinet LED lights:

Specify: 1 ALED17U60
Specify: 3 ALED17UJMP30 with 10" jumper cord


- Specify up to 2 additional 31" interconnect units (ALED31UJMP30) with 10" jumper cords to daisy-chain together with 31" tasklight (ALED31U60); or 17" daisy-chain starter fixture (ALED17U60).
- 3500K color temperature.
- 131 footcandles at 18" on ALED31U; 76 footcandles at 18" on ALED17U.
- Magnetic or screw-mount option — attachment hardware included.
- On 20 watt models, power drive is attached to plug: allow $1\frac{1}{8}$ "D space at outlet.
- On 60 watt models, power drive brick is in center of cord and can be attached to underside of worksurface with velcro mount.
- Includes 3 cord retainer clips.
- Meets California Title 24 Energy Efficiency Standards.
- "Instant On" switch with infinite dimming cycle from 100% to 15% with the last state memory, allowing the user to set their desired level of lighting.
- Fixture automatically turns off after 10 hours of use to reduce unwanted energy use.
- Optional occupancy sensor automatically turns off all interlinked fixtures after 30 minutes of no detection and back on immediately when detection is found.

Link™ Light

Link's simple forms, slim profile, and expressive details make a surprising design statement in any workplace. The playful lamp head offers 180-degree movement for natural and precise adjustability. The concentrated array of high-power LEDs delivers a brighter light output than standard fluorescent lights, while operating cooler for consistent, long-lasting, and uniform-quality light. Plus, its efficient design elegantly conserves the amount of materials required, paring them down to their most essential. Engineered for effortless disassembly, Link is 97 percent recyclable.

**Wand™ Task Light**

Wand freestanding task light offers a clean, simple design along with powerful LED technology to illuminate the workspace. The swivel base and arm tilt allow users to position the light just where they need it. The 7.7 watt LED light offers efficiency and long life, providing up to 25 years of daily use. The slim, sleek design makes it easy to integrate into any workspace. Wand task light is 97% recyclable. Optional Occupancy Sensor available.

**Link Light (page 133)**

- Single- or dual-arm style.
- 3300K color temperature, 7.5 watts.
- Available in two soft-touch colors (Silver and Black).
- Mounting options include a freestanding base, worksurface edge clamp, or tool rail bracket. Each allows for unobstructed lamp rotation.
- Freestanding base is 9½" x 9½".
- Cord length: 9' with detachable power adapter.
- The lamp head forms the handle, offering 180-degree up/down movement.
- Low Profile worksurface clamp allows for minimal clearance conditions but must be installed before worksurface.
- Power is delivered through a conductive aluminum skin, eliminating internal wiring.
- L-shaped base sits in the corner, using minimal workspace.
- Meets California Title 24 Energy Efficiency Standards.
- Link Light is UL, CE, and RoHS compliant.
- Actual length of model LED18U is 19".
Actual length of model LED36U is 37¼".

Wand LED Freestanding Task Light (page 133)


- Available in Silver or White. 9¼" cord is Silver.
- Full range dimming from 100% — 10% with last state memory.
- More efficient than original Wand light with brighter and broader range of light.
- Uses 7.7 watts at highest setting and as low as 1 watt at its lowest setting, providing 85 to 12 footcandles of light, respectively (16" above worksurface).
- 7½" round swivel base and 16½"H tilt arm allow versatile positioning of the 13" lampshade.
- Designed for 50,000 hours of life, providing up to 25 years of daily use. Warranty — 5 years (fixture); 3 years (power supply).
- Color Temperature: 3500K. Color Rendering Index (CRI): 80.
- Materials: aluminum arm and lampshade, steel base.
- Weight: 4.4 lbs. 97% recyclable, 76% post-consumer.
- Certifications: UL and CUL. TAA compliant.
- Occupancy sensor available with automatic shut-off after 6 minutes if no motion is detected.

Extensions™

For specification information see pages 130-131.

Illumination — Task Lighting

Open Market / GSA SIN 711-1 (as noted)



Open Market



GSA SIN 711-1

Description	Watt Usage	Model	List Price
T5 Task Lights (Black only) — Use recessed under overhead cabinets, storage shelves, or hutches, comes with cord retainer clips			
Task Light for 24"W	10	A870824	\$ 243
Task Light for 30"W and 36"W	14	A870830	\$ 246
Task Light for 42"W and 48"W	21	A870842	\$ 265
Task Light for 60"W, 66"W, and 72"W	28	A870860	\$ 287

T5 Task Lights (Black only) — With fused plug (satisfies Chicago electrical code)

Task Light for 24"W	10	A870824CH	\$ 314
Task Light for 30"W and 36"W	14	A870830CH	\$ 320
Task Light for 42"W and 48"W	21	A870842CH	\$ 339
Task Light for 60"W, 66"W, and 72"W	28	A870860CH	\$ 358

Note: See below for GSA Approved Task Lights.

T8 Energy Efficient Tri-Phosphor Task Lights — Use recessed under overhead cabinets, storage shelves, or hutches

Base Models — Stand Alone

Task Light for 24"W	15	GS870924	\$ 314
Task Light for 30"W and 36"W	17	GS870930	\$ 325
Task Light for 42"W and 48"W	25	GS870948	\$ 348
Task Light for 60"W, 66"W, and 72"W	32	GS870960	\$ 372

Master Control Models with Power Unit for Daisy Chain (10 fixtures maximum)

Master Task Light for 24"W	GS870924MCL	\$ 349
Master Task Light for 30"W and 36"W	GS870930MCL	\$ 359
Master Task Light for 42"W and 48"W	GS870948MCL	\$ 385
Master Task Light for 60"W, 66"W, and 72"W	GS870960MCL	\$ 406

Jumper Models with 42" Daisy Chain Jumper Cord (require a Master Control model)

Jumper Task Light for 24"W	GS870924D	\$ 314
Jumper Task Light for 30"W and 36"W	GS870930D	\$ 325
Jumper Task Light for 42"W and 48"W	GS870948D	\$ 348
Jumper Task Light for 60"W, 66"W, and 72"W	GS870960D	\$ 372

Note: All T5 and T8 task lights above are 4100 Kelvin.

Cord Retainer Clips (Black only)

Bag of 50 clips	AAPACM2	\$ 33
-----------------	---------	-------



GSA SIN 711-1

E All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify —

Select the
Model Number
from above.

1st Option:

Cord Retainer
Clip Color:
Black only.



P|2|7

Examples: A870824 A870824CH GS870924 GS870960MCL
AAPACM2.P27


Shippable by small-package carrier.

Extensions™

For specification information see pages 130-131.

Illumination — Task Lighting

Open Market / GSA SIN 711-1



GSA SIN 711-1

Description	NEW! Model	List Price
LED Undercabinet Light (white end caps)		
17" Task Light w/20 watt power supply for 24"W or wider overhead	ALED17U	\$ 595
17" Task Light w/60 watt power supply for daisy chain	ALED17U60	\$ 649
17" 10 watt Interconnect Task Light w/10" Jumper Cord	ALED17UJMP30	\$ 458
31" Task Light w/20 watt power supply 36"W or wider overhead	ALED31U	\$ 890
31" Task Light w/60 watt power supply for daisy chain	ALED31U60	\$ 938
31" 20 watt Interconnect Task Light w/10" Jumper Cord	ALED31UJMP30	\$ 536
Undercabinet Occupancy Sensor 2½"W + 1"W Connector	ALEDOCC*	\$ 363

*Undercabinet Occupancy Sensor works with LED Undercabinet lights shipped after 11/1/2013.



Open Market

Link™ LED Light		
Link LED Lamp, 18" Single Arm	LNKSA	\$ 454
Link LED Lamp, 13"/13" Dual Arm	LNKDA (shown)	\$ 483
Link Freestanding Base	LNKFS	\$ 120
Link Low Profile Worksurface Clamp	LNKCL	\$ 74
Link Tool Tile Attachment	LNKPM	\$ 74



GSA SIN 711-1

Wand™ LED Task Light (Silver or White)		
Freestanding LED Task Light w/base	WANDFS	\$ 290
Freestanding LED Task Light w/base and Occupancy Sensor	WANDFSOC	\$ 412

E All Extension models are available in the **Everyday Advantage®** program, see page 9 for details.

How to specify —

Select the
Model Number
from above.

1st Option:

Color
(for Link Light):

SVR Silver
WHT White

(for Wand LED):

SVR Silver
WHT White



Examples: ALED17U LNKDA.SVR WANDFS.WHT

Shippable by small-package carrier.

Appendix

Locking Specifications

GSA Reference Page

Laterals, Pedestals and Storage, Painted Wood Storage

Standard Options

- Random Keying — The factory will assign key(s) arbitrarily using key numbers from chart below.
- Omit Lock Core — The factory will omit lock cores. Removable lock core kits with specific key number must be ordered to facilitate keying alike in the field.

Replacing Lock Cores

- Lock must be in the unlocked position.
- Insert core removal key and pull core straight out.
(Reach units require rotating key 90° clockwise past unlocked position.)
- Insert new core with core removable key, hold core into lock and withdraw core removal key.
- Retain original core for future use.

Vertical Files

Standard Options

- Random Keying — The factory will assign key(s) arbitrarily (see below chart for key numbers).

Key Alike Process

- Order standard product which will be shipped with factory installed locks and random numbered cores.
- Order the appropriate quantity of like numbered cores required for each workstation or keyed area.
- Simply replace the factory installed core with the replacement cores after product has been installed.


	Random Keying	Omit Lock Core	Key Numbers	Lock Core Kit	Master Key
Align™ Laterals	X	X	101E-225E	ALKF23C*	AMKF22
Align New Low Credenzas, Towers, Pedestals ("YP" prefix models)	X	X	101E-225E	ALKF26EL	AMKF22
Align Old Pedestals (for New Pedestals after 11/2015 see above)	X	X	101E-225E	ALKF23C*	AMKF22
Align Old Towers (for New Towers after 2/2016 see above)	X	X	101E-225E	ALKF23C*	AMKF22
Align Metal Front Lockers	X	X	101E-225E	ALKF26EL	AMKF22
Align Laminate Front Lockers	X	X	101E-225E	ALKF23C*	AMKF22
Approach™ Desking and Storage	X	X	101E-225E	ALKF26EL	AMKF22
Center Drawer (CSDC19/25)	X	X	101E-225E	ALKF23C*	AMKF22
Essentials™ Laterals	X	X	101E-225E	ALKF23C	AMKF22
Essentials Overfile Cabinets	X	X	101E-225E	ALKF23C*	AMKF22
Essentials Pedestals	X	X	101E-225E	ALKF23C*	AMKF22
Essentials Personal Tower and Files	X	X	101E-225E	ALKF23C*	AMKF22
Further™ Laminate Storage	X	X	101E-225E	ALKF23C*	AMKF22
Hutches	X	X	101E-225E	ALKF23C*	AMKF22
Involve® Laminate Storage	X	X	101E-225E	ALKF23C*	AMKF22
Overheads (Flipper Door, including RTA)	X	X	101E-225E	ALKF23C*	AMKF22
Overheads (Receding Door)	X	X	101E-225E	ALKF23C*	AMKF22
Stride® Painted Wood Storage	X	X	101E-225E	ALKF23C*	AMKF22
Vertical Files A990/A940	X		101E-225E	ALKF23C*	AMKF22

* ALKF23C is chrome. Optional black core for wood casegoods is ALKF23CE4. Optional matte silver core is ALKF26EL.

Appendix

Locking Specifications

SIN 711-1, 711-3

Description	Model	List Price
Removable Lock Core Kits		Key Numbers 101E-225E
		
Brushed Chrome used on metal and painted wood casegoods product produced after 2/3/97; A980, A990, and A940 Series vertical files; Persona™ pedestals produced after 8/22/09; Reach® Storage units produced after 10/5/09; and receding door overheads produced after 8/1/10. Includes one core, two keys, one core removal tool, adapter and instructions	ALKF23C 	\$ 18
Black used on veneer casegoods product. Includes one core, two keys, one core removal tool, adapter and instructions. Core matches manufactured lock on metal casegoods but Black core can be used with veneer and laminate product.	ALKF23CE4 	\$ 18
Matte Silver used on Approach and Align metal credenzas, new pedestals, and new towers. Includes one core, two keys, one core removal tool, adapter, and instructions.	ALKF26EL 	\$ 18


	Master Key (One key) Available to authorized dealers only on faxed orders. Will open ALKF23C, LKF23C, ALKF23CE4, LKF23CE4, LKF24, LKF25EL, and LKF25E4 locks numbered 101E-225E.	AMKF22 	\$ 17
---	--	---	--------------

HOW TO ORDER:

Note: Numbers 101E-225E are available. Orders without numbers specified will be keyed at random.

SAMPLE ORDER:

Quantity	Model	Color
6	ALKF23C	X121E
1	AMKF22	X

	Brushed Chrome Removable Lock Core Kit* Includes one core, two keys, one core removal tool, adapter, and instructions	Key Numbers 101N-225N
		ALKF23CN 

	Master Key* (One key) Available to authorized dealers only on electronic orders. Will open ALKF23CN and LKF23CN locks numbered 101N-225N.	AMF22 	\$ 17
---	---	--	--------------

*On existing Premium and Asset lateral, use N-Series locks.

 **Shipvable by small-package carrier.**

allsteeloffice.com | 135

Appendix

Locking Specifications — Easy Lock Program

SIN 711-1, 711-3

EASY LOCK PROGRAM

The Allsteel Easy Lock Program simplifies the lock-core ordering process when multiple cores are being specified. The Easy Lock cores can be used with Allsteel storage that currently uses the **ALKF23C** cores (all storage except Receding Door Overheads).

To ensure ease of ordering in different situations the Easy Lock cores can be specified in three different ways — Random, Specified or Sequential.

Random Keying

The Random Keying option is provided for instances where there are multiple orders or phases to a project and the offices need to be keyed alike but the key numbering is not required. With the random keying option key numbers are not specified, however, the core kits will be in sequential order from a random starting point.

Example: There are 15 offices which each have 5 black locks that need to be keyed alike, but the actual key numbers are not important.

This order would look like: **LKFE5BLK.X.15**

This specifies that 15 5-core kits are needed in black with random key numbers.

Specified Keying

The Specified Keying option is provided for the instances where there is a specific key number desired for all of the cores ordered.

Example: There are 10 offices which each have 2 silver locks that need to be keyed-alike with key number 202.

This order would look like: **LKFE2SLV.X202.10**

This specifies that 10 2-core kits are needed in silver with key number 202.

Sequential Keying

Allsteel Sequential Keying option is provided for the instances when there are multiple orders or phases to a project and it is imperative that key numbers are not duplicated.

Example: A multiple phase project has 60 total offices — 40 offices in Phase I, and 20 offices in Phase II. The project manager has expressed a need to have keyed-alike offices but doesn't want any of the offices to use the same key numbers.

The first 40 offices have 4 silver locks each that need to be keyed-alike.

This order would look like: **LKFE4SLV.SEQ/101.40**

This specifies that 40 4-core kits are needed in silver and the starting number is 101.

The second set of 20 offices only have 3 silver locks each that need to be keyed-alike; and it is important which key number starts off the sequence to ensure that no key number is duplicated. It is known that the first key range was key numbers 101-140.

The second order would look like: **LKFE3SLV.SEQ/141.20**

This specifies that 20 3-core kits are needed in silver and key sequence has to start at key number 141.

HOW TO ORDER:

Numbers 101-225 are available. Orders without key numbers specified will be keyed at random.

SAMPLE ORDER FOR EXAMPLES GIVEN:

Model	Key Type	Quantity
LKFE5BLK.	X.	15
LKFE2SLV.	X202.	10
LKFE4SLV.	SEQ/101.	40
LKFE3SLV.	SEQ/141.	20

NOTE: Quantity required is last number in model.option string.

Description	Model / Color	List Price
Easy Lock Lock-Core		
Lock Core Kit — 1 core, 2 keys	LKFE1	\$ 18
Lock Core Kit — 2 cores, 2 keys	LKFE2	\$ 36
Lock Core Kit — 3 cores, 2 keys	LKFE3	\$ 54
Lock Core Kit — 4 cores, 2 keys	LKFE4	\$ 72
Lock Core Kit — 5 cores, 2 keys	LKFE5	\$ 90
Lock Core Kit — 6 cores, 2 keys	LKFE6	\$ 108
Lock Core Kit — 7 cores, 2 keys	LKFE7	\$ 126
Lock Core Kit — 8 cores, 2 keys	LKFE8	\$ 144

Add color suffix to model: **SLV** Silver, **BLK** Black, **MTS** Matte Silver

Note: One core removal key minimum per order. One additional core removal key per 25 lock-cores will be shipped.

Master Key


(One key) Available to authorized dealers only on faxed orders.

AMKF22

\$ 17

How to specify using Easy Lock Program:

Step 1 — Count the number of lock cores and color required in each workstation that need to be keyed alike.




2 overheads with 1 lock-core each = 2

2 pedestals with 1 lock-core each = 2


Total silver lock-cores per station = 4

Step 2 — Count the total number of workstations needing 4 lock-cores.



4 total workstations

Step 3 — Specify model number based on total number of lock-cores in a station and quantity of kits based on number of workstations.



L K F E 4 S L V . X . 4

Lock-Cores per station

Color of Core

Number of workstations

Appendix

16x20 Sample Yardage and Touch-Up Paint

Open Market / GSA SIN 711-1 (as noted)

Model		List Price by Grade					
		1	2	3	4	5	6
Seating Upholstery Sample — 16"H x 20"W							
SYSTG	[S]	\$ 113	\$ 126	\$ 134	\$ 141	\$ 154	N/A
		7	8	9	10	Leather 1	Leather 2
		\$ 170	\$ 181	\$ 190	\$ 199	\$ 228	N/A
						N/A	\$ 220

- Samples have sewn edges, a grommet, and label.

Model		List Price by Grade					
		A	B	C	D	E	F
Systems Fabric Sample — 16"H x 20"W							
SYSFS	[S]	\$ 91	\$ 98	\$ 103	\$ 113	N/A	N/A

- Samples have sewn edges, a grommet, and label.

How to specify — Select the Model Number from above.	1st Option: Fabric (applicable only to individual samples): See inside back cover for fabrics.
S Y .	

Examples: SYSFS.PNL06 SYSTG.SWG904

Description	Model	Core Paint	Select Paint
		P1 List Price	P2 List Price
Touch-Up Paint — Brush			
Bottle of Touch-Up Paint with Brush — 0.5 oz.	APTK [S]	\$ 60	\$ 67
Touch-Up Paint — Spray			
Spray Can of Touch-Up Paint — 12 oz.	ARSLCC [S]	\$ 60	\$ 67

Core Paint Colors	Code	Select Paint Colors	Code
Black	P27	Brilliant White.....	PQ8
Brownstone.....	P7D	Carbon Metallic (Spray Only).....	P4Q
Bungalow.....	P7C	Champagne Metallic	PR5
Carob.....	P52	Gummetal Metallic	PR3
Flint	P02	Platinum Metallic.....	PR2
Fossil.....	P28	Silver	PR6
Loft.....	P7B	Tungsten	PR1
Muslin.....	P4J		
Parchment.....	P93		

How to specify — Select the Model Number from above.	1st Option: Paint Color: [C] [S] See available Touch-Up Paint colors listed above. Some colors are limited to brush or spray.
A .	

Examples: APTK.P02 ARSLCC.P02

[S] Shippable by small-package carrier.

Replacement Parts Order Form

Please complete all banks for each appropriate section. Asterisk (*) is required information.

Date*		Mark for		Replacement PO #*	
Dealer Account #* (CC#)		Ship to Name*		Installation Date	
Dealer Name*		Ship to Address*		Requested Delivery Date	
Contact Name*		Ship to Address		Ship Method	
Contact Phone Number*		City, State, Zip*		Traffic Phone Number*	
Contact Email		Traffic Name*			
Contact FAX #					

Ordering Hints	Reason for Replacement (apply appropriate reason number to each line)	
Add-ons/Mis-specified product — order as cataloged items on Synergy or your ordering system. <i>Do not use this form.</i>	1	Shortage *Shipping order number required below. Always billable with credit pending POD. Must be reported within 30 days of delivery.
Replacement parts order must be faxed or emailed to Allsteel Customer Support.	2	Freight Damage *Please provide serial number. Must be reported within 30 days of delivery date if shipping to a warehouse or 15 days if shipping direct to site.
Please alert CS of any special expedite requirements. Fees may apply.	3	Non-conforming Product *Please provide serial number.
Replacement parts orders are usually shipped within 5 days.	4	Billable Purchase order number is required. Replacement parts are net priced (no discounting). *Freight will be invoiced if order is billable. Order finished goods (cataloged items) electronically on Synergy or your operating system.
Punchlist and/or parts orders for projects should be sent to the Allsteel Project Coordinator assigned to the project.		

Note: This form is also available on the Allsteel Synergy website.

Call Center Team – Email: ASITeamCS@AllsteelOffice.com
Aligned Team – Email: CSAlignedTeam@AllsteelOffice.com
National Team – Email: ASINATLTeam@AllsteelOffice.com

Appendix

Fabric Grade Pricing

Model Number	Description	Grade G	Grade H	Grade J
Terrace® Tackable Acoustical Tiles — see pages 36-37				
TKG40724T	7½" H x 24" W Tile	\$ 140	\$ 150	\$ 159
TKG40730T	7½" H x 30" W Tile	\$ 153	\$ 164	\$ 188
TKG40736T	7½" H x 36" W Tile	\$ 157	\$ 168	\$ 192
TKG40742T	7½" H x 42" W Tile	\$ 173	\$ 186	\$ 210
TKG40748T	7½" H x 48" W Tile	\$ 173	\$ 184	\$ 208
TKG40760T	7½" H x 60" W Tile	\$ 185	\$ 196	\$ 220
TKG41524T	15" H x 24" W Tile	\$ 147	\$ 158	\$ 167
TKG41530T	15" H x 30" W Tile	\$ 159	\$ 171	\$ 197
TKG41536T	15" H x 36" W Tile	\$ 163	\$ 175	\$ 201
TKG41542T	15" H x 42" W Tile	\$ 175	\$ 188	\$ 212
TKG41548T	15" H x 48" W Tile	\$ 179	\$ 192	\$ 216
TKG41560T	15" H x 60" W Tile	\$ 191	\$ 204	\$ 228
TKG42224T	22½" H x 24" W Tile	\$ 173	\$ 184	\$ 208
TKG42230T	22½" H x 30" W Tile	\$ 233	\$ 245	\$ 257
TKG42236T	22½" H x 36" W Tile	\$ 245	\$ 257	\$ 269
TKG42242T	22½" H x 42" W Tile	\$ 256	\$ 268	\$ 280
TKG42248T	22½" H x 48" W Tile	\$ 265	\$ 277	\$ 289
TKG42260T	22½" H x 60" W Tile	\$ 277	\$ 289	\$ 301
TKG43024T	30" H x 24" W Tile	\$ 182	\$ 195	\$ 219
TKG43030T	30" H x 30" W Tile	\$ 248	\$ 258	\$ 272
TKG43036T	30" H x 36" W Tile	\$ 259	\$ 269	\$ 283
TKG43042T	30" H x 42" W Tile	\$ 274	\$ 284	\$ 298
TKG43048T	30" H x 48" W Tile	\$ 279	\$ 289	\$ 303
TKG43060T	30" H x 60" W Tile	\$ 292	\$ 306	\$ 316
TKG44224T	42" H x 24" W Tile	\$ 267	\$ 277	\$ 291
TKG44242T	42" H x 30" W Tile	\$ 375	\$ 388	\$ 399
TKG44236T	42" H x 36" W Tile	\$ 333	\$ 345	\$ 359
TKG44242T	42" H x 42" W Tile	\$ 375	\$ 388	\$ 399
TKG44248T	42" H x 48" W Tile	\$ 391	\$ 404	\$ 415
TKG44260T	42" H x 60" W Tile	\$ 443	\$ 454	\$ 469
TKG45024T	50" H x 24" W Tile	\$ 320	\$ 332	\$ 346
TKG45030T	50" H x 30" W Tile	\$ 363	\$ 376	\$ 387
TKG45036T	50" H x 36" W Tile	\$ 389	\$ 402	\$ 413
TKG45042T	50" H x 42" W Tile	\$ 411	\$ 424	\$ 435
TKG45048T	50" H x 48" W Tile	\$ 436	\$ 449	\$ 460
TKG45060T	50" H x 60" W Tile	\$ 485	\$ 496	\$ 511
TKG45724T	57½" H x 24" W Tile	\$ 394	\$ 407	\$ 418
TKG45730T	57½" H x 30" W Tile	\$ 437	\$ 448	\$ 463
TKG45736T	57½" H x 36" W Tile	\$ 461	\$ 472	\$ 487
TKG45742T	57½" H x 42" W Tile	\$ 511	\$ 522	\$ 532
TKG45748T	57½" H x 48" W Tile	\$ 582	\$ 593	\$ 606
TKG45760T	57½" H x 60" W Tile	\$ 624	\$ 636	\$ 648
TKG46524T	65" H x 24" W Tile	\$ 419	\$ 431	\$ 442
TKG46530T	65" H x 30" W Tile	\$ 465	\$ 481	\$ 492
TKG46536T	65" H x 36" W Tile	\$ 490	\$ 506	\$ 517
TKG46542T	65" H x 42" W Tile	\$ 540	\$ 553	\$ 565
TKG46548T	65" H x 48" W Tile	\$ 561	\$ 574	\$ 586
TKG46560T	65" H x 60" W Tile	\$ 652	\$ 665	\$ 676

Model Number	Description	Grade G	Grade H	Grade J
Terrace® Tackable Acoustical Ported Tiles — see pages 38-39				
TKG41524E	15" H x 24" W Tile	\$ 204	\$ 215	\$ 224
TKG41530E	15" H x 30" W Tile	\$ 215	\$ 227	\$ 253
TKG41536E	15" H x 36" W Tile	\$ 220	\$ 232	\$ 258
TKG41542E	15" H x 42" W Tile	\$ 230	\$ 243	\$ 267
TKG41548E	15" H x 48" W Tile	\$ 236	\$ 249	\$ 273
TKG41560E	15" H x 60" W Tile	\$ 248	\$ 261	\$ 285
TKG42224E	22½" H x 24" W Tile	\$ 230	\$ 241	\$ 265
TKG42230E	22½" H x 30" W Tile	\$ 236	\$ 247	\$ 271
TKG42236E	22½" H x 36" W Tile	\$ 302	\$ 314	\$ 326
TKG42242E	22½" H x 42" W Tile	\$ 315	\$ 327	\$ 339
TKG42248E	22½" H x 48" W Tile	\$ 320	\$ 332	\$ 344
TKG42260E	22½" H x 60" W Tile	\$ 334	\$ 346	\$ 358
TKG43024E	30" H x 24" W Tile	\$ 239	\$ 252	\$ 276
TKG43030E	30" H x 30" W Tile	\$ 304	\$ 314	\$ 328
TKG43036E	30" H x 36" W Tile	\$ 318	\$ 328	\$ 342
TKG43042E	30" H x 42" W Tile	\$ 328	\$ 338	\$ 352
TKG43048E	30" H x 48" W Tile	\$ 335	\$ 345	\$ 359
TKG43060E	30" H x 60" W Tile	\$ 347	\$ 361	\$ 371
TKG44224E	42" H x 24" W Tile	\$ 331	\$ 341	\$ 355
TKG44230E	42" H x 30" W Tile	\$ 342	\$ 352	\$ 366
TKG44236E	42" H x 36" W Tile	\$ 397	\$ 409	\$ 423
TKG44242E	42" H x 42" W Tile	\$ 437	\$ 450	\$ 461
TKG44248E	42" H x 48" W Tile	\$ 452	\$ 465	\$ 476
TKG44260E	42" H x 60" W Tile	\$ 502	\$ 513	\$ 528
TKG45024E	50" H x 24" W Tile	\$ 378	\$ 390	\$ 404
TKG45030E	50" H x 30" W Tile	\$ 425	\$ 438	\$ 449
TKG45036E	50" H x 36" W Tile	\$ 448	\$ 461	\$ 472
TKG45042E	50" H x 42" W Tile	\$ 472	\$ 485	\$ 496
TKG45048E	50" H x 48" W Tile	\$ 495	\$ 508	\$ 519
TKG45060E	50" H x 60" W Tile	\$ 545	\$ 556	\$ 571
TKG45724E	57½" H x 24" W Tile	\$ 456	\$ 469	\$ 480
TKG45730E	57½" H x 30" W Tile	\$ 456	\$ 469	\$ 480
TKG45736E	57½" H x 36" W Tile	\$ 497	\$ 508	\$ 523
TKG45742E	57½" H x 42" W Tile	\$ 523	\$ 534	\$ 549
TKG45748E	57½" H x 48" W Tile	\$ 571	\$ 582	\$ 592
TKG45760E	57½" H x 60" W Tile	\$ 643	\$ 654	\$ 667
TKG46524E	65" H x 24" W Tile	\$ 479	\$ 491	\$ 502
TKG46530E	65" H x 30" W Tile	\$ 527	\$ 543	\$ 554
TKG46536E	65" H x 36" W Tile	\$ 551	\$ 567	\$ 578
TKG46542E	65" H x 42" W Tile	\$ 602	\$ 615	\$ 627
TKG46548E	65" H x 48" W Tile	\$ 621	\$ 634	\$ 646
TKG46560E	65" H x 60" W Tile	\$ 713	\$ 717	\$ 737

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
8302430A.....	81	83732EL.....	83	A871048.....	58	A87P2D1C.....	123	CS604.....	99
8303024A.....	81	83732ER.....	83	A871048A.....	58	A87P2U1C.....	123	CS609.....	99
831124.....	98	83733EL.....	83	A871060.....	58	A87P2U1D1C.....	123	CS664.....	99
831130.....	98	83733ER.....	83	A871060A.....	58	A87P2U1R.....	123	CS669.....	99
831212M.....	80	8422430A.....	81	A871072.....	58	AAPACM2.....	132	CS724.....	99
83122EL.....	83	8423024A.....	81	A871072A.....	58	AAPACM2.....	60	CS729.....	99
83122ER.....	83	8482430A.....	81	A871096.....	58	ACOMDOME2.....	123	CSCMP3614.....	99
83132EL.....	83	8483024A.....	81	A871096A.....	58	ACPU4.....	128	CSCMP3629.....	99
83132ER.....	83	8542430A.....	81	A8711120.....	58	AEV920.....	60	CSCMP4214.....	99
83222EL.....	83	8543024A.....	81	A8711120A.....	58	AKM1.....	128	CSCMP4229.....	99
83222ER.....	83	8602430A.....	81	A8711144.....	58	AKM3.....	128	CSCMP4814.....	99
83232EL.....	83	8603024A.....	81	A8711144A.....	58	AKM5.....	128	CSCMP4829.....	99
83232ER.....	83	8662430A.....	81	A871124.....	58	AKMH.....	128	CSCMP6014.....	99
832424A.....	80	8663024A.....	81	A871124A.....	58	AKMX.....	128	CSCMP6029.....	99
832430A.....	80	870224N.....	59	A871130.....	58	ALED17U.....	133	CSCMP7214.....	99
832436A.....	80	870224NFK.....	59	A871130A.....	58	ALED17U60.....	133	CSCMP7229.....	99
832442A.....	80	870230N.....	59	A871136.....	58	ALED17UJMP30.....	133	CSDC19.....	123
832448A.....	80	870230NFK.....	59	A871136A.....	58	ALED31U.....	133	CSDC25.....	123
832454A.....	80	870236N.....	59	A871142.....	58	ALED31U60.....	133	CSL2429F.....	98
832460A.....	80	870236NFK.....	59	A871142A.....	58	ALED31UJMP30.....	133	CSL3029F.....	98
832466A.....	80	870242N.....	59	A871148.....	58	ALEDOCC.....	133	EAAC.....	122
832472A.....	80	870242NFK.....	59	A871148A.....	58	ALKF23C.....	135	EABE.....	122
833024A.....	80	870248N.....	59	A871160.....	58	ALKF23CE4.....	135	EABS.....	122
833030A.....	80	870248NFK.....	59	A871160A.....	58	ALKF23CN.....	135	EADH.....	122
833036A.....	80	870260N.....	59	A871172.....	58	ALKF26EL.....	135	EAFS.....	122
833042A.....	80	870260NFK.....	59	A871172A.....	58	AMF22.....	135	EAFT.....	122
833048A.....	80	870535.....	59	A871196.....	58	AMKF22.....	135	EAHSR36.....	121
833054A.....	80	870565.....	59	A871196A.....	58	AMRK36.....	123	EAHSR42.....	121
833060A.....	80	8722430A.....	81	A871224.....	58	AMRK42.....	123	EAHSR48.....	121
833066A.....	80	8723024A.....	81	A871224A.....	58	AMRK48.....	123	EAHSR60.....	121
833072A.....	80	873550.....	60	A871230.....	58	APMC6.....	122	EAHSR66.....	121
833160A.....	84	873600.....	60	A871230A.....	58	APTK.....	137	EAHSR72.....	121
833166A.....	84	89989BW.....	60	A871236.....	58	APWRMOD2UWM.....	123	EAPC.....	122
833172A.....	84	89989EB.....	60	A871236A.....	58	APWRMOD2WC.....	123	EAPS.....	122
833272LA.....	84	899900.....	28	A871242.....	58	APWRMOD3UWM.....	123	EAPT.....	122
833272RA.....	84	899910.....	28	A871242A.....	58	APWRMOD3WC.....	123	EASR24.....	121
833624A.....	82	9120 Program.....	89	A871248.....	58	ARSLCC.....	137	EASR30.....	121
833624RA.....	82	A2-8CIR24.....	58	A871248A.....	58	ATADF3.....	61	EASR36.....	121
833660A.....	84	A2-8CIR30.....	58	A871260.....	58	ATADF4.....	61	EASR42.....	121
833660BTA.....	81	A2-8CIR36.....	58	A871260A.....	58	ATADJ5.....	61	EASR48.....	121
833666A.....	84	A2-8CIR42.....	58	A8713108.....	58	ATADJ6.....	61	EASR60.....	121
833666BTA.....	81	A2-8CIR48.....	58	A8713108A.....	58	AWCS.....	128	EASS.....	122
833672A.....	84	A2-8CIR60.....	58	A871366.....	58	AYBHEP1229.....	97	EATS.....	122
833672BTA.....	81	A870300.....	60	A871366A.....	58	AYBHEP2429.....	97	FR100.....	128
834224A.....	82	A870301.....	60	A871400.....	59	AYBHEP3029.....	97	GS870924.....	132
834224RA.....	82	A870302.....	123	A871400A.....	59	CBK29.....	98	GS870924D.....	132
834230A.....	82	A870824.....	132	A871501A.....	59	CDG.....	99	GS870924MCL.....	132
834230RA.....	82	A870824CH.....	132	A871502A.....	59	CDL29.....	98	GS870930.....	132
834824A.....	82	A870830.....	132	A871503A.....	59	CEP1129F.....	98	GS870930D.....	132
834824RA.....	82	A870830CH.....	132	A871601.....	59	CEP2429F.....	98	GS870930MCL.....	132
834830A.....	82	A870842.....	132	A871601A.....	59	CEP3029F.....	98	GS870948.....	132
834830RA.....	82	A870842CH.....	132	A871912.....	59	CMT24.....	60	GS870948D.....	132
83622EL.....	83	A870860.....	132	A871912A.....	59	CMT36.....	60	GS870948MCL.....	132
83622ER.....	83	A870860CH.....	132	A871918.....	59	CRK29.....	98	GS870960.....	132
83623EL.....	83	A8710120.....	58	A871918A.....	59	CS244.....	99	GS870960D.....	132
83623ER.....	83	A8710120A.....	58	A871972.....	59	CS249.....	99	GS870960MCL.....	132
8362430A.....	81	A8710144.....	58	A871972A.....	59	CS304.....	99	LKFE.....	136
8363024A.....	81	A8710144A.....	58	A873501.....	59	CS309.....	99	LNKCL.....	133
83632EL.....	83	A871024.....	58	A873502.....	59	CS364.....	99	LNKDA.....	133
83632ER.....	83	A871024A.....	58	A873503.....	59	CS369.....	99	LNKFS.....	133
83633EL.....	83	A871030.....	58	A873504.....	59	CS424.....	99	LNKPM.....	133
83633ER.....	83	A871030A.....	58	A873506.....	59	CS429.....	99	LNKSA.....	133
83722EL.....	83	A871036.....	58	A876072.....	59	CS484.....	99	OH1524FD.....	104
83722ER.....	83	A871036A.....	58	A876072A.....	59	CS489.....	99	OH1524HD.....	104
83723EL.....	83	A871042.....	58	A877010.....	60	CS544.....	99	OH1524SD.....	104
83723ER.....	83	A871042A.....	58	A877012.....	59	CS549.....	99	OH1530FD.....	104

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
OH1530HD .TV53662CL	104	T53066S	80	T5722430W	81	TK04224WF	26	TK315C	33
OH1530RD	105	T53072B	84	T5722EL	83	TK04224WR	26	TK315CF	33
OH1530SD	104	T53072PL	84	T5722ER	83	TK04230WF	26	TK315E	33
OH1536FD	104	T53072PR	84	T5723024W	81	TK04230WR	26	TK315EF	33
OH1536HD	104	T53072S	80	T5723EL	83	TK04236WF	26	TK315H	33
OH1536RD	105	T53078S	80	T5723ER	83	TK04236WR	26	TK315HF	33
OH1536SD	104	T53084S	80	T5732EL	83	TK04242WF	26	TK315HG	33
OH1542FD	104	T53090S	80	T5732ER	83	TK04242WR	26	TK315HGF	33
OH1542HD	104	T53096S	80	T5733EL	83	TK04248WF	26	TK315L	32
OH1542RD	105	T5362430W	81	T5733ER	83	TK04248WR	26	TK315LF	32
OH1542SD	104	T53624C	82	T5822EL	83	TK04260WF	26	TK315S	32
OH1548FD	104	T53624CR	82	T5822ER	83	TK04260WR	26	TK315SF	32
OH1548HD	104	T5363024W	81	T5832EL	83	TK05024WF	26	TK315T	32
OH1548RD	105	T53660B	84	T5832ER	83	TK05024WR	26	TK315TF	32
OH1548SD	104	T53662CL	85	T5922EL	83	TK05030WF	26	TK315W	33
OH1560FD	104	T53662CR	85	T5922ER	83	TK05030WR	26	TK315WF	33
OH1560RD	105	T53666B	84	T5932EL	83	TK05036WF	26	TK315X	32
OH1560SD	104	T53672B	84	T5932ER	83	TK05036WR	26	TK315XF	32
PMP41	99	T53722CL	85	T612FB	97	TK05042WF	26	TK322E	33
PMP47	99	T53722CR	85	T624CB	97	TK05042WR	26	TK322EF	33
PMP53	99	T5422430W	81	T624FB	97	TK05048WF	26	TK322H	33
POHRTA1524FD	105	T54224C	82	T630FB	97	TK05048WR	26	TK322HF	33
POHRTA1530FD	105	T54224CR	82	T6BK	97	TK05060WF	26	TK322L	32
POHRTA1536FD	105	T5423024W	81	T6CB12L	97	TK05060WR	26	TK322LF	32
POHRTA1542FD	105	T54230C	82	T6CB12R	97	TK05724WF	26	TK322S	32
POHRTA1548FD	105	T54230CR	82	T6CB18L	97	TK05724WR	26	TK322SF	32
POHRTA1560FD	105	T54662JL	84	T6CB18R	97	TK05730WF	26	TK322T	32
POHRTA1572FD	105	T54662JR	84	T6CB24L	97	TK05730WR	26	TK322TF	32
POHRTA24S	105	T54663CL	85	T6CB24R	97	TK05736WF	26	TK322W	33
POHRTA30S	105	T54663CR	85	T6SB	97	TK05736WR	26	TK322WF	33
POHRTA36S	105	T54663JL	84	T7DV	104, 106	TK05742WF	26	TK322X	32
POHRTA42S	105	T54663JR	84	TAWG	60	TK05742WR	26	TK322XF	32
POHRTA48S	105	T547221BL	84	TBPLATE3-36	61	TK05748WF	26	TK324PT	29
POHRTA60S	105	T547221BR	84	TBPLATE3-42	61	TK05748WR	26	TK324PTFK	29
POHRTA72S	105	T547229BL	84	TBPLATE3-48	61	TK05760WF	26	TK330B	33
RD30FB	105	T547229BR	84	TBPLATE3-60	61	TK05760WR	26	TK330BF	33
RD36FB	105	T54722JL	84	TK01524	27	TK06524WF	26	TK330C	33
RD42FB	105	T54722JR	84	TK01530	27	TK06524WR	26	TK330CF	33
RD48FB	105	T547231BL	84	TK01536	27	TK06530WF	26	TK330E	33
RD60FB	105	T547231BR	84	TK01542	27	TK06530WR	26	TK330EF	33
SYSFS	137	T547239BL	84	TK01548	27	TK06536WF	26	TK330H	33
SYSTG	137	T547239BR	84	TK01560	27	TK06536WR	26	TK330HF	33
T52424S	80	T54723CL	85	TK02224	27	TK06542WF	26	TK330L	32
T52430S	80	T54723CR	85	TK02230	27	TK06542WR	26	TK330LF	32
T52436S	80	T54723JL	84	TK02236	27	TK06548WF	26	TK330PT	29
T52442S	80	T54723JR	84	TK02242	27	TK06548WR	26	TK330PTFK	29
T52448S	80	T5482430W	81	TK02248	27	TK06560WF	26	TK330S	32
T52454S	80	T54824C	82	TK02260	27	TK06560WR	26	TK330SF	32
T52460S	80	T54824CR	82	TK03024	27	TK18742D	28	TK330T	32
T52466S	80	T5483024W	81	TK03030	27	TK18742DF	28	TK330TF	32
T52472S	80	T54830C	82	TK03036	27	TK24FR	28	TK330W	33
T52478S	80	T54830CR	82	TK03042	27	TK307H	33	TK330WF	33
T52484S	80	T5542430W	81	TK03048	27	TK307HF	33	TK330X	32
T52490S	80	T5543024W	81	TK03060	27	TK307HG	33	TK330XF	32
T52496S	80	T5602430W	81	TK03524WF	26	TK307HGF	33	TK335B	33
T5302430W	81	T5603024W	81	TK03524WR	26	TK307L	32	TK335BF	33
T53024S	80	T5622EL	83	TK03530WF	26	TK307LF	32	TK335C	33
T5303024W	81	T5622ER	83	TK03530WR	26	TK307S	32	TK335CF	33
T53030S	80	T5623EL	83	TK03536WF	26	TK307SF	32	TK335E	33
T53036S	80	T5623ER	83	TK03536WR	26	TK307T	32	TK335EF	33
T53042S	80	T5632EL	83	TK03542WF	26	TK307TF	32	TK335L	32
T53048S	80	T5632ER	83	TK03542WR	26	TK307X	32	TK335LF	32
T53054S	80	T5633EL	83	TK03548WF	26	TK307XF	32	TK335S	32
T53060B	84	T5633ER	83	TK03548WR	26	TK30FR	28	TK335SF	32
T53060S	80	T5662430W	81	TK03560WF	26	TK315B	33	TK335T	32
T53066B	84	T5663024W	81	TK03560WR	26	TK315BF	33	TK335TF	32

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
TK335W.....	33	TK365E.....	33	TK40730V.....	47	TK41536SW.....	121	TK42248FD	45
TK335WF.....	33	TK365EF.....	33	TK40736CTK.....	46	TK41536SW.....	42	TK42248GK	43
TK335X	32	TK365L.....	32	TK40736FD	45	TK41536TGSF.....	30	TK42248PS	45
TK335XF.....	32	TK365LF.....	32	TK40736PS	45	TK41536V.....	47	TK42248SP	45
TK336PT.....	29	TK365S.....	32	TK40736SP	45	TK41542CTK.....	46	TK42248V.....	47
TK336PTFK	29	TK365SF.....	32	TK40736SW.....	121	TK41542FD	45	TK42260CTK	46
TK342B.....	33	TK365T.....	32	TK40736SW.....	42	TK41542GK.....	43	TK42260FD	45
TK342BF.....	33	TK365TF.....	32	TK40736TGSF.....	30	TK41542NHS	42	TK42260GK	43
TK342C.....	33	TK365W.....	33	TK40736V.....	47	TK41542PS	45	TK42260PS	45
TK342CF.....	33	TK365WF.....	33	TK40742CTK.....	46	TK41542SP	45	TK42260SP	45
TK342E.....	33	TK365X.....	32	TK40742FD	45	TK41542SW	121	TK42260V.....	47
TK342EF.....	33	TK365XF.....	32	TK40742PS	45	TK41542SW	42	TK42FR.....	28
TK342L.....	32	TK365YEB	35, 98	TK40742SP	45	TK41542TGSF.....	30	TK43024CTK	46
TK342LF.....	32	TK365YM	35, 98	TK40742SW	121	TK41542V.....	47	TK43024FD	45
TK342PT.....	29	TK366PT.....	29	TK40742SW	42	TK41548CTK	46	TK43024GK	43
TK342PTFK	29	TK366PTFK	29	TK40742TGSF	30	TK41548FD	45	TK43024NHS	42
TK342S.....	32	TK368PT.....	29	TK40742V.....	47	TK41548GK	43	TK43024PS	45
TK342SF.....	32	TK368PTFK	29	TK40748CTK	46	TK41548NHS	42	TK43024SP	45
TK342T.....	32	TK36FR.....	28	TK40748FD	45	TK41548PS	45	TK43024V	47
TK342TF.....	32	TK372PT.....	29	TK40748PS	45	TK41548SP	45	TK43030CTK	46
TK342W.....	33	TK372PTFK	29	TK40748SP	45	TK41548SW	121	TK43030FD	45
TK342WF.....	33	TK378PT.....	29	TK40748SW	121	TK41548SW	42	TK43030GK	43
TK342X.....	32	TK378PTFK	29	TK40748SW	42	TK41548TGSF	30	TK43030NHS	42
TK342XF.....	32	TK380E.....	33	TK40748TGSF	30	TK41548V	47	TK43030PS	45
TK348PT.....	29	TK380EF.....	33	TK40748V	47	TK41554TGSF	30	TK43030SP	45
TK348PTFK	29	TK380L.....	32	TK40754TGSF	30	TK41560CTK	46	TK43030V	47
TK350B.....	33	TK380LF.....	32	TK40760CTK	46	TK41560FD	45	TK43036CTK	46
TK350BF.....	33	TK380S.....	32	TK40760FD	45	TK41560GK	43	TK43036FD	45
TK350C.....	33	TK380SF.....	32	TK40760PS	45	TK41560NHS	42	TK43036GK	43
TK350CF.....	33	TK380T.....	32	TK40760SP	45	TK41560PS	45	TK43036NHS	42
TK350E.....	33	TK380TF.....	32	TK40760SW	121	TK41560SP	45	TK43036PS	45
TK350EF.....	33	TK380X.....	32	TK40760SW	42	TK41560SW	121	TK43036SP	45
TK350L.....	32	TK380XF.....	32	TK40760TGSF	30	TK41560SW	42	TK43036V	47
TK350LF.....	32	TK384PT	29	TK40760V	47	TK41560TGSF	30	TK43042CTK	46
TK350S.....	32	TK384PTFK	29	TK40766TGSF	30	TK41560V	47	TK43042FD	45
TK350SF.....	32	TK387E.....	33	TK40772TGSF	30	TK41566TGSF	30	TK43042GK	43
TK350T.....	32	TK387EF.....	33	TK40778TGSF	30	TK41572TGSF	30	TK43042NHS	42
TK350TF.....	32	TK387L.....	32	TK40784TGSF	30	TK41578TGSF	30	TK43042PS	45
TK350W.....	33	TK387LF.....	32	TK40790TGSF	30	TK41584TGSF	30	TK43042SP	45
TK350WF.....	33	TK387S.....	32	TK40796TGSF	30	TK41590TGSF	30	TK43042V	47
TK350X.....	32	TK387SF.....	32	TK41524CTK	46	TK41596TGSF	30	TK43048CTK	46
TK350XF.....	32	TK387T.....	32	TK41524FD	45	TK42224CTK	46	TK43048FD	45
TK354PT.....	29	TK387TF.....	32	TK41524GK	43	TK42224FD	45	TK43048GK	43
TK354PTFK	29	TK387W.....	33	TK41524NHS	42	TK42224GK	43	TK43048NHS	42
TK357B.....	33	TK387WF.....	33	TK41524PS	45	TK42224PS	45	TK43048PS	45
TK357BF.....	33	TK387X.....	32	TK41524SP	45	TK42224SP	45	TK43048SP	45
TK357C.....	33	TK387XF.....	32	TK41524SW	121	TK42224V	47	TK43048V	47
TK357CF.....	33	TK390PT	29	TK41524SW	42	TK42230CTK	46	TK43060CTK	46
TK357E.....	33	TK390PTFK	29	TK41524TGSF	30	TK42230FD	45	TK43060FD	45
TK357EF.....	33	TK396PT	29	TK41524V	47	TK42230GK	43	TK43060GK	43
TK357L.....	32	TK396PTFK	29	TK41530CTK	46	TK42230PS	45	TK43060NHS	42
TK357LF.....	32	TK40724CTK	46	TK41530FD	45	TK42230SP	45	TK43060PS	45
TK357S.....	32	TK40724FD	45	TK41530GK	43	TK42230V	47	TK43060SP	45
TK357SF.....	32	TK40724PS	45	TK41530NHS	42	TK42236CTK	46	TK43060V	47
TK357T.....	32	TK40724SP	45	TK41530PS	45	TK42236FD	45	TK44224V	47
TK357TF.....	32	TK40724SW	121	TK41530SP	45	TK42236GK	43	TK44230V	47
TK357W.....	33	TK40724SW	42	TK41530SW	121	TK42236PS	45	TK44236V	47
TK357WF.....	33	TK40724TGSF	30	TK41530SW	42	TK42236SP	45	TK44242V	47
TK357X.....	32	TK40724V	47	TK41530TGSF	30	TK42236V	47	TK44248V	47
TK357XF.....	32	TK40730CTK	46	TK41530V	47	TK42242CTK	46	TK48FR	28
TK360PT.....	29	TK40730FD	45	TK41536CTK	46	TK42242FD	45	TK4TRAYMS	44
TK360PTF.....	29	TK40730PS	45	TK41536FD	45	TK42242GK	43	TK524D	85
TK365B.....	33	TK40730SP	45	TK41536GK	43	TK42242PS	45	TK530D	85
TK365BF.....	33	TK40730SW	121	TK41536NHS	42	TK42242SP	45	TK60FR	28
TK365C.....	33	TK40730SW	42	TK41536PS	45	TK42242V	47	TK851524CP	86
TK365CF.....	33	TK40730TGSF	30	TK41536SP	45	TK42248CTK	46	TK851524P	86

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
TK851524PF	86	TKG40766TGSR	30	TKG42242MS	44	TKG45060T	37	TN51524SF	87
TK851530CP	86	TKG40772TGSR	30	TKG42242SH	41	TKG45724E	39	TN51530S	87
TK851530P	86	TKG40778TGSR	30	TKG42242T	36	TKG45724T	37	TN51530SF	87
TK851530PF	86	TKG40784TGSR	30	TKG42248E	38	TKG45730E	39	TN51536S	87
TK851536CP	86	TKG40790TGSR	30	TKG42248FS	40	TKG45730T	37	TN51536SF	87
TK851536P	86	TKG40796TGSR	30	TKG42248MS	44	TKG45736E	39	TN51542S	87
TK851536PF	86	TKG41524E	38	TKG42248SH	41	TKG45736T	37	TN51542SF	87
TK851542P	86	TKG41524FS	40	TKG42248T	36	TKG45742E	39	TN51548S	87
TK851542PF	86	TKG41524MS	44	TKG42260E	38	TKG45742T	37	TN51548SF	87
TK851548P	86	TKG41524SH	41	TKG42260FS	40	TKG45748E	39	TN51554S	87
TK851548PF	86	TKG41524T	36	TKG42260MS	44	TKG45748T	37	TN51554SF	87
TK851554P	86	TKG41524TGSR	30	TKG42260SH	41	TKG45760E	39	TN51560S	87
TK851554PF	86	TKG41530E	38	TKG42260T	36	TKG45760T	37	TN51560SF	87
TK851560P	86	TKG41530FS	40	TKG43024E	38	TKG46524E	39	TN51566S	87
TK851560PF	86	TKG41530MS	44	TKG43024FS	40	TKG46524T	37	TN51566SF	87
TK851566P	86	TKG41530SH	41	TKG43024MS	44	TKG46530E	39	TN51572S	87
TK851566PF	86	TKG41530T	36	TKG43024SH	41	TKG46530T	37	TN51572SF	87
TK851572P	86	TKG41530TGSR	30	TKG43024T	36	TKG46536E	39	TN52424C	87
TK851572PF	86	TKG41536E	38	TKG43030E	38	TKG46536T	37	TN52424CF	87
TKCWD29L	98	TKG41536FS	40	TKG43030FS	40	TKG46542E	39	TN52424Q	85
TKCWD29R	98	TKG41536MS	44	TKG43030MS	44	TKG46542T	37	TN52424SD	85
TKDMK30	28	TKG41536SH	41	TKG43030SH	41	TKG46548E	39	TN524D	85
TKDMK36	28	TKG41536T	36	TKG43030T	36	TKG46548T	37	TN53030C	87
TKDMK42	28	TKG41536TGSR	30	TKG43036E	38	TKG46560E	39	TN53030CF	87
TKDMK48	28	TKG41542E	38	TKG43036FS	40	TKG46560T	37	TN53030CSB	87
TKDPA29L	98	TKG41542FS	40	TKG43036MS	44	TKMP60	99	TN53030CSBF	87
TKDPA29R	98	TKG41542MS	44	TKG43036SH	41	TKMP66	99	TN53030Q	85
TKEB29L	98	TKG41542SH	41	TKG43036T	36	TKMP72	99	TN530D	85
TKEB29R	98	TKG41542T	36	TKG43042E	38	TKOM	28	TN53636C	87
TKEP1129PL	97, 98	TKG41542TGSR	30	TKG43042FS	40	TKPPL	97	TN53636CF	87
TKEP1129PR	97, 98	TKG41548E	38	TKG43042MS	44	TKPPBL	97	TN53636CSB	87
TKEP2429PL	97, 98	TKG41548FS	40	TKG43042SH	41	TKPPBR	97	TN53636CS	87
TKEP2429PR	97, 98	TKG41548MS	44	TKG43042T	36	TKRF	28	TN53636CSBF	87
TKEP3029PL	97, 98	TKG41548SH	41	TKG43048E	38	TKSB29	98	TN54242CSB	87
TKEP3029PR	97, 98	TKG41548T	36	TKG43048FS	40	TKSK24	27, 35	TN54242CSBF	87
TKG40724FS	40	TKG41548TGSR	30	TKG43048MS	44	TKSK30	27, 35	TN54848CSB	87
TKG40724MS	44	TKG41554TGSR	30	TKG43048SH	41	TKSK36	27, 35	TN54848CSBF	87
TKG40724SH	41	TKG41560E	38	TKG43048T	36	TKSK42	27, 35	TN60MS	27, 61
TKG40724T	36	TKG41560FS	40	TKG43060E	38	TKSK48	27, 35	TNV2424Q	95
TKG40724TGSR	30	TKG41560MS	44	TKG43060FS	40	TKSK60	27, 35	TNV51524S	87
TKG40730FS	40	TKG41560SH	41	TKG43060MS	44	TKSL2429P	97, 98	TNV51530S	87
TKG40730MS	44	TKG41560T	36	TKG43060SH	41	TKSL3029P	97, 98	TNV51536S	87
TKG40730SH	41	TKG41560TGSR	30	TKG43060T	36	TN224SS	27	TNV51542S	87
TKG40730T	36	TKG41566TGSR	30	TKG44224E	39	TN224ST	27	TNV51548S	87
TKG40730TGSR	30	TKG41572TGSR	30	TKG44224T	37	TN230SS	27	TNV51554S	87
TKG40736FS	40	TKG41578TGSR	30	TKG44230E	39	TN230ST	27	TNV51560S	87
TKG40736MS	44	TKG41584TGSR	30	TKG44230T	37	TN236SS	27	TNV51566S	87
TKG40736SH	41	TKG41590TGSR	30	TKG44236E	39	TN236ST	27	TNV51572S	87
TKG40736T	36	TKG41596TGSR	30	TKG44236T	37	TN242SS	27	TNV52424C	87
TKG40736TGSR	30	TKG42224E	38	TKG44242E	39	TN242ST	27	TNV524D	95
TKG40742FS	40	TKG42224FS	40	TKG44242T	37	TN248SS	27	TN53030C	87
TKG40742MS	44	TKG42224MS	44	TKG44248E	39	TN248ST	27	TN53030CSB	87
TKG40742SH	41	TKG42224SH	41	TKG44248T	37	TN24MS	27, 61	TNV53030Q	95
TKG40742T	36	TKG42224T	36	TKG44260E	39	TN260SS	27	TNV53636C	87
TKG40742TGSR	30	TKG42230E	38	TKG44260T	37	TN260ST	27	TNV53636CSB	87
TKG40748FS	40	TKG42230FS	40	TKG45024E	39	TN30MS	27, 61	TNV54242CSB	87
TKG40748MS	44	TKG42230MS	44	TKG45024T	37	TN36MS	27, 61	TNV54848CSB	87
TKG40748SH	41	TKG42230SH	41	TKG45030E	39	TN3LB	34	TT53024CB	82
TKG40748T	36	TKG42230T	36	TKG45030T	37	TN3NB	34	TT53624CB	82
TKG40748TGSR	30	TKG42236E	38	TKG45036E	39	TN3SB	34	TT53660BT	81
TKG40754TGSR	30	TKG42236FS	40	TKG45036T	37	TN3TB	34	TT53666BT	81
TKG40760FS	40	TKG42236MS	44	TKG45042E	39	TN3VB	34	TT53672BT	81
TKG40760MS	44	TKG42236SH	41	TKG45042T	37	TN3VLB	34	TT54224CB	82
TKG40760SH	41	TKG42236T	36	TKG45048E	39	TN3XB	34	TT54824CB	82
TKG40760T	36	TKG42242E	38	TKG45048T	37	TN42MS	27, 61	TT629SC	97
TKG40760TGSR	30	TKG42242FS	40	TKG45060E	39	TN48MS	27, 61	TV52424S	90
						TN51524S	87	TV52430S	90

Cross Reference Index

by Model Number

Model	Page	Model	Page	Model	Page
TV52436S	90	TV5722ER	93	YV51536S	86
TV52442S	90	TV5723EL	93	YV51542S	86
TV52448S	90	TV5723ER	93	YV51548S	86
TV52454S	90	TV5732EL	93	YV51554S	86
TV52460S	90	TV5732ER	93	YV51560S	86
TV52466S	90	TV5733EL	93	YV51566S	86
TV52472S	90	TV5733ER	93	YV51572S	86
TV52478S	90	TV5822EL	93	YV52424C	86
TV52484S	90	TV5822ER	93	YV53030C	86
TV52490S	90	TV5832EL	93	YV53636C	86
TV52496S	90	TV5832ER	93	Z15042SD	28
TV53024CB	95	TV5922EL	93	Z16542SD	28
TV53024S	90	TV5922ER	93	Z18042SD	28
TV53030S	90	TV5932EL	93	Z2UP24	104
TV53036S	90	TV5932ER	93	Z2UP30	104
TV53042S	90	TWTH	104	Z2UP36	104
TV53048S	90	U7WDA	123	Z2UP42	104
TV53054S	90	U9WTC	61	Z2UP48	104
TV53060B	94	UH6536FD	106	Z2UP60	104
TV53060S	90	UH6542FD	106	Z4UP24	104
TV53066B	94	UH6548FD	106	Z4UP30	104
TV53066S	90	UH6560FD	106	Z4UP36	104
TV53072B	94	UH6566FD	106	Z4UP42	104
TV53072PL	94	UH6572FD	106	Z4UP48	104
TV53072PR	94	UHTB36	106	Z4UP60	104
TV53072S	90	UHTB42	106	Z5SC42	80
TV53078S	90	UHTB48	106	Z5SC48	80
TV53084S	90	UHTB60	106	Z5SC54	80
TV53090S	90	UHTB66	106	Z5SC60	80
TV53096S	90	UHTB72	106	Z5SC66	80
TV53624C	92	UTP	60	Z5SC72	80
TV53624CB	95	WANDFS	133	Z5SC78	80
TV53624CR	92	WANDFSOC	133	Z5SC84	80
TV53660B	94	Y324YS	35, 98	ZS24	104
TV53660BT	91	Y330YS	35, 98	ZS30	104
TV53666B	94	Y336YS	35, 98	ZS36	104
TV53666BT	91	Y342YS	35, 98	ZS42	104
TV53672B	94	Y348YS	35, 98	ZS48	104
TV53672BT	91	Y360YS	35, 98	ZS60	104
TV54224C	92	Y51524S	86	ZW810H	129
TV54224CB	95	Y51530S	86	ZW810S	129
TV54224CR	92	Y51536S	86	ZW810T	129
TV54230C	92	Y51542S	86	ZW820D	129
TV54230CR	92	Y51548S	86	ZW820DH	129
TV54662JL	94	Y51554S	86	ZW82KIT	129
TV54662JR	94	Y51560S	86	ZW8LT	129
TV54663JL	94	Y51566S	86	ZW8SM	129
TV54663JR	94	Y51572S	86		
TV54722JL	94	Y52424C	86		
TV54722JR	94	Y53030C	86		
TV54723JL	94	Y53636C	86		
TV54723JR	94	YTK51524SV	86		
TV54824C	92	YTK51530SV	86		
TV54824CB	95	YTK51536SV	86		
TV54824CR	92	YTK51542SV	86		
TV54830C	92	YTK51548SV	86		
TV54830CR	92	YTK51554SV	86		
TV5622EL	93	YTK51560SV	86		
TV5622ER	93	YTK51566SV	86		
TV5623EL	93	YTK51572SV	86		
TV5623ER	93	YTK52424CV	86		
TV5632EL	93	YTK53030CV	86		
TV5632ER	93	YTK53636CV	86		
TV5633EL	93	YTSPSK	45		
TV5633ER	93	YV51524S	86		
TV5722EL	93	YV51530S	86		

GRADE A

APPOINT PANEL

100% Polyester
Artichoke.....APN911
Blackberry.....APN932
Bronze.....APN922
Carbon.....APN928
Chai.....APN912
Cherry.....APN930
Copper.....APN918
Dark Pewter.....APN917
Dune.....APN915
Espresso.....APN923
Framboise.....APN931
Frost.....APN934
Hummus.....APN914
Jet.....APN927
Lawn.....APN925
Mandarin.....APN929
Morel.....APN909
Nimbus.....APN916
Platinum.....APN924
Turmeric.....APN910
Turquoise.....APN926
Walnut.....APN913

ELEMENT

100% Polyester
Flint.....GN965
Indigo.....GN967
Latte.....GN973
Millet.....GN972
Parchment.....GN953
Sea.....GN974
Veil.....GN913
Warm Beige.....GN955
Wisp.....GN975

ETCH

100% Polyester
Aquatint.....ECH901
Crosshatch.....ECH904
Engrave.....ECH902
Intaglio.....ECH906
Lithograph.....ECH903
Mezzotint.....ECH907
Woodcut.....ECH905

EXCHANGE

100% Polyester
Florin.....EXG908
Franc.....EXG902
Krona.....EXG907
Lira.....EXG906
Riyal.....EXG901
Rupee.....EXG903
Tolar.....EXG904

LANDSCAPE

100% Polyester
Corn silk.....LN15
Drift.....LN05
Khaki.....LN20
Sheen.....LN10
Slate.....LN35
Umber.....LN25
Urban.....LN30

D Discontinued 12/15/2017

- ▼ Panel fabric is not available on Further.
- ▲ Panel fabric is not available on Optimize®.
- † Panel fabric is not available on Concensus®.
- ◆ Panel fabric is not available on Involve.

Multi-use fabrics are seating fabrics that can be used on specific Allsteel panels systems, providing more color and pattern options. The applicable Allsteel multi-use fabrics are noted with System designators in the Seating, Collaboration, and Tables Price List.

GRADE A – continued

LUCY

100% Recycled Polyester

Aspen.....LC932
Corn silk.....LC930
Dusk.....LC922
Fawn.....LC933
Graphite.....LC934
Mist.....LC920
Neutra.....LC924
Pewter.....LC935
Snowdrop.....LC928

REFLECTIONS

100% Recycled Polyester

Bamboo.....REF926
Galvanized.....REF929
Ice.....REF920
Loggia.....REF921
Mistral.....REF928
Moonstone.....REF923
Pewter.....REF922
Stainless.....REF924
Vanilla.....REF925
Winter.....REF927

REFUGE

64% Recycled Polyester

Artesian.....RFG996
Dune.....RFG992
Eclipse NEW!.....RFG990
Frost †.....RFG993
Glacier + NEW!.....RFG991
Hemp.....RFG997
Mineral.....RFG998
Sandbar.....RFG995
Tidal.....RFG994

SARTO ▼

100% Polyester (45% Recycled)

Ash.....SRT988
Desert.....SRT933
Earth.....SRT937
Fog.....SRT914
Lemongrass.....SRT949
Meadow.....SRT925
Mist.....SRT945
Mushroom.....SRT976
Oyster.....SRT918
Reef.....SRT964
Sesame.....SRT993
Shale.....SRT952
Sisal.....SRT929
Wheat.....SRT913

TANGO

100% Polyester

Aficionado.....TG994
Azul.....TG993
Bongo.....TG980
Dip.....TG982
Palma.....TG991
Pecan.....TG985
Pistachio.....TG986
Playa.....TG933
Salsa.....TG987
Sol.....TG992
Tequila.....TG990

TEMPEST

100% Recycled Polyester

Dragonfly.....TP930
Frost.....TP915
Full Stream.....TP980
Ginger.....TP925
Gold Rush.....TP910
Sandstorm.....TP950
Slate.....TP945
Tumbleweed.....TP970
Wind Chill.....TP940
Zebra.....TP935

GRADE B

COAST † ♣

100% Antimony-Free Polyester

Channel.....COA914
Dune.....COA903
Fjord.....COA905
Headlands.....COA910
Humus.....COA907
Marsh.....COA902
Pebble.....COA912
Pier.....COA913
Shoal.....COA901
Silt.....COA906
Tide.....COA908
Tombolo.....COA909

LUSTER † ▼ ♣

100% Polyester (79% Recycled)

Loggia.....LUS907
Mistral.....LUS908
Moonstone.....LUS906
Earth.....LUS903
May Sky.....LUS904
Night Shadow.....LUS905
Rockies.....LUS901
Sandstorm.....LUS902

MICA

100% Recycled Polyester

Anthracite.....MCA911
Breeze.....MCA918
Bronze.....MCA913
Buff.....MCA914
Cremini.....MCA917
Crystal †.....MCAWIT
Dew.....MCA920
Dove.....MCA912
Fresh.....MCA916
Mineral.....MCA915
Nectar.....MCA919
Shale.....MCA910

SPIN PANEL

46% Recycled Polyester,

56% Polyester

Alabaster.....SPIN02
Cavern.....SPIN03
Cobblestone.....SPIN04
Ember.....SPIN06
Flame.....SPIN07
Heron.....SPIN13
Oat.....SPIN01
Ocean.....SPIN12
Plum.....SPIN15
Pool.....SPIN11
Raven.....SPIN10
Rhubarb.....SPIN14
Tropic.....SPIN08
Willow.....SPIN05

TASANEE ♦ □

100% Polyester

Birch.....TSN936
Cinder.....TSN959
Citrus.....TSN987
Cumin.....TSN998
Feather.....TSN924
Frost.....TSN951
Pebble.....TSN948
Silk.....TSN912
Water.....TSN963
Willow.....TSN975

TERRAIN

52% Recycled Polyester,

48% Polyester

Bay.....TRRN05
Bayou.....TRRN35
Canyon.....TRRN30
Cliff.....TRRN45
Crest.....TRRN25
Delta.....TRRN10
Plateau.....TRRN15
Ridge.....TRRN20
Valley.....TRRN40

ALLSTEEL

PARTNERSHIP PROGRAM

Allsteel understands that customers may want to specify panel and seating textiles outside of Allsteel's standard offering. Allsteel's **Partnership Program** consists of on-trend and design-forward patterns that have been tested and approved by Allsteel for use on Allsteel products. A subset of these approved patterns is available on cards in the textile binder, while numerous others are available on our website, allsteeloffice.com.

For memo samples, please contact our partners:

- Carnegie, carnegiefabrics.com
1.800.727.6770
- CF Stinson, cfstinson.com
1.800.841.6279
- Edelman, edelmanleather.com
1.800.886.8339
- HBF Textiles, hbftextiles.com
1.877.494.5727
- Maharam, maharam.com
1.800.645.3943
- Momentum Textiles, memosamples.com
1.800.366.6839
- Ultrafabrics, ultrafabricsllc.com

The intent of the **Partnership Program** is to offer a wide variety of on-trend textiles to meet your varied needs, but since these textiles are not part of our standard offering they may be subject to extended lead times. Because new materials will be introduced regularly, Allsteel reserves the right to change the offering at any time.

GRADE C

PACT † ♦ ♣

Aloe**.....PAC900
Azure.....PAC911
Calla**.....PAC922
Coastal.....PAC933
Delft.....PAC944
Dove**.....PAC955
Dragon.....PAC966
Eureka.....PAC977
Fern.....PAC988
Harbour.....PAC999
Lily.....PAC910
Lime.....PAC921
Midnight.....PAC932
Nectar.....PAC943
Patina.....PAC954
Putty**.....PAC965
Roast.....PAC976
Roma.....PAC987
Rubine.....PAC998
Sketch.....PAC909
Tanzanite.....PAC920
Taupe**.....PAC931
Toasty**.....PAC942

** Colors not available on tackboards

SCRIPT

Almond.....PMOMSCP01
Charcoal.....PMOMSCP12
Feldspar.....PMOMSCP23
Flint.....PMOMSCP34
Nectar.....PMOMSCP45
Patina.....PMOMSCP56
Pebble.....PMOMSCP67
Sand.....PMOMSCP78
Shadow.....PMOMSCP89
Slate.....PMOMSCP00
Sterling.....PMOMSCP11
Taupe.....PMOMSCP22
Zinc.....PMOMSCP33

Allsteel®

Showrooms

Atlanta
Boston
Chicago
Dallas
Los Angeles
New York
San Francisco
Washington, DC

Allsteel®

Allsteel Inc.
Muscatine, Iowa 52761
allsteeloffice.com

Form # A8412.A4 (06/17)

©2017 Allsteel Inc.
All registered trademarks and trademarks
are the property of Allsteel Inc.