ProXpress M4030ND Mono Printer
ProXpress M4080FX Mono Multi-function Printer

SAMSUNG
BUSINESS

Turn office productivity and workflow into a business strength

Give your business the strength of a global, multi-billion dollar company

There's no denying the power of the Samsung name. Samsung is one of the most forward-thinking and respected brands in the world, with employees and operations in more than 60 countries. We invested $13.8 billion into R&D in 2014, and our global R&D team of researchers and engineers includes 50,000 employees across 42 global facilities. We do it for one simple reason: To give you a full spectrum of innovative business products that help you improve efficiency, raise productivity and lower costs.

Samsung empowers businesses to make better use of time and budget

The merging of office and mobile devices allows companies to take control, increase productivity, provide greater security, and customize processes in ways never before imagined. Samsung's innovative technologies put Samsung printers and MFPs at the heart of business operations. We enable SMBs to become more competitive by producing professional-looking documents and presentations at lower costs and in less time. Equip your company with a Samsung printing solution, and improve the way you do business.

ProXpress M4080FX

ProXpress M4030ND

Deliver gains in productivity, speed and quality

- The Samsung M4080FX offers a more productive user experience with an intuitive 7-inch capacitive touchscreen, and with Samsung's Dual Scan Document Feeder (DSDF) technology, you can scan dual-sided documents at speeds of up to 60 ipm
- Produce superior quality text and images with Samsung Rendering Engine for Clean Page (ReCP) technology
- Add up to three optional 550-sheet Second Cassette Feeders (SCF) to the M4080FX for up to a 2,300-sheet capacity, and add up to four to the M4030ND for up to a 2,850-sheet capacity, so you can print your largest jobs without having to reload
- Finish printing jobs in less time with a 1GHz dual-core CPU

Experience customized solutions and improved device management

- Work more efficiently by tailoring ISV and Samsung solutions to your company's needs via the Open Architecture-Embedded (XOA-E) platform
- Increase efficiency using easy-to-install and easy-to-manage serverless in-house solutions
- Manage your entire printer fleet from any location
- Engage mobile tap-to-print functionality using mobile authentication (with optional active NFC)

Lower your TCO and increase security

- Efficiency and speed allow you to save money on energy use while increasing printer performance
- Reduce downtime with a best-in-class maximum monthly duty cycle of 120,000 pages
- Enterprise-level security ensures more secure printing and data management

Drive productivity with high-speed, exceptional prints and MFP functionality

Intuitive 7-inch capacitive touchscreen (M4080FX only)

The M4080FX MFP includes a generous, 7-inch, highly sensitive touchscreen. It provides an enhanced user experience with the same responsiveness and ease of use as a smartphone or tablet touchscreen.

Paper handling to fit your requirements

The M4030ND printer can be configured to handle up to 2,850 sheets of paper, while the M4080FX can handle up to 2,300. A 550-sheet tray and 100-sheet multipurpose tray are standard, and configuration options include adding 550-sheet Second Cassette Feeders (SCF) to extend paper availability. Add up to four with the M4030ND and up to three with the M4080FX.

Powerful processor for fast printing

A 1GHz dual-core CPU with 256MB (M4030ND) or 1GB (M4080FX) of memory that's expandable to 2GB enables print speeds of up to 42 pages per minute (ppm).

Edge enhancement

Negative sharpening

De-ICE (Integrated Cavity Effect)

De-screening

Crisp, clear printing

Rendering Engine for Clean Page (ReCP) technology improves readability of printed documents by sharpening and compensating for misaligned edges, as well as by removing minor dots and halftone patterns to create the best printed document possible.

Enterprise-level security

Samsung's enterprise-level encryption and overwrites (up to 7) ensure end-to-end security, even when working remotely. Samsung printers and MFPs are also easily integrated with legacy enterprise security applications, as well as existing print management and workflow solutions.

- Protects company's data and print jobs by maintaining digital signatures and logs.
- Enables administrators to lock and disable the control panel as well as restrict the direct printing access of the USB port.
- Allows approved users to authorize the secure release of documents via Business Core™ Printing Solutions (BCPS) through their mobile devices.
- Offers secure printing, easy Wi-Fi setup and management with the Samsung MobilePrint Pro app.

Wireless option with active NFC

Users can connect and print with ease using Samsung's advanced NFC technology. Simply tap and print with the M4030ND or M4080FX. You can also scan or fax documents with the M4080FX from any NFC-supported mobile device. The wireless option with active NFC provides easy Wi-Fi setup, cloning and management through a mobile device, while Samsung Mobile Print Pro provides user authentication and job accounting.

NFC function is available with a wireless/NFC kit

Create a customized and cost-efficient workflow system

Seamless manageability and flexibility with a secure platform

The eXtensible Open Architecture (XOA) empower your business to seamlessly run custom or independent software vendor (ISV) server-based productivity solutions that meet your specific business needs. XOA can make printing output comply with your account policies, integrate with your Document Management System, set and enforce printing rules, and more.

Samsung MPS, mobile, security and productivity solutions

Samsung's strategic partnerships allow us to offer simplified, seamless solutions that increase both security and office productivity.

SAMSUNG BUSINESS	Integrated solution partner			Samsung solutions
MPS / Fleet management	Compass Sales Solutions FMAudit	MWA Intelligence ▲ PrintFleet ▲	Print Audit	Fleet Admin Pro ▲
Output management Cost accounting	Copitrak Equitrac ▲ Jetmobile	PaperCut ▲ Pharos Systems ▲✶ Prism Software ▲	Ringdale ▲	SecuThru™ Lite 2 ▲ Usage Tracker ▲
Document distribution Content management	EMC² Drivve Image ▲ GoldFax ▲ InfoDynamics	Intellinetics LaserFiche ▲ Notable Solutions, Inc. ▲✶ Omtool ▲	OPENTEXT ▲✶ Perceptive Software ▲✶ Prism Software ▲	Cloud Connector ▲ Secure Login Manager ▲ SmarThru™ Workflow Lite ▲ SmarThru™ Workflow 3 ▲
Mobile and cloud	EFI			Samsung Mobile Print App PrinterOn ▲ Samsung Cloud Print

▲ XOA Solution ✶ Limited

Enable your team to make the most of mobility

PRINTERON

PrinterOn is the world's leading enterprise-grade mobile printing platform, and is designed for any organization that wants to provide simple, secure mobile and cloud printing.

SAMSUNG

Samsung's Mobile Print solution earned the Summer 2012 Pick as "Outstanding Mobile Print App" from Buyers Lab, Inc.

BLI BUYERS LAB 2012 PICK

Customize your printer or MFP solution

Configurations and options

M4030ND

M4080FX MFP

Accessories

Optional 550-Sheet Second Cassette Tray
(Add up to 4 trays - M4030ND, 3 trays M4080FX) SL-SCF4000

Optional Short Stand
ML-DSK655

Optional 2GB Memory Upgrade
SL-MEM001

Optional Wireless and Active NFC Kit SL-NWEDOIX
(IEEE 802.11 b/g/n)

Supplies

Initial Toner (Included) 6K-Page Yield
Standard Toner 10K-Page Yield MLT-D201S
High-Yield Toner 20K-Page Yield MLT-D201L

	M4030ND	M4080FX
General		
Speed	Up to 42 ppm in Letter	
Functions	Print	Print / Copy / Scan / Fax
Processor/Memory	Dual Core 1GHz (C4N + A1000) / 256MB (2GB Max.)	Dual Core 1GHz (C4N + A1000) / 1GB (2GB Max.)
Display	4-Line LCD	7" Touchscreen Panel
Interface	High-speed USB 2.0, Ethernet 10/100/1000 BaseTX, IEEE® 802.11 b/g/n (Option), RJ11 Connector, NFC (Option)	
Warm-up Time (Sleep/Power Off)	Less than 16 seconds / Less than 35 seconds	Less than 30 seconds / Less than 45 seconds
Noise Level (Simplex/Duplex)	Printing: Less than 53dB / Copying (M4080FX): Less than 56dB / Standby: Less than 30dB / Sleep: Background Noise Level	
Storage	N/A	320GB HDD Standard
Max. Monthly Duty Cycle	120,000 Pages	
Dimensions (W x D x H)	16.5" x 15.9" x 13.8" (standard desktop configuration)	20.8" x 18.9" x 22.6" (standard desktop configuration)
Weight	36.24 lbs.	51.4 lbs.
Network Protocols	Standard TCP/IP (Raw), IP assign (DHCP, BOOTP, AutoIP), HTTP, HTTPs, IPP, IPPs, WSD, SNMPv1/v2c/v3, SetIP, SLP, DNS, DDNS, Bongjour, WINS, LPD/LPR, ThinPrint, Google Cloud Print, SMB, FTP, SMTP, SMTPs, UPnP, LDAP, Kerberos, SMB, IPSec, 802.1x, Wi-Fi: Open System, Shared Key, WPA Personal, WPA2 Personal (PSK), WPA Enterprise, WPA2 Enterprise, WEP64, WEP128, TKIP, AES	
Network Security	Kerberos / SMB / LDAP, IPv4 Filtering / IPv6 Filtering / MAC Filtering / Secure Print / Encrypted Secure Print / Encrypted PDF Mode (Encrypted Scanning) / IP Sec	
OS Compatibility	[Microsoft Windows] Window XP (32/64bit) / Vista (32/64bit) / 2003 Server (32/64bit) / 2008 Server (32/64bit) / Win7 (32/64bit) / 2008 Server R2 (64bit) / Win8 (32/64bit) / Win8.1 (32bit/64bit) / 2012 Server (64bit) / 2012 Server R2 (64bit) [Linux] Red Hat Enterprise Linux 5, 6, 7, Fedora 13, 14, 15, 16, 17, 18, 19, 20, 21, openSUSE 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, 13.2, Ubuntu 10.04, 10.10, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10, SUSE Linux Enterprise Desktop 11, 12, Debian 6, 7, Mint 13, 14, 15, 16, 17 [UNIX] Sun Solaris 9,10,11 (x86, SPARC) / HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium) / IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, .7.1 (PowerPC) [Mac OS] Mac OS: X 10.6 - 10.10	
Power Consumption	700 W (Normal) / 1100 W (Max), 1.21 W (Sleep) / Less than 50 W (Ready) / M4030ND: 1.9 kWh (Max), 0.1 W (Off) / M4080FX: 2.08 kWh (Max), 0.1 W (Off)	
Certification	Energy Star, New Blue Angel, EPEAT	
Print		
Simplex	Up to 42 ppm in Letter	
Duplex (Simplex to Duplex)	Up to 20 ipm in Letter	
First Print Out Time	As fast as 6 sec	
Resolution	1,200 x 600 dpi optical / 1,200 x 1,200 enhanced	
Emulation	PCL5e / PCL6 / PostScript3 / PDF Direct V1.7 / XPS / TIFF / URF / PWG	
Fonts	96 Scalable Fonts (Includes OCR-A / OCR-B) / 1 Bitmap	111 Scalable Fonts (Includes OCR-A / OCR-B) / 1 Bitmap
Utilities	Easy Printer Manager, Easy Document Creator, Net PC Fax, Direct Printing Utility, Easy Deployment Manager, Easy Eco Driver, Universal Printer Driver	
Solutions	Samsung Business Core™ Printing Solutions, Samsung Cloud Print, PrinterOn, Print Fleet, Samsung Mobile Print, SmartThru WorkFlow, Selected integrated solution vendors, GCP (Google Cloud Print), SyncThru, CounThru, SecuThru, AirPrint	
Open Platform	eXtensible Open Architecture (XOA), XOA Web, Smart UX	
Copy		
Speed	N/A	Up to 42 cpm (in Letter)
First Copy Out Time	N/A	As fast as 7 seconds
Resolution / Zoom Rate / Multi Copy	N/A	Up to 600 x 600 dpi / 25% - 400% / Up to 9,999
Copy Features	N/A	N-Up / ID Card Copy / Poster Copy / Clone Copy / Booklet / Covers / Transparencies / Book Copy / Rotation Copy / Job Build / Margin Shift / Program / Watermark Copy / Erase Background / Erase Edge / Book Center Erase / Time & Date Stamp / ID Stamp / Save to File
Fax		
Modem Speed/Compatibility	N/A	33.6 Kbps/ITU-T G3, PSTN / PABN / A
Resolution	N/A	203 x 98 dpi (Std), 203 x 196 dpi (Fin), 300 x 300 dpi (Super-fine), 600 x 600 dpi (Ultra-fine)
Fax Functions	N/A	On hook Dial / Search / Speed Dial / TAD I/F / Tone/Pulse / Pause / Auto Redial / Last Number Redial / Distinctive Ring / Caller ID / External Phone Interface / Fax Forward to E-Mail / Broadcasting / Delayed Fax / Tx/Rx Journal / Confirmation
Scan		
Speed (ipm)	N/A	Single-sided: 35 ipm / Dual-sided: 60 ipm
Compatibility	N/A	TWAIN / WIA
Scan File Formats	N/A	TIFF-S / TIFF-M / JPEG / S-PDF / M-PDF
Resolution (Optical/Enhanced)	N/A	600 x 600 dpi (Optical), 4,800 x 4,800 dpi (Enhanced)
Destination	N/A	HDD / USB / Email
Paper Handling		
Paper Capacity	550 Sheets Cassette Tray (@75gsm, 520 Sheets @80gsm) 100 Sheet MP Tray (@80gsm) 550 Sheet SCF (@75gsm) x 4 2,850 Sheet Cassette Tray (550 Std + 100 MP + 4 x 550 SCF)	550 Sheets Cassette Tray (@75gsm, 520 Sheets @80gsm) 100 Sheet MP Tray (@80gsm) 550 Sheet SCF (@75gsm) x 3 2,300 Sheet Cassette Tray (550 Std + 100 MP + 3 x 550 SCF)
Media Types	MP Tray: Printer Default, Plain Paper, Thick Paper, Thin Paper, Bond Paper, Color Paper, Cardstock, Labels, Envelope, Preprinted, Letterhead, Recycled Paper, Cotton, Archive, Glossy Tray 1, 2: Plain Paper, Thin Paper, Bond, Punched, Preprinted, Recycled, Label, Cardstock, Letterhead, Thick, Cotton, Colored, Archive, Glossy, Envelope (Tray 1 only)	
Media Size	A4 / A5 / A6 / Letter / Legal / Oficio / Folio / JIS B5 / ISO B5 / Executive / Statement / PostCard 4x6 / Envelope Monarch / Envelope No 9 / Envelope No 10 / Envelope DL / Envelope C5 / Envelope C6 / Custom	
Media Weights	Supported Weight: M4030ND: 60 - 130 g/m^2 (16 ~ 32 lb) / M4080FX: 60 - 163 g/m^2 (16 ~ 43 lb), Thin Paper (60 - 69 g/m^2) / Plain Paper (70 - 90 g/m^2) / Thick Paper (91 - 105 g/m^2) / Bond Paper (105 - 120 g/m^2) / Cardstock (106 - 163 g/m^2) / Thicker Paper (164 - 220 g/m^2)	
Multipurpose Tray	100-Sheet, Plain / Thin / Bond / Pre-printed / Recycled / Envelope / Label / Cardstock / Thick / Cotton / Colored / Archive / Thicker / Punched / Letterhead	
ADF Document Size	N/A	50-Sheet, Dual Scan Document Feeder (DSDF) A4 / Letter / Oficio / Folio / Legal / JIS B5 / ISO B5 / Executive / Statement / A5
Options	ML-DSK655 Short Stand SL-SCF4000 Second Capacity Feeder / 550 sheets x 1-4 (M4030ND), 550 sheets x 1-3 (M4080FX) SL-MEM001 Memory (2GB) SL-NWEDOIX NFC and Wireless Adapter	
Consumables		
	Initial Toner: 6K Yield Standard Toner: MLT-D201S, 10K Yield High Yield Toner: MLT-D201L, 20K Yield	

Product Support: 1-866-SAM4BIZ 1-800-SAMSUNG

For complete product information and accessories, visit samsung.com/business, samsung.com/us/printersolutions or samsung.com/b2bprinters

SAMSUNG
BUSINESS

Follow Us: youtube.com/samsungbizusa @SamsungBizUSA

Samsung Electronics has been named 2015 ENERGY STAR Partner of the Year in the product manufacturing category by the U.S. Protection Agency (EPA).

ENERGY STAR AWARD 2015
PARTNER OF THE YEAR

©2015 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in the USA on 50% recycled (30% post-consumer waste) paper using soy inks.

PNT-PROXPRESSM4080FXM4030NDBRO-SEP15T

MIX
Paper from responsible sources
FSC® C019076
www.fsc.org