



Tripoli™

North America Specification Guide / Price List – June 2015



This Haworth North American price book contains US list prices.



Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

Table of Contents

Tripoli™ Product Details

Introduction to Tripoli	5-SG
Statement of Line	6-SG
Height Comparison.....	10-SG
Worksurface Details	11-SG
Drawer and Door Options	15-SG
File and Drawer Load Capacities	17-SG
Storage Options	19-SG
Upper Storage Options	21-SG
Tackboards.....	25-SG
Electrical and Wire Management.....	26-SG
Receptions Stations	31-SG

Tripoli Product Application

Worksurface Guidelines.....	34-SG
Vertical Storage Unit Support Guidelines.....	45-SG

Technical Specifications.....	47-SG
-------------------------------	-------

This page intentionally left blank.

Introduction to Tripoli

Tripoli

Tripoli wood casegoods will never go out of style. Beautiful veneers and timeless aesthetics provide an image of permanency. Robust construction ensures that Tripoli wood casegoods will provide exceptional service.



Timeless

The craftsmanship and attention to detail evident throughout the Tripoli line lend an understated, enduring design and sense of stability. This ageless product consists of proven features like a concealed finger pull and beautifully crafted top shapes and edge details.


Established

A Tripoli office suite instills a sense of confidence in its occupant. Its thick, substantial tops and exposed end-panels create a distinct line of furniture that speaks volumes about your organization's culture – and the expectations of your clients.


Simple

Functional adaptability is a signature feature in all of our products, and Tripoli is no exception. The expansive choice of components and dimensions, and multiple layout options for the desk, credenza, and return shells allow for non-handedness and easy re-configuration.


A sampling of the Tripoli product offering




Single Pedestal
Bow Top Desk




Attached
Convergent P-Top




Bridge




Corner
Shell




Credenza with
Pedestals and
Closed Storage




Return




Credenza Shell




Attached
Lateral File



Vertical Storage
Unit with Hinged
Doors





Overhead
Storage Unit with
Hinged Doors





Combination
Unit

Tripoli Statement of Line

Single Pedestal Desks





Rectangular Top Desk





Bow Top Desk

Note Single Pedestal Desks are non-handed, thereby allowing for the location of pedestals to be determined on-site.

Double Pedestal Desks



Rectangular Top Desk




Bow Top Desk


Notes

- Double Pedestal Desks are non-handed, thereby allowing for the location of pedestals to be determined on-site.
- Aesthetic from visitor side of Single Pedestal and Double Pedestal Desks is the same.

Convergents




Attached Convergent D-Top




Attached Convergent P-Top
(left-hand shown)


Credenzas




Credenza with Pedestals




Credenza with Pedestals and Closed Storage



Credenza with Lateral Files




Credenza with Closed Storage




Credenza Shell

Tripoli Statement of Line


Other Tripoli Components




Bridge
(shown with modesty)




Corner Shell
(shown with modesty)



Return
(Left-hand shown with modesty)




Desk Shell
(User Side)




Desk Shell
(Visitor Side)


Attached Storage



Attached Pedestal




Attached Lateral File




Attached Cabinet with Doors

Worksurface Support




End Panel




Mid-Support Panel


Vertical Storage Units (Hinged Doors)




31" and 37"




42", 48", and 54"
(Left-hand shown)




60", 66", and 72"



78", 84", 90", and 96"




Tackboard: Fabric




Tackboard: Fabric and Slat Rail

Note Tackboards available for both Vertical Storage Units and Overhead Storage Units, but are not interchangeable.


Overhead Storage Units (Hinged and Sliding Door)




30", 31", 36", and 37"
(Wood Sliding Door Shown)



42", 48", and 54"
(Hinged Doors Shown)



60", 66", and 72"
(Hinged Doors Shown)






78", 84", 90", and 96"
(Glass Sliding Door Shown)

Note Tackboards available for both Vertical Storage Units and Overhead Storage Units, but are not interchangeable.

Tripoli Statement of Line


Freestanding Storage



Bookcases


- Notes**
- Grey-shaded shelf indicates location of fixed shelf in four- and five-high bookcases.
 - Bookcases have a non-veneered back.

Tables




Tripoli Statement of Line

Reception Stations




L-Shaped Reception Station




U-Shaped Reception Station


Accessories and Task Lighting




Center Drawer




Pencil Tray




Paper Sorter




Binder Bin




Grommet




File Bar




Enhanced Power Module




Adaptable Electronic Ballast Task Light




LIM L



LIM Mounted (Slat Rail)



LIM C




LIM Mounted (under shelf)

- Notes**
- LIM hardware specified separately; see Tripoli Price List for additional information.
 - Not all accessory and lighting options shown.

Height Comparison

The charts below demonstrate the height relationships between Tripoli worksurface items (such as Desks, Returns, and Credenzas), Freestanding Storage Units, and Overhead Storage (Vertical Storage Units and Overhead Storage Units).



- Notes**
- The listed height of all freestanding and modular component furniture items includes the height of levelers at the minimum height position. Freestanding furniture units including Bookcases, Attached Wardrobe Cabinets, Wardrobe Cabinets, Storage Cabinets, Wardrobe/Storage Cabinets and Combination Units have a leveler adjustment range of +1". All other Tripoli products with leveling capability have an adjustment range of +2".
 - Not all Tripoli products shown, however height logic applies to entire product line.

Worksurface Details

Edge Profiles

All Tripoli wood and laminate worksurfaces (such as for Desks, Returns, and Credenzas) have a thickness of 1½" (38mm) with the following edge options available.

Laminate finished worksurfaces are standardized with one available edge profile:


- **Square Edgeband:** 3mm (0.12") thick ABS edgeband. Coped connection edges not applicable.

Wood finished worksurfaces are available with four edge profile options:


- **Square Edge:** 2.5mm (0.1") thick edge. Coped connection edges not applicable.
- **Bevel Edge:** ½" (13mm) solid wood edge profile with coped connection edges.
- **Chamfer Edge:** ½" (13mm) solid wood edge profile. Coped connection edges not applicable.
- **Radius Edge:** ½" (13mm) solid wood edge profile with coped connection edges.

Tip Coped edge detail provides a connection interface to another Tripoli component.


Edge J: Square Edgeband




Edge 1: Square Edge




Edge 2: Bevel Edge



Edge 3: Chamfer Edge



Edge 4: Radius Edge



Note Freestanding Desks with wood worksurfaces have 0.5mm (0.02") veneer side edges. Freestanding Desks with laminate worksurfaces have 1mm (0.04") ABS edgeband side edges.


Edge Profile Locations

The double lines in the illustrations below demonstrate the locations of profiled edges.


Rectangular Top Desk



Corner




Bow Top Desk



Bridge, Return, Credenza, Credenza Top



P-Top Desk



D-Top Desk



Worksurface Details


Coped Edges: Bevel and Radius Only

Non-Freestanding furniture elements such as Bridges, Returns and Convergent Desks are available with optional coped connection edges to match the profiled edge selection (applicable to bevel and radius edge profiles only) of adjacent connecting worksurfaces. Coped worksurfaces are slightly oversized allowing for the profiles to overlap. This ensures a tighter seam where the worksurfaces connect. The following units have coping as an option:

- Attached Convergent D-Top Desk
- Attached Convergent P-Top Desk
- Bridge
- Return


Return: Specified with coped connection edge

- Coped edge on Return is required when connecting to another component with a profiled edge. In this example, the Return connects to a Single Pedestal Desk. It may also connect to a convergent desk supported with end panel.



Bridge: Specified with both connection edges coped

- Coped edges required on both ends of Bridge when connecting to components with profiled edges. In this example, the Bridge is connected between a Single Pedestal Desk and a Credenza Shell.




Coped Edges: Bevel and Radius Only, continued

Attached Convergent P-Top:

Specified with coped connection edge

- Coped edge required on Attached Convergent P-Top or D-Top when connecting to another component with profiled edge in a convergent application. In this example, an Attached Convergent P-Top connects to a Credenza Shell. When supported by an End Panel, it may also be connected to a Return.



Attached Convergent P-Top: Specified with connection edge not coped


- The no cope option is specified when the Attached Convergent P-Top or D-Top has End Panel Support and connects to a Bridge or Return as shown in the example.

Bridge: Specified with left connection edge coped

- Bridge is coped left for connection to the Attached Convergent P-Top with profiled edge and no cope right for connection to the Corner Shell.

Return: Specified with connection edge not coped


- No cope for connection to Corner Shell.




Worksurface Details

Wood Grain Direction


As a standard, veneer is applied vertically on modesties, drawer fronts, end panels, and storage fronts. For worksurfaces, veneer is applied side-to-side in the majority of cases. An exception is the corner shell where veneer is applied at 45°, creating a seamless aesthetic between the two connecting worksurfaces.




Desk with Rectangular Top




Desk with Bow Top




Attached Convergent D-Top




Attached Convergent P-Top




Bridge



Corner Shell




Return




Credenza


Note Wood grain laminate worksurface finishes are applied consistent with wood finishes.



Wardrobe Cabinet



Combination Unit




Bookcase

Note Wood grain direction is consistent across all freestanding storage units.

Drawer and Door Options


Pull Styles

Tripoli offers routed or concealed finger pull styles depending on storage type. Drawer fronts feature routed finger pulls while the doors on wardrobes, combination units and storage cabinets feature a non-magnetic touch latch. Vertical Storage Units and wall-mounted Overhead Storage Units feature a non-routed finger pull along the bottom of the door front.




Vertical Finger Pull

- Concealed design. Pedestal finger pulls are vertically routed into an MDF core (sealed in black finish) on the back face of drawer fronts.
- Side accessibility may be impeded by adjacent storage or end panels. Pedestal filler strip is used to separate side-by-side storage units with vertical finger pulls.



Horizontal Finger Pull

- Solid lumber, routed along the entire width of the drawer.
- Located between lateral file drawers.



Touch Latch Doors

- Non-routed design, concealed behind cabinet doors.
- Non-magnetic hardware in Black finish.

Drawer Options

Drawer Options

Tripoli Pedestals and Lateral File storage feature a choice of drawer body construction — either Black Miterfold or Wood. Each drawer material type is equal in high performance features, dimension, capacity, and closure feel (sound/weight). The drawer construction is specified for all drawer bodies in a furniture item. For example, in the case of a Double Pedestal Desk, all drawers will be either a black miterfold or wood construction.

File Features

Pedestal box drawers feature a removable divider (one per drawer) and one shared pencil tray. File drawers (Pedestal and Lateral File) feature an integrated filing frame and include adjustable file-bar(s) for additional filing configurations as noted. The integrated filing frame allows each file drawer to support front-to-back or side-to-side filing options (including Redweld support).

Black Miterfold

Thermal fused laminate on ½" (13mm) thick particle board. Miterfold construction with dado-set bottom (Black)


Box Drawer Features

- Accommodates Pencil Tray (Black, Polystyrene)
 - one included per Pedestal
- Drawer Divider (Black, Polystyrene)
 - one included per box drawer

File Drawer Features

- Integrated File Frame: all four sides
- Letter Width: File Bar included only for 29" deep pedestals.
- Legal Width: Legal width file bar included.

Note Only 29" deep pedestals and lateral files include adjustable file bars.



Wood Drawer


½" (13mm) thick Baltic-Birch ply in English Dovetail joinery with dado-set bottom (Clear finished)

Box Drawer Features

- Accommodates Pencil Tray (Black, Polystyrene)
 - one included per Pedestal
- Drawer Divider (Black, Polystyrene)
 - one included per box drawer

File Drawer Features


- Integrated File Frame: all four sides
- Letter Width: File Bar included only for 29" deep pedestals
- Legal Width: Legal width file bar included




File and Drawer Load Capacity

Drawer Option and File Features

Letter Width Pedestal Drawers: 16³/₁₆" (411mm) Depth




15³/₁₆" (385mm) Front-To-Back
Letter Filing




12" (305mm) Side-To-Side
Legal Filing


Legal Width Pedestal Drawers: 16¹/₄" (413mm) Depth




15³/₁₆" (385mm)
Front-To-Back
Legal Filing



15³/₁₆" (385mm)
Side-To-Side
Legal Filing




- 15³/₁₆" (385mm) Front-To-Back
Letter Filing
- 3¹/₈" (80mm) Side-To-Side
Legal Filing




- 15³/₁₆" (385mm) Side-To-Side
Letter Filing
- 3¹/₈" (80mm) Front-To-Back
Legal Filing


Letter Width Pedestal Drawers: 22" (559mm) Depth



21" (533mm) Front-To-Back
Letter Filing



15³/₁₆" (385mm) Side-To-Side
Legal Filing



- 15³/₁₆" (385mm) Side-To-Side
Legal Filing
- 6" (152mm) Front-To-Back
Letter Filing

Pedestal Drawer Load Capacities


	DRAWER HEIGHT	DRAWER DEPTH	DRAWER WIDTH	DRAWER BOTTOM LOAD	SLIDE LOAD
LETTER WIDTH					
16 ¹ / ₄ " Deep Box Drawer	5.08" (129mm)	15.24" (385mm)	12" (305mm)	16 lbs. (7.3kg)	100 lbs. (45.4kg)
16 ¹ / ₄ " Deep File Drawer	10.41" (264mm)	15.24" (385mm)	12" (305mm)	32 lbs. (14.5kg)	100 lbs. (45.4kg)
22" Deep Box Drawer	5.08" (129mm)	21" (533mm)	12" (305mm)	22 lbs. (9.9kg)	100 lbs. (45.4kg)
22" Deep File Drawer	10.41" (264mm)	21" (533mm)	12" (305mm)	45 lbs. (20.4kg)	100 lbs. (45.4kg)
LEGAL WIDTH					
16 ¹ / ₄ " Deep Box Drawer	5.08" (129mm)	15.24" (385mm)	15.24" (385mm)	20 lbs. (9.1kg)	100 lbs. (45.4kg)
16 ¹ / ₄ " Deep File Drawer	10.41" (264mm)	15.24" (385mm)	15.24" (385mm)	41 lbs. (18.6kg)	100 lbs. (45.4kg)

Note Drawer load ratings are based on BIFMA load requirement of 0.017 lbs per cubic inch of drawer volume.


File and Drawer Load Capacity

Drawer Option and File Features


30" (762mm) Wide Lateral File



15 3/8" (385mm) Front-To-Back Letter Filing




25 7/8" (655mm) Side-To-Side Legal Filing




- 13 7/8" (351mm) Side-To-Side Legal Filing
- 15 3/8" (385mm) Front-To-Back Letter Filing


36" (914mm) Wide Lateral File



15 3/8" (385mm) Front-To-Back Legal Filing



31 7/8" (808mm) Side-To-Side Legal Filing



- 19 7/8" (503mm) Side-To-Side Legal Filing
- 15 3/8" (385mm) Front-To-Back Letter Filing

Note To accommodate side-to-side letter filing in lateral files, a file bar may be separately specified.

Lateral File Drawer Load Capacities

	DRAWER HEIGHT	DRAWER DEPTH	DRAWER WIDTH	DRAWER BOTTOM LOAD	SLIDE LOAD
30" WIDE LATERAL FILE					
	10.57" (268mm)	15.24" (385mm)	25.8" (655mm)	71 lbs. (32.2kg)	200 lbs. (90.7kg)
36" WIDE LATERAL FILE					
	10.57" (268mm)	15.24" (385mm)	31.8 (808mm)	87 lbs. (39.5kg)	200 lbs. (90.7kg)

- Notes**
- Drawer load ratings are based on BIFMA load requirement of 0.017 lbs per cubic inch of drawer volume.
 - 36" (914mm) Lateral Files are reinforced for increased strength.

Storage Options

Attached Storage Options

Tripoli contains three attached storage options used for assembling Returns and Credenzas with storage capability.


- Pedestals: letter-width and legal-width
- Lateral Files: 30" (762mm) and 36" (914mm) wide
- Two-High Storage Cabinet with Doors: 30" (762mm) and 36" (914mm) wide

Pedestals

- Available in either 15½" (394mm) letter-width or 18¾" (476mm) legal-width with File/File or Box/Box/File drawer configuration.
- Levelers have an adjustment capability of 2" (51mm)


Pedestal Dimensions

	PEDESTAL DEPTH	WORKSURFACE DEPTH
Letter Width	21" (533mm)	22" (559mm)
	23" (584mm)	30" (762mm)
	29" (737mm)	36" (914mm)
Legal Width	21" (533mm)	22" (559mm)
	23" (584mm)	30" (762mm)




- Notes**
- Overall nominal height of 28" (711mm) includes levelers adjusted all the way in.
 - One lock standard per Pedestal.


Pedestal Details



Box/Box/File Pedestal



File/File Pedestal




Storage Options

Lateral Files


- Available in either 30" (762mm) width or 36" (914mm) width with File/File configuration only.
- Available in one depth: 21" (533mm) for use beneath a 22" (559mm) deep Credenza Shell or Return.
- Levelers have an adjustment capability of 2" (51mm)

Lateral File Dimensions


	LATERAL FILE DEPTH	WORKSURFACE DEPTH
30" (762mm) Wide	21" (533mm)	22" (559mm)
36" (914mm) Wide	21" (533mm)	22" (559mm)



Lateral File Details



Open Back with Metal Brackets



Non-Veneer Finish

- Notes**
- Overall nominal height of 28" (711mm) includes levelers adjusted all the way in.
 - One lock standard per Lateral File.
 - Lock engages both sides of each lateral file drawer for higher level of security.


Attached Storage Cabinet with Doors

Two-high cabinets provide shelf storage for the Tripoli workstation.


- Available in either 30" (762mm) or 36" (914mm) width.
- Available in one depth: 21" (533mm) for use beneath a 22" (559mm) deep Credenza Shell or Return.
- Levelers have an adjustment capability of 2" (51mm).

Two-High Cabinet Dimensions


	CABINET DEPTH	WORKSURFACE DEPTH
30" (762mm) Wide	21" (533mm)	22" (559mm)
36" (914mm) Wide	21" (533mm)	22" (559mm)



Cabinet Details



Adjustable Shelf
(allows for wire clearance at back of shelf)



Non-Veneer Finish

Wireway Scallop

Non-Veneer Finish

- Notes**
- Overall nominal height of 28" includes levelers adjusted all the way in.
 - Lock on Cabinet with Doors is optional.

Upper Storage Options

Tripoli features two types of overhead storage — Vertical Storage Units and Overhead Storage Units, both available in one-high configurations with choice of letter-depth or legal-depth. Separately specified Fabric Tackboards or Fabric Tackboards with Slat Rail complete the functionality of Vertical Storage Units and Overhead Storage Units.

Vertical Storage and Overhead Storage Unit Handing

42" (1067mm) wide to 54" (1372mm) wide Vertical Storage and Overhead Storage Units have three doors and are handed. Handing is determined by the location of the single door. As shown below, when the overhead is specified with a left-hand single door swing orientation, the single door is located to the left, and to the right when specified with a right-hand single door swing orientation.




Vertical Storage Units: One-High, with Doors


- Vertical Storage Unit end panels are supported on lower Tripoli furniture components.
- The number of sections and doors per Vertical Storage Unit varies depending on the width selected (refer to charts on following page).
- Locks are optional on Vertical Storage Units.
- A wireway is located in the bottom center of the back panel.
- 17¾" (451mm) clearance between top of worksurface and bottom of cabinet doors.
- Top of Vertical Storage Unit aligns with 64" (1626mm) high storage.

- Tips**
- It is recommended that tackboards be specified for all Vertical Storage Units.
 - Because back of Vertical Storage Units have a non-veneer finished back, they are not designed for use in applications where back is visible.

- Notes**
- Designed primarily to be stacked on Credenzas or other storage units of equal width, although some exceptions do exist. See Vertical Storage Unit Support Guidelines for additional information.
 - Task light cord is routed behind separately specified Tackboard and through Wireway Scallop.



42" – 54" wide Vertical Storage Units have three doors and are handed (specified left or right). See Vertical Storage and Overhead Storage Unit Handing for more information.



Upper Storage Options


Vertical Storage Unit Dimensions and Capacities

	OVERALL HEIGHT	INTERIOR HEIGHT	EXTERIOR DEPTH: LETTER	EXTERIOR DEPTH: LEGAL	INTERIOR DEPTH: LETTER	INTERIOR DEPTH: LEGAL
Closed One-High	34½" (876mm)	13" (330mm)	14⅞" (378mm)	17⅞" (441mm)	13¼" (336mm)	15¾" (400mm)

VSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
31" (787mm)	1 Section/2 Doors	28⅝" (727mm)		
37" (940mm)	1 Section/2 Doors	34⅝" (879mm)		
42" (1067mm)	2 Sections/3 Doors	12⅞" (327mm)	26⅞" (662mm)	
48" (1219mm)	2 Sections/3 Doors	14⅞" (378mm)	30⅞" (764mm)	
54" (1372mm)	2 Sections/3 Doors	16⅞" (429mm)	34⅞" (865mm)	
60" (1524mm)	2 Sections/4 Doors	28½" (723mm)	28½" (723mm)	
66" (1676mm)	2 Sections/4 Doors	31½" (799mm)	31½" (799mm)	
72" (1829mm)	2 Sections/4 Doors	34½" (876mm)	34½" (876mm)	
78" (1981mm)	3 Sections/6 Doors	24⅞" (632mm)	24½" (621mm)	24⅞" (632mm)
84" (2134mm)	3 Sections/6 Doors	26⅞" (683mm)	26½" (690mm)	26⅞" (683mm)
90" (2286mm)	3 Sections/6 Doors	28⅞" (734mm)	28½" (723mm)	28⅞" (734mm)
96" (2438mm)	3 Sections/6 Doors	30⅞" (784mm)	30½" (774mm)	30⅞" (784mm)

Overhead Storage Units: One-High, with Hinged Doors or Sliding Door

- Overhead Storage Units are wall mounted.
- The number of sections and doors per Overhead Storage Unit varies depending on width selected (refer to chart on following pages).
- Locks are optional on Overhead Storage Units.
- Mounted on wall at height to align with 64"-high furniture components.
- Anti-dislodging rail attaches to the wall and pilot holes locate screws for ensuring connection to wall.



Overhead Storage Unit is suspended on the wall with the use of an included French cleat and secured via an anti-dislodging rail. Wall fasteners are site-specific and not included with overhead.


Tip Overhead Storage Units may be mounted to the wall at heights other than 64" (1626mm) if necessitated by design requirements.

Notes


- Anti-dislodging Rail is removed from the cabinet and secured to wall studs.
- Screws are attached through the cabinet back to secure to Anti-dislodging Rail after hanging to wall.

Upper Storage Options

Overhead Storage Units with Hinged Doors




42" – 54" wide Vertical Storage Units have three doors and are handed (specified left or right). See Vertical Storage and Overhead Storage Unit Handing for more information.





Overhead Storage Units with Sliding Door

Overhead Storage Units with Wood or Glass Sliding Door provide an additional overhead storage option to Tripoli. Depending on specified width, an Overhead Storage Unit will have either two or three equal width sections (created with intermediate center supports). The sliding door width is equal to the width of one section, and may slide to any position required over the length of the entire overhead. The remaining section(s) provide for an open storage aesthetic.


Overhead Storage Unit with Wood Sliding Door




Overhead Storage Unit with Glass Sliding Door




30" and 36" Widths
(Wood Sliding Door shown)



42", 48" and 54" Widths
(Glass Sliding Door shown)



60", 66", and 72" Widths
(Wood Sliding Door shown)



78", 84", 90", and 96" Widths
(Glass Sliding Door shown)

Tips

- Lock not available on Overhead Storage Units with Sliding Door.
- Tackboards are separately specified.
- Accommodates separately specified lighting accessories.
- Letter or legal depth options available.

Notes

- As a standard, glass sliding doors are available only in a white back-painted finish to ensure that shelf and valence are concealed from view. If another glass is selected as a special, these components may be visible.
- Includes internally mounted top and bottom sliding door track with bumpers at each end.

Upper Storage Options

Overhead Storage Unit Dimensions and Capacities

	OVERALL HEIGHT	INTERIOR HEIGHT	EXTERIOR DEPTH: LETTER	EXTERIOR DEPTH: LEGAL	INTERIOR DEPTH: LETTER	INTERIOR DEPTH: LEGAL
One-High	17" (432mm)	13" (330mm)	14 $\frac{7}{8}$ " (378mm)	17 $\frac{3}{8}$ " (441mm)	13 $\frac{1}{4}$ " (336mm)	15 $\frac{3}{4}$ " (400mm)

Interior Widths: Overhead Storage Unit with Hinged Doors

OSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	1 Section/2 Doors	28 $\frac{1}{2}$ " (723mm)		
31" (787mm)	1 Section/2 Doors	29 $\frac{1}{2}$ " (748mm)		
36" (914mm)	1 Section/2 Doors	34 $\frac{1}{2}$ " (875mm)		
37" (940mm)	1 Section/2 Doors	34 $\frac{1}{2}$ " (901mm)		
42" (1067mm)	2 Sections/3 Doors	12 $\frac{7}{8}$ " (327mm)	26 $\frac{7}{8}$ " (682mm)	
48" (1219mm)	2 Sections/3 Doors	14 $\frac{7}{8}$ " (378mm)	30 $\frac{7}{8}$ " (784mm)	
54" (1372mm)	2 Sections/3 Doors	16 $\frac{7}{8}$ " (429mm)	34 $\frac{7}{8}$ " (885mm)	
60" (1524mm)	2 Sections/4 Doors	28 $\frac{7}{8}$ " (733mm)	28 $\frac{7}{8}$ " (733mm)	
66" (1676mm)	2 Sections/4 Doors	31 $\frac{7}{8}$ " (809mm)	31 $\frac{7}{8}$ " (809mm)	
72" (1829mm)	2 Sections/4 Doors	34 $\frac{7}{8}$ " (886mm)	34 $\frac{7}{8}$ " (886mm)	
78" (1981mm)	3 Sections/6 Doors	24 $\frac{7}{8}$ " (632mm)	25 $\frac{1}{4}$ " (641mm)	24 $\frac{7}{8}$ " (632mm)
84" (2134mm)	3 Sections/6 Doors	26 $\frac{7}{8}$ " (683mm)	27 $\frac{1}{4}$ " (692mm)	26 $\frac{7}{8}$ " (683mm)
90" (2286mm)	3 Sections/6 Doors	28 $\frac{7}{8}$ " (734mm)	29 $\frac{1}{4}$ " (743mm)	28 $\frac{7}{8}$ " (734mm)
96" (2438mm)	3 Sections/6 Doors	30 $\frac{7}{8}$ " (784mm)	31 $\frac{1}{4}$ " (794mm)	30 $\frac{7}{8}$ " (784mm)

Interior Widths: Overhead Storage Unit with Sliding Doors

OSU WIDTH	# OF SECTION/DOORS	SECTION ONE WIDTH	SECTION TWO WIDTH	SECTION THREE WIDTH
30" (762mm)	2 Sections/1 Door	13 $\frac{1}{2}$ " (343mm)	13 $\frac{1}{2}$ " (343mm)	
36" (914mm)	2 Sections/1 Door	16 $\frac{1}{2}$ " (419mm)	16 $\frac{1}{2}$ " (419mm)	
42" (1067mm)	2 Sections/1 Door	19 $\frac{7}{8}$ " (505mm)	19 $\frac{7}{8}$ " (505mm)	
48" (1219mm)	2 Sections/1 Door	22 $\frac{7}{8}$ " (581mm)	22 $\frac{7}{8}$ " (581mm)	
54" (1372mm)	2 Sections/1 Door	25 $\frac{7}{8}$ " (657mm)	25 $\frac{7}{8}$ " (657mm)	
60" (1524mm)	2 Sections/1 Door	28 $\frac{7}{8}$ " (733mm)	28 $\frac{7}{8}$ " (733mm)	
66" (1676mm)	2 Sections/1 Door	31 $\frac{7}{8}$ " (809mm)	31 $\frac{7}{8}$ " (809mm)	
72" (1829mm)	2 Sections/1 Door	34 $\frac{7}{8}$ " (886mm)	34 $\frac{7}{8}$ " (886mm)	
78" (1981mm)	3 Sections/1 Door	24 $\frac{7}{8}$ " (632mm)	25 $\frac{1}{4}$ " (641mm)	24 $\frac{7}{8}$ " (632mm)
84" (2134mm)	3 Sections/1 Door	26 $\frac{7}{8}$ " (683mm)	27 $\frac{1}{4}$ " (692mm)	26 $\frac{7}{8}$ " (683mm)
90" (2286mm)	3 Sections/1 Door	28 $\frac{7}{8}$ " (734mm)	29 $\frac{1}{4}$ " (743mm)	28 $\frac{7}{8}$ " (734mm)
96" (2438mm)	3 Sections/1 Door	30 $\frac{7}{8}$ " (784mm)	31 $\frac{1}{4}$ " (794mm)	30 $\frac{7}{8}$ " (784mm)


Tackboards

Tackboards are $\frac{7}{8}$ " (22mm) thick and designed to attach to the back panel of an equal width Vertical Storage Unit or to the wall beneath an equal width Overhead Storage Unit. Tripoli offers Tackboards in two variations:


- Fabric Tackboard
- Fabric and Slat Rail Tackboard

Tackboards for Vertical Storage Units

Fabric Tackboards




Fabric and Slat Rail Tackboards




Note When task light is specified, the cord is routed behind tackboard and fed through a 1" (25mm) gap between the top of the tackboard and bottom of cabinet.

Tackboards for Overhead Storage Units

Fabric Tackboards



Fabric and Slat Rail Tackboards




Tips

- Tackboard selection is dependent on functional and aesthetic requirements of the workstation. The Slat Rail portion is 8" (203mm) high and accommodates a number of separately specified Jump Stuff accessories.
- Tackboards wider than 60" (1524mm) are constructed of two equal width segments. In the case of Tackboards with Slat Rail, the slat portion is a single segment for all widths.
- The Slat Rail portion is 8" (203mm) high in all cases, whether for Vertical or Overhead Storage Units.
- Tackboards for Vertical Storage Units are not interchangeable with Tackboards for Overhead Storage Units.

Electrical and Wire Management


Numerous items in the Tripoli product line offer wire management functionality. Depending on the unit, wire management can take the form of Scallops, Half-Scallops, Grommets, or in the case of attached lower storage such as Pedestals and Lateral Files, an integrated Horizontal Wireway.

Single- and Double-Pedestal Desks, Desk Shells




Single-Pedestal and Double Pedestal Desks, as well as Desk Shells have a Wireway Scallop in the top center of the modesty panel.

Returns




Specification of a Grommet on a Return includes a non-veneered Wireway Scallop with black finish. Also, the optional 3/4-height modesty allows for greater access to wire management.

Credenzas and Credenza Shells




Specification of a Grommet on a Credenza or Credenza Shell includes a non-veneered Wireway Scallop with black finish.

Corner Shell




A Corner Shell has a Half Scallop located on the L-Panel closest to location of Grommet, allowing for easier wire management through the Grommet. The other two L-Panels also contain Half Scallops.

Bridges



Specification of a Grommet on a Bridge includes a non-veneered wireway scallop with black finish (full-height and 3/4-height modesty only). Specification of a 3/4-height modesty allows for greater access to wire management.

Vertical Storage Units



All Vertical Storage Units come standard with Wireway Scallops located at the bottom center of the back panel. Task Light cord feeds down behind Tackboard and through Wireway Scallop.

- Tips**
- A Bridge may also be specified with no modesty.
 - Wireway scallop is not applicable in this case.

Note Tackboard not shown for illustration purposes.


Electrical and Wire Management

Grommets

Grommets allow users to route power, data and communication cables through the worksurface top for access to power outlets. Standard Grommets are 2" (51mm) in diameter and are available as an option on numerous Tripoli products. Grommet locations are determined by unit type.

Grommets are available as an option on the following items:

- Bridge
- Credenza (preconfigured)
- Credenza Shell
- Return
- Freestanding Two-High Storage Cabinet with Doors
- Utility Cart



Available in black or satin nickel finish


Tips

- Where grommets are a product option, they are available only in black. When ordered separately for field installation, grommets are available in black or satin nickel finish.
- Grommets may be specified separately for non-standard grommet locations as well as for Tripoli products (with worksurfaces) that do not have a grommet as a specifiable option (e.g. Single or Double Pedestal Desk).

Grommet Locations


Bridge

Grommet is centered on Bridge and positioned 3" (76mm) from the back edge of the top.




Returns

Grommet is located 3" (76mm) from the connection edge and 3" (76mm) from the back edge of the top.




Corner Shell

Grommet is located at the back corner of the Corner Shell and is positioned 3" (76mm) from both back edges.



Credenzas

For all pre-configured Credenzas, the Grommet is centered and positioned 3" (76mm) from the back edge of the top.



Notes


- If the Grommet option is selected, the modesty/back panel of a Bridge, Return, or Credenza receives a wireway.
- If Grommet is required in a non-standard location, it must be field installed.

Electrical and Wire Management

Grommet Locations, continued


L-Shaped Reception Station

Comes standard with one grommet, positioned 3" (76mm) from the connection edge and 3" (76mm) from the back edge of Return.




U-Shaped Reception Station

Comes standard with two grommets. The first is centered on the Bridge 3" (76mm) from the back edge. The second is centered on the Credenza 3" (76mm) from the back edge.




In addition to optional grommets, freestanding Two-High Storage Cabinets with Doors and Utility Carts are available with a 1½" High Horizontal Wireway on the back.

Two-High Storage Cabinet With Doors



Utility Cart



Electrical and Wire Management



Enhanced Power Module

An Enhanced Power Module provides additional electrical functionality to a Tripoli workstation. It provides three 15A outlets and a modular furniture telecommunications outlet opening in a housing that can be clamped to a worksurface in the following locations:


- Above a Worksurface
- Above a Worksurface in Conjunction with Tackboard
- Below a Worksurface
- To Storage Unit

Above a Worksurface


- Enhanced Power Module may be attached to a worksurface with a depth between 1½" (38mm) – 2" (51mm).




Above a Worksurface in Conjunction with Tackboard



Below a Worksurface



To Storage Unit




Tips

- Power cord plugs into a building receptacle outlet.
- Hardwired applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Enhanced Power Modules cannot be linked (daisy chained) together.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.

Electrical and Wire Management

Shown below are the numerous wire management options available for a Tripoli workstation. Use of $\frac{3}{4}$ -Height Modesty Panels where applicable allows for easy access to power and data should wire management requirements change.



When planning workstation layout, ensure that all electrical and data outlets are accessible

Notes

- Red cords indicate electrical and grey cords indicate data.
- Horizontal Wire Manager mounts beneath worksurface to seamlessly route cords throughout the workstation.
- Not all wire management options shown in application.

Reception Stations


Reception Station Configurations

Tripoli offers two pre-configured reception station configurations:

- L-Shaped Reception Station
- U-Shaped Reception Station

L-Shaped Reception Stations Include:

- Transaction Shelf
- One Box/Box/File Letter-width Pedestal
- One File/File Letter-width Pedestal




L-Shaped Size Configurations

	HEIGHT	DEPTH	WIDTH
L-SHAPED CONFIGURATION 1			
Enclosure	44½" (1130mm)	74¼" (1886mm)	74¼" (1886mm)
Desk	29½" (749mm)	29⅞" (740mm)	72" (1829mm)
Return	29½" (749mm)	21⅞" (537mm)	48" (1219mm)
L-SHAPED CONFIGURATION 2			
Enclosure	44½" (1130mm)	82⅜" (1886mm)	86¼" (2191mm)
Desk	29½" (749mm)	29⅞" (740mm)	84" (2134mm)
Return	29½" (749mm)	21⅞" (537mm)	48" (1219mm)

U-Shaped Reception Stations Include:

- Transaction Shelf
- One Box/Box/File Letter-width Pedestal
- One File/File Letter-width Pedestal



U-Shaped Size Configuration

	HEIGHT	DEPTH	WIDTH
U-SHAPED CONFIGURATION			
Enclosure	44½" (1130mm)	103½" (2096mm)	74¼" (1886mm)
Desk	29½" (749mm)	29⅞" (740mm)	72" (1829mm)
Bridge	29½" (749mm)	21⅞" (537mm)	48" (1219mm)
Credenza	29½" (749mm)	21⅞" (537mm)	72" (1829mm)



- All standard Tripoli edge options and storage constructions (wood or black miterfold) may be specified for Reception Stations.
- Both L-Shaped and U-Shaped Reception Stations are available in left-hand or right-hand configurations.
- The handing of an L-shaped Reception Station is determined by the orientation of the return when seated at the main worksurface.
- The handing of a U-shaped Reception Station is determined by the orientation of the bridge when seated at the main worksurface.
- Tackboards, if required must be specified separately.

This page intentionally left blank.

Tripoli Product Application

Worksurface Guidelines

Specifying Desks with Pedestals

Tripoli offers a number of preconfigured single- and double-pedestal desking options.


- Single Pedestal Desk: Rectangular Top with Box/Box File Pedestal
- Single Pedestal Desk: Bow Top with Box/Box/File Pedestal
- Double Pedestal Desk: Rectangular Top with Box/Box/File Pedestal & File/File Pedestal
- Double Pedestal Desk: Bow top with Box/Box/File Pedestal & File/File Pedestal
- Double Pedestal Desk: Rectangular Top with two Box/Box/File Pedestals
- Double Pedestal Desk: Bow Top with two Box/Box/File Pedestals

Tips

- Tripoli desks are NOT handed, allowing for pedestal location to be determined on-site.
- As a standard, preconfigured single and double pedestal desks come with letter-width box/box/file pedestals.


Single Pedestal Desk (Rectangular Top Shown)

Pedestal positioned on left side of desk




OR

Pedestal positioned on right side of desk




Double Pedestal Desk (Rectangular Top Shown)

Two Box/Box/File Pedestals




Box/Box/File Pedestal (Left),
File/File Pedestal (Right)



OR


File/File Pedestal (Left),
Box/Box/File Pedestal (Right)



If a required desk configuration is not available in the preconfigured selections, Tripoli offers the ability to construct additional desks with the use of desk shells and separately specified attached storage units.


Desk Shell with One Attached Storage Unit

30" or 36" Depth/ 60", 66", 72", 78", and 84" Width



Desk Shell with Two Attached Storage Units


30" or 36" Depth/ 60", 66", 72", 78", and 84" Width




Worksurface Guidelines

Desk Shell Examples



Desk Shell With One Legal Width File/File Pedestal



Desk Shell With One Legal Width Box/Box/File Pedestal



Desk Shell with Legal Width Box/Box/File Pedestal and File/File Pedestal





Tip

When selecting attached storage, ensure that there is a minimum 30" (762mm) of kneespace to allow for appropriate seating space.


When selecting attached storage for a desk shell, be sure to consider the following:

- 23" (584mm) deep attached storage units for use beneath 30" (762mm) deep Desk Shells.
- 29" (737mm) deep attached storage units for use beneath 36" (914mm) deep Desk Shells.



Tip

21" (533mm) deep storage units will leave a gap between the back of the unit and the desk modesty panel.



Attached Lateral Files and Cabinets have a maximum depth of 21" (533mm), thus leaving a gap in all cases between Desk Shell Modesty and back of Lateral File. Use of a shallow Pedestal (e.g. 23" deep Pedestal beneath a 36" deep Desk Shell) will also leave a gap.


Worksurface Guidelines

Specifying Returns

For Tripoli casegoods, a Return is composed of a top, end panel support and either a $\frac{3}{4}$ -height or full-height Modesty Panel. Storage is specified separately. Any of the 21" (533mm) deep attached storage options (Pedestal, Lateral File, Storage Cabinet) may be used with a Return. In applications where additional storage is not required, the Return may be used on its own without any separately specified storage options.

Return (right-hand shown)

22" Depth/ 36", 42", 48", 54", 60", 66", 72", and 78" Width




- Tip**
- Returns are handed. Handing is determined by the location of the end panel support.
 - When unsupported span is greater than 60" (1524mm), a mid support panel is required.

Note Returns are designed to be used in conjunction with Single Pedestal Desks, Desk Shells, Corner Shells, and Credenza Shells to create L-Shaped and U-Shaped workstations.

Filler Strips



A separately specified 2" (51mm) wide filler strip must be used between two Pedestals (file/file or box/box/file) placed next to each other in a Return or Credenza application to allow for access to the vertical routed finger pull on the Pedestal closest to the end support panel.

Return with File/File and Box/Box/File Pedestals



OR

Credenza with File/File and Box/Box/File Pedestals



- Tip** Filler strip not required between other attached storage types placed side-to-side.

- Tip** When selecting attached storage, ensure that there is a minimum 30" (762mm) of kneespace to allow for appropriate seating space.

Worksurface Guidelines

Specifying Credenzas


Tripoli offers a number of preconfigured symmetrical and full-storage Credenza options.

- Credenza with Pedestals: Letter or Legal Width File/File Pedestals
- Credenza with Pedestals and Closed Storage: Letter or Legal Width File/File Pedestals, closed storage portion variable width depending on credenza width.
- Credenza with Lateral Files: 30" Wide Lateral Files
- Credenza with Closed Storage: Closed Storage size variable depending specified Credenza width.

Note Asymmetrical Kneespace Credenzas are used in creating L-Shaped and U-Shaped workstations and must be constructed using Credenza Shells and separately specified attached storage.


Credenza with Pedestals

22" Depth/ 66", 72", and 78" Width




Credenza with Lateral Files

22" Depth/ 66" and 72" Width




Credenza with Letter Width Pedestals and Closed Storage

22" Depth/ 66", 72", and 78" Width




Credenza with Legal Width Pedestals and Closed Storage

22" Depth/ 66", 72", and 78" Width



Credenza with Closed Storage

22" Depth/ 66", 72", and 78" Width



CREDENZA WIDTH	CLOSED STORAGE WIDTH
66" (1676mm)	32 $\frac{3}{8}$ " (1829mm)
72" (1829mm)	38 $\frac{3}{8}$ " (974mm)
78" (1981mm)	44 $\frac{3}{8}$ " (1127mm)

CREDENZA WIDTH	CLOSED STORAGE WIDTH
72" (1829mm)	31 $\frac{1}{8}$ " (810mm)
78" (1981mm)	37 $\frac{1}{8}$ " (962mm)

CREDENZA WIDTH	CLOSED STORAGE WIDTH
66" (1676mm)	31 $\frac{3}{4}$ " (807mm)
72" (1829mm)	34 $\frac{3}{4}$ " (883mm)
78" (1981mm)	37 $\frac{3}{4}$ " (959mm)

- Note**
- Credenza with Lateral Files has a filler strip between the two 30" (762mm) wide Lateral Files. The filler strip width is variable and dependent on the specified width of the Credenza.
 - For Credenzas with closed storage, the closed storage portion is variable and dependent on the specified width of the Credenza.

Worksurface Guidelines

Specifying Credenzas, continued


Preconfigured Asymmetrical Kneespace Credenzas are not available and must be constructed using a Credenza Shell and separately specified 21" (533mm) deep attached storage options (Pedestals, Lateral Files and Storage Cabinets).




Only Kneespace Credenzas may be constructed from the combination of Credenza Shells and attached storage options. If full-storage Credenzas are required in the application, one of the preconfigured options must be selected.

Credenza Shell


22" Depth/ 48", 54", 60", 66", 72", 78", 84", 90", and 96" Widths



Constructing an Asymmetrical Kneespace Credenza



Constructing a Symmetrical Kneespace Credenza




Kneespace Credenzas may be used in a freestanding application or in conjunction with Attached Convergent D-Top or P-Top for a workwall type of application. See Tripoli Desk Applications for additional information.

Credenzas with Seating Applications

A minimum of 30" (762mm) of kneespace is recommended when the credenza is intended for seated applications. Kneespace can be determined by using the following formula:

$$\text{Credenza Shell Width} - \text{Sum of Storage Widths} - \text{End Panel Support Thickness} \times (1\frac{1}{8})$$




Worksurface Guidelines

Mid-Support Panel

A Mid-Support Panel is required in all applications utilizing Returns and Credenza Shells where there is an unsupported span or kneespace greater than 60" (1524mm) in order to correctly support the structure. Mid-Support Panels are available in two widths:

1. 10 $\frac{1}{8}$ " (257mm): for use beneath 22" (559mm) deep worksurfaces
2. 14" (356mm): for use beneath 30" (762mm) deep worksurfaces or greater.


Return with Unsupported Span > 60"



Calculate Unsupported Span (Kneespace):

Return Width – End Panel Thickness (1 $\frac{1}{8}$ ") – Attached Storage Width


Symmetrical Kneespace Credenza with Unsupported Span > 60"



Calculate Unsupported Span (Kneespace):

Credenza Shell Width – End Panel Thickness (1 $\frac{1}{8}$ ") x 2 – Attached Storage Width 1 – Attached Storage Width 2

Asymmetrical Kneespace Credenza with Unsupported Span > 60"



Calculate Unsupported Span (Kneespace):

Credenza Shell Width – End Panel Thickness (1 $\frac{1}{8}$ ") x 2 – Attached Storage Width

Tip

A Mid-Support Panel may provide support for a Vertical Storage Unit which ends mid-way through a worksurface. See Vertical Storage Unit Support Guidelines for additional information.


Worksurface Guidelines

Desk Applications

Tripoli offers a wide variety of desking options that function and/or make connections to other furniture components in the following ways depending on workspace requirements.

1. **Freestanding:** Stand-alone applications where desk is not connected to any other furniture components; Single Pedestal Desks, Double Pedestal Desks, Desk Shells.
2. **L-Shaped Workstation:** Single Pedestal Desk, Desk Shell, P-Top or D-Top Convergent connects to a Return creating an L-Shaped configuration.
3. **U-Shaped Workstation:** Single Pedestal Desk, Desk Shell, P-Top or D-Top Convergent is used in conjunction with a Bridge and a Credenza creating a U-Shaped configuration. Corner Shells may also be used in conjunction with a Desk, Bridge and a Return (with attached storage) for a U-Shaped configuration.
4. **Workwall:** Attached Convergent D-Top or P-Top Desk is attached to a Credenza with kneespace for a Workwall application.

Freestanding Workstation Configurations



Tips

- Double Pedestal Desks may **ONLY** be used in freestanding applications.
- Freestanding credenzas may be either one of the preconfigured credenza options or a credenza shell with separately specified attached storage options.

Worksurface Guidelines


L-Shaped Workstation Configurations

L-Shaped Tripoli workstations are created with the use of a primary Desk or Attached Convergent and a connecting Return with appropriate attached storage option (where applicable). Returns may be specified with a full-height modesty or a $\frac{3}{4}$ -height modesty.

Single Pedestal Desk or Desk Shell with Return

The following is specified to create this L-Shaped workstation with Single Pedestal Desk:


- Single Pedestal Bow Top Desk
- Return (right-hand shown)
- Attached Lateral File



Attached Convergent with End Panel and Return

The following is specified to create this L-Shaped workstation with Attached Convergent D-Top:

- Attached Convergent D-Top Desk
- Return (right-hand shown)
- Letter Width Box/Box/File Attached Pedestal
- End Panel (provides support to D-Top)



Tips

- Desk and Return must be specified with the same edge option. If the selected edge profile is Bevel or Radius, the Return must be selected with a coped edge for correct attachment. Refer to Product Details – Coped Edges for more information.
- Single Pedestal Desks and Desk Shells may be used in freestanding applications, Attached P- and D-Top Convergents require adjoining Return or Bridge/Credenza for support.

Notes

- Handing of Return is determined by the location of end panel support.
- Attachment hardware is provided with Return.

Worksurface Guidelines

U-Shaped Workstation Configurations


U-Shaped Tripoli workstations are created with the use of a Desk or Attached Convergent, a connecting Bridge and an Asymmetrical Credenza (constructed from Credenza Shell and attached storage options). A Bridge provides three modesty options:

1. With No Modesty
2. With $\frac{3}{4}$ -Height Modesty
3. With Full-Height Modesty

Single Pedestal Desk or Desk Shell with Bridge and Asymmetrical Kneespace Credenza

The following is specified to create this U-Shaped workstation with Single Pedestal Desk:


- Single Pedestal Rectangular Top Desk (left-hand shown)
- Bridge (full height modesty shown)
- Credenza Shell
- Attached Lateral File



Attached Convergent with Bridge and Asymmetrical Kneespace Credenza

The following is specified to create this U-Shaped workstation with Attached Convergent D-Top:

- Attached Convergent D-Top Desk
- Bridge (no modesty shown)
- Credenza Shell
- Box/Box/File Attached Pedestal (Legal Width Shown)
- End Panel (provides support to D-Top)
- Mid-Support Panel (supports span >60")



Tips

- Desk, Bridge and Credenza Shell must be specified with the same edge option. If the selected edge profile is Bevel or Radius, the Bridge must be selected with both connection ends coped for correct attachment.
- Single Pedestal Desks and Desk Shells may be used in freestanding applications, while Attached P- and D-Top Convergents require adjoining Return or Bridge/Credenza for support.

Worksurface Guidelines


Workwall Workstation Configurations

Workwall workstations consist of an Attached D- or P-Top Convergent Desk connecting to a symmetrical (creates a T-shaped layout) or an asymmetrical Kneespace Credenza (creates an L-Shaped layout). In the majority of cases, Vertical Storage Units are specified to bring additional storage functionality to the workwall.

Attached Convergent D-Top with Symmetrical Kneespace Credenza

The following is specified to create this workwall workstation with Attached Convergent D-Top and Symmetrical Kneespace Credenza:


- Attached Convergent D-Top Desk
- Credenza Shell
- Attached Lateral File
- Letter-width Box/Box/File Attached Pedestal
- Vertical Storage Unit (Letter Depth)



Attached Convergent P-Top with Symmetrical Kneespace Credenza

The following is specified to create this workwall workstation with Attached Convergent P-Top and Symmetrical Kneespace Credenza:


- Attached Convergent P-Top Desk (left-hand)
- Credenza Shell
- Attached Lateral File
- Letter-width Box/Box/File Attached Pedestal
- Vertical Storage Unit (Letter Depth)



Attached Convergent D-Top with Asymmetrical Kneespace Credenza

The following is specified to create this workwall workstation with Attached Convergent P-Top and Symmetrical Kneespace Credenza:

- Attached Convergent D-Top Desk
- Credenza Shell
- Letter-Width Box/Box/File Pedestal
- Letter-Width File/File Pedestal
- Filler Strip (used between two pedestals)
- Vertical Storage Unit (Legal Depth)



Tip

- Desk and Credenza must be specified with the same edge option. If the selected edge profile is Bevel or Radius, the Desk must be selected with a coped edge for correct attachment.

Note


Attachment hardware is provided with P- or D-Top Convergent.

Worksurface Guidelines

Corner Shell Application

The Tripoli Corner Shell creates a 90° transition between two worksurfaces (Bridges and/or Returns) and provides a worksurface area.


- 42" (1067mm) Depth and Width
- 22" Connection Depth
- Available with Full-Height Modesty or ¾-Height Modesty
- Standard with Grommet in back corner.



The connection edges of a Corner Shell are square and only connect to the non-coped ends of Returns or Bridges.


Corner Shell With Connections to Bridge and Return

A Bridge is used to create a connection between the Single Pedestal Rectangular Desk and the Corner Shell, while a Return with separately specified Attached Lateral File attaches to the Corner Shell at the other connection edge.



Corner Shell With Connections to Two Returns

Returns with separately specified attached lower storage connect to both Corner Shell connection edges.



When connecting to a Corner Shell, the connection edge of a Return or a Bridge must be specified with "No Cope."

Vertical Storage Unit Support Guidelines

Vertical Storage Units provide significant storage functionality to Tripoli workstations. As one of the largest elements in the product line, Vertical Storage Units are capable of spanning over multiple components, each of which also has its own support considerations. Adhering to the following guidelines will ensure a Vertical Storage Unit is correctly supported and anchored upon installation.

Establish Support

As a Vertical Storage Unit becomes loaded with stored items and weight increases, it is important that it be properly supported and secured on lower Tripoli structures.

- For freestanding Credenzas or Return to Corner applications, it is recommended that supporting configurations match exactly the width of the Vertical Storage Unit. This ensures maximized efficiency of worksurface space as well as aesthetic alignment to end panels.
- When applications require that a desk support a Vertical Storage Unit (perpendicular mounting only), the Vertical Storage Unit must be specified with a width that will allow it to align with the desk's Modesty Panel (6" (152mm) inset).
- For modular applications, place storage or support panels below Vertical Storage Unit end panels. When an unsupported span is greater than 60" (1524mm), additional worksurface support is required (e.g. Mid-Support Panel). The rigidity of the supporting structure can be maximized by specifying storage with optional back panels or by unifying the structure with a Modesty Panel.


Anchoring / Counter-Balance

To avoid tipping, Vertical Storage Units must be stacked on components that are stable and properly counter-balance the weight of the unit. Whenever possible, use attached storage (Lateral File, Cabinet, etc.) or a convergent attachment to anchor the structure and lower the structure's center of balance.


Avoid Placement Near Profiled and Coped Edges

Profiled and coped edges are non-load bearing and it is therefore necessary to avoid placing a Vertical Storage Unit within 6" (152mm) of the edge in order to avoid damage. For this reason, a Vertical Storage Unit should never run short on a Bridge (even with Mid-Support Panel) and must be located at least 6" (152mm) from the coped connection of a Return (with Mid-Support Panel).

Alignment with Width of Supporting Configuration




Vertical Storage Unit Less Than Credenza Width




Support such as Mid-Support Panel (shown) or Attached Storage Unit must be added beneath worksurface.

Vertical Storage Unit Support Guidelines

Counter-Balance Balancing




When Credenza Shell supports Vertical Storage Unit, it is recommended that the application be placed against a wall or mirrored back-to-back configuration.




Counter-balanced with attached storage.

Other Vertical Storage Unit Support Options

Aligned to Modesty




When spanning to a Desk, align Vertical Storage Unit end panel with 6" (152mm) inset Modesty Panel.




Vertical Storage Unit cannot be positioned on Bridge.



Tip Vertical Storage Unit cannot be aligned at the front edge of a desk where there exists an overhang or a profiled edge.



Vertical Storage Unit cannot be positioned on a seam where one worksurface meets another.



Always span over Bridge and clear worksurface seams by a minimum of 6" (152mm).

Tripoli Technical Specifications

Technical Specifications

Veneer Finishes

Natural veneers are available for Tripoli Caseloads.

AWI-Grade A natural veneers are applied to worksurfaces, table tops, drawer/door fronts and finished back panels of pedestals and lateral files. AWI-Grade B natural veneers are applied to modesty panels and end panels. AWI-Grade C natural veneers are applied to shelves and in low visibility areas such as the interiors of storage units. All vertical surfaces receive Slip Matched lay up and all worksurfaces receive Book and Rotate. Natural veneers are Balance Matched for all worksurface tops, modesty panels, exposed end panels and finished backs; Running Matched for all other surfaces. Preconfigured units such as Personal Storage Towers, Combination Units, Returns and Credenzas are Sequenced Balance Matched.

Veneers receive a Haworth EcoShield™ finish, 0 VOC, providing a very consistent color.

Worksurfaces/Table Tops

Worksurfaces including Desks (Freestanding and Convergent), Tables, Returns, Bridges, Corner Shells, Credenzas, Two-high Freestanding Lateral Files, Two-high Freestanding Storage Cabinets and Utility Carts are 1 1/2" (38mm) thick and are made of wood composite core. Choice of two surface finishes available: Veneer or Laminate.

Wood veneer worksurfaces are balanced construction with wood veneer on the top, a balancing backer on the bottom, and are available with the following wood edges:

- 0.98" (2.5mm) thick Square Wood Edge
- 1/2" (12.7 mm) thick Bevel profiled wood edge
- 1/2" (12.7 mm) thick Chamfer profiled wood edge
- 1/2" (12.7 mm) thick Radius profiled wood edge

Square wood edge and profiled edges are used on both visitor and user sides of Single Pedestal Desks, Double Pedestal Desks, Desk Shells, Attached Convergent P-tops and Attached Convergent D-tops. They are also used on the user side of Returns, Bridges, Credenzas, and Corner Shells. All additional edges are 0.04" (1mm) wood edgeband. The connecting edges of Returns, Bridges and Attached Convergent Tops receive a counter profile when the Bevel and Radius profiled wood edges are specified. All additional edges are 0.04" (1mm) wood edgeband.

Veneer layup is Book and Rotate, allowing for a visually pleasing match and are applied with side-to-side grain direction for all worksurfaces except the Corner Shell where the grain direction is diagonal.

Laminate worksurfaces are balance construction with high-pressure laminate on the top, a backer material on the bottom, and are available with 0.118" (3mm) ABS Edgeband all edges. Wood Grain Premium Laminates are available.

Worksurface Supports

Worksurface supports include end panels, partial depth L-supports, mid-support panels and flush mount Brackets. Worksurface supports are included in pre-configured product such as desks, credenzas and returns. End panels and mid-support panels are available as modular components.

All wood support panels are 1 3/16" (30mm) thick composite wood with wood veneer finish and leveling glides with 2" (51mm) vertical adjustment range. Outer edges of the support panel are finished with 0.118" (3mm) wood edgeband. Attached convergent tops include 4" (102mm) diameter column base with 3" (76mm) vertical adjustment. Flush mount brackets are 0.120" (3mm) thick steel and are used to attach the underside of two adjoining worksurfaces. Tetra brackets are included with End panels and Mid-support panels. The tetra bracket is black 16-gauge Cold Rolled Steel.

Back panels and modesty panels, which are 3/4" (19mm) thick, provide additional support and have a wood veneer finish.

Technical Specifications

Modesty Panels

Modesty panels, which are $\frac{3}{4}$ " (19mm) thick. Modesty panels are included in pre-configured casegoods such as Desks, Bridges, Returns and Credenzas. Desks and Desk Shells have a full height inset veneer modesty panel. Returns and Corner Shells have an option of full veneer modesty or three-quarter veneer modesty. Bridges have an option of full veneer modesty, three-quarter veneer modesty or no modesty. Credenzas and Credenza Shells include a full height full overlay veneer modesty panel. Convergent Tops have no modesty. All wood modesty panels are $\frac{3}{4}$ " (19mm) thick; all vertical veneer surfaces have vertical grain direction and are slip matched.

Wire Management

Single Pedestal Desks, Double Pedestal Desks and Desk Shell include non-veneer clear coat wireway scallop centered at top of modesty panel. Optional factory installed 2" (51mm) grommet is available for Bridges, Credenzas and Credenza Shells; specification of grommet includes non-veneer clear coat wireway scallop centered at top of modesty panel. Optional factory installed 2" (51mm) grommet is available for Returns; specification of grommet includes non-veneer clear coat wireway scallop located at top of modesty panel at the connection edge of the return. Receptions Desks include 2" (51mm) grommets; one for L-shaped station located at connection edge of Return and two for U-shaped station; one center in the Bridge and one centered in the Credenza. A half scallop is located at the top of each of the L-support Panels of the Corner Shell to allow for access to the optional grommet. A 2" x 2" (51mm x 51mm) non-veneer clear coat notched wireway is located at the top of the Mid-support Panel. Vertical Storage Units include non-veneer clear coat wireway scallop centered at the bottom of the back panel. Attached Pedestals, Lateral files and Cabinets include a horizontal wireway at the top back of the unit. Shelf in two-high attached and freestanding open and closed cabinets is sized to allow for $\frac{1}{2}$ " (12.7mm) wireway at the rear of the cabinet. Separately specified grommet may be added to Attached Convergent Tops. The Enhanced Power Module may be separately specified and added above or below the worksurface as required. Separately specified Horizontal Wire Manager may be added to bottom of worksurface to organize cables and cords.

Drawer Construction

Pedestals and lateral files are available with a choice of drawer construction: Black Miterfold and (Baltic birch) plywood. The Black Miterfold drawer is thermal fused laminate on $\frac{1}{2}$ " (13mm) thick particle board and includes a dado-set wood bottom. The wood drawer is $\frac{1}{2}$ " (13mm) thick Baltic-birch 5 ply plywood with clear finish, English Dovetail joints and dado-set wood bottom. Reinforced bottom allows for bottom loading of the drawer; load ratings based on BIFMA load requirements of 0.017 lbs/cubic inch. All drawer slides are steel ball bearing full extension; pedestal drawer slides accommodate 100 lbs (45.4kg) load and lateral file drawer slides accommodate 200 lbs (90.7kg) load.

Locks

Locks are available for Tripoli with an option of black or chrome finish. Locks are included as standard for all pedestals and lateral files. Locks are optional for storage units and upper storage with wood doors. Locks are random keyed; pre-configured units such as Double Pedestal Desks, Credenzas and Combination Storage Units with multiple storage units will receive Common Keys. See Haworth Key Program for additional information regarding Keyed Alike, etc.

Pull Options

Pedestals are available with concealed vertical finger pulls routed in the MDF (Medium Density Fiberboard) on the back side of the drawer front and are sealed with a black finish. Lateral files are available with horizontal finger pulls routed in the MDF (Medium Density Fiberboard) and are finished to match drawer front. Storage units with doors, wardrobes and valets receive a square edge and touch-latch hardware. When two pedestals are positioned side-by-side a Pedestal Filler is required to allow for access to the vertical finger pulls.

Technical Specifications

Pedestals

Attached pedestals are available in box/box/file, and file/file configurations and mobile pedestals are available with box/file configuration. Attached pedestals available in letter width - 15/12" (394 mm) or legal width - 18 3/4" (476 mm). Mobile Pedestals and pedestals included in Desks are letter width. Pre-configured Credenzas are available with the option of either letter or legal width pedestals.

All pedestal file drawers accommodate letter, legal and Redweld filing; hanging rail is flush to the sides of the drawer eliminating any binding when removing or inserting files. Attached pedestals may be specified as modular components or be included in pre-configured caseloads such as Desks and Credenzas. Pedestals are available with veneer finish. All vertical veneer surfaces have vertical grain direction and are slip matched.

Drawer fronts are 3/4" (19mm) wood composite board with veneer finish. All drawer slides are steel ball bearing full extension; accommodate 100 lbs (45.4kg) load. Pedestals are standard with lock. Boxes and cases are glue and dowel rigid case construction and include wood bottom panel to minimize racking and prevent misalignment of the locking system. Accessories included in pedestals are one black Polystyrene pencil tray per box/box/file or box/file configuration and one drawer divider per box drawer.

Attached pedestals are available with open back option only. No Back option is. Pedestal top and bottom are constructed of 3/4" (19mm) wood composite material with non-veneer finish. Pedestal sides are constructed of 3/4" (19mm) wood composite material with veneer finish. Attached pedestals include adjustable glides giving 2" (51mm) of vertical adjustment. Threaded mechanical fasteners are used to attach pedestal to worksurface. Attached pedestals are non-handed.

Mobile pedestals back, top and sides are constructed of 3/4" (19mm) wood composite material with veneer finish; bottom is constructed of 3/4" (19mm) wood composite material with non-veneer finish. Casters for the mobile pedestal are four black swivel with front two locking.

Lateral Files

All lateral file drawers accommodate letter, legal and Redweld filing; hanging rail is flush to the sides of the drawer eliminating any binding when removing or inserting files. Lateral files may be specified as modular components or be included in pre-configured caseloads such as Credenzas and Combination Storage units. All vertical veneer surfaces have vertical grain direction and are slip matched.

Drawer fronts are 3/4" (19mm) wood composite board with veneer finish. Includes glides giving 2" (51mm) of vertical adjustment. Lateral file units include integrated cable interlock to allow one drawer opening at a time. Universal metal locking system as standard; locks both slides. Boxes and cases are glue and dowel rigid case construction and include wood bottom panel to minimize racking and prevent misalignment of the locking system.

Top and bottom of attached lateral files constructed of 3/4" (19mm) wood composite board with non-veneer finish. Lateral file sides are constructed of 3/4" (19mm) wood composite material with veneer finish. Counterweights are included and factory installed.

Freestanding lateral files are offered in two, three and four-high units. Sides are constructed of 1 3/16" (30mm) wood composite board with veneer finish. Bottoms of attached lateral files constructed of 3/4" (19mm) wood composite board with non-veneer finish. Inset backs are 3/4" (19mm) wood composite board with choice of veneer or non-veneer finish. Tops of three and four high units are 3/4" (19mm) wood composite board with veneer finish. Tops of two-high units are 1 1/2" (38mm) thick and are made of wood composite core. Choice of two surface finishes available: Veneer or Laminate and four edges (see Worksurfaces/Table Tops for available options).

Technical Specifications

Attached Storage Units

Attached storage units are offered in two high units with doors only. Doors and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer finish. Inset back, unit top and unit bottom are constructed of $\frac{3}{4}$ " (19mm) wood composite material finished on user side only; adjustable shelves are $\frac{3}{4}$ " (19mm) plywood core with veneer finish. Adjustable shelves include steel pins; adjustment range is $\pm 1\frac{1}{4}$ " (32mm). Units are assembled with glue and dowel rigid case construction. All vertical veneer surfaces have vertical grain direction and are slip matched. Doors come standard with fully adjustable hinges. Storage units with doors are available with Lock or No Lock option. All units include adjustable glides giving 2" (51mm) of vertical adjustment.

Casegoods

Casegoods include worksurfaces, worksurface supports modesty panels and attached storage. Common keys are included for pre-configured units such as Double Pedestal Desks and Pre-configured Credenzas with multiple storage units. Preconfigured units such as Credenzas will be Sequenced Matched.

Reception Desks

Reception Desks include worksurfaces, enclosure panels, transaction shelf, one Box/Box/File Pedestal and one File/File Pedestal. Reception stations include 1 $\frac{3}{16}$ " (30mm) thick gallery enclosure and 1 $\frac{1}{2}$ " (38mm) thick transaction shelf. Transaction shelf is 12" (305mm) deep and the top of the transaction shelf is 44 $\frac{3}{16}$ " (1122mm) AFF. Common keys are included for pedestals. Veneers will be Sequenced Matched.

Freestanding Storage Units with Doors, Wardrobes, Bookcases and Storage Towers

Inset top, doors, mid-panels and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer finish. Inset back and unit bottom are constructed of $\frac{3}{4}$ " (19mm) wood composite material finished on user side only; shelves are $\frac{3}{4}$ " (19mm) plywood core with veneer finish. Adjustable shelves include steel pins; adjustment range is $\pm 1\frac{1}{4}$ " (32mm). Bookcases and Storage Units with doors three and four-high include one fixed shelf located in the second position from the bottom of the unit. Units are assembled with dowels and adhesive manufacturing process. Doors come standard with fully adjustable hinges. Storage units with doors are available with Lock or No Lock option. All units include adjustable glides giving 1" (25mm) of vertical adjustment. Wardrobes include chrome coat rod with chrome mounting plates; mounted at 65" (1651mm) AFF. All vertical veneer surfaces have vertical grain direction and are balanced slip matched.

Combination Units

Combination Units include two drawer lateral file and closed storage unit. Inset top, doors, drawers and sides are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer finish; shelves are $\frac{3}{4}$ " (19mm) plywood core with veneer finish. Adjustable shelves include steel pins; adjustment range is $\pm 1\frac{1}{4}$ " (32mm). Inset back and unit bottom are constructed of $\frac{3}{4}$ " (19mm) wood composite material finished on user side only. Combination Units are Sequenced Matched. All vertical veneer surfaces have vertical grain direction and are balanced slip matched. All units include adjustable glides giving 2" (51mm) vertical adjustment.

Doors come standard with fully adjustable hinges. Storage units are available with Lock or No Lock option. Doors lock separate from drawers; common keys are included. All lateral file drawers accommodate letter, legal and Redweld filing; hanging rail is flush to the sides of the drawer eliminating any binding when removing or inserting files. All drawer slides are steel ball bearing full extension; lateral file drawer slides accommodate 200 lbs (90.7kg). Lateral file units include integrated cable interlock to allow one drawer opening at a time. Universal metal locking system as standard; locks both slides. Boxes and cases are glue and dowel rigid case construction to minimize racking and prevent misalignment of the locking system.

Vertical Storage Units

Vertical Storage Units are available in height to align with 64" (1626mm) high freestanding storage units. And come in twelve widths, 31" (787mm) to 96" (2438mm). Units have full height wood hinged doors with option of locking or non-locking. Vertical Storage Units are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer finish for top, adjustable shelf, bottom shelf and valance. End panels are 1 $\frac{3}{16}$ " (30mm) thick and doors are inset between the end panels. Back is $\frac{3}{4}$ " (19mm) wood composite material with veneer finish on user side only. Units are attached to lower storage by use of included adhesive strips for easy installation.

Technical Specifications

Overhead Storage Units

Overhead Storage Units are available in one height to align with 64" (1626mm) high freestanding storage units and come in fourteen widths, 30" (762mm) to 96" (2438mm). Units can be specified with full height hinged or sliding wood or full height glass sliding doors. Hinged doors are available as locking or non-locking. Glass used for doors is tempered glass backed with a metal frame. Overhead Storage Units are constructed of $\frac{3}{4}$ " (19mm) wood composite material with veneer finish, this includes, top, sides, bottom shelf and valance. Back is $\frac{3}{4}$ " (19mm) wood composite material with finished front and non-veneer back. Sliding door units include internally mounted sliding door track with bumpers each end. Overhead Storage Units include 4" (102mm) French cleat with anti-dislodgement feature. Cleat must be anchored to structural wall with appropriate fasteners to suit site conditions.

Tackboards and Slat Rails

Tackboards are available for Vertical Storage units, Overheads Storage Units and Reception Desks. The style is specific to the application. Constructed of 0.875" (22mm) thick tackable fiber board. Tackboards are surfaced with fabric and available in sizes to match application. Tackboards are mounted with double side tape. Tackboards over 60" (1524mm) are shipped in two pieces.

Optional extruded aluminum slat rails are available with powdercoat finish that will allow designated accessories to work with it. Slat rails are not available for the Reception Station application. All widths of slat rail are shipped as one piece.

Task Lighting

A task light may be specified separately a concealed behind the valance in the Vertical Storage Unit or Overhead Storage Unit. A T8 octic lamp with a 3500K color temperature is standard. Lamp wattage is 13W for 24" (610mm) wide lights, 17W for 30" (762mm) wide lights, 25W for 42" (1067mm) wide lights and 32W for 54" (1372mm) wide lights. All task lights are supplied with electronic ballast. All lights are shipped with cord installed on right-hand side. The cord is field interchangeable to the left-hand side for the 42" and 54" wide lights. The Chicago version has a plug with an integral 3-amp resettable circuit breaker. The acrylic lens features a prism pattern. The linear prism pattern runs front-to-back directing lighting to the side to reduce veiling. Optional batwing lens available.

Tripoli — Table of Contents

Product Catalog Number Code 5

Desks

Single Pedestal Rectangular Top Desk — Laminate or Wood Top	6
Single Pedestal Bow Top Desk — Laminate or Wood Top	7
Double Pedestal Rectangular Top Desk — Laminate or Wood Top	8
Double Pedestal Bow Top Desk — Laminate or Wood Top	9
Shell — Desk — Laminate or Wood Top	10
Attached Convergent D-Top — Laminate or Wood Top	11
Attached Convergent P-Top — Laminate or Wood Top	12
End Panel	13
Mid-Support Panel	13
Bridge — Laminate or Wood Worksurface	14
Corner Shell — Laminate or Wood Worksurface	15
Return — Laminate or Wood Worksurface	16-17

Credenzas

Credenza with Pedestals — Laminate or Wood Worksurface	18-19
Credenza with Pedestals and Closed Storage — Laminate or Wood Worksurface	20-21
Credenza with Lateral Files — Laminate or Wood Worksurface	22-23
Credenza with Closed Storage — Laminate or Wood Worksurface	24-25
Credenza Shell — Laminate or Wood Top	26-27

Upper Storage

Vertical Storage Unit with Hinged Doors	28
Tackboards — Vertical Storage Units — Fabric	29
Tackboards — Vertical Storage Units — Fabric and Slat Rail	29
Overhead Storage Unit — One-High with Hinged Doors	30
Overhead Storage Unit — One-High with Solid Sliding Door	31
Overhead Storage Unit — One-High with Glass Sliding Door	32
Tackboards — Overhead Storage Units — Fabric	33
Tackboards — Overhead Storage Units — Fabric and Slat Rail	33

Reception Stations

Reception Station L-Shaped — Wood	34
Tackboards — Reception Station L-Shaped	34
Reception Station U-Shaped — Wood	35
Tackboards — Reception Station U-Shaped	35

Storage

Attached Pedestal	36
Filler Strip — Pedestal	36
Mobile Pedestal	37
Attached Lateral Files	38
Freestanding Lateral File — Two-High and Three-High — Laminate or Wood Top	39
Freestanding Lateral File — Four-High — Wood	40
Two-High Attached Storage Cabinet with Solid Doors	40
Two-High Storage Cabinet with Solid Doors — Laminate or Wood Top	41
Utility Cart — Laminate or Wood Top	42
Attached Wardrobe Cabinet — 9 1/2" Wide — Wood	43
Freestanding Wardrobe Cabinet — 31" Wide — Wood	43
Freestanding Wardrobe Cabinet — 16 1/2" Wide — Wood	44
Storage Cabinet — 16 1/2" Wide — Wood	44
Freestanding Wardrobe/Storage Cabinet — Wood	45
Combination Unit — Wood	45

Bookcases

Bookcase — Two-High and Three-High — Laminate or Wood	46
Bookcase — Four-High and 64" High — Wood	47

Tables

Table — Square Occasional — Wood	48
Table — Rectangle Occasional — Wood	48
Table — Occasional Drum — Wood	48

Accessories/Task Lighting

Center Drawer	49
Pencil Tray	49
Pencil + Drawer	49
Grommet	50
Enhanced Power Module	50
Horizontal Wire Manager	50
File Bars	51
Phone Shelf	52
Phone Shelf Bracket	52
Personal Shelf	52
Personal Shelf Bracket	52
Paper Sorter	53
Binder Bin	53
Letter Tray	53
Letter Tray Stacking Kit	53
Letter Tray Stacking Bracket	54
Adaptable Electronic Ballast Task Light	55
Adaptable Electronic Ballast Task Light (Starter Light)	55
Adaptable Electronic Ballast Task Light (Add-On Light)	56
Reed Premier™ Stand-Alone LED Task Light	57
Reed Premier™ Starter LED Task Light	57
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	58
Reed Premier™ Add-On Occupancy Sensor	58

BRAZO

Haworth Collelction — Freestanding Lighting — BRAZO®	59
Haworth Collelction — Mounted Lighting — BRAZO	59
Haworth Collelction — Grommet — For Use with BRAZO Grommet Mounted Light Only	59

LIM

Haworth Collelction — LIM L	60
Haworth Collelction — LIM C	61
Haworth Collelction — LIM Y	61
Haworth Collelction — LIM Mounted	62-63
Haworth Collelction — LIM Hardware	63

Finishes and Fabrics

Finish Matrix	64-65
Fabrics/Color Legend	66-67

Customer's Own Material

COM Yardage Requirements	68-70
------------------------------------	-------

Terms of Sale

North American	71-74
--------------------------	-------

Index

Index	75-77
-----------------	-------

Lifetime Product Warranty Inside Back Cover

Tripoli — Product Catalog Number Code



Tripoli Product Catalog Number Code

Example: Tripoli laminate top double pedestal desk with full overlay modesty, 30”(762mm) deep, 60”(1524mm) wide, ABS edgeband edge, standard core, standard slides, one B/B/F and one F/F pedestal with black miterfold drawers and rectangular top.

T	J	D	F	-	30	60	-	J	S	S	56	
												Legend: B - Box Drawer F - File Drawer
												Pedestal Drawer Option: 5N – One B/B/F Black Miterfold SN – One B/B/F Wood
												Available for Single Pedestal Desks Only
												55 – Two B/B/F Black Miterfold SS – Two B/B/F Wood 56 – One B/B/F and one F/F Black Miterfold ST – One B/B/F and one F/F Wood
												Available for Double Pedestal Desks Only
												Drawer Mechanism: S – Standard Slide
												Core Material: S – Standard
												Edge Option: J – ABS Edge 1 – Square 2 – Bevel 3 – Chamfer 4 – Radius
												Laminite Top Only Veneer Top Only
												Width: 60” – 60” Available for Rectangular Top Desks Only 66” – 66” 72” – 72” Available for Rectangular 78” – 78” and Bow Top Desks
												Depth: 30” – 30” Rectangular Top Only 36” – 36” Rectangular and Bow Tops
												Shape: F – Rectangular Top B – Bow Top
												Product Type: S – Single Pedestal Desks D – Double Pedestal Desks
												Top Finish: J – Laminate K – Veneer
												Product Line: T – Tripoli

Tripoli — Single Pedestal Desks

	Height	Depth	Width	Number ① ②	Laminate Top A B	Wood Top B
Single Pedestal Rectangular Top						
Desk — Laminate or Wood Top	Laminate Top with Edgeband (J)					
	29 1/2"(749mm)	30"(762mm)	60"(1524mm)	TJSF-3060-JSS	\$3903.26	\$3959.67
			66"(1676mm)	TJSF-3066-JSS	4043.13	4110.11
			72"(1829mm)	TJSF-3072-JSS	4183.00	4260.55
			78"(1981mm)	TJSF-3078-JSS	4322.87	4410.99
		36"(914mm)	66"(1676mm)	TJSF-3666-JSS	\$4195.92	\$4274.66
			72"(1829mm)	TJSF-3672-JSS	4335.79	4425.10
			78"(1981mm)	TJSF-3678-JSS	4475.66	4575.54
	Wood Top with Wood Edge					
	29 1/2"(749mm)	30"(762mm)	60"(1524mm)	TKSF-3060- SS	N/A	N/A
			66"(1676mm)	TKSF-3066- SS	N/A	N/A
			72"(1829mm)	TKSF-3072- SS	N/A	N/A
			78"(1981mm)	TKSF-3078- SS	N/A	N/A
		36"(914mm)	66"(1676mm)	TKSF-3666- SS	N/A	N/A
			72"(1829mm)	TKSF-3672- SS	N/A	N/A
			78"(1981mm)	TKSF-3678- SS	N/A	N/A



TJSF-JSS5N
TKSF-1SS5N

Features

- Includes worksurface, shell, and one pedestal.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user and visitor edges only.
- Full-modesty panel recessed 6"(152mm) for visitor side overhang.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Pedestal 15 1/2"(394mm) wide.
- Box drawers with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- See Stack-on Application Rules for upper storage requirements.

To Order, Specify:

Laminate Top Desk

- 1) Product number, including:

② Pedestal Drawer Option:

- 5N** Box/Box/File Black Miterfold
- SN** Box/Box/File Wood, add **\$90.06** list

- 2) Wood finish for case and fronts.
- 3) Laminate worksurface color.
- 4) Edgeband trim color.
- 5) Trim color for lock plug.

Wood Top Desk

- 1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius



② Pedestal Drawer Option:

- 5N** Box/Box/File Black Miterfold
- SN** Box/Box/File Wood, add **\$90.06** list

- 2) Wood finish.
- 3) Trim color for lock plug.

Tripoli — Single Pedestal Desks

	Height	Depth	Width	Number ① ②	Laminate Top A B	Wood Top B
Single Pedestal Bow Top Desk — Laminate or Wood Top	Laminate Top with Edgeband (J)					
	29 1/2"(749mm)	36"(914mm)	72"(1829mm)	TJSB-3672-JSS ■	\$4769.09	\$4807.52
			78"(1981mm)	TJSB-3678-JSS ■	4855.56	4901.20
						N/A
	Wood Top with Wood Edge					
	29 1/2"(749mm)	36"(914mm)	72"(1829mm)	TKSB-3672- ■ SS ■	N/A	N/A
			78"(1981mm)	TKSB-3678- ■ SS ■	N/A	N/A
						\$5020.10
						5111.38



TJSB-JSS5N
TKSB-1SS5N

Features

- Includes worksurface, case, and one pedestal.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user and visitor edges only.
- Full-modesty panel recessed 6"(152mm) at end panels and 12"(305mm) at center of bow worksurface for visitor side overhang: worksurface depth at center of bow is 42"(1067mm).
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Pedestal 15 1/2"(394mm) wide.
- Box drawers with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- See Vertical Storage Application Rules for upper storage requirements.

To Order, Specify:

Laminate Top Desk

- 1) Product number, including:

② Pedestal Drawer Option:

- 5N** Box/Box/File Black Miterfold
- SN** Box/Box/File Wood, add **\$90.06** list

- 2) Wood finish for case and fronts.
- 3) Laminate worksurface color.
- 4) Edgeband trim color.
- 5) Trim color for lock plug.

Wood Top Desk

- 1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius



② Pedestal Drawer Option:

- 5N** Box/Box/File Black Miterfold
- SN** Box/Box/File Wood, add **\$90.06** list

- 2) Wood finish.
- 3) Trim color for lock plug.

Tripoli — Double Pedestal Desks

Double Pedestal Rectangular Top Desk — Laminate or Wood Top



TJDF-JSS56
TKDF-1SS56

Height	Depth	Width	Number ① ②	Laminate Top A	Wood Top B
Laminate Top with Edgeband (J)					
29 1/2"(749mm)	30"(762mm)	66"(1676mm)	TJDF-3066-JSS	\$5871.59	\$5929.24
		72"(1829mm)	TJDF-3072-JSS	5961.43	6025.93
		78"(1981mm)	TJDF-3078-JSS	6051.27	6122.62
	36"(914mm)	66"(1676mm)	TJDF-3666-JSS	\$5973.08	\$6038.42
		72"(1829mm)	TJDF-3672-JSS	6062.92	6135.11
		78"(1981mm)	TJDF-3678-JSS	6152.76	6231.80
Wood Top with Wood Edge					
29 1/2"(749mm)	30"(762mm)	66"(1676mm)	TKDF-3066- SS	N/A	\$5991.69
		72"(1829mm)	TKDF-3072- SS	N/A	6088.49
		78"(1981mm)	TKDF-3078- SS	N/A	6185.29
	36"(914mm)	66"(1676mm)	TKDF-3666- SS	N/A	\$6102.19
		72"(1829mm)	TKDF-3672- SS	N/A	6198.99
		78"(1981mm)	TKDF-3678- SS	N/A	6295.79

Features

- Includes worksurface, case, and two pedestals.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user and visitor edges only.
- Matched veneer drawer fronts.
- Full-modesty panel recessed 6"(152mm) for visitor side overhang.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Choice of two Box/Box/File pedestals or one Box/Box/File pedestal and one File/File pedestal.
- Pedestals 15 1/2"(394mm) wide.
- Box drawers with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers have full extension slides.
- One lock standard per pedestal; each pedestal locks separately.
- Common key numbers within each desk.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- Not intended to be used with stack-on storage.

To Order, Specify:

Laminate Top Desk

1) Product number, including:

② Pedestal Drawer Option:

- 55** Two Box/Box/File Black Miterfold
- SS** Two Box/Box/File Wood, add \$185.21 list
- 56** One Box/Box/File and One File/File Black Miterfold
- ST** One Box/Box/File and One File/File Wood, add \$185.21 list

- 2) Wood finish for case and fronts.
 3) Laminate worksurface color.
 4) Edgeband trim color.
 5) Trim color for lock plug.

Wood Top Desk

1) Product number, including:

① Edge Option:



- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Pedestal Drawer Option:

- 55** Two Box/Box/File Black Miterfold
- SS** Two Box/Box/File Wood, add \$185.21 list
- 56** One Box/Box/File and One File/File Black Miterfold
- ST** One Box/Box/File and One File/File Wood, add \$185.21 list

- 2) Wood finish.
 3) Trim color for lock plug.

Tripoli — Double Pedestal Desks

	Height	Depth	Width	Number ① ②	Laminate Top A	Laminate Top B	Wood Top B
Double Pedestal Bow Top Desk							
— Laminate or Wood Top							
	Laminate Top with Edgeband (J)						
	29 1/2"(749mm)	36"(914mm)	72"(1829mm)	TJDB-3672-JSS	\$6295.55	\$6460.09	N/A
			78"(1981mm)	TJDB-3678-JSS	6464.88	6642.64	N/A
	Wood Top with Wood Edge						
	29 1/2"(749mm)	36"(914mm)	72"(1829mm)	TKDB-3672- SS	N/A	N/A	\$6424.05
			78"(1981mm)	TKDB-3678- SS	N/A	N/A	6595.79

TJDB-JSS56
TKDB-1SS56

Features

- Includes worksurface, case, and two pedestals.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user and visitor edges only.
- Matched veneer drawer fronts.
- Full-modesty panel recessed 6"(152mm) at end panels and 12"(305mm) at center of bow worksurface for visitor side overhang: worksurface depth at center of bow is 42"(1067mm).
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Choice of two Box/Box/File pedestals or one Box/Box/File pedestal and one File/File pedestal.
- Pedestals 15 1/2"(394mm) wide.
- Box drawers with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers have full extension slides.
- One lock standard per pedestal; each pedestal locks separately.
- Common key numbers within each desk.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Desk shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- Non-handed design, allows pedestal location to be determined on site.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- Not intended to be used with stack-on storage.

To Order, Specify:

Laminate Top Desk

- Product number, including:

② Storage Option:

- 55** Two Box/Box/File Black Miterfold
- SS** Two Box/Box/File Wood, add **\$185.21** list
- 56** One Box/Box/File & One File/File Black Miterfold
- ST** One Box/Box/File & One File/File Wood, add **\$185.21** list

- Wood finish for case and fronts.
- Laminate worksurface color.
- Edgeband trim color.
- Trim color for lock plug.

Wood Top Desk

- Product number, including:

① Edge Option:



- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Storage Option:

- 55** Two Box/Box/File Black Miterfold
- SS** Two Box/Box/File Wood, add **\$185.21** list
- 56** One Box/Box/File & One File/File Black Miterfold
- ST** One Box/Box/File & One File/File Wood, add **\$185.21** list

- Wood finish.
- Trim color for lock plug.

Tripoli — Desk Shells

Shell — Desk — Laminate or Wood Top	Height	Depth	Width	Number ①	Laminate Top		Wood Top
					A	B	B
	Laminate Top with Edgeband (J)						
	29 1/2"(749mm)	30"(762mm)	60"(1524mm)	TJYF-3060-JSNV	\$2387.55	\$2578.51	N/A
			66"(1676mm)	TJYF-3066-JSNV	2487.35	2686.35	N/A
			72"(1829mm)	TJYF-3072-JSNV	2587.15	2794.19	N/A
			78"(1981mm)	TJYF-3078-JSNV	2686.95	2902.03	N/A
			84"(2134mm)	TJYF-3084-JSNV	2786.75	3009.87	N/A
		36"(914mm)	60"(1524mm)	TJYF-3660-JSNV	\$2632.43	\$2842.97	N/A
			66"(1676mm)	TJYF-3666-JSNV	2732.23	2950.81	N/A
			72"(1829mm)	TJYF-3672-JSNV	2832.03	3058.65	N/A
			78"(1981mm)	TJYF-3678-JSNV	2931.83	3166.49	N/A
	Wood Top with Wood Edge						
	29 1/2"(749mm)	30"(762mm)	60"(1524mm)	TKYF-3060- SNV	N/A	N/A	\$2436.79
			66"(1676mm)	TKYF-3066- SNV	N/A	N/A	2538.63
			72"(1829mm)	TKYF-3072- SNV	N/A	N/A	2640.47
			78"(1981mm)	TKYF-3078- SNV	N/A	N/A	2742.31
			84"(2134mm)	TKYF-3084- SNV	N/A	N/A	2844.15
		36"(914mm)	60"(1524mm)	TKYF-3660- SNV	N/A	N/A	\$2686.95
			66"(1676mm)	TKYF-3666- SNV	N/A	N/A	2788.79
			72"(1829mm)	TKYF-3672- SNV	N/A	N/A	2890.63
			78"(1981mm)	TKYF-3678- SNV	N/A	N/A	2992.47
			84"(2134mm)	TKYF-3684- SNV	N/A	N/A	3094.31

TJYF-JSNV
TKYF-1SNV

Features

- Includes worksurface, case and attachment hardware.
- 1 1/2"(38mm) thick worksurface in choice of finish:
Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user and visitor edges only.
- Full-modesty panel recessed 6"(152mm) for visitor side overhang.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Accommodates separately specified mobile pedestal or attached storage. Storage elements can be reconfigured in the field.
- 30"(762mm) deep shell accommodates maximum 23" (584mm) deep storage.
- 36"(914mm) deep shell accommodates maximum 29"(737mm) deep storage.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.
- See Vertical Storage Application Rules for upper storage requirements.

To Order, Specify:

Laminate Top Desk

- Product number.
- Wood finish for case.
- Laminate worksurface color.
- Edgeband trim color.

Wood Top Desk

- Product number, including:


① Edge Option:

- 1 Square
- 2 Bevel
- 3 Chamfer
- 4 Radius

- 2) Wood finish.

Tripoli — Attached Convergent D-Tops with Support Column

Attached Convergent D-Top — Laminate or Wood Top



TJND-JSNN
TKND-1SNN

Height	Depth	Width	Number ① ②	Laminate Top A	Wood Top B
Laminate Top with Edgeband (J)					
29 1/2"(749mm)	30"(762mm)	54"(1372mm)	TJND-3054-JSNN	\$1705.48	\$1828.28
		60"(1524mm)	TJND-3060-JSNN	1788.62	1903.64
		66"(1676mm)	TJND-3066-JSNN	1871.76	1979.00
		72"(1829mm)	TJND-3072-JSNN	1954.90	2054.36
		78"(1981mm)	TJND-3078-JSNN	2038.04	2129.72
Wood Top with Wood Edge					
29 1/2"(749mm)	30"(762mm)	54"(1372mm)	TKND-3054-■ SN ■	N/A	\$1965.39
		60"(1524mm)	TKND-3060-■ SN ■	N/A	2060.96
		66"(1676mm)	TKND-3066-■ SN ■	N/A	2156.53
		72"(1829mm)	TKND-3072-■ SN ■	N/A	2252.10
		78"(1981mm)	TKND-3078-■ SN ■	N/A	2347.67

Features

- Includes worksurface, two flat brackets, column base and column base attachment hardware.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to all edges except non-coped connection edge.
- Worksurfaces with Radius or Bevel profiled edge available with coped connection edge option.
- 4"(102mm) diameter column leg with 3"(76mm) adjustment availability.
- Shipped unassembled.

Specification Tips

- Not designed to stand alone.
- Includes two flat brackets to allow for attachment to modular credenza.
- Convergent D-top may be attached to a return or bridge with separately specified end panel.
- Connecting edge will require a cope when attaching to a credenza unit with Radius or Bevel profiled edge.
- May not be used to support a vertical storage unit.
- Accommodates separately specified center drawer.
- Separately specified grommets can be field installed in desk worksurface.

To Order, Specify:

Laminate Top Convergent

- 1) Product number.
- 2) Laminate worksurface color.
- 3) Edgeband trim color.
- 4) Column trim color.

Note: \$282.81 upcharge (list) for chrome column trim.

Wood Top Convergent

- 1) Product number, including:

① Edge Option:

- 1 Square
- 2 Bevel
- 3 Chamfer
- 4 Radius

② Coped Edge Option:


- N** No Cope
Y Coped (Bevel and Radius edges only)

- 2) Wood finish.
- 3) Column trim color.


Note: \$282.81 upcharge (list) for chrome column trim.

Tripoli — Attached Convergent P-Tops with Support Column

	Height	Depth	Width	Number	①②③	Laminate Top A	Wood Top B
Attached Convergent P-Top — Laminate or Wood Top	Laminate Top with Edgeband (J)						
	29 1/2"(749mm)	30"(762mm)	72"(1829mm)	TJNP-3072-JS	■ N	\$2280.66	\$2420.97
	Wood Top with Wood Edge						
	29 1/2"(749mm)	30"(762mm)	72"(1829mm)	TKNP-3072-	■ S ■	N/A	\$2561.37



TJNP-JSLN
TKNP-1SLN
(Left-hand shown)



TJNP-JSRN
TKNP-1SRN
(Right-hand shown)


- Features**
- Includes worksurface, two flat brackets, column base and column base attachment hardware.
 - 42"(1067mm) diameter conference end, handed with radius extending away from user.
 - 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to all edges except non-coped connection edge.
 - Worksurfaces with Radius or Bevel profiled edge available with coped connection edge option.
 - 4"(102mm) diameter column leg with 3"(76mm) adjustment availability.
 - Shipped unassembled.

- Specification Tips**
- Not designed to stand alone.
 - Includes two flat brackets to allow for attachment to modular credenza.
 - Convergent P-top may be attached to a return or bridge with separately specified end panel.
 - Connecting edge will require a cope when attaching to a credenza unit with Radius or Bevel profiled edge.
 - May not be used to support a vertical storage unit.
 - Accommodates separately specified center drawer.
 - Separately specified grommets can be field installed in desk worksurface.

- To Order, Specify:**
- Laminate Top Convergent**
- 1) Product number, including:
 - ② **Orientation:**
 - L Left-hand
 - R Right-hand
 - 2) Laminate worksurface color.
 - 3) Edgeband trim color.
 - 4) Column trim color.
- Note:** \$282.81 upcharge (list) for chrome column trim.
- Wood Top Convergent**
- 1) Product number, including:
 - ① **Edge Option:**
 - 1 Square
 - 2 Bevel
 - 3 Chamfer
 - 4 Radius
 - ② **Orientation:**
 - L Left-hand
 - R Right-hand
 - ③ **Coped Edge:**
 - N No Cope
 - Y Coped (Bevel and Radius edges only)
 - 2) Wood finish.
 - 3) Column trim color.
- Note:** \$282.81 upcharge (list) for chrome column trim.

Tripoli — Support Panels

	Height	Depth	Width	Number	Price
End Panel	28"(711mm)	30"(762mm)	1 3/16"(30mm)	TKES-2830-S	\$381.91



TKES-S

Features

- 1 3/16"(30mm) thick support panel, designed to support the connection end of a convergent worksurface in applications with a return or bridge.
- Glides provide 2"(51mm) adjustment range.
- Connection hardware included.
- Field installation required.


To Order, Specify:

- 1) Product number.
- 2) Wood finish.

Specification Tips

- Connects beneath convergent D-top or P-top to support the perpendicular attachment of a return or bridge.
- The end panel support does not create a freestanding convergent desk. Additional return or bridge/credenza is required for support.

Mid-Support Panel	28"(711mm)	10 1/8"(257mm)	UXSS-2810-S	\$350.15
		14"(356mm)	UXSS-2814-S	367.15



UXSS-S

Features

- Includes 1 1/8"(29mm) thick end panel, glides and attachment hardware.
- Option of 10 1/8"(257mm) and 14"(356mm) deep panel.
- Includes 2" x 2"(51mm x 51mm) wire management notch in top back.
- Glides provide 2"(51mm) adjustment range.

To Order, Specify:





- 1) Product number.
- 2) Wood finish.

Specification Tips

- Used to provide support when unsupported span of a worksurface is 60"(1524mm) or greater.
- 10 1/8"(257mm) mid-support panel recommended for use under worksurfaces 22"(559mm) deep.
- 14"(356mm) mid-support panel recommended for use under worksurfaces 30"(762mm) deep and greater.
- Product number shared with Masters Series and Vancouver supports.

Tripoli — Bridges

	Height	Depth	Width	Number ①②③④	Laminate Top A	Wood Top B	Wood Top B
Bridge — Laminate or Wood Worksurface	Laminate Top with Edgeband (J)						
	29 1/2"(749mm)	22"(559mm)	36"(914mm)	TJBF-2236-JS ■ ■ ■ N	\$1049.65	\$1133.72	N/A
			42"(1067mm)	TJBF-2242-JS ■ ■ ■ N	1114.14	1203.37	N/A
			48"(1219mm)	TJBF-2248-JS ■ ■ ■ N	1178.63	1273.02	N/A
			54"(1372mm)	TJBF-2254-JS ■ ■ ■ N	1243.12	1342.65	N/A
	Wood Top with Wood Edge						
	29 1/2"(749mm)	22"(559mm)	36"(914mm)	TKBF-2236- ■ S ■ ■ ■	N/A	N/A	\$1221.39
			42"(1067mm)	TKBF-2242- ■ S ■ ■ ■	N/A	N/A	1295.26
			48"(1219mm)	TKBF-2248- ■ S ■ ■ ■	N/A	N/A	1369.13
			54"(1372mm)	TKBF-2254- ■ S ■ ■ ■	N/A	N/A	1443.00

TJBF-JSNNN
TKBF-1SNNNTJBF-JSYNN
TKBF-1SYNNTJBF-JSYQN
TKBF-1SYQNTJBF-JSYFN
TKBF-1SYFN

Features

- Includes worksurface, optional modesty panel and attachment hardware.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Worksurfaces with Radius or Bevel profiled edge available with coped connection edge option.
- Optional modesty:
 - Full height (F)
 - Three-quarter height (Q)
 - No modesty (N)
- Modesty panel is 3/4"(19mm) thick and includes non-veneer wireway scallop centered in top edge.
- Optional modesty panel with veneer finish both sides.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- Shipped unassembled.

Specification Tips

- Specified for use between single pedestal desks, desk shells, credenza shells, corner units and convergent worksurfaces with support panel for U-shaped applications.
- Connecting edge will require a cope when attaching to a desk or credenza unit with Radius or Bevel profiled edge: see Coped Profile Applications in Specification Guide.
- Bridges with profiled edges not for use with corner units.

To Order, Specify:

Laminate Top Bridge

- Product number, including:

② Grommet Option:

- N** No Grommet
Y Grommet, add \$134.51 list

③ Modesty Option:

- F** Full Height, add \$123.71 list
Q Three-quarter Height, add \$101.33 list
N No Modesty

- Wood finish for optional modesty.
- Laminate worksurface color.
- Edgeband trim color.

Wood Top Bridge

- Product number, including:

① Edge Option:

- 1** Square
2 Bevel
3 Chamfer
4 Radius

② Grommet Option:

- N** No Grommet
Y Grommet, add \$134.51 list

③ Modesty Option:

- F** Full Height, add \$123.71 list
Q Three-quarter Height, add \$101.33 list
N No Modesty


④ Coped Edge:

- N** No Cope
L Left
R Right
B Both


- Wood finish.

Tripoli — Shells

	Height	Depth	Width	Number ① ②	Laminate Top A	Wood Top B
Corner Shell — Laminate or Wood Worksurface	Laminate Top with Edgeband (J)					
	29 1/2"(749mm)	42"(1067mm)	42"(1067mm)	TJCS-4242-JS ■ T	\$2722.62	\$2863.13
	Wood Top with Wood Edge					
	29 1/2"(749mm)	42"(1067mm)	42"(1067mm)	TKCS-4242- ■ S ■ T	N/A	\$2952.00



TJCS-JSFT
TKCS-1SFT
(Full modesty shown)



TJCS-JSQT
TKCS-1SQT
(Three-quarter modesty shown)

Features

- Includes worksurface, case and attachment hardware.
- 1 1/2"(38mm) thick worksurface in choice of finish:
Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Optional modesty:
–Full height (F)
–Three-quarter height (Q)
- 22"(559mm) deep attachment.
- End panels with non-veneer integrated wireways with clear coat finish.
- Standard with 2"(51mm) grommet in back corner.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Specify for attachment to returns and bridges.
- Accommodates separately specified center drawer.
- Not for use with bridge or return with coped edge. See Coped Profile Applications in Specification Guide.
- See Corner Unit Applications in Specification Guide.

To Order, Specify:**Laminate Top**

- 1) Product number, including:

② Modesty Option:

- F** Full Height, add \$60.05 list
- Q** Three-quarter Height

- 2) Wood finish for case.
- 3) Laminate worksurface color.
- 4) Edgeband trim color.

Wood Top

- 1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius


② Modesty Option:

- F** Full Height, add \$60.05 list
- Q** Three-quarter Height


- 2) Wood finish.

Tripoli — Returns with End Panel Support

Return — Laminate Worksurface



TJRS-JSYQLN
(Three-quarter modesty left-hand shown)



TJRS-JSYFLN
(Full modesty left-hand shown)

Height	Depth	Width	Number	①	②	③	Laminate A	B
Laminate Top with Edgeband (J)								
29 1/2"(749mm)	22"(559mm)	36"(914mm)	TJRS-2236-JS			N	\$1544.46	\$1605.71
		42"(1067mm)	TJRS-2242-JS			N	1563.31	1626.13
		48"(1219mm)	TJRS-2248-JS			N	1582.16	1646.55
		54"(1372mm)	TJRS-2254-JS			N	1601.01	1666.97
		60"(1524mm)	TJRS-2260-JS			N	1619.86	1687.39
		66"(1676mm)	TJRS-2266-JS	F		N	1743.20	1812.30
		72"(1829mm)	TJRS-2272-JS	F		N	1762.05	1832.72
		78"(1981mm)	TJRS-2278-JS	F		N	1780.90	1853.14

Features

- Includes worksurface, case and attachment hardware.
- 1 1/2"(38mm) thick Laminate worksurface with Square ABS edgeband.
- Optional modesty:
 - Full height available with all width returns
 - Three-quarter height available for 36"(914mm)-60"(1524mm) wide returns
- Modesty panel is 3/4"(19mm) thick; veneer finish both sides.
- Optional 2"(51mm) black grommet oriented to connection end of return top. Grommet specification includes a non-veneer clear coat wireway scallop.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Handed design (left or right) based on position of worksurface support panel.
- Not for freestanding application. Connects to single pedestal desk, desk shell, credenza shell and applicable corner units.
- Specify optional 21"(533mm) deep attached storage units.
- Modesty panel with visible wireway scallop may require discrete placement of the return.

To Order, Specify:

Laminate Top

1) Product number, including:

① Grommet Option:

- N** No Grommet
Y Grommet, add \$134.51 list

② Modesty Option:


- F** Full Height, add \$104.49 list
Q Three-quarter Height (36", 42", 48", 54" & 60" only)

③ Orientation:


- L** Left
R Right

- 2) Wood finish for case.
 3) Laminate worksurface color.
 4) Edgeband trim color.

Tripoli — Returns with End Panel Support

	Height	Depth	Width	Number	①	②	③	④	⑤	Price
Return — Wood Worksurface  TKRS-1SYQLN (Three-quarter modesty left-hand shown)	Wood Top with Wood Edge									
	29 1/2"(749mm)	22"(559mm)	36"(914mm)	TKRS-2236-	S					\$1706.59
			42"(1067mm)	TKRS-2242-	S					1727.13
			48"(1219mm)	TKRS-2248-	S					1747.67
			54"(1372mm)	TKRS-2254-	S					1768.21
			60"(1524mm)	TKRS-2260-	S					1788.75
			66"(1676mm)	TKRS-2266-	S	F				1913.78
			72"(1829mm)	TKRS-2272-	S	F				1934.32
			78"(1981mm)	TKRS-2278-	S	F				1954.86

TKRS-1SYQLN
(Three-quarter modesty left-hand shown)



TKRS-1SYFLN
(Full modesty left-hand shown)

Features

- Includes worksurface, case and attachment hardware.
- 1 1/2"(38mm) thick Wood Veneer worksurface with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Worksurfaces with Radius or Bevel profiled edge available with coped connection edge option.
- Optional modesty:
 - Full height available with all width returns
 - Three-quarter height available for 36"(914mm)-60"(1524mm) wide returns
- Modesty panel is 3/4"(19mm) thick; veneer finish both sides.
- Optional 2"(51mm) black grommet oriented to connection end of return top. Grommet specification includes a non-veneer clear coat wireway scallop.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- Handed design (left or right) based on position of worksurface support panel.
- Not for freestanding application. Connects to single pedestal desk, desk shell, credenza shells and applicable corner units.
- Specify optional 21"(533mm) deep attached storage units.
- Connection edge may require a cope when attaching to a desk or shell with Radius or Bevel profile: see Coped Profile Applications in Specification Guide.
- Returns with profiled edges not for use with corner units.
- Modesty panel with visible wireway scallop may require discrete placement of the return.

To Order, Specify:

Wood Top

1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Grommet Option:

- N** No Grommet
- Y** Grommet, add **\$134.51** list

③ Modesty Option:

- F** Full Height, add **\$104.49** list
- Q** Three-quarter Height (36", 42", 48", 54" & 60" only)

④ Orientation:

- L** Left
- R** Right


⑤ Coped Edge:

- Y** Coped (Bevel and Radius edges only)
- N** No Cope

2) Wood finish.

Tripoli — Credenzas with Pedestals

Credenza with Pedestals — Laminate Worksurface



TJZP-JSS66YS

Height	Depth	Width	Number	①②③	Laminate A	B
Laminate Top with Edgeband (J)						
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TJZP-2266-JSS	■ ■ ■	\$4847.64	\$4984.13
		72"(1829mm)	TJZP-2272-JSS	■ ■ ■	4873.52	5012.14
		78"(1981mm)	TJZP-2278-JSS	■ ■ ■	4899.40	5040.15

Features

- Includes worksurface, case, and two pedestals.
- 1 1/2"(38mm) thick Laminate worksurface with Square ABS edgeband.
- Matched veneer drawer fronts.
- Two File/File pedestals with choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- Pedestals with option of 15 1/2"(394mm) letter width or 18 3/4"(476mm) legal width.
- File drawer with an integrated file hanging system.
- File drawers have full extension slides.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- One lock standard per pedestal; each pedestal locks separately.
- Common key numbers within each credenza.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- May use with a vertical storage unit of equal width.
- Legal width pedestals available for 72"(1829mm) and 78"(1981mm) wide credenzas.

To Order, Specify:

Laminate Top

1) Product number, including:

① Pedestal Drawer Option:

Letter Width Pedestals

66 Two File/File Black Miterfold

TT Two File/File Wood, add **\$185.21** list

Legal Width Pedestals

(72" and 78" wide only)

99 Two File/File Black Miterfold, add **\$121.20** list

MM Two File/File Wood, add **\$306.41** list

② Grommet Option:

N No Grommet

Y Grommet, add **\$134.51** list

③ Back Finish Option:

S Non-veneer

V Veneer, add **\$151.78** list

2) Wood finish for case and fronts.


3) Laminate worksurface color.

4) Edgeband trim color.

5) Trim color for lock plug.

Tripoli — Credenzas with Pedestals

Credenza with Pedestals — Wood Worksurface



TKZP-1SS66YS

Height	Depth	Width	Number	①	②	③	④	Price
Wood Top with Wood Edge								
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TKZP-2266-	SS				\$4986.47
		72"(1829mm)	TKZP-2272-	SS				5015.18
		78"(1981mm)	TKZP-2278-	SS				5043.89

Features

- Includes worksurface, case, and two pedestals.
- 1 1/2"(38mm) thick Wood Veneer worksurface with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Matched veneer drawer fronts.
- Two File/File pedestals with choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- Pedestals with option of 15 1/2"(394mm) letter width or 18 3/4"(476mm) legal width.
- File drawer with an integrated file hanging system.
- File drawers have full extension slides.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- One lock standard per pedestal; each pedestal locks separately.
- Common key numbers within each credenza.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped unassembled, pedestals shipped assembled ready for field installation.

Specification Tips

- May use with a vertical storage unit of equal width.
- Legal width pedestals available for 72"(1829mm) and 78"(1981mm) wide credenzas.

To Order, Specify:

Wood Top

1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Pedestal Drawer Option:

Letter Width Pedestals

- 66** Two File/File Black Miterfold
- TT** Two File/File Wood, add **\$185.21** list

Legal Width Pedestals

(72" and 78" wide only)

- 99** Two File/File Black Miterfold, add **\$121.20** list
- MM** Two File/File Wood, add **\$306.41** list

③ Grommet Option:

- N** No Grommet
- Y** Grommet, add **\$134.51** list

④ Back Finish Option:


- S** Non-veneer
- V** Veneer, add **\$151.78** list

2) Wood finish.

3) Trim color for lock plug.

Tripoli — Credenzas with Pedestals and Closed Storage

Credenza with Pedestals and Closed Storage — Laminate Worksurface



TJZS-JSS66YLS

Height	Depth	Width	Number	①②③④	Laminate A	B
Laminate Top with Edgeband (J)						
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TJZS-2266-JSS	■ ■ ■ ■	\$6496.04	\$6547.75
		72"(1829mm)	TJZS-2272-JSS	■ ■ ■ ■	6580.66	6639.42
		78"(1981mm)	TJZS-2278-JSS	■ ■ ■ ■	6665.28	6731.09

Features

- Includes worksurface, storage cabinet, and two pedestals.
- 1 1/2"(38mm) thick Laminate worksurface with Square ABS edgeband.
- Matched veneer storage drawer and door fronts.
- Two File/File pedestals with choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- Pedestals with option of 15 1/2"(394mm) letter width or 18 3/4"(476mm) legal width.
- File drawer with an integrated file hanging system.
- File drawers have full extension slides.
- Storage cabinet with touch latch doors and concealed hinges.
- One 3/4"(19mm) thick interior wood shelf in storage cabinet with $\pm 1\ 1/4"$ (32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of back panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- One lock standard per pedestal; each pedestal locks separately.
- Common key numbers within each credenza.
- Optional lock available for storage cabinet.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped fully assembled ready for field installation.

Specification Tips

- May use with a vertical storage unit of equal width.
- Center storage cabinet is inset to allow access to finger-pulls on pedestals.
- Legal width pedestals available for 72"(1829mm) and 78"(1981mm) wide credenzas.

To Order, Specify:

Laminate Top

1) Product number, including:

① Pedestal Drawer Option:

Letter Width Pedestals

66 Two File/File Black Miterfold

TT Two File/File Wood, add **\$185.21** list

Legal Width Pedestals

(72" and 78" wide only)

99 Two File/File Black Miterfold, add **\$121.20** list

MM Two File/File Wood, add **\$306.41** list

② Grommet Option:

N No Grommet

Y Grommet, add **\$134.51** list

③ Lock Option For Storage:

N No Lock

L Lock, add **\$127.26** list

④ Back Finish Option:

S Non-Veneer

V Veneer, add **\$151.78** list

2) Wood finish for case and fronts.


3) Laminate worksurface color.

4) Edgeband trim color.

5) Trim color for lock plug.

Tripoli — Credenzas with Pedestals and Closed Storage

Credenza with Pedestals and Closed Storage — Wood Worksurface



TKZS-1SS66YLS

Height	Depth	Width	Number	①	②	③	④	⑤	Price
Wood Top with Wood Edge									
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TKZS-2266-	SS					\$6624.15
		72"(1829mm)	TKZS-2272-	SS					6711.13
		78"(1981mm)	TKZS-2278-	SS					6798.11

Features

- Includes worksurface, storage cabinet, and two pedestals.
- 1 1/2"(38mm) thick Wood Veneer worksurface with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Matched veneer storage drawer and door fronts.
- Pedestals with option of 15 1/2"(394mm) letter width or 18 3/4"(476mm) legal width.
- File drawer with an integrated file hanging system.
- File drawers have full extension slides.
- Storage cabinet with touch latch doors and concealed hinges.
- One 3/4"(19mm) thick interior wood shelf in storage cabinet with $\pm 1\ 1/4"$ (32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of back panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- One lock standard per pedestal; each pedestal locks separately.
- Common key numbers within each credenza.
- Optional lock available for storage cabinet.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped fully assembled ready for field installation.

Specification Tips

- May use with a vertical storage unit of equal width.
- Center storage cabinet is inset to allow access to finger pulls on pedestals.
- Legal width pedestals available for 72"(1829mm) and 78"(1981mm) wide credenzas.
- Letter pedestal width shown; add width with legal pedestals.

To Order, Specify:

Wood Top

- 1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Pedestal Drawer Option:

Letter Width Pedestals

- 66** Two File/File Black Miterfold
- TT** Two File/File Wood, add **\$185.21** list

Legal Width Pedestals

(72" and 78" wide only)

- 99** Two File/File Black Miterfold, add **\$121.20** list
- MM** Two File/File Wood, add **\$306.41** list

③ Grommet Option:

- N** No Grommet
- Y** Grommet, add **\$134.51** list

④ Lock Option for Storage:

- N** No Lock
- L** Lock, add **\$127.26** list


⑤ Back Finish Option:

- S** Non-Veneer
- V** Veneer, add **\$151.78** list

- 2) Wood finish.
- 3) Trim color for lock plug.

Tripoli — Credenzas with Lateral Files

Credenza with Lateral Files —
Laminate Worksurface



TJZL-JSSSYS

Height	Depth	Width	Number	①②③	Laminate A	B
Laminate Top with Edgeband (J)						
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TJZL-2266-JSS	■ ■ ■	\$6064.95	\$6112.99
		72"(1829mm)	TJZL-2272-JSS	■ ■ ■	6102.19	6153.82

Features

- Includes worksurface, two lateral files, and filler strip.
- 1 1/2"(38mm) thick Laminate worksurface with Square ABS edgeband.
- Matched veneer drawer fronts.
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- File drawers have full extension slides.
- Horizontally routed finger-pulls.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer wood back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of back panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- One lock including dual lock bar system standard per lateral file; each lateral file locks separately.
- Common key numbers in each credenza.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped fully assembled ready for field installation.

Specification Tip

- May use with a vertical storage unit of equal width.

To Order, Specify:

Laminate Top

1) Product number, including:

① File Drawer Option:

- ☐ S Standard
- ☐ W Wood, add \$217.15 list

② Grommet Option:

- ☐ N No Grommet
- ☐ Y Grommet, add \$134.51 list


③ Back Finish Option:

- ☐ S Non-veneer
- ☐ V Veneer, add \$154.92 list

- 2) Wood finish for case and fronts.
- 3) Laminate worksurface color.
- 4) Edgeband trim color.
- 5) Trim color for lock plug.

Tripoli — Credenzas with Lateral Files

	Height	Depth	Width	Number	①	②	③	④	Price
Credenza with Lateral Files — Wood Worksurface	Wood Top with Wood Edge								
	29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TKZL-2266-	SS				\$6183.85
			72"(1829mm)	TKZL-2272-	SS				6221.09



TKZL-1SSSYS

Features

- Includes worksurface, two lateral files, and filler strip.
- 1 1/2"(38mm) thick Wood Veneer worksurface with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Matched veneer drawer fronts.
- Choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- File drawers have full extension slides.
- Horizontally routed finger-pulls.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer wood back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of back panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- One lock including dual lock bar system standard per lateral file; each lateral file locks separately.
- Common key numbers in each credenza.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped fully assembled ready for field installation.

Specification Tip

- May use with a vertical storage unit of equal width.

To Order, Specify:

Wood Top

- 1) Product number, including:

① Edge Option:

- 1 Square
2 Bevel
3 Chamfer
4 Radius

② File Drawer Option:

- S Standard
W Wood, add **\$217.15** list

③ Grommet Option:

- N No Grommet
Y Grommet, add **\$134.51** list


④ Back Finish Option:

- S Non-Veneer
V Veneer, add **\$154.92** list

- 2) Wood finish.
3) Trim color for lock plug.

Tripoli — Credenzas with Closed Storage

Credenza with Closed Storage
— Laminate Worksurface



TJZC-JSYLS

Height	Depth	Width	Number	1	2	3	Laminate	
							A	B
Laminate Top with Edgeband (J)								
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TJZC-2266-JS				\$4925.22	\$5003.29
		72"(1829mm)	TJZC-2272-JS				5077.15	5155.82
		78"(1981mm)	TJZC-2278-JS				5229.08	5308.35

Features

- Includes worksurface and two storage cabinets.
- 1 1/2"(38mm) thick Laminate worksurface with Square ABS edgeband.
- Matched veneer storage cabinet doors.
- Two storage cabinets; each with touch latch doors and concealed hinges.
- One 3/4"(19mm) interior wood shelf in each storage cabinet with ±1 1/4"(32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of back panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- Common key numbers within each credenza.
- Locks are optional; each storage cabinet locks separately.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped fully assembled ready for field installation.

Specification Tip

- May use with a vertical storage unit of equal width.

To Order, Specify:

Laminate Top

- 1) Product number, including:

1 Grommet Option:

- ☐ N No Grommet
- ☐ Y Grommet, add \$134.51 list

2 Lock Option:

- ☐ N No Lock
- ☐ L Lock, add \$254.52 list


3 Back Finish Option:

- ☐ S Non-Veneer
- ☐ V Veneer, add \$154.92 list

- 2) Wood finish for case and fronts.
- 3) Laminate worksurface color.
- 4) Edgeband trim color.
- 5) Trim color for optional lock plug.

Tripoli — Credenzas with Closed Storage

Credenza with Closed Storage — Wood Worksurface



TKZC-1SYLS

Height	Depth	Width	Number	①	②	③	④	Price
Wood Top with Wood Edge								
29 1/2"(749mm)	22"(559mm)	66"(1676mm)	TKZC-2266-	S				\$5021.29
		72"(1829mm)	TKZC-2272-	S				5172.62
		78"(1981mm)	TKZC-2278-	S				5323.95

Features

- Includes worksurface and two storage cabinets.
- 1 1/2"(38mm) thick Wood Veneer worksurface with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Matched veneer storage cabinet doors.
- Two storage cabinets; each with touch latch doors and concealed hinges.
- One 3/4"(19mm) interior wood shelf in each storage cabinet with $\pm 1\ 1/4"$ (32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of back panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- Common key numbers within each credenza.
- Locks are optional; each storage cabinet locks separately.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Credenza shell shipped fully assembled ready for field installation.

Specification Tip

- May use with a vertical storage unit of equal width.

To Order, Specify:

Wood Top

- 1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Grommet Option:

- N** No Grommet
- Y** Grommet, add **\$134.51** list

③ Lock Option:

- N** No Lock
- L** Lock, add **\$254.52** list


④ Back Finish Option:

- S** Non-Veneer
- V** Veneer, add **\$154.92** list

- 2) Wood finish.
- 3) Trim color for optional lock plug.

Tripoli — Credenza Shells

Credenza Shell — Laminate Top



TJZF-JSYS

Height	Depth	Width	Number	① ②	Laminate A	B
Laminate Top with Edgeband (J)						
29 1/2"(749mm)	22"(559mm)	48"(1219mm)	TJZF-2248-JS	<input type="checkbox"/> <input type="checkbox"/>	\$1997.23	\$2042.87
		54"(1372mm)	TJZF-2254-JS	<input type="checkbox"/> <input type="checkbox"/>	2037.11	2085.99
		60"(1524mm)	TJZF-2260-JS	<input type="checkbox"/> <input type="checkbox"/>	2076.99	2129.11
		66"(1676mm)	TJZF-2266-JS	<input type="checkbox"/> <input type="checkbox"/>	2116.87	2172.23
		72"(1829mm)	TJZF-2272-JS	<input type="checkbox"/> <input type="checkbox"/>	2156.75	2215.35
		78"(1981mm)	TJZF-2278-JS	<input type="checkbox"/> <input type="checkbox"/>	2196.63	2258.47
		84"(2134mm)	TJZF-2284-JS	<input type="checkbox"/> <input type="checkbox"/>	2236.51	2301.59
		90"(2286mm)	TJZF-2290-JS	<input type="checkbox"/> <input type="checkbox"/>	2276.39	2344.71
		96"(2438mm)	TJZF-2296-JS	<input type="checkbox"/> <input type="checkbox"/>	2316.27	2387.83

Features

- Includes worksurface and case.
- 1 1/2"(38mm) thick Laminate worksurface with Square ABS edgeband.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- May be used with a vertical storage unit of equal width. See Vertical Storage Application Rules in Specification Guide.
- 21"(533mm) deep attached storage units may be specified.
- Credenza shells 84"(2134mm) and over require additional separately specified lower supporting storage cabinets.

To Order, Specify:

Laminate Top

- 1) Product number, including:

① Grommet Option:

- ☐ N No Grommet
☐ Y Grommet, add \$134.51 list


② Back Finish Option:

- ☐ S Non-Veneer
☐ V Veneer
 48" – 54", add \$101.33 list
 60" – 96", add \$154.92 list

- 2) Wood finish for case.
 3) Laminate worksurface color.
 4) Edgeband trim color.

Tripoli — Credenza Shells

Credenza Shell — Wood Top



TKZF-1SYS

Height	Depth	Width	Number	①	②	③	Price
Wood Top with Wood Edge							
29 1/2"(749mm)	22"(559mm)	48"(1219mm)	TKZF-2248-	■	S	■	\$2071.69
		54"(1372mm)	TKZF-2254-	■	S	■	2116.49
		60"(1524mm)	TKZF-2260-	■	S	■	2161.29
		66"(1676mm)	TKZF-2266-	■	S	■	2206.09
		72"(1829mm)	TKZF-2272-	■	S	■	2250.89
		78"(1981mm)	TKZF-2278-	■	S	■	2295.69
		84"(2134mm)	TKZF-2284-	■	S	■	2340.49
		90"(2286mm)	TKZF-2290-	■	S	■	2385.29
		96"(2438mm)	TKZF-2296-	■	S	■	2430.09

Features

- Includes worksurface and case.
- 1 1/2"(38mm) thick Wood Veneer worksurface with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer back (V) is designed for freestanding application where back of unit is visible.
- Non-veneer clear coat wireway scallop in top center of modesty panel.
- Optional 2"(51mm) black grommet centered in back of worksurface. Grommet specification includes a non-veneer clear coat wireway scallop.
- Glides provide 2"(51mm) adjustment range.
- Shipped unassembled.

Specification Tips

- May be used with a vertical storage unit of equal width. See Vertical Storage Application Rules in Specification Guide.
- 21"(533mm) deep attached storage units may be specified.
- Credenza shells 84"(2134mm) and over require additional separately specified lower supporting storage cabinets.

To Order, Specify:**Wood Top**

1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Grommet Option:





- N** No Grommet
- Y** Grommet, add **\$134.51** list

③ Back Finish Option:

- S** Non-Veneer
- V** Veneer
 - 48" – 54", add **\$101.33** list
 - 60" – 96", add **\$154.92** list

2) Wood finish.


Tripoli — Vertical Storage Units with Hinged Doors

	Height	Depth	Width	Doors	Number ① ②	Price
Vertical Storage Unit with Hinged Doors  TKVL-LSNS TKVD-LSNS 31" and 37" widths  TKVL-LSLS TKVD-LSLS 42", 48" and 54" widths (Left-hand single door swing shown)  TKVL-LSNS TKVD-LSNS 60", 66" and 72" widths  TKVL-LSNS TKVD-LSNS 78", 84", 90" and 96" widths						
	Letter Depth					
	34 1/2"(876mm)	14 7/8"(377mm)	31"(787mm)	2	TKVL-3531-■ SNS	\$2908.78
			37"(940mm)	2	TKVL-3537-■ SNS	2981.68
			42"(1067mm)	3	TKVL-3542-■ S ■ S	3042.43
			48"(1219mm)	3	TKVL-3548-■ S ■ S	3115.33
			54"(1372mm)	3	TKVL-3554-■ S ■ S	3188.23
			60"(1524mm)	4	TKVL-3560-■ SNS	3261.13
			66"(1676mm)	4	TKVL-3566-■ SNS	3334.03
			72"(1829mm)	4	TKVL-3572-■ SNS	3406.93
			78"(1981mm)	6	TKVL-3578-■ SNS	3479.83
			84"(2134mm)	6	TKVL-3584-■ SNS	3552.73
			90"(2286mm)	6	TKVL-3590-■ SNS	3625.63
			96"(2438mm)	6	TKVL-3596-■ SNS	3698.53
	Legal Depth					
	34 1/2"(876mm)	17 3/8"(441mm)	31"(787mm)	2	TKVD-3531-■ SNS	\$2993.58
			37"(940mm)	2	TKVD-3537-■ SNS	3066.48
			42"(1067mm)	3	TKVD-3542-■ S ■ S	3127.23
			48"(1219mm)	3	TKVD-3548-■ S ■ S	3200.13
			54"(1372mm)	3	TKVD-3554-■ S ■ S	3273.03
			60"(1524mm)	4	TKVD-3560-■ SNS	3345.93
			66"(1676mm)	4	TKVD-3566-■ SNS	3418.83
			72"(1829mm)	4	TKVD-3572-■ SNS	3491.73
			78"(1981mm)	6	TKVD-3578-■ SNS	3564.63
			84"(2134mm)	6	TKVD-3584-■ SNS	3637.53
			90"(2286mm)	6	TKVD-3590-■ SNS	3710.43
			96"(2438mm)	6	TKVD-3596-■ SNS	3783.33
Features <ul style="list-style-type: none"> • Includes 2"(51mm) integrated light valance, vertical supports and attachment material. • Non-veneer clear coat wireway scallop in bottom center of back panel. • Back standard with non-veneer finish only. • 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available in choice of left or right door swing for single door. • Optional locks available; each pair of doors and each single door locks separately. • Common key within each unit. • Lock plug is available in black or chrome. • For lock options, refer to Lock Program Price List. • 17 3/4"(451mm) clearance between top of worksurface and bottom of cabinet doors. • Matched veneer door fronts. • Shipped assembled. 						
Specification Tips <ul style="list-style-type: none"> • Designed to stack on equal width credenza, credenza shell, two-high storage cabinet or two-high lateral file. Refer to Stack-on Storage Application Rules in Specification Guide. • Accommodates separately specified tackboards and lighting accessories. • Not designed for application where back is visible. 						
To Order, Specify: <ol style="list-style-type: none"> Product number, including: <div> ① Lock Option: <div> N No Lock <div> L Lock <div> 31" – 37", add \$127.26 list 42" – 72", add \$254.52 list 78" – 96", add \$381.78 list </div> </div> </div> </div> ② Single Door Swing Orientation (42", 48" & 54" Wide Only): <div> L Left-hand <div> R Right-hand </div> </div> Wood finish. Trim color for optional lock plug. 						


Tripoli — Tackboards for Vertical Storage Units

Height	Depth	Width	Number	Sections	Fabric Grade		
					A	B	C
18 15/16"(481mm)	7/8"(22mm)	28"(711mm)	TTVD-1731	1	\$203.22	\$233.98	\$268.56
		34"(864mm)	TTVD-1737	1	233.52	268.66	308.94
		39"(991mm)	TTVD-1742	1	258.77	297.56	342.59
		45"(1143mm)	TTVD-1748	1	289.07	332.24	382.97
		51"(1295mm)	TTVD-1754	1	319.37	366.92	423.35
		57"(1448mm)	TTVD-1760	1	349.67	401.60	463.73
		63"(1600mm)	TTVD-1766	2	379.97	436.28	504.11
		69"(1753mm)	TTVD-1772	2	410.27	470.96	544.49
		75"(1905mm)	TTVD-1778	2	440.57	505.64	584.87
		81"(2057mm)	TTVD-1784	2	470.87	540.32	625.25
		87"(2210mm)	TTVD-1790	2	501.17	575.00	665.63
		93"(2362mm)	TTVD-1796	2	531.47	609.68	706.01

Tackboards — Vertical Storage Units — Fabric



TTVD
30" – 60" wide



TTVD
66" – 96" wide

Features

- Includes fabric covered tackboard(s) and attachment hardware.
- Tackboards 60"(1524mm) wide and less are shipped in one piece.
- Tackboards over 60"(1524mm) wide are shipped in two equal sized pieces.

Specification Tips


- Designed to mount on back panel of vertical storage unit.
- Fabric is directional rightway as standard.
- Tackboard widths are nominal; Catalog Number indicates width of vertical storage unit for which the tackboard is to be used.

To Order, Specify:


- Product number.
- Fabric color.

18 15/16"(481mm)	7/8"(22mm)	28"(711mm)	TTSV-1731	1	\$333.73	\$382.37	\$437.46
		34"(864mm)	TTSV-1737	1	362.88	415.89	475.94
		39"(991mm)	TTSV-1742	1	387.37	444.05	508.26
		45"(1143mm)	TTSV-1748	1	396.70	454.77	520.57
		51"(1295mm)	TTSV-1754	1	410.69	470.86	539.03
		57"(1448mm)	TTSV-1760	1	431.68	495.00	566.74
		63"(1600mm)	TTSV-1766	2	491.14	563.38	645.24
		69"(1753mm)	TTSV-1772	2	576.26	661.27	757.59
		75"(1905mm)	TTSV-1778	2	593.75	681.38	780.68
		81"(2057mm)	TTSV-1784	2	610.08	700.16	802.23
		87"(2210mm)	TTSV-1790	2	685.87	787.31	902.28
		93"(2362mm)	TTSV-1796	2	726.68	834.25	956.14

Tackboards — Vertical Storage Units — Fabric and Slat Rail



TTSV
30" – 60" wide



TTSV
66" – 96" wide

Features

- Includes fabric covered tackboard(s) and slat rail.
- Tackboards 60"(1524mm) wide and less are shipped in one piece.
- Tackboards over 60"(1524mm) wide include two fabric sections. Slat rail is one full-width section.





Specification Tips

- Designed to mount on back panel of vertical storage unit.
- Fabric is directional rightway as standard.
- Tackboard widths are nominal; Catalog Number indicates width of vertical storage unit for which the tackboard is to be used.
- Slat rail accommodates separately specified Jump Stuff slat rail tools.





To Order, Specify:

- Product number.
- Fabric color.
- Trim color for slat rail.





Tripoli — Overhead Storage Units with Hinged Doors

	Height	Depth	Width	Doors	Number ① ②	Price
Overhead Storage Unit — One-High with Hinged Doors  UXOL-LSN UXOD-LSN 30", 31", 36" and 37" widths  UXOL-LSL UXOD-LSL 42", 48" and 54" widths (Left-hand single door swing shown)  UXOL-LSN UXOD-LSN 60", 66" and 72" widths  UXOL-LSN UXOD-LSN 78", 84", 90" and 96" widths	Letter Depth					
	17"(432mm)	14 7/8" (377mm)	30"(762mm)	2	UXOL-1730- SN	\$1630.72
			31"(787mm)	2	UXOL-1731- SN	1630.72
			36"(914mm)	2	UXOL-1736- SN	1777.34
			37"(940mm)	2	UXOL-1737- SN	1777.34
			42"(1067mm)	3	UXOL-1742- S	1934.36
			48"(1219mm)	3	UXOL-1748- S	2080.98
			54"(1372mm)	3	UXOL-1754- S	2227.60
			60"(1524mm)	4	UXOL-1760- SN	2374.22
			66"(1676mm)	4	UXOL-1766- SN	2520.84
			72"(1829mm)	4	UXOL-1772- SN	2667.46
			78"(1981mm)	6	UXOL-1778- SN	2824.48
			84"(2134mm)	6	UXOL-1784- SN	2971.10
			90"(2286mm)	6	UXOL-1790- SN	3117.72
			96"(2438mm)	6	UXOL-1796- SN	3264.34
	Legal Depth					
	17"(432mm)	17 3/8"(441mm)	30"(762mm)	2	UXOD-1730- SN	\$1779.54
			31"(787mm)	2	UXOD-1731- SN	1779.54
			36"(914mm)	2	UXOD-1736- SN	1926.16
			37"(940mm)	2	UXOD-1737- SN	1926.16
			42"(1067mm)	3	UXOD-1742- S	2083.18
			48"(1219mm)	3	UXOD-1748- S	2229.80
			54"(1372mm)	3	UXOD-1754- S	2376.42
			60"(1524mm)	4	UXOD-1760- SN	2523.04
			66"(1676mm)	4	UXOD-1766- SN	2669.66
			72"(1829mm)	4	UXOD-1772- SN	2816.28
			78"(1981mm)	6	UXOD-1778- SN	2973.30
			84"(2134mm)	6	UXOD-1784- SN	3119.92
			90"(2286mm)	6	UXOD-1790- SN	3266.54
			96"(2438mm)	6	UXOD-1796- SN	3413.16
Features <ul style="list-style-type: none"> Includes storage cabinet(s) with 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature. Choice of letter or legal depth. 42"(1067mm), 48"(1219mm) and 54"(1372mm) wide units available in choice of left or right door swing for single door. Optional locks available; each pair of doors and each single door lock separately. Common key with each unit. Lock plug is available in black or chrome. For lock options, refer to Lock Program Price List. Matched veneer door fronts. Shipped assembled. 						
Specification Tips <ul style="list-style-type: none"> Accommodates separately specified tackboards and lighting accessories. Must be properly anchored to a structural wall. Anchors are not provided, must be field supplied. Bottom of overhead storage unit has a non-veneer finish. 						
To Order, Specify: <ol style="list-style-type: none"> Product number, including: <div> ① Lock Option: <div> N No Lock <div> L Lock 30" – 37", add \$118.05 list 42" – 72", add \$236.09 list 78" – 96", add \$354.14 list </div> </div> </div> ② Single Door Swing Orientation (42"48" & 54" Wide Only): <div> L Left-hand <div> R Right-hand </div> </div> Wood finish. Trim color for lock plug. 						

Tripoli — Overhead Storage Units with Solid Sliding Door

	Height	Width	Depth	Number	Price
Overhead Storage Unit — One-High with Solid Sliding Door  UXRL-NSN UXRD-NSN 30" and 36" widths  UXRL-NSN UXRD-NSN 42", 48" and 54" widths  UXRL-NSN UXRD-NSN 60", 66" and 72" widths  UXRL-NSN UXRD-NSN 78", 84", 90" and 96" widths		Letter Depth			
	16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXRL-1730-NSN	\$1465.36
		36"(914mm)	14"(356mm)	UXRL-1736-NSN	1597.65
		42"(1067mm)	14"(356mm)	UXRL-1742-NSN	1740.34
		48"(1219mm)	14"(356mm)	UXRL-1748-NSN	1872.63
		54"(1372mm)	14"(356mm)	UXRL-1754-NSN	2004.92
		60"(1524mm)	14"(356mm)	UXRL-1760-NSN	2137.21
		66"(1676mm)	14"(356mm)	UXRL-1766-NSN	2269.50
		72"(1829mm)	14"(356mm)	UXRL-1772-NSN	2401.79
		78"(1981mm)	14"(356mm)	UXRL-1778-NSN	2544.48
		84"(2134mm)	14"(356mm)	UXRL-1784-NSN	2676.77
		90"(2286mm)	14"(356mm)	UXRL-1790-NSN	2809.06
		96"(2438mm)	14"(356mm)	UXRL-1796-NSN	2941.35
		Legal Depth			
	16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXRD-1730-NSN	\$1614.18
		36"(914mm)	16 1/2"(419mm)	UXRD-1736-NSN	1746.47
		42"(1067mm)	16 1/2"(419mm)	UXRD-1742-NSN	1889.16
		48"(1219mm)	16 1/2"(419mm)	UXRD-1748-NSN	2021.45
		54"(1372mm)	16 1/2"(419mm)	UXRD-1754-NSN	2153.74
		60"(1524mm)	16 1/2"(419mm)	UXRD-1760-NSN	2286.03
		66"(1676mm)	16 1/2"(419mm)	UXRD-1766-NSN	2418.32
		72"(1829mm)	16 1/2"(419mm)	UXRD-1772-NSN	2550.61
		78"(1981mm)	16 1/2"(419mm)	UXRD-1778-NSN	2693.30
		84"(2134mm)	16 1/2"(419mm)	UXRD-1784-NSN	2825.59
		90"(2286mm)	16 1/2"(419mm)	UXRD-1790-NSN	2957.88
		96"(2438mm)	16 1/2"(419mm)	UXRD-1796-NSN	3090.17
Features <ul style="list-style-type: none"> Includes storage cabinet(s) with one solid sliding door, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature. Exterior surface under unit has a non-veneer finish. Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support. Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports. All units include one sliding door; sliding door width is equal to one section width (one-half or one-third of unit width). Locks not available. Includes internally mounted sliding door track top and bottom with bumpers at each end. Shipped assembled. 					
Specification Tips <ul style="list-style-type: none"> Accommodates separately specified tackboards and lighting accessories. Must be properly anchored to a structural wall. Anchors are not provided, must be field installed. Product catalog number shared with Masters Series. Bottom of overhead storage unit has a non-veneer finish. 					
				To Order, Specify: <ol style="list-style-type: none"> Product number. Wood finish. 	

Tripoli — Overhead Storage Units with Glass Sliding Door

	Height	Width	Depth	Number	Glass A	C	D	F
Overhead Storage Unit — One-High with Glass Sliding Door  UXLL-NSN UXLD-NSN 30" and 36" widths  UXLL-NSN UXLD-NSN 42", 48" and 54" widths  UXLL-NSN UXLD-NSN 60", 66" and 72" widths  UXLL-NSN UXLD-NSN 78", 84", 90" and 96" widths	Letter Depth							
	16 9/16"(421mm)	30"(762mm)	14"(356mm)	UXLL-1730-NSN	\$1532.96	\$1639.55	\$1710.66	\$1807.70
		36"(914mm)	14"(356mm)	UXLL-1736-NSN	1678.46	1790.86	1865.85	1968.18
		42"(1067mm)	14"(356mm)	UXLL-1742-NSN	1834.36	1952.57	2031.44	2139.06
		48"(1219mm)	14"(356mm)	UXLL-1748-NSN	1979.86	2103.88	2186.63	2299.54
		54"(1372mm)	14"(356mm)	UXLL-1754-NSN	2125.36	2255.19	2341.82	2460.02
		60"(1524mm)	14"(356mm)	UXLL-1760-NSN	2270.86	2406.50	2497.01	2620.50
		66"(1676mm)	14"(356mm)	UXLL-1766-NSN	2416.36	2557.81	2652.20	2780.98
		72"(1829mm)	14"(356mm)	UXLL-1772-NSN	2561.86	2709.12	2807.39	2941.46
		78"(1981mm)	14"(356mm)	UXLL-1778-NSN	2717.76	2870.83	2972.98	3112.34
		84"(2134mm)	14"(356mm)	UXLL-1784-NSN	2863.26	3022.14	3128.17	3272.82
		90"(2286mm)	14"(356mm)	UXLL-1790-NSN	3008.76	3173.45	3283.36	3433.30
		96"(2438mm)	14"(356mm)	UXLL-1796-NSN	3154.26	3324.76	3438.55	3593.78
	Legal Depth							
	16 9/16"(421mm)	30"(762mm)	16 1/2"(419mm)	UXLD-1730-NSN	\$1681.78	\$1788.37	\$1859.48	\$1956.52
		36"(914mm)	16 1/2"(419mm)	UXLD-1736-NSN	1827.28	1939.68	2014.67	2117.00
		42"(1067mm)	16 1/2"(419mm)	UXLD-1742-NSN	1983.18	2101.39	2180.26	2287.88
		48"(1219mm)	16 1/2"(419mm)	UXLD-1748-NSN	2128.68	2252.70	2335.45	2448.36
		54"(1372mm)	16 1/2"(419mm)	UXLD-1754-NSN	2274.18	2404.01	2490.64	2608.84
		60"(1524mm)	16 1/2"(419mm)	UXLD-1760-NSN	2419.68	2555.32	2645.83	2769.32
		66"(1676mm)	16 1/2"(419mm)	UXLD-1766-NSN	2565.18	2706.63	2801.02	2929.80
		72"(1829mm)	16 1/2"(419mm)	UXLD-1772-NSN	2710.68	2857.94	2956.21	3090.28
		78"(1981mm)	16 1/2"(419mm)	UXLD-1778-NSN	2866.58	3019.65	3121.80	3261.16
		84"(2134mm)	16 1/2"(419mm)	UXLD-1784-NSN	3012.08	3170.96	3276.99	3421.64
		90"(2286mm)	16 1/2"(419mm)	UXLD-1790-NSN	3157.58	3322.27	3432.18	3582.12
		96"(2438mm)	16 1/2"(419mm)	UXLD-1796-NSN	3303.08	3473.58	3587.37	3742.60

Features

- Includes storage cabinet(s) with one glass sliding door, 2"(51mm) integrated light valance and 4"(102mm) French cleat with anti-dislodgement feature.
- Exterior surface under unit has a non-veneer finish.
- Units 30"-72"(762mm-1829mm) wide include two equal width sections divided by one inset intermediate center support.
- Units 78"-96"(1981mm-2438mm) wide include three equal width sections divided by two inset intermediate center supports.
- All units include one sliding door; sliding door width equal to one section width (one-half or one-third of unit width).
- Locks not available.
- Includes internally mounted sliding door track top and bottom with bumpers at each end.
- Shipped assembled.

Specification Tips

- Accommodates separately specified tackboards and lighting accessories.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field installed.
- Glass door includes metal frame with metallic powdercoat finish on back side of door.
- Only back-painted glass available as standard; specifying alternate glass may allow for the light valance and hardware to be visible.
- Bottom of overhead storage unit has a non-veneer finish.


To Order, Specify:

- 1) Product number.
- 2) Wood finish.
- 3) Glass finish.
- 4) Trim color for glass frame (metallic powdercoat finishes only).


Tripoli — Tackboards for Overhead Storage Units

Height	Depth	Width	Number	Sections	Fabric Grade		
					A	B	C
16 15/16"(430mm)	7/8"(22mm)	30"(762mm)	TTWD-1730	1	\$198.17	\$228.20	\$261.83
		31"(787mm)	TTWD-1731	1	203.22	233.98	268.56
		36"(914mm)	TTWD-1736	1	228.47	262.88	302.21
		37"(940mm)	TTWD-1737	1	233.52	268.66	308.94
		42"(1067mm)	TTWD-1742	1	258.77	297.56	342.59
		48"(1219mm)	TTWD-1748	1	289.07	332.24	382.97
		54"(1372mm)	TTWD-1754	1	319.37	366.92	423.35
		60"(1524mm)	TTWD-1760	1	349.67	401.60	463.73
		66"(1676mm)	TTWD-1766	2	379.97	436.28	504.11
		72"(1829mm)	TTWD-1772	2	410.27	470.96	544.49
		78"(1981mm)	TTWD-1778	2	440.57	505.64	584.87
		84"(2134mm)	TTWD-1784	2	470.87	540.32	625.25
		90"(2286mm)	TTWD-1790	2	501.17	575.00	665.63
		96"(2438mm)	TTWD-1796	2	531.47	609.68	706.01

Tackboards — Overhead Storage Units — Fabric



TTWD
30" – 60" wide



TTWD
66" – 96" wide

Features

- Includes fabric covered tackboard(s) and attachment hardware.
- Tackboards 60"(1524mm) wide and less are shipped in one piece.
- Tackboards over 60"(1524mm) wide are shipped in two equal sized pieces.

Specification Tip


- Designed to mount on wall below equal width overhead storage unit.

To Order, Specify:


- Product number.
- Fabric color.

16 15/16"(430mm)	7/8"(22mm)	30"(762mm)	TTSW-1730	1	\$329.07	\$377.00	\$431.30
		31"(787mm)	TTSW-1731	1	333.73	382.37	437.46
		36"(914mm)	TTSW-1736	1	338.40	387.73	443.61
		37"(940mm)	TTSW-1737	1	362.88	415.89	475.94
		42"(1067mm)	TTSW-1742	1	387.37	444.05	508.26
		48"(1219mm)	TTSW-1748	1	396.70	454.77	520.57
		54"(1372mm)	TTSW-1754	1	410.69	470.86	539.03
		60"(1524mm)	TTSW-1760	1	431.68	495.00	566.74
		66"(1676mm)	TTSW-1766	2	491.14	563.38	645.24
		72"(1829mm)	TTSW-1772	2	576.26	661.27	757.59
		78"(1981mm)	TTSW-1778	2	593.75	681.38	780.68
		84"(2134mm)	TTSW-1784	2	610.08	700.16	802.23
		90"(2286mm)	TTSW-1790	2	648.55	744.41	853.02
		96"(2438mm)	TTSW-1796	2	687.03	788.65	903.81

Tackboards — Overhead Storage Units — Fabric and Slat Rail



TTSW
30" – 60" wide



TTSW
66" – 96" wide

Features

- Includes fabric covered tackboard(s) and attachment hardware.
- Tackboards 60"(1524mm) wide and less are shipped in one piece.
- Tackboards over 60"(1524mm) wide are shipped in two equal sized pieces. Slat rail is one full-width section.

Specification Tips


- Designed to mount on wall below equal width overhead storage unit.
- Slat rail accommodates separately specified Jump Stuff slat rail tools.

To Order, Specify:

- Product number.
- Fabric color.
- Trim color for slat rail.

Tripoli — Reception Stations

Reception Station L-Shaped — Wood



TKLR-1SS56YR
(Right-hand shown)

Height	Depth	Width		Number	①	②	③	Price
44 1/2" (1130mm)	74 1/4" (1886mm)	74 1/4" (1886mm)	Enclosure	TKLR-8272-	■	SS	■ Y ■	\$14008.23
29 1/2" (749mm)	29 1/8" (740mm)	72" (1829mm)	Desk					
29 1/2" (749mm)	21 1/8" (537mm)	48" (1219mm)	Return					
44 1/2" (1130mm)	82 3/8" (8238mm)	86 1/4" (2191mm)	Enclosure	TKLR-8284-	■	SS	■ Y ■	\$14223.20
29 1/2" (749mm)	29 1/8" (740mm)	84" (2134mm)	Desk					
29 1/2" (749mm)	21 1/8" (537mm)	48" (1219mm)	Return					

Features

- Includes gallery enclosure with transaction shelf, two worksurfaces, two pedestals, one grommet and attachment hardware.
- 1 1/2" (38mm) thick worksurfaces in Wood Veneer finish and choice of profiled edge (Square, Bevel, Chamfer or Radius) applied to user sides only.
- Transaction shelf depth is 11 1/2" (292mm).
- Transaction shelf is 1 1/2" (38mm) thick with profiled edge both user and visitor sides.
- Pedestals are 15 1/2" (394mm) wide.
- Box drawers with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated filing hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers have full extension slides.
- One lock standard for each pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Standard with 2" (51mm) black grommet oriented to connection end of return.
- Glides provide 2" (51mm) adjustment range.
- Reception shell shipped unassembled, pedestals shipped assembled ready for field installation.

To Order, Specify:

- 1) Product number, including:

① Edge Option:

- 1 Square
- 2 Bevel
- 3 Chamfer
- 4 Radius

② Storage Option:

- 56 One Box/Box/File and One File/File Black Miterfold
- ST One Box/Box/File and One File/File Wood, add \$185.21 list

③ Orientation:


- L Left-hand
- R Right-hand

- 2) Wood finish.
3) Trim color for lock plug.

Specification Tips

- Handed design (left or right) based on orientation of return when seated at main worksurface.
- Accommodates separately specified center drawer.
- Specified edge profile is applied to both worksurface and countertop.

Tackboards — Reception Station L-Shaped



TKTR

Height	Depth	Width	Number	Fabric Grade A	B	C
12 1/2" (318mm)	7/8" (22mm)	72" (1822mm)	TKTR-1272	\$378.31	\$390.32	\$392.09
		84" (2136mm)	TKTR-1284	445.56	469.18	472.66

Features


- Includes fabric covered tackboard(s) to mount between reception desk worksurface and counter top.
- Tackboards are shipped in two equal width pieces.

To Order, Specify:

- 1) Product number.
2) Fabric color.

Tripoli — Reception Stations

	Height	Depth	Width		Number	①	②	③	Price
Reception Station U-Shaped — Wood	44 1/2"(1130mm)	103 1/2"(2096mm)	74 1/4"(1886mm)	Enclosure	TKUR-A472-	■	SS	■	Y ■
	29 1/2"(749mm)	29 1/8"(740mm)	72"(1829mm)	Desk					
	29 1/2"(749mm)	21 1/8"(537mm)	48"(1219mm)	Bridge					
	29 1/2"(749mm)	21 1/8"(537mm)	72"(1829mm)	Credenza					

TKUR-1SS56YR
(Right-hand shown)**Features**

- Includes gallery enclosure with transaction shelf, three worksurfaces, two pedestals, two grommets and attachment hardware.
- 1 1/2"(38mm) thick worksurfaces in Wood Veneer finish and choice of profiled edge (Square, Bevel, Chamfer or Radius) applied to user sides only.
- Transaction shelf depth is 11 1/2"(292mm).
- Transaction shelf is 1 1/2"(38mm) thick with profiled edge both user and visitor sides.
- Pedestals are 15 1/2"(394mm) wide.
- Box drawers with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated filing hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Box and file drawers have full extension slides.
- One lock standard for each pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Standard with 2"(51mm) black grommet centered in back of bridge and credenza.
- Glides provide 2"(51mm) adjustment range.
- Reception shell shipped unassembled, pedestals shipped assembled ready for field installation.

To Order, Specify:

1) Product number, including:

① Edge Option:

- 1** Square
- 2** Bevel
- 3** Chamfer
- 4** Radius

② Storage Option:**56** One Box/Box/File and One File/File Black Miterfold**ST** One Box/Box/File and One File/File Wood, add **\$185.21** list**③ Orientation:**


- L** Left-hand
- R** Right-hand

2) Wood finish.

3) Trim color for lock plug.

Specification Tips

- Handed design (left or right) based on orientation of bridge when seated at main worksurface.
- Accommodates separately specified center drawer.
- Specified edge profile is applied to both worksurface and countertop.

Tackboards — Reception Station U-Shaped

TKTR

	Height	Depth	Width	Number	Fabric Grade		
					A	B	C
	12 1/2"(318mm)	7/8"(22mm)	72"(1822mm)	TKTR-1272	\$378.31	\$390.32	\$392.09

Features


- Includes fabric covered tackboard(s) to mount between reception desk worksurface and counter top.
- Tackboards are shipped in two equal width pieces.


To Order, Specify:

1) Product number.


2) Fabric color.

Tripoli — Attached Pedestals

	Height	Depth	Width	Number ^①	Price
Attached Pedestal  TKPA-5NSS	Letter Width				
	28"(711mm)	21"(533mm)	15 1/2"(394mm)	TKPA-2821- NSS	\$1708.63
		23"(584mm)		TKPA-2823- NSS	1741.91
		29"(737mm)		TKPA-2829- NSS	1841.75
	Legal Width				
	28"(711mm)	21"(533mm)	18 3/4"(476mm)	TKPA-2821- NSS	\$1778.40
		23"(584mm)		TKPA-2823- NSS	1811.68



TKPA-8NSS



(Back view shown)

Features

- Includes non-veneer top, open back, 3/4"(19mm) thick end panels and attachment hardware.
- Tops of pedestals 21"(533mm) and deeper include a 3"(76mm) or greater horizontal wireway gap.
- 15 1/2"(394mm) letter width; 18 3/4"(476mm) legal width.
- Optional Box/Box/File or File/File configuration with choice of pedestal drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- Box drawer with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer with an integrated file hanging system
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.

Specification Tips

- 21"(533mm) deep pedestals for use under 22"(559mm) deep credenza shell or return.
- 23"(584mm) deep pedestal for 30"(762mm) deep and 36"(914mm) deep desk shells.
- 29"(737mm) deep pedestals for 36"(914mm) deep desk shells; legal width not available.

To Order, Specify:

- Product number, including:

① Pedestal Drawer Option:

Letter Width
(21", 23", and 29" depths)

5 Box/Box/File Black Miterfold

S Box/Box/File Wood, add **\$90.06** list

6 File/File Black Miterfold

T File/File Wood, add **\$90.06** list

Legal Width (21" and 23" depths)

8 Box/Box/File Black Miterfold, add **\$110.77** list

L Box/Box/File Wood, add **\$198.22** list


9 File/File Black Miterfold, add **\$110.77** list

M File/File Wood, add **\$198.22** list

- Wood finish.

- Trim color for lock plug.

Filler Strip — Pedestal



TKKP-S

	Height	Depth	Width	Number	Price
	27 3/4"(707mm)	1 1/2"(38mm)	2"(51mm)	TKKP-2802-S	\$115.31

Features

- Includes pedestal filler strip and attachment hardware.
- Field installation required.

Specification Tip


- Designed to create clearance to permit access to vertically routed finger-pulls of attached pedestals when specified with adjacent storage.

To Order, Specify:

- Product number.
- Wood finish.

Tripoli — Mobile Pedestals

	Height	Depth	Width	Number ①	Price
Mobile Pedestal	21 1/2"(547mm)	21"(533mm)	15 1/2"(394mm)	TKPM-2221- ■ NSS	\$1745.87



TKPM-4NSS

Features

- Includes veneer finished top, veneer finished back and casters.
- Box/File pedestal with choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- Pedestal 15 1/2"(394mm) wide.
- Box drawer with one black Polystyrene drawer divider per drawer and one black Polystyrene pencil tray per pedestal.
- File drawer includes hanging file system.
- Box and file drawers have full extension slides.
- One lock standard per pedestal.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Casters: four black swivel with front two locking.
- Pedestals shipped assembled; casters field installed.

To Order, Specify:

1) Product number, including:

① Pedestal Drawer Option:


- 4** Box/File Black Miterfold
- R** Box/File Wood, add **\$90.06** list

2) Wood finish.


3) Trim color for lock plug.

Tripoli — Attached Lateral File

	Height	Depth	Width	Number ^①	Price
Attached Lateral Files	28"(710mm)	21"(533mm)	30"(762mm)	TKFA-2130-N <input type="checkbox"/> NSS	\$2054.54
			36"(914mm)	TKFA-2136-N <input type="checkbox"/> NSS	2493.62



TKFA-NWNSS



(Back view shown)

Features

- Includes non-veneer top, open back, and 3/4"(19mm) thick end panels.
- Choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Two file hanging bars included per file drawer.
- Horizontally routed finger-pulls.
- Top of lateral file includes a 3"(76mm) horizontal wireway gap.
- File drawers have full extension slides with integrated anti-tip interlock feature.
- One lock standard per lateral file; includes dual lock bar system.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- 1) Product number, including:

① File Drawer Option:

☒ S Standard Black Miterfold



☐ W Wood, add \$109.16 list

- 2) Wood finish.
3) Trim color for lock plug.

Specification Tip

- 21"(533mm) deep lateral file for use under 22"(559mm) deep credenza shell or return.

Tripoli — Freestanding Lateral Files

Freestanding Lateral File —
Two-High and Three-High —
Laminate or Wood TopTJF2-JSNSSS
TKF2-1SNSSSTJF3-JSNSSS
TKF3-1SNSSS

Height	Depth	Width	Number	①	②	③	Laminate Top A	Wood Top B
Laminate Top with Edgeband (J)								
29 1/2"(749mm)	22"(559mm)	31"(787mm)	TJF2-2231-J	■	NSS	■	\$2514.92	\$2535.05
		37"(940mm)	TJF2-2237-J	■	NSS	■	2712.57	2748.08
43 1/8"(1099mm)	22"(559mm)	31"(787mm)	TJF3-2231-J	■	NSS	■	3172.94	3193.07
		37"(940mm)	TJF3-2237-J	■	NSS	■	3427.15	3467.41
Wood Top with Wood Edge								
29 1/2"(749mm)	22"(559mm)	31"(787mm)	TKF2-2231-	■	NSS	■	N/A	N/A
		37"(940mm)	TKF2-2237-	■	NSS	■	N/A	N/A
43 1/8"(1099mm)	22"(559mm)	31"(787mm)	TKF3-2231-	■	NSS	■	N/A	N/A
		37"(940mm)	TKF3-2237-	■	NSS	■	N/A	N/A

Features

- 1 1/2"(38mm) thick top in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Two file hanging bars included per file drawer.
- Horizontally routed finger-pulls.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer wood back (V) is designed for freestanding application where back of unit is visible.
- File drawers have full extension slides with integrated anti-tip interlock feature.
- One lock standard per lateral file; includes dual lock bar system. Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.

Specification Tip

- Two-high lateral file can support a vertical storage unit of equal width.

To Order, Specify:**Laminate Top**

- 1) Product number, including:

② File Drawer Option:

- S** Standard Black Miterfold
W Wood, add **\$109.16** list

③ Back Finish Option:

- S** Non-Veneer
V Veneer, add **\$102.97** list

- 2) Wood finish for case and front.
- 3) Laminate top color.
- 4) Edgeband trim color.
- 5) Trim color for lock plug.

Wood Top

- 1) Product number, including:

① Edge Option:

- 1** Square
2 Bevel
3 Chamfer
4 Radius

② File Drawer Option:

- S** Standard Black Miterfold
W Wood, add **\$109.16** list


③ Back Finish Option:

- S** Non-Veneer
V Veneer, add **\$102.97** list

- 2) Wood finish.
- 3) Trim color for lock plug.

Tripoli — Freestanding Lateral Files/Attached Closed Storage

	Height	Depth	Width	Number	①	②	Price
Freestanding Lateral File — Four-High — Wood	Wood Top with Wood Edge						
	56 3/4"(1441mm)	22"(559mm)	31"(787mm)	TKF4-2231-N	NSS		\$4019.14
			37"(940mm)	TKF4-2237-N	NSS		4350.52



TKF4-NSNSSS

Features

- Choice of drawer option:
 - Black miterfold
 - Wood - English dovetailed Baltic Birch
- File drawer with an integrated file hanging system:
 - Letter size front-to-back filing
 - Legal size side-to-side filing
- Two file hanging bars included per file drawer.
- Horizontally routed finger-pulls.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer wood back (V) is designed for freestanding application where back of unit is visible.
- File drawers have full extension slides with integrated anti-tip interlock feature.
- One lock standard per lateral file; includes dual lock bar system.
- Lock plug is available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 2"(51mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- Product number, including:

① File Drawer Option:


- S** Standard Black Miterfold
- W** Wood, add **\$109.16** list

② Back Finish Option:


- S** Non-Veneer
- V** Veneer, add **\$102.97** list

- Wood finish.
- Trim color for lock plug.

Two-High Attached Storage Cabinet with Solid Doors



TKHA-NSNL



(Back view shown)

	Height	Depth	Width	Number	①	Price
	28"(710mm)	21"(533mm)	30"(762mm)	TKHA-2130-NSN		\$1807.48
			36"(914mm)	TKHA-2136-NSN		1937.20

Features

- Includes storage cabinet with non-veneer top, touch latch doors, concealed hinges and attachment hardware.
- One 3/4"(19mm) adjustable shelf with ± 1 1/4"(32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Full height non-veneer back panel includes wireway centered in top edge.
- Optional locks available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- Product number, including:

① Lock Option:

- N** No Lock
- L** Lock, add **\$127.26** list




- Wood finish.
- Trim color for optional plug.

Specification Tip

- 21"(533mm) deep storage cabinet for use under 22"(559mm) deep credenza shell or return.

Tripoli — Freestanding Closed Storage Cabinets

	Height	Depth	Width	Number	1	2	3	4	Laminate Top A	Wood Top B
Two-High Storage Cabinet with Solid Doors — Laminate or Wood Top	Laminate Top with Edgeband (J)									
	29 1/2"(749mm)	22"(559mm)	31"(787mm)	TJH2-2231-JS					\$2466.82	\$1802.66
	Wood Top with Wood Edge									
	29 1/2"(749mm)	22"(559mm)	31"(787mm)	TKH2-2231-	S				N/A	\$2493.24

TJH2-JSYLG
TKH2-1SYLGTJH2-JSYLC
TKH2-1SYLC

(Back view shown)

Features

- Includes top, storage cabinet with touch latch doors, concealed hinges and attachment hardware.
- 1 1/2"(38mm) thick worksurface in choice of finish: Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Veneer back with integrated 1 1/2"(38mm) high horizontal wireway.
- Optional 2"(51mm) black grommet centered in back of worksurface.
- One 3/4"(19mm) adjustable shelf with 1 1/4"(32mm) adjustment range.
- Adjustable shelf depth sized to allow 1/2"(13mm) wireway at the rear of the cabinet.
- Optional locks available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Optional glides provide 2"(51mm) adjustment range.
- Casters: four black swivel with front two locking.
- Shipped assembled.

Specification Tip

- Not for use with a vertical storage unit.

To Order, Specify:

Laminate Top

- Product number, including:

2 Grommet Option:

- N** No Grommet
Y Grommet, add \$134.51 list

3 Lock Option:

- N** No Lock
L Lock, add \$127.26 list

4 Glide or Caster Option:

- G** Glides
C Casters, add \$75.19 list

- Wood finish for case and fronts.
- Laminate top color.
- Edgeband trim color.
- Trim color for lock plug.

Wood Top

- Product number, including:

1 Edge Option:

- 1** Square
2 Bevel
3 Chamfer
4 Radius

2 Grommet Option:

- N** No Grommet
Y Grommet, add \$134.51 list

3 Lock Option:

- N** No Lock
L Lock, add \$127.26 list


4 Glide or Caster Option:

- G** Glides
C Casters, add \$75.19 list


- Wood finish.
- Trim color for lock plug.

Tripoli — Utility Carts


	Height	Depth	Width	Number	①	②	③	Laminate Top A	Laminate Top B	Wood Top B
Utility Cart — Laminate or Wood Top	Laminate Top with Edgeband (J)									
	29 1/2"(749mm)	22"(559mm)	31"(787mm)	TJAC-2231-JS				\$1688.58	\$1740.21	N/A
	Wood Top with Wood Edge									
	29 1/2"(749mm)	22"(559mm)	31"(787mm)	TKAC-2231-		S		N/A	N/A	\$1699.39



TJAC-JSYG
TKAC-1SYG



TJAC-JSYC
TKAC-1SYC



(Back View Shown)

Features

- Includes top, case, and one fixed shelf.
- 1 1/2"(38mm) thick worksurface in choice of finish:
 - Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to user edge only.
- Fixed shelf is 1 1/2"(38mm) thick and 12"(305mm) deep.
- Veneer back with integrated 1 1/2"(38mm) high horizontal wireway under worksurface.
- Optional 2"(51mm) black grommet centered in back of worksurface.
- Optional glides provide 2"(51mm) adjustment range.
- Casters: four black swivel with front two locking.
- Shipped assembled.

Specification Tips

- Not for use with a vertical storage unit.
- Accommodates separately specified adjustable keyboard pad.

To Order, Specify:

Laminate Top

- 1) Product number, including:

② Grommet Option:

- ☐ N No Grommet
- ☐ Y Grommet, add \$134.51 list

③ Glide or Caster Option:

- ☐ G Glides
- ☐ C Casters, add \$75.19 list

- 2) Wood finish for case.
- 3) Laminate top color.
- 4) Edgeband trim color.

Wood Top

- 1) Product number, including:

① Edge Option:

- ☐ 1 Square
- ☐ 2 Bevel
- ☐ 3 Chamfer
- ☐ 4 Radius

② Grommet Option:

- ☐ N No Grommet
- ☐ Y Grommet, add \$134.51 list


③ Glide or Caster Option:

- ☐ G Glides
- ☐ C Casters, add \$75.19 list

- 2) Wood finish.

Tripoli — Wardrobe Cabinets

	Height	Depth	Width	Number	①②③	Price
Attached Wardrobe Cabinet — 9 1/2" Wide — Wood	64"(1626mm)	22"(559mm)	9 1/2"(241mm)	TKJA-6410-NS	■ ■ ■	\$3100.93

TKJA-NSSLR
(Right-hand with attachment face shown)TKJA-NSSL
(Left-hand with non-attachment face shown)**Features**

- Includes attached wardrobe cabinet with chrome coat rod, touch latch single door, concealed hinges and attachment hardware.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer wood back (V) is designed for freestanding application where back of unit is visible.
- Attachment side of wardrobe cabinet is non-veneer finish.
- Handed left (L) or right (R), opening away from attachment side.
- Optional locks available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.

Specification Tips

- Attached wardrobe cabinet must be connected to an adjacent 64"(1626mm) high combination unit or storage cabinet.
- Assembled unit consisting of attached wardrobe cabinet and another storage unit may not be moved assembled. Remove attached wardrobe cabinet prior to relocation.

To Order, Specify:

- Product number, including:

① Back Finish Option:

- S** Non-Veneer
- V** Veneer, add **\$104.49** list


② Lock Option:

- N** No Lock
- L** Lock, add **\$127.26** list

③ Door Handing:

- L** Left-hand
- R** Right-hand

- Wood finish.
- Trim color for lock plug.

Freestanding Wardrobe Cabinet — 31" Wide — Wood

TKJC-NSSL

	Height	Depth	Width	Number	①②	Price
	64"(1626mm)	22"(559mm)	31"(787mm)	TKJC-6431-NS	■ ■	\$3606.37

Features

- Includes wardrobe cabinet with chrome coat rod, touch latch single door, concealed hinges and attachment hardware.
- Optional back panel finish:
 - Non-veneer back (S) is designed for application where back of unit is not visible.
 - Veneer wood back (V) is designed for freestanding application where back of unit is visible.
- Optional locks available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- Product number, including:

① Back Finish Option:





- S** Non-Veneer
- V** Veneer, add **\$104.49** list

② Lock Option:


- N** No Lock
- L** Lock, add **\$127.26** list


- Wood finish.
- Trim color for lock plug.

Tripoli — Wardrobe and Storage Cabinets

	Height	Depth	Width	Number	①②③	Price
Freestanding Wardrobe Cabinet — 16 1/2" Wide — Wood  TKJC-NSSL (Left-hand shown)  TKJC-NSSLR (Right-hand shown)	64"(1626mm)	22"(559mm)	16 1/2"(419mm)	TKJC-6417-NS	■ ■ ■	\$3245.55
Features <ul style="list-style-type: none"> Includes wardrobe cabinet with chrome coat rod, touch latch doors, concealed hinges and attachment hardware. Optional back panel finish: <ul style="list-style-type: none"> Non-veneer back (S) is designed for application where back of unit is not visible. Veneer wood back (V) is designed for freestanding application where back of unit is visible. Handed left (L) or right (R) by door opening direction. Optional locks available in black or chrome. For lock options, refer to Lock Program Price List. Glides provide 1"(25mm) adjustment range. Shipped assembled. 						
To Order, Specify: <ol style="list-style-type: none"> Product number, including: <ol style="list-style-type: none"> Back Finish Option: <ul style="list-style-type: none"> S Non-Veneer V Veneer, add \$104.49 list Lock Option: <ul style="list-style-type: none"> N No Lock L Lock, add \$127.26 list Door Handing: <ul style="list-style-type: none"> L Left-hand R Right-hand Wood finish. Trim color lock plug. 						
Storage Cabinet — 16 1/2" Wide — Wood  TKHC-NSSL (Left-hand shown)  TKHC-NSSLR (Right-hand shown)	64"(1626mm)	22"(559mm)	16 1/2"(419mm)	TKHC-6417-NS	■ ■ ■	\$3831.78
Features <ul style="list-style-type: none"> Includes storage cabinet with four shelves, touch latch single door, concealed hinges and attachment hardware. One fixed shelf and three adjustable shelves with ±1 1/4"(32mm) adjustment range. Fixed shelf in the second position from the bottom. Optional back panel finish: <ul style="list-style-type: none"> Non-veneer back (S) is designed for application where back of unit is not visible. Veneer wood back (V) is designed for freestanding application where back of unit is visible. Handed left (L) or right (R) by door opening direction. Optional locks available in black or chrome. For lock options, refer to Lock Program Price List. Glides provide 1"(25mm) adjustment range. Shipped assembled. 						
To Order, Specify: <ol style="list-style-type: none"> Product number, including: <ol style="list-style-type: none"> Back Finish Option: <ul style="list-style-type: none"> S Non-Veneer V Veneer, add \$104.49 list Lock Option: <ul style="list-style-type: none"> N No Lock L Lock, add \$127.26 list Door Handing: <ul style="list-style-type: none"> L Left-hand R Right-hand Wood finish. Trim color for lock plug. 						



Tripoli — Combination Storage Cabinets

	Height	Depth	Width	Number	① ②	Price
Freestanding Wardrobe/ Storage Cabinet — Wood	64"(1626mm)	22"(559mm)	31"(787mm)	TKXC-6431-NS	■ ■	\$5244.78
 <p>TKXC-NSSL</p>						
Features <ul style="list-style-type: none"> Includes wardrobe cabinet with chrome coat rod on left side, storage cabinet with four shelves on right side, touch latch doors, and concealed hinges. One fixed shelf and three adjustable shelves with $\pm 1 \frac{1}{4}$"(32mm) adjustment range. Fixed shelf in the second position from the bottom. Optional back panel finish: <ul style="list-style-type: none"> Non-veneer back (S) is designed for application where back of unit is not visible. Veneer wood back (V) is designed for freestanding application where back of unit is visible. Optional locks available in black or chrome. For lock options, refer to Lock Program Price List. Glides provide 1"(25mm) adjustment range. Shipped assembled. 						
To Order, Specify: <ol style="list-style-type: none"> Product number, including: <ol style="list-style-type: none"> Back Finish Option: <ul style="list-style-type: none"> S Non-Veneer V Veneer, add \$104.49 list Lock Option: <ul style="list-style-type: none"> N No Lock L Lock, add \$127.26 list Wood finish. Trim color for lock plug. 						

	Height	Depth	Width	Number	① ② ③	Price
Combination Unit — Wood	64"(1626mm)	22"(559mm)	31"(787mm)	TKM5-6431-N	■ NSS ■ ■	\$5220.66
			37"(940mm)	TKM5-6437-N	■ NSS ■ ■	5375.58
 <p>TKM5-NSNSSSL</p>						
Features <ul style="list-style-type: none"> Includes two-high lateral file drawers and storage cabinet with one adjustable shelf, touch latch doors and concealed hinges. Matched veneer drawer and door fronts. Adjustable shelf has $\pm 1 \frac{1}{4}$"(32mm) adjustment range. Choice of drawer option: <ul style="list-style-type: none"> Black miterfold Wood - English dovetailed Baltic Birch File drawer with an integrated file hanging system: <ul style="list-style-type: none"> Letter size front-to-back filing Legal size side-to-side filing Lateral file has horizontally routed finger-pulls. Optional back panel finish: <ul style="list-style-type: none"> Non-veneer back (S) is designed for application where back of unit is not visible. Veneer wood back (V) is designed for freestanding application where back of unit is visible. File drawers have full extension slides with integrated anti-tip interlock feature. One lock standard for lateral file includes dual lock bar system; optional lock available on upper storage cabinets. Common key numbers if optional lock selected. Lock plug available in black or chrome. For lock options, refer to Lock Program Price List. Glides provide 1"(25mm) adjustment range. Shipped assembled. 						
To Order, Specify: <ol style="list-style-type: none"> Product number, including: <ol style="list-style-type: none"> File Drawer Option: <ul style="list-style-type: none"> S Standard Black Miterfold W Wood, add \$109.16 list Back Finish Option: <ul style="list-style-type: none"> S Non-Veneer V Veneer, add \$104.49 list Lock Option: <ul style="list-style-type: none"> N No Lock L Lock, add \$127.26 list Wood finish. Trim color for lock plug. 						

Tripoli — Bookcases

Bookcase — Two-High and Three-High — Laminate or Wood

TJQL-JS
TKQL-1STJQL-JS
TKQL-1S

Height	Depth	Width	Number ①	Laminate Top A	Wood Top B	Wood Top B
Letter Depth – Laminate Top with Edgeband (J)						
29 1/2"(749mm)	14"(356mm)	31"(787mm)	TJQL-3031-JS	\$1483.21	\$1561.28	N/A
		37"(940mm)	TJQL-3037-JS	2080.09	2206.21	N/A
43 1/8"(1095mm)	14"(356mm)	31"(787mm)	TJQL-4331-JS	\$1991.22	\$2069.29	N/A
		37"(940mm)	TJQL-4337-JS	2588.10	2714.22	N/A
Letter Depth – Wood Top with Wood Edge						
29 1/2"(749mm)	14"(356mm)	31"(787mm)	TKQL-3031-■ S	N/A	N/A	\$1563.68
		37"(940mm)	TKQL-3037-■ S	N/A	N/A	2160.56
43 1/8"(1095mm)	14"(356mm)	31"(787mm)	TKQL-4331-■ S	N/A	N/A	\$2071.69
		37"(940mm)	TKQL-4337-■ S	N/A	N/A	2668.57
Legal Depth – Laminate Top with Edgeband (J)						
29 1/2"(749mm)	16 1/2"(419mm)	31"(787mm)	TJQD-3031-JS	\$1575.69	\$1660.96	N/A
		37"(940mm)	TJQD-3037-JS	2172.57	2305.89	N/A
43 1/8"(1095mm)	16 1/2"(419mm)	31"(787mm)	TJQD-4331-JS	2110.12	2195.39	N/A
		37"(940mm)	TJQD-4337-JS	2707.00	2840.32	N/A
Legal Depth – Wood Top with Wood Edge						
29 1/2"(749mm)	16 1/2"(419mm)	31"(787mm)	TKQD-3031-■ S	N/A	N/A	\$1659.75
		37"(940mm)	TKQD-3037-■ S	N/A	N/A	2256.63
43 1/8"(1095mm)	16 1/2"(419mm)	31"(787mm)	TKQD-4331-■ S	N/A	N/A	\$2194.18
		37"(940mm)	TKQD-4337-■ S	N/A	N/A	2791.06

Features

- Includes choice of Letter or Legal depth bookcase with wood shelves:
 - Two-high includes one adjustable shelf.
 - Three-high includes two adjustable shelves.
- 1 1/2"(38mm) thick worksurface in choice of finish:
 - Laminate (with Square ABS edgeband) or Wood Veneer with profiled edge (Square, Bevel, Chamfer or Radius) applied to the front edge of the top only.
- Adjustable shelf has ±1 1/4"(32mm) adjustment range.
- Non-veneer back.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.

To Order, Specify:

Laminate Top

- Product number.
- Wood finish for case.
- Laminate top color.
- Edgeband trim color.

Wood Top

- Product number, including:


① Edge Option:

- 1 Square
- 2 Bevel
- 3 Chamfer
- 4 Radius


- 2) Wood finish.

Tripoli — Bookcases

	Height	Depth	Width	Number	Price
Bookcase — Four-High and 64" High — Wood	Letter Depth				
	55 5/16"(1405mm)	14"(356mm)	31"(787mm)	TKQL-5531-NS	\$2586.91
			37"(940mm)	TKQL-5537-NS	3194.62
	64"(1626mm)	14"(356mm)	31"(787mm)	TKQL-6431-NS	\$2894.36
			37"(940mm)	TKQL-6437-NS	3502.07
	Legal Depth				
	55 5/16"(1405mm)	16 1/2"(356mm)	31"(787mm)	TKQD-5531-NS	\$2735.84
			37"(940mm)	TKQD-5537-NS	3343.55
	64"(1626mm)	16 1/2"(356mm)	31"(787mm)	TKQD-6431-NS	\$3043.29
			37"(940mm)	TKQD-6437-NS	3651.00



TKQL-NS



TKQL-NS

Features


- Includes choice of letter or legal depth bookcase with wood shelves:
 - Four-high includes three shelves; two adjustable.
 - 64"(1626mm) high includes four shelves; three adjustable.
- Adjustable shelf has $\pm 1 \frac{1}{4}$ "(32mm) adjustment range.
- Fixed shelf in the second position from the bottom.
- Non-veneer back.
- Glides provide 1"(25mm) adjustment range.
- Shipped assembled.

To Order, Specify:

- Product number.
- Wood finish.

Tripoli — Tables

	Height	Depth	Width	Number ①	Wood Group B
Table — Square Occasional — Wood	16"(406mm)	24"(610mm)	24"(610mm)	TKAS-2424-■ S	\$1939.49
	21"(533mm)	30"(762mm)	30"(762mm)	TKAS-3030-■ S	2032.88
	16"(406mm)	42"(1067mm)	42"(1067mm)	TKAS-4242-■ S	2219.66



TKAS-1S

Features

- 1 1/2"(38mm) thick Wood Veneer top with profiled edge (Square, Bevel, Chamfer or Radius) applied to all edges.
- 1 3/4"(44mm) thick solid-wood legs and frame.
- Glides provide 1"(25mm) adjustment range.
- Shipped unassembled.

To Order, Specify:


1) Product number, including:

① Edge Option:

- 1 Square
- 2 Bevel
- 3 Chamfer
- 4 Radius

2) Wood finish.

Table — Rectangle Occasional — Wood	21"(533mm)	22"(559mm)	30"(762mm)	TKAR-2230-■ S	\$2053.76
	16"(406mm)	24"(610mm)	53"(1346mm)	TKAR-2453-■ S	2346.34



TKAR-1S

Features

- 1 1/2"(38mm) thick Wood Veneer top with profiled edge (Square, Bevel, Chamfer or Radius) applied to all edges.
- 1 3/4"(44mm) thick solid-wood legs and frame.
- Glides provide 1"(25mm) adjustment range.
- Shipped unassembled.

To Order, Specify:


1) Product number, including:

① Edge Option:

- 1 Square
- 2 Bevel
- 3 Chamfer
- 4 Radius

2) Wood finish.

Table — Occasional Drum — Wood	21"(533mm)	18"(457mm)	18"(457mm)	TKAD-2118-S	\$1244.21
		24"(610mm)	24"(610mm)	TKAD-2124-S	1441.39



TKAD-S

Features

- Removable top with hollow cylinder (Wood Veneer).
- Shipped assembled.


To Order, Specify:

1) Product number.

2) Wood finish.

Tripoli — Accessories

	Height	Depth	Width	Number ①	Price
Center Drawer	1 7/8"(48mm)	17 1/2"(445mm)	24"(610mm)	UXCD-1824-■	\$419.22



UXCD-L
Class RA – SIN 711-8;
Discount Group IX

Features

- Center drawer includes attachment hardware.
- Hardwood front rail with routed pencil channels.
- Drawer body is black miterfold.
- Optional lock available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Field installation required.

To Order, Specify:

- 1) Product number, including:


① Lock Option:

- N** No Lock
- L** Lock, add **\$54.06** list

- 2) Wood finish - Grade B Veneers only available.
- 3) Trim color for lock plug.

Specification Tip

- For use under worksurface of single pedestal desk, double pedestal desk, convergent D-top, convergent P-top, desk shell, credenza shell and credenzas with pedestals.

Pencil Tray

JPTA-6
Class FP – SIN 711-3;
Discount Group XII

Letter Width				
1 1/4"(32mm)	5 1/2"(140mm)	12 7/8"(327mm)	JPTA-6	\$27.04
Legal Width				
1 1/4"(32mm)	5 1/2"(140mm)	16 9/32"(414mm)	JPTA-9	\$33.70

Features



- Includes one black plastic tray.
- Suspends from sides of 6"(152mm) drawer and slides for drawer access.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Pencil + Drawer

11"(279mm)	24"(610mm)	19 1/2"(495mm)	KUDP-2420 ■	\$308.59
------------	------------	----------------	-------------	-----------------



KUDP
Class CA – SIN 711-1;
Discount Group I

Features

- Multi-purpose drawer provides organization, hanging file along with laptop storage.
- Knock-outs at rear of drawer provide electronic charging access while contents are locked.
- Removable organizing tray.
- Thin profile maximizes knee clearance under front of drawer.
- Standard in black trim color with black locks.
- For lock options, refer to Lock Program Price List.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Specification Tip

- To be mounted below worksurfaces 24"(610mm) or deeper.
- Available on RUSH.

Tripoli — Accessories

	Height	Inside Diameter	Outside Diameter	Number	Price
Grommet	5/8"(20mm)	1 3/4"(44mm)	2"(51mm)	UXAG-0002	\$33.09



UXAG-0002

Class RA – SIN 711-8;
Discount Group IX

Features

- Includes one cover.
- Must be field-installed; requires 1 3/4"(44mm) field drilled hole.

Specification Tip


- Available in black or satin chrome only.

To Order, Specify:


- 1) Product number.
- 2) Trim color: black or chrome.

Note: \$30.89 upcharge (list) for chrome.

Enhanced Power Module



EUD1-1311V



EUD1-C311V

Class YA – SIN 711-1;
Discount Group XIII

Height	Width	Depth	Cord Length	Number	①	Price
With Plug						
3 1/2"(89mm)	6 3/4"(171mm)	3 1/2"(89mm) — 4 1/4"(108mm)	6'(1829mm)	EUD1-0000-1311V	■	\$431.53
			12'(3658mm)	EUD1-0000-1311W	■	480.41
Hardwire						
3 1/2"(89mm)	6 3/4"(171mm)	2 1/4"(57mm)	6'(1829mm)	EUD1-0000-C311V	■	\$492.81

Features

- Includes power module, mounting brackets and attachment hardware.
- Designed to deliver electrical and data access to the worksurface.
- Attaches to the back edge of the worksurface.
- Supplies three simplex outlets and multiple data jack adapters to accommodate most varieties of field supplied data jacks; also includes a blank data cover.
- Option of 15 amp (NEMA 5-15P) appliance power plug or hardwire application to connect to building power.
- Corded power module available with 15 amp - 6'(1829mm) or 12'(3658mm) long cord with plug.
- Hardwired power module available with 6'(1829mm) long flexible metal conduit feed with wires for hardwire application.
- Option of all black or anodized aluminum housing with white receptacles.

To Order, Specify:

- 1) Product number, including:


① Color Option:

- B** Black
W White

Specification Tips

- Accommodates worksurface thicknesses from 1 1/8"(29mm) to 2"(51mm).
- May be installed both above and below the worksurface.
- Accommodates tackboard or vertical storage unit back panel depth.
- For use with 120 volt 60 hertz power source only.
- Enhanced power module applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Requires field installation.

Horizontal Wire Manager



WUAW

Class CA – SIN 711-1;
Discount Group I

Length	Number	Price
15"(381mm)	WUAW-1500-PNH ■	\$150.80

Features

- Includes package of 10.
- Mounts to bottom of worksurface.
- Black only.

- Available on RUSH.


To Order, Specify:

- 1) Product number.
(No finish specification required.)

Tripoli — Accessories

	Width	Number	Price
File Bars	30"(762mm)	UXAH-0030	\$51.92
	36"(914mm)	UXAH-0036	51.92

Letter Size
Drop Files



UXAH

Features





- Includes one side-to-side hanging bar.
- Allows for side-to-side letter filing in lateral file drawer.
- Standard in black finish color only.

To Order, Specify:

- 1) Product number.
(No finish specification required.)





Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Phone Shelf  DTPT-3	2 1/2"(64mm)	11 1/4"(286mm)	9"(229mm)	DTPT-3 ◆	\$75.75
Features <ul style="list-style-type: none"> Includes phone shelf and bracket. Mounts on slat pad at 30° angle. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Note: \$2.23 upcharge (list) for metallic trim color.					
Phone Shelf Bracket  DTBS-3	1 1/2"(38mm)	11"(279mm)	7 1/2"(191mm)	DTBS-3 ◆	\$46.79
Feature <ul style="list-style-type: none"> Used to convert DTPT-1 for mounting rail phone shelf to slat pad. ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Trim color for bracket. Note: \$2.23 upcharge (list) for metallic trim color.					
Personal Shelf  DTES-3	1 3/4"(44mm)	11"(279mm)	8"(203mm)	DTES-3 ◆	\$52.36
Features <ul style="list-style-type: none"> Includes mounting bracket and personal shelf. Mounts on rail at 60° angle or horizontally. Can also be used as a horizontal freestanding tray. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Note: \$2.23 upcharge (list) for metallic trim color.					
Personal Shelf Bracket  DTAR-3				DTAR-3 ◆	\$34.54
Feature <ul style="list-style-type: none"> Used in combination with DTPR-3 or DTES-3 for mounting rail personal shelf or paper sorter to slat pad. ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Note: \$2.23 upcharge (list) for metallic trim color.					

Work Tools


Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Paper Sorter  DTTPR-3	9 1/4"(235mm)	11"(279mm)	9"-12"(229mm-305mm)	DTTPR-3 ◆	\$63.50
Features <ul style="list-style-type: none"> Includes three dividers, one shelf, and mounting bracket. Mounts on slat pad. Can also be used as a horizontal freestanding tray. Supports maximum of two reams (ten pounds/4.6 kilograms) of paper. Note: ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. Trim color for bracket. Note: \$2.23 upcharge (list) for metallic trim color.					
Binder Bin  DTSB-3	12 1/2"(318mm)	10 1/2"(267mm)	6 1/2"(165mm)	DTSB-3 ◆	\$47.90
Features <ul style="list-style-type: none"> Mounts on slat pad. Can also be used in freestanding applications. Bin accommodates two 3"(76mm) thick binders. Note: ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. 					
Letter Tray  DTLT-2	2 1/2"(64mm)	12"(305mm)	10 1/2"(267mm)	DTLT-2 ◆	\$23.40
Features <ul style="list-style-type: none"> Mounts on rail at 60° angle or horizontally. Mounts on slat pad horizontally. Can also be used in freestanding applications. Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays. Supports maximum of one ream (five pounds/2.3 kilograms) of paper. Note: ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. 					
Letter Tray Stacking Kit  DTLS-2	8"(203mm)	12"(305mm)	10 1/2"(267mm)	DTLS-2 ◆	\$60.16
Features <ul style="list-style-type: none"> Includes three letter trays and two stacking brackets. Used in freestanding applications. Note: ◆ Available on RUSH.					
To Order, Specify: <ol style="list-style-type: none"> Product number. Translucent trim color. 					

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Description	Number	Price
Letter Tray Stacking Bracket	2 1/4"(57mm)	5"(127mm)	9 1/2"(241mm)		DTSB-1	\$16.71



DTSB-1


- Features**

 - Includes two stacking brackets.
 - Used in freestanding applications.
 - ◆ Available on RUSH.
- To Order, Specify:**

 - 1) Product number.
 - 2) Translucent trim color.

Tripoli — Lighting — Task

Adaptable Electronic Ballast Task Light



LUTS-16UEP



Height	Depth	Width	Actual Width	Number	Price
1.375"(25mm)	4 1/4"(105mm)	24"(610mm)	19"(483mm)	LUTS-0024-16UEP	\$203.11
		30"(762mm)	25"(635mm)	LUTS-0030-16UEP	209.66
		42"(1067mm)	37"(940mm)	LUTS-0042-16UEP	222.76
		54"(1372mm)	49"(1245mm)	LUTS-0054-16UEP	235.86

Features

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42"(1067mm) and 54"(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.
- Available on RUSH.

Specification Tips

- A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

To Order, Specify:

- Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **\$18.56** list.

Example: LUTS-0030-16UEB

Chicago Specification:

To specify, replace **1** with **C** in the product number and add **\$85.18** list.

Example: LUTS-0030-C6UEP


Chicago only: Plug includes 3 AMP resettable circuit breaker.

9' Cord Option

To specify, replace **6** with **9** in the product number and add **\$37.13** list.

Example: LUTS-0030-19UEP

Adaptable Electronic Ballast Task Light (Starter Light)



LUTR



Height	Depth	Width	Description	Number	Price
1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	6' Cord	LUTR-0042-16UEP	\$243.51
			9' Cord	LUTR-0042-19UEP	280.64
		54"(1372mm)	6' Cord	LUTR-0054-16UEP	\$256.61
			9' Cord	LUTR-0054-19UEP	293.74

Features

- Includes mounting brackets, .33"(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:

- Product number.
(No finish specification required.)


Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **\$18.56** list.

Example: LUTR-0042-16UEB

Tripoli — Lighting — Task

Adaptable Electronic Ballast Task Light (Add-On Light)



LUTD



Note: Must be attached to a starter light or another add-on light.

Height	Depth	Width	Actual Width	Number	Price
1 3/8"(35mm)	4 1/4"(108mm)	42"(1067mm)	15" Linking Cord	LUTD-0042-11UEP	\$242.42
			48" Linking Cord	LUTD-0042-14UEP	247.88
		54"(1372mm)	15" Linking Cord	LUTD-0054-11UEP	\$255.52
			48" Linking Cord	LUTD-0054-14UEP	260.98

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.
- Does not include a power plug.
- Available in charcoal only.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20' of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.


To Order, Specify:

- 1) Product number.
(No finish specification required.)





Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **\$18.56** list.

Example: LUTD-0042-11UEB




Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™ Stand-Alone LED Task Light  LUTS-0017-19ULD5 	16.4"(417mm)	7.8	LUTS-0017-19ULD5	\$210.00
Features <ul style="list-style-type: none"> Includes 17"(432mm) LED fixture, 15 watt power supply with nine foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Length: 16.4"(417mm). 				
Specification Tips <ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 50,000 hour. Not intended for daisy chaining. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				
To Order, Specify: <ol style="list-style-type: none"> Product number. (No finish specification required.) 				
Reed Premier™ Starter LED Task Light  LUTS-0017-12ULD6 	16.4"(417mm)	7.8	LUTS-0017-12ULD6	\$288.75
	30.1"(765mm)	17.6	LUTS-0031-12ULD6	420.07
	43.7"(1110mm)	25.9	LUTS-0044-12ULD6	542.01
	57.4"(1458mm)	33.6	LUTS-0058-12ULD6	673.33
Features <ul style="list-style-type: none"> Includes LED fixture, 60 watt power supply with twelve foot removable power cord. Standard in anodized (silver) color with white end caps. Height: 0.5"(12.7mm); Width: 2.0"(51mm); Lengths: 16.4"(417mm), 30.1"(765mm), 43.7"(1110mm) or 57.4"(1458mm). 				
Specification Tips <ul style="list-style-type: none"> For use with 120 volt, 60 hertz electrical system. Color Temp: 3500K. Color Rendition Index: 84 CRI. Rated Lifespan: 50,000 hour. Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together. Single touch on/off with continuous dimming from 15-100%. Includes screw and magnetic attachment hardware for steel, laminate and wood. Intended for use in horizontal applications. 				
To Order, Specify: <ol style="list-style-type: none"> Product number. (No finish specification required.) 				

Lighting

	Fixture Length	Watts	Number	Price
Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	16.4″(417mm)	7.8	LUTD-0017-1NULDN	\$210.00
	30.1″(765mm)	17.6	LUTD-0031-1NULDN	341.32
	43.7″(1110mm)	25.9	LUTD-0044-1NULDN	463.26
	57.4″(1458mm)	33.6	LUTD-0058-1NULDN	594.58




LUTD-0017-1NULDN



- Features**
 - Includes LED fixture, 8″(203mm) and 30″(762mm) daisy chain cord.
 - Standard in anodized (silver) color with white end caps.
 - Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).
- To Order, Specify:**
 - 1) Product number.
(No finish specification required.)

- Specification Tips**
- For use with 120 volt, 60 hertz electrical system.
 - Color Temp: 3500K.
 - Color Rendition Index: 84 CRI.
 - Rated Lifespan: 50,000 hour.
 - Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
 - Single touch on/off with continuous dimming from 15-100%.
 - Includes screw and magnetic attachment hardware for steel, laminate and wood.
 - Intended for use in horizontal applications.

Reed Premier™ Add-On Occupancy Sensor	LUTS-0000	\$236.25
--	-----------	----------



LUTS-0000



- Features**
 - Includes occupancy sensor and attachment connector.
 - Standard in anodized (silver) color with white end caps.
 - Height: 0.7″(17.8mm); Width: 2.0″(51mm); Length: 2.3″(58mm).
- To Order, Specify:**
 - 1) Product number.
(No finish specification required.)


- Specification Tips**
- For use with 120 volt, 60 hertz electrical system.
 - Includes screw and magnetic attachment hardware for steel, laminate and wood.
 - Intended for use in horizontal applications.

BRAZO

Haworth Collection

Design: Pablo Pardo — Imported from China

	Base Diameter	Model	Number	①	Price
Freestanding Lighting	8 1/2"(216mm)	Desk	LBJ1-0026-19FLC	■	\$696.28
		Floor	LBJ2-0026-19FLC	■	837.68

LBJ1
Class CH

LBJ2

**Features**


- Includes base, adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14"-22"(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48"-56"(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41"(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4"(1899mm).
- Minor assembly required.
- Available on RUSH.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N** Brushed Aluminum
W Gloss White, add **\$26.78** list.
B Anodized Black, add **\$26.78** list.
Z Anodized Bronze, add **\$26.78** list.

Mounted LightingLBJ3
Class CH

LBJ4



	Grommet/Hole Diameter	Model	Number	① ②	Price
	3"(76mm)	Grommet Mount	LBJ3-0026-19GLC	■ ■	\$696.28
	1"(25mm)	Fixed Mount	LBJ4-0026-19GLC	■ ■	723.06

Features

- Grommet Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2"(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13"-21"(330mm-533mm) from desktop.
- For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40"(1016mm).
- Minor assembly required.

To Order, Specify:

- 1) Product number, including:

① Finish Color

- N** Brushed Aluminum
W Gloss White, add **\$26.78** list.
B Anodized Black, add **\$26.78** list.
Z Anodized Bronze, add **\$26.78** list.

② Worksurface Thickness

- S** 1 3/16"(30mm)
M 2"(51mm)
Q 3"(76mm)

Specification Tips

- Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

Grommet — For Use with BRAZO Grommet Mounted Light OnlyWQAG
Class PT

	Top Thickness	Number	Price
	1 3/16"(30mm)	WQAG-0303-PSN	\$29.46
	2"(51mm)	WQAG-0303-PMN	29.46
	3"(76mm)	WQAG-0303-PQN	29.46

Feature

- Includes one 3"(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4"(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:


- 1) Product number.
 2) Trim color.
 Plaster – TR-TW
 Metallic Silver – TR-LE, add **\$5.90** list.
 Metallic Champagne – TR-MC, add **\$5.90** list.
 Metallic Gunmetal – TR-MG, add **\$5.90** list.

LIM


Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China


	Base/Mount	Number	Price
LIM L	Freestanding Block	LLL1-0022-19FLC	\$593.44
	Freestanding Pivot	LLL2-0022-19FLC	536.67
	Freestanding Floor	LLL3-0022-19FLC	650.21
	Freestanding Add-On	LLLA-0022-19FLC	395.27




Freestanding Block
LLL1



Freestanding Pivot
LLL2



Freestanding Floor
LLL3



Freestanding Add-On
LLLA



Features

- Includes base/mount, 22”(559mm) arm with LED light with a clear lens, nine foot removable silver tone cord, and one wire management clip.
 - Features two-stage light control with 3.0 watt and 7.3 watt selection.
 - **For use with 120 volt 60 hertz electrical system.**
 - Minor assembly required.
 - All lights use magnets to attach to base or brackets.
 - **Freestanding Block:**
 - Available in **Textured White, Textured Black and Brushed Aluminum.**
 - Arm rotates around magnetic connection between base and light arm.
 - Desk light adjustable height fixture range is 12”-15.75”(305mm-400mm) from desktop.
 - Base includes scratch-resistant bottom with cord management.
 - Can be used on any horizontal surface.
 - Freestanding Block Base size: 6.63”(168mm) height, 3”(76mm) width, 3.5”(89mm) depth.
 - **Freestanding Pivot:**
 - Available in **Textured White and Textured Black.**
 - Desk Pivot rotates 360° around the base.
 - Arm rotates around magnetic connection between base and light arm.
 - Pivot light does not have adjustable height.
 - Base includes scratch-resistant bottom.
 - Can be used on any horizontal surface.
 - Freestanding Pivot Base size: 5”(127mm) height, 4.5”(114mm) width, 5.5”(140mm) depth.
 - **Freestanding Floor:**
 - Available in **Textured White and Textured Black.**
 - Arm rotates around magnetic connection between base and light arm.
 - Floor light adjustable height fixture range is 13”-50.75”(330mm-1289mm) from floor.
 - Base includes scratch-resistant bottom.
 - Floor Base size: 38”(965mm) height, 9”(229mm) width, 9”(229mm) depth.
 - **Freestanding Add-On:**
 - Available in **Textured White, Textured Black and Brushed Aluminum.**
- ◆ Available on RUSH.

To Order, Specify:



- 1) Product number.
- 2) Trim color:
 - Pivot/Floor available in:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Block/Add-On available in:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add \$27.85 list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China


	Base/Mount	Average Height	Number	Price
LIM C	Worksurface Mount	18 1/2"(470mm)	LLC1-0022-19WLC	\$508.82
	Grommet Mount	18 1/2"(470mm)	LLC2-0022-19GLC	508.82

Worksurface Mount
LLC1Grommet Mount
LLC2**Features**

- Includes base/mount, 22"(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to compliment the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Worksurface Mount:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Worksurface attachment bracket.
 - Light does not have adjustable height.
 - Flat Bracket is scratch-resistant.
 - Mount includes a 11"(279mm) flat bracket with adhesive.
- **Grommet Mount:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Grommet attachment bracket.
 - Light does not have adjustable height.
 - Flat Bracket is scratch-resistant.
 - Mount includes Grommet configured flat brackets with adhesive.

To Order, Specify:

- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

LIM YWorksurface Mount
LLY1

	Worksurface Mount	20.4"(518mm)	LLY1-0013-19WLC	\$847.32
--	-------------------	--------------	-----------------	-----------------

Features

- Includes base/mount, 14"(356mm) depth by 35"(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features a LED light source with two levels of dim control.
- 1.5 to 9 watts.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- Magnets are used to attach to base or brackets.
 - Arm does not rotate and uses fixed mount bracket.
 - Light does not have adjustable height.
 - Fixed mount bracket is scratch-resistant.
 - Mount includes bracket with hardware.

To Order, Specify:


- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

LIM


Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China


	Base/Mount	Panel System	Number	Price
LIM Mounted	Slat/Rail		LLM1-0023-19MLC	\$424.19
	Panel	for PREMISE	LLM2-0023-19MLCN	\$424.19
		for Compose	LLM2-0023-19MLCZ	424.19
		for UniGroup Too	LLM2-0023-19MLCE	424.19



Slat
LLM1



Belong Rail
LLM1



Panel
LLM2





Features

- Includes base/mount, 23 1/4”(591mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- *Overall height ranges dependent on the mount.*
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Slat:**
 - Available in Textured White and Textured Black.**
 - Rotates 180 degrees horizontally around the mount.
 - Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth slat tile.
 - Slat Tile Bracket size: 3”(76mm) height, 1”(25mm) width, 3”(76mm) depth.
- **Panel:**
 - Available in Textured White and Textured Black.**
 - Rotates 180 degrees horizontally around the mount.
 - Panel Mount can be adjusted within the panel slot profiles.
 - Mount is scratch-resistant.
 - Can be used on any Haworth Panel System.
 - Panel Mount Bracket size: 3”(76mm) height, 1”(25mm) width, 3”(76mm) depth.


To Order, Specify:

- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3

	Base/Mount	Number	Price
LIM Mounted	Under Shelf Flat	LLU1-0023-19ULC	\$424.19
	Under Shelf Proud	LLU2-0023-19ULC	424.19
	Under Shelf Proud-Wood Casegoods	LLU3-0023-19ULC	424.19



LLU1



LLU2

**Features**

- Includes base/mount, 23 1/4"(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to complement the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Under Shelf Flat:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Under Shelf Mount includes a 11"(279mm) flat bracket with adhesive.
 - Can be used on: Storage Box.**
- **Under Shelf Proud:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Can be used on: Adaptable Upper Storage.**
- **Under Shelf Proud - Wood Casegoods:**
 - Available in Brushed Aluminum, Textured White, Textured Black.
 - Arm rotates at Under Shelf attachment bracket.
 - Slat Mount can be adjusted within the slat tile profiles.
 - Flat Bracket is scratch-resistant.
 - Under Shelf Mount includes a 11"(279mm) flat bracket.
 - Can be used on: Wood Casegoods Vertical Storage Unit.**

To Order, Specify:

- 1) Product number.
- 2) Trim color:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

LIM Hardware	Base/Mount	Panel System	Units	Number	Price
	Slat Mount Bracket		1	LLH1-0000	\$ 56.77
	Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	\$ 56.77
		for Compose	1	LLH2-0000-Z	56.77
		for UniGroup Too	1	LLH2-0000-E	56.77
	Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	\$146.75
	Under Shelf Proud - Casework Bracket		5	LLH4-0000	146.75
	Grommet Bracket		1	LLH5-0000	29.99
	Wire Management Clips		10	LLH6-0000	\$ 71.76

Features

- Hardware for use with LIM lights to provide additional attachment.
- Each bracket description correlates with the appropriate LIM light. Please specify accordingly.
- For use if greater user adjustment is required.
- Slat and Panel Mount available in Textured White and Textured Black.
- Under Shelf available in Textured White, Textured Black and Brushed Aluminum.
- Grommet bracket available in Textured White, Textured Black and Brushed Aluminum.
- Wire management clips are standard in White.

***Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.**

To Order, Specify:

- 1) Product number.
- 2) Trim color for brackets:
 - Textured White TR-L2
 - Textured Black TR-L3
 - Brushed Aluminum, TR-L1 add **\$27.85** list

Tripoli — Finish Matrix



Wood Finish/Color Legend

Because of the natural properties of wood, variations of grain and finish color can be expected. Haworth carefully selects materials used in the manufacturing of products to ensure consistent and acceptable color.

Wood is susceptible to color change from exposure to UV rays. Haworth controls this by using surface finishes to reduce color change. However, change may be more evident in light-colored finishes.

Haworth wood products are available with either an EcoShield™ water-based finish or conversion varnish finish. EcoShield water-based and conversion varnish finished products are not designed to go together and are not recommended for use within the same space.

Tripoli has a water-based, UV cured EcoShield finish.

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction	Finish Name/Color	Specification Number
						Drawer/Door Front		
	Natural	Cherry	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Amber on Cherry	VC-CA1
							American on Cherry	VC-W23
							Caramel Cherry	VC-W33
							Heritage Cherry	VC-W30
							Pacific Cherry	VC-W32
	Natural	Maple	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Light Maple	VP-LM
							Natural Maple	VP-N
							Sand on Maple	VP-AD
	Natural	Oak	Plain Sliced	Open Pore	Book Rotate on Tops Slip Match All Other Surfaces	Vertical	Natural Oak	VJ-W05
							Espresso on Walnut	VR-W15
							Mahogany Satin on Walnut	VR-W21
							Naturally Walnut	VR-W12
	Quarter Cut	Anegre	Quarter Cut	Open Pore	N/A	Vertical	Espresso on QC Anegre	NP-W15
							Golden on QC Anegre	NP-W08
							Light on QC Anegre	NP-W07
	Quarter Cut	Cherry	Quarter Cut	Open Pore	N/A	Vertical	Medium on QC Cherry	NX-U
	Quarter Cut	Maple	Quarter Cut	Open Pore	N/A	Vertical	Natural QC Maple	NM-N
	Quarter Cut	Walnut	Quarter Cut	Open Pore	N/A	Vertical	Espresso on QC Walnut	NW-W15
							Retro on QC Walnut	NW-W31
	Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Espresso on Rift Cut White Oak	NR-W15
	Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Espresso on Rift Cut White Oak	NR-W15

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.

Crown on Cherry VC-W24

Cordovan on Walnut VR-W13

Tripoli — Finish Matrix

	Worksurfaces	Edge Trim	Lock Plug & Grommet	Column Bases	Glass Door Frame	Jump Stuff
Laminate – Solid — Grade A						
Beige	H-34	HP-34				
Charcoal	H-8J	HP-8J				
Graphite	H-3J	HP-3J				
Grey Tone	H-62	HP-62				
Linen (Plaster)	H-WL	HP-WL				
Platinum (Grout)	H-3P	HP-3P				
Putty	H-AA	HP-AA				
Smoke	H-3E	HP-3E				
Laminate – Wood Grain — Grade A						
Amber Cherry	H-AM	HP-AM				
Maple	H-AD	HP-AD				
Laminate – Premium Wood Grain — Grade B						
Brazilwood	H-KA	HP-KA				
Columbian Walnut	H-KG	HP-KG				
New Age Oak	H-KC	HP-KC				
River Cherry	H-KD	HP-KD				
Sanara	H-KE	HP-KE				
Williamsburg Cherry	H-KF	HP-KF				
Trim Colors						
Black			LR-BL			
Chrome			LR-BP			
Paint — Grade A						
Beige				TR-R		
Chalk				TR-AK		
Charcoal				TR-K		
Graphite				TR-J		
Gray Tone				TR-G		
Putty				TR-AA		
Smoke				TR-E		
Textured Paint — Grade A						
Cement				TR-TY		
Grout				TR-TG		
Pitch				TR-TF		
Plaster				TR-TW		
Metallic Paint — Grade B						
Champagne				TR-MC	TR-MC	
Silver				TR-LE	TR-LE	
Transluents						
Frost — Grade A						TR-LQ
Moon — Grade B						TR-LY
Shadow — Grade B						TR-LU
Glass Finish Group	Glass Finishes		Finish Code			
A	Clear Tempered		4G-01C			
C	Satin Etch Tempered		4G-E21			
D	White Back-painted Standard		4G-SSW			
F	White Back-painted Low Iron Tempered		4G-SLW			

Alert:

These materials are current, however they are being considered for future obsolescence due to low volume.

Medium Cherry H-AD
 Barley Grain H-DH
 Oats Grain H-DA
 Wheat Grain H-DE
 Owl Nest H-EK
 Quail Nest H-EC
 Rhea Nest H-ED
 Robin Nest H-EA
 Grey Spex H-22
 White Spex H-21
 Gunmetal TR-MG

Tripoli — Systems Fabrics/Color Legend

- To obtain fabric samples contact your authorized Haworth dealer.

(d) = Directional fabric

(n) = Non-directional fabric

- Fabric and finish availability as well as technical information are subject to change; Refer to surfaces.Haworth.com for current information.

Fabric Grade: A (d)

HIGHLANDS

100% Recycled Polyester (100% REPVE®)

L6-AG	Glen
L6-AH	Heather
L6-AL	Loch
L6-AM	Moor
L6-AP	Peat
L6-AT	Thatch

Fabric Grade: A (d)

IOWA

52% Post Industrial Recycled Polyester/ 48% Post Consumer Recycled Polyester

FZ-10	Badger
FZ-6	Bixby
FZ-3	Bobwhite
FZ-2	Cedar Rock
FZ-11	Clear Lake
FZ-13	Emerson
FZ-7	Gar
FZ-9	Honeycreek
FZ-1	Manawa
FZ-5	Rice Lake
FZ-4	Trappers Bay
FZ-12	Walnut Woods
FZ-8	Wapello

Fabric Grade: A (d)

POINT

100% Polyester EE-0AG Compass EE-0AC Decimal EE-0AF Focal EE-0AD Nib EE-0AA Peak EE-0AE Vertex

Fabric Grade: A (d)

SAVOY

51% Virgin Polyester/ 49% Recycled Polyester

FJ-CC	Apache
FJ-AD	Balsam
FJ-AP	Bisque
FJ-AE	Blue Ridge
FJ-AA	Blue Willow
FJ-CA	Breaker
FJ-AR	Chamois
FJ-AK	Elephant
FJ-AL	Glacier
FJ-AX	Mango
FJ-AY	Maya
FJ-AW	Poplar
FJ-CD	Raisen
FJ-AT	Shallot
FJ-AM	Stainless
FJ-AF	Tempest

Fabric Grade: A (d)

STRIAE

42% Post Industrial Recycled Polyester/ 42% Post Consumer Recycled Polyester/ 16% Polyester (84% REPVE®)

C1-AJ	Beam
C1-AM	Band
C1-AH	Element
C1-AF	Fillet
C1-AC	Moonlight
C1-AE	Ray
C1-AK	Ribbon
C1-AD	Straws
C1-AA	Stream
C1-AL	Trace

Fabric Grade: A (d)

TAILORED

100% Post Consumer Recycled Polyester

PY-AL	Alter
PY-BU	Buttons
PY-DR	Draper
PY-FC	French Chalk
PY-HE	Hem
PY-MA	Mannequin
PY-SE	Seam
PY-SH	Shears
PY-SU	Suit
PY-TH	Thread
PY-TR	Tradition

Fabric Grade: A (d)

TATAMI

100% Polyester

W5-1	Agave
W5-2	Coir
W5-3	Geta
W5-4	Hemp
W5-5	Jute
W5-6	Kayar
W5-7	Kobe
W5-8	Saffron
W5-9	Sapporo
W5-10	Sisal
W5-12	Tabi
W5-11	Tesori

Fabric Grade: A (d)

TUSCAN

65% Post Industrial Recycled Polyester/ 35% Post Consumer Recycled Polyester/ (35% REPVE®)

TK-AR	Arno
TK-CA	Carrara
TK-DA	David
TK-ET	Etruscan
TK-FL	Florence
TK-LM	Limoncello
TK-MA	Masonry
TK-ME	Medici
TK-TR	Olive Tree
TK-PS	Pisa
TK-RM	Romanesque
TK-RU	Rustic
TK-SE	Siena

Fabric Grade: B (d)

CLASSIC

82% Recycled Polyester, 18% Polyester (82% REPVE®)

L5-AA	Musical
L5-AC	Radio
L5-AD	Drama
L5-AF	Comedy
L5-AG	Car
L5-AJ	Art
L5-AH	Design
L5-AS	Song
L5-AT	Movie

Fabric Grade: B (d)

KIO

100% Recycled Polyester

ZR-6	Bennett
ZR-8	Cascade
ZR-7	Crew
ZR-5	FUD
ZR-3	Jeanlin
ZR-1	Jib
ZR-11	Reeds Lake
ZR-13	Regatta
ZR-10	Sailor
ZR-2	Sentra
ZR-12	Smurf
ZR-9	TSJ
ZR-4	Yippi Kio

Fabric Grade: B (d)

HUE

62% Antimony Free Polyester, 38% Virgin Polyester

6-BK	Bark
6-ED	Eddy
6-FR	Froth
6-GK	Ginko
6-LT	Latte
6-LF	Leaf
6-LM	Lemon
6-MG	Marigold
6-MR	Marine
6-PP	Poppy
6-RD	Red
6-SS	Seaside
6-SP	Spring
6-ST	Steam
6-TQ	Turquoise
6-WP	Wisp

Fabric Grade: B (n)

PUZZLER

48% Post Industrial Recycled Polyester/ 52% Post Consumer Recycled Polyester

7L-C	Clue
7L-CR	Cryptic
7L-E	Enigma
7L-I	Intrigue
7L-M	Maze
7L-R	Riddle

Fabric Grade: B (d)

RITZ

49% Post Industrial Recycled Polyester/ 51% Post Consumer Recycled Polyester/ (51% REPVE®)

PV-BR	Bravo
PV-BT	Black Tie
PV-CA	Candle Light
PV-CH	Champagne
PV-CL	Classy
PV-CT	Class Act
PV-FR	Formal
PV-VA	Ovation
PV-WT	White Tie

Tripoli — Systems Fabrics/Color Legend

Fabric Grade: C ^(d)
BIRDS NEST

38% Post Industrial
Recycled Polyester/
20% Post Consumer
Recycled Polyester/
42% Recycled Polyester
(20% REPREEVE®)

PH-CA Canary
PH-EA Eagle
PH-EG Egret
PH-FA Falcon
PH-HE Heron
PH-HU Hummingbird
PH-MD Morning Dove
PH-NU Nuthatch
PH-WL Owl
PH-RA Raven
PH-SA Sandpiper
PH-ST Stork
PH-SW Swan

Fabric Grade: C ^(d)
GEODE

34% Post Industrial
Recycled Polyester/
26% Post Consumer
Recycled Polyester/
40% Recycled Polyester
(26% REPREEVE®)

PR-BS Bismuth
PR-CA Calcite
PR-CT Citrine
PR-CR Crystal
PR-FL Fluorite
PR-GA Galena
PR-HL Hollow
PR-MA Malachite
PR-QU Quartz
PR-WN Wonder

Fabric Grade: D ^(d)
TANGRAM

57% Polyester/
28% Post Industrial
Recycled Polyester/
15% Post Consumer
Recycled Polyester/

LV-CL Clue
LV-EN Enigma
LV-GU Guess
LV-MA Maze
LV-MU Muse
LV-MT Mystery
LV-MY Mystify
LV-UT Outline
LV-PE Perplex
LV-PC Pieces
LV-PU Puzzle
LV-RD Riddle
LV-SC Scrabble
LV-SL Solve
LV-TE Teaser
LV-TR Trick

Seating
Fabric Grade: A ⁽ⁿ⁾
TELLURE

100% Polyester

3A-31 Aegean
3A-18 Black
3A-20 Burgundy
3A-40 Chocolate
3A-28 Dynamo
3A-22 Galaxy
3A-42 Geranium
3A-36 Grass
3A-35 Ivory
3A-23 Jodhpurs
3A-33 Miami
3A-19 Navy
3A-06 Nickel
3A-34 Ocean
3A-32 Sky
3A-38 Slate
3A-37 Spring
3A-39 Steel
3A-41 Sunflower
3A-43 Tomato

ALERT: These materials are current,
however they are being considered for
future obsolescence due to low volume.

Fabric Grade: B ^(d)
BISCOTTI

100% Recycled Polyester

FN-AJ Atlantis
FN-AE Copper
FN-AW Curry
FN-AT Fig
FN-AL Fresco
FN-AX Icing
FN-AR Macaroon
FN-AF Maize
FN-AG Opal Gray
FN-AD Pesto
FN-AC Phoenician
FN-AH Sea Spray
FN-AA Shark
FN-AN Silver Ash
FN-AP Torte
FN-AM Wafer

Fabric Grade: B ^(d)
LANDSCAPE

100% Recycled Polyester

C2-AD Estate
C2-AH Harvest
C2-AJ Panorama
C2-AF Parkland
C2-AC Photograph
C2-AE Seascape
C2-AA Vista

Fabric Grade: C ^(d)
MAYPOLE by Maharam

100% Polyester

2D-004 Reed
2D-003 Rush
2D-006 Sway
2D-001 Tone
2D-005 Twirl
2D-002 Waver

Haworth+

For information on the Haworth+ alliance program, including
images and product availability, please refer to:
Haworth.com > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material information including:
processes and forms, please refer to:
Haworth.com/surfaces > COM Section
For information on approved COM's, please refer to:
Haworth.com/surfaces > COM Library
For information on Haworth+ Alliance Program, please refer to:
Haworth.com/surfaces > Haworth+ Library

Tripoli — COM Yardage Requirements

Procedure

To confirm approval of or request new approval for COM's, contact the **Haworth Inquiry Center (1.800.426.8562)**, or **<http://hub.Haworth.com>**, or **www.haworth.com** > **surface collection** > **COM Library** to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:

- 1) Identify product type and size.
- 2) Determine method in which fabric is to be cut (directional rightway, directional railroad or non-directional).
- 3) Determine fabric roll width.
- 4) Find corresponding fabric usage value from the table.
- 5) Calculate fabric required using the formula below:


Fabric usage = number of units x number of sides with fabric x fabric usage (from tables) + C (constant).

Constant	
Product	C
Tackboards	1.5


- 6) Repeat steps 1-5 for each product type, size and fabric.
- 7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.

Up to 500 yards	Add 10%
501 to 1000 yards	Add 5%
More than 1000 yards	Add 3%


Directional Rightway:



Directional Railroad:



Non-Directional:



Tripoli — COM Yardage Requirements

Tripoli Tackboard Fabric Usage

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
Fabric Tackboards for Vertical Storage Units							
16 15/16" (430mm)	28" (711mm)	0.367	0.551		0.367	0.551	
	34" (864mm)	0.446	0.669		0.446	0.669	
	39" (991mm)	0.512	0.767		0.512	0.767	
	45" (1143mm)	0.590	0.885		0.590	0.885	
	51" (1295mm)	0.669	1.004		0.669	1.004	
	57" (1448mm)	0.748	1.122		N/A	N/A	
	63" (1600mm)	0.826	1.240		N/A	N/A	
	69" (1753mm)	0.905	1.358		N/A	N/A	
	75" (1905mm)	0.984	1.476		N/A	N/A	
	81" (2057mm)	1.063	1.594		N/A	N/A	
	87" (2210mm)	1.141	1.712		N/A	N/A	
	93" (2362mm)	1.220	1.830		N/A	N/A	
Fabric Tackboards with Slat Rail for Vertical Storage Units							
16 15/16" (430mm)	28" (711mm)	0.194	1.000		0.194	1.000	
	34" (864mm)	0.236	1.333		0.236	1.333	
	39" (991mm)	0.271	1.667		0.271	1.667	
	45" (1143mm)	0.313	2.000		0.313	2.000	
	51" (1295mm)	0.354	2.333		0.354	2.333	
	57" (1448mm)	0.396	2.667		N/A	N/A	
	63" (1600mm)	0.438	1.000		N/A	N/A	
	69" (1753mm)	0.479	1.333		N/A	N/A	
	75" (1905mm)	0.521	1.667		N/A	N/A	
	81" (2057mm)	0.563	2.000		N/A	N/A	
	87" (2210mm)	0.604	2.333		N/A	N/A	
	93" (2362mm)	0.646	2.667		N/A	N/A	
Fabric Tackboards for Overhead Storage Units							
18 15/16" (481mm)	30" (762mm)	0.440	0.660		0.440	0.660	
	31" (787mm)	0.454	0.682		0.454	0.682	
	36" (914mm)	0.528	0.792		0.528	0.792	
	37" (940mm)	0.542	0.814		0.542	0.814	
	42" (1067mm)	0.616	0.924		0.616	0.924	
	48" (1219mm)	0.704	1.056		0.704	1.056	
	54" (1372mm)	0.792	1.188		N/A	N/A	
	60" (1524mm)	0.880	1.319		N/A	N/A	
	66" (1676mm)	0.968	1.451		N/A	N/A	
	72" (1829mm)	1.056	1.583		N/A	N/A	
	78" (1981mm)	1.144	1.715		N/A	N/A	
	84" (2134mm)	1.231	1.847		N/A	N/A	
	90" (2286mm)	1.319	1.979		N/A	N/A	
	96" (2438mm)	1.407	2.111		N/A	N/A	

Tripoli — COM Yardage Requirements

Tripoli Tackboard Fabric Usage, (continued)

Nominal (Inches)		66 Inch Roll (Linear Yards)			54 Inch Roll (Linear Yards)		
Height	Width	Directional	Railroad	Non-directional	Directional	Railroad	Non-directional
Fabric Tackboards with Slat Rail for Overhead Storage Units							
18 15/16" (481mm)	30" (762mm)	0.255	0.382		0.255	0.382	
	31" (787mm)	0.263	0.395		0.263	0.395	
	36" (914mm)	0.306	0.458		0.306	0.458	
	37" (940mm)	0.314	0.471		0.314	0.471	
	42" (1067mm)	0.356	0.535		0.356	0.535	
	48" (1219mm)	0.407	0.611		0.407	0.611	
	54" (1372mm)	0.458	0.688		N/A	N/A	
	60" (1524mm)	0.509	0.764		N/A	N/A	
	66" (1676mm)	0.560	0.840		N/A	N/A	
	72" (1829mm)	0.611	0.917		N/A	N/A	
	78" (1981mm)	0.662	0.993		N/A	N/A	
	84" (2134mm)	0.713	1.069		N/A	N/A	
	90" (2286mm)	0.764	1.146		N/A	N/A	
	96" (2438mm)	0.815	1.222		N/A	N/A	
Fabric Tackboards for Reception Stations							
12 1/2" (318mm)	72" (1829mm)	0.722	1.083		N/A	N/A	
	84" (2134mm)	0.843	1.264		N/A	N/A	

Note: Tackboards over 60" (1524mm) wide are shipped in two equal pieces.

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

- i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.
- ii. **Ship To:** Legal name and address.
- iii. **Purchase Order Number:** From the party Haworth will be billing.
- iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.
- v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.
- vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.
- vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.
- viii. **Price Agreement or National Sales Agreement Number**
- ix. **Product Total:** Net dollars.
- x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

- i. **Quantity**
- ii. **Product Numbers**
- iii. **Colors**
- iv. **Specials:** Specify special part number for new special products.
- v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

- vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an **ORDER**; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010). Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's

request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to; (i) a loading dock within 150' of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375" (10mm) over a horizontal span of 10'-0" (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25" (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375" (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
DTAR-3	Work Tools – Personal Shelf Bracket	52
DTBS-3	Work Tools – Phone Shelf Bracket	52
DTES-3	Work Tools – Personal Shelf	52
DTLS-2	Work Tools – Letter Tray Stacking Kit	53
DTLT-2	Work Tools – Letter Tray	53
DTPR-3	Work Tools – Paper Sorter	53
DTPT-3	Work Tools – Phone Shelf	52
DTSB-1	Work Tools – Letter Tray Stacking Bracket	54
DTSB-3	Work Tools – Binder Bin	53
EUD1-1311V	Tripoli — Accessories – Enhanced Power Module	50
EUD1-C311V	Tripoli — Accessories – Enhanced Power Module	50
JPTA-6	Tripoli — Accessories – Pencil Tray	49
KUDP	Tripoli — Accessories – Pencil + Drawer	49
LBJ1	Haworth Collection Lighting – Freestanding Lighting — BRAZO®	59
LBJ2	Haworth Collection Lighting – Freestanding Lighting — BRAZO®	59
LBJ3	Haworth Collection Lighting – Mounted Lighting — BRAZO	59
LBJ4	Haworth Collection Lighting – Mounted Lighting — BRAZO	59
LLC1	Tripoli — Haworth Collection Lighting – LIM C	61
LLC2	Tripoli — Haworth Collection Lighting – LIM C	61
LLH	Tripoli — Haworth Collection Lighting – LIM Hardware	63
LLL1	Tripoli — Haworth Collection Lighting – LIM L	60
LLL2	Tripoli — Haworth Collection Lighting – LIM L	60
LLL3	Tripoli — Haworth Collection Lighting – LIM L	60
LLA	Tripoli — Haworth Collection Lighting – LIM L	60
LLM1	Tripoli — Haworth Collection Lighting – LIM Mounted	62
LLM1	Tripoli — Haworth Collection Lighting – LIM Mounted	62
LLM2	Tripoli — Haworth Collection Lighting – LIM Mounted	62
LLU1	Tripoli — Haworth Collection Lighting – LIM Mounted	63
LLU2	Tripoli — Haworth Collection Lighting – LIM Mounted	63
LLY1	Tripoli — Haworth Collection Lighting – LIM Y	61
LUTD	Tripoli — Task Lighting – Adaptable Electronic Ballast Task Light (Add-On Light)	56
LUTD-0017-1NULDN	Lighting – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	58
LUTR	Tripoli — Task Lighting – Adaptable Electronic Ballast Task Light (Starter Light)	55
LUTS-0000	Lighting – Reed Premier™ Add-On Occupancy Sensor	58
LUTS-0017-12ULD6	Lighting – Reed Premier™ Starter LED Task Light	57
LUTS-0017-19ULD5	Lighting – Reed Premier™ Stand-Alone LED Task Light	57
LUTS-16UEP	Tripoli — Task Lighting – Adaptable Electronic Ballast Task Light	55
TJAC-JSYC	Tripoli — Utility Carts — Laminate or Wood Top	42
TJAC-JSYG	Tripoli — Utility Carts — Laminate or Wood Top	42
TJBF-JSNNN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TJBF-JSYFN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TJBF-JSYNN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TJBF-JSYQN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TJCS-JSFT	Tripoli — Shells – Corner Shell — Laminate or Wood Worksurface	15
TJCS-JSQT	Tripoli — Shells – Corner Shell — Laminate or Wood Worksurface	15
TJDB-JSS56	Tripoli — Double Pedestal Desks – Bow Top Desk — Laminate or Wood Top	9
TJDF-JSS56	Tripoli — Double Pedestal Desks – Rectangular Top Desk — Laminate or Wood Top	8
TJF2-JSNSSS	Tripoli — Freestanding Lateral Files — Two-High — Laminate or Wood Top	39
TJF3-JSNSSS	Tripoli — Freestanding Lateral Files – Three-High — Laminate or Wood Top	39
TJH2-JSYLC	Tripoli — Freestanding Closed Storage Cabinets – Two-High Storage Cabinet with Solid Doors — Laminate or Wood Top	41
TJH2-JSYLG	Tripoli — Freestanding Closed Storage Cabinets – Two-High Storage Cabinet with Solid Doors — Laminate or Wood Top	41
TJND-JSNN	Tripoli — Attached Convergent D-Tops with Support Column — Laminate or Wood Top	11
TJNP-JSLN	Tripoli — Attached Convergent P-Tops with Support Column — Laminate or Wood Top	12

Index

Product Code	Product Description	Page
TJNP-JSRN	Tripoli — Attached Convergent P-Tops with Support Column — Laminate or Wood Top	12
TJQL-JS	Tripoli — Bookcases Two-High and Three-High — Laminate or Wood	46
TJRS-JSYFLN	Tripoli — Returns with End Panel Support — Laminate Worksurface	16
TJRS-JSYQLN	Tripoli — Returns with End Panel Support — Laminate Worksurface	16
TJSB-JSS5N	Tripoli — Single Pedestal Desks — Bow Top Desk — Laminate or Wood Top	7
TJSF-JSS5N	Tripoli — Single Pedestal Desks — Rectangular Top Desk — Laminate or Wood Top	6
TJYF-JSNV	Tripoli — Desk Shells — Shell — Desk — Laminate or Wood Top	10
TJZC-JSYLS	Tripoli — Credenzas with Closed Storage — Laminate Worksurface	24
TJZF-JSYS	Tripoli — Credenza Shells — Credenza Shell — Laminate Top	26
TJZL-JSSYS	Tripoli — Credenzas with Lateral Files — Laminate Worksurface	22
TJZP-JSS66YS	Tripoli — Credenzas with Pedestals — Laminate Worksurface	18
TJZS-JSS66YLS	Tripoli — Credenzas with Pedestals and Closed Storage — Laminate Worksurface	20
TKAC-1SYC	Tripoli — Utility Carts — Laminate or Wood Top	42
TKAC-1SYG	Tripoli — Utility Carts — Laminate or Wood Top	42
TKAD-S	Tripoli — Tables — Table — Occasional Drum — Wood	48
TKAR-1S	Tripoli — Tables — Rectangle Occasional — Wood	48
TKAS-1S	Tripoli — Tables — Square Occasional — Wood	48
TKBF-1SNNN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TKBF-1SYFN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TKBF-1SYNN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TKBF-1SYQN	Tripoli — Bridges — Laminate or Wood Worksurface	14
TKCS-1SFT	Tripoli — Shells — Corner Shell — Laminate or Wood Worksurface	15
TKCS-1SQT	Tripoli — Shells — Corner Shell — Laminate or Wood Worksurface	15
TKDB-1SS56	Tripoli — Double Pedestal Desks — Bow Top Desk — Laminate or Wood Top	9
TKDF-1SS56	Tripoli — Double Pedestal Desks — Rectangular Top Desk — Laminate or Wood Top	8
TKES-S	Tripoli — Support Panels — End Panel	13
TKF2-1SNSSS	Tripoli — Freestanding Lateral Files — Two-High — Laminate or Wood Top	39
TKF3-1SNSSS	Tripoli — Freestanding Lateral Files — Three-High — Laminate or Wood Top	39
TKF4-NSNSSS	Tripoli — Freestanding Lateral Files/Attached Closed Storage — Four-High — Wood	40
TKFA-NWNSS	Tripoli — Attached Lateral File	38
TKH2-1SYLC	Tripoli — Freestanding Closed Storage Cabinets — Two-High Storage Cabinet with Solid Doors — Laminate or Wood Top	41
TKH2-1SYLG	Tripoli — Freestanding Closed Storage Cabinets — Two-High Storage Cabinet with Solid Doors — Laminate or Wood Top	41
TKHA-NSNL	Tripoli — Freestanding Lateral Files/Attached Closed Storage — Two-High Attached Storage Cabinet with Solid Doors	40
TKHC-NSSLL	Tripoli — Storage Cabinet — 16 1/2" Wide — Wood	44
TKHC-NSSLR	Tripoli — Storage Cabinet — 16 1/2" Wide — Wood	44
TKJA-NSSLL	Tripoli — Attached Wardrobe Cabinet — 9 1/2" Wide — Wood	43
TKJA-NSSLR	Tripoli — Attached Wardrobe Cabinet — 9 1/2" Wide — Wood	43
TKJC-NSSL	Tripoli — Freestanding Wardrobe Cabinet — 31" Wide — Wood	43
TKJC-NSSLL	Tripoli — Freestanding Wardrobe Cabinet — 16 1/2" Wide — Wood	44
TKJC-NSSLR	Tripoli — Freestanding Wardrobe Cabinet — 16 1/2" Wide — Wood	44
TKKP-S	Tripoli — Attached Pedestals — Filler Strip — Pedestal	36
TKLR-1SS56YR	Tripoli — Reception Stations — L-Shaped — Wood	34
TKM5-NSNSSSL	Tripoli — Combination Storage Cabinets — Combination Unit — Wood	45
TKND-1SNN	Tripoli — Attached Convergent D-Tops with Support Column — Laminate or Wood Top	11
TKNP-1SLN	Tripoli — Attached Convergent P-Tops with Support Column — Laminate or Wood Top	12
TKNP-1SRN	Tripoli — Attached Convergent P-Tops with Support Column — Laminate or Wood Top	12
TKPA-5NSS	Tripoli — Attached Pedestals	36
TKPA-8NSS	Tripoli — Attached Pedestals	36
TKPM-4NSS	Tripoli — Mobile Pedestals	37
TKQL-1S	Tripoli — Bookcases — Two-High and Three-High — Laminate or Wood	46
TKQL-1S	Tripoli — Bookcases Three-High — Laminate or Wood	46
TKQL-NS	Tripoli — Bookcases — Four-High and 64" High — Wood	47
TKQL-NS	Tripoli — Bookcases — Four-High and 64" High — Wood	47
TKRS-1SYFLN	Tripoli — Returns with End Panel Support — Wood Worksurface	17

Index

Product Code	Product Description	Page
TKRS-1SYQLN	Tripoli — Returns with End Panel Support — Wood Worksurface	17
TKSB-1SS5N	Tripoli — Single Pedestal Desks — Bow Top Desk — Laminate or Wood Top	7
TKSF-1SS5N	Tripoli — Single Pedestal Desks — Rectangular Top Desk — Laminate or Wood Top	6
TKTR	Tripoli — Reception Stations — Tackboards	34-35
TKUR-1SS56YR	Tripoli — Reception Stations — U-Shaped — Wood	35
TKVD-LSLS	Tripoli — Vertical Storage Units with Hinged Doors	28
TKVL-LSLS	Tripoli — Vertical Storage Units with Hinged Doors	28
TKVL-LSNS	Tripoli — Vertical Storage Units with Hinged Doors	28
TKXC-NSSL	Tripoli — Combination Storage Cabinets — Freestanding Wardrobe/Storage Cabinet — Wood	45
TKYF-1SNV	Tripoli — Desk Shells — Shell — Desk — Laminate or Wood Top	10
TKZC-1SYLS	Tripoli — Credenzas with Closed Storage — Wood Worksurface	25
TKZF-1SYS	Tripoli — Credenza Shells — Wood Top	27
TKZL-1SSSYS	Tripoli — Credenzas with Lateral Files — Wood Worksurface	23
TKZP-1SS66YS	Tripoli — Credenzas with Pedestals — Wood Worksurface	19
TKZS-1SS66YLS	Tripoli — Credenzas with Pedestals and Closed Storage — Wood Worksurface	21
TTSV	Tripoli — Tackboards for Vertical Storage Units — Fabric and Slat Rail	29
TTSW	Tripoli — Tackboards for Overhead Storage Units — Fabric and Slat Rail	33
TTSW	Tripoli — Tackboards for Overhead Storage Units — Fabric and Slat Rail	33
TTVD	Tripoli — Tackboards for Vertical Storage Units — Fabric	29
TTWD	Tripoli — Tackboards for Overhead Storage Units — Fabric	33
UXAG-0002	Tripoli — Accessories — Grommet	50
UXAH	Tripoli — Accessories — File Bars	51
UXCD-L	Tripoli — Accessories — Center Drawer	49
UXLD-NSN	Tripoli — Overhead Storage Unit — One-High with Glass Sliding Door	32
UXLL-NSN	Tripoli — Overhead Storage Unit — One-High with Glass Sliding Door	32
UXOD-LSL	Tripoli — Overhead Storage Unit — One-High with Hinged Doors	30
UXOD-LSN	Tripoli — Overhead Storage Unit — One-High with Hinged Doors	30
UXOL-LSL	Tripoli — Overhead Storage Unit — One-High with Hinged Doors	30
UXOL-LSN	Tripoli — Overhead Storage Unit — One-High with Hinged Doors	30
UXRD-NSN	Tripoli — Overhead Storage Unit — One-High with Solid Sliding Door	31
UXRL-NSN	Tripoli — Overhead Storage Unit — One-High with Solid Sliding Door	31
UXSS-S	Tripoli — Support Panels — Mid-Support Panel	13
WQAG	Haworth Collection Lighting — Grommet — For Use with BRAZO Grommet Mounted Light Only	59
WUAW	Tripoli — Accessories — Horizontal Wire Manager	50

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the “policy”) applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called “Haworth”) will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth’s option, either repair or replace the product, at Haworth’s expense, or refund the purchase price of the product. Except as provided below, a product shall be considered “defective” if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime *except products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth “Specials” products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth “Specials” products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.


All service parts are warranted for two years or the remaining balance of the assembly’s original warranty period, whichever is longer.

*The Applicable Warranty Period for each such product is specified in Haworth’s price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is “Customer’s Own Material” (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth’s written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth’s express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) “puddling” of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth’s option, in accordance with this Policy, is the purchaser’s or lessee’s exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.



HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.

©Haworth, Inc. 2015 6.15

haworth.com | haworth-europe.com | haworth-asia.com