

Paoli LLC Limited Lifetime Warranty

Paoli LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns them.

Paoli LLC will, at its discretion, repair or replace with comparable product, free of charge, any Paoli LLC product or component manufactured after April 17, 2016 that fails under normal commercial office use.

The warranty is subject to the following provisions:

Limitations involving materials and components

Some natural variations occurring in wood, leather and other natural materials are inherent to their character and not considered defects. Paoli LLC does not warrant the color-fastness or matching of colors, grains, textures of these materials. Additionally a customer own material (COM) selected by, and used at the request of a user is not warranted.

The material and components listed below are covered according to the following schedule from the date of sale:

- Veneer and Laminate finishes - Twelve Years
- Seating wood frame - Twelve Years
- Seating controls and electrical components (lamps and ballasts are not covered) - Ten Years
- Glides, pneumatic cylinders, casters and polymer based components, foam - Five Years
- Upholstery fabric - Three Year

Seating Usage

Normal commercial office use for seating is defined as the equivalent of a single shift, forty (40) hour work week. Paoli LLC product used in excess of a single shift will be prorated for warranty purposes.

Exclusions

This warranty does not apply to:

- Normal wear and tear over the course of ownership
- Modifications or attachments not approved by Paoli LLC

Warranty	I
General Information.....	III
CO HO.....	CO1
Conferencing Program	CP1
Tops & Bases	
Classic Edge	CP3
Fuse.....	CP5
Kindle.....	CP9
Adjustable Height.....	CP14
R Series.....	CP18
Base Selection Guide	CP23
Bases	CP31
Buffet Credenza, Presentation Boards, Cabinets, Carts, Lecterns	CP38 - CP47
Overture.....	OV1
Tops	
Rectangular.....	OV4
Video Conference.....	OV5
Racetrack.....	OV6
Boat	OV7
Square & Round.....	OV8
Bases	OV9
Floating Top Buffet, Hospitality Table,	OV14
Cart, Telephone Stand, Lectern	OV16
Freestanding Buffet.....	OV17
Modular Buffet	OV18
Stacking Bookcases	OV20
Bookcase Tops.....	OV21
Wall Mount Marker Board	OV21
Work Walls	OV22
Share Space Tables	SH1
Modular Tables	
Rectangular.....	SH5
Arc.....	SH6
Trapezoid	SH7
Round & Square.....	SH8
45, 60 & 90 Degree Corner Connecting Tops.....	SH9
Modesty Panels.....	SH10
Flip Top Rectangular Training Tables.....	SH12
Round & Square Café Tables.....	SH13
Presentation Board & Wall Mounted Whiteboards	SH14
Buffet.....	SH15 - SH17
Lecterns.....	SH15
Power	SH18
Power Communications.....	PC1
Occasional Tables	OT1
Model Number Index.....	IN1

TERMS AND CONDITIONS

FREIGHT

1. Delivery will be made to the acknowledged ship to address unless notification of address change is received ten (10) working days prior to the scheduled ship date. Any address changes received by the driver on arrival will be billed as an additional stop and additional charges may apply.

2. Paoli shipments are scheduled for dock-to-dock delivery and do not include inside delivery, uncartoning or set up. If desired, arrangements for inside delivery must be made, and approved, when the order is placed, and will have a corresponding fee of 7% of list price of the order, with a minimum charge of \$75.00. Requests for uncartoning and set up will be coordinated with a Paoli Dealer with applicable charges applied to the order.

3. The ability for drop shipments is available. Please contact your customer service representative for information on criteria and fees associated with this service. If delivery is scheduled to a location other than the dealer's single dealer location, Paoli must be provided with the name and telephone number of the person to contact at the delivery address. Personnel and facilities for receiving and unloading a semi-tractor trailer must be provided by the dealer. Drivers are not permitted to unload items by themselves. Delays caused by customer's inability to accept or unload merchandise at the destination specified on the order will be billed to the dealer at the rate of \$50.00 per hour.

4. Freight charges for orders that do not qualify for free freight based on the Customer's Performance Level, will be charged a minimum of \$80.00 or 3% of total order at List, whichever is greater.

ORDERING

All orders are subject to approval and acceptance by Paoli. Any term or condition (including standard, printed language) contained in a Customer's purchase order (or other form used by the Customer to order goods) which is different from, in addition to, or inconsistent with in any way, Paoli's standard terms and conditions contained in this document or in any document referred to in the document ("Terms and Conditions", as the same may be amended and republished from time to time at the sole discretion of Paoli), shall be of no force or effect whatsoever. By placing an order with Paoli, whether written, verbal, Electronic Data Interchange (EDI) or by e-commerce, the Customer agrees that the transaction shall be governed by the current Terms and Conditions of Paoli, as of the acknowledgement date of the order. The warranty for any product of Paoli shall be the effective written warranty of Paoli as found in Paoli's pricer, as of the acknowledgement date of the order requesting such product.

Sales of Paoli's products are made only on Paoli's standard Terms and Conditions. Paoli's standard Terms and Conditions may be modified or supplemented only by a separate written document signed by Paoli's authorized personnel at Paoli's headquarters.

Possession of Paoli pricers or sales and pricing literature does not constitute an offer to sell.

Paoli tries to comply with reasonable special instructions on orders if those instructions do not conflict with Paoli's Terms and Conditions and do not involve additional costs.

All Dealer and Wholesaler orders for Paoli are to be sent to Paoli Customer Support Center in Orleans, IN, by fax to: 800-888-5817.

Submitting An Order

- Paoli brand products will be accepted on an order.
- Standard colors and finishes are detailed in current Paoli sales literature and pricers.
- The Customer must provide correct information on all orders when ordering. This includes (e.g., complete model number, finishes, colors, options, quantity, and any special instructions regarding directions to a drop ship site, special equipment needed to complete shipment such as a small trailer or special delivery hours). Failure to provide complete and accurate information could result in order entry delays.
- Orders can only be processed when they are complete and correct; incomplete orders may be returned.

- If a bid quotation or other special pricing applies, such information should be clearly stated on the order and any applicable bid number or contract number must be referenced in order to ensure proper pricing.

- The order should identify a contact person by name and phone number for any clarification that might be necessary.

- Accepted orders will be acknowledged in writing or email with approximate shipping dates. Payments should be made to Paoli, or its assignee, as designated on Paoli's invoice.

PHONE ORDERS

Paoli requires written confirmation of all orders submitted by phone. When confirming a previously placed phone order, including product, parts and replacement pieces, it must bear the word "CONFIRMING" prominently and have exactly the same purchase order number and information as placed via phone.

CREDIT

Goods ordered by customers who have no previous credit rating may not be accepted unless prior arrangements are made with the Paoli Credit Department.

CREDIT LIMITS

The credit limit is the maximum credit available on a current account, which is defined as open accounts receivable and orders available for production. Paoli will review payment history and updated financial information on a periodic basis and will adjust credit limits accordingly.

CREDIT HOLD

Invoices are considered past due if unpaid within terms stated on the invoice. Accounts whose unpaid balances extend beyond the invoice due date may be placed on credit hold (which could result in shipping delays for existing and new orders). Conditions for continued shipments will be contingent upon mutually acceptable agreement regarding payment of the overdue balance. Accounts whose balances exceed the credit limit may also be placed on credit hold. Additional shipments may be made on a prepaid basis, upon mutual agreement, until payment is received to reduce the account balance below the credit limit.

Accounts whose balances extend beyond 90 days past due, without a mutually agreed upon and functioning payment schedule, may be placed with a third party for collection purposes. Paoli will attempt notification by telephone or mail prior to taking this action. At this point, all actions will be handled by Paoli's third party. Once an account has been placed with a collection agency, purchases of any additional merchandise will not be allowed until the account balance, any accumulated finance charges, and collection costs incurred by Paoli are paid in full.

SHIPPING TIME

Production takes approximately 4-6 weeks after receipt of order and approval of credit. If delivery is needed by a specific date, this must be indicated on the order. If this date cannot be met, the customer will be notified of alternate delivery dates.

ACKNOWLEDGEMENTS

Paoli sends acknowledgements on all orders. It is the responsibility of the customer to review the acknowledgement and report any discrepancies immediately.

CHANGES AND/OR CANCELLATIONS

All cancellations or changes are subject to Paoli approval. Cancellations will not be accepted after an order has been scheduled for final production.

PRODUCT SPECIALS

Paoli, at its own discretion, may modify its standard products to meet specific needs.

List prices contained in published pricers are for standard catalog items only. Changes or alterations to catalog items other than those listed as catalog options are subject to additional charges. Prices will be furnished upon request. Direct all requests to Paoli Customer Support Center.

Modifications to Standard Product

- Requests for special modifications to Paoli standard products require engineering evaluations, product safety review and pricing prior to approval.
- Requests for modified products should be directed to Paoli's Customer Support Center.

SHIPPING

Paoli ships all merchandise, whether shipping collect, prepaid/charge or delivered, FOB shipping point. Ownership and the responsibility of the merchandise becomes that of the customer upon delivery to the freight company.

Paoli paid freight is dock-to-dock and does not include inside delivery or installation. All shipments are FOB shipping point with freight prepaid to one destination in the continental United States. Shipments outside the contiguous United States are prepaid to point of embarkation.

Paoli reserves the right to select the carrier and routing, but will attempt to accommodate requests for preferred carriers, if there are no additional costs or charges to Paoli.

DAMAGED PRODUCT

All products are carefully inspected and packed by trained members before leaving the facility. The transportation company assumes complete responsibility, when the bill of lading is signed, for delivering the product to the customer in good condition. Customers should protect themselves by assuring that the extent of any damage or shortage has been noted on the delivery sheet. Concealed damage should be reported to Paoli Customer Support Center as soon as discovered and no later than 10 days from receipt of shipment.

If concealed damage is discovered after delivery, request inspection from the delivering carrier AT ONCE and save all packing materials until inspection is made. Paoli will be happy to assist in filing a claim with the transportation company by providing additional copies of documents, as needed, but the claim must originate from the customer, the consignee.

STORAGE

Storage charges may be incurred if delivery is delayed by customer.

REPAIR CHARGES

Prior authorization must be obtained from Paoli before repairs are made. Quotes should be sent to Paoli's Customer Support Center for approval before proceeding. Once repairs are complete, send a receipt for approved repairs to Paoli LLC Customer Support Center and credit will be issued.

RETURNS

Return shipments are not accepted unless specifically authorized by Paoli on a Returned Goods Authorization form furnished by Paoli LLC Customer Support Center. Merchandise must be returned in original shipping cartons, with proper inner packing and is subject to inspection upon return, before acceptance. All returns must be made within 30 days after a Return Goods Authorization is issued.

Requests for returns due to Paoli error must be made within 30 days of receipt of erroneous shipment.

Requests for returns due to reasons other than Paoli error, if approved, are subject to a processing fee of up to 45% of the invoiced amount and must be forwarded with transportation charges prepaid. All returns must be made within 30 days after a Return Goods Authorization is issued.

Returns are not authorized or accepted from Alaska or Hawaii due to transportation costs and travel wear.

Credit will not be allowed on any items returned without Paoli's written consent or on any merchandise that is not in resalable condition.

OPTIONAL POWDER COAT COLORS

AL - Alloy
BL - Black

CARE INSTRUCTIONS

Paoli's NatureTech finish may be compared to the high bake finish generally applied to automobiles and major household appliances. NatureTech is highly resistant to stain and surface damage caused by common household liquids such as coffee, alcohol, soda pop, etc. It is also quite resistant to marring, staining, moisture and heat under normal conditions.

While NatureTech finish is resistant to marring, the veneer beneath the finish is subject to damage from writing instruments, keys, etc. Therefore, Paoli recommends the use of a desk pad or a glass cover surface.

Although there is no present day finish that is fireproof, NatureTech does offer the much sought after quality that resists the spread of flame.

Avoid exposing the furniture to strong sunlight. Although NatureTech finish is as fade proof as possible, the veneer beneath the finish can change color due to sunlight. Avoid exposure of furniture to extremes of heat or cold.

After the furniture is unpacked, we suggest a general wiping of the entire unit with a small amount of no wax, liquid polish applied to a soft, clean cloth to highlight the beauty of the wood.

Cleaning :

1. Dust all surfaces frequently with a clean, soft, damp cloth, moving the cloth with the grain.
2. Lift all objects to move them, never drag them across the finished surface.
3. For cleaning, a spray cleaner such as "409 Glass Cleaner" or "Glass Plus" and a water dampened cloth may be used to remove stubborn stains.

BIFMA AND ANSI

Paoli products are designed and manufactured to meet or exceed Business and Institutional Furniture Manufacturer's Association (BIFMA) and American National Standards Institute (ANSI) standards.

Quick Reference - Ordering Guidelines

Each current price list is laid out with a guide for specifying at the bottom of each page. You can continue to fax in your Paoli orders to customer service @ 800-888-5817. You will need all of the options specified, per model/line on your order. This will allow a clean order to be entered in our system and for you to receive an acknowledgement (via fax or email) with a shipping date. If you need help with specifying a model, please call Paoli Customer Support at 1-800-457-7415.

Here are the steps to follow when beginning to specify products.

1. Select the model/series
2. Select material type & finish (wood or laminate, color, etc)
3. Select edge detail (if applicable)
4. Select pull style and color (if applicable)
5. Select other options as needed (grommets,locks etc)

Let's look at an example of a casegoods item:
CO | HO Modern Rectangular Table

How to specify:

1. Choose base model

P-CO3066TT-P

2. Select top finish

see page VII - VIII for list of finishes

P-CO3066TT-P.CE123.

3. Select Base Height

22 - 22" height

29 - 29½" height

40 - 40" height

P-CO3066TT-P.CE123.29.

4. Select Base Finish

WH - White

P-CO3066TT-P.CE123.29.WH.

5. Select Access Package

N - None

T1 - Top power

T2 - Top power & USB

S1 - Under surface power & USB

S2 - Under surface power, USB & HDMI

P-CO3066TT-P.CE123.29.WH.S1

These are examples of how to specify a conference table. Some items will have different options that need specified. Please notice the "Specify....." line listed for each individual item.

Paoli Customer Support: 1-800-457-7415

Fax orders to: 1-800-888-5817

CS-eorder@paoli.com

Finish Information

Paoli offers some casegood series in Veneer (V), High Pressure Laminate (HPL) and Thermally Fused Laminate (TFL) while other series are Veneer (V) only. Based on this distinction, we have created two finish charts showing the series name and what finishes they are offered in.

Veneer finishes designators are 5 characters (2 alpha & 3 numeric) while High Pressure Laminate and Thermally Fused Laminate are 3 numeric characters.

For example:

Veneer Finish	Designator	Paoli Cherry	Autumn
Autumn	PC211	P C	2 1 1

High Pressure or Thermally Fused Laminate Finish	Designator	Autumn Cherry II
Autumn Cherry II	211	2 1 1

NOTE: Special finishes are subject to extended leadtimes.

Finish Charts

	Designators	Classic Edge	CO HO			Fuse	Kindle			
Finishes		Veneer (V)	Premium (P)	Veneer (V)	HPL (H)	Veneer (V)	Premium (P)	Veneer (V)	HPL (H)	TFL (L)
Autumn on Cherry	PC211	✓		✓		✓		✓		
Autumn Cherry II	211				✓				✓	✓
Cafelle on Cherry	PC215	✓		✓		✓		✓		
Cafelle	215				✓				✓	✓
Caramel on Cherry	PC235	✓		✓		✓		✓		
Cordovan on Cherry	PC223	✓		✓		✓		✓		
Cordovan Cherry	223									✓
Shaker on Cherry	PC231	✓		✓		✓		✓		
Shaker Cherry	231				✓				✓	✓
Sienna on Cherry	PC227	✓		✓		✓		✓		
Sienna Cherry	227									✓
Harvest on Maple	PM313					✓		✓		
Harvest Maple	313								✓	✓
Kensington on Maple	PM311					✓		✓		
Kensington Maple	311								✓	✓
Colombian on Walnut	PW519	✓		✓		✓		✓		
Colombian Walnut	519				✓				✓	✓
Heights on Walnut	PW535	✓		✓		✓		✓		
Walnut Heights	535				✓				✓	✓
Skyline on Walnut	PW527	✓		✓		✓		✓		
Skyline Walnut	527				✓				✓	✓
Studio on Walnut	PW531	✓		✓		✓		✓		
Studio Teak	531				✓				✓	✓
Saltsprayed on Rift Oak	RK115		✓				✓			
Smoked on Rift Oak	RK119		✓				✓			
Sunfaded on Rift Oak	RK123		✓				✓			
Saltsprayed on European Walnut	CE115		✓				✓			
Smoked on European Walnut	CE119		✓				✓			
Sunfaded on European Walnut	CE123		✓				✓			
Saltsprayed on Grey Oak	CG115		✓				✓			
Smoked on Grey Oak	CG119		✓				✓			
Sunfaded on Grey Oak	CG123		✓				✓			
Frosty White	732				✓				✓	✓
Grey Cloud	736				✓				✓	✓
Monterey Beige	742				✓				✓	✓
Slate Grey	756				✓				✓	✓

continued on next page

Finish Charts continued

	Designators	Overture	R Series	Share		
Finishes		Veneer (V)	Veneer (V)	Veneer (V)	HPL (H)	TFL (L)
Autumn on Cherry	PC211	✓	✓	✓		
Autumn Cherry II	211				✓	✓
Cafelle on Cherry	PC215	✓	✓	✓		
Cafelle	215				✓	✓
Caramel on Cherry	PC235	✓	✓	✓		
Cordovan on Cherry	PC223	✓	✓	✓		
Cordovan Cherry	223					✓
Shaker on Cherry	PC231	✓	✓	✓		
Shaker Cherry	231				✓	✓
Sienna on Cherry	PC227	✓	✓	✓		
Sienna Cherry	227					✓
Harvest on Maple	PM313	✓	✓	✓		
Harvest Maple	313				✓	✓
Kensington on Maple	PM311	✓	✓	✓		
Kensington Maple	311				✓	✓
Colombian on Walnut	PW519		✓	✓		
Colombian Walnut	519				✓	✓
Heights on Walnut	PW535		✓	✓		
Walnut Heights	535				✓	✓
Skyline on Walnut	PW527		✓	✓		
Skyline Walnut	527				✓	✓
Studio on Walnut	PW531		✓	✓		
Studio Teak	531				✓	✓
Frosty White	732				✓	✓
Grey Cloud	736				✓	✓
Monterey Beige	742				✓	✓
Slate Grey	756				✓	✓

FINISH COLOR MATCHING:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

TOPS:

High Pressure Laminate (HPL), Veneer (V) & Premium (P): Tops are 1 3/16" thick and feature a 3 ply balanced panel construction with painted edge detail.

EDGES:

High Pressure Laminate (HPL), Veneer (V) & Premium (P): All surfaces of the edge detail will be finished in a complementary color.

MATERIALS:

High Pressure Laminate: Woodgrains are offered in a open grain finish and solids in a matte finish.

Veneers: Walnut and Cherry veneer is offered in open grain finishes.


Premium Veneers: Premium veneers are offered in open grain finishes. Paoli's premium veneer offering includes Natural Rift White Oak (RK), Composite Quartered Grey Oak (CG), and Composite Quartered European Walnut (CE). We are excited to offer elevated style without the need to special quote or extend lead-time.

BASES:


CO | HO table bases are offered in a combination of polished aluminum and white powder coat.

Finishes	Designators	Designators		
		Premium (P)	Veneer (V)	HPL (H)
Autumn on Cherry	PC211		✓	
Autumn Cherry II	211			✓
Cafelle on Cherry	PC215		✓	
Cafelle	215			✓
Caramel on Cherry	PC235		✓	
Cordovan on Cherry	PC223		✓	
Shaker on Cherry	PC231		✓	
Shaker Cherry	231			✓
Sienna on Cherry	PC227		✓	
Colombian on Walnut	PW519		✓	
Colombian Walnut	519			✓
Heights on Walnut	PW535		✓	
Walnut Heights	535			✓
Skyline on Walnut	PW527		✓	
Skyline Walnut	527			✓
Studio on Walnut	PW531		✓	
Studio Teak	531			✓
Saltsprayed on European Walnut	CE115	✓		
Smoked on European Walnut	CE119	✓		
Sunfaded on European Walnut	CE123	✓		
Saltsprayed on Grey Oak	CG115	✓		
Smoked on Grey Oak	CG119	✓		
Sunfaded on Grey Oak	CG123	✓		
Saltsprayed on Rift Oak	RK115	✓		
Smoked on Rift Oak	RK119	✓		
Sunfaded on Rift Oak	RK123	✓		
Frosty White	732			✓
Grey Cloud	736			✓
Monterey Beige	742			✓
Slate Grey	756			✓

Edge Profile




Shapes & Sizes




Modern Round

30"
36"
42"




Modern Square

30" x 30"
36" x 36"
42" x 42"



Modern Rectangle

30" x 54" 30" x 60"
30" x 66" 30" x 72"
30" x 78" 36" x 54"
36" x 60" 36" x 66"
36" x 72" 36" x 78"
36" x 84" 36" x 90"
36" x 96" 42" x 54"
42" x 60" 42" x 66"
42" x 72" 42" x 78"
42" x 84" 42" x 90"
42" x 96" 42" x 96"



Modern Racetrack

30" x 54" 30" x 60"
30" x 66" 30" x 72"
30" x 78" 36" x 54"
36" x 60" 36" x 66"
36" x 72" 36" x 78"
36" x 84" 36" x 90"
36" x 96" 42" x 54"
42" x 60" 42" x 66"
42" x 72" 42" x 78"
42" x 84" 42" x 90"

Access Units

T = Top Power

S = Under Surface Power

Square & Round Tops

T1 = 2 Power outlets

T2 = 1 Power outlet & 2 USB ports

Rectangle & Racetrack Tops

T1 = 2 nodes with 2 Power outlets

T2 = 2 nodes with 1 Power outlet & 2 USB ports

S1 (72" or less) = Four access units with 3 Power outlets & 2 USB ports.

S1 (78" - 96") = Six access units with 3 Power outlets & 2 USB ports.

S2 (72" or less) = Three access units with 3 Power outlets & 2 USB ports.

One access unit with 2 Power outlets & 1 HDMI port.

S2 (78" - 96") = Five access units with 3 Power outlets & 2 USB ports.

One access unit with 2 Power outlets & 1 HDMI port.

Modern Round Tables

Sizes	Dimensions	
	W	D
3030	30	30
3636	36	36
4242	42	42

Reference Pages

List of options page CO2


For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications

Round tables offered in all heights

Top access packages are available on all tables, **see page CO2 for chart**

NOT ON CONTRACT

	Description / Model	40" Height	29½" Height	22" Height		Ship wt	Cubes
 30" W x 22" H shown	P-CO3030RD-P	\$ 1472	\$ 1416	\$ 1393		38	4.5
	P-CO3030RD-V	\$ 1401	\$ 1348	\$ 1326		38	4.5
	P-CO3030RD-H	\$ 1024	\$ 971	\$ 949		38	4.5
	P-CO3636RD-P	\$ 1664	\$ 1607	\$ 1584		55	6
 30" W x 29½" H shown	P-CO3636RD-V	\$ 1583	\$ 1530	\$ 1508		55	6
	P-CO3636RD-H	\$ 1219	\$ 1166	\$ 1144		55	6
	P-CO4242RD-P	\$ 1934	\$ 1877	\$ 1854		75	7.8
	P-CO4242RD-V	\$ 1841	\$ 1788	\$ 1766		75	7.8
 30" W x 40" H shown	P-CO4242RD-H	\$ 1413	\$ 1360	\$ 1338		75	7.8
	Top and Bases are included Shipped K/D						
Specify Top Finish/Height/Base Finish/Access Package							

Access Packages				
Designators	Description	Table Size		
		3030	3636	4242
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 172	\$ 172	\$ 172
T2	Top power & USB	\$ 241	\$ 241	\$ 241

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model	Top finish	Height	Base finish	Access Package
P-CO3636RD-H.	H519.	40.	WH.	T2

Modern Square Tables

Sizes	Dimensions	
	W	D
3030	30	30
3636	36	36
4242	42	42

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications

Square tables offered in all heights

Top access packages are available on all tables, **see page CO2 for chart**

NOT ON CONTRACT


Modern Square Tables



30" W x 22" H shown



30" W x 29½" H shown



30" W x 40" H shown

Description / Model	40" Height	29½" Height	22" Height	Ship wt	Cubes
P-CO3030SQ-P	\$ 1472	\$ 1416	\$ 1393	38	4.5
P-CO3030SQ-V	\$ 1401	\$ 1348	\$ 1326	38	4.5
P-CO3030SQ-H	\$ 1024	\$ 971	\$ 949	38	4.5
P-CO3636SQ-P	\$ 1664	\$ 1607	\$ 1584	55	6
P-CO3636SQ-V	\$ 1583	\$ 1530	\$ 1508	55	6
P-CO3636SQ-H	\$ 1219	\$ 1166	\$ 1144	55	6
P-CO4242SQ-P	\$ 1934	\$ 1877	\$ 1854	75	7.8
P-CO4242SQ-V	\$ 1841	\$ 1788	\$ 1766	75	7.8
P-CO4242SQ-H	\$ 1413	\$ 1360	\$ 1338	75	7.8

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages				
Designators	Description	Table Size		
		3030	3636	4242
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 172	\$ 172	\$ 172
T2	Top power & USB	\$ 241	\$ 241	\$ 241

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO4242SQ-P. CE115. 29. WH. T1

30"D Modern Rectangular Tables

Sizes	Dimensions	
	W	D
3054	54	30
3060	60	30
3066	66	30
3072	72	30
3078	78	30

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications



72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		40" Height	29½" Height	22" Height	Ship wt	Cubes
30"D Modern Rectangular Tables						
	P-CO3054TT-P	\$ 2393	\$ 2281	\$ 2236	82	7.3
	P-CO3054TT-V	\$ 2280	\$ 2172	\$ 2130	82	7.3
	P-CO3054TT-H	\$ 1756	\$ 1698	\$ 1656	82	7.3
	P-CO3060TT-P	\$ 2427	\$ 2315	\$ 2270	92	8.1
	P-CO3060TT-V	\$ 2312	\$ 2204	\$ 2162	92	8.1
	P-CO3060TT-H	\$ 1788	\$ 1731	\$ 1689	92	8.1
	P-CO3066TT-P	\$ 2460	\$ 2348	\$ 2303	101	8.8
	P-CO3066TT-V	\$ 2344	\$ 2236	\$ 2194	101	8.8
	P-CO3066TT-H	\$ 1820	\$ 1764	\$ 1722	101	8.8
	P-CO3072TT-P	\$ 2494	\$ 2382	\$ 2337	110	9.6
	P-CO3072TT-V	\$ 2376	\$ 2268	\$ 2226	110	9.6
	P-CO3072TT-H	\$ 1852	\$ 1797	\$ 1755	110	9.6
	P-CO3078TT-P		\$ 2607		119	10.3
	P-CO3078TT-V		\$ 2483		119	10.3
	P-CO3078TT-H		\$ 2019		119	10.3

Top and Bases are included
Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages						
Designator	Description	Table Size				
		3054	3060	3066	3072	3078
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO3078TT-V. PW535. 29. WH. S1

36"D Modern Rectangular Tables

Sizes	Dimensions	
	W	D
3654	54	36
3660	60	36
3666	66	36
3672	72	36
3678	78	36

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications



72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		40" Height	29½" Height	22" Height	Ship wt	Cubes
36"D Modern Rectangular Tables						
	P-CO3654TT-P	\$ 2562	\$ 2450	\$ 2405	99	8.6
	P-CO3654TT-V	\$ 2440	\$ 2332	\$ 2290	99	8.6
	P-CO3654TT-H	\$ 1918	\$ 1865	\$ 1823	99	8.6
	P-CO3660TT-P	\$ 2595	\$ 2483	\$ 2438	110	9.4
	P-CO3660TT-V	\$ 2473	\$ 2365	\$ 2323	110	9.4
	P-CO3660TT-H	\$ 1950	\$ 1898	\$ 1856	110	9.4
	P-CO3666TT-P	\$ 2630	\$ 2518	\$ 2473	121	10.3
	P-CO3666TT-V	\$ 2505	\$ 2397	\$ 2355	121	10.3
	P-CO3666TT-H	\$ 2003	\$ 1952	\$ 1910	121	10.3
	P-CO3672TT-P	\$ 2869	\$ 2757	\$ 2712	132	11.2
	P-CO3672TT-V	\$ 2731	\$ 2623	\$ 2581	132	11.2
	P-CO3672TT-H	\$ 2069	\$ 2020	\$ 1978	132	11.2
	P-CO3678TT-P		\$ 2994		143	12
	P-CO3678TT-V		\$ 2851		143	12
	P-CO3678TT-H		\$ 2134		143	12

Top and Bases are included
Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages						
Designator	Description	Table Size				
		3654	3660	3666	3672	3678
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO3660TT-P. CG119. 40. WH. S2

36"D Modern Rectangular Tables continued

Sizes	Dimensions	
	W	D
3684	84	36
3690	90	36
3696	96	36

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources


Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		29½" Height	Ship wt	Cubes
36"D Modern Rectangular Tables continued				
	P-CO3684TT-P	\$ 3234	154	12.9
	P-CO3684TT-V	\$ 3080	154	12.9
	P-CO3684TT-H	\$ 2306	154	12.9
	P-CO3690TT-P	\$ 3513	165	13.8
	P-CO3690TT-V	\$ 3345	165	13.8
	P-CO3690TT-H	\$ 2508	165	13.8
	P-CO3696TT-P	\$ 3792	176	14.6
	P-CO3696TT-V	\$ 3611	176	14.6
	P-CO3696TT-H	\$ 2710	176	14.6

96"W x 29½"H shown

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages				
Designator	Description	Table Size		
		3684	3690	3696
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2839	\$ 2839

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO3696TT-V. PW527. 29. WH. T2

42"D Modern Rectangular Tables

Sizes	Dimensions	
	W	D
4254	54	42
4260	60	42
4266	66	42
4272	72	42
4278	78	42

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications






72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		40" Height	29½" Height	22" Height	Ship wt	Cubes
42"D Modern Rectangular Tables						
	P-CO4254TT-P	\$ 2929	\$ 2592	\$ 2547	115	8.6
	P-CO4254TT-V	\$ 2790	\$ 2468	\$ 2426	115	8.6
	P-CO4254TT-H	\$ 2190	\$ 2082	\$ 2040	115	8.6
	P-CO4260TT-P	\$ 2967	\$ 2630	\$ 2585	128	9.4
	P-CO4260TT-V	\$ 2826	\$ 2504	\$ 2462	128	9.4
	P-CO4260TT-H	\$ 2226	\$ 2118	\$ 2076	128	9.4
	P-CO4266TT-P	\$ 3008	\$ 2671	\$ 2626	141	10.3
	P-CO4266TT-V	\$ 2865	\$ 2543	\$ 2501	141	10.3
	P-CO4266TT-H	\$ 2288	\$ 2180	\$ 2138	141	10.3
	P-CO4272TT-P	\$ 3282	\$ 2945	\$ 2900	154	11.2
	P-CO4272TT-V	\$ 3125	\$ 2803	\$ 2761	154	11.2
	P-CO4272TT-H	\$ 2363	\$ 2255	\$ 2213	154	11.2
	P-CO4278TT-P		\$ 3218		167	12
	P-CO4278TT-V		\$ 3065		167	12
	P-CO4278TT-H		\$ 2454		167	12

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages						
Designator	Description	Table Size				
		4254	4260	4266	4272	4278
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO4260TT-H. H732. 22. WH. T2

42"D Modern Rectangular Tables continued

Sizes	Dimensions	
	W	D
4284	84	42
4290	90	42
4296	96	42

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources


Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		29½" Height	Ship wt	Cubes
42"D Modern Rectangular Tables continued				
	P-CO4284TT-P	\$ 3493	179	12.9
	P-CO4284TT-V	\$ 3328	179	12.9
	P-CO4284TT-H	\$ 2653	179	12.9
	P-CO4290TT-P	\$ 3815	192	13.8
	P-CO4290TT-V	\$ 3633	192	13.8
	P-CO4290TT-H	\$ 2884	192	13.8
	P-CO4296TT-P	\$ 4136	205	14.6
	P-CO4296TT-V	\$ 3939	205	14.6
	P-CO4296TT-H	\$ 3115	205	14.6

84"W x 29½"H shown

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages				
Designator	Description	Table Size		
		4284	4290	4296
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2839	\$ 2839

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO4296TT-P. CE123. 29. WH. T2

30"D Modern Racetrack Tables

Sizes	Dimensions	
	W	D
3054	54	30
3060	60	30
3066	66	30
3072	72	30
3078	78	30

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications



72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		40" Height	29½" Height	22" Height	Ship wt	Cubes
30"D Modern Racetrack Tables						
	P-CO3054RT-P	\$ 2393	\$ 2281	\$ 2236	82	7.3
	P-CO3054RT-V	\$ 2280	\$ 2172	\$ 2130	82	7.3
	P-CO3054RT-H	\$ 1756	\$ 1698	\$ 1656	82	7.3
	P-CO3060RT-P	\$ 2427	\$ 2315	\$ 2270	92	8.1
	P-CO3060RT-V	\$ 2312	\$ 2204	\$ 2162	92	8.1
	P-CO3060RT-H	\$ 1788	\$ 1731	\$ 1689	92	8.1
	P-CO3066RT-P	\$ 2460	\$ 2348	\$ 2303	101	8.8
	P-CO3066RT-V	\$ 2344	\$ 2236	\$ 2194	101	8.8
	P-CO3066RT-H	\$ 1820	\$ 1764	\$ 1722	101	8.8
	P-CO3072RT-P	\$ 2494	\$ 2382	\$ 2337	110	9.6
	P-CO3072RT-V	\$ 2376	\$ 2268	\$ 2226	110	9.6
	P-CO3072RT-H	\$ 1852	\$ 1797	\$ 1755	110	9.6
	P-CO3078RT-P		\$ 2607		119	10.3
	P-CO3078RT-V		\$ 2483		119	10.3
	P-CO3078RT-H		\$ 2019		119	10.3

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages						
Designator	Description	Table Size				
		3054	3060	3066	3072	3078
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO3072RT-V. PW519. 22. WH. N

36"D Modern Racetrack Tables

Sizes	Dimensions	
	W	D
3654	54	36
3660	60	36
3666	66	36
3672	72	36
3678	78	36

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications






72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		40" Height	29½" Height	22" Height	Ship wt	Cubes
36"D Modern Racetrack Tables						
	P-CO3654RT-P	\$ 2562	\$ 2450	\$ 2405	99	8.6
	P-CO3654RT-V	\$ 2440	\$ 2332	\$ 2290	99	8.6
	P-CO3654RT-H	\$ 1918	\$ 1865	\$ 1823	99	8.6
	P-CO3660RT-P	\$ 2595	\$ 2483	\$ 2438	110	9.4
	P-CO3660RT-V	\$ 2473	\$ 2365	\$ 2323	110	9.4
	P-CO3660RT-H	\$ 1950	\$ 1898	\$ 1856	110	9.4
	P-CO3666RT-P	\$ 2630	\$ 2518	\$ 2473	121	10.3
	P-CO3666RT-V	\$ 2505	\$ 2397	\$ 2355	121	10.3
	P-CO3666RT-H	\$ 2003	\$ 1952	\$ 1910	121	10.3
	P-CO3672RT-P	\$ 2869	\$ 2757	\$ 2712	132	11.2
	P-CO3672RT-V	\$ 2731	\$ 2623	\$ 2581	132	11.2
	P-CO3672RT-H	\$ 2069	\$ 2020	\$ 1978	132	11.2
	P-CO3678RT-P		\$ 2994		143	12
	P-CO3678RT-V		\$ 2851		143	12
	P-CO3678RT-H		\$ 2134		143	12

Top and Bases are included
Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages						
Designator	Description	Table Size				
		3654	3660	3666	3672	3678
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO3678RT-P. RK123. 29. WH. S2

36"D Modern Racetrack Tables continued

Sizes	Dimensions	
	W	D
3684	84	36
3690	90	36
3696	96	36

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources


Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		29½" Height	Ship wt	Cubes
36"D Modern Racetrack Tables continued				
	P-CO3684RT-P	\$ 3234	154	12.9
	P-CO3684RT-V	\$ 3080	154	12.9
	P-CO3684RT-H	\$ 2306	154	12.9
	P-CO3690RT-P	\$ 3513	165	13.8
	P-CO3690RT-V	\$ 3345	165	13.8
	P-CO3690RT-H	\$ 2508	165	13.8
	P-CO3696RT-P	\$ 3792	176	14.6
	P-CO3696RT-V	\$ 3611	176	14.6
	P-CO3696RT-H	\$ 2710	176	14.6

96"W x 29½"H shown

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages				
Designator	Description	Table Size		
		3684	3690	3696
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2839	\$ 2839

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO3690RT-P. CG123. 29. WH. T1

42"D Modern Racetrack Tables

Sizes	Dimensions	
	W	D
4254	54	42
4260	60	42
4266	66	42
4272	72	42
4278	78	42

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources

Specifications




72" or less available in all heights

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		40" Height	29½" Height	22" Height	Ship wt	Cubes
42"D Modern Racetrack Tables						
	P-CO4254RT-P	\$ 2929	\$ 2592	\$ 2547	115	8.6
	P-CO4254RT-V	\$ 2790	\$ 2468	\$ 2426	115	8.6
	P-CO4254RT-H	\$ 2190	\$ 2082	\$ 2040	115	8.6
66"W x 22"H shown	P-CO4260RT-P	\$ 2967	\$ 2630	\$ 2585	128	9.4
	P-CO4260RT-V	\$ 2826	\$ 2504	\$ 2462	128	9.4
	P-CO4260RT-H	\$ 2226	\$ 2118	\$ 2076	128	9.4
	P-CO4266RT-P	\$ 3008	\$ 2671	\$ 2626	141	10.3
	P-CO4266RT-V	\$ 2865	\$ 2543	\$ 2501	141	10.3
	P-CO4266RT-H	\$ 2288	\$ 2180	\$ 2138	141	10.3
66"W x 29½"H shown	P-CO4272RT-P	\$ 3282	\$ 2945	\$ 2900	154	11.2
	P-CO4272RT-V	\$ 3125	\$ 2803	\$ 2761	154	11.2
	P-CO4272RT-H	\$ 2363	\$ 2255	\$ 2213	154	11.2
	P-CO4278RT-P		\$ 3218		167	12
	P-CO4278RT-V		\$ 3065		167	12
	P-CO4278RT-H		\$ 2454		167	12

Top and Bases are included
Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages						
Designator	Description	Table Size				
		4254	4260	4266	4272	4278
N	None	\$ 0	\$ 0	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699
S2	Under surface power, USB & HDMI	\$ 2003	\$ 2003	\$ 2110	\$ 2110	\$ 2699

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO4254RT-H. H531. 40. WH. S1

42"D Modern Racetrack Tables continued

Sizes	Dimensions	
	W	D
4284	84	42
4290	90	42
4296	96	42

Reference Pages

List of options page CO2

For Instruction Sheets visit
www.paoli.com/coho/resources


Specifications

78" or greater available in 29½" height

Top access packages are available on all tables, **see page CO2 for chart**

Under surface access packages are only available on double based tables

NOT ON CONTRACT

Description / Model		29½" Height	Ship wt	Cubes
42"D Modern Racetrack Tables continued				
	P-CO4284RT-P	\$ 3493	179	12.9
	P-CO4284RT-V	\$ 3328	179	12.9
	P-CO4284RT-H	\$ 2653	179	12.9
	P-CO4290RT-P	\$ 3815	192	13.8
	P-CO4290RT-V	\$ 3633	192	13.8
	P-CO4290RT-H	\$ 2884	192	13.8
	P-CO4296RT-P	\$ 4136	205	14.6
	P-CO4296RT-V	\$ 3939	205	14.6
	P-CO4296RT-H	\$ 3115	205	14.6

84"W x 29½"H shown

Top and Bases are included

Shipped K/D

Specify Top Finish/Height/Base Finish/Access Package

Access Packages				
Designator	Description	Table Size		
		4284	4290	4296
N	None	\$ 0	\$ 0	\$ 0
T1	Top power	\$ 343	\$ 343	\$ 343
T2	Top power & USB	\$ 482	\$ 482	\$ 482
S1	Under surface power & USB	\$ 2699	\$ 2839	\$ 2839
S2	Under surface power, USB & HDMI	\$ 2699	\$ 2839	\$ 2839

Sample model dot.option string / See page CO2 for a complete list of options

Specify selections, left to right:

Choose base model Top finish Height Base finish Access Package

P-CO4284RT-P. RK115. 29. WH. S2

FINISH COLOR MATCHING:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

CUSTOM FINISHES

Custom finishes can be done for an upcharge. A 3" x 3" sample must be sent to customer service for approval and a quote.

VENEER:

Genuine flat sliced, slip matched cherry, walnut and maple veneers on all surfaces to provide proper consistency.

TOPS:**Straight Grain Top Veneers:**


All tops are balanced panel construction. Lumber bands on Traditional and Transitional edge tops are internally banded on all four sides. Lumber bands on Contemporary Edge Tops are externally banded 3 mil thick and on all four sides.

2-Piece Conference Table Tops:


Two-piece tops are joined with tongue and groove joints. Two piece tops are secured together with table connectors. Under top steel channels screw perpendicular to joint to also stabilize connection. All tops 120" and longer are two-piece construction. All smaller tops are one piece construction.

Grain Direction:

The veneer grain direction for conference tops runs the width of top up to and including 96" and depth of the top 120" and higher.



Width/Horizontal



Depth/Vertical

Laminate units that are wider than 60" will have horizontal grain. Wood grain on laminate (1 pc & 2 pc) tops run width of top.

Sizes and Shapes:

For top shape, edge detail and thickness refer to pages CP3 thru CP22.

CHASSIS CONSTRUCTION:

All units are reinforced with hardwood cleats and screwed to the top, end panels and modesty. Base molding on all units are constructed of solid hardwood. All base units have adjustable leveling glides to compensate for uneven floor surfaces. Mobile carts and lecterns all use 3" diameter casters with locks.

DRAWER CONSTRUCTION:

Four corner dove tailed box and file drawers are built as separate units for strength and durability. All drawers are finished with a 3 step catalyzed varnish finish to seal the grain and provide a smooth inner surface. Drawers are built with 7/16" thick wood sides and 3/16" thick wood bottoms. Drawer fronts are attached separately.

DRAWER SUSPENSION:

Box and file drawers utilize a heavy duty full extension metal ball bearing slide for smooth operation and long life.

LOCKS:

Top drawers on buffets are standard locking.

HINGES:

Hinges on all doors are metal, self-closing fully adjustable style.

Estimated Seating Capacity

Top Shape	Size	Capacity
Round 	36"	4
	42"	4
	48"	4
	60"	6
Square 	42"	4
	48"	4
	60"	8
Rectangular 	72" x 36"	6
	84" x 48"	6
	96" x 48"	8
	120" x 48"	10
	144" x 48"	12
	144" x 54"	12
	144" x 60"	10 - 12
	168" x 48"	12 - 14
	168" x 54"	12 - 14
	168" x 60"	12 - 14
	192" x 48"	14 - 16
	192" x 54"	14 - 16
	192" x 60"	14 - 16
Racetrack 	72" x 36"	6
	84" x 48"	6
	96" x 48"	8
	120" x 48"	10
	144" x 48"	12
	144" x 54"	12
	144" x 60"	10 - 12
	168" x 48"	12 - 14
	168" x 54"	12 - 14
	168" x 60"	12 - 14
	192" x 48"	14 - 16
	192" x 54"	14 - 16
	192" x 60"	14 - 16
Boat 	72" x 36"	6
	84" x 48"	6
	96" x 48"	8
	120" x 48"	10
	144" x 48"	12
	144" x 54"	12
	144" x 60"	10 - 12
	168" x 48"	12 - 14
	168" x 54"	12 - 14
	168" x 60"	12 - 14
	192" x 48"	14 - 16
	192" x 54"	14 - 16
	192" x 60"	14 - 16

POWER, COMMUNICATION AND WIRE MANAGEMENT:


Paoli offers a variety of power and communication grommets. Wire management channels and troughs can be mounted to the underside of tops to help route cables neatly. (Refer to Electrical section of price list for details, page PC1.)

CODE REQUIREMENTS:

Electrical codes vary by location. Specifiers should contact a qualified electrical contractor or engineer about local requirements. Components meet the latest edition of the national electric code. Components are listed by Electrical Testing Labs and certified by the Canadian Standard Association.


CONFERENCE BASES:

A large variety of wood and metal bases are offered (refer to pages CP31 thru CP37). Bases can be mixed and matched between tops with some limitations. Bases include adjustable levelers to compensate for uneven floor surfaces. Round and half round drums standardly include: access holes in top and bottom of drum for wire access, optional hinged access door with touch latch are available. Optional power centers are available which can be mounted inside round and square bases. Square bases have removable side panel for wire access and cable management.

**Round and Half Round Bases:**


Standard: Access holes in top and bottom of drum for wire access.

Optional: -Hinged access doors with touch latch are available.
-Power centers are available which can be mounted inside drum bases.

**Square Bases:**

Standard: Removable side panel for wire access and cable management.

Optional: -Power centers are available which can be mounted inside square bases.

**Chair arm clearance:**


Refer to base selection guide for arm clearance on chair. Each base listed will have corresponding arm clearance.

Electrical Cutouts for Conference Tables:

Electrical Cutouts are available on Conference Tables. Grommets and cutouts can be centered over round drums and square bases. When using all other bases, grommets must clear bases by at least 2".

\$250 Retail Upcharge per Electrical Cutout - Specify and price Electrical Components separately (See Power/Communications Section for specific components) Submit drawing with the Conference Table order specifying location, size and type of electrical cutout(s).

\$250 Retail Upcharge per cutout includes grommet and installation. Choose from 2 optional grommets: 3" round (P-EC40GL_) or 2 $\frac{5}{8}$ "w x 4 $\frac{1}{8}$ " oval grommet (P-EC2040GL).



3" diameter round grommet
P-EC40GLB - Black
P-EC40GLS - Silver




2 $\frac{5}{8}$ " x 4 $\frac{1}{8}$ " oval
P-EC2040GL - Black only
Accepts EC1000RP Retractable Power Center

Classic Edge Tops

Straight grain Walnut and Cherry veneers feature balanced panel construction. Edges are solid hardwood, internal band with mitred corners.

	Designators	
Finishes		Veneer (V)
Autumn on Cherry	PC211	✓
Cafelle on Cherry	PC215	✓
Cordovan on Cherry	PC223	✓
Caramel on Cherry	PC235	✓
Shaker on Cherry	PC231	✓
Sienna on Cherry	PC227	✓
Colombian on Walnut	PW519	✓
Heights on Walnut	PW535	✓
Skyline on Walnut	PW527	✓
Studio on Walnut	PW531	✓

Edge Option



Grommet Options

None


N

Lock Key Options

STD - random

OMT - keyed alike - order lock core separately - see page CP47

Shapes & Sizes



Square

42" x 42"
48" x 48"
60" x 60"



Rectangular

48" x 96" 120" x 48"
144" x 48" 168" x 48"
192" x 48"



Boat

48" x 96" 120" x 48"
144" x 48" 168" x 48"
192" x 48"


Top thickness

2

Classic Edge Round, Square & Rectangular Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
4242	42	42	2	12048	120	48	2	List of options	page CP3
4848	48	48	2	14448	144	48	2	Electrical / Data	pages PC1 - PC8
4896	96	48	2	16848	168	48	2	Table Base Guide	pages CP23 - CP30
6060	60	60	2	19248	192	48	2	Table Bases	pages CP31 - CP37

SIN # 711-9

		Description / Model	List Price	Ship wt	Cubes
Square Table Top					
		P-TR4242ST (1 piece)	\$ 3103	82	3.4
		P-TR4848ST (1 piece)	\$ 3834	105	4.3
		P-TR6060ST (1 piece)	\$ 5018	160	6.7
		Specify Material & Finish/Grommet			
Rectangular Table Top					
		P-TR4896TT (1 piece)	\$ 4650	200	8.5
		P-TR12048TT (2 piece)	\$ 6847	250	10.6
		P-TR14448TT (2 piece)	\$ 7844	300	12.7
		P-TR16848TT (2 piece)	\$ 8757	350	14.8
		P-TR19248TT (2 piece)	\$ 10219	400	16.8
		Specify Material & Finish/Grommet			
Boat Table Top					
		P-TR4896BT (1 piece)	\$ 5858	200	8.5
		P-TR12048BT (2 piece)	\$ 7662	250	10.6
		P-TR14448BT (2 piece)	\$ 8576	300	12.7
		P-TR16848BT (2 piece)	\$ 10220	350	14.8
		P-TR19248BT (2 piece)	\$ 11497	400	16.8
		Specify Material & Finish/Grommet			

Sample model dot.option string / See page CP3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Grommet

P-TR19248BT. VPC211. N

Fuse Tops

	Designators	
Finishes		Veneer (V)
Autumn on Cherry	PC211	✓
Cafelle on Cherry	PC215	✓
Caramel on Cherry	PC235	✓
Cordovan on Cherry	PC223	✓
Shaker on Cherry	PC231	✓
Sienna on Cherry	PC227	✓
Harvest on Maple	PM313	✓
Kensington on Maple	PM311	✓
Colombian on Walnut	PW519	✓
Heights on Walnut	PW535	✓
Skyline on Walnut	PW527	✓
Studio on Walnut	PW531	✓

Edge Options



Knife (KF)




Shark (SH)

Grommet Options

None


N

Shapes & Sizes



Round

36"
42"
48"
60"



Square

42" x 42"
48" x 48"
60" x 60"



Rectangular

36" x 72"	48" x 84"
48" x 96"	120" x 48"
144" x 48"	144" x 54"
144" x 60"	168" x 48"
168" x 54"	168" x 60"
192" x 48"	192" x 54"
192" x 60"	



Racetrack

36" x 72"	36" x 84"
48" x 84"	48" x 96"
120" x 48"	144" x 48"
144" x 54"	144" x 60"
168" x 48"	168" x 54"
168" x 60"	192" x 48"
192" x 54"	192" x 60"



Boat

36" x 72"	48" x 84"
48" x 96"	120" x 48"
144" x 48"	144" x 54"
144" x 60"	168" x 48"
168" x 54"	168" x 60"
192" x 48"	192" x 54"
192" x 60"	

Top thickness

1½


Fuse Round, Square & Rectangular Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
3600	36	36	1½	12048	120	48	1½	List of options Electrical / Data Table Base Guide Table Bases	page CP5 pages PC1 - PC8 pages CP23 - CP30 pages CP31 - CP37
3672	72	36	1½	14448	144	48	1½		
4200	42	42	1½	14454	144	54	1½		
4242	42	42	1½	14460	144	60	1½		
4800	48	48	1½	16848	168	48	1½		
4848	48	48	1½	16854	168	54	1½		
4884	84	48	1½	16860	168	60	1½		
4896	96	48	1½	19248	192	48	1½		
6000	60	60	1½	19254	192	54	1½		
6060	60	60	1½	19260	192	60	1½		

SIN # 711-8, 711-9

Description / Model		List Price	Ship wt	Cubes
Round Conference Top 	P-FS3600TT (1 piece)	\$ 2222	65	4
	P-FS4200TT (1 piece)	\$ 2441	82	5
	P-FS4800TT (1 piece)	\$ 2903	105	7
	P-FS6000TT (1 piece)	\$ 3924	160	10

Specify Material & Finish/Edge/Grommet

Square Conference Top 	P-FS4242ST (1 piece)	\$ 1948	82	5
	P-FS4848ST (1 piece)	\$ 2395	105	7
	P-FS6060ST (1 piece)	\$ 3382	160	10

Specify Material & Finish/Edge/Grommet

Rectangular Conference Top 	P-FS3672TT (1 piece)	\$ 2603	115	5
	P-FS4884TT (1 piece)	\$ 3592	175	7.5
	P-FS4896TT (1 piece)	\$ 3991	200	8
	P-FS12048TT (2 piece)	\$ 4692	250	11
	P-FS14448TT (2 piece)	\$ 5733	300	13
	P-FS14454TT (2 piece)	\$ 6450	338	9.4
	P-FS14460TT (2 piece)	\$ 7166	376	10.4
	P-FS16848TT (2 piece)	\$ 6764	350	14.7
	P-FS16854TT (2 piece)	\$ 7611	394	16.2
	P-FS16860TT (2 piece)	\$ 8457	438	18
	P-FS19248TT (2 piece)	\$ 7353	400	16.7
	P-FS19254TT (2 piece)	\$ 8273	450	18.5
	P-FS19260TT (2 piece)	\$ 9157	500	20.5

Specify Material & Finish/Edge/Grommet
Sample model dot.option string / See page CP5 for a complete list of options
Specify selections, left to right:

Choose base model Material & finish Edge Grommet

P-FS4242ST. VPM313. SH. N

Top thickness
1½

Fuse Racetrack Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
3672	72	36	1½	16848	168	48	1½	List of options Electrical / Data Table Base Guide Table Bases
3684	84	36	1½	16854	168	54	1½	
4884	84	48	1½	16860	168	60	1½	
4896	96	48	1½	19248	192	48	1½	
12048	120	48	1½	19254	192	54	1½	
14448	144	48	1½	19260	192	60	1½	page CP5 pages PC1 - PC8 pages CP23 - CP30 pages CP31 - CP37
14454	144	54	1½					
14460	144	60	1½					

SIN # 711-8, 711-9

Description / Model		List Price	Ship wt	Cubes
Racetrack Conference Top				
	P-FS3672RT (1 piece)	\$ 2903	115	5
	P-FS3684RT (1 piece)	\$ 3536	133	6
	P-FS4884RT (1 piece)	\$ 3912	175	7.5
	P-FS4896RT (1 piece)	\$ 4324	200	8
	P-FS12048RT (2 piece)	\$ 5026	250	11
	P-FS14448RT (2 piece)	\$ 6372	300	13
	P-FS14454RT (2 piece)	\$ 7168	338	14
	P-FS14460RT (2 piece)	\$ 7968	376	16
	P-FS16848RT (2 piece)	\$ 7399	350	14.7
	P-FS16854RT (2 piece)	\$ 8328	394	16.2
	P-FS16860RT (2 piece)	\$ 9251	438	18
	P-FS19248RT (2 piece)	\$ 8007	400	16.7
	P-FS19254RT (2 piece)	\$ 9008	450	18.5
	P-FS19260RT (2 piece)	\$ 10009	500	21
Specify Material & Finish/Edge/Grommet				

Sample model dot.option string / See page CP5 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Grommet

P-FS14454RT. VPW527. KF. N

Top thickness

1½

Fuse Boat Tops

Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
3672	72	36	1½	16848	168	48	1½
4884	84	48	1½	16854	168	54	1½
4896	96	48	1½	16860	168	60	1½
12048	120	48	1½	19248	192	48	1½
14448	144	48	1½	19254	192	54	1½
14454	144	54	1½	19260	192	60	1½
14460	144	60	1½				

Reference Pages

List of options
Electrical / Data
Table Base Guide
Table Bases

page CP5
pages PC1 - PC8
pages CP23 - CP30
pages CP31 - CP37

SIN # 711-8, 711-9

	Description / Model	List Price	Ship wt	Cubes
Boat Conference Top 	P-FS3672BT (1 piece)	\$ 3182	115	5
	P-FS4884BT (1 piece)	\$ 4040	175	7.5
	P-FS4896BT (1 piece)	\$ 4383	200	8
	P-FS12048BT (2 piece)	\$ 5105	250	11
	P-FS14448BT (2 piece)	\$ 6412	300	13
	P-FS14454BT (2 piece)	\$ 7213	338	14
	P-FS14460BT (2 piece)	\$ 8016	376	16
	P-FS16848BT (2 piece)	\$ 7480	350	14
	P-FS16854BT (2 piece)	\$ 8417	394	11
	P-FS16860BT (2 piece)	\$ 9350	438	16.2
	P-FS19248BT (2 piece)	\$ 8107	400	16
	P-FS19254BT (2 piece)	\$ 9119	450	12.4
	P-FS19260BT (2 piece)	\$ 10135	500	21
	Specify Material & Finish/Edge/Grommet			

Sample model dot.option string / See page CP5 for a complete list of options

Specify selections, left to right:


Choose base model Material & finish Edge Grommet

P-FS4896BT. **VPC223.** **SH.** **N**


Kindle Options

	Designators				
Finishes		Premium (P)	Veneer (V)	HPL (H)	TFL (L)
Autumn on Cherry	PC211		✓		
Autumn Cherry II	211			✓	✓
Cafelle on Cherry	PC215		✓		
Cafelle	215			✓	✓
Caramel on Cherry	PC235		✓		
Cordovan on Cherry	PC223		✓		
Cordovan Cherry	223				✓
Shaker on Cherry	PC231		✓		
Shaker Cherry	231			✓	✓
Sienna on Cherry	PC227		✓		
Sienna Cherry	227				✓
Harvest on Maple	PM313		✓		
Harvest Maple	313			✓	✓
Kensington on Maple	PM311		✓		
Kensington Maple	311			✓	✓
Colombian on Walnut	PW519		✓		
Colombian Walnut	519			✓	✓
Heights on Walnut	PW535		✓		
Walnut Heights	535			✓	✓
Skyline on Walnut	PW527		✓		
Skyline Walnut	527			✓	✓
Studio on Walnut	PW531		✓		
Studio Teak	531			✓	✓
Saltsprayed on European Walnut	CE115	✓			
Smoked on European Walnut	CE119	✓			
Sunfaded on European Walnut	CE123	✓			
Saltsprayed on Grey Oak	CG115	✓			
Smoked on Grey Oak	CG119	✓			
Sunfaded on Grey Oak	CG123	✓			
Saltsprayed on Rift Oak	RK115	✓			
Smoked on Rift Oak	RK119	✓			
Sunfaded on Rift Oak	RK123	✓			
Frosty White	732			✓	✓
Grey Cloud	736			✓	✓
Monterey Beige	742			✓	✓
Slate Grey	756			✓	✓


Edge Options




Ridge (RG)



Soft (SO)



I Beam (IB)



Eased (EZ)


Premium Edge Option

Grommet Options

None


N

Shapes & Sizes



Round

36"
42"
48"
60"



Square

36" x 36"
42" x 42"
48" x 48"
60" x 60"



Rectangular

36" x 72" 48" x 84"
48" x 96" 120" x 48"
144" x 48" 144" x 54"
144" x 60" 168" x 48"
168" x 54" 168" x 60"
192" x 48" 192" x 54"
192" x 60"



Racetrack

36" x 72" 48" x 84"
48" x 96" 120" x 48"
144" x 48" 144" x 54"
144" x 60" 168" x 48"
168" x 54" 168" x 60"
192" x 48" 192" x 54"
192" x 60"



Boat

36" x 72" 48" x 84"
48" x 96" 120" x 48"
144" x 48" 144" x 54"
144" x 60" 168" x 48"
168" x 54" 168" x 60"
192" x 48" 192" x 54"
192" x 60"

Modesty Panel Compatibility Chart

Top Width	Modesty	Quantity
192	P-XO0856MP	2
168	P-XO0844MP	2
144	P-XO0832MP	2
120	P-XO0850MP	1
96	P-XO0838MP	1
72	P-XO0826MP	1


Modesty Panels shown on page CP38

Top thickness
1³/₁₆


Kindle Round, Square & Rectangular Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
3636	36	36	1 ³ / ₁₆	14460	144	60	1 ³ / ₁₆	List of options Electrical / Data Table Base Guide Table Bases	pages CP9 - CP10 pages PC1 - PC8 pages CP23 - CP30 pages CP31 - CP37
3672	72	36	1 ³ / ₁₆	16848	168	48	1 ³ / ₁₆		
4242	42	42	1 ³ / ₁₆	16854	168	54	1 ³ / ₁₆		
4848	48	48	1 ³ / ₁₆	16860	168	60	1 ³ / ₁₆		
4884	84	48	1 ³ / ₁₆	19248	192	48	1 ³ / ₁₆		
4896	96	48	1 ³ / ₁₆	19254	192	54	1 ³ / ₁₆		
6060	60	60	1 ³ / ₁₆	19260	192	60	1 ³ / ₁₆		
12048	120	48	1 ³ / ₁₆						
14448	144	48	1 ³ / ₁₆						
14454	144	54	1 ³ / ₁₆						


SIN # 711-8

	Description / Model	Premium Top -P	Veneer Top -V	HPL Top -H	Laminate Top -L	Ship wt	Cubes
Round Conference Top 	P-KT3636TT (1 piece)	\$ 886	\$ 770	\$ 416	\$ 393	65	2.5
	P-KT4242TT (1 piece)	\$ 892	\$ 776	\$ 453	\$ 424	82	3.4
	P-KT4848TT (1 piece)	\$ 1094	\$ 952	\$ 487	\$ 459	105	4.3
	P-KT6060TT (1 piece)	\$ 2310	\$ 2009	\$ 624	\$ 602	160	6.67

Specify Material & Finish/Edge/Grommet

Square Conference Top 	P-KT3636ST (1 piece)	\$ 860	\$ 747	\$ 393	\$ 371	65	2.5
	P-KT4242ST (1 piece)	\$ 866	\$ 753	\$ 430	\$ 402	82	3.4
	P-KT4848ST (1 piece)	\$ 1068	\$ 929	\$ 464	\$ 436	105	4.3
	P-KT6060ST (1 piece)	\$ 2092	\$ 1820	\$ 579	\$ 568	160	6.67

Specify Material & Finish/Edge/Grommet

Rectangular Conference Top 	P-KT3672TT (1 piece)	\$ 2306	\$ 2005	\$ 1721	\$ 1601	115	5
	P-KT4884TT (1 piece)	\$ 2909	\$ 2530	\$ 2170	\$ 2021	175	7.5
	P-KT4896TT (1 piece)	\$ 3131	\$ 2722	\$ 2334	\$ 2178	200	8
	P-KT12048TT (2 piece)	\$ 4285	\$ 3726	\$ 3189	\$ 2978	250	10.5
	P-KT14448TT (2 piece)	\$ 5502	\$ 4785	\$ 4105	\$ 3830	300	12.6
	P-KT14454TT (2 piece)	\$ 6287	\$ 5469	\$ 4690	\$ 4375	338	14
	P-KT14460TT (2 piece)	\$ 6836	\$ 5943	\$ 5274	\$ 4921	376	15.5
	P-KT16848TT (2 piece)	\$ 6101	\$ 5305	\$ 4551	\$ 4247	350	14.7
	P-KT16854TT (2 piece)	\$ 7128	\$ 6198	\$ 5313	\$ 4959	394	16.2
	P-KT16860TT (2 piece)	\$ 8149	\$ 7086	\$ 6073	\$ 5666	438	18
	P-KT19248TT (2 piece)	\$ 6899	\$ 6001	\$ 5144	\$ 4800	400	16.7
	P-KT19254TT (2 piece)	\$ 8861	\$ 7704	\$ 6603	\$ 6163	450	18.5
	P-KT19260TT (2 piece)	\$ 9214	\$ 8013	\$ 6869	\$ 6411	500	20.5

Specify Material & Finish/Edge/Grommet

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Grommet

P-KT14460TT. H756. IB. N


Top thickness

1³/₁₆

Kindle Racetrack Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
3672	72	36	1 ³ / ₁₆	16848	168	48	1 ³ / ₁₆	List of options	pages CP9 - CP10
4884	84	48	1 ³ / ₁₆	16854	168	54	1 ³ / ₁₆	Electrical / Data	pages PC1 - PC8
4896	96	48	1 ³ / ₁₆	16860	168	60	1 ³ / ₁₆	Table Base Guide	pages CP23 - CP30
12048	120	48	1 ³ / ₁₆	19248	192	48	1 ³ / ₁₆	Table Bases	pages CP31 - CP37
14448	144	48	1 ³ / ₁₆	19254	192	54	1 ³ / ₁₆		
14454	144	54	1 ³ / ₁₆	19260	192	60	1 ³ / ₁₆		
14460	144	60	1 ³ / ₁₆						

SIN # 711-8

Description / Model	Premium Top <u>-P</u>	Veneer Top <u>-V</u>	HPL Top <u>-H</u>	Laminate Top <u>-L</u>	Ship wt	Cubes
Racetrack Conference Top 						
P-KT3672RT (1 piece)	\$ 2418	\$ 2103	\$ 1802	\$ 1683	115	5
P-KT4884RT (1 piece)	\$ 3056	\$ 2657	\$ 2276	\$ 2126	175	7.5
P-KT4896RT (1 piece)	\$ 3290	\$ 2862	\$ 2454	\$ 2290	200	8
P-KT12048RT (2 piece)	\$ 4497	\$ 3911	\$ 3353	\$ 3129	250	10.5
P-KT14448RT (2 piece)	\$ 5782	\$ 5028	\$ 4311	\$ 4022	300	12.6
P-KT14454RT (2 piece)	\$ 6602	\$ 5741	\$ 4921	\$ 4590	338	14
P-KT14460RT (2 piece)	\$ 7430	\$ 6459	\$ 5537	\$ 5168	376	15.5
P-KT16848RT (2 piece)	\$ 6410	\$ 5571	\$ 4779	\$ 4459	350	14.7
P-KT16854RT (2 piece)	\$ 7485	\$ 6512	\$ 5581	\$ 5208	394	16.2
P-KT16860RT (2 piece)	\$ 8554	\$ 7438	\$ 6377	\$ 5950	438	18
P-KT19248RT (2 piece)	\$ 7246	\$ 6302	\$ 5400	\$ 5043	400	16.7
P-KT19254RT (2 piece)	\$ 9307	\$ 8094	\$ 6937	\$ 6475	450	18.5
P-KT19260RT (2 piece)	\$ 9674	\$ 8410	\$ 7211	\$ 6730	500	20.5

Specify Material & Finish/Edge/Grommet

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Grommet

P-KT19260RT. L742. SO. N


Top thickness

1 3/16

Kindle Boat Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
3672	72	36	1 3/16	16848	168	48	1 3/16	List of options Electrical / Data Table Base Guide Table Bases	pages CP9 - CP10 pages PC1 - PC8 pages CP23 - CP30 pages CP31 - CP37
4884	84	48	1 3/16	16854	168	54	1 3/16		
4896	96	48	1 3/16	16860	168	60	1 3/16		
12048	120	48	1 3/16	19248	192	48	1 3/16		
14448	144	48	1 3/16	19254	192	54	1 3/16		
14454	144	54	1 3/16	19260	192	60	1 3/16		
14460	144	60	1 3/16						

SIN # 711-8

Description / Model	Premium Top -P	Veneer Top -V	HPL Top -H	Laminate Top -L	Ship wt	Cubes
Boat Conference Top						
 P-KT3672BT (1 piece)	\$ 2443	\$ 2125	\$ 1822	\$ 1699	115	5
P-KT4884BT (1 piece)	\$ 3083	\$ 2681	\$ 2297	\$ 2143	175	7.5
P-KT4896BT (1 piece)	\$ 3317	\$ 2885	\$ 2474	\$ 2306	200	8
P-KT12048BT (2 piece)	\$ 4544	\$ 3951	\$ 3389	\$ 3160	250	10.5
P-KT14448BT (2 piece)	\$ 5834	\$ 5074	\$ 4349	\$ 4060	300	12.6
P-KT14454BT (2 piece)	\$ 6287	\$ 5469	\$ 4971	\$ 4641	338	14
P-KT14460BT (2 piece)	\$ 7075	\$ 6152	\$ 5593	\$ 5217	376	15.5
P-KT16848BT (2 piece)	\$ 6101	\$ 5305	\$ 4821	\$ 4501	350	14.7
P-KT16854BT (2 piece)	\$ 7128	\$ 6198	\$ 5635	\$ 5260	394	16.2
P-KT16860BT (2 piece)	\$ 8149	\$ 7086	\$ 6439	\$ 6011	438	18
P-KT19248BT (2 piece)	\$ 6899	\$ 6001	\$ 5450	\$ 5089	400	16.7
P-KT19254BT (2 piece)	\$ 8861	\$ 7704	\$ 7003	\$ 6535	450	18.5
P-KT19260BT (2 piece)	\$ 9214	\$ 8013	\$ 7280	\$ 6795	500	20.5
Specify Material & Finish/Edge/Grommet						

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options
Specify selections, left to right:

Choose base model Material & finish Edge Grommet

P-KT16854BT. VPC215. RG. N

Adjustable Height 30" Deep Desks

Sizes	Dimensions			Pneumatic Model	Load Weight	Pneumatic Model	Load Weight	Reference Pages	
	W	D	H					List of options	pages CP9 - CP10
3072	72	30	29	66" Desk	40.5	36" Round Table	19.4		
3066	66	30	29	72" Desk	44.7	42" Round Table	18.6		
				Bridges	27.6	48" Round Table	24		
				66" Credenza	42.2	36" Square Table	21.5		
				72" Credenza	47.6	42" Square Table	17.44		

Specifications

Pneumatic uses an easy release lever and requires no electricity

Base height ranges from 27 $\frac{5}{16}$ " - 47"


Electric is easy to use and travels at 2" per second

Base height ranges from 27 $\frac{5}{16}$ " - 47"

Electric models can have Center Drawers & Keyboard Trays - **Order separately**


Base finish is Matte Chrome

SIN # 711-8

Description / Model	Premium Top -P	Veneer Top -V	HPL Top -H	Laminate Top -L	Ship wt	Cubes
	P-KT3072AHD-P-	\$ 4324	\$ 3760		169	16
	PK_3072ADP			\$ 3088 \$ 2894	169	16
	P-KT3066AHD-P-	\$ 4263	\$ 3707		161	15
	PK_3066ADP			\$ 3067 \$ 2889	161	15
Grommets (\$100 upcharge): Left (L), Right (R), Both (B) or None (N) Two T legs, full top frame under top						

Specify Top Finish/Edge/Grommet

Electric

	P-KT3072AHD-E-	\$ 3968	\$ 3451		169	16
	PK_3072ADE			\$ 2835 \$ 2657	169	16
	P-KT3066AHD-E-	\$ 3913	\$ 3403		161	15
	PK_3066ADE			\$ 2814 \$ 2652	161	15
Grommets (\$100 upcharge): Left (L), Right (R), Both (B) or None (N) Two T legs, full top frame under top						

Specify Top Finish/Edge/Grommet

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options

Specify selections, left to right:

Base Model

Top

Material
& Finish

Edge

Grommet

P-KT3072AHD-P-V.

VPC231.

RG.

L

Adjustable Height 24" Deep Desks

Sizes	Dimensions			Pneumatic Model	Load Weight	Pneumatic Model	Load Weight	Reference Pages	
	W	D	H					List of options	pages CP9 - CP10
2446	46	24	29	66" Desk	40.5	36" Round Table	19.4		
2440	40	24	29	72" Desk	44.7	42" Round Table	18.6		
				Bridges	27.6	48" Round Table	24		
				66" Credenza	42.2	36" Square Table	21.5		
				72" Credenza	47.6	42" Square Table	17.44		
						Electric			
						All models	150		

Specifications

Pneumatic uses an easy release lever and requires no electricity

Base height ranges from 27⁵/₁₆" - 47"


Electric is easy to use and travels at 2" per second

Base height ranges from 27⁵/₁₆" - 47"

Electric models can have Center Drawers & Keyboard Trays - **Order separately**

Base finish is Matte Chrome

SIN # 711-8

Description / Model	Premium Top -P	Veneer Top -V	HPL Top -H	Laminate Top -L	Ship wt	Cubes
Adjustable Height 24" Deep Bridge / Tables						
Pneumatic						
						
P-KT2446AHBT-P-	\$ 4009	\$ 3486			82	9
PK_2446ABP			\$ 2866	\$ 2751	82	9
P-KT2440AHBT-P-	\$ 3897	\$ 3389			77	8
PK_2440ABP			\$ 2790	\$ 2693	77	8

Grommets (\$100 upcharge): Center (C) or None (N)


Bridge dimensions are 2" less than the space to allow for 1" clearance between surfaces

(i.e. 40" bridge goes into a 42" space between desk and credenza)

U shaped foot with single column and mounting plate

Specify Top Finish/Edge/Grommet

Electric

						
P-KT2446AHBT-E-	\$ 3681	\$ 3201			82	9
PK_2446ABE			\$ 2630	\$ 2525	82	9
P-KT2440AHBT-E-	\$ 3577	\$ 3110			77	8
PK_2440ABE			\$ 2562	\$ 2473	77	8

Grommets (\$100 upcharge): Center (C) or None (N)

Bridge dimensions are 2" less than the space to allow for 1" clearance between surfaces

(i.e. 40" bridge goes into a 42" space between desk and credenza)

Two T legs, full top frame under top

Specify Top Finish/Edge/Grommet

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options

Specify selections, left to right:

Base Model

Top
Material
& Finish

Edge

Grommet

P-KT2440AHBT-E-P.

VCE115.

EZ.

CCP9CP10

Adjustable Height 24" Credenza / Tables

Sizes	Dimensions			Pneumatic Model	Load Weight	Pneumatic Model	Load Weight	Reference Pages
	W	D	H					
2472	72	24	29	66" Desk	40.5	36" Round Table	19.4	List of options pages CP9 - CP10
2466	66	24	29	72" Desk	44.7	42" Round Table	18.6	
				Bridges	27.6	48" Round Table	24	
				66" Credenza	42.2	36" Square Table	21.5	
				72" Credenza	47.6	42" Square Table	17.44	
						Electric		
						All models	150	

Specifications

Pneumatic uses an easy release lever and requires no electricity

Base height ranges from 27 $\frac{5}{16}$ " - 47"

Electric is easy to use and travels at 2" per second

Base height ranges from 27 $\frac{5}{16}$ " - 47"


Base finish is Matte Chrome

SIN # 711-8

Description / Model	Premium Top -P	Veneer Top -V	HPL Top -H	Laminate Top -L	Ship wt	Cubes
---------------------	-------------------	------------------	---------------	--------------------	---------	-------

Adjustable Height 24" Deep Credenza / Tables

Pneumatic




P-KT2472AHCT-P-	\$ 4157	\$ 3614			146	13
PK_2472ACP			\$ 2923	\$ 2837	146	13
P-KT2466AHCT-P-	\$ 4123	\$ 3585			136	11
PK_2466ACP			\$ 2940	\$ 2809	136	11

Grommets (\$100 upcharge): Left (L), Right (R), Both (B), Center (C), All (A) or None (N)

Two T legs, full top frame under top

Specify Top Finish/Edge/Grommet

Electric



P-KT2472AHCT-E-	\$ 3816	\$ 3318			146	13
PK_2472ACE			\$ 2684	\$ 2604	146	13
P-KT2466AHCT-E-	\$ 3784	\$ 3290			136	11
PK_2466ACE			\$ 2699	\$ 2578	136	11

Grommets (\$100 upcharge): Left (L), Right (R), Both (B), Center (C), All (A) or None (N)

Two T legs, full top frame under top

Center Drawers & Keyboard Trays - **Order separately**

Specify Top Finish/Edge/Grommet

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options

Specify selections, left to right:

Base Model

Top

Material
& Finish

Edge

PKL2466ACE.

L527.

SO

Adjustable Height Round & Square Tables

Sizes	Dimensions			Pneumatic Model	Load Weight	Pneumatic Model	Load Weight	Reference Pages	
	W	D	H					List of options	pages CP9 - CP10
4848	48	48	29	66" Desk	40.5	36" Round Table	19.4		
4242	42	42	29	72" Desk	44.7	42" Round Table	18.6		
3636	36	36	29	Bridges	27.6	48" Round Table	24		
				66" Credenza	42.2	36" Square Table	21.5		
				72" Credenza	47.6	42" Square Table	17.44		
						Electric			
						All models	150		

Specifications

Pneumatic uses an easy release lever and requires no electricity

Base height ranges from 27⁵/₁₆" - 47"

Electric is easy to use and travels at 2" per second

Base height ranges from 27⁵/₁₆" - 47"

Base finish is Matte Chrome

SIN # 711-8

Adjustable Height Round Tables

Pneumatic




Description / Model	Premium Top -P	Veneer Top -V	HPL Top -H	Laminate Top -L	Ship wt	Cubes
P-KT4848AHTT-P-__	\$ 3980	\$ 3460			175	17
PK_4848ARDP			\$ 2263	\$ 1895	175	17
P-KT4242AHTT-P-__	\$ 3846	\$ 3344			147	13
PK_4242ARDP			\$ 2122	\$ 1809	147	13
P-KT3636AHTT-P-__	\$ 3693	\$ 3212			125	10
PK_3636ARDP			\$ 2000	\$ 1732	125	10
X base with single column support and mounting plate						

Specify Top Finish/Edge

Adjustable Height Square Tables

Pneumatic



P-KT4242AHST-P-__	\$ 3105	\$ 2699			152	13
PK_4242ASQP			\$ 2057	\$ 1846	152	13
P-KT3636AHST-P-__	\$ 2976	\$ 2588			130	10
PK_3636ASQP			\$ 1947	\$ 1769	130	10
X base with single column support and mounting plate						

Specify Top Finish/Edge

Sample model dot.option string / See pages CP9 - CP10 for a complete list of options

Specify selections, left to right:

Base Model

Top

Material
& Finish

Edge

PKH4242ASQP.

H231.


SO

R Series Tops


Straight grain cherry, maple or walnut veneer features balanced panel construction. Edges are medium density fiberboard.

	Designators	
Finishes		Veneer (V)
Autumn on Cherry	PC211	✓
Cafelle on Cherry	PC215	✓
Caramel on Cherry	PC235	✓
Cordovan on Cherry	PC223	✓
Shaker on Cherry	PC231	✓
Sienna on Cherry	PC227	✓
Harvest on Maple	PM313	✓
Kensington on Maple	PM311	✓
Colombian on Walnut	PW519	✓
Heights on Walnut	PW535	✓
Skyline on Walnut	PW527	✓
Studio on Walnut	PW531	✓


Edge Options



Reeded (RD)




Double (DB)
Bead




Cove (CV)



Butterfly (BF)



Crescent (CS)



Softened (SF)

Pulls



Bead (BD)



Cable (CB)



Slot (ST)



Wave (WV)

Matte Black (MB) finish or Matte Chrome (MC) finish


Grommet Options

None N

Lock Key Options


STD - random
OMT - keyed alike - order lock core separately - see page CP47

Shapes & Sizes



Round

36"
42"
48"
60"




Square

42" x 42"
48" x 48"
60" x 60"




Rectangular

36" x 72"	48" X 84"
48" x 96"	120" x 48"
144" x 48"	144" x 54"
144" x 60"	168" x 48"
168" x 54"	168" x 60"
192" x 48"	192" x 54"
192" x 60"	



Racetrack

36" x 72"	48" X 84"
48" x 96"	120" x 48"
144" x 48"	144" x 54"
144" x 60"	168" x 48"
168" x 54"	168" x 60"
192" x 48"	192" x 54"
192" x 60"	



Boat

48" X 84"	48" x 96"
120" x 48"	144" x 48"
144" x 54"	144" x 60"
168" x 48"	168" x 54"
168" x 60"	192" x 48"
192" x 54"	192" x 60"

Top thickness
1³/₁₆

R Series Round, Square & Rectangular Tops


Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
3600	36	36	1 ³ / ₁₆	12048	120	48	1 ³ / ₁₆
3672	72	36	1 ³ / ₁₆	14448	144	48	1 ³ / ₁₆
4200	42	42	1 ³ / ₁₆	14454	144	54	1 ³ / ₁₆
4242	42	42	1 ³ / ₁₆	14460	144	60	1 ³ / ₁₆
4800	48	48	1 ³ / ₁₆	16848	168	48	1 ³ / ₁₆
4848	48	48	1 ³ / ₁₆	16854	168	54	1 ³ / ₁₆
4884	84	48	1 ³ / ₁₆	16860	168	60	1 ³ / ₁₆
4896	96	48	1 ³ / ₁₆	19248	192	48	1 ³ / ₁₆
6000	60	60	1 ³ / ₁₆	19254	192	54	1 ³ / ₁₆
6060	60	60	1 ³ / ₁₆	19260	192	60	1 ³ / ₁₆

Reference Pages


List of options
Electrical / Data
Table Base Guide
Table Bases

pages CP18 - CP19
pages PC1 - PC8
pages CP23 - CP30
pages CP31 - CP37


SIN # 711-9

Description / Model	Veneer	Ship wt	Cubes
Round Conference Top			
 P-RT3600TT (1 piece)	\$ 759	65	2.5
P-RT4200TT (1 piece)	\$ 765	82	3.4
P-RT4800TT (1 piece)	\$ 938	105	4.3
P-RT6000TT (1 piece)	\$ 1981	160	6.7

Specify Material & Finish/Edge/Grommet

Square Conference Top			
 P-RT4242ST (1 piece)	\$ 1163	82	3.4
P-RT4848ST (1 piece)	\$ 1399	105	4.3
P-RT6060ST (1 piece)	\$ 2134	160	6.7

Specify Material & Finish/Edge/Grommet

Rectangular Conference Top			
 P-RT3672TT	\$ 2445	115	4.9
P-RT4884TT (1 piece)	\$ 3220	175	8.2
P-RT4896TT (1 piece)	\$ 3358	200	8.5
P-RT12048TT (2 piece)	\$ 4395	250	10.6
P-RT14448TT (2 piece)	\$ 5185	300	12.7
P-RT14454TT (2 piece)	\$ 5835	300	12.7
P-RT14460TT (2 piece)	\$ 6483	300	12.7
P-RT16848TT (2 piece)	\$ 5979	350	14.8
P-RT16854TT (2 piece)	\$ 6726	350	14.8
P-RT16860TT (2 piece)	\$ 7474	350	14.8
P-RT19248TT (2 piece)	\$ 6715	400	16.8
P-RT19254TT (2 piece)	\$ 7553	400	16.8
P-RT19260TT (2 piece)	\$ 8394	400	16.8

Specify Material & Finish/Edge/Grommet

Sample model dot.option string / See pages CP18 - CP19 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Grommet

P-RT14454TT. VPC231. RD. N

Top thickness
1³/₁₆

R Series Racetrack Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
3672	72	36	1 ³ / ₁₆	16848	168	48	1 ³ / ₁₆	List of options	pages CP18 - CP19
4884	84	48	1 ³ / ₁₆	16854	168	54	1 ³ / ₁₆	Electrical / Data	pages PC1 - PC8
4896	96	48	1 ³ / ₁₆	16860	168	60	1 ³ / ₁₆	Table Base Guide	pages CP23 - CP30
12048	120	48	1 ³ / ₁₆	19248	192	48	1 ³ / ₁₆	Table Bases	pages CP31 - CP37
14448	144	48	1 ³ / ₁₆	19254	192	54	1 ³ / ₁₆		
14454	144	54	1 ³ / ₁₆	19260	192	60	1 ³ / ₁₆		
14460	144	60	1 ³ / ₁₆						

SIN # 711-9

Description / Model		Veneer	Ship wt	Cubes
Racetrack Conference Top				
	P-RT3672RT (1 piece)	\$ 2445	115	4.9
	P-RT4884RT (1 piece)	\$ 3220	175	8.2
	P-RT4896RT (1 piece)	\$ 3358	200	8.5
	P-RT12048RT (2 piece)	\$ 4395	250	10.6
	P-RT14448RT (2 piece)	\$ 5185	300	12.7
	P-RT14454RT (2 piece)	\$ 5835	300	12.7
	P-RT14460RT (2 piece)	\$ 6483	300	12.7
	P-RT16848RT (2 piece)	\$ 5979	350	14.8
	P-RT16854RT (2 piece)	\$ 6726	350	14.8
	P-RT16860RT (2 piece)	\$ 7474	350	14.8
	P-RT19248RT (2 piece)	\$ 6715	400	16.8
	P-RT19254RT (2 piece)	\$ 7553	400	16.8
	P-RT19260RT (2 piece)	\$ 8394	400	16.8
Specify Material & Finish/Edge/Grommet				

Sample model dot.option string / See pages CP18 - CP19 for a complete list of options

Specify selections, left to right:

Choose base Material Edge Grommet
model & finish

P-RT4896RT. VPW535. BF. N

Top thickness

1 3/16

R Series Boat Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
4884	84	48	1 3/16	16848	168	48	1 3/16	List of options	pages CP18 - CP19
4896	96	48	1 3/16	16854	168	54	1 3/16	Electrical / Data	pages PC1 - PC8
12048	120	48	1 3/16	16860	168	60	1 3/16	Table Base Guide	pages CP23 - CP30
14448	144	48	1 3/16	19248	192	48	1 3/16	Table Bases	pages CP31 - CP37
14454	144	54	1 3/16	19254	192	54	1 3/16		
14460	144	60	1 3/16	19260	192	60	1 3/16		

SIN # 711-9

Boat Conference Top



Description / Model	Veneer	Ship wt	Cubes
P-RT4884BT (1 piece)	\$ 3055	175	8.2
P-RT4896BT (1 piece)	\$ 3358	200	8.5
P-RT12048BT (2 piece)	\$ 4395	250	10.6
P-RT14448BT (2 piece)	\$ 5185	300	12.7
P-RT14454BT (2 piece)	\$ 5835	330	14.1
P-RT14460BT (2 piece)	\$ 6483	370	15.6
P-RT16848BT (2 piece)	\$ 5979	350	14.8
P-RT16854BT (2 piece)	\$ 6726	350	14.8
P-RT16860BT (2 piece)	\$ 7474	350	14.8
P-RT19248BT (2 piece)	\$ 6715	400	16.8
P-RT19254BT (2 piece)	\$ 7553	400	16.8
P-RT19260BT (2 piece)	\$ 8394	400	16.8

Specify Material & Finish/Edge/Grommet

Sample model dot.option string / See pages CP18 - CP19 for a complete list of options



Specify selections, left to right:

Choose base model Material & finish Edge Grommet


P-RT19254BT. VPM311. CS. N

Table Base Guide


36" Round Tops




P-TR5100TB
Qty 1
page CP36




P-XO4200DB
Qty 1
page CP33




P-XO4200DB
with Door
Qty 1
page CP33




P-XO1818SB
Qty 1
pages CP31
& CP37




P-TR1818SB
Qty 1
page CP37



P-TL3500TB
Qty 1
page CP35



P-TL4202TB
Qty 1
page CP35






P-RM01TL
Qty 1 (set of 4)
page CP36




P-RM02TL
Qty 1 (set of 4)
page CP36


42" Round & 42" x 42" Square Tops




P-TR5100TB
Qty 1
(round only)
page CP36




P-XO2020DB
Qty 1
(round & square)
page CP33




P-XO2020DB
with Door
Qty 1
(round & square)
page CP33




P-XO1818SB
Qty 1
(round & square)
pages CP31
& CP37



P-TR1818SB
Qty 1
(round & square)
page CP37



P-TL4000TB
Powdercoat
Qty 1
(round only)
page CP36



P-TL4203TB
Qty 1
page CP35



P-TL4400TB
Powdercoat
Qty 1
(round only)
page CP36





P-RM01TL
Qty 1 (set of 4)
(round & square)
page CP36




P-RM02TL
Qty 1 (set of 4)
(round & square)
page CP36


48" Round & 48" x 48" Square Tops




P-TR5100TB
Qty 1
(round only)
page CP36




P-XO3636XB
Qty 1
(square only)
page CP34




P-TR3636XB
Qty 1
(square only)
page CP34




P-XO2020DB
Qty 1
(round & square)
page CP33



P-XO2020DB
with Door
Qty 1
(round & square)
page CP33




P-XO2424SB
Qty 1
(round & square)
page CP37



P-TR2424SB
Qty 1
(round & square)
page CP37



P-XO1010DB
Qty 4
(round & square)
page CP35



P-TL4400TB
Powdercoat
Qty 1
(round only)
page CP36






P-RM01TL
Qty 1 (set of 4)
(round & square)
page CP36




P-RM02TL
Qty 1 (set of 4)
(round & square)
page CP36

Table Base Guide continued


60" Round & 60" x 60" Square Tops




P-XO2424DB
Qty 1
(round & square)
page CP33



P-XO2424DB
with Door
Qty 1
(round & square)
page CP33



P-XO2424SB
Qty 1
(round & square)
page CP37






P-TR2424SB
Qty 1
(round & square)
page CP37




P-XO1010DB
Qty 4
(round & square)
page CP35


36" x 72" Racetrack, Rectangular & Boat



P-XO01END
Qty 2
page CP33



P-TR01END
Qty 2
page CP34




P-TR01END
with Molding
Qty 2
page CP34




P-XO2401CB
Qty 2
page CP34



P-TR5100TB
Qty 2
page CP36



P-XO1818XB
Qty 2
page CP34




P-TR1818XB
Qty 2
page CP34




P-XO1020HB
Qty 2
page CP33




P-XO1020HB
with Door
Qty 2
page CP33




P-XO4200DB
Qty 2
page CP33



P-XO4200DB
with Door
Qty 2
page CP33




P-XO1818SB
Qty 2
pages CP31
& CP37




P-TR1818SB
Qty 2
page CP37



P-XO1010DB
Qty 4
page CP35






P-TL3000TB
Powdercoat
Qty 1 (pair)
page CP35




P-XO1018RB
Qty 2
page CP37

Table Base Guide continued


48" x 84" & 48" x 96" Racetrack, Rectangular & Boat



P-XO01END
Qty 2
page CP33



P-TR01END
Qty 2
page CP34




P-TR01END
with Molding
Qty 2
page CP34




P-XO2401CB
Qty 2
page CP34



P-TR5100TB
Qty 2
page CP36




P-XO2424XB
Qty 2
page CP34




P-TR2424XB
Qty 2
page CP34




P-XO1020HB
Qty 2
page CP33




P-XO1020HB
with Door
Qty 2
page CP33




P-XO1212DB
Qty 4
page CP33




P-XO4200DB
Qty 2
page CP33




P-XO4200DB
with Door
Qty 2
page CP33




P-XO2020DB
Qty 2
page CP33




P-XO2020DB
with Door
Qty 2
page CP33




P-XO1818SB
Qty 2
pages CP31
& CP37



P-TR1818SB
Qty 2
page CP37




P-XO2424SB
Qty 2
page CP37




P-TR2424SB
Qty 2
page CP37




P-XO1010DB
Qty 6
page CP35




P-TL3000TB
Powdercoat
Qty 1 (pair)
page CP35




P-TL4000TB
Powdercoat
Qty 2
page CP36



P-TL4203TB
Qty 2
page CP35




P-TL4400TB
Powdercoat
Qty 2
page CP36




P-XO1018RB
Qty 2
page CP37

Table Base Guide continued


Racetrack, Rectangular & Boat 120" x 48"



P-XO01END
Qty 3
page CP33



P-TR01END
Qty 3
page CP34




P-TR01END
with Molding
Qty 3
page CP34




P-XO2401CB
Qty 2 & CT PNL
END
page CP34



P-TR5100TB
Qty 3
page CP36




P-XO2424XB
Qty 2
page CP34




P-TR2424XB
Qty 2
page CP34




P-XO1020HB
Qty 2 & CT PNL
END
page CP33




P-XO1020HB
with Door
Qty 2 & CT PNL
END
page CP33




P-XO1212DB
Qty 6
page CP33




P-XO4200DB
Qty 2
page CP33




P-XO4200DB
with Door
Qty 2
page CP33




P-XO2020DB
Qty 2
page CP33




P-XO2020DB
with Door
Qty 2
page CP33




P-XO1818SB
Qty 2
pages CP31
& CP37



P-TR1818SB
Qty 2
page CP37




P-XO2424SB
Qty 2
page CP37



P-TR2424SB
Qty 2
page CP37




P-XO1010DB
Qty 8
page CP35




P-TL4000TB
Powdercoat
Qty 2
page CP36



P-TL4203TB
Qty 2
page CP35




P-TL4400TB
Powdercoat
Qty 2
page CP36




P-XO1018RB
Qty 2
page CP37

Table Base Guide continued


Racetrack, Rectangular & Boat 144" x 48", 168" x 48"



P-XO01END
Qty 3
page CP33



P-TR01END
Qty 3
page CP34





P-TR01END
with Molding
Qty 3
page CP34




P-XO2401CB
Qty 2 & CT PNL
END
page CP34




P-TR5100TB
Qty 3
page CP36




P-XO2424XB
Qty 3
page CP34




P-TR2424XB
Qty 3
page CP34





P-XO1020HB
Qty 2 & CT PNL
END
page CP33




P-XO1020HB
with Door
Qty 2 & CT PNL
END
page CP33




P-XO1212DB
Qty 6
page CP33




P-XO4200DB
Qty 3
page CP33




P-XO4200DB
with Door
Qty 3
page CP33




P-XO2020DB
Qty 3
page CP33




P-XO2020DB
with Door
Qty 3
page CP33




P-XO1818SB
Qty 3
pages CP31
& CP37



P-TR1818SB
Qty 3
page CP37




P-XO2424SB
Qty 3
page CP37




P-TR2424SB
Qty 3
page CP37




P-XO1010DB
Qty 8
page CP35




P-TL4000TB
Powdercoat
Qty 3
page CP36



P-TL4203TB
Qty 3
page CP35




P-TL4400TB
Powdercoat
Qty 3
page CP36




P-XO1018RB
Qty 3
page CP37

Table Base Guide continued


Racetrack, Rectangular & Boat 192" x 48"



P-XO01END
Qty 4
page CP33



P-TR01END
Qty 4
page CP34





P-TR01END
with Molding
Qty 4
page CP34




P-XO2401CB
Qty 2 & CT PNL
END
page CP34



P-TR5100TB
Qty 3
page CP36




P-XO2424XB
Qty 3
page CP34




P-TR2424XB
Qty 3
page CP34





P-XO1020HB
Qty 2 & CT PNL
END
page CP33




P-XO1020HB
with Door
Qty 2 & CT PNL
END
page CP33




P-XO1212DB
Qty 6
page CP33




P-XO4200DB
Qty 3
page CP33




P-XO4200DB
with Door
Qty 3
page CP33




P-XO2020DB
Qty 3
page CP33




P-XO2020DB
with Door
Qty 3
page CP33




P-XO1818SB
Qty 3
pages CP31
& CP37



P-TR1818SB
Qty 3
page CP37




P-XO2424SB
Qty 3
page CP37




P-TR2424SB
Qty 3
page CP37




P-XO1010DB
Qty 8
page CP35




P-TL4000TB
Powdercoat
Qty 3
page CP36



P-TL4203TB
Qty 2
page CP35



P-TL4400TB
Powdercoat
Qty 3
page CP36





P-XO1018RB
Qty 3
page CP37


Table Base Guide continued

Racetrack, Rectangular & Boat

144" x 54", 168" x 54", 192" x 54",
144" x 60", 168" x 60", 192" x 60"





P-XO1024RB
Qty 3
page CP37




P-XO1030RB
Qty 3
page CP37

Fuse Round & Square




**36" &
42" Round**




P-XO1818SB
Qty 1
pages CP31 & CP37

60" Round




P-XO2424SB
Qty 1
page CP37

**Fuse
48" Round
& Square**




P-FS22ECB
Qty 1
page CP31

**42" x 42",
48" x 48"
Square**



P-XO2424SB
Qty 1
page CP37

**Fuse
60" Round &
Square**




P-FS30ECB
Qty 1
page CP31


Table Base Guide continued

Fuse Racetrack, Rectangular & Boat


36" x 72"




P-FS3672CBA
Qty 1
page CP31




120" x 48"



P-FS12048CBA
Qty 1
page CP32




36" x 84"




P-FS3684CBA
Qty 1
page CP31

48" x 84"




P-FS4884CBA
Qty 1
page CP31

48" x 96"




P-FS4896CBA
Qty 1
page CP31

144" x 48"
144" x 54"
144" x 60"




P-FS14448CBA
P-FS14454CBA
P-FS14460CBA
Qty 1
page CP32

168" x 48"
168" x 54"
168" x 60"



P-FS16848CBA
P-FS16854CBA
P-FS16860CBA
Qty 1
page CP32

192" x 48"
192" x 54"
192" x 60"



P-FS19248CBA
P-FS19254CBA
P-FS19260CBA
Qty 1
page CP32

Table Bases

Sizes Dimensions

	W	D	H
22ECB	22	22	27 $\frac{7}{8}$
1818SB	18	18	27 $\frac{1}{2}$
30ECB	30	20	27 $\frac{7}{8}$
3672CBA	48	24	27 $\frac{7}{8}$
3684CBA	57	24	27 $\frac{7}{8}$
4884CBA	57	24	27 $\frac{7}{8}$
4896CBA	60	24	27 $\frac{7}{8}$

Reference Pages

List of finishes
Electrical / Data
Table Base Guide
Table Tops






pages VII - VIII
pages PC1 - PC8
pages CP23 - CP30
pages CP3 - CP22

Specifications

Arm clearance 28"

Available in all standard finishes

SIN # 711-8, 711-9

	Description / Model	List Price	Ship wt	Cubes
Conference Base with Hinged Door				
	P-FS22ECB	\$ 1574	80	12
	P-XO1818SB	\$ 1136	60	7.7
	Specify P-XO1818SB with P-FS3600TT & P-FS4200TT Conference Tops Specify P-FS22ECB with P-FS4242ST, P-FS4848ST & P-FS4800TT Conference Tops			
	Specify Material & Finish			
Conference Base with Hinged Door				
	P-FS30ECB	\$ 2129	91	20
	Specify P-FS30ECB with 60" Conference Tops			
	Specify Material & Finish			
Conference Base with Hinged Door				
	P-FS3672CBA	\$ 3223	115	11
	Specify P-FS3672CBA with 72" Conference Tops			
	Specify Material & Finish			
Conference Base with Hinged Door				
	P-FS3684CBA	\$ 3223	115	11
	P-FS4884CBA	\$ 3253	115	20
	Specify P-FS3684CBA with 84" Conference Tops			
	Specify Material & Finish			
Conference Base with Hinged Door				
	P-FS4896CBA	\$ 3448	115	11
	Specify P-FS4896CBA with 96" Conference Tops			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base model Material & finish

P-FS3684CBA. VPW519

Table Bases

Sizes	Dimensions		
	W	D	H
12048CBA	84	30	27 $\frac{7}{8}$
144_CBA	108	30	27 $\frac{7}{8}$
168_CBA	132	30	27 $\frac{7}{8}$
192_CBA	156	30	27 $\frac{7}{8}$

Reference Pages

List of finishes
Electrical / Data
Table Base Guide
Table Tops





pages VII - VIII
pages PC1 - PC8
pages CP23 - CP30
pages CP3 - CP22

Specifications

Arm clearance 28"

Available in all standard finishes

SIN # 711-8

Description / Model		List Price	Ship wt	Cubes
Conference Base with Hinged Door				
	P-FS12048CBA	\$ 5271	175	25
	Specify with 120" Conference Tops			
	Specify Material & Finish			
Conference Base with Hinged Door				
	P-FS14448CBA	\$ 5271	175	26
	P-FS14454CBA	\$ 5271	175	26
	P-FS14460CBA	\$ 5271	175	26
	Specify with 144" Conference Tops			
Specify Material & Finish				
Conference Base with Hinged Door				
	P-FS16848CBA	\$ 5271	175	27
	P-FS16854CBA	\$ 5271	175	27
	P-FS16860CBA	\$ 5271	175	27
	Specify with 168" Conference Tops			
Specify Material & Finish				
Conference Base with Hinged Door				
	P-FS19248CBA	\$ 5504	175	28
	P-FS19254CBA	\$ 5504	175	28
	P-FS19260CBA	\$ 5504	175	28
	Specify with 192" Conference Tops			
Specify Material & Finish				

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base model Material & finish

P-FS14454CBA. VPC211

Table Bases

Sizes Dimensions

	W	D	H
1212DB	12	12	28
4200DB	18	18	28
2020DB	20	20	28
2424DB	24	24	28
1020HB	20	10	28
XO01END	28	1¼	28





Reference Pages

List of finishes	pages VII - VIII
Electrical / Data	pages PC1 - PC8
Table Base Guide	pages CP23 - CP30
Table Tops	pages CP3 - CP22

Specifications

Arm clearance 28"
Available in all standard finishes
Adjustable levelers

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
12" Round Drum Base				
	P-XO1212DB	\$ 980	45	7.2
	Wire access - Top 3½", Bottom 3½" Top cap - 16"x16" - Diagonal 22½" Adjustable levelers			
	Specify Material & Finish			
Round Drum Base				
	P-XO4200DB	\$ 1604	80	17.2
	P-XO2020DB	\$ 1630	90	17.2
	P-XO2424DB	\$ 1771	110	17.2
	Wire access - Top 12", Bottom 3½" Optional hinged door with touch latch Door option designators: DY - Yes, DN - No Top cap - P-XO4200DB - 22"x22" - Diagonal 31⅞", P-XO2020DB - 22"x22" - Diagonal 31⅞", P-XO2424DB - 28"x28" - Diagonal 39½"			
	Specify Material & Finish/Door			
20" Half Round Drum Base				
	P-XO1020HB	\$ 1683	75	17.2
	Wire access - Top 3½", Bottom 3½" Optional hinged door with touch latch Door option designators: DY - Yes, DN - No Top cap - 22"x22" - Diagonal 31⅞"			
	Specify Material & Finish/Door			
Contemporary Panel Base				
	P-XO01END	\$ 810	30	3.3
	Top cap - 4"x30"			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base Material Door
model & finish

P-XO1020HB. VVPC227. DY

Table Bases

Sizes	Dimensions		
	W	D	H
TR01END	28	2	28
2401CB	22¼	8	28
1818XB	18	18	28¼
2424XB	24	24	28¼
3636XB	36	36	28¼

Reference Pages





List of finishes
Electrical / Data
Table Base Guide
Table Tops

pages VII - VIII
pages PC1 - PC8
pages CP23 - CP30
pages CP3 - CP22

Specifications

Arm clearance 28"
Arm clearance 28¼" - X-Bases
Available in all standard finishes
Adjustable levelers

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Traditional Panel Base				
	P-TR01END	\$ 851	40	3.3
	Optional molding available - no upcharge Molding option designators: MY - Yes, MN - No Top cap - 4"x30"			
	Specify Material & Finish/Molding			
Crescent Base				
	P-XO2401CB	\$ 1553	30	4.3
	Specify Material & Finish			
Contemporary X-Base				
	P-XO1818XB	\$ 1147	60	7.5
	P-XO2424XB	\$ 1215	70	12.1
	P-XO3636XB	\$ 1317	110	26
	Top cap - P-XO1818XB - 22"x22" - Diagonal 31½", P-XO2424XB - 28"x28" - Diagonal 39½", P-XO3636XB - 36"x36" - Diagonal 50⅞"			
Specify Material & Finish				
Traditional X-Base				
	P-TR1818XB	\$ 1446	70	7.5
	P-TR2424XB	\$ 1658	80	12.1
	P-TR3636XB	\$ 2098	115	26
	Top cap - P-TR1818XB - 22"x22" - Diagonal 31½", P-TR2424XB - 28"x28" - Diagonal 39½", P-TR3636XB - 36"x36" - Diagonal 50⅞"			
Specify Material & Finish				

Sample model dot.option string / See pages VII - VIII for a complete list of finishes






Specify selections, left to right:

Choose base model Material & finish Molding

P-TR01END. VVPW527. MY

Table Bases

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
1010DB	4 dia.		27¾	4201TB	32	32	28	List of finishes Electrical / Data Table Base Guide Table Tops
3000TB	28	2	28	4202TB	32	32	28	
				4203TB	32	32	28	
				4601CB	26	26	41	
				4602CB	32	32	41	pages VII - VIII pages PC1 - PC8 pages CP23 - CP30 pages CP3 - CP22
				4603CB	38	38	41	
				3500TB	32	32	28	
Specifications Arm clearance 28¼" - X-Bases Arm clearance 27¾" - Drum Base Arm clearance 28" - "T" Bases & Cross Base Available in all standard finishes Adjustable levelers								SIN # 711-8, 711-9

	Description / Model	List Price	Ship wt	Cubes
Drum Base 	P-XO1010DB	\$ 403	20	1
	Metal finishes: AL - Alloy, BL - Black			
	Specify Metal Finish			
"T" Base 	P-TL3000TB	\$ 945 (Powder Coated)	20	1
	20" Diameter Price per pair Metal finishes: BL - Black			
	Specify Metal Finish			
X-Arch Metal Table Base				
	P-TL4201TB	\$ 529	15	14.5
	P-TL4202TB	\$ 541	17	21.4
	P-TL4203TB	\$ 618	23	29.6
	Alloy only Arched tubular X base with or without locking casters P-TL4201TB used with the 30" round surfaces; P-TL4202TB used with the 36" round surfaces P-TL4203TB used with 42" & 48" round surfaces			
Specify Base				
X-Arch Metal Table Base				
	P-TL4601CB	\$ 568	18	19.5
	P-TL4602CB	\$ 580	20	28.8
	P-TL4603CB	\$ 656	22	39.8
	Alloy only Arched tubular X base with glides P-TL4601CB used with the 30" round surfaces; P-TL4602CB used with the 36" round surfaces P-TL4603CB used with 42" & 48" round surfaces			
Single Pole Cross Base				
	P-TL3500TB	\$ 387 (Powder Coated)	35	3.7
	Metal finishes: AL - Alloy or Matte Black (MB) Use with 36" diameter & 36 x 72 tables			
	Specify Metal Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base Base
model

P-TL4201TB. SXATG

Table Bases

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
4000TB	38	38	28	01TL		23/8	28 1/4	List of finishes	pages VII - VIII
4400TB	38	38	28	02TL		23/8	28 1/4	Electrical / Data	pages PC1 - PC8
				5100TB	32	32	28	Table Base Guide	pages CP23 - CP30
								Table Tops	pages CP3 - CP22

Specifications




Arm clearance 28" - Cross Bases & Cabriole Base

Arm clearance 27 3/4" - Fixed & Mobile Leg

Available in all standard finishes

Adjustable levelers

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Single Pole Cross Base				
	P-TL4000TB	\$ 546 (Powder Coated)	35	3.7
	Metal finishes: AL - Alloy, BL - Black			
	Specify Metal Finish			
Four Pole Cross Base				
	P-TL4400TB	\$ 1092 (Powder Coated)	35	3.7
	20" Diameter Column Metal finishes: AL - Alloy, BL - Black			
	Specify Metal Finish			
Fixed Leg				
	P-RM01TL	\$ 530	15	1
	Set of four Metal finishes: AL - Alloy			
	Specify Metal Finish			
Mobile Leg				
	P-RM02TL	\$ 530	20	1
	Set of four Metal finishes: AL - Alloy			
	Specify Metal Finish			
Traditional Cabriole Base				
	P-TR5100TB	\$ 1251	50	20.7
	Top cap - 16"x16" - Diagonal 22 ⁵ / ₈ " Coordinates w/Classic Edge			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base model Material & finish

P-TR5100TB. VPM313


Table Bases

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
1818SB	18	18	27½	1018RB	10	18	28	List of finishes Electrical / Data Table Base Guide Table Tops	pages VII - VIII pages PC1 - PC8 pages CP23 - CP30 pages CP3 - CP22
2424SB	24	24	27½	1024RB	10	24	28		
				1030RB	10	30	28		


Specifications

Arm clearance 28"
Arm clearance 27½" - Square Base
Adjustable levelers


SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
Contemporary Square Base				
	P-XO1818SB	\$ 1136	60	7.7
	P-XO2424SB	\$ 1320	80	12.7
	Removable access panel Wire access - Top 12", Bottom 4" Top cap - P-XO1818SB - 22"x22" - Diagonal 31½", P-XO2424SB - 28"x28" - Diagonal 39½"			

Specify Material & Finish

Traditional Square Base				
	P-TR1818SB	\$ 1203	60	7.7
	P-TR2424SB	\$ 1435	80	12.7
	Removable access panel Wire access - Top - 12", Bottom - 3½" Top cap - P-TR1818SB - 22"x22" - Diagonal 31½", P-TR2424SB - 28"x28" - Diagonal 39½"			

Specify Material & Finish

Rectangular Table Base		Premium	Veneer	Laminate		
	P-XO1018RB-__	\$ 888	\$ 772	\$ 706	50	4.2
	P-XO1024RB-__	\$ 1003	\$ 871	\$ 789	60	5.4
	P-XO1030RB-__	\$ 1116	\$ 971	\$ 871	80	6.7
Removable access panel P-XO1018RB - Wire access - Top - 7¾" x 13¼", Bottom - 4" x 5½" P-XO1024RB - Wire access - Top - 7¾" x 19¼", Bottom - 4" x 5½" P-XO1030RB - Wire access - Top - 7¾" x 25¼", Bottom - 4" x 5½" For maximum leg room with adequate support: 48" Rectangle, Boat & Racetrack tops use P-XO1018RB bases 54" Rectangle use P-XO1024RB bases, 54" Boat & Racetrack tops use (2) P-XO1018RB & (1) P-XO1024RB base 60" Rectangle use P-XO1030RB bases, 60" Boat & Racetrack tops use (2) P-XO1024RB & (1) P-XO1030RB base Optional Modesty Panels see page CP38						

NOT ON CONTRACT

Specify Material & Finish

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base model Material & finish

P-XO2424SB. VPC231

Modesty Panels and Buffet Credenzas

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
0826MP	26	¾	8	0844MP	44	¾	8	List of finishes	pages VII - VIII
0832MP	32	¾	8	0850MP	50	¾	8	Electrical / Data	pages PC1 - PC8
0838MP	30	¾	8	0856MP	56	¾	8	List of R Series options	pages CP18 - CP19
				2170BU	72	20	36	List of Classic Edge options	page CP3
				2470BU	72	24	36		

Specifications


Buffets:

Drawers locking - keyed alike

Doors - non-locking


Adjustable shelf in each door compartment

SIN # 711-8, 711-9


Description / Model	Premium	Veneer	Laminate	Ship wt	Cubes
Modesty Panel Assembly					
 P-XO0826MP-__	\$ 216	\$ 188	\$ 188	4.2	2.3
P-XO0832MP-__	\$ 237	\$ 206	\$ 206	4.3	2.8
P-XO0838MP-__	\$ 249	\$ 217	\$ 217	5.1	3.2
P-XO0844MP-__	\$ 263	\$ 228	\$ 228	5.2	3.7
P-XO0850MP-__	\$ 284	\$ 246	\$ 246	5.3	4.2
P-XO0856MP-__	\$ 302	\$ 263	\$ 263	5.5	4.7

See chart on page CP10 for list of compatible tops
For use with the P-XO1018RB, P-XO1024RB
and P-XO1030RB Rectangular Bases (see page CP37)

Specify Material & Finish

Description / Model	List Price	Ship wt	Cubes
Buffet Credenzas			
 P-TR2170BU	\$ 5968	250	39
Cherry or walnut veneer Coordinates w/Classic Edge			

Specify Material & Finish/Lock Key

Description / Model	Veneer/ Veneer	Ship wt	Cubes
Buffet Credenza			
 P-RF2470BU-__	\$ 3762	350	46
Cable access grommets standard in end panels Coordinates w/R Series Caseloads Series Use R Series Edge & Pull Options, see page CP18			

SIN# 711-8

Specify Material & Finish/Edge/Pull/Lock Key

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base model Material & finish Lock Key

P-TR2170BU. VVPW531. STD

Silverware Lining Kit & Presentation Boards

Sizes	Dimensions		
	W	D	H
3800SK	39 ³ / ₈	17 ²³ / ₃₂	
01VB	48	4	48
02VB	48	4	48

Reference Pages

List of finishes

pages VII - VIII

Specifications

Presentation Boards:

Center: White erase board (46½" W x 45½" H) with pencil tray

Cork tackboard attached to inside of door

Pull down projection screen (44" W x 44" H) - on P-TR02VB & P-XO02VB

SIN # 711-9

Description / Model	List Price	Ship wt	Cubes
Optional Silverware Lining Kit			
P-BU3800SK	\$ 245		
Complete kit to fit a 70 pc. silverware set Brown felt Shipped separate Specify with buffet credenza			

Presentation Board Traditional




P-TR01VB	\$ 4215	135	7
P-TR02VB	\$ 4615	138	7

Available in walnut & cherry finishes only
Coordinates w/Classic Edge

Specify Material & Finish

Presentation Board Contemporary



P-XO01VB	\$ 4010	135	7
P-XO02VB	\$ 4369	138	7

Available in cherry, maple & walnut finishes
Coordinates w/Contemporary Series

Specify Material & Finish

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base Material
model & finish

P-XO02VB. VVPC215

Video Cabinets


Sizes	Dimensions		
	W	D	H
TR2577VC	36	24	79

Reference Pages

List of finishes

pages VII - VIII

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
	P-TR2577VC	\$ 7047	365	49
	Cherry or walnut veneer I.D. 27"W x 21½"D x 39"H (of upper section) Upper section: pocket doors and VCR shelf Lower section: doors and adjustable shelf Cable access in back panel <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:
 Choose base model Material & finish

P-TR2577VC. VVPC235




Audio/Video & Serving Carts

Sizes	Dimensions			Reference Pages	pages VII - VIII
	W	D	H		
TR2436AV	38	25	40	List of finishes	
XO2436AV	36	24	40		
TR2436SC	38	25	40		
XO2436SC	36	24	40		

Specifications

Hinged door with one adjustable shelf
Four locking twin wheel casters standard

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
Audio/Video Carts				
Traditional Audio/Video Cart				
	P-TR2436AV	\$ 3882	195	28.5
	I.D. 34¼"W x 22½"D x 6⅞"H (upper compartment) I.D. 34¼"W x 21½"D x 25⅝"H (interior cabinet) Walnut or cherry veneer Coordinates w/Classic Edge			
	Specify Material & Finish			
	Contemporary Audio/Video Cart			
	P-XO2436AV	\$ 3822	195	28.5
	I.D. 34¼"W x 23"D x 6¾"H (upper compartment) I.D. 34¼"W x 21½"D x 25⅝"H (interior cabinet) Cherry or maple veneer Self edge top Coordinates w/Contemporary Series			
	Specify Material & Finish			
	Traditional Serving Cart			
	P-TR2436SC	\$ 4120	210	28.5
	I.D. 34⅞"W x 21¼"D x 6¾"H (middle compartment) I.D. 34⅞"W x 21½"D x 18⅞"H (interior cabinet) Two drawers Walnut or cherry veneer Coordinates w/Classic Edge			
	Specify Material & Finish			
	Contemporary Serving Cart			
	P-XO2436SC	\$ 3920	210	28.5
	I.D. 34⅞"W x 23"D x 6¾"H (middle compartment) I.D. 34⅞"W x 22¼"D x 18⅞"H (interior cabinet) Cherry or maple veneer Self edge top Two drawers Coordinates w/Contemporary Series			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:
Choose base model Material & finish

P-TR2436SC. VVPW519

Utility Carts

Sizes	Dimensions		
	W	D	H
TR2436UT	36	25	40
XO2436UT	38	24	40

Reference Pages

List of finishes



pages VII - VIII

Specifications

Hinged door with one adjustable shelf

Four locking twin wheel casters standard

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Utility Carts				
Traditional Utility Cart				
	P-TR2436UT	\$ 4015	195	28.5
	I.D. 34½"W x 22¼"D x 16⅞"H (middle compartment)			
	I.D. 34½"W x 22¼"D x 15⅝"H (interior cabinet)			
	Walnut or cherry veneer			
	Coordinates w/Classic Edge			
Specify Material & Finish				
Contemporary Utility Cart				
	P-XO2436UT	\$ 3809	195	28.5
	I.D. 34½"W x 23"D x 16⅞"H (middle compartment)			
	I.D. 34½"W x 22¼"D x 15⅝"H (interior cabinet)			
	Cherry or maple veneer			
	Self edge top			
Coordinates w/Contemporary Series				
Specify Material & Finish				

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base
model

Material
& finish

P-XO2436UT.

VVPM311

Telephone Stands

Sizes	Dimensions		
	W	D	H
TR1818TS	20	20	29
XO1818TS	18½	18½	29
TR1919TS	20	20	29
XO1919TS	18½	18½	29

Reference Pages

List of finishes





pages VII - VIII

Specifications

Hinged door with one adjustable shelf

Adjustable levelers

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
Telephone Stands				
Traditional Telephone Stand				
	P-TR1818TS	\$ 2142	85	9.5
	Walnut or cherry veneers Pull-out writing tablet <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			
Contemporary Telephone Stand				
	P-XO1818TS	\$ 2056	85	9.5
	Cherry or maple veneers Self edge top Pull-out writing tablet <i>Coordinates w/Contemporary Series</i>			
	Specify Material & Finish			
Traditional Telephone Stand with Drawer				
	P-TR1919TS	\$ 2186	95	9.5
	Walnut or cherry veneers Drawer <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			
Contemporary Telephone Stand with Drawer				
	P-XO1919TS	\$ 2102	95	9.5
	Cherry or maple veneers Self edge top Drawer <i>Coordinates w/Contemporary Series</i>			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base
model

Material
& finish

P-XO1919TS.

VVPC227

Lecterns

Sizes	Dimensions		
	W	D	H
TR2649__	26	25	49½
XO2649__	24½	24½	49¾

Reference Pages





List of finishes

pages VII - VIII

Specifications

Height adjustable reading shelf
Reading light standard
3" twin wheel casters - front two locking

SIN # 711-8

	Description / Model	List Price	Ship wt	Cubes
Lecterns				
Traditional Lectern				
	P-TR2649LO	\$ 2733	130	24
	Walnut or cherry veneers Lower compartment with one adjustable shelf: 22½"W x 23¼"D x 23⅞"H Upper compartment: 22½"W x 23¼"D x 5"H <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			
Contemporary Lectern				
	P-XO2649LO	\$ 2649	130	24
	Cherry or maple veneers Self edge top Lower compartment with one adjustable shelf: 22½"W x 23¼"D x 23⅞"H Upper compartment: 22½"W x 23¼"D x 5"H <i>Coordinates w/Contemporary Series</i>			
	Specify Material & Finish			
Traditional Lectern with Doors				
	P-TR2649LC	\$ 3095	140	24
	Walnut or cherry veneers Lower compartment with doors and one adjustable shelf: 22½"W x 22⅝"D x 23⅞"H Upper compartment: 22½"W x 23¼"D x 5"H <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			
Contemporary Lectern with Doors				
	P-XO2649LC	\$ 2996	140	24
	Cherry or maple veneers Self edge top Lower compartment with doors and one adjustable shelf: 22½"W x 22⅝"D x 23⅞"H Upper compartment: 22½"W x 23¼"D x 5"H <i>Coordinates w/Contemporary Series</i>			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base model Material & finish

P-TR2649LO. VVPC235

Lecterns

Sizes	Dimensions		
	W	D	H
TR2649__	26	25	49½
XO2649__	24½	24½	49¾

Reference Pages

List of finishes

pages VII - VIII

Specifications





Height adjustable reading shelf

Reading light standard

Height adjustable pull-out keyboard tray

3" twin wheel casters - front two locking

SIN # 711-8

	Description / Model	List Price	Ship wt	Cubes
Lecterns				
Traditional Lectern with Keyboard Tray				
	P-TR2649KO	\$ 3119	135	24
	Walnut or cherry veneers Lower compartment with two adjustable shelves: 22½"W x 23¼"D x 23⅜"H Upper compartment: 22½"W x 23¼"D x 4½"H <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			
Contemporary Lectern with Keyboard Tray				
	P-XO2649KO	\$ 3016	135	24
	Cherry or maple veneers Self edge top Lower compartment with two adjustable shelves: 22½"W x 23¼"D x 23⅜"H Upper compartment: 22½"W x 23¼"D x 4½"H <i>Coordinates w/Contemporary Series</i>			
	Specify Material & Finish			
Traditional Lectern Keyboard Tray and Doors				
	P-TR2649KC	\$ 3482	145	24
	Walnut or cherry veneers Lower compartment with doors and one adjustable shelf: 22½"W x 22⅝"D x 21¾"H Upper compartment: 22½"W x 23⅜"D x 4½"H <i>Coordinates w/Classic Edge</i>			
	Specify Material & Finish			
Contemporary Lectern with Keyboard Tray and Doors				
	P-XO2649KC	\$ 3363	145	24
	Cherry or maple veneers Self edge top Lower compartment with doors and one adjustable shelf: 22½"W x 22⅝"D x 21¾"H Upper compartment: 22½"W x 23⅜"D x 4½"H <i>Coordinates w/Contemporary Series</i>			
	Specify Material & Finish			

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base
model

Material
& finish

P-XO2649KC. VVPC215

Presentation Carts

Sizes	Dimensions		
	W	D	H
TR2139PC	53	23½	40 ⁹ / ₁₆
XO2139PC	51	21¾	40¾

Reference Pages

List of finishes

pages VII - VIII

Specifications

Pull-out keyboard tray


Four locking 3" twin wheel casters

SIN # 711-9

Description / Model	List Price	Ship wt	Cubes
---------------------	------------	---------	-------

Presentation Carts

Traditional Presentation Cart



P-TR2139PC

\$ 4015


130

39

Walnut or cherry veneers
O.D. with leaves down: 27"W x 23½"D x 40¾"H
O.D. with leaves extended: 54¼"W x 23½"D
Lower compartment with doors and one adjustable shelf: 22½"W x 20"D x 27¾"H
Coordinates w/Classic Edge

Specify Material & Finish

Contemporary Presentation Cart



P-XO2139PC

\$ 3861

130

39

Cherry or maple veneers
O.D. with leaves down: 27"W x 21¾"D x 40¾"H
O.D. with leaves extended: 54¼"W x 21¾"D
Self edge top
Lower compartment with doors and one adjustable shelf: 22½"W x 20"D x 27¾"H
Coordinates w/Contemporary Series

Specify Material & Finish

Sample model dot.option string / See pages VII - VIII for a complete list of finishes

Specify selections, left to right:

Choose base
model

Material
& finish

P-XO2139PC.

VVPC231

Locks

Specifications

Key numbers available for locks are X100T-X150T. Please calculate the total number of locks you need to order. Then calculate how many must be keyed alike. Select the same key number for each of the locks you would like to be keyed alike.

For example, if you need 15 locks ordered for your office with 5 keyed alike for one office and 10 keyed alike for another office, it would look like this: 5 - P-PCMB.X101T, 10 - P-PCMB.X102T

SIN # 711-8

	Description / Model	List Price	Ship wt	Cubes
Locks				
Lock Core Matte Black	P-PCMB	\$ 12	1	0.1
Lock Core Matte Chrome	P-PCMC	\$ 12	1	0.1
Lock Core Antique Brass	P-PCAB	\$ 12	1	0.1
SIN #711-8	Specify Key Number			
Master Key	P-PMK	\$ 5	1	0.1
Change Key	P-PCK	\$ 10	1	0.1

Sample model dot.option string

Specify selections, left to right:

Choose base model Key Number

P-PCAB. X119T

NOTES

FINISH COLOR MATCHING:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

CUSTOM FINISHES

Custom finishes can be done for an upcharge. A 3" x 3" sample must be sent to customer service for approval and a quote.

VENEER:


Genuine flat sliced, slip matched cherry or maple veneers on all surfaces to provide proper consistency. On tops where technology is specified, quartered veneer is used.

TOPS:

All tops are balanced panel construction. Lumber bands on edge tops are internally banded on all four sides. Top thickness 17/16"

2-Piece Conference Table Tops:

Two-piece tops are joined with tongue and groove joints. Two piece tops are secured together with table connectors. Under top steel channels screw perpendicular to joint to also stabilize connection. All tops 144" and wider are two-piece construction. All smaller tops are one piece construction.

**CHASSIS CONSTRUCTION:**

Door and drawer fronts are slip matched cherry or maple veneer to match the tops and overlay the chassis. Chassis are assembled with dowel construction for precise tolerances. Units have solid hardwood parting rails and are reinforced with hardwood cleats and glue. All base units have adjustable leveling glides to compensate for uneven floor surfaces. Chassis panels are .75" thick with a 3-ply balanced construction and a heavy duty backer. All panels are constructed around a 45 pound density particleboard core.

OVERTURE BASES:

Overture bases have removable side panel for wire access and cable management. Access holes in top and bottom for wire access. Bases include adjustable levelers to compensate for uneven floor surfaces. Optional power centers are available which can be mounted over bases.

CHAIR ARM CLEARANCE:

Bases provide 28" chair arm clearance.

DRAWER CONSTRUCTION:

Four corner dove tailed box and file drawers are built as separate units for strength and durability. All drawers are finished with a 3 step catalyzed varnish finish to seal the grain and provide a smooth inner surface. Drawers are built with 7/16" thick wood sides and 3/16" thick wood bottoms. Drawer fronts are attached separately.

DRAWER SUSPENSION:

Box and file drawers utilize a heavy duty full extension metal ball bearing slide for smooth operation and long life.

LOCKS:

Doors on buffets are standard locking.

HINGES:

Hinges on all doors are metal, self-closing, fully adjustable style. Hinges on all table tops are metal, soft self-closing, fully adjustable style.

POWER, COMMUNICATION AND WIRE MANAGEMENT:

Overture offers a wide range of bases that accommodate technology through power center and trough systems. When technology is specified, troughs are attached to the underside of the top and fit into bases to route cables discreetly, as well as the utilization of access doors in the tops providing easy access to troughs. Specifying technology in the worksurface provides the cut out and access doors. Electrical components must be ordered separately.

Tri-Power Electrical Data Strip (P-EC1200TP-72 or P-EC1200TP-120) can be used with CT & NT options, see page PC2

CODE REQUIREMENTS:

Electrical codes vary by location. Specifiers should contact a qualified electrical contractor or engineer about local requirements. Components meet the latest edition of the national electric code. Components are listed by underwriters laboratories and certified by the Canadian Standard Association.

See page PC1 for Electrical Components.

Overture Tops

	Designators	
Finishes	NEW	Veneer (V)
Autumn on Cherry	PC211	✓
Cafelle on Cherry	PC215	✓
Caramel on Cherry	PC235	✓
Cordovan on Cherry	PC223	✓
Shaker on Cherry	PC231	✓
Sienna on Cherry	PC227	✓
Harvest on Maple	PM313	✓
Kensington on Maple	PM311	✓

Metal Finishes	Designators
Alloy	AL

Edge Options



Chamfer (CF)



Quarter Bullnose (QB)

Corner Technology Options

CO - no upcharge

CT - see top for upcharge

NT - see top for upcharge

CT & NT options require 2 Material & Finish options

Pull Options



Arc (AC)



Bead (BD)



Bar (BR)



Cable (CB)




Chamfer (CH)




Crescent (CS)



Rod (RD)



Shark (SH)



Slot (ST)




Wave (WV)

Matte Black (MB) or
Matte Chrome (MC)


OPTIONS CONTINUED ON NEXT PAGE

Shapes & Sizes



Round

42"
48"
60"



Square

42" x 42"
48" x 48"
60" x 60"



Rectangular

72" x 36" 84" x 48"
96" x 48" 120" x 48"
144" x 48" 144" x 54"
144" x 60" 168" x 48"
168" x 54" 168" x 60"
192" x 48" 192" x 54"
192" x 60"




Racetrack

72" x 36" 84" x 48"
96" x 48" 120" x 48"
144" x 48" 144" x 54"
144" x 60" 168" x 48"
168" x 54" 168" x 60"
192" x 48" 192" x 54"
192" x 60"



Boat

72" x 36" 84" x 48"
96" x 48" 120" x 48"
144" x 48" 144" x 54"
144" x 60" 168" x 48"
168" x 54" 168" x 60"
192" x 48" 192" x 54"
192" x 60"



Video


96" x 54" 120" x 54"
144" x 54" 144" x 60"
168" x 54" 168" x 60"
192" x 54" 192" x 60"

Base Technology Options

O - no technology

T - includes technology

Door Options



No Doors (DO)



Glass Doors (DG)



Wood Doors (DW)

Pulls are sub-option of doors. See each model for upcharge

Lock Key Options

STD - random

OMT - keyed alike - order lock core separately -

see page OV24

Vent Options

NV - No vent

YV - Yes vent

TOP SHAPE	TABLE MODELS	SEATING CAPACITY FOR TABLE
	Rectangular Table Tops	
	P-OV7236TT	6
	P-OV8448TT	6
	P-OV9648TT	8
	P-OV12048TT	10
	P-OV14448TT	12
	P-OV14454TT	12
	P-OV14460TT	12
	P-OV16848TT	12 - 14
	P-OV16854TT	12 - 14
	P-OV16860TT	12 - 14
	P-OV19248TT	14 - 16
	P-OV19254TT	14 - 16
	P-OV19260TT	14 - 16
	Video Conference Tops	
	P-OV9654VT	7
	P-OV12054VT	9
	P-OV14454VT	11
	P-OV14460VT	11
	P-OV16854VT	11 - 13
	P-OV16860VT	11 - 13
	P-OV19254VT	13 - 15
	P-OV19260VT	13 - 15
	Racetrack Tops	
	P-OV7236RT	6
	P-OV8448RT	6
	P-OV9648RT	8
	P-OV12048RT	10
	P-OV14448RT	12
	P-OV14454RT	12
	P-OV14460RT	12
	P-OV16848RT	12 - 14
	P-OV16854RT	12 - 14
	P-OV16860RT	12 - 14
	P-OV19248RT	14 - 16
	P-OV19254RT	14 - 16
	P-OV19260RT	14 - 16

TOP SHAPE	TABLE MODELS	SEATING CAPACITY FOR TABLE
	Boat Table Tops	
	P-OV7242BT	6
	P-OV8448BT	6
	P-OV9648BT	8
	P-OV12048BT	10
	P-OV14448BT	12
	P-OV14454BT	12
	P-OV14460BT	12
	P-OV16848BT	12 - 14
	P-OV16854BT	12 - 14
	P-OV16860BT	12 - 14
	P-OV19248BT	14 - 16
	P-OV19254BT	14 - 16
	Square Tops	
	P-OV4242ST	4
	P-OV4848ST	4
	P-OV6060ST	8
	Round Tops	
	P-OV4200TT	4
	P-OV4800TT	4
	P-OV6000TT	6

Top thickness
1⁷/₁₆

Rectangular Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7236	72	36	1 ⁷ / ₁₆	16848	168	48	1 ⁷ / ₁₆	List of options
8448	84	48	1 ⁷ / ₁₆	16854	168	54	1 ⁷ / ₁₆	Electrical / Data
9648	96	48	1 ⁷ / ₁₆	16860	168	60	1 ⁷ / ₁₆	Table Bases
12048	120	48	1 ⁷ / ₁₆	19248	192	48	1 ⁷ / ₁₆	pages OV2 - OV3
14448	144	48	1 ⁷ / ₁₆	19254	192	54	1 ⁷ / ₁₆	pages PC1 - PC8
14454	144	54	1 ⁷ / ₁₆	19260	192	60	1 ⁷ / ₁₆	page OV9
14460	144	60	1 ⁷ / ₁₆					For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.

Specifications

Each top requires a specific base.
Electrical components must be ordered separately.

SIN # 711-9

Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)	Notched Corners w/ Technology (NT)
P-OV7236TT (1 piece)	\$ 3013	\$ 4426	\$ 5700
(Ship wt / cubes)	(115 / 4.9)	(125 / 17.9)	(125 / 17.9)
P-OV8448TT (1 piece)	\$ 3659	\$ 5305	\$ 6608
(Ship wt / cubes)	(175 / 8)	(192 / 29.4)	(192 / 29.4)
P-OV9648TT (1 piece)	\$ 3917	\$ 5563	\$ 6950
(Ship wt / cubes)	(200 / 8.5)	(219 / 31.2)	(219 / 31.2)
P-OV12048TT (1 piece)	\$ 4524	\$ 6334	\$ 7854
(Ship wt / cubes)	(250 / 10.6)	(288 / 38.7)	(288 / 38.7)
P-OV14448TT (2 pieces)	\$ 5827	\$ 8364	\$ 10267
(Ship wt / cubes)	(300 / 12.7)	(330 / 46.4)	(330 / 46.4)
P-OV14454TT (2 pieces)	\$ 6557	\$ 8852	\$ 10819
(Ship wt / cubes)	(340 / 9.3)	(400 / 46.5)	(400 / 46.5)
P-OV14460TT (2 pieces)	\$ 7286	\$ 9835	\$ 12023
(Ship wt / cubes)	(440 / 12)	(438 / 60)	(438 / 60)
P-OV16848TT (2 pieces)	\$ 6907	\$ 9354	\$ 11294
(Ship wt / cubes)	(350 / 14.8)	(380 / 54.1)	(380 / 54.1)
P-OV16854TT (2 pieces)	\$ 8072	\$ 10454	\$ 12427
(Ship wt / cubes)	(420 / 16.5)	(440 / 60.3)	(440 / 60.3)
P-OV16860TT (2 pieces)	\$ 8971	\$ 12110	\$ 14799
(Ship wt / cubes)	(440 / 12)	(510 / 60)	(510 / 60)
P-OV19248TT (2 pieces)	\$ 8286	\$ 11195	\$ 13164
(Ship wt / cubes)	(400 / 16.8)	(430 / 61.4)	(430 / 61.4)
P-OV19254TT (2 pieces)	\$ 9204	\$ 11953	\$ 13979
(Ship wt / cubes)	(455 / 18.9)	(483 / 69)	(483 / 69)
P-OV19260TT (2 pieces)	\$ 10226	\$ 13806	\$ 16873
(Ship wt / cubes)	(502 / 13.7)	(582 / 68.5)	(582 / 68.5)

P-OV14448TT, P-OV14454TT, P-OV14460TT, P-OV16848TT, P-OV16854TT, P-OV16860TT
P-OV19248TT, P-OV19254TT & P-OV19260TT -

Shipped K/D, require base with three vertical structures & have three doors when technology specified.

P-OV7236TT, P-OV8448TT, P-OV9648TT & P-OV12048TT -

Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer,

Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish

Technology Doors' Material & Finish is a sub-option of Corner Technology

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology & Technology Doors' Material & Finish

P-OV12048TT. VPC215. CF. CTVPC215

Top thickness
1⁷/₁₆

Video Conference Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
9654	96	54	1 ⁷ / ₁₆	16854	168	54	1 ⁷ / ₁₆	List of options pages OV2 - OV3
12054	120	54	1 ⁷ / ₁₆	16860	168	60	1 ⁷ / ₁₆	Electrical / Data pages PC1 - PC8
14454	144	54	1 ⁷ / ₁₆	19254	192	54	1 ⁷ / ₁₆	Table Bases page OV10
14460	144	60	1 ⁷ / ₁₆	19260	192	60	1 ⁷ / ₁₆	


For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.

Specifications


Each top requires a specific base.
Electrical components must be ordered separately.

SIN # 711-9


Video Conference Top



CO



CT



NT

Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)	Notched Corners w/ Technology (NT)
P-OV9654VT (1 piece)	\$ 4369	\$ 6060	\$ 6654
(Ship wt / cubes)	(210 / 9.5)	(229 / 34.7)	(229 / 34.7)
P-OV12054VT (1 piece)	\$ 5382	\$ 7258	\$ 8725
(Ship wt / cubes)	(260 / 11.9)	(298 / 43.5)	(298 / 43.5)
P-OV14454VT (2 pieces)	\$ 6517	\$ 9395	\$ 10796
(Ship wt / cubes)	(310 / 14.2)	(340 / 51.9)	(340 / 51.9)
P-OV14460VT (2 pieces)	\$ 7243	\$ 9779	\$ 11950
(Ship wt / cubes)	(378 / 10.3)	(438 / 51.5)	(438 / 51.5)
P-OV16854VT (2 pieces)	\$ 7609	\$ 10396	\$ 10611
(Ship wt / cubes)	(320 / 16.5)	(450 / 60.3)	(450 / 60.3)
P-OV16860VT (2 pieces)	\$ 8455	\$ 11413	\$ 13952
(Ship wt / cubes)	(440 / 12)	(510 / 60)	(510 / 60)
P-OV19254VT (2 pieces)	\$ 8730	\$ 11905	\$ 13454
(Ship wt / cubes)	(465 / 18.9)	(483 / 69)	(483 / 69)
P-OV19260VT (2 pieces)	\$ 9807	\$ 13240	\$ 16179
(Ship wt / cubes)	(502 / 13.7)	(582 / 68.5)	(582 / 68.5)

P-OV14454VT, P-OV14460VT, P-OV16854VT, P-OV16860VT, P-OV19254VT & P-OV19260VT -
Shipped K/D, require base with three vertical structures & have three doors when technology specified.
P-OV9654VT & P-OV12054VT -
Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish
Technology Doors' Material & Finish is a sub-option of Corner Technology

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology & Technology Doors' Material & Finish

P-OV19254VT. VPC231. QB. CTVPC231

Top thickness
1⁷/₁₆


Racetrack Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7236	72	36	1 ⁷ / ₁₆	16848	168	48	1 ⁷ / ₁₆	List of options pages OV2 - OV3
8448	84	48	1 ⁷ / ₁₆	16854	168	54	1 ⁷ / ₁₆	Electrical / Data pages PC1 - PC8
9648	96	48	1 ⁷ / ₁₆	16860	168	60	1 ⁷ / ₁₆	Table Bases page OV11
12048	120	48	1 ⁷ / ₁₆	19248	192	48	1 ⁷ / ₁₆	For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.
14448	144	48	1 ⁷ / ₁₆	19254	192	54	1 ⁷ / ₁₆	
14454	144	54	1 ⁷ / ₁₆	19260	192	60	1 ⁷ / ₁₆	
14460	144	60	1 ⁷ / ₁₆					


Specifications
Each top requires a specific base.
Electrical components must be ordered separately.

SIN # 711-9

Racetrack Table Top



CO



CT

Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)
P-OV7236RT (1 piece)	\$ 3393	\$ 4891
(Ship wt / cubes)	(115 / 4.9)	(125 / 17.9)
P-OV8448RT (1 piece)	\$ 4118	\$ 5764
(Ship wt / cubes)	(175 / 8)	(192 / 29.4)
P-OV9648RT (1 piece)	\$ 4408	\$ 6143
(Ship wt / cubes)	(200 / 8.5)	(219 / 31.2)
P-OV12048RT (1 piece)	\$ 4737	\$ 6659
(Ship wt / cubes)	(250 / 10.6)	(288 / 38.7)
P-OV14448RT (2 pieces)	\$ 6376	\$ 9086
(Ship wt / cubes)	(300 / 12.7)	(330 / 46.4)
P-OV14454RT (2 pieces)	\$ 7174	\$ 9685
(Ship wt / cubes)	(340 / 9.3)	(400 / 46.5)
P-OV14460RT (2 pieces)	\$ 7971	\$ 10761
(Ship wt / cubes)	(378 / 10.3)	(438 / 51.5)
P-OV16848RT (2 pieces)	\$ 7060	\$ 9680
(Ship wt / cubes)	(350 / 14.8)	(380 / 54.1)
P-OV16854RT (2 pieces)	\$ 8349	\$ 10969
(Ship wt / cubes)	(420 / 16.5)	(440 / 60.3)
P-OV16860RT (2 pieces)	\$ 9276	\$ 12523
(Ship wt / cubes)	(440 / 12)	(510 / 60)
P-OV19248RT (2 pieces)	\$ 8917	\$ 11996
(Ship wt / cubes)	(400 / 16.8)	(430 / 61.4)
P-OV19254RT (2 pieces)	\$ 9733	\$ 12739
(Ship wt / cubes)	(455 / 18.9)	(483 / 69)
P-OV19260RT (2 pieces)	\$ 10814	\$ 14599
(Ship wt / cubes)	(502 / 13.7)	(582 / 68.5)

P-OV14448RT, P-OV14454RT, P-OV14460RT, P-OV16848RT, P-OV16854RT, P-OV16860RT
P-OV19248RT, P-OV19254RT & P-OV19260RT -

Shipped K/D, require base with three vertical structures & have three doors when technology specified.

P-OV7236RT, P-OV8448RT, P-OV9648RT & P-OV12048RT -

Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO),

Plain face veneer, full corners with technology console (CT)

*CO option does not require specification of technology doors' material & finish

Technology Doors' Material & Finish is a sub-option of Corner Technology

**Specify Material & Finish/Edge/Corner-Technology & Technology
Doors' Material & Finish**

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology, Material & Finish

P-OV7236RT. VPM311. CF. CTVPM311

Top thickness
1⁷/₁₆




Boat Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
7242	72	42	1 ⁷ / ₁₆	16848	168	48	1 ⁷ / ₁₆	List of options pages OV2 - OV3
8448	84	48	1 ⁷ / ₁₆	16854	168	54	1 ⁷ / ₁₆	Electrical / Data pages PC1 - PC8
9648	96	48	1 ⁷ / ₁₆	16860	168	60	1 ⁷ / ₁₆	Table Bases page OV12
12048	120	48	1 ⁷ / ₁₆	19248	192	48	1 ⁷ / ₁₆	For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.
14448	144	48	1 ⁷ / ₁₆	19254	192	54	1 ⁷ / ₁₆	
14454	144	54	1 ⁷ / ₁₆	19260	192	60	1 ⁷ / ₁₆	
14460	144	60	1 ⁷ / ₁₆					

Specifications

Each top requires a specific base.
Electrical components must be ordered separately.

SIN # 711-9

Boat Top	Description / Model	Full Corners w/o Technology (CO)	Full Corners w/ Technology (CT)	Notched Corners w/ Technology (NT)
	P-OV7242BT (1 piece)	\$ 3510	\$ 4916	\$ 6206
	(Ship wt / cubes)	(117 / 4.9)	(127 / 17.9)	(127 / 17.9)
	P-OV8448BT (1 piece)	\$ 4077	\$ 5723	\$ 7026
	(Ship wt / cubes)	(175 / 8)	(192 / 29.4)	(192 / 29.4)
	P-OV9648BT (1 piece)	\$ 4305	\$ 5951	\$ 7254
	(Ship wt / cubes)	(200 / 8.5)	(219 / 31.2)	(219 / 31.2)
	P-OV12048BT (1 piece)	\$ 4893	\$ 6731	\$ 8248
	(Ship wt / cubes)	(250 / 10.6)	(288 / 38.7)	(288 / 38.7)
	P-OV14448BT (2 pieces)	\$ 5271	\$ 8981	\$ 10414
CT	(Ship wt / cubes)	(300 / 12.7)	(330 / 46.4)	(330 / 46.4)
	P-OV14454BT (2 pieces)	\$ 5931	\$ 8005	\$ 9786
	(Ship wt / cubes)	(340 / 9.3)	(400 / 46.5)	(400 / 46.5)
NT	P-OV14460BT (2 pieces)	\$ 6589	\$ 8895	\$ 10871
	(Ship wt / cubes)	(378 / 10.3)	(438 / 51.5)	(438 / 51.5)
	P-OV16848BT (2 pieces)	\$ 7110	\$ 9569	\$ 11008
	(Ship wt / cubes)	(350 / 14.8)	(380 / 54.1)	(380 / 54.1)
	P-OV16854BT (2 pieces)	\$ 8301	\$ 10759	\$ 12359
	(Ship wt / cubes)	(420 / 16.5)	(440 / 60.3)	(440 / 60.3)
	P-OV16860BT (2 pieces)	\$ 9224	\$ 12454	\$ 15219
	(Ship wt / cubes)	(440 / 12)	(510 / 60)	(510 / 60)
	P-OV19248BT (2 pieces)	\$ 8448	\$ 11450	\$ 15043
	(Ship wt / cubes)	(400 / 16.8)	(430 / 61.4)	(430 / 61.4)
	P-OV19254BT (2 pieces)	\$ 9894	\$ 12649	\$ 14126
	(Ship wt / cubes)	(455 / 18.9)	(483 / 69)	(483 / 69)
	P-OV19260BT (2 pieces)	\$ 10993	\$ 14842	\$ 18139
	(Ship wt / cubes)	(502 / 13.7)	(582 / 68.5)	(582 / 68.5)

P-OV14448BT, P-OV14454BT, P-OV14460BT, P-OV16848BT, P-OV16854BT, P-OV16860BT
P-OV19248BT, P-OV19254BT & P-OV19260BT -

Shipped K/D, require base with three vertical structures & have three doors when technology specified.

P-OV7242BT, P-OV8448BT, P-OV9648BT & P-OV12048BT -

Require base with two vertical structures & has two doors when technology specified.

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish
Technology Doors' Material & Finish is a sub-option of Corner Technology

**Specify Material & Finish/Edge/Corner-Technology & Technology
Doors' Material & Finish**

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology, Material & Finish

P-OV19260BT. VPC223. QB. CO

Top thickness

17/16

Square & Round Tops

Sizes Dimensions

	W	D	H
4200	42	42	17/16
4242	42	42	17/16
4800	48	48	17/16
4848	48	48	17/16
6000	60	60	17/16
6060	60	60	17/16

Reference Pages

List of options	pages OV2 - OV3
Electrical / Data	pages PC1 - PC8
Table Bases	page OV13


For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.

Specifications


Each top requires a specific base.
Electrical components must be ordered separately.

SIN # 711-9


Square Top



CO



CT



NT

Description / Model

Full Corners w/o Technology (CO)

Full Corners w/ Technology (CT)

Notched Corners w/ Technology (NT)

P-OV4242ST (1 piece)

\$ 2851

\$ 3303

\$ 4523

(Ship wt / cubes)

(82 / 3.4)

(97 / 12.4)

(97 / 12.4)

P-OV4848ST (1 piece)

\$ 3260

\$ 3703

\$ 4964

(Ship wt / cubes)

(105 / 4.3)

(120 / 15.7)

(120 / 15.7)

P-OV6060ST (1 piece)

\$ 4028

\$ 4480

\$ 5750

(Ship wt / cubes)

(160 / 6.7)

(175 / 24.5)

(175 / 24.5)

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT), Inlay face veneer, notched corners with technology console (NT)

*CO option does not require specification of technology doors' material & finish

All above models require base with one vertical structure & have one door when technology specified.


Technology Doors' Material & Finish is a sub-option of Corner Technology

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish

Round Top



CO



CT

Description / Model

Full Corners w/o Technology (CO)

Full Corners w/ Technology (CT)

P-OV4200TT (1 piece)

\$ 3471

\$ 3913

(Ship wt / cubes)

(82 / 3.4)

(97 / 12.4)

P-OV4800TT (1 piece)

\$ 3871

\$ 4323

(Ship wt / cubes)

(105 / 4.3)

(120 / 15.7)

P-OV6000TT (1 piece)

\$ 4561

\$ 5013

(Ship wt / cubes)

(160 / 6.7)

(175 / 24.5)

Tops specified with technology have cut out and are shipped with access doors and trough for electrical attached.

Plain face veneer, full corners without technology console (CO), Plain face veneer, Full corners with technology console (CT)

*CO option does not require specification of technology doors' material & finish

All above models require base with one vertical structure & have one door when technology specified.

Technology Doors' Material & Finish is a sub-option of Corner Technology

Specify Material & Finish/Edge/Corner-Technology & Technology Doors' Material & Finish

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner-Technology, Material & Finish

P-OV4242ST.
VPC227.
QB.
NTVPC215

Base Height
27 $\frac{7}{8}$

Rectangular Top Bases

Sizes	Dimensions		
	W	D	H
7236TTB	36	18	27 $\frac{7}{8}$
8448TTB	48	18	27 $\frac{7}{8}$
9648TTB	60	18	27 $\frac{7}{8}$
12048TTB	84	18	27 $\frac{7}{8}$
14448TTB	108	18	27 $\frac{7}{8}$
14454TTB	108	24	27 $\frac{7}{8}$
14460TTB	108	30	27 $\frac{7}{8}$

Sizes	Dimensions		
	W	D	H
16848TTB	132	18	27 $\frac{7}{8}$
16854TTB	132	24	27 $\frac{7}{8}$
16860TTB	132	30	27 $\frac{7}{8}$
19248TTB	156	18	27 $\frac{7}{8}$
19254TTB	156	24	27 $\frac{7}{8}$
19260TTB	156	30	27 $\frac{7}{8}$

Reference Pages

List of options pages OV2 - OV3
Table Tops page OV4

For additional Power Communications information
visit www.paoli.com/overture in the Details section
on that page.


Specifications

Shipped K/D


Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

Rectangular Top Base



O - Omit Technology



T - Accommodates
Technology

Description / Model	List Price	Ship wt	Cubes
P-OV7236TTB (2 vertical pcs)	\$ 1560	115	4.9
P-OV8448TTB (2 vertical pcs)	\$ 1501	100	18
P-OV9648TTB (2 vertical pcs)	\$ 1853	120	20
P-OV12048TTB (2 vertical pcs)	\$ 1853	120	20
P-OV14448TTB (3 vertical pcs)	\$ 2819	175	30
P-OV14454TTB (3 vertical pcs)	\$ 2819	185	36
P-OV14460TTB (3 vertical pcs)	\$ 2819	185	36
P-OV16848TTB (3 vertical pcs)	\$ 2819	175	30
P-OV16854TTB (3 vertical pcs)	\$ 2819	185	36
P-OV16860TTB (3 vertical pcs)	\$ 2819	185	36
P-OV19248TTB (3 vertical pcs)	\$ 2819	175	30
P-OV19254TTB (3 vertical pcs)	\$ 2819	185	36
P-OV19260TTB (3 vertical pcs)	\$ 2819	185	36

Number of upright supports per base model given in parentheses above
Rectangle top base assembly with access panels
Add a "B" to the end of the top model number
to obtain the correct base model number
(For P-OV7236TT use base P-OV7236TTB)

Specify Material & Finish/Technology

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base Material Technology
model & finish

P-OV16854TTB. VPM311. O

Base Height27 $\frac{7}{8}$ **Video Top Bases**

Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
9654VTB	60	24	27 $\frac{7}{8}$	16854VTB	132	24	27 $\frac{7}{8}$
12054VTB	84	24	27 $\frac{7}{8}$	16860VTB	132	30	27 $\frac{7}{8}$
14454VTB	108	24	27 $\frac{7}{8}$	19254VTB	156	24	27 $\frac{7}{8}$
14460VTB	108	30	27 $\frac{7}{8}$	19260VTB	156	30	27 $\frac{7}{8}$

Reference Pages

List of options pages OV2 - OV3
Table Tops page OV5



For additional Power Communications information
visit www.paoli.com/overture in the Details section
on that page.

Specifications

Shipped K/D

Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

		Description / Model	List Price	Ship wt	Cubes
Video Conference Top Base		P-OV9654VTB (2 vertical pcs)	\$ 1737	120	20
		P-OV12054VTB (2 vertical pcs)	\$ 1737	120	20
		P-OV14454VTB (3 vertical pcs)	\$ 2665	120	20
O - Omit Technology		P-OV14460VTB (3 vertical pcs)	\$ 2665	120	20
		P-OV16854VTB (3 vertical pcs)	\$ 2665	120	20
		P-OV16860VTB (3 vertical pcs)	\$ 2665	120	20
		P-OV19254VTB (3 vertical pcs)	\$ 2665	120	20
		P-OV19260VTB (3 vertical pcs)	\$ 2665	120	20
T - Accommodates Technology		Number of upright supports per base model given in parentheses above Video conference top base assembly w/access panels Add a "B" to the end of the top model number to obtain the correct base model number (For P-OV12054VT use base P-OV12054VTB)			

Specify Material & Finish/Technology**Sample model dot.option string / See pages OV2 - OV3 for a complete list of options****Specify selections, left to right:**

Choose base Material Technology
model & finish

P-OV19254VTB. VPC211. T

Base Height
27 $\frac{7}{8}$

Racetrack Top Bases

Sizes	Dimensions		
	W	D	H
7236RTB	36	18	27 $\frac{7}{8}$
8448RTB	48	18	27 $\frac{7}{8}$
9648RTB	60	18	27 $\frac{7}{8}$
12048RTB	84	18	27 $\frac{7}{8}$
14448RTB	108	18	27 $\frac{7}{8}$
14454RTB	108	24	27 $\frac{7}{8}$
14460RTB	108	30	27 $\frac{7}{8}$

Sizes	Dimensions		
	W	D	H
16848RTB	132	18	27 $\frac{7}{8}$
16854RTB	132	24	27 $\frac{7}{8}$
16860RTB	132	30	27 $\frac{7}{8}$
19248RTB	156	18	27 $\frac{7}{8}$
19254RTB	156	24	27 $\frac{7}{8}$
19260RTB	156	30	27 $\frac{7}{8}$

Reference Pages

List of options pages OV2 - OV3
Table Tops page OV6

For additional Power Communications information
visit www.paoli.com/overture in the Details section
on that page.


Specifications

Shipped K/D


Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9

Racetrack Top Base



O - Omit Technology



T - Accommodates
Technology

Description / Model	List Price	Ship wt	Cubes
P-OV7236RTB (2 vertical pcs)	\$ 1818	100	16
P-OV8448RTB (2 vertical pcs)	\$ 1750	100	16
P-OV9648RTB (2 vertical pcs)	\$ 1853	120	20
P-OV12048RTB (2 vertical pcs)	\$ 1853	120	20
P-OV14448RTB (3 vertical pcs)	\$ 2819	175	30
P-OV14454RTB (3 vertical pcs)	\$ 2819	185	36
P-OV14460RTB (3 vertical pcs)	\$ 2819	185	36
P-OV16848RTB (3 vertical pcs)	\$ 2819	175	30
P-OV16854RTB (3 vertical pcs)	\$ 2819	185	36
P-OV16860RTB (3 vertical pcs)	\$ 2819	185	36
P-OV19248RTB (3 vertical pcs)	\$ 2819	175	30
P-OV19254RTB (3 vertical pcs)	\$ 2819	185	36
P-OV19260RTB (3 vertical pcs)	\$ 2819	185	36

Number of upright supports per base model given in parentheses above
Racetrack top base assembly with access panels
Add a "B" to the end of the top model number
to obtain the correct base model number
(For P-OV16854RT use base P-OV16854RTB)

Specify Material & Finish/Technology

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base Material Technology
model & finish

P-OV19248RTB. VPC235. T

Base Height
27½

Boat Top Bases

Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
7242BTB	42	18	27½	16848BTB	132	18	27½
8448BTB	48	18	27½	16854BTB	132	24	27½
9648BTB	60	18	27½	16860BTB	132	30	27½
12048BTB	84	18	27½	19248BTB	156	18	27½
14448BTB	108	18	27½	19254BTB	156	24	27½
14454BTB	108	24	27½	19260BTB	156	30	27½
14460BTB	108	30	27½				

Specifications

Shipped K/D


Trough runs between the base supports - trough shipped attached to top, shown here for reference

SIN # 711-9


Reference Pages
List of options pages OV2 - OV3
Table Tops page OV7

For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.

Boat Top Base



O - Omit Technology



T - Accommodates Technology

Description / Model	List Price	Ship wt	Cubes
P-OV7242BTB (2 vertical pcs)	\$ 1560	100	16
P-OV8448BTB (2 vertical pcs)	\$ 1501	100	18
P-OV9648BTB (2 vertical pcs)	\$ 1593	100	20
P-OV12048BTB (2 vertical pcs)	\$ 1593	100	20
P-OV14448BTB (3 vertical pcs)	\$ 2548	160	30
P-OV14454BTB (3 vertical pcs)	\$ 2548	165	36
P-OV14460BTB (3 vertical pcs)	\$ 2548	165	36
P-OV16848BTB (3 vertical pcs)	\$ 2548	160	30
P-OV16854BTB (3 vertical pcs)	\$ 2548	165	36
P-OV16860BTB (3 vertical pcs)	\$ 2548	165	36
P-OV19248BTB (3 vertical pcs)	\$ 2548	160	30
P-OV19254BTB (3 vertical pcs)	\$ 2548	165	36
P-OV19260BTB (3 vertical pcs)	\$ 2548	165	36

Number of upright supports per base model given in parentheses above
Boat top base assembly with access panels
Add a "B" to the end of the top model number
to obtain the correct base model number
(For P-OV9648BT use base P-OV9648BTB)

Specify Material & Finish/Technology

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Technology

P-OV12048BTB. VPM313. O

Square & Round Top Bases

Sizes	Dimensions		
	W	D	H
4200	18	18	27 $\frac{7}{8}$
4242	18	18	27 $\frac{7}{8}$
4800	18	18	27 $\frac{7}{8}$
4848	24	24	27 $\frac{7}{8}$
6000	24	24	27 $\frac{7}{8}$
6060	28	28	27 $\frac{7}{8}$

Reference Pages

List of options
Table Tops

pages OV2 - OV3
page OV8


For additional Power Communications information visit www.paoli.com/overture in the Details section on that page.

Specifications

Base assembly with access panels
Trough runs inside the base

SIN # 711-9

Square Top Base




Description / Model	List Price	Ship wt	Cubes
P-OV4242STB (1 vertical pc)	\$ 1181	100	12.6
P-OV4848STB (1 vertical pc)	\$ 1271	115	18.9
P-OV6060STB (1 vertical pc)	\$ 1581	130	23.7

Add a "B" to the end of the top model number to obtain the correct base model number
(For P-OV4848ST use base P-OV4848STB)

Specify Material & Finish/Technology

Round Top Base



P-OV4200TTB (1 vertical pc)	\$ 1181	100	12.6
P-OV4800TTB (1 vertical pc)	\$ 1181	100	12.6
P-OV6000TTB (1 vertical pc)	\$ 1490	115	18.9

Add a "B" to the end of the top model number to obtain the correct base model number
(For P-OV4200TT use base P-OV4200TTB)

Specify Material & Finish/Technology

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Technology

P-OV4800TTB. VPC235. O

Buffet Credenzas

Sizes	Dimensions		
	W	D	H
2454BU1	54	24	36 $\frac{5}{16}$
2460BU1	60	24	36 $\frac{5}{16}$
2460BU2	60	24	36 $\frac{5}{16}$

Reference Pages

List of options


pages OV2 - OV3

Specifications

Crescent pull (CS) not available

SIN # 711-9

Description / Model	Full Corners (CO)	Notched Corners (NO)	Ship wt	Cubes
Buffet Credenza with Floating Top P-OV2454BU1	\$ 3892	\$ 4473	234	27



shown with notch

Two doors - one adjustable shelf - locking


Full corners (CO)

Notched corners (NO)

Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Buffet Credenza with Floating Top P-OV2460BU1	\$ 4130	\$ 4711	245	32
---	---------	---------	-----	----



shown with notch

Three doors - two adjustable shelves - locking


Full corners (CO)

Notched corners (NO)

Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Buffet Credenza with Floating Top P-OV2460BU2	\$ 4151	\$ 4732	245	32
---	---------	---------	-----	----



shown with notch

One drawer, three doors - three adjustable shelves - locking

Full corners (CO)

Notched corners (NO)

Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner Pull Lock Key

P-OV2460BU2. VVPM313. QB. NO. STMC. STD

Buffet Credenzas and Hospitality Table

Sizes Dimensions

	W	D	H
2472BU1	72	24	36 $\frac{5}{16}$
2472BU2	72	24	36 $\frac{5}{16}$
2160HT	60	21	36 $\frac{5}{16}$
2172HT	72	21	36 $\frac{5}{16}$

Reference Pages

List of options

pages OV2 - OV3


Specifications

Crescent pull (CS) not available

SIN # 711-9

Description / Model	Full Corners (CO)	Notched Corners (NO)	Ship wt	Cubes
---------------------	-------------------	----------------------	---------	-------

Buffet Credenza with Floating Top



shown with notch


P-OV2472BU1	\$ 5066	\$ 5852	350	46
--------------------	---------	---------	-----	----

Four doors - two adjustable shelves - locking
Full corners (CO)
Notched corners (NO)

Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Buffet Credenza with Floating Top



shown with notch


P-OV2472BU2	\$ 5254	\$ 6027	355	46
--------------------	---------	---------	-----	----

One drawer, four doors - three adjustable shelves - locking
Full corners (CO)
Notched corners (NO)

Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Hospitality Table with Floating Top



shown with notch

P-OV2160HT	\$ 2761	\$ 3418	150	32
-------------------	---------	---------	-----	----

P-OV2172HT	\$ 3002	\$ 3659	175	46
-------------------	---------	---------	-----	----

Full corners (CO)
Notched corners (NO)

Crescent pull (CS) not available

Specify Material & Finish/Edge/Corner/Pull

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Corner Pull Lock Key

P-OV2472BU1. VVPC227. CF. CO. BDMB. OMT

Serving Cart, Telephone Stand, Lectern and Media Center

Sizes Dimensions

	W	D	H
2446HC	46	24	36 ⁵ / ₁₆
2124TS	24	21	29 ⁵ / ₁₆
2124FLC	26 ¹ / ₂	24 ¹ / ₄	49
5442WMC	54	5	41 ¹¹ / ₁₆
7242WMC	72	5	41 ¹¹ / ₁₆

Reference Pages

List of options

pages OV2 - OV3

Specifications

Crescent pull (CS) not available (Serving Cart & Telephone Stand)

SIN # 711-9

Description / Model	Full Corners (CO)	Notched Corners (NO)	Ship wt	Cubes
Serving Cart with Floating Top P-OV2446HC	\$ 4337	\$ 5084	175	27




Two doors; One adjustable shelf - locking
Full corners (CO)
Notched corners (NO)

Crescent pull (CS) not available

shown with notch

Specify Material & Finish/Edge/Corner/Pull/Lock Key

Telephone Stand with Floating Top P-OV2124TS	\$ 2431	\$ 2431	115	9
--	---------	---------	-----	---




Full corners (CO)
Notched corners (NO)

Crescent pull (CS) not available

shown with notch

Specify Material & Finish/Edge/Corner/Pull


Description / Model	List Price	Ship wt	Cubes
Fixed Height Lectern P-OV2124FLC	\$ 2025	160	18



Wire access in base
Two adjustable shelves in lower section - cable access
Top portion is 16¹/₄"W x 13¹/₄"D x 5"H and has grommet inside to allow wires to run full height of lectern

Specify Material & Finish

Wall Hanging Media Center - TV P-OV5442WMC	\$ 1774	90	8.3
P-OV7242WMC	\$ 1885	120	10.9



Can be wall mounted or stacking on freestanding or modular buffet unit
Hanging brackets attached
Opening for TV mount is 31"W x 21"H
TV up to 54" wide in P-OV5442WMC and 72" wide in P-OV7242WMC
Plasma/LCD TV and mount NOT included
See www.levelmount.com - Model MC65 recommended

Specify Material & Finish

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish

P-OV5442WMC. VPC223

Freestanding Buffets

Sizes	Dimensions		
	W	D	H
2436WB1	36	24	36 $\frac{5}{16}$
2436WB2	36	24	36 $\frac{5}{16}$
2454WB1	54	24	36 $\frac{5}{16}$
2454WB2	54	24	36 $\frac{5}{16}$

Reference Pages

List of options

pages OV2 - OV3

Specifications

Vented backs are optional: NV - No vent, YV - Yes vent


For optional AV rack system, see www.middleatlantic.com

Standard top has corners - notch not an option - top included

SIN # 711-9

Description / Model	List Price	Ship wt	Cubes
P-OV2436WB1	\$ 2548	175	20
Two doors - one adjustable shelf - locking			


Freestanding Buffet



Specify Material & Finish/Edge/Pull/Lock Key/Vent

P-OV2436WB2	\$ 2651	175	20
One drawer, two doors - one adjustable shelf - locking			


Freestanding Buffet



Specify Material & Finish/Edge/Pull/Lock Key/Vent

P-OV2454WB1	\$ 3452	234	27
Three doors - two adjustable shelves - locking			


Freestanding Buffet



Specify Material & Finish/Edge/Pull/Lock Key/Vent

P-OV2454WB2	\$ 3787	234	27
One drawer, three doors - three adjustable shelves - locking			

Freestanding Buffet



Specify Material & Finish/Edge/Pull/Lock Key/Vent

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Pull Lock Key Vent

P-OV2436WB2. VVPC215. CF. ACMB. STD. NV

Freestanding and Modular Buffets

Sizes Dimensions

	W	D	H
2472WB1	72	24	36 $\frac{5}{16}$
2472WB2	72	24	36 $\frac{5}{16}$
2418MBL1	18	24	34 $\frac{7}{8}$
2418MBR1	18	24	34 $\frac{7}{8}$
2418MBL2	18	24	34 $\frac{7}{8}$

Reference Pages

List of options	pages OV2 - OV3
Modular Buffet Tops	page OV19


Specifications

Vented backs are optional: NV - No vent, YV - Yes vent
For optional AV rack system, see www.middleatlantic.com

SIN # 711-9

Description / Model	List Price	Ship wt	Cubes
P-OV2472WB1	\$ 4331	355	46

Freestanding Buffet




Four doors - two adjustable shelves - locking
Standard top has corners - notch not an option - top included

Specify Material & Finish/Edge/Pull/Lock Key/Vent

P-OV2472WB2	\$ 4678	355	46
--------------------	---------	-----	----

Freestanding Buffet




One drawer, four doors - three adjustable shelves - locking
Standard top has corners - notch not an option - top included

Specify Material & Finish/Edge/Pull/Lock Key/Vent

P-OV2418MBL1	\$ 1213	75	9
---------------------	---------	----	---

Modular Buffet Left




Hinged door left - one adjustable shelf - locking
Order top separately

Specify Material & Finish/Pull/Lock Key/Vent

P-OV2418MBR1	\$ 1213	75	9
---------------------	---------	----	---

Modular Buffet Right




Hinged door right - one adjustable shelf - locking
Order top separately

Specify Material & Finish/Pull/Lock Key/Vent

P-OV2418MBL2	\$ 1284	75	9
---------------------	---------	----	---

Modular Buffet Left



Drawer/Hinged door - left - one adjustable shelf - locking
Order top separately

Specify Material & Finish/Pull/Lock Key/Vent

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Pull Lock Key Vent

P-OV2418MBL2. VPC231. CHMB. STD. YV

Modular Buffets & Modular Buffet Cabinet Tops

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
2418MBR2	18	24	34 $\frac{7}{8}$	2454WCT	54	24	1 $\frac{7}{16}$	List of options Modular Buffet Tops	pages OV2 - OV3 see below
2436MB1	36	24	34 $\frac{7}{8}$	2472WCT	72	24	1 $\frac{7}{16}$		
2436MB2	36	24	34 $\frac{7}{8}$	2490WCT	90	24	1 $\frac{7}{16}$		
2418WCT	18	24	1 $\frac{7}{16}$	24108WCT	108	24	1 $\frac{7}{16}$		
2436WCT	36	24	1 $\frac{7}{16}$						

Specifications





Buffets:

Vented backs are optional: NV - No vent, YV - Yes vent

For optional AV rack system, see www.middleatlantic.com

Order top separately

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
Modular Buffet Right 	P-OV2418MBR2	\$ 1284	75	9
	Drawer/Hinged door - right - one adjustable shelf - locking			
	Specify Material & Finish/Pull/Lock Key/Vent			
Modular Buffet 	P-OV2436MB1	\$ 1432	175	20
	Two doors - one adjustable shelf-locking			
	Specify Material & Finish/Pull/Lock Key/Vent			
Modular Buffet 	P-OV2436MB2	\$ 1537	185	20
	One drawer, two doors - one adjustable shelf - locking			
	Specify Material & Finish/Pull/Lock Key/Vent			
Modular Buffet Cabinet Tops 	P-OV2418WCT	\$ 1154	29	2
	P-OV2436WCT	\$ 1264	37	2
	P-OV2454WCT	\$ 1555	60	4
	P-OV2472WCT	\$ 1801	70	4
	P-OV2490WCT	\$ 2181	84	5
	P-OV24108WCT	\$ 2537	97	5
	Edge profile on approach side only			
Specify Material & Finish/Edge				

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge

P-OV2454WCT. VPM311. QB

Stacking Bookcases

Sizes	Dimensions		
	W	D	H
1636WSB	36	16	41 ¹¹ / ₁₆
1618WSL	18	16	41 ¹¹ / ₁₆
1618WSR	18	16	41 ¹¹ / ₁₆

Reference Pages


List of options	pages OV2 - OV3
Bookcase Tops	page OV21

Specifications

Three shelves - two adjustable


SIN # 711-9

Stacking Bookcase	Description / Model	No Doors (DO)	Wood Doors (DW)	Glass Doors (DG)	Ship wt	Cubes
	P-OV1636WSB	\$ 1542	\$ 1773	\$ 1788	150	18



Specify Material & Finish/Doors & Pulls


Stacking Bookcase Left	P-OV1618WSL	\$ 1213	\$ 1309	\$ 1329	100	9
------------------------	-------------	---------	---------	---------	-----	---



Hinged door - left

Specify Material & Finish/Doors & Pulls

Stacking Bookcase Right	P-OV1618WSR	\$ 1213	\$ 1309	\$ 1329	100	9
-------------------------	-------------	---------	---------	---------	-----	---



Hinged door - right

Specify Material & Finish/Doors & Pulls

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:


Choose base model	Material & finish	Doors & Pulls
P-OV1618WSR.	VPC227.	DWBRMC

Bookcase Cabinet Tops and Wall Mounted Marker Boards

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
1618WCT	18	16 $\frac{7}{8}$	1 $\frac{1}{16}$	4848WMB	48	3	48	List of options Bookcases	pages OV2 - OV3 page OV20
1636WCT	36	16 $\frac{7}{8}$	1 $\frac{1}{16}$	5448WMB	54	3	48		
1654WCT	54	16 $\frac{7}{8}$	1 $\frac{1}{16}$	6048WMB	60	3	48		
1672WCT	72	16 $\frac{7}{8}$	1 $\frac{1}{16}$	7248WMB	72	3	48		
1690WCT	90	16 $\frac{7}{8}$	1 $\frac{1}{16}$	9648WMB	96	3	48		
16108WCT	108	16 $\frac{7}{8}$	1 $\frac{1}{16}$						
16126WCT	126	16 $\frac{7}{8}$	1 $\frac{1}{16}$						
16144WCT	144	16 $\frac{7}{8}$	1 $\frac{1}{16}$						

SIN # 711-9


Bookcase Cabinet Tops



Description / Model	List Price	Ship wt	Cubes
P-OV1618WCT	\$ 1027	20	1
P-OV1636WCT	\$ 1149	29	2
P-OV1654WCT	\$ 1394	41	2
P-OV1672WCT	\$ 1569	53	3
P-OV1690WCT	\$ 1885	65	3
P-OV16108WCT	\$ 2258	77	4
P-OV16126WCT	\$ 2904	82	4
P-OV16144WCT	\$ 3162	94	4

Specify Material & Finish/Edge

Wall Mounted Marker Boards



P-XO4848WMB	\$ 987	45	4.3
P-XO5448WMB	\$ 1091	65	5.3
P-XO6048WMB	\$ 1193	75	6.3
P-XO7248WMB	\$ 1394	85	7.5
P-XO9648WMB	\$ 1796	95	8.6

White porcelain with aluminum frame,
includes 4 markers & eraser
Aluminum frame finish: AL - Alloy (no Upcharge),
BL - Black (Upcharge for P-XO4848WMB **\$62**,
for P-XO5448WMB **\$67**, for P-XO6048WMB **\$62**,
for P-XO7248WMB **\$81** & for P-XO9648WMB **\$98**)

Specify Metal Finish

Sample model dot.option string / See pages OV2 - OV3 for a complete list of options

Specify selections, left to right:
Choose base model Metal finish

P-XO9648WMB. AL

24" x 117" Work Wall

Sizes Dimensions

	W	D	H
1860FMW	63	6	78
1450MSU	50	14	8
1860MDU	60	18	16
2478MML	27	6	78
2478MMR	27	6	78

Reference Pages


List of options

pages OV2 - OV3

Specifications

***Center Media Wall unit includes machining for and should be ordered with the Media Shelf Unit**

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Work Wall	24"x 117" Work Wall	\$ 11292	567	63.2
	Consists of: Center Media Wall* P-OV1860FMW	\$ 2310	143	24.1
	Media Shelf Unit* P-OV1450MSU	\$ 896	52	4.8
	Media Drawer Unit P-OV1860MDU	\$ 1646	142	12.9
	Media Marker Board Left P-OV2478MML	\$ 3220	115	10.7
	Media Marker Board Right P-OV2478MMR	\$ 3220	115	10.7
	Center Media Wall - Hanging kit included Unit is pre-bored to accommodate Media Shelf and Drawer Units Opening for TV mount 31"W x 21"H TV up to 60" wide in P-OV1860FMW Mounts flush to the wall with 4 3/8" cavity to manage power and data Plasma/LCD TV and mount NOT included See www.levelmount.com - Model MC65 recommended Specify Material & Finish Media Shelf Unit* - Hangs on Media Wall Hanging kit included Specify Material & Finish Media Drawer Unit - Sits on floor against Media Wall Hanging kit included Specify Material & Finish/Pull Media Marker Board - Hanging kit included Hinged door opens to provide two 24"x 48" marker board surfaces Specify Material & Finish			

24" x 63" Work Wall

Sizes Dimensions

	W	D	H
1860FMW	63	6	78
1450MSU	50	14	8
1860MDU	60	18	16

Reference Pages


List of options

pages OV2 - OV3

Specifications

***Center Media Wall unit includes machining for and should be ordered with the Media Shelf Unit**

SIN # 711-9

Center Media Wall	Description / Model	List Price	Ship wt	Cubes
	24"x 63" Work Wall	\$ 4852	337	41.8
	Consists of: Center Media Wall* P-OV1860FMW	\$ 2310	143	24.1
	Media Shelf Unit* P-OV1450MSU	\$ 896	52	4.8
	Media Drawer Unit P-OV1860MDU	\$ 1646	142	12.9
	Center Media Wall - Hanging kit included Unit is pre-bored to accommodate Media Shelf and Drawer Units Opening for TV mount 31"W x 21"H TV up to 60" wide in P-OV1860FMW Mounts flush to the wall with 4 3/8" cavity to manage power and data Plasma/LCD TV and mount NOT included See www.levelmount.com - Model MC65 recommended Specify Material & Finish Media Shelf Unit* - Hangs on Media Wall Hanging kit included Specify Material & Finish Media Drawer Unit - Sits on floor against Media Wall Hanging kit included Specify Material & Finish/Pull			

Locks

Specifications

Key numbers available for locks are X100T-X150T. Please calculate the total number of locks you need to order. Then calculate how many must be keyed alike. Select the same key number for each of the locks you would like to be keyed alike.

For example, if you need 15 locks ordered for your office with 5 keyed alike for one office and 10 keyed alike for another office, it would look like this: 5 - P-PCMB.X101T, 10 - P-PCMB.X102T

SIN # 711-8

Locks	Description / Model	List Price	Ship wt	Cubes
Lock Core Matte Black	P-PCMB	\$ 12	1	0.1
Lock Core Matte Chrome	P-PCMC	\$ 12	1	10
Specify Key Number				
Master Key	P-PMK	\$ 5	1	0.1
Change Key	P-PCK	\$ 10	1	0.1

Sample model dot.option string

Specify selections, left to right:

Choose base model Key Number

P-PCMB. **X113T**

FINISH COLOR MATCHING:

Different wood species offer unique texture and grain. Minor variations in finish color may occur due to the natural characteristics of wood. Paoli carefully selects all material used in every product insuring a commercially acceptable color and finish.

TOPS:

Thermally Fused Laminate (TFL): TFL tops are 1 3/16" thick and feature a 3 ply balanced panel construction with 3mm PVC banded edges with Softened (SO) profile. The Softened (SO) profile occurs on all four edges.

High Pressure Laminate (HPL): HPL tops are 1 3/16" thick and feature a 3 ply balanced panel construction with 3mm PVC banded edges with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

Veneer: Veneer tops are 1 3/16" thick and feature a 3 ply balanced panel construction with optional Softened (SO) or Blade (BA) profiles. If a Softened (SO) profile is specified it occurs on all four edges. If a Blade (BA) profile is specified it occurs on the user side only. The other three sides have the Softened profile.

Edges

Thermally Fused Laminate (TFL) Tops: 3MM PVC with Softened profile.

High Pressure Laminate (HPL) Tops: 3MM PVC with Blade or Softened profiles. The underside of the Blade edge profile is dark brown paint for all laminates except white which has a white paint finish on the underside of the Blade edge profile.

Veneer Tops: Available with Blade or Softened profiles. The underside of the Blade edge profile is finished to match the top.

Materials / Finishes

Thermally Fused Laminate: available in Autumn Cherry II, Cafelle, Cordovan Cherry, Shaker Cherry, Sienna Cherry, Harvest Maple, Kensington Maple, Colombian Walnut, Frosty White, Grey Cloud, Monterey Beige & Slate Grey

High Pressure Laminate (Top option only): available in Cafelle, Shaker Cherry, Harvest Maple, Kensington Maple, Colombian Walnut, Frosty White, Grey Cloud, Monterey Beige & Slate Grey

Veneers: available in Autumn on Cherry, Cafelle on Cherry, Caramel on Cherry, Cordovan on Cherry, Shaker on Cherry, Sienna on Cherry, Harvest on Maple, Kensington on Maple & Colombian on Walnut.

BASES

Share tables include metal bases with glides or optional locking casters.

GROMMETS

Grommet cutouts in table surfaces are optional and can be specified in various sizes. Electrical grommet units are specified separately. See the Share accessory section for grommet options

CHASSIS CONSTRUCTION:

Drawer fronts are slip matched cherry or maple veneer, book matched walnut veneer or cherry, maple or walnut TFL . All units are reinforced with cams, dowels, metal brackets and hardwood cleats. All base units have adjustable leveling glides to compensate for uneven floor surfaces. Drawer fronts are full overlay.

MODESTY PANELS

Modesty panels come standard with hinge feature.

DRAWER CONSTRUCTION:

Drawer fronts are attached separately to the fully assembled, four sided, English dovetailed or vinyl wrapped - miter folded drawer boxes.

DRAWER SUSPENSION:

File drawers utilize a heavy duty full extension metal ball bearing slide for smooth operation. Box drawers operate on full extension slides allowing complete access to the drawer.

LOCKING:

Locking is standard on storage and buffet units.

DRAWER HARDWARE:

Six hardware styles are available in Matte Chrome finish. Specify style and finish when ordering.


HINGES

Hinges are European style and are easily adjustable in the field.

Share Finishes

	Designators			
Finishes		Veneer (V)	HPL (H)	TFL (L)
Autumn on Cherry	PC211	✓		
Autumn Cherry II	211		✓	✓
Cafelle on Cherry	PC215	✓		
Cafelle	215		✓	✓
Caramel on Cherry	PC235	✓		
Cordovan on Cherry	PC223	✓		
Cordovan Cherry	223			✓
Shaker on Cherry	PC231	✓		
Shaker Cherry	231		✓	✓
Sienna on Cherry	PC227	✓		
Sienna Cherry	227			✓
Harvest on Maple	PM313	✓		
Harvest Maple	313		✓	✓
Kensington on Maple	PM311	✓		
Kensington Maple	311		✓	✓
Colombian on Walnut	PW519	✓		
Colombian Walnut	519		✓	✓
Heights on Walnut	PW535	✓		
Walnut Heights	535		✓	✓
Skyline on Walnut	PW527	✓		
Skyline Walnut	527		✓	✓
Studio on Walnut	PW531	✓		
Studio Teak	531		✓	✓
Frosty White	732		✓	✓
Grey Cloud	736		✓	✓
Monterey Beige	742		✓	✓
Slate Grey	756		✓	✓


Edge Options




Softened (SO)

Blade (BA) - \$100 upcharge
(Available on veneer or HPL only)


Pull Options




Bead (BD)



Beam (BM)



Cable (CB)



Spline (SP)



Sweep (SW)

Matte Chrome (MC) finish

Grommet Options - \$50 upcharge

Centered:

5" x 4" G0504*

8" x 4" G0804*

Standard C**

Left L**

Right R**

Both B**

All A**

No grommet N

Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18***Option includes grommet sleeve & cover****Base Options**

	Page #s	Café Height Bases	Fixed T Bases	Flip Top Bases	X Bases
Modular Tables	SH5 - SH7		✓		
Round Tables	SH8				✓
Square Tables	SH8				✓
Training Tables	SH12			✓	
Round Café Tables	SH13	✓			
Square Café Tables	SH13	✓			

Café Height Bases

Glide no upcharge CXAG

Fixed T Base

Glide no upcharge TG

Casters locking **\$60** upcharge TC**Flip Top Base**

Glide no upcharge FTG

Casters locking **\$60** upcharge FTC**X Bases**

Single X Base no upcharge SXG

Glides no upcharge SXAG

Casters locking **\$60** upcharge SXAC**Door Front**

Veneer V

Laminate L __

Drawer Type

Vinyl Wrapped VW

English Dovetail Wood WD **\$100** upcharge per pedestal

see previous page for veneer & laminate options

Lock Key Options


STD - random

OMT - keyed alike - order lock core separately - see page SH20

Table Top Shapes



Rectangular Modular



Arc Modular



Trapezoid Modular




Round




Square

Corner Connecting Tops (no legs)



45 Degree



60 Degree



90 Degree

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Rectangular Modular Tables

Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
2448TT	48	24	29	3048TT	48	30	29
2454TT	54	24	29	3054TT	54	30	29
2460TT	60	24	29	3060TT	60	30	29
2466TT	66	24	29	3066TT	66	30	29
2472TT	72	24	29	3072TT	72	30	29
				3660TT	60	36	29
				3672TT	72	36	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Wire management channel in legs with removable cap

Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Grommet Options - \$50 upcharge -


Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

SIN # 711-9

Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
Rectangular Modular Tables					
 P-SH2448TT-__	\$ 959	\$ 742	\$ 718	51	4.5
P-SH2454TT-__	\$ 1034	\$ 786	\$ 761	55	5
P-SH2460TT-__	\$ 1113	\$ 828	\$ 804	62	5.6
P-SH2466TT-__	\$ 1171	\$ 846	\$ 821	67	6.1
P-SH2472TT-__	\$ 1234	\$ 863	\$ 839	73	6.7
P-SH3048TT-__	\$ 1058	\$ 786	\$ 761	59	5.6
P-SH3054TT-__	\$ 1142	\$ 852	\$ 828	68	6.2
P-SH3060TT-__	\$ 1226	\$ 924	\$ 899	74	6.9
P-SH3066TT-__	\$ 1295	\$ 948	\$ 924	81	7.6
P-SH3072TT-__	\$ 1369	\$ 978	\$ 954	87	8.2
P-SH3660TT-__	\$ 1396	\$ 998	\$ 974	87	8.2
P-SH3672TT-__	\$ 1466	\$ 1028	\$ 1003	100	9.8

Top and Bases are included
Modesty panel - order separately
 Shipped K/D

Distance between table legs:
 48" table leg distance is 33 5/8"
 54" table leg distance is 39 5/8"
 60" table leg distance is 45 5/8"
 66" table leg distance is 51 5/8"
 72" table leg distance is 57 5/8"

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Grommet	Base
P-SH2472TT-H.	H742.	SO.	G0504.	TG

Arc Modular Tables

Sizes	Dimensions		
	W	D	H
3048AT	48	24-30	29
3054AT	54	24-30	29
3060AT	60	24-30	29
3066AT	66	24-30	29
3072AT	72	24-30	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Wire management channel in legs with removable cap

Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Grommet Options - \$50 upcharge -


Centered:


5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

***Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18**

****Option includes grommet sleeve & cover**

SIN # 711-9

Arc Modular Tables	Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
	P-SH3048AT-__	\$ 1142	\$ 839	\$ 828	59	5.6
	P-SH3054AT-__	\$ 1234	\$ 918	\$ 899	68	6.2
	P-SH3060AT-__	\$ 1324	\$ 998	\$ 972	74	6.9
	P-SH3066AT-__	\$ 1403	\$ 1027	\$ 1003	81	7.6
	P-SH3072AT-__	\$ 1472	\$ 1062	\$ 1033	87	8.2



Top and Bases are included
Modesty panel - order separately
 Shipped K/D

Distance between table legs:
 48" table leg distance is 33 $\frac{3}{8}$ "
 54" table leg distance is 39 $\frac{5}{8}$ "
 60" table leg distance is 45 $\frac{5}{8}$ "
 66" table leg distance is 51 $\frac{5}{8}$ "
 72" table leg distance is 57 $\frac{5}{8}$ "

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Grommet	Base
P-SH3066AT-V.	VPW519.	SO.	G0504.	TG

Trapezoid Modular Tables

Sizes	Dimensions		
	W	D	H
2448TP	48	24	29
2460TP	60	24	29
3048TP	48	30	29
3060TP	60	30	29
3672TP	72	36	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Wire management channel in legs with removable cap

Specify Fixed T-leg with casters or glides - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Grommet Options - \$50 upcharge -

Centered:

5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

SIN # 711-9

Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
Trapezoid Modular Tables					
 P-SH2448TP-__	\$ 932	\$ 778	\$ 755	51	4.5
P-SH2460TP-__	\$ 1086	\$ 869	\$ 846	60	5.6
P-SH3048TP-__	\$ 1000	\$ 731	\$ 707	60	5.6
P-SH3060TP-__	\$ 1165	\$ 863	\$ 839	74	6.9
P-SH3672TP-__	\$ 1401	\$ 967	\$ 942	100	9.8

Top and Bases are included

Modesty panel - order separately

P-SH2448TP & P-SH3048TP use P-SH0924__

P-SH2460TP & P-SH3060TP use P-SH0936__

P-SH3672TP use P-SH0948__

Shipped K/D

Distance between table legs:

48" table leg distance is 33 $\frac{5}{8}$ "

54" table leg distance is 39 $\frac{5}{8}$ "

60" table leg distance is 45 $\frac{5}{8}$ "

66" table leg distance is 51 $\frac{5}{8}$ "

72" table leg distance is 57 $\frac{5}{8}$ "

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model	Material & finish	Edge	Grommet	Base
P-SH3672TP-V.	VPC215.	BA.	N.	TC

Round & Square Tables

Sizes	Dimensions			Sizes	Dimensions		
	W	D	H		W	D	H
3030T	30	30	29	3030ST	30	30	29
3636T	36	36	29	3636ST	36	36	29
4242T	42	42	29	4242ST	42	42	29
4848T	48	48	29	4848ST	48	48	29

Reference Pages

List of options

pages SH2 - SH3

Specifications

Arched tubular X base standard with glides - Alloy only


Optional base with locking casters (**\$60 upcharge**) - Alloy only

Optional locking casters

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Shipped K/D

SIN # 711-9


Round Tables 	Description / Model	Veneer <u>-V</u>	HPL <u>-H</u>	Laminate <u>-L</u>	Ship wt	Cubes
	P-SH3030T-__	\$ 1591	\$ 833	\$ 809	39	3.6
	P-SH3636T-__	\$ 1905	\$ 1027	\$ 1003	41	5
	P-SH4242T-__	\$ 2231	\$ 1267	\$ 1219	53	6.7
	P-SH4848T-__	\$ 2468	\$ 1287	\$ 1261	70	8.7




Top and Bases are included

Specify Material & Finish/Edge/Base

Square Tables



P-SH3030ST-__	\$ 1455	\$ 786	\$ 773	43	3.6
P-SH3636ST-__	\$ 1734	\$ 998	\$ 985	55	5
P-SH4242ST-__	\$ 2090	\$ 1217	\$ 1205	72	6.7
P-SH4848ST-__	\$ 2296	\$ 1237	\$ 1222	89	8.7



Top and Bases are included

Profile on all sides

Specify Material & Finish/Edge/Base

.....Dots in drawing designate side with edge detail.

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish

Edge

Grommet

Base

P-SH4242ST-V.

VPC231.

BA.

N.

SXAG

45, 60 & 90 Degree Corner Connecting Tops (No Legs)


Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
2424CT45	24	24	1 $\frac{3}{16}$	2424CT90	24	24	1 $\frac{3}{16}$	List of options	page SH2
3030CT45	30	30	1 $\frac{3}{16}$	3030CT90	30	30	1 $\frac{3}{16}$		
3636CT45	36	36	1 $\frac{3}{16}$	3636CT90	36	36	1 $\frac{3}{16}$		
2424CT60	24	24	1 $\frac{3}{16}$						
3030CT60	30	30	1 $\frac{3}{16}$						
3636CT60	36	36	1 $\frac{3}{16}$						

Specifications

Includes mounting brackets



Blade edge \$50 upcharge - (Available on veneer or HPL only)

SIN # 711-9

Description / Model		Veneer <u>-V</u>	HPL <u>-H</u>	Laminate <u>-L</u>	Ship wt	Cubes
45 Degree Corner Connecting Tops (No legs)						
	P-SH2424CT45-__	\$ 380	\$ 200	\$ 188	12	1.2
	P-SH3030CT45-__	\$ 523	\$ 288	\$ 266	20	1.8
	P-SH3636CT45-__	\$ 678	\$ 332	\$ 320	32	2.5



Specify Material & Finish/Edge

60 Degree Corner Connecting Tops (No legs)

 	P-SH2424CT60-__	\$ 449	\$ 225	\$ 211	14	1.2
	P-SH3030CT60-__	\$ 591	\$ 289	\$ 277	22	1.8
	P-SH3636CT60-__	\$ 746	\$ 357	\$ 344	34	2.5

Specify Material & Finish/Edge

90 Degree Corner Connecting Tops (No legs)

 	P-SH2424CT90-__	\$ 518	\$ 247	\$ 236	16	1.2
	P-SH3030CT90-__	\$ 659	\$ 315	\$ 303	24	1.8
	P-SH3636CT90-__	\$ 817	\$ 375	\$ 368	36	2.5

Specify Material & Finish/Edge

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See page SH2 for a complete list of options

Specify selections, left to right:

Choose base
model

Material
& finish

Edge

P-SH2424CT90-H.

H736.

SO


9" Hinged Modesty Panels

Sizes	Dimensions			Sizes	Dimensions			Reference Pages	
	W	D	H		W	D	H		
0924HMP	22	¾	9	0954HMP	52	¾	9	List of options Tables	page SH2 pages SH5 - SH8 & SH12
0930HMP	28	¾	9	0960HMP	58	¾	9		
0936HMP	34	¾	9	0966HMP	64	¾	9		
0942HMP	40	¾	9	0972HMP	70	¾	9		
0948HMP	46	¾	9						

Specifications

9" high hinged modesty panel

SIN # 711-9

Description / Model		Veneer -V	Laminate -L	Ship wt	Cubes
9" Hinged Modesty Panels					
	P-SH0924HMP-	\$ 337	\$ 170	5	0.5
	P-SH0930HMP-	\$ 348	\$ 195	5	0.6
	P-SH0936HMP-	\$ 360	\$ 219	7	0.7
	P-SH0942HMP-	\$ 384	\$ 245	9	0.8
	P-SH0948HMP-	\$ 407	\$ 269	11	1
	P-SH0954HMP-	\$ 420	\$ 295	15	1.1
	P-SH0960HMP-	\$ 448	\$ 320	17	1.2
	P-SH0966HMP-	\$ 508	\$ 345	19	1.3
	P-SH0972HMP-	\$ 596	\$ 371	21	1.4

Specify Material & Finish

Sample model dot.option string / See page SH2 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish

P-SH0966HMP-V.

VPM313


9" Hinged Metal Modesty Panels

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
0924HMMP	22	1/8	9	0954HMMP	52	1/8	9	Tables pages SH5 - SH8 & SH12
0930HMMP	28	1/8	9	0960HMMP	58	1/8	9	
0936HMMP	34	1/8	9	0966HMMP	64	1/8	9	
0942HMMP	40	1/8	9	0972HMMP	70	1/8	9	
0948HMMP	46	1/8	9					

Specifications

9" high hinged perforated metal modesty
Alloy only

SIN # 711-9

Description / Model		List Price	Ship wt	Cubes
9" Hinged Metal Modesty Panels				
	P-SH0924HMMP	\$ 301	3	0.6
	P-SH0930HMMP	\$ 325	4	0.8
	P-SH0936HMMP	\$ 348	5	0.9
	P-SH0942HMMP	\$ 378	6	1.1
	P-SH0948HMMP	\$ 407	7	1.2
	P-SH0954HMMP	\$ 437	8	1.4
	P-SH0960HMMP	\$ 466	9	1.5
	P-SH0966HMMP	\$ 496	10	1.7
	P-SH0972HMMP	\$ 540	11	1.8

Sample model dot.option string

Specify selections, left to right:

Choose base
model

P-SH0924HMMP

Flip Top Rectangular Training Tables

Sizes	Dimensions		
	W	D	H
2448TTR	48	24	29
2454TTR	54	24	29
2460TTR	60	24	29
2466TTR	66	24	29
2472TTR	72	24	29

Reference Pages

List of options	pages SH2 - SH3
Modesty Panel	pages SH10 - SH11
Power Grommets	page SH18

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

Specifications

Flip top base with release handles for nesting - Alloy only

Blade edge \$100 upcharge - (Available on veneer or HPL only)

Optional locking casters (\$60 upcharge)

Wire management channel in leg with removable cap

Grommet Options - \$50 upcharge -

Centered:


5" x 4"	G0504*	Left	L**
8" x 4"	G0804*	Right	R**
Standard	C**	Both	B**
No grommet	N	All	A**

*Option includes opening only, sleeve & cover NOT included. Power center ordered separately - see page SH18

**Option includes grommet sleeve & cover

SIN # 711-9

Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
Flip Top Rectangular Training Tables					
P-SH2448TTR-__	\$ 1364	\$ 1160	\$ 1135	51	4.5
P-SH2454TTR-__	\$ 1381	\$ 1177	\$ 1154	55	5.1
P-SH2460TTR-__	\$ 1393	\$ 1190	\$ 1154	62	5.6
P-SH2466TTR-__	\$ 1409	\$ 1203	\$ 1165	67	6.1
P-SH2472TTR-__	\$ 1421	\$ 1214	\$ 1177	73	6.7



Top and Bases are included
Modesty panel - order separately
 Shipped K/D

Distance between table legs:
 48" table leg distance is 33 5/8"
 54" table leg distance is 39 5/8"
 60" table leg distance is 45 5/8"
 66" table leg distance is 51 5/8"
 72" table leg distance is 57 5/8"

Specify Material & Finish/Edge/Grommet/Base

.....Dots in drawing designate side with edge detail. Other sides have Softened edge

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base model Material & finish Edge Grommet Base

P-SH2454TTR-V. VPC211. SO. G0504. FTC

Round & Square Café Tables

Sizes	Dimensions			Sizes	Dimensions			Reference Pages
	W	D	H		W	D	H	
3000CTT	30	30	42	3030CTT	30	30	42	List of options pages SH2 - SH3
3600CTT	36	36	42	3636CTT	36	36	42	
4200CTT	42	42	42	4242CTT	42	42	42	
4800CTT	48	48	42	4848CTT	48	48	42	

Specifications



Arched X base - Alloy only

Glide (CXAG) base only


Blade edge \$100 upcharge - (Available on veneer or HPL only)

Shipped K/D

SIN # 711-9

	Description / Model	Veneer -V	HPL -H	Laminate -L	Ship wt	Cubes
 	P-SH3000CTT-__	\$ 1591	\$ 833	\$ 809	43	3.6
	P-SH3600CTT-__	\$ 2021	\$ 1148	\$ 1124	55	5
	P-SH4200CTT-__	\$ 2350	\$ 1366	\$ 1368	72	6.7
	P-SH4800CTT-__	\$ 2585	\$ 1412	\$ 1387	89	8.7
	Top and Bases are included					
	Specify Material & Finish/Edge/Base					

Square Café Tables



P-SH3030CTT-__	\$ 1568	\$ 907	\$ 894	45	3.6
P-SH3636CTT-__	\$ 1884	\$ 1120	\$ 1088	57	5
P-SH4242CTT-__	\$ 2208	\$ 1342	\$ 1306	74	6.7
P-SH4848CTT-__	\$ 2414	\$ 1362	\$ 1348	91	8.7

Top and Bases are included
Profile on all sides

Specify Material & Finish/Edge/Base

.....Dots in drawing designate side with edge detail.

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:

Choose base
model

Material
& finish

Edge

Base

P-SH4800CTT-L.

L311.

SO.

CXAG


Presentation Board & Wall Mounted White Boards

Sizes	Dimensions		
	W	D	H
4848VB	48	4	48
4848WB	48	3	48
6048WB	60	3	48


Reference Pages

List of options page SH2

SIN # 711-9

Presentation Board	Description / Model	Veneer -V	Laminate -L	Ship wt	Cubes
	P-SH4848VB-	\$ 4084	\$ 3288	139	11.6
	White surface (non-magnetic) serves as dry erase markerboard or projector screen Tackable surface on each door Markers & erasers not included Accepts pads 22"W x 40"H maximum				

Specify Material & Finish

Wall Mounted White Board	Description / Model	List Price	Ship wt	Cubes
	P-SH4848WB	\$ 939	45	4.3
	P-SH6048WB	\$ 1175	75	6.3
	White porcelain with aluminum frame, includes 4 markers & eraser Aluminum frame finish: Alloy			

Sample model dot.option string / See page SH2 for a complete list of options

Specify selections, left to right:

Choose base
modelMaterial
& finish**P-SH4848VB-L.****L531**

Buffets & Lectern


Sizes	Dimensions		
	W	D	H
2472	72	24	36
1830	30	18½	47½

Reference Pages

List of options


pages SH2 - SH3

SIN # 711-9


Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
Flat screen buffet (screen lowers)					
 P-SH2472WBP-__	\$ 6472	\$ 5313	\$ 5199	390	48
Softened edge only 4 hinged doors - 3 compartments Outside cabinets - 3 shelves; 2 adjustable I.D. 16⅞"W x 12½"D x 32"H Center cabinet - 3 shelves; 2 adjustable I.D. 35"W x 12½"D x 32"H TV up to 42" Motorized lift with wired remote					

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key

Buffet

 P-SH2472WBO-__	\$ 4120	\$ 3426	\$ 3312	360	48
Softened edge only 4 hinged doors - 3 compartments Outside cabinets - 3 shelves; 2 adjustable I.D. 16⅞"W x 22¼"D x 32"H Center cabinet - 3 shelves; 2 adjustable I.D. 35"W x 22¼"D x 32"H					

Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key

Description / Model	Veneer -V	Laminate -L	Ship wt	Cubes
Fixed Height Lectern				
 P-SH1830FLC-__	\$ 2608	\$ 1693	160	18.5
Top portion: 16"W x 13⅜"D x 7"H 4 shelves; 3 adjustable Access doors on front side for wire management Two grommets inside to allow wires to run full height of lectern Locking casters				

Specify Material & Finish

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:	Top Material & finish	Chassis Material & finish	Edge	Pull	Door finish	Lock Key
P-SH2472WBO-LL.	L223.	L223.	SO.	BMMC.	L726.	STD

Storage Buffet

Sizes	Dimensions		
	W	D	H
2436ST1	36	24	36
2454ST1	54	24	36
2472ST1	72	24	36

Reference Pages

List of options

pages SH2 - SH3


Specifications


Softened edge only


Vented backs are optional: No vent (NV), Yes vent (YV)

For optional AV rack system, see www.middleatlantic.com

SIN # 711-9

Storage Buffet	Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
	P-SH2436ST1-__	\$ 2944	\$ 2472	\$ 2358	175	20.6
	2 hinged doors; 1 adjustable shelves					
Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent						

Storage Buffet						
	P-SH2454ST1-__	\$ 3404	\$ 2852	\$ 2738	234	30
	3 hinged doors; 2 adjustable shelves					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent					

Storage Buffet						
	P-SH2472ST1-__	\$ 3887	\$ 3240	\$ 3126	355	40
	4 hinged doors; 2 adjustable shelves					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Door Finish/Lock Key/Vent					

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:	Top Material & finish	Chassis Material & finish	Edge	Pull	Door finish	Lock Key	Vent
P-SH2472ST1-HV.	H215.	VPM311.	SO.	BDMC.	VPC215.	STD.	YV

Storage Buffet

Sizes	Dimensions		
	W	D	H
2436ST2	36	24	36
2454ST2	54	24	36
2472ST2	72	24	36

Reference Pages

List of options

pages SH2 - SH3




Specifications

Softened edge only

Vented backs are optional: No vent (NV), Yes vent (YV)

For optional AV rack system, see www.middleatlantic.com

SIN # 711-8

	Description / Model	Veneer / Veneer	HPL / Veneer	Laminate / Laminate	Ship wt	Cubes
Storage Buffet 	P-SH2436ST2-__	\$ 3114	\$ 2642	\$ 2530	185	20.6
	1 drawer, 2 hinged doors; 1 adjustable shelf					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent					
Storage Buffet 	P-SH2454ST2-__	\$ 3574	\$ 3023	\$ 2909	244	30
	1 drawer, 3 hinged doors; 3 adjustable shelves					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent					
Storage Buffet 	P-SH2472ST2-__	\$ 4057	\$ 3409	\$ 3296	365	40
	1 drawer, 4 hinged doors; 3 adjustable shelves					
	Specify Material & Top Finish/Chassis Finish/Edge/Pull/Drawer Type/Door Finish/Lock Key/Vent					

Sample model dot.option string / See pages SH2 - SH3 for a complete list of options

Specify selections, left to right:	Top Material & finish	Chassis Material & finish	Edge	Pull	Drawer Type	Door finish	Lock Key	Vent
P-SH2472ST2-LL.	L527.	L726.	SO.	SWMC.	VW.	L726.	OMT.	YV.

Accessories & Power Grommets

Sizes	Dimensions	
	W	D
0505GM	5	5
0804RP	8¼	4¾
0504RP	5¾	4¼


For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
--	---------------------	------------	---------	-------

Accessories

Ganging Module

**P-SH0505GM**

\$ 83


2.5

0.13

Ganging bracket with 4 rosette thumb screws

Power Grommets

Retractable power/data center

**P-EC0804RP-72C**

\$ 209

5

0.21

P-EC0804RP-120C


\$ 231

8

0.21

2-15 amp simplex
72" cord for P-EC0804RP-72C
120" cord for P-EC0804RP-120C
Requires 4" x 8" rectangular cut out
Two data openings
Order data separately

Retractable power/data center - hardwire

**P-EC0804RP-72H**


\$ 252

5

0.21

2-15 amp simplex with hardwire 72" conduit
Requires 4" x 8" rectangular cut out
Two data openings
Order data separately

Retractable power center

**P-EC0504RP-72C**

\$ 160

5

0.15

P-EC0504RP-120C

\$ 172

8

0.15






2-15 amp simplex
72" cord for P-EC0504RP-72C
120" cord for P-EC0504RP-120C
Requires 3¾" x 5" cutout

Daisy Chains & Cable Grip

Sizes	Dimensions		
	W	D	
0804IQ	8¼	4¾	
0504IQ	5¾	4¼	
KTCG135	5½	2½	1½

For additional Power Communications information visit www.paoli.com/Share-Space-Tables in the Details section on that page.

SIN # 711-9

	Description / Model	List Price	Ship wt	Cubes
Daisy Chain				
Retractable power/data center - Interlink IQ				
	P-EC0804IQ	\$ 284	10	0.21
	2-15 amp simplex Compatible with IQ system Requires 4" x 8" rectangular cut out Two data openings Order data separately			
Retractable power center - Interlink IQ				
	P-EC0504IQ	\$ 198	8	0.15
	2-15 amp simplex Compatible with IQ system Requires 3¾" x 5" cutout			
Power Infeed - Interlink IQ				
	P-EC-PI-IQ	\$ 359	8	0.25
	Power Infeed Interlink IQ 120" cord			
Power Jumper - Interlink IQ				
	P-EC-J36-IQ	\$ 61	2	0.25
	Power Jumper Interlink IQ 36" Jumper			
135MM Cable Grip				
	P-KTCG135	\$ 28	1	0.8
	Black only			

Locks

Specifications

Key numbers available for locks are X100T-X150T.

SIN # 711-8

	Description / Model	List Price	Ship wt	Cubes
Locks				
Lock Core Matte Chrome	P-PCMC	\$ 12	1	0.1
SIN #711-8	Specify Key Number			
Master Key	P-PMK	\$ 5	1	0.1
Change Key	P-PCK	\$ 10	1	0.1

Key numbers available for locks are X100T-X150T. Please calculate the total number of locks you need to order. Then calculate how many must be keyed alike. Select the same key number for each of the locks you would like to be keyed alike.

For example, if you need 15 locks ordered for your office with 5 keyed alike for one office and 10 keyed alike for another office, it would look like this: 5 - P-PCMB.X101T, 10 - P-PCMB.X102T

Sample model dot.option string

Specify selections, left to right:

Choose base model Key Number

P-PCMC. **X108T**

Diagnosing Needs

In determining the electrical needs of any office project, the primary goal should be safely providing power without potentially causing damage to electronic equipment, and providing electrical systems that are portable.

As a rule of thumb, when specifying power and communications components for freestanding workstations there are a number of basic variables to consider that will help you determine the best selection of components for both short and long term end-user needs.

Consider the following:

1. What is the nature of the end-user's industry and how often does the end-user move employees? Does it have high churn rates or is it relatively stable? This will help determine how flexible and mobile the electrical systems that support the client's business should be.
2. What is the primary function(s) of the end-user's business? What is the extent to which each employee needs to be "wired?"
3. Does it rely on extensive electronics and communications devices? Do employees work independently from traditional offices and/or cubicles or are project teams and group spaces also employed regularly?
4. Does the client rely on a local area network (LAN) set-up or is the office space hardwired to accommodate individual data and communication needs? Or somewhere in between? This will determine factors such as how much cabling will be needed, and how many networked. Some experts believe that since the costs for cabling will keep increasing, designers and facility managers should consider specifying now for future needs. At this time, the average cable need is two cable lines per person. Is the current infrastructure capable of handling electronics and electrical needs? This and the end-user's plans for electronic usage will help determine how much outside technical assistance from an electrician or other personnel will be needed. It will also help you determine how many hardwired components you need and where corded components can be used.
5. What are the electrical codes? Codes vary by locations. Contact a qualified electrical contractor or engineer about local requirements.
6. Does the client want power sources above, hidden below, or level with the workstation level? This will help indicate where outlets will need to be installed, and how flexible the workstation design can be.

Electrical Basics

Understanding electrical needs is the start of the process in determining the kind of user and the level of sophistication their needs require. Currently, solutions to creating the necessary outlets for electronics and data systems range from power strips to having an electrician hardwire an entire workspace for the necessary outlets. But when is the power strip a logical solution? When is the cost of an electrician unnecessary? To help shed more light on the topic of specifying electrical systems for today's workstations, here are some basic office and typical home office needs.

Individual small office/home office user - electronics may include one computer, monitor, printer, one or two computer accessories and telephone.

Electrical system needs: five outlets (additional outlets required for lamp, clock, radio and other accessories).

Data/communications requirements: one phone jack for computer modem, one for telephone and possibly a fax machine.

Cordset Components

Retractable Power Centers, Power/Data Centers, Power/Communications Grommets, Power Grommet, Worksurface Power, Tri-Power Electrical/Data Strip

The selection of cordset components provides an easy-to-specify and easy-to-install power/communications system. Cordset components can provide power outlets and voice/data jacks at the worksurface level.

Specifications	15-amp grounded outlets. These components should not be linked or "daisy-chained" in a series.
Application	Use where power or power/communications access is needed at surface level
Power	Plugged into facility's electrical system.

Communications:

Items with Data/Communications provide combinations of RJ11 Communication Category 3 couplers and/or RJ45 Category 5E Data Jacks. RJ11 Couplers are 6-pin female-female connectors that allow the user to connect 2 telephone lines together. RJ45 Jacks are 8-pin Category 5 Enhanced for high-speed data transmission and are "hardwired" to twisted-pair data communication cables.

Power/Communications Access

For power and communications at worksurface level

Power Grommet

Power/Communications Grommet

For power and communications below worksurfaces

Tri-Power Electrical/Data Strip

Configurations

Many Power and Communication/Data configurations are available.

Call for your special application needs.

Code Requirements

Electrical codes vary by location. Specifiers should contact a qualified electrical contractor or engineer about local requirements.

Components meet the latest edition of the National Electric Code. Components are listed by Electrical Testing Labs and certified by the Canadian Standard Association.

Electrical Cutout for Conference Tables:

\$250 Retail Upcharge per Electrical Cutout - Specify and price Electrical Components separately. Submit drawing with the Conference Table order specifying location, size and type of electrical cutout(s).


Retractable Power Center & Electrical / Data Strip

Size	Dimensions		
	W	D	H
1000	2 $\frac{7}{8}$	4 $\frac{1}{4}$	8 $\frac{5}{8}$
2000	5 $\frac{3}{8}$	4 $\frac{1}{4}$	8 $\frac{1}{8}$
1200	12	2 $\frac{1}{4}$	2 $\frac{1}{4}$

For additional Power Communications information please see the Details section of the appropriate series (i.e., Overture, Share Space Tables) on www.paoli.com

SIN # 711-8


Retractable Power Center



Description / Model	List Price	Ship wt	Cubes
P-EC1000RPB	\$ 331	4	0.5
P-EC1000RPS	\$ 331	4	0.5
P-EC1000RPB - Black, P-EC1000RPS - Silver (2) 15-amp electrical outlets (1) RJ11 coupler (1) RJ45 Cat 5E jack 10' cord with 15-amp plug Voice/data adapter kit will accept jacks from most manufacturers Field installed, retrofits into oval grommet			

Not recommended for use with Bases from Fuse Casegoods Series

Double Retractable Power Center



P-EC2000RP	\$ 491	4	0.5
(4) 15-amp circuit breaker protected electrical outlets (1) RJ11 coupler (3) RJ45 Cat 5E jack 10' cord with 15-amp plug Voice/data adapter kit will accept jacks from most manufacturers Grommet included - field installed Black only			

Not recommended for use with Bases from Fuse Casegoods Series

Tri-Power Electrical/Data Strip





P-EC1200TP-72	\$ 206	4	0.5
P-EC1200TP-120	\$ 216	4	0.5
Use with Overture technology trough 4-15 amp simplex with switch 72" cord for P-EC1200TP-72, 120" cord for P-EC1200TP-120 Data place opening Order data separately			

Retractable Power Center & Grommets

Size	Dimensions		
	W	D	H
1208	12½	8	3
40GL	3¾	3¾	2
2040	4⅞	2⅝	1

For additional Power Communications information please see the Details section of the appropriate series (i.e., Overture, Share Space Tables) on www.paoli.com

SIN # 711-8


Description / Model		List Price	Ship wt	Cubes
Retractable Power/Data Center				
	P-EC1208RP-72C	\$ 365	6	0.5
	P-EC1208RP-120C	\$ 384	6	0.5
Not for use with Overture technology trough 3-15 amp simplex 72" cord for P-EC1208RP-72C, 120" cord for P-EC1208RP-120C Requires 7⅞" x 12½" rectangular cut out Four data openings Order data separately				
Retractable Power/Data Center				
	P-EC1208RP-72H	\$ 415	6	0.5
Not for use with Overture technology trough 3-15 amp simplex with hardwire 72" conduit length Requires 7⅞" x 12½" rectangular cut out Four data openings Order data separately				
Round Grommet				
	P-EC40GL_	\$ 60	0.5	1
Available in Black (B) or Silver (S) Includes grommet and cover Field installed				
NOT ON CONTRACT				
Oval Grommet				
	P-EC2040GL	\$ 75	0.5	1
Includes grommet and cover Field installed				

Power Grommets

Size	Dimensions	
	W	D
3100		4
3300	4 ⁵ / ₁₆	12 ³ / ₄

For additional Power Communications information please see the Details section of the appropriate series (i.e., Overture, Share Space Tables) on www.paoli.com

SIN # 711-8


	Description / Model	List Price	Ship wt	Cubes
Power Grommets				
Power/Communications Grommet				
	P-EC3100PG	\$ 445	2	0.1
	Provides power and communications access at worksurface level (2) 15-amp electrical outlets (1) RJ11 coupler (1) RJ45 Cat 5E jack Wire management slot - 3.5" diameter 6' cord with 15-amp plug Field installed Black			
Large Oval Power Grommet				
	P-EC3300PG	\$ 594	6	0.1
	Provides power and communications access at worksurface level (4) 15-amp circuit breaker protected electrical outlets (3) Data modules containing: (1) RJ11 coupler and (5) RJ45 Cat 5E jack Requires 3½" x 12" wire management hole 6' cord with 15-amp plug Field installed Black			

Docking Stations


Size	Dimensions	
	D	H
3002	3½	2¾
3003	3½	10⅞

For additional Power Communications information please see the Details section of the appropriate series (i.e., Overture, Share Space Tables) on www.paoli.com

SIN # NOT ON CONTRACT

Description / Model		List Price	Ship wt	Cubes
Docking Station - iPad & iPhone				
		P-EC3002PG \$ 298	0.6	0.5
Unit consists of docking/charging station for iPod & iPhone 96" USB cable & 92" AV cable are also included Fits 3" diameter hole				

NOT ON CONTRACT

Docking Station - Electrical				
		P-EC3003PG \$ 197	1	0.5
Pop up consists of 3 electrical outlets on vertical riser 6 ft. electrical cord Fits 3" diameter hole				




NOT ON CONTRACT

Worksurface Power

Size	Dimensions		
	W	D	H
1000	6½	6½	3¾
2000	10¾	6½	3¾
3000	7	5	2

For additional Power Communications information please see the Details section of the appropriate series (i.e., Overture, Share Space Tables) on www.paoli.com

SIN # 711-8

	Description / Model	List Price	Ship wt	Cubes
Worksurface Power	P-EC1000WP	\$ 1502	10	0.1
	Provides power and communications access at worksurface level (2) 15-amp circuit breaker protected electrical outlets (3) Data modules containing: (1) RJ11 coupler and (5) RJ45 Cat 5E jack Requires 6½" x 6½" wire management hole 9' cord with 15-amp plug Field installed Black			
Large Worksurface Power	P-EC2000WP	\$ 1584	10	0.1
	Provides power and communications access at worksurface level (4) 15-amp circuit breaker protected electrical outlets (6) Data modules containing: (2) RJ11 coupler and (10) RJ45 Cat 5E jack Requires 6½" x 10¾" wire management hole 10' cord with 15-amp plug Field installed Black			
Worksurface Power	P-EC3000WP	\$ 397	10	0.1
	Above worksurface when open (2) 15-amp circuit breaker protected electrical outlets (1) RJ11 coupler (1) RJ45 Cat 5E jack 6' cord Voice/data adapter kit Requires 6" x 4½" rectangular cut out Field installed Fits worksurface 1" - 1¾" thick Black			
Available colors: P-EC3000WPB-Black (BL) P-EC3000WPS-Silver (SL)				
	Specify color			

Sample model dot.option string

Specify selections, left to right:

Choose base model Color





P-EC3000WP. BL

Couplers & Jack

For additional Power Communications information please see the Details section of the appropriate series (i.e., Overture, Share Space Tables) on www.paoli.com

SIN # 711-8

Description / Model		List Price	Ship wt	Cubes
Couplers				
Cat 3, RJ-11, 6-Pin Amp Coupler				
	P-EC01DC	\$ 53	0.5	1
Cat 3, RJ-45, 8-Pin Amp Coupler				
	P-EC02DC	\$ 53	0.5	1
Jack				
Cat 5E, RJ-45 Amp Coupler				
	P-EC03DC	\$ 68	0.5	1

Model	Description / Dimensions / Prices		Ship wt / cubes		
4 Square Tables					
P-FQ2222WTE	Wood End Table	\$ 822	25 / 9.8		
			W	D	H
			22	22	21
SIN # 711-8	Specify Finish				
P-FQ3619WTL	Wood Coffee Table	\$ 883	29 / 10.2		
			W	D	H
			36	19	16
SIN # 711-8	Specify Finish				
P-FQ2222MTE	Metal End Table	\$ 822	25 / 9.8		
			W	D	H
			22	22	21
SIN # 711-8	Specify Finish				
P-FQ3619MTL	Metal Coffee Table	\$ 883	29 / 10.2		
			W	D	H
			36	19	16
SIN # 711-8	Specify Finish				

Wood Finishes	
Premium Palette Finishes	
Vapor	125
Fog	127
Moss	129
Drift	131
Smolder	133
Char	135
Standard Palette Finishes	
Autumn	211
Cafelle	215
Caramel	235
Cordovan	223
Shaker	231
Sienna	227
Harvest	315
Kensington	311
Colombian	519
Heights	535
Skyline	527
Studio	531

Specify selections, left to right:
Choose base Finish
model

P-FQ3619WTL. 527

**DIVERGE OCCASIONAL
TABLES****Product Features**

Wood Legs: Select grade solid hardwood.

Wood Rails: Select grade solid hardwood.

Wood Tops: Flat sliced, slip matched hardwood veneer on composite wood substrate.


Finish: Catalyzed varnish finish provides enhanced stain and mar resistanc.

Feet: Includes nylon glides.

Meets or exceeds ANSI / BIFMA performance standards

Wood Finishes




Vapor	125
Fog	127
Moss	129
Drift	131
Smolder	133
Char	135
Autumn	211
Cafelle	215
Caramel	235
Cordovan	223
Shaker	231
Sienna	227
Harvest	315
Kensington	311
Colombian	519
Heights	535
Skyline	527
Studio	531

Model	Description / Dimensions / Prices	Ship wt / cubes
Diverge Tables P-DV1818RDTL	Round End Table 	\$ 1214 22 / 9.3 W D H 18 18 22
SIN # 711-8	Specify Material & Finish	
P-DV2424RDTL	Round End Table 	\$ 1435 28 / 14.6 W D H 24 24 22
SIN # 711-8	Specify Material & Finish	
P-DV3636RDTL	Round Coffee Table 	\$ 1875 42.8 / 22.4 W D H 36 36 16
SIN # 711-8	Specify Material & Finish	
P-DV2242OVTL	Oval Coffee Table 	\$ 1766 35 / 17.1 W D H 42 22 16
SIN # 711-8	Specify Material & Finish	
P-DV2424SQTL	Square End Table 	\$ 993 32 / 14.6 W D H 24 24 22
SIN # 711-8	Specify Material & Finish	
P-DV2242RCTL	Rectangular Coffee Table 	\$ 1324 41 / 17.1 W D H 42 22 16
SIN # 711-8	Specify Material & Finish	

Specify selections, left to right:

Choose base model Material & finish

P-DV3636RDTL. V223

Model	Description / Dimensions / Prices		Ship wt / cubes		
Miraval P-1199	Lamp Table	\$ 860	28 / 2.2		
			W	D	H
			24	24	21
SIN # 711-8	Specify Finish				
P-1198	Coffee Table	\$ 1063	40 / 3.7		
			W	D	H
			42	24	16
SIN # 711-8	Specify Finish				
Quoin Tables P-QU2424TL	Square Lamp Table	\$ 1280 wood top (WD) \$ 1698 glass top - white (GW) or black (GB)			
	if glass top selected, top shipped separately		W	D	H
			24	24	23 7/8
		Ship wt /	cubes		
		38 (table with wood top)	8.5		
		28 (table frame for glass top)	8.5		
		24 (glass top)	1.1		
SIN # 711-8	Specify Material & Finish				
P-QU2455TL	Rectangular Coffee Table	\$ 1616 wood top (WD) \$ 2734 glass top - white (GW) or black (GB)			
	if glass top selected, top shipped separately		W	D	H
			54 7/8	24	16 1/4
		Ship wt /	cubes		
		64.7 (table with wood top)	13.2		
		40 (table frame for glass top)	13.2		
		57.4 (glass top)	1.6		
SIN # 711-8	Specify Material & Finish				
P-QU1650ST	Rectangular Sofa Table	\$ 1684 wood top (WD) \$ 2802 glass top - white (GW) or black (GB)			
	if glass top selected, top shipped separately		W	D	H
			54 7/8	16	29 3/8
		Ship wt /	cubes		
		65.8 (table with wood top)	15.5		
		50 (table frame for glass top)	15.5		
		37.7 (glass top)	1.6		
SIN # 711-8	Specify Material & Finish				

Specify selections, left to right:

Choose base Material & finish
model

P-1199. 531

Miraval & Quoin Finishes
Premium Palette Finishes

Vapor	125
Fog	127
Moss	129
Drift	131
Smolder	133
Char	135

Standard Palette Finishes

Autumn	211
Cafelle	215
Caramel	235
Cordovan	223
Shaker	231
Sienna	227
Harvest	315
Kensington	311
Colombian	519
Heights	535
Skyline	527
Studio	531

Wood Finishes

Vapor	125
Fog	127
Moss	129
Drift	131
Smolder	133
Char	135
Autumn	211
Cafelle	215
Caramel	235
Cordovan	223
Shaker	231
Sienna	227
Harvest	315
Kensington	311
Colombian	519
Heights	535
Skyline	527
Studio	531

Tahoe Material Options


V - Veneer top or chassis
G - Glass
Q - Quartz Stone


Glass Finishes

Black	BL
White	WH

Quartz Stone Finishes

Black	BL
White	WH

Model	Description / Dimensions / Prices	Ship wt / cubes
Tahoe P-TOW1818RDTL	Round Wood Leg End Table \$ 1017 veneer \$ 1297 glass \$ 1982 quartz	32 / 6.7
		W D H 19 19 24
veneer top shown		
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish	
P-TOW2424RDTL	Round Wood Leg End Table \$ 1131 veneer \$ 1646 glass \$ 2175 quartz	41 / 10.2
		W D H 24 24 24
inlay top shown		
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish	
P-TOW1818SQTL	Square Wood Leg End Table \$ 905 veneer \$ 1132 glass \$ 1077 quartz	37 / 6.7
		W D H 18 18 24
veneer top shown		
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish	
P-TOW2424SQTL	Square Wood Leg End Table \$ 1017 veneer \$ 1440 glass \$ 1368 quartz	51 / 11
		W D H 25 25 24
inlay top shown		
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish	
P-TOW4224RCTL	Rectangular Coffee Table \$ 1131 veneer \$ 1894 glass \$ 1795 quartz	71 / 12.7
		W D H 43 25 16
veneer top shown		
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish	
Specify selections, left to right:		
Choose base model	Top material & finish	Chassis material & finish
P-TOW2424SQTL.	QBL.	V215

Model	Description / Dimensions / Prices		Ship wt / cubes		
P-TOW3621RCTL	Rectangular Coffee Table	\$ 1017 veneer \$ 1612 glass \$ 1497 quartz	59 / 9.8		
			W	D	H
			37	25	16
inlay top shown					
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish				
P-TOW3636SQTL	Square Coffee Table	\$ 1245 veneer \$ 2236 glass \$ 2121 quartz	68 / 15.1		
			W	D	H
			37	37	16
veneer top shown					
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish				
P-TOW4242SQTL	Square Coffee Table	\$ 1358 veneer \$ 2715 glass \$ 2577 quartz	76 / 18.5		
			W	D	H
			43	43	16
veneer top shown					
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish				
P-TOW3636RDTL	Round Coffee Table	\$ 1472 veneer \$ 2660 glass \$ 2726 quartz	88 / 15.9		
			W	D	H
			37	37	16
veneer top shown					
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish				
P-TOW4242RDTL	Round Coffee Table	\$ 1586 veneer \$ 3057 glass \$ 2865 quartz	69 / 18.5		
			W	D	H
			40	40	16
inlay top shown					
SIN # 711-8	Specify Top Material & Finish/Chassis Material & Finish				

Tahoe Product Features

Legs: Select grade solid hardwood.

Tops (options):

When wood top option is chosen, the top wood rim finish matches the top finish.

When non-wood top option is chosen, the top wood rim matches the chassis finish.

Wood Top: Reverse diamond sketch face wood veneer on 1 1/8" particle board with select grade solid hardwood external band edge.

Glass Top: 3/8" Back painted (black or white options) on 3/4" particle board with 5/8" select grade solid hardwood external band edge.

Quartz Top: 3/8" (nominal) quartz stone inlay (black or white options) on 3/4" particle board with 5/8" select grade solid hardwood external band edge.

Round & Square Wood Shelf: Genuine flat sliced, slip matched maple veneer each side of 3/4" particle board or medium density fiber board.

Round shelf - edges are self edge profile with MDF Rim. Square shelf - edges are self edge profile, Veneer Edge Band.

Feet: Includes nylon guides.

Meets or exceeds ANSI / BIFMA performance standards

Wood Finishes

Vapor	125
Fog	127
Moss	129
Drift	131
Smolder	133
Char	135
Autumn	211
Cafelle	215
Caramel	235
Cordovan	223
Shaker	231
Sienna	227
Harvest	315
Kensington	311
Colombian	519
Heights	535
Skyline	527
Studio	531

Specify selections, left to right:

Choose base model	Top Material & finish	Chassis Material & finish
P-TOW3621RCTL	V.	V535

Classic Edge Finishes

Autumn on Cherry	PC211
Cafelle on Cherry	PC215
Caramel on Cherry	PC235
Cordovan on Cherry	PC223
Shaker on Cherry	PC231
Sienna on Cherry	PC227
Colombian on Walnut	PW519
Heights on Walnut	PW535
Skyline on Walnut	PW527
Studio on Walnut	PW531

Model	Description / Dimensions / Prices	Ship wt / cubes		
Classic Edge P-TR2424TA 	Lamp Table	\$ 1479	31 / 3	
	Queen Anne legs Some assembly required - Shipped K/D		W 24	D 24 H 20
SIN # 711-9	Specify Material & Finish			
P-TR2450TA 	Coffee Table	\$ 1833	44 / 6	
	Queen Anne legs Some assembly required - Shipped K/D		W 50	D 24 H 16
SIN # 711-9	Specify Material & Finish			

Specify selections, left to right:

Choose base
model

Material
& finish

P-TR2424TA.

VVPC235

Model	Description / Dimensions / Prices		Ship wt / cubes			Wood Finishes	
Alynn W-34 	Lamp Table	\$ 731	29 / 2.2			Vapor	125
	Shipped K/D		W	D	H	Fog	127
			27	23	20¼	Moss	129
SIN # 711-8	Specify Wood Finish					Drift	131
W-35 	Corner Table	\$ 788	34 / 2.7			Smolder	133
	Shipped K/D		W	D	H	Char	135
			28	28	20¼	Autumn	211
SIN # 711-8	Specify Wood Finish					Cafelle	215
W-36 	Coffee Table	\$ 840	45 / 3.7			Caramel	235
	Shipped K/D		W	D	H	Cordovan	223
			48	23	16¼	Shaker	231
SIN # 711-8	Specify Wood Finish					Sienna	227
W-37 	Sofa Table	\$ 948	55 / 2.8			Harvest	315
	Shipped K/D		W	D	H	Kensington	311
			48	16	27¼	Colombian	519
SIN # 711-8	Specify Wood Finish					Heights	535
						Skyline	527
						Studio	531

Specify selections, left to right:

Choose base Finish
model

W-35. 527

NOTES

Paoli Model Number Index

PP-1198	OT3	P-EC2040GL	PC3	P-KT14448RT	CP12	P-OV14454TTB	OV9
P-1199	OT3	P-EC3000WP	PC6	P-KT14448TT	CP11	P-OV14454VT	OV5
P-BU3800SK	CP39	P-EC3002PG	PC5	P-KT14454BT	CP13	P-OV14454VTB	OV10
P-CO3030RD	CO3	P-EC3003PG	PC5	P-KT14454RT	CP12	P-OV14460BT	OV7
P-CO3030SQ	CO4	P-EC3100PG	PC4	P-KT14454TT	CP11	P-OV14460BTB	OV12
P-CO3054RT	CO10	P-EC3300PG	PC4	P-KT14460BT	CP13	P-OV14460RT	OV6
P-CO3054TT	CO5	P-EC4000WPB	PC7	P-KT14460RT	CP12	P-OV14460RTB	OV11
P-CO3060RT	CO10	P-EC4000WPS	PC7	P-KT14460TT	CP11	P-OV14460TT	OV4
P-CO3060TT	CO5	P-EC40GL	PC3	P-KT16848BT	CP13	P-OV14460TTB	OV9
P-CO3066RT	CO10	P-FQ2222MTE	OT1	P-KT16848RT	CP12	P-OV14460VT	OV5
P-CO3066TT	CO5	P-FQ2222WTE	OT1	P-KT16848TT	CP11	P-OV14460VTB	OV10
P-CO3072RT	CO10	P-FQ3619MTL	OT1	P-KT16854BT	CP13	P-OV1450MSU	OV22, OV23
P-CO3072TT	CO5	P-FQ3619WTL	OT1	P-KT16854RT	CP12	P-OV16108WCT	OV21
P-CO3078RT	CO10	P-FS12048BT	CP8	P-KT16854TT	CP11	P-OV16126WCT	OV21
P-CO3078TT	CO5	P-FS12048CBA	CP32	P-KT16860BT	CP13	P-OV16144WCT	OV21
P-CO3636RD	CO3	P-FS12048RT	CP7	P-KT16860RT	CP12	P-OV1618WCT	OV21
P-CO3636SQ	CO4	P-FS12048TT	CP6	P-KT16860TT	CP11	P-OV1618WSL	OV20
P-CO3654RT	CO11	P-FS14448BT	CP8	P-KT19248BT	CP13	P-OV1618WSR	OV20
P-CO3654TT	CO6	P-FS14448CBA	CP32	P-KT19248RT	CP12	P-OV1636WCT	OV21
P-CO3660RT	CO11	P-FS14448RT	CP7	P-KT19248TT	CP11	P-OV1636WSB	OV20
P-CO3660TT	CO6	P-FS14448TT	CP6	P-KT19254BT	CP13	P-OV1654WCT	OV21
P-CO3666RT	CO11	P-FS14454BT	CP8	P-KT19254RT	CP12	P-OV1672WCT	OV21
P-CO3666TT	CO6	P-FS14454CBA	CP32	P-KT19254TT	CP11	P-OV16848BT	OV7
P-CO3672RT	CO11	P-FS14454RT	CP7	P-KT19260BT	CP13	P-OV16848BTB	OV12
P-CO3672TT	CO6	P-FS14454TT	CP6	P-KT19260RT	CP12	P-OV16848RT	OV6
P-CO3678RT	CO11	P-FS14460BT	CP8	P-KT19260TT	CP11	P-OV16848RTB	OV11
P-CO3678TT	CO6	P-FS14460CBA	CP32	P-KT2440AHBT-E	CP15	P-OV16848TT	OV4
P-CO3684RT	CO12	P-FS14460RT	CP7	P-KT2440AHBT-P	CP15	P-OV16848TTB	OV9
P-CO3684TT	CO7	P-FS14460TT	CP6	P-KT2446AHBT-E	CP15	P-OV16854BT	OV7
P-CO3690RT	CO12	P-FS16848BT	CP8	P-KT2446AHBT-P	CP15	P-OV16854BTB	OV12
P-CO3690TT	CO7	P-FS16848CBA	CP32	P-KT2466AHCT-E	CP16	P-OV16854RT	OV6
P-CO3696RT	CO12	P-FS16848RT	CP7	P-KT2466AHCT-P	CP16	P-OV16854RTB	OV11
P-CO3696TT	CO7	P-FS16848TT	CP6	P-KT2472AHCT-E	CP16	P-OV16854TT	OV4
P-CO4242RD	CO3	P-FS16854BT	CP8	P-KT2472AHCT-P	CP16	P-OV16854TTB	OV9
P-CO4242SQ	CO4	P-FS16854CBA	CP32	P-KT3066AHD-E	CP14	P-OV16854VT	OV5
P-CO4254RT	CO13	P-FS16854RT	CP7	P-KT3066AHD-P	CP14	P-OV16854VTB	OV10
P-CO4254TT	CO8	P-FS16854TT	CP6	P-KT3072AHD-E	CP14	P-OV16860BT	OV7
P-CO4260RT	CO13	P-FS16860BT	CP8	P-KT3072AHD-P	CP14	P-OV16860BTB	OV12
P-CO4260TT	CO8	P-FS16860CBA	CP32	P-KT3636AHST-P	CP17	P-OV16860RT	OV6
P-CO4266RT	CO13	P-FS16860RT	CP7	P-KT3636AHST-P	CP17	P-OV16860RTB	OV11
P-CO4266TT	CO8	P-FS16860TT	CP6	P-KT3636ST	CP11	P-OV16860TT	OV4
P-CO4272RT	CO13	P-FS19248BT	CP8	P-KT3636TT	CP11	P-OV16860TTB	OV9
P-CO4272TT	CO8	P-FS19248CBA	CP32	P-KT3672BT	CP13	P-OV16860VT	OV5
P-CO4278RT	CO13	P-FS19248RT	CP7	P-KT3672RT	CP12	P-OV16860VTB	OV10
P-CO4278TT	CO8	P-FS19248TT	CP6	P-KT3672TT	CP11	P-OV1690WCT	OV21
P-CO4284RT	CO14	P-FS19254BT	CP8	P-KT4242AHST-P	CP17	P-OV1860FMW	OV22, OV23
P-CO4284TT	CO9	P-FS19254CBA	CP32	P-KT4242AHTT-P	CP17	P-OV1860MDU	OV22, OV23
P-CO4290RT	CO14	P-FS19254RT	CP7	P-KT4242ST	CP11	P-OV19248BT	OV7
P-CO4290TT	CO9	P-FS19254TT	CP6	P-KT4242TT	CP11	P-OV19248BTB	OV12
P-CO4296RT	CO14	P-FS19260BT	CP8	P-KT4848AHTT-P	CP17	P-OV19248RT	OV6
P-CO4296TT	CO9	P-FS19260CBA	CP32	P-KT4848ST	CP11	P-OV19248RTB	OV11
P-DV1818RDTL	OT2	P-FS19260RT	CP7	P-KT4848TT	CP11	P-OV19248TT	OV4
P-DV2242OVTL	OT2	P-FS19260TT	CP6	P-KT4884BT	CP13	P-OV19248TTB	OV9
P-DV2242RCTL	OT2	P-FS22ECB	CP31	P-KT4884RT	CP12	P-OV19254BT	OV7
P-DV2424RDTL	OT2	P-FS30ECB	CP31	P-KT4884TT	CP11	P-OV19254BTB	OV12
P-DV2424SRTL	OT2	P-FS3600TT	CP6	P-KT4896BT	CP13	P-OV19254RT	OV6
P-DV3636RDTL	OT2	P-FS3672BT	CP8	P-KT4896RT	CP12	P-OV19254RTB	OV11
P-EC-J36-IQ	SH19	P-FS3672CBA	CP31	P-KT4896TT	CP11	P-OV19254TT	OV4
P-EC-PI-IQ	SH19	P-FS3672RT	CP7	P-KT6060ST	CP11	P-OV19254TTB	OV9
P-EC01DC	PC8	P-FS3672TT	CP6	P-KT6060TT	CP11	P-OV19254VT	OV5
P-EC02DC	PC8	P-FS3684CBA	CP31	P-KTCG135	SH19	P-OV19254VTB	OV10
P-EC03DC	PC8	P-FS3684RT	CP7	P-OV12048BT	OV7	P-OV19260BT	OV7
P-EC0504IQ	SH19	P-FS4200TT	CP6	P-OV12048BTB	OV12	P-OV19260BTB	OV12
P-EC0504RP-120C	SH18	P-FS4242ST	CP6	P-OV12048RT	OV6	P-OV19260RT	OV6
P-EC0504RP-72C	SH18	P-FS4800TT	CP6	P-OV12048RTB	OV11	P-OV19260RTB	OV11
P-EC0804IQ	SH19	P-FS4848ST	CP6	P-OV12048TT	OV4	P-OV19260TT	OV4
P-EC0804RP-120C	SH18	P-FS4848BT	CP8	P-OV12048TTB	OV9	P-OV19260TTB	OV9
P-EC0804RP-72C	SH18	P-FS4884CBA	CP31	P-OV12054VT	OV5	P-OV19260VT	OV5
P-EC0804RP-72H	SH18	P-FS4884RT	CP7	P-OV12054VTB	OV10	P-OV19260VTB	OV10
P-EC1000RPS	PC2	P-FS4884TT	CP6	P-OV14448BT	OV7	P-OV2124FLC	OV16
P-EC1000RPS	PC2	P-FS4896BT	CP8	P-OV14448BTB	OV12	P-OV2124TS	OV16
P-EC1000WM	PC7	P-FS4896CBA	CP31	P-OV14448RT	OV6	P-OV2160HT	OV15
P-EC1000WP	PC6	P-FS4896RT	CP7	P-OV14448RTB	OV11	P-OV2172HT	OV15
P-EC1200TP-120	PC2	P-FS4896TT	CP6	P-OV14448TT	OV4	P-OV24108WCT	OV19
P-EC1200TP-72	PC2	P-FS6000TT	CP6	P-OV14448TTB	OV9	P-OV2418MBL1	OV18
P-EC1208RP-120C	PC3	P-FS6060ST	CP6	P-OV14454BT	OV7	P-OV2418MBL2	OV18
P-EC1208RP-72C	PC3	P-KT12048BT	CP13	P-OV14454BTB	OV12	P-OV2418MBR1	OV18
P-EC1208RP-72H	PC3	P-KT12048RT	CP12	P-OV14454RT	OV6	P-OV2418MBR2	OV19
P-EC2000RP	PC2	P-KT12048TT	CP11	P-OV14454RTB	OV11	P-OV2418WCT	OV19
P-EC2000WP	PC6	P-KT14448BT	CP13	P-OV14454TT	OV4	P-OV2436MB1	OV19

Paoli Model Number Index - Continued

P-OV2436MB2.....OV19	P-RT16854RT.....CP21	P-SH3048TP.....SH7	P-TR2649LC.....CP44
P-OV2436WB1.....OV17	P-RT16854TT.....CP20	P-SH3048TT.....SH5	P-TR2649LO.....CP44
P-OV2436WB2.....OV17	P-RT16860BT.....CP22	P-SH3054AT.....SH6	P-TR3636XB.....CP34
P-OV2436WCT.....OV19	P-RT16860RT.....CP21	P-SH3054TT.....SH5	P-TR4242ST.....CP4
P-OV2446HC.....OV16	P-RT16860TT.....CP20	P-SH3060AT.....SH6	P-TR4848ST.....CP4
P-OV2454BU1.....OV14	P-RT19248BT.....CP22	P-SH3060TT.....SH7	P-TR4896BT.....CP4
P-OV2454WB1.....OV17	P-RT19248RT.....CP21	P-SH3060TT.....SH5	P-TR4896TT.....CP4
P-OV2454WB2.....OV17	P-RT19248TT.....CP20	P-SH3066AT.....SH6	P-TR5100TB.....CP36
P-OV2454WCT.....OV19	P-RT19254BT.....CP22	P-SH3066TT.....SH5	P-TR6060ST.....CP4
P-OV2460BU1.....OV14	P-RT19254RT.....CP21	P-SH3072AT.....SH6	P-WM7BL.....PC7
P-OV2460BU2.....OV14	P-RT19254TT.....CP20	P-SH3072TT.....SH5	P-XO01END.....CP33
P-OV2472BU1.....OV15	P-RT19260BT.....CP22	P-SH3600CTT.....SH13	P-XO01VB.....CP39
P-OV2472BU2.....OV15	P-RT19260RT.....CP21	P-SH3636CT45.....SH9	P-XO02VB.....CP39
P-OV2472WB1.....OV18	P-RT19260TT.....CP20	P-SH3636CT60.....SH9	P-XO0826MP.....CP38
P-OV2472WB2.....OV18	P-RT3600TT.....CP20	P-SH3636CT90.....SH9	P-XO0832MP.....CP38
P-OV2472WCT.....OV19	P-RT3672RT.....CP21	P-SH3636CTT.....SH13	P-XO0838MP.....CP38
P-OV2478MML.....OV22	P-RT3672TT.....CP20	P-SH3636ST.....SH8	P-XO0844MP.....CP38
P-OV2478MMR.....OV22	P-RT4200TT.....CP20	P-SH3636T.....SH8	P-XO0850MP.....CP38
P-OV2490WCT.....OV19	P-RT4242ST.....CP20	P-SH3660TT.....SH5	P-XO0856MP.....CP38
P-OV4200TT.....OV8	P-RT4800TT.....CP20	P-SH3672TP.....SH7	P-XO1010DB.....CP35
P-OV4200TTB.....OV13	P-RT4848ST.....CP20	P-SH3672TT.....SH5	P-XO1018RB.....CP37
P-OV4242ST.....OV8	P-RT4884BT.....CP22	P-SH4200CTT.....SH13	P-XO1020HB.....CP33
P-OV4242STB.....OV13	P-RT4884RT.....CP21	P-SH4242CTT.....SH13	P-XO1024RB.....CP37
P-OV4800TT.....OV8	P-RT4884TT.....CP20	P-SH4242ST.....SH8	P-XO1030RB.....CP37
P-OV4800TTB.....OV13	P-RT4896BT.....CP22	P-SH4242T.....SH8	P-XO1212DB.....CP33
P-OV4848ST.....OV8	P-RT4896RT.....CP21	P-SH4800CTT.....SH13	P-XO1818SB.....CP31, CP37
P-OV4848STB.....OV13	P-RT4896TT.....CP20	P-SH4848CTT.....SH13	P-XO1818TS.....CP43
P-OV5442WMC.....OV16	P-RT6000TT.....CP20	P-SH4848ST.....SH8	P-XO1818XB.....CP34
P-OV6000TT.....OV8	P-RT6060ST.....CP20	P-SH4848T.....SH8	P-XO1919TS.....CP43
P-OV6000TTB.....OV13	P-SH0505GM.....SH18	P-SH4848VB.....SH14	P-XO2020DB.....CP33
P-OV6060ST.....OV8	P-SH0924HMMP.....SH11	P-SH4848WB.....SH14	P-XO2139PC.....CP46
P-OV6060STB.....OV13	P-SH0924HMP.....SH10	P-SH6048WB.....SH14	P-XO2401CB.....CP34
P-OV7236RT.....OV6	P-SH0930HMMP.....SH11	P-TL-18-WT.....PC7	P-XO2424DB.....CP33
P-OV7236RTB.....OV11	P-SH0930HMP.....SH10	P-TL3000TB.....CP35	P-XO2424SB.....CP37
P-OV7236TT.....OV4	P-SH0936HMMP.....SH11	P-TL3500TB.....CP35	P-XO2424XB.....CP34
P-OV7236TTB.....OV9	P-SH0936HMP.....SH10	P-TL4000TB.....CP36	P-XO2436AV.....CP41
P-OV7242BT.....OV7	P-SH0942HMMP.....SH11	P-TL4201TB.....CP35	P-XO2436SC.....CP41
P-OV7242BTB.....OV12	P-SH0942HMP.....SH10	P-TL4202TB.....CP35	P-XO2436UT.....CP42
P-OV7242WMC.....OV16	P-SH0948HMMP.....SH11	P-TL4203TB.....CP35	P-XO2649KC.....CP45
P-OV8448BT.....OV7	P-SH0948HMP.....SH10	P-TL4400TB.....CP36	P-XO2649KO.....CP45
P-OV8448BTB.....OV12	P-SH0954HMMP.....SH11	P-TL4601CB.....CP35	P-XO2649LC.....CP44
P-OV8448RT.....OV6	P-SH0954HMP.....SH10	P-TL4602CB.....CP35	P-XO2649LO.....CP44
P-OV8448RTB.....OV11	P-SH0960HMMP.....SH11	P-TL4603CB.....CP35	P-XO3636XB.....CP34
P-OV8448TT.....OV4	P-SH0960HMP.....SH10	P-TOW1818RDTL.....OT4	P-XO4200DB.....CP33
P-OV8448TTB.....OV9	P-SH0966HMMP.....SH11	P-TOW1818SQTL.....OT4	P-XO4848WMB.....OV21
P-OV9648BT.....OV7	P-SH0966HMP.....SH10	P-TOW2424RDTL.....OT4	P-XO5448WMB.....OV21
P-OV9648BTB.....OV12	P-SH0972HMMP.....SH11	P-TOW2424SQTL.....OT4	P-XO6048WMB.....OV21
P-OV9648RT.....OV6	P-SH0972HMP.....SH10	P-TOW3621RCTL.....OT5	P-XO648WMB.....OV21
P-OV9648RTB.....OV11	P-SH1830FLC.....SH15	P-TOW3636RDTL.....OT5	P-XO9648WMB.....OV21
P-OV9648TT.....OV4	P-SH2424CT45.....SH9	P-TOW3636SQTL.....OT5	W-34.....OT7
P-OV9648TTB.....OV9	P-SH2424CT60.....SH9	P-TOW4224RCTL.....OT4	W-35.....OT7
P-OV9654VT.....OV5	P-SH2424CT90.....SH9	P-TOW4242RDTL.....OT5	W-36.....OT7
P-OV9654VTB.....OV10	P-SH2436ST1.....SH16	P-TOW4242SQTL.....OT5	W-37.....OT7
P-PCAB.....CP47	P-SH2436ST2.....SH17	P-TR01END.....CP34	PK_2440ABE.....CP15
P-PCK.....CP47, OV24, SH20	P-SH2448TP.....SH7	P-TR01VB.....CP39	PK_2440ABP.....CP15
P-PCMB.....CP47, OV24	P-SH2448TT.....SH5	P-TR02VB.....CP39	PK_2446ABE.....CP15
P-PCMC.....CP47, OV24, SH20	P-SH2448TTR.....SH12	P-TR12048BT.....CP4	PK_2446ABP.....CP15
P-PMK.....CP47, OV24, SH20	P-SH2454ST1.....SH16	P-TR12048TT.....CP4	PK_2466ACE.....CP16
P-QU1650ST.....OT3	P-SH2454ST2.....SH17	P-TR14448BT.....CP4	PK_2466ACP.....CP16
P-QU2424TL.....OT3	P-SH2454TT.....SH5	P-TR14448TT.....CP4	PK_2472ACE.....CP16
P-QU2455TL.....OT3	P-SH2454TTR.....SH12	P-TR16848BT.....CP4	PK_2472ACP.....CP16
P-RF2470BU.....CP38	P-SH2460TP.....SH7	P-TR16848TT.....CP4	PK_3066ADE.....CP14
P-RM01TL.....CP36	P-SH2460TT.....SH5	P-TR1818SB.....CP37	PK_3066ADP.....CP14
P-RM02TL.....CP36	P-SH2460TTR.....SH12	P-TR1818TS.....CP43	PK_3072ADE.....CP14
P-RT12048BT.....CP22	P-SH2466TT.....SH5	P-TR1818XB.....CP34	PK_3072ADP.....CP14
P-RT12048RT.....CP21	P-SH2466TTR.....SH12	P-TR1919TS.....CP43	PK_3636ARDP.....CP17
P-RT12048TT.....CP20	P-SH2472ST1.....SH16	P-TR19248BT.....CP4	PK_3636ASQP.....CP17
P-RT14448BT.....CP22	P-SH2472ST2.....SH17	P-TR19248TT.....CP4	PK_4242ARDP.....CP17
P-RT14448RT.....CP21	P-SH2472TT.....SH5	P-TR2139PC.....CP46	PK_4242ASQP.....CP17
P-RT14448TT.....CP20	P-SH2472TTR.....SH12	P-TR2170BU.....CP38	PK_4848ARDP.....CP17
P-RT14454BT.....CP22	P-SH2472WBO.....SH15	P-TR2424SB.....CP37	
P-RT14454RT.....CP21	P-SH2472WBP.....SH15	P-TR2424TA.....OT6	
P-RT14454TT.....CP20	P-SH3000CTT.....SH13	P-TR2424XB.....CP34	
P-RT14460BT.....CP22	P-SH3030CT45.....SH9	P-TR2436AV.....CP41	
P-RT14460RT.....CP21	P-SH3030CT60.....SH9	P-TR2436SC.....CP41	
P-RT14460TT.....CP20	P-SH3030CT90.....SH9	P-TR2436UT.....CP42	
P-RT16848BT.....CP22	P-SH3030CTT.....SH13	P-TR2450TA.....OT6	
P-RT16848RT.....CP21	P-SH3030ST.....SH8	P-TR2577VC.....CP40	
P-RT16848TT.....CP20	P-SH3030T.....SH8	P-TR2649KC.....CP45	
P-RT16854BT.....CP22	P-SH3048AT.....SH6	P-TR2649KO.....CP45	