



THINK SMART

THE LEARNING ENVIRONMENT SOLUTION

LACASSE

NICER FOR THE ENVIRONMENT

It's our corporate responsibility to contribute to the preservation of natural resources and to ensure that our operations have the least possible impact on the environment. We choose suppliers who support our efforts to reduce deforestation. The majority of our products are manufactured from particleboard, made from 100% post-industrial recycled materials. We recover the cuttings from all our activities and even sawdust for power cogeneration. What's more, we sort and recycle plastic, steel and aluminum.

Our St.Pie, QC and Bruce, MS facilities are certified ISO 9001 and ISO 14 001.

We're proud to say that all Lacasse products are GREENGUARD® certified. Which means that North Americans can be sure that these products will not affect the air quality of their working environments. And other groups, like architects, designers and specifiers who use Lacasse products can benefit from their GREENGUARD® certification to earn points towards meeting LEED® standards.

For more information on Groupe Lacasse sustainable development practices, visit www.groupelacasse.com.



GREENGUARD Indoor Air Quality® and GREENGUARD Children & Schools® are trademarks of the GREENGUARD Environmental Institute

ENVIRONMENTAL TOOLS

A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under “**About Us > Environment**”. Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

GREENGUARD CERTIFICATES

GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on www.greenguard.org. Search for Groupe Lacasse in the “Find Products> Search by Manufacturer” section. All GREENGUARD certifications are listed by product line.

FURTHER INFORMATION

For more information on environmental and sustainable procedures in the manufacturing of our products, contact Communications@groupelacasse.com.


TABLE OF CONTENTS

ENVIRONMENTAL INITIATIVES	2	WALL-MOUNTED SYSTEM	17
GENERAL SPECIFICATIONS	3	SHELVINGS	19
THINK SMART EDUCATIONAL FURNITURE	6	CIRCULATION DESKS	20
DESKS	6	BENCHES	23
CARRELS	9	LOCKERS	23
TABLES	11	ACCESSORIES	23
COMPLEMENTARY FURNITURE	13	ELECTRIFICATION	24
STORAGE UNITS	14	TECHNICAL PERFORMANCES	25
MODULAR CABINETRY	16	TERMS & CONDITIONS OF SALE	26

THINK SMART

EDUCATIONAL FURNITURE

EDGEBANDING




N EDGE

Furniture with 1" and 1½" (25 and 38 mm) thick tops.

Smooth, ⅛" (3 mm) thick edge.

The **N** edge is **matched with the finish specified for the surface.**

DOOR INSERTS



T – TRANSLUCENT

HANDLES



L – LINEAR



Q – SQUARE



V – ROUND

Exceptions: L handle is not compatible on furniture with aluminum framed translucent doors or on the metal doors of laptop carts.

LEGS



Q – SQUARE



V – ROUND

ACCENT COLORS



S – SILVER



A – ANTHRACITE GREY

The accent color applies to non-laminate components such as bases, handles, grommets, ventilation grids, laptop cart metal doors and wall cabinet hardware.

Exceptions: Power units, translucent doors and aluminum legs on benches are available in Silver anodized aluminum only.

Steel shelves are available painted Anthracite grey only.

CODIFICATION

SERIES	OPTIONS			
	THICKNESS	HANDLES	ACCENT COLORS	LEGS
E	1 Thermofused laminate 1"	N N/A	N N/A	Q Square
	2 High-pressure laminate 1"	L Linear	A Anthracite grey	V Round
	5 Thermofused laminate 1½"	Q Square	S Silver	
	6 High-pressure laminate 1½"	V Round		

GENERAL SPECIFICATIONS

WITH GROUPE LACASSE DESIGN AND MANUFACTURING CAPABILITIES, THERE IS VERY LITTLE THAT WE CANNOT DO WITH THERMOFUSED LAMINATES – AND WE BELIEVE THAT WE CAN QUOTE AND WIN MOST ARCHITECT AND DESIGNER SPECIFIC PROJECTS.

ALL STANDARD PRODUCTS MEET OR EXCEED ANSI/BIFMA REQUIREMENTS.

SURFACES

Work surfaces and tops are made of 1" (25 mm) or 1½" (38 mm) thick mar-resistant high-performance laminate (45 lbs/ft³) laminated on both faces, also called TFL.

High-pressure laminate work surfaces are available, also called HPL, for certain units, adding ⅛" (1,6 mm) to the overall thickness of the work surface.

Side panels are 1" (25 mm) thick.

EDGE BANDING

Work surfaces are finished with a ⅜" (3 mm) ABS smooth edgebanding.

CONSTRUCTION

In a majority of cases, products are assembled with metal-to-metal hardware to facilitate the replacement of parts in case of damage.

DRAWERS AND DOORS

All drawers built for trouble-free performance.

- Black full extension ball bearing suspensions.
- 100 lbs (45 kg) load capacity for box and file drawers.
- 150 lbs (68 kg) load capacity for lateral file drawers.
- Five sided drawer construction including bottom in ⅛" (11 mm) black particleboard. Reinforced rod on 36" (914 mm) wide drawers.
- PVC top rails for lateral file folders.
- Standard interlock system where required.
- 135° hinges on doors.
- 270° hinges are available upon request (contact Groupe Lacasse Quotations Department).

LOCKS

Cam lock is available on drawers and doors and will match the specified accent color; Black or Silver. Key-alike option is available upon request (contact Groupe Lacasse Customer Service).

LEVELERS


Levelers allow up to 1¼" (32 mm) height adjustment unless otherwise specified.

CASTERS

Mobile units have 3" (75 mm) diameter heavy-duty casters made of non-marking synthetic rubber. Load capacity of 176 lbs (80 kg) per caster.

PROTECTIVE RUBBER BUMPER

Grey rubber bumpers are available for mobile units. Bumpers are sold separately; please refer to the Accessories section, p. 23.



SHELVES

- 1" (25 mm) thick thermofused laminate shelves have a hidden anti-tip device when there is no door in front of them.
- Metal shelves are made of 18 gauge steel with a load capacity of 150 lbs (68 kg).

HANDLES

Three choices of handles available in Silver or Anthracite grey finish: Linear (L) thermoplastic polymer handle, Square (Q) or Round (V) metal pulls.

The LGC-PULL17 handle for mobile units only is sold separately; please refer to p. 16.

LEGS

Two choices of legs available in Silver or Anthracite grey finish: Square (Q) or Round (V) metal legs.

BENCH CUSHIONS

2" (51 mm) thick foam cushion installs on bench with Velcro (included). Cushions comply with Cal. 117 requirements.

TECHNOLOGY INTEGRATION

- Matching Anthracite grey or Silver grommets included on most furniture units.
- Certain teachers' desks include CPU storage units and ventilation grids to accommodate a variety of electronic devices.
- Wire management raceways included on computer carrels, laptop and CPU tables.
- For optional electrical/communication modules; please refer to Accessories section, p. 23.

DIMENSIONS

Metric dimensions are exact; imperial dimensions are nominal (unless otherwise specified).

OTHER FINISHES (SPECIAL)

Other finishes (i.e., non standard) may be ordered at an upcharge. Minimum quantity may be required. Please check with our Quotations Department. Delivery may vary depending on the choice of finish or type of material.

MODULAR CABINETRY

All modular cabinetry must be attached to a wall to ensure stability and security.


WALL-MOUNTED LAMINATE HANGING SYSTEM

The wall-mounted laminate panel should be installed by a professional. Appropriate hardware must be used to ensure a good and secure installation of the laminate panel to the wall. Panel mount hardware is not included and may vary depending on wall type. The laminate panel should be equal or longer than the length of all of the hanging component(s); i.e., white board, cabinet, etc.

CABINETS AND ACCESSORIES FOR WALL-MOUNTED HANGING SYSTEM

Hanging components such as white boards, cabinets, bookcases must be securely attached to the wall-mounted laminate panel with the supplied mounting hardware.

THE SYSTEM IS VERY FLEXIBLE AND ALLOWS MANY CONFIGURATIONS, PLANS BELOW ILLUSTRATE THE RECOMMENDED POSITION OF THE STORAGE UNITS.



POWER BAR (LGC-POWERBAR)

To be used with laptop carts; installs on the back portion of the cart.
Maximum input current; 15 AMP, 10 outlets. Surge and overload protection.


A separate wall circuit is recommended for each surge and overload-protected 10-outlet electrical unit.

When the units are plugged into wall outlets, make sure not to exceed circuit capacity (15 to 20 AMP per circuit).

Using a timer to recharge laptops is recommended or using different wall outlets to prevent tripping breaker when all power bar outlets are in use.

UL Recognized - UL 1363
RoHS Compliancy.

Power bar is sold separately; please refer to p. 13.

**ELECTRICITY**

4-Trac System is compatible with laptop and CPU tables, as well as all types of carrels.

4-TRAC SYSTEM FEATURES:

- 4-wires, 2 circuits, 20 AMP each.
- 13 duplex receptacles per circuit. Maximum of 26 duplex receptacles of 15 AMP per power infeed.
- Easy to specify, install and reconfigure.
- UL listed as a Manufactured Wiring System.
- RoHS Compliancy available upon request; Cradle to Cradle.
- Will work in all locations except for Chicago. Manufactured Wiring Systems are not permitted in Chicago.
- Chicago code compliancy and many other options (8-wire system, etc.) are available upon request; contact Groupe Lacasse Quotations Department.

HOW TO SPECIFY

EXAMPLE USING A CONFIGURATION OF LAPTOP TABLES
(E_N_RLP2460J)

STEP 1

Determine the number of users in function of the length of the surface and their electrical requirements (1 or 2 duplex receptacles per workstation are usually sufficient).

LGC-DUPLEXC_

STEP 2

Determine whether 1 or 2 circuits are needed, accordingly to the quantity of duplex receptacles.

STEP 3




Determine pass cable lengths in function of duplex receptacle positioning and surface lengths.

LGC-PASS_

STEP 4


Determine electrical feed cable length, between the duplex receptacle and wall power source. The electrical installation must be made by a professional electrician.

LGC-FFEED_

STEP 1 & 2**STEP 3****STEP 4**


TEACHER'S DESKS

Left single pedestal desks




Packaged in 2 boxes.

Right single pedestal desks




Packaged in 2 boxes.

Left single pedestal desks




Packaged in 2 boxes.

Right single pedestal desks




Packaged in 2 boxes.

Left single pedestal bow front desks



Packaged in 2 boxes.

Right single pedestal bow front desks



Packaged in 2 boxes.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-UF3072S	1,448	1,623
60 x 30 x 29	1500 x 750 x 735	E___-UF3060S	1,422	1,565
48 x 30 x 29	1200 x 750 x 735	E___-UF3048S	1,395	1,512

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-S3072UF	1,448	1,623
60 x 30 x 29	1500 x 750 x 735	E___-S3060UF	1,422	1,565
48 x 30 x 29	1200 x 750 x 735	E___-S3048UF	1,395	1,512

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
72 x 30 x 29	1800 x 750 x 735	E___-UC3072S	1,263	1,432
60 x 30 x 29	1500 x 750 x 735	E___-UC3060S	1,236	1,379
48 x 30 x 29	1200 x 750 x 735	E___-UC3048S	1,210	1,321

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
72 x 30 x 29	1800 x 750 x 735	E___-S3072UC	1,263	1,432
60 x 30 x 29	1500 x 750 x 735	E___-S3060UC	1,236	1,379
48 x 30 x 29	1200 x 750 x 735	E___-S3048UC	1,210	1,321

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).


<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-UF3072SA	1,490	1,697
60 x 30 x 29	1500 x 750 x 735	E___-UF3060SA	1,464	1,634
48 x 30 x 29	1200 x 750 x 735	E___-UF3048SA	1,432	1,570

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-S3072UFA	1,490	1,697
60 x 30 x 29	1500 x 750 x 735	E___-S3060UFA	1,464	1,634
48 x 30 x 29	1200 x 750 x 735	E___-S3048UFA	1,432	1,570


Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

Left single pedestal bow front desks



Packaged in 2 boxes.

Right single pedestal bow front desks



Packaged in 2 boxes.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
72 x 30 x 29	1800 x 750 x 735	E___-UC3072SA	1,283	1,490
60 x 30 x 29	1500 x 750 x 735	E___-UC3060SA	1,252	1,422
48 x 30 x 29	1200 x 750 x 735	E___-UC3048SA	1,220	1,358

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
72 x 30 x 29	1800 x 750 x 735	E___-S3072UCA	1,283	1,490
60 x 30 x 29	1500 x 750 x 735	E___-S3060UCA	1,252	1,422
48 x 30 x 29	1200 x 750 x 735	E___-S3048UCA	1,220	1,358

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

TEACHER'S DESKS WITH METAL PEDESTALS

Double metal pedestal bow front desks




Packaged in 3 boxes.

Left single metal pedestal bow front desks



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right single metal pedestal bow front desks



Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

<i>2 pedestals with lock. 2 box drawers, 1 file drawer with suspension bars. Pedestals with charcoal metal body only and laminate drawer fronts. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 1 tone only.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-UF2M3072A	1,586	1,793
60 x 30 x 29	1500 x 750 x 735	E___-UF2M3060A	1,565	1,734


Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on left with lock. 2 box drawers, 1 file drawer with suspension bars. Pedestal with charcoal metal body only and laminate drawer fronts. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 1 tone only.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-UFM3072A	1,411	1,618
60 x 30 x 29	1500 x 750 x 735	E___-UFM3060A	1,384	1,560
48 x 30 x 29	1200 x 750 x 735	E___-UFM3048A	1,363	1,501


Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

<i>1 pedestal on right with lock. 2 box drawers, 1 file drawer with suspension bars. Pedestal with charcoal metal body only and laminate drawer fronts. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 1 tone only.</i>				
72 x 30 x 29	1800 x 750 x 735	E___-3072UFMA	1,411	1,618
60 x 30 x 29	1500 x 750 x 735	E___-3060UFMA	1,384	1,560
48 x 30 x 29	1200 x 750 x 735	E___-3048UFMA	1,363	1,501

Specify the surface type (1, 2). Specify the handle code (L, Q, V).
Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
D-SHAPED TEACHER'S DESKS					
Left single pedestal D-shaped desks	<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-UF3072D_	1,666	1,835
	60 x 30 x 29	1500 x 750 x 735	E___-UF3060D_	1,644	1,787
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Right single pedestal D-shaped desks	<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-3072UFD_	1,666	1,835
	60 x 30 x 29	1500 x 750 x 735	E___-3060UFD_	1,644	1,787
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Left single pedestal D-shaped mobile desks	<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-MUF3072D_	1,729	1,899
	60 x 30 x 29	1500 x 750 x 735	E___-MUF3060D_	1,707	1,851
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.


Right single pedestal D-shaped mobile desks	<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-M3072UFD_	1,729	1,899
	60 x 30 x 29	1500 x 750 x 735	E___-M3060UFD_	1,707	1,851
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Left single pedestal D-shaped desks	<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 30 x 29	1800 x 750 x 735	E___-UC3072D_	1,623	1,793
	60 x 30 x 29	1500 x 750 x 735	E___-UC3060D_	1,601	1,745
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Right single pedestal D-shaped desks



Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Left single pedestal D-shaped mobile desks



Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Right single pedestal D-shaped mobile desks



Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>					
	72 x 30 x 29	1800 x 750 x 735	E___-3072UCD_	1,623	1,793
	60 x 30 x 29	1500 x 750 x 735	E___-3060UCD_	1,601	1,745
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>					
	72 x 30 x 29	1800 x 750 x 735	E___-MUC3072D_	1,687	1,856
	60 x 30 x 29	1500 x 750 x 735	E___-MUC3060D_	1,666	1,808
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>					
	72 x 30 x 29	1800 x 750 x 735	E___-M3072UCD_	1,687	1,856
	60 x 30 x 29	1500 x 750 x 735	E___-M3060UCD_	1,666	1,808
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

P-SHAPED TEACHER'S DESKS

Left single pedestal P-shaped desks	<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-UF3672P_	1,745	1,952
	66 x 36 x 29	1650 x 900 x 735	E___-UF3666P_	1,734	1,904
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

Right single pedestal P-shaped desks	<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 36 x 29	1800 x 900 x 735	E___-3672UFP_	1,745	1,952
	66 x 36 x 29	1650 x 900 x 735	E___-3666UFP_	1,734	1,904
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection
at the end of the product
code (Q, V).
Packaged in 3 boxes.

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Left single pedestal P-shaped mobile desks 	<i>1 pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 36 x 29	1800 x 900 x 735	E__-MUF3672P_	1,808	2,016
	66 x 36 x 29	1650 x 900 x 735	E__-MUF3666P_	1,798	1,968
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right single pedestal P-shaped mobile desks 	<i>1 pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 36 x 29	1800 x 900 x 735	E__-M3672UFP_	1,808	2,016
	66 x 36 x 29	1650 x 900 x 735	E__-M3666UFP_	1,798	1,968
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left single pedestal P-shaped desks 	<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E__-UC3672P_	1,454	1,661
	66 x 36 x 29	1650 x 900 x 735	E__-UC3666P_	1,432	1,601
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right single pedestal P-shaped desks 	<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E__-3672UCP_	1,454	1,661
	66 x 36 x 29	1650 x 900 x 735	E__-3666UCP_	1,432	1,601
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left single pedestal P-shaped mobile desks 	<i>1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E__-MUC3672P_	1,517	1,724
	66 x 36 x 29	1650 x 900 x 735	E__-MUC3666P_	1,495	1,666
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.


Right single pedestal P-shaped mobile desks 	<i>1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes. CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 36 x 29	1800 x 900 x 735	E__-M3672UCP_	1,517	1,724
	66 x 36 x 29	1650 x 900 x 735	E__-M3666UCP_	1,495	1,666
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

LECTERN-DESKS

Left lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-LUF3072_	1,856	2,063
	66 x 30 x 42	1650 x 750 x 1063	E__-LUF3066_	1,835	1,979
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-3072LUF_	1,856	2,063
	66 x 30 x 42	1650 x 750 x 1063	E__-3066LUF_	1,835	1,979
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on left with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-MLUF3072_	1,920	2,127
	66 x 30 x 42	1650 x 750 x 1063	E__-MLUF3066_	1,899	2,042
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Right lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. Pedestal on right with lock. 2 box drawers and 1 file drawer with suspension bar. Lock controls all drawers. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-M3072LUF_	1,920	2,127
	66 x 30 x 42	1650 x 750 x 1063	E__-M3066LUF_	1,899	2,042
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.

Left lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E__-LUC3072_	1,692	1,926
	66 x 30 x 42	1650 x 750 x 1063	E__-LUC3066_	1,671	1,820
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Specify the leg selection at the end of the product code (Q, V).
Packaged in 3 boxes.



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Right lectern-desks single pedestal 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs.</i> <i>CPU storage space: 14" W x 24 1/4" D x 21 1/2" H (356 x 617 x 544 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E___-3072LUC__	1,692	1,926
	66 x 30 x 42	1650 x 750 x 1063	E___-3066LUC__	1,671	1,820
Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.					

Left lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on left with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i> <i>CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E___-MLUC3072__	1,755	1,989
	66 x 30 x 42	1650 x 750 x 1063	E___-MLUC3066__	1,734	1,883
Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.					

Right lectern-desks single pedestal, mobile 	<i>11 7/8" H (300 mm) storage opening under lectern surface. 1 pedestal on right with lock. 1 box drawer and 1 CPU storage with door and ventilation grid. Lock controls drawer and CPU storage door. Swivel wire supports. Grommet on lectern surface, desk surface and on sides of CPU storage. Pencil tray. Recessed half-height modesty panel. 2 steel legs. 6 swivel casters, 4 with brakes.</i> <i>CPU storage space: 14" W x 24 1/4" D x 18 3/8" H (356 x 617 x 467 mm).</i>				
	72 x 30 x 42	1800 x 750 x 1063	E___-M3072LUC__	1,755	1,989
	66 x 30 x 42	1650 x 750 x 1063	E___-M3066LUC__	1,734	1,883
Specify the leg selection at the end of the product code (Q, V). Packaged in 3 boxes.					

CARRELS – 29" H WORK SURFACE

Individual single-sided carrels, 33" H 	<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment.</i>				
	Starter				
	37 x 34 1/2 x 33	925 x 869 x 834	E_NN-CS343733	610	690
	Add-on				
	<i>Wire access on side panel.</i>				
	36 x 34 1/2 x 33	900 x 869 x 834	E_NN-CA343633	494	573
Specify the surface type (1, 2).					

Shared single-sided carrels, 33" H 	<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment.</i>				
	Starter				
	73 x 34 1/2 x 33	1825 x 869 x 834	E_NN-CS347333	779	938
	Add-on				
	<i>Wire access on side panel.</i>				
	72 x 34 1/2 x 33	1800 x 869 x 834	E_NN-CA347233	663	822
Specify the surface type (1, 2).					

Individual single-sided carrels, 53" H

<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15 3/8" H (390 mm).</i>					
Starter					
37 x 34 1/2 x 53	925 x 869 x 1342	E_NN-CS343753	785	865	
Add-on					
<i>Wire access on side panel.</i>					
36 x 34 1/2 x 53	900 x 869 x 1342	E_NN-CA343653	636	716	
Specify the surface type (1, 2).					

Shared single-sided carrels, 53" H

<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15 3/8" H (390 mm).</i>					
Starter					
73 x 34 1/2 x 53	1825 x 869 x 1342	E_NN-CS347353	1,044	1,210	
Add-on					
<i>Wire access on side panel.</i>					
72 x 34 1/2 x 53	1800 x 869 x 1342	E_NN-CA347253	891	1,056	
Specify the surface type (1, 2).					


Individual double-sided carrels, 33" H

<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment.</i>					
Starter					
37 x 67 1/2 x 33	925 x 1716 x 834	E_NN-CS673733	880	965	
Add-on					
<i>Wire access on side panel.</i>					
36 x 67 1/2 x 33	900 x 1716 x 834	E_NN-CA673633	663	743	
Specify the surface type (1, 2).					

Shared double-sided carrels, 33" H


<i>Wire opening on top. 3/4 height modesty panel. Levelers with 1 1/2" (38 mm) height adjustment.</i>					
Starter					
73 x 67 1/2 x 33	1825 x 1716 x 834	E_NN-CS677333	1,172	1,336	
Add-on					
<i>Wire access on side panel.</i>					
72 x 67 1/2 x 33	1800 x 1716 x 834	E_NN-CA677233	1,018	1,183	
Specify the surface type (1, 2).					

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Individual double-sided carrels, 53" H					
<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅝" H (390 mm).</i>					
Starter					
	37 x 67½ x 53	925 x 1716 x 1342	E_NN-CS673753	1,225	1,305
Add-on					
<i>Wire access on side panel.</i>					
	36 x 67½ x 53	900 x 1716 x 1342	E_NN-CA673653	998	1,077
Specify the surface type (1, 2).					



Packaged in 2 boxes.

Shared double-sided carrels, 53" H					
<i>Wire opening on top. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment. 8" (200 mm) deep fixed accessory shelf. Clearance 15⅝" H (390 mm).</i>					
Starter					
	73 x 67½ x 53	1825 x 1716 x 1342	E_NN-CS677353	1,596	1,755
Add-on					
<i>Wire access on side panel.</i>					
	72 x 67½ x 53	1800 x 1716 x 1342	E_NN-CA677253	1,369	1,533
Specify the surface type (1, 2).					




Packaged in 2 boxes.

ADA bracket kit					
<i>Kit includes metal brackets and hardware to raise the surface of a carrel to ADA height (from 29" to 32" H/735 to 813 mm). Package of 6 brackets. Order one package per carrel.</i>					
	1 x 1 x 4	25 x 25 x 104	ENNN-CADAKIT	106	—




COMPUTER CARRELS — 29" H WORK SURFACE


Individual single-sided carrels, 33" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter					
	37 x 34½ x 33	925 x 869 x 834	E_NN-CCS343733	880	960
Add-on					
<i>Wire access on side panel.</i>					
	36 x 34½ x 33	900 x 869 x 834	E_NN-CCA343633	743	827
Specify the surface type (1, 2).					




Shared single-sided carrels, 33" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter					
	73 x 34½ x 33	1825 x 869 x 834	E_NN-CCS347333	1,077	1,241
Add-on					
<i>Wire access on side panel.</i>					
	72 x 34½ x 33	1800 x 869 x 834	E_NN-CCA347233	938	1,104
Specify the surface type (1, 2).					



	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Individual single-sided carrels, 53" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter					
	37 x 34½ x 53	925 x 869 x 1342	E_NN-CCS343753	1,056	1,135
Add-on					
<i>Wire access on side panel.</i>					
	36 x 34½ x 53	900 x 869 x 1342	E_NN-CCA343653	880	965
Specify the surface type (1, 2).					




Shared single-sided carrels, 53" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter					
	73 x 34½ x 53	1825 x 869 x 1342	E_NN-CCS347353	1,294	1,459
Add-on					
<i>Wire access on side panel.</i>					
	72 x 34½ x 53	1800 x 869 x 1342	E_NN-CCA347253	1,124	1,289
Specify the surface type (1, 2).					




Packaged in 2 boxes.

Individual double-sided carrels, 33" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter					
	37 x 67½ x 33	925 x 1716 x 834	E_NN-CCS673733	1,140	1,220
Add-on					
<i>Wire access on side panel.</i>					
	36 x 67½ x 33	900 x 1716 x 834	E_NN-CCA673633	950	1,029
Specify the surface type (1, 2).					




Starter:
Packaged in 2 boxes.

Shared double-sided carrels, 33" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter					
	73 x 67½ x 33	1825 x 1716 x 834	E_NN-CCS677333	1,490	1,649
Add-on					
<i>Wire access on side panel.</i>					
	72 x 67½ x 33	1800 x 1716 x 834	E_NN-CCA677233	1,316	1,480
Specify the surface type (1, 2).					




Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Individual double-sided carrels, 53" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter	37 x 67½ x 53	925 x 1716 x 1342	E_NN-CCS673753	1,480	1,560
Add-on	<i>Wire access on side panel.</i>				
	36 x 67½ x 53	900 x 1716 x 1342	E_NN-CCA673653	1,236	1,316
Specify the surface type (1, 2).					



Packaged in 2 boxes.


Shared double-sided carrels, 53" H					
<i>Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter	73 x 67½ x 53	1825 x 1716 x 1342	E_NN-CCS677353	1,909	2,074
Add-on	<i>Wire access on side panel.</i>				
	72 x 67½ x 53	1800 x 1716 x 1342	E_NN-CCA677253	1,666	1,830
Specify the surface type (1, 2).					




Packaged in 2 boxes.

COMPUTER CARRELS – 42" H WORK SURFACE

Individual single-sided carrels, 53" H					
<i>42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter	37 x 34½ x 53	925 x 869 x 1342	E_NN-CSS343753	1,044	1,124
Add-on	<i>Wire access on side panel.</i>				
	36 x 34½ x 53	900 x 869 x 1342	E_NN-CSA343653	875	955
Specify the surface type (1, 2).					




Shared single-sided carrels, 53" H					
<i>42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter	73 x 34½ x 53	1825 x 869 x 1342	E_NN-CSS347353	1,278	1,437
Add-on	<i>Wire access on side panel.</i>				
	72 x 34½ x 53	1800 x 869 x 1342	E_NN-CSA347253	1,104	1,268
Specify the surface type (1, 2).					




Packaged in 2 boxes.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Individual double-sided carrels, 53" H					
<i>42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter	37 x 67½ x 53	925 x 1716 x 1342	E_NN-CSS673753	1,464	1,543
Add-on	<i>Wire access on side panel.</i>				
	36 x 67½ x 53	900 x 1716 x 1342	E_NN-CSA673653	1,215	1,294
Specify the surface type (1, 2).					



Packaged in 2 boxes.

Shared double-sided carrels, 53" H					
<i>42" H (1063 mm) work surface. Wire management raceway accessible by a lockable cover on hinges. Grommet on back. ¾ height modesty panel. Levelers with 1½" (38 mm) height adjustment.</i>					
Starter	73 x 67½ x 53	1825 x 1716 x 1342	E_NN-CSS677353	1,873	2,037
Add-on	<i>Wire access on side panel.</i>				
	72 x 67½ x 53	1800 x 1716 x 1342	E_NN-CSA677253	1,628	1,787
Specify the surface type (1, 2).					




Packaged in 2 boxes.


CPU support for carrels					
<i>Laminate CPU support. Compatible with all carrels. Reversible.</i>					
	10 x 26 x 6	255 x 650 x 150	ENNN-SCPU	159	—

**RECTANGULAR TABLES**

Rectangular tables, incremental height adjustment					
<i>Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" (635 mm) and highest position is 31" (785 mm) high. 6" (150 mm) high modesty panel.</i>					
	72 x 24 x 25-31	1800 x 600 x 635-785	E_N_-RCM2472I	918	1,056
	66 x 24 x 25-31	1650 x 600 x 635-785	E_N_-RCM2466I	907	1,034
	60 x 24 x 25-31	1500 x 600 x 635-785	E_N_-RCM2460I	897	1,013
	54 x 24 x 25-31	1350 x 600 x 635-785	E_N_-RCM2454I	885	991
	48 x 24 x 25-31	1200 x 600 x 635-785	E_N_-RCM2448I	875	971
	42 x 24 x 25-31	1050 x 600 x 635-785	E_N_-RCM2442I	870	950
	36 x 24 x 25-31	900 x 600 x 635-785	E_N_-RCM2436I	859	928
	30 x 24 x 25-31	750 x 600 x 635-785	E_N_-RCM2430I	849	907
Specify the surface type (1, 2). Specify the accent color (A, S).					



Rectangular tables with shelf, incremental height adjustment					
<i>Metal legs. 1 fixed shelf. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" (635 mm) and highest position is 31" (785 mm) high. 6" (150 mm) high modesty panel.</i>					
	72 x 24 x 25-31	1800 x 600 x 635-785	E_N_-RCM2472SI	1,066	1,204
	66 x 24 x 25-31	1650 x 600 x 635-785	E_N_-RCM2466SI	1,051	1,172
	60 x 24 x 25-31	1500 x 600 x 635-785	E_N_-RCM2460SI	1,029	1,162
	54 x 24 x 25-31	1350 x 600 x 635-785	E_N_-RCM2454SI	1,013	1,119
	48 x 24 x 25-31	1200 x 600 x 635-785	E_N_-RCM2448SI	998	1,087
	42 x 24 x 25-31	1050 x 600 x 635-785	E_N_-RCM2442SI	981	1,061
	36 x 24 x 25-31	900 x 600 x 635-785	E_N_-RCM2436SI	960	1,029
	30 x 24 x 25-31	750 x 600 x 635-785	E_N_-RCM2430SI	945	1,003
Specify the surface type (1, 2). Specify the accent color (A, S).					



Rectangular tables, fixed height



W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Metal legs. 6" (150 mm) high modesty panel.</i>				
72 x 24 x 29	1800 x 600 x 735	E_N_-RCM2472J	726	865
66 x 24 x 29	1650 x 600 x 735	E_N_-RCM2466J	716	844
60 x 24 x 29	1500 x 600 x 735	E_N_-RCM2460J	706	822
54 x 24 x 29	1350 x 600 x 735	E_N_-RCM2454J	695	801
48 x 24 x 29	1200 x 600 x 735	E_N_-RCM2448J	690	779
42 x 24 x 29	1050 x 600 x 735	E_N_-RCM2442J	679	759
36 x 24 x 29	900 x 600 x 735	E_N_-RCM2436J	668	737
30 x 24 x 29	750 x 600 x 735	E_N_-RCM2430J	658	716

Specify the surface type (1, 2). Specify the accent color (A, S).

Rectangular tables with shelf, fixed height




<i>Metal legs. 1 fixed shelf. 6" (150 mm) high modesty panel.</i>				
72 x 24 x 29	1800 x 600 x 735	E_N_-RCM2472SJ	875	1,013
66 x 24 x 29	1650 x 600 x 735	E_N_-RCM2466SJ	859	986
60 x 24 x 29	1500 x 600 x 735	E_N_-RCM2460SJ	844	971
54 x 24 x 29	1350 x 600 x 735	E_N_-RCM2454SJ	822	928
48 x 24 x 29	1200 x 600 x 735	E_N_-RCM2448SJ	806	897
42 x 24 x 29	1050 x 600 x 735	E_N_-RCM2442SJ	791	870
36 x 24 x 29	900 x 600 x 735	E_N_-RCM2436SJ	774	844
30 x 24 x 29	750 x 600 x 735	E_N_-RCM2430SJ	753	812

Specify the surface type (1, 2). Specify the accent color (A, S).

LAPTOP TABLES


Laptop tables, 30" D, incremental height adjustment



<i>Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" H (635 mm). Highest position is 31" (785 mm) H. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.</i>				
72 x 30 x 25-31	1800 x 750 x 635-785	E_N_-RLP3072I	1,167	1,342
66 x 30 x 25-31	1650 x 750 x 635-785	E_N_-RLP3066I	1,157	1,310
60 x 30 x 25-31	1500 x 750 x 635-785	E_N_-RLP3060I	1,140	1,283
54 x 30 x 25-31	1350 x 750 x 635-785	E_N_-RLP3054I	1,124	1,252
48 x 30 x 25-31	1200 x 750 x 635-785	E_N_-RLP3048I	1,109	1,225
42 x 30 x 25-31	1050 x 750 x 635-785	E_N_-RLP3042I	1,092	1,193
36 x 30 x 25-31	900 x 750 x 635-785	E_N_-RLP3036I	1,077	1,162

Specify the surface type (1, 2). Specify the accent color (A, S).


Laptop tables, 24" D, incremental height adjustment



<i>Metal legs. 1" (25 mm) incremental height adjustment. 6" (150 mm) range. Lowest position is 25" H (635 mm). Highest position is 31" (785 mm) H. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.</i>				
72 x 24 x 25-31	1800 x 600 x 635-785	E_N_-RLP2472I	1,145	1,283
66 x 24 x 25-31	1650 x 600 x 635-785	E_N_-RLP2466I	1,135	1,257
60 x 24 x 25-31	1500 x 600 x 635-785	E_N_-RLP2460I	1,119	1,236
54 x 24 x 25-31	1350 x 600 x 635-785	E_N_-RLP2454I	1,109	1,210
48 x 24 x 25-31	1200 x 600 x 635-785	E_N_-RLP2448I	1,092	1,183
42 x 24 x 25-31	1050 x 600 x 635-785	E_N_-RLP2442I	1,077	1,162
36 x 24 x 25-31	900 x 600 x 635-785	E_N_-RLP2436I	1,066	1,135

Specify the surface type (1, 2). Specify the accent color (A, S).


Laptop tables, 30" D, fixed height



<i>Metal legs. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.</i>				
72 x 30 x 29	1800 x 750 x 735	E_N_-RLP3072J	981	1,151
66 x 30 x 29	1650 x 750 x 735	E_N_-RLP3066J	965	1,124
60 x 30 x 29	1500 x 750 x 735	E_N_-RLP3060J	950	1,092
54 x 30 x 29	1350 x 750 x 735	E_N_-RLP3054J	933	1,061
48 x 30 x 29	1200 x 750 x 735	E_N_-RLP3048J	918	1,034
42 x 30 x 29	1050 x 750 x 735	E_N_-RLP3042J	902	1,003
36 x 30 x 29	900 x 750 x 735	E_N_-RLP3036J	885	976

Specify the surface type (1, 2). Specify the accent color (A, S).

Laptop tables, 24" D, fixed height




W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Metal legs. 6" (150 mm) high modesty panel. Wire management raceway accessible by a lockable cover on hinges.</i>				
72 x 24 x 29	1800 x 600 x 735	E_N_-RLP2472J	955	1,092
66 x 24 x 29	1650 x 600 x 735	E_N_-RLP2466J	945	1,071
60 x 24 x 29	1500 x 600 x 735	E_N_-RLP2460J	928	1,044
54 x 24 x 29	1350 x 600 x 735	E_N_-RLP2454J	918	1,018
48 x 24 x 29	1200 x 600 x 735	E_N_-RLP2448J	902	991
42 x 24 x 29	1050 x 600 x 735	E_N_-RLP2442J	891	971
36 x 24 x 29	900 x 600 x 735	E_N_-RLP2436J	875	945

Specify the surface type (1, 2). Specify the accent color (A, S).

CPU TABLES


Left CPU tables



<i>Open CPU storage on left: 8 3/4" W x 20 1/2" H (222 x 522 mm). Half-height modesty panel. Grommet on sides. Wire management raceway accessible by a lockable cover on hinges.</i>				
42 x 30 x 36	1050 x 750 x 911	E_N_-CPU3042S	1,193	1,268
42 x 24 x 36	1050 x 600 x 911	E_N_-CPU2442S	1,140	1,199

Packaged in 2 boxes.

Right CPU tables




<i>Open CPU storage on right: 8 3/4" W x 20 1/2" H (222 x 522 mm). Half-height modesty panel. Grommet on sides. Wire management raceway accessible by a lockable cover on hinges.</i>				
42 x 30 x 36	1050 x 750 x 911	E_N_-S3042CPU	1,193	1,268
42 x 24 x 36	1050 x 600 x 911	E_N_-S2442CPU	1,140	1,199

Packaged in 2 boxes.

ALL-PURPOSE TABLES


Rectangular tables



<i>Disc bases.</i>				
72 x 42 x 29	1800 x 1050 x 738	E_N_-RC4272D	1,782	2,021
72 x 36 x 29	1800 x 900 x 738	E_N_-RC3672D	1,761	1,968
60 x 30 x 29	1500 x 750 x 738	E_N_-RC3060D	1,719	1,862

Packaged in 5 boxes.

Rectangular café height tables



<i>Disc bases.</i>				
72 x 42 x 42	1800 x 1050 x 1067	E_N_-RC427242D	1,873	2,111
72 x 36 x 42	1800 x 900 x 1067	E_N_-RC367242D	1,851	2,058
60 x 30 x 42	1500 x 750 x 1067	E_N_-RC306042D	1,808	1,952

Packaged in 5 boxes.


Round tables



<i>Disc base.</i>				
48 x 48 x 29	1200 x 1200 x 738	E_N_-R48D	1,177	1,363
42 x 42 x 29	1050 x 1050 x 738	E_N_-R42D	1,151	1,289
36 x 36 x 29	900 x 900 x 738	E_N_-R36D	971	1,071

Packaged in 3 boxes.



Round café height tables




<i>Disc base.</i>				
36 x 36 x 42	900 x 900 x 1067	E_N_-R3642D	928	1,071
30 x 30 x 42	750 x 750 x 1067	E_N_-R3042D	897	991

Packaged in 3 boxes.

Specify the surface type (1, 2). Specify the accent color (A, S).

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
MODULAR TABLES					
Rectangular tops					
	1" (25 mm) thick. Compatible with ENN_-MTBFH24 and ENN_-MLBFH24 bases.				
	72 x 30 x 1	1800 x 750 x 25	E_NN-RCT3072	456	647
	60 x 30 x 1	1500 x 750 x 25	E_NN-RCT3060	366	541
	72 x 24 x 1	1800 x 600 x 25	E_NN-RCT2472	429	583
	60 x 24 x 1	1500 x 600 x 25	E_NN-RCT2460	340	472
Specify the surface type (1, 2).					
Trapezoidal tops					
	1" (25 mm) thick. Compatible with ENN_-MTBFH24 and ENN_-MLBFH24 bases.				
	72 x 27 1/4 x 1	1800 x 693 x 25	E_NN-TZT3072	605	785
	60 x 27 1/4 x 1	1500 x 693 x 25	E_NN-TZT3060	509	679
	48 x 27 1/4 x 1	1200 x 693 x 25	E_NN-TZT3048	446	594
	72 x 22 x 1	1800 x 554 x 25	E_NN-TZT2472	573	732
	60 x 22 x 1	1500 x 554 x 25	E_NN-TZT2460	488	626
	48 x 22 x 1	1200 x 554 x 25	E_NN-TZT2448	414	547
Specify the surface type (1, 2).					

	T-bases with casters, flip-top mechanism and handle				
	<i>2 bases. Casters with brakes. Mechanism to flip the tabletop down.</i>				
	21 x 2 x 28	531 x 51 x 713	ENN-MTBFH24	838	—
Specify the accent color (A, S).					


	L-bases with casters, flip-top mechanism and handle				
	<i>2 bases. Casters with brakes. Mechanism to flip the tabletop down.</i>				
	21 x 7 x 28	531 x 172 x 713	ENN-MLBFH24	1,024	—
Specify the accent color (A, S).					

	Table connector				
	<i>To link two tables. 2 per package. Zinc-finish metal.</i>				
	6 x 2 1/4 x 1/4	150 x 60 x 6	LGC-UP	116	—

COMPLEMENTARY FURNITURE

	Pedestal				
	<i>2 box drawers and 1 file drawer with suspension bar. Pencil tray. Lock controls all drawers.</i>				
	16 3/8 x 26 x 29	409 x 650 x 735	E1_-P1626UF	1,034	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	Pedestal				
	<i>2 file drawers with suspension bar. Lock controls all drawers.</i>				
	16 3/8 x 26 x 29	409 x 650 x 735	E1_-P1626FF	885	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	Bookcase unit				
	<i>1 adjustable shelf. 1 tone only.</i>				
	12 x 26 x 28	300 x 650 x 710	ENNN-B262812	494	—

	Teacher's cart				
	<i>Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22 1/2" W x 21 5/8" D x 5 1/4" H (572 x 551 x 134 mm) open storage space. Swivel wire supports. 1 grommet on top and 1 grommet on back. 4 swivel casters, 2 with brakes.</i>				
	25 x 24 x 39	625 x 600 x 988	E_N_-M242539	880	928
Specify the surface type (1, 2). Specify the accent color (A, S).					

	Teacher's cart				
	<i>Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22 1/2" W x 21 5/8" D x 5 1/4" H (572 x 551 x 134 mm) open storage space. Swivel wire supports. 1 grommet on top and 1 grommet on back. Flipper shelf on right side. 4 swivel casters, 2 with brakes.</i>				
	37 1/4 x 24 x 39	945 x 600 x 988	E_N_-M242539W	1,066	1,114
Specify the surface type (1, 2). Specify the accent color (A, S).					

	Teacher's cart with doors				
	<i>Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22 1/2" W x 21 5/8" D x 5 1/4" H (572 x 551 x 134 mm) open storage space. Lock. Swivel wire supports. 1 grommet on top and 1 grommet on back. 4 swivel casters, 2 with brakes.</i>				
	25 x 24 x 39	625 x 600 x 988	E_-_-M242539B	1,145	1,193
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


	Teacher's cart with doors				
	<i>Handle on left side. 1 adjustable shelf. 1 fixed shelf with 22 1/2" W x 21 5/8" D x 5 1/4" H (572 x 551 x 134 mm) open storage space. Lock. Swivel wire supports. 1 grommet on top and 1 grommet on back. Flipper shelf on right side. 4 swivel casters, 2 with brakes.</i>				
	37 1/4 x 24 x 39	945 x 600 x 988	E_-_-M242539BW	1,289	1,336
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	Lectern				
	<i>Small acrylic screen. 1 fixed shelf. 1 adjustable shelf. 1 storage space. Wiring access. 4 swivel casters, 2 with brakes. 1 tone only.</i>				
	24 x 18 x 47	600 x 448 x 1177	ENNN-LC241846	965	—


	Laptop cart, 30 units				
	<i>Can accommodate 30 laptops. 2 handles on top. Laminate door fronts with lock. Swivel wire supports. Perforated back metal doors with lock for ventilation. Storage space for wire management and transformers. Grommet on sides. 4 swivel casters, 2 with brakes. Surge and protection power bar sold separately.</i>				
	43 x 25 x 42	1075 x 625 x 1063	E_-_-M253432LP	2,954	3,040
Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).					

	Laptop cart, 20 units				
	<i>Can accommodate 20 laptops. 2 handles on top. Laminate door fronts with lock. Swivel wire supports. Perforated back metal doors with lock for ventilation. Storage space for wire management and transformers. Grommet on sides. 4 swivel casters, 2 with brakes. Surge and protection power bar sold separately.</i>				
	30 x 25 x 42	750 x 625 x 1063	E_-_-M253042LP	2,721	2,785
Specify the surface type (1, 2). Specify the handle code (Q, V). Specify the accent color (A, S).					


	Power bar				
	<i>10 electrical outlets. Black. Mounting brackets included. 12" electrical cord (3658 mm).</i>				
	1 3/4 x 2 1/4 x 17 1/2	44 x 57 x 447	LGC-POWERBAR	419	—

	Flat screen carts				
	<i>Laminate doors with locks. 2 adjustable shelves. Recessed back panel for wire management. Grommets on back. 6 swivel casters, 4 with brakes. 1 tone only. Flat screen support sold separately.</i>				
	72 x 24 x 64	1800 x 600 x 1625	EN_-_-MTV2472	1,846	—
	54 x 24 x 64	1350 x 600 x 1625	EN_-_-MTV2454	1,692	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					


72" W accommodates 37" to 65" flat screens.
54" W accommodates 37" to 50" flat screens.

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	<i>Silver anodized frame doors and translucent insert with locks. 2 adjustable shelves. Recessed back panel for wire management. Grommets on back. 6 swivel casters, 4 with brakes. 1 tone only. Flat screen support sold separately. S Silver accent only.</i>				
	72 x 24 x 64	1800 x 600 x 1625	EN_S-MTV2472T	2,377	—
	54 x 24 x 64	1350 x 600 x 1625	EN_S-MTV2454T	2,090	—
Specify the handle code (Q, V).					
72" W accommodates 37" to 65" flat screens. 54" W accommodates 37" to 50" flat screens.					

	<i>Silver metal support. Can accommodate screens from 37" to 65". 15° tilt angle. Maximum weight capacity: 176 lbs (80 kg). Install on a flat screen carts.</i>				
	33 7/8 x 4 x 19 3/4	859 x 102 x 500	LGC-SUPFLATSC	472	—


	<i>Pocket doors for electronic device storage. Back with door for wire access. 4" H (102 mm) clearance under surface. 6 adjustable shelves. Locks. Grommet on top and sides. Can accommodate a CPU tower.</i>				
	42 x 24 x 42	1050 x 600 x 1063	E_ _ _-244242AV	2,211	2,297
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


	<i>Pocket doors for electronic device storage. Back with door for wire access. 4" H (102 mm) clearance under surface. 6 adjustable shelves. Locks. Swivel wire supports. Grommet on top and sides. 4 swivel casters, 2 with brakes. Can accommodate a CPU tower.</i>				
	42 x 24 x 42	1050 x 600 x 1063	E_ _ _-M244242AV	2,254	2,339
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					


	<i>Non-magnetic surface for use with dry-erase markers on both sides. Brakes on swivel casters.</i>				
	55 x 28 x 64	1375 x 700 x 1610	ENN_-MWB542865	1,666	—
	43 x 28 x 64	1075 x 700 x 1610	ENN_-MWB422865	1,634	—
Specify the accent color (A, S).					


	<i>For mobile white board. Specify the metal finish Silver or Anthracite grey.</i>				
	12 x 3 1/2 x 2	300 x 90 x 50	LGC-PH12_	80	—
Specify the accent color (A, S).					


STORAGE UNITS, 72" H

	<i>3 adjustable shelves and 1 fixed shelf. Lock.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_ _-243672B	1,554	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					


	<i>Clothes hanger bar and 1 fixed shelf on right side. 4 adjustable shelves on left side. Lock.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_ _-243672BC	1,714	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	<i>2 adjustable shelves. 4 box drawers. Interlock system. Locks.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_ _-243672BU	2,662	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	<i>2 adjustable shelves and 1 fixed shelf. Lateral file drawer with suspension bars. Lock.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1_ _-B243672F	1,528	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	<i>3 adjustable shelves and 1 fixed shelf.</i>				
	36 x 24 x 72	900 x 600 x 1825	E1NN-B243672	1,220	—

STORAGE UNITS, 36" H

	<i>1 adjustable shelf. Lock.</i>				
	36 x 24 x 36	900 x 600 x 911	E_ _ _-243636B	1,056	1,124
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	<i>1 adjustable shelf. Lock. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E_ _ _-M243636B	1,098	1,167
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	<i>4 box drawers. Interlock system. Lock.</i>				
	36 x 24 x 36	900 x 600 x 911	E_ _ _-243636U	1,862	1,931
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	<i>4 box drawers. Interlock system. Lock. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E_ _ _-M243636U	1,904	1,973
Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).					

	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Combined storage unit	<i>4 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 36	900 x 600 x 911	E___-243636UB	2,058	2,127



Mobile combined storage unit	<i>4 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E___-M243636UB	2,100	2,170
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Combined storage unit	<i>4 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 36	900 x 600 x 911	E___-243636BU	2,058	2,127
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Mobile combined storage unit	<i>4 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E___-M243636BU	2,100	2,170
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Combined storage unit	<i>2 box drawers. Bookcase with doors. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 36	900 x 600 x 911	E___-243636T	1,644	1,714
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Mobile combined storage unit	<i>2 box drawers. Bookcase with doors. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E___-M243636T	1,687	1,755
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



STORAGE UNITS, 29" H

Bookcase with doors	<i>1 adjustable shelf. Lock.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-243629B	1,013	1,082
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Mobile bookcase with doors	<i>1 adjustable shelf. Lock. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-M243629B	1,056	1,124
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Bookcase with door, opens left	<i>1 adjustable shelf. Lock.</i>				
	24 x 24 x 29	600 x 600 x 735	E___-242429BL	933	981
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Bookcase with door, opens right	<i>1 adjustable shelf. Lock.</i>				
	24 x 24 x 29	600 x 600 x 735	E___-242429BR	933	981
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



	W x D x H ("")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Mobile bookcase with door, opens left	<i>1 adjustable shelf. 4 swivel casters, 2 with brakes. Lock.</i>				
	24 x 24 x 29	600 x 600 x 735	E___-M242429BL	976	1,024
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Mobile bookcase with door, opens right	<i>1 adjustable shelf. 4 swivel casters, 2 with brakes. Lock.</i>				
	24 x 24 x 29	600 x 600 x 735	E___-M242429BR	976	1,024
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Storage units with drawers	<i>3 box drawers. Interlock system. Lock.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-243629U	1,687	1,755
	24 x 24 x 29	600 x 600 x 735	E___-242429U	1,628	1,697
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Mobile storage units with drawers	<i>3 box drawers. Interlock system. Lock. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-M243629U	1,729	1,798
	24 x 24 x 29	600 x 600 x 735	E___-M242429U	1,671	1,740
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Combined storage unit	<i>3 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-243629UB	1,671	1,740
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Mobile combined storage unit	<i>3 box drawers on left. Bookcase with door on right. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-M243629UB	1,714	1,782
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				



Combined storage unit	<i>3 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-243629BU	1,671	1,740
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				




Mobile combined storage unit	<i>3 box drawers on right. Bookcase with door on left. 1 adjustable shelf. Locks. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 29	900 x 600 x 735	E___-M243629BU	1,714	1,782
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				




BOOKCASE UNITS, 36" H


Bookcase units	<i>2 adjustable shelves.</i>				
	60 x 24 x 36	1500 x 600 x 911	E_NN-B246036	907	998
	48 x 24 x 36	1200 x 600 x 911	E_NN-B244836	812	891
	<i>1 adjustable shelf.</i>				
	36 x 24 x 36	900 x 600 x 911	E_NN-B243636	726	796
	Specify the surface type (1, 2).				





	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Mobile bookcase units  	<i>2 adjustable shelves. 6 swivel casters, 4 with brakes.</i>				
	60 x 24 x 36	1500 x 600 x 911	E_NN-MB246036	971	1,061
	48 x 24 x 36	1200 x 600 x 911	E_NN-MB244836	875	955
	<i>1 adjustable shelf. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 36	900 x 600 x 911	E_NN-MB243636	769	838
Specify the surface type (1, 2).					

BOOKCASE UNITS, 29" H

Bookcase units  	<i>2 adjustable shelves.</i>				
	60 x 24 x 29	1500 x 600 x 735	E_NN-B246029	885	971
	48 x 24 x 29	1200 x 600 x 735	E_NN-B244829	796	865
	<i>1 adjustable shelf.</i>				
	36 x 24 x 29	900 x 600 x 735	E_NN-B243629	706	774
Specify the surface type (1, 2).					

Mobile bookcase units  	<i>2 adjustable shelves. 6 swivel casters, 4 with brakes.</i>				
	60 x 24 x 29	1500 x 600 x 735	E_NN-MB246029	950	1,034
	48 x 24 x 29	1200 x 600 x 735	E_NN-MB244829	859	928
	<i>1 adjustable shelf. 4 swivel casters, 2 with brakes.</i>				
	36 x 24 x 29	900 x 600 x 735	E_NN-MB243629	748	817
Specify the surface type (1, 2).					

Handle 	<i>For mobile units. Specify the metal finish Silver or Anthracite grey.</i>				
	17¼ x ¾ x 2¾	438 x 22 x 60	LGC-PULL17_	101	—
Specify the accent color (A, S).					

Bookcases  	<i>3 adjustable shelves. 1 fixed shelf. 1 tone only.</i>				
	36 x 14 x 72	900 x 350 x 1825	ENNN-B367214	870	—
	<i>2 adjustable shelves. 1 fixed shelf. 1 tone only.</i>				
	36 x 14 x 48	900 x 350 x 1215	ENNN-B364814	726	—

MODULAR CABINETRY

Modular cabinet with doors 	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635BL	1,056	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinets with door, opens left  	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435BLL	976	—
	18 x 25 x 35	450 x 625 x 886	EN__-251835BLL	748	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinets with door, opens right  	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	<i>Installs under a countertop. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435BLR	976	—
	18 x 25 x 35	450 x 625 x 886	EN__-251835BLR	748	—
Specify the handle code (L, Q, V). Specify the accent color (A, S).					

Modular sink cabinet with doors 	<i>Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635KL	1,114	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular sink cabinet with door, opens left 	<i>Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435KLL	1,034	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular sink cabinet with door, opens right 	<i>Installs under a countertop. 4¼" H (106 mm) kick plate. Open back to accommodate plumbing. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435KLR	1,034	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinet with drawers 	<i>Installs under a countertop. 4 drawers. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635UL	1,608	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinets with drawers 	<i>Installs under a countertop. 4 drawers. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435UL	1,528	—
	18 x 25 x 35	450 x 625 x 886	EN__-251835UL	1,389	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinet with drawers 	<i>Installs under a countertop. 3 box drawers and 1 file drawer. 4¼" H (106 mm) kick plate. Locks. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635UFL	1,581	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinet with drawers 	<i>Installs under a countertop. 2 box drawers and 1 file drawer. 4¼" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435UFL	1,501	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinet with doors and drawers 	<i>Installs under a countertop. 2 box drawers. 1 adjustable shelf. 4¼" H (106 mm) kick plate. Locks. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	EN__-253635TL	1,331	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Modular cabinet with door and drawer, opens left	<i>Installs under a countertop. 1 box drawer. 1 adjustable shelf. 4 1/4" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435TLL	1,252	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular cabinet with door and drawer, opens right	<i>Installs under a countertop. 1 box drawer. 1 adjustable shelf. 4 1/4" H (106 mm) kick plate. Lock. 1 tone only.</i>				
	24 x 25 x 35	600 x 625 x 886	EN__-252435TLR	1,252	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				

Modular bookcases	<i>Installs under a countertop. 1 adjustable shelf. 4 1/4" H (106 mm) kick plate. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	ENNN-B253635L	779	—
	24 x 25 x 35	600 x 625 x 886	ENNN-B252435L	700	—

Open modules	<i>Installs under a countertop. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	ENNN-253635SL	504	—
	24 x 25 x 35	600 x 625 x 886	ENNN-252435SL	472	—

ADA sink module	<i>Installs under a countertop. Open back to accommodate plumbing. Pivoting front panel for plumbing accessibility. 1 tone only.</i>				
	36 x 25 x 35	900 x 625 x 886	ENNN-AD253635L	679	—


Rectangular counter tops	<i>Installs on modular cabinets. 4" H (100 mm) back splash. 1 tone only.</i>				
	96 x 26 x 5	2400 x 650 x 125	E_NN-TOBS2696	424	642
	90 x 26 x 5	2250 x 650 x 125	E_NN-TOBS2690	414	626
	84 x 26 x 5	2100 x 650 x 125	E_NN-TOBS2684	403	610
	78 x 26 x 5	1950 x 650 x 125	E_NN-TOBS2678	393	594
	72 x 26 x 5	1800 x 650 x 125	E_NN-TOBS2672	381	578
	66 x 26 x 5	1650 x 650 x 125	E_NN-TOBS2666	371	562
	60 x 26 x 5	1500 x 650 x 125	E_NN-TOBS2660	361	547
	54 x 26 x 5	1350 x 650 x 125	E_NN-TOBS2654	350	530
	48 x 26 x 5	1200 x 650 x 125	E_NN-TOBS2648	340	520
	42 x 26 x 5	1050 x 650 x 125	E_NN-TOBS2642	328	509
	36 x 26 x 5	900 x 650 x 125	E_NN-TOBS2636	318	499
	24 x 26 x 5	600 x 650 x 125	E_NN-TOBS2624	313	488
	18 x 26 x 5	450 x 650 x 125	E_NN-TOBS2618	308	477
	Specify the surface type (1, 2).				


Open storage module	<i>Installs on a countertop. 2 adjustable shelves. 2 grommets. 1 tone only.</i>				
	48 x 20 x 36	1200 x 500 x 911	ENNN-M0483620	859	—

Open storage module	<i>Installs on a countertop. 1 adjustable shelf. 1 grommet. 1 tone only.</i>				
	24 x 20 x 36	600 x 500 x 911	ENNN-M0243620	706	—

WALL-MOUNTED SYSTEM FOR ACCESSORIES

Laminate hanging systems	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>5/8" (16 mm) thick laminate panel. Installation requires appropriate fastening hardware (not included) depending on wall type. 1 tone only.</i>					
	96 x 5/8 x 14	2400 x 16 x 356	ENNN-WMS96	308	—
	90 x 5/8 x 14	2250 x 16 x 356	ENNN-WMS90	302	—
	84 x 5/8 x 14	2100 x 16 x 356	ENNN-WMS84	297	—
	78 x 5/8 x 14	1950 x 16 x 356	ENNN-WMS78	292	—
	72 x 5/8 x 14	1800 x 16 x 356	ENNN-WMS72	287	—
	66 x 5/8 x 14	1650 x 16 x 356	ENNN-WMS66	282	—
	60 x 5/8 x 14	1500 x 16 x 356	ENNN-WMS60	275	—
	54 x 5/8 x 14	1350 x 16 x 356	ENNN-WMS54	270	—
	48 x 5/8 x 14	1200 x 16 x 356	ENNN-WMS48	265	—
	42 x 5/8 x 14	1050 x 16 x 356	ENNN-WMS42	260	—
	36 x 5/8 x 14	900 x 16 x 356	ENNN-WMS36	255	—
	30 x 5/8 x 14	750 x 16 x 356	ENNN-WMS30	249	—


Porcelain white boards	<i>Porcelain magnetic surface for use with dry-erase markers. Pencil tray. Silver anodized aluminum frame. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
	96 x 4 1/8 x 48	2400 x 104 x 1219	ENNS-WB9648	1,856	—
	72 x 4 1/8 x 48	1800 x 104 x 1219	ENNS-WB7248	1,485	—
	48 x 4 1/8 x 48	1200 x 104 x 1219	ENNS-WB4848	1,188	—
	96 x 4 1/8 x 42	2400 x 104 x 1067	ENNS-WB9642	1,808	—
	72 x 4 1/8 x 42	1800 x 104 x 1067	ENNS-WB7242	1,448	—
	48 x 4 1/8 x 42	1200 x 104 x 1067	ENNS-WB4842	1,157	—
	96 x 4 1/8 x 36	2400 x 104 x 914	ENNS-WB9636	1,767	—
	72 x 4 1/8 x 36	1800 x 104 x 914	ENNS-WB7236	1,411	—
	48 x 4 1/8 x 36	1200 x 104 x 914	ENNS-WB4836	1,130	—

Tackboards	<i>Natural cork. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
	96 x 1 3/4 x 48	2400 x 44 x 1219	ENN_-TKC9648	865	—
	72 x 1 3/4 x 48	1800 x 44 x 1219	ENN_-TKC7248	748	—
	48 x 1 3/4 x 48	1200 x 44 x 1219	ENN_-TKC4848	636	—
	96 x 1 3/4 x 42	2400 x 44 x 1067	ENN_-TKC9642	812	—
	72 x 1 3/4 x 42	1800 x 44 x 1067	ENN_-TKC7242	711	—
	48 x 1 3/4 x 42	1200 x 44 x 1067	ENN_-TKC4842	610	—
	96 x 1 3/4 x 36	2400 x 44 x 914	ENN_-TKC9636	759	—
	72 x 1 3/4 x 36	1800 x 44 x 914	ENN_-TKC7236	668	—
	48 x 1 3/4 x 36	1200 x 44 x 914	ENN_-TKC4836	583	—
	Specify the accent color (A, S).				

Cabinets with laminate doors, 16" D	<i>Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
	36 x 16 x 48	900 x 400 x 1219	EN__-H364816P	1,193	—
	36 x 16 x 36	900 x 400 x 914	EN__-H363616P	1,162	—
	36 x 16 x 30	900 x 400 x 762	EN__-H363016P	1,135	—
	36 x 16 x 24	900 x 400 x 609	EN__-H362416P	1,109	—

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with laminate door, 16" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the
code: opens left.
R at the end of the
code: opens right.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
24 x 16 x 48	600 x 400 x 1219	EN__-H244816PL	1,051	—
24 x 16 x 48	600 x 400 x 1219	EN__-H244816PR	1,051	—
24 x 16 x 36	600 x 400 x 914	EN__-H243616PL	1,024	—
24 x 16 x 36	600 x 400 x 914	EN__-H243616PR	1,024	—
24 x 16 x 30	600 x 400 x 762	EN__-H243016PL	998	—
24 x 16 x 30	600 x 400 x 762	EN__-H243016PR	998	—
24 x 16 x 24	600 x 400 x 609	EN__-H242416PL	971	—
24 x 16 x 24	600 x 400 x 609	EN__-H242416PR	971	—
18 x 16 x 48	450 x 400 x 1219	EN__-H184816PL	945	—
18 x 16 x 48	450 x 400 x 1219	EN__-H184816PR	945	—
18 x 16 x 36	450 x 400 x 914	EN__-H183616PL	923	—
18 x 16 x 36	450 x 400 x 914	EN__-H183616PR	923	—
18 x 16 x 30	450 x 400 x 762	EN__-H183016PL	902	—
18 x 16 x 30	450 x 400 x 762	EN__-H183016PR	902	—
18 x 16 x 24	450 x 400 x 609	EN__-H182416PL	880	—
18 x 16 x 24	450 x 400 x 609	EN__-H182416PR	880	—


Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with laminate doors, 13" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

<i>Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
36 x 13 x 48	900 x 325 x 1219	EN__-H364813P	1,172	—
36 x 13 x 36	900 x 325 x 914	EN__-H363613P	1,140	—
36 x 13 x 30	900 x 325 x 762	EN__-H363013P	1,114	—
36 x 13 x 24	900 x 325 x 609	EN__-H362413P	1,087	—

Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with laminate door, 13" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the
code: opens left.
R at the end of the
code: opens right.

<i>Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
24 x 13 x 48	600 x 325 x 1219	EN__-H244813PL	1,029	—
24 x 13 x 48	600 x 325 x 1219	EN__-H244813PR	1,029	—
24 x 13 x 36	600 x 325 x 914	EN__-H243613PL	1,003	—
24 x 13 x 36	600 x 325 x 914	EN__-H243613PR	1,003	—
24 x 13 x 30	600 x 325 x 762	EN__-H243013PL	976	—
24 x 13 x 30	600 x 325 x 762	EN__-H243013PR	976	—
24 x 13 x 24	600 x 325 x 609	EN__-H242413PL	950	—
24 x 13 x 24	600 x 325 x 609	EN__-H242413PR	950	—
18 x 13 x 48	450 x 325 x 1219	EN__-H184813PL	923	—
18 x 13 x 48	450 x 325 x 1219	EN__-H184813PR	923	—
18 x 13 x 36	450 x 325 x 914	EN__-H183613PL	902	—
18 x 13 x 36	450 x 325 x 914	EN__-H183613PR	902	—
18 x 13 x 30	450 x 325 x 762	EN__-H183013PL	880	—
18 x 13 x 30	450 x 325 x 762	EN__-H183013PR	880	—
18 x 13 x 24	450 x 325 x 609	EN__-H182413PL	859	—
18 x 13 x 24	450 x 325 x 609	EN__-H182413PR	859	—


Specify the handle code (L, Q, V). Specify the accent color (A, S).

Cabinets with translucent doors, 16" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

<i>With Silver anodized frame doors and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
36 x 16 x 48	900 x 400 x 1219	EN_S-H364816T	1,459	—
36 x 16 x 36	900 x 400 x 914	EN_S-H363616T	1,427	—
36 x 16 x 30	900 x 400 x 762	EN_S-H363016T	1,400	—
36 x 16 x 24	900 x 400 x 609	EN_S-H362416T	1,374	—

Specify the handle code (Q, V).

Cabinets with translucent door, 16" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the
code: opens left.
R at the end of the
code: opens right.

W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>With Silver anodized frame door and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
24 x 16 x 48	600 x 400 x 1219	EN_S-H244816TL	1,183	—
24 x 16 x 48	600 x 400 x 1219	EN_S-H244816TR	1,183	—
24 x 16 x 36	600 x 400 x 914	EN_S-H243616TL	1,157	—
24 x 16 x 36	600 x 400 x 914	EN_S-H243616TR	1,157	—
24 x 16 x 30	600 x 400 x 762	EN_S-H243016TL	1,130	—
24 x 16 x 30	600 x 400 x 762	EN_S-H243016TR	1,130	—
24 x 16 x 24	600 x 400 x 609	EN_S-H242416TL	1,104	—
24 x 16 x 24	600 x 400 x 609	EN_S-H242416TR	1,104	—
18 x 16 x 48	450 x 400 x 1219	EN_S-H184816TL	1,077	—
18 x 16 x 48	450 x 400 x 1219	EN_S-H184816TR	1,077	—
18 x 16 x 36	450 x 400 x 914	EN_S-H183616TL	1,056	—
18 x 16 x 36	450 x 400 x 914	EN_S-H183616TR	1,056	—
18 x 16 x 30	450 x 400 x 762	EN_S-H183016TL	1,034	—
18 x 16 x 30	450 x 400 x 762	EN_S-H183016TR	1,034	—
18 x 16 x 24	450 x 400 x 609	EN_S-H182416TL	1,013	—
18 x 16 x 24	450 x 400 x 609	EN_S-H182416TR	1,013	—


Specify the handle code (Q, V).

Cabinets with translucent doors, 13" D

48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

<i>With Silver anodized frame doors and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
36 x 13 x 48	900 x 325 x 1219	EN_S-H364813T	1,437	—
36 x 13 x 36	900 x 325 x 914	EN_S-H363613T	1,406	—
36 x 13 x 30	900 x 325 x 762	EN_S-H363013T	1,379	—
36 x 13 x 24	900 x 325 x 609	EN_S-H362413T	1,353	—

Specify the handle code (Q, V).


Cabinets with translucent door, 13" D


48"-30" H:
2 adjustable shelves.
24" H:
1 adjustable shelf.

L at the end of the
code: opens left.
R at the end of the
code: opens right.

<i>With Silver anodized frame door and translucent insert. Lock. Mounting hardware for laminate hanging system included. 1 tone only.</i>				
24 x 13 x 48	600 x 325 x 1219	EN_S-H244813TL	1,162	—
24 x 13 x 48	600 x 325 x 1219	EN_S-H244813TR	1,162	—
24 x 13 x 36	600 x 325 x 914	EN_S-H243613TL	1,135	—
24 x 13 x 36	600 x 325 x 914	EN_S-H243613TR	1,135	—
24 x 13 x 30	600 x 325 x 762	EN_S-H243013TL	1,109	—
24 x 13 x 30	600 x 325 x 762	EN_S-H243013TR	1,109	—
24 x 13 x 24	600 x 325 x 609	EN_S-H242413TL	1,082	—
24 x 13 x 24	600 x 325 x 609	EN_S-H242413TR	1,082	—
18 x 13 x 48	450 x 325 x 1219	EN_S-H184813TL	1,056	—
18 x 13 x 48	450 x 325 x 1219	EN_S-H184813TR	1,056	—
18 x 13 x 36	450 x 325 x 914	EN_S-H183613TL	1,034	—
18 x 13 x 36	450 x 325 x 914	EN_S-H183613TR	1,034	—
18 x 13 x 30	450 x 325 x 762	EN_S-H183013TL	1,013	—
18 x 13 x 30	450 x 325 x 762	EN_S-H183013TR	1,013	—
18 x 13 x 24	450 x 325 x 609	EN_S-H182413TL	991	—
18 x 13 x 24	450 x 325 x 609	EN_S-H182413TR	991	—


Specify the handle code (Q, V).

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Open cabinets, 16" D					
<i>Mounting hardware for laminate hanging system included. 1 tone only.</i>					
	36 x 16 x 48	900 x 400 x 1219	ENN_-H364816	981	—
	24 x 16 x 48	600 x 400 x 1219	ENN_-H244816	945	—
	18 x 16 x 48	450 x 400 x 1219	ENN_-H184816	838	—
	36 x 16 x 36	900 x 400 x 914	ENN_-H363616	950	—
	24 x 16 x 36	600 x 400 x 914	ENN_-H243616	918	—
	18 x 16 x 36	450 x 400 x 914	ENN_-H183616	817	—
	36 x 16 x 30	900 x 400 x 762	ENN_-H363016	923	—
	24 x 16 x 30	600 x 400 x 762	ENN_-H243016	891	—
	18 x 16 x 30	450 x 400 x 762	ENN_-H183016	796	—
	36 x 16 x 24	900 x 400 x 609	ENN_-H362416	897	—
	24 x 16 x 24	600 x 400 x 609	ENN_-H242416	865	—
	18 x 16 x 24	450 x 400 x 609	ENN_-H182416	774	—
Specify the accent color (A, S).					


Open cabinets, 13" D					
<i>Mounting hardware for laminate hanging system included. 1 tone only.</i>					
	36 x 13 x 48	900 x 325 x 1219	ENN_-H364813	971	—
	24 x 13 x 48	600 x 325 x 1219	ENN_-H244813	933	—
	18 x 13 x 48	450 x 325 x 1219	ENN_-H184813	827	—
	36 x 13 x 36	900 x 325 x 914	ENN_-H363613	938	—
	24 x 13 x 36	600 x 325 x 914	ENN_-H243613	907	—
	18 x 13 x 36	450 x 325 x 914	ENN_-H183613	806	—
	36 x 13 x 30	900 x 325 x 762	ENN_-H363013	912	—
	24 x 13 x 30	600 x 325 x 762	ENN_-H243013	880	—
	18 x 13 x 30	450 x 325 x 762	ENN_-H183013	785	—
	36 x 13 x 24	900 x 325 x 609	ENN_-H362413	885	—
	24 x 13 x 24	600 x 325 x 609	ENN_-H242413	854	—
	18 x 13 x 24	450 x 325 x 609	ENN_-H182413	764	—
Specify the accent color (A, S).					

SHELVINGS

Thermofused laminate frame. Levelers with 1½" (38 mm) height adjustment. Shelves: 18-gauge steel, Anthracite grey paint, load capacity 150 lbs (86 kg). Anti-tip shelves can be individually positioned flat or angled at 45° for display. Shelves are packaged separately.

Single-sided shelvings – open back					
<i>Single-faced shelvings must be anchored to a wall for safety and stability.</i>					
	Starter				
	37 x 14 x 84	925 x 344 x 2130	E5NN-BOS1484	1,336	—
	37 x 14 x 72	925 x 344 x 1825	E5NN-BOS1472	1,210	—
	37 x 14 x 60	925 x 344 x 1520	E5NN-BOS1460	1,061	—
	Add-on				
	<i>Height must be equal to the starter unit.</i>				
	36 x 14 x 84	900 x 344 x 2130	E5NN-BOA1484	1,230	—
	36 x 14 x 72	900 x 344 x 1825	E5NN-BOA1472	1,098	—
	36 x 14 x 60	900 x 344 x 1520	E5NN-BOA1460	933	—
	Specify the accent color (A, S).				

Single-sided shelvings – closed back



Starter	Add-on
84" H:	36 x 14 x 84
5 adjustable shelves.	900 x 344 x 2130
72" H:	36 x 14 x 72
4 adjustable shelves.	900 x 344 x 1825
60" H:	36 x 14 x 60
3 adjustable shelves.	900 x 344 x 1520
48" H-42" H:	36 x 14 x 48
2 adjustable shelves.	900 x 344 x 1215
	36 x 14 x 42
	900 x 344 x 1063

Single-faced shelvings must be anchored to a wall for safety and stability.

Starter


37 x 14 x 84	925 x 344 x 2130	E5NN-BCS1484	1,475	—
37 x 14 x 72	925 x 344 x 1825	E5NN-BCS1472	1,342	—
37 x 14 x 60	925 x 344 x 1520	E5NN-BCS1460	1,162	—
37 x 14 x 48	925 x 344 x 1215	E5NN-BCS1448	918	—
37 x 14 x 42	925 x 344 x 1063	E5NN-BCS1442	838	—

Add-on

Height must be equal to the starter unit.

36 x 14 x 84	900 x 344 x 2130	E5NN-BCA1484	1,336	—
36 x 14 x 72	900 x 344 x 1825	E5NN-BCA1472	1,193	—
36 x 14 x 60	900 x 344 x 1520	E5NN-BCA1460	1,008	—
36 x 14 x 48	900 x 344 x 1215	E5NN-BCA1448	827	—
36 x 14 x 42	900 x 344 x 1063	E5NN-BCA1442	774	—

Double-sided shelvings – open back



Starter	Add-on
84" H:	36 x 26 x 84
10 adjustable shelves.	900 x 665 x 2130
72" H:	36 x 26 x 72
8 adjustable shelves.	900 x 665 x 1825
60" H:	36 x 26 x 60
6 adjustable shelves.	900 x 665 x 1520

Starter


37 x 26 x 84	925 x 665 x 2130	E5NN-BOS2684	2,271	—
37 x 26 x 72	925 x 665 x 1825	E5NN-BOS2672	1,994	—
37 x 26 x 60	925 x 665 x 1520	E5NN-BOS2660	1,719	—

Add-on

Height must be equal to the starter unit.

36 x 26 x 84	900 x 665 x 2130	E5NN-BOA2684	2,032	—
36 x 26 x 72	900 x 665 x 1825	E5NN-BOA2672	1,793	—
36 x 26 x 60	900 x 665 x 1520	E5NN-BOA2660	1,554	—

Double-sided shelvings – closed back



Starter	Add-on
84" H:	36 x 26 x 84
10 adjustable shelves.	900 x 665 x 2130
72" H:	36 x 26 x 72
8 adjustable shelves.	900 x 665 x 1825
60" H:	36 x 26 x 60
6 adjustable shelves.	900 x 665 x 1520
48" H-42" H:	36 x 26 x 48
4 adjustable shelves.	900 x 665 x 1215
	36 x 26 x 42
	900 x 665 x 1063

Starter


37 x 26 x 84	925 x 665 x 2130	E5NN-BCS2684	2,344	—
37 x 26 x 72	925 x 665 x 1825	E5NN-BCS2672	2,069	—
37 x 26 x 60	925 x 665 x 1520	E5NN-BCS2660	1,755	—
37 x 26 x 48	925 x 665 x 1215	E5NN-BCS2648	1,485	—
37 x 26 x 42	925 x 665 x 1063	E5NN-BCS2642	1,411	—

Add-on

Height must be equal to the starter unit.

36 x 26 x 84	900 x 665 x 2130	E5NN-BCA2684	2,105	—
36 x 26 x 72	900 x 665 x 1825	E5NN-BCA2672	1,856	—
36 x 26 x 60	900 x 665 x 1520	E5NN-BCA2660	1,581	—
36 x 26 x 48	900 x 665 x 1215	E5NN-BCA2648	1,305	—
36 x 26 x 42	900 x 665 x 1063	E5NN-BCA2642	1,241	—


Additional shelf



Anthracite grey 18-gauge steel with anti-tip device. Shelf can be positioned flat or angled for display.

35 x 12 x 2	873 x 308 x 51	ENNN-BSHM	106	—
-------------	----------------	-----------	-----	---

Wire supports for books



Steel. Installs under the shelves.

Package of 2.

8 ½ x 13 x 9	210 x 330 x 225	ENNN-BDIVM2	90	—
--------------	-----------------	-------------	----	---

Package of 10.

8 ½ x 13 x 9	210 x 330 x 225	ENNN-BDIVM10	270	—
--------------	-----------------	--------------	-----	---

Mobile book cart




2 double-faced slanted shelves. 1 fixed flat shelf. 4 swivel casters, 2 with brakes. Lower and middle shelf clearance 10 1/16".

30 x 18 x 36	750 x 450 x 911	ENN_-MA183036	1,241	—
--------------	-----------------	---------------	-------	---

Specify the accent color (A, S).

CIRCULATION DESKS – 39" H


Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panel (ENNN-GFP2839) may be required to complete a circulation desk layout.

	W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
	84 x 28 x 39	2100 x 700 x 987	E_N_-G288439	950	1,098
	78 x 28 x 39	1950 x 700 x 987	E_N_-G287839	923	1,071
	72 x 28 x 39	1800 x 700 x 987	E_N_-G287239	891	1,034
	66 x 28 x 39	1650 x 700 x 987	E_N_-G286639	875	1,013
	60 x 28 x 39	1500 x 700 x 987	E_N_-G286039	859	998
	54 x 28 x 39	1350 x 700 x 987	E_N_-G285439	838	971
	48 x 28 x 39	1200 x 700 x 987	E_N_-G284839	822	955
	42 x 28 x 39	1050 x 700 x 987	E_N_-G284239	801	928
	36 x 28 x 39	900 x 700 x 987	E_N_-G283639	785	912
	Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.				

84" to 78": Packaged in 2 boxes.

84 x 28 x 39½	2100 x 700 x 1000	E_N_-G288439	1,013	1,172
78 x 28 x 39½	1950 x 700 x 1000	E_N_-G287839	986	1,145
72 x 28 x 39½	1800 x 700 x 1000	E_N_-G287239	965	1,119
66 x 28 x 39½	1650 x 700 x 1000	E_N_-G286639	938	1,092
60 x 28 x 39½	1500 x 700 x 1000	E_N_-G286039	918	1,061
54 x 28 x 39½	1350 x 700 x 1000	E_N_-G285439	885	1,029
48 x 28 x 39½	1200 x 700 x 1000	E_N_-G284839	870	1,008
42 x 28 x 39½	1050 x 700 x 1000	E_N_-G284239	849	986
36 x 28 x 39½	900 x 700 x 1000	E_N_-G283639	832	965
Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.				

Bow front counters




Surface grommet option, add H at the end of the code. 84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 78": Packaged in 2 boxes.

84 x 31 x 39	2100 x 775 x 987	E_N_-G288439A	1,098	1,273
78 x 31 x 39	1950 x 775 x 987	E_N_-G287839A	1,071	1,246
72 x 31 x 39	1800 x 775 x 987	E_N_-G287239A	1,034	1,204
66 x 31 x 39	1650 x 775 x 987	E_N_-G286639A	1,013	1,172
60 x 31 x 39	1500 x 775 x 987	E_N_-G286039A	998	1,157
54 x 31 x 39	1350 x 775 x 987	E_N_-G285439A	971	1,124
48 x 31 x 39	1200 x 775 x 987	E_N_-G284839A	955	1,104
42 x 31 x 39	1050 x 775 x 987	E_N_-G284239A	928	1,077
36 x 31 x 39	900 x 775 x 987	E_N_-G283639A	912	1,056
Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.				
84 x 31 x 39½	2100 x 775 x 1000	E_N_-G288439A	1,172	1,363
78 x 31 x 39½	1950 x 775 x 1000	E_N_-G287839A	1,145	1,331
72 x 31 x 39½	1800 x 775 x 1000	E_N_-G287239A	1,119	1,299
66 x 31 x 39½	1650 x 775 x 1000	E_N_-G286639A	1,092	1,263
60 x 31 x 39½	1500 x 775 x 1000	E_N_-G286039A	1,061	1,230
54 x 31 x 39½	1350 x 775 x 1000	E_N_-G285439A	1,029	1,199
48 x 31 x 39½	1200 x 775 x 1000	E_N_-G284839A	1,008	1,167
42 x 31 x 39½	1050 x 775 x 1000	E_N_-G284239A	986	1,145
36 x 31 x 39½	900 x 775 x 1000	E_N_-G283639A	965	1,119
Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.				

Reception desks



84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 54": Packaged in 2 boxes.


W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>9" (228 mm) deep transaction shelf. Grommet.</i>				
84 x 28 x 39	2100 x 700 x 987	E_N_-GS2884H	1,087	1,230
78 x 28 x 39	1950 x 700 x 987	E_N_-GS2878H	1,061	1,204
72 x 28 x 39	1800 x 700 x 987	E_N_-GS2872H	1,034	1,172
66 x 28 x 39	1650 x 700 x 987	E_N_-GS2866H	1,018	1,151
60 x 28 x 39	1500 x 700 x 987	E_N_-GS2860H	1,003	1,135
54 x 28 x 39	1350 x 700 x 987	E_N_-GS2854H	981	1,109
48 x 28 x 39	1200 x 700 x 987	E_N_-GS2848H	965	1,092
42 x 28 x 39	1050 x 700 x 987	E_N_-GS2842H	950	1,066
36 x 28 x 39	900 x 700 x 987	E_N_-GS2836H	928	1,051

Specify the surface type (1, 2). Specify the accent color (A, S).

84 x 28 x 39½	2100 x 700 x 1000	E_N_-GS2884H	1,151	1,305
78 x 28 x 39½	1950 x 700 x 1000	E_N_-GS2878H	1,124	1,278
72 x 28 x 39½	1800 x 700 x 1000	E_N_-GS2872H	1,104	1,252
66 x 28 x 39½	1650 x 700 x 1000	E_N_-GS2866H	1,077	1,225
60 x 28 x 39½	1500 x 700 x 1000	E_N_-GS2860H	1,056	1,193
54 x 28 x 39½	1350 x 700 x 1000	E_N_-GS2854H	1,029	1,167
48 x 28 x 39½	1200 x 700 x 1000	E_N_-GS2848H	1,013	1,145
42 x 28 x 39½	1050 x 700 x 1000	E_N_-GS2842H	998	1,124
36 x 28 x 39½	900 x 700 x 1000	E_N_-GS2836H	976	1,104

Specify the surface type (5, 6). Specify the accent color (A, S).

Reception desks, bow transaction shelf



84" to 48": 2 grommets. 42" to 36": 1 grommet.

84" to 54": Packaged in 2 boxes.

W x D x H ("	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
<i>13" (330 mm) deep bow front transaction shelf. Grommet.</i>				
84 x 31 x 39	2100 x 775 x 987	E_N_-GS2884AH	1,167	1,321
78 x 31 x 39	1950 x 775 x 987	E_N_-GS2878AH	1,140	1,294
72 x 31 x 39	1800 x 775 x 987	E_N_-GS2872AH	1,114	1,263
66 x 31 x 39	1650 x 775 x 987	E_N_-GS2866AH	1,098	1,236
60 x 31 x 39	1500 x 775 x 987	E_N_-GS2860AH	1,077	1,215
54 x 31 x 39	1350 x 775 x 987	E_N_-GS2854AH	1,056	1,193
48 x 31 x 39	1200 x 775 x 987	E_N_-GS2848AH	1,034	1,172
42 x 31 x 39	1050 x 775 x 987	E_N_-GS2842AH	1,018	1,145
36 x 31 x 39	900 x 775 x 987	E_N_-GS2836AH	1,003	1,124

Specify the surface type (1, 2). Specify the accent color (A, S).


84 x 31 x 39½	2100 x 775 x 1000	E_N_-GS2884AH	1,236	1,400
78 x 31 x 39½	1950 x 775 x 1000	E_N_-GS2878AH	1,210	1,374
72 x 31 x 39½	1800 x 775 x 1000	E_N_-GS2872AH	1,188	1,347
66 x 31 x 39½	1650 x 775 x 1000	E_N_-GS2866AH	1,162	1,310
60 x 31 x 39½	1500 x 775 x 1000	E_N_-GS2860AH	1,135	1,283
54 x 31 x 39½	1350 x 775 x 1000	E_N_-GS2854AH	1,109	1,257
48 x 31 x 39½	1200 x 775 x 1000	E_N_-GS2848AH	1,092	1,230
42 x 31 x 39½	1050 x 775 x 1000	E_N_-GS2842AH	1,066	1,210
36 x 31 x 39½	900 x 775 x 1000	E_N_-GS2836AH	1,051	1,188

Specify the surface type (5, 6). Specify the accent color (A, S).


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
--	----------------	----------------	------	-------------------------	-------------------------

CIRCULATION DESKS – 29" H

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panel (ENNN-GFP2829) may be required to complete a circulation desk layout.

	Rectangular counters	84 x 28 x 29	2100 x 700 x 735	E_N_-G288429	907 1,051
		78 x 28 x 29	1950 x 700 x 735	E_N_-G287829	880 1,024
		72 x 28 x 29	1800 x 700 x 735	E_N_-G287229	859 998
		66 x 28 x 29	1650 x 700 x 735	E_N_-G286629	838 971
		60 x 28 x 29	1500 x 700 x 735	E_N_-G286029	822 955
		54 x 28 x 29	1350 x 700 x 735	E_N_-G285429	801 928
		48 x 28 x 29	1200 x 700 x 735	E_N_-G284829	785 912
		42 x 28 x 29	1050 x 700 x 735	E_N_-G284229	769 885
		36 x 28 x 29	900 x 700 x 735	E_N_-G283629	748 870
		Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.			

		84 x 28 x 29½	2100 x 700 x 748	E_N_-G288429	971 1,124
		78 x 28 x 29½	1950 x 700 x 748	E_N_-G287829	950 1,098
		72 x 28 x 29½	1800 x 700 x 748	E_N_-G287229	923 1,071
		66 x 28 x 29½	1650 x 700 x 748	E_N_-G286629	902 1,044
		60 x 28 x 29½	1500 x 700 x 748	E_N_-G286029	875 1,013
		54 x 28 x 29½	1350 x 700 x 748	E_N_-G285429	849 986
		48 x 28 x 29½	1200 x 700 x 748	E_N_-G284829	832 965
		42 x 28 x 29½	1050 x 700 x 748	E_N_-G284229	817 950
		36 x 28 x 29½	900 x 700 x 748	E_N_-G283629	796 923
		Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.			

	Bow front counters	84 x 31 x 29	2100 x 775 x 735	E_N_-G288429A	1,051 1,215
		78 x 31 x 29	1950 x 775 x 735	E_N_-G287829A	1,024 1,188
		72 x 31 x 29	1800 x 775 x 735	E_N_-G287229A	998 1,157
		66 x 31 x 29	1650 x 775 x 735	E_N_-G286629A	971 1,124
		60 x 31 x 29	1500 x 775 x 735	E_N_-G286029A	955 1,104
		54 x 31 x 29	1350 x 775 x 735	E_N_-G285429A	928 1,077
		48 x 31 x 29	1200 x 775 x 735	E_N_-G284829A	912 1,056
		42 x 31 x 29	1050 x 775 x 735	E_N_-G284229A	885 1,029
		36 x 31 x 29	900 x 775 x 735	E_N_-G283629A	870 1,008
		Specify the surface type (1, 2). Grommet option, specify the accent color (A, S) or specify N for no grommet.			

		84 x 31 x 29½	2100 x 775 x 748	E_N_-G288429A	1,124 1,305
		78 x 31 x 29½	1950 x 775 x 748	E_N_-G287829A	1,098 1,273
		72 x 31 x 29½	1800 x 775 x 748	E_N_-G287229A	1,071 1,246
		66 x 31 x 29½	1650 x 775 x 748	E_N_-G286629A	1,044 1,210
		60 x 31 x 29½	1500 x 775 x 748	E_N_-G286029A	1,013 1,172
		54 x 31 x 29½	1350 x 775 x 748	E_N_-G285429A	986 1,145
		48 x 31 x 29½	1200 x 775 x 748	E_N_-G284829A	965 1,119
		42 x 31 x 29½	1050 x 775 x 748	E_N_-G284229A	950 1,098
		36 x 31 x 29½	900 x 775 x 748	E_N_-G283629A	923 1,071
		Specify the surface type (5, 6). Grommet option, specify the accent color (A, S) or specify N for no grommet.			

	End panels	1 panel. Reversible. Required to cover unused openings or to complete a circulation desk layout.			
		1 x 28 x 42	25 x 700 x 1065	ENNN-GFP2839	228 –
		1 x 28 x 32	25 x 700 x 815	ENNN-GFP2829	212 –

 = ASSEMBLY REQUIRED

USA – FEBRUARY 2015

ADA rectangular counters, 32" H**ADA bow front counters, 32" H****Corner bookcase units, 39" H****Corner bookcase units, 29" H****CIRCULATION DESK STORAGE UNITS – 39" H**

Full height 2-tone modesty panel. Levelers with 1½" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panels (ENNN-GFP2839) may be required to complete a circulation desk layout.

	Bookcase units with doors	<i>Bookcase with doors, 2 adjustable shelves. Lock.</i>			
		36 x 28 x 39	900 x 700 x 987	E_--_-G283639B	1,172 1,225
		Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).			
		36 x 28 x 39½	900 x 700 x 1000	E_--_-G283639B	1,230 1,278

	Combined storage units	<i>2 box drawers. Bookcase with doors, 1 adjustable shelf. Locks.</i>			
		36 x 28 x 39	900 x 700 x 987	E_--_-G283639T	1,379 1,432
		Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).			
		36 x 28 x 39½	900 x 700 x 1000	E_--_-G283639T	1,437 1,501

	Combined storage units	<i>2 box drawers. 2 lateral file drawers with suspension bars. Interlock system. Locks.</i>			
		36 x 28 x 39	900 x 700 x 987	E_--_-G283639U	1,782 1,856
		Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).			
		36 x 28 x 39½	900 x 700 x 1000	E_--_-G283639U	1,808 1,893

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
--	----------------	----------------	------	-------------------------	-------------------------

	<i>No wire access on side panel.</i>				
	36 x 28 x 32	900 x 700 x 813	E_NN-G283632	600	695

Specify the surface type (1, 2).

	36 x 28 x 32½	900 x 700 x 826	E_NN-G283632	631	732
	Specify the surface type (5, 6).				

	<i>No wire access on side panel.</i>				
	36 x 31 x 32	900 x 775 x 813	E_NN-G283632A	690	785

Specify the surface type (1, 2).


	36 x 31 x 32½	900 x 775 x 826	E_NN-G283632A	721	822
	Specify the surface type (5, 6).				




	<i>2 adjustable shelves. No wire access on side panel.</i>				
	28 x 28 x 39	700 x 700 x 987	E1NN-GB282839	865	–
	1" (25 mm) thick laminate top.				




	28 x 28 x 39½	700 x 700 x 1000	E5NN-GB282839	902	–
	1½" (38 mm) thick laminate top.				

	<i>1 adjustable shelf. No wire access on side panel.</i>				
	28 x 28 x 29	700 x 700 x 735	E1NN-GB282829	743	–
	1" (25 mm) thick laminate top.				





	28 x 28 x 29½	700 x 700 x 748	E5NN-GB282829	779	–
	1½" (38 mm) thick laminate top.				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Open combined storage units	<i>1 open storage: 33 3/8" W x 23" D x 9 3/4" H (847 x 582 x 248 mm). 3 box drawers. 1 lateral file drawer with suspension bars. Locks.</i>				
	36 x 28 x 39	900 x 700 x 987	E___-GC283639	1,851	1,931
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39 1/2	900 x 700 x 1000	E___-GC283639	1,888	1,968
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Open lateral file units	<i>1 open storage: 33 3/8" W x 23" D x 9 3/4" H (847 x 582 x 248 mm). 2 lateral file drawers with suspension bars. Interlock system. Lock.</i>				
	36 x 28 x 39	900 x 700 x 987	E___-GL283639	1,374	1,442
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39 1/2	900 x 700 x 1000	E___-GL283639	1,400	1,485
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage units with drawers	<i>4 utility drawers. Interlock system. Lock.</i>				
	36 x 28 x 39	900 x 700 x 987	E___-GU283639	1,666	1,697
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39 1/2	900 x 700 x 1000	E___-GU283639	1,740	1,782
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase units	<i>2 adjustable shelves.</i>				
	36 x 28 x 39	900 x 700 x 987	E_NN-GB283639	1,018	1,092
	Specify the surface type (1, 2).				
	36 x 28 x 39 1/2	900 x 700 x 1000	E_NN-GB283639	1,051	1,135
	Specify the surface type (5, 6).				
Lateral file units	<i>1 box drawer. 2 lateral file drawers with suspension bars. Interlock system. Lock.</i>				
	36 x 28 x 39	900 x 700 x 987	E___-GW283639	1,687	1,750
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 39 1/2	900 x 700 x 1000	E___-GW283639	1,761	1,835
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Book return units	<i>Book slot opening: 14" W x 4" H (355 x 102 mm). Interior space: 33 3/4" W x 23" D x 37" H (847 x 582 x 940 mm).</i>				
	36 x 28 x 39	900 x 700 x 987	E_NN-GD283639	875	1,003
	Specify the surface type (1, 2).				
	36 x 28 x 39 1/2	900 x 700 x 1000	E_NN-GD283639	923	1,056
	Specify the surface type (5, 6).				
Depressible book cart	<i>4 swivel casters, 2 with brakes. 1 tone only.</i>				
	31 x 22 x 29 1/2	790 x 560 x 749	ENNN-GDBOX30	1,920	-

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
CIRCULATION DESK STORAGE UNITS – 29" H					
Full height 2-tone modesty panel. Levelers with 1 1/2" (38 mm) height adjustment. All side panels come with wire access unless otherwise specified. End panels (ENNN-GFP2829) may be required to complete a circulation desk layout.					
Bookcase units with doors	<i>1 adjustable shelf. Lock.</i>				
	36 x 28 x 29	900 x 700 x 735	E___-G283629B	1,003	1,044
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29 1/2	900 x 700 x 748	E___-G283629B	1,051	1,092
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage units	<i>2 box drawers. Bookcase with doors, 1 adjustable shelf. Locks.</i>				
	36 x 28 x 29	900 x 700 x 735	E___-G283629T	1,263	1,310
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29 1/2	900 x 700 x 748	E___-G283629T	1,321	1,374
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Combined storage units	<i>3 box drawers. 1 lateral file drawer with suspension bars. Locks.</i>				
	36 x 28 x 29	900 x 700 x 735	E___-GC283629	1,671	1,750
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29 1/2	900 x 700 x 748	E___-GC283629	1,707	1,787
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Lateral file units	<i>2 lateral file drawers with suspension bars. Interlock system. Lock.</i>				
	36 x 28 x 29	900 x 700 x 735	E___-GL283629	1,193	1,273
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29 1/2	900 x 700 x 748	E___-GL283629	1,230	1,305
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Storage units with drawers	<i>4 utility drawers. Lock.</i>				
	36 x 28 x 29	900 x 700 x 735	E___-GU283629	1,581	1,654
	Specify the surface type (1, 2). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
	36 x 28 x 29 1/2	900 x 700 x 748	E___-GU283629	1,613	1,697
	Specify the surface type (5, 6). Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Bookcase units	<i>1 adjustable shelf.</i>				
	36 x 28 x 29	900 x 700 x 735	E_NN-GB283629	918	981
	Specify the surface type (1, 2).				
	36 x 28 x 29 1/2	900 x 700 x 748	E_NN-GB283629	950	1,018
	Specify the surface type (5, 6).				

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
BENCHES					
Rectangular laminate benches	<i>Open storage space. Silver anodized aluminum feet. Can accommodate a cushion, order separately.</i>				
	48 x 20 x 20	1200 x 500 x 508	E1NS-BCH2048	547	—
	36 x 20 x 20	900 x 500 x 508	E1NS-BCH2036	514	—
	24 x 20 x 20	600 x 500 x 508	E1NS-BCH2024	499	—
Corner laminate bench	<i>Open storage space. Silver anodized aluminum feet. Must be attached to a rectangular laminate bench (E1NS-BCH20__).</i>				
	20 x 20 x 20	500 x 500 x 508	E1NS-BQR2020	419	—
Laminate magazine table	<i>Open storage space. Silver anodized aluminum feet.</i>				
	36 x 36 x 20	900 x 900 x 508	E1NS-STR3620	690	—
Cushions	<i>2" (51 mm) thick foam. Installs on rectangular benches seat with Velcro. These prices are applicable for United Chair grade 2 upholstery. United Chair upholstery: Grade 3: +10%, Grade 4: +15%, Grade 5: +20%.</i>				
	48 x 20 x 2	1200 x 500 x 51	ENNN-CU2048	451	—
	36 x 20 x 2	900 x 500 x 51	ENNN-CU2036	340	—
	24 x 20 x 2	600 x 500 x 51	ENNN-CU2024	244	—
All United Chair® standard fabrics, vinyls and leathers are available to coordinate on cushions.					
Specify the fabric code after the product code.					
Cushions with backrest	<i>2" (51 mm) thick foam. Installs on rectangular benches seat with Velcro. These prices are applicable for United Chair grade 2 upholstery. United Chair upholstery: Grade 3: +10%, Grade 4: +15%, Grade 5: +20%.</i>				
	48 x 20 x 8	1200 x 500 x 200	ENNN-CUB2048	706	—
	36 x 20 x 8	900 x 500 x 200	ENNN-CUB2036	573	—
	24 x 20 x 8	600 x 500 x 200	ENNN-CUB2024	435	—
All United Chair® standard fabrics and vinyls (except leathers) are available to coordinate on cushions.					
LOCKERS					
Storage cubbies with doors	<i>1 adjustable shelf. 8 hooks for clothes. Locks. Levelers with 1½" (38 mm) height adjustment. Single-faced shelvings must be anchored to a wall for safety and stability.</i>				
	36 x 15 x 84	900 x 375 x 2130	E1__-L153684P	1,697	—
	Specify the handle code (L, Q, V). Specify the accent color (A, S).				
Open storage cubbies	<i>8 hooks for clothes. Levelers with 1½" (38 mm) height adjustment.</i>				
	36 x 15 x 60	900 x 375 x 1520	E1NN-L153660	1,299	—
Athletic lockers	<i>Open storage space. 1 door. 1½" (38 mm) thick integrated seat in thermofused laminate or high-pressure laminate. 2 hooks for clothes. Lock attachment included. Levelers with 1½" (38 mm) height adjustment. 1 tone only.</i>				
	Starter				
	25 x 24 x 72	625 x 600 x 1825	E_N_-OLS2572P	1,448	1,507
	Add-on				
Starter Add-on	24 x 24 x 72	600 x 600 x 1825	E_N_-OLA2472P	1,177	1,215
	Specify the surface type (5,6). Specify the accent color (A, S).				

ACCESSORIES


	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
Electrical/communication module	<i>2 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" (1828 mm) cord included. Silver anodized aluminum. Field installed.</i>				
	8¼ x 4¾ x 3	212 x 110 x 75	LGC-PC	371	—
Removable electrical/communication module	<i>3 electric outlets. Can accommodate 2 jack models for AMP or Panduit fax, telephone or computer. 72" cord included. Silver anodized aluminum. Installs on a 1" thick surface only.</i>				
	10 x 5½ x 3	255 x 140 x 75	LGC-PCS	328	—
Sliding keyboard trays	<i>Molded plastic on wood. Height adjustment 3", 3½", 4" (76, 89, 102 mm). Locks in extended position.</i>				
	22½ x 15 x 3½	572 x 381 x 89	LGC-SKD	Disc.	—
	28¾ x 15 x 3½	721 x 381 x 89	LGC-SKD26	186	—
Horizontal wire channels	<i>Self-adhesive. Installs under the surface. Supports most power bars. Specify the plastic finish S Silver or A Anthracite grey.</i>				
	20 x 2¼ x 3¼	500 x 70 x 80	LGC-HWMC24_	74	—
	44 x 2¼ x 3¼	1100 x 70 x 80	LGC-HWMC48_	90	—
	68 x 2¼ x 3¼	1700 x 70 x 80	LGC-HWMC72_	106	—
Vertical wire channel	<i>Self-adhesive. Installs to base or leg. 2 lengths of 20" (500 mm) each. Specify the plastic finish S Silver or A Anthracite grey.</i>				
	1 x ½ x 20	25 x 12 x 500	LGC-VWMC20_	74	—
CPU holder	<i>Black metal CPU support. Mounts under a surface. Hardware included. Adjusts to CPU.</i>				
	5½ x 10 x 15	140 x 250 x 375	LGC-CCPU	154	—
Flush plates	<i>To link and level two surfaces. Package of 10. Black metal.</i>				
	7 x 1½ x ½	175 x 38 x 3	LGC-FLP	58	—
Protective rubber bumpers	<i>For mobile units. Package of 4. Grey.</i>				
	3¾ x 3¾ x 1	76 x 76 x 25	LGC-BUMP	58	—

	W x D x H (")	W x D x H (mm)	Code	All Laminate (\$)	HPL Surfaces (\$)
ELECTRIFICATION					
Duplex receptacles	2 outlets. Black. Mounting bracket included.				
	5½ x 1 x 5¾	142 x 25 x 146	4LGC-DUPLEXC_	111	—
Specify circuit number at the end of the code (1, 2).					
Universal pass cables					
Connects 2 duplex receptacles.					
	18	457	4LGC-PASS18	111	—
	36	914	4LGC-PASS36	128	—
	54	1372	4LGC-PASS54	143	—
	72	1829	4LGC-PASS72	159	—
Electrical feeds					
72" (1829 mm) cable or 60" (1524 mm) long cable. Must be installed by an electrician.					
	60	1524	4LGC-FFEED60	207	—
	72	1829	4LGC-FFEED72	217	—

2-TONE APPLICATION

TYPICAL TWO-TONE APPLICATION

ALL PRODUCTS




The first finish specified will be applied to the top/surface of the unit.

The second finish specified will be applied to the rest of the unit.

SPECIFIC TWO-TONE APPLICATION


LECTERN-DESKS



The first finish specified will be applied to the lectern top, front, base and drawers or doors of the unit.

The second finish specified will be applied to the rest of the unit.


CPU TABLES



The first finish specified will be applied to the work surface of the unit.

The second finish specified will be applied to the rest of the unit.


CIRCULATION DESKS



The first finish specified will be applied to the work surface and to the bottom portion of the modesty.

The second finish specified will be applied to the rest of the unit.


SHELVINGS



The first finish specified will be applied to the top, base and back of the unit.

The second finish specified will be applied to the rest of the unit.

TYPICAL WOOD GRAIN DIRECTION FOR THINK SMART EDUCATIONAL FURNITURE



 = ASSEMBLY REQUIRED

TECHNICAL PERFORMANCES

THERMOFUSED LAMINATE (TFL):

- Depending on the furniture collection, Lacasse casegoods have TFL surfaces and side panels made of particleboard panels of 1" (25.4 mm) or 1½" (38 mm) thick finished with a mar-resistant high-performance thermofused laminate (45 lbs/ft³). The particleboard panels are laminated on both sides for proper balance.
- TFL technology consists on a decorative paper impregnated with reactive melamine resins which is thermally fused to a substrate (particleboard). The heat and pressure produces a permanent thermal bond between the melamine resins, the decorative paper and the substrate. The bonding process results in a clear, hard and non-porous surface.
- TFL panels, unlike wood, will not gouge or dent.
- Delamination is not possible, due to the manufacturing process.
- TFL panels carry a 25-year warranty.

HIGH-PRESSURE LAMINATE (HPL):

- Certain collections are also available with HPL surfaces made of 1¼" (27 mm) or 1⅞" (40 mm) thick particleboard finished with high-pressure laminate (laminate plus a ⅛" [0.8 mm] black backing).
- HPL technology consists of multiple layers of Kraft paper saturated with phenolic resin, a decorative layer of paper saturated with melamine resin, and a very thin top sheet of heavily saturated melamine resin. The high-pressure laminate sheet is then glued to a substrate (particleboard).
- HPL panels offer a good wear and impact resistance.
- HPL panels carry a 5-year warranty.

TERMS & CONDITIONS OF SALE

1. ORDER PLACEMENT

a) The seller sells its products in the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order.

b) The following information is required to process an order

Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

CUSTOMER INFORMATION	PRODUCT INFORMATION
Sold/Ship to address	Quantity
Purchase order number	Product numbers including options
Authorized signature	Colors and fabrics (all surfaces)
Contact name	Note: Product number overrules the written description and/or comment lines
Consignee contact name and phone	
Bid/Quote # if applicable	
Product total (list/net)	
Preferred delivered date (Specific delivery date not guaranteed)	

2. ORDER CHANGES

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on QuickShip orders.

3. ORDER CANCELLATIONS

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. No cancellation allowed on QuickShip orders.

4. ORDER ACKNOWLEDGMENT

Orders will be acknowledged to dealers by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number. If you do not receive your order acknowledgement within 48 hours, please contact our customer service.

5. LIMITED LIFETIME WARRANTY

Groupe Lacasse LLC warrants its products to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of purchase from Groupe Lacasse LLC being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- Twenty-five years: High-performance thermofused laminate.
- Twenty years: Drawer slides.
- Ten years: Locks.
- Five years: Swing-lift mechanisms and adjustable surface mechanisms.
- Five years: High-pressure laminate, casters, fabrics, metal frame doors, electrical components, PVC extrusions and accessories.
- One year: Electrical modules and components.
- Exclusions: Light bulbs, ballasts and C.O.M..

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. Labor, delivery charges and service not covered under warranty. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedy stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. Specials may be subject to a limited warranty.

6. PRICES

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Accepted orders are subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

7. TERMS (UPON ACCEPTANCE FROM OUR CREDIT DEPARTMENT)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full. No sales within a one-year period will automatically lead to the account's closure.

8. QUOTATIONS

Quotations are valid for a period of ninety (90) days unless otherwise specified on the quote.

9. CHANGES

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. PACKING AND SHIPPING

Packaging consists of polyethylene and protectors or separate cartons, depending on method of shipment.

11. DELIVERY

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse is not liable for delay or failure to deliver goods due to causes beyond its control (such as a casualty, an act of god, a labor dispute, or an

accident; the inability to obtain the necessary labor, material or transportation; or any change requested by the customer). Under these circumstances, the ship date will be extended to compensate for the delay as determined by the Seller.

Groupe Lacasse will accept, upon prior approval by Logistics and Customer Service departments, to make installation job site deliveries for a minimum of one half of a full truckload (1,200 cubic feet); however, and in all cases, an unloading dock must be available to accommodate 53 ft. trailers and the address is also subject to approval. Unloading at destination is the sole responsibility of the purchaser. No waiting time will be possible; however, and if any is incurred, it will be recharged to the purchaser.

Under no circumstance will Groupe Lacasse deliver goods in a residential area.

Surcharge

Time sensitive deliveries (weekend deliveries, night, etc.) that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer). Liftgates: Our standard carriers do not have liftgates. Requests for liftgates can often be accommodated but will result in extra fees and they must be made at least 2 weeks in advance.

12. SHIPPING WEIGHTS AND VOLUMES

Shipping weights and volumes are available on demand and may vary due to the constantly improving methods of packaging.

13. ROUTING

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

14. TRANSPORTATION POLICY

"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On all orders less than \$2,000 net (regardless of brand and/or of shipping point) we will add a \$50 "small order fee" in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is \$100.

Please take note of the following exclusion to the "small order fee";

- By combining different product collections in one order, even if the net value of each collection is less than \$2,000 net, but the total value of all collections in one order is at least or above \$2,000 net, and as long as all products are shipped at the same destination / receiving location (ship to), the fee will not apply regardless of shipping dates and points of origins.

Small orders under \$25 net are subject to a \$20 small order fee (instead of \$50 or \$100) regardless of the shipping zones.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

15. FREIGHT CLAIMS

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines:

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse as follows:

1) Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made within 15 days of the delivery date. No disposition will be taken until approved by the manufacturer.

IMPORTANT: Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

2) Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. Claims must be submitted within 5 business days of reception of the merchandise.

Submit your claim to the Groupe Lacasse Customer Service by email at: lacassecustomer.service@groupelacasse.com.

Phone: 1-888-522-2773 - Fax: 1-888-248-1865

16. RETURNS


Absolutely no returns will be accepted on any standard and non-standard products.

17. STORAGE

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or at a time Groupe Lacasse LLC is then about to make shipment, Groupe Lacasse LLC may store the goods at the purchaser's expense. Such transfer to storage shall be deemed a delivery to purchaser for all purposes including invoicing and payment.


18. GOVERNING LAW

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.



THE LEARNING ENVIRONMENT SOLUTION

Founded in 1956, Groupe Lacasse has manufacturing facilities throughout North America. We have the experience, expertise and capability to deliver incomparable design, exceptional quality, optimum service and outstanding value in Educational Furniture Solutions.



**GROUPE
LACASSE**

1 888 522.2773 | www.groupelacasse.com

Groupe Lacasse products are Greenguard® certified to rigorous indoor air quality standards for low-emitting interior products.



Printed in Canada - © Groupe Lacasse 2015

3883
L048-1
9/14
PDF