

take off

FREESTANDING



USA price list












effective May 1st 2014

artopex[®]
the art and the purpose






Take Off

visual index	2
<hr/>	
general information	
general characteristics	24
finishes, codification, specification charts	54
typical layouts	62
<hr/>	
desks & tables L-M	
assembled desks	64
returns	75
knockdown tables	79
convergent tables	95
<hr/>	
storage	
credenzas	116
storage units	119
cabinets	131
pedestals	160
<hr/>	
hutches & top storage	
hutches L-M	168
hutches S-T	180
modular hutches	192
wall-mounted hutches	195
bookcase hutches	201
<hr/>	
tables / layering S-T	
knockdown tables	212
surface-mounted tables	219
<hr/>	
storage 23" H. / layering S-T	238
<hr/>	
shared tables / benching S-T	244
<hr/>	
shared storage	258
<hr/>	
screens & accessories	264
<hr/>	
electricity	274
<hr/>	
reception units & occasional tables	282
<hr/>	
conditions & guarantees	288









ASSEMBLED RECTANGULAR DESKS - 64

	Di3060U Di2472U Di2466U Di2460U Di3672U Di3072U Di3066U		Di3060F Di2472F Di2466F Di2460F Di2172F Di3072F Di3066F		Di3060Y Di2472Y Di2466Y Di2460Y Di2172Y Di3072Y Di3066Y		Di3060Z Di2472Z Di2466Z Di2460Z Di2172Z Di3072Z Di3066Z
	Di2472S Di2466S Di3672S Di3072S Di3066S Di3060S		Di2472T Di2466T Di2460T Di2172T Di3072T Di3066T Di3060T		Di2472V Di2466V Di2460V Di2172V Di3072V Di3066V Di3060V		Di2472W Di2466W Di2460W Di2172W Di3072W Di3066W Di3060W
	Di2472P Di2466P Di3672P Di3072P Di3066P Di3060P		Di2472M Di2466M Di2460M Di2448M Di2172M Di2166M Di2160M		Di2472N Di2466N Di2460N Di2448N Di2172N Di2166N Di2160N		



ASSEMBLED BOW FRONT DESK WITH CURVED INTERIOR ACCESS - 70

	DC3672Y		DC3672U		DC3672P		DC3672T		DC3672S
---	---------	---	---------	---	---------	---	---------	---	---------





ASSEMBLED BOW FRONT DESKS - 72

	DD3672Y DD3666Y DD3660Y		DD3672U DD3666U DD3660U		DD3672P DD3666P DD3660P		DD3672M DD3666M DD3660M		DD3672N DD3666N DD3660N
	DD3672S DD3666S DD3660S		DD3672T DD3666T DD3660T						


ASSEMBLED OFFSET BOW FRONT DESKS - 74

	DFL3072S DFL3066S DFL3060S		DFR3072T DFR3066T DFR3060T
---	----------------------------------	---	----------------------------------


ASSEMBLED RETURNS - 75

RIGHT return 	RET2442 RET2436 RET2430 RET2148 RET2142 RET2136 RET2130	LEFT return 	RES2442 RES2436 RES2430 RES2148 RES2142 RES2136 RES2130	RIGHT return 	REW2442 REW2436 REW2430 REW2148 REW2142 REW2136 REW2130	LEFT return 	REV2442 REV2436 REV2430 REV2148 REV2142 REV2136 REV2130
---	---	--	---	---	---	--	---


RIGHT return

	REN2436 REN2430 REN2460 REN2454 REN2448 REN2442
---	--


LEFT return

	REM2436 REM2430 REM2460 REM2454 REM2448 REM2442
---	--


REVERSIBLE RETURNS - 78

	RER2436 RER2430 RER2148 RER2142 RER2136 RER2130 RER1836 RER1830
---	--

BRIDGE RETURNS - 78

	REB2148 REB2142 REB2136 REB2130 REB2448 REB2442 REB2436 REB2430
---	--

RECTANGULAR TABLES (FULL END PANELS) - 79



Ti3684LL
Ti3678LL

Ti3672LL
Ti3666LL
Ti3660LL
Ti3654LL
Ti3648LL
Ti3084LL
Ti3078LL

Ti3072LL
Ti3066LL
Ti3060LL
Ti3054LL
Ti3048LL
Ti3042LL
Ti3036LL

Ti3030LL
Ti3024LL
Ti2484LL
Ti2478LL
Ti2472LL
Ti2466LL
Ti2460LL


Ti2454LL
Ti2448LL
Ti2442LL
Ti2436LL
Ti2430LL
Ti2424LL
Ti2184LL

Ti2178LL
Ti2172LL
Ti2166LL
Ti2160LL
Ti2154LL
Ti2148LL
Ti2142LL

Ti2136LL
Ti2130LL
Ti2124LL
Ti1884LL
Ti1878LL
Ti1872LL
Ti1866LL


Ti1860LL
Ti1854LL
Ti1848LL
Ti1842LL
Ti1836LL
Ti1830LL
Ti1824LL

RECTANGULAR TABLES (RECESSED END PANELS) - 81




CL

Ti3084 ...
Ti3078 ...
Ti3072 ...



LC

Ti3066 ...
Ti3060 ...
Ti3054 ...



CC

Ti3048 ...
Ti3042 ...
Ti3036 ...

Ti3030 ...
Ti3024 ...
Ti2484 ...


Ti2478 ...
Ti2472 ...
Ti2466 ...
Ti2460 ...
Ti2454 ...
Ti2448 ...
Ti2442 ...
Ti2436 ...

Ti2430 ...
Ti2424 ...
Ti2184 ...
Ti2178 ...
Ti2172 ...
Ti2166 ...
Ti2160 ...
Ti2154 ...

Ti2148 ...
Ti2142 ...
Ti2136 ...
Ti2130 ...
Ti2124 ...
Ti1884 ...
Ti1878 ...
Ti1872 ...


Ti1866 ...
Ti1860 ...
Ti1854 ...
Ti1848 ...
Ti1842 ...
Ti1836 ...
Ti1830 ...
Ti1824 ...

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS - 83



TC364284LL
TC364272LL
TC303684LL
TC303672LL

BOW FRONT TABLES - 83




TD364284LL
TD364278LL
TD364272LL


TD303684LL
TD303678LL
TD303672LL

TD303666LL
TD303660LL

OFFSET BOW FRONT TABLES - 84




TFL3072
TFL3066
TFL3060




TFR3072
TFR3066
TFR3060

OFFSET BOW FRONT TABLES W/ INTEGRATED HALF-RETURN - 84




TJL367224
TJL366624
TJL366024




TJR367224
TJR366624
TJR366024

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS AND INTEGRATED HALF-RETURN - 85




TCL427224
TCL427221
TCL427218
TCL426618




TCR427224
TCR427221
TCR427218
TCR426618

RECTANGULAR TABLES WITH INTEGRATED HALF-RETURN - 85




TCOL30488424
TCOL30487824
TCOL30487224
TCOL30486624
TCOL30486024
TCOL30427224
TCOL30426624
TCOL30426024




TCOR48308424
TCOR48307824
TCOR48307224
TCOR48306624
TCOR48306024
TCOR42307224
TCOR42306624
TCOR42306024

CONNECTING TABLES - 86

LEFT table



LL




LC


TV36247224 ...
TV36246624 ...
TV36246024 ...
TV30187221 ...
TV30187218 ...
TV30186621 ...

TV30186618 ...
TV30186021 ...
TV30186018 ...
TV30184821 ...
TV30184818 ...
TV24184218 ...

RIGHT table



LL




LC

TV24367224 ...
TV24366624 ...
TV24366024 ...
TV18307221 ...
TV18307218 ...
TV18306621 ...

TV18306618 ...
TV18306021 ...
TV18306018 ...
TV18304821 ...
TV18304818 ...
TV18244218 ...


DUAL DEPTH TABLES - 87

LEFT table



LC

TW302472 ...
TW302466 ...
TW302460 ...
TW302454 ...




CC

TW302448 ...
TW302442 ...
TW302436 ...
TW302430 ...

TW302424 ...
TW241872 ...
TW241866 ...
TW241860 ...
TW241854 ...
TW241848 ...
TW241842 ...
TW241836 ...
TW241830 ...


TW241824 ...
TW211872 ...
TW211866 ...
TW211860 ...
TW211854 ...
TW211848 ...
TW211842 ...
TW211836 ...
TW211830 ...
TW211824 ...

RIGHT table



CL

TW243072 ...
TW243066 ...
TW243060 ...
TW243054 ...




CC

TW243048 ...
TW243042 ...
TW243036 ...
TW243030 ...

TW243024 ...
TW182472 ...
TW182466 ...
TW182460 ...
TW182454 ...
TW182448 ...
TW182442 ...
TW182436 ...
TW182430 ...


TW182424 ...
TW182172 ...
TW182166 ...
TW182160 ...
TW182154 ...
TW182148 ...
TW182142 ...
TW182136 ...
TW182130 ...
TW182124 ...

90° CORNER TABLES - 89




CS3048CC
CS3042CC
CS2448CC
CS2442CC
CS2436CC
CS1836CC


90° RIGHT EXTENDED CORNER TABLES - 90



CL




LC




CC

CS24243672 ...
CS24243666 ...
CS24243660 ...
CS21213672 ...
CS21213666 ...
CS21213660 ...


90° LEFT EXTENDED CORNER TABLES - 90




90° CORNER TABLES WITH CURVED INTERIOR ACCESS - 91



90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS - 92




90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS - 93




90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS - 94


LEFT table




RIGHT table




"D" SHAPED TABLES WITH MODESTY PANEL - 95




"D" SHAPED TABLES WITH "T" END PANEL - 96




"D" SHAPED TABLES WITH "T" END PANEL - 97




"D" SHAPED TABLES, SURFACE SUPPORTED - 98




"D" SHAPED TABLES, SURFACE SUPPORTED - 99







"D" SHAPED (ARCHED) OR RECT. TABLES W/ MODESTY PANEL - 100




"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 101









"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 102

	DTA3678 ...	DTA3072 ...	DTA2472 ...		DTi3678 ...	DTi3072 ...	DTi2472 ...
	DTA3672 ...	DTA3066 ...	DTA2466 ...		DTi3672 ...	DTi3066 ...	DTi2466 ...
	DTA3660 ...	DTA3060 ...	DTA2460 ...		DTi3660 ...	DTi3060 ...	DTi2460 ...
	DTA3084 ...	DTA3054 ...	DTA2448 ...		DTi3084 ...	DTi3054 ...	DTi2448 ...
	DTA3078 ...	DTA3048 ...			DTi3078 ...	DTi3048 ...	
	DTA3678 ...	DTA3072 ...	DTA2472 ...		DTi3678 ...	DTi3072 ...	DTi2472 ...
	DTA3672 ...	DTA3066 ...	DTA2466 ...		DTi3672 ...	DTi3066 ...	DTi2466 ...
	DTA3660 ...	DTA3060 ...	DTA2460 ...		DTi3660 ...	DTi3060 ...	DTi2460 ...
	DTA3084 ...	DTA3054 ...	DTA2448 ...		DTi3084 ...	DTi3054 ...	DTi2448 ...
	DTA3078 ...	DTA3048 ...			DTi3078 ...	DTi3048 ...	

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 104

	DTA3678G	DTA3072G	DTA2472G		DTi3678G	DTi3072G	DTi2472G
	DTA3672G	DTA3066G	DTA2466G		DTi3672G	DTi3066G	DTi2466G
	DTA3660G	DTA3060G	DTA2460G		DTi3660G	DTi3060G	DTi2460G
	DTA3084G	DTA3054G	DTA2448G		DTi3084G	DTi3054G	DTi2448G
	DTA3078G	DTA3048G			DTi3078G	DTi3048G	



"D" SHAPED (ARCHED) OR RECTANGULAR TABLES, SURFACE SUPPORTED - 105

	DSA3672A	DSA3048A	DSA2460A		DSi3672A	DSi3048A	DSi2460A
	DSA3660A	DSA3042A	DSA2454A		DSi3660A	DSi3042A	DSi2454A
	DSA3072A	DSA3036A	DSA2448A		DSi3072A	DSi3036A	DSi2448A
	DSA3066A	DSA3030A	DSA2442A		DSi3066A	DSi3030A	DSi2442A
	DSA3060A	DSA2472A	DSA2436A		DSi3060A	DSi2472A	DSi2436A
	DSA3054A	DSA2466A	DSA2430A		DSi3054A	DSi2466A	DSi2430A
	DSA3672 ...	DSA3060 ...	DSA2466 ...		DSi3672 ...	DSi3060 ...	DSi2466 ...
	DSA3660 ...	DSA3054 ...	DSA2460 ...		DSi3660 ...	DSi3054 ...	DSi2460 ...
	DSA3072 ...	DSA3048 ...	DSA2454 ...		DSi3072 ...	DSi3048 ...	DSi2454 ...
	DSA3066 ...	DSA2472 ...	DSA2448 ...		DSi3066 ...	DSi2472 ...	DSi2448 ...
	DSA3672 ...	DSA3054 ...	DSA2460 ...		DSi3672 ...	DSi3054 ...	DSi2460 ...
	DSA3660 ...	DSA3048 ...	DSA2454 ...		DSi3660 ...	DSi3048 ...	DSi2454 ...
	DSA3072 ...	DSA3042 ...	DSA2448 ...		DSi3072 ...	DSi3042 ...	DSi2448 ...
	DSA3066 ...	DSA2472 ...	DSA2442 ...		DSi3066 ...	DSi2472 ...	DSi2442 ...
	DSA3060 ...	DSA2466 ...			DSi3060 ...	DSi2466 ...	

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES, SURFACE SUPPORTED - 108

	DSA3672G	DSA3060G	DSA2466G		DSi3672G	DSi3060G	DSi2466G
	DSA3660G	DSA3054G	DSA2460G		DSi3660G	DSi3054G	DSi2460G
	DSA3072G	DSA3048G	DSA2454G		DSi3072G	DSi3048G	DSi2454G
	DSA3066G	DSA2472G	DSA2448G		DSi3066G	DSi2472G	DSi2448G



"P" SHAPED TABLES WITH MODESTY PANEL - 109

LEFT table		RIGHT table	
	PML364284		PMR364284
	PML364278		PMR364278
	PML364272		PMR364272
	PML303684		PMR303684
	PML303678		PMR303678
	PML303672		PMR303672
	PML303666		PMR303666
	PML303660		PMR303660



"P" SHAPED TABLES WITH "T" END PANEL - 110

LEFT table		RIGHT table	
	PTL303672		PTR303672
	PTL303666		PTR303666
	PTL303660		PTR303660

"P" SHAPED TABLES, SURFACE SUPPORTED - 111


LEFT table		RIGHT table	
	PSL303672		PSR303672
	PSL303666		PSR303666
	PSL303660		PSR303660
	PSL243060		PSR243060
	PSL243054		PSR243054
	PSL243048		PSR243048

"L" SHAPED TABLES WITH MODESTY PANEL - 112

LEFT table		RIGHT table	
	LML54368424		LMR54368424
	LML54367824		LMR54367824
	LML54367224		LMR54367224
	LML48308424		LMR48308424
	LML48307824		LMR48307824
	LML48307224		LMR48307224
	LML48306624		LMR48306624
	LML48306024		LMR48306024
	LML42307224		LMR42307224
	LML42306624		LMR42306624
	LML42306024		LMR42306024


"PL" SHAPED TABLES WITH MODESTY PANEL - 113

LEFT table



PLL487224
PLL487218
PLL486624
PLL486618
PLL426624
PLL426618


RIGHT table



PLR487224
PLR487218
PLR486624
PLR486618
PLR426624
PLR426618


"SHARK" SHAPED TABLES WITH MODESTY PANEL - 114

LEFT table



SHL487824
SHL427224
SHL426624
SHL426618
SHL426018
SHL366618
SHL366018


RIGHT table



SHR487824
SHR427224
SHR426624
SHR426618
SHR426018
SHR366618
SHR366018


TEARDROP END SURFACES - 115

LEFT table




XTL36
XTL30
XTL24

RIGHT table




XTR36
XTR30
XTR24

SHARED CONFERENCE SURFACE - 115




XC60
XC54
XC48


ASSEMBLED CRENZENAS - 29" H. - 116




CZFD247229
CZFD246029
CZFD217229
CZFD216029




CZDF247229
CZDF246029
CZDF217229
CZDF216029




CZDD247229
CZDD246029
CZDD217229
CZDD216029




CZFF247229
CZFF246029
CZFF217229
CZFF216029




CZF0247229
CZF0246029
CZF0217229
CZF0216029




CZOF247229
CZOF246029
CZOF217229
CZOF216029




CZDO247229
CZDO246029
CZDO217229
CZDO216029




CZOD247229
CZOD246029
CZOD217229
CZOD216029



CZC0247229
CZC0246029
CZC0217229
CZC0216029




CZOC247229
CZOC246029
CZOC217229
CZOC216029




CZC247229
CZC246029
CZC217229
CZC216029


STORAGE UNITS - 29" H. - 119




SFF243629
SFF243029
SFF213629
SFF213029




SUUFF243629
SUUFF243029
SUUFF213629
SUUFF213029




SDD243629
SDD243029
SDD213629
SDD213029




SBDD243629
SBDD243029
SBDD213629
SBDD213029




SDUUF243629
SDUUF243029
SDUUF213629
SDUUF213029



SUUF243629
SUUF243029
SUUF213629
SUUF213029




SDD243629
SDD243029
SDD213629
SDD213029




SDD243629
SDD243029
SDD213629
SDD213029

SINGLE CABINETS - 121




SDL241850
SDL241841
SDL241835
SDL241829




SDR241850
SDR241841
SDR241835
SDR241829


ASSEMBLED CRENZENAS - 35" H. - 122




CZ4D247235
CZ4D246035
CZ4D217235
CZ4D216035



CZD0D247235
CZD0D246035
CZD0D217235
CZD0D216035




CZ2B4D247235
CZ2B4D246035
CZ2B4D217235
CZ2B4D216035




CZDUFFD247235
CZDUFFD246035
CZDUFFD217235
CZDUFFD216035


STORAGE UNITS - 35" H. - 123




SDUFF243635
SDUFF243035
SDUFF213635
SDUFF213035



SUFFD243635
SUFFD243035
SUFFD213635
SUFFD213035




SDD243635
SDD243035
SDD213635
SDD213035




SDD243635
SDD243035
SDD213635
SDD213035


STORAGE UNITS - 41" H. - 124




SFFF243641
SFFF243041
SFFF213641
SFFF213041



SDD243641
SDD243041
SDD213641
SDD213041




SDD243641
SDD243041
SDD213641
SDD213041




SDD243641
SDD243041
SDD213641
SDD213041

LAT. FILE CABINETS 53" H. - 125




S4F243653
S4F243053
S4F213653
S4F213053

COMBINED STORAGE UNITS - 72"-66"-50" H. - 127




S0FF243672 S0FF243650
S0FF243072 S0FF243050
S0FF213672 S0FF213650
S0FF213072 S0FF213050
S0FF243666
S0FF243066
S0FF213666
S0FF213066

COMBINED STORAGE UNITS - 72"-66"-50" H. - 129




S0DD243672 S0DD243650
S0DD243072 S0DD243050
S0DD213672 S0DD213650
S0DD213072 S0DD213050
S0DD243666
S0DD243066
S0DD213666
S0DD213066


COMBINED STORAGE UNITS - 72" - 66" H. - 125



SDD3F243672
SDD3F243072
SDD3F213672
SDD3F213072
SDD3F243666
SDD3F243066
SDD3F213666
SDD3F213066




Contemporary frame		Acrylic
Laminate	H-gloss white	
SDDM3F243672	SDDL3F243672	SDDGIC3F243672
SDDM3F243072	SDDL3F243072	SDDGIC3F243072
SDDM3F213672	SDDL3F213672	SDDGIC3F213672
SDDM3F213072	SDDL3F213072	SDDGIC3F213072
SDDM3F243666	SDDL3F243666	SDDGIC3F243666
SDDM3F243066	SDDL3F243066	SDDGIC3F243066
SDDM3F213666	SDDL3F213666	SDDGIC3F213666
SDDM3F213066	SDDL3F213066	SDDGIC3F213066




Traditional frame
Acrylic
SDDGIA3F243672
SDDGIA3F243072
SDDGIA3F213672
SDDGIA3F213072
SDDGIA3F243666
SDDGIA3F243066
SDDGIA3F213666
SDDGIA3F213066


COMBINED STORAGE UNITS - 72" - 66" H. - 127



SDDFF243672
SDDFF243072
SDDFF213672
SDDFF213072
SDDFF243666
SDDFF243066
SDDFF213666
SDDFF213066




Contemporary frame		Acrylic
Laminate	H-gloss white	
SDDMFF243672	SDDLFF243672	SDDGICFF243672
SDDMFF243072	SDDLFF243072	SDDGICFF243072
SDDMFF213672	SDDLFF213672	SDDGICFF213672
SDDMFF213072	SDDLFF213072	SDDGICFF213072
SDDMFF243666	SDDLFF243666	SDDGICFF243666
SDDMFF243066	SDDLFF243066	SDDGICFF243066
SDDMFF213666	SDDLFF213666	SDDGICFF213666
SDDMFF213066	SDDLFF213066	SDDGICFF213066




Traditional frame
Acrylic
SDDGIAFF243672
SDDGIAFF243072
SDDGIAFF213672
SDDGIAFF213072
SDDGIAFF243666
SDDGIAFF243066
SDDGIAFF213666
SDDGIAFF213066


COMBINED STORAGE UNITS - 72" - 66" H. - 129



S4D243672
S4D243072
S4D213672
S4D213072
S4D243666
S4D243066
S4D213666
S4D213066




Contemporary frame		Acrylic
Laminate	H-gloss white	
SDDMDD243672	SDDLDD243672	SDDGICDD243672
SDDMDD243072	SDDLDD243072	SDDGICDD243072
SDDMDD213672	SDDLDD213672	SDDGICDD213672
SDDMDD213072	SDDLDD213072	SDDGICDD213072
SDDMDD243666	SDDLDD243666	SDDGICDD243666
SDDMDD243066	SDDLDD243066	SDDGICDD243066
SDDMDD213666	SDDLDD213666	SDDGICDD213666
SDDMDD213066	SDDLDD213066	SDDGICDD213066




Traditional frame
Acrylic
SDDGIADD243672
SDDGIADD243072
SDDGIADD213672
SDDGIADD213072
SDDGIADD243666
SDDGIADD243066
SDDGIADD213666
SDDGIADD213066

CABINETS - 72" - 66" - 50" H. - 131




Shelves

SDD243672
SDD243072
SDD213672
SDD213072
SDD243666
SDD243066
SDD213666
SDD213066
SDD243650
SDD243050
SDD213650
SDD213050



Contemporary frame		Acrylic
Laminate	H-gloss white	
SDDM243672	SDDL243672	SDDGIC243672
SDDM243072	SDDL243072	SDDGIC243072
SDDM213672	SDDL213672	SDDGIC213672
SDDM213072	SDDL213072	SDDGIC213072
SDDM243666	SDDL243666	SDDGIC243666
SDDM243066	SDDL243066	SDDGIC243066
SDDM213666	SDDL213666	SDDGIC213666
SDDM213066	SDDL213066	SDDGIC213066
SDDM243650	SDDL243650	SDDGIC243650
SDDM243050	SDDL243050	SDDGIC243050
SDDM213650	SDDL213650	SDDGIC213650
SDDM213050	SDDL213050	SDDGIC213050



Trad. frame - shelves
Acrylic
SDDGIA243672
SDDGIA243072
SDDGIA213672
SDDGIA213072
SDDGIA243666
SDDGIA243066
SDDGIA213666
SDDGIA213066
SDDGIA243650
SDDGIA243050
SDDGIA213650
SDDGIA213050

Wardrobe at left

SWD243672
SWD243072
SWD213672
SWD213072
SWD243666
SWD243066
SWD213666
SWD213066

Contemporary frame		Acrylic
Laminate	H-gloss white	
SWDM243672	SWDL243672	SWDGiC243672
SWDM243072	SWDL243072	SWDGiC243072
SWDM213672	SWDL213672	SWDGiC213672
SWDM213072	SWDL213072	SWDGiC213072
SWDM243666	SWDL243666	SWDGiC243666
SWDM243066	SWDL243066	SWDGiC243066
SWDM213666	SWDL213666	SWDGiC213666
SWDM213066	SWDL213066	SWDGiC213066

Wardrobe at left
SWDGiA243672
SWDGiA243072
SWDGiA213672
SWDGiA213072
SWDGiA243666
SWDGiA243066
SWDGiA213666
SWDGiA213066



Wardrobe at right



SDW243672
SDW243072
SDW213672
SDW213072
SDW243666
SDW243066
SDW213666
SDW213066

Contemporary frame		Acrylic
Laminate	H-gloss white	
SDWM243672	SDWL243672	SDWGiC243672
SDWM243072	SDWL243072	SDWGiC243072
SDWM213672	SDWL213672	SDWGiC213672
SDWM213072	SDWL213072	SDWGiC213072
SDWM243666	SDWL243666	SDWGiC243666
SDWM243066	SDWL243066	SDWGiC243066
SDWM213666	SDWL213666	SDWGiC213666
SDWM213066	SDWL213066	SDWGiC213066



Wardrobe at right
SDWGiA243672
SDWGiA243072
SDWGiA213672
SDWGiA213072
SDWGiA243666
SDWGiA243066
SDWGiA213666
SDWGiA213066

SINGLE DOOR CABINETS - 72" - 66" - 50" H. - 135



 Door at LEFT	Contemporary frame		Contemporary frame		 Trad. frame - shelves
	Shelves	Laminate	H-gloss white	Acrylic	
	SDD243672	SDDM243672	SDDL243672	SDDGIC243672	SDGIA243672
	SDD243072	SDDM243072	SDDL243072	SDDGIC243072	SDGIA243072
	SDD213672	SDDM213672	SDDL213672	SDDGIC213672	SDGIA213672
	SDD213072	SDDM213072	SDDL213072	SDDGIC213072	SDGIA213072
	SDD243666	SDDM243666	SDDL243666	SDDGIC243666	SDGIA243666
	SDD243066	SDDM243066	SDDL243066	SDDGIC243066	SDGIA243066
	SDD213666	SDDM213666	SDDL213666	SDDGIC213666	SDGIA213666
	SDD213066	SDDM213066	SDDL213066	SDDGIC213066	SDGIA213066
	SDD243650	SDDM243650	SDDL243650	SDDGIC243650	SDGIA243650
	SDD243050	SDDM243050	SDDL243050	SDDGIC243050	SDGIA243050
	SDD213650	SDDM213650	SDDL213650	SDDGIC213650	SDGIA213650
	SDD213050	SDDM213050	SDDL213050	SDDGIC213050	SDGIA213050
	Wardrobe at left	Wardrobe at left			Wardrobe at left
	SWD243672	SWDM243672	SWDL243672	SWDGIC243672	SWGIA243672
	SWD243072	SWDM243072	SWDL243072	SWDGIC243072	SWGIA243072
	SWD213672	SWDM213672	SWDL213672	SWDGIC213672	SWGIA213672
	SWD213072	SWDM213072	SWDL213072	SWDGIC213072	SWGIA213072
	SWD243666	SWDM243666	SWDL243666	SWDGIC243666	SWGIA243666
	SWD243066	SWDM243066	SWDL243066	SWDGIC243066	SWGIA243066
	SWD213666	SWDM213666	SWDL213666	SWDGIC213666	SWGIA213666
	SWD213066	SWDM213066	SWDL213066	SWDGIC213066	SWGIA213066

 Door at RIGHT	Contemporary frame		Contemporary frame		 Trad. frame - shelves
	Shelves	Laminate	H-gloss white	Acrylic	
	SDD243672	SDDM243672	SDDL243672	SDDGIC243672	SDGIA243672
	SDD243072	SDDM243072	SDDL243072	SDDGIC243072	SDGIA243072
	SDD213672	SDDM213672	SDDL213672	SDDGIC213672	SDGIA213672
	SDD213072	SDDM213072	SDDL213072	SDDGIC213072	SDGIA213072
	SDD243666	SDDM243666	SDDL243666	SDDGIC243666	SDGIA243666
	SDD243066	SDDM243066	SDDL243066	SDDGIC243066	SDGIA243066
	SDD213666	SDDM213666	SDDL213666	SDDGIC213666	SDGIA213666
	SDD213066	SDDM213066	SDDL213066	SDDGIC213066	SDGIA213066
	SDD243650	SDDM243650	SDDL243650	SDDGIC243650	SDGIA243650
	SDD243050	SDDM243050	SDDL243050	SDDGIC243050	SDGIA243050
	SDD213650	SDDM213650	SDDL213650	SDDGIC213650	SDGIA213650
	SDD213050	SDDM213050	SDDL213050	SDDGIC213050	SDGIA213050
	Wardrobe at right	Wardrobe at right			Wardrobe at right
	SOW243672	SOWM243672	SOWL243672	SOWGIC243672	SWGIA243672
	SOW243072	SOWM243072	SOWL243072	SOWGIC243072	SWGIA243072
	SOW213672	SOWM213672	SOWL213672	SOWGIC213672	SWGIA213672
	SOW213072	SOWM213072	SOWL213072	SOWGIC213072	SWGIA213072
	SOW243666	SOWM243666	SOWL243666	SOWGIC243666	SWGIA243666
	SOW243066	SOWM243066	SOWL243066	SOWGIC243066	SWGIA243066
	SOW213666	SOWM213666	SOWL213666	SOWGIC213666	SWGIA213666
	SOW213066	SOWM213066	SOWL213066	SOWGIC213066	SWGIA213066







SINGLE DOOR CABINETS WITH SHELVES - 143

 LEFT	Contemporary frame		Contemporary frame		 Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic	
	SDL242472	SDLL242472	SDGICL242472	SDGIAL242472	SDGIAL242472
	SDL212472	SDLL212472	SDGICL212472	SDGIAL212472	SDGIAL212472
	SDL242466	SDLL242466	SDGICL242466	SDGIAL242466	SDGIAL242466
	SDL212466	SDLL212466	SDGICL212466	SDGIAL212466	SDGIAL212466
	SDR242472	SDLR242472	SDGICR242472	SDGIAR242472	SDGIAR242472
	SDR212472	SDLR212472	SDGICR212472	SDGIAR212472	SDGIAR212472
	SDR242466	SDLR242466	SDGICR242466	SDGIAR242466	SDGIAR242466
	SDR212466	SDLR212466	SDGICR212466	SDGIAR212466	SDGIAR212466







SINGLE DOOR CABINETS WITH WARDROBE - 145

 LEFT	Contemporary frame		Contemporary frame		 Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic	
	SWL242472	SWLL242472	SWGICL242472	SWGIAL242472	SWGIAL242472
	SWL212472	SWLL212472	SWGICL212472	SWGIAL212472	SWGIAL212472
	SWL242466	SWLL242466	SWGICL242466	SWGIAL242466	SWGIAL242466
	SWL212466	SWLL212466	SWGICL212466	SWGIAL212466	SWGIAL212466
	SWR242472	SWLR242472	SWGICR242472	SWGiar242472	SWGiar242472
	SWR212472	SWLR212472	SWGICR212472	SWGiar212472	SWGiar212472
	SWR242466	SWLR242466	SWGICR242466	SWGiar242466	SWGiar242466
	SWR212466	SWLR212466	SWGICR212466	SWGiar212466	SWGiar212466







COMBINED STORAGE UNITS 50" H. - UF - 147

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
	SWDUF242450 SWDUF212450		SWDUFM242450 SWDUFM212450	SWDUFLL242450 SWDUFLL212450	SWDUFFGIC242450 SWDUFFGIC212450		SWDUFFGIA242450 SWDUFFGIA212450
	SDUFW242450 SDUFW212450		SDUFWM242450 SDUFWM212450	SDUFWL242450 SDUFWL212450	SDUFWGIC242450 SDUFWGIC212450		SDUFWGIA242450 SDUFWGIA212450







COMBINED STORAGE UNITS 66" H. - UUF - 149

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
	SWDUUF242466 SWDUUF212466		SWDUUFM242466 SWDUUFM212466	SWDUUFL242466 SWDUUFL212466	SWDUUFFGIC242466 SWDUUFFGIC212466		SWDUUFFGIA242466 SWDUUFFGIA212466
	SDUUFW242466 SDUUFW212466		SDUUFWM242466 SDUUFWM212466	SDUUFWL242466 SDUUFWL212466	SDUUFWGIC242466 SDUUFWGIC212466		SDUUFWGIA242466 SDUUFWGIA212466




COMBINED STORAGE UNITS 66" H. - FF - 151

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
	SWDFF242466 SWDFF212466		SWDFFM242466 SWDFFM212466	SWDFFL242466 SWDFFL212466	SWDFFGIC242466 SWDFFGIC212466		SWDFFGIA242466 SWDFFGIA212466
	SDFFW242466 SDFFW212466		SDFFWM242466 SDFFWM212466	SDFFWL242466 SDFFWL212466	SDFFWGIC242466 SDFFWGIC212466		SDFFWGIA242466 SDFFWGIA212466




COMBINED STORAGE UNITS 72" H. - UFF - 153

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
	SWDUFF242472 SWDUFF212472		SWDUFFM242472 SWDUFFM212472	SWDUFFL242472 SWDUFFL212472	SWDUFFGIC242472 SWDUFFGIC212472		SWDUFFGIA242472 SWDUFFGIA212472
	SDUFFW242472 SDUFFW212472		SDUFFWM242472 SDUFFWM212472	SDUFFWL242472 SDUFFWL212472	SDUFFWGIC242472 SDUFFWGIC212472		SDUFFWGIA242472 SDUFFWGIA212472


2-WAY CABINETS - 66" - 50" H. - 155

		
SOUUFL241866 SOUUFL211866 SOUUFL241850 SOUUFL211850	SOUUFR241866 SOUUFR211866 SOUUFR241850 SOUUFR211850	SOFFL241866 SOFFL211866 SOFFL241850 SOFFL211850

2-WAY CABINETS - 50" H. - 156

		
SOFFR241866 SOFFR211866 SOFFR241850 SOFFR211850	SOUFL241850 SOUFL211850	SOUFR241850 SOUFR211850


TACKBOARDS - 156


BTL1735 BTL1726 BTL1720

BOOKCASES - 157


	BK243684 BK243672 BK243666 BK243650 BK243641 BK243629	BK243084 BK243072 BK243066 BK243050 BK243041 BK243029	BK213684 BK213672 BK213666 BK213650 BK213641 BK213629	BK213084 BK213072 BK213066 BK213050 BK213041 BK213029		BK123684 BK123672 BK123666 BK123650 BK123641 BK123629	BK123084 BK123072 BK123066 BK123050 BK123041 BK123029
---	--	--	--	--	---	--	--

CORNER BOOKCASES - 158




BKC3029
BKC2472
BKC2466
BKC2450
BKC2441
BKC2435
BKC2429

BKC2172
BKC2166
BKC2150
BKC2141
BKC2135
BKC2129




BKC1272
BKC1266
BKC1250
BKC1241
BKC1229




STS ...
BTS ...
BKS ...


SUSPENDED PEDESTALS - 160




SPUU



SPF




SPUUU




SPUF


FREESTANDING PEDESTALS WITHOUT TOP - 161



FPUUF




PFFF




FP4U

FREESTANDING PEDESTALS


WITH RECYCLING BIN, W/out TOP - 161




FPUUY



FPFY




FSPUUF




FSPFF

SUPPORT PEDESTALS - 162

SUPPORT PEDESTALS- METAL - 162




45 Series
FP45-28-6612-LT1
FP45-22-6612-LT1
FP45-28-1212-LT1
FP45-22-1212-LT1




47 Series
FP47-28-6612-LT1
FP47-22-6612-LT1
FP47-28-1212-LT1
FP47-22-1212-LT1


FREESTANDING PEDESTALS 29" H. - 163




FSUUF




FSFF




FS4U




FSUUY




FSFY



MPUUF1520



MPFF1520



MPUF1520




cushion
CUS1815

MOBILE PEDESTALS - 164


CABINETS WITHOUT TOP - 165

CABINET




LDN2436
LDN2430
LDN2136
LDN2130

LATERAL FILE




LFN2436
LFN2430
LFN2136
LFN2130

COMBINED STORAGE




LCNL2436
LCNL2430
LCNL2136
LCNL2130



LUUFDN2436
LUUFDN2430
LUUFDN2136
LUUFDN2130


CABINETS WITHOUT TOP

COMBINED STORAGE - 166



LDUUFN2436
LDUUFN2430
LDUUFN2136
LDUUFN2130

TOPS FOR LATERAL FILING - 167




LTOP24108
LTOP24102
LTOP2490
LTOP2484
LTOP2478
LTOP2472
LTOP2466
LTOP2460
LTOP2454
LTOP2448
LTOP2442
LTOP2436
LTOP2430

LTOP21108
LTOP21102
LTOP2190
LTOP2184
LTOP2178
LTOP2172
LTOP2166
LTOP2160
LTOP2154
LTOP2148
LTOP2142
LTOP2136
LTOP2130

LTOP18108
LTOP1890
LTOP1884
LTOP1878
LTOP1872
LTOP1866
LTOP1860
LTOP1842
LTOP1836
LTOP1830




OPEN HUTCHES - 168






H08443
H07843
H07243
H06643
H06043
H05443
H04843
H04243
H03643
H03043
H02443

H08437
H07837
H07237
H06637
H06037
H05437
H04837
H04237
H03637
H03037
H02437


HUTCHES WITH HINGED DOORS - 169

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
HD8443			HDM8443	HDL8443	HDGiC8443		HDGiA8443
HD7843			HDM7843	HDL7843	HDGiC7843		HDGiA7843
HD7243			HDM7243	HDL7243	HDGiC7243		HDGiA7243
HD6643			HDM6643	HDL6643	HDGiC6643		HDGiA6643
HD6043			HDM6043	HDL6043	HDGiC6043		HDGiA6043
HD5443			HDM5443	HDL5443	HDGiC5443		HDGiA5443
HD4843			HDM4843	HDL4843	HDGiC4843		HDGiA4843
HD4243			HDM4243	HDL4243	HDGiC4243		HDGiA4243
HD3643			HDM3643	HDL3643	HDGiC3643		HDGiA3643
HD3043			HDM3043	HDL3043	HDGiC3043		HDGiA3043
HD2443			HDM2443	HDL2443	HDGiC2443		HDGiA2443
HD8437			HDM8437	HDL8437	HDGiC8437		HDGiA8437
HD7837			HDM7837	HDL7837	HDGiC7837		HDGiA7837
HD7237			HDM7237	HDL7237	HDGiC7237		HDGiA7237
HD6637			HDM6637	HDL6637	HDGiC6637		HDGiA6637
HD6037			HDM6037	HDL6037	HDGiC6037		HDGiA6037
HD5437			HDM5437	HDL5437	HDGiC5437		HDGiA5437
HD4837			HDM4837	HDL4837	HDGiC4837		HDGiA4837
HD4237			HDM4237	HDL4237	HDGiC4237		HDGiA4237
HD3637			HDM3637	HDL3637	HDGiC3637		HDGiA3637
HD3037			HDM3037	HDL3037	HDGiC3037		HDGiA3037
HD2437			HDM2437	HDL2437	HDGiC2437		HDGiA2437




HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 173

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
HH7243			HHM7243	HHL7243	HHGiC7243		HHGiA7243
HH6643			HHM6643	HHL6643	HHGiC6643		HHGiA6643
HH6043			HHM6043	HHL6043	HHGiC6043		HHGiA6043
HH5443			HHM5443	HHL5443	HHGiC5443		HHGiA5443
HH4843			HHM4843	HHL4843	HHGiC4843		HHGiA4843
HH4243			HHM4243	HHL4243	HHGiC4243		HHGiA4243
HH7237			HHM7237	HHL7237	HHGiC7237		HHGiA7237
HH6637			HHM6637	HHL6637	HHGiC6637		HHGiA6637
HH6037			HHM6037	HHL6037	HHGiC6037		HHGiA6037
HH5437			HHM5437	HHL5437	HHGiC5437		HHGiA5437
HH4837			HHM4837	HHL4837	HHGiC4837		HHGiA4837
HH4237			HHM4237	HHL4237	HHGiC4237		HHGiA4237

HUTCHES WITH FLIPPER DOOR(S) - 175


		
HF7243		HF7237
HF6643		HF6637
HF6043		HF6037
HF5443		HF5437
HF4843		HF4837
HF4243		HF4237
HF3643		HF3637
HF3043		HF3037
HF2443		HF2437

HUTCHES WITH PIVOT-LIFT DOOR(S) - 176

			Contemporary frame		Contemporary frame		Traditional frame
			Laminate	H-gloss white	Acrylic		Acrylic
HU7243			HUM7243	HUL7243	HUGiC7243		HUGiA7243
HU6643			HUM6643	HUL6643	HUGiC6643		HUGiA6643
HU6043			HUM6043	HUL6043	HUGiC6043		HUGiA6043
HU5443			HUM5443	HUL5443	HUGiC5443		HUGiA5443
HU4843			HUM4843	HUL4843	HUGiC4843		HUGiA4843
HU4243			HUM4243	HUL4243	HUGiC4243		HUGiA4243
HU3643			HUM3643	HUL3643	HUGiC3643		HUGiA3643
HU3043			HUM3043	HUL3043	HUGiC3043		HUGiA3043
HU2443			HUM2443	HUL2443	HUGiC2443		HUGiA2443
HU7237			HUM7237	HUL7237	HUGiC7237		HUGiA7237
HU6637			HUM6637	HUL6637	HUGiC6637		HUGiA6637
HU6037			HUM6037	HUL6037	HUGiC6037		HUGiA6037
HU5437			HUM5437	HUL5437	HUGiC5437		HUGiA5437
HU4837			HUM4837	HUL4837	HUGiC4837		HUGiA4837
HU4237			HUM4237	HUL4237	HUGiC4237		HUGiA4237
HU3637			HUM3637	HUL3637	HUGiC3637		HUGiA3637
HU3037			HUM3037	HUL3037	HUGiC3037		HUGiA3037
HU2437			HUM2437	HUL2437	HUGiC2437		HUGiA2437


HUTCHES WITH METAL SIDES

OPEN HUTCHES - 180




H08443	H04843	H08437	H04837
H07843	H04243	H07837	H04237
H07243	H03643	H07237	H03637
H06643	H03043	H06637	H03037
H06043	H02443	H06037	H02437
H05443		H05437	


HUTCHES WITH HINGED DOORS - 181




H08443
H07843
H07243
H06643
H06043
H05443
H04843
H04243
H03643
H03043
H02443
H08437
H07837
H07237
H06637
H06037
H05437
H04837
H04237
H03637
H03037
H02437




Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	
HDM8443	HDL8443	H0GiC8443	H0GiA8443
HDM7843	HDL7843	H0GiC7843	H0GiA7843
HDM7243	HDL7243	H0GiC7243	H0GiA7243
HDM6643	HDL6643	H0GiC6643	H0GiA6643
HDM6043	HDL6043	H0GiC6043	H0GiA6043
HDM5443	HDL5443	H0GiC5443	H0GiA5443
HDM4843	HDL4843	H0GiC4843	H0GiA4843
HDM4243	HDL4243	H0GiC4243	H0GiA4243
HDM3643	HDL3643	H0GiC3643	H0GiA3643
HDM3043	HDL3043	H0GiC3043	H0GiA3043
HDM2443	HDL2443	H0GiC2443	H0GiA2443
HDM8437	HDL8437	H0GiC8437	H0GiA8437
HDM7837	HDL7837	H0GiC7837	H0GiA7837
HDM7237	HDL7237	H0GiC7237	H0GiA7237
HDM6637	HDL6637	H0GiC6637	H0GiA6637
HDM6037	HDL6037	H0GiC6037	H0GiA6037
HDM5437	HDL5437	H0GiC5437	H0GiA5437
HDM4837	HDL4837	H0GiC4837	H0GiA4837
HDM4237	HDL4237	H0GiC4237	H0GiA4237
HDM3637	HDL3637	H0GiC3637	H0GiA3637
HDM3037	HDL3037	H0GiC3037	H0GiA3037
HDM2437	HDL2437	H0GiC2437	H0GiA2437




HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 185




HH7243
HH6643
HH6043
HH5443
HH4843
HH4243
HH7237
HH6637
HH6037
HH5437
HH4837
HH4237




Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	
HHM7243	HHL7243	HHGiC7243	HHGiA7243
HHM6643	HHL6643	HHGiC6643	HHGiA6643
HHM6043	HHL6043	HHGiC6043	HHGiA6043
HHM5443	HHL5443	HHGiC5443	HHGiA5443
HHM4843	HHL4843	HHGiC4843	HHGiA4843
HHM4243	HHL4243	HHGiC4243	HHGiA4243
HHM7237	HHL7237	HHGiC7237	HHGiA7237
HHM6637	HHL6637	HHGiC6637	HHGiA6637
HHM6037	HHL6037	HHGiC6037	HHGiA6037
HHM5437	HHL5437	HHGiC5437	HHGiA5437
HHM4837	HHL4837	HHGiC4837	HHGiA4837
HHM4237	HHL4237	HHGiC4237	HHGiA4237




HUTCHES WITH PIVOT-LIFT DOOR(S) - 188




HU7243
HU6643
HU6043
HU5443
HU4843
HU4243
HU3643
HU3043
HU2443
HU7237
HU6637
HU6037
HU5437
HU4837
HU4237
HU3637
HU3037
HU2437



Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	
HUM7243	HUL7243	HUGiC7243	HUGiA7243
HUM6643	HUL6643	HUGiC6643	HUGiA6643
HUM6043	HUL6043	HUGiC6043	HUGiA6043
HUM5443	HUL5443	HUGiC5443	HUGiA5443
HUM4843	HUL4843	HUGiC4843	HUGiA4843
HUM4243	HUL4243	HUGiC4243	HUGiA4243
HUM3643	HUL3643	HUGiC3643	HUGiA3643
HUM3043	HUL3043	HUGiC3043	HUGiA3043
HUM2443	HUL2443	HUGiC2443	HUGiA2443
HUM7237	HUL7237	HUGiC7237	HUGiA7237
HUM6637	HUL6637	HUGiC6637	HUGiA6637
HUM6037	HUL6037	HUGiC6037	HUGiA6037
HUM5437	HUL5437	HUGiC5437	HUGiA5437
HUM4837	HUL4837	HUGiC4837	HUGiA4837
HUM4237	HUL4237	HUGiC4237	HUGiA4237
HUM3637	HUL3637	HUGiC3637	HUGiA3637
HUM3037	HUL3037	HUGiC3037	HUGiA3037
HUM2437	HUL2437	HUGiC2437	HUGiA2437




HUTCHES WITH FLIPPER DOOR(S) - 187




HF7243	HF4243	HF7237	HF4237
HF6643	HF3643	HF6637	HF3637
HF6043	HF3043	HF6037	HF3037
HF5443	HF2443	HF5437	HF2437
HF4843		HF4837	


MODULAR HUTCHES - 192



HM8427	HM8421
HM7827	HM7821
HM7227	HM7221
HM6627	HM6621
HM6027	HM6021
HM5427	HM5421
HM4827	HM4821
HM4227	HM4221
HM3627	HM3621
HM3027	HM3021




HB42




HB30

STORAGE MODULES FOR MODULAR HUTCHES - 193




Laminate

HBM42




Laminate

HBM30




H-gloss white

HBL42




H-gloss white

HBL30




H-gloss white

HBGIC42




H-gloss white

HBGIC30



Acrylic


HBGIA42



Acrylic


HBGIA30

OPEN WALL MOUNTED HUTCHES - 195




HW07216	HW05416	HW03616
HW06616	HW04816	HW03016
HW06016	HW04216	HW02416

WALL MOUNTED HUTCHES WITH HINGED DOORS - 195




HWD7216
HWD6616
HWD6016
HWD5416
HWD4816
HWD4216
HWD3616
HWD3016
HWD2416




Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
HWDM7216	HWDL7216	HWGIC7216	HWGIA7216
HWDM6616	HWDL6616	HWGIC6616	HWGIA6616
HWDM6016	HWDL6016	HWGIC6016	HWGIA6016
HWDM5416	HWDL5416	HWGIC5416	HWGIA5416
HWDM4816	HWDL4816	HWGIC4816	HWGIA4816
HWDM4216	HWDL4216	HWGIC4216	HWGIA4216
HWDM3616	HWDL3616	HWGIC3616	HWGIA3616
HWDM3016	HWDL3016	HWGIC3016	HWGIA3016
HWDM2416	HWDL2416	HWGIC2416	HWGIA2416

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 197





HWH7216
HWH6616
HWH6016
HWH5416
HWH4816
HWH4216





Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
HWHM7216	HWHL7216	HWHGIC7216	HWHGIA7216
HWHM6616	HWHL6616	HWHGIC6616	HWHGIA6616
HWHM6016	HWHL6016	HWHGIC6016	HWHGIA6016
HWHM5416	HWHL5416	HWHGIC5416	HWHGIA5416
HWHM4816	HWHL4816	HWHGIC4816	HWHGIA4816
HWHM4216	HWHL4216	HWHGIC4216	HWHGIA4216

WALL MOUNTED HUTCHES WITH FLIPPER DOOR(S) - 199




HWF7216	HWF5416	HWF3616
HWF6616	HWF4816	HWF3016
HWF6016	HWF4216	HWF2416

WALL MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S) - 199




HWU7216
HWU6616
HWU6016
HWU5416
HWU4816
HWU4216
HWU3616
HWU3016
HWU2416


Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
HWUM7216	HWUL7216	HWUGIC7216	HWUGIA7216
HWUM6616	HWUL6616	HWUGIC6616	HWUGIA6616
HWUM6016	HWUL6016	HWUGIC6016	HWUGIA6016
HWUM5416	HWUL5416	HWUGIC5416	HWUGIA5416
HWUM4816	HWUL4816	HWUGIC4816	HWUGIA4816
HWUM4216	HWUL4216	HWUGIC4216	HWUGIA4216
HWUM3616	HWUL3616	HWUGIC3616	HWUGIA3616
HWUM3016	HWUL3016	HWUGIC3016	HWUGIA3016
HWUM2416	HWUL2416	HWUGIC2416	HWUGIA2416

WALL MODULES - 201



HWB107207
HWB106607
HWB106007
HWB105407
HWB104807
HWB104207
HWB103607
HWB103007
HWB102407

CORNER ROUNDED BOOKCASE HUTCHES - 206



HC43
HC37

BOOKCASE HUTCHES - 201


HBK3643
HBK3043
HBK3637
HBK3037


BOOKCASE HUTCHES WITH DOOR(S) - 202


HPDD3643
HPDD3043
HPDD3637
HPDD3037




Contemporary frame	
Laminate	H-gloss white
HPDDM3643	HPDDL3643
HPDDM3043	HPDDL3043
HPDDM3637	HPDDL3637
HPDDM3037	HPDDL3037


Contemporary frame
Acrylic
HPDDGIC3643
HPDDGIC3043
HPDDGIC3637
HPDDGIC3037



Traditional frame
Acrylic
HPDDGIA3643
HPDDGIA3043
HPDDGIA3637
HPDDGIA3037




HPDD3643
HPDD3043
HPDD3637
HPDD3037




HPDDM3643
HPDDM3043
HPDDM3637
HPDDM3037

HPDDL3643
HPDDL3043
HPDDL3637
HPDDL3037


HPDDGIC3643
HPDDGIC3043
HPDDGIC3637
HPDDGIC3037



HPDDGIA3643
HPDDGIA3043
HPDDGIA3637
HPDDGIA3037




HPDD3643
HPDD3043
HPDD3637
HPDD3037




HPDDM3643
HPDDM3043
HPDDM3637
HPDDM3037

HPDDL3643
HPDDL3043
HPDDL3637
HPDDL3037

HPDDGIC3643
HPDDGIC3043
HPDDGIC3637
HPDDGIC3037



HPDDGIA3643
HPDDGIA3043
HPDDGIA3637
HPDDGIA3037

TACKBOARDS FOR 43" H. HUTCHES - 207


without pigeonhole

BT8225
BT7625
BT7025
BT6425
BT5825
BT5225
BT4625
BT4025
BT3425
BT2825
BT2225

with pigeonhole

BT8221
BT7621
BT7021
BT6421
BT5821
BT5221
BT4621
BT4021
BT3421
BT2821
BT2221


TACKBOARDS FOR 37" H. HUTCHES - 208

without pigeonhole

BT8219
BT7619
BT7019
BT6419
BT5819
BT5219
BT4619
BT4019
BT3419
BT2819
BT2219

with pigeonhole

BT8215
BT7615
BT7015
BT6415
BT5815
BT5215
BT4615
BT4015
BT3415
BT2815
BT2215


TACKBOARD FOR MODULAR HUTCHES - 209


27" H.

BT8219
BT7619
BT7019
BT6419
BT5819
BT5219
BT4619
BT4019
BT3419
BT2819
BT2219


21" H.

BT8213
BT7613
BT7013
BT6413
BT5813
BT5213
BT4613
BT4013
BT3413
BT2813
BT2213


PIGEON-HOLE UNITS - 210


PIH82
PIH76
PIH70
PIH64
PIH58
PIH52


PIH46
PIH40
PIH34
PIH28
PIH22




Pi1726
Pi1720




Pi1426
Pi1420




Pi726
Pi720

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 212


LL



LC



CL


TIX3684LL
TIX3678LL
TIX3672LL
TIX3666LL
TIX3660LL
TIX3654LL
TIX3648LL

TIX3084 ...
TIX3078 ...
TIX3072 ...
TIX3066 ...
TIX3060 ...
TIX3054 ...
TIX3048 ...


TIX3042 ...
TIX3036 ...
TIX3030 ...
TIX3024 ...

TIX2484 ...
TIX2478 ...
TIX2472 ...
TIX2466 ...
TIX2460 ...
TIX2454 ...
TIX2448 ...


TIX2442 ...
TIX2436 ...
TIX2430 ...
TIX2424 ...

RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 213


LL



LC



CL

TIM3684LL
TIM3678LL
TIM3672LL
TIM3666LL
TIM3660LL
TIM3654LL
TIM3648LL


TIM3084 ...
TIM3078 ...
TIM3072 ...
TIM3066 ...
TIM3060 ...
TIM3054 ...
TIM3048 ...

TIM3042 ...
TIM3036 ...
TIM3030 ...
TIM3024 ...

TIM2484 ...
TIM2478 ...
TIM2472 ...
TIM2466 ...
TIM2460 ...
TIM2454 ...
TIM2448 ...

TIM2442 ...
TIM2436 ...
TIM2430 ...
TIM2424 ...

RECTANGULAR TABLES (OPEN METAL END PANELS) - 214



Ti03684LL
Ti03678LL
Ti03672LL
Ti03666LL
Ti03660LL
Ti03654LL
Ti03648LL


Ti03084 ...
Ti03078 ...
Ti03072 ...
Ti03066 ...
Ti03060 ...
Ti03054 ...
Ti03048 ...

Ti03042 ...
Ti03036 ...
Ti03030 ...
Ti03024 ...

Ti02484 ...
Ti02478 ...
Ti02472 ...
Ti02466 ...
Ti02460 ...
Ti02454 ...
Ti02448 ...

Ti02442 ...
Ti02436 ...
Ti02430 ...
Ti02424 ...

RECTANGULAR & CORNER TABLES (OPEN METAL "CC" END PANELS) - 215




Ti03084CC
Ti03078CC
Ti03072CC
Ti03066CC
Ti03060CC
Ti03054CC

Ti03048CC
Ti03042CC
Ti03036CC
Ti03030CC
Ti03024CC


Ti02484CC
Ti02478CC
Ti02472CC
Ti02466CC
Ti02460CC
Ti02454CC

Ti02448CC
Ti02442CC
Ti02436CC
Ti02430CC
Ti02424CC



CS03048CC
CS03042CC
CS02448CC
CS02442CC
CS02436CC
CS01836CC


REVERSIBLE RETURNS (COMBINED MATERIAL END PANEL) - 216



RERX2460
RERX2454
RERX2448
RERX2442
RERX2436
RERX2430

RERX2148
RERX2142
RERX2136
RERX2130

RERX1848
RERX1842
RERX1836
RERX1830




RERM2460
RERM2454
RERM2448
RERM2442
RERM2436
RERM2430

RERM2148
RERM2142
RERM2136
RERM2130


RERM1848
RERM1842
RERM1836
RERM1830

REVERSIBLE RETURNS (OPEN METAL END PANEL) - 217




RERO2460
RERO2454
RERO2448
RERO2442
RERO2436
RERO2430
RERO2148

RERO2142
RERO2136
RERO2130
RERO1848
RERO1842
RERO1836
RERO1830



REB2448
REB2442
REB2436
REB2430
REB2148
REB2142

REB2136
REB2130
REB1848
REB1842
REB1836
REB1830




REBS2448
REBS2442
REBS2436
REBS2430

REBS2148
REBS2142
REBS2136
REBS2130
REBS1848
REBS1842
REBS1836
REBS1830

LAYERING

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (FULL END PANEL) - 219

LEFT table




DPI3684L
DPI3678L
DPI3672L
DPI3666L
DPI3660L

DPI3084L
DPI3078L
DPI3072L
DPI3066L
DPI3060L

DPI2484L
DPI2478L
DPI2472L
DPI2466L
DPI2460L

RIGHT table




DPI3684R
DPI3678R
DPI3672R
DPI3666R
DPI3660R

DPI3084R
DPI3078R
DPI3072R
DPI3066R
DPI3060R

DPI2484R
DPI2478R
DPI2472R
DPI2466R
DPI2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANEL) - 220

LEFT table




DPIX3684L
DPIX3678L
DPIX3672L
DPIX3666L
DPIX3660L

DPIX3084L
DPIX3078L
DPIX3072L
DPIX3066L
DPIX3060L

DPIX2484L
DPIX2478L
DPIX2472L
DPIX2466L
DPIX2460L

RIGHT table




DPIX3684R
DPIX3678R
DPIX3672R
DPIX3666R
DPIX3660R

DPIX3084R
DPIX3078R
DPIX3072R
DPIX3066R
DPIX3060R

DPIX2484R
DPIX2478R
DPIX2472R
DPIX2466R
DPIX2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (PERFORATED METAL END PANEL) - 221

LEFT table




DPIM3684L
DPIM3678L
DPIM3672L
DPIM3666L
DPIM3660L

DPIM3084L
DPIM3078L
DPIM3072L
DPIM3066L
DPIM3060L

DPIM2484L
DPIM2478L
DPIM2472L
DPIM2466L
DPIM2460L

RIGHT table




DPIM3684R
DPIM3678R
DPIM3672R
DPIM3666R
DPIM3660R

DPIM3084R
DPIM3078R
DPIM3072R
DPIM3066R
DPIM3060R

DPIM2484R
DPIM2478R
DPIM2472R
DPIM2466R
DPIM2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (OPEN METAL END PANEL) - 222

LEFT table




DPIO3684L
DPIO3678L
DPIO3672L
DPIO3666L
DPIO3660L

DPIO3084L
DPIO3078L
DPIO3072L
DPIO3066L
DPIO3060L

DPIO2484L
DPIO2478L
DPIO2472L
DPIO2466L
DPIO2460L

RIGHT table




DPIO3684R
DPIO3678R
DPIO3672R
DPIO3666R
DPIO3660R

DPIO3084R
DPIO3078R
DPIO3072R
DPIO3066R
DPIO3060R

DPIO2484R
DPIO2478R
DPIO2472R
DPIO2466R
DPIO2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" RETURNS WITH "L" SUPPORT - 223

LEFT return




REEP2472L
REEP2466L
REEP2460L

REEP2172L
REEP2166L
REEP2160L

REEP1872L
REEP1866L
REEP1860L

RIGHT return




REEP2472R
REEP2466R
REEP2460R

REEP2172R
REEP2166R
REEP2160R

REEP1872R
REEP1866R
REEP1860R

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 224

LEFT table




DLDA3684L
DLDA3678L
DLDA3672L

DLDA3084L
DLDA3078L
DLDA3072L

DLDA2484L
DLDA2478L
DLDA2472L

RIGHT table




DLDA3684R
DLDA3678R
DLDA3672R

DLDA3084R
DLDA3078R
DLDA3072R

DLDA2484R
DLDA2478R
DLDA2472R

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 225

LEFT table




Round base

DLDC3684L
DLDC3678L
DLDC3672L
DLDC3084L
DLDC3078L
DLDC3072L
DLDC2484L
DLDC2478L
DLDC2472L

Square base

DLDD3684L
DLDD3678L
DLDD3672L
DLDD3084L
DLDD3078L
DLDD3072L
DLDD2484L
DLDD2478L
DLDD2472L

RIGHT table



Round base


DLDC3684R
DLDC3678R
DLDC3672R
DLDC3084R
DLDC3078R
DLDC3072R
DLDC2484R
DLDC2478R
DLDC2472R

Square base

DLDD3684R
DLDD3678R
DLDD3672R
DLDD3084R
DLDD3078R
DLDD3072R
DLDD2484R
DLDD2478R
DLDD2472R

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJ. SUPPORT

TUBULAR LEG - 226




DADA3684
DADA3678
DADA3672

DADA3084
DADA3078
DADA3072

DADA2484
DADA2478
DADA2472

TUBULAR LEG WITH BASE - 226



Round base


DADC3684
DADC3678
DADC3672
DADC3084
DADC3078
DADC3072
DADC2484
DADC2478
DADC2472

Square base

DADD3684
DADD3678
DADD3672
DADD3084
DADD3078
DADD3072
DADD2484
DADD2478
DADD2472

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 227

LEFT table




DLAA3684L
DLAA3678L
DLAA3672L

DLAA3084L
DLAA3078L
DLAA3072L

DLAA2484L
DLAA2478L
DLAA2472L

RIGHT table




DLAA3684R
DLAA3678R
DLAA3672R

DLAA3084R
DLAA3078R
DLAA3072R

DLAA2484R
DLAA2478R
DLAA2472R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 228


LEFT table



DLAC3684L
DLAC3678L
DLAC3672L
DLAC3084L
DLAC3078L
DLAC3072L
DLAC2484L
DLAC2478L
DLAC2472L

DLAD3684L
DLAD3678L
DLAD3672L
DLAD3084L
DLAD3078L
DLAD3072L
DLAD2484L
DLAD2478L
DLAD2472L

RIGHT table



Round base


DLAC3684R
DLAC3678R
DLAC3672R
DLAC3084R
DLAC3078R
DLAC3072R
DLAC2484R
DLAC2478R
DLAC2472R

Square base

DLAD3684R
DLAD3678R
DLAD3672R
DLAD3084R
DLAD3078R
DLAD3072R
DLAD2484R
DLAD2478R
DLAD2472R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS) - 229


LEFT table



DLAE3684L
DLAE3678L
DLAE3672L
DLAE3084L
DLAE3078L
DLAE3072L
DLAE2484L
DLAE2478L
DLAE2472L

DLAF3684L
DLAF3678L
DLAF3672L
DLAF3084L
DLAF3078L
DLAF3072L
DLAF2484L
DLAF2478L
DLAF2472L

RIGHT table



Round base


DLAE3684R
DLAE3678R
DLAE3672R
DLAE3084R
DLAE3078R
DLAE3072R
DLAE2484R
DLAE2478R
DLAE2472R

Square base

DLAF3684R
DLAF3678R
DLAF3672R
DLAF3084R
DLAF3078R
DLAF3072R
DLAF2484R
DLAF2478R
DLAF2472R

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE) - 230

LEFT table




DLAG3684L
DLAG3678L
DLAG3672L

DLAG3084L
DLAG3078L
DLAG3072L

DLAG2484L
DLAG2478L
DLAG2472L

RIGHT table




DLAG3684R
DLAG3678R
DLAG3672R

DLAG3084R
DLAG3078R
DLAG3072R

DLAG2484R
DLAG2478R
DLAG2472R


ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJ. SUPPORT

TUBULAR LEG - 231



DAAA3684
 DAAA3678
 DAAA3672
 DAAA3084
 DAAA3078
 DAAA3072

TUBULAR LEG WITH BASE - 231



Round base
 DAAC3684
 DAAC3678
 DAAC3672
 DAAC3084
 DAAC3078


DAAC3072
 DAAC2484
 DAAC2478
 DAAC2472

Square base
 DAAD3684
 DAAD3678
 DAAD3672
 DAAD3084
 DAAD3078

DAAD3072
 DAAD2484
 DAAD2478
 DAAD2472

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 232


LEFT table



DLIA3684L
 DLIA3678L
 DLIA3672L
 DLIA3084L
 DLIA3078L
 DLIA3072L

DLIA2484L
 DLIA2478L
 DLIA2472L

RIGHT table




DLIA3684R
 DLIA3678R
 DLIA3672R

DLIA3084R
 DLIA3078R
 DLIA3072R

DLIA2484R
 DLIA2478R
 DLIA2472R


RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 233

LEFT table



DLIC3684L
 DLIC3678L
 DLIC3672L
 DLIC3084L
 DLIC3078L
 DLIC3072L
 DLIC2484L
 DLIC2478L
 DLIC2472L

RIGHT table




Round base
 DLIC3684R
 DLIC3678R
 DLIC3672R
 DLIC3084R
 DLIC3078R
 DLIC3072R
 DLIC2484R
 DLIC2478R
 DLIC2472R

Square base
 DLID3684R
 DLID3678R
 DLID3672R
 DLID3084R
 DLID3078R
 DLID3072R
 DLID2484R
 DLID2478R
 DLID2472R


RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH LAMINATE "L" SUPPORT (TUBULAR LEGS) - 234

LEFT table



DLIE3684L
 DLIE3678L
 DLIE3672L
 DLIE3084L
 DLIE3078L
 DLIE3072L
 DLIE2484L
 DLIE2478L
 DLIE2472L

RIGHT table




Round legs
 DLIE3684R
 DLIE3678R
 DLIE3672R
 DLIE3084R
 DLIE3078R
 DLIE3072R
 DLIE2484R
 DLIE2478R
 DLIE2472R

Square legs
 DLIF3684R
 DLIF3678R
 DLIF3672R
 DLIF3084R
 DLIF3078R
 DLIF3072R
 DLIF2484R
 DLIF2478R
 DLIF2472R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE) - 235


LEFT table



DLIG3684L
 DLIG3678L
 DLIG3672L
 DLIG3084L
 DLIG3078L
 DLIG3072L

DLIG2484L
 DLIG2478L
 DLIG2472L

RIGHT table




DLIG3684R
 DLIG3678R
 DLIG3672R

DLIG3084R
 DLIG3078R
 DLIG3072R

DLIG2484R
 DLIG2478R
 DLIG2472R


RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT

TUBULAR LEG - 236



DAiA3684
 DAiA3678
 DAiA3672
 DAiA3084
 DAiA3078
 DAiA3072

TUBULAR LEG WITH BASE - 237




Round base
 DAiC3684
 DAiC3678
 DAiC3672
 DAiC3084
 DAiC3078

DAiC3072
 DAiC2484
 DAiC2478
 DAiC2472


Square base
 DAiD3684
 DAiD3678
 DAiD3672
 DAiD3084
 DAiD3078

DAiD3072
 DAiD2484
 DAiD2478
 DAiD2472


CRENZENAS - 23" H. - 238




CZ00247223
 CZ00246023
 CZ00217223
 CZ00216023




CZUF0247223
 CZUF0246023
 CZUF0217223
 CZUF0216023




CZOUF247223
 CZOUF246023
 CZOUF217223
 CZOUF216023




CZDUF0247223
 CZDUF0246023
 CZDUF0217223
 CZDUF0216023




CZOUF0247223
 CZOUF0246023
 CZOUF0217223
 CZOUF0216023




CZDD0247223
 CZDD0246023
 CZDD0217223
 CZDD0216023




CZUFUF247223
 CZUFUF246023
 CZUFUF217223
 CZUFUF216023




CZ4D247223
 CZ4D246023
 CZ4D217223
 CZ4D216023



CZUFDD247223
 CZUFDD246023
 CZUFDD217223
 CZUFDD216023




CZDD0247223
 CZDD0246023
 CZDD0217223
 CZDD0216023




CZDDUF247223
 CZDDUF246023
 CZDDUF217223
 CZDDUF216023


STORAGE UNITS - 23" H. - 241



CZ0243623
CZ0243023
CZ0213623
CZ0213023




CZDD243623
CZDD243023
CZDD213623
CZDD213023




CZUF243623
CZUF243023
CZUF213623
CZUF213023

MINI STORAGE - 242




PiD151805



PiS171805

CUSHIONS - 242




CUS2472
CUS2460
CUS2436
CUS2430

CUS2172
CUS2160
CUS2136
CUS2130


BENCHING

SHARED "BENCHING" TABLES (FULL END PANELS) - 244




BC2i3072
BC2i3066
BC2i3060
BC2i3054
BC2i3048
BC2i3042
BC2i3036

BC2i2472
BC2i2466
BC2i2460
BC2i2454
BC2i2448
BC2i2442
BC2i2436




BC4i3072
BC4i3066
BC4i3060
BC4i3054
BC4i3048
BC4i3042
BC4i3036

BC4i2472
BC4i2466
BC4i2460
BC4i2454
BC4i2448
BC4i2442
BC4i2436



BC6i3072
BC6i3066
BC6i3060
BC6i3054
BC6i3048
BC6i3042
BC6i3036


BC6i2472
BC6i2466
BC6i2460
BC6i2454
BC6i2448
BC6i2442
BC6i2436



BC8i3072
BC8i3066
BC8i3060
BC8i3054
BC8i3048
BC8i3042
BC8i3036


BC8i2472
BC8i2466
BC8i2460
BC8i2454
BC8i2448
BC8i2442
BC8i2436

SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS) - 247




BC2iX3072
BC2iX3066
BC2iX3060
BC2iX3054
BC2iX3048
BC2iX3042
BC2iX3036

BC2iX2472
BC2iX2466
BC2iX2460
BC2iX2454
BC2iX2448
BC2iX2442
BC2iX2436




BC4iX3072
BC4iX3066
BC4iX3060
BC4iX3054
BC4iX3048
BC4iX3042
BC4iX3036

BC4iX2472
BC4iX2466
BC4iX2460
BC4iX2454
BC4iX2448
BC4iX2442
BC4iX2436



BC6iX3072
BC6iX3066
BC6iX3060
BC6iX3054
BC6iX3048
BC6iX3042
BC6iX3036


BC6iX2472
BC6iX2466
BC6iX2460
BC6iX2454
BC6iX2448
BC6iX2442
BC6iX2436



BC8iX3072
BC8iX3066
BC8iX3060
BC8iX3054
BC8iX3048
BC8iX3042
BC8iX3036


BC8iX2472
BC8iX2466
BC8iX2460
BC8iX2454
BC8iX2448
BC8iX2442
BC8iX2436

SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS) - 250




BC2iM3072
BC2iM3066
BC2iM3060
BC2iM3054
BC2iM3048
BC2iM3042
BC2iM3036

BC2iM2472
BC2iM2466
BC2iM2460
BC2iM2454
BC2iM2448
BC2iM2442
BC2iM2436




BC4iM3072
BC4iM3066
BC4iM3060
BC4iM3054
BC4iM3048
BC4iM3042
BC4iM3036

BC4iM2472
BC4iM2466
BC4iM2460
BC4iM2454
BC4iM2448
BC4iM2442
BC4iM2436



BC6iM3072
BC6iM3066
BC6iM3060
BC6iM3054
BC6iM3048
BC6iM3042
BC6iM3036


BC6iM2472
BC6iM2466
BC6iM2460
BC6iM2454
BC6iM2448
BC6iM2442
BC6iM2436



BC8iM3072
BC8iM3066
BC8iM3060
BC8iM3054
BC8iM3048
BC8iM3042
BC8iM3036


BC8iM2472
BC8iM2466
BC8iM2460
BC8iM2454
BC8iM2448
BC8iM2442
BC8iM2436

SHARED "BENCHING" TABLES (OPEN METAL END PANELS) - 253




BC2i03072
BC2i03066
BC2i03060
BC2i03054
BC2i03048
BC2i03042
BC2i03036

BC2i02472
BC2i02466
BC2i02460
BC2i02454
BC2i02448
BC2i02442
BC2i02436




BC4i03072
BC4i03066
BC4i03060
BC4i03054
BC4i03048
BC4i03042
BC4i03036

BC4i02472
BC4i02466
BC4i02460
BC4i02454
BC4i02448
BC4i02442
BC4i02436



BC6i03072
BC6i03066
BC6i03060
BC6i03054
BC6i03048
BC6i03042
BC6i03036


BC6i02472
BC6i02466
BC6i02460
BC6i02454
BC6i02448
BC6i02442
BC6i02436



BC8i03072
BC8i03066
BC8i03060
BC8i03054
BC8i03048
BC8i03042
BC8i03036

BC8i02472
BC8i02466
BC8i02460
BC8i02454
BC8i02448
BC8i02442
BC8i02436


120° "BENCHING" TABLES (FULL END PANELS) - 256



BC3CV3048
BC3CV3042
BC3CV3036

BC3CV2448
BC3CV2442
BC3CV2436


120° "BENCHING" TABLES (COMB. MAT. END PANELS) - 256



BC3CVX3048
BC3CVX3042
BC3CVX3036

BC3CVX2448
BC3CVX2442
BC3CVX2436


120° "BENCHING" TABLES (PERF. METAL END PANELS) - 257



BC3CVM3048
BC3CVM3042
BC3CVM3036

BC3CVM2448
BC3CVM2442
BC3CVM2436


120° "BENCHING" TABLES (OPEN METAL END PANELS) - 257




BC3CV03048
BC3CV03042
BC3CV03036

BC3CV02448
BC3CV02442
BC3CV02436


SHARED END-OF-RUN STORAGE UNITS - 258



FBPUUF156029
FBPUUF154829




FBPUUF156023
FBPUUF154823



CUS1560
CUS1548


OPEN HUTCHES (LOW) - 21"H. - 259



HTC07221
HTC06621
HTC06021
HTC05421
HTC04821
HTC04221
HTC03621
HTC03021
HTC02421


OPEN HUTCHES (LOW) WITH SHARED ACCESS - 21"H. - 259

Opening at RIGHT




HTCR07221
HTCR06621
HTCR06021
HTCR05421
HTCR04821
HTCR04221
HTCR03621
HTCR03021

Opening at LEFT




HTCOR7221
HTCOR6621
HTCOR6021
HTCOR5421
HTCOR4821
HTCOR4221
HTCOR3621
HTCOR3021

HUTCHES (LOW) WITH SLIDING DOORS - 21"H. - 260




HTCGi7221
HTCGi6621
HTCGi6021
HTCGi5421
HTCGi4821
HTCGi4221
HTCGi3621
HTCGi3021

Sliding door at LEFT



HTCGi07221
HTCGi06621
HTCGi06021
HTCGi05421
HTCGi04821
HTCGi04221
HTCGi03621
HTCGi03021


Sliding door at RIGHT



HTC0Gi7221
HTC0Gi6621
HTC0Gi6021
HTC0Gi5421
HTC0Gi4821
HTC0Gi4221
HTC0Gi3621
HTC0Gi3021


HUTCHES (LOW) WITH SLIDING DOORS AND SHARED ACCESS - 21"H. - 261

Sliding door at LEFT



HTCGiR7221
HTCGiR6621
HTCGiR6021
HTCGiR5421
HTCGiR4821
HTCGiR4221
HTCGiR3621
HTCGiR3021


Sliding door at RIGHT



HTCRGi7221
HTCRGi6621
HTCRGi6021
HTCRGi5421
HTCRGi4821
HTCRGi4221
HTCRGi3621
HTCRGi3021

TACKBOARDS - 261

For 21" H. hutches with shared access.




BTL3414
BTL3114
BTL2814
BTL2514


BTL2214
BTL1914
BTL1614
BTL1314

SHELVES WITH INTEGRATED


PIGEONHOLE UNIT - 13" H. - 262




HMA7213
HMA6613
HMA6013
HMA5413
HMA4813
HMA4213
HMA3613
HMA3013
HMA2413



HA7206A
HA6606A
HA6006A
HA5406A
HA4806A
HA4206A
HA3606A
HA3006A
HA2406A




HA7206C
HA6606C
HA6006C
HA5406C
HA4806C
HA4206C
HA3606C
HA3006C
HA2406C




BKP151650

25" H. FREESTANDING PEDESTALS FOR SHARED "BENCHING" TABLES - 263




FSLUUF25




FSLFF25

PRIVACY PANELS


LAMINATE - 264



PPOV1572
PPOV1566
PPOV1560
PPOV1554
PPOV1548
PPOV1542
PPOV1536
PPOV1530
PPOV1524
PPOV1518




PPFR2972
PPFR2966
PPFR2960
PPFR2954
PPFR2948
PPFR2942
PPFR2936
PPFR2930
PPFR2924



PPUN1372
PPUN1366
PPUN1360
PPUN1354
PPUN1348
PPUN1342
PPUN1336
PPUN1330
PPUN1324


FROSTED ACRYLIC - 265




PPOVGIA1572
PPOVGIA1566
PPOVGIA1560
PPOVGIA1554
PPOVGIA1548
PPOVGIA1542
PPOVGIA1536
PPOVGIA1530
PPOVGIA1524
PPOVGIA1518

PRIVACY PANELS

FROSTED ACRYLIC - 265




PPFRGIA2972
PPFRGIA2966
PPFRGIA2960
PPFRGIA2954
PPFRGIA2948
PPFRGIA2942
PPFRGIA2936
PPFRGIA2930
PPFRGIA2924



PPUNGIA1372
PPUNGIA1366
PPUNGIA1360
PPUNGIA1354
PPUNGIA1348
PPUNGIA1342
PPUNGIA1336
PPUNGIA1330
PPUNGIA1324

TACKBOARDS


FOR PRIVACY PANELS - 266



BTL7109
BTL6509
BTL5909
BTL5309
BTL4709
BTL4109
BTL3509
BTL2909
BTL2309
BTL1709


FROSTED ACRYLIC PRIVACY PANELS

W/ SQUARE BRACKETS - 268



AC-VRGIS1572
AC-VRGIS1566
AC-VRGIS1560
AC-VRGIS1554
AC-VRGIS1548
AC-VRGIS1542
AC-VRGIS1536
AC-VRGIS1530
AC-VRGIS1524

DIVIDERS SCREENS - 266



Écran laminé
ASPSDL1125
ASPSDL1119

Écran babillard
ASPSDC1125
ASPSDC1119

WALL MOUNT BRACKETS - 267

FOR TACKBOARDS




BTHK

ROUND TACKBOARD - 267




BTR12

ACCESSORY BARS - 268




AC-VABS0872
AC-VABS0866
AC-VABS0860
AC-VABS0854
AC-VABS0848
AC-VABS0842
AC-VABS0836
AC-VABS0830
AC-VABS0824



AC-VABD1272
AC-VABD1266
AC-VABD1260
AC-VABD1254
AC-VABD1248
AC-VABD1242
AC-VABD1236
AC-VABD1230
AC-VABD1224


ACCESSORIES - 269

ACCESSORY PANEL




ASASP

STORAGE CASE




ASUB

MARKER BOARD PANEL




AC-ASWBA

CORNER SHELF - 270




JC1414

STIFFENERS - 270




AC-RSTI64
AC-RSTI52
AC-RSTI46

JUNCTION PLATES - 270




AC-FJP2


ACRYLIC ACCESSORIES FOR ACCESSORY BAR - 271



ASW



ASLG



ASPE




ASFL

METAL ACCESSORIES - 272



ASMLG



ASMLT (Lettre)
ASMLG (Legal)



ASMPAP




ASMPE



ASMCEL



ASMB



ASMBX

MULTI-OUTLET MODULES - 274


Conventional wall power outlet




AC-EPOS



AC-EPA




AC-EPU



AC-EPUP


MOVABLE OUTLET - 274

Conventional wall power outlet



AC-ECM


CABLING TRAYS - 275



WCMC68
WCMC62
WCMC56
WCMC50
WCMC44
WCMC38
WCMC32
WCMC26
WCMC20


1-CIRCUIT ELECTRICAL SYSTEM - 276

POWER SUPPLY MODULE




AC-ECFK

JUMPERS



AC-ECEJK86
AC-ECEJK72
AC-ECEJK60
AC-ECEJK48
AC-ECEJK24

MOVABLE OUTLET




AC-ECMK

MULTI-OUTLET MODULE




AC-EPOS

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 277




1 side
WCMAS58
WCMAS52
WCMAS46
WCMAS40
WCMAS34
WCMAS28
WCMAS22
WCMAS16




2 sides
WCMBS58
WCMBS52
WCMBS46
WCMBS40
WCMBS34
WCMBS28
WCMBS22

CABLING CHANNELS - 278



WCMAS58
WCMAS52
WCMAS46
WCMAS40
WCMAS34
WCMAS28
WCMAS22
WCMAS16


CABLE POLE - 278




A5-EPEU23
A5-EPEU22

4-CIRCUIT ELECTRICAL SYSTEM - 279


CEILING POWER CONNECTIONS



E2-EC15



E2-EC18



E2-ECWD



E2-ECJO

OUTLET FOR POWER FEED CONNECTORS

JUMPERS



E2-EJT82
E2-EJT76
E2-EJT70
E2-EJT64
E2-EJT58

E2-EJT52
E2-EJT47
E2-EJT35
E2-EJT21
E2-EJT18

COUPLING



IE-I


FASTENERS FOR JUMPER



E2-EJB5

4-CIRCUIT ELECTRICAL SYSTEM - 280

DUPLEX OUTLETS



E2-ER1
E2-ER2
E2-ER3
E2-ER4

OUTLET SUPPORT BRACKET



E2-EDT

COVERS AND ADAPTOR PLATES



E2-ERF



E2-ERD



E2-ERU


GROMMETS - 281




AC-EGR38-B



AC-EGR64-N




AC-WR24



LW24

CABLE FASTENERS - 281



AC-EWF1
AC-EWF2


FLEXIBLE WIRE MANAGER - 281




AC-EVCC

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL) - 282


DESK



RDS3072
RDS3066




RDV3072
RDV3066




RDM3072
RDM3066


RETURN



RDT2460
RDT2448
RDT2442




RDRW2460
RDRW2448
RDRW2442




RDRN2460
RDRN2448
RDRN2442

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL) - 283


DESK



RDT3072
RDT3066




RDW3072
RDW3066




RDM3072
RDM3066


RETURN



RDRS2460
RDRS2448
RDRS2442




RDRV2460
RDRV2448
RDRV2442




RDRM2460
RDRM2448
RDRM2442

COUNTERTOPS - 284

To convert a regular desk into a reception desk.



RSB1284
RSB1278
RSB1272
RSB1266
RSB1260
RSB1254
RSB1248
RSB1242
RSB1236
RSB1230
RSB1224




RSQ1284
RSQ1278
RSQ1272
RSQ1266
RSQ1260
RSQ1254
RSQ1248
RSQ1242
RSQ1236
RSQ1230
RSQ1224

COUNTERTOP EXTENSIONS - 285


Add to elongate a reception countertop.

RIGHT shelf



RSR1284
RSR1278
RSR1272
RSR1266
RSR1260
RSR1254
RSR1248
RSR1242
RSR1236
RSR1230
RSR1224

LEFT shelf




RSL1284
RSL1278
RSL1272
RSL1266
RSL1260
RSL1254
RSL1248
RSL1242
RSL1236
RSL1230
RSL1224

OCCASIONAL TABLES (LAMINATE BASE) - 286



TMAR1736
TMAR1730
TMAR1724




TMAS173030

TMAS172448
TMAS172442
TMAS172430
TMAS172424
TMAS172418


TMAS171836
TMAS171830
TMAS171824
TMAS171818

OCCASIONAL TABLES - 286




TMAB2448
TMAB2442
TMAB2436
TMAB2430


TMAB2424
TMAB1836
TMAB1830
TMAB1824




TMARD1730
TMARD1724



TMAED172136



TSDS173030
TSDS172424



TMASS172436
TMASS172424

Take Off

General Information

DESCRIPTION

The Take Off Collection is renewed - in appearance and offering. With its rectilinear and contemporary design, combination of materials (textured laminate finishes, metal, etc.), updated options (legs, pulls, etc.), new components (storage, layering or benching tables, etc.) and exclusive features (Noki electronic lock), Take Off meets current office environment requirements by uniting outstanding design, quality and function.

The collection is divided into 4 series of freestanding furniture: **Lima**, **Mike**, **Sierra** and **Tango**. These series differ mainly in the thickness of the surfaces, the options of materials (all laminate, combined, metal). The 4 series share a maximum of features, including sizes, finishes, choice of pulls, etc. It is therefore possible, if required, to harmoniously combine components from each series within a configuration.



TAKE OFF : 4 SERIES

The Lima and Mikes Series

Pre-assembled laminate furniture (desks, credenzas, storage, etc.) and modular components (returns, tables, etc.).

Classic linear design and uniform height (29" H) allow for the quick configuration of workstations. These series are usually suited to closed office configurations.

L Lima	M Mike
1"	1½"



The Sierra and Tango Series

Modular furniture mixing laminate and metal. Components allow for configurations adapted to new working styles (layering, benching, etc.).

Contemporary linear design with the possibility of surface supported "layering" workstations (29" and 23" H.) particularly for use in open and shared workspaces.


S Sierra	T Tango
1"	1½"




APPLICATIONS AND COMPONENTS

From the reception area to private office, through to open space layouts, the Take Off Collection of freestanding furniture offers an infinite number of solutions to meet all workplace needs. Examples of applications :


Uniform-Height Workstation (29" H.)



Surface Supported "Layering" Workstation (29" and 23" H.)



Multi-User "Benching" Workstation and Shared Storage



GENERAL INFORMATION

Materials

Work surfaces, storage tops and floor supports are made of 1" (25 mm) thick pressed wood for the **Lima** and **Sierra** series; 1½" (38 mm) thick for the **Mike** and **Tango** series. Surfaces can be ordered in either thermally fused or high pressure laminate. Add 1/16" (1.6 mm) to the thickness of high pressure laminate surfaces.

There is a PVC 3/32" (2.5 mm) thick edge banding on the work surfaces and tops of storage with a choice of assorted or contrasting colors, striped or fluted. Other components such as the floor supports also have a PVC 3/32" (2.5 mm) thick edge banding (assorted TFL colors).

As a general rule, the panels, sides and backs of storage units, modesty panels and drawer fronts are made of 11/16" (17.5 mm) thick pressed wood and are edged with PVC 3/32" (2.5 mm) thick edge banding (assorted TFL colors).

Laminate Finishes

The available finishes are divided into 4 categories:

- The "Surface" finish (applied on the surfaces of desks, tables or storage).
- The type of "Edge Banding" (surface contour).
- The "Base" finish (applied on the sides and back of desks, tables or storage).
- The "Front" finish (applied on the front of the desk drawers or fronts/doors of storage).


Casters, accessories and internal structural or mechanical components have a black finish while metal components (legs, panel supports, structure, etc.) are available in 4 finishes: Silver (**3090**), Polar White (**3002**), Charcoal (**3064**), Black (**3067**).

Refer to the product descriptions and finish charts for more information (p.54-55).

Wood Grain Direction

Surfaces

The wood grain generally runs parallel to the longest side of the surface while tables with symmetrical surfaces have the wood grain positioned at 45°.




Legs, backs, doors and fronts

The wood grain is positioned vertically on:

- table and desks legs.
- sides of storage.
- hinged doors.
- flipper or pivot-lift doors.
- drawer fronts.

Horizontally on:



Assembly and Hardware

Assembled products such as **desks, returns with pedestal, credenzas, cabinets and storage** as well as **all pedestals** require no assembly upon delivery except for levelers and pulls.

Knockdown products are delivered with the necessary hardware (brackets and screws) pre-assembled to the parts. The **bridge returns and returns without pedestal, junction surfaces** and **various tables with choice of legs or half legs** are delivered with the necessary hardware for attaching to adjacent surfaces.

All furniture is equipped with adjustable levelers except bridge returns (to be added during installation).

GENERAL INFORMATION (continued)

Doors

The doors have hinges that allow for a 110° opening. They are also available with other door opening mechanisms : flipper doors, flipper doors with soft-closing option and pivot-lift doors.

Drawers

The drawers are equipped with a progressive slide comprised of ball bearings with a total extension of 16", 18" or 22". The weight capacity is 100 pounds for the 6" and 12" drawers on pedestals and cabinets and 150 pounds for lateral file drawers. All drawer slides meet BIFMA Standards.

Interlock

Certain storage units have an Interlock system. Interlock is a blocking mechanism that allows for the opening of only one drawer at a time to eliminate the possibility of the filing unit tipping over.

Accessories for Drawers

Storage units that include at least one 6" utility drawer come with a pencil tray that can be installed either width or length wise.

File drawers have PVC rails along the top for hanging letter or legal size files. A filing bar (letter size) is included with all desks and combined storage units with filing drawers (12"). Filing bars (letter size) must be ordered separately for surface attached, freestanding and mobile pedestals. Front-to-back filing bars are also available. Refer to the product description for more details.

Pulls

Pulls are included on storage units such as credenzas, filing cabinets and cabinets. However, it is necessary to specify the desired type.

Pulls are not included on pedestals (suspended, freestanding or mobile) or assembled desks. Pulls can be added as an option.

Hutch doors do not have pulls, a space behind the door allows for opening. For the types of pulls available, see p.56.


Kick Plate

Storage units (pedestals, credenzas, cabinets, etc.) have a full length kick plate that is flush with the front or doors.


Locks

In the Take Off Collection, storage and desk drawers are equipped with Noki, the electronic lock exclusive to Artopex. With some products, such as hutches and bookcase hutches, a Noki electronic lock can be added as an option by specifying it in the "Noki" column of the code.


Noki is easy to use and provides increased security.



Pencil tray installed either width or length wise



Kick plate flush with fronts



- No locks are available on doors with aluminum frames unless specified in the product description.
- No key locks available.



- A unique combination per user, department or storage unit as required (more than 80,000 combinations).
- A forgotten code, an absent user ... an authorized person may obtain a master code from Artopex.
- After four attempts to open with a wrong code, a brief alarm sounds.
- Powered by batteries (included), easy access change batteries.

GROMMET

Factory-installed rectangular grommets are included on tables, returns and bridge returns and are optional on desks and shared "Benching" tables as well as credenzas and storage 29" H. or less. To specify products with no grommets, use the "NG" option (no upcharge).

The grommet with the Artopex logo has a cover with two openings:

- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for smaller wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed : 3³/₈"x 1⁵/₈".




The grommet is available in two plastic finishes : White (**G1**) and Charcoal (**G2**). The finish must be specified in the product specification.


Products with Grommets

Rectangular tables, returns and bridge returns 42" long or less have 1 grommet at the center and items 48" or more are fitted with 2 grommets. The corner tables have 1 grommet positioned at the center back unless one side measures 60" or more, then 2 grommets are aligned on this side. Modular tables have 1 grommet.


1- Position of grommets on TABLES and CORNERS



2- Position of grommets on RETURNS




3- Position of grommet on CONVERGENT and LAYERED TABLES



Products Without Grommets (optional grommets)

It is possible to add grommets on desks and certain other products when the option is indicated. The finish and the grommet position must be specified in the product specification. For example, if a white grommet (**G1**) positioned to the left (**L**) and right (**R**) is required, add the code **G1LR** under the "Grommet Options" section. For credenzas and storage, the option includes 3 or 4 grommets according to the length of the item. The illustrations below explain the position of the grommet according to the item.


1) Position of grommets on DESKS and RECEPTION DESKS



The placement of pedestals under the desk could affect cable passage.



2) Position of grommets on CREDENZAS and STORAGE 29"H. or less



Grommets on the surface and sides



MULTI-OUTLET MODULES (optional)

A recessed multi-outlet module can be ordered on the majority of products. The surface has a pre-drilled hole but the module must be installed on site.

The black plastic multi-outlet module has:

- 2 electrical outlets with ground and 13AMP circuit-breaker.
- 2 openings for telecommunications adapter.
- The retractable lid can be closed when not in use.






Specify the type and location of the module under the "Options" section (M-Outlet).

Types

The multi-outlet module is available with two types of connections:

A conventional wall connection and a connection for the 1-circuit system.

Both modules are UL and CSA compliant.




- A clearance of 5" is required behind a pedestal to install a multi-outlet module. Refer to the specification chart on pages 60-61 for the clearance requirements for the different pedestals.




- The EC option requires the use of 1-circuit system components such as the AC-ECFK power supply.
- Warning! The installation of the 4-circuit power system, 1-sided (AC-WCMA_) is **not possible** with the UCC and ECC options.
- The installation of the 4-circuit power system, 1-sided (AC-WCMA_) is **possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface. Example : For a 72" surface, specify the AC-WCMA46.

The illustrations below explain the position of the multi-outlet modules according to the surface type.


Multi-outlet modules positions on DESKS, RETURNS with pedestals and RECEPTION DESKS



Multi-outlet modules positions on CONVERGENT and LAYERED TABLES



Multi-outlet modules positions on RETURNS without pedestals, TABLES and CORNERS



DESKS AND TABLES

The Take Off work surface height is 29" for the **Lima** and **Sierra** series and 29½" for the **Mike** and **Tango** series unless otherwise indicated. A ¼" space between modesty panel and underside of knockdown table surfaces allows for the installation of a privacy panel or an accessory bar.

Modesty Panel (back)


Tables Lima/Mike

Lima and Mike series tables and desks have a standard modesty panel (back), full height (28").


On **assembled desks**, the modesty panel is recessed:

- 11" on desks 36" in depth.
- 5" on desks 30" in depth.
- Flush on desks 24" or less.

A modesty panel can be ordered with a rounded accent at the base, 1" thick and is the same color as the work surface. Option available on desks 30" in depth or more.



Standard
(desks)




Modesty panel
with rounded accent
(option JJ)

For **knockdown tables**, the modesty panel is recessed :

- 11" on tables 36" in depth.
- Flush on tables 30" in depth or less (unless otherwise indicated).

A modesty panel can be ordered recessed (5") on 30" tables or ordered shorter: 9" or 18" high (no upcharge). These two options cannot be combined and the availability varies depending on the product. Refer to the option choices for each product.





Corner tables with a full height modesty panel have a leveler installed at the connection of two panels for stability.

Those with 18" and 9" high modesty panels have a 1"x 1" black metal leg in the back corner.

Sierra / Tango Tables

Sierra and **Tango** series tables with **combined, perforated metal** and **open metal** end panels have a standard modesty panel, flush, and 4" from the floor. Shorter modesty panels are available: 9" or 18" high (no upcharge).



The **corner tables** have a 2½" x 2½" metal leg in the back corner. The finish is coordinated with the open half-legs.

Open half-legs

CHOICE OF SUPPORTS

Different models of legs are available according to the type of table and the selected series (Lima, Mike, Sierra and Tango). Levelers allow for an adjustment of 1 1/2" (38 mm) in height, unless otherwise indicated. The metal legs or legs with metal components are available in a choice of 4 finishes : Silver, Polar White, Charcoal or Black. The laminate legs are available in all the "base" laminate finishes.



LAMINATE end panels *
1" thermally fused laminate panel.



COMBINED end panel, metal-laminate *
Frame of 1" x 3" metal tubes with thermally fused laminate panel insertion.
Sierra / Tango series only.



PERFORATED METAL end panel *
Frame of 1" x 3" metal tubes with a perforated metal panel insertion.
Sierra / Tango series only.



OPEN METAL end panel *
Frame of 1" x 3" metal tubes.
Sierra / Tango series only.



MONOLITHIC leg
4" x 12" rectangular base panels made of 1" thermally fused laminate.



ROUND 2 1/2" leg
Tubular metal leg, 2 1/2" diameter allowing for a height adjustment of 13/16".




ROUND 4" leg
Metal telescopic leg, 4" in diameter allowing for a height adjustment of 4".



TUBULAR leg WITH BASE PLATE
Round 4" diameter tubular leg with round or square base plate. The plate is 18" in diameter or 18" x 18".
Height adjustment from 27" to 30" H. Under the surface.





TUBULAR leg set
(2) round tubular metal legs, 2 1/2" diameter allowing for a height adjustment of 13/16".
OR
(2) square tubular metal legs, 2 1/2" x 2 1/2" with a height adjustment of 2".




Half-legs
Laminate

Lima/Mike



Half-legs
Open Metal

Sierra/Tango



* Half-legs of knockdown **Lima** and **Mike** tables are **always in thermally fused laminate** while half-legs of knockdown **Sierra** and **Tango** tables are Open Metal end panels.

Bridge Return

The rectangular bridge return is comprised of a surface and a modesty that do not touch the floor once assembled. It is held in place using junction plates and "Z" fasteners (included) to secure the modesty panel to the adjacent units. The height of the regular bridge is 29" for **Lima** and **Sierra** series and 29 1/2" for **Mike** and **Tango** unless otherwise indicated. The bridge return is delivered unassembled and a privacy panel or accessory bar can be installed on it using the 1/4" space between the modesty panel and the top.



It is not possible to attach a suspended pedestal to a bridge return.



The modesty panel of the bridge return in the **Lima** and **Mike** series is full height, and in the **Sierra** and **Tango** series, it is 4" from the floor to align with the modesty panel of tables with combined, perforated metal or open metal ends panels with which it is assembled.

Modesty Panel (option)

Modesty panels are available 9" or 18" H. as an option (no charge).

Bridge Return Without Modesty Panel

This surface is attached to adjacent surfaces using junction plates (included) and allows the joining of two tables, a table and a credenza or table and a desk. This surface may also be supported by support pedestals.



CONVERGENT TABLES

Convergent tables ("D" and "P" shaped, arched tables, etc.) serve as the main work surface or meeting surface of a workstation. They must be attached to an adjacent component (bridge return, credenza ...) and are available in a variety of shapes with a choice of metal legs, a monolithic or laminate leg.

Modesty Panel (back)

The modesty panel on convergent tables is 12" H. and is the same laminate finish as the "base".

X-base Leg

The X-base leg on convergent tables has a clearance for the passage of cables through the grommet.


Multi-Outlet Module (optional)

Recessed multi-outlet modules are available on convergent tables. The surface has a pre-drilled hole but the module must be installed on site. The specification of a multi-outlet module automatically replaces the existing grommet, see p.28.


Stiffener

A stiffener is recommended for surface supported tables 54" or more.


Convergent tables



"L" shaped tables




"P" shaped tables




"Shark" tables


Surface Supported Tables



Arched table




Rectangular tables



Monolithic leg



"D" shaped tables



END SURFACES

The end surfaces ("teardrop" table and meeting surfaces) are placed at the end of a table or two tables back-to-back.

The end surface is attached using junction plates (included) and has a telescopic metal leg, 4" in diameter allowing for a height adjustment of 4". The leg is available in 4 finishes: Silver, Polar White, Charcoal and Black.



STORAGE


The Take Off Collection offers storage in numerous configurations: with drawers, with door(s) or a combination of both and in various dimensions. For further information on storage construction, see p.26-27.

Grommets (option)

Rectangular Artopex grommets can be specified as an option on the surface and sides of credenzas and storage units 29" H. or less to allow for the passage of cables. See p.28.

Privacy Panel and Accessory Bar

A 1/4" space between the surface and back of credenzas and storage units 29" H. or less allows for the installation of a privacy panel or an accessory bar for metal or plastic accessories.



Maximum length = Length of the surface minus 6"

OR

Length of a section separated by a division minus 6"

Accessory bar with metal Artopex accessories



Credenzas

Assembled credenzas are available in different configurations with the following features:

- Two depths: 21" and 24".
- Two widths: 60" and 72".
- Two surface thicknesses: 1" and 1 1/2".


Sierra and Tango Series

Assembled credenzas 23" H. are available in many configurations of doors and / or drawers with or without an open section.


Credenzas in the **Sierra** series (1" surface) serve as support for tables to create surface supported "layering" workstations. Grommets are optional on the surface and sides, see p.28.

Lima and Mike Series


Assembled credenzas 29" and 35" H. are available in many configurations of doors and / or drawers, or doors with an open section and adjustable shelves.




41" H.




35" H.



29" H.




23" H.



STORAGE UNITS

Storage units are available in various configurations (shelves, drawers, wardrobe, etc.) and heights. Pulls and at least one Noki electronic lock (depending on configuration) are included. Storage units have 1 door, opening left or right.



Storage Unit Heights

When positioned next to a credenza + hutch configuration:

- Storage unit 66" H. will be flush with the hutch 37" H.
- Storage unit 72" H. will be flush with the hutch 43" H.

Warning: the products must have the same surface thickness, either 1" or 1½".


Door Styles

Depending on the configuration of the storage, different door styles are available: all laminate or aluminum frame with choice of interior material, see p.56. Refer to price list for exceptions.

2-Way Cabinets

2-way Cabinets units are 18½" wide and 21" or 24" deep. They are positioned at the end of a credenza or storage unit 23" or 29" H. and are configured with drawers and an open space (left or right) with adjustable shelf or shelves. The section above the drawers has the same laminate finish as the "base".

It is possible to order extra shelves and a tackboard may be added on the section above the drawers.



BOOKCASES


Regular or corner bookcases are available in many sizes (depths : 12", 21", 24"). The shelves and sides of the bookcases are made of 1" laminate panels and the surfaces can be specified 1" (Lima series) or 1½" (series Mike) laminate.

It is recommended to place bookcases that are 12" D. and 41" H. or more as well as corner bookcases over 41" H. against a wall or back-to-back with other storage.

Shelves

Storage units and bookcases with shelves have holes for height adjustment. Shelves are 1" laminate and have the same finish as the base.

Additional shelves can be ordered for certain storage, see product description for details.




PEDESTALS

The Take Off Collection includes many types of pedestals (with or without tops, fixed or mobile...) in various configurations. The Noki electronic lock is always included and pulls are optional.


Suspended Pedestals

Suspended pedestals can be attached under the majority of surfaces. Refer to the price list for exceptions.




Recycling Pedestal

The recycling pedestal is available with or without a top. It is equipped with an opening for inserting paper for recycling and includes a removable bin.




Freestanding Pedestals - 29" H.

Freestanding pedestals 29" H. can be put adjacent to a table or storage of the same depth, 24" D. They are available with 1" (Lima series) or 1 1/2" (Mike series) top.




Support Pedestals

Support pedestals do not have tops. They are 24" deep and are attached under a surface or table of the same depth.




Freestanding Metal Pedestals

Freestanding metal pedestals have no top and attach under a surface. It comes with the Noki electronic lock, and is available in current Artopex metal finishes with 2 styles of pulls: integrated central pull in aluminum or full width.




Mobile Pedestals

Mobile pedestals (with casters) can be positioned under a surface positioned at 29" H. A cushion may be added on the top.



Surfaces for Storage - 27 1/2" H.

Surfaces are available in lengths from 30" to 108" and can be installed on storage without tops 21" or 24" deep.



HUTCHES

Supports



The various models of hutches in the Take Off Collection are available with laminate panel legs or open metal legs. The metal legs are available in a choice of 4 finishes: Silver, Polar White, Charcoal or Black.

Doors


Different styles of doors are available depending on the hutch configuration: all laminate or with an aluminum frame and choice of interior panel material. See possibilities on p.56.

Types of Mechanisms (some exceptions apply):

- Hinged (with 110° hinges).
- Standard flipper.*
- Flipper with "Easy-Down" option (with dampers).*
- Pivot-lift (107° vertical assisted opening and soft closing with dampers).



Flipper door



Pivot-lift




* The flipper mechanism is not available on aluminum frame doors. Refer to price list for details.

Lock

The Noki electronic lock is available as an option on certain hutch models. Refer to the product description.

Clearance Under the Hutch


It is important to check the height clearance under the hutch (shown in the price list) as the space available varies by model, with or without a horizontal pigeon-hole unit. This will influence the choice of a tackboard.



Cable Passage


Hutches feature two elements allowing the passage of cables :

- There is an opening with a removable cap (black) at the back top center. This allows the passage of the wire from the light installed under the hutch if no horizontal pigeon-hole unit is installed.
- The back bottom of the hutch has a horizontal grommet (black) that can accommodate all sizes of cables and their connection plug (except oversized adaptors).



Vertical Pigeon-hole units

Horizontal pigeon-hole units



Pigeon-Hole Units

Available in various models, the Take Off Collection pigeon-holes units can be positioned under any hutch with a vertical clearance of at least 20". Letter or legal size documents can be stored depending on the model. A vertical pigeon-hole unit is also available for storing binders or other rigid materials.


The horizontal pigeon-hole units can simply be placed on the surface or attached under the hutch. It is always 2" shorter in length than the nominal dimension.



* Horizontal pigeon-hole units cannot be used on hutches with open metal legs.

MODULAR HUTCHES

Modular hutches have an integrated horizontal pigeon-hole unit upon which one or more storage modules for modular storage hutches can be installed. The module can be installed in various positions and two modules can be installed facing opposite directions.




Hutch 27" H. - Total height: 43"
Hutch 21" H. - Total height: 37"



TACKBOARDS

Tackboards can be installed on various models of freestanding hutches. Wall hanging supports are available to hang a tackboard directly to the wall (under a wall mounted hutch for example). Refer to the current Artopex charts for the selection of fabrics available.




Round Tackboard

A round tackboard of 1/4" thick Marmoleum (12" diameter) is also available and can be attached using double-sided tape (included) to any vertical laminate panel. Available in red or charcoal.

BOOKCASE HUTCHES

Bookcase hutches are placed on credenzas or other storage. They have adjustable shelves and open bookcase hutches have a horizontal grommet (black) at the base to accommodate all sizes of cables and their connection plug (except oversized adapters).




Doors

Different door styles are available: all laminate or with aluminum frame and choice of interior. See possibilities on p.56.

Dimensions


Bookcase hutches are available in two widths: 30" and 36" and in the same heights and depths as freestanding hutches.

Modularity with Different Height Credenzas / Storage

TOTAL HEIGHT for Lima/ Sierra (Add 1" for Mike/Tango series)

Lock (option)

The Noki electronic lock is optional on bookcase hutches with laminate doors only (without aluminum frame).




WALL MOUNTED MODULES

Wall mounted modules are constructed entirely of 1" thermally fused laminate and can be specified in all laminate finishes. They attach to the wall with wall mounting brackets (included) and can support a normal, non-excessive weight load.

- Interior: 5½" H x 9" D.
- Module 54" or more with a central divider.



Maximum load :

- Modules 48" long or less - 50 lbs.
- Modules 54" long or more - 100 lbs.




SURFACE SUPPORTED "LAYERING" TABLES - FIXED HEIGHT


Sierra and **Tango** series tables allow for **layering**. Available in left or right versions, they are installed over **Sierra** credenzas 23" H. preferably aligned with the open section and are available in three shapes: rectangular, arched and "D". Various leg options are available according to the surface shape and the type of support selected.



Choice of surfaces and end panels with **LONG** laminate support :




Choice of surfaces and legs with **SHORT** laminate support :



Laminate Support

The laminate support is a 5" H. "L" construction with an end support* and a long or short back depending on the leg model. It attaches to a Sierra 23" H. credenza using the included hardware.

A 1/4" space between the underside of the surface and the back allows for the installation of a privacy panel, accessory bar or modesty panel for use with the short laminate support. Exceptions apply for certain types of tables (dimensions, surface shape, leg model). Refer to the specification charts on pages 58-59.




* A privacy panel or accessory bar cannot be used on the part that is placed on the credenza (end support).

Individual Drawer and Pigeon-Hole Shelf

The layered tables with laminate supports can accommodate small 5" H. storage: drawer or pigeon-hole shelf.

The drawer is fitted with side pulls and is placed under left or right work surfaces. It also includes a Noki electronic lock and a grommet 1 1/8" in diameter at the rear for the passage of cables for connecting small devices such as a cell phone, tablet, laptop, etc.



For surfaces 21" deep or less, installing a drawer or a pigeon-hole prevents the cables from passing through the grommet to the floor.



Inside drawer dimension :
12" W. x 15" D. x 2" H.




Can accommodate letter or legal size documents.


The laminate pigeon-hole is 17" L. x 4 5/8" H. It can be placed under left or right layering surfaces. It has two filing spaces for letter or legal size documents.

SURFACE SUPPORTED "LAYERING" - ADJUSTABLE HEIGHT

Sierra and **Tango** series tables are available with a height adjustable metal bracket.



Surface and leg choices with **ADJUSTABLE** metal support :





Adjustable Metal Support

The adjustable metal support is 18" L. x 1 $\frac{3}{4}$ " D. x 5" H. and is available with the leg models shown above. The support is attached under the surface and on the credenza with screws and allows for a mechanical adjustment from 28" to 31" high. It is available in the same finishes as the legs : Silver, Polar White, Charcoal or Black.

The metal support permits the installation of a privacy panel, accessory bar or modesty panel. Exceptions apply for certain types of tables (dimensions), surface shape, leg model). Refer to the specification charts on pages 58-59.



Mechanical height adjustment 28" to 31" H.





Stiffener

It is recommended to use a stiffener on surfaces 54" L. or more, see p.270.

SURFACE SUPPORTED "LAYERING" RETURNS

Layering returns in the **Sierra** and **Tango** series have a long laminate support and are installed on **Sierra** credenzas 23" H. before being attached to a table or desk using junction plates (included).

A $\frac{1}{4}$ " space between the underside of the surface and the back allows for the installation of a privacy panel or accessory bar. But a privacy panel or accessory bar cannot be installed on the end support (part that is installed on the credenza).



SHARED "BENCHING" TABLES

The shared tables of the **Sierra** and **Tango** series are available with rectangular or 120 degree work surfaces and are used to create **shared "benching" workstations** for 2, 3, 4, 6 or even 8 users. The surfaces are connected to a structure consisting of legs, metal crosspiece and one or more central modesty panels of 18" H., according to the selected table model. The structure of shared tables with 120 degree surfaces has a central round tubular support. The shared tables are available in two depths: 48" and 60" with a choice of end panels: all laminate, combined, perforated metal or open metal.

Pedestals

Types of pedestals that can be used under shared "benching" tables :


Tables 48" D.

- Mobile pedestal 21" H. (UF).
- Pedestal 25" H. (see p.263).

Tables 60" D.

- Mobile pedestal 21" or 27" H.
- Pedestal without top*
- Suspended pedestal *

* Pedestals without top or suspended must be installed close to full width laminate end panels.




48" D. tables cannot be specified with pedestals without top or suspended pedestals.

Privacy Panels and Accessory Bars

A 1/4" space between the surfaces (front and sides) allows for the installation of privacy panels or accessory bars.

Warning! It is not possible to install a privacy screen or accessory bar at the end of a surface if a pedestal is installed.




Grommets and Multi-Outlet Modules (optional)

Surfaces do not have grommets. Grommets and multi-outlet modules can be specified on shared "benching" tables. The type, position and finish (grommets) must be indicated in the product specification. For example, white grommets (G1) positioned to the left (L) and right (R) and a centered 1-circuit multi-outlet module (ECC), add the codes "**G1LR-ECC**" in the "Options" section. The illustrations below explain the position of grommets and / or multi-outlet modules according to the type of surface.




The same choice of grommets or multi-outlet option will be applied to all surfaces of the workstation.


Position of Grommet and / or Multi-Outlet Modules on SHARED "BENCHING" TABLES




Surface 36" or less



Surface 42" or more



Surface 36"



Surface 42" or more

Electricity and Cable Management

A 5" H. space between the underside of surfaces and the top of the modesty panel allows for the installation of cable trays for the cables of the 1-circuit electrical system or 4-circuit electrical distribution system 4. See details in the "Electricity" section, p.46 to 53.



4-circuit electrical distribution system

SHARED STORAGE


Storage completes the shared "benching" table layout by dividing the space according to the privacy level required and storage needs. The storage may also be used with the other tables, credenzas, etc. of the Take Off Collection.



Low Hutches

Low hutches 15" D. x 21" H. are available in various lengths and configurations. Installed on a surface 29" H., the total height will be 50" H. Tackboards can be installed on the open low hutches with shared access.


1 sided hutches




Open

Sliding doors

Shared access hutches



Open



Sliding doors


Shelves

Thermally fused laminate shelves 6" H. with 1" thick tops can be installed on the work surfaces. Personal shelves have a structural bar at the back and shared shelves have a central structural bar. Installed on a surface 29" H., the total height is 35" H.

Shelves with Pigeon-Hole Units

Shelves with thermally fused laminate pigeon-holes units 13" H. with 1" thick tops and a central structural bar can be installed on the work surfaces. The pigeon-holes units are open and accessible from both sides. Installed on a surface 29" H., the total height is 42" H. All shelves can be attached using a double-sided adhesive tape.


Shelf Choices



End-of-Run



The end-of-run bookcase is 50" H. and is attached to a low hutch 21" H. using the included hardware.

- A) 1 wardrobe space with silver finish hook.
- B) 2 open spaces (one with an adjustable shelf).
- C) 1 small shared storage space (9" W. x 5" H. x 7" D.).



Shared Pedestals

A shared pedestal can be placed to the left or right, at the end of shared "benching" tables or at the end of two back-to-back tables. This allows two users to have one common bookcase area with an adjustable shelf or shelves and personal storage drawers. Depending on the product height, each user will have :
1 utility drawer / 1 file drawer or 2 utility drawers / 1 file drawer.



A cushion may be added on the top of the pedestal.



PRIVACY PANELS

Tables, credenzas and certain storage 29" H. or less in the Take Off Collection are constructed with a $\frac{1}{4}$ " space between the surface and the back allowing for the installation of a privacy panels, accessory bar or modesty panel.

Types of Privacy Panels

Privacy panels are available in two heights : 15" or 28" H.

The height of 28" H. serves as both a privacy panel and modesty panel on modular tables, layering tables or supported tables.


Laminate

Laminate panel $\frac{11}{16}$ " thick, in all "base" laminate finishes.

Translucent

Acrylic panel $\frac{1}{4}$ " thick, translucent finish, frosted on one side.

The panels are equipped with metal brackets that are attached beneath the surface using screws. Panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three support brackets to ensure rigidity. The metal support brackets are available in 4 finishes : Silver, Polar White, Charcoal or Black.



Accessories for Laminate Privacy Panels

Accessories can be installed on the privacy panels to complete the workstations.

Marker Board


The magnetic marker board 10" H. x 17 $\frac{1}{4}$ " L. is made of folded steel with a high-gloss white enamel paint for writing with dry erase markers only. A trough is installed to hold markers.

Tackboards


Rectangular fabric tackboards 9" H. and in various lengths are installed on the laminate privacy panels with Velcro®. Refer to the current Artopex charts for the complete selection of fabrics available.

Accessory Panel

The accessory panel 10" H. x 17 $\frac{1}{4}$ " L. is made of folded steel with three slots 15 $\frac{1}{4}$ " wide for installing metal or plastic Artopex accessories. Available in 4 finishes: Silver, Polar White, Charcoal or Black.




It is not possible to install the horizontal trays (plastic or metal) on the accessory panel.



ACCESSORY BARS

The accessory bars are made of $\frac{3}{4}$ " thick anodized aluminum in two heights: 8" or 12" H. They are equipped with two metal support brackets that attach under the surface using screws. A variety of plastic and metal Artopex accessories can be installed. Accessories can be installed on both sides of the bar.




Total height:

- 8" Single bar.
- 12" Double bar.

Clearance on top of the surface: 4" H.



Accessory Bars




Specifying Privacy Panels and Accessory Bars

To specify privacy panels or accessory bars on freestanding tables (rectangular, corner, connecting, etc.), surface supported "layering" rectangular tables with a long laminate support, shared "benching" tables, the general rule is (except for assembled desks):


The **MAXIMUM length** must be specified **6" less** than the length of the surface on which the privacy panel or the accessory bar is installed in order to keep a clearance of 3" on each side.




Rectangular and corner tables



Shared "benching" tables



"Layering" tables
LONG laminate support



Credenzas or storage, see p.33

- Warning! It is not possible to install a panel or accessory bar at the end of a surface if a pedestal is attached.
- Exceptions apply for certain other types of tables according to dimensions, surface shape, or leg model. For more details, refer to the specification tables on pages 58-59.

MODESTY PANELS

Modesty panels 13½" H. can be added to the tables (supported, layering). Once installed, a clearance of 1" H. under the surface allows the passage of cables.

Types of Modesty Panels

Laminate


Laminate panel $\frac{1}{16}$ " thick in all laminate "base" finishes.

Translucent

Acrylic panel $\frac{1}{4}$ " thick, translucent finish, frosted on one side.

The panels are equipped with metal support brackets attached beneath a surface using screws. The panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three brackets to ensure rigidity. The metal support brackets are available in 4 finishes: Silver, Polar White, Charcoal or Black.

Clearance under the surface: 1" H.




For the **MAXIMUM length** of modesty panel that can be installed on tables of the Take Off Collection, refer to the specification chart on page 59.

SCREENS AND ACCESSORIES

Divider Screens


Divider screens are installed on a work surface and act as dividers. The screens are 1" thick and are available in laminate (T.F.L.) or tackboard finish (Marmoleum). They are mounted on a metal support bracket in a choice of 4 finishes: Silver, Polar White, Charcoal or Black. The support fits on to the edge of the surface. It can be secured by screws beneath the surface.

It is important to specify the opening of the bracket according to the thickness of the work surface, 1" or 1½", so that it can be properly inserted.



Translucent Screens with Square Brackets

Translucent screens with square brackets can be attached to a work surface or on top of laminate storage using anchors. They are composed of metal anchors with a brushed nickel finish that grip an acrylic panel ¼" thick, translucent finish, frosted on one side.



Storage Case

The storage case is made of folded metal and is attached under a surface using screws. It is available in 4 finishes: Silver, Polar White, Charcoal or Black and can be used to store binders or books.

Storage space: 7½" W. x 12" H. x 12" D.




RECEPTION DESKS

Closed reception desks with rounded shelves are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick). The shelves will have the same features as work surfaces (finish, edge band and thickness) but the finish of the drawer fronts of the pedestals must be specified.

The return of the main unit as well as certain shelves must be specified separately. Information on how to order these products is available in the product descriptions of the price list.


Surface and Shelf Heights

The illustration below shows the different heights (surface/shelf). Add ½" for the **Mike** series.




Transaction Shelf

It is possible to convert a rectangular desk (or table) into a reception desk using the transaction shelf. It is attached with double-sided adhesive tape on to the work surface. Once installed on a surface 29" in height, the transaction shelf is at 42" H. An extension can be added on the return, left or right.



OCCASIONAL TABLES - 17½" H.

Occasional tables with various shaped tops are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick) with a choice of laminate or metal base. The metal bases are available with a choice of 4 finishes : Silver, Polar White, Charcoal or Black.




ELECTRICAL WIRING AND MANAGEMENT

The Take Off Collection offers a variety of solutions to provide electricity and cable management in one or more workstations. Multi-outlet modules with conventional wall plug, cable conduits, fasteners, cable trays for 1-circuit electrical systems and 4-circuit electrical distribution systems. For detailed information on each of the electrical components, see "Electricity" section on p.274 to 280. of the price list.

Multi-outlet Modules with Conventional Wall Plug

Multi-outlet modules are available with a conventional 120V wall plug :




EPA Multi-Outlet Module

- Attaches to a 1" surface with screw claws.
- 3 Electrical outlets 15 AMP.
- 2 Punch outs for communication outlets.
- Connector and telecom. wiring not included.
- Removeable covers are included.
- Electrical cord is 72" long.
- Anodized aluminum casing.




EPOS Multi-Outlet Module

- Attaches to a surface with Velcro® strips.
- 2 Electrical outlets 12 AMP.
- 2 Punch outs for communication outlets.
- Connector and telecom. wiring not included.
- Removeable covers included.
- Electrical cord is 108" long.
- Black plastic casing.




ECM Mobile Outlet

- Installs under a surface using the E2-EDT support or the cable tray ACWCMC_.
- 2 Electrical outlets.
- Electrical cord is 108" long.
- Black plastic casing.




EPU Multi-Outlet Module

- Installs under a surface with screws.
- 2 Electrical outlets 12 amp with a ground and circuit-breaker.
- 1 RJ-11 outlet for telephone-modem-fax.
- 1 RJ-45 computer outlet Category 5.
- Connector and telecom. wiring included.
- Electrical cord is 108" long.
- Communication cables are 162" long.
- Black plastic casing.




EPUP Multi-Outlet Module

- Installs under a surface with screws.
- 3 Electrical outlets 12 amp with a ground and circuit-breaker.
- Electrical cord is 108" long.
- Black plastic casing.



E2-EDT



AC-WCMC_

Grommets

To facilitate the passage of cables, the Artopex rectangular grommet is provided standard on the tables and returns. This same grommet is also optional on :

- Assembled desks and reception desks.
- Shared "benching" tables.
- Storage units and credenzas 29" H. or less where indicated as an option in the price list.

For more details on this option, see p.28.

Round grommets are also available (sold separately, installed on site in the desired location) to add access for the passage of cables in furniture.

Cable Management



To complete an installation and to facilitate cable management, cable conduits and fasteners are available :

- The **plastic cable conduits** are attached with double-sided tape. They can accomodate cables in order to run them along modesties and other components.

- The **plastic fasteners** (single or double) attach under the surface using screws in order to hold the cables.

Plastic cable conduits

Plastic fasteners



CABLE TRAYS FOR 1-CIRCUIT SYSTEM

Cable Trays

The cable trays are attached under the surface using screws. They are made of metal with a silver finish and have openings for movable outlets (AC-ECM, AC-ECMK) or adaptor plates (AC-ERF, E2-ERD) not included.

Cable trays can support several types of wiring and cable and plug access is possible from both sides and ends. They are available in different lengths and have been designed to accommodate the components of the 1-circuit electrical system. Cable trays cannot support the components of the 4-circuit electrical system.

32" or more: 4 openings on each side.



26" or less: 2 openings on each side.



1-circuit electrical system







Includes two types of surface outlets (recessed or movable), jumpers and power supply module, the 1-circuit electrical system is ideal for a simple installation that does not require an electrician and offers reconfiguration flexibility.

- Powered by a **standard 120v outlet** from the wall or floor.
- A **maximum of 8 surface outlets** (16 individual outlets) can be connected to a system.

* Recessed surface outlet (EC) cannot be ordered separately, it is an exclusive option on work surfaces only. See p.29.


Cable Tray (AC-WCMC_)

20" at 68" length



• 1- CIRCUIT ELECTRICAL SYSTEM UNDER SHARED "BENCHING" TABLES (specification)

- The cable tray **must be attached** to the center of the section and at the center of the surfaces. Pre-drilled holes are provided.
- **1 cable tray** is required per shared section (2 facing surfaces).
- Refer to the price list to determine the **required length** (AC-WCMC_), see p.275.




4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM

The 4-circuit electrical distribution system is installed under the workstation surface using screws. It includes a bracket with 1 electrical harness and 1 or 2 fronts in metal with a silver finish. The front conceals the harness, part of the shielded cabling and communication cables (if added). It is provided with openings for the double electrical outlets and faceplates (not included).



The system is available in different lengths and designed to accommodate the components of the 4-circuit electric system such as: the jumpers to connect the harnesses, the cables for power supply, etc.


Electrical Distribution System - 1-sided AC-WCMA_



Features of cabling trays with one front:

- 28" or more: 2 spaces for double outlets and 2 openings
- 22": 1 space for double outlet and 2 openings
- 16": 1 space for double outlet

Electrical Distribution System - 2-sided AC-WCMB_



Features of cable trays with 2 fronts:

- 28" or more: 2 spaces for double outlets and 2 openings (each side)
- 22": 1 double outlet and space for two openings (each side)




Warning! The installation of the 4-circuit power system, 1-sided (AC-WCMA_) is **not possible** with the UCC and ECC multi-outlet options. The installation of the system is **possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface.

Example : For a 72" surface, specify the AC-WCMA46.

Cable Supports

The metal cable support with silver finish is sold separately and is installed on the front of the 4-circuit electrical distribution system (no hardware required). It allows the management of cables that are plugged into the outlets.




Cable Support

Integrated Electric System

It is an 8-cable electrical system and 4 circuits of 20A (U.S.) 15A (CAN) each.

- Rated power of grounded circuit: At single-phase current of 120/240V, 20A, 60HZ or three-phase current of 120/208V, 20A, 60HZ.
- Double outlet capacity: 15A (U.S. and CAN).
- Maximum use of double outlets: 13 (U.S.) or 12 (CAN) per circuit, for a total of 52 (U.S.) or 48 (CAN) on each power supply.



black			General use
green			
white #1			
red			General use
green			
white #1			
blue			General use
green			
white #1			
pink			Dedicated for computers
green/yellow			
white #2			


4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM (CONTINUED)

•SURFACES AGAINST A WALL or TABLES WITH MODESTY PANEL (specification)


- The 1-sided distribution system must be **attached under the surface and against the modesty panel.**
- Refer to the price list to determine the **required length** (AC-WCMA_), see p.277.

To calculate the **length of jumpers** (cables) required:

- Refer to the **shaded part** of the specification charts, see p.50-51.
- Always specify the **jumper that is the longest and closest to the required length.**
Example: For 54", order the 58" long jumper or E2-EJT58.




1 - Example to provide electricity to a workstation with tables PLACED BACK-TO-BACK



Use the jumper E2-EJT18 to connect distribution systems of tables with modesty panels that are placed back-to-back.

A round grommet 2½" in diameter can be ordered and installed on site so the cable can pass through modesty panel. See p.281.

2 - Example to provide electricity to a workstation with TABLES PLACED END-TO-END



Use specification charts p.50-51 to calculate the length of the jumper:


Table 72" = 30" length under the table

Table 48" = 18" length under the table

30" + 18" = **48" cable length required**

Specify the longest jumper that is closest to the required length: **E2-EJT52**

3 - Example for providing electricity to a workstation with a PERPENDICULAR TABLE



Use specification charts p.50-51 to calculate the length of the jumper:

Table 60" = 48" length under the table

Table 48" = 18" length under the table

48" + 18" = **66" cable length required**


Specify the longest jumper that is closest to the required length: **E2-EJT70**

SPECIFICATION CHARTS – Length of Jumpers (cables)

To calculate the length of jumpers (**E2-EJT...**) required according to the model and dimensions of a table and according to the type of cable installation : continuous, or at 90°, refer to the shaded area of the following charts.


Rectangular tables

Continuous cable




A \ B	18" - 21" - 24" - 30" or 36"
84"	36"
78"	33"
72"	30"
66"	27"
60"	24"
54"	21"
48"	18"
42"	15"
36"	15"
30"	12"
DISTANCE UNDER THE TABLE	

90° cable




A \ B	18"	21"	24"	30"
84"	48"	51"	54"	60"
78"	45"	48"	51"	57"
72"	42"	45"	48"	54"
66"	39"	42"	45"	51"
60"	36"	39"	42"	48"
54"	33"	36"	39"	45"
48"	30"	33"	36"	42"
42"	27"	30"	33"	39"
36"	27"	30"	33"	39"
30"	24"	27"	30"	36"
DISTANCE UNDER THE TABLE				

Connecting tables



A \ B x C	24" x 36"
72"	60"
66"	57"
60"	54"
DISTANCE UNDER THE TABLE	


Rectangular tables (recessed back)



A \ B	30"	36"
84"	55"	55"
78"	52"	52"
72"	49"	49"
66"	46"	46"
60"	43"	43"
54"	40"	40"
48"	37"	37"
42"	34"	-
36"	34"	-
30"	31"	-
DISTANCE UNDER THE TABLE		


SPECIFICATION CHARTS - Length of Jumpers (cables)

90° Corner Tables




A	X	Y
48" x 48"	60"	18"
42" x 42"	51"	15"
36" x 36"	45"	15"
DISTANCE UNDER THE TABLE		

Extended Corner Tables




A x B	X	Y
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"
DISTANCE UNDER THE TABLE		




A x B	X	Y
48" x 84"	78"	36"
48" x 78"	75"	33"
48" x 72"	72"	30"
48" x 66"	69"	27"
48" x 60"	66"	24"
42" x 84"	72"	36"
42" x 78"	69"	33"
42" x 72"	66"	30"
42" x 66"	63"	27"
42" x 60"	60"	24"
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"
DISTANCE UNDER THE TABLE		

Extended Corner Tables (recessed back)




A \ B x C	30" x 42"	30" x 48"
84"	67"	73"
78"	64"	70"
72"	61"	67"
66"	58"	64"
60"	55"	61"
DISTANCE UNDER THE TABLE		

Asymmetric tables/integrated half-return



A \ B x C	30" x 36"
72"	55"
66"	52"
60"	49"
DISTANCE UNDER THE TABLE	

Tables with 1 rounded side, curved int.




A \ B x C	30" x 42"
72"	61"
66"	58"
DISTANCE UNDER THE TABLE	

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM (continued)

•SURFACE SUPPORTED "LAYERING" TABLES (specification)


- The 1-sided distribution system must be **attached under the surface and against the modesty panel.**
 - To establish the **required length** (AC-WCMA_) use the "X" distance (image below) and consult the price list, see p.277.
- To calculate **the length of jumpers** (cables) required:
- Refer to the **shaded part** of the specification charts, below.
 - Always specify the **jumper that is the longest and closest to the required length.**
 - Example: For 54", specify the 58" long jumper: E2-EJT58



SPECIFICATION CHARTS - Jumper Length (cables)


To calculate the length of the jumper required (**E2-EJT...**), refer to the shaded area of the following charts:

Rectangular surface supported "layering" tables




<div>A \ B</div>	24" - 30" - 36"
84"	44"
78"	41"
72"	38"
66"	35"
60"	35"
DISTANCE UNDER THE TABLE	

Storage units or credenzas (with optional grommet)



<div>A \ B</div>	21" - 24"
72"	72"
60"	60"
36"	36"
30"	30"
INTERIOR DISTANCE STORAGE UNIT/CREDENZA	

Warning! Do not specify a multi-outlet module to the positions indicated below if a 4-circuit distribution system must be installed.




4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM (continued)

•SHARED "BENCHING" TABLES (specification)

- The 2-sided distribution system must be **attached to the center of the section and the surface**. Holes are pre-drilled.
- Consult the price list to determine the **required length** (AC-WCMB_), see p.277.

To calculate the **length of jumpers** (cables) required:

- Refer to the **shaded part** of the specification charts, below.
- Always specify the **jumper that is the longest and closest to the required length**.
Example: For 54", take the 58" long jumper: E2-EJT58.




2-sided distribution system

SPECIFICATION CHARTS – Length of Jumpers (cables)


To calculate the length of jumpers (**E2-EJT...**) required according to the model and dimensions of a table, refer to the shaded area of the following charts:

Rectangular shared "benching" tables



A \ B	48" - 60"
72"	E2-EJT64
66"	E2-EJT58
60"	E2-EJT52
54"	E2-EJT47
48"	E2-EJT47
42"	E2-EJT35
36"	E2-EJT35
	REQUIRED CABLE

120° shared "benching" tables



A	E	X
48"	2 x E2-EJT35	18"
42"	2 x E2-EJT35	15"
36"	2 x E2-EJT35	15"
	REQUIRED CABLE	DISTANCE UNDER THE TABLE

FINISH CHOICES CHART


This is the coding system to use in the specific fields of the list price with reference to choice of colors. Some exceptions apply, see the charts below or finish charts.

Warning! Colors, especially dark colors, may vary between Thermo Fused Laminate (T.F.L.) and High Pressure Laminate (H.P.L.).







SURFACE		EDGE BANDS (surface)		
T.F.L.	H.P.L.	Edges REGULAR	Edges FLUTED	Edges STRIPED (NARROW)
DOLOMITE FINISH White (MBW) * Antique White (MAW) * Charcoal (MF) * Frost (MA) * SUEDE FINISH Burgundy (MB) Cherry (MCH) Dark Oak (MDK) Amberwood (MCi) Cayenne Maple (MCM) Honey (MHO) SUPERMAT FINISH Chestnut (MCG) Maritime Maple (MEM) Moka (MPM) Douglas Pine (MDP) Teak (MTE) Tigerwood (MTW) AURA FINISH Carbon (MCB) Galaxy (MGX) Sea Salt (MSM) Twilight (MTL)	MAT FINISH White (SBW) Antique White (SAW) * Charcoal (SF) Frost (SA) Burgundy (SB) Cherry (SCH) Dark Oak (SDK) Amberwood (SCi) Cayenne Maple (SCM) Chestnut (SCG) Maritime Maple (SEM) Moka (SPM) Douglas Pine (SDP) Teak (STE) Tigerwood (STW) NATURAL FINISH Carbon (SCB) Galaxy (SGX) Sea Salt (SSM) Twilight (STL)	Aluminum (0W) White (0BW) Antique White (0AW) * Burgundy (0B) Carbon (0CB) Cherry (0CH) Chestnut (0CG) Dark Oak (0DK) Amberwood (0Ci) Cayenne Maple (0CM) Maritime Maple (0EM) Charcoal (0F) Galaxy (0GX) Frost (0A) Honey (0HO) Moka (0PM) Black (0N) * Douglas Pine (0DP) Sea Salt (0SM) Teak (0TE) Tigerwood (0TW) Twilight (0TL)	Aluminum (3W) White (3BW) Antique White (3AW) * Burgundy (3B) Carbon (3CB) Cherry (3CH) Chestnut (3CG) Dark Oak (3DK) Amberwood (3Ci) Cayenne Maple (3CM) Maritime Maple (3EM) Charcoal (3F) Galaxy (3GX) Frost (3A) Honey (3HO) Moka (3PM) Black (3N) * Douglas Pine (3DP) Sea Salt (3SM) Teak (3TE) Tigerwood (3TW) Twilight (3TL)	Multiply Maple (V1) Coordinate with this surface finishes: Maritime Maple - Moka Douglas Pine Image Actual Size 1" thick surface Edges STRIPED (WIDE) Maple/Honey Striped (R1) Coordinate with surface finishes: Maritime Maple - Honey Burgundy/Honey Striped (R3) Coordinate with surface finishes: Burgundy - Cherry - Amberwood Cayenne Maple - Honey Image Actual Size 1" thick surface
* Not available for Mike and Tango series. (1½" thick surface).		* Not available for Mike and Tango series. (1½" thick surface).		

FINISH CHOICES CHART (continued)

Some products have specific finish choices due to the nature of their components. For the metal support pedestals, refer to the current Artopex metal finish chart to view the finishes.




Metal Support Pedestal

 BASE	 FRONT	 PRIVACY PANEL/ DIVIDER SCREEN	 LEG/SUPPORT STRUCTURE	 METAL ACCESSORIES
T.F.L.	T.F.L.	T.F.L.	METAL	METAL
DOLOMITE FINISH White (BW) Antique White (AW) Charcoal (F) Frost (A) Black (N)	DOLOMITE FINISH White (BW) Antique White (AW) Charcoal (F) Frost (A) Black (N)	DOLOMITE FINISH White (BW) Antique White (AW) Charcoal (F) Frost (A) Black (N)	Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)	Silver (3090) Polar White (3002) China Blue (3048) Charcoal (3064) Grenadine (3044) Kiwi (3057) Black (3067) Tangerine (3020)
SUEDE FINISH Burgundy (B) Cherry (CH) Dark Oak (DK) Amberwood (Ci) Cayenne Maple (CM) Honey (HO)	SUEDE FINISH Burgundy (B) Cherry (CH) Dark Oak (DK) Amberwood (Ci) Cayenne Maple (CM) Honey (HO)	SUEDE FINISH Burgundy (B) Cherry (CH) Dark Oak (DK) Amberwood (Ci) Cayenne Maple (CM) Honey (HO)		
SUPERMAT FINISH Chestnut (CG) Maritime Maple (EM) Moka (PM) Douglas Pine (DP) Teak (TE) Tigerwood (TW)	SUPERMAT FINISH Chestnut (CG) Maritime Maple (EM) Moka (PM) Douglas Pine (DP) Teak (TE) Tigerwood (TW)	SUPERMAT FINISH Chestnut (CG) Maritime Maple (EM) Moka (PM) Douglas Pine (DP) Teak (TE) Tigerwood (TW)		 PLASTIC ACCESSORIES
AURA FINISH Carbon (CB) Galaxy (GX) Sea Salt (SM) Twilight (TL)	AURA FINISH Carbon (CB) Galaxy (GX) Sea Salt (SM) Twilight (TL)	AURA FINISH Carbon (CB) Galaxy (GX) Sea Salt (SM) Twilight (TL)		PLASTIC ACCESSORIES Clear (CL) Black (N)
		METAL(support) Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)		

PULLS

Different styles of pulls are available on most storage and furniture with pedestals or with integrated storage. Pulls all have predrilled holes 5" (128 mm) center-to-center.

Some components such as credenzas, lateral files and storage units must have pulls and it is important to specify the type in the line of code. In the case of desks and pedestals, this is an option that must be added (\$22 per drawer). Specify this option under the "Pull" column of the line of coding.



TN - Nickel TECHNO




DN - Nickel DECO




J - Satin Chrome




X - Aluminum



YN - Brushed Nickel



YA - Antique Nickel



YB - Brushed Bronze

FRAMES


Doors with contemporary or traditional style aluminum frames with a choice of interior panel, are available on hutches and most storage 50"H. or more. The codes are listed in the product description, some restrictions apply, refer to the price list. *The high-gloss white finish is a High Pressure Laminate finish that can be written on with dry erase markers only.




Contemporary/Laminate



Contemporary/High-Gloss White



Contemporary/Frosted Acrylic



Traditional/Frosted Acrylic

FABRICS


For a complete selection of available fabrics, refer to current Artopex fabrics chart.

SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.

ASSEMBLED DESK WITH RIGHT-SIDE PEDESTAL

Dimensions: 30" x 36" x 72"



Ordering code:

TM-DD3672T-STL/3TL-SM/SM-TN-G2L-JJ

SPECIFY


Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T	M	DD3672T	STL / 3TL	SM	SM	TN	G2L		JJ

OPTIONS

Series: Mike (top 1 1/2")
 Surface: Twilight (HPL)
 Edge band: Fluted (Twilight)
 Base: Sea Salt
 Drawer fronts: Sea Salt
 Pulls option: Nickel TECHNO- TN
 Grommet option: Charcoal, left
 Modesty option: With rounded accent

RECTANGULAR SHARED "BENCHING" TABLES WITH COMBINED END PANELS

Dimensions: 60" x 144"



Ordering code:

TS-BC4iX3072-MGX/0GX-GX-3002-G1LR-ECC

SPECIFY


Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	S	BC4iX3072	MGX / 0GX	GX	3002	G1LR	ECC

OPTIONS

Series: Sierra (top 1")
 Surface: Galaxy (TFL)
 Edge band: Galaxy
 Base: Galaxy
 Metal: White
 Grommet option: White, left and right
 Multi-outlet module option: 1-circuit multi-outlet module, center.

CREDENZA WITH DRAWERS – 23" H.

Dimensions: 21" x 72" x 23"



Ordering code:

TS-CZOUF217223-MDP/ODP-DP/BW-YN-G14

SPECIFY


Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.
T	S	CZOUF217223	MDP / ODP	DP	BW	YN	G14

OPTIONS

Series: Sierra (top 1")
 Surface: Douglas Pine (TFL)
 Edge band: Douglas Pine
 Base: Douglas Pine
 Drawer fronts: White
 Pulls option: Brushed Nickel - YN
 Grommet option: White

BOOKCASE HUTCH – 2 DOORS

Dimensions: 14" x 36" x 37"



Ordering code:

TL-HPDD3637-MDP/V1-DP/DP-YN-L

SPECIFY


Series	Code	Surface	Edge	Base	Fronts	Pull	Noki
T	L	HPDD3637	MDP / V1	DP	DP	YN	L

OPTIONS

Series: Lima (top 1")
 Surface: Douglas Pine (TFL)
 Edge band: Striped/Multiply-maple
 Base: Douglas Pine
 Fronts: Douglas Pine
 Pulls option: Brushed Nickel - YN
 Noki electronic lock option

HUTCH WITH FLIPPER DOORS, METAL LEGS, CONTEMPORARY ALUMINUM FRAME, LAMINATE INTERIOR

Dimensions: 14" x 72" x 43"



Ordering code:

TS-HUM7243-GX/CB-3090

SPECIFY


Series	Code	Base	Fronts	Metal
T	S	HUM7243	GX / CB	3090

Series: Sierra
 Base: Galaxy (TFL)
 Fronts: Carbon
 Metal: Silver



SPECIFICATION CHARTS – PRIVACY PANELS AND ACCESORY BARS

The tables below indicate the **MAXIMUM length** of the privacy panel or accessory bar that can be installed on the different models of tables of the Take Off Collection.



LENGTH of the surface = length indicated in the price list.



CONVERGENT or SUPPORTED Tables					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36" D.	Maximum length = Surface length minus 24"		-	-
	30" D.			-	-
	24" D.			-	-
		Maximum length = Surface length minus 18"		-	-
ARCHED 		Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"	
RECTANGULAR 		Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"	




Surface Supported "Layering" Tables					
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep.					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36x84	Maximum length = 60"		-	-
	36x78	Maximum length = 54"		-	-
	36x72	Maximum length = 48"		-	-
	30x84	Maximum length = 60"		-	-
	30x78	Maximum length = 54"		-	-
	30x72	Maximum length = 48"		-	-
	24x84	Maximum length = 66"		-	-
	24x78	Maximum length = 60"		-	-
	24x72	Maximum length = 54"		-	-
ARCHED 		Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"	
RECTANGULAR 		Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"	




SPECIFICATION CHARTS – DOUBLE PANELS AND MODESTY PANELS

The charts below indicate the **MAXIMUM length** of the double panel or modesty panels that can be installed on the different models of tables of the Take Off Collection.

LENGTH of the surface = length indicated in the price list.




CONVERGENT or SUPPORTED Tables					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36" D.	Maximum length = Surface length minus 24"		-	-
	30" D.			-	-
				-	-
	24" D.	Maximum length = Surface length minus 18"		-	-
ARCHED 		Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"	
RECTANGULAR 		Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"	



Modesty panels cannot be used with CONVERGENT "D" shaped tables 42" or less, as well as arched or rectangular SUPPORTED tables of 30" as the smallest panel is 24" L.






















Surface Supported "Layering" Tables					
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep.					
Surface Shape:	Types of legs:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED 	36x84	Maximum length = 36"		-	-
	36x78	Maximum length = 30"		-	-
	36x72	Maximum length = 24"		-	-
	30x84	Maximum length = 36"		-	-
	30x78	Maximum length = 30"		-	-
	30x72	Maximum length = 24"		-	-
	24x84	Maximum length = 42"		-	-
	24x78	Maximum length = 36"		-	-
	24x72	Maximum length = 30"		-	-
ARCHED 		Maximum length = Surface length minus 36"		Maximum length = Surface length minus 42"	
RECTANGULAR 		Maximum length = Surface length minus 30"		Maximum length = Surface length minus 36"	



SPECIFICATION CHART – INTERIOR CLEARANCE FOR LAMINATE STORAGE


INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of LAMINATE storage units. This chart illustrates the clearance available under the desks and tables.

SURFACE depth	LAMINATE STORAGE UNIT depth			
	18"	20"	21"	24"
18"	Does not fit	Does not fit	Does not fit	Does not fit
21"	 2 1/4" Space	 3/8" Space	Does not fit	Does not fit
24"	 5 1/4" Space	 3 3/8" Space	 2 3/8" Space	Does not fit
30"	 11 1/4" Space	 9 3/8" Space	 8 3/8" Space	 5 3/8" Space
30" (modesty recessed 5")	 6 1/2" Space	 4 3/4" Space	 35/8" Space	 5/8" Space
36"	 17 1/4" Space	 15 3/8" Space	 14 3/8" Space	 11 3/8" Space
36" (modesty recessed 11")	 6 1/2" Space	 4 3/4" Space	 35/8" Space	 5/8" Space

INTERIOR CLEARANCE (vertical) UNDER THE SURFACES














Pictured is the vertical space used when a LAMINATE storage unit is placed under a surface 29" H.



SPECIFICATION CHART – INTERIOR CLEARANCE FOR METAL STORAGE


INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of METAL storage units. Refer to the Metal storage price list for the available products with the exception of the FP45/47 pedestal that is available in this price list on p.162.

SURFACE depth	METAL STORAGE UNIT depth		
	18"	22"	28"
18"	Does not fit	Does not fit	Does not fit
21"	 2 1/4" Space	Does not fit	Does not fit
24"	 5 1/4" Space	 1 1/4" Space	Does not fit
30"	 11 1/4" Space	 7 1/4" Space	 1 1/4" Space
30" (modesty recessed 5")	 6 3/8" Space	 2 3/8" Space	Does not fit
36"	 17 1/4" Space	 13 1/4" Space	 7 1/4" Space
36" (modesty recessed 11")	 6 3/8" Space	 2 3/8" Space	Does not fit

INTERIOR CLEARANCE (Vertical) UNDER THE SURFACES

Pictured is the vertical space used when a METAL storage unit is placed under a surface 29" H.





* Other types of 2-drawer lateral files with metal or laminate fronts come into interference with the surface.

TYPICAL LAYOUTS

Prices shown for the typical layouts are based on the following conditions:



- 1" thick surface.
- Grade 1 fabric on cushions.
- No options added.

Refer to the price list for the various options available for each component.





Layout TO-14-01

TL-SWDUFF212472	Combined storage 72" H.	\$ 1544
TL-HWD7216	Wall mounted hutch	\$ 758
TS-CZUF0217223	Credenza 23" H. - drawers	\$ 1305
TS-REEP2172L	Surface-mounted return - left	\$ 273
TL-DI3072T	Rectangular desk - single pedestal UUF	\$ 1056
		\$ 4936





Layout TO-14-02

TS-HF7237	Hutch 37" H. - metal legs	\$ 1539
TL-CZC0217229	Credenza 29" H. - combined storage unit	\$ 1202
TL-REB2148	Bridge return	\$ 305
TL-DT3072G	Rectangular table - monolithic laminate base	\$ 650
		\$ 3696





Layout TO-14-03

TL-SDDGICFF213672	Combined storage 72" H. - contemp. frame acry.	\$ 2520
TL-HDGiC7243	Hutch - contemporary frame / acrylic	\$ 2023
TL-Ti2172LL	Rectangular table - full end panels	\$ 563
TL-FPUUF	Freestanding pedestal - without top / with pulls	\$ 751
TL-DS2460C	"D" shaped table- round base	\$ 516
		\$ 6373





Layout TO-14-04

TL-SD0213650	Single door cabinet 50" H.	\$ 1056
TL-RER2142	Reversible return	\$ 350
TL-FPUUY	Freestanding pedestal with recycling bin	\$ 646
TL-DTA3072F	"D" shaped table (arched) - square legs	\$ 736
		\$ 2788



Layout TO-14-05



TS-CZDD213623	Storage 23" H. - doors	\$ 758
TL-HWUGiC7216	Wall mounted hutch pivot lift - cont. frame/acrylic	\$ 1936
TS-DPiX3072L	Left surface mounted table - combined material	\$ 750
TS-CZOUF217223	Credenza 23" H. - drawers	\$ 1305
TL-HPD03643	Bookcase hutch 43" H.	\$ 749
TS-CZUF213623	Storage 23" H. - drawers	\$ 801
		\$ 6299



Layout TO-14-06

TL-SOUFL211850	2-Way cabinet 50" H. - left	\$ 1020
TS-CZ00217223 (2)	Open credenza 23" H.	\$ 1790
TL-SOUFR211850	2-Way cabinet 50" H. - right	\$ 1020
TS-DPi03072R	Right surface mounted table - open metal	\$ 690
TS-DPi03072L	Left surface mounted table - open metal	\$ 690
TS-PP0V1566	Laminate privacy panel	\$ 312
		\$ 5522



TYPICAL LAYOUTS



Layout TO-14-07

TS-DAID3078 (2)	Surface mounted table adjust. height - square base	\$ 1734
TS-CZUF217223	Credenza 23" H. - drawers	\$ 1305
TL-HPDD3643	Bookcase hutch 43" H.	\$ 749
TS-CZUF213623	Storage 23" H. - drawers	\$ 801
TS-CZUF0217223	Credenza 23" H. - drawers	\$ 1305



\$ 5894



Layout TO-14-08

TS-CZUF0217223 (3)	Credenza 23" H. - drawers	\$ 3915
TS-DPIX3072R (3)	Right surface mounted table - comb. material	\$ 2250
TL-HWF7216 (3)	Wall mounted hutch	\$ 2565



\$ 8730



Layout TO-14-09

TS-BC2i03072	Rect. shared "benching" tables - open metal	\$ 1826
TS-PP0V1566	Laminate privacy panel	\$ 312
TL-MPUF1520 (2)	Mobile pedestal	\$ 1116



\$ 3254



Layout TO-14-10

TS-BC3CVM3048	120° shared "benching" tables - perforated metal	\$ 4516
TS-PP0VGIA1542 (3)	Frosted acrylic privacy panel	\$ 894



\$ 5410



Layout TO-14-11

TS-BC4i3060	Rect. shared "benching" tables- full end panels	\$ 2870
TS-FBPUF156023 (2)	Shared end-of-run storage unit	\$ 2578
TL-CUS1560 (2)	Cushion	\$ 994
TL-HMA6013 (2)	Shelf with integrated pigeon-hole unit	\$ 1254

\$ 7696




Layout TO-14-12

TS-BC6iX3072	Rect. shared "benching" tables - comb. material	\$ 4906
TS-CZUF0217223 (3)	Credenza 23" H. - doors and drawers	\$ 3417
TS-CZUF0217223 (3)	Credenza 23" H. - drawers and doors	\$ 3417
TS-PP0VGIA1566 (3)	Frosted acrylic privacy panel	\$ 1239

\$ 12979

ASSEMBLED RECTANGULAR DESKS




Rectangular desk with double pedestals (6" & 12" drawers).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock the 4 bottom drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672U	1492	1707	1726	1865	50,3	296	337
30	72	Di3072U	1458	1651	1669	1795	42,5	287	321
30	66	Di3066U	1417	1606	1623	1749	39,0	253	284
30	60	Di3060U	1403	1518	1535	1658	39,0	242	271
24	72	Di2472U	1386	1494	1509	1620	34,0	264	291
24	66	Di2466U	1356	1454	1461	1580	31,2	257	282
24	60	Di2460U	1282	1412	1428	1538	28,4	249	272
21	72	Di2172U	1363	1433	1437	1553	30,7	244	266
21	66	Di2166U	1327	1396	1405	1516	30,7	237	258
21	60	Di2160U	1253	1360	1373	1480	25,6	218	250



Rectangular desk with double pedestals (12" drawers).

Desks with depths of 21" and 24" can be used as credenzas.

12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock all 4 drawers.

36	72	Di3672F	1492	1707	1726	1865	50,3	299	340
30	72	Di3072F	1458	1651	1669	1795	42,5	276	310
30	66	Di3066F	1417	1606	1623	1749	39,0	268	299
30	60	Di3060F	1403	1518	1535	1658	39,0	259	288
24	72	Di2472F	1386	1494	1509	1620	34,0	254	281
24	66	Di2466F	1356	1454	1461	1580	31,2	246	271
24	60	Di2460F	1282	1412	1428	1538	28,4	239	261
21	72	Di2172F	1363	1433	1437	1553	30,7	233	256
21	66	Di2166F	1327	1396	1405	1516	30,7	227	248
21	60	Di2160F	1253	1360	1373	1480	25,6	220	239

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T									

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.



ASSEMBLED RECTANGULAR DESKS




Rectangular desk with double pedestals (3 drawers at left and 2 drawers at right).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock the 4 bottom drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672Y	1492	1707	1726	1865	50,3	304	345
30	72	Di3072Y	1458	1651	1669	1795	42,5	281	315
30	66	Di3066Y	1417	1606	1623	1749	39,0	273	304
30	60	Di3060Y	1403	1518	1535	1658	39,0	264	293
24	72	Di2472Y	1386	1494	1509	1620	34,0	259	286
24	66	Di2466Y	1356	1454	1461	1580	31,2	251	276
24	60	Di2460Y	1282	1412	1428	1538	28,4	244	267
21	72	Di2172Y	1363	1433	1437	1553	30,7	239	261
21	66	Di2166Y	1327	1396	1405	1516	30,7	232	253
21	60	Di2160Y	1253	1360	1373	1480	25,6	226	245



Rectangular desk with double pedestals (2 drawers at left and 3 drawers at right).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in the top 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock the 4 bottom drawers.

36	72	Di3672Z	1492	1707	1726	1865	50,3	304	345
30	72	Di3072Z	1458	1651	1669	1795	42,5	281	315
30	66	Di3066Z	1417	1606	1623	1749	39,0	273	304
30	60	Di3060Z	1403	1518	1535	1658	39,0	264	293
24	72	Di2472Z	1386	1494	1509	1620	34,0	259	286
24	66	Di2466Z	1356	1454	1461	1580	31,2	251	276
24	60	Di2460Z	1282	1412	1428	1538	28,4	244	267
21	72	Di2172Z	1363	1433	1437	1553	30,7	239	261
21	66	Di2166Z	1327	1396	1405	1516	30,7	232	253
21	60	Di2160Z	1253	1360	1373	1480	25,6	226	245

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod.

T - - / - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.



ASSEMBLED RECTANGULAR DESKS




Rectangular desk with single left pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 bottom drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672S	1100	1296	1167	1417	50,3	247	288
30	72	Di3072S	1056	1238	1133	1343	42,5	218	254
30	66	Di3066S	1023	1197	1114	1305	39,0	207	239
30	60	Di3060S	957	1121	1046	1220	39,0	197	225
24	72	Di2472S	937	1096	1016	1188	34,0	221	248
24	66	Di2466S	871	1016	944	1101	31,2	214	239
24	60	Di2460S	836	957	891	1034	28,4	206	229
21	72	Di2172S	878	1004	935	1086	30,7	201	223
21	66	Di2166S	815	932	868	1005	30,7	194	215
21	60	Di2160S	789	894	837	963	25,6	175	207



Rectangular desk with single right pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 bottom drawers.

36	72	Di3672T	1100	1296	1167	1417	50,3	247	288
30	72	Di3072T	1056	1238	1133	1343	42,5	218	254
30	66	Di3066T	1023	1197	1114	1305	39,0	207	239
30	60	Di3060T	957	1121	1046	1220	39,0	197	225
24	72	Di2472T	937	1096	1016	1188	34,0	221	248
24	66	Di2466T	871	1016	944	1101	31,2	214	239
24	60	Di2460T	836	957	891	1034	28,4	206	229
21	72	Di2172T	878	1004	935	1086	30,7	201	223
21	66	Di2166T	815	932	868	1005	30,7	194	215
21	60	Di2160T	789	894	837	963	25,6	175	207

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T									

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module (Di__S): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (Di__T): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.




ASSEMBLED RECTANGULAR DESKS



Rectangular desk with single left pedestal.
12" drawers include a filing bar for side-to-side filing.
Noki lock included, locks the 2 drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672V	1100	1296	1167	1417	50,3	252	293
30	72	Di3072V	1056	1238	1133	1343	42,5	229	263
30	66	Di3066V	1023	1197	1114	1305	39,0	221	252
30	60	Di3060V	957	1121	1046	1220	39,0	212	241
24	72	Di2472V	937	1096	1016	1188	34,0	207	234
24	66	Di2466V	871	1016	944	1101	31,2	199	224
24	60	Di2460V	836	957	891	1034	28,4	192	214
21	72	Di2172V	878	1004	935	1086	30,7	186	209
21	66	Di2166V	815	932	868	1005	30,7	180	201
21	60	Di2160V	789	894	837	963	25,6	173	192



Rectangular desk with single right pedestal.
12" drawers include a filing bar for side-to-side filing.
Noki lock included, locks the 2 drawers.

36	72	Di3672W	1100	1296	1167	1417	50,3	252	293
30	72	Di3072W	1056	1238	1133	1343	42,5	229	263
30	66	Di3066W	1023	1197	1114	1305	39,0	221	252
30	60	Di3060W	957	1121	1046	1220	39,0	212	241
24	72	Di2472W	937	1096	1016	1188	34,0	207	234
24	66	Di2466W	871	1016	944	1101	31,2	199	224
24	60	Di2460W	836	957	891	1034	28,4	192	214
21	72	Di2172W	878	1004	935	1086	30,7	186	209
21	66	Di2166W	815	932	868	1005	30,7	180	201
21	60	Di2160W	789	894	837	963	25,6	173	192

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod.
T - - / - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.


Multi-Outlet Module (Di__V): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (Di__W): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.



ASSEMBLED RECTANGULAR DESKS



Rectangular desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock all 4 drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672P	1286	1491	1394	1643	50,3	263	304
30	72	Di3072P	1235	1432	1365	1569	42,5	230	264
30	66	Di3066P	1210	1394	1339	1529	39,0	222	253
30	60	Di3060P	1148	1322	1274	1448	39,0	212	240
24	72	Di2472P	1142	1320	1287	1426	34,0	224	251
24	66	Di2466P	1113	1258	1234	1367	31,2	216	241
24	60	Di2460P	1045	1199	1166	1298	28,4	209	231
21	72	Di2172P	1130	1307	1268	1415	30,7	186	210
21	66	Di2166P	1090	1249	1217	1344	30,7	181	196
21	60	Di2160P	1040	1184	1155	1279	25,6	175	189

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T									

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.



ASSEMBLED RECTANGULAR DESKS




Rectangular desk with single left suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 drawers.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	Di3672M	996	1189	1058	1309	50,3	231	272
30	72	Di3072M	972	1137	1042	1245	42,5	203	239
30	66	Di3066M	954	1099	1015	1206	39,0	192	223
30	60	Di3060M	848	1009	935	1109	39,0	181	210
30	48	Di3048M	792	939	888	1026	28,7	160	183
24	72	Di2472M	950	1016	977	1082	34,0	192	219
24	66	Di2466M	811	968	908	1053	31,2	184	209
24	60	Di2460M	798	946	897	1034	28,4	177	199
24	48	Di2448M	736	873	837	948	23,4	137	156
21	72	Di2172M	822	992	936	1005	30,7	159	182
21	66	Di2166M	773	932	879	953	30,7	149	164
21	60	Di2160M	760	905	809	1021	25,6	143	157



Rectangular desk with single right suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 drawers.

36	72	Di3672N	996	1189	1058	1309	50,3	231	272
30	72	Di3072N	972	1137	1042	1245	42,5	203	239
30	66	Di3066N	954	1099	1015	1206	39,0	192	223
30	60	Di3060N	848	1009	935	1109	39,0	181	210
30	48	Di3048N	792	939	888	1026	28,7	160	183
24	72	Di2472N	950	1016	977	1082	34,0	192	219
24	66	Di2466N	811	968	908	1053	31,2	184	209
24	60	Di2460N	798	946	897	1034	28,4	177	199
24	48	Di2448N	736	873	837	948	23,4	137	156
21	72	Di2172N	822	992	936	1005	30,7	159	182
21	66	Di2166N	773	932	879	953	30,7	149	164
21	60	Di2160N	760	905	809	1021	25,6	143	157

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod.

T - - / - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module (Di__M): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (Di__N): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.



Take Off




Price List – USA

ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS

36" wide bow front desk (curved interior access) with double pedestals.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock the 4 bottom drawers.



Dimensions			Code		Price		Specifications			
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L) Lb (M)
30	36	72	DC3672Y		1515	1731	1638	1888	50,3	272 308

30	36	72	DC3672U		1515	1731	1638	1888	50,3	272 308
----	----	----	---------	--	------	------	------	------	------	---------

36" wide bow front desk (curved interior access) with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock all 4 drawers.

30	36	72	DC3672P		1306	1513	1425	1673	50,3	241 278
----	----	----	---------	--	------	------	------	------	------	---------

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T			/		/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.





ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS

36" wide bow front desk (curved interior access) with single pedestal (left or right).

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Grommet or multi-outlet module option is available at center or the opposite side of the pedestal.

Noki lock included, locks the 2 bottom drawers.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DC3672S		1121	1320	1190	1441	50,3 226 263
30	36	72	DC3672T		1121	1320	1190	1441	50,3 226 263

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T			/		/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module (DC__S): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (DC__T): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.



Take Off




Price List – USA

ASSEMBLED BOW FRONT DESKS

Bow front desk with double pedestals.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock the 4 bottom drawers.



Dimensions			Code	L Lima 1"		M Mike 1½"				
				Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	DD3672Y	1485	1697	1607	1858	50,3	272	308
30	36	66	DD3666Y	1460	1665	1587	1817	50,3	263	297
30	36	60	DD3660Y	1407	1599	1538	1746	42,1	255	285
30	36	72	DD3672U	1485	1697	1607	1858	50,3	276	314
30	36	66	DD3666U	1460	1665	1587	1817	50,3	264	299
30	36	60	DD3660U	1407	1599	1538	1746	42,1	253	285

Bow front desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks included, lock all 4 drawers.

30	36	72	DD3672P	1274	1473	1383	1618	50,3	245	283
30	36	66	DD3666P	1254	1449	1370	1599	50,3	233	269
30	36	60	DD3660P	1190	1376	1326	1533	42,1	222	254

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (UCC), add \$213, p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.




ASSEMBLED BOW FRONT DESKS

Bow front desk with single pedestal (left or right).

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 bottom drawers.




			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DD3672S		1089	1286	1158	1409	50,3 230 268
30	36	66	DD3666S		1065	1256	1142	1371	50,3 218 254
30	36	60	DD3660S		998	1174	1077	1285	42,1 207 239
30	36	72	DD3672T		1089	1286	1158	1409	50,3 230 268
30	36	66	DD3666T		1065	1256	1142	1371	50,3 218 254
30	36	60	DD3660T		998	1174	1077	1285	42,1 207 239

Bow front desk with single suspended pedestal (left or right).

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 drawers.



30	36	72	DD3672M	989	1183	1052	1301	50,3	215	253
30	36	66	DD3666M	950	1135	1019	1247	50,3	203	238
30	36	60	DD3660M	912	1088	985	1194	42,1	192	224
30	36	72	DD3672N	989	1183	1052	1301	50,3	215	253
30	36	66	DD3666N	950	1135	1019	1247	50,3	203	238
30	36	60	DD3660N	912	1088	985	1194	42,1	192	224

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T									

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module (DD__S-M): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (DD__T-N): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.



Take Off

Price List – USA


ASSEMBLED OFFSET BOW FRONT DESKS

Offset bow front desk with single pedestal (left or right).

The bow front overhangs by 6".

Pencil tray included in the top 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki lock included, locks the 2 bottom drawers.



			L Lima 1"		M Mike 1½"				
Dimensions			Price				Specifications		
A	B	C	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	24	1123	1376	1212	1514	50,3	230	268
30	66	18	1097	1339	1191	1467	50,3	218	254
30	60	18	1026	1249	1122	1373	42,1	207	239

30	72	24	1123	1376	1212	1514	50,3	230	268
30	66	18	1097	1339	1191	1467	50,3	218	254
30	60	18	1026	1249	1122	1373	42,1	207	239

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.
T									

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module (DFL__S): Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.

Multi-Outlet Module (DFR__T): Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (JJ), add \$83.



ASSEMBLED RETURNS


29" H. assembled return (right or left) with 3-drawer pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.


Noki lock included, locks the 2 bottom drawers.



Multi-Outlet Module (right return):

- 48" and more: Standard multi-outlet module option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (UCL), add \$213.
- 30": Multi-outlet module option not available.

				L Lima 1"		M Mike 1½"				
Dimensions		Code	Price						Specifications	
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
24	60	RET2460	849	1010	891	1029	28,9	146	167	
24	54	RET2454	826	978	871	996	26,1	139	159	
24	48	RET2448	803	946	851	963	23,4	133	151	
24	42	RET2442	780	914	832	930	23,4	126	142	
24	36	RET2436	768	881	812	891	17,8	119	133	
24	30	RET2430	755	848	791	853	17,8	111	123	
21	48	RET2148	788	926	836	930	20,5	127	143	
21	42	RET2142	766	894	814	899	18,3	120	134	
21	36	RET2136	754	866	795	865	15,8	113	125	
21	30	RET2130	743	837	778	831	15,8	105	115	



Multi-Outlet Module (left return):

- 48" and more: Standard multi-outlet module option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (UCR), add \$213.
- 30": Multi-outlet module option not available.

24	60	RES2460	849	1010	891	1029	28,9	146	167	
24	54	RES2454	826	978	871	996	26,1	139	159	
24	48	RES2448	803	946	851	963	23,4	133	151	
24	42	RES2442	780	914	832	930	23,4	126	142	
24	36	RES2436	768	881	812	891	17,8	119	133	
24	30	RES2430	755	848	791	853	17,8	111	123	
21	48	RES2148	788	926	836	930	20,5	127	143	
21	42	RES2142	766	894	814	899	18,3	120	134	
21	36	RES2136	754	866	795	865	15,8	113	125	
21	30	RES2130	743	837	778	831	15,8	105	115	

SPECIFY

Series Code Surface Edge Base Fronts Grom. Pull M-Outlet
T - - / - / - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module: Option of standard Multi-outlet module, as per above specifications, add \$213 ea., p.29.

Take Off

Price List – USA

ASSEMBLED RETURNS


29" H. assembled return (right or left) with 2 drawer pedestal.

12" drawers include a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.


Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki lock included, locks the 2 drawers.

**Multi-Outlet Module (right return):**

- 48" and more: Standard multi-outlet module option (**UC...**) at left ...**L** and/or centered ...**C**, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (**UCL**).
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	REW2460	849	1010	891	1029	28,9	150	171
24	54	REW2454	826	978	871	996	26,1	143	163
24	48	REW2448	803	946	851	963	23,4	133	151
24	42	REW2442	780	914	832	930	23,4	126	142
24	36	REW2436	768	881	812	891	17,8	119	133
24	30	REW2430	755	848	791	853	17,8	111	123
21	48	REW2148	788	926	836	930	20,5	127	143
21	42	REW2142	766	894	814	899	18,3	120	134
21	36	REW2136	754	866	795	865	15,8	113	125
21	30	REW2130	743	837	778	831	15,8	105	115

**Multi-Outlet Module (left return):**

- 48" and more: Standard multi-outlet module option (**UC...**) centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (**UCR**).
- 30": Multi-outlet module option not available.

24	60	REV2460	849	1010	891	1029	28,9	150	171
24	54	REV2454	826	978	871	996	26,1	143	163
24	48	REV2448	803	946	851	963	23,4	133	151
24	42	REV2442	780	914	832	930	23,4	126	142
24	36	REV2436	768	881	812	891	17,8	119	133
24	30	REV2430	755	848	791	853	17,8	111	123
21	48	REV2148	788	926	836	930	20,5	127	143
21	42	REV2142	766	894	814	899	18,3	120	134
21	36	REV2136	754	866	795	865	15,8	113	125
21	30	REV2130	743	837	778	831	15,8	105	115

SPECIFY

Series Code Surface Edge Base Fronts Grom. Pull M-Outlet

T - - / - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module: Option of standard multi-outlet module, as per above specifications, add \$213 ea., p.29.

ASSEMBLED RETURNS


29" H. assembled return (right or left) with 2-drawer suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.


Noki lock included, locks the 2 drawers.



Multi-Outlet Module (right return):

- 48" and more: Standard multi-outlet module option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (UCL).
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
24	60	REN2460	743	894	859	999	28,9	135	156
24	54	REN2454	717	865	835	960	26,1	128	148
24	48	REN2448	692	835	811	922	23,4	123	141
24	42	REN2442	667	805	787	883	23,4	116	132
24	36	REN2436	653	773	766	845	17,8	109	123
24	30	REN2430	640	740	746	807	17,8	101	113
21	48	REN2148	667	806	787	887	20,5	117	133
21	42	REN2142	656	778	768	853	18,3	110	124
21	36	REN2136	644	749	750	818	15,8	103	115
21	30	REN2130	633	721	732	785	15,8	95	105



Multi-Outlet Module (left return):

- 48" and more: Standard multi-outlet module option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (UCR).
- 30": Multi-outlet module option not available.

24	60	REM2460	743	894	859	999	28,9	135	156
24	54	REM2454	717	865	835	960	26,1	128	148
24	48	REM2448	692	835	811	922	23,4	123	141
24	42	REM2442	667	805	787	883	23,4	116	132
24	36	REM2436	653	773	766	845	17,8	109	123
24	30	REM2430	640	740	746	807	17,8	101	113
21	48	REM2148	667	806	787	887	20,5	117	133
21	42	REM2142	656	778	768	853	18,3	110	124
21	36	REM2136	644	749	750	818	15,8	103	115
21	30	REM2130	633	721	732	785	15,8	95	105

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.


Multi-Outlet Module: Option of standard multi-outlet module, as per above specifications, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) modesty panel, option free of charge.

Take Off

Price List – USA

REVERSIBLE RETURNS



29" H. reversible return.


Returns 42" and less have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
24	60	RER2460	457	627	572	695	5,1	91	112
24	54	RER2454	424	585	541	645	4,6	84	104
24	48	RER2448	391	543	510	594	4,2	78	96
24	42	RER2442	358	502	480	543	3,9	70	86
24	36	RER2436	327	462	461	512	3,5	63	78
24	30	RER2430	304	431	451	498	3,2	56	68
21	48	RER2148	382	527	502	572	3,8	72	88
21	42	RER2142	350	487	464	525	3,5	64	78
21	36	RER2136	321	435	443	496	3,2	57	70
21	30	RER2130	297	422	430	485	2,9	50	60
18	36	RER1836	315	453	438	494	2,7	51	63
18	30	RER1830	293	413	425	472	2,4	44	53

BRIDGE RETURNS



29" H. bridge return.

Bridge returns cannot accommodate suspended pedestals.

Returns 42" and less have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

24	48	REB2448	311	448	397	497	2,8	60	78
24	42	REB2442	299	406	369	448	2,5	52	68
24	36	REB2436	287	374	349	416	2,1	45	60
24	30	REB2430	276	334	339	402	1,8	38	50
21	48	REB2148	305	437	386	482	2,5	56	72
21	42	REB2142	294	397	359	432	2,2	48	62
21	36	REB2136	282	365	339	402	1,9	41	54
21	30	REB2130	270	323	328	386	1,6	34	44
18	48	REB1848	299	426	375	466	2,2	52	67
18	42	REB1842	287	386	348	417	1,9	44	57
18	36	REB1836	276	354	328	391	1,6	37	49
18	30	REB1830	264	312	317	374	1,3	30	39

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.

On returns 36" or less in length, only the centered module (**ECC/UC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

RECTANGULAR TABLES (FULL END PANELS)

Rectangular table with full end panels.

Recessed (11") modesty panel on tables 36" deep ("A" dimension).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	84	Ti3684LL	729	1005	—	1111	11,1	193	241
36	78	Ti3678LL	712	959	—	1056	10,5	183	227
36	72	Ti3672LL	693	912	777	1001	9,8	173	214
36	66	Ti3666LL	641	886	748	967	9,2	163	201
36	60	Ti3660LL	611	839	715	913	8,6	153	188
36	54	Ti3654LL	580	798	693	872	8,0	143	174
36	48	Ti3648LL	550	752	671	831	7,4	134	161
30	84	Ti3084LL	672	920	—	1010	9,2	168	208
30	78	Ti3078LL	657	880	—	964	8,7	159	196
30	72	Ti3072LL	640	842	730	919	8,1	150	185
30	66	Ti3066LL	609	803	697	869	7,6	142	173
30	60	Ti3060LL	581	763	668	824	7,1	133	162
30	54	Ti3054LL	554	729	651	792	6,6	125	150
30	48	Ti3048LL	526	692	634	758	6,1	116	139
30	42	Ti3042LL	493	651	593	701	5,6	107	127
30	36	Ti3036LL	462	609	558	651	5,1	99	116
30	30	Ti3030LL	454	578	539	618	4,6	90	104
30	24	Ti3024LL	439	538	514	580	4,1	80	92
24	84	Ti2484LL	609	829	—	905	7,4	143	175
24	78	Ti2478LL	596	798	—	868	7,0	136	165
24	72	Ti2472LL	583	767	681	831	6,5	128	155
24	66	Ti2466LL	561	726	650	788	6,1	120	145
24	60	Ti2460LL	524	692	619	745	5,7	113	136
24	54	Ti2454LL	499	660	597	710	5,3	105	126
24	48	Ti2448LL	482	635	584	684	4,9	98	116
24	42	Ti2442LL	449	593	556	635	4,5	90	106
24	36	Ti2436LL	418	552	536	603	4,1	83	96
24	30	Ti2430LL	394	523	526	589	3,7	75	87
24	24	Ti2424LL	371	494	509	560	3,3	68	77

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18), 9" high (U9) or recessed (R) modesty panel, option free of charge.

"R" option: Offered on tables where dimension "A" is 30", the modesty panel is recessed 5".

"R" option: Not available when the modesty panel is 18" or 9" high (options U18 & U9).

RECTANGULAR TABLES (FULL END PANELS - cont'd)



Rectangular table with full end panels.

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
21	84	Ti2184LL		586	789	—	855	6,7 120 147
21	78	Ti2178LL		575	761	—	822	6,3 114 139
21	72	Ti2172LL		563	734	658	789	5,9 108 130
21	66	Ti2166LL		542	693	630	750	5,6 101 122
21	60	Ti2160LL		507	662	600	710	5,2 95 114
21	54	Ti2154LL		484	634	579	678	4,9 88 105
21	48	Ti2148LL		466	611	569	657	4,5 82 97
21	42	Ti2142LL		435	572	534	609	4,2 75 88
21	36	Ti2136LL		405	549	514	581	3,8 69 80
21	30	Ti2130LL		382	507	499	569	3,4 62 72
21	24	Ti2124LL		361	482	472	550	3,1 56 63
18	84	Ti1884LL		564	746	—	804	6,0 109 132
18	78	Ti1878LL		554	721	—	776	5,7 103 124
18	72	Ti1872LL		545	697	635	747	5,3 97 117
18	66	Ti1866LL		524	661	607	711	5 91 109
18	60	Ti1860LL		490	634	579	673	4,7 85 102
18	54	Ti1854LL		470	607	560	658	4,4 79 94
18	48	Ti1848LL		450	587	554	629	4,1 73 86
18	42	Ti1842LL		420	552	518	598	3,8 67 79
18	36	Ti1836LL		393	531	502	572	3,5 61 71
18	30	Ti1830LL		371	490	488	550	3,2 56 64
18	24	Ti1824LL		351	468	450	528	2,9 50 56

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.




Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

RECTANGULAR TABLES (RECESSED END PANELS)



Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
30	84	Ti3084	672	920	—	1010	9,2	154	194
30	78	Ti3078	657	880	—	964	8,7	145	182
30	72	Ti3072	640	842	730	919	8,1	136	171
30	66	Ti3066	609	803	697	869	7,6	128	159
30	60	Ti3060	581	763	668	824	7,1	119	148
30	54	Ti3054	554	729	651	792	6,6	111	136
30	48	Ti3048	526	692	634	758	6,1	102	125
30	42	Ti3042	493	651	593	701	5,6	93	113
30	36	Ti3036	462	609	558	651	5,1	85	102
30	30	Ti3030	454	578	539	618	4,6	76	90
30	24	Ti3024	439	538	514	580	4,1	67	78
24	84	Ti2484	609	829	—	905	7,4	134	166
24	78	Ti2478	596	798	—	868	7	126	156
24	72	Ti2472	583	767	681	831	6,5	119	146
24	66	Ti2466	561	726	650	788	6,1	111	136
24	60	Ti2460	524	692	619	745	5,7	103	126
24	54	Ti2454	499	660	597	710	5,3	96	117
24	48	Ti2448	482	635	584	684	4,9	88	107
24	42	Ti2442	449	593	556	635	4,5	81	97
24	36	Ti2436	418	552	536	603	4,1	73	87
24	30	Ti2430	394	523	526	589	3,7	66	77
24	24	Ti2424	371	494	509	560	3,3	58	67

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.




or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Take Off

Price List – USA

RECTANGULAR TABLES (RECESSED END PANELS - cont'd)

Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
21	84	Ti2184		586	789	—	855	6,7 114 140
21	78	Ti2178		575	761	—	822	6,3 107 132
21	72	Ti2172		563	734	658	789	5,9 101 124
21	66	Ti2166		542	693	630	750	5,6 95 115
21	60	Ti2160		507	662	600	710	5,2 88 107
21	54	Ti2154		484	634	579	678	4,9 82 99
21	48	Ti2148		466	611	569	657	4,5 75 90
21	42	Ti2142		435	572	534	609	4,2 69 82
21	36	Ti2136		405	549	514	581	3,8 62 74
21	30	Ti2130		382	507	499	569	3,4 56 65
21	24	Ti2124		361	482	472	550	3,1 49 57
18	84	Ti1884		564	746	—	804	6,0 105 128
18	78	Ti1878		554	721	—	776	5,7 99 120
18	72	Ti1872		545	697	635	747	5,3 93 112
18	66	Ti1866		524	661	607	711	5,0 87 105
18	60	Ti1860		490	634	579	673	4,7 81 97
18	54	Ti1854		470	607	560	658	4,4 75 90
18	48	Ti1848		450	587	554	629	4,1 69 82
18	42	Ti1842		420	552	518	598	3,8 63 75
18	36	Ti1836		393	531	502	572	3,5 57 67
18	30	Ti1830		371	490	488	550	3,2 51 59
18	24	Ti1824		351	468	450	528	2,9 45 52

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS



Bow front table with curved interior access.

11" recessed modesty panel on tables 36" deep ("A" dimension).


5" recessed modesty panel on tables 30" deep ("A" dimension).

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions				L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	Price		Price		Specifications		
				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	42	84	18	846	1166	—	1288	12,5	198	249
36	42	72	18	801	1056	895	1158	11,0	178	222
30	36	84	18	784	1036	—	1139	10,6	173	215
30	36	72	18	737	974	836	1062	9,3	155	191

BOW FRONT TABLES



Bow front table.

11" recessed modesty panel on tables 36" deep ("A" dimension).

5" recessed modesty panel on tables 30" deep ("A" dimension).

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

36	42	84	TD364284LL	837	1154	—	1279	12,5	204	257
36	42	78	TD364278LL	816	1104	—	1221	11,8	193	243
36	42	72	TD364272LL	798	1055	862	1164	11,0	182	228
30	36	84	TD303684LL	776	1035	—	1143	10,6	177	222
30	36	78	TD303678LL	750	1010	—	1120	10,0	168	209
30	36	72	TD303672LL	732	961	803	1063	9,3	158	197
30	36	66	TD303666LL	700	924	783	1022	8,7	149	184
30	36	60	TD303660LL	667	880	777	997	8,1	140	172

SPECIFY

Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T			/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.
or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) modesty panel, option free of charge.

Take Off

Price List – USA


OFFSET BOW FRONT TABLES

Offset bow front table (left or right).

The offset overhangs by 8"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.



					L Lima 1"		M Mike 1½"					
Dimensions					Code	Price		Specifications				
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	24			TFL3072	771	1021	862	1125	9,7	163	203
30	66	18			TFL3066	748	966	827	1060	9,1	154	190
30	60	18			TFL3060	726	910	793	996	8,5	144	176
30	72	24			TFR3072	771	1021	862	1125	9,7	163	203
30	66	18			TFR3066	748	966	827	1060	9,1	154	190
30	60	18			TFR3060	726	910	793	996	8,5	144	176


OFFSET BOW FRONT TABLES WITH INTEGRATED HALF-RETURN

Bow front table (left or right) with integrated half return.

The offset overhangs by 8"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.



30	36	72	24	24	TJL367224	770	1092	902	1217	11,4	178	220
30	36	66	18	24	TJL366624	735	1045	865	1166	10,7	167	206
30	36	60	18	24	TJL366024	700	993	827	1130	10,0	157	192

30	36	72	24	24	TJR367224	770	1092	902	1217	11,4	178	220
30	36	66	18	24	TJR366624	735	1045	865	1166	10,7	167	206
30	36	60	18	24	TJR366024	700	993	827	1130	10,0	157	192

SPECIFY

Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T			/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC**...) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC**...) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) modesty panel, option free of charge.


BOW FRONT TABLES WITH CURVED INTERIOR ACCESS AND INTEGRATED HALF-RETURN

Bow front table (left or right) with curved interior access and integrated half return.

The offset overhangs by 6"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.



					L Lima 1"		M Mike 1½"						
Dimensions					Code	Price		Specifications					
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
30	42	72	24	17	TCL427224	849	1180	971	1304	12,5	189	234	
30	42	72	21	20	TCL427221	849	1180	971	1304	12,5	189	234	
30	42	72	18	23	TCL427218	849	1180	971	1304	12,5	189	234	
30	42	66	18	17	TCL426618	813	1086	914	1194	11,7	178	219	
30	42	72	24	17	TCR427224	849	1180	971	1304	12,5	189	234	
30	42	72	21	20	TCR427221	849	1180	971	1304	12,5	189	234	
30	42	72	18	23	TCR427218	849	1180	971	1304	12,5	189	234	
30	42	66	18	17	TCR426618	813	1086	914	1194	11,7	178	219	


RECTANGULAR TABLES WITH INTEGRATED HALF-RETURN

Rectangular table (left or right) with integrated half return.

5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.



30	48	84	24	TCOL30488424	955	1327	—	1441	15,5	232	289
30	48	78	24	TCOL30487824	920	1279	—	1390	14,5	218	270
30	48	72	24	TCOL30487224	884	1232	1009	1368	13,6	204	252
30	48	66	24	TCOL30486624	868	1206	982	1346	12,6	184	228
30	48	60	24	TCOL30486024	854	1179	956	1319	11,7	165	204
30	42	72	24	TCOL30427224	849	1155	971	1304	12,5	165	204
30	42	66	24	TCOL30426624	814	1133	934	1253	11,6	156	192
30	42	60	24	TCOL30426024	779	1081	897	1217	10,7	144	175
48	30	84	24	TCOR48308424	955	1327	—	1441	15,5	232	289
48	30	78	24	TCOR48307824	920	1279	—	1390	14,5	218	270
48	30	72	24	TCOR48307224	884	1232	1009	1368	13,6	204	252
48	30	66	24	TCOR48306624	868	1206	982	1346	12,6	184	228
48	30	60	24	TCOR48306024	854	1179	956	1319	11,7	165	204
42	30	72	24	TCOR42307224	849	1155	945	1265	12,5	165	204
42	30	66	24	TCOR42306624	814	1133	934	1253	11,6	156	192
42	30	60	24	TCOR42306024	779	1081	897	1217	10,7	144	175

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.
 or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.



Modesty panel (TCL-TCR): Option of 18" high (U18) modesty panel, option free of charge.

Modesty panel (TCOL-TCOR): Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Take Off

Price List – USA

CONNECTING TABLES

**LL****LC**



Left connecting table, available with 2 full end panels (LL) or full / recessed end panels (LC).

Table 42" long has 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions				Code		Price		Specifications			
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
36	24	72	24	TV36247224		685	910	755	993	9,8	149 182
36	24	66	24	TV36246624		664	861	725	938	9,2	141 171
36	24	60	24	TV36246024		616	814	694	882	8,6	132 159
30	18	72	21	TV30187221		630	832	707	905	8,6	129 157
30	18	72	18	TV30187218		630	832	707	905	8,6	129 157
30	18	66	21	TV30186621		613	791	681	858	8,1	122 147
30	18	66	18	TV30186618		613	791	681	858	8,1	122 147
30	18	60	21	TV30186021		595	751	656	811	7,6	114 137
30	18	60	18	TV30186018		595	751	656	811	7,6	114 137
30	18	48	21	TV30184821		539	677	608	734	6,6	98 117
30	18	48	18	TV30184818		539	677	608	734	6,6	98 117
24	18	42	18	TV24184218		470	593	547	635	5,4	80 93

**LL****CL**

Right connecting table, available with 2 full end panels (LL) or recessed / full end panels (CL).

Table 42" long has 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

24	36	72	24	TV24367224		685	910	755	993	9,8	149 182
24	36	66	24	TV24366624		664	861	725	938	9,2	141 171
24	36	60	24	TV24366024		616	814	694	882	8,6	132 159
18	30	72	21	TV18307221		630	832	707	905	8,6	129 157
18	30	72	18	TV18307218		630	832	707	905	8,6	129 157
18	30	66	21	TV18306621		613	791	681	858	8,1	122 147
18	30	66	18	TV18306618		613	791	681	858	8,1	122 147
18	30	60	21	TV18306021		595	751	656	811	7,6	114 137
18	30	60	18	TV18306018		595	751	656	811	7,6	114 137
18	30	48	21	TV18304821		539	677	608	734	6,6	98 117
18	30	48	18	TV18304818		539	677	608	734	6,6	98 117
18	24	42	18	TV18244218		470	593	547	635	5,4	80 93

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.


or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

DUAL DEPTH TABLES



LC



CC

Left dual depth table, available with full / recessed end panels (LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	24	72	55½	TW302472	684	864	752	941	8,1	135	168
30	24	66	49½	TW302466	652	825	721	892	7,6	126	157
30	24	60	43½	TW302460	624	787	689	845	7,1	118	145
30	24	54	37½	TW302454	595	751	673	814	6,6	109	134
30	24	48	31½	TW302448	582	714	656	780	6,1	100	123
30	24	42	25½	TW302442	531	672	614	722	5,6	92	111
30	24	36	19½	TW302436	499	631	579	672	5,1	83	100
30	24	30	16	TW302430	493	598	562	640	4,6	75	88
30	24	24	10	TW302424	475	559	537	593	4,1	66	77
24	18	72	55½	TW241872	607	788	710	859	6,5	117	144
24	18	66	49½	TW241866	579	750	679	816	6,1	110	134
24	18	60	43½	TW241860	552	713	662	788	5,7	102	124
24	18	54	37½	TW241854	515	661	607	719	5,3	94	114
24	18	48	31½	TW241848	476	609	551	651	4,9	87	104
24	18	42	25½	TW241842	447	573	535	618	4,5	79	95
24	18	36	19½	TW241836	421	540	528	607	4,1	72	85
24	18	30	16	TW241830	394	508	510	573	3,7	65	76
24	18	24	10	TW241824	380	475	490	536	3,3	57	66
21	18	72	61¼	TW211872	592	769	694	825	5,9	100	122
21	18	66	55¼	TW211866	563	734	674	794	5,6	98	118
21	18	60	49¼	TW211860	534	695	655	771	5,2	95	114
21	18	54	43¼	TW211854	498	642	603	700	4,9	87	101
21	18	48	37¼	TW211848	461	589	540	628	4,5	81	97
21	18	42	31¼	TW211842	430	552	528	605	4,2	74	88
21	18	36	25¼	TW211836	405	524	514	578	3,8	67	79
21	18	30	19¼	TW211830	383	493	496	545	3,4	60	70
21	18	24	13¼	TW211824	370	464	476	516	3,1	53	61

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.



On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Take Off

Price List – USA

DUAL DEPTH TABLES (cont'd)

**CL****CC**

Right dual depth table, available with recessed / full end panels (CL) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions				L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	Code	Price	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	30	72	55½	TW243072	684	864	752	941	8,1	135 168
24	30	66	49½	TW243066	652	825	721	892	7,6	126 157
24	30	60	43½	TW243060	624	787	689	845	7,1	118 145
24	30	54	37½	TW243054	595	751	673	814	6,6	109 134
24	30	48	31½	TW243048	582	714	656	780	6,1	100 123
24	30	42	25½	TW243042	531	672	614	722	5,6	92 111
24	30	36	19½	TW243036	499	631	579	672	5,1	83 100
24	30	30	16	TW243030	493	598	562	640	4,6	75 88
24	30	24	10	TW243024	475	559	537	593	4,1	66 77
18	24	72	55½	TW182472	607	788	710	859	6,5	117 144
18	24	66	49½	TW182466	579	750	679	816	6,1	110 134
18	24	60	43½	TW182460	552	713	662	788	5,7	102 124
18	24	54	37½	TW182454	515	661	607	719	5,3	94 114
18	24	48	31½	TW182448	476	609	551	651	4,9	87 104
18	24	42	25½	TW182442	447	573	535	618	4,5	79 95
18	24	36	19½	TW182436	421	540	528	607	4,1	72 85
18	24	30	16	TW182430	394	508	510	573	3,7	65 76
18	24	24	10	TW182424	380	475	490	536	3,3	57 66
18	21	72	61¼	TW182172	592	769	694	825	5,9	100 122
18	21	66	55¼	TW182166	563	734	674	794	5,6	98 118
18	21	60	49¼	TW182160	534	695	655	771	5,2	95 114
18	21	54	43¼	TW182154	498	642	603	700	4,9	87 101
18	21	48	37¼	TW182148	461	589	540	628	4,5	81 97
18	21	42	31¼	TW182142	430	552	528	605	4,2	74 88
18	21	36	25¼	TW182136	405	524	514	578	3,8	67 79
18	21	30	19¼	TW182130	383	493	496	545	3,4	60 70
18	21	24	13¼	TW182124	370	464	476	516	3,1	53 61

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

90° CORNER TABLES



90° corner table with recessed end panels.

For corners CS3042CC and CS2436CC: the "D" dimension of 17" limits the keyboard choices.

Woodgrain is positioned at a 45° angle on these surfaces.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

				L Lima 1"		M Mike 1½"				
Dimensions				Price				Specifications		
A	B	C	D	T.F.L. H.P.L.		T.F.L. H.P.L.		Cu.Ft.	lb (L)	lb (M)
30	30	48	25½	CS3048CC		811	1044	979	1183	8,6 135 169
30	30	42	17	CS3042CC		744	949	916	1073	7,2 115 141
24	24	48	34	CS2448CC		781	1010	945	1148	8,6 131 163
24	24	42	25½	CS2442CC		714	915	882	1038	7,2 112 137
24	24	36	17	CS2436CC		642	813	809	924	6,0 94 113
18	18	36	25½	CS1836CC		609	781	776	890	6,0 91 109

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea. or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.




Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

Price List – USA

90° RIGHT EXTENDED CORNER TABLES

**CL****LC****CC**




90° right extended corner table with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	36	72	CS24243672	869	1120	1031	1260	11,8	151	185
24	24	36	66	CS24243666	842	1081	1009	1219	11,0	143	175
24	24	36	60	CS24243660	822	1033	978	1162	10,1	132	161
21	21	36	72	CS21213672	869	1120	1031	1260	11,8	144	175
21	21	36	66	CS21213666	842	1081	1009	1219	11,0	136	166
21	21	36	60	CS21213660	822	1033	978	1162	10,1	126	153

90° LEFT EXTENDED CORNER TABLES

**C****LC****CC**

90° left extended corner table with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

24	24	72	36	CS24247236	869	1120	1031	1260	11,8 151 185
24	24	66	36	CS24246636	842	1081	1009	1219	11,0 143 175
24	24	60	36	CS24246036	822	1033	978	1162	10,1 132 161
21	21	72	36	CS21217236	869	1120	1031	1260	11,8 144 175
21	21	66	36	CS21216636	842	1081	1009	1219	11,0 136 166
21	21	60	36	CS21216036	822	1033	978	1162	10,1 126 153

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: **(CL)**, **(LC)** or **(CC)**.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White **(G1)** or Charcoal **(G2)** or "No Grommet" option **(NG)**, option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module **(EC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module **(UC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.


Modesty panel: Option of 18" high **(U18)** or 9" high **(U9)** modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).


90° CORNER TABLES WITH CURVED INTERIOR ACCESS



CL



LC



CC

90° corner table (curved int. access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

Woodgrain is positioned at a 45° angle on these surfaces.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions				L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	Code		Price				
						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	30	48	48	C030304848		911	1219	1090	1353	9,8 146 178
30	24	48	48	C030244848		899	1206	1047	1332	9,4 144 175
24	30	48	48	C024304848		899	1206	1047	1332	9,8 142 172
24	24	48	48	C024244848		886	1194	1004	1310	9,4 134 163
24	24	42	42	C024244242		837	1096	939	1186	8,0 118 142
24	24	36	36	C024243636		721	963	832	1068	6,8 102 124
18	18	36	36	C018183636		672	878	787	950	6,8 92 107

SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: **(CL)**, **(LC)** or **(CC)**.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White **(G1)** or Charcoal **(G2)** or "No Grommet" option **(NG)**, option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module **(EC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.
or option of standard multi-outlet module **(UC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.




Modesty panel: Option of 18" high **(U18)** or 9" high **(U9)** modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

Price List – USA

90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS

**CL****LC****CC**

90° right extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

2 grommets are aligned on the side 60" or longer.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

				L Lima 1"		M Mike 1½"						
Dimensions				Code	Price		Specifications					
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
30	30	48	84	C030304884	1035	1438	—	1643	15,5	232	289	
30	30	48	78	C030304878	1009	1374	—	1569	14,5	218	270	
30	30	48	72	C030304872	983	1309	1187	1493	13,6	204	252	
30	30	48	66	C030304866	939	1236	1132	1412	12,6	184	228	
30	30	48	60	C030304860	895	1166	1077	1332	11,7	165	204	
30	24	48	84	C030244884	997	1387	—	1533	15,1	202	250	
30	24	48	78	C030244878	971	1322	—	1458	14,1	189	234	
30	24	48	72	C030244872	945	1258	1128	1383	13,2	173	214	
30	24	48	66	C030244866	901	1187	1047	1302	12,2	164	202	
30	24	48	60	C030244860	858	1117	967	1221	11,3	153	187	
30	24	42	84	C030244284	920	1287	—	1409	14,3	188	234	
30	24	42	78	C030244278	898	1231	—	1343	13,4	177	219	
30	24	42	72	C030244272	875	1175	1009	1277	12,5	165	204	
30	24	42	66	C030244266	840	1111	960	1206	11,6	156	192	
30	24	42	60	C030244260	806	1047	910	1134	10,7	144	175	
30	24	42	48	C030244248	718	933	839	1018	8,9	128	155	
24	30	48	84	C024304884	997	1387	—	1533	15,5	202	250	
24	30	48	78	C024304878	971	1322	—	1458	14,5	189	234	
24	30	48	72	C024304872	945	1258	1128	1383	13,6	173	214	
24	30	48	66	C024304866	901	1187	1047	1302	12,6	164	202	
24	30	48	60	C024304860	858	1117	967	1221	11,7	153	187	
24	24	48	84	C024244884	997	1387	—	1533	15,1	197	245	
24	24	48	78	C024244878	971	1322	—	1458	14,1	184	229	
24	24	48	72	C024244872	945	1258	1128	1383	13,2	168	209	
24	24	48	66	C024244866	901	1187	1047	1302	12,2	159	197	
24	24	48	60	C024244860	858	1117	967	1221	11,3	148	182	
24	24	42	84	C024244284	920	1287	—	1409	14,3	188	234	
24	24	42	78	C024244278	898	1231	—	1343	13,4	177	219	
24	24	42	72	C024244272	875	1175	1009	1277	12,5	165	204	
24	24	42	66	C024244266	840	1111	960	1206	11,6	156	192	
24	24	42	60	C024244260	806	1047	910	1134	10,7	144	175	
24	24	42	48	C024244248	718	933	839	1018	8,9	128	155	

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.


Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).


90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS



LC



CL



CC

90° left extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
					T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B	C	D						Cu.Ft.	lb (L)	lb (M)
30	30	84	48	C030308448	1035	1438	—	1643	15,5	232	289
30	30	78	48	C030307848	1009	1374	—	1569	14,5	218	270
30	30	72	48	C030307248	983	1309	1187	1493	13,6	204	252
30	30	66	48	C030306648	939	1236	1132	1412	12,6	184	228
30	30	60	48	C030306048	895	1166	1077	1332	11,7	165	204
30	24	84	48	C030248448	997	1387	—	1533	15,1	202	250
30	24	78	48	C030247848	971	1322	—	1458	14,1	189	234
30	24	72	48	C030247248	945	1258	1128	1383	13,2	173	214
30	24	66	48	C030246648	901	1187	1047	1302	12,2	164	202
30	24	60	48	C030246048	858	1117	967	1221	11,3	153	187
24	30	84	48	C024308448	997	1387	—	1533	15,5	202	250
24	30	84	42	C024308442	920	1287	—	1409	14,7	188	234
24	30	78	48	C024307848	971	1322	—	1458	14,5	189	234
24	30	78	42	C024307842	898	1231	—	1343	13,8	177	219
24	30	72	48	C024307248	945	1258	1128	1383	13,6	173	214
24	30	72	42	C024307242	875	1175	1009	1277	12,9	177	219
24	30	66	48	C024306648	901	1187	1047	1302	12,6	164	202
24	30	66	42	C024306642	840	1111	960	1206	12,0	156	192
24	30	60	48	C024306048	858	1117	967	1221	11,7	153	187
24	30	60	42	C024306042	806	1047	910	1134	11,1	144	175
24	30	48	42	C024304842	718	933	839	1018	9,3	128	155
24	24	84	48	C024248448	997	1387	—	1533	15,1	197	245
24	24	84	42	C024248442	920	1287	—	1409	14,3	188	234
24	24	78	48	C024247848	971	1322	—	1458	14,1	184	229
24	24	78	42	C024247842	898	1231	—	1343	13,4	177	219
24	24	72	48	C024247248	945	1258	1128	1383	13,2	168	209
24	24	72	42	C024247242	875	1175	1009	1277	12,5	165	204
24	24	66	48	C024246648	901	1187	1047	1302	12,2	159	197
24	24	66	42	C024246642	840	1111	960	1206	11,6	156	192
24	24	60	48	C024246048	858	1117	967	1221	11,3	148	182
24	24	60	42	C024246042	806	1047	910	1134	10,7	144	175
24	24	48	42	C024244842	718	933	839	1018	8,9	128	155

SPECIFY

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea. or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

Price List – USA

90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS

**LC**


90° left extended corner table (ergonomic interior access) with full / recessed end panels (LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Allow 16" minimum ("E" dimension) for installation of a pedestal.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

**CC**

Dimensions					Code		Price		Specifications			
A	B	C	D	E			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)
24	18	72	36	22	CE24187236		869	1120	1031	1260	11,8	144
24	18	66	36	16	CE24186636		842	1081	1009	1219	11,0	136
24	18	60	36	16	CE24186036		822	1033	978	1162	10,1	126

L Lima 1"**M Mike 1½"****CL**

90° left extended corner table (ergonomic interior access) with recessed / full end panels (CL) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Allow 16" minimum ("E" dimension) for installation of a pedestal.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

CC

18	24	36	72	22	CE18243672		869	1120	1031	1260	11,8	144
18	24	36	66	16	CE18243666		842	1081	1009	1219	11,0	136
18	24	36	60	16	CE18243660		822	1033	978	1162	10,1	126

SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T				/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

"D" SHAPED TABLES WITH MODESTY PANEL



"D" shaped table with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DM3684A	875	1159	—	1368	10,4	134	179
36	78	DM3678A	858	1117	—	1316	9,8	127	169
36	72	DM3672A	835	1069	1042	1267	9,3	119	158
36	66	DM3666A	812	1026	1014	1214	8,7	114	150
30	84	DM3084A	818	1056	—	1250	9,1	115	153
30	78	DM3078A	805	1020	—	1206	8,7	110	144
30	72	DM3072A	788	1005	1004	1191	8,2	102	135
30	66	DM3066A	773	969	981	1147	7,7	96	126
30	60	DM3060A	751	948	954	1110	7,3	90	117
30	48	DM3048A	713	890	911	1036	6,4	77	99

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	<input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED TABLES WITH "T" END PANEL



"D" shaped table with "T" end panel and telescopic metal leg.

Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
36	78	DT3678B		688	948	—	1148	7,1 115 115
36	72	DT3672B		671	904	878	1101	6,8 109 109
36	60	DT3660B		625	831	842	1016	6,2 104 104
30	84	DT3084B		671	904	—	1101	6,2 107 107
30	78	DT3078B		639	867	—	1054	6 102 102
30	72	DT3072B		625	831	842	1016	5,7 98 98
30	66	DT3066B		608	809	816	988	5,4 93 93
30	60	DT3060B		590	783	793	945	5,2 88 88
30	54	DT3054B		575	770	773	916	4,9 83 83
30	48	DT3048B		561	734	760	879	4,6 78 78
30	42	DT3042B		546	697	710	795	4,3 73 73
24	72	DT2472B		523	705	771	843	4,7 81 81
24	66	DT2466B		509	675	750	809	4,4 77 77
24	60	DT2460B		496	686	737	788	4,2 73 73
24	48	DT2448B		483	652	718	773	3,8 65 65

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED TABLES WITH "T" END PANEL



"D" shaped table with "T" end panel and telescopic metal leg with base plate.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price				Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DT3678C	DT3678D	767	1027	—	1228	12,1	121	163
36	72	DT3672C	DT3672D	750	983	957	1180	11,8	115	148
36	60	DT3660C	DT3660D	704	910	921	1096	11,2	110	146
30	84	DT3084C	DT3084D	750	983	—	1181	11,2	113	148
30	78	DT3078C	DT3078D	718	946	—	1133	11	108	142
30	72	DT3072C	DT3072D	704	910	921	1096	10,7	104	136
30	66	DT3066C	DT3066D	688	888	895	1067	10,4	99	129
30	60	DT3060C	DT3060D	669	862	872	1024	10,2	94	121
30	54	DT3054C	DT3054D	655	849	853	996	9,9	89	114
30	48	DT3048C	DT3048D	640	813	839	958	9,6	84	105
24	72	DT2472C	DT2472D	602	784	850	922	9,7	87	113
24	66	DT2466C	DT2466D	589	755	829	888	9,4	83	108
24	60	DT2460C	DT2460D	575	766	816	867	9,2	79	101
24	48	DT2448C	DT2448D	562	732	798	853	8,8	71	88

SPECIFY

OPTIONS

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),
or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED TABLES, SURFACE SUPPORTED



"D" shaped table, surface supported.

Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	DS3672A	604	809	809	983	4,5	76	115
36	60	DS3660A	565	761	769	915	3,9	70	107
30	72	DS3072A	565	761	769	915	3,9	64	97
30	66	DS3066A	550	741	751	884	3,6	59	89
30	60	DS3060A	535	716	735	856	3,4	54	81
30	54	DS3054A	520	706	715	818	3,1	49	74
30	48	DS3048A	505	669	694	774	2,8	44	66
30	42	DS3042A	491	633	675	732	2,6	39	59
30	36	DS3036A	476	605	660	710	2,3	35	52
30	30	DS3030A	462	578	649	671	2	30	44
24	72	DS2472A	515	714	763	851	3,3	52	78
24	66	DS2466A	503	684	744	816	3,1	48	73
24	60	DS2460A	493	677	724	795	2,8	44	66
24	54	DS2454A	481	646	705	760	2,6	40	60
24	48	DS2448A	462	640	688	746	2,4	36	53
24	42	DS2442A	454	619	672	722	2,2	32	47
24	36	DS2436A	444	598	656	699	2	28	41
24	30	DS2430A	433	570	638	663	1,8	24	35

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet

T - - / - - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED TABLES, SURFACE SUPPORTED



"D" shaped table, supported by adjacent freestanding furniture.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price				Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DS3672C	DS3672D	627	832	832	1007	9,5	82	121
36	60	DS3660C	DS3660D	589	784	792	939	8,9	76	113
30	72	DS3072C	DS3072D	589	784	792	939	8,9	70	103
30	66	DS3066C	DS3066D	573	765	774	908	8,6	65	95
30	60	DS3060C	DS3060D	558	739	758	879	8,4	60	87
30	54	DS3054C	DS3054D	543	729	738	842	8,1	55	80
30	48	DS3048C	DS3048D	528	692	717	798	7,8	50	72
24	72	DS2472C	DS2472D	538	737	787	875	8,3	58	84
24	66	DS2466C	DS2466D	526	707	767	839	8,1	54	79
24	60	DS2460C	DS2460D	516	700	747	818	7,8	50	72
24	54	DS2454C	DS2454D	504	669	728	783	7,6	46	66
24	48	DS2448C	DS2448D	485	663	711	769	7,4	42	59

SPECIFY

Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),
or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH MODESTY PANEL

"D" shaped table (arched or rectangular) with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DMA3684A	875	1159	—	1368	10,4	134	179
36	78	DMA3678A	858	1117	—	1316	9,8	127	169
36	72	DMA3672A	835	1069	1042	1267	9,3	119	158
36	66	DMA3666A	812	1026	1014	1214	8,7	114	150
30	84	DMA3084A	818	1056	—	1250	8,1	115	153
30	78	DMA3078A	805	1020	—	1206	8,7	110	144
30	72	DMA3072A	788	1005	1004	1191	8,2	102	135
30	66	DMA3066A	773	969	981	1147	7,7	96	126
30	60	DMA3060A	751	948	954	1110	7,3	89	117
30	48	DMA3048A	713	890	911	1036	6,4	77	99
36	84	DMi3684A	853	1137	—	1346	10,4	134	179
36	78	DMi3678A	836	1095	—	1294	9,8	127	169
36	72	DMi3672A	813	1047	1020	1245	9,3	119	158
36	66	DMi3666A	790	1004	992	1192	8,7	114	150
30	84	DMi3084A	796	1034	—	1228	8,1	115	153
30	78	DMi3078A	783	998	—	1184	8,7	110	144
30	72	DMi3072A	766	983	982	1169	8,2	102	135
30	66	DMi3066A	751	947	959	1125	7,7	96	126
30	60	DMi3060A	729	926	932	1088	7,3	89	117
30	48	DMi3048A	691	868	889	1014	6,4	77	99

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg.


Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678B	688	948	—	1148	7,1	115	157
36	72	DTA3672B	671	904	878	1101	6,8	108	141
36	60	DTA3660B	625	831	842	1016	6,2	104	140
30	84	DTA3084B	671	904	—	1101	6,2	107	142
30	78	DTA3078B	639	867	—	1054	6	102	136
30	72	DTA3072B	625	831	842	1016	5,7	98	130
30	66	DTA3066B	608	809	816	988	5,4	93	123
30	60	DTA3060B	590	783	793	945	5,2	88	115
30	54	DTA3054B	575	770	773	916	4,9	83	108
30	48	DTA3048B	561	734	760	879	4,6	78	99
24	72	DTA2472B	523	705	771	843	4,7	81	107
24	66	DTA2466B	509	675	750	809	4,4	77	102
24	60	DTA2460B	496	686	737	788	4,2	73	95
24	48	DTA2448B	483	652	718	773	3,8	65	82
36	78	DTi3678B	666	926	—	1126	7,1	115	157
36	72	DTi3672B	649	882	856	1079	6,8	108	141
36	60	DTi3660B	603	809	820	994	6,2	104	140
30	84	DTi3084B	649	882	—	1079	6,2	107	142
30	78	DTi3078B	617	845	—	1032	6	102	136
30	72	DTi3072B	603	809	820	994	5,7	98	130
30	66	DTi3066B	586	787	794	966	5,4	93	123
30	60	DTi3060B	568	761	771	923	5,2	88	115
30	54	DTi3054B	553	748	751	894	4,9	83	108
30	48	DTi3048B	539	712	738	857	4,6	78	99
24	72	DTi2472B	501	683	749	821	4,7	81	107
24	66	DTi2466B	487	653	728	787	4,4	77	102
24	60	DTi2460B	474	664	715	766	4,2	73	95
24	48	DTi2448B	461	630	696	751	3,8	65	82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),
 or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg with base.


2 choices of 4" tubular legs: with round or square base.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price				Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678C	DTA3678D	767	1027	—	1228	12,1	121	163
36	72	DTA3672C	DTA3672D	750	983	957	1180	11,8	114	147
36	60	DTA3660C	DTA3660D	704	910	921	1096	11,2	110	146
30	84	DTA3084C	DTA3084D	750	983	—	1180	11,2	113	148
30	78	DTA3078C	DTA3078D	718	946	—	1133	11	108	142
30	72	DTA3072C	DTA3072D	704	910	921	1096	10,7	104	136
30	66	DTA3066C	DTA3066D	688	888	895	1067	10,4	99	129
30	60	DTA3060C	DTA3060D	669	862	872	1024	10,2	94	121
30	54	DTA3054C	DTA3054D	655	849	853	996	9,9	89	114
30	48	DTA3048C	DTA3048D	640	813	839	958	9,6	84	105
24	72	DTA2472C	DTA2472D	602	784	850	922	9,7	87	113
24	66	DTA2466C	DTA2466D	589	755	829	888	9,4	83	108
24	60	DTA2460C	DTA2460D	575	766	816	867	9,2	79	101
24	48	DTA2448C	DTA2448D	562	732	798	853	8,8	71	88
36	78	DTi3678C	DTi3678D	745	1005	—	1206	12,1	121	163
36	72	DTi3672C	DTi3672D	728	961	935	1158	11,8	114	147
36	60	DTi3660C	DTi3660D	682	888	899	1074	11,2	110	146
30	84	DTi3084C	DTi3084D	728	961	—	1158	11,2	113	148
30	78	DTi3078C	DTi3078D	696	924	—	1111	11	108	142
30	72	DTi3072C	DTi3072D	682	888	899	1074	10,7	104	136
30	66	DTi3066C	DTi3066D	666	866	873	1045	10,4	99	129
30	60	DTi3060C	DTi3060D	647	840	850	1002	10,2	94	121
30	54	DTi3054C	DTi3054D	633	827	831	974	9,9	89	114
30	48	DTi3048C	DTi3048D	618	791	817	936	9,6	84	105
24	72	DTi2472C	DTi2472D	580	762	828	900	9,7	87	113
24	66	DTi2466C	DTi2466D	567	755	807	866	9,4	83	108
24	60	DTi2460C	DTi2460D	553	744	794	845	9,2	79	101
24	48	DTi2448C	DTi2448D	540	710	776	831	8,8	71	88

SPECIFY

OPTIONS

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),
or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal legs.


2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



Dimensions		Code		Price		Specifications				
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678E	DTA3678F	799	1059	—	1260	7,1	121	163
36	72	DTA3672E	DTA3672F	782	1015	989	1212	6,8	114	147
36	60	DTA3660E	DTA3660F	736	942	953	1128	6,2	103	139
30	84	DTA3084E	DTA3084F	782	1015	—	1212	6,2	106	141
30	78	DTA3078E	DTA3078F	750	978	—	1165	6	101	135
30	72	DTA3072E	DTA3072F	736	942	953	1128	5,7	97	129
30	66	DTA3066E	DTA3066F	719	920	927	1099	5,4	92	122
30	60	DTA3060E	DTA3060F	701	894	904	1056	5,2	87	114
30	54	DTA3054E	DTA3054F	686	881	884	1027	4,9	82	107
30	48	DTA3048E	DTA3048F	672	845	871	990	4,6	77	98
24	72	DTA2472E	DTA2472F	634	816	882	954	4,7	80	106
24	66	DTA2466E	DTA2466F	620	787	861	920	4,4	76	101
24	60	DTA2460E	DTA2460F	607	798	848	899	4,2	72	94
24	48	DTA2448E	DTA2448F	594	763	829	884	3,8	64	81

36	78	DTi3678E	DTi3678F	777	1037	—	1238	7,1	121	163
36	72	DTi3672E	DTi3672F	760	993	967	1191	6,8	114	147
36	60	DTi3660E	DTi3660F	714	920	931	1106	6,2	103	139
30	84	DTi3084E	DTi3084F	760	993	—	1191	6,2	106	141
30	78	DTi3078E	DTi3078F	728	956	—	1143	6	101	135
30	72	DTi3072E	DTi3072F	714	920	931	1106	5,7	97	129
30	66	DTi3066E	DTi3066F	697	898	905	1077	5,4	92	122
30	60	DTi3060E	DTi3060F	679	872	882	1034	5,2	87	114
30	54	DTi3054E	DTi3054F	664	859	862	1005	4,9	82	107
30	48	DTi3048E	DTi3048F	650	823	849	968	4,6	77	98
24	72	DTi2472E	DTi2472F	612	794	860	932	4,7	80	106
24	66	DTi2466E	DTi2466F	598	787	839	898	4,4	76	101
24	60	DTi2460E	DTi2460F	585	776	826	877	4,2	72	94
24	48	DTi2448E	DTi2448F	572	741	807	862	3,8	64	81

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and laminate leg.


Monolithic laminate base, 4" x 12".

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Specifications				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678G	735	996	—	1196	7,6	127	169
36	72	DTA3672G	718	952	925	1148	7,3	120	153
36	60	DTA3660G	672	878	889	1064	6,7	109	145
30	84	DTA3084G	718	952	—	1148	6,7	112	147
30	78	DTA3078G	686	914	—	1101	6,5	107	141
30	72	DTA3072G	672	878	889	1064	6,2	103	135
30	66	DTA3066G	656	856	864	1035	5,9	98	128
30	60	DTA3060G	637	831	840	992	5,7	93	120
30	54	DTA3054G	623	817	821	964	5,4	88	113
30	48	DTA3048G	608	781	807	926	5,1	83	104
24	72	DTA2472G	570	752	818	890	5,2	86	112
24	66	DTA2466G	557	723	798	856	4,9	82	107
24	60	DTA2460G	543	734	784	835	4,7	72	100
24	48	DTA2448G	530	700	766	821	4,3	64	87
36	78	DTi3678G	713	974	—	1174	7,6	127	169
36	72	DTi3672G	696	930	903	1128	7,3	120	153
36	60	DTi3660G	650	856	867	1042	6,7	109	145
30	84	DTi3084G	696	930	—	1128	6,7	112	147
30	78	DTi3078G	664	892	—	1079	6,5	107	141
30	72	DTi3072G	650	856	867	1042	6,2	103	135
30	66	DTi3066G	634	834	842	1013	5,9	98	128
30	60	DTi3060G	615	809	818	970	5,7	93	120
30	54	DTi3054G	601	795	799	942	5,4	88	113
30	48	DTi3048G	586	759	785	904	5,1	83	104
24	72	DTi2472G	548	730	796	868	5,2	86	112
24	66	DTi2466G	535	723	776	834	4,9	82	107
24	60	DTi2460G	521	712	762	813	4,7	72	100
24	48	DTi2448G	508	678	744	799	4,3	64	87

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet

T - - / - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED


"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture. Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672A	604	809	809	983	4,5	76	115
36	60	DSA3660A	565	761	769	916	3,9	70	109
30	72	DSA3072A	565	761	769	916	3,9	64	97
30	66	DSA3066A	550	741	751	884	3,6	59	89
30	60	DSA3060A	535	716	735	856	3,4	54	81
30	54	DSA3054A	520	706	715	818	3,1	49	74
30	48	DSA3048A	505	669	694	774	2,8	44	66
30	42	DSA3042A	491	633	675	732	2,6	39	59
30	36	DSA3036A	476	605	661	710	2,3	35	52
30	30	DSA3030A	462	578	649	671	2	30	44
24	72	DSA2472A	515	714	763	851	3,3	52	78
24	66	DSA2466A	503	684	744	816	3,1	48	73
24	60	DSA2460A	493	677	724	795	2,8	44	66
24	54	DSA2454A	481	646	705	760	2,6	40	60
24	48	DSA2448A	462	640	688	746	2,4	36	53
24	42	DSA2442A	454	619	672	722	2,2	32	47
24	36	DSA2436A	444	598	656	699	2	28	41
24	30	DSA2430A	433	570	638	663	1,8	24	35
36	72	DSi3672A	582	787	787	961	4,5	76	115
36	60	DSi3660A	543	739	747	894	3,9	70	109
30	72	DSi3072A	543	739	747	894	3,9	64	97
30	66	DSi3066A	528	719	729	862	3,6	59	89
30	60	DSi3060A	513	694	713	834	3,4	54	81
30	54	DSi3054A	498	684	693	796	3,1	49	74
30	48	DSi3048A	483	647	672	752	2,8	44	66
30	42	DSi3042A	469	611	653	710	2,6	39	59
30	36	DSi3036A	454	583	639	688	2,3	35	52
30	30	DSi3030A	440	556	627	649	2	30	44
24	72	DSi2472A	493	692	741	829	3,3	52	78
24	66	DSi2466A	481	662	722	794	3,1	48	73
24	60	DSi2460A	471	655	702	773	2,8	44	66
24	54	DSi2454A	459	624	683	738	2,6	40	60
24	48	DSi2448A	440	618	666	724	2,4	36	53
24	42	DSi2442A	432	597	650	700	2,2	32	47
24	36	DSi2436A	422	576	634	677	2	28	41
24	30	DSi2430A	411	548	616	641	1,8	24	35

SPECIFY**OPTIONS**

Series Code Surface Edge Metal Grom. M-Outlet
T - - / - - -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3064), Charcoal (3067), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),
 or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.


2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price				Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672C	DSA3672D	627	832	832	1007	9,5	82	121
36	60	DSA3660C	DSA3660D	587	784	792	939	8,9	76	115
30	72	DSA3072C	DSA3072D	587	784	792	939	8,9	70	103
30	66	DSA3066C	DSA3066D	573	765	774	908	8,6	65	95
30	60	DSA3060C	DSA3060D	558	739	758	879	8,4	60	87
30	54	DSA3054C	DSA3054D	543	729	738	842	8,1	55	80
30	48	DSA3048C	DSA3048D	528	692	717	798	7,8	50	72
24	72	DSA2472C	DSA2472D	538	737	787	875	8,3	58	84
24	66	DSA2466C	DSA2466D	526	707	767	839	8,1	54	79
24	60	DSA2460C	DSA2460D	516	700	747	818	7,8	50	72
24	54	DSA2454C	DSA2454D	504	669	728	783	7,6	46	66
24	48	DSA2448C	DSA2448D	485	663	711	769	7,4	42	59
36	72	DSi3672C	DSi3672D	605	810	810	985	9,5	82	121
36	60	DSi3660C	DSi3660D	567	762	770	917	8,9	76	115
30	72	DSi3072C	DSi3072D	567	762	770	917	8,9	70	103
30	66	DSi3066C	DSi3066D	551	743	752	886	8,6	65	95
30	60	DSi3060C	DSi3060D	536	717	736	857	8,4	60	87
30	54	DSi3054C	DSi3054D	521	707	716	820	8,1	55	80
30	48	DSi3048C	DSi3048D	506	670	695	776	7,8	50	72
24	72	DSi2472C	DSi2472D	516	715	765	853	8,3	58	84
24	66	DSi2466C	DSi2466D	504	685	745	817	8,1	54	79
24	60	DSi2460C	DSi2460D	494	678	725	796	7,8	50	72
24	54	DSi2454C	DSi2454D	482	647	706	761	7,6	46	66
24	48	DSi2448C	DSi2448D	463	641	689	747	7,4	42	59

SPECIFY**OPTIONS**

Series Code Surface Edge Metal Grom. M-Outlet
T - - / - - -

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.


2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Specifications				
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672E	DSA3672F	659	864	864	1038	4,5	82	121
36	60	DSA3660E	DSA3660F	620	816	824	971	3,9	76	115
30	72	DSA3072E	DSA3072F	620	816	824	971	3,9	70	103
30	66	DSA3066E	DSA3066F	605	796	806	939	3,6	65	95
30	60	DSA3060E	DSA3060F	590	771	790	911	3,4	60	87
30	54	DSA3054E	DSA3054F	575	761	770	873	3,1	55	80
30	48	DSA3048E	DSA3048F	560	724	749	829	2,8	50	72
30	42	DSA3042E	DSA3042F	546	688	730	787	2,6	45	65
24	72	DSA2472E	DSA2472F	570	769	818	906	2,3	58	84
24	66	DSA2466E	DSA2466F	558	739	799	871	2,0	54	79
24	60	DSA2460E	DSA2460F	548	732	779	850	2,8	50	72
24	54	DSA2454E	DSA2454F	536	701	760	815	2,6	46	66
24	48	DSA2448E	DSA2448F	517	695	743	801	2,4	42	59
24	42	DSA2442E	DSA2442F	509	674	727	777	2,2	38	53
36	72	DSi3672E	DSi3672F	637	842	842	1016	4,5	82	121
36	60	DSi3660E	DSi3660F	598	794	802	949	3,9	76	115
30	72	DSi3072E	DSi3072F	598	794	802	949	3,9	70	103
30	66	DSi3066E	DSi3066F	583	774	784	917	3,6	65	95
30	60	DSi3060E	DSi3060F	568	749	768	889	3,4	60	87
30	54	DSi3054E	DSi3054F	553	739	748	851	3,1	55	80
30	48	DSi3048E	DSi3048F	538	702	727	807	2,8	50	72
30	42	DSi3042E	DSi3042F	524	666	708	765	2,6	45	65
24	72	DSi2472E	DSi2472F	548	747	796	884	3,3	58	84
24	66	DSi2466E	DSi2466F	536	717	777	849	3,1	54	79
24	60	DSi2460E	DSi2460F	526	710	757	828	2,8	50	72
24	54	DSi2454E	DSi2454F	514	679	738	793	2,6	46	66
24	48	DSi2448E	DSi2448F	495	673	721	779	2,3	42	59
24	42	DSi2442E	DSi2442F	487	652	705	755	2,0	38	53

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),
 or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.


Monolithic laminate base, 4" x 12".

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Arched



Rectangular



Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672G	650	855	855	1030	5	88	127
36	60	DSA3660G	612	807	815	961	4,4	82	121
30	72	DSA3072G	612	807	815	961	4,4	76	109
30	66	DSA3066G	596	788	798	931	4,1	71	101
30	60	DSA3060G	581	762	781	902	3,9	66	93
30	54	DSA3054G	567	752	761	865	3,6	61	86
30	48	DSA3048G	551	715	740	821	3,3	56	78
24	72	DSA2472G	561	760	810	898	3,8	64	90
24	66	DSA2466G	549	730	790	862	3,6	60	85
24	60	DSA2460G	539	723	770	842	3,3	56	78
24	54	DSA2454G	527	692	751	806	3,1	52	72
24	48	DSA2448G	508	686	734	792	2,9	48	65
36	72	DSi3672G	628	833	833	1008	5	88	127
36	60	DSi3660G	590	785	793	939	4,4	82	121
30	72	DSi3072G	590	785	793	939	4,4	76	109
30	66	DSi3066G	574	766	776	909	4,1	71	101
30	60	DSi3060G	559	740	759	880	3,9	66	93
30	54	DSi3054G	545	730	739	843	3,6	61	86
30	48	DSi3048G	529	693	718	799	3,3	56	78
24	72	DSi2472G	539	738	788	876	3,8	64	90
24	66	DSi2466G	527	708	768	840	3,6	60	85
24	60	DSi2460G	517	701	748	820	3,3	56	78
24	54	DSi2454G	505	670	729	784	3,1	52	72
24	48	DSi2448G	486	664	712	770	2,9	48	65

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet

T - - / - - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (**ECC**),
or option of standard multi-outlet module, centered (**UCC**), add \$213 ea., p.29.

"P" SHAPED TABLES WITH MODESTY PANEL

"P" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Left



Right



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
36	42	84	PML364284		910	1191	—	1431	11,6 146 199
36	42	78	PML364278		892	1166	—	1399	11 141 191
36	42	72	PML364272		848	1130	1085	1342	10,4 130 176
30	36	84	PML303684		848	1130	—	1342	10,4 122 166
30	36	78	PML303678		833	1092	—	1299	9,8 118 159
30	36	72	PML303672		820	1056	1030	1254	9,3 113 152
30	36	66	PML303666		798	1022	1004	1210	8,7 106 142
30	36	60	PML303660		777	989	980	1168	8,2 99 132
36	42	84	PMR364284		910	1191	—	1431	11,6 146 199
36	42	78	PMR364278		892	1166	—	1399	11 141 191
36	42	72	PMR364272		848	1130	1085	1342	10,4 130 176
30	36	84	PMR303684		848	1130	—	1342	10,4 122 166
30	36	78	PMR303678		833	1092	—	1299	9,8 118 159
30	36	72	PMR303672		820	1056	1030	1254	9,3 113 152
30	36	66	PMR303666		798	1022	1004	1210	8,7 106 142
30	36	60	PMR303660		777	989	980	1168	8,2 99 132

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"P" SHAPED TABLES WITH "T" END PANEL

"P" shaped table with "T" end panel and telescopic metal leg.


Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Left



Right



Dimensions			Code	Price		Specifications		Cu.Ft.	lb (L)	lb (M)
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.			
30	36	72	PTL303672	671	904	878	1102	6,8	108	140
30	36	66	PTL303666	642	864	850	1051	6,5	102	130
30	36	60	PTL303660	625	831	842	1016	6,2	96	120

30	36	72	PTR303672	671	904	878	1102	6,8	108	140
30	36	66	PTR303666	642	864	850	1051	6,5	102	130
30	36	60	PTR303660	625	831	842	1016	6,2	96	120

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"P" SHAPED TABLES, SURFACE SUPPORTED

"P" shaped table (left or right), supported by adjacent freestanding furniture.


Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.


Single-circuit or standard multi-outlet module option available.

The **(EC)** option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Left



Right



Dimensions			L Lima 1"		M Mike 1½"		Specifications		
A	B	C	Price						
			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	604	809	809	982	4,5	74	114
30	36	66	581	788	792	952	4,2	69	105
30	36	60	564	761	769	916	3,9	63	96
24	30	60	535	716	735	856	3,4	54	81
24	30	54	520	706	701	818	3,1	50	76
24	30	48	506	670	678	774	2,8	46	70

30	36	72	604	809	809	982	4,5	74	114
30	36	66	581	788	792	952	4,2	69	105
30	36	60	564	761	769	916	3,9	63	96
24	30	60	535	716	735	856	3,4	54	81
24	30	54	520	706	701	818	3,1	50	76
24	30	48	506	670	678	774	2,8	46	70

SPECIFY

Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T						

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"L" SHAPED TABLES WITH MODESTY PANEL

"L" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Left



Right



				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
54	36	84	24	LML54368424	1240	1661	—	1821	13,8	164	218
54	36	78	24	LML54367824	1174	1572	—	1724	13,1	156	207
54	36	72	24	LML54367224	1108	1483	1329	1627	12,4	148	196
48	30	84	24	LML48308424	1101	1474	—	1618	12,9	149	197
48	30	78	24	LML48307824	1078	1417	—	1549	12,2	141	186
48	30	72	24	LML48307224	1057	1359	1180	1481	11,4	134	175
48	30	66	24	LML48306624	1015	1302	1139	1416	10,7	126	163
48	30	60	24	LML48306024	992	1267	1126	1376	10	118	152
42	30	72	24	LML42307224	1015	1297	1153	1410	10,4	119	155
42	30	66	24	LML42306624	1003	1283	1125	1394	9,7	112	145
42	30	60	24	LML42306024	977	1243	1111	1349	9,1	105	135

54	36	84	24	LMR54368424		1240	1661	—	1821	13,8	164	218
54	36	78	24	LMR54367824		1174	1572	—	1724	13,1	156	207
54	36	72	24	LMR54367224		1108	1483	1329	1627	12,4	148	196
48	30	84	24	LMR48308424		1101	1474	—	1618	12,9	149	197
48	30	78	24	LMR48307824		1078	1417	—	1549	12,2	141	186
48	30	72	24	LMR48307224		1057	1359	1180	1481	11,4	134	175
48	30	66	24	LMR48306624		1015	1302	1139	1416	10,7	126	163
48	30	60	24	LMR48306024		992	1267	1126	1376	10	118	152
42	30	72	24	LMR42307224		1015	1297	1153	1410	10,4	119	155
42	30	66	24	LMR42306624		1003	1283	1125	1394	9,7	112	145
42	30	60	24	LMR42306024		977	1243	1111	1349	9,1	105	135

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

"PL" SHAPED TABLES WITH MODESTY PANEL

"PL" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Left



Right



				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	54	72	24	PLL487224	1089	1444	1233	1583	12,5	153	210
48	54	72	18	PLL487218	1089	1444	1233	1583	12,5	153	210
48	54	66	24	PLL486624	1044	1383	1187	1509	11,7	145	199
48	54	66	18	PLL486618	1044	1383	1187	1509	11,7	145	199
48	54	60	24	PLL486024	1020	1340	1170	1462	10,9	138	187
48	54	60	18	PLL486018	1020	1340	1170	1462	10,9	138	187
42	48	72	24	PLL427224	1047	1384	1205	1511	11,4	141	193
42	48	72	18	PLL427218	1047	1384	1205	1511	11,4	141	193
42	48	66	24	PLL426624	1033	1362	1173	1487	10,7	135	177
42	48	66	18	PLL426618	1033	1362	1173	1487	10,7	135	177
42	48	60	24	PLL426024	1003	1316	1155	1434	10	128	168
42	48	60	18	PLL426018	1003	1316	1155	1434	10	128	168

48	54	72	24	PLR487224		1089	1444	1233	1583	12,5	153	210
48	54	72	18	PLR487218		1089	1444	1233	1583	12,5	153	210
48	54	66	24	PLR486624		1044	1383	1187	1509	11,7	145	199
48	54	66	18	PLR486618		1044	1383	1187	1509	11,7	145	199
48	54	60	24	PLR486024		1020	1340	1170	1462	10,9	138	187
48	54	60	18	PLR486018		1020	1340	1170	1462	10,9	138	187
42	48	72	24	PLR427224		1047	1384	1205	1511	11,4	141	193
42	48	72	18	PLR427218		1047	1384	1205	1511	11,4	141	193
42	48	66	24	PLR426624		1033	1362	1173	1487	10,7	135	177
42	48	66	18	PLR426618		1033	1362	1173	1487	10,7	135	177
42	48	60	24	PLR426024		1003	1316	1155	1434	10	128	168
42	48	60	18	PLR426018		1003	1316	1155	1434	10	128	168

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

Take Off

Price List – USA

"SHARK" TABLES WITH MODESTY PANEL

"Shark" table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.


Single-circuit or standard multi-outlet module option available.

The (EC) option requires the use of the AC-ECFK power module (1 circuit system), p.276.

Left



Right



			L Lima 1"		M Mike 1½"					
Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	78	24	SHL487824	1068	1440	—	1577	12,2	128	166
42	72	24	SHL427224	1015	1297	1153	1410	10,4	115	148
42	66	24	SHL426624	1003	1283	1125	1394	9,7	108	139
42	66	18	SHL426618	1003	1283	1125	1394	9,7	108	139
42	60	18	SHL426018	977	1243	1111	1349	9,1	101	129
36	66	18	SHL366618	922	1163	1047	1253	8,7	95	121
36	60	18	SHL366018	894	1128	1024	1211	8,2	89	113
48	78	24	SHR487824	1068	1440	—	1577	12,2	128	166
42	72	24	SHR427224	1015	1297	1153	1410	10,4	115	148
42	66	24	SHR426624	1003	1283	1125	1394	9,7	108	139
42	66	18	SHR426618	1003	1283	1125	1394	9,7	108	139
42	60	18	SHR426018	977	1243	1111	1349	9,1	101	129
36	66	18	SHR366618	922	1163	1047	1253	8,7	95	121
36	60	18	SHR366018	894	1128	1024	1211	8,2	89	113

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (ECC),

or option of standard multi-outlet module, centered (UCC), add \$213 ea., p.29.

TEARDROP END SURFACES


Teardrop end surface (left or right), supported by adjacent freestanding furniture.
Telescopic metal leg, 4" diameter.



Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			Price		Price				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	37	XTL36	531	714	634	783	2,7	40	55
30	34	XTL30	493	660	597	710	2,2	33	44
24	32	XTL24	475	625	572	660	1,8	28	36

36	37	XTR36	531	714	634	783	2,7	40	55
30	34	XTR30	493	660	597	710	2,2	33	44
24	32	XTR24	475	625	572	660	1,8	28	36

SHARED MEETING SURFACES



Semi-circle shared meeting surface, attaches to the end of 2 back-to-back surfaces.
Telescopic metal leg, 4" diameter.

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			Price		Price				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
60	36	XC60	598	799	694	882	3,9	63	95
54	33	XC54	546	726	637	792	3,3	47	71
48	30	XC48	509	668	590	715	2,8	34	50

SPECIFY

Series Code Surface Edge Metal
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

ASSEMBLED CREDENZAS AND STORAGE UNITS - 23" H. For complete listing, see p.238.


ASSEMBLED CREDENZAS - 29" H.

Credenza with lateral filing at left and storage unit at right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks included, lock all drawers & doors.


Grommet option available (4 positions), see p.28.



Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	72	29	CZFD247229		1469	1668	1555	1731	34,5 199 218
24	60	29	CZFD246029		1421	1585	1499	1634	28,9 174 191
21	72	29	CZFD217229		1448	1620	1528	1673	30,7 185 202
21	60	29	CZFD216029		1403	1544	1475	1583	25,6 161 174

L Lima 1"

M Mike 1½"




Credenza with storage unit at left and lateral filing at right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks included, lock all drawers & doors. Grommet option available (4 positions), see p.28.


24	72	29	CZDF247229		1469	1668	1555	1731	34,5 199 218
24	60	29	CZDF246029		1421	1585	1499	1634	28,9 174 191
21	72	29	CZDF217229		1448	1620	1528	1673	30,7 185 202
21	60	29	CZDF216029		1403	1544	1475	1583	25,6 161 174



Credenza with double storage units.

2 Noki locks included, lock all 4 doors. Grommet option available (4 positions), see p.28..

24	72	29	CZDD247229		1191	1389	1277	1454	34,5 178 198
24	60	29	CZDD246029		1144	1307	1221	1356	28,9 154 171
21	72	29	CZDD217229		1170	1342	1250	1396	30,7 163 180
21	60	29	CZDD216029		1125	1266	1197	1306	25,6 139 153



Credenza with double lateral files.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks included, lock all 4 drawers. Grommet option available (4 positions), see p.28.

24	72	29	CZFF247229		1632	1832	1719	1895	34,5 178 198
24	60	29	CZFF246029		1585	1749	1663	1797	28,9 154 171
21	72	29	CZFF217229		1612	1784	1692	1837	30,7 163 180
21	60	29	CZFF216029		1566	1708	1639	1747	25,6 139 153

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Option **Grommet:** Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add \$128, p.28.

ASSEMBLED CREDENZAS - 29" H.



Credenza with lateral file at left or right.

Drawer section occupies half of the total length (dimension B).

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Noki lock included, locks both drawers.

Grommet option available (4 positions), see p.28.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	72	29	CZF0247229		1188	1378	1261	1438	34,5 162 182
24	60	29	CZF0246029		1144	1299	1208	1343	28,9 138 154
21	72	29	CZF0217229		1167	1331	1233	1379	30,7 151 168
21	60	29	CZF0216029		1125	1258	1184	1293	25,6 127 141



24	72	29	CZOF247229		1188	1378	1261	1438	34,5 162 182
24	60	29	CZOF246029		1144	1299	1208	1343	28,9 138 154
21	72	29	CZOF217229		1167	1331	1233	1379	30,7 151 168
21	60	29	CZOF216029		1125	1258	1184	1293	25,6 127 141

Credenza with storage unit at left or right.

Cabinet section occupies half of the total length (dimension B).

Noki lock included, locks both doors.

Grommet option available (4 positions), see p.28.



24	72	29	CZD0247229		1010	1208	1096	1273	34,5 157 176
24	60	29	CZD0246029		966	1129	1043	1178	28,9 133 149
21	72	29	CZD0217229		989	1161	1068	1214	30,7 146 163
21	60	29	CZD0216029		947	1088	1019	1128	25,6 122 136

24	72	29	CZOD247229		1010	1208	1096	1273	34,5 157 176
24	60	29	CZOD246029		966	1129	1043	1178	28,9 133 149
21	72	29	CZOD217229		989	1161	1068	1214	30,7 146 163
21	60	29	CZOD216029		947	1088	1019	1128	25,6 122 136

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Option Grommet: Add grommets on top and sides & specify color: White (G14) or Charcoal (G24), add \$128, p.28.

ASSEMBLED CREDENZAS - 29" H.




Credenza with a combined unit at left or right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Pencil tray included in the 6" top drawer.

Noki lock included, locks both file drawers.

Grommet option available (4 positions), see p.28.



Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	72	29	CZC0247229		1223	1414	1296	1473	34,5 205 139
24	60	29	CZC0246029		1179	1334	1243	1378	28,9 181 197
21	72	29	CZC0217229		1202	1366	1268	1415	30,7 194 211
21	60	29	CZC0216029		1161	1294	1219	1328	25,6 170 184

24	72	29	CZOC247229		1223	1414	1296	1473	34,5 205 139
24	60	29	CZOC246029		1179	1334	1243	1378	28,9 181 197
21	72	29	CZOC217229		1202	1366	1268	1415	30,7 194 211
21	60	29	CZOC216029		1161	1294	1219	1328	25,6 170 184

Credenza with suspended pedestals at left and right and central cabinet.

Pencil tray included in one of the 6" top drawers. File drawers include a lateral filing bar.

2 Noki locks included, lock all drawers.

24	72	29	CZC247229		1345	1510	1528	1705	34,5 254 273
24	60	29	CZC246029		1298	1428	1472	1607	28,9 230 246
21	72	29	CZC217229		1324	1463	1500	1647	30,7 229 249
21	60	29	CZC216029		1279	1387	1448	1557	25,6 207 224

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Option Grommet: Add grommets on top and sides & specify color: White (G14) or Charcoal (G24), add \$128, p.28.





STORAGE UNITS - 29" H.

Laminate lateral file cabinet with 2 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki lock included, locks both drawers. Grommet option available (3 positions), see p.28.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	29	SFF243629		911	1033	1012	1096	17,8 140 151
24	30	29	SFF243029		867	989	968	1037	17,8 125 135
21	36	29	SFF213629		877	988	974	1047	15,8 142 152
21	30	29	SFF213029		832	943	927	989	15,8 126 134

Combined storage unit with 2 - 6" drawers, 1 file drawer and 1 lateral file drawer.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki lock included, locks both file drawers. Grommet option available (3 positions), see p.28.

24	36	29	SUUFF243629	1053	1168	1177	1260	17,8 158 169
24	30	29	SUUFF243029	1007	1109	1131	1200	17,8 139 148
21	36	29	SUUFF213629	1019	1122	1137	1211	15,8 139 149
21	30	29	SUUFF213029	972	1063	1091	1152	15,8 124 132

Cabinet with 2 doors and adjustable shelf.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both doors. Grommet option available (3 positions), see p.28.

24	36	29	SDD243629	804	879	948	1078	17,8 155 169
24	30	29	SDD243029	760	838	898	1060	17,8 124 136
21	36	29	SDD213629	765	829	902	1073	15,8 141 153
21	30	29	SDD213029	719	789	854	1000	15,8 114 125

Combined storage unit with a bottom cabinet section and a 6" top drawer.

Noki lock included, locks both doors. Grommet option available (3 positions), see p.28.

24	36	29	SBDD243629	903	978	1047	1177	17,8 165 179
24	30	29	SBDD243029	859	937	997	1159	17,8 134 146
21	36	29	SBDD213629	864	928	1001	1172	15,8 151 163
21	30	29	SBDD213029	818	888	953	1099	15,8 124 135

SPECIFY

Series Code Surface Edge Base Fronts Pull

T - - / - / - - -

OPTIONS

Grom. C-Weight

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Grommet: Add grommets on top and sides & specify color: White (G13) or Charcoal (G23), add \$96, p.28.


Counter-weight (SFF & SUUFF only): For the counter-weight option, add (CW), add \$94.

STORAGE UNITS - 29" H.

Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at left.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all 3 drawers. Grommet option available (3 positions), see p.28.




				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	29	SDUUF243629	1004	1112	1076	1185	17,8	158	169
24	30	29	SDUUF243029	949	1043	1024	1118	17,8	139	148
21	36	29	SDUUF213629	964	1058	1032	1130	15,8	139	149
21	30	29	SDUUF213029	909	990	981	1063	15,8	124	132

Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all 3 drawers. Grommet option available (3 positions), see p.28.




24	36	29	SUUF243629	1004	1112	1076	1185	17,8	158	169
24	30	29	SUUF243029	949	1043	1024	1118	17,8	139	148
21	36	29	SUUF213629	964	1058	1032	1130	15,8	139	149
21	30	29	SUUF213029	909	990	981	1063	15,8	124	132

Storage unit with a cabinet section with door at left and open section at right.

Extra shelves: Order separately, see p.159.

Noki lock included. Grommet option available (3 positions), see p.28.




24	36	29	SDD243629	799	873	943	1073	17,8	148	162
24	30	29	SDD243029	755	833	892	1055	17,8	119	130
21	36	29	SDD213629	759	824	897	1067	15,8	135	147
21	30	29	SDD213029	714	783	848	994	15,8	108	119

Storage unit with a cabinet section with door at right and open section at left.

Extra shelves: Order separately, see p.159.

Noki lock included. Grommet option available (3 positions), see p.28.



24	36	29	SDD243629	799	873	943	1073	17,8	148	162
24	30	29	SDD243029	755	833	892	1055	17,8	119	130
21	36	29	SDD213629	759	824	897	1067	15,8	135	147
21	30	29	SDD213029	714	783	848	994	15,8	108	119

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify **Series:** L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull(s) included, specify type, p.56.


Option **Grommet:** Add grommets on top and sides & specify color: White (**G13**) or Charcoal (**G23**), add \$96, p.28.

SINGLE CABINETS



Single door cabinet (left).
Adjustable shelves inside.
Noki lock included.

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	50	3	SDL241850	1110	1159	1161	1197	15,7	124	129
24	18	41	2	SDL241841	1062	1111	1112	1148	12,9	102	107
24	18	35	2	SDL241835	1034	1084	1085	1121	11,1	88	93
24	18	29	1	SDL241829	992	1042	1043	1079	9,3	74	78
21	18	50	3	SDL211850	1100	1124	1144	1180	13,9	116	120
21	18	41	2	SDL211841	1053	1080	1098	1134	11,5	96	100
21	18	35	2	SDL211835	1026	1056	1071	1108	9,9	82	87
21	18	29	1	SDL211829	986	1018	1032	1068	8,3	69	73



Single door cabinet (right).
Adjustable shelves inside.
Noki lock included.

24	18	50	3	SDR241850	1110	1159	1161	1197	15,7	124	129
24	18	41	2	SDR241841	1062	1111	1112	1148	12,9	102	107
24	18	35	2	SDR241835	1034	1084	1085	1121	11,1	88	93
24	18	29	1	SDR241829	992	1042	1043	1079	9,3	74	78
21	18	50	3	SDR211850	1100	1124	1144	1180	13,9	116	120
21	18	41	2	SDR211841	1053	1080	1098	1134	11,5	96	100
21	18	35	2	SDR211835	1026	1056	1071	1108	9,9	82	87
21	18	29	1	SDR211829	986	1018	1032	1068	8,3	69	73

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pull included, specify type, p.56.

ASSEMBLED CREDENZAS - 35" H.




Credenza with 2 cabinets.
Adjustable shelves inside.
2 Noki locks included, lock all 4 doors.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	72	35	CZ4D247235		1663	1914	1772	2028	41,2 202 221
24	60	35	CZ4D246035		1604	1810	1701	1903	34,5 178 194
21	72	35	CZ4D217235		1637	1855	1737	1954	36,5 186 203
21	60	35	CZ4D216035		1580	1758	1671	1837	30,5 162 176




Credenza with cabinet sections at each end and open section at center (2 shelves).
Adjustable shelves inside the cabinets.
2 Noki locks included, lock both doors.

24	72	35	CZDOD247235	1529	1780	1638	1894	41,2	192	212
24	60	35	CZDOD246035	1470	1675	1566	1769	34,5	168	185
21	72	35	CZDOD217235	1503	1720	1603	1819	36,5	177	194
21	60	35	CZDOD216035	1445	1624	1537	1703	30,5	153	167



Credenza with 2 cabinets and 2 - 6" top drawers.
Adjustable shelves inside.
2 Noki locks included, lock all 4 doors.

24	72	35	CZ2B4D247235	1759	2010	1868	2124	41,0	220	234
24	60	35	CZ2B4D246035	1700	1905	1796	1999	34,5	189	205
21	72	35	CZ2B4D217235	1733	1950	1833	2049	36,5	199	216
21	60	35	CZ2B4D216035	1675	1854	1767	1933	30,5	173	187



Credenza with 2 cabinet sections at each end and 3 drawers (1 - 6" and 2 file drawers) at center.
Adjustable shelves inside.
2 Noki locks included, lock all central drawers and left door.

24	72	35	CZDUFFD247235	1876	2126	1984	2241	41,2	251	270
24	60	35	CZDUFFD246035	1816	2022	1913	2115	34,5	225	241
21	72	35	CZDUFFD217235	1849	2067	1949	2166	36,5	235	252
21	60	35	CZDUFFD216035	1792	1970	1883	2049	30,5	210	223

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

STORAGE UNITS - 35" H.



Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at left.


Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price		Specifications			
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
24	36	35	SDUFF243635		1235	1353	1364	1473	21,1	170 181
24	30	35	SDUFF243035		1173	1276	1305	1395	17,8	150 160
21	36	35	SDUFF213635		1188	1294	1313	1409	18,7	151 162
21	30	35	SDUFF213035		1128	1216	1253	1332	15,7	135 143




Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.

24	36	35	SUFFD243635		1235	1353	1364	1473	21,1	170 181
24	30	35	SUFFD243035		1173	1276	1305	1395	17,8	150 160
21	36	35	SUFFD213635		1188	1294	1313	1409	18,7	151 162
21	30	35	SUFFD213035		1128	1216	1253	1332	15,7	135 143




Cabinet with 2 doors.

Adjustable shelves inside.

Noki lock included, locks both doors.

24	36	35	SDD243635		905	964	1033	1163	21,1	181 195
24	30	35	SDD243035		861	923	982	1145	17,8	147 159
21	36	35	SDD213635		866	914	987	1157	18,7	167 179
21	30	35	SDD213035		821	873	938	1085	15,7	136 148



Combined storage unit with a bottom cabinet section with 2 doors and 6" top drawer.

Adjustable shelves inside.

Noki lock included, locks both doors.

24	36	35	SUDD243635		988	1063	1132	1262	21,1	188 202
24	30	35	SUDD243035		944	1022	1081	1244	17,8	153 164
21	36	35	SUDD213635		948	1013	1086	1256	18,7	174 186
21	30	35	SUDD213035		903	972	1037	1184	15,7	142 153

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

STORAGE UNITS - 41" H.



Laminate lateral file cabinet with 3 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.


In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki lock included, locks all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	41	SFFF243641	1349	1451	1524	1540	24,5	185	196
24	30	41	SFFF243041	1302	1406	1476	1480	20,7	170	180
21	36	41	SFFF213641	1312	1404	1482	1489	21,7	187	197
21	30	41	SFFF213041	1267	1360	1432	1456	18,3	171	179




Cabinet with 2 doors and 2 adjustable shelves.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both doors.

24	36	41	SDD243641	987	1115	1167	1210	24.6	207	221
24	30	41	SDD243041	919	1043	1093	1124	20.7	170	182
21	36	41	SDD213641	931	1046	1100	1135	21.8	189	201
21	30	41	SDD213041	862	974	1026	1049	18.3	156	167




Storage unit with a cabinet section with door at left and open section at right. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.159.

Noki lock included.

24	36	41	SD0243641	925	1054	1106	1148	24.6	196	210
24	30	41	SD0243041	857	981	1032	1063	20.7	161	173
21	36	41	SD0213641	869	985	1038	1074	21.8	178	190
21	30	41	SD0213041	801	912	965	988	18.3	146	157



Storage unit with a cabinet section with door at right and open section at left. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.159.

Noki lock included.

24	36	41	SD0243641	925	1054	1106	1148	24.6	196	210
24	30	41	SD0243041	857	981	1032	1063	20.7	161	173
21	36	41	SD0213641	869	985	1038	1074	21.8	178	190
21	30	41	SD0213041	801	912	965	988	18.3	146	157

SPECIFY

Series Code Surface Edge Base Fronts Pull C-Weight
T - - / - / - -

OPTIONS

Specify **Series:** L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull(s) included, specify type, p.56.

Option **Counter-weight (SFFF only):** For the counter-weight option, add (CW), add \$94.

LATERAL FILE CABINETS WITH 4 DRAWERS - 53" H.



Laminate lateral file cabinet with 4 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki lock included, locks all drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	53	S4F243653		1697	1819	1800	1882	31,4 230 241
24	30	53	S4F243053		1653	1763	1755	1824	26,4 215 225
21	36	53	S4F213653		1663	1774	1760	1834	27,8 232 242
21	30	53	S4F213053		1618	1729	1714	1775	23,4 216 224

SPECIFY

Series Code Surface Edge Base Fronts Pull C-Weight
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Option Counter-weight: For the counter-weight option, add (CW), add \$94.

COMBINED STORAGE UNITS - 72" - 66" H.



Combined storage unit with 3 lateral file drawers and top cabinet with 2 laminate doors.

Front-to-back filing bars (AC-BL15) sold separately, p.16.

1 adjustable shelf. Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers.

Noki lock included, locks all drawers.

72"	24	36	72	SDD3F243672	2001	2125	2136	2220	42.3	332	346
	24	30	72	SDD3F243072	1889	1999	2025	2093	35.6	287	296
	21	36	72	SDD3F213672	1932	2043	2055	2129	37.4	307	319
	21	30	72	SDD3F213072	1819	1915	1944	2001	31.5	265	273
66"	24	36	66	SDD3F243666	1915	2041	2052	2135	38,9	317	331
	24	30	66	SDD3F243066	1804	1913	1940	2008	32,7	273	283
	21	36	66	SDD3F213666	1846	1957	1969	2043	34,4	293	305
	21	30	66	SDD3F213066	1735	1830	1858	1916	29	252	261

SPECIFY

Series Code Surface Edge Base Fronts Pull
T - - / - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72"- 66" H.

Combined storage unit with 3 lateral file drawers and top cabinet with 2 aluminum framed doors.

Front-to-back filing bars (AC-BL15) sold separately, p.166.


1 adjustable shelf. Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers.


Noki lock included, locks all drawers.

Choice of finishes for top doors:


			L Lima 1"		M Mike 1½"						
Dimensions			Code		Price		Specifications				
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
			Laminate	H-Gloss White							
24	36	72	SDDM3F243672	SDDL3F243672	2741	2866	2877	2960	42.3	332	346
24	30	72	SDDM3F243072	SDDL3F243072	2629	2739	2765	2834	35.6	287	296
21	36	72	SDDM3F213672	SDDL3F213672	2672	2783	2795	2869	37.4	307	319
21	30	72	SDDM3F213072	SDDL3F213072	2560	2655	2684	2741	31.5	265	273
24	36	66	SDDM3F243666	SDDL3F243666	2655	2781	2792	2875	38,9	317	331
24	30	66	SDDM3F243066	SDDL3F243066	2544	2653	2681	2748	32,7	273	283
21	36	66	SDDM3F213666	SDDL3F213666	2586	2697	2709	2783	34,4	293	305
21	30	66	SDDM3F213066	SDDL3F213066	2475	2571	2598	2657	29,0	252	261



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

Acrylic												
24	36	72	SDDGiC3F243672		2635	2759	2770	2853	42.3	332	346	
24	30	72	SDDGiC3F243072		2522	2632	2659	2727	35.6	287	296	
21	36	72	SDDGiC3F213672		2565	2676	2688	2762	37.4	307	319	
21	30	72	SDDGiC3F213072		2453	2549	2577	2635	31.5	265	273	
24	36	66	SDDGiC3F243666		2549	2674	2685	2769	38,9	317	331	
24	30	66	SDDGiC3F243066		2438	2547	2574	2641	32,7	273	283	
21	36	66	SDDGiC3F213666		2479	2591	2603	2676	34,4	293	305	
21	30	66	SDDGiC3F213066		2368	2464	2492	2550	29,0	252	261	

Acrylic												
24	36	72	SDDGiA3F243672	2673	2798	2809	2893	42.3	332	346		
24	30	72	SDDGiA3F243072	2561	2672	2698	2767	35.6	287	296		
21	36	72	SDDGiA3F213672	2604	2715	2728	2809	37.4	307	319		
21	30	72	SDDGiA3F213072	2493	2587	2617	2682	31.5	265	273		
24	36	66	SDDGiA3F243666	2588	2714	2725	2808	38,9	317	331		
24	30	66	SDDGiA3F243066	2477	2586	2614	2681	32,7	273	283		
21	36	66	SDDGiA3F213666	2519	2630	2642	2716	34,4	293	305		
21	30	66	SDDGiA3F213066	2408	2503	2531	2588	29,0	252	261		

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 72" - 66" - 50" H.



Combined storage unit with 2 lateral file drawers and top open section with shelves.


Adjustable shelves: 2 (1 for the 50" H. unit). Front-to-back filing bars (AC-BL15) sold separately, p.166.

Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers (50" H. unit).

Noki lock included, locks both drawers.

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	2	SOFF243672	1549	1673	1684	1768	42.3	305	319
	24	30	72	2	SOFF243072	1455	1564	1592	1659	35.6	260	273
	21	36	72	2	SOFF213672	1478	1590	1603	1676	37.4	281	293
	21	30	72	2	SOFF213072	1386	1481	1509	1568	31.5	238	246
66"	24	36	66	2	SOFF243666	1480	1605	1616	1700	38,9	294	308
	24	30	66	2	SOFF243066	1385	1494	1520	1588	32,7	250	260
	21	36	66	2	SOFF213666	1410	1521	1533	1607	34,4	269	282
	21	30	66	2	SOFF213066	1315	1410	1439	1496	29.0	229	238
50"	24	36	50	1	SOFF243650	1382	1506	1517	1601	29.7	248	262
	24	30	50	1	SOFF243050	1293	1401	1429	1496	25.0	210	219
	21	36	50	1	SOFF213650	1318	1429	1442	1516	26.3	228	241
	21	30	50	1	SOFF213050	1230	1326	1353	1411	22.2	193	201



Combined storage unit with 2 lateral file drawers and top cabinet with 2 doors.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

2 adjustable shelves. Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

72"	24	36	72	2	SDDFF243672	1738	1863	1874	1958	42,3	317	331
	24	30	72	2	SDDFF243072	1627	1736	1763	1830	35,6	287	296
	21	36	72	2	SDDFF213672	1669	1780	1793	1874	37,4	293	305
	21	30	72	2	SDDFF213072	1558	1653	1681	1739	31,5	265	273
66"	24	36	66	2	SDDFF243666	1653	1779	1790	1872	38,9	317	331
	24	30	66	2	SDDFF243066	1542	1651	1678	1746	32,7	273	283
	21	36	66	2	SDDFF213666	1584	1695	1707	1781	34,4	293	305
	21	30	66	2	SDDFF213066	1472	1568	1596	1653	29	252	261

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72" - 66" H.

Combined storage unit with 2 lateral file drawers and top cabinet with 2 aluminum framed doors (2 adjustable shelves).


Front-to-back filing bars (AC-BL15) sold separately, p.166.

2 adjustable shelves. Extra shelves: Order separately, see p.159.


Noki lock included, locks both drawers.

Choice of finishes for top doors:


Dimensions			Code		Price		Specifications			
					T.F.L.		H.P.L.		Cu.Ft.	
A B C			Doors:		T.F.L.		H.P.L.		lb (L) lb (M)	
			Lamina		H-Gloss White					
72"	24	36	72	SDDMFF243672	SDDLFF243672	2776	2902	2913	2996	42,3 317 331
	24	30	72	SDDMFF243072	SDDLFF243072	2665	2774	2802	2869	35,6 287 296
	21	36	72	SDDMFF213672	SDDLFF213672	2707	2818	2831	2913	37,4 293 305
	21	30	72	SDDMFF213072	SDDLFF213072	2596	2692	2719	2778	31,5 265 273
66"	24	36	66	SDDMFF243666	SDDLFF243666	2692	2817	2828	2911	38,9 317 331
	24	30	66	SDDMFF243066	SDDLFF243066	2581	2690	2716	2784	32,7 273 283
	21	36	66	SDDMFF213666	SDDLFF213666	2622	2734	2746	2819	34,4 293 305
	21	30	66	SDDMFF213066	SDDLFF213066	2510	2606	2635	2692	29,0 252 261



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

72"	24	36	72	SDDGiCFF243672		2589	2715	2726	2809	42,3 317 331
	24	30	72	SDDGiCFF243072		2478	2587	2615	2682	35,6 287 296
	21	36	72	SDDGiCFF213672		2520	2631	2644	2726	37,4 293 305
	21	30	72	SDDGiCFF213072		2409	2505	2532	2591	31,5 265 273
66"	24	36	66	SDDGiCFF243666		2505	2630	2641	2724	38,9 317 331
	24	30	66	SDDGiCFF243066		2394	2503	2529	2597	32,7 273 283
	21	36	66	SDDGiCFF213666		2435	2547	2559	2632	34,4 293 305
	21	30	66	SDDGiCFF213066		2323	2419	2448	2505	29,0 252 261

72"	24	36	72	SDDGiAFF243672		2525	2650	2661	2745	42,3 317 331
	24	30	72	SDDGiAFF243072		2413	2539	2550	2633	35,6 287 296
	21	36	72	SDDGiAFF213672		2455	2566	2580	2661	37,4 293 305
	21	30	72	SDDGiAFF213072		2344	2455	2468	2550	31,5 265 273
66"	24	36	66	SDDGiAFF243666		2440	2565	2576	2660	38,9 317 331
	24	30	66	SDDGiAFF243066		2329	2454	2465	2549	32,7 273 283
	21	36	66	SDDGiAFF213666		2371	2482	2494	2567	34,4 293 305
	21	30	66	SDDGiAFF213066		2259	2371	2383	2456	29,0 252 261

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 72" - 66" - 50" H.




Combination storage unit with open section and cabinet with 2 doors.

Adjustable shelves: 2 in top section (1 for the 50" H. unit) and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both doors.

<div>L Lima 1" M Mike 1½"</div>											
Dimensions				Code	Price		Specifications				
A B C					T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	S0DD243672	1434	1572	1573	1665	42,3	303	317
	24	30	72	S0DD243072	1331	1452	1471	1546	35,6	252	264
	21	36	72	S0DD213672	1342	1464	1475	1551	37,4	274	286
	21	30	72	S0DD213072	1240	1345	1366	1431	31,5	228	239
66"	24	36	66	S0DD243666	1360	1497	1498	1591	38,9	292	306
	24	30	66	S0DD243066	1254	1374	1394	1467	32,7	242	254
	21	36	66	S0DD213666	1267	1389	1395	1475	34,4	264	276
	21	30	66	S0DD213066	1162	1267	1289	1353	29	219	230
50"	24	36	50	S0DD243650	1251	1388	1389	1482	29,7	239	253
	24	30	50	S0DD243050	1153	1274	1291	1366	25	197	209
	21	36	50	S0DD213650	1167	1289	1294	1374	26,3	217	229
	21	30	50	S0DD213050	1069	1173	1195	1258	22,2	178	189



Combined storage unit with 4 doors.

Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both bottom doors.

72"	24	36	72	S4D243672	1619	1753	1756	1845	42,3	330	344
	24	30	72	S4D243072	1497	1616	1635	1708	35,6	279	291
	21	36	72	S4D213672	1528	1649	1653	1734	37,4	301	313
	21	30	72	S4D213072	1408	1510	1532	1595	31,5	255	266
66"	24	36	66	S4D243666	1526	1662	1663	1753	38,9	315	329
	24	30	66	S4D243066	1406	1524	1542	1615	32,7	265	277
	21	36	66	S4D213666	1436	1555	1561	1640	34,4	287	299
	21	30	66	S4D213066	1315	1419	1440	1504	29	242	253

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72" - 66" H.

Storage unit with 2 aluminum framed doors (top) and 2 laminate doors (bottom).


Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, see p.159.


Noki lock included, locks both bottom doors.

Choice of finishes for top doors:


			L Lima 1"		M Mike 1½"						
Dimensions			Code		Price		Specifications				
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
			Laminate	H-Gloss White							
24	36	72	SDDMDD243672	SDDLDD243672	2672	2806	2808	2897	42,3	330	344
24	30	72	SDDMDD243072	SDDLDD243072	2550	2669	2687	2761	35,6	279	291
21	36	72	SDDMDD213672	SDDLDD213672	2581	2702	2706	2786	37,4	301	313
21	30	72	SDDMDD213072	SDDLDD213072	2461	2563	2585	2648	31,5	255	266
24	36	66	SDDMDD243666	SDDLDD243666	2578	2715	2716	2806	38,9	315	329
24	30	66	SDDMDD243066	SDDLDD243066	2459	2576	2595	2668	32,7	265	277
21	36	66	SDDMDD213666	SDDLDD213666	2488	2608	2614	2693	34,4	287	299
21	30	66	SDDMDD213066	SDDLDD213066	2367	2472	2493	2556	29	242	253



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

Acrylic														
24	36	72	SDDGiCDD243672	2485	2619	2621	2710	42,3	330	344				
24	30	72	SDDGiCDD243072	2363	2482	2500	2574	35,6	279	291				
21	36	72	SDDGiCDD213672	2394	2515	2519	2599	37,4	301	313				
21	30	72	SDDGiCDD213072	2274	2376	2398	2461	31,5	255	266				
24	36	66	SDDGiCDD243666	2391	2528	2529	2619	38,9	315	329				
24	30	66	SDDGiCDD243066	2272	2389	2408	2481	32,7	265	277				
21	36	66	SDDGiCDD213666	2301	2421	2427	2506	34,4	287	299				
21	30	66	SDDGiCDD213066	2180	2285	2306	2369	29	242	253				

Acrylic														
24	36	72	SDDGiADD243672	2280	2405	2407	2490	42,3	330	344				
24	30	72	SDDGiADD243072	2169	2294	2296	2379	35,6	279	291				
21	36	72	SDDGiADD213672	2191	2308	2312	2386	37,4	301	313				
21	30	72	SDDGiADD213072	2080	2197	2201	2275	31,5	255	266				
24	36	66	SDDGiADD243666	2195	2320	2321	2405	38,9	315	329				
24	30	66	SDDGiADD243066	2083	2209	2210	2294	32,7	265	277				
21	36	66	SDDGiADD213666	2111	2223	2226	2300	34,4	287	299				
21	30	66	SDDGiADD213066	2000	2112	2115	2189	29	242	253				

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CABINETS 72" - 66" - 50" H. (LAMINATE DOORS)




Shelves




Wardrobe cabinet

WARDROBE AT LEFT



Wardrobe cabinet

WARDROBE AT RIGHT



D: Number of shelves

Cabinet with 2 laminate doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both doors.

	Dimensions				Code	Price		M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDD243672	1488	1623	1624	1713	42,3	330	344
	24	30	72	4	SDD243072	1370	1486	1505	1576	35,6	279	291
	21	36	72	4	SDD213672	1399	1519	1522	1601	37,4	301	313
	21	30	72	4	SDD213072	1280	1383	1404	1466	31,5	255	266
66"	24	36	66	4	SDD243666	1398	1531	1533	1623	38,9	315	329
	24	30	66	4	SDD243066	1279	1396	1414	1486	32,7	265	277
	21	36	66	4	SDD213666	1309	1428	1432	1510	34,4	287	299
	21	30	66	4	SDD213066	1190	1291	1313	1375	29	242	253
50"	24	36	50	3	SDD243650	1112	1243	1235	1324	29,7	253	267
	24	30	50	3	SDD243050	1026	1150	1150	1222	25	210	222
	21	36	50	3	SDD213650	1045	1164	1159	1239	26,3	230	242
	21	30	50	3	SDD213050	960	1069	1073	1136	22.2	191	202
72"	24	36	72	4	SWD243672	1467	1648	1648	1731	42,3	300	314
	24	30	72	4	SWD243072	1363	1544	1544	1627	35,6	252	264
	21	36	72	4	SWD213672	1376	1551	1551	1627	37,4	275	287
	21	30	72	4	SWD213072	1272	1450	1450	1524	31,5	231	242
66"	24	36	66	4	SWD243666	1383	1563	1563	1647	38,9	281	295
	24	30	66	4	SWD243066	1278	1459	1459	1542	32,7	236	248
	21	36	66	4	SWD213666	1296	1465	1465	1542	34,4	257	269
	21	30	66	4	SWD213066	1192	1362	1362	1438	29	217	227
72"	24	36	72	4	SDW243672	1467	1648	1648	1731	42,3	300	314
	24	30	72	4	SDW243072	1363	1544	1544	1627	35,6	252	264
	21	36	72	4	SDW213672	1376	1551	1551	1627	37,4	275	287
	21	30	72	4	SDW213072	1272	1450	1450	1524	31,5	231	242
66"	24	36	66	4	SDW243666	1383	1563	1563	1647	38,9	281	295
	24	30	66	4	SDW243066	1278	1459	1459	1542	32,7	236	248
	21	36	66	4	SDW213666	1296	1465	1465	1542	34,4	257	269
	21	30	66	4	SDW213066	1192	1362	1362	1438	29	217	227

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CABINETS 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Cabinet with 2 doors with shelves only or shelves & wardrobe configuration.

Contemporary aluminum framed door with choice of either laminate or high-gloss white interior panel.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki lock included on door with laminate interior panel only, locks both doors.

L Lima 1"

M Mike 1½"


Dimensions	Code		Price		Specifications		
A B C D	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
	Laminate H-Gloss White						
72"	24 36 72 4	SDDM243672	SDDL243672	2943 3077	3078 3167	42,3 330	344
	24 30 72 4	SDDM243072	SDDL243072	2824 2940	2959 3031	35,6 279	291
	21 36 72 4	SDDM213672	SDDL213672	2853 2973	2977 3055	37,4 301	313
	21 30 72 4	SDDM213072	SDDL213072	2735 2837	2858 2921	31,5 255	266
66"	24 36 66 4	SDDM243666	SDDL243666	2852 2985	2988 3077	38,9 315	329
	24 30 66 4	SDDM243066	SDDL243066	2734 2850	2868 2940	32,7 265	277
	21 36 66 4	SDDM213666	SDDL213666	2763 2882	2886 2965	34,4 287	299
	21 30 66 4	SDDM213066	SDDL213066	2644 2746	2768 2829	29 242	253
50"	24 36 50 3	SDDM243650	SDDL243650	2566 2697	2690 2779	29,7 253	267
	24 30 50 3	SDDM243050	SDDL243050	2481 2604	2604 2676	25 210	222
	21 36 50 3	SDDM213650	SDDL213650	2499 2618	2614 2693	26,3 230	242
	21 30 50 3	SDDM213050	SDDL213050	2415 2523	2527 2591	22,2 191	202

Storage



Wardrobe cabinet


WARDROBE AT LEFT



		Laminate	H-Gloss White						
72"	24 36 72 4	SWDM243672	SWDL243672	2922 3102	3102 3186	42,3 300	314		
	24 30 72 4	SWDM243072	SWDL243072	2817 2999	2999 3081	35,6 252	264		
	21 36 72 4	SWDM213672	SWDL213672	2830 3005	3007 3081	37,4 275	287		
	21 30 72 4	SWDM213072	SWDL213072	2726 2901	2904 2978	31,5 231	242		
66"	24 36 66 4	SWDM243666	SWDL243666	2837 3017	3017 3101	38,9 281	295		
	24 30 66 4	SWDM243066	SWDL243066	2732 2913	2913 2996	32,7 236	248		
	21 36 66 4	SWDM213666	SWDL213666	2750 2919	2923 2996	34,4 257	269		
	21 30 66 4	SWDM213066	SWDL213066	2647 2816	2818 2892	29 217	227		

Wardrobe cabinet

WARDROBE AT RIGHT



		Laminate	H-Gloss White						
72"	24 36 72 4	SDWM243672	SDWL243672	2922 3102	3102 3186	42,3 300	314		
	24 30 72 4	SDWM243072	SDWL243072	2817 2999	2999 3081	35,6 252	264		
	21 36 72 4	SDWM213672	SDWL213672	2830 3005	3007 3081	37,4 275	287		
	21 30 72 4	SDWM213072	SDWL213072	2726 2901	2904 2978	31,5 231	242		
66"	24 36 66 4	SDWM243666	SDWL243666	2837 3017	3017 3101	38,9 281	295		
	24 30 66 4	SDWM243066	SDWL243066	2732 2913	2913 2996	32,7 236	248		
	21 36 66 4	SDWM213666	SDWL213666	2750 2919	2923 2996	34,4 257	269		
	21 30 66 4	SDWM213066	SDWL213066	2647 2816	2818 2892	29 217	227		

D: Number of shelves

SPECIFY

Series Code Surface Edge Base Fronts Pull

T - - / - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Take Off

Price List – USA

CABINETS 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)




Shelves




Wardrobe cabinet

WARDROBE AT LEFT



Wardrobe cabinet

WARDROBE AT RIGHT



Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDDGiC243672	2641	2775	2776	2866	42,3	330	344
	24	30	72	4	SDDGiC243072	2522	2639	2658	2729	35,6	279	291
	21	36	72	4	SDDGiC213672	2552	2672	2675	2753	37,4	301	313
	21	30	72	4	SDDGiC213072	2433	2536	2556	2619	31,5	255	266
66"	24	36	66	4	SDDGiC243666	2551	2684	2686	2775	38,9	315	329
	24	30	66	4	SDDGiC243066	2432	2549	2566	2639	32,7	265	277
	21	36	66	4	SDDGiC213666	2462	2581	2585	2663	34,4	287	299
	21	30	66	4	SDDGiC213066	2343	2444	2466	2528	29	242	253
50"	24	36	50	3	SDDGiC243650	2265	2396	2388	2477	29,7	253	267
	24	30	50	3	SDDGiC243050	2179	2302	2302	2375	25	210	222
	21	36	50	3	SDDGiC213650	2198	2317	2312	2391	26,3	230	242
	21	30	50	3	SDDGiC213050	2113	2222	2225	2289	22,2	191	202
72"	24	36	72	4	SWDGiC243672	2620	2801	2801	2884	42,3	300	314
	24	30	72	4	SWDGiC243072	2516	2697	2697	2780	35,6	252	264
	21	36	72	4	SWDGiC213672	2529	2704	2706	2780	37,4	275	287
	21	30	72	4	SWDGiC213072	2424	2599	2603	2676	31,5	231	242
66"	24	36	66	4	SWDGiC243666	2536	2716	2716	2800	38,9	281	295
	24	30	66	4	SWDGiC243066	2431	2611	2611	2695	32,7	236	248
	21	36	66	4	SWDGiC213666	2449	2618	2621	2695	34,4	257	269
	21	30	66	4	SWDGiC213066	2345	2515	2517	2591	29	217	227
72"	24	36	72	4	SDWGiC243672	2620	2801	2801	2884	42,3	300	314
	24	30	72	4	SDWGiC243072	2516	2697	2697	2780	35,6	252	264
	21	36	72	4	SDWGiC213672	2529	2704	2706	2780	37,4	275	287
	21	30	72	4	SDWGiC213072	2424	2599	2603	2676	31,5	231	242
66"	24	36	66	4	SDWGiC243666	2536	2716	2716	2800	38,9	281	295
	24	30	66	4	SDWGiC243066	2431	2611	2611	2695	32,7	236	248
	21	36	66	4	SDWGiC213666	2449	2618	2621	2695	34,4	257	269
	21	30	66	4	SDWGiC213066	2345	2515	2517	2591	29	217	227

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T					

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Storage

CABINETS 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.


Storage

Shelves




Wardrobe cabinet

WARDROBE AT LEFT



Wardrobe cabinet

WARDROBE AT RIGHT



D: Number of shelves

	Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
						T.F.L.	H.P.L.	T.F.L.	H.P.L.			
72"	A	B	C	D						Cu.Ft.	lb (L)	lb (M)
	24	36	72	4	SDDGiA243672	2180	2314	2316	2405	42,3	330	344
	24	30	72	4	SDDGiA243072	2061	2178	2197	2268	35,6	279	291
	21	36	72	4	SDDGiA213672	2091	2211	2214	2292	37,4	301	313
66"	21	30	72	4	SDDGiA213072	1972	2075	2096	2158	31,5	255	266
	24	36	66	4	SDDGiA243666	2090	2223	2225	2314	38,9	315	329
	24	30	66	4	SDDGiA243066	1971	2088	2105	2178	32,7	265	277
	21	36	66	4	SDDGiA213666	2001	2120	2124	2202	34,4	287	299
50"	21	30	66	4	SDDGiA213066	1882	1983	2005	2067	29	242	253
	24	36	50	3	SDDGiA243650	1804	1935	1927	2016	29,7	253	267
	24	30	50	3	SDDGiA243050	1718	1841	1841	1914	25	210	222
	21	36	50	3	SDDGiA213650	1737	1856	1851	1931	26,3	230	242
72"	21	30	50	3	SDDGiA213050	1652	1761	1764	1828	22,2	191	202
	24	36	72	4	SDWGiA243672	2159	2340	2340	2423	42,3	300	314
	24	30	72	4	SDWGiA243072	2055	2236	2236	2319	35,6	252	264
	21	36	72	4	SDWGiA213672	2068	2243	2245	2319	37,4	275	287
66"	21	30	72	4	SDWGiA213072	1964	2138	2142	2215	31,5	231	242
	24	36	66	4	SDWGiA243666	2075	2255	2255	2339	38,9	281	295
	24	30	66	4	SDWGiA243066	1970	2151	2151	2234	32,7	236	248
	21	36	66	4	SDWGiA213666	1988	2157	2160	2234	34,4	257	269
50"	21	30	66	4	SDWGiA213066	1884	2054	2056	2130	29	217	227
	24	36	50	3	SDWGiA243650	2159	2340	2340	2423	42,3	300	314
	24	30	50	3	SDWGiA243050	2055	2236	2236	2319	35,6	252	264
	21	36	50	3	SDWGiA213650	2068	2243	2245	2319	37,4	275	287
72"	21	30	50	3	SDWGiA213050	1964	2138	2142	2215	31,5	231	242
	24	36	66	4	SDWGiA243666	2075	2255	2255	2339	38,9	281	295
	24	30	66	4	SDWGiA243066	1970	2151	2151	2234	32,7	236	248
	21	36	66	4	SDWGiA213666	1988	2157	2160	2234	34,4	257	269
66"	21	30	66	4	SDWGiA213066	1884	2054	2056	2130	29	217	227

SPECIFY

Series Code Surface Edge Base Pull
T - - / - -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.




Cabinet with 1 laminate door (LEFT) with shelves only or wardrobe & shelves configuration.
Adjustable shelves with 1 fixed shelf.
Extra shelves: Order separately, see p.159.
Noki lock included.

Shelves



Wardrobe cabinet

WARDROBE AT LEFT



	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SD0243672	1499	1634	1635	1724	42,3	309	323
	24	30	72	4	SD0243072	1381	1497	1516	1587	35,6	262	274
	21	36	72	4	SD0213672	1410	1530	1533	1612	37,4	280	292
	21	30	72	4	SD0213072	1291	1394	1415	1477	31,5	237	249
66"	24	36	66	4	SD0243666	1409	1542	1544	1634	38,9	294	308
	24	30	66	4	SD0243066	1290	1407	1425	1497	32,7	250	262
	21	36	66	4	SD0213666	1320	1439	1443	1521	34,4	266	278
	21	30	66	4	SD0213066	1201	1302	1324	1386	29	226	237
50"	24	36	50	3	SD0243650	1123	1254	1246	1335	29,7	239	253
	24	30	50	3	SD0243050	1037	1161	1161	1233	25	198	210
	21	36	50	3	SD0213650	1056	1175	1170	1250	26,3	216	228
	21	30	50	3	SD0213050	971	1080	1084	1147	22,2	180	191
72"	24	36	72	4	SW0243672	1478	1659	1659	1742	42,3	279	293
	24	30	72	4	SW0243072	1374	1555	1555	1638	35,6	235	247
	21	36	72	4	SW0213672	1387	1562	1564	1638	37,4	254	266
	21	30	72	4	SW0213072	1283	1458	1461	1535	31,5	214	224
66"	24	36	66	4	SW0243666	1394	1574	1574	1658	38,9	262	276
	24	30	66	4	SW0243066	1289	1470	1470	1553	32,7	221	232
	21	36	66	4	SW0213666	1307	1476	1480	1553	34,4	239	251
	21	30	66	4	SW0213066	1203	1373	1375	1449	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.



Cabinet with 1 laminate door (RIGHT) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki lock included.


Storage

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



	Dimensions				Code	Price				Specifications			
	A	B	C	D		L Lima 1"		M Mike 1½"		Cu.Ft.	lb (L)	lb (M)	
72"	24	36	72	4	SOD243672	1499	1634	1635	1724	42,3	309	323	
	24	30	72	4	SOD243072	1381	1497	1516	1587	35,6	262	274	
	21	36	72	4	SOD213672	1410	1530	1533	1612	37,4	280	292	
	21	30	72	4	SOD213072	1291	1394	1415	1477	31,5	237	249	
66"	24	36	66	4	SOD243666	1409	1542	1544	1634	38,9	294	308	
	24	30	66	4	SOD243066	1290	1407	1425	1497	32,7	250	262	
	21	36	66	4	SOD213666	1320	1439	1443	1521	34,4	266	278	
	21	30	66	4	SOD213066	1201	1302	1324	1386	29	226	237	
50"	24	36	50	3	SOD243650	1123	1254	1246	1335	29,7	239	253	
	24	30	50	3	SOD243050	1037	1161	1161	1233	25	198	210	
	21	36	50	3	SOD213650	1056	1175	1170	1250	26,3	216	228	
	21	30	50	3	SOD213050	971	1080	1084	1147	22,2	180	191	
72"	24	36	72	4	SOW243672	1478	1659	1659	1742	42,3	279	293	
	24	30	72	4	SOW243072	1374	1555	1555	1638	35,6	235	247	
	21	36	72	4	SOW213672	1387	1562	1564	1638	37,4	254	266	
	21	30	72	4	SOW213072	1283	1458	1461	1535	31,5	214	224	
66"	24	36	66	4	SOW243666	1394	1574	1574	1658	38,9	262	276	
	24	30	66	4	SOW243066	1289	1470	1470	1553	32,7	221	232	
	21	36	66	4	SOW213666	1307	1476	1480	1553	34,4	239	251	
	21	30	66	4	SOW213066	1203	1373	1375	1449	29	201	212	

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.

("CONTEMPORARY" ALUM. FRAME w/ LAMINATE or H-GLOSS WHITE int. panel)




Shelves



Wardrobe cabinet

WARDROBE AT LEFT



Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki lock included on door with laminate interior panel only.

L Lima 1"

M Mike 1½"

	Dimensions				Code		Price				Specifications		
	A	B	C	D	Door:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
					Laminate	H-Gloss White							
72"	24	36	72	4	SDOM243672	SDOL243672	2226	2361	2362	2451	42,3	309	323
	24	30	72	4	SDOM243072	SDOL243072	2108	2224	2243	2314	35,6	262	274
	21	36	72	4	SDOM213672	SDOL213672	2137	2257	2261	2339	37,4	280	292
	21	30	72	4	SDOM213072	SDOL213072	2019	2121	2142	2204	31,5	237	249
66"	24	36	66	4	SDOM243666	SDOL243666	2136	2269	2272	2361	38,9	294	308
	24	30	66	4	SDOM243066	SDOL243066	2017	2134	2152	2224	32,7	250	262
	21	36	66	4	SDOM213666	SDOL213666	2047	2166	2170	2248	34,4	266	278
	21	30	66	4	SDOM213066	SDOL213066	1928	2030	2052	2113	29	226	237
50"	24	36	50	3	SDOM243650	SDOL243650	1850	1981	1973	2063	29,7	239	253
	24	30	50	3	SDOM243050	SDOL243050	1764	1888	1888	1960	25	198	210
	21	36	50	3	SDOM213650	SDOL213650	1783	1902	1898	1977	26,3	216	228
	21	30	50	3	SDOM213050	SDOL213050	1698	1807	1811	1874	22,2	180	191
72"	24	36	72	4	SWOM243672	SWOL243672	2206	2386	2386	2470	42,3	279	293
	24	30	72	4	SWOM243072	SWOL243072	2101	2283	2283	2365	35,6	235	247
	21	36	72	4	SWOM213672	SWOL213672	2114	2289	2291	2365	37,4	254	266
	21	30	72	4	SWOM213072	SWOL213072	2010	2185	2188	2262	31,5	214	224
66"	24	36	66	4	SWOM243666	SWOL243666	2121	2301	2301	2385	38,9	262	276
	24	30	66	4	SWOM243066	SWOL243066	2016	2197	2197	2280	32,7	221	232
	21	36	66	4	SWOM213666	SWOL213666	2034	2203	2207	2280	34,4	239	251
	21	30	66	4	SWOM213066	SWOL213066	1931	2100	2102	2176	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.

("CONTEMPORARY" ALUM. FRAME w/ LAMINATE or H-GLOSS WHITE int. panel)



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.


Noki lock included on door with laminate interior panel only.

L Lima 1"

M Mike 1½"


Dimensions				Code	Price				Specifications			
A	B	C	D	Door:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
				Laminate	H-Gloss White							
24	36	72	4	SODM243672	SODL243672	2226	2361	2362	2451	42,3	309	323
24	30	72	4	SODM243072	SODL243072	2108	2224	2243	2314	35,6	262	274
21	36	72	4	SODM213672	SODL213672	2137	2257	2261	2339	37,4	280	292
21	30	72	4	SODM213072	SODL213072	2019	2121	2142	2204	31,5	237	249
24	36	66	4	SODM243666	SODL243666	2136	2269	2272	2361	38,9	294	308
24	30	66	4	SODM243066	SODL243066	2017	2134	2152	2224	32,7	250	262
21	36	66	4	SODM213666	SODL213666	2047	2166	2170	2248	34,4	266	278
21	30	66	4	SODM213066	SODL213066	1928	2030	2052	2113	29	226	237
24	36	50	3	SODM243650	SODL243650	1850	1981	1973	2063	29,7	239	253
24	30	50	3	SODM243050	SODL243050	1764	1888	1888	1960	25	198	210
21	36	50	3	SODM213650	SODL213650	1783	1902	1898	1977	26,3	216	228
21	30	50	3	SODM213050	SODL213050	1698	1807	1811	1874	22,2	180	191

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



72"	24	36	72	4	SOWM243672	SOWL243672	2206	2386	2386	2470	42,3	279	293
	24	30	72	4	SOWM243072	SOWL243072	2101	2283	2283	2365	35,6	235	247
	21	36	72	4	SOWM213672	SOWL213672	2114	2289	2291	2365	37,4	254	266
	21	30	72	4	SOWM213072	SOWL213072	2010	2185	2188	2262	31,5	214	224
66"	24	36	66	4	SOWM243666	SOWL243666	2121	2301	2301	2385	38,9	262	276
	24	30	66	4	SOWM243066	SOWL243066	2016	2197	2197	2280	32,7	221	232
	21	36	66	4	SOWM213666	SOWL213666	2034	2203	2207	2280	34,4	239	251
	21	30	66	4	SOWM213066	SOWL213066	1931	2100	2102	2176	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)




Shelves



Wardrobe cabinet

WARDROBE AT LEFT



Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

	Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
						T.F.L.	H.P.L.	T.F.L.	H.P.L.			
72"	A	B	C	D						Cu.Ft.	lb (L)	lb (M)
	24	36	72	4	SDOGiC243672	2076	2210	2211	2300	42,3	309	323
	24	30	72	4	SDOGiC243072	1957	2074	2092	2164	35,6	262	274
	21	36	72	4	SDOGiC213672	1987	2107	2110	2188	37,4	280	292
66"	21	30	72	4	SDOGiC213072	1868	1970	1991	2054	31,5	237	249
	24	36	66	4	SDOGiC243666	1986	2119	2121	2210	38,9	294	308
	24	30	66	4	SDOGiC243066	1867	1983	2001	2074	32,7	250	262
	21	36	66	4	SDOGiC213666	1896	2015	2020	2098	34,4	266	278
50"	21	30	66	4	SDOGiC213066	1778	1879	1901	1962	29	226	237
	24	36	50	3	SDOGiC243650	1700	1830	1823	1912	29,7	239	253
	24	30	50	3	SDOGiC243050	1614	1737	1737	1810	25	198	210
	21	36	50	3	SDOGiC213650	1632	1751	1747	1826	26,3	216	228
72"	21	30	50	3	SDOGiC213050	1548	1657	1660	1724	22,2	180	191
	24	36	72	4	SWOGiC243672	2055	2235	2235	2319	42,3	279	293
	24	30	72	4	SWOGiC243072	1950	2132	2132	2214	35,6	235	247
	21	36	72	4	SWOGiC213672	1964	2138	2141	2214	37,4	254	266
66"	21	30	72	4	SWOGiC213072	1859	2034	2037	2111	31,5	214	224
	24	36	66	4	SWOGiC243666	1970	2151	2151	2234	38,9	262	276
	24	30	66	4	SWOGiC243066	1866	2046	2046	2130	32,7	221	232
	21	36	66	4	SWOGiC213666	1883	2053	2056	2130	34,4	239	251
50"	21	30	66	4	SWOGiC213066	1780	1949	1951	2025	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>


Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.


Storage

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



	Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
						T.F.L.	H.P.L.	T.F.L.	H.P.L.			
72"	A	B	C	D						Cu.Ft.	lb (L)	lb (M)
	24	36	72	4	SODGiC243672	2076	2210	2211	2300	42,3	309	323
	24	30	72	4	SODGiC243072	1957	2074	2092	2164	35,6	262	274
	21	36	72	4	SODGiC213672	1987	2107	2110	2188	37,4	280	292
66"	21	30	72	4	SODGiC213072	1868	1970	1991	2054	31,5	237	249
	24	36	66	4	SODGiC243666	1986	2119	2121	2210	38,9	294	308
	24	30	66	4	SODGiC243066	1867	1983	2001	2074	32,7	250	262
	21	36	66	4	SODGiC213666	1896	2015	2020	2098	34,4	266	278
50"	21	30	66	4	SODGiC213066	1778	1879	1901	1962	29	226	237
	24	36	50	3	SODGiC243650	1700	1830	1823	1912	29,7	239	253
	24	30	50	3	SODGiC243050	1614	1737	1737	1810	25	198	210
	21	36	50	3	SODGiC213650	1632	1751	1747	1826	26,3	216	228
	21	30	50	3	SODGiC213050	1548	1657	1660	1724	22,2	180	191
72"	24	36	72	4	SOWGiC243672	2055	2235	2235	2319	42,3	279	293
	24	30	72	4	SOWGiC243072	1950	2132	2132	2214	35,6	235	247
	21	36	72	4	SOWGiC213672	1964	2138	2141	2214	37,4	254	266
	21	30	72	4	SOWGiC213072	1859	2034	2037	2111	31,5	214	224
66"	24	36	66	4	SOWGiC243666	1970	2151	2151	2234	38,9	262	276
	24	30	66	4	SOWGiC243066	1866	2046	2046	2130	32,7	221	232
	21	36	66	4	SOWGiC213666	1883	2053	2056	2130	34,4	239	251
	21	30	66	4	SOWGiC213066	1780	1949	1951	2025	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T					


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)




Shelves



Wardrobe cabinet

WARDROBE AT LEFT



Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

	Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
						T.F.L.	H.P.L.	T.F.L.	H.P.L.			
72"	A	B	C	D						Cu.Ft.	lb (L)	lb (M)
	24	36	72	4	SDOGiA243672	1845	1979	1980	2069	42,3	309	323
	24	30	72	4	SDOGiA243072	1726	1843	1861	1933	35,6	262	274
	21	36	72	4	SDOGiA213672	1756	1876	1879	1957	37,4	280	292
66"	21	30	72	4	SDOGiA213072	1637	1739	1760	1823	31,5	237	249
	24	36	66	4	SDOGiA243666	1755	1888	1890	1979	38,9	294	308
	24	30	66	4	SDOGiA243066	1636	1752	1770	1843	32,7	250	262
	21	36	66	4	SDOGiA213666	1665	1784	1789	1867	34,4	266	278
50"	21	30	66	4	SDOGiA213066	1547	1648	1670	1731	29	226	237
	24	36	50	3	SDOGiA243650	1469	1599	1592	1681	29,7	239	253
	24	30	50	3	SDOGiA243050	1383	1506	1506	1579	25	198	210
	21	36	50	3	SDOGiA213650	1401	1520	1516	1595	26,3	216	228
72"	21	30	50	3	SDOGiA213050	1317	1426	1429	1493	22,2	180	191
	24	36	72	4	SWOGiA243672	1824	2004	2004	2088	42,3	279	293
	24	30	72	4	SWOGiA243072	1719	1901	1901	1983	35,6	235	247
	21	36	72	4	SWOGiA213672	1733	1907	1910	1983	37,4	254	266
66"	21	30	72	4	SWOGiA213072	1628	1803	1806	1880	31,5	214	224
	24	36	66	4	SWOGiA243666	1739	1920	1920	2003	38,9	262	276
	24	30	66	4	SWOGiA243066	1635	1815	1815	1899	32,7	221	232
	21	36	66	4	SWOGiA213666	1652	1822	1825	1899	34,4	239	251
50"	21	30	66	4	SWOGiA213066	1549	1718	1720	1794	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T			/		


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.


Storage

Shelves



Wardrobe cabinet

WARDROBE AT RIGHT



						L Lima 1"		M Mike 1½"					
Dimensions				Code		Price		Specifications					
A B C D						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
72"	24	36	72	4	SODGiA243672		1845	1979	1980	2069	42,3	309	323
	24	30	72	4	SODGiA243072		1726	1843	1861	1933	35,6	262	274
	21	36	72	4	SODGiA213672		1756	1876	1879	1957	37,4	280	292
	21	30	72	4	SODGiA213072		1637	1739	1760	1823	31,5	237	249
66"	24	36	66	4	SODGiA243666		1755	1888	1890	1979	38,9	294	308
	24	30	66	4	SODGiA243066		1636	1752	1770	1843	32,7	250	262
	21	36	66	4	SODGiA213666		1665	1784	1789	1867	34,4	266	278
	21	30	66	4	SODGiA213066		1547	1648	1670	1731	29	226	237
50"	24	36	50	3	SODGiA243650		1469	1599	1592	1681	29,7	239	253
	24	30	50	3	SODGiA243050		1383	1506	1506	1579	25	198	210
	21	36	50	3	SODGiA213650		1401	1520	1516	1595	26,3	216	228
	21	30	50	3	SODGiA213050		1317	1426	1429	1493	22,2	180	191
72"	24	36	72	4	SOWGiA243672		1824	2004	2004	2088	42,3	279	293
	24	30	72	4	SOWGiA243072		1719	1901	1901	1983	35,6	235	247
	21	36	72	4	SOWGiA213672		1733	1907	1910	1983	37,4	254	266
	21	30	72	4	SOWGiA213072		1628	1803	1806	1880	31,5	214	224
66"	24	36	66	4	SOWGiA243666		1739	1920	1920	2003	38,9	262	276
	24	30	66	4	SOWGiA243066		1635	1815	1815	1899	32,7	221	232
	21	36	66	4	SOWGiA213666		1652	1822	1825	1899	34,4	239	251
	21	30	66	4	SOWGiA213066		1549	1718	1720	1794	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS WITH SHELVES (LEFT)


Cabinet (LEFT) with shelves (3 adjustable and 1 fixed).

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Shelves have the same finish as the base color.

Extra shelves: Order separately, see p.159.

Noki lock included on laminate door only. Not available on door with H-Gloss White or Acrylic interior panel.



Laminate door


Dimensions	Code	L Lima 1"		M Mike 1½"		Specifications		
		A	B	C	Price	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"	24 24 72	24	24	72	SDL242472	1221	1366	1392 1444 29 261 270
	21 24 72	21	24	72	SDL212472	1167	1304	1330 1376 25,6 237 246
66"	24 24 66	24	24	66	SDL242466	1165	1311	1334 1387 26,6 240 249
	21 24 66	21	24	66	SDL212466	1112	1247	1274 1320 23,5 218 226

Storage




Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

Dimensions	Code	Door:		Specifications		
		Laminate	H-Gloss White	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"	24 24 72	SDML242472	SDLL242472	2082	2228	2253 2306 29 261 270
	21 24 72	SDML212472	SDLL212472	2028	2165	2191 2237 25,6 237 246
66"	24 24 66	SDML242466	SDLL242466	2026	2173	2196 2248 26,6 240 249
	21 24 66	SDML212466	SDLL212466	1973	2109	2135 2181 23,5 218 226



Contemporary aluminum frame/
Acrylic interior panel

Dimensions	Code	Acrylic		Specifications		
		SDGiCL242472	SDGiCL212472	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"	24 24 72	SDGiCL242472	SDGiCL212472	1887	2032	2057 2110 29 261 270
	21 24 72	SDGiCL212472	SDGiCL212472	1833	1969	1995 2042 25,6 237 246
66"	24 24 66	SDGiCL242466	SDGiCL212466	1830	1977	2000 2053 26,6 240 249
	21 24 66	SDGiCL212466	SDGiCL212466	1778	1913	1939 1986 23,5 218 226



Traditional aluminum frame/
Acrylic interior panel

Acrylic											
72"	24	24	72	SDGiAL242472	1610	1756	1781	1834	29	261	270
	21	24	72	SDGiAL212472	1557	1693	1719	1766	25,6	237	246
66"	24	24	66	SDGiAL242466	1554	1701	1724	1777	26,6	240	249
	21	24	66	SDGiAL212466	1502	1637	1663	1709	23,5	218	226

SPECIFY

Series Code Surface Edge Base Fronts Pull

T - - / - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS WITH SHELVES (RIGHT)


Cabinet (RIGHT) with shelves (3 adjustable and 1 fixed).

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Shelves have the same finish as the base color.

Extra shelves: Order separately, see p.159.


Naki lock included on laminate door only. Not available on door with H-Gloss White or Acrylic interior panel.




Laminate door



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Specifications				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SDR242472	1221	1366	1392	1444	29	261	270
21	24	72	SDR212472	1167	1304	1330	1376	25,6	237	246
24	24	66	SDR242466	1165	1311	1334	1387	26,6	240	249
21	24	66	SDR212466	1112	1247	1274	1320	23,5	218	226

Door:

			Laminate	H-Gloss White								
72"	24	24	72	SDMR242472	SDLR242472	2082	2228	2253	2306	29	261	270
	21	24	72	SDMR212472	SDLR212472	2028	2165	2191	2237	25,6	237	246
66"	24	24	66	SDMR242466	SDLR242466	2026	2173	2196	2248	26,6	240	249
	21	24	66	SDMR212466	SDLR212466	1973	2109	2135	2181	23,5	218	226
nel												
			Acrylic									
72"	24	24	72	SDGiCR242472		1887	2032	2057	2110	29	261	270
	21	24	72	SDGiCR212472		1833	1969	1995	2042	25,6	237	246
66"	24	24	66	SDGiCR242466		1830	1977	2000	2053	26,6	240	249
	21	24	66	SDGiCR212466		1778	1913	1939	1986	23,5	218	226
			Acrylic									
72"	24	24	72	SDGiAR242472		1610	1756	1781	1834	29	261	270
	21	24	72	SDGiAR212472		1557	1693	1719	1766	25,6	237	246
66"	24	24	66	SDGiAR242466		1554	1701	1724	1777	26,6	240	249
	21	24	66	SDGiAR212466		1502	1637	1663	1709	23,5	218	226

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.


Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS WITH WARDROBE (LEFT)

Cabinet (LEFT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Noki lock included on laminate door only. Not available on door with H-Gloss White or Acrylic interior panel.



Laminate door

Dimensions	Code	L Lima 1"		M Mike 1½"		Specifications		
		T.F.L.	H.P.L.	T.F.L.	H.P.L.			
72"	24 24 72	SWL242472	1015	1140	1161	1207	29	219 229
	21 24 72	SWL212472	977	1093	1115	1155	25,6	200 208
66"	24 24 66	SWL242466	967	1090	1111	1157	26,6	206 216
	21 24 66	SWL212466	928	1044	1066	1107	23,5	188 196




Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

Dimensions		Door:		Price		Specifications		
		Laminate	H-Gloss White					
72"	24 24 72	SWML242472	SWLL242472	1877	2001	2022	2068	29 219 229
	21 24 72	SWML212472	SWLL212472	1838	1955	1977	2016	25,6 200 208
66"	24 24 66	SWML242466	SWLL242466	1828	1951	1972	2019	26,6 206 216
	21 24 66	SWML212466	SWLL212466	1790	1905	1927	1968	23,5 188 196



Contemporary aluminum frame/
Acrylic interior panel

Dimensions		Acrylic		Price		Specifications		
		SWGiCL242472	SWGiCL212472					
72"	24 24 72	SWGiCL242472	SWGiCL212472	1681	1805	1826	1872	29 219 229
	21 24 72	SWGiCL212472	SWGiCL212472	1642	1759	1781	1821	25,6 200 208
66"	24 24 66	SWGiCL242466	SWGiCL212466	1632	1756	1777	1823	26,6 206 216
	21 24 66	SWGiCL212466	SWGiCL212466	1594	1709	1731	1772	23,5 188 196



Traditional aluminum frame/
Acrylic interior panel

Dimensions		Acrylic		Price		Specifications		
		SWGiAL242472	SWGiAL212472					
72"	24 24 72	SWGiAL242472	SWGiAL212472	1405	1529	1550	1596	29 219 229
	21 24 72	SWGiAL212472	SWGiAL212472	1366	1483	1505	1544	25,6 200 208
66"	24 24 66	SWGiAL242466	SWGiAL212466	1356	1480	1500	1547	26,6 206 216
	21 24 66	SWGiAL212466	SWGiAL212466	1318	1433	1455	1496	23,5 188 196

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.


Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS WITH WARDROBE (RIGHT)

Cabinet (RIGHT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.


Noki lock included on laminate door only. Not available on door with H-Gloss White or Acrylic interior panel.




Laminate door



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

Dimensions	Code	L Lima 1"		M Mike 1½"		Specifications		
		T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A B C						Cu.Ft.	lb (L)	lb (M)
72" 24 24 72	SWR242472	1015	1140	1161	1207	29	219	229
21 24 72	SWR212472	977	1093	1115	1155	25,6	200	208
66" 24 24 66	SWR242466	967	1090	1111	1157	26,6	206	216
21 24 66	SWR212466	928	1044	1066	1107	23,5	188	196

Door:

		Code	Lamina		H-Gloss White		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
72" 24 24 72	SWMR242472	SWLR242472	1877	2001	2022	2068	29	219	229
21 24 72	SWMR212472	SWLR212472	1838	1955	1977	2016	25,6	200	208
66" 24 24 66	SWMR242466	SWLR242466	1828	1951	1972	2019	26,6	206	216
21 24 66	SWMR212466	SWLR212466	1790	1905	1927	1968	23,5	188	196

Acrylic

72" 24 24 72	SWGICR242472	1681	1805	1826	1872	29	219	229
21 24 72	SWGICR212472	1642	1759	1781	1821	25,6	200	208
66" 24 24 66	SWGICR242466	1632	1756	1777	1823	26,6	206	216
21 24 66	SWGICR212466	1594	1709	1731	1772	23,5	188	196

Acrylic

72" 24 24 72	SWGIAr242472	1405	1529	1550	1596	29	219	229
21 24 72	SWGIAr212472	1366	1483	1505	1544	25,6	200	208
66" 24 24 66	SWGIAr242466	1356	1480	1500	1547	26,6	206	216
21 24 66	SWGIAr212466	1318	1433	1455	1496	23,5	188	196

SPECIFY

Series Code Surface Edge Base Fronts Pull

T - - / - / -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

COMBINED STORAGE UNITS - 50" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

L Lima 1" **M Mike 1½"**

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	50	SWDUF242450		1306	1486	1486	1569	20,3 225 233
21	24	50	SWDUF212450		1219	1388	1390	1465	18 207 214



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

24	24	50	SDUFW242450		1306	1486	1486	1569	20,3 225 233
21	24	50	SDUFW212450		1219	1388	1390	1465	18 207 214

COMBINED STORAGE UNITS - 50" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

Doors:

			Laminate	H-Gloss White					
24	24	50	SWDUFM242450	SWDUF242450	2044	2224	2224	2307	20,3 225 233
21	24	50	SWDUFM212450	SWDUF212450	1957	2126	2129	2203	18 207 214



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

Doors:

			Laminate	H-Gloss White					
24	24	50	SDUFWM242450	SDUFWL242450	2044	2224	2224	2307	20,3 225 233
21	24	50	SDUFWM212450	SDUFWL212450	1957	2126	2129	2203	18 207 214

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.


COMBINED STORAGE UNITS - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki lock included, locks both drawers.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	50	SWDUFGiC242450		1943	2123	2123	2206	20,3 225 233
21	24	50	SWDUFGiC212450		1856	2025	2027	2102	18 207 214




Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki lock included, locks both drawers.

24	24	50	SDUFWGiC242450		1943	2123	2123	2206	20,3 225 233
21	24	50	SDUFWGiC212450		1856	2025	2027	2102	18 207 214


COMBINED STORAGE UNITS - 50" H. ("TRADITIONAL" FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki lock included, locks both drawers.

24	24	50	SWDUFGiA242450		1960	2142	2142	2224	20,3 225 233
21	24	50	SWDUFGiA212450		1874	2044	2046	2121	18 207 214



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.
Pencil tray included in the 6" drawer.
Extra shelves: Order separately, see p.159.
Noki lock included, locks both drawers.

24	24	50	SDUFWGiA242450		1960	2142	2142	2224	20,3 225 233
21	24	50	SDUFWGiA212450		1874	2044	2046	2121	18 207 214

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 66" H.



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	66	SWDUUF242466		1533	1690	1690	1772	26,6 257 265
21	24	66	SWDUUF212466		1447	1591	1594	1669	23,5 237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left.

Pencil tray included in the 6" top drawer.


Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	66	SDUUFW242466	1533	1690	1690	1772	26,6	257	265
21	24	66	SDUUFW212466	1447	1591	1594	1669	23,5	237	244

COMBINED STORAGE UNITS - 66" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

			Doors:						
			Laminate	H-Gloss White					
24	24	66	SWDUUFM242466	SWDUUFL242466	2272	2428	2428	2510	26,6 257 265
21	24	66	SWDUUFM212466	SWDUUFL212466	2185	2329	2332	2407	23,5 237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

			Doors:						
			Laminate	H-Gloss White					
24	24	66	SDUUFWM242466	SDUUFWL242466	2272	2428	2428	2510	26,6 257 265
21	24	66	SDUUFWM212466	SDUUFWL212466	2185	2329	2332	2407	23,5 237 244

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 66" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.

Pencil tray included in the 6" top drawer.


Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	66	SWDUUFGiC242466		2170	2327	2327	2409	26,6 257 265
21	24	66	SWDUUFGiC212466		2083	2228	2231	2306	23,5 237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.


Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	66	SDUUFWGiC242466		2170	2327	2327	2409	26,6 257 265
21	24	66	SDUUFWGiC212466		2083	2228	2231	2306	23,5 237 244

COMBINED STORAGE UNITS - 66" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	66	SWDUUFGiA242466		2295	2476	2476	2559	26,6 257 265
21	24	66	SWDUUFGiA212466		2209	2377	2380	2455	23,5 237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	66	SDUUFWGiA242466		2295	2476	2476	2559	26,6 257 265
21	24	66	SDUUFWGiA212466		2209	2377	2380	2455	23,5 237 244

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 66" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right.


Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price		Specifications			
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L) Lb (M)
24	24	66	SWDFF242466		1506	1664	1637	1719	26,6	257 265
21	24	66	SWDFF212466		1416	1565	1541	1616	23,5	237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left.


Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

24	24	66	SDFFW242466	1506	1664	1637	1719	26,6	257	265
21	24	66	SDFFW212466	1416	1565	1541	1616	23,5	237	244

COMBINED STORAGE UNITS - 66" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

Doors:

			Laminate		H-Gloss White					
24	24	66	SWDFFM242466	SWDFFL242466	2244	2402	2375	2457	26,6	257 265
21	24	66	SWDFFM212466	SWDFFL212466	2154	2303	2279	2354	23,5	237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

Doors:

			Laminate		H-Gloss White					
24	24	66	SDFFWM242466	SDFFWL242466	2244	2402	2375	2457	26,6	257 265
21	24	66	SDFFWM212466	SDFFWL212466	2154	2303	2279	2354	23,5	237 244

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 66" H. (CONTEMPORARY ALUMINUM FRAME with ACRYLIC interior panel)




Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code	Price				Specifications	
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
24	24	66	SWDFFGiC242466	2143	2301	2274	2356	26,6	257 265
21	24	66	SWDFFGiC212466	2053	2202	2178	2253	23,5	237 244



Wardrobe at right


Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

24	24	66	SDFFWGiC242466		2143	2301	2274	2356	26,6 257 265
21	24	66	SDFFWGiC212466		2053	2202	2178	2253	23,5 237 244

COMBINED STORAGE UNITS - 66" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)




Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

24	24	66	SWDFFGiA242466		2243	2423	2423	2506	26,6 257 265
21	24	66	SWDFFGiA212466		2156	2325	2328	2402	23,5 237 244



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki lock included, locks both drawers.

24	24	66	SDFFWGiA242466		2243	2423	2423	2506	26,6 257 265
21	24	66	SDFFWGiA212466		2156	2325	2328	2402	23,5 237 244

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 72" H.



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	72	SWDUFF242472		1634	1761	1761	1844	29 272 280
21	24	72	SWDUFF212472		1544	1663	1665	1740	25,6 251 257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	72	SDUFFW242472		1634	1761	1761	1844	29 272 280
21	24	72	SDUFFW212472		1544	1663	1665	1740	25,6 251 257

COMBINED STORAGE UNITS - 72" H.

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

Doors:

			Laminate		H-Gloss White				
24	24	72	SWDUFFM242472		SWDUFFFL242472		2372	2499	2499 2582 29 272 280
21	24	72	SWDUFFM212472		SWDUFFFL212472		2283	2401	2404 2478 25,6 251 257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

Doors:

			Laminate		H-Gloss White				
24	24	72	SDUFFWM242472		SDUFFWL242472		2372	2499	2499 2582 29 272 280
21	24	72	SDUFFWM212472		SDUFFWL212472		2283	2401	2404 2478 25,6 251 257

SPECIFY

Series Code Surface Edge Base Fronts Pull
T - - / - / -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

COMBINED STORAGE UNITS - 72" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.


Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

L Lima 1"

M Mike 1½"

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	72	SWDUFFGiC242472		2270	2398	2398	2481	29 272 280
21	24	72	SWDUFFGiC212472		2181	2300	2302	2377	25,6 251 257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	72	SDUFFWGiC242472		2270	2398	2398	2481	29 272 280
21	24	72	SDUFFWGiC212472		2181	2300	2302	2377	25,6 251 257

COMBINED STORAGE UNITS - 72" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Wardrobe at left


Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	72	SWDUFFGiA242472		2367	2548	2548	2630	29 272 280
21	24	72	SWDUFFGiA212472		2280	2450	2452	2527	25,6 251 257



Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki lock included, locks all drawers.

24	24	72	SDUFFWGiA242472		2367	2548	2548	2630	29 272 280
21	24	72	SDUFFWGiA212472		2280	2450	2452	2527	25,6 251 257

SPECIFY

Series Code Surface Edge Base Fronts Pull

T - - / - / -

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

2-WAY CABINETS - 66" - 50" H.



Combined storage unit with front drawer section (UUF) and side open storage with adjustable shelf.

Pencil tray included in the 6" top drawer. Front-to-back filing bars sold separately, see p.166.

Noki lock included, locks all drawers.

Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.

Extra shelves: Order separately, see p.159.



			L Lima 1"		M Mike 1½"					
Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
Left										
66"	24	18½	66	SOUUFL241866	1074	1158	1158	1212	21	159 164
	21	18½	66	SOUUFL211866	1060	1143	1144	1196	18,6	142 147
50"	24	18½	50	SOUUFL241850	1033	1114	1114	1166	16	121 126
	21	18½	50	SOUUFL211850	1020	1099	1100	1150	14,2	108 113
Right										
66"	24	18½	66	SOUUFR241866	1074	1158	1158	1212	21	159 164
	21	18½	66	SOUUFR211866	1060	1143	1144	1196	18,6	142 147
50"	24	18½	50	SOUUFR241850	1033	1114	1114	1166	16	121 126
	21	18½	50	SOUUFR211850	1020	1099	1100	1150	14,2	108 113



Combined storage unit with front drawer section (FF) and side open storage with adjustable shelf.

Front-to-back filing bars sold separately, see p.166.

Noki lock included, locks all drawers.

Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.

Extra shelves: Order separately, see p.159.



Left									
66"	24	18½	66	SOFFL241866	1074	1158	1158	1212	21 157 161
	21	18½	66	SOFFL211866	1060	1143	1144	1196	18,6 140 144
50"	24	18½	50	SOFFL241850	1033	1114	1114	1166	16 119 124
	21	18½	50	SOFFL211850	1020	1099	1100	1150	14,2 107 111
Right									
66"	24	18½	66	SOFFR241866	1074	1158	1158	1212	21 157 161
	21	18½	66	SOFFR211866	1060	1143	1144	1196	18,6 140 144
50"	24	18½	50	SOFFR241850	1033	1114	1114	1166	16 119 124
	21	18½	50	SOFFR211850	1020	1099	1100	1150	14,2 107 111

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (Drawers): Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

2-WAY CABINETS - 50" H.



Combined storage unit with front drawer section (UF) and side open storage with adjustable shelf. Use with 23" H. credenzas.

Pencil tray included in the 6" drawer. Front-to-back filing bars sold separately, see p.166.

Noki lock included, locks both drawers.

Tackboard available: 17"x26", see below.

Extra shelves: Order separately, see p.159.



				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
Left											
24	18½	50	23	SOUFL241850	1033	1114	1114	1166	16	113	118
21	18½	50	23	SOUFL211850	1020	1099	1100	1150	14,2	100	105

Right											
24	18½	50	23	SOUFR241850		1033	1114	1114	1166	16	113 118
21	18½	50	23	SOUFR211850		1020	1099	1100	1150	14,2	100 105

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T						


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (Drawers): Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

TACKBOARDS



Fabric-covered tackboard for 2-way cabinets.

Installs with Velcro strips.

Dimensions			Code		Price		Specifications				
A	B	Use with cabinets:			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	Lb (L)
17	35	66"	BTL1735		206	228	249	263	271	0,8	8
17	26	50" (with 2 drawers)	BTL1726		153	169	185	196	201	0,6	6
17	20	50" (with 3 drawers)	BTL1720		130	158	162	172	182	0,5	5

SPECIFY

Code	Fabric
AC	

Specify Code: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.



BOOKCASES

Bookcase 24", 21" or 12" deep.

Shelves and sides 1".

Extra shelves: Order separately, see p.159.

* 84" high bookcases have 4 adjustable shelves and 1 fixed shelf.



D: Number of shelves

					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	84	4*	BK243684	1008	1109	1122	1224	49,2	336	346
24	36	72	4	BK243672	890	994	1008	1110	42,3	289	303
24	36	66	4	BK243666	846	952	922	1024	38,9	278	292
24	36	50	3	BK243650	700	804	824	926	29,7	225	239
24	36	41	2	BK243641	613	716	702	804	24,6	186	196
24	36	29	1	BK243629	449	551	545	647	17,7	134	144
24	30	84	4*	BK243084	932	1048	1060	1156	41,4	285	293
24	30	72	4	BK243072	821	925	945	1041	35,6	245	257
24	30	66	4	BK243066	779	884	858	954	32,7	234	246
24	30	50	3	BK243050	635	739	766	861	25	187	198
24	30	41	2	BK243041	550	655	648	744	20,7	155	163
24	30	29	1	BK243029	393	497	496	592	14,9	111	119
21	36	84	4*	BK213684	854	902	955	994	43,5	302	310
21	36	72	4	BK213672	751	803	856	895	37,5	260	272
21	36	66	4	BK213666	715	768	778	817	34,4	250	268
21	36	50	3	BK213650	589	640	700	739	26,3	202	214
21	36	41	2	BK213641	514	564	590	629	21,7	167	175
21	36	29	1	BK213629	365	415	448	487	15,7	121	129
21	30	84	4*	BK213084	785	849	901	934	36,6	256	263
21	30	72	4	BK213072	690	741	801	834	31,5	220	231
21	30	66	4	BK213066	656	708	722	755	29	210	222
21	30	50	3	BK213050	531	583	649	682	22,1	168	179
21	30	41	2	BK213041	459	510	543	576	18,3	139	146
21	30	29	1	BK213029	317	369	407	440	13,2	100	107
12	36	84	4*	BK123684	854	902	955	994	26,4	170	177
12	36	72	4	BK123672	751	803	856	895	22,8	151	158
12	36	66	4	BK123666	715	768	778	817	20,1	142	148
12	36	50	3	BK123650	589	640	700	739	16	123	129
12	36	41	2	BK123641	514	564	590	629	13,2	102	109
12	36	29	1	BK123629	365	415	448	487	9,9	84	91
12	30	84	4*	BK123084	785	849	901	934	22,3	151	157
12	30	72	4	BK123072	690	741	801	834	19,2	134	140
12	30	66	4	BK123066	656	708	722	755	17,6	126	131
12	30	50	3	BK123050	531	583	649	682	13,5	108	114
12	30	41	2	BK123041	459	510	543	576	11,2	90	95
12	30	29	1	BK123029	317	369	407	440	6,1	72	78

SPECIFY

Series	Code	Surface	Edge	Base
T				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.



CORNER BOOKCASES

Freestanding (on floor) corner bookcase 30", 24", 21" or 12" deep.

41" and higher bookcases need to be attached to an adjacent bookcase or to the wall for stability.

The "hutch" version of this bookcase (installed on a surface) is available at p.206.

Storage



D: Number of shelves

					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price				Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	29	1	BKC3029	754	875	824	986	18,4	139	151
24	24	72	4	BKC2472	1042	1119	1315	1415	28,9	188	196
24	24	66	4	BKC2466	1002	1078	1269	1368	26,6	180	188
24	24	50	3	BKC2450	870	947	1118	1218	20,3	143	151
24	24	41	2	BKC2441	739	815	967	1067	16,8	116	123
24	24	35	2	BKC2435	700	774	922	1021	14,5	107	114
24	24	29	1	BKC2429	600	675	806	905	12,1	98	105
21	21	72	4	BKC2172	912	981	1172	1250	22,7	154	160
21	21	66	4	BKC2166	879	948	1134	1211	20,8	147	153
21	21	50	3	BKC2150	767	837	1005	1082	15,9	117	123
21	21	41	2	BKC2141	656	725	878	954	13,2	95	100
21	21	35	2	BKC2135	623	692	839	922	11,4	87	93
21	21	29	1	BKC2129	530	600	733	809	9,5	79	85
12	12	72	4	BKC1272	646	696	717	782	8,4	74	76
12	12	66	4	BKC1266	581	630	651	717	7,7	69	71
12	12	50	3	BKC1250	515	565	586	651	5,9	53	55
12	12	41	2	BKC1241	454	502	536	586	4,9	43	45
12	12	29	1	BKC1229	309	351	393	428	3,5	35	37

SPECIFY


Series	Code	Surface	Edge	Base
T	-	-	/	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

EXTRA SHELVES FOR CABINETS, OPEN STORAGE UNITS AND BOOKCASES



Extra shelf for storage units and bookcases.
Shelf has 1" thickness and is compatible with all series.

	Dimensions		Code	Price	Storage type	Specifications	
	A	B				Cu.Ft.	lb
For storage units 24" x 18"	22	16	STS2216	77		0,6	9
	19	16	STS1916	68		0,5	7
For storage units 24" x 36"	22	34	STS2234	123		1,0	18
For storage units 24" x 30"	22	28	STS2228	112		0,8	15
For storage units 21" x 36"	19	34	STS1934	114		0,9	16
For storage units 21" x 30"	19	28	STS1928	106		0,7	13
For single door cabinets 24" x 24"	22	22	STS2222	96		0,7	12
For single door cabinets 21" x 24"	19	22	STS1922	83		0,6	10
(codes SDO../SOD../SWO../SOW..)							
For single door cabinets 24" x 36"	22	17	STS2217	78		0,5	9
For single door cabinets 24" x 30"	22	14	STS2214	74		0,4	8
(codes STWS/STSW)							
For two door cabinets 21" x 36"	19	17	STS1917	72		0,5	8
For two door cabinets 21" x 30"	19	14	STS1914	67		0,4	7
For combination storage 24" x 24"	14	22	STS1422	52		0,4	8
For combination storage 21" x 24"	14	19	STS1419	50		0,4	7
For 2-way cabinets 24" x 18½"	22	17	BTS2217	77		0,5	9
For 2-way cabinets 21" x 18½"	19	17	BTS1917	68		0,5	8
For bookcases 24" x 36"	23	34	BKS2334	138		1,0	19
For bookcases 24" x 30"	23	28	BKS2328	116		0,9	16
For bookcases 21" x 36"	20	34	BKS2034	121		0,9	17
For bookcases 21" x 30"	20	28	BKS2028	99		0,8	14
For bookcases 12" x 36"	11	34	BKS1134	55		0,5	9
For bookcases 12" x 30"	11	28	BKS1128	53		0,5	8

SPECIFY

Series	Code	Base
T	L	-

Specify **Code**: Consult the above product code list.


Base: Take Off finishes, p.54-55.

SUSPENDED PEDESTALS


Suspended pedestal with 2 - 6" drawers.

Pencil tray included in the 6" top drawer.

Noki lock included, locks both drawers.



Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	12	SPUU	342	3,0	33




Suspended pedestal with 1 - 12" drawer.

Noki lock included.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	12	SPF	342	3,0	33
-----	----	----	------------	-----	-----	----




Suspended pedestal with 3 - 6" drawers.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.

15½	18	18	SPUUU	477	4,3	39
-----	----	----	--------------	-----	-----	----



Suspended pedestal with 1 - 6" drawer and 1 - 12" drawer.

Pencil tray included in the 6" drawer.

Noki lock included, locks both drawers.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	18	SPUF	477	4,3	39
-----	----	----	-------------	-----	-----	----

SPECIFY

Series Code Base Fronts Pull
T L - - / -

OPTIONS




Specify **Code:** Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options **Pull:** Pull option, specify type, add \$22 per drawer, p.56.



FREESTANDING PEDESTALS WITHOUT TOP

Freestanding surface-attached pedestal.
Pencil tray included in the 6" top drawer.
Use under surfaces 21" and deeper.
Noki lock included, locks all drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.



Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
Freestanding pedestal with 2 - 6" drawers and 1 - 12" file drawer.						
15½	18	27½	FPUUF	685	6,6	65
Freestanding pedestal with 2 - 12" file drawers.						
15½	18	27½	FPFF	685	6,6	63
Freestanding pedestal with 4 - 6" drawers.						
15½	18	27½	FP4U	701	6,0	67

FREESTANDING PEDESTALS WITH INTEGRATED RECYCLING BIN, WITHOUT TOP



Freestanding surface-attached pedestal with 2 - 6" drawers and 1 recycling bin drawer.
Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.
Use under surfaces 21" and deeper.
Noki lock included, locks top 2 drawers.

Freestanding surface-attached pedestal with 1 - 12" file drawer and 1 recycling bin drawer.
Noki lock included, locks top drawer. Recycling bin included in the bottom drawer.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	27½	FPUUY	646	6,0	56
15½	18	27½	FPFY	646	6,0	54

SPECIFY

Series Code Base Fronts Pull
T L - - / -

OPTIONS

Specify **Code:** Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options **Pull:** Pull option, specify type, add \$22 per drawer, p.56.

SUPPORT PEDESTALS - LAMINATE

Support pedestal with 2 - 6" drawers and 1 - 12" file drawer.



Use under surfaces 24" and deeper, and replaces an end panel (or leg) when necessary, see p.35.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.

Must be used under a surface without base or modesty panel where the pedestal is positioned.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.



Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	24	27½	FSPUUF	699	7,5	70

Support pedestal with 2 - 12" file drawers.

15½	24	27½	FSPFF	699	7,5	70
-----	----	-----	--------------	-----	-----	----

SPECIFY

Series Code Base Fronts Pull
T L - - / -

OPTIONS

Specify **Code:** Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options **Pull:** Pull option, specify type, add \$22 per drawer, p.56.

SUPPORT PEDESTALS - METAL

Freestanding surface-attached **metal** pedestal with center pull, with 2 or 3 drawers.


Pencil tray included in the 6" top drawer. Noki lock included, locks all drawers.

Use 22" deep pedestal under surfaces 24" and deeper.

Use 28" deep pedestal under surfaces 30" and deeper.


Explanations on pedestal dimensions are available, see p.61.

45 Series



Drawers						
15	28	27½	3	FP45-28-6612-LT1	773	9,1 90
15	22	27½	3	FP45-22-6612-LT1	722	6,8 75
15	28	27½	2	FP45-28-1212-LT1	773	9,1 90
15	22	27½	2	FP45-22-1212-LT1	722	6,8 75

47 Series



Freestanding surface-attached **metal** pedestal with full width pull, with 2 or 3 drawers.

Drawers						
15	28	27½	3	FP47-28-6612-LT1	824	9,1 90
15	22	27½	3	FP47-22-6612-LT1	772	6,8 75
15	28	27½	2	FP47-28-1212-LT1	824	9,1 90
15	22	27½	2	FP47-22-1212-LT1	772	6,8 75


SPECIFY

Code Metal
 -

Specify **Code:** Consult the above product code list.

Metal: Specify the metal finish, refer to current Artopex Metal Finishes charts. Add \$37 for metallic finishes.

FREESTANDING PEDESTALS - 29" H.




Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code		Price (without pull)		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
15½	24	29	FSUF		699	762	814	943	7,5 79 83




Pedestal with 2 - 12" drawers. Can be placed next to a work surface.

Noki lock included, locks all drawers.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	24	29	FSFF		699	762	814	943	7,5 77 81
-----	----	----	------	--	-----	-----	-----	-----	-----------




Pedestal with 4 - 6" drawers. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.

15½	24	29	FS4U		714	779	832	964	7,5 81 85
-----	----	----	------	--	-----	-----	-----	-----	-----------




Pedestal with 2 - 6" drawers and 1 recycling bin drawer. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.

Noki lock included, locks top 2 drawers.

15½	24	29	FSUY		659	718	768	889	7,5 71 75
-----	----	----	------	--	-----	-----	-----	-----	-----------



Pedestal with 1 - 12" file drawer and 1 recycling bin drawer. Can be placed next to a work surface.

Recycling bin included in the bottom drawer.

Noki lock included, locks top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	24	29	FSFY		659	718	768	889	7,5 69 73
-----	----	----	------	--	-----	-----	-----	-----	-----------

SPECIFY

Series Code Surface Edge Base Fronts Pull C-Weight
T - - / - / - -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Counter-weight: (FSFF and FSFY only): For counter-weight option, add (CW), add \$116.


MOBILE PEDESTALS

Mobile pedestal with 2 - 6" drawers and 1 - 12" file drawer. Equipped with a 5th caster for stability.


Noki lock included, locks all drawers.

Pencil tray included in the 6" top drawer.

Striped or fluted edge not available.




Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	20	27	MPUUF1520	685	6,5	61



Mobile pedestal with 2 - 12" file drawers. Equipped with a 5th caster for stability.

In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	20	27	MPFF1520	685	6,5	61
-----	----	----	-----------------	-----	-----	----



Mobile pedestal with 1 - 6" drawer and 1 - 12" file drawer. Equipped with a 5th caster for stability.

Pencil tray included in the 6" drawer.

15½	20	21	MPUF1520	558	5,1	55
-----	----	----	-----------------	-----	-----	----

SPECIFY

Series Code Base Fronts Pull C-Weight
T L - - / - -

OPTIONS


Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Counter-weight: (MPFF only): For counter-weight option, add (CW), add \$116.

CUSHIONS



Cushion for mobile pedestal.

Installs with Velcro strips.

Price						Specifications	
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
15½ 20 1½	CUS2015	227	246	266	286	318	1 6


SPECIFY

Series Code Fabric
T L - -

Specify Code: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

CABINETS WITHOUT TOP



Surface-attached cabinet with 2 doors and 1 adjustable shelf.


Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Noki lock included, locks both doors.

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	Lb
24	36	27½	LDN2436	790	17,8	98
24	30	27½	LDN2430	748	17,8	85
21	36	27½	LDN2136	759	15,8	83
21	30	27½	LDN2130	717	15,8	73

LATERAL FILE CABINETS WITHOUT TOP



Surface-attached cabinet with 2 - 12" lateral file drawers.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.


Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.

Noki lock included, locks both drawers.

24	36	27½	LFN2436	898	17,8	130
24	30	27½	LFN2430	864	17,8	115
21	36	27½	LFN2136	870	15,8	117
21	30	27½	LFN2130	836	15,8	105

COMBINED STORAGE UNITS WITHOUT TOP



Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and 1 - 12" lateral file drawer.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.

Noki lock included, locks the 2 file drawers (right & bottom).

24	36	27½	LCNL2436	1110	17,8	135
24	30	27½	LCNL2430	1070	17,8	120
21	36	27½	LCNL2136	1082	15,8	119
21	30	27½	LCNL2130	1043	15,8	107

SPECIFY

Series Code Base Fronts Pull C-Weight
T **L** - - / - -

OPTIONS

Specify **Code**: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options **Counter-weight**: (LFN or LCNL) : For counter-weight option, add (CW), LFN add \$105, LCNL add \$94.

COMBINED STORAGE UNITS WITHOUT TOP



Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and cabinet section with door.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Pencil tray included in the 6" top drawer.

Noki lock included, locks all drawers.



Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
24	36	27½	LUUFDN2436	996	17,8	135
24	30	27½	LUUFDN2430	956	17,8	119
21	36	27½	LUUFDN2136	968	15,8	119
21	30	27½	LUUFDN2130	928	15,8	106

24	36	27½	LDUUFN2436	996	17,8	135
24	30	27½	LDUUFN2430	956	17,8	119
21	36	27½	LDUUFN2136	968	15,8	119
21	30	27½	LDUUFN2130	928	15,8	106

SPECIFY


Series	Code	Base	Fronts	Pull
T L	-	-	/	-

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

DRAWER ACCESSORIES



Lateral filing bar (letter size).

Included with all desks and combined storage units with 12" file drawers.

Must be ordered separately for suspended, freestanding and mobile pedetals.


Sold individually.

Dimensions		Code	Price	Specifications	
A				Cu.Ft.	lb
12		AC-BL12	15	0,1	1


15		AC-BL15	25	0,1	1
----	--	---------	----	-----	---

Front-to-back filing bars for lateral filing cabinets.

Pack of 2, black finish.



STORAGE TOPS FOR LATERAL FILING



Tops for storage units 24" or 21" deep and for metal lateral files 18" deep (see "A" dimension).

Dimensions		Code	L Lima 1"		M Mike 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (L)	lb (M)
24	108	LTOP24108	333	593	—	763	3,9	71	107
24	102	LTOP24102	319	559	—	721	3,7	67	101
24	90	LTOP2490	289	491	—	636	3,2	59	89
24	84	LTOP2484	268	460	—	593	3,0	55	83
24	78	LTOP2478	249	428	—	551	2,8	51	77
24	72	LTOP2472	227	398	317	512	2,6	47	71
24	66	LTOP2466	213	371	298	479	2,4	43	65
24	60	LTOP2460	195	338	272	435	2,2	39	59
24	54	LTOP2454	182	309	251	398	1,9	35	53
24	48	LTOP2448	167	281	230	360	1,7	32	47
24	42	LTOP2442	153	251	209	322	1,6	28	42
24	36	LTOP2436	139	221	189	283	1,3	24	36
24	30	LTOP2430	125	195	168	249	1,1	20	30
21	108	LTOP21108	310	537	—	691	3,4	62	93
21	102	LTOP21102	298	510	—	657	3,2	59	88
21	90	LTOP2190	272	460	—	590	2,8	52	78
21	84	LTOP2184	251	427	—	548	2,7	48	73
21	78	LTOP2178	231	394	—	506	2,5	45	67
21	72	LTOP2172	211	360	295	463	2,3	41	62
21	66	LTOP2166	204	337	277	432	2,1	38	57
21	60	LTOP2160	184	306	253	394	1,9	34	52
21	54	LTOP2154	171	282	234	361	1,7	31	47
21	48	LTOP2148	156	255	215	327	1,6	28	42
21	42	LTOP2142	143	229	195	293	1,3	24	36
21	36	LTOP2136	130	196	173	257	1,1	21	31
21	30	LTOP2130	119	179	155	227	0,9	17	26
18	108	LTOP18108	287	481	—	618	3,0	53	80
18	90	LTOP1890	254	429	—	543	2,5	44	67
18	84	LTOP1884	233	394	—	503	2,3	41	62
18	78	LTOP1878	213	360	—	461	2,1	38	58
18	72	LTOP1872	196	321	273	415	2,0	35	53
18	66	LTOP1866	194	303	256	386	1,8	32	49
18	60	LTOP1860	173	274	234	353	1,6	30	44
18	42	LTOP1842	133	207	180	263	1,1	21	31
18	36	LTOP1836	121	171	156	232	1,0	18	27
18	30	LTOP1830	112	164	142	205	0,8	15	22

SPECIFY


Series Code Surface Edge
T - - /

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

OPEN HUTCHES



Open hutch with laminate sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	H08443	1010	1166	—	1352	35,8	198	207
	78	14	43	26	H07843	903	1051	—	1095	33,3	185	193
	72	14	43	26	H07243	826	961	908	1012	30,8	166	182
	66	14	43	26	H06643	781	908	860	957	28,3	156	170
	60	14	43	26	H06043	733	847	814	901	25,8	145	159
	54	14	43	26	H05443	667	771	745	823	23,3	137	149
	48	14	43	26	H04843	601	693	673	743	20,8	125	136
	42	14	43	26	H04243	557	638	631	692	18,3	115	124
	36	14	43	26	H03643	505	575	576	628	15,8	105	113
	30	14	43	26	H03043	458	520	529	573	13,3	95	101
	24	14	43	26	H02443	411	462	476	510	10,8	84	90
37" H.	84	14	37	20	H08437	894	1051	—	1240	29,8	173	181
	78	14	37	20	H07837	838	986	—	1032	27,7	161	169
	72	14	37	20	H07237	765	900	847	953	25,6	142	158
	66	14	37	20	H06637	723	849	805	901	23,6	132	147
	60	14	37	20	H06037	678	792	761	847	21,5	123	136
	54	14	37	20	H05437	615	719	694	772	19,9	115	127
	48	14	37	20	H04837	552	644	627	696	17,3	104	114
	42	14	37	20	H04237	510	592	586	646	15,2	94	103
	36	14	37	20	H03637	461	531	532	585	13,2	85	92
	30	14	37	20	H03037	419	480	490	534	11,1	75	82
	24	14	37	20	H02437	375	425	440	475	9,0	65	71

SPECIFY


Series	Code	Surface	Edge	Base
T				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS



Hutch with hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock not included, available as an option.

	Dimensions						Code	Price				Specifications			
	A	B	C	D	E	F		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
43" H.	84	14	43	26	5	3	HD8443	1309	1473	—	1627	35,8	225	243	
	78	14	43	26	5	3	HD7843	1209	1362	—	1514	33,3	210	227	
	72	14	43	26	4	2	HD7243	952	1088	1071	1169	30,8	197	213	
	66	14	43	26	4	2	HD6643	903	1027	1052	1141	28,3	184	199	
	60	14	43	26	4	2	HD6043	851	967	968	1049	25,8	172	185	
	54	14	43	26	4	2	HD5443	787	891	932	1004	23,3	159	171	
	48	14	43	26	3	2	HD4843	719	813	821	884	20,8	146	156	
	42	14	43	26	3	2	HD4243	695	780	803	859	18,3	133	142	
	36	14	43	26	2	1	HD3643	661	735	758	806	15,8	120	128	
	30	14	43	26	2	1	HD3043	568	631	689	728	13,3	108	114	
	24	14	43	26	2	1	HD2443	474	525	580	612	10,8	95	100	
37" H.	84	14	37	20	5	3	HD8437	1199	1362	—	1520	29,0	185	202	
	78	14	37	20	5	3	HD7837	1147	1301	—	1454	26,9	173	189	
	72	14	37	20	4	2	HD7237	893	1030	1015	1112	24,7	161	175	
	66	14	37	20	4	2	HD6637	847	972	999	1088	22,5	149	162	
	60	14	37	20	4	2	HD6037	800	914	919	999	20,3	137	149	
	54	14	37	20	4	2	HD5437	737	842	884	957	18,1	125	135	
	48	14	37	20	3	2	HD4837	673	767	777	840	16,0	112	122	
	42	14	37	20	3	2	HD4237	651	735	760	815	13,8	100	108	
	36	14	37	20	2	1	HD3637	619	694	718	767	11,6	88	95	
	30	14	37	20	2	1	HD3037	530	593	651	692	9,4	76	81	
	24	14	37	20	2	1	HD2437	439	490	546	578	9,4	76	81	

E = Number of doors

F = Number of locks

SPECIFY

Series Code Surface Edge Base Fronts Noki

T - - / - / -

OPTIONS

Specify Series: L or M (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base/Fronts: Take Off finishes, p.54-55.

Options Noki: Option of Noki lock, add (L), add \$66 per lock, p.27.

HUTCHES WITH HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

L Lima 1"

M Mike 1½"

	Dimensions					Code		Price		Specifications			
	A	B	C	D	E	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	
						Laminate	H-Gloss White					Lb (L)	Lb (M)
43" H.	84	14	43	26	5	HDM8443	HDL8443	2806	2970	—	3124	35,8	225
	78	14	43	26	5	HDM7843	HDL7843	2706	2859	—	3011	33,3	210
	72	14	43	26	4	HDM7243	HDL7243	2149	2286	2269	2367	30,8	197
	66	14	43	26	4	HDM6643	HDL6643	2101	2225	2250	2339	28,3	184
	60	14	43	26	4	HDM6043	HDL6043	2049	2165	2166	2247	25,8	172
	54	14	43	26	4	HDM5443	HDL5443	1984	2089	2130	2202	23,3	159
	48	14	43	26	3	HDM4843	HDL4843	1618	1712	1719	1783	20,8	146
	42	14	43	26	3	HDM4243	HDL4243	1594	1679	1702	1758	18,3	133
	36	14	43	26	2	HDM3643	HDL3643	1261	1334	1357	1406	15,8	120
	30	14	43	26	2	HDM3043	HDL3043	1167	1231	1288	1328	13,3	108
	24	14	43	26	2	HDM2443	HDL2443	1074	1124	1179	1211	10,8	95
37" H.	84	14	37	20	5	HDM8437	HDL8437	2696	2859	—	3017	29,0	185
	78	14	37	20	5	HDM7837	HDL7837	2644	2798	—	2951	26,9	173
	72	14	37	20	4	HDM7237	HDL7237	2091	2228	2213	2310	24,7	161
	66	14	37	20	4	HDM6637	HDL6637	2045	2170	2197	2286	22,5	149
	60	14	37	20	4	HDM6037	HDL6037	1998	2112	2116	2197	20,3	137
	54	14	37	20	4	HDM5437	HDL5437	1935	2039	2082	2155	18,1	125
	48	14	37	20	3	HDM4837	HDL4837	1572	1665	1675	1739	16,0	112
	42	14	37	20	3	HDM4237	HDL4237	1550	1634	1659	1714	13,8	100
	36	14	37	20	2	HDM3637	HDL3637	1219	1294	1318	1366	11,6	88
	30	14	37	20	2	HDM3037	HDL3037	1130	1192	1251	1291	9,4	76
	24	14	37	20	2	HDM2437	HDL2437	1038	1089	1145	1177	9,4	76

E = Number of doors

SPECIFY


Series Code Surface Edge Base Façade
T - - / - /

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
No lock.

						L Lima 1"	M Mike 1½"						
Dimensions					Code	Price		Specifications					
A B C D E						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
43" H.	84	14	43	26	5	HDGiC8443	2648	2812	—	2966	35,8	225	243
	78	14	43	26	5	HDGiC7843	2548	2701	—	2852	33,3	210	227
	72	14	43	26	4	HDGiC7243	2023	2159	2143	2241	30,8	197	213
	66	14	43	26	4	HDGiC6643	1975	2099	2123	2212	28,3	184	199
	60	14	43	26	4	HDGiC6043	1923	2038	2039	2121	25,8	172	185
	54	14	43	26	4	HDGiC5443	1858	1962	2003	2076	23,3	159	171
	48	14	43	26	3	HDGiC4843	1524	1617	1625	1689	20,8	146	156
	42	14	43	26	3	HDGiC4243	1499	1584	1607	1663	18,3	133	142
	36	14	43	26	2	HDGiC3643	1197	1271	1294	1342	15,8	120	128
	30	14	43	26	2	HDGiC3043	1103	1167	1224	1264	13,3	108	114
24	14	43	26	2	HDGiC2443	1010	1060	1115	1147	10,8	95	100	
37" H.	84	14	37	20	5	HDGiC8437	2538	2701	—	2859	29,0	185	202
	78	14	37	20	5	HDGiC7837	2486	2640	—	2793	26,9	173	189
	72	14	37	20	4	HDGiC7237	1965	2101	2087	2184	24,7	161	175
	66	14	37	20	4	HDGiC6637	1918	2044	2070	2159	22,5	149	162
	60	14	37	20	4	HDGiC6037	1871	1986	1990	2070	20,3	137	149
	54	14	37	20	4	HDGiC5437	1808	1913	1956	2028	18,1	125	135
	48	14	37	20	3	HDGiC4837	1477	1571	1581	1645	16,0	112	122
	42	14	37	20	3	HDGiC4237	1455	1539	1564	1619	13,8	100	108
	36	14	37	20	2	HDGiC3637	1155	1230	1254	1302	11,6	88	95
	30	14	37	20	2	HDGiC3037	1066	1129	1187	1228	9,4	76	81
24	14	37	20	2	HDGiC2437	975	1025	1081	1113	9,4	76	81	

E = Number of doors

SPECIFY


Series	Code	Surface	Edge	Base
T				

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

						L Lima 1"	M Mike 1½"							
Dimensions					Code	Price			Specifications					
A B C D E						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)				
43" H.	84	14	43	26	5	HDGiA8443	2445	2605	—	2806	35,8	225	243	
	78	14	43	26	5	HDGiA7843	2350	2498	—	2694	33,3	210	222	
	72	14	43	26	4	HDGiA7243	1865	1997	2016	2113	30,8	197	213	
	66	14	43	26	4	HDGiA6643	1817	1938	1997	2085	28,3	184	199	
	60	14	43	26	4	HDGiA6043	1768	1879	1913	1993	25,8	172	185	
	54	14	43	26	4	HDGiA5443	1704	1805	1876	1948	23,3	159	171	
	48	14	43	26	3	HDGiA4843	1404	1494	1529	1593	20,8	146	156	
	42	14	43	26	3	HDGiA4243	1381	1462	1511	1566	18,3	133	142	
	36	14	43	26	2	HDGiA3643	1111	1183	1230	1279	15,8	120	128	
	30	14	43	26	2	HDGiA3043	1021	1082	1161	1200	13,3	108	114	
24	14	43	26	2	HDGiA2443	931	979	1052	1084	10,8	95	100		
37" H.	84	14	37	20	5	HDGiA8437	2340	2498	—	2701	29,0	185	202	
	78	14	37	20	5	HDGiA7837	2290	2439	—	2635	26,9	173	189	
	72	14	37	20	4	HDGiA7237	1807	1939	1959	2057	24,7	161	175	
	66	14	37	20	4	HDGiA6637	1763	1884	1943	2032	22,5	149	162	
	60	14	37	20	4	HDGiA6037	1717	1828	1862	1943	20,3	137	149	
	54	14	37	20	4	HDGiA5437	1657	1758	1828	1901	18,1	125	135	
	48	14	37	20	3	HDGiA4837	1360	1450	1484	1548	16,0	112	122	
	42	14	37	20	3	HDGiA4237	1337	1419	1467	1524	13,8	100	108	
	36	14	37	20	2	HDGiA3637	1070	1143	1190	1239	11,6	88	95	
	30	14	37	20	2	HDGiA3037	985	1045	1123	1164	9,4	76	81	
24	14	37	20	2	HDGiA2437	897	945	1018	1049	9,4	76	81		

E = Number of doors

SPECIFY


Series	Code	Surface	Edge	Base
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS



Hutch with central opening, hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock not included, available as an option.

	Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	72	14	43	26	HH7243	855	987	1007	1103	31	173	189
	66	14	43	26	HH6643	807	928	987	1076	28	163	177
	60	14	43	26	HH6043	758	870	903	983	26	152	166
	54	14	43	26	HH5443	694	795	867	938	23	144	156
	48	14	43	26	HH4843	663	754	788	851	21	132	143
	42	14	43	26	HH4243	639	722	770	826	18	122	131
37" H.	72	14	37	20	HH7237	799	931	949	1047	27	149	165
	66	14	37	20	HH6637	754	875	933	1022	25	139	154
	60	14	37	20	HH6037	708	820	853	933	22	130	143
	54	14	37	20	HH5437	647	748	820	891	20	122	134
	48	14	37	20	HH4837	618	708	744	807	18	111	121
	42	14	37	20	HH4237	596	679	727	782	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

					Doors:								
					Laminate	H-Gloss White							
43" H.	72	14	43	26	HHM7243	HHL7243	1453	1585	1605	1702	31	173	189
	66	14	43	26	HHM6643	HHL6643	1406	1527	1585	1674	28	163	177
	60	14	43	26	HHM6043	HHL6043	1356	1469	1502	1582	26	152	166
	54	14	43	26	HHM5443	HHL5443	1293	1394	1465	1537	23	144	156
	48	14	43	26	HHM4843	HHL4843	1262	1352	1386	1450	21	132	143
	42	14	43	26	HHM4243	HHL4243	1238	1320	1368	1425	18	122	131
37" H.	72	14	37	20	HHM7237	HHL7237	1397	1529	1548	1646	27	149	165
	66	14	37	20	HHM6637	HHL6637	1352	1473	1531	1620	25	139	154
	60	14	37	20	HHM6037	HHL6037	1307	1418	1451	1531	22	130	143
	54	14	37	20	HHM5437	HHL5437	1245	1346	1418	1489	20	122	134
	48	14	37	20	HHM4837	HHL4837	1217	1307	1342	1406	18	111	121
	42	14	37	20	HHM4237	HHL4237	1195	1277	1326	1381	16	101	110

SPECIFY

Series Code Surface Edge Base Fronts Noki
T - - / - / -

OPTIONS


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Options Noki (HH...): Option of Noki lock, add (L), add \$132, p.27.


HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
No lock.

					L Lima 1"		M Mike 1½"							
Dimensions					Code	Price		Specifications						
A B C D						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)		
43" H.	72	14	43	26	HHGiC7243	1390	1522	1542	1639	31	173	189		
	66	14	43	26	HHGiC6643	1343	1464	1522	1612	28	163	177		
	60	14	43	26	HHGiC6043	1294	1406	1439	1519	26	152	166		
	54	14	43	26	HHGiC5443	1230	1331	1403	1474	23	144	156		
	48	14	43	26	HHGiC4843	1199	1289	1323	1387	21	132	143		
	42	14	43	26	HHGiC4243	1175	1257	1306	1362	18	122	131		
37" H.	72	14	37	20	HHGiC7237	1334	1466	1485	1583	27	149	165		
	66	14	37	20	HHGiC6637	1289	1410	1469	1558	25	139	154		
	60	14	37	20	HHGiC6037	1244	1355	1388	1469	22	130	143		
	54	14	37	20	HHGiC5437	1183	1284	1355	1427	20	122	134		
	48	14	37	20	HHGiC4837	1154	1244	1279	1343	18	111	121		
	42	14	37	20	HHGiC4237	1132	1214	1263	1318	16	101	110		

("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel) HUTCHES WITH CENTRAL OPENING AND HINGED DOORS



Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
No lock.

43" H.	72	14	43	26	HHGiA7243	1327	1459	1478	1575	31	173	189
	66	14	43	26	HHGiA6643	1279	1400	1459	1548	28	163	177
	60	14	43	26	HHGiA6043	1231	1342	1375	1455	26	152	166
	54	14	43	26	HHGiA5443	1166	1267	1339	1411	23	144	156
	48	14	43	26	HHGiA4843	1135	1225	1260	1323	21	132	143
	42	14	43	26	HHGiA4243	1112	1194	1242	1298	18	122	131
37" H.	72	14	37	20	HHGiA7237	1271	1403	1421	1519	27	149	165
	66	14	37	20	HHGiA6637	1225	1346	1405	1494	25	139	154
	60	14	37	20	HHGiA6037	1180	1291	1324	1405	22	130	143
	54	14	37	20	HHGiA5437	1119	1220	1291	1363	20	122	134
	48	14	37	20	HHGiA4837	1090	1180	1216	1279	18	111	121
	42	14	37	20	HHGiA4237	1068	1151	1199	1254	16	101	110

SPECIFY


Series	Code	Surface	Edge	Base
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH FLIPPER DOOR(S)



Hutch with flipper door(s) and laminate sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft closing of the door(s).



Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Noki lock not included, available as an option.



Flipper door

	Dimensions					Code	Price		Price		Specifications	
	A	B	C	D	E		Standard (TD)	Easy-Down (DW)			Cu.Ft.	Lb
43" H.	72	14	43	26	2	HF7243	1287	1393			30,8	197
	66	14	43	26	2	HF6643	1088	1194			28,3	184
	60	14	43	26	2	HF6043	1051	1156			25,8	172
	54	14	43	26	2	HF5443	1008	1113			23,3	159
	48	14	43	26	2	HF4843	958	1064			20,8	146
	42	14	43	26	1	HF4243	827	880			18,3	133
	36	14	43	26	1	HF3643	800	853			15,8	120
	30	14	43	26	1	HF3043	695	748			13,3	108
	24	14	43	26	1	HF2443	623	675			10,8	95
37" H.	72	14	37	20	2	HF7237	1231	1337			26,9	173
	66	14	37	20	2	HF6637	1035	1141			24,7	161
	60	14	37	20	2	HF6037	1000	1106			22,5	149
	54	14	37	20	2	HF5437	959	1065			20,3	137
	48	14	37	20	2	HF4837	914	1020			18,1	125
	42	14	37	20	1	HF4237	783	836			16	112
	36	14	37	20	1	HF3637	760	813			13,8	100
	30	14	37	20	1	HF3037	658	711			11,6	88
	24	14	37	20	1	HF2437	589	641			9,4	76

E = Number of doors

SPECIFY

Series Code Mecan. Base Fronts Noki
T L - [] - [] / [] - []

OPTIONS


Specify **Code:** Consult the above product code list.

Mechanism: Specify door mechanism: Standard (TD) or with "Easy-down" soft-closing system (DW).


Base / Fronts: Take Off finishes, p.54-55.

Options **Noki:** Option of Noki lock, add (L), add \$66 per door, p.27.

HUTCHES WITH PIVOT-LIFT DOOR(S)



Hutch with pivot-lift door(s) and laminate sides.
Doors equipped with a soft-close piston system.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Striped or fluted edge not available.
Noki lock not included, available as an option.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			T.F.L.	Cu.Ft. lb
43" H.	72	14	43	26	2	HU7243	1593	30,8	197
	66	14	43	26	2	HU6643	1394	28,3	184
	60	14	43	26	2	HU6043	1356	25,8	172
	54	14	43	26	2	HU5443	1313	23,3	159
	48	14	43	26	2	HU4843	1264	20,8	146
	42	14	43	26	1	HU4243	980	18,3	133
	36	14	43	26	1	HU3643	953	15,8	120
	30	14	43	26	1	HU3043	848	13,3	108
	24	14	43	26	1	HU2443	776	10,8	95
37" H.	72	14	37	20	2	HU7237	1537	26,9	173
	66	14	37	20	2	HU6637	1341	24,7	161
	60	14	37	20	2	HU6037	1306	22,5	149
	54	14	37	20	2	HU5437	1265	20,3	137
	48	14	37	20	2	HU4837	1220	18,1	125
	42	14	37	20	1	HU4237	936	16	112
	36	14	37	20	1	HU3637	913	13,8	100
	30	14	37	20	1	HU3037	811	11,6	88
	24	14	37	20	1	HU2437	741	9,4	76

E = Number of doors

SPECIFY

Series Code Base Fronts Noki
T L - - / -

OPTIONS


Specify **Code:** Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options **Noki:** Option of Noki lock, add (L), add \$66 per door, p.27.

HUTCHES WITH PIVOT-LIFT DOOR(S)

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Doors equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.



Pivot-lift door

	Dimensions					Code		Price	Specifications	
	A	B	C	D	E	Doors:		T.F.L.	Cu.Ft.	Lb
						Laminate	H-Gloss White			
43" H.	72	14	43	26	2	HUM7243	HUL7243	2508	30,8	197
	66	14	43	26	2	HUM6643	HUL6643	2309	28,3	184
	60	14	43	26	2	HUM6043	HUL6043	2272	25,8	172
	54	14	43	26	2	HUM5443	HUL5443	2229	23,3	159
	48	14	43	26	2	HUM4843	HUL4843	2179	20,8	146
	42	14	43	26	1	HUM4243	HUL4243	1438	18,3	133
	36	14	43	26	1	HUM3643	HUL3643	1410	15,8	120
	30	14	43	26	1	HUM3043	HUL3043	1306	13,3	108
	24	14	43	26	1	HUM2443	HUL2443	1233	10,8	95
37" H.	72	14	37	20	2	HUM7237	HUL7237	2452	26,9	173
	66	14	37	20	2	HUM6637	HUL6637	2256	24,7	161
	60	14	37	20	2	HUM6037	HUL6037	2221	22,5	149
	54	14	37	20	2	HUM5437	HUL5437	2180	20,3	137
	48	14	37	20	2	HUM4837	HUL4837	2135	18,1	125
	42	14	37	20	1	HUM4237	HUL4237	1394	16	112
	36	14	37	20	1	HUM3637	HUL3637	1371	13,8	100
	30	14	37	20	1	HUM3037	HUL3037	1268	11,6	88
	24	14	37	20	1	HUM2437	HUL2437	1199	9,4	76

E = Number of doors


SPECIFY

Series Code Base Fronts
T **L** - - /

Specify **Code**: Consult the above product code list.

Base / Fronts (laminate): Take Off finishes, p.54-55.

HUTCHES WITH PIVOT-LIFT DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.

Doors equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	Lb
43" H.	72	14	43	26	2	HUGiC7243	2368	30,8	197
	66	14	43	26	2	HUGiC6643	2169	28,3	184
	60	14	43	26	2	HUGiC6043	2132	25,8	172
	54	14	43	26	2	HUGiC5443	2089	23,3	159
	48	14	43	26	2	HUGiC4843	2039	20,8	146
	42	14	43	26	1	HUGiC4243	1368	18,3	133
	36	14	43	26	1	HUGiC3643	1341	15,8	120
	30	14	43	26	1	HUGiC3043	1236	13,3	108
	24	14	43	26	1	HUGiC2443	1164	10,8	95
37" H.	72	14	37	20	2	HUGiC7237	2312	26,9	173
	66	14	37	20	2	HUGiC6637	2116	24,7	161
	60	14	37	20	2	HUGiC6037	2081	22,5	149
	54	14	37	20	2	HUGiC5437	2041	20,3	137
	48	14	37	20	2	HUGiC4837	1995	18,1	125
	42	14	37	20	1	HUGiC4237	1324	16	112
	36	14	37	20	1	HUGiC3637	1301	13,8	100
	30	14	37	20	1	HUGiC3037	1199	11,6	88
	24	14	37	20	1	HUGiC2437	1130	9,4	76

E = Number of doors


SPECIFY

Series	Code	Base
T L	-	-


Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

HUTCHES WITH PIVOT-LIFT DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.
Equipped with a soft-close piston system.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
A horizontal pigeon-hole unit can be ordered separately, see p.210.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Striped or fluted edge not available.
No lock.



Pivot-lift door

E = Number of doors

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	Lb
43" H.	72	14	43	26	2	HUGiA7243	2111	30,8	197
	66	14	43	26	2	HUGiA6643	1912	28,3	184
	60	14	43	26	2	HUGiA6043	1874	25,8	172
	54	14	43	26	2	HUGiA5443	1832	23,3	159
	48	14	43	26	2	HUGiA4843	1782	20,8	146
	42	14	43	26	1	HUGiA4243	1240	18,3	133
	36	14	43	26	1	HUGiA3643	1212	15,8	120
	30	14	43	26	1	HUGiA3043	1108	13,3	108
	24	14	43	26	1	HUGiA2443	1035	10,8	95
37" H.	72	14	37	20	2	HUGiA7237	2055	26,9	173
	66	14	37	20	2	HUGiA6637	1859	24,7	161
	60	14	37	20	2	HUGiA6037	1824	22,5	149
	54	14	37	20	2	HUGiA5437	1783	20,3	137
	48	14	37	20	2	HUGiA4837	1738	18,1	125
	42	14	37	20	1	HUGiA4237	1196	16	112
	36	14	37	20	1	HUGiA3637	1173	13,8	100
	30	14	37	20	1	HUGiA3037	1070	11,6	88
	24	14	37	20	1	HUGiA2437	1001	9,4	76


SPECIFY

Series	Code	Base
T L	-	-

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

OPEN HUTCHES



Open hutch with metal sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

	Dimensions				Code	Price				Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	H08443	1318	1474	—	1660	35,8	198	207
	78	14	43	26	H07843	1211	1359	—	1403	33,3	185	193
	72	14	43	26	H07243	1134	1269	1216	1320	30,8	166	182
	66	14	43	26	H06643	1089	1216	1168	1265	28,3	156	170
	60	14	43	26	H06043	1041	1155	1122	1209	25,8	145	159
	54	14	43	26	H05443	975	1079	1053	1131	23,3	137	149
	48	14	43	26	H04843	909	1001	981	1051	20,8	125	136
	42	14	43	26	H04243	865	946	939	1000	18,3	115	124
	36	14	43	26	H03643	813	883	884	936	15,8	105	113
	30	14	43	26	H03043	766	828	837	881	13,3	95	101
	24	14	43	26	H02443	719	770	784	818	10,8	84	90
37" H.	84	14	37	20	H08437	1202	1359	—	1548	29,8	173	181
	78	14	37	20	H07837	1146	1294	—	1340	27,7	161	169
	72	14	37	20	H07237	1073	1208	1155	1261	25,6	142	158
	66	14	37	20	H06637	1031	1157	1113	1209	23,6	132	147
	60	14	37	20	H06037	986	1100	1069	1155	21,5	123	136
	54	14	37	20	H05437	923	1027	1002	1080	19,9	115	127
	48	14	37	20	H04837	860	952	935	1004	17,3	104	114
	42	14	37	20	H04237	818	900	894	954	15,2	94	103
	36	14	37	20	H03637	769	839	840	893	13,2	85	92
	30	14	37	20	H03037	727	788	798	842	11,1	75	82
	24	14	37	20	H02437	683	733	748	783	9,0	65	71

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH HINGED DOORS



Hutch with hinged doors and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

Noki lock not included, available as an option.

	Dimensions						S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D	E	F	Code		Price				
									T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
43" H.	84	14	43	26	5	3	HD8443		1617	1781	—	1935	35,8 225 243
	78	14	43	26	5	3	HD7843		1517	1670	—	1822	33,3 210 227
	72	14	43	26	4	2	HD7243		1260	1396	1379	1477	30,8 197 213
	66	14	43	26	4	2	HD6643		1211	1335	1360	1449	28,3 184 199
	60	14	43	26	4	2	HD6043		1159	1275	1276	1357	25,8 172 185
	54	14	43	26	4	2	HD5443		1095	1199	1240	1312	23,3 159 171
	48	14	43	26	3	2	HD4843		1027	1121	1129	1192	20,8 146 156
	42	14	43	26	3	2	HD4243		1003	1088	1111	1167	18,3 133 142
	36	14	43	26	2	1	HD3643		969	1043	1066	1114	15,8 120 128
	30	14	43	26	2	1	HD3043		876	939	997	1036	13,3 108 114
37" H.	24	14	43	26	2	1	HD2443		782	833	888	920	10,8 95 100
	84	14	37	20	5	3	HD8437		1507	1670	—	1828	29,0 185 202
	78	14	37	20	5	3	HD7837		1455	1609	—	1762	26,9 173 189
	72	14	37	20	4	2	HD7237		1201	1338	1323	1420	24,7 161 175
	66	14	37	20	4	2	HD6637		1155	1280	1307	1396	22,5 149 162
	60	14	37	20	4	2	HD6037		1108	1222	1227	1307	20,3 137 149
	54	14	37	20	4	2	HD5437		1045	1150	1192	1265	18,1 125 135
	48	14	37	20	3	2	HD4837		981	1075	1085	1148	16,0 112 122
	42	14	37	20	3	2	HD4237		959	1043	1068	1123	13,8 100 108
	36	14	37	20	2	1	HD3637		927	1002	1026	1075	11,6 88 95
	30	14	37	20	2	1	HD3037		838	901	959	1000	9,4 76 81
	24	14	37	20	2	1	HD2437		747	798	854	886	9,4 76 81

E = Number of doors

F = Number of locks

SPECIFY

Series Code Surface Edge Base Fronts Metal Noki
T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Noki: Option of Noki lock, add (L), add \$66 per lock, p.27.

HUTCHES WITH HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

No lock.

S Sierra 1"

T Tango 1½"

Dimensions						Code		Price		Specifications			
	A	B	C	D	E	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (S) Lb (T)
						Laminate	H-Gloss White						
43" H.	84	14	43	26	5	HDM8443	HDL8443	3114	3278	—	3432	35,8	225 243
	78	14	43	26	5	HDM7843	HDL7843	3014	3167	—	3319	33,3	210 227
	72	14	43	26	4	HDM7243	HDL7243	2457	2594	2577	2675	30,8	197 213
	66	14	43	26	4	HDM6643	HDL6643	2409	2533	2558	2647	28,3	184 199
	60	14	43	26	4	HDM6043	HDL6043	2357	2473	2474	2555	25,8	172 185
	54	14	43	26	4	HDM5443	HDL5443	2292	2397	2438	2510	23,3	159 171
	48	14	43	26	3	HDM4843	HDL4843	1926	2020	2027	2091	20,8	146 156
	42	14	43	26	3	HDM4243	HDL4243	1902	1987	2010	2066	18,3	133 142
	36	14	43	26	2	HDM3643	HDL3643	1569	1642	1665	1714	15,8	120 128
	30	14	43	26	2	HDM3043	HDL3043	1475	1539	1596	1636	13,3	108 114
	24	14	43	26	2	HDM2443	HDL2443	1382	1432	1487	1519	10,8	95 100
37" H.	84	14	37	20	5	HDM8437	HDL8437	3004	3167	—	3325	29,0	185 202
	78	14	37	20	5	HDM7837	HDL7837	2952	3106	—	3259	26,9	173 189
	72	14	37	20	4	HDM7237	HDL7237	2399	2536	2521	2618	24,7	161 175
	66	14	37	20	4	HDM6637	HDL6637	2353	2478	2505	2594	22,5	149 162
	60	14	37	20	4	HDM6037	HDL6037	2306	2420	2424	2505	20,3	137 149
	54	14	37	20	4	HDM5437	HDL5437	2243	2347	2390	2463	18,1	125 135
	48	14	37	20	3	HDM4837	HDL4837	1880	1973	1983	2047	16,0	112 122
	42	14	37	20	3	HDM4237	HDL4237	1858	1942	1967	2022	13,8	100 108
	36	14	37	20	2	HDM3637	HDL3637	1527	1602	1626	1674	11,6	88 95
	30	14	37	20	2	HDM3037	HDL3037	1438	1500	1559	1599	9,4	76 81
	24	14	37	20	2	HDM2437	HDL2437	1346	1397	1453	1485	9,4	76 81

E = Number of doors

SPECIFY

Series Code Surface Edge Base Fronts Metal
T - - / - / -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Cannot accommodate a horizontal pigeon-hole unit.
No lock.

							S Sierra 1"		T Tango 1½"					
Dimensions					Code		Price		Specifications					
A B C D E							T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)	
43" H.	84	14	43	26	5	HDGiC8443	2956	3120	—	3274	35,8	225	243	
	78	14	43	26	5	HDGiC7843	2856	3009	—	3160	33,3	210	227	
	72	14	43	26	4	HDGiC7243	2331	2467	2451	2549	30,8	197	213	
	66	14	43	26	4	HDGiC6643	2283	2407	2431	2520	28,3	184	199	
	60	14	43	26	4	HDGiC6043	2231	2346	2347	2429	25,8	172	185	
	54	14	43	26	4	HDGiC5443	2166	2270	2311	2384	23,3	159	171	
	48	14	43	26	3	HDGiC4843	1832	1925	1933	1997	20,8	146	156	
	42	14	43	26	3	HDGiC4243	1807	1892	1915	1971	18,3	133	142	
	36	14	43	26	2	HDGiC3643	1505	1579	1602	1650	15,8	120	128	
	30	14	43	26	2	HDGiC3043	1411	1475	1532	1572	13,3	108	114	
24	14	43	26	2	HDGiC2443	1318	1368	1423	1455	10,8	95	100		
37" H.	84	14	37	20	5	HDGiC8437	2846	3009	—	3167	29,0	185	202	
	78	14	37	20	5	HDGiC7837	2794	2948	—	3101	26,9	173	189	
	72	14	37	20	4	HDGiC7237	2273	2409	2395	2492	24,7	161	175	
	66	14	37	20	4	HDGiC6637	2226	2352	2378	2467	22,5	149	162	
	60	14	37	20	4	HDGiC6037	2179	2294	2298	2378	20,3	137	149	
	54	14	37	20	4	HDGiC5437	2116	2221	2264	2336	18,1	125	135	
	48	14	37	20	3	HDGiC4837	1785	1879	1889	1953	16,0	112	122	
	42	14	37	20	3	HDGiC4237	1763	1847	1872	1927	13,8	100	108	
	36	14	37	20	2	HDGiC3637	1463	1538	1562	1610	11,6	88	95	
	30	14	37	20	2	HDGiC3037	1374	1437	1495	1536	9,4	76	81	
24	14	37	20	2	HDGiC2437	1283	1333	1389	1421	9,4	76	81		

E = Number of doors

SPECIFY

Series Code Surface Edge Base Metal
T - - / - -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Cannot accommodate a horizontal pigeon-hole unit.
No lock.

	Dimensions					Code	S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	5	HDGiA8443	2753	2913	—	3114	35,8	225	243
	78	14	43	26	5	HDGiA7843	2658	2806	—	3002	33,3	210	227
	72	14	43	26	4	HDGiA7243	2173	2305	2324	2421	30,8	197	213
	66	14	43	26	4	HDGiA6643	2125	2246	2305	2393	28,3	184	199
	60	14	43	26	4	HDGiA6043	2076	2187	2221	2301	25,8	172	185
	54	14	43	26	4	HDGiA5443	2012	2113	2184	2256	23,3	159	171
	48	14	43	26	3	HDGiA4843	1712	1802	1837	1901	20,8	146	156
	42	14	43	26	3	HDGiA4243	1689	1770	1819	1874	18,3	133	142
	36	14	43	26	2	HDGiA3643	1419	1491	1538	1587	15,8	120	128
	30	14	43	26	2	HDGiA3043	1329	1390	1469	1508	13,3	108	114
	24	14	43	26	2	HDGiA2443	1239	1287	1360	1392	10,8	95	100
37" H.	84	14	37	20	5	HDGiA8437	2648	2806	—	3009	29,0	185	202
	78	14	37	20	5	HDGiA7837	2598	2747	—	2943	26,9	173	189
	72	14	37	20	4	HDGiA7237	2115	2247	2267	2365	24,7	161	175
	66	14	37	20	4	HDGiA6637	2071	2192	2251	2340	22,5	149	162
	60	14	37	20	4	HDGiA6037	2025	2136	2170	2251	20,3	137	149
	54	14	37	20	4	HDGiA5437	1965	2066	2136	2209	18,1	125	135
	48	14	37	20	3	HDGiA4837	1668	1758	1792	1856	16,0	112	122
	42	14	37	20	3	HDGiA4237	1645	1727	1775	1832	13,8	100	108
	36	14	37	20	2	HDGiA3637	1378	1451	1498	1547	11,6	88	95
	30	14	37	20	2	HDGiA3037	1293	1353	1431	1472	9,4	76	81
	24	14	37	20	2	HDGiA2437	1205	1253	1326	1357	9,4	76	81

E = Number of doors

SPECIFY

Series Code Surface Edge Base Metal
T - - / - -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS



Hutch with central opening, hinged doors and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.


Noki lock not included, available as an option.

Cannot accommodate a horizontal pigeon-hole unit.

	Dimensions				Code	S Sierra 1"		T Tango 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	72	14	43	26	HH7243	1163	1295	1315	1411	31	173	189
	66	14	43	26	HH6643	1115	1236	1295	1384	28	163	177
	60	14	43	26	HH6043	1066	1178	1211	1291	26	152	166
	54	14	43	26	HH5443	1002	1103	1175	1246	23	144	156
	48	14	43	26	HH4843	971	1062	1096	1159	21	132	143
	42	14	43	26	HH4243	947	1030	1078	1134	18	122	131
37" H.	72	14	37	20	HH7237	1107	1239	1257	1355	27	149	165
	66	14	37	20	HH6637	1062	1183	1241	1330	25	139	154
	60	14	37	20	HH6037	1016	1128	1161	1241	22	130	143
	54	14	37	20	HH5437	955	1056	1128	1199	20	122	134
	48	14	37	20	HH4837	926	1016	1052	1115	18	111	121
	42	14	37	20	HH4237	904	987	1035	1090	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.

					Doors:									
					Laminate	H-Gloss White								
43" H.	72	14	43	26	HHM7243	HHL7243	1761	1893	1913	2010	31	173	189	
	66	14	43	26	HHM6643	HHL6643	1714	1835	1893	1982	28	163	177	
	60	14	43	26	HHM6043	HHL6043	1664	1777	1810	1890	26	152	166	
	54	14	43	26	HHM5443	HHL5443	1601	1702	1773	1845	23	144	156	
	48	14	43	26	HHM4843	HHL4843	1570	1660	1694	1758	21	132	143	
	42	14	43	26	HHM4243	HHL4243	1546	1628	1676	1733	18	122	131	
37" H.	72	14	37	20	HHM7237	HHL7237	1705	1837	1856	1954	27	149	165	
	66	14	37	20	HHM6637	HHL6637	1660	1781	1839	1928	25	139	154	
	60	14	37	20	HHM6037	HHL6037	1615	1726	1759	1839	22	130	143	
	54	14	37	20	HHM5437	HHL5437	1553	1654	1726	1797	20	122	134	
	48	14	37	20	HHM4837	HHL4837	1525	1615	1650	1714	18	111	121	
	42	14	37	20	HHM4237	HHL4237	1503	1585	1634	1689	16	101	110	

SPECIFY

Series Code Surface Edge Base Fronts Metal Noki
T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Noki (HH...): Option of Noki lock, add (L), add \$132, p.27.


HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Cannot accommodate a horizontal pigeon-hole unit.
No lock.

					S Sierra 1"		T Tango 1½"					
Dimensions					Code	Price				Specifications		
A B C D						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	72	14	43	26	HHGiC7243	1698	1830	1850	1947	31	173	189
	66	14	43	26	HHGiC6643	1651	1772	1830	1920	28	163	177
	60	14	43	26	HHGiC6043	1602	1714	1747	1827	26	152	166
	54	14	43	26	HHGiC5443	1538	1639	1711	1782	23	144	156
	48	14	43	26	HHGiC4843	1507	1597	1631	1695	21	132	143
	42	14	43	26	HHGiC4243	1483	1565	1614	1670	18	122	131
37" H.	72	14	37	20	HHGiC7237	1642	1774	1793	1891	27	149	165
	66	14	37	20	HHGiC6637	1597	1718	1777	1866	25	139	154
	60	14	37	20	HHGiC6037	1552	1663	1696	1777	22	130	143
	54	14	37	20	HHGiC5437	1491	1592	1663	1735	20	122	134
	48	14	37	20	HHGiC4837	1462	1552	1587	1651	18	111	121
	42	14	37	20	HHGiC4237	1440	1522	1571	1626	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
Cannot accommodate a horizontal pigeon-hole unit.
No lock.

43" H.	72	14	43	26	HHGiA7243	1635	1767	1786	1883	31	173	189
	66	14	43	26	HHGiA6643	1587	1708	1767	1856	28	163	177
	60	14	43	26	HHGiA6043	1539	1650	1683	1763	26	152	166
	54	14	43	26	HHGiA5443	1474	1575	1647	1719	23	144	156
	48	14	43	26	HHGiA4843	1443	1533	1568	1631	21	132	143
	42	14	43	26	HHGiA4243	1420	1502	1550	1606	18	122	131
37" H.	72	14	37	20	HHGiA7237	1579	1711	1729	1827	27	149	165
	66	14	37	20	HHGiA6637	1533	1654	1713	1802	25	139	154
	60	14	37	20	HHGiA6037	1488	1599	1632	1713	22	130	143
	54	14	37	20	HHGiA5437	1427	1528	1599	1671	20	122	134
	48	14	37	20	HHGiA4837	1398	1488	1524	1587	18	111	121
	42	14	37	20	HHGiA4237	1376	1459	1507	1562	16	101	110

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH FLIPPER DOOR(S)



Hutch with flipper door(s) and metal sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft-closing of the door(s).



Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

Noki lock not included, available as an option.



Flipper door

	Dimensions					Code	Price		Specifications	
	A	B	C	D	E		Standard (TD)	Easy-Down (DW)	Cu.Ft.	Lb
43" H.	72	14	43	26	2	HF7243	1595	1701	30,8	197
	66	14	43	26	2	HF6643	1396	1502	28,3	184
	60	14	43	26	2	HF6043	1359	1464	25,8	172
	54	14	43	26	2	HF5443	1316	1421	23,3	159
	48	14	43	26	2	HF4843	1266	1372	20,8	146
	42	14	43	26	1	HF4243	1135	1188	18,3	133
	36	14	43	26	1	HF3643	1108	1161	15,8	120
	30	14	43	26	1	HF3043	1003	1056	13,3	108
	24	14	43	26	1	HF2443	931	983	10,8	95
37" H.	72	14	37	20	2	HF7237	1539	1645	26,9	173
	66	14	37	20	2	HF6637	1343	1449	24,7	161
	60	14	37	20	2	HF6037	1308	1414	22,5	149
	54	14	37	20	2	HF5437	1267	1373	20,3	137
	48	14	37	20	2	HF4837	1222	1328	18,1	125
	42	14	37	20	1	HF4237	1091	1144	16	112
	36	14	37	20	1	HF3637	1068	1121	13,8	100
	30	14	37	20	1	HF3037	966	1019	11,6	88
	24	14	37	20	1	HF2437	897	949	9,4	76

E = Number of doors

SPECIFY

Series	Code	Mecan.	Base	Fronts	Metal	Noki
T S	-		-	/	-	-

OPTIONS

Specify Code: Consult the above product code list.


Mechanism: Specify door mechanism: Standard (TD) or with "Easy-Down" soft-closing system (DW).

Base / Fronts: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Options Noki: Option of Noki lock, add (L), add \$66 per door, p.27.

HUTCHES WITH PIVOT-LIFT DOOR(S)



Hutch with pivot-lift door(s) and metal sides.

Equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

Noki lock not included, available as an option.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			T.F.L.	Cu.Ft. lb
43" H.	72	14	43	26	2	HU7243	1901		30,8 197
	66	14	43	26	2	HU6643	1702		28,3 184
	60	14	43	26	2	HU6043	1664		25,8 172
	54	14	43	26	2	HU5443	1621		23,3 159
	48	14	43	26	2	HU4843	1572		20,8 146
	42	14	43	26	1	HU4243	1288		18,3 133
	36	14	43	26	1	HU3643	1261		15,8 120
	30	14	43	26	1	HU3043	1156		13,3 108
	24	14	43	26	1	HU2443	1084		10,8 95
37" H.	72	14	37	20	2	HU7237	1845		26,9 173
	66	14	37	20	2	HU6637	1649		24,7 161
	60	14	37	20	2	HU6037	1614		22,5 149
	54	14	37	20	2	HU5437	1573		20,3 137
	48	14	37	20	2	HU4837	1528		18,1 125
	42	14	37	20	1	HU4237	1244		16 112
	36	14	37	20	1	HU3637	1221		13,8 100
	30	14	37	20	1	HU3037	1119		11,6 88
	24	14	37	20	1	HU2437	1049		9,4 76

E = Number of doors

SPECIFY

Series Code Base Fronts Metal Noki
T **S** - - / - -

OPTIONS

Specify **Code:** Consult the above product code list.


Base / Fronts: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Noki:** Option of Noki lock, add (L), add \$66 per door, p.27.

HUTCHES WITH PIVOT-LIFT DOOR(S)

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides. Equipped with a soft-close piston system.


Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.



Pivot-lift door

	Dimensions					Code		Price	Specifications	
	A	B	C	D	E	Doors:		T.F.L.	Cu.Ft.	lb
						Laminate	H-Gloss White			
43" H.	72	14	43	26	2	HUM7243	HUL7243	2816	30,8	197
	66	14	43	26	2	HUM6643	HUL6643	2617	28,3	184
	60	14	43	26	2	HUM6043	HUL6043	2580	25,8	172
	54	14	43	26	2	HUM5443	HUL5443	2537	23,3	159
	48	14	43	26	2	HUM4843	HUL4843	2487	20,8	146
	42	14	43	26	1	HUM4243	HUL4243	1746	18,3	133
	36	14	43	26	1	HUM3643	HUL3643	1718	15,8	120
	30	14	43	26	1	HUM3043	HUL3043	1614	13,3	108
	24	14	43	26	1	HUM2443	HUL2443	1541	10,8	95
37" H.	72	14	37	20	2	HUM7237	HUL7237	2760	26,9	173
	66	14	37	20	2	HUM6637	HUL6637	2564	24,7	161
	60	14	37	20	2	HUM6037	HUL6037	2529	22,5	149
	54	14	37	20	2	HUM5437	HUL5437	2488	20,3	137
	48	14	37	20	2	HUM4837	HUL4837	2443	18,1	125
	42	14	37	20	1	HUM4237	HUL4237	1702	16	112
	36	14	37	20	1	HUM3637	HUL3637	1679	13,8	100
	30	14	37	20	1	HUM3037	HUL3037	1576	11,6	88
	24	14	37	20	1	HUM2437	HUL2437	1507	9,4	76

E = Number of doors

SPECIFY


Series	Code	Base	Fronts	Metal
T S	-	-	/	-

Specify **Code:** Consult the above product code list.


Base / Fronts (laminate): Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

HUTCHES WITH PIVOT-LIFT DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.
 Equipped with a soft-close piston system.
 Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
 Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
 Striped or fluted edge not available.
 Cannot accommodate a horizontal pigeon-hole unit.
 No lock.



Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			T.F.L.	Cu.Ft. lb
43" H.	72	14	43	26	2	HUGiC7243	2676	30,8	197
	66	14	43	26	2	HUGiC6643	2477	28,3	184
	60	14	43	26	2	HUGiC6043	2440	25,8	172
	54	14	43	26	2	HUGiC5443	2397	23,3	159
	48	14	43	26	2	HUGiC4843	2347	20,8	146
	42	14	43	26	1	HUGiC4243	1676	18,3	133
	36	14	43	26	1	HUGiC3643	1649	15,8	120
	30	14	43	26	1	HUGiC3043	1544	13,3	108
	24	14	43	26	1	HUGiC2443	1472	10,8	95
37" H.	72	14	37	20	2	HUGiC7237	2620	26,9	173
	66	14	37	20	2	HUGiC6637	2424	24,7	161
	60	14	37	20	2	HUGiC6037	2389	22,5	149
	54	14	37	20	2	HUGiC5437	2349	20,3	137
	48	14	37	20	2	HUGiC4837	2303	18,1	125
	42	14	37	20	1	HUGiC4237	1632	16	112
	36	14	37	20	1	HUGiC3637	1609	13,8	100
	30	14	37	20	1	HUGiC3037	1507	11,6	88
	24	14	37	20	1	HUGiC2437	1438	9,4	76

E = Number of doors

SPECIFY


Series Code Base Metal
T S - - -

Specify **Code**: Consult the above product code list.


Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH PIVOT-LIFT DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.
 Equipped with a soft-close piston system.
 Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.
 Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.
 Striped or fluted edge not available.
 Cannot accommodate a horizontal pigeon-hole unit.
 No lock.



Pivot-lift door

E = Number of doors

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E			Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiA7243	2419	30,8	197
	66	14	43	26	2	HUGiA6643	2220	28,3	184
	60	14	43	26	2	HUGiA6043	2182	25,8	172
	54	14	43	26	2	HUGiA5443	2140	23,3	159
	48	14	43	26	2	HUGiA4843	2090	20,8	146
	42	14	43	26	1	HUGiA4243	1548	18,3	133
	36	14	43	26	1	HUGiA3643	1520	15,8	120
	30	14	43	26	1	HUGiA3043	1416	13,3	108
	24	14	43	26	1	HUGiA2443	1343	10,8	95
37" H.	72	14	37	20	2	HUGiA7237	2363	26,9	173
	66	14	37	20	2	HUGiA6637	2167	24,7	161
	60	14	37	20	2	HUGiA6037	2132	22,5	149
	54	14	37	20	2	HUGiA5437	2091	20,3	137
	48	14	37	20	2	HUGiA4837	2046	18,1	125
	42	14	37	20	1	HUGiA4237	1504	16	112
	36	14	37	20	1	HUGiA3637	1481	13,8	100
	30	14	37	20	1	HUGiA3037	1378	11,6	88
	24	14	37	20	1	HUGiA2437	1309	9,4	76

SPECIFY


Series Code Base Metal
T **S** - - -

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

MODULAR HUTCHES



Modular hutch with integrated horizontal pigeon-hole unit.

One or more storage module(s) can be installed on a modular hutch.

The 27" H. hutch with storage module has an overall height of 43".


The 21" H. hutch with storage module has an overall height of 37".

Hutch is equipped with a horizontal grommet at base.

Do not install this hutch on to a panel-attached surface, unless the surface is supported by floor supports.

	Dimensions				Code	Price	Specifications	
	A	B	C	D			T.F.L.	Cu.Ft. lb
27" H.	84	13	27	20	HM8427	950		21,5 140
	78	13	27	20	HM7827	903		20 131
	72	13	27	20	HM7227	854		19 123
	66	13	27	20	HM6627	811		17 115
	60	13	27	20	HM6027	763		15,5 106
	54	13	27	20	HM5427	724		14 98
	48	13	27	20	HM4827	683		12,5 90
	42	13	27	20	HM4227	642		11 82
	36	13	27	20	HM3627	586		9,5 73
	30	13	27	20	HM3027	539		8 65
21" H.	84	13	21	14	HM8421	834		17 123
	78	13	21	14	HM7821	788		16 116
	72	13	21	14	HM7221	743		15 108
	66	13	21	14	HM6621	702		13,4 101
	60	13	21	14	HM6021	660		12,2 93
	54	13	21	14	HM5421	616		11,1 86
	48	13	21	14	HM4821	584		9,9 78
	42	13	21	14	HM4221	546		8,7 71
	36	13	21	14	HM3621	493		7,5 63
	30	13	21	14	HM3021	449		6,3 56

Storage module can be installed in various positions.



27" H. hutch: X = 43" total
21" H. hutch: X = 37" total

SPECIFY

Series Code Base
T L - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.



STORAGE MODULES FOR MODULAR HUTCHES

Storage modules with hinged doors for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

Noki lock not included, available as an option.



Dimensions					Code		Price		Specifications			
A	B	C	D	F			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Lb (L)
42	14	16½	3	2	HB42		574	639	666	681	7,4	76
30	14	16½	2	1	HB30		488	527	545	556	5,4	58

STORAGE MODULES FOR MODULAR HUTCHES



("CONTEMPORARY" ALU. FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Storage modules with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.



					Doors:							
A	B	C	D		Laminate	H-Gloss White						
42	14	16½	3		HBM42	HBL42	1473	1538	1564	1580	7,4	76
30	14	16½	2		HBM30	HBL30	1088	1126	1144	1155	5,4	58

D = Number of doors

F = Number of locks

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Noki
T						

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.54-55.

Options Noki (HB...): Option of Noki lock, add (L), add \$66 per lock, p.27.



STORAGE MODULES FOR MODULAR HUTCHES ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Storage modules with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.



Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
42	14	16½	3	HBGiC42		1378	1443	1470	1485	7,4 76 85
30	14	16½	2	HBGiC30		1024	1063	1080	1091	5,4 58 64

L Lima 1"

M Mike 1½"



STORAGE MODULES FOR MODULAR HUTCHES ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Storage modules with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.



42	14	16½	3	HBGiA42		1222	1298	1373	1388	7,4 76 85
30	14	16½	2	HBGiA30		909	958	1016	1027	5,4 58 64

D = Number of doors

SPECIFY


Series	Code	Surface	Edge	Base
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

OPEN WALL MOUNTED HUTCHES



Open wall mounted hutch.
Hutches 54" and longer have a central divider.
Wall mounting brackets included.

Dimensions					L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	F	Price						
					T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16			602	682	651	704	13	103	119
66	14½	16			561	637	618	662	12	95	110
60	14½	16			521	592	573	622	11	88	102
54	14½	16			482	548	524	579	10	80	93
48	14½	16			443	505	459	537	9	73	84
42	14½	16			415	463	431	495	8	65	75
36	14½	16			387	422	402	453	7	57	66
30	14½	16			361	382	375	411	6	49	57
24	14½	16			333	343	350	370	4,6	42	48

SPECIFY


Series Code Surface Edge Base
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH HINGED DOORS



Open wall mounted hutch with hinged doors.
Wall mounting brackets included.
Noki lock not included, available as an option.

72	14½	16	4	2	HWD7216	758	884	953	980	13	121	137
66	14½	16	4	2	HWD6616	729	847	920	945	12	112	126
60	14½	16	4	2	HWD6016	667	774	859	882	11	103	116
54	14½	16	4	2	HWD5416	618	715	805	826	10	94	106
48	14½	16	3	2	HWD4816	546	631	715	734	9	85	95
42	14½	16	3	2	HWD4216	514	590	666	681	8	76	85
36	14½	16	2	1	HWD3616	470	528	583	597	7	67	74
30	14½	16	2	1	HWD3016	437	486	545	556	6	58	64
24	14½	16	2	1	HWD2416	375	416	452	461	4,6	48	54

D = Number of doors

F = Number of locks

SPECIFY

Series Code Surface Edge Base Fronts Noki
T - - / - / -

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.


Options Noki: Option of Noki lock, add (L), add \$66 per lock, p.27.

WALL MOUNTED HUTCHES WITH HINGED DOORS (ALUMINUM FRAME with LAMINATE, H-GLOSS WHITE or ACRYLIC interior panel)


Open wall mounted hutch with hinged aluminum framed doors.

Wall mounting brackets included.


No lock.



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

D = Number of doors

L Lima 1" **M Mike 1½"**

Dimensions				Code		Price		Specifications				
A	B	C	D	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
				Laminate	H-Gloss White							
72	14½	16	4	HWDM7216	HWDL7216	1956	2082	2151	2178	13	121	137
66	14½	16	4	HWDM6616	HWDL6616	1927	2045	2118	2143	12	112	126
60	14½	16	4	HWDM6016	HWDL6016	1865	1972	2057	2080	11	103	116
54	14½	16	4	HWDM5416	HWDL5416	1816	1913	2003	2024	10	94	106
48	14½	16	3	HWDM4816	HWDL4816	1444	1530	1614	1632	9	85	95
42	14½	16	3	HWDM4216	HWDL4216	1412	1488	1564	1580	8	76	85
36	14½	16	2	HWDM3616	HWDL3616	1069	1128	1183	1197	7	67	74
30	14½	16	2	HWDM3016	HWDL3016	1036	1086	1144	1155	6	58	64
24	14½	16	2	HWDM2416	HWDL2416	975	1015	1052	1060	4,6	48	54
Acrylic												
72	14½	16	4	HWdGiC7216		1829	1956	2024	2052	13	121	137
66	14½	16	4	HWdGiC6616		1801	1918	1991	2016	12	112	126
60	14½	16	4	HWdGiC6016		1738	1846	1931	1954	11	103	116
54	14½	16	4	HWdGiC5416		1690	1786	1877	1898	10	94	106
48	14½	16	3	HWdGiC4816		1350	1436	1519	1538	9	85	95
42	14½	16	3	HWdGiC4216		1318	1394	1470	1485	8	76	85
36	14½	16	2	HWdGiC3616		1005	1064	1119	1133	7	67	74
30	14½	16	2	HWdGiC3016		972	1022	1080	1091	6	58	64
24	14½	16	2	HWdGiC2416		911	952	988	997	4,6	48	54
Acrylic												
72	14½	16	4	HWdGiA7216		1702	1828	1896	1925	13	121	137
66	14½	16	4	HWdGiA6616		1673	1791	1863	1889	12	112	126
60	14½	16	4	HWdGiA6016		1610	1719	1804	1826	11	103	116
54	14½	16	4	HWdGiA5416		1562	1659	1749	1770	10	94	106
48	14½	16	3	HWdGiA4816		1254	1340	1423	1441	9	85	95
42	14½	16	3	HWdGiA4216		1222	1298	1373	1388	8	76	85
36	14½	16	2	HWdGiA3616		942	1000	1055	1069	7	67	74
30	14½	16	2	HWdGiA3016		909	958	1016	1027	6	58	64
24	14½	16	2	HWdGiA2416		847	889	924	933	4,6	48	54

SPECIFY


Series Code Surface Edge Base Fronts
T - - / - /

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HWDM): Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS




Wall mounted hutch with central opening, hinged doors.

Wall mounting brackets included.

Noki lock not included, available as an option.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72	14½	16	HWH7216		693	820	888	915	13 103 119
66	14½	16	HWH6616		663	782	854	879	12 95 110
60	14½	16	HWH6016		601	710	794	816	11 88 102
54	14½	16	HWH5416		552	650	740	761	10 80 93
48	14½	16	HWH4816		513	600	682	701	9 73 84
42	14½	16	HWH4216		481	558	633	648	8 65 75

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)



Contemporary aluminum frame/
Laminate or Gloss White int. panel

Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel).

Wall mounting brackets included.

No lock.

			Doors:						
			Laminate	H-Gloss White					
72	14½	16	HWHM7216	HWHL7216	1293	1419	1487	1515	13 103 119
66	14½	16	HWHM6616	HWHL6616	1263	1382	1453	1478	12 95 110
60	14½	16	HWHM6016	HWHL6016	1200	1309	1394	1416	11 88 102
54	14½	16	HWHM5416	HWHL5416	1152	1250	1340	1361	10 80 93
48	14½	16	HWHM4816	HWHL4816	1112	1199	1282	1300	9 73 84
42	14½	16	HWHM4216	HWHL4216	1080	1157	1232	1247	8 65 75

SPECIFY

Series Code Surface Edge Base Fronts Noki
T - - / - / -

OPTIONS


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HWH & HWHM): Take Off finishes, p.54-55.

Options Noki (HWH): Option of Noki lock, add (L), add \$66 per door, p.27.

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)




Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel).

Wall mounting brackets included.

No lock.

			L Lima 1"		M Mike 1½"				
Dimensions			Price				Specifications		
A	B	C	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	1229	1355	1423	1451	13	103	119
66	14½	16	1199	1318	1389	1415	12	95	110
60	14½	16	1136	1245	1330	1352	11	88	102
54	14½	16	1088	1186	1276	1297	10	80	93
48	14½	16	1048	1135	1218	1236	9	73	84
42	14½	16	1016	1093	1168	1184	8	65	75

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)



Wall mounted hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel).

Wall mounting brackets included.

No lock.

72	14½	16	1165	1291	1360	1387	13	103	119
66	14½	16	1135	1254	1326	1351	12	95	110
60	14½	16	1073	1181	1266	1288	11	88	102
54	14½	16	1024	1122	1212	1233	10	80	93
48	14½	16	985	1071	1154	1173	9	73	84
42	14½	16	953	1030	1104	1120	8	65	75

SPECIFY


Series	Code	Surface	Edge	Base
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH FLIPPER DOOR(S)





Wall mounted hutch with flipper door(s).

Available with the standard closing mechanism or with the "Easy-down" option allowing soft-closing of the door(s).

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock not included, available as an option.



Flipper door

D = Number of doors

Dimensions				Code	Price		Price		Specifications	
A	B	C	D		Standard (TD)		Easy-down (DW)		Cu.Ft.	Lb (L)
72	14½	16	2	HWF7216	855		960		12,7	121
66	14½	16	2	HWF6616	813		919		11,7	112
60	14½	16	2	HWF6016	769		875		10,7	103
54	14½	16	2	HWF5416	734		839		9,7	94
48	14½	16	2	HWF4816	696		802		8,6	85
42	14½	16	1	HWF4216	564		617		7,6	76
36	14½	16	1	HWF3616	527		580		6,6	67
30	14½	16	1	HWF3016	490		542		5,6	58
24	14½	16	1	HWF2416	451		504		4,6	48

SPECIFY

Series Code Mecan. Base Fronts Noki
T **L** - - / -

OPTIONS


Specify Code: Consult the above product code list.

Mechanism: Specify door mechanism: Standard (TD) or with "Easy-down" soft-closing system (DW).

Base / Fronts: Take Off finishes, p.54-55.

Options Noki: Option of Noki lock, add (L), add \$66 per door, p.27.

WALL MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S)



Wall mounted hutch with pivot-lift door(s). Equipped with a soft-close piston system.

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock not included, available as an option.



Pivot-lift door

D = Number of doors

72	14½	16	2	HWU7216	1161				12,7	121
66	14½	16	2	HWU6616	1119				11,7	112
60	14½	16	2	HWU6016	1075				10,7	103
54	14½	16	2	HWU5416	1040				9,7	94
48	14½	16	2	HWU4816	1002				8,6	85
42	14½	16	1	HWU4216	717				7,6	76
36	14½	16	1	HWU3616	680				6,6	67
30	14½	16	1	HWU3016	642				5,6	58
24	14½	16	1	HWU2416	604				4,6	48

SPECIFY

Series Code Base Fronts Noki
T **L** - - / -


OPTIONS

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.

Options Noki: Option of Noki lock, add (L), add \$66 per door, p.27.

HUTCHES WITH PIVOT-LIFT DOOR(S) (ALUMINUM FRAME with LAMINATE, H-GLOSS WHITE or ACRYLIC interior panel)



Wall mounted hutch with pivot-lift aluminum framed door(s). Equipped with a soft-close piston system.


Wall mounting brackets included.

Striped or fluted edge not available.


No lock.



Contemporary aluminum frame/
Laminate or H-Gloss White int. panel



Contemporary aluminum frame/
Acrylic interior panel



Traditional aluminum frame/
Acrylic interior panel

D = Number of doors

Dimensions				Code		Price	Specifications	
A	B	C	D	Doors:		T.F.L.	Cu.Ft. lb (L)	
				Laminate	H-Gloss White			
72	14½	16	2	HWUM7216	HWUL7216	2076	12,7	121
66	14½	16	2	HWUM6616	HWUL6616	2034	11,7	112
60	14½	16	2	HWUM6016	HWUL6016	1990	10,7	103
54	14½	16	2	HWUM5416	HWUL5416	1955	9,7	94
48	14½	16	2	HWUM4816	HWUL4816	1917	8,6	85
42	14½	16	1	HWUM4216	HWUL4216	1175	7,6	76
36	14½	16	1	HWUM3616	HWUL3616	1137	6,6	67
30	14½	16	1	HWUM3016	HWUL3016	1100	5,6	58
24	14½	16	1	HWUM2416	HWUL2416	1062	4,6	48

				Acrylic				
72	14½	16	2	HWUGiC7216		1936	12,7	121
66	14½	16	2	HWUGiC6616		1894	11,7	112
60	14½	16	2	HWUGiC6016		1850	10,7	103
54	14½	16	2	HWUGiC5416		1815	9,7	94
48	14½	16	2	HWUGiC4816		1778	8,6	85
42	14½	16	1	HWUGiC4216		1106	7,6	76
36	14½	16	1	HWUGiC3616		1068	6,6	67
30	14½	16	1	HWUGiC3016		1031	5,6	58
24	14½	16	1	HWUGiC2416		992	4,6	48

				Acrylic				
72	14½	16	2	HWUGiA7216		1679	12,7	121
66	14½	16	2	HWUGiA6616		1637	11,7	112
60	14½	16	2	HWUGiA6016		1593	10,7	103
54	14½	16	2	HWUGiA5416		1558	9,7	94
48	14½	16	2	HWUGiA4816		1520	8,6	85
42	14½	16	1	HWUGiA4216		977	7,6	76
36	14½	16	1	HWUGiA3616		939	6,6	67
30	14½	16	1	HWUGiA3016		902	5,6	58
24	14½	16	1	HWUGiA2416		864	4,6	48


SPECIFY

Series Code Base Fronts
T **L** - - /

Specify **Code**: Consult the above product code list.

Base / Fronts (HWUM): Take Off finishes, p.54-55.

WALL MOUNTED MODULES



Wall module, interior dimension 5½".

Modules 54" and longer have a central divider.

Wall mounting brackets included, able to support a regular & non excessive load.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb (L)
72	10	7½	HWB107207	481	4,4	88
66	10	7½	HWB106607	449	4	85
60	10	7½	HWB106007	418	3,7	82
54	10	7½	HWB105407	386	3,3	79
48	10	7½	HWB104807	356	3	59
42	10	7½	HWB104207	337	2,6	56
36	10	7½	HWB103607	318	2,2	53
30	10	7½	HWB103007	300	1,9	50
24	10	7½	HWB102407	281	1,5	47

SPECIFY


Series Code Base

T - -

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.

BOOKCASE HUTCHES



Bookcase hutch.

2 shelves: 1 fixed & 1 adjustable.

Hutch is equipped with a horizontal grommet at base.

	Dimensions			Code	Price		Specifications			
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
43" H.	14	36	43	HBK3643	557	629	691	733	15	85 91
	14	30	43	HBK3043	503	573	644	679	12,6	75 80
37" H.	14	36	37	HBK3637	480	550	575	618	13	76 82
	14	30	37	HBK3037	429	497	531	567	10,9	67 71

SPECIFY

Series Code Surface Edge Base


T - - / -

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

BOOKCASE HUTCHES WITH DOOR(S)




Bookcase hutch with 2 doors.

2 shelves: 1 fixed & 1 adjustable.

Noki lock not included, available as an option and lock both doors.

	Dimensions			Code	Price		Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	
43" H.	14	36	43	HPDD3643	749	822	883	925	15 134 139
	14	30	43	HPDD3043	695	766	836	871	12,6 117 122
37" H.	14	36	37	HPDD3637	672	743	768	811	13 119 124
	14	30	37	HPDD3037	622	690	724	759	10,9 104 108




Bookcase hutch with door at left.

2 shelves: 1 fixed & 1 adjustable.

Noki lock not included, available as an option.

43" H.	14	36	43	HPDD3643	653	726	788	829	15 116 121
	14	30	43	HPDD3043	600	670	740	776	12,6 102 107
37" H.	14	36	37	HPDD3637	576	647	672	715	13 103 108
	14	30	37	HPDD3037	526	594	628	663	10,9 91 95



Bookcase hutch with door at right.

2 shelves: 1 fixed & 1 adjustable.

Noki lock not included, available as an option.

43" H.	14	36	43	HPDD3643	653	726	788	829	15 116 121
	14	30	43	HPDD3043	600	670	740	776	12,6 102 107
37" H.	14	36	37	HPDD3637	576	647	672	715	13 103 108
	14	30	37	HPDD3037	526	594	628	663	10,9 91 95

SPECIFY

Series Code Surface Edge Base Fronts Pull Noki

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Noki: Option of Noki lock, add (L), add \$66 per door, p.27.


BOOKCASE HUTCHES WITH DOOR(S)

("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)


Bookcase hutch with 2 doors ("Contemporary" aluminum frame with laminate or H-Gl

2 shelves: 1 fixed & 1 adjustable.

No lock.



					L Lima 1"		M Mike 1½"					
Dimensions			Code		Price				Specifications			
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
			Laminate	H-Gloss White								
43" H.	14	36	43	HPDDM3643	HPDDL3643	1596	1669	1730	1772	15	134	139
	14	30	43	HPDDM3043	HPDDL3043	1542	1613	1683	1718	12,6	117	122
37" H.	14	36	37	HPDDM3637	HPDDL3637	1519	1590	1615	1658	13	119	124
	14	30	37	HPDDM3037	HPDDL3037	1469	1537	1571	1606	10,9	104	108




Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDOM3643	HPDOL3643	1077	1150	1211	1253	15	116	121
	14	30	43	HPDOM3043	HPDOL3043	1023	1093	1164	1199	12,6	102	107
37" H.	14	36	37	HPDOM3637	HPDOL3637	1000	1070	1096	1139	13	103	108
	14	30	37	HPDOM3037	HPDOL3037	949	1018	1052	1087	10,9	91	95



Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPODM3643	HPODL3643	1077	1150	1211	1253	15	116	121
	14	30	43	HPODM3043	HPODL3043	1023	1093	1164	1199	12,6	102	107
37" H.	14	36	37	HPODM3637	HPODL3637	1000	1070	1096	1139	13	103	108
	14	30	37	HPODM3037	HPODL3037	949	1018	1052	1087	10,9	91	95

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify Series: L or M. (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HP___M): Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

BOOKCASE HUTCHES WITH DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)


Bookcase hutch with 2 doors ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.



	Dimensions			Code	Price		Specifications	
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.
43" H.	14	36	43	HPDDGiC3643	1455	1528	1590	1631
	14	30	43	HPDDGiC3043	1401	1472	1542	1577
37" H.	14	36	37	HPDDGiC3637	1378	1449	1474	1517
	14	30	37	HPDDGiC3037	1328	1396	1430	1465




Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDGiC3643	1007	1079	1141	1183
	14	30	43	HPDGiC3043	953	1023	1093	1129
37" H.	14	36	37	HPDGiC3637	930	1000	1025	1068
	14	30	37	HPDGiC3037	879	947	981	1016



Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDGiC3643	1007	1079	1141	1183
	14	30	43	HPDGiC3043	953	1023	1093	1129
37" H.	14	36	37	HPDGiC3637	930	1000	1025	1068
	14	30	37	HPDGiC3037	879	947	981	1016

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Pull: Pulls included, specify type, p.56.

BOOKCASE HUTCHES WITH DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)


Bookcase hutch with 2 doors ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.



	Dimensions			Code	Price				Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	14	36	43	HPDDGiA3643	1199	1272	1333	1375	15	134	139
	14	30	43	HPDDGiA3043	1145	1216	1286	1321	12,6	117	122
37" H.	14	36	37	HPDDGiA3637	1122	1192	1218	1261	13	119	124
	14	30	37	HPDDGiA3037	1071	1140	1174	1209	10,9	104	108




Bookcase hutch with 1 door at left ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDGiA3643	1103	1176	1238	1279	15	116	121
	14	30	43	HPDGiA3043	1049	1120	1190	1225	12,6	102	107
37" H.	14	36	37	HPDGiA3637	1026	1097	1122	1165	13	103	108
	14	30	37	HPDGiA3037	976	1044	1078	1113	10,9	91	95



Bookcase hutch with 1 door at right ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	HPDGiA3643	1103	1176	1238	1279	15	116	121
	14	30	43	HPDGiA3043	1049	1120	1190	1225	12,6	102	107
37" H.	14	36	37	HPDGiA3637	1026	1097	1122	1165	13	103	108
	14	30	37	HPDGiA3037	976	1044	1078	1113	10,9	91	95

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>


Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CORNER ROUNDED BOOKCASE HUTCHES



Corner rounded bookcase hutch.
Bottom shelf is adjustable, top one is fixed.

Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	43	HC43	597	653	633	689	5,7	39	42
14	14	37	HC37	553	609	589	645	4,9	35	38

SPECIFY


Series Code Surface Edge Base
T - - / -

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


TACKBOARDS FOR 43" H. HUTCHES



Tackboard for hutch.


Installs under 43" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	25 for 84" hutch	BT8225	384	430	472	497	517	2,2	21
76	25 for 78" hutch	BT7625	358	399	439	462	480	2,0	21
70	25 for 72" hutch	BT7025	331	371	405	430	448	1,8	19
64	25 for 66" hutch	BT6425	294	329	362	383	402	1,7	17
58	25 for 60" hutch	BT5825	248	279	304	311	318	1,5	16
52	25 for 54" hutch	BT5225	234	263	287	294	303	1,4	14
46	25 for 48" hutch	BT4625	228	253	273	283	290	1,2	12
40	25 for 42" hutch	BT4025	193	216	232	241	249	1,1	11
34	25 for 36" hutch	BT3425	177	196	216	223	231	0,9	9
28	25 for 30" hutch	BT2825	163	178	195	205	210	0,8	8
22	25 for 24" hutch	BT2225	151	163	176	185	193	0,6	6


TACKBOARDS FOR 43" H. HUTCHES WITH HORIZONTAL PIGEON-HOLE



Tackboard for hutch.

Installs under 43" H. hutches with horizontal pigeon-hole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	21	for 84" hutch	BT8221	355	400	442	468	487	2,2	21
76	21	for 78" hutch	BT7621	330	371	410	433	452	2,0	21
70	21	for 72" hutch	BT7021	304	343	377	403	421	1,8	19
64	21	for 66" hutch	BT6421	267	303	336	356	376	1,7	17
58	21	for 60" hutch	BT5821	222	254	278	286	292	1,5	16
52	21	for 54" hutch	BT5221	210	239	262	270	277	1,4	14
46	21	for 48" hutch	BT4621	204	230	250	259	266	1,2	12
40	21	for 42" hutch	BT4021	171	194	210	218	227	1,1	11
34	21	for 36" hutch	BT3421	155	175	194	202	210	0,9	9
28	21	for 30" hutch	BT2821	142	157	174	184	189	0,8	8
22	21	for 24" hutch	BT2221	131	143	157	165	174	0,6	6


SPECIFY

Code Fabric
AC - -

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.


TACKBOARDS FOR 37" H. HUTCHES



Tackboard for hutch.


Installs under 37" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	19 for 84" hutch	BT8219	349	394	436	461	481	2,2	21
76	19 for 78" hutch	BT7619	323	365	404	428	446	2,0	21
70	19 for 72" hutch	BT7019	298	337	372	397	416	1,8	19
64	19 for 66" hutch	BT6419	262	297	330	351	371	1,7	17
58	19 for 60" hutch	BT5819	217	250	273	282	287	1,5	16
52	19 for 54" hutch	BT5219	206	234	257	265	273	1,4	14
46	19 for 48" hutch	BT4619	200	226	245	255	264	1,2	12
40	19 for 42" hutch	BT4019	167	190	207	215	222	1,1	11
34	19 for 36" hutch	BT3419	153	172	191	199	206	0,9	9
28	19 for 30" hutch	BT2819	140	155	172	182	187	0,8	8
22	19 for 24" hutch	BT2219	129	141	155	164	172	0,6	6


TACKBOARDS FOR 37" H. HUTCHES WITH HORIZONTAL PIGEON-HOLE



Tackboard for hutch.

Installs under 37" H. hutches with horizontal pigeon-hole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	15 for 84" hutch	BT8215	334	381	422	448	468	2,2	21
76	15 for 78" hutch	BT7615	310	352	392	415	432	2,0	21
70	15 for 72" hutch	BT7015	287	326	361	385	403	1,8	19
64	15 for 66" hutch	BT6415	251	286	320	341	360	1,7	17
58	15 for 60" hutch	BT5815	208	240	264	272	277	1,5	16
52	15 for 54" hutch	BT5215	197	226	250	256	265	1,4	14
46	15 for 48" hutch	BT4615	193	219	238	248	256	1,2	12
40	15 for 42" hutch	BT4015	161	184	200	208	217	1,1	11
34	15 for 36" hutch	BT3415	147	166	186	194	201	0,9	9
28	15 for 30" hutch	BT2815	135	151	167	177	182	0,8	8
22	15 for 24" hutch	BT2215	125	138	152	160	168	0,6	6

SPECIFY


Code Fabric

AC - -

Specify **Code**: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.


TACKBOARDS FOR 27" H. MODULAR HUTCHES



Tackboard for hutch.


Installs under 27" H. modular hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



Dimensions		Code	Price					Specifications	
A	B		COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	19	for 84" hutch	BT8219	349	394	436	461	481	2,2 21
76	19	for 78" hutch	BT7619	323	365	404	428	446	2,0 21
70	19	for 72" hutch	BT7019	298	337	372	397	416	1,8 19
64	19	for 66" hutch	BT6419	262	297	330	351	371	1,7 17
58	19	for 60" hutch	BT5819	217	250	273	282	287	1,5 16
52	19	for 54" hutch	BT5219	206	234	257	265	273	1,4 14
46	19	for 48" hutch	BT4619	200	226	245	255	264	1,2 12
40	19	for 42" hutch	BT4019	167	190	207	215	222	1,1 11
34	19	for 36" hutch	BT3419	153	172	191	199	206	0,9 9
28	19	for 30" hutch	BT2819	140	155	172	182	187	0,8 8
22	19	for 24" hutch	BT2219	129	141	155	164	172	0,6 6


TACKBOARDS FOR 21" H. MODULAR HUTCHES



Tackboard for hutch.

Installs under 27" H. modular hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	13	for 84" hutch	BT8213	338	383	425	450	471	2,2 21
76	13	for 78" hutch	BT7613	314	355	395	418	437	2,0 21
70	13	for 72" hutch	BT7013	290	329	364	389	407	1,8 19
64	13	for 66" hutch	BT6413	255	290	323	344	364	1,7 17
58	13	for 60" hutch	BT5813	212	244	268	276	282	1,5 16
52	13	for 54" hutch	BT5213	201	231	254	262	270	1,4 14
46	13	for 48" hutch	BT4613	198	224	243	253	262	1,2 12
40	13	for 42" hutch	BT4013	160	187	198	211	216	1,1 11
34	13	for 36" hutch	BT3413	145	165	182	189	200	0,9 9
28	13	for 30" hutch	BT2813	134	149	165	177	182	0,8 8
22	13	for 24" hutch	BT2213	123	132	149	158	166	0,6 6


SPECIFY

Code Fabric
AC - -

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

PIGEON-HOLE UNITS




Horizontal pigeon-hole unit.

Can be installed on a credenza or suspended underneath a hutch.

Cannot be installed under a hutch with metal sides.

Mounting hardware included (to be used when suspending under a hutch)


Select the appropriate tackboard, see p.207-208-209.



Installed on a credenza


Installed underneath a hutch

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	Lb
82	11	5	for 84" hutch	PiH82	670	4,0	37
76	11	5	for 78" hutch	PiH76	634	3,7	34
70	11	5	for 72" hutch	PiH70	598	3,5	32
64	11	5	for 66" hutch	PiH64	566	3,2	29
58	11	5	for 60" hutch	PiH58	532	2,9	27
52	11	5	for 54" hutch	PiH52	496	2,6	24
46	11	5	for 48" hutch	PiH46	463	2,3	22
40	11	5	for 42" hutch	PiH40	431	2,0	19
34	11	5	for 36" hutch	PiH34	397	1,7	16
28	11	5	for 30" hutch	PiH28	361	1,4	14
22	11	5	for 24" hutch	PiH22	323	1,1	11




Pigeon-hole unit, to accommodate "legal" size documents.

17	11	26		Pi1726	356	3,5	48
17	11	20		Pi1720	325	2,8	37



Pigeon-hole unit, to accommodate "letter" size documents.

14	11	26		Pi1426	295	2,5	37
14	11	20		Pi1420	267	2,0	28



Vertical pigeon-hole unit.

7	11	26	12	Pi726	190	1,6	18
7	11	20	12	Pi720	162	1,2	14

SPECIFY

Series Code Base

T **L** - -

Specify **Code**: Consult the above product code list.


Base: Take Off finishes, p.54-55.

Edge will match the selected "Base" finish.

Take Off

Tables / Layering
Sierra-Tango

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS)



29" H. rectangular table with combined-material (metal-laminate) end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

NOTE: The recessed end panel always has an "open" design.


Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.


Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

LL



LC



CL

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B								
36	84	TiX3684	LL end panels only	1080	1297	—	1403	11,1	193 241
36	78	TiX3678	LL end panels only	1062	1251	—	1348	10,5	183 227
36	72	TiX3672	LL end panels only	1042	1203	1068	1293	9,8	173 214
36	66	TiX3666	LL end panels only	986	1177	1040	1258	9,2	163 201
36	60	TiX3660	LL end panels only	952	1131	1007	1205	8,6	153 188
36	54	TiX3654	LL end panels only	919	1089	985	1164	8	143 174
36	48	TiX3648	LL end panels only	887	1044	963	1122	7,4	134 161
30	84	TiX3084		986	1178	—	1268	9,2	168 208
30	78	TiX3078		969	1139	—	1222	8,7	159 196
30	72	TiX3072		952	1100	989	1177	8,1	150 185
30	66	TiX3066		917	1062	956	1128	7,6	142 173
30	60	TiX3060		887	1022	926	1082	7,7	133 162
30	54	TiX3054		858	988	910	1051	6,6	125 150
30	48	TiX3048		827	950	892	1016	6,1	116 139
30	42	TiX3042		792	910	851	959	5,6	107 127
30	36	TiX3036		759	868	816	910	5,1	99 116
30	30	TiX3030		750	836	798	877	4,6	90 104
30	24	TiX3024		734	796	772	838	4,1	80 92
24	84	TiX2484		884	1055	—	1131	7,4	143 175
24	78	TiX2478		870	1023	—	1093	7	136 165
24	72	TiX2472		856	992	906	1056	6,5	128 155
24	66	TiX2466		833	952	876	1013	6,1	120 145
24	60	TiX2460		792	917	845	970	5,7	113 136
24	54	TiX2454		766	886	823	935	5,3	105 126
24	48	TiX2448		747	860	810	910	4,9	98 116
24	42	TiX2442		712	818	781	860	4,5	90 106
24	36	TiX2436		678	778	761	828	4,1	83 96
24	30	TiX2430		652	748	751	814	3,7	75 87
24	24	TiX2424		627	719	735	785	3,7	68 77

SPECIFY

Series Code Legs Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.


RECTANGULAR TABLES (PERFORATED METAL END PANELS)



LL



LC



CL

29" H. rectangular table with perforated metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

NOTE: The recessed end panel always has an "open" design.

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

S Sierra 1" T Tango 1½"

Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	Tim3684	LL end panel only	1080	1297	—	1403	11,1	193	241
36	78	Tim3678	LL end panel only	1062	1251	—	1348	10,5	183	227
36	72	Tim3672	LL end panel only	1042	1203	1068	1293	9,8	173	214
36	66	Tim3666	LL end panel only	986	1177	1040	1258	9,2	163	201
36	60	Tim3660	LL end panel only	952	1131	1007	1205	8,6	153	188
36	54	Tim3654	LL end panel only	919	1089	985	1164	8	143	174
36	48	Tim3648	LL end panel only	887	1044	963	1122	7,4	134	161
30	84	Tim3084		986	1178	—	1268	9,2	168	208
30	78	Tim3078		969	1139	—	1222	8,7	159	196
30	72	Tim3072		952	1100	989	1177	8,1	150	185
30	66	Tim3066		917	1062	956	1128	7,6	142	173
30	60	Tim3060		887	1022	926	1082	7,7	133	162
30	54	Tim3054		858	988	910	1051	6,6	125	150
30	48	Tim3048		827	950	892	1016	6,1	116	139
30	42	Tim3042		792	910	851	959	5,6	107	127
30	36	Tim3036		759	868	816	910	5,1	99	116
30	30	Tim3030		750	836	798	877	4,6	90	104
30	24	Tim3024		734	796	772	838	4,1	80	92
24	84	Tim2484		884	1055	—	1131	7,4	143	175
24	78	Tim2478		870	1023	—	1093	7	136	165
24	72	Tim2472		856	992	906	1056	6,5	128	155
24	66	Tim2466		833	952	876	1013	6,1	120	145
24	60	Tim2460		792	917	845	970	5,7	113	136
24	54	Tim2454		766	886	823	935	5,3	105	126
24	48	Tim2448		747	860	810	910	4,9	98	116
24	42	Tim2442		712	818	781	860	4,5	90	106
24	36	Tim2436		678	778	761	828	4,1	83	96
24	30	Tim2430		652	748	751	814	3,7	75	87
24	24	Tim2424		627	719	735	785	3,7	68	77

SPECIFY

Series Code Legs Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.


RECTANGULAR TABLES (OPEN METAL END PANELS)



LL



LC



CL

29" H. rectangular table with open metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

S Sierra 1"

T Tango 1½"

Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	Ti03684	LL end panel only	926	1143	—	1249	11,1	174	222
36	78	Ti03678	LL end panel only	908	1097	—	1194	10,5	164	209
36	72	Ti03672	LL end panel only	888	1049	914	1139	9,8	154	196
36	66	Ti03666	LL end panel only	832	1023	886	1104	9,2	145	182
36	60	Ti03660	LL end panel only	798	977	853	1051	8,6	135	169
36	54	Ti03654	LL end panel only	765	935	831	1010	8	125	156
36	48	Ti03648	LL end panel only	733	890	809	968	7,4	115	143
30	84	Ti03084		865	1057	—	1147	9,2	151	191
30	78	Ti03078		848	1018	—	1101	8,7	143	180
30	72	Ti03072		831	979	868	1056	8,1	134	168
30	66	Ti03066		796	941	835	1007	7,6	125	157
30	60	Ti03060		766	901	805	961	7,7	117	145
30	54	Ti03054		737	867	789	930	6,6	108	134
30	48	Ti03048		706	829	771	895	6,1	99	122
30	42	Ti03042		671	789	730	838	5,6	91	111
30	36	Ti03036		638	747	695	789	5,1	82	99
30	30	Ti03030		629	715	677	756	4,6	74	88
30	24	Ti03024		613	675	651	717	4,1	64	75
24	84	Ti02484		774	945	—	1021	7,4	129	161
24	78	Ti02478		760	913	—	983	7	121	151
24	72	Ti02472		746	882	796	946	6,5	113	141
24	66	Ti02466		723	842	766	903	6,1	106	131
24	60	Ti02460		682	807	735	860	5,7	98	121
24	54	Ti02454		656	776	713	825	5,3	91	111
24	48	Ti02448		637	750	700	800	4,9	83	102
24	42	Ti02442		602	708	671	750	4,5	76	92
24	36	Ti02436		568	668	651	718	4,1	68	82
24	30	Ti02430		542	638	641	704	3,7	61	72
24	24	Ti02424		517	609	625	675	3,7	53	62

SPECIFY

Series Code Legs Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.

RECTANGULAR & CORNER TABLES (OPEN METAL "CC" END PANELS)



CC


29" H. rectangular table with open metal end panels. Available with 2 recessed end panels.

This table features the same specifications as the 3 previous tables.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

Dimensions				S Sierra 1"		T Tango 1½"		Specifications		
A	B	C	D	Price						
				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
30	84			Ti03084CC	799	991	—	1081	9,2	154 194
30	78			Ti03078CC	782	952	—	1035	8,7	145 182
30	72			Ti03072CC	765	913	802	990	8,1	136 171
30	66			Ti03066CC	730	875	769	941	7,6	128 159
30	60			Ti03060CC	700	835	739	895	7,1	119 148
30	54			Ti03054CC	671	801	723	864	6,6	111 136
30	48			Ti03048CC	640	763	705	829	6,1	102 125
30	42			Ti03042CC	605	723	664	772	5,6	93 113
30	36			Ti03036CC	572	681	629	723	5,1	85 102
30	30			Ti03030CC	563	649	611	690	4,6	76 90
30	24			Ti03024CC	547	609	585	651	4,1	67 78
24	84			Ti02484CC	752	923	—	999	7,4	134 166
24	78			Ti02478CC	738	891	—	961	7	126 156
24	72			Ti02472CC	724	860	774	924	6,5	119 146
24	66			Ti02466CC	701	820	744	881	6,1	111 136
24	60			Ti02460CC	660	785	713	838	5,7	103 126
24	54			Ti02454CC	634	754	691	803	5,3	96 117
24	48			Ti02448CC	615	728	678	778	4,9	88 107
24	42			Ti02442CC	580	686	649	728	4,5	81 97
24	36			Ti02436CC	546	646	629	696	4,1	73 87
24	30			Ti02430CC	520	616	619	682	3,7	66 77
24	24			Ti02424CC	495	587	603	653	3,3	58 67



CC

90° corner table with recessed open metal end panels. Woodgrain is positioned at a 45° angle on these surfaces.

For corners CSO3042CC and CSO2436CC: the "D" dimension being 17" limits the keyboard choice.

30	30	48	25½	CSO3048CC	954	1187	1122	1326	8,6	135 169
30	30	42	17	CSO3042CC	887	1092	1059	1216	7,2	115 141
24	24	48	34	CSO2448CC	924	1153	1088	1291	8,6	131 163
24	24	42	25½	CSO2442CC	857	1058	1025	1181	7,2	112 137
24	24	36	17	CSO2436CC	785	956	952	1067	6	94 113
18	18	36	25½	CSO1836CC	752	924	919	1033	6	91 109

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.

REVERSIBLE RETURNS (COMBINED MATERIAL END PANEL)




29" H. reversible return with combined material (metal-laminate) end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
24	60	RERX2460	626	732	658	800	5	97	120
24	54	RERX2454	589	690	628	749	4,6	89	111
24	48	RERX2448	551	648	598	699	4,2	78	96
24	42	RERX2442	514	606	569	648	3,9	70	86
24	36	RERX2436	479	567	550	616	3,5	63	78
24	30	RERX2430	452	536	540	603	3,2	56	68
21	48	RERX2148	534	623	581	668	3,8	72	88
21	42	RERX2142	497	583	545	620	3,5	64	78
21	36	RERX2136	465	560	525	592	3,2	57	70
21	30	RERX2130	438	518	512	581	2,9	50	60
18	48	RERX1848	523	604	570	644	3,3	66	82
18	42	RERX1842	487	567	527	600	3	58	71
18	36	RERX1836	457	547	517	587	2,7	51	63
18	30	RERX1830	431	506	504	565	2,4	44	53

REVERSIBLE RETURNS (PERFORATED METAL END PANEL)



29" H. reversible return with perforated metal end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

24	60	RERM2460	626	732	658	800	5	97	120
24	54	RERM2454	589	690	628	749	4,6	89	111
24	48	RERM2448	551	648	598	699	4,2	78	96
24	42	RERM2442	514	606	569	648	3,9	70	86
24	36	RERM2436	479	567	550	616	3,5	63	78
24	30	RERM2430	452	536	540	603	3,2	56	68
21	48	RERM2148	534	623	581	668	3,8	72	88
21	42	RERM2142	497	583	545	620	3,5	64	78
21	36	RERM2136	465	560	525	592	3,2	57	70
21	30	RERM2130	438	518	512	581	2,9	50	60
18	48	RERM1848	523	604	570	644	3,3	66	82
18	42	RERM1842	487	567	527	600	3	58	71
18	36	RERM1836	457	547	517	587	2,7	51	63
18	30	RERM1830	431	506	504	565	2,4	44	53

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet Mod.

T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.30.


REVERSIBLE RETURNS (OPEN METAL END PANEL)



29" H. reversible return with open metal end panel.
Includes a full height modesty panel, 4" from the floor.
Returns 42" and less in length have 1 central grommet included.

			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	60	RERO2460	571	677	603	745	5	90	113
24	54	RERO2454	534	635	573	694	4,6	82	104
24	48	RERO2448	496	593	543	644	4,2	71	89
24	42	RERO2442	459	551	514	593	3,9	63	79
24	36	RERO2436	424	512	495	561	3,5	56	71
24	30	RERO2430	397	481	485	548	3,2	49	61
21	48	RERO2148	484	573	531	618	3,8	66	82
21	42	RERO2142	448	534	495	571	3,5	58	72
21	36	RERO2136	416	510	475	542	3,2	51	64
21	30	RERO2130	388	469	462	531	2,9	44	54
18	48	RERO1848	473	554	520	594	3,3	61	76
18	42	RERO1842	438	517	477	550	3	54	66
18	36	RERO1836	407	497	468	538	2,7	46	58
18	30	RERO1830	382	457	454	516	2,4	38	48

BRIDGE-RETURNS



29" H. bridge-return with modesty panel, 4" from the floor.
Bridge-returns can not accomodate suspended pedestals.

24	48	REB2448	311	448	397	497	2,8	60	78
24	42	REB2442	299	406	369	448	2,5	52	68
24	36	REB2436	287	374	349	416	2,1	45	60
24	30	REB2430	276	334	339	402	1,8	38	50
21	48	REB2148	305	437	386	482	2,5	56	72
21	42	REB2142	294	397	359	432	2,2	48	62
21	36	REB2136	282	365	339	402	1,9	41	54
21	30	REB2130	270	323	328	386	1,6	34	44
18	48	REB1848	299	426	375	466	2,2	52	67
18	42	REB1842	287	386	348	417	1,9	44	57
18	36	REB1836	276	354	328	391	1,6	37	49
18	30	REB1830	264	312	317	374	1,3	30	39

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet Mod.
T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel (RERO): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" or less in length, only the centered module (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, option free of charge, p.31.

BRIDGE-SURFACES




Bridge-surface with no modesty panel.

Attaches to 2 surfaces.

Surfaces 42" and less in length have 1 central grommet included.

Bridge-surfaces can be used with "support" pedestals but can not accomodate suspended pedestals.

			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	48	REBS2448	263	399	349	449	1,7	32	47
24	42	REBS2442	255	362	325	404	1,6	28	42
24	36	REBS2436	246	333	308	375	1,3	24	36
24	30	REBS2430	240	298	303	365	1,1	19	30
21	48	REBS2148	256	388	338	433	1,6	28	42
21	42	REBS2142	250	353	315	388	1,3	24	36
21	36	REBS2136	241	325	298	361	1,1	21	31
21	30	REBS2130	233	287	292	350	0,9	17	26
18	48	REBS1848	251	377	327	418	1,3	24	36
18	42	REBS1842	243	342	304	373	1,1	21	31
18	36	REBS1836	235	314	287	350	1	18	27
18	30	REBS1830	228	276	281	338	0,8	15	22



SPECIFY

Series Code Surface Edge Grom. M-Outlet

T - - / - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On surfaces 36" or less in length, only the centered module (ECC/UCC) is available.

** NOTE: The module will not be covered and will be noticeable.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (FULL END PANEL)

Left or right rectangular table with 1 full laminate end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPI3684L	710	926	—	1032	9,9	109	143
36	78	DPI3678L	691	880	—	977	9,4	103	134
36	72	DPI3672L	671	833	697	922	8,8	97	125
36	66	DPI3666L	615	806	669	888	8,2	91	116
36	60	DPI3660L	581	760	636	834	7,6	86	107
30	84	DPI3084L	658	850	—	941	8,0	91	119
30	78	DPI3078L	641	811	—	894	7,5	87	113
30	72	DPI3072L	624	772	661	849	6,9	82	106
30	66	DPI3066L	590	734	628	800	6,4	77	99
30	60	DPI3060L	559	694	598	755	5,9	72	92
24	84	DPI2484L	598	769	—	845	6,6	75	97
24	78	DPI2478L	584	737	—	807	6,2	71	92
24	72	DPI2472L	570	706	620	770	5,7	67	86
24	66	DPI2466L	547	666	590	727	5,3	63	80
24	60	DPI2460L	506	631	559	684	4,9	59	75
RIGHT table									
36	84	DPI3684R	710	926	—	1032	9,9	109	143
36	78	DPI3678R	691	880	—	977	9,4	103	134
36	72	DPI3672R	671	833	697	922	8,8	97	125
36	66	DPI3666R	615	806	669	888	8,2	91	116
36	60	DPI3660R	581	760	636	834	7,6	86	107
30	84	DPI3084R	658	850	—	941	8,0	91	119
30	78	DPI3078R	641	811	—	894	7,5	87	113
30	72	DPI3072R	624	772	661	849	6,9	82	106
30	66	DPI3066R	590	734	628	800	6,4	77	99
30	60	DPI3060R	559	694	598	755	5,9	72	92
24	84	DPI2484R	598	769	—	845	6,6	75	97
24	78	DPI2478R	584	737	—	807	6,2	71	92
24	72	DPI2472R	570	706	620	770	5,7	67	86
24	66	DPI2466R	547	666	590	727	5,3	63	80
24	60	DPI2460R	506	631	559	684	4,9	59	75

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.28.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANEL)

Left or right rectangular table with 1 combined material (metal/laminate) end-panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table								
36	84	DPiX3684L		853	1069	—	1175	9,9 109 143
36	78	DPiX3678L		834	1023	—	1120	9,4 103 134
36	72	DPiX3672L		814	976	840	1065	8,8 97 125
36	66	DPiX3666L		758	949	812	1031	8,2 91 116
36	60	DPiX3660L		724	903	779	977	7,6 86 107
30	84	DPiX3084L		784	977	—	1067	8,0 91 119
30	78	DPiX3078L		768	937	—	1021	7,5 87 113
30	72	DPiX3072L		750	899	788	976	6,9 82 106
30	66	DPiX3066L		716	860	755	926	6,4 77 99
30	60	DPiX3060L		685	821	725	881	5,9 72 92
24	84	DPiX2484L		708	879	—	955	6,6 75 97
24	78	DPiX2478L		694	847	—	917	6,2 71 92
24	72	DPiX2472L		680	816	730	880	5,7 67 86
24	66	DPiX2466L		657	776	700	837	5,3 63 80
24	60	DPiX2460L		616	741	669	794	4,9 59 75
RIGHT table								
36	84	DPiX3684R		853	1069	—	1175	9,9 109 143
36	78	DPiX3678R		834	1023	—	1120	9,4 103 134
36	72	DPiX3672R		814	976	840	1065	8,8 97 125
36	66	DPiX3666R		758	949	812	1031	8,2 91 116
36	60	DPiX3660R		724	903	779	977	7,6 86 107
30	84	DPiX3084R		784	977	—	1067	8,0 91 119
30	78	DPiX3078R		768	937	—	1021	7,5 87 113
30	72	DPiX3072R		750	899	788	976	6,9 82 106
30	66	DPiX3066R		716	860	755	926	6,4 77 99
30	60	DPiX3060R		685	821	725	881	5,9 72 92
24	84	DPiX2484R		708	879	—	955	6,6 75 97
24	78	DPiX2478R		694	847	—	917	6,2 71 92
24	72	DPiX2472R		680	816	730	880	5,7 67 86
24	66	DPiX2466R		657	776	700	837	5,3 63 80
24	60	DPiX2460R		616	741	669	794	4,9 59 75

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.28.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (PERFORATED METAL END PANEL)

Left or right rectangular table with 1 perforated metal full end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPiM3684L	853	1069	—	1175	9,9	109	143
36	78	DPiM3678L	834	1023	—	1120	9,4	103	134
36	72	DPiM3672L	814	976	840	1065	8,8	97	125
36	66	DPiM3666L	758	949	812	1031	8,2	91	116
36	60	DPiM3660L	724	903	779	977	7,6	86	107
30	84	DPiM3084L	784	977	—	1067	8,0	91	119
30	78	DPiM3078L	768	937	—	1021	7,5	87	113
30	72	DPiM3072L	750	899	788	976	6,9	82	106
30	66	DPiM3066L	716	860	755	926	6,4	77	99
30	60	DPiM3060L	685	821	725	881	5,9	72	92
24	84	DPiM2484L	708	879	—	955	6,6	75	97
24	78	DPiM2478L	694	847	—	917	6,2	71	92
24	72	DPiM2472L	680	816	730	880	5,7	67	86
24	66	DPiM2466L	657	776	700	837	5,3	63	80
24	60	DPiM2460L	616	741	669	794	4,9	59	75
RIGHT table									
36	84	DPiM3684R	853	1069	—	1175	9,9	109	143
36	78	DPiM3678R	834	1023	—	1120	9,4	103	134
36	72	DPiM3672R	814	976	840	1065	8,8	97	125
36	66	DPiM3666R	758	949	812	1031	8,2	91	116
36	60	DPiM3660R	724	903	779	977	7,6	86	107
30	84	DPiM3084R	784	977	—	1067	8,0	91	119
30	78	DPiM3078R	768	937	—	1021	7,5	87	113
30	72	DPiM3072R	750	899	788	976	6,9	82	106
30	66	DPiM3066R	716	860	755	926	6,4	77	99
30	60	DPiM3060R	685	821	725	881	5,9	72	92
24	84	DPiM2484R	708	879	—	955	6,6	75	97
24	78	DPiM2478R	694	847	—	917	6,2	71	92
24	72	DPiM2472R	680	816	730	880	5,7	67	86
24	66	DPiM2466R	657	776	700	837	5,3	63	80
24	60	DPiM2460R	616	741	669	794	4,9	59	75

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.28.



RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (OPEN METAL END PANEL)

Left or right rectangular table with 1 open metal full end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DPI03684L	776	992	—	1098	9,9	100	134
36	78	DPI03678L	757	946	—	1043	9,4	94	125
36	72	DPI03672L	737	899	763	988	8,8	88	116
36	66	DPI03666L	681	872	735	954	8,2	82	107
36	60	DPI03660L	647	826	702	900	7,6	77	98
30	84	DPI03084L	724	916	—	1007	8,0	83	111
30	78	DPI03078L	707	877	—	960	7,5	79	105
30	72	DPI03072L	690	838	727	915	6,9	74	98
30	66	DPI03066L	656	800	694	866	6,4	69	91
30	60	DPI03060L	625	760	664	821	5,9	64	84
24	84	DPI02484L	653	824	—	900	6,6	68	90
24	78	DPI02478L	639	792	—	862	6,2	64	85
24	72	DPI02472L	625	761	675	825	5,7	60	79
24	66	DPI02466L	602	721	645	782	5,3	56	73
24	60	DPI02460L	561	686	614	739	4,9	52	68
RIGHT table									
36	84	DPI03684R	776	992	—	1098	9,9	100	134
36	78	DPI03678R	757	946	—	1043	9,4	94	125
36	72	DPI03672R	737	899	763	988	8,8	88	116
36	66	DPI03666R	681	872	735	954	8,2	82	107
36	60	DPI03660R	647	826	702	900	7,6	77	98
30	84	DPI03084R	724	916	—	1007	8,0	83	111
30	78	DPI03078R	707	877	—	960	7,5	79	105
30	72	DPI03072R	690	838	727	915	6,9	74	98
30	66	DPI03066R	656	800	694	866	6,4	69	91
30	60	DPI03060R	625	760	664	821	5,9	64	84
24	84	DPI02484R	653	824	—	900	6,6	68	90
24	78	DPI02478R	639	792	—	862	6,2	64	85
24	72	DPI02472R	625	761	675	825	5,7	60	79
24	66	DPI02466R	602	721	645	782	5,3	56	73
24	60	DPI02460R	561	686	614	739	4,9	52	68

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.28.

RECTANGULAR SURFACE-MOUNTED "LAYERING" RETURNS WITH "L" SUPPORT



Rectangular return, left or right.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Returns have 2 grommets.

Assembly hardware included.



			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)		
LEFT return									
24	72	REEP2472L	304	440	349	521	3,3	52	71
24	66	REEP2466L	292	418	338	494	3,1	48	66
24	60	REEP2460L	275	396	310	458	2,8	44	60
21	72	REEP2172L	273	410	319	475	3,0	46	63
21	66	REEP2166L	262	388	303	454	2,7	43	58
21	60	REEP2160L	255	366	290	421	2,5	39	53
18	72	REEP1872L	248	370	294	430	2,6	41	55
18	66	REEP1866L	241	332	277	408	2,4	38	51
18	60	REEP1860L	234	320	270	376	2,2	34	47

RIGHT return									
24	72	REEP2472R	304	440	349	521	3,3	52	71
24	66	REEP2466R	292	418	338	494	3,1	48	66
24	60	REEP2460R	275	396	310	458	2,8	44	60
21	72	REEP2172R	273	410	319	475	3,0	46	63
21	66	REEP2166R	262	388	303	454	2,7	43	58
21	60	REEP2160R	255	366	290	421	2,5	39	53
18	72	REEP1872R	248	370	294	430	2,6	41	55
18	66	REEP1866R	241	332	277	408	2,4	38	51
18	60	REEP1860R	234	320	270	376	2,2	34	47

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of single-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.28.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)



"D" shaped table.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLDA3684L	756	1041	—	1250	5,1	88	128
36	78	DLDA3678L	744	1002	—	1201	4,8	85	125
36	72	DLDA3672L	725	959	932	1157	4,5	82	121
30	84	DLDA3084L	711	948	—	1142	4,4	79	117
30	78	DLDA3078L	702	916	—	1102	4,1	74	109
30	72	DLDA3072L	689	906	905	1092	3,9	69	102
24	84	DLDA2484L	666	893	—	1034	3,7	64	94
24	78	DLDA2478L	660	872	—	1003	3,5	59	88
24	72	DLDA2472L	652	836	858	975	3,3	56	82
RIGHT table									
36	84	DLDA3684R	756	1041	—	1250	5,1	88	128
36	78	DLDA3678R	744	1002	—	1201	4,8	85	124
36	72	DLDA3672R	725	959	932	1157	4,5	82	121
30	84	DLDA3084R	711	948	—	1142	4,4	79	117
30	78	DLDA3078R	702	916	—	1102	4,1	74	109
30	72	DLDA3072R	689	906	905	1092	3,9	69	102
24	84	DLDA2484R	666	893	—	1034	3,7	64	94
24	78	DLDA2478R	660	872	—	1003	3,5	59	88
24	72	DLDA2472R	652	836	858	975	3,3	56	82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.



"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round base	Square base							
36	84	DLDC3684L	DLDD3684L	779	1064	—	1273	10,1	94	134
36	78	DLDC3678L	DLDD3678L	767	1025	—	1224	9,8	91	130
36	72	DLDC3672L	DLDD3672L	748	982	955	1180	9,5	88	127
30	84	DLDC3084L	DLDD3084L	734	971	—	1165	9,4	85	123
30	78	DLDC3078L	DLDD3078L	725	939	—	1125	9,1	80	115
30	72	DLDC3072L	DLDD3072L	712	930	928	1115	8,9	75	108
24	84	DLDC2484L	DLDD2484L	689	916	—	1057	8,7	70	100
24	78	DLDC2478L	DLDD2478L	683	895	—	1026	8,5	65	94
24	72	DLDC2472L	DLDD2472L	675	859	881	998	8,3	62	88
RIGHT table										
36	84	DLDC3684R	DLDD3684R	779	1064	—	1273	10,1	94	134
36	78	DLDC3678R	DLDD3678R	767	1025	—	1224	9,8	91	130
36	72	DLDC3672R	DLDD3672R	748	982	955	1180	9,5	88	127
30	84	DLDC3084R	DLDD3084R	734	971	—	1165	9,4	85	123
30	78	DLDC3078R	DLDD3078R	725	939	—	1125	9,1	80	115
30	72	DLDC3072R	DLDD3072R	712	930	928	1115	8,9	75	108
24	84	DLDC2484R	DLDD2484R	689	916	—	1057	8,7	70	100
24	78	DLDC2478R	DLDD2478R	683	895	—	1026	8,5	65	94
24	72	DLDC2472R	DLDD2472R	675	859	881	998	8,3	62	88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)



"D" shaped table.

Telescopic metal leg (4" dia.).


5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
36	84	DADA3684	920	1205	—	1414	5,4	92	126
36	78	DADA3678	908	1166	—	1365	5,1	87	119
36	72	DADA3672	889	1123	1096	1321	5	82	111
30	84	DADA3084	875	1112	—	1306	4,9	80	108
30	78	DADA3078	866	1080	—	1266	4,6	76	102
30	72	DADA3072	853	1070	1069	1256	4,4	71	96
24	84	DADA2484	829	1057	—	1198	4,2	68	90
24	78	DADA2478	824	1036	—	1167	4,0	64	85
24	72	DADA2472	816	1000	1022	1139	3,8	61	80

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)



"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

		Round base	Square base							
36	84	DADC3684	DADD3684	943	1228	—	1437	9,8	99	133
36	78	DADC3678	DADD3678	931	1189	—	1388	9,5	94	125
36	72	DADC3672	DADD3672	912	1146	1119	1344	9,4	88	117
30	84	DADC3084	DADD3084	898	1135	—	1329	9,3	87	115
30	78	DADC3078	DADD3078	889	1103	—	1289	9,0	82	108
30	72	DADC3072	DADD3072	876	1093	1092	1279	8,8	78	102
24	84	DADC2484	DADD2484	853	1080	—	1221	8,6	74	97
24	78	DADC2478	DADD2478	847	1059	—	1190	8,4	71	92
24	72	DADC2472	DADD2472	839	1023	1045	1162	8,2	67	87

SPECIFY

Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T						

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)



"D" shaped table (arched), left or right.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table								
36	84	DLAA3684L		756	1041	—	1250	5,1 88 128
36	78	DLAA3678L		744	1002	—	1201	4,8 85 124
36	72	DLAA3672L		725	959	932	1157	4,5 82 121
30	84	DLAA3084L		711	948	—	1142	4,4 79 117
30	78	DLAA3078L		702	916	—	1102	4,1 74 109
30	72	DLAA3072L		689	906	905	1092	3,9 69 102
				0	0	0	0	
24	84	DLAA2484L		666	893	—	1034	3,7 64 94
24	78	DLAA2478L		660	872	—	1003	3,5 59 88
24	72	DLAA2472L		652	836	858	975	3,3 56 82
RIGHT table								
36	84	DLAA3684R		756	1041	—	1250	5,1 88 128
36	78	DLAA3678R		744	1002	—	1201	4,8 85 124
36	72	DLAA3672R		725	959	932	1157	4,5 82 121
30	84	DLAA3084R		711	948	—	1142	4,4 79 117
30	78	DLAA3078R		702	916	—	1102	4,1 74 109
30	72	DLAA3072R		689	906	905	1092	3,9 69 102
24	84	DLAA2484R		666	893	—	1034	3,7 64 94
24	78	DLAA2478R		660	872	—	1003	3,5 59 88
24	72	DLAA2472R		652	836	858	975	3,3 56 82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.



ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table (arched), left or right with telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table		Round base	Square base					
36	84	DLAC3684L	DLAD3684L	779	1064	—	1273	10,1 94 134
36	78	DLAC3678L	DLAD3678L	767	1025	—	1224	9,8 91 130
36	72	DLAC3672L	DLAD3672L	748	982	955	1180	9,5 88 127
30	84	DLAC3084L	DLAD3084L	734	971	—	1165	9,4 85 123
30	78	DLAC3078L	DLAD3078L	725	939	—	1125	9,1 80 115
30	72	DLAC3072L	DLAD3072L	712	930	928	1115	8,9 75 108
24	84	DLAC2484L	DLAD2484L	689	916	—	1057	8,7 70 100
24	78	DLAC2478L	DLAD2478L	683	895	—	1026	8,5 65 94
24	72	DLAC2472L	DLAD2472L	675	859	881	998	8,3 62 88
RIGHT table								
36	84	DLAC3684R	DLAD3684R	779	1064	—	1273	10,1 94 134
36	78	DLAC3678R	DLAD3678R	767	1025	—	1224	9,8 91 130
36	72	DLAC3672R	DLAD3672R	748	982	955	1180	9,5 88 127
30	84	DLAC3084R	DLAD3084R	734	971	—	1165	9,4 85 123
30	78	DLAC3078R	DLAD3078R	725	939	—	1125	9,1 80 115
30	72	DLAC3072R	DLAD3072R	712	930	928	1115	8,9 75 108
24	84	DLAC2484R	DLAD2484R	689	916	—	1057	8,7 70 100
24	78	DLAC2478R	DLAD2478R	683	895	—	1026	8,5 65 94
24	72	DLAC2472R	DLAD2472R	675	859	881	998	8,3 62 88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS)



"D" shaped table (arched), left or right.

Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table		Round legs		Square legs				
36	84	DLAE3684L	DLAF3684L	811	1096	—	1305	5,1 94 134
36	78	DLAE3678L	DLAF3678L	799	1057	—	1256	4,8 91 130
36	72	DLAE3672L	DLAF3672L	780	1014	987	1212	4,5 88 127
30	84	DLAE3084L	DLAF3084L	766	1003	—	1197	4,4 85 123
30	78	DLAE3078L	DLAF3078L	757	971	—	1157	4,1 80 115
30	72	DLAE3072L	DLAF3072L	744	961	960	1147	3,9 75 108
24	84	DLAE2484L	DLAF2484L	721	948	—	1089	3,7 70 100
24	78	DLAE2478L	DLAF2478L	715	927	—	1058	3,5 65 94
24	72	DLAE2472L	DLAF2472L	707	891	913	1030	3,3 62 88

RIGHT table								
36	84	DLAE3684R	DLAF3684R	811	1096	—	1305	5,1 94 134
36	78	DLAE3678R	DLAF3678R	799	1057	—	1256	4,8 91 130
36	72	DLAE3672R	DLAF3672R	780	1014	987	1212	4,5 88 127
30	84	DLAE3084R	DLAF3084R	766	1003	—	1197	4,4 85 123
30	78	DLAE3078R	DLAF3078R	757	971	—	1157	4,1 80 115
30	72	DLAE3072R	DLAF3072R	744	961	960	1147	3,9 75 108
24	84	DLAE2484R	DLAF2484R	721	948	—	1089	3,7 70 100
24	78	DLAE2478R	DLAF2478R	715	927	—	1058	3,5 65 94
24	72	DLAE2472R	DLAF2472R	707	891	913	1030	3,3 62 88

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal legs: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or polar white (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE)



"D" shaped table (arched), left or right.

Monolithic laminate base, 4" x 12".

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table								
36	84	DLAG3684L		747	1032	—	1241	5,0 100 140
36	78	DLAG3678L		735	993	—	1192	5,3 97 136
36	72	DLAG3672L		716	950	923	1148	5,0 94 133
30	84	DLAG3084L		702	939	—	1133	4,9 91 129
30	78	DLAG3078L		693	908	—	1093	4,6 86 121
30	72	DLAG3072L		680	898	897	1084	4,4 81 114
24	84	DLAG2484L		657	884	—	1025	4,2 76 106
24	78	DLAG2478L		651	864	—	994	4,0 71 100
24	72	DLAG2472L		644	827	849	966	3,8 68 64
RIGHT table								
36	84	DLAG3684R		747	1032	—	1241	5,0 100 140
36	78	DLAG3678R		735	993	—	1192	5,3 97 136
36	72	DLAG3672R		716	950	923	1148	5,0 94 133
30	84	DLAG3084R		702	939	—	1133	4,9 91 129
30	78	DLAG3078R		693	908	—	1093	4,6 86 121
30	72	DLAG3072R		680	898	897	1084	4,4 81 114
24	84	DLAG2484R		657	884	—	1025	4,2 76 106
24	78	DLAG2478R		651	864	—	994	4,0 71 100
24	72	DLAG2472R		644	827	849	966	3,8 68 64

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet

T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)



"D" shaped table (arched) with telescopic metal leg (4" dia.).


5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B						Cu.Ft.	lb (S)	lb (T)
36	84	DAAA3684	920	1205	—	1414	5,4	92	126
36	78	DAAA3678	908	1166	—	1365	5,1	87	119
36	72	DAAA3672	889	1123	1096	1321	5	82	111
30	84	DAAA3084	875	1112	—	1306	4,9	80	108
30	78	DAAA3078	866	1080	—	1266	4,6	76	102
30	72	DAAA3072	853	1070	1069	1256	4,4	71	96
24	84	DAAA2484	829	1057	—	1198	4,2	68	90,4
24	78	DAAA2478	824	1036	—	1167	4,0	64	85
24	72	DAAA2472	816	1000	1022	1139	3,8	61	80

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)



"D" shaped table (arched, left or right) with telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

Dimensions		Round base		Square base					
A	B								
36	84	DAAC3684	DAAD3684	943	1228	—	1437	9,8	99
36	78	DAAC3678	DAAD3678	931	1189	—	1388	9,5	94
36	72	DAAC3672	DAAD3672	912	1146	1119	1344	9,4	88
30	84	DAAC3084	DAAD3084	898	1135	—	1329	9,3	87
30	78	DAAC3078	DAAD3078	889	1103	—	1289	9,0	82
30	72	DAAC3072	DAAD3072	876	1093	1092	1279	8,8	78
24	84	DAAC2484	DAAD2484	853	1080	—	1221	8,6	74
24	78	DAAC2478	DAAD2478	847	1059	—	1190	8,4	71
24	72	DAAC2472	DAAD2472	839	1023	1045	1162	8,2	67

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet
T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg & support: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)



Rectangular table, left or right.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).


Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

S Sierra 1"

T Tango 1½"

Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLiA3684L	734	1019	—	1228	5,1	88	128
36	78	DLiA3678L	722	980	—	1179	4,8	85	124
36	72	DLiA3672L	703	937	910	1135	4,5	82	121
30	84	DLiA3084L	689	926	—	1120	4,4	79	117
30	78	DLiA3078L	680	894	—	1080	4,1	74	109
30	72	DLiA3072L	667	884	883	1070	3,9	69	102
24	84	DLiA2484L	644	871	—	1012	3,7	64	94
24	78	DLiA2478L	638	850	—	981	3,5	59	88
24	72	DLiA2472L	630	814	836	953	3,3	56	82



RIGHT table

36	84	DLiA3684R	734	1019	—	1228	5,1	88	128
36	78	DLiA3678R	722	980	—	1179	4,8	85	124
36	72	DLiA3672R	703	937	910	1135	4,5	82	121
30	84	DLiA3084R	689	926	—	1120	4,4	79	117
30	78	DLiA3078R	680	894	—	1080	4,1	74	109
30	72	DLiA3072R	667	884	883	1070	3,9	69	102
24	84	DLiA2484R	644	871	—	1012	3,7	64	94
24	78	DLiA2478R	638	850	—	981	3,5	59	88
24	72	DLiA2472R	630	814	836	953	3,3	56	82

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)



Rectangular table, left or right.

Telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table		Round base	Square base					
36	84	DLiC3684L	DLiD3684L	757	1042	—	1251	10,1 94 134
36	78	DLiC3678L	DLiD3678L	745	1003	—	1202	9,8 91 130
36	72	DLiC3672L	DLiD3672L	726	960	933	1158	9,5 88 127
30	84	DLiC3084L	DLiD3084L	712	949	—	1143	9,4 85 123
30	78	DLiC3078L	DLiD3078L	703	917	—	1103	9,1 80 115
30	72	DLiC3072L	DLiD3072L	690	908	906	1093	8,9 75 108
24	84	DLiC2484L	DLiD2484L	667	894	—	1035	8,7 70 100
24	78	DLiC2478L	DLiD2478L	661	873	—	1004	8,5 65 94
24	72	DLiC2472L	DLiD2472L	653	837	859	976	8,3 62 88

RIGHT table								
36	84	DLiC3684R	DLiD3684R	757	1042	—	1251	10,1 94 134
36	78	DLiC3678R	DLiD3678R	745	1003	—	1202	9,8 91 130
36	72	DLiC3672R	DLiD3672R	726	960	933	1158	9,5 88 127
30	84	DLiC3084R	DLiD3084R	712	949	—	1143	9,4 85 123
30	78	DLiC3078R	DLiD3078R	703	917	—	1103	9,1 80 115
30	72	DLiC3072R	DLiD3072R	690	908	906	1093	8,9 75 108
24	84	DLiC2484R	DLiD2484R	667	894	—	1035	8,7 70 100
24	78	DLiC2478R	DLiD2478R	661	873	—	1004	8,5 65 94
24	72	DLiC2472R	DLiD2472R	653	837	859	976	8,3 62 88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS)



Rectangular table, left or right.

Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.



		S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
LEFT table		Round leg	Square leg					
36	84	DLiE3684L	DLiF3684L	789	1074	—	1283	5,1 94 134
36	78	DLiE3678L	DLiF3678L	777	1035	—	1234	4,8 91 130
36	72	DLiE3672L	DLiF3672L	758	992	965	1190	4,5 88 127
30	84	DLiE3084L	DLiF3084L	744	981	—	1175	4,4 85 123
30	78	DLiE3078L	DLiF3078L	735	949	—	1135	4,1 80 115
30	72	DLiE3072L	DLiF3072L	722	939	938	1125	3,9 75 108
24	84	DLiE2484L	DLiF2484L	699	926	—	1067	3,7 70 100
24	78	DLiE2478L	DLiF2478L	693	905	—	1036	3,5 65 94
24	72	DLiE2472L	DLiF2472L	685	869	891	1008	3,3 62 88

RIGHT table								
36	84	DLiE3684R	DLiF3684R	789	1074	—	1283	5,1 94 134
36	78	DLiE3678R	DLiF3678R	777	1035	—	1234	4,8 91 130
36	72	DLiE3672R	DLiF3672R	758	992	965	1190	4,5 88 127
30	84	DLiE3084R	DLiF3084R	744	981	—	1175	4,4 85 123
30	78	DLiE3078R	DLiF3078R	735	949	—	1135	4,1 80 115
30	72	DLiE3072R	DLiF3072R	722	939	938	1125	3,9 75 108
24	84	DLiE2484R	DLiF2484R	699	926	—	1067	3,7 70 100
24	78	DLiE2478R	DLiF2478R	693	905	—	1036	3,5 65 94
24	72	DLiE2472R	DLiF2472R	685	869	891	1008	3,3 62 88

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal legs: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE)



Rectangular table, left or right.

Monolithic laminate base, 4" x 12".

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.



Dimensions		Code	S Sierra 1"		T Tango 1½"		Specifications		
			Price						
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	DLiG3684L	725	1010	—	1219	5,0	100	140
36	78	DLiG3678L	713	971	—	1170	5,3	97	136
36	72	DLiG3672L	694	928	901	1126	5,0	94	133
30	84	DLiG3084L	680	917	—	1111	4,9	91	129
30	78	DLiG3078L	671	886	—	1071	4,6	86	121
30	72	DLiG3072L	658	876	875	1062	4,4	81	114
24	84	DLiG2484L	635	862	—	1003	4,2	76	106
24	78	DLiG2478L	629	842	—	972	4,0	71	100
24	72	DLiG2472L	622	805	827	944	3,8	68	64
RIGHT table									
36	84	DLiG3684R	725	1010	—	1219	5,0	100	140
36	78	DLiG3678R	713	971	—	1170	5,3	97	136
36	72	DLiG3672R	694	928	901	1126	5,0	94	133
30	84	DLiG3084R	680	917	—	1111	4,9	91	129
30	78	DLiG3078R	671	886	—	1071	4,6	86	121
30	72	DLiG3072R	658	876	875	1062	4,4	81	114
24	84	DLiG2484R	635	862	—	1003	4,2	76	106
24	78	DLiG2478R	629	842	—	972	4,0	71	100
24	72	DLiG2472R	622	805	827	944	3,8	68	64

SPECIFY

Series Code Surface Edge Base Grom. M-Outlet

T - - / - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Multi-Outlet Module: Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)



Rectangular table.

Telescopic metal leg (4" dia.).

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price				Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	DAiA3684	898	1183	—	1392	5,4	92	126
36	78	DAiA3678	886	1144	—	1343	5,1	87	119
36	72	DAiA3672	867	1101	1074	1299	5	82	111
30	84	DAiA3084	853	1090	—	1284	4,9	80	108
30	78	DAiA3078	844	1058	—	1244	4,6	76	102
30	72	DAiA3072	831	1048	1047	1234	4,4	71	96
24	84	DAiA2484	807	1035	—	1176	4,2	68	90
24	78	DAiA2478	802	1014	—	1145	4,0	64	85
24	72	DAiA2472	794	978	1000	1117	3,8	61	80

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet

T - - / - - -

OPTIONS

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg & support: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (ECC), add \$213

or option of centered standard multi-outlet module (UCC), add \$213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)



Rectangular table.

Telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S)** series, see p.239-240.

Assembly hardware included.

				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price				Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)		
		Round base	Square base							
36	84	DAiC3684	DAiD3684	921	1206	—	1415	9,8	99	133
36	78	DAiC3678	DAiD3678	909	1167	—	1366	9,5	94	125
36	72	DAiC3672	DAiD3672	890	1124	1097	1322	9,4	88	117
30	84	DAiC3084	DAiD3084	876	1113	—	1307	9,3	87	115
30	78	DAiC3078	DAiD3078	867	1081	—	1267	9,0	82	108
30	72	DAiC3072	DAiD3072	854	1071	1070	1257	8,8	78	102
24	84	DAiC2484	DAiD2484	831	1058	—	1199	8,6	74	97
24	78	DAiC2478	DAiD2478	825	1037	—	1168	8,4	71	92
24	72	DAiC2472	DAiD2472	817	1001	1023	1140	8,2	67	87

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet

T - - / - - -

OPTIONS

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add \$213

or option of centered standard multi-outlet module (**UCC**), add \$213, p.29.

OPEN CREDENZAS - 23" H.



Open credenza with 2 adjustable shelves.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Grommet option available (4 positions), see p.28.

			S Sierra 1"		T Tango 1½"				
Dimensions			Code	Price				Specifications	
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S) lb (T)
24	72	23	CZ00247223	916	1114	1002	1179	27,8	170 189
24	60	23	CZ00246023	869	1032	946	1081	23,3	146 162
21	72	23	CZ00217223	895	1067	975	1121	24,6	152 169
21	60	23	CZ00216023	850	991	922	1031	20,6	120 134

SPECIFY

Series Code Surface Edge Base Grom.

T - - / - -

OPTIONS



Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Options Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

CREDENZAS WITH DRAWERS - 23" H.



Combined credenza (left or right): open storage with adjustable shelf, 1 - 6" and 1 - 12" filing drawer.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

Noki lock included, locks both drawers.

Drawers at LEFT

24	72	23	CZUF0247223	1326	1525	1412	1588	27,8 187 206
24	60	23	CZUF0246023	1278	1442	1356	1491	23,3 163 179
21	72	23	CZUF0217223	1305	1477	1385	1530	24,6 171 188
21	60	23	CZUF0216023	1260	1401	1332	1440	20,6 149 163

Drawers at RIGHT

24	72	23	CZOUF247223	1326	1525	1412	1588	27,8 187 206
24	60	23	CZOUF246023	1278	1442	1356	1491	23,3 163 179
21	72	23	CZOUF217223	1305	1477	1385	1530	24,6 171 188
21	60	23	CZOUF216023	1260	1401	1332	1440	20,6 149 163

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

COMBINED STORAGE CREDENZAS - 23" H.


Combined credenza (left or right): open storage with adjustable shelf on one side, 1 - 6" drawer, 1 - 12" file drawer and 1 door on the other side.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Pencil tray included in the 6" drawer.

Grommet option available (4 positions), see p.28.

Noki lock included, locks both drawers.




			S Sierra 1"		T Tango 1½"					
Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)		
Drawers & door at LEFT										
24	72	23	CZDUFO247223	1159	1324	1342	1519	27,8	185	204
24	60	23	CZDUFO246023	1112	1242	1286	1421	23,3	161	177
21	72	23	CZDUFO217223	1139	1277	1315	1461	24,6	169	186
21	60	23	CZDUFO216023	1093	1201	1262	1371	20,6	147	161
Drawers & door at RIGHT										
24	72	23	CZOUFD247223	1159	1324	1342	1519	27,8	185	204
24	60	23	CZOUFD246023	1112	1242	1286	1421	23,3	161	177
21	72	23	CZOUFD217223	1139	1277	1315	1461	24,6	169	186
21	60	23	CZOUFD216023	1093	1201	1262	1371	20,6	147	161

Combined credenza (left or right): open storage with adjustable shelf, storage with hinged doors and adjustable shelf inside.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Grommet option available (4 positions), see p.28.

Noki lock included, locks both doors.



Doors at LEFT										
24	72	23	CZDDO247223	1049	1247	1135	1312	27,8	180	199
24	60	23	CZDDO246023	1002	1165	1079	1214	23,3	155	171
21	72	23	CZDDO217223	1029	1200	1108	1254	24,6	162	179
21	60	23	CZDDO216023	983	1124	1055	1164	20,6	129	143
Doors at RIGHT										
24	72	23	CZODD247223	1049	1247	1135	1312	27,8	180	199
24	60	23	CZODD246023	1002	1165	1079	1214	23,3	155	171
21	72	23	CZODD217223	1029	1200	1108	1254	24,6	162	179
21	60	23	CZODD216023	983	1124	1055	1164	20,6	129	143

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.28.

CREDENZAS - 23" H.



Credenza with 4 drawers (2 - 6" drawers and 2 - 12" file drawers).

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the drawers, see p.219 to 237.

Pencil tray included in one of the 6" drawers.


Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

2 Noki locks included, lock all 4 drawer.

S Sierra 1" **T** Tango 1½"

Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	72	23	CZUFUF247223	1484	1683	1571	1747	27,8	209	228
24	60	23	CZUFUF246023	1437	1601	1515	1649	23,3	182	198
21	72	23	CZUFUF217223	1463	1636	1543	1689	24,6	193	210
21	60	23	CZUFUF216023	1418	1560	1491	1598	20,6	168	182



Credenza with 4 doors.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.219 to 237.

Grommet option available (4 positions), see p.28.

2 Noki locks included, lock all 4 doors.

24	72	23	CZ4D247223	1180	1378	1266	1443	27,8	191	210
24	60	23	CZ4D246023	1133	1296	1210	1345	23,3	164	180
21	72	23	CZ4D217223	1159	1331	1239	1385	24,6	173	190
21	60	23	CZ4D216023	1114	1255	1186	1295	20,6	138	152

Combined credenza (left or right): storage with hinged doors with adjustable shelf and lateral file unit (1 - 6" + 1 - 12" file drawer).


Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.219 to 237.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.


Grommet option available (4 positions), see p.28.

2 Noki locks included, lock all doors & drawers.



Drawers at LEFT

24	72	23	CZUFDD247223	1388	1587	1475	1651	27,8	198	217
24	60	23	CZUFDD246023	1341	1505	1419	1553	23,3	172	188
21	72	23	CZUFDD217223	1367	1540	1448	1593	24,6	182	199
21	60	23	CZUFDD216023	1322	1464	1395	1503	20,6	158	172



Drawers at RIGHT

24	72	23	CZDDUF247223	1388	1587	1475	1651	27,8	198	217
24	60	23	CZDDUF246023	1341	1505	1419	1553	23,3	172	188
21	72	23	CZDDUF217223	1367	1540	1448	1593	24,6	182	199
21	60	23	CZDDUF216023	1322	1464	1395	1503	20,6	158	172

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.

T - - / - / - -

OPTIONS

Specify Series: S or T (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Grommet: Add grommets & specify color: White (**G14**) or Charcoal (**G24**), located on top and sides, add \$128, p.28.

STORAGE UNITS - 23" H.



Open storage unit with 1 adjustable shelf.
Grommet option available (3 positions), see p.28.

Dimensions			Code	S Sierra 1"		T Tango 1½"		Specifications		
				T.F.L.	H.P.L.	T.F.L.	H.P.L.			
24	36	23	CZ0243623	663	738	807	937	14,3	87	97
24	30	23	CZ0243023	619	697	761	920	12	75	83
21	36	23	CZ0213623	624	689	750	932	12,6	78	87
21	30	23	CZ0213023	579	648	713	859	10,6	68	75

SPECIFY


Series Code Surface Edge Base Grom.
T - - / - -

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.54-55.

Options Grommet: Add grommets & specify color: White (**G13**) or Charcoal (**G23**), located on top and sides, add \$128, p.28.



Storage unit with 2 doors.
Grommet option available (3 positions), see p.28.
Noki lock included, locks both doors.

24	36	23	CZDD243623	798	872	942	1071	14,3	98	108
24	30	23	CZDD243023	754	832	895	1054	12	84	92
21	36	23	CZDD213623	758	823	884	1066	12,6	89	98
21	30	23	CZDD213023	713	782	847	993	10,6	77	84



Storage unit with 1 - 6" drawer and 1 - file drawer.
Pencil tray included in the 6" drawer.
Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.
Grommet option available (3 positions), see p.28.
Noki lock included, locks both drawers.

24	36	23	CZUF243623	835	957	936	1020	14,3	99	108
24	30	23	CZUF243023	791	913	892	961	12	85	93
21	36	23	CZUF213623	801	912	898	971	12,6	94	102
21	30	23	CZUF213023	756	867	851	913	10,6	81	88

SPECIFY

Series Code Surface Edge Base Fronts Pull Grom.
T - - / - / - -

Specify Series: S or T (specifications p.24).


Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options Grommet: Add grommets & specify color: White (**G13**) or Charcoal (**G23**), located on top and sides, add \$128, p.28.

DRAWER



Stationary drawer, slides under the work surface.
Installation hardware included.
Noki lock included.


Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	5	PiD151805	248	1,4	11

SPECIFY

Series Code Base Fronts
T S - - -

Specify Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.



Pigeon-hole that can be slid under a surface-mounted table. Can accommodate "legal" or "letter" size documents.
Installation hardware included.

17	18	5	PiS171805	165	1,5	9
----	----	---	-----------	-----	-----	---


SPECIFY

Series Code Base
T S - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

CUSHIONS



Cushion for storage units.
Installs with Velcro strips.

				Price					Specifications		
				COM /	Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
Thickness											
24	72	1½	CUS2472	682	743	803	866	967		2,8	25
24	60	1½	CUS2460	583	636	688	738	824		2,3	21
24	36	1½	CUS2436	387	419	453	486	554		1,4	13
24	30	1½	CUS2430	342	372	400	429	476		1,2	11
21	72	1½	CUS2172	671	732	792	855	956		2,5	22
21	60	1½	CUS2160	572	625	677	727	813		2,1	19
21	36	1½	CUS2136	382	414	448	481	549		1,3	11
21	30	1½	CUS2130	337	366	395	424	471		1,1	9

SPECIFY

Series Code Fabric
T L - -

Specify Code: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

Take Off

Shared Tables / Benching

Sierra-Tango

SHARED "BENCHING" TABLES (FULL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full laminate end panels.



Quad unit: Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.



				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60		BC2i3072		1700	1997	1774	2151	13,3 247 295
30	66	60		BC2i3066		1631	1920	1708	2052	12,9 234 279
30	60	60		BC2i3060		1559	1829	1638	1950	12,3 222 262
30	54	60		BC2i3054		1502	1761	1605	1887	11,7 210 246
30	48	60		BC2i3048		1440	1686	1570	1818	11,3 198 230
30	42	60		BC2i3042		1370	1605	1488	1704	10,7 185 213
30	36	60		BC2i3036		1298	1516	1412	1599	10,1 173 197
24	72	48		BC2i2472		1552	1825	1653	1953	11,1 208 246
24	66	48		BC2i2466		1506	1744	1592	1867	10,7 197 232
24	60	48		BC2i2460		1414	1664	1519	1770	10,3 186 219
24	54	48		BC2i2454		1361	1601	1475	1700	9,7 176 205
24	48	48		BC2i2448		1323	1550	1449	1649	9,3 165 191
24	42	48		BC2i2442		1253	1466	1392	1550	8,9 155 177
24	36	48		BC2i2436		1179	1379	1346	1481	8,5 144 163
30	72	60	144	BC4i3072		3152	3746	3301	4054	23,6 429 526
30	66	60	132	BC4i3066		3015	3592	3169	3856	22,8 405 493
30	60	60	120	BC4i3060		2870	3411	3028	3653	21,6 380 461
30	54	60	108	BC4i3054		2756	3275	2962	3526	20,4 356 428
30	48	60	96	BC4i3048		2632	3125	2892	3389	19,6 331 395
30	42	60	84	BC4i3042		2492	2962	2729	3160	18,4 306 362
30	36	60	72	BC4i3036		2349	2784	2577	2951	17,2 282 329
24	72	48	144	BC4i2472		2923	3468	3125	3724	20,2 368 445
24	66	48	132	BC4i2466		2830	3306	3002	3552	19,4 347 418
24	60	48	120	BC4i2460		2646	3147	2857	3358	18,6 326 390
24	54	48	108	BC4i2454		2540	3020	2769	3218	17,4 305 363
24	48	48	96	BC4i2448		2465	2918	2716	3116	16,6 283 335
24	42	48	84	BC4i2442		2324	2751	2602	2918	15,8 262 307
24	36	48	72	BC4i2436		2177	2577	2511	2780	15 241 280

SPECIFY

Series Code Surface Edge Base Metal

T - - / - - - -

OPTIONS

Grom. M-Outlet

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar white (**3002**).

Options Grommet: Option to add White grommet(s) (**G1...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$32 ea.

or Charcoal grommet(s) (**G2...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.

On tables 36" in length, only the centered module (**ECC/UCC**) is available.

SHARED "BENCHING" TABLES (FULL END PANELS, cont'd)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60	216	BC6i3072		4604	5495	4828	5957	33,9 612 757
30	66	60	198	BC6i3066		4399	5264	4630	5660	32,7 575 708
30	60	60	180	BC6i3060		4181	4993	4419	5356	30,9 538 659
30	54	60	162	BC6i3054		4010	4788	4320	5165	29,1 501 610
30	48	60	144	BC6i3048		3825	4564	4214	4960	27,9 465 560
30	42	60	126	BC6i3042		3614	4320	3970	4617	26,1 428 511
30	36	60	108	BC6i3036		3399	4052	3742	4303	24,3 391 462
24	72	48	216	BC6i2472		4293	5112	4597	5495	29,3 529 645
24	66	48	198	BC6i2466		4155	4868	4412	5237	28,1 497 603
24	60	48	180	BC6i2460		3878	4630	4194	4947	26,9 465 562
24	54	48	162	BC6i2454		3719	4439	4062	4736	25,1 433 520
24	48	48	144	BC6i2448		3607	4287	3983	4584	23,9 402 479
24	42	48	126	BC6i2442		3396	4036	3812	4287	22,7 370 437
24	36	48	108	BC6i2436		3175	3775	3676	4079	21,5 338 396

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (FULL END PANELS, cont'd)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate panels at each end and in the center, recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Price				Specifications		
A	B	C	D	T.F.L.		H.P.L.		Cu.Ft. lb (S) lb (T)		
30	72	60	288	6303		7491		6602 8107 44,6 814 1008		
30	66	60	264	6030		7183		6338 7711 43 766 943		
30	60	60	240	5740		6822		6057 7306 40,6 716 877		
30	54	60	216	5511		6549		5925 7051 38,2 667 811		
30	48	60	192	5265		6250		5784 6778 36,6 618 746		
30	42	60	168	4983		5925		5458 6321 34,2 569 680		
30	36	60	144	4697		5568		5155 5903 31,8 520 615		
24	72	48	288	5845		6937		6250 7447 38,3 709 864		
24	66	48	264	5661		6611		6004 7104 36,7 667 809		
24	60	48	240	5291		6294		5713 6717 35,1 625 753		
24	54	48	216	5080		6039		5537 6435 32,7 582 698		
24	48	48	192	4930		5837		5432 6233 31,1 540 643		
24	42	48	168	4649		5502		5203 5837 29,5 497 587		
24	36	48	144	4354		5155		5023 5559 27,9 455 533		

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T							

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full metal-laminate end panels.



Quad unit: Full metal-laminate end panel and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.



				S Sierra 1"		T Tango 1½"					
Dimensions				Code	Price		Specifications				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
30	72	60		BC2iX3072	2112	2409	2187	2563	13,3	247	295
30	66	60		BC2iX3066	2044	2332	2121	2464	12,9	234	279
30	60	60		BC2iX3060	1971	2242	2050	2363	12,3	222	262
30	54	60		BC2iX3054	1914	2174	2017	2299	11,7	210	246
30	48	60		BC2iX3048	1852	2099	1982	2231	11,3	198	230
30	42	60		BC2iX3042	1782	2017	1901	2116	10,7	185	213
30	36	60		BC2iX3036	1711	1928	1825	2012	10,1	173	197
24	72	48		BC2iX2472	1932	2204	2033	2332	11,1	208	246
24	66	48		BC2iX2466	1885	2123	1971	2246	10,7	197	232
24	60	48		BC2iX2460	1793	2044	1899	2149	10,3	186	219
24	54	48		BC2iX2454	1740	1980	1855	2079	9,7	176	205
24	48	48		BC2iX2448	1703	1929	1828	2028	9,3	165	191
24	42	48		BC2iX2442	1632	1846	1771	1929	8,9	155	177
24	36	48		BC2iX2436	1559	1759	1726	1860	8,5	144	163
30	72	60	144	BC4iX3072	3509	4103	3659	4411	23,6	429	526
30	66	60	132	BC4iX3066	3373	3949	3527	4213	22,8	405	493
30	60	60	120	BC4iX3060	3227	3769	3386	4011	21,6	380	461
30	54	60	108	BC4iX3054	3113	3632	3320	3883	20,4	356	428
30	48	60	96	BC4iX3048	2990	3483	3249	3747	19,6	331	395
30	42	60	84	BC4iX3042	2849	3320	3087	3518	18,4	306	362
30	36	60	72	BC4iX3036	2706	3142	2935	3309	17,2	282	329
24	72	48	144	BC4iX2472	3247	3793	3450	4048	20,2	368	445
24	66	48	132	BC4iX2466	3155	3630	3326	3876	19,4	347	418
24	60	48	120	BC4iX2460	2970	3472	3181	3683	18,6	326	390
24	54	48	108	BC4iX2454	2864	3344	3093	3542	17,4	305	363
24	48	48	96	BC4iX2448	2790	3243	3040	3441	16,6	283	335
24	42	48	84	BC4iX2442	2649	3076	2926	3243	15,8	262	307
24	36	48	72	BC4iX2436	2501	2902	2836	3104	15	241	280

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS, cont'd)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full metal-laminate end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Price				Specifications		
A	B	C	D	T.F.L. H.P.L.		T.F.L. H.P.L.		Cu.Ft. lb (S) lb (T)		
30	72	60	216	BC6iX3072		4906	5797	5130	6259	33,9 612 757
30	66	60	198	BC6iX3066		4701	5566	4932	5962	32,7 575 708
30	60	60	180	BC6iX3060		4484	5295	4721	5658	30,9 538 659
30	54	60	162	BC6iX3054		4312	5091	4622	5467	29,1 501 610
30	48	60	144	BC6iX3048		4127	4866	4517	5262	27,9 465 560
30	42	60	126	BC6iX3042		3916	4622	4272	4919	26,1 428 511
30	36	60	108	BC6iX3036		3702	4355	4045	4606	24,3 391 462
24	72	48	216	BC6iX2472		4563	5381	4866	5764	29,3 529 645
24	66	48	198	BC6iX2466		4424	5137	4682	5507	28,1 497 603
24	60	48	180	BC6iX2460		4147	4899	4464	5216	26,9 465 562
24	54	48	162	BC6iX2454		3989	4708	4332	5005	25,1 433 520
24	48	48	144	BC6iX2448		3876	4556	4253	4853	23,9 402 479
24	42	48	126	BC6iX2442		3665	4305	4081	4556	22,7 370 437
24	36	48	108	BC6iX2436		3444	4045	3946	4348	21,5 338 396

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS, cont'd)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).
 Full metal-laminate end panels, full open metal halfway panels and recessed open metal mid panels.
 Privacy panels can be installed between surfaces or on sides, see p.264.
 Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.
 Grommet or multi-outlet module option, position will be identical on each table, see p.40.
 For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60	288	BC8iX3072		6669	7857	6969	8473	44,6 814 1008
30	66	60	264	BC8iX3066		6397	7549	6705	8077	43 766 943
30	60	60	240	BC8iX3060		6106	7189	6423	7673	40,6 716 877
30	54	60	216	BC8iX3054		5877	6916	6291	7417	38,2 667 811
30	48	60	192	BC8iX3048		5631	6617	6150	7145	36,6 618 746
30	42	60	168	BC8iX3042		5349	6291	5825	6687	34,2 569 680
30	36	60	144	BC8iX3036		5063	5935	5521	6269	31,8 520 615
24	72	48	288	BC8iX2472		6212	7303	6617	7813	38,3 709 864
24	66	48	264	BC8iX2466		6027	6977	6370	7470	36,7 667 809
24	60	48	240	BC8iX2460		5657	6661	6080	7083	35,1 625 753
24	54	48	216	BC8iX2454		5446	6405	5904	6801	32,7 582 698
24	48	48	192	BC8iX2448		5297	6203	5798	6599	31,1 540 643
24	42	48	168	BC8iX2442		5015	5869	5569	6203	29,5 497 587
24	36	48	144	BC8iX2436		4720	5521	5389	5926	27,9 455 533

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full perforated metal end panels.


Quad unit: Full openwork metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.


Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.



				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60		BC2iM3072		2112	2409	2187	2563	13,3 247 295
30	66	60		BC2iM3066		2044	2332	2121	2464	12,9 234 279
30	60	60		BC2iM3060		1971	2242	2050	2363	12,3 222 262
30	54	60		BC2iM3054		1914	2174	2017	2299	11,7 210 246
30	48	60		BC2iM3048		1852	2099	1982	2231	11,3 198 230
30	42	60		BC2iM3042		1782	2017	1901	2116	10,7 185 213
30	36	60		BC2iM3036		1711	1928	1825	2012	10,1 173 197

24	72	48		BC2iM2472		1932	2204	2033	2332	11,1 208 246
24	66	48		BC2iM2466		1885	2123	1971	2246	10,7 197 232
24	60	48		BC2iM2460		1793	2044	1899	2149	10,3 186 219
24	54	48		BC2iM2454		1740	1980	1855	2079	9,7 176 205
24	48	48		BC2iM2448		1703	1929	1828	2028	9,3 165 191
24	42	48		BC2iM2442		1632	1846	1771	1929	8,9 155 177
24	36	48		BC2iM2436		1559	1759	1726	1860	8,5 144 163



30	72	60	144	BC4iM3072		3509	4103	3659	4411	23,6 429 526
30	66	60	132	BC4iM3066		3373	3949	3527	4213	22,8 405 493
30	60	60	120	BC4iM3060		3227	3769	3386	4011	21,6 380 461
30	54	60	108	BC4iM3054		3113	3632	3320	3883	20,4 356 428
30	48	60	96	BC4iM3048		2990	3483	3249	3747	19,6 331 395
30	42	60	84	BC4iM3042		2849	3320	3087	3518	18,4 306 362
30	36	60	72	BC4iM3036		2706	3142	2935	3309	17,2 282 329

24	72	48	144	BC4iM2472		3247	3793	3450	4048	20,2 368 445
24	66	48	132	BC4iM2466		3155	3630	3326	3876	19,4 347 418
24	60	48	120	BC4iM2460		2970	3472	3181	3683	18,6 326 390
24	54	48	108	BC4iM2454		2864	3344	3093	3542	17,4 305 363
24	48	48	96	BC4iM2448		2790	3243	3040	3441	16,6 283 335
24	42	48	84	BC4iM2442		2649	3076	2926	3243	15,8 262 307
24	36	48	72	BC4iM2436		2501	2902	2836	3104	15 241 280

SPECIFY

Series Code Surface Edge Base Metal

T - - / - - - -

OPTIONS

Grom. M-Outlet

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar white (**3002**).

Options Grommet: Option to add White grommet(s) (**G1...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$32 ea.

or Charcoal grommet(s) (**G2...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (**EC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet module (**UC...**) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.29.

On tables 36" in length, only the centered module (**ECC/UCC**) is available.

SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS, cont'd)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60	216	BC6iM3072		4906	5797	5130	6259	33,9 612 757
30	66	60	198	BC6iM3066		4701	5566	4932	5962	32,7 575 708
30	60	60	180	BC6iM3060		4484	5295	4721	5658	30,9 538 659
30	54	60	162	BC6iM3054		4312	5091	4622	5467	29,1 501 610
30	48	60	144	BC6iM3048		4127	4866	4517	5262	27,9 465 560
30	42	60	126	BC6iM3042		3916	4622	4272	4919	26,1 428 511
30	36	60	108	BC6iM3036		3702	4355	4045	4606	24,3 391 462
24	72	48	216	BC6iM2472		4563	5381	4866	5764	29,3 529 645
24	66	48	198	BC6iM2466		4424	5137	4682	5507	28,1 497 603
24	60	48	180	BC6iM2460		4147	4899	4464	5216	26,9 465 562
24	54	48	162	BC6iM2454		3989	4708	4332	5005	25,1 433 520
24	48	48	144	BC6iM2448		3876	4556	4253	4853	23,9 402 479
24	42	48	126	BC6iM2442		3665	4305	4081	4556	22,7 370 437
24	36	48	108	BC6iM2436		3444	4045	3946	4348	21,5 338 396

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet

T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS, cont'd)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels, full open metal halfway panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"			
Dimensions				Price				Specifications	
A	B	C	D	T.F.L.		H.P.L.		Cu.Ft. lb (S) lb (T)	
30	72	60	288	6669	7857	6969	8473	44,6	814 1008
30	66	60	264	6397	7549	6705	8077	43	766 943
30	60	60	240	6106	7189	6423	7673	40,6	716 877
30	54	60	216	5877	6916	6291	7417	38,2	667 811
30	48	60	192	5631	6617	6150	7145	36,6	618 746
30	42	60	168	5349	6291	5825	6687	34,2	569 680
30	36	60	144	5063	5935	5521	6269	31,8	520 615
24	72	48	288	6212	7303	6617	7813	38,3	709 864
24	66	48	264	6027	6977	6370	7470	36,7	667 809
24	60	48	240	5657	6661	6080	7083	35,1	625 753
24	54	48	216	5446	6405	5904	6801	32,7	582 698
24	48	48	192	5297	6203	5798	6599	31,1	540 643
24	42	48	168	5015	5869	5569	6203	29,5	497 587
24	36	48	144	4720	5521	5389	5926	27,9	455 533

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T							

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea, p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (OPEN METAL END PANELS, cont'd)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Open metal full end panels.



Quad unit: Open metal full end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.



				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60		BC2i03072		1826	2123	1901	2277	13,3 222 270
30	66	60		BC2i03066		1758	2046	1835	2178	12,9 209 254
30	60	60		BC2i03060		1685	1956	1764	2077	12,3 197 237
30	54	60		BC2i03054		1628	1888	1731	2013	11,7 185 221
30	48	60		BC2i03048		1566	1813	1696	1945	11,3 173 205
30	42	60		BC2i03042		1496	1731	1615	1830	10,7 160 188
30	36	60		BC2i03036		1425	1642	1539	1726	10,1 148 172
24	72	48		BC2i02472		1701	1973	1802	2101	11,1 183 221
24	66	48		BC2i02466		1654	1892	1740	2015	10,7 172 207
24	60	48		BC2i02460		1562	1813	1668	1918	10,3 161 194
24	54	48		BC2i02454		1509	1749	1624	1848	9,7 151 180
24	48	48		BC2i02448		1472	1698	1597	1797	9,3 140 166
24	42	48		BC2i02442		1401	1615	1540	1698	8,9 130 152
24	36	48		BC2i02436		1328	1528	1495	1629	8,5 119 138
30	72	60	144	BC4i03072		3223	3817	3373	4125	23,6 404 501
30	66	60	132	BC4i03066		3087	3663	3241	3927	22,8 380 468
30	60	60	120	BC4i03060		2941	3483	3100	3725	21,6 355 436
30	54	60	108	BC4i03054		2827	3346	3034	3597	20,4 331 403
30	48	60	96	BC4i03048		2704	3197	2963	3461	19,6 306 370
30	42	60	84	BC4i03042		2563	3034	2801	3232	18,4 281 337
30	36	60	72	BC4i03036		2420	2856	2649	3023	17,2 257 304
24	72	48	144	BC4i02472		3016	3562	3219	3817	20,2 343 420
24	66	48	132	BC4i02466		2924	3399	3095	3645	19,4 322 393
24	60	48	120	BC4i02460		2739	3241	2950	3452	18,6 301 365
24	54	48	108	BC4i02454		2633	3113	2862	3311	17,4 280 338
24	48	48	96	BC4i02448		2559	3012	2809	3210	16,6 258 310
24	42	48	84	BC4i02442		2418	2845	2695	3012	15,8 237 282
24	36	48	72	BC4i02436		2270	2671	2605	2873	15 216 255

SPECIFY

Series Code Surface Edge Base Metal

T - - / - - - -

OPTIONS

Grom. M-Outlet

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED RECTANGULAR TABLES (OPEN METAL END PANELS, cont'd)




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Price				Specifications		
A	B	C	D	T.F.L. H.P.L.		T.F.L. H.P.L.		Cu.Ft. lb (S) lb (T)		
30	72	60	216	4620	5511	4844	5973	33,9	587	732
30	66	60	198	4415	5280	4646	5676	32,7	550	683
30	60	60	180	4198	5009	4435	5372	30,9	513	634
30	54	60	162	4026	4805	4336	5181	29,1	476	585
30	48	60	144	3841	4580	4231	4976	27,9	440	535
30	42	60	126	3630	4336	3986	4633	26,1	403	486
30	36	60	108	3416	4069	3759	4320	24,3	366	437
24	72	48	216	4332	5150	4635	5533	29,3	504	620
24	66	48	198	4193	4906	4451	5276	28,1	472	578
24	60	48	180	3916	4668	4233	4985	26,9	440	537
24	54	48	162	3758	4477	4101	4774	25,1	408	495
24	48	48	144	3645	4325	4022	4622	23,9	377	454
24	42	48	126	3434	4074	3850	4325	22,7	345	412
24	36	48	108	3213	3814	3715	4117	21,5	313	371

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T							

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea, p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea, p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED "BENCHING" TABLES (OPEN METAL END PANELS, cont'd)




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).
 Full open metal end panels, full open metal halfway panels and recessed open metal mid panels.
 Privacy panels can be installed between surfaces or on sides, see p.264.
 Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.
 Grommet or multi-outlet module option, position will be identical on each table, see p.40.
 For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions				Code		Price		Specifications		
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
30	72	60	288	BC8i03072		6383	7571	6683	8187	44,6 777 971
30	66	60	264	BC8i03066		6111	7263	6419	7791	43 728 905
30	60	60	240	BC8i03060		5820	6903	6137	7387	40,6 679 839
30	54	60	216	BC8i03054		5591	6630	6005	7131	38,2 630 774
30	48	60	192	BC8i03048		5345	6331	5864	6859	36,6 581 708
30	42	60	168	BC8i03042		5063	6005	5539	6401	34,2 531 643
30	36	60	144	BC8i03036		4777	5649	5235	5983	31,8 482 577
24	72	48	288	BC8i02472		5981	7072	6386	7582	38,3 672 826
24	66	48	264	BC8i02466		5796	6746	6139	7239	36,7 630 771
24	60	48	240	BC8i02460		5426	6430	5849	6852	35,1 587 716
24	54	48	216	BC8i02454		5215	6174	5673	6570	32,7 545 661
24	48	48	192	BC8i02448		5066	5972	5567	6368	31,1 502 606
24	42	48	168	BC8i02442		4784	5638	5338	5972	29,5 460 549
24	36	48	144	BC8i02436		4489	5290	5158	5695	27,9 418 495

SPECIFY

Series Code Surface Edge Base Metal Grom. M-Outlet
T - - / - - - -

OPTIONS

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

Take Off

Price List – USA


120° SHARED "BENCHING" TABLES (FULL END PANELS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end panels and central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

				S Sierra 1"		T Tango 1½"				
Dimensions			Code	Price				Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
30	48	60	BC3CV3048	3897	5112	4280	5709	30,3	381	466
30	42	60	BC3CV3042	3827	5030	4199	5595	26,9	352	424
30	36	60	BC3CV3036	3761	4947	4128	5496	23,4	323	382
24	48	48	BC3CV2448	3847	5041	4225	5606	27,3	331	402
24	42	48	BC3CV2442	3776	4958	4168	5507	24,2	304	366
24	36	48	BC3CV2436	3708	4876	4128	5443	21,1	280	331


120° SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full metal-laminate end panels and central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

30	48	60	BC3CVX3048	4516	5730	4898	6327	30,3	381	466
30	42	60	BC3CVX3042	4445	5649	4817	6213	26,9	352	424
30	36	60	BC3CVX3036	4379	5565	4747	6114	23,4	323	382
24	48	48	BC3CVX2448	4415	5610	4794	6174	27,3	331	402
24	42	48	BC3CVX2442	4345	5526	4737	6075	24,2	304	366
24	36	48	BC3CVX2436	4277	5445	4697	6012	21,1	280	331

SPECIFY

Series	Code	Surface	Edge	Base	Metal	OPTIONS	
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Grom.	M-Outlet

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.

On tables 36" in length, only the centered module (ECC/UCC) is available.

120° SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS)




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels and central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions			Code	S Sierra 1"		T Tango 1½"		Specifications		
				T.F.L.	H.P.L.	T.F.L.	H.P.L.			
A	B	C						Cu.Ft.	lb (S)	lb (T)
30	48	60	BC3CVM3048	4516	5730	4898	6327	30,3	381	466
30	42	60	BC3CVM3042	4445	5649	4817	6213	26,9	352	424
30	36	60	BC3CVM3036	4379	5565	4747	6114	23,4	323	382
24	48	48	BC3CVM2448	4415	5610	4794	6174	27,3	331	402
24	42	48	BC3CVM2442	4345	5526	4737	6075	24,2	304	366
24	36	48	BC3CVM2436	4277	5445	4697	6012	21,1	280	331

120° SHARED "BENCHING" TABLES (OPEN METAL END PANELS)




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels and central metal leg.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see p.275 to 280.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

30	48	60	BC3CV03048	4087	5301	4469	5898	30,3	344	429
30	42	60	BC3CV03042	4016	5220	4388	5784	26,9	315	387
30	36	60	BC3CV03036	3950	5136	4318	5685	23,4	285	344
24	48	48	BC3CV02448	4069	5264	4447	5828	27,3	294	365
24	42	48	BC3CV02442	3999	5180	4390	5729	24,2	267	328
24	36	48	BC3CV02436	3930	5099	4351	5665	21,1	243	294

SPECIFY

Series Code Surface Edge Base Metal

T - - / - - - -

OPTIONS

Grom. M-Outlet

-

Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

Options Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.28.

Multi-Outlet Module: Option of 1-circuit multi-outlet module (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet module (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.29.


On tables 36" in length, only the centered module (ECC/UCC) is available.

SHARED END-OF-RUN STORAGE UNITS



Shared end-of-run storage unit, 29" H.
 Pedestal with 2 - 6" drawers / 1 - file drawer at both ends and central opening with 2 adjustable shelves.
 Pencil tray included in the 6" top drawers.
 To be positioned next to 48" or 60" deep benching tables.
 Noki locks included, lock all drawers.

Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (S) lb (T)
15½	60¼	29	FBPUUF156029		1298	1408	1469	1577	19,5 176 186
15½	48¼	29	FBPUUF154829		1216	1323	1384	1493	15,7 152 159



Shared end-of-run storage unit, 23" H.
 Pedestal with 1 - 6" drawers / 1 - file drawer at both ends and central opening with 1 adjustable shelf.
 Pencil tray included in the 6" drawers.
 To be positioned next to 48" or 60" deep benching tables.
 Noki locks included, lock all drawers.

15½	60¼	23	FBPUF156023		1289	1397	1458	1566	15,7 147 157
15½	48¼	23	FBPUF154823		1207	1315	1375	1484	12,7 125 132

SPECIFY

Series Code Surface Edge Base Fronts Pull
T - - / - / -


Specify Series: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CUSHIONS



Cushion for shared end-of-run storage unit.
 Installs with Velcro strips.

Dimensions			Code	Price					Specifications	
A	B	Thickness		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
15½	60¼	1½	CUS1560	497	542	586	630	703	1,6	14
15½	48¼	1½	CUS1548	407	444	480	517	579	1,3	11


SPECIFY

Series Code Fabric
T **L** - -

Specify Code: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

OPEN HUTCHES (LOW) - 21" H.



Open hutch (low).

Hutches 54" and longer have a central divider.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
72	15	21	HTC07221	625	17,4	95
66	15	21	HTC06621	582	16	89
60	15	21	HTC06021	540	14,6	83
54	15	21	HTC05421	498	13,2	77
48	15	21	HTC04821	459	11,8	66
42	15	21	HTC04221	428	10,4	60
36	15	21	HTC03621	398	8,9	54
30	15	21	HTC03021	370	7,5	48
24	15	21	HTC02421	341	6,1	42


OPEN HUTCHES (LOW) WITH SHARED ACCESS - 21" H.

Open hutch (low) with shared access (openings on both sides).

Installs on a work surface, credenza or storage unit.


When installed on a 29" H. unit, total height will be 50".

It is possible to install a tackboard on the side surface next to the opening, see p.261.



Opening at RIGHT

72	15	21	HTCR07221	625	17,4	95
66	15	21	HTCR06621	582	16	89
60	15	21	HTCR06021	540	14,6	83
54	15	21	HTCR05421	498	13,2	77
48	15	21	HTCR04821	459	11,8	66
42	15	21	HTCR04221	428	10,4	60
36	15	21	HTCR03621	398	8,9	54
30	15	21	HTCR03021	370	7,5	48



Opening at LEFT

72	15	21	HTCOR7221	625	17,4	95
66	15	21	HTCOR6621	582	16	89
60	15	21	HTCOR6021	540	14,6	83
54	15	21	HTCOR5421	498	13,2	77
48	15	21	HTCOR4821	459	11,8	66
42	15	21	HTCOR4221	428	10,4	60
36	15	21	HTCOR3621	398	8,9	54
30	15	21	HTCOR3021	370	7,5	48

SPECIFY


Series Code Base
T L - -

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.


HUTCHES (LOW) WITH SLIDING DOORS - 21" H.

Hutch (low) with frosted acrylic sliding doors.
 Installs on a work surface, credenza or storage unit.
 When installed on a 29" H. unit, total height will be 50".




Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
72	15	21	HTCGi7221	919	17,4	107
66	15	21	HTCGi6621	876	16	100
60	15	21	HTCGi6021	834	14,6	93
54	15	21	HTCGi5421	792	13,2	86
48	15	21	HTCGi4821	605	11,8	74
42	15	21	HTCGi4221	574	10,4	67
36	15	21	HTCGi3621	545	8,9	60
30	15	21	HTCGi3021	516	7,5	53

Open hutch (low) with frosted acrylic sliding door and open storage.
 Installs on a work surface, credenza or storage unit.
 When installed on a 29" H. unit, total height will be 50".



Sliding door at LEFT						
72	15	21	HTCGi07221	771	17,4	101
66	15	21	HTCGi06621	728	16	95
60	15	21	HTCGi06021	686	14,6	88
54	15	21	HTCGi05421	645	13,2	82
48	15	21	HTCGi04821	531	11,8	70
42	15	21	HTCGi04221	501	10,4	64
36	15	21	HTCGi03621	471	8,9	57
30	15	21	HTCGi03021	442	7,5	51



Sliding door at RIGHT						
72	15	21	HTCOGi7221	771	17,4	101
66	15	21	HTCOGi6621	728	16	95
60	15	21	HTCOGi6021	686	14,6	88
54	15	21	HTCOGi5421	645	13,2	82
48	15	21	HTCOGi4821	531	11,8	70
42	15	21	HTCOGi4221	501	10,4	64
36	15	21	HTCOGi3621	471	8,9	57
30	15	21	HTCOGi3021	442	7,5	51

SPECIFY

Series	Code	Base	Pull
T	L	-	-

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.



Pull: Pulls included, specify type, p.56.

HUTCHES (LOW) WITH SLIDING DOORS AND SHARED ACCESS - 21" H.

Hutch (low) with frosted acrylic sliding door and shared access.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".



Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
Sliding door at LEFT						
72	15	21	HTCGiR7221	919	17,4	101
66	15	21	HTCGiR6621	876	16	95
60	15	21	HTCGiR6021	834	14,6	88
54	15	21	HTCGiR5421	792	13,2	82
48	15	21	HTCGiR4821	605	11,8	70
42	15	21	HTCGiR4221	574	10,4	64
36	15	21	HTCGiR3621	545	8,9	57
30	15	21	HTCGiR3021	516	7,5	51

Sliding door at RIGHT						
72	15	21	HTCRGi7221	919	17,4	101
66	15	21	HTCRGi6621	876	16	95
60	15	21	HTCRGi6021	834	14,6	88
54	15	21	HTCRGi5421	792	13,2	82
48	15	21	HTCRGi4821	605	11,8	70
42	15	21	HTCRGi4221	574	10,4	64
36	15	21	HTCRGi3621	545	8,9	57
30	15	21	HTCRGi3021	516	7,5	51

SPECIFY


Series Code Base Pull
T **L** - - -

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

TACKBOARDS FOR LOW HUTCHES WITH SHARED ACCESS - 21" H.



Fabric tackboard for low shared access hutches 21" H. (HTCRO & HTCOR).

Installs with Velcro strips.

				Price					Specifications	
A	B			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	13½	For low hutch 72" long	BTL3414	146	165	185	193	200	0,7	6
31	13½	For low hutch 66" long	BTL3114	141	144	161	176	193	0,6	6
28	13½	For low hutch 60" long	BTL2814	134	136	151	160	171	0,5	5
25	13½	For low hutch 54" long	BTL2514	131	132	145	157	164	0,5	5
22	13½	For low hutch 48" long	BTL2214	124	125	138	144	152	0,4	4
19	13½	For low hutch 42" long	BTL1914	119	120	128	138	147	0,3	4
16	13½	For low hutch 36" long	BTL1614	109	110	116	124	132	0,3	3
13	13½	For low hutch 30" long	BTL1314	97	98	101	108	114	0,2	2


SPECIFY

Code Fabric
AC - -

Specify Code: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

SHELVES WITH INTEGRATED PIGEON-HOLE UNIT - 13" H.




Shelf with integrated pigeon-hole unit. Installs on a work surface, credenza or storage unit.
When installed on a 29" H. unit, total height will be 42".
Can accommodate "letter" or "legal" size documents.

D = Number of openings


Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
72	15	13	5	HMA7213	693	11,2	71
66	15	13	5	HMA6613	660	10,3	67
60	15	13	5	HMA6013	627	9,4	62
54	15	13	4	HMA5413	591	8,5	57
48	15	13	3	HMA4813	529	7,6	52
42	15	13	3	HMA4213	497	6,7	47
36	15	13	2	HMA3613	463	5,8	42
30	15	13	2	HMA3013	427	4,9	38
24	15	13	2	HMA2413	389	3,9	33

SHELVES - 6" H.



Shelf, installs on a work surface, credenza or storage unit.
When installed on a 29" H. unit, total height will be 42".
Structural back panel.

72	15	6	HA7206A	419	6	43
66	15	6	HA6606A	386	5,5	40
60	15	6	HA6006A	382	5	38
54	15	6	HA5406A	345	4,5	35
48	15	6	HA4806A	312	4	32
42	15	6	HA4206A	309	3,5	30
36	15	6	HA3606A	275	3	27
30	15	6	HA3006A	266	2,5	25
24	15	6	HA2406A	229	2	22



Shelf, installs on a work surface, credenza or storage unit.
When installed on a 29" H. unit, total height will be 42".
Structural central panel.

72	15	6	HA7206C	419	6	43
66	15	6	HA6606C	386	5,5	40
60	15	6	HA6006C	382	5	38
54	15	6	HA5406C	345	4,5	35
48	15	6	HA4806C	312	4	32
42	15	6	HA4206C	309	3,5	30
36	15	6	HA3606C	275	3	27
30	15	6	HA3006C	266	2,5	25
24	15	6	HA2406C	229	2	22


SPECIFY

Series Code Base
T L - -

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

END-OF-RUN BOOKCASE - 50" H.



To be positioned next to shared "benching" tables, attached to a 21" H. low hutch.
Open on both sides, with open wardrobe section and coat hook (silver finish).
Assembly hardware included.

Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
16	15	11	50	BKP151650	660	10	60

SPECIFY


Series Code Base
T L - -

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.


FREESTANDING PEDESTALS 25" H. FOR SHARED "BENCHING" TABLES 24" D.

Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Reduced height to slide under shared "benching" tables 24" D.
Pencil tray included in the 6" top drawer.
Noki lock included, locks all drawers.
Counterweight included for stability.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.



Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	20	25	FSLUUF25	682	6,5	61

Pedestal with 2 - 12" file drawer. Reduced height to slide under shared "benching" tables 24" D.
Noki lock included, locks all drawers.
Counterweight included for stability.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.



15½	20	25	FSLFF25	682	6,5	61
-----	----	----	---------	-----	-----	----

* Striped or fluted edge **not** available.

SPECIFY


Series Code Base Fronts Pull
T L - - / -

Specify **Code:** Consult the above product code list.

Base / Fronts: Take Off finishes, p.54-55.


Options **Pull:** Pull option, specify type, add \$22 per drawer, p.56.

LAMINATE PRIVACY PANELS




Rectangular laminate privacy panel, 11/16" thick. Can accommodate tackboards and various accessories, see p.XX.
Installs on a work surface, credenza or storage unit with the provided metal supports.
Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
15¼	72	3	78	PPOV1572	317	1,0	22
15¼	66	3	72	PPOV1566	312	0,9	20
15¼	60	3	66	PPOV1560	309	0,9	18
15¼	54	2	60	PPOV1554	264	0,8	16
15¼	48	2	54	PPOV1548	260	0,8	14
15¼	42	2	48	PPOV1542	231	0,6	13
15¼	36	2	42	PPOV1536	227	0,5	11
15¼	30	2	36	PPOV1530	222	0,4	10
15¼	24	2	30	PPOV1524	218	0,4	8
15¼	18	2	24	PPOV1518	213	0,3	7



Rectangular laminate privacy panel (double-height), 11/16" thick. Can accommodate tackboards and various accessories, see p.XX.
Installs on a work surface with the provided metal supports.
Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

29¾	72	3	78	PPFR2972	359	2,0	42
29¾	66	3	72	PPFR2966	351	1,8	39
29¾	60	3	66	PPFR2960	343	1,6	36
29¾	54	2	60	PPFR2954	295	1,5	31
29¾	48	2	54	PPFR2948	264	1,3	28
29¾	42	2	48	PPFR2942	256	1,2	25
29¾	36	2	42	PPFR2936	249	1,0	22
29¾	30	2	36	PPFR2930	241	0,8	19
29¾	24	2	30	PPFR2924	233	0,7	16



Rectangular laminate modesty panel, 11/16" thick.
Installs under a work surface with the provided metal supports.
Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

13½	72	3	78	PPUN1372	312	1,0	18
13½	66	3	72	PPUN1366	308	0,9	17
13½	60	3	66	PPUN1360	305	0,9	16
13½	54	2	60	PPUN1354	260	0,8	14
13½	48	2	54	PPUN1348	232	0,8	13
13½	42	2	48	PPUN1342	228	0,6	12
13½	36	2	42	PPUN1336	224	0,5	10
13½	30	2	36	PPUN1330	220	0,4	9
13½	24	2	30	PPUN1324	217	0,4	8

C = Number of supports included.

D = Length of the host surface.

SPECIFY


Series	Code	Base	Metal
T	S	-	-

Specify Code: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal (supports): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

FROSTED ACRYLIC PRIVACY PANELS




Rectangular frosted (on one side) acrylic privacy panel, 1/4 thick.

Installs on a work surface, credenza or certain storage unit with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	Lb
15 1/4	72	3	78	PPOVGiA1572	427	1,0	16
15 1/4	66	3	72	PPOVGiA1566	413	0,9	15
15 1/4	60	3	66	PPOVGiA1560	398	0,9	14
15 1/4	54	2	60	PPOVGiA1554	344	0,8	12
15 1/4	48	2	54	PPOVGiA1548	325	0,8	11
15 1/4	42	2	48	PPOVGiA1542	298	0,6	10
15 1/4	36	2	42	PPOVGiA1536	284	0,5	9
15 1/4	30	2	36	PPOVGiA1530	270	0,4	7
15 1/4	24	2	30	PPOVGiA1524	255	0,4	6
15 1/4	18	2	24	PPOVGiA1518	241	0,3	5




Rectangular (double-height) frosted (on one side) acrylic privacy panel, 1/4 thick.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

29 3/4	72	3	78	PPFRGiA2972	640	2,0	32
29 3/4	66	3	72	PPFRGiA2966	608	1,8	29
29 3/4	60	3	66	PPFRGiA2960	576	1,6	27
29 3/4	54	2	60	PPFRGiA2954	504	1,5	23
29 3/4	48	2	54	PPFRGiA2948	472	1,3	21
29 3/4	42	2	48	PPFRGiA2942	422	1,2	19
29 3/4	36	2	42	PPFRGiA2936	391	1,0	16,7
29 3/4	30	2	36	PPFRGiA2930	359	0,8	15
29 3/4	24	2	30	PPFRGiA2924	327	0,7	12



Rectangular frosted (on one side) acrylic modesty panel, 1/4 thick.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

13 1/2	72	3	78	PPUNGiA1372	430	1,0	15
13 1/2	66	3	72	PPUNGiA1366	416	0,9	14
13 1/2	60	3	66	PPUNGiA1360	402	0,9	13
13 1/2	54	2	60	PPUNGiA1354	347	0,8	11
13 1/2	48	2	54	PPUNGiA1348	332	0,8	10
13 1/2	42	2	48	PPUNGiA1342	300	0,6	9
13 1/2	36	2	42	PPUNGiA1336	286	0,5	8
13 1/2	30	2	36	PPUNGiA1330	271	0,4	7
13 1/2	24	2	30	PPUNGiA1324	256	0,4	6

C = Number of supports included.

D = Length of the host surface.


SPECIFY

Series	Code	Metal
T S	-	-

Specify **Code**: Consult the above product code list.

Metal (supports): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

TACKBOARD FOR PRIVACY PANELS



Rectangular fabric-tackboard for 11/16" thick laminate privacy panel.
Installs with Velcro strips on privacy panel.

Dimensions			Code	Price					Specifications	
A	B	C		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
71	9	72	BTL7109	153	161	165	171	178	0,9	9
65	9	66	BTL6509	147	154	160	165	173	0,8	8
59	9	60	BTL5909	142	149	154	158	167	0,7	7
53	9	54	BTL5309	132	140	144	150	157	0,6	7
47	9	48	BTL4709	130	136	142	147	155	0,6	6
41	9	42	BTL4109	128	134	140	144	153	0,5	5
35	9	36	BTL3509	124	131	136	142	150	0,4	4
29	9	30	BTL2909	124	131	135	141	150	0,4	4
23	9	24	BTL2309	123	130	134	140	149	0,3	3
17	9	18	BTL1709	122	129	133	139	147	0,2	2

C = Length of the host surface.


SPECIFY

Code Fabric
AC - -

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

DIVIDER SCREENS



Divider screen for work surface, available with a laminate or tackboard finish.

Can be installed permanently or not on a 1" or 2" thick surface.

Tackboard screen is available in 2 colors and is finished in a white contour (edge band),

Dimensions		Code	Price		Specifications	
A	B				Cu.Ft.	lb
LAMINATE screen						
11	25	ASPSDL1125	105	121	1,2	8
11	19	ASPSDL1119	101	117	0,9	7
TACKBOARD screen						
11	25	ASPSDC1125	262	301	1,2	8
11	19	ASPSDC1119	223	257	0,9	7

SPECIFY

Series Code Laminate or T-board Metal
T - - -

Specify **Series:** L or M (specifications p.24).


Code: Consult the above product code list.

Laminate: Specify laminate finish, Take Off finishes, p.54-55.

or Tackboard: Specify the color: Red (**FO01**) or Charcoal (**FO04**).

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

WALL MOUNT BRACKETS FOR HUTCH-TYPE TACKBOARDS



Hook brackets for installing a hutch-type tackboard on a wall.

Order 2 packs for tackboards 60" and over.

Available in 4 colors.

	Code	Price	Specifications	
			Cu.Ft.	Lb
Pack of 4	BTHK	50	0,1	1


SPECIFY

AC - Code Color

Specify **Code:** Consult the above product code list.

Color: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

ROUND TACKBOARD



Round tackboard, 12" diameter.

Made of Marmoleum®, 1/4" thick.

Can stick to any laminate surface with double faced tape (included).

	Code	Price	Specifications	
			Cu.Ft.	Lb
	BTR12	85	0,1	1

SPECIFY

AC - Code Color

Specify **Code:** Consult the above product code list.

Color: Specify the finish: Red (**F001**) or Charcoal (**F004**).



ACCESSORY BARS

Single or double unit accessory bar, anodized aluminum finish.

Installs on a work surface, credenza or certain storage unit with the provided metal supports (Silver finish).

Can hold (on both sides) Artopex accessories, p.271-272.


Bar length allows for a 3" gap at each end.



C = Length of the host surface.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	Lb
8	72	78	AC-VABS0872	305	0,5	12
8	66	72	AC-VABS0866	297	0,5	11
8	60	66	AC-VABS0860	282	0,4	10
8	54	60	AC-VABS0854	231	0,4	10
8	48	54	AC-VABS0848	227	0,4	9
8	42	48	AC-VABS0842	213	0,3	8
8	36	42	AC-VABS0836	206	0,3	7
8	30	36	AC-VABS0830	204	0,3	7
8	24	30	AC-VABS0824	198	0,2	6
12	72	78	AC-VABD1272	381	0,9	22
12	66	72	AC-VABD1266	367	0,8	21
12	60	66	AC-VABD1260	348	0,7	19
12	54	60	AC-VABD1254	297	0,7	18
12	48	54	AC-VABD1248	287	0,6	16
12	42	48	AC-VABD1242	270	0,6	15
12	36	42	AC-VABD1236	256	0,5	13
12	30	36	AC-VABD1230	249	0,4	12
12	24	30	AC-VABD1224	239	0,4	10

FROSTED ACRYLIC PRIVACY PANELS WITH SQUARE ANCHORING BRACKETS



Rectangular frosted (on one side) acrylic privacy panel, 1/4 thick.


Installs on a work surface with the provided metal supports (nickel finish).

Panel length allows for a 3" gap at each end.

15	72	3	AC-VRGis1572	563	1,0	13
15	66	3	AC-VRGis1566	539	0,9	12
15	60	3	AC-VRGis1560	513	0,9	11
15	54	2	AC-VRGis1554	424	0,8	10
15	48	2	AC-VRGis1548	398	0,8	9
15	42	2	AC-VRGis1542	372	0,6	8
15	36	2	AC-VRGis1536	347	0,5	7
15	30	2	AC-VRGis1530	322	0,4	6
15	24	2	AC-VRGis1524	297	0,4	5

C = Number of supports included.


ACCESSORY PANEL



Metal accessory panel with 3 attachment levels.
Installs to any 11/16" thick laminate panel.
Can hold Artopex accessories (plastic or metal), see p.271-272.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	Lb
10	17		ASASP	61	0,3	3

STORAGE CASE



Metal storage case for binders or books.
Installs under a work surface, with screws.


12	7½	12	ASUB	154	0,8	5
----	----	----	------	-----	-----	---

SPECIFY

AC - Code - Metal

Specify **Code**: Consult the above product code list.
Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


MARKER BOARD PANEL




Magnetic metal marker board (High-gloss white enamel finish).
Installs to any 11/16" thick laminate panel.
A base tray for storing markers.
NOTE: Use only dry-erase markers.

10	17		AC-ASWBA	57	0,3	3
----	----	--	----------	----	-----	---

CORNER SHELF



Corner shelf for keyboard or keyboard mechanism in a 90° surface configuration.
Installs to adjacent surfaces with junction plates (included).



Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
				Price						
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	20	JC1414	90	110	99	120	0,2	2	4

L Lima 1"

M Mike 1½"

SPECIFY


Series	Code	Surface	Edge
T	-	-	/

Specify Series: L or M (specifications p24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.


STIFFENERS



Metal stiffener, Charcoal finish.
Suggested for work surfaces 54" or more.
Installation hardware included.

			Cu.Ft.	lb
For surface 72" or more	AC-RSTi64	83	0,5	5
For surface 60"	AC-RSTi52	77	0,5	4
For surface 54"	AC-RSTi46	72	0,5	3


JUNCTION PLATES



Metal junction plates, Black finish.
Used to join 2 surfaces side-by-side.


Pack of 2	AC-FJP2	20
-----------	---------	----

ACRYLIC ACCESSORIES FOR ACCESSORY BAR




Diagonal paper tray (double), Clear (CL) or Black (N) finish.
Can accomodate "legal" or "letter" size documents. The dividers are always Clear.

Dimensions		Code	Prix	Specifications	
A	B			Cu.Ft.	lb
10	6½	ASW	64	0,1	1



Paper tray, Clear (CL) or Black (N) finish.
Can accomodate "legal" or "letter" size documents.

10	15¾	ASLG	52	0,2	1
----	-----	------	----	-----	---



Pencil holder, Clear (CL) or Black (N) finish.

2½	3	ASPE	25	0,1	1
----	---	------	----	-----	---



Flower pot, Clear (CL) or Black (N) finish.

5	ASFL	24	0,1	1
---	------	----	-----	---

SPECIFY

Code

Finish

AC - -

Specify Code: Consult the above product code list.
Finish: Specify the finish: Clear (CL) or Black (N).



Can be hooked onto the accessory bar and is stackable. Interior available space : 1 3/4" H. when stacked.

Can be hooked on to the accessory bar and it is possible to hook a second file tray onto the first.

E - Cell phone holder.

F - Business card holder 3¾" x 2"H. Attaches to the accessory bar or can sit on a surface.

G - Storage box 8" x 8" x 6"H. Stackable.

SPECIFY


Specify Code: Consult the above product code list.

Metal: Specify the finish: Silver (3090), Polar White (3002), China Blue (3048), Charcoal (3064), Grenadine (3044), Kiwi (3057), Black (3067) or Tangerine (3020).

Take Off


Electricity

MULTI-OUTLET MODULES - FOR CONVENTIONAL WALL POWER OUTLET




Surface multi-outlet module, attaches to a surface with included Velcro strips.
With 2 - 12 amp. outlets and 2 punch outs for communication outlets.
Connector and telecommunication wiring not included. Telecommunication outlet adaptors included.
108" electrical cord, the casing is made of black plastic.

Code	Price	Specifications	
		Cu.Ft.	lb
AC-EPOS	301	0,1	1




Multi-outlet module, attaches to a 1" thick surface with screw clamps.
With 3 - 15 amp. outlets and 2 punch outs for communication outlets.
Connector and telecommunication wiring not included. Removable covers are included.
72" electrical cord, the casing is made of anodized aluminum.

AC-EPA	323	0,4	5
--------	-----	-----	---



Multi-outlet module, installs under a surface.
With 2 outlets with a ground 12 amp circuit-breaker, surge suppressor, an RJ11 outlet for phone/fax/modem and a RJ45 category 5 outlet.
Connector and telecommunication wiring included.
108" electrical cord, 162" communication cables, the casing is made of black plastic.


AC-EPU	180	0,1	1
--------	-----	-----	---



Multi-outlet module, installs under a surface.
With 3 outlets with a ground 12 amp circuit-breaker.
108" electrical cord, the casing is made of black plastic.


AC-EPUP	127	0,1	1
---------	-----	-----	---

MOVABLE OUTLET - FOR CONVENTIONAL WALL POWER OUTLET




Installs in the cable tray or under a work surface with the E2-EDT support, see p.280.
108" electrical cord, the casing is made of black plastic.

AC-ECM	151	0,1	1
--------	-----	-----	---



UCL, UCC or UCR only available as an option on DESKS, RETURNS, TABLES...
The built-in surface outlet cannot be ordered separately and is available only as an option, to be specified with the furniture.
108" electrical cord, 12 amp capacity.

CABLE TRAYS



Metal CABLE TRAY, silver finish.

Installs under a work surface with screws.

Allows passage of electrical & communication cabling. Cabling acces via both ends and sides.

Can accommodate 1-circuit electrical system.

32" or more: 4 openings on each side.

26" or less: 2 openings on each side.

Opening can accommodate mobile outlets (AC-ECM p.274, AC-ECMK p.276) or telecommunication outlets (AC-ERF, E2-ERD p.280).

Opening dimensions: 2½" L x 1⅜" H.



Dimensions			Code	Price	Use with surface:	Specifications	
A	B	C				Cu.Ft.	lb
4¼	68	3	WCMC68	150	78" or 84"	1,0	6
4¼	62	3	WCMC62	142	72"	0,9	5
4¼	56	3	WCMC56	135	66"	0,8	5
4¼	50	3	WCMC50	128	60"	0,7	5
4¼	44	3	WCMC44	121	54"	0,6	4
4¼	38	3	WCMC38	117	48"	0,5	4
4¼	32	3	WCMC32	109	42"	0,5	3
4¼	26	3	WCMC26	102	36"	0,4	2
4¼	20	3	WCMC20	95	30"	0,3	2

SPECIFY


Code

AC - **- 3090**

Specify **Code**: Consult the above product code list.

POWER SUPPLY MODULE - 1-CIRCUIT ELECTRICAL SYSTEM

MALE




Power supply module with "male" connection at one end and a 120v. for wall outlet connection at the other.
Transformer with circuit breaker, surge protection (max of 8 surface multi-outlet modules, series circuit), power supply status indicator.
120" connection cable.

Code	Price	Specifications	
		Cu.Ft.	lb
AC-ECFK	416	0,1	1

JUMPERS - 1-CIRCUIT ELECTRICAL SYSTEM

MALE




MALE

Jumper cable (different lengths available) with "male" connectors at both ends.
Used to connect 2 surface modules (built-in or movable).
The 24" long jumper joins 2 outlets close to each other.

Length: 86"	AC-ECEJK86	139	0,1	1
Length: 72"	AC-ECEJK72	123	0,1	1
Length: 60"	AC-ECEJK60	110	0,1	1
Length: 48"	AC-ECEJK48	99	0,1	1
Length: 24"	AC-ECEJK24	76	0,1	1

MOVABLE OUTLET (ECMK) - 1-CIRCUIT ELECTRICAL SYSTEM




FEMALE
(3)

Duplex outlet, 12 amp. (max of 8 surface multi-outlet modules, series circuit).
Installs in the cable tray or under a work surface with the E2-EDT support, see p.280.
Power a table without cutting out an opening for a built-in outlet.

AC-ECMK	113	0,1	1
---------	-----	-----	---


MULTI-OUTLET MODULE (EPOSK) - 1-CIRCUIT ELECTRICAL SYSTEM



FEMELLE
(3)

Surface multi-outlet module, attaches to a surface with included Velcro strips.
With 2 - 12 amp. outlets and 2 punch outs for communication outlets (max of 8 surface multi-outlet modules, series circuit).
Connector and telecommunication wiring not included. Telecommunication outlet adaptors included.
72" connection cable. 3 female connectors at end of cable. Casing made of black plastic.

AC-EPOSK	245	0,1	1
----------	-----	-----	---




ECL, ECC or ECR only available as an option on TABLES

The built-in surface outlet (1-circuit) cannot be ordered separately and is available only as an option, to be specified with the furniture.

72" connection cable, 12 amp capacity.

Requires the AC-ECFK power module.

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 1 SIDE



28" or more

22"

16"

H = Length of the included harness

4-circuit electrical distribution system with 1 electrical harness and 1 metal front cover (silver finish).

Installs under a surface placed next to a wall or under a surface with a modesty panel (with screws).

Can accommodate 4-circuit system components and a cabling support (see next page).

28" or more: 2 openings for a duplex outlet and 2 other access openings.

22": 1 opening for a duplex outlet and 2 other access openings.

16": 1 opening for a duplex outlet.


Openings can accommodate cover plates or telecommunication outlets. Opening dimensions: 2½" L x 13/8" H.

Duplex outlets not included, order separately, see p.280.

To determine the required length of a system under a surface supported "layering" table, see p.52.

Dimensions				Code	Price	Use with table:	Specifications	
A	B	C	H				Cu.Ft.	lb
2½	58	5	14½	WCMA58	278	72" to 84"	0,9	10
2½	52	5	14½	WCMA52	275	66"	0,8	9
2½	46	5	14½	WCMA46	272	60"	0,7	9
2½	40	5	14½	WCMA40	268	54"	0,6	8
2½	34	5	14½	WCMA34	265	48"	0,5	8
2½	28	5	14½	WCMA28	263	42"	0,4	7
2½	22	5	8½	WCMA22	251	36"	0,3	6
2½	16	5	8½	WCMA16	248	30"	0,2	5

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 2 SIDES



28" or more

22"

H = Length of the included harness

4-circuit electrical distribution system with 1 electrical harness and 2 metal front/back covers (silver finish).

Installs under benching surfaces (with screws).

Can accommodate 4-circuit system components and a cabling support (see next page).

28" or more: 2 openings for a duplex outlet and 2 other access openings on each side.

22": 1 opening for a duplex outlet and 2 other access openings on each side.

Openings can accommodate cover plates or telecommunication outlets. Opening dimensions: 2½" L x 13/8" H.

Duplex outlets not included, order separately, see p.280.


						Use with table:	
5	58	5	14½	WCMB58	337	72"	1,0 16
5	52	5	14½	WCMB52	332	66"	0,9 14
5	46	5	14½	WCMB46	327	60"	0,8 13
5	40	5	14½	WCMB40	322	54"	0,7 12
5	34	5	14½	WCMB34	318	48"	0,6 11
5	28	5	14½	WCMB28	312	42"	0,5 9
5	22	5	8½	WCMB22	300	36"	0,4 8

SPECIFY

Code

AC - 3090

Specify **Code**: Consult the above product code list.

CABLING SUPPORTS

Metal cabling support, silver finish.

Installs on the front cover of the 4-circuit electrical distribution system of same length (no hardware required).

Allows management of cables plugged into the outlets.


Dimensions		Code	Price	Specifications	
A	B			Cu.Ft.	lb
2	58	WCMA58	40	0,2	2
2	52	WCMA52	39	0,2	2
2	46	WCMA46	37	0,2	2
2	40	WCMA40	37	0,1	2
2	34	WCMA34	36	0,1	2
2	28	WCMA28	35	0,1	1
2	22	WCMA22	34	0,1	1
2	16	WCMA16	34	0,1	1

SPECIFY

Code

AC - - 3090

Specify **Code**: Consult the above product code list.

CABLE POLES - 4-CIRCUIT ELECTRICAL SYSTEM

Pole for ceiling power connection (10' H.).

Special raceway end cap and finishing plates included.

Power feed connector to be ordered separately.

Available in sizes (tube): 2" x 2" or 2" x 3".

The 2"x3" cable pole comes with an integrated metal divider down its length.

2	3	120	A5-EPEU23	271	0,8	8
2	2	120	A5-EPEU22	245	0,8	7

SPECIFY


Code

Metal

-

Specify **Code**: Consult the above product code list.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).


COUPLING - 4-CIRCUIT ELECTRICAL SYSTEM

FEMALE

"I" to connect 2 jumpers end-to-end or a ceiling power connector with a "male" end connector.

"I" Connector	IE-I	64	0,1	1
---------------	------	----	-----	---

CEILING POWER CONNECTORS - 4-CIRCUIT ELECTRICAL SYSTEM



E2-EC15

To be plugged in the terminal block (supplied by the electrician)

E2-EC18

To be plugged in the outlet for power feed connectors E2-ECWD


The ceiling connector is a shielded flexible cable.

The E2-EC15 connector must be installed by a certified electrician in accordance with local building codes.


Connects at the end of a harness.

The E2-EC18 can be attached to the power feed connector during re-configuration by the user.

	Code	Price	Specifications	
			Cu.Ft.	lb
Length: 180" (15')	E2-EC15	208	0,6	3
Length: 216" (18')	E2-EC18	365	0,7	4



OUTLET FOR POWER FEED CONNECTORS - 4-CIRCUIT ELECTRICAL SYSTEM




Outlet for the power feed connector allows easy plugging/unplugging by the user.

The box (not included) can be installed on the wall (at approximate height of 20") or on the ceiling, near the top of the Cable pole.

Must be installed on site by a certified electrician in accordance with local electricity code. Afterwards, it is possible to plug the E2-EC18 Ceiling power feed connector in to it.

	Code	Price	Cu.Ft.	lb
	E2-ECWD	257	0,1	1

OPEN END PLUG CONNECTOR




To distribute current from the junction box to the power distribution harnesses.

It is fitted with a male plug which connects to a power distribution harness.

	Code	Price	Cu.Ft.	lb
Length 60"	E2-ECJ0	179	0,1	3

JUMPERS - 4-CIRCUIT ELECTRICAL SYSTEM



Jumper carries power between 2 - 4-circuit electrical distribution systems.

Equipped at both ends with a terminal "male" connector (8 wires in flexible shielded cable).

To determine required length, see information on pages 49 to 53.

Actual length	Code	Price	Specifications	
			Cu.Ft.	lb
82½	E2-EJT82	245	0,1	4
76½	E2-EJT76	242	0,1	4
70½	E2-EJT70	238	0,1	4
64¼	E2-EJT64	215	0,1	3
58	E2-EJT58	209	0,1	3
52	E2-EJT52	205	0,1	3
47	E2-EJT47	202	0,1	2
35	E2-EJT35	196	0,1	2
21½	E2-EJT21	193	0,1	1
18½	E2-EJT18	187	0,1	1



FASTENERS FOR JUMPER



Metal fastener, galvanized steel. Pack of 5 fasteners.
To attach shielded cables (jumpers) under a surface, with screws.

	Code	Price	Specifications	
			Cu.Ft.	lb
Pack of 5	E2-EJB5	11	0,1	1


DUPLEX OUTLETS - 4-CIRCUIT ELECTRICAL SYSTEM



Duplex outlet. Fastened to the power distribution harness by a spring latch.
For protection against induced voltage variations, circuit #4 is a dedicated circuit with its own neutral and ground conductors.

Duplex outlet for circuit #1	E2-ER1	25	0,2	1
Duplex outlet for circuit #2	E2-ER2	25	0,2	1
Duplex outlet for circuit #3	E2-ER3	25	0,2	1
Duplex outlet for circuit #4 (insulated)	E2-ER4	25	0,2	1

OUTLET SUPPORT BRACKET



Support bracket, black finish.
Installs under a work surface with screws.
Can accommodate movable multi-outlet modules (AC-ECM, AC-ECMK) or a communication outlet (E2-ERD).
Dimensions of the cut-out: 2½" L x 1-³/₈" H.

	E2-EDT	11	0,1	1
--	--------	----	-----	---

COVERS AND ADAPTOR PLATES




Cover plate, plastic with black finish.
Installs on the openings of the cable trays or on the unused openings on the front of the 4-circuit electrical distribution system.

	E2-ERF	6	0,1	1
--	--------	---	-----	---



Communication outlet plate, plastic with black finish.
Installs on the openings of the cable trays or on the unused openings on the front of the 4-circuit electrical distribution system.
Can accommodate 2 adaptors for communication outlets. Opening: 15/16" x 15/16".

	E2-ERD	6	0,1	1
--	--------	---	-----	---



Universal adaptor kit, plastic with black finish.
Compatible with most outlets on the market.
Installs on communication outlet plates.

	E2-ERU	6	0,1	1
--	--------	---	-----	---

GROMMETS



Plastic grommet (1 1/2" diam.) for on-site installation, dark brown finish.
Cap can be closed when not in use.


AC-EGR38-B	24	0,1	1
------------	----	-----	---



Plastic grommet (2 1/2" diam.) for on-site installation, black finish.
Cap can be closed when not in use.

AC-EGR64-N	28	0,1	1
------------	----	-----	---


WIRE TROUGH



24" long wire trough, black finish.
Multiple wire capacity and allows for wires to run along the modesty panels or other components.
Self-adhesive installation.

AC-WR24	26	0,1	1
---------	----	-----	---

WIRE TROUGH



24" long wire trough. Can be installed on the side of a leg, on the back of a hutch or under a surface.
Can hold one or two small-sized wires.
Self-adhesive installation. Pack of 10 segments.

LW24	55	0,6	1
------	----	-----	---


SPECIFY

Code Finish
AC - -

Specify **Code:** Consult the above product code list.

Finish: Specify the finish: White (BW), Gray (G), Charcoal (F) or Black (N).

CABLE FASTENERS



Plastic fasteners, attach under the surface to hold cabling.
Assembly hardware included.
Shipped in packages of 5.

Single	AC-EWF1	19	0,1	1
Double	AC-EWF2	25	0,1	1

FLEXIBLE WIRE MANAGER




Flexible wire manager (metallic gray finish), allows wiring from surface to floor.
Shipped assembled with installation hardware, wiring not included.

AC-EVCC	124	0,4	2
---------	-----	-----	---

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL)

DESK



Reception desk with pedestal at left, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.


Noki lock included, locks the 2 bottom drawers.

Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
				Price	Price	Price	Price			
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	42	RDS3072	1428	1709	1517	1835	58,9	293	345
30	66	42	RDS3066	1393	1653	1448	1730	58,9	283	319

30	72	42	RDV3072	1428	1709	1517	1835	58,9	293	345
30	66	42	RDV3066	1393	1653	1448	1730	58,9	283	319

30	72	42	RDM3072	1349	1615	1429	1741	58,9	278	330
30	66	42	RDM3066	1328	1560	1354	1636	58,9	268	304

RIGHT RETURN



Right return with right pedestal for reception desk with pedestal at left.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki lock included, locks the 2 bottom drawers.

24	60	41	RDRT2460	1066	1249	1128	1278	39,2	187	205
24	48	41	RDRT2448	1008	1151	1056	1166	31,6	167	181
24	42	41	RDRT2442	975	1107	1025	1123	31,6	156	169

24	60	41	RDRW2460	1066	1249	1128	1278	39,2	187	205
24	48	41	RDRW2448	1008	1151	1056	1166	31,6	167	181
24	42	41	RDRW2442	975	1107	1025	1123	31,6	156	169

24	60	41	RDRN2460	960	1143	1022	1173	39,2	172	190
24	48	41	RDRN2448	902	1045	950	1060	31,6	152	166
24	42	41	RDRN2442	869	1001	920	1018	31,6	141	154

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.
T			/		/				

OPTIONS

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module - DESK: Option of standard multi-outlet module at right (**UCR**) or centered (**UCC**), add \$213 ea., p.29.


Multi-Outlet Module - RETURN: (48" & 60") Option of standard multi-outlet module at left (**UCL**) or centered (**UCC**), add \$213 ea.

or (42") Option of standard multi-outlet module at left (**UCL**), add \$213 ea., p.29.

Modesty panel (RDM-RDRN): Option of 18" high (**U18**) modesty panel, option free of charge, p.30.

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL)

DESK



Reception desk with pedestal at right, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.


Noki lock included, locks the 2 bottom drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	72	42	RDT3072		1428	1709	1517	1835	58,9 293 345
30	66	42	RDT3066		1393	1653	1448	1730	58,9 283 319

30	72	42	RDW3072		1428	1709	1517	1835	58,9 293 345
30	66	42	RDW3066		1393	1653	1448	1730	58,9 283 319

30	72	42	RDN3072		1349	1615	1429	1741	58,9 278 330
30	66	42	RDN3066		1328	1560	1354	1636	58,9 268 304

LEFT RETURN



Left return with left pedestal for reception desk with pedestal at right.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki lock included, locks the 2 bottom drawers.

24	60	41	RDRS2460		1066	1249	1128	1278	39,2 187 205
24	48	41	RDRS2448		1008	1151	1056	1166	31,6 167 181
24	42	41	RDRS2442		975	1107	1025	1123	31,6 156 169

24	60	41	RDRV2460		1066	1249	1128	1278	39,2 187 205
24	48	41	RDRV2448		1008	1151	1056	1166	31,6 167 181
24	42	41	RDRV2442		975	1107	1025	1123	31,6 156 169

24	60	41	RDRM2460		960	1143	1022	1173	39,2 172 190
24	48	41	RDRM2448		902	1045	950	1060	31,6 152 166
24	42	41	RDRM2442		869	1001	920	1018	31,6 141 154

SPECIFY

Series Code Surface Edge Base Fronts Grom.

T - - / - / -

OPTIONS

Pull M-Outlet Mod.

- -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" option (NG), option free of charge, p.28.


Options Pull: Pull option, specify type, add \$22 per drawer, p.56.

Multi-Outlet Module - DESK: Option of standard multi-outlet module at left (UCL) or centered (UCC), add \$213 ea., p.29.

Multi-Outlet Module - RETURN: (48" & 60") Option of standard multi-outlet module at right (UCR) or centered (UCC), add \$213 ea. or (42") Option of standard multi-outlet module at right (UCR), add \$213 ea., p.29.


Modesty panel (RDN-RDRM): Option of 18" high (U18) modesty panel, option free of charge, p.30.

COUNTERTOPS (to convert a regular desk into a reception desk)



Countertop with bow front transforms a regular desk into a reception desk.
Attaches to the surface with double sided tape.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Specifications				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
12	84	13	RSB1284	373	515	—	567	11,0	61	77
12	78	13	RSB1278	365	497	—	547	10,2	57	72
12	72	13	RSB1272	356	481	422	526	9,5	53	67
12	66	13	RSB1266	345	458	404	499	8,7	50	62
12	60	13	RSB1260	334	436	388	475	7,9	46	58
12	54	13	RSB1254	326	419	376	454	7,1	42	53
12	48	13	RSB1248	318	402	364	433	6,4	38	48
12	42	13	RSB1242	309	384	350	413	5,6	35	43
12	36	13	RSB1236	303	367	339	393	4,8	31	38
12	30	13	RSB1230	295	351	327	373	4,0	27	33
12	24	13	RSB1224	285	333	315	352	3,2	24	28



Rectangular countertop transforms a regular desk into a reception desk.
Attaches to the surface with double sided tape.

12	84	13	RSQ1284	347	462	—	506	9,0	55	68
12	78	13	RSQ1278	338	446	—	485	8,3	51	64
12	72	13	RSQ1272	330	428	382	465	7,7	48	59
12	66	13	RSQ1266	319	409	366	442	7,1	45	55
12	60	13	RSQ1260	309	392	352	422	6,4	41	51
12	54	13	RSQ1254	301	374	340	402	5,8	38	46
12	48	13	RSQ1248	293	358	328	381	5,2	35	42
12	42	13	RSQ1242	284	339	314	360	4,5	32	38
12	36	13	RSQ1236	277	323	303	340	3,9	28	34
12	30	13	RSQ1230	270	306	290	320	3,3	25	30
12	24	13	RSQ1224	261	289	278	299	2,6	22	26

SPECIFY

Series Code Surface Edge Base


T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


RIGHT SHELF



Attaches to the surface with double sided tape and 2 flat junction plates, included.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Specifications				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	Ib (L)	Ib (M)
12	84	13	RSR1284	330	444	—	488	9,0	50	64
12	78	13	RSR1278	320	427	—	469	8,3	47	59
12	72	13	RSR1272	312	410	364	448	7,7	44	55
12	66	13	RSR1266	303	393	349	426	7,1	40	51
12	60	13	RSR1260	292	374	336	405	6,4	37	47
12	54	13	RSR1254	284	358	323	384	5,8	34	42
12	48	13	RSR1248	276	340	310	364	5,2	31	38
12	42	13	RSR1242	267	322	297	342	4,5	27	34
12	36	13	RSR1236	261	306	286	323	3,9	24	30
12	30	13	RSR1230	251	289	274	303	3,3	21	25
12	24	13	RSR1224	243	272	261	282	2,6	17	21

A 3D perspective diagram of a rectangular bar. Dimension A is the height, dimension B is the length, and dimension C is the width.



Attaches to the surface with double sided tape and 2 flat junction plates, included.

12	84	13	RSL1284	330	444	—	488	9,0	50	64
12	78	13	RSL1278	320	427	—	469	8,3	47	59
12	72	13	RSL1272	312	410	364	448	7,7	44	55
12	66	13	RSL1266	303	393	349	426	7,1	40	51
12	60	13	RSL1260	292	374	336	405	6,4	37	47
12	54	13	RSL1254	284	358	323	384	5,8	34	42
12	48	13	RSL1248	276	340	310	364	5,2	31	38
12	42	13	RSL1242	267	322	297	342	4,5	27	34
12	36	13	RSL1236	261	306	286	323	3,9	24	30
12	30	13	RSL1230	251	289	274	303	3,3	21	25
12	24	13	RSL1224	243	272	261	282	2,6	17	21



Series Code Surface Edge Base
T - - / -

Surface / Edge / Base: Take Off finishes, p.54-55.

OCCASIONAL TABLES (LAMINATE BASE)

Round or square occasional tables, 17½" H.

Laminate base.




Dimensions				L Lima 1"		M Mike 1½"		Specifications		
Code				Price						
A	B	C	D	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36		17½		TMAR1736	309	462	560	603	15,1	51 68
30		17½		TMAR1730	281	428	502	537	10,6	52 51
24		17½		TMAR1724	241	354	426	455	6,9	38 38

30	30	17½		TMAS173030	292	396	384	444	10,6	59 71
24	48	17½		TMAS172448	319	452	422	512	13,5	61 77
24	42	17½		TMAS172442	304	420	402	473	11,8	57 70
24	30	17½		TMAS172430	268	371	372	420	8,5	48 57
24	24	17½		TMAS172424	234	329	323	362	6,9	43 51
24	18	17½		TMAS172418	244	292	316	322	5,2	39 44
18	36	17½		TMAS171836	284	387	377	435	7,7	40 48
18	30	17½		TMAS171830	256	316	332	351	6,5	36 44
18	24	17½		TMAS171824	244	292	316	321	5,2	33 39
18	18	17½		TMAS171818	233	267	299	315	4,0	29 34

SPECIFY

Series Code Surface Edge Base
T - - / -


OCCASIONAL TABLES WITH RIBBON STYLE DETAIL



Occasional table with ribbon style detail.

Table height: 17½", ribbon height: 18½", ribbon width: 10".

24	48	18½	17½	TMAB2448	449	603	—	—	14,2	61
24	42	18½	17½	TMAB2442	435	571	—	—	12,4	56
24	36	18½	17½	TMAB2436	402	521	—	—	10,7	52
24	30	18½	17½	TMAB2430	386	480	—	—	9	48
24	24	18½	17½	TMAB2424	370	442	—	—	7,2	44
18	36	18½	17½	TMAB1836	384	460	—	—	8,1	42
18	30	18½	17½	TMAB1830	373	436	—	—	6,8	38
18	24	18½	17½	TMAB1824	363	411	—	—	5,5	35



SPECIFY

Series Code Surface Edge Base
T **L** - - / -


Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.


OCCASIONAL TABLES (METAL BASE)

Round occasional table with metal tubular leg (3" diam.) and round base plate (18" diam.).
Height: 17½".




Dimensions			L Lima 1"		M Mike 1½"		Specifications		
			Code		Price				
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	17½		TMARD1730		680	828	901	936	5,2 58 66
24	17½		TMARD1724		658	796	825	855	4,8 52 57

Elliptical occasional table with metal tubular leg (3" diam.) and round base plate (18" diam.).
Height: 17½".




21	36	17½	TMAED172136		658	806	901	946	5 54 60
----	----	-----	-------------	--	-----	-----	-----	-----	---------

Square occasional table with metal tubular leg (3" diam.) and square base plate (18" x 18").
Height: 17½".



30	17½		TSDS173030		680	828	901	936	5,2 71 81
24	17½		TSDS172424		658	796	825	855	4,8 63 69

Square occasional table with square metal tubular legs (2½" x 2½").
Height: 17½".



24	36	17½	TMASS172436		546	662	644	758	2,5 35 45
24	24	17½	TMASS172424		510	613	614	705	2 28 34

SPECIFY

Series Code Surface Edge Metal
T - - / -

Specify Series: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal: Specify the finish of the base/legs: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances. A) Modifications: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration. B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

A) Prices are F.O.B. factory, collect.
B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Noki Lock

Mechanism warranted for 10 years. Industrial and patent pending designs.

Artopex Lifetime Warranty

Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

This warranty provides limits on the following products :

- electrical components, which are warranted for (10) ten years from date of delivery,
- seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- Artopex fabrics which are warranted for (5) five years from date of delivery,
- moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- non-standard specials, which are warranted for (1) one year from date of delivery.

This warranty does not extend to:

- Customer's Own Material (COM) or finishes applied to Artopex products,
- ballast and light bulbs,
- products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of merchantability or fitness for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

*Designing, manufacturing, advising, planning
and supporting: that's the art that
distinguishes our purpose at Artopex.*



HEAD OFFICE

800, Vadnais Street
Granby, Quebec
J2J 1A7
CANADA

Tel. : 450.378.0189
1 800.363.3040

Fax. : 450.378.9712

artopex.com

