

PRICING EFFECTIVE
JAN 2016

MEDLEY™

Price & Specification Guide

Gunlocke®

WOOD FINISH

- A. Natural Maple
- B. Honey Maple
- C. Wheat Cherry
- D. Light Cherry
- E. Canyon Cherry
- F. Cinnamon Cherry
- G. Burnished Cherry
- H. Medium Brown Cherry
- I. Chestnut Cherry
- J. Medium Red Cherry
- K. Dark Red Cherry
- L. Chicory Cherry
- M. Light Walnut
- N. Coffee Walnut
- O. Sumatra Walnut
- P. Charcoal Grey Walnut
- Q. Dark Roast Walnut
- R. Dark Rift Oak



ORDERING OPTION CODES

MEDLEY
01/16

WOOD FINISH

SELECT VENEERS

NATURAL PLAIN SLICED CHERRY

Medium Brown Cherry	NC215
Cinnamon Cherry	NC260
Chicory Cherry	NC284
Chestnut Cherry	NC293
Dark Red Cherry	NC511
Medium Red Cherry	NC512
Light Cherry	NC701
Wheat Cherry	NC706
Canyon Cherry	NC744
Burnished Cherry	NC777

NATURAL PLAIN SLICED MAPLE

Natural Maple	NE800
Honey Maple	NE873

NATURAL PLAIN SLICED WALNUT

Light Walnut	NT601
Coffee Walnut	NT615
Charcoal Grey Walnut	NT637
Dark Roast Walnut	NT684
Sumatra Walnut	NT693

PREMIUM VENEERS

NATURAL RIFT CUT OAK

Dark Rift Cut Oak	RF331
-------------------	-------

VENEER DIRECTION

Standard Long Grain	VLG
Cross/Short Grain	VST

EDGE DETAILS

Double Flute*	DF
Lacuna*	LA
Kerf*	KF
Softened*	SF
Trioval*	TO
Bevel	BV
Ogee	OG
Radius	RD

*Provide minimal gap between adjoining worksurfaces.

PULLS

Arch - Silver	ARS
Arch - Black	ARB
Arette - Silver	ATS
Camber - Silver	CMS
Camber - Black	CMB
Elite - Silver	ETS
Gracile - Silver	ILS
Tab - Silver	TBS
Tab - Black	TBB
Wave - Silver	WVS

GROMMET COLOR

Grommet Black	BK
Grommet Silver	SV

COLUMN COLOR

Column Black	CB
Column Silver	CS
Column Satin Chrome (+\$211)	CSC

TASKLIGHT CORD GROMMET

VSU Grommet Included	WY
No VSU Grommet	WN

CENTER DRAWER

Center Drawer Yes (+\$361)	CY
Center Drawer No	CN

MODESTY PANEL

Full Height Modesty	MY
No Modesty Panel	MN

BACK PANEL (SHELL UNITS)

Full Height	FM
Half Height	HM

LOCKS

Locks Yes (+\$140)	LY
Locks No	LN

KEYING

Field Installed Locks	FL
-----------------------	----

FACTORY-INSTALLED

Random Key Numbers	
Silver	RMS
Black	RMB

Designated Key Numbers

Specify a number between:

Silver	FT100TAS - FT150TAS
Black	FT100TA - FT150TA







UV TOP FINISH

Open Pore Low Sheen	OP
Full Fill ClearTech™	FF
Full Fill Top ≤ 120" Length (+\$75)	
Full Fill Top > 120" Length (+\$150)	

EDGE DETAILS

A. Bevel D. Ogee G. Radius	B. Lacuna E. Softened H. Trioval	C. Double Flute F. Kerf
		
		
		

PULLS

A. Arch - Silver B. Arch - Black	C. Camber - Silver D. Camber - Black	E. Tab - Silver F. Tab - Black	G. Elite - Silver H. Wave - Silver	I. Arette - Silver J. Gracile - Silver
				
				

WALL ACCESS PANEL



GROMMETS

Silver and Black






POWERPORT



POWER/DATA UNITS

A. Silver
B. Black

C. Wood Door



Conditions of sale	2	Modular components	179-208
GSA terms & conditions	3-4	Modular reference	180-185
Warranty	5	Worksurfaces	186-188
Delivery information	6	Pedestals	189-191
Veneers & finishes	7	Modular support components	16-199
Edge detail & pull options	8	Reception	209-226
Pedestal legend	9	Accessories	227-238
Filing & keying	10-11	Tables	239-265
Wire management	12-16	Fabric grade pricing	266-269
Modesty panels and wall access panels	17-19	Weights and cubes	270-278
Product Reference	25-46		
How to use this price guide	26		
Features & advantages	27		
Technical specifications	28-29		
Height reference	30		
Product reference	31-42		
Typicals	47-86		
Unitized Caseloads	87-128		
b shaped workstations	88		
Double pedestal desks	89-90		
Table desks	90-91		
Single pedestal desks	92-95		
Bullet conference corners	96-97		
Computer corners	98		
Conference extensions	99-104		
Runoffs	105-109		
Returns	110-109		
Bridges	114-115		
Credenzas	116-119		
Mobile pedestal	120		
Computer/printer stand	121		
Shell units	122-123		
Height Adjustable Desks	124-127		
Storage	129-178		
Lateral files	130		
Storage cabinets	131		
Closets	132-133		
Bookcase/closets	134		
Storage box	135-139		
Utility cabinets	140-141		
Bookcases	142-143		
Surface mount cabinets	144-151		
Surface mount tackboards	152-155		
Wall mount cabinets	156-166		
Wall mount tackboards	167-170		
Hutches	171		
Tasklights	172-173		

INTRODUCTION

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

PRICING

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include carton-ing and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

ORDERING

To expedite order entry and to assure proper service, email or fax all orders directly to:

The Gunlocke Company

Attn: Order Entry
One Gunlocke Drive
Wayland, New York 14572
585-728-5111
585-728-8350 FAX
800-828-6300
www.gunlocke.com

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

ACKNOWLEDGEMENT

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgement for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgement is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

SPECIFICATION CHANGES

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

ORDER CHANGES

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgement may result in re-scheduling of product.

RETURNED MERCHANDISE

No merchandise may be returned without prior authorization.

CANCELLATIONS

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

STORAGE

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

TERMS

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

SHOWROOMS**Chicago**

222 Merchandise Mart Plaza
Space 1126
Chicago, IL 60654
312-923-1133
312-222-1162 FAX

Dallas

150 Turtle Creek Blvd.
Suite 104-E
Dallas, TX 75207
214-912-4727

New York

257 Park Avenue South
14th Floor
New York, NY 10010
212-473-8300
212-473-8409 FAX

San Francisco

2 Embarcadero Center
Promenade Level
San Francisco, CA 94111
415-362-3131
415-362-3134 FAX

Washington DC

1331 F Street, NW
9th Floor
Washington, DC 20004
202-393-5070
202-393-5075 FAX

ORDERING INFORMATION

1a.Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

Grade 1 All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

Grade 2 Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

Grade 3 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennsington, Credentials, and all tables are grade 3.

Grade 4 Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

- 1a. **The Medley SIN #711-8 Grade 3 on pages 82-234.**
The Tables SIN #711-9 Grade 3 on pages 238-263
- 1b. **Lowest priced units:**
711-8 ACFRL15 \$23 List
711-9 ACWM \$65 List
2. **Maximum order:**
\$1,385,042 list (\$500,000 net)
3. **Minimum order:** \$2,000 list
4. **Geographic coverage:**
48 contiguous states and DC
5. **Points of production:**
Wayland, NY, Steuben County, USA
6. **Discount from list:**
- | | |
|-------------------------------|-----------|
| \$2,000 to \$100,000 list | 60.1% off |
| \$100,001 to \$300,000 list | 61.2% off |
| \$300,001 to \$500,000 list | 61.7% off |
| \$500,001 to \$700,000 list | 62.8% off |
| \$700,001 to \$1,385,042 list | 63.9% off |
- * These discounts apply to single purchase orders, shipping to the same place in the same time period.
7. **Quantity Discount:** See above
8. **Prompt payment terms:**
Net 30 days
- 9a. **Credit card Acceptance:**
Government credit card is accepted at or below the micro - purchase threshold.
- 9b. **Credit card Acceptance:**
Government credit card is accepted above the micro - purchase threshold.
10. **Foreign items:** None
- 11a. **Time of delivery:** 90 days ARO
- 11b. **Expedited delivery:** Not available
- 11c. **Overnight and 2-day delivery:**
Not available
- 11d. **Urgent requirements:**
Not available
12. **FOB point(s):** Destination
13. **Ordering address(es):**
The Gunlocke Company
c/o Authorized Gunlocke GSA Dealer
One Gunlocke Drive
Wayland, NY 14572
Phone: (800) 828-6300
Fax: (585) 728-8350
14. **Payment address(es):**
The Gunlocke Company LLC
13367 Collections Center Drive
Chicago, IL 60693
15. **Warranty provision:**
See warranty on page 5
16. **Export packing charges:** Write for quotation on export packaging.
17. **Terms and conditions of Government commercial credit card acceptance:**
Credit Cards are accepted.
18. **Terms and conditions of rental, maintenance, and repair:**
Not applicable
19. **Project Management:**
(SIN #711-91) \$65 Per Hour
20. **Design/Layout Services:**
(SIN #711-94) \$65 Per Hour
21. **Terms and conditions of installation:**
(SIN #711-95) Installation services will be charged at a rate of 15% of the net price of the purchase order for non-union rates (with a minimum charge of \$100), and 20% of the net price of the purchase order for union rates (with a minimum charge of \$150), for installation projects up to \$500. Installation projects in excess of \$500 will be negotiated on a case-by-case basis.
22. **Terms and conditions of repair:**
Parts indicating date of parts price lists and any discounts from list prices: Not applicable
23. **List of service and distribution:**
Points: Not applicable
24. **Participating dealers:**
A list of participating dealers will be supplied to any government agency upon request or is available on our website at www.gunlocke.com.
25. **Preventative maintenance:** Not applicable. Instruction sheets available upon request.
26. **Environmental attributes:**
Gunlocke has an active environmental program. Please call (800) 828-6300 for details.
27. **Data universal number system:**
(DUNS) number is 1999 36550
28. **CCR registration/Cage Code:**
The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574
29. **Returns:**
No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.
30. **Cancellations:**
No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
31. **Inside Delivery:**
Contact the Gunlocke Company Traffic Department at (800) 828-6300 for a quotation on inside delivery.
32. **Federal Tax ID # 22 3887942**

12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warrantied for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warrantied. This includes Fluorescent Tasklights.
- **LED tasklights** are warrantied for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warrantied for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warrantied for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warrantied for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warrantied. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

www.gunlocke.com/productservice/

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$2,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$2,000 list will be subject to a \$100 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgement. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

LIABILITY

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

FILING OF CLAIMS

All claims for damage or loss must be submitted via our website at: www.gunlocke.com/productservices within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

For Visible Damage

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

For Concealed Damage

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

For Loss

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

For Damage or Loss of Parcel Post or UPS Shipment

Notify the Gunlocke traffic department immediately at 585-728-8268.

NORMAL DELIVERY

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 3 hours to be unloaded, an additional charge will be billed at \$100/hour. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke cannot guarantee specific delivery times. If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

WEEKEND DELIVERY

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

DROP SHIP / JOB SITE DELIVERY

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

INSIDE DELIVERY

Inside delivery must be noted on order. A minimum \$100 charge will apply.

SPECIAL DELIVERY

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services. Gunlocke will make every effort to meet the appointed time, however Gunlocke will not be responsible for any additional charges for late deliveries beyond our control.

DOCK RESTRICTIONS

Gunlocke trailers are 53' x 102". If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

MEDLEY CASEGOODS

Veneers Medley is offered in three select veneers and one premium veneer. All exposed surfaces utilize select plain sliced Cherry, Maple or Walnut veneers or premium Rift Cut Oak veneers.

Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See Gunlocke Advantage website for special finish request forms.

All Caseloads & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.

Note: This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

UV TOP FINISH

Worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

UV finish options

Full-fill Cleartech (upcharge)	FF
Open Pore Low Sheen	OP
Full-fill Top ≤ 120" Length	(+\$75)
Full-fill Top > 120" Length	(+\$150)

MEDLEY VENEERS

veneer 1 (select)




- Cherry
- Maple
- Walnut

veneer 2 (premium)

- Rift Cut Oak






NOTE: For FSC Certified Product add "FSC" to beginning of finish option code. Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.

EDGE DETAILS

	BV BEVEL	OG OGEE	
	DF DOUBLE FLUTE	RD RADIUS	
	KF KERF	SF SOFTENED	
	LA LACUNA	TO TRIOVAL	

PULL OPTIONS

Medley is available in 8 pull options. Arch, Camber, and Tab are available in matte silver and satin black finish. Arette, Elite, Gracile and Wave are available in matte silver finish only.

ARCH ARB BLACK ARS SILVER		
ARETTE ATS SILVER		
CAMBER CMB BLACK CMS SILVER		
ELITE ETS SILVER		

PEDESTAL LEGEND

Option code

Spec Tip: always specify pedestal location left to right from user seated position.




2




3

2 | FILE | FILE

3 | BOX | BOX | FILE




4




5

4 | LATERAL FILE

5 | HINGED DOOR




6




7

6 | BOX | FILE

7 | BOX | BOX | LATERAL




MFL




MFR

MFL | MULTIFILE LEFT

MFR | MULTIFILE RIGHT



P



SH


P | PRINTER PEDESTAL

SH | OPEN | ADJUSTABLE SHELF


**STANDARD FILING OPTIONS
WOOD PEDESTALS**

15 wide x 24 deep pedestal


- A. Letter-front to back
- B. Legal-side to side
- C. Optional: 1 row letter side to side,
Model # ACFLR15 required



A



B




C


15 wide x 30 deep pedestal

File rails included: 2 per drawer


- D. Letter-front to back
- E. 1 row legal side to side with 1 file rail,
with letter front to back in remaining
area
- F. 2 rows of letter-side to side with
2 file rails



D



E




F


Lateral 30 wide x 24 deep pedestal

File rails included: 1 per drawer


- G. Legal-side to side
- H. Letter-side to side
- I. 2 rows letter front to back



G



H




I


Lateral 36 wide x 24 deep pedestal

File rails included: 1 per drawer


- J. Letter-side to side
- K. 2 rows letter front to back
- L. Legal-side to side
- M. 2 rows legal front to back




J



K



L



M

NOTE: See page 209 to order
additional filing rails

INSIDE DRAWER DIMENSIONS

WOOD DRAWERS

Pedestal width	Drawer type	D	W	H
15 letter width	24 box	14 ¹⁵ / ₁₆	11 ¹⁵ / ₁₆	3 ³ / ₈
	24 file	14 ¹⁵ / ₁₆	11 ¹⁵ / ₁₆	9 ¹ / ₄
	30 box	25 ¹ / ₄	11 ¹⁵ / ₁₆	3 ³ / ₈
	30 file	25 ¹ / ₄	11 ¹⁵ / ₁₆	9 ¹ / ₄
30 width	box	14 ¹⁵ / ₁₆	26 ⁷ / ₃₂	3 ³ / ₈
	lateral	14 ¹⁵ / ₁₆	26 ⁷ / ₃₂	9 ¹ / ₄
36 width	box	14 ¹⁵ / ₁₆	32 ⁷ / ₃₂	3 ³ / ₈
	lateral	14 ¹⁵ / ₁₆	32 ⁷ / ₃₂	9 ¹ / ₄

LOCKS & KEYING

Locks are standard on all below worksurface storage units. Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

factory installed locks

option code

Option 1

SILVER RANDOM KEYS **RMS**

BLACK RANDOM KEYS **RMB**

Option 2

Specify a number between

SILVER DESIGNATED KEYS **100TAS - 150TAS**

BLACK DESIGNATED KEYS **100TA - 150TA**

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

Field installed lock core set, specify model # and key number (add \$5 list per core):

model number

Specify a number between

SILVER DESIGNATED KEYS **ACLCKFLD** **100TAS - 200TAS**

BLACK DESIGNATED KEYS **ACLCKFLD** **100TA - 200TA**

Note: Add \$5 list per lock core.

See index on pages 270-278 for # of locks required for field installation.


GROMMET SPECIFICATIONS




Wire management grommets are standard.
All grommets are metal, available in black
or silver.

GROMMET LOCATIONS

Rectangular Flush Front Desks - 30"




Rectangular Flush Front Desks - 36"




Rectangular Overhang Front Desks - 36"


36" Modular Desk Worksurfaces




Bow Front Overhang Desks



Bullet Desks





Arc End Desks




GROMMET LOCATIONS


All Conference Extensions




Bullet Conference Corner




Credenzas




All Computer Corners and Extended Computer Corners




Bridges



Returns




Left hand




Right hand

POWERPORT SPECIFICATIONS



Powerport is silver anodized aluminum. Data/Communication jacks not included.

***Note:** Add 2" to noted (*) worksurface grommet depth locations when configured with knife edge detail option only.




POWERPORT LOCATIONS


Rectangular Flush Front Desks | 30" & 36"




Rectangular Overhang Front Desks | 30" & 36"
Modular Desk Worksurfaces | 30" & 36"
Desk Shell Units | 36"




Bow Front Overhangs Desks



Bullet Desks




Arc End Desks




POWERPORT LOCATIONS


Runoffs (LH shown)




Returns (RH shown)



Bridges



Credenzas & Modular 24" Worksurfaces




POWER ACCESS &
WIRE MANAGEMENT


Wire management capabilities include optional worksurface grommets and removable back panels on desks and modular pedestals. Removable back panels create a cavity in the back of the pedestal for cord/wire concealment and management. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.


Worksurface Grommet



Surface mount cabinet
option provides tasklight cord
management




Standard cabinet




Paper management cabinet

Kneewell wire management
included in desks, returns, credenzas



Removable back panels
included on desks





MODESTY PANELS

Credenza, bridge and return units are available in a full modesty or no modesty panel option. The no modesty panel option provides direct access to the wall.



Credenzas

MY | FULL MODESTY PANEL
MN | NO MODESTY PANEL




Returns

MY | FULL MODESTY PANEL
MN | NO MODESTY PANEL



Bridges

MY | FULL MODESTY PANEL
MN | NO MODESTY PANEL




WALL ACCESS PANELS


Modular wall access panels are available to create single pedestal credenzas, double pedestal credenzas, returns, and bridges.

Single Pedestal Credenzas

OPEN | CLOSED




CLOSED (TOP VIEW)




Double Pedestal Credenzas

OPEN | CLOSED





CLOSED (TOP VIEW)



Returns

OPEN | CLOSED





CLOSED (TOP VIEW)




Bridges

OPEN | CLOSED



CLOSED (TOP VIEW)



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Product Reference25-46

 How to use this price guide 26

 Features & advantages 27

 Technical specifications28-29

 Height reference30

 Product reference..... 31-42

SAMPLE PRICE PAGE

PRODUCT DIMENSIONS

2 ROWS PRICING FOR
VENEER SELECTION

DESKING RUNOFFS WITH PEDESTAL

right hand | wood modesty

MEDLEY
01/16

D	W	H	model number	veneer 1	veneer 2
30	54	29	MDRRO3054R-3	3,025	3,176
30	60	29	MDRRO3060R-3	3,132	3,289

RECTANGULAR
WOOD MODESTY

TOP VIEW

- 6" overhang
- 24" depth pedestals
- When specified with full height modesty panel - MY, the modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel.

KEY PRODUCT INFORMATION
ALWAYS LOCATED IN LOWER
LEFT HAND CORNER

INSERT OPTION CODES FROM
FRONT COVER, ALL OPTIONS
MUST BE SPECIFIED TO
COMPLETE ORDER

PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV
FINISH

EDGE

PULL

GROMMET

MODESTY

KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet	GN
Right Silver	GRS
Right Black	GRB
Center Silver	GCS
Center Black	GCB

Powerport (add \$419)

Left Silver	APL
-------------	-----

Example

MDRRO3054R-3.NC701.FF.SF.ARS.GN.MY.RMS

MDRRO3054R-3	NC701	FF	SF	ARS	GN	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY	KEYING

EXAMPLE OF COMPLETE
ORDER STRING

106

Gunlocke sin# 711 8

ATTRIBUTE	FEATURE	ADVANTAGE
DESIGN FLEXIBILITY	4 Species 13 Finishes 8 Edge details 7 Pull options Glass modesty panels Glass overhead doors Aluminum modesty panels	Plentiful options create a myriad of aesthetic opportunities appropriate for a broad range of applications Example: Traditional style office can be achieved with a dark cherry finish, silver pull and edge detail.
PLANNING FLEXIBILITY	Unitized and modular components over 600 models in line	Numerous unitized and modular components can be used together to create a variety of product planning requirements for size and storage.
DURABILITY	Spreader bar construction Solid hardwood edgebands High grade suspensions Ball bearing suspensions Built in stops Full extension file and box drawers 12 year warranty	- Provides rigid structure assuring smooth drawer operation and resistance to glide tearouts - Solid hardwood bands on all sides are resistant to repeated abuse - Smooth quiet ride, easy to operate - Prevents drawer front from hitting pedestal box - Allows maximum use of drawer - Meets BIFMA standards
GUNLOCKE DRAWER SYSTEM	Extruded file rail integral to drawer Dowel construction 9 ply - plywood UV finish drawers 5 sided drawer	- Superior filing capability - Strength - Added durability - Scratch & chemical resistant - Can adjust or remove in field with unloading drawer
CLEARTECH™ FINISH	Cured finish on work surfaces Durable top coat Passes the pizza test Full filled finish Robot sprayer Finish colors match seating and tables	- Depth, clarity, color consistency and durability - Chemical, heat, scratch and mar resistant - Smooth to the touch - Uniformity of finish

veneers

All exposed wood surfaces utilize select plain sliced Cherry, Maple, Walnut veneer or premium Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency.

tops

Wood veneer tops feature a balanced 3-ply construction and are 1 5/16" thick. The top has a 1/2" thick solid external hardwood band profiled on 4 sides. Tops are connected to chassis with steel angle brackets and pre-bored holes in the top of the steel spreader bars located inside all storage pedestals.

chassis & pedestal construction

All chassis are constructed with 3/4" thick balanced 3-ply panels. Panels are securely fastened together using steel spreader bars, metal angle brackets, and wood cleat construction. Steel spreader bars are used between end panels on all storage pedestals to provide rigid structure for the pedestal. Spreader bars are also threaded to accept glide and provide a durable metal to metal connection of glide to structure of unit. Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection to glide to bottom of unit end panel. Each unit is equipped with a minimum of four adjustable glides.

modular elements support units, end panels, modesty panels

Units are constructed with cam-lock fasteners and alignment dowels. The top edges of support units include steel angle brackets for attaching the support unit to the bottom of the worksurface. Modesty panels, end panels and back panels are assembled with slotted steel attachment brackets. Brackets securely attach to each other with machine screws and threaded inserts that are machined into the end panel of the units. This mechanical attachment method provides efficient assembly without defacing the exposed materials.

overhead cabinet construction

All cabinets are constructed with 3/4" thick balanced 3-ply panels. Panels are securely attached with cam fasteners in conjunction

with pressed hard-wood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. All surface mount cabinets connect to worksurface with double-sided adhesive tape. Wall mount cabinets are mounted to the wall with a spade and "z" bracket attachment method. Steel barrel nuts and spade brackets are securely mounted through the back of wall mount cabinets. All units ship with a steel z bracket. This bracket is mounted to the wall by field installers. Installers are responsible for selecting and supplying appropriate fasteners for wall conditions.

bookcase construction

All chassis (sides and back) are constructed with 3/4" thick balanced 3-ply panels. The top, end, and back panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. Shelves on 36" units are 1 3/16" thick balanced 5-ply panels, shelves less than 30" are 3/4" balanced 3-ply panels.

tackboards

Tackboards are constructed of 7/8" thick material comprised of a 1/8" thick hardboard glued in between a layer of 3/8" thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

glides

Glides provide 1 1/8" of vertical leveling adjustment. Glide bottom is durable non-rust nylon.

drawers

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature vertically matched veneer within each pedestal set. Optional pencil tray is available for order on page 230. The drawer side material is 9-ply plywood, finished with a roll-coated 7-level UV cured polyester/acrylic finish that provides a high level of chemical and scratch resistance. The drawers are fastened together at each corner with dowel joinery for maximum drawer strength. The bottom material is a 3-ply substrate consisting of high density fiberboard core with a melamine face and backer.

suspensions

All Gunlocke casegoods utilize silver steel roll-formed zinc plated high-grade drawer suspensions. All suspensions are warranted for the lifetime of the product. Suspensions feature positive dampened start/stop fully progressive actions. Box drawers are full extension, featuring precision steel ball bearings for a smoother quieter range of motion and are load rated for 100 lbs. File drawers are full extension, featuring precision steel ball bearings for increased weight capacities and are load rated for 150 lbs. Lateral file suspensions are load rated for 150 lbs and include an anti-tip mechanism that prevents both drawers from being opened at the same time.

hinges

Units with doors include 95° swing hinges.

filing

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a route on the top of the drawer. The plastic extrusion and steel folder rails allow side to side and front to back filing in file drawers. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions.)

locks

Silver or black face locks are standard on all desks, credenzas, returns, modular pedestals and storage units. Locks are optional on vertical storage units, overhead cabinets, closets and door units. Each pedestal is independently locked. Lock plugs are either factory or field installed.

keying

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit.

WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets and removable pedestal back panels on returns, credenzas, desks and modular pedestals. Returns and credenzas include removable back panel only when a modesty panel is not specified. Removable back panels create a cavity in the back of the pedestal for cord/wire concealment and management. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units. Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wires horizontally around a station.

Modular wall access panels are available to create modular single pedestal credenzas, double pedestal credenzas, returns, and bridge units. The wall access panel option provides easy access to the wall as needed by creating a cavity behind the panel to mount a power strip (not provided) and house cords behind the panel. The panel is hinged in the center to provide a clean look when closed and easy access when needed.

GROMMETS

One piece die cast zinc grommet. Grommet is inset in a black plastic sleeve. Grommet is available in silver or black.

POWERPORT

Recessed in worksurface. Unit is 4 7/16" D x 8 5/16" W, silver clear anodized aluminum finish. Unit includes a 6-ft, 15 amp standard plug-in power cord, (2) electrical outlets and (2) voice/data openings. Voice/data communication adapter kit included. Cover is touch latch and remains open during use. Unit is field installed. UL Listed. Note: voice/data jacks not included.

POWER PORT ADAPTER KIT

Adapter kit will fit couplers/ jacks from the following manufacturers to fit adapter opening: Avaya/AT&T/Lucent Technologies (.654 x .700), Amp/Tyco (.594 x .792), Panduit-Keystone Type (.594 x .792), Allen Tel (.594 x .792), Leviton (.594 x .792), Amp/Tyco (.594 x .752), Krone (.594 x .752), Hubbell (.594 x .752), Ortronics TracJack (.655 x .930), Panduit Mini-Com Connectors (.626 x .660), Microphone jack/3-pin XLR (.953 diameter) and Video Monitor jack/DB-15.

ALUMINUM FRAME DOORS

Extruded aluminum mitered frame is clear anodized silver aluminum. Frame is 7/8" thick and 1 3/4" high. Frosted glass or 3 Form material is inset within the frame.

FLOURESCENT TASKLIGHTS

Standard flourescent lighting is available in 4 standard lengths. Lights are tri-phosphor flourescent 3500k lamps. Prismatic acrylic lens with UV stable silver reflector evenly distributes light. All units are black with 9' cord with 90° plug, fused option also available. Field installed through keyhole slot.

LED TASKLIGHTS

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug. Fused cord is built into light. Chicago compliant.

Product specs are listed below:

- Frosted diffuser creates a softer light & eliminates hot spots
- Rocker switch
- 120V AC with built-in power supply
- Removable power cord can be plugged into either end of light
- Can be "Daisy-Chain" together
- Average life of 50,000 hours

Size	Voltage	Wattage (W)	Luminous Flux (Lm)
24" Light	AC 100-240V	9	1150
36" Light	AC 100-240V	12	2100
48" Light	AC 100-240V	16	2760
60" Light	AC 100-240V	21	3060

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural,

FSC®-certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations. Worksurfaces, desktops, and tabletops are protected by one of the world's most advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the EPA's stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity.

Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish.

All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

For the technical specifications see the Finish System Guide & Technical specifications available at www.gunlocke.com/finishsystem.


CLEANING FINISH

Regular dusting and occasional cleaning are recommended to maintain your wood finish. To clean, dampen a soft cloth with luke warm water and gently wipe the wood in the direction of the grain. A mild solution of Murphy's oil soap and water may also be used. Avoid cleaners with oil, waxes, or silicones as they may create a hazy look.


CLEANING FROSTED GLASS

All frosted glass should be cleaned with soft lint free cloth and non-ammonia based cleaner only.


HEIGHT REFERENCE




Typical 1-high side profile




Typical 2-high side profile



Typical 1-high side profile
with paper manager



Typical 2-high side profile
with paper manager




Pedestal front profile


DOUBLE PEDESTAL DESKS

(see pages 89-90)

Primary use: Freestanding units





User side



Approach side


Key product information:

- Edge Profile – all sides
- Units ship assembled.
- Optional center drawer
- 2 Top Shapes:
Rectangular
Bow Front
- Kneespace between pedestals
60 width desk = 30
66 width desk = 36
72 width desk = 42
- Glass and aluminum modesty panels available




Technology information & wire management:

- Optional grommet available
- Wire access holes on inside of kneewell panels for horizontal wire management
- Desk pedestals include removable back panels




MOUSE HOLE



Creating Modular Double Pedestal Desks:

- A. MDWR3672
- B. MDPM3015-3
- C. MDPM3015-2
- D. MDMD72




SINGLE PEDESTAL DESKS

(see pages 92-95)


Primary use: To create U or L shape workstations

Specification Tips:

- Specify storage pedestal from user seated position
- Left-hand single pedestal desks to be specified with right-hand return units
- Right hand single pedestal desks to be specified with left-hand return units




User side




Approach side

Key product information:


- Edge Profile – all sides
- Units ship assembled
- Optional center drawer
- 4 Top Shapes:
 - Rectangular
 - Bow Front
 - Arc Front
 - Bullet Shape
- Kneespace between pedestals
 - 60 width desk = 45
 - 66 width desk = 51
 - 72 width desk = 57
 - 78 width desk = 63
 - 84 width desk = 51 (Bullet)
 - 90 width desk = 57 (Bullet)
- Glass and aluminum modesty panels available



Bow Front



Rectangular




Arch End




Bullet

Technology information & wire management:

- Optional grommet available at upcharge
- Optional powerport available at upcharge
- Wire access holes on inside of kneewell panels for horizontal wire management
- Desk pedestals include removable back panels




MOUSE HOLE



Creating Modular Single Pedestal Desks:

- A. MDWR3672
- B. MDPM3015-3
- C. MDEP30
- D. MDMD72



BULLET CONFERENCE CORNERS

(see pages 96-97)

Primary use: Creating forward facing U or L shape workstations. Not to be used as freestanding units.

Specification Tips:


- Specify column from user seated position
- Left-hand bullet conference corners to be specified with extended curved front computer corners, bridges, and right-hand returns
- Right-hand bullet conference corners to be specified with extended curved front computer corners, bridges, and left-hand returns

Key product information:


- Edge Profile - all sides
- Standard 4 1/2" dia. column offered in black or silver
- Available with full height modesty or 8" modesty panel
- Unit ships assembled

Technology information & wire management:



- Optional grommet available




User side - Left hand



User side - Right hand



Full modesty



8" modesty

COMPUTER CORNERS

(see page 98)

Primary use: Creating U or L shape workstations. Not to be used as freestanding units.

Specification Tips:


- Specify size clockwise from user seated position.
- For use with returns, bridges

Key product information:


- Edge Profile - all sides
- Unit ships assembled
- 24" connecting ends include 16" support panel
- 30" connecting ends include 22" support panel

Technology information & wire management:


- Optional grommet available
- Wire access holes in connecting ends for horizontal wire management



Flat Front






Curved Front



Mouse hole

Standard top view:



CONFERENCING EXTENSION UNITS

(see pages 99-104)

Primary use: Creating U or L shape workstations. Not to be used as freestanding units.

Specification Tips:


- Specify column from user seated position
- Right-hand extensions to be specified with left hand returns
- Left-hand extensions to be specified with right hand returns
- Units with 8" modesty panel are non-handed

Key product information:


- Edge Profile - all sides
- Unit ships assembled
- Standard 4 1/2" diameter column offered in black or silver
- Available with full modesty or 8" modesty panel
- **Note:** Arc End and Flared tops available in 8" modesty panel only
- Glass modesty panels available

Technology information & wire management:


- Optional grommet available




8" modesty panel




Full modesty panel




b Top




d Top




30 " Racetrack




36 " Racetrack




30" Arc End



36" Arc End



30" Flared




36" Flared

CONFERENCING
RUNOFF UNITS

(see pages 105-109)

Primary use: Creating L shape
workstations. Not to be used as
freestanding units.




Specification Tips:

- Column units are non-handed
- Pedestal and panel leg units are handed
- Attaches perpendicular to credenza units




Key product information:

- Edge Profile - all sides
- Standard 4 1/2" diameter column offered
in black or silver
- Available in widths of 48, 54, 60, 66, 72



**Technology information & wire
management:**

- Pedestal units only
- Optional Grommet available
at upcharge
- Optional powerport available
at upcharge



RETURNS

(see pages 110-113)

Primary use: To create U shape or L shape workstations

Specification Tips:

- Specify storage pedestal from user seated position
- Left-hand returns to be specified with right-hand single pedestal desks and extension units
- Right-hand returns to be specified with left-hand single pedestal desks and extension units

Key product information:

- Edge Profile - all sides
- Unit ships assembled
- Units with no back panel and unsupported area of 48" and greater will include an intermediate T-support panel


Technology information & wire management:

- Optional grommet available at upcharge
- Optional powerport available at upcharge
- Wire access holes on inside of kneewell panels for horizontal wire management
- Can be specified with full modesty or no modesty panel


Creating Modular Returns:

Note: for no modesty specify pedestal back panel or filler strip


- A. MDWR2448
- B. MDPM2415-3
- C. MDMR48




Left hand





Right hand



VLG - Long grain option



VST - Short grain option



BRIDGE UNITS

(see pages 114-115)

Primary use: To create U shape workstations

Specification Tips:


- Utilized between single pedestal desks or extension units and computer corners or credenza units to create U shape workstations

Key product information:


- Edge Profile - all sides
- Unit ships unassembled, field assembly required
- Optional veneer direction
- Units with no back panel and unsupported area of 48" and greater will include an intermediate T-support panel

Technology information & wire management:


- Optional grommet available at upcharge
- Optional powerport available at upcharge
- Can be specified with full modesty or no modesty panel




Flat front




Curved front




VLG - Long grain option



VLG - Long grain option




VST - Short grain option



VST - Short grain option

Creating modular bridge units:

- A. MDWR2448
- B. MDMB48



CREDENZAS

(see pages 116-119)

Primary use: Freestanding units, creating U shape or L shape workstations

Specification Tips:

- Specify storage pedestal from user seated position

Key product information:

- Edge Profile – all sides flat
- Unit ships assembled
- Units with no back panel and unsupported area of 48" and greater will include an intermediate T support panel

Technology information & wire management:

- Optional grommet available at upcharge
- Optional powerport available at upcharge
- Wire access holes on inside of kneewell panels for horizontal wire management
- Can be specified with full modesty or no modesty panel

Creating modular credenza

units:**Note:** for no modesty specify pedestal back panel or filler


Double Pedestal

- A. MDWR2472
- B. MDPM2415-2
- C. MDPM2415-2
- D. MDMD72


Single Pedestal

- A. MDWR2472
- B. MDPM2415-3
- C. MDEP24
- D. MDMD72


**Medley modular components will not accommodate modular storage credenza applications



Storage





Double Pedestal




Single Pedestal



MOUSE HOLE



Double Pedestal



Single Pedestal

SURFACE MOUNT CABINETS
(see pages 144-151)

Primary use:

- Provide additional storage above the work-surface.

Specification Tips:

Can be specified on:


- Credenza units
- Desk - return combinations
- Extension - return combinations
- Desk - bridge - credenza combinations
- Extension - bridge - credenza combinations

Key product information:


- Includes 1 5/16" thick top
- Edge Profile - front only
- Units are finished on all sides
- Door options include; wood doors, aluminum frame frosted glass doors, no doors, sliding doors, wood frame glass doors
- Single height 42 1/4" and double height 55 5/8" available and width varies with cabinet
- Double height cabinets include standard shelf
- Inside dimensions:
(width varies with cabinet)
1 high standard - D = 13, H = 12 1/2
1 high paper mgt - D = 13, H = 14 7/8
2 high standard - D = 13, H = 26"
2 high paper mgt - D = 13, H = 28 1/4
- Paper management dividers height = 3"
- Distance from bottom of valance to worksurface is 24" on standard cabinets and 18 3/4" on paper management cabinets
- Connect to worksurface with double sided adhesive tape
- Lighting option available
- Unit ships assembled

Technology information & wire management:


- Optional back panel grommet
- Located in the upper right hand corner, provides task light cord access to wall outlets.




Wood doors



Wood doors
(paper management)



Aluminum frame frosted
glass doors



Wood frame clear
glass doors

Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet must have vertical support beneath the worksurface using intermediate supports located on page 181-183.


Recommended Support Examples

Inadequate Support Examples


When specifying surface mount storage across multiple units, careful consideration must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.

Recommended Support Examples

Inadequate Support Examples



Standard cabinet



Paper management cabinet


WALL MOUNT CABINETS

(see pages 156-166)


Primary use: Provide additional storage above the worksurface.

Key product information:


- Includes 1 ⁵/₁₆" thick top
- Edge Profile - front only
- Units are finished on all sides
- Door options include; wood doors, aluminum frame frosted glass doors, no doors, sliding doors, wood frame glass doors
- Single height and double height available
- Double height cabinets include standard shelf
- Inside dimensions:
(width varies with cabinet)
1 high standard - D = 12 ¹¹/₁₆, H = 12 ¹/₂
1 high paper mgt - D = 12 ¹¹/₁₆, H = 14 ⁷/₈
2 high standard - D = 12 ¹¹/₁₆, H = 26"
2 high paper mgt - D = 12 ¹¹/₁₆, H = 28 ¹/₄
- Paper management dividers height = 3"
- Connect to wall with steel spade and "z" clip method
- Installers responsible for selecting and providing appropriate fasteners for wall conditions
- Lighting option available
- Unit ships assembled




Wood doors




**Wood doors -
paper management**



**Aluminum frame frosted
glass doors**



No doors



**Wood frame clear
glass doors**

HEIGHT ADJUSTABLE WORKSURFACES


Worksurfaces are actual widths. A 1" clearance gap is required for any height adjustable top on all sides. Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table. Please contact Gunlocke's Tailored Solutions department (GUNTS) for special worksurface size requirements if standard models do not provide 1" gaps. Adjacent worksurfaces need to be self supporting. A wall mount bracket may be used, see page 189.

HEIGHT ADJUSTABLE BASE

Electric height adjustable base unit is available in a 2-Stage lifting column with an offset C-Leg design. The height adjustable base is a compact 2-part lifting column. A lifting column is an electric linear actuator integrated into a stable guide. The sophisticated motor system is completely hidden inside the column. 2-Stage models travel at 1.5" per second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again. The control box is powered by 110-120V /60Hz /4A. Standby power is < 0.1 Watts. Standard plug power cords are 10' length. Load capacity is 300 pounds for 2-leg height adjustable models, including weight of worksurface. Pedestals taller than 24 1/2" when placed under the height adjustable table will limit range in lowest position. Footplate is 1/2" thick by 3" wide steel and is bolted to the lifting column. All tables have adjustable glides providing 1/2" adjustment.

MEMORY CONTROL

The memory handset has a modern design. The up and down buttons are "user-friendly" as they are shaped according to the function, meaning that the user can feel the difference and it is not necessary to look at the control when operating the system. The memory handset allows for 3 programmable user heights. The handset has a digital display for height read out in either centimeters or inches. To save power the display switches off when not in use, putting the memory control into standby mode.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Typicals47-86

 Freestanding desks48-53

 U Stations54-65

 L Stations66-73



 Workwalls74-79

 Double stations80-81


 Height Adjustable82-83

TYPICAL 1 - freestanding desk
10' x 12' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	118	MDCK2472-22	Double pedestal credenza FF/FF	4,043	1	4,043	4,245
B	89	MDDRO3672-32	Double pedestal desk BBF/FF	4,235	1	4,235	4,447
C	156	MD1HOW72W	Wall mount cabinet - wood doors	3,459	1	3,459	3,632
D	167	MDTKWM72	Wall mount tackboard G1/COM	649	1	649	649
						12,386	12,973





item	page	model number	description	price	qty	veneer 1	veneer 2
A	89	MDDRO3672-32	36x72 Dbl Ped Dsk Rect BBF/FF, O'hang Frt, Wd Mod	4,235	1	4,235	4,447
B	118	MDCK2472-22	Double Pedestal Cred 24x72	4,043	1	4,043	4,245
C	144	MD1HOS72W	Surface Mount Cabinet 72W, Wd Drs	3,934	1	3,934	4,177
D	152	MDTKS72	Surface Mount Tackboard 72	649	1	649	649
E	133	MD5HCL1824L	Clst 6H 18, Coat Rod, Hngd LH	2,862	1	2,862	3,005
F	138	MD5HSB1824R-2W	Stor Box 6H 18 FF, Dr Hngd RH	3,324	1	3,324	3,490
						19,047	20,013

TYPICAL 3 – freestanding desk
12" x 12" office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	91	MDTDR3672-X	36x72 Tbl Dsk Rect Pnl Legs, O'hang Frt, 1/2 Wd Mod	2,848	1	2,848	2,991
B	188	MDWR2490	24x90 Modular Worksurface	1,088	1	1,088	1,142
C	191	MDPM2430-4	24x30 Modular Pedestal LF	1,957	1	1,957	2,055
D	191	MDPM2430-4	24x30 Modular Pedestal LF	1,957	1	1,957	2,055
E	195	MDMDC90	90 Modular Credenza Modesty Panel	911	1	911	957
F	156	MD1HOW90W	Wall Mnt Cab 90 1H Wd Drs	3,949	1	3,949	4,147
G	169	MDTKWM90-FT	Tckbd+Toolrail Wall Mnt 90	1,072	1	1,072	1,072
H	138	MD5HSB1824-2N	Stor Box 6H 18 FF, No Drs	2,980	1	2,980	3,129
I	138	MD5HSB1824-2N	Stor Box 6H 18 FF, No Drs	2,980	1	2,980	3,129
						19,742	20,677




item	page	model number	description	price	qty	veneer 1	veneer 2
A	118	MDCK2472-22	Double pedestal credenza FF/FF	4,043	1	4,043	4,245
B	132	MDCL3024-C	Closet	3,934	1	3,934	4,131
C	89	MDDRO3672-32	Double pedestal desk BBF/FF	4,235	1	4,235	4,447
D	135	MDSB3024	Storage box	5,093	1	5,093	5,348
E	146	MD1HOS72G	Surface mount cabinet - glass doors	4,389	1	4,389	4,608
F	152	MDTKS72	Surface mount tackboard G1/COM	649	1	649	649
						22,343	23,428

TYPICAL 5 – freestanding desk
 12' x 12' office

MEDLEY
 01/16





item	page	model number	description	price	qty	veneer 1	veneer 2
A	89	MDDRO3672G-32	MD 36x72 Dbl Ped Desk, Glass Modesty	4,830	1	4,830	5,072
B	188	MDWR2490	MD 24x90 Modular Worksurface	1,088	1	1,088	1,142
C	191	MDPM2430-5	MD 24x30 Modular Pedestal HD	1,727	1	1,727	1,814
D	191	MDPM2430-5	MD 24x30 Modular Pedestal HD	1,727	1	1,727	1,814
E	195	MDMDC90	MD 90 Modular Credenza Modesty Panel	911	1	911	957
F	163	MD2HOW90G	MD Wall Mount Cabinet 90, Glass Drs	5,308	1	5,308	5,573
G	167	MDTKWM90	MD Tckbd Wall Mnt 90	713	1	713	713
H	140	MD6HUTC2424L	MD Utility Cab 5H 24, Dr Hngd LH, Dr/FFF RH	6,099	1	6,099	6,404
I	141	MD6HUTC2424R	MD Utility Cab 5H 24, Dr Hngd RH, Dr/FFF LH	6,099	1	6,099	6,404
						28,502	29,893





item	page	model number	description	price	qty	veneer 1	veneer 2
A	89	MDDBO4272-32	MD 42x72 DbI Ped Dsk Bow BBF/FF, O'hang Frt	5,625	1	5,625	5,907
B	188	MDWR2490	MD 24x90 Modular Worksurface	1,088	1	1,088	1,142
C	191	MDPM2430-4	MD 24x30 Modular Pedestal LF	1,957	1	1,957	2,055
D	191	MDPM2430-4	MD 24x30 Modular Pedestal LF	1,957	1	1,957	2,055
E	195	MDMDC90	MD 90 Modular Credenza Modesty Panel	911	1	911	957
F	149	MD2HOS90W-PM	MD Surface Mount Cabinet 90, Wd Drs - PM	7,636	1	7,636	8,017
G	153	MDTKS90-PM	MD Surface Mount Tackboard 90-PM	713	1	713	713
H	135	MD6HSB3024-2L	MD Storage Box 30, 6H	5,998	1	5,998	6,298
I	132	MD6HCL3024-C	MD Closet 30, 6H	4,719	1	4,719	4,955
						30,604	32,099

TYPICAL 7 - U station
10' x 12' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	146	MD1HOS72G	Surface mount cabinet - glass doors	4,389	1	4,389	4,608
B	114	MDBG2442	Bridge	1,485	1	1,485	1,559
C	117	MDCU2472-MFR	Single ped. credenza - right hand MFR	1,485	1	1,485	1,559
D	152	MDTKS72	Surface mount tackboard G1/COM	649	1	649	649
E	101	MDXRH3072	Racetrack conference extension	2,497	1	2,497	2,621
						13,333	13,965





item	page	model number	description	price	qty	veneer 1	veneer 2
A	114	MDBG2442	Bridge	1,485	1	1,485	1,559
B	116	MDCU2472L-2	Single pedestal credenza - left hand FF	3,390	1	3,390	3,559
C	146	MD1HOS72G	Surface mount cabinet - glass doors	4,389	1	4,389	4,608
D	95	MDDRO3672GR-3	Single pedestal desk - right hand BBF	4,215	1	4,215	4,426
E	152	MDTKS72	Surface mount tackboard G1/COM	649	1	649	649
						14,128	14,801

TYPICAL 9 - U station
12' x 15' office

MEDLEY
01/16





item	page	model number	description	price	qty	veneer 1	veneer 2
A	156	MD1HOW96W	Wall mount cabinet - wood doors	4,139	1	4,139	4,411
B	190	MDPM2415-2	Modular pedestal FF	1,715	1	1,715	1,801
C	190	MDPM2415-3	Modular pedestal BBF	1,715	1	1,715	1,801
D	191	MDPM2430-4	Modular pedestal LF	1,957	1	1,957	2,055
E	167	MDTKWM48	Wall mount tackboard G1/COM	563	2	1,126	1,126
F	188	MDWR24108	Modular worksurface	1,451	1	1,451	1,523
G	100	MDXDF3072	d-Shape conference extension	3,781	1	3,781	3,970
H	198	MDST24	Modular T support	622	1	622	654
I	192	MDPF	Filler strip	40	1	40	42
J	114	MDBG2442	Bridge	1,485	1	1,485	1,559
						18,031	18,942




item	page	model number	description	price	qty	veneer 1	veneer 2
A	92	MDDRO3672L-3	Single Ped Desk 36x72 LH BBF	3,620	1	3,620	3,801
B	114	MDBG2448	Bridge 24x48 Flat Frt	1,522	1	1,522	1,598
C	117	MDCU2472-MFR	Surface Mount Cabinet 72, Wd Drs	4,313	1	4,313	4,528
D	144	MD1HOS72W	Surface Mount Cabinet 72, Wd Drs	3,934	1	3,934	4,177
E	152	MDTKS72	Surface Mount Tackboard 72	649	1	649	649
F	138	MD5HSB1824R-2W	Stor Box 5H 18 FF, Dr Hngd RH	3,324	1	3,324	3,490
						17,392	18,275

TYPICAL 11 - U station
12' x 12' office

MEDLEY
01/16





item	page	model number	description	price	qty	veneer 1	veneer 2
A	100	MDXDH3072	MD Extension d Top, 1/2 Modesty	3,351	1	3,351	3,518
B	115	MDBG2448	MD Bridge 24x48 Curved Frt	1,773	1	1,773	1,862
C	188	MDWR2472	MD Modular Wksf 24x72	944	1	944	991
D	191	MDPM2424-P	MD Modular Wksf 24x72	944	1	944	991
E	197	MDSLLH24	MD Modular L Support	668	1	668	702
F	148	MD2HOS72W	MD Surface Mount Cabinet 72, Wd Drs	4,872	1	4,872	5,116
G	154	MDTKS72-FT	MD Surface Mount 36 Toolrail + 36 fabric	972	1	972	972
H	136	MD6HSB3024-4N	MD Stor Box 6H 30 LF, No Drs	5,459	1	5,459	5,732
I	120	MDPL24-6	MD Mobile Pedestal	1,768	1	1,768	1,857
J	120	MDMPD-CUSH	MD Mobile Ped Cushion	344	1	344	344
						21,963	22,997




item	page	model number	description	price	qty	veneer 1	veneer 2
A	107	MDRRO3060L-X	30x60 Run Rect Pnl Leg LH, O'hang Frt, 1/2 Wd Mod	2,178	1	2,178	2,287
B	188	MDWR24108	24x108 Modular Wksf	1,451	1	1,451	1,523
C	196	MDEP24	24 Modular End Panel	426	1	426	447
D	196	MDEP24	24 Modular End Panel	426	1	426	447
E	195	MDMDC108	108 Modular Modesty Panel	1,073	1	1,073	1,127
F	198	MSDWK12	Modular Intermediate Support	185	1	185	194
G	156	MD1HOW108W	Wall Mnt Cab 108 1H, Wd Drs	4,562	1	4,562	4,790
H	169	MDTKWM108-FT	Tckbd Wall Mnt 108, 2 Piece	1,594	1	1,594	1,594
I	188	MDWR2472	24x72 Modular Wksf	944	1	944	991
J	193	MDMR72	72 Modular Modesty Panel	785	1	785	825
K	191	MDPM2424-P	Modular Printer Ped 24x24	1,812	1	1,812	1,903
L	191	MDPM2430-4	Modular Lateral File Pedestal 24x30	1,957	1	1,957	2,055
M	136	MD5HSB3024-4N	Stor Box 5H 30 LF, No Drs	4,649	1	4,649	4,882
						22,042	23,065

TYPICAL 13 – U station
12' x 12' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	101	MDXRH3072	MD Racetrack Extension	2,497	1	2,497	2,621
B	114	MDBG2448	MD Bridge 24x48	1,552	1	1,552	1,630
C	116	MDCU2490L-4	MD Credenza LH LF	4,711	1	4,711	4,947
D	158	MD1HOW90G	MD Wall Mount Cabinet 90, Glass Drs	4,734	1	4,734	4,971
E	167	MDTKWM90	MD Wall Mount Tackboard 90	713	1	713	713
F	141	MD5HUTC2424R	MD Utility Cab 5H 24, Dr Hngd RH, Dr/FFF LH	5,320	1	5,320	5,586
G	120	MDPL24-6	MD Mobile Pedestal	1,768	1	1,768	1,857
H	120	MDMPD-CUSH	MD Mobile Ped Cushion	344	1	344	344
						21,639	22,669




item	page	model number	description	price	qty	veneer 1	veneer 2
A	91	MDTDR3672-X	MD 36x72 Tbl Dsk Rect Pnl Legs, O'hang Frt, 1/2 Mod	2,848	1	2,848	2,991
B	114	MDBG2448	MD Bridge 24x48	1,552	1	1,552	1,630
C	188	MDWR24108	MD Modular Wksf	1,451	1	1,451	1,523
D	191	MDPM2430-4	MD Modular Ped LF	1,957	1	1,957	2,055
E	191	MDPM2430-4	MD Modular Ped LF	1,957	1	1,957	2,055
F	195	MDMDC108	MD Modular Credenza Mod Pnl	1,073	1	1,073	1,127
G	196	MDEP24	MD Modular End Panel	426	1	426	447
H	157	MD1HOW108W-PM	MD Wall Mount OH 108 PM	5,867	1	5,867	6,161
I	168	MDTKWM108-PM	MD Tckbd Wall Mnt 108 PM, 2 Piece	1,062	1	1,062	1,062
J	134	MD5HBC3024L	MD 1/2 Closet, 1/2 Open Bookcase	4,277	1	4,277	4,491
						22,470	23,542

TYPICAL 15 - U station
12' x 12' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	93	MDDRO3672R-3	36x72 Sng Ped Dsk Rect BBF RH, O'hng Frt, 1/2 W Mod	3,620	1	3,620	3,801
B	114	MDBG2448	24x48 Bridge, Full Modesty	1,552	1	1,552	1,630
C	116	MDCU2490L-4	Credenza LH LF	4,711	1	4,711	4,947
D	148	MD2HOS90W	Srf Mnt Cab 90 2H, Wd Drs	6,334	1	6,334	6,651
E	169	MDTKWM90-FT	Wall Mount Tackboard + Tackboard 90	1,072	1	1,072	1,072
F	135	MD6HSB3024-2L	6H Storage Box	5,998	1	5,998	6,298
						23,287	24,399




item	page	model number	description	price	qty	veneer 1	veneer 2
A	93	MDDRO3672R-3	36x72 Sng Ped Dsk Rect BBF RH, O'hang Frt	3,620	1	3,620	3,801
B	114	MDBG2448	Bridge, full modesty	1,522	1	1,522	1,598
C	116	MDCU2490-MFL	24x90 Single Ped Cred LH MFL	5,084	1	5,084	5,338
D	151	MD2HOS90-WFG	Srf Mnt Cab 90 2H - 4 Wd Frame Glass Drs, Ctr Open	6,650	1	6,650	6,983
E	137	MD6HSB3024-4WFG	Stor Box 6H 30 LF, Wd Frame Glass Drs	5,731	1	5,731	6,018
F	152	MDTKS90	Surface Mount Tackboard	713	1	713	713
						23,350	24,483

TYPICAL 17 - U station
12' x 12' office

MEDLEY
01/16





item	page	model number	description	price	qty	veneer 1	veneer 2
A	106	MDRRO3060R-3	MD 30x60 Run Rect BBF RH, O'hang Frt	3,132	1	3,132	3,289
B	188	MDWR24108	MD 24x108 Modular Wksf	1,451	1	1,451	1,523
C	196	MDEP24	MD 24 Modular End Panel	426	1	426	447
D	196	MDEP24	MD 24 Modular End Panel	426	1	426	447
E	195	MDMDC108	MD 108 Modular Modesty Panel	1,073	1	1,073	1,127
F	198	MDSWK12	MD Modular Intermediate Support	185	1	185	194
G	188	MDWR2472	MD 24x72 Modular Wksf	944	1	944	991
H	193	MDMR72	MD 72 Modular Modesty Panel	785	1	785	825
I	145	MD1HOS108W-PM	MD Surface Mount Cabinet 108-PM	8,165	1	8,165	8,573
J	153	MDTKS108-PM	MD Surface Mount Tackboard 108-PM	1,062	1	1,062	1,062
K	132	MDCL3024-C	MD Closet	3,934	1	3,934	4,131
L	191	MDPM2430-SH	MD Modular Open Shelf Pedestal 24x30	1,586	1	1,586	1,666
M	191	MDPM2430-SH	MD Modular Open Shelf Pedestal 24x30	1,586	1	1,586	1,666
						24,755	25,941




item	page	model number	description	price	qty	veneer 1	veneer 2
A	144	MD1HOS108W	Surface mount cabinet - wood doors	6,863	1	6,863	7,271
B	115	MDBGC2448	Bridge - curved front	6,863	1	6,863	7,271
C	132	MDCL3024-D	Closet	4,974	1	4,974	5,223
D	92	MDDBO4272L-3	Single pedestal desk - left hand BBF	5,013	1	5,013	5,264
E	192	MDPF	Filler strip	40	1	40	42
F	191	MDPM2430-5	Modular pedestal - HD	1,727	1	1,727	1,814
G	191	MDPM2430-7	Modular pedestal - BBL	2,163	1	2,163	2,271
H	197	MDSLLH24	Modular L support - left hand	668	1	668	702
I	152	MDTKS108	Surface mount tackboard G1/COM	1,062	1	1,062	1,062
J	188	MDWR24108	Modular worksurface	1,451	1	1,451	1,523
						25,734	27,034

TYPICAL 19 – L station
10' x 10' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	156	MD1HOW42W	Wall mount cabinet - wood doors	2,207	1	2,207	2,317
B	112	MDRT2442R-3	Return - right hand BBF	2,607	1	2,607	2,737
C	167	MDTKWM42	Wall mount tackboard G1/COM	552	1	552	552
D	101	MDXRH3072	Racetrack extension	2,497	1	2,497	2,621
						7,915	8,282





item	page	model number	description	price	qty	veneer 1	veneer 2
A	91	MDTDR3066-X	36x72 Tbl Dsk Rect Pnl Legs, O'hang Frt, 1/2 Wd Mod	2,694	1	2,694	2,829
B	188	MDWR2466	24x66 Modular Wksf	923	1	923	969
C	193	MDMR66	Modular Return Mod Pnl 66	746	1	746	784
D	191	MDPM2430-5	Modular Pedestal HD 24x30	1,727	1	1,727	1,814
E	191	MDPM2430-4	Modular Pedestal LF 24x30	1,957	1	1,957	2,055
F	169	MDTKWM96-FT	Wall Mount 96 toolrail+tackboard	1,118	1	1,118	1,118
						9,165	9,569

TYPICAL 21 – L station
10' x 12' office

MEDLEY
01/16





item	page	model number	description	price	qty	veneer 1	veneer 2
A	92	MDDRO3672L-3	Single pedestal desk - BBF	3,620	1	3,620	3,801
B	143	MDBK72-2H	Bookcase	2,547	1	2,547	2,675
C	113	MDRT2460R-2	Return - right hand FF	2,929	1	2,929	3,076
						9,096	9,552





item	page	model number	description	price	qty	veneer 1	veneer 2
A	92	MDDRO3672L-3	Single pedestal desk - left hand BBF	3,620	1	3,620	3,801
B	112	MDRT2442R-2	Return - right hand FF	2,659	1	2,659	2,792
C	144	MD1HOS72W	Surface mount cabinet - wood doors	3,934	1	3,934	4,177
D	152	MDTKS72	Surface mount tackboard G1/COM	649	1	649	649
						10,862	11,419

TYPICAL 23 - L station
 10' x 12' office

MEDLEY
 01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	92	MDDRO3672L-3	MD 36x72 Sng Ped Dsk Rect BBF LH, O'hang Frt	3,620	1	3,620	3,801
B	188	MDWR2436	MD Worksurface 24x36	763	1	763	801
C	156	MD1HOW72W	MD Wall Mount Overhead	3,459	1	3,459	3,632
D	169	MDTKWM72-FT	MD Wall Mount 72 toolrail + tackboard	972	1	972	972
E	190	MDSB3024	MD Storage Box	5,093	1	5,093	5,348
F	190	MDPM2415-2	MD Modular Pedestal FF	1,715	1	1,715	1,801
						13,907	14,554





item	page	model number	description	price	qty	veneer 1	veneer 2
A	93	MDDRF3066R-3	36x72 Single Ped Desk RH BBF	3,444	1	3,444	3,616
B	188	MDWR2460	24x60 Modular Wksf	865	1	865	908
C	193	MDMR60	Modular Return Mod Pnl 60	717	1	717	753
D	190	MDPM2415-3	Modular Pedestal BBF 24x15	1,715	1	1,715	1,801
E	191	MDPM2430-4	Modular Pedestal LF 24x30	1,957	1	1,957	2,055
F	146	MD1HOS90G	Surface Mount Cabinet Glass Drs	5,660	1	5,660	5,943
G	152	MDTKS90	Surface Mount Tackboard 90	713	1	713	713
H	133	MDCL1524L	Closet	2,748	1	2,748	2,886
						17,819	18,675

TYPICAL 25 - L station
10' x 12' office

MEDLEY
01/16





item	page	model number	description	price	qty	veneer 1	veneer 2
A	98	MDCCR2442	Computer corner - curved front	2,880	1	2,880	3,024
B	132	MDCL3024-C	Closet	3,934	1	3,934	4,131
C	144	MD1HOS96W	Surface mount cabinet - wood doors	5,326	1	5,326	5,658
D	111	MDRT2454L-2	Return - left hand FF	2,828	1	2,828	2,970
E	113	MDRT2454R-4	Return - right hand LF	3,010	1	3,010	3,161
F	152	MDTKS96	Surface mount tackboard G1/COM	745	1	745	745
						18,723	19,689





item	page	model number	description	price	qty	veneer 1	veneer 2
A	91	MDTDR3672-X	Tbl Dsk Rect Pnl Legs, O'hang Frt,	2,848	1	2,848	2,991
B	188	MDWR2484	24x84 Modular Wksf	1,019	1	1,019	1,070
C	193	MDMR84	Modular Return Mod Pnl 84	840	1	840	882
D	191	MDPM2430-4	Modular Pedestal LF 24x30	1,957	1	1,957	2,055
E	191	MDPM2430-4	Modular Pedestal LF 24x30	1,957	1	1,957	2,055
F	156	MD1HOW60W	MD Wall Mnt Cab 60 1H, Wd Drs	3,068	1	3,068	3,221
G	156	MD1HOW60W	MD Wall Mnt Cab 60 1H, Wd Drs	3,068	1	3,068	3,221
H	120	MDPL24-6	Mobile Pedestal	1,768	1	1,768	1,857
I	167	MDTKWM60	Wall Mnt Tackboard 60	612	1	612	612
J	167	MDTKWM60	Wall Mnt Tackboard 60	612	1	612	612
K	120	MDMPD-CUSH	Mobile Ped Cushion	344	1	344	344
						18,093	18,920

TYPICAL 27 -workwall
10' x 10' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	188	MDWR24108	Modular Wksf 24x108	1,451	1	1,451	1,523
B	191	MDPM2430-4	Modular Ped LF	1,957	1	1,957	2,055
C	190	MDPM2415-3	Modular Ped BBF	1,715	1	1,715	1,801
D	195	MDMDC108	Modular Mod Pnl 108	1,073	1	1,073	1,127
E	107	MDRRO3060L-X	30x60 Run Rect Pnl Leg LH	2,178	1	2,178	2,287
F	157	MD1HOW108W-PM	Wall Mount OH 108-PM	5,867	1	5,867	6,161
G	168	MDTKWM108-PM	Tckbd Wall Mnt 108 PM, 2 Piece	1,062	1	1,062	1,062
						15,303	16,016





item	page	model number	description	price	qty	veneer 1	veneer 2
A	188	MDWR24108	Modular Wksf 24x108	1,451	1	1,451	1,523
B	191	MDPM2430-MFL	Modular Ped 24x30 MFL	2,283	1	2,283	2,397
C	195	MDMDC108	Modular Cred Modesty 108	1,073	1	1,073	1,127
D	196	MDEP24	Modular End Panel 24	426	1	426	447
E	141	MD5HUTC2424R	Utility Cabinet 5H RH	5,320	1	5,320	5,586
F	156	MD1HOW108W	Wall Mnt Cab 108 1H, Wd Drs	4,562	1	4,562	4,790
G	169	MDTKWM108-FT	Tckbd + TOOLRAIL Wall Mnt 108	1,594	1	1,594	1,594
H	109	MDWU3060	Racetrack Runoff 30x60	1,542	1	1,542	1,620
						18,251	19,084

TYPICAL 29 - workwall
10' x 12' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	117	MDCU2490-MFR	24x90 Sng Ped Cred RH MFR	5,084	1	5,084	5,338
B	107	MDRRO3060L-X	MD 30x60 Run Rect Pnl Leg LH, O'hang Frt, 1/2 Mod	2,178	1	2,178	2,287
C	146	MD1HOS90G	Surface Mount Cabinet, Glass Drs	5,660	1	5,660	5,943
D	152	MDTKS90	Surface Mount Tackboard	713	1	713	713
E	136	MD5HSB3024-4N	Stor Box 5H 30 LF, No Drs	4,649	1	4,649	4,882
						18,284	19,163




item	page	model number	description	price	qty	veneer 1	veneer 2
A	188	MDWR2490	Modular Wksf 24x90	1,088	1	1,088	1,142
B	191	MDPM2424-P	Modular Ped 24x24 Printer Ped	1,812	1	1,812	1,903
C	190	MDPM2415-2	Modular Ped 24x15 FF	1,715	1	1,715	1,801
D	195	MDMDC90	Modular Cred Mod Pnl 90	911	1	911	957
E	105	MDRRO3060L-3	Run Rect 30x60 BBF LH, O'hang Frt,	3,132	1	3,132	3,289
F	132	MD6HCL3024-C	Closet 30	4,719	1	4,719	4,955
G	148	MD2HOS90W	Surface Mount Cabinet, wood Drs	6,334	1	6,334	6,651
H	152	MDTKS90	Surface Mount Tackboard 90	713	1	713	713
I	196	MDEP24	Modular End Panel	426	1	426	447
						20,850	21,858

TYPICAL 31 - workwall
10' x 12' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	105	MDRRO3060L-3	30x60 Run Rect BBF LH, O'hang Frt, Full Mod	3,132	1	3,132	3,289
B	117	MDCU2496R-4	Single Ped Cred 24x96 RH LF	4,810	1	4,810	5,051
C	144	MD1HOS96W	Surface Mount Cabinet 96, Wd Drs	5,326	1	5,326	5,658
D	154	MDTKS96-FT	Toolrail + fabric	1,118	1	1,118	1,118
E	133	MD5HCL1824R	Clst 5H 18, Coat Rod, Hngd RH	2,862	1	2,862	3,005
F	138	MD5HSB1824L-2W	Stor Box 5H 18 FF, Dr Hngd LH	3,324	1	3,324	3,490
						20,572	21,611




item	page	model number	description	price	qty	veneer 1	veneer 2
A	150	MD2HOS90G	Surface mount cabinet - glass doors	7,026	1	7,026	7,377
B	119	MDCF2472-44	Storage credenza LF/LF	5,579	1	5,579	5,858
C	130	MDLF6H2430-4	Lateral file	6,562	1	6,562	6,890
D	190	MDPM2415-2	Modular pedestal FF	1,715	1	1,715	1,801
E	190	MDPM2415-3	Modular pedestal BBF	1,715	1	1,715	1,801
F	109	MDWU3060	Boat shape conferencing runoff	1,542	1	1,542	1,620
G	188	MDWR2490	Modular worksurface	1,088	1	1,088	1,142
H	197	MDSLLH24	Modular L support - left hand	668	1	668	702
I	152	MDTKS90	Surface mount tackboard G1/COM	713	1	713	713
						26,608	27,904

TYPICAL 33 - double station
10' x 20' office

MEDLEY
01/16




item	page	model number	description	price	qty	veneer 1	veneer 2
A	188	MDWR2472	Modular Wksf	944	1	944	991
B	190	MDPM2415-3	Modular Ped BBF	1,715	1	1,715	1,801
C	200	MDMSCA57	Sng Ped Cred Wall Access Panel	1,163	1	1,163	1,221
D	188	MDWR2472	Modular Wksf	944	1	944	991
E	190	MDPM2415-3	Modular Ped BBF	1,715	1	1,715	1,801
F	200	MDMSCA57	Sng Ped Cred Wall Access Panel	1,163	1	1,163	1,221
G	107	MDRRO3060L-X	Run Rect Pnl Leg LH, O'hang Frt,	2,178	1	2,178	2,287
H	108	MDRRO3060R-X	Run Rect Pnl Leg RH, O'hang Frt,	2,178	1	2,178	2,287
I	156	MD1HOW72W	Wall Mnt Cab 72 1H, Wd Drs	3,459	1	3,459	3,632
J	157	MD1HOW72W	Wall Mnt Cab 72 1H, Wd Drs	3,459	1	3,459	3,632
K	169	MDTKWM72-FT	36 Toolrail + 36 fabric	972	1	972	972
L	169	MDTKWM72-FT	36 Toolrail + 36 fabric	972	1	972	972
M	135	MDSB3024	MD Stor Box 5H 30 LF	5,093	1	5,093	5,348
						25,955	27,156



item	page	model number	description	price	qty	veneer 1	veneer 2
A	140	MD5HUTC2424L	Utility Cab 5H	5,320	1	5,320	5,586
B	116	MDCU2472L-3	Sng Ped Cred 72 LH BBF	3,390	1	3,390	3,559
C	109	MDWU3072	Runoff 30x72 Racetrack	1,622	1	1,622	1,704
D	156	MD1HOW72W	Wall Mnt Cab 1H 72, Wd Drs	3,459	1	3,459	3,632
E	169	MDTKWM72-FT	72 Toolrail + Tackboard	972	1	972	972
F	140	MD5HUTC2424L	Utility Cab 5H	5,320	1	5,320	5,586
G	116	MDCU2472L-3	Sng Ped Cred 72 LH BBF	3,390	1	3,390	3,559
H	109	MDWU3072	Runoff 30x72 Racetrack	1,622	1	1,622	1,704
I	156	MD1HOW72W	Wall Mnt Cab 1H 72, Wd Drs	3,459	1	3,459	3,632
J	169	MDTKWM72-FT	72 Toolrail + Tackboard	972	1	972	972
						29,526	30,906


TYPICAL 35 - Height Adjustable
10' x 12' office

MEDLEY
01/16



item	page	model number	description	qty	unit list	ext list
A	124	BSHAT2772	Hgt Adj Base for use with 30"/36" x 72" tops	1	1,970	1,970
B	158	MD1HOW108-G	MD Wall Mnt Cab 108 1h - 2 36w Glass Doors	1	5,697	5,697
C	136	MD5HSB3024-4N	MD Stor Box 5h 30 LF, No Drs	1	4,649	4,649
D	127	MDDMHA72-W	MD 10" Modesty Panel 72" Width, Wd	1	622	622
E	196	MDEP24	End Panel for 24" 23 1/16 d x 3/4 w x 27 1/16 h	2	426	852
F	195	MDMDC108	Mod Panel for 108" Desk/Credenza 3/4 d x 107 3/16 w x 27	1	1,073	1,073
G	193	MDMR72	Mod Panel for 72" Return 3/4 d x 72w x 27 1/16 h	1	785	785
H	191	MDPM2424-P	MD Modular Printer Ped 24 x 24	1	1,812	1,812
I	191	MDPM2430-4	Lat File Ped for Retns and Creds 23 1/16 d x 29 3/4 w	1	1,957	1,957
J	198	MDSWK12	Support Panel 12" Depth	1	185	185
K	169	MDTKWM108-FT	MD Wall Mnt Toolrail + Tckbd 108, 2 piece	1	1,594	1,594
L	188	MDWR24108	24 x 108 x 1 5/16 Modular Worksurfaces	1	1,451	1,451
M	188	MDWR2472	24 x 72 x 1 5/16 Modular Worksurfaces	1	944	944
N	126	MDDWRA3072-W	MD Modular Wksf for Hgt Adj 30 x 72, Wd	1	1,075	1,075
						24,666

Note: option upcharges are not included in list prices



item	page	model number	description	qty	unit list	ext list
A	157	MD1HOW108W-PM	Wall Mnt Ohead Storage 15d x 108w x 18 7/16 h	1	5,867	5,867
B	134	MD5HBC3024L	Bookcase closet LH 24d x 30w x 70 5/8 h	1	4,277	4,277
C	196	MDEP24	End panel for 24" 23 1/16 d x 3/4 w x 27 1/16 h	1	426	426
D	195	MDMDC108	Mod Panel for 108" Desk/Credenza 3/4 d x 107 3/16 w x 27h	1	1,073	1,073
E	191	MDPM2430-4	Lat File Ped for Retns and Creds 23 1/16 d x 29 3/4 w	2	1,957	3,914
F	91	MDTDR3672-X	MD 36 x 72 Tbl Dsk Rect Pnl Legs, O'hang Frt	1	2,848	2,848
G	168	MDTKWM108-PM	MD Tckbd Wall Mount 108 PM, 2 Piece	1	1,062	1,062
H	188	MDWR24108	24 x 108 x 1 5/16 Modular Worksurfaces	1	1,451	1,451
I	125	MDDWRA2448-W	MD Modular Wksf for Hgt Adj 24 x 48, WD	1	817	817
J	124	BSHAT2148	Hgt Adj Base for use with 24" x 48" tops	1	1,910	1,910

23,645

Note: option upcharges are not included in list prices shown

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Unitized Caseloads 87-128

Double pedestal desks88-90

Table desks.91-91

Single pedestal desks82-95

Bullet conference corners.96-97

Computer corners.98

Conference extensions99-104

Runoffs105-109

Returns110-113

Bridges114-115

Credenzas.116-119

Mobile pedestal.120



Computer/printer stand121

Shell units122-123

Height Adjustable Desks.124-127

DOUBLE PEDESTAL DESKS overhang front

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR WOOD MODESTY	36	72	29	MDDRO3672-32	4,235	4,447
	• 6" overhang • 3/4" breakfront modesty panel • 30" depth pedestals					
BOW FRONT WOOD MODESTY	42	72	29	MDDBO4272-32	5,625	5,907
	• 6" overhang • 12" overhang center • 3/4" breakfront modesty panel • 30" depth pedestals					

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

See inside front cover for required option codes


Grommet color
Silver SV
Black BK

Example

MDDRO3672-32.NC701.FF.SF.ARS.GBS.CY.RMS
MODEL NUMBER FINISH TOP UV FINISH EDGE PULL GROMMET CENTER DRAWER KEYING

	D	W	H	model number	veneer 1	veneer 2
--	---	---	---	--------------	----------	----------


RECTANGULAR
GLASS MODESTY



36	72	29	MDDRO3672G-32	4,830	5,072
----	----	----	----------------------	-------	-------

- 6" overhang
- $\frac{3}{4}$ " breakfront modesty panel
- 30" depth pedestals

BOW FRONT
GLASS MODESTY



42	72	29	MDDBO4272G-32	6,218	6,529
----	----	----	----------------------	-------	-------

- 6" overhang
- 12" overhang center
- $\frac{3}{4}$ " breakfront modesty panel
- 30" depth pedestals

PRODUCT INFO

note
Glass modesty height 22"
from bottom of worksurface
or 5" from bottom of end
panel.

spec tip
Specify pedestal location
from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

See inside front cover for required option codes




Grommet (Add \$70 each)

No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB

Example

MDDRO3672-32.NC701.FF.SF.ARS.GBS.CY.RMS

MDDRO3672-32	NC701	FF	SF	ARS	GBS	CY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

	D	W	H	model number	veneer 1	veneer 2
WOOD MODESTY FLUSH FRONT  	30	60	29	MDDRF3060-32	4,104	4,309
	- flush front $\frac{3}{4}$" breakfront modesty 30" depth pedestals					
	30	66	29	MDDRF3066-32	4,158	4,366
	- flush front $\frac{3}{4}$" breakfront modesty 30" depth pedestals					
	36	72	29	MDDRF3672-32	4,235	4,447
	- flush front 3" breakfront modesty 36" depth pedestals					
	36	72	29	MDDT3672	2,910	3,056
	- center drawer optional - Ribbon Sapele veneer is complemented with Cherry solid wood legs and rails					
TABLE DESK 						

PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . TOP UV FINISH . EDGE . PULL . GROMMET . CENTER DRAWER . KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet

Left

Left

Right

Right

Left & Right

Left & Right

Silver

Black

Silver

Black

Silver

Black

GN

GLS

GLB

GRS

GRB

GBS

GBB

Example

MDDRF3060-32.NC701.FF.SF.ARS.GBS.CY.RMS

MDDRF3060-32 . NC701 . FF . SF . ARS . GBS . CY . RMS

MODEL NUMBER . FINISH . TOP UV FINISH . EDGE . PULL . GROMMET . CENTER DRAWER . KEYING

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR 1/2 WOOD MODESTY	36	72	29	MDTDR3672-X	2,848	2,991
	• 6" overhang • 11 3/4" height modesty					
 	30	66	29	MDTDR3066-X	2,694	2,829
	• 6" overhang • 11 3/4" height modesty					

PRODUCT INFO

spec tip
1 1/2" thick wood panel legs

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

See inside front cover for required option codes





Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB

Example

MDTDR3672-X.NC701.FF.SF.GBS					
MDTDR3672-X	NC701	FF	SF	GBS	
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	

SINGLE PEDESTAL DESKS left hand | wood modesty

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR OVERHANG FRONT 	36	72	29	MDDRO3672L-3	3,620	3,801
	• 6" overhang • 3/4" breakfront modesty panel • 30" depth pedestals					
BOW FRONT OVERHANG FRONT  	42	72	29	MDDBO4272L-3	5,013	5,264
	• 6" overhang • 12" overhang center • 3/4" breakfront modesty panel • 30" depth pedestals					
RECTANGULAR FLUSH FRONT  	30	60	29	MDDRF3060L-3	3,432	3,603
	• flush front • 3/4" breakfront modesty panel • 30" depth pedestals					
	30	66	29	MDDRF3066L-3	3,444	3,616
	• flush front • 3/4" breakfront modesty panel • 30" depth pedestals					
	36	72	29	MDDRF3672L-3	3,620	3,801
	• flush front • 3" breakfront modesty panel • 36" depth pedestals					

PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING





See inside front cover for required option codes

- Grommet (Add \$70 each)**
- | | |
|---------------------|-----|
| No Grommet | GN |
| Left Silver | GLS |
| Left Black | GLB |
| Right Silver | GRS |
| Right Black | GRB |
| Left & Right Silver | GBS |
| Left & Right Black | GBB |
- Powerport (add \$419)**
- | | |
|--------------|-----|
| Right Silver | APR |
|--------------|-----|

Example

MDDRO3672L-3.NC701.FF.SF.ARS.GBS.CY.RMS

MDDRO3672L-3	NC701	FF	SF	ARS	GBS	CY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR OVERHANG FRONT 	36	72	29	MDDRO3672R-3	3,620	3,801
• 6" overhang • 3/4" breakfront modesty panel • 30" depth pedestals						
BOW FRONT OVERHANG FRONT  	42	72	29	MDDBO4272R-3	5,013	5,264
• 6" overhang • 12" overhang center • 3/4" breakfront modesty panel • 30" depth pedestals						
RECTANGULAR FLUSH FRONT  	30	60	29	MDDRF3060R-3	3,432	3,603
• flush front • 3/4" breakfront modesty panel • 30" depth pedestals						
	30	66	29	MDDRF3066R-3	3,444	3,616
• flush front • 3/4" breakfront modesty panel • 30" depth pedestals						
	36	72	29	MDDRF3672R-3	3,620	3,801
• flush front • 3" breakfront modesty panel • 36" depth pedestals						

PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Powerport	(add \$419)	
Left	Silver	APL

Example

MDDRO3672R-3.NC701.FF.SF.ARS.GBS.CY.RMS


MDDRO3672R-3	NC701	FF	SF	ARS	GBS	CY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

SINGLE PEDESTAL DESKS left hand | glass modesty

MEDLEY
01/16


D	W	H	model number	veneer 1	veneer 2
---	---	---	--------------	----------	----------

RECTANGULAR
OVERHANG FRONT



36	72	29	MDDRO3672GL-3	4,215	4,426
6" overhang 3/4" breakfront modesty panel 30" depth pedestals					

BOW FRONT
OVERHANG FRONT



42	72	29	MDDBO4272GL-3	5,607	5,888
6" overhang 12" overhang center 3/4" breakfront modesty panel 30" depth pedestals					

PRODUCT INFO

note
Glass modesty height 22" from bottom of worksurface or 5" from bottom of end of panel.

Powerport is 2 power plus 2 data with a standard plug.

spec tip
Specify pedestal location from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

See inside front cover for required option codes


Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Powerport (add \$419)		
Right	Silver	APR

Example

MDDRO3672GL-3.NC701.FF.SF.ARS.GBS.CY.RMS							
MDDRO3672GL-3	NC701	FF	SF	ARS	GBS	CY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

D	W	H	model number	veneer 1	veneer 2
---	---	---	--------------	----------	----------


RECTANGULAR
OVERHANG FRONT



36	72	29	MDDRO3672GR-3	4,215	4,426
----	----	----	---------------	-------	-------

- 6" overhang
- 3/4" breakfront modesty panel
- 30" depth pedestals

BOW FRONT
OVERHANG FRONT



42	72	29	MDDBO4272GR-3	5,607	5,888
----	----	----	---------------	-------	-------

- 6" overhang
- 12" overhang center
- 3/4" breakfront modesty panel
- 30" depth pedestals

PRODUCT INFO

note
Glass modesty height 22"
from bottom of worksurface
or 5" from bottom of end of
panel.

Powerport is 2 power plus 2
data with a standard plug.

spec tip
Specify pedestal location
from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING	


See inside front cover for required option codes

Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Powerport	(add \$419)	
Left	Silver	APL


Example

MDDRO3672GR-3.NC701.FF.SF.ARS.GBS.CY.RMS								
MDDRO3672GR-3	NC701	FF	SF	ARS	GBS	CY		RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING	


	D	W	H	model number	veneer 1	veneer 2
LEFT HAND 8" MODESTY	48	72	29	MDXCCH4872L	3,507	3,682




TOP VIEW



RIGHT HAND 8" MODESTY	48	72	29	MDXCCH4872R	3,507	3,682
--------------------------	----	----	----	-------------	-------	-------



TOP VIEW



PRODUCT INFO

note
Units above do not accommodate center drawer.

Not to be used as freestanding unit.

30" diameter on conference end.

4 1/2" diameter column

spec tip
Specify column from user-seated position

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR


See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB


Example

MDXCCH4872L	NC701	FF	SF	GCS	CS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR

	D	W	H	model number	veneer 1	veneer 2
LEFT HAND FULL MODESTY	48	72	29	MDXCCF4872L	3,669	3,853




TOP VIEW




**RIGHT HAND
FULL MODESTY**

48	72	29	MDXCCF4872R	3,669	3,853
----	----	----	--------------------	-------	-------



TOP VIEW



PRODUCT INFO

note

Units above do not accommodate center drawer.

Not to be used as freestanding unit.

30" diameter on conference end.

4 1/2" diameter column

spec tip

Specify column from user-seated position

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR

See inside front cover for required option codes


Grommet (Add \$70 each)
No Grommet **GN**
Center Silver **GCS**
Center Black **GCB**

Example




MDXCCF4872L.NC701.FF.SF.GCS.CS

MDXCCF4872L	NC701	FF	SF	GCS	CS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR


	D	W	H	model number	veneer 1	veneer 2
FLAT FRONT	36	36	29	MDCC2436	2,642	2,775
	42	42	29	MDCC2442	2,746	2,884



TOP VIEW



CURVED FRONT



36	36	29	MDCCR2436	2,806	2,947
42	42	29	MDCCR2442	2,880	3,024

PRODUCT INFO

note
Grommet standard

16" support panel on 36" and
42" computer corners

22" support panel on 48"
computer corners

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. . . .
MODEL NUMBER . **FINISH** . **TOP UV FINISH** . **EDGE** . **GROMMET COLOR**


See inside front cover for
required option codes

Grommet Color
Silver **SV**
Black **BK**


Example

MDCC2442.NC701.FF.SF.SV
 MDCC2442 NC701 FF SF SV
 MODEL NUMBER FINISH TOP UV FINISH EDGE GROMMET COLOR


	D	W	H	model number	veneer 1	veneer 2
8" MODESTY	30	72	29	MDXBH3072	3,351	3,518
	30	78	29	MDXBH3078	3,629	3,811



FULL MODESTY	30	72	29	MDXBF3072	3,781	3,970
	30	78	29	MDXBF3078	4,061	4,264



TOP VIEW



PRODUCT INFO

note

Not to be used as a freestanding unit.

Diameter of conference end is 42"

Overhang 8 5/8" from approach side

4 1/2 diameter column

spec tip

Specify column from user seated position..

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER


See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB


Example

MDXBH3072.NC701.FF.SF.GCS.CS.CY
MODEL NUMBER FINISH TOP UV FINISH EDGE GROMMET COLUMN COLOR CENTER DRAWER


	D	W	H	model number	veneer 1	veneer 2
8" MODESTY	30	72	29	MDXDH3072	3,351	3,518
	30	78	29	MDXDH3078	3,629	3,811



FULL MODESTY	30	72	29	MDXDF3072	3,781	3,970
	30	78	29	MDXDF3078	4,061	4,264



TOP VIEW



PRODUCT INFO

note
Not to be used as a freestanding unit.

Diameter of conference end is 42"

Overhang 8 5/8" from approach side

4 1/2 diameter column

spec tip
Specify column from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV FINISH

EDGE

GROMMET

COLUMN COLOR

CENTER DRAWER

See inside front cover for required option codes


Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB

Example

MDXDH3072.NC701.FF.SF.GCS.CS.CY

MDXDH3072	NC701	FF	SF	GCS	CS	CY
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER

	D	W	H	model number	veneer 1	veneer 2
8" MODESTY	30	66	29	MDXRH3066	2,406	2,526
	30	72	29	MDXRH3072	2,497	2,621



TOP VIEW



PRODUCT INFO

note
Not to be used as freestanding unit.

4 1/2 diameter column

spec tip
Specify column from user seated position.

Units are non-handed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER

See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB


Example

MDXRH3066.NC701.FF.SF.GCS.CS.CY						
MDXRH3066	NC701	FF	SF	GCS	CS	CY
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER

30" RACETRACK EXTENSIONS full modesty


MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
LEFT HAND FULL MODESTY	30	66	29	MDXRF3066L	2,753	2,891
	30	72	29	MDXRF3072L	2,933	3,080



(USER SIDE)

RIGHT HAND FULL MODESTY	30	66	29	MDXRF3066R	2,753	2,891
	30	72	29	MDXRF3072R	2,933	3,080



(APPROACH SIDE)

TOP VIEW



PRODUCT INFO

note
Not to be used as freestanding unit.

4 1/2 diameter column
6" overhang on approach side

spec tip
Specify column from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER


See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB


Example

MDXRF3066L.NC701.FF.SF.GCS.CS.CY
MODEL NUMBER FINISH TOP UV FINISH EDGE GROMMET COLUMN COLOR CENTER DRAWER

	D	W	H	model number	veneer 1	veneer 2
8" MODESTY	36	66	29	MDXRH3666	2,625	2,757
	36	72	29	MDXRH3672	2,756	2,894



TOP VIEW



PRODUCT INFO

note
Not to be used as freestanding unit.

4 1/2 diameter column

spec tip
Specify column from user seated position.

Units are non-handed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER


See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB

Example


MDXRH3666.NC701.FF.SF.GCS.CS.CY
MODEL NUMBER FINISH TOP UV FINISH EDGE GROMMET COLUMN COLOR CENTER DRAWER

	D	W	H	model number	veneer 1	veneer 2
LEFT HAND FULL MODESTY	36	66	29	MDXRF3666L	3,058	3,211
	36	72	29	MDXRF3672L	3,188	3,347




(USER SIDE)

RIGHT HAND FULL MODESTY	36	66	29	MDXRF3666R	3,058	3,211
	36	72	29	MDXRF3672R	3,188	3,347



(APPROACH SIDE)

TOP VIEW



PRODUCT INFO

note
Not to be used as freestanding unit.

4 1/2 diameter column

6" overhang on approach side

spec tip
Specify column from user seated position.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	COLUMN COLOR	CENTER DRAWER



See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB

Example




MDXRF3666L.NC701.FF.SF.GCS.CS.CY
MODEL NUMBER FINISH TOP UV FINISH EDGE GROMMET COLUMN COLOR CENTER DRAWER

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR WOOD MODESTY	30	54	29	MDRRO3054L-3	3,025	3,176



	30	60	29	MDRRO3060L-3	3,132	3,289
--	----	----	----	--------------	-------	-------

- 6" overhang
- 24" depth pedestals
- When specified with full height modesty panel - MY, the modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel.



PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY	KEYING



See inside front cover for required option codes

- Grommet (Add \$70 each)
- | | | |
|------------|--------|-----|
| No Grommet | | GN |
| Left | Silver | GLS |
| Left | Black | GLB |
| Center | Silver | GCS |
| Center | Black | GCB |
- Powerport (add \$419)
- | | | |
|-------|--------|-----|
| Right | Silver | APR |
|-------|--------|-----|

Example




MDRRO3054L-3	NC701	FF	SF	ARS	GN	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY	KEYING

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR WOOD MODESTY	30	54	29	MDRRO3054R-3	3,025	3,176
	30	60	29	MDRRO3060R-3	3,132	3,289



- 6" overhang
- 24" depth pedestals
- When specified with full height modesty panel – MY, the modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel.

TOP VIEW



PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY	KEYING

See inside front cover for required option codes


- Grommet (Add \$70 each)**
No Grommet **GN**
Right Silver **GRS**
Right Black **GRB**
Center Silver **GCS**
Center Black **GCB**
Powerport (add \$419)
Left Silver **APL**

Example

MDRRO3054R-3.NC701.FF.SF.ARS.GN.MY.RMS							
MDRRO3054R-3	NC701	FF	SF	ARS	GN	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY	KEYING

	D	W	H	model number	veneer 1	veneer 2
--	---	---	---	--------------	----------	----------




RECTANGULAR
1/2 WOOD MODESTY



30	54	29	MDRRO3054L-X	2,051	2,154
30	60	29	MDRRO3060L-X	2,178	2,287

- 6" overhang
- 30" depth pedestals
- The modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel.
- 11 3/4" height modesty

TOP VIEW



PRODUCT INFO

spec tip
Specify panel leg location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET


See inside front cover for required option codes

Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Center	Silver	GCS
Center	Black	GCB
Powerport (add \$419)		
Right	Silver	APR

Example

MDRRO3054L-X.NC701.FF.SF.GN				
MDRRO3054L-X	NC701	FF	SF	GN
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR 1/2 WOOD MODESTY	30	54	29	MDRRO3054R-X	2,051	2,154
 	30	60	29	MDRRO3060R-X	2,178	2,287
• 6" overhang • 30" depth pedestals • The modesty panel includes a filler panel to attach to a credenza end panel or a pedestal end panel. • 11 3/4" height modesty						



PRODUCT INFO

spec tip
Specify panel leg location
from user seated position.

note
Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMET

See inside front cover for required option codes

- Grommet (Add \$70 each)
- No GrommetGN
- RightSilverGRS
- RightBlackGRB
- CenterSilverGCS
- CenterBlackGCB
- Powerport(add \$419)
- LeftSilverAPL


Example

MDRRO3054R-X-NC701.FF.SF.GN					
MDRRO3054R-X	NC701	FF	SF	GN	
MODEL NUMBER	FINISH	TOP UV	EDGE	GROMMET	
		FINISH			

	D	W	H	model number	veneer 1	veneer 2
30" DEEP RACETRACK 	30	48	29	MDWU3048	1,444	1,516
	30	54	29	MDWU3054	1,494	1,568
	30	60	29	MDWU3060	1,542	1,620
	30	66	29	MDWU3066	1,589	1,669
	30	72	29	MDWU3072	1,622	1,704

- No modesty panel

TOP VIEW



PRODUCT INFO

note
Grain runs parallel with width.

Units include metal column
support.

4 1/2 diameter column

spec tip
Units are non-handed

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	COLUMN COLOR

See inside front cover for required option codes

Example

MDWU3048.NC701.FF.SF.CS
MODEL NUMBER FINISH TOP UV EDGE COLUMN COLOR
FINISH

	D	W	H	model number	veneer 1	veneer 2
LEFT HAND	24	42	29	MDRT2442L-2	2,659	2,792
	24	48	29	MDRT2448L-2	2,754	2,892
BOX BOX FILE	24	42	29	MDRT2442L-3	2,659	2,792
	24	48	29	MDRT2448L-3	2,754	2,892
LATERAL	24	48	29	MDRT2448L-4	2,933	3,080
MULTIFILE	24	42	29	MDRT2442-MFL	3,028	3,179
	24	48	29	MDRT2448-MFL	3,233	3,395

PRODUCT INFO

note
Units with unsupported
worksurfaces of 48" or greater
include intermediate support.

Powerport is 2 power plus 2
data with a standard plug

spec tip
Specify pedestal location
from user seated position.

pedestal code:
2 = File File
3 = Box Box File
4 = Lateral
MFL = Multifile Left

TO ORDER PLEASE SPECIFY THE FOLLOWING:




MODEL NUMBERFINISHTOP UV
FINISHVENEER
DIRECTIONEDGEPULLGROMMETMODESTY
PANELKEYING

See inside front cover for required option codes

- Grommet (Add \$70 each)
- No GrommetGN
- LeftSilverGLS
- LeftBlackGLB
- CenterSilverGCS
- CenterBlackGCB
- Powerport(add \$419)
- RightSilverAPR

Example

MDRT2442L-2.NC701.FF.VST.SF.ARS.GLS.MY.RMS									
MDRT2442L-2	NC701	FF	VST	SF	ARS	GLS	MY	RMS	
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING	

	D	W	H	model number	veneer 1	veneer 2
LEFT HAND FILE FILE 	24	54	29	MDRT2454L-2	2,828	2,970
	24	60	29	MDRT2460L-2	2,929	3,076
	24	66	29	MDRT2466L-2	3,052	3,205
	24	72	29	MDRT2472L-2	3,158	3,316
LATERAL FILE 	24	54	29	MDRT2454L-4	3,010	3,161
	24	60	29	MDRT2460L-4	3,088	3,242
	24	66	29	MDRT2466L-4	3,250	3,412
	24	72	29	MDRT2472L-4	3,562	3,741
MULTIFILE 	24	54	29	MDRT2454-MFL	3,441	3,613
	24	60	29	MDRT2460-MFL	3,704	3,890
	24	66	29	MDRT2466-MFL	3,935	4,132
	24	72	29	MDRT2472-MFL	4,130	4,336

PRODUCT INFO

note

Units with unsupported worksurfaces of 48" or greater include intermediate support.

Powerport is 2 power plus 2 data with a standard plug.

spec tip

Specify pedestal location from user seated position.

pedestal code:

2 = File File

4 = Lateral

MFL = Multifile Left

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet **GN**

Left Silver **GLS**

Left Black **GLB**

Center Silver **GCS**

Center Black **GCB**





Powerport (add \$419)

Right Silver **APR**

Example

MDRT2454L-2.NC701.FF.VST.SF.ARS.GLS.MY.RMS

MDRT2454L-2	NC701	FF	VST	SF	ARS	GLS	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

	D	W	H	model number	veneer 1	veneer 2
RIGHT HAND FILE FILE 	24	42	29	MDRT2442R-2	2,659	2,792
	24	48	29	MDRT2448R-2	2,754	2,892
BOX BOX FILE 	24	42	29	MDRT2442R-3	2,659	2,792
	24	48	29	MDRT2448R-3	2,754	2,892
LATERAL 	24	48	29	MDRT2448R-4	2,933	3,080
MULTIFILE 	24	42	29	MDRT2442-MFR	3,028	3,179
	24	48	29	MDRT2448-MFR	3,233	3,395

PRODUCT INFO

note
 Units with unsupported
 worksurfaces of 48" or greater
 include intermediate support.

Powerport is 2 power plus 2
 data with a standard plug.

spec tip
 Specify pedestal location
 from user seated position.

pedestal code:
 2 = File File
 3 = Box Box File
 4 = Lateral
 MFR = Multifile Right

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER
FINISH
TOP UV FINISH
VENEER DIRECTION
EDGE
PULL
GROMMET
MODESTY PANEL
KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet	GN
Center Silver	GCS
Center Black	GCB
Right Silver	GRS
Right Black	GRB




Powerport (add \$419)

Left Silver	APL
-------------	-----

Example

MDRT2442R-2.NC701.FF.VST.SF.ARS.GLS.MY.RMS

MDRT2442-R-2	NC701	FF	VST	SF	ARS	GLS	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

	D	W	H	model number	veneer 1	veneer 2
RIGHT HAND FILE FILE 	24	54	29	MDRT2454R-2	2,828	2,970
	24	60	29	MDRT2460R-2	2,929	3,076
	24	66	29	MDRT2466R-2	3,052	3,205
	24	72	29	MDRT2472R-2	3,158	3,316
LATERAL FILE 	24	54	29	MDRT2454R-4	3,010	3,161
	24	60	29	MDRT2460R-4	3,088	3,242
	24	66	29	MDRT2466R-4	3,250	3,412
	24	72	29	MDRT2472R-4	3,562	3,741
MULTIFILE 	24	54	29	MDRT2454-MFR	3,441	3,613
	24	60	29	MDRT2460-MFR	3,704	3,890
	24	66	29	MDRT2466-MFR	3,935	4,132
	24	72	29	MDRT2472-MFR	4,130	4,336

PRODUCT INFO

note

Units with unsupported worksurfaces of 48" or greater include intermediate support.

Powerport is 2 power plus 2 data with a standard plug.

spec tip

Specify pedestal location from user seated position.

pedestal code:

2 = File File

3 = Box Box File

4 = Lateral

MFR = Multifile Right

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet	GN
Center Silver	GCS
Center Black	GCB
Right Silver	GRS
Right Black	GRB

Powerport	(add \$419)
Left Silver	APL


Example

MDRT2454R-2.NC701.FF.VST.SF.ARS.GLS.MY.RMS


MDRT2454R-2	NC701	FF	VST	SF	ARS	GLS	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

	D	W	H	model number	veneer 1	veneer 2
FLAT FRONT 	24	30	29	MDBG2430	1,277	1,341
	24	36	29	MDBG2436	1,346	1,413
	24	42	29	MDBG2442	1,485	1,559
	24	48	29	MDBG2448	1,552	1,630
	24	54	29	MDBG2454	1,648	1,731
	24	60	29	MDBG2460	1,722	1,808

GRAIN DIRECTION OPTION



VLG - Standard veneer direction



VST - Cross/Short veneer direction

PRODUCT INFO

note
Units with unsupported
worksurfaces of 48" or greater
include intermediate support.

Powerport is 2 power plus 2
data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	GROMMET	MODESTY PANEL


See inside front cover for
required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB
Powerport (add \$419)
Center Silver APC


Example

MDBG2430	NC701	FF	VLG	SF	GCB	MY
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	GROMMET	MODESTY PANEL


	D	W	H	model number	veneer 1	veneer 2
CURVED FRONT	24	42	29	MDBGC2442	1,683	1,768
	24	48	29	MDBGC2448	1,773	1,862



GRAIN DIRECTION OPTION



VLG - Standard veneer direction



VST - Cross/Short veneer direction

PRODUCT INFO

note

Units with unsupported worksurfaces of 48" or greater include intermediate support.

Powerport is 2 power plus 2 data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	GROMMET	MODESTY PANEL

See inside front cover for required option codes

Grommet (Add \$70 each)
 No Grommet **GN**
 Center Silver **GCS**
 Center Black **GCB**
Powerport (add \$419)
 Center Silver **APC**





Example

MDBGC2442.NC701.FF.VLG.SF.GCB.MY

MDBGC2442	NC701	FF	VLG	SF	GCB	MY
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	GROMMET	MODESTY PANEL

SINGLE PEDESTAL CREDENZAS left hand

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
LEFT HAND FILE FILE 	24	66	29	MDCU2466L-2	3,180	3,339
	24	72	29	MDCU2472L-2	3,390	3,559
BOX BOX FILE 	24	66	29	MDCU2466L-3	3,180	3,339
	24	72	29	MDCU2472L-3	3,390	3,559
LATERAL FILE 	24	72	29	MDCU2472L-4	3,922	4,118
	24	84	29	MDCU2484L-4	4,611	4,842
	24	90	29	MDCU2490L-4	4,711	4,947
	24	96	29	MDCU2496L-4	4,810	5,051
MULTIFILE 	24	72	29	MDCU2472-MFL	4,313	4,528
	24	84	29	MDCU2484-MFL	4,980	5,229
	24	90	29	MDCU2490-MFL	5,084	5,338
	24	96	29	MDCU2496-MFL	5,333	5,599

PRODUCT INFO

note
Units with unsupported
worksurfaces of 48" or greater
include intermediate support.

Powerport is 2 power plus 2
data with a standard plug.

spec tip
Specify pedestal location
from user seated position.

pedestal code:
2 = File File
3 = Box Box File
4 = Lateral
MFL = Multifile Left

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING




See inside front cover for required option codes

Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Center	Silver	GCS
Center	Black	GCB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Left, Right & Center	Silver	GAS
Left, Right & Center	Black	GAB

Powerport	(add \$419)	
Right	Silver	APR

Example

MDCU2466L-2.NC701.FF.SF.ARS.GBS.MY.RMS							
MDCU2466L-2	NC701	FF	SF	ARS	GBS	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

	D	W	H	model number	veneer 1	veneer 2
RIGHT HAND FILE FILE	24	66	29	MDCU2466R-2	3,180	3,339
	24	72	29	MDCU2472R-2	3,390	3,559
 BOX BOX FILE	24	66	29	MDCU2466R-3	3,180	3,339
	24	72	29	MDCU2472R-3	3,390	3,559
 LATERAL FILE	24	72	29	MDCU2472R-4	3,922	4,118
	24	84	29	MDCU2484R-4	4,611	4,842
	24	90	29	MDCU2490R-4	4,711	4,947
	24	96	29	MDCU2496R-4	4,810	5,051
 MULTIFILE	24	72	29	MDCU2472-MFR	4,313	4,528
	24	84	29	MDCU2484-MFR	4,980	5,229
	24	90	29	MDCU2490-MFR	5,084	5,338
	24	96	29	MDCU2496-MFR	5,333	5,599

PRODUCT INFO

note

Units with unsupported worksurfaces of 48" or greater include intermediate support.

Powerport is 2 power plus 2 data with a standard plug.

spec tip

Specify pedestal location from user seated position.

pedestal code:

2 = File File
3 = Box Box File
4 = Lateral
MFR = Multifile Right

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Center	Silver	GCS
Center	Black	GCB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Left, Right & Center	Silver	GAS
Left, Right & Center	Black	GAB


Powerport	(add \$419)	
Left	Silver	APL

Example


MDCU2466R-2.NC701.FF.SF.ARS.GBS.MY.RMS

MDCU2466R-2	NC701	FF	SF	ARS	GBS	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

	D	W	H	model number	veneer 1	veneer 2
72" WIDTH	24	72	29	MDCK2472-22	4,043	4,245
	24	72	29	MDCK2472-32	4,043	4,245



22 PEDESTAL



32 PEDESTAL

PRODUCT INFO

note
Units with unsupported
worksurfaces of 48" or greater
include intermediate support.

Powerport is 2 power plus 2
data with a standard plug.

spec tip
Specify pedestal location
from user seated position.

pedestal code:
2 = File File
3 = Box Box File

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

See inside front cover for required option codes

- Grommet (Add \$70 each)
- No Grommet

Left

Left

Center

Center

Right

Right

Left & Right

Left & Right

Left, Right & Center

Left, Right & Center
- Silver

Black

Silver

Black

Silver

Black

Silver

Black

Silver

Black
- GN

GLB

GCS

GCB

GRS

GRB

GBS

GBB

GAS

GAB
- Powerport

Center
- (add \$419)


Silver
- APC

Example


MDCK2472-22.NC701.FF.SF.ARS.GBS.MY.RMS							
MDCK2472-22	NC701	FF	SF	ARS	GBS	MY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	MODESTY PANEL	KEYING

	D	W	H	model number	veneer 1	veneer 2
60" WIDTH	24	60	29	MDCF2460-44	5,049	5,302
	24	60	29	MDCF2460-55	3,873	4,067


72" WIDTH	24	72	29	MDCF2472-352	4,485	4,709
	24	72	29	MDCF2472-252	4,485	4,709
	24	72	29	MDCF2472-342	4,713	4,949
	24	72	29	MDCF2472-242	4,713	4,949
	24	72	29	MDCF2472-44	5,579	5,858
	24	72	29	MDCF2472-55	4,241	4,453




352 PEDESTAL




252 PEDESTAL




55 PEDESTAL



342 PEDESTAL



242 PEDESTAL



44 PEDESTAL

PRODUCT INFO

spec tip
Specify pedestal location
from user seated position.

pedestal code:
2 = File File
3 = Box Box File
4 = Lateral
5 = Hinged Doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	KEYING

See inside front cover for required option codes

Example

MDCF2460-44.NC701.FF.SF.ARS.RMS					
MDCF2460-44	NC701	FF	SF	ARS	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	KEYING

	D	W	H	model number	veneer 1	veneer 2
MOBILE PEDESTAL	22	15 ⁷ / ₁₆	25	MDPL24-6	1,768	1,857



CUSHION



					COM /1	2	3	4
	21 ³ / ₄	15 ⁵ / ₁₆	³ / ₄	MDMPD-CUSH	344	355	367	379
• Specify fabric only								

PRODUCT INFO

note
2" Black casters.

(2) Locking
(2) Non-locking

pedestal code:
6 = Box | File

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV
FINISH

EDGE

PULL


KEYING

See inside front cover for required option codes


Example

MDPL24-6.NC701.FF.SF.ARS.RMS					
MDPL24-6	NC701	FF	SF	ARS	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	KEYING

	D	W	H	model number	veneer 1	veneer 2
GLIDES	24	36	29	MDCS2436	1,866	1,959
	24	42	29	MDCS2442	2,125	2,231



MOBILE (ON CASTERS)	24	36	29	MDCS2436M	1,993	2,093
	24	42	29	MDCS2442M	2,249	2,361



PRODUCT INFO

note
2" Black casters
(2) Locking
(2) Non-locking

TO ORDER PLEASE SPECIFY THE FOLLOWING:



MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

See inside front cover
for required option codes

Grommet (Add \$70 each)
No Grommet **GN**
Center Silver **GCS**
Center Black **GCB**

Example

MDCS2436.NC701.FF.SF.GCS
MODEL NUMBER FINISH TOP UV FINISH EDGE GROMMET

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR	36	72	29	MDDRSL3672	2,888	3,033
	30	66	29	MDDRSL3066	2,593	2,723
• 6" overhang • 3/4" breakfront modesty panel • 36" to be used with 30" depth pedestals, 15" width • 30" to be used with 24" depth pedestals, 15" width • Grommets and powerports should NOT be specified over pedestals						
BOW FRONT	42	72	29	MDDBSL4272	3,300	3,465
 	• 6" overhang • 12" overhang center • 3/4" breakfront modesty panel • To be used with 30" depth pedestals, 15" width • Grommets and powerports should NOT be specified over pedestals					

PRODUCT INFO

spec tip
Grommets and powerports should NOT be specified over pedestals.

note
Powerport is 2 power plus 2 data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMET

See inside front cover for required option codes

Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Powerport (add \$419)		
Right	Silver	APR
Left	Silver	APL

Example

MDDRSL3672	NC701	FF	SF	GN
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR 	24	66	29	MDCSL2466	2,396	2,515
	24	72	29	MDCSL2472	2,455	2,577
	24	78	29	MDCSL2478	2,514	2,639
	24	84	29	MDCSL2484	2,577	2,706
	24	90	29	MDCSL2490	2,710	2,846
	24	96	29	MDCSL2496	2,898	3,043

- To be used with 24" depth pedestals
- Will NOT accommodate full bank credenzas
- Grommets and powerports should NOT be specified over pedestals

PRODUCT INFO

spec tip
Grommets and powerports should NOT be specified over pedestals.

note
Powerport is 2 power plus 2 data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMETBACK PANEL

See inside front cover for required option codes

- Grommet (Add \$70 each)
- No Grommet

Left

Left

Right

Right

Center

Center

Left & Right

Left & Right

L, R, Ctr

L, R, Ctr
- Silver

Black

Silver

Black

Silver

Black

Silver

Black

Silver

Black
- GN

GLS

GLB

GRS

GRB

GCS

GCB

GBS

GBB

GAS

GAB
- Full Height

Half Height
- FM

HM
- Powerport (add \$419)

Left

Right

Center
- Silver

Silver

Silver
- APL

APR

APC


Example

MDCSL2466.NC701.FF.SF.GN.FM					
MDCSL2466	NC701	FF	SF	GN	FM
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	BACKPANEL

HEIGHT ADJUSTABLE BASES

MEDLEY
01/16


BASES



for use with top sizes	D	W	H	model number	list
24 x 42	21	36	26	BSHAT2142	1,900
24 x 48	21	42	26	BSHAT2148	1,910
24 x 54	21	48	26	BSHAT2154	1,920
24 x 60	21	54	26	BSHAT2160	1,930
24 x 66	21	60	26	BSHAT2166	1,940
24 x 72	21	66	26	BSHAT2172	1,950
30/36 x 48	27	42	26	BSHAT2748	1,930
30/36 x 54	27	48	26	BSHAT2754	1,940
30/36 x 60	27	54	26	BSHAT2760	1,950
30/36 x 66	27	60	26	BSHAT2766	1,960
30/36 x 72	27	66	26	BSHAT2772	1,970



Base at lowest height setting



Base at tallest height setting

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.

2.

MODEL NUMBER

BASE COLOR

BASE COLOR OPTIONS:

BK

SV

Black

Silver

See inside front cover for required option codes

Example

BSHAT2760.BK

BSHAT2760

MODEL NUMBER

BK

BASE COLOR

	D	W	H	model number	veneer 1	veneer 2
24" TOPS 	24	42	1 ⁵ / ₁₆	MDDWRA2442-W	798	838
	24	48	1 ⁵ / ₁₆	MDDWRA2448-W	817	858
	24	54	1 ⁵ / ₁₆	MDDWRA2454-W	849	892
	24	60	1 ⁵ / ₁₆	MDDWRA2460-W	865	908
	24	66	1 ⁵ / ₁₆	MDDWRA2466-W	923	969
	24	72	1 ⁵ / ₁₆	MDDWRA2472-W	944	991

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.		MODEL NUMBER	See set 1 below for grommet option codes	
2.		FINISH	No Grommet	GN
3.		TOP UV FINISH TYPE	Left Silver	GLS (Add +\$70)
4.		GRAIN DIRECTION	Left Black	GLB (Add +\$70)
5.		EDGE	Center Silver	GCS (Add +\$70)
6.		GROMMET	Center Black	GCB (Add +\$70)
			Right Silver	GRS (Add +\$70)
			Right Black	GRB (Add +\$70)
			Left & Right Silver	GBS (Add +\$140)
			Left and Right Black	GBB (Add +\$140)

See inside front cover for required option codes

Example

MDDWRA2442-W.NC215.FF					
MDDWRA2442-W	NC215	FF	VLG	DF	GN
MODEL NUMBER	FINISH	TOP UV FINISH	GRAIN DIRECTION	EDGE	GROMMET

	D	W	H	model number	veneer 1	veneer 2
30" TOPS	30	48	1 5/16	MDDWRA3048-W	924	970
	30	54	1 5/16	MDDWRA3054-W	961	1,009
	30	60	1 5/16	MDDWRA3060-W	983	1,032
	30	66	1 5/16	MDDWRA3066-W	1,046	1,098
	30	72	1 5/16	MDDWRA3072-W	1,075	1,129
36" TOPS	36	48	1 5/16	MDDWRA3648-W	1,024	1,075
	36	54	1 5/16	MDDWRA3654-W	1,071	1,125
	36	60	1 5/16	MDDWRA3660-W	1,124	1,180
	36	66	1 5/16	MDDWRA3666-W	1,211	1,271
	36	72	1 5/16	MDDWRA3672-W	1,237	1,299

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.		MODEL NUMBER	See set 1 below for grommet option codes
2.		FINISH	No Grommet GN
3.		TOP UV FINISH TYPE	Left Silver GLS (Add +\$70)
4.		GRAIN DIRECTION	Left Black GLB (Add +\$70)
5.		EDGE	Right Silver GRS (Add +\$70)
6.		GROMMET	Right Black GRB (Add +\$70)
			Left & Right Silver GBS (Add +\$140)
			Left and Right Black GBB (Add +\$140)


See inside front cover for required option codes

Example

MDDWRA3060-W.NC215.FF					
MDDWRA3060-W	NC215	FF	VLG	DF	GN
MODEL NUMBER	FINISH	TOP UV FINISH	GRAIN DIRECTION	EDGE	GROMMET

OPTIONAL MODESTY PANEL

Height Adjustable | for use with 30" and 36" Tops

	D	W	H	model number	veneer 1	veneer 2
MODESTY PANELS 	$\frac{3}{4}$	42	10	MDDMHA48-W	509	535
	$\frac{3}{4}$	48	10	MDDMHA54-W	537	564
	$\frac{3}{4}$	54	10	MDDMHA60-W	566	595
	$\frac{3}{4}$	60	10	MDDMHA66-W	598	628
	$\frac{3}{4}$	66	10	MDDMHA72-W	622	654

- Optional 10" height modesty panel with 6" overhang

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.

MODEL NUMBER
2.

FINISH

See inside front cover for required option codes

Example

MDDMHA60-W.NC215



MDDMHA60-WNC215

MODEL NUMBERFINISH

[illegible]

Storage129-178

- Lateral files..... 130
- Storage cabinets.....131
- Closets.....132-133
- Bookcase/closets 134
- Storage box135-139
- Utility cabinets.....140-141
- Bookcases.....142-143
- Surface mount cabinets144-151
- Surface mount tackboards.....152-155
- Wall mount cabinets 156-166
- Wall mount tackboards.....167-170
- Hutches.....171
- Tasklights172-173

	D	W	H	model number	veneer 1	veneer 2
30" AND 36" LATERAL FILES	24	30	29	MDLF2H2430-4	2,457	2,579
 2 HIGH	24	30	41 5⁄8	MDLF3H2430-4	3,410	3,580
 3 HIGH	24	30	54 1⁄4	MDLF4H2430-4	4,253	4,466
 4 HIGH	24	30	71 1⁄4	MDLF5H2430-4	5,838	6,130
 5 HIGH	24	30	84 5⁄8	MDLF6H2430-4	6,562	6,890
 6 HIGH	24	36	29	MDLF2H2436-4	2,595	2,725
 7 HIGH	24	36	41 5⁄8	MDLF3H2436-4	3,527	3,703
 8 HIGH	24	36	54 1⁄4	MDLF4H2436-4	4,373	4,591
 9 HIGH	24	36	71 1⁄4	MDLF5H2436-4	5,989	6,289
 10 HIGH	24	36	84 5⁄8	MDLF6H2436-4	6,615	6,945

PRODUCT INFO

note
6 High includes (1) adjustable shelf behind doors

5 High interior dimensions behind doors
D= 22 1⁄4
H= 16 3⁄4

6 High interior dimensions behind doors
D= 22 1⁄4
H= 30 1⁄8

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDGEPULLKEYING

See inside front cover for required option codes


NOTE: Top UV Finish option applies to 2 High and 3 High units only

Example

MDLF2H2430-4.NC701.FF.SF.ARS.RMS

MDLF2H2430-4NC701FFSFARSRMS

MODEL NUMBERFINISHTOP UV FINISHEDGEPULLKEYING

	D	W	H	model number	veneer 1	veneer 2
30" AND 36" WIDE	24	30	29	MDSC2430-5	1,894	1,999
						
	24	36	29	MDSC2436-5	2,102	2,207

PRODUCT INFO

note
Includes (1) adjustable shelf

Inside dimensions 30" wide
D= 22 1/4
W= 28 1/4
H= 24 1/4

Inside dimensions 36" wide
D= 22 1/4
W= 34 1/4
H= 24 1/4

pedestal code
5 = Hinged doors




TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	KEYING

See inside front cover for required option codes

Example

MDSC2430-5.NC701.FF.SF.ARS.RMS					
MDSC2430-5	NC701	FF	SF	ARS	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	KEYING

	D	W	H	model number	veneer 1	veneer 2
30" WIDTH CLOSETS 30" WIDTH SHELF 30" COAT ROD	24	30	71 1/4	MDCL3024-C	3,934	4,131
(2) 30" WIDTH SHELVES 30" COAT ROD	24	30	84 5/8	MD6HCL3024-C	4,719	4,955
 5H SHOWN						
(4) 30" WIDTH SHELVES	24	30	71 1/4	MDCL3024-S	4,638	4,870
(5) 30" WIDTH SHELVES	24	30	84 5/8	MD6HCL3024-S	5,457	5,730
 5H SHOWN						
(4) 15" WIDTH SHELVES 15" COAT ROD DIVIDER	24	30	71 1/4	MDCL3024-D	4,974	5,223
(5) 15" WIDTH SHELVES 15" COAT ROD DIVIDER	24	30	84 5/8	MD6HCL3024-D	5,808	6,099
 5H SHOWN						

PRODUCT INFO

closet codes
C = Full width closet rod & shelf
S = Full width shelves
D = Divider panel,
half shelves | half closet rod

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER . FINISH . EDGE . PULL . LOCKS . KEYING

See inside front cover
for required option codes


Example

MDCL3024-C.NC701.SF.ARS.LY.RMS					
MDCL3024-C	NC701	SF	ARS	LY	RMS
MODEL NUMBER	FINISH	EDGE	PULL	LOCKS	KEYING

	D	W	H	model number	veneer 1	veneer 2
15" WIDTH CLOSETS DOOR HINGED LEFT CLOSET ROD 1 SHELF	24	15 ⁷ / ₁₆	71 ¹ / ₄	MDCL1524L	2,748	2,886
	24	18 ⁷ / ₁₆	71 ¹ / ₄	MD5HCL1824L	2,862	3,005
	24	18 ⁷ / ₁₆	84 ⁵ / ₈	MD6HCL1824L	3,197	3,357



DOOR HINGED RIGHT CLOSET ROD 1 SHELF	24	15 ⁷ / ₁₆	71 ¹ / ₄	MDCL1524R	2,748	2,886
	24	18 ⁷ / ₁₆	71 ¹ / ₄	MD5HCL1824R	2,862	3,005
	24	18 ⁷ / ₁₆	84 ⁵ / ₈	MD6HCL1824R	3,197	3,357



PRODUCT INFO



TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	EDGE	PULL	LOCKS	KEYING

See inside front cover
for required option codes

Example

MDCL1524L.NC701.SF.ARS.LY.RMS					
MDCL1524L	NC701	SF	ARS	LY	RMS
MODEL NUMBER	FINISH	EDGE	PULL	LOCKS	KEYING

	D	W	H	model number	veneer 1	veneer 2
5 HIGH HINGED DOOR LEFT (4) ADJUSTABLE SHELVES CLOSET ROD BEHIND DOOR	24	30	71 1/4	MD5HBC3024L	4,277	4,491
						
HINGED DOOR RIGHT (4) ADJUSTABLE SHELVES CLOSET ROD BEHIND DOOR	24	30	71 1/4	MD5HBC3024R	4,277	4,491
						

PRODUCT INFO


TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . EDGE . PULL . LOCKS . KEYING

See inside front cover
for required option codes

Example

MD5HBC3024L.NC701.SF.ARS.LY.RMS
MODEL NUMBER FINISH EDGE PULL LOCKS KEYING

	D	W	H	model number	veneer 1	veneer 2
SHELVES ONLY 5 HIGH (2) ADJUSTABLE SHELVES BEHIND DOORS	24	30	71 1/4	MDSB3024	5,093	5,348
						
6 HIGH (3) ADJUSTABLE SHELVES BEHIND DOORS	24	30	84 5/8	MD6HSB3024-2L	5,998	6,298
CLOSET/SHELVING 5 HIGH (2) ADJUSTABLE SHELVES DIVIDER CLOSET ROD BEHIND DOORS	24	30	71 1/4	MD5HSB3024-4DW	5,349	5,616
6 HIGH (3) ADJUSTABLE SHELVES DIVIDER CLOSET ROD BEHIND DOORS	24	30	84 5/8	MD6HSB3024-4DW	6,297	6,612

PRODUCT INFO

note
5 High interior dimensions
behind doors:
D= 22 1/4
W= 28 1/4
H= 41 1/8

6 High interior dimensions
behind doors:
D= 22 1/4
W= 28 1/4
H= 54 1/2

TO ORDER PLEASE SPECIFY THE FOLLOWING:

	.		.		.		.	
MODEL NUMBER		FINISH		EDGE		PULL		KEYING

See inside front cover
for required option codes

Example

MDSB3024.NC701.SF.ARS.RMS				
MDSB3024	NC701	SF	ARS	RMS
MODEL NUMBER	FINISH	EDGE	PULL	KEYING

	D	W	H	model number	veneer 1	veneer 2
5 HIGH - NO DOORS (2) ADJUSTABLE SHELVES	24	30	71 1/4	MD5HSB3024-4N	4,649	4,882



6 HIGH - NO DOORS (3) ADJUSTABLE SHELVES	24	30	84 5/8	MD6HSB3024-4N	5,459	5,732
---	----	----	--------	---------------	-------	-------



PRODUCT INFO

note
5 High interior dimensions
behind doors:
D= 22 1/4
W= 28 1/4
H= 41 1/8

6 High interior dimensions
behind doors:
D= 22 1/4
W= 28 1/4
H= 54 1/2

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . EDGE . PULL . KEYING

See inside front cover for required option codes

Example

MD5HSB3024-4N.NC701.SF.ARS.RMS

MD5HSB3024-4N	NC701	SF	ARS	RMS
MODEL NUMBER	FINISH	EDGE	PULL	KEYING

	D	W	H	model number	veneer 1	veneer 2
5 HIGH - WOOD FRAME CLEAR GLASS DOORS (2) ADJUSTABLE SHELVES	24	30	71 1/4	MD5HSB3024-4WFG	4,882	5,126



6 HIGH - WOOD FRAME CLEAR GLASS DOORS (3) ADJUSTABLE SHELVES	24	30	84 5/8	MD6HSB3024-4WFG	5,731	6,018
--	----	----	--------	------------------------	-------	-------



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

note

5 High interior dimensions
behind doors:
D= 22 1/4
W= 28 1/4
H= 41 1/8

6 High interior dimensions
behind doors:
D= 22 1/4
W= 28 1/4
H= 54 1/2

MODEL NUMBER	FINISH	EDGE	PULL	KEYING

See inside front cover
for required option codes


NOTE:

The following pulls are not available
on wood frame glass door units
TBS - Tab silver
TBB - Tab black
WVS - Wave silver

Example

MD5HSB3024-4WFG.NC701.SF.ARS.RMS

MD5HSB3024-4WFG	NC701	SF	ARS	RMS
MODEL NUMBER	FINISH	EDGE	PULL	KEYING

	D	W	H	model number	veneer 1	veneer 2
WOOD DOORS HINGED LEFT 	24	15 7/16	71 1/4	MD5HSB1524L-2W	3,158	3,316
	24	18 7/16	71 1/4	MD5HSB1824L-2W	3,324	3,490
	24	18 7/16	84 5/8	MD6HSB1824L-2W	4,070	4,274
WOOD DOORS HINGED RIGHT 	24	15 7/16	71 1/4	MD5HSB1524R-2W	3,158	3,316
	24	18 7/16	71 1/4	MD5HSB1824R-2W	3,324	3,490
	24	18 7/16	84 5/8	MD6HSB1824R-2W	4,070	4,274
NO DOORS 	24	15 7/16	71 1/4	MD5HSB1524-2N	2,874	3,018
	24	18 7/16	71 1/4	MD5HSB1824-2N	2,980	3,129
	24	18 7/16	84 5/8	MD6HSB1824-2N	3,713	3,899

PRODUCT INFO

note
5 High interior dimensions:
H = 41 1/8 above file drawers

6 High interior dimensions:
H = 54 1/2 above file drawers

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER FINISH EDGE PULL KEYING

See inside front cover for required option codes

Example


MD5HSB1524L-2W.NC701.SF.ARS.RMS
MODEL NUMBER FINISH EDGE PULL KEYING

	D	W	H	model number	veneer 1	veneer 2
WOOD FRAME CLEAR GLASS DOORS HINGED LEFT	24	15 ⁷ / ₁₆	71 ¹ / ₄	MD5HSB1524L-2WFG	3,315	3,481
	24	18 ⁷ / ₁₆	71 ¹ / ₄	MD5HSB1824L-2WFG	3,490	3,664
	24	18 ⁷ / ₁₆	84 ⁵ / ₈	MD6HSB1824L-2WFG	4,271	4,484



WOOD FRAME
CLEAR GLASS DOORS
HINGED RIGHT

24	15 ⁷ / ₁₆	71 ¹ / ₄	MD5HSB1524R-2WFG	3,315	3,481
24	18 ⁷ / ₁₆	71 ¹ / ₄	MD5HSB1824R-2WFG	3,490	3,664
24	18 ⁷ / ₁₆	84 ⁵ / ₈	MD6HSB1824R-2WFG	4,271	4,484



PRODUCT INFO

note
5 High interior dimensions:
H = 41 ¹/₈ above file drawers

6 High interior dimensions:
H = 54 ¹/₂ above file drawers

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	EDGE	PULL	KEYING

See inside front cover
for required option codes

NOTE:

The following pulls are NOT available on
wood frame glass door units



TBS - Tab Silver

TBB - Tab Black

WVS - Wave Silver

Example

MD5HSB1524L-2WFG.NC701.SF.ARS.RMS
 MD5HSB1524L-2WFG NC701 SF ARS RMS
 MODEL NUMBER FINISH EDGE PULL KEYING

	D	W	H	model number	veneer 1	veneer 2
5 HIGH HINGED DOOR LEFT DOOR FILE-FILE-FILE RIGHT 	24	24	71 1/4	MD5HUTC2424L	5,320	5,586
6 HIGH DOOR HINGED LEFT DOOR FILE-FILE-FILE RIGHT 	24	24	84 5/8	MD6HUTC2424L	6,099	6,404

PRODUCT INFO

note
5 High units include (1) fixed shelf behind upper door and coat rod behind full height door

6 High units include (2) fixed shelves behind upper door and coat rod behind full height door



TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . EDGE . PULL . KEYING

See inside front cover
for required option codes

Example

MD5HUTC2424L.NC701.SF.ARS.RMS
MODEL NUMBER FINISH EDGE PULL KEYING

	D	W	H	model number	veneer 1	veneer 2
5 HIGH HINGED DOOR RIGHT DOOR FILE-FILE-FILE LEFT	24	24	71 1/4	MD5HUTC2424R	5,320	5,586
						
6 HIGH DOOR HINGED RIGHT DOOR FILE-FILE-FILE LEFT	24	24	84 5/8	MD6HUTC2424R	6,099	6,404
						

PRODUCT INFO

note

5 High units include (1) fixed shelf behind upper door and coat rod behind full height door

6 High units include (2) fixed shelves behind upper door and coat rod behind full height door

.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER.FINISH.EDGE.PULL.KEYING

See inside front cover
for required option codes

Example

MD5HUTC2424R.NC701.SF.ARS.RMS				
MD5HUTC2424R	NC701	SF	ARS	RMS
MODEL NUMBER	FINISH	EDGE	PULL	KEYING

30" AND 36" WIDTH BOOKCASES

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
30" AND 36" BOOKCASES	14	30	29	MDBK30-2H	1,465	1,538
 2 HIGH	14	30	41 5/8	MDBK30-3H	1,622	1,704
 3 HIGH	14	30	54 1/4	MDBK30-4H	2,028	2,129
 4 HIGH	14	30	71 1/4	MDBK30-5H	2,428	2,549
 5 HIGH	14	30	84 5/8	MDBK30-6H	2,845	2,987
 6 HIGH	14	36	29	MDBK36-2H	1,558	1,636
 7 HIGH	14	36	41 5/8	MDBK36-3H	1,812	1,903
 8 HIGH	14	36	54 1/4	MDBK36-4H	2,403	2,523
 9 HIGH	14	36	71 1/4	MDBK36-5H	2,807	2,948
 10 HIGH	14	36	84 5/8	MDBK36-6H	3,056	3,209

PRODUCT INFO

note
All shaded shelves above
are fixed.

All 6 High bookcases must be
attached to wall.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEGE

See inside front cover for required option codes

NOTE: Top UV Finish option applies to 2 High and 3 High units only


Example

MDBK30-2H.NC701.FF.SF

MDBK30-2HNC701FFSF

MODEL NUMBERFINISHTOP UV FINISHEGE

	D	W	H	model number	veneer 1	veneer 2
72" WIDTH BOOKCASE	14	72	29	MDBK72-2H	2,547	2,675



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE

See inside front cover for required option codes

Example

MDBK72-2H	NC701	FF	SF
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE

SURFACE MOUNT SINGLE HIGH CABINETS wood doors

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS	14 15/16	59 1/8	42 1/4	MD1HOS60W	3,267	3,477
72" WIDE	14 15/16	65 1/8	42 1/4	MD1HOS66W	3,598	3,824
	14 15/16	71 1/8	42 1/4	MD1HOS72W	3,934	4,177
	14 15/16	77 1/8	42 1/4	MD1HOS78W	4,017	4,218
	14 15/16	83 1/8	42 1/4	MD1HOS84W	4,341	4,624
	14 15/16	89 1/8	42 1/4	MD1HOS90W	4,942	5,254
90" WIDE	14 15/16	95 1/8	42 1/4	MD1HOS96W	5,326	5,658
	14 15/16	101 1/8	42 1/4	MD1HOS102W	6,510	6,901
	14 15/16	107 1/8	42 1/4	MD1HOS108W	6,863	7,271

PRODUCT INFO

note
Distance from bottom of valance to work surface is 24".

Edge profile on front edge only, sides flat.

Number of doors and door width:
60" W | 4 doors - 14 5/8" W
66" W | 4 doors - 16 1/8" W
72" W | 4 doors - 17 5/8" W
78" W | 4 doors - 19 1/8" W
84" W | 6 doors - 13 3/4" W
90" W | 6 doors - 14 3/4" W
96" W | 6 doors - 15 3/4" W
102" W | 6 doors - 16 3/4" W
108" W | 6 doors - 17 3/4" W

TO ORDER PLEASE SPECIFY THE FOLLOWING:




MODEL NUMBERFINISHEDGETASKLIGHT CORD GROMMETLOCKSKEYING

See inside front cover for required option codes

Grommet
Grommet included WY
No VSU grommet WN

Example

MD1HOS60W.NC701.SF.WY.LY.RMS
MODEL NUMBERFINISHEDGEGROMMETLOCKSKEYING

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS PAPER MANAGER 72" WIDE   (SHOWN WITH NO DOORS) 90" WIDE 	14 ¹⁵ / ₁₆	59 ¹ / ₈	42 ¹ / ₄	MD1HOS60W-PM	4,197	4,407
	14 ¹⁵ / ₁₆	65 ¹ / ₈	42 ¹ / ₄	MD1HOS66W-PM	4,526	4,752
	14 ¹⁵ / ₁₆	71 ¹ / ₈	42 ¹ / ₄	MD1HOS72W-PM	4,864	5,107
	14 ¹⁵ / ₁₆	77 ¹ / ₈	42 ¹ / ₄	MD1HOS78W-PM	4,946	5,229
	14 ¹⁵ / ₁₆	83 ¹ / ₈	42 ¹ / ₄	MD1HOS84W-PM	5,644	5,927
	14 ¹⁵ / ₁₆	89 ¹ / ₈	42 ¹ / ₄	MD1HOS90W-PM	6,242	6,554
	14 ¹⁵ / ₁₆	95 ¹ / ₈	42 ¹ / ₄	MD1HOS96W-PM	6,630	6,962
	14 ¹⁵ / ₁₆	101 ¹ / ₈	42 ¹ / ₄	MD1HOS102W-PM	7,816	8,207
	14 ¹⁵ / ₁₆	107 ¹ / ₈	42 ¹ / ₄	MD1HOS108W-PM	8,165	8,573

PRODUCT INFO

note

Distance from bottom of valance to work surface is 18 ³/₄".

Edge profile on front edge only, sides flat.

Dividers are brushed aluminum.

Number of doors and door width:

60" W | 4 doors - 14 ⁵/₈" W

66" W | 4 doors - 16 ¹/₈" W

72" W | 4 doors - 17 ⁵/₈" W

78" W | 4 doors - 19 ¹/₈" W

84" W | 6 doors - 13 ³/₄" W

90" W | 6 doors - 14 ³/₄" W

96" W | 6 doors - 15 ³/₄" W

102" W | 6 doors - 16 ³/₄" W

108" W | 6 doors - 17 ³/₄" W

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	EDGE	TASKLIGHT CORD GROMMET	LOCKS	KEYING

See inside front cover for required option codes

Grommet

Grommet included
No VSU grommet

WY
WN




Example

MD1HOS60W-PM.NC701.SF.WY.LY.RMS

MD1HOS60W-PM	NC701	SF	WY	LY	RMS
MODEL NUMBER	FINISH	EDGE	GROMMET	LOCKS	KEYING

SURFACE MOUNT SINGLE HIGH CABINETS glass doors

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
ALUMINUM FRAME FROSTED GLASS DOORS CENTER OPENING 60" WIDE 	14 15/16	59 1/8	42 1/4	MD1HOS60G	3,570	3,749
	14 15/16	65 1/8	42 1/4	MD1HOS66G	3,992	4,192
	14 15/16	71 1/8	42 1/4	MD1HOS72G	4,389	4,608
	14 15/16	77 1/8	42 1/4	MD1HOS78G	4,782	5,021
	14 15/16	83 1/8	42 1/4	MD1HOS84G	5,264	5,527
	14 15/16	89 1/8	42 1/4	MD1HOS90G	5,660	5,943
	14 15/16	95 1/8	42 1/4	MD1HOS96G	6,055	6,358
	14 15/16	101 1/8	42 1/4	MD1HOS102G	6,537	6,863
	14 15/16	107 1/8	42 1/4	MD1HOS108G	6,754	7,092
72" WIDE 						
90" WIDE 						

PRODUCT INFO

note
Distance from bottom of valance
to work surface is 24".

Edge profile on front edge only,
sides flat.

All doors 14 3/4" wide.

Number of doors and center
opening dimensions:
60" W | 2 doors | Open. = 29 1/4
66" W | 2 doors | Open. = 35 1/4
72" W | 4 doors | Open. = 11 1/4
78" W | 4 doors | Open. = 17 1/4
84" W | 4 doors | Open. = 23 1/4
90" W | 4 doors | Open. = 29 1/4
96" W | 4 doors | Open. = 35 1/4
102" W | 4 doors | Open. = 41 1/4
108" W | 4 doors | Open. = 47 1/4

TO ORDER PLEASE SPECIFY THE FOLLOWING:




MODEL NUMBER . FINISH . EDGE . TASKLIGHT CORD GROMMET

See inside front cover for required option codes

Grommet
Grommet included WY
No VSU grommet WN

Example

MD1HOS60G.NC701.SF.WY
MODEL NUMBER FINISH EDGE GROMMET

	D	W	H	model number	veneer 1	veneer 2
WOOD FRAME CLEAR GLASS DOORS 60" WIDE  72" WIDE  90" WIDE 	14 ¹⁵ / ₁₆	59 ¹ / ₈	42 ¹ / ₄	MD1HOS60-WFG	3,429	3,600
	14 ¹⁵ / ₁₆	65 ¹ / ₈	42 ¹ / ₄	MD1HOS66-WFG	3,778	3,967
	14 ¹⁵ / ₁₆	71 ¹ / ₈	42 ¹ / ₄	MD1HOS72-WFG	4,132	4,339
	14 ¹⁵ / ₁₆	77 ¹ / ₈	42 ¹ / ₄	MD1HOS78-WFG	4,217	4,428
	14 ¹⁵ / ₁₆	83 ¹ / ₈	42 ¹ / ₄	MD1HOS84-WFG	4,558	4,785
	14 ¹⁵ / ₁₆	89 ¹ / ₈	42 ¹ / ₄	MD1HOS90-WFG	5,189	5,448
	14 ¹⁵ / ₁₆	95 ¹ / ₈	42 ¹ / ₄	MD1HOS96-WFG	5,593	5,872
	14 ¹⁵ / ₁₆	101 ¹ / ₈	42 ¹ / ₄	MD1HOS102-WFG	6,836	7,178
	14 ¹⁵ / ₁₆	107 ¹ / ₈	42 ¹ / ₄	MD1HOS108-WFG	7,206	7,566

PRODUCT INFO

note

Distance from bottom of valance to work surface is 24".

Edge profile on front edge only, sides flat.

All doors 14 ³/₄" wide.

Number of doors and center opening dimensions:

60" W | 2 doors | Open. = 29 ¹/₄

66" W | 2 doors | Open. = 35 ¹/₄

72" W | 4 doors | Open. = 11 ¹/₄"

78" W | 4 doors | Open. = 17 ¹/₄

84" W | 4 doors | Open. = 23 ¹/₄

90" W | 4 doors | Open. = 29 ¹/₄

96" W | 4 doors | Open. = 35 ¹/₄

102" W | 4 doors | Open. = 41 ¹/₄

108" W | 4 doors | Open. = 47 ¹/₄

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	EDGE	TASKLIGHT CORD GROMMET	LOCKS	KEYING

See inside front cover for required option codes

Grommet

Grommet included
No VSU grommet



WY
WN

Example


MD1HOS60-WFG.NC701.SF.WY.LY.RMS

MD1HOS60-WFG	NC701	SF	WY	LY	RMS
MODEL NUMBER	FINISH	EDGE	GROMMET	LOCKS	KEYING

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS	14 ¹⁵ / ₁₆	59 ¹ / ₈	55 ⁵ / ₈	MD2HOS60W	3,909	4,105
72" WIDE	14 ¹⁵ / ₁₆	65 ¹ / ₈	55 ⁵ / ₈	MD2HOS66W	4,373	4,591
	14 ¹⁵ / ₁₆	71 ¹ / ₈	55 ⁵ / ₈	MD2HOS72W	4,872	5,116
	14 ¹⁵ / ₁₆	77 ¹ / ₈	55 ⁵ / ₈	MD2HOS78W	5,361	5,629
	14 ¹⁵ / ₁₆	83 ¹ / ₈	55 ⁵ / ₈	MD2HOS84W	5,895	6,190
	14 ¹⁵ / ₁₆	89 ¹ / ₈	55 ⁵ / ₈	MD2HOS90W	6,334	6,651



(SHOWN WITH NO DOORS)



PRODUCT INFO

note
Distance from bottom of valance to work surface is 24".

Fixed shelf behind doors.

Edge profile on front edge only, sides flat.

Number of doors and door width:

- 60" W | 4 doors - 14 ⁵/₈" W
- 66" W | 4 doors - 16 ¹/₈" W
- 72" W | 4 doors - 17 ⁵/₈" W
- 78" W | 4 doors - 19 ¹/₈" W
- 84" W | 6 doors - 13 ³/₄" W
- 90" W | 6 doors - 14 ³/₄" W

TO ORDER PLEASE SPECIFY THE FOLLOWING:




MODEL NUMBERFINISHEDEGETASKLIGHT CORD GROMMETLOCKSKEYING

See inside front cover for required option codes

Grommet
Grommet included WY
No VSU grommet WN

Example

MD2HOS60W	NC701	SF	WY	LY	RMS
MODEL NUMBER	FINISH	EDGE	GROMMET	LOCKS	KEYING

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS PAPER MANAGER 72" WIDE   (SHOWN WITH NO DOORS) 90" WIDE 	14 ¹⁵ / ₁₆	59 ¹ / ₈	55 ⁵ / ₈	MD2HOS60W-PM	4,840	5,082
	14 ¹⁵ / ₁₆	65 ¹ / ₈	55 ⁵ / ₈	MD2HOS66W-PM	5,304	5,569
	14 ¹⁵ / ₁₆	71 ¹ / ₈	55 ⁵ / ₈	MD2HOS72W-PM	5,803	6,093
	14 ¹⁵ / ₁₆	77 ¹ / ₈	55 ⁵ / ₈	MD2HOS78W-PM	6,291	6,605
	14 ¹⁵ / ₁₆	83 ¹ / ₈	55 ⁵ / ₈	MD2HOS84W-PM	7,199	7,559
	14 ¹⁵ / ₁₆	89 ¹ / ₈	55 ⁵ / ₈	MD2HOS90W-PM	7,636	8,017

PRODUCT INFO

note
Distance from bottom of valance to work surface is 18 ³/₄".
Fixed shelf behind doors.
Dividers are brushed aluminum.
Edge profile on front edge only, sides flat.

Number of doors and door width:
60" W | 4 doors - 14 ⁵/₈" W
66" W | 4 doors - 16 ¹/₈" W
72" W | 4 doors - 17 ⁵/₈" W
78" W | 4 doors - 19 ¹/₈" W
84" W | 6 doors - 13 ³/₄" W
90" W | 6 doors - 14 ³/₄" W

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER	FINISH	EDGE	TASKLIGHT CORD GROMMET	LOCKS	KEYING

See inside front cover for required option codes

Grommet
Grommet included WY
No VSU grommet WN

Example

MD2HOS60W-PM.NC701.SF.WY.LY.RMS
MD2HOS60W-PM NC701 SF WY LY RMS
MODEL NUMBER FINISH EDGE GROMMET LOCKS KEYING

	D	W	H	model number	veneer 1	veneer 2
ALUMINUM FRAME FROSTED GLASS DOORS CENTER OPENING 60" WIDE 	14 ¹⁵ / ₁₆	59 ¹ / ₈	55 ⁵ / ₈	MD2HOS60G	4,303	4,518
	14 ¹⁵ / ₁₆	65 ¹ / ₈	55 ⁵ / ₈	MD2HOS66G	4,847	5,090
	14 ¹⁵ / ₁₆	71 ¹ / ₈	55 ⁵ / ₈	MD2HOS72G	5,448	5,720
	14 ¹⁵ / ₁₆	77 ¹ / ₈	55 ⁵ / ₈	MD2HOS78G	6,047	6,349
	14 ¹⁵ / ₁₆	83 ¹ / ₈	55 ⁵ / ₈	MD2HOS84G	6,537	6,863
	14 ¹⁵ / ₁₆	89 ¹ / ₈	55 ⁵ / ₈	MD2HOS90G	7,026	7,377
90" WIDE 						

PRODUCT INFO

note
Distance from bottom of valance to work surface is 24".
Fixed shelf behind doors.
Edge profile on front edge only, sides flat.
All doors 14 3/4" wide.

Number of doors and center opening dimensions:
60" W | 2 doors | Open. = 29 1/4
66" W | 2 doors | Open. = 35 1/4
72" W | 4 doors | Open. = 11 1/4
78" W | 4 doors | Open. = 17 1/4
84" W | 4 doors | Open. = 23 1/4
90" W | 4 doors | Open. = 29 1/4

TO ORDER PLEASE SPECIFY THE FOLLOWING:



MODEL NUMBER . FINISH . EDGE . TASKLIGHT CORD GROMMET

See inside front cover for required option codes

Grommet
Grommet included WY
No VSU grommet WN

Example

MD2HOS60G.NC701.SF.WY
MODEL NUMBER FINISH EDGE GROMMET

	D	W	H	model number	veneer 1	veneer 2
WOOD FRAME CLEAR GLASS DOORS 60" WIDE  90" WIDE 	14 ¹⁵ / ₁₆	59 ¹ / ₈	55 ⁵ / ₈	MD2HOS60-WFG	4,103	4,308
	14 ¹⁵ / ₁₆	65 ¹ / ₈	55 ⁵ / ₈	MD2HOS66-WFG	4,591	4,821
	14 ¹⁵ / ₁₆	71 ¹ / ₈	55 ⁵ / ₈	MD2HOS72-WFG	5,116	5,372
	14 ¹⁵ / ₁₆	77 ¹ / ₈	55 ⁵ / ₈	MD2HOS78-WFG	5,629	5,911
	14 ¹⁵ / ₁₆	83 ¹ / ₈	55 ⁵ / ₈	MD2HOS84-WFG	6,190	6,499
	14 ¹⁵ / ₁₆	89 ¹ / ₈	55 ⁵ / ₈	MD2HOS90-WFG	6,650	6,983

PRODUCT INFO

note

Distance from bottom of valance to work surface is 24".

Edge profile on front edge only, sides flat.

All doors 14 ³/₄" wide.

Number of doors and center opening dimensions:

60" W | 2 doors | Open. = 29 ¹/₄"

66" W | 2 doors | Open. = 35 ¹/₄"

72" W | 4 doors | Open. = 11 ¹/₄"

78" W | 4 doors | Open. = 17 ¹/₄"

84" W | 4 doors | Open. = 23 ¹/₄"

90" W | 4 doors | Open. = 29 ¹/₄"

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	EDGE	TASKLIGHT CORD GROMMET	LOCKS	KEYING

See inside front cover for required option codes

Grommet
Grommet included **WY**
No VSU grommet **WN**

Example


MD2HOS60-WFG.NC701.SF.WY.LY.RMS

MD2HOS60-WFG	NC701	SF	WY	LY	RMS
MODEL NUMBER	FINISH	EDGE	GROMMET	LOCKS	KEYING

	D	W	H	model number	fabric grades COM / 1	2	3	4
TACKBOARD	7/8	57 5/16	23 13/16	MDTKS60	612	642	674	706
	7/8	63 5/16	23 13/16	MDTKS66	623	653	685	717
	7/8	69 5/16	23 13/16	MDTKS72	649	683	719	755
	7/8	75 5/16	23 13/16	MDTKS78	672	710	750	790
	7/8	81 5/16	23 13/16	MDTKS84	684	722	762	802
	7/8	87 5/16	23 13/16	MDTKS90	713	754	798	842
	7/8	93 5/16	23 13/16	MDTKS96	745	790	838	886
2-PIECE	7/8	99 5/16	23 13/16	MDTKS102	1,028	1,077	1,129	1,181
2-PIECE	7/8	105 5/16	23 13/16	MDTKS108	1,062	1,115	1,171	1,227

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:



STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

COM fabric requirement	
Model Number	Yards
MDTKS60	2.00
MDTKS66	2.00
MDTKS72	2.25
MDTKS78	2.50
MDTKS84	2.50
MDTKS90	2.75
MDTKS96	3.00
MDTKS102	3.25
MDTKS108	3.50

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FABRIC . FSC TACKBOARD

See inside front cover for required option codes

FSC Required **FSC** (+5% COM upcharge)
Not Required **NR**

COM FABRIC REQUIREMENT
All COM must be shipped prepaid to Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example

MDTKS60.FABRIC.NR

MDTKS60

FABRIC

MODEL NUMBER

FABRIC

PAPER MANAGER SURFACE MOUNT TACKBOARDS

	D	W	H	model number	fabric grades COM / 1 2 3 4			
TACKBOARD 	$\frac{7}{8}$	57 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS60-PM	612	642	674	706
	$\frac{7}{8}$	63 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS66-PM	623	653	685	717
	$\frac{7}{8}$	69 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS72-PM	649	683	719	755
	$\frac{7}{8}$	75 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS78-PM	672	710	750	790
	$\frac{7}{8}$	81 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS84-PM	684	722	762	802
	$\frac{7}{8}$	87 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS90-PM	713	754	798	842
	$\frac{7}{8}$	93 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS96-PM	745	790	838	886
	$\frac{7}{8}$	99 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS102-PM	1,028	1,077	1,129	1,181
	$\frac{7}{8}$	105 $\frac{5}{16}$	19 $\frac{5}{8}$	MDTKS108-PM	1,062	1,115	1,171	1,227
2-PIECE								
2-PIECE								

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

note

For use with paper management cabinets listed on pages 135, 139.

COM fabric requirement

Model Number	Yards
MDTKS60-PM	2.00
MDTKS66-PM	2.00
MDTKS72-PM	2.25
MDTKS78-PM	2.50
MDTKS84-PM	2.50
MDTKS90-PM	2.75
MDTKS96-PM	3.00
MDTKS102-PM	3.25
MDTKS108-PM	3.50

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FABRIC	FSC TACKBOARD

See inside front cover for required option codes


FSC Required **FSC** (+5% COM upcharge)
Not Required **NR**

COM FABRIC REQUIREMENT
All COM must be shipped prepaid to Gunlocke with package side marked with:
• Dealer Name
• Dealer Purchase Order Number
• Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example


MDTKS60-PM.FABRIC
MDTKS60-PM FABRIC
MODEL NUMBER FABRIC

	D	W	H	model number	fabric grades COM / 1	2	3	4
7-13/16" HIGH TOOLRAIL 16" HIGH TACKBOARD  2-PIECE 2-PIECE	7/8	57 5/16	23 13/16	MDTKS60-FT	920	950	982	1,014
	7/8	63 5/16	23 13/16	MDTKS66-FT	934	964	996	1,028
	7/8	69 5/16	23 13/16	MDTKS72-FT	972	1,006	1,042	1,078
	7/8	75 5/16	23 13/16	MDTKS78-FT	1,008	1,046	1,086	1,126
	7/8	81 5/16	23 13/16	MDTKS84-FT	1,026	1,064	1,104	1,144
	7/8	87 5/16	23 13/16	MDTKS90-FT	1,072	1,113	1,157	1,201
	7/8	93 5/16	23 13/16	MDTKS96-FT	1,118	1,163	1,211	1,259
	7/8	99 5/16	23 13/16	MDTKS102-FT	1,542	1,591	1,643	1,695
	7/8	105 5/16	23 13/16	MDTKS108-FT	1,594	1,647	1,703	1,759

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:


STANDARD



The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL



Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

COM fabric requirement	
Model Number	Yards
MDTKS60	2.00
MDTKS66	2.00
MDTKS72	2.25
MDTKS78	2.50
MDTKS84	2.50
MDTKS90	2.75
MDTKS96	3.00
MDTKS102	3.25
MDTKS108	3.50

Toolrail is silver powder coat finish.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER FABRIC FSC TACKBOARDS

See inside front cover for required option codes


FSC Required **FSC** (+5% COM upcharge)
Not Required **NR**

COM FABRIC REQUIREMENT
All COM must be shipped prepaid to Gunlocke with package side marked with:
• Dealer Name
• Dealer Purchase Order Number
• Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example

MDTKS60-FT.FABRIC	
MDTKS60-FT	FABRIC
MODEL NUMBER	FABRIC

	D	W	H	model number	list
MAIL BOX 	9	14 ⁷ / ₈	1 ³ / ₄	MDTA-PT	93
PHONE CADDY 	10 ³ / ₄	8 ¹⁵ / ₁₆	2 ³ / ₈	MDTA-TS	110
PENCIL AND CD HOLDER 	1 ¹¹ / ₁₆	5 ¹ / ₄	5 ¹ / ₁₆	MDTA-DH	79
CLIP CADDY 	3 ³ / ₈	6 ⁷ / ₈	2 ⁷ / ₁₆	MDTA-AC	71
PERSONAL SHELF 	7 ⁵ / ₁₆	21 ⁵ / ₈	2 ³ / ₈	MDTA-PS	95
PAPER WAVE 	9 ¹⁵ / ₁₆	5 ³ / ₄	8 ⁷ / ₈	MDTA-SS	119
GRIPPER CLIP 	⁷ / ₈	5	1 ¹⁵ / ₁₆	MDTA-PC	95

PRODUCT INFO





All accessories are silver
powder coat finish

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

MDTA-PT
MDTA-PT
MODEL NUMBER

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS	14 ¹⁵ / ₁₆	30	18 ⁵ / ₁₆	MD1HOW30W	1,748	1,836
30" WIDE	14 ¹⁵ / ₁₆	36	18 ⁵ / ₁₆	MD1HOW36W	1,893	1,988
	14 ¹⁵ / ₁₆	42	18 ⁵ / ₁₆	MD1HOW42W	2,207	2,317
72" WIDE	14 ¹⁵ / ₁₆	48	18 ⁵ / ₁₆	MD1HOW48W	2,358	2,476
	14 ¹⁵ / ₁₆	60	18 ⁵ / ₁₆	MD1HOW60W	3,068	3,221
	14 ¹⁵ / ₁₆	66	18 ⁵ / ₁₆	MD1HOW66W	3,231	3,392
(SHOWN WITH NO DOORS)	14 ¹⁵ / ₁₆	72	18 ⁵ / ₁₆	MD1HOW72W	3,459	3,632
90" WIDE	14 ¹⁵ / ₁₆	78	18 ⁵ / ₁₆	MD1HOW78W	3,676	3,860
	14 ¹⁵ / ₁₆	84	18 ⁵ / ₁₆	MD1HOW84W	3,851	4,044
	14 ¹⁵ / ₁₆	90	18 ⁵ / ₁₆	MD1HOW90W	3,949	4,147
	14 ¹⁵ / ₁₆	96	18 ⁵ / ₁₆	MD1HOW96W	4,139	4,411
	14 ¹⁵ / ₁₆	102	18 ⁵ / ₁₆	MD1HOW102W	4,346	4,563
	14 ¹⁵ / ₁₆	108	18 ⁵ / ₁₆	MD1HOW108W	4,562	4,790

PRODUCT INFO

note
Edge profile on front edge only,
sides flat.

Number of doors and door width:
30" W | 2 doors - 14 ³/₈" W
36" W | 2 doors - 17 ³/₈" W
42" W | 4 doors - 10 ¹/₈" W
48" W | 4 doors - 11 ⁵/₈" W
60" W | 4 doors - 14 ⁵/₈" W
66" W | 4 doors - 16 ¹/₈" W
72" W | 4 doors - 17 ⁵/₈" W
78" W | 4 doors - 19 ¹/₈" W
84" W | 6 doors - 13 ¹¹/₁₆" W
90" W | 6 doors - 14 ¹¹/₁₆" W
96" W | 6 doors - 15 ¹¹/₁₆" W
102" W | 6 doors - 16 ¹¹/₁₆" W
108" W | 6 doors - 17 ¹¹/₁₆" W





TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHEDEGELOCKSKEYING

See inside front cover for required option codes

Example

MD1HOW30W.NC701.SF.LY.RMS				
MD1HOW30W	NC701	SF	LY	RMS
MODEL NUMBER	FINISH	EDGE	LOCKS	KEYING

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS PAPER MANAGER 30" WIDE  72" WIDE   (SHOWN WITH NO DOORS) 90" WIDE 	14 ¹⁵ / ₁₆	30	23 ¹³ / ₁₆	MD1HOW30W-PM	2,307	2,422
	14 ¹⁵ / ₁₆	36	23 ¹³ / ₁₆	MD1HOW36W-PM	2,450	2,572
	14 ¹⁵ / ₁₆	42	23 ¹³ / ₁₆	MD1HOW42W-PM	3,138	3,295
	14 ¹⁵ / ₁₆	48	23 ¹³ / ₁₆	MD1HOW48W-PM	3,286	3,450
	14 ¹⁵ / ₁₆	60	23 ¹³ / ₁₆	MD1HOW60W-PM	3,999	4,199
	14 ¹⁵ / ₁₆	66	23 ¹³ / ₁₆	MD1HOW66W-PM	4,161	4,369
	14 ¹⁵ / ₁₆	72	23 ¹³ / ₁₆	MD1HOW72W-PM	4,387	4,606
	14 ¹⁵ / ₁₆	78	23 ¹³ / ₁₆	MD1HOW78W-PM	4,606	4,837
	14 ¹⁵ / ₁₆	84	23 ¹³ / ₁₆	MD1HOW84W-PM	5,152	5,410
	14 ¹⁵ / ₁₆	90	23 ¹³ / ₁₆	MD1HOW90W-PM	5,249	5,511
	14 ¹⁵ / ₁₆	96	23 ¹³ / ₁₆	MD1HOW96W-PM	5,439	5,711
	14 ¹⁵ / ₁₆	102	23 ¹³ / ₁₆	MD1HOW102W-PM	5,648	5,931
	14 ¹⁵ / ₁₆	108	23 ¹³ / ₁₆	MD1HOW108W-PM	5,867	6,161

PRODUCT INFO

note

Edge profile on front edge only,
sides flat.

Dividers are brushed aluminum.

Number of doors and door width:

30" W | 2 doors - 14 ³/₈" W
36" W | 2 doors - 17 ³/₈" W
42" W | 4 doors - 10 ¹/₈" W
48" W | 4 doors - 11 ⁵/₈" W
60" W | 4 doors - 14 ⁵/₈" W
66" W | 4 doors - 16 ¹/₈" W
72" W | 4 doors - 17 ⁵/₈" W
78" W | 4 doors - 19 ¹/₈" W
84" W | 6 doors - 13 ¹¹/₁₆" W
90" W | 6 doors - 14 ¹¹/₁₆" W
96" W | 6 doors - 15 ¹¹/₁₆" W
102" W | 6 doors - 16 ¹¹/₁₆" W
108" W | 6 doors - 17 ¹¹/₁₆" W

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. . . .
MODEL NUMBER FINISH EDGE LOCKS KEYING

See inside front cover for required option codes



Example

MD1HOW30W-PM.NC701.SF.WY.LY.RMS

MD1HOW30W-PM NC701 SF LY RMS
MODEL NUMBER FINISH EDGE LOCKS KEYING

WALL MOUNT SINGLE HIGH CABINETS glass doors

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
ALUMINUM FRAME FROSTED GLASS DOORS CENTER OPENING 60" WIDE 	14 ¹⁵ / ₁₆	60	18 ⁵ / ₁₆	MD1HOW60G	3,529	3,705
	14 ¹⁵ / ₁₆	66	18 ⁵ / ₁₆	MD1HOW66G	3,683	3,868
	14 ¹⁵ / ₁₆	72	18 ⁵ / ₁₆	MD1HOW72G	3,798	3,988
	14 ¹⁵ / ₁₆	78	18 ⁵ / ₁₆	MD1HOW78G	4,169	4,377
	14 ¹⁵ / ₁₆	84	18 ⁵ / ₁₆	MD1HOW84G	4,404	4,624
90" WIDE 	14 ¹⁵ / ₁₆	90	18 ⁵ / ₁₆	MD1HOW90G	4,734	4,971
	14 ¹⁵ / ₁₆	96	18 ⁵ / ₁₆	MD1HOW96G	5,050	5,303
	14 ¹⁵ / ₁₆	102	18 ⁵ / ₁₆	MD1HOW102G	5,355	5,623
	14 ¹⁵ / ₁₆	108	18 ⁵ / ₁₆	MD1HOW108G	5,697	5,982

PRODUCT INFO

note
Edge profile on front edge only,
sides flat.

All doors 14 3/4" wide.

Number of doors and center
opening dimensions:
60" W | 2 doors | Open. = 29 1/4
66" W | 2 doors | Open. = 35 1/4
72" W | 4 doors | Open. = 11 1/4
78" W | 4 doors | Open. = 17 1/4
84" W | 4 doors | Open. = 23 1/4
90" W | 4 doors | Open. = 29 1/4
96" W | 4 doors | Open. = 35 1/4
102" W | 4 doors | Open. = 41 1/4
108" W | 4 doors | Open. = 47 1/4



TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . EDGE

See inside front cover for required option codes

Example

MD1HOW60G.NC701.SF
MODEL NUMBER FINISH EDGE

	D	W	H	model number	veneer 1	veneer 2
NO DOORS	14 ¹ / ₈	30	18 ⁵ / ₁₆	MD1HOW30N	1,611	1,692
60" WIDE 	14 ¹ / ₈	36	18 ⁵ / ₁₆	MD1HOW36N	1,742	1,829
	14 ¹ / ₈	42	18 ⁵ / ₁₆	MD1HOW42N	2,008	2,108
	14 ¹ / ₈	48	18 ⁵ / ₁₆	MD1HOW48N	2,145	2,252
	14 ¹ / ₈	60	18 ⁵ / ₁₆	MD1HOW60N	2,763	2,901
	14 ¹ / ₈	66	18 ⁵ / ₁₆	MD1HOW66N	2,907	3,053
90" WIDE 	14 ¹ / ₈	72	18 ⁵ / ₁₆	MD1HOW72N	3,113	3,269
	14 ¹ / ₈	78	18 ⁵ / ₁₆	MD1HOW78N	3,269	3,432
	14 ¹ / ₈	84	18 ⁵ / ₁₆	MD1HOW84N	3,427	3,598
	14 ¹ / ₈	90	18 ⁵ / ₁₆	MD1HOW90N	3,514	3,689
	14 ¹ / ₈	96	18 ⁵ / ₁₆	MD1HOW96N	3,683	3,868
	14 ¹ / ₈	102	18 ⁵ / ₁₆	MD1HOW102N	3,826	4,018
	14 ¹ / ₈	108	18 ⁵ / ₁₆	MD1HOW108N	4,017	4,218

NOTE: Top depth shrinks on units without doors to achieve standard overhang.
Surface mount cabinet - no doors = 14 ¹/₈ D
Surface mount cabinet - with doors = 14 ¹⁵/₁₆ D

PRODUCT INFO

note
Edge detail on front edge only,
sides flat

TO ORDER PLEASE SPECIFY THE FOLLOWING:

. .
MODEL NUMBER FINISH EDGE

See inside front cover for required option codes

Example

MD1HOW30N.NC701.SF
MD1HOW30N NC701 SF
MODEL NUMBER FINISH EDGE

WALL MOUNT SINGLE HIGH CABINETS

wood frame glass doors

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
WOOD FRAME CLEAR GLASS DOORS	14 15/16	60	18 5/16	MD1HOW60-WFG	3,222	3,383
	14 15/16	66	18 5/16	MD1HOW66-WFG	3,394	3,563
	14 15/16	72	18 5/16	MD1HOW72-WFG	3,631	3,813
	14 15/16	78	18 5/16	MD1HOW78-WFG	3,858	4,051
	14 15/16	84	18 5/16	MD1HOW84-WFG	4,043	4,245
60" WIDE	14 15/16	66	18 5/16	MD1HOW66-WFG	3,394	3,563
	14 15/16	72	18 5/16	MD1HOW72-WFG	3,631	3,813
	14 15/16	78	18 5/16	MD1HOW78-WFG	3,858	4,051
	14 15/16	84	18 5/16	MD1HOW84-WFG	4,043	4,245
	14 15/16	90	18 5/16	MD1HOW90-WFG	4,146	4,353
90" WIDE	14 15/16	96	18 5/16	MD1HOW96-WFG	4,346	4,563
	14 15/16	102	18 5/16	MD1HOW102-WFG	4,562	4,790
	14 15/16	108	18 5/16	MD1HOW108-WFG	4,791	5,031

PRODUCT INFO

note
Edge profile on front edge only,
sides flat.

All doors 14 3/4" wide.

Number of doors and center
opening dimensions:
60" W | 2 doors | Open. = 29 1/4
66" W | 2 doors | Open. = 35 1/4
72" W | 4 doors | Open. = 11 1/4
84" W | 4 doors | Open. = 23 1/4
90" W | 4 doors | Open. = 29 1/4
96" W | 4 doors | Open. = 35 1/4
102" W | 4 doors | Open. = 41 1/4
108" W | 4 doors | Open. = 47 1/4




TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHEDEGELOCKSKEYING

See inside front cover for required option codes

Example

MD1HOW60-WFG.NC701.SF.LY.RMS
MODEL NUMBERFINISHEDEGELOCKSKEYING

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS	14 ¹⁵ / ₁₆	30	31 ¹¹ / ₁₆	MD2HOW30W	2,748	2,886
30" WIDE						
	14 ¹⁵ / ₁₆	36	31 ¹¹ / ₁₆	MD2HOW36W	2,798	2,938
	14 ¹⁵ / ₁₆	42	31 ¹¹ / ₁₆	MD2HOW42W	2,913	3,059
	14 ¹⁵ / ₁₆	48	31 ¹¹ / ₁₆	MD2HOW48W	3,026	3,177
72" WIDE						
	14 ¹⁵ / ₁₆	60	31 ¹¹ / ₁₆	MD2HOW60W	3,634	3,816
	14 ¹⁵ / ₁₆	66	31 ¹¹ / ₁₆	MD2HOW66W	3,772	3,961
	14 ¹⁵ / ₁₆	72	31 ¹¹ / ₁₆	MD2HOW72W	4,312	4,527
(SHOWN WITH NO DOORS)						
	14 ¹⁵ / ₁₆	84	31 ¹¹ / ₁₆	MD2HOW84W	4,743	4,981
90" WIDE						
	14 ¹⁵ / ₁₆	90	31 ¹¹ / ₁₆	MD2HOW90W	4,959	5,207

PRODUCT INFO

note

Edge profile on front edge only, sides flat.

Fixed shelf behind doors.

Number of doors and door width:

30" W | 2 doors - 14 ³/₈" W

36" W | 2 doors - 17 ³/₈" W

42" W | 4 doors - 10 ¹/₈" W

48" W | 4 doors - 11 ⁵/₈" W

60" W | 4 doors - 14 ⁵/₈" W

66" W | 4 doors - 16 ³/₈" W

72" W | 4 doors - 17 ⁵/₈" W

84" W | 6 doors - 13 ¹¹/₁₆" W

90" W | 6 doors - 14 ¹¹/₁₆" W

TO ORDER PLEASE SPECIFY THE FOLLOWING:





. . . .
MODEL NUMBER **FINISH** **EDGE** **LOCKS** **KEYING**

See inside front cover for required option codes

Example

MD2HOW30W.NC701.SF.LY.RMS

MD2HOW30W NC701 SF LY RMS
MODEL NUMBER FINISH EDGE LOCKS KEYING

	D	W	H	model number	veneer 1	veneer 2
ALL WOOD DOORS PAPER MANAGER 30" WIDE  72" WIDE   (SHOWN WITH NO DOORS) 90" WIDE 	14 ¹⁵ / ₁₆	30	37 ³ / ₁₆	MD2HOW30W-PM	3,304	3,469
	14 ¹⁵ / ₁₆	36	37 ³ / ₁₆	MD2HOW36W-PM	3,357	3,525
	14 ¹⁵ / ₁₆	42	37 ³ / ₁₆	MD2HOW42W-PM	3,842	4,034
	14 ¹⁵ / ₁₆	48	37 ³ / ₁₆	MD2HOW48W-PM	3,959	4,157
	14 ¹⁵ / ₁₆	60	37 ³ / ₁₆	MD2HOW60W-PM	4,562	4,790
	14 ¹⁵ / ₁₆	66	37 ³ / ₁₆	MD2HOW66W-PM	4,702	4,938
	14 ¹⁵ / ₁₆	72	37 ³ / ₁₆	MD2HOW72W-PM	5,243	5,505
	14 ¹⁵ / ₁₆	84	37 ³ / ₁₆	MD2HOW84W-PM	6,046	6,348
	14 ¹⁵ / ₁₆	90	37 ³ / ₁₆	MD2HOW90W-PM	6,262	6,575

PRODUCT INFO

note
Edge profile on front edge only,
sides flat.

Fixed shelf behind doors.

Dividers are brushed aluminum.

Number of doors and door width:

- 30" W | 2 doors - 14 ³/₈" W
- 36" W | 2 doors - 17 ³/₈" W
- 42" W | 4 doors - 10 ¹/₈" W
- 48" W | 4 doors - 11 ⁵/₈" W
- 60" W | 4 doors - 14 ⁵/₈" W
- 66" W | 4 doors - 16 ¹/₈" W
- 72" W | 4 doors - 17 ⁵/₈" W
- 84" W | 6 doors - 13 ¹¹/₁₆" W
- 90" W | 6 doors - 14 ¹¹/₁₆" W



TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHEDEGELOCKSKEYING

See inside front cover for required option codes

Example

MD2HOW30W-PM.NC701.SF.LY.RMS				
MD2HOW30W-PM	NC701	SF	LY	RMS
MODEL NUMBER	FINISH	EDGE	LOCKS	KEYING

	D	W	H	model number	veneer 1	veneer 2
ALUMINUM FRAME FROSTED GLASS DOORS CENTER OPENING 60" WIDE 	14 ¹⁵ / ₁₆	60	31 ¹¹ / ₁₆	MD2HOW60G	4,248	4,460
	14 ¹⁵ / ₁₆	66	31 ¹¹ / ₁₆	MD2HOW66G	4,432	4,653
	14 ¹⁵ / ₁₆	72	31 ¹¹ / ₁₆	MD2HOW72G	4,617	4,848
	14 ¹⁵ / ₁₆	78	31 ¹¹ / ₁₆	MD2HOW78G	4,915	5,161
	14 ¹⁵ / ₁₆	84	31 ¹¹ / ₁₆	MD2HOW84G	5,031	5,283
90" WIDE 	14 ¹⁵ / ₁₆	90	31 ¹¹ / ₁₆	MD2HOW90G	5,308	5,573

PRODUCT INFO

note
Edge profile on front edge only,
sides flat.

Fixed shelf behind doors.

All doors 14 3/4" wide

Number of doors and center
opening dimensions:
60" W | 2 doors | Open. = 29 1/4
66" W | 2 doors | Open. = 35 1/4
72" W | 4 doors | Open. = 11 1/4
78" W | 4 doors | Open. = 17 1/4
84" W | 4 doors | Open. = 23 1/4
90" W | 4 doors | Open. = 29 1/4

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . EDGE

See inside front cover for required option codes

Example

MD2HOW60G.NC701.SF

MD2HOW60GNC701SF

MODEL NUMBERFINISHEDGE

WALL MOUNT DOUBLE HIGH CABINETS no doors

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
NO DOORS	14 1/8	30	31 11/16	MD2HOW30N	2,526	2,652
60" WIDE	14 1/8	36	31 11/16	MD2HOW36N	2,576	2,705
	14 1/8	42	31 11/16	MD2HOW42N	2,650	2,783
	14 1/8	48	31 11/16	MD2HOW48N	2,755	2,893
90" WIDE	14 1/8	60	31 11/16	MD2HOW60N	3,270	3,433
	14 1/8	66	31 11/16	MD2HOW66N	3,395	3,564
	14 1/8	72	31 11/16	MD2HOW72N	3,880	4,074
	14 1/8	84	31 11/16	MD2HOW84N	4,224	4,435
	14 1/8	90	31 11/16	MD2HOW90N	4,414	4,634

NOTE: Top depth shrinks on units without doors to achieve standard overhang.
Surface mount cabinet - no doors = 14 1/8 D
Surface mount cabinet - with doors = 14 15/16 D

PRODUCT INFO

note
Edge detail on front edge only, sides flat.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHEGE

See inside front cover for required option codes

Example

MD2HOW30N.NC701.SF
MD2HOW30NNC701SF
MODEL NUMBERFINISHEGE

	D	W	H	model number	veneer 1	veneer 2
WOOD FRAME CLEAR GLASS DOORS 60" WIDE  90" WIDE 	14 ¹⁵ / ₁₆	60	31 ¹¹ / ₁₆	MD2HOW60-WFG	3,817	4,008
	14 ¹⁵ / ₁₆	66	31 ¹¹ / ₁₆	MD2HOW66-WFG	3,961	4,159
	14 ¹⁵ / ₁₆	72	31 ¹¹ / ₁₆	MD2HOW72-WFG	4,528	4,754
	14 ¹⁵ / ₁₆	78	31 ¹¹ / ₁₆	MD2HOW78-WFG	4,734	4,971
	14 ¹⁵ / ₁₆	84	31 ¹¹ / ₁₆	MD2HOW84-WFG	4,980	5,229
	14 ¹⁵ / ₁₆	90	31 ¹¹ / ₁₆	MD2HOW90-WFG	5,208	5,468

PRODUCT INFO

note
Edge profile on front edge
only, sides flat.

Fixed shelf behind doors.

All doors 14 3/4" wide

Number of doors and center
opening dimensions:
60" W | 2 doors | Open. = 29 1/4"
66" W | 2 doors | Open. = 35 1/4"
72" W | 4 doors | Open. = 11 1/4"
84" W | 4 doors | Open. = 23 1/4"
90" W | 4 doors | Open. = 29 1/4"




TO ORDER PLEASE SPECIFY THE FOLLOWING:

. . . .
MODEL NUMBER FINISH EDGE LOCKS KEYING

See inside front cover for required option codes

Example

MD2HOW60-WFG.NC701.SF.LY.RMS
MD2HOW60-WFG NC701 SF LY RMS
MODEL NUMBER FINISH EDGE LOCKS KEYING

	D	W	H	model number	veneer 1	veneer 2
30" WIDE HUTCH	14	29 1/8	42 1/4	MD1HHT30	1,602	1,683
						
36" WIDE HUTCH	14	35 1/8	42 1/4	MD1HHT36	1,756	1,844
						
72" WIDE HUTCH	14	71 1/8	42 1/4	MD1HHT72	2,515	2,640
						

PRODUCT INFO

note
Edge detail on front edge
only, sides flat.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHEGE

See inside front cover for required option codes

Example

MD1HHT30.NC701.SF

MD1HHT30NC701SF

MODEL NUMBERFINISHEGE

	D	W	H	model number	fabric grades COM / 1 2 3 4			
TACKBOARD 	$\frac{7}{8}$	30	$23 \frac{13}{16}$	MDTKWM30	502	517	533	549
	$\frac{7}{8}$	36	$23 \frac{13}{16}$	MDTKWM36	526	545	565	585
	$\frac{7}{8}$	42	$23 \frac{13}{16}$	MDTKWM42	552	575	599	623
	$\frac{7}{8}$	48	$23 \frac{13}{16}$	MDTKWM48	563	586	610	634
	$\frac{7}{8}$	60	$23 \frac{13}{16}$	MDTKWM60	612	642	674	706
	$\frac{7}{8}$	66	$23 \frac{13}{16}$	MDTKWM66	623	653	685	717
	$\frac{7}{8}$	72	$23 \frac{13}{16}$	MDTKWM72	649	683	719	755
	$\frac{7}{8}$	78	$23 \frac{13}{16}$	MDTKWM78	672	710	750	790
	$\frac{7}{8}$	84	$23 \frac{13}{16}$	MDTKWM84	684	722	762	802
	$\frac{7}{8}$	90	$23 \frac{13}{16}$	MDTKWM90	713	754	798	842
	$\frac{7}{8}$	96	$23 \frac{13}{16}$	MDTKWM96	745	790	838	886
	$\frac{7}{8}$	102	$23 \frac{13}{16}$	MDTKWM102	1,028	1,077	1,129	1,181
	$\frac{7}{8}$	108	$23 \frac{13}{16}$	MDTKWM108	1,062	1,115	1,171	1,227

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

COM fabric requirement	
Model Number	Yards
MDTKWM30	1.00
MDTKWM36	1.25
MDTKWM42	1.50
MDTKWM48	1.50
MDTKWM60	2.00
MDTKWM66	2.00
MDTKWM72	2.25
MDTKWM78	2.50
MDTKWM84	2.50
MDTKWM90	2.75
MDTKWM96	3.00
MDTKWM102	3.25
MDTKWM108	3.50

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FABRIC	FSC TACKBOARD

See inside front cover for required option codes

FSC Required **FSC** (+5% COM upcharge)
Not Required **NR**

COM FABRIC REQUIREMENT
All COM must be shipped prepaid to Gunlocke with package side marked with:
• Dealer Name
• Dealer Purchase Order Number
• Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example

MDTKWM30.FABRIC
MDTKWM30 FABRIC
MODEL NUMBER FABRIC

	D	W	H	model number	fabric grades			
					COM / 1	2	3	4
TACKBOARD 	7/8	30	18 3/8	MDTKWM30-PM	502	517	533	549
	7/8	36	18 3/8	MDTKWM36-PM	526	545	565	585
	7/8	42	18 3/8	MDTKWM42-PM	552	575	599	623
	7/8	48	18 3/8	MDTKWM48-PM	563	586	610	634
	7/8	60	18 3/8	MDTKWM60-PM	612	642	674	706
	7/8	66	18 3/8	MDTKWM66-PM	623	653	685	717
	7/8	72	18 3/8	MDTKWM72-PM	649	683	719	755
	7/8	78	18 3/8	MDTKWM78-PM	672	710	750	790
	7/8	84	18 3/8	MDTKWM84-PM	684	722	762	802
	7/8	90	18 3/8	MDTKWM90-PM	713	754	798	842
	7/8	96	18 3/8	MDTKWM96-PM	745	790	838	886
	7/8	102	18 3/8	MDTKWM102-PM	1,028	1,077	1,129	1,181
	7/8	108	18 3/8	MDTKWM108-PM	1,062	1,115	1,171	1,227

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

note
For use with wall mount cabinets
listed on pages 147, 152.

For use with paper management
units only.

COM fabric requirement

Model Number	Yards
MDTKWM30-PM	1.00
MDTKWM36-PM	1.25
MDTKWM42-PM	1.50
MDTKWM48-PM	1.50
MDTKWM60-PM	2.00
MDTKWM66-PM	2.00
MDTKWM72-PM	2.25
MDTKWM78-PM	2.50
MDTKWM84-PM	2.50
MDTKWM90-PM	2.75
MDTKWM96-PM	3.00
MDTKWM102-PM	3.25
MDTKWM108-PM	3.50

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFABRICFSC TACKBOARD

See inside front cover for
required option codes

FSC Required FSC (+5% COM upcharge)
Not Required NR


COM FABRIC REQUIREMENT
All COM must be shipped prepaid to
Gunlocke with package side marked with:
• Dealer Name
• Dealer Purchase Order Number
• Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example

MDTKWM30-PM.FABRIC
MDTKWM30-PM FABRIC
MODEL NUMBER FABRIC

WALL MOUNT TACKBOARDS WITH TOOLRAIL

	D	W	H	model number	fabric grades COM / 1 2 3 4			
7 13/16" HIGH TOOLRAIL								
16" HIGH TACKBOARD								
	7/8	60	23 13/16	MDTKWM60-FT	920	950	982	1,014
	7/8	66	23 13/16	MDTKWM66-FT	934	964	996	1,028
	7/8	72	23 13/16	MDTKWM72-FT	972	1,006	1,042	1,078
	7/8	78	23 13/16	MDTKWM78-FT	1,008	1,046	1,086	1,125
	7/8	84	23 13/16	MDTKWM84-FT	1,026	1,064	1,104	1,144
	7/8	90	23 13/16	MDTKWM90-FT	1,072	1,113	1,157	1,201
	7/8	96	23 13/16	MDTKWM96-FT	1,118	1,163	1,211	1,259
	7/8	102	23 13/16	MDTKWM102-FT	1,542	1,591	1,643	1,695
	7/8	108	23 13/16	MDTKWM108-FT	1,594	1,647	1,703	1,759

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

COM fabric requirement

Model Number	Yards
MDTKWM60	2.00
MDTKWM66	2.00
MDTKWM72	2.25
MDTKWM78	2.50
MDTKWM84-FT	2.50
MDTKWM90-FT	2.75
MDTKWM96-FT	3.00
MDTKWM102-FT	3.25
MDTKWM108-FT	3.50

Toolrail is silver powder coat finish

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FABRIC	FSC TACKBOARD

See inside front cover for required option codes


FSC Required FSC (+5% COM upcharge)
Not Required NR

COM FABRIC REQUIREMENT
All COM must be shipped prepaid to Gunlocke with package side marked with:
• Dealer Name
• Dealer Purchase Order Number
• Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example

MDTKWM60-FT.FABRIC
MDTKWM60-FT FABRIC
MODEL NUMBER FABRIC

	D	W	H	model number	list
MAIL BOX 	9	14 ⁷ / ₈	1 ³ / ₄	MDTA-PT	93
PHONE CADDY 	10 ³ / ₄	8 ¹⁵ / ₁₆	2 ³ / ₈	MDTA-TS	110
PENCIL AND CD HOLDER 	1 ¹ / ₁₆	5 1/4	5 ¹ / ₁₆	MDTA-DH	79
CLIP CADDY 	3 ³ / ₈	6 ⁷ / ₈	2 ⁷ / ₁₆	MDTA-AC	71
PERSONAL SHELF 	7 ⁵ / ₁₆	21 ⁵ / ₈	2 ³ / ₈	MDTA-PS	95
PAPER WAVE 	9 ¹⁵ / ₁₆	5 ³ / ₄	8 ⁷ / ₈	MDTA-SS	119
GRIPPER CLIP 	⁷ / ₈	5	1 ¹⁵ / ₁₆	MDTA-PC	95

PRODUCT INFO

note
All accessories are silver
powder coat finish

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

MDTA-PT
MDTA-PT
MODEL NUMBER

FLUORESCENT TASKLIGHTS

	D	W	H	model number	list
STANDARD PLUG	7	24	1 ³ / ₈	ACLSP24	227
	7	36	1 ³ / ₈	ACLSP36	244
	7	48	1 ³ / ₈	ACLSP48	274
	7	60	1 ³ / ₈	ACLSP60	313
	• Open Market				
FUSED CORD	7	24	1 ³ / ₈	ACLFC24	299
	7	36	1 ³ / ₈	ACLFC36	313
	7	48	1 ³ / ₈	ACLFC48	341
	7	60	1 ³ / ₈	ACLFC60	383
	• Open Market				
STANDARD PLUG	7	24	1 ³ / ₈	ACLSP24-GSA	343
	7	36	1 ³ / ₈	ACLSP36-GSA	372
	7	48	1 ³ / ₈	ACLSP48-GSA	406
	7	60	1 ³ / ₈	ACLSP60-GSA	417
	• GSA Compliant				
FUSED CORD	7	24	1 ³ / ₈	ACLFC24-GSA	440
	7	36	1 ³ / ₈	ACLFC36-GSA	468
	7	48	1 ³ / ₈	ACLFC48-GSA	503
	7	60	1 ³ / ₈	ACLFC60-GSA	514
	• GSA Compliant				

PRODUCT INFO


note
All tasklights include 9' cord.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

ACLSP24
ACLSP24
MODEL NUMBER

	D	W	H	model number	list
STANDARD					
	3	24	1	ACLED24	245
	3	36	1	ACLED36	265
	3	48	1	ACLED48	297
	3	60	1	ACLED60	339

Product specs are listed below:
LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug.

- Chicago compliant
- Frosted diffuser creates a softer light & eliminates hot spots
- Rocker switch
- 120V AC with built-in power supply
- Average life of 50,000 hours

Size	Voltage	Wattage (W)	Luminous Flux (Lm)
24" Light	AC 100-240V	9	1150
36" Light	AC 100-240V	12	2100
48" Light	AC 100-240V	16	2760
60" Light	AC 100-240V	21	3060

PRODUCT INFO

See product specs above

TASKLIGHT IS
OPEN MARKET

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

ACLED24
ACLED24
MODEL NUMBER

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a full page of blank, lined paper. It features approximately 28 horizontal blue or grey lines spaced evenly apart, typical of notebook paper. The lines extend across the entire width of the page, leaving small margins at the top and bottom. There are no vertical lines, text, or other markings on the page.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

Modular Components179-208

Modular component reference 180-185

Worksurfaces..... 186-188

Pedestals.....189-191

Pedestal back panels 192

Modesty panels..... 193-195

Support components..... 196-199

Wall access panels1200-203

MODULAR COMPONENTS

Key Notes

- All below worksurface modular components are completely universal with all unitized Medley products produced after January 1, 2003. All modular components are non-handed, re-configurable and non-defacing.
- Modular components are comprised of 4 primary groups: worksurfaces, pedestals, support units and modesty panels.
- All modular components include assembly hardware.
Note: If spanning a distance of 48" or greater with no modesty panel an intermediate support is required.

WORKSURFACES

- All worksurfaces are profiled on all sides.
- All worksurfaces are non-handed
- To reduced gaps between worksurfaces and accommodate optimum modularity five edge details are recommended (Softened, Lacuna, Kerf, Trioval and Double Flute)




Rectangular




Bow Front


24" Deep




30" Deep




36" Deep



- Pedestals do not include back panel. Pedestal back panels #MDPB or filler strips #MDPF ordered separately. Plastic attachment clips allow back panels and fillers strip to be easily removed.
- Pedestal ganging bracket #MDPGANG is recommended when ganging wood pedestals side by side.



PRINTER PEDESTAL





- Inside dimensions:
Printer shelf: 22"W x 17 1/2"D x 12 1/8"H
Paper box: 22"W x 16"D x 9 1/4"H

SUPPORT UNITS

Support components are comprised of 7 primary groups




Flat end panels – models # starting with MDEP.

- Used to support the end of worksurface when used with a modesty panel. Units are $\frac{3}{4}$ " shorter than worksurface to accommodate thickness of modesty panel.
- **Note** pedestals can not be placed directly next to flat end panels. Assembly hardware will cause interference.





"L" shape support panels – models # starting with MDSL.

- L-shaped support units are for use in creating single pedestal credenza units. Additional support is required when spanning distances of 48" or greater of unsupported worksurface. These L-support panel components are not recommended for use in creating a shell situation with (2) supports on either end.
- Used to support the end of a worksurface when a modesty panel is not required. Units are same depth as worksurface. Units are configured in field to create left or right hand unit.
- Calculating when intermediate supports or "T" Shape intermediate supports are required. (model #MDSI24 & MDSWK12)
- To calculate when intermediate supports are required subtract sum of support unit and pedestal widths from overall length of worksurface the units are supporting. For example "L Support width 15" and "FF pedestal width 15" used to support 84" worksurface.
 $84 - (15+15) = 54"$ of unsupported area. Unit requires support panel.




Recommended Support Examples



Inadequate Support Examples

Intermediate support – model #MDSWK12.

- Required when a unit with a modesty panel spans a distance of greater than 48" between support units or pedestals. Unit connects to modesty panel and bottom of worksurface to provide additional support to worksurface.




SUPPORT UNITS

(continued)



"T" Shape intermediate support –
model # MDSI24.

- Required when a unit without a modesty panel spans a distance of greater than 48" between support units or pedestals.



Worksurface junction support –
model # MDSWJ24.



- Required at the junction of two worksurfaces in longer spans when a pedestal is not used as support at the junction.



"T" Shape end support

– model #MDST.

- Used to support the end of a worksurface when a modesty panel is NOT REQUIRED. Units are the same depth as worksurface.




Can also be used to support the end of a U
Racetrack Worksurface.

SUPPORT UNITS

(continued)

Wall mounting brackets – models #MDWLBK24 & MDWLBK30 and cantilever


- **Note** – Gunlocke is not responsible for installation or security of wall mount bracket and worksurface to the wall. Installer is responsible for securely attaching brackets to wall, selecting appropriate fastener for wall condition and assuring the wall is appropriately reinforced and blocked.
- Wall mount brackets are not be used for supporting surface mount cabinets or towers. Overhead storage should be accommodated with wall mount cabinets.
- Suggested wall mount bracket specification:
- Wall mount brackets should be specified to begin 2 1/2" from worksurface corners and no greater span than 30" in line between bracket or support unit/storage pedestal.
- 24" wall mount brackets #MDWLBK24 are to be used at the end/run parallel with depth of 24" depth tops.
- 30" wall mount brackets #MDWLBK30 are to be used at the end/run parallel with depth of 30" depth tops.



MODESTY PANELS


Desk and credenza modesty panels

- designed to span the full width of a desk or credenza. Desk and credenza modesty panels can only be used for desks and credenzas. Modesty panels are flat and flush across the back of a credenza or the front of a desk. Note - when spanning a distance of greater than 48" an intermediate support is recommended.




Bridge modesty panels

- optional when building a modular bridge. Bridge modesty panels can only be used for bridge units. Note - when spanning a distance of greater than 48" an intermediate support is recommended.




Return modesty panels

- optional when building a modular return. Return modesty panels can only be used for return units. Note - when spanning a distance of greater than 48" an intermediate support is recommended.




WALL ACCESS PANELS


Credenza wall access panels



Bridge wall access panels




Return wall access panels



DOUBLE PEDESTAL DESK

Recessed back panel

- A. MDWR3672
- B. MDPM3015-3
- C. MDPM3015-2
- D. MDMDC72




Recessed back panel

SINGLE PEDESTAL DESK

Recessed back panel

- A. MDWR3672
- B. MDPM3015-3
- C. MDEP30
- D. MDMDC72



Recessed back panel


BRIDGE UNITS

With modesty panel


- A. MDWR2442
- B. MDMB42

Without modesty panel

- C. MDWR2442
- D. MDS124



With modesty panel



Without modesty panel


RETURN UNITS

With modesty panel


- A. MDWR2448
- B. MDPM2415-2
- C. MDMR48

Without modesty panel

- D. MDWR2448
- E. MDPM2415-2
- F. MDPB15



With modesty panel



Without modesty panel


SINGLE PEDESTAL CREENZA UNITS

With modesty panel


- A. MDWR2472
- B. MDEP24
- C. MDPM2415-2
- D. MDMD72

Without modesty panel

- E. MDWR2472
- F. MDSLLH24
- G. MDPM2415-2
- H. MDPB15



With modesty panel



Without modesty panel


DOUBLE PEDESTAL CREENZA UNITS

With modesty panel


- A. MDWR2472
- B. MDPM2415-3
- C. MDPM2415-2
- D. MDMD72

Without modesty panel

- E. MDWR2472
- F. MDPM2415-3
- G. MDPM2415-2
- H. MDPB15 (qty2)



With modesty panel



Without modesty panel

**Note: Medley modular components
will not accommodate full bank
storage credenzas.**

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR	36	72	1 ⁵ / ₁₆	MDWR3672	1,237	1,299



BOW FRONT	42	72	1 ⁵ / ₁₆	MDWB4272	1,673	1,757
-----------	----	----	--------------------------------	----------	-------	-------



PRODUCT INFO

note
Grain runs parallel with width.

Grommets & powerports should not be specified over modular pedestals.

Grommets & powerports included when specified.

Powerport is 2 power plus 2 data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMET

See inside front cover for required option codes

- Grommet (Add \$70 each)
- No GrommetGN
- LeftSilverGLS
- LeftBlackGLB
- RightSilverGRS
- RightBlackGRB
- Left & RightSilverGBS
- Left & RightBlackGBB
- Powerport (add \$419)
- LeftSilverAPL
- RightSilverAPR

Example

MDWR3672	NC701	FF	SF	GBS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR 	30	30	1 5/16	MDWR3030	838	880
	30	36	1 5/16	MDWR3036	866	909
	30	42	1 5/16	MDWR3042	901	946
	30	48	1 5/16	MDWR3048	924	970
	30	54	1 5/16	MDWR3054	961	1,009
	30	60	1 5/16	MDWR3060	983	1,032
	30	66	1 5/16	MDWR3066	1,046	1,098
	30	72	1 5/16	MDWR3072	1,075	1,129
	30	78	1 5/16	MDWR3078	1,112	1,168
	30	84	1 5/16	MDWR3084	1,140	1,197
	30	90	1 5/16	MDWR3090	1,252	1,314

PRODUCT INFO

note
Grain runs parallel with width

spec tip
Note: Not for use with 24" depth pedestals and grommets. Grommets will fall outside of pedestal, contact customer service for special.

When specifying grommets use 30" depth pedestals.

Grommets & powerports should not be specified over modular pedestals.

Grommets & powerports included when specified

Powerport is 2 power plus 2 data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMET

See inside front cover for required option codes


Grommet (Add \$70 each)				
No Grommet		GN		
Left	Silver	GLS	Powerport	(add \$419)
Left	Black	GLB	Left	Silver APL
Center	Silver	GCS	Center	Silver APC
Center	Black	GCB	Right	Silver APR
Right	Silver	GRS		
Right	Black	GRB		
Left & Right	Silver	GBS		
Left & Right	Black	GBB		
Center, Left & Right	Silver	GAS		
Center, Left & Right	Black	GAB		

Example


MDWR3030.NC701.FF.SF.GCS				
MDWR3030	NC701	FF	SF	GCS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

	D	W	H	model number	veneer 1	veneer 2
RECTANGULAR 	24	30	1 5/16	MDWR2430	742	779
	24	36	1 5/16	MDWR2436	763	801
	24	42	1 5/16	MDWR2442	798	838
	24	48	1 5/16	MDWR2448	817	858
	24	54	1 5/16	MDWR2454	849	892
	24	60	1 5/16	MDWR2460	865	908
	24	66	1 5/16	MDWR2466	923	969
	24	72	1 5/16	MDWR2472	944	991
	24	78	1 5/16	MDWR2478	981	1,030
	24	84	1 5/16	MDWR2484	1,019	1,070
	24	90	1 5/16	MDWR2490	1,088	1,142
	24	96	1 5/16	MDWR2496	1,235	1,297
	24	102	1 5/16	MDWR24102	1,337	1,404
	24	108	1 5/16	MDWR24108	1,451	1,523
	24	114	1 5/16	MDWR24114	1,565	1,644
	24	120	1 5/16	MDWR24120	1,682	1,766

GRAIN DIRECTION OPTION



VLG - Standard veneer direction



VST - Cross/Short veneer direction

Note: MDWR2430 not for use with a multifile pedestal

- Veneer direction option NOT available on tops greater than 84" wide

PRODUCT INFO

note
MDWR2430 Not for use with multifile pedestal.

Grommets & powerports should not be specified over modular pedestals.

Grommets & powerports included when specified

Powerport is 2 power plus 2 data with a standard plug.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHVENEER DIRECTIONEDGEGROMMET

See inside front cover for required option codes	Grommet (Add \$70 each)		Powerport Left Center Right	(add \$419) Silver Silver Silver	APL APC APR
	No Grommet				
	Left	Silver			
	Left	Black			
	Center	Silver			
	Center	Black			
	Right	Silver			
	Right	Black			
	Left & Right	Silver			
	Left & Right	Black			
	Center, Left & Right	Silver			
	Center, Left & Right	Black			

Example


MDWR2430.NC701.FF.VST.SF.GCS					
MDWR2430	NC701	FF	VST	SF	GCS
MODEL NUMBER	FINISH	TOP UV FINISH	VENEER DIRECTION	EDGE	GROMMET

WORKSURFACE AND WALL MOUNTING BRACKETS


	D	W	H	model number	list
MODULAR WORKSURFACE CONNECTION BRACKET	3 1/4	16 1/2	1/8	MDWBRK	71



WALL MOUNTING BRACKET	2 1/2	19	1 1/4	MDWLBK24	73
Note: For use with 24" worksurface.					
	2 1/2	25	1 1/4	MDWLBK30	80
Note: For use with 30" worksurface.					



WALL MOUNT BRACKET	3 1/8	20 3/16	7 1/8	ACWCB20	145
• For use with 24" tops to provide support on an end condition					
	3 1/8	15 3/16	7 1/8	ACWCB15	135
• For use with 24" tops to provide support on center as an alternative to a T-bracket					



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

MDWBRK
MDWBRK
MODEL NUMBER

		D	W	H	model number	veneer 1	veneer 2
24" DEPTH FILE FILE		23 1/16	15 7/16	27 11/16	MDPM2415-2	1,715	1,801
BOX BOX FILE		23 1/16	15 7/16	27 11/16	MDPM2415-3	1,715	1,801
30" DEPTH FILE FILE		29 1/16	15 7/16	27 11/16	MDPM3015-2	1,807	1,898
BOX BOX FILE		29 1/16	15 7/16	27 11/16	MDPM3015-3	1,807	1,898
LATERAL FILE		29 1/16	35 3/4	27 11/16	MDPM3036-4	2,450	2,572

PRODUCT INFO

pedestal code:
2 = File File
3 = Box Box File
4 = Lateral

Modular pedestals will not
accommodate full bank
credenzas.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . PULL . KEYING

See inside front cover for required option codes

Example

MDPM2415-2.NC701.ARS.RMS

MDPM2415-2

NC701

ARS

RMS

MODEL NUMBER FINISH PULL KEYING

		D	W	H	model number	veneer 1	veneer 2
24" WIDTH							
PRINTER PEDESTAL		23 1/16	23 3/4	27 11/16	MDPM2424-P	1,812	1,903
		• Printer shelf: 22"W x 17 1/2"D x 12 1/8"H inside dimensions • Paper box: 22"W x 16"D x 9 1/4"H inside dimensions					
30" WIDTH							
LATERAL		23 1/16	29 3/4	27 11/16	MDPM2430-4	1,957	2,055
BOX BOX LATERAL		23 1/16	29 3/4	27 11/16	MDPM2430-7	2,163	2,271
MULTIFILE RIGHT		23 1/16	30 7/8	27 11/16	MDPM2430-MFR	2,283	2,397
MULTIFILE LEFT		23 1/16	30 7/8	27 11/16	MDPM2430-MFL	2,283	2,397
HINGED DOORS		23 1/16	29 3/4	27 11/16	MDPM2430-5	1,727	1,814
OPEN ADJUSTABLE SHELF		23 1/16	29 3/4	27 11/16	MDPM2430-SH	1,586	1,666
36" WIDTH							
LATERAL		23 1/16	35 3/4	27 11/16	MDPM2436-4	2,203	2,313
BOX BOX LATERAL		23 1/16	35 3/4	27 11/16	MDPM2436-7	2,301	2,416
HINGED DOORS		23 1/16	35 3/4	27 11/16	MDPM2436-5	2,031	2,133
OPEN ADJUSTABLE SHELF		23 1/16	35 3/4	27 11/16	MDPM2436-SH	1,776	1,865

PRODUCT INFO

spec tip
Model numbers
MDPM2430-MFR and
MDPM2430-MFL are not for
use with MDWR2430

pedestal code:
4 = Lateral
5 = Hinged Doors
7 = Box Box Lateral
MFR = Box Box File | Lateral
MFL = File Box Box | Lateral
SH = Open shelf
P = Printer Pedestal

Modular pedestals will not
accommodate full bank
credenzas.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	PULL	KEYING

See inside front cover
for required option codes

Note:
The following pulls are NOT available on printer pedestal.
TBS - Tab Silver
TBB - Tab Black
WVS - Wave Silver

Example

MDPM2430-4.NC701.ARS.RMS
MDPM2430-4 NC701 ARS RMS
MODEL NUMBER FINISH PULL KEYING


	D	W	H	model number	veneer 1	veneer 2
15" PEDESTAL BACK PANEL	$\frac{3}{4}$	$15 \frac{7}{16}$	$27 \frac{11}{16}$	MDPB15	416	436
30" PEDESTAL BACK PANEL	$\frac{3}{4}$	$29 \frac{3}{4}$	$27 \frac{11}{16}$	MDPB30	489	513
MF PEDESTAL BACK PANEL MULTIFILE PEDESTAL ONLY	$\frac{3}{4}$	$30 \frac{7}{8}$	$27 \frac{11}{16}$	MDPB30-MF	489	513
36" PEDESTAL BACK PANEL	$\frac{3}{4}$	$35 \frac{3}{4}$	$27 \frac{11}{16}$	MDPB36	507	533



FILLER STRIP	$\frac{3}{4}$	2	$27 \frac{11}{16}$	MDPF	40	42
--------------	---------------	---	--------------------	------	----	----



PEDESTAL GANGING BRACKET	$5 \frac{1}{2}$	$1 \frac{1}{2}$	$1 \frac{1}{2}$	MDPGANG	54	
-----------------------------	-----------------	-----------------	-----------------	---------	----	--



PRODUCT INFO

note
Filler strip
Required when pedestal is used against wall without back panel. Strip fills gap between pedestal and wall.

Pedestal Ganging Bracket
Application: Required when placing modular pedestals side by side. Specify model number only

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH


See inside front cover for required option codes

Example

MDPB15.NC701

MDPB15 . NC701

MODEL NUMBER . FINISH

	D	W	H	model number	veneer 1	veneer 2
RETURN MODESTY PANEL	$\frac{3}{4}$	30	$27 \frac{11}{16}$	MDMR30	522	549
	$\frac{3}{4}$	36	$27 \frac{11}{16}$	MDMR36	572	601
	$\frac{3}{4}$	42	$27 \frac{11}{16}$	MDMR42	610	641
	$\frac{3}{4}$	48	$27 \frac{11}{16}$	MDMR48	646	679
	$\frac{3}{4}$	54	$27 \frac{11}{16}$	MDMR54	683	718
	$\frac{3}{4}$	60	$27 \frac{11}{16}$	MDMR60	717	753
	$\frac{3}{4}$	66	$27 \frac{11}{16}$	MDMR66	746	784
	$\frac{3}{4}$	72	$27 \frac{11}{16}$	MDMR72	785	825
	$\frac{3}{4}$	78	$27 \frac{11}{16}$	MDMR78	810	851
	$\frac{3}{4}$	84	$27 \frac{11}{16}$	MDMR84	840	882

PRODUCT INFO

note
For use in return
applications only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH


See inside front cover for required option codes

Example

MDMR30.NC701

MDMR30NC701

MODEL NUMBERFINISH

	D	W	H	model number	veneer 1	veneer 2
BRIDGE MODESTY PANEL 	$\frac{3}{4}$	$42 \frac{3}{16}$	$27 \frac{11}{16}$	MDMB42	610	641
	$\frac{3}{4}$	$48 \frac{3}{16}$	$27 \frac{11}{16}$	MDMB48	646	679
	$\frac{3}{4}$	$54 \frac{3}{16}$	$27 \frac{11}{16}$	MDMB54	683	718
	$\frac{3}{4}$	$60 \frac{3}{16}$	$27 \frac{11}{16}$	MDMB60	717	753

PRODUCT INFO

note
For use in bridge
applications only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH


See inside front cover for required option codes

Example

MDMB42.NC701

MDMB42NC701

MODEL NUMBERFINISH

	D	W	H	model number	veneer 1	veneer 2
DESK/CREDENZA MODESTY PANELS 	$\frac{3}{4}$	41 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC42	638	670
	$\frac{3}{4}$	47 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC48	666	700
	$\frac{3}{4}$	53 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC54	690	725
	$\frac{3}{4}$	59 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC60	717	753
	$\frac{3}{4}$	65 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC66	746	784
	$\frac{3}{4}$	71 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC72	785	825
	$\frac{3}{4}$	77 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC78	810	851
	$\frac{3}{4}$	83 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC84	840	882
	$\frac{3}{4}$	89 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC90	911	957
	$\frac{3}{4}$	95 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC96	960	1,008
	$\frac{3}{4}$	101 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC102	993	1,043
	$\frac{3}{4}$	107 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC108	1,073	1,127
	$\frac{3}{4}$	113 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC114	1,134	1,191
	$\frac{3}{4}$	119 $\frac{13}{16}$	27 $\frac{11}{16}$	MDMDC120	1,205	1,265

PRODUCT INFO

note
For use in desk/credenza
applications only.



TO ORDER PLEASE SPECIFY THE FOLLOWING:

	.	
MODEL NUMBER		FINISH

See inside front cover for required option codes

Example

MDMDC42.NC701
MDMDC42 NC701
MODEL NUMBER FINISH

	D	W	H	model number	veneer 1	veneer 2
END PANELS	23 1/16	3/4	27 11/16	MDEP24	426	447
	• Required to be used with full modesty panels.					
	29 1/16	3/4	27 11/16	MDEP30	469	492
	• Required to be used with full modesty panels.					

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes


Example

MDEP24.NC701

MDEP24NC701

MODEL NUMBERFINISH

	D	W	H	model number	veneer 1	veneer 2
NON-HANDED	23 ¹³ / ₁₆	15 ⁷ / ₁₆	27 ¹¹ / ₁₆	MDSLLH24	668	702
	29 ¹³ / ₁₆	15 ⁷ / ₁₆	27 ¹¹ / ₁₆	MDSLLH30	786	826



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes

Example

MDSLLH24.NC701

MDSLLH24NC701

MODEL NUMBERFINISH

	D	W	H	model number	veneer 1	veneer 2
T SHAPE SUPPORT PANEL	12 ³ / ₄	23 ¹³ / ₁₆	27 ¹¹ / ₁₆	MDST24	622	654
	12 ³ / ₄	29 ¹³ / ₁₆	27 ¹¹ / ₁₆	MDST30	729	766
Application: Required when a modesty panel is NOT used in a unit build up.						
T INTERMEDIATE SUPPORT FOR USE WITHOUT MODESTY PANEL	12 ³ / ₄	8	27 ¹¹ / ₁₆	MDSI24	337	354
	Application: Required when a worksurface without modesty panel is unsupported for a distance of 48" or greater.					
INTERMEDIATE SUPPORT FOR USE WITH MODESTY PANEL	³ / ₄	12	27 ¹¹ / ₁₆	MDSWK12	185	194
	Application: Required when a worksurface with a modesty panel is unsupported for a distance of 48" or greater.					

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes



Example

MDST24.NC701

MDST24NC701

MODEL NUMBERFINISH

	D	W	H	model number	veneer 1	veneer 2
WORKSURFACE JUNCTION SUPPORT	18	29 ¹³ / ₁₆	27 ¹¹ / ₁₆	MDSWJ24	528	555



EXAMPLE

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes

Example

MDSWJ24.NC701


MDSWJ24NC701

MODEL NUMBERFINISH


MODULAR WALL ACCESS PANELS
for use in modular single pedestal credenzas

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
WALL ACCESS PANELS FOR CREATING MODULAR SINGLE PEDESTAL CREDENZAS	8 3/4	33	27 11/16	MDMSCA33	987	1,036
	8 3/4	36	27 11/16	MDMSCA36	1,010	1,061
	8 3/4	39	27 11/16	MDMSCA39	1,030	1,082
	8 3/4	42	27 11/16	MDMSCA42	1,054	1,107
	8 3/4	45	27 11/16	MDMSCA45	1,074	1,128
	8 3/4	48	27 11/16	MDMSCA48	1,097	1,152
	8 3/4	51	27 11/16	MDMSCA51	1,119	1,175
	8 3/4	54	27 11/16	MDMSCA54	1,141	1,198
	8 3/4	57	27 11/16	MDMSCA57	1,163	1,221
	8 3/4	60	27 11/16	MDMSCA60	1,184	1,243
	8 3/4	63	27 11/16	MDMSCA63	1,206	1,266
	8 3/4	66	27 11/16	MDMSCA66	1,227	1,288



SHOWN ASSEMBLED



- Example: (72" worksurface) - (15" pedestal) = 57" wall access panel
- 24" depth false end panel included
- Non-handed
- Pedestal back panels CANNOT be used with wall access panels. Must use filler strip MDPF.
- Field assembly required
- See pages 18-19 for details

PRODUCT INFO

For use in creating modular single pedestal credenzas

Units have an unfinished back

24" depth false end panel included

Can be used with a single pedestal at one end or a combination of pedestals

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH

See inside front cover for required option codes

Example


MDMSCA33.NC701

MDMSCA33


NC701

MODEL NUMBER . FINISH

	D	W	H	model number	veneer 1	veneer 2
WALL ACCESS PANELS FOR CREATING MODULAR SINGLE PEDESTAL CREDENZAS	8 ³ / ₄	42	27 ¹¹ / ₁₆	MDMDCA42	1,054	1,107
	8 ³ / ₄	45	27 ¹¹ / ₁₆	MDMDCA45	1,074	1,128
	8 ³ / ₄	48	27 ¹¹ / ₁₆	MDMDCA48	1,097	1,152
	8 ³ / ₄	51	27 ¹¹ / ₁₆	MDMDCA51	1,119	1,175
	8 ³ / ₄	54	27 ¹¹ / ₁₆	MDMDCA54	1,141	1,198
	8 ³ / ₄	57	27 ¹¹ / ₁₆	MDMDCA57	1,163	1,221
	8 ³ / ₄	60	27 ¹¹ / ₁₆	MDMDCA60	1,184	1,243



SHOWN ASSEMBLED



- Example: (72" worksurface) - (15" pedestal LH) - (15" pedestal RH) = 42" wall access panel
- Non-handed
- Pedestal back panels CANNOT be used with wall access panels. Must use filler strip **MDPF**.
- Field assembly required
- See pages 18-19 for details

PRODUCT INFO

For use in creating modular double pedestal credenzas

Units have an unfinished back

Can be used with a single pedestal at one end or a combination of pedestals

TO ORDER PLEASE SPECIFY THE FOLLOWING:

	.	
MODEL NUMBER		FINISH

See inside front cover for required option codes



Example

MDMDCA42.NC701
MDMDCA42 NC701
MODEL NUMBER FINISH

MODULAR WALL ACCESS PANELS
for use in modular returns

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
WALL ACCESS PANELS FOR CREATING MODULAR RETURNS	8 3/4	27	27 11/16	MDMRA27	941	988
	8 3/4	30	27 11/16	MDMRA30	966	1,014
	8 3/4	33	27 11/16	MDMRA33	987	1,036
	8 3/4	36	27 11/16	MDMRA36	1,010	1,061
	8 3/4	39	27 11/16	MDMRA39	1,030	1,082
	8 3/4	42	27 11/16	MDMRA42	1,054	1,107
	8 3/4	45	27 11/16	MDMRA45	1,074	1,128
	8 3/4	48	27 11/16	MDMRA48	1,097	1,152
	8 3/4	51	27 11/16	MDMRA51	1,119	1,175
	8 3/4	54	27 11/16	MDMRA54	1,141	1,198
	8 3/4	57	27 11/16	MDMRA57	1,163	1,221
	8 3/4	60	27 11/16	MDMRA60	1,184	1,243



- Example: (72" worksurface) - (15" pedestal) = 57" wall access panel
- Non-handed
- Pedestal back panels CANNOT be used with wall access panels. Must use filler strip MDPF.
- Field assembly required
- See pages 18-19 for details

PRODUCT INFO

For use in creating modular returns

Units have an unfinished back

Can be used with a single pedestal at one end or a combination of pedestals

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH

See inside front cover for required option codes

Example


MDMRA27.NC701

MDMRA27


NC701

MODEL NUMBER . FINISH

	D	W	H	model number	veneer 1	veneer 2
WALL ACCESS PANELS FOR CREATING MODULAR BRIDGES	8 ³ / ₄	42 ³ / ₁₆	27 ¹¹ / ₁₆	MDMBA42	1,054	1,107
	8 ³ / ₄	48 ³ / ₁₆	27 ¹¹ / ₁₆	MDMBA48	1,097	1,152
	8 ³ / ₄	54 ³ / ₁₆	27 ¹¹ / ₁₆	MDMBA54	1,141	1,198
	8 ³ / ₄	60 ³ / ₁₆	27 ¹¹ / ₁₆	MDMBA60	1,184	1,243



SHOWN ASSEMBLED



- Example: 48" worksurface = 48" wall access panel
- Non-handed
- Field assembly required
- See pages 18-19 for details

PRODUCT INFO

For use in creating modular
bridges

Units have an unfinished
back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes

Example

MDMBA42.NC701

MDMBA42NC701

MODEL NUMBERFINISH

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


Reception 209-226
Typicals 210-215
Reception Units 216-221




item	page	model number	description	price	qty	veneer 1	veneer 2
A	216	MDGD3072R-3	Reception desk - right hand BBF	4,352	1	4,352	4,570
B	218	MDGR42L	Reception return - left hand	2,440	1	2,440	2,562
C	190	MDPM2415-2	Modular pedestal - FF	1,715	1	1,715	1,801
D	220	MDGT72	Reception transaction top	871	1	871	915
E	221	MDGK72	Reception tackboard G1/COM	649	1	649	649
						10,027	10,497




item	page	model number	description	price	qty	veneer 1	veneer 2
A	216	MDGD3072R-3	Reception desk - right hand BBF	4,352	1	4,352	4,570
B	219	MDGB42	Reception bridge	1,848	1	1,848	1,940
C	217	MDGCU2472L-2	Reception credenza - left hand FF	4,033	1	4,033	4,234
D	220	MDGT72	Reception transaction top	871	1	871	915
E	221	MDGK72	Reception tackboard G1/COM	649	1	649	649
						11,753	12,308




item	page	model number	description	price	qty	veneer 1	veneer 2
A	218	MDGC42	Reception computer corner	3,345	1	3,345	3,512
B	218	MDGR30L	Reception return - left hand	1,925	1	1,925	2,022
C	218	MDGR30R	Reception return - right hand	1,925	1	1,925	2,022
D	190	MDPM2415-3	Modular pedestal - BBF	1,715	1	1,715	1,801
E	190	MDPM2415-2	Modular pedestal - FF	1,715	1	1,715	1,801
F	220	MDGT72	Reception transaction top	871	1	871	915
G	221	MDGK72	Reception tackboard G1/COM	649	1	649	649
						12,145	12,722



item	page	model number	description	price	qty	veneer 1	veneer 2
A	218	MDGC42	Reception computer corner	3,345	1	3,345	3,512
B	218	MDGR42L	Reception return - left hand	2,440	1	2,440	2,562
C	218	MDGR42R	Reception return - right hand	2,440	1	2,440	2,562
D	191	MDPM2430-4	Modular pedestal - LF	1,957	1	1,957	2,055
E	190	MDPM2415-3	Modular pedestal - BBF	1,715	1	1,715	1,801
F	220	MDGT84	Reception transaction top	916	1	916	962
G	221	MDGK84	Reception tackboard G1/COM	684	1	684	684
						13,497	14,138



item	page	model number	description	price	qty	veneer 1	veneer 2
A	216	MDGD3072L-3	Reception desk - left hand BBF	4,352	1	4,352	4,570
B	218	MDGR42R	Reception return - left hand	2,440	1	2,440	2,562
C	191	MDPM2430-4	Modular pedestal - LF	1,957	1	1,957	2,055
D	220	MDGT72	Reception transaction top	871	1	871	915
E	221	MDGK72	Reception tackboard G1/COM	649	1	649	649
F	264	MDCB2472	Buffet Credenza	7,256	1	7,256	7,619
						17,525	18,370




item	page	model number	description	price	qty	veneer 1	veneer 2
A	218	MDGC42	Reception computer corner	3,345	2	6,690	7,024
B	219	MDGB42	Reception bridge	1,848	1	1,848	1,940
C	218	MDGR42R	Reception return - right hand	2,440	1	2,440	2,562
D	218	MDGR42L	Reception return - left hand	2,440	1	2,440	2,562
E	190	MDPM2415-3	Modular pedestal - BBF	1,715	2	3,430	3,602
F	190	MDPM2415-2	Modular pedestal - FF	1,715	2	3,430	3,602
G	220	MDGT84	Reception transaction top	916	2	1,832	1,924
H	221	MDGK84	Reception tackboard G1/COM	684	2	1,368	1,368
						23,478	24,584

D	W	H	model number	veneer 1	veneer 2
---	---	---	--------------	----------	----------


BOX | BOX | FILE

LEFT HAND



30 1/8	66 1/2	42 5/8	MDGD3066L-3	4,204	4,414
30 1/8	72 1/2	42 5/8	MDGD3072L-3	4,352	4,570
36 1/8	72 1/2	42 5/8	MDGD3672L-3	4,653	4,886

RIGHT HAND



30 1/8	66 1/2	42 5/8	MDGD3066R-3	4,204	4,414
30 1/8	72 1/2	42 5/8	MDGD3072R-3	4,352	4,570
36 1/8	72 1/2	42 5/8	MDGD3672R-3	4,653	4,886

Note: Reception units NOT to be used as freestanding units.
Reception units MUST attach to other Reception units and are NOT to be used with non-reception units.

PRODUCT INFO

note
Not for freestanding use.

spec tip
Bridge or return units
connect to non-pedestal end.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV FINISH

EDGE

PULL

GROMMET

CENTER DRAWER

KEYING

See inside front cover for required option codes

Grommet (Add \$70 each)

No Grommet

GN

Left Silver GLS

Left Black GLB

Right Silver GRS

Right Black GRB

Left & Right Silver GBS

Left & Right Black GBB


Example

MDGD3066L-3	NC701	FF	SF	ARS	GBS	CY	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	CENTER DRAWER	KEYING

	D	W	H	model number	veneer 1	veneer 2
--	---	---	---	--------------	----------	----------


FILE | FILE

LEFT HAND



24 1/8	66 1/2	42 5/8	MDGCU2466L-2	3,883	4,078
24 1/8	72 1/2	42 5/8	MDGCU2472L-2	4,033	4,234


RIGHT HAND



24 1/8	72 1/2	42 5/8	MDGCU2472R-2	4,033	4,234
--------	--------	--------	---------------------	-------	-------

30" LATERAL FILE

LEFT HAND



24 1/8	72 1/2	42 5/8	MDGCU2472L-4	4,509	4,735
24 1/8	72 1/2	42 5/8	MDGCU2472R-4	4,509	4,735

RIGHT HAND

Note: Reception units NOT to be used as freestanding units.

Reception units MUST attach to other Reception units and are NOT to be used with non-reception units.

PRODUCT INFO

note
Not for freestanding use.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	KEYING

See inside front cover for required option codes


Grommet (Add \$70 each)		
No Grommet		GN
Left	Silver	GLS
Left	Black	GLB
Center	Silver	GCS
Center	Black	GCB
Right	Silver	GRS
Right	Black	GRB
Left & Right	Silver	GBS
Left & Right	Black	GBB
Left, Right, Center	Silver	GAS
Left, Right, Center	Black	GAB

Example

MDGCU2466L-2.NC701.FF.SF.ARS.GBS.CY


MDGCU2466L-2	NC701	FF	SF	ARS	GBS	RMS
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL	GROMMET	KEYING

	D	W	H	model number	veneer 1	veneer 2
CORNER UNIT	24 1/2	42 1/4	42 5/8	MDGC42	3,345	3,512



Note: Specify Model Number, Finish, Edge, and Grommet Color only.
Standard Grommet included.

LEFT HAND RETURNS	24 1/2	30 1/4	42 5/8	MDGR30L	1,925	2,022
	24 1/2	42 1/4	42 5/8	MDGR42L	2,440	2,562



Note: Specify Model Number, Finish, Edge, and Grommet only.

RIGHT HAND RETURNS	24 1/2	30 1/4	42 5/8	MDGR30R	1,925	2,022
	24 1/2	42 1/4	42 5/8	MDGR42R	2,440	2,562



Note: Specify Model Number, Finish, Edge, and Grommet only.

Note: Reception units NOT to be used as freestanding units.
Reception units MUST attach to other Reception units and are NOT to be used with non-reception units.

PRODUCT INFO

note
Not for freestanding use.

Modular pedestals ordered separately.

Reception returns not to be used in-line with reception return or bridge units.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET	GROMMET COLOR

See inside front cover for required option codes


Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB

Example

MDGC42.NC701.FF.SF.SV

MDGC42	NC701	FF	SF	SV
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET COLOR

	D	W	H	model number	veneer 1	veneer 2
IN-LINE BRIDGE	24 1/2	18	42 5/8	MDGB18	1,516	1,592
	24 1/2	24	42 5/8	MDGB24	1,621	1,702
	24 1/2	30	42 5/8	MDGB30	1,687	1,772
	24 1/2	36	42 5/8	MDGB36	1,788	1,877
	24 1/2	42	42 5/8	MDGB42	1,848	1,940



Note: Reception units NOT to be used as freestanding units.
Reception units MUST attach to other Reception units and are NOT to be used with non-reception units.

PRODUCT INFO

note
Not for freestanding use.

Reception bridges not to be used in-line with reception return or bridge units.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMET

See inside front cover for required option codes

Grommet (Add \$70 each)
No Grommet GN
Center Silver GCS
Center Black GCB

Example

MDGB18.NC701.FF.SF.GCS

MDGB18

NC701

FF

SF

GCS

MODEL NUMBERFINISHTOP UV FINISHEDEGEGROMMET

	D	W	H	model number	veneer 1	veneer 2
TRANSACTION TOPS	15	66 ³ / ₄	1 ⁵ / ₁₆	MDGT66	828	870
	15	72 ³ / ₄	1 ⁵ / ₁₆	MDGT72	871	915
	15	84 ³ / ₄	1 ⁵ / ₁₆	MDGT84	916	962
	15	96 ³ / ₄	1 ⁵ / ₁₆	MDGT96	967	1,015
	15	102 ³ / ₄	1 ⁵ / ₁₆	MDGT102	1,003	1,054

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . FINISH . TOP UV FINISH . EDGE

See inside front cover for
required option codes

Example

MDGT66.NC701.FF.SF
MODEL NUMBER FINISH TOP UV FINISH EDGE

	D	W	H	model number	fabric grades COM / 1 2 3 4			
TACKBOARD	$\frac{7}{8}$	64	13 $\frac{1}{2}$	MDGK66	623	653	685	717
	$\frac{7}{8}$	70	13 $\frac{1}{2}$	MDGK72	649	683	719	755
	$\frac{7}{8}$	82	13 $\frac{1}{2}$	MDGK84	684	722	762	802

NOTE: See page 266-269 for fabric grade pricing

Product Specifications:

STANDARD

The fabric on all Gunlocke tackboards is applied in a railroad fashion.

- Tackboard widths less than or equal to 96" are one piece
- Tackboards greater than 96" are two piece and the fabric is pattern matched
- When ordering individual wall mount tackboards to be placed side by side, the fabric pattern will be random matched. If a fabric pattern match is required, contact Gunlocke Bid/Quote for a special quote.

SPECIAL

Fabric applied "up the roll" is a special application. Please see guidelines below and contact Gunlocke Bid/Quote for a special quote.

- Fabrics used on tackboard 48" and under in width can be applied "up the roll"
- Tackboards greater than 48" in width can only be applied railroaded, due to fabric height limitations

PRODUCT INFO

COM fabric requirement	
Model Number	Yards
MDGK66	2.00
MDGK72	2.25
MDGK84	2.50

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FABRIC	FSC TACKBOARD

See inside front cover for required option codes

FSC Required **FSC** (+5% COM upcharge)
Not Required **NR**

COM FABRIC REQUIREMENT
All COM must be shipped prepaid to Gunlocke with package side marked with:
• Dealer Name
• Dealer Purchase Order Number
• Gunlocke Pattern Number

*See Product info for Yardage Requirements

Example

MDGK66.FABRIC.FSC
MDGK66 FABRIC FSC
MODEL NUMBER FABRIC FSC TACKBOARD

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Accessories.227-238

	D	W	H	model number	list
KEYBOARD TRAY	10 1/2	20	3	ACKYBRDSET	600



PRODUCT INFO

note
Keyboard tray
Tray Dimensions:
26" W x 26 1/2" D
Black
Height and tilt adjustment
through squeeze control.
Wrist pad on tray and mouse
platform included
Field Installation required.

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER

See inside front cover for required option codes

Example


ACKYBRDSET
ACKYBRDSET
MODEL NUMBER

	D	W	H	model number	veneer 1	veneer 2
CENTER DRAWERS	22	26	2 1/4	ACCD26	494	519
	22	19	2 1/4	ACCD19	446	468



SLIDING KEYBOARD
DRAWER

26	10	3	ACKBDW	333	350
----	----	---	--------	-----	-----



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH




See inside front cover for required option codes

Example

ACCD26.NC701

ACCD26NC701

MODEL NUMBERFINISH

	D	W	H	model number	list
15" PENCIL TRAY	3	11 ¹³ / ₁₆	1 ¹ / ₄	ACPT15	67
18" PENCIL TRAY	3	14 ¹³ / ₁₆	1 ¹ / ₄	ACPT18	72
					
BOX DRAWER DIVIDER	¹ / ₄	11 ⁷ / ₈	3 ¹ / ₂	ACBXD	56
					
FIELD INSTALLED GROMMET	1 ³ / ₄ DIAMETER			ACGMT	90
					
HORIZONTAL WIRE MANAGER	3 ¹ / ₄	30	1	ACWM	65
					

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

.

GROMMET COLOR


Note: Grommet color option available on field installed grommet only

Example

ACGMT.SV

ACGMTSV

MODEL NUMBERGROMMET COLOR

	D	W	H	model number	list
FOR USE WITH 15" W FILE DRAWERS 	$\frac{1}{8}$	15	1	ACFLR15	23
FOR USE WITH 30" W LATERAL FILES	$\frac{1}{8}$	30	1	ACFLRM30	28
FOR USE WITH 30" W LATERAL FILES IN MULTIFILE PEDESTALS	$\frac{1}{8}$	30	1	ACFLRMF30	28
FOR USE WITH 36" W LATERAL FILES 	$\frac{1}{8}$	36	1	ACFLRM36	31
OPTIONAL FILE DRAWER REINFORCEMENT BAR	$1 \frac{1}{2}$	$1 \frac{9}{16}$	$14 \frac{15}{16}$	ACDRB-FILE	40
OPTIONAL LATERAL FILE DRAWER REINFORCEMENT BAR 	$1 \frac{1}{2}$	$1 \frac{9}{16}$	$11 \frac{15}{16}$	ACDRB-LAT	40
• NOTE: File and Lateral File Drawer Reinforcement Bars are OPTIONAL, and are only required when excessive stacking of paper occurs in bottom of drawers. Drawer Reinforcement Bars are oriented side-to-side on file drawers and front-to-back on lateral file drawers.					

PRODUCT INFO

note
See pg. 10 for filing rail
requirements..

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

ACFLR15
ACFLR15
MODEL NUMBER

	D	W	H	model number	list
UNIVERSAL GROMMET	1	2 1/4	3 7/8	ACUG	125
					
POWER DATA CENTER	2 3/4	7 5/8	2 1/4	ACPDC	302
					

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER . GROMMET COLOR



Note: Grommet color option available on universal grommet only.

Example

ACGMT.SV

ACGMT . SV

MODEL NUMBER GROMMET COLOR

	D	W	H	model number	list
POWER / DATA PORT  SILVER	4 7/16	8 3/8	2 1/2	PPR-2D2E • Includes 2 power plus 2 data blanks • Data jacks to be ordered separately.	400
	4 7/16	8 3/8	2 1/2	PPR-2D2E-HW • Includes 2 power plus 2 data blanks • Data jacks to be ordered separately. • Hardwired	400
POWER / DATA USB PORT SILVER	4 7/16	8 3/8	2 1/2	PPR-DU2E • Includes 2 power plus 2 data plus 1 USB • Data jacks to be ordered separately.	500
	4 7/16	8 3/8	2 1/2	PPR-DU2E-HW • Includes 2 power plus 1 data blank plus 1 USB • Data jacks to be ordered separately. • Hardwired	500
POWERPORT DESK MOUNTED 	3	10	6	PPDM-2D3E • Includes 2 data plus 3 power • Data jacks to be ordered separately.	414

PRODUCT INFO

6' Standard plug or 6' hardwire
power source

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.

MODEL NUMBER
2.

EXPOSED POWER COLOR

Example

PPR-2D2E.WH


PPR-2D2E

WH

MODEL NUMBER

EXPOSED POWER COLOR

	D	W	H	model number	list
COLUMN LEG	4 dia.		27 ¹¹ / ₁₆	BSCOLUMN4	219



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

.

COLUMN COLOR

See inside front cover for required option codes

Example

BSCOLUMN4.CS

BSCOLUMN4

CS

MODEL NUMBER

COLUMN COLOR

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Tables239-265

 Scope of the line240

 Technical specifications 241-242

 Veneers & finishes.243

 Edge details & pull options.....244

 Lock options245

 Table & base matrix246-247

 Table tops.....248-253

 Bases254-258

 Universal grommet & power accesories . . . 259-261

 Occasional tables262-263

 Buffet credenza.....264


 Lectern & visual boards 241

MEDLEY TABLES are a collection of table tops and bases that complement the exact style of the Medley casegood offering. A range of options including size, shape, edge detail, color and electrical/data provides a solution from the private office to the executive conference room.

SHAPES & SIZES:


RECTANGULAR

- 42 X 96
- 48 X 96
- 48 X 120
- 48 X 144
- 48 X 168




RACE TRACK

- 36 X 72
- 42 X 96
- 48 X 96
- 48 X 120
- 48 X 144
- 48 X 168




ARC END

- 36 X 72
- 42 X 96
- 48 X 96
- 48 X 120
- 48 X 144
- 48 X 168



BOAT

- 36 X 72
- 42 X 96
- 48 X 96
- 48 X 120
- 48 X 144
- 48 X 168



ROUND

- 36
- 42
- 48
- 54
- 60




TABLE TOPS

Veneers

All exposed wood surfaces utilize select plain sliced Cherry, Maple, Walnut veneer or premium Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency.

Tops

Wood veneer tops feature a balanced 3-ply construction and are 1 5/16" thick. The top has a 1/2" thick solid external hardwood band profiled on 4 sides. Veneer direction runs parallel with the depth of the table. Two piece tables are connected with an alignment spline and joined together with tight joint fasteners for field installation.

WOOD BASES

Cylinder and Half Cylinder Bases

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" popular cross band. This 2-ply face material is attached to the cylinder core with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

Boat Base

Each frame consists of machined wood composite components. The frame is covered with a 1/8" medium density fiberboard skin pressed over the frame and glued with permanent bond PVA glue to create the boat shape. Skins consist of a 3-ply material with veneer applied to both sides of the medium density fiberboard for balanced construction. End cap panels are 1 3/16" thick and feature a 1 1/2" x 1 3/16" solid hardwood band on each end of the panel. One removable end

cap on each base is attached with pin and clip hardware for access and wire management capabilities. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

Cube Bases

Outer panels consist of 3/4" balanced 3-ply particleboard panels. External panels are connected to radius solid hardwood bands at each corner with tongue and groove assembly method. Top and bottom panels are 3/4" particleboard glued and pinned to the frame. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.

X-Bases

Panels are balanced 3-ply construction. Bases are constructed of 1" thick panels. Outer ends of panels are banded with 1/8" solid bands for added durability. Panels are securely fastened together straight steel brackets and steel clips. Steel flat brackets connect the base to the tabletop. Glides with 1 1/8" of adjustment are included for leveling.

End Panel Bases:

Panels are balanced 3-ply construction. End panels are 2" thick and stretchers are 1" thick. End panels are banded with 1/4" solid bands for added durability. Each base consists of 2 or 3 end panels, depending on the length of the table and a double stretcher assembly to accommodate power and data stations to be mounted between the stretchers. End panel bases ship as components and require field assembly. A wire management trough may be required in some applications to route wires to the floor. Glides with 1 1/8" of adjustment are included for leveling.

Tri-Radius and Cigar Legs

Legs are carved from solid hardwood. A steel mounting plate with pre-drilled holes is located on the top of the leg for connecting to the bottom of the predrilled worksurface. The tri-radius leg features a turned 1" aluminum glide providing 3/4" of adjustment. The cigar includes an adjustable glide with 1 1/8" of adjustment.

GROMMETS & TECHNOLOGY UNITS

Universal Grommet (ACUG)

One piece die cast zinc grommet. Grommet is inset in a black plastic sleeve. Grommet is available in silver or black.

Single Flip Top - Power & Data (ACFTS, ACFTS-S)

Unit is required when a single flip top grommet cutout is specified in the table top. Unit includes a 6 ft standard plug in power cord, (4) electrical outlets 15A 125V with circuit breaker, (2) RJ 11, (2) RJ 45 data communication jacks and a self closing lid with (2) 1" diameter wire ways on each side. Black or silver unit is field installed.

Veneer Single Flip Top - Power & Data (ACVFST)

Unit is required when a veneer single flip top grommet cutout is specified in the table top. Unit includes a 6 ft standard plug in power cord, (4) electrical outlets 15A 125V with circuit breaker, (2) RJ 11, (2) RJ 45 data communication jacks and a veneer lid with black brush for wire access. Unit is black and is field installed.

Retractable Power Data Center (ACPDC)

(2) simplex outlets, (2) data ports, 6-ft. 15-amp cord. Communication/data jacks not included. Black.

Retractable Plug in Power Center with Open Communication Port (ACPPC)

(2) simplex outlets, (1) open communication port, 6-ft. 15-amp cord, 10-amp circuit breaker and grommet cover kit. Communication/data jacks not included. Black.

Communication Kit (ACKIT)

2 3/4" x 1 3/8" kit to fit open communication ports. Includes (1) cat. 3, 6 pin RJ-11, (1) cat. 5, 8 pin RJ-45, and (1) face plate. Black.

Under Top Power & Data Double (ACUTD)

Unit may be mounted anywhere along bottom of worksurface or table. 2 1/4" h x 9" w metal. Unit includes (3) simplex outlets, (1) RJ 11, (1) RJ 45 and a 15-amp 6-ft. power cord. Communication/ data jacks included. Includes metal bracket to mount unit to bottom of worksurface. UL listed. Black.

Horizontal Wire Manager (ACWM)

30" extruded plastic wire manager. May be mounted vertically or horizontally to route, manage and conceal wires.

CONFERENCE SUPPORT PRODUCTS

Occasional Tables

Wood veneer tops are 1 5/16" thick and feature a balanced 3-ply construction. Each top is constructed with a 1/2" thick solid external hardwood band profiled on all sides. Hardwood bands are butt joined on all corners. Legs are constructed of matching solid cherry or maple hardwood. Legs are attached to table with steel corner brackets and lag bolts. Metal tack glides are standard. Legs require field assembly.

Telephone & Console Tables

Tops are 1 5/16" thick, 3-ply balanced construction with 1/2" butt joined edgebands on all corners. Legs are matching solid cherry or maple hardwood. Legs receive added rigidity from double dowel cross rails. Center storage drawer is 8" extension with ball bearing slides. Metal tack glides are standard.

Audio Visual Cabinet

All vertical panels are constructed of 3/4" thick cherry or maple 3-ply balanced panels. The back panel of the cabinet includes appropriate cutouts for ventilation. Tops are 1 5/16" thick and include a 1/2" solid hardwood band profiled on all sides. Hardwood bands are butt joined on all corners. The upper section of the cabinet is standard with 170° hinged doors. A metal extending TV turntable is mounted on a wooden fixed shelf. The lower section of the cabinet is standard with 90° hinged doors and an adjustable shelf. Locks are standard in the upper and lower sections of the cabinet. Glides with 1 1/8" of adjustment are included for leveling.

Buffet Credenza

All vertical panels are constructed of 3/4" thick 3-ply balanced panels with cherry veneer. Tops are 1 5/16" thick and include a 1/2" solid hardwood band profiled on all sides. Hardwood bands are butt joined on all corners. Upper storage section of the cabinet includes (4) full extension pull out box drawers. The lower outside section of the cabinet includes an adjustable shelf behind 90° hinged doors. Glides with 1 1/8" of adjustment are included for leveling.

Lectern

Units are constructed of 3/4" thick, 3-ply panels. Top shelf includes pencil lip and adjusts from flat to angled position to accommodate papers or laptop computer. Spring-loaded hardware mechanism locks the reading shelf into position. Horizontal panels include wire management cutouts for routing wires vertically. Metal tack glides are standard.

Visual Boards

Visual board outer frames are constructed of 1 1/4" thick solid hardwood bands with mitered corners. Doors are attached with full-length piano hinges. Doors are 3/4" thick, 3-ply panels faced with matched veneer and backed with high-pressure laminate writing surface. All interior surfaces of visual board are comprised of white non-magnetic high-pressure laminate writing surfaces.

FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations.

Worksurfaces, desktops, and tabletops are protected by one of the world's most advanced UV cured finish coatings, available in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the EPA's stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity.

Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish.

All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

For the technical specifications see the Finish System Guide & Technical specifications available at www.gunlocke.com/finishsystem.

CLEANING FINISH

Regular dusting and occasional cleaning are recommended to maintain your wood finish. To clean, dampen a soft cloth with luke warm water and gently wipe the wood in the direction of the grain. A mild solution of Murphy's oil soap and water may also be used. Avoid cleaners with oil, waxes, or silicones as they may create a hazy look.

MEDLEY CONFERENCING

Veneers

Medley is offered in three select veneers and one premium veneer. All exposed surfaces utilize select plain sliced Cherry, Maple or Walnut veneers or premium Rift Cut Oak veneers.

Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

Note: See Gunlocke Advantage website for special finish request forms.

All Casegoods & Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.

Note: This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

UV TOP FINISH

Medley worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

UV finish options

Full-fill Cleartech (upcharge) FF	
Open Pore Low Sheen	OP
Full-fill Top ≤ 120" Length	(+\$75)
Full-fill Top > 120" Length	(+\$150)

MEDLEY WOOD FINISH COLORS

veneer 1 (select)

Cherry

Maple





Walnut

veneer 2 (premium)

Rift Cut Oak






NOTE: For FSC Certified Product add "FSC" to beginning of finish option code. Example: FSCNC260. A 5% list upcharge will be applied per unit ordered with FSC option.

EDGE DETAILS

	BV BEVEL	OG OGEE	
	DF DOUBLE FLUTE	RD RADIUS	
	KF KERF	SF SOFTENED	
	LA LACUNA	TO TRIOVAL	

PULL OPTIONS

Medley is available in 8 pull options. Arch, Camber, and Tab are available in matte silver and satin black finish. Arette, Elite, Gracile and Wave are available in matte silver finish only.

ARCH ARB BLACK ARS SILVER		GRACILE ILS SILVER	
ARETTE ATS SILVER		TAB TBB BLACK TBS SILVER	
CAMBER CMB BLACK CMS SILVER		WAVE WVS SILVER	
ELITE ETS SILVER			

LOCKS & KEYING

Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

factory installed locks

option code

Option 1

SILVER RANDOM KEYS	RMS
BLACK RANDOM KEYS	RMB

Option 2

Specify a number between

SILVER DESIGNATED KEYS	100TAS - 150TAS
BLACK DESIGNATED KEYS	100TA - 150TA






Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

Field installed lock core set, specify model # and key number (add \$5 list per lock core):




	model number	Specify a number between
SILVER DESIGNATED KEYS	ACLCKFLD	100TAS - 200TAS
BLACK DESIGNATED KEYS	ACLCKFLD	100TA - 200TA


Note: Add \$5 list per lock core.


See index on pages 270-278 for # of locks required for field installation.

								
	Estimated Seating	Tri-Radius Leg	Cigar Leg	Cylinder Bases	Half Cylinder Base	Cube Base	Boat Base	X Base
		LGWTR	LGWCG	BSWCYL18 BSWCHL24	BSWHCYL18	BSWCB18	BSWBT24	BSWX32
Round								
36"	2-3	4	4	1		1		1
42"	3-4	4	4	1		1		1
48"	4-5	4	4	1		1		1
54"	5-6			1				
60"	5-7			1				
Rectangular & Arc End								
36" x 72"	4-6	4	4	2	2		2	
42" x 96"	6-8			2	2	2	2	
48" x 96"	6-8			2		2	2	
48" x 120"	8-10			3	2	1	3	3
48" x 144"	10-12			3	2	1	3	3
48" x 168"	12-14			3	2	1	3	3
Racetrack								
36" x 72"	4-6	4	4	2	2		2	
42" x 96"	6-8			2	2	2	2	
48" x 96"	6-8			2	2	2	2	
48" x 120"	8-10			3	2	1	3	3
48" x 144"	10-12			3	2	1	3	3
48" x 168"	12-14			3	2	1	3	3
Boat Shape								
36" x 72"	4-6	4	4	2	2		2	
42" x 96"	6-8			2	2	2	2	
48" x 96"	6-8			2		2	2	
48" x 120"	8-10			3	2	1	3	3
48" x 144"	10-12			3	2	1	3	3
48" x 168"	12-14			3	2	1	3	3

 = order together

	Estimated Seating	 End Panel Bases BSWSL3672 BSWSL4296 BSWSL4896	 End Panel Bases BSWSL48120 BSWSL48144 BSWSL48168	 Round Steel Leg LGMCL	 X Base BSMTL33X-LD BSMTL38X-LD	 Disc Bases BSMDISC18-LD BSMDISC24-LD
Round						
36"	2-3			4	1	1
42"	3-4			4	1	1
48"	4-5			4	1	1
54"	5-6					
60"	5-7					
Rectangular & Arc End						
36" x 72"	4-6	1		4		
42" x 96"	6-8	1				2
48" x 96"	6-8	1				2
48" x 120"	8-10		1			3
48" x 144"	10-12		1			3
48" x 168"	12-14		1			3
Racetrack						
36" x 72"	4-6	1		4		
42" x 96"	6-8	1				2
48" x 96"	6-8	1				2
48" x 120"	8-10		1			3
48" x 144"	10-12		1			3
48" x 168"	12-14		1			3
Boat Shape						
36" x 72"	4-6	1		4		2
42" x 96"	6-8	1				2
48" x 96"	6-8	1				2
48" x 120"	8-10		1			3
48" x 144"	10-12		1			3
48" x 168"	12-14		1			3

	D	W	# of sections	model number	veneer 1	veneer 2
RECTANGULAR 	42	96	1	MDTRT4296	3,124	3,280
	48	96	1	MDTRT4896	3,518	3,693
	48	120	2	MDTRT48120	4,583	4,813
	48	144	2	MDTRT48144	5,714	6,000
	48	168	2	MDTRT48168	6,697	7,032

ARC END 	36	72	1	MDTAR3672	2,396	2,515
	42	96	1	MDTAR4296	3,301	3,466
	48	96	1	MDTAR4896	3,706	3,892
	48	120	2	MDTAR48120	4,771	5,010
	48	144	2	MDTAR48144	5,900	6,195
	48	168	2	MDTAR48168	6,861	7,204

PRODUCT INFO

- spec tip
- select top size
 - select power option
 - select the appropriate grommet cut out (see details on the right)
 - order grommets and technology units separately

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV FINISH

EDGE

GROMMET CUTOUT

See page 249 for grommet cutout options

Example

MDTRT4296.NC260.FF.BV.GC

MDTRT4296

NC260

FF

BV

GC

MODEL NUMBER

FINISH

TOP UV FINISH

EDGE

GROMMET


GROMMET CUTOUT OPTIONS

Description	Cutout Option Code	36 x 72	42 x 96	48 x 96	48 x 120	48 x 144	48 x 168	Technology Unit Required	Quantity
Grommet No	GN	●	●	●	●	●	●	N/A	N/A
Grommet Options									
Grommet Center	GC	●	●	●	●	●	●	ACUG	1
Grommet Left & Right	GB			●	●	●	●	ACUG	2
Grommet Left, Right, & Center	GA			●	●	●	●	ACUG	3
Single Flip Top Options									
Single Center	SC	●	●	●	●	●	●	ACFTS (-S)	1
Single Left & Right	SB			●	●	●	●	ACFTS (-S)	2
Single Left, Right, & Center	SA			●	●	●	●	ACFTS (-S)	3
Veneer Single Flip Top Options									
Veneer Single Center	VC (+\$1,412)	●	●	●	●	●	●	ACVFTS	1
Veneer Single Left & Right	VB (+\$2,822)			●	●	●	●	ACVFTS	2

Note: Above options are for cutout only, order grommets and technology units separately.:


GROMMET CUTOUT LOCATIONS

Grommet Locations



WIDTH	LENGTH	DIM. B	CENTER
36	72	N/A	36
42	96	N/A	48
48	96	28	48
48	120	28	60
48	144	28	72
48	168	28	84


Single Flip & Veneer
Single Flip Locations





WIDTH	LENGTH	DIM. B	CENTER
36	72	N/A	36
42	96	N/A	48
48	96	28	48
48	120	28	60
48	144	28	72
48	168	28	84

36" & 42" depth

48" depth



	D	W	# of sections	model number	veneer 1	veneer 2
RACETRACK 	36	72	1	MDTRA3672	2,851	2,994
	42	96	1	MDTRA4296	3,634	3,816
	48	96	1	MDTRA4896	4,061	4,264
	48	120	2	MDTRA48120	4,987	5,236
	48	44	2	MDTRA48144	6,300	6,615
	48	168	2	MDTRA48168	7,606	7,986

BOAT SHAPED 	36	72	1	MDTBT3672	2,851	2,994
	42	96	1	MDTBT4296	3,634	3,816
	48	96	1	MDTBT4896	4,061	4,264
	48	120	2	MDTBT48120	4,987	5,236
	48	144	2	MDTBT48144	6,300	6,615
	48	168	2	MDTBT48168	7,606	7,986

PRODUCT INFO

spec tip for boat shape top

TABLE DEPTH	END WIDTH
36"	= 30"
42"	= 34"
48"	= 36"

spec tip

- select top size
- select power option
- select the appropriate grommet cut out (see details on the right)
- order grommets and technology units separately

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV FINISH

EDGE

GROMMET CUTOUT

See page 249 for grommet cutout options

Example

MDTRA3672.NC260.FF.BV.GC

MDTRA3672	NC260	FF	BV	GC
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET


GROMMET CUTOUT OPTIONS

Description	Cutout Option Code	36 x 72	42 x 96	48 x 96	48 x 120	48 x 144	48 x 168	Technology Unit Required	Quantity
Grommet No	GN	●	●	●	●	●	●	N/A	N/A
Grommet Options									
Grommet Center	GC	●	●	●	●	●	●	ACUG	1
Grommet Left & Right	GB			●	●	●	●	ACUG	2
Grommet Left, Right, & Center	GA			●	●	●	●	ACUG	3
Single Flip Top Options									
Single Center	SC	●	●	●	●	●	●	ACFTS (-S)	1
Single Left & Right	SB			●	●	●	●	ACFTS (-S)	2
Single Left, Right, & Center	SA			●	●	●	●	ACFTS (-S)	3
Veneer Single Flip Top Options									
Veneer Single Center	VC (+\$1,412)	●	●	●	●	●	●	ACVFTS	1
Veneer Single Left & Right	VB (+\$2,822)			●	●	●	●	ACVFTS	2

Note: Above options are for cutout only, order grommets and technology units separately.:

GROMMET CUTOUT LOCATIONS


Grommet Locations



WIDTH	LENGTH	DIM. B	CENTER
36	72	N/A	36
42	96	N/A	48
48	96	28	48
48	120	28	60
48	144	28	72
48	168	28	84


Single Flip & Veneer
Single Flip Locations


36" & 42" depth



WIDTH	LENGTH	DIM. B	CENTER
36	72	N/A	36
42	96	N/A	48
48	96	28	48
48	120	28	60
48	144	28	72
48	168	28	84

48" depth



	diameter	# of sections	model number	veneer 1	veneer 2
ROUND TABLE TOPS 	36	1	MDTRD36	1,881	1,975
	42	1	MDTRD42	2,194	2,304
	48	1	MDTRD48	2,586	2,716
	54	2	MDTRD54	3,094	3,249
	60	2	MDTRD60	3,230	3,391

PRODUCT INFO

note
Order grommet separately.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

TOP UV
FINISH

EDGE

GROMMET
CUTOUT

No Grommet

GN





Grommet Center

GC

Example

MDTRD36.NC260.FF.BV.GC

MDTRD36	NC260	FF	BV	GC
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	GROMMET

	D	W	H	model number	veneer 1	veneer 2
CYLINDER BASE 	18		27	BSWCYL18	1,383	1,452
	24		27	BSWCYL24	1,836	1,928
CYLINDER BASE WIRE MANAGEMENT WITH ACCESS DOOR 	18		27	BSWCYL18WM	2,451	2,574
	24		27	BSWCYL24WM	3,008	3,158
HALF CYLINDER BASE 	9	18	27	BSWHCYL18	1,428	1,499
	13	24	27	BSWBT24	2,524	2,650
BOAT BASE WIRE MANAGEMENT WITH ACCESS DOOR 						

PRODUCT INFO

note
10" hole on the bottom of the
cylinder wire management
base.

8" dia. hole on the bottom of
boat base.


TO ORDER PLEASE SPECIFY THE FOLLOWING:

	.	
MODEL NUMBER		FINISH


Example

BSWCYL18.NC260
BSWCYL18 NC260
MODEL NUMBER FINISH


	D	W	H	model number	veneer 1	veneer 2
CUBE BASE	18	18	27	BSWCB18	1,684	1,768



CUBE BASE WIRE MANAGEMENT WITH ACCESS DOOR	18	18	27	BSWCB18WM	2,540	2,667
--	----	----	----	-----------	-------	-------



X-BASE	32	32	27	BSWX32	1,260	1,323
--------	----	----	----	--------	-------	-------



PRODUCT INFO

note:
10" hole in the bottom of
cube base

TO ORDER PLEASE SPECIFY THE FOLLOWING:



MODEL NUMBERFINISH

Example

BSWCB18.NC260
BSWCB18NC260
MODEL NUMBERFINISH

END PANEL BASES

FIELD ASSEMBLY
REQUIRED



D	W	H	top size	model number	veneer 1	veneer 2
20	42	27 ³ / ₄	36 x 72	BSWSL3672	2,840	2,982
24	58	27 ³ / ₄	42 x 96	BSWSL4296	3,083	3,237
30	58	27 ³ / ₄	48 x 96	BSWSL4896	3,471	3,645
30	82	27 ³ / ₄	48 x 120	BSWSL48120	4,330	4,547
30	106	27 ³ / ₄	48 x 144	BSWSL48144	4,546	4,773
30	132	27 ³ / ₄	48 x 168	BSWSL48168	4,912	5,158

PRODUCT INFO

note
Field assembly required.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FINISH

Example

BSWSL3672.NC260
BSWSL3692 NC260
MODEL NUMBER FINISH

	diameter	H	model number	veneer 1	veneer 2
TRI-RADIUS LEG	3 7/8	27 1/2	LGWTR	420	441



CIGAR LEG	2 7/8	27 1/2	LGWCG	317	333
-----------	-------	--------	-------	-----	-----



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

.

FINISH

Example

LGWTR.NC260

LGWTR

MODEL NUMBER

NC260

FINISH

D	W	H	model number	list
---	---	---	--------------	------

X BASE



33 1/4	33 1/4	27 3/4	BSMTL33X-LD	489
38 1/4	38 1/4	27 3/4	BSMTL38X-LD	528

• 2-1/4" diameter column

ROUND STEEL LEG
GLIDE/CASTER OPTION



2 1/2 dia.	27 1/2	LGMCL	161
------------	--------	-------	-----

PRODUCT INFO

Do not specify center
grommet over X-Base


TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	BASE COLOR	GLIDE/ CASTER FOR LGMCL
Silver	SV	Glide LD
Black	BK	Caster ST + \$48
Polished Aluminum	PA (add \$155)	

Example


LGMCL.BK.LD		
LGMCL	BK	LD
MODEL NUMBER	COLOR	GLIDE/CASTER

	D	W	H	model number	list
DISC BASE 18	18	18	27 3/4	BSMDISC18-LD	747



- Available in satin chrome (silver) or powder coat black
- 4" diameter column
- See base matrix for applicable top sizes

DISC BASE 24



24	24	27 3/4	BSMDISC24-LD	876
----	----	--------	--------------	-----

- Available in satin chrome (silver) or powder coat black
- 4" diameter column
- See base matrix for applicable top sizes

PRODUCT INFO

Do not specify with center
grommet in round tables

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER BASE COLOR

- Silver

Black

Polished Chrome

Brushed Satin Chrome
- SV

BK

PC (add \$155)




SC (add \$155)

Example

BSMDISC18-LD.SV

BSMDISC18-LD SV

MODEL NUMBER BASE COLOR

	D	W	H	model number	list
SINGLE FLIP TOP BLACK 	7 1/2	15 1/4	2 3/4	ACFTS	1,105
SINGLE FLIP TOP SILVER 	7 1/2	15 1/4	2 3/4	ACFTS-S	1,105
SINGLE FLIP TOP WOOD DOOR BLACK TECH UNIT 	7 1/2	15 1/4	2 3/4	ACVFTS	959
ACCESSORY				AC-VGAHDMI	277

PRODUCT INFO

Do not specify with center
grommet in round tables

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

BSCOLUMN4
BSCOLUMN4
MODEL NUMBER

D

W

H

model number

list

UNIVERSAL GROMMET

1


2 1/4

3 7/8

ACUG

125

BLACK, SILVER OR
BRONZE



POWER DATA CENTER

2 3/4


7 5/8

2 1/4

ACPDC

302

BLACK ONLY



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERGROMMET COLOR

Example


ACUG.BK

ACUGBK

MODEL NUMBERGROMMET COLOR


	D	W	H	model number	list
--	---	---	---	--------------	------

UNDER TOP
POWER/DATA DOUBLE
BLACK ONLY



2 3/4	9	2 1/4	ACUTD	410
-------	---	-------	--------------	-----

**HORIZONTAL
WIRE MANAGER**
BLACK ONLY



3 1/2	30	1	ACWM	65
-------	----	---	-------------	----

PRODUCT INFO


TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Example

ACUTD
ACUTD
MODEL NUMBER

LEG



D	W	H	model number	veneer 1	veneer 2
24	24	16	MDTO2424L16	1,211	1,271
24	24	21	MDTO2424L21	1,281	1,345
24	48	16	MDTO2448L16	1,495	1,569

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISHTOP UV FINISHEDGE

Example


MDTO2424L16.NC260.FF.BV

MDTO2424L16NC260FFBV

MODEL NUMBERFINISHTOP UV FINISHEDGE


	D	W	H	model number	veneer 1	veneer 2
--	---	---	---	--------------	----------	----------

TELEPHONE




16	16	29	MDT1616T29	1,474	1,547
----	----	----	-------------------	-------	-------

CONSOLE



16	42	29	MDT1642T29	2,165	2,273
----	----	----	-------------------	-------	-------

CONSOLE



16	54	29	MDT1654T29	2,304	2,419
----	----	----	-------------------	-------	-------

PRODUCT INFO

note
Elite pull not available on
MDT1616T29 Telephone
Table

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL


Example

MDT1616T29.NC260.FF.BV.ARB
MDT1616T29 NC260 FF BV ARB
MODEL NUMBER FINISH TOP UV FINISH EDGE PULL

BUFFET CREDENZA medley

MEDLEY
01/16

	D	W	H	model number	veneer 1	veneer 2
BUFFET CREDENZA	24	72	34 ⁵ / ₁₆	MDCB2472	7,256	7,619



PRODUCT INFO

note
Credenza
• Drawers receive pulls
• Doors receive touch latch
• Locks not available on this unit.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL

Example


MDCB2472.NC260.FF.BV.ARB

MDCB2472	NC260	FF	BV	ARB
MODEL NUMBER	FINISH	TOP UV FINISH	EDGE	PULL

	D	W	H	model number	veneer 1	veneer 2
--	---	---	---	--------------	----------	----------


FLOOR LECTERN

20	24	47 1/16	LECFL	2,925	3,071
----	----	---------	-------	-------	-------




VISUAL BOARDS

4	48	48	GNVB4848	3,264	3,427
---	----	----	----------	-------	-------



4	60	48	GNVB4860	3,743	3,930
---	----	----	----------	-------	-------



Marker Board Marker Board Marker Board

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER FINISH

Example

LECFL.NC260

LECFL NC260

MODEL NUMBER FINISH

FABRIC GRADE PRICING

MEDLEY
01/16

model number	COM/1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
--------------	-------	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

Cushion

MDMPD-CUSH	344	355	367	379	395	411	425	441	456	472	488	503	523	538	557	577
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Gallery tackboards

MDGK66	623	653	685	717	759	801	837	879	919	961	1,003	1,043	1,095	1,135	1,185	1,237
MDGK72	649	683	719	755	802	849	890	937	982	1,029	1,076	1,121	1,180	1,225	1,281	1,340
MDGK84	684	722	762	802	855	908	953	1,006	1,056	1,109	1,162	1,212	1,277	1,327	1,390	1,455

Surface mount tackboards

MDTKS60	612	642	674	706	748	790	826	868	908	950	992	1,032	1,084	1,124	1,174	1,226
MDTKS66	623	653	685	717	759	801	837	879	919	961	1,003	1,043	1,095	1,135	1,185	1,237
MDTKS72	649	683	719	755	802	849	890	937	982	1,029	1,076	1,121	1,180	1,225	1,281	1,340
MDTKS78	672	710	750	790	843	896	941	994	1,044	1,097	1,150	1,200	1,265	1,315	1,378	1,443
MDTKS84	684	722	762	802	855	908	953	1,006	1,056	1,109	1,162	1,212	1,277	1,327	1,390	1,455
MDTKS90	713	754	798	842	900	958	1,008	1,066	1,121	1,179	1,237	1,292	1,364	1,419	1,488	1,560
MDTKS96	745	790	838	886	949	1,012	1,066	1,129	1,189	1,252	1,315	1,375	1,453	1,513	1,588	1,666
MDTKS102	1,028	1,077	1,129	1,181	1,249	1,317	1,376	1,444	1,509	1,577	1,645	1,710	1,795	1,860	1,941	2,026
MDTKS108	1,062	1,115	1,171	1,227	1,301	1,375	1,438	1,512	1,582	1,656	1,730	1,800	1,891	1,961	2,049	2,140

Surface mount tackboards with paper manager

MDTKS60-PM	612	642	674	706	748	790	826	868	908	950	992	1,032	1,084	1,124	1,174	1,226
MDTKS66-PM	623	653	685	717	759	801	837	879	919	961	1,003	1,043	1,095	1,135	1,185	1,237
MDTKS72-PM	649	683	719	755	802	849	890	937	982	1,029	1,076	1,121	1,180	1,225	1,281	1,340
MDTKS78-PM	672	710	750	790	843	896	941	994	1,044	1,097	1,150	1,200	1,265	1,315	1,378	1,443
MDTKS84-PM	684	722	762	802	855	908	953	1,006	1,056	1,109	1,162	1,212	1,277	1,327	1,390	1,455
MDTKS90-PM	713	754	798	842	900	958	1,008	1,066	1,121	1,179	1,237	1,292	1,364	1,419	1,488	1,560
MDTKS96-PM	745	790	838	886	949	1,012	1,066	1,129	1,189	1,252	1,315	1,375	1,453	1,513	1,588	1,666
MDTKS102-PM	1,028	1,077	1,129	1,181	1,249	1,317	1,376	1,444	1,509	1,577	1,645	1,710	1,795	1,860	1,941	2,026
MDTKS108-PM	1,062	1,115	1,171	1,227	1,301	1,375	1,438	1,512	1,582	1,656	1,730	1,800	1,891	1,961	2,049	2,140

Surface mount tackboards with toolrail

MDTKS60-FT	920	950	982	1,014	1,056	1,098	1,134	1,176	1,216	1,258	1,300	1,340	1,392	1,432	1,482	1,534
MDTKS66-FT	934	964	996	1,028	1,070	1,112	1,148	1,190	1,230	1,272	1,314	1,354	1,406	1,446	1,496	1,548
MDTKS72-FT	972	1,006	1,042	1,078	1,125	1,172	1,213	1,260	1,305	1,352	1,399	1,444	1,503	1,548	1,604	1,663
MDTKS78-FT	1,008	1,046	1,086	1,126	1,179	1,232	1,277	1,330	1,380	1,433	1,486	1,536	1,601	1,651	1,714	1,779
MDTKS84-FT	1,026	1,064	1,104	1,144	1,197	1,250	1,295	1,348	1,398	1,451	1,504	1,554	1,619	1,669	1,732	1,797
MDTKS90-FT	1,072	1,113	1,157	1,201	1,259	1,317	1,367	1,425	1,480	1,538	1,596	1,651	1,723	1,778	1,847	1,919
MDTKS96-FT	1,118	1,163	1,211	1,259	1,322	1,385	1,439	1,502	1,562	1,625	1,688	1,748	1,826	1,886	1,961	2,039
MDTKS102-FT	1,542	1,591	1,643	1,695	1,763	1,831	1,890	1,958	2,023	2,091	2,159	2,224	2,309	2,374	2,455	2,540
MDTKS108-FT	1,594	1,647	1,703	1,759	1,833	1,907	1,970	2,044	2,114	2,188	2,262	2,332	2,423	2,493	2,581	2,672

model number	17	18	19	20	21	22	23	24	25	26	27	COL	L1	L2	L3	L4	L5
--------------	----	----	----	----	----	----	----	----	----	----	----	-----	----	----	----	----	----

Cushion

MDMPD-CUSH	596	610	629	647	666	685	723	760	798	836	873	379	497	625	752	880	994
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Gallery tackboards

MDGK66	1,287	1,323	1,373	1,421	1,471	1,521	1,621	1,719	1,819	1,919	2,017						
MDGK72	1,396	1,437	1,493	1,547	1,603	1,659	1,772	1,882	1,995	2,108	2,218						
MDGK84	1,518	1,563	1,626	1,686	1,749	1,812	1,937	2,060	2,185	2,310	2,433						

Surface mount tackboards

MDTKS60	1,276	1,312	1,362	1,410	1,460	1,510	1,610	1,708	1,808	1,908	2,006						
MDTKS66	1,287	1,323	1,373	1,421	1,471	1,521	1,621	1,719	1,819	1,919	2,017						
MDTKS72	1,396	1,437	1,493	1,547	1,603	1,659	1,772	1,882	1,995	2,108	2,218						
MDTKS78	1,506	1,551	1,614	1,674	1,737	1,800	1,925	2,048	2,173	2,298	2,421						
MDTKS84	1,518	1,563	1,626	1,686	1,749	1,812	1,937	2,060	2,185	2,310	2,433						
MDTKS90	1,629	1,679	1,748	1,814	1,883	1,952	2,090	2,225	2,363	2,501	2,636						
MDTKS96	1,741	1,795	1,870	1,942	2,017	2,092	2,242	2,389	2,539	2,689	2,836						
MDTKS102	2,107	2,166	2,247	2,325	2,406	2,487	2,650	2,809	2,972	3,135	3,294						
MDTKS108	2,228	2,291	2,379	2,463	2,551	2,639	2,814	2,986	3,161	3,336	3,508						

Surface mount tackboards with paper manager

MDTKS60-PM	1,276	1,312	1,362	1,410	1,460	1,510	1,610	1,708	1,808	1,908	2,006						
MDTKS66-PM	1,287	1,323	1,373	1,421	1,471	1,521	1,621	1,719	1,819	1,919	2,017						
MDTKS72-PM	1,396	1,437	1,493	1,547	1,603	1,659	1,772	1,882	1,995	2,108	2,218						
MDTKS78-PM	1,506	1,551	1,614	1,674	1,737	1,800	1,925	2,048	2,173	2,298	2,421						
MDTKS84-PM	1,518	1,563	1,626	1,686	1,749	1,812	1,937	2,060	2,185	2,310	2,433						
MDTKS90-PM	1,629	1,679	1,748	1,814	1,883	1,952	2,090	2,225	2,363	2,501	2,636						
MDTKS96-PM	1,741	1,795	1,870	1,942	2,017	2,092	2,242	2,389	2,539	2,689	2,836						
MDTKS102-PM	2,107	2,166	2,247	2,325	2,406	2,487	2,650	2,809	2,972	3,135	3,294						
MDTKS108-PM	2,228	2,291	2,379	2,463	2,551	2,639	2,814	2,986	3,161	3,336	3,508						

Surface mount tackboards with toolrail

MDTKS60-FT	1,584	1,620	1,670	1,718	1,768	1,818	1,918	2,016	2,116	2,216	2,314						
MDTKS66-FT	1,598	1,634	1,684	1,732	1,782	1,832	1,932	2,030	2,130	2,230	2,328						
MDTKS72-FT	1,719	1,760	1,816	1,870	1,926	1,982	2,095	2,205	2,318	2,431	2,541						
MDTKS78-FT	1,842	1,887	1,950	2,010	2,073	2,136	2,261	2,384	2,509	2,634	2,757						
MDTKS84-FT	1,860	1,905	1,968	2,028	2,091	2,154	2,279	2,402	2,527	2,652	2,775						
MDTKS90-FT	1,988	2,038	2,107	2,173	2,242	2,311	2,449	2,584	2,722	2,860	2,995						
MDTKS96-FT	2,114	2,168	2,243	2,315	2,390	2,465	2,615	2,762	2,912	3,062	3,209						
MDTKS102-FT	2,621	2,680	2,761	2,839	2,920	3,001	3,164	3,323	3,486	3,649	3,808						
MDTKS108-FT	2,760	2,823	2,911	2,995	3,083	3,171	3,346	3,518	3,693	3,868	4,040						

FABRIC GRADE PRICING

MEDLEY
01/16

model number	COM/1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
--------------	-------	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

Wall mount tackboards

MDTKWM30	502	517	533	549	570	591	609	630	650	671	692	712	738	758	783	809
MDTKWM36	526	545	565	585	611	637	660	686	711	737	763	788	821	846	877	910
MDTKWM42	552	575	599	623	655	687	714	746	776	808	840	870	909	939	977	1,016
MDTKWM48	563	586	610	634	666	698	725	757	787	819	851	881	920	950	988	1,027
MDTKWM60	612	642	674	706	748	790	826	868	908	950	992	1,032	1,084	1,124	1,174	1,226
MDTKWM66	623	653	685	717	759	801	837	879	919	961	1,003	1,043	1,095	1,135	1,185	1,237
MDTKWM72	649	683	719	755	802	849	890	937	982	1,029	1,076	1,121	1,180	1,225	1,281	1,340
MDTKWM78	672	710	750	790	843	896	941	994	1,044	1,097	1,150	1,200	1,265	1,315	1,378	1,443
MDTKWM84	684	722	762	802	855	908	953	1,006	1,056	1,109	1,162	1,212	1,277	1,327	1,390	1,455
MDTKWM90	713	754	798	842	900	958	1,008	1,066	1,121	1,179	1,237	1,292	1,364	1,419	1,488	1,560
MDTKWM96	745	790	838	886	949	1,012	1,066	1,129	1,189	1,252	1,315	1,375	1,453	1,513	1,588	1,666
MDTKWM102	1,028	1,077	1,129	1,181	1,249	1,317	1,376	1,444	1,509	1,577	1,645	1,710	1,795	1,860	1,941	2,026
MDTKWM108	1,062	1,115	1,171	1,227	1,301	1,375	1,438	1,512	1,582	1,656	1,730	1,800	1,891	1,961	2,049	2,140

Wall mount tackboards with paper manager

MDTKWM30-PM	502	517	533	549	570	591	609	630	650	671	692	712	738	758	783	809
MDTKWM36-PM	526	545	565	585	611	637	660	686	711	737	763	788	821	846	877	910
MDTKWM42-PM	552	575	599	623	655	687	714	746	776	808	840	870	909	939	977	1,016
MDTKWM48-PM	563	586	610	634	666	698	725	757	787	819	851	881	920	950	988	1,027
MDTKWM60-PM	612	642	674	706	748	790	826	868	908	950	992	1,032	1,084	1,124	1,174	1,226
MDTKWM66-PM	623	653	685	717	759	801	837	879	919	961	1,003	1,043	1,095	1,135	1,185	1,237
MDTKWM72-PM	649	683	719	755	802	849	890	937	982	1,029	1,076	1,121	1,180	1,225	1,281	1,340
MDTKWM78-PM	672	710	750	790	843	896	941	994	1,044	1,097	1,150	1,200	1,265	1,315	1,378	1,443
MDTKWM84-PM	684	722	762	802	855	908	953	1,006	1,056	1,109	1,162	1,212	1,277	1,327	1,390	1,455
MDTKWM90-PM	713	754	798	842	900	958	1,008	1,066	1,121	1,179	1,237	1,292	1,364	1,419	1,488	1,560
MDTKWM96-PM	745	790	838	886	949	1,012	1,066	1,129	1,189	1,252	1,315	1,375	1,453	1,513	1,588	1,666
MDTKWM102-PM	1,028	1,077	1,129	1,181	1,249	1,317	1,376	1,444	1,509	1,577	1,645	1,710	1,795	1,860	1,941	2,026
MDTKWM108-PM	1,062	1,115	1,171	1,227	1,301	1,375	1,438	1,512	1,582	1,656	1,730	1,800	1,891	1,961	2,049	2,140

Wall mount tackboards with toolrail

MDTKWM60-FT	920	950	982	1,014	1,056	1,098	1,134	1,176	1,216	1,258	1,300	1,340	1,392	1,432	1,482	1,534
MDTKWM66-FT	934	964	996	1,028	1,070	1,112	1,148	1,190	1,230	1,272	1,314	1,354	1,406	1,446	1,496	1,548
MDTKWM72-FT	972	1,006	1,042	1,078	1,125	1,172	1,213	1,260	1,305	1,352	1,399	1,444	1,503	1,548	1,604	1,663
MDTKWM78-FT	1,008	1,046	1,086	1,126	1,179	1,232	1,277	1,330	1,380	1,433	1,486	1,536	1,601	1,651	1,714	1,779
MDTKWM84-FT	1,026	1,064	1,104	1,144	1,197	1,250	1,295	1,348	1,398	1,451	1,504	1,554	1,619	1,669	1,732	1,797
MDTKWM90-FT	1,072	1,113	1,157	1,201	1,259	1,317	1,367	1,425	1,480	1,538	1,596	1,651	1,723	1,778	1,847	1,919
MDTKWM96-FT	1,118	1,163	1,211	1,259	1,322	1,385	1,439	1,502	1,562	1,625	1,688	1,748	1,826	1,886	1,961	2,039
MDTKWM102-FT	1,542	1,591	1,643	1,695	1,763	1,831	1,890	1,958	2,023	2,091	2,159	2,224	2,309	2,374	2,455	2,540
MDTKWM108-FT	1,594	1,647	1,703	1,759	1,833	1,907	1,970	2,044	2,114	2,188	2,262	2,332	2,423	2,493	2,581	2,672

model number	17	18	19	20	21	22	23	24	25	26	27	COL	L1	L2	L3	L4	L5
Wall mount tackboards																	
MDTKWM30	834	852	877	901	926	951	1,001	1,050	1,100	1,150	1,199						
MDTKWM36	941	964	995	1,025	1,056	1,087	1,150	1,211	1,274	1,337	1,398						
MDTKWM42	1,054	1,081	1,119	1,155	1,193	1,231	1,306	1,380	1,455	1,530	1,604						
MDTKWM48	1,065	1,092	1,130	1,166	1,204	1,242	1,317	1,391	1,466	1,541	1,615						
MDTKWM60	1,276	1,312	1,362	1,410	1,460	1,510	1,610	1,708	1,808	1,908	2,006						
MDTKWM66	1,287	1,323	1,373	1,421	1,471	1,521	1,621	1,719	1,819	1,919	2,017						
MDTKWM72	1,396	1,437	1,493	1,547	1,603	1,659	1,772	1,882	1,995	2,108	2,218						
MDTKWM78	1,506	1,551	1,614	1,674	1,737	1,800	1,925	2,048	2,173	2,298	2,421						
MDTKWM84	1,518	1,563	1,626	1,686	1,749	1,812	1,937	2,060	2,185	2,310	2,433						
MDTKWM90	1,629	1,679	1,748	1,814	1,883	1,952	2,090	2,225	2,363	2,501	2,636						
MDTKWM96	1,741	1,795	1,870	1,942	2,017	2,092	2,242	2,389	2,539	2,689	2,836						
MDTKWM102	2,107	2,166	2,247	2,325	2,406	2,487	2,650	2,809	2,972	3,135	3,294						
MDTKWM108	2,228	2,291	2,379	2,463	2,551	2,639	2,814	2,986	3,161	3,336	3,508						
Wall mount tackboards with paper manager																	
MDTKWM30-PM	834	852	877	901	926	951	1,001	1,050	1,100	1,150	1,199						
MDTKWM36-PM	941	964	995	1,025	1,056	1,087	1,150	1,211	1,274	1,337	1,398						
MDTKWM42-PM	1,054	1,081	1,119	1,155	1,193	1,231	1,306	1,380	1,455	1,530	1,604						
MDTKWM48-PM	1,065	1,092	1,130	1,166	1,204	1,242	1,317	1,391	1,466	1,541	1,615						
MDTKWM60-PM	1,276	1,312	1,362	1,410	1,460	1,510	1,610	1,708	1,808	1,908	2,006						
MDTKWM66-PM	1,287	1,323	1,373	1,421	1,471	1,521	1,621	1,719	1,819	1,919	2,017						
MDTKWM72-PM	1,396	1,437	1,493	1,547	1,603	1,659	1,772	1,882	1,995	2,108	2,218						
MDTKWM78-PM	1,506	1,551	1,614	1,674	1,737	1,800	1,925	2,048	2,173	2,298	2,421						
MDTKWM84-PM	1,518	1,563	1,626	1,686	1,749	1,812	1,937	2,060	2,185	2,310	2,433						
MDTKWM90-PM	1,629	1,679	1,748	1,814	1,883	1,952	2,090	2,225	2,363	2,501	2,636						
MDTKWM96-PM	1,741	1,795	1,870	1,942	2,017	2,092	2,242	2,389	2,539	2,689	2,836						
MDTKWM102-PM	2,107	2,166	2,247	2,325	2,406	2,487	2,650	2,809	2,972	3,135	3,294						
MDTKWM108-PM	2,228	2,291	2,379	2,463	2,551	2,639	2,814	2,986	3,161	3,336	3,508						
Wall mount tackboards with toolrail																	
MDTKWM60-FT	1,584	1,620	1,670	1,718	1,768	1,818	1,918	2,016	2,116	2,216	2,314						
MDTKWM66-FT	1,598	1,634	1,684	1,732	1,782	1,832	1,932	2,030	2,130	2,230	2,328						
MDTKWM72-FT	1,719	1,760	1,816	1,870	1,926	1,982	2,095	2,205	2,318	2,431	2,541						
MDTKWM78-FT	1,842	1,887	1,950	2,010	2,073	2,136	2,261	2,384	2,509	2,634	2,757						
MDTKWM84-FT	1,860	1,905	1,968	2,028	2,091	2,154	2,279	2,402	2,527	2,652	2,775						
MDTKWM90-FT	1,988	2,038	2,107	2,173	2,242	2,311	2,449	2,584	2,722	2,860	2,995						
MDTKWM96-FT	2,114	2,168	2,243	2,315	2,390	2,465	2,615	2,762	2,912	3,062	3,209						
MDTKWM102-FT	2,621	2,680	2,761	2,839	2,920	3,001	3,164	3,323	3,486	3,649	3,808						
MDTKWM108-FT	2,760	2,823	2,911	2,995	3,083	3,171	3,346	3,518	3,693	3,868	4,040						

model number	weight	cubes	# locks	page
ACBXD	1 lbs.	0.2	-	230
ACCD19	18 lbs.	1.2	-	229
ACCD26	20 lbs.	1.2	-	229
ACDRB-FILE	1 lbs.	0.1	-	231
ACDRB-LAT	1 lbs.	0.1	-	231
ACFLR15	1 lbs.	0.5	-	231
ACFLRM30	1 lbs.	0.2	-	231
ACFLRM36	1 lbs.	0.3	-	231
ACFLRMF30	1 lbs.	0.2	-	231
ACFTS	11 lbs.	0.7	-	259
ACFTS-S	11 lbs.	0.7	-	259
ACGMT	1 lbs.	0.1	-	230
ACKBDW	14 lbs.	1.2	-	229
ACKYBRDSET	15 lbs.	3	-	228
ACLEDD24	4 lbs.	0.4	-	172
ACLEDD36	6 lbs.	0.5	-	172
ACLEDD48	8 lbs.	0.7	-	172
ACLEDD60	10 lbs.	0.9	-	172
ACLFC24	12 lbs.	0.7	-	171
ACLFC24-GSA	12 lbs.	0.7	-	171
ACLFC36	12 lbs.	1	-	171
ACLFC36-GSA	12 lbs.	1	-	171
ACLFC48	12 lbs.	1.3	-	171
ACLFC48-GSA	12 lbs.	1.3	-	171
ACLFC60	12 lbs.	1.6	-	171
ACLFC60-GSA	12 lbs.	1.6	-	171
ACLSP24	12 lbs.	0.7	-	171
ACLSP24-GSA	12 lbs.	0.7	-	171
ACLSP36	12 lbs.	1	-	171
ACLSP36-GSA	12 lbs.	1	-	171
ACLSP48	12 lbs.	1.3	-	171
ACLSP48-GSA	12 lbs.	1.3	-	171
ACLSP60	12 lbs.	1.6	-	171
ACLSP60-GSA	12 lbs.	1.6	-	171
ACLTCLKR	5 lbs.	0.6	-	228
ACPDC	2 lbs.	0.2	-	232
ACPDC	2 lbs.	0.2	-	260
ACPT15	1 lbs.	0.2	-	230
ACPT18	1 lbs.	0.2	-	230
ACUG	1 lbs.	0.1	-	232
ACUG	1 lbs.	0.1	-	260
ACUTD	6 lbs.	0.2	-	261

model number	weight	cubes	# locks	page
ACVFTS	8 lbs.	0.7	-	259
AC-VGAHDMI	1 lbs.	0.1	-	259
ACWCB15	6 lbs.	0.7	-	189
ACWCB20	8 lbs.	0.8	-	189
ACWM	1 lbs.	0.6	-	230
ACWM	1 lbs.	0.6	-	261
BSCOLUMN4	10 lbs.	0.9	-	234
BSHAT2142	53 lbs.	5.4	-	124
BSHAT2148	55 lbs.	6.3	-	124
BSHAT2154	57 lbs.	7.1	-	124
BSHAT2160	59 lbs.	7.9	-	124
BSHAT2166	61 lbs.	8.8	-	124
BSHAT2172	63 lbs.	9.6	-	124
BSHAT2748	59 lbs.	7.8	-	124
BSHAT2754	61 lbs.	8.9	-	124
BSHAT2760	63 lbs.	9.9	-	124
BSHAT2766	65 lbs.	10.9	-	124
BSHAT2772	67 lbs.	12	-	124
BSMDISC18-LD	40 lbs.	11.1	-	258
BSMDISC24-LD	50 lbs.	12.9	-	258
BSMTL33X-LD	30 lbs.	19	-	257
BSMTL38X-LD	40 lbs.	22	-	257
BSWBT24	50 lbs.	7.5	-	253
BSWCB18	50 lbs.	7.5	-	254
BSWCB18WM	50 lbs.	7.5	-	254
BSWCYL18	50 lbs.	7.7	-	253
BSWCYL18WM	50 lbs.	7.7	-	253
BSWCYL24	65 lbs.	12.7	-	253
BSWCYL24WM	65 lbs.	12.7	-	253
BSWHCYL18	40 lbs.	2.5	-	253
BSWSL3672	73 lbs.	4.1	-	255
BSWSL4296	81 lbs.	5.1	-	255
BSWSL48120	124 lbs.	7.3	-	255
BSWSL48144	142 lbs.	7.5	-	255
BSWSL48168	168 lbs.	8.1	-	255
BSWSL4896	108 lbs.	5.8	-	255
BSWX32	50 lbs.	21	-	254
GNVB4848	130 lbs.	6.8	-	265
GNVB4860	160 lbs.	8.4	-	265
LECFL	79 lbs.	20	-	265
LGMCL	7 lbs.	2.3	-	257
LGWCG	5 lbs.	2.3	-	256

model number	weight	cubes	# locks	page
LGWTR	5 lbs.	2.3	-	256
MD1HHT30	85 lbs.	14.3	-	166
MD1HHT36	95 lbs.	17	-	166
MD1HHT72	175 lbs.	33.1	-	166
MD1HOS102G	253 lbs.	48.9	-	146
MD1HOS102W	253 lbs.	48.9	3	144
MD1HOS102-WFG	253 lbs.	48.9	3	147
MD1HOS102W-PM	287 lbs.	48.9	3	145
MD1HOS108G	266 lbs.	51.7	-	146
MD1HOS108W	266 lbs.	51.7	3	144
MD1HOS108-WFG	266 lbs.	51.7	3	147
MD1HOS108W-PM	301 lbs.	51.7	3	145
MD1HOS60G	157 lbs.	29.2	-	146
MD1HOS60W	157 lbs.	29.2	2	144
MD1HOS60-WFG	157 lbs.	29.2	2	147
MD1HOS60W-PM	177 lbs.	29.2	2	145
MD1HOS66G	170 lbs.	32	-	146
MD1HOS66W	170 lbs.	32	2	144
MD1HOS66-WFG	170 lbs.	32	2	147
MD1HOS66W-PM	191 lbs.	32	2	145
MD1HOS72G	182 lbs.	34.8	-	146
MD1HOS72W	182 lbs.	34.8	2	144
MD1HOS72-WFG	182 lbs.	34.8	2	147
MD1HOS72W-PM	205 lbs.	34.8	2	145
MD1HOS78G	195 lbs.	37.6	-	146
MD1HOS78W	195 lbs.	37.6	2	144
MD1HOS78-WFG	195 lbs.	37.6	2	147
MD1HOS78W-PM	220 lbs.	37.6	2	145
MD1HOS84G	214 lbs.	40.5	-	146
MD1HOS84W	214 lbs.	40.5	3	144
MD1HOS84-WFG	214 lbs.	40.5	3	147
MD1HOS84W-PM	243 lbs.	40.5	3	145
MD1HOS90G	227 lbs.	43.3	-	146
MD1HOS90W	227 lbs.	43.3	3	144
MD1HOS90-WFG	227 lbs.	43.3	3	147
MD1HOS90W-PM	258 lbs.	43.3	3	145
MD1HOS96G	240 lbs.	46.1	-	146
MD1HOS96W	240 lbs.	46.1	3	144
MD1HOS96-WFG	240 lbs.	46.1	3	147
MD1HOS96W-PM	272 lbs.	46.1	3	145
MD1HOW102G	156 lbs.	23	-	158
MD1HOW102N	188 lbs.	23	-	159

model number	weight	cubes	# locks	page
MD1HOW102W	206 lbs.	23	3	156
MD1HOW102-WFG	156 lbs.	23.2	3	160
MD1HOW102W-PM	257 lbs.	28.2	3	157
MD1HOW108G	163 lbs.	24.4	-	158
MD1HOW108N	199 lbs.	24.4	-	159
MD1HOW108W	217 lbs.	24.4	3	156
MD1HOW108-WFG	163 lbs.	24.6	3	160
MD1HOW108W-PM	271 lbs.	29.8	3	157
MD1HOW30N	56 lbs.	7.1	-	159
MD1HOW30W	62 lbs.	7.1	1	156
MD1HOW30W-PM	75 lbs.	8.7	1	157
MD1HOW36N	67 lbs.	8.4	-	159
MD1HOW36W	73 lbs.	8.4	1	156
MD1HOW36W-PM	90 lbs.	10.3	1	157
MD1HOW42N	78 lbs.	9.8	-	159
MD1HOW42W	90 lbs.	9.8	2	156
MD1HOW42W-PM	113 lbs.	11.9	2	157
MD1HOW48N	99 lbs.	11.1	-	159
MD1HOW48W	101 lbs.	11.1	2	156
MD1HOW48W-PM	127 lbs.	13.6	2	157
MD1HOW60G	81 lbs.	13.7	-	158
MD1HOW60N	111 lbs.	13.7	-	159
MD1HOW60W	123 lbs.	13.7	2	156
MD1HOW60-WFG	81 lbs.	13.9	2	160
MD1HOW60W-PM	153 lbs.	16.8	2	157
MD1HOW66G	91 lbs.	15.1	-	158
MD1HOW66N	122 lbs.	15.7	-	159
MD1HOW66W	134 lbs.	15.7	2	156
MD1HOW66-WFG	91 lbs.	15.3	2	160
MD1HOW66W-PM	166 lbs.	18.4	2	157
MD1HOW72G	101 lbs.	16	-	158
MD1HOW72N	133 lbs.	16	-	159
MD1HOW72W	145 lbs.	16	2	156
MD1HOW72-WFG	101 lbs.	16.6	2	160
MD1HOW72W-PM	180 lbs.	20.1	2	157
MD1HOW78G	116 lbs.	17.9	-	158
MD1HOW78N	143 lbs.	17.7	-	159
MD1HOW78W	155 lbs.	17.7	2	156
MD1HOW78-WFG	116 lbs.	17.9	2	160
MD1HOW78W-PM	192 lbs.	21.7	2	157
MD1HOW84G	129 lbs.	19.1	-	158
MD1HOW84N	156 lbs.	19.1	-	159

WEIGHTS + CUBES

MEDLEY
01/16

model number	weight	cubes	# locks	page
MD1HOW84W	174 lbs.	19.1	3	156
MD1HOW84-WFG	129 lbs.	19.2	3	160
MD1HOW84W-PM	216 lbs.	23.3	3	157
MD1HOW90G	139 lbs.	20.5	-	158
MD1HOW90N	167 lbs.	20.5	-	159
MD1HOW90W	185 lbs.	20.5	3	156
MD1HOW90-WFG	139 lbs.	20.6	3	160
MD1HOW90W-PM	228 lbs.	24.9	3	157
MD1HOW96G	147 lbs.	21.7	-	158
MD1HOW96N	177 lbs.	21.7	-	159
MD1HOW96W	195 lbs.	21.7	3	156
MD1HOW96-WFG	147 lbs.	21.9	3	160
MD1HOW96W-PM	243 lbs.	26.5	3	157
MD2HOS60G	204 lbs.	37.8	-	150
MD2HOS60W	216 lbs.	37.8	2	148
MD2HOS60-WFG	204 lbs.	37.8	2	151
MD2HOS60W-PM	234 lbs.	37.8	2	149
MD2HOS66G	219 lbs.	41.5	-	150
MD2HOS66W	233 lbs.	41.5	2	148
MD2HOS66-WFG	219 lbs.	41.5	2	151
MD2HOS66W-PM	253 lbs.	41.5	2	149
MD2HOS72G	252 lbs.	45.1	-	150
MD2HOS72W	251 lbs.	45.1	2	148
MD2HOS72-WFG	252 lbs.	45.1	2	151
MD2HOS72W-PM	272 lbs.	45.1	2	149
MD2HOS78G	267 lbs.	48.8	-	150
MD2HOS78W	268 lbs.	48.8	2	148
MD2HOS78-WFG	267 lbs.	48.8	3	151
MD2HOS78W-PM	291 lbs.	48.8	2	149
MD2HOS84G	281 lbs.	52.4	-	150
MD2HOS84W	298 lbs.	52.4	3	148
MD2HOS84-WFG	281 lbs.	52.4	3	151
MD2HOS84W-PM	326 lbs.	52.4	3	149
MD2HOS90G	295 lbs.	56.1	-	150
MD2HOS90W	316 lbs.	56.1	3	148
MD2HOS90-WFG	295 lbs.	56.1	3	151
MD2HOS90W-PM	345 lbs.	56.1	3	149
MD2HOW30N	100 lbs.	11.6	-	164
MD2HOW30W	92 lbs.	11.6	1	161
MD2HOW30W-PM	110 lbs.	13.2	1	162
MD2HOW36N	118 lbs.	13.7	-	164
MD2HOW36W	107 lbs.	13.7	1	161

model number	weight	cubes	# locks	page
MD2HOW36W-PM	128 lbs.	15.6	1	162
MD2HOW42N	141 lbs.	15.9	-	164
MD2HOW42W	138 lbs.	15.9	2	161
MD2HOW42W-PM	161 lbs.	18.1	2	162
MD2HOW48N	159 lbs.	18	-	164
MD2HOW48W	154 lbs.	18	2	161
MD2HOW48W-PM	179 lbs.	20.5	2	162
MD2HOW60G	140 lbs.	22.4	-	163
MD2HOW60N	194 lbs.	22.4	-	164
MD2HOW60W	184 lbs.	22.4	2	161
MD2HOW60-WFG	140 lbs.	22.7	2	165
MD2HOW60W-PM	214 lbs.	25.4	2	162
MD2HOW60-WSW	81 lbs.	24.5	-	165
MD2HOW66G	153 lbs.	24.5	-	163
MD2HOW66N	215 lbs.	24.5	-	164
MD2HOW66W	200 lbs.	24.5	2	161
MD2HOW66-WFG	153 lbs.	24.8	2	165
MD2HOW66W-PM	235 lbs.	27.9	2	162
MD2HOW72G	164 lbs.	26.7	-	163
MD2HOW72N	232 lbs.	26.7	-	164
MD2HOW72W	215 lbs.	26.7	2	161
MD2HOW72-WFG	164 lbs.	27	2	165
MD2HOW72W-PM	252 lbs.	30.3	2	162
MD2HOW72-WSW	101 lbs.	29.2	-	165
MD2HOW78G	182 lbs.	29.2	-	163
MD2HOW78-WFG	182 lbs.	29.2	2	165
MD2HOW84G	206 lbs.	31	-	163
MD2HOW84N	273 lbs.	31	-	164
MD2HOW84W	260 lbs.	31	3	161
MD2HOW84-WFG	206 lbs.	31.3	3	165
MD2HOW84W-PM	303 lbs.	35.3	3	162
MD2HOW90G	220 lbs.	33.2	-	163
MD2HOW90N	292 lbs.	33.2	-	164
MD2HOW90W	276 lbs.	33.2	3	161
MD2HOW90-WFG	220 lbs.	33.5	3	165
MD2HOW90W-PM	322 lbs.	37.7	3	162
MD2HOW90-WSW	139 lbs.	36.2	-	165
MD5HBC3024L	270 lbs.	38.2	1	134
MD5HBC3024R	270 lbs.	38.2	1	134
MD5HCL1824L	175 lbs.	24.9	1	133
MD5HCL1824R	175 lbs.	24.9	1	133
MD5HSB1524-2N	128 lbs.	21.4	1	138

model number	weight	cubes	# locks	page
MD5HSB1524L-2W	136 lbs.	21.4	2	138
MD5HSB1524L-2WFG	136 lbs.	21.4	2	139
MD5HSB1524R-2W	136 lbs.	21.4	2	138
MD5HSB1524R-2WFG	136 lbs.	21.4	2	139
MD5HSB1824-2N	145 lbs.	24.9	1	138
MD5HSB1824L-2W	153 lbs.	24.9	2	138
MD5HSB1824L-2WFG	153 lbs.	24.9	2	139
MD5HSB1824R-2W	153 lbs.	24.9	2	138
MD5HSB1824R-2WFG	153 lbs.	24.9	2	139
MD5HSB3024-4DW	345 lbs.	38.3	1	135
MD5HSB3024-4N	300 lbs.	38.3	1	136
MD5HSB3024-4WFG	320 lbs.	38.3	2	137
MD5HUTC2424L	300 lbs.	31.3	3	140
MD5HUTC2424R	300 lbs.	31.3	3	141
MD6HCL1824L	210 lbs.	29.4	1	133
MD6HCL1824R	210 lbs.	29.4	1	133
MD6HCL3024-C	300 lbs.	45.1	1	132
MD6HCL3024-D	300 lbs.	45.1	1	132
MD6HCL3024-S	300 lbs.	45.1	1	132
MD6HSB1824-2N	170 lbs.	29.4	1	138
MD6HSB1824L-2W	188 lbs.	29.4	2	138
MD6HSB1824L-2WFG	188 lbs.	29.4	2	139
MD6HSB1824R-2W	188 lbs.	29.4	2	138
MD6HSB1824R-2WFG	188 lbs.	29.4	2	139
MD6HSB3024-2L	350 lbs.	45.1	2	135
MD6HSB3024-4DW	375 lbs.	45.2	2	135
MD6HSB3024-4N	325 lbs.	45.2	1	136
MD6HSB3024-4WFG	350 lbs.	45.2	2	137
MD6HUTC2424L	340 lbs.	37	3	140
MD6HUTC2424R	340 lbs.	37	3	141
MDBG2430	51 lbs.	2.6	-	114
MDBG2436	59 lbs.	3.1	-	114
MDBG2442	67 lbs.	3.5	-	114
MDBG2448	75 lbs.	4	-	114
MDBG2454	83 lbs.	4.5	-	114
MDBG2460	91 lbs.	4.9	-	114
MDBG2442	67 lbs.	3.5	-	115
MDBG2448	75 lbs.	4	-	115
MDBK30-2H	61 lbs.	10.4	-	142
MDBK30-3H	90 lbs.	14.3	-	142
MDBK30-4H	115 lbs.	18.5	-	142
MDBK30-5H	142 lbs.	24	-	142

model number	weight	cubes	# locks	page
MDBK30-6H	165 lbs.	28.6	-	142
MDBK36-2H	69 lbs.	12.3	-	142
MDBK36-3H	100 lbs.	16.9	-	142
MDBK36-4H	125 lbs.	21.9	-	142
MDBK36-5H	150 lbs.	28.4	-	142
MDBK36-6H	175 lbs.	33.8	-	142
MDBK72-2H	284 lbs.	23.6	-	143
MDCB2472	365 lbs.	37.5	4	264
MDCC2436	145 lbs.	28.2	-	98
MDCC2442	160 lbs.	37.5	-	98
MDCCR2436	145 lbs.	28.2	-	98
MDCCR2442	160 lbs.	37.5	-	98
MDCF2460-44	240 lbs.	31.5	2	119
MDCF2460-55	240 lbs.	31.5	2	119
MDCF2472-242	310 lbs.	37.5	3	119
MDCF2472-252	310 lbs.	37.5	3	119
MDCF2472-342	310 lbs.	37.5	3	119
MDCF2472-352	310 lbs.	37.5	3	119
MDCF2472-44	310 lbs.	37.5	2	119
MDCF2472-55	310 lbs.	37.5	2	119
MDCK2472-22	280 lbs.	37.5	2	118
MDCK2472-32	280 lbs.	37.5	2	118
MDCL1524L	170 lbs.	20.8	1	133
MDCL1524R	170 lbs.	20.8	1	133
MDCL3024-C	275 lbs.	38.2	1	132
MDCL3024-D	275 lbs.	38.2	1	132
MDCL3024-S	275 lbs.	38.2	1	132
MDCS2436	105 lbs.	19.5	-	121
MDCS2436M	110 lbs.	19.5	-	121
MDCS2442	115 lbs.	22.5	-	121
MDCS2442M	120 lbs.	22.5	-	121
MDCSL2466	158 lbs.	34.5	-	123
MDCSL2472	168 lbs.	37.5	-	123
MDCSL2478	178 lbs.	40.5	-	123
MDCSL2484	188 lbs.	43.5	-	123
MDCSL2490	198 lbs.	46.5	-	123
MDCSL2496	208 lbs.	49.5	-	123
MDCU2466L-2	255 lbs.	34.5	1	116
MDCU2466L-3	255 lbs.	34.5	1	116
MDCU2466R-2	255 lbs.	34.5	1	117
MDCU2466R-3	255 lbs.	34.5	1	117
MDCU2472L-2	275 lbs.	37.5	1	116

WEIGHTS + CUBES

MEDLEY
01/16

model number	weight	cubes	# locks	page
MDCU2472L-3	275 lbs.	37.5	1	116
MDCU2472L-4	275 lbs.	37.5	1	116
MDCU2472-MFL	275 lbs.	37.5	1	116
MDCU2472-MFR	275 lbs.	37.5	1	117
MDCU2472R-2	275 lbs.	37.5	1	117
MDCU2472R-3	275 lbs.	37.5	1	117
MDCU2472R-4	275 lbs.	37.5	1	117
MDCU2484L-4	410 lbs.	43.5	1	116
MDCU2484-MFL	410 lbs.	43.5	1	116
MDCU2484-MFR	410 lbs.	43.5	1	117
MDCU2484R-4	410 lbs.	43.5	1	117
MDCU2490L-4	415 lbs.	46.5	1	116
MDCU2490-MFL	415 lbs.	46.5	1	116
MDCU2490-MFR	415 lbs.	46.5	1	117
MDCU2490R-4	415 lbs.	46.5	1	117
MDCU2496L-4	420 lbs.	49.5	1	116
MDCU2496-MFL	420 lbs.	49.5	1	116
MDCU2496-MFR	420 lbs.	49.5	1	117
MDCU2496R-4	420 lbs.	49.5	1	117
MDDBO4272-32	480 lbs.	65.5	2	89
MDDBO4272G-32	490 lbs.	62.5	2	89
MDDBO4272GL-3	360 lbs.	62.5	1	94
MDDBO4272GR-3	360 lbs.	62.5	1	95
MDDBO4272L-3	360 lbs.	62.5	1	92
MDDBO4272R-3	360 lbs.	62.5	1	93
MDDBSL4272	236 lbs.	62.5	-	122
MDDMHA48-W	8 lbs.	1.3	-	127
MDDMHA54-W	9 lbs.	1.4	-	127
MDDMHA60-W	11 lbs.	1.6	-	127
MDDMHA66-W	12 lbs.	1.8	-	127
MDDMHA72-W	13 lbs.	1.9	-	127
MDDRF3060-32	360 lbs.	38.5	2	90
MDDRF3060L-3	360 lbs.	38.5	1	92
MDDRF3060R-3	360 lbs.	38.5	1	93
MDDRF3066-32	385 lbs.	42.2	2	90
MDDRF3066L-3	375 lbs.	42.2	1	92
MDDRF3066R-3	375 lbs.	42.2	1	93
MDDRF3672-32	180 lbs.	54.2	2	90
MDDRF3672L-3	430 lbs.	54.2	1	92
MDDRF3672R-3	430 lbs.	54.2	1	93
MDDRO3672-32	435 lbs.	54.2	2	89
MDDRO3672G-32	445 lbs.	54.2	2	89

model number	weight	cubes	# locks	page
MDDRO3672GL-3	290 lbs.	54.2	1	94
MDDRO3672GR-3	290 lbs.	54.2	1	95
MDDRO3672L-3	290 lbs.	54.2	1	92
MDDRO3672R-3	290 lbs.	54.2	1	93
MDDRSL3066	183 lbs.	42.2	-	122
MDDRSL3672	223 lbs.	54.2	-	122
MDDT3672	180 lbs.	54.2	1	90
MDDWRA2442-W	39 lbs.	3.4	-	125
MDDWRA2448-W	39 lbs.	3.4	-	125
MDDWRA2454-W	44 lbs.	3.8	-	125
MDDWRA2460-W	49 lbs.	4.2	-	125
MDDWRA2466-W	54 lbs.	4.6	-	125
MDDWRA2472-W	59 lbs.	5.1	-	125
MDDWRA3048-W	49 lbs.	4.2	-	126
MDDWRA3054-W	55 lbs.	4.7	-	126
MDDWRA3060-W	61 lbs.	5.2	-	126
MDDWRA3066-W	68 lbs.	5.7	-	126
MDDWRA3072-W	74 lbs.	6.2	-	126
MDDWRA3648-W	59 lbs.	5	-	126
MDDWRA3654-W	66 lbs.	5.5	-	126
MDDWRA3660-W	74 lbs.	6.1	-	126
MDDWRA3666-W	81 lbs.	6.7	-	126
MDDWRA3672-W	88 lbs.	7.3	-	126
MDEP24	11 lbs.	1.8	-	196
MDEP30	14 lbs.	1.8	-	196
MDGB18	30 lbs.	2.7	-	219
MDGB24	40 lbs.	2.7	-	219
MDGB30	50 lbs.	4.3	-	219
MDGB36	60 lbs.	5.1	-	219
MDGB42	71 lbs.	5.9	-	219
MDGC42	143 lbs.	53.3	-	218
MDGCU2466L-2	250 lbs.	49.1	1	217
MDGCU2472L-2	260 lbs.	53.3	1	217
MDGCU2472L-4	280 lbs.	53.3	1	217
MDGCU2472R-2	260 lbs.	53.3	1	217
MDGCU2472R-4	280 lbs.	53.3	1	217
MDGD3066L-3	290 lbs.	60	1	216
MDGD3066R-3	290 lbs.	60	1	216
MDGD3072L-3	305 lbs.	65.1	1	216
MDGD3072R-3	305 lbs.	65.1	1	216
MDGD3672L-3	340 lbs.	76.9	1	216
MDGD3672R-3	340 lbs.	76.9	1	216

model number	weight	cubes	# locks	page
MDGK66	12 lbs.	2.7	-	221
MDGK72	15 lbs.	2.9	-	221
MDGK84	22 lbs.	3.3	-	221
MDGR30L	73 lbs.	23.8	-	218
MDGR30R	73 lbs.	23.8	-	218
MDGR42L	101 lbs.	32.4	-	218
MDGR42R	101 lbs.	32.4	-	218
MDGT102	48 lbs.	4.7	-	220
MDGT66	32 lbs.	3.1	-	220
MDGT72	34 lbs.	3.5	-	220
MDGT84	39 lbs.	4.1	-	220
MDGT96	45 lbs.	4.4	-	220
MDLF2H2430-4	170 lbs.	16.5	1	130
MDLF2H2436-4	185 lbs.	19.5	1	130
MDLF3H2430-4	210 lbs.	22.7	1	130
MDLF3H2436-4	250 lbs.	27.2	1	130
MDLF4H2430-4	250 lbs.	29.4	1	130
MDLF4H2436-4	290 lbs.	34.7	1	130
MDLF5H2430-4	290 lbs.	35.6	2	130
MDLF5H2436-4	330 lbs.	45.1	2	130
MDLF6H2430-4	335 lbs.	45.1	2	130
MDLF6H2436-4	365 lbs.	53.3	2	130
MDMB42	20 lbs.	3.1	-	194
MDMB48	23 lbs.	3.3	-	194
MDMB54	26 lbs.	3.5	-	194
MDMB60	29 lbs.	4	-	194
MDMBA42	42.1 lbs.	3.1	-	203
MDMBA48	45.7 lbs.	3.6	-	203
MDMBA54	49.3 lbs.	4	-	203
MDMBA60	60.8 lbs.	4.4	-	203
MDMDC102	50 lbs.	7.3	-	195
MDMDC108	53 lbs.	7.7	-	195
MDMDC114	56 lbs.	7.8	-	195
MDMDC120	59 lbs.	8	-	195
MDMDC42	29 lbs.	4.4	-	195
MDMDC48	29 lbs.	4.4	-	195
MDMDC54	29 lbs.	4.4	-	195
MDMDC60	29 lbs.	4.4	-	195
MDMDC66	32 lbs.	4.8	-	195
MDMDC72	35 lbs.	5.2	-	195
MDMDC78	38 lbs.	5.6	-	195
MDMDC84	41 lbs.	6	-	195

model number	weight	cubes	# locks	page
MDMDC90	44 lbs.	6.5	-	195
MDMDC96	47 lbs.	6.9	-	195
MDMDCA42	40.3 lbs.	3.1	-	201
MDMDCA45	42.1 lbs.	3.3	-	201
MDMDCA48	43.9 lbs.	3.5	-	201
MDMDCA51	45.7 lbs.	3.8	-	201
MDMDCA54	47.5 lbs.	4	-	201
MDMDCA57	49.3 lbs.	4.2	-	201
MDMDCA60	59 lbs.	4.4	-	201
MDMPD-CUSH	5 lbs.	1	-	120
MDMR30	14 lbs.	2.3	-	193
MDMR36	17 lbs.	2.7	-	193
MDMR42	20 lbs.	3.1	-	193
MDMR48	23 lbs.	3.5	-	193
MDMR54	26 lbs.	4	-	193
MDMR60	29 lbs.	4.4	-	193
MDMR66	32 lbs.	4.8	-	193
MDMR72	35 lbs.	52.2	-	193
MDMR78	38 lbs.	5.6	-	193
MDMR84	41 lbs.	6	-	193
MDMRA27	31.3 lbs.	2.1	-	202
MDMRA30	33.1 lbs.	2.3	-	202
MDMRA33	34.9 lbs.	2.5	-	202
MDMRA36	36.7 lbs.	2.7	-	202
MDMRA39	38.5 lbs.	2.9	-	202
MDMRA42	40.3 lbs.	3.1	-	202
MDMRA45	42.1 lbs.	3.3	-	202
MDMRA48	43.9 lbs.	3.5	-	202
MDMRA51	45.7 lbs.	3.8	-	202
MDMRA54	47.5 lbs.	4	-	202
MDMRA57	49.3 lbs.	4.2	-	202
MDMRA60	59 lbs.	4.4	-	202
MDMSCA33	50.3 lbs.	2.5	-	200
MDMSCA36	52.1 lbs.	2.7	-	200
MDMSCA39	53.9 lbs.	2.9	-	200
MDMSCA42	55.7 lbs.	3.1	-	200
MDMSCA45	57.5 lbs.	3.3	-	200
MDMSCA48	59.3 lbs.	3.5	-	200
MDMSCA51	61.1 lbs.	3.8	-	200
MDMSCA54	62.9 lbs.	4	-	200
MDMSCA57	64.7 lbs.	4.2	-	200
MDMSCA60	74.4 lbs.	4.4	-	200

WEIGHTS + CUBES

MEDLEY
01/16

model number	weight	cubes	# locks	page
MDMSCA63	76.2 lbs.	4.6	-	200
MDMSCA66	78 lbs.	4.8	-	200
MDPB15	7 lbs.	1.3	-	192
MDPB30	14 lbs.	2.3	-	192
MDPB30-MF	14 lbs.	2.3	-	192
MDPB36	17 lbs.	2.7	-	192
MDPF	1 lbs.	0.4	-	192
MDPGANG	1 lbs.	0.1	-	192
MDPL24-6	120 lbs.	7.5	1	120
MDPM2415-2	100 lbs.	8.4	1	190
MDPM2415-3	100 lbs.	8.4	1	190
MDPM2424-P	125 lbs.	12.4	1	191
MDPM2430-4	160 lbs.	14.9	1	191
MDPM2430-5	145 lbs.	14.9	1	191
MDPM2430-7	160 lbs.	14.9	1	191
MDPM2430-MFL	160 lbs.	14.9	1	191
MDPM2430-MFR	160 lbs.	14.9	1	191
MDPM2430-SH	100 lbs.	14.9	-	191
MDPM2436-4	190 lbs.	17.6	1	191
MDPM2436-5	175 lbs.	17.6	1	191
MDPM2436-7	190 lbs.	17.6	1	191
MDPM2436-SH	130 lbs.	17.6	-	191
MDPM3015-2	115 lbs.	10.3	1	190
MDPM3015-3	115 lbs.	10.3	1	190
MDPM3036-4	210 lbs.	22.3	1	190
MDRRO3054L-3	275 lbs.	34.8	1	105
MDRRO3054L-X	105 lbs.	34.8	-	107
MDRRO3054R-3	275 lbs.	34.8	1	106
MDRRO3054R-X	105 lbs.	34.8	-	108
MDRRO3060L-3	280 lbs.	38.5	1	105
MDRRO3060L-X	110 lbs.	38.5	-	107
MDRRO3060R-3	280 lbs.	38.5	1	106
MDRRO3060R-X	110 lbs.	38.5	-	108
MDRT2442L-2	190 lbs.	22.5	1	110
MDRT2442L-3	190 lbs.	22.5	1	110
MDRT2442-MFL	190 lbs.	22.5	1	110
MDRT2442-MFR	190 lbs.	22.5	1	112
MDRT2442R-2	190 lbs.	22.5	1	112
MDRT2442R-3	190 lbs.	22.5	1	112
MDRT2448L-2	200 lbs.	25.5	1	110
MDRT2448L-3	200 lbs.	25.5	1	110
MDRT2448L-4	200 lbs.	25.5	1	110

model number	weight	cubes	# locks	page
MDRT2448-MFL	200 lbs.	25.5	1	110
MDRT2448-MFR	200 lbs.	25.5	1	112
MDRT2448R-2	200 lbs.	25.5	1	112
MDRT2448R-3	200 lbs.	25.5	1	112
MDRT2448R-4	200 lbs.	25.5	1	112
MDRT2454L-2	262 lbs.	28.5	1	111
MDRT2454L-4	262 lbs.	28.5	1	111
MDRT2454-MFL	262 lbs.	28.5	1	111
MDRT2454-MFR	262 lbs.	28.5	1	113
MDRT2454R-2	262 lbs.	28.5	1	113
MDRT2454R-4	262 lbs.	28.5	1	113
MDRT2460L-2	275 lbs.	31.5	1	111
MDRT2460L-4	275 lbs.	31.5	1	111
MDRT2460-MFL	275 lbs.	31.5	1	111
MDRT2460-MFR	275 lbs.	31.5	1	113
MDRT2460R-2	275 lbs.	31.5	1	113
MDRT2460R-4	275 lbs.	31.5	1	113
MDRT2466L-2	280 lbs.	34.5	1	111
MDRT2466L-4	280 lbs.	34.5	1	111
MDRT2466-MFL	280 lbs.	34.5	1	111
MDRT2466-MFR	280 lbs.	34.5	1	113
MDRT2466R-2	280 lbs.	34.5	1	113
MDRT2466R-4	280 lbs.	34.5	1	113
MDRT2472L-2	285 lbs.	37.5	1	111
MDRT2472L-4	285 lbs.	37.5	1	111
MDRT2472-MFL	285 lbs.	37.5	1	111
MDRT2472-MFR	285 lbs.	37.5	1	113
MDRT2472R-2	285 lbs.	37.5	1	113
MDRT2472R-4	285 lbs.	37.5	1	113
MDSB3024	320 lbs.	38.2	2	135
MDSC2430-5	170 lbs.	16.5	1	131
MDSC2436-5	185 lbs.	19.5	1	131
MDSI24	9 lbs.	1.8	-	198
MDSLLH24	25 lbs.	8.7	-	197
MDSLLH30	30 lbs.	10.6	-	197
MDST24	15 lbs.	2.3	-	198
MDST30	17 lbs.	2.9	-	198
MDSWJ24	20 lbs.	2.9	-	199
MDSWK12	9 lbs.	1.6	-	198
MDT1616T29	25 lbs.	6.7	-	263
MDT1642T29	66 lbs.	15.8	-	263
MDT1654T29	85 lbs.	20	-	263

model number	weight	cubes	# locks	page
MDTA-AC	5 lbs.	0.2	-	170
MDTA-DH	5 lbs.	0.2	-	170
MDTA-PC	5 lbs.	0.1	-	170
MDTA-PS	5 lbs.	0.8	-	170
MDTA-PT	5 lbs.	0.6	-	170
MDTAR3672	115 lbs.	7.6	-	248
MDTAR4296	210 lbs.	11.6	-	248
MDTAR48120	290 lbs.	11.2	-	248
MDTAR48144	320 lbs.	13.3	-	248
MDTAR48168	410 lbs.	15.4	-	248
MDTAR4896	240 lbs.	13.2	-	248
MDTA-SS	5 lbs.	0.8	-	170
MDTA-TS	5 lbs.	0.5	-	170
MDTBT3672	115 lbs.	7.6	-	250
MDTBT4296	210 lbs.	11.6	-	250
MDTBT48120	290 lbs.	11.2	-	250
MDTBT48144	320 lbs.	13.3	-	250
MDTBT48168	410 lbs.	15.4	-	250
MDTBT4896	240 lbs.	13.2	-	250
MDTDR3066-X	187 lbs.	42.2	-	91
MDTDR3672-X	205 lbs.	54.2	-	91
MDTKS102	51 lbs.	5.4	-	152
MDTKS102-FT	66 lbs.	6.2	-	154
MDTKS102-PM	51 lbs.	5.4	-	153
MDTKS108	54 lbs.	5.8	-	152
MDTKS108-FT	69 lbs.	6.5	-	154
MDTKS108-PM	54 lbs.	5.8	-	153
MDTKS60	30 lbs.	3.2	-	152
MDTKS60-FT	45 lbs.	3.6	-	154
MDTKS60-PM	30 lbs.	3.2	-	153
MDTKS66	33 lbs.	3.5	-	152
MDTKS66-FT	48 lbs.	4	-	154
MDTKS66-PM	33 lbs.	3.5	-	153
MDTKS72	36 lbs.	3.9	-	152
MDTKS72-FT	51 lbs.	4.3	-	154
MDTKS72-PM	36 lbs.	3.9	-	153
MDTKS78	39 lbs.	4.2	-	152
MDTKS78-FT	54 lbs.	4.7	-	154
MDTKS78-PM	39 lbs.	4.2	-	153
MDTKS84	42 lbs.	4.5	-	152
MDTKS84-FT	57 lbs.	5.1	-	154
MDTKS84-PM	42 lbs.	4.5	-	153

model number	weight	cubes	# locks	page
MDTKS90	45 lbs.	4.8	-	152
MDTKS90-FT	60 lbs.	5.4	-	154
MDTKS90-PM	45 lbs.	4.8	-	153
MDTKS96	48 lbs.	5.1	-	152
MDTKS96-FT	63 lbs.	5.8	-	154
MDTKS96-PM	48 lbs.	5.1	-	153
MDTKWM102	57 lbs.	6.3	-	167
MDTKWM102-FT	70 lbs.	6.3	-	169
MDTKWM102-PM	48 lbs.	5	-	168
MDTKWM108	60 lbs.	6.7	-	167
MDTKWM108-FT	73 lbs.	6.7	-	169
MDTKWM108-PM	51 lbs.	5.3	-	168
MDTKWM30	17 lbs.	1.8	-	167
MDTKWM30-PM	13 lbs.	1.6	-	168
MDTKWM36	20 lbs.	2.1	-	167
MDTKWM36-PM	16 lbs.	1.9	-	168
MDTKWM42	24 lbs.	2.4	-	167
MDTKWM42-PM	19 lbs.	2.2	-	168
MDTKWM48	27 lbs.	2.7	-	167
MDTKWM48-PM	22 lbs.	2.5	-	168
MDTKWM60	34 lbs.	3.4	-	167
MDTKWM60-FT	49 lbs.	3.8	-	169
MDTKWM60-PM	28 lbs.	3.1	-	168
MDTKWM66	38 lbs.	3.7	-	167
MDTKWM66-FT	52 lbs.	4.1	-	169
MDTKWM66-PM	30 lbs.	3.4	-	168
MDTKWM72	41 lbs.	4	-	167
MDTKWM72-FT	55 lbs.	4.5	-	169
MDTKWM72-PM	33 lbs.	3.7	-	168
MDTKWM78	45 lbs.	4.3	-	167
MDTKWM78-FT	58 lbs.	4.9	-	169
MDTKWM78-PM	36 lbs.	4	-	168
MDTKWM84	48 lbs.	5.2	-	167
MDTKWM84-FT	61 lbs.	5.2	-	169
MDTKWM84-PM	39 lbs.	4.2	-	168
MDTKWM90	51 lbs.	5.6	-	167
MDTKWM90-FT	64 lbs.	5.6	-	169
MDTKWM90-PM	42 lbs.	4.5	-	168
MDTKWM96	54 lbs.	6	-	167
MDTKWM96-FT	67 lbs.	6	-	169
MDTKWM96-PM	45 lbs.	4.7	-	168
MDTO2424L16	30 lbs.	2.6	-	262

model number	weight	cubes	# locks	page
MDTO2424L21	41 lbs.	2.6	-	262
MDTO2448L16	51 lbs.	4.5	-	262
MDTRA3672	115 lbs.	7.6	-	250
MDTRA4296	210 lbs.	11.6	-	250
MDTRA48120	290 lbs.	11.2	-	250
MDTRA48144	320 lbs.	13.3	-	250
MDTRA48168	410 lbs.	15.4	-	250
MDTRA4896	240 lbs.	13.2	-	250
MDTRD36	60 lbs.	4	-	252
MDTRD42	70 lbs.	5.3	-	252
MDTRD48	80 lbs.	6.8	-	252
MDTRD54	90 lbs.	8.5	-	252
MDTRD60	100 lbs.	10.3	-	252
MDTRT4296	210 lbs.	11.6	-	248
MDTRT48120	290 lbs.	11.2	-	248
MDTRT48144	320 lbs.	13.3	-	248
MDTRT48168	410 lbs.	15.4	-	248
MDTRT4896	240 lbs.	13.2	-	248
MDUC4248	132 lbs.	42.5	-	88
MDUR2472L-423	410 lbs.	37.5	3	88
MDUXBH4278	175 lbs.	13.3	-	88
MDWB4272	90 lbs.	8.8	-	186
MDWBRK	1 lbs.	0.1	-	189
MDWLBK24	2 lbs.	1.2	-	189
MDWLBK30	2 lbs.	1.2	-	189
MDWR24102	72 lbs.	7.4	-	188
MDWR24108	78 lbs.	7.8	-	188
MDWR24114	84 lbs.	7.9	-	188
MDWR24120	90 lbs.	8.3	-	188
MDWR2430	22 lbs.	2.3	-	188
MDWR2436	26 lbs.	2.7	-	188
MDWR2442	30 lbs.	3.2	-	188
MDWR2448	35 lbs.	3.6	-	188
MDWR2454	39 lbs.	4	-	188
MDWR2460	44 lbs.	4.4	-	188
MDWR2466	48 lbs.	4.9	-	188
MDWR2472	52 lbs.	5.3	-	188
MDWR2478	56 lbs.	5.7	-	188
MDWR2484	60 lbs.	6.1	-	188
MDWR2490	64 lbs.	6.5	-	188
MDWR2496	68 lbs.	7	-	188
MDWR3030	22 lbs.	2.8	-	187

model number	weight	cubes	# locks	page
MDWR3036	26 lbs.	3.4	-	187
MDWR3042	30 lbs.	3.9	-	187
MDWR3048	35 lbs.	4.4	-	187
MDWR3054	39 lbs.	4.9	-	187
MDWR3060	44 lbs.	5.4	-	187
MDWR3066	48 lbs.	5.9	-	187
MDWR3072	52 lbs.	6.5	-	187
MDWR3078	56 lbs.	7	-	187
MDWR3084	60 lbs.	7.5	-	187
MDWR3090	64 lbs.	8	-	187
MDWR3672	79 lbs.	7.6	-	187
MDWU3048	44 lbs.	5.4	-	109
MDWU3054	49 lbs.	6	-	109
MDWU3060	54 lbs.	6.6	-	109
MDWU3066	60 lbs.	7.3	-	109
MDWU3072	66 lbs.	7.9	-	109
MDXBF3072	174 lbs.	62.5	-	99
MDXBF3078	180 lbs.	67.5	-	99
MDXBF3072	154 lbs.	62.5	-	99
MDXBF3078	160 lbs.	67.5	-	99
MDXCCF4872L	210 lbs.	70.8	-	97
MDXCCF4872R	210 lbs.	70.8	-	97
MDXCCH4872L	188 lbs.	70.8	-	96
MDXCCH4872R	188 lbs.	70.8	-	96
MDXDF3072	174 lbs.	62.5	-	100
MDXDF3078	180 lbs.	67.5	-	100
MDXDH3072	154 lbs.	62.5	-	100
MDXDH3078	160 lbs.	67.5	-	100
MDXRF3066L	172 lbs.	42.2	-	102
MDXRF3066R	172 lbs.	42.2	-	102
MDXRF3072L	180 lbs.	45.8	-	102
MDXRF3072R	180 lbs.	45.8	-	102
MDXRF3666L	172 lbs.	42.2	-	104
MDXRF3666R	172 lbs.	42.2	-	104
MDXRF3672L	180 lbs.	45.8	-	104
MDXRF3672R	180 lbs.	45.8	-	104
MDXRH3066	143 lbs.	42.2	-	101
MDXRH3072	150 lbs.	45.8	-	101
MDXRH3666	159 lbs.	49.8	-	103
MDXRH3672	168 lbs.	54.2	-	103
PPDM-2D3E	3 lbs.	0.4	-	233
PPR-2D2E	2 lbs.	0.3	-	233

model number	weight	cubes	# locks	page
PPR-2D2E-HW	2 lbs.	0.3	-	233
PPR-DU2E	2 lbs.	0.3	-	233
PPR-DU2E-HW	2 lbs.	0.3	-	233

MEDLEY™

The Gunlocke Company, LLC
One Gunlocke Drive, Wayland, NY 14572

800 828 6300 F 585 728 8350
www.gunlocke.com

MEDLEYPL012016