

PRICING EFFECTIVE  
**JAN 2016**

# **SILEA<sup>TM</sup>** **PRIVATE OFFICE**

*Price & Specification Guide*

Gunlocke<sup>®</sup>


STRATAWOOD FINISH

- A. Clear Maple
- B. Clear Cherry
- C. Light Cherry
- D. Wheat Cherry
- E. Burnished Cherry
- F. Chicory Cherry
- G. Light Walnut
- H. Coffee Walnut
- I. Charcoal Grey Walnut
- J. Dark Roast Walnut
- K. Sumatra Walnut
- L. Clear Oak
- M. Dark Rift Oak



PAINTED WOOD

- A. Soft White
- B. Muslin
- C. Loft



LAMINATE OPTIONS

- A. Designer White
- B. Whitestone
- C. Greystone
- D. Looks Likatre
- E. Appears Likatre
- F. Leave Likeatre



BACK PAINTED GLASS

- A. Aluminum
- B. Caffè
- C. Ice White



ORDERING OPTION CODES (OVER)

# ORDERING OPTION CODES

## WOOD FINISH

<b>STRATAWOOD CHERRY</b>	
Clear Cherry	SC700
Light Cherry	SC701
Wheat Cherry	SC706
Burnished Cherry	SC777
Chicory Cherry	SC284

<b>STRATAWOOD MAPLE</b>	
Clear Maple	SE800

<b>STRATAWOOD WALNUT</b>	
Light Walnut	ST601
Coffee Walnut	ST615
Charcoal Grey Walnut	ST637
Dark Roast Walnut	ST684
Sumatra Walnut	ST693

<b>STRATAWOOD OAK</b>	
Clear Oak	SF300
Dark Rift Oak	SF331

## PAINTED FINISH

Muslin	WPML
Soft White	WPSW
Loft	WPLF

## LAMINATE OPTIONS

Designer White	PLWH
Whitestone	PLML
Greystone	PLLF
Looks Likatre	PLWP110
Appears Likatre	PLWP115
Leave Likatre	PLWP120

## BACK PAINTED GLASS

Aluminum	AL
Caffe	CA
Ice White	WH

## PERSONAL CORNER

Black Leather	CBL
White Leather	CWH
Chocolate Leather	CCH

## EXPOSED POWER UNIT COLOR

Silver with Black Plugs	SV
White with White Plugs	WH

## LOCKS

Locks Yes (+\$140)	LY
Locks No	LN

## KEYING

Field Installed Locks	FL
-----------------------	----

### FACTORY-INSTALLED

Random Key Numbers	
Silver	RMS


Designated Key Numbers	
Specify a number between:	
Silver	FT100TAS - FT150TAS

## UV TOP FINISH


Open Pore Low Sheen	OP
Full Fill ClearTech™	FF
Full Fill Top ≤ 120" Length (+\$75)	
Full Fill Top > 120" Length (+\$150)	

PRODUCT DETAILS

PULL + EDGE DETAIL






EXPOSED POWER UNIT



ACCESSORIES

- |                            |                |               |                      |
|----------------------------|----------------|---------------|----------------------|
| A. Leather Personal Corner | C. Cord Keeper | E. Paper Tray | G. Pencil Tray       |
| B. Monitor Arm             | D. PDA Holder  | F. Power Unit | H. LED Desktop Light |



END PANEL OPTIONS

- |                          |                                  |                           |                |                   |                    |
|--------------------------|----------------------------------|---------------------------|----------------|-------------------|--------------------|
| Panel Leg<br>Wood Infill | Panel Leg<br>Ribbed Glass Infill | Panel Leg<br>Paint Infill | Open Panel Leg | 10" Wood Pedestal | 10" Paint Pedestal |
|--------------------------|----------------------------------|---------------------------|----------------|-------------------|--------------------|



Conditions of sale. ....	2
GSA terms & conditions . . . . .	3-4
Warranty . . . . .	5
Delivery information . . . . .	6
Veneers & finishes . . . . .	7
Edge detail & pulls . . . . .	8
Pedestal legend . . . . .	9
Filing & keying. . . . .	10-12
Wire management . . . . .	13-17
Wall access panels. . . . .	18-20
Silea product reference . . . . .	25-46
Typicals. . . . .	47-70
Modular Desking. . . . .	71-140
Desks . . . . .	72-83
Desking runoffs . . . . .	84-93
Bridges. . . . .	94-99
Credenzas. . . . .	100-128
Returns. . . . .	129-132
Round tables . . . . .	133
Mobile pedestals . . . . .	134-135
Height Adjustable Desks . . . . .	136-140
Storage. . . . .	141-152
Bookcases. . . . .	142-143
Bookcase / coat hook . . . . .	144
Bookcase / closet . . . . .	145
Lateral files . . . . .	146-147
Closets . . . . .	148-149
Storage box . . . . .	150
Utility cabinets. . . . .	151
Storage cabinets . . . . .	152
Wall mount cabinets . . . . .	153-183
Wall mount cabinet reference . . . . .	153-157
Wall mount cabinets hinged doors 13 high. . . . .	158-160
Wall mount cabinets sliding doors 13 high . . . . .	161-162
Wall mount cabinets hinged doors 26 high . . . . .	163-165
Wall mount cabinets sliding doors 26 high. . . . .	166-167
Wall mount walls 13 high. . . . .	168
Wall mount walls 26 high . . . . .	169
Shelving for wall mount walls. . . . .	170
Wall mount tackboards in "tackzone" . . . . .	171-172
Wall mount glass whiteboards in "tackzone". . . . .	173-174
Wall mount walls in "tackzone" . . . . .	175-176
Cubby wall mount walls in "tackzone". . . . .	177-178
Layers Wall Mount. . . . .	179-182
Surface mount cabinets. . . . .	184-190
Surface mount cabinet reference . . . . .	184-185
Surface mount cabinets hinged doors 39 high . . . . .	186-187
Surface mount cabinets hinged doors 52 high . . . . .	188-189
Surface mount tackboards in "tackzone" . . . . .	190
Accessories . . . . .	191-203
Fabric grade pricing . . . . .	204-207
Weights, cubes & # of locks. . . . .	208-218

**INTRODUCTION**

The Gunlocke Company is dedicated to providing the finest products and service possible. This price list reflects that commitment. Included is a current listing of our casegood models.

Seating and Lounge are presented in a separate price list. Contact your Gunlocke Customer Services Representative for more information, (800) 828-6300.

Designed for easy use, each page of this price list, and the inside front cover fold out provide all information required to order a product correctly. Should additional information be needed, contact your Gunlocke customer service representative.

**PRICING**

Prices shown cover standard product specifications. Any changes or alterations, other than those listed, will be subject to an additional charge. Prices include carton-ing and freight. Authorization and pricing must be secured in advance for orders or contracts calling for large quantities, indefinite quantities, or extended delivery dates. Prices are subject to change without notice; the most current prices are published on <http://www.gunlocke.com>.

**ORDERING**

To expedite order entry and to assure proper service, email or fax all orders directly to:

**The Gunlocke Company**

Attn: Order Entry  
One Gunlocke Drive  
Wayland, New York 14572  
585-728-5111  
585-728-8350 FAX  
800-828-6300  
[www.gunlocke.com](http://www.gunlocke.com)

Gunlocke will not be responsible for duplicate orders if purchase orders are left unmarked.

**ACKNOWLEDGEMENT**

Each order will be acknowledged by Gunlocke. Customers should check each acknowledgement for accuracy and immediately notify Gunlocke of any discrepancies. The printed acknowledgement is the final agreement between The Gunlocke Company and the customer, superseding all previous communications regarding the order.

**SPECIFICATION CHANGES**

Gunlocke reserves the right to change specifications for the improvement of products at any time, without notice.

**ORDER CHANGES**

Gunlocke is not required to accept changes in orders after confirmation. Reasonable changes are subject to additional charges for labor, material and administrative costs.

Order changes of acknowledgement may result in re-scheduling of product.

**RETURNED MERCHANDISE**

No merchandise may be returned without prior authorization.

**SHOWROOMS****Chicago**

222 Merchandise Mart Plaza  
Space 1126  
Chicago, IL 60654  
312-923-1133  
312-222-1162 FAX

**Dallas**

150 Turtle Creek Blvd.  
Suite 104-E  
Dallas, TX 75207  
214-912-4727

**New York**

257 Park Avenue South  
14th Floor  
New York, NY 10010  
212-473-8300  
212-473-8409 FAX

**CANCELLATIONS**

Cancellation of orders cannot be accepted since every order is manufactured according to customer specifications.

**STORAGE**

If delivery cannot be made and products are ready, Gunlocke will transfer products to a storage facility and products will be invoiced at that time. The customer is responsible for storage charges and assumes and bears all risks associated with the storage of that product.

**TERMS**

Net 30 days from date of invoice. A service charge of eighteen percent (18%) per year or .0004931% per day, compounded monthly, will be added to balance due beyond the thirtieth day. Products are shipped FOB factory, freight prepaid and allowed. Title passes to purchaser and Gunlocke's responsibility ceases when shipment is accepted for transportation by a carrier. A full explanation of all payment terms is found on order and invoice forms.

**San Francisco**

2 Embarcadero Center  
Promenade Level  
San Francisco, CA 94111  
415-362-3131  
415-362-3134 FAX

**Washington DC**

1331 F Street, NW  
9th Floor  
Washington, DC 20004  
202-393-5070  
202-393-5075 FAX



**ORDERING INFORMATION**

**1a.**Intended use: The furniture on this schedule is intended for use by Government executives (or equivalent military rank) in the Executive, Judicial and Legislative Branches of the Federal Government. To help customers make a good purchasing decision based on their needs and budget, GSA has established four grades of furniture. Grade (1) includes furniture that tends to be the most expensive on this schedule, grade (2) furniture tends to be more moderately priced and grades (3) and (4) furniture tend to be affordably priced when compared to grades (1) and (2). Some pieces of furniture on this schedule may be significantly higher in price than GSA Traditional and Contemporary Executive Special Order Program furniture. The ordering agency or service is responsible for determining furniture appropriate for use in its offices which will fit within its budget and comply with applicable Federal or internal agency procurement regulations. Please see reverse for GSA terms and conditions.

**Grade 1** All exposed solid parts such as top rims, base rails etc. (except decorative accents, inlays and painted parts) shall be the same species as the face veneer. Top and bottom edges of drawer fronts shall be solid wood in the same species as the face veneers. Drawer sides and backs shall be solid wood.

**Grade 2** Exposed wood panel trim and trim on tops shall be the same wood species as the face veneer on the top. Some or all other exposed solid parts, such as base rails can be an alternative wood species (such as poplar or gum) different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Silea is grade 2.

**Grade 3** Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be solid wood or veneer core plywood/laminated construction. Medley, Kennsington, Credentials, and all tables are grade 3.

**Grade 4** Most or all exposed solid parts can be an alternative wood species (such as poplar or gum), different from the face veneers. Exposed, finished engineered wood core material such as MDF is acceptable only for the edges of drawer fronts. Drawer sides shall be composite wood material construction such as MDF. Trio is grade 4.

- 1a. **The Silea SIN #711-8 Grade 3 on pages 70-201**
- 1b. **Lowest priced units:**  
711-8 ACFLR6 \$12
2. **Maximum order:** \$442,000 NET
3. **Minimum order:** \$100 List
4. **Geographic coverage:** 48 contiguous states and DC
5. **Points of production:**  
Wayland, NY, Steuben County, USA
6. **Discount from list:**
- |                               |           |
|-------------------------------|-----------|
| \$100 to \$100,000 list       | 60.1% off |
| \$100,001 to \$300,000 list   | 61.1% off |
| \$300,001 to \$500,000 list   | 61.8% off |
| \$500,001 to \$700,000 list   | 62.9% off |
| \$700,001 to \$1,227,778 list | 64% off   |
- \* These discounts apply to single purchase orders, shipping to the same place in the same time period.
7. **Quantity Discount:** See above
8. **Prompt payment terms:**  
Net 30 days
- 9a. **Credit card Acceptance:**  
Government credit card is accepted at or below the micro - purchase threshold.
- 9b. **Credit card Acceptance:**  
Government credit card is accepted above the micro - purchase threshold.
10. **Foreign items:** None
- 11a. **Time of delivery:** 90 days ARO
- 11b. **Expedited delivery:** Not available
- 11c. **Overnight and 2-day delivery:**  
Not available
- 11d. **Urgent requirements:**  
Not available
12. **FOB point(s):** Destination
13. **Ordering address(es):**  
The Gunlocke Company  
c/o Authorized Gunlocke GSA Dealer  
One Gunlocke Drive  
Wayland, NY 14572  
Phone: (800) 828-6300  
Fax: (585) 728-8350
14. **Payment address(es):**  
The Gunlocke Company LLC  
13367 Collections Center Drive  
Chicago, IL 60693
15. **Warranty provision:**  
See warranty on page 5
16. **Export packing charges:** Write for quotation on export packaging.
17. **Terms and conditions of Government commercial credit card acceptance:**  
Credit Cards are accepted.
18. **Terms and conditions of rental, maintenance, and repair:**  
Not applicable
19. **Project Management:**  
(SIN #711-91) \$65 Per Hour
20. **Design/Layout Services:**  
(SIN #711-94) \$65 Per Hour
21. **Terms and conditions of installation:**  
(SIN #711-95) Installation services will be charged at a rate of 15% of the net price of the purchase order for non-union rates (with a minimum charge of \$100), and 20% of the net price of the purchase order for union rates (with a minimum charge of \$150), for installation projects up to \$500. Installation projects in excess of \$500 will be negotiated on a case-by-case basis.
22. **Terms and conditions of repair:**  
Parts indicating date of parts price lists and any discounts from list prices: Not applicable
23. **List of service and distribution:**  
Points: Not applicable
24. **Participating dealers:**  
A list of participating dealers will be supplied to any government agency upon request or is available on our website at [www.gunlocke.com](http://www.gunlocke.com).
25. **Preventative maintenance:** Not applicable. Instruction sheets available upon request.
26. **Environmental attributes:**  
Gunlocke has an active environmental program. Please call (800) 828-6300 for details.
27. **Data universal number system:**  
(DUNS) number is 1999 36550
28. **CCR registration/Cage Code:**  
The Gunlocke Company is registered in the DoD CCR. Cage Code - 26574
29. **Returns:**  
No returns of goods will be accepted without written consent and shipping instructions from Gunlocke, and the Government customer will be required to pay all return freight charges. A restocking fee of 30% net will apply on all authorized returns provided Gunlocke receives goods in the condition in which they left the factory. No credit will be given if goods cannot be reused. Special order items are in no event subject to return. Goods must be returned within 70 days of shipment from factory.
30. **Cancellations:**  
No charge prior to production. After production has begun (5 days ARO), only the actual costs that the contractor can demonstrate will be billed to the customer if the merchandise cannot be resold within a reasonable period of time (90 days).
31. **Inside Delivery:**  
Contact the Gunlocke Company Traffic Department at (800) 828-6300 for a quotation on inside delivery.
32. **Federal Tax ID #** 22 3887942



## 12 YEAR WARRANTY

Subject to the limitations set forth below. The Gunlocke Company warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a twelve year period from the date of shipment. This 12-year warranty applies to all products sold and installed by a Gunlocke authorized agent for normal commercial single shift service. Gunlocke will repair, or at its option, replace defective merchandise, free of charge. The following components not manufactured by Gunlocke have the following warranties:

- **High wear components** such as casters and glides are warranted for five years after date of shipment to original owner.
- **Electrical components** are warranted 10 years from date of manufacture with exception of lamps and ballasts which are not warranted. This includes Fluorescent Tasklights.
- **LED tasklights** are warranted for 3 years from date of shipment to original owner.
- **Drawer suspensions** are warranted for lifetime of product after shipment to original owner.
- **Personal corners** including covering (leather) are warranted for three years of single shift and normal use after shipment to original owner.
- **Height adjustable electrical components** are warranted for five years of single shift and normal use after shipment to original owner.

Any non-standard material selected by the customer is not warranted. Neither does this warranty apply to damage resulting from accident, alteration, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. That is, Gunlocke's warranty is only valid if products are given proper use and care. Gunlocke assumes no responsibility for product damages resulting from improper installation or user modification.

## WOOD FURNITURE

Wood owes its inherent beauty to variations in color, grain, and texture, and therefore, these variations are not considered defects. There may be minor variations from one piece of furniture to the next even though they are finished at the same time. Exposure to light and the aging process will cause a darkening of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. The Gunlocke Company does not guarantee the exact matching of grain, pattern, and color.

These finishes do not cover any of the natural characteristics of the wood, including nature's colorations, pitch pockets, and the variations of steambent wood. Merchandise will not be replaced because of these natural variations.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that Gunlocke shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

All warranty claims must be made in writing by the original owner. Owner may be required to produce the invoice or other evidence to establish that a claim is within the warranty period. Warranty claims may be submitted on the Gunlocke website.

[www.gunlocke.com/productservice/](http://www.gunlocke.com/productservice/)

As stated and illustrated on the website, serial numbers are required to process a warranty claim. No person, firm or corporation is authorized to assume for Gunlocke any liability in connection with the sale or installation of Gunlocke products except as stated above.

All other warranties, expressed or implied, are excluded. Gunlocke shall not be liable for incidental or consequential damages of any sort.

Within the Continental USA, all orders above \$2,000 list are shipped FOB factory, freight prepaid and allowed. All orders less than \$2,000 list will be subject to a \$100 net freight charge. Products shipped to Alaska and Hawaii FOB factory, freight prepaid and allowed to port of embarkation. Customer is responsible for freight charges from port of embarkation to final destination.

An anticipated shipping date is indicated on the order acknowledgement. Gunlocke cannot accept responsibility for shipping delays caused by outside sources or unforeseen problems. Delay of shipments requested by customers must be approved by Gunlocke. Any resultant storage charges will be charged to the customer.

Gunlocke may await completion of the entire order and ship all at once or may make partial shipments from time to time at its sole discretion unless the customer requests in writing that partial shipments are needed and Gunlocke approves the specific shipping schedule. Additional charges may apply.

Gunlocke is not liable for any delay or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of sources or supply, accidents, fires, acts of God, or any other causes of like or unlike nature beyond the control of Gunlocke.

## **LIABILITY**

Gunlocke products and their packaging are tendered to a transportation company only after passing rigid quality control inspection. At that time, title to the product is passed to the purchaser. However the transportation company assumes all liability from acceptance of shipment through its delivery. That is, Gunlocke's liability ceases at the time of shipment.

## **FILING OF CLAIMS**

All claims for damage or loss must be submitted via our website at: [www.gunlocke.com/productservices](http://www.gunlocke.com/productservices) within 15 days after receipt of merchandise. Do not return freight damaged merchandise to Gunlocke. Follow the steps below to expedite processing and resolution of claims.

### **For Visible Damage**

1. Make damage notation on delivery receipt and have driver sign. Do not reject or refuse the shipment.
2. Immediately contact Gunlocke Traffic Department at 585-728-8268.
3. Hold damaged carton and all interior packing for carrier's inspection. These materials will be needed to substantiate the claim.

### **For Concealed Damage**

1. Open cartons within 15 days of receipt and inspect.
2. Follow steps 2, and 3 as listed under Visible Damage.
3. Do not remove product from delivered destination.

### **For Loss**

1. Be sure loss notation is made on delivery receipt and have driver sign.
2. Contact Gunlocke Traffic Department at 585-728-8268.

Should transportation company seek to limit its liability on concealed, loss, or damage claims, please contact Gunlocke's traffic department. After a thorough investigation of the claim, the traffic department will provide you with guidance in corresponding with the carrier.

Returned merchandise, regardless of delivery method, will not be accepted unless specifically authorized by Gunlocke.

### **For Damage or Loss of Parcel Post or UPS Shipment**

Notify the Gunlocke traffic department immediately at 585-728-8268.

## **NORMAL DELIVERY**

All normal ground transportation by Gunlocke will be made on a dock-to-dock basis. The Gunlocke traffic department will determine the recommended method of shipment according to the ship to destination. If the delivery on a shipment takes longer than 3 hours to be unloaded, an additional charge will be billed at \$100/hour. Gunlocke reserves the absolute right to determine the method of shipping unless special delivery instructions have been previously approved.

Gunlocke cannot guarantee specific delivery times. If a guaranteed delivery time is needed please call Gunlocke Traffic Department at 585-728-8268 for a quote as additional charges will apply. Weekend or after hours deliveries are subject to additional charges.

## **WEEKEND DELIVERY**

A \$500 charge will apply on weekend delivery after 3:00 PM Friday through Sunday evenings.

## **DROP SHIP / JOB SITE DELIVERY**

Orders under \$50,000 list will incur a \$125 charge for ship to locations other than a designated dealer warehouse.

## **INSIDE DELIVERY**

Inside delivery must be noted on order. A minimum \$100 charge will apply.

## **SPECIAL DELIVERY**

Please contact the Gunlocke traffic department for special delivery services such as inside delivery, weekend or after hour deliveries, reconsignment or other special needs. These are billable services. Gunlocke will make every effort to meet the appointed time, however Gunlocke will not be responsible for any additional charges for late deliveries beyond our control.

## **DOCK RESTRICTIONS**

Gunlocke trailers are 53' x 102". If delivery dock will not accommodate trucks of this sizes, the Gunlocke traffic department must be contacted prior to shipping. Alternate arrangements can be made; additional charges may apply.

## SILEA CASEGOODS

## Stratawood Veneers

All exposed wood surfaces utilize Stratawood - FSC reconstituted veneers, which are made from rapidly renewable wood. Stratawood veneer is an engineered wood veneer which provides a repeatable, consistent straight-grain pattern. Stratawood does not include cathedrals and has very few defects compared to natural veneer. The grain direction on all surfaces is horizontal.

## Specialty Finishes:

- Submit a color sample block (minimum size 3" x 3") to Gunlocke so that a finish formulation can be developed to match the special finish and color.
- Review the approval sample provided by Gunlocke.
- Written approval and sign off is required for Gunlocke customer service.
- Once written approval and sign off is received, the special finish order will be acknowledged.

**Note:** See Gunlocke Advantage website for special finish request forms.

## All Casegoods &amp; Tables Purchase Orders:

- 10% list upcharge per wood unit to base veneer option receiving special finish.

**Note:** This procedure and related costs apply to new and previously formulated special finishes. Special finish orders may receive additional lead time.

## SILEA FINISH COLORS

## Veneer 1 (select)

## Stratawood Cherry Colors

## Stratawood Maple Colors

## Stratawood Walnut Colors

## Stratawood Oak Colors

## Paint Finishes

## Laminates

(Worksurfaces only)

**NOTE:** For FSC Certified Product add "FSC" to beginning of finish option code. Example: FSCSC260. A 5% list upcharge will be applied per unit ordered with FSC option.

## UV TOP FINISH

Worksurfaces feature two low emitting UV finish options that enhance the beauty of natural wood and ensures the depth, clarity, color consistency and durability throughout the life of the product.

## UV finish options

Full-fill Cleartech (upcharge)	FF
Open Pore Low Sheen	OP
Full-fill Top ≤ 120" Length	(+\$75)
Full-fill Top > 120" Length	(+\$150)

laminate 1	description	option code	supplier & name	Gunlocke finish match
<b>Patterns</b>	Laminate Looks Likatre	<b>PLWP110</b>	Pionite Looks Likatre WP110	Painted Finishes
	Laminate Leave Likatre	<b>PLWP120</b>	Pionite Leave Likatre WP120	Painted Finishes
	Laminate Appears Likatre	<b>PLWP115</b>	Pionite Appears Likatre WP115	Painted Finishes
<b>Solids</b>	Laminate Soft White	<b>PLWH</b>	Wilsonart Designer White D354-60	WPSW
	Laminate Muslin	<b>PLML</b>	Wilsonart Whitestone 10809-60	WPML
	Laminate Loft	<b>PLLF</b>	Wilsonart Greystone 10811-60	WPLF

## Laminate


Gunlocke Silea's standard offering of plastic laminates include 3 Pionite patterned laminates and 3 Wilsonart solid color laminates. These laminates have been selected because they are good matches to specific Gunlocke standard finishes. See cross reference shown above. They are not intended to be a match to the stratawood finishes.

EDGE DETAILS - SQUARE

profiles/cope



**PULLS**  
Silea is available in 1 pull hardware option which is available in a matte chrome finish.  
Standard pull length is 6<sup>7</sup>/<sub>16</sub> W. Lateral file pulls are 13 W.



PEDESTAL LEGEND

Spec Tip: always specify pedestal location left to right from user seated position.

Note: Left hand pedestals shown below.

FULL HEIGHT


-KNEEWELL LOCK




-X  
FALSE    ORG




-2  
(ACC)  
FILE  
FILE




-3  
BOX  
BOX  
BOX  
FILE




-4  
LATERAL  
LATERAL



-5  
HINGED DR



-SH  
OPEN SHELF




-C  
UTILITY  
(SHOWN W/O DOORS)

LOWER HEIGHT


-FACE LOCK




-X  
FALSE




-A  
(ACC)  
BOX  
FILE  
FILE




-B  
(ACC)  
BOX  
LATERAL  
LATERAL



-5  
HINGED DR



-SH  
OPEN SHELF



-C  
UTILITY  
(SHOWN W/O DOORS)

MOBILE PED

-FACE LOCK



-6  
BOX  
FILE  
FILE


STANDARD FILING OPTIONS  
WOOD PEDESTALS

10 wide x 30 deep pedestal

File rails included: 2 per drawer

- A. 2 rows of letter side to side with 2 file rails
- B. 1 row of legal side to side

NOTE: A and B for bottom drawer only.  
Top drawer is 24" deep.




A




B

15 wide x 24 deep pedestal


- C. Letter-front to back
- D. Legal-side to side
- E. Optional: 1 row letter side to side, Model #ACFLR15 required



C



D




E


18 wide x 24 deep pedestal

File rails included: 1 per drawer


- F. Letter-front to back with file rail
- G. Letter-side to side with file rail
- H. Legal-front to back
- I. Legal-side to side




F



G



H



I




## STANDARD FILING OPTIONS

### WOOD (continued)


#### Lateral 30 wide x 24 deep pedestal

File rails included: 1 per drawer


- J. Legal-side to side
- K. Letter-side to side
- L. 2 rows letter front to back



**J**



**K**




**L**


#### Lateral 36 wide x 24 deep pedestal

File rails included: 1 per drawer


- M. Letter-side to side
- N. 2 rows letter front to back
- O. Legal-side to side
- P. 2 rows legal front to back




**M**



**N**



**O**



**P**

## WOOD DRAWERS

Pedestal width	Drawer type	D	W	H
10 width	30 box	14 <sup>15/16</sup>	7	2 <sup>7/16</sup>
	30 file top	14 <sup>15/16</sup>	7	9 <sup>1/4</sup>
	30 file bottom	25 <sup>1/4</sup>	7	9 <sup>1/4</sup>
15 letter width	24 box	14 <sup>15/16</sup>	11 <sup>15/16</sup>	2 <sup>7/16</sup>
	24 file	14 <sup>15/16</sup>	11 <sup>15/16</sup>	9 <sup>1/4</sup>
18 legal width	24 box	14 <sup>15/16</sup>	14 <sup>15/16</sup>	2 <sup>7/16</sup>
	24 file	14 <sup>15/16</sup>	14 <sup>15/16</sup>	9 <sup>1/4</sup>
30 width	box	14 <sup>15/16</sup>	26 <sup>1/2</sup>	2 <sup>7/16</sup>
	lateral	14 <sup>15/16</sup>	26 <sup>1/2</sup>	9 <sup>1/4</sup>
36 width	box	14 <sup>15/16</sup>	32 <sup>1/2</sup>	2 <sup>7/16</sup>
	lateral	14 <sup>15/16</sup>	32 <sup>1/2</sup>	9 <sup>1/4</sup>

Locks are standard on all below worksurface drawer units. Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver.

factory installed locks	option code
-------------------------	-------------

### Option 1

SILVER RANDOM KEYS	RMS
<b>Option 2</b>	Specify a number between
SILVER DESIGNATED KEYS	<b>100TAS - 150TAS</b>

Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.


Field installed lock core set, specify model # and key number (add \$5 list per core)

	model number	Specify a number between
<b>SILVER DESIGNATED KEYS</b>	<b>ACLCCKFLD</b>	<b>100TAS - 200TAS</b>

**NOTE: Add \$5 list per lock core.**

**See index on pages 208-218 for # of locks required for field installation.**


## GROMMET SPECIFICATIONS




Grommet is available in matte chrome finish.

## GROMMET LOCATIONS


### Desks




### Desking Runoffs




### Credenzas




### Returns




### Bridges



### Freestanding Table Desks




### Round Tables




WORKSURFACE TROUGH LOCATIONS


Desks & Runoffs



Side View - shown without end caps on trough




Side View - shown with accessory mounted into accessory track



Front View - slotted access holes




Isometric View - trough only




## WORKSURFACE TROUGH LOCATIONS

### Credenzas


Top View




Side View - Detailed




Side View




Side View - shown with accessory mounted into accessory track



Isometric View - trough only



POWER ACCESS & WIRE MANAGEMENT






## POWER ACCESS & WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets and removable back panels on desks. Removable back panels create a cavity in the back of the pedestal for cord/wire concealment and management. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.


Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.

Wall access is accommodated in credenza, bridge and return units. Two options are available. No modesty panel provides direct access to wall. The access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind panel. The panel is hinged in the center to provide occasional access as needed



**Worksurface grommet**  
optional on desks, credenza, returns, bridges




**Power unit accessory**  
for worksurfaces with trough



**Kneewell wire management**  
included in desks, returns, credenzas



**Surface mount cabinets**  
provide tasklight cord management standard




**Grommet Height** 32H and 45H =  $18 \frac{1}{16}$   
39H and 52H =  $24 \frac{3}{8}$

Wall access is accommodated in credenza, bridge and return units. Two options are available. No modesty panel provides direct access to wall. The access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind panel. The panel is hinged in the center to provide occasional access to wall outlets.


Credenzas

NO WALL ACCESS PANEL




WALL ACCESS PANEL OPEN

WALL ACCESS PANEL CLOSED



WALL ACCESS PANEL CLOSED  
(TOP VIEW)




WALL ACCESS PANEL CLOSED  
(FRONT VIEW)




WALL ACCESS / COMPUTER  
ACCESS PANEL OPEN

WALL ACCESS / COMPUTER  
ACCESS PANEL CLOSED




8 1/2 WALL ACCESS PANEL

8 3/8 COMPUTER ACCESS  
SHELF DEPTH





Returns

NO WALL ACCESS PANEL




WALL ACCESS PANEL OPEN


WALL ACCESS PANEL CLOSED



WALL ACCESS PANEL CLOSED  
(TOP VIEW)



WALL ACCESS PANEL CLOSED  
(FRONT VIEW)





1 1/2 OPENING BETWEEN  
WALL ACCESS PANEL  
AND WORKSURFACE

Bridges



NO WALL ACCESS PANEL

FULL MODESTY PANEL




WALL ACCESS PANEL OPEN


WALL ACCESS PANEL CLOSED



WALL ACCESS PANEL CLOSED  
(TOP VIEW)



WALL ACCESS PANEL CLOSED  
(FRONT VIEW)



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a guide for handwriting or typing. The paper itself is a clean, off-white color.

Product Reference ..... 25-46

    How to use this price guide .....26


    Key Features .....27

    Features and advantages.....28-29

    Technical specifications .....30-33

    Product reference ..... 34-43

[illegible]



ATTRIBUTE	FEATURE	ADVANTAGE
STYLE/DESIGN	Mixed Materials Horizontal grain Clean lines	<ul style="list-style-type: none"> <li>· Sleek, clean, contemporary, minimalist design aesthetic</li> </ul>
SCALABILITY	Size & scale Aesthetic Cost	<ul style="list-style-type: none"> <li>· Numerous components can be used together to create a variety of product planning requirements to meet customer's requirements</li> </ul>
FUNCTIONALITY	Accessory track/trough system	<ul style="list-style-type: none"> <li>· Easy access to power and data</li> <li>· Clean, simple wire management</li> <li>· Use of clip-in paper management and technology accessories</li> </ul>
	Personal corner	<ul style="list-style-type: none"> <li>· Creates an ergonomic corner for user</li> </ul>
STORAGE	Eliminated base rail	<ul style="list-style-type: none"> <li>· Additional 3" storage space</li> <li>· Box/Box/Box/File Pedestals</li> <li>· File/File pedestals w/ accessory drawer</li> <li>· Double row of binders in hinged door cabinets</li> </ul>
	Access to hot files	<ul style="list-style-type: none"> <li>· Sliding bridge and 10" desk organizer pedestal provides quick and easy access to hot projects</li> </ul>
TECHNOLOGY INTEGRATION	Wire management	<ul style="list-style-type: none"> <li>· Grommets available</li> <li>· Desk and/or credenza available with wire management trough to manage wires from worksurface to source</li> <li>· Cutouts located in pedestal sides to support horizontal wire management within workstation</li> </ul>
	Wall access	<ul style="list-style-type: none"> <li>· Optional hinged wall access panels provide simple, clean wire management</li> <li>· Achieved through no modesty panel</li> </ul>
	Computer integration	<ul style="list-style-type: none"> <li>· Monitor arms can be mounted into desktop trough or grommets</li> <li>· Computer access door provides area to store CPU in small footprints</li> </ul>
	Lighting	<ul style="list-style-type: none"> <li>· High-efficiency LED tasklighting</li> <li>· Low energy usage</li> </ul>



ATTRIBUTE	FEATURE	ADVANTAGE
GREEN	Designed for the Environment	<ul style="list-style-type: none"> <li>· FSC certified products available</li> <li>· FSC reconstituted veneer</li> <li>· LEED IEQ 4.5 compliant finish</li> <li>· Cleartech finish on worksurfaces</li> <li>· Aquatech finish on chassis</li> <li>· High percentage of recycled content: 81.1% post industrial and 2.4% post consumer, yielding a RC value factor of 43%.</li> <li>· Energy efficient LED task lighting</li> </ul>
	Drawer system	<ul style="list-style-type: none"> <li>· Dowell construction - strength</li> <li>· 9-ply baltic birch plywood - strength and added durability</li> <li>· Superior filing capability - extruded file rail integral to drawer</li> <li>· UV finish on drawers - scratch &amp; chemical resistant</li> <li>· 5-sided drawers - can adjust or remove in field without unloading drawers</li> </ul>
DURABILITY	Cleartech™ finish	<ul style="list-style-type: none"> <li>· Cured finish on worksurfaces - durable top coat</li> <li>· Chemical, heat, scratch, and mar resistant</li> <li>· Passes the "pizza test"</li> <li>· Full-filled finish, smooth to touch</li> <li>· robotic sprayer - uniformity of finish</li> <li>· Depth, clarity, color consistency, and durability</li> </ul>
	High grade suspensions	<ul style="list-style-type: none"> <li>· Lifetime warranty</li> <li>· Steel ball bearing suspensions</li> <li>· Full extension box (100 lbs) and file (150 lbs) drawer suspensions</li> </ul>
	12-Year Warranty	<ul style="list-style-type: none"> <li>· Backed by Gunlocke's 12-year warranty</li> </ul>
PRICE / VALUE	Budget flexibility	<ul style="list-style-type: none"> <li>· Pricing flexibility without compromising design integrity</li> <li>· Painted product provides flexibility to meet various budget requirements</li> </ul>
	Value	<ul style="list-style-type: none"> <li>· 12-year warranty</li> <li>· Quality / value built into product throughout the manufacturing process</li> </ul>
	Competitively priced	<ul style="list-style-type: none"> <li>· Priced to compete against key competitors</li> <li>· Competitors do not have price flexibility to meet budget and aesthetic requirements of customer</li> </ul>

## STRATAWOOD VENEERS

All exposed wood surfaces utilize Stratawood - FSC reconstituted veneers, which are made from rapidly renewable wood. Stratawood veneer is an engineered wood veneer, which provides a repeatable, consistent straight-grain pattern. Stratawood does not include cathedrals and has significantly fewer defects compared to natural veneer. The grain direction on all surfaces runs horizontal.

## WOOD TOPS

Wood veneer tops feature a balanced 3-ply construction and are  $1\frac{3}{16}$ " thick. Each top has a  $\frac{3}{32}$ " thick external band on all sides.

Standard tops are constructed of 45 lb particleboard.

Tops connect to the chassis with wood screws through the inset top panel of the pedestals and steel angle brackets. Panel legs attach to the top through  $\frac{1}{4}$ " thick steel flat plates.

## LAMINATE TOPS

All laminate tops have a 2mm butt joined matching vinyl edgeband on all sides. The laminate tops with square edge are balanced 3-ply construction and are made with 45lb particleboard.

Gunlocke's standard offering of plastic laminates include 3 patterned Pionite laminates and 3 solid color Wilsonart laminates. These laminates have been selected because they are good matches to specific Gunlocke standard finishes. The patterned Pionites do NOT match the stratawood finishes, but work well with paint finishes. The finishes we selected are a close match but we cannot guarantee a perfect match. Please check with the Gunlocke sales rep for samples of both wood and laminate before buying.

Wilsonart laminate tops feature a 0.030"

thick, Type 335 high pressure vertical grade Wilsonart Laminate. For complete Wilsonart technical specifications please refer to the Wilsonart website at <http://www.wilsonartcontract.com/Technical/>

Pionite laminate tops feature a 0.028" thick, Type F28 high pressure vertical grade Pionite Laminate.

For complete Pionite technical specifications please refer to the Pionite website at [http://www.pionite.com/pionite/pages\\_pionite/pionite\\_specs.html](http://www.pionite.com/pionite/pages_pionite/pionite_specs.html)

## CHASSIS / PEDESTAL CONSTRUCTION

All wood pedestals are made with veneer end panels and fronts which are constructed with  $\frac{3}{4}$ " thick balanced 3-ply panels. End panels are connected with an inset top, back, and bottom panel which is made of  $\frac{3}{4}$ " thick MDF. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. A  $1\frac{1}{16}$ "H x  $2\frac{7}{16}$ "W solid hardwood stretcher is mounted to the underside of the inset bottom panel. A threaded steel glide plate is attached to the hardwood stretcher to provide a durable connection between the glide and the bottom of pedestal. The glide plate is 10-gauge or 0.134" thick steel.

All painted pedestals are made with  $\frac{3}{4}$ " thick premium grade MDF end panels and fronts. End panels are connected with an inset top, back, and bottom panel which is made of  $\frac{3}{4}$ " thick MDF. Panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue. A  $1\frac{1}{16}$ "H x  $2\frac{7}{16}$ "W solid hardwood stretcher is mounted to the underside of the inset bottom panel. A threaded steel glide plate is attached to the hardwood stretcher with screws to provide a durable connection between the

glide and the bottom of pedestal. The glide plate is 10-gauge or 0.134" thick steel.

Steel glide plates are attached to single end panels with screws. End panels are pre-bored to accept the stem of the glide. The threaded steel glide plate provides a durable connection from glide to bottom of unit end panel.

Each unit is equipped with a minimum of four adjustable glides.

## OVERHEAD / STORAGE CONSTRUCTION

All wood panels are constructed with  $\frac{3}{4}$ " thick balanced 3-ply panels. The top, end, and bottom panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue.

All painted panels are constructed with  $\frac{3}{4}$ " thick premium grade MDF. The top, end and bottom panels are securely fastened together with cam fasteners in conjunction with pressed hardwood biscuits that are securely adhered with PVA (white polyvinyl acetate) glue.

Overhead cabinets are mounted to a steel support spanner with a spade bracket attachment method. Steel barrel nuts and spade brackets are securely mounted through the back of wall mount cabinets. Overheads mount directly to the steel support spanner. Z brackets are not required.

The steel support spanner is made of 12-gauge steel. The steel support spanner is mounted on each end to closets using 11-gauge galvanized hanger brackets. The hanger bracket is securely fastened to the closets through the end panel using inserts and bolts.

All overhead cabinets with doors include 95° self-closing hinges. Hinges are fully adjustable.

Wood shelves on 36" units are  $1\frac{3}{16}$ " thick

balanced 5-ply panels, shelves less than 30" are ¾" thick balanced 3-ply panels.

### GLIDES

Glides provide 1 ½" of vertical leveling adjustment. Glide bottom is durable nonrust nylon.

### TACKBOARDS

Tackboards are constructed of 7/8" thick material comprised of a 1/8" thick hardboard glued in between a layer of 3/8" thick pressboard on each side. The fabric is precisely aligned and fitted to the tackboard and adhered to the rigid hardboard with staples.

### DRAWERS

All drawers are constructed of four sides and a bottom, which are attached to a drawer front with screws for easy removal. Drawer fronts feature matched veneer within each pedestal set. Optional pencil tray is available for order on page 225.

The drawer side material is 9-ply baltic birch plywood, finished with a roll-coated 7-level UV cured polyester/acrylic finish that provides a high level of chemical and scratch resistance. The drawers are fastened together at each corner with dowel joinery for maximum drawer strength. The bottom material is a 3-ply substrate consisting of medium density fiberboard core with a melamine face and backer.

Box/Box/Box/File drawers are standard. All File/File drawers include a hidden accessory drawer. The accessory drawer is made of 9-ply baltic birch plywood.

### SUSPENSIONS

All Gunlocke casegoods utilize silver, steel, roll-formed, zinc plated, high-grade drawer suspensions. All suspensions are warranted for the lifetime of the product. Suspensions feature positive dampened

start/stop fully progressive actions. Box drawers are full extension, featuring precision steel ball bearings for a smoother quieter range of motion and are load rated for 100 lbs. File drawers are full extension, featuring precision steel ball bearings for increased weight capacity and are load rated for 150 lbs. Lateral file suspensions are load rated for 150 lbs and include an anti-tip mechanism that prevents more than one drawer from being opened at the same time.

### HINGES

Units with doors include 95° self-closing hinges. Hinges are fully adjustable. Doors on 68 high and 81 high lateral file units utilize 95° free swinging hinges and are opened using a touch latch.

### FILING

The file hanging system is an integral part of the drawer. A highly durable black plastic extrusion is securely fastened into a route on the top of the drawer. The plastic extrusion and steel folder rails allow side to side and front to back filing in file and lateral file drawers. The plastic extrusion was designed to promote optimum filing capacity within the drawer while providing a durable, reliable and maintenance free filing system. (See filing capability section for technical information on drawer dimensions.)

### LOCKS

Silver locks are standard on all pedestals and storage units. Locks are optional on all surface mount and wall mount cabinets. Doors below the worksurface, glass doors, and sliding doors do not lock. All full height pedestals lock in the kneewell. All low height pedestals face lock. Ganged pedestals have a single kneewell lock that controls all pedestals.

All lateral files feature double sided locking. Each lateral file consists of two lock

bars - one attached to each end panel. The lock bars are connected by a shaft. When the unit is locked, both lock bars are engaged resulting in a very secure and structural locking system.

Lock plugs are either factory or field installed.

### KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS - 150TAS for silver lock cores and 100TA-150TA for black lock cores. All keys are solid brass.

When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit.

### WIRE MANAGEMENT

Wire management capabilities include optional worksurface grommets and removable back panels on desk pedestals. Removable back panels create a cavity in the back of the pedestal for cord/wire concealment and management. Chassis include wire cutouts in kneewell for seamless wire management between pedestals and adjoining units.

Desk and runoff worksurfaces with a trough are constructed with 45 lb particleboard. The trough cutout portion of the worksurface includes an internal hardwood band for added durability when adding and removing accessories. The steel desk trough mounted beneath the worksurface is made of 14-gauge steel and is powder coated silver. An anodized aluminum accessory track is mounted into the desk trough to accept clip-in accessories. The wire management trough

provides simple, clean wire management beneath the worksurface. Each steel trough has a series of 6" w x 2 1/4" h cutouts along the length to access the inside of the trough.

Credenza worksurfaces with a trough are constructed from a premium grade MDF. These worksurfaces include a black plastic wire manager and an anodized aluminum accessory track which runs the length of the top.

Under worksurface wire managers (Model # ACWM) are sold separately to conceal wires between pedestals. These units house and manage wire horizontally around a station.

Wall access is accommodated in credenza, bridge and return units. Two options are available. (1) No modesty panel provides direct access to wall. (2) The hinged access panel option provides access to the wall as needed, creates a cavity behind the panel to mount a power strip (not provided) and houses cords behind panel. The panel clips on and off to provide occasional access as needed. Wall access panels are also available with a computer access door. The computer door can be specified on the left or right hand of the unit. The computer door is hinged and is supported on the bottom by a caster. The dimension of the computer platform is 8"D x 22"W x 23"H.

### GROMMET

4 1/4" x 2 5/8" rectangular 2-piece die cast grommet. Grommet is inset in a black plastic sleeve. Grommet is available in silver matte chrome finish to match other aluminum accents.

### LIGHTING

Low profile LED overhead lighting is available in 4 standard lengths. LED lighting provides high efficiency, low energy lighting with a long life. All LED light strips are encased in a silver aluminum extrusion and include a built-in microswitch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug.

See light specs below for each length:

24" LED light includes 36 LED bulbs 2.4W 12V and transformer 6W LED 120V 6W 12VDC

36" LED light includes 72 LED bulbs 4.95W 12V and transformer 6W LED 120V 6W 12VDC

48" LED light includes 96 LED bulbs 6.6W 12V and transformer 30W max LED 120V 12V

60" LED light includes 120 LED bulbs 6.25W 12V and transformer 30W max LED 120V 12V

### MONITOR ARM

Monitor arm is EVO II. Monitor arm is satin chrome finish. Monitor arm can be mounted inside grommet hole, desktop trough, or clamped to edge of desk.

### ALUMINUM PANEL LEG

Panel legs are utilized on desk and runoff units. Overall dimensions: 30" depth = 27 15/16"H x 3"W x 29 7/8"D and 36" depth = 27 15/16"H x 3"W x 35 7/8"D. Panel legs are constructed of clear anodized silver extruded aluminum components. Panel legs are available with a wood, painted wood, or glass insert. The thickness of the insert is approximately 1/4" thick. Glass inserts are tempered with a ripple pattern. The ripples run horizontally, resulting in a blurred image of any objects in the kneespace of the desk. An open panel leg is also available. Glides are threaded through a machined aluminum plate and provide 1 1/8" of vertical leveling.

### ACCESSORIES

All trough clip-in accessories are constructed from 10-gauge aluminum with a clear anodized finish. The accessories can be used with desk, runoff, and credenza troughs. See "TOPS" section for detailed information on troughs. The Power Unit is silver clear anodized aluminum finish. UL listed. Unit is rated for 125V, 15A and is

provided with a (2) 15A simplex receptacles and a 14 GA, 15A cord and standard plug. Cord length is 6ft.

### EXPOSED POWER

Unit is 3"D x 18"W in a powder coated finish. Each unit includes a power enclosure that contains either (2) or (4) simplex receptacles. Each enclosure is rated for 15 amp, 125 volt with a circuit breaker. Units can be specified with 6' grounded standard plug or 6' hardwire conduit option. Numerous power / data configurations are available, see ordering page for available options. Data plug-ins are ordered separately. Unit is field installed. UL Listed.

### PERSONAL CORNER & DESKPADS

Personal corners can be used between two perpendicular worksurfaces to create an ergonomic corner for user. Deskpads are used in-line. All units are wrapped in leather. The bottom surface has a felt lining to protect the worksurface. The chassis is made from 10-gauge aluminum. Personal corners are 36"W x 12 1/2"D. Deskpads are 36"W x 18"D. Units are designed to fit over 1 5/16" thick worksurfaces.

### BACK PAINTED GLASS

All back painted glass units are captured by an extruded aluminum mitered frame which is clear anodized silver aluminum. Frame is 3/4" thick and 1 3/4" high. The frame is low profile allowing only 1/16" visible frame around the perimeter of the glass from the front view. Back painted glass is 4mm thick and is available on doors, modesty panels, and in the "tackzone" of overhead storage. Doors and modesty panels are available in ice white clear low iron, caffè (brown) acid low iron, and aluminum acid low iron. Tackzone glass units are available in white only and are magnetized with a steel backer. These units can also act as a whiteboard with use of dry-erase markers. 6 magnets are included with each magnetized whiteboard.

### CLEANING BACK PAINTED GLASS

All back painted glass should be cleaned with a soft lint free cloth and non-ammonia based cleaner only.

### CLEANING LAMINATE TOPS

To clean the surface, use a damp cloth or sponge and a mild soap or detergent. For complete Care and Maintenance instructions please refer to the Wilsonart website at <http://www.wilsonartcontract.com/Technical/> or the Pionite website at [http://www.pionite.com/pionite/pages\\_pionite/pionite\\_specs.html](http://www.pionite.com/pionite/pages_pionite/pionite_specs.html).

### FINISH

Natural veneer is subject to nature's quality control. Each species will exhibit differences in grain pattern and tone. This is to be expected and, in fact, contributes to the beauty and individuality of each product. Flat Cut veneers emphasize the variations of wood by exhibiting cathedrals in the grain pattern. Quarter Cut and Rift Cut veneers are a premium cut that maintains variations in the grain but without cathedral patterns. Stratawood is a natural, FSC®-certified reconstituted veneer that is designed to exhibit a straight-grain pattern, absent of cathedrals or other significant grain and tone variations.

Worksurfaces, desktops, and tabletops are protected by one of the world's most advanced UV cured finish coatings, avail-

able in Full Fill ClearTech® or Open Pore low sheen finish, applied by state-of-the-art finishing equipment. Both finishes meet the EPA's stringent requirements for VOC emissions and air quality. Cured in a specially designed ultraviolet oven, the finish fuses to the wood, forming a durable shield that provides a high level of scratch, stain, chemical, and heat resistance, plus a high level of clarity.

Chassis, storage, overheads, and veneer bases are finished with a 30 sheen, conversion varnish finish.

All colors and species are not available on all products. Please refer to front cover of price lists for availability of finishes.

For the technical specifications see the Finish System Guide & Technical specifications available at [www.gunlocke.com/finishsystem](http://www.gunlocke.com/finishsystem).

### CLEANING FINISH

Regular dusting and occasional cleaning are recommended to maintain your wood finish. To clean, dampen a soft cloth with luke warm water and gently wipe the wood in the direction of the grain. A mild solution of Murphy's oil soap and water may also be used. Avoid cleaners with oil, waxes, or silicones as they may create a hazy look.

# SILEA PRODUCT REFERENCE

desks

SILEA  
01/16

## DESKS

### Primary use:

- Double pedestal - freestanding units
- Single pedestal - to create U or L shape workstations
- Panel leg desks - freestanding or to create U or L shape workstations

### Specification tips:

- Specify pedestal from user seated position
- Left-hand desks to be specified with right-hand return units
- Right-hand desks to be specified with left-hand return units

### Key product information:

- Square edge profile - all sides
- Kneespace between pedestals
- Double Pedestal
  - 66" width desk = 46"
  - 72" width desk = 52"
  - 78" width desk = 58"
- Single Pedestal
  - 66" width desk = 56"
  - 72" width desk = 62"
  - 78" width desk = 68"
- Worksurface veneer only
- Pedestals available in wood or paint
- Panel leg inserts available in wood, paint, ribbed glass, or open
- Modesty available in wood, paint, or back painted glass
- Optional center drawer









### Technology information & wire management:

- Technology information & wire management:
- Desktop trough
- Wire access holes on inside of kneewell panels for horizontal wire management
- Desk pedestals include removable back panels

### Example:

DOUBLE PEDESTAL DESK

- A. SADWR3672-W
- B. SADPD3610L-3W
- C. SADPD3610R-2W
- D. SADMPF52-W



## DESK PEDESTALS AND PANEL LEGS

### Primary use:

- To create double pedestal, single pedestal, or panel leg desks
- To create desking runoffs

### Specification tips:




Specify storage pedestal handedness from user seated position

### Key product information:


- 30" depth pedestals and panel legs are to be used with 30" depth worksurfaces
- 36" depth pedestals and panel legs are to be used with 36" depth worksurfaces

### Pedestals:

- All pedestals are handed and lock in the kneewell
- Pedestals available in wood or paint
- All pedestals are 10<sup>-3/8</sup>" wide
- Box/Box/Box/File pedestals standard
- File/File drawers include hidden accessory drawer
- Organizer pedestals include 3 rows of aluminum dividers for easy access to hot files and projects. Dividers are 23" W x 8" H
- A pencil tray is standard on top edge of organizer pedestal
- The bottom of the pedestal is 23<sup>-9/16</sup>" W x 6<sup>-7/16</sup>" D x 5<sup>-3/4</sup>" H and can be used to store a briefcase or laptop bag




**ACCESSORY  
DRAWER**



### Panel Legs:

- 30" panel legs are 3"W x 30<sup>-7/8</sup>" D x 27<sup>-15/16</sup>" H
- 36" panel legs are 3"W x 35<sup>-7/8</sup>" D x 27<sup>-15/16</sup>" H
- Panel leg inserts available in wood, paint, ribbed glass, or open



# SILEA PRODUCT REFERENCE

desking runoff units

SILEA  
01/16

## DESKING RUNOFF UNITS

### Primary use:

- Creating L shape workstations. Not to be used as freestanding units.

### Specification tips:

- Specify pedestal from user seated position
- Worksurfaces are non-handed

### Key product information:

- Square edge profile - all sides
- Kneespace for pedestal units
  - 48" width runoff = 38"
  - 54" width runoff = 44"
  - 60" width runoff = 50"
- Worksurface veneer only
- Pedestals available in wood or paint
- Panel leg inserts available in wood, paint, ribbed glass, or open
- Modesty available in wood, paint, or back painted glass
- Optional center drawer






### Technology information & wire management:

- Optional grommet available
- Desktop trough
- Wire access holes on inside of kneewell panels for horizontal wire management
- Desk pedestals include removable back panels



### Example:

PEDESTAL RUNOFF LEFT HAND

- A. SARRW3054-W
- B. SADPD3010L-3W
- C. SARMPH44-W



WOOD = Short Grain  
LAMINATE = Long Grain





## CREDENZAS

### Primary use:




- Freestanding units, creating U shape or L shape workstations

### Specification tips:

- Specify storage pedestal from user seated position



### Key product information:

- Square edge profile - all sides
- Worksurface veneer only
- Available with no modesty panel, hinged wall access panel, or hinged wall access panel/computer access door combination
- Units with no back panel and unsupported area of 48" and greater require an intermediate T-support panel
- All credenza units have an unfinished back



### Pedestals:

- All pedestals are handed and lock in the kneewell
- Pedestals available in wood or paint
- Box/Box/Box/File pedestals standard
- File/File drawers include hidden accessory drawer



ACCESSORY  
DRAWER

### Technology information & wire management:

- Optional grommet available
- Desktop trough
- Wire access holes on inside of kneewell panels for horizontal wire management

### Example:


#### DOUBLE PEDESTAL CREDENZA

A. SACWR2490-W

B. SACPD2415L-3W

C. SACPD2415R-2W

D. SACMA60-W



# SILEA PRODUCT REFERENCE

bridge units

SILEA  
01/16

## BRIDGE UNITS

### Primary use:

- To create U shape workstations

### Specification tips:



- Utilized between desks and credenza units to create U shape workstations

### Key product information:

- Square edge profile - all sides
- Can be specified with full modesty, wall access panel, or no modesty panel
- Modesty and wall access panel available in wood or paint
- Units with no back panel and unsupported area of 48" and greater require an intermediate T-support panel

### Technology information & wire management:

- Optional grommet available




WOOD = Short Grain  
LAMINATE = Long Grain

### Example:

BRIDGE WITH FULL MODESTY

A. SABWR2448-W


B. SABMF48-W




## SLIDING BRIDGE UNITS

### Sliding Bridges:


- Bridge slides forward to reveal storage box
- Sliding bridge can be used to store hot files or can accommodate laptop storage using SAAB-LAPTOP
- Sliding bridge units come standard with 6 filing rails
- 1/2 height modesty panels are standard
- Sliding bridge worksurface includes storage box
- 1/2 height modesty ordered separately



### Storage box interior dimensions:



42" WORKSURFACE




48" WORKSURFACE

### Storage options:


- 42" Sliding bridge
  - A. 3 rows letter front to back
  - B. 2 rows legal front to back
  - C: Optional: 2 rows letter front to back, laptop storage with SAAB-LAPTOP
- 48" Sliding bridge
  - D. 3 rows letter front to back
  - E. 2 rows legal front to back, 1 row letter front to back
  - F: Optional: 2 rows letter front to back, laptop storage with SAAB-LAPTOP
  - G: Optional: 2 rows legal front to back, laptop storage with SAAB-LAPTOP



A




C



B



D



F



E



G

# SILEA PRODUCT REFERENCE

returns

SILEA  
01/16

## RETURNS

### Primary use:

- Creating L shape workstations.

### Specification tips:

- Specify storage pedestal from user seated position
- Left-hand returns to be specified with right-hand desks
- Right-hand returns to be specified with left-hand desks

### Key product information:

- Square edge profile - all sides
- Available with no modesty panel or hinged wall access panel
- Units with no back panel and unsupported area of 48" and greater require an intermediate T-support panel
- All return units have an unfinished back

### Technology information & wire management:

- Optional grommet available
- Wire access holes on inside of kneewell panels for horizontal wire management
- Can be specified with no modesty panel or hinged wall access panel




### Example:

RETURN LEFT HAND


A. SARWR2448-W

B. SACPD2415L-3W

C. SARMA33-W



WOOD = Short Grain  
LAMINATE = Long Grain



## SURFACE MOUNT CABINETS

### Primary use:

- Provide additional storage above the worksurface

### Specification tips:


- Can be specified on:  
Credenza units  
Desk - return combinations  
Desk - bridge - credenza combinations

### Key product information:


- All storage units have an unfinished back
- Units available in wood or paint
- Door options include hinged or sliding
- Units available in 39 high and 52 high
- Double height cabinets include fixed height standard shelf
- Inside dimensions:  
(width varies with cabinet)  
39H - D = 13<sup>-3/16"</sup>, H = 12<sup>-3/16"</sup>  
52H - D = 13<sup>-3/16"</sup>, H = 25<sup>-1/8"</sup>

### Technology information & wire management:


- Back panel grommet included
- Located in upper right-hand and left-hand corner, provides task light cord access to wall outlets.



**Grommet Height** 39H and 52H = 24 <sup>3</sup>/<sub>8</sub>




**39 High**



**52 High**


Surface mount overhead cabinets must be supported with adequate pedestal or panel support on ends. In addition, the location where the surface mount cabinet and tower meet the worksurface using intermediate supports located on page 115 of the Silea Price List.



**Recommended Support Examples**

**Inadequate Support Examples**

When specifying surface mount storage across multiple units, careful considerations must be used to ensure the correct overall length. An end or back panel of a supporting unit must support the end panel of an overhead cabinet.



**Recommended Support Examples**

**Inadequate Support Examples**

# SILEA PRODUCT REFERENCE

wall mount cabinets

SILEA  
01/16


## WALL MOUNT CABINETS

### Primary use:


- Provide additional storage above the worksurface

### Key product information:

- All storage units have an unfinished back
- Units available in wood or paint
- Door options include hinged or sliding
- Units available in 13 high and 26 high
- Double height cabinets include fixed height standard shelf
- Inside dimensions:  
(width varies with cabinet)  
13H - D = 13<sup>-3/16</sup>", H = 12<sup>-3/16</sup>"  
26H - D = 13<sup>-3/16</sup>", H = 25<sup>-1/8</sup>"
- Connect to wall with steel spade and "z" clip method
- Installers responsible for selecting and providing appropriate fasteners for wall conditions
- Lighting option available
- Unit ships assembled



13 High



26 High

## HEIGHT ADJUSTABLE WORKSURFACES


Worksurfaces are actual widths. A 1" clearance gap is required for any height adjustable top on all sides. Moving worksurfaces can collide with other components. It is important to ensure free range of motion prior to operating the table. Please contact Gunlocke's Tailored Solutions department (GUNTSS) for special worksurface size requirements if standard models do not provide 1" gaps. Adjacent worksurfaces need to be self supporting. A wall mount bracket may be used, see page 183.

## HEIGHT ADJUSTABLE BASE

Electric height adjustable base unit is available in a 2-Stage lifting column with an offset C-Leg design. The height adjustable base is a compact 2-part lifting column. A lifting column is an electric linear actuator integrated into a stable guide. The sophisticated motor system is completely hidden inside the column. 2-Stage models travel at 1.5" per second. Motor devices have a continuous cycle time of 2 minutes with an 18 minute rest period before it can be cycled again. The control box is powered by 110-120V /60Hz /4A. Standby power is < 0.1 Watts. Standard plug power cords are 10' length. Load capacity is 300 pounds for 2-leg height adjustable models, including weight of worksurface. Pedestals taller than 24 1/2" when placed under the height adjustable table will limit range in lowest position. Footplate is 1/2" thick by 3" wide steel and is bolted to the lifting column. All tables have adjustable glides providing 1/2" adjustment.

## MEMORY CONTROL

The memory handset has a modern design. The up and down buttons are "user-friendly" as they are shaped according to the function, meaning that the user can feel the difference and it is not necessary to look at the control when operating the system. The memory handset allows for 3 programmable user heights. The handset has a digital display for height read out in either centimeters or inches. To save power the display switches off when not in use, putting the memory control into standby mode.



[illegible]





[illegible]

Typicals . . . . . 47-70

    L Stations . . . . . 48-50

    U Stations . . . . . 51-54

    Workwalls . . . . . 55-58


    Freestanding Desks . . . . . 59-61

    Double Stations . . . . . 62-65

    Height Adjustable . . . . . 66-67

TYPICAL 1 - L Station  
10' x 12' office

SILEA  
01/16




item	page	model number	description	material	list	qty	ext.
A	74	SADWR3072-W	Desk worksurface - 30" x 72"	wood	1,054	1	1,054
B	76	SADPD3010L-3W	Desk pedestal 30" - BBBF LH	wood	1,503	1	1,503
C	77	SADPD3010R-XW	Desk false pedestal - 10" RH	wood	843	1	843
D	78	SADMPF52-W	Desk modesty panel - 52" full height	wood	655	1	655
E	131	SARWR2460-W	Return worksurface - 24" x 60"	wood	925	1	925
F	111	SACPD2415R-3W	Return pedestal - BBBF RH	wood	1,616	1	1,616
G	132	SARMA45-W	Return - 45" wall access panel	wood	1,073	1	1,073
H	172	SATKW26H90	Tackboard - 90"	fabric	750	1	750
I	178	SATWD7H90-X	Wood wall - 90"W / 7"H	wood	1,302	1	1,302
J	170	SAASF1290-A	Aluminum shelf - 90"	aluminum	1,167	1	1,167
K	158	SAWMC13H60-WW	Wall mount cabinet - 60" hinged doors	wood	2,931	1	2,931
L	168	SAWMW13H30-W	Wood wall - 30"W / 13"H	wood	701	1	701
M	170	SAASF1230-A	Aluminum shelf - 30"	aluminum	535	1	535

15,055

Total Optimized  
(Laminate, paint, no troughs, no back painted glass)

13,169



item	page	model number	description	material	list	qty	ext.
A	105	<b>SACWR24102T-W</b>	Credenza worksurface 24" x 102", trough incl.	wood/trough	1,958	1	1,958
B	106	<b>SACPD249L-XW</b>	Credenza false pedestal - 9" LH	wood	757	1	757
C	112	<b>SACPD2430R-32W</b>	Credenza pedestal - 30" BBBF/FF RH	wood	2,910	1	2,910
D	116	<b>SACMA63-W</b>	Credenza wall access panel - 63"	wood	1,206	1	1,206
E	86	<b>SARRW3060-W</b>	Runoff worksurface 30" x 60"	wood	982	1	982
F	76	<b>SADPD3010L-3W</b>	Runoff pedestal 30" - BBBF LH	wood	1,503	1	1,503
G	90	<b>SARMPH50-W</b>	Runoff - 50" 1/2 height, modesty panel	wood	557	1	557
H	163	<b>SAWMC26H30-WW</b>	Wall mount cabinet - 30" hinged doors	wood	2,388	1	2,388
I	169	<b>SAWMW26H72-W</b>	Wood wall - 72"W / 26"H	wood	1,468	1	1,468
J	170	<b>SAASF1272-A</b>	Alum shelf - 72"	alum	962	2	1,924
K	172	<b>SATKW26H102</b>	Tackboard - 102"	fabric	1,078	1	1,078


16,731

Total Optimized  
(Laminate, paint, no troughs, no back painted glass)

14,114

TYPICAL 3 - L Station  
10' x 15' office

SILEA  
01/16





item	page	model number	description	material	list	qty	ext.
A	104	SACWR2490-W	Credenza worksurface - 24" x 90"	wood	1,155	1	1,155
B	107	SACPD2415L-2W	Credenza pedestal - 15" AFF LH	wood	1,616	1	1,616
C	110	SACPD249R-XW	Credenza false pedestal - 9" RH	wood	757	1	757
D	116	SACMA66-W	Credenza wall access panel - 66"	wood	1,228	1	1,228
E	86	SARRW3060-W	Runoff worksurface - 30" x 60"	wood	982	1	982
F	77	SADPD3010R-3W	Runoff pedestal 30" - BBBF RH	wood	1,503	1	1,503
G	90	SARMPH50-W	Runoff - 50" 1/2 height, modesty panel	wood	557	1	557
H	176	SATWD26H60-X	Wood wall - 60"	wood	1,163	1	1,163
I	170	SAASF860-A	Aluminum shelf - 60"	aluminum	709	1	709
J	172	SATKW26H30	Tackboard - 30"	fabric	527	1	527
K	163	SAWMC26H90-WW	Wall mount cabinet - 90" hinged doors	wood	5,333	1	5,333
L	150	SASBD68H30-W	Storage box - 30"W / 68"H	wood	5,346	1	5,346

20,876

Total Optimized  
(Laminate, paint, no troughs, no back painted glass)

17,932



item	page	model number	description	material	list	qty	ext.
A	74	<b>SADWR3672-W</b>	Desk worksurface - 36"x72"	wood	1,098	1	1,098
B	77	<b>SADPD3610R-2W</b>	Desk pedestal RH - FF	wood	1,533	1	1,533
C	76	<b>SADPD3610L-XW</b>	Desk false pedestal LH	wood	861	1	861
D	78	<b>SADMPF52-W</b>	Desk full height modesty panel 52"	wood	655	1	655
E	96	<b>SABWR2448-W</b>	Bridge worksurface - 24"x48"	wood	861	1	861
F	97	<b>SABMF48-W</b>	Bridge modesty panel 48"	wood	642	1	642
G	105	<b>SACWR2472T-W</b>	Credenza worksurface 24"x72" trough	wood/trough	1,506	1	1,506
H	110	<b>SACPD249R-XW</b>	Credenza false pedestal RH	wood	757	1	757
I	108	<b>SACPD2430L-4W</b>	Credenza pedestal LH - LF	wood	2,027	1	2,027
J	116	<b>SACMA33-W</b>	Wall access panel	wood	987	1	987
K	176	<b>SATWD26H72-X</b>	Wood wall in tackzone	wood	1,315	1	1,315
L	169	<b>SAWMW26H72-W</b>	Wall mount wood wall	wood	1,468	1	1,468
M	170	<b>SAASF1272-A</b>	Aluminum clip in shelf 12.5"	aluminum	962	3	2,886
N	144	<b>SABSC81H30L-W</b>	Bookcase/closet	wood	3,584	1	3,584


**20,180**

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**17,158**


**TYPICAL 5 - U Station**  
 12' x 12' office

**SILEA**  
 01/16



item	page	model number	description	material	list	qty	ext.
A	75	<b>SADWR3072T-W</b>	Desk worksurface - 30" x 72" trough	wood/trough	1,739	1	1,739
B	76	<b>SADPD3010L-XW</b>	Desk pedestal 30" - false pedestal LH	wood	843	1	843
C	77	<b>SADPD3010R-2W</b>	Desk pedestal 30" - FF RH	wood	1,503	1	1,503
D	78	<b>SADMPH52-W</b>	Desk 1/2 height modesty panel 52"	wood	557	1	557
E	98	<b>SABWR1648S-W</b>	Bridge sliding - 16" x 48"	wood	1,765	1	1,765
F	99	<b>SABMS48S-W</b>	Modesty panel 48" for sliding bridge	wood	557	1	557
G	105	<b>SACWR2496T-W</b>	Credenza worksurface 24" x 96" w/trough	wood/trough	1,807	1	1,807
H	108	<b>SACPD2430L-23W</b>	Credenza pedestal - FF/BBF LH	wood	2,910	1	2,910
I	110	<b>SACPD249R-XW</b>	Credenza false pedestal RH	wood	757	1	757
J	116	<b>SACMA57-W</b>	Credenza 57" wall access panel	wood	1,162	1	1,162
K	163	<b>SAWMC26H72-WW</b>	Overhead cabinet 72" - hinged doors	wood	4,305	1	4,305
L	144	<b>SABSC68H30L-W</b>	Bookcase/closet	wood	3,058	1	3,058
							<b>20,963</b>
<b>Total Optimized</b>							<b>16,007</b>
<b>(Laminate, paint, no troughs, no back painted glass)</b>							





item	page	model number	description	material	list	qty	ext.
A	75	<b>SADWR3072T-W</b>	Desk worksurface - 30"x72" trough	wood/trough	1,739	1	1,739
B	76	<b>SADPD3010L-2W</b>	Desk pedestal LH - FF	wood	1,503	1	1,503
C	77	<b>SADPD3010R-XW</b>	Desk false pedestal RH	wood	843	1	843
D	78	<b>SADMPH52-W</b>	Desk modesty panel - 1/2 height	wood	557	1	557
E	98	<b>SABWR1648S-W</b>	Sliding bridge worksurface - 16"x48"	wood	1,765	1	1,765
F	99	<b>SABMS48S-W</b>	Sliding bridge modesty panel - 1/2 height	wood	557	1	557
G	105	<b>SACWR24120T-W</b>	Credenza worksurface 24"x120" trough	wood/trough	2,409	1	2,409
H	106	<b>SACPD249L-XW</b>	Credenza false pedestal LH	wood	757	1	757
I	113	<b>SACPD2445R-34W</b>	Credenza pedestal RH - BBBF / LF	wood	3,277	1	3,277
J	116	<b>SACMA66-W</b>	Wall access panel 66"	wood	1,228	1	1,228
K	174	<b>SATGW26H90</b>	Whiteboard in tackzone 90"	back painted glass	2,864	1	2,864
L	163	<b>SAWMC26H90-WW</b>	Wall mount cabinet 90"	wood	5,333	1	5,333
M	176	<b>SATWD26H30-X</b>	Wood wall in tackzone	wood	746	1	746
N	169	<b>SAWMW26H30-W</b>	Wall mount wood wall	wood	832	1	832
O	170	<b>SAASF1230-A</b>	Aluminum clip in shelving	aluminum	535	3	1,605
							<b>26,015</b>



**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**19,406**

# TYPICAL 7 - U Station

12' x 12' office



SILEA  
01/16



item	page	model number	description	material	list	qty	ext.
A	75	<b>SADWR3672T-W</b>	Desk worksurface - 36"x72" trough	wood / trough	1,811	1	1,811
B	76	<b>SADPD3610L-ZW</b>	Desk pedestal LH - organizer drawer	wood	1,642	1	1,642
C	77	<b>SADPD3610R-XW</b>	Desk false pedestal RH	wood	861	1	861
D	79	<b>SADMPF52-G</b>	Desk full height modesty panel 52"	back painted glass	1,639	1	1,639
E	96	<b>SABWR2448-W</b>	Bridge worksurface - 24"x48"	wood	861	1	861
F	97	<b>SABMF48-W</b>	Bridge modesty panel 48"	wood	642	1	642
G	105	<b>SACWR2472T-W</b>	Credenza worksurface - 24"x72" trough	wood / trough	1,506	1	1,506
H	106	<b>SACPD249L-XW</b>	Credenza false pedestal LH	wood	757	1	757
I	111	<b>SACPD2415R-2W</b>	Credenza pedestal RH - FF	wood	1,616	1	1,616
J	116	<b>SACMA48-W</b>	Wall access panel 48"	wood	1,097	1	1,097
K	148	<b>SACLS68H15L-W</b>	Closet LH	wood	2,883	1	2,883
L	148	<b>SACLS68H15R-W</b>	Closet RH	wood	2,883	1	2,883
M	171	<b>SATKW19H72</b>	Tackboard 72"	tackboard	647	1	647
N	178	<b>SATWD7H72-X</b>	Wood wall in tackzone	wood	1,051	1	1,051
O	170	<b>SAASF1272-A</b>	Alum clip in shelf	alum	962	1	962
P	165	<b>SAWMC26H72-WG</b>	Wall mount cabinet 72"	wood / back painted glass	5,080	1	5,080
							<b>25,938</b>

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**19,761**





item	page	model number	description	material	list	qty	ext.
A	86	<b>SARRW3054-W</b>	Runoff worksurface - 30" x 54"	wood	961	1	961
B	80	<b>SADSL30-W</b>	Panel leg - 30" wood infill	wood	1,173	1	1,173
C	105	<b>SACWR24120T-W</b>	Credenza worksurface 24" x 120" trough	wood/trough	2,409	1	2,409
D	108	<b>SACPD2430L-4W</b>	Credenza pedestal LH - LF	wood	2,027	1	2,027
E	112	<b>SACPD2430R-32W</b>	Credenza pedestal RH - BBBF / FF	wood	2,910	1	2,910
F	117	<b>SACMAC60L-W</b>	Wall access panel / computer door	wood	1,776	1	1,776
G	169	<b>SAWMW26H60-W</b>	Wall mount wall - 60"W / 26"H	wood	1,300	2	2,600
H	SPL	<b>SPL-SAASF8120-A</b>	Aluminum clip in shelf 8.5"	aluminum	1,364	1	1,364
I	170	<b>SAASF12120-A</b>	Aluminum clip in shelf 12.5"	aluminum	1,670	1	1,670
J	148	<b>SACLS68H15R-W</b>	Closet - full width coat rod	wood	2,883	1	2,883
							<b>19,773</b>

**Total Optimized**  
**Laminate, paint, no troughs, no back painted glass)**

# TYPICAL 9 - Workwall

10' x 15' office

SILEA  
01/16





item	page	model number	description	material	list	qty	ext.
A	86	<b>SARRW3660-W</b>	Runoff wksf 36x60, no trough	wood	1,021	1	1,021
B	81	<b>SADSL36-G</b>	Runoff panel leg w/ glass insert	aluminum / glass	1,750	1	1,750
C	105	<b>SACWR24108T-W</b>	Cred wksf 24x108, trough included	wood / trough	2,109	1	2,109
D	108	<b>SACPD2436L-23W</b>	Cred ped FF/BBBF LH	wood	3,113	1	3,113
E	110	<b>SACPD249R-XW</b>	Cred false ped RH	wood	757	1	757
F	116	<b>SACMA63-W</b>	Cred wall access panel 63"	wood	1,206	1	1,206
G	146	<b>SALFS29H36-W</b>	Freestanding lateral file 2H 36	wood	2,150	1	2,150
H	152	<b>SALFT2436-W</b>	Freestanding lateral file top	wood	693	1	693
I	169	<b>SAWMW26H72-W</b>	Wall mount wall 26h x 72w	wood	1,468	2	2,936
J	149	<b>SACLD68H30-DW</b>	Closet 68H w/ divider, shelves & rod	wood	5,220	1	5,220
K	170	<b>SAASF12144-A</b>	Aluminum clip in shelf 12.5"	aluminum	1,926	1	1,926
L	SPL	<b>SPL-SAASF872-A</b>	Aluminum clip in shelf 8.5"	aluminum	1,541	1	1,541
M	195	<b>SACORNER</b>	Create a corner	leather	587	1	587

**25,009**

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**20,808**




item	page	model number	description	material	list	qty	ext.
A	86	<b>SARRW3060-W</b>	Runoff worksurface - 30" x 60"	wood	982	1	982
B	77	<b>SADPD3010R-3W</b>	Desk / runoff pedestal RH - BBBF	wood	1,503	1	1,503
C	90	<b>SARMPH50-W</b>	Runoff Modesty Panel - 50"	wood	557	1	557
D	105	<b>SACWR2490T-W</b>	Credenza worksurface - 24" x 90" trough	wood/trough	1,733	1	1,733
E	108	<b>SACPD2430L-4W</b>	Credenza pedestal LH - LF	wood	2,027	1	2,027
F	110	<b>SACPD249R-XW</b>	Credenza false pedestal RH	wood	757	1	757
G	117	<b>SACMAC51R-W</b>	Wall access panel / computer door	wood	1,678	1	1,678
H	149	<b>SACLD81H30-DW</b>	Closet - shelving / closet rod	wood	6,093	1	6,093
I	150	<b>SASBD68H30-W</b>	Storage box	wood	5,346	1	5,346
J	167	<b>SAWMC26H90-WG</b>	Wall mount cabinet 90" glass doors	wood/back pnt glass	6,294	1	6,294
K	176	<b>SATWD26H90-X</b>	Wood wall in tackzone	wood	1,627	1	1,627
L	170	<b>SAASF890-A</b>	Aluminum clip in shelf 8.5"	aluminum	992	1	992
M	195	<b>SACORNER</b>	Create a corner	leather	587	1	587
							<b>30,176</b>

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**25,400**

TYPICAL 11 - Workwall  
12' x 15' office

SILEA  
01/16




item	page	model number	description	material	list	qty	ext.
A	87	<b>SARRW3060T-W</b>	Runoff worksurface - 30" x 60" trough	wood/trough	1,618	1	1,618
B	80	<b>SADSL30-W</b>	Panel leg 30"	aluminum/wood	1,173	1	1,173
C	90	<b>SARMSH57-W</b>	Runoff modesty panel 57"	wood	573	1	573
D	105	<b>SACWR2490T-W</b>	Credenza worksurface - 24" x 90" trough	wood/trough	1,733	1	1,733
E	112	<b>SACPD2430R-32W</b>	Credenza pedestal RH - BBBF / FF	wood	2,910	1	2,910
F	106	<b>SACPD249L-XW</b>	Credenza false pedestal LH	wood	757	1	757
G	116	<b>SACMA51-W</b>	Wall access panel - 51"	wood	1,119	1	1,119
H	163	<b>SAWMC26H90-WW</b>	Wall mount cabinet - 90"	wood	5,333	1	5,333
I	178	<b>SATWD7H90-X</b>	Wood wall in tackzone	wood	1,302	1	1,302
J	170	<b>SAASF1290-A</b>	Aluminum clip in shelf 12.5"	aluminum	1,167	1	1,167
K	171	<b>SATKW19H90</b>	Tackboard	tackboard	715	1	715
L	147	<b>SALFS81H30-W</b>	Lateral file	wood	6,888	1	6,888
M	145	<b>SABCL81H18R-W</b>	Bookcase / closet	wood	4,833	1	4,833
N	195	<b>SACORNER</b>	Create a corner	leather	587	1	587

**30,708**

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**27,195**



item	page	model number	description	material	list	qty	ext.
A	74	<b>SADWR3072-W</b>	Desk worksurface - 30"x72"	wood	1,054	1	1,054
B	80	<b>SADSL30-W</b>	Panel leg 30"	wood	1,173	1	1,173
C	81	<b>SADSL30-N</b>	Panel leg 30"	open	702	1	702
D	78	<b>SADMSH66-W</b>	Desk modesty panel - 66" 1/2 height	wood	590	1	590
E	168	<b>SAWMW13H72-W</b>	Wood wall overhead 72" 13H	wood	1,239	1	1,239
F	169	<b>SAWMW26H72-W</b>	Wood wall overhead 72" 26H	wood	1,468	1	1,468
G	170	<b>SAASF1272-A</b>	Aluminum clip in shelf	aluminum	962	3	2,886
H	149	<b>SACLD68H30-CW</b>	Closet - full width coat rod	wood	4,129	1	4,129


13,241

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

11,794

TYPICAL 13 - Freestanding Desk  
12' x 15' office

SILEA  
01/16




item	page	model number	description	material	list	qty	ext.
A	75	SADWR3072T-W	Desk worksurface - 30"x72" trough	wood/trough	1,739	1	1,739
B	80	SADSL30-W	Panel leg 30"	aluminum/wood	1,173	2	2,346
C	78	SADMSH66-W	Desk modesty panel - 1/2 height	wood	590	1	590
D	105	SACWR24120T-W	Credenza worksurface - 24"x120" trough	wood/trough	2,409	1	2,409
E	108	SACPD2430L-5W	Credenza pedestal LH - HD	wood	1,825	1	1,825
F	112	SACPD2430R-32W	Credenza pedestal RH - BBBF / FF	wood	2,910	1	2,910
G	116	SACMA60-W	Wall access panel	wood	1,182	1	1,182
H	166	SAWMC26H60-WSW	Wall mount cabinet - 60" sliding door	wood	3,729	2	7,458
I	171	SATKW19H60	Tackboard	tackboard	612	2	1,224

21,683

Total Optimized  
(Laminate, paint, no troughs, no back painted glass)

17,350






item	page	model number	description		material	list	qty	ext.
A	74	<b>SADWR3678-W</b>	Desk worksurface - 36" x 78"		wood	1,175	1	1,175
B	76	<b>SADPD3610L-ZW</b>	Desk pedestal 36" - organizer LH		wood	1,642	1	1,642
C	77	<b>SADPD3610R-3W</b>	Desk pedestal 36" - BBBF RH		wood	1,533	1	1,533
D	79	<b>SADMPF58-G</b>	Desk modesty panel 58"	back painted glass		1,685	1	1,685
E	105	<b>SACWR24114T-W</b>	Credenza worksurface - 24" x 114" trough	wood/trough		2,257	1	2,257
F	112	<b>SACPD2436R-4W</b>	Credenza pedestal 36" - LF	wood		2,150	1	2,150
G	106	<b>SACPD249L-XW</b>	Credenza false pedestal - LH	wood		757	1	757
H	116	<b>SACMA69-W</b>	Credenza wall access panel - 69"	wood		1,249	1	1,249
I	165	<b>SAWMC26H72-WG</b>	Overhead cabinet 2 high - 72"	wood/back painted glass		5,080	1	5,080
J	173	<b>SATGW19H72</b>	Backpainted glass whiteboard	back painted glass		1,836	1	1,836
K	149	<b>SACLD81H30-DW</b>	Closet - closet rod / shelves		wood	6,093	1	6,093
25,457								

**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**


**18,574**

TYPICAL 15 - Double Station  
10' x 20' office

SILEA  
01/16



item	page	model number	description		material	list	qty	ext.
A	86	SARRW3660-W	Runoff worksurface - 36"x60"		wood	1,021	2	2,042
B	77	SADPD3610R-3W	Runoff pedestal RH - BBBF		wood	1,533	1	1,533
C	76	SADPD3610L-3W	Runoff pedestal LH - BBBF		wood	1,533	1	1,533
D	90	SARMPH50-W	Runoff modesty panel - 50" 1/2 height		wood	557	2	1,114
E	105	SACWR2472T-W	Credenza worksurface - 24"x72" trough		wood/trough	1,506	2	3,012
F	106	SACPD249L-XW	Credenza false pedestal LH		wood	757	2	1,514
G	110	SACPD249R-XW	Credenza false pedestal RH		wood	757	2	1,514
H	117	SACMAC54L-W	Wall access panel / computer door LH		wood	1,710	1	1,710
I	117	SACMAC54R-W	Wall access panel / computer door RH		wood	1,710	1	1,710
J	148	SACLS68H15L-W	Closet LH		wood	2,883	1	2,883
K	148	SACLS68H15R-W	Closet RH		wood	2,883	1	2,883
L	147	SALFS68H30-W	Lateral File		paint	6,127	1	6,127
M	171	SATKW19H36	Tackboard 36"		tackboard	527	2	1,054
N	168	SAWMW13H36-W	Wall mount wall 36"		wood	758	2	1,516
O	170	SAASF836-A	Aluminum clip in shelf		aluminum	491	2	982
31,127								
Total Optimized (Laminate, paint, no troughs, no back painted glass)								25,922



item	page	model number	description	material	list	qty	ext.
A	86	<b>SARRW3060-W</b>	Runoff worksurface - 30"x60"	wood	982	2	1,964
B	81	<b>SADSL30-G</b>	Panel leg 30"	aluminum/glass	1,583	2	3,166
C	105	<b>SACWR2490T-W</b>	Credenza worksurface - 24"x90" trough	wood/trough	1,733	2	3,466
D	106	<b>SACPD249L-XW</b>	Credenza false pedestal LH	wood	757	1	757
E	110	<b>SACPD249R-XW</b>	Credenza false pedestal RH	wood	757	1	757
F	108	<b>SACPD2430L-23W</b>	Credenza pedestal LH - FF / BBBF	wood	2,910	1	2,910
G	112	<b>SACPD2430R-32W</b>	Credenza pedestal RH - FF / BBBF	wood	2,910	1	2,910
H	117	<b>SACMAC51L-W</b>	Wall access panel / computer door LH	wood	1,678	1	1,678
I	117	<b>SACMAC51R-W</b>	Wall access panel / computer door RH	wood	1,678	1	1,678
J	172	<b>SATKW26H60</b>	Tackboard 60"	tackboard	643	2	1,286
K	166	<b>SAWMC26H60-WSW</b>	Wall mount cabinet 60" - sliding door	wood	3,729	2	7,458
L	176	<b>SATWD26H60-X</b>	Wood wall in tackzone 60"	wood	1,163	1	1,163
M	169	<b>SAWMW26H60-W</b>	Wall mount wood wall 60"	wood	1,300	1	1,300
N	170	<b>SAASF1260-A</b>	Alum clip in shelf	aluminum	834	3	2,502
							<b>32,995</b>



**Total Optimized**  
(Laminate, paint, no troughs, no back painted glass)

**28,104**

# TYPICAL 17 - Double Station

10' x 20' office


SILEA  
01/16



item	page	model number	description	material	list	qty	ext.
A	86	<b>SARRW3054-W</b>	Runoff worksurface - 30"x54"	wood	961	2	1,922
B	77	<b>SADPD3010R-3W</b>	Runoff pedestal RH - BBBF	wood	1,503	1	1,503
C	76	<b>SADPD3010L-3W</b>	Runoff pedestal LH - BBBF	wood	1,503	1	1,503
D	90	<b>SARMPH44-W</b>	Runoff modesty panel - 44" 1/2 height	wood	540	2	1,080
E	105	<b>SACWR2472T-W</b>	Credenza worksurface - 24"x72" trough	wood / trough	1,506	2	3,012
F	106	<b>SACPD249L-XW</b>	Credenza false pedestal LH	wood	757	1	757
G	110	<b>SACPD249R-XW</b>	Credenza false pedestal RH	wood	757	1	757
H	107	<b>SACPD2415L-2W</b>	Credenza pedestal LH - FF	wood	1,616	1	1,616
I	111	<b>SACPD2415R-2W</b>	Credenza pedestal RH - FF	wood	1,616	1	1,616
J	116	<b>SACMA48-W</b>	Wall access panel 48"	wood	1,097	2	2,194
K	147	<b>SALFS55H30-W</b>	Lateral File	wood	4,464	2	8,928
L	174	<b>SATGW26H60</b>	Whiteboard in tackzone 60"	back painted glass	1,783	2	3,566
M	168	<b>SAWMW13H60-W</b>	Wood wall overhead 60"	wood	1,098	2	2,196
N	168	<b>SAWMW13H72-W</b>	Wood wall overhead 72"	wood	1,239	1	1,239
O	SPL	<b>SPL-SAASF12192-A</b>	Aluminum clip in shelf 192" set	aluminum	2,530	1	2,530
P	195	<b>SACORNER</b>	Personal corner	leather	587	2	1,174
							<b>40,819</b>

**Total Optimized**  
(Laminate, paint, no troughs, no back painted glass)

**32,658**



item	page	model number	description	material	list	qty	ext.
A	86	<b>SARRW3060-W</b>	Runoff wksf 30x60, no trough	wood	982	2	1,964
B	81	<b>SADSL30-N</b>	Panel leg open	aluminum	702	2	1,404
C	105	<b>SACWR2460T-W</b>	Cred wksf 24x60, trough	wood / trough	1,385	2	2,770
D	110	<b>SACPD249R-XW</b>	Cred false ped RH	wood	757	2	1,514
E	106	<b>SACPD249L-XW</b>	Cred false ped LH	wood	757	2	1,514
F	116	<b>SACMA42-W</b>	Cred wall access pnl 42	wood	1,053	2	2,106
G	145	<b>SABCL68H18L-W</b>	Bookcase / Closet 68H LH	wood	4,233	1	4,233
H	145	<b>SABCL68H18R-W</b>	Bookcase / Closet 68H RH	wood	4,233	1	4,233
I	161	<b>SAWMC13H60-WSW</b>	Wall mount overhead, sliding door	wood	2,870	2	5,740
J	171	<b>SATKW19H60</b>	Tackboard 60"	fabric	612	2	1,224
K	134	<b>SXMPD1815-6W</b>	Mobile ped chassis, wood	wood	1,114	2	2,228
L	134	<b>SXMPT1815-W</b>	Mobile ped top	wood	543	2	1,086
M	145	<b>SALFS68H36-W</b>	Lateral file 68H	wood	6,287	1	6,287
N	195	<b>SACORNER</b>	Create a corner	leather	587	2	1,174

**37,477**


**Total Optimized**  
**(Laminate, paint, no troughs, no back painted glass)**

**33,853**

# TYPICAL 19 - Height Adjustable

12' x 12' Office

SILEA  
01/16



item	page	model number	description	qty	unit list	ext list
A	136	<b>BSHAT2772</b>	Hgt Adj Base for use with 30"/36" x 72" tops	1	1,970	1,970
B	149	<b>SACLD68H30-DW</b>	Closet 68h x 30w - Divider, Wood (1/2 bookcase, 1/2 closet)	1	5,220	5,220
C	116	<b>SACMA63-W</b>	Credenza Wall Access Panel 63w, Wd	1	1,206	1,206
D	108	<b>SACPD2436L-23W</b>	Pedestal LH 24d x 36w FF/ BBBF, Wd	1	3,113	3,113
E	110	<b>SACPD249R-XW</b>	Pedestal RH 24d x 9w false pedestal, wd	1	757	757
F	105	<b>SACWR24108T-W</b>	SA Cred Wksf 24d x 108w with Trough, Wd	1	2,109	2,109
G	139	<b>SADMHA72-W</b>	SA 10" Modesty Panel 72" width, Wd	1	610	610
H	146	<b>SALFS29H36-W</b>	Lateral file 29h x 36w, Wd - top ordered separately	1	2,150	2,150
I	152	<b>SALFT2436-W</b>	SA 2h LF/HD SC Wksf 24d x 36w, Wd	1	693	693
J	169	<b>SAWMW26H72-W</b>	Wall Mount Wall 26h x 72w Track Bottom & Center, Wd	2	1,468	2,936
K	170	<b>SAASF12144-A</b>	SA Shelf 12 1/2 d x 144w, 2 Piece Alum	1	1,926	1,926
L	SPL	<b>SPL-SAASF8144-A</b>	SPL Aluminum clip in shelf 8.5"	1	1,541	1,541
M	138	<b>SADWRA3072-W</b>	SA Modular Wksf for hgt Adj 30 x 72, Wd	1	1,054	1,054

**25,285**

Note: option upcharges are not included in list prices



67

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.





[illegible]

Modular Desking . . . . .71-140

    Desks. . . . .72-83

    Desking runoffs . . . . .84-93

    Bridges . . . . . 94-99

    Credenzas . . . . .100-128



    Returns . . . . . 129-132

    Round tables . . . . . 133

    Mobile pedestals . . . . . 134-135

    Height Adjustable Desks . . . . . 136-139


## CREATING SILEA DESKS



### STEP 1:

Order worksurface pg. 74-75. See item **A**.



Example



### STEP 2:

Order left hand pedestal pg. 76 or panel leg pg. 80-81. See item **B**.



Example



### STEP 3:

Order right hand pedestal pg. 77 or panel leg pg. 80-81. See item **C**.

Example





### STEP 4:

Order modesty panel. See item **D**.

Note: Modesty panels are separated between pedestal modesty panels pg. 78-79 and panel leg modesty panels pg. 82-83.


Example



DESK TYPICALS


**DOUBLE PEDESTAL DESK**

- A. SADWR3672-W
- B. SADPD3610L-3W
- C. SADPD3610R-2W
- D. SADMPPF52-W




**DOUBLE PEDESTAL DESK**

- A. SADWR3672-W
- B. SADPD3610L-ZW
- C. SADPD3610R-2W
- D. SADMPPH52-W




**SINGLE PEDESTAL DESK LEFT HAND**

- A. SADWR3672-W
- B. SADPD3610L-3W
- C. SADPD3610R-XW
- D. SADMPPF52-W




**SINGLE PEDESTAL DESK RIGHT HAND**

- A. SADWR3672-W
- B. SADPD3610L-XW
- C. SADPD3610R-2W
- D. SADMPPF52-W



**PANEL LEG DESK**

- A. SADWR3672-W
- B. SADSLSL36-W
- C. SADSLSL36-W
- D. SADMSSH66-W




DESK WORKSURFACES
standard

SILEA
01/16

STANDARD	D	W	H	model number + type	laminate 1	veneer 1
30" DEPTH	30	66	1 3/16	SADWR3066-[ ]	852	1,001
	30	72	1 3/16	SADWR3072-[ ]	895	1,054
	30	78	1 3/16	SADWR3078-[ ]	958	1,128
36" DEPTH	36	66	1 3/16	SADWR3666-[ ]	886	1,042
	36	72	1 3/16	SADWR3672-[ ]	933	1,098
	36	78	1 3/16	SADWR3678-[ ]	999	1,175

TOP VIEW



PRODUCT INFO









30" depth worksurfaces to be used with 30" depth pedestals only
36" depth worksurfaces to be used with 36" depth pedestals only

TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER + TYPE FINISH/LAMINATE TOP UV FINISH GROMMET
Note: [ ] Type must be specified as part of model number.
Type
L = Laminate
W = Wood Veneer
See set 1 below for option code
Grommet (Add \$70 each)
No Grommet GN
Left Silver GLS
Right Silver GRS
Left & Right Silver GBS

Example

SADWR3066-W	SC701	FF	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	GROMMET

TROUGH INCLUDED	D	W	H	model number + type	veneer
<b>30" DEPTH</b> 	30	66	1 3/16	<b>SADWR3066T</b> - 	1,816
	30	72	1 3/16	<b>SADWR3072T</b> - 	1,913
	30	78	1 3/16	<b>SADWR3078T</b> - 	2,046
<b>36" DEPTH</b> 	36	66	1 3/16	<b>SADWR3666T</b> - 	1,891
	36	72	1 3/16	<b>SADWR3672T</b> - 	1,992
	36	78	1 3/16	<b>SADWR3678T</b> - 	2,131

TOP VIEW



PRODUCT INFO

30" depth worksurfaces to be used with 30" depth pedestals only

36" depth worksurfaces to be used with 36" depth pedestals only

TO ORDER PLEASE SPECIFY THE FOLLOWING:

<div></div>	<div></div>	<div></div>
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH (wood tops only)

Note:  Type must be specified as part of model number.

Not available in Laminate

Type  
W = Wood Veneer

See inside front cover for required option codes





















Example

SADWR3066T-W.SC701.FF		
SADWR3066T-W	SC701	FF
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH

DESK PEDESTALS

left hand

SILEA  
01/16

LEFT HAND	D	W	H	model number + type	paint	veneer 1
30" DEPTH						
BOX   BOX   BOX   FILE 	29 7/8	10 3/8	27 15/16	SADPD3010L-3 	1,278	1,503
FILE   FILE 	29 7/8	10 3/8	27 15/16	SADPD3010L-2 	1,278	1,503
ORGANIZER DRAWER 	29 7/8	10 3/8	27 15/16	SADPD3010L-Z 	1,367	1,610
FALSE PEDESTAL - SHELVES 	29 7/8	10 3/8	27 15/16	SADPD3010L-X 	718	843
FALSE PEDESTAL - OPEN 	29 7/8	10 3/8	27 15/16	SADPD3010L-XN 	685	804
36" DEPTH						
BOX   BOX   BOX   FILE 	35 7/8	10 3/8	27 15/16	SADPD3610L-3 	1,305	1,533
FILE   FILE 	35 7/8	10 3/8	27 15/16	SADPD3610L-2 	1,305	1,533
ORGANIZER DRAWER 	35 7/8	10 3/8	27 15/16	SADPD3610L-Z 	1,396	1,642
FALSE PEDESTAL - SHELVES 	35 7/8	10 3/8	27 15/16	SADPD3610L-X 	730	861
FALSE PEDESTAL - OPEN 	35 7/8	10 3/8	27 15/16	SADPD3610L-XN 	698	823

PRODUCT INFO

30" depth pedestals to be used with 30" depth worksurfaces only

36" depth pedestals to be used with 36" depth worksurfaces only

All file/file drawers include a hidden accessory drawer

All pedestals lock in the kneewell

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

KEYING

Note: Type must be specified as part of model number.

\*No keying option for false pedestals

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

Example

SADPD3010L-3W.SC701.RMS

SADPD3010L-3W

SC701





















RMS

MODEL NUMBER + TYPE

FINISH

KEYING



RIGHT HAND	D	W	H	model number + type	paint	veneer 1
<b>30" DEPTH</b>						
BOX   BOX   BOX   FILE 	29 7/8	10 3/8	27 15/16	<b>SADPD3010R-3</b> 	1,278	1,503
FILE   FILE 	29 7/8	10 3/8	27 15/16	<b>SADPD3010R-2</b> 	1,278	1,503
ORGANIZER DRAWER 	29 7/8	10 3/8	27 15/16	<b>SADPD3010R-Z</b> 	1,367	1,610
FALSE PEDESTAL - SHELVES 	29 7/8	10 3/8	27 15/16	<b>SADPD3010R-X</b> 	718	843
FALSE PEDESTAL- OPEN 	29 7/8	10 3/8	27 15/16	<b>SADPD3010R-XN</b> 	685	804
<b>36" DEPTH</b>						
BOX   BOX   BOX   FILE 	35 7/8	10 3/8	27 15/16	<b>SADPD3610R-3</b> 	1,305	1,533
FILE   FILE 	35 7/8	10 3/8	27 15/16	<b>SADPD3610R-2</b> 	1,305	1,533
ORGANIZER DRAWER 	35 7/8	10 3/8	27 15/16	<b>SADPD3610R-Z</b> 	1,396	1,642
FALSE PEDESTAL - SHELVES 	35 7/8	10 3/8	27 15/16	<b>SADPD3610R-X</b> 	730	861
FALSE PEDESTAL - OPEN 	35 7/8	10 3/8	27 15/16	<b>SADPD3610R-XN</b> 	698	823

## PRODUCT INFO

30" depth pedestals to be used with 30" depth worksurfaces only


36" depth pedestals to be used with 36" depth worksurfaces only

All file/file drawers include a hidden accessory drawer

All pedestals lock in the kneewell

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

 .  .   
MODEL NUMBER + TYPE      FINISH      KEYING

Note:  Type must be specified as part of model number.

\*No keying option for false pedestals

Type  
P = Paint  
W = Wood Veneer



See inside front cover for required option codes

### Example

SADPD3010R-3W.SC701.RMS  
SADPD3010R-3W      SC701      RMS  
MODEL NUMBER + TYPE      FINISH      KEYING

DESK MODESTY PANELS
for use with pedestals

SILEA
01/16

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
1/2 HEIGHT						
	3/4	45	13 5/16	SADMPH46-[ ]	458	540
	3/4	51	13 5/16	SADMPH52-[ ]	473	557
	3/4	57	13 5/16	SADMPH58-[ ]	487	573
FULL HEIGHT						
	3/4	45	27 1/8	SADMPF46-[ ]	540	634
	3/4	51	27 1/8	SADMPF52-[ ]	557	655
	3/4	57	27 1/8	SADMPF58-[ ]	573	675

Modesty Width Calculation
(66" worksurface) - (10" LH pedestal) - (10" RH pedestal) = 46" width modesty
(72" worksurface) - (10" LH pedestal) - (10" RH pedestal) = 52" width modesty
(78" worksurface) - (10" LH pedestal) - (10" RH pedestal) = 58" width modesty

PRODUCT INFO

Modesty panels are required for all desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

[ ] . [ ]
MODEL NUMBER + TYPE FINISH

Note: [ ] Type must be specified as part of model number.

Type
P = Paint
W = Wood Veneer

See inside front cover for required option codes

Example

SADMPH46-W.SC701
SADMPH46-W SC701
MODEL NUMBER + TYPE FINISH


BACK PAINTED GLASS

1/2 HEIGHT



D	W	H	model number	glass
$\frac{3}{4}$	45	$13 \frac{5}{16}$	<b>SADMPH46-G</b>	1,349
$\frac{3}{4}$	51	$13 \frac{5}{16}$	<b>SADMPH52-G</b>	1,392
$\frac{3}{4}$	57	$13 \frac{5}{16}$	<b>SADMPH58-G</b>	1,434

FULL HEIGHT



$\frac{3}{4}$	45	$27 \frac{1}{8}$	<b>SADMPF46-G</b>	1,587
$\frac{3}{4}$	51	$27 \frac{1}{8}$	<b>SADMPF52-G</b>	1,639
$\frac{3}{4}$	57	$27 \frac{1}{8}$	<b>SADMPF58-G</b>	1,685

Modesty Width Calculation

(66" worksurface) - (10" LH pedestal) - (10" RH pedestal) = 46" width modesty  
(72" worksurface) - (10" LH pedestal) - (10" RH pedestal) = 52" width modesty  
(78" worksurface) - (10" LH pedestal) - (10" RH pedestal) = 58" width modesty

PRODUCT INFO

Modesty panels are required  
for all desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	.	<input type="text"/>
MODEL NUMBER		GLASS



See inside front cover for required option codes

Example

SADMPH46-G.WH	
SADMPH46-G	WH
MODEL NUMBER	FINISH

DESK PANEL LEGS
painted and wood insert

SILEA
01/16

	D	W	H	model number + type	paint	veneer 1
30" DEPTH						
	29 7/8	3	27 15/16	SADSL30-[ ]	996	1,173
36" DEPTH						
	35 7/8	3	27 15/16	SADSL36-[ ]	1,026	1,207

PRODUCT INFO

30" depth panel legs to be used with 30" depth worksurfaces only
36" depth panel to be used with 36" depth worksurfaces only

TO ORDER PLEASE SPECIFY THE FOLLOWING:

[ ] . [ ]
MODEL NUMBER + TYPE FINISH





Note: [ ]Type must be specified as part of model number.

Type
P = Paint
W = Wood Veneer

See inside front cover for required option codes

Example

SADSL30-W.SC701
SADSL30-W SC701
MODEL NUMBER + TYPE FINISH

	D	W	H	model number	list
GLASS 30" DEPTH					
	29 7/8	3	27 15/16	SADSL30-G	1,583
GLASS 36" DEPTH					
	35 7/8	3	27 15/16	SADSL36-G	1,750
OPEN 30" DEPTH					
	29 7/8	3	27 15/16	SADSL30-N	702
OPEN 36" DEPTH					
	35 7/8	3	27 15/16	SADSL36-N	724

PRODUCT INFO

30" depth panel legs to be used with 30" depth worksurfaces only

36" depth panel to be used with 36" depth worksurfaces only

Glass is ribbed and tempered

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

SADSL30-G  
SADSL30-G  
MODEL NUMBER

DESK MODESTY PANELS
for use with panel legs

SILEA
01/16

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. It lists three models: SADMSH60, SADMSH66, and SADMSH72, each with dimensions and part numbers.

Modesty Width Calculation
(66" worksurface) - (3" LH panel leg) - (3" RH panel leg) = 60" width modesty
(72" worksurface) - (3" LH panel leg) - (3" RH panel leg) = 66" width modesty
(78" worksurface) - (3" LH panel leg) - (3" RH panel leg) = 72" width modesty

PRODUCT INFO

Modesty panels are required for all desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

Form fields for MODEL NUMBER + TYPE and FINISH.


Note: [ ] Type must be specified as part of model number.

Type
P = Paint
W = Wood Veneer

See inside front cover for required option codes

Example

SADMSH60-W.SC701
SADMSH60-W SC701
MODEL NUMBER + TYPE FINISH

BACK PAINTED GLASS	D	W	H	model number	glass
1/2 HEIGHT 					
	$\frac{3}{4}$	$59\frac{3}{4}$	$13\frac{5}{16}$	SADMSH60-G	1,434
	$\frac{3}{4}$	$65\frac{3}{4}$	$13\frac{5}{16}$	SADMSH66-G	1,476
	$\frac{3}{4}$	$71\frac{3}{4}$	$13\frac{5}{16}$	SADMSH72-G	1,520

Modesty Width Calculation

(66" worksurface) - (3" LH panel leg) - (3" RH panel leg) = 60" width modesty

(72" worksurface) - (3" LH panel leg) - (3" RH panel leg) = 66" width modesty

(78" worksurface) - (3" LH panel leg) - (3" RH panel leg) = 72" width modesty

PRODUCT INFO

Modesty panels are required  
for all desks

TO ORDER PLEASE SPECIFY THE FOLLOWING:

.

MODEL NUMBERGLASS COLOR

See inside front cover for required option codes

Example

SADMSH60-G.WH



SADMSH60-G

MODEL NUMBER

WH


GLASS COLOR

CREATING SILEA DESKING RUNOFFS





**STEP 1:**  
Order worksurface pg. 86-87. See item **A**.

Example



**STEP 2:**  
Determine handedness and order pedestal pg. 76-77 or panel leg pg. 80-81. See item **B**.



Example



**STEP 3:**  
Order modesty panel. See item **C**.

Note: Modesty panels are separated between pedestal modesty panels pg. 90-91 and panel leg modesty panels pg. 92-93

Example






**DESKING RUNOFF TYPICALS**


**PEDESTAL RUNOFF LEFT HAND**

- A. SARRW3054-W
- B. SADPD3010L-3W
- C. SARMPH44-W




**PEDESTAL RUNOFF LEFT HAND**

- A. SARRW3054-W
- B. SADPD3010L-ZW
- C. SARMPH44-W




**PEDESTAL RUNOFF RIGHT HAND**

- A. SARRW3054-W
- B. SADPD3010R-2W
- C. SARMPH44-W




**PANEL LEG RUNOFF LEFT HAND**

- A. SARRW3054-W
- B. SADSL30-W
- C. SARMSH51-W



**PANEL LEG RUNOFF RIGHT HAND**


- A. SARRW3054-W
- B. SADSL30-W
- C. SARMSH51-W



DESKING RUNOFF WORKSURFACES
standard

SILEA
01/16

STANDARD	D	W	H	model number + type	laminate 1	veneer 1
30" AND 36" DEPTH						
	30	48	1 3/16	SARRW3048- <input type="text"/>	800	941
	30	54	1 3/16	SARRW3054- <input type="text"/>	818	961
	30	60	1 3/16	SARRW3060- <input type="text"/>	833	982
	36	48	1 3/16	SARRW3648- <input type="text"/>	833	982
	36	54	1 3/16	SARRW3654- <input type="text"/>	852	1,001
	36	60	1 3/16	SARRW3660- <input type="text"/>	867	1,021



PRODUCT INFO

30" depth worksurfaces to be used with 30" depth pedestals only
36" depth worksurfaces to be used with 36" depth pedestals only

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE: [ ]
FINISH/LAMINATE: [ ]
TOP UV FINISH (wood tops only): [ ]
GROMMET: [ ]
Note: [ ] Type must be specified as part of model number.
Type: L = Laminate, W = Wood Veneer
See set 2 below for option code
Grommet (Add \$70 each): No Grommet (GN), Left Silver (GLS), Right Silver (GRS)

Example


SARRW3048-W.SC701.FF.GN
MODEL NUMBER + TYPE FINISH TOP UV FINISH GROMMET



LAYERS DESKING RUNOFF WORKSURFACES


left hand

SILEA  
01/16

	D	W	H	model number + type	laminate 1	veneer 1
<b>30" AND 36" DEPTH</b> 	30	69	1 3/16	<b>SARLRW3069L-</b> <input type="text"/>	893	1,051
	30	75	1 3/16	<b>SARLRW3075L-</b> <input type="text"/>	941	1,107
	30	81	1 3/16	<b>SARLRW3081L-</b> <input type="text"/>	1,007	1,183
	36	69	1 3/16	<b>SARLRW3669L-</b> <input type="text"/>	930	1,095
	36	75	1 3/16	<b>SARLRW3675L-</b> <input type="text"/>	981	1,153
	36	81	1 3/16	<b>SARLRW3681L-</b> <input type="text"/>	1,049	1,234

- Includes layers box
- Layers box is designed with a rubber protective backer on bottom surface
- Unit is free-floating on lower credenza worksurface
- Worksurface width is dimensioned for 21" overlap on lower credenza unit

Optional exposed power unit and grommet.  
EPC Option is for cutout only. Exposed power unit must be ordered separately. See pg. 201.



PRODUCT INFO

30" depth worksurfaces to be used with 30" depth pedestals only  
  
36" depth worksurfaces to be used with 36" depth pedestals only

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH/LAMINATE

TOP UV FINISH  
(wood tops only)

GROMMET

Note:  Type must be specified as part of model number.

Type  
L = Laminate  
W = Wood Veneer


See set 9 below for option code  
  
Grommet (Add \$70 each)  
No Grommet GN  
Right Silver GRS  
Right Silver + Exp  
Pwr Cutout GRSEPC  
Exp Pwr Cutout EPC

See inside front cover for required option codes

Example

SARLRW3069L-W.SC701.FF.GN			
SARLRW3069L-W	SC701	FF	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	GROMMET

## 30" AND 36" DEPTH




D	W	H	model number + type	laminate 1	veneer 1
30	69	1 <sup>3</sup> / <sub>16</sub>	<b>SARLRW3069R-</b> <input type="text"/>	893	1,051
30	75	1 <sup>3</sup> / <sub>16</sub>	<b>SARLRW3075R-</b> <input type="text"/>	941	1,107
30	81	1 <sup>3</sup> / <sub>16</sub>	<b>SARLRW3081R-</b> <input type="text"/>	1,007	1,183
36	69	1 <sup>3</sup> / <sub>16</sub>	<b>SARLRW3669R-</b> <input type="text"/>	930	1,095
36	75	1 <sup>3</sup> / <sub>16</sub>	<b>SARLRW3675R-</b> <input type="text"/>	981	1,153
36	81	1 <sup>3</sup> / <sub>16</sub>	<b>SARLRW3681R-</b> <input type="text"/>	1,049	1,234

- Includes layers box
- Layers box is designed with a rubber protective backer on bottom surface
- Unit is free-floating on lower credenza worksurface
- Worksurface width is dimensioned for 21" overlap on lower credenza unit

Optional exposed power unit and grommet.

EPC Option is for cutout only. Exposed power unit must be ordered separately. See pg. 201.



## PRODUCT INFO

30" depth worksurfaces to be used with 30" depth pedestals only

36" depth worksurfaces to be used with 36" depth pedestals only

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH/LAMINATE

TOP UV FINISH  
(wood tops only)

GROMMET

Note:  Type must be specified as part of model number.

Type

L = Laminate

W = Wood Veneer

Grommet (Add \$70 each)

No Grommet **GN**

Left Silver **GLS**

Left Silver + Exp

Pwr Cutout **GLSEPC**


Exp Pwr Cutout **EPC**

See inside front cover for required option codes

## Example

SARLRW3069R-W.SC701.FF.GN

SARLRW3069R-W	SC701	FF	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	GROMMET

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
1/2 HEIGHT						
	3/4	37 1/2	13 5/16	SARMPH38- <input type="text"/>	445	524
	3/4	43 1/2	13 5/16	SARMPH44- <input type="text"/>	458	540
	3/4	49 1/2	13 5/16	SARMPH50- <input type="text"/>	473	557

**Modesty Width Calculation**

(48" worksurface) - (10" pedestal) = 38" width modesty

(54" worksurface) - (10" pedestal) = 44" width modesty

(60" worksurface) - (10" pedestal) = 50" width modesty

PRODUCT INFO

Modesty panels are required for all runoffs with pedestals

TO ORDER PLEASE SPECIFY THE FOLLOWING:

.

MODEL NUMBER + TYPEFINISH

Note: Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes


Example

SARMPH38-W.SC701

SARMPH38-W

SC701

MODEL NUMBER + TYPEFINISH

BACK PAINTED GLASS	D	W	H	model number	glass
1/2 HEIGHT					
	$\frac{3}{4}$	$37\frac{1}{2}$	$13\frac{5}{16}$	<b>SARMPH38-G</b>	1,309
	$\frac{3}{4}$	$43\frac{1}{2}$	$13\frac{5}{16}$	<b>SARMPH44-G</b>	1,349
	$\frac{3}{4}$	$49\frac{1}{2}$	$13\frac{5}{16}$	<b>SARMPH50-G</b>	1,392

**Modesty Width Calculation**  
(48" worksurface) - (10" pedestal) = 38" width modesty  
(54" worksurface) - (10" pedestal) = 44" width modesty  
(60" worksurface) - (10" pedestal) = 50" width modesty

PRODUCT INFO

Modesty panels are required  
for all runoffs with pedestals

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERGLASS COLOR

See inside front cover for required option codes

Example

SARMPH38-G.WH

SARMPH38-GWH

MODEL NUMBERGLASS COLOR

DESKING RUNOFF MODESTY PANELS
for use with panel legs

SILEA
01/16

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. It lists four models: SARMSH39, SARMSH45, SARMSH51, and SARMSH57, each with dimensions and material options.

Modesty Width Calculation
(48" worksurface) - (3" panel leg) = 45" width modesty
(54" worksurface) - (3" panel leg) = 51" width modesty
(60" worksurface) - (3" panel leg) = 57" width modesty

Conferencing Runoffs (pg. 87) Modesty Panels
60" width worksurface uses 39" width modesty
66" width worksurface uses 45" width modesty

PRODUCT INFO

Modesty panels are REQUIRED for all panel leg runoffs with a worksurface trough

Modesty panels are OPTIONAL for panel leg runoffs with a standard worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:

Form fields for MODEL NUMBER + TYPE and FINISH, including a diagram of a runoff panel.

Note: [ ] Type must be specified as part of model number.


Type
P = Paint
W = Wood Veneer

See inside front cover for required option codes

Example

SARMSH45-W.SC701
SARMSH45-W SC701
MODEL NUMBER + TYPE FINISH



BACK PAINTED GLASS	D	W	H	model number	glass
1/2 HEIGHT					
	$\frac{3}{4}$	$38 \frac{7}{8}$	$13 \frac{5}{16}$	<b>SARMSH39-G</b>	1,309
	$\frac{3}{4}$	$44 \frac{7}{8}$	$13 \frac{5}{16}$	<b>SARMSH45-G</b>	1,349
	$\frac{3}{4}$	$50 \frac{7}{8}$	$13 \frac{5}{16}$	<b>SARMSH51-G</b>	1,392
	$\frac{3}{4}$	$56 \frac{7}{8}$	$13 \frac{5}{16}$	<b>SARMSH57-G</b>	1,434

Modesty Width Calculation

(48" worksurface) - (3" panel leg) = 45" width modesty  
(54" worksurface) - (3" panel leg) = 51" width modesty  
(60" worksurface) - (3" panel leg) = 57" width modesty

Conferencing Runoffs (pg. 87) Modesty Panels

60" width worksurface uses 39" width modesty  
66" width worksurface uses 45" width modesty

PRODUCT INFO

Modesty panels are  
REQUIRED for all panel leg  
runoffs with a worksurface  
trough

Modesty panels are  
OPTIONAL for panel leg  
runoffs with a standard  
worksurface

TO ORDER PLEASE SPECIFY THE FOLLOWING:


.   
MODEL NUMBER GLASS COLOR

See inside front cover for required option codes

Example

SARMSH45-G.WH  
SARMSH45-G WH  
MODEL NUMBER GLASS COLOR

## CREATING SILEA BRIDGES



### STEP 1:

Order worksurface pg. 96. See item **A**.



Example



### STEP 2:

Order full modesty or wall access panel pg. 97. See item **B**.

Example




---

## CREATING SILEA SLIDING BRIDGES

### STEP 1:

Order worksurface pg. 98. See item **A** - hot files storage included with worksurface.


Example



### STEP 2:

Order 1/2 modesty pg. 99. See item **B**.


Example



BRIDGE TYPICALS


**BRIDGE NO MODESTY**

- A. SABWR2448-W
- B. SAMSPT9-W




**BRIDGE WITH FULL MODESTY**

- A. SABWR2448-W
- B. SABMF48-W




**BRIDGE WITH WALL ACCESS PANEL**





- A. SABWR2448-W
- B. SABMA48-W



**SLIDING BRIDGE WITH 1/2 MODESTY**

- A. SABWR1648S-W
- B. SABMS48S-W



STANDARD	D	W	H	model number + type	laminate 1	veneer 1
16" DEPTH						
	16	42	1 3/16	SABWR1642- <input type="text"/>	689	810
	16	48	1 3/16	SABWR1648- <input type="text"/>	709	834
24" DEPTH						
	24	42	1 3/16	SABWR2442- <input type="text"/>	709	834
	24	48	1 3/16	SABWR2448- <input type="text"/>	731	861
TOP VIEW						
				Wood Top = Short Grain Laminate Top = Long Grain		
LAYERS						
24" DEPTH						
	24	63	1 3/16	SABLWR2463- <input type="text"/>	874	971
	24	69	1 3/16	SABLWR2469- <input type="text"/>	911	1,011
				• 63" layers bridge = 42" standard + 21" overlap on credenza • 69" layers bridge = 48" standard + 21" overlap on credenza		

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH/LAMINATE

TOP UV FINISH

GROMMET

Note:  Type must be specified as part of model number.

See set 3 below for option code

Grommet (Add \$70 each)  
No Grommet GN  
Center Silver GCS

Type

L = Laminate

W = Wood Veneer

See inside front cover for required option codes

Example

SABWR1642-W.SC701.FF.GN


SABWR1642-WSC701FFGN

MODEL NUMBER + TYPEFINISHTOP UV FINISHGROMMET

BRIDGE FULL MODESTY & WALL ACCESS PANELS


PAINT OR WOOD

FULL HEIGHT



D	W	H	model number + type	paint	veneer 1
$\frac{3}{4}$	42	$27 \frac{15}{16}$	<b>SABMF42</b> - <input type="text"/>	530	624
$\frac{3}{4}$	48	$27 \frac{15}{16}$	<b>SABMF48</b> - <input type="text"/>	546	642

WALL ACCESS PANEL



$9 \frac{1}{4}$	42	$27 \frac{15}{16}$	<b>SABMA42</b> - <input type="text"/>	939	1,104
$9 \frac{1}{4}$	48	$27 \frac{15}{16}$	<b>SABMA48</b> - <input type="text"/>	980	1,151

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

Note:  Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example


SABMF42-W.SC701


SABMF42-W

MODEL NUMBER + TYPE


SC701

FINISH

SLIDING	D	W	H	model number + type	laminate 1	veneer 1
16" DEPTH						
	16	42	1 3/16	SABWR1642S-L	1,454	1,711
	16	48	1 3/16	SABWR1648S-L	1,500	1,765

LAPTOP TRAY (OPTIONAL)					list
	6	14 1/4	10 7/8	SAAB-LAPTOP	354

Specification Tip: Sliding bridge worksurfaces should not be used in applications when an overhead spans a Desk-Bridge-Credenza configuration. See drawings below.



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPEFINISHLAMINATE TOP UV FINISH (wood tops only)

Note: L Type must be specified as part of model number.


Type  
L = Laminate  
W = Wood Veneer

See inside front cover for required option codes

Example

SABWR1642S-W.SC701.FF		
SABWR1642S-W	SC701	FF
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH

SLIDING BRIDGE 1/2 HEIGHT MODESTY PANELS

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
HALF HEIGHT						
	$\frac{3}{4}$	42	$13 \frac{9}{16}$	SABMS42S- <input type="text"/>	458	540
	$\frac{3}{4}$	48	$13 \frac{9}{16}$	SABMS48S- <input type="text"/>	473	557

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

Note:  Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example


SABMS42S-W.SC701

SABMS42S-WSC701

MODEL NUMBER + TYPE

FINISH

## CREATING SILEA CREDENZAS single and double pedestal



### STEP 1:

Order worksurface pg. 104-105 See item **A**.


Example



### STEP 2:

Order left hand pedestal pg. 106-109. See item **B**.


Example



### STEP 3:

Order right hand pedestal pg. 110-113 See item **C**.

Example




### OPTIONAL STEP 4:

Order wall access panel pg. 116-117. See item **D**.


Note: If a wall access panel is NOT specified, a modular T support pg. 113 is required for all unsupported spans greater than 48"

Example





### CREATING SILEA CREDENZAS storage



#### STEP 1:

Order worksurface pg. 104-105. See item **A**.


Example



#### STEP 2:

Order left hand pedestal pg. 106-109 See item **B**.


Example



#### STEP 3:

Order right hand pedestal pg. 110-113. See item **C**.

Example




#### STEP 4:

Order center pedestal pg. 114. See item **D**.

Note: A left hand and right hand pedestal CANNOT be combined to create a storage credenza.  
A center pedestal MUST be used.

Example




# CREDENZA TYPICALS

SILEA  
01/16

## CREDENZA TYPICALS


### DOUBLE PEDESTAL CREDENZA

- A. SACWR2490-W
- B. SACPD2415L-2W
- C. SACPD2415R-3W
- D. SAMSP9-W




### DOUBLE PEDESTAL CREDENZA

- A. SACWR2490-W
- B. SACPD2415L-2W
- C. SACPD2415R-3W
- D. SACMA60-W




### SINGLE PEDESTAL LEFT HAND

- A. SACWR2490-W
- B. SACPD2415L-2W
- C. SACPD2418R-XW
- D. SACMA57-W



### SINGLE PEDESTAL LEFT HAND


- A. SACWR2490-W
- B. SACPD2415L-2W
- C. SACPD249R-XW
- D. SACMAC66R-W



**CREDENZA TYPICALS**


**STORAGE CREDENZA**

- A. SACWR2490-W
- B. SACPD2415L-2W
- C. SACPD2415R-3W
- D. SACPD2460C-5W




**STORAGE CREDENZA**

- A. SACWR2490-W
- B. SACPD2415L-3W
- C. SACPD2415R-3W
- D. SACPD2460C-5W




**STORAGE CREDENZA**

- A. SACWR2490-W
- B. SACPD2430L-4W
- C. SACPD2430R-4W
- D. SACPD2430C-5W



**STORAGE CREDENZA**



- A. SACWR24108-W
- B. SACPD2436L-5W
- C. SACPD2436R-5W
- D. SACPD2436C-5W



# CREDENZA WORKSURFACES

standard

SILEA  
01/16

STANDARD	D	W	H	model number +type	laminate 1	veneer 1
<b>24" DEPTH</b> 	24	60	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2460-</b> <input type="text"/>	786	925
	24	66	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2466-</b> <input type="text"/>	820	963
	24	72	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2472-</b> <input type="text"/>	853	1,003
<b>TOP VIEW</b> 	24	78	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2478-</b> <input type="text"/>	887	1,043
	24	84	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2484-</b> <input type="text"/>	921	1,084
	24	90	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2490-</b> <input type="text"/>	983	1,155
	24	96	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR2496-</b> <input type="text"/>	1,024	1,205
	24	102	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR24102-</b> <input type="text"/>	1,109	1,306
	24	108	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR24108-</b> <input type="text"/>	1,196	1,405
	24	114	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR24114-</b> <input type="text"/>	1,279	1,506
	24	120	1 <sup>3</sup> / <sub>16</sub>	<b>SACWR24120-</b> <input type="text"/>	1,367	1,608

• EPC option is for cutout only. Exposed power unit must be ordered separately. See pg. 201.

## PRODUCT INFO

### TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH / LAMINATE

TOP UV FINISH  
(wood tops only)

GROMMET

Note:  Type must be specified as part of model number.

Type

L = Laminate

W = Wood Veneer

See inside front cover for required option codes

See set 4 below  
for option code

Grommet (Add \$70 each)

No Grommet **GN**  
Left Silver **GLS**  
Right Silver **GRS**  
Center Silver **GCS**  
Left & Right Silver **GBS**  
Left, Right, Center Silver **GAS**  
Exp Pwr Cutout **EPC**

### Example

SACWR2460-W.SC701.GN

SACWR2460-W

MODEL NUMBER + TYPE

SC701

FINISH

FF


TOP UV FINISH

GN


GROMMET

TROUGH INCLUDED

24" DEPTH



TOP VIEW



D	W	H	model number + type	laminate 1	veneer 1
24	60	1 3/16	<b>SACWR2460T-</b> <input type="text"/>	1,177	1,385
24	66	1 3/16	<b>SACWR2466T-</b> <input type="text"/>	1,229	1,445
24	72	1 3/16	<b>SACWR2472T-</b> <input type="text"/>	1,279	1,506
24	78	1 3/16	<b>SACWR2478T-</b> <input type="text"/>	1,331	1,565
24	84	1 3/16	<b>SACWR2484T-</b> <input type="text"/>	1,382	1,625
24	90	1 3/16	<b>SACWR2490T-</b> <input type="text"/>	1,474	1,733
24	96	1 3/16	<b>SACWR2496T-</b> <input type="text"/>	1,537	1,807
24	102	1 3/16	<b>SACWR24102T-</b> <input type="text"/>	1,664	1,958
24	108	1 3/16	<b>SACWR24108T-</b> <input type="text"/>	1,793	2,109
24	114	1 3/16	<b>SACWR24114T-</b> <input type="text"/>	1,920	2,257
24	120	1 3/16	<b>SACWR24120T-</b> <input type="text"/>	2,048	2,409

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .

MODEL NUMBER + TYPE

FINISH / LAMINATE

TOP UV FINISH  
(wood tops only)

Note:  Type must be specified as part of model number.

Type

L = Laminate

W = Wood Veneer

See inside front cover for required option codes

Example

SACWR2460T-W.SC701.FF

SACWR2460T-W

MODEL NUMBER + TYPE

SC701

FINISH

FF

TOP UV FINISH


CREDENZA PEDESTALS

left hand


SILEA

01/16


LEFT HAND	D	W	H	model number + type	paint	veneer 1
9" WIDTH						
FALSE PEDESTAL	23 15/16	9 3/8	27 15/16	SACPD249L-X [ ]	645	757



18" WIDTH						
FALSE PEDESTAL	23 15/16	18 3/8	27 15/16	SACPD2418L-X [ ]	742	872



Note: A credenza built with 2 false pedestals should not be used as a freestanding unit. This application should be used in combination with a runoff or bridge.



PRODUCT INFO

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

Note: [ ] Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer





See inside front cover for required option codes

Example

SACPD249L-XW.SC701

SACPD249L-XWSC701

MODEL NUMBER + TYPEFINISH

LEFT HAND	D	W	H	model number + type	paint	veneer 1
<b>15" WIDTH</b>						
BOX   BOX   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2415L-3</b> <input type="checkbox"/>	1,374	1,616
						
FILE   FILE	23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2415L-2</b> <input type="checkbox"/>	1,374	1,616
						
<b>18" WIDTH</b>						
BOX   BOX   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2418L-3</b> <input type="checkbox"/>	1,470	1,730
						
FILE   FILE	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2418L-2</b> <input type="checkbox"/>	1,470	1,730
						

## PRODUCT INFO

All file | file drawers include a hidden accessory drawer

All units have an unfinished back

All pedestals lock in kneewell

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

**MODEL NUMBER + TYPE**

**FINISH**

**KEYING**

\*Hinged door units do not lock

Note: ☐ Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

### Example

SACPD2415L-3W.SC701.RMS

SACPD2415L-3W

MODEL NUMBER + TYPE

SC701

FINISH







RMS

KEYING

# CREDENZA PEDESTALS

left hand

SILEA  
01/16

LEFT HAND	D	W	H	model number + type	paint	veneer 1
<b>30" WIDTH</b>						
LATERAL FILE	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2430L-4</b> <input type="checkbox"/>	1,721	2,027
						
HINGED DOOR	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2430L-5</b> <input type="checkbox"/>	1,551	1,825
						
FILE   FILE + BOX   BOX   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2430L-23</b> <input type="checkbox"/>	2,472	2,910
						
<b>36" WIDTH</b>						
LATERAL FILE	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2436L-4</b> <input type="checkbox"/>	1,826	2,150
						
HINGED DOOR	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2436L-5</b> <input type="checkbox"/>	1,658	1,953
						
FILE   FILE + BOX   BOX   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2436L-23</b> <input type="checkbox"/>	2,647	3,113
						

## PRODUCT INFO

All file | file drawers include a hidden accessory drawer

All units have an unfinished back

All pedestals lock in kneewell

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

KEYING

\*Hinged door units do not lock

Note: ☐ Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

### Example

SACPD2430L-4W.SC701.RMS

SACPD2430L-4W

MODEL NUMBER + TYPE

SC701

FINISH

RMS

KEYING



LEFT HAND	D	W	H	model number + type	paint	veneer 1
-----------	---	---	---	---------------------	-------	----------

**45" WIDTH**

LATERAL FILE +  
BOX | BOX | BOX | FILE



23 <sup>15</sup> / <sub>16</sub>	45 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2445L-43</b> <input type="text"/>	2,787	3,277
----------------------------------	--------------------------------	----------------------------------	---	-------	-------

**54" WIDTH**

LATERAL FILE +  
BOX | BOX | BOX | FILE



23 <sup>15</sup> / <sub>16</sub>	54 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2454L-43</b> <input type="text"/>	2,967	3,489
----------------------------------	--------------------------------	----------------------------------	---	-------	-------

**PRODUCT INFO**

All file | file drawers include  
a hidden accessory drawer

All units have an  
unfinished back

All pedestals lock in  
kneewell

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

**MODEL NUMBER + TYPE**

**FINISH**

**KEYING**

\*Hinged door units do not lock

Note:  Type must be  
specified as part of model  
number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

**Example**

SACPD2445L-43W.SC701.RMS

SACPD2445L-43W	SC701	RMS
MODEL NUMBER + TYPE	FINISH	KEYING

# CREDENZA PEDESTALS

right hand

SILEA


01/16

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
------------	---	---	---	---------------------	-------	----------

## 9" WIDTH

FALSE PEDESTAL


23 <sup>15</sup> / <sub>16</sub>	9 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	SACPD249R-X <input type="text"/>	645	757
----------------------------------	-------------------------------	----------------------------------	----------------------------------	-----	-----




## 18" WIDTH

FALSE PEDESTAL

23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	SACPD2418R-X <input type="text"/>	742	872
----------------------------------	--------------------------------	----------------------------------	-----------------------------------	-----	-----



Note: A credenza built with 2 false pedestals should not be used as a freestanding unit. This application should be used in combination with a runoff or bridge.



## PRODUCT INFO

All units have an unfinished back

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	.	<input type="text"/>
----------------------	---	----------------------

MODEL NUMBER + TYPE FINISH

Note:  Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

## Example

SACPD249R-XW.SC701

SACPD249R-XW  
MODEL NUMBER + TYPE

SC701  
FINISH

**RIGHT HAND**

**15" WIDTH**

BOX | BOX | BOX | FILE



FILE | FILE



D	W	H	model number + type	paint	veneer 1
23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2415R-3</b> <input type="text"/>	1,374	1,616


23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2415R-2</b> <input type="text"/>	1,374	1,616
----------------------------------	--------------------------------	----------------------------------	--	-------	-------

**18" WIDTH**

BOX | BOX | BOX | FILE



FILE | FILE



23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2418R-3</b> <input type="text"/>	1,470	1,730
----------------------------------	--------------------------------	----------------------------------	--	-------	-------

23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2418R-2</b> <input type="text"/>	1,470	1,730
----------------------------------	--------------------------------	----------------------------------	--	-------	-------

**PRODUCT INFO**

All file | file drawers include a hidden accessory drawer

All units have an unfinished back

All pedestals lock in kneewell

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

**MODEL NUMBER + TYPE**

**FINISH**

**KEYING**

\*Hinged door units do not lock

Note:  Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

**Example**







SACPD2415R-3W.SC701.RMS

SACPD2415R-3W	SC701	RMS
MODEL NUMBER + TYPE	FINISH	KEYING

# CREDENZA PEDESTALS

right hand

SILEA  
01/16

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
<b>30" WIDTH</b>						
LATERAL FILE	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2430R-4</b> <input type="checkbox"/>	1,721	2,027
						
HINGED DOOR	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2430R-5</b> <input type="checkbox"/>	1,551	1,825
						
BOX   BOX   BOX   FILE + FILE   FILE	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2430R-32</b> <input type="checkbox"/>	2,472	2,910
						
<b>36" WIDTH</b>						
LATERAL FILE	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2436R-4</b> <input type="checkbox"/>	1,826	2,150
						
HINGED DOOR	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2436R-5</b> <input type="checkbox"/>	1,658	1,953
						
BOX   BOX   BOX   FILE + FILE   FILE	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2436R-32</b> <input type="checkbox"/>	2,647	3,113
						

## PRODUCT INFO

All file | file drawers include a hidden accessory drawer

All units have an unfinished back

All pedestals lock in kneewell

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

KEYING

\*Hinged door units do not lock

Note: ☐ Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

### Example

SACPD2430R-4W.SC701.RMS

SACPD2430R-4W  
MODEL NUMBER + TYPE

SC701  
FINISH

RMS  
KEYING

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
------------	---	---	---	---------------------	-------	----------

**45" WIDTH**

BOX | BOX | BOX | FILE +  
LATERAL FILE

23 <sup>15</sup> / <sub>16</sub>	45 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2445R-34</b> <input type="text"/>	2,787	3,277
----------------------------------	--------------------------------	----------------------------------	---	-------	-------



**54" WIDTH**

BOX | BOX | BOX | FILE +  
LATERAL FILE

23 <sup>15</sup> / <sub>16</sub>	54 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SACPD2454R-34</b> <input type="text"/>	2,967	3,489
----------------------------------	--------------------------------	----------------------------------	---	-------	-------



**PRODUCT INFO**

All file | file drawers include  
a hidden accessory drawer

All units have an  
unfinished back

All pedestals lock in  
kneewell

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

**MODEL NUMBER + TYPE**

**FINISH**

**KEYING**

\*Hinged door units do not lock

Note:  Type must be  
specified as part of model  
number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

**Example**

SACPD2445R-34W.SC701.RMS

SACPD2445R-34W	SC701	RMS
MODEL NUMBER + TYPE	FINISH	KEYING

# CREDENZA PEDESTALS

center — to create full bank credenzas

SILEA  
01/16

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
------------	---	---	---	---------------------	-------	----------

## 30" WIDTH

HINGED DOOR



23 15/16	29 1/8	27 15/16	SACPD2430C-5 <input type="text"/>	1,551	1,825
----------	--------	----------	-----------------------------------	-------	-------

## 36" WIDTH

HINGED DOOR



23 15/16	35 1/8	27 15/16	SACPD2436C-5 <input type="text"/>	1,658	1,953
----------	--------	----------	-----------------------------------	-------	-------

### PRODUCT INFO

Full bank credenzas can only be created by combining a LH + Center + RH pedestal

All units have an unfinished back

Doors do not lock

### TO ORDER PLEASE SPECIFY THE FOLLOWING:

.

MODEL NUMBER + TYPE      FINISH

Note:  Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

### Example

SACPD2430C-5W.SC701

SACPD2430C-5W  
MODEL NUMBER + TYPE

SC701  
FINISH

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
---------------	---	---	---	---------------------	-------	----------

T-SUPPORT FOR USE  
WITH NO MODESTY PANEL  
AND CREDENZA STANDARD  
WORKSURFACE




9 1/4	8	27 15/16	SAMSPT9- <input type="text"/>	297	349
-------	---	----------	-------------------------------	-----	-----

T-SUPPORT FOR USE  
WITH NO MODESTY PANEL  
AND CREDENZA TROUGH  
WORKSURFACES



9 1/4	8	27 15/16	SAMSPT9-T <input type="text"/>	297	349
-------	---	----------	--------------------------------	-----	-----

WORKSURFACE JUNCTION  
SUPPORT FOR USE  
WITH NO MODESTY PANEL  
AND STANDARD CREDENZA  
WORKSURFACE



18	29 7/8	27 15/16	SAMSJ24- <input type="text"/>	594	697
----	--------	----------	-------------------------------	-----	-----

## PRODUCT INFO

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	<input type="text"/>
----------------------	----------------------

MODEL NUMBER + TYPE . FINISH


Note:  Type must be  
specified as part of model  
number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

## Example

SAMSPT9-W.SC701	
SAMSPT9-W	SC701
MODEL NUMBER + TYPE	FINISH

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
<div>WALL ACCESS PANEL</div> <div></div>	9 1/4	23	27 1/2	SACMA24- <input type="text"/>	783	921
	9 1/4	26	27 1/2	SACMA27- <input type="text"/>	802	942
	9 1/4	29	27 1/2	SACMA30- <input type="text"/>	819	964
	9 1/4	32	27 1/2	SACMA33- <input type="text"/>	837	987
	9 1/4	35	27 1/2	SACMA36- <input type="text"/>	857	1,009
	9 1/4	38	27 1/2	SACMA39- <input type="text"/>	876	1,030
	9 1/4	41	27 1/2	SACMA42- <input type="text"/>	894	1,053
	9 1/4	44	27 1/2	SACMA45- <input type="text"/>	913	1,073
	9 1/4	47	27 1/2	SACMA48- <input type="text"/>	931	1,097
	9 1/4	50	27 1/2	SACMA51- <input type="text"/>	950	1,119
	9 1/4	53	27 1/2	SACMA54- <input type="text"/>	969	1,141
	9 1/4	56	27 1/2	SACMA57- <input type="text"/>	988	1,162
	9 1/4	59	27 1/2	SACMA60- <input type="text"/>	1,007	1,182
	9 1/4	62	27 1/2	SACMA63- <input type="text"/>	1,025	1,206
	9 1/4	65	27 1/2	SACMA66- <input type="text"/>	1,043	1,228
	9 1/4	68	27 1/2	SACMA69- <input type="text"/>	1,063	1,249
	9 1/4	71	27 1/2	SACMA72- <input type="text"/>	1,082	1,271

Example: (90" worksurface) - (15" LH pedestal) - (15" RH pedestal) = 60" Wall Access Panel

PRODUCT INFO

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

Note: Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example

SACMA24-W.SC701

SACMA24-WSC701


MODEL NUMBER + TYPEFINISH



# CREDENZA WALL ACCESS PANELS / COMPUTER DOOR


## PAINT OR WOOD

### COMPUTER DOOR LEFT WALL ACCESS RIGHT



D	W	H	model number + type	paint	veneer 1
9 1/4	47 1/16	27 1/2	<b>SACMAC48L</b> - <input type="text"/>	1,399	1,645
9 1/4	50 1/16	27 1/2	<b>SACMAC51L</b> - <input type="text"/>	1,426	1,678
9 1/4	53 1/16	27 1/2	<b>SACMAC54L</b> - <input type="text"/>	1,454	1,710
9 1/4	56 1/16	27 1/2	<b>SACMAC57L</b> - <input type="text"/>	1,481	1,743
9 1/4	59 1/16	27 1/2	<b>SACMAC60L</b> - <input type="text"/>	1,508	1,776
9 1/4	62 1/16	27 1/2	<b>SACMAC63L</b> - <input type="text"/>	1,537	1,809
9 1/4	65 1/16	27 1/2	<b>SACMAC66L</b> - <input type="text"/>	1,564	1,842
9 1/4	68 1/16	27 1/2	<b>SACMAC69L</b> - <input type="text"/>	1,592	1,875
9 1/4	71 1/16	27 1/2	<b>SACMAC72L</b> - <input type="text"/>	1,621	1,907

### COMPUTER DOOR RIGHT WALL ACCESS LEFT



9 1/4	47 1/16	27 1/2	<b>SACMAC48R</b> - <input type="text"/>	1,399	1,645
9 1/4	50 1/16	27 1/2	<b>SACMAC51R</b> - <input type="text"/>	1,426	1,678
9 1/4	53 1/16	27 1/2	<b>SACMAC54R</b> - <input type="text"/>	1,454	1,710
9 1/4	56 1/16	27 1/2	<b>SACMAC57R</b> - <input type="text"/>	1,481	1,743
9 1/4	59 1/16	27 1/2	<b>SACMAC60R</b> - <input type="text"/>	1,508	1,776
9 1/4	62 1/16	27 1/2	<b>SACMAC63R</b> - <input type="text"/>	1,537	1,809
9 1/4	65 1/16	27 1/2	<b>SACMAC66R</b> - <input type="text"/>	1,564	1,842
9 1/4	68 1/16	27 1/2	<b>SACMAC69R</b> - <input type="text"/>	1,592	1,875
9 1/4	71 1/16	27 1/2	<b>SACMAC72R</b> - <input type="text"/>	1,621	1,907

Example: (90" worksurface) - (15" LH pedestal) - (15" RH pedestal) = 60" Computer Door / Wall Access Panel

## PRODUCT INFO

All units have an  
unfinished back

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

**MODEL NUMBER + TYPE**      **FINISH**

Note:  Type must be  
specified as part of model  
number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

### Example

SACMAC48L-W.SC701

SACMAC48L-W  
MODEL NUMBER + TYPE

SC701  
FINISH

LAYERS CREDENZA PEDESTALS


left hand

SILEA  
01/16

LEFT HAND	D	W	H	model number + type	paint	veneer 1
-----------	---	---	---	---------------------	-------	----------


9" WIDTH

FALSE PEDESTAL	23 15/16	9 3/8	22 15/16	SACLPD249L-X <input type="text"/>	612	720
----------------	----------	-------	----------	-----------------------------------	-----	-----



18" WIDTH

FALSE PEDESTAL	23 15/16	18 3/8	22 15/16	SACLPD2418L-X <input type="text"/>	703	828
----------------	----------	--------	----------	------------------------------------	-----	-----



PRODUCT INFO

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

.

MODEL NUMBER + TYPEFINISH

Note: Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer


See inside front cover for required option codes

Example


SACLPD249L-XW.SC701

SACLPD249L-XW	SC701
MODEL NUMBER + TYPE	FINISH

LEFT HAND	D	W	H	model number + type	paint	veneer 1
<b>15" WIDTH</b>						
HIDDEN ACC   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2415L-A</b> <input type="checkbox"/>	1,305	1,535



<b>18" WIDTH</b>						
HIDDEN ACC   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2418L-A</b> <input type="checkbox"/>	1,397	1,643



## PRODUCT INFO

All -A pedestals include a hidden accessory drawer

All units have an unfinished back

All pedestals face lock

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

**MODEL NUMBER + TYPE**

**FINISH**

**KEYING**

\*Hinged door units do not lock

Note: ☐ Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

## Example

SACLPD2415L-AW.SC701.FT110TAS




SACLPD2415L-AW	SC701	FT110TAS
MODEL NUMBER + TYPE	FINISH	KEYING

LAYERS CREDENZA PEDESTALS

left hand

SILEA

01/16

LEFT HAND	D	W	H	model number + type	paint	veneer 1
30" WIDTH						
HIDDEN ACC   BOX   LATERAL	23 15/16	30 3/8	22 15/16	SACLPD2430L-B	1,637	1,926
						
HINGED DOOR	23 15/16	30 3/8	22 15/16	SACLPD2430L-5	1,474	1,735
						
OPEN BOOKCASE	23 15/16	30 3/8	22 15/16	SACLPD2430L-SH	1,397	1,643
						

PRODUCT INFO

All -A pedestals include a hidden accessory drawer

All -B pedestals include a hidden accessory drawer

All units have an unfinished back

All pedestals face lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE      FINISH      KEYING

\*Hinged door units do not lock




Note: Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example

SACLPD2430L-BW.SC701.FT110TAS		
SACLPD2430L-BW	SC701	FT110TAS
MODEL NUMBER + TYPE	FINISH	KEYING

LEFT HAND	D	W	H	model number + type	paint	veneer 1
<b>36" WIDTH</b>						
HIDDEN ACC   BOX   LATERAL	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2436L-B</b> <input type="text"/>	1,737	2,041
						
HINGED DOOR	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2436L-5</b> <input type="text"/>	1,577	1,855
						
OPEN BOOKCASE	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2436L-SH</b> <input type="text"/>	1,494	1,757
						

## PRODUCT INFO

All -A pedestals include a hidden accessory drawer

All -B pedestals include a hidden accessory drawer

All units have an unfinished back

All pedestals face lock

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

KEYING

\*Hinged door units do not lock

Note:  Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

## Example

SACLPD2436L-BW.SC701.FT110TAS


SACLPD2436L-BW	SC701	FT110TAS
MODEL NUMBER + TYPE	FINISH	KEYING

LAYERS CREDENZA PEDESTALS


right hand

SILEA  
01/16

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
9" WIDTH						
FALSE PEDESTAL	23 15/16	9 3/8	22 15/16	SACLPD249R-X	612	720



18" WIDTH						
FALSE PEDESTAL	23 15/16	18 3/8	22 15/16	SACLPD2418R-X	703	828



PRODUCT INFO

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPEFINISH

Note: Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer


See inside front cover for required option codes

Example


SACLPD249R-XW.SC701

SACLPD249R-XW	SC701
MODEL NUMBER + TYPE	FINISH

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
<b>15" WIDTH</b>						
HIDDEN ACC   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2415R-A</b> <input type="text"/>	1,305	1,535



<b>18" WIDTH</b>						
HIDDEN ACC   BOX   FILE	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2418R-A</b> <input type="text"/>	1,397	1,643



## PRODUCT INFO

All -A pedestals include a hidden accessory drawer

All units have an unfinished back

All pedestals face lock

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

KEYING

Note:  Type must be specified as part of model number.

\*Hinged door units do not lock

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes




### Example

SACLPD2415R-AW.SC701.FT110TAS

SACLPD2415R-AW	SC701	FT110TAS
MODEL NUMBER + TYPE	FINISH	KEYING

LAYERS CREDENZA PEDESTALS
right hand

SILEA
01/16

RIGHT HAND	D	W	H	model number + type	paint	veneer 1
30" WIDTH						
HIDDEN ACC   BOX   LATERAL	23 15/16	30 3/8	22 15/16	SACLPD2430R-B	1,637	1,926
						
HINGED DOOR	23 15/16	30 3/8	22 15/16	SACLPD2430R-5	1,474	1,735
						
OPEN BOOKCASE	23 15/16	30 3/8	22 15/16	SACLPD2430R-SH	1,397	1,643
						

PRODUCT INFO

- All -A pedestals include a hidden accessory drawer
- All -B pedestals include a hidden accessory drawer
- All units have an unfinished back
- All pedestals face lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPEFINISHKEYING

\*Hinged door units do not lock

Note: Type must be specified as part of model number.




Type
P = Paint
W = Wood Veneer

See inside front cover for required option codes

Example

SACLPD2430R-BW	SC701	FT110TAS
MODEL NUMBER + TYPE	FINISH	KEYING



RIGHT HAND	D	W	H	model number + type	paint	veneer 1
36" WIDTH						
HIDDEN ACC   BOX   LATERAL	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	SACLPD2436R-B <input type="checkbox"/>	1,737	2,041
						
HINGED DOOR	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	SACLPD2436R-5 <input type="checkbox"/>	1,577	1,855
						
OPEN BOOKCASE	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	SACLPD2436R-SH <input type="checkbox"/>	1,494	1,757
						

PRODUCT INFO

All -A pedestals include  
a hidden accessory drawer

All -B pedestals include  
a hidden accessory drawer

All units have an  
unfinished back

All pedestals face lock

TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .

MODEL NUMBER + TYPE

FINISH

KEYING

Note: ☐ Type must be  
specified as part of model  
number.

\*Hinged door units do not lock

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

Example

SACLPD2436R-BW.SC701.FT110TAS

SACLPD2436R-BW  
MODEL NUMBER + TYPE







SC701  
FINISH

FT110TAS  
KEYING

# LAYERS CREDENZA PEDESTALS

center - to create full bank credenzas

SILEA  
01/16

CENTER	D	W	H	model number + type	paint	veneer 1
<b>30" WIDTH</b> HINGED DOOR 	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2430C-5</b> <input type="checkbox"/>	1,474	1,735
<b>36" WIDTH</b> HINGED DOOR 	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2436C-5</b> <input type="checkbox"/>	1,577	1,855
<b>60" WIDTH</b> HINGED DOOR + HINGED DOOR 	23 <sup>15</sup> / <sub>16</sub>	60 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2460C-55</b> <input type="checkbox"/>	2,652	3,119
<b>30" WIDTH</b> OPEN BOOKCASE 	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2430C-SH</b> <input type="checkbox"/>	1,328	1,560
<b>36" WIDTH</b> OPEN BOOKCASE 	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2436C-SH</b> <input type="checkbox"/>	1,419	1,670
<b>60" WIDTH</b> OPEN BOOKCASE + OPEN BOOKCASE 	23 <sup>15</sup> / <sub>16</sub>	60 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SACLPD2460C-SHSH</b> <input type="checkbox"/>	2,387	2,809

## PRODUCT INFO

All units have an unfinished back

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

☐

MODEL NUMBER + TYPE FINISH

\*Hinged door units do not lock

Note: ☐ Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

### Example




SACLPD2430C-5W.SC701

SACLPD2430C-5W

MODEL NUMBER + TYPE

SC701

FINISH

WOOD OR PAINT	D	W	H	model number + type	paint	veneer 1
T-SUPPORT FOR USE WITH NO MODESTY PANEL AND CREDENZA STANDARD WORKSURFACE 	23 <sup>15</sup> / <sub>16</sub>	8	22 <sup>15</sup> / <sub>16</sub>	<b>SAMLSPT9-</b> <input type="text"/>	282	331
T-SUPPORT FOR USE WITH NO MODESTY PANEL AND CREDENZA TROUGH WORKSURFACES 	23 <sup>15</sup> / <sub>16</sub>	8	22 <sup>15</sup> / <sub>16</sub>	<b>SAMLSPT9-T</b> <input type="text"/>	282	331
WORKSURFACE JUNCTION SUPPORT FOR USE WITH NO MODESTY PANEL AND STANDARD CREDENZA WORKSURFACE 	23 <sup>15</sup> / <sub>16</sub>	29 <sup>7</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SAMLSJ24-</b> <input type="text"/>	563	663

## PRODUCT INFO

All units have an  
unfinished back

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

\*Hinged door units do not lock

Note:  Type must be  
specified as part of model  
number.

Type

P = Paint

W = Wood Veneer


See inside front cover for required option codes

Example


SAMLSPT9-W.SC701

SAMLSPT9-W  
MODEL NUMBER + TYPE

SC701  
FINISH

CUSHION	D	W	H	model number	fabric grades			
					COM / 1	2	3	4
FOR USE WITH STANDARD CREDENZA WORKSURFACES	23 3/4	30 1/8	1 1/2	SACLPD-CUSH2430	359	374	390	406
	23 3/4	36 1/8	1 1/2	SACLPD-CUSH2436	387	406	426	446

NOTE: See pages 203-207 for fabric grade pricing

FOR USE WITH CREDENZA TROUGH WORKSURFACES	20 7/8	30 1/8	1 1/2	SACLPD-CUSH2130T	359	374	390	406
	20 7/8	36 1/8	1 1/2	SACLPD-CUSH2136T	387	406	426	446

NOTE: See pages 203-207 for fabric grade pricing

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

FABRIC

FLAMMABILITY

For standard flammability rating, please specify CTB117, for California 133 and Boston fire-code treatment, please specify CTB133.

Option Codes:  
U = CTB 117  
U3 = CTB 133 (Add \$125)

See inside front cover for required option codes

Example

SACLPD-CUSH2430.FABRIC


SACLPD-CUSH2430

MODEL NUMBER

FABRIC

FABRIC

## CREATING SILEA RETURNS



### STEP 1:

Order worksurface pg. 131. See item **A**.


Example



### STEP 2:

Determine handedness and order pedestal pg. 76-77. See item **B**.

Example




### STEP 3:

Order wall access panel pg. 132. See item **C**.

Note: If a wall access panel is NOT specified, a modular T support (page 115) is required for all unsupported spans greater than 48"


Example



RETURN TYPICALS


RETURN LEFT HAND

- A. SARWR2448-W
- B. SACPD2430L-4W




RETURN LEFT HAND

- A. SARWR2448-W
- B. SACPD2415L-2W
- C. SARMA33-W




RETURN RIGHT HAND



- A. SARWR2460-W
- B. SACPD2415R-3W



RETURN RIGHT HAND

- A. SARWR2460-W
- B. SACPD2430R-4W
- C. SARMA30-W



STANDARD	D	W	H	model number + type	laminate 1	veneer 1
24" DEPTH						
	24	42	1 3/16	<b>SARWR2442</b> - <input type="text"/>	709	834
	24	48	1 3/16	<b>SARWR2448</b> - <input type="text"/>	731	861
TOP VIEW						
	24	54	1 3/16	<b>SARWR2454</b> - <input type="text"/>	754	887
	24	60	1 3/16	<b>SARWR2460</b> - <input type="text"/>	786	925
	24	66	1 3/16	<b>SARWR2466</b> - <input type="text"/>	820	963
	24	72	1 3/16	<b>SARWR2472</b> - <input type="text"/>	853	1,003

## PRODUCT INFO

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH / LAMINATE

TOP UV FINISH  
(wood tops only)

GROMMET

Note:  Type must be specified as part of model number.

Type

L = Laminate

W = Wood Veneer

See set 5 below  
for option code

Grommet (Add \$70 each)


No Grommet	GN
Left Silver	GLS
Right Silver	GRS
Center Silver	GCS

See inside front cover for required option codes

## Example

SARWR2442-W.SC701.FF.GN

SARWR2442-W	SC701	FF	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	GROMMET

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
WALL ACCESS PANEL						
	9 1/4	23 11/16	27 1/2	SARMA24- <input type="text"/>	783	921
	9 1/4	26 11/16	27 1/2	SARMA27- <input type="text"/>	802	942
	9 1/4	29 11/16	27 1/2	SARMA30- <input type="text"/>	819	964
	9 1/4	32 11/16	27 1/2	SARMA33- <input type="text"/>	837	987
	9 1/4	35 11/16	27 1/2	SARMA36- <input type="text"/>	857	1,009
	9 1/4	38 11/16	27 1/2	SARMA39- <input type="text"/>	876	1,030
	9 1/4	41 11/16	27 1/2	SARMA42- <input type="text"/>	894	1,053
	9 1/4	44 11/16	27 1/2	SARMA45- <input type="text"/>	913	1,073

Example: (48" worksurface) - (15" pedestal) = 33" Wall Access Panel

PRODUCT INFO

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

Note: Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer


See inside front cover for required option codes

Example

SARMA24-W.SC701

SARMA24-WMODEL NUMBER + TYPESC701FINISH



STANDARD	D	W	H	model number + type	laminate 1	veneer 1
ROUND TOPS	42 dia.		1 <sup>3</sup> / <sub>16</sub>	SATRD42- <input type="text"/>	1,469	1,729
	48 dia.		1 <sup>3</sup> / <sub>16</sub>	SATRD48- <input type="text"/>	1,589	1,870

ALUMINUM LEGS  
WITH GLIDES  
(quantity 1)



3	3	27 <sup>15</sup> / <sub>16</sub>	SALEG-LD	list
				234

- Specify model number only

ALUMINUM LEGS  
WITH CASTERS  
(quantity 1)



3	3	27 <sup>15</sup> / <sub>16</sub>	SALEG-ST	294
---	---	----------------------------------	----------	-----

- Specify model number only
- Casters are locking

PRODUCT INFO

Aluminum legs ordered separately.

Quantity 4 legs required

TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------

MODEL NUMBER + TYPE

FINISH / LAMINATE

TOP UV FINISH  
(wood tops only)

GROMMET

Note:  Type must be specified as part of model number.

Type

L = Laminate

W = Wood Veneer

See set 3 below  
for option code



Grommet (Add \$70 each)  
No Grommet GN  
Center Silver GCS

See inside front cover for required option codes

Example

SATRD42-W.SC701.FF.GN

SATRD42-W	SC701	FF	GN
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	GROMMET

	D	W	H	model number + type	paint	veneer 1
CHASSIS						
TOP ORDERED SEPARATELY	18 <sup>3</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	19 <sup>11</sup> / <sub>16</sub>	SXMPD1815-6 <input type="text"/>	966	1,136
						
					laminate 1	veneer 1
MOBILE PEDESTAL TOP	18 <sup>5</sup> / <sub>16</sub>	15 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>16</sub>	SXMPT1815- <input type="text"/>	470	554
						

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPEFINISH/LAMINATE TOP UV FINISHKEYING

Note: Type must be specified as part of model number.\*No keying option for wood top

Type  
P = Paint  
W = Wood Veneer  
L = Laminate

See inside front cover for required option codes

Example

SXMPD1815-6W.SC701.FF.RMS

SXMPD1815-6W

SC701

FF


RMS

MODEL NUMBER + TYPE

FINISH

TOP UV FINISH

KEYING

CUSHION	D	W	H	model number	fabric grades			
					COM / 1	2	3	4
	18 1/8	15 1/4	1 1/2	<b>SXMPD-CUSH1815</b>	324	335	347	359

NOTE: A Mobile Pedestal Top is required for all Mobile Pedestals including those specified with a Cushion. See pages 204-207 for fabric grade pricing

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER                      FABRIC                      FLAMMABILITY

For standard flammability rating, please specify CTB117, for California 133 and Boston fire-code treatment, please specify CTB113

OPTION CODES:  
U = CTB 117  
U3 = CTB 133

See inside front cover for required option codes

Example

SXMPD-CUSH1815.FABRIC

SXMPD-CUSH1815

MODEL NUMBER


FABRIC

FABRIC

HEIGHT ADJUSTABLE BASES

SILEA  
01/16

BASES




for use with top sizes	D	W	H	model number	list
24 x 42	21	36	26	BSHAT2142	1,900
24 x 48	21	42	26	BSHAT2148	1,910
24 x 54	21	48	26	BSHAT2154	1,920
24 x 60	21	54	26	BSHAT2160	1,930
24 x 66	21	60	26	BSHAT2166	1,940
24 x 72	21	66	26	BSHAT2172	1,950

30/36 x 48	27	42	26	BSHAT2748	1,930
30/36 x 54	27	48	26	BSHAT2754	1,940
30/36 x 60	27	54	26	BSHAT2760	1,950
30/36 x 66	27	60	26	BSHAT2766	1,960
30/36 x 72	27	66	26	BSHAT2772	1,970



Base at lowest height setting



Base at tallest height setting

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.

2.

MODEL NUMBER

BASE COLOR

BASE COLOR OPTIONS:

BK

Black

SV

Silver

See inside front cover for required option codes

Example

BSHAT2760.BK

BSHAT2760

MODEL NUMBER

BK

BASE COLOR

## 24" TOPS



D	W	H	model number	veneer 1	laminate 1
24	42	1 <sup>3</sup> / <sub>16</sub>	<b>SADWRA2442-</b> <input type="text"/>	834	709
24	48	1 <sup>3</sup> / <sub>16</sub>	<b>SADWRA2448-</b> <input type="text"/>	861	731
24	54	1 <sup>3</sup> / <sub>16</sub>	<b>SADWRA2454-</b> <input type="text"/>	887	754
24	60	1 <sup>3</sup> / <sub>16</sub>	<b>SADWRA2460-</b> <input type="text"/>	925	786
24	66	1 <sup>3</sup> / <sub>16</sub>	<b>SADWRA2466-</b> <input type="text"/>	963	820
24	72	1 <sup>3</sup> / <sub>16</sub>	<b>SADWRA2472-</b> <input type="text"/>	1,003	853

## PRODUCT INFO

### TO ORDER PLEASE SPECIFY THE FOLLOWING:

- 
- 
- 
- 
- 

MODEL NUMBER + TYPE

FINISH

TOP UV FINISH TYPE

GRAIN DIRECTION

GROMMET

Type must be specified as part of model number.

L = Laminate  
W = Wood Veneer

See set 1 below for grommet option codes

No Grommet	<b>GN</b>	
Left Silver	<b>GLS</b>	(Add +\$70)
Center Silver	<b>GCS</b>	(Add +\$70)
Right Silver	<b>GRS</b>	(Add +\$70)
Left & Right Silver	<b>GBS</b>	(Add +\$140)

See inside front cover for required option codes

### Example

SADWRA2442-W.SC284.FF.VLG.GN

SADWRA2442-W	NC215	FF	VLG	GN
MODEL NUMBER	FINISH	TOP UV FINISH	GRAIN DIRECTION	GROMMET

	D	W	H	model number	veneer 1	laminate 1
<b>30" TOPS</b> <div></div>	30	48	1 3/16	<b>SADWRA3048-</b> <input type="text"/>	941	800
	30	54	1 3/16	<b>SADWRA3054-</b> <input type="text"/>	961	818
	30	60	1 3/16	<b>SADWRA3060-</b> <input type="text"/>	982	833
	30	66	1 3/16	<b>SADWRA3066-</b> <input type="text"/>	1,001	852
	30	72	1 3/16	<b>SADWRA3072-</b> <input type="text"/>	1,054	895

<b>36" TOPS</b> <div></div>	36	48	1 3/16	<b>SADWRA3648-</b> <input type="text"/>	982	833
	36	54	1 3/16	<b>SADWRA3654-</b> <input type="text"/>	1,001	852
	36	60	1 3/16	<b>SADWRA3660-</b> <input type="text"/>	1,021	867
	36	66	1 3/16	<b>SADWRA3666-</b> <input type="text"/>	1,042	886
	36	72	1 3/16	<b>SADWRA3672-</b> <input type="text"/>	1,098	933

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.

2.

3.

4.

5.

MODEL NUMBER + TYPE

FINISH

TOP UV FINISH TYPE

GRAIN DIRECTION

GROMMET

Type must be specified as part of model number.

L = Laminate  
W = Wood Veneer

See set 1 below for grommet option codes

No Grommet

Left Silver

Right Silver

Left & Right Silver

GN

GLS (Add +\$70)

GRS (Add +\$70)


GBS (Add +\$140)

See inside front cover for required option codes

Example

SADWRA3060-W.SC284.FF.VLG.GN				
SADWRA3060-W	NC215	FF	VLG	GN
MODEL NUMBER	FINISH	TOP UV FINISH	GRAIN DIRECTION	GROMMET

OPTIONAL MODESTY PANEL  
Height Adjustable | for use with 30" and 36" Tops

	D	W	H	model number	paint	veneer 1
<b>MODESTY PANELS</b> 	$\frac{3}{4}$	42	10	<b>SADMHA48-</b> <input type="text"/>	424	499
	$\frac{3}{4}$	48	10	<b>SADMHA54-</b> <input type="text"/>	447	526
	$\frac{3}{4}$	54	10	<b>SADMHA60-</b> <input type="text"/>	471	555
	$\frac{3}{4}$	60	10	<b>SADMHA66-</b> <input type="text"/>	499	586
	$\frac{3}{4}$	66	10	<b>SADMHA72-</b> <input type="text"/>	521	610

• Optional 10" height modesty panel with 6" overhang

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.

2.
- MODEL NUMBER + TYPE

FINISH
- Type must be specified as part of model number.

P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example

SADMHA60-W.SC284


SADMHA60-W

NC215

MODEL NUMBER


FINISH

	D	W	H	model number	list
WALL MOUNT BRACKET	3 1/8	20 3/16	7 1/8	ACWCB20	145
	3 1/8	15 3/16	7 1/8	ACWCB15	135



- For use with 24" tops to provide support on an end condition

- For use with 24" tops to provide support on center as an alternative to a T-bracket



PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

1.  MODEL NUMBER

See inside front cover for required option codes

Example

ACWCB20  
ACWCB20  
MODEL NUMBER



Storage.....	141-152
Bookcases.....	142-143
Bookcase / coat hook .....	144
Bookcase / closet .....	145
Lateral file.....	146-147
Closets.....	148-149
Storage box .....	150
Utility cabinets.....	151
Storage cabinets.....	152
Wall mount cabinets .....	153-183
Wall mount cabinet reference .....	153-157
Wall mount cabinets hinged doors 13 high .....	158-160
Wall mount cabinets sliding doors 13 high .....	161-162
Wall mount cabinets hinged doors 26 high .....	163-165
Wall mount cabinets sliding doors 26 high.....	166-167
Wall mount walls 13 high.....	168
Wall mount walls 26 high .....	169
Shelving for wall mount walls.....	170
Wall mount tackboards in "tackzone".....	171-172
Wall mount glass whiteboards in "tackzone".....	173-174
Wall mount walls in "tackzone" .....	175-176
Cubby wall mount walls in "tackzone".....	177-178
Layers Wall Mount .....	179-182
Surface mount cabinets.....	184-190
Surface mount cabinet reference .....	184-185
Surface mount cabinets hinged doors 39 high .....	186-187
Surface mount cabinets hinged doors 52 high .....	188-189
Surface mount tackboards in "tackzone".....	190
Accessories .....	191-202

BOOKCASES

29 high

SILEA

01/16

30" WIDTH	D	W	H	model number + type	paint	veneer 1
-----------	---	---	---	---------------------	-------	----------

CHASSIS



29 HIGH

14	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	SABKN29H30-[ ]	751	883
----	--------------------------------	----------------------------------	----------------	-----	-----

NOTE: Top ordered separately for 29 high bookcases. Top required.

TOP	14 <sup>1</sup> / <sub>16</sub>	30 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>16</sub>	SABKT1530-[ ]	557	655
-----	---------------------------------	--------------------------------	--------------------------------	---------------	-----	-----



NOTE: Top required for 29 high bookcases only. [ ]

PRODUCT INFO

29 high | 1 adjustable shelf

Units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE      FINISH / LAMINATE      TOP UV FINISH  
(wood tops only)





Note: [ ]Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer  
L = Laminate

See inside front cover for required option codes

Example

SABKN29H30-W.SC701.FF		
SABKN29H30-W	SC701	FF
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH

30" WIDTH	D	W	H	model number + type	paint	veneer 1
 42 HIGH	14	30 <sup>3</sup> / <sub>8</sub>	41 <sup>11</sup> / <sub>16</sub>	<b>SABKN42H30-</b> <input type="text"/>	1,447	1,705
 55 HIGH	14	30 <sup>3</sup> / <sub>8</sub>	55 <sup>3</sup> / <sub>8</sub>	<b>SABKN55H30-</b> <input type="text"/>	1,809	2,127
 68 HIGH	14	30 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>SABKN68H30-</b> <input type="text"/>	2,165	2,547
 81 HIGH	14	30 <sup>3</sup> / <sub>8</sub>	81 <sup>1</sup> / <sub>4</sub>	<b>SABKN81H30-</b> <input type="text"/>	2,539	2,988

#### PRODUCT INFO

42 high | 2 adjustable shelves

55 high | 2 adjustable shelves  
1 fixed shelf

68 high | 3 adjustable shelves  
1 fixed shelf

81 high | 4 adjustable shelves  
1 fixed shelf

Shaded shelves are fixed

81 high bookcases must be  
attached to wall

All units have an  
unfinished back

#### TO ORDER PLEASE SPECIFY THE FOLLOWING:

 . 

**MODEL NUMBER + TYPE**      **FINISH**

Note:  Type must be  
specified as part of model  
number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

#### Example

SABKN42H30-W.SC701


SABKN42H30-W	SC701
MODEL NUMBER + TYPE	FINISH

BOOKCASE / COAT HOOK



68 high & 81 high

SILEA  
01/16

30" WIDTH	D	W	H	model number + type	paint	veneer 1
NO DOORS - OPEN LEFT HAND	23 15/16	30 3/8	68 1/4	SABSC68H30L-[ ]	2,599	3,058
	23 15/16	30 3/8	68 1/4	SABSC68H30R-[ ]	2,599	3,058
	23 15/16	30 3/8	81 1/4	SABSC81H30L-[ ]	3,048	3,584
	23 15/16	30 3/8	81 1/4	SABSC81H30R-[ ]	3,048	3,584



RIGHT HAND



COAT HOOK

PRODUCT INFO

68 high | 3 adjustable shelves  
1 fixed shelf

81 high | 4 adjustable shelves  
1 fixed shelf

Shaded shelves are fixed

A coat hook is mounted to  
back of bookcase

Unit has a finished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

..

MODEL NUMBER + TYPE      FINISH      KEYING

Note: [ ]Type must be specified as part of model number. (Door units only)

Type  
P = Paint  
W = Wood Veneer





See inside front cover for required option codes

Example

SABSC68H30L-W.SC701

SABSC68H30L-WSC701

MODEL NUMBER + TYPEFINISH

18" WIDTH - WOOD ONLY	D	W	H	model number + type	veneer 1
<b>68" HIGH</b>					
LEFT HAND	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>SABCL68H18L</b> - <input type="text"/>	4,233
					
RIGHT HAND	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>SABCL68H18R</b> - <input type="text"/>	4,233
					
<b>81" HIGH</b>					
LEFT HAND	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	81 <sup>1</sup> / <sub>4</sub>	<b>SABCL81H18L</b> - <input type="text"/>	4,833
					
RIGHT HAND	23 <sup>15</sup> / <sub>16</sub>	18 <sup>3</sup> / <sub>8</sub>	81 <sup>1</sup> / <sub>4</sub>	<b>SABCL81H18R</b> - <input type="text"/>	4,833
					

## PRODUCT INFO

All units have an unfinished back

Units are face locking

Units available in wood only

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .   
**MODEL NUMBER + TYPE      FINISH      KEYING**

Note:  Type must be specified as part of model number.

Type  
W = Wood Veneer

See inside front cover for required option codes

## Example






SABCL68H18L-W.SC701.RMS

SABCL68H18L-W	SC701	RMS
MODEL NUMBER + TYPE	FINISH	KEYING

# LATERAL FILES

24 high – 29 high

**SILEA**  
01/16

30" & 36" WIDTH	D	W	H	model number + type	paint	veneer 1
<b>CHASSIS</b>						
30" WIDTH  24 HIGH	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SALLFS24H30-</b> <input type="text"/>	1,637	1,926
NOTE: Top ordered separately for 24 high lateral files. Top required.						
36" WIDTH  24 HIGH	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	22 <sup>15</sup> / <sub>16</sub>	<b>SALLFS24H36-</b> <input type="text"/>	1,737	2,041
NOTE: Top ordered separately for 24 high lateral files. Top required.						
30" WIDTH  29 HIGH	23 <sup>15</sup> / <sub>16</sub>	30 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SALFS29H30-</b> <input type="text"/>	1,721	2,027
NOTE: Top ordered separately for 29 high lateral files. Top required.						
36" WIDTH  29 HIGH	23 <sup>15</sup> / <sub>16</sub>	36 <sup>3</sup> / <sub>8</sub>	27 <sup>15</sup> / <sub>16</sub>	<b>SALFS29H36-</b> <input type="text"/>	1,826	2,150
NOTE: Top ordered separately for 29 high lateral files. Top required.						
					laminate 1	veneer 1
<b>TOP</b> 	24 <sup>1</sup> / <sub>16</sub>	30 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>16</sub>	<b>SALFT2430-</b> <input type="text"/>	564	664
	24 <sup>1</sup> / <sub>16</sub>	36 <sup>1</sup> / <sub>2</sub>	1 <sup>3</sup> / <sub>16</sub>	<b>SALFT2436-</b> <input type="text"/>	589	693
	24 <sup>1</sup> / <sub>16</sub>	60 <sup>7</sup> / <sub>8</sub>	1 <sup>3</sup> / <sub>16</sub>	<b>SALFT2460-</b> <input type="text"/>	786	925
	24 <sup>1</sup> / <sub>16</sub>	72 <sup>7</sup> / <sub>8</sub>	1 <sup>3</sup> / <sub>16</sub>	<b>SALFT2472-</b> <input type="text"/>	853	1,003
	24 <sup>1</sup> / <sub>16</sub>	91 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>16</sub>	<b>SALFT2490-</b> <input type="text"/>	983	1,155
	24 <sup>1</sup> / <sub>16</sub>	109 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>16</sub>	<b>SALFT24108-</b> <input type="text"/>	1,196	1,405

## PRODUCT INFO

All units have an unfinished back

Units are face locking

24 high includes hidden accessory drawer | box | lateral file

NOTE: Top required for 24 and 29 high lateral files only.

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

**MODEL NUMBER + TYPE**
**FINISH / LAMINATE**
**TOP UV FINISH**  
(wood tops only)
 **KEYING**

Note:  Type must be specified as part of model number.

\*No keying option for lateral file tops

Type  
P = Paint  
W = Wood Veneer  
L = Laminate

See inside front cover for required option codes

### Example

SALFS29H30-W.SC701.FF.RMS

SALFS29H30-W	SC701	FF	RMS
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH	KEYING

**30" & 36" WIDTH**

**30" WIDTH**



42 HIGH

23 <sup>15</sup>/<sub>16</sub>

30 <sup>3</sup>/<sub>8</sub>

41 <sup>11</sup>/<sub>16</sub>

**SALFS42H30**-

3,043

3,579



55 HIGH

23 <sup>15</sup>/<sub>16</sub>


30 <sup>3</sup>/<sub>8</sub>

55 <sup>3</sup>/<sub>8</sub>

**SALFS55H30**-

3,797

4,464



68 HIGH

23 <sup>15</sup>/<sub>16</sub>

30 <sup>3</sup>/<sub>8</sub>

68 <sup>1</sup>/<sub>4</sub>

**SALFS68H30**-

5,208

6,127



81 HIGH

23 <sup>15</sup>/<sub>16</sub>

30 <sup>3</sup>/<sub>8</sub>

81 <sup>1</sup>/<sub>4</sub>

**SALFS81H30**-

5,856

6,888

**36" WIDTH**



42 HIGH

23 <sup>15</sup>/<sub>16</sub>

36 <sup>3</sup>/<sub>8</sub>

41 <sup>11</sup>/<sub>16</sub>

**SALFS42H36**-

3,146

3,701



55 HIGH

23 <sup>15</sup>/<sub>16</sub>

36 <sup>3</sup>/<sub>8</sub>

55 <sup>3</sup>/<sub>8</sub>

**SALFS55H36**-

3,901

4,589



68 HIGH

23 <sup>15</sup>/<sub>16</sub>

36 <sup>3</sup>/<sub>8</sub>

68 <sup>1</sup>/<sub>4</sub>

**SALFS68H36**-

5,344

6,287



81 HIGH

23 <sup>15</sup>/<sub>16</sub>

36 <sup>3</sup>/<sub>8</sub>

81 <sup>1</sup>/<sub>4</sub>

**SALFS81H36**-

5,900

6,942

**PRODUCT INFO**

81" high units include (1) shelf behind hinged doors

68" and 81" high units include touch latch on doors

All units have an unfinished back

Units are face locking

Hinged doors do not lock

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

.  .

**MODEL NUMBER + TYPE**

**FINISH**

**KEYING**

Note:  Type must be specified as part of model number.

Type

P = Paint

W = Wood Veneer

See inside front cover for required option codes

**Example**

SALFS42H30-W.SC701.RMS

SALFS42H30-W



MODEL NUMBER + TYPE

SC701

FINISH

RMS

KEYING

15" WIDTH	D	W	H	model number + type	paint	veneer 1
68" HIGH						
DOOR HINGED LEFT CLOSET ROD	23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	SACLS68H15L-[ ]	2,451	2,883
						
DOOR HINGED RIGHT CLOSET ROD	23 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	SACLS68H15R-[ ]	2,451	2,883
						

PRODUCT INFO

All units have an unfinished back

Units are face locking

TO ORDER PLEASE SPECIFY THE FOLLOWING:

..

MODEL NUMBER + TYPE

FINISH

KEYING

Note: [ ]Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example

SACLS68H15L-W.SC701.RMS

SACLS58H15L-WSC701RMS

MODEL NUMBER + TYPEFINISHKEYING




**30" WIDTH**

**68" HIGH**



D	W	H	model number + type	paint	veneer 1
$23 \frac{15}{16}$	$30 \frac{3}{8}$	$68 \frac{1}{4}$	<b>SACLD68H30-D</b> <input type="checkbox"/>	4,437	5,220
$23 \frac{15}{16}$	$30 \frac{3}{8}$	$68 \frac{1}{4}$	<b>SACLD68H30-C</b> <input type="checkbox"/>	3,511	4,129
$23 \frac{15}{16}$	$30 \frac{3}{8}$	$68 \frac{1}{4}$	<b>SACLD68H30-S</b> <input type="checkbox"/>	4,139	4,868

**81" HIGH**



$23 \frac{15}{16}$	$30 \frac{3}{8}$	$81 \frac{1}{4}$	<b>SACLD81H30-D</b> <input type="checkbox"/>	5,181	6,093
$23 \frac{15}{16}$	$30 \frac{3}{8}$	$81 \frac{1}{4}$	<b>SACLD81H30-C</b> <input type="checkbox"/>	4,209	4,952
$23 \frac{15}{16}$	$30 \frac{3}{8}$	$81 \frac{1}{4}$	<b>SACLD81H30-S</b> <input type="checkbox"/>	4,868	5,728

**PRODUCT INFO**

Closet codes for 68 high units  
D = (4) 1/2 shelves/1/2 coat rod  
C = full width coat rod  
S = (4) full width shelves

Closet codes for 81 high units  
D = (5) 1/2 shelves/1/2 coat rod  
C = full width coat rod & (1) shelf  
S = (5) full width shelves

All units have an unfinished back

Units are face locking

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

.  .   
**MODEL NUMBER + TYPE      FINISH      KEYING**

Note: ☐ Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer



See inside front cover for required option codes

**Example**

SACLD68H30-DW.SC701.RMS  
SACLD68H30-DW      SC701      RMS  
MODEL NUMBER + TYPE      FINISH      KEYING

STORAGE BOX  
68 high & 81 high

SILEA  
01/16

30" WIDTH	D	W	H	model number + type	paint	veneer 1
 68" HIGH	23 15/16	30 3/8	68 1/4	SASBD68H30- <input type="text"/>	4,546	5,346
 81" HIGH	23 15/16	30 3/8	81 1/4	SASBD81H30- <input type="text"/>	5,351	6,294

PRODUCT INFO

68" high includes (2)  
adjustable shelves behind  
doors

81" high includes (3)  
adjustable shelves behind  
doors

All units have an  
unfinished back

Units are face locking

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

KEYING

Note: Type must be  
specified as part of model  
number.


Type  
P = Paint  
W = Wood Veneer

See inside front cover for required option codes

Example


SASBD81H30-W.SC701.RMS		
SASBD81H30-W	SC701	RMS
MODEL NUMBER + TYPE	FINISH	KEYING

24" WIDTH - WOOD ONLY	D	W	H	model number + type	veneer 1
<b>68" HIGH</b>					
DOOR	23 <sup>15</sup> / <sub>16</sub>	24 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>SAUTC68H24L-</b> <input type="text"/>	5,426
DOOR / FF	23 <sup>15</sup> / <sub>16</sub>	24 <sup>3</sup> / <sub>8</sub>	68 <sup>1</sup> / <sub>4</sub>	<b>SAUTC68H24R-</b> <input type="text"/>	5,426



LH SHOWN

<b>81" HIGH</b>					
DOOR	23 <sup>15</sup> / <sub>16</sub>	24 <sup>3</sup> / <sub>8</sub>	81 <sup>1</sup> / <sub>4</sub>	<b>SAUTC81H24L-</b> <input type="text"/>	6,221
DOOR / FF	23 <sup>15</sup> / <sub>16</sub>	24 <sup>3</sup> / <sub>8</sub>	81 <sup>1</sup> / <sub>4</sub>	<b>SAUTC81H24R-</b> <input type="text"/>	6,221



LH SHOWN

## PRODUCT INFO

68" high units have (2) shelves behind upper hinged door and coat rod behind full height door

81" high units have (3) shelves behind upper hinged door and coat rod behind full height door

All units have an unfinished back

Units are face locking

Units available in wood only

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	.	<input type="text"/>	.	<input type="text"/>
<b>MODEL NUMBER + TYPE</b>		<b>FINISH</b>		<b>KEYING</b>

Note:  Type must be specified as part of model number.

Type






W = Wood Veneer

See inside front cover for required option codes

## Example

SAUTC68H24L-W.SC701.RMS

SAUTC68H24L-W	SC701	RMS
MODEL NUMBER + TYPE	FINISH	KEYING

30" & 36" WIDTH	D	W	H	model number + type	paint	veneer 1
CHASSIS						
30" WIDTH  24 HIGH	23 15/16	30 3/8	22 15/16	SASLCF24H30-5 <input type="checkbox"/>	1,068	1,257
NOTE: Top ordered separately for 24 high storage cabinets. Top required.						
36" WIDTH  24 HIGH	23 15/16	36 3/8	22 15/16	SASLCF24H36-5 <input type="checkbox"/>	1,224	1,439
NOTE: Top ordered separately for 24 high storage cabinets. Top required.						
30" WIDTH  29 HIGH	23 15/16	30 3/8	27 15/16	SASCF29H30-5 <input type="checkbox"/>	1,126	1,323
NOTE: Top ordered separately for 29 high storage cabinets. Top required.						
36" WIDTH  29 HIGH	23 15/16	36 3/8	27 15/16	SASCF29H36-5 <input type="checkbox"/>	1,288	1,516
NOTE: Top ordered separately for 29 high storage cabinets. Top required.						
					laminate 1	veneer 1
TOP 	24 1/16	30 1/2	1 3/16	SALFT2430- <input type="checkbox"/>	564	664
	24 1/16	36 1/2	1 3/16	SALFT2436- <input type="checkbox"/>	589	693
	24 1/16	60 7/8	1 3/16	SALFT2460- <input type="checkbox"/>	786	925
	24 1/16	72 7/8	1 3/16	SALFT2472- <input type="checkbox"/>	853	1,003
	24 1/16	91 1/4	1 3/16	SALFT2490- <input type="checkbox"/>	983	1,155
	24 1/16	109 1/4	1 3/16	SALFT24108- <input type="checkbox"/>	1,196	1,405

PRODUCT INFO

1 adjustable shelf behind doors

All units have an unfinished back

Doors do not lock

NOTE: Top required for 24 and 29 high lateral files only.

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH / LAMINATE

TOP UV FINISH  
(wood tops only)

Note: ☐ Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer  
L= Laminate


See inside front cover for required option codes

Example


SASCF29H30-5W.SC701.FF		
SASCF29H30-5W	SC701	FF
MODEL NUMBER + TYPE	FINISH	TOP UV FINISH

## WALL MOUNT CABINETS


Wall mount storage can be broken into 2 zones - 1) Overhead Zone and 2) Tack Zone




### Overhead Zone 13 High



Hinged Door



Sliding Door




Wood Walls  
Track Bottom


### 26 High



Hinged Door




Sliding Door




Wood Walls  
Track Bottom and Center

### Tack Zone

#### 19 High



Tackboard




Whiteboard


#### 26 High




Tackboard



Whiteboard



Wood Walls  
Track Center




Combination - ordered separately  
7 High Wood Wall - Track Bottom  
19 High Tackboard or Whiteboard

### Shelving (ordered separately)




Aluminum

STORAGE HEIGHT




STORAGE HEIGHT




NOTE: Add 5" to Tack Zone height when using Low Height Layers Credenzas


EXAMPLE CONFIGURATIONS




A. SAWMC13H72-WW  
B. SATKW19H72  
C. SABKN68H30-W



A. SAWMW13H72-W  
B. SATKW19H72  
C. SABKN68H30-W  
D. SAASF1272-A




A. SAWMC26H72-WW  
B. SABKN68H30-W




A. SAWMW26H72-W  
B. SABKN68H30-W  
C. SAASF1272-A (Qty 2)


## EXAMPLE CONFIGURATIONS




- A. SAWMC13H72-WW
- B. SATKW19H72
- C. SATWD7H72-X
- D. SABKN68H30-W
- E. SAASF1272-A



- A. SAWMW13H72-W
- B. SATKW19H72
- C. SATWD7H72-X
- D. SABKN68H30-W
- E. SAASF1272-A (Qty 2)



- A. SATWD26H72-X
- B. SABKN68H30-W
- C. SAASF1272-A



- A. SAWMW26H72-W
- B. SATWD26H72-X
- C. SABKN81H30-W
- D. SAASF1272-A (Qty 3)





WALL MOUNT HINGED DOOR CABINETS
13 high

SILEA
01/16

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. It lists specifications for wall mount hinged door cabinets with 13 high doors, including widths from 30 to 108 inches and corresponding model numbers like SAWMC13H30, SAWMC13H36, etc.

PRODUCT INFO

Door widths:
30" = (2) 15" doors
36" = (2) 18" doors
60" = (4) 15" doors
72" = (4) 18" doors
90" = (6) 15" doors
108" = (6) 18" doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

Form fields for specifying model number + type, finish, locks, and keying.

Note: [ ] Type must be specified as part of model number.

Type
PP = Painted Cabinet, Painted Doors
WW = Wood Veneer Cabinet, Wood Veneer Doors


See inside front cover for required option codes

Example

SAWMC13H30-WW.SC701.LY.RMS
SAWMC13H30-WW SC701 LY RMS
MODEL NUMBER + TYPE FINISH LOCKS KEYING


PAINT OR WOOD

LEFT OPEN, DOORS RIGHT



D	W	H	model number + type	paint	veneer 1
14 <sup>3</sup> / <sub>4</sub>	60	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H60L- <input type="text"/>	2,438	2,870
14 <sup>3</sup> / <sub>4</sub>	66	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H66L- <input type="text"/>	2,609	3,068
14 <sup>3</sup> / <sub>4</sub>	72	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H72L- <input type="text"/>	2,755	3,240
14 <sup>3</sup> / <sub>4</sub>	78	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H78L- <input type="text"/>	2,902	3,143
14 <sup>3</sup> / <sub>4</sub>	84	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H84L- <input type="text"/>	3,049	3,585
14 <sup>3</sup> / <sub>4</sub>	90	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H90L- <input type="text"/>	3,412	4,016
14 <sup>3</sup> / <sub>4</sub>	96	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H96L- <input type="text"/>	3,536	4,158
14 <sup>3</sup> / <sub>4</sub>	102	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H102L- <input type="text"/>	3,658	4,303
14 <sup>3</sup> / <sub>4</sub>	108	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H108L- <input type="text"/>	3,778	4,445

RIGHT OPEN, DOORS LEFT



14 <sup>3</sup> / <sub>4</sub>	60	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H60R- <input type="text"/>	2,438	2,870
14 <sup>3</sup> / <sub>4</sub>	66	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H66R- <input type="text"/>	2,609	3,068
14 <sup>3</sup> / <sub>4</sub>	72	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H72R- <input type="text"/>	2,755	3,240
14 <sup>3</sup> / <sub>4</sub>	78	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H78R- <input type="text"/>	2,902	4,439
14 <sup>3</sup> / <sub>4</sub>	84	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H84R- <input type="text"/>	3,049	3,585
14 <sup>3</sup> / <sub>4</sub>	90	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H90R- <input type="text"/>	3,412	4,016
14 <sup>3</sup> / <sub>4</sub>	96	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H96R- <input type="text"/>	3,166	4,158
14 <sup>3</sup> / <sub>4</sub>	102	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H102R- <input type="text"/>	3,658	4,303
14 <sup>3</sup> / <sub>4</sub>	108	13 <sup>11</sup> / <sub>16</sub>	SAWMC13H108R- <input type="text"/>	3,778	4,445

PRODUCT INFO

Opening dimensions:  
60" = 30" doors, 30" opening  
66" = 30" doors, 36" opening  
72" = 36" doors, 36" opening  
84" = 60" doors, 24" opening  
90" = 60" doors, 30" opening  
96" = 72" doors, 24" opening  
102" = 72" doors, 30" opening  
108" = 72" doors, 36" opening

TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .  .   
MODEL NUMBER + TYPE      FINISH      LOCKS      KEYING

Note:  Type must be specified as part of model number.

Type

PP = Painted Cabinet, Painted Doors

WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

Example


SAWMC13H60L-WW.SC701.LY.RMS

SAWMC13H60L-WW      SC701      LY      RMS  
MODEL NUMBER + TYPE      FINISH      LOCKS      KEYING

WALL MOUNT HINGED DOOR CABINETS

13 high - glass doors

SILEA  
01/16

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
	14 3/4	30	13 11/16	SAWMC13H30-[ ]	1,842	2,165
	14 3/4	36	13 11/16	SAWMC13H36-[ ]	1,992	2,344
	14 3/4	60	13 11/16	SAWMC13H60-[ ]	2,940	3,458
	14 3/4	72	13 11/16	SAWMC13H72-[ ]	3,322	3,907
	14 3/4	90	13 11/16	SAWMC13H90-[ ]	4,116	4,841
	14 3/4	108	13 11/16	SAWMC13H108-[ ]	4,556	5,360

PRODUCT INFO

Door widths:  
30" = (2) 15" doors  
36" = (2) 18" doors  
60" = (4) 15" doors  
72" = (4) 18" doors  
90" = (6) 15" doors  
108" = (6) 18" doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPEFINISHTYPEGLASS COLOR

Note: [ ]Type must be specified as part of model number.


Type  
PG = Painted Cabinet, Back Painted Glass Doors  
WG = Wood Veneer Cabinet, Back Painted Glass Doors

See inside front cover for required option codes

Example

SAWMC13H30-WG.SC701.WH  
SAWMC13H30-WGSC701WH  
MODEL NUMBER + TYPEFINISHTYPEGLASS COLOR

## PAINT OR WOOD



SLIDING DOOR  
↔

D	W	H	model number + type	paint	veneer 1
16 <sup>3</sup> / <sub>16</sub>	60	13 <sup>11</sup> / <sub>16</sub>	<b>SAWMC13H60-</b> <input type="text"/>	2,438	2,870
16 <sup>3</sup> / <sub>16</sub>	72	13 <sup>11</sup> / <sub>16</sub>	<b>SAWMC13H72-</b> <input type="text"/>	2,755	3,240
16 <sup>3</sup> / <sub>16</sub>	90	13 <sup>11</sup> / <sub>16</sub>	<b>SAWMC13H90-</b> <input type="text"/>	3,412	4,016
16 <sup>3</sup> / <sub>16</sub>	108	13 <sup>11</sup> / <sub>16</sub>	<b>SAWMC13H108-</b> <input type="text"/>	3,778	4,445

## PRODUCT INFO

Door widths:  
60" = (1) 30" door  
72" = (1) 36" door  
90" = (2) 30" doors  
108" = (2) 36" doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

**MODEL NUMBER + TYPE**      **FINISH**

Note:  Type must be specified as part of model number.

Type

**PSP = Painted Cabinet, Painted Sliding Doors**

**WSW = Wood Veneer Cabinet, Wood Veneer Sliding Doors**

See inside front cover for required option codes

### Example

SAWMC13H60-WSW.SC701

SAWMC13H60-WSW

MODEL NUMBER + TYPE


SC701

FINISH

WALL MOUNT SLIDING DOOR CABINETS

13 high - glass doors

SILEA  
01/16

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
	16 3/16	60	13 11/16	SAWMC13H60- <input type="text"/>	2,877	3,385
	16 3/16	72	13 11/16	SAWMC13H72- <input type="text"/>	3,251	3,826
	16 3/16	90	13 11/16	SAWMC13H90- <input type="text"/>	4,027	4,739
	16 3/16	108	13 11/16	SAWMC13H108- <input type="text"/>	4,461	5,247

PRODUCT INFO

Door widths:  
60" = (1) 30" door  
72" = (1) 36" door  
90" = (2) 30" doors  
108" = (2) 36" doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

GLASS COLOR

Note: Type must be specified as part of model number.


Type  
PSG = Painted Cabinet, Back Painted Glass Sliding Doors  
WSG = Wood Veneer Cabinet, Back Painted Glass Sliding Doors

See inside front cover for required option codes

Example

SAWMC13H60-WSG.SC701.WH  
SAWMC13H60-WSG SC701 WH  
MODEL NUMBER + TYPE FINISH GLASS COLOR

## PAINT OR WOOD



D	W	H	model number + type	paint	veneer 1
14 <sup>3</sup> / <sub>4</sub>	30	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H30-</b> <input type="text"/>	2,029	2,388
14 <sup>3</sup> / <sub>4</sub>	36	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H36-</b> <input type="text"/>	2,194	2,583
14 <sup>3</sup> / <sub>4</sub>	60	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H60-</b> <input type="text"/>	3,238	3,809
14 <sup>3</sup> / <sub>4</sub>	72	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H72-</b> <input type="text"/>	3,660	4,305
14 <sup>3</sup> / <sub>4</sub>	90	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H90-</b> <input type="text"/>	4,532	5,333

## PRODUCT INFO

Door widths:  
 30" = (2) 15" doors  
 36" = (2) 18" doors  
 60" = (4) 15" doors  
 72" = (4) 18" doors  
 90" = (6) 15" doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .  .   
**MODEL NUMBER + TYPE      FINISH      LOCKS      KEYING**

Note:  Type must be specified as part of model number.

Type

**PP = Painted Cabinet, Painted Doors**

**WW = Wood Veneer Cabinet, Wood Veneer Doors**

See inside front cover for required option codes

### Example

SAWMC26H30-WW.SC701.LY.RMS

SAWMC26H30-WW	SC701	LY	RMS
MODEL NUMBER + TYPE	FINISH	LOCKS	KEYING

WALL MOUNT HINGED DOOR CABINETS
26 high

SILEA
01/16

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. Section: LEFT OPEN, DOORS RIGHT. Includes a diagram of a cabinet with doors on the right.

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. Section: RIGHT OPEN, DOORS LEFT. Includes a diagram of a cabinet with doors on the left.

PRODUCT INFO

Opening dimensions:
60" = 30" doors, 30" opening
66" = 30" doors, 36" opening
72" = 36" doors, 36" opening
84" = 60" doors, 24" opening
90" = 60" doors, 30" opening

TO ORDER PLEASE SPECIFY THE FOLLOWING:

Form fields for MODEL NUMBER + TYPE, FINISH, LOCKS, and KEYING.

Note: [ ] Type must be specified as part of model number.

Type
PP = Painted Cabinet, Painted Doors
WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

Example


SAWMC26H60L-WW.SC701.LY.RMS
SAWMC26H60L-WW SC701 LY RMS
MODEL NUMBER + TYPE FINISH LOCKS KEYING



# WALL MOUNT HINGED DOOR CABINETS

26 high - glass doors

## PAINT OR WOOD



D	W	H	model number + type	paint	veneer 1
14 <sup>3</sup> / <sub>4</sub>	30	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H30-</b> <input type="text"/>	2,394	2,816
14 <sup>3</sup> / <sub>4</sub>	36	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H36-</b> <input type="text"/>	2,590	3,048
14 <sup>3</sup> / <sub>4</sub>	60	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H60-</b> <input type="text"/>	3,822	4,496
14 <sup>3</sup> / <sub>4</sub>	72	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H72-</b> <input type="text"/>	4,319	5,080
14 <sup>3</sup> / <sub>4</sub>	90	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H90-</b> <input type="text"/>	5,351	6,294

## PRODUCT INFO

Door widths:  
30" = (2) 15" doors  
36" = (2) 18" doors  
60" = (4) 15" doors  
72" = (4) 18" doors  
90" = (6) 15" doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .   
MODEL NUMBER + TYPE      FINISH      GLASS COLOR

Note:  Type must be specified as part of model number.

### Type

**PG = Painted Cabinet, Back Painted Glass Doors**

**WG = Wood Veneer Cabinet, Back Painted Glass Doors**

See inside front cover for required option codes

### Example


SAWMC26H30-WG.SC701.WH

SAWMC26H30-WG	SC701	WH
MODEL NUMBER + TYPE	FINISH	GLASS COLOR

WALL MOUNT SLIDING DOOR CABINETS

26 high

SILEA  
01/16

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
	16 <sup>3</sup> / <sub>16</sub>	60	26 <sup>5</sup> / <sub>8</sub>	SAWMC26H60-[ ]	3,170	3,729
	16 <sup>3</sup> / <sub>16</sub>	72	26 <sup>5</sup> / <sub>8</sub>	SAWMC26H72-[ ]	3,581	4,214
	16 <sup>3</sup> / <sub>16</sub>	90	26 <sup>5</sup> / <sub>8</sub>	SAWMC26H90-[ ]	4,437	5,220

PRODUCT INFO

Door widths:  
60" = (1) 30" door  
72" = (1) 36" door  
90" = (2) 30" doors

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE      FINISH

Note: [ ] Type must be specified as part of model number.


Type  
PSP = Painted Cabinet, Painted Sliding Doors  
WSW = Wood Veneer Cabinet, Wood Veneer Sliding Doors

See inside front cover for required option codes

Example

SAWMC26H60-WSW.SC701  
SAWMC26H60-WSW      SC701  
MODEL NUMBER + TYPE      FINISH

## PAINT OR WOOD



SLIDING DOOR  
← →

D	W	H	model number + type	paint	veneer 1
16 <sup>3</sup> / <sub>16</sub>	60	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H60-</b> <input type="text"/>	3,741	4,400
16 <sup>3</sup> / <sub>16</sub>	72	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H72-</b> <input type="text"/>	4,227	4,972
16 <sup>3</sup> / <sub>16</sub>	90	26 <sup>5</sup> / <sub>8</sub>	<b>SAWMC26H90-</b> <input type="text"/>	5,238	6,159

## PRODUCT INFO

Door widths:  
60" = (1) 30" door  
72" = (1) 36" door  
90" = (2) 30" doors

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .   
**MODEL NUMBER + TYPE**      **FINISH**      **GLASS COLOR**

Note:  Type must be specified as part of model number.

Type

**PSG = Painted Cabinet, Back Painted Glass Sliding Doors**

**WSG = Wood Veneer Cabinet, Back Painted Glass Sliding Doors**

See inside front cover for required option codes

### Example

SAWMC26H60-WSG.SC701.WH

SAWMC26H60-WSG	SC701	WH
MODEL NUMBER + TYPE	FINISH	GLASS COLOR

WALL MOUNT WALLS
13 high - track bottom

SILEA
01/16

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. It lists various wall mount models (SAWMW13H30 to SAWMW13H108) with their dimensions and pricing.

PRODUCT INFO

Shelving can be mounted to bottom aluminum track
Shelving ordered separately
See page 170 for clip-in shelving

TO ORDER PLEASE SPECIFY THE FOLLOWING:

Form fields for MODEL NUMBER + TYPE and FINISH.

Note: [ ] Type must be specified as part of model number.

Type
P = Paint
W = Wood Veneer

See inside front cover for required option codes

Example

SAWMW13H30-W.SC701
SAWMW13H30-W SC701
MODEL NUMBER + TYPE FINISH

**PAINT OR WOOD**



D	W	H	model number + type	paint	veneer 1
$\frac{3}{4}$	30	$26 \frac{5}{8}$	<b>SAWMW26H30-</b> <input type="text"/>	708	832
$\frac{3}{4}$	36	$26 \frac{5}{8}$	<b>SAWMW26H36-</b> <input type="text"/>	766	899
$\frac{3}{4}$	60	$26 \frac{5}{8}$	<b>SAWMW26H60-</b> <input type="text"/>	1,103	1,300
$\frac{3}{4}$	66	$26 \frac{5}{8}$	<b>SAWMW26H66-</b> <input type="text"/>	1,180	1,391
$\frac{3}{4}$	72	$26 \frac{5}{8}$	<b>SAWMW26H72-</b> <input type="text"/>	1,248	1,468
$\frac{3}{4}$	78	$26 \frac{5}{8}$	<b>SAWMW26H78-</b> <input type="text"/>	1,315	1,103
$\frac{3}{4}$	84	$26 \frac{5}{8}$	<b>SAWMW26H84-</b> <input type="text"/>	1,381	1,623
$\frac{3}{4}$	90	$26 \frac{5}{8}$	<b>SAWMW26H90-</b> <input type="text"/>	1,548	1,818

**PRODUCT INFO**

Shelving can be mounted to bottom and center aluminum track

Shelving ordered separately

See page 170 for clip-in shelving

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

.   
**MODEL NUMBER + TYPE      FINISH**

Note:  Type must be specified as part of model number.

Type  
P = Paint  
W = Wood Veneer





See inside front cover for required option codes

**Example**

SAWMW26H30-W.SC701  
SAWMW26H30-W      SC701  
MODEL NUMBER + TYPE      FINISH

SHELVING FOR WALL MOUNT WALLS
aluminum

SILEA
01/16

ALUMINUM	D	W	H	model number	aluminum
8 1/2" DEPTH   SIDE VIEW 	8 1/2	30	3/4	SAASF830-A	454
	8 1/2	36	3/4	SAASF836-A	491
	8 1/2	60	3/4	SAASF860-A	709
	8 1/2	72	3/4	SAASF872-A	801
	8 1/2	90	3/4	SAASF890-A	992
	8 1/2	108	3/4	SAASF8108-A	1,099
12 1/2" DEPTH   SIDE VIEW 	12 1/2	30	3/4	SAASF1230-A	535
	12 1/2	36	3/4	SAASF1236-A	578
	12 1/2	60	3/4	SAASF1260-A	834
	12 1/2	66	3/4	SAASF1266-A	892
	12 1/2	72	3/4	SAASF1272-A	962
	12 1/2	78	3/4	SAASF1278-A	1,014
	12 1/2	84	3/4	SAASF1284-A	1,066
	12 1/2	90	3/4	SAASF1290-A	1,167
	12 1/2	96	3/4	SAASF1296-A	1,208
	12 1/2	102	3/4	SAASF12102-A	1,250
	12 1/2	108	3/4	SAASF12108-A	1,320
	12 1/2	120	3/4	SAASF12120-A	1,670
	12 1/2	132	3/4	SAASF12132-A	1,785
	12 1/2	144	3/4	SAASF12144-A	1,926

PRODUCT INFO

Shelf clips into wood/paint walls with track.

Aluminum shelf is anodized aluminum

84, 90, 96, 102, 108, 120, 132, 144 widths are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

SAASF830-A
SAASF830-A
MODEL NUMBER

\*WHEN PLACING MULTIPLE SHELVES END TO END PLEASE CONTACT GUNTS FOR A SPECIAL SET WITH A DOWEL PIN FOR ALIGNMENT SHELF TO SHELF.

# WALL MOUNT TACKBOARDS IN "TACKZONE"

19 high  
for 29 high credenzas

## TACKBOARD

### 19 HIGH



	D	W	H	yards	model number	fabric grades COM / 1 2 3 4			
$\frac{7}{8}$	30	19	1.25		<b>SATKW19H30</b>	502	517	533	549
$\frac{7}{8}$	36	19	1.25		<b>SATKW19H36</b>	527	546	566	586
$\frac{7}{8}$	60	19	2.00		<b>SATKW19H60</b>	612	642	674	706
$\frac{7}{8}$	66	19	2.25		<b>SATKW19H66</b>	623	653	685	717
$\frac{7}{8}$	72	19	2.50		<b>SATKW19H72</b>	647	681	717	753
$\frac{7}{8}$	78	19	2.50		<b>SATKW19H78</b>	666	704	744	784
$\frac{7}{8}$	84	19	2.75		<b>SATKW19H84</b>	685	723	763	803
$\frac{7}{8}$	90	19	3.00		<b>SATKW19H90</b>	715	756	800	844
$\frac{7}{8}$	96	19	3.00		<b>SATKW19H96</b>	746	791	839	887
$\frac{7}{8}$	102	19	3.50		<b>SATKW19H102</b>	1,027	1,076	1,128	1,180
$\frac{7}{8}$	108	19	4.00		<b>SATKW19H108</b>	1,063	1,116	1,172	1,228

NOTE: See pages 204-207 for fabric grade pricing

## PRODUCT INFO

See yards listed above for  
COM fabric requirement

102 and 108 wide  
tackboards are 2-piece

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

.  .   
**MODEL NUMBER      FABRIC      FSC TACKBOARDS**

### COM FABRIC REQUIREMENT

All COM must be shipped prepaid to  
Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

### FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)  
NR = FSC Not Required

See inside front cover for required option codes

## Example

SATKW19H30.FABRIC

SATKW19H30

MODEL NUMBER


FABRIC

FABRIC

WALL MOUNT TACKBOARDS IN “TACKZONE”

26 high  
for 29 high credenzas

SILEA  
01/16

TACKBOARD	D	W	H	yards	model number	fabric grades			
						COM / 1	2	3	4
<div>26 HIGH</div> <div></div>	7/8	30	25 5/16	1.25	SATKW26H30	527	542	558	574
	7/8	36	25 5/16	1.25	SATKW26H36	552	571	591	611
	7/8	60	25 5/16	2.00	SATKW26H60	643	673	705	737
	7/8	66	25 5/16	2.25	SATKW26H66	654	684	716	748
	7/8	72	25 5/16	2.50	SATKW26H72	680	714	750	786
	7/8	78	25 5/16	2.50	SATKW26H78	699	737	777	817
	7/8	84	25 5/16	2.75	SATKW26H84	718	756	796	836
	7/8	90	25 5/16	3.00	SATKW26H90	750	791	835	879
	7/8	96	25 5/16	3.00	SATKW26H96	782	827	875	923
	7/8	102	25 5/16	3.50	SATKW26H102	1,078	1,127	1,179	1,231
	7/8	108	25 5/16	4.00	SATKW26H108	1,117	1,170	1,226	1,282

NOTE: See pages 204-207 for fabric grade pricing

PRODUCT INFO

See yards listed above for  
COM fabric requirement

102 and 108 wide  
tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFABRICFSC TACKBOARDS

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to  
Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)  
NR = FSC Not Required

See inside front cover for required option codes

Example

SATKW26H30.FABRIC


SATKW26H30FABRIC

MODEL NUMBERFABRIC



WALL MOUNT GLASS WHITEBOARDS IN “TACKZONE”

19 high  
for 29 high credenzas

WHITE BACK PAINTED GLASS	D	W	H	model number	glass
19 HIGH					
 WHITEBOARDS ARE MAGNETIZED	$\frac{3}{4}$	24	19	SATGW19H24	714
	$\frac{3}{4}$	30	19	SATGW19H30	758
	$\frac{3}{4}$	36	19	SATGW19H36	918
	$\frac{3}{4}$	60	19	SATGW19H60	1,457
	$\frac{3}{4}$	66	19	SATGW19H66	1,678
	$\frac{3}{4}$	72	19	SATGW19H72	1,836
	$\frac{3}{4}$	84	19	SATGW19H84	2,231
	$\frac{3}{4}$	90	19	SATGW19H90	2,279
	$\frac{3}{4}$	96	19	SATGW19H96	2,547
	$\frac{3}{4}$	102	19	SATGW19H102	2,597
	$\frac{3}{4}$	108	19	SATGW19H108	2,754

Note: Quantity 6 magnets included with each whiteboard 72" W and less. Quantity 12 magnets included with each whiteboard 84"W and greater. Magnets can also be ordered separately on page 198.

PRODUCT INFO

Glass whiteboards are all segmented

Segments match doors in overhead cabinets

24, 30, 36, 60 = 1 piece  
66 = 30 + 36  
72 = 36 + 36  
84 = 30 + 30 + 24  
90 = 30 + 30 + 30  
96 = 36 + 36 + 24  
102 = 36 + 36 + 30  
108 = 36 + 36 + 36

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Available in Ice White (WH) color only

NOTE: add -GSA to end of model number for GSA (TAA) compliance.  
Ex. SATGW19H24-GSA


See inside front cover for required option codes

Example

SATGW19H30  
SATGW19H30  
MODEL NUMBER

WALL MOUNT GLASS WHITEBOARDS IN “TACKZONE”  
26 high  
for 29 high credenzas

SILEA  
01/16

WHITE BACK PAINTED GLASS	D	W	H	model number	glass
26 HIGH					
 WHITEBOARDS ARE MAGNETIZED	$\frac{3}{4}$	24	25 $\frac{5}{16}$	SATGW26H24	829
	$\frac{3}{4}$	30	25 $\frac{5}{16}$	SATGW26H30	956
	$\frac{3}{4}$	36	25 $\frac{5}{16}$	SATGW26H36	1,088
	$\frac{3}{4}$	60	25 $\frac{5}{16}$	SATGW26H60	1,783
	$\frac{3}{4}$	66	25 $\frac{5}{16}$	SATGW26H66	2,040
	$\frac{3}{4}$	72	25 $\frac{5}{16}$	SATGW26H72	2,174
	$\frac{3}{4}$	84	25 $\frac{5}{16}$	SATGW26H84	2,738
	$\frac{3}{4}$	90	25 $\frac{5}{16}$	SATGW26H90	2,864
	$\frac{3}{4}$	102	25 $\frac{5}{16}$	SATGW26H102	3,129
	$\frac{3}{4}$	108	25 $\frac{5}{16}$	SATGW26H108	3,262

Note: Quantity 6 magnets included with each whiteboard 72" W and less. Quantity 12 magnets included with each whiteboard 84"W and greater. Magnets can also be ordered separately on page 198.

PRODUCT INFO

Glass whiteboards are all segmented

Segments match doors in overhead cabinets

24, 30, 36, 60 = 1 piece  
66 = 30 + 36  
72 = 36 + 36  
84 = 30 + 30 + 24  
90 = 30 + 30 + 30  
96 = 36 + 36 + 24  
102 = 36 + 36 + 30  
108 = 36 + 36 + 36

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Available in Ice White (WH) color only

NOTE: add -GSA to end of model number for GSA (TAA) compliance.  
Ex. SATGW19H24-GSA


See inside front cover for required option codes

Example

SATGW26H30  
SATGW26H30  
MODEL NUMBER

WALL MOUNT PAINTED WALLS IN “TACKZONE”

26 high - track center  
for 29 high credenzas

PAINT	D	W	H	model number	paint
26 HIGH					
	$\frac{3}{4}$	30	$25 \frac{5}{16}$	SATWD26H30-XP	632
	$\frac{3}{4}$	36	$25 \frac{5}{16}$	SATWD26H36-XP	686
	$\frac{3}{4}$	60	$25 \frac{5}{16}$	SATWD26H60-XP	989
	$\frac{3}{4}$	66	$25 \frac{5}{16}$	SATWD26H66-XP	1,057
	$\frac{3}{4}$	72	$25 \frac{5}{16}$	SATWD26H72-XP	1,118
	$\frac{3}{4}$	78	$25 \frac{5}{16}$	SATWD26H78-XP	1,177
	$\frac{3}{4}$	84	$25 \frac{5}{16}$	SATWD26H84-XP	1,236
	$\frac{3}{4}$	90	$25 \frac{5}{16}$	SATWD26H90-XP	1,384
	$\frac{3}{4}$	96	$25 \frac{5}{16}$	SATWD26H96-XP	1,434
	$\frac{3}{4}$	102	$25 \frac{5}{16}$	SATWD26H102-XP	1,482
	$\frac{3}{4}$	108	$25 \frac{5}{16}$	SATWD26H108-XP	1,532

PRODUCT INFO

Shelving can be mounted to  
center aluminum track

Shelving ordered separately

See page 170 for clip-in  
shelving

TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	.	<input type="text"/>
MODEL NUMBER		FINISH

See inside front cover for required option codes


Example

SATWD26H30-XP.WPSW	
SATWD26H30-XP	WPSW
MODEL NUMBER	FINISH

WALL MOUNT WOOD WALLS IN “TACKZONE”

SILEA  
01/16

26 high - track center  
for 29 high credenzas

WOOD	D	W	H	model number	veneer 1
<b>26 HIGH</b> 	$\frac{3}{4}$	30	$25 \frac{5}{16}$	<b>SATWD26H30-X</b>	746
	$\frac{3}{4}$	36	$25 \frac{5}{16}$	<b>SATWD26H36-X</b>	805
	$\frac{3}{4}$	60	$25 \frac{5}{16}$	<b>SATWD26H60-X</b>	1,163
	$\frac{3}{4}$	66	$25 \frac{5}{16}$	<b>SATWD26H66-X</b>	1,244
	$\frac{3}{4}$	72	$25 \frac{5}{16}$	<b>SATWD26H72-X</b>	1,315
	$\frac{3}{4}$	78	$25 \frac{5}{16}$	<b>SATWD26H78-X</b>	1,385
	$\frac{3}{4}$	84	$25 \frac{5}{16}$	<b>SATWD26H84-X</b>	1,454
	$\frac{3}{4}$	90	$25 \frac{5}{16}$	<b>SATWD26H90-X</b>	1,627
	$\frac{3}{4}$	96	$25 \frac{5}{16}$	<b>SATWD26H96-X</b>	1,685
	$\frac{3}{4}$	102	$25 \frac{5}{16}$	<b>SATWD26H102-X</b>	1,745
	$\frac{3}{4}$	108	$25 \frac{5}{16}$	<b>SATWD26H108-X</b>	1,803

PRODUCT INFO

Shelving can be mounted to  
center aluminum track

Shelving ordered separately

See page 170 for clip-in  
shelving

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes


Example

SATWD26H30-X.SC701

SATWD26H30-XSC701

MODEL NUMBERFINISH

CUBBY WALL MOUNT PAINTED WALLS IN “TACKZONE”  
7 high - track bottom

PAINT	D	W	H	model number	paint
7 HIGH					
	$\frac{3}{4}$	30	$6 \frac{5}{16}$	<b>SATWD7H30-XP</b>	507
	$\frac{3}{4}$	36	$6 \frac{5}{16}$	<b>SATWD7H36-XP</b>	547
	$\frac{3}{4}$	60	$6 \frac{5}{16}$	<b>SATWD7H60-XP</b>	789
	$\frac{3}{4}$	66	$6 \frac{5}{16}$	<b>SATWD7H66-XP</b>	847
	$\frac{3}{4}$	72	$6 \frac{5}{16}$	<b>SATWD7H72-XP</b>	894
	$\frac{3}{4}$	78	$6 \frac{5}{16}$	<b>SATWD7H78-XP</b>	942
	$\frac{3}{4}$	84	$6 \frac{5}{16}$	<b>SATWD7H84-XP</b>	989
	$\frac{3}{4}$	90	$6 \frac{5}{16}$	<b>SATWD7H90-XP</b>	1,107
	$\frac{3}{4}$	96	$6 \frac{5}{16}$	<b>SATWD7H96-XP</b>	1,146
	$\frac{3}{4}$	102	$6 \frac{5}{16}$	<b>SATWD7H102-XP</b>	1,186
	$\frac{3}{4}$	108	$6 \frac{5}{16}$	<b>SATWD7H108-XP</b>	1,227

PRODUCT INFO

To be used in combination  
with 19 high / 24 high wall  
mount tackboards or 19 high  
/ 24 high glass whiteboards

Shelving can be mounted to  
bottom aluminum track

Shelving ordered separately

See page 170 for clip-in  
shelving

TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	.	<input type="text"/>
MODEL NUMBER		FINISH

See inside front cover for required option codes


Example

SATWD7H30-XP.WPSW	
SATWD7H30-XP	WPSW
MODEL NUMBER	FINISH

CUBBY WALL MOUNT WOOD WALLS IN “TACKZONE”

7 high - track bottom

SILEA  
01/16

WOOD	D	W	H	model number	veneer 1
7 HIGH					
	3/4	30	6 5/16	SATWD7H30-X	595
	3/4	36	6 5/16	SATWD7H36-X	645
	3/4	60	6 5/16	SATWD7H60-X	930
	3/4	66	6 5/16	SATWD7H66-X	995
	3/4	72	6 5/16	SATWD7H72-X	1,051
	3/4	78	6 5/16	SATWD7H78-X	1,107
	3/4	84	6 5/16	SATWD7H84-X	1,163
	3/4	90	6 5/16	SATWD7H90-X	1,302
	3/4	96	6 5/16	SATWD7H96-X	1,349
	3/4	102	6 5/16	SATWD7H102-X	1,396
	3/4	108	6 5/16	SATWD7H108-X	1,442

PRODUCT INFO

To be used in combination with 19 high / 24 high wall mount tackboards or 19 high / 24 high glass whiteboards

Shelving can be mounted to bottom aluminum track

Shelving ordered separately

See page 170 for clip-in shelving

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFINISH

See inside front cover for required option codes

Example


SATWD7H30-X.SC701

SATWD7H30-XSC701

MODEL NUMBERFINISH

# LAYERS WALL MOUNT TACKBOARDS IN "TACKZONE"

18 high and 24 high  
for 24 high credenzas

TACKBOARD	D	W	H	yards	model number	fabric grades			
						COM / 1	2	3	4
<b>24 HIGH</b> 	7/8	30	24	1.25	<b>SATLKW24H30</b>	527	542	558	574
	7/8	36	24	1.25	<b>SATLKW24H36</b>	552	571	591	611
	7/8	60	24	2.00	<b>SATLKW24H60</b>	643	673	705	737
	7/8	66	24	2.25	<b>SATLKW24H66</b>	654	684	716	748
	7/8	72	24	2.50	<b>SATLKW24H72</b>	680	714	750	786
	7/8	78	24	-	<b>SATLKW24H78</b>	699	737	777	817
	7/8	84	24	2.75	<b>SATLKW24H84</b>	718	756	796	836
	7/8	90	24	3.00	<b>SATLKW24H90</b>	750	791	835	879
	7/8	96	24	3.00	<b>SATLKW24H96</b>	782	827	875	923
	7/8	102	24	3.50	<b>SATLKW24H102</b>	1,078	1,127	1,179	1,231
	7/8	108	24	4.00	<b>SATLKW24H108</b>	1,117	1,170	1,226	1,282

- 24"H layers tackboard is equivalent to 19"H standard tackboard + 5" extended downward to low credenza
- NOTE: See pg. 204-207 for leather and fabric grade pricing.

## PRODUCT INFO

See yards listed above for  
COM fabric requirement

102 and 108 wide  
tackboards are 2-piece

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	<input type="text"/>	<input type="text"/>
MODEL NUMBER	FABRIC	FSC TACKBOARDS

### COM FABRIC REQUIREMENT

All COM must be shipped prepaid to  
Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

### FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)  
NR = FSC Not Required

See inside front cover for required option codes

## Example

SATLKW18H60.FABRIC

SATLKW18H60

MODEL NUMBER


FABRIC

FABRIC

LAYERS WALL MOUNT TACKBOARDS IN “TACKZONE”

SILEA  
01/16

31 high  
for 24 high credenzas

TACKBOARD	D	W	H	yards	model number	fabric grades			
						COM / 1	2	3	4
31 HIGH 	7/8	30	30 5/16	1.25	SATLKW31H30	553	568	584	600
	7/8	36	30 5/16	1.25	SATLKW31H36	580	599	619	639
	7/8	60	30 5/16	2.00	SATLKW31H60	675	705	737	769
	7/8	66	30 5/16	2.25	SATLKW31H66	688	718	750	782
	7/8	72	30 5/16	2.50	SATLKW31H72	716	750	786	822
	7/8	78	30 5/16	-	SATLKW31H78	735	773	813	853
	7/8	84	30 5/16	2.75	SATLKW31H84	753	791	831	871
	7/8	90	30 5/16	3.00	SATLKW31H90	787	828	872	916
	7/8	96	30 5/16	3.00	SATLKW31H96	821	866	914	962
	7/8	102	30 5/16	3.50	SATLKW31H102	1,133	1,182	1,234	1,286
	7/8	108	30 5/16	4.00	SATLKW31H108	1,172	1,225	1,281	1,337

- 31"H layers tackboard is equivalent to 26"H standard tackboard + 5" extended downward to low credenza
- NOTE: See pg. 204-207 for leather and fabric grade pricing.

PRODUCT INFO

See yards listed above for  
COM fabric requirement

102 and 108 wide  
tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFABRICFSC TACKBOARDS

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to  
Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)  
NR = FSC Not Required

See inside front cover for required option codes

Example

SATLKW31H30.FABRIC	
SATLKW31H30	FABRIC
MODEL NUMBER	FABRIC



## LAYERS WALL MOUNT GLASS WHITEBOARDS IN “TACKZONE”

24 high  
for 24 high credenzas

## WHITE BACK PAINTED GLASS

D


W

H

model number

glass

## 24 HIGH

WHITEBOARDS ARE  
MAGNETIZED

$\frac{3}{4}$	30	24	<b>SATLGW24H30-GSA</b>	947
$\frac{3}{4}$	36	24	<b>SATLGW24H36-GSA</b>	1,076
$\frac{3}{4}$	60	24	<b>SATLGW24H60-GSA</b>	1,765
$\frac{3}{4}$	66	24	<b>SATLGW24H66-GSA</b>	2,020
$\frac{3}{4}$	72	24	<b>SATLGW24H72-GSA</b>	2,153
$\frac{3}{4}$	78	24	<b>SATLGW24H78-GSA</b>	2,432
$\frac{3}{4}$	84	24	<b>SATLGW24H84-GSA</b>	2,711
$\frac{3}{4}$	90	24	<b>SATLGW24H90-GSA</b>	2,838
$\frac{3}{4}$	96	24	<b>SATLGW24H96-GSA</b>	2,972
$\frac{3}{4}$	102	24	<b>SATLGW24H102-GSA</b>	3,097
$\frac{3}{4}$	108	24	<b>SATLGW24H108-GSA</b>	3,230

24"H layers whiteboard is equivalent to 19"H standard whiteboard + 5" extended downward to low credenza

Note: Quantity 6 magnets included with each whiteboard 72" W and less. Quantity 12 magnets included with each whiteboard 84"W and greater. Magnets can also be ordered separately on page 198.

## PRODUCT INFO

Glass whiteboards are all segmented

Segments match doors in overhead cabinets

30, 36, 60 = 1 piece  
 66 = 30 + 36  
 72 = 36 + 36  
 84 = 30 + 30 + 24  
 90 = 30 + 30 + 30  
 96 = 36 + 36 + 24  
 102 = 36 + 36 + 30  
 108 = 36 + 36 + 36

## TO ORDER PLEASE SPECIFY THE FOLLOWING:

## MODEL NUMBER

Available in Ice White (WH) color only

NOTE: 24H and 31H layers whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes

## Example


SATLGW24H30-GSA  
 SATLGW24H30-GSA  
 MODEL NUMBER

LAYERS WALL MOUNT GLASS WHITEBOARDS IN “TACKZONE”

SILEA

31 high  
for 24 high credenzas

01/16

WHITE BACK PAINTED GLASS	D	W	H	model number	glass
31 HIGH					
 WHITEBOARDS ARE MAGNETIZED	<sup>3</sup> / <sub>4</sub>	30	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H30-GSA</b>	1,136
	<sup>3</sup> / <sub>4</sub>	36	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H36-GSA</b>	1,292
	<sup>3</sup> / <sub>4</sub>	60	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H60-GSA</b>	2,118
	<sup>3</sup> / <sub>4</sub>	66	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H66-GSA</b>	2,425
	<sup>3</sup> / <sub>4</sub>	72	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H72-GSA</b>	2,583
	<sup>3</sup> / <sub>4</sub>	78	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H78-GSA</b>	2,918
	<sup>3</sup> / <sub>4</sub>	84	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H84-GSA</b>	3,253
	<sup>3</sup> / <sub>4</sub>	90	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H90-GSA</b>	3,404
	<sup>3</sup> / <sub>4</sub>	96	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H96-GSA</b>	3,566
	<sup>3</sup> / <sub>4</sub>	102	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H102-GSA</b>	3,716
	<sup>3</sup> / <sub>4</sub>	108	30 <sup>5</sup> / <sub>16</sub>	<b>SATLGW31H108-GSA</b>	3,876

31"H layers whiteboard is equivalent to 26"H standard whiteboard + 5" extended downward to low credenza

Note: Quantity 6 magnets included with each whiteboard 72" W and less. Quantity 12 magnets included with each whiteboard 84"W and greater. Magnets can also be ordered separately on page 198.

PRODUCT INFO

Glass whiteboards are all segmented

Segments match doors in overhead cabinets

30, 36, 60 = 1 piece  
66 = 30 + 36  
72 = 36 + 36  
84 = 30 + 30 + 24  
90 = 30 + 30 + 30  
96 = 36 + 36 + 24  
102 = 36 + 36 + 30  
108 = 36 + 36 + 36

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

Available in Ice White (WH) color only

NOTE: 24H and 31H layers whiteboards are GSA (TAA) compliant standard.

See inside front cover for required option codes


Example

SATLGW31H30-GSA  
SATLGW31H30-GSA  
MODEL NUMBER


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SURFACE MOUNT CABINETS


Surface mount storage can be broken into 2 zones - 1) Overhead Zone and 2) Tack Zone



Overhead Zone  
39 High




Hinged Door




Sliding Door

52 High




Hinged Door




Sliding Door

Tack Zone  
19 High



Tackboard




Whiteboard


26 High




Tackboard



Whiteboard



OVERHEAD ZONE = 39H  
TACK ZONE = 26H




OVERHEAD ZONE = 52H  
TACK ZONE = 26H

SURFACE MOUNT HINGED DOOR CABINETS

39 high

SILEA  
01/16

PAINT OR WOOD	D	W	H	model number + type	paint	veneer 1
	14 3/4	59 7/8	39	SASMC39H60- <input type="text"/>	2,810	3,305
	14 3/4	71 7/8	39	SASMC39H72- <input type="text"/>	3,264	3,838
	14 3/4	89 7/8	39	SASMC39H90- <input type="text"/>	4,044	4,758
	14 3/4	107 7/8	39	SASMC39H108- <input type="text"/>	4,875	5,735

PRODUCT INFO

Door widths:  
60" = (4) 15" doors  
72" = (4) 18" doors  
90" = (6) 15" doors  
108" = (6) 18" doors

All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPE

FINISH

LOCKS

KEYING

Note:  Type must be specified as part of model number.


Type  
PP = Painted Cabinet, Painted Doors  
WW = Wood Veneer Cabinet, Wood Veneer Doors

See inside front cover for required option codes

Example

SASMC39H60-WW	SC701	LY	RMS
MODEL NUMBER + TYPE	FINISH	LOCKS	KEYING

**PAINT OR WOOD**



D	W	H	model number + type	paint	veneer 1
14 <sup>3</sup> / <sub>4</sub>	59 <sup>7</sup> / <sub>8</sub>	39	<b>SASMC39H60</b> - <input type="text"/>	3,317	3,901
14 <sup>3</sup> / <sub>4</sub>	71 <sup>7</sup> / <sub>8</sub>	39	<b>SASMC39H72</b> - <input type="text"/>	3,850	4,529
14 <sup>3</sup> / <sub>4</sub>	89 <sup>7</sup> / <sub>8</sub>	39	<b>SASMC39H90</b> - <input type="text"/>	4,770	5,612
14 <sup>3</sup> / <sub>4</sub>	107 <sup>7</sup> / <sub>8</sub>	39	<b>SASMC39H108</b> - <input type="text"/>	5,755	6,769

**PRODUCT INFO**

Door widths:  
60" = (4) 15" doors  
72" = (4) 18" doors  
90" = (6) 15" doors  
108" = (6) 18" doors

All units have an unfinished back

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

.  .   
**MODEL NUMBER + TYPE      FINISH      GLASS COLOR**

Note:  Type must be specified as part of model number.

Type

**PG = Painted Cabinet, Back Painted Glass Doors**

**WG = Wood Veneer Cabinet, Back Painted Glass Doors**

See inside front cover for required option codes

**Example**

SASMC39H60-WG.SC701.WH

SASMC39H60-WG	SC701	WH
MODEL NUMBER + TYPE	FINISH	GLASS COLOR

SURFACE MOUNT HINGED DOOR CABINETS
52 high

SILEA
01/16

Table with 7 columns: PAINT OR WOOD, D, W, H, model number + type, paint, veneer 1. It lists three cabinet models: SASMC52H60, SASMC52H72, and SASMC52H90, each with dimensions and pricing.

PRODUCT INFO

Door widths:
60" = (4) 15" doors
72" = (4) 18" doors
90" = (6) 15" doors
All units have an unfinished back

TO ORDER PLEASE SPECIFY THE FOLLOWING:

Form fields for MODEL NUMBER + TYPE, FINISH, LOCKS, and KEYING.

Note: [ ] Type must be specified as part of model number.

Type
PP = Painted Cabinet, Painted Doors
WW = Wood Veneer Cabinet, Wood Veneer Doors


See inside front cover for required option codes

Example

SASMC52H60-WW.SC701.LY.RMS
SASMC52H60-WW SC701 LY RMS
MODEL NUMBER + TYPE FINISH LOCKS KEYING



**PAINT OR WOOD**



D	W	H	model number + type	paint	veneer 1
14 <sup>3</sup> / <sub>4</sub>	59 <sup>7</sup> / <sub>8</sub>	51 <sup>15</sup> / <sub>16</sub>	<b>SASMC52H60</b> - <input type="text"/>	4,312	5,072
14 <sup>3</sup> / <sub>4</sub>	71 <sup>7</sup> / <sub>8</sub>	51 <sup>15</sup> / <sub>16</sub>	<b>SASMC52H72</b> - <input type="text"/>	5,007	5,889
14 <sup>3</sup> / <sub>4</sub>	89 <sup>7</sup> / <sub>8</sub>	51 <sup>15</sup> / <sub>16</sub>	<b>SASMC52H90</b> - <input type="text"/>	6,203	7,294

**PRODUCT INFO**

Door widths:  
60" = (4) 15" doors  
72" = (4) 18" doors  
90" = (6) 15" doors

All units have an unfinished back

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

.  .   
**MODEL NUMBER + TYPE      FINISH      GLASS COLOR**

Note:  Type must be specified as part of model number.

Type

**PG = Painted Cabinet, Back Painted Glass Doors**

**WG = Wood Veneer Cabinet, Back Painted Glass Doors**

See inside front cover for required option codes

**Example**

SASMC52H60-WG.SC701.WH

SASMC52H60-WG	SC701	WH
MODEL NUMBER + TYPE	FINISH	GLASS COLOR

SURFACE MOUNT TACKBOARDS IN “TACKZONE”


26 high

SILEA  
01/16


TACKBOARD	D	W	H	yards	model number	fabric grades			
						COM / 1	2	3	4
26 HIGH	7/8	58 3/8	25 5/16	2.00	SATKS26H60	643	673	705	737
	7/8	70 3/8	25 5/16	2.50	SATKS26H72	680	714	750	786
	7/8	88 3/8	25 5/16	3.00	SATKS26H90	750	791	835	879
	7/8	106 3/8	25 5/16	4.00	SATKS26H108	1,117	1,170	1,226	1,282



NOTE: See pages 204-207 for fabric grade pricing  
26 high tackboards to be used with 39 high and 52 high surface mount cabinets



OVERHEAD ZONE = 39H  
TACK ZONE = 26H



OVERHEAD ZONE = 52H  
TACK ZONE = 26H

PRODUCT INFO

See yards listed above for  
COM fabric requirement

102 and 108 wide  
tackboards are 2-piece

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBERFABRICFSC TACKBOARDS

COM FABRIC REQUIREMENT

All COM must be shipped prepaid to  
Gunlocke with package side marked with:

- Dealer Name
- Dealer Purchase Order Number
- Gunlocke Pattern Number

FSC Tackboard Options

FSC = FSC Required (5% COM upcharge)  
NR = FSC Not Required


See inside front cover for required option codes

Example

SATKS26H60.FABRIC

SATKS26H60FABRIC

MODEL NUMBERFABRIC

LED TASKLIGHTING	D	W	H	model number	list
LOW PROFILE STRIP					
	<sup>5</sup> / <sub>8</sub>	24	<sup>5</sup> / <sub>8</sub>	<b>SALED24</b>	417
	<sup>5</sup> / <sub>8</sub>	36	<sup>5</sup> / <sub>8</sub>	<b>SALED36</b>	515
	<sup>5</sup> / <sub>8</sub>	48	<sup>5</sup> / <sub>8</sub>	<b>SALED48</b>	606
	<sup>5</sup> / <sub>8</sub>	60	<sup>5</sup> / <sub>8</sub>	<b>SALED60</b>	852
FOR USE WITH ALUMINUM SHELVES					
	<sup>5</sup> / <sub>8</sub>	24	<sup>5</sup> / <sub>8</sub>	<b>SALED24ASF</b>	417
	<sup>5</sup> / <sub>8</sub>	36	<sup>5</sup> / <sub>8</sub>	<b>SALED36ASF</b>	515
	<sup>5</sup> / <sub>8</sub>	48	<sup>5</sup> / <sub>8</sub>	<b>SALED48ASF</b>	606
	<sup>5</sup> / <sub>8</sub>	60	<sup>5</sup> / <sub>8</sub>	<b>SALED60ASF</b>	852

Product specs are listed below:

LED lighting provides high efficiency, low energy lighting with a long life. All LED light strips are encased in a silver aluminum extrusion and include a built-in microswitch to turn the light on/off. Lights are field installed. All units include a 10' cord with a standard plug.

See light specs below for each length:

- 24" LED light includes 36 LED bulbs 2.4W 12V and transformer 6W LED 120V 6W 12VDC
- 36" LED light includes 72 LED bulbs 4.95W 12V and transformer 6W LED 120V 6W 12VDC
- 48" LED light includes 96 LED bulbs 6.6W 12V and transformer 30W max LED 120V 12V
- 60" LED light includes 120 LED bulbs 6.25W 12V and transformer 30W max LED 120V 12V

PRODUCT INFO

See product specs above

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER


See inside front cover for required option codes

Example

SALED24

SALED24

MODEL NUMBER

	D	W	H	model number	list
STANDARD					
	3	24	1	ACLED24	245
	3	36	1	ACLED36	265
	3	48	1	ACLED48	297
	3	60	1	ACLED60	339

**Product specs are listed below:**

LED lighting provides high efficiency, low energy lighting with a long life. All LED lights are encased in a silver aluminum extrusion and include a built-in switch to turn the light on/off. Lights are field installed. All units include a 10’ cord with a standard plug.

- Chicago compliant
- Frosted diffuser creates a softer light & eliminates hot spots
- Rocker switch
- 120V AC with built-in power supply
- Average life of 50,000 hours

Size	Voltage	Wattage (W)	Luminous Flux (Lm)
24” Light	AC 100-240V	9	1150
36” Light	AC 100-240V	12	2100
48” Light	AC 100-240V	16	2760
60” Light	AC 100-240V	21	3060

PRODUCT INFO

See product specs above

TASKLIGHT IS  
OPEN MARKET






TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

ACLED24  
ACLED24  
MODEL NUMBER

ACCESSORIES	D	W	H	model number	list
PAPER TRAY	12	8 1/2	6	SAAT-PAPER	137
					
PDA HOLDER	6	3	6	SAAT-PDA	97
					
Note: Includes black non-slip surface to hold technology equipment on angled surface.					
PENCIL TRAY	5	8	5	SAAT-PNCL	97
					
PLUG HOLDER	1	4	3	SAAT-PLUG	97
					
POWER UNIT	2	4	5	SAAT-POWER	249
					

PRODUCT INFO

To be used with desktop  
trough worksurface

All accessories are anodized  
aluminum

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

SAAT-PAPER  
SAAT-PAPER  
MODEL NUMBER

MONITOR ARMS	D	W	H	model number	list
--------------	---	---	---	--------------	------

SINGLE

FOR USE WITH MONITORS  
WEIGHING 4.5 - 15 LBS




DUAL


FOR USE WITH MONITORS  
WEIGHING 4.5 - 15 LBS

3	3	15	SAAT-ARM250	587
---	---	----	-------------	-----

3	3	15	SAAT-ARM250D	941
---	---	----	--------------	-----



SIDE VIEW  
Vertical Range



TOP VIEW  
Horizontal Range

- CAPABILITIES
- Vertical range . . . . . +/- 5.2" (13.2 cm ) from horizontal
  - Horizontal range . . . . .18.6" (47.2 cm)
  - Rotation . . . . .360° at two joints, 180° from center
  - Monitor tilt . . . . .90° up, 20° down from center
  - Monitor pivot . . . . .Landscape to portrait
  - Monitor compatibility . . VESA®75mm and 100mm
  - Cable management . . . . Cables are clipped beneath arm
  - Mounting options . . . . .Desk Edge, Grommet, Thru-Desk
  - Monitor weight . . . . .4.5 - 15 lbs (2.04 - 6.8 kg)

PRODUCT INFO

See product specs above


TO ORDER PLEASE SPECIFY THE FOLLOWING:


MODEL NUMBER


See inside front cover for required option codes

Example

SAAT-ARM250  
SAAT-ARM250  
MODEL NUMBER

PERSONAL CORNER	D	W	H	model number	list
	12 1/2	36	1 11/16	SACORNER	587



DESKPAD	18	36	1 11/16	SADSKPAD	831
					

PRODUCT INFO


TO ORDER PLEASE SPECIFY THE FOLLOWING:

<input type="text"/>	<input type="text"/>
MODEL NUMBER	LEATHER COLOR
LEATHER COLORS	
Black	CBL
White	CWH
Chocolate	CCH

See inside front cover for required option codes

Example


SACORNER.CBL	
SACORNER	CBL
MODEL NUMBER	LEATHER COLOR

LED DESKTOP LIGHTING	D	W	H	model number	list
	16	7 1/2	14 7/8	ACDSKLG	450


- High energy efficiency LEDs
- Compact, space saving design
- Simple single button touch on/off and dimming controls
- Dimmable from 100%-15%
- Swivel head for directional work surface illumination
- ETL/UL certified
- 40,000+ hour life LEDs (L70 rating)
- 5 year warranty
- Available in Sterling Silver
- 12 W transformer included:  
24 V, 0.5 A, Class 2 transformer: 3" x 1.125" x 1.75"  
Two prong plug on 6' cord

Dimensions

Horizontal and vertical reach



Fixture rotation



PRODUCT INFO

See product specs above

TO ORDER PLEASE SPECIFY THE FOLLOWING:









MODEL NUMBER

See inside front cover for required option codes

Example

ACDSKLG  
ACDSKLG  
MODEL NUMBER



FILING RAILS	D	W	H	model number	list
FOR USE WITH SLIDING BRIDGE 	$\frac{1}{8}$	6	1	<b>ACFLR6</b>	12
FOR USE WITH 10" W FILE DRAWERS 	$\frac{1}{8}$	10	1	<b>ACFLR10</b>	21
FOR USE WITH 15" W FILE DRAWERS 	$\frac{1}{8}$	15	1	<b>ACFLR15</b>	23
FOR USE WITH 18" W FILE DRAWERS 	$\frac{1}{8}$	18	1	<b>ACFLR18</b>	24
FOR USE WITH 30" W LATERAL FILE 	$\frac{1}{8}$	30	1	<b>ACFLR30</b>	28
FOR USE WITH 36" W LATERAL FILES 	$\frac{1}{8}$	36	1	<b>ACFLR36</b>	31
OPTIONAL FILE DRAWER REINFORCEMENT BAR 	$1 \frac{1}{2}$	$1 \frac{9}{16}$	$14 \frac{15}{16}$	<b>ACDRB-FILE</b>	40
OPTIONAL LATERAL FILE DRAWER REINFORCEMENT BAR 	$1 \frac{1}{2}$	$1 \frac{9}{16}$	$11 \frac{15}{16}$	<b>ACDRB-LAT</b>	40

• NOTE: File and Lateral File Drawer Reinforcement Bars are OPTIONAL, and are only required when excessive stacking of paper occurs in bottom of drawers. Drawer Reinforcement Bars are oriented side-to-side on file drawers and front-to-back on lateral file drawers.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER


See inside front cover for required option codes

Example

ACFLR6

ACFLR6

MODEL NUMBER

MAGNETS	DIA	H	model number	list
	$\frac{3}{8}$	$\frac{1}{2}$	<b>SAMAGNET</b>	58

QUANTITY 6

Note: Quantity 6 magnets included with each whiteboard 72" W and less.  
Quantity 12 magnets included with each whiteboard 84" and greater.

PRODUCT INFO

Magnets are silver


TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER


See inside front cover for required option codes

Example

SAMAGNET  
SAMAGNET  
MODEL NUMBER

	D	W	H	model number	list
<b>WIRE MANAGER</b>					
	3 1/2	30	1	<b>ACWM</b>	65

<b>LIGHT SEAL</b>	3/4	60	3/4	<b>ACLTSEAL</b>	18
-------------------	-----	----	-----	-----------------	----



SELF-ADHESIVE BACKER

- Black rubber gasket with self adhesive backer
- Hides 1/2" gap created by wall mount hardware
- Cut to length in field
- Applications: Wall Mount Tackboards  
Wall Mount Whiteboards  
Wall Mount Walls with Clip-in Shelves

**Note:** NOT required for Wall Mount Hinged Door and Sliding Door Overheads with an inset back panel.

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER





See inside front cover for required option codes

Example

ACWM

ACWM

MODEL NUMBER

SAMPLE KITS	D	W	H	model number	list
GROMMET					
	2 5/8	4 1/4	3 7/8	SAGMT	125
PULL SAMPLE KIT					
	12	2	1	SAPSK	42
CENTER DRAWER					
	16 7/8	25 5/8	2 1/8	SACDW26- <div></div>	<div>P</div> 492 <div>W</div> 530
10" PENCIL TRAY	3	6 13/16	1 1/4	ACPT10	62
15" PENCIL TRAY	3	11 13/16	1 1/4	ACPT15	67
18" PENCIL TRAY	3	14 13/16	1 1/4	ACPT18	72
					

PRODUCT INFO

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER + TYPEFINISH

Note: Type must be specified as part of model number.

• Finish option not required for grommet or pulls or pencil trays

Type  
P = Painted Front  
W = Wood Veneer Front

See inside front cover for required option codes

Example

SACDW26-W.SC701  
SACDW26-WSC701  
MODEL NUMBER + TYPEFINISH

	D	W	plug style	model number	list
4 POWER	3	18	standard plug	<b>SXEXP-EEEE</b>	750
<div><div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div></div>	3	18	hardwire	<b>SXEXP-EEEE-HW</b>	750
2 POWER   2 DATA BLANKS	3	18	standard plug	<b>SXEXP-EEDD</b>	589
<div><div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div></div>	3	18	hardwire	<b>SXEXP-EEDD-HW</b>	589
2 POWER   1 DATA BLANK	3	18	standard plug	<b>SXEXP-EEDG</b>	589
1 GROMMET OPENING	3	18	hardwire	<b>SXEXP-EEDG-HW</b>	589
<div><div><div><div></div></div><div><div></div></div><div><div></div></div><div><div></div></div></div></div>					

NOTE: For use in Layers Runoffs (pg. 88-89) and Credenzas (pg. 104) when "EPC" grommet option is specified

**PRODUCT INFO**

Bezels are powder coated silver or white

Data inserts must be specified separately on following page.

Power cord is 6 ft in length

**TO ORDER PLEASE SPECIFY THE FOLLOWING:**

**MODEL NUMBER      HARDWARE COLOR**

Color Options:  
WH = White Bezel, White Plugs  
SV = Silver Bezel, Black Plugs

See inside front cover for required option codes

Example






SXEXP-EEEE.WH

SXEXP-EEEE

MODEL NUMBER

WH

HARDWARE COLOR

	D	W	color	model number	list
<div>HDMI</div> 	1	1	Black	<b>ACEXP-HDMI-BK</b>	102
<div>• HDMI cable. Connects HDMI enabled electronics (laptops, etc.) to remote displays. Female / Female connection. 18" length.</div>					
<div>VGA</div> 	1	1	Black	<b>ACEXP-VGA-BK</b>	102
<div>• VGA cable. Connects VGAI enabled electronics (laptops, etc.) to remote displays. Male / Male connection. 120" length.</div>					
<div>CAT5E</div> 	1	1	Black	<b>ACEXP-CAT5E-BK</b>	102
<div>• Pre-terminated Cat5 cable. Provides remote access to network connections allowing surface access. Female / Male connection. 72" length.</div>					
<div>CAT6</div> 	1	1	Black	<b>ACEXP-CAT6-BK</b>	102
<div>• Pre-terminated Cat6 cable. Provides remote access to network connections allowing surface access. Female / Male connection. 72" length.</div>					
<div>USB</div> 	1	1	Black	<b>ACEXP-USB-BK</b>	102
<div>• USB port. Provides an extension, allowing surface access to USB. USB 3.0 compatible. Female / Male connection. 72" length.</div>					

PRODUCT INFO

All units are black only

TO ORDER PLEASE SPECIFY THE FOLLOWING:

MODEL NUMBER

See inside front cover for required option codes

Example

ACEXP-HDMI-BK

ACEXP-HDMI-BK

MODEL NUMBER



# GRADE FABRIC PRICING

**SILEA**  
01/16

model number	COM/1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
--------------	-------	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

## Mobile pedestal cushion

SXMPD-CUSH1815	324	335	347	359	375	391	405	421	436	452	468	483	503	518	537	557
----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## Surface mount tackboards | 26 high

SATKS26H60	643	673	705	737	779	821	857	899	939	981	1,023	1,063	1,115	1,155	1,205	1,257
SATKS26H72	680	714	750	786	833	880	921	968	1,013	1,060	1,107	1,152	1,211	1,256	1,312	1,371
SATKS26H90	750	791	835	879	937	995	1,045	1,103	1,158	1,216	1,274	1,329	1,401	1,456	1,525	1,597
SATKS26H108	1,117	1,170	1,226	1,282	1,356	1,430	1,493	1,567	1,637	1,711	1,785	1,855	1,946	2,016	2,104	2,195

## Layers pedestal cushions

SACLPD-CUSH2430	359	374	390	406	427	448	466	487	507	528	549	569	595	615	640	666
SACLPD-CUSH2436	387	406	426	446	472	498	521	547	572	598	624	649	682	707	738	771
SACLPD-CUSH2130T	359	374	390	406	427	448	466	487	507	528	549	569	595	615	640	666
SACLPD-CUSH2136T	387	406	426	446	472	498	521	547	572	598	624	649	682	707	738	771

## Wall mount tackboards | 19 high

SATKW19H30	502	517	533	549	570	591	609	630	650	671	692	712	738	758	783	809
SATKW19H36	527	546	566	586	612	638	661	687	712	738	764	789	822	847	878	911
SATKW19H60	612	642	674	706	748	790	826	868	908	950	992	1,032	1,084	1,124	1,174	1,226
SATKW19H66	623	653	685	717	759	801	837	879	919	961	1,003	1,043	1,095	1,135	1,185	1,237
SATKW19H72	647	681	717	753	800	847	888	935	980	1,027	1,074	1,119	1,178	1,223	1,279	1,338
SATKW19H78	666	704	744	784	837	890	935	988	1,038	1,091	1,144	1,194	1,259	1,309	1,372	1,437
SATKW19H84	685	723	763	803	856	909	954	1,007	1,057	1,110	1,163	1,213	1,278	1,328	1,391	1,456
SATKW19H90	715	756	800	844	902	960	1,010	1,068	1,123	1,181	1,239	1,294	1,366	1,421	1,490	1,562
SATKW19H96	746	791	839	887	950	1,013	1,067	1,130	1,190	1,253	1,316	1,376	1,454	1,514	1,589	1,667
SATKW19H102	1,027	1,076	1,128	1,180	1,248	1,316	1,375	1,443	1,508	1,576	1,644	1,709	1,794	1,859	1,940	2,025
SATKW19H108	1,063	1,116	1,172	1,228	1,302	1,376	1,439	1,513	1,583	1,657	1,731	1,801	1,892	1,962	2,050	2,141

## Wall mount tackboards | 26 high

SATKW26H30	527	542	558	574	595	616	634	655	675	696	717	737	763	783	808	834
SATKW26H36	552	571	591	611	637	663	686	712	737	763	789	814	847	872	903	936
SATKW26H60	643	673	705	737	779	821	857	899	939	981	1,023	1,063	1,115	1,155	1,205	1,257
SATKW26H66	654	684	716	748	790	832	868	910	950	992	1,034	1,074	1,126	1,166	1,216	1,268
SATKW26H72	680	714	750	786	833	880	921	968	1,013	1,060	1,107	1,152	1,211	1,256	1,312	1,371
SATKW26H78	699	737	777	817	870	923	968	1,021	1,071	1,124	1,177	1,227	1,292	1,342	1,405	1,470
SATKW26H84	718	756	796	836	889	942	987	1,040	1,090	1,143	1,196	1,246	1,311	1,361	1,424	1,489
SATKW26H90	750	791	835	879	937	995	1,045	1,103	1,158	1,216	1,274	1,329	1,401	1,456	1,525	1,597
SATKW26H96	782	827	875	923	986	1,049	1,103	1,166	1,226	1,289	1,352	1,412	1,490	1,550	1,625	1,703
SATKW26H102	1,078	1,127	1,179	1,231	1,299	1,367	1,426	1,494	1,559	1,627	1,695	1,760	1,845	1,910	1,991	2,076
SATKW26H108	1,117	1,170	1,226	1,282	1,356	1,430	1,493	1,567	1,637	1,711	1,785	1,855	1,946	2,016	2,104	2,195



model number	17	18	19	20	21	22	23	24	25	26	27	COL	L1	L2	L3	L4	L5
--------------	----	----	----	----	----	----	----	----	----	----	----	-----	----	----	----	----	----

Mobile pedestal cushion

SXMPD-CUSH1815	576	590	609	627	646	665	703	740	778	816	853	359	477	605	732	860	974
----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Surface mount tackboards | 26 high

SATKS26H60	1,307	1,343	1,393	1,441	1,491	1,541	1,641	1,739	1,839	1,939	2,037						
SATKS26H72	1,427	1,468	1,524	1,578	1,634	1,690	1,803	1,913	2,026	2,139	2,249						
SATKS26H90	1,666	1,716	1,785	1,851	1,920	1,989	2,127	2,262	2,400	2,538	2,673						
SATKS26H108	2,283	2,346	2,434	2,518	2,606	2,694	2,869	3,041	3,216	3,391	3,563						

Layers pedestal cushions

SACLPD-CUSH2430	691	709	734	758	783	808	858	907	957	1,007	1,056	406	563	733	903	1,073	1,226
SACLPD-CUSH2436	802	825	856	886	917	948	1,011	1,072	1,135	1,198	1,259	446	642	855	1,067	1,280	1,471
SACLPD-CUSH2130T	691	709	734	758	783	808	858	907	957	1,007	1,056	406	563	733	903	1,073	1,226
SACLPD-CUSH2136T	802	825	856	886	917	948	1,011	1,072	1,135	1,198	1,259	446	642	855	1,067	1,280	1,471

Wall mount tackboards | 19 high

SATKW19H30	834	852	877	901	926	951	1,001	1,050	1,100	1,150	1,199						
SATKW19H36	942	965	996	1,026	1,057	1,088	1,151	1,212	1,275	1,338	1,399						
SATKW19H60	1,276	1,312	1,362	1,410	1,460	1,510	1,610	1,708	1,808	1,908	2,006						
SATKW19H66	1,287	1,323	1,373	1,421	1,471	1,521	1,621	1,719	1,819	1,919	2,017						
SATKW19H72	1,394	1,435	1,491	1,545	1,601	1,657	1,770	1,880	1,993	2,106	2,216						
SATKW19H78	1,500	1,545	1,608	1,668	1,731	1,794	1,919	2,042	2,167	2,292	2,415						
SATKW19H84	1,519	1,564	1,627	1,687	1,750	1,813	1,938	2,061	2,186	2,311	2,434						
SATKW19H90	1,631	1,681	1,750	1,816	1,885	1,954	2,092	2,227	2,365	2,503	2,638						
SATKW19H96	1,742	1,796	1,871	1,943	2,018	2,093	2,243	2,390	2,540	2,690	2,837						
SATKW19H102	2,106	2,165	2,246	2,324	2,405	2,486	2,649	2,808	2,971	3,134	3,293						
SATKW19H108	2,229	2,292	2,380	2,464	2,552	2,640	2,815	2,987	3,162	3,337	3,509						

Wall mount tackboards | 26 high

SATKW26H30	859	877	902	926	951	976	1,026	1,075	1,125	1,175	1,224						
SATKW26H36	967	990	1,021	1,051	1,082	1,113	1,176	1,237	1,300	1,363	1,424						
SATKW26H60	1,307	1,343	1,393	1,441	1,491	1,541	1,641	1,739	1,839	1,939	2,037						
SATKW26H66	1,318	1,354	1,404	1,452	1,502	1,552	1,652	1,750	1,850	1,950	2,048						
SATKW26H72	1,427	1,468	1,524	1,578	1,634	1,690	1,803	1,913	2,026	2,139	2,249						
SATKW26H78	1,533	1,578	1,641	1,701	1,764	1,827	1,952	2,075	2,200	2,325	2,448						
SATKW26H84	1,552	1,597	1,660	1,720	1,783	1,846	1,971	2,094	2,219	2,344	2,467						
SATKW26H90	1,666	1,716	1,785	1,851	1,920	1,989	2,127	2,262	2,400	2,538	2,673						
SATKW26H96	1,778	1,832	1,907	1,979	2,054	2,129	2,279	2,426	2,576	2,726	2,873						
SATKW26H102	2,157	2,216	2,297	2,375	2,456	2,537	2,700	2,859	3,022	3,185	3,344						
SATKW26H108	2,283	2,346	2,434	2,518	2,606	2,694	2,869	3,041	3,216	3,391	3,563						

model number	COM/1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
--------------	-------	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

Layers wall mount tackboards | 24 high

SATLKW24H30	527	542	558	574	595	616	634	655	675	696	717	737	763	783	808	834
SATLKW24H36	552	571	591	611	637	663	686	712	737	763	789	814	847	872	903	936
SATLKW24H60	643	673	705	737	779	821	857	899	939	981	1,023	1,063	1,115	1,155	1,205	1,257
SATLKW24H66	654	684	716	748	790	832	868	910	950	992	1,034	1,074	1,126	1,166	1,216	1,268
SATLKW24H72	680	714	750	786	833	880	921	968	1,013	1,060	1,107	1,152	1,211	1,256	1,312	1,371
SATLKW24H78	699	737	777	817	870	923	968	1,021	1,071	1,124	1,177	1,227	1,292	1,342	1,405	1,470
SATLKW24H84	718	756	796	836	889	942	987	1,040	1,090	1,143	1,196	1,246	1,311	1,361	1,424	1,489
SATLKW24H90	750	791	835	879	937	995	1,045	1,103	1,158	1,216	1,274	1,329	1,401	1,456	1,525	1,597
SATLKW24H96	782	827	875	923	986	1,049	1,103	1,166	1,226	1,289	1,352	1,412	1,490	1,550	1,625	1,703
SATLKW24H102	1,078	1,127	1,179	1,231	1,299	1,367	1,426	1,494	1,559	1,627	1,695	1,760	1,845	1,910	1,991	2,076
SATLKW24H108	1,117	1,170	1,226	1,282	1,356	1,430	1,493	1,567	1,637	1,711	1,785	1,855	1,946	2,016	2,104	2,195

Layers wall mount tackboards | 31 high

SATLKW31H30	553	568	584	600	621	642	660	681	701	722	743	763	789	809	834	860
SATLKW31H36	580	599	619	639	665	691	714	740	765	791	817	842	875	900	931	964
SATLKW31H60	675	705	737	769	811	853	889	931	971	1,013	1,055	1,095	1,147	1,187	1,237	1,289
SATLKW31H66	688	718	750	782	824	866	902	944	984	1,026	1,068	1,108	1,160	1,200	1,250	1,302
SATLKW31H72	716	750	786	822	869	916	957	1,004	1,049	1,096	1,143	1,188	1,247	1,292	1,348	1,407
SATLKW31H78	735	773	813	853	906	959	1,004	1,057	1,107	1,160	1,213	1,263	1,328	1,378	1,441	1,506
SATLKW31H84	753	791	831	871	924	977	1,022	1,075	1,125	1,178	1,231	1,281	1,346	1,396	1,459	1,524
SATLKW31H90	787	828	872	916	974	1,032	1,082	1,140	1,195	1,253	1,311	1,366	1,438	1,493	1,562	1,634
SATLKW31H96	821	866	914	962	1,025	1,088	1,142	1,205	1,265	1,328	1,391	1,451	1,529	1,589	1,664	1,742
SATLKW31H102	1,133	1,182	1,234	1,286	1,354	1,422	1,481	1,549	1,614	1,682	1,750	1,815	1,900	1,965	2,046	2,131
SATLKW31H108	1,172	1,225	1,281	1,337	1,411	1,485	1,548	1,622	1,692	1,766	1,840	1,910	2,001	2,071	2,159	2,250

model number	17	18	19	20	21	22	23	24	25	26	27	COL	L1	L2	L3	L4	L5
--------------	----	----	----	----	----	----	----	----	----	----	----	-----	----	----	----	----	----

**Layers wall mount tackboards | 24 high**

SATLKW24H30	859	877	902	926	951	976	1,026	1,075	1,125	1,175	1,224						
SATLKW24H36	967	990	1,021	1,051	1,082	1,113	1,176	1,237	1,300	1,363	1,424						
SATLKW24H60	1,307	1,343	1,393	1,441	1,491	1,541	1,641	1,739	1,839	1,939	2,037						
SATLKW24H66	1,318	1,354	1,404	1,452	1,502	1,552	1,652	1,750	1,850	1,950	2,048						
SATLKW24H72	1,427	1,468	1,524	1,578	1,634	1,690	1,803	1,913	2,026	2,139	2,249						
SATLKW24H78	1,533	1,578	1,641	1,701	1,764	1,827	1,952	2,075	2,200	2,325	2,448						
SATLKW24H84	1,552	1,597	1,660	1,720	1,783	1,846	1,971	2,094	2,219	2,344	2,467						
SATLKW24H90	1,666	1,716	1,785	1,851	1,920	1,989	2,127	2,262	2,400	2,538	2,673						
SATLKW24H96	1,778	1,832	1,907	1,979	2,054	2,129	2,279	2,426	2,576	2,726	2,873						
SATLKW24H102	2,157	2,216	2,297	2,375	2,456	2,537	2,700	2,859	3,022	3,185	3,344						
SATLKW24H108	2,283	2,346	2,434	2,518	2,606	2,694	2,869	3,041	3,216	3,391	3,563						

**Layers wall mount tackboards | 31 high**

SATLKW31H30	885	903	928	952	977	1,002	1,052	1,101	1,151	1,201	1,250						
SATLKW31H36	995	1,018	1,049	1,079	1,110	1,141	1,204	1,265	1,328	1,391	1,452						
SATLKW31H60	1,339	1,375	1,425	1,473	1,523	1,573	1,673	1,771	1,871	1,971	2,069						
SATLKW31H66	1,352	1,388	1,438	1,486	1,536	1,586	1,686	1,784	1,884	1,984	2,082						
SATLKW31H72	1,463	1,504	1,560	1,614	1,670	1,726	1,839	1,949	2,062	2,175	2,285						
SATLKW31H78	1,569	1,614	1,677	1,737	1,800	1,863	1,988	2,111	2,236	2,361	2,484						
SATLKW31H84	1,587	1,632	1,695	1,755	1,818	1,881	2,006	2,129	2,254	2,379	2,502						
SATLKW31H90	1,703	1,753	1,822	1,888	1,957	2,026	2,164	2,299	2,437	2,575	2,710						
SATLKW31H96	1,817	1,871	1,946	2,018	2,093	2,168	2,318	2,465	2,615	2,765	2,912						
SATLKW31H102	2,212	2,271	2,352	2,430	2,511	2,592	2,755	2,914	3,077	3,240	3,399						
SATLKW31H108	2,338	2,401	2,489	2,573	2,661	2,749	2,924	3,096	3,271	3,446	3,618						

model number	weight	cubes	#locks	page
ACEXP-CAT5E-BK	1 lbs.	0.1	-	202
ACEXP-CAT6-BK	1 lbs.	0.1	-	202
ACEXP-HDMI-BK	1 lbs.	0.1	-	202
ACEXP-USB-BK	1 lbs.	0.1	-	202
ACEXP-VGA-BK	1 lbs.	0.1	-	202
ACFLR10	1 lbs.	0.3	-	197
ACFLR15	1 lbs.	0.5	-	197
ACFLR18	1 lbs.	0.6	-	197
ACFLR30	1 lbs.	0.9	-	197
ACFLR36	1 lbs.	1.0	-	197
ACFLR6	1 lbs.	0.3	-	197
ACLEDD24	4 lbs.	0.4	-	192
ACLEDD36	6 lbs.	0.5	-	192
ACLEDD48	8 lbs.	0.7	-	192
ACLEDD60	10 lbs.	0.9	-	192
ACLTSEAL	1 lbs.	1	-	199
ACWCB15	6 lbs.	0.7	-	140
ACWCB20	8 lbs.	0.8	-	140
ACWM	1 lbs.	1.3	-	199
BSHAT2142	53 lbs.	5.4	-	136
BSHAT2148	55 lbs.	6.3	-	136
BSHAT2154	57 lbs.	7.1	-	136
BSHAT2160	59 lbs.	7.9	-	136
BSHAT2166	61 lbs.	8.8	-	136
BSHAT2172	63 lbs.	9.6	-	136
BSHAT2748	59 lbs.	7.8	-	136
BSHAT2754	61 lbs.	8.9	-	136
BSHAT2760	63 lbs.	9.9	-	136
BSHAT2766	65 lbs.	10.9	-	136
BSHAT2772	67 lbs.	12	-	136
SAAB-LAPTOP	2 lbs.	2.4	-	98
SAASF12102-A	46 lbs.	7.2	-	170
SAASF12108-A	49 lbs.	7.6	-	170
SAASF12120-A	54 lbs.	4.1	-	170
SAASF12132-A	60 lbs.	4.5	-	170
SAASF12144-A	66 lbs.	4.9	-	170
SAASF1230-A	14 lbs.	2.4	-	170
SAASF1236-A	16 lbs.	2.8	-	170
SAASF1260-A	27 lbs.	4.4	-	170
SAASF1266-A	30 lbs.	4.8	-	170
SAASF1272-A	33 lbs.	5.2	-	170
SAASF1284-A	38 lbs.	6	-	170
SAASF1290-A	41 lbs.	6.4	-	170

model number	weight	cubes	#locks	page
SAASF1296-A	44 lbs.	6.8	-	170
SAASF8108-A	35 lbs.	6	-	170
SAASF830-A	10 lbs.	1.9	-	170
SAASF836-A	12 lbs.	2.2	-	170
SAASF860-A	19 lbs.	3.5	-	170
SAASF872-A	23 lbs.	4.1	-	170
SAASF890-A	29 lbs.	5	-	170
SAAT-ARM250	15 lbs.	1	-	194
SAAT-ARM250D	18 lbs.	0.4	-	194
SAAT-PAPER	2 lbs.	1.8	-	193
SAAT-PDA	1 lbs.	0.8	-	193
SAAT-PLUG	1 lbs.	0.4	-	193
SAAT-PNCL	1 lbs.	1	-	193
SAAT-POWER	1 lbs.	0.5	-	193
SABCL68H18L-W	210 lbs.	31.4	1	145
SABCL68H18R-W	210 lbs.	31.4	1	145
SABCL81H18L-W	249 lbs.	36.8	1	145
SABCL81H18R-W	249 lbs.	36.8	1	145
SABKN29H30-P	74 lbs.	14.8	-	142
SABKN29H30-W	74 lbs.	14.8	-	142
SABKN42H30-P	101 lbs.	20.1	-	143
SABKN42H30-W	101 lbs.	20.1	-	143
SABKN55H30-P	127 lbs.	25.8	-	143
SABKN55H30-W	127 lbs.	25.8	-	143
SABKN68H30-P	152 lbs.	31.3	-	143
SABKN68H30-W	152 lbs.	31.3	-	143
SABKN81H30-P	212 lbs.	36.7	-	143
SABKN81H30-W	212 lbs.	36.7	-	143
SABKT1530-L	28 lbs.	1.4	-	142
SABKT1530-W	28 lbs.	1.4	-	142
SABLWR2463-L	119 lbs.	4.3	-	96
SABLWR2463-W	119 lbs.	4.3	-	96
SABLWR2469-L	131 lbs.	4.7	-	96
SABLWR2469-W	131 lbs.	4.7	-	96
SABMA42-P	49 lbs.	10.6	-	97
SABMA42-W	49 lbs.	10.6	-	97
SABMA48-P	60 lbs.	11.9	-	97
SABMA48-W	60 lbs.	11.9	-	97
SABMF42-P	67 lbs.	2.6	-	97
SABMF42-W	67 lbs.	2.6	-	97
SABMF48-P	41 lbs.	2.9	-	97
SABMF48-W	41 lbs.	2.9	-	97
SABMS42S-P	23 lbs.	1.5	-	99

model number	weight	cubes	#locks	page
SABMS42S-W	23 lbs.	1.5	-	99
SABMS48S-P	25 lbs.	1.7	-	99
SABMS48S-W	25 lbs.	1.7	-	99
SABSC68H30L-P	167 lbs.	45.5	-	144
SABSC68H30L-W	167 lbs.	45.5	-	144
SABSC68H30R-P	167 lbs.	45.5	-	144
SABSC68H30R-W	167 lbs.	45.5	-	144
SABSC81H30L-P	195 lbs.	53.5	-	144
SABSC81H30L-W	195 lbs.	53.5	-	144
SABSC81H30R-P	195 lbs.	53.5	-	144
SABSC81H30R-W	195 lbs.	53.5	-	144
SABWR1642-L	37 lbs.	2.1	-	96
SABWR1642S-L	37 lbs.	2.1	-	98
SABWR1642S-W	37 lbs.	2.1	-	98
SABWR1642-W	37 lbs.	2.1	-	96
SABWR1648-L	40 lbs.	2.3	-	96
SABWR1648S-L	40 lbs.	2.3	-	98
SABWR1648S-W	40 lbs.	2.3	-	98
SABWR1648-W	40 lbs.	2.3	-	96
SABWR2442-L	51 lbs.	2.9	-	96
SABWR2442-W	51 lbs.	2.9	-	96
SABWR2448-L	56 lbs.	3.3	-	96
SABWR2448-W	56 lbs.	3.3	-	96
SACDW26-P	12 lbs.	1.4	-	200
SACDW26-W	12 lbs.	1.4	-	200
SACLD68H30-CP	207 lbs.	46.8	1	149
SACLD68H30-CW	207 lbs.	46.8	1	149
SACLD68H30-DP	286 lbs.	46.8	1	149
SACLD68H30-DW	286 lbs.	46.8	1	149
SACLD68H30-SP	265 lbs.	46.8	1	149
SACLD68H30-SW	265 lbs.	46.8	1	149
SACLD81H30-CP	253 lbs.	55	1	149
SACLD81H30-CW	253 lbs.	55	1	149
SACLD81H30-DP	342 lbs.	55	1	149
SACLD81H30-DW	342 lbs.	55	1	149
SACLD81H30-SP	311 lbs.	55	1	149
SACLD81H30-SW	311 lbs.	55	1	149
SACLPD2415L-AP	63 lbs.	7.4	1	119
SACLPD2415L-AW	70 lbs.	7.4	1	119
SACLPD2415R-AP	63 lbs.	7.4	1	123
SACLPD2415R-AW	70 lbs.	7.4	1	123
SACLPD2418L-AP	70 lbs.	8.6	1	119
SACLPD2418L-AW	63 lbs.	8.6	1	119

model number	weight	cubes	#locks	page
SACLPD2418L-XP	30 lbs.	8.6	-	118
SACLPD2418L-XW	30 lbs.	8.6	-	118
SACLPD2418R-AP	70 lbs.	8.6	1	123
SACLPD2418R-AW	63 lbs.	8.6	1	123
SACLPD2418R-XP	30 lbs.	8.6	-	122
SACLPD2418R-XW	30 lbs.	8.6	-	122
SACLPD2430C-5P	87 lbs.	13	-	126
SACLPD2430C-5W	87 lbs.	13	-	126
SACLPD2430C-SHP	74 lbs.	13	-	126
SACLPD2430C-SHW	74 lbs.	13	-	126
SACLPD2430L-5P	88 lbs.	13.5	-	120
SACLPD2430L-5W	88 lbs.	13.5	-	120
SACLPD2430L-BP	97 lbs.	13.5	1	120
SACLPD2430L-BW	97 lbs.	13.5	1	120
SACLPD2430L-SHP	75 lbs.	13.5	-	120
SACLPD2430L-SHW	75 lbs.	13.5	-	120
SACLPD2430R-5P	88 lbs.	13.5	-	124
SACLPD2430R-5W	88 lbs.	13.5	-	124
SACLPD2430R-BP	97 lbs.	13.5	1	124
SACLPD2430R-BW	97 lbs.	13.5	1	124
SACLPD2430R-SHP	75 lbs.	13.5	-	124
SACLPD2430R-SHW	75 lbs.	13.5	-	124
SACLPD2436C-5P	100 lbs.	15.4	-	126
SACLPD2436C-5W	100 lbs.	15.4	-	126
SACLPD2436C-SHP	84 lbs.	15.4	-	126
SACLPD2436C-SHW	84 lbs.	15.4	-	126
SACLPD2436L-5P	101 lbs.	15.9	-	121
SACLPD2436L-5W	101 lbs.	15.9	-	121
SACLPD2436L-BP	111 lbs.	15.9	1	121
SACLPD2436L-BW	111 lbs.	15.9	1	121
SACLPD2436L-SHP	85 lbs.	15.9	-	121
SACLPD2436L-SHW	85 lbs.	15.9	-	121
SACLPD2436R-5P	101 lbs.	15.9	-	125
SACLPD2436R-5W	101 lbs.	15.9	-	125
SACLPD2436R-BP	111 lbs.	15.9	1	125
SACLPD2436R-BW	111 lbs.	15.9	1	125
SACLPD2436R-SHP	85 lbs.	15.9	-	125
SACLPD2436R-SHW	85 lbs.	15.9	-	125
SACLPD2460C-55P	167 lbs.	25.1	-	126
SACLPD2460C-55W	167 lbs.	25.1	-	126
SACLPD2460C-SHSH	139 lbs.	25.1	-	126
SACLPD2460C-SHSHW	139 lbs.	25.1	-	126
SACLPD249L-XP	24 lbs.	5	-	118

model number	weight	cubes	#locks	page
SACLPD249L-XW	24 lbs.	5	-	118
SACLPD249R-XP	24 lbs.	5	-	122
SACLPD249R-XW	24 lbs.	5	-	122
SACLPD-CUSH2130T	9 lbs.	2.1	-	128
SACLPD-CUSH2136T	10 lbs.	2.4	-	128
SACLPD-CUSH2430	10 lbs.	2.3	-	128
SACLPD-CUSH2436	11 lbs.	2.7	-	128
SACLS68H15L-P	146 lbs.	27.5	1	148
SACLS68H15L-W	146 lbs.	27.5	1	148
SACLS68H15R-P	146 lbs.	27.5	1	148
SACLS68H15R-W	146 lbs.	27.5	1	148
SACMA24-P	25 lbs.	6.4	-	116
SACMA24-W	25 lbs.	6.4	-	116
SACMA27-P	27 lbs.	7.1	-	116
SACMA27-W	27 lbs.	7.1	-	116
SACMA30-P	29 lbs.	7.7	-	116
SACMA30-W	29 lbs.	7.7	-	116
SACMA33-P	31 lbs.	8.4	-	116
SACMA33-W	31 lbs.	8.4	-	116
SACMA36-P	33 lbs.	9.1	-	116
SACMA36-W	33 lbs.	9.1	-	116
SACMA39-P	35 lbs.	9.7	-	116
SACMA39-W	35 lbs.	9.7	-	116
SACMA42-P	37 lbs.	10.4	-	116
SACMA42-W	37 lbs.	10.4	-	116
SACMA45-P	39 lbs.	11	-	116
SACMA45-W	39 lbs.	11	-	116
SACMA48-P	41 lbs.	11.7	-	116
SACMA48-W	41 lbs.	11.7	-	116
SACMA51-P	51 lbs.	12.4	-	116
SACMA51-W	51 lbs.	12.4	-	116
SACMA54-P	53 lbs.	13	-	116
SACMA54-W	53 lbs.	13	-	116
SACMA57-P	55 lbs.	13.7	-	116
SACMA57-W	55 lbs.	13.7	-	116
SACMA60-P	57 lbs.	14.4	-	116
SACMA60-W	57 lbs.	14.4	-	116
SACMA63-P	59 lbs.	15	-	116
SACMA63-W	59 lbs.	15	-	116
SACMA66-P	61 lbs.	15.7	-	116
SACMA66-W	61 lbs.	15.7	-	116
SACMA69-P	63 lbs.	16.4	-	116
SACMA69-W	63 lbs.	16.4	-	116

model number	weight	cubes	#locks	page
SACMA72-P	65 lbs.	17	-	116
SACMA72-W	65 lbs.	17	-	116
SACMAC48L-P	58 lbs.	11.7	-	117
SACMAC48L-W	58 lbs.	11.7	-	117
SACMAC48R-P	58 lbs.	11.7	-	117
SACMAC48R-W	58 lbs.	11.7	-	117
SACMAC51L-P	60 lbs.	12.4	-	117
SACMAC51L-W	60 lbs.	12.4	-	117
SACMAC51R-P	60 lbs.	12.4	-	117
SACMAC51R-W	60 lbs.	12.4	-	117
SACMAC54L-P	62 lbs.	13	-	117
SACMAC54L-W	62 lbs.	13	-	117
SACMAC54R-P	62 lbs.	13	-	117
SACMAC54R-W	62 lbs.	13	-	117
SACMAC57L-P	64 lbs.	13.7	-	117
SACMAC57L-W	64 lbs.	13.7	-	117
SACMAC57R-P	64 lbs.	13.7	-	117
SACMAC57R-W	64 lbs.	13.7	-	117
SACMAC60L-P	66 lbs.	14.4	-	117
SACMAC60L-W	66 lbs.	14.4	-	117
SACMAC60R-P	66 lbs.	14.4	-	117
SACMAC60R-W	66 lbs.	14.4	-	117
SACMAC63L-P	68 lbs.	15	-	117
SACMAC63L-W	68 lbs.	15	-	117
SACMAC63R-P	68 lbs.	15	-	117
SACMAC63R-W	68 lbs.	15	-	117
SACMAC66L-P	70 lbs.	15.7	-	117
SACMAC66L-W	70 lbs.	15.7	-	117
SACMAC66R-P	70 lbs.	15.7	-	117
SACMAC66R-W	70 lbs.	15.7	-	117
SACMAC69L-P	72 lbs.	16.4	-	117
SACMAC69L-W	72 lbs.	16.4	-	117
SACMAC69R-P	72 lbs.	16.4	-	117
SACMAC69R-W	72 lbs.	16.4	-	117
SACMAC72L-P	74 lbs.	17	-	117
SACMAC72L-W	74 lbs.	17	-	117
SACMAC72R-P	74 lbs.	17	-	117
SACMAC72R-W	74 lbs.	17	-	117
SACORNER	8 lbs.	3.5	-	195
SACPD2415L-2P	84 lbs.	8.9	1	107
SACPD2415L-2W	84 lbs.	8.9	1	107
SACPD2415L-3P	81 lbs.	8.9	1	107
SACPD2415L-3W	81 lbs.	8.9	1	107

model number	weight	cubes	#locks	page
SACPD2415R-2P	84 lbs.	8.9	1	111
SACPD2415R-2W	84 lbs.	8.9	1	111
SACPD2415R-3P	81 lbs.	8.9	1	111
SACPD2415R-3W	81 lbs.	8.9	1	111
SACPD2418L-2P	91 lbs.	10.3	1	107
SACPD2418L-2W	91 lbs.	10.3	1	107
SACPD2418L-3P	89 lbs.	10.3	1	107
SACPD2418L-3W	89 lbs.	10.3	1	107
SACPD2418L-XP	71 lbs.	10.3	-	106
SACPD2418L-XW	71 lbs.	10.3	-	106
SACPD2418R-2P	91 lbs.	10.3	1	111
SACPD2418R-2W	91 lbs.	10.3	1	111
SACPD2418R-3P	89 lbs.	10.3	1	111
SACPD2418R-3W	89 lbs.	10.3	1	111
SACPD2418R-XP	71 lbs.	10.3	-	110
SACPD2418R-XW	71 lbs.	10.3	-	110
SACPD2430C-5P	111 lbs.	15.5	-	114
SACPD2430C-5W	111 lbs.	15.5	-	114
SACPD2430L-23P	141 lbs.	16.1	1	108
SACPD2430L-23W	141 lbs.	16.1	1	108
SACPD2430L-4P	116 lbs.	16.1	1	108
SACPD2430L-4W	116 lbs.	16.1	1	108
SACPD2430L-5P	115 lbs.	16.1	-	108
SACPD2430L-5W	115 lbs.	16.1	-	108
SACPD2430R-32P	141 lbs.	16.1	1	112
SACPD2430R-32W	141 lbs.	16.1	1	112
SACPD2430R-4P	116 lbs.	16.1	1	112
SACPD2430R-4W	116 lbs.	16.1	1	112
SACPD2430R-5P	115 lbs.	16.1	-	112
SACPD2430R-5W	115 lbs.	16.1	-	112
SACPD2436C-5P	129 lbs.	18.4	-	114
SACPD2436C-5W	129 lbs.	18.4	-	114
SACPD2436L-23P	156 lbs.	19	1	108
SACPD2436L-23W	156 lbs.	19	1	108
SACPD2436L-4P	130 lbs.	19	1	108
SACPD2436L-4W	130 lbs.	19	1	108
SACPD2436L-5P	133 lbs.	19	-	108
SACPD2436L-5W	133 lbs.	19	-	108
SACPD2436R-32P	156 lbs.	19	1	112
SACPD2436R-32W	156 lbs.	19	1	112
SACPD2436R-4P	130 lbs.	19	1	112
SACPD2436R-4W	130 lbs.	19	1	112
SACPD2436R-5P	133 lbs.	19	-	112

model number	weight	cubes	#locks	page
SACPD2436R-5W	133 lbs.	19	-	112
SACPD2445L-43P	173 lbs.	23.3	1	109
SACPD2445L-43W	173 lbs.	23.3	1	109
SACPD2445R-34P	173 lbs.	23.3	1	113
SACPD2445R-34W	173 lbs.	23.3	1	113
SACPD2454L-43P	195 lbs.	27.7	1	109
SACPD2454L-43W	195 lbs.	27.7	1	109
SACPD2454R-34P	195 lbs.	27.7	1	113
SACPD2454R-34W	195 lbs.	27.7	1	113
SACPD249L-XP	37 lbs.	6	-	106
SACPD249L-XW	37 lbs.	6	-	106
SACPD249R-XP	37 lbs.	6	-	110
SACPD249R-XW	37 lbs.	6	-	110
SACWR24102-L	108 lbs.	6.9	-	104
SACWR24102T-L	108 lbs.	6.9	-	105
SACWR24102T-W	108 lbs.	6.9	-	105
SACWR24102-W	108 lbs.	6.9	-	104
SACWR24108-L	114 lbs.	7.3	-	104
SACWR24108T-L	114 lbs.	7.3	-	105
SACWR24108T-W	114 lbs.	7.3	-	105
SACWR24108-W	114 lbs.	7.3	-	104
SACWR24114-L	120 lbs.	7.7	-	104
SACWR24114T-L	120 lbs.	7.7	-	105
SACWR24114T-W	120 lbs.	7.7	-	105
SACWR24114-W	120 lbs.	7.7	-	104
SACWR24120-L	126 lbs.	8	-	104
SACWR24120T-L	126 lbs.	8	-	105
SACWR24120T-W	126 lbs.	8	-	105
SACWR24120-W	126 lbs.	8	-	104
SACWR2460-L	66 lbs.	4.1	-	104
SACWR2460T-L	66 lbs.	4.1	-	105
SACWR2460T-W	66 lbs.	4.1	-	105
SACWR2460-W	66 lbs.	4.1	-	104
SACWR2466-L	72 lbs.	4.5	-	104
SACWR2466T-L	72 lbs.	4.5	-	105
SACWR2466T-W	72 lbs.	4.5	-	105
SACWR2466-W	72 lbs.	4.5	-	104
SACWR2472-L	78 lbs.	4.9	-	104
SACWR2472T-L	78 lbs.	4.9	-	105
SACWR2472T-W	78 lbs.	4.9	-	105
SACWR2472-W	78 lbs.	4.9	-	104
SACWR2478-L	84 lbs.	5.3	-	104
SACWR2478T-L	84 lbs.	5.3	-	105

model number	weight	cubes	#locks	page
SACWR2478T-W	84 lbs.	5.3	-	105
SACWR2478-W	84 lbs.	5.3	-	104
SACWR2484-L	90 lbs.	5.7	-	104
SACWR2484T-L	90 lbs.	5.7	-	105
SACWR2484T-W	90 lbs.	5.7	-	105
SACWR2484-W	90 lbs.	5.7	-	104
SACWR2490-L	96 lbs.	6.1	-	104
SACWR2490T-L	96 lbs.	6.1	-	105
SACWR2490T-W	96 lbs.	6.1	-	105
SACWR2490-W	96 lbs.	6.1	-	104
SACWR2496-L	102 lbs.	6.5	-	104
SACWR2496T-L	102 lbs.	6.5	-	105
SACWR2496T-W	102 lbs.	6.5	-	105
SACWR2496-W	102 lbs.	6.5	-	104
SADMHA48-P	8 lbs.	1.3	-	139
SADMHA48-P	8 lbs.	1.3	-	139
SADMHA48-W	8 lbs.	1.3	-	139
SADMHA48-W	8 lbs.	1.3	-	139
SADMHA54-P	9 lbs.	1.4	-	139
SADMHA54-P	9 lbs.	1.4	-	139
SADMHA54-W	9 lbs.	1.4	-	139
SADMHA54-W	9 lbs.	1.4	-	139
SADMHA60-P	11 lbs.	1.6	-	139
SADMHA60-P	11 lbs.	1.6	-	139
SADMHA60-W	11 lbs.	1.6	-	139
SADMHA60-W	11 lbs.	1.6	-	139
SADMHA66-P	12 lbs.	1.8	-	139
SADMHA66-P	12 lbs.	1.8	-	139
SADMHA66-W	12 lbs.	1.8	-	139
SADMHA66-W	12 lbs.	1.8	-	139
SADMHA72-P	13 lbs.	1.9	-	139
SADMHA72-P	13 lbs.	1.9	-	139
SADMHA72-W	13 lbs.	1.9	-	139
SADMHA72-W	13 lbs.	1.9	-	139
SADMPF46-G	37 lbs.	2.7	-	79
SADMPF46-P	38 lbs.	2.7	-	78
SADMPF46-W	38 lbs.	2.7	-	78
SADMPF52-G	40 lbs.	3	-	79
SADMPF52-P	42 lbs.	3	-	78
SADMPF52-W	42 lbs.	3	-	78
SADMPF58-G	44 lbs.	3.3	-	79
SADMPF58-P	46 lbs.	3.3	-	78
SADMPF58-W	46 lbs.	3.3	-	78

model number	weight	cubes	#locks	page
SADMPH46-G	23 lbs.	1.6	-	79
SADMPH46-P	24 lbs.	1.6	-	78
SADMPH46-W	24 lbs.	1.6	-	78
SADMPH52-G	24 lbs.	1.8	-	79
SADMPH52-P	26 lbs.	1.8	-	78
SADMPH52-W	26 lbs.	1.8	-	78
SADMPH58-G	26 lbs.	1.9	-	79
SADMPH58-P	28 lbs.	1.9	-	78
SADMPH58-W	28 lbs.	1.9	-	78
SADMSH60-G	27 lbs.	2	-	79
SADMSH60-P	28 lbs.	2	-	78
SADMSH60-W	28 lbs.	2	-	78
SADMSH66-G	29 lbs.	2.2	-	79
SADMSH66-P	30 lbs.	2.2	-	78
SADMSH66-W	30 lbs.	2.2	-	78
SADMSH72-G	30 lbs.	2.4	-	79
SADMSH72-P	32 lbs.	2.4	-	78
SADMSH72-W	32 lbs.	2.4	-	78
SADPD3010L-2P	83 lbs.	7.9	1	76
SADPD3010L-2W	83 lbs.	7.9	1	76
SADPD3010L-3P	84 lbs.	7.9	1	76
SADPD3010L-3W	84 lbs.	7.9	1	76
SADPD3010L-XNP	43 lbs.	7.9	-	76
SADPD3010L-XNW	43 lbs.	7.9	-	76
SADPD3010L-XP	50 lbs.	7.9	-	76
SADPD3010L-XW	50 lbs.	7.9	-	76
SADPD3010L-ZP	96 lbs.	7.9	1	76
SADPD3010L-ZW	96 lbs.	7.9	1	76
SADPD3010R-2P	83 lbs.	7.9	1	77
SADPD3010R-2W	83 lbs.	7.9	1	77
SADPD3010R-3P	84 lbs.	7.9	1	77
SADPD3010R-3W	84 lbs.	7.9	1	77
SADPD3010R-XNP	43 lbs.	7.9	-	77
SADPD3010R-XNW	43 lbs.	7.9	-	77
SADPD3010R-XP	50 lbs.	7.9	-	77
SADPD3010R-XW	50 lbs.	7.9	-	77
SADPD3010R-ZP	96 lbs.	7.9	1	77
SADPD3010R-ZW	96 lbs.	7.9	1	77
SADPD3610L-2P	92 lbs.	9.3	1	76
SADPD3610L-2W	92 lbs.	9.3	1	76
SADPD3610L-3P	93 lbs.	9.3	1	76
SADPD3610L-3W	93 lbs.	9.3	1	76
SADPD3610L-XNP	50 lbs.	9.3	-	76



model number	weight	cubes	#locks	page
SADPD3610L-XNW	50 lbs.	9.3	-	76
SADPD3610L-XP	54 lbs.	9.3	-	76
SADPD3610L-XW	54 lbs.	9.3	-	76
SADPD3610L-ZP	105 lbs.	9.3	1	76
SADPD3610L-ZW	105 lbs.	9.3	1	76
SADPD3610R-2P	92 lbs.	9.3	1	77
SADPD3610R-2W	92 lbs.	9.3	1	77
SADPD3610R-3P	93 lbs.	9.3	1	77
SADPD3610R-3W	93 lbs.	9.3	1	77
SADPD3610R-XNP	50 lbs.	9.3	-	77
SADPD3610R-XNW	50 lbs.	9.3	-	77
SADPD3610R-XP	54 lbs.	9.3	-	77
SADPD3610R-XW	54 lbs.	9.3	-	77
SADPD3610R-ZP	105 lbs.	9.3	1	77
SADPD3610R-ZW	105 lbs.	9.3	1	77
SADSL30-G	27 lbs.	3.5	-	81
SADSL30-N	20 lbs.	3.5	-	81
SADSL30-P	29 lbs.	3.5	-	80
SADSL30-W	29 lbs.	3.5	-	80
SADSL36-G	29 lbs.	4.2	-	81
SADSL36-N	21 lbs.	4.2	-	81
SADSL36-P	31 lbs.	4.2	-	80
SADSL36-W	31 lbs.	4.2	-	80
SADWR3066-L	90 lbs.	5.5	-	74
SADWR3066T-W	101 lbs.	5.5	-	75
SADWR3066-W	90 lbs.	5.5	-	74
SADWR3072-L	96 lbs.	6	-	74
SADWR3072T-W	110 lbs.	6	-	75
SADWR3072-W	96 lbs.	6	-	74
SADWR3078-L	102 lbs.	6.5	-	74
SADWR3078T-W	119 lbs.	6.5	-	75
SADWR3078-W	102 lbs.	6.5	-	74
SADWR3666-L	105 lbs.	6.5	-	74
SADWR3666T-W	118 lbs.	6.5	-	75
SADWR3666-W	105 lbs.	6.5	-	74
SADWR3672-L	114 lbs.	7.1	-	74
SADWR3672T-W	128 lbs.	7.1	-	75
SADWR3672-W	114 lbs.	7.1	-	74
SADWR3678-L	123 lbs.	7.7	-	74
SADWR3678T-W	138 lbs.	7.7	-	75
SADWR3678-W	123 lbs.	7.7	-	74
SADWRA2442-L	31 lbs	2.9	-	137
SADWRA2442-L	31 lbs	2.9	-	137

model number	weight	cubes	#locks	page
SADWRA2442-W	31 lbs	2.9	-	137
SADWRA2442-W	31 lbs	2.9	-	137
SADWRA2448-L	36 lbs.	3.3	-	137
SADWRA2448-L	36 lbs.	3.3	-	137
SADWRA2448-W	36 lbs.	3.3	-	137
SADWRA2448-W	36 lbs.	3.3	-	137
SADWRA2454-L	40 lbs.	3.7	-	137
SADWRA2454-L	40 lbs.	3.7	-	137
SADWRA2454-W	40 lbs.	3.7	-	137
SADWRA2454-W	40 lbs.	3.7	-	137
SADWRA2460-L	44 lbs.	4.1	-	137
SADWRA2460-L	44 lbs.	4.1	-	137
SADWRA2460-W	44 lbs.	4.1	-	137
SADWRA2460-W	44 lbs.	4.1	-	137
SADWRA2466-L	49 lbs.	4.5	-	137
SADWRA2466-L	49 lbs.	4.5	-	137
SADWRA2466-W	49 lbs.	4.5	-	137
SADWRA2466-W	49 lbs.	4.5	-	137
SADWRA2472-L	53 lbs.	4.9	-	137
SADWRA2472-L	53 lbs.	4.9	-	137
SADWRA2472-W	53 lbs.	4.9	-	137
SADWRA2472-W	53 lbs.	4.9	-	137
SADWRA3048-L	44 lbs.	4.1	-	138
SADWRA3048-L	44 lbs.	4.1	-	138
SADWRA3048-W	44 lbs.	4.1	-	138
SADWRA3048-W	44 lbs.	4.1	-	138
SADWRA3054-L	50 lbs.	4.6	-	138
SADWRA3054-L	50 lbs.	4.6	-	138
SADWRA3054-W	50 lbs.	4.6	-	138
SADWRA3054-W	50 lbs.	4.6	-	138
SADWRA3060-L	56 lbs.	5	-	138
SADWRA3060-L	56 lbs.	5	-	138
SADWRA3060-W	56 lbs.	5	-	138
SADWRA3060-W	56 lbs.	5	-	138
SADWRA3066-L	61 lbs.	5.5	-	138
SADWRA3066-L	61 lbs.	5.5	-	138
SADWRA3066-W	61 lbs.	5.5	-	138
SADWRA3066-W	61 lbs.	5.5	-	138
SADWRA3072-L	67 lbs.	6	-	138
SADWRA3072-L	67 lbs.	6	-	138
SADWRA3072-W	67 lbs.	6	-	138
SADWRA3072-W	67 lbs.	6	-	138
SADWRA3648-L	53 lbs.	4.8	-	138

model number	weight	cubes	#locks	page
SADWRA3648-L	53 lbs.	4.8	-	138
SADWRA3648-W	53 lbs.	4.8	-	138
SADWRA3648-W	53 lbs.	4.8	-	138
SADWRA3654-L	60 lbs.	5.4	-	138
SADWRA3654-L	60 lbs.	5.4	-	138
SADWRA3654-W	60 lbs.	5.4	-	138
SADWRA3654-W	60 lbs.	5.4	-	138
SADWRA3660-L	67 lbs.	6	-	138
SADWRA3660-L	67 lbs.	6	-	138
SADWRA3660-W	67 lbs.	6	-	138
SADWRA3660-W	67 lbs.	6	-	138
SADWRA3666-L	73 lbs.	6.5	-	138
SADWRA3666-L	73 lbs.	6.5	-	138
SADWRA3666-W	73 lbs.	6.5	-	138
SADWRA3666-W	73 lbs.	6.5	-	138
SADWRA3672-L	80 lbs.	7.1	-	138
SADWRA3672-L	80 lbs.	7.1	-	138
SADWRA3672-W	80 lbs.	7.1	-	138
SADWRA3672-W	80 lbs.	7.1	-	138
SAGMT	1 lbs.	0.5	-	200
SALED24	1 lbs.	0.8	-	191
SALED36	2 lbs.	1.1	-	191
SALED48	3 lbs.	1.4	-	191
SALED60	4 lbs.	1.7	-	191
SALEG-LD	8 lbs.	0.6	-	133
SALEG-ST	8 lbs.	0.6	-	133
SALFS29H30-P	156 lbs.	22.2	1	146
SALFS29H30-W	156 lbs.	22.2	1	146
SALFS29H36-P	179 lbs.	25.9	1	146
SALFS29H36-W	179 lbs.	25.9	1	146
SALFS42H30-P	201 lbs.	30.1	1	147
SALFS42H30-W	201 lbs.	30.1	1	147
SALFS42H36-P	230 lbs.	35	1	147
SALFS42H36-W	230 lbs.	35	1	147
SALFS55H30-P	246 lbs.	38.7	1	147
SALFS55H30-W	246 lbs.	38.7	1	147
SALFS55H36-P	281 lbs.	45.1	1	147
SALFS55H36-W	281 lbs.	45.1	1	147
SALFS68H30-P	291 lbs.	46.8	1	147
SALFS68H30-W	291 lbs.	46.8	1	147
SALFS68H36-P	332 lbs.	54.5	1	147
SALFS68H36-W	332 lbs.	54.5	1	147
SALFS81H30-P	337 lbs.	55	1	147

model number	weight	cubes	#locks	page
SALFS81H30-W	337 lbs.	55	1	147
SALFS81H36-P	386 lbs.	64.1	1	147
SALFS81H36-W	386 lbs.	64.1	1	147
SALFT2430-L	40 lbs.	2.2	-	152
SALFT2430-W	40 lbs.	2.2	-	152
SALFT2436-L	46 lbs.	2.6	-	152
SALFT2436-W	46 lbs.	2.6	-	152
SALLFS24H30-P	130 lbs.	13.5	1	146
SALLFS24H30-W	130 lbs.	13.5	1	146
SALLFS24H36-P	145 lbs.	15.9	1	146
SALLFS24H36-W	145 lbs.	15.9	1	146
SAMAGNET	1 lbs.	0.1	-	198
SAMLSJ24-P	27 lbs.	10.4	-	127
SAMLSJ24-W	27 lbs.	10.4	-	127
SAMLSPT9-P	13 lbs.	2	-	127
SAMLSPT9-TP	12 lbs.	2	-	127
SAMLSPT9-TW	12 lbs.	2	-	127
SAMLSPT9-W	13 lbs.	2	-	127
SAMSJ24-P	14 lbs.	2.7	-	115
SAMSJ24-W	14 lbs.	2.7	-	115
SAMSPT9-P	8 lbs.	2.4	-	115
SAMSPT9-TP	8 lbs.	2.4	-	115
SAMSPT9-TW	9 lbs.	2.4	-	115
SAMSPT9-W	9 lbs.	2.4	-	115
SAPSK	1 lbs.	0.6	-	200
SARLRW3069L-L	81 lbs.	5.8	-	88
SARLRW3069L-W	81 lbs.	5.8	-	88
SARLRW3069R-L	81 lbs.	5.8	-	89
SARLRW3069R-W	81 lbs.	5.8	-	89
SARLRW3075L-L	87 lbs.	6.2	-	88
SARLRW3075L-W	87 lbs.	6.2	-	88
SARLRW3075R-L	87 lbs.	6.2	-	89
SARLRW3075R-W	87 lbs.	6.2	-	89
SARLRW3081L-L	93 lbs.	6.7	-	88
SARLRW3081L-W	93 lbs.	6.7	-	88
SARLRW3081R-L	93 lbs.	6.7	-	89
SARLRW3081R-W	93 lbs.	6.7	-	89
SARLRW3669L-L	98 lbs.	6.8	-	88
SARLRW3669L-W	98 lbs.	6.8	-	88
SARLRW3669R-L	98 lbs.	6.8	-	89
SARLRW3669R-W	98 lbs.	6.8	-	89
SARLRW3675L-L	105 lbs.	7.4	-	88
SARLRW3675L-W	105 lbs.	7.4	-	88

model number	weight	cubes	#locks	page
SARLRW3675R-L	105 lbs.	7.4	-	89
SARLRW3675R-W	105 lbs.	7.4	-	89
SARLRW3681L-L	114 lbs.	7.9	-	88
SARLRW3681L-W	114 lbs.	7.9	-	88
SARLRW3681R-L	114 lbs.	7.9	-	89
SARLRW3681R-W	114 lbs.	7.9	-	89
SARMA24-P	31 lbs.	3.4	-	132
SARMA24-W	31 lbs.	3.4	-	132
SARMA27-P	33 lbs.	3.7	-	132
SARMA27-W	33 lbs.	3.7	-	132
SARMA30-P	35 lbs.	4	-	132
SARMA30-W	35 lbs.	4	-	132
SARMA33-P	37 lbs.	4.4	-	132
SARMA33-W	37 lbs.	4.4	-	132
SARMA36-P	39 lbs.	4.7	-	132
SARMA36-W	39 lbs.	4.7	-	132
SARMA39-P	41 lbs.	5	-	132
SARMA39-W	41 lbs.	5	-	132
SARMA42-P	43 lbs.	5.4	-	132
SARMA42-W	43 lbs.	5.4	-	132
SARMA45-P	45 lbs.	5.7	-	132
SARMA45-W	45 lbs.	5.7	-	132
SARMPH38-G	20 lbs.	1.3	-	91
SARMPH38-P	22 lbs.	1.3	-	90
SARMPH38-W	22 lbs.	1.3	-	90
SARMPH44-G	22 lbs.	1.5	-	91
SARMPH44-P	23 lbs.	1.5	-	90
SARMPH44-W	23 lbs.	1.5	-	90
SARMPH50-G	23 lbs.	1.7	-	91
SARMPH50-P	25 lbs.	1.7	-	90
SARMPH50-W	25 lbs.	1.7	-	90
SARMSH39-G	22 lbs.	1.5	-	91
SARMSH39-P	22 lbs.	1.5	-	90
SARMSH39-W	22 lbs.	1.5	-	90
SARMSH45-G	23 lbs.	1.6	-	91
SARMSH45-P	24 lbs.	1.6	-	90
SARMSH45-W	24 lbs.	1.6	-	90
SARMSH51-G	24 lbs.	1.7	-	91
SARMSH51-P	26 lbs.	1.7	-	90
SARMSH51-W	26 lbs.	1.7	-	90
SARMSH57-G	25 lbs.	1.9	-	91
SARMSH57-P	28 lbs.	1.9	-	90
SARMSH57-W	28 lbs.	1.9	-	90

model number	weight	cubes	#locks	page
SARRW3048-L	67 lbs.	4.1	-	86
SARRW3048T-W	76 lbs.	4.1	-	87
SARRW3048-W	67 lbs.	4.1	-	86
SARRW3054-L	74 lbs.	4.6	-	86
SARRW3054T-W	85 lbs.	4.6	-	87
SARRW3054-W	74 lbs.	4.6	-	86
SARRW3060-L	81 lbs.	5	-	86
SARRW3060T-W	93 lbs.	5	-	87
SARRW3060-W	81 lbs.	5	-	86
SARRW3648-L	79 lbs.	4.8	-	86
SARRW3648T-W	88 lbs.	4.8	-	87
SARRW3648-W	79 lbs.	4.8	-	86
SARRW3654-L	87 lbs.	5.4	-	86
SARRW3654T-W	98 lbs.	5.4	-	87
SARRW3654-W	87 lbs.	5.4	-	86
SARRW3660-L	96 lbs.	6	-	86
SARRW3660T-W	108 lbs.	6	-	87
SARRW3660-W	96 lbs.	6	-	86
SARWR2442-L	51 lbs.	2.9	-	131
SARWR2442-W	51 lbs.	2.9	-	131
SARWR2448-L	56 lbs.	3.3	-	131
SARWR2448-W	56 lbs.	3.3	-	131
SARWR2454-L	61 lbs.	3.7	-	131
SARWR2454-W	61 lbs.	3.7	-	131
SARWR2460-L	66 lbs.	4.1	-	131
SARWR2460-W	66 lbs.	4.1	-	131
SARWR2466-L	71 lbs.	4.5	-	131
SARWR2466-W	71 lbs.	4.5	-	131
SARWR2472-L	76 lbs.	4.9	-	131
SARWR2472-W	76 lbs.	4.9	-	131
SASBD68H30-P	297 lbs.	46.8	2	150
SASBD68H30-W	297 lbs.	46.8	2	150
SASBD81H30-P	343 lbs.	55	2	150
SASBD81H30-W	343 lbs.	55	2	150
SASCF29H30-5P	123 lbs.	21.6	1	152
SASCF29H30-5W	123 lbs.	21.6	1	152
SASCF29H36-5P	143 lbs.	25.2	1	152
SASCF29H36-5W	143 lbs.	25.2	1	152
SASLCF24H30-5P	137 lbs.	13.5	-	152
SASLCF24H30-5W	137 lbs.	13.5	-	152
SASLCF24H36-5P	155 lbs.	15.9	-	152
SASLCF24H36-5W	155 lbs.	15.9	-	152
SASMC39H108-PG	194 lbs.	47.8	-	187

model number	weight	cubes	#locks	page
SASMC39H108-PP	204 lbs.	47.8	3	186
SASMC39H108-WG	217 lbs.	47.8	-	187
SASMC39H108-WW	233 lbs.	47.8	3	186
SASMC39H60-PG	116 lbs.	27.1	-	187
SASMC39H60-PP	122 lbs.	27.1	2	186
SASMC39H60-WG	129 lbs.	27.1	-	187
SASMC39H60-WW	137 lbs.	27.1	2	186
SASMC39H72-PG	134 lbs.	32.3	-	187
SASMC39H72-PP	141 lbs.	32.3	2	186
SASMC39H72-WG	149 lbs.	32.3	-	187
SASMC39H72-WW	159 lbs.	32.3	2	186
SASMC39H90-PG	167 lbs.	40.1	-	187
SASMC39H90-PP	176 lbs.	40.1	3	186
SASMC39H90-WG	188 lbs.	40.1	-	187
SASMC39H90-WW	199 lbs.	40.1	3	186
SASMC52H60-PG	168 lbs.	35.5	-	189
SASMC52H60-PP	181 lbs.	35.5	2	188
SASMC52H60-WG	186 lbs.	35.5	-	189
SASMC52H60-WW	205 lbs.	35.5	2	188
SASMC52H72-PG	192 lbs.	42.2	-	189
SASMC52H72-PP	210 lbs.	42.2	2	188
SASMC52H72-WG	216 lbs.	42.2	-	189
SASMC52H72-WW	240 lbs.	42.2	2	188
SASMC52H90-PG	245 lbs.	52.4	-	189
SASMC52H90-PP	265 lbs.	52.4	3	188
SASMC52H90-WG	275 lbs.	52.4	-	189
SASMC52H90-WW	302 lbs.	52.4	3	188
SATGW19H102	54 lbs.	10.5	-	173
SATGW19H108	56 lbs.	11.1	-	173
SATGW19H24	14 lbs.	2.9	-	173
SATGW19H30	16 lbs.	3.5	-	173
SATGW19H36	19 lbs.	4.1	-	173
SATGW19H60	28 lbs.	6.4	-	173
SATGW19H66	35 lbs.	7	-	173
SATGW19H72	37 lbs.	7.6	-	173
SATGW19H84	47 lbs.	8.8	-	173
SATGW19H90	49 lbs.	9.4	-	173
SATGW19H96	52 lbs.	10	-	173
SATGW26H102	67 lbs.	13.2	-	174
SATGW26H108	70 lbs.	13.9	-	174
SATGW26H24	17 lbs.	3.7	-	174
SATGW26H30	20 lbs.	4.4	-	174
SATGW26H36	23 lbs.	5.1	-	174

model number	weight	cubes	#locks	page
SATGW26H60	35 lbs.	8.1	-	174
SATGW26H66	43 lbs.	8.8	-	174
SATGW26H72	47 lbs.	9.5	-	174
SATGW26H84	58 lbs.	11	-	174
SATGW26H90	61 lbs.	11.7	-	174
SATKS26H108	37 lbs.	14	-	190
SATKS26H60	23 lbs.	8	-	190
SATKS26H72	27 lbs.	9.5	-	190
SATKS26H90	32 lbs.	11.8	-	190
SATKS26H96	34 lbs.	12.5	-	190
SATKW19H102	30 lbs.	10.7	-	171
SATKW19H108	31 lbs.	11.3	-	171
SATKW19H30	12 lbs.	3.6	-	171
SATKW19H36	14 lbs.	4.2	-	171
SATKW19H60	19 lbs.	6.6	-	171
SATKW19H66	21 lbs.	7.2	-	171
SATKW19H72	22 lbs.	7.8	-	171
SATKW19H84	25 lbs.	9	-	171
SATKW19H90	27 lbs.	9.5	-	171
SATKW19H96	28 lbs.	10.1	-	171
SATKW26H102	38 lbs.	13.5	-	172
SATKW26H108	40 lbs.	14.2	-	172
SATKW26H30	15 lbs.	4.5	-	172
SATKW26H36	17 lbs.	5.2	-	172
SATKW26H60	24 lbs.	8.2	-	172
SATKW26H66	26 lbs.	9	-	172
SATKW26H72	28 lbs.	9.7	-	172
SATKW26H84	32 lbs.	11.2	-	172
SATKW26H90	34 lbs.	12	-	172
SATKW26H96	36 lbs.	12.7	-	172
SATLGW24H102-GSA	44 lbs.	6.4	-	181
SATLGW24H108-GSA	46 lbs.	6.7	-	181
SATLGW24H30-GSA	15 lbs.	2	-	181
SATLGW24H36-GSA	19 lbs.	2.4	-	181
SATLGW24H60-GSA	27 lbs.	3.8	-	181
SATLGW24H66-GSA	30 lbs.	4.2	-	181
SATLGW24H72-GSA	32 lbs.	4.5	-	181
SATLGW24H84-GSA	37 lbs.	5.3	-	181
SATLGW24H90-GSA	40 lbs.	5.6	-	181
SATLGW24H96-GSA	41 lbs.	6	-	181
SATLGW31H102-GSA	52 lbs.	7.8	-	182
SATLGW31H108-GSA	55 lbs.	8.3	-	182
SATLGW31H30-GSA	18 lbs.	2.5	-	182

model number	weight	cubes	#locks	page
SATLGW31H36-GSA	22 lbs.	2.9	-	182
SATLGW31H60-GSA	32 lbs.	4.7	-	182
SATLGW31H66-GSA	35 lbs.	5.2	-	182
SATLGW31H72-GSA	38 lbs.	5.6	-	182
SATLGW31H84-GSA	44 lbs.	6.5	-	182
SATLGW31H90-GSA	46 lbs.	6.9	-	182
SATLGW31H96-GSA	49 lbs.	7.4	-	182
SATLKW18H60	23 lbs.	2.9	-	179
SATLKW24H102	44 lbs.	6.4	-	179
SATLKW24H108	46 lbs.	6.7	-	179
SATLKW24H30	15 lbs.	2	-	179
SATLKW24H36	19 lbs.	2.4	-	179
SATLKW24H60	27 lbs.	3.8	-	179
SATLKW24H66	30 lbs.	4.2	-	179
SATLKW24H72	32 lbs.	4.5	-	179
SATLKW24H84	37 lbs.	5.3	-	179
SATLKW24H90	40 lbs.	5.6	-	179
SATLKW24H96	41 lbs.	6	-	179
SATLKW31H102	52 lbs.	7.8	-	180
SATLKW31H108	55 lbs.	8.3	-	180
SATLKW31H30	18 lbs.	2.5	-	180
SATLKW31H36	22 lbs.	2.9	-	180
SATLKW31H60	32 lbs.	4.7	-	180
SATLKW31H66	35 lbs.	5.2	-	180
SATLKW31H72	38 lbs.	5.6	-	180
SATLKW31H84	44 lbs.	6.5	-	180
SATLKW31H90	46 lbs.	6.9	-	180
SATLKW31H96	49 lbs.	7.4	-	180
SATRD42-L	67 lbs.	4.9	-	133
SATRD42-W	67 lbs.	4.9	-	133
SATRD48-L	84 lbs.	4.9	-	133
SATRD48-W	84 lbs.	4.9	-	133
SATWD26H102-X	56 lbs.	13.2	-	176
SATWD26H102-XP	64 lbs.	13.2	-	175
SATWD26H108-X	62 lbs.	13.9	-	176
SATWD26H108-XP	68 lbs.	13.9	-	175
SATWD26H30-X	21 lbs.	4.4	-	176
SATWD26H30-XP	22 lbs.	4.4	-	175
SATWD26H36-X	24 lbs.	5.1	-	176
SATWD26H36-XP	26 lbs.	5.1	-	175
SATWD26H60-X	37 lbs.	8.1	-	176
SATWD26H60-XP	40 lbs.	8.1	-	175
SATWD26H66-X	40 lbs.	8.8	-	176

model number	weight	cubes	#locks	page
SATWD26H66-XP	43 lbs.	8.8	-	175
SATWD26H72-X	43 lbs.	9.5	-	176
SATWD26H72-XP	47 lbs.	9.5	-	175
SATWD26H84-X	49 lbs.	11	-	176
SATWD26H84-XP	54 lbs.	11	-	175
SATWD26H90-X	52 lbs.	11.7	-	176
SATWD26H90-XP	57 lbs.	11.7	-	175
SATWD26H96-X	55 lbs.	12.5	-	176
SATWD26H96-XP	61 lbs.	12.5	-	175
SATWD7H102-X	22 lbs.	5.2	-	178
SATWD7H102-XP	24 lbs.	5.2	-	177
SATWD7H108-X	23 lbs.	5.5	-	178
SATWD7H108-XP	25 lbs.	5.5	-	177
SATWD7H30-X	10 lbs.	1.7	-	178
SATWD7H30-XP	11 lbs.	1.7	-	177
SATWD7H36-X	11 lbs.	2	-	178
SATWD7H36-XP	12 lbs.	2	-	177
SATWD7H60-X	15 lbs.	3.2	-	178
SATWD7H60-XP	16 lbs.	3.2	-	177
SATWD7H66-X	16 lbs.	3.5	-	178
SATWD7H66-XP	17 lbs.	3.5	-	177
SATWD7H72-X	17 lbs.	3.8	-	178
SATWD7H72-XP	18 lbs.	3.8	-	177
SATWD7H84-X	19 lbs.	4.3	-	178
SATWD7H84-XP	21 lbs.	4.3	-	177
SATWD7H90-X	20 lbs.	4.6	-	178
SATWD7H90-XP	22 lbs.	4.6	-	177
SATWD7H96-X	21 lbs.	4.9	-	178
SATWD7H96-XP	23 lbs.	4.9	-	177
SAUTC68H24L-W	269 lbs.	39.1	3	151
SAUTC68H24R-W	52 lbs.	30.4	3	151
SAUTC81H24L-W	317 lbs.	45.9	3	151
SAUTC81H24R-W	52 lbs.	36	3	151
SAWMC13H102L-PP	118 lbs.	18.1	2	159
SAWMC13H102L-WW	137 lbs.	18	2	159
SAWMC13H102R-PP	118 lbs.	18.1	2	159
SAWMC13H102R-WW	137 lbs.	18	2	159
SAWMC13H108L-PP	123 lbs.	19.2	2	159
SAWMC13H108L-WW	142 lbs.	19	2	159
SAWMC13H108-PG	125 lbs.	19.2	-	160
SAWMC13H108-PP	136 lbs.	19.2	3	158
SAWMC13H108-PSG	121 lbs.	19.2	-	162
SAWMC13H108-PSP	128 lbs.	19.2	-	161

model number	weight	cubes	#locks	page
SAWMC13H108R-PP	123 lbs.	19.2	2	159
SAWMC13H108R-WW	142 lbs.	19	2	159
SAWMC13H108-WG	142 lbs.	19	-	160
SAWMC13H108-WSG	136 lbs.	19.2	-	162
SAWMC13H108-WSW	146 lbs.	19.2	-	161
SAWMC13H108-WW	158 lbs.	19	3	158
SAWMC13H30-PG	37 lbs.	4.7	-	160
SAWMC13H30-PP	39 lbs.	4.7	1	158
SAWMC13H30-WG	41 lbs.	5.7	-	160
SAWMC13H30-WW	45 lbs.	5.7	1	158
SAWMC13H36-PG	42 lbs.	6.7	-	160
SAWMC13H36-PP	46 lbs.	6.7	1	158
SAWMC13H36-WG	48 lbs.	6.7	-	160
SAWMC13H36-WW	53 lbs.	6.7	1	158
SAWMC13H60L-PP	67 lbs.	10.8	1	159
SAWMC13H60L-WW	77 lbs.	10.8	1	159
SAWMC13H60-PG	73 lbs.	10.8	-	160
SAWMC13H60-PP	78 lbs.	10.8	2	158
SAWMC13H60-PSG	68 lbs.	10.9	-	162
SAWMC13H60-PSP	71 lbs.	10.9	-	161
SAWMC13H60R-PP	67 lbs.	10.8	1	159
SAWMC13H60R-WW	77 lbs.	10.8	1	159
SAWMC13H60-WG	82 lbs.	10.8	-	160
SAWMC13H60-WSG	77 lbs.	10.9	-	162
SAWMC13H60-WSW	81 lbs.	10.9	-	161
SAWMC13H60-WW	90 lbs.	10.8	2	158
SAWMC13H66L-PP	73 lbs.	11.9	1	159
SAWMC13H66L-WW	84 lbs.	11.8	1	159
SAWMC13H66R-PP	73 lbs.	11.9	1	159
SAWMC13H66R-WW	84 lbs.	11.8	1	159
SAWMC13H72L-PP	78 lbs.	12.9	1	159
SAWMC13H72L-WW	90 lbs.	12.9	1	159
SAWMC13H72-PG	84 lbs.	12.9	-	160
SAWMC13H72-PP	91 lbs.	12.9	2	158
SAWMC13H72-PSG	79 lbs.	12.9	-	162
SAWMC13H72-PSP	82 lbs.	12.9	-	161
SAWMC13H72R-PP	78 lbs.	12.9	1	159
SAWMC13H72R-WW	90 lbs.	12.9	1	159
SAWMC13H72-WG	95 lbs.	12.9	-	160
SAWMC13H72-WSG	89 lbs.	12.9	-	162
SAWMC13H72-WSW	84 lbs.	12.9	-	161
SAWMC13H72-WW	105 lbs.	12.9	2	158
SAWMC13H84L-PP	100 lbs.	15	2	159

model number	weight	cubes	#locks	page
SAWMC13H84L-WW	116 lbs.	14.9	2	159
SAWMC13H84R-PP	100 lbs.	15	2	159
SAWMC13H84R-WW	116 lbs.	14.9	2	159
SAWMC13H90L-PP	105 lbs.	16.1	2	159
SAWMC13H90L-WW	122 lbs.	15.9	2	159
SAWMC13H90-PG	108 lbs.	16.1	-	160
SAWMC13H90-PP	116 lbs.	16.1	3	158
SAWMC13H90-PSG	105 lbs.	16.1	-	162
SAWMC13H90-PSP	110 lbs.	16.1	-	161
SAWMC13H90R-PP	105 lbs.	16.1	2	159
SAWMC13H90R-WW	122 lbs.	15.9	2	159
SAWMC13H90-WG	123 lbs.	15.9	-	160
SAWMC13H90-WSG	117 lbs.	16.1	-	162
SAWMC13H90-WSW	125 lbs.	16.1	-	161
SAWMC13H90-WW	135 lbs.	15.9	3	158
SAWMC13H96L-PP	113 lbs.	17.1	2	159
SAWMC13H96L-WW	131 lbs.	17	2	159
SAWMC13H96R-PP	113 lbs.	17.1	2	159
SAWMC13H96R-WW	131 lbs.	17	2	159
SAWMC26H30-PG	62 lbs.	10.1	-	165
SAWMC26H30-PP	69 lbs.	10.1	1	163
SAWMC26H30-WG	70 lbs.	10.1	-	165
SAWMC26H30-WW	79 lbs.	10.1	1	163
SAWMC26H36-PG	71 lbs.	11.9	-	165
SAWMC26H36-PP	80 lbs.	11.9	1	163
SAWMC26H36-WG	82 lbs.	11.9	-	165
SAWMC26H36-WW	93 lbs.	11.9	1	163
SAWMC26H60L-PP	115 lbs.	19.3	1	164
SAWMC26H60L-WW	132 lbs.	19.3	1	164
SAWMC26H60-PG	123 lbs.	19.3	-	165
SAWMC26H60-PP	137 lbs.	19.3	2	163
SAWMC26H60-PSG	114 lbs.	19.3	-	167
SAWMC26H60-PSP	121 lbs.	19.3	-	166
SAWMC26H60R-PP	115 lbs.	19.3	1	164
SAWMC26H60R-WW	132 lbs.	19.3	1	164
SAWMC26H60-WG	140 lbs.	19.3	-	165
SAWMC26H60-WSG	128 lbs.	19.3	-	167
SAWMC26H60-WSW	138 lbs.	19.3	-	166
SAWMC26H60-WW	158 lbs.	19.3	2	163
SAWMC26H66L-PP	126 lbs.	21.1	1	164
SAWMC26H66L-WW	146 lbs.	21.1	1	164
SAWMC26H66R-PP	126 lbs.	21.1	1	164
SAWMC26H66R-WW	146 lbs.	21.1	1	164

model number	weight	cubes	#locks	page
SAWMC26H72L-PP	134 lbs.	23	1	164
SAWMC26H72L-WW	156 lbs.	23	1	164
SAWMC26H72-PG	141 lbs.	23	-	165
SAWMC26H72-PP	159 lbs.	23	2	163
SAWMC26H72-PSG	131 lbs.	23	-	167
SAWMC26H72-PSP	140 lbs.	23	-	166
SAWMC26H72R-PP	134 lbs.	23	1	164
SAWMC26H72R-WW	156 lbs.	23	1	164
SAWMC26H72-WG	163 lbs.	23	-	165
SAWMC26H72-WSG	150 lbs.	23	-	167
SAWMC26H72-WSW	162 lbs.	23	-	166
SAWMC26H72-WW	186 lbs.	23	2	163
SAWMC26H84L-PP	174 lbs.	26.7	2	164
SAWMC26H84L-WW	202 lbs.	26.7	2	164
SAWMC26H84R-PP	174 lbs.	26.7	2	164
SAWMC26H84R-WW	202 lbs.	26.7	2	164
SAWMC26H90L-PP	182 lbs.	28.5	2	164
SAWMC26H90L-WW	211 lbs.	28.5	2	164
SAWMC26H90-PG	184 lbs.	28.5	-	165
SAWMC26H90-PP	204 lbs.	28.5	3	163
SAWMC26H90-PSG	175 lbs.	28.5	-	167
SAWMC26H90-PSP	190 lbs.	28.5	-	166
SAWMC26H90R-PP	182 lbs.	28.5	2	164
SAWMC26H90R-WW	211 lbs.	28.5	2	164
SAWMC26H90-WG	210 lbs.	28.5	-	165
SAWMC26H90-WSG	196 lbs.	28.5	-	167
SAWMC26H90-WSW	216 lbs.	28.5	-	166
SAWMC26H90-WW	237 lbs.	28.5	3	163
SAWMW13H102-P	35 lbs.	4.2	-	168
SAWMW13H102-W	39 lbs.	4.2	-	168
SAWMW13H108-P	37 lbs.	4.4	-	168
SAWMW13H108-W	41 lbs.	4.4	-	168
SAWMW13H30-P	10 lbs.	1.3	-	168
SAWMW13H30-W	11 lbs.	1.3	-	168
SAWMW13H36-P	12 lbs.	1.6	-	168
SAWMW13H36-W	14 lbs.	1.6	-	168
SAWMW13H60-P	20 lbs.	2.5	-	168
SAWMW13H60-W	23 lbs.	2.5	-	168
SAWMW13H66-P	22 lbs.	2.7	-	168
SAWMW13H66-W	25 lbs.	2.7	-	168
SAWMW13H72-P	25 lbs.	3	-	168
SAWMW13H72-W	27 lbs.	3	-	168
SAWMW13H84-P	29 lbs.	3.5	-	168
SAWMW13H84-W	32 lbs.	3.5	-	168

SAWMW13H90-P	31 lbs.	3.7	-	168
SAWMW13H90-W	34 lbs.	3.7	-	168
SAWMW13H96-P	33 lbs.	3.9	-	168
SAWMW13H96-W	36 lbs.	3.9	-	168
SAWMW26H30-P	21 lbs.	2.3	-	169
SAWMW26H30-W	23 lbs.	2.3	-	169
SAWMW26H36-P	25 lbs.	2.8	-	169
SAWMW26H36-W	28 lbs.	2.8	-	169
SAWMW26H60-P	42 lbs.	4.4	-	169
SAWMW26H60-W	47 lbs.	4.4	-	169
SAWMW26H66-P	46 lbs.	4.9	-	169
SAWMW26H66-W	51 lbs.	4.9	-	169
SAWMW26H72-P	51 lbs.	5.3	-	169
SAWMW26H72-W	56 lbs.	5.3	-	169
SAWMW26H84-P	59 lbs.	6.1	-	169
SAWMW26H84-W	65 lbs.	6.1	-	169
SAWMW26H90-P	63 lbs.	6.6	-	169
SAWMW26H90-W	70 lbs.	6.6	-	169
SXEXP-EEDD	5 lbs.	0.2	-	201
SXEXP-EEDD-HW	5 lbs.	0.2	-	201
SXEXP-EEDG	5 lbs.	0.2	-	201
SXEXP-EEDG-HW	5 lbs.	0.2	-	201
SXEXP-EEEE	5 lbs.	0.2	-	201
SXEXP-EEEE-HW	5 lbs.	0.2	-	201
SXMPD1815-6P	67 lbs.	5.1	1	134
SXMPD1815-6W	67 lbs.	5.1	1	134
SXMPT1815-L	8 lbs.	1	-	134
SXMPT1815-W	8 lbs.	1	-	134





# SILEA<sup>™</sup> PRIVATE OFFICE

**The Gunlocke Company, LLC**  
One Gunlocke Drive, Wayland, NY 14572

800 828 6300 F 585 728 8350  
[www.gunlocke.com](http://www.gunlocke.com)