TRIG®

Desking

Price List

Pricing effective June 2015

For Canadian pricing, please visit Trendealer.com to see the current conversion rate being used.

Trendway

Trig Desking
Trig Desking is a fully integrated line of laminate freestanding components including desks, credenzas, tables and laminate storage. This line offers high-end aesthetics, with a range of styling options and finishes.

Trendway product catalogs are available in the following design software: 20/20 (CAP/Giza) and Project Matrix. The Core price book is also available in .pdf (Acrobat Reader) format on www.trendealer.com. For Architects and Designers, a free FSL (Furniture Symbol Library) is available on www.trendway.com.

Product dimensions are given throughout the product catalog and are followed by parenthesis which have the metric equivalent in millimeters. For example: A Rectangular Work Surface is available in a 48" (1219)-width.

Ordering Information
The most efficient way to enter an order is through Trendway On-Line Order Entry on www.trendealer.com, which also accepts .sif files from the design software listed above. Faxed orders are available as well but may extend lead-times.

For ease in specifying, Trendway's catalog numbering system uses meaningful characters to convey description, surface type, and size. For example, TRGRECD2048 represents a Trig Rectangle Desk that is 20" (508) deep and 48" (1219)-wide.

Order specification examples are shown throughout the price book at the bottom of each page. Be sure to follow the order sequence carefully to ensure complete and accurate order specification.

After placing an order, Trendway will send an order acknowledgement that follows the sequence of information outlined below. Trendway encourages you to follow the same steps so that checking your order against the acknowledgement will be as easy as possible.

Placing an Order
To make placing an order simple, Trendway On-Line Order Entry automatically prompts the product and option decisions that are required. For accurate order processing on faxed orders, please type or use legible handwriting, and be sure to include the following information:

1. A complete "sold to" address with correct Zip code.
2. A complete "ship to" address with correct Zip code.
3. A purchase order number. (The order is issued to Trendway Corporation, Holland, Michigan.)
4. A signature or name of person authorizing the purchase order.
5. A contact name and phone number at your company.
6. An actual calendar date for the requested delivery date (not ASAP).
7. Line items that are complete, which means all catalog numbers and descriptions, options listed for each product selected, fabric/finish pattern and color descriptions, and all corresponding letter or number codes. Be sure to make a pick for all available options. Also, combine identical items and specify total quantity unless using special marking or tagging.

   (Refer to your price list for ordering options.)
8. Special products referenced by their control numbers as well as their descriptions.
9. Line items that include price per unit, as well as extended totals.
10. A total dollar amount for the purchase order.
11. Any special shipping requirements clearly noted; i.e., "call before delivery."

By placing your orders correctly and completely the first time around, your order will be processed and scheduled without delay (subject to credit approval).

Lead-Times
The majority of Trig Desking products are shipped within Trendway's standard lead time. Trendway Express lead-times are available on select products. Products and their options available for specification on Express are indicated with an ⓔ in front of the catalog number. Note that all chosen options for a product must also be available in the Express program to qualify.

Note: Shipping lead-times are subject to product availability due to order size. For exact lead-times on your order contact Trendway Customer Care.

Product Questions, Quotes & Order Placement On-Line
www.trendealer.com
Hours: 24 Hours, 7 Days a Week

Customer Care Representative
Hours: Monday–Friday 7am–6pm EST
Phone: 1-800-893-8115
Fax: 1-800-893-8121
e-mail: customercare@trendway.com

Trendway Custom Solutions
Phone: 1-800-893-8117

For more information on Order Placement, Confirmation, and Lead-Times, see the Pricing, Procedures & Policies section in the back of the price book.

1. **Trendway Express Orders**
   - Trendway Express is Trendway's special quick shipment program. The Program was devised to help customers meet immediate office furnishing needs. Complete orders entered electronically will ship within an average of 3 working days.

     Express is a selected offering that features more frequently requested Trendway products, options, and finishes — enough to address most commonly encountered work situations in today's office.

     Because Express lead times are so short, no COM or special orders can be accepted.
   - **The Maximum Order**
     Trig Express orders are limited to a maximum of $30,000 retail list price for 3-day shipment. Due to the special nature of this offering, no deviations or substitutions of products will be accepted. Shipments are subject to product availability. Orders containing any non-Express products will be scheduled for normal lead times.
   - **Changing or Canceling an Order**
     Express orders are often processed the day after order entry. Therefore, your Express order may be changed or canceled only on the same day that it is placed.
2. **Transportation**
   All orders are shipped by Trendway truck or common carrier. List prices shown include Trendway specified freight cost on all orders. For additional information about transportation, contact Trendway Customer Care 1-800-893-8115.
3. **Prices**
   Prices shown in this offering are F.O.B. origin, freight prepaid. Trendway reserves the right to change prices without notice.

Sequence Information
The table shows a sample of the price book format's sequence of information which will assist when placing an order and checking an order acknowledgement.

	Catalog Number	Top Color
Sample Part Number:	TRGRECD2048	.XZ3

Desks

D W*	D1 W* D2	D1 W D2	D1 W* D2 D3	D1 W* D2 D3
20" x 48"	24" x 54" x 20"	30" x 94" x 24"	30" x 54" x 42" x 24"	42" x 54" x 20" x 24"
20" x 84"	24" x 84" x 20"		30" x 84" x 42" x 24"	42" x 84" x 20" x 24"
24" x 48"	30" x 54" x 20"		30" x 54" x 48" x 24"	48" x 54" x 20" x 24"
24" x 84"	30" x 84" x 20"		30" x 84" x 48" x 24"	48" x 84" x 20" x 24"
30" x 48"	30" x 54" x 24"			
30" x 84"	30" x 84" x 24"			

Right-Hand

**widths in increments of 6"*

⟷ Denotes direction of wood grain

Work Surfaces

D W*	D1 W* D2	D1 W D2	D1 W* D2 D3	D1 W* D2 D3
20" x 48"	24" x 54" x 20"	30" x 94" x 24"	30" x 54" x 42" x 24"	42" x 54" x 20" x 24"
20" x 84"	24" x 84" x 20"		30" x 84" x 42" x 24"	42" x 84" x 20" x 24"
24" x 48"	30" x 54" x 20"		30" x 54" x 48" x 24"	48" x 54" x 20" x 24"
24" x 84"	30" x 84" x 20"		30" x 84" x 48" x 24"	48" x 84" x 20" x 24"
30" x 48"	30" x 54" x 24"			
30" x 84"	30" x 84" x 24"			

Right-Hand

**widths in increments of 6"*

Work Surface Support Legs

W	Shared W	Side to Side W
20"	40"	20"
24"	48"	24"
30"	60"	30"
		48"
		60"

Supports surfaces that are next to each other – no need for separate legs on each surface.

Screens & Modesties

Desk Top Screens

W H
16" x 8"
20" x 8"
26" x 8"
38" x 8"
44" x 8"
16" x 13"
20" x 13"
26" x 13"
38" x 13"
44" x 13"

Surface Mount Screens

W* H
24" x 13"
84" x 13"
24" x 19"
84" x 19"

**widths in increments of 6"*

Back Edge Mount Screens

W* H
24" x 13"
72" x 13"
24" x 13"
24" x 19"

**widths in increments of 6"*

Modesty

W* H
24" x 14"
72" x 14"

**widths in increments of 6"*

Screen/Modesty Combination

W* H
24" x 28"
72" x 28"

**widths in increments of 6"*

Filing & Storage

Credenzas

D W H	D W H	D W H	D W H	D W H	D W H	D W H	D W H
20" x 75" x 26¾"	20" x 60" x 26¾"	20" x 45" x 26¾"	20" x 45" x 26¾"	20" x 30" x 26¾"	20" x 45" x 26¾"	20" x 30" x 26¾" 20" x 36" x 26¾"	20" x 60" x 26¾"

D W H	D W H	D W H	D W H	D W H	D W H	D W H
20" x 30" x 26¾"	20" x 75" x 26¾"	20" x 60" x 26¾"	20" x 45" x 26¾"	20" x 45" x 26¾"	20" x 45" x 26¾"	20" x 45" x 26¾"

Filing & Storage Continued

Bench-Height Storage

D W H
20" x 75" x 21"

D W H
20" x 60" x 21"

D W H
20" x 45" x 21"

D W H
20" x 45" x 21"

D W H
20" x 30" x 21"

D W H
20" x 30" x 21"
20" x 36" x 21"

Freestanding Storage

D W H
20" x 30" x 26 3/4"

D W H
20" x 15 1/2" x 26 3/4"

D W H
20" x 30" x 26 3/4"

Under Desk Support Storage

D W H
20" x 30" x 27 3/4"
24" x 30" x 27 3/4"
30" x 30" x 27 3/4"

D W H
20" x 15 1/2" x 27 3/4"
24" x 15 1/2" x 27 3/4"
30" x 15 1/2" x 27 3/4"

D W H
20" x 30" x 27 3/4"
24" x 30" x 27 3/4"
30" x 30" x 27 3/4"

Stack Storage - Open Shelf*

D W H*
14" x 30" x 27 1/4"

D W H*
14" x 30" x 39 1/4"

**To match 54" & 66" high Storage Towers when placed on top of 26.75" high Credenzas.*

Stack Storage - Paper Management

D W* H
14" x 30" x 5"
14" x 45" x 5"
14" x 60" x 5"
14" x 75" x 5"

**To match Credenza Storage widths*

Trig to Panel Bracket

Will allow Trig Work Surface Legs and Storage Units to directly connect to Choices and Contrada Panels.

Overhead - Single and Dual Sliding Door

D W* H
14" x 48" x 15 1/2"
14" x 72" x 15 1/2"

D W* H
14" x 48" x 15 1/2"
14" x 72" x 15 1/2"

**widths in increments of 6"*

Overhead - Open Shelf

D W* H
14" x 48" x 15 1/2"
14" x 84" x 15 1/2"

Overhead - Hinged Doors**

D W* H
14" x 60" x 15 1/2"
14" x 84" x 15 1/2"

**Widths in 6" increments.*

***The same door size is used for all units. Overheads 66" and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit.*

Combination Storage

D W H
20" x 30" x 53 3/4"

D W H
20" x 30" x 53 3/4"

D W H
20" x 45" x 53 3/4"

D W H
20" x 45" x 53 3/4"

D W H
20" x 15 1/2" x 47 3/4"
24" x 15 1/2" x 47 3/4"
30" x 15 1/2" x 47 3/4"

D W H
20" x 15 1/2" x 47 3/4"
24" x 15 1/2" x 47 3/4"
30" x 15 1/2" x 47 3/4"

Tower Storage

D W H
20" x 30" x 65 3/4"

D W H
20" x 15" x 65 3/4"

D W H
20" x 30" x 53 3/4"

D W H
20" x 15" x 53 3/4"

Filing & Storage Continued

Door Style Options

Laminate Door

Framed Door Insert (Plexiglass)

Wardrobe Storage

D W H
24" x 24" x 66"

D W H
24" x 24" x 66"

D W H
20" x 15" x 53$^{3}/_{4}$"
20" x 15" x 65$^{3}/_{4}$"

Accessories

Monitor Arms

Lighting

Tables

D W H
36" x 72" x 28$^{3}/_{4}$"
42" x 72" x 28$^{3}/_{4}$"
48" x 72" x 28$^{3}/_{4}$"
48" x 96" x 28$^{3}/_{4}$"
48" x 120" x 28$^{3}/_{4}$"
48" x 144" x 28$^{3}/_{4}$"

D/W H
36" x 28$^{3}/_{4}$"
42" x 28$^{3}/_{4}$"
48" x 28$^{3}/_{4}$"

Note: See the Tables Price Book for the complete Tables offering.

Standard Fabrics
All Trendway standard directional fabrics are applied Down-roll on Trig Tackboards less than 60" wide.

Down-roll (⬇)
Down-roll means the height dimension of the tackboard is parallel to the warp of the fabric (Fig. A).

Fig. A

COM Fabrics
COM fabrics may be applied either Down-roll (Fig. A) or Railroad (Fig. B). When choosing Railroad on COM fabrics please note that tackboard widths 60" and greater cannot be applied Down-roll due to panel fabric being 66" wide (Fig. C).

Railroad (R)
Railroad means the height dimension of the tile or component is perpendicular to the warp of the fabric (Fig. B).

Fig. B

Fig. C

Standard Application Direction

Pattern	Trig Tackboards (component) Less than 60"
Anchorage	⬇
Auster	⬇
Backdrop	⬇
Belgrade	✥
Bird's Eye	⬇
Block Party	⬇
Cameo	⬇
Cape Cod	⬇
Coastline	⬇
Crosstown	⬇
Curtain Call	⬇
Drift	⬇
Encore	⬇
Fine Point	⬇
Footlights	⬇
Framework	✥
Frost	⬇
Galleria	⬇
Groove	⬇
Meander	⬇
Metallation	⬇
Overture	⬇
Pact	⬇
Phone Tag	⬇
Province	⬇
Snapshot	⬇
Sprite	⬇
Strata	⬇
Tabby Weave	✥
Tenor	⬇
Tracery	⬇
Universe	⬇
Verse	⬇

✥ = NonDirectional Pattern will be applied for best yield
⬇ = Down-roll

Surface Material Program
The Trendway Surface Material Program includes a broad selection of coordinated fabrics, laminate and trim finish options. Additionally, Trendway offers a Customers Own Material (COM) program to allow customers to further personalize their work stations.

The following sections describe the Trendway Surface Materials vocabulary.

Standard Program
Trendway's Standard Program of timeless fabrics, finishes, vinyls and laminates, is recommended for corporate standards programs. These fabrics are carded, swatched and stocked by Trendway. Refer to individual panels for fire rating classifications.

Surface Trends
Trendway's Surface Trends Program is an evolving collection of fabrics, vinyls, and laminates, and are designated by symbol. Influenced and kept up to date by emerging trends, the typical life span in this program is one to three years. Items no longer available through Trendway may still be available for purchase directly through the supplier. Materials in this program comply with, and in many cases exceed the industry standards for quality and performance.

Surface Trends panel fabrics pass Cal.117 and are listed as part of the UL recognized component program.

Express
Express fabrics and finishes are available in a three-day lead time. Surface Materials available for specification on Express are indicated with a e in front of the 3-digit code.

Terratex®
Terratex is a True Textiles brand designating fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high-quality product that is recyclable at the end of its useful life. For more information, go to www.terratex.com.

COM
Customers Own Material program allows customers to select and specify their own fabric or laminate on Trendway product. For detailed information, see COM in the Pricing, Procedures and Policies section in the back of the price list.

Pre-Approved COM
Select from popular COM fabrics pre-approved by Trendway. Customers are able to search the COM library on www.trendealer.com for fabrics and specific applications that have passed manufacturability testing on Trendway product.

HOW TO ORDER SAMPLES

Binder Cards
Standard and Surface Trends binder cards are available through Trendway fulfillment. Call 1-800-968-5344, ext. 1.

Standard Program Samples
Samples of fabrics and finishes are available through Trendway fulfillment. Call 1-800-968-5344, ext. 1.

Surface Trends Samples
Surface Trends **samples must be ordered directly through the supplier.** Contact information is listed below. Reference the pattern name and color along with the supplier part number on the back of your binder card to order samples.

Guilford Of Maine®
www.guilfordofmaine.com
1-800-544-0200

Momentum® Textiles
www.memosamples.com
1-800-366-6839

Morbern Vinyl (Woodford)
www.morbern.com
1-888-667-2376

Nevamar
www.nevamar.com
1-800-638-4380

Pionite
www.pionite.com
1-800-746-6483

Wilsonart®
www.wilsonart.com
1-800-433-3222

Please note: Colors on printed sample cards are as accurate as offset printing allows. Please refer to the actual sample before ordering.

Surface Material Legend

= 100% Recycled Content

Terratex brand is a registered trademark of True Textiles. Refer to your binder card to identify Terratex 100% recycled fabrics, or for a complete list www.trendealer.com.

= Surface Trends Program (Samples available through supplier, refer to previous column for a list of supplier contacts)

Panel Fabrics

Framework — Grade 0

Value Fabric

ⓔ B4V	Sandy Pebble
ⓔ B4W	Chamoise
ⓔ B4X	Gray Blue
ⓔ B4Y	Eucalyptus
ⓔ B50	Blue Smooth
ⓔ BJ4	Beige
ⓔ BJ5	Stone
ⓔ BJ6	Elephant
ⓔ BJ7	Dove Gray

Frost — Grade 1

AH2	Whiteout
ⓔ AH3	Dew
ⓔ AH4	Icing
AH5	Flurries
ⓔ AH6	Crystals
ⓔ AH7	Snowcap
ⓔ AH8	Sleet
AH9	Glaze
ⓔ AJ0	Blizzard
ⓔ AJ1	Arctic
AJ2	Wintry
AJ3	Glacier
ⓔ AJ4	Chilled
ⓔ AJ5	Black Ice

Meander — Grade 1

Momentum

ⓔ B48	Agate Taupe
ⓔ B49	Nightshadow
ⓔ B4A	Overcast
ⓔ B4B	Sandshell

Tracery — Grade 1

Momentum

ⓔ B4C	Brindle
ⓔ B4D	Egret
ⓔ B4E	Sea Spray
ⓔ B4F	Straw

Universe — Grade 1

Momentum

ⓔ B4G	Cosmic
ⓔ B4H	Creme Brulee
ⓔ B4J	Depth
ⓔ B4K	Mica
ⓔ B4M	Milkyway
ⓔ B4N	Seneca
ⓔ B4P	Wheat
ⓔ B4R	Whitecap

Fine Point — Grade 1

Victor

BN2	Balique
BN3	Fresco
BN4	Porcelain
BN5	Silvern
BN6	Sterling
BN7	Vintage

Backdrop — Grade 2

Momentum

K0G	Barley
K0H	Bone
K0J	Bonsai
K0K	Cement
K0M	Charcoal
K0N	Jute
K0P	Khaki
K0R	Mica
K0T	Mocha
K0U	Rain

Belgrade — Grade 2

025	Liberty
ⓔ 050	Dover Grey
052	Deer Isle
053	Blue Hill
055	Steel Harbor
BP4	Cement Mix
BP5	Light Moss
BP6	Quartz
BP7	Wheat

Birds Eye — Grade 2

AG0	Rock
AG1	Vista
ⓔ AG3	Outlook
AG4	Impression
ⓔ AG5	Flight
AG6	Soar
AG7	Glide
AG9	Panorama
AH1	Storm

Cameo — Grade 2

Momentum

K0V	Almond
K0W	Coffee
K0X	Fawn
K0Y	Ivory
K10	Linen
K11	Metal
K12	Mist
K13	Parchment
K14	Smoke
K15	Stone
K16	Twig

Cape Cod — Grade 2

Guilford of Maine

BYF	Linen
BYG	Cloud
BYH	Seagull
BYJ	Key Lime
BYK	Buff
BYM	Shale
BYN	Apricot
BYP	Dune
BYR	Surf

Curtain Call — Grade 2

Momentum

K04	Chrome
K05	Desert
K06	Dove
K07	Latte
K08	Pebble
K09	Sea
K0A	Tawny

Encore — Grade 2

Momentum

K00	Cocoa
K01	Graphite
K02	Honey
K03	Putty

Footlights — Grade 2

Momentum

K0C	Ash
K0D	Fog
K0E	Spa
K0F	Wheat

Metallation — Grade 2

SL5	18 Karat
SR4	Polished Pewter
SQ6	Welded Steel
SJ3	Etched Bronze
SP8	Chrome
SM3	Dark Annealed
SS2	Wrought Iron
SN1	Fired Titanium
ST0	Stove Pipe

Overture — Grade 2

Momentum

B35	Bisque
B36	Chiffon
B4T	Heatherglen
B4U	Rose Tan
BXU	Red
BXV	Sunshine
BXW	Cobalt
BXX	Chocolate

Notes Surface Trends Program

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Panel Fabrics

Pact — Grade 2
Momentum

BM5	Aloe
BM6	Azure
BM7	Calla
BM8	Coastal
BM9	Delft
BMA	Dove
BMC	Dragon
BMD	Eureka
BME	Fern
BMF	Harbor
BMG	Lily
BMH	Lime
BMJ	Midnight
BMK	Nectar
BMM	Patina
BMN	Putty
BMP	Roast
BMR	Roma
BMT	Rubine
BMU	Sketch
BMV	Tanzanite
BMW	Taupe
BMX	Toasty

Sprite — Grade 2
Guilford Of Maine

BU7	Butter
BU8	Harvest
BU9	Khaki
BUA	Kiwi
BUB	Linen
BUC	Powder
BUD	Sherbet
BUE	Sky
BUF	Snow

Strata — Grade 2
Guilford Of Maine

BY6	Linen
BY7	Straw
BY8	Sand
BY9	Latte
BYA	Cloud
BYC	Sky
BYD	Cement
BYE	Sea

Tabby Weave — Grade 2

ⓔ 150	Wedgewood
ⓔ 175	Crystal Blue
ⓔ 380	Quartz
ⓔ 390	Rose Quartz
ⓔ 400	Cherry Neutral
ⓔ 401	Blue Neutral
ⓔ 404	Apricot Neutral
ⓔ QL2	Blue Spruce
ⓔ QM0	Sienna
ⓔ QN9	Blue Plum
ⓔ QP5	Bone
ⓔ QQ3	Cement Mix
ⓔ QR1	Light Moss
ⓔ QS0	Lake
ⓔ QT8	Stream
ⓔ QV0	Desert Sand
ⓔ 238	Grey Mix
ⓔ 423	Pumice
ⓔ BV2	Silver Papier
ⓔ K96	Black
ⓔ K97	Coin
ⓔ K98	Flannel
ⓔ K99	Medium Grey

Tenor — Grade 2
Momentum

B0R	Bisque
B0T	Champagne
B0U	Chiffon
B0V	Desert View
B0W	Driftwood
B0X	Heatherglen
B0Y	Mysteria
B30	Rose Tan

Verse — Grade 2
Momentum

B31	Field
B32	Pyrite
B33	Sandhurst
B34	Twilight

Anchorage — Grade 3
Guilford Of Maine

ⓔ AQ1	Vanilla
ⓔ AQ2	Green Olive
ⓔ AQ3	Eucalyptus
ⓔ AQ4	Cumin
ⓔ AQ8	Birch
ⓔ AQ9	Goose
ⓔ AR0	Asteroid
ⓔ AQ5	Slate
ⓔ AQ6	Quarry Blue
ⓔ AQ7	Deep Water
ⓔ AR1	Angora
ⓔ AR2	Henna
ⓔ AR3	Fossil
ⓔ B9P	Straw
ⓔ BF1	Sunshine
ⓔ BF2	Pumpkin
ⓔ BF3	Geranium
ⓔ BF4	Aubergine
ⓔ BF5	Mulberry
ⓔ BF6	Poppy
ⓔ BF7	Amber
ⓔ BF8	Goldenrod
ⓔ BF9	Cobalt
ⓔ BFA	Lapis
ⓔ BFC	Thistle
ⓔ BFD	Midnight
ⓔ BFE	Sea
ⓔ BFF	Green Apple
ⓔ BFG	Willow
ⓔ BFH	Pine Needle
ⓔ BFJ	Wolf
ⓔ BFK	Coffee Bean
ⓔ BFM	Graphite
ⓔ BFN	Red Delicious
ⓔ GEB	Onyx
ⓔ BXN	Magenta
ⓔ BXP	Waterfall

Notes Surface Trends Program
Fabric patterns noted with ⓔ are available in Trendway's Express program.

Panel Fabrics

Coastline — Grade 3
Guilford Of Maine

WA7	Bluff
W26	Sand
W85	Vapor
AR4	Sunset
AR5	Seal
AR6	Beachglass
K18	Dove
K19	Limeade
K1A	Meringue

Crosstown — Grade 3
Guilford Of Maine

e AP0	Ray
AP2	Fieldstone
AP3	Sterling
AP4	Stucco
AP5	Waterfront
AP6	Buff
AP8	Chamois
AP9	Cement
K17	Graphite

Galleria — Grade 3

AP1	Mortar
AQ0	Mineral
AR8	Gobi
S96	Lacquer
SD4	Laurel
SE2	Blueberry
SF0	Desert Sand
SG9	Wrought Iron

Groove — Grade 3
Guilford Of Maine

VS3	Froth
e VY8	Graphite
VX0	Marigold
VW1	Mocha
e VR5	Rum
VV3	Spring
VU5	Winter
K1C	Smoke

Phone Tag — Grade 3
Guilford Of Maine

TK3	Almond
TM0	Clover
TP4	Sky Dive
TF7	Wheat

Snapshot — Grade 3
Guilford Of Maine

e TY3	Froth
TT7	Pistachio
e TZ1	Rum
VB9	Steel

Province — Grade 3

BF0	Horizon
BG9	Vicuna
BH7	Sterling
BJ3	Streamline
BL5	Canyon
BM3	Ice
BN1	Field
BP8	Verbena
BQ6	Napoleon
BR4	Nocturne
BS2	Redwood
BE2	Cleo

Auster — Grade 3
Guilford Of Maine

B6N	Pebble
B6P	Platinum
B6R	Silverdust
B6U	Storm

Block Party — Grade 3
Guilford Of Maine

B70	Alabaster
B71	Canyon
B72	Isle
B73	Oasis
B74	Pebble

Drift — Grade 3
Guilford Of Maine

B89	Alabaster
B8C	Graphite
B8D	Mocha
B8E	Pebble
B8F	Slate
B8G	Sprout
B8H	Storm

Standard Systems Finishes

Trendway standard paints include smooth and textured styles in our six trim colors.

Systems Paints and Trim	
ⓔ G	Gray
ⓔ TG	Textured Gray
ⓔ J	Stucco
ⓔ TJ	Textured Stucco
ⓔ K	Charcoal
ⓔ TK	Textured Charcoal
ⓔ P	Pebble
ⓔ TP	Textured Pebble
ⓔ Y	Sand
ⓔ TY	Textured Sand
ⓔ L	Light Gray
ⓔ TL	Textured Light Gray
ⓔ DW	Designer White
ⓔ TDW	Textured Designer White

Framed Door Insert

Plexiglass

01	Clear
02	Bronze Tinted
E3A*	Frosted

Ecoresin

The color options are semi-transparent with (or without) patterns.

*Standard 3form Color Options	
E01	Solo Supermatte Ecoresin
E02	Solo Aqua Supermatte Ecoresin
E03	Spider Ecoresin

*Note: These options are offered at an upcharge. Please refer to a specific item in your price list to determine the amount of upcharge.

Premium Systems Finishes

Premium finishes are offered at a modest upcharge. Please refer to a specific item in your price list to determine the amount of upcharge. Textured metallic colors display a matte texture with metallic highlights. They coordinate with standard Trendway trim colors (indicated by the second letter in the code).

Textured Metallic Paint	
ⓔ FG	Gray Frost
ⓔ FJ	Stucco Frost
ⓔ FK	Charcoal Frost
ⓔ FP	Pebble Frost
ⓔ FY	Sand Frost
ⓔ FL	Light Gray Frost
ⓔ FDW	Designer White Frost

Smooth Metallic Paint	
PA	Platinum

Thermofused Laminates

Standard Program

Wood Grain	Grade 1
ⓔ XZ1	Wild Cherry
ⓔ XZ2	Fusion Maple
ⓔ XZ3	Empire Mahogany
ⓔ XZ5	Chocolate Pear

Solid	Grade 1
ⓔ XZ4	Black

Wood Grain Artika Finish	Grade 2
XZO	Cannella Rustik
XZA	Carmelo Mist
XZR	Drift Loud
XZT	White Zebrine

***Extended Program**

*Note: Leadtimes may be extended. Call Customer Care for specific availability.

XZ8	Beigewood	XZH	Designer White
XZ9	New Age Oak	XZM	Light Gray
XZB	Fonthill Pear	AZK	Slate Grey
XZE	Brazilwood		

Shaded items require an extended Lead Time.

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Basis — Grade A
Momentum

B00	Amber
B01	Amethyst
B02	Colonial
B03	Fog
B04	Garnet
B05	Indigo
B06	Mallard
B07	Onyx
B08	River
B09	Ruby
B0A	Stone
B0B	Twig
B0C	Vine

Highbeam — Grade A
Guilford of Maine

ⓔ BC1	Buttercup
ⓔ BC2	Black
ⓔ BC3	Navy
ⓔ BC4	Bayberry
ⓔ BC5	Kiwi
ⓔ BBN	Nude
ⓔ BBP	Gold Rush
ⓔ BBR	Barley
ⓔ BBT	Rust
ⓔ BBU	Expresso
ⓔ BBV	Maroon
ⓔ BBW	Tangerine
ⓔ BBX	Slate
ⓔ BBY	Grape

Hue — Grade A
Momentum

AJ8	Black
AJ9	Dandelion
AK1	Frothe
AK2	Annato
AK3	Pacific
AK4	Eggplant
AK5	Sky
AK6	Night
AK7	Cocoa
AK8	Golden
B54	Aspen
B55	Currant
B56	Fern
B57	Indigo
BB4	Char
BB5	Chipotle
BB6	Laurel
BB7	Paprika
GHK	Latte
BUG	Hibiscus
BUH	Quarry
BUJ	Seaport
BUK	Shade
BUM	Stem
K7E	Grape
K7F	Grass
K7G	Juniper
K7H	Saffron
K7J	Salsa
K7K	Smoke
K7M	Tropic

Jane — Grade A
Guilford of Maine

BR7	Blueberry
BR8	Chive
BR9	Fuchsia
BRA	Gold
BRC	Grape
BRD	Guacamole
BRE	Jet
BRF	Lapis
BRG	Lichen
BRH	Natural
BRJ	Persimmon
BRK	Pomegranate
BRM	Ruby
BRN	Rust
BRP	Steel
BRR	Ultramarine

Messina — Grade A
Guilford of Maine

Note: Not available on Live/ Live II Chairs

BT2	Curry
BT3	Kelly
BT5	Marine
BT6	Paprika
BT8	Raisin
BTA	Sable
BTC	Tide

Moda — Grade A
Momentum

BHT	Agave
BHU	Anthem
BHV	Derby
BHW	Medal
BHX	Onyx
BHY	Shiraz
BJ0	Tobasco

Woodford Polyurethane — Grade A
Morbern

BK0	Black
BK1	Blueberry
BK2	Bone
BK3	Bright White
BK4	Burgundy
BK5	Charcoal
BK6	Chestnut
BK7	Dark Brown
BK8	Doe
BK9	Espresso
BKA	Hopfen
BKC	Hunter Green
BKD	Light Grey
BKE	Parchment
BKF	Saddle
BKG	Tan

Open House — Grade A
Guilford of Maine

ⓔ A63	Red Delicious
ⓔ A64	Onyx
ⓔ A65	Pumpkin
ⓔ A66	Pine Needle
ⓔ A67	Midnight
ⓔ A68	Willow
ⓔ A69	Aubergine
ⓔ A70	Mulberry
ⓔ A71	Cumin
ⓔ A72	Deep Water
ⓔ A74	Thistle
ⓔ A75	Goldenrod
ⓔ A76	Fossil
ⓔ B5A	Coffee Bean
ⓔ B5B	Green Olive
ⓔ B5C	Henna
ⓔ B5D	Poppy
ⓔ B5E	Straw
ⓔ B5F	Amber
ⓔ BE1	Angora
ⓔ BEH	Asteroid
ⓔ BE4	Cobalt
ⓔ BE3	Geranium
ⓔ BEG	Goose
ⓔ BE9	Graphite
ⓔ BE7	Green Apple
ⓔ BE5	Lapis
ⓔ BEE	Quarry Blue
ⓔ BE8	Wolf
ⓔ BXR	Magenta
ⓔ BXT	Waterfall

Perk — Grade A
Momentum

Note: Not available on Live/ Live II Chairs

B22	Auburn
B23	Cabana
B24	Cedar
B25	Crimson
B26	Dijon
B27	Ebony
B28	Flint
B29	Patriot
B2A	Pewter
B2B	Regal
B2C	Sesame
B2D	Walnut

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Ace — Grade B

Momentum

BFT	Bisque
BFU	Cadet
BFV	Calico
BFW	Carbon
BFX	Dark
BFY	Dream
BG0	Engine
BG1	Hot
BG2	Pesto
BG3	Regal
BG4	Scarlet
BG5	Trail
BG6	Tuxedo

Axis — Grade B

Momentum

BGY	Denim
BH0	Grove
BH1	Noir
BH2	Paprika
BH5	Summer
BH3	Truffle
BH4	Willow
K7N	Energy

Canter Polyurethane — Grade B

Momentum

BVK	Alfalfa
BVM	Ancho
BVN	Ballad
BVP	Baltic
BVR	Basalt
BVT	Bordeaux
BVU	Brazen
BVV	Chestnut
BVW	Cordovan
BVX	Earth
BVY	Ink
BW1	Iron
BW2	Lucid
BW3	Maize
BW4	Mica
BW5	Night
BW6	Nimbus
BW7	Onyx
BW8	Pyrite
BW9	Quarry
BWA	Sable
BWC	Saddle
BWD	Safari
BWE	Sand
BWF	Storm
BWG	Sumac
BWH	Tango
BWJ	Tawny
BWK	Thatch
BWM	Toasty
BWN	Tusk
BWP	Verdite
BWR	Willow

Cinch — Grade B

Momentum

BGE	Aristocrat
BGF	Black
BGG	Camel
BGH	Cool
BGJ	Eco
BGK	Honest
BGM	Navy
BGN	Par
BGP	Root
BGR	Silver
BGT	Snap
BGU	Totem
BGV	Zeal

Fuse — Grade B

Momentum

BNE	Morel
BNF	Azurean
BNG	Carmine
BNH	Cress
BNJ	Ginger
BNK	Iris
BNM	Lunar
BNN	Malted
BNP	Pepper
BNR	Pimento
BNT	Pristine
BNU	Saffron
BNV	Walnut

Gauge — Grade B

Momentum

BHA	Admiral
BHC	Adrift
BHD	Alumina
BHE	Bronze
BHF	Cardinal
BHG	Chinos
BHH	Cocoa
BHJ	Decaf
BHK	Offshore
BHM	Oxide
BHN	Pesto
BHP	Plum
BHR	Sizzle

Interval — Grade B

Momentum

Note: Not available on Live/ Live II Chairs.

B1E	Aubergine
B1F	Autumn
B1G	Graphite
B1H	River
B1J	Sunset
B1K	Taupe
B1M	Thyme
BUN	Azure
BUP	Mineral

Laredo Vinyl — Grade B

CF Stinson

B62	Mosstone
B63	Berry
B64	Brandy
B65	Taupe
B66	Cinnabar
B67	Niagra
B68	Blue Moon
B69	Antique
B6A	Chocolate
B6B	Meritage
B6C	Hunter
B6D	Copen
B6E	Dill
B6F	Onyx
B6G	Deep Navy
B6H	Grape
BAE	Summer
BAF	Blazer
BAG	Norse
BAH	Aspen
BAJ	Biscotti
BAK	Snow Cap
BAM	Apricot
BAN	Gelato
BAP	Pelican
BAR	Pumice
BAT	Flint
BAU	Camel
BAV	Ceylon
BAW	Quarry
BAX	Mohave
BAY	Brindle
BB0	Honey
BB1	Tan
BB2	Shale

Visit www.cfstinson.com to view colors.

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Moguls — Grade B
Guilford of Maine

ⓔ BCF	Coffee Bean
ⓔ BCE	Flare
ⓔ BCN	Grape Jelly
ⓔ BC9	Graphite
ⓔ BCJ	Honey Comb
ⓔ BCM	Navy
ⓔ BCK	Onyx
ⓔ BCA	Rhododendron
ⓔ BCC	Sand
ⓔ BCH	Thistle

Punchline — Grade B
Guilford of Maine

BDT	Angora
BTE	Azure
BTF	Cherry
BTG	Cobalt
BTH	Copper
BTJ	Eucalyptus
BTK	Graphite
BTM	Linen
BTN	Mist
BTP	Nugget
BTR	Peacock
BTT	Pepper
BTU	Spring
BTV	Straw
BTW	Tangerine
BTX	Vanilla
BTY	Willow

Sockhop — Grade B
Guilford of Maine

ⓔ A86	Graphite
ⓔ A87	Cobalt
ⓔ A88	Twilight
ⓔ A89	Pine
ⓔ A91	Silver Lining
ⓔ A92	Platinum
ⓔ A93	Custard
ⓔ A95	Bronze
ⓔ A96	Pumpkin
ⓔ A97	Garnet
ⓔ BEK	Blue Moon

Current — Grade C
Momentum

K7P	Birch
K7R	Cadet
K7T	Eclipse
K7U	Espresso
K7V	Moss
K7W	Pecan
K7X	Plum

Habit — Grade C
Momentum

K7Y	Aspen
K80	Blueprint
K81	Dune
K82	Kindle
K83	Pier
K84	Salt
K85	Tailor

Impact — Grade C
Momentum

BA1	Brazen
BA2	Chocolate
BA3	Crimson
BA4	Eggplant
BA5	Grotto
BA6	Indigo
BA7	Putty
BA8	Relic
BA9	Serene
BAA	Sesame
BAC	Sprout
BAD	Stark

Infinity — Grade C
Momentum

K3F	Aluminum
K3G	Aster
K3H	Atoll
K3J	Barley
K3K	Berry
K3M	Beyond
K3N	Capri
K3P	Dove
K3R	Eclipse
K3T	Graphite
K3U	Gull
K3V	Hyacinth
K3W	Java
K3X	Lemongrass
K3Y	Links
K40	Macintosh
K41	Maize
K42	Papaya
K43	Pewter
K44	Pumice
K45	Radiant
K46	Rinse
K47	Russet
K48	Sable
K49	Stucco
K4A	Terrain
K4C	Tyrian
K4D	Umber
K4E	Vanilla
K4F	Vine

Knack — Grade C
Momentum

Note: Not available on Live/ Live II Chairs.

BNW	Brisk
BNX	Fresco
BNY	Reed
BP0	Sax
BP1	Teak
BP2	Zest
BP3	Zing
BUR	Berry
BUT	Carbon
BUU	Dark Roast
BUV	Filament
BUW	Glaze
BUX	Wave

Marathon — Grade C
Momentum

K4G	Alert
K4H	Arbor
K4J	Caravel
K4K	Chili
K4M	Clay
K4N	Clove
K4P	Curry
K4R	Cyan
K4T	Deep
K4U	Flax
K4V	Fluorite
K4W	Foliage
K4X	Herb
K4Y	Lantern
K50	Marigold
K51	Noir
K52	Oats
K53	Oz
K54	Pinot
K55	Pollen
K56	Rain
K57	Ridge
K58	Sprite
K59	Storm
K5A	Sunset
K5C	Tint
K5D	Toile
K5E	Violet
K5F	Vivacious
K5G	Wren

Fabric patterns noted with ⓔ are available in Trendway's Express program.

Seating Fabrics

Millennium — Grade C

Momentum

K5H	Aglow
K5J	Amber
K5K	Anchor
K5M	Cascade
K5N	Cavern
K5P	Cerise
K5R	Clean
K5T	Coastal
K5U	Copper
K5V	Crisp
K5W	Electric
K5X	Geode
K5Y	Ush
K60	Mocha
K61	Monument
K62	Nector
K63	Onyx
K64	Orchid
K65	Peridot
K66	Plateau
K67	Pool
K68	Pyrite
K69	Safari
K6A	Sapphire
K6C	Spark
K6D	Steel
K6E	Tanzanite
K6F	Thrill
K6G	Voyage
K6H	Zinc

Odyssey — Grade C

Momentum

K1D	Alloy
K1E	Amp
K1F	Breeze
K1G	Captain
K1H	Carbon
K1J	Cedar
K1K	Craft
K1M	Cruise
K1N	Duon
K1P	Eggplant
K1R	Emerald
K1T	Fossil
K1U	Ink
K1V	Inlet
K1W	Iris
K1X	Kiss
K1Y	Linen
K20	Lively
K21	Maritime
K22	Nettle
K23	Oliver
K24	Opaque
K25	Primary
K26	Roast
K27	Rue
K28	Sangria
K29	Skim
K2A	Smith
K2C	Tinge
K2D	Western

Syntax — Grade C

Momentum

K8N	Asphalt
K8P	Camel
K8R	Carmine
K8T	Cocoa
K8U	Flare
K8V	Hudson
K8W	Mahogany
K8X	Nectar
K8Y	Pewter
K90	Plant
K91	Shale
K92	Steel
K93	Tiger Eye
K94	Turquoise
K95	Violet

Tradition — Grade C

Momentum

K2E	Ash
K2F	Branch
K2G	Class
K2H	Distant
K2J	Flirt
K2K	Frond
K2M	Grain
K2N	Hedge
K2P	Hidden
K2R	Isle
K2T	Jazz
K2U	Kelly
K2V	Latte
K2W	Malbec
K2X	Miller
K2Y	Mist
K30	Peel
K31	Plated
K32	Regal
K33	Sly
K34	Soar
K35	Soy
K36	Spiced
K37	Sprout
K38	Sterling
K39	Sun
K3A	Tango
K3C	Theater
K3D	Wash
K3E	Weld

Cosmopolitan — Grade D

Guilford of Maine

BPD	Amber
BPE	Cornsilk
BPF	Crimson
BPG	Earthen
BPH	Everglade
BPJ	Ivory
BPK	Shadow
BPM	Spring
BPN	Stream

Bravo II Polyurethane — Grade D

Momentum

BWT	Alfalfa
BWU	Bark
BWV	Barn
BWW	Black
BWX	Brick
BWY	Cinder
BX0	Clay
BX1	Copper
BX2	Driftwood
BX3	Dusk
BX4	Graystone
BX5	Hematite
BX6	Iron
BX7	Marina
BX8	Mica
BXA	Night
BXC	Outback
BXD	Patina
BXE	Ranch
BXF	Saddle
BXG	Slate
BXH	Sunset
BXJ	Tumbleweed
BXK	Twilight
BXM	Willow

Free — Grade D

Momentum

K8E	Cocoa
K8F	Evening
K8G	Graphite
K8H	Oasis
K8J	Orbit
K8K	Pearl
K8M	Platinum

Seating Fabrics

Brisa/Brisa Distressed	Grade G
Ultrafabrics	
BWT	Alfalfa
BWU	Bark
BWV	Barn
BWW	Black
BWX	Brick
BWY	Cinder
BX0	Clay
BX1	Copper
BX2	Driftwood
BX3	Dusk
BX4	Graystone
BX5	Hematite
BX6	Iron
BX7	Marina
BX8	Mica
BXA	Night
BXC	Outback
BXD	Patina
BXE	Ranch
BXF	Saddle
BXG	Slate
BXH	Sunset
BXJ	Tumbleweed
BXK	Twilight
BXM	Willow
K79	Aztec

Via	Grade G
Momentum	
K86	Cayenne
K87	Cornsilk
K88	Fieldspar
K89	Galaxy
K8A	Khaki
K8C	Pristine
K8D	Slate

Leather	Grade Leather
L25	Teal
L42	Black
L45	Charcoal
L50	Saddle
L4A	Blue
L4B	Expresso
L4E	Bright White
L4F	Doe
L4G	Burgundy
L4H	Parchment
L4J	Light Gray
L4K	Dark Brown
L4M	Blueberry
L4N	Hunter
L4P	Bone

Trig Keying Order Form
This form can be used as a worksheet or an order form to determine what key-alike Trig Core/Key Sets are needed for key-alike Trig filing and storage, Trig locks on Choices and Contrada flipper units and for additional Trig Lock Keys, Core Keys and Master Keys*. It is also used to specify special tagging instructions to designate installation locations, which is offered free of charge.

The information on this form can either be entered in Trendway's design software, or through Trendway On-line Order Entry on trendealer.com using the catalog numbers listed below or it can be used as an order form and faxed to Trendway Customer Care.

Trig Core/Key Set
Trig Core/Key Set includes a lock core and 2 lock key. Trig Core/Key Set numbers are randomly selected from existing inventory unless otherwise specified on this form. Requesting specific numbers** may delay shipment of your key-alike order and may require partial or delayed shipment of your lock cores and keys separately from your order. Additional lock keys are available.

Trig Core Installation/Removal Key
Trig Core Installation/Removal Key is needed to install Core/Key Sets and to remove or replace existing Trig lock cores.

***Trig Master Key**
Trig Master Key is used to open any Trig style lock. Master keys are sent out separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8212. Orders are shipped within 24-hours of receipt.

Trendway

Trendway Corporation
13467 Quincy St. Holland MI 49424
Phone: (800) 893-8115 Fax: (800) 893-8121
www.trendway.com

Trig Keying Order Form

Customer P.O. Number 12345 Trendway Order Number _____

Ship to address if different from P.O. _____

Trig Core/Key Set – TLCK

Qty.	List Price $13	Key Number S101 - S200	Key-Alike Special Tagging Instructions		
			Floor	Office	
2	$26	S101	3	5	John's Office
6	$78	S101	2		Offices 201, 252

Sample

Additional Trig Lock Key(s) – TKEY

Qty.	List Price $8	Key Number S101 - S200	
1	$8	S101	

Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price $4	One core removal key is included at no charge for every 50 lock sets ordered.
3	$12	

Trig Master Key(s)
Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

Trendway

Trendway Corporation
13467 Quincy St. Holland MI 49424
Phone: (800) 968-5344 Fax: (616) 399-0668
www.trendway.com

Trig Keying Order Form

Customer P.O. Number _____ Trendway Order Number _____

Ship to address if different from P.O. _____

Trig Core/Key Set – TLCK

Qty.	List Price $13	Key Number S101 - S200	Key-Alike Special Tagging Instructions		
			Floor	Office	

Additional Trig Lock Key(s) – TKEY

Qty.	List Price $8	Key Number S101 - S200	

Additional Trig Core Installation/Removal Key(s) – TCK

Qty.	List Price $4	One core removal key is included at no charge for every 50 lock sets ordered.

Trig Master Key(s)

Trig Master Keys are used to open any Trig style lock. Master keys are sent separately from the product order. Request for Master keys must be made on the end users letterhead and faxed to Trendway Customer Care at 1-800-893-8121. Orders are shipped within 24-hours of receipt.

Trig Core/Key Set
The Trig Core/Key Set must be ordered when the Key-Alike Lock option is chosen to replace the "disposable" core that ships with Trig filing units in order for these units to lock. This set can also be ordered to replace an existing Trig Core/Key Set. Includes a Trig lock core and 2 lock keys.

Trig Core Installation/Removal Key
The Trig Core Installation/Removal Key is needed to install or remove Trig Cores in Trig filing units. One Core Key is included at no charge with every 1 to 50 Trig Core/Key Sets ordered. This key is available if additional Installation/Removal Keys are needed.

Trig Lock Key
Replacement Trig Keys are available for order.

Trig Core/Key Set

	List Price	Catalog Number	Key Number
	$13	TLCK	S101 - S200

Trig Core Installation/Removal Key

	List Price	Catalog Number	
	$4	TCK	

Trig Lock Key

	List Price	Catalog Number	Key Number
	$8	TKEY	S101 - S200
Build your complete Part Number here:		_ _ _ _	_ _ _

Sample Part Number:	TKEY _ _ _	. S112 _ _ _
Total Cost $8 =	$8 +	N/C

Trig Desking

Typical Workstations 20
Overview & Ordering Information 21
Desks 23
Work Surfaces 33
Work Surface Support Legs 39
Work Surface Support Accessories 40
Screens 41
Modesty 42
Conference Tables 44
Credenzas 45
Freestanding Units 49
Bench-Height Storage 51
Combination Storage 52
Marker Board & Tackboard 55
Storage Towers 56
Under Desk Storage 60

Typical – 7'x7' "L" Shape Workstation — List Price $5,038

Quantity	Catalog Number
1	TRGRECS2484
1	TRGULEG24
1	TRGCOS30
1	TRG612LAT20
1	TRGUDPED24
1	TRGTSSDR66

Typical – 6'x8' "L" Shape Workstation — List Price $5,725

Quantity	Catalog Number
1	TRGWEGDL307224
1	TRGCOS30
1	TRG612LAT20
2	TRGTS66OS66

Typical – 8' x 7' "U" Shape Workstation — List Price $5,498

Quantity	Catalog Number
1	TRGEPSR487230
1	TRGESSL487220
1	TRGULEG30
1	TRGUDLAT20
1	SICSP
1	TRG612PED20
1	TRGTSSDL66

Typical – Desk Workstation — List Price $3,998

Quantity	Catalog Number
1	TRGRECD2472
1	TRGRECS2072
1	TRGUDPED20
1	TRGUDDD20
1	TRGMOD60

Typical – Mirrored 17' x 9' (8.5' x 9' per station) Workstation — List Price $7,434

Quantity	Catalog Number
1	TRGANGDL309424
1	TRGANGDR249430
2	TRGRECS2078
2	TRGWSBRKTS
2	TRGUDPED20
1	TRGCS6612OSR20
1	TRGCS6612OSL20

Typical – 10' x 10' (5' x 5' per station) Benching Workstation — List Price $11,108

Quantity	Catalog Number
4	TRGRECD2060
2	TRGBMSM4828
2	TRGCLATOSR45
2	TRGCLATOSL45

Typical – 6.5' x 16' "L" (6.5' x 8' per station) Shape Workstation — List Price $10,143

Quantity	Catalog Number
2	TRGRECS2478
1	TRGULEG48
2	TRGUDPED24
2	TRGBF2LAT60
1	TRGTSSDR54
1	TRGTSSDL54
1	TRGTMS7813

Typical – 8' x 15' (4' x 7.5' per station) 4 Pack Workstation — List Price $11,444

Quantity	Catalog Number
2	TRGEPSL307248
2	TRGEPSR487230
4	TRGWSBRKTS
2	TRGCS6612OSR30
2	TRGCS6612OSL30
2	TRGTMS7213

Trig Desking Overview
Trig Desking is a fully integrated line of quality freestanding desks and modular case goods. The collection includes desks, credenzas, conference tables, and bench height, underdesk, combination and tower storage.

Ordering Information
For ease in specifying, Trendway's catalog numbering system uses meaningfull characters to convey description, surface type, and size. For example, TRGC2DDCS75 is a Trig Credenza unit with 2 Double Doors, Center Shelves, 75" (1905) wide.

By following the Sample Part Number Example below, you create a Part Number for each product. This Part Number will match your acknowledgement and packaging slip.

When ordering filing and storage units, list the following:

1. Quantity (combine same products)
2. Complete Part Number, see Sample Part Number at the bottom of each page for correct number sequence.
3. For ease of reading, place a period between each option number (TRGCOS30.XZ1.XZ1.XZ4.G)

Trig Key Option
Trig Desking filing and storage units have two lock options to choose from. Units can be randomly keyed (option "R") or they can be key-alike (option "T") for no additional upcharge (see page 9 for more information). When the randomly keyed option "R" is chosen the Trig Desking filing and storage unit will ship with a randomly numbered core/key.

When the key-alike option "T" is chosen the Trig Desking storage unit will ship with a "disposable" core in place of the core/key and the specified Trig Core/Key set(s) will be packaged separately for field installation. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing and storage unit to lock. The Core/Key set (TLCK) must be ordered separately or by using the Trig Keying order form.

	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Sample Part Number:	TRGCOS30	.XZ1	.XZ1	.XZ4	.G
Total Cost $884 =	$884	+ N/C	+ N/C	+ N/C	+ N/C

STANDARD FEATURES

Modesties
Modesties are available as half-height, only. Half-height modesties provide 12" (305) of space under the modesty for accessing wall outlets.

Edgebanding
Components are finished with PVC edgebanding. The edgeband color will always match the color of the Thermofused Laminate unless an option pick is noted. All work surfaces and storage component tops have 3mm edgebanding. All remaining components have 1mm edgebanding.

Wire Management
Grommets are available in black or silver. (Optional)

Drawers
All drawers are built for trouble-free performance:

- Chrome plated fully progressive ball bearing suspensions with over-travel on all lateral file drawers with 150 lbs rated load capacity.
- Chrome plated ball bearing suspensions on all box drawers and file drawers with 75 lbs rated load capacity.
- Drawer construction is laminated particleboard sides with MDF bottom.
- Integrated PVC top rails for file storage on lateral drawers and 12" pedestal drawers.
- Interlock standard on all freestanding laterals.

Doors
Storage doors have 95 degree hinges and shock absorbent bumpers.

Leveling Glides
Desks and Table allow up to 1" height adjustment.

Pedestals, Laterals, Credenza, Storage Cabinets and Towers allow up to 1 5/8" height adjustment, and are adjustable from inside the storage unit.

Pull Style Options
Trig filing and storage units have four 128mm center applied pull options (Classic, Streamline, and Designer), and one 256mm center pull (Modern). These are all plated nickel finish.

Classic
(Satin nickel)

Streamline
(Brushed nickel)

Designer
(Lacquered satin nickel)

Mod2
(Satin nickel)

Modern
(Satin nickel)

Dimensions
All dimensions listed are nominal unless otherwise noted.

Certification
All components of the Trig Desking offering meet or exceed ANSI/BIFMA performance standards unless noted.

Special Products and Finishes
Please contact Trendway Custom Solutions 1-800-893-8117 for product availability and pricing on non-standard products.

Special finishes (i.e. non-standard) may be ordered at an upcharge. Minimum quantity may be required. Please verify with our Custom Solutions Department. Delivery may take longer depending on the choice of finish or type of material.

SPECIFICATIONS

Load Capacities
All Trig Laminate storage units meet or exceed the following BIFMA load requirements. For a complete listing of load capacities, contact Trendway Customer Care or visit trendealer.com

Desks:
5 lbs. (2.3kg) per linear inch, uniformly distributed.

Pedestal:
6" (152) Pedestal Drawer — 20 lbs. (9kg)
12" (305) Pedestal Drawer — 40 lbs. (18kg)
Top — 90 lbs. (41kg)

Laterals:
Drawer — approx. 2.6 lbs. (1.17kg) per linear inch
Top — approx. 4.6 lbs. (2.1kg) per linear inch

Storage Towers:
6" (152) Pedestal Drawer — 20 lbs. (9kg)
12" (305) Pedestal Drawer — 40 lbs. (18kg)
Top — 140 lbs. (64kg)
Unit Shelf — 60 lbs. (27kg)
Unit Bottom — 90 lbs. (41kg)

Double-Door Storage Units:
Shelf — 100 lbs. (45kg)
Top — 160 lbs. (73kg)
Bottom of Cabinet — 160 lbs. (73kg)

Tables:
36" (914) - 60" (1524) — 200 lbs. (276kg)
72"(1829) and longer — 400 lbs. (552kg)

Maximum Load Capacity For Any Storage Unit

The maximum load capacity for any storage unit is calculated by multiplying the above stated lbs. for each shelf or drawer that is included with the unit and adding them together (includes the top of the unit and the inside bottom).

Eg: Maximum load capacity for a TRGTSDD66 = load capacity for bottom + 3 shelves + unit top
= 160 lbs. + 100 lbs. x 3 +160 lbs.
= 620 lbs. maximum load

Eg: Maximum load capacity for a TRG612LAT20 = load capacity for drawer x 2 drawers + unit top
= 2.6 lbs./linear in. x 36" x 2 + 4.6lbs./linear in. x 36"
= approx. 352 lbs. maximum load (for actual load capacities for each size Trig Laminate Lateral File contact Trendway Customer Care or visit trendealer.com).

Note: The addition of more shelves does not increase the maximum amount a unit can be loaded.

WARNING:
Failure to observe the recommended practices, such as loading beyond listed capacities, will result in unsafe usage conditions and may result in bodily injury or failure of other components.

Any modification to Trendway product will change the criteria referenced above. Trendway will not be responsible for product warranty if modifications are made to the product or if the capacities referenced are exceeded.

Laminate Lateral Files Specifications
Trig Laminate Lateral Files are factory configured for side-to-side filing. If front-to-back filing is desired, the side-to-side filing bars may be removed. No additional parts are necessary to convert drawer to front-to-back filing.

For use with Trig Laminate Lateral Files

Letter Size Filing

30" - Wide & File Center

1 Pair Trig Laminate Front-to-Back Filing Bars

Legal Size Filing

30" - Wide & File Center

1 Trig Laminate Front-to-Back Filing Bars

Lateral Files
CAUTION: Any freestanding lateral file, if improperly used or loaded, can tip. Since files may contain significant weight, this tipping can result in serious damage and/or personal injury. For proper and safe performance, read and follow instructions provided with each file.

Do not attempt to open more than one lateral file drawer at a time. Do not use drawers as steps. Failure to follow these instructions may cause tipping of cabinet, resulting in personal injury.

Use counterbalance weights whenever lateral files or pedestals are not anchored or ganged back-to-back. Side-by-side ganging does not improve stability.

To avoid tipping, always load bottom drawers before loading top drawer.

Trig offers pre-configured desks with support legs on both ends. Work surfaces with various support options may also be specified.

Specifing Work Surfaces with Support Options

Trig work surfaces are ordered by selecting a work surface shape and then ordering supports separately for the left and right. Storage units can be used as support on both ends of the Rectangle & Wedge work surfaces, but only one end of the Blade, Primary and Secondary work surfaces.

Work Surface With No Supports

Rectangle

Wedge
Left-Hand

Wedge
Right-Hand

Work Surfaces With One Support

Blade
Left-Hand

Primary
Left-Hand

Secondary
Left-Hand

Blade
Right-Hand

Primary
Right-Hand

Secondary
Right-Hand

Work Surface Support Options

Left-Hand Under Desk
Support Storage

Work Surface
Support Leg

Shared Work Surface Support Leg

- Under desk support storage includes a 1" riser to attach the work surface to the storage unit
- Support leg depth must match the work surface depth

- Shared support legs are utilized when two work surfaces of equal depth are paired together
- Support leg depth must match the work surface depth

Left-Hand Combination
Storage

Work Surface Support Leg

Left-Hand Pedestal Shelf
Combination Storage

Work Surface Support Leg

- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth

- Work surface support brackets are used with Combination Storage to mount work surface to unit.
- Support leg depth must match the work surface depth

Under Desk Storage Depth for Rectangle, Blade & Secondary Work Surfaces

Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	24"
30"	30"	30"

Under Desk Storage Depth for Wedge Work Surfaces

Surface Depth	Leg Depth	Storage Depth
20"	20"	20"
24"	24"	20"
30"	30"	24"

Under Desk Storage Depth for Primary Work Surfaces

Surface Depth	Leg Depth	Storage Depth
30"	30"	24"

Primary & Secondary Work Surfaces

Primary and Secondary work surfaces are available in 42" and 48" depths.

Primary & Secondary 48"-deep work surfaces can be paired together to create a U-shaped work station. This U-shaped configuration is not recommended for 42"-deep work surfaces as it creates a narrow opening. However, they can be paired with rectangular work surfaces to create L-shaped work stations.

Surface Mount Screen

Surface mount screens are used when two work surfaces are positioned back-to-back and no gap exists between them. The base of each post spans seam between two surfaces and mounts on top with two screws. Screens are available in 13" and 19" heights, and lengths that span from 24" to 84" in 6" increments. Screen lengths of 48" and less are a single screen and two vertical posts. Screen lengths greater than 48" are two screens and three posts (center post is shared) see chart below:

Application	Number of Screens	Number of Posts
24" Span	(1) 24"	2
30" Span	(1) 30"	2
36" Span	(1) 36"	2
42" Span	(1) 42"	2
48" Span	(1) 48"	2
54" Span	(1) 24" + (1) 30"	3
60" Span	(2) 30"	3
66" Span	(1) 30" + (1) 36"	3
72" Span	(2) 36"	3
78" Span	(1) 36" + (1) 42"	3
84" Span	(2) 42"	3

(Total length of each screen is .25" shorter then nominal length)

Desk Top Screen

Desk Top Screens are used in benching or multiple-workstation configurations, where surfaces are positioned adjacent to each other end to end. Screens are available in 8" and 13" heights in each of the following widths: 16", 20", 26", 38" & 44". Screen length selected should be 4" shorter then the depth of the adjacent surfaces.

Screen / Modesty Combination

The Screen / Modesty Combinations are mounted 1" off the back edge of the work surface to provide clearance for cord pass-through. The size needed will depend on the right and left hand support options selected. For work surfaces with legs on both ends, subtract 12" from the width of the top. For work surfaces where underdesk storage or surface support brackets are used with Combination Storage, the screen/modesty width required can be determined by subtracting 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work suface with 30"-wide underdesk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your screen or screen / modesty combination width.

Modesty

The Modesty will be mounted 2" from the back edge of the work surface, and will be sized to limit physical interference with legs or storage support units. The size needed will depend on the right- and left-hand support options selected. For work surfaces with legs on both ends, the modesty width required can be determined by subtracting 12" from the width of the top. For work surfaces where under desk storage or work surface support brackets are used with Combination Storage, subtract 12" from the width that remains between the storage units. If the calculated necessary width does not match an available size, choose the next size larger.

Example: 84"-wide work suface with 30"- wide under desk double door on the left and support legs on the right. The 84" surface minus 30" leaves 54". Subtract 6" from 54" to get 48" for your modesty width.

Using Support Leg and Storage to Panel Brackets

These brackets are designed to provide stability to panel layouts that otherwise would require return panels. When using these brackets, the panel layout rules for Loaded and Non-loaded panel runs must be followed to ensure a safe installation.

Non-Loaded Panel Runs

A Non-Loaded panel run is defined as having no panel hung components regardless of size or weight. The maximum length of a Non-Loaded panel run is 192" with a maximum of 66" high panels. Two Panel bracket connections, one on each end of the run, are required when used in place of a return panel (with the exception of Parallel-mounted Trig Desk). The Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of Non-loaded panel run. Storage units can be side-mounted or back-mounted (Fig. 1).

Fig. 1

For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 2):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit.

Fig. 2

For a parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. IF the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig 3).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 4).

Fig. 3

Fig. 4

Loaded Panel Runs

A Loaded panel run is defined as having panel hung components with two or more panels connected in a straight line. The maximum length of a loaded panel run with one panel connection before a panel bracket is needed is 120", and with 2 panel connections is 96". The maximum panel height depends on whether there is a overhead storage on the adjacent panel. Maximum height with no overhead storage on adjacent panel is 66", and with overhead storage on the adjacent panel is 62". "Storage to Panel Brackets follow the same layout rules as Support Leg to Panel Brackets for maximum length and height of a loaded panel run. Storage units can be side-mounted or back-mounted (Fig 5).

Fig. 5

For a perpendicular-mounted Trig Desk the following criteria must be met (Fig. 6):

- The minimum Trig Desk size is 48"W x 20"D.
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under desk storage unit

Fig. 6

For parallel-mounted Trig Desk the following criteria must be met:

- The minimum Trig Desk size is 48"W x 30" D if parallel-mounted desk connections are the only panel connections used on one side of a panel run. If the desk depth is less than 30" then a third panel support is required on the back side of the panel run (Fig. 7).
- The maximum Trig Desk length with 2 Support-Legs is 72". Desks length of 78" and 84" require an under-desk storage unit (Fig. 8).

Fig. 7

Fig. 8

Grommets
Grommets are optional on all work surfaces.

Grommets are available in black or silver. The following drawings show standard grommet locations.

Contact your Customer Care representative for more information.

Grommet Dimensions

Standard Grommet Locations

Rectangle Work Surfaces

Right- & Left-Hand Wedge Work Surfaces

Right- & Left-Hand Primary Work Surfaces

Right- & Left-Hand Secondary Work Surfaces

Right- & Left-Hand Blade Work Surfaces

Rectangular Desks
Trig Rectangular desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Rectangular Desk

Dimensions Depth	Dimensions Width	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	48" (1219)	$743	$756	**TRGRECD2048**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $32**
	54" (1372)	832	845	**TRGRECD2054**					
	60" (1524)	836	849	**TRGRECD2060**					
	66" (1676)	855	868	**TRGRECD2066**					
	72" (1829)	891	904	**TRGRECD2072**					
24" (610)	48" (1219)	$779	$792	**TRGRECD2448**					
	54" (1372)	855	868	**TRGRECD2454**					
	60" (1524)	859	872	**TRGRECD2460**					
	66" (1676)	867	880	**TRGRECD2466**					
	72" (1829)	891	904	**TRGRECD2472**					
30" (762)	48" (1219)	$855	$868	**TRGRECD3048**					
	54" (1372)	901	927	**TRGRECD3054**					
	60" (1524)	910	936	**TRGRECD3060**					
	66" (1676)	928	954	**TRGRECD3066**					
	72" (1829)	951	977	**TRGRECD3072**					
		Build your complete Part Number here:		_ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGRECD2048**	**.GN**	**N/A**	**.XZ4**	**.XZ2**	**.K**
	_ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Total Cost $743 =	$743	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Wedge Desks
Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Wedge Desk – Right-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	24" (610)	$873	$886	**TRGWEGDR205424**	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost**
	60" (1524)		891	904	**TRGWEGDR206024**	**GN** No Grommet				**Premium Finish + $32**
	66" (1676)		910	923	**TRGWEGDR206624**		**GS** Silver			
	72" (1829)		924	937	**TRGWEGDR207224**	**GY** Grommet				
20" (508)	54" (1372)	30" (762)	$878	$904	**TRGWEGDR205430**					
	60" (1524)		901	927	**TRGWEGDR206030**					
	66" (1676)		920	946	**TRGWEGDR206630**					
	72" (1829)		933	959	**TRGWEGDR207230**					
24" (610)	54" (1372)	30" (762)	$878	$904	**TRGWEGDR245430**					
	60" (1524)		901	927	**TRGWEGDR246030**					
	66" (1676)		920	946	**TRGWEGDR246630**					
	72" (1829)		933	959	**TRGWEGDR247230**					
				Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGWEGDR205424** _ _ _ _ _ _ _ _ _ _	**.GY** _ _	**.GB** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $873 =	$873 +	N/C +	N/C +	N/C +	N/C +	N/C

Wedge Desks
Trig Wedge desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Wedge Desk – Left-Hand

Depth1	Dimensions Width	Depth 2	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	54" (1372)	20" (508)	$873	$886	**TRGWEGDL245420**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $32**
	60" (1524)		891	904	**TRGWEGDL246020**					
	66" (1676)		910	923	**TRGWEGDL246620**					
	72" (1829)		924	937	**TRGWEGDL247220**					
30" (762)	54" (1372)	20" (508)	$878	$904	**TRGWEGDL305420**					
	60" (1524)		901	927	**TRGWEGDL306020**					
	66" (1676)		920	946	**TRGWEGDL306620**					
	72" (1829)		933	959	**TRGWEGDL307220**					
30" (762)	54" (1372)	24" (610)	$878	$904	**TRGWEGDL305424**					
	60" (1524)		901	927	**TRGWEGDL306024**					
	66" (1676)		920	946	**TRGWEGDL306624**					
	72" (1829)		933	959	**TRGWEGDL307224**					
		Build your complete Part Number here:			_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	TRGWEGDL245420	.GN	N/A	.XZ2	.XZ4	.K
	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Total Cost $873 =	$873	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Blade Desks
Trig Blade desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Trig Blade Desk – Right-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	94" (2388)	30" (914)	$1216	$1278	**TRGANGDR249430**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $32**

Trig Blade Desk – Left-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number
30" (914)	94" (2388)	24" (610)	$1216	$1278	**TRGANGDL309424**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGANGDR249430**	**.GN**	**N/A**	**.XZ2**	**.XZ4**	**.K**
Total Cost $1216 =	$1216 +	N/C +	N/C +	N/C +	N/C +	N/C

Primary Desks
Trig Primary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Right-Hand

Left-Hand

Trig Primary Desk – Right-Hand

Dimensions: Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
42" (1067)	54" (1372)	30" (762)	24" (610)	$1189	$1233	**TRGEPDR425430**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $32**
	60" (1524)	30" (762)		1189	1233	**TRGEPDR426030**					
	66" (1676)	30" (762)		1198	1242	**TRGEPDR426630**					
	72" (1829)	30" (762)		1198	1242	**TRGEPDR427230**					
48" (1219)	54" (1372)	30" (762)	24" (610)	$1198	$1242	**TRGEPDR485430**					
	60" (1524)	30" (762)		1198	1242	**TRGEPDR486030**					
	66" (1676)	30" (762)		1208	1252	**TRGEPDR486630**					
	72" (1829)	30" (762)		1208	1252	**TRGEPDR487230**					

Trig Primary Desk – Left-Hand

Dimensions: Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
30" (762)	54" (1372)	42" (1067)	24" (610)	$1189	$1233	**TRGEPDL305442**
30" (762)	60" (1524)			1189	1233	**TRGEPDL306042**
30" (762)	66" (1676)			1198	1242	**TRGEPDL306642**
30" (762)	72" (1829)			1198	1242	**TRGEPDL307242**
30" (762)	54" (1372)	48" (1219)	24" (610)	$1198	$1242	**TRGEPDL305448**
30" (762)	60" (1524)			1198	1242	**TRGEPDL306048**
30" (762)	66" (1676)			1208	1252	**TRGEPDL306648**
30" (762)	72" (1829)			1208	1252	**TRGEPDL307248**

	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	TRGEPDR425430	**.GN**	**N/A**	**.XZ2**	**.XZ4**	**.K**
Total Cost $1189 =	$1189	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Secondary Desks
Trig Secondary desks are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Desks include two work surface support legs for the right- and left-hand support. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Right-Hand

Left-Hand

Trig Secondary Desk – Right-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	42" (1067)	24" (610)	$1180	$1224	**TRGESDR205442**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Stan-dard Finish No Cost** **Pre-mium Finish + $32**
	60" (1524)			1180	1224	**TRGESDR206042**					
	66" (1676)			1189	1233	**TRGESDR206642**					
	72" (1829)			1189	1233	**TRGESDR207242**					
20" (508)	54" (1372)	48" (1219)	24" (610)	$1189	$1233	**TRGESDR205448**					
	60" (1524)			1189	1233	**TRGESDR206048**					
	66" (1676)			1198	1242	**TRGESDR206648**					
	72" (1829)			1198	1242	**TRGESDR207248**					

Trig Secondary Desk – Left-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
42" (1067)	54" (1372)	20" (508)	24" (610)	$1180	$1224	**TRGESDL425420**
	60" (1524)			1180	1224	**TRGESDL426020**
	66" (1676)			1189	1233	**TRGESDL426620**
	72" (1829)			1189	1233	**TRGESDL427220**
48" (1219)	54" (1372)	20" (508)	24" (610)	$1189	$1233	**TRGESDL485420**
	60" (1524)			1189	1233	**TRGESDL486020**
	66" (1676)			1198	1242	**TRGESDL486620**
	72" (1829)			1198	1242	**TRGESDL487220**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	TRGESDL425420	**.GY**	**.GB**	**.XZ2**	**.XZ4**	**.K**
Total Cost $1180 =	$1180 +	N/C +	N/C +	N/C +	N/C +	N/C

Rectangular Work Surface
Trig Rectangular Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports.

Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Rectangular Work Surface

Dimensions Depth	Dimensions Width	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
20" (508)	48" (1219)	$168	$181	**TRGRECS2048**	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	54" (1372)	256	269	**TRGRECS2054**	**GN** No Grommet	**GS** Silver		
	60" (1524)	260	273	**TRGRECS2060**				
	66" (1676)	279	292	**TRGRECS2066**				
	72" (1829)	315	328	**TRGRECS2072**	**GY** Grommet			
	78" (1981)	335	361	**TRGRECS2078**				
	84" (2134)	357	383	**TRGRECS2084**				
24" (610)	48" (1219)	$204	$217	**TRGRECS2448**				
	54" (1372)	279	292	**TRGRECS2454**				
	60" (1524)	284	297	**TRGRECS2460**				
	66" (1676)	292	305	**TRGRECS2466**				
	72" (1829)	315	328	**TRGRECS2472**				
	78" (1981)	357	383	**TRGRECS2478**				
	84" (2134)	372	398	**TRGRECS2484**				
30" (762)	48" (1219)	$260	$273	**TRGRECS3048**				
	54" (1372)	307	333	**TRGRECS3054**				
	60" (1524)	315	341	**TRGRECS3060**				
	66" (1676)	335	361	**TRGRECS3066**				
	72" (1829)	357	383	**TRGRECS3072**				
	78" (1981)	408	434	**TRGRECS3078**				
	84" (2134)	433	459	**TRGRECS3084**				
			Build your complete Part Number here:	_ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _

Sample Part Number:	**TRGRECS2048** _ _ _ _ _ _ _ _ _	**.GN** _ _	**N/A** _ _	**.XZ4** _ _ _	**.XZ2** _ _ _
Total Cost $168 =	$168 +	N/C +	N/C +	N/C +	N/C

Wedge Work Surface
Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Wedge Work Surface – Right-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
20" (508)	54" (1372)	24" (610)	$296	$309	**TRGWEGSR205424**	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	60" (1524)		315	328	**TRGWEGSR206024**	**GN** No Grommet	**GS** Silver		
	66" (1676)		335	348	**TRGWEGSR206624**				
	72" (1829)		349	362	**TRGWEGSR207224**				
	78" (1981)		395	421	**TRGWEGSR207824**	**GY** Grommet			
	84" (2134)		427	453	**TRGWEGSR208424**				
20" (508)	54" (1372)	30" (762)	$296	$322	**TRGWEGSR205430**				
	60" (1524)		315	341	**TRGWEGSR206030**				
	66" (1676)		335	361	**TRGWEGSR206630**				
	72" (1829)		349	375	**TRGWEGSR207230**				
	78" (1981)		395	421	**TRGWEGSR207830**				
	84" (2134)		427	453	**TRGWEGSR208430**				
24" (610)	54" (1372)	30" (762)	$296	$322	**TRGWEGSR245430**				
	60" (1524)		315	341	**TRGWEGSR246030**				
	66" (1676)		335	361	**TRGWEGSR246630**				
	72" (1829)		349	375	**TRGWEGSR247230**				
	78" (1981)		395	421	**TRGWEGSR247830**				
	84" (2134)		427	453	**TRGWEGSR248430**				
			Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _

Sample Part Number:	**TRGWEGSR205424** _ _ _ _ _ _ _ _ _ _	**.GN** _ _	**N/A** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _
Total Cost $296 =	$296 +	N/C +	N/C +	N/C +	N/C

Wedge Work Surface
Trig Wedge Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Work Surfaces do not include supports. Order supports separately. Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Wedge Work Surface – Left-Hand

Depth1	Dimensions Width 1	Depth 2	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color
24" (610)	54" (1372)	20" (508)	$296	$309	**TRGWEGSL245420**	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)
	60" (1524)		315	328	**TRGWEGSL246020**	**GN** No Grommet	**GS** Silver		
	66" (1676)		335	348	**TRGWEGSL246620**				
	72" (1829)		349	362	**TRGWEGSL247220**				
	78" (1981)		395	421	**TRGWEGSL247820**	**GY** Grommet			
	84" (2134)		427	453	**TRGWEGSL248420**				
30" (762)	54" (1372)	20" (508)	$296	$322	**TRGWEGSL305420**				
	60" (1524)		315	341	**TRGWEGSL306020**				
	66" (1676)		335	361	**TRGWEGSL306620**				
	72" (1829)		349	375	**TRGWEGSL307220**				
	78" (1981)		395	421	**TRGWEGSL307820**				
	84" (2134)		427	453	**TRGWEGSL308420**				
30" (762)	54" (1372)	24" (610)	$296	$322	**TRGWEGSL305424**				
	60" (1524)		315	341	**TRGWEGSL306024**				
	66" (1676)		335	361	**TRGWEGSL306624**				
	72" (1829)		349	375	**TRGWEGSL307224**				
	78" (1981)		395	421	**TRGWEGSL307824**				
	84" (2134)		427	453	**TRGWEGSL308424**				
				Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _

Sample Part Number:	**TRGWEGSL245420**	**.GY**	**.GS**	**.XZ2**	**.XZ4**
Total Cost $296 =	$296 +	N/C +	N/C +	N/C +	N/C

Blade Work Surface
Trig Blade Work Surface are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Blade Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Blade Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Trig Blade Work Surface – Right-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
24" (610)	94" (2388)	30" (914)	$928	$990	**TRGANGSR249430**	**No Cost** **GN** No Grommet **GY** Grommet	**GB** Black **GS** Silver	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Stan-dard Finish No Cost** **Pre-mium Finish + $17**

Trig Blade Work Surface – Left-Hand

Dimensions Depth1	Width	Depth 2	List Price Thermofused Grade 1	2	Catalog Number
30" (914)	94" (2388)	24" (610)	$928	$990	**TRGANGSL309424**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_ _ _

Sample Part Number:	**TRGANGSR249430**	**.GN**	**N/A**	**.XZ2**	**.XZ4**	**.K**
	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_

Total Cost $928 =	$928	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Primary Work Surface
Trig Primary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-Handed Primary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Left-handed Primary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Primary Work Surfaces can be used alone or paired with Secondary Work Surfaces to create a U-shape work station. Primary Work Surfaces are available in right- and left-hand versions. Right-hand Primary surfaces are paired with left-hand Secondary surfaces to form a U-shaped work station. Or left-hand Primary surfaces are paired with right-hand Secondary surfaces to form the mirrored affect.

If Primary Work Surfaces are paired with Secondary Work Surfaces to create U-shaped work stations, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Primary Work Surface – Right-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
42" (1067)	54" (1372)	30" (762)	24" (610)	$891	$935	**TRGEPSR425430**	**No Cost**	**GB** Black	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	**Stan-dard Finish No Cost**
	60" (1524)	30" (762)		891	935	**TRGEPSR426030**	**GN** No Grommet				
	66" (1676)	30" (762)		901	945	**TRGEPSR426630**					
	72" (1829)	30" (762)		901	945	**TRGEPSR427230**		**GS** Silver			
	78" (1981)	30" (762)		1031	1093	**TRGEPSR427830**					
	84" (2134)	30" (762)		1044	1106	**TRGEPSR428430**	**GY** Grommet				
48" (1219)	54" (1372)	30" (762)	24" (610)	$901	$945	**TRGEPSR485430**					**Pre-mium Finish + $17**
	60" (1524)	30" (762)		901	945	**TRGEPSR486030**					
	66" (1676)	30" (762)		910	954	**TRGEPSR486630**					
	72" (1829)	30" (762)		910	954	**TRGEPSR487230**					
	78" (1981)	30" (762)		1040	1102	**TRGEPSR487830**					
	84" (2134)	30" (762)		1054	1116	**TRGEPSR488430**					

Trig Primary Work Surface – Left-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
30" (762)	54" (1372)	42" (1067)	24" (610)	$891	$935	**TRGEPSL305442**
30" (762)	60" (1524)			891	935	**TRGEPSL306042**
30" (762)	66" (1676)			901	945	**TRGEPSL306642**
30" (762)	72" (1829)			901	945	**TRGEPSL307242**
30" (762)	78" (1981)			1031	1093	**TRGEPSL307842**
30" (762)	84" (2134)			1044	1106	**TRGEPSL308442**
30" (762)	54" (1372)	48" (1219)	24" (610)	$901	$945	**TRGEPSL305448**
30" (762)	60" (1524)			901	945	**TRGEPSL306048**
30" (762)	66" (1676)			910	954	**TRGEPSL306648**
30" (762)	72" (1829)			910	954	**TRGEPSL307248**
30" (762)	78" (1981)			1040	1102	**TRGEPSL307848**
30" (762)	84" (2134)			1054	1116	**TRGEPSL308448**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	TRGEPSR425430 _ _ _ _ _ _ _ _ _ _	**.GN** _ _	**N/A** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $891 =	$891 +	N/C +	N/C +	N/C +	N/C +	N/C

Secondary Work Surface
Trig Secondary Work Surfaces are 1"-thick Thermofused Laminate with a 3mm vinyl edge band.

Optional grommet available in black or silver. See grommet information in the planning section for standard grommet locations.

Right-handed Secondary Work Surfaces include a support leg for Depth 2. Support for Depth 1 must be ordered separately.

Left-handed Secondary Work Surfaces include a support leg for Depth 1. Support for Depth 2 must be ordered separately.

Secondary Work Surfaces can be used alone or paired with Primary Work Surfaces to create U-shaped workstations. Secondary Work Surfaces are available in right- and left-hand versions. Right-hand Secondary surfaces are paired with left-hand Primary Surfaces to form U-shaped workstations. Or Left-hand Secondary surfaces can be paired with right-hand Primary Surfaces to form the mirrored affect. If Secondary Work Surfaces are paired with Primary Work Surfaces to create a U-shaped workstation, a Flush Support Plate (SICSP) must be ordered to connect the two work surfaces together.

(See Planning Guide for limitations)

Additional accessories include field-installed screens, modesties, Monitor Arms and Personal Task Lights.

Note: For 78" and 84" wide work surfaces, support is required on one end using under desk storage or a Credenza with riser.

Trig Secondary Work Surface – Right-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	54" (1372)	42" (1067)	24" (610)	$891	$935	**TRGESSR205442**	**No Cost**	**GB** Black	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Stan-dard Finish No Cost**
	60" (1524)			891	935	**TRGESSR206042**	**GN** No Grommet				
	66" (1676)			901	945	**TRGESSR206642**					
	72" (1829)			901	945	**TRGESSR207242**		**GS** Silver			
	78" (1981)			1031	1093	**TRGESSR207842**					
	84" (2134)			1044	1106	**TRGESSR208442**	**GY** Grommet				
20" (508)	54" (1372)	48" (1219)	24" (610)	$901	$945	**TRGESSR205448**					**Pre-mium Finish + $17**
	60" (1524)			901	945	**TRGESSR206048**					
	66" (1676)			910	954	**TRGESSR206648**					
	72" (1829)			910	954	**TRGESSR207248**					
	78" (1981)			1040	1102	**TRGESSR207848**					
	84" (2134)			1054	1116	**TRGESSR208448**					

Trig Secondary Work Surface – Left-Hand

Dimensions Depth 1	Width	Depth 2	Depth 3	List Price Thermofused Grade 1	2	Catalog Number
42" (1067)	54" (1372)	20" (508)	24" (610)	$891	$935	**TRGESSL425420**
	60" (1524)			891	935	**TRGESSL426020**
	66" (1676)			901	945	**TRGESSL426620**
	72" (1829)			901	945	**TRGESSL427220**
	78" (1981)			1031	1093	**TRGESSL427820**
	84" (2134)			1044	1106	**TRGESSL428420**
48" (1219)	54" (1372)	20" (508)	24" (610)	$901	$945	**TRGESSL485420**
	60" (1524)			901	945	**TRGESSL486020**
	66" (1676)			910	954	**TRGESSL486620**
	72" (1829)			910	954	**TRGESSL487220**
	78" (1981)			1040	1102	**TRGESSL487820**
	84" (2134)			1054	1116	**TRGESSL488420**

	Catalog Number	Grommet	Grommet Color	Top Color	Top Edge Color	Leg Trim Color
Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _ _	_ _ _	_
Sample Part Number:	TRGESSL425420 _ _ _ _ _ _ _ _ _ _	**.GY** _ _	**.GS** _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _
Total Cost $891 =	$891 +	N/C +	N/C +	N/C +	N/C +	N/C

Work Surface Support Legs
Trig Work Surface Support Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

Shared Work Surface Support Legs
Trig Shared Work Surface Support Legs are used when two work surfaces of equal depth are paired together back-to-back and a single support is desired. Legs are available in all Trendway Standard and Premium Systems Finishes.

All necessary attachment hardware is included.

When the Shared Work surface Support Leg is used, Flush Support Plate (SICSP) must be ordered to connect the two surfaces together in the middle.

Trig Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27 3/4" (705)	$288	**TRGULEG20**	**Standard Finish No Cost**
	24" (610)		288	**TRGULEG24**	
	30" (762)		296	**TRGULEG30**	**Premium Finish + $17**
					(See Surface Materials Page 10)
		Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_

Trig Shared Work Surface Support Legs

Depth	Dimensions Width	Height	List Price	Catalog Number	Trim Color
2" (51)	40" (1016)	27 3/4" (705)	$362	**TRGULEG40**	**Standard Finish No Cost**
	48" (1219)		380	**TRGULEG48**	
	60" (1524)		391	**TRGULEG60**	**Premium Finish + $17**
					(See Surface Materials Page 10)
		Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_

Sample Part Number:	TRGULEG20 _ _ _ _ _ _ _	**.Y** _
Total Cost $288 =	$288 +	N/C

Trig Work Surface Post Leg
The Work Surface Post Leg can be used for additional mid-span support along wider Trig work surfaces. Price includes post leg, leveling glide and attachment hardware.

Note: A pair of Work Surface Post Legs cannot be used to replace Trig Work Surface Support Legs as the main support on the end of a work surface.

Trig Bench Storage Work Surface Short Support
The Bench Storage Work Surface leg is used with Trig Bench Height Storage units to support the end of a work surface. 20" and 24" deep work surfaces use TRGBSWSL13 and 30" deep surfaces use TRGBSWSL19. Legs are available in all Trendway Standard and Premium Finishes.

All necessary attachment hardware is included.

Side to Side Shared Work Surface Support Leg
Side to Side Shared Work Surface Support Legs are used when work surfaces of equal depth are positioned next to each other and a single support is desired. Legs are available for single depth applications (equal depth surfaces are side to side) and dual depth applications (equal depth surfaces are back to back).

In a layout with (4) equal depth work surfaces that are both front-to-back and side-to-side, a single Side to Side Shared Support Leg can be used centrally to support all (4) surfaces. Legs are available in all Trendway Standard and Premium Systems Trim Finishes.

All necessary attachment hardware is included.

Trig Work Surface Post Leg

Dimensions Leg Depth	Dimensions Height	List Price	Catalog Number	Trim Color
2" (51)	27¾" (705)	$80	**TRGSPRTLEG**	**Standard Finishes No Cost** **Premium Finishes +$17**

Trig Bench Storage Work Surface Short Support

Dimensions Depth	Dimensions Height	List Price	Catalog Number	Trim Color
13" (330)	6½" (165)	$179	**TRGBSWSL13**	**Standard Finishes No Cost**
19" (483)		191	**TRGBSWSL19**	**Premium Finishes +$17**

Side to Side Shared Work Surface Support Leg

Dimensions Depth	Dimensions Width	Dimensions Height	List Price	Catalog Number	Trim Color
2" (51)	20" (508)	27¾" (705)	$424	**TRGULEGSS20**	**Standard Finish No Cost**
	24" (610)		431	**TRGULEGSS24**	
	30" (762)		436	**TRGULEGSS30**	
	40" (1016)		539	**TRGULEGSS40**	**Premium Finish + $17**
	48" (1219)		550	**TRGULEGSS48**	
	60" (1524)		573	**TRGULEGSS60**	
					(See Surface Materials Page 10)
			Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_

Sample Part Number:	TRGULEGSS20 _ _ _ _ _ _ _ _ _	**.Y** _
Total Cost $424 =	$424 +	N/C

Support Riser
Trig Support Riser ships with necessary hardware to mount work surface to top of Under Desk Storage or Credenza.

Available in Black only.

Work Surface Support Brackets
Trig Work Surface Support Brackets are used with Combination Storage to support work surfaces instead of Work Surface Support Legs. All necessary attachment hardware included.

Available in Black only.

Flush Support Plates
Flush Support Plates connect a work surface that extends from an adjacent work surface at the same level. Includes two mounting plates and screws. Available in Black only.

Trig Support Riser

	Dimensions Height	List Price	Catalog Number
8" (203) x 13" (330)	1" (25)	$81	**TRGWSRISER**
		Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _

Trig Work Surface Support Brackets

Dimensions	List Price	Catalog Number
Includes Two Support Brackets	$51	**TRGWSBRKTS**
	Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _

Flush Support Plates

Dimensions	List Price	Catalog Number
Includes 2 Connecting Plates	$48	**SICSP**
	Build your complete Part Number here:	_ _ _ _ _ _ _ _

Sample Part Number: TRGWSRISER _ _ _ _ _ _ _ _

Total Cost $81 = $81

Surface Mount Screens
Trig Surface Mount Screens are used when two work surfaces are positioned back-to-back with no gap between them. Screen widths can span from 24" to 84", in 6" increments. Screen widths 24" - 48" are a single screen and two posts. Screen widths 54" - 84" are 2 screens and three posts (center post is shared). All necessary mounting hardware is included.

All Screens available in either Plexiglass or 3-Form Ecoresin.

Trig Surface Mount Screens

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	13" (330)	$659	**TRGTMS2413**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $40** 30" - 48" **+ $86** 54" - 84" **+ $172** 3-Form (E01-E03) 24" **+ $161** 30" - 48" **+ $344** 54" - 84" **+ $688**	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
30" (762)		739	**TRGTMS3013**		
36" (914)		752	**TRGTMS3613**		
42" (1067)		765	**TRGTMS4213**		
48" (1219)		778	**TRGTMS4813**		
54" (1372)		1174	**TRGTMS5413**		
60" (1524)		1239	**TRGTMS6013**		
66" (1676)		1254	**TRGTMS6613**		
72" (1829)		1254	**TRGTMS7213**		
78" (1981)		1265	**TRGTMS7813**		
84" (2134)		1265	**TRGTMS8413**		
24" (610)	19" (483)	$712	**TRGTMS2419**		
30" (762)		805	**TRGTMS3019**		
36" (914)		811	**TRGTMS3619**		
42" (1067)		818	**TRGTMS4219**		
48" (1219)		832	**TRGTMS4819**		
54" (1372)		1239	**TRGTMS5419**		
60" (1524)		1345	**TRGTMS6019**		
66" (1676)		1371	**TRGTMS6619**		
72" (1829)		1371	**TRGTMS7219**		
78" (1981)		1385	**TRGTMS7819**		
84" (2134)		1385	**TRGTMS8419**		
	Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _ _	_

Sample Part Number:	**TRGTMS2413** _ _ _ _ _ _ _ _	**.E3A** _ _ _	**.G** _
Total Cost $699 =	$659 +	$40 +	N/C

Desk Top Screens
Trig Desk Top Screens are intended to provide privacy between adjacent desks. Mostly used in benching applications. All Screens available in either plexiglass or 3-Form Ecoresin.

Back Edge Mount Screens
Trig Back Edge Mount Screens assemble to the back of a work surface with a 1" gap between it and another work surface. The gap allows for power cords to pass between them.

Note: See planning guide for proper size selection. All necessary mounting hardware is included.

Trig Desk Top Screen

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
16" (406)	8" (203)	$206	**TRGLDS168**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 16" - 20" **+ $35** 26" - 44" **+ $68** 3-Form (E01-E03) 16" - 20" **+ $104** 26" - 44" **+ $206**	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
20" (508)		218	**TRGLDS208**		
26" (660)		229	**TRGLDS268**		
38" (965)		240	**TRGLDS388**		
44" (1118)		252	**TRGLDS448**		
16" (406)	13" (330)	$264	**TRGLDS1613**		
20" (508)		276	**TRGLDS2013**		
26" (660)		287	**TRGLDS2613**		
38" (965)		298	**TRGLDS3813**		
44" (1118)		310	**TRGLDS4413**		

Trig Back Edge Mount Screens

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	13" (330)	$505	**TRGBMS2413**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $35** 30" - 48" **+ $91** 54" - 72" **+ $114** 3-Form (E01-E03) 24" **+ $138** 30" - 48" **+ $368** 54" - 72" **+ $459**	
30" (762)		550	**TRGBMS3013**		
36" (914)		608	**TRGBMS3613**		
42" (1067)		648	**TRGBMS4213**		
48" (1219)		683	**TRGBMS4813**		
54" (1372)		722	**TRGBMS5413**		
60" (1524)		756	**TRGBMS6013**		
66" (1676)		797	**TRGBMS6613**		
72" (1829)		842	**TRGBMS7213**		
24" (610)	19" (483)	$545	**TRGBMS2419**		
30" (762)		608	**TRGBMS3019**		
36" (914)		659	**TRGBMS3619**		
42" (1067)		706	**TRGBMS4219**		
48" (1219)		740	**TRGBMS4819**		
54" (1372)		792	**TRGBMS5419**		
60" (1524)		849	**TRGBMS6019**		
66" (1676)		911	**TRGBMS6619**		
72" (1829)		964	**TRGBMS7219**		

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _ _	_
Sample Part Number:	**TRGLDS168** _ _ _ _ _ _ _ _	**.E3A** _ _ _	**.G** _
Total Cost $241 =	$206 +	$35 +	N/C

Modesty
The Trig Modesty mounts 2" from the back edge of the work surface.

Note: See planning guide to proper size selection. All necessary mounting hardware is included.

Note: Modesty Only
If electrical components are to be used with a Modesty-Only configuration on a Rectangle, Wedge or Blade work surface, the optional grommet should be selected for cord pass-through.

Screen/Modesty Combination
The Trig Screen/Modesty Combination mounts to the underside back edge of a work surface. There is a 1" gap between the Screen/Modesty and the work surface, allowing power cords to pass between them.

See planning guide for proper size selection. All necessary mounting hardware is included. All Modesty and Screen Modesty Combinations available in either plexiglass or 3-Form Ecoresin.

Trig Modesty

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	14" (356)	$447	**TRGMOD24**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $35** 30" - 60" **+ $68** 66" - 72" **+ $91** 3-Form (E01-E03) 24" **+ $138** 30" - 60" **+ $276** 66" - 72" **+ $368**	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
30" (762)		482	**TRGMOD30**		
36" (914)		516	**TRGMOD36**		
42" (1067)		563	**TRGMOD42**		
48" (1219)		620	**TRGMOD48**		
54" (1372)		665	**TRGMOD54**		
60" (1524)		722	**TRGMOD60**		
66" (1676)		769	**TRGMOD66**		
72" (1829)		814	**TRGMOD72**		
	Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _	_

Trig Screen/Modesty Combination

Dimensions Width	Dimensions Height	List Price	Catalog Number	Insert Material	Trim Color
24" (610)	28" (711)	$596	**TRGBMSM2428**	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) 24" **+ $68** 30" - 60" **+ $172** 66" - 72" **+ $229** 3-Form (E01-E03) 24" **+ $276** 30" - 60" **+ $688** 66" - 72" **+ $802**	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
30" (762)		677	**TRGBMSM3028**		
36" (914)		763	**TRGBMSM3628**		
42" (1067)		814	**TRGBMSM4228**		
48" (1219)		878	**TRGBMSM4828**		
54" (1372)		900	**TRGBMSM5428**		
60" (1524)		951	**TRGBMSM6028**		
66" (1676)		1027	**TRGBMSM6628**		
72" (1829)		1100	**TRGBMSM7228**		
	Build your complete Part Number here:		_ _ _ _ _ _ _ _ _ _	_ _ _	_

Sample Part Number:	**TRGMOD24** _ _ _ _ _ _ _	**.E01** _ _ _	**.G** _
Total Cost $585 =	$447 +	$138 +	N/C

Credenzas
Trig Credenza come with a 1" Thermofused laminate top and 2" support legs with leveling glides. Credenzas are 20" deep and 26.75" high, Units are intended for freestanding applications. Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Credenzas with Doors
Features include hinged doors with optional locking. (Locking not available on aluminum door option) Credenzas 60", 72" and 75" wide have (1) adjustable shelf in each double door. The 45" wide Credenza has one adjustable shelf in the double door and one in the single door. Shelves adjust vertically in 2 1/2" increments.

Trig Credenzas with Doors

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
Double Door and Single Door RH						**LD No Cost** Laminate Door **FD** Framed Door **3 Doors + $1032** **4 Doors + $1376**	**Plexiglass No Cost** **Frosted Plexiglass** (E3A) **3 Doors + $172** **4 Doors + $229** **3-Form** (E01-E03) **3 Doors + $344** **4 Doors + $459**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with framed door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG** (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Random **T - $26** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately (2 per unit)
20" (508)	45" (1143)	26 3/4" (680)	$1433	$1495	**TRGCDDSDR45**										
Double Door and Single Door LH															
20" (508)	45" (1143)	26 3/4" (680)	1433	1495	**TRGCDDSDL45**										
2 Double Door															
20" (508)	60" (1524)	26 3/4" (680)	$1806	$1889	**TRGC2DD60**										
2 Double Door w/ 2 Center Shelves															
20" (508)	72" (1829)	26 3/4" (680)	$2021	$2131	**TRGC2DDCS72**										
20" (508)	75" (1905)	26 3/4" (680)	$2075	$2185	**TRGC2DDCS75**										
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_	_	_ _ _	_

Right-Hand Shown

Sample Part Number:	TRGC2DDCS75	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
Total Cost $3695 =	$2075 +	$1376 +	$229 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$41 +	$26

Trig Credenzas with Doors and Shelves

Depth	Dimensions Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
Double Door and Open Shelf RH															
20" (508)	60" (1524)	26³/₄" (680)	$1640	$1723	**TRGCDDOSR60**	**LD No Cost** Laminate Door **FD** Framed Door **+ $688**	**Plexiglass No Cost** **Frosted Plexiglass** (E3A) **+ $114** **3-Form** (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets TLCK) separately (1 per unit)
Double Door and Open Shelf LH															
20" (508)	60" (1524)	26³/₄" (680)	1640	1723	**TRGCDDOSL60**										

Right-Hand Shown

Build your complete Part Number here:	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _		_	_ _ _	_

Sample Part Number:	TRGCDDOSR60	.FD	.E3A	.MM	.XZ2	.XZ4	.XZ4	N/A	.K	.TRG	.T
Total Cost $2572 =	$1640	+ $688	+ $229	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $28	+ $13

Credenzas with Laterals
Lateral units include full extension ball bearing slides, and interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front to back filing bars, and adjustable leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. Shelves adjust vertically in 2 1/2" increments.

For 45" wide Lateral Single Door units, the single door includes hinged door with optional locking and (1) adjustable shelf. Shelf adjusts vertically in 2 1/2" increments.

Trig Credenzas with Laterals

Depth	Dimensions Width	Height	Locks	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Color	Trim Color	Lock Type	Lock Option
12 Lat with Open Shelves							**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**Stan-dard Finish No Cost** **Pre-mium Finish + $12** (See Surface Materi-als Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $28** Trig Lock (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $13** (Two Locks) **- $26** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa-rately.
20" (508)	30" (762)	26¾" (680)	1 Lock	$1204	$1248	**TRGCLATOS30**								
(612) Lateral and 2 Open Shelves RH														
20" (508)	45" (1143)	26¾" (680)	1 Lock	$1502	$1564	**TRGCLATOSR45**								
20" (508)	48" (1219)	26¾" (680)	1 Lock	1539	1601	**TRGCLATOSR48**								
20" (508)	60" (1524)	26¾" (680)	2 Locks	1692	1775	**TRGCLATOSR60**								
(612) Lateral and 2 Open Shelves LH														
20" (508)	45" (1143)	26¾" (680)	1 Lock	$1502	$1564	**TRGCLATOSL45**								
20" (508)	48" (1219)	26¾" (680)	1 Lock	1539	1601	**TRGCLATOSL48**								
20" (508)	60" (1524)	26¾" (680)	2 Locks	1692	1775	**TRGCLATOSL60**								
2 (612) Lateral														
20" (508)	60" (1524)	26¾" (680)	2 Locks	$1978	$2061	**TRGC2LAT60**								
2 (612) Lateral w/ 2 Center Shelves														
20" (508)	72" (1829)	26¾" (508)	2 Locks	$2226	$2336	**TRGC2LATCS72**								
20" (508)	75" (1905)	26¾" (508)	2 Locks	$2288	$2398	**TRGC2LATCS75**								
Build your complete Part Number here:						_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Right-Hand Shown

Sample Part Number:	**TRGCLATOSR45**	**.MD**	**.ZX2**	**.XZ2**	**.XZ2**	**.XZ2**	**.K**	**.TRG**	**.R**
Total Cost $1530 =	$1502	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $28	+ N/C

Credenzas Continued

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Single lock can be specified for laterals.

Trig Credenzas with Doors and Laterals

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer/ Door Color	Trim Color	Lock Type	Lock Option
(612) Lateral and Single Door RH			$1571	$1633	**TRGCLATSDR45**	**LD No Cost** Lami-nate Door **FD + $344** Framed Door	Plexi-glass (01, 02) **No Cost** **Frosted Plexi-glass** (E3A) **+$58** **3-Form** (E01-E03) **+ $114**	**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MD** Modern **MM** Mod2 When specifying a Modern Pull , the Framed Door (FD) will include coordinat-ing Mod2 pull.	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10) Specify for Lateral/ Laminate Door only	**Stan-dard Finish No Cost** **Pre-mium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $28** Trig Lock (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $13** (Two Locks) **- $26** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa-rately.
20" (508)	45" (1143)	26 3/4" (680)													
(612) Lateral and Single Door LH			1571	1633	**TRGCLATSDL45**										
20" (508)	45" (1143)	26 3/4" (680)													
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	TRGCLATSDR45	.LD	N/A	.MD	.ZX2	.XZ4	.XZ4	.XZ2	.K	.TRG	.R
	_ _ _ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _ _	_
Total Cost $1612 =	$1571	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $41	+ N/C

Open Storage Credenza

All Shelves are fixed.

The upper storage units are 10 1/2" high and the bottom storage units are 11 3/4" high.

Trig Credenzas – Open Storage

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
Open Storage 612						Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
20" (508)	30" (762)	26¾" (680)	$ 928	$972	**TRGCOS30**				
20" (508)	36" (914)	26¾" (680)	$1003	$1047	**TRGCOS36**				
Open Storage 612			$1115	$1177	**TRGCOS45**				
20" (508)	45" (1143)	26¾" (680)							
		Build your complete Part Number here:			_ _ _ _ _ _ _	_	_	_	_

Sample Part Number:	**TRGCOS45** _ _ _ _ _ _ _	**.ZX2** _ _ _	**.XZ4** _ _ _	**.XZ4** _ _ _	**.Y** _
Total Cost $1115 =	$1115 +	N/C +	N/C +	N/C +	N/C

Freestanding Lateral
The Trig Freestanding Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side filing bars, front-to-back filing bars and leveling glides. Drawers accommodate side-to-side, letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Freestanding Pedestal
The Trig Freestanding Pedestal includes full extension ball bearing slides, side-to-side filing bars, front-to-back filing bars, and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Optional locking available for drawers.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Trig Freestanding Lateral

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
20" (508)	30" (762)	26¾" (680)	$1162	$1206	**TRG612LAT20**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate Drawer Edge will match Drawer Color	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	36" (914)	26¾" (680)	$1337	$1381	**TRG612LAT2036**								

Trig Freestanding Pedestal

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
20" (508)	15½" (394)	26¾" (680)	$ 920	$ 946	**TRG612PED20**

Build your complete Part Number here:	_ _ _ _ _ _	_	_	_	_	_	_	_	_

Sample Part Number:	**TRG612LAT20** _ _ _ _ _ _ _ _	**.MD** _ _	**.ZX2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.K** _	**.TRG** _ _ _	**.R** _
Total Cost $1190 =	$1162 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$28 +	N/C

Freestanding Double Door Storage
The Trig Freestanding Double Door Storage include hinged doors with optional locking. (Locking not available with aluminum door option) Unit comes with (1) shelf that adjusts vertically in 2 1/2" increments. Unit also includes leveling glides in each 2" support leg.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Trig Bookcase
The bookcase unit includes one adjustable shelf. The shelf is 5/8" thick and adjust vertically in 2 1/2" (64) increments.

Shipped ready to assemble.

Trig Freestanding Double Door Storage

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Option
20" (508) 20" (508)	30" (762) 36" (914)	26 3/4" (680) 26 3/4" (680)	$1031 1163	$1075 1225	**TRGDD20** **TRGDD2036**	**LD No Cost** Laminate Door **FD + $688** Framed Door	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) **+ $114** 3-Form (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option.	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10) Specify only if LD selected	Thermofused Laminate Door Edge will match door color	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
Build your complete Part Number here:					_ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Trig Bookcases

Dimensions Depth	Dimensions Width	Dimensions Height	List Price	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762) 36" (914)	26 3/4" (680)	$697 772	**TRGCBC30** **TRGCBC36**	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
Build your complete Part Number here:				_ _ _ _ _ _ _	_	_	_	_ _
Sample Part Number:				**TRGCBC30** _ _ _ _ _ _	**N/A** _	**N/A** _	**N/A** _	**.K** _ _
Total Cost $697 =				$697 +	N/C +	N/C +	N/C +	N/C

Bench-Height Storage
The Trig Bench-Height Storage is available in five different widths. Lateral units include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars, and leveling glides.

Optional locking available on drawers.

45" wide Lateral Open Shelf unit comes with (1) shelf that adjusts vertically in 2 1/2" increments.

Units are intended for freestanding applications.

Units ship fully assembled except for 2" support legs.

Trig Bench-Height Storage

Dimensions Depth	Width	Height	Lock	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
(12) Lateral							**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**Stan-dard Finish No Cost** **Pre-mium Finish + $12** (See Surface Materi-als Page 10)	**NL No Cost** No Lock **TRG** (One Lock) **+ $28** Trig Lock (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $13** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	21" (533)	1 Lock	$1129	$1173	**TRGBFLAT30**								
20" (508)	36" (914)	21" (533)	1 Lock	1261	1305	**TRGBFLAT36**								
(12) Lateral w/ Open Shelf RH														
20" (508)	45" (1143)	21" (533)	1 Lock	$1370	$1432	**TRGBFLATOSR45**								
20" (508)	48" (1219)	21" (533)	1 Lock	1406	1468	**TRGBFLATOSR48**								
20" (508)	60" (1524)	21" (533)	1 Lock	1548	1610	**TRGBFLATOSR60**								
(12) Lateral w/ Open Shelf LH														
20" (508)	45" (1143)	21" (533)	1 Lock	$1370	$1432	**TRGBFLATOSL45**								
20" (508)	48" (1219)	21" (533)	1 Lock	1406	1468	**TRGBFLATOSL48**								
20" (508)	60" (1524)	21" (533)	1 Lock	1548	1610	**TRGBFLATOSL60**								
Build your complete Part Number here:						_ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Right-Hand Shown

Sample Part Number:	TRGBFLATOSL60	.MD	.XZ3	.XZ3	.XZ3	.XZ4	.K	.TRG	.T
	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_
Total Cost $1576 =	$1548	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $41	− $13

Bench-Height Storage (continued)

Bench-Height Cushion
Trig Bench-Height Cushion includes upholstered cushion and four attached velcro tabs to affix cushion to top of Bench-Height Storage Units.

Trig Bench-Height Storage (continued)

Dimensions Depth	Width	Height	Lock	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit/ Shelf Color	Top Color	Top Edge Color	Drawer Front Color	Trim Color	Lock Type	Lock Option
2 (12) Lateral			2 Locks	$1748	$1831	**TRGBF2LAT60**	**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**Stan-dard Finish No Cost** **Pre-mium Finish + $12** (See Surface Materi-als Page 10)	**NL No Cost** No Lock **TRG** (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Ran-dom **T** (Two Locks) **- $26** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	60" (1524)	21" (533)												
2 (12) Lateral w/ Center Shelf														
20" (508)	72" (1829)	21" (533)	2 Locks	$1886	$1996	**TRGBF2LATCS72**								
20" (508)	75" (1905)	21" (533)	2 Locks	1920	2030	**TRGBF2LATCS75**								
						Build your complete Part Number here:	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Trig Bench-Height Cushion

Dimensions Width	Depth	Height	List Price Fabric Grade A	B	C	D	E	F	G	H	I	J	K	Catalog Number
15" (381)	20" (508)	1" (25)	$252	$264	$280	$298	$315	$333	$356	$379	$397	$414	$252	**TRGBC2015**
30" (762)			305	310	333	356	386	425	477	529	552	575	305	**TRGBC2030**
													Build your complete Part Number here:	_ _ _ _ _ _ _

Sample Part Number:	**TRGBF2LATCS75** _ _ _ _ _ _ _ _ _ _	**.MD** _ _	**.XZ3** _ _ _	**.XZ3** _ _ _	**.XZ3** _ _ _	**.XZ4** _ _ _	**.K** _	**.TRG** _ _ _	**.T** _
Total Cost $1935 =	$1920	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $41	− $26

Trig Bench-Height Bookcase
The book case unit includes one adjustable shelf. The shelf is 5/8" thick and adjusts vertically in 2 1/2" (64) increments. The bookcase unit is designed to accommodate standard binders on one of the shelves.

Shipped ready to assemble.

Trig Bench-Height Bookcase

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Unit/Shelf Color	Top Color	Top Edge Color	Leg Trim Color
20" (508)	30" (762) 36" (1219)	21" (533)	$642 717	$686 761	**TRGBFBC30** **TRGBFBC36**	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)
				Build your complete Part Number here:	_ _ _ _ _ _ _	_	_	_	_ _

Sample Part Number:	**TRGCBC30** _ _ _ _ _ _	**N/A** _	**N/A** _	**N/A** _	**.K** _ _
Total Cost $642 =	$642 +	N/C +	N/C +	N/C +	N/C

Combination Storage
The Trig Combination Storage unit combines the functionality of a lateral and pedestal with added storage of shelves. Units are intended to be placed at the aisle side of a workstation to provide storage and privacy.

The Laterals include full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Available accessories include Marker Board or Tackboard for addition to the aisle side of the units.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

Trig Combination Storage

Depth	Dimensions Width	Height	Lock	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Lock Type	Lock Option	Work Surface Bracket
Aisle Side 6612 Lateral - User Side Open Shelves							**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**NL No Cost** No Lock **TRG** (One Lock) **+ $28** Trig Lock (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Ran-dom **T** (One Lock) **- $13** (Two Locks) **- $26** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.	**BN No Cost** No Bracket **BY + $51** Two Brack-ets
20" (508)	30" (762)	53 3/4" (1365)	1 Lock	$1579	$1662	**TRGCSLATOS30**								
Aisle Side 6612 Lateral - User side 6612 ped, and open hutch storage RH														
20" (508)	45" (1143)	53 3/4" (1365)	2 Locks	$2638	$2748	**TRGCSOSR45**								
Aisle Side 6612 Lateral - User side 6612 ped, and open hutch storage LH														
20" (508)	45" (1143)	53 3/4" (1365)	2 Locks	2638	2748	**TRGCSOSL45**								
Build your complete Part Number here:						_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _

Left-Hand Shown

Sample Part Number:	TRGCSOSR45	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	.R	.BN
	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _
Total Cost $2679 =	$2638	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $41	+ N/C	+ N/C

Combination Storage Continued

The Double Doors include hinged doors with optional locking. (Locking not available with aluminum doors) Unit comes with 2 shelves that adjust vertically in 2 1/2" increments.

Trig Combination Storage

Dimensions Depth Width Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option	Work Surface Bracket
Aisle Side Double Door - User Side Open Shelves 20" (508) 30" (762) 53¾" (1365) Aisle Side User Side	$1458	$1568	**TRGCSDDOS30**	**LD No Cost** Laminate Door **FD + $688** Framed Door	Plexiglass (01, 02) **No Cost** Frosted Plexiglass (E3A) **+ $114** 3-Form (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Frame Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**No Cost** (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.	**BN No Cost** No Bracket **BY + $51** Two Brackets
Build your complete Part Number here:			_ _ _ _ _ _ _ _	_ _	_ _ _	_	_ _ _	_ _ _	_ _ _	_	_	_ _	_	_ _

Sample Part Number:	TRGCSDDOS30	.FD	.E3A	N/A	.XZ2	.XZ2	.XZ2	N/A	N/A	.NL	N/A	.BN
	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _	_ _	_ _	_ _	_ _

Total Cost $2375 =	$1458	+	$688	+	$229	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C	+	N/C

Pedestal Shelf Combination Storage
The Trig Pedestal Shelf Combination Storage combines the functionality of a pedestal with the added storage of shelves. The storage unit is available in Right- and Left- Hand versions. The Right Hand version is intended for placement on the right-hand of a workstation with the shelves facing inward. The Left-Hand version is intended for placement on the left-hand of a workstation with the shelves facing inward. The 6612 Pedestal includes full extension ball bearing slides, side-to-side and front-to-back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing. The shelf storage includes one adjustable shelf that adjusts. vertically in 2 1/2" increments.

Available accessories include a Marker Board or Tackboard that can be added to the aisle side of the unit. Option locking available on pedestal drawers.

Units are intended for freestanding applications, or can be used as work surface support if used in combination with option Trig Work Surface Support Brackets.

Unit ships fully assembled.

Trig Pedestal Shelf Combination Storage – Right-Hand

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option	Work Surface Bracket
6612 Ped and Open Shelves on Side						**No Cost Applied** **L** Classic **E** Stream-line **AZ** De-signer **MM** Mod2 **MD** Modern	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate Drawer Edge will match Drawer Color	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Ran-dom **T - $13** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) sepa-rately	**BN No Cost** No Bracket **BY + $51** Two Brack-ets
20" (508)	15½" (394)	47¾" (1213)	$ 1141	$ 1203	**TRGCS6612OSR20**								
24" (610)	15½" (394)	47¾" (1213)	1215	1277	**TRGCS6612OSR24**								
30" (762)	15½" (394)	47¾" (1213)	1273	1335	**TRGCS6612OSR30**								

Trig Pedestal Shelf Combination Storage – Left-Hand

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number
6612 Ped and Open Shelves on Side					
20" (508)	15½" (394)	47¾" (1213)	$1141	$1203	**TRGCS6612OSL20**
24" (610)	15½" (394)	47¾" (1213)	1215	1277	**TRGCS6612OSL24**
30" (762)	15½" (394)	47¾" (1213)	1273	1335	**TRGCS6612OSL30**

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	

Sample Part Number:

TRGCS6612OSR20	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	.R	.BN
_ _ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _

Total Cost $1169 =

$1141	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $28	+ N/C	+ N/C

Marker Boards
The Trig Marker Board provides a white, writing surface for use with dry erase markers. Marker Boards can be mounted to the aisle side of Combination Storage units.

Tackboards
The Trig Tackboard can be mounted to the aisle side of Combination Storage units. The Tackboard has a tackable panel fabric front and velcro attachment tabs.

Width	Usage
12	Front of Pedestal Shelf Combination Storage
16	Aisle Side 20" Deep Ped Shelf Combination Storage
20	Aisle Side 24" Deep Ped Shelf Combination Storage
24	Aisle Side 30" Deep Ped Shelf or 30" Wide Combination Storage
36	Aisle Side 45" Wide Combination Storage

Trig Marker Boards

Dimensions Width	Dimensions Height	List Price	Catalog Number
12" (305)	17" (432)	$172	**TRGMB1217**
16" (406)	17" (432)	206	**TRGMB1617**
20" (508)	17" (432)	258	**TRGMB2017**
24" (610)	17" (432)	298	**TRGMB2417**
36" (914)	17" (432)	378	**TRGMB3617**

Build your complete Part Number here: _ _ _ _ _ _ _ _

Trig Tackboards

Dimensions Width	Dimensions Height	List Price Fabric Grade 0/1	2	3	4	5	6	Catalog Number	Fabric Color
12" (305)	17" (432)	$ 81	$ 104	$ 116	$127	$140	$153	**TRGTB1217**	(See Surface Materials Page 7)
16" (406)	17" (432)	86	109	121	132	146	160	**TRGTB1617**	
20" (508)	17" (432)	91	114	126	137	151	167	**TRGTB2017**	
24" (610)	17" (432)	104	127	139	150	165	182	**TRGTB2417**	
36" (914)	17" (432)	114	137	149	160	175	199	**TRGTB3617**	

Build your complete Part Number here: _ _ _ _ _ _ _ _ _

Sample Part Number: **TRGMB1217** _ _ _ _ _ _ _ **.Y** _

Total Cost $172 = $172 + N/C

Storage Tower with Double-Door
The Trig Storage Tower with Double-Doors include hinged double doors, with three shelves that adjust vertically in 2 1/2" increments, and leveling glides.

Optional locking and aluminum doors available (Locking not available in combination with aluminum doors)

Units are intended for freestanding applications.

Units ship fully assembled.

Trig Storage Tower with Double-Door

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Framed Door Trim Color	Lock Type	Lock Option
20" (508)	30" (762)	53¾" (1365)	$1548	$1658	**TRGTSDD54**	**LD No Cost** Laminate Door **FD + $918** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **$229** **3-Form** (E01-E03) **+ $459**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**No Cost** (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	30" (762)	65¾" (1670)	1715	1825	**TRGTSDD66**										

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _	_	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _ _	_

Sample Part Number:	TRGTSDD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	.TRG	N/C	.R
Total Cost $1576 =	$1548 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	$28 +	N/C +	N/C

Lateral, Double Door Storage Tower
The Storage Towers are available with two lateral drawer configurations: 12/12 with 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars. Pre-installed counterbalance weights included.

Double-Door storage includes hinged double doors, with two shelves that adjust vertically in 2 1/2" increments.

Optional locking available for both double door and lateral portion. (Lock option not available with framed doors)

Units include leveling glides.

Units ship fully assembled.

Single lock can be specified for laterals.

Trig Lateral, Double-Door Storage Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer/ Door Color	Framed Door Trim Color	Lock Type	Lock Option
6612 Lateral and double-door storage (2 adjustable shelves)						**LD No Cost** Laminate Door **FD + $688** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **+ $114** **3-Form** (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern When specifing a modern pull, the Framed Door (FD) will include coordinating Mod2 pull	Thermofused Laminate (See Surface Materials Page 6)	Thermofused Laminate (See Surface Materials Page 6)	Thermofused Laminate (See Surface Materials Page 6)	Thermofused Laminate Drawer/ Door Edge will match door/ drawer color Specify for Lateral/ Laminate door only	**No Cost** Standard or Premium Finish (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG** (One Locks) **+ $28** Trig Lock (Two Locks) **+ $41** Trig Lock	**R No Cost** Trig Random **T** (One Lock) **- $13** (Two Locks) **- $26** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	53¼" (1365)	$1991	$2074	**TRGTS6612DD54**										
20" (508)	30" (762)	65¾" (1670)	2064	2174	**TRGTS6612DD66**										
1212 Lateral and double-door storage(2 adjustable shelves)															
20" (508)	30" (762)	53¼" (1365)	$1910	$2020	**TRGTS1212DD54**										
20" (508)	30" (762)	65¾" (1670)	1949	2032	**TRGTS1212DD66**										
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_

Sample Part Number:	TRGTS6612DD54	.LD	N/A	.MD	.XZ2	.XZ2	.XZ2	.XZ4	N/C	.TRG	.R
Total Cost $2032 =	$1991	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $41	+ N/C

Lateral, Open Shelf Storage Tower
Trig Lateral, Open Shelf Storage Tower are available in two lateral drawer configurations: 12/12 with two 12" drawers or 6/6/12 with two 6" drawers and one 12" drawer.

Lateral drawers includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front-to-back filing bars.

Display Towers
Display Tower with Drawers and Open Shelves The 6" Drawers have full extension ball bearing slides. Locking not available on 6" Drawers.

Display Tower with Open Shelves
Features includes three or four shelves that adjust vertically in 2 1/2" increments.

All units are intended for freestanding applications. All units ship fully assembled.

Trig Lateral, Open Shelf Storage Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
6612 Lateral and 2 Open Shelves						**No Cost Applied** **L** Classic **E** Stream-line **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	Thermo-fused Lami-nate (See Surface Materi-als Page 10)	Thermo-fused Lami-nate Drawer Edge will match Drawer Color	**NL No Cost** No Lock **TRG** (One Lock) **+ $28**	**R No Cost** Pack Ran-dom **T -$13** Trig Key Alike Note: Be sure to order core/ key sets (TLCK) separately.
20" (508)	30" (762)	53¾" (1365)	$1834	$1917	**TRGTS6612OS54**							
20" (508)	30" (762)	65¾" (1670)	1920	2003	**TRGTS6612OS66**							
1212 Lateral and 2 Open Shelves												
20" (508)	30" (762)	53¾" (1365)	$1748	$1831	**TRGTS1212OS54**							
20" (508)	30" (762)	65¾" (1670)	1806	1889	**TRGTS1212OS66**							

Trig Display Towers

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number
Display Tower w/ (2) 6" Drawers and Open Shelves					
20" (508)	15" (381)	53¾" (1365)	$1187	$1249	**TRGTS66OS54**
20" (508)	15" (381)	65¾" (1670)	1351	1413	**TRGTS66OS66**
Display Tower with Open Shelves					
20" (508)	15" (381)	53¾" (1365)	$1001	$1063	**TRGTSOS54**
20" (508)	15" (381)	65¾" (1670)	1136	1198	**TRGTSOS66**
Build your complete Part Number here:					_ _ _ _ _ _ _ _ _ _

Sample Part Number:	**TRGTS6612OS54** _ _ _ _ _ _ _ _ _ _	**.MD** _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**N/A** _	**N/A** _
Total Cost $1834 =	$1834 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Trig Wardrobe Storage Tower and Wardrobe Storage Tower with Bookcase

The Wardrobe Storage Tower provides, wardrobe, drawer and cupboard storage in a single cabinet. Each of these storage areas can be locked independently to allow for varying levels of security. Wardrobe Storage Towers are available in either Right-Hand version with the wardrobe on the right side or a Left-Hand version with the wardrobe on the left side.

Wardrobe Storage Towers have adjustable leveling glides. The wardrobe unit includes a wardrobe bar and one adjustable shelf. The cupboard unit includes two adjustable shelves. The bookcase unit and cupboard unit includes two adjustable shelves. Shelves adjust vertically in 2 ½" (64) increments. The pedestals have full extension ball bearing slides on both the 6" and 12" drawers.

Unit ships fully assembled.

When the key-alike lock option "T" is chosen a "disposable" core is assembled in the filing unit to temporarily secure the drawers and doors for transit. The "disposable" core must be field replaced with a Trig Core/Key set in order for the Trig filing unit to lock. The Core/Key set (CLCK) must be order separately or by using the keying order form. Check Customer Care for availability.

Trig Wardrobe Storage Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Front Color	Lock Type	Lock Option
Right Handed Units						**No Cost Applied** **L** Classic **E** Stream-line **AZ** Designer **MM** Mod2 **MD** Modern	Thermo-fused Lami-nate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10) Door Edge will match door color	**NL No Cost** No Lock **TRG** (three Lock) **+ $59** Trig Lock	**R NoCost** Trig Random **T** (three Lock) **- $39** Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
24" (610)	24" (610)	66" (1676)	$1913	$2023	**TRGWSTR661212**							
			1957	2067	**TRGWSTR666612**							
Left Handed Units												
24" (610)	24" (610)	66" (1676)	$1913	$2023	**TRGWSTL661212**							
			1957	2067	**TRGWSTL666612**							

Right-Hand

Left-Hand

Trig Wardrobe Storage Tower with Bookcase

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Lock Type	Lock Option
Right Handed Units						**NL No Cost** No Lock **TRG** (two Lock) **+ $41** Trig Lock	**NoCost** Trig Random **T** (two Lock) **- $26** Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
24" (610)	24" (610)	66" (1676)	$2001	$2111	**TRGBCSTR661212**		
			2045	2155	**TRGBCSTR666612**		
Left Handed Units							
24" (610)	24" (610)	66" (1676)	$2001	$2111	**TRGBCSTL661212**		
			2045	2155	**TRGBCSTL666612**		

Right-Hand

Left-Hand

Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGWSTR661212**	**.MD**	**.XZ3**	**.XZ3**	**.XZ3**	**.XZ3**	**.TRG**	**.R**
Total Cost $1972 =	$1913 +	N/C +	N/C +	N/C +	N/C +	N/C +	$59 +	N/C

Display Towers Continue

Display Tower with Door features include a hinged door, with three or four shelves that adjust vertically in 2 1/2" increments. Optional laminate or framed aluminum doors available. (Lock option not available with aluminum doors)

Trig Display Tower with Door

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Display Tower with Door RH						**LD No Cost** Laminate Door **FD + $459** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **+ $114** **3-Form** (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specified only if LD selected	**No Cost** Standard or Premium Finish (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
20" (508)	15" (381)	53¾" (1365)	$1094	$1156	**TRGTSSDR54**										
20" (508)	15" (381)	65¾" (1670)	1238	1321	**TRGTSSDR66**										
Display Tower with Door LH															
20" (508)	15" (381)	53¾" (1365)	$ 1094	$ 1156	**TRGTSSDL54**										
20" (508)	15" (381)	65¾" (1670)	1238	1321	**TRGTSSDL66**										
Build your complete Part Number here:					_ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_	_	_ _	_

Right-Hand Shown

Sample Part Number:	TRGTSSDR54	.FD	.E3A	MM	.XZ2	.XZ2	.XZ2	N/A	N/A	.NL	N/A
	_ _ _ _ _ _ _ _	_ _	_ _ _	_ _	_ _ _	_ _ _	_ _ _	_	_	_ _	_

Total Cost $1667 =	$1094	+ $459	+ $114	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C

Trig Wardrobe Display Tower
The Wardrobe Display Tower features include a hinged locking door, one shelf , full width wardrobe bar and leveling glides. Optional laminate or framed aluminum door available. (Lock option not available with framed aluminum door). Wardrobe Display Towers are available in either Right-Hand version with the wardrobe opening tothe right side or a Left-Hand version with the wardrobe opening to the left side.

Wardrobe Display Tower has adjustable leveling glides.

Units ship fully assembled.

Trig Wardrobe Display Tower

Dimensions Depth	Width	Height	List Price Thermofused Grade 1	2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Front Color	Framed Door Front Color	Lock Type	Lock Option
Right Handed						**LD No Cost** Laminate Door **FD + $459** Framed Door	Plexiglass (01, 02) **No Cost** **Frosted** Plexiglass (E3A) **+ $114** **3-Form** (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match Door Color Specify only if LD Selected	**No Cost** Standard or Premium Finish (See Surface Materials Page 10) Specify only if FD selected	**NL No Cost** No Lock **TRG** (one Lock) **+ $28** Trig Lock	**R No-Cost** Trig Random **T** (one Lock) **- $13** Trig Key Alike *Note: Be sure to order Core/ Key Sets (TLCK) separately
20" (508)	15" (381)	53 3/4" (1365)	$ 989	$1051	**TRGTSWRR54**										
		65 3/4" (1670)	1128	1211	**TRGTSWRR66**										
Left Handed															
20" (508)	15" (381)	53 3/4" (1365)	$ 989	$1051	**TRGTSWRL54**										
		65 3/4" (1670)	1128	1211	**TRGTSWRL66**										
Right-Hand Shown															
Build your complete Part Number here:					_ _ _ _ _ _ _ _	_ _	_ _ _		_	_	_	_		_ _	_ _

Sample Part Number:	TRGTSWRR54	.FD	.E3A	.MM	.XZ2	.XZ2	.XZ2	N/A	N/A	.NL	N/A
Total Cost $1562 =	$989 +	$459 +	$114 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Under Desk Lateral Support Storage
Trig Under Desk Lateral Support Storage is available in three depths. The Lateral includes full extension ball bearing slides, an interlock mechanism that allows only one drawer to open at a time, side-to-side and front to back filing bars and leveling glides. Drawers accommodate side-to-side letter, A4, legal and EDP filing.

Trig Under Desk Lateral Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Optional locking available for drawers.

Units are intended for work surface support applications.

Ships fully assembled except 2" support leg.

Under Desk Pedestal Support Storage
Trig Under Desk Pedestals include a 1" riser for mouting under the desk. Pedestals have full extension ball bearing slides, side-to-side and front to back filing bars and leveling glides.

Optional locking available for drawers.

Ships fully assembled except 2" support leg.

Trig Under Desk Lateral Support Storage

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Pull Style	Unit Color	Top Color	Top Edge Color	Drawer Color	Leg Trim Color	Lock Type	Lock Option
20" (508)	30" (762)	27¾" (705)	$1176	$1220	**TRGUDLAT20**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Drawer Edge will match Drawer Color	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
24" (610)	30" (762)	27¾" (705)	1256	1318	**TRGUDLAT24**								
30" (762)	30" (762)	27¾" (705)	1309	1353	**TRGUDLAT30**								

Trig Under Desk Pedestal Support Storage

Dimension Depth	Dimension Width	Dimension Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
20" (508)	15½" (394)	27¾" (705)	$ 974	$1000	**TRGUDPED20**
24" (610)	15½" (394)	27¾" (705)	1050	1076	**TRGUDPED24**
30" (762)	15½" (394)	27¾" (705)	1100	1144	**TRGUDPED30**

Build your complete Part Number here:	_ _ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	**TRGUDLAT20**	**.MD**	**.XZ2**	**.XZ2**	**.XZ2**	**.XZ4**	**.K**	**.TRG**	**.R**
Total Cost $1204 =	$1176	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $28	+ N/C

Under Desk Double-Door Support Storage
Trig Under Desk Double-Door Support Storage is pre-drilled to accept a 1" riser (included) for mounting under the desk (mounting screws included).

Features included hinged doors with optional locking. (Locking not available with aluminum doors) Units come with one shelf that adjusts vertically in 2 1/2" increments. Leveling glides are included in 2" support legs. Units are intended for under work surface support applications.

Ships fully assembled except 2" support leg.

Note: Trim color includes support legs and Framed Door option (FD) when selected.

Trig Under Desk Double-Door Support Storage

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Door Style	Framed Door Insert	Pull Style	Unit Color	Top Color	Top Edge Color	Door Color	Trim Color	Lock Type	Lock Otion
20" (508)	30" (762)	27 3/4" (705)	$ 1096	$ 1140	**TRGUDDD20**	**LD Cost** Laminate Door **FD + $688** Framed Door	Plexiglass (01-02) **No Cost** **Frosted** Plexiglass (E3A) **+$114** **3-Form** (E01-E03) **+ $229**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2 **MD** Modern Not available with Framed Door (FD) option	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate (See Surface Materials Page 10)	Thermofused Laminate Door Edge will match door color Specify only if LD selected	**Standard Finish No Cost** **Premium Finish + $12** (See Surface Materials Page 10)	**NL No Cost** No Lock **TRG + $28** Trig Lock	**R No Cost** Trig Random **T - $13** Trig Key Alike Note: Be sure to order core/key sets (TLCK) separately.
24" (610)	30" (762)	27 3/4" (705)	1162	1224	**TRGUDDD24**										
30" (762)	30" (762)	27 3/4" (705)	1210	1272	**TRGUDDD30**										
				Build your complete Part Number here:	_ _ _ _ _ _ _	_ _	_	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_	_ _ _	_

Sample Part Number:	**TRGUDDD20** _ _ _ _ _ _ _	**.LD** _ _	**N/A** _	**.MD** _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.K** _	**.TRG** _ _ _	**.R** _
Total Cost $1124 =	$1096	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ N/C	+ $28	+ N/C

Trig Stack Storage - Open Shelf
Open Shelves can be used where open shelf storage is desired above any Trig credenza or freestanding storage 30" or wider. The stackers are available in two different heights to align with 53 3/4" and 65 3/4" high combination storage and storage towers. Standard features include a 3/8" (10) cord pass-through gap behind the shelves and a 1" full length cord management gap at the base of the back panel. An optional gap guard is available. The 27" high stacker has one adjustable shelf and the 39" has two adjustable shelves. Shelves are 5/8" thick and adjust in 2 1/2" increments.

Stackers ship ready to assemble with all necessary mounting hardware.

Trig Stack Storage - Paper Management Shelf
The Paper Management Shelf can be used above any Trig Credenza, Bench Height or Freestanding storage unit 30" or wider.

The Paper Management Shelf width does not need to match the width of the storage unit it stacks on. A narrower shelf can be placed anywhere along the width of the storage unit where paper management or open cubby storage is desired.

The 30" (762) & 45" (1143) wide shelf has a single opening and 60" (1524) & 75" (1905) have two openings with a center divider.

The Shelf ships ready to assemble.

Stack Storage – Open Shelf

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Unit/ Shelf Color	Top Color	Top Edge Color	Gap Guard
14" (356)	30" (914)	27" (686)	$459	$485	**TRGSOS3027**	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**XN No Cost** No Gap Guard
		39" (991)	573	617	**TRGSOS3039**				**XG + $48** Gap Guard

Stack Storage – Paper Management Shelf

Dimensions Depth	Dimensions Width	Dimensions Height	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
14" (356)	30" (914)	5" (127)	$201	$214	**TRGSPMS30**
	45" (1143)		247	260	**TRGSPMS45**
	60" (1524)		344	357	**TRGSPMS60**
	75" (1905)		447	473	**TRGSPMS75**

Build your complete Part Number here:	_ _ _ _ _ _ _ _	_ _	_ _	_ _	_ _

Sample Part Number:	**TRGSOS3027**	**.XZ1**	**.XZ2**	**.XZ4**	**.XN**
	_ _ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _

Total Cost $459 =	$459	+	N/C	+	N/C	+	N/C	+	N/C

Trig Overhead - Single Sliding Door

The Single Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

The thermofused laminate door travels in an aluminum track by means of a pull. Each unit has a center divider, so there is always one cubby open and one closed. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

Trig Overhead – Dual Sliding Doors

The Dual Sliding Door Overhead is constructed of thermofused laminate with vinyl edgeband.

The two frosted plexiglass doors have pulls and run back to back in an aluminum track. The unit does not lock. For A4 (11 7/16" x 12 5/8") sized binder storage, please reference the Overhead – Open Shelf or Hinged Door units.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Towers when mounted on top of a Trig work surface.

Trig Overhead - Single Sliding Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Pull Style	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Door Grain Direction	Trim Color
14" (356)	48" (1219)	15½" (394)	$ 918	$ 962	**TRGOSS48**	**No Cost Applied** **L** Classic **E** Streamline **AZ** Designer **MM** Mod2	**54L + $373** Legs to align with 54" high towers **66L + $401** Legs to align with 66" high towers	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	**NA** No Grain Direction **DGH** Horizontal Grain **DGV** Vertical Grain	Standard Finish **No Cost** Premium Finish **+ $17** (See Surface Materials Page 10)
	54" (1372)		1004	1048	**TRGOSS54**								
	60" (1524)		1044	1088	**TRGOSS60**								
	66" (1676)		1136	1180	**TRGOSS66**								
			1170	1214	**TRGOSS72**								

Trig Overhead - Dual Sliding Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number
14" (356)	48" (1219)	15½" (394)	$1170	$1196	**TRGODS48**
	54" (1372)		1261	1305	**TRGODS54**
	60" (1524)		1342	1386	**TRGODS60**
	66" (1676)		1446	1490	**TRGODS66**
	72" (1829)		1503	1547	**TRGODS72**

Build your complete Part Number here:	_ _ _ _ _ _	_ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_

Sample Part Number:	**TRGOSS48** _ _ _ _ _ _	**.MM** _ _	**.54L** _ _ _	**.ZX2** _ _ _	**.XZ2** _ _ _	**.XZ2** _ _ _	**.XZ4** _ _ _	**.DGV** _ _ _	**.PA** _ _
Total Cost $1291 =	$918 +	N/C +	$373 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Trig Overhead - Hinged Doors
The Hinged Door Overhead is constructed of thermofused laminate with vinyl edgeband.

Each unit includes 2 pairs of locking hinged doors. The same door size is used for all units. Overheads that are 66" (1676) and wider will have a center open cubby, which increases in width proportionately with the width of the overall unit. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

If a wood grain laminate is selected the grain will run vertically on the door front.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers.

Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim color. Two leg height options are available that will align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Towers when mounted on top of Trig work surfaces.

Center Cubby Size Per Overhead

Unit Width	Center Cubby Width
66" (1676)	6" (152)
72" (1829)	12" (305)
78" (1981)	18" (457)
84" (2134)	24" (610)

Trig Overhead - Hinged Door

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Support Option	Unit/ Shelf Color	Top Color	Top Edge Color	Door Color	Leg Trim Color	Lock Type	Lock Option
14" (356)	60" (1524)	15½" (394)	$821	$865	**TRGOHD60**	**54L + $373** Legs to align with 54" high towers **66L + $401** Legs to align with 66" high towers	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Thermo-Fused Laminate (See Surface Materials Page 10)	Standard Finish **No Cost** Premium Finish **+ $17**	**NL No Cost** No Lock **TRG +$58** Trig Lock	**R No Cost** Trig Random **T -$26** Trig Key-Alike Note: Be sure to order core/ key sets (TLCK) separately.
	66" (1676)		883	945	**TRGOHD66**								
	72" (1829)		906	968	**TRGOHD72**								
	78" (1981)		986	1048	**TRGOHD78**								
	84" (2134)		1009	1071	**TRGOHD84**								
		Build your complete Part Number here:			_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _	_

Sample Part Number:	TRGOHD60	.54L	.ZX2	.XZ2	.XZ2	.XZ4	.DW	.NL	N/A
	_ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _	_ _	_
Total Cost $1194 =	$821 +	$373 +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C +	N/C

Trig Overhead - Open Shelf
The Open Shelf Overhead is constructed of thermofused laminate with vinyl edgeband.

Overheads are for use above any Trig work surface that uses either legs or under desk storage as supports. Overheads cannot be used with work surfaces supported by Trig Combination Storage Towers. The Overhead can accommodate standard and A4 (11 7/16" x 12 5/8") sized binders.

Open Shelf Overheads are supported by steel legs, which can be specified in any Trendway Standard or Premium Systems Trim colors. Two leg height options are available to align the Overhead with either the 53 ¾" (1365) or 65 ¾" (1670) Trig Storage Tower when mounted on top of a Trig work surface.

Trig Overhead – Open Shelf

Depth	Width	Height (without Legs)	List Price Thermofused Grade 1	List Price Thermofused Grade 2	Catalog Number	Suport Option	Unit/ Shelf Color	Top Color	Top Edge Color	Leg Trim Color
14" (356)	48" (1219)	15½" (394)	$355	$381	**TRGOOS48**	**54L + $373** Legs to align with 54" high towers **66L + $401** Legs to align with 66" high towers	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	Thermo-fused Laminate (See Surface Materials Page 10)	**Standard Finish No Cost** **Premium Finish + $17** (See Surface Materials Page 10)
	54" (1372)		431	475	**TRGOOS54**					
	60" (1524)		550	594	**TRGOOS60**					
	66" (1676)		665	709	**TRGOOS66**					
	72" (1829)		711	755	**TRGOOS72**					
	78" (1981)		779	841	**TRGOOS78**					
	84" (2134)		802	864	**TRGOOS84**					
				Build your complete Part Number here:	_ _ _ _ _ _ _	_ _ _	_ _ _	_ _ _	_ _ _	_ _

Sample Part Number:	TRGOOS48	.54L	.XZ2	.XZ4	.XZ4	.DW
Total Cost $728 =	$355 +	$373 +	N/C +	N/C +	N/C +	N/C

Trig Storage to Panel Brackets
Storage to Panel Brackets are used to connect Trig Storage units to Capture, Choices or Contrada system panels for additional workstation rigidity. Brackets are designed to provide stability to layouts that would otherwise require return panels.

For detailed application information regarding use of the Storage to Panel Bracket, refer to the *Trig Desking Planning Guide.*

Storage to Panel Brackets are available in Charcoal only.

All necessary hardware for assembling brackets to Trig storage is included.

Trig Support Leg to Panel Brackets
The Leg to Panel Bracket is used to connect Trig Support Legs to Capture, Choices or Contrada system panels for additional workstation rigidity. Brackets are designed to provide stability to configurations that would otherwise require return panels.

Two different brackets are available for use with either Capture, Choices or Contrada. Their specific use depends on the orientation of the work surface relative to the panel.

Capture
TRGLCPTPB1 – Used when a work surface is parallel to a Capture panel

TRGLCPTPB2 – Used when a work surface is perpendicular to a Capture panel

TRGLCPTPB3 – Used when two work surface are parallel to a Capture panel, with a side to side shared leg between them

Choices
TRGLCSPB1 – Used when a work surface is parallel to a Choices panel

TRGLCSPB2 – Used when a work surface is perpendicular to a Choices panel

TRGLCSPB3 – Used when two work surface are parallel to a Choices panel, with a side to side shared leg between them

Contrada
TRGLCNPB1 – Used when a work surface is parallel to a Contrada panel

TRGLCNPB2 – Used when a work surface is perpendicular to a Contrada panel

TRGLCNPB3 – Used when two work surface are parallel to a Contrada panel, with a side to side shared leg between them

For detailed application information regarding use of the Support Leg to Panel Bracket, refer to the *Trig Desking Planning Guide.*

Support Leg to Panel Brackets are available in all Standard and Premium Systems Trim Finishes.

All necessary hardware for assembling brackets to Trig Support Legs is included.

Trig Storage to Panel Brackets

Description	List Price	Catalog Number
Storage to Capture Panel	$131	**TRGSCPTPB**
Storage to Choices Panel	120	**TRGSCSPB**
Storage to Contrada Panel	144	**TRGSCNPB**
	Build your complete Part Number here:	_ _ _ _ _ _ _ _ _ _

Trig Support Leg to Panel Brackets

Description	Usage	List Price	Catalog Number	Trim Color
Support Leg to Capture Panel	Parallel	$134	**TRGLCPTPB1**	**Standard Finish No Cost**
	Perpendicular	134	**TRGLCPTPB2**	
Support Leg to Choices Panel	Parallel	122	**TRGLCSPB1**	
	Perpendicular	122	**TRGLCSPB2**	
Support Leg to Contrada Panel	Parallel	146	**TRGLCNPB1**	**Premium Finish + $5**
	Perpendicular	146	**TRGLCNPB2**	
Side to Side Support Leg to Capture Panel	Parallel	$134	**TRGLCPTPB3**	(See Surface Materials Page 10)
Side to Side Support Leg to Choices Panel	Parallel	$122	**TRGLCSPB3**	
Side to Side Support Leg to Contrada Panel	Parallel	$146	**TRGLCNPB3**	
	Build your complete Part Number here:		_ _ _ _ _ _ _ _	_

Sample Part Number:	TRGLCSPB1 _ _ _ _ _ _ _	**.Y** _
Total Cost $122 =	$122 +	N/C

Trig Electrical

Electrical Specification Guide 74

Electrical Components 75

Electrical Accessories 77

Trig Electrical Planning Guide

Trig Workstations can be powered by the optional 4-wire, 2-circuit, 20 Amps each (circuit 1 and 2 only) electrical system. The systems excepts up to 10 receptacles per circuit, 20 receptacles per Base Feed. Allowing for a total of 10 Power Sets per Base Feed.

The main system components are Power Sets, Electrical Harnesses, H-Connectors and Power Base Feeds. All components are UL listed.

All work surfaces are predrilled to accept Power Sets. These are attached to the underside of the surface by a metal spring clip. The overall height of the system is just over an inch. This provides a very low profile which will not interfere with the user's legs under the table.

There is currently no capacity in this system for data management.

Electrical Harness Selection

Trig Electrical Harnesses are used to connect Power Sets mounted on different work surfaces. The length of the harness needed will depend on the layout and size of work surfaces used. The following diagrams and tables will help identify the specific length harness needed for a particular layout.

Side By Side

For this layout, the harness length is calculated by the following equation:

(Half of Surface 1 width) + (Half of Surface 2 width) – 6" = Harness Length

If calculated harness length does not match an exact size, select next longer length.

Example: Surface (1) is 60" wide
Surface (2) is 66" wide

(30") + (33") –6" = 57" (57" is not a standard size so a 60" length is selected)

Back to Back (Surfaces of Equal Width)

In this layout, the power Base Feed connects to the H-Connector. From there, the power is split to the Electrical Harness to bring power to each surface.

The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	48"	54"	60"	66"	72"	78"	84"
Harness Length	18"	24"	24"	30"	30"	36"	36"

COMBINING LAYOUTS
Side by Side and Back to Back

In this layout, both side-by-side and back-to-back planning information is needed to specify the correct electrical components. The harness length required to connect the work surfaces side-by-side is determined by using this equation:

(Half of Surface 1 width) + (Half of Surface 2 width) – 6" = Harness Length.

To connect these work surfaces back-to-back, refer to the corresponding chart above.

In this U-Shape layout where only 48” deep ends can be used, the power Base Feed will connect to the H-Connector and the power is split to go to each surface. The chart below shows the needed harness length for each width of work surface. (A separate harness will need to be ordered for each surface)

Work Surface Width	54"	60"	66"	72"	78"	84"
Harness Length	60"	60"	66"	66"	66"	66"

L-Shape (Except Blade)

For this layout, the needed harness length will vary as the width and depth of the work surfaces change. The Trig Base Feed will end mount to Power Sets on one of the tables, but the harness length that connects the two work surfaces is determined from the following tables:

Layout 1
Main Surface (1) = 20″ deep
Return Surface (2) = 20″, 24″ or 30″ deep

Return Surface (2) width (maximum size is 72″ with under desk)

Main Surface (1) width	**48″**	**54″**	**60″**	**66″**	**66″**	**72″**
48″	48″	48″	54″	54″	60″
54″	48″	48″	54″	54″	60″
60″	48″	48″	54″	54″	60″
66″	48″	54″	54″	54″	60″
72″	48″	54″	54″	60″	60″
78″	54″	54″	54″	60″	60″
84″	54″	54″	60″	60″	66″

Layout 2
Main Surface (1) = 24″ deep
Return Surface (2) = 20″, 24″ or 30″ deep

Return Surface (2) width (maximum size is 72″ with under desk)

Main Surface (1) width	**48″**	**54″**	**60″**	**66″**	**72″**
48″	48″	48″	54″	54″	60″
54″	48″	48″	54″	54″	60″
60″	48″	48″	54″	54″	60″
66″	54″	54″	54″	54″	60″
72″	54″	54″	54″	60″	66″
78″	54″	60″	60″	60″	66″
84″	54″	60″	60″	60″	66″

Layout 3
Main Surface (1) = 30″ deep
Return Surface (2) = 20″, 24″ or 30″ deep

Return Surface (2) width (maximum size is 72″ with under desk)

Work Surface (1) width	**48″**	**54″**	**60″**	**66″**	**72″**
48″	54″	60″	60″	66″	66″
54″	54″	60″	60″	66″	66″
60″	54″	60″	60″	66″	66″
66″	60″	60″	66″	66″	66″
72″	60″	60″	66″	66″	72″
78″	60″	66″	66″	66″	72″
84″	60″	66″	66″	72″	72″

Power Set
The Trig Power Sets allow power to be connected between work surfaces without the need for a system panel. Each Power Set includes two receptacles for a total of 4 outlets. Each outlet has one receptacle for circuit 1 and one for circuit 2.

Power Sets are centrally located on the work surfaces. Spring clips for mounting are included. Power Sets are connected between work surfaces with Trig Electrical Harnesses. Trig Base Feed brings power to the Power Sets.

Note: Work surfaces are predrilled for Trig Power Set mounting to assure a standard location that is centrally located.

UL and CUL Listed/CSA Certified

Trig Base Feed
The Trig Base Feed conducts power from the building to the Trig Power Set. It includes 6' (1829) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

Electrical Harnesses
Trig Electrical Harnesses connect Trig Power Sets between two surfaces. Harnesses are also used with Trig H-Connectors when a single Base Feed is split in two directions. The specific length of the harness needed will depend on the layout and work surface sizes. Refer to Trig Electrical Planning guide before specifying a harness length. (If your specific layout is not shown, please contact Trendway Customer Care for assistance.)

Trig Power Set

Width	List Price	Catalog Number
12" (305)	$144	**TRGDR12**

Trig Base Feed

Width	List Price	Catalog Number
6' (1829)	$113	**TRGPF**
12' (3658)	$171	**TRGPF12**

Trig Electrical Harness

Width	List Price	Catalog Number
18" (457)	$63	**TRGEH18**
24" (610)	65	**TRGEH24**
30" (762)	68	**TRGEH30**
36" (914)	72	**TRGEH36**
42" (1067)	78	**TRGEH42**
48" (1219)	85	**TRGEH48**
54" (1372)	89	**TRGEH54**
60" (1524)	93	**TRGEH60**
66" (1676)	98	**TRGEH66**
72" (1829)	104	**TRGEH72**
78" (1981)	109	**TRGEH78**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **TRGDR12** _ _ _ _ _ _

Total Cost $144 = $144

New York Base Feed
The Trig New York Base Feed conducts power from the building to the Trig Power Set. It includes 18" (457) of flexible liquid-tight conduit for hard-wiring the standard two-circuit system to the building power supply.

Trig New York Base Feed is also used with a Trig H-Connector in cases where a single power feed needs to be split in two directions. Trig Electrical Harnesses are used to link the H-Connector to the Power Sets in this type of configuration.

H-Connector
The Trig H-Connector allows power to be routed in up to 3 different directions. This is useful in layouts that require a single Base Feed to reach multiple work surfaces.

(See Planning Guide for Specific Uses.)

Trig Base Feed New York

Width	List Price	Catalog Number
18" (457)	$108	**TRGPFNY**

Trig H-Connector

Width	List Price	Catalog Number
2" (51)	$23	**TRGHC**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **TRGPFNY** _ _ _ _ _ _

Total Cost $108 = $108

Horizontal Electrical Accessory
Horizontal Electrical Accessories provide power and data access, mounting to the back edge of a desk or work surface without a modesty panel.

The face plate, outlets and mounting bracket are available in black or white. The back of the unit and outlet bezels are clear anodized aluminum. Includes a 6' black power cord.

UL and CUL Listed.

Vertical Electrical Accessory
Vertical Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty panel.

The face plate, outlets and mounting bracket are available in black or white. The back of the unit and outlet bezels are clear anodized aluminum. Includes a 6' black power cord.

UL and CUL Listed.

HEA2P2DB

HEA3P3DB

Horizontal Electrical Accessory

Description	List Price	Catalog Number
Black Face Plate		
two power outlets, one USB	$436	**HEA2P1UB**
two power outlets, one Ipod Dock	579	**HEA2P1PB**
two power outlets, two data openings	276	**HEA2P2DB**
three power outlets, one Extron Bracket	368	**HEA3P1EB**
three power outlets, three data openings	350	**HEA3P3DB**
White Face Plate		
two power outlets, one USB	$436	**HEA2P1UW**
two power outlets, one Ipod Dock	579	**HEA2P1PW**
two power outlets, two data openings	276	**HEA2P2DW**
three power outlets, one Extron Bracket	368	**HEA3P1EW**
three power outlets, three data openings	350	**HEA3P3DW**

VEA2P2DB

VEA3P3DB

Vertical Electrical Accessory

Description	List Price	Catalog Number
Black Face Plate		
two power outlets, one USB	$ 436	**VEA2P1UB**
two power outlets, two data openings	276	**VEA2P2DB**
three power outlets, one Extron Bracket	368	**VEA3P1EB**
three power outlets, three data openings	350	**VEA3P3DB**
White Face Plate		
two power outlets, one USB	$ 436	**VEA2P1UW**
two power outlets, two data openings	276	**VEA2P2DW**
three power outlets, one Extron Bracket	368	**VEA3P1EW**
three power outlets, three data openings	350	**VEA3P3DW**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **HEA2P1UB**

Total Cost $436 = $436

Horizontal Sliding Electrical Accessory
The Horizontal Sliding Electrical Accessory provides 3 3/4" of sliding access to power and data. The body is anodized aluminum. The unit can be used on work surfaces that are 48" or 54' wide. It cannot be used on other work surface widths because they include a reinforcement bar which will obstruct the track.

UL and CUL Listed.

Ribbed Horizontal Electrical Accessory
Ribbed Horizontal Electrical Accessories provide power and data access, mounting to the back of any desk or work surface without a modesty panel.
The body is anodized aluminum.

Unit includes a 6' power cord.

UL and CUL Listed.

HSEA1P1D

HSEA2P2D

Horizontal Sliding Electrical Accessory

Description	List Price	Catalog Number
one power outlet, one data opening	$287	**HSEA1P1D**
two power outlets, two data openings	305	**HSEA2P2D**

RHEA1P1D

RHEA2P

RHEA2P2D

RHEA3P2D

RHEA4P

Ribbed Horizontal Electrical Accessory

Description	List Price	Catalog Number
one power outlet, one data opening	$287	**RHEA1P1D**
one power outlet, one Extron Bracket	310	**RHEA1P1E**
two power outlets	298	**RHEA2P**
two power outlets, one USB	464	**RHEA2P1U**
two power outlets, one data opening, one USB	477	**RHEA2P1D1U**
two power outlets, one Extron Bracket	327	**RHEA2P1E**
two power outlets, one Ipod Dock	608	**RHEA2P1P**
two power outlets, two data openings	305	**RHEA2P2D**
three power outlets, two data openings	327	**RHEA3P2D**
four power outlets	413	**RHEA4P**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: **HSEA1P1D**

Total Cost $287 = $287

Trig Desking Accessories

Accessories 82

Monitor Arms 84

Task Light 86

Pedestal Pencil Tray
The Pencil Tray organizes small items in both the 6" (152) and 12" (305) Trig Pedestal drawers.

Available in black only.

Laminate Pedestal Side-to-Side Filing Bars
Side-to-Side Filing Bars convert Trig 12" Pedestal and storage tower drawers to side-to-side or legal-size filing.

Available in black only.

Vertical Wire Manager
The Vertical Wire Manager is designed to economically route wires from the floor to the work surface in a freestanding application. It can extend up to 30". The wire manager includes 15 vertibra rings, 1 base mount, 1 work surface mount, an edge clip and mounting screws.

Constructed of durable plastic, available in aluminum-toned finish only.

Pedestal Pencil Tray

Dimensions Depth	Width	Height	Description	List Price	Catalog Number
5½" (140)	13⅜" (340)	1" (25)	Includes 1 pencil tray.	$16	ⓔHPPT

Laminate Pedestal Side-to-Side Filing Bars

Description	List Price	Catalog Number
Includes 6 hanging bars. Requires 1 per drawer.	$57	ⓔZFPSSB

Vertical Wire Manager

	List Price	Catalog Number
	$160	TRGVWMAL

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: HPPT _ _ _ _

Total Cost $16 = $16

ⓔ notes the item is available on Express

Vertical Wire Channel
The Vertical Wire Channel encloses power or light cords on the face of a panel. It attaches to back panel with self-adhesive backing. Packaged in boxes of three.

Horizontal Wire Manager
The Horizontal Wire Manager accommodates electrical cords and communication cables. It attaches under all work tops and desks. Includes mounting hardware.

Available in Black only.

Grommet for Work Surface
The Work Surface Grommet is available for situations that require grommets in addition to standard locations or as replacements.

Available in black or silver.

Vertical Wire Channel

Dimensions Length	Width	Depth	List Price	Catalog Number	Trim Color
24" (610)	1/2" (13)	1/2" (13)	$24	ⓔVWC3	ⓔ Standard Smooth Finish Only See Surface Materials Page 5

Package Contains 3 Wire Channels

Horizontal Wire Manager

Dimensions Depth	Length	Height	List Price	Catalog Number	
3" (76)	30" (762)	2" (51)	$34	ⓔHWM30	

Grommet for Work Surface

Dimensions Depth	Grommet Diameter	Drill Hole Diameter	List Price	Catalog Number	
15/16" (24)	2.8" (71)	2 3/8" (60)	$56	ⓔSIZGWS (Black)	
15/16" (24)	2.8" (71)	2 3/8" (60)	$56	ⓔSIGSGWS (Silver)	

Includes 6 grommets.

Build your complete Part Number here:	_ _ _ _ _	_

Sample Part Number:	VWC3	.Y

Total Cost $24 =	$24	+	N/C

ⓔ notes the item is available on Express

Monitor Arm
The monitor arms can be affixed to the back edge of the work surfaces between the panel and work surface or can also be bolted through the surface, with a drilled hole or grommet. The height can be adjusted 13" vertically and has 26" of reach. The arm can be adjusted to accurately counterbalance the weight of the monitor. Finally the arm can swivel 360 degrees. All this leads to an ergonomically correct viewing angle.

Available in silver only.

Single Monitor Arm
The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 14 lbs.

Dual Monitor Arm
The monitor arm will support any VESA compliant monitor with both 75mm and 100mm mounting holes up to 20 lbs total. Measured diagonally, the maximum screen width for each monitor is 22".

Single Monitor Arm

	List Price	Catalog Number
	$378	**MARMSNGL**

Dual Monitor Arm – Desk Mount

	List Price	Catalog Number
	$499	**MARMDUAL**

Build your complete Part Number here: _ _ _ _ _ _ _ _ _

Sample Part Number: MARMSNGL _ _ _ _ _ _ _ _ _

Total Cost $378 = $378

Freestanding Touch Up Markers
The Touch Up Markers are for use with the Thermofused Laminate. They are available individually or as a kit. The kit includes one marker of each color.

Freestanding Touch Up Markers

Description	List Price	Catalog Number
Wild Cherry	$ 62	**ZFTUPXZ1**
Fusion Maple	62	**ZFTUPXZ2**
Empire Mahogany	62	**ZFTUPXZ3**
Black	62	**ZFTUPXZ4**
Chocolate Pear	62	**ZFTUPXZ5**
Kit (all 5 colors)	170	**ZFTUPKIT**

Build your complete Part Number here: _ _ _ _ _ _

Sample Part Number: ZFTUPXZ3

Total Cost $62 = $62

Luma Touch™ LED Desk Lamp
The Luma Touch LED personal task light is specified with either a Round or an Elongated lamp style. The Lamp can be selected with a Freestanding Base, Clamp Mount, or Slatwall Mount. The Slatwall Mount is compatible with Choices, Contrada and Capture. Its double-arm articulated design allows the user to position the light effortlessly for optimum illumination. The single control responds to the lightest touch to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting level if turned off and on. The optional Occupancy Sensor turns the lamp on when a user approaches and shuts it off after 30 minutes of inactivity, conserving energy use. Available in three colors. ETL, TAA and BAA certified.

ORI™ LED Desk Lamp
The ORI LED Personal Task Light provides 390 Lumens of clear white light right where you need it. It offers a wide range of vertical and rotational adjustment so the user can direct the light where it's needed. The clean, simple and attractive design complements any interior. The single control responds to turn on, turn off or dim to the perfect level. Once dimmed, the lamp will resume the same lighting level if turned off and on. The Lamp is available as a freestanding model or with a clamp mount. UL Listed. Available in a Brushed Nickel finish

LumaTouch LED Desk Lamp - Circle

Description	List Price	Catalog Number	Occupancy Sensor	Color
Freestanding	$ 550	**LEDLTCRFS**	**OSN** **No Cost** No Sensor	**BK** Black
Clamp Mount	550	**LEDLTCRCP**	**OSY** **+ $185** Sensor	**DW** Designer White
Slatwall Mount	550	**LEDLTCRSW**		**PA** Platinum

LumaTouch LED Desk Lamp - Elongated

Description	List Price	Catalog Number
Freestanding	$ 550	**LEDLTEGFS**
Clamp Mount	550	**LEDLTEGCP**
Slatwall Mount	550	**LEDLTEGSW**

ORI LED Desk Lamp

Description	List Price	Catalog Number
Freestanding Base	$ 315	**LEDORIFS**
Clamp Mount	315	**LEDORICP**

Build your complete Part Number here:	_ _ _ _ _ _	_ _ _	_ _
Sample Part Number:	**LEDLTCRFS** _ _ _ _ _ _ _	**.OSN** _ _ _	**.BK** _ _
Total Cost $550 =	$550 +	N/C +	N/C

Terms, Policies & Index

Terms & Policies 88

Warranty 91

Index 92

1. Prices
Prices shown in this price list are F.O.B. origin, freight prepaid, in the contiguous United States. Trendway Corporation reserves the right to change prices without notice. Trendway may implement price changes effective at time of shipment if shipping date is more than 120 days from date written order was received by Trendway.

Pricing for shipments outside the contiguous United States will be based on the port of departure. Freight will be prepaid to port of departure.

List prices include coverage of prepaid standard, Trendway-specified freight cost.

2. Order Placement
Trendway Corporation requires all orders to be submitted electronically via on-line order entry at www.trendealer.com, or in writing following Ordering Procedures on page 1. Trendway recommends using design software for larger projects which allows the dealer to design, specify, and enter an order more efficiently and accurately which will assure completeness and avoid errors and duplications. The Buyer assumes all responsibility for the correct content of any order which has been acknowledged.

3. Confirmation
Upon receiving an order, Trendway Corporation will send an acknowledgement with exact pricing information and scheduled shipping date. Orders can also be confirmed on-line at www.trendealer.com. Customer is responsible for checking acknowledgements to ensure that the order is correct. Order will be processed as acknowledged.

4. Lead-Times
Trendway Corporation reserves the right to alter lead times as demand for products fluctuate. Stated lead-times begin after a complete order is entered and scheduled. Shipments are subject to product availability. Special products and larger orders may extend lead-times. Orders placed by dealers without a requested delivery date will be assigned a delivery date of 8 business days for Express orders, 4 weeks for standard product orders and 6 weeks for custom product orders. Please contact your customer care representative for exact lead-times.

5. Buyer's Credit
If, in the judgment of Trendway, the financial condition of the Buyer at any time does not justify the terms specified, Trendway may at any time by notice to the Buyer require prepayment or other terms of payment differing from those specified in Section 8 or other satisfactory security to insure prompt payment of invoices.

6. Order Changes
To change an order, the customer must call Trendway Customer Care for order status. If approved, the customer must confirm the changes in writing to Trendway Corporation. Customer agrees to accept any and all charges involved in altering an order. This includes payment, determined by Trendway, for product already in production. Changes in orders also may result in delayed shipments.

7. Cancellation
All cancellations must be approved by Trendway Corporation. **Orders in production cannot be cancelled without incurring substantial or full purchase price.** Customers shall agree to accept any and all charges involved in the cancellation transaction, as determined by Trendway. Non-standard items may not be cancelled.

8. Terms of Sale
Terms of sale on all invoices to approved Trendway customers are Net 30 days from date of invoice. These terms may be changed at any time by Trendway Corporation based on credit rating information available on specific customers. Payment in advance may be requested at the discretion of Trendway without explanation.

9. Taxes
Prices listed do not include any federal, state, local, or other taxes. Purchaser agrees to pay or reimburse any such taxes that Trendway Corporation, Trendway Corporation subcontractors, or suppliers are required to pay. For shipments to AZ, CA, CO, DC, FL, GA, IL, IN, KS, MA, MI, MN, MS, NJ, NY, OH, PA, TX and Canada, add appropriate tax rate. All authorized dealers should ensure that a resale exemption certificate is on file with Trendway Corporation.

10. Past-Due Accounts
Past-due accounts will be charged 1.5% per month. This is an annual rate of 18% or the highest legal rate on the unpaid balance. The purchaser agrees to pay all collection agency fees, court costs, and/or reasonable attorney fees incurred by Trendway in the collection of past-due balances.

11. Customer's Own Material (COM)
The Trendway COM program allows customers to use special materials. By complying with the COM testing for manufacturability procedure in the steps below, Trendway will be able to identify if your material is appropriate for application to the products you specify.

To comply with the COM process, please follow these steps:

1. Select the COM material.
2. Check first with www.trendealer.com/COM Library, to determine if this material has already passed testing for manufacturability on the intended product.
3. If the material is pre-approved in the COM Library, customer must submit a *COM Guideline Form* (available on www.trendealer.com or from Trendway Customer Care Representative).
4. If the material requested is not in the COM Library, customer must submit a *COM Request Form* on-line at www.trendealer.com, send a sample of the COM material (see Test Yardage Requirements below), and include a list of Trendway product numbers designated for the COM application. Material sample should include pattern name, pattern number and color, manufacturer, direction material should be applied, and Control number from the COM Request Form response.
5. Ship COM samples to:

   U.S. Mail Shipment and
   UPS, FedEx Shipment:
   Customer Care
   Trendway Corporation
   13467 Quincy Street
   Holland, MI 49424
6. You will be notified within five working days by Trendway, whether your COM has been approved or disapproved for application.

TEST YARDAGE REQUIREMENTS

Choices panels	1 1/2 yd.
Flipper doors	2/3 yd.
Contrada tiles	1 yd.
Intrinsic Freestanding	1 yd.

NOTE: Most fabric houses have a yardage minimum or an upcharge on less than one-yard cuts.

NOTE: All COM applications are priced at Grade 1 or Grade A.

If Buyer desires to use his own material in the production of Trendway's products, it is necessary to obtain the prior written consent of Trendway. Material provided by the Buyer shall be shipped to seller, freight prepaid, and all risk of loss or

damage shall remain with Buyer. Buyer must assume responsibility for any use spoilage that takes place in the course of processing or during transportation. Buyer hereby holds Trendway harmless against any and all claims for loss, liability, injury, or damage arising from use of customer material; and Buyer takes full responsibility for performance and quality of customer material. Buyer should also be aware that Buyer-furnished materials will not qualify for UL Listings and may not meet fire codes. Please discuss specific concerns and special needs with Trendway Customer Care PRIOR to placing your order.

11a. Custom Color
Trendway's Custom Color program allows the customer to specify their own color or stain on many of Trendway's products. See www.trendealer.com for product availability, individual product guidelines and lead times. Set up fees and lead times are product specific and will vary.

To request a Custom Color or Stain:

- Complete a Custom Color Request form (available on www.trendealer.com).
- Send request form along with two 2"x3" samples to Trendway Customer Care Color Coordinator.
- After the receipt of the request, Trendway will provide customer with one color sample.
- If approved, Dealer or customer completes custom color form, providing the custom match color number on the back of the sample, signs, and returns by fax or mail to Custom Color Coordinator.
- Samples will be matched under cool white florescent lighting. All orders processed under the Custom Color program will be manufactured within commercially acceptable tolerances.
- Customer Color program is not available within Express lead-time.
- If applicable, dealer will be sent an invoice for $200 color matching fee per customer, per color. See Custom Color Request form for details.

12. Special Product
When Trendway purchases special surface materials (i.e., fabrics and laminates) at the request of the customer, the customer takes full responsibility for the performance and quality of the surface material.

13. Delays
Trendway shall not be liable for loss or damage due to delay in manufacturing or delivery resulting from any cause beyond Trendway's reasonable control, including, but not limited to, compliance with any regulations, orders, or instructions of any Federal, State, or Municipal Government, or any department or agency thereof, acts of God, acts or omissions of Buyer, acts of civil or military authority, fires, strikes, factory shutdowns or alterations, embargoes, war, riot, delays in transportation or inability due to causes beyond Trendway's reasonable control to obtain necessary labor, manufacturing facilities, or material from Trendway's usual sources. In no event shall Trendway be liable for special or consequential damages for any delay for any cause.

14. Postponement of Delivery
If unforeseen circumstances occur, Trendway Corporation may postpone delivery of ordered products. Customer will be notified when such postponement occurs.

15. Storage
When shipment is delayed by the Buyer, Trendway reserves the right to place the goods in storage at customer's risk and cost. Trendway charges 1/4 of 1% of list price per week to cover storage. All terms and conditions of the sale, including but not limited to invoicing and payment, will continue as Buyer-specified destination; except that title remains with Trendway and that Trendway reserves the right to modify payment terms to assure recovery of any additional cost incurred.

16. Transportation
All orders shipped to any destination, within the contiguous United States, will be F.O.B. origin, freight prepaid, and risk of loss or damage shall pass to Buyer upon delivery to carrier. Trendway will determine the method and agency of transportation to be used.

Exceptions to standard prepaid freight are as follows:

- Customer directed expedites (Air Freight, Team Hauls) will be prepaid by Trendway and Customer will be billed the difference between standard and expedited freight.
- Truckload deliveries that are requested to deliver on weekends, Holidays or after 3:00 pm on Friday's will have an additional charge of $450 per truck.
- Excessive unloading (in excess of 4 hours) will be billed at $50 per hour after the initial 4 hour unloading period.
- LTL shipments normally deliver between 8:00 am and 5:00 pm, Monday through Friday. A specific delivery time on your assigned delivery date can be requested for an additional charge of $150. This charge does not apply to full-truckload shipments. Requests for specific dates/times falling outside standard delivery timeframe for the carrier serving your area constitute Expedites (see Customer-Directed Expedites, above). Expedite charges do apply to full-truckload shipments.
- Lift gate service will have an additional charge of $85.
- Inside delivery service starts at $50. Call Customer Care for quote.
- Reconsignment cost after shipment, starts at $50. Call Customer Care for quote.
- Special equipment requirements call for a quote.

In the event that special F.O.B. Destination terms are agreed to by Trendway or delivery is made on Trendway-owned or -leased equipment, customer or authorized representative is responsible for noting any freight damage or shortage on the freight bill of lading at time of delivery and must notify Trendway within five (5) days of delivery day of any such damage or shortage. Assistance in a concealed damage claim on an F.O.B. Destination shipment will be provided by Trendway only if the product has been immediately unpacked and both the carrier and Trendway have been promptly notified of resultant damage so the proper inspection can be made.

Shipping Note:
Trendway strives to minimize packaging to help the environment and to make installations faster and cleaner.

Trendway ships products in using various packaging methods based upon the product type and shipping method (full truck vs. LTL), all of which are designed to provide protection for the product while minimizing packaging materials.

Trendway test packaging designs to ensure their effectiveness.

17. Product Ownership
Title and risk of loss to all goods sold shall pass to Buyer upon Trendway's delivery to Buyer or to a carrier at shipping point. Trendway, however, retains the Purchase Money Security Interest in all goods shipped and the right to perfect same.

18. Damaged Materials
Trendway Corporation is not responsible for shipped products when the common carrier is in receipt of the material. Trendway expects all customers to thoroughly inspect orders on receipt regardless of point of delivery. Clear receipt should not be given on the material until it has been checked for damage in transit. All claims for noted damaged material must be made by the customer to Trendway Customer Care.

Concealed damage or damage not noted at time of delivery shall be made by the customer to the common carrier within 15 days after receipt. Trendway assumes no liability for such damage.

19. Shortage on Order
Shortage on ordered products must be reported to Trendway Corporation within five (5) days of product delivery and must be noted on bill of lading at time of delivery.

20. Product Usage and Compliance
Buyer assumes full responsibility for the application of Trendway's product to Buyer's use, and compliance with Trendway installation and maintenance instructions and reasonable load restrictions. Compliance to local code restrictions regarding fire, electrical, and building codes are the responsibility of the customer or his authorized agent.

21. Post-Delivery Assistance
Installation and servicing of Trendway products are normally handled directly by Trendway-authorized dealers. When this is not possible, assistance is available by calling Trendway's Customer Care Department, Holland, Michigan.

22. Returned Goods
As a basic policy, Trendway does not accept returned material, because most items are manufactured per order and are not in stock at the factory. If material is authorized for return because of Trendway error, shipment may be made freight collect. Any other goods for which Trendway does authorize a return will be sent prepaid and a restocking charge of 35% will apply. **To receive authorization to return goods, please contact Trendway's Customer Care Department.**

All Returned Materials Authorizations expire thirty (30) days from date of issue. Any product returned after 30 days will be refused and returned to sender collect.

Electrical components, nonstandard items, Express products, and fabric-covered goods may not be returned. Replacement products will be billed to you with credit being issued upon return of the product in good condition. All goods returned must be in the original Trendway packing cartons. Goods will be inspected for damage upon return. No credit will be issued for goods which are damaged. **As a general statement of policy, return authorization will not be issued for items unless they are Trendway stock items.**

23. Special Marking or Tagging
Special tagging is available on all orders free of charge. Trendway suggests this option to simplify the staging and installation of product. **Tag designations must be specified at the time an order is placed.**

24. Trendway Field Technical and Installation Support:
On-site field measurement and installation support is available as a service. The fees are listed below:

Field Measurement Assistance: 1 Day On-Site, $1,800.00

Field Installation Assistance: 3 Days On-Site, $3,000.00

These fees are based on a minimum 14 business days advanced notification and booking. Service requests booked less than 14 business days in advance may be subject to additional fees due to added travel cost. For more information or to place a request, contact Trendway Customer Care at 1-616-399-3900.

Find the most current terms and conditions on www.Trendway.com, in the Price list section.

Limited Lifetime Warranty

Trendway Corporation warrants to the original purchaser that the products described in its price lists, sold after August 1, 2004 will be free from defects in materials and workmanship commencing with the date of initial purchase and continuing for as long as the original owner uses these products. This warranty provides limits on the following products:

	Systems	Architectural Products	Seating
10 Year	•Electrical Components •Height-Adjustable Table Frame		•Pneumatic Cylinders •Mechanisms
5 Year	•Drawer Slides •Systems Textiles •Finishes •Electronic Ballasts •Height-Adjustable Table Mechanical Components	•System Textiles •Finishes	
3 Year	•Veneer •Magnetic Ballasts		•Trim •Foam •Upholstery •Arm Pads
2 Year	•Surface Trend Fabrics •Height-Adjustable Table Electrical Components	•Surface Trend Fabrics	
1 Year	•Non-Standard Product •Personal Task Lighting	•Non-Standard Product •Trend-Wall® Flooring Solutions	•Non-Standard Product •Rexxi™ Chair
Not Covered	•Light Bulbs •Customer's Own Material	•Customer's Own Material	•Customer's Own Material

The following exceptions apply to all product lines:
- The Trendway warranty applies to normal three shift office use, with the exception of seating. Seating is warranted for single-shift usage.
- Damage caused by improper treatment of the product including exposure to unusual environmental conditions (extreme climates, acids, and moisture)

This comprehensive warranty applies to all products installed or reconfigured by a Trendway authorized installer. Trendway will repair, or at its option, replace defective merchandise, free of charge, which, when used normally and pursuant to Trendway's published instructions, and applicable planning guide information, prove to be defective within the period stated. This remedy is expressly agreed to be exclusive as a condition of sale. No person is authorized to assume for Trendway any warranty liability, except as expressly set forth in this paragraph, or set forth in writing by an authorized officer of the company at its headquarters in Holland, Michigan.

Any and all labor charge backs must be pre-approved by Trendway's Customer Care Manager in writing. Trendway will reimburse authorized Trendway dealers and service centers for approved warranty labor during the first year of use.

This warranty does not apply to damage resulting from accident, alteration, transport, or misuse, as well as damage from normal wear and tear such as dents, nicks, scratches, fading and improper maintenance. Trendway employs quality measures to ensure color consistency in our products. However, due to the effects of light and other environmental factors, no guarantee can be made for an exact match to product in an existing installation.

Natural variations occurring in materials such as wood and leather are not considered defects, and Trendway does not warrant the matching of colors, grains, textures or colorfastness of these materials.

Trendway provides a three-year warranty on veneer products for quality and craftsmanship. Due to the natural properties of wood, the following are not covered under this warranty:
- Changes in wood color resulting from exposure to light or aging
- Natural color variation between wood veneer and solid wood pieces, or resulting from veneer lay-up
- Natural variation in wood grain or the presence of character marks
- Normal wear and tear
- Exact match to swatch materials

Trendway makes no warranty to purchasers who acquire products for personal, family, or household purposes, or to purchasers acquiring the product other than directly from Trendway Corporation, its authorized dealers, or others who are specifically authorized by Trendway to sell such products. Trendway's liability with respect to its products shall not exceed that expressly set forth above irrespective of the theory upon which a claim might be based, including negligence. Under no circumstances shall Trendway be liable for incidental or consequential damages. Original product label must be attached to the product in question.

The warranty period is not interrupted or prolonged by the performance of a service under the terms of the warranty. There are no other warranties except as expressly set forth above, either express or implied, including any warranty of design, merchantability or fitness for any purpose.

This warranty supersedes all previously printed Trendway warranties.

Trendway Corporation
13467 Quincy St., Holland MI 49422-9016
www.trendway.com 09.12

Catalog Number	Description	Page
HEA2P1PB	Horizontal Electrical Accessory	79
HEA2P1PW	Horizontal Electrical Accessory	79
HEA2P1UB	Horizontal Electrical Accessory	79
HEA2P1UW	Horizontal Electrical Accessory	79
HEA2P2DB	Horizontal Electrical Accessory	79
HEA2P2DW	Horizontal Electrical Accessory	79
HEA3P1EB	Horizontal Electrical Accessory	79
HEA3P1EW	Horizontal Electrical Accessory	79
HEA3P3DB	Horizontal Electrical Accessory	79
HEA3PEDW	Horizontal Electrical Accessory	79
HPPT	Pedestal Pencil Tray	82
HSEA1P1D	Horizontal Sliding Electrical Accessory	80
HSEA2P2D	Horizontal Sliding Electrical Accessory	80
HWM30	Horizontal Wire Manager	83
LEDLTCRFS	Luma Touch LED Desk Lamp	86
LEDLTCRCP	Luma Touch LED Desk Lamp	86
LEDLTCRSW	Luma Touch LED Desk Lamp	86
LEDLTEGFS	Luma Touch LED Desk Lamp	86
LEDLTEGCP	Luma Touch LED Desk Lamp	86
LEDLTEGSW	Luma Touch LED Desk Lamp	86
LEDORIFS	ORI LED Desk Lamp	86
LEDORICP	ORI LED Desk Lamp	86
MARMSNGL	Monitor Arm - Desk Mount	84
MARMDUAL	Dual Monitor Arm	84
RHEA1P1D	Ribbed Horizontal Electrical Accessory	80
RHEA1P1E	Ribbed Horizontal Electrical Accessory	80
RHEA2P	Ribbed Horizontal Electrical Accessory	80
RHEA2P1D1U	Ribbed Horizontal Electrical Accessory	80
RHEA2P1E	Ribbed Horizontal Electrical Accessory	80
RHEA2P1P	Ribbed Horizontal Electrical Accessory	80
RHEA2P1U	Ribbed Horizontal Electrical Accessory	80
RHEA2P2D	Ribbed Horizontal Electrical Accessory	80
RHEA3P2D	Ribbed Horizontal Electrical Accessory	80
RHEA4P	Ribbed Horizontal Electrical Accessory	80
SICSP	Flush Support Plates	42
SIGSGWS	Grommet for Work Surface	83
SIZGWS	Grommet for Work Surface	83
TRG612LAT20	Trig Freestanding Lateral	51
TRG612LAT2036	Trig Freestanding Lateral	51
TRG612PED20	Trig Freestanding Pedestal	51
TRGANGDL309424	Trig Blade Desk - Left-Hand	31
TRGANGDR249430	Trig Blade Desk - Right-Hand	31
TRGANGSL309424	Trig Blade Work Surface - Left-Hand	37
TRGANGSR249430	Trig Blade Work Surface - Right-Hand	37
TRGBCSTR661212	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBCSTR666612	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBCSTL661212	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBCSTL666612	Trig Wardrobe Storage Tower w/ Bookcase	63
TRGBF2LAT60	Trig Bench-Height Storage	54
TRGBF2LATCS72	Trig Bench-Height Storage	54
TRGBF2LATCS75	Trig Bench-Height Storage	54
TRGBFBC30	Trig Bench-Height Bookcase	55
TRGBFBC36	Trig Bench-Height Bookcase	55
TRGBFLAT30	Trig Bench-Height Storage	53
TRGBFLAT36	Trig Bench-Height Storage	53
TRGBFLATOSL45	Trig Bench-Height Storage	53
TRGBFLATOSL48	Trig Bench-Height Storage	53
TRGBFLATOSL60	Trig Bench-Height Storage	53
TRGBFLATOSR45	Trig Bench-Height Storage	53
TRGBFLATOSR48	Trig Bench-Height Storage	35
TRGBFLATOSR60	Trig Bench-Height Storage	53
TRGBMS2413	Trig Back Edge Mount Screens	44
TRGBMS2419	Trig Back Edge Mount Screens	44
TRGBMS3013	Trig Back Edge Mount Screens	44
TRGBMS3019	Trig Back Edge Mount Screens	44
TRGBMS3613	Trig Back Edge Mount Screens	44
TRGBMS3619	Trig Back Edge Mount Screens	44
TRGBMS4213	Trig Back Edge Mount Screens	44
TRGBMS4219	Trig Back Edge Mount Screens	44
TRGBMS4813	Trig Back Edge Mount Screens	44
TRGBMS4819	Trig Back Edge Mount Screens	44
TRGBMS5413	Trig Back Edge Mount Screens	44
TRGBMS5419	Trig Back Edge Mount Screens	44
TRGBMS6013	Trig Back Edge Mount Screens	44
TRGBMS6019	Trig Back Edge Mount Screens	44
TRGBMS6613	Trig Back Edge Mount Screens	44

Catalog Number	Description	Page
TRGBMS6619	Trig Back Edge Mount Screens	44
TRGBMS7213	Trig Back Edge Mount Screens	44
TRGBMS7219	Trig Back Edge Mount Screens	44
TRGBMSM2428	Trig Screen/Modesty Combination	45
TRGBMSM3028	Trig Screen/Modesty Combination	45
TRGBMSM3628	Trig Screen/Modesty Combination	45
TRGBMSM4228	Trig Screen/Modesty Combination	45
TRGBMSM4828	Trig Screen/Modesty Combination	45
TRGBMSM5428	Trig Screen/Modesty Combination	45
TRGBMSM6028	Trig Screen/Modesty Combination	45
TRGBMSM6628	Trig Screen/Modesty Combination	45
TRGBMSM7228	Trig Screen/Modesty Combination	45
TRGBSWSL13	Bench Storage W/S Short Support	41
TRGBSWSL19	Bench Storage W/S Short Support	41
TRGC2DD60	Trig Credenzas with Doors	46
TRGC2DDCS72	Trig Credenzas with Doors	46
TRGC2DDCS75	Trig Credenzas with Doors	46
TRGC2LAT60	Trig Credenzas with Laterals	48
TRGC2LATCS72	Trig Credenza with Laterals	48
TRGC2LATCS75	Trig Credenzas with Laterals	48
TRGCBC30	Trig Bookcase	52
TRGCBC36	Trig Bookcase	52
TRGCDDOSR60	Trig Credenza w/ Doors & Shelves	47
TRGCDDOSL60	Trig Credenza w/ Doors & Shelves	47
TRGCDDSDL45	Trig Credenzas with Doors	46
TRGCDDSDR45	Trig Credenzas with Doors	46
TRGCLATOS30	Trig Credenzas with Laterals	48
TRGCLATOSL45	Trig Credenzas with Laterals	48
TRGCLATOSL48	Trig Credenza with Laterals	48
TRGCLATOSL60	Trig Credenza with Laterals	48
TRGCLATOSR48	Trig Credenza with Laterals	48
TRGCLATOSR60	Trig Credenza with Laterals	48
TRGCLATOSR45	Trig Credenzas with Laterals	48
TRGCLATSDL45	Trig Credenzas with Doors and Laterals	49
TRGCLATSDR45	Trig Credenzas with Doors and Laterals	49
TRGCOS30	Trig Credenzas - Open Storage	50
TRGCOS36	Trig Credenzas – Open Storage	50
TRGCOS45	Trig Credenzas - Open Storage	50
TRGCS6612OSL20	Trig Pedestal Shelf Comb Storage - L-Hand	58
TRGCS6612OSL24	Trig Pedestal Shelf Comb Storage - L-Hand	58
TRGCS6612OSL30	Trig Pedestal Shelf Comb Storage - L-Hand	58
TRGCS6612OSR20	Trig Pedestal Shelf Comb Storage - R-Hand	58
TRGCS6612OSR24	Trig Pedestal Shelf Comb Storage - R-Hand	58
TRGCS6612OSR30	Trig Pedestal Shelf Comb Storage - R-Hand	58
TRGCSDDOS30	Trig Combination Storage	57
TRGCSLATOS30	Trig Combination Storage	56
TRGCSOSL45	Trig Combination Storage	56
TRGCSOSR45	Trig Combination Storage	56
TRGDD20	Trig Freestanding Double Door Storage	52
TRGDD2036	Trig Freestanding Double Door Storage	52
TRGDR12	Trig Power Set	77
TRGEH18	Trig Electrical Harness	77
TRGEH24	Trig Electrical Harness	77
TRGEH30	Trig Electrical Harness	77
TRGEH36	Trig Electrical Harness	77
TRGEH42	Trig Electrical Harness	77
TRGEH48	Trig Electrical Harness	77
TRGEH54	Trig Electrical Harness	77
TRGEH60	Trig Electrical Harness	77
TRGEH66	Trig Electrical Harness	77
TRGEH72	Trig Electrical Harness	77
TRGEPDL305442	Trig Primary Desk - Left-Hand	32
TRGEPDL305448	Trig Primary Desk - Left-Hand	32
TRGEPDL306042	Trig Primary Desk - Left-Hand	32
TRGEPDL306048	Trig Primary Desk - Left-Hand	32
TRGEPDL306642	Trig Primary Desk - Left-Hand	32
TRGEPDL306648	Trig Primary Desk - Left-Hand	32
TRGEPDL307242	Trig Primary Desk - Left-Hand	32
TRGEPDL307248	Trig Primary Desk - Left-Hand	32
TRGEPDL307842	Trig Primary Desk - Left-Hand	32
TRGEPDL307848	Trig Primary Desk - Left-Hand	32
TRGEPDL308442	Trig Primary Desk - Left-Hand	32
TRGEPDL308448	Trig Primary Desk - Left-Hand	32
TRGEPDR425430	Trig Primary Desk - Right-Hand	32
TRGEPDR426030	Trig Primary Desk - Right-Hand	32
TRGEPDR426630	Trig Primary Desk - Right-Hand	32

Catalog Number	Description	Page
TRGEPDR427230	Trig Primary Desk - Right-Hand	32
TRGEPDR427830	Trig Primary Desk - Right-Hand	32
TRGEPDR428430	Trig Primary Desk - Right-Hand	32
TRGEPDR485430	Trig Primary Desk - Right-Hand	32
TRGEPDR486030	Trig Primary Desk - Right-Hand	32
TRGEPDR486630	Trig Primary Desk - Right-Hand	32
TRGEPDR487230	Trig Primary Desk - Right-Hand	32
TRGEPDR487830	Trig Primary Desk - Right-Hand	32
TRGEPDR488430	Trig Primary Desk - Right-Hand	32
TRGEPSL305442	Trig Primary Work Surface - Left-Hand	38
TRGEPSL305448	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306042	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306048	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306642	Trig Primary Work Surface - Left-Hand	38
TRGEPSL306648	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307242	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307248	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307842	Trig Primary Work Surface - Left-Hand	38
TRGEPSL307848	Trig Primary Work Surface - Left-Hand	38
TRGEPSL308442	Trig Primary Work Surface - Left-Hand	38
TRGEPSL308448	Trig Primary Work Surface - Left-Hand	38
TRGEPSR425430	Trig Primary Work Surface - Right-Hand	38
TRGEPSR426030	Trig Primary Work Surface - Right-Hand	38
TRGEPSR426630	Trig Primary Work Surface - Right-Hand	38
TRGEPSR427230	Trig Primary Work Surface - Right-Hand	38
TRGEPSR427830	Trig Primary Work Surface - Right-Hand	38
TRGEPSR428430	Trig Primary Work Surface - Right-Hand	38
TRGEPSR485430	Trig Primary Work Surface - Right-Hand	38
TRGEPSR486030	Trig Primary Work Surface - Right-Hand	38
TRGEPSR486630	Trig Primary Work Surface - Right-Hand	38
TRGEPSR487230	Trig Primary Work Surface - Right-Hand	38
TRGEPSR487830	Trig Primary Work Surface - Right-Hand	38
TRGEPSR488430	Trig Primary Work Surface - Right-Hand	38
TRGESDL425420	Trig Secondary Desk - Left-Hand	33
TRGESDL426020	Trig Secondary Desk - Left-Hand	33
TRGESDL426620	Trig Secondary Desk - Left-Hand	33
TRGESDL427220	Trig Secondary Desk - Left-Hand	33
TRGESDL427820	Trig Secondary Desk - Left-Hand	33
TRGESDL428420	Trig Secondary Desk - Left-Hand	33
TRGESDL485420	Trig Secondary Desk - Left-Hand	33
TRGESDL486020	Trig Secondary Desk - Left-Hand	33
TRGESDL486620	Trig Secondary Desk - Left-Hand	33
TRGESDL487220	Trig Secondary Desk - Left-Hand	33
TRGESDL487820	Trig Secondary Desk - Left-Hand	33
TRGESDL488420	Trig Secondary Desk - Left-Hand	33
TRGESDR205442	Trig Secondary Desk - Right-Hand	33
TRGESDR205448	Trig Secondary Desk - Right-Hand	33
TRGESDR206042	Trig Secondary Desk - Right-Hand	33
TRGESDR206048	Trig Secondary Desk - Right-Hand	33
TRGESDR206642	Trig Secondary Desk - Right-Hand	33
TRGESDR206648	Trig Secondary Desk - Right-Hand	33
TRGESDR207242	Trig Secondary Desk - Right-Hand	33
TRGESDR207248	Trig Secondary Desk - Right-Hand	33
TRGESDR207842	Trig Secondary Desk - Right-Hand	33
TRGESDR207848	Trig Secondary Desk - Right-Hand	33
TRGESDR208442	Trig Secondary Desk - Right-Hand	33
TRGESDR208448	Trig Secondary Desk - Right-Hand	33
TRGESSL425420	Trig Secondary Work Surface - Left-Hand	39
TRGESSL426020	Trig Secondary Work Surface - Left-Hand	39
TRGESSL426620	Trig Secondary Work Surface - Left-Hand	39
TRGESSL427220	Trig Secondary Work Surface - Left-Hand	39
TRGESSL427820	Trig Secondary Work Surface - Left-Hand	39
TRGESSL428420	Trig Secondary Work Surface - Left-Hand	39
TRGESSL485420	Trig Secondary Work Surface - Left-Hand	39
TRGESSL486020	Trig Secondary Work Surface - Left-Hand	39
TRGESSL486620	Trig Secondary Work Surface - Left-Hand	39
TRGESSL487220	Trig Secondary Work Surface - Left-Hand	39
TRGESSL487820	Trig Secondary Work Surface - Left-Hand	39
TRGESSL488420	Trig Secondary Work Surface - Left-Hand	39
TRGESSR205442	Trig Secondary Work Surface - Right-Hand	39
TRGESSR205448	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206042	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206048	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206642	Trig Secondary Work Surface - Right-Hand	39
TRGESSR206648	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207242	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207248	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207842	Trig Secondary Work Surface - Right-Hand	39
TRGESSR207848	Trig Secondary Work Surface - Right-Hand	39
TRGESSR208442	Trig Secondary Work Surface - Right-Hand	39
TRGESSR208448	Trig Secondary Work Surface - Right-Hand	39
TRGHC	Trig H-Connector	78
TRGLCSPB1	Trig Support Leg to Panel Bracket	72
TRGLCSPB2	Trig Support Leg to Panel Bracket	72
TRGLCSPB3	Trig Support Leg to Panel Bracket	72
TRGLCNPB1	Trig Support Leg to Panel Bracket	72
TRGLCNPB2	Trig Support Leg to Panel Bracket	72
TRGLCNPB3	Trig Support Leg to Panel Bracket	72
TRGLDS1613	Trig Desk Top Screen	44
TRGLDS168	Trig Desk Top Screen	44
TRGLDS2013	Trig Desk Top Screen	44
TRGLDS208	Trig Desk Top Screen	44
TRGLDS2613	Trig Desk Top Screen	44
TRGLDS268	Trig Desk Top Screen	44
TRGLDS3813	Trig Desk Top Screen	44
TRGLDS388	Trig Desk Top Screen	44
TRGLDS4413	Trig Desk Top Screen	44
TRGLDS448	Trig Desk Top Screen	44
TRGMB1217	Trig Marker Boards	59
TRGMB1617	Trig Marker Boards	59
TRGMB2017	Trig Marker Boards	59
TRGMB2417	Trig Marker Boards	59
TRGMB3617	Trig Marker Boards	59
TRGMOD24	Trig Modesty	45
TRGMOD30	Trig Modesty	45
TRGMOD36	Trig Modesty	45
TRGMOD42	Trig Modesty	45
TRGMOD48	Trig Modesty	45
TRGMOD54	Trig Modesty	45
TRGMOD60	Trig Modesty	45
TRGMOD66	Trig Modesty	45
TRGMOD72	Trig Modesty	45
TRGODS48	Trig Overhead – Dual Sliding Door	69
TRGODS54	Trig Overhead – Dual Sliding Door	69
TRGODS60	Trig Overhead – Dual Sliding Door	69
TRGODS66	Trig Overhead – Dual Sliding Door	69
TRGODS72	Trig Overhead – Dual Sliding Door	69
TRGOHD60	Trig Overhead – Hinged Door	70
TRGOHD66	Trig Overhead – Hinged Door	70
TRGOHD72	Trig Overhead – Hinged Door	70
TRGOHD78	Trig Overhead – Hinged Door	70
TRGOHD84	Trig Overhead – Hinged Door	70
TRGOOS48	Trig Overhead – Open Shelf	71
TRGOOS54	Trig Overhead – Open Shelf	71
TRGOOS60	Trig Overhead – Open Shelf	71
TRGOOS66	Trig Overhead – Open Shelf	71
TRGOOS72	Trig Overhead – Open Shelf	71
TRGOOS84	Trig Overhead – Open Shelf	71
TRGOSS48	Trig Overhead – Single Sliding Door	69
TRGOSS54	Trig Overhead – Single Sliding Door	69
TRGOSS60	Trig Overhead – Single Sliding Door	69
TRGOSS66	Trig Overhead – Single Sliding Door	69
TRGOSS72	Trig Overhead – Single Sliding Door	69
TRGPF	Trig Base Feed	77
TRGPFNY	Trig Base Feed New York	78
TRGRECD2048	Trig Rectangular Desk	28
TRGRECD2054	Trig Rectangular Desk	28
TRGRECD2060	Trig Rectangular Desk	28
TRGRECD2066	Trig Rectangular Desk	28
TRGRECD2072	Trig Rectangular Desk	28
TRGRECD2078	Trig Rectangular Desk	28
TRGRECD2084	Trig Rectangular Desk	28
TRGRECD2448	Trig Rectangular Desk	28
TRGRECD2454	Trig Rectangular Desk	28
TRGRECD2460	Trig Rectangular Desk	28
TRGRECD2466	Trig Rectangular Desk	28
TRGRECD2472	Trig Rectangular Desk	28
TRGRECD2478	Trig Rectangular Desk	28
TRGRECD2484	Trig Rectangular Desk	28
TRGRECD3048	Trig Rectangular Desk	28
TRGRECD3054	Trig Rectangular Desk	28
TRGRECD3060	Trig Rectangular Desk	28

Catalog Number	Description	Page
TRGRECD3066	Trig Rectangular Desk	28
TRGRECD3072	Trig Rectangular Desk	28
TRGRECD3078	Trig Rectangular Desk	28
TRGRECD3084	Trig Rectangular Desk	28
TRGRECS2048	Trig Rectangular Work Surface	34
TRGRECS2054	Trig Rectangular Work Surface	34
TRGRECS2060	Trig Rectangular Work Surface	34
TRGRECS2066	Trig Rectangular Work Surface	34
TRGRECS2072	Trig Rectangular Work Surface	34
TRGRECS2078	Trig Rectangular Work Surface	34
TRGRECS2084	Trig Rectangular Work Surface	34
TRGRECS2448	Trig Rectangular Work Surface	34
TRGRECS2454	Trig Rectangular Work Surface	34
TRGRECS2460	Trig Rectangular Work Surface	34
TRGRECS2466	Trig Rectangular Work Surface	34
TRGRECS2472	Trig Rectangular Work Surface	34
TRGRECS2478	Trig Rectangular Work Surface	34
TRGRECS2484	Trig Rectangular Work Surface	34
TRGRECS3048	Trig Rectangular Work Surface	34
TRGRECS3054	Trig Rectangular Work Surface	34
TRGRECS3060	Trig Rectangular Work Surface	34
TRGRECS3066	Trig Rectangular Work Surface	34
TRGRECS3072	Trig Rectangular Work Surface	34
TRGRECS3078	Trig Rectangular Work Surface	34
TRGRECS3084	Trig Rectangular Work Surface	34
TRGSCSPB	Trig Storage to Panel Bracket	72
TRGSCNPB	Trig Storage to Panel Bracket	72
TRGSOS3027	Stack Storage – Open Shelf	68
TRGSOS3039	Stack Storage – Open Shelf	68
TRGSPMS30	Stack Storage – Paper Management Shelf	68
TRGSPMS45	Stack Storage – Paper Management Shelf	68
TRGSPMS60	Stack Storage – Paper Management Shelf	68
TRGSPMS75	Stack Storage – Paper Management Shelf	68
TRGTB1217	Trig Tackboards	59
TRGTB1617	Trig Tackboards	59
TRGTB2017	Trig Tackboards	59
TRGTB2417	Trig Tackboards	59
TRGTB3617	Trig Tackboards	59
TRGTMS2413	Trig Surface Mount Screens	43
TRGTMS2419	Trig Surface Mount Screens	43
TRGTMS3013	Trig Surface Mount Screens	43
TRGTMS3019	Trig Surface Mount Screens	43
TRGTMS3613	Trig Surface Mount Screens	43
TRGTMS3619	Trig Surface Mount Screens	43
TRGTMS4213	Trig Surface Mount Screens	43
TRGTMS4219	Trig Surface Mount Screens	43
TRGTMS4813	Trig Surface Mount Screens	43
TRGTMS4819	Trig Surface Mount Screens	43
TRGTMS5413	Trig Surface Mount Screens	43
TRGTMS5419	Trig Surface Mount Screens	43
TRGTMS6013	Trig Surface Mount Screens	43
TRGTMS6019	Trig Surface Mount Screens	43
TRGTMS6613	Trig Surface Mount Screens	43
TRGTMS6619	Trig Surface Mount Screens	43
TRGTMS7213	Trig Surface Mount Screens	43
TRGTMS7219	Trig Surface Mount Screens	43
TRGTMS7813	Trig Surface Mount Screens	43
TRGTMS7819	Trig Surface Mount Screens	43
TRGTMS8413	Trig Surface Mount Screens	43
TRGTMS8419	Trig Surface Mount Screens	43
TRGTS1212DD54	Trig Lateral, Double-Door Storage Tower	61
TRGTS1212DD66	Trig Lateral, Double-Door Storage Tower	61
TRGTS1212OS54	Trig Lateral, Open Shelf Storage Tower	62
TRGTS1212OS66	Trig Lateral, Open Shelf Storage Tower	62
TRGTS6612DD54	Trig Lateral, Double-Door Storage Tower	61
TRGTS6612DD66	Trig Lateral, Double-Door Storage Tower	61
TRGTS6612OS54	Trig Lateral, Open Shelf Storage Tower	62
TRGTS6612OS66	Trig Lateral, Open Shelf Storage Tower	62
TRGTS66OS54	Trig Display Towers	62
TRGTS66OS66	Trig Display Towers	62
TRGTSDD54	Trig Storage Tower with Double-Door	60
TRGTSDD66	Trig Storage Tower with Double-Door	60
TRGTSOS54	Trig Display Towers	62
TRGTSOS66	Trig Display Towers	62
TRGTSSDL54	Trig Display Towers with Door	64
TRGTSSDL66	Trig Display Towers with Door	64
TRGTSSDR54	Trig Display Towers with Door	64
TRGTSSDR66	Trig Display Towers with Door	64
TRGTSWRR54	Trig Wardrobe Display Tower	65
TRGTSWRR66	Trig Wardrobe Display Tower	65
TRGTSWRL54	Trig Wardrobe Display Tower	65
TRGTSWRL66	Trig Wardrobe Display Tower	65
TRGUDDD20	Trig Under Desk Dbl-Door Support Storage	67
TRGUDDD24	Trig Under Desk Dbl-Door Support Storage	67
TRGUDDD30	Trig Under Desk Dbe-Door Support Storage	67
TRGUDLAT20	Trig Under Desk Lateral Support Storage	66
TRGUDLAT24	Trig Under Desk Lateral Support Storage	66
TRGUDLAT30	Trig Under Desk Lateral Support Storage	66
TRGUDPED20	Trig Under Desk Pedestal Support Storage	66
TRGUDPED24	Trig Under Desk Pedestal Support Storage	66
TRGUDPED30	Trig Under Desk Pedestal Support Storage	66
TRGULEG20	Trig Work Surface Support Legs	40
TRGULEG24	Trig Work Surface Support Legs	40
TRGULEG30	Trig Work Surface Support Legs	40
TRGULEG40	Trig Shared Work Surface Support Legs	40
TRGULEG48	Trig Shared Work Surface Support Legs	40
TRGULEG60	Trig Shared Work Surface Support Legs	40
TRGULEGSS20	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS24	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS30	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS40	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS48	Side to Side Shared Work Surface Support Leg	41
TRGULEGSS60	Side to Side Shared Work Surface Support Leg	41
TRGVWMAL	Vertical Wire Manager	82
TRGWEGDL245420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL246020	Trig Wedge Desk - Left-Hand	30
TRGWEGDL246620	Trig Wedge Desk - Left-Hand	30
TRGWEGDL247220	Trig Wedge Desk - Left-Hand	30
TRGWEGDL247820	Trig Wedge Desk - Left-Hand	30
TRGWEGDL248420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL305420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL305424	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306020	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306024	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306620	Trig Wedge Desk - Left-Hand	30
TRGWEGDL306624	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307220	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307224	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307820	Trig Wedge Desk - Left-Hand	30
TRGWEGDL307824	Trig Wedge Desk - Left-Hand	30
TRGWEGDL308420	Trig Wedge Desk - Left-Hand	30
TRGWEGDL308424	Trig Wedge Desk - Left-Hand	30
TRGWEGDR205424	Trig Wedge Desk - Right-Hand	29
TRGWEGDR205430	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206024	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206030	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206624	Trig Wedge Desk - Right-Hand	29
TRGWEGDR206630	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207224	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207230	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207824	Trig Wedge Desk - Right-Hand	29
TRGWEGDR207830	Trig Wedge Desk - Right-Hand	29
TRGWEGDR208424	Trig Wedge Desk - Right-Hand	29
TRGWEGDR208430	Trig Wedge Desk - Right-Hand	29
TRGWEGDR245430	Trig Wedge Desk - Right-Hand	29
TRGWEGDR246030	Trig Wedge Desk - Right-Hand	29
TRGWEGDR246630	Trig Wedge Desk - Right-Hand	29
TRGWEGDR247230	Trig Wedge Desk - Right-Hand	29
TRGWEGDR247830	Trig Wedge Desk - Right-Hand	29
TRGWEGDR248430	Trig Wedge Desk - Right-Hand	29
TRGWEGSL205424	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL205430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206024	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206030	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206624	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL206630	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207224	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207230	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL207824	Trig Wedge Work Surface - Left-Hand	36

Catalog Number	Description	Page
TRGWEGSL207830	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL208424	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL208430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL245430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL246030	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL246630	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL247230	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL247830	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSL248430	Trig Wedge Work Surface - Left-Hand	36
TRGWEGSR205424	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR205430	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206024	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206030	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206624	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR206630	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207224	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207230	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207824	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR207830	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR208424	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR208430	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR245430	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR246030	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR246630	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR247230	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR247830	Trig Wedge Work Surface - Right-Hand	35
TRGWEGSR248430	Trig Wedge Work Surface - Right-Hand	35
TRGWSBRKTS	Trig Work Surface Support Brackets	42
TRGWSRISER	Trig Support Riser	42
TRGWSTR661212	Trig Wardrobe Storage Tower	63
TRGWSTR666612	Trig Wardrobe Storage Tower	63
TRGWSTL661212	Trig Wardrobe Storage Tower	63
TRGWSTL666612	Trig Wardrobe Storage Tower	63
VEA2P1UB	Vertical Electrical Accessory	79
VEA2P1UW	Vertical Electrical Accessory	79
VEA2P2DB	Vertical Electrical Accessory	79
VEA2P2DW	Vertical Electrical Accessory	79
VEA3P1EB	Vertical Electrical Accessory	79
VEA3P1EW	Vertical Electrical Accessory	79
VEA3P3DB	Vertical Electrical Accessory	79
VEA3P3DW	Vertical Electrical Accessory	79
VWC3	Vertical Wire Channel	83
ZFPSSB	Laminate Pedestal Side-to-Side Filing Bars	82
ZFTUPKIT	Freestanding Touch Up Markers	85
ZFTUPXZ1	Freestanding Touch Up Markers	85
ZFTUPXZ2	Freestanding Touch Up Markers	85
ZFTUPXZ3	Freestanding Touch Up Markers	85
ZFTUPXZ4	Freestanding Touch Up Markers	85
ZFTUPXZ5	Freestanding Touch Up Markers	85

Trendway

HEADQUARTERS | Holland, Michigan | 800.968.5344

ATLANTA | CHICAGO | DALLAS | INDIANAPOLIS | LOS ANGELES | WASHINGTON, DC

Trendway.com

June 2015 | PL.322 | Proudly Printed in the USA

Trendway Products are tested for conformance to SCS Indoor Advantage™ or Indoor Advantage Gold™ requirements. Visit Trendway.com/scs to view SCS Indoor Advantage certificates for specific Trendway products.

Trendway is a Veteran-Owned and a Federal Government Contractor.

CERTIFIED INDOOR AIR QUALITY SCS GLOBAL SERVICES

INDOOR ADVANTAGE GOLD FURNITURE