



State of Mississippi

Department of Transportation

Statewide Agency Contract

Hot & Cold Mix Asphalt

7/1/2016 Approval Through 12/31/16

TABLE OF CONTENTS

<u>HOT AND COLD MIX ASPHALT</u>		<u>PAGE NO.</u>
4	ADCAMP, INC.....	3
1	APAC-MISSISSIPPI INC (CANTON).....	4
4	APAC-MISSISSIPPI INC (COLUMBUS & HAMILTON).....	6
4	APAC-MISSISSIPPI INC (GLEN).....	8
1	APAC-MISSISSIPPI INC (GREENVILLE).....	10
1	APAC-MISSISSIPPI INC (GREENWOOD).....	12
4	APAC-MISSISSIPPI INC (GUNTOWN).....	14
1	APAC-MISSISSIPPI INC (JACKSON).....	16
1	APAC-MISSISSIPPI INC (MERIDIAN).....	18
4	APAC-MISSISSIPPI INC (NEW ALBANY).....	20
4	APAC-MISSISSIPPI INC (TUPELO).....	22
1	APAC-MISSISSIPPI INC (VICKSBURG).....	24
1	APAC-MISSISSIPPI INC (YAZOO CITY).....	26
4	BARRIERE CONSTRUCTION CO, LLC.....	28
3	CENTRAL PIPE SUPPLY.....	29
2	DICKERSON & BOWEN INC (BROOKHAVEN).....	30
2	DICKERSON & BOWEN INC (CARTHAGE).....	31
2	DICKERSON & BOWEN INC (JACKSON).....	32
2	DICKERSON & BOWEN INC (MCCOMB).....	34
2	DUNN ROADBUILDERS LLC (COLUMBIA).....	36
2	DUNN ROADBUILDERS LLC (LAUREL).....	38
2	DUNN ROADBUILDERS LLC (PETAL).....	40
4	HUEY STOCKSTILL, INC.	42
4	LEHMAN ROBERTS COMPANY (BATESVILLE).....	44
4	LEHMAN ROBERTS COMPANY (BYHALIA).....	45
4	LEHMAN ROBERTS COMPANY (FRIARS POINT).....	46
4	LEHMAN ROBERTS COMPANY (HERNANDO).....	47
4	LEHMAN ROBERTS COMPANY (MEMPHIS, TN).....	48
4	LEHMAN ROBERTS COMPANY (OXFORD).....	49
4	LEHMAN ROBERTS COMPANY (WINONA).....	50
4	LOWE'S.....	51
1	MALLETTE BROTHERS CONSTRUCTION CO.....	52
4	MATERIAL RESOURCES, INC.....	54
1	PANDLE, INC.....	55
2	STANDARD CONSTRUCTION COMPANY, INC.....	56
4	SUPERIOR ASPHALT (BYRAM).....	57
4	SUPERIOR ASPHALT (HAZLEHURST).....	58
2	W.E. BLAIN & SONS, INC (BYRAM).....	59
2	W.E. BLAIN & SONS, INC (GEORGETOWN).....	60
2	W.E. BLAIN & SONS, INC (MORTON).....	61
2	W.E. BLAIN & SONS, INC (MT. OLIVE).....	62
2	W.E. BLAIN & SONS, INC (WASHINGTON).....	63
1	W.G. CONSTRUCTION COMPANY, INC.....	64
4	WARREN PAVING, INC (GULFPORT).....	65
4	WARREN PAVING, INC (HATTIESBURG).....	67
4	WHITEHEAD CONSTRUCTION COMPANY.....	69

1 = MDOT ONLY

2 = MDOT AND OTHER STATE AGENCIES

3 = MDOT & GOVERNING AUTHORITIES

4 = MDOT, GOVERNING AUTHORITIES, & OTHER STATE AGENCIES

ADCAMP, INC.
P.O. BOX 54246
JACKSON, MS 39288-4246
601/939-4493

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1353 FLOWOOD DRIVE, FLOWOOD, MS 39232 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 54.50 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 54.50 per ton

(4) 12.5 mm Mixture @ 54.50 per ton

(5) 19 mm Mixture @ 54.50 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 53.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.35 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at CANTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 51.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 68.00 per ton
(3) 9.5mm Mixture @ 52.00 per ton
(4) 12.5 mm Mixture @ 48.00 per ton
(5) 19 mm Mixture @ 47.00 per ton
(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 68.00 per ton
(8) 9.5 mm Mixture @ 49.85 per ton
(9) 12.5 mm Mixture @ 48.00 per ton
(10) 19 mm Mixture @ 46.50 per ton
(11) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 68.00 per ton
(13) 9.5 mm Mixture @ 49.50 per ton
(14) 12.5 mm Mixture @ 48.00 per ton
(15) 19 mm Mixture @ 46.00 per ton
(16) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@ <u>80.00</u> per ton
(18) 9.5 mm Mixture	@ <u>66.00</u> per ton
(19) 12.5 mm Mixture	@ <u>66.00</u> per ton
(20) 19 mm Mixture	@ <u>66.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>49.00</u> per ton
----------------------	------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at COLUMBUS / HAMILTON PLANT are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 67.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 67.00 per ton

(4) 12.5 mm Mixture @ 64.50 per ton

(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 67.00 per ton

(9) 12.5 mm Mixture @ 64.00 per ton

(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 67.00 per ton

(14) 12.5 mm Mixture @ 64.00 per ton

(15) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 75.00 per ton

(19) 12.5 mm Mixture @ 72.00 per ton

(20) 19 mm Mixture @ 66.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 67.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 90.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.20 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at CORINTH - 2700 HWY 72 GLEN, MS 38846 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 68.00 per ton

(4) 12.5 mm Mixture @ 66.00 per ton

(5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 68.00 per ton

(9) 12.5 mm Mixture @ 66.00 per ton

(10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 per ton

(14) 12.5 mm Mixture @ 66.00 per ton

(15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 74.00 per ton

(19) 12.5 mm Mixture @ 71.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2559 HARBOR FRONT ROAD, GREENVILLE, MS 38701 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 86.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 90.60 per ton
(3) 9.5mm Mixture @ 75.60 per ton
(4) 12.5 mm Mixture @ 69.60 per ton
(5) 19 mm Mixture @ 67.60 per ton
(6) 25 mm Mixture @ 67.60 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 92.60 per ton
(8) 9.5 mm Mixture @ 79.60 per ton
(9) 12.5 mm Mixture @ 72.60 per ton
(10) 19 mm Mixture @ 71.60 per ton
(11) 25 mm Mixture @ 71.60 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 87.40 per ton
(13) 9.5 mm Mixture @ 72.60 per ton
(14) 12.5 mm Mixture @ 68.60 per ton
(15) 19 mm Mixture @ 67.60 per ton
(16) 25 mm Mixture @ 67.60 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@ <u>98.40</u> per ton
(18) 9.5 mm Mixture	@ <u>82.60</u> per ton
(19) 12.5 mm Mixture	@ <u>78.60</u> per ton
(20) 19 mm Mixture	@ <u>77.60</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>71.10</u> per ton
----------------------	------------------------

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt	@ <u>110.00</u> per ton
-----------------------	-------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1801 CYPRESS LANE, GREENWOOD, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 74.10 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 86.00 per ton
(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 65.00 per ton
(5) 19 mm Mixture @ 63.50 per ton
(6) 25 mm Mixture @ 63.50 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 88.00 per ton
(8) 9.5 mm Mixture @ 74.00 per ton
(9) 12.5 mm Mixture @ 68.00 per ton
(10) 19 mm Mixture @ 66.50 per ton
(11) 25 mm Mixture @ 66.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 85.00 per ton
(13) 9.5 mm Mixture @ 70.00 per ton
(14) 12.5 mm Mixture @ 64.00 per ton
(15) 19 mm Mixture @ 62.00 per ton
(16) 25 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@ <u>95.00</u> per ton
(18) 9.5 mm Mixture	@ <u>80.00</u> per ton
(19) 12.5 mm Mixture	@ <u>74.00</u> per ton
(20) 19 mm Mixture	@ <u>74.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>64.00</u> per ton
----------------------	------------------------

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt	@ <u>110.00</u> per ton
-----------------------	-------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .27 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GUNTOWN / 331 MESSNER ROAD GUNTOWN, MS 38849 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 68.00 per ton
(4) 12.5 mm Mixture @ 66.00 per ton
(5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 68.00 per ton
(9) 12.5 mm Mixture @ 66.00 per ton
(10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 per ton
(14) 12.5 mm Mixture @ 66.00 per ton
(15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 74.00 per ton
(19) 12.5 mm Mixture @ 71.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 49.90 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 65.00 per ton
(3) 9.5mm Mixture @ 51.00 per ton
(4) 12.5 mm Mixture @ 48.00 per ton
(5) 19 mm Mixture @ 45.00 per ton
(6) 25 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 65.00 per ton
(8) 9.5 mm Mixture @ 49.90 per ton
(9) 12.5 mm Mixture @ 47.00 per ton
(10) 19 mm Mixture @ 44.00 per ton
(11) 25 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 65.00 per ton
(13) 9.5 mm Mixture @ 48.50 per ton
(14) 12.5 mm Mixture @ 46.50 per ton
(15) 19 mm Mixture @ 44.00 per ton
(16) 25 mm Mixture @ 55.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- | | |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>85.00</u> per ton |
| (18) 9.5 mm Mixture | @ <u>65.00</u> per ton |
| (19) 12.5 mm Mixture | @ <u>64.00</u> per ton |
| (20) 19 mm Mixture | @ <u>64.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- | | |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>45.50</u> per ton |
|----------------------|------------------------|

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

- | | |
|---------------------------|--------------|
| (23) Bulk form: <u>R3</u> | Product Name |
| @ <u>124.00</u> per ton | |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.28 PER TON PER MILE, WITH 3.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MERIDIAN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 70.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 70.50 per ton
(4) 12.5 mm Mixture @ 63.00 per ton
(5) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 70.50 per ton
(9) 12.5 mm Mixture @ 63.00 per ton
(10) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 70.50 per ton
(14) 12.5 mm Mixture @ 63.00 per ton
(15) 19 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 75.00 per ton
(19) 12.5 mm Mixture @ 68.00 per ton
(20) 19 mm Mixture @ 63.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 66.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 90.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.22 PER TON PER MILE, WITH 3.75 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at NEW ALBANY - 110 GAP DRIVE NEW ALBANY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 68.00 per ton
(5) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 68.00 per ton
(10) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 68.00 per ton
(15) 19 mm Mixture @ 66.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 80.00 per ton
(19) 12.5 mm Mixture @ 75.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 71.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at AUBURN ROAD / 459 N. EASON BLVD TUPELO, MS 38801 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 68.00 per ton

(4) 12.5 mm Mixture @ 66.00 per ton

(5) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 68.00 per ton

(9) 12.5 mm Mixture @ 66.00 per ton

(10) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 68.00 per ton

(14) 12.5 mm Mixture @ 66.00 per ton

(15) 19 mm Mixture @ 63.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 74.00 per ton

(19) 12.5 mm Mixture @ 71.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 68.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 82.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.30 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at VICKSBURG, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 59.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 69.00 per ton
(3) 9.5mm Mixture @ 58.00 per ton
(4) 12.5 mm Mixture @ 58.00 per ton
(5) 19 mm Mixture @ 57.00 per ton
(6) 25 mm Mixture @ 69.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 69.00 per ton
(8) 9.5 mm Mixture @ 58.00 per ton
(9) 12.5 mm Mixture @ 58.00 per ton
(10) 19 mm Mixture @ 57.00 per ton
(11) 25 mm Mixture @ 69.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 69.00 per ton
(13) 9.5 mm Mixture @ 58.00 per ton
(14) 12.5 mm Mixture @ 58.00 per ton
(15) 19 mm Mixture @ 57.00 per ton
(16) 25 mm Mixture @ 69.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture @ 85.00 per ton

(18) 9.5 mm Mixture @ 85.00 per ton

(19) 12.5 mm Mixture @ 85.00 per ton

(20) 19 mm Mixture @ 85.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 57.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 3.50 PER TON MINIMUM HAUL.

APAC-MISSISSIPPI, INC.
P.O. BOX 24508
JACKSON, MS 39225-4508
601/376-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at YAZOO CITY, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 55.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 80.00 per ton
(3) 9.5mm Mixture @ 68.00 per ton
(4) 12.5 mm Mixture @ 68.00 per ton
(5) 19 mm Mixture @ 65.00 per ton
(6) 25 mm Mixture @ 80.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 80.00 per ton
(8) 9.5 mm Mixture @ 66.00 per ton
(9) 12.5 mm Mixture @ 65.00 per ton
(10) 19 mm Mixture @ 64.00 per ton
(11) 25 mm Mixture @ 80.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 80.00 per ton
(13) 9.5 mm Mixture @ 67.00 per ton
(14) 12.5 mm Mixture @ 66.00 per ton
(15) 19 mm Mixture @ 65.00 per ton
(16) 25 mm Mixture @ 80.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(17) 4.75 mm Mixture	@ <u>90.00</u> per ton
(18) 9.5 mm Mixture	@ <u>80.00</u> per ton
(19) 12.5 mm Mixture	@ <u>80.00</u> per ton
(20) 19 mm Mixture	@ <u>80.00</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>55.00</u> per ton
----------------------	------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .30 PER TON PER MILE, WITH 3.50 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
(601)833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 983 OLD HWY 51, BROOKHAVEN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 55.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 55.00 per ton
(4) 12.5 mm Mixture @ 54.00 per ton
(5) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 55.00 per ton
(9) 12.5 mm Mixture @ 54.00 per ton
(10) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 55.00 per ton
(14) 12.5 mm Mixture @ 54.00 per ton
(15) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 63.00 per ton
(19) 12.5 mm Mixture @ 62.00 per ton
(20) 19 mm Mixture @ 60.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 55.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
(601)833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HIGHWAY 16 EAST, CARTHAGE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 65.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 66.00 per ton

(4) 12.5 mm Mixture @ 63.00 per ton

(5) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 66.00 per ton

(9) 12.5 mm Mixture @ 63.00 per ton

(10) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 66.00 per ton

(14) 12.5 mm Mixture @ 63.00 per ton

(15) 19 mm Mixture @ 62.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 75.00 per ton

(19) 12.5 mm Mixture @ 75.00 per ton

(20) 19 mm Mixture @ 75.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
(601)833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2642 GALLATIN STREET JACKSON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 52.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 51.00 per ton

(4) 12.5 mm Mixture @ 49.00 per ton

(5) 19 mm Mixture @ 45.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 51.00 per ton

(9) 12.5 mm Mixture @ 49.00 per ton

(10) 19 mm Mixture @ 45.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 51.00 per ton

(14) 12.5 mm Mixture @ 49.00 per ton

(15) 19 mm Mixture @ 45.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 60.00 per ton

(19) 12.5 mm Mixture @ 57.00 per ton

(20) 19 mm Mixture @ 54.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 52.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 105.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DICKERSON & BOWEN, INC.
P.O. BOX 1008
BROOKHAVEN, MS 39602
(601) 833-4291

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HIGHWAY 98 EAST, MCCOMB, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 55.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 55.00 per ton
(4) 12.5 mm Mixture @ 54.00 per ton
(5) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 55.00 per ton
(9) 12.5 mm Mixture @ 54.00 per ton
(10) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 55.00 per ton
(14) 12.5 mm Mixture @ 54.00 per ton
(15) 19 mm Mixture @ 50.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 63.00 per ton
(19) 12.5 mm Mixture @ 62.00 per ton
(20) 19 mm Mixture @ 60.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 55.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 95.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.40 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
P.O. BOX 6560
LAUREL, MS 39441
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 188 HIGHWAY 98 EAST, COLUMBIA, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 59.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 78.10 per ton
(3) 9.5mm Mixture @ 58.25 per ton
(4) 12.5 mm Mixture @ 57.65 per ton
(5) 19 mm Mixture @ 56.05 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 78.10 per ton
(8) 9.5 mm Mixture @ 59.40 per ton
(9) 12.5 mm Mixture @ 57.35 per ton
(10) 19 mm Mixture @ 55.75 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 78.10 per ton
(13) 9.5 mm Mixture @ 60.00 per ton
(14) 12.5 mm Mixture @ 59.60 per ton
(15) 19 mm Mixture @ 55.75 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- | | |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>90.45</u> per ton |
| (18) 9.5 mm Mixture | @ <u>65.25</u> per ton |
| (19) 12.5 mm Mixture | @ <u>64.75</u> per ton |
| (20) 19 mm Mixture | @ <u>60.65</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- | | |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>56.00</u> per ton |
|----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
P.O. BOX 6560
LAUREL, MS 39441
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 509 AVENUE D, LAUREL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 63.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 76.10 per ton
(3) 9.5mm Mixture @ 62.30 per ton
(4) 12.5 mm Mixture @ 61.00 per ton
(5) 19 mm Mixture @ 59.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 76.10 per ton
(8) 9.5 mm Mixture @ 62.15 per ton
(9) 12.5 mm Mixture @ 57.25 per ton
(10) 19 mm Mixture @ 56.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 76.10 per ton
(13) 9.5 mm Mixture @ 63.50 per ton
(14) 12.5 mm Mixture @ 63.00 per ton
(15) 19 mm Mixture @ 58.30 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- | | |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>88.10</u> per ton |
| (18) 9.5 mm Mixture | @ <u>70.00</u> per ton |
| (19) 12.5 mm Mixture | @ <u>69.10</u> per ton |
| (20) 19 mm Mixture | @ <u>64.25</u> per ton |

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- | | |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>57.00</u> per ton |
|----------------------|------------------------|

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- | | |
|-----------------------|------------------------|
| (28) Cold Mix Asphalt | @ <u>96.00</u> per ton |
|-----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

DUNN ROADBUILDERS, LLC.
P.O. BOX 6560
LAUREL, MS 39441
601/649-4111

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 157 CHEVIS LEE ROAD PETAL, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 61.40 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 75.75 per ton
(3) 9.5mm Mixture @ 61.55 per ton
(4) 12.5 mm Mixture @ 57.45 per ton
(5) 19 mm Mixture @ 57.24 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 75.75 per ton
(8) 9.5 mm Mixture @ 61.40 per ton
(9) 12.5 mm Mixture @ 56.65 per ton
(10) 19 mm Mixture @ 55.25 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 75.75 per ton
(13) 9.5 mm Mixture @ 61.30 per ton
(14) 12.5 mm Mixture @ 56.65 per ton
(15) 19 mm Mixture @ 53.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 87.65 per ton
- (18) 9.5 mm Mixture @ 69.15 per ton
- (19) 12.5 mm Mixture @ 68.30 per ton
- (20) 19 mm Mixture @ 63.50 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 56.50 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- (28) Cold Mix Asphalt @ 96.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR .22 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

HUEY P. STOCKSTILL LLC
P.O. BOX 758
PICAYUNE, MS 39466
601/798-2981

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PICAYUNE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 71.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 76.00 per ton
(3) 9.5mm Mixture @ 71.00 per ton
(4) 12.5 mm Mixture @ 71.00 per ton
(5) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 76.00 per ton
(8) 9.5 mm Mixture @ 71.00 per ton
(9) 12.5 mm Mixture @ 71.00 per ton
(10) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 76.00 per ton
(13) 9.5 mm Mixture @ 71.00 per ton
(14) 12.5 mm Mixture @ 71.00 per ton
(15) 19 mm Mixture @ 71.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- (17) 4.75 mm Mixture @ 82.00 per ton
- (18) 9.5 mm Mixture @ 77.00 per ton
- (19) 12.5 mm Mixture @ 77.00 per ton
- (20) 19 mm Mixture @ 77.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- (21) Hot Mix Asphalt @ 71.00 per ton

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 7, 1775 FARRISH GRAVEL ROAD, BATESVILLE, MS 38606 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>64.00</u> per ton
(4) 12.5 mm Mixture	@ <u>61.00</u> per ton
(5) 19 mm Mixture	@ <u>57.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>64.00</u> per ton
(9) 12.5 mm Mixture	@ <u>61.00</u> per ton
(10) 19 mm Mixture	@ <u>57.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>64.00</u> per ton
(14) 12.5 mm Mixture	@ <u>61.00</u> per ton
(15) 19 mm Mixture	@ <u>57.00</u> per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR COLD MIX Manufactured by: QPR
Product Name
@ 130.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 10, 161 STONEWALL ROAD BYHALIA, MS 38611 are as follows:

907-403-A HOT MIX ASPHALT, ST:

- | | |
|---------------------|------------------------|
| (3) 9.5mm Mixture | @ <u>64.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>61.00</u> per ton |
| (5) 19 mm Mixture | @ <u>58.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

- | | |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>64.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>61.00</u> per ton |
| (10) 19 mm Mixture | @ <u>58.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

- | | |
|----------------------|------------------------|
| (13) 9.5 mm Mixture | @ <u>64.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>61.00</u> per ton |
| (15) 19 mm Mixture | @ <u>58.00</u> per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

- (23) Bulk form: QPR COLD MIX Manufactured by: QPR
Product Name
@ 140.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 3, 415 PORT ROAD FRIARS POINT, MS 38631 (WHEN RUNNING) are as follows:

907-403-A HOT MIX ASPHALT, ST:

- | | |
|---------------------|------------------------|
| (3) 9.5mm Mixture | @ <u>68.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>65.00</u> per ton |
| (5) 19 mm Mixture | @ <u>61.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

- | | |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>68.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>65.00</u> per ton |
| (10) 19 mm Mixture | @ <u>61.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

- | | |
|----------------------|------------------------|
| (13) 9.5 mm Mixture | @ <u>68.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>65.00</u> per ton |
| (15) 19 mm Mixture | @ <u>61.00</u> per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 6, 6158 HIGHWAY 51 SOUTH HERNANDO, MS 38632 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>64.00</u> per ton
(4) 12.5 mm Mixture	@ <u>61.00</u> per ton
(5) 19 mm Mixture	@ <u>57.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>64.00</u> per ton
(9) 12.5 mm Mixture	@ <u>61.00</u> per ton
(10) 19 mm Mixture	@ <u>57.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>64.00</u> per ton
(14) 12.5 mm Mixture	@ <u>61.00</u> per ton
(15) 19 mm Mixture	@ <u>57.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 5, 2840 CARRIER ROAD, MEMPHIS, TN 38116 are as follows:

907-403-A HOT MIX ASPHALT, ST:

- | | |
|---------------------|------------------------|
| (3) 9.5mm Mixture | @ <u>67.00</u> per ton |
| (4) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (5) 19 mm Mixture | @ <u>60.00</u> per ton |

907-403-A HOT MIX ASPHALT, MT:

- | | |
|---------------------|------------------------|
| (8) 9.5 mm Mixture | @ <u>67.00</u> per ton |
| (9) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (10) 19 mm Mixture | @ <u>60.00</u> per ton |

907-403-A HOT MIX ASPHALT, HT:

- | | |
|----------------------|------------------------|
| (13) 9.5 mm Mixture | @ <u>67.00</u> per ton |
| (14) 12.5 mm Mixture | @ <u>66.00</u> per ton |
| (15) 19 mm Mixture | @ <u>60.00</u> per ton |

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

- | |
|---|
| (23) Bulk form: <u>QPR COLD MIX</u> Manufactured by: <u>QPR</u> |
| Product Name |
| @ <u>130.00</u> per ton |

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 11, OLD HIGHWAY 7 NORTH OXFORD, MS 38655 are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>66.00</u> per ton
(4) 12.5 mm Mixture	@ <u>64.00</u> per ton
(5) 19 mm Mixture	@ <u>60.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>66.00</u> per ton
(9) 12.5 mm Mixture	@ <u>64.00</u> per ton
(10) 19 mm Mixture	@ <u>60.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>66.00</u> per ton
(14) 12.5 mm Mixture	@ <u>64.00</u> per ton
(15) 19 mm Mixture	@ <u>60.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

LEHMAN-ROBERTS COMPANY
P.O. BOX 1603
MEMPHIS, TN 38101
901/774-4000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PLANT 1 HIGHWAY 82 WINONA, MS 38967 (WHEN RUNNING) are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>67.00</u> per ton
(4) 12.5 mm Mixture	@ <u>64.00</u> per ton
(5) 19 mm Mixture	@ <u>60.00</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>67.00</u> per ton
(9) 12.5 mm Mixture	@ <u>64.00</u> per ton
(10) 19 mm Mixture	@ <u>60.00</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>67.00</u> per ton
(14) 12.5 mm Mixture	@ <u>64.00</u> per ton
(15) 19 mm Mixture	@ <u>60.00</u> per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

MALLETTE BROTHERS CONSTRUCTION COMPANY
3708 HIGHWAY 90
GAUTIER, MS 39553
228/497-2523

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 2601 OLD SPANISH TRAIL GAUTIER, MS 39553 are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 64.85 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 64.85 per ton
(3) 9.5mm Mixture @ 64.85 per ton
(4) 12.5 mm Mixture @ 64.85 per ton
(5) 19 mm Mixture @ 64.85 per ton
(6) 25 mm Mixture @ 64.85 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 64.85 per ton
(8) 9.5 mm Mixture @ 64.85 per ton
(9) 12.5 mm Mixture @ 64.85 per ton
(10) 19 mm Mixture @ 64.85 per ton
(11) 25 mm Mixture @ 64.85 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 64.85 per ton
(13) 9.5 mm Mixture @ 64.85 per ton
(14) 12.5 mm Mixture @ 64.85 per ton
(15) 19 mm Mixture @ 64.85 per ton
(16) 25 mm Mixture @ 64.85 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- | | |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>74.85</u> per ton |
| (18) 9.5 mm Mixture | @ <u>74.85</u> per ton |
| (19) 12.5 mm Mixture | @ <u>74.85</u> per ton |
| (20) 19 mm Mixture | @ <u>64.85</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- | | |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>64.85</u> per ton |
|----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.21 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

MATERIAL RESOURCES, INC.
1382 SAFE ENERGY DRIVE
PORT ALLEN, LA 70767
225/267-6464

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 4323 NORTH RIVER ROAD, PORT ALLEN, LA 70767 are as follows:

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

MATERIAL RESOURCES

(22) Bagged form: PM PLUS Manufactured by: INC.

Product Name

@ 340.00 per ton \$8.50/BAG 48 BAGS/PALLET

MATERIAL RESOURCES

(23) Bulk form: PM PLUS Manufactured by: INC.

Product Name

@ 92.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 92.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.18 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

PANDLE, INC.
2401 PETIT BOIS
PASCAGOULA, MS 39581
228/762-3300

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at PASCAGOULA, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 68.00 per ton
(3) 9.5mm Mixture @ 68.00 per ton
(4) 12.5 mm Mixture @ 68.00 per ton
(5) 19 mm Mixture @ 68.00 per ton
(6) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 68.00 per ton
(8) 9.5 mm Mixture @ 68.00 per ton
(9) 12.5 mm Mixture @ 68.00 per ton
(10) 19 mm Mixture @ 68.00 per ton
(11) 25 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(20) 19 mm Mixture @ 68.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.23 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

STANDARD CONSTRUCTION COMPANY, INC.
P.O. BOX 38289
GERMANTOWN, TN 38183
901/754-5181

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 1035 FRANK ROAD COLLIERVILLE, TN are as follows:

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture	@ <u>54.00</u> per ton
(4) 12.5 mm Mixture	@ <u>52.75</u> per ton
(5) 19 mm Mixture	@ <u>50.50</u> per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture	@ <u>54.00</u> per ton
(9) 12.5 mm Mixture	@ <u>52.75</u> per ton
(10) 19 mm Mixture	@ <u>50.50</u> per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture	@ <u>56.75</u> per ton
(14) 12.5 mm Mixture	@ <u>53.75</u> per ton
(15) 19 mm Mixture	@ <u>51.00</u> per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture	@ <u>71.50</u> per ton
(19) 12.5 mm Mixture	@ <u>68.75</u> per ton
(20) 19 mm Mixture	@ <u>61.75</u> per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt	@ <u>51.00</u> per ton
----------------------	------------------------

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.22 PER TON PER MILE, WITH 8.00 PER TON MINIMUM HAUL.

SUPERIOR ASPHALT
6000 I-55 SOUTH
JACKSON, MS 39272
601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BYRAM, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 54.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 54.00 per ton

(4) 12.5 mm Mixture @ 46.00 per ton

(5) 19 mm Mixture @ 42.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 52.00 per ton

(9) 12.5 mm Mixture @ 46.00 per ton

(10) 19 mm Mixture @ 45.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 54.00 per ton

(14) 12.5 mm Mixture @ 46.00 per ton

(15) 19 mm Mixture @ 44.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 60.00 per ton

(19) 12.5 mm Mixture @ 52.00 per ton

(20) 19 mm Mixture @ 49.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 47.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.20 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

SUPERIOR ASPHALT
6000 I-55 SOUTH
JACKSON, MS 39272
601/376-3000

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at HAZLEHURST, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 51.00 per ton Combined with
Limestone or Slag
907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 51.00 per ton
(4) 12.5 mm Mixture @ 43.00 per ton
(5) 19 mm Mixture @ 39.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 48.00 per ton
(9) 12.5 mm Mixture @ 43.00 per ton
(10) 19 mm Mixture @ 42.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 51.00 per ton
(14) 12.5 mm Mixture @ 43.00 per ton
(15) 19 mm Mixture @ 41.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

(18) 9.5 mm Mixture @ 57.00 per ton
(19) 12.5 mm Mixture @ 49.00 per ton
(20) 19 mm Mixture @ 46.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 45.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.20 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BYRAM, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 52.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 52.00 per ton
(4) 12.5 mm Mixture @ 49.00 per ton
(5) 19 mm Mixture @ 45.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 53.00 per ton
(9) 12.5 mm Mixture @ 50.00 per ton
(10) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 53.00 per ton
(14) 12.5 mm Mixture @ 50.00 per ton
(15) 19 mm Mixture @ 46.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 49.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at GEORGETOWN, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 54.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 54.00 per ton
(4) 12.5 mm Mixture @ 51.00 per ton
(5) 19 mm Mixture @ 46.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 54.00 per ton
(9) 12.5 mm Mixture @ 51.00 per ton
(10) 19 mm Mixture @ 47.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 55.00 per ton
(14) 12.5 mm Mixture @ 52.00 per ton
(15) 19 mm Mixture @ 47.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 49.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MORTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 61.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 61.00 per ton

(4) 12.5 mm Mixture @ 58.00 per ton

(5) 19 mm Mixture @ 53.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 62.00 per ton

(9) 12.5 mm Mixture @ 59.00 per ton

(10) 19 mm Mixture @ 54.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 62.00 per ton

(14) 12.5 mm Mixture @ 59.00 per ton

(15) 19 mm Mixture @ 54.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 57.00 per ton

404-A PRE-APPROVED COMMERCIAL COLD BITUMINOUS MIXTURES

(23) Bulk form: QPR Manufactured by: QPR
Product Name
@ 135.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at MOUNT OLIVE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 59.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(3) 9.5mm Mixture @ 59.00 per ton
(4) 12.5 mm Mixture @ 55.00 per ton
(5) 19 mm Mixture @ 52.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 59.00 per ton
(10) 19 mm Mixture @ 53.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 59.00 per ton
(14) 12.5 mm Mixture @ 55.00 per ton
(15) 19 mm Mixture @ 53.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 54.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.30 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

W.E. BLAIN & SONS, INC.
P.O. BOX 1208
MOUNT OLIVE, MS 39119
601/797-4551

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at WASHINGTON, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 67.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 72.00 per ton
(3) 9.5mm Mixture @ 67.00 per ton
(4) 12.5 mm Mixture @ 65.00 per ton
(5) 19 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(8) 9.5 mm Mixture @ 69.00 per ton
(9) 12.5 mm Mixture @ 66.00 per ton

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

(21) Hot Mix Asphalt @ 65.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.23 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WG CONSTRUCTION COMPANY, INC.
12051 HIGHWAY 4 EAST
RIPLEY, MS 38663
662/837-8811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at BOONEVILLE, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 69.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 73.00 per ton

(3) 9.5mm Mixture @ 69.00 per ton

(5) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, MF:

(7) 4.75 mm Mixture @ 73.00 per ton

(8) 9.5 mm Mixture @ 69.00 per ton

(10) 19 mm Mixture @ 68.00 per ton

907-403-A HOT MIX ASPHALT, HT:

(13) 9.5 mm Mixture @ 69.00 per ton

(15) 19 mm Mixture @ 68.00 per ton

404-A MDOT STANDARD COLD BITUMINOUS MIXTURE

(24) Gradation Type D @ 120.00 per ton

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

(28) Cold Mix Asphalt @ 120.00 per ton

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
.25 PER TON PER MILE, WITH 4.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
P.O. BOX 2545
GULFPORT, MS 39505
228/896-8003

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 11211 REICHDOLD ROAD GULFPORT, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 68.00 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 73.75 per ton
(3) 9.5mm Mixture @ 66.25 per ton
(4) 12.5 mm Mixture @ 60.75 per ton
(5) 19 mm Mixture @ 57.00 per ton
(6) 25 mm Mixture @ 57.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 74.25 per ton
(8) 9.5 mm Mixture @ 66.75 per ton
(9) 12.5 mm Mixture @ 61.25 per ton
(10) 19 mm Mixture @ 57.50 per ton
(11) 25 mm Mixture @ 57.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 74.75 per ton
(13) 9.5 mm Mixture @ 67.25 per ton
(14) 12.5 mm Mixture @ 61.75 per ton
(15) 19 mm Mixture @ 58.00 per ton
(16) 25 mm Mixture @ 58.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- | | |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>83.00</u> per ton |
| (18) 9.5 mm Mixture | @ <u>76.50</u> per ton |
| (19) 12.5 mm Mixture | @ <u>75.75</u> per ton |
| (20) 19 mm Mixture | @ <u>63.25</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- | | |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>65.00</u> per ton |
|----------------------|------------------------|

CONTRACTOR'S COLD BITUMINOUS MIXTURE SPECIFICATIONS

- | | |
|-----------------------|------------------------|
| (28) Cold Mix Asphalt | @ <u>95.00</u> per ton |
|-----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR 0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

WARREN PAVING, INC.
P.O. BOX 572
HATTIESBURG, MS 39403
601/544-7811

HOT AND COLD BITUMINOUS ASPHALT MIXTURES
PERIOD JULY 1, 2016 THROUGH DECEMBER 31, 2016

Our price for material produced in accordance with Mississippi Department of Transportation Specifications F.O.B. Department of Transportation Trucks at our plant located at 562 ELK LAKES ROAD, HATTIESBURG, MS are as follows:

HOT BITUMINOUS PAVEMENT SURFACE COURSE GRADATION SC-1:

(1) Type 8, Crushed Gravel, or @ 62.50 per ton Combined with
Limestone or Slag

907-403-A HOT MIX ASPHALT, ST:

(2) 4.75 mm Mixture @ 72.00 per ton
(3) 9.5mm Mixture @ 64.00 per ton
(4) 12.5 mm Mixture @ 62.50 per ton
(5) 19 mm Mixture @ 60.00 per ton
(6) 25 mm Mixture @ 60.00 per ton

907-403-A HOT MIX ASPHALT, MT:

(7) 4.75 mm Mixture @ 72.50 per ton
(8) 9.5 mm Mixture @ 64.50 per ton
(9) 12.5 mm Mixture @ 63.00 per ton
(10) 19 mm Mixture @ 60.50 per ton
(11) 25 mm Mixture @ 60.50 per ton

907-403-A HOT MIX ASPHALT, HT:

(12) 4.75 mm Mixture @ 73.00 per ton
(13) 9.5 mm Mixture @ 65.00 per ton
(14) 12.5 mm Mixture @ 63.50 per ton
(15) 19 mm Mixture @ 61.00 per ton
(16) 25 mm Mixture @ 61.00 per ton

907-403-A HOT MIX ASPHALT, HT, POLYMER MODIFIED (PG 76-22):

- | | |
|----------------------|------------------------|
| (17) 4.75 mm Mixture | @ <u>82.50</u> per ton |
| (18) 9.5 mm Mixture | @ <u>74.00</u> per ton |
| (19) 12.5 mm Mixture | @ <u>72.50</u> per ton |
| (20) 19 mm Mixture | @ <u>70.00</u> per ton |

CONTRACTORS HOT MIX ASPHALT SPECIFICATIONS

- | | |
|----------------------|------------------------|
| (21) Hot Mix Asphalt | @ <u>61.25</u> per ton |
|----------------------|------------------------|

CONTRACTOR WILL DELIVER ASPHALT MIXTURES TO ANY POINT IN THE STATE FOR
0.25 PER TON PER MILE, WITH 5.00 PER TON MINIMUM HAUL.

