


2 Supports

Flat brackets




Package of 2.
Black. Mounting hardware
(wood screws) included.
Grade 11 steel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Set of 2	VAFB-2	4 x 3 x 1/16	102 x 43 x 2	25

Specification notes

- Allow the mounting of a D- or P-shape and extension work surfaces to other work surfaces.

Applications




Layout configuration:

Surface: D-shape surface
VUD

Width: 60" (1524 mm) to 72" (1829 mm)

Support: 1 set of flat brackets
VAFB-2

Table post




Package of 1.
Black. Mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single round post	VATL-1	3 x 3 x 28	89 x 89 x 711	152

Specification notes

- Glide provides 1 1/2" (38 mm) height adjustment.
- 2 1/4" (57 mm) diameter post.
- 6" (152 mm) centered square plate.

Applications




Layout configuration:

Surface: All D-shape, P-shape surfaces
VUD-VUDE-VUP-VUEA-VUER-VULA

Width: 50" (1270 mm) to 72" (1829 mm)

Support: 1 table post

Table post




Package of 1.
Metallic silver. Mounting
hardware (wood screws)
included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single round post	VLGC-VTL1	2 x 2 x 28	51 x 51 x 713	152

Specification notes

- Glide provides 1 1/4" (32 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.
- Centered 5 1/4" (130 mm) square flat bracket.

Applications




Layout configuration:

Surface: All D-shape, P-shape and double extension surfaces
VUD-VUDE-VUP-VUEA-VUER-VUCA

Width: 50" (1270 mm) to 72" (1829 mm)

Support: 1 table post

Table post




Package of 1.
Metallic silver. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Square post	VLGC-QL1	2 1/2 x 2 1/2 x 28	64 x 64 x 713	151

Specification notes

- Glide provides 1 1/4" (32 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.
- Centered 5 1/4" (130 mm) square flat bracket.

Applications



Layout configuration:

Surface: All rectangular link surfaces
VUR-VURE-VURT-VULA-VUA-VUAC-VURC-VUEA-VUER

Support: 2 table posts for rectangular surfaces

Adjustable table post




Package of 1.
Charcoal. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Adjustable round post	VAAL-1	2 1/4 x 2 1/4 x 27-31	57 x 57 x 686-787	126

Specification notes

- 4" (102 mm) glide adjustment range allows work surface heights from 27" (686 mm) to 31" (787 mm).
- 2 1/4" (57 mm) diameter post.
- 6" (152 mm) round diameter top plate.

Applications




Layout configuration:

Surface: All D-shape and P-shape surfaces
VUD-VUDE-VUP-VUE-VULA

Width: 50" (1270 mm) to 72" (1829 mm)

Support: 1 table post

Table post




Package of 1.
Metallic silver.
Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Square pedestal	VLGC-SB17	17 x 17 x 28	432 x 432 x 711	572

Specification notes

- Glides provide 1/8" (3 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.

Applications




Layout configuration:

Surface: All rectangular and trapezoidal conference end surfaces as well as asymmetrical surfaces.
VURC-VUAC-VUA

2 Supports

Open frame legs




Package of 1.
Metallic silver.
Mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Leg for 24" (610 mm) surface	VLGC-LP24	23 1/2 x 2 x 28	597 x 52 x 713	406
Leg for 30" (762 mm) surface	VLGC-LP30	29 1/2 x 2 x 28	747 x 52 x 713	432

Specification notes

- Glides provide 1 1/2" (38 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.


Applications




Layout configuration:

Surface: All rectangular and trapezoidal conference end surfaces as well as asymmetrical surfaces.
VURC-VUAC-VUA

Panel-mounted open frame legs



Left installation



Right installation


Package of 1.
Metallic silver.
Support and
mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Leg for 24" (610 mm) surface				
Left installation	VLGC-LP24PL	23 1/2 x 2 x 28	597 x 52 x 713	484
Right installation	VLGC-LP24PR	23 1/2 x 2 x 28	597 x 52 x 713	484
Leg for 30" (762 mm) surface				
Left installation	VLGC-LP30PL	29 1/2 x 2 x 28	747 x 52 x 713	510
Right installation	VLGC-LP30PR	29 1/2 x 2 x 28	747 x 52 x 713	510

Specification notes

- To be used where an additional work surface support is needed to replace a standard cantilever.
- Glides provide 2" (51 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.


Applications



Layout configuration:

Surface: All rectangular, transitional rectangular, and asymmetrical surfaces.
VUR-VURC- VUA

End support panels



Single end panel, 2 flat brackets, glides and mounting hardware (wood screws) included.

No grommet.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Surface depth: 20" (508 mm)	VUSE-20	1 x 20 x 28	25 X 508 X 713	265
Surface depth: 24" (610 mm)	VUSE-24	1 x 24 x 28	25 x 610 x 698	281
Surface depth: 30" (762 mm)	VUSE-30	1 x 30 x 28	25 x 762 x 698	314


Specification notes

- Use where extra work surface support is needed to replace a standard cantilever bracket.
- Universal flat bracket allows for left, right and centre installation.
- Glides provide 1 1/2" (38 mm) height adjustment.
- A reversible end panel cannot replace a return panel.

Sample order

VU	SE-	24-	1	N,	G-ACA
Product code	Support type	Depth	Finish code	No grommet	Color code

Applications




Layout configuration:

Surface: For any end panel

Width: 20" (508 mm) to 30" (762 mm)

Support: 1 support panel

Mid-support panel



Support panel, flat bracket, glides and mounting hardware (wood screws) included.

Cut-out for wire access.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VUSE-11	1 X 10 3/4 X 28	25 X 272 X 713	172

Specification notes


- Use where extra work surface support is needed to replace a standard cantilever bracket.
- Universal flat plate allows for left, centre or right installation.
- Glide provides 1 1/2" (38 mm) height adjustment.
- A single end panel cannot replace a return panel.

Sample order

VU	SE-	11-	1	N,	G-ACA
Product code	Support type	Laminate	No grommet	Color code	

2 Supports


Wall tracks



Package of 2 wall tracks.
Mounting hardware included.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
60" (1524 mm) high	VBT-60	5/8 x 3/4 x 60	16 x 19 x 1524	126
84" (2134 mm) high	VBT-84	5/8 x 3/4 x 84	16 x 19 x 2134	189
Specification notes		Trim/metal colors	Sample order	
Use to attach panel components to structural walls. See pages 33 to 42.		TR-E Smoke	VBT- 60, TR-K Product code Trim/ Height metal color	
		TR-G Grey tone		
		TR-K Charcoal		
		TR-R Beige		
		TR-LE Metallic silver		


Work surface reinforcement bars



Package of 1.
Black metal. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Surface length of 48" (1219 mm)	VLGC-BAR43	43 x 1 1/2 x 1 1/2	1092 x 38 x 38	134
Surface length of 54" (1372 mm)	VLGC-BAR49	49 x 1 1/2 x 1 1/2	1245 x 38 x 38	146
Specification notes	Applications			
- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See pages 73, 79 and 93. - Work surface reinforcement bar is not intended to replace cantilevers or other work surface support options.				

Overhead full height shelves



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, anti-dislodgment clips and mounting hardware included. Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal shelf	VSS-1424	24 x 13 3/4 x 13 3/4	610 x 350 x 337	149
	VSS-1430	30 x 13 3/4 x 13 3/4	762 x 350 x 337	155
	VSS-1436	36 x 13 3/4 x 13 3/4	914 x 350 x 337	161
	VSS-1442	42 x 13 3/4 x 13 3/4	1067 x 350 x 337	168
	VSS-1448	48 x 13 3/4 x 13 3/4	1219 x 350 x 337	174
	VSS-1454	54 x 13 3/4 x 13 3/4	1372 x 350 x 337	181
	VSS-1460	60 x 13 3/4 x 13 3/4	1524 x 350 x 337	188

Specification notes

- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).


Trim/metal colors

Sample order

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

VSS- 14 30, TR-K
 | |
 Product code Width
 Height Trim/
 metal color

Overhead low height shelves



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, anti-dislodgment clips and mounting hardware included. Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal shelf	VSS-0824	24 x 13 3/4 x 8	610 x 350 x 203	139
	VSS-0830	30 x 13 3/4 x 8	762 x 350 x 203	145
	VSS-0836	36 x 13 3/4 x 8	914 x 350 x 203	151
	VSS-0842	42 x 13 3/4 x 8	1067 x 350 x 203	157
	VSS-0848	48 x 13 3/4 x 8	1219 x 350 x 203	162
	VSS-0854	54 x 13 3/4 x 8	1372 x 350 x 203	170
	VSS-0860	60 x 13 3/4 x 8	1524 x 350 x 203	177

Specification notes

- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors


Sample order

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

VSS- 08 30, TR-K
 | |
 Product code Width
 Height Trim/
 metal color

3 Shelves and overhead storage units

Overhead storage cabinets with flipper door (standard hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock, anti-dislodgment clips with black lock and hardware included.

Hinges come installed on door.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSO-1624	24 x 14 1/2 x 15 3/4	610 x 368 x 400	338
	VSO-1630	30 x 14 1/2 x 15 3/4	762 x 368 x 400	356
	VSO-1636	36 x 14 1/2 x 15 3/4	914 x 368 x 400	373
	VSO-1642	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	392
	VSO-1648	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	412
	VSO-1654	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	434
Metal cabinet/laminate flipper door	VSO-1660	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	454
	VSO-1624-L	24 x 14 1/2 x 15 3/4	610 x 368 x 400	459
	VSO-1630-L	30 x 14 1/2 x 15 3/4	762 x 368 x 400	482
	VSO-1636-L	36 x 14 1/2 x 15 3/4	914 x 368 x 400	504
	VSO-1642-L	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	530
	VSO-1648-L	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	557
	VSO-1654-L	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	584
	VSO-1660-L	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	615

Specification notes

- Mount onto the panel side rail or onto the first upholstered stackable panel.
- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Door stows on top of unit.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSO- 16 30, TR-K Product code Height Width Trim/metal color	► For a laminate door, specify as follows and complete with laminate finish code: VSO-1630-L, TR-K, G-ACA

Overhead storage cabinets with flipper door (soft-close hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock, anti-dislodgment clips and hardware included.

Soft-close hinges come installed on door.


Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSO-1624-S	24 x 14 1/2 x 15 3/4	610 x 368 x 400	549
with soft-close hinges	VSO-1630-S	30 x 14 1/2 x 15 3/4	762 x 368 x 400	567
	VSO-1636-S	36 x 14 1/2 x 15 3/4	914 x 368 x 400	584
	VSO-1642-S	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	603
	VSO-1648-S	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	623
	VSO-1654-S	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	644
	VSO-1660-S	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	665
Metal cabinet/laminate flipper door	VSO-1624-LS	24 x 14 1/2 x 15 3/4	610 x 368 x 400	668
with soft-close hinges	VSO-1630-LS	30 x 14 1/2 x 15 3/4	762 x 368 x 400	693
	VSO-1636-LS	36 x 14 1/2 x 15 3/4	914 x 368 x 400	716
	VSO-1642-LS	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	740
	VSO-1648-LS	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	768
	VSO-1654-LS	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	795
	VSO-1660-LS	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	825


Specification notes

- ▶ Mount onto the panel side rail or onto the first upholstered stackable panel.
- ▶ Door stows on top of unit.
- ▶ Field assembly required.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSO- 16 24- S, TR-K Product code Width Trim/metal color Height Soft-close hinges	▶ For a laminate door, specify as follows and complete with laminate finish code: VSO-1624-LS, TR-K, G-ACA



Up-mounted storage cabinets with flipper door (standard hinges)



Metal. Shelf, full back, end supports, top, sides, door with black lock and hardware are included.

Hinges come installed on door.


Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSM-1624	24 x 14 1/2 x 15 3/4	610 x 368 x 400	701
	VSM-1630	30 x 14 1/2 x 15 3/4	762 x 368 x 400	725
	VSM-1636	36 x 14 1/2 x 15 3/4	914 x 368 x 400	755
	VSM-1642	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	785
	VSM-1648	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	816
Metal cabinet/laminate flipper door	VSM-1624-L	24 x 14 1/2 x 15 3/4	610 x 368 x 400	821
	VSM-1630-L	30 x 14 1/2 x 15 3/4	762 x 368 x 400	849
	VSM-1636-L	36 x 14 1/2 x 15 3/4	914 x 368 x 400	883
	VSM-1642-L	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	918
	VSM-1648-L	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	955

Specification notes


- ▶ May not be installed on a stackable panel.
- ▶ Door stows on top of unit.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSM- 16 24, TR-K Product code Width Trim/metal color Height	▶ For a laminate door, specify as follows and complete with laminate finish code: VSM-1630-L, TR-K, G-ACA



3 Shelves and overhead storage units

Up-mounted storage cabinets with flipper door (soft-close hinges)



Metal. Shelf, full back, end supports, top, sides, door with black lock and hardware are included.

Soft-close hinges come installed on door.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSM-1624-S	24 x 14 1/2 x 15 3/4	610 x 368 x 400	912
with soft-close hinges	VSM-1630-S	30 x 14 1/2 x 15 3/4	762 x 368 x 400	936
	VSM-1636-S	36 x 14 1/2 x 15 3/4	914 x 368 x 400	966
	VSM-1642-S	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	995
	VSM-1648-S	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	1,028
Metal cabinet/laminate flipper door	VSM-1624-LS	24 x 14 1/2 x 15 3/4	610 x 368 x 400	1,031
with soft-close hinges	VSM-1630-LS	30 x 14 1/2 x 15 3/4	762 x 368 x 400	1,059
	VSM-1636-LS	36 x 14 1/2 x 15 3/4	914 x 368 x 400	1,094
	VSM-1642-LS	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	1,128
	VSM-1648-LS	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	1,165

Specification notes

- May not be installed on a stackable panel.
- Require field assembly of door and end supports.
- Door stows on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSM- 16 24- S, TR-K Product code Width Height Soft-close hinges Trim/metal color	For a laminate door, specify as follows and complete with laminate finish code: VSM-1630-LS, TR-K, G-ACA

Wall-mounted storage cabinets with flipper door (standard hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock and mounting hardware are included.

Hinges come installed on door.

Anchors are **not** included.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSW-1624	24 x 14 1/2 x 15 3/4	610 x 368 x 400	390
	VSW-1630	30 x 14 1/2 x 15 3/4	762 x 368 x 400	410
	VSW-1636	36 x 14 1/2 x 15 3/4	914 x 368 x 400	430
	VSW-1642	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	452
	VSW-1648	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	474
	VSW-1654	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	498
	VSW-1660	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	521
Metal cabinet/laminate flipper door	VSW-1624-L	24 x 14 1/2 x 15 3/4	610 x 368 x 400	525
	VSW-1630-L	30 x 14 1/2 x 15 3/4	762 x 368 x 400	532
	VSW-1636-L	36 x 14 1/2 x 15 3/4	914 x 368 x 400	575
	VSW-1642-L	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	586
	VSW-1648-L	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	614
	VSW-1654-L	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	649
	VSW-1660-L	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	682

Specification notes

- Field assembly required.
- Must be properly anchored to a structural wall.
- Door stows on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).
- Optional non-structural back is available for aesthetic purposes (see page 85).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSW- 16 24, TR-K Product code Width Height Trim/metal color	For a laminate door, specify as follows and complete with laminate finish code: VSW-1630-L, TR-K, G-ACA

Wall-mounted storage cabinets (soft-close hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock, and mounting hardware are included.

Soft-close hinges come installed on door.

Anchors are **not** included. Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSW-1624-S	24 x 14 1/2 x 15 3/4	610 x 368 x 400	601
with soft-close hinges	VSW-1630-S	30 x 14 1/2 x 15 3/4	762 x 368 x 400	621
	VSW-1636-S	36 x 14 1/2 x 15 3/4	914 x 368 x 400	641
	VSW-1642-S	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	662
	VSW-1648-S	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	684
	VSW-1654-S	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	708
	VSW-1660-S	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	720
Metal cabinet/ laminate flipper door	VSW-1624-LS	24 x 14 1/2 x 15 3/4	610 x 368 x 400	735
with soft-close hinges	VSW-1630-LS	30 x 14 1/2 x 15 3/4	762 x 368 x 400	743
	VSW-1636-LS	36 x 14 1/2 x 15 3/4	914 x 368 x 400	769
	VSW-1642-LS	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	796
	VSW-1648-LS	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	824
	VSW-1654-LS	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	860
	VSW-1660-LS	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	893

Specification notes

- Field assembly required.
- Must be properly anchored to a structural wall.
- Door stows on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).
- Optional non-structural back is available for aesthetic purposes (see page 85).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSW- 16 24- S, TR-K Product code Width Soft-close hinges Trim/metal color Height	For a laminate door, specify as follows and complete with laminate finish code: VSW-1630-LS, TR-K, G-ACA

Back for wall-mounted storage cabinets



Metal painted back and mounting hardware are included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal back for	VSWB-1624-P	23 3/4 x 3/4 x 15 1/4	608 x 19 x 390	139
wall-mounted overhead	VSWB-1630-P	29 3/4 x 3/4 x 15 1/4	756 x 19 x 390	149
	VSWB-1636-P	35 3/4 x 3/4 x 15 1/4	908 x 19 x 390	161
	VSWB-1642-P	41 3/4 x 3/4 x 15 1/4	1060 x 19 x 390	171
	VSWB-1648-P	47 3/4 x 3/4 x 15 1/4	1213 x 19 x 390	181
	VSWB-1654-P	53 3/4 x 3/4 x 15 1/4	1365 x 19 x 390	193
	VSWB-1660-P	59 3/4 x 3/4 x 15 1/4	1518 x 19 x 390	203


Specification notes

- Used to cover wall-mount attachment brackets.
- For use on wall-mounted storage units only (VSW).
- Back must match width of wall-mounted storage units.
- Field assembly required.


Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSWB- 16 24- P, TR-K Product code Width Metal paint Trim/metal color Height

3 Shelves and overhead storage units

Open laminate overhead storage units



Single storage unit



Double storage unit

Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single	VEO-1624	24 x 13 3/4 x 15 3/4	610 x 350 x 400	780
	VEO-1630	30 x 13 3/4 x 15 3/4	762 x 350 x 400	816
	VEO-1636	36 x 13 3/4 x 15 3/4	914 x 350 x 400	837
	VEO-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	853
Double	VEO-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	957
	VEO-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	978
	VEO-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	988
	VEO-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	1,014
	VEO-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,040

Specification notes


- ▶ Mount onto the panel side rails. May not be installed on a stackable panel.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Field assembly required.

Sample order

VEO- 16 24, G-ACA

Product code | Height | Width | Color code

Open laminate overhead storage units with sliding door



Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Double	VEOS-1636	36 x 14 1/2 x 15 3/4	914 x 369 x 400	1,097
	VEOS-1642	42 x 14 1/2 x 15 3/4	1067 x 369 x 400	1,113
	VEOS-1648	48 x 14 1/2 x 15 3/4	1219 x 369 x 400	1,316
	VEOS-1654	54 x 14 1/2 x 15 3/4	1372 x 369 x 400	1,357
	VEOS-1660	60 x 14 1/2 x 15 3/4	1524 x 369 x 400	1,383
	VEOS-1666	66 x 14 1/2 x 15 3/4	1676 x 369 x 400	1,414
	VEOS-1672	72 x 14 1/2 x 15 3/4	1829 x 369 x 400	1,446

Specification notes


- ▶ Mount onto the panel side rails. May not be installed on a stackable panel.
- ▶ Sliding door has no lock and covers half of storage unit.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Field assembly required.

Sample order

VEOS- 16 36, G-ACA, G-ACA

Product code | Height | Width | Color code | Face color code

Open laminate overhead storage units with whiteboard sliding door



Mounting hardware included.
Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Double	VEOSW-1636	36 x 14 ½ x 15 ¾	914 x 369 x 400	1,326
	VEOSW-1642	42 x 14 ½ x 15 ¾	1067 x 369 x 400	1,362
	VEOSW-1648	48 x 14 ½ x 15 ¾	1219 x 369 x 400	1,508
	VEOSW-1654	54 x 14 ½ x 15 ¾	1372 x 369 x 400	1,570
	VEOSW-1660	60 x 14 ½ x 15 ¾	1524 x 369 x 400	1,612
	VEOSW-1666	66 x 14 ½ x 15 ¾	1676 x 369 x 400	1,669
	VEOSW-1672	72 x 14 ½ x 15 ¾	1829 x 369 x 400	1,732

Specification notes

- ▶ Mount onto the panel side rails. May not be installed on a stackable panel.
- ▶ Sliding door has no lock and covers half of storage unit.
- ▶ Non-magnetic whiteboard.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Field assembly required.


Sample order

VEOSW- 16 36, G-ACA


Product code Height Width Color code

3 Shelves and overhead storage units


Open laminate center-mounted storage units



Single storage unit



Double storage unit



Shared storage unit

Mounting hardware included.
Specify support and laminate
color codes.



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 8" (203 mm)				
Single	VEP-0824	24 x 13 3/4 x 8	610 x 350 x 203	572
	VEP-0830	30 x 13 3/4 x 8	762 x 350 x 203	588
	VEP-0836	36 x 13 3/4 x 8	914 x 350 x 203	603
	VEP-0842	42 x 13 3/4 x 8	1067 x 350 x 203	619
Double	VEP-0848	48 x 13 3/4 x 8	1219 x 350 x 203	712
	VEP-0854	54 x 13 3/4 x 8	1372 x 350 x 203	738
	VEP-0860	60 x 13 3/4 x 8	1524 x 350 x 203	749
	VEP-0866	66 x 13 3/4 x 8	1676 x 350 x 203	780
Shared	VEP-0872	72 x 13 3/4 x 8	1829 x 350 x 203	801
	VDEP-0842	42 x 13 3/4 x 8	1067 x 350 x 203	770
	VDEP-0848	48 x 13 3/4 x 8	1219 x 350 x 203	744
	VDEP-0854	54 x 13 3/4 x 8	1372 x 350 x 203	764
Double	VDEP-0860	60 x 13 3/4 x 8	1524 x 350 x 203	780
	VDEP-0866	66 x 13 3/4 x 8	1676 x 350 x 203	816
	VDEP-0872	72 x 13 3/4 x 8	1829 x 350 x 203	832
Height 14" (356 mm)				
Single	VEP-1424	24 x 13 3/4 x 14	610 x 350 x 356	598
	VEP-1430	30 x 13 3/4 x 14	762 x 350 x 356	608
	VEP-1436	36 x 13 3/4 x 14	914 x 350 x 356	629
	VEP-1442	42 x 13 3/4 x 14	1067 x 350 x 356	645
Double	VEP-1448	48 x 13 3/4 x 14	1219 x 350 x 356	754
	VEP-1454	54 x 13 3/4 x 14	1372 x 350 x 356	780
	VEP-1460	60 x 13 3/4 x 14	1524 x 350 x 356	790
	VEP-1466	66 x 13 3/4 x 14	1676 x 350 x 356	827
Shared	VEP-1472	72 x 13 3/4 x 14	1829 x 350 x 356	842
	VDEP-1442	42 x 13 3/4 x 14	1067 x 350 x 356	811
	VDEP-1448	48 x 13 3/4 x 14	1219 x 350 x 356	780
	VDEP-1454	54 x 13 3/4 x 14	1372 x 350 x 356	801
Double	VDEP-1460	60 x 13 3/4 x 14	1524 x 350 x 356	822
	VDEP-1466	66 x 13 3/4 x 14	1676 x 350 x 356	858
	VDEP-1472	72 x 13 3/4 x 14	1829 x 350 x 356	879
Height 16" (400 mm)				
Single	VEP-1624	24 x 13 3/4 x 15 3/4	610 x 350 x 400	603
	VEP-1630	30 x 13 3/4 x 15 3/4	762 x 350 x 400	619
	VEP-1636	36 x 13 3/4 x 15 3/4	914 x 350 x 400	640
	VEP-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	655
Double	VEP-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	764
	VEP-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	790
	VEP-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	806
	VEP-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	837
Shared	VEP-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	858
	VDEP-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	822
	VDEP-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	796
	VDEP-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	816
Double	VDEP-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	837
	VDEP-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	874
	VDEP-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	889

Specification notes



- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors	Sample order
TR-K Charcoal	VEP- 08 24- TR-K G-ACA
TR-R Beige	
TR-LE Metallic silver	
	Product code Bracket color Color code
	Height Width


Open laminate center-mounted storage units with whiteboard on back



Single storage unit



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 8" (203 mm)				
Single	VEPW-0824	24 x 13 3/4 x 8	610 x 350 x 203	629
	VEPW-0830	30 x 13 3/4 x 8	762 x 350 x 203	650
	VEPW-0836	36 x 13 3/4 x 8	914 x 350 x 203	676
	VEPW-0842	42 x 13 3/4 x 8	1067 x 350 x 203	697
Double	VEPW-0848	48 x 13 3/4 x 8	1219 x 350 x 203	806
	VEPW-0854	54 x 13 3/4 x 8	1372 x 350 x 203	837
	VEPW-0860	60 x 13 3/4 x 8	1524 x 350 x 203	858
	VEPW-0866	66 x 13 3/4 x 8	1676 x 350 x 203	894
	VEPW-0872	72 x 13 3/4 x 8	1829 x 350 x 203	920
	VDEPW-0842	42 x 13 3/4 x 8	1067 x 350 x 203	874
Shared	VDEPW-0848	48 x 13 3/4 x 8	1219 x 350 x 203	837
	VDEPW-0854	54 x 13 3/4 x 8	1372 x 350 x 203	842
	VDEPW-0860	60 x 13 3/4 x 8	1524 x 350 x 203	858
	VDEPW-0866	66 x 13 3/4 x 8	1676 x 350 x 203	900
	VDEPW-0872	72 x 13 3/4 x 8	1829 x 350 x 203	910
	VDEPW-0872	72 x 13 3/4 x 8	1829 x 350 x 203	910
Height 14" (356 mm)				
Single	VEPW-1424	24 x 13 3/4 x 14	610 x 350 x 356	671
	VEPW-1430	30 x 13 3/4 x 14	762 x 350 x 356	702
	VEPW-1436	36 x 13 3/4 x 14	914 x 350 x 356	733
	VEPW-1442	42 x 13 3/4 x 14	1067 x 350 x 356	759
Double	VEPW-1448	48 x 13 3/4 x 14	1219 x 350 x 356	884
	VEPW-1454	54 x 13 3/4 x 14	1372 x 350 x 356	931
	VEPW-1460	60 x 13 3/4 x 14	1524 x 350 x 356	952
	VEPW-1466	66 x 13 3/4 x 14	1676 x 350 x 356	1,004
	VEPW-1472	72 x 13 3/4 x 14	1829 x 350 x 356	1,040
	VDEPW-1442	42 x 13 3/4 x 14	1067 x 350 x 356	936
Shared	VDEPW-1448	48 x 13 3/4 x 14	1219 x 350 x 356	910
	VDEPW-1454	54 x 13 3/4 x 14	1372 x 350 x 356	957
	VDEPW-1460	60 x 13 3/4 x 14	1524 x 350 x 356	988
	VDEPW-1466	66 x 13 3/4 x 14	1676 x 350 x 356	1,035
	VDEPW-1472	72 x 13 3/4 x 14	1829 x 350 x 356	1,066
	VDEPW-1472	72 x 13 3/4 x 14	1829 x 350 x 356	1,066
Height 16" (400 mm)				
Single	VEPW-1624	24 x 13 3/4 x 15 3/4	610 x 350 x 400	686
	VEPW-1630	30 x 13 3/4 x 15 3/4	762 x 350 x 400	718
	VEPW-1636	36 x 13 3/4 x 15 3/4	914 x 350 x 400	754
	VEPW-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	785
Double	VEPW-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	915
	VEPW-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	962
	VEPW-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	988
	VEPW-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	1,040
	VEPW-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,082
	VDEPW-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	962
Shared	VDEPW-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	941
	VDEPW-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	988
	VDEPW-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	1,024
	VDEPW-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	1,066
	VDEPW-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,102
	VDEPW-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,102

Specification notes

- ▶ Non-magnetic whiteboard.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ For more details on the finish elements to use, see page 7.
- ▶ Field assembly required.

Metal bracket colors


TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPW- 08 24- TR-K G-ACA
 | Product code | Height | Width | Bracket color | Color code

3 Shelves and overhead storage units

Laminate center-mounted storage units with flipper door (standard hinges)



Mounting hardware included.
Hinges come installed on door.
Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VEPP-1624	24 x 14 ½ x 16 ¼	610 x 368 x 413	788
	VEPP-1630	30 x 14 ½ x 16 ¼	762 x 368 x 413	815
	VEPP-1636	36 x 14 ½ x 16 ¼	914 x 368 x 413	838
	VEPP-1642	42 x 14 ½ x 16 ¼	1067 x 368 x 413	865
	VEPP-1648	48 x 14 ½ x 16 ¼	1219 x 368 x 413	981
	VEPP-1654	54 x 14 ½ x 16 ¼	1372 x 368 x 413	1,004
	VEPP-1660	60 x 14 ½ x 16 ¼	1524 x 368 x 413	1,025

Specification notes

- For more details on the finish elements to use, see page 7.
- When ordering TR-LE, the lock will automatically be silver.
- When ordering TR-K or TR-R, the lock will automatically be black.
- Accept specified tasklight (see page 116). Sold separately.
- Door stows on top of unit.
- Field assembly required.

Metal bracket colors


TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPP- 16 24, TR-K G-ACA, G-GAN

Product code Height Width Bracket color Color code Face color code

Laminate center-mounted storage units with flipper door (soft-close hinges)



Mounting hardware included.
Soft-close hinges come installed on door.
Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VEPP-1624-S	24 x 14 ½ x 16 ¼	610 x 368 x 413	920
	VEPP-1630-S	30 x 14 ½ x 16 ¼	762 x 368 x 413	948
	VEPP-1636-S	36 x 14 ½ x 16 ¼	914 x 368 x 413	970
	VEPP-1642-S	42 x 14 ½ x 16 ¼	1067 x 368 x 413	997
	VEPP-1648-S	48 x 14 ½ x 16 ¼	1219 x 368 x 413	1,114
	VEPP-1654-S	54 x 14 ½ x 16 ¼	1372 x 368 x 413	1,136
	VEPP-1660-S	60 x 14 ½ x 16 ¼	1524 x 368 x 413	1,158

Specification notes

- For more details on the finish elements to use, see page 7.
- When ordering TR-LE, the lock will automatically be silver.
- When ordering TR-K or TR-R, the lock will automatically be black.
- Accept specified tasklight (see page 116). Sold separately.
- Door stows on top of unit.
- Field assembly required.

Metal bracket colors


TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order


VEPP- 16 24- S, TR-K G-ACA, G-GAN

Product code Height Width Soft close Bracket color Color code Face color code

Open laminate center-mounted storage units with sliding door



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame and front of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 14" (356 mm)				
Double	VEPS-1436	36 x 14 1/2 x 14	914 x 369 x 356	983
	VEPS-1442	42 x 14 1/2 x 14	1067 x 369 x 356	998
	VEPS-1448	48 x 14 1/2 x 14	1219 x 369 x 356	1,113
	VEPS-1454	54 x 14 1/2 x 14	1372 x 369 x 356	1,144
	VEPS-1460	60 x 14 1/2 x 14	1524 x 369 x 356	1,160
	VEPS-1466	66 x 14 1/2 x 14	1676 x 369 x 356	1,206
	VEPS-1472	72 x 14 1/2 x 14	1829 x 369 x 356	1,227
Shared	VDEPS-1442	42 x 14 1/2 x 14	1067 x 369 x 356	1,576
	VDEPS-1448	48 x 14 1/2 x 14	1219 x 369 x 356	1,518
	VDEPS-1454	54 x 14 1/2 x 14	1372 x 369 x 356	1,555
	VDEPS-1460	60 x 14 1/2 x 14	1524 x 369 x 356	1,581
	VDEPS-1466	66 x 14 1/2 x 14	1676 x 369 x 356	1,654
	VDEPS-1472	72 x 14 1/2 x 14	1829 x 369 x 356	1,685
Height 16" (400 mm)				
Double	VEPS-1636	36 x 14 1/2 x 15 3/4	914 x 369 x 400	993
	VEPS-1642	42 x 14 1/2 x 15 3/4	1067 x 369 x 400	1,009
	VEPS-1648	48 x 14 1/2 x 15 3/4	1219 x 369 x 400	1,128
	VEPS-1654	54 x 14 1/2 x 15 3/4	1372 x 369 x 400	1,165
	VEPS-1660	60 x 14 1/2 x 15 3/4	1524 x 369 x 400	1,175
	VEPS-1666	66 x 14 1/2 x 15 3/4	1676 x 369 x 400	1,222
	VEPS-1672	72 x 14 1/2 x 15 3/4	1829 x 369 x 400	1,248
Shared	VDEPS-1642	42 x 14 1/2 x 15 3/4	1067 x 369 x 400	1,602
	VDEPS-1648	48 x 14 1/2 x 15 3/4	1219 x 369 x 400	1,544
	VDEPS-1654	54 x 14 1/2 x 15 3/4	1372 x 369 x 400	1,581
	VDEPS-1660	60 x 14 1/2 x 15 3/4	1524 x 369 x 400	1,612
	VDEPS-1666	66 x 14 1/2 x 15 3/4	1676 x 369 x 400	1,680
	VDEPS-1672	72 x 14 1/2 x 15 3/4	1829 x 369 x 400	1,716

Specification notes

- Only one sliding door, without a lock, is installed on double storage units.
- For a shared storage unit, the sliding doors, without a lock, are installed on either side.
- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver


Sample order

VEPS- 14 36- TR-K G-ACA, G-ACA
 | Product code | Height | Bracket color | Face color code
 | | | | Color code
 | | | |
 Width


3 Shelves and overhead storage units

Open laminate center-mounted storage units with whiteboard back and sliding door

Panels



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame of storage unit.

Work surfaces

Storage furniture

Accessories

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 14" (356 mm)				
Double	VEPSW-1436	36 x 14 ½ x 14	914 x 369 x 356	1,139
	VEPSW-1442	42 x 14 ½ x 14	1067 x 369 x 356	1,175
	VEPSW-1448	48 x 14 ½ x 14	1219 x 369 x 356	1,316
	VEPSW-1454	54 x 14 ½ x 14	1372 x 369 x 356	1,373
	VEPSW-1460	60 x 14 ½ x 14	1524 x 369 x 356	1,404
	VEPSW-1466	66 x 14 ½ x 14	1676 x 369 x 356	1,477
	VEPSW-1472	72 x 14 ½ x 14	1829 x 369 x 356	1,518
Shared	VDEPSW-1442	42 x 14 ½ x 14	1067 x 369 x 356	1,924
	VDEPSW-1448	48 x 14 ½ x 14	1219 x 369 x 356	1,882
	VDEPSW-1454	54 x 14 ½ x 14	1372 x 369 x 356	1,981
	VDEPSW-1460	60 x 14 ½ x 14	1524 x 369 x 356	2,054
	VDEPSW-1466	66 x 14 ½ x 14	1676 x 369 x 356	2,148
	VDEPSW-1472	72 x 14 ½ x 14	1829 x 369 x 356	2,220
Height 16" (400 mm)				
Double	VEPSW-1636	36 x 14 ½ x 15 ¾	914 x 369 x 400	1,170
	VEPSW-1642	42 x 14 ½ x 15 ¾	1067 x 369 x 400	1,206
	VEPSW-1648	48 x 14 ½ x 15 ¾	1219 x 369 x 400	1,352
	VEPSW-1654	54 x 14 ½ x 15 ¾	1372 x 369 x 400	1,414
	VEPSW-1660	60 x 14 ½ x 15 ¾	1524 x 369 x 400	1,451
	VEPSW-1666	66 x 14 ½ x 15 ¾	1676 x 369 x 400	1,524
	VEPSW-1672	72 x 14 ½ x 15 ¾	1829 x 369 x 400	1,576
Shared	VDEPSW-1642	42 x 14 ½ x 15 ¾	1067 x 369 x 400	1,986
	VDEPSW-1648	48 x 14 ½ x 15 ¾	1219 x 369 x 400	1,950
	VDEPSW-1654	54 x 14 ½ x 15 ¾	1372 x 369 x 400	2,064
	VDEPSW-1660	60 x 14 ½ x 15 ¾	1524 x 369 x 400	2,142
	VDEPSW-1666	66 x 14 ½ x 15 ¾	1676 x 369 x 400	2,236
	VDEPSW-1672	72 x 14 ½ x 15 ¾	1829 x 369 x 400	2,319

Specification notes

- ▶ Only one sliding door, without a lock, is installed on double storage units.
- ▶ For a shared unit, the sliding doors, without a lock, are installed on either side.
- ▶ Non-magnetic whiteboard.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ For more details on the finish elements to use, see page 7.
- ▶ Field assembly required.


Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPSW- 14 36- TR-K G-ACA
 Product code Height Width Bracket color Color code

Metal hanging pedestals



Hanging box/file

Metal. Goes under a work surface.
Shipped without top.
Standard with lock, black.
Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/file with recessed pull/metal front	VPS1-24-R	15 x 23 x 19	381 x 584 x 483	405
Box/file with full pull/metal front	VPS1-24-F	15 x 23 x 19	381 x 584 x 483	437
Box/file with full pull/laminate front	VPS1-24-L	15 x 23 x 19	381 x 584 x 483	553

Specification notes


- Accessories are not included (see pages 98 and 99).
- Position the hanging pedestals next to a panel bracket or end support panel.
- Hanging pedestals must be attached under a work surface equal or deeper than pedestal depth.
- Drawer interior is black.
- Full pulls on metal pedestals match case color.
- L pulls on laminate drawer fronts are black.
- Recessed pulls on metal pedestals are ABS plastic and are available in TR-E, TR-G, TR-K and TR-R only.
- Field assembly required for locks.

Trim/metal colors	Sample order	Drawer pulls
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPS 1- 24- F, TR-K Product code Drawer type Depth Type of pull Trim/metal color	 Full pull (-F) Recessed pull (-R)* Laminate drawer pull (-L)
*Pedestals with recessed pulls are not available in TR-LE Metallic silver.		


Laminate drawer front option

- For laminate drawer fronts, specify as follows and complete with laminate finish code: VPS1-24-L, TR-K, G-ACA

Metal fixed pedestals



Fixed box/box/file



Fixed file/file

Metal. Goes under a work surface.
Shipped without top.
Standard with lock, black.
Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file with recessed pull/metal front	VPF3-24-R	15 x 23 x 27 1/2	381 x 584 x 699	509
File/file with recessed pull/metal front	VPF2-24-R	15 x 23 x 27 1/2	381 x 584 x 699	452
Box/box/file with full pull/metal front	VPF3-24-F	15 x 23 x 27 1/2	381 x 584 x 699	549
File/file with full pull/metal front	VPF2-24-F	15 x 23 x 27 1/2	381 x 584 x 699	489
Box/box/file with full pull/laminate front	VPF3-24-L	15 x 23 x 27 1/2	381 x 584 x 699	696
File/file with full pull/laminate front	VPF2-24-L	15 x 23 x 27 1/2	381 x 584 x 699	622

Specification notes

- Accessories are not included (see pages 98 and 99).
- Position fixed pedestals next to a panel bracket or end support panel.
- 4 adjustable floor glides provide 1" (25 mm) of height adjustment.
- Fixed pedestals must be attached under a work surface equal or deeper than pedestal depth.
- Drawer interior is black.
- Full pulls on metal pedestals match case color.
- L pulls on laminate drawer fronts are black.
- Recessed pulls on metal pedestals are ABS plastic and are available in TR-E, TR-G, TR-K and TR-R only.
- Field assembly required for locks.

Trim/metal colors	Sample order	Drawer pulls
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPF 3- 24- F, TR-K Product code Drawer type Depth Type of pull Trim/metal color	 Full pull (-F) Recessed pull (-R)* Laminate drawer pull (-L)
*Pedestals with recessed pulls are not available in TR-LE Metallic silver.		

Laminate drawer front option

- For laminate drawer fronts, specify as follows and complete with laminate finish code: VPF3-24-L, TR-K, G-ACA

3 Metal storage units

Metal mobile pedestals



Mobile box/file



Mobile box/box/file



Mobile file/file

Metal. Fits under a work surface.
Standard with lock, black.
Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/box/file with recessed pull/metal front	VPM3-24-R	15 x 23 x 27 ½	381 x 584 x 699	590
File/file with recessed pull/metal front	VPM2-24-R	15 x 23 x 27 ½	381 x 584 x 699	525
Box/file with recessed pull/metal front	VPM1-24-R	15 x 23 x 21 ½	381 x 584 x 546	466
Box/box/file with full pull/metal front	VPM3-24-F	15 x 23 x 27 ½	381 x 584 x 699	630
File/file with full pull/metal front	VPM2-24-F	15 x 23 x 27 ½	381 x 584 x 699	562
Box/file with full pull/metal front	VPM1-24-F	15 x 23 x 21 ½	381 x 584 x 546	499
Box/box/file with full pull/laminate front	VPM3-24-L	15 x 23 x 27 ½	381 x 584 x 699	777
File/file with full pull/laminate front	VPM2-24-L	15 x 23 x 27 ½	381 x 584 x 699	695
Box/file with full pull/laminate front	VPM1-24-L	15 x 23 x 21 ½	381 x 584 x 546	617

Specification notes


- Accessories are not included (see pages 98 and 99).
- Casters are black, non-locking: 2 swivel (rear), 2 fixed (front).
- Drawer interior is black.
- Full pulls on metal pedestals match case color.
- L pulls on laminate drawer fronts are black.
- Recessed pulls on metal pedestals are ABS plastic and are available in TR-E, TR-G, TR-K and TR-R only.
- Field assembly required for locks.
- Counterweights are standard on box/file mobile pedestals (VPM1-24-R/F/L) only.

Trim/metal colors	Sample order	Drawer pulls
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPM 3- 24- F, TR-K Product Depth Type Trim/ code type of pull metal color	 Full pull (-F) Recessed pull (-R)* Laminate drawer pull (-L)
*Pedestals with recessed pulls are not available in TR-LE Metallic silver.		

Laminate drawer front option

- For laminate drawer fronts, specify as follows and complete with laminate finish code: VPM3-24-L, TR-K, G-ACA

Pedestal cushion



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Fabric grade	Price
	VPC1-24	15 x 23 x 2	381 x 584 x 51	1	275

Specification notes

- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- Includes cushion with double-sided tape.
- For use with a 23" deep x 21 ½" high (584 mm x 546 mm) mobile pedestal (VPM1-24)
- Requires minor field assembly.

Sample order

VPC	1-	24	AE10
Product	Depth	Upholstery	
code	type	selection	

Metal personal storage towers



Right door



Left door

Metal.

With locks, black.

Specify door opening, pull code and color of metal storage tower.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/Box/File with right door, recessed pull	VT3R-5124-R	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,686
Box/Box/File with left door, recessed pull	VT3L-5124-R	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,686
File/File with right door, recessed pull	VT2R-5124-R	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,642
File/File with left door, recessed pull	VT2L-5124-R	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,642
Box/Box/File with right door, recessed pull	VT3R-6324-R	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,813
Box/Box/File with left door, recessed pull	VT3L-6324-R	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,813
File/File with right door, recessed pull	VT2R-6324-R	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,766
File/File with left door, recessed pull	VT2L-6324-R	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,766
Box/Box/File with right door, full pull	VT3R-5124-F	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,772
Box/Box/File with left door, full pull	VT3L-5124-F	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,772
File/File with right door, full pull	VT2R-5124-F	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,724
File/File with left door, full pull	VT2L-5124-F	24 x 23 1/16 x 51 1/2	610 x 584 x 1308	1,724
Box/Box/File with right door, full pull	VT3R-6324-F	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,904
Box/Box/File with left door, full pull	VT3L-6324-F	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,904
File/File with right door, full pull	VT2R-6324-F	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,854
File/File with left door, full pull	VT2L-6324-F	24 x 23 1/16 x 63 1/2	610 x 584 x 1613	1,854

Specification notes

- Accessories are not included (see pages 98 and 99).
- Storage unit includes one adjustable shelf.
- Shelf adjusts in increments of 2 1/2" (64 mm).
- One lock for wardrobe and storage unit door and another for drawers. Field assembly required for locks.
- Wardrobe with 9" W (229 mm) clothes hanger bar.
- File drawer can accommodate legal filing front to back with the use of legal conversion kit (VPLF-KIT, see page 98).
- 4 adjustable floor glides provide 1 1/2" (38 mm) of height adjustment.
- Drawers interior is black.
- Shelves and storage unit interior are black.
- Pulls are the same color as the storage cabinet. Recessed pull not available in TR-LE.
- On storage towers with full pulls, wardrobe door is equipped with a pressure-catch closing mechanism.
- Personal storage towers do not line up exactly with panel height.


Trim/metal colors	Sample order	Drawer pulls
TR-E Smoke TR-G Grey TR-K Charcoal TR-R Beige TR-LE Metallic silver	VT3 R- 51 24- F, TR-K Product code Height Width Type of pull Trim/metal color Door side	 Full pull (-F) Recessed pull (-R)* *Personal storage towers with recessed pulls are not available in TR-LE Metallic silver.

3 Metal storage units

Metal personal storage towers, open bookcase



Right door



Left door

Metal.

Standard with locks, black.

Specify door opening, pull code and color of metal storage unit.





Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Box/Box/File open bookcase with right door, recessed pull	VB3R-5124-R	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,407
Box/Box/File open bookcase with left door, recessed pull	VB3L-5124-R	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,407
File/File open bookcase with right door, recessed pull	VB2R-5124-R	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,394
File/File open bookcase with left door, recessed pull	VB2L-5124-R	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,394
Box/Box/File open bookcase with right door, recessed pull	VB3R-6324-R	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,502
Box/Box/File open bookcase with left door, recessed pull	VB3L-6324-R	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,502
File/File open bookcase with right door, recessed pull	VB2R-6324-R	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,577
File/File open bookcase with left door, recessed pull	VB2L-6324-R	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,577
Box/Box/File open bookcase with right door, full pull	VB3R-5124-F	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,476
Box/Box/File open bookcase with left door, full pull	VB3L-5124-F	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,476
File/File open bookcase with right door, full pull	VB2R-5124-F	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,463
File/File open bookcase with left door, full pull	VB2L-5124-F	24 x 23 1/16 x 51 1/2	610 x 601 x 1308	1,463
Box/Box/File open bookcase with right door, full pull	VB3R-6324-F	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,578
Box/Box/File open bookcase with left door, full pull	VB3L-6324-F	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,578
File/File open bookcase with right door, full pull	VB2R-6324-F	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,528
File/File open bookcase with left door, full pull	VB2L-6324-F	24 x 23 1/16 x 63 1/2	610 x 601 x 1613	1,528

Specification notes

- Accessories are not included (see pages 98 and 99).
- Storage unit includes one adjustable shelf.
- Shelf adjusts in increments of 2 1/2" (64mm).
- Wardrobe and drawers lock independently. Field assembly required for locks.
- Wardrobe with 9" W (229 mm) clothes hanger bar.
- File drawer can accommodate legal filing front to back with the use of legal conversion kit (VPLF-KIT, see page 98).
- 4 adjustable floor glides provide 1 1/2" (38 mm) of height adjustment.
- Drawer interior is black.
- Bookcase shelves and wardrobe interiors are color matched to case.
- Pulls are the same color as the storage cabinet. Recessed pulls are not available in TR-LE.
- On storage towers with full pulls, wardrobe door is equipped with a pressure-catch closing mechanism.
- First shelf of open bookcase is 1" (25,4 mm) lower than the work surface height, when installed at 29" (737 mm) height.
- Personal storage towers do not line up exactly with panel height.

Trim/metal colors	Sample order	Drawer pulls
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VB3 R- 51 24- F, TR-K Product code Door side Height Width Type of pull Trim/metal color	 Full pull [-F] Recessed pull [-R]* *Personal storage towers with recessed pulls are not available in TR-LE Metallic silver.

Metal lateral files



Metal. Side-to-side hanging bars are included.

Standard with lock, black.

Specify pull and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
2-drawer high with recessed pull	VFL2-30-R	30 x 18 x 27 1/8	762 x 457 x 700	737
	VFL2-36-R	36 x 18 x 27 1/8	914 x 457 x 700	795
	VFL2-42-R	42 x 18 x 27 1/8	1067 x 457 x 700	875
3-drawer high with recessed pull	VFL3-30-R	30 x 18 x 39 3/8	762 x 457 x 1000	917
	VFL3-36-R	36 x 18 x 39 3/8	914 x 457 x 1000	990
	VFL3-42-R	42 x 18 x 39 3/8	1067 x 457 x 1000	1,090
4-drawer high with recessed pull	VFL4-30-R	30 x 18 x 51 1/8	762 x 457 x 1300	1,166
	VFL4-36-R	36 x 18 x 51 1/8	914 x 457 x 1300	1,259
	VFL4-42-R	42 x 18 x 51 1/8	1067 x 457 x 1300	1,387
5-drawer high with recessed pull	VFL5-30-R	30 x 18 x 63	762 x 457 x 1600	1,528
	VFL5-36-R	36 x 18 x 63	914 x 457 x 1600	1,651
	VFL5-42-R	42 x 18 x 63	1067 x 457 x 1600	1,815
2-drawer high with full pull	VFL2-30-F	30 x 18 x 27 1/8	762 x 457 x 700	836
	VFL2-36-F	36 x 18 x 27 1/8	914 x 457 x 700	903
	VFL2-42-F	42 x 18 x 27 1/8	1067 x 457 x 700	994
3-drawer high with full pull	VFL3-30-F	30 x 18 x 39 3/8	762 x 457 x 1000	967
	VFL3-36-F	36 x 18 x 39 3/8	914 x 457 x 1000	1,044
	VFL3-42-F	42 x 18 x 39 3/8	1067 x 457 x 1000	1,148
4-drawer high with full pull	VFL4-30-F	30 x 18 x 51 1/8	762 x 457 x 1300	1,229
	VFL4-36-F	36 x 18 x 51 1/8	914 x 457 x 1300	1,328
	VFL4-42-F	42 x 18 x 51 1/8	1067 x 457 x 1300	1,460
5-drawer high with full pull	VFL5-30-F	30 x 18 x 63	762 x 457 x 1600	1,604
	VFL5-36-F	36 x 18 x 63	914 x 457 x 1600	1,733
	VFL5-42-F	42 x 18 x 63	1067 x 457 x 1600	1,906


Specification notes

- Accessories are not included (see pages 98 and 99).
- Counterweights are standard in 2-drawer high unit.
- Counterweights are optional in 3-, 4- and 5-drawer high units (see page 99).
- For safety reasons, the positive drawer interlock system allows only one drawer to open at a time.
- Dual side locks latch both drawer ends to prevent drawers from being pried open.
- Five-drawer filing cabinets include a roll-out shelf in top position as well as a posting shelf.
- Drawer interior is black.
- 4 adjustable floor glides provide 1 1/2" (38 mm) height adjustment.
- 2-drawer high lateral file will fit under a work surface.
- Laminate lateral file tops available (see page 98).
- Pull option matches case color. Recessed pull not available in TR-LE.
- No field assembly required.

Trim/metal colors	Sample order	Drawer pulls
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VFL 5- 42- F, TR-K Product code Width Trim/metal color Qty of drawers Type of pull	 Full pull (-F) Recessed pull (-R)*
*Lateral files with recessed pulls are not available in TR-LE Metallic silver.		

3 Metal storage units

Lateral file tops




Double face adhesive tape is included.

No grommet.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Depth: 18" (457 mm)	VUF-1830	30 x 18 x 1	762 x 457 x 25	190	267
	VUF-1836	36 x 18 x 1	914 x 457 x 25	207	290
	VUF-1842	42 x 18 x 1	1067 x 457 x 25	218	307
Finish options	Sample order		Applications		
1 Thermofused laminate 2 High pressure laminate	VU	F- 18 30- 1	N, G-ACA	Dimensions	
	Product code	Depth	Finish code		
		Surface type	Width	No grommet	Color code

Dividers for overhead storage units and shelves




Package of 8.

Specify color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VSD-KIT	2 3/4 x 12 7/8 x 4 3/4	70 x 322 x 121	126
Specification notes				
▶ Attach to front and back shelf edge. ▶ To divide space laterally on panel-mounted storage units, full and low height shelves.				
Trim/metal colors	Sample order			
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSD-KIT, TR-K	Product code	Trim/metal color	


Pencil tray for metal box drawers



Black plastic.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPPT-1	1 1/4 x 12 7/8 x 5 1/2	32 x 327 x 140	14
Specification note				
▶ Sits on the sides of a box drawer and slides for drawer access.				

Dividers for metal box drawers




Package of 6.

Black metal.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPDV-6	1/32 x 12 1/2 x 2 3/4	1 x 318 x 70	47
Specification note				
▶ Subdivide a box drawer in 1" (25 mm) increments front to back.				

Legal conversion kit for metal pedestals




Plastic compressor and metal inner bar are included.

Black.

Specification	Code	Width (in)	Width (mm)	Price
	VPLF-KIT	12 1/2	318	47
Specification note				
▶ Fits on the sides of a pedestal file drawer.				

Front-to-back hanging bars for lateral file drawers




Package of 2.
Black metal.

Specification	Code	Width (in)	Width (mm)	Price
	VFHB-2	15 ¾	400	34

Specification notes

- 1 kit per lateral file drawer is needed for front-to-back filing.
- Front-to-back hanging bars may be used with any width file drawer.

Dividers for lateral file drawers




Package of 3.
Black metal.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VFDV-3	½ x 16 ½ x 7	1 x 419 x 178	34

Specification notes

- Subdivide a lateral file drawer in 1" (25 mm) increments side to side.
- 7" (178 mm) in height.

Compressors for lateral file drawers




One compressor and horizontal track and screws are included.
Black metal.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
30" (762 mm) lateral file	VLLC-30	26 ½ x 12 x 7	673 x 300 x 178	51
36" (914 mm) lateral file	VLLC-36	32 ½ x 12 x 7	823 x 300 x 178	57
42" (1067 mm) lateral file	VLLC-42	38 ½ x 12 x 7	975 x 300 x 178	62

Specification note

- Manually operated spring clip release for infinite drawer settings.

Counterweights for lateral files



One counterweight and a bar are included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
30" (762 mm) lateral file	VLCW-30	26 ¼ x ½ x 23 ¾	667 x 13 x 592	158
36" (914 mm) lateral file	VLCW-36	32 ¼ x ½ x 23 ¾	819 x 13 x 592	189
42" (1067 mm) lateral file	VLCW-42	38 ¼ x ½ x 23 ¾	972 x 13 x 592	220

Specification notes


- Can be ordered for 3-, 4- or 5-drawer high lateral files.
- Ship separately for field installation.
- 2- drawer high lateral file ships standard with installed counterweight.

3 Laminate storage units

Wardrobes



Hinges on left



Hinges on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Width 18" (457 mm)				
Hinges on left	VCL-1850-L	18 x 24 x 50	457 x 610 x 1264	1,492
	VCL-1856-L	18 x 24 x 56	457 x 610 x 1422	1,529
	VCL-1864-L	18 x 24 x 64	457 x 610 x 1620	1,565
Hinges on right	VCR-1850-R	18 x 24 x 50	457 x 610 x 1264	1,492
	VCR-1856-R	18 x 24 x 56	457 x 610 x 1422	1,529
	VCR-1864-R	18 x 24 x 64	457 x 610 x 1620	1,565
Width 24" (610 mm)				
Hinges on left	VCL-2450-L	24 x 24 x 50	610 x 610 x 1264	1,643
	VCL-2456-L	24 x 24 x 56	610 x 610 x 1422	1,680
	VCL-2464-L	24 x 24 x 64	610 x 610 x 1620	1,721
Hinges on right	VCR-2450-R	24 x 24 x 50	610 x 610 x 1264	1,643
	VCR-2456-R	24 x 24 x 56	610 x 610 x 1422	1,680
	VCR-2464-R	24 x 24 x 64	610 x 610 x 1620	1,721

Specification notes

- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.

Handle/lock colors

N Black
S Silver

Sample order

VCL- 18 50- L N, G-ACA, G-ACA

Product code Width Height Hinge opening Handle/lock color Color code Face color code

Panels




Work surfaces

Specification notes

- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.
- ▶ Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves.

Wardrobes with lateral panel attachment bracket



VNW mounting hardware included.

Specify color code.

Specify support and laminate color codes for frame and front of storage unit.


Specification notes

- ▶ Wardrobe is 26" (661 mm) in depth, equal to the depth of the 24" (610 mm) surface plus the depth of the 2" (51 mm) panel.
- ▶ Allow a return panel to be replaced by a storage module.
- ▶ Mounting hardware enables a universal (left-right) installation.
- ▶ Space between surface and storage unit is $\frac{5}{16}$ " (8 mm).
- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.


USA – MARCH 2016

3 Laminate storage units

Wardrobes with back panel attachment brackets



Hinges on left



Hinges on right

Mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Width 18" (457 mm)				
Hinges on left	VPCLB-1850-L	18 X 24 X 50	457 X 610 X 1264	1,836
	VPCLB-1856-L	18 X 24 X 56	457 X 610 X 1422	1,877
	VPCLB-1864-L	18 X 24 X 64	457 X 610 X 1620	1,924
Hinges on right	VPCRB-1850-R	18 X 24 X 50	457 X 610 X 1264	1,836
	VPCRB-1856-R	18 X 24 X 56	457 X 610 X 1422	1,877
	VPCRB-1864-R	18 X 24 X 64	457 X 610 X 1620	1,924
Width 24" (610 mm)				
Hinges on left	VPCLB-2450-L	24 X 24 X 50	610 X 610 X 1264	1,929
	VPCLB-2456-L	24 X 24 X 56	610 X 610 X 1422	1,976
	VPCLB-2464-L	24 X 24 X 64	610 X 610 X 1620	2,028
Hinges on right	VPCRB-2450-R	24 X 24 X 50	610 X 610 X 1264	1,929
	VPCRB-2456-R	24 X 24 X 56	610 X 610 X 1422	1,976
	VPCRB-2464-R	24 X 24 X 64	610 X 610 X 1620	2,028

Specification notes


- ▶ Brackets between panel and storage module are reversible, enabling a universal (left-right) installation.
- ▶ Assembly by rear allows for the replacement of a return panel.
- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.

Handle/lock colors	Bracket colors	Sample order	Use
N Black S Silver	TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPCLB- 18 50- L N, TR-E, G-ACA, G-ACA Product code Width Height Hinge opening Bracket color Color code Face color code Handle/lock color	

Wardrobes/bookshelves with lateral panel attachment bracket



Hinges on left



Hinges on right

VNW mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VPCBES-2450-L	24 x 26 x 50	610 x 661 x 1264	2,033
	VPCBES-2456-L	24 x 26 x 56	610 x 661 x 1422	2,184
	VPCBES-2464-L	24 x 26 x 64	610 x 661 x 1620	2,288
Hinges on right	VPBES-2450-R	24 x 26 x 50	610 x 661 x 1264	2,033
	VPBES-2456-R	24 x 26 x 56	610 x 661 x 1422	2,184
	VPBES-2464-R	24 x 26 x 64	610 x 661 x 1620	2,288

Specification notes


- ▶ Storage module is 26" (661 mm) in depth, equal to depth of 24" (610 mm) surface plus depth of 2" (51 mm) panel.
- ▶ Allow a return panel to be replaced by a storage module.
- ▶ Mounting hardware enables a universal (left-right) installation.
- ▶ Space between surface and storage unit is 5/16" (8 mm).
- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.
- ▶ Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves.

Handle/lock colors	Bracket colors	Sample order	Use
N Black S Silver	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPCBES- 24 50- L N, TR-E, G-ACA, G-ACA Product code Width Height Hinge opening Bracket color Color code Face color code Handle/lock color	

Wardrobes/bookshelves with back panel attachment brackets



Hinges on left



Hinges on right

Mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VPCBEB-2450-L	24 x 24 X 50	610 X 610 X 1264	2,033
	VPCBEB-2456-L	24 x 24 X 56	610 X 610 X 1422	2,184
	VPCBEB-2464-L	24 x 24 X 64	610 X 610 X 1620	2,288
Hinges on right	VPBECB-2450-R	24 x 24 X 50	610 X 610 X 1264	2,033
	VPBECB-2456-R	24 x 24 X 56	610 X 610 X 1422	2,184
	VPBECB-2464-R	24 x 24 X 64	610 X 610 X 1620	2,288

Specification notes


- Brackets between panel and storage module are reversible, enabling a universal (left-right) installation.
- Back assembly allows for the replacement of a return panel.
- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves, 68" H (1721 mm).

Handle/lock colors		Bracket colors		Sample order						Use	
N	Black	TR-K	Charcoal	VPCBEB-	24	50-	L	N, TR-E,	G-ACA, G-ACA		
S	Silver	TR-R	Beige	Product code	Width	Height	Hinge opening	Bracket color	Color code		Face color code
		TR-LE	Metallic silver								

Personal storage towers with open bookcase



Open bookcase on left



Open bookcase on right

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase on left	VPB-2450-L	24 x 24 x 50	610 x 610 x 1264	1,896
	VPB-2456-L	24 x 24 x 56	610 x 610 x 1422	2,006
	VPB-2464-L	24 x 24 x 64	610 x 610 x 1620	2,116
Open bookcase on right	VPB-2450-R	24 x 24 x 50	610 x 610 x 1264	1,896
	VPB-2456-R	24 x 24 x 56	610 x 610 x 1422	2,006
	VPB-2464-R	24 x 24 x 64	610 x 610 x 1620	2,116


Specification notes

- Lock and handle are the same color.
- Locks on door and drawers.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in box drawer.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelf on 56" (1422 mm) and 64" (1620 mm) high models.


Handle/lock colors		Sample order				
N	Black	VPB-	24	50-	R	N, G-ACA, G-GAN
S	Silver	Product code	Width	Height	Open bookcase	Color code
						Face color code

3 Laminate storage units

Personal storage towers with open bookcase and whiteboard



Open bookcase on left



Open bookcase on right

Specify handle and laminate color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase on left	VPBW-2450-L	24 x 24 x 50	610 x 610 x 1264	1,951
	VPBW-2456-L	24 x 24 x 56	610 x 610 x 1422	2,061
	VPBW-2464-L	24 x 24 x 64	610 x 610 x 1620	2,172
Open bookcase on right	VPBW-2450-R	24 x 24 x 50	610 x 610 x 1264	1,951
	VPBW-2456-R	24 x 24 x 56	610 x 610 x 1422	2,061
	VPBW-2464-R	24 x 24 x 64	610 x 610 x 1620	2,172

Specification notes


- ▶ Non-magnetic whiteboard.
- ▶ Lock and handle are the same color.
- ▶ Locks on door and drawers.
- ▶ Include suspension bar (left-right), letter and legal format.
- ▶ Pencil tray is included in box drawer.
- ▶ Clothes hanger bar and fixed shelf are included.
- ▶ Adjustable shelf on 56" (1422 mm) and 64" (1620 mm) high models.

Handle/lock colors	Sample order
N Black S Silver	VPBW- 24 50- R N, G-ACA, G-GAN Product code Width Height Open bookcase Handle/lock color Color code Face color code


Low storage units





Open bookcase



2 box/2 file drawers



2 pigeonholes/2 file drawers

Box/file drawers on left,
open bookcase on rightOpen bookcase on left,
box/file drawers on right

Specify handle and laminate
color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Open bookcase	VBEBE-204720	47 1/4 x 19 5/16 x 20	1200 x 488 x 513	1,102	1,213
	VBEBE-205920	59 1/16 x 19 5/16 x 20	1500 x 488 x 513	1,191	1,301
	VBEBE-207120	70 7/8 x 19 5/16 x 20	1800 x 488 x 513	1,279	1,389
2 box/2 file drawers	VULUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,536	2,657
	VULUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	2,657	2,778
	VULUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,778	2,900
2 pigeonholes/2 file drawers	VSLF-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,028	2,150
	VSLF-205920	59 1/16 x 20 x 20	1500 x 508 x 513	2,138	2,260
	VSLF-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,248	2,370
1 box/1 file drawer on left, open on right	VULBE-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,577	1,697
	VULBE-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,604	1,725
	VULBE-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,682	1,802
1 box/1 file drawer on right, open on left	VBEUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,577	1,697
	VBEUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,604	1,725
	VBEUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,682	1,802


Specification notes

- Available in thermofused or high pressure laminate.
- Lock and handle are the same color.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in utility drawer.
- The open low storage unit (VBEBE) includes 2 adjustable shelves.
- The combined open low storage units (VULBE and VBEUL) include 1 adjustable shelf.
- Can accommodate 1 or 2 cushions (see page 109).
- Cannot be installed directly beneath a cantilever bracket.


Finish options		Handle/lock colors		Sample order	
1	Thermofused laminate	N	Black	VBEBE-	20 47 20, 1 N, G-ACA, G-GAN
2	High pressure laminate	S	Silver		
				Product code	Depth
					Height
					Width
					Finish code
					Handle/lock color
					Face color code
					Color code

3 Laminate storage units


Shared low storage units



Shared open bookcase



Shared 2 box/2 file drawers



Shared 2 pigeonholes/
2 file drawers

Specify handle and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Open bookcase	VDBEBE-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,134	1,243
	VDBEBE-205920	59 1/6 x 20 x 20	1500 x 508 x 513	1,222	1,331
	VDBEBE-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,310	1,420
2 box/2 file drawers	VDULUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,569	2,688
	VDULUL-205920	59 1/6 x 20 x 20	1500 x 508 x 513	2,688	2,808
	VDULUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,808	2,933
2 pigeonholes/2 file drawers	VDSLFL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,059	2,184
	VDSLFL-205920	59 1/6 x 20 x 20	1500 x 508 x 513	2,168	2,293
	VDSLFL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,278	2,402


Specification notes

- ▶ Available in thermofused or high pressure laminate.
- ▶ Cannot be installed directly beneath a cantilever bracket.
- ▶ Lock and handle are the same color.
- ▶ Include suspension bar (left-right), letter and legal format.
- ▶ Pencil tray is included in utility drawer.
- ▶ The open storage units (VDBEBE) include 2 adjustable shelves.
- ▶ Can accommodate 1 or 2 cushions (see page 109).





Finish options		Handle/lock colors		Sample order	
1	Thermofused laminate	N	Black	VDBEBE- 20 47 20, 1 N, G-ACA, G-GAN	
2	High pressure laminate	S	Silver		

Product code: 20 47 20, 1 N, G-ACA, G-GAN
 Depth: 20
 Width: 47
 Height: 20
 Finish code: 1
 Handle/lock color: N
 Face color code: G-ACA, G-GAN
 Color code: G-ACA, G-GAN

Low storage units with panel attachment brackets



Low open bookcase unit

Low storage unit with 2 box/
2 file drawersLow storage unit with
2 pigeonholes/2 file drawersLow storage unit with box/file
drawers on left, open bookcase
on rightLow storage unit with
open bookcase on left,
box/file drawers on right

Mounting hardware included.

Specify panel mounting
configuration: rear (-2B)
or side (-2S).Specify support and laminate
color codes for frame and front
of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Open bookcase	VPBEBE-204720	47 1/4 x 19 5/16 x 20	1200 x 488 x 513	1,269	1,394
	VPBEBE-205920	59 1/16 x 19 5/16 x 20	1500 x 488 x 513	1,368	1,498
	VPBEBE-207120	70 7/8 x 19 5/16 x 20	1800 x 488 x 513	1,472	1,596
2 box/2 file drawers	VPULUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,917	3,058
	VPULUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	3,058	3,193
	VPULUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	3,193	3,333
2 pigeonholes/2 file drawers	VPSLF-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,335	2,470
	VPSLF-205920	59 1/16 x 20 x 20	1500 x 508 x 513	2,460	2,600
	VPSLF-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,584	2,725
1 box/1 file drawer on left, open on right	VPULBE-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,815	1,950
	VPULBE-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,846	1,986
	VPULBE-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,934	2,075
1 box/1 file drawer on right, open on left	VPBEUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,815	1,950
	VPBEUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,846	1,986
	VPBEUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,934	2,075

Specification notes

- Supports between storage module and panel are reversible, enabling a universal (left-right) installation.
- Available in thermofused or high pressure laminate.
- Cannot be installed directly beneath a cantilever bracket.
- Lock and handle are the same color.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in utility drawer.
- Open storage units (VPBEBE) include 2 adjustable shelves.
- The combined open storage units [VPULBE et VPBEUL] include 1 adjustable shelf.
- Can accommodate 1 or 2 cushions (see page 109).


Finish options		Handle/lock colors		Bracket colors		Sample order								
1	Thermofused laminate	N	Black	TR-K	Charcoal	VPBEBE- 20 47 20, -2B 1 N, TR-K G-ACA, G-GAN								
2	High pressure laminate	S	Silver	TR-R	Beige									
				TR-LE	Metallic silver									
						Product code	Depth			Finish code	Bracket color			Face color code
								Height			Handle/lock color			
Bracket choice							Width		Choice of mounting				Color code	
2B Back support														
2S Side support														

Use

Back mounting (2B)




Side mounting (2S)




3 Laminate storage units

Fixed low storage units



Open bookcase



Pigeonhole/file drawer

Specify handle and laminate color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase	VBEL-202928	29 7/16 x 19 3/16 x 28	748 x 488 x 711	783
	VBEL-203528	35 3/8 x 19 3/16 x 28	898 x 488 x 711	843
Pigeonhole/file drawer	VSLFL-202928	29 7/16 x 20 x 28	748 x 508 x 711	1,400
	VSLFL-203528	35 3/8 x 20 x 28	898 x 508 x 711	1,455

Specification notes

- ▶ VSLFL storage modules include a lock in the same color as the handle as well as filing bars (left-right), in letter or legal format.
- ▶ Open low storage modules (VBEL) include 1 adjustable shelf.
- ▶ Fixed storage units must be attached under a work surface equal to or deeper than 20" (508 mm).

Handle/lock colors	Sample order
N Black S Silver	VBEL- 20 29 28, N G-ACA, G-GAN
	Product code Depth Width Height Handle/lock color Color code Face color code

Open bookcases for conference surface support



Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase	VCBEL-182428	24 X 18 X 28	607 X 457 X 711	853
	VCBEL-183028	30 X 18 X 28	759 X 457 X 711	900
	VCBEL-183628	36 X 18 X 28	911 X 457 X 711	1,004


Specification notes

- ▶ Include 2 adjustable shelves.
- ▶ Must be mounted beneath a conference end surface (VURC) of equivalent width.


Sample order

VCBEL- 18 24 28, G-ACA
Product code Depth Width Height Color code

Extension bookcases



Extension for surfaces or low storage modules



Extension for work surfaces

Flat plates and screws included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Open bookcase	VBEBEE-204220	42 X 20 X 20	1066 X 500 X 513	1,082	1,217
Height 20"	VBEBEE-205020	50 X 20 X 20	1269 X 500 X 513	1,134	1,274
	VBEBEE-206220	62 X 20 X 20	1574 X 500 X 513	1,357	1,591
Open bookcase	VBEBEE-204229	42 X 20 X 29	1066 X 500 X 735	1,212	1,352
Height 29"	VBEBEE-205029	50 X 20 X 29	1269 X 500 X 735	1,269	1,420
	VBEBEE-206229	62 X 20 X 29	1574 X 500 X 735	1,524	1,763

Specification notes

- Include 2 adjustable shelves.
- Storage modules 20" (508 mm) in height are installed at the junction of two back-to-back low storage units or low surfaces, back to back, with a 2" (51 mm) panel inserted between the two surfaces.
- Storage modules 29" (735 mm) in height are installed at the junction of two back-to-back surfaces, with a 2" (51 mm) panel inserted between the two surfaces.

Finish options


- 1 Thermofused laminate
- 2 High pressure laminate

Sample order

VBEBEE- 20 42 20, 1, G-ACA

Product code Depth Height Width Finish code Color code

Cushions for low storage units



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Recommended for modules 47" W (1200 mm)	VCU-2023	23 5/8 x 19 5/16 x 2	600 x 490 x 50	524
Recommended for modules 59" W (1500 mm)	VCU-2029	29 1/2 x 19 5/16 x 2	750 x 490 x 50	540
Recommended for modules 71" W (1800 mm)	VCU-2035	35 7/16 x 19 5/16 x 2	900 x 490 x 50	556

Specification notes

- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- Velcro fastener included.
- For use on a 20" high (508 mm) low storage unit. See pages 105 to 107.
- Low storage units may accommodate up to 2 cushions.


Sample order

VCU- 20 29, AE10

Product code Depth Width Upholstery selection

3 Laminate storage units

Cushions for extension bookcases



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Recommended for modules 42" W (1066 mm)	VCUE-2042	42 X 20 X 2	1066 X 500 X 50	625
Recommended for modules 50" W (1269 mm)	VCUE-2050	50 X 20 X 2	1269 X 500 X 50	675
Recommended for modules 62" W (1574 mm)	VCUE-2062	62 X 20 X 2	1574 X 500 X 50	815

Specification notes


- ▶ The direction of the fabric differs from that on cushions for low storage units. Please take into account when choosing upholstery.
- ▶ These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade3: 15%.
- ▶ Hook-and-loop fastener included.
- ▶ For use on a 20" (508 mm) high extension bookcase. (VBEBEE)

Sample order

VCUE- 20 42, AE10

Product code | Depth | Upholstery selection | Width

Use



Accessory rails for panels



Metal. Pre-assembled mounting hardware is included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RA24P	23 x ¾ x 4	584 x 19 x 100	170
	VLGC-RA30P	29 x ¾ x 4	736 x 19 x 100	201
	VLGC-RA36P	35 x ¾ x 4	889 x 19 x 100	228
	VLGC-RA42P	41 x ¾ x 4	1041 x 19 x 100	254
	VLGC-RA48P	47 x ¾ x 4	1194 x 19 x 100	279
	VLGC-RA54P	53 x ¾ x 4	1346 x 19 x 100	318
	VLGC-RA60P	59 x ¾ x 4	1499 x 19 x 100	345

Specification note

- To be installed on panel side rail trim allowing the install of accessories.


Trim/metal colors

Sample order

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

VLGC- RA24 P TR-R
 | | |
 Product Panel Trim/
 code width metal color
 Rail for panel

Accessory rails for walls



Metal. Mounting hardware is included and must be field installed.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RA24M	23 x ¾ x 4	584 x 19 x 100	205
	VLGC-RA30M	29 x ¾ x 4	736 x 19 x 100	213
	VLGC-RA36M	35 x ¾ x 4	889 x 19 x 100	220
	VLGC-RA42M	41 x ¾ x 4	1041 x 19 x 100	228
	VLGC-RA48M	47 x ¾ x 4	1194 x 19 x 100	236
	VLGC-RA54M	53 x ¾ x 4	1346 x 19 x 100	242
	VLGC-RA60M	59 x ¾ x 4	1499 x 19 x 100	252

Specification note

- To be installed on a wall, allowing the install of accessories.

Trim/metal colors


Sample order

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

VLGC- RA24 M TR-R
 | | |
 Product Rail
 code for wall
 Panel width Trim/metal color

4 Accessories

Markers tray for rails



Metal.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-VPTR	4 X 3 X 3 3/4	100 x 68 x 85	99

Specification notes

- Compatible with all Lacasse accessory rails.
- Trim/metal colors

Trim/metal colors	Sample order
TR-K Charcoal	VLGC VPTR TR-R
TR-R Beige	
TR-LE Metallic silver	Product Marker tray Trim/
	code for rail metal color

Horizontal paper trays



Metal.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Letter size	VLGC-RPT11	12 x 10 x 2	305 x 251 x 50	115
Legal size	VLGC-RPT14	15 x 10 x 2	375 x 251 x 50	130

Specification note

- Compatible with all Lacasse accessory rails.

Trim/metal colors	Sample order
TR-K Charcoal	VLGC- RPT11 TR-R
TR-R Beige	
TR-LE Metallic silver	Product Horizontal Trim/
	code letter size metal color

Vertical paper tray



Metal.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Letter size	VLGC-RVPT11	12 x 2 3/4 x 8	300 x 70 x 203	145

Specification note

- Compatible with all Lacasse accessory rails.

Trim/metal colors	Sample order
TR-K Charcoal	VLGC- RVPT11 TR-R
TR-R Beige	
TR-LE Metallic silver	Product Vertical Trim/
	code letter size metal color

Accessory trays



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RAS12	12 x 1 1/4 x 3 7/8	305 x 30 x 96	102
	VLGC-RAS20	20 x 1 1/4 x 3 7/8	505 x 30 x 96	123

Specification note


- Compatible with all Lacasse accessory rails.

Trim/metal colors

Sample order

TR-K	Charcoal	VLGC-	RAS12	TR-R
TR-R	Beige			
TR-LE	Metallic silver			
		Product code	Accessory tray	Trim/ metal color

Shelves



Mounting hardware included.

Specify support and finish color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
	VSH-0724	24 x 7 x 1	610 x 177 x 25	215	232
	VSH-0730	30 x 7 x 1	762 x 177 x 25	220	242
	VSH-0736	36 x 7 x 1	914 x 177 x 25	226	254

Specification notes

- Mount onto panel side rails.
- Available in thermofused laminate or high pressure laminate.
- Field assembly required.

Finish codes


Trim/metal colors

Sample order

1	Thermofused laminate	TR-K	Charcoal	VSH-	07	24-	1,	TR-K	G-ACA
2	High pressure laminate	TR-R	Beige						
		TR-LE	Metallic silver						
				Product code	Height	Width	Finish code	Bracket color	Color code

4 Accessories

Tackboards




Panel mounting brackets are included.

Specify color code; refer to current Nvision fabric cards.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tackboard height 5" (127 mm)	VTB-0524	24 x 1 x 5	610 x 25 x 127	98
	VTB-0530	30 x 1 x 5	762 x 25 x 127	102
	VTB-0536	36 x 1 x 5	914 x 25 x 127	106
	VTB-0542	42 x 1 x 5	1067 x 25 x 127	110
	VTB-0548	48 x 1 x 5	1219 x 25 x 127	114
	VTB-0554	54 x 1 x 5	1372 x 25 x 127	118
	VTB-0560	60 x 1 x 5	1524 x 25 x 127	121
Tackboard height 16" (406 mm)	VTB-1624	24 x 1 x 16	610 x 25 x 406	124
	VTB-1630	30 x 1 x 16	762 x 25 x 406	129
	VTB-1636	36 x 1 x 16	914 x 25 x 406	133
	VTB-1642	42 x 1 x 16	1067 x 25 x 406	140
	VTB-1648	48 x 1 x 16	1219 x 25 x 406	145
	VTB-1654	54 x 1 x 16	1372 x 25 x 406	150
	VTB-1660	60 x 1 x 16	1524 x 25 x 406	152
Specification notes		Sample order		
- Mount onto panel side rails. - For wall mount, order the wall track separately (see page 80).		VTB- 05 30, 5M-1 Product code Width Height Fabric color		

Magnetic whiteboards




White porcelain surface to be used with dry-erase markers. Silver anodized aluminum frame.

Panel mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VMWB-2330	30 x 1/2 x 23	762 x 13 x 584	322
	VMWB-2336	36 x 1/2 x 23	914 x 13 x 584	338
	VMWB-2342	42 x 1/2 x 23	1067 x 13 x 584	421
	VMWB-2348	48 x 1/2 x 23	1219 x 13 x 584	432
	VMWB-2354	54 x 1/2 x 23	1372 x 13 x 584	634
	VMWB-2360	60 x 1/2 x 23	1524 x 13 x 584	645
Specification notes		Sample order		
- No marker tray included. - Field assembly required.		VMWB 23 30 Product code Width Height		

Magnetic markers tray





Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-VPTM	4 x 3 x 3 3/8	100 x 68 x 85	125
Specification note				
Compatible with magnetic whiteboards. Magnets included.				
Trim/metal colors		Sample order		
TR-K	Charcoal	VLGC	VPTM	TRR
TR-R	Beige			
TR-LE	Metallic silver			
		Product code	Magnetic marker tray	Trim/metal color

Articulated dial-tilt keyboard trays



One dial-tilt arm with track, keyboard tray and removable palm rest are included.


Tray in textured black.
Black palm rest.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Dial tilt and positive tilt-lock	VAKW-21	21 x 11 x 4	533 x 279 x 102	391
Dial tilt and positive tilt-lock with mouse tray	VAKW-21-M	28 x 11 x 4	711 x 279 x 102	417

Specification notes

- ▶ Adjustable 2 1/2" (64 mm) above work surface and 6" (155 mm) beneath it; fit all Nvision surfaces.
- ▶ Recommended for corner work surface applications.
- ▶ Positive-tilt lock allows 15-degree tilt adjustment (-15°/ +0°).
- ▶ Rotate 360°.
- ▶ 21" (533 mm) track allows keyboard tray to be fully retracted under all work surfaces.
- ▶ Include gauges that show tilt and height adjustments.
- ▶ Patented dial-tilt adjustment of keyboard tray as knob is turned.
- ▶ Patented spring-assisted Lift-n-Lock™ counterbalancing system.
- ▶ For the VAKW-21-M, mouse pad can be installed on right- or left-hand applications.

Articulated retractable arm



Black.


Can accommodate a keyboard and mouse.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-GBAKD26	26 x 10 x 1/2	650 x 250 x 13	520

Specification notes

- ▶ Slides along runners.
- ▶ Length of mounting plate: 17" (432 mm).
- ▶ Fits underneath surfaces 20" (505 mm) or greater in depth.
- ▶ 5 1/2" (140 mm) adjustable arm.
- ▶ Tray made of 100% post-consumer recycled materials.
- ▶ Retracts, swivels and tilts.
- ▶ 8 1/2" (216 mm) height adjustment.

Keyboard/storage drawer



Mounting hardware and wrist pad are included.

Black plastic.

Non-locking.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VOAK-1	29 7/8 x 19 7/8 x 4 1/4	752 x 505 x 108	696

Specification notes

- ▶ Mounts separately under a work surface.
- ▶ Slide travel is 11" (279 mm).
- ▶ Molded organizer specially designed to store a keyboard, hold pens, CDs, etc.
- ▶ Tray tilts 0°, -3°, -7°.

4 Accessories

Storage drawer




Mounting hardware and rail are included.
Black plastic.
Non-locking.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VAD-18	18 x 19 x 1 ½	457 x 483 x 41	67

Specification note

- Mounts under work surface.

Overhead storage tasklights/electronic ballast




Black metal case.
Attachment brackets,
6' (1829 mm) power cord
and T-8 fluorescent bulb
are included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLT-24P	19 ½ x 4 ¼ x 1 ¾	495 x 108 x 35	119
	VLT-30P	26 x 4 ¼ x 1 ¾	660 x 108 x 35	133
	VLT-42P	37 ¼ x 4 ¼ x 1 ¾	946 x 108 x 35	148
Chicago application	VLT-24PC	19 ½ x 4 ¼ x 1 ¾	495 x 108 x 35	167
	VLT-30PC	26 x 4 ¼ x 1 ¾	660 x 108 x 35	187
	VLT-42PC	37 ¼ x 4 ¼ x 1 ¾	946 x 108 x 35	207

Specification notes

- Electronic ballast.
- Energy efficient.
- 6' (1829 mm) cord is factory installed on right-hand side.
- For use with 120-volt, 60-hertz electrical systems only.
- Relocating power cord available on VLT-42P and VLT-42PC.
- Chicago application tasklights include a 3-amp plug resettable circuit breaker.

Overhead storage tasklights/LED




Attachment brackets
(magnetic or wood screws)
are included.

Spécification	Code	W x D x H (in)	W x D x H (mm)	Price
24 LED, 6.6W	VLGC-LED17	16 ¾ x 2 x ¾	417 x 50 x 18	391
48 LED, 14.8W	VLGC-LED31	30 ⅞ x 2 x ¾	465 x 50 x 18	491
72 LED, 21.8W	VLGC-LED44	43 ⅞ x 2 x ¾	1110 x 50 x 18	904

Specification notes

- Clear anodized aluminum frame.
- Black cord included: 9' (2743 mm) with LED17 model and 12' (3658 mm) with LED31 and LED44 models.
- ETL certified (equivalent to UL/CASA). 89% recyclable (based on weight). Aluminum frame 100% recyclable.
- Integrated power switch and dimmer. Most recent setting automatically saved.
- Auto shut-off after 10 hours.
- 3500K, 84 CRI.

All-purpose hooks



Metal. Package of 8.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPH-8	½ x 3 ⅞ x 1	13 x 78 x 25	80

Specification note

- Snaps over panel top cap.


Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPH-8 TR-K
| |
Product Trim/
code metal color

Work surface grommets



Plastic black.




Plastic; metallic silver.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Round	VLGC-GR1	2 3/4 Ø x 1	70 Ø x 25	32
Rectangular	VLGC-GS1	1 3/4 x 2 5/32 x 1	45 x 55 x 25	37

Specification note

- Field installation required when additional grommets are needed on an existing work surface.

Horizontal wire channels




Package of 10. Black plastic. Comes in lengths of 15" (381 mm).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VHCM-15	15 x 3 x 3	381 x 76 x 76	66

Specification notes

- Field installation required.
- 2" W x 3" H (51 mm x 76 mm) of space available in wire channel.

Vertical wire channel



Plastic. Comes in lengths of 72" (1829 mm). Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VCAV-1	1 x 1 x 72	25 x 25 x 1829	34


Specification notes

- Routes wires vertically by attaching to the panel side rails.
- Field cut to desired length.
- Not available in TR-LE Metallic silver. We recommend using TR-E colored channels instead.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige	VCAV-1, TR-K Product code Trim/metal color

4 Accessories

Side rail keyhole concealers



Plastic. Comes in lengths of 58 3/4" (1491 mm).

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
1 kit of 25 keyhole concealers	VSRK-KIT25TRR	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	500
1 kit of 25 keyhole concealers	VSRK-KIT25TRK	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	500
1 kit of 25 keyhole concealers	VSRK-KIT25TRLE	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	525
1 kit of 100 keyhole concealers	VSRK-KIT100TRR	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	1,776
1 kit of 100 keyhole concealers	VSRK-KIT100TRK	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	1,776
1 kit of 100 keyhole concealers	VSRK-KIT100TRLE	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	1,866

Specification notes

- Hide side rail keyholes.
- Each rail covers one side of a 64"H (1620 mm) panel.
- Not available in TRG (grey tone) and TRE (smoke).

Trim/metal colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSRK- KIT25 TRR

Product code | Trim/metal color

Quantity

Locking program



Lock numbers for keyed alike orders will be assigned by the manufacturer.

Lock numbers won't be repeated unless more than 100 lock sets are required per order.


Specification	Code	Application	Price
Master key	VMK-01	To open any lock number.	19
Control key	VCK-01	Tool to change lock plugs.	19
Lock plug (1) and keys (2) – Random	VLCK-KIT-R, LR-BL	Numbers are attributed in random fashion, from 101 through 200.	32
Lock plug (1) and keys (2) – Specific	VLCK-KIT-S, KY-__ __	To do key alike, specify quantity required per office stations. Key numbers are determined by the manufacturer only.	32

Sample order


VLCK-KIT- S, KY- 101

Product code | Key | Specific key #

Modesty panels



Frosted acrylic
modesty panels



Thermofused laminate
modesty panels

Mounting hardware included.
Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 12" (305 mm)	VMODT-1230, SK-1E	30 x ¼ x 12	762 x 6 x 305	337
	VMODT-1236, SK-1E	36 x ¼ x 12	914 x 6 x 305	374
	VMODT-1248, SK-1E	48 x ¼ x 12	1219 x 6 x 305	430
Thermofused laminate				
Screen height: 12" (305 mm)	VMOD-1230	30 x ¼ x 12	762 x 6 x 305	183
	VMOD-1236	36 x ¼ x 12	914 x 6 x 305	204
	VMOD-1248	48 x ¼ x 12	1219 x 6 x 305	220

Specification notes

- ▶ Provide a visual barrier beneath a work surface.
- ▶ Satin chrome brackets included with frosted acrylic modesty panels.
- ▶ Anthracite grey brackets included with thermofused laminate modesty panels.
- ▶ Mount beneath a surface with a straight side with a clearance equal to or greater than the width of the modesty panel.
- ▶ Field assembly required.


Frosted acrylic sample order

VMODT- 12 36, SK-1E
 |
 Product code Height Width Acrylic

Thermofused laminate sample order

VMODT- 12 36, G-ACA
 |
 Product code Height Width Color code

Modular modesty panels



Mounting hardware included.

Specify metal color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 24" (610 mm)	VSCT-2424, SK-1E	24 x ¼ x 24	610 x 6 x 610	584
	VSCT-2430, SK-1E	30 x ¼ x 24	762 x 6 x 610	628
	VSCT-2436, SK-1E	36 x ¼ x 24	914 x 6 x 610	673
	VSCT-2442, SK-1E	42 x ¼ x 24	1067 x 6 x 610	717
	VSCT-2448, SK-1E	48 x ¼ x 24	1219 x 6 x 610	760
Screen height: 30" (762 mm)	VSCT-3030, SK-1E	30 x ¼ x 30	762 x 6 x 762	690
	VSCT-3036, SK-1E	36 x ¼ x 30	914 x 6 x 762	733
	VSCT-3042, SK-1E	42 x ¼ x 30	1067 x 6 x 762	777
	VSCT-3048, SK-1E	48 x ¼ x 30	1219 x 6 x 762	822

Specification notes


- ▶ Provide a visual barrier above and below a work surface.
- ▶ Metal supports included.
- ▶ Mount beneath a surface with a straight side with a clearance equal to or greater than the screen width.
- ▶ Field assembly required.

Bracket/metal colors

TR-K Charcoal
 TR-R Beige
 TR-LE Metallic Silver

Sample order


VSCT- 24 30- TR-K, SK-1E
 |
 Product code Width Height Bracket color Acrylic



Mounting hardware included.

Specify metal support color code.

Panel privacy screens



Mounting hardware included.

Lateral privacy screens

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 15" (381 mm)	VSCCT-2315, SK-1E	22 7/16 x 1/4 x 15	570 x 6 x 381	314
	VSCCT-2915, SK-1E	28 7/16 x 1/4 x 15	722 x 6 x 381	342
Screen height: 19" (482 mm)	VSCCT-2319, SK-1E	22 7/16 x 1/4 x 19	570 x 6 x 482	353
	VSCCT-2919, SK-1E	28 7/16 x 1/4 x 19	722 x 6 x 482	374

Specification notes

- Provide a visual barrier between two people sharing the same work surface.
- Stabilizer foot and metal clip included.
- To be installed on a work surface equal to or deeper than 24" (610 mm).
- Field assembly required.

Bracket/metal colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic Silver

Sample order

VSCCT- 23 15- TR-K, SK-1E
 |
 Product code | Width | Height | Bracket color | Acrylic

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Screen height: 8" (203 mm)	VSAGX-0824, SK-1E	22 3/8 x 1/4 x 8	569 x 6 x 203	297
	VSAGX-0830, SK-1E	28 3/8 x 1/4 x 8	721 x 6 x 203	331
	VSAGX-0836, SK-1E	34 3/8 x 1/4 x 8	873 x 6 x 203	364
	VSAGX-0842, SK-1E	40 3/8 x 1/4 x 8	1026 x 6 x 203	397
	VSAGX-0848, SK-1E	46 7/16 x 1/4 x 8	1179 x 6 x 203	430
	VSAGX-0854, SK-1E	52 3/8 x 1/4 x 8	1331 x 6 x 203	463
	VSAGX-0860, SK-1E	58 3/8 x 1/4 x 8	1483 x 6 x 203	496
Screen height: 10" (254 mm)	VSAGX-1024, SK-1E	22 3/8 x 1/4 x 10	569 x 6 x 254	314
	VSAGX-1030, SK-1E	28 3/8 x 1/4 x 10	721 x 6 x 254	353
	VSAGX-1036, SK-1E	34 3/8 x 1/4 x 10	873 x 6 x 254	391
	VSAGX-1042, SK-1E	40 3/8 x 1/4 x 10	1026 x 6 x 254	430
	VSAGX-1048, SK-1E	46 7/16 x 1/4 x 10	1179 x 6 x 254	469
	VSAGX-1054, SK-1E	52 3/8 x 1/4 x 10	1331 x 6 x 254	508
	VSAGX-1060, SK-1E	58 3/8 x 1/4 x 10	1483 x 6 x 254	546
Screen height: 14" (355 mm)	VSAGX-1424, SK-1E	22 3/8 x 1/4 x 14	569 x 6 x 356	342
	VSAGX-1430, SK-1E	28 3/8 x 1/4 x 14	721 x 6 x 356	386
	VSAGX-1436, SK-1E	34 3/8 x 1/4 x 14	873 x 6 x 356	430
	VSAGX-1442, SK-1E	40 3/8 x 1/4 x 14	1026 x 6 x 356	474
	VSAGX-1448, SK-1E	46 7/16 x 1/4 x 14	1179 x 6 x 356	518
	VSAGX-1454, SK-1E	52 3/8 x 1/4 x 14	1331 x 6 x 356	563
	VSAGX-1460, SK-1E	58 3/8 x 1/4 x 14	1483 x 6 x 356	606

Specification notes

- Provide a visual barrier above a panel.
- Cables cannot be routed along the top channel of the frame where the screen is attached.
- Satin chrome brackets included.
- Field assembly required.

Sample order

VSAGX- 08 24- SK-1E
 |
 Product code | Height | Width | Acrylic

1. Order placement

The seller sells its products according to the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order. Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

The following information is required to process an order:

Customer Information

Sold/Ship-to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Delivery instructions
Bid/Quote # and/or Pricing agreement number
Product total (list/net)
Preferred delivered date
(Specific delivery date not guaranteed)

Product Information

Quantity
Product numbers including options
Trim, fabric and laminate colors

2. Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on Quick Ship orders.

3. Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. Approved cancellations or partial cancellations requested after more than one business day, from receipt of purchase order, could be assessed a minimum 30% fee. Quick Ship orders may not be cancelled.

4. Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

5. Limited lifetime warranty

Groupe Lacasse LLC warrants its products, from the invoice date, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- **Twenty-five years:** High-performance thermofused laminate.
- **Twenty years:** Drawer slides.
- **Ten years:** Locks, electrical components and electrical accessories.
- **Five years:** Swing lift mechanisms and adjustable surface mechanisms, high-pressure laminate, casters, fabrics, PVC extrusions and accessories.
- **Exclusions:** Light bulbs, ballasts and C.O.M. are not covered by this warranty.

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedies stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. The following Groupe Lacasse LLC warranty applies to products manufactured after March 1, 2016. Specials may be subject to a limited warranty.

6. Prices

All prices listed are suggested retail prices, F.O.B. our factory in Holland, Michigan, USA, within the continental United States. List prices and dealer discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

Specials may be subject to a limited warranty.

6.1 Taxes

The Seller's price lists do not include any sales taxes. The customer is responsible to remit such taxes directly to the Seller. A tax exemption certificate (if applicable) must be on file with the Seller prior to the product shipment; otherwise, sales tax will be due and payable. Prices and taxes are subject to change without notice.

6.2 Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

7. Terms of payment (upon acceptance from our credit department)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

8. Quotations

Quotations are valid for a period of ninety (90) days. It is the dealer's responsibility to make sure the quotation matches their requests. Groupe Lacasse LLC will consider a quotation approved from the dealer if an order is placed for the quoted item.

9. Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. Groupe Lacasse LLC reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. Fabrics standard, Momentum Easy C.O.M. Program and C.O.M.

Description of all fabrics is shown on the back of the actual swatch card. The fabric mills advise that, from time to time, colors may vary with different dye lots. Consequently, Groupe Lacasse LLC cannot accept responsibility for these differences. Acknowledged delivery or ship dates from the Momentum Easy C.O.M. Program or C.O.M. is contingent on supplier's performance and subject to extended lead time.

Special fabric approval:

Special fabric request must be approved for use by Groupe Lacasse/Nvision panels, tackboards, fabric posts and wainscot kits. In order to determine pre-approval and fees, please send your request to quotation@groupe-lacasse.com or contact Customer Service at 1-888-522-2773 for more details about the process, Momentum Easy C.O.M. Program and C.O.M.

11. Packing and shipping

Groupe Lacasse LLC uses 50% recycled corrugated fiberboard for boxes, 100% recycled for protective pads and a polyethylene film for surface protection depending on method of shipment. These costs are included in our price. Certain items are shipped in 2 or 3 boxes.

12. Shipping weights and volumes

Due to our constantly improving packaging methods, shipping weights and volumes are not shown in the price book.

13. Delivery

The scheduled shipping date is specified on our acknowledgment. No shipments have guaranteed delivery time and/or date. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond our control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the customer). Groupe Lacasse LLC will only make on-site deliveries for a full truck load (2,400 cubic feet) and subject to Groupe Lacasse LLC prior agreement only.

14. Routing

All deliveries shall be F.O.B. your designated facility within the continental United States. Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders. Additionally, the Seller has the right to determine the carrier, method of shipment and routing. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect. The Seller will pay the freight charges for normal surface transportation to destinations within the continental United States.

Surcharge

1. **Inside Deliveries:** Delivery is a dock-to-dock service. Inside delivery is not included in our delivered price.
2. **Expedited Transportation:** Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).
3. **Chargeable Parts Orders:** Contact Customer Service for availability. Service parts prices are subject to change without notice or approval. Parts orders are subject to a minimum \$15 parts order not including freight charges for normal surface transportation to destinations within the continental United States.

15. Freight claims

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage must be addressed to Groupe Lacasse LLC as follows:

15.1 Concealed damage or loss

Concealed damage or loss becomes apparent only once a product is removed from its packing or packaging. Contents may be damaged as a result of rough handling during shipping, without the packing or packaging showing any external signs of damage. When such damage or loss is noticed, a written request for inspection must be submitted within 7 calendar days of the delivery date, after which a claim must be filed. Mandatory: the request for inspection must be accompanied by corroborative photographs. If you abide by these instructions, we shall fully support your claims. No agreement shall be concluded without the consent of the manufacturer. Delivery and installation fees for a product associated with concealed damage or loss are not covered by Groupe Lacasse Inc..

15.2 Visible damage or loss

All external traces of damage or loss must be noted on the bill of lading duly signed by the carrier's representative at the time of delivery. An omitted or insufficient description of the damage or loss may result in the refusal of a claim for damage or loss. The claim form must be submitted by the carrier.

16. Returns

Absolutely no returns will be accepted on any non-standard products. No return of standard products will be accepted without prior authorization by Groupe Lacasse LLC. Any shipment returned without prior approval will be refused. Returns must be shipped prepaid.

17. Storage

In the event the purchaser requests postponement of shipment beyond the scheduled shipping date after the goods have become work in process, Groupe Lacasse LLC may store the goods at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes, including invoicing and payment.

18. Governing law

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.

19. Specials

Some Nvision products are offered as specials.

In order to determine pre-approval request and fees, please send your request to quotation@grouperlacasse.com or contact customer service at 1-888-522-2773 for more information.

Here is a list of some of the specials we can do:

Panels:

1. Fabric panels can be specified from 30" to 82" (762 mm to 2083 mm) high, in 1" (25 mm) increments. Fabric stackable panels can be specified from 10" to 24" (254 mm to 610 mm) high, in 1" (25 mm) increments. Finish posts can also be specified to match special heights.
2. For glass panels and stackable glass and acrylic panels, custom color can be specified; however, there is some limitation in sizes.
3. Panels and stackable panels can be specified with high pressure laminate door finishes on both sides or with fabric on one side. Laminate finishes are HC-3E (smoke), HC-62 (grey tone), HC-8J (charcoal), HC-34 (beige) and H-WL (sno).
4. Sliding door can be specified at a maximum height of 79" (2006 mm).
5. Floor-to-ceiling barrier combined with Nvision panels are available. Available on a 82" H (2077 mm) panel where there is a maximum ceiling height of 10' (3048 mm) or on a 64" height panel (1620 mm) where there is a maximum ceiling height of 9' (2743 mm). Ceiling solution can only be installed on panel at 90 degrees. Not available in TR-LE. Send your request to quotation@grouperlacasse.com or contact Customer Service for more information.
6. Wainscot kits can be specified up to 48" (1219 mm) height. Fabric or laminate (panel door in selected HPL finishes only) are available.
7. Fabrics may be given an anti-stain treatment.

Work Surfaces:

1. Groupe Lacasse can do almost any specials regarding work surfaces with limit of 96" (2438 mm) long.

Storage units:

1. Metal overhead storage units special heights, widths and depths can be specified; however, there is some limitation in sizes.
2. Metal shelves units at 9 3/4" (248 mm) height can be specified to fit on a 56" (1422 mm) height panel.
3. Pedestals can be specified with laminate fronts and Lacasse pulls.

Casegoods:

1. Lacasse casegoods can be combined with Nvision. Contact Customer Service for specific information on dimensions.

For any specials, please send your request to quotation@grouperlacasse.com or contact Customer Service for more information.

20. Programs

A mock-up program is available. For pre-approval, send your request to projcs@grouperlacasse.com or contact Customer Service at 1-888-522-2773 for more information. A QuickShip program is available on a separate list price. Contact your representative for more information about conditions of sale and lead time, or Groupe Lacasse Customer Service at 1-888-522-2773.

Finishes

Please refer to Nvision color brochure to visualize current surface finishes and colors, trims and metal components. For fabric, refer to Nvision swatch cards. For cushions for low storage units, refer to United Chair swatch cards. Also available on our Web site.

Environmental responsibility

Groupe Lacasse LLC is committed to pursuing sustainable development practices. We are constantly looking for innovative ways to make our products and manufacturing processes more environmentally, socially, and economically sustainable, while maintaining our ability to satisfy consumer demands for superior product quality and value. The following are a few examples of ways in which our products support sustainable development initiatives:

- We design our furniture primarily of particleboard manufactured from 100% recycled post-industrial material.
- We offer a choice of fabrics that are manufactured from 100% recycled polyester. Please refer to Nvision fabric cards.
- A panel's construction permits a change of fabric if the fabric becomes torn or damaged during its useful life.
- It is easy to reuse components of our products when an office area is reorganized or moved:
 - Modular format of furniture makes it easy to rearrange workspaces;
 - Metal-on-metal assemblies make it easy to assemble furniture then disassemble when its useful life is over.
- We have developed a new type of under-shelf lighting that makes it possible to reduce energy consumption by 40% (compared to our previous task light).
- Designs that use translucent materials, which diffuse natural light and provide users with a view, help reduce energy consumption and improve the aesthetic quality of a workspace.
- When possible, we choose local suppliers.
- To reduce landfill waste in the manufacturing of our products, we:
 - Reuse cuttings in smaller products and packaging;
 - Use sawdust for power cogeneration;
 - Sort and recycle PVC plastic, steel, and aluminum.

All of these actions are some examples that contribute to qualifications for LEED® and similar environmental certifications. For more information about products offered by Groupe Lacasse LLC and our environmental actions, we invite you to visit our web site at www.grouperlacasse.com.

Environmental tools

A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under "Environment". Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

Greenguard certificates

GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on www.greenguard.org. Search for Groupe Lacasse in the "Find Products > Search by Manufacturer" section. All GREENGUARD certifications are listed by product line.

Further information

For more information on environmental and sustainable procedures in the manufacturing of our products, contact Communications@grouperlacasse.com.

All Nvision standard products comply with ANSI/BIFMA standards.

All Nvision standard products are UL listed and certified for use in the USA and UL certified for use in Canada.

Groupe Lacasse LLC is certified ISO 9000 and ISO 14000.



Nvision
GROUPE LACASSE INC. # GS-29F-0105G



Nvision products are GREENGUARD GOLD certified.



Groupe Lacasse is proud to offer **Jade**, a web tool that eases the entry and follow-up of all your office furniture orders. With this system, you are able to visualize the final price of all your products, including the discounts, along with the details of any price agreement established with us. Your orders are validated and sent with all required information, guaranteed. Available 24 hours a day, 7 days a week, Jade allows you to consult your orders' status anywhere, anytime. **We are convinced that you will appreciate this convenient, fast and efficient tool from Groupe Lacasse!**

In order to start using **Jade** and benefit from its many advantages, please schedule a web training time by sending us an email at jade_registration@grouperlacasse.com. For any other question concerning **Jade**, please contact us at jade@grouperlacasse.com.

* Order status availability can vary for specific brands depending on the region.

Product number	Product description	Page
VAAL-1	Adjustable table post	77
VABT-2	Counter top brackets	75
VACA-L/R	120-degree cantilever brackets for link application	74
VACB-1	Corner bracket	75
VACL-R-1/VACP-2	Standard cantilever brackets	73
VAD-18	Storage drawer	116
VAFB-2	Flat brackets	76
VAKW-21	Articulated dial-tilt keyboard tray	115
VAKW-21-M	Articulated dial-tilt keyboard tray with mouse tray	115
VAPB-2	Panel brackets	74
VATL-1	Table post	76
VB2-__24-__	Metal personal storage towers, open bookcase, File/File, Right or Left door	96
VB3-__24-__	Metal personal storage towers, open bookcase, Box/Box/File, Right or Left door	96
VBEBE-20____	Low storage units, open bookcase	105
VBEBEE-20____	Extension bookcases	109
VBEC-24__	Wardrobes with open bookcase (hinges on right)	101
VBEL-20____	Fixed low storage units, open bookcase	108
VBEUL-20____	Low storage units, open bookcase, Box/File	105
VBT-__	Wall tracks	80
VCAV-1	Vertical wire channel	117
VCBE-24__	Wardrobes with open bookcase (hinges on left)	101
VCBEL-18____	Open bookcases for conference surface support	108
VCK-01	Locking program/control key	118
VCL-____	Wardrobes (hinges on left)	100
VCP-__	Full-height cable management poles	55
VCR-____	Wardrobes (hinges on right)	100
VCU-20__	Cushions for low storage units	109
VCUE-20__	Cushions for extension bookcases	110
VDBEBE-20____	Shared low storage units, open bookcase	106
VDEP-____	Open laminate center-mounted storage units (shared)	88
VDEPS-____	Open laminate center-mounted storage units with sliding door (shared)	91
VDEPSW-____	Open laminate center-mounted storage units with whiteboard back and sliding door (shared)	92
VDEPW-____	Open laminate center-mounted storage units with whiteboard on back (shared)	89
VDSL-20____	Shared low storage units (pigeonhole/file)	106
VDUL-20____	Shared low storage units (box/file)	106
VEB-1	Hardwire base feed, 48" length	53
VEB-2	20-amp plug-in base feeds	53

Product number	Product description	Page
VEB-3	15-amp plug-in base feeds	54
VEB-4	Concealed base feeds	53
VEB-5	Hardwire base feeds, 180" length	53
VECT-3	Straight span connector	57
VEKP-__	Power conversion kit	56
VEO-16__	Open laminate overhead storage units	86
VEOS-16__	Open laminate overhead storage units with sliding door	86
VEOSW-16__	Open laminate overhead storage units with whiteboard sliding door	87
VEP-____	Open laminate center-mounted storage units (single or double)	88
VEPC-6/VEPC-12	Work surface height powered receptacles with communication outlets	56
VEPP-16__	Laminate center-mounted storage units with flipper door (standard hinges)	90
VEPP-16__-S	Laminate center-mounted storage units with flipper door (soft-close hinges)	90
VEPS-____	Open laminate center-mounted storage units with sliding door	91
VEPSW-____	Open laminate center-mounted storage units with whiteboard back and sliding door	92
VEPT-2/VEPT-4	Work surface height receptacles, with powered table dome	56
VEPW-____	Open laminate center-mounted storage units with whiteboard on back (single or double)	89
VERC-1/VERD-1	Duplex receptacles, 3-programmable circuits	55
VFDV-3	Dividers for lateral file drawers	99
VFHB-2	Front-to-back hanging bars for lateral file drawers	99
VFL-__-__	Metal lateral files	97
VHCM-15	Horizontal wire channels	117
VLCK-KIT-R, LR-BL	Locking program/random key alike	118
VLCK-KIT-S, KY-__	Locking program/specific key alike	118
VLGW-__	Counterweights for lateral files	99
VLGC-BAR__	Work surface reinforcement bars	80
VLGC-GBAKD26	Articulated retractable arm	115
VLGC-GR1/VLGC-GS1	Work surface grommets	117
VLGC-LED__	Overhead storage tasklights/LED	116
VLGC-LP__	Open frame legs	78
VLGC-LP__PL/PR	Panel-mounted open frame legs	78
VLGC-RA__P	Hanging rails for panels	111
VLGC-RA__M	Accessory rails for walls	111
VLGC-RAS__	Accessory trays	113
VLGC-RPT__	Horizontal paper trays	112
VLGC-RVPT__	Vertical paper tray	112
VLGC-SB17	Table post	77

8 Product reference

Product number	Product description	Page
VLGC-QTL1	Table post	77
VLGC-VPTM	Magnetic markers tray	114
VLGC-VPTR	Markers tray for rails	112
VLGC-VTL1	Table post	76
VLLC-__	Compressors for lateral file drawers	99
VLT-__-P_	Overhead storage tasklights/electronic ballast	116
VMK-01	Locking program/master key	118
VMOD-12_	Modesty panels (thermofused laminate)	119
VMODT-12_	Modesty panels (frosted acrylic)	119
VMWB-23_	Magnetic whiteboards	114
VNGK-_____	Wainscot conversion kits for glass panels	42
VNPL-10	Plastic liners	57
VNRC-1	Raceway communication cut-out cover	50
VNRP-__	Raceway covers for communication cabling	50
VNT-__	Accessories for T-mount	52
VNVA-KIT	Two-way connector covers, 120-degree connection	49
VNVC-KIT	Two-way connector covers, 90-degree connection	49
VNVS-KIT	Three-way connector covers, 180-degree connection	49
VNW-__	Wall-mounts	52
VOAK-1	Keyboard/storage drawer	115
VPB-____-L/R	Personal storage towers with open bookcase	103
VPBEBE-20_	Low storage units with panel attachment brackets (open bookcase)	107
VPBECB-24_	Wardrobes/bookshelves with back panel attachment brackets (hinges on right)	103
VPBECS-24_	Wardrobes/bookshelves with lateral panel attachment bracket (hinges on right)	102
VPBEUL-20_	Low storage units with panel attachment brackets (Open/Box/File)	107
VPBW-____-L/R	Personal storage towers with open bookcase and whiteboard	104
VPC1-24	Pedestal cushion	94
VPCBEB-24_	Wardrobes/bookshelves with back panel attachment brackets (hinges on left)	103
VPCBES-24_	Wardrobes/bookshelves with lateral panel attachment bracket (hinges on left)	102
VPCLB-_____	Wardrobes with back panel attachment brackets (hinges on left)	102
VPCLS-_____	Wardrobes with lateral panel attachment bracket (hinges on left)	101
VPCRB-_____	Wardrobes with back panel attachment brackets (hinges on right)	102
VPCRS-_____	Wardrobes with lateral panel attachment bracket (hinges on right)	101

Product number	Product description	Page
VPDV-6	Dividers for metal box drawers	98
VPF_-24-_	Metal fixed pedestals	93
VPH-8	All-purpose hooks	116
VPLF-KIT	Legal conversion kit for metal pedestals	98
VPM_-24-_	Metal mobile pedestals	94
VPPA-____-N_	Acoustical panels, non-powered	33
VPPA-____-P_	Acoustical panels, powered	34
VPPD-_____	Door	37
VPPG-____-N_	Glass panels, non-powered	36
VPPG-____-P_	Glass panels, powered	37
VPPK-_-3_	Ported kits	57
VPPT-1	Pencil tray for metal box drawers	98
VPS1-24-_	Metal hanging pedestals	93
VPSA-_____	Acoustical stackable panels for acoustical base panels	38
VPSG-____-F	Glass stackable panels for acoustical base panels	39
VPSG-____-G	Glass stackable panels for glass base panels	41
VPSLF-20_	Low storage units with panel attachment brackets (Pigeonhole/File)	107
VPULBE-20_	Low storage units with panel attachment brackets (Box/File)	107
VPULUL-20_	Low storage units with panel attachment brackets (Box/File)	107
VREC-10	Base raceway end cap	51
VSAGX-_____	Panel privacy screens	120
VSCCT-_____	Lateral privacy screens	120
VSCT-_____	Modular modesty panels	119
VSD-KIT	Dividers for overhead storage units and shelves	98
VSD0-_____	Sliding doors	38
VSH-07_	Shelves	113
VSLF-20_	Low storage units (Pigeonholes/Files)	105
VSLFL-20_	Fixed storage units (Pigeonhole/File)	108
VSM-16_	Up-mounted storage cabinets with flipper door (standard hinges)	83
VSM-16_-S	Up-mounted storage cabinets with flipper door (soft-close hinges)	84
VSO-16_	Overhead storage cabinets with flipper door (standard hinges)	82
VSO-16_-S	Overhead storage cabinets with flipper door (soft-close hinges)	83
VSRK-KIT_	Side rail keyhole concealers	118
VSS-08_	Overhead low height shelves	81
VSS-14_	Overhead full height shelves	81

Product number	Product description	Page
VSW_16__	Wall-mounted storage cabinets with flipper door (standard hinges)	84
VSW-16__-S	Wall-mounted storage cabinets with flipper door (soft-close hinges)	85
VSWB_16__-P	Back for wall-mounted storage cabinets	85
VT2_--24-	Metal personal storage towers File/File, Right or Left door	95
VT3_--24-	Metal personal storage towers Box/Box/File, Right or Left door	95
VTB-_____	Tackboards	114
VTCA-1	Top cap aligner	51
VTCE-1	Top cap end plug	51
VTCP-1	One-way in-line square top cap	47
VTCP-2I	Two-way in-line square top cap	47
VTCP-2C	Two-way corner square top cap	47
VTCP-3	Three-way square top cap	47
VTCP-4	Four-way square top cap	47
VTCP-120-1	One-way 120-degree square top cap	48
VTCP-120-2	Two-way 120-degree square top cap	48
VTCP-120-3	Three-way 120-degree square top cap	48
VTF-_____-__	Powered top feeds	54
VUA-30_--45/54	Asymmetrical work surfaces	62
VUAC-_____	Trapezoidal conference work surfaces	64
VUC-_____	Corner work surfaces, straight front	67
VUCA-_____-__	120-degree corner work surfaces, curved front	71
VUCC-_____	Corner work surfaces, curved front	68
VUCD-_____	Corner work surfaces, dual height	68
VUD-_____	D-shape work surfaces	66
VUDE-_____-__-L/R	Extended D-shape work surfaces	66
VUEA-_____	Trapezoidal surface extensions	65
VUER-_____	Surface extensions with rounded corners	65
VUF-_____	Lateral file tops	98
VULA-_____	120-degree link work surfaces	71
VULBE-20_____	Low storage units (box/file/open)	105
VULUL-20_____	Low storage units (box/file)	105
VUP-_____-L/R	P-shape work surfaces	67
VUR-_____	Rectangular work surfaces	58
VURC	Rectangular conference work surfaces	59
VURE-_____	Extended rectangular work surfaces	59
VURR-_____-L/R	Rectangular work surfaces, radius end	60
VURT-_____-__	Rectangular work surfaces, transitional	61
VUSE-__	End support panels	79

Product number	Product description	Page
VUSE-11	Mid-support panel	79
VUT-_____	Straight counter tops	72
VUTC-_____	Corner counter tops	72
VUWE-_____-L/R	Extended corner work surfaces, curved front	69
VUWE-_____-L/R-K	Extended corner work surfaces, straight front	69
VUWT-_____-__	Extended transitional corner work surfaces, curved front	70
VUWT-_____-L/R-K	Extended transitional corner work surfaces, straight front	70
VVFA-__-F2	Fabric two-way finish posts, 120-degree connection (full height application)	45
VVFA-__-V1	Fabric two-way finish posts, 120-degree connection (variable height application)	48
VVFC-__-F2C	Fabric two-way finish posts, 90-degree connection (full height application)	43
VVFC-__-V1	Fabric two-way finish posts, 90-degree connection (variable height application)	46
VVFS-__-F3	Fabric three-way finish posts, 180-degree connection (full height application)	44
VVFS-__-V__	Fabric three-way finish posts, 180-degree connection (variable height application)	47
VVPA-__-F2	Painted metal two-way finish posts, 120-degree connection (full height application)	45
VVPA-__-V1	Painted metal two-way finish posts, 120-degree connection (variable height application)	48
VVPC-__-F2C	Painted metal two-way finish posts, 90-degree connection (full height application)	43
VVPC-__-V1	Painted metal two-way finish posts, 90-degree connection (variable height application)	46
VVPS-__-F3	Metal paint three-way finish posts, 180-degree connection (full height application)	44
VVPS-__-V__	Painted metal three-way finish posts, 180-degree connection (variable height application)	47

8 Fabrics and finishes

NVISION STANDARD FABRIC COLLECTIONS

Dune

MD-1	Ambition
MD-2	Zen
MD-3	Hearty
MD-4	Honest
MD-5	Forgiving
MD-6	Dreamer
MD-7	Peaceful
MD-8	Thoughtful
MD-9	Serene

Frenzied

MF-1	Salsa
MF-2	Waltz
MF-3	Flamenco
MF-4	Meringue
MF-5	Mambo
MF-6	Tango
MF-7	Swing
MF-8	Chacha
MF-9	Rumba

Fusion

61-1	Taupe
61-3	Smoke
61-4	Cornflower
61-5	Pewter
61-6	Tobacco
61-7	Amber
61-8	Maize
61-9	Cornsilk

Galet

54-1	Sky Blue
54-2	Grey
54-3	Alabaster
54-4	Stone
54-5	Charcoal
54-6	Copper
54-7	Moss
54-8	Dune

Point

EE-AA	Peak
EE-AC	Decimal
EE-AD	Nib
EE-AE	Vertex
EE-AF	Focal
EE-AG	Compass

Resonance

MR-1	Echo
MR-2	Lyric
MR-3	Chime
MR-4	Chant
MR-5	Harmony
MR-6	Tone
MR-7	Carillon

Stratus

E6-1	Tornado
E6-2	Daylight
E6-3	Diamond Dusk
E6-4	Fog
E6-5	Mist
E6-6	Blue Halo
E6-7	Rain
E6-8	Hail
E6-9	Night Sky

Twigs

5W-1	Ash
5W-2	Buckeye
5W-3	Hickory
5W-4	Jupiter
5W-5	Linden
5W-6	Polar
5W-7	Sassafras
5W-8	Sycamore

Meander (Momentum)

5L-1	Agate Taupe
5L-2	Nightshadow
5L-3	Overcast
5L-4	Sandshell

Universe (Momentum)

5V-1	Cosmic
5V-2	Creme Brulee
5V-3	Depth
5V-4	Mica
5V-5	Milkyway
5V-6	Seneca
5V-7	Wheat
5V-8	Whitecap

MOMENTUM EASY C.O.M.* COLLECTIONS

Backdrop

B20	Mica
B21	Bone
B22	Khaki
B23	Rain
B24	Mocha
B25	Barley
B26	Bonsai

Cameo

C12	Mist
C13	Parchment
C14	Ivory
C15	Coffee
C16	Almond
C18	Linen
C19	Stone
C20	Metal
C23	Smoke
C24	Fawn
C25	Twig

Pact

P02	Putty
P05	Lime
P06	Dove
P07	Calla
P09	Eureka
P10	Fern
P13	Coastal
P14	Nectar
P15	Toasty
P16	Aloe
P18	Azure
P20	Dragon
P39	Rubine
P40	Patina
P43	Sketch
P45	Roma
P46	Taupe
P47	Harbour
P48	Delft
P49	Tanzanite
P50	Lily
P51	Roast
P52	Midnight

LAMINATE FINISHES

Wood Grains

G-ACA	Mahogany
G-BUC	Bourbon Cherry
G-CAR	Caramello
G-CER	Cherry
G-CCL	Classic Chocolate
G-DCH	Dark Chocolate
G-ERH	Hard Rock Maple
G-FOS	Fossil
G-GGI	Grigio
G-HZN	Hazelnut
G-NTL	Natural Cherry
G-NRM	Natural Mappel
G-RBY	Ruby
G-SLT	Salta
G-TOM	Totem
G-TWT	Tuscany Walnut

Solid Colors

G-CLY	Clay
G-GAN	Anthraxite Grey
G-NCN	Crystal Black
G-SNO	Snow
G-WGR	Willow Grey

Patterns

G-GVR	Frost
G-PCM	Parchment

ACCENT COLORS

*Trim/Metal

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
**TR-LE	Metallic silver

*Some exceptions apply. See individual product descriptions for a list of available colors.

**A surcharge applies for this color. Ask Customer Service for details.

DOOR/PANEL (SPECIALS)

High pressure laminate finishes

HC-3E	Smoke
HC-62	Grey tone
HC-8J	Charcoal
HC-34	Beige

PANEL/SLIDING DOOR

Glass/Acrylic Options

SK-1C	Tempered clear glass
SK-1E	Frosted acrylic

- Refer to the Nvision color brochure to visualize the current laminate finish selection. Always request an actual sample before ordering.
- Refer to United Chair swatch cards for metal pedestal cushions.
- Refer to Nvision swatch cards for actual fabric representation.

* Momentum Easy C.O.M. and C.O.M. fabrics are not covered by the Groupe Lacasse Limited Lifetime Warranty and subject to extended lead time. Acknowledged delivery or ship dates for these fabrics are contingent on supplier's performance.

nvision

OFFICE ENVIRONMENT SOLUTIONS

GROUPE
LACASSE

1 888 522.2773 | www.groupelacasse.com

Printed on 10% recycled paper.
Printed in Canada – © Groupe Lacasse 2016

3878
N143-5
3/16
5M