

# ESCALADE

Product Specifications	82
Product Options	83
L Arrangements	84
U Arrangements	85
Product Pages	86
Ganging Wall Units	91

## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1½" combined worksurface and mitered wood rim
- Slipmatched cherry and maple veneer, bookmatched walnut veneer
- Grain direction runs left-to-right unless noted
- Mitered wood rim detail

### FINISH APPLICATION

- Escalade veneer tops finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Surfaces feature a semi-open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable floor levelers are standard on all casegoods
- ¾" thick full height modesty panels
- 1½" thick end panels and support panels
- Vertical grain direction on all modesty panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Mitered wood base detail

### DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

### DRAWER SUSPENSION


- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- Heavy-duty file rods in file drawers

### DRAWER PULLS

- Satin Nickel drawer pulls and knobs

### CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)



### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 411

### ABOVE SURFACE DOORS

- Wood or crackled silkscreen glass

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer - 30x66 Single Ped Desks	12½"	17"	3⅞"	N/A
File Drawer - 30x66 Single Ped Desks	12½"	17"	9⅞"	Letter
Box Drawer - All Other Desks	15⅞"	17"	3⅞"	N/A
File Drawer - All Other Desks	15⅞"	17"	9⅞"	Legal
Box Drawer - Return	12½"	17"	3⅞"	N/A
File Drawer - Return	12½"	17"	9⅞"	Letter
Lateral Drawer - Return	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Box Drawer - Credenza	15⅞"	15"	3⅞"	N/A
File Drawer - Credenza	15⅞"	15"	9⅞"	Legal
Lateral Drawer - Credenza	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Lateral File Drawer	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal, Legal/Letter/EDP
30" Center Drawer	20⅞"	15"	1½"	N/A
36" Center Drawer	26⅞"	15"	1½"	N/A
Keyboard Drawer	26"	15¼"	2¼"	N/A

- All file drawers, with the exception of 30x66 single pedestal desks, file letter, legal and EDP side-to-side


WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

METAL COLORS


- 462 Cinder
- 503 Satin Nickel Metallic

RIM PROFILE



Tribeca

PULLS



Fluid (79)


79SN Satin Nickel  
(Boring Pattern 64mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

- G1LR Left & Right
- G1C Center



Round Grommet  
Plastic

LOCKING

KEY RANDOM

- KRB Black
- KRS Silver

KEY SPECIFIC

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$18 per lock when selecting Key Specific option. Must order specific lock cores separately (\$18 list each). See page 411 for Key Specific model numbers.

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width
- DI Diameter



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Tribeca
- Pull: Fluid (79)
- Grommets: Included on bridges, returns and credenzas (does not include storage credenza)
- Locking: Random black cores
- Finish: Must specify Amber (MC) or Cordovan (CW)

## ESCALADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

### ARRANGEMENTS INCLUDE:



- Fluid, Satin Nickel pulls
- Left and right grommets in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
<b>CW Cordovan</b>	<b>MC Amber</b>	
DW Judicial	MH Mocha	



Fluid, Satin Nickel pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b>  	QECN8573LLFW 84½D x 72½W	\$ 6637	<b>RIGHT L-CONFIGURATION WOOD TOP</b>  	QECN8573LRFW 84½D x 72½W	\$ 6637
	ECN8573LLFW 84½D x 72½W	\$ 6637		ECN8573LRFW 84½D x 72½W	\$ 6637
	consists of			consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3779		ECN3673DLFBW1 Left Pedestal Desk	3779
	ECN2548RLEFW2 Left Pedestal Return	2858		ECN2548RREFW2 Right Pedestal Return	2858
	QECN7973LLFW 78½D x 72½W	\$ 6584		QECN7973LRFW 78½D x 72½W	\$ 6584
	ECN7973LLFW 78½D x 72½W	\$ 6584		ECN7973LRFW 78½D x 72½W	\$ 6584
	consists of			consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3779		ECN3673DLFBW1 Left Pedestal Desk	3779
	ECN2542RLEFW2 Left Pedestal Return	2805		ECN2542RREFW2 Right Pedestal Return	2805
	ECN7967LLFW 78½D x 66½W	\$ 6494		ECN7967LRFW 78½D x 66½W	\$ 6494
	consists of			consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3636		ECN3067DLFBW1 Left Pedestal Desk	3636
	ECN2548RLEFW2 Left Pedestal Return	2858		ECN2548RREFW2 Right Pedestal Return	2858
	ECN7367LLFW 72½D x 66½W	\$ 6441		ECN7367LRFW 72½D x 66½W	\$ 6441
	consists of			consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3636		ECN3067DLFBW1 Left Pedestal Desk	3636
	ECN2542RLEFW2 Left Pedestal Return	2805		ECN2542RREFW2 Right Pedestal Return	2805

## ESCALADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

### ARRANGEMENTS INCLUDE:


- Fluid, Satin Nickel pulls
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish


### TO ORDER, SPECIFY FINISH:

AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	



Fluid, Satin Nickel pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	QECN10773ULFW 106⅞D x 72½W	\$ 8239
	ECN10773ULFW 106⅞D x 72½W	\$ 8239
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3779
	ECN2548BEFW Bridge	1288
	ECN2273CLFW2 Left Pedestal Credenza	3172
	QECN10173ULFW 100⅞D x 72½W	\$ 8200
	ECN10173ULFW 100⅞D x 72½W	\$ 8200
	consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3779
	ECN2542BEFW Bridge	1249
	ECN2273CLFW2 Left Pedestal Credenza	3172
	ECN10167ULFW 100⅞D x 66½W	\$ 8051
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3636
	ECN2548BEFW Bridge	1288
	ECN2267CLFW2 Left Pedestal Credenza	3127
	ECN9567ULFW 94⅞D x 66½W	\$ 8012
	consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3636
	ECN2542BEFW Bridge	1249
	ECN2267CLFW2 Left Pedestal Credenza	3127

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	QECN10773URFW 106⅞D x 72½W	\$ 8239
	ECN10773URFW 106⅞D x 72½W	\$ 8239
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	3779
	ECN2548BEFW Bridge	1288
	ECN2273CRFW2 Right Pedestal Credenza	3172
	QECN10173URFW 100⅞D x 72½W	\$ 8200
	ECN10173URFW 100⅞D x 72½W	\$ 8200
	consists of	
	ECN3673DLFBW1 Left Pedestal Desk	3779
	ECN2542BEFW Bridge	1249
	ECN2273CRFW2 Right Pedestal Credenza	3172
	ECN10167URFW 100⅞D x 66½W	\$ 8051
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	3636
	ECN2548BEFW Bridge	1288
	ECN2267CRFW2 Right Pedestal Credenza	3127
	ECN9567URFW 94⅞D x 66½W	\$ 8012
	consists of	
	ECN3067DLFBW1 Left Pedestal Desk	3636
	ECN2542BEFW Bridge	1249
	ECN2267CRFW2 Right Pedestal Credenza	3127

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

## SAMPLE MODEL NUMBER:

ECN3673DDFBW8 79SN X KRB MH

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
<div>DOUBLE PEDESTAL DESK ARC TOP</div> 	ECN3673DDFBAW8	\$ 5095	35 $\frac{1}{16}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	6	34 $\frac{3}{16}$	320 lbs.	57.4
	ECN3667DDFBAW8	4994	35 $\frac{1}{16}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	6	25 $\frac{7}{8}$	305 lbs.	53.0
	<ul style="list-style-type: none"><li>• Depth of arc top is 35<math>\frac{1}{16}</math>" at its widest point</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>								
<div>DOUBLE PEDESTAL DESK</div> 	QECN3673DDFBW8	\$ 4177	36 $\frac{3}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	34 $\frac{3}{16}$	361 lbs.	57.4
	ECN3673DDFBW8	4177	36 $\frac{3}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	34 $\frac{3}{16}$	361 lbs.	57.4
	ECN3667DDFBW8	4092	35 $\frac{1}{16}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	—	25 $\frac{7}{8}$	325 lbs.	53.0
	ECN3067DDFBW8	\$ 4021	30 $\frac{3}{4}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	—	25 $\frac{7}{8}$	285 lbs.	45.3
	ECN3061DDFBW8	3941	30 $\frac{3}{4}$	60 $\frac{1}{2}$	29 $\frac{1}{2}$	—	25 $\frac{7}{8}$	270 lbs.	42.0
<ul style="list-style-type: none"><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>									
<div>TABLE DESK ARC TOP</div> 	ECN3673DTAW	\$ 3759	35 $\frac{1}{16}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	6	—	140 lbs.	13.9
<ul style="list-style-type: none"><li>• Unit features a functional, non-locking drawer</li><li>• Height to the bottom of the rail from the floor is 25</li><li>• Some assembly required</li><li>• Grommets not available</li></ul>									
<div>SINGLE PEDESTAL DESK ARC TOP</div> 	LEFT PEDESTAL	RIGHT PEDESTAL							
	ECN3673DLFBAW1	ECN3673DRFBAW1	\$ 4383	35 $\frac{1}{16}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	6	27 $\frac{3}{4}$	267 lbs.
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Depth of arc top is 35<math>\frac{1}{16}</math>" at its widest point</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>									
<div>FREESTANDING SINGLE PEDESTAL DESK ARC TOP</div> 	LEFT PEDESTAL	RIGHT PEDESTAL							
	ECN3673DLFFBAW1	ECN3673DRFFBAW1	\$ 4383	35 $\frac{1}{16}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	6	50 $\frac{1}{16}$	267 lbs.
<ul style="list-style-type: none"><li>• Depth of arc top is 35<math>\frac{1}{16}</math>" at its widest point</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Freestanding use only; cannot be used with a bridge or other connecting components</li></ul>									

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.


## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish
6. Metal Color


## SAMPLE MODEL NUMBERS:

ECN3672DULW 79SN MH  
ECN3672DULFW 79SN MH 462

- See page 83 for all options available in Escalade


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
 Left shown	LEFT PEDESTAL	RIGHT PEDESTAL								
	QECN3673DLFBW1	QECN3673DRFBW1	\$ 3779	36¼	72½	29½	—	27¾	311 lbs.	57.4
	ECN3673DLFBW1	ECN3673DRFBW1	3779	36¼	72½	29½	—	27¾	311 lbs.	57.4
	ECN3667DLFBW1	ECN3667DRFBW1	3704	36¼	66½	29½	—	24¼	290 lbs.	49.0
	ECN3067DLFBW1	ECN3067DRFBW1	\$ 3636	30¾	66½	29½	—	24¼	245 lbs.	45.3
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										

## FREESTANDING SINGLE PEDESTAL DESK



LEFT PEDESTAL			RIGHT PEDESTAL						
ECN3673DLFFBW1	ECN3673DRFFBW1	\$ 3779	36¼	72½	29½	—	50⅞	311 lbs.	57.4
ECN3667DLFFBW1	ECN3667DRFFBW1	3704	36¼	66½	29½	—	50⅞	290 lbs.	49.0
ECN3067DLFFBW1	ECN3067DRFFBW1	\$ 3636	30¾	66½	29½	—	47	245 lbs.	45.3
ECN3061DLFFBW1	ECN3061DRFFBW1	3563	30¾	60%	29½	—	41⅞	230 lbs.	42.0
<ul style="list-style-type: none"><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Freestanding use only; cannot be used with a bridge or other connecting components</li></ul>									


## U-SHAPED DESK




Left shown

LEFT U				RIGHT U						
ECN3672DULW	ECN3672DURW	\$	3085	36	72¼	29½	17%	27⅓⅞	155 lbs.	13.9
ECN3672DULFW	ECN3672DURFW	w/modesty	3460	36	72¼	29½	17%	27⅓⅞	175 lbs.	13.9
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Support base must be specified separately; see page 30 for support base options</li><li>• Some assembly required</li><li>• Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)</li><li>• Grommets not available</li></ul>										

## P-SHAPED DESK



Left shown



Right shown w/modesty

LEFT P			RIGHT P						
ECN3672DPLW	ECN3672DPRW	\$ 3251	36	72¼	29½	11%	27 <sup>13</sup> / <sub>16</sub>	145 lbs.	13.9
ECN3672DPLFW	ECN3672DPRFW	w/modesty 3667	36	72¼	29½	11%	27 <sup>13</sup> / <sub>16</sub>	165 lbs.	13.9
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Support base must be specified separately; see page 30 for support base options</li><li>• "P" faces approach side for conferencing use</li><li>• Some assembly required</li><li>• Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)</li><li>• Grommets not available</li></ul>									

# ESCALADE

## PRODUCT SPECIFICATIONS



- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

## TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish
6. Metal Color

## SAMPLE MODEL NUMBER:

- ECN2548RLEFW1 79SN G1LR KRB NM
- See page 83 for all options available in Escalade


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
			SUPPORT BASE								
	NAC0428SFRNB	Metal	\$	214	4	—	27¾-29¼	—	10 lbs.	1.0	
	NAC2804SFBW	Wood		580	4	—	27¾-29¼	—	10 lbs.	1.0	
	NAC2812SHB	Wood Half	\$	726	6	11½	27¾	—	—	13 lbs.	2.6
<ul style="list-style-type: none"><li>• Adjustable glide standard</li><li>• Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li><li>• Metal base, optional upper and lower (CUL) wire management cutout</li><li>• Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)</li></ul>											

## CORNER UNIT



ECN3636CFSW	\$ 2427	36¾	36¾	29½	—	—	75 lbs.	29.5
<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Unit can be attached to bridge and return</li> <li>• Front edge is 16¾</li> <li>• Grain direction runs diagonally</li> <li>• Grommet (G1C) available</li> </ul>								


## RECEPTION DESK/RETURN



RECEPTION DESK		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW			
ECN3276DTLFW1	ECN3276DTRFW1	\$ 5201	32¼	75½	43¼	—	28½	325 lbs.	67.0	
<ul style="list-style-type: none"><li>• Must be used with reception return</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										

RECEPTION RETURN		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW			
ECN2550RTLW2	ECN2550RTRW2	\$ 3462	25¼	49¾	41¼	—	29¼	195 lbs.	37.4	
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Must be used with reception desk</li><li>• Grommet (G1C) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										

## RETURN BOX/BOX/FILE



Right shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2548RLEFW1	ECN2548RREFW1	\$	2858	25¼	48¼	29½	—	28¾ <sub>16</sub>	147 lbs.	29.0
ECN2542RLEFW1	ECN2542RREFW1		2805	25¼	42¼	29½	—	22¾ <sub>16</sub>	137 lbs.	25.9
<ul style="list-style-type: none"><li>• Grain direction on worksurface runs front-to-back</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										



## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

## SAMPLE MODEL NUMBER:

ECN2273CBW 79SN KRB TF

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL	D	W	H				
<b>RETURN FILE/FILE</b>   Left shown	QECN2548RLEFW2	QECN2548RREFW2	\$ 2858	25 $\frac{1}{4}$	48 $\frac{3}{4}$	29 $\frac{1}{2}$	—	28 $\frac{3}{16}$	147 lbs. 29.0
	ECN2548RLEFW2	ECN2548RREFW2	2858	25 $\frac{1}{4}$	48 $\frac{3}{4}$	29 $\frac{1}{2}$	—	28 $\frac{3}{16}$	147 lbs. 29.0
	QECN2542RLEFW2	QECN2542RREFW2	2805	25 $\frac{1}{4}$	42 $\frac{3}{4}$	29 $\frac{1}{2}$	—	22 $\frac{3}{16}$	137 lbs. 25.9
	ECN2542RLEFW2	ECN2542RREFW2	2805	25 $\frac{1}{4}$	42 $\frac{3}{4}$	29 $\frac{1}{2}$	—	22 $\frac{3}{16}$	137 lbs. 25.9
	<ul style="list-style-type: none"> <li>• Grain direction on worksurface runs front-to-back</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>RETURN MULTI-FILE</b>   Right shown	ECN2572RLEFW10	ECN2572RREFW10	\$ 3796	25 $\frac{1}{4}$	72 $\frac{1}{4}$	29 $\frac{1}{2}$	—	33 $\frac{3}{16}$	197 lbs. 41.7
	<ul style="list-style-type: none"> <li>• Grain direction on worksurface runs front-to-back</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>BRIDGE</b>  	QECN2548BEFW	\$ 1288	24 $\frac{1}{16}$	48 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	85 lbs.	3.4
	ECN2548BEFW	1288	24 $\frac{1}{16}$	48 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	85 lbs.	3.4
	QECN2542BEFW	1249	24 $\frac{1}{16}$	42 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	75 lbs.	3.0
	ECN2542BEFW	1249	24 $\frac{1}{16}$	42 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	75 lbs.	3.0
<ul style="list-style-type: none"> <li>• Some assembly required</li> <li>• Grain direction on worksurface runs front-to-back</li> <li>• Grommet (G1C) available</li> </ul>									
<b>BUFFET CREENZA</b>  	ECN2273CBW	Wood	\$ 5004	22 $\frac{1}{4}$	72 $\frac{1}{2}$	35 $\frac{1}{16}$	—	—	380 lbs. 45.2
	<ul style="list-style-type: none"> <li>• Rim and base molding on front and sides of model</li> <li>• Center 2 doors lock</li> <li>• Unit features 3 standard adjustable shelves</li> <li>• Unit features a functional, non-locking drawer</li> <li>• Grommet option not available</li> <li>• Inside dimension of center storage section is 19<math>\frac{3}{4}</math>" deep x 33<math>\frac{3}{4}</math>" wide x 25<math>\frac{1}{4}</math>" high</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>ENTERTAINMENT CREENZA</b>  	ECN2273CBVW	Wood	\$ 5004	22 $\frac{1}{4}$	72 $\frac{1}{2}$	35 $\frac{1}{16}$	—	—	380 lbs. 45.2
	<ul style="list-style-type: none"> <li>• Rim and base molding on front and sides of model</li> <li>• Center 2 doors lock</li> <li>• Unit features 3 standard adjustable shelves</li> <li>• Unit features a functional, non-locking drawer</li> <li>• Cutouts in back panel for venting</li> <li>• Grommet (G1C) available</li> <li>• Inside dimension of center storage section is 19<math>\frac{3}{4}</math>" deep x 33<math>\frac{3}{4}</math>" wide x 25<math>\frac{1}{4}</math>" high</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples

## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish






## SAMPLE MODEL NUMBERS:

ECN2273CSFW2 79SN KRB CL  
ECN2271CSFW2C 79SN KRB CL

- See page 83 for all options available in Escalade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>STORAGE CREDENZA</b> 	QECN2273CSFW2	\$ 4327	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	340 lbs.	37.8
	ECN2273CSFW2	4327	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	340 lbs.	37.8
	ECN2267CSFW2	4040	22 $\frac{1}{4}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	329 lbs.	34.9
	<ul style="list-style-type: none"> <li>• Storage credenza features a standard adjustable shelf</li> <li>• Standard center drawer, non-locking</li> <li>• Rim and base molding detail on 3 sides of unit</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>STORAGE CREDENZA GANGING</b> 	ECN2271CSFW2C	\$ 4327	22 $\frac{1}{4}$	70 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	340 lbs.	37.8
	ECN2265CSFW2C	4040	22 $\frac{1}{4}$	64 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	329 lbs.	34.9
	<ul style="list-style-type: none"> <li>• Storage credenza features a standard adjustable shelf</li> <li>• Standard center drawer, non-locking</li> <li>• Rim and base molding detail on front edge only to allow for ganging</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>LATERAL FILE CREDENZA</b> 	ECN2273CFFW	\$ 4523	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	334 lbs.	37.8
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; 4 rods per drawer are included</li> <li>• Rim and base molding on 3 sides of unit</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>LATERAL FILE CREDENZA GANGING</b> 	ECN2271CFFWC	\$ 4523	22 $\frac{1}{4}$	70 $\frac{1}{2}$	29 $\frac{1}{2}$	—	—	334 lbs.	37.8
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; 4 rods per drawer are included</li> <li>• Rim and base molding detail on front edge only to allow for ganging</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>KNEESPACE CREDENZA</b> 	QECN2273CKFW2	\$ 3847	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	34 $\frac{3}{16}$	234 lbs.	37.8
	ECN2273CKFW2	3847	22 $\frac{1}{4}$	72 $\frac{1}{2}$	29 $\frac{1}{2}$	—	34 $\frac{3}{16}$	234 lbs.	37.8
	ECN2267CKFW2	3618	22 $\frac{1}{4}$	66 $\frac{1}{2}$	29 $\frac{1}{2}$	—	28 $\frac{3}{16}$	223 lbs.	34.9
	ECN2261CKFW2	3385	22 $\frac{1}{4}$	60 $\frac{1}{8}$	29 $\frac{1}{2}$	—	27 $\frac{7}{8}$	215 lbs.	31.0
	<ul style="list-style-type: none"> <li>• Rim and base molding on 3 sides of unit</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples

## TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

## SAMPLE MODEL NUMBER:

ECN2272CLFW1C 79SN G1LR KRB CL


- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>KNEESPACE CREDENZA GANGING</b>	ECN2271CKFW2C	\$ 3847	22¼	70½	29½	—	34¾	234 lbs.	37.8
	ECN2265CKFW2C	3618	22¼	64½	29½	—	28¾	223 lbs.	34.9
	ECN2259CKFW2C	3385	22¼	58½	29½	—	27¾	215 lbs.	31.0



- Rim and base molding on front and inside kneespace only to allow for ganging
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## SINGLE PEDESTAL CREDENZA BOX/BOX/FILE




Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2273CLFW1	ECN2273CRFW1	\$ 3172	22¼	72½	29½	—	27¾	195 lbs.	37.8
ECN2267CLFW1	ECN2267CRFW1	3127	22¼	66½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## FREESTANDING SINGLE PEDESTAL CREDENZA BOX/BOX/FILE




Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2273CLFFW1	ECN2273CRFFW1	\$ 3172	22¼	72½	29½	—	50	195 lbs.	37.8
ECN2267CLFFW1	ECN2267CRFFW1	3127	22¼	66½	29½	—	44	184 lbs.	34.9
ECN2261CLFFW1	ECN2261CRFFW1	3065	22¼	60¾	29½	—	38	175 lbs.	30.0

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## SINGLE PEDESTAL CREDENZA BOX/BOX/FILE GANGING



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2272CLFW1C	ECN2272CRFW1C	\$ 3172	22¼	71½	29½	—	27¾	195 lbs.	37.8
ECN2266CLFW1C	ECN2266CRFW1C	3127	22¼	65½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples

## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish





## SAMPLE MODEL NUMBER:

ECN2266CLFW2C 79SN X KRB CL

- See page 83 for all options available in Escalade



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET		
<div>SINGLE PEDESTAL CREDENZA FILE/FILE</div> 	LEFT PEDESTAL	RIGHT PEDESTAL									
	QECN2273CLFW2	QECN2273CRFW2	\$	3172	22¼	72½	29½	—	27¾	195 lbs.	37.8
	ECN2273CLFW2	ECN2273CRFW2		3172	22¼	72½	29½	—	27¾	195 lbs.	37.8
	ECN2267CLFW2	ECN2267CRFW2		3127	22¼	66½	29½	—	21¾	184 lbs.	34.9
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Rim and base molding detail on 3 sides of unit</li><li>• Modesty panel of joining unit will attach above the base molding detail</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										
<div>FREESTANDING SINGLE PEDESTAL CREDENZA FILE/FILE</div> 	LEFT PEDESTAL	RIGHT PEDESTAL									
	ECN2273CLFFW2	ECN2273CRFFW2	\$	3172	22¼	72½	29½	—	50	195 lbs.	37.8
	ECN2267CLFFW2	ECN2267CRFFW2		3127	22¼	66½	29½	—	44	184 lbs.	34.9
	ECN2261CLFFW2	ECN2261CRFFW2		3065	22¼	60¾	29½	—	38	175 lbs.	30.0
	<ul style="list-style-type: none"><li>• Rim and base molding detail on 3 sides of unit</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Freestanding use only; cannot be used with a bridge or other connecting components</li></ul>										
<div>SINGLE PEDESTAL CREDENZA FILE/FILE GANGING</div> 	LEFT PEDESTAL	RIGHT PEDESTAL									
	ECN2272CLFW2C	ECN2272CRFW2C	\$	3172	22¼	71½	29½	—	27¾	195 lbs.	37.8
	ECN2266CLFW2C	ECN2266CRFW2C		3127	22¼	65½	29½	—	21¾	184 lbs.	34.9
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Rim and base molding detail on 2 sides of unit to allow for ganging</li><li>• Modesty panel of joining unit will attach above the base molding detail</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										
	<div>SINGLE PEDESTAL CREDENZA LATERAL FILE</div> 	LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFW6		ECN2273CRFW6	\$	3716	22¼	72½	29½	—	9¾	235 lbs.	37.8
ECN2267CLFW6		ECN2267CRFW6		3458	22¼	66½	29½	—	3¾	224 lbs.	34.9
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Front-to-back filing is standard with lateral files; 4 rods per drawer are included</li><li>• Rim and base molding detail on 3 sides of unit</li><li>• Modesty panel of joining unit will attach above the base molding detail</li><li>• Grommet (G1LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>											

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples

## TO ORDER, SPECIFY:


1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

## SAMPLE MODEL NUMBERS:

ECN2273CLFW10 79SN X KRB CL  
ECN2272CLFW10C 79SN X KRB CW

- See page 83 for all options available in Escalade


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE</b>	<b>LEFT PEDESTAL</b>								
	ECN2273CLFFW6 ECN2273CRFFW6	\$ 3716	22¼	72½	29½	—	32⅞	235 lbs.	37.8
	ECN2267CLFFW6 ECN2267CRFFW6	3458	22¼	66½	29½	—	26⅞	224 lbs.	34.9



Right shown

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## SINGLE PEDESTAL CREDENZA LATERAL FILE GANGING




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
ECN2272CLFW6C	ECN2272CRFW6C	\$	3716	22¼	71½	29½	—	9¾	235 lbs.	37.8
ECN2266CLFW6C	ECN2266CRFW6C		3458	22¼	65½	29½	—	3¾	224 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## SINGLE PEDESTAL CREDENZA MULTI-FILE




Right shown

LEFT PEDESTAL		RIGHT PEDESTAL							
ECN2273CLFW10	ECN2273CRFW10	\$ 3890	22¼	72½	29%	—	9¾	235 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE




Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFFW10	ECN2273CRFFW10	\$ 3890	22¼	72½	29%	—	32⅞	235 lbs.	37.8

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## SINGLE PEDESTAL CREDENZA MULTI-FILE GANGING



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2272CLFW10C	ECN2272CRFW10C	\$ 3890	22¼	71½	29½	—	9¾	235 lbs.	37.8	

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## ESCALADE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



### TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish


### SAMPLE MODEL NUMBER:

ECN8450HBHPW 79SN KRB MH



- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>HIGHBACK ORGANIZER</b>    	<b>WOOD DOORS</b>								
	ECN8450HBHPW	\$ 4281	15½	83¾	50⅞	—	—	250 lbs.	55.0
	ECN7850HBHPW	4116	15½	77¾	50⅞	—	—	225 lbs.	50.0
	QECN7250HBHPW	3959	15½	72	50⅞	—	—	200 lbs.	41.7
	ECN7250HBHPW	3959	15½	72	50⅞	—	—	200 lbs.	41.7
	ECN6650HBHPW	3807	15½	66	50⅞	—	—	180 lbs.	38.5
	ECN6050HBHPW	3656	15½	60	50⅞	—	—	170 lbs.	35.0
	<b>GLASS DOORS</b>								
	ECN8450HBHPGW	\$ 4469	15½	83¾	50⅞	—	—	250 lbs.	55.0
	ECN7850HBHPGW	4297	15½	77¾	50⅞	—	—	225 lbs.	50.0
	ECN7250HBHPGW	4132	15½	72	50⅞	—	—	200 lbs.	41.7
	ECN6650HBHPGW	3976	15½	66	50⅞	—	—	180 lbs.	38.5
	ECN6050HBHPGW	3850	15½	60	50⅞	—	—	170 lbs.	35.0

- Highback organizers feature (4) side hinged doors, full back panels with a grommet for cord management
- Under shelf clearance is 20⅞
- Center 2 doors lock
- For tack board models, see pages 433-438
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

<b>SMALL OFFICE HIGHBACK ORGANIZER</b>  	ECN8442HBHPGW	\$ 3628	15½	83¾	41⅞	—	—	245 lbs.	53.0
	ECN7842HBHPGW	3488	15½	77¾	41⅞	—	—	220 lbs.	48.0
	ECN7242HBHPGW	3355	15½	72	41⅞	—	—	190 lbs.	35.9
	ECN6642HBHPGW	3208	15½	66	41⅞	—	—	170 lbs.	32.1
	ECN6042HBHPGW	3082	15½	60	41⅞	—	—	165 lbs.	30.0

- Unit features (2) side hinged doors, full back panel with a grommet for cord management
- 84"/78" models feature a divider panel in the center of the open shelves
- Center shelf is fixed; upper shelf is adjustable
- Small office highback organizer cannot be used in a ganging application
- Under door clearance is 12⅞
- Under shelf clearance is 20⅞
- Both doors lock
- For tack board models, see pages 433-438
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

<b>OVERHEAD CABINET WALL MOUNT</b>    	<b>WOOD DOORS</b>								
	QECN7230SOHMMW	\$ 3711	15½	72	29⅞	—	—	150 lbs.	25.1
	ECN7230SOHMMW	3711	15½	72	29⅞	—	—	150 lbs.	25.1
	ECN6630SOHMMW	3566	15½	66	29⅞	—	—	140 lbs.	23.2
	<b>GLASS DOORS</b>								
	ECN7230SOHMGW	\$ 3884	15½	72	29⅞	—	—	150 lbs.	25.1
	ECN6630SOHMGW	3737	15½	66	29⅞	—	—	140 lbs.	23.2

- Wall mount cabinets must be secured by a minimum of 2 solid attachment points on a load bearing wall
- Wall mount bracket is included with unit
- Center 2 doors lock
- For tack board models, see pages 433-438
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**PRODUCT SPECIFICATIONS**

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







**TO ORDER, SPECIFY:**

1. Model Number
2. Pull Option
3. Locking
4. Finish

**SAMPLE MODEL NUMBER:**

ECN38PFHW 79SN KRB CW

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>LATERAL FILE 2 DRAWER</b> 	QECN2238LFF2W	\$ 2614	22 $\frac{3}{4}$	38 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	155 lbs.	17.8
	ECN2238LFF2W	2614	22 $\frac{3}{4}$	38 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	155 lbs.	17.8
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; 4 rods per drawer are included</li> <li>• Lateral file has an unfinished back</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>LATERAL FILE 3 DRAWER</b> 	ECN2238LFF3W	\$ 3290	22 $\frac{3}{4}$	38 $\frac{3}{16}$	41 $\frac{1}{16}$	—	—	265 lbs.	30.0
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; 4 rods per drawer are included</li> <li>• Lateral file has an unfinished back</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>LATERAL FILE 4 DRAWER</b> 	ECN2238LFF4W	\$ 3968	22 $\frac{3}{4}$	38 $\frac{3}{16}$	54 $\frac{1}{2}$	—	—	265 lbs.	32.9
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; 4 rods per drawer are included</li> <li>• Lateral file has an unfinished back</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>DOUBLE DOOR UNIT</b> 	ECN2238PFHW	\$ 2472	22 $\frac{3}{4}$	38 $\frac{3}{16}$	29 $\frac{1}{2}$	—	—	140 lbs.	17.8
	<ul style="list-style-type: none"> <li>• Unit features a single adjustable shelf</li> <li>• Unit features a functional, non-locking drawer</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>ENTERTAINMENT CABINET</b> 	ECN3879VVHW Wood	\$ 5640	23 $\frac{3}{16}$	38 $\frac{3}{16}$	78 $\frac{1}{2}$	—	—	340 lbs.	48.9
	<ul style="list-style-type: none"> <li>• Unit features 170° hinges on top 2 doors</li> <li>• Back of unit has standard grommets for cord management and for ventilation</li> <li>• Unit features an adjustable shelf in both the upper and lower sections</li> <li>• Interior dimensions for upper section 20<math>\frac{3}{16}</math>" D, 34<math>\frac{3}{16}</math>" W, 47<math>\frac{1}{16}</math>" H</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>ENTERTAINMENT CABINET GANGING</b> 	ECN3879VVHWC	\$ 5640	23 $\frac{3}{16}$	38 $\frac{3}{16}$	78 $\frac{1}{2}$	—	—	340 lbs.	48.9
	<ul style="list-style-type: none"> <li>• For use with side open bookcase - ganging only</li> <li>• Unit features 170° hinges on top 2 doors</li> <li>• Back of unit has standard grommets for cord management and for ventilation</li> <li>• Unit features an adjustable shelf in both the upper and lower sections</li> <li>• Interior dimensions for upper section 20<math>\frac{3}{16}</math>" D, 34<math>\frac{3}{16}</math>" W, 47<math>\frac{1}{16}</math>" H</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								

# ESCALADE

## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.






## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

## SAMPLE MODEL NUMBER:

ECN3871BCOFW CW

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	LEFT	RIGHT	D	W	H	A	KW			
<div>SIDE BOOKCASE - OPEN GANGING</div> <div></div> <div>Left shown</div>	ECN2071BCOLWC	ECN2071BCORWC	\$ 1880	15¼	19½	70⅝	—	—	155 lbs. 17.7	
	<div><ul style="list-style-type: none"><li>• For use with entertainment cabinet - ganging only</li><li>• Shaded shelves are adjustable</li><li>• Specify finish only</li></ul></div>									
<div>DOUBLE WARDROBE</div> <div></div>	ECN3879VHHW	\$ 5243	23⅞	38⅞	78½	—	—	340 lbs.	48.9	
	<div><ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• Removable coat rod is standard, positioned on left side of wardrobe</li><li>• Cornice and base detail on 3 sides of unit</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul></div>									
<div>STORAGE - FILE/FILE CABINET GANGING</div> <div></div> <div>Right shown</div>	LEFT HINGED	RIGHT HINGED								
	ECN2071VHL2WC	ECN2071VHR2WC	\$ 3401	23⅞	20⅞	70⅝	—	—	200 lbs.	23.8
	<div><ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Shaded shelves are adjustable</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul></div>									
<div>WARDROBE/STORAGE CABINET GANGING</div> <div></div> <div>Right shown</div>	LEFT HINGED	RIGHT HINGED								
	ECN2071VSHLWC	ECN2071VSHRWC	\$ 3287	23⅞	20⅞	70⅝	—	—	175 lbs.	23.8
	<div><ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Shaded shelves are adjustable</li><li>• Removable coat rod is standard</li><li>• Single door cabinet can be used as a wardrobe unit by removing the adjustable shelves</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul></div>									
<div>BOOKCASE - OPEN</div> <div></div>	QECN3871BCOFW	\$ 2714	15¼	38⅞	70⅝	—	—	190 lbs.	31.3	
	ECN3871BCOFW	2714	15¼	38⅞	70⅝	—	—	190 lbs.	31.3	
	ECN3857BCOFW	2448	15¼	38⅞	57⅝	—	—	150 lbs.	25.4	
	<div><ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• Cornice and base detail on 3 sides of unit</li><li>• 58" bookcase has 2 adjustable shelves and a finished top panel</li><li>• Specify finish only</li></ul></div>									



## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 91 for ganging examples



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

## SAMPLE MODEL NUMBER:

ECN3871BCOHFW 79SN KRB MH

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
<div>BOOKCASE - OPEN GANGING</div> <div></div> <div>Left shown</div>	LEFT	RIGHT											
	ECN3771BCOLWC	ECN3771BCORWC	\$ 2714	15½	37½	70½	—	—			190 lbs.	31.3	
	ECN3757BCOLWC	ECN3757BCORWC	2448	15½	37½	57½	—	—			150 lbs.	25.4	
	<ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• User can gang 2 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase</li><li>• Cornice and base detail on 2 sides of unit</li><li>• 58" bookcase has 2 adjustable shelves and a finished top panel</li><li>• Specify finish only</li></ul>												
<div>BOOKCASE - STORAGE</div> <div></div>	ECN3871BCOHFW	\$ 3255	15½	38½	70½	—	—				210 lbs.	31.3	
	ECN3857BCOHFW	3026	15½	38½	57½	—	—				170 lbs.	25.4	
	<ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• Bookcase has an unfinished back</li><li>• Cornice and base detail on 3 sides of unit</li><li>• 58" bookcase has 1 adjustable shelf and a finished top panel</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>												
<div>BOOKCASE - STORAGE GANGING</div> <div></div> <div>Left shown</div>	LEFT	RIGHT											
	ECN3771BCOHFLWC	ECN3771BCOHFRWC	\$ 3255	15½	37½	70½	—	—				210 lbs.	31.3
	ECN3757BCOHFLWC	ECN3757BCOHFRWC	3026	15½	37½	57½	—	—				170 lbs.	25.4
	<ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• User can gang 2 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase</li><li>• Cornice and base detail on 2 sides of unit</li><li>• 58" bookcase has 1 adjustable shelf and a finished top panel</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>												
<div>BOOKCASE - SET ON</div> <div></div>	WOOD DOORS												
	QECN3750BCHW	\$ 3093	15½	37½	50½	—	—				130 lbs.	22.5	
	ECN3750BCHW	3093	15½	37½	50½	—	—				130 lbs.	22.5	
	GLASS DOORS												
	ECN3750BCHGW	\$ 3228	15½	37½	50½	—	—				130 lbs.	22.5	
	<ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>												
<div>DOUBLE BOOKCASE - SET ON GLASS DOORS</div> <div></div>	ECN7250BCHGW	\$ 5640	15½	72	50½	—	—				260 lbs.	41.7	
	ECN6650BCHGW	5430	15½	66	50½	—	—				250 lbs.	38.5	
	<ul style="list-style-type: none"><li>• Shaded shelves are adjustable</li><li>• Center doors lock</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>												

# ESCALADE



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.







## TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

## SAMPLE MODEL NUMBERS:

ECN2040MGW MH  
NAC3639VBL TF

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>MOBILE UTILITY CART</b> 	ECN2238MUCW Wood	\$ 2515	22 $\frac{3}{4}$	38 $\frac{3}{8}$	35 $\frac{1}{16}$	—	—	145 lbs.	24.7
	<ul style="list-style-type: none"> <li>• Can function as a service cart, overhead projector stand or TV cabinet</li> <li>• Unit features a single adjustable shelf</li> <li>• 4 dual wheel non-locking casters are standard</li> <li>• Grommet (G1C) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>MAGAZINE TABLE</b> 	QECN2040MGW	\$ 1571	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18	—	—	70 lbs.	4.3
	ECN2040MGW	1571	19 $\frac{3}{4}$	39 $\frac{3}{4}$	18	—	—	70 lbs.	4.3
<b>END TABLE</b> 	QECN2424ENW	\$ 1475	23 $\frac{1}{16}$	23 $\frac{1}{16}$	24	—	—	40 lbs.	3.9
	ECN2424ENW	1475	23 $\frac{1}{16}$	23 $\frac{1}{16}$	24	—	—	40 lbs.	3.9
<b>CONSOLE TABLE</b> 	ECN1948CSW	\$ 1756	18 $\frac{1}{16}$	48	28 $\frac{1}{2}$	—	—	40 lbs.	4.9
	• Rim detail on 3 sides of unit								
<b>VISUAL BOARD TOP</b> 	ECN0637CPCFW	\$ 560	5 $\frac{3}{4}$	37 $\frac{7}{16}$	3 $\frac{1}{16}$	—	—	35 lbs.	1.1
	ECN0643CPCFW	647	5 $\frac{3}{4}$	43 $\frac{3}{8}$	3 $\frac{1}{16}$	—	—	40 lbs.	1.3
	<ul style="list-style-type: none"> <li>• ECN0637CPCFW fits on top of NAC3639VBW</li> <li>• ECN0643CPCFW fits on top of NAC4239VBW</li> </ul>								
<b>VISUAL BOARD</b> 	<b>WOOD</b>								
	NAC3639VBW 36"	\$ 2031	4 $\frac{1}{16}$	35 $\frac{7}{8}$	39 $\frac{1}{16}$	—	—	65 lbs.	5.9
	NAC4239VBW 42"	2615	4 $\frac{1}{16}$	41 $\frac{1}{16}$	39 $\frac{1}{16}$	—	—	82 lbs.	7.1
	<b>LAMINATE</b>								
	NAC3639VBL 36"	\$ 1676	4 $\frac{1}{16}$	35 $\frac{7}{8}$	39 $\frac{1}{16}$	—	—	65 lbs.	5.9
	NAC4239VBL 42"	1943	4 $\frac{1}{16}$	41 $\frac{1}{16}$	39 $\frac{1}{16}$	—	—	82 lbs.	7.1
	<ul style="list-style-type: none"> <li>• All installation hardware included</li> <li>• Frame of visual board is black</li> <li>• Tackable black fabric covers inside door panels</li> <li>• A set of 4 dry erase markers and an eraser are standard</li> <li>• Marker board is not magnetic</li> <li>• Doors only open to 165°, not flat</li> </ul>								

PRODUCT SPECIFICATIONS



Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.




TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

ECN1733KDFW TF

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>KEYBOARD DRAWER</b> 	QECN1733KDFW	\$ 484	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>16</sub>	—	—	20 lbs.	2.1
	ECN1733KDFW	484	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>16</sub>	—	—	20 lbs.	2.1
<ul style="list-style-type: none"> <li>• Use on 72" double pedestal desk, 72" kneespace credenza, and bridge</li> <li>• When using a wood keyboard drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK</li> <li>• Specify finish only</li> </ul>									
<b>CENTER DRAWER</b> 	QECN1733CDW	\$ 400	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	20 lbs.	2.1
	ECN1733CDW	400	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	20 lbs.	2.1
	QECN1727CDW	379	16 <sup>25</sup> / <sub>32</sub>	27 <sup>1</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	15 lbs.	1.9
	ECN1727CDW	379	16 <sup>25</sup> / <sub>32</sub>	27 <sup>1</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	15 lbs.	1.9
	ECN1724CDW	371	16 <sup>25</sup> / <sub>32</sub>	24	2 <sup>1</sup> / <sub>2</sub>	—	—	13 lbs.	1.0
<ul style="list-style-type: none"> <li>• Use ECN1733CDW on 72" double pedestal desk and 72" kneespace credenza</li> <li>• Use ECN1727CDW on 66" double pedestal desk and 36" x 72" single pedestal desk</li> <li>• Use ECN1724CDW on 30" x 66" single pedestal desk</li> <li>• When using a wood center drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK</li> <li>• Specify finish only</li> </ul>									
<b>KEYBOARD/DRAWER MOUNTING KIT</b> 	NAC0802KMK	\$ 73	8	2	3/4	—	—	3 lbs.	0.3
<ul style="list-style-type: none"> <li>• Must be used with keyboard kits, Escalade keyboard drawer or Escalade center drawer when attaching to Escalade unit</li> <li>• Specify model number only</li> </ul>									

# ESCALADE

## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping


## TO ORDER, SPECIFY:

- Model Number
- Pull Option
- Grommet Option
- Locking
- Finish

## SAMPLE MODEL NUMBER:

- ECN2271CKFW2C 79SN G1LR KRB TF
- See page 83 for all options available in Escalade

### WALL UNIT GANGING



#### MODEL NO./DESCRIPTION

**LIST  
PRICE**

#### DIMENSIONS

**D**

**W**

**H**

**A**

**KW**

**CARTONED CUBIC  
WEIGHT FEET**


#### GANGING WALL UNIT

**\$14,553**

ECN2271CKFW2C	Kneespace Cred.—Ganging	3847
ECN2071VSWHLWC	Wardrobe Right—Ganging	3287
ECN2071VSWHRWC	Wardrobe Left—Ganging	3287
ECN7250HBHPGW	Highback Organizer—Glass Doors	4132

22¼	72½	29½	—	—	234 lbs.	37.8
23¾	20¾	70¼	—	—	175 lbs.	23.8
23¾	20¾	70¼	—	—	175 lbs.	23.8
15½	72	29¾	—	—	200 lbs.	41.7

### EXECUTIVE UNIT GANGING




#### GANGING EXECUTIVE UNIT

**\$15,351**

ECN3673DLFBW1	Single Pedestal Desk	3779
ECN2548BEFW	48" Bridge	1288
ECN2272CRFW1C	Single Ped. Cred.—Ganging	3172
ECN7230SOHWW	Wall Mount Cabinet—Wood Doors	3711
ECN2071VHR2WC	Storage Cabinet—Ganging	3401

36¼	72½	29½	—	49¼	311 lbs.	57.4
24¼	48¼	29½	—	48¼	85 lbs.	3.4
22¼	71½	29½	—	49¼	195 lbs.	37.8
15½	72	29¾	—	—	150 lbs.	25.1
23¾	20¾	70¼	—	—	200 lbs.	23.8

### ENTERTAINMENT WALL UNIT GANGING



#### GANGING ENTERTAINMENT WALL UNIT

**\$ 9400**

ECN3879VVHWC	TV/VCR Cabinet—Ganging	5640
ECN2071BCORWC	Open Bookcase—Ganging	1880
ECN2071BCOLWC	Open Bookcase—Ganging	1880

23¾	38¾	78½	—	—	340 lbs.	48.9
15¼	19½	70¼	—	—	155 lbs.	17.7
15¼	19½	70¼	—	—	155 lbs.	17.7


**TO ORDER, SPECIFY:**

1. Model Number
2. Grommet Option
3. Finish


**SAMPLE MODEL NUMBER:**

ECN30RD G10C MH

- See page 83 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<b>ROUND TABLE TOP</b> 	<b>30" ROUND</b>	<b>1<math>\frac{1}{16}</math>" TOP THICKNESS</b>		<b>DI</b>	<b>H</b>					
	ECN30RDW	Wood	\$ 1554	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	ECN36RDW	Wood	\$ 1831	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
	<b>42" ROUND</b>									
	ECN42RDW	Wood	\$ 2062	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	74 lbs.	4.0
	<b>48" ROUND</b>									
	ECN48RDW	Wood	\$ 2533	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	94 lbs.	5.1

- Reference Table Base Guide in the Tables Price List on pages 41-45 for applicable bases
- See Tables Price List pages 112-117 for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 111 for options and upcharge

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<b>SQUARE TABLE TOP</b> 	<b>30" SQUARE</b>	<b>1<math>\frac{1}{16}</math>" TOP THICKNESS</b>								
	ECN3030SQW	Wood	\$ 1554	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	ECN3636SQW	Wood	\$ 1831	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
	<b>42" SQUARE</b>									
	ECN4242SQW	Wood	\$ 2062	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
	<b>48" SQUARE</b>									
	ECN4848SQW	Wood	\$ 2533	48 $\frac{1}{16}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 41-45 for applicable bases
- See Tables Price List pages 112-117 for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 111 for options and upcharge

