

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**44 In. Front Blade**  
Equipment for Base Machine

1118 mm (44 in.) Cutting Width      Thickness  
1016 mm (40 in.) Cutting Width  
at 25 degree angle  
3 Angling Positions  
3.05 mm (0.12 in.) Blade

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

6001M	44 In. Front Blade <i>For Model Year 2006-2015 Select Series X300 Tractors</i>	565.00
<i>Rear weights and tire chains are recommended for additional traction.</i>		

**ATTACHMENTS FOR FIELD CONVERSION**

M146542	<b>Miscellaneous:</b> Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), 44 Front Blade (6001M/SKU23044), or 48 Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	194.22
LP33711	<b>Order Zone:</b> Electric Lift Kit (Model Year 2006-2015) <i>For Snow Blower and Front Blade.</i>	399.95
LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**44 In. Front Blade**  
Equipment for Base Machine

1118 mm (44 in.) Cutting Width      Thickness  
1016 mm (40 in.) Cutting Width  
at 25 degree angle  
3 Angling Positions  
3.05 mm (0.12 in.) Blade

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

6005M	44 In. Front Blade <i>For Model Year 2016- Select Series X300 Tractors.</i>	565.00
<i>Rear weights and tire chains are available for additional traction.</i>		

**DESTINATION**

001A	US and Canada	In Base Price
------	---------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

M146542	<b>Miscellaneous:</b> Rubber Blade Squeegee <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	58.49
LP64865	<b>Order Zone:</b> Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade. Availability expected February 2016.</i>	450.00
LP33712	Manual Angling Kit (44 in Front Blade X300s)	164.95

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

## 44 In. Front Blade Equipment for Base Machine

1118 mm (44 In.) Wide, Heavy Gauge, Curved Blade  
Replaceable Cutting Edge  
Reinforcing Angle on Back of Blade  
Two Adjustable Skid Shoes  
Three-Angle Positioning

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

9480M	44 In. Front Blade <i>LT and LTR Tractors.</i>	539.00
	<i>Early hand lift tractors require BM21360 Retro-Fit Kit.</i>	
	<i>Rear weights and tire chains are recommended for additional traction.</i>	

### ATTACHMENTS FOR FIELD CONVERSION

BM21360	<b>Miscellaneous:</b> Retro-Fit Kit <i>Required for Hand-Lift Tractors</i>	87.74
AM132109	Rubber Blade Squeegee Kit	82.34
BM19123	<b>Seats / Wheels / Tires:</b> 31 Lb. Plastic Rear Wheel Weights	68.49
TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
TY24327	Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
R66949	<b>Weights:</b> Quik-Tatch Weight, 42 Lb. <i>Not for LTR166 or LTR180</i>	59.91
BM21432	Rear Weight Bracket Kit <i>Requires Two R66949 Quik-Tatch Weights</i> <i>Not for LTR166 or LTR180</i>	109.14

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**44 In. Front Blade (For LX, GT and GX255)**  
Equipment for Base Machine

44 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Reinforcing Angle on Back  
of Blade  
Three-Angle Positioning

Height Controlled by Manual  
Foot Lift on Tractor  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9561M	44 In. Front Blade (For LX, GT and GX255) <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i> <i>Hand Lift Tractors Require BM21360 Retro-Fit Kit.</i>	549.00
-------	---	--------

**ATTACHMENTS FOR FIELD CONVERSION**

BM21360	<b>Miscellaneous:</b> Retro-Fit Kit <i>Required for Hand-Lift Tractors</i>	87.74
AM132109	Rubber Blade Squeegee Kit	82.34
	<b>Seats / Wheels / Tires:</b>	
TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
TY24327	Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires <i>For Turf and Knobby Tires. Not Intended for use on all Four Rear Tires.</i>	89.40
	<b>Weights:</b>	
R66949	Quik-Tatch Weight, 42 Lb.	59.91
BM17296	Rear Weight Mounting Kit (LX Series) <i>For LX280 AWS</i>	83.46

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48 In. Front Blade**  
Equipment for Base Machine

1219 mm (48 in.) Cutting Width  
1194 mm (47 in.) Cutting Width  
at 15 degree angle  
1067 mm (42 in.) Cutting Width  
at 30 degree angle  
5 Angling Positions

Spring-Trip with Lock  
3.05 mm (0.12 in.) Blade  
Thickness

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

6002M	48 In. Front Blade <i>For Model Year 2006-2015 Select Series X500 M-T Tractors</i>  <i>Rear weights and tire chains are recommended for additional traction.</i>	790.00
-------	---	--------

**ATTACHMENTS FOR FIELD CONVERSION**

BM23448	<b>Blades:</b> Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
AM119321	<b>Miscellaneous:</b> Heavy Duty Skid Shoe (1) <i>Two required.</i>	57.37
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), 44 Front Blade (6001M/SKU23044), or 48 Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	194.22
LP33711	<b>Order Zone:</b> Electric Lift Kit (Model Year 2006-2015) <i>For Snow Blower and Front Blade.</i>	399.95

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48 In. Front Blade**  
Equipment for Base Machine

1219 mm (48 in.) Cutting Width  
1194 mm (47 in.) Cutting Width  
at 15 degree angle  
1067 mm (42 in.) Cutting Width  
at 30 degree angle  
5 Angling Positions

Spring-Trip with Lock  
3.05 mm (0.12 in.) Blade  
Thickness

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

6006M	48 In. Front Blade <i>For Model Year 2016- Select Series X500 M-T Tractors</i>  <i>Rear weights and tire chains are recommended for additional traction</i>	790.00
-------	--	--------

**DESTINATION**

001A	US and Canada	In Base Price
------	---------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Blades:</b>		
BM23448	Manual Angling Kit (48 in Blade X500 M-T)	257.87
M42868	Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 7 03M7188 bolts and 7 14M7273 nuts.</i>	66.21
<b>Miscellaneous:</b>		
AM119321	Heavy Duty Skid Shoe (1) <i>Two required.</i>	57.37
<b>Order Zone:</b>		
LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade. Availability expected February 2016.</i>	450.00

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)

Equipment for Base Machine

48 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Replaceable Cutting Edge  
Reinforcing Angle on Back  
of Blade

Easy-On, Easy-Off Mounting  
Five-Angle Positioning  
Spring Breakaway with Lock

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

3481M	48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i>  <i>One 50 Lb. Plastic Wheel Weight on each Rear Wheel or up to Four 42 Lb. Quik-Tatch Weights Recommended for Additional Traction. Tire Chains helpful when Blading Snow.</i>	678.00
-------	--	--------

#### LIFT KIT

1000	Front Implement Lift Kit <i>For GT tractors with Hand Lift.</i>  <i>GT242, GT262, GT275 require 2-M132142 Brackets, 2-19M7789 Bolts and 2-14M7466 Nuts.</i>	105.00
1001	Front Implement Lift Kit <i>For 325, 335, 345, and 355D Tractors.</i>	78.00
1002	Front Implement Lift Kit <i>For 240-285 and 320 Tractors.</i>  <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts, and 4-14M7296 Flange Head Nuts may be required.</i>	107.00
1003	Front Implement Lift Kit <i>For GX325, GX335, GX345, and GX355.</i>	78.00
1004	Front Implement Lift Kit <i>For GT and GX255 with Foot Lift.</i>	121.00
1010	Less Front Implement Lift Kit	In Base Price

#### ATTACHING PARTS

2001	Attaching Parts <i>For 240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, and GX355 Tractors.</i>  <i>240-285, 320 Tractors require 24M7053 Washers.</i>	33.00
2002	Attaching Parts <i>For GT and GX255 Tractors.</i>	44.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHING PARTS Continued...</b>			
2010		Less Attaching Parts	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Miscellaneous:</b>	
BM19218		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285, 320 Tractors Require six 24M7053 Washers.</i>	39.59
BM21340		Attaching Parts (GT and GX255)	50.29
BM16733		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	121.99
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	88.81
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	88.81
BM21337		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>(LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	139.10
BM18977		Front Implement Lift Kit (LX/GT with Hand Lift) <i>GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7401 Nuts.</i>	120.91
AM119321		Heavy Duty Skid Shoe (1)	57.37
BM21341		Manual Angling Kit (GT, 240-285, 320, 325, 335, 345, 355D, GX) <i>For 240-285, 320 Tractors, Order one AM103783 Bracket, one 19M7866 Bolt and one 14M7401 Nut.</i>	211.86
		<b>Seats / Wheels / Tires:</b>	
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires	81.08
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires <i>For Turf and Knobby Tires. Not Intended for use on all Four Rear Tires.</i>	89.40
		<b>Weights:</b>	
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Use of Two Weights is Recommended.</i>	67.41
R66949		Quik-Tatch Weight, 42 Lb. <i>Use of Four Weights is Recommended.</i>	59.91



**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 in. Quick-Hitch Front Blade**  
Equipment for Base Machine

1372 mm (54 in.) Clearing Width  
Straight  
1219 mm (48 in.) Clearing Width  
Fully Angled  
Replaceable Cutting Edge  
Heavy 11-Gauge, Curved Blade  
Angled Left or Right Up to 27  
degrees

Two Adjustable Skid Shoes  
Reinforced Angle Bar on Back of  
Blade Spring Breakaway with  
Lock-Out Pin  
Less Front Hitch  
Less Hydraulic Angling

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1492M	54 in. Quick-Hitch Front Blade For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 Hydraulic Coupler Kit Required on 425, X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. See Sales Manual for Ballast Requirements.	515.00
-------	--	--------

**DESTINATION**

0202	United States Requires Option Code 0409 English North American Operator's Manual and Decal Kit or Option Code 0437 Spanish Operator's Manual and Decal Kit	In Base Price
0184	Canada Requires Option Code 0409 English North American Operator's Manual and Decal Kit or Option Code 0413 French Canadian Operator's Manual and Decal Kit	Same Price
0205	Quebec Requires Option Code 0413 French Canadian Operator's Manual and Decal Kit	Same Price

**OPERATOR'S MANUAL**

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

**FRONT QUICK-HITCH**

6940	Front Quick-Hitch and Hydraulic Lift For X400 and X500 Heavy Duty Garden Tractors, and X700's.	615.00
6947	Front Quick-Hitch and Hydraulic Lift For 425, 445, and 455.	638.00
6943	Front Quick-Hitch and Hydraulic Lift	656.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 in. Quick-Hitch Front Blade**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT QUICK-HITCH Continued...</b>			
<i>For 2210 and 2305.</i>			
6950		Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	716.00
6948		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>	716.00
<i>Requires BLV10160 Front Attaching Support.</i>			
6968		Less Front Quick-Hitch	In Base Price
<b>HYDRAULIC ANGLING</b>			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	189.00
6801		Hydraulic Angling <i>For 425, 445, and 455.</i>	165.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
6803		Hydraulic Angling <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
6804		Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
6818		Less Hydraulic Angling	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Blades:</b>			
M42868		Rubber Blade Squeegee Kit 48 In. and 54 In. Blade <i>Requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	66.21
<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	731.89
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
<b>HYDRAULICS</b>			
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 in. Quick-Hitch Front Blade**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM17650	Hydraulic Angling (415, 425, 445, 455)	189.39
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20922	Hydraulic Angling Kit (2210, 2305)	219.36
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
		<b>Miscellaneous:</b>	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 475B only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LP53767	Front Blade Snow Extension Kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	199.95
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	131.61
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1)	57.37
	LP64664	Snow Plow Markers	24.95
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		<b>Order Zone:</b>	
	LP54000	54 In. Tractor Shovel <i>For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.</i>	744.95
		<b>Seats / Wheels / Tires:</b>	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**54 in. Quick-Hitch Front Blade**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 in. Quick-Hitch Front Blade**  
Equipment for Base Machine

1524 mm (60 in.) Clearing Width Straight	Two Adjustable Heavy Duty Skid Shoes
1358 mm (53.5 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with
Replaceable Cutting Edge	Lock-Out Pin
Heavy 7-Gauge, Curved Blade	Less Front Hitch
Angled Left or Right Up to 27 degrees	Less Hydraulic Angling

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9820M	60 in. Quick-Hitch Front Blade <i>For X400/X500 Heavy Duty Garden Tractors, X700's, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 Hydraulic Coupler Kit Required on 425, X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. See Sales Manual for Ballast Requirements</i>	885.00
-------	---	--------

**DESTINATION**

0202	United States <i>Requires Option Code 0409 English North American Operator's Manual and Decal Kit or Option Code 0437 Spanish Operator's Manual and Decal Kit</i>	In Base Price
0184	Canada <i>Requires Option Code 0409 English North American Operator's Manual and Decal Kit or Option Code 0413 French Canadian Operator's Manual and Decal Kit</i>	Same Price
0205	Quebec <i>Requires Option Code 0413 French Canadian Operator's Manual and Decal Kit</i>	Same Price

**OPERATOR'S MANUAL**

0409	English North American Operator's Manual and Decal Kit	In Base Price
0413	French Canadian Operator's Manual and Decal Kit	Same Price
0437	Spanish North American Operator's Manual and Decal Kit	Same Price

**FRONT QUICK-HITCH**

6940	Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
6943	Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	656.00
6950	Front Quick-Hitch and Hydraulic Lift	716.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 in. Quick-Hitch Front Blade**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT QUICK-HITCH Continued...</b>			
<i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>			
6948		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>  <i>Requires BLV10160 Front Attaching Support.</i>	716.00
6968		Less Front Quick-Hitch	In Base Price
<b>HYDRAULIC ANGLING</b>			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	189.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
6803		Hydraulic Angling <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
6804		Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
6818		Less Hydraulic Angling	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
<b>HYDRAULICS</b>			
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
<b>Miscellaneous:</b>			
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 in. Quick-Hitch Front Blade**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB25302	Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 475B only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	131.61
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1)	57.37
	LP64664	Snow Plow Markers	24.95
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		<b>Seats / Wheels / Tires:</b>	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

## ROPS Hard Cab Equipment for Base Machine

Modular Design  
Roll-Over Protective Structure  
(ROPS) Certified  
Steel Doors  
Sliding Glass Windows  
Front windshield wiper

Safety Glass Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

9356M		ROPS Hard Cab <i>For X700 Signature Series Tractors (X710, X730, X734, X738, X739, X750, X754, and X758)</i>	4,799.00
-------	--	---	----------

### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

### ATTACHMENTS FOR FIELD CONVERSION

	<b>Miscellaneous:</b>	
BM24425	Auxiliary Alternator Kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	399.11
BM25094	Heater quick connect kit (X710,X730,X734,X738,X739,X750,X754,X758)	180.83
BM25033	Heater, Tuck-Away	457.96
BM25081	Interior review mirror kit (X710,X730,X734,X738,X739,X750,X754,X758)	112.36
BM25062	Mirror Kit (X710,X730,X734,X738,X739,X750,X754,X758)	111.29
BM25061	Rear Wiper Kit (X710,X730,X734,X738,X739,X750,X754,X758)	151.94
BM25063	Strobe Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	160.50
BM25064	Switch Panel Fuse Block Kit (X710,X730,X734,X738,X739,X750,X754,X758)	310.30
BM25082	Work Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	225.77



# JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

## ROPS Hard Cab Equipment for Base Machine

Modular Design  
Roll-Over Protective Structure  
(ROPS) Certified  
Steel Doors  
Sliding Glass Windows

Safety Glass Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

### BASE MACHINE

*F.O.B. Davenport, Iowa*

9354M		ROPS Hard Cab <i>For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744, X748, X749 Garden Tractors.</i>  <i>Not Compatible with 45 Loader.</i>  <i>Cab is Shipped in two Boxes.</i>	3,929.00
-------	--	--	----------

### ATTACHMENTS FOR FIELD CONVERSION

BM20990	<b>Miscellaneous:</b> Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69
BM23194	Auxiliary Alternator Kit (X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
BM20931	Exterior Rear View Mirror Kit (Set of 2)	112.36
BM21480	Heater, Tuck-Away	457.96
BM20932	Strobe Light	148.73
BM20930	Switch Panel Kit/Fuse Block	254.66
BM20934	Wiper, Electric	210.79

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**ROPS Soft Cab**  
Equipment for Base Machine

Modular Design  
Roll-Over Protective Structure  
(ROPS) Certified  
Vinyl Doors  
Clear Vinyl Windows

Clear Vinyl Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9355M		ROPS Soft Cab <i>For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744, X748, X749 Garden Tractors.</i>  <i>Compatible with 45 Loader.</i>	2,769.00
-------	--	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>	
BM20990	Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	499.69
BM23194	Auxiliary Alternator Kit (X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	395.90
BM20931	Exterior Rear View Mirror Kit (Set of 2)	112.36
BM21480	Heater, Tuck-Away	457.96
BM20932	Strobe Light	148.73
BM20930	Switch Panel Kit/Fuse Block	254.66
BM20934	Wiper, Electric	210.79

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**Weather Enclosure (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740,  
X744, X748, X749 Garden Tractors)**  
Equipment for Base Machine

16 Gauge Steel Tubing  
Construction  
Molded Plastic Roof  
Vinyl Fabric Doors and  
Sides  
Lexan Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>Weather Enclosure</b>			
<i>Weather Enclosure is not Modular Design, not ROPS Certified and no Wiper as Standard Equipment.</i>			
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous:</b>			
BM20482		Soft Weather Enclosure	1,098.89
BM20923		Windshield, Safety Glass	219.36
BM20925		Wiper, 12V Electric <i>Requires BM20923 Windshield</i>	228.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger (For Riding Mowers)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:                      Installation and Removal  
Polypropylene Hopper Top                      Air Flow Indicator  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM20452		<b>Material Collection System Hoppers:</b> 7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute. Front Ballast is Required when Bagging. Order BM17963, Front Weight Kit and BM17979, Weight Mounting Hardware.</i>	449.40
BM20384		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Rear Bagger Chute for 30 In. and 38 In. Mowers	75.97
BM17963		<b>Miscellaneous:</b> Front Weight Kit	140.17
BM17979		Weight Mounting Hardware	10.70

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For STX38 and STX46 Lawn Tractors)**  
Equipment for Base Machine

<p>7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal</p>	<p>Air Flow Indicator BLOWER ASSEMBLY: Easy Installation and Removal Polyethylene Housing</p>
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20453		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute, or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	75.97
BM20982		Rear Bagger Chute for 38 In. Mowers	78.11
		<b>Mower Deck and Mower Deck Attachments:</b>	
M83459		High Lift Mower Blade (38 In. Mower)	16.99
AM103851		Mower Lip Kit (Left), 38 In. Mower	176.16
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower	81.52

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For LT Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
	BM20454	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
	BM20004	QT Blower Assembly for 38 In. Mower	600.27
	BM21380	QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	573.51
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM20988	Power Flow Chute	75.97
	BM20942	Rear Bagger Chute - 42C Mower, LT Only	95.23
	BM20493	Rear Bagger Chute 38 In. Mower, LT Only	79.19
		<b>Mower Deck and Mower Deck Attachments:</b>	
	AM115595	48 In. Rear Lip Kit (1992 and prior)	112.98
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	M135589	Hi Lift Blade For 48 In. Mower	16.45
	M83459	High Lift Mower Blade (38 In. Mower)	16.99
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
	AM103851	Mower Lip Kit (Left), 38 In. Mower	176.16
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	81.52

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
	BM20455	7 Bushel Hopper Assembly <i>For LX172-LX188 and LX255, LX266, LX277, LX277 AWS, LX280 AWS and LX288 Lawn Tractors. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. LX277 AWS and LX280 AWS Requires BM19797, Adapter Kit.</i>	449.40
	BM20456	7 Bushel Hopper Assembly <i>For LX280 (Not LX280 AWS) and LX289. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow Chute.</i>	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115) <i>Requires BM21681 Power Flow Chute.</i>	541.41
	BM19090	Blower Assembly for 48 In. and 54 In. Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
	BM18770	QT Blower Assembly for 38 In. Mower (Yellow 38 In. Decks) <i>Not for use on LX277 AWS or LX280 AWS. Requires BM20988 Power Flow Chute.</i>	594.91
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM20988	Power Flow Chute	75.97
	BM21681	Power Flow Chute (6.5/7 bu.) <i>For 48A, 48HC, 54A, 54HC.</i>	115.56
	BM20982	Rear Bagger Chute for 38 In. Mowers	78.11
		<b>Mower Deck and Mower Deck Attachments:</b>	
	AM115595	48 In. Rear Lip Kit (1992 and prior)	112.98
	M139977	Bagging Mower Blade (42C Mower)	19.50
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	M135589	Hi Lift Blade For 48 In. Mower	16.45
	M83459	High Lift Mower Blade (38 In. Mower)	16.99
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
	BM20985	Leaf Bagging Kit (54C/54X Mower)	129.47
	AM103851	Mower Lip Kit (Left), 38 In. Mower	176.16
	AM103852	Mower Lip Kit (Right Rear), 38 In. Mower	81.52



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For SST Lawn Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	75.97
BM21681		Power Flow Chute (6.5/7 bu.) <i>For 48A, 48HC, 54A, 54HC.</i>	115.56
BM20943		Rear Bagger Chute for 42 In. All Purpose Mower (42AP)	89.89
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
M135589		Hi Lift Blade For 48 In. Mower	16.45
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
		<b>Weights:</b>	
BM20937		Front Weight Kit (SST) <i>Warning Label not Included. French Canadian Dealers Need to Order M127333 Warning Label. Order M127333 Warning Label.</i>	60.99

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
	BM20456	7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow Chute.</i>	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115) <i>Requires one AM133822 Wheel Adjusting Pin for use on Model Year 2004 Mowers. Requires BM21681 Power Flow Chute.</i>	541.41
	BM19090	Blower Assembly for 48 In. and 54 In. Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM20988	Power Flow Chute	75.97
	BM21681	Power Flow Chute (6.5/7 bu.) <i>For 48A, 48HC, 54A, 54HC.</i>	115.56
	BM20982	Rear Bagger Chute for 38 In. Mowers	78.11
		<b>Mower Deck and Mower Deck Attachments:</b>	
	AM115595	48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>	112.98
	M139977	Bagging Mower Blade (42C Mower) <i>For LX, GT and GX Tractors.</i>	19.50
	BM20505	Front Blowout Baffle for 42 In. Mower (42C/42X)	39.59
	M135589	Hi Lift Blade For 48 In. Mower	16.45
	M135590	Hi Lift Blade for 54 In. Mower	18.39
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
	BM20985	Leaf Bagging Kit (54C/54X Mower)	129.47

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>	152.54

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GX and 300 Series Garden Tractors)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM20456		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i> <i>F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	449.40
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115) <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM19090		Blower Assembly for 48 In. and 54 In. Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM20988		Power Flow Chute	75.97
BM21681		Power Flow Chute (6.5/7 bu.) <i>For 48A, 48HC, 54A, 54HC.</i>	115.56
BM20982		Rear Bagger Chute for 38 In. Mowers	78.11
		<b>Mower Deck and Mower Deck Attachments:</b>	
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>	112.98
M135589		Hi Lift Blade For 48 In. Mower	16.45
M135590		Hi Lift Blade for 54 In. Mower	18.39
BM19894		Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
BM20985		Leaf Bagging Kit (54C/54X Mower)	129.47
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>	152.54

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System (For 425, 445, 455 Garden Tractors)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
	BM20780	7 Bushel Hopper Assembly <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	494.34
		<b>Material Collection System Power Flow Blowers:</b>	
	BM19089	Blower Assembly for 48 In. Mower	541.41
	BM19090	Blower Assembly for 48 In. and 54 In. Mower	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM20988	Power Flow Chute	75.97
		<b>Miscellaneous:</b>	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
		<b>Mower Deck and Mower Deck Attachments:</b>	
	AM115595	48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>	112.98
	M135589	Hi Lift Blade For 48 In. Mower	16.45
	M135590	Hi Lift Blade for 54 In. Mower	18.39
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
	AM115596	Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>	152.54

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System (For X400/X500 HDGT and X700 Series  
Garden Tractors)**

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
	BM20780	7 Bushel Hopper Assembly <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	494.34
		<b>Material Collection System Power Flow Blowers:</b>	
	BG20859	48A High-Performance Power Flow for X700 Signature Series	541.41
	BM22696	48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	541.41
	BM22697	54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115) <i>Requires BM21681 Power Flow Chute.</i>	541.41
	BG20867	54HC Power Flow for X700 Signature Series	658.06
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
	BM21681	Power Flow Chute (6.5/7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	115.56
		<b>Miscellaneous:</b>	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
		<b>Mower Deck and Mower Deck Attachments:</b>	
	BM19894	Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	103.79
	BM20985	Leaf Bagging Kit (54C/54X Mower)	129.47
	BM20986	Leaf Bagging Kit (62C/62X Mower)	144.46

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX)**  
Equipment for Base Machine

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM21680		14 Bushel Hopper Assembly <i>Also Requires ""C or X"" Power Flow Blower Assembly and Power Flow Chute. Requires M146153 Bracket for use on GT and GX Tractors. Front Ballast is Recommended when Bagging. Especially on Hill or Inclines.</i>	934.11
		<b>Material Collection System Power Flow Blowers:</b>	
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotateable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115)	541.41
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>	
BM21682		Power Flow Chute (14 bu)	141.24

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors)**

Equipment for Base Machine

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BM20671		<b>Material Collection System Hoppers:</b> 3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Not compatible with 48X deck on X729, X739 or X749 Tractors.            Requires BM20714 Click-N-Go Bracket, Requires ""C"" Series high performance power flow blower assembly and power flow chute.</i>  <i>Front ballast is recommended when bagging, especially on hills or inclines.</i>	952.30
BG20859		<b>Material Collection System Power Flow Blowers:</b> 48A High-Performance Power Flow for X700 Signature Series	541.41
BM22696		48C/48X High-Performance Blower Assembly for Mowers with Rotateable Anti-Scalp Wheels (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	541.41
BM22697		54C/54X/54D High-Performance Blower Assembly (X300/X500 M-T/X700, 1023E, 1025R, 1026R, 2305, MY '16 and Older 2025R, 2320, 2210 and 4115)	541.41
BG20867		54HC Power Flow for X700 Signature Series	658.06
BM24514		60 In. High Performance Power Flow (For use with 60D and 7-Iron Mower Decks X700, 1023E, 1025R and 1026R)	719.04
BG20727		60HC Power Flow for X700 Signature Series	674.10
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Decks X700, 2305, MY '16 and Older 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 2210 and 4115)	541.41
BM21682		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Power Flow Chute (14 bu)	141.24
BM20714		<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**6.5 Bushel Hopper, Chute and Power Flow for 190C and G110, 54 In.**  
Equipment for Base Machine

Hopper Volume = 6.5 Bushels  
ABS Hopper Top  
2 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners

Ployethylene Blower and Fan  
will not Rust or Corrode  
No Tools Cargo Mount

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Material Collection System Hoppers:</b>	
BM21376		6.5 Bushel Hopper, Chute and Power Flow for 100 Series and G110, 54 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.</i>	790.73

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mowers and Attachments for Mowers For Non-Current Riding Lawn Equipment**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM17870		48 In. Front Edge Kit	88.81
BM18365		48 In. Mower (240, 245, 265)	1,391.00
BM17879		48 In. Mower for 120, 140, 300, 314, 316, 317, 318, 322 and 332 Tractors <i>330, 322 and 332 Require M119871 Belt. 317 requires only AM119485 Attaching Parts Kit. 316 (80001-95000), 314, 312, 300, 140 and 120 requires one AM119485 Attaching Parts Kit and M87218 Belt. If tractor is not Currently Equipped with a Mower, Order Front Mounting Bracket Assembly (Mule Drive), Front Draft Arm Assembly and Mower Lift Strap Components through Parts.</i>  <i>Order AM116964 Export Decal Kit thru Parts.</i>	1,391.00
AM115595		48 In. Rear Lip Kit (1992 and prior)	112.98
BM18361		48 In. Side Discharge Mower <i>For LX100's, 325 and 345 Tractors. GT242, GT262 and GT275 Tractors Require AM117017 Straight Gauge Wheel Post. (See DTAC Solution 81025).</i>	1,337.50
BM17871		54 In. Front Edge Kit	88.81
SKU19807		54 In. Side Discharge Mower (LX288, GT235, 325-355D)	1,345.00
SKU24289		60-inch Shaft Driven Mower Deck (425, 445, 455)	2,499.00
AM119679		Blowout Reduction Kit (48 In. Mower)	83.02
AM119680		Blowout Reduction Kit (54 In. Mower)	81.82
BM20985		Leaf Bagging Kit (54C/54X Mower)	129.47
BM20986		Leaf Bagging Kit (62C/62X Mower)	144.46
AM115361		Leaf Mulcher Kit <i>For 48 In. and 54 In. Mowers.</i>	150.00
AM108476		Mower Deck Wear Plate (38 In. Mower)	197.76
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower	152.54

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**38 in. Edge Xtra Deck (38X)**  
Equipment for Base Machine

38-in. (96.5-cm) cutting width  
Side discharge Edge# Xtra  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

9038M	38 in. Edge Xtra Deck (38X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, and X310). Requires M156856 Right-Hand Lift Arm.</i>	600.00
-------	---	--------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	6.95
----------	--	------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42 in. Edge Xtra Deck (42X)**  
Equipment for Base Machine

42-in. (107-cm) cutting width  
Side discharge Edge# Xtra  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

9039M	42 in. Edge Xtra Deck (42X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i>	600.00
-------	---	--------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	6.95
----------	--	------

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 42 in. Edge Mulch Deck (42M)

Equipment for Base Machine

42-in. (107-cm) cutting width  
Mulch rear discharge  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin.*

903RM	42 in. Edge Mulch Deck (42M) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i>  <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	700.00
-------	--	--------

#### DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	6.95
----------	--	------

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 48 in. Edge Xtra Deck (48X)

Equipment for Base Machine

48-in. (122-cm) cutting width  
Side discharge Edge# Xtra  
11-gauge, 0.120-in. (3-mm)  
stamped-steel deck shell  
Belt drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Janesville, Wisconsin.*

903SM	48 in. Edge Xtra Deck (48X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i>  <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	1,000.00
-------	---	----------

#### DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

#### ATTACHMENTS FOR FIELD CONVERSION

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	6.95
----------	--	------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**54 in. Edge Xtra Deck (54X)**  
Equipment for Base Machine

54-in. (137-cm) cutting width  
Side discharge Edge# Xtra  
10-gauge, 0.135-in. (3.4-mm)  
stamped-steel deck shell  
Belt drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin.*

903TM	54 in. Edge Xtra Deck (54X) <i>For Model Year 2006-2015 Select Series Tractors (X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i>	1,300.00
-------	---	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	6.95
----------	--	------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42-in. Accel Deep Mower Deck (42A)**  
Equipment for Base Machine

42-in. (107-cm) cutting width  
Side discharge Accel Deep#  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5370M	42-in. Accel Deep Mower Deck (42A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	600.00
-------	--	--------

**DESTINATION**

001A	US/CANANDA	In Base Price
------	------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

BM24794	<b>Mower Deck and Mower Deck Attachments:</b> 42A MulchControl Kit	139.10
---------	---	--------



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42-in. Edge Mulch Mower Deck (42M)**  
Equipment for Base Machine

42-in. (107-cm) cutting width  
Mulch rear discharge  
12-gauge, 0.105-in. (2.7-mm)  
stamped-steel deck shell  
Belt drive  
Two greaseable blade spindles

Mower wash port  
Two front mower wheels

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5376M	42-in. Edge Mulch Mower Deck (42M) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	700.00
-------	--	--------

**DESTINATION**

001A	US/CANADA	In Base Price
------	-----------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48-in. Accel Deep Mower Deck (48A)**  
Equipment for Base Machine

48-in. (122-cm) cutting width  
Side discharge Accel Deep#  
10-gauge, 0.135-in. (3.4-mm)  
stamped-steel deck shell  
Belt drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5372M	48-in. Accel Deep Mower Deck (48A) <i>For Model Year 2016- Select Series Tractors (X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i>	1,000.00
-------	--	----------

**DESTINATION**

001A	US/CANADA	In Base Price
------	-----------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

BM24993	<b>Mower Deck and Mower Deck Attachments:</b> 48A MulchControl Kit	169.06
---------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54-in. Accel Deep Mower Deck (54A)**

Equipment for Base Machine

54-in. (137-cm) cutting width  
Side discharge Accel Deep#  
10-gauge, 0.135-in. (3.4-mm)  
stamped-steel deck shell  
Belt drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5373M	54-in. Accel Deep Mower Deck (54A) <i>For Model Year 2016- Select Series Tractors (X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i>	1,300.00
-------	--	----------

**DESTINATION**

001A	US/CANADA	In Base Price
------	-----------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

BM24994	<b>Mower Deck and Mower Deck Attachments:</b> 54A MulchControl Kit	219.36
---------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48-in. Shaft Drive Edge Xtra Mower Deck (48X)**  
Equipment for Base Machine

48-in. (122-cm) cutting width  
Side discharge Edge# Xtra  
11-gauge, 0.120-in. (3-mm)  
stamped-steel deck shell  
Shaft drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9070M	48-in. Shaft Drive Edge Xtra Mower Deck (48X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, and Model Year 2013-2015 X700 Signature Series.</i>  <i>Model Year 2013-2015 Signature Series Models (X710, X730, X734, X738, X739, X750, X754, and X758) require BM24370 Upstop Kit (Order Through Parts).</i>	1,300.00
-------	---	----------

**DESTINATION**

0202	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

**Mower Deck and Mower Deck Attachments:**

BM24370	48C Draft arm kit, X700 Signature Series	64.20
AM130907	Mower Deck Leveling Gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)**  
Equipment for Base Machine

54-in. (137-cm) cutting width  
Side discharge Edge# Xtra  
10-gauge, 0.135-in. (3.4-mm)  
stamped-steel deck shell  
Shaft drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9071M	54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, 2210 and 2305 Compact Utility Tractors.</i>	1,300.00
-------	---	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHING PARTS/MOWER DECK LIFT**

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	487.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

**HYDRAULICS**

LVB25630	Independent Lift Kit for MY '16 and Older 2025R, 2320, and 2305 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts. Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	406.60
----------	--	--------

LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, MY '16 and Older 2025R, 2320)	421.59
----------	---	--------

**Miscellaneous:**

LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
----------	--	--------

LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
----------	--	--------

**Mower Deck and Mower Deck Attachments:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24370	48C Draft arm kit, X700 Signature Series	64.20
	AM130907	Mower Deck Leveling Gauge	6.95
	BM20827	Mulch Kit (54C/54D/54X)	217.21
	BM23648	Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		<b>Operator's Manuals and Decal Kits:</b>	
	LVB26020	North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**48-in. Shaft Drive Accel Deep Mower Deck (48A)**  
Equipment for Base Machine

48-in. (122-cm) cutting width  
Side discharge Accel Deep#  
10-gauge, 0.135-in. (3.4-mm)  
stamped-steel deck shell  
Shaft drive  
Three greaseable blade spindles  
Mower wash port

Four mower wheels and front  
center roller  
Mower wheels rotate 90 degrees  
for easy mower removal

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9077M	48-in. Shaft Drive Accel Deep Mower Deck (48A) <i>For X700 Signature Series (Model Year 2013-).</i>	1,300.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**POWER TAKE-OFF (PTO) CONNECTION**

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Deck and Mower Deck Attachments:</b>	
BM24993	48A MulchControl Kit	169.06
BM23894	Auto-connect kit, X700 Signature Series	492.20
BM23903	Standard drive shaft with hanger, X700 Signature Series	208.66
	<b>Spanish North American Kit:</b>	
BM25968	Spanish Label & Owner's Manual Kit	33.17

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**54-in. Shaft Drive High Capacity Mower Deck (54 HC)**  
Equipment for Base Machine

54-in. (137-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9074M	54-in. Shaft Drive High Capacity Mower Deck (54 HC) <i>For X700 Signature Series (Model Year 2013-).</i>	1,700.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**POWER TAKE-OFF (PTO) CONNECTION**

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

**ATTACHMENTS FOR FIELD CONVERSION**

**Mower Deck and Mower Deck Attachments:**

BM23977	54HC Mulch Kit	232.19
BM26300	54HC MulchControl Kit	235.40
BM23894	Auto-connect kit, X700 Signature Series	492.20
BM23903	Standard drive shaft with hanger, X700 Signature Series	208.66
<b>Spanish North American Kit:</b>		
BM25968	Spanish Label & Owner's Manual Kit	33.17



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**60-in. Shaft Drive High Capacity Mower Deck (60 HC)**  
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9075M	60-in. Shaft Drive High Capacity Mower Deck (60 HC) <i>For X700 Signature Series (Model Year 2013-).</i>	2,100.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**POWER TAKE-OFF (PTO) CONNECTION**

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

**ATTACHMENTS FOR FIELD CONVERSION**

**Mower Deck and Mower Deck Attachments:**

BM23978	60HC Mulch Kit	242.89
BM25258	60HC MulchControl Kit	251.46
BM23894	Auto-connect kit, X700 Signature Series	492.20
BM23903	Standard drive shaft with hanger, X700 Signature Series	208.66
<b>Spanish North American Kit:</b>		
BM25968	Spanish Label & Owner's Manual Kit	33.17

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**60-in. Shaft Drive 7-Iron Mower Deck (60D)**  
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels and front
Side discharge 7-Iron#	center roller
7-gauge, 0.179-in. (4.6-mm)	Mower wheels rotate 90 degrees
stamped-steel deck shell	for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9076M	60-in. Shaft Drive 7-Iron Mower Deck (60D) <i>Compatible With Model Year 2007-2012 (Serial 020,001-080,000) X700-Series 2-Wheel Steer Tractors. Not Compatible with 4-Wheel Steer Models.</i>  <i>Requires Turf Tires or BM22425 HDAP Tires. BM22425 Tires are Factory Equipment on Serial M0X728A020102- and M0X748A020388-.</i>  <i>See Sales Manual for Complete Compatibility Information for 3-Point Hitches, Cabs, Special Edition Models and Special Edition Serial Number Breaks.</i>	2,200.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Mower Deck and Mower Deck Attachments:</b>	
BM24370	48C Draft arm kit, X700 Signature Series	64.20
AM130907	Mower Deck Leveling Gauge	6.95
TCB10953	Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BM23648	Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**60-in. Shaft Drive Mower Deck**  
Equipment for Base Machine

60-in. (152-cm) cutting width	center roller
Side discharge	Mower wheels rotate 90 degrees
10-gauge, 0.135-in. (3.4-mm)	for easy mower removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Four mower wheels and front	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9080M	60-in. Shaft Drive Mower Deck <i>For Models 425, 445, and 455.</i>	2,499.00
-------	---	----------

**DESTINATION**

0202	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

AM130907	<b>Mower Deck and Mower Deck Attachments:</b> Mower Deck Leveling Gauge	6.95
----------	--	------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)**  
Equipment for Base Machine

62-in. (157-cm) cutting width	Four mower wheels and front
Side discharge Edge# Xtra	center roller
10-gauge, 0.135-in. (3.4-mm)	Mower wheels rotate 90 degrees
stamped-steel deck shell	for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Janesville, Wisconsin*

9072M	62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, 2210 and 2305 Compact Utility Tractors.</i>	1,700.00
-------	---	----------

**DESTINATION**

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

**ATTACHING PARTS/MOWER DECK LIFT**

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	487.00
1010	Less Attaching Parts	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

**HYDRAULICS**

LVB25630	Independent Lift Kit for MY '16 and Older 2025R, 2320, and 2305 Tractors <i>Requires LVB25620 (Code 1001) Attaching Parts. Requires LVB25631 (Independent Lift Attaching Parts). Not Available for 2210 Tractors.</i>	406.60
----------	--	--------

LVB25822	Loader/Mower Mechanical Diverter Valve Kit (2305, MY '16 and Older 2025R, 2320)	421.59
----------	---	--------

**Miscellaneous:**

LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 (Independent Lift Kit). Not Available for 2210 Tractors.</i>	192.60
----------	--	--------

LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
----------	--	--------

**Mower Deck and Mower Deck Attachments:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM24370	48C Draft arm kit, X700 Signature Series	64.20
	AM130907	Mower Deck Leveling Gauge	6.95
	BM21890	Mulch Kit (62C/62D/62X)	237.54
	BM23648	Roller Striping Kit (X400/X500 HDGT, X700s) <i>Compatible with MY2004- (SN 040, 001-) 54C, 54X, 62X, and 60-In. 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for Additional Parts Requirements on MY2004-MY2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		<b>Operator's Manuals and Decal Kits:</b>	
	LVB26020	North American Spanish Labels	14.99
	LVB26015	North American Spanish OM	20.33

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mulching Attachments**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Mower Deck and Mower Deck Attachments:</b>	
BM17920		30 In. Tricycler Mulching Attachment <i>Fits 108, 130 and Riders.</i>	129.47
BM20008		42 In. Mulching Attachment with Plug and Blades (LX/GT) <i>Fits 42 In. Convertible Mower (42C) Only.</i>	101.66
BM20686		42 In. Rear Discharge Mulch Plug Attachment (LTR155, LTR166, LTR180)	176.56
BM24794		42A MulchControl Kit	139.10
BM19321		46 In. Tricycler Mulching Attachment <i>Fits 46 In. Decks with Hinged Discharge, include Blades.</i>	172.27
BM19918		48 In. Mulch Kit	236.47
BM24993		48A MulchControl Kit	169.06
BG20304		54 In. Mulch Kit <i>Fits G110, 190C.</i>	226.84
BM17869		54 In. Tricycler Mulching Kit	250.39
BM24994		54A MulchControl Kit	219.36
BM23977		54HC Mulch Kit	232.19
BM26300		54HC MulchControl Kit	235.40
BM17878		60 In. Tricycler Mulching Attachment	268.57
BM23978		60HC Mulch Kit	242.89
BM25258		60HC MulchControl Kit	251.46
BM20985		Leaf Bagging Kit (54C/54X Mower)	129.47
BM20986		Leaf Bagging Kit (62C/62X Mower)	144.46
BM21817		Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	134.81
BM21816		Mulch Kit (42 In. or 42X)	101.66
BM20007		Mulch Kit (48C/48X)	160.50
BM20827		Mulch Kit (54C/54D/54X)	217.21
TCB10953		Mulch Kit (60 In. 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BM21890		Mulch Kit (62C/62D/62X)	237.54

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**Mulching Attachments**  
Continued

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom**  
Equipment for Base Machine

52 In. Clearing Width "Straight"	Caster Wheels
48 In. Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. Diameter Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Heavy Duty No. 50 Chain Drive	Less Hydraulic Angling
(2) Adjustable Rear Mounting	Less Front PTO
	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3880M	52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 Hydraulic Coupler Kit Required on X465, X475, X700, and X710 Tractors. Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	2,185.00
-------	---	----------

**FRONT QUICK-HITCH**

1000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
1001	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.  Requires BLV10160, Front Attaching Support.</i>	716.00
1005	Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305</i>	656.00
1006	Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115</i>	716.00
1010	Less Front Quick-Hitch	In Base Price

**HYDRAULIC ANGLING**

2000	Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	190.00
2001	Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
2005	Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
2006	Hydraulic Angling	198.00



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 in. Quick-Hitch Rotary Broom**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>HYDRAULIC ANGLING Continued...</b>			
<i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>			
2010		Less Hydraulic Angling	In Base Price
<b>FRONT POWER TAKE-OFF (PTO)</b>			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	259.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	259.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	281.00
3006		2000 RPM Front PTO <i>For 2025R and 2320.</i>	258.00
3007		2000 RPM Front PTO <i>For Model Year 2013-2016 2032R, 2520, and 2720.</i>	267.00
3009		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R with RIO. Serial numbers starting: 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 Fits all 1025R Tractors</i>	335.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
<b>IMPLEMENT DRIVE SHAFT</b>			
4000		Implement Drive Shaft <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	250.00
4002		Implement Drive Shaft <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	263.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	250.00
4010		Less Implement Drive Shaft	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
BLV10159		<b>Front Hitch:</b> Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 in. Quick-Hitch Rotary Broom**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
	LVB24898	Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM26236	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>BM25609 Hydraulic Angling Recommended.</i>	706.20
	BM25304	<b>Front PTO:</b> 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
	LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM20978	Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>	142.31
	BM20966	Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>	105.93
		<b>HYDRAULICS</b>	
	LVB26108	Hydraulic Angling (1023E, 1025R, 1026R)	219.36
	LVB24901	Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
	BM25609	Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
	BM20922	Hydraulic Angling Kit (2210, 2305)	219.36
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 in. Quick-Hitch Rotary Broom**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Miscellaneous:</b>	
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
BM21777		Deflector Kit for 52 Broom	62.06
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
LVB25396		Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements.</i> <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	131.61
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
BM20836		Implement Drive Shaft (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
BM21854		Implement Drive Shaft for Rotary Brooms (425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76
BM25775		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's)	286.76
BM21853		Thatching Wheel Kit for 52 Broom	268.57
BM22725		Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		<b>Seats / Wheels / Tires:</b>	
TY15958		Tire Chains (Pair) for 26x12-12 Tires	97.67
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.</i> <i>For all Wheel Steer Tractors.</i>	89.40
		<b>Weights:</b>	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	59.91
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Equipment for Base Machine

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to
26 In. Diameter Polypropylene	Shell"
Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted	Less Implement Drive Shaft
Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3790M	60 In. Heavy-Duty Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, and 4010 Thru 4400-4410 Tractors.</i> <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, and 4010 Thru 4400-4410 Tractors.</i> <i>BM20761 Hydraulic Coupler Kit Required on X465, X475, X700, and X710 Tractors.</i> <i>See Sales Manual for Ballast Requirements.</i> <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i> <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO.</i> <i>Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i> <i>3120-3720 Tractors with Mid-Mount Mowers for use with Front Three-Point Hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,345.00
-------	---	----------

**MOUNTING FRAME**

1000	Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	392.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	829.00
1003	Mounting Frame with Drive Shaft and Hydraulic Angling <i>For Model Year 2017- 2032R and 2038R.</i>	913.00
1010	Less Mounting Frame	In Base Price

**FRONT QUICK-HITCH**

2000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	616.00
------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
2002		<b>FRONT QUICK-HITCH Continued...</b> Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410.</i>	755.00
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	655.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	716.00
2006		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720.</i>	1,439.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>	716.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,439.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For Model Year 2017- 2032R and 2038R.</i>	1,544.00

**HYDRAULIC ANGLING**

*Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.  
Hydraulic Angling for 3120-3720, Model Year 2017- 2032R, Model Year 2017- 2038R, 4200-4400, and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.*

3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	190.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	191.00
3003		Hydraulic Angling <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
3004		Hydraulic Angling <i>For 1023E, 1025R, and 1026R.</i>	191.00
3010		Less Hydraulic Angling	In Base Price

**FRONT POWER TAKE-OFF (PTO)**

4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	259.00
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	259.00
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	220.00
4005		2000 RPM Front PTO Kit <i>For 2210 and 2305.</i>	281.00

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
4006		2000 RPM Front PTO Kit <i>For 2025R and 2320.</i>	258.00
4007		2000 RPM Front PTO Kit <i>For Model Year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	267.00
4009		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R with RIO. Serial numbers starting:</i> 1023E - 1LV1023ETCH210309 1026R - 1LV1026RHCH210658 1026R Tractor Loader Backhoe - 1LV1026RECH210659 <i>Fits all 1025R Tractors</i>	335.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
4012		2000 RPM Front PTO Kit <i>For Model Year 2017- 2032R and 2038R.</i>	292.00
<b>IMPLEMENT DRIVE SHAFT</b>			
<i>Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i> <i>Drive Shaft for Model Year 2017- 2032R, Model Year 20138R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.</i>			
5001		Implement Drive Shaft <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	263.00
5003		Implement Drive Shaft <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	250.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	250.00
5010		Less Implement Drive Shaft	In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Front Hitch:</b>	
BLV10316	A-Frame Quick Attach System (3033R-3046R and 3120-3720 Tractors)	203.30
BLV10637	A-Frame Quick Attach System (MY '17 and newer 2032R and 2038R Tractors)	209.00
BLV10634	Auxiliary Front Hydraulic Coupler Kit (MY '17 and newer 2032R and 2038R Tractors)	92.40
BLV10159	Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
	LVB25306	Front Quick-Hitch and Hydraulic Lift (4210-4410)	865.63
	LVB24898	Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM26236	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>BM25609 Hydraulic Angling Recommended.</i>	706.20
	BLV10439	Front Three-Point Hitch (3033R-3046R)	1,346.40
	LVB25878	Front Three-Point Hitch (3120-3720)	1,311.81
	BLV10631	Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors)	1,353.00
	BLV10638	Hydraulic Accumulator Kit for Front Three-Point Hitch (MY '17 and newer 2032R and 2038R Tractors)	123.20
	BM25304	<b>Front PTO:</b> 2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
	LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	296.39
	LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	BLV10633	2000 RPM Front PTO (MY '17 and newer 2032R and 2038R Tractors)	313.50
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BLV10452	Front PTO Bracket (3033R-3046R)	92.40
	LVB25759	Front PTO Bracket (3120-3720)	89.89

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>HYDRAULICS</b>	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
LVB24901		Hydraulic Angling (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM25609		Hydraulic Angling (X400/X500 HDGT's, X700's)	217.21
BM20922		Hydraulic Angling Kit (2210, 2305)	219.36
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
BM20706		<b>Miscellaneous:</b> 19.25x12.5x6.5 Heavy Duty Wheel Kit	361.66
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
BM19805		Debris Deflector	417.30
LVB25302		Front Attaching Support Kit <i>For 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
BLV10160		Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB24895		Front Attaching Support Kit (2025R, 2320) <i>See Sales Manual for Front Attaching Support Requirements.</i>	88.81
LVB25396		Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements.</i> <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	131.61
BM20753		Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatability Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConenct Mowers.</i>	172.70
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms	237.54
BM20836		Implement Drive Shaft (2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
LVB24956		Implement Drive Shaft (3120-3720, 3033R-3046R)	174.41
BM21854		Implement Drive Shaft for Rotary Brooms (425-455, 1023E, 1025R, 1026R, 2210, 2305)	286.76



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BLV10800	Implement Drive Shaft for Rotary Brooms (MY '17 and newer 2032R and 2038R Tractors)	224.70
	BM25775	Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's)	286.76
	BM20626	Mounting Frame (X400/X500 HDGT's, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, MY '16 and Older 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	449.40
	LVB25879	Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R)	776.81
	BLV10776	Mounting Frame and Hydraulic Angling (MY '17 and newer 2032R and 2038R Tractors)	754.36
	BM19804	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124746 and AM124747.</i>	1,355.69
	AM128682	Wafers, Polypropylene Bristle (Pack of 16)	278.54
	AM128683	Wafers, Steel Bristle (Pack of 16)	477.48
		<b>Weights:</b>	
	BM17972	50 Lb. Cast Iron Wheel Weight (1)	133.76
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	67.41
	BM17973	72 Lb. Cast Iron Starter Wheel Weight (1)	187.26
	BM17987	Attaching Hardware for Rear Wheel Weight, 60 Lb.	16.50
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	BM18101	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	29.96
	BM18089	Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	23.54
	BM17977	Mounting Hardware (1) for Attaching Two 50 lb. Weights on 23 In., 24 In. or 26 In. Tire <i>Two Wheel Steer only.</i>	21.40
	BM18094	Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	23.54
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43
	BM17965	Rear Wheel Weight, 60 Lb. <i>Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.</i>	140.80
	BM17964	Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	103.79
	BM17978	Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**60 In. Heavy-Duty Quick-Hitch Rotary Broom**  
Continued

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 44 In. Snow Blower

Equipment for Base Machine

1118-mm (44-in.) Clearing Width Easy-On, Easy-Off Mounting 305-mm (12-in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

7001M	<b>44 In. Snow Blower</b> <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, X300R, X305R, Model X500, and X520).</i>	1,570.00
-------	---	----------

*Rear weights and tire chains are recommended for additional traction.*

*Winter Grill Cover recommended on Air-cooled Engines to prevent Carburetor Icing.*

*X300 and X304 Tractors shipped with 38X, 42X, or less deck require AM136646 Lift Assist Spring Kit.*

*X300-42M and X304-42M built with Edge Mulch deck with a single belt MY2007-2009 (Serial 040001- 150000) require AM136646 lift-assist spring kit.*

*X300R and X305R Tractors require Collection Hopper or a Rear Deflector Kit. For Snow Blowers built prior to April 2008 (Serial -030001) see DTAC Solution 79224 for Adaptation Instructions.*

*Not for sale in France.*

#### ATTACHMENTS FOR FIELD CONVERSION

<b>Miscellaneous:</b>			
M88984	Drift Blade		29.87
AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>		61.40
AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>		61.40
M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>		22.10
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), 44 Front Blade (6001M/SKU23044), or 48 Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>		194.22

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**44 In. Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Order Zone:</b>	
	LP33711	Electric Lift Kit (Model Year 2006-2015) <i>For Snow Blower and Front Blade.</i>	399.95
		<b>Snow Blowers:</b>	
	AM136645	Lift Assist Spring <i>Tractors built prior to September 2006 (See sales manual link for tractor serial number breaks.) and shipped with a 48X or 54X Mower Deck require that the original M151924 Lift Assist Spring be replaced with AM136645 Lift Assist Spring for use with a 44-in. snow blower.</i>	27.51
	AM136646	Lift Assist Spring Kit (X300, X304)	62.08
	AM136692	Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	99.56
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 44 In. Snow Blower

Equipment for Base Machine

1118 mm (44 in.) Clearing Width Easy-On, Easy-Off Mounting 305 mm (12 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

7007M	44 In. Snow Blower <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, X370, X380, X384, X390, X394, X350R, and X570).</i>	1,570.00
-------	---	----------

*Rear weights and tire chains are recommended for additional traction.*

*Winter Grill Cover recommended on Air-cooled Engines to prevent Carburetor Icing.*

*X330, X350, and X354 Tractors shipped with 42A Mower Deck or Less Deck require BM25887 Lift Assist Spring Kit.*

*X350R Tractors require BM24810 Supplemental Lift Assist Spring Kit, and Collection Hopper or a Rear Deflector Kit.*

*Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.*

#### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

##### Miscellaneous:

M88984	Drift Blade <i>For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>	29.87
--------	--	-------

AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
----------	--	-------

AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
----------	---	-------

M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	22.10
---------	---	-------

##### Order Zone:

LP64865	Electric Lift Kit (Model Year 2016-) <i>For Snow Blower and Front Blade. Availability expected February 2016.</i>	450.00
---------	--	--------

##### Snow Blowers:

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**44 In. Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25887	Lift Assist Spring Kit (X330, X350, X354)	37.46
	BM24810	Supplemental Lift Assist Spring Kit (X350R)	84.53
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 47 In. Snow Blower

Equipment for Base Machine

1194 mm (47 in.) Clearing Width Easy-On, Easy-Off Mounting 406 mm (16 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

7002M	<b>47 In. Snow Blower</b> <i>For Model Year 2006-2015 Select Series Tractors (X530, X534, X540, and Model Year 2015 X590).</i>  <i>Rear weights and tire chains are recommended for additional traction.</i>  <i>Winter Grill Cover recommended on Air-cooled Engines to prevent Carburetor Icing.</i>  <i>X590 requires M158756 spring and M174506 belt.</i>  <i>Not for sale in France.</i>	1,770.00
-------	--	----------

#### ATTACHMENTS FOR FIELD CONVERSION

M88984	<b>Miscellaneous:</b> Drift Blade	29.87
AM122263	Skid Shoe, Heavy Duty Left Hand (1) <i>For Snow Blower.</i>	61.40
AM122264	Skid Shoe, Heavy Duty Right Hand (1) <i>For Snow Blower.</i>	61.40
M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	22.10
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44 Snow Blower (7001M/SKU23045), 47 Snow Blower (7002M/SKU23047), 44 Front Blade (6001M/SKU23044), or 48 Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	194.22
LP33711	<b>Order Zone:</b> Electric Lift Kit (Model Year 2006-2015) <i>For Snow Blower and Front Blade.</i>	399.95
AM136692	<b>Snow Blowers:</b> Winter Grill Cover <i>Used on MY2006 Model X500 (Serial -020000), X520, and MY2006-2010 X534 (serial 010001-060000).</i>	99.56

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**47 In. Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	AM145350	Winter Grill Cover <i>Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.</i>	107.56



# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 47 In. Snow Blower

Equipment for Base Machine

1194 mm (47 in.) Clearing Width Easy-On, Easy-Off Mounting 406 mm (16 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

7008M	47 In. Snow Blower For Model Year 2016- Select Series Tractors (X580, X584, and Model Year 2016- X590).	1,770.00
-------	--	----------

*Rear weights and tire chains are recommended for additional traction.*

*Winter Grill Cover recommended on Air-cooled Engines to prevent Carburetor Icing.*

*Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.*

#### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

##### Miscellaneous:

M88984	Drift Blade For Snow Blowers. Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.	29.87
--------	---	-------

AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
----------	---	-------

AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
----------	--	-------

M157831	Skid shoe, Plastic (1) For 44-, 47-, and 54-in. Snow Blowers. Two required.	22.10
---------	--	-------

##### Order Zone:

LP64865	Electric Lift Kit (Model Year 2016-) For Snow Blower and Front Blade. Availability expected February 2016.	450.00
---------	---	--------

##### Snow Blowers:

AM145350	Winter Grill Cover Used on X300s, MY2007- Model X500 (serial 020001-), X530, MY2011- X534 (serial 060001-), X570, X580, X584, and X590.	107.56
----------	--	--------

**JOHN DEERE TURF & UTILITY PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower**  
 Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts
15.5 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1474M	47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors. BM20761 Hydraulic Coupler Kit Required on 425, X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. See Sales Manual for Ballast requirements.</i>	2,130.00
-------	---	----------

**FRONT QUICK-HITCH**

2000	Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	625.00
2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, and X700s.</i>	615.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors. Also requires LVB25396 Front Attaching Support (2305).</i>	656.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors. Also requires LVB24895 Front Attaching Support (2025R and 2320). Also requires LVB25302 Front Attaching Support (2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
2008	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, 1026R.  Requires BLV10160 Front Attaching Support.</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

**FRONT POWER TAKE-OFF (PTO)**

3000	2000 RPM Front PTO <i>For 425, 445, and 455.</i>	236.00
3003	2000 RPM Front PTO <i>For 4100 and 4110.</i>	259.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	259.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	281.00
3008		2000 RPM Front PTO Kit <i>For 2025R and 2320.</i>	258.00
3009		2000 RPM Front PTO <i>For Model Year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	267.00
3010		Less Power Take Off	In Base Price
3012		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i>	335.00
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00

**IMPLEMENT DRIVE AND UPSTOP**

4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	221.00
4005		Implement Drive and Upstop <i>For 2025R, Model Year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	369.00
4006		Implement Drive and Upstop <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	421.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	267.00

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Front Hitch:</b>			
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20

**Front PTO:**

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25304	2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BLV10166	2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
	LVB25966	2000 RPM Front PTO (2210, 2305)	323.14
	BM18695	2000 RPM Front PTO (4100, 4110)	297.46
	BM17330	2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	270.71
	LVB24900	2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
	BLV10475	2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	297.46
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
		<b>HYDRAULICS</b>	
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
	BM20896	Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	28.89
		<b>Miscellaneous:</b>	
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	M88984	Drift Blade	29.87
	LVB25302	Front Attaching Support Kit <i>For 2032R, 2520, 2720, 4100, 4110, 4115 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115).</i>	131.61
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	AM119321	Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>	57.37
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	LVB24902	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	423.71
	BM20871	Implement Drive and Upstop (425, 445, 455, F900's)	253.59
	BM25772	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	307.09
	AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	156.21
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	209.71
	AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	22.10
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		<b>Seats / Wheels / Tires:</b>	
	TY15956	Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>	81.08
	TY15845	Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)	80.34
	TY15841	Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>	68.14
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**47 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Weights:</b>	
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
R66949		Quik-Tatch Weight, 42 Lb.	59.91
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

### 54 In. Quick-Hitch Two-Stage Snow Blower

Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts
15 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

02C1M	54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, Model Year 2013-2016 2032R, 2320-2720 Tractors. BM20761 Hydraulic Coupler Kit Required on X465, X475, X700, and X710 Tractors. Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements. See Sales Manual for Ballast requirements.</i>	2,550.00
-------	--	----------

#### FRONT QUICK-HITCH

2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, and X700s.</i>	615.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 Front Attaching Support (2305).</i>	656.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For 2025R, Model Year 2013-2016 2032R, 2320-2720 Tractors. Also requires LVB24895 Front Attaching Support (2025R and 2320). Also requires LVB25302 Front Attaching Support (2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
2008	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, 1026R.</i>  <i>Requires BLV10160 Front Attaching Support.</i>	716.00
2010	Less Front Quick-Hitch	In Base Price

#### FRONT POWER TAKE-OFF (PTO)

3007	2000 RPM Front PTO <i>For 2305 Tractor.</i>	281.00
3008	2000 RPM Front PTO Kit <i>For 2025R and 2320.</i>	258.00
3009	2000 RPM Front PTO <i>For Model Year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	267.00
3010	Less Power Take Off	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>FRONT POWER TAKE-OFF (PTO) Continued...</b>			
3012		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i>	335.00
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
<b>IMPLEMENT DRIVE AND UPSTOP</b>			
4005		Implement Drive and Upstop <i>For 2025R, Model Year 2013-2016 2032R, 2320-2720 Tractors.</i>	288.00
4006		Implement Drive and Upstop <i>For 1023E, 1025R, 1026R, 2210, and 2305.</i>	421.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	267.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Front Hitch:</b>	
BLV10159		Front Quick Hitch and Hydraulic Lift (1023E, 1025R, 1026R)	820.69
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	751.14
LVB24898		Front Quick-Hitch and Hydraulic Lift (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320 - 2720)	820.69
BM26236		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	706.20
		<b>Front PTO:</b>	
BM25304		2-Wheel Drive 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744, X710, X730, X734, X750, X754) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
BLV10166		2000 RPM Front PTO (1023E, 1025R, 1026R) <i>Includes RIO override for front implements.</i>	385.20
LVB25966		2000 RPM Front PTO (2210, 2305)	323.14
LVB24900		2000 RPM Front PTO (MY '16 and Older 2025R, 2320)	297.46
BLV10475		2000 RPM Front PTO (MY '16 and Older 2032R, 2520-2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Two-Stage Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM25305	4-Wheel Drive 2000 RPM Front PTO (X500 HDGT's, X728, X729, X748, X749, X738, X739, X758)	385.20
	BM20761	<b>HYDRAULICS</b> Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	56.71
	BM20714	<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	116.63
	M88984	Drift Blade	29.87
	LVB25302	Front Attaching Support Kit <i>For 2032R, 2520, 2720 Tractors. See Sales Manual for Front Attaching Support Requirements.</i>	62.06
	BLV10160	Front Attaching Support Kit (1023E, 1025R, 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB24895	Front Attaching Support Kit (2025R, 2320) <i>2025R, 2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	88.81
	LVB25396	Front Attaching Support Kit (2305) <i>See Sales Manual for Front Attaching Support Requirements. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for Front Attaching Support Requirements.</i>	60.99
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (MY '16 and Older 2025R, MY '16 and Older 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720, 4115). Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2025R, 2032R, 2320, 2520, 2720).</i>	131.61
	BM20753	Front Light Kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
	LVB26135	Implement Drive and Upstop (1023E, 1025R, 1026R, 2210, 2305)	483.64
	BM23238	Implement Drive and Upstop (2025R, 2032R, 2320, 2520, 2720)	330.63
	BM25772	Implement Drive and Upstop (X400/X500 HDGT's, X700's)	307.09
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For 2025R, 2032R, 2320, 2520, 2720 Tractors. See Sales Manual for Required Attaching Parts.</i>	156.21
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors.</i>	209.71

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**54 In. Quick-Hitch Two-Stage Snow Blower**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	M157831	Skid shoe, Plastic (1) <i>For 44-, 47-, and 54-in. Snow Blowers. Two required.</i>	22.10
	BM22725	Wheel Spacer Kit <i>For all Wheel Steer Tractors when Installing TY15956 Chains.</i>	163.71
		<b>Seats / Wheels / Tires:</b>	
	TY15958	Tire Chains (Pair) for 26x12-12 Tires	97.67
		<b>Weights:</b>	
	BM20715	Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	288.90
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	159.43

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335,  
345, 355D, 240-285, 320 Tractors)**

Equipment for Base Machine

42 In. (107 cm) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
12 In. Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Large, Adjustable Skid Shoes
Cutting Blade	
216 Degree Spout Rotation	
Over-Center Belt Tensioner	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3252M	42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i>  <i>100 Lbs. of Ballast is Recommended on Rear of Tractor.</i>	1,688.00
-------	--	----------

**LIFT KIT**

1000	Front Implement Lift Kit <i>For G100, Scotts/Sabre Yard Tractors, LX/GT Tractors with Hand Lift.</i>  <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require 2-M132142 Brackets, 4-19M7285 Bolts, and 4-14M7466 Nuts.</i>  <i>LX277 AWS requires 2-M136814 Brackets, 4-19M7285 Bolts and 4-4M7466 Nuts.</i>  <i>LX172-LX188 require BM19407 Mounting Parts.</i>	95.00
1001	Front Implement Lift Kit <i>For 325, 335, 345, and 355D Tractors.</i>	78.00
1002	Front Implement Lift Kit <i>For 240-285 and 320 Tractors.</i>  <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts, and 4-14M7296 Flange Head Nuts may be required.</i>	107.00
1003	Front Implement Lift Kit <i>For GX325, GX335, GX345, and GX355.</i>	78.00
1004	Front Implement Lift Kit <i>For LX, GT, and GX255 Tractors with Foot Lift.</i>  <i>LX280 AWS Requires 2-M136814 Brackets, 4-19M7285.</i>	111.00
1010	Less Front Implement Lift Kit	In Base Price

**ATTACHING PARTS**

2001	Attaching Parts	57.00
------	-----------------	-------

**JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHING PARTS Continued...</b>			
<i>For 240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, and GX355 Tractors.</i>			
<i>240-285 and 320 Tractors require 1-M137636 Bracket, 2-03M7190 Bolts, 2-19M7866 Bolts and 6-4M7053 Washers.</i>			
2003		Attaching Parts <i>For LX, GT, and GX255 Tractors.</i>	75.00
2004		Attaching Parts <i>For G100 and Scotts/Sabre Yard Tractors.</i>	75.00
2010		Less Attaching Parts	In Base Price
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
<b>Miscellaneous:</b>			
BM19216		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX300 Series) <i>240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.</i>	78.11
BM21339		Attaching Parts (LX, GT, GX255)	94.16
M88984		Drift Blade	29.87
BM19867		Electric Spout Rotation Kit	286.76
BM16733		Front Implement Lift Kit (240-285, 320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	121.99
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	88.81
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	88.81
BM21337		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>(LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	139.10
BM18977		Front Implement Lift Kit (LX/GT with Hand Lift) <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172- LX188 require BM19407 Mounting Parts.</i>	120.91
BM19407		Mounting Parts (LX172-LX188)	161.57
AM122263		Skid Shoe, Heavy Duty Left Hand (1)	61.40
AM122264		Skid Shoe, Heavy Duty Right Hand (1)	61.40
M142891		Wear Plate	34.46

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335,  
345, 355D, 240-285, 320 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Seats / Wheels / Tires:</b>	
	TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
	TY24327	Tire Chains (Pair) for 22x11-10 and 22x9.5-12	76.64
	TY24328	Tire Chains (Pair) for 24x12.00-12 In. Drive Tires	89.40
		<b>Weights:</b>	
	BM17976	50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Not Compatible with LX Tractors.</i>	67.41
	R66949	Quik-Tatch Weight, 42 Lb.	59.91
	BM17296	Rear Weight Mounting Kit (LX Series) <i>Not for LX280 or LX289</i> <i>For (2) R66949 Weights. LX277 AWS and LX280 AWS also</i> <i>Requires BM19797 Adapter Kit.</i>	83.46

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 44 In. Snow Blower

Equipment for Base Machine

1118 mm (44 in.) Clearing Width Easy-On, Easy-Off Mounting 305 mm (12 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

7009M	44 In. Snow Blower For D100 Series, X100 Series, and S240.	1,449.00
-------	---	----------

*Rear weights and tire chains are recommended for additional traction.*

*X155R requires one AM123262 pulley, one M173051 belt, and two 22H934 screws.*

*Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Estonia, Finland, France, Germany, Hungary, Ireland, Italy, Lithuania, Luxembourg, Netherlands, Norway, Poland, Slovakia, Slovenia, Spain, Sweden, Switzerland, United Kingdom, and United States.*

#### DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

#### ATTACHMENTS FOR FIELD CONVERSION

##### Miscellaneous:

M88984	Drift Blade	29.87
--------	-------------	-------

AM122263	Skid Shoe, Heavy Duty Left Hand (1) For Snow Blower.	61.40
----------	---	-------

AM122264	Skid Shoe, Heavy Duty Right Hand (1) For Snow Blower.	61.40
----------	--	-------

##### Order Zone:

LP44107	Snow Blower Power Lift Kit (100-Series and S240)	399.95
---------	--	--------

LP21790	Snow Cab 2010 and previous 100 Series Tractors	299.99
---------	--	--------

LP31342	Weather Enclosure (MY2011- 100-Series and S240)	349.99
---------	---	--------

##### Seats / Wheels / Tires:

TY15959	Rear Tire Chain Kit (Pair) for 20x8-8	60.51
---------	---------------------------------------	-------

TY25229	Rear Tire Chain Kit (Pair) for 22x9.5-12	65.05
---------	--	-------

TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10	70.96
---------	--	-------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**44 In. Snow Blower**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Spanish North American Kit:</b>	
	BM25101	Spanish Label Kit - 100 Series Snow Thrower	3.21
		<b>Weights:</b>	
	R66949	Quik-Tatch Weight, 42 Lb. <i>Two Required.</i>	59.91
	BG20029	Quik-Tatch Weight, 42 Lb. (Boxed) <i>Two Required.</i>	64.20
	BG20627	Rear Weight Bracket <i>One Rear Weight Bracket is Required.</i>	55.64

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**Front Mounted Thatchers**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>FRONT MOUNTED THATCHERS:</b>	
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add to 38 In. Thatcher as Needed to Approximate Mower Width. Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
		<b>Mounting Frames:</b>	
BM20853		Thatcher Mounting Frame <i>For X400/X500 HDGT and X700 Ultimate Tractors.</i>	214.00



JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**30 In. Mechanical Tiller**  
Equipment for Base Machine

762 mm (30 In.) Tilling Width  
356 mm (14 In.) Tine Diameter  
152 mm (6 In.) Tilling Depth  
Easy-On, Easy-Off Mounting

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

5003M	30 In. Mechanical Tiller <i>For Select Series Model X500, X520, X530, X540, X570, X580, and X590 Tractors.</i>  <i>See Sales Manual for Ballast Requirements.</i>	1,779.00
-------	--	----------

**DESTINATION**

001A	US and Canada	In Base Price
------	---------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42 In. Hydraulic Tiller**  
Equipment for Base Machine

1067 mm (42 In.) Tilling Width  
356 mm (14 In.) Tine Diameter  
25-152 mm (1-6 In.) Tilling  
Depth  
Self-Contained Hydraulic Drive  
System  
Adjustable Rear Hinged Cover

Door  
Standard or Counter-Rotating  
Tines

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	--------------------------	-------------	-------------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

5002M	42 In. Hydraulic Tiller <i>For Select Series Model X530, X540, X580, and X590 Tractors.</i>  <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
-------	---	----------

**ATTACHMENTS FOR FIELD CONVERSION**

BM19406	<b>Miscellaneous:</b> Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller.</i>	228.99
---------	---	--------

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### 42 in. Hydraulic Tiller

Equipment for Base Machine

1067 mm (42 In.) Tilling Width Shaft Drive with Lock-Back Collar Category "1" 3-Point Hitch Mounting 356 mm (14 In.) Tine Diameter 25-152 mm (1-6 In.) Tilling	Depth Adjustable Rear Hinged Cover Door Standard or Counter-Rotating Tines
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	----------------------------------

Select One Code From Each Required Category

#### BASE MACHINE

*F.O.B. Davenport, Iowa*

4392M	<b>42 in. Hydraulic Tiller</b> <i>For X700s and non-current X400 and X500 Heavy-Duty Garden Tractors (HDGT). See base code 5002M for the version used on X530, X540, X580, and X590 Tractors.</i>  <i>Bar tires are recommended on two-wheel drive tractors and HDAP tires recommended on four-wheel drive tractors for tilling applications. Tire chains are not recommended for tilling.</i>  <i>72 kg (160 lbs.) of front ballast is required for X400 and X500 HDGT and X700 Series Garden Tractors.</i>  <i>X400 and X500 HDGT and X700 Series Garden Tractors must be equipped with 3-Point Hitch.</i>	2,449.00
-------	---	----------

#### ATTACHMENTS FOR FIELD CONVERSION

BM19406	<b>Miscellaneous:</b> Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller.</i>	228.99
R66949	<b>Weights:</b> Quik-Tatch Weight, 42 Lb.	59.91

# JOHN DEERE TURF & UTILITY PRODUCTS

## EQUIPMENT FOR RIDERS & TRACTORS

### Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors

Equipment for Base Machine

<b>Spreaders:</b> Capacity and Type: 80 Lb. Pull-Type (TY25010) 125 Lb. Pull-Type (TY25011) 175 Lb. Pull-Type (TY25012) 175 Lb. Pull-Type (LPBST35JD) NEED TO UPDATE ALL SPECS 40 Lb. Push-Type (TY24375) Hopper Material Stainless Steel (40 Lb.) Polyethylene (80-, 125-, 175, 110- Lb.) 80 Setting Dial-A-Matic Rate Control Knob Solid, One-Place Axle	<b>Drive Gears</b> Delron/Nylon (40- and 80-Lb.) Heavy-Duty Die Cast Metal (110-, 125-, and 175-Lb.) <b>Tires:</b> 10 In. Pneumatic (80 Lb.) 14 In. Pneumatic (125- and 175-Lb.) 8x2.25 In. Semi-Pneumatic (40 Lb) 13x5 In. Turf Saver (110 Lb) Powder-Coated 16 gauge Tubular Steel Frame Stainless Steel Hopper Bottom	No-Stick Nylon Rate Gauge Stainless Steel Rate Gauge Linkage and Rotary Agitator One-Year Limited Warranty
--	--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>			
		<b>Carts / Hitches:</b>	
	LPUT21JD	21 Steel Utility Cart <i>Available through Order Zone.</i>	919.00
		<b>FRONT MOUNTED THATCHERS:</b>	
	TY13036	8 In. Front Thatcher (Extension) <i>Add to one end of 40 In. Thatcherator to make 48 In. wide, both ends for 56 In. total width</i> <i>Add to 38 In. Thatcher as Needed to Approximate Mower Width.</i> <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
		<b>Miscellaneous:</b>	
	AM105666	Extension, Wiring Harness (X400/X500 HDGT's, X700's, 322, 330, 332, 425, 445, 455) <i>30 in extension for use with sprayers on (X400's, X500's, 322, 330, 332, 425, 445, 455)</i>	23.28
		<b>Order Zone:</b>	
	LP3100	100 Lb. Push-Type Spreader	269.00
	LP25011	125 Lb. Pull-Type Spin Spreader	265.00
	LPBS36JD	175 LB. Broadcast Spreader	272.00
	LP25012	175 Lb. Pull-Type Spin Spreader	299.00
	LPPRT36JD	36 In. Tow Behind Lawn Roller	239.00
	LPAS40JD	40 In. Tow Behind Aerator-Spreader	427.00
	LPPA40JD	40 In. Tow Behind Plug Aerator	419.00
	LPSAT40JD	40 In. Tow Behind Spiker Aerator	305.50
	LPTA40JD	40 In. Tow Behind Thatcherator	235.00
	LPSTS42JD	42 in. Lawn Sweeper	369.00
	LPPA48JD	48 In. Tow Behind Plug Aerator <i>Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.</i>	469.00
	LP3050	50 Lb. Push-Type Spin Spreader	179.00

JOHN DEERE TURF & UTILITY PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPPTK10	Cart Hard Top - 10 cu. Ft.	115.00
	LP19478	Tow Behind Sprayer, 15 Gallon	424.95
	LP19479	Tow Behind Sprayer, 25 Gallon	479.95
	LPPCT10JD	Utility Cart, 10P	249.00
	LPHDC18JD	Utility Cart, 18 <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.</i>	499.00
		<b>Sprayers / Pressure Washers:</b>	
	LP20485	45 Gallon Tow-Behind Sprayer <i>Compatible with GT, GX, X500M-T and similar sized Lawn and Garden Tractors.</i>	624.95