Glazed Add-On Panel

UniGroup

	Actual Height	Width	Number ❶	Glass Grade A	C	D*
Glazed	12″(305mm)	12″(305mm)	EAG-112-	**$ 632.29**	**N/A**	**$ 786.09**
		18″(457mm)	EAG-1812-	**664.19**	**N/A**	**835.08**
		24″(610mm)	EAG-212-	**696.09**	**852.18**	**884.07**
		30″(762mm)	EAG-3012-	**727.99**	**901.17**	**933.06**
		36″(914mm)	EAG-312-	**759.89**	**950.16**	**982.05**
		42″(1067mm)	EAG-4212-	**791.79**	**999.15**	**1031.04**
		48″(1219mm)	EAG-412-	**823.69**	**1048.14**	**1080.03**
		54″(1372mm)	EAG-5412-	**855.59**	**N/A**	**1129.02**
		60″(1524mm)	EAG-512-	**887.49**	**1146.12**	**1178.01**
	14″(356mm)	12″(305mm)	EAG-114-	**$ 663.06** ■	**N/A**	**$ 855.97**
		18″(457mm)	EAG-1814-	**694.96** ■	**N/A**	**904.96**
		24″(610mm)	EAG-214-	**726.86** ■	**N/A**	**953.95**
		30″(762mm)	EAG-3014-	**758.76** ■	**N/A**	**1002.94**
		36″(914mm)	EAG-314-	**790.66** ■	**N/A**	**1051.93**
		42″(1067mm)	EAG-4214-	**822.56** ■	**N/A**	**1100.92**
		48″(1219mm)	EAG-414-	**854.46** ■	**N/A**	**1149.91**
		54″(1372mm)	EAG-5414-	**886.36** ■	**N/A**	**1198.90**
		60″(1524mm)	EAG-514-	**918.26** ■	**N/A**	**1247.89**
	18″(457mm)	12″(305mm)	EAG-118-	**$ 724.60** ■	**N/A**	**$ 995.73**
		18″(457mm)	EAG-1818-	**756.50** ■	**N/A**	**1044.72**
		24″(610mm)	EAG-218-	**788.40** ■	**$ 968.43**	**1093.71**
		30″(762mm)	EAG-3018-	**820.30** ■	**1017.42**	**1142.70**
		36″(914mm)	EAG-318-	**852.20** ■	**1066.41**	**1191.69**
		42″(1067mm)	EAG-4218-	**884.10** ■	**1115.40**	**1240.68**
		48″(1219mm)	EAG-418-	**916.00** ■	**1164.39**	**1289.67**
		54″(1372mm)	EAG-5418-	**947.90** ■	**N/A**	**1338.66**
		60″(1524mm)	EAG-518-	**979.80** ■	**1262.37**	**1387.65**
	20″(508mm)	12″(305mm)	EAG-120-	**$ 755.37**	**N/A**	**$1065.61**
		18″(457mm)	EAG-1820-	**787.27**	**N/A**	**1114.60**
		24″(610mm)	EAG-220-	**819.17**	**N/A**	**1163.59**
		30″(762mm)	EAG-3020-	**851.07**	**N/A**	**1212.58**
		36″(914mm)	EAG-320-	**882.97**	**N/A**	**1261.57**
		42″(1067mm)	EAG-4220-	**914.87**	**N/A**	**1310.56**
		48″(1219mm)	EAG-420-	**946.77**	**N/A**	**1359.55**
		54″(1372mm)	EAG-5420-	**978.67**	**N/A**	**1408.54**
		60″(1524mm)	EAG-520-	**1010.57**	**N/A**	**1457.53**
	24″(610mm)	12″(305mm)	EAG-124-	**$ 816.91**	**N/A**	**$1205.37**
		18″(457mm)	EAG-1824-	**848.81**	**N/A**	**1254.36**
		24″(610mm)	EAG-224-	**880.71**	**N/A**	**1303.35**
		30″(762mm)	EAG-3024-	**912.61**	**N/A**	**1352.34**
		36″(914mm)	EAG-324-	**944.51**	**N/A**	**1401.33**
		42″(1067mm)	EAG-4224-	**976.41**	**N/A**	**1450.32**
		48″(1219mm)	EAG-424-	**1008.31**	**N/A**	**1499.31**
		54″(1372mm)	EAG-5424-	**1040.21**	**N/A**	**1548.30**
		60″(1524mm)	EAG-524-	**1072.11**	**N/A**	**1597.29**

*Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12″(305mm) and 18″(457mm) high add-on panels only.

Swing Doors with Steel Top Cap

UniGroup

Single Door — Laminate

Actual Height	Width	Door Swing	Number ❶	Laminate A	Laminate B
82″(2083mm)	36″(914mm)	Left	EDS-380-B L ■	**$2306.56**	**$2486.15**
	42″(1067mm)	Left	EDS-4280-B L ■	**2448.31**	**2627.90**



EDS-BKL
EDS-BHL

(Left-hand swing)

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1 5/8″(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Both sides of door covered in same laminate surface color.
- Doors are shipped left-hand swing. Field-adjustable for right-hand swing.
- No power or communications in base raceway.

■ Available on RUSH.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
380	78″(1981mm)	28 3/4″(730mm)
4280	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ **Handle Designation**

K Knob

H ADA Lever, add **$187.11** list.

2) Laminate surface color.
3) Trim color for raceway covers and glide housings.
4) Trim color for door jamb, top cap and side trim rails.

NOTES:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Single Door with ADA Lever and Kick Plate — Laminate

Actual Height	Width	Hardware	Door Swing	Number	Laminate A	Laminate B
82″(2083mm)	42″(1067mm)	Lever	Left	EAC-4280-BHL	**$3634.47**	**$3814.06**



EAC-4280-BHL

(Left-hand swing)

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, door (1 7/16″(37mm) thick), door hinges, brushed chrome lever with lockset and keys, threshold, and brushed chrome kick plate with mounting screws].
- Both sides of door covered in same laminate surface color.
- Doors are shipped left-hand swing. Field-adjustable for right-hand swing.
- No power or communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
4280	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Trim color for raceway covers and glide housings.
4) Trim color for door jamb, top cap and side trim rails.

NOTES:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Swing Doors with Steel Top Cap

UniGroup

Single Door — Glazed



EDG-BKL
EDG-BHL

(Left-hand swing) (Right-hand swing)

Actual Height	Width	Number ❶❷	Clear Laminate A	Clear Laminate B	Frosted Laminate A	Frosted Laminate B
82″(2083mm)	36″(914mm)	EDG-380-B	**$3090.15**	**$3337.36**	**$3449.63**	**$3696.84**
	42″(1067mm)	EDG-4280-B	**3372.52**	**3642.32**	**3735.40**	**4005.20**

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails and trim, door (1 5/8″(41mm) thick with 1/4″(6mm) glazing), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Both sides of door covered in same laminate surface color.
- **Door swing not field changeable.**
- No power or communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
380	78″(1981mm)	28 3/4″(730mm)
4280	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ **Handle Designation**

- **K** Knob
- **H** ADA Lever, add **$187.11** list.

❷ **Door Swing**

- **L** Left
- **R** Right

2) Glazing finish color.
3) Laminate surface color.
4) Trim color for raceway covers and glide housings.
5) Trim color for door jamb, top cap and side trim rails.

NOTES:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Single Door — Glazed with Classic Muntins



EDMC-BKL
EDMC-BHL

(Left-hand swing) (Right-hand swing)

Actual Height	Width	Number ❶❷	Clear Laminate A	Clear Laminate B	Frosted Laminate A	Frosted Laminate B
82″(2083mm)	36″(914mm)	EDMC-380-B	**$3769.42**	**$4016.63**	**$4128.90**	**$4376.11**
	42″(1067mm)	EDMC-4280-B	**4051.79**	**4321.59**	**4414.67**	**4684.47**

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails and trim, door (1 5/8″(41mm) thick with 1/4″(6mm) glazing), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, threshold, and muntins].
- Both sides of door covered in same laminate surface color.
- **Door swing not field changeable.**
- No power or communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
380	78″(1981mm)	28 3/4″(730mm)
4280	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ **Handle Designation**

- **K** Knob
- **H** ADA Lever, add **$187.11** list.

❷ **Door Swing**

- **L** Left
- **R** Right

2) Glazing finish color.
3) Laminate surface color.
4) Trim color for raceway covers and glide housings.
5) Trim color for door jamb, top cap, muntins and side trim rails.

NOTES:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Panel Attached Screen

UniGroup

Panel Attached Screen



BBP-GH
BBP-PH

Height	Width	Description	Number	Trim A	Trim B
47″(1194mm)	48″(1219mm)	Frosted Insert	BBP-4748-GH	**$1226.12**	**$1239.60**
52″(1321mm)			BBP-5248-GH	**1295.27**	**1314.35**
63″(1600mm)			BBP-6348-GH	**1432.44**	**1463.84**
52″(1321mm)	48″(1219mm)	Perforated Metal	BBP-5248-PH	**$1329.30**	**$1365.23**
63″(1600mm)			BBP-6348-PH	**1466.47**	**1514.72**

Features

- Includes screen, two non-locking casters on post legs and attachment brackets.
- Perforated metal insert screen has no acoustical value.
- Screens are non-load bearing.
- Magnets can be used with perforated metal inserts.
- Frosted insert is identical to frosted and textured acrylic material used in desktop screens.
- Brackets are shipped unassembled.

Specification Tips

- Screens can mount on any width panel but panel runs must be at least 48″(1219mm).
- Screens mount on a panel taller than height of screen only.
- Screen adds 2″(51mm) to panel width in stored position.
- Screen extends 42″(1067mm) from end of panel in fully extended position.
- Screens mount parallel with panel, off panel end only.
- Screen adds 2″(51mm) to panel thickness.
- Bracket is panel specific to UniGroup Too, UniGroup and PLACES.
- Panel attached screen brackets may interfere with components mounted to opposite side of panel.
- Screens are non-handed; brackets can be attached to either side.
- See Specification Guide for additional information.

To Order, Specify:

Frosted Insert

1) Product number.
2) Trim color for frame.
3) Trim color for panel attachment brackets.
4) Metallic trim color for casters.

Metal Insert

1) Product number.
2) Trim color for frame.
3) Trim color for perforated metal insert.
4) Trim color for panel attachment brackets.
5) Metallic trim color for casters.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories

UniGroup

Painted Muntin Kit — Classic



MSC

Panel Height	Panel Width	Number	Price
44″(1118mm)	18″(457mm)	MSC-1842	**$464.46**
	24″(610mm)	MSC-242	**491.47**
	30″(762mm)	MSC-3042	**518.48**
	36″(914mm)	MSC-342	**545.49**
	42″(1067mm)	MSC-4242	**572.50**
	48″(1219mm)	MSC-442	**599.51**
	60″(1524mm)	MSC-542	**653.53**
68″(1727mm)	18″(457mm)	MSC-1866	**$539.10**
	24″(610mm)	MSC-266	**566.11**
	30″(762mm)	MSC-3066	**593.12**
	36″(914mm)	MSC-366	**620.13**
	42″(1067mm)	MSC-4266	**647.14**
	48″(1219mm)	MSC-466	**674.15**
	60″(1524mm)	MSC-566	**728.17**
82″(2083mm)	18″(457mm)	MSC-1880	**$582.64**
	24″(610mm)	MSC-280	**609.65**
	30″(762mm)	MSC-3080	**636.66**
	36″(914mm)	MSC-380	**663.67**
	42″(1067mm)	MSC-4280	**690.68**
	48″(1219mm)	MSC-480	**717.69**
	60″(1524mm)	MSC-580	**771.71**

Features

- Includes set of muntins for each side of glazed panel, and attachment hardware.
- Requires field assembly.
- Apply to glazed panels in heights and widths listed.
- Muntins are 1/2″(12mm) thick.

Specification Tips

- Glazed panel must be separately specified.
- Applicable to UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Trim color.

Painted Muntin Kit — Horizontal



MSH

44″(1118mm)	12″(305mm)	MSH-142	**$355.81**
	18″(457mm)	MSH-1842	**382.82**
	24″(610mm)	MSH-242	**409.83**
	30″(762mm)	MSH-3042	**436.84**
	36″(914mm)	MSH-342	**463.85**
	48″(1219mm)	MSH-442	**517.87**
	60″(1524mm)	MSH-542	**544.88**
68″(1727mm)	12″(305mm)	MSH-166	**$430.45**
	18″(457mm)	MSH-1866	**457.46**
	24″(610mm)	MSH-266	**484.47**
	30″(762mm)	MSH-3066	**511.48**
	36″(914mm)	MSH-366	**538.49**
	48″(1219mm)	MSH-466	**592.51**
	60″(1524mm)	MSH-566	**646.53**
82″(2083mm)	12″(305mm)	MSH-180	**$473.99**
	18″(457mm)	MSH-1880	**501.00**
	24″(610mm)	MSH-280	**528.01**
	30″(762mm)	MSH-3080	**555.02**
	36″(914mm)	MSH-380	**582.03**
	48″(1219mm)	MSH-480	**636.05**
	60″(1524mm)	MSH-580	**690.07**

Features

- Includes set of muntins for each side of glazed panel, and attachment hardware.
- Requires field assembly.
- Apply to glazed panels in heights and widths listed.
- Muntins are 1/2″(12mm) thick.

Specification Tips

- Glazed panel must be separately specified.
- Applicable to UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

UniGroup

Wainscot Kit
Painted Rail — Fabric Panel



WK

Installed Height	Panel Width	Number	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	12″(305mm)	WK-129	**$375.69**	**$431.13**	**$495.81**	**$ 630.95**	**$ 724.50**	**$ 788.03**
	18″(457mm)	WK-1829	**392.99**	**455.36**	**526.97**	**677.13**	**781.07**	**851.53**
	24″(610mm)	WK-229	**410.29**	**479.59**	**558.13**	**723.31**	**837.64**	**915.03**
	30″(762mm)	WK-3029	**427.59**	**503.82**	**589.29**	**769.49**	**894.21**	**978.53**
	36″(914mm)	WK-329	**444.89**	**528.05**	**620.45**	**815.67**	**950.78**	**1042.03**
	42″(1067mm)	WK-4229	**462.19**	**552.28**	**651.61**	**861.85**	**1007.35**	**1105.53**
	48″(1219mm)	WK-429	**479.49**	**576.51**	**682.77**	**908.03**	**1063.92**	**1169.03**
	60″(1524mm)	WK-529	**514.09**	**624.97**	**745.09**	**1000.39**	**1177.06**	**1296.03**

Installed Height	Panel Width	Number	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	12″(305mm)	WK-129	**$376.89**	**$432.33**	**$497.01**	**$ 632.15**	**$ 725.70**	**$ 789.23**
	18″(457mm)	WK-1829	**394.80**	**457.17**	**528.78**	**678.94**	**782.88**	**853.34**
	24″(610mm)	WK-229	**412.71**	**482.01**	**560.55**	**725.73**	**840.06**	**917.45**
	30″(762mm)	WK-3029	**430.62**	**506.85**	**592.32**	**772.52**	**897.24**	**981.56**
	36″(914mm)	WK-329	**448.53**	**531.69**	**624.09**	**819.31**	**954.42**	**1045.67**
	42″(1067mm)	WK-4229	**466.44**	**556.53**	**655.86**	**866.10**	**1011.60**	**1109.78**
	48″(1219mm)	WK-429	**484.35**	**581.37**	**687.63**	**912.89**	**1068.78**	**1173.89**
	60″(1524mm)	WK-529	**520.17**	**631.05**	**751.17**	**1006.47**	**1183.14**	**1302.11**

Features

- Includes set of two (2) recessed fabric panels (1 for each side), two (2) rails, and attachment hardware.
- Requires field assembly.
- Apply to both sides of any glazed panel.
- For mixed fabric surfaces, specify fabric/color for each side.

Specification Tips

- Glazed panel must be separately specified.
- Can be used with UniGroup Too, UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Rail trim color.

Class BA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories

UniGroup

Wainscot with Horizontal Muntins — Painted Rail and Muntins — Fabric Panel



WMSH

Installed Height	Panel Width	Number	Trim A Fabric Grade A	B	C	E	F	G
68″(1727mm)	12″(305mm)	WMSH-166	$ 830.49	$ 885.93	$ 950.61	$1085.75	$1179.30	$1242.83
	18″(457mm)	WMSH-1866	873.74	936.11	1007.72	1157.88	1261.82	1332.28
	24″(610mm)	WMSH-266	916.99	986.29	1064.83	1230.01	1344.34	1421.73
	30″(762mm)	WMSH-3066	960.24	1036.47	1121.94	1302.14	1426.86	1511.18
	36″(914mm)	WMSH-366	1003.49	1086.65	1179.05	1374.27	1509.38	1600.63
	42″(1067mm)	WMSH-4266	1046.74	1136.83	1236.16	1446.40	1591.90	1690.08
	48″(1219mm)	WMSH-466	1089.99	1187.01	1293.27	1518.53	1674.42	1779.53
	60″(1524mm)	WMSH-566	1176.49	1287.37	1407.49	1662.79	1839.46	1958.43
82″(2083mm)	12″(305mm)	WMSH-180	$ 870.04	$ 942.82	$1028.29	$1205.01	$1329.73	$1410.60
	18″(457mm)	WMSH-1880	913.29	993.00	1085.40	1277.14	1412.25	1500.05
	24″(610mm)	WMSH-280	956.54	1043.18	1142.51	1349.27	1494.77	1589.50
	30″(762mm)	WMSH-3080	999.79	1093.36	1199.62	1421.40	1577.29	1678.95
	36″(914mm)	WMSH-380	1043.04	1143.54	1256.73	1493.53	1659.81	1768.40
	42″(1067mm)	WMSH-4280	1086.29	1193.72	1313.84	1565.66	1742.33	1857.85
	48″(1219mm)	WMSH-480	1129.54	1243.90	1370.95	1637.79	1824.85	1947.30
	60″(1524mm)	WMSH-580	1216.04	1344.26	1485.17	1782.05	1989.89	2126.20

Installed Height	Panel Width	Number	Trim B Fabric Grade A	B	C	E	F	G
68″(1727mm)	12″(305mm)	WMSH-166	$ 831.69	$ 887.13	$ 951.81	$1086.95	$1180.50	$1244.03
	18″(457mm)	WMSH-1866	875.55	937.92	1009.53	1159.69	1263.63	1334.09
	24″(610mm)	WMSH-266	919.41	988.71	1067.25	1232.43	1346.76	1424.15
	30″(762mm)	WMSH-3066	963.27	1039.50	1124.97	1305.17	1429.89	1514.21
	36″(914mm)	WMSH-366	1007.13	1090.29	1182.69	1377.91	1513.02	1604.27
	42″(1067mm)	WMSH-4266	1050.99	1141.08	1240.41	1450.65	1596.15	1694.33
	48″(1219mm)	WMSH-466	1094.85	1191.87	1298.13	1523.39	1679.28	1784.39
	60″(1524mm)	WMSH-566	1182.57	1293.45	1413.57	1668.87	1845.54	1964.51
82″(2083mm)	12″(305mm)	WMSH-180	$ 871.24	$ 944.02	$1029.49	$1206.21	$1330.93	$1411.80
	18″(457mm)	WMSH-1880	915.10	994.81	1087.21	1278.95	1414.06	1501.86
	24″(610mm)	WMSH-280	958.96	1045.60	1144.93	1351.69	1497.19	1591.92
	30″(762mm)	WMSH-3080	1002.82	1096.39	1202.65	1424.43	1580.32	1681.98
	36″(914mm)	WMSH-380	1046.68	1147.18	1260.37	1497.17	1663.45	1772.04
	42″(1067mm)	WMSH-4280	1090.54	1197.97	1318.09	1569.91	1746.58	1862.10
	48″(1219mm)	WMSH-480	1134.40	1248.76	1375.81	1642.65	1829.71	1952.16
	60″(1524mm)	WMSH-580	1222.12	1350.34	1491.25	1788.13	1995.97	2132.28

Common Features

- Includes set of two (2) recessed fabric panels (1 for each side), two (2) rails, set of muntins for each side, and attachment hardware.
- Requires field assembly.
- Apply to both sides of glazed panels in sizes listed.
- For mixed fabric surfaces, specify fabric/color for each side.

Specification Tips

- Glazed panel must be separately specified.
- Can be used with UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Rail/muntin trim color.

Panel Accessories

UniGroup

Wainscot with Classic Muntins Painted — Rail and Muntins — Fabric Panel



WMSC

Installed Height	Panel Width	Number	Trim A Fabric Grade A	B	C	E	F	G
68″(1727mm)	18″(457mm)	WMSC-1866	$ 997.33	$1059.70	$1131.31	$1281.47	$1385.41	$1455.87
	24″(610mm)	WMSC-266	1034.41	1103.71	1182.25	1347.43	1461.76	1539.15
	30″(762mm)	WMSC-3066	1071.49	1147.72	1233.19	1413.39	1538.11	1622.43
	36″(914mm)	WMSC-366	1108.57	1191.73	1284.13	1479.35	1614.46	1705.71
	42″(1067mm)	WMSC-4266	1145.65	1235.74	1335.07	1545.31	1690.81	1788.99
	48″(1219mm)	WMSC-466	1182.73	1279.75	1386.01	1611.27	1767.16	1872.27
	60″(1524mm)	WMSC-566	1256.89	1367.77	1487.89	1743.19	1919.86	2038.83
82″(2083mm)	18″(457mm)	WMSC-1880	$1036.88	$1116.59	$1208.99	$1400.73	$1535.84	$1623.64
	24″(610mm)	WMSC-280	1073.96	1160.60	1259.93	1466.69	1612.19	1706.92
	30″(762mm)	WMSC-3080	1111.04	1204.61	1310.87	1532.65	1688.54	1790.20
	36″(914mm)	WMSC-380	1148.12	1248.62	1361.81	1598.61	1764.89	1873.48
	42″(1067mm)	WMSC-4280	1185.20	1292.63	1412.75	1664.57	1841.24	1956.76
	48″(1219mm)	WMSC-480	1222.28	1336.64	1463.69	1730.53	1917.59	2040.04
	60″(1524mm)	WMSC-580	1296.44	1424.66	1565.57	1862.45	2070.29	2206.60

Installed Height	Panel Width	Number	Trim B Fabric Grade A	B	C	E	F	G
68″(1727mm)	18″(457mm)	WMSC-1866	$ 999.14	$1061.51	$1133.12	$1283.28	$1387.22	$1457.68
	24″(610mm)	WMSC-266	1036.83	1106.13	1184.67	1349.85	1464.18	1541.57
	30″(762mm)	WMSC-3066	1074.52	1150.75	1236.22	1416.42	1541.14	1625.46
	36″(914mm)	WMSC-366	1112.21	1195.37	1287.77	1482.99	1618.10	1709.35
	42″(1067mm)	WMSC-4266	1149.90	1239.99	1339.32	1549.56	1695.06	1793.24
	48″(1219mm)	WMSC-466	1187.59	1284.61	1390.87	1616.13	1772.02	1877.13
	60″(1524mm)	WMSC-566	1262.97	1373.85	1493.97	1749.27	1925.94	2044.91
82″(2083mm)	18″(457mm)	WMSC-1880	$1038.69	$1118.40	$1210.80	$1402.54	$1537.65	$1625.45
	24″(610mm)	WMSC-280	1076.38	1163.02	1262.35	1469.11	1614.61	1709.34
	30″(762mm)	WMSC-3080	1114.07	1207.64	1313.90	1535.68	1691.57	1793.23
	36″(914mm)	WMSC-380	1151.76	1252.26	1365.45	1602.25	1768.53	1877.12
	42″(1067mm)	WMSC-4280	1189.45	1296.88	1417.00	1668.82	1845.49	1961.01
	48″(1219mm)	WMSC-480	1227.14	1341.50	1468.55	1735.39	1922.45	2044.90
	60″(1524mm)	WMSC-580	1302.52	1430.74	1571.65	1868.53	2076.37	2212.68

Common Features

- Includes set of two (2) recessed fabric panels (1 for each side), two (2) rails, set of muntins for each side, and attachment hardware.
- Requires field assembly.
- Apply to both sides of glazed panels in sizes listed.
- For mixed fabric surfaces, specify fabric/color for each side.

Specification Tips

- Glazed panel must be separately specified.
- Can be used with UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Rail/muntin trim color.

Panel Accessories

UniGroup

90° Finish Post — Wood Top Cap— Fabric Surface

PFWC-B

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	PFWC-28-B	$165.57	$173.97	$182.37	$201.27	$213.87	$222.27
37″(940mm)		PFWC-35-B	170.61	186.36	209.46	257.76	285.06	308.16
44″(1118mm)		PFWC-42-B	175.65	198.75	236.55	314.25	356.25	394.05
50″(1270mm)		PFWC-48-B	179.97	209.37	259.77	362.67	417.27	467.67
56″(1422mm)		PFWC-54-B	184.29	219.99	282.99	411.09	478.29	541.29
64″(1626mm)		PFWC-62-B	190.05	234.15	313.95	475.65	559.65	639.45
68″(1727mm)		PFWC-66-B	192.93	241.23	329.43	507.93	600.33	688.53
82″(2083mm)		PFWC-80-B	203.01	266.01	383.61	620.91	742.71	860.31

Features

- Includes 90° fabric vertical cover, radius wood top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

90° Finish Post — for Steel Top Cap— Fabric Surface



FPFC-B

Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	FPFC-28-B ■	$ 90.72	$ 99.12	$107.52	$126.42	$139.02	$147.42
37″(940mm)		FPFC-35-B ■	95.76	111.51	134.61	182.91	210.21	233.31
44″(1118mm)		FPFC-42-B ■	100.80	123.90	161.70	239.40	281.40	319.20
50″(1270mm)		FPFC-48-B ■	105.12	134.52	184.92	287.82	342.42	392.82
56″(1422mm)		FPFC-54-B ■	109.44	145.14	208.14	336.24	403.44	466.44
64″(1626mm)		FPFC-62-B ■	115.20	159.30	239.10	400.80	484.80	564.60
68″(1727mm)		FPFC-66-B ■	118.08	166.38	254.58	433.08	525.48	613.68
82″(2083mm)		FPFC-80-B ■	128.16	191.16	308.76	546.06	667.86	785.46

Features

- Includes 90° fabric vertical cover, radius plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

Panel Accessories

UniGroup

90° Finish Post — for Steel Top Cap— Painted Surface



FPPC-B

Actual Height	Width	Number	Price
30″(762mm)	2″(51mm)	FPPC-28-B	$ 88.45
37″(940mm)		FPPC-35-B	93.49
44″(1118mm)		FPPC-42-B	98.53
50″(1270mm)		FPPC-48-B	102.85
56″(1422mm)		FPPC-54-B	107.17
64″(1626mm)		FPPC-62-B	112.93
68″(1727mm)		FPPC-66-B	115.81
82″(2083mm)		FPPC-80-B	125.89

Features

- Includes 90° painted vertical cover, radius plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

1) Product number.
2) Paint surface color.
3) Trim color for raceway cover.
4) Trim color for top cap.

90° Power Connector Cover



PCC-90-B

4″(102mm)		PCC-90-B ■	$70.31

Features

- Includes six power connector covers.
- Required by UL for covering flexible power connector in 90° panel configurations when a finish post is not used.

■ Available on RUSH.

Specification Tip

- For use with UniGroup and PLACES panels.

To Order, Specify:

1) Product number.
2) Trim color.

120° Finish Post — for Steel Top Cap — Fabric Surface



SPLA-1524
SPLB-2878

Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
44″(1118mm)	2″(51mm)	SPLB-2878 ■	$267.75	$307.91	$353.43	$449.82	$516.76	$556.92
64″(1626mm)		SPLA-1524 ■	280.35	320.51	366.03	462.42	529.36	569.52

Features

- Includes 120° fabric vertical cover and radius plastic cap and base raceway cover.
- Required by UL for covering raceway flexible and straight-span power connectors when power connector covers are not available.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

180° Power Connector Cover



PCC-180-B

		Price
4″(102mm)	PCC-180-B ■	$70.31

Features

- Includes six power connector covers.
- Required by UL for covering straight-span or flexible power connectors in 180°, three-way panel configurations when a finish post is not used.

■ Available on RUSH.

Specification Tip

- For use with UniGroup Too, UniGroup and PLACES panels.

To Order, Specify:

1) Product number.
2) Trim color.

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories

UniGroup

180° Finish Post — Wood Top Cap — Fabric Surface



PFWS-B

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	PFWS-28-B	$116.48	$133.81	$153.44	$195.02	$223.90	$241.22
37″(940mm)		PFWS-35-B	122.36	139.69	159.32	200.90	229.78	247.10
44″(1118mm)		PFWS-42-B	128.24	145.57	165.20	206.78	235.66	252.98
50″(1270mm)		PFWS-48-B	133.28	150.61	170.24	211.82	240.70	258.02
56″(1422mm)		PFWS-54-B	138.32	155.65	175.28	216.86	245.74	263.06
64″(1626mm)		PFWS-62-B	145.04	162.37	182.00	223.58	252.46	269.78
68″(1727mm)		PFWS-66-B	148.40	165.73	185.36	226.94	255.82	273.14
82″(2083mm)		PFWS-80-B	160.16	177.49	197.12	238.70	267.58	284.90

Features

- Includes 180° fabric vertical cover, radius wood top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

180° Finish Post — for Steel Top Cap — Fabric Surface



FPFS-B

Actual Height	Width	Number	Price
30″(762mm)	2″(51mm)	FPFS-28-B ■	$ 78.17
37″(940mm)		FPFS-35-B ■	83.14
44″(1118mm)		FPFS-42-B ■	88.11
50″(1270mm)		FPFS-48-B ■	92.37
56″(1422mm)		FPFS-54-B ■	96.63
64″(1626mm)		FPFS-62-B ■	102.31
68″(1727mm)		FPFS-66-B ■	105.15
82″(2083mm)		FPFS-80-B ■	115.09

Features

- Includes 180° fabric vertical cover, radius plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

180° Finish Post — for Steel Top Cap — Painted Surface



FPPS-B

30″(762mm)	2″(51mm)	FPPS-28-B	$ 75.63
37″(940mm)		FPPS-35-B	80.60
44″(1118mm)		FPPS-42-B	85.57
50″(1270mm)		FPPS-48-B	89.83
56″(1422mm)		FPPS-54-B	94.09
64″(1626mm)		FPPS-62-B	99.77
68″(1727mm)		FPPS-66-B	102.61
82″(2083mm)		FPPS-80-B	112.55

Features

- Includes 180° painted vertical cover, radius plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

1) Product number.
2) Paint surface color.
3) Trim color for raceway cover.
4) Trim color for top cap.

Panel Accessories

UniGroup

	Actual Height	Width	Depth or Thickness	Wood Number	Wood Group B
End-of-Run Finish Post — Wood Top Cap — Wood Surface	30″(762mm)	2″(51mm)	1/2″(13mm)	ERRW-28-B	**$149.46**
	37″(940mm)			ERRW-35-B	**169.13**
	44″(1118mm)			ERRW-42-B	**188.80**
	50″(1270mm)			ERRW-48-B	**205.66**
	56″(1422mm)			ERRW-54-B	**222.52**
	64″(1626mm)			ERRW-62-B	**245.00**
	68″(1727mm)			ERRW-66-B	**256.24**
	82″(2083mm)			ERRW-80-B	**295.58**

ERRW-B

Features

- Includes wood vertical cover, radius wood top cap and base raceway cover.
- Required for wood top cap panel configurations whenever metal side rail is exposed at end of panel run.

To Order, Specify:

1) Product number.
2) Wood finish color.

End-of-Run — Variable Height Finish Post — Wood Top Cap — Wood Surface	4″(102mm)	2″(51mm)	1/2″(13mm)	ERRW-4	**$ 76.40**
	6″(152mm)			ERRW-6	**82.02**
	7″(178mm)			ERRW-7	**84.83**
	8″(203mm)			ERRW-8	**87.64**
	12″(305mm)			ERRW-12	**98.88**
	13″(330mm)			ERRW-13	**101.69**
	14″(356mm)			ERRW-14	**104.50**
	18″(457mm)			ERRW-18	**115.74**
	19″(483mm)			ERRW-19	**118.55**
	20″(508mm)			ERRW-20	**121.36**
	24″(610mm)			ERRW-24	**132.60**
	26″(660mm)			ERRW-26	**138.22**
	27″(686mm)			ERRW-27	**141.03**
	31″(787mm)			ERRW-31	**152.27**
	32″(813mm)			ERRW-32	**155.08**
	34″(864mm)			ERRW-34	**160.70**
	38″(965mm)			ERRW-38	**171.94**
	45″(1143mm)			ERRW-45	**191.61**
	52″(1321mm)			ERRW-52	**211.28**



ERRW

Features

- Includes wood vertical cover with radius wood top cap.
- Required for wood top cap panel configurations whenever metal side rail is exposed at end of panel run.
- Install on exposed portion of taller panel side rail where two panels of different heights meet, or
- Install in conjunction with finish posts with variable height condition.
- Determine correct height by subtracting the height of the shorter panel from the height of the taller panel.

To Order, Specify:

1) Product number.
2) Wood finish color.

Panel Accessories

UniGroup

90° Top Cap — Wood Top Cap for 4-Way



FPCW-2

Height	Width	Depth	Number	Wood Group B
7/8″(22mm)	2″(51mm)	2″(51mm)	FPCW-2	**$68.03**

Features

- Includes one cap and mounting hardware.
- Fills gap at intersection of four UniGroup radius wood top cap panels.

To Order, Specify:

1) Product number.
2) Wood finish color.

90° Top Cap — Wood Top Cap for 2-Way and 3-Way



PCCW-2
(90° Finish Post Cap)



PCSW-2
(180° Finish Post Cap)

7/8″(22mm)	2″(51mm)	2″(51mm)	PCCW-2	**$64.63**
			PCSW-2	**64.63**

Features

- Includes one cap and mounting hardware.
- For field replacement only.

Specification Tip

- For inline 3-way and 4-way variable height conditions specify 12″(305mm) radius wood top cap kit and field cut to fill 2″(51mm) gap. Use in conjunction with 180° finish post.

To Order, Specify:

1) Product number.
2) Wood finish color.

Wood Top Cap Kit



TCSW

7/8″(22mm)	12″(305mm)	2″(51mm)	TCSW-1	**$ 78.97**
	18″(457mm)		TCSW-18	**98.43**
	24″(610mm)		TCSW-2	**117.89**
	30″(762mm)		TCSW-30	**137.35**
	36″(914mm)		TCSW-3	**156.81**
	42″(1067mm)		TCSW-42	**176.27**
	48″(1219mm)		TCSW-4	**195.73**
	54″(1372mm)		TCSW-54	**215.19**
	60″(1524mm)		TCSW-5	**234.65**

Features

- Includes top cap, panel alignment clip and mounting hardware.
- For replacement of radius steel and radius wood top cap.

Specification Tip

- For an in-line 3-way and 4-way variable height conditions specify 12″(305mm) radius wood top cap kit and field cut to fill 2″(51mm) gap. Use in conjunction with 180° finish post.

To Order, Specify:

1) Product number.
2) Wood finish color.

Steel Top Cap for 3-Way and 4-Way

FPC-2

Height	Width	Depth	Number	Price
3/4″(19mm)	2″(51mm)	2″(51mm)	FPC-2	**$26.08**

Features

- Includes one plastic top cap.
- Fills gap at intersection of four UniGroup radius steel top cap panels.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

UniGroup

Full-Height Side Trim Rails — for use with Add-On Panels



SREH

Height	Base Panel Height/ Add-On Panel	Number	Trim A	Trim B
44″(1118mm)	30″(762mm)/14″(356mm)	SREH-2814	$ 87.11	$106.74
50″(1270mm)	30″(762mm)/20″(508mm)	SREH-2820	90.65	116.82
56″(1422mm)	44″(1118mm)/12″(305mm)	SREH-4212	94.19	126.90
64″(1626mm)	44″(1118mm)/20″(508mm)	SREH-4220	98.91	140.34
68″(1727mm)	44″(1118mm)/24″(610mm)	SREH-4224	101.27	147.06
64″(1626mm)	50″(1270mm)/14″(356mm)	SREH-4814	98.91	140.34
68″(1727mm)	50″(1270mm)/18″(457mm)	SREH-4818	101.27	147.06
68″(1727mm)	56″(1422mm)/12″(305mm)	SREH-5412	101.27	147.06
82″(2083mm)	64″(1626mm)/18″(457mm)	SREH-6218	109.53	170.58
82″(2083mm)	68″(1727mm)/14″(356mm)	SREH-6614	109.53	170.58

Feature

- Includes one full height side trim rail.

Specification Tips

- For use with base panel and one add-on panel.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high panel location use side trim rail that ships with add-on panel. See Specification Guide for application guidelines.

To Order, Specify:

1) Product number.
2) Trim color.

Side Trim Rail

SRE

Panel Height	Number	Trim A	Trim B
30″(762mm)	SRE-28	$65.85	$ 70.22
37″(940mm)	SRE-35	69.98	81.98
44″(1118mm)	SRE-42	74.11	93.74
50″(1270mm)	SRE-48	77.65	103.82
56″(1422mm)	SRE-54	81.19	113.90
64″(1626mm)	SRE-62	85.91	127.34
68″(1727mm)	SRE-66	88.27	134.06
82″(2083mm)	SRE-80	96.53	157.58

Features

- Includes one side trim rail.
- Specify two side trim rails for each condition.
- Two side trim rails are included with each panel.
- Order as replacement only.
- For UniGroup panels only.

To Order, Specify:

1) Product number.
2) Trim color.

Hinges

HE

Panel Height	Hinge Width	Number	Price
30″(762mm)	1 1/8″(29mm)	HE-28	$11.55
37″(940mm)		HE-35	12.11
44″(1118mm)		HE-42	12.39
50″(1270mm)		HE-48	12.67
56″(1422mm)		HE-54	12.95
64″(1626mm)		HE-62	13.23
68″(1727mm)		HE-66	13.51
82″(2083mm)		HE-80	14.07

Features

- Includes one hinge set for one side of trim rail.
- For replacement only (hinges are included with panels).
- One hinge set connects every two panels for angular connections.
- Two hinges set are used for straight-line conditions.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

UniGroup

Wall Track



WT

Height	Depth	Width	Number	Trim A	Trim B
60″(1524mm)	3/4″(19mm)	5/8″(16mm)	WT-60 ■	$131.62	$138.17
72″(1829mm)			WT-72 ■	154.52	161.07
84″(213mm)			WT-84 ■	177.42	183.97

Features

- Includes two wall tracks and attachment screws (#10 2 1/2″ long).
- For attachment of components to structural walls.
- See installation instructions for proper mounting.

■ Available on RUSH.

Specification Tip

- Not for use with up-mount overhead storage unit.

To Order, Specify:

1) Product number.
2) Trim color for track.

Wall Mount Kit

WMK

Panel Height	Number	Trim A	Trim B
30″(762mm)	WMK-30 ■	$ 64.64	$ 66.91
37″(940mm)	WMK-35 ■	75.99	78.26
44″(1118mm)	WMK-42 ■	91.88	94.15
50″(1270mm)	WMK-48 ■	107.77	110.04
56″(1422mm)	WMK-54 ■	121.39	123.66
64″(1626mm)	WMK-62 ■	137.28	139.55
68″(1727mm)	WMK-66 ■	148.63	150.90
82″(2083mm)	WMK-80 ■	178.14	180.41

Features

- Includes wall-mount channel, hinges and screws.
- For mounting panels, with or without add-on panel, to a structural wall.
- Adds 1/4″(6mm) to the panel width.

■ Available on RUSH.

Specification Tip

- Must be properly anchored to a structural wall.

To Order, Specify:

1) Product number.
2) Trim color.

T-Mount Kit — Center and End Conditions



TMKT-B

Panel Height	Number	Price
30″(762mm)	TMKT-28-B ■	$100.93
37″(940mm)	TMKT-35-B ■	108.87
44″(1118mm)	TMKT-42-B ■	114.54
50″(1270mm)	TMKT-48-B ■	129.28
56″(1422mm)	TMKT-54-B ■	140.62
64″(1626mm)	TMKT-62-B ■	165.57
68″(1727mm)	TMKT-66-B ■	174.64
82″(2083mm)	TMKT-80-B ■	196.19

Features

- Includes pre-drilled side rail, center-mount brackets, end-mount brackets, light block extrusions, glide housing, and screws.
- Brackets included for both center- and end-mount T-conditions.
- Connects two panels in a T-condition. T-mount can attach to a base panel and one fabric add-on panel. Configuration coming off of a T-mount cannot contain add-on panels.

■ Available on RUSH.

Specification Tips

- Both panels in a T-mount condition must be of equal height.
- Cannot mount on glazed panels, glazed add-on panels or doors.
- For use with UniGroup panels.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

UniGroup

	Actual Height	Depth	Width	Number	Price
All-Purpose Hook	1″(25mm)	3″(76mm)	5/8″(16mm)	CH-8 ■	**$102.06**



CH-8
Class AA

Features
- Includes eight hooks.
- Attaches to panel steel top cap.
- For use with UniGroup panels only.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Seismic Anchoring Bracket	HAB-0001	**$175.49**



HAB
Class BA

Features
- Includes package of six formed steel brackets.
- For seismic anchoring of UniGroup Too, UniGroup and PLACES panels.

To Order, Specify:
1) Product number.
(No finish specification required.)

Friction Pad	7031-0501	**$9.98**

7031-0501
Class BA

Feature
- Includes one pad.

Specification Tip
- Attaches to bottom of glide to prevent movement of panels on hard surface flooring.

To Order, Specify:
1) Product number.
(No finish specification required.)

2/90 Sign Systems

2/90 Sign Systems is a recommended signage program for use with Haworth Systems. Signage options include ADA-compliant panel-mounted name signs, department signs, building directories, in/out boards, restroom and no smoking signs.

For inquiries, catalogs or orders, contact System 2/90 directly at 1-800-777-4310, fax (616) 656-4300, P.O. Box 888289, Grand Rapids, MI 49588-8289.

Panel Accessories

UniGroup

Pre-hinged Side Trim Rails — Angled or Straight-Line Conditions

HIAE (Angled)
HISE (Straight)

Panel Height	Angled Number	Price	Straight Number	Price
30″(762mm)	HIAE-28	**$ 83.17**	HISE-28	**$106.50**
37″(940mm)	HIAE-35	**97.03**	HISE-35	**120.36**
44″(1118mm)	HIAE-42	**110.89**	HISE-42	**134.22**
50″(1270mm)	HIAE-48	**122.77**	HISE-48	**146.10**
56″(1422mm)	HIAE-54	**134.65**	HISE-54	**157.98**
64″(1626mm)	HIAE-62	**150.49**	HISE-62	**173.82**
68″(1727mm)	HIAE-66	**158.41**	HISE-66	**181.74**
82″(2083mm)	HIAE-80	**186.13**	HISE-80	**209.46**

Features

- Specify pre-hinged trim rails to reduce the installation time.
- Angled hinges contain two trim rails and one hinge set.
- Straight line hinges contain two rails and two hinge sets.
- **Available for UniGroup fabric panels only.**
- Not for use with Add-on panels.

To Order, Specify:

1) Product number.
2) Trim color.

Use the following chart to determine the number of pre-hinged trim rails, additional trim rails and hinges needed:

Condition	Pre-hinged Trim Rails		Side Trim Rail	Hinge Kits
	Straight	Angled		
	HISE	HIAE	SRE	HE
Straight/In-line	1			
2-Way/Corner		1		
3-Way		1	1	1
4-Way		2		2
End of Run			1	

Options

- To order a panel with **no raceway cover**, add an **E** suffix to the product number and deduct the amount shown below (based on panel width).

Examples:

EMN-366-B**E** Panel without raceway cover

This page intentionally blank

Panels

PLACES

PLACES Panels



Features

Power options are specified using the functional options, by selecting the appropriate suffix from the list below. The Monolithic Fabric Panel with Radius Low Profile Steel Top Cap is used as an example.
HFN-4864-E = non-powered without raceway cover
HFP-4864-A = 4-circuit power (2+2)
HFP-4864-AY = NYC 4-circuit power (2+2)
HFP-4864-AE = 4-circuit power (2+2) without base raceway cover
HFP-4864-AYE = NYC 4-circuit power (2+2) without base raceway cover

The following options require modification of the Non-Powered (Example: HFN-462-E) product numbers and list prices:

3-Circuit

Non-Powered without Base Raceway Cover (Example: HFN-4864-**E**) **Deduct $96.05** list
3-Circuit Powered (Example: HF**P**-4864) or NYC 3-Circuit Powered (Example: HF**P**-4864-**Y**) Add **$354.26** list
3-Circuit Powered without Base Raceway Cover (Example: HF**P**-4864-**E**) or NYC 3-Circuit Powered without Base Raceway Cover (Example: HF**P**-4864-**YE**) Add **$258.21** list

4-Circuit 2+2 and 3+1

Non-Powered without Base Raceway Cover (Examples: HFN-4864-E and HFN-4864-H) **Deduct $96.05** list
4-Circuit (2+2) Powered (Examples: HFP-4864-A, HFP-4864-H2, HFP-4864-T2) or NYC 4-Circuit (2+2) Powered (Examples: HFP-4864-AY, HFP-4864-H2Y, HFP-4864-T2Y) Add **$354.26** list
4-Circuit (2+2) Powered without Base Raceway Cover (Examples: HFP-4864-AE, HFP-4864-H2E, HFP-4864-T2E) or NYC 4-Circuit (2+2) Powered without Base Raceway Cover (Examples: HFP-4864-AY, HFP-4864-H2YE, HFP-4864-T2YE) Add **$258.21** list
4-Circuit (3+1) Powered (Example: HFP-4864-D) or NYC 4-Circuit (3+1) Powered (Example: HFP-4864-DY) Add **$354.26** list
4-Circuit (3+1) Powered without Base Raceway Cover (Example: HFP-4864-DE) or NYC 4-Circuit (3+1) Powered without Base Raceway Cover (Example: HFP-4864-DYE) Add **$258.21** list

Monolithic Fabric Panel with Steel Top Cap

PLACES

Fabric



HFN (Non Powered)



HFP (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

■ Available on RUSH with or without 3-circuit or 4-circuit power.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Monolithic Fabric Panel with Steel Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Fabric Grade A	B	C	E	F	G
Fabric	30″(762mm)	12″(305mm)	HFN-1230-	$ 714.07	$ 763.97	$ 771.33	$ 786.43	$ 798.91	$ 803.87
		18″(457mm)	HFN-1830-	792.43	802.03	813.31	837.31	853.75	863.47
		24″(610mm)	HFN-2430-	870.79	889.99	912.55	960.55	993.43	1012.87
		30″(762mm)	HFN-3030-	949.15	977.95	1011.79	1083.79	1133.11	1162.27
		36″(914mm)	HFN-3630-	1027.51	1065.91	1111.03	1207.03	1272.79	1311.67
		42″(1067mm)	HFN-4230-	1105.87	1153.87	1210.27	1330.27	1412.47	1461.07
		48″(1219mm)	HFN-4830-	1184.23	1241.83	1309.51	1453.51	1552.15	1610.47
		54″(1372mm)	HFN-5430-	1262.59	1329.79	1408.75	1576.75	1691.83	1759.87
		60″(1524mm)	HFN-6030-	1340.95	1417.75	1507.99	1699.99	1831.51	1909.27
	37″(940mm)	12″(305mm)	HFN-1237-	$ 745.27	$ 749.99	$ 754.31	$ 766.45	$ 774.31	$ 778.93
		18″(457mm)	HFN-1837-	830.41	845.57	861.89	898.75	924.61	938.95
		24″(610mm)	HFN-2437-	915.55	941.15	969.47	1031.05	1074.91	1098.97
		30″(762mm)	HFN-3037-	1000.69	1036.73	1077.05	1163.35	1225.21	1258.99
		36″(914mm)	HFN-3637-	1085.83	1132.31	1184.63	1295.65	1375.51	1419.01
		42″(1067mm)	HFN-4237-	1170.97	1227.89	1292.21	1427.95	1525.81	1579.03
		48″(1219mm)	HFN-4837-	1256.11	1323.47	1399.79	1560.25	1676.11	1739.05
		54″(1372mm)	HFN-5437-	1341.25	1419.05	1507.37	1692.55	1826.41	1899.07
		60″(1524mm)	HFN-6037-	1426.39	1514.63	1614.95	1824.85	1976.71	2059.09
	44″(1118mm)	12″(305mm)	HFN-1244-	$ 775.19	$ 784.29	$ 794.77	$ 816.73	$ 832.05	$ 841.29
		18″(457mm)	HFN-1844-	855.65	874.47	896.83	942.79	974.55	993.51
		24″(610mm)	HFN-2444-	936.11	964.65	998.89	1068.85	1117.05	1145.73
		30″(762mm)	HFN-3044-	1016.57	1054.83	1100.95	1194.91	1259.55	1297.95
		36″(914mm)	HFN-3644-	1097.03	1145.01	1203.01	1320.97	1402.05	1450.17
		42″(1067mm)	HFN-4244-	1177.49	1235.19	1305.07	1447.03	1544.55	1602.39
		48″(1219mm)	HFN-4844-	1257.95	1325.37	1407.13	1573.09	1687.05	1754.61
		54″(1372mm)	HFN-5444-	1338.41	1415.55	1509.19	1699.15	1829.55	1906.83
		60″(1524mm)	HFN-6044-	1418.87	1505.73	1611.25	1825.21	1972.05	2059.05
	50″(1270mm)	12″(305mm)	HFN-1250-	$ 797.65	$ 810.13	$ 824.41	$ 855.03	$ 874.97	$ 887.45
		18″(457mm)	HFN-1850-	885.55	909.31	936.07	992.97	1031.63	1055.39
		24″(610mm)	HFN-2450-	973.45	1008.49	1047.73	1130.91	1188.29	1223.33
		30″(762mm)	HFN-3050-	1061.35	1107.67	1159.39	1268.85	1344.95	1391.27
		36″(914mm)	HFN-3650-	1149.25	1206.85	1271.05	1406.79	1501.61	1559.21
		42″(1067mm)	HFN-4250-	1237.15	1306.03	1382.71	1544.73	1658.27	1727.15
		48″(1219mm)	HFN-4850-	1325.05	1405.21	1494.37	1682.67	1814.93	1895.09
		54″(1372mm)	HFN-5450-	1412.95	1504.39	1606.03	1820.61	1971.59	2063.03
		60″(1524mm)	HFN-6050-	1500.85	1603.57	1717.69	1958.55	2128.25	2230.97
	56″(1422mm)	12″(305mm)	HFN-1256-	$ 820.11	$ 836.33	$ 854.03	$ 892.45	$ 918.65	$ 934.87
		18″(457mm)	HFN-1856-	912.99	940.49	971.63	1037.77	1083.29	1110.79
		24″(610mm)	HFN-2456-	1005.87	1044.65	1089.23	1183.09	1247.93	1286.71
		30″(762mm)	HFN-3056-	1098.75	1148.81	1206.83	1328.41	1412.57	1462.63
		36″(914mm)	HFN-3656-	1191.63	1252.97	1324.43	1473.73	1577.21	1638.55
		42″(1067mm)	HFN-4256-	1284.51	1357.13	1442.03	1619.05	1741.85	1814.47
		48″(1219mm)	HFN-4856-	1377.39	1461.29	1559.63	1764.37	1906.49	1990.39
		54″(1372mm)	HFN-5456-	1470.27	1565.45	1677.23	1909.69	2071.13	2166.31
		60″(1524mm)	HFN-6056-	1563.15	1669.61	1794.83	2055.01	2235.77	2342.23
	64″(1626mm)	12″(305mm)	HFN-1264-	$ 841.29	$ 860.01	$ 882.05	$ 927.39	$ 959.81	$ 978.51
		18″(457mm)	HFN-1864-	938.61	970.05	1005.53	1080.87	1133.45	1164.99
		24″(610mm)	HFN-2464-	1035.93	1080.09	1129.01	1234.35	1307.09	1351.47
		30″(762mm)	HFN-3064-	1133.25	1190.13	1252.49	1387.83	1480.73	1537.95
		36″(914mm)	HFN-3664-	1230.57	1300.17	1375.97	1541.31	1654.37	1724.43
		42″(1067mm)	HFN-4264-	1327.89	1410.21	1499.45	1694.79	1828.01	1910.91
		48″(1219mm)	HFN-4864-	1425.21	1520.25	1622.93	1848.27	2001.65	2097.39
		54″(1372mm)	HFN-5464-	1522.53	1630.29	1746.41	2001.75	2175.29	2283.87
		60″(1524mm)	HFN-6064-	1619.85	1740.33	1869.89	2155.23	2348.93	2470.35
	68″(1727mm)	12″(305mm)	HFN-1268-	$ 860.01	$ 922.39	$ 953.19	$1018.45	$1063.35	$1090.77
		18″(457mm)	HFN-1868-	967.53	1043.35	1088.43	1185.85	1252.35	1292.61
		24″(610mm)	HFN-2468-	1075.05	1164.31	1223.67	1353.25	1441.35	1494.45
		30″(762mm)	HFN-3068-	1182.57	1285.27	1358.91	1520.65	1630.35	1696.29
		36″(914mm)	HFN-3668-	1290.09	1406.23	1494.15	1688.05	1819.35	1898.13
		42″(1067mm)	HFN-4268-	1397.61	1527.19	1629.39	1855.45	2008.35	2099.97
		48″(1219mm)	HFN-4868-	1505.13	1648.15	1764.63	2022.85	2197.35	2301.81
		54″(1372mm)	HFN-5468-	1612.65	1769.11	1899.87	2190.25	2386.35	2503.65
		60″(1524mm)	HFN-6068-	1720.17	1890.07	2035.11	2357.65	2575.35	2705.49
	82″(2083mm)	12″(305mm)	HFN-1282-	$1005.97	$1050.87	$1100.77	$1204.29	$1277.89	$1321.55
		18″(457mm)	HFN-1882-	1158.19	1220.25	1290.31	1434.99	1537.99	1598.81
		24″(610mm)	HFN-2482-	1310.41	1389.63	1479.85	1665.69	1798.09	1876.07
		30″(762mm)	HFN-3082-	1462.63	1559.01	1669.39	1896.39	2058.19	2153.33
		36″(914mm)	HFN-3682-	1614.85	1728.39	1858.93	2127.09	2318.29	2430.59
		42″(1067mm)	HFN-4282-	1767.07	1897.77	2048.47	2357.79	2578.39	2707.85
		48″(1219mm)	HFN-4882-	1919.29	2067.15	2238.01	2588.49	2838.49	2985.11
		54″(1372mm)	HFN-5482-	2071.51	2236.53	2427.55	2819.19	3098.59	3262.37
		60″(1524mm)	HFN-6082-	2223.73	2405.91	2617.09	3049.89	3358.69	3539.63

Basic Monolithic Fabric Panel with Steel Top Cap

PLACES

Fabric



HMN (Non Powered) HMP (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

■ Available on RUSH with or without 3-circuit or 4-circuit power.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Basic Monolithic Fabric Panel with Steel Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Fabric Grade A	B	C	E	F	G
Fabric Surface — Low Profile Steel Top Cap	30″(762mm)	12″(305mm)	HMN-1230-	$ 591.83	$ 641.73	$ 649.09	$ 664.19	$ 676.67	$ 681.63
		18″(457mm)	HMN-1830-	657.71	667.31	678.59	702.59	719.03	728.75
		24″(610mm)	HMN-2430-	723.59	742.79	765.35	813.35	846.23	865.67
		30″(762mm)	HMN-3030-	789.47	818.27	852.11	924.11	973.43	1002.59
		36″(914mm)	HMN-3630-	855.35	893.75	938.87	1034.87	1100.63	1139.51
		42″(1067mm)	HMN-4230-	921.23	969.23	1025.63	1145.63	1227.83	1276.43
		48″(1219mm)	HMN-4830-	987.11	1044.71	1112.39	1256.39	1355.03	1413.35
		54″(1372mm)	HMN-5430-	1052.99	1120.19	1199.15	1367.15	1482.23	1550.27
		60″(1524mm)	HMN-6030-	1118.87	1195.67	1285.91	1477.91	1609.43	1687.19
	37″(940mm)	12″(305mm)	HMN-1237-	$ 623.03	$ 627.75	$ 632.07	$ 644.21	$ 652.07	$ 656.69
		18″(457mm)	HMN-1837-	691.91	707.07	723.39	760.25	786.11	800.45
		24″(610mm)	HMN-2437-	760.79	786.39	814.71	876.29	920.15	944.21
		30″(762mm)	HMN-3037-	829.67	865.71	906.03	992.33	1054.19	1087.97
		36″(914mm)	HMN-3637-	898.55	945.03	997.35	1108.37	1188.23	1231.73
		42″(1067mm)	HMN-4237-	967.43	1024.35	1088.67	1224.41	1322.27	1375.49
		48″(1219mm)	HMN-4837-	1036.31	1103.67	1179.99	1340.45	1456.31	1519.25
		54″(1372mm)	HMN-5437-	1105.19	1182.99	1271.31	1456.49	1590.35	1663.01
		60″(1524mm)	HMN-6037-	1174.07	1262.31	1362.63	1572.53	1724.39	1806.77
	44″(1118mm)	12″(305mm)	HMN-1244-	$ 652.95	$ 662.05	$ 672.53	$ 694.49	$ 709.81	$ 719.05
		18″(457mm)	HMN-1844-	719.67	738.49	760.85	806.81	838.57	857.53
		24″(610mm)	HMN-2444-	786.39	814.93	849.17	919.13	967.33	996.01
		30″(762mm)	HMN-3044-	853.11	891.37	937.49	1031.45	1096.09	1134.49
		36″(914mm)	HMN-3644-	919.83	967.81	1025.81	1143.77	1224.85	1272.97
		42″(1067mm)	HMN-4244-	986.55	1044.25	1114.13	1256.09	1353.61	1411.45
		48″(1219mm)	HMN-4844-	1053.27	1120.69	1202.45	1368.41	1482.37	1549.93
		54″(1372mm)	HMN-5444-	1119.99	1197.13	1290.77	1480.73	1611.13	1688.41
		60″(1524mm)	HMN-6044-	1186.71	1273.57	1379.09	1593.05	1739.89	1826.89
	50″(1270mm)	12″(305mm)	HMN-1250-	$ 675.41	$ 687.89	$ 702.17	$ 732.79	$ 752.73	$ 765.21
		18″(457mm)	HMN-1850-	749.57	773.33	800.09	856.99	895.65	919.41
		24″(610mm)	HMN-2450-	823.73	858.77	898.01	981.19	1038.57	1073.61
		30″(762mm)	HMN-3050-	897.89	944.21	995.93	1105.39	1181.49	1227.81
		36″(914mm)	HMN-3650-	972.05	1029.65	1093.85	1229.59	1324.41	1382.01
		42″(1067mm)	HMN-4250-	1046.21	1115.09	1191.77	1353.79	1467.33	1536.21
		48″(1219mm)	HMN-4850-	1120.37	1200.53	1289.69	1477.99	1610.25	1690.41
		54″(1372mm)	HMN-5450-	1194.53	1285.97	1387.61	1602.19	1753.17	1844.61
		60″(1524mm)	HMN-6050-	1268.69	1371.41	1485.53	1726.39	1896.09	1998.81
	56″(1422mm)	12″(305mm)	HMN-1256-	$ 697.87	$ 714.09	$ 731.79	$ 770.21	$ 796.41	$ 812.63
		18″(457mm)	HMN-1856-	775.75	803.25	834.39	900.53	946.05	973.55
		24″(610mm)	HMN-2456-	853.63	892.41	936.99	1030.85	1095.69	1134.47
		30″(762mm)	HMN-3056-	931.51	981.57	1039.59	1161.17	1245.33	1295.39
		36″(914mm)	HMN-3656-	1009.39	1070.73	1142.19	1291.49	1394.97	1456.31
		42″(1067mm)	HMN-4256-	1087.27	1159.89	1244.79	1421.81	1544.61	1617.23
		48″(1219mm)	HMN-4856-	1165.15	1249.05	1347.39	1552.13	1694.25	1778.15
		54″(1372mm)	HMN-5456-	1243.03	1338.21	1449.99	1682.45	1843.89	1939.07
		60″(1524mm)	HMN-6056-	1320.91	1427.37	1552.59	1812.77	1993.53	2099.99
	64″(1626mm)	12″(305mm)	HMN-1264-	$ 719.05	$ 737.77	$ 759.81	$ 805.15	$ 837.57	$ 856.27
		18″(457mm)	HMN-1864-	801.37	832.81	868.29	943.63	996.21	1027.75
		24″(610mm)	HMN-2464-	883.69	927.85	976.77	1082.11	1154.85	1199.23
		30″(762mm)	HMN-3064-	966.01	1022.89	1085.25	1220.59	1313.49	1370.71
		36″(914mm)	HMN-3664-	1048.33	1117.93	1193.73	1359.07	1472.13	1542.19
		42″(1067mm)	HMN-4264-	1130.65	1212.97	1302.21	1497.55	1630.77	1713.67
		48″(1219mm)	HMN-4864-	1212.97	1308.01	1410.69	1636.03	1789.41	1885.15
		54″(1372mm)	HMN-5464-	1295.29	1403.05	1519.17	1774.51	1948.05	2056.63
		60″(1524mm)	HMN-6064-	1377.61	1498.09	1627.65	1912.99	2106.69	2228.11
	68″(1727mm)	12″(305mm)	HMN-1268-	$ 737.77	$ 800.15	$ 830.95	$ 896.21	$ 941.11	$ 968.53
		18″(457mm)	HMN-1868-	825.37	901.19	946.27	1043.69	1110.19	1150.45
		24″(610mm)	HMN-2468-	912.97	1002.23	1061.59	1191.17	1279.27	1332.37
		30″(762mm)	HMN-3068-	1000.57	1103.27	1176.91	1338.65	1448.35	1514.29
		36″(914mm)	HMN-3668-	1088.17	1204.31	1292.23	1486.13	1617.43	1696.21
		42″(1067mm)	HMN-4268-	1175.77	1305.35	1407.55	1633.61	1786.51	1878.13
		48″(1219mm)	HMN-4868-	1263.37	1406.39	1522.87	1781.09	1955.59	2060.05
		54″(1372mm)	HMN-5468-	1350.97	1507.43	1638.19	1928.57	2124.67	2241.97
		60″(1524mm)	HMN-6068-	1438.57	1608.47	1753.51	2076.05	2293.75	2423.89
	82″(2083mm)	12″(305mm)	HMN-1282-	$ 883.73	$ 928.63	$ 978.53	$1082.05	$1155.65	$1199.31
		18″(457mm)	HMN-1882-	999.77	1061.83	1131.89	1276.57	1379.57	1440.39
		24″(610mm)	HMN-2482-	1115.81	1195.03	1285.25	1471.09	1603.49	1681.47
		30″(762mm)	HMN-3082-	1231.85	1328.23	1438.61	1665.61	1827.41	1922.55
		36″(914mm)	HMN-3682-	1347.89	1461.43	1591.97	1860.13	2051.33	2163.63
		42″(1067mm)	HMN-4282-	1463.93	1594.63	1745.33	2054.65	2275.25	2404.71
		48″(1219mm)	HMN-4882-	1579.97	1727.83	1898.69	2249.17	2499.17	2645.79
		54″(1372mm)	HMN-5482-	1696.01	1861.03	2052.05	2443.69	2723.09	2886.87
		60″(1524mm)	HMN-6082-	1812.05	1994.23	2205.41	2638.21	2947.01	3127.95

High-Performance Monolithic Fabric Panel with Steel Top Cap

PLACES

Fabric



HFN-H (Non Powered) HFP-H (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish post are not ordered.
- High Performance Monolithic panels are available in Biscotti, Savory, Striae and Traffic only.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings and end caps.
5) Trim color for top cap and side trim rails.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

High-Performance Monolithic Fabric Panel with Steel Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Fabric Grade A	B
Fabric	30″(762mm)	12″(305mm)	HFN-1230- H	$ 752.75	$ 802.65
		18″(457mm)	HFN-1830- H	833.63	843.23
		24″(610mm)	HFN-2430- H	914.51	933.71
		30″(762mm)	HFN-3030- H	995.39	1024.19
		36″(914mm)	HFN-3630- H	1076.27	1114.67
		42″(1067mm)	HFN-4230- H	1157.15	1205.15
		48″(1219mm)	HFN-4830- H	1238.03	1295.63
		54″(1372mm)	HFN-5430- H	1318.91	1386.11
		60″(1524mm)	HFN-6030- H	1399.79	1476.59
	37″(940mm)	12″(305mm)	HFN-1237- H	$ 783.95	$ 788.67
		18″(457mm)	HFN-1837- H	871.55	886.71
		24″(610mm)	HFN-2437- H	959.15	984.75
		30″(762mm)	HFN-3037- H	1046.75	1082.79
		36″(914mm)	HFN-3637- H	1134.35	1180.83
		42″(1067mm)	HFN-4237- H	1221.95	1278.87
		48″(1219mm)	HFN-4837- H	1309.55	1376.91
		54″(1372mm)	HFN-5437- H	1397.15	1474.95
		60″(1524mm)	HFN-6037- H	1484.75	1572.99
	44″(1118mm)	12″(305mm)	HFN-1244- H	$ 813.87	$ 822.97
		18″(457mm)	HFN-1844- H	896.85	915.67
		24″(610mm)	HFN-2444- H	979.83	1008.37
		30″(762mm)	HFN-3044- H	1062.81	1101.07
		36″(914mm)	HFN-3644- H	1145.79	1193.77
		42″(1067mm)	HFN-4244- H	1228.77	1286.47
		48″(1219mm)	HFN-4844- H	1311.75	1379.17
		54″(1372mm)	HFN-5444- H	1394.73	1471.87
		60″(1524mm)	HFN-6044- H	1477.71	1564.57
	50″(1270mm)	12″(305mm)	HFN-1250- H	$ 836.33	$ 848.81
		18″(457mm)	HFN-1850- H	925.49	949.25
		24″(610mm)	HFN-2450- H	1014.65	1049.69
		30″(762mm)	HFN-3050- H	1103.81	1150.13
		36″(914mm)	HFN-3650- H	1192.97	1250.57
		42″(1067mm)	HFN-4250- H	1282.13	1351.01
		48″(1219mm)	HFN-4850- H	1371.29	1451.45
		54″(1372mm)	HFN-5450- H	1460.45	1551.89
		60″(1524mm)	HFN-6050- H	1549.61	1652.33
	64″(1626mm)	12″(305mm)	HFN-1264- H	$ 879.97	$ 898.69
		18″(457mm)	HFN-1864- H	978.55	1009.99
		24″(610mm)	HFN-2464- H	1077.13	1121.29
		30″(762mm)	HFN-3064- H	1175.71	1232.59
		36″(914mm)	HFN-3664- H	1274.29	1343.89
		42″(1067mm)	HFN-4264- H	1372.87	1455.19
		48″(1219mm)	HFN-4864- H	1471.45	1566.49
		54″(1372mm)	HFN-5464- H	1570.03	1677.79
		60″(1524mm)	HFN-6064- H	1668.61	1789.09
	68″(1727mm)	12″(305mm)	HFN-1268- H	$ 898.69	$ 961.07
		18″(457mm)	HFN-1868- H	1008.73	1084.55
		24″(610mm)	HFN-2468- H	1118.77	1208.03
		30″(762mm)	HFN-3068- H	1228.81	1331.51
		36″(914mm)	HFN-3668- H	1338.85	1454.99
		42″(1067mm)	HFN-4268- H	1448.89	1578.47
		48″(1219mm)	HFN-4868- H	1558.93	1701.95
		54″(1372mm)	HFN-5468- H	1668.97	1825.43
		60″(1524mm)	HFN-6068- H	1779.01	1948.91
	82″(2083mm)	12″(305mm)	HFN-1282- H	$1044.65	$1089.55
		18″(457mm)	HFN-1882- H	1196.87	1258.93
		24″(610mm)	HFN-2482- H	1349.09	1428.31
		30″(762mm)	HFN-3082- H	1501.31	1597.69
		36″(914mm)	HFN-3682- H	1653.53	1767.07
		42″(1067mm)	HFN-4282- H	1805.75	1936.45
		48″(1219mm)	HFN-4882- H	1957.97	2105.83
		54″(1372mm)	HFN-5482- H	2110.19	2275.21
		60″(1524mm)	HFN-6082- H	2262.41	2444.59

Open Frame Monolithic Panel with Steel Top Cap

PLACES

Open Frame



HON (Non Powered) HOP (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.
- Does not accept top feed modules.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number.
2) Trim color for raceway cover, glide housings and end caps.
3) Trim color for frame, top cap and side trim rails.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Open Frame Monolithic Panel with Steel Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Price
Open Frame	44″(1118mm)	12″(305mm)	HON-1244-	**$ 653.77**
		18″(457mm)	HON-1844-	**721.74**
		24″(610mm)	HON-2444-	**789.71**
		30″(762mm)	HON-3044-	**857.68**
		36″(914mm)	HON-3644-	**925.65**
		42″(1067mm)	HON-4244-	**993.62**
		48″(1219mm)	HON-4844-	**1150.57**
		54″(1372mm)	HON-5444-	**1218.54**
		60″(1524mm)	HON-6044-	**1286.51**
	50″(1270mm)	12″(305mm)	HON-1250-	**$ 673.55**
		18″(457mm)	HON-1850-	**748.33**
		24″(610mm)	HON-2450-	**823.11**
		30″(762mm)	HON-3050-	**897.89**
		36″(914mm)	HON-3650-	**972.67**
		42″(1067mm)	HON-4250-	**1047.45**
		48″(1219mm)	HON-4850-	**1174.14**
		54″(1372mm)	HON-5450-	**1248.92**
		60″(1524mm)	HON-6050-	**1323.70**
	64″(1626mm)	12″(305mm)	HON-1264-	**$ 706.91**
		18″(457mm)	HON-1864-	**786.00**
		24″(610mm)	HON-2464-	**865.09**
		30″(762mm)	HON-3064-	**944.18**
		36″(914mm)	HON-3664-	**1023.27**
		42″(1067mm)	HON-4264-	**1102.36**
		48″(1219mm)	HON-4864-	**1244.79**
		54″(1372mm)	HON-5464-	**1323.88**
		60″(1524mm)	HON-6064-	**1402.97**
	68″(1727mm)	12″(305mm)	HON-1268-	**$ 733.42**
		18″(457mm)	HON-1868-	**838.47**
		24″(610mm)	HON-2468-	**943.52**
		30″(762mm)	HON-3068-	**1048.57**
		36″(914mm)	HON-3668-	**1153.62**
		42″(1067mm)	HON-4268-	**1258.67**
		48″(1219mm)	HON-4868-	**1363.72**
		54″(1372mm)	HON-5468-	**1468.77**
		60″(1524mm)	HON-6068-	**1573.82**
	82″(2083mm)	12″(305mm)	HON-1282-	**$ 856.45**
		18″(457mm)	HON-1882-	**973.85**
		24″(610mm)	HON-2482-	**1091.25**
		30″(762mm)	HON-3082-	**1208.65**
		36″(914mm)	HON-3682-	**1326.05**
		42″(1067mm)	HON-4282-	**1443.45**
		48″(1219mm)	HON-4882-	**1560.85**
		54″(1372mm)	HON-5482-	**1678.25**
		60″(1524mm)	HON-6082-	**1795.65**

Glazed Monolithic Panels with Steel Top Cap

PLACES

Glazed



HGN (Non Powered) HGP (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.
- Does not accept top feed modules.

■ Available on RUSH with or without 3-circuit or 4-circuit power.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Glazed panels accept muntin kits and wainscot kits.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).
- Additional base raceway end caps will need to be specified if finish posts are not ordered.

To Order, Specify:

1) Product number.
2) Glazing finish color.
3) Trim color for raceway cover, glide housings and end caps.
4) Trim color for frame, top cap and side trim rails.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Glazed Monolithic Panels with Steel Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Clear	Frosted
Glazed	44″(1118mm)	12″(305mm)	HGN-1244-	$ 905.88	$1158.00
		18″(457mm)	HGN-1844-	1031.63	1573.25
		24″(610mm)	HGN-2444-	1157.38	1988.50
		30″(762mm)	HGN-3044-	1283.13	2403.75
		36″(914mm)	HGN-3644-	1408.88	2819.00
		42″(1067mm)	HGN-4244-	1534.63	3234.25
		48″(1219mm)	HGN-4844-	1660.38	3649.50
		54″(1372mm)	HGN-5444-	1786.13	4064.75
		60″(1524mm)	HGN-6044-	1911.88	4480.00
	50″(1270mm)	12″(305mm)	HGN-1250-	$ 933.07	$1185.19
		18″(457mm)	HGN-1850-	1058.82	1609.09
		24″(610mm)	HGN-2450-	1184.57	2032.99
		30″(762mm)	HGN-3050-	1310.32	2456.89
		36″(914mm)	HGN-3650-	1436.07	2880.79
		42″(1067mm)	HGN-4250-	1561.82	3304.69
		48″(1219mm)	HGN-4850-	1687.57	3728.59
		54″(1372mm)	HGN-5450-	1813.32	4152.49
		60″(1524mm)	HGN-6050-	1939.07	4576.39
	64″(1626mm)	12″(305mm)	HGN-1264-	$ 956.01	$1265.51
		18″(457mm)	HGN-1864-	1091.50	1712.89
		24″(610mm)	HGN-2464-	1226.99	2160.27
		30″(762mm)	HGN-3064-	1362.48	2607.65
		36″(914mm)	HGN-3664-	1497.97	3055.03
		42″(1067mm)	HGN-4264-	1633.46	3502.41
		48″(1219mm)	HGN-4864-	1768.95	3949.79
		54″(1372mm)	HGN-5464-	1904.44	4397.17
		60″(1524mm)	HGN-6064-	2039.93	4844.55
	68″(1727mm)	12″(305mm)	HGN-1268-	$1021.51	$1331.02
		18″(457mm)	HGN-1868-	1173.06	1785.82
		24″(610mm)	HGN-2468-	1324.61	2240.62
		30″(762mm)	HGN-3068-	1476.16	2695.42
		36″(914mm)	HGN-3668-	1627.71	3150.22
		42″(1067mm)	HGN-4268-	1779.26	3605.02
		48″(1219mm)	HGN-4868-	1930.81	4059.82
		54″(1372mm)	HGN-5468-	2082.36	4514.62
		60″(1524mm)	HGN-6068-	2233.91	4969.42
	82″(2083mm)	12″(305mm)	HGN-1282-	$1173.36	$1480.55
		18″(457mm)	HGN-1882-	1365.19	1984.78
		24″(610mm)	HGN-2482-	1557.02	2489.01
		30″(762mm)	HGN-3082-	1748.85	2993.24
		36″(914mm)	HGN-3682-	1940.68	3497.47
		42″(1067mm)	HGN-4282-	2132.51	4001.70
		48″(1219mm)	HGN-4882-	2324.34	4505.93
		54″(1372mm)	HGN-5482-	2516.17	5010.16
		60″(1524mm)	HGN-6082-	2708.00	5514.39

Monolithic Wood Panel with Wood Top Cap

PLACES

Wood



HWN-T (Non Powered) HWP-T (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Wood top cap panels require finish posts, including end conditions and variable height conditions.
- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).

To Order, Specify:

1) Product number.
2) Wood finish color for panel side one.
3) Wood finish color for panel side two.
4) Trim color for raceway cover, glide housings, end caps and side trim rails.
5) Wood finish color for top cap.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Monolithic Wood Panel with Wood Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Wood Group B
Wood	30″(762mm)	12″(305mm)	HW**N**-1230- T	**$1090.77**
		18″(457mm)	HW**N**-1830- T	**1241.13**
		24″(610mm)	HW**N**-2430- T	**1391.49**
		30″(762mm)	HW**N**-3030- T	**1541.85**
		36″(914mm)	HW**N**-3630- T	**1692.21**
		42″(1067mm)	HW**N**-4230- T	**1842.57**
		48″(1219mm)	HW**N**-4830- T	**1992.93**
	37″(940mm)	12″(305mm)	HW**N**-1237- T	**$1164.17**
		18″(457mm)	HW**N**-1837- T	**1316.21**
		24″(610mm)	HW**N**-2437- T	**1468.25**
		30″(762mm)	HW**N**-3037- T	**1620.29**
		36″(914mm)	HW**N**-3637- T	**1772.33**
		42″(1067mm)	HW**N**-4237- T	**1924.37**
		48″(1219mm)	HW**N**-4837- T	**2076.41**
	44″(1118mm)	12″(305mm)	HW**N**-1244- T	**$1193.83**
		18″(457mm)	HW**N**-1844- T	**1343.35**
		24″(610mm)	HW**N**-2444- T	**1492.87**
		30″(762mm)	HW**N**-3044- T	**1642.39**
		36″(914mm)	HW**N**-3644- T	**1791.91**
		42″(1067mm)	HW**N**-4244- T	**1941.43**
		48″(1219mm)	HW**N**-4844- T	**2090.95**
	50″(1270mm)	12″(305mm)	HW**N**-1250- T	**$1278.61**
		18″(457mm)	HW**N**-1850- T	**1438.09**
		24″(610mm)	HW**N**-2450- T	**1597.57**
		30″(762mm)	HW**N**-3050- T	**1757.05**
		36″(914mm)	HW**N**-3650- T	**1916.53**
		42″(1067mm)	HW**N**-4250- T	**2076.01**
		48″(1219mm)	HW**N**-4850- T	**2235.49**
	56″(1422mm)	12″(305mm)	HW**N**-1256- T	**$1320.39**
		18″(457mm)	HW**N**-1856- T	**1508.67**
		24″(610mm)	HW**N**-2456- T	**1696.95**
		30″(762mm)	HW**N**-3056- T	**1885.23**
		36″(914mm)	HW**N**-3656- T	**2073.51**
		42″(1067mm)	HW**N**-4256- T	**2261.79**
		48″(1219mm)	HW**N**-4856- T	**2450.07**
	64″(1626mm)	12″(305mm)	HW**N**-1264- T	**$1376.63**
		18″(457mm)	HW**N**-1864- T	**1550.63**
		24″(610mm)	HW**N**-2464- T	**1724.63**
		30″(762mm)	HW**N**-3064- T	**1898.63**
		36″(914mm)	HW**N**-3664- T	**2072.63**
		42″(1067mm)	HW**N**-4264- T	**2246.63**
		48″(1219mm)	HW**N**-4864- T	**2420.63**
	68″(1727mm)	12″(305mm)	HW**N**-1268- T	**$1475.61**
		18″(457mm)	HW**N**-1868- T	**1664.25**
		24″(610mm)	HW**N**-2468- T	**1852.89**
		30″(762mm)	HW**N**-3068- T	**2041.53**
		36″(914mm)	HW**N**-3668- T	**2230.17**
		42″(1067mm)	HW**N**-4268- T	**2418.81**
		48″(1219mm)	HW**N**-4868- T	**2607.45**
	82″(2083mm)	12″(305mm)	HW**N**-1282- T	**$1678.55**
		18″(457mm)	HW**N**-1882- T	**1933.07**
		24″(610mm)	HW**N**-2482- T	**2187.59**
		30″(762mm)	HW**N**-3082- T	**2442.11**
		36″(914mm)	HW**N**-3682- T	**2696.63**
		42″(1067mm)	HW**N**-4282- T	**2951.15**
		48″(1219mm)	HW**N**-4882- T	**3205.67**

Monolithic Wood/Fabric Panel with Wood Top Cap

PLACES

Wood/Fabric



HWFN-T (Non Powered) HWFP-T (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Wood top cap panels require finish posts, including end conditions and variable height conditions.
- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).

To Order, Specify:

1) Product number.
2) Wood finish color for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings, end caps and side trim rails.
5) Wood finish color for top cap.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Monolithic Wood/Fabric Panel with Wood Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Wood Group B Fabric Grade A	B	C	E	F	G
Wood/Fabric	**Wood Group B**								
	30″(762mm)	12″(305mm)	HWFN-1230-T	$ 924.79	$ 949.51	$ 953.17	$ 960.91	$ 966.29	$ 969.51
		18″(457mm)	HWFN-1830-T	1036.27	1066.63	1076.23	1097.29	1111.55	1120.35
		24″(610mm)	HWFN-2430-T	1147.75	1183.75	1199.29	1233.67	1256.81	1271.19
		30″(762mm)	HWFN-3030-T	1259.23	1300.87	1322.35	1370.05	1402.07	1422.03
		36″(914mm)	HWFN-3630-T	1370.71	1417.99	1445.41	1506.43	1547.33	1572.87
		42″(1067mm)	HWFN-4230-T	1482.19	1535.11	1568.47	1642.81	1692.59	1723.71
		48″(1219mm)	HWFN-4830-T	1593.67	1652.23	1691.53	1779.19	1837.85	1874.55
	37″(940mm)	12″(305mm)	HWFN-1237-T	$ 976.95	$ 979.42	$ 981.88	$ 987.44	$ 991.15	$ 993.62
		18″(457mm)	HWFN-1837-T	1090.77	1098.82	1107.94	1126.88	1140.25	1148.24
		24″(610mm)	HWFN-2437-T	1204.59	1218.22	1234.00	1266.32	1289.35	1302.86
		30″(762mm)	HWFN-3037-T	1318.41	1337.62	1360.06	1405.76	1438.45	1457.48
		36″(914mm)	HWFN-3637-T	1432.23	1457.02	1486.12	1545.20	1587.55	1612.10
		42″(1067mm)	HWFN-4237-T	1546.05	1576.42	1612.18	1684.64	1736.65	1766.72
		48″(1219mm)	HWFN-4837-T	1659.87	1695.82	1738.24	1824.08	1885.75	1921.34
	44″(1118mm)	12″(305mm)	HWFN-1244-T	$1006.60	$1010.93	$1016.49	$1026.99	$1035.03	$1039.35
		18″(457mm)	HWFN-1844-T	1118.14	1127.99	1139.85	1163.25	1180.59	1190.49
		24″(610mm)	HWFN-2444-T	1229.68	1245.05	1263.21	1299.51	1326.15	1341.63
		30″(762mm)	HWFN-3044-T	1341.22	1362.11	1386.57	1435.77	1471.71	1492.77
		36″(914mm)	HWFN-3644-T	1452.76	1479.17	1509.93	1572.03	1617.27	1643.91
		42″(1067mm)	HWFN-4244-T	1564.30	1596.23	1633.29	1708.29	1762.83	1795.05
		48″(1219mm)	HWFN-4844-T	1675.84	1713.29	1756.65	1844.55	1908.39	1946.19
	50″(1270mm)	12″(305mm)	HWFN-1250-T	$1073.08	$1081.12	$1090.39	$1110.16	$1123.76	$1131.80
		18″(457mm)	HWFN-1850-T	1192.90	1206.82	1223.11	1256.98	1280.66	1294.94
		24″(610mm)	HWFN-2450-T	1312.72	1332.52	1355.83	1403.80	1437.56	1458.08
		30″(762mm)	HWFN-3050-T	1432.54	1458.22	1488.55	1550.62	1594.46	1621.22
		36″(914mm)	HWFN-3650-T	1552.36	1583.92	1621.27	1697.44	1751.36	1784.36
		42″(1067mm)	HWFN-4250-T	1672.18	1709.62	1753.99	1844.26	1908.26	1947.50
		48″(1219mm)	HWFN-4850-T	1792.00	1835.32	1886.71	1991.08	2065.16	2110.64
	56″(1422mm)	12″(305mm)	HWFN-1256-T	$1105.11	$1114.98	$1126.12	$1149.59	$1166.28	$1175.55
		18″(457mm)	HWFN-1856-T	1241.19	1257.36	1275.52	1314.23	1341.18	1356.81
		24″(610mm)	HWFN-2456-T	1377.27	1399.74	1424.92	1478.87	1516.08	1538.07
		30″(762mm)	HWFN-3056-T	1513.35	1542.12	1574.32	1643.51	1690.98	1719.33
		36″(914mm)	HWFN-3656-T	1649.43	1684.50	1723.72	1808.15	1865.88	1900.59
		42″(1067mm)	HWFN-4256-T	1785.51	1826.88	1873.12	1972.79	2040.78	2081.85
		48″(1219mm)	HWFN-4856-T	1921.59	1969.26	2022.52	2137.43	2215.68	2263.11
	64″(1626mm)	12″(305mm)	HWFN-1264-T	$1143.73	$1154.85	$1167.82	$1195.64	$1214.17	$1225.91
		18″(457mm)	HWFN-1864-T	1274.89	1292.67	1313.02	1356.80	1386.49	1404.83
		24″(610mm)	HWFN-2464-T	1406.05	1430.49	1458.22	1517.96	1558.81	1583.75
		30″(762mm)	HWFN-3064-T	1537.21	1568.31	1603.42	1679.12	1731.13	1762.67
		36″(914mm)	HWFN-3664-T	1668.37	1706.13	1748.62	1840.28	1903.45	1941.59
		42″(1067mm)	HWFN-4264-T	1799.53	1843.95	1893.82	2001.44	2075.77	2120.51
		48″(1219mm)	HWFN-4864-T	1930.69	1981.77	2039.02	2162.60	2248.09	2299.43
	68″(1727mm)	12″(305mm)	HWFN-1268-T	$1219.79	$1235.24	$1252.54	$1289.61	$1314.95	$1330.40
		18″(457mm)	HWFN-1868-T	1360.85	1383.38	1408.36	1462.53	1499.39	1521.86
		24″(610mm)	HWFN-2468-T	1501.91	1531.52	1564.18	1635.45	1683.83	1713.32
		30″(762mm)	HWFN-3068-T	1642.97	1679.66	1720.00	1808.37	1868.27	1904.78
		36″(914mm)	HWFN-3668-T	1784.03	1827.80	1875.82	1981.29	2052.71	2096.24
		42″(1067mm)	HWFN-4268-T	1925.09	1975.94	2031.64	2154.21	2237.15	2287.70
		48″(1219mm)	HWFN-4868-T	2066.15	2124.08	2187.46	2327.13	2421.59	2479.16
	82″(2083mm)	12″(305mm)	HWFN-1282-T	$1376.26	$1399.74	$1426.93	$1483.15	$1522.70	$1546.18
		18″(457mm)	HWFN-1882-T	1564.30	1597.08	1634.29	1712.77	1767.50	1799.86
		24″(610mm)	HWFN-2482-T	1752.34	1794.42	1841.65	1942.39	2012.30	2053.54
		30″(762mm)	HWFN-3082-T	1940.38	1991.76	2049.01	2172.01	2257.10	2307.22
		36″(914mm)	HWFN-3682-T	2128.42	2189.10	2256.37	2401.63	2501.90	2560.90
		42″(1067mm)	HWFN-4282-T	2316.46	2386.44	2463.73	2631.25	2746.70	2814.58
		48″(1219mm)	HWFN-4882-T	2504.50	2583.78	2671.09	2860.87	2991.50	3068.26

Monolithic Fabric Panel with Wood Top Cap

PLACES

Fabric



HFN-T (Non Powered) HFP-T (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Wood top cap panels require finish posts, including end conditions and variable height conditions.
- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings, end caps and side trim rails.
5) Wood finish color for top cap.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Monolithic Fabric Panel with Wood Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Wood Group B Fabric Grade A	B	C	E	F	G
Fabric	30″(762mm)	12″(305mm)	HFN-1230- T	$ 746.50	$ 796.40	$ 803.76	$ 818.86	$ 831.34	$ 836.30
		18″(457mm)	HFN-1830- T	832.30	843.58	855.58	882.58	900.46	911.74
		24″(610mm)	HFN-2430- T	918.10	940.66	964.66	1018.66	1054.42	1076.98
		30″(762mm)	HFN-3030- T	1003.90	1037.74	1073.74	1154.74	1208.38	1242.22
		36″(914mm)	HFN-3630- T	1089.70	1134.82	1182.82	1290.82	1362.34	1407.46
		42″(1067mm)	HFN-4230- T	1175.50	1231.90	1291.90	1426.90	1516.30	1572.70
		48″(1219mm)	HFN-4830- T	1261.30	1328.98	1400.98	1562.98	1670.26	1737.94
		54″((1372mm)	HFN-5430- T	1347.10	1426.06	1510.06	1699.06	1824.22	1903.18
		60″(1524mm)	HFN-6030- T	1432.90	1523.14	1619.14	1835.14	1978.18	2068.42
	37″(940mm)	12″(305mm)	HFN-1237- T	$ 777.70	$ 782.66	$ 787.66	$ 798.88	$ 806.38	$ 811.36
		18″(457mm)	HFN-1837- T	870.40	886.52	904.96	943.06	970.12	986.26
		24″(610mm)	HFN-2437- T	963.10	990.38	1022.26	1087.24	1133.86	1161.16
		30″(762mm)	HFN-3037- T	1055.80	1094.24	1139.56	1231.42	1297.60	1336.06
		36″(914mm)	HFN-3637- T	1148.50	1198.10	1256.86	1375.60	1461.34	1510.96
		42″(1067mm)	HFN-4237- T	1241.20	1301.96	1374.16	1519.78	1625.08	1685.86
		48″(1219mm)	HFN-4837- T	1333.90	1405.82	1491.46	1663.96	1788.82	1860.76
		54″(1372mm)	HFN-5437- T	1426.60	1509.68	1608.76	1808.14	1952.56	2035.66
		60″(1524mm)	HFN-6037- T	1519.30	1613.54	1726.06	1952.32	2116.30	2210.56
	44″(1118mm)	12″(305mm)	HFN-1244- T	$ 807.62	$ 816.36	$ 827.60	$ 848.78	$ 865.02	$ 873.72
		18″(457mm)	HFN-1844- T	895.52	915.54	939.26	986.72	1021.68	1041.66
		24″(610mm)	HFN-2444- T	983.42	1014.72	1050.92	1124.66	1178.34	1209.60
		30″(762mm)	HFN-3044- T	1071.32	1113.90	1162.58	1262.60	1335.00	1377.54
		36″(914mm)	HFN-3644- T	1159.22	1213.08	1274.24	1400.54	1491.66	1545.48
		42″(1067mm)	HFN-4244- T	1247.12	1312.26	1385.90	1538.48	1648.32	1713.42
		48″(1219mm)	HFN-4844- T	1335.02	1411.44	1497.56	1676.42	1804.98	1881.36
		54″(1372mm)	HFN-5444- T	1422.92	1510.62	1609.22	1814.36	1961.64	2049.30
		60″(1524mm)	HFN-6044- T	1510.82	1609.80	1720.88	1952.30	2118.30	2217.24
	50″(1270mm)	12″(305mm)	HFN-1250- T	$ 856.28	$ 872.50	$ 891.20	$ 931.12	$ 958.56	$ 974.78
		18″(457mm)	HFN-1850- T	950.78	979.12	1011.98	1080.34	1127.94	1157.00
		24″(610mm)	HFN-2450- T	1045.28	1085.74	1132.76	1229.56	1297.32	1339.22
		30″(762mm)	HFN-3050- T	1139.78	1192.36	1253.54	1378.78	1466.70	1521.44
		36″(914mm)	HFN-3650- T	1234.28	1298.98	1374.32	1528.00	1636.08	1703.66
		42″(1067mm)	HFN-4250- T	1328.78	1405.60	1495.10	1677.22	1805.46	1885.88
		48″(1219mm)	HFN-4850- T	1423.28	1512.22	1615.88	1826.44	1974.84	2068.10
		54″(1372mm)	HFN-5450- T	1517.78	1618.84	1736.66	1975.66	2144.22	2250.32
		60″(1524mm)	HFN-6050- T	1612.28	1725.46	1857.44	2124.88	2313.60	2432.54
	56″(1422mm)	12″(305mm)	HFN-1256- T	$ 878.72	$ 898.68	$ 921.14	$ 968.54	$1002.22	$1020.92
		18″(457mm)	HFN-1856- T	978.32	1011.00	1047.74	1125.74	1180.42	1211.72
		24″(610mm)	HFN-2456- T	1077.92	1123.32	1174.34	1282.94	1358.62	1402.52
		30″(762mm)	HFN-3056- T	1177.52	1235.64	1300.94	1440.14	1536.82	1593.32
		36″(914mm)	HFN-3656- T	1277.12	1347.96	1427.54	1597.34	1715.02	1784.12
		42″(1067mm)	HFN-4256- T	1376.72	1460.28	1554.14	1754.54	1893.22	1974.92
		48″(1219mm)	HFN-4856- T	1476.32	1572.60	1680.74	1911.74	2071.42	2165.72
		54″(1372mm)	HFN-5456- T	1575.92	1684.92	1807.34	2068.94	2249.62	2356.52
		60″(1524mm)	HFN-6056- T	1675.52	1797.24	1933.94	2226.14	2427.82	2547.32
	64″(1626mm)	12″(305mm)	HFN-1264- T	$ 899.92	$ 922.40	$ 948.58	$1004.72	$1042.14	$1065.84
		18″(457mm)	HFN-1864- T	1004.08	1040.00	1081.06	1169.36	1229.22	1266.48
		24″(610mm)	HFN-2464- T	1108.24	1157.60	1213.54	1334.00	1416.30	1467.12
		30″(762mm)	HFN-3064- T	1212.40	1275.20	1346.02	1498.64	1603.38	1667.76
		36″(914mm)	HFN-3664- T	1316.56	1392.80	1478.50	1663.28	1790.46	1868.40
		42″(1067mm)	HFN-4264- T	1420.72	1510.40	1610.98	1827.92	1977.54	2069.04
		48″(1219mm)	HFN-4864- T	1524.88	1628.00	1743.46	1992.56	2164.62	2269.68
		54″(1372mm)	HFN-5464- T	1629.04	1745.60	1875.94	2157.20	2351.70	2470.32
		60″(1524mm)	HFN-6064- T	1733.20	1863.20	2008.42	2321.84	2538.78	2670.96
	68″(1727mm)	12″(305mm)	HFN-1268- T	$ 953.56	$ 984.76	$1019.68	$1094.52	$1145.66	$1176.86
		18″(457mm)	HFN-1868- T	1067.68	1113.16	1163.80	1273.08	1347.50	1392.98
		24″(610mm)	HFN-2468- T	1181.80	1241.56	1307.92	1451.64	1549.34	1609.10
		30″(762mm)	HFN-3068- T	1295.92	1369.96	1452.04	1630.20	1751.18	1825.22
		36″(914mm)	HFN-3668- T	1410.04	1498.36	1596.16	1808.76	1953.02	2041.34
		42″(1067mm)	HFN-4268- T	1524.16	1626.76	1740.28	1987.32	2154.86	2257.46
		48″(1219mm)	HFN-4868- T	1638.28	1755.16	1884.40	2165.88	2356.70	2473.58
		54″(1372mm)	HFN-5468- T	1752.40	1883.56	2028.52	2344.44	2558.54	2689.70
		60″(1524mm)	HFN-6068- T	1866.52	2011.96	2172.64	2523.00	2760.38	2905.82
	82″(2083mm)	12″(305mm)	HFN-1282- T	$1064.60	$1111.98	$1166.88	$1280.40	$1360.22	$1407.62
		18″(457mm)	HFN-1882- T	1223.54	1289.64	1364.58	1523.22	1633.76	1698.92
		24″(610mm)	HFN-2482- T	1382.48	1467.30	1562.28	1766.04	1907.30	1990.22
		30″(762mm)	HFN-3082- T	1541.42	1644.96	1759.98	2008.86	2180.84	2281.52
		36″(914mm)	HFN-3682- T	1700.36	1822.62	1957.68	2251.68	2454.38	2572.82
		42″(1067mm)	HFN-4282- T	1859.30	2000.28	2155.38	2494.50	2727.92	2864.12
		48″(1219mm)	HFN-4882- T	2018.24	2177.94	2353.08	2737.32	3001.46	3155.42
		54″(1372mm)	HFN-5482- T	2177.18	2355.60	2550.78	2980.14	3275.00	3446.72
		60″(1524mm)	HFN-6082- T	2336.12	2533.26	2748.48	3222.96	3548.54	3738.02

Basic Monolithic Fabric Panel with Wood Top Cap

PLACES

Fabric



HMN-T (Non Powered) HMP-T (*3-Circuit* Powered)

NOTE:
This panel has fabric/colorway restrictions, see systems fabrics/ color legend.

Features

- Includes non-powered or powered panel assembly, low profile top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Acoustical panel surfaces.
- Panel surfaces may have the same fabric on both sides or a different fabric on each side.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.

Specification Tips

- Wood top cap panels require finish posts, including end conditions and variable height conditions.
- For mixed fabric surfaces, price at higher fabric grade.
- Panels will accept add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Trim color for raceway cover, glide housings, end caps and side trim rails.
5) Wood finish color for top cap.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Basic Monolithic Fabric Panel with Wood Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Wood Group B Fabric Grade A	B	C	E	F	G
Fabric	30″(762mm)	12″(305mm)	HMN-1230- T	$ 624.26	$ 674.16	$ 681.52	$ 696.62	$ 709.10	$ 714.06
		18″(457mm)	HMN-1830- T	697.58	708.86	720.86	747.86	765.74	777.02
		24″(610mm)	HMN-2430- T	770.90	793.46	817.46	871.46	907.22	929.78
		30″(762mm)	HMN-3030- T	844.22	878.06	914.06	995.06	1048.70	1082.54
		36″(914mm)	HMN-3630- T	917.54	962.66	1010.66	1118.66	1190.18	1235.30
		42″(1067mm)	HMN-4230- T	990.86	1047.26	1107.26	1242.26	1331.66	1388.06
		48″(1219mm)	HMN-4830- T	1064.18	1131.86	1203.86	1365.86	1473.14	1540.82
		54″((1372mm)	HMN-5430- T	1137.50	1216.46	1300.46	1489.46	1614.62	1693.58
		60″(1524mm)	HMN-6030- T	1210.82	1301.06	1397.06	1613.06	1756.10	1846.34
	37″(940mm)	12″(305mm)	HMN-1237- T	$ 655.46	$ 660.42	$ 665.42	$ 676.64	$ 684.14	$ 689.12
		18″(457mm)	HMN-1837- T	731.90	748.02	766.46	804.56	831.62	847.76
		24″(610mm)	HMN-2437- T	808.34	835.62	867.50	932.48	979.10	1006.40
		30″(762mm)	HMN-3037- T	884.78	923.22	968.54	1060.40	1126.58	1165.04
		36″(914mm)	HMN-3637- T	961.22	1010.82	1069.58	1188.32	1274.06	1323.68
		42″(1067mm)	HMN-4237- T	1037.66	1098.42	1170.62	1316.24	1421.54	1482.32
		48″(1219mm)	HMN-4837- T	1114.10	1186.02	1271.66	1444.16	1569.02	1640.96
		54″(1372mm)	HMN-5437- T	1190.54	1273.62	1372.70	1572.08	1716.50	1799.60
		60″(1524mm)	HMN-6037- T	1266.98	1361.22	1473.74	$1700.00	$1863.98	$1958.24
	44″(1118mm)	12″(305mm)	HMN-1244- T	$ 685.38	$ 694.12	$ 705.36	726.54	742.78	751.48
		18″(457mm)	HMN-1844- T	759.54	779.56	803.28	850.74	885.70	905.68
		24″(610mm)	HMN-2444- T	833.70	865.00	901.20	974.94	1028.62	1059.88
		30″(762mm)	HMN-3044- T	907.86	950.44	999.12	1099.14	1171.54	1214.08
		36″(914mm)	HMN-3644- T	982.02	1035.88	1097.04	1223.34	1314.46	1368.28
		42″(1067mm)	HMN-4244- T	1056.18	1121.32	1194.96	1347.54	1457.38	1522.48
		48″(1219mm)	HMN-4844- T	1130.34	1206.76	1292.88	1471.74	1600.30	1676.68
		54″(1372mm)	HMN-5444- T	1204.50	1292.20	1390.80	1595.94	1743.22	1830.88
		60″(1524mm)	HMN-6044- T	1278.66	1377.64	1488.72	1720.14	1886.14	1985.08
	50″(1270mm)	12″(305mm)	HMN-1250- T	$ 734.04	$ 750.26	$ 768.96	$ 808.88	$ 836.32	$ 852.54
		18″(457mm)	HMN-1850- T	814.80	843.14	876.00	944.36	991.96	1021.02
		24″(610mm)	HMN-2450- T	895.56	936.02	983.04	1079.84	1147.60	1189.50
		30″(762mm)	HMN-3050- T	976.32	1028.90	1090.08	1215.32	1303.24	1357.98
		36″(914mm)	HMN-3650- T	1057.08	1121.78	1197.12	1350.80	1458.88	1526.46
		42″(1067mm)	HMN-4250- T	1137.84	1214.66	1304.16	1486.28	1614.52	1694.94
		48″(1219mm)	HMN-4850- T	1218.60	1307.54	1411.20	1621.76	1770.16	1863.42
		54″(1372mm)	HMN-5450- T	1299.36	1400.42	1518.24	1757.24	1925.80	2031.90
		60″(1524mm)	HMN-6050- T	1380.12	1493.30	1625.28	1892.72	2081.44	2200.38
	56″(1422mm)	12″(305mm)	HMN-1256- T	$ 756.48	$ 776.44	$ 798.90	$ 846.30	$ 879.98	$ 898.68
		18″(457mm)	HMN-1856- T	841.08	873.76	910.50	988.50	1043.18	1074.48
		24″(610mm)	HMN-2456- T	925.68	971.08	1022.10	1130.70	1206.38	1250.28
		30″(762mm)	HMN-3056- T	1010.28	1068.40	1133.70	1272.90	1369.58	1426.08
		36″(914mm)	HMN-3656- T	1094.88	1165.72	1245.30	1415.10	1532.78	1601.88
		42″(1067mm)	HMN-4256- T	1179.48	1263.04	1356.90	1557.30	1695.98	1777.68
		48″(1219mm)	HMN-4856- T	1264.08	1360.36	1468.50	1699.50	1859.18	1953.48
		54″(1372mm)	HMN-5456- T	1348.68	1457.68	1580.10	1841.70	2022.38	2129.28
		60″(1524mm)	HMN-6056- T	1433.28	1555.00	1691.70	1983.90	2185.58	2305.08
	64″(1626mm)	12″(305mm)	HMN-1264- T	$ 777.68	$ 800.16	$ 826.34	$ 882.48	$ 919.90	$ 943.60
		18″(457mm)	HMN-1864- T	866.84	902.76	943.82	1032.12	1091.98	1129.24
		24″(610mm)	HMN-2464- T	956.00	1005.36	1061.30	1181.76	1264.06	1314.88
		30″(762mm)	HMN-3064- T	1045.16	1107.96	1178.78	1331.40	1436.14	1500.52
		36″(914mm)	HMN-3664- T	1134.32	1210.56	1296.26	1481.04	1608.22	1686.16
		42″(1067mm)	HMN-4264- T	1223.48	1313.16	1413.74	1630.68	1780.30	1871.80
		48″(1219mm)	HMN-4864- T	1312.64	1415.76	1531.22	1780.32	1952.38	2057.44
		54″(1372mm)	HMN-5464- T	1401.80	1518.36	1648.70	1929.96	2124.46	2243.08
		60″(1524mm)	HMN-6064- T	1490.96	1620.96	1766.18	2079.60	2296.54	2428.72
	68″(1727mm)	12″(305mm)	HMN-1268- T	$ 831.32	$ 862.52	$ 897.44	$ 972.28	$1023.42	$1054.62
		18″(457mm)	HMN-1868- T	925.52	971.00	1021.64	1130.92	1205.34	1250.82
		24″(610mm)	HMN-2468- T	1019.72	1079.48	1145.84	1289.56	1387.26	1447.02
		30″(762mm)	HMN-3068- T	1113.92	1187.96	1270.04	1448.20	1569.18	1643.22
		36″(914mm)	HMN-3668- T	1208.12	1296.44	1394.24	1606.84	1751.10	1839.42
		42″(1067mm)	HMN-4268- T	1302.32	1404.92	1518.44	1765.48	1933.02	2035.62
		48″(1219mm)	HMN-4868- T	1396.52	1513.40	1642.64	1924.12	2114.94	2231.82
		54″(1372mm)	HMN-5468- T	1490.72	1621.88	1766.84	2082.76	2296.86	2428.02
		60″(1524mm)	HMN-6068- T	1584.92	1730.36	1891.04	2241.40	2478.78	2624.22
	82″(2083mm)	12″(305mm)	HMN-1282- T	$ 942.36	$ 989.74	$1044.64	$1158.16	$1237.98	$1285.38
		18″(457mm)	HMN-1882- T	1065.12	1131.22	1206.16	1364.80	1475.34	1540.50
		24″(610mm)	HMN-2482- T	1187.88	1272.70	1367.68	1571.44	1712.70	1795.62
		30″(762mm)	HMN-3082- T	1310.64	1414.18	1529.20	1778.08	1950.06	2050.74
		36″(914mm)	HMN-3682- T	1433.40	1555.66	1690.72	1984.72	2187.42	2305.86
		42″(1067mm)	HMN-4282- T	1556.16	1697.14	1852.24	2191.36	2424.78	2560.98
		48″(1219mm)	HMN-4882- T	1678.92	1838.62	2013.76	2398.00	2662.14	2816.10
		54″(1372mm)	HMN-5482- T	1801.68	1980.10	2175.28	2604.64	2899.50	3071.22
		60″(1524mm)	HMN-6082- T	1924.44	2121.58	2336.80	2811.28	3136.86	3326.34

Open Frame Monolithic Panel with Wood Top Cap

PLACES

Open Frame



HON-T (Non Powered) HOP-T (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.
- Does not accept top feed modules.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Wood top cap panels require end-of-run finish posts for end conditions and variable height conditions.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).

To Order, Specify:

1) Product number.
2) Trim color for raceway cover, glide housings, end caps and side trim rails.
3) Wood finish color for top cap.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See Specification Guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Open Frame Monolithic Panel with Wood Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Wood Group B
Open Frame	44″(1118mm)	12″(305mm)	HON-1244- T	**$ 727.92**
		18″(457mm)	HON-1844- T	**811.96**
		24″(610mm)	HON-2444- T	**896.00**
		30″(762mm)	HON-3044- T	**980.04**
		36″(914mm)	HON-3644- T	**1064.08**
		42″(1067mm)	HON-4244- T	**1148.12**
		48″(1219mm)	HON-4844- T	**1321.14**
		54″(1372mm)	HON-5444- T	**1405.18**
		60″(1524mm)	HON-6044- T	**1489.22**
	50″(1270mm)	12″(305mm)	HON-1250- T	**$ 747.70**
		18″(457mm)	HON-1850- T	**838.55**
		24″(610mm)	HON-2450- T	**929.40**
		30″(762mm)	HON-3050- T	**1020.25**
		36″(914mm)	HON-3650- T	**1111.10**
		42″(1067mm)	HON-4250- T	**1201.95**
		48″(1219mm)	HON-4850- T	**1344.71**
		54″(1372mm)	HON-5450- T	**1435.56**
		60″(1524mm)	HON-6050- T	**1526.41**
	64″(1626mm)	12″(305mm)	HON-1264- T	**$ 781.06**
		18″(457mm)	HON-1864- T	**876.22**
		24″(610mm)	HON-2464- T	**971.38**
		30″(762mm)	HON-3064- T	**1066.54**
		36″(914mm)	HON-3664- T	**1161.70**
		42″(1067mm)	HON-4264- T	**1256.86**
		48″(1219mm)	HON-4864- T	**1415.36**
		54″(1372mm)	HON-5464- T	**1510.52**
		60″(1524mm)	HON-6064- T	**1605.68**
	68″(1727mm)	12″(305mm)	HON-1268- T	**$ 807.57**
		18″(457mm)	HON-1868- T	**928.69**
		24″(610mm)	HON-2468- T	**1049.81**
		30″(762mm)	HON-3068- T	**1170.93**
		36″(914mm)	HON-3668- T	**1292.05**
		42″(1067mm)	HON-4268- T	**1413.17**
		48″(1219mm)	HON-4868- T	**1534.29**
		54″(1372mm)	HON-5468- T	**1655.41**
		60″(1524mm)	HON-6068- T	**1776.53**
	82″(2083mm)	12″(305mm)	HON-1282- T	**$ 930.60**
		18″(457mm)	HON-1882- T	**1064.07**
		24″(610mm)	HON-2482- T	**1197.54**
		30″(762mm)	HON-3082- T	**1331.01**
		36″(914mm)	HON-3682- T	**1464.48**
		42″(1067mm)	HON-4282- T	**1597.95**
		48″(1219mm)	HON-4882- T	**1731.42**
		54″(1372mm)	HON-5482- T	**1864.89**
		60″(1524mm)	HON-6082- T	**1998.36**

Glazed Monolithic Panel with Wood Top Cap

PLACES

Glazed



HGN-T (Non Powered) HGP-T (*3-Circuit* Powered)

Features

- Includes non-powered or powered panel assembly, low profile top cap with aligner, with or without one-piece base raceway cover, 1.6 hinge kits, side trim rails, leveling glides and carpet gripper; power distribution assembly/flex connector(s) when power is specified. **.6** base raceway end caps are shipped with each panel. Order additional as necessary.
- Panel thickness is 2″(51mm).
- Base raceway is 4″(102mm) high.
- Powered raceway with or without raceway cover requires modified catalog number and list price.
- Powered panels are available for countries that utilize 120 volt 60 hertz electrical systems and U.S. configured plugs and outlets.
- Shipped with unassembled top cap, base raceway cover and side trim rails.
- Does not accept top feed modules.

Specification Tips

- Panels will accept glazed add-on panels up to a combined height of 82″(2083mm). For aesthetic consistency, specify PLACES add-on panels.
- Wood top cap panels require end-of-run finish posts for end conditions and variable height conditions.
- Glazed panels accept muntin kits and wainscot kits.
- Flex connectors provided for powered monolithic panels accommodate straight in-line, inside 90°, and inside 120° conditions (if applicable).
- Receptacles for powered panels must be specified separately.
- Raceway cover must be separately specified for option -E (no raceway cover).

To Order, Specify:

1) Product number.
2) Glazing finish color.
3) Trim color for raceway cover, glide housings, end caps and side trim rails.
4) Wood finish color for top cap.

NOTES:

- *Powered panels with raceway covers ship with receptacle ports in the base raceway cover. Receptacle ports on the raceway cover measure 2.35″(60mm) top-to-bottom and 2.88″(73mm) side-to-side.*
- *Non-powered panels ship without receptacle ports in the base raceway cover.*
- *Powered panels with Power Distribution Assemblies (PDA) but without raceway covers require separately specified base raceway covers for power and communication port locations other than the standard powered base raceway cover.*
- *New York City (NYC) electrical applications require field installation of PDA.*
- *New York Port Authority (NYPA) electrical applications require metal raceway covers. To order, specify NYC powered panels without raceway cover and separately specify metal covers through Haworth e-Parts.*
- *Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant.*
- *For International Power, specify non-powered panels and use Power Logic components. See specification guide for more information on Power Logic.*
- *For Chicago power, specify non-powered panels without a base raceway cover and separately specify Chicago power retrofit kit.*

Glazed Monolithic Panel with Wood Top Cap

PLACES

	Actual Height	Width	Non-Powered Number	Clear Wood Group B	Frosted Wood Group B
Glazed	44″(1118mm)	12″(305mm)	HGN-1244- T	$ 980.03	$1232.15
		18″(457mm)	HGN-1844- T	1121.85	1663.47
		24″(610mm)	HGN-2444- T	1263.67	2094.79
		30″(762mm)	HGN-3044- T	1405.49	2526.11
		36″(914mm)	HGN-3644- T	1547.31	2957.43
		42″(1067mm)	HGN-4244- T	1689.13	3388.75
		48″(1219mm)	HGN-4844- T	1830.95	3820.07
		54″(1372mm)	HGN-5444- T	1972.77	4251.39
		60″(1524mm)	HGN-6044- T	2114.59	4682.71
	50″(1270mm)	12″(305mm)	HGN-1250- T	$1007.22	$1259.34
		18″(457mm)	HGN-1850- T	1149.04	1699.31
		24″(610mm)	HGN-2450- T	1290.86	2139.28
		30″(762mm)	HGN-3050- T	1432.68	2579.25
		36″(914mm)	HGN-3650- T	1574.50	3019.22
		42″(1067mm)	HGN-4250- T	1716.32	3459.19
		48″(1219mm)	HGN-4850- T	1858.14	3899.16
		54″(1372mm)	HGN-5450- T	1999.96	4339.13
		60″(1524mm)	HGN-6050- T	2141.78	4779.10
	64″(1626mm)	12″(305mm)	HGN-1264- T	$1030.16	$1339.66
		18″(457mm)	HGN-1864- T	1181.72	1803.11
		24″(610mm)	HGN-2464- T	1333.28	2266.56
		30″(762mm)	HGN-3064- T	1484.84	2730.01
		36″(914mm)	HGN-3664- T	1636.40	3193.46
		42″(1067mm)	HGN-4264- T	1787.96	3656.91
		48″(1219mm)	HGN-4864- T	1939.52	4120.36
		54″(1372mm)	HGN-5464- T	2091.08	4583.81
		60″(1524mm)	HGN-6064- T	2242.64	5047.26
	68″(1727mm)	12″(305mm)	HGN-1268- T	$1095.66	$1405.17
		18″(457mm)	HGN-1868- T	1263.28	1876.04
		24″(610mm)	HGN-2468- T	1430.90	2346.91
		30″(762mm)	HGN-3068- T	1598.52	2817.78
		36″(914mm)	HGN-3668- T	1766.14	3288.65
		42″(1067mm)	HGN-4268- T	1933.76	3759.52
		48″(1219mm)	HGN-4868- T	2101.38	4230.39
		54″(1372mm)	HGN-5468- T	2269.00	4701.26
		60″(1524mm)	HGN-6068- T	2436.62	5172.13
	82″(2083mm)	12″(305mm)	HGN-1282- T	$1247.51	$1554.70
		18″(457mm)	HGN-1882- T	1455.41	2075.00
		24″(610mm)	HGN-2482- T	1663.31	2595.30
		30″(762mm)	HGN-3082- T	1871.21	3115.60
		36″(914mm)	HGN-3682- T	2079.11	3635.90
		42″(1067mm)	HGN-4282- T	2287.01	4156.20
		48″(1219mm)	HGN-4882- T	2494.91	4676.50
		54″(1372mm)	HGN-5482- T	2702.81	5196.80
		60″(1524mm)	HGN-6082- T	2910.71	5717.10

Single Door and Frame with Wood Top Cap

PLACES

	Actual Height	Width	Door Swing	Number ❶	Wood Group B
Single Door — Wood	82″(2083mm)	36″(914mm)	Left	HDS-3682- LT	$**3273.30**
		42″(1067mm)	Left	HDS-4282- LT	**3594.12**



HDS-LT

(Left-hand swing)

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side rails and trim, hollow core door (1 5/8″(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Wood veneer surfaces on both sides of door.
- Shipped left-hand swing. Field-adjustable for right-hand swing.
- 1″(25mm) deep top communications raceway.
- Threshold will be charcoal trim color.
- No power and communication in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
3682	78 1/2″(1994mm)	28 1/2″(724mm)
4282	78 1/2″(1994mm)	34 1/2″(876mm)

To Order, Specify:

1) Product number, including:

❶ **Handle Designation:**

K Knob

H ADA lever, add **$205.82** list.

2) Wood finish color for door surfaces.
3) Trim color for door frame, raceway cover, glide housings, end caps and side trim rails.
4) Wood finish color for top cap.

NOTES:

Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

This page intentionally blank

Fabric Add-On Panel

PLACES

Fabric



HAF

NOTE:
Add-on panels cannot be used with add-on panels ordered with the SP prefix.*

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets, one side trim rail cover and top cap clips.
- Fabric add-on panels may be installed above any straight fabric base or fabric add-on panels.*
- Both sides in same fabric; one color or different color each side.
- Each base panel will accept two add-on panels.
- Lower Level add-on panel will accept overhead components (load bearing). Second add-on panel (top) is non-load bearing.
- Top rail of add-on panel will provide top wire management.
- Utilizes top cap from base panel.
- Standard finish posts can be used.
- Same construction as PLACES Monolithic fabric panel.

Specification Tips

- Add-on panels may be stacked a maximum of two high in any order of height above a base panel.
- Add-on panel must match panel width.
- Combination of panel and add-on panel cannot exceed 82″(2083mm) in height.
- Cannot be used above any door, glazed, open-frame, or glazed add-on panels.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Full-height trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above fabric add-on panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for add-on panel side one.
3) Fabric/colorway for add-on panel side two.
4) Trim color for side trim rails and trim strip.

Note: For mixed grade surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Fabric Add-On Panel

PLACES

	Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
Fabric	12″(305mm)	12″(305mm)	HAF-1212	**$ 605.20**	**$ 684.42**	**$ 696.13**	**$ 720.93**	**$ 738.16**	**$ 748.48**
		18″(457mm)	HAF-1812	**642.11**	**721.33**	**738.73**	**765.07**	**783.39**	**794.34**
		24″(610mm)	HAF-2412	**679.02**	**758.24**	**781.33**	**809.21**	**828.62**	**840.20**
		30″(762mm)	HAF-3012	**715.93**	**795.15**	**823.93**	**853.35**	**873.85**	**886.06**
		36″(914mm)	HAF-3612	**752.84**	**832.06**	**866.53**	**897.49**	**919.08**	**931.92**
		42″(1067mm)	HAF-4212	**789.75**	**868.97**	**909.13**	**941.63**	**964.31**	**977.78**
		48″(1219mm)	HAF-4812	**826.66**	**905.88**	**951.73**	**985.77**	**1009.54**	**1023.64**
		54″(1372mm)	HAF-5412	**863.57**	**942.79**	**994.33**	**1029.91**	**1054.77**	**1069.50**
		60″(1524mm)	HAF-6012	**900.48**	**979.70**	**1036.93**	**1074.05**	**1100.00**	**1115.36**
	14″(356mm)	12″(305mm)	HAF-1214	**$ 642.11**	**$ 726.28**	**$ 738.73**	**$ 765.07**	**$ 783.39**	**$ 794.34**
		18″(457mm)	HAF-1814	**679.02**	**763.19**	**781.33**	**809.21**	**828.62**	**840.20**
		24″(610mm)	HAF-2414	**715.93**	**800.10**	**823.93**	**853.35**	**873.85**	**886.06**
		30″(762mm)	HAF-3014	**752.84**	**837.01**	**866.53**	**897.49**	**919.08**	**931.92**
		36″(914mm)	HAF-3614	**789.75**	**873.92**	**909.13**	**941.63**	**964.31**	**977.78**
		42″(1067mm)	HAF-4214	**826.66**	**910.83**	**951.73**	**985.77**	**1009.54**	**1023.64**
		48″(1219mm)	HAF-4814	**863.57**	**947.74**	**994.33**	**1029.91**	**1054.77**	**1069.50**
		54″(1372mm)	HAF-5414	**900.48**	**984.65**	**1036.93**	**1074.05**	**1100.00**	**1115.36**
		60″(1524mm)	HAF-6014	**937.39**	**1021.56**	**1079.53**	**1118.19**	**1145.23**	**1161.22**
	18″(437mm)	12″(305mm)	HAF-1218	**$ 715.93**	**$ 810.00**	**$ 823.93**	**$ 853.35**	**$ 873.85**	**$ 886.06**
		18″(457mm)	HAF-1818	**752.84**	**846.91**	**866.53**	**897.49**	**919.08**	**931.92**
		24″(610mm)	HAF-2418	**789.75**	**883.82**	**909.13**	**941.63**	**964.31**	**977.78**
		30″(762mm)	HAF-3018	**826.66**	**920.73**	**951.73**	**985.77**	**1009.54**	**1023.64**
		36″(914mm)	HAF-3618	**863.57**	**957.64**	**994.33**	**1029.91**	**1054.77**	**1069.50**
		42″(1067mm)	HAF-4218	**900.48**	**994.55**	**1036.93**	**1074.05**	**1100.00**	**1115.36**
		48″(1219mm)	HAF-4818	**937.39**	**1031.46**	**1079.53**	**1118.19**	**1145.23**	**1161.22**
		54″(1372mm)	HAF-5418	**974.30**	**1068.37**	**1122.13**	**1162.33**	**1190.46**	**1207.08**
		60″(1524mm)	HAF-6018	**1011.21**	**1105.28**	**1164.73**	**1206.47**	**1235.69**	**1252.94**
	20″(508mm)	12″(305mm)	HAF-1220	**$ 752.84**	**$ 851.86**	**$ 866.53**	**$ 897.49**	**$ 919.08**	**$ 931.92**
		18″(457mm)	HAF-1820	**789.75**	**888.77**	**909.13**	**941.63**	**964.31**	**977.78**
		24″(610mm)	HAF-2420	**826.66**	**925.68**	**951.73**	**985.77**	**1009.54**	**1023.64**
		30″(762mm)	HAF-3020	**863.57**	**962.59**	**994.33**	**1029.91**	**1054.77**	**1069.50**
		36″(914mm)	HAF-3620	**900.48**	**999.50**	**1036.93**	**1074.05**	**1100.00**	**1115.36**
		42″(1067mm)	HAF-4220	**937.39**	**1036.41**	**1079.53**	**1118.19**	**1145.23**	**1161.22**
		48″(1219mm)	HAF-4820	**974.30**	**1073.32**	**1122.13**	**1162.33**	**1190.46**	**1207.08**
		54″(1372mm)	HAF-5420	**1011.21**	**1110.23**	**1164.73**	**1206.47**	**1235.69**	**1252.94**
		60″(1524mm)	HAF-6020	**1048.12**	**1147.14**	**1207.33**	**1250.61**	**1280.92**	**1298.80**
	24″(610mm)	12″(305mm)	HAF-1224	**$ 826.66**	**$ 935.58**	**$ 951.73**	**$ 985.77**	**$1009.54**	**$1023.64**
		18″(457mm)	HAF-1824	**863.57**	**972.49**	**994.33**	**1029.91**	**1054.77**	**1069.50**
		24″(610mm)	HAF-2424	**900.48**	**1009.40**	**1036.93**	**1074.05**	**1100.00**	**1115.36**
		30″(762mm)	HAF-3024	**937.39**	**1046.31**	**1079.53**	**1118.19**	**1145.23**	**1161.22**
		36″(914mm)	HAF-3624	**974.30**	**1083.22**	**1122.13**	**1162.33**	**1190.46**	**1207.08**
		42″(1067mm)	HAF-4224	**1011.21**	**1120.13**	**1164.73**	**1206.47**	**1235.69**	**1252.94**
		48″(1219mm)	HAF-4824	**1048.12**	**1157.04**	**1207.33**	**1250.61**	**1280.92**	**1298.80**
		54″(1372mm)	HAF-5424	**1085.03**	**1193.95**	**1249.93**	**1294.75**	**1326.15**	**1344.66**
		60″(1524mm)	HAF-6024	**1121.94**	**1230.86**	**1292.53**	**1338.89**	**1371.38**	**1390.52**

Glazed Add-On Panel

PLACES

Glazed



HAG

NOTE:
Add-on panels cannot be used with add-on panels ordered with the SP prefix.*

Features

- Includes panel, vertical connector (bayonet), light block, side trim rails, two full hinge sets, one side trim rail cover, and top cap clips.
- Utilizes top cap from base panel.
- Glazed add-on panels may be installed above any straight fabric, glazed, or open-frame base or add-on panels.*
- Each base panel will accept two add-on panels.
- Glazed add-on panels will not accept any load bearing components.
- Top rail of add-on panel will provide top wire management.
- Textured glazing material is textured on one side only. Recommend installing the textured side to face the interior of the workstation.
- Standard finish post and end-of-run posts can be used.

■ Available on RUSH.

Specification Tips

- Specify glazed add-on panel based upon the type of panel, fabric (F) or glazed/open-frame (G), that will be directly below the add-on panel.
- Add-on panels may be stacked a maximum of two high in any order of height above a base panel.
- Add-on panel must match base panel width.
- Combination of base panel and add-on panel cannot exceed 82″(2083mm) in height.
- Base and add-on panel combinations should match existing base panel heights so that end-of-runs and finish posts can be used without field modification.
- Cannot be used above doors.
- Does not accept top feed modules.
- To convert a glazed add-on above a fabric monolithic base panel to a glazed add-on above a glazed base panel or (vice versa), a vertical connector (bayonet) retrofit kit is available. Order separately through Haworth e-Parts.
- Full-height trim rails required for end-of-run conditions with a base panel and one add-on panel, separately specified.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add on, for two high panel add on location use side trim rail that ships with add-on panel.
- Clerestory can be added above glazed add-on panels.
- **Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12″(305mm) and 18″(457mm) high add-on panels only.**

To Order, Specify:

1) Product number, including:

❶ Application Designation:

F Glazed add-on panel directly above fabric base panel or fabric add-on panel.

G Glazed add-on panel directly above glazed and open frame base panel or glazed add-on panel, add **$32.43** list.

2) Glazing color or glass pattern.
3) Trim color for frame, side trim rails and trim strip.

Class BA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Glazed Add-On Panel

PLACES

	Actual Height	Width	Number ❶	Glass Grade A	C	D*
Glazed	12″(305mm)	12″(305mm)	HAG-1212-	**$ 693.55**	**$ 880.66**	**$ 943.03**
		18″(457mm)	HAG-1812-	**728.48**	**946.78**	**1021.62**
		24″(610mm)	HAG-2412-	**763.41**	**1012.90**	**1100.21**
		30″(762mm)	HAG-3012-	**798.34**	**1079.02**	**1178.80**
		36″(914mm)	HAG-3612-	**833.27**	**1145.14**	**1257.39**
		42″(1067mm)	HAG-4212-	**868.20**	**1211.26**	**1335.98**
		48″(1219mm)	HAG-4812-	**903.13**	**1277.38**	**1414.57**
		54″(1372mm)	HAG-5412-	**938.06**	**1343.50**	**1493.16**
		60″(1524mm)	HAG-6012-	**972.99**	**1409.62**	**1571.75**
	14″(356mm)	12″(305mm)	HAG-1214-	**$ 727.23**	**N/A**	**$1020.37**
		18″(457mm)	HAG-1814-	**762.16**	**N/A**	**1098.96**
		24″(610mm)	HAG-2414-	**797.09**	**N/A**	**1177.55**
		30″(762mm)	HAG-3014-	**832.02**	**N/A**	**1256.14**
		36″(914mm)	HAG-3614-	**866.95**	**N/A**	**1334.73**
		42″(1067mm)	HAG-4214-	**901.88**	**N/A**	**1413.32**
		48″(1219mm)	HAG-4814-	**936.81**	**N/A**	**1491.91**
		54″(1372mm)	HAG-5414-	**971.74**	**N/A**	**1570.50**
		60″(1524mm)	HAG-6014-	**1006.67**	**N/A**	**1649.09**
	18″(457mm)	12″(305mm)	HAG-1218-	**$ 794.59**	**$1075.27**	**$1175.05**
		18″(457mm)	HAG-1818-	**829.52**	**1141.39**	**1253.64**
		24″(610mm)	HAG-2418-	**864.45**	**1207.51**	**1332.23**
		30″(762mm)	HAG-3018-	**899.38**	**1273.63**	**1410.82**
		36″(914mm)	HAG-3618-	**934.31**	**1339.75**	**1489.41**
		42″(1067mm)	HAG-4218-	**969.24**	**1405.87**	**1568.00**
		48″(1219mm)	HAG-4818-	**1004.17**	**1471.99**	**1646.59**
		54″(1372mm)	HAG-5418-	**1039.10**	**1538.11**	**1725.18**
		60″(1524mm)	HAG-6018-	**1074.03**	**1604.23**	**1803.77**
	20″(508mm)	12″(305mm)	HAG-1220-	**$ 828.27**	**N/A**	**$1252.39**
		18″(457mm)	HAG-1820-	**863.20**	**N/A**	**1330.98**
		24″(610mm)	HAG-2420-	**898.13**	**N/A**	**1409.57**
		30″(762mm)	HAG-3020-	**933.06**	**N/A**	**1488.16**
		36″(914mm)	HAG-3620-	**967.99**	**N/A**	**1566.75**
		42″(1067mm)	HAG-4220-	**1002.92**	**N/A**	**1645.34**
		48″(1219mm)	HAG-4820-	**1037.85**	**N/A**	**1723.93**
		54″(1372mm)	HAG-5420-	**1072.78**	**N/A**	**1802.52**
		60″(1524mm)	HAG-6020-	**1107.71**	**N/A**	**1881.11**
	24″(610mm)	12″(305mm)	HAG-1224-	**$ 895.63**	**N/A**	**$1407.07**
		18″(457mm)	HAG-1824-	**930.56**	**N/A**	**1485.66**
		24″(610mm)	HAG-2424-	**965.49**	**N/A**	**1564.25**
		30″(762mm)	HAG-3024-	**1000.42**	**N/A**	**1642.84**
		36″(914mm)	HAG-3624-	**1035.35**	**N/A**	**1721.43**
		42″(1067mm)	HAG-4224-	**1070.28**	**N/A**	**1800.02**
		48″(1219mm)	HAG-4824-	**1105.21**	**N/A**	**1878.61**
		54″(1372mm)	HAG-5424-	**1140.14**	**N/A**	**1957.20**
		60″(1524mm)	HAG-6024-	**1175.07**	**N/A**	**2035.79**

*Patterned Glass (SQ-CM Checks Mix, SQ-ER English Reeded and SQ-VM Vertical Moire) available on 12″(305mm) and 18″(457mm) high add-on panels only.

Swing Doors with Steel Top Cap

PLACES

Single Door — Laminate



HDS-L

(Left-hand swing)

Actual Height	Width	Door Swing	Number ❶	Laminate A	Laminate B
82″(2083mm)	36″(914mm)	Left	HDS-3682- L	**$2902.70**	**$3087.50**
	42″(1067mm)	Left	HDS-4282- L	**$3222.03**	**$3432.24**

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1 5/8″(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Both sides of door covered in same laminate surface color.
- Door shipped with left-hand swing and can be field-changed for right-hand swing.
- 1″(25mm) deep top communications raceway.
- No power and communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
3682	78″(1981mm)	28 3/4″(730mm)
4282	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ Handle Designation:

- **K** Knob
- **H** ADA lever, add **$205.82** list.

2) Laminate surface color.
3) Trim color for raceway covers and glide housings.
4) Trim color for door jamb, top cap and side trim rails.

NOTES:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Single Door — Glazed



HDG-L
HDG-R

(Left-hand swing)



(Right-hand swing)

Actual Height	Width	Number ❶❷	Clear Laminate A	Laminate B	Frosted Laminate A	Laminate B
82″(2083mm)	36″(914mm)	HDG-3682-	**$3321.82**	**$3506.62**	**$3745.94**	**$3930.74**
	42″(1067mm)	HDG-4282-	**$3555.09**	**$3765.30**	**$3979.21**	**$4189.42**

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1 5/8″(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Both sides of door covered in same laminate surface color.
- High-pressure laminate door surface.
- **Door swing not field changeable.**
- 1″(25mm) deep top communications raceway.
- No power and communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
3682	78″(1981mm)	28 3/4″(730mm)
4282	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ Handle Designation:

- **K** Knob
- **H** ADA lever, add **$205.82** list.

❷ Door Swing

- **L** Left-hand
- **R** Right-hand

2) Glazing finish color.
3) Laminate surface color.
4) Trim color for raceway covers and glide housings.
5) Trim color for door jamb, top cap and side trim rails.

NOTES:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Swing Doors with Steel Top Cap

PLACES

Single Door — Glazed with Classic Muntins

Actual Height	Width	Number ❶❷	Clear Laminate A	Clear Laminate B	Frosted Laminate A	Frosted Laminate B
82″(2083mm)	36″(914mm)	HDMC-3682-	**$3809.55**	**$3994.35**	**$4233.67**	**$4418.47**
	42″(1067mm)	HDMC-4282-	**$4074.01**	**$4284.22**	**$4498.13**	**$4708.34**



HDMC-L
HDMC-R

(Left-hand swing) (Right-hand swing)

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1 5/8″(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Both sides of door covered in same laminate surface color.
- **Door swing not field changeable.**
- 1″(25mm) deep top communications raceway.
- No power and communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
3682	78″(1981mm)	28 3/4″(730mm)
4282	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ Handle Designation:

- **K** Knob
- **H** ADA lever, add **$205.82** list.

❷ Door Swing

- **L** Left-hand
- **R** Right-hand

2) Glazing finish color.
3) Laminate surface color.
4) Trim color for raceway covers and glide housings.
5) Trim color for door jamb, top cap, muntins and side trim rails.

NOTE:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Single Door — Glazed with Horizontal Muntins

Actual Height	Width	Number ❶❷	Clear Laminate A	Clear Laminate B	Frosted Laminate A	Frosted Laminate B
82″(2083mm)	36″(914mm)	HDMH-3682-	**$3702.28**	**$3887.08**	**$4126.40**	**$4311.20**
	42″(1067mm)	HDMH-4282-	**$3949.27**	**$4159.48**	**$4373.39**	**$4583.60**



HDMH-L
HDMH-R

(Left-hand swing) (Right-hand swing)

Features

- Includes complete panel assembly [hinge sets, carpet gripper, door jamb, side trim rails, leveling glides and trim, hollow core door (1 5/8″(41mm) thick), door hinges, hardware, brushed chrome knobs or ADA lever with lockset and keys, and threshold].
- Both sides of door covered in same laminate surface color.
- **Door swing not field changeable.**
- 1″(25mm) deep top communications raceway.
- No power and communications in base raceway.

Specification Tips

- Door may be placed a maximum of 24″(610mm) from supporting panels at 90°.
- Will not accept add-on panel.

Door Opening Clearance

Door Size	Height	Width
3682	78″(1981mm)	28 3/4″(730mm)
4282	78″(1981mm)	34 3/4″(883mm)

To Order, Specify:

1) Product number, including:

❶ Handle Designation:

- **K** Knob
- **H** ADA lever, add **$205.82** list.

❷ Door Swing

- **L** Left-hand
- **R** Right-hand

2) Glazing finish color.
3) Laminate surface color.
4) Trim color for raceway covers and glide housings.
5) Trim color for door jamb, top cap, muntins and side trim rails.

NOTE:
Some building codes may restrict the use of panel heights greater than 69″(1753mm). Consult your local code authority to assure that the furniture layout is compliant prior to installation.

Most building codes for new buildings require a minimum clear door width of 32″(813mm). To meet this requirement, the 42″(1067mm) door must be ordered.

Panel Attached Screen

for use with PLACES

Panel Attached Screen



BBP-GH
BBP-PH

Height	Width	Description	Number	Trim A	Trim B
47″(1194mm)	48″(1219mm)	Frosted Insert	BBP-4748-GH	**$1226.12**	**$1239.60**
52″(1321mm)			BBP-5248-GH	**1295.27**	**1314.35**
63″(1600mm)			BBP-6348-GH	**1432.44**	**1463.84**
52″(1321mm)	48″(1219mm)	Perforated Metal	BBP-5248-PH	**$1329.30**	**$1365.23**
63″(1600mm)			BBP-6348-PH	**1466.47**	**1514.72**

Features

- Includes screen, two non-locking casters on post legs and attachment brackets.
- Perforated metal insert screen has no acoustical value.
- Screens are non-load bearing.
- Magnets can be used with perforated metal inserts.
- Frosted insert is identical to frosted and textured acrylic material used in desktop screens.
- Brackets are shipped unassembled.

Specification Tips

- Screens can mount on any width panel but panel runs must be at least 48″(1219mm).
- Screens mount on a panel taller than height of screen only.
- Screen adds 2″(51mm) to panel width in stored position.
- Screen extends 42″(1067mm) from end of panel in fully extended position.
- Screens mount parallel with panel, off panel end only.
- Screen adds 2″(51mm) to panel thickness.
- Panel attached screen brackets may interfere with components mounted to opposite side of panel.
- Screens are non-handed; brackets can be attached to either side.
- See Specification Guide for additional information.

To Order, Specify:

Frosted Insert

1) Product number.
2) Trim color for frame.
3) Trim color for panel attachment brackets.
4) Metallic trim color for casters.

Metal Insert

1) Product number.
2) Trim color for frame.
3) Trim color for perforated metal insert.
4) Trim color for panel attachment brackets.
5) Metallic trim color for casters.

Class IF – SIN 711-1; Discount Group XI
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories

for use with PLACES

Muntin Kit — Classic — Painted



MSC

Panel Height	Panel Width	Number	Price
44″(1118mm)	18″(457mm)	MSC-1842	**$464.46**
	24″(610mm)	MSC-242	**491.47**
	30″(762mm)	MSC-3042	**518.48**
	36″(914mm)	MSC-342	**545.49**
	42″(1067mm)	MSC-4242	**572.50**
	48″(1219mm)	MSC-442	**599.51**
	54″(1372mm)	MSC-5442	**626.52**
	60″(1524mm)	MSC-542	**653.53**
68″(1727mm)	18″(457mm)	MSC-1866	**$539.10**
	24″(610mm)	MSC-266	**566.11**
	30″(762mm)	MSC-3066	**593.12**
	36″(914mm)	MSC-366	**620.13**
	42″(1067mm)	MSC-4266	**647.14**
	48″(1219mm)	MSC-466	**674.15**
	54″(1372mm)	MSC-5466	**701.16**
	60″(1524mm)	MSC-566	**728.17**
82″(2083mm)	18″(457mm)	MSC-1880	**$582.64**
	24″(610mm)	MSC-280	**609.65**
	30″(762mm)	MSC-3080	**636.66**
	36″(914mm)	MSC-380	**663.67**
	42″(1067mm)	MSC-4280	**690.68**
	48″(1219mm)	MSC-480	**717.69**
	54″(1372mm)	MSC-5480	**771.71**
	60″(1524mm)	MSC-580	**771.71**

Features

- Includes set of muntins for each side of glazed panel, and attachment hardware.
- Requires field assembly.
- Apply to glazed panels in heights and widths listed.
- Muntins are 1/2″(12mm) thick.

Specification Tips

- Glazed panel must be separately specified.
- Applicable to UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Trim color.

Muntin Kit — Horizontal — Painted



MSH

44″(1118mm)	12″(305mm)	MSH-142	**$355.81**
	18″(457mm)	MSH-1842	**382.82**
	24″(610mm)	MSH-242	**409.83**
	30″(762mm)	MSH-3042	**436.84**
	36″(914mm)	MSH-342	**463.85**
	42″(1067mm)	MSH-4242	**490.86**
	48″(1219mm)	MSH-442	**517.87**
	54″(1372mm)	MSH-5442	**544.88**
	60″(1524mm)	MSH-542	**544.88**
68″(1727mm)	12″(305mm)	MSH-166	**$430.45**
	18″(457mm)	MSH-1866	**457.46**
	24″(610mm)	MSH-266	**484.47**
	30″(762mm)	MSH-3066	**511.48**
	36″(914mm)	MSH-366	**538.49**
	42″(1067mm)	MSH-4266	**565.50**
	48″(1219mm)	MSH-466	**592.51**
	54″(1372mm)	MSH-5466	**619.52**
	60″(1524mm)	MSH-566	**646.53**
82″(2083mm)	12″(305mm)	MSH-180	**$473.99**
	18″(457mm)	MSH-1880	**501.00**
	24″(610mm)	MSH-280	**528.01**
	30″(762mm)	MSH-3080	**555.02**
	36″(914mm)	MSH-380	**582.03**
	42″(1067mm)	MSH-4280	**609.04**
	48″(1219mm)	MSH-480	**636.05**
	54″(1372mm)	MSH-5480	**663.06**
	60″(1524mm)	MSH-580	**690.07**

Features

- Includes set of muntins for each side of glazed panel, and attachment hardware.
- Requires field assembly.
- Apply to glazed panels in heights and widths listed.
- Muntins are 1/2″(12mm) thick.

Specification Tips

- Glazed panel must be separately specified.
- Applicable to UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

for use with PLACES

Wainscot Kit
Painted Rail — Fabric Panel



WK

Installed Height	Panel Width	Number	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	12″(305mm)	WK-129	$375.69	$431.13	$495.81	$ 630.95	$ 724.50	$ 788.03
	18″(457mm)	WK-1829	392.99	455.36	526.97	677.13	781.07	851.53
	24″(610mm)	WK-229	410.29	479.59	558.13	723.31	837.64	915.03
	30″(762mm)	WK-3029	427.59	503.82	589.29	769.49	894.21	978.53
	36″(914mm)	WK-329	444.89	528.05	620.45	815.67	950.78	1042.03
	42″(1067mm)	WK-4229	462.19	552.28	651.61	861.85	1007.35	1105.53
	48″(1219mm)	WK-429	479.49	576.51	682.77	908.03	1063.92	1169.03
	54″(1372mm)	WK-5429	496.79	607.67	727.79	983.09	1159.76	1278.73
	60″(1524mm)	WK-529	514.09	624.97	745.09	1000.39	1177.06	1296.03

Installed Height	Panel Width	Number	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	12″(305mm)	WK-129	$376.89	$432.33	$497.01	$ 632.15	$ 725.70	$ 789.23
	18″(457mm)	WK-1829	394.80	457.17	528.78	678.94	782.88	853.34
	24″(610mm)	WK-229	412.71	482.01	560.55	725.73	840.06	917.45
	30″(762mm)	WK-3029	430.62	506.85	592.32	772.52	897.24	981.56
	36″(914mm)	WK-329	448.53	531.69	624.09	819.31	954.42	1045.67
	42″(1067mm)	WK-4229	466.44	556.53	655.86	866.10	1011.60	1109.78
	48″(1219mm)	WK-429	484.35	581.37	687.63	912.89	1068.78	1173.89
	54″(1372mm)	WK-5429	502.87	613.75	733.87	989.17	1165.84	1284.81
	60″(1524mm)	WK-529	520.17	631.05	751.17	1006.47	1183.14	1302.11

Features

- Includes set of two (2) recessed fabric panels (1 for each side), two (2) rails, and attachment hardware.
- Requires field assembly.
- Apply to both sides of any glazed panel.
- For mixed fabric surfaces, specify fabric/color for each side.

Specification Tips

- Glazed panel must be separately specified.
- Can be used with UniGroup Too, UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Rail trim color.

Class BA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories

for use with PLACES

Wainscot with Horizontal Muntins — Painted Rail and Muntins — Fabric Panel



WMSH

Installed Height	Panel Width	Number	Trim A Fabric Grade A	B	C	E	F	G
68″(1727mm)	12″(305mm)	WMSH-166	$ 830.49	$ 885.93	$ 950.61	$1085.75	$1179.30	$1242.83
	18″(457mm)	WMSH-1866	873.74	936.11	1007.72	1157.88	1261.82	1332.28
	24″(610mm)	WMSH-266	916.99	986.29	1064.83	1230.01	1344.34	1421.73
	30″(762mm)	WMSH-3066	960.24	1036.47	1121.94	1302.14	1426.86	1511.18
	36″(914mm)	WMSH-366	1003.49	1086.65	1179.05	1374.27	1509.38	1600.63
	42″(1067mm)	WMSH-4266	1046.74	1136.83	1236.16	1446.40	1591.90	1690.08
	48″(1219mm)	WMSH-466	1089.99	1187.01	1293.27	1518.53	1674.42	1779.53
	54″(1372mm)	WMSH-5466	1133.24	1244.12	1364.24	1619.54	1796.21	1915.18
	60″(1524mm)	WMSH-566	1176.49	1287.37	1407.49	1662.79	1839.46	1958.43
82″(2083mm)	12″(305mm)	WMSH-180	$ 870.04	$ 942.82	$1028.29	$1205.01	$1329.73	$1410.60
	18″(457mm)	WMSH-1880	913.29	993.00	1085.40	1277.14	1412.25	1500.05
	24″(610mm)	WMSH-280	956.54	1043.18	1142.51	1349.27	1494.77	1589.50
	30″(762mm)	WMSH-3080	999.79	1093.36	1199.62	1421.40	1577.29	1678.95
	36″(914mm)	WMSH-380	1043.04	1143.54	1256.73	1493.53	1659.81	1768.40
	42″(1067mm)	WMSH-4280	1086.29	1193.72	1313.84	1565.66	1742.33	1857.85
	48″(1219mm)	WMSH-480	1129.54	1243.90	1370.95	1637.79	1824.85	1947.30
	54″(1372mm)	WMSH-5480	1172.79	1301.01	1441.92	1738.80	1946.64	2082.95
	60″(1524mm)	WMSH-580	1216.04	1344.26	1485.17	1782.05	1989.89	2126.20

Installed Height	Panel Width	Number	Trim B Fabric Grade A	B	C	E	F	G
68″(1727mm)	12″(305mm)	WMSH-166	$ 831.69	$ 887.13	$ 951.81	$1086.95	$1180.50	$1244.03
	18″(457mm)	WMSH-1866	875.55	937.92	1009.53	1159.69	1263.63	1334.09
	24″(610mm)	WMSH-266	919.41	988.71	1067.25	1232.43	1346.76	1424.15
	30″(762mm)	WMSH-3066	963.27	1039.50	1124.97	1305.17	1429.89	1514.21
	36″(914mm)	WMSH-366	1007.13	1090.29	1182.69	1377.91	1513.02	1604.27
	42″(1067mm)	WMSH-4266	1050.99	1141.08	1240.41	1450.65	1596.15	1694.33
	48″(1219mm)	WMSH-466	1094.85	1191.87	1298.13	1523.39	1679.28	1784.39
	54″(1372mm)	WMSH-5466	1139.32	1250.20	1370.32	1625.62	1802.29	1921.26
	60″(1524mm)	WMSH-566	1182.57	1293.45	1413.57	1668.87	1845.54	1964.51
82″(2083mm)	12″(305mm)	WMSH-180	$ 871.24	$ 944.02	$1029.49	$1206.21	$1330.93	$1411.80
	18″(457mm)	WMSH-1880	915.10	994.81	1087.21	1278.95	1414.06	1501.86
	24″(610mm)	WMSH-280	958.96	1045.60	1144.93	1351.69	1497.19	1591.92
	30″(762mm)	WMSH-3080	1002.82	1096.39	1202.65	1424.43	1580.32	1681.98
	36″(914mm)	WMSH-380	1046.68	1147.18	1260.37	1497.17	1663.45	1772.04
	42″(1067mm)	WMSH-4280	1090.54	1197.97	1318.09	1569.91	1746.58	1862.10
	48″(1219mm)	WMSH-480	1134.40	1248.76	1375.81	1642.65	1829.71	1952.16
	54″(1372mm)	WMSH-5480	1178.87	1307.09	1448.00	1744.88	1952.72	2089.03
	60″(1524mm)	WMSH-580	1222.12	1350.34	1491.25	1788.13	1995.97	2132.28

Common Features

- Includes set of two (2) recessed fabric panels (1 for each side), two (2) rails, set of muntins for each side, and attachment hardware.
- Requires field assembly.
- Apply to both sides of glazed panels in sizes listed.
- For mixed fabric surfaces, specify fabric/color for each side.

Specification Tips

- Glazed panel must be separately specified.
- Can be used with UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Rail/muntin trim color.

Panel Accessories

for use with PLACES

Wainscot with Classic Muntins Painted — Rail and Muntins — Fabric Panel



WMSC

Installed Height	Panel Width	Number	Trim A Fabric Grade A	B	C	E	F	G
68″(1727mm)	18″(457mm)	WMSC-1866	$ 997.33	$1059.70	$1131.31	$1281.47	$1385.41	$1455.87
	24″(610mm)	WMSC-266	1034.41	1103.71	1182.25	1347.43	1461.76	1539.15
	30″(762mm)	WMSC-3066	1071.49	1147.72	1233.19	1413.39	1538.11	1622.43
	36″(914mm)	WMSC-366	1108.57	1191.73	1284.13	1479.35	1614.46	1705.71
	42″(1067mm)	WMSC-4266	1145.65	1235.74	1335.07	1545.31	1690.81	1788.99
	48″(1219mm)	WMSC-466	1182.73	1279.75	1386.01	1611.27	1767.16	1872.27
	54″(1372mm)	WMSC-5466	1219.81	1330.69	1450.81	1706.11	1882.78	2001.75
	60″(1524mm)	WMSC-566	1256.89	1367.77	1487.89	1743.19	1919.86	2038.83
82″(2083mm)	18″(457mm)	WMSC-1880	$1036.88	$1116.59	$1208.99	$1400.73	$1535.84	$1623.64
	24″(610mm)	WMSC-280	1073.96	1160.60	1259.93	1466.69	1612.19	1706.92
	30″(762mm)	WMSC-3080	1111.04	1204.61	1310.87	1532.65	1688.54	1790.20
	36″(914mm)	WMSC-380	1148.12	1248.62	1361.81	1598.61	1764.89	1873.48
	42″(1067mm)	WMSC-4280	1185.20	1292.63	1412.75	1664.57	1841.24	1956.76
	48″(1219mm)	WMSC-480	1222.28	1336.64	1463.69	1730.53	1917.59	2040.04
	54″(1372mm)	WMSC-5480	1259.36	1387.58	1528.49	1825.37	2033.21	2169.52
	60″(1524mm)	WMSC-580	1296.44	1424.66	1565.57	1862.45	2070.29	2206.60

Installed Height	Panel Width	Number	Trim B Fabric Grade A	B	C	E	F	G
68″(1727mm)	18″(457mm)	WMSC-1866	$ 999.14	$1061.51	$1133.12	$1283.28	$1387.22	$1457.68
	24″(610mm)	WMSC-266	1036.83	1106.13	1184.67	1349.85	1464.18	1541.57
	30″(762mm)	WMSC-3066	1074.52	1150.75	1236.22	1416.42	1541.14	1625.46
	36″(914mm)	WMSC-366	1112.21	1195.37	1287.77	1482.99	1618.10	1709.35
	42″(1067mm)	WMSC-4266	1149.90	1239.99	1339.32	1549.56	1695.06	1793.24
	48″(1219mm)	WMSC-466	1187.59	1284.61	1390.87	1616.13	1772.02	1877.13
	54″(1372mm)	WMSC-5466	1225.89	1336.77	1456.89	1712.19	1888.86	2007.83
	60″(1524mm)	WMSC-566	1262.97	1373.85	1493.97	1749.27	1925.94	2044.91
82″(2083mm)	18″(457mm)	WMSC-1880	$1038.69	$1118.40	$1210.80	$1402.54	$1537.65	$1625.45
	24″(610mm)	WMSC-280	1076.38	1163.02	1262.35	1469.11	1614.61	1709.34
	30″(762mm)	WMSC-3080	1114.07	1207.64	1313.90	1535.68	1691.57	1793.23
	36″(914mm)	WMSC-380	1151.76	1252.26	1365.45	1602.25	1768.53	1877.12
	42″(1067mm)	WMSC-4280	1189.45	1296.88	1417.00	1668.82	1845.49	1961.01
	48″(1219mm)	WMSC-480	1227.14	1341.50	1468.55	1735.39	1922.45	2044.90
	54″(1372mm)	WMSC-5480	1265.44	1393.66	1534.57	1831.45	2039.29	2175.60
	60″(1524mm)	WMSC-580	1302.52	1430.74	1571.65	1868.53	2076.37	2212.68

Common Features

- Includes set of two (2) recessed fabric panels (1 for each side), two (2) rails, set of muntins for each side, and attachment hardware.
- Requires field assembly.
- Apply to both sides of glazed panels in sizes listed.
- For mixed fabric surfaces, specify fabric/color for each side.

Specification Tips

- Glazed panel must be separately specified.
- Can be used with UniGroup and PLACES glazed panels.

To Order, Specify:

1) Product number.
2) Fabric/colorway for panel side one.
3) Fabric/colorway for panel side two.
4) Rail/muntin trim color.

Panel Accessories

for use with PLACES

90° Finish Post — Wood Top Cap — Wood Surface



HWPC-T

Actual Height	Width	Number	Wood Group B
30″(762mm)	2″(51mm)	HWPC-0030-T	$271.21
37″(940mm)		HWPC-0037-T	282.20
44″(1118mm)		HWPC-0044-T	293.19
50″(1270mm)		HWPC-0050-T	302.61
56″(1422mm)		HWPC-0056-T	312.03
64″(1626mm)		HWPC-0064-T	324.59
68″(1727mm)		HWPC-0068-T	330.87
82″(2083mm)		HWPC-0082-T	352.85

Features

- Includes 90° wood vertical cover, wood top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Wood finish color for post surface.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

90° Finish Post — Wood Top Cap — Fabric Surface



HFPC-T

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	HFPC-0030-T	$145.62	$167.46	$192.17	$244.61	$280.99	$302.82
37″(940mm)		HFPC-0037-T	150.66	184.68	223.11	304.60	361.28	395.15
44″(1118mm)		HFPC-0044-T	155.70	201.90	254.05	364.59	441.57	487.48
50″(1270mm)		HFPC-0050-T	160.02	216.66	280.57	416.01	510.39	566.62
56″(1422mm)		HFPC-0056-T	164.34	231.42	307.09	467.43	579.21	645.76
64″(1626mm)		HFPC-0064-T	170.10	251.10	342.45	535.99	670.97	751.28
68″(1727mm)		HFPC-0068-T	172.98	260.94	360.13	570.27	716.85	804.04
82″(2083mm)		HFPC-0082-T	183.06	295.38	422.01	690.25	877.43	988.70

Features

- Includes 90° fabric vertical cover, wood top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

90° Finish Post — for Steel Top Cap — Fabric Surface



HFPC

Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	HFPC-0030 ■	$107.54	$129.38	$154.09	$206.53	$242.91	$264.74
37″(940mm)		HFPC-0037 ■	112.58	146.60	185.03	266.52	323.20	357.07
44″(1118mm)		HFPC-0044 ■	117.62	163.82	215.97	326.51	403.49	449.40
50″(1270mm)		HFPC-0050 ■	121.94	178.58	242.49	377.93	472.31	528.54
56″(1422mm)		HFPC-0056 ■	126.26	193.34	269.01	429.35	541.13	607.68
64″(1626mm)		HFPC-0064 ■	132.02	213.02	304.37	497.91	632.89	713.20
68″(1727mm)		HFPC-0068 ■	134.90	222.86	322.05	532.19	678.77	765.96
82″(2083mm)		HFPC-0082 ■	144.98	257.30	383.93	652.17	839.35	950.62

Features

- Includes 90° fabric vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

Panel Accessories

for use with PLACES

90° Finish Post — for Steel Top Cap — Painted Surface



HDPC
Class BA

Actual Height	Width	Number	Price
30″(762mm)	2″(51mm)	HDPC-0030	**$104.71**
37″(940mm)		HDPC-0037	**109.75**
44″(1118mm)		HDPC-0044	**114.79**
50″(1270mm)		HDPC-0050	**119.11**
56″(1422mm)		HDPC-0056	**123.43**
64″(1626mm)		HDPC-0064	**129.19**
68″(1727mm)		HDPC-0068	**132.07**
82″(2083mm)		HDPC-0082	**142.15**

Features

- Includes 90° painted vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

1) Product number.
2) Painted surface color.
3) Trim color for raceway cover.
4) Trim color for top cap.

90° Power Connector Cover — Radius Profile



PCC-90-B
Class AA

4″(102mm)		PCC-90-B ■	**$70.31**

Features

- Includes six (6) covers.
- Required by UL for covering flexible power connector in 90° panel configurations when finish post is not used.

■ Available on RUSH.

Specification Tip

- For use with UniGroup and PLACES.

To Order, Specify:

1) Product number.
2) Trim color.

120° Finish Post — for Steel Top Cap — Fabric Surface



SPLA-1270
Class BA

Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
44″(1118mm)	2″(51mm)	SPLA-1270	**$267.00**	**$309.00**	**$340.00**	**$445.00**	**$513.00**	**$570.00**
64″(1626mm)		SPLA-3945	**273.00**	**347.00**	**402.00**	**587.00**	**707.00**	**808.00**
68″(1727mm)		SPLA-1272	**278.00**	**358.00**	**418.00**	**618.00**	**747.00**	**856.00**

Features

- Includes 120° fabric vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

180° Finish Post — Wood Top Cap — Wood Surface



HWPS-T
Class BA

Actual Height	Width	Number	Wood Group B
30″(762mm)	2″(51mm)	HWPS-0030-T	**$230.55**
37″(940mm)		HWPS-0037-T	**245.53**
44″(1118mm)		HWPS-0044-T	**260.51**
50″(1270mm)		HWPS-0050-T	**273.35**
56″(1422mm)		HWPS-0056-T	**286.19**
64″(1626mm)		HWPS-0064-T	**303.31**
68″(1727mm)		HWPS-0068-T	**311.87**
82″(2083mm)		HWPS-0082-T	**341.83**

Features

- Includes 180° wood vertical cover, wood top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.
- Finish post are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Wood finish color for post surface.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

Panel Accessories

for use with PLACES

180° Finish Post — Wood Top Cap — Fabric Surface



HFPS-T

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	HFPS-0030-T	$158.16	$187.85	$221.34	$292.49	$341.81	$ 371.49
37″(940mm)		HFPS-0037-T	165.02	206.89	254.10	354.30	423.92	465.64
44″(1118mm)		HFPS-0044-T	171.88	225.93	286.86	416.11	506.03	559.79
50″(1270mm)		HFPS-0050-T	177.76	242.25	314.94	469.09	576.41	640.49
56″(1422mm)		HFPS-0056-T	183.64	258.57	343.02	522.07	646.79	721.19
64″(1626mm)		HFPS-0064-T	191.48	280.33	380.46	592.71	740.63	828.79
68″(1727mm)		HFPS-0068-T	195.40	291.21	399.18	628.03	787.55	882.59
82″(2083mm)		HFPS-0082-T	209.12	329.29	464.70	751.65	951.77	1070.89

Features

- Includes 180° fabric vertical cover, wood top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

180° Finish Post — for Steel Top Cap — Fabric Surface



HFPS

Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	HFPS-0030 ■	$ 91.22	$120.91	$154.40	$225.55	$274.87	$ 304.55
37″(940mm)		HFPS-0037 ■	98.08	139.95	187.16	287.36	356.98	398.70
44″(1118mm)		HFPS-0044 ■	104.94	158.99	219.92	349.17	439.09	492.85
50″(1270mm)		HFPS-0050 ■	110.82	175.31	248.00	402.15	509.47	573.55
56″(1422mm)		HFPS-0056 ■	116.70	191.63	276.08	455.13	579.85	654.25
64″(1626mm)		HFPS-0064 ■	124.54	213.39	313.52	525.77	673.69	761.85
68″(1727mm)		HFPS-0068 ■	128.46	224.27	332.24	561.09	720.61	815.65
82″(2083mm)		HFPS-0082 ■	142.18	262.35	397.76	684.71	884.83	1003.95

Features

- Includes 180° fabric vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

180° Finish Post — for Steel Top Cap — Painted Surface



HDPS

Actual Height	Width	Number	Price
30″(762mm)	2″(51mm)	HDPS-0030	$ 83.19
37″(940mm)		HDPS-0037	90.05
44″(1118mm)		HDPS-0044	96.91
50″(1270mm)		HDPS-0050	102.79
56″(1422mm)		HDPS-0056	108.67
64″(1626mm)		HDPS-0064	116.51
68″(1727mm)		HDPS-0068	120.43
82″(2083mm)		HDPS-0082	134.15

Features

- Includes 180° painted vertical cover, plastic top cap and base raceway cover.
- Required by UL for covering base raceway flexible and straight-span power connectors when power connector covers are not used.

To Order, Specify:

1) Product number.
2) Painted surface trim color.
3) Trim color for raceway cover.
4) Trim color for top cap.

Panel Accessories

for use with PLACES

	Actual Height	Number	Price
180° Power Connector Cover	4″(102mm)	PCC-180-B ■	**$70.31**



PCC-180-B
Class AA

Features
- Includes six (6) covers.
- Required by UL for covering straight-span or flexible power connectors in 180°, three-way panel configurations when finish post is not used.

Specification Tip
- For use with UniGroup Too, UniGroup and PLACES panels.

To Order, Specify:
1) Product number.
2) Trim color.

■ Available on RUSH.

End-of-Run Finish Post — Wood Top Cap — Wood Surface

HWER-T
Class BA

Actual Height	Width	Number	Wood Group B
30″(762mm)	2″(51mm)	HWER-0030-T	**$159.39**
37″(940mm)		HWER-0037-T	**176.89**
44″(1118mm)		HWER-0044-T	**194.39**
50″(1270mm)		HWER-0050-T	**209.39**
56″(1422mm)		HWER-0056-T	**224.39**
64″(1626mm)		HWER-0064-T	**244.39**
68″(1727mm)		HWER-0068-T	**254.39**
82″(2083mm)		HWER-0082-T	**315.58**

Features
- Includes end-of-run wood vertical cover, wood top cap and base raceway cover.
- Required whenever metal side rail is exposed at end of panel run.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:
1) Product number.
2) Wood finish color.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

End-of-Run Finish Post — Wood Top Cap — Fabric Surface

HFER-T
Class BA

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	HFER-0030-T	**$121.19**	**$135.57**	**$151.87**	**$186.38**	**$210.35**	**$224.72**
37″(940mm)		HFER-0037-T	**133.44**	**160.00**	**190.02**	**253.58**	**297.85**	**324.26**
44″(1118mm)		HFER-0044-T	**145.69**	**184.43**	**228.17**	**320.78**	**385.35**	**423.80**
50″(1270mm)		HFER-0050-T	**156.19**	**205.37**	**260.87**	**378.38**	**460.35**	**509.12**
56″(1422mm)		HFER-0056-T	**166.69**	**226.31**	**293.57**	**435.98**	**535.35**	**594.44**
64″(1626mm)		HFER-0064-T	**180.69**	**254.23**	**337.17**	**512.78**	**635.35**	**708.20**
68″(1727mm)		HFER-0068-T	**187.69**	**268.19**	**358.97**	**551.18**	**685.35**	**765.08**
82″(2083mm)		HFER-0082-T	**238.38**	**343.24**	**461.46**	**711.77**	**886.54**	**990.35**

Features
- Includes end-of-run fabric vertical cover, wood top cap and base raceway cover.
- Required whenever metal side rail is exposed at end of panel run.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:
1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Wood finish color for top cap.

SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories

for use with PLACES

End-of-Run Finish Post — for Steel Top Cap — Fabric Surface



HPER

Actual Height	Width	Number	Fabric Grade A	B	C	E	F	G
30″(762mm)	2″(51mm)	HPER-0030 ■	$118.24	$132.62	$148.92	$183.43	$207.40	$221.77
37″(940mm)		HPER-0037 ■	130.49	157.05	187.07	250.63	294.90	321.31
44″(1118mm)		HPER-0044 ■	142.74	181.48	225.22	317.83	382.40	420.85
56″(1270mm)		HPER-0050 ■	153.24	202.42	257.92	375.43	457.40	506.17
56″(1422mm)		HPER-0056 ■	163.74	223.36	290.62	433.03	532.40	591.49
64″(1626mm)		HPER-0064 ■	177.74	251.28	334.22	509.83	632.40	705.25
68″(1727mm)		HPER-0068 ■	184.74	265.24	356.02	548.23	682.40	762.13
82″(2083mm)		HPER-0082 ■	209.24	314.10	432.32	682.63	857.40	961.21

Features

- Includes end-of-run fabric vertical cover, plastic top cap and base raceway cover.
- Attaches to panel side rail at end of panel run.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Trim color for raceway cover.
4) Trim color for top cap.

End-of-Run Variable Height Finish Post — Coped — Wood Top Cap — Wood Surface



HVWE-C

Actual Height	Width	Number	Wood Group B
4″(102mm)	2″(51mm)	HVWE-0004-C	$ 94.99
6″(152mm)		HVWE-0006-C	103.51
7″(178mm)		HVWE-0007-C	107.77
8″(203mm)		HVWE-0008-C	112.03
12″(305mm)		HVWE-0012-C	129.07
13″(330mm)		HVWE-0013-C	133.33
14″(356mm)		HVWE-0014-C	137.59
18″(457mm)		HVWE-0018-C	154.63
19″(483mm)		HVWE-0019-C	158.89
20″(508mm)		HVWE-0020-C	163.15
24″(610mm)		HVWE-0024-C	180.19
26″(660mm)		HVWE-0026-C	188.71
27″(686mm)		HVWE-0027-C	192.97
31″(787mm)		HVWE-0031-C	210.01
32″(813mm)		HVWE-0032-C	214.27
34″(864mm)		HVWE-0034-C	222.79
38″(965mm)		HVWE-0038-C	239.83
45″(1143mm)		HVWE-0045-C	269.65
52″(1321mm)		HVWE-0052-C	299.47

Features

- Includes end-of-run wood vertical cover with coped end and wood top cap.
- Required on exposed portion of taller panel side rail where two panels of different heights meet.
- Bottom of post is shaped to fit curve of top cap.
- For straight panel line applications only.
- Finish posts are required for wood top cap panel configurations.

Specification Tip

- Use for in-line panel applications.

To Order, Specify:

1) Product number.
2) Wood finish color for post.
3) Wood finish color for top cap.

Panel Accessories

for use with PLACES

End-of-Run Variable Height Finish Post — Coped — Wood Top Cap — Fabric Surface



HVFE-C

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
4″(102mm)	2″(51mm)	HVFE-0004-C	$ 57.92	$ 60.18	$ 62.73	$ 68.13	$ 71.88	$ 74.13
6″(152mm)		HVFE-0006-C	63.92	67.12	70.65	78.23	83.48	86.61
7″(178mm)		HVFE-0007-C	66.92	70.59	74.61	83.28	89.28	92.85
8″(203mm)		HVFE-0008-C	69.92	74.06	78.57	88.33	95.08	99.09
12″(305mm)		HVFE-0012-C	81.92	87.94	94.41	108.53	118.28	124.05
13″(330mm)		HVFE-0013-C	84.92	91.41	98.37	113.58	124.08	130.29
14″(356mm)		HVFE-0014-C	87.92	94.88	102.33	118.63	129.88	136.53
18″(457mm)		HVFE-0018-C	99.92	108.76	118.17	138.83	153.08	161.49
19″(483mm)		HVFE-0019-C	102.92	112.23	122.13	143.88	158.88	167.73
20″(508mm)		HVFE-0020-C	105.92	115.70	126.09	148.93	164.68	173.97
24″(610mm)		HVFE-0024-C	117.92	129.58	141.93	169.13	187.88	198.93
26″(660mm)		HVFE-0026-C	123.92	136.52	149.85	179.23	199.48	211.41
27″(686mm)		HVFE-0027-C	126.92	139.99	153.81	184.28	205.28	217.65
31″(787mm)		HVFE-0031-C	138.92	153.87	169.65	204.48	228.48	242.61
32″(813mm)		HVFE-0032-C	141.92	157.34	173.61	209.53	234.28	248.85
34″(864mm)		HVFE-0034-C	147.92	164.28	181.53	219.63	245.88	261.33
38″(965mm)		HVFE-0038-C	159.92	178.16	197.37	239.83	269.08	286.29
45″(1143mm)		HVFE-0045-C	180.92	202.45	225.09	275.18	309.68	329.97
52″(1321mm)		HVFE-0052-C	201.92	226.74	252.81	310.53	350.28	373.65

Features

- Includes end-of-run fabric vertical cover with coped end and wood top cap.
- Required on exposed portion of taller panel side rail where two panels of different heights meet.
- Bottom of post is shaped to fit curve of top cap.
- For straight panel line applications only.
- Finish posts are required for wood top cap panel configurations.

Specification Tip

- Use for in-line panel applications.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Wood finish color for top cap.

End-of-Run Variable Height Finish Post — Regular — Wood Top Cap — Wood Surface





HVWE

Actual Height	Width	Number	Wood Group B
4″(102mm)	2″(51mm)	HVWE-0004	$ 81.40
6″(152mm)		HVWE-0006	89.58
7″(178mm)		HVWE-0007	93.67
8″(203mm)		HVWE-0008	97.76
12″(305mm)		HVWE-0012	114.12
13″(330mm)		HVWE-0013	118.21
14″(356mm)		HVWE-0014	122.30
18″(457mm)		HVWE-0018	138.66
19″(483mm)		HVWE-0019	142.75
20″(508mm)		HVWE-0020	146.84
24″(610mm)		HVWE-0024	163.20
26″(660mm)		HVWE-0026	171.38
27″(686mm)		HVWE-0027	175.47
31″(787mm)		HVWE-0031	191.83
32″(813mm)		HVWE-0032	195.92
34″(864mm)		HVWE-0034	204.10
38″(965mm)		HVWE-0038	220.46
45″(1143mm)		HVWE-0045	249.09
52″(1321mm)		HVWE-0052	277.72

Features

- Includes end-of-run wood vertical cover with regular end and wood top cap.
- Required on exposed portion of taller panel side rail where two or more panels of different heights meet.
- Always use in conjunction with finish posts.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Wood finish color for post.
3) Wood finish color for top cap.

Class BA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories

for use with PLACES

End-of-Run Variable Height Finish Post — Regular — Wood Top Cap — Fabric Surface





HVFE

Actual Height	Width	Number	Wood Group B Fabric Grade A	B	C	E	F	G
4″(102mm)	2″(51mm)	HVFE-0004	$ 41.85	$ 44.11	$ 46.66	$ 52.06	$ 55.81	$ 58.06
6″(152mm)		HVFE-0006	47.55	50.67	54.16	61.66	66.81	69.94
7″(178mm)		HVFE-0007	50.40	53.95	57.91	66.46	72.31	75.88
8″(203mm)		HVFE-0008	53.25	57.23	61.66	71.26	77.81	81.82
12″(305mm)		HVFE-0012	64.65	70.35	76.66	90.46	99.81	105.58
13″(330mm)		HVFE-0013	67.50	73.63	80.41	95.26	105.31	111.52
14″(356mm)		HVFE-0014	70.35	76.91	84.16	100.06	110.81	117.46
18″(457mm)		HVFE-0018	81.75	90.03	99.16	119.26	132.81	141.22
19″(483mm)		HVFE-0019	84.60	93.31	102.91	124.06	138.31	147.16
20″(508mm)		HVFE-0020	87.45	96.59	106.66	128.86	143.81	153.10
24″(610mm)		HVFE-0024	98.85	109.71	121.66	148.06	165.81	176.86
26″(660mm)		HVFE-0026	104.55	116.27	129.16	157.66	176.81	188.74
27″(686mm)		HVFE-0027	107.40	119.55	132.91	162.46	182.31	194.68
31″(787mm)		HVFE-0031	118.80	132.67	147.91	181.66	204.31	218.44
32″(813mm)		HVFE-0032	121.65	135.95	151.66	186.46	209.81	224.38
34″(864mm)		HVFE-0034	127.35	142.51	159.16	196.06	220.81	236.26
38″(965mm)		HVFE-0038	138.75	155.63	174.16	215.26	242.81	260.02
45″(1143mm)		HVFE-0045	158.70	178.59	200.41	248.86	281.31	301.60
52″(1321mm)		HVFE-0052	178.65	201.55	226.66	282.46	319.81	343.18

Features

- Includes end-of-run fabric vertical cover with regular end and wood top cap.
- Required on exposed portion of taller panel side rail where two or more panels of different heights meet.
- Always use in conjunction with finish posts.
- Finish posts are required for wood top cap panel configurations.

To Order, Specify:

1) Product number.
2) Fabric surface and color.
3) Wood finish color for top cap.

Wood Top Cap Kit



HTCW

Actual Height	Width	Depth	Number	Wood Group B
5/8″(16mm)	12″(305mm)	2″(51mm)	HTCW-0012	$ 85.22
	18″(457mm)		HTCW-0018	110.29
	24″(610mm)		HTCW-0024	135.36
	30″(762mm)		HTCW-0030	160.43
	36″(914mm)		HTCW-0036	185.50
	42″(1067mm)		HTCW-0042	210.57
	48″(1219mm)		HTCW-0048	235.64
	54″(1372mm)		HTCW-0054	260.71
	60″(1524mm)		HTCW-0060	285.78

Features

- Includes wood top cap and panel alignment tab.
- For replacement of low profile steel and wood top cap.

To Order, Specify:

1) Product number.
2) Wood finish color.

90° Wood Top Cap for 2-Way

5/8″(16mm)	2″(51mm)	2″(51mm)	HTCC-0090	$70.44



HTCC-0090

Features

- Includes one wood top cap and attachment hardware.
- For field replacement only.

To Order, Specify:

1) Product number.
2) Wood finish color.

Panel Accessories

for use with PLACES

	Actual Height	Width	Depth	Number	Wood Group B
180° Wood Top Cap for 3-Way	5/8″(16mm)	2″(51mm)	2″(51mm)	HTCS-0180	**$70.44**



HTCS-0180

Features
- Includes one wood top cap and attachment hardware.
- For field replacement only.

To Order, Specify:
1) Product number.
2) Wood finish color.

90° Wood Top Cap for 4-Way	5/8″(16mm)	2″(51mm)	2″(51mm)	HTFW-0004	**$70.44**



HTFW-0004

Features
- Includes one wood top cap and attachment hardware.
- Fills gap at intersection of four PLACES low profile wood top cap panels.

To Order, Specify:
1) Product number.
2) Wood finish color.

In-Line Wood Top Cap	5/8″(16mm)	2″(51mm)	2″(51mm)	HTCW-0002	**$69.85**



HTCW-0002

Features
- Includes one in-line wood top cap and attachment hardware.
- Required in condition illustrated.
- Always use in conjunction with 180° finish posts.

To Order, Specify:
1) Product number.
2) Wood finish color.

End-of-Run Finish Post — Wood Top Cap	5/8″(16mm)	2″(51mm)	2″(51mm)	HTCE-0001	**$34.93**



HTCE

Features
- Includes wood top cap and attachment hardware.
- Replacement wood top cap for end-of-run finish posts, wood or fabric surface.

To Order, Specify:
1) Product number.
2) Wood finish color.

	Actual Height	Width	Depth	Number	Price
Steel Top Cap for 3-Way and 4-Way	7/16″(11mm)	2″(51mm)	2″(51mm)	HTF-0004	**$29.94**



HTF-0004

Features
- Includes one plastic top cap.
- Fills gap at intersection of three or four PLACES low profile steel top cap panels.

To Order, Specify:
1) Product number.
2) Trim color.

Panel Accessories

for use with PLACES

Side Trim Rail Unnotched



HREU

Panel Height	Number	Price
30″(762mm)	HREU-0030	$ 67.20
37″(940mm)	HREU-0037	73.22
44″(1118mm)	HREU-0044	79.24
50″(1270mm)	HREU-0050	84.40
56″(1422mm)	HREU-0056	89.56
64″(1626mm)	HREU-0064	96.44
68″(1727mm)	HREU-0068	99.88
82″(2083mm)	HREU-0082	111.92

Features

- Includes one notched side rail.
- Two side rails are included with each panel; order as replacement for base panel only.

To Order, Specify:

1) Product number.
2) Trim color.

Side Trim Rail With Notch



HRE

Panel Height	Number	Price
30″(762mm)	HRE-0030	$ 72.29
37″(940mm)	HRE-0037	78.31
44″(1118mm)	HRE-0044	84.33
50″(1270mm)	HRE-0050	89.49
56″(1422mm)	HRE-0056	94.65
64″(1626mm)	HRE-0064	101.53
68″(1727mm)	HRE-0068	104.97
82″(2083mm)	HRE-0082	117.01

Features

- Includes one notched side rail.
- Two side rails are included with each panel; order as replacement for base panel only.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

for use with PLACES

Full Height Side Trim Rail – for use with Add-On Panels



HREH

Height	Base Panel Height/Add-On	Number	Price
44″(1118mm)	30″(762mm)/14″(356mm)	HREH-3014	**$101.96**
50″(1270mm)	30″(762mm)/20″(508mm)	HREH-3020	**110.00**
56″(1422mm)	44″(1118mm)/12″(305mm)	HREH-4412	**$118.04**
64″(1626mm)	44″(1118mm)/20″(508mm)	HREH-4420	**128.76**
68″(1727mm)	44″(1118mm)/24″(610mm)	HREH-4424	**134.12**
64″(1626mm)	50″(1270mm)/14″(356mm)	HREH-5014	**$128.76**
68″(1727mm)	50″(1270mm)/18″(457mm)	HREH-5018	**134.12**
68″(1727mm)	56″(1422mm)/12″(305mm)	HREH-5612	**$134.12**
82″(2083mm)	64″(1626mm)/18″(457mm)	HREH-6418	**$152.88**
82″(2083mm)	68″(1727mm)/14″(356mm)	HREH-6814	**$152.88**

Feature

- Includes one full height side trim rail.

Specification Tips

- For use with base panel and one add-on panel.
- For two high add-on panel applications specify separately full-height side trim rail for base panel and one high add-on, for two high add-on panel location use side trim rail that ships with add-on panel. See Specification Guide for application guidelines.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Bridge

2371-6401	**$11.55**



2371-6401

Features

- Includes one panel bridge.
- Conceals top raceway between two top caps in a straight panel configuration.
- Applicable to PLACES 2″(51mm) thick panels only.
- For use with low profile steel top caps.

To Order, Specify:

1) Product number.
2) Trim color.

Hinges

HHE

Panel Height	Width	Number	Price
30″(762mm)	1 1/8″(29mm)	HHE-0030	**$13.72**
37″(940mm)		HHE-0037	**13.72**
44″(1118mm)		HHE-0044	**14.96**
50″(1270mm)		HHE-0050	**16.20**
56″(1422mm)		HHE-0056	**16.20**
64″(1626mm)		HHE-0064	**17.44**
68″(1727mm)		HHE-0068	**18.68**
82″(2083mm)		HHE-0082	**23.64**

Features

- Includes one hinge set for one side of trim rail.
- For replacement only (hinges are included with panels).
- One hinge set connects every two panels for angular connections.
- Two hinge sets are used for straight-line conditions.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

for use with PLACES Panels

Wall Track



WT
Class AA

Height	Depth	Width	Number	Price
60″(1524mm)	3/4″(19mm)	5/8″(16mm)	WT-60 ■	**$131.62**
72″(1829mm)			WT-72 ■	**154.52**
84″(213mm)			WT-84 ■	**177.42**

Features

- Includes two wall tracks and mounting screws #10 2 1/2″(64mm) long.
- For attachment of components to structural walls.
- See installation instructions for proper mounting.

■ Available on RUSH.

Specification Tip

- Not for use with up-mount overhead storage unit.

To Order, Specify:

1) Product number.
2) Trim color for track.

Wall Mount Kit

WMK
Class AA

Panel Height	Depth	Number	Price
30″(762mm)	1/4″(6mm)	WMK-30 ■	**$ 64.64**
35″(889mm) & 37″(940mm)		WMK-35 ■	**75.99**
42″(1067mm) & 44″(1118mm)		WMK-42 ■	**91.88**
48″(1219mm) & 50″(1219mm)		WMK-48 ■	**107.77**
56″(1422mm)		WMK-54 ■	**121.39**
62″(1575mm) & 64″(1626mm)		WMK-62 ■	**137.28**
66″(1676mm) & 68″(1727mm)		WMK-66 ■	**148.63**
80″(2032mm) & 82″(2083mm)		WMK-80 ■	**178.14**

Features

- Includes wall-mount channel, hinges and screws.
- For mounting panels, with or without add-on panel, to a structural wall.
- Adds 1/4″(6mm) to the panel width.

■ Available on RUSH.

Specification Tip

- Must be properly anchored to a structural wall.

To Order, Specify:

1) Product number.
2) Trim color.

T-Mount Kit — Center and End Conditions



HMKT
Class BA

30″(762mm)	HMKT-0030 ■	**$ 84.82**
37″(940mm)	HMKT-0037 ■	**97.21**
44″(1118mm)	HMKT-0044 ■	**109.60**
50″(1270mm)	HMKT-0050 ■	**120.22**
56″(1422mm)	HMKT-0056 ■	**132.61**
64″(1626mm)	HMKT-0064 ■	**145.00**
68″(1727mm)	HMKT-0068 ■	**153.85**
82″(2083mm)	HMKT-0082 ■	**178.63**

Features

- Includes pre-drilled side rail, center-mount brackets, end-mount brackets, light block extrusions, glide housing, and screws.
- Brackets included for both center- and end-mount T-conditions.
- Connects two panels in a T-condition. T-mount can attach to a base panel and one fabric add-on panel. Configuration coming off of a T-mount cannot contain add-on panels.

■ Available on RUSH.

Specification Tips

- Both panels in a T-mount condition must be of equal height.
- Cannot mount on glazed panels, glazed add-on panels or doors.
- For use with PLACES panels only.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories

for use with PLACES Panels

	Actual Height	Depth	Width	Number	Price
All-Purpose Hook	1″(25mm)	3″(76mm)	1/2″(13mm)	HCH-0008 ■	**$122.24**



HCH-0008

Features
- Includes eight hooks.
- Attaches to PLACES steel top cap panels only.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

All-Purpose Hook — For Low Profile Wood Top Cap Panels	1″(25mm)	3″(76mm)	5/8″(16mm)	HCH-0008-W	**$122.24**



HCH-0008-W

Features
- Includes eight hooks.
- Attaches to PLACES wood top cap panels only.

To Order, Specify:
1) Product number.
2) Trim color.

Seismic Anchoring Bracket				HAB-0001	**$175.49**



HAB

Features
- Includes package of six formed steel brackets.
- For seismic anchoring of UniGroup Too, UniGroup and PLACES panels.

To Order, Specify:
1) Product number.
(No finish specification required.)

Friction Pad				7031-0501	**$9.98**

7031-0501

Feature
- Includes one pad.

Specification Tip
- Attaches to bottom of glide to prevent movement of panels on hard surface flooring.

To Order, Specify:
1) Product number.
(No finish specification required.)

2/90 Sign Systems

2/90 Sign Systems is a recommended signage program for use with Haworth Systems. Signage options include ADA-compliant panel-mounted name signs, department signs, building directories, in/out boards, restroom and no smoking signs.

For inquiries, catalogs or orders, contact System 2/90 directly at 1-800-777-4310, fax (616) 656-4300, P.O. Box 888289, Grand Rapids, MI 49588-8289.

Panel Accessories – Retrofit Kits

for use with UniGroup Too and UniGroup Panels

Square Painted Top Caps

For UniGroup Too and UniGroup Fabric and Laminate Panels, UniGroup Too Fabric Add-On Panels and Legacy UniGroup Videne Panels



E2TS-U

Width	Number	Trim A	Trim B
12″(305mm)	E2TS-12-U	$48.24	$ 49.32
18″(457mm)	E2TS-18-U	54.36	55.98
24″(610mm)	E2TS-24-U	61.50	63.66
30″(762mm)	E2TS-30-U	66.60	69.30
36″(914mm)	E2TS-36-U	72.72	75.96
42″(1067mm)	E2TS-42-U	78.84	82.62
48″(1219mm)	E2TS-48-U	85.98	90.30
54″(1372mm)	E2TS-54-U	92.10	97.50
60″(1524mm)	E2TS-60-U	98.22	103.62

Feature

- Includes square painted top cap, clips, aligner, and .6 end caps.

Specification Tips

- To be used with straight top cap panels only.
- Not to be used with UniGroup expanded top cap raceway.

To Order, Specify:

1) Product number.
2) Trim color.

Square Painted Top Caps

For UniGroup Too and UniGroup Doors and Glazed Panels, UniGroup Open-Frame Panels, UniGroup Too Glazed Add-On Panels, and UniGroup Glazed and Fabric Add-On Panels

E2TS-T

12″(305mm)	E2TS-12-T	$48.24	$ 49.32
18″(457mm)	E2TS-18-T	54.36	55.98
24″(610mm)	E2TS-24-T	61.50	63.66
30″(762mm)	E2TS-30-T	66.60	69.30
36″(914mm)	E2TS-36-T	72.72	75.96
42″(1067mm)	E2TS-42-T	78.84	82.62
48″(1219mm)	E2TS-48-T	85.98	90.30
54″(1372mm)	E2TS-54-T	92.10	97.50
60″(1524mm)	E2TS-60-T	98.22	103.62

Feature

- Includes square painted top cap, clips, aligner, and .6 end caps.

Specification Tips

- To be used with straight top cap panels only.
- Not to be used with UniGroup expanded top cap raceway.
- Field modification of glazed panels and doors manufactured prior to September 2007 as required.

To Order, Specify:

1) Product number.
2) Trim color.

Trim Strip for UniGroup Fabric and Glazed Add-On Panels



E2UR-A

12″(305mm)	E2UR-12-A	$22.46	$23.54
18″(457mm)	E2UR-18-A	25.27	26.89
24″(610mm)	E2UR-24-A	28.08	30.24
30″(762mm)	E2UR-30-A	30.89	33.59
36″(914mm)	E2UR-36-A	33.70	36.94
42″(1067mm)	E2UR-42-A	36.51	40.29
48″(1219mm)	E2UR-48-A	39.32	43.64
54″(1372mm)	E2UR-54-A	42.13	46.99
60″(1524mm)	E2UR-60-A	44.94	50.34

Feature

- Includes trim strip.

Specification Tip

- Used to retrofit existing fabric and glazed add-on panels to match aesthetic appearance of UniGroup Too.

To Order, Specify:

1) Product number.
2) Trim color.

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

90° Full-Height Finish Post — Square Painted Top Cap



U2FC
U2PC

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 C-28	$ 94.14	$ 97.19	$111.70	$128.14	$162.96	$187.14	$201.65
37″(940mm)	U2 C-35	98.55	101.60	121.57	144.17	192.15	225.43	245.40
44″(1118mm)	U2 C-42	102.96	106.01	131.44	160.20	221.34	263.72	289.15
50″(1270mm)	U2 C-48	106.74	109.79	139.90	173.94	246.36	296.54	326.65
56″(1422mm)	U2 C-54	110.52	113.57	148.36	187.68	271.38	329.36	364.15
64″(1626mm)	U2 C-62	115.56	118.61	159.64	206.00	304.74	373.12	414.15
68″(1727mm)	U2 C-66	118.08	121.13	165.28	215.16	321.42	395.00	439.15
82″(2083mm)	U2 C-80	126.90	129.95	185.02	247.22	379.80	471.58	526.65

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 C-28	$103.29	$100.31	$114.82	$131.26	$166.08	$190.26	$204.77
37″(940mm)	U2 C-35	109.24	104.72	124.69	147.29	195.27	228.55	248.52
44″(1118mm)	U2 C-42	115.19	109.13	134.56	163.32	224.46	266.84	292.27
50″(1270mm)	U2 C-48	120.29	112.91	143.02	177.06	249.48	299.66	329.77
56″(1422mm)	U2 C-54	125.39	116.69	151.48	190.80	274.50	332.48	367.27
64″(1626mm)	U2 C-62	132.19	121.73	162.76	209.12	307.86	376.24	417.27
68″(1727mm)	U2 C-66	135.59	124.25	168.40	218.28	324.54	398.12	442.27
82″(2083mm)	U2 C-80	147.49	133.07	188.14	250.34	382.92	474.70	529.77

Feature

- Includes 90° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with equal height UniGroup panels in a 90°, 2-Way condition with UniGroup Too square painted top cap.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Class AC – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

90° Variable-Height Finish Post — Square Painted Top Cap



U2FC-V
U2PC-V

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 C-28-V	$109.02	$112.07	$126.58	$143.02	$177.84	$202.02	$216.53
37″(940mm)	U2 C-35-V	113.43	116.48	136.45	159.05	207.03	240.31	260.28
44″(1118mm)	U2 C-42-V	117.84	120.89	146.32	175.08	236.22	278.60	304.03
50″(1270mm)	U2 C-48-V	121.62	124.67	154.78	188.82	261.24	311.42	341.53
56″(1422mm)	U2 C-54-V	125.40	128.45	163.24	202.56	286.26	344.24	379.03
64″(1626mm)	U2 C-62-V	130.44	133.49	174.52	220.88	319.62	388.00	429.03
68″(1727mm)	U2 C-66-V	132.96	136.01	180.16	230.04	336.30	409.88	454.03

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 C-28-V	$118.17	$115.19	$129.70	$146.14	$180.96	$205.14	$219.65
37″(940mm)	U2 C-35-V	124.12	119.60	139.57	162.17	210.15	243.43	263.40
44″(1118mm)	U2 C-42-V	130.07	124.01	149.44	178.20	239.34	281.72	307.15
50″(1270mm)	U2 C-48-V	135.17	127.79	157.90	191.94	264.36	314.54	344.65
56″(1422mm)	U2 C-54-V	140.27	131.57	166.36	205.68	289.38	347.36	382.15
64″(1626mm)	U2 C-62-V	147.07	136.61	177.64	224.00	322.74	391.12	432.15
68″(1727mm)	U2 C-66-V	150.47	139.13	183.28	233.16	339.42	413.00	457.15

Feature

- Includes 90° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with multiple height UniGroup panels in a 90°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

120° Full-Height Finish Post — Square Painted Top Cap



U2FA
U2PA

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 A-28	$111.55	$116.12	$133.44	$153.06	$194.62	$223.48	$240.80
37″(940mm)	U2 A-35	116.03	120.60	143.38	169.16	223.88	261.84	284.62
44″(1118mm)	U2 A-42	120.51	125.08	153.32	185.26	253.14	300.20	328.44
50″(1270mm)	U2 A-48	124.35	128.92	161.84	199.06	278.22	333.08	366.00
56″(1422mm)	U2 A-54	128.19	132.76	170.36	212.86	303.30	365.96	403.56
64″(1626mm)	U2 A-62	133.31	137.88	181.72	231.26	336.74	409.80	453.64
68″(1727mm)	U2 A-66	135.87	140.44	187.40	240.46	353.46	431.72	478.68
82″(2083mm)	U2 A-80	144.83	149.40	207.28	272.66	411.98	508.44	566.32

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 A-28	$118.65	$117.16	$134.48	$154.10	$195.66	$224.52	$241.84
37″(940mm)	U2 A-35	124.74	121.64	144.42	170.20	224.92	262.88	285.66
44″(1118mm)	U2 A-42	130.83	126.12	154.36	186.30	254.18	301.24	329.48
50″(1270mm)	U2 A-48	136.05	129.96	162.88	200.10	279.26	334.12	367.04
56″(1422mm)	U2 A-54	141.27	133.80	171.40	213.90	304.34	367.00	404.60
64″(1626mm)	U2 A-62	148.23	138.92	182.76	232.30	337.78	410.84	454.68
68″(1727mm)	U2 A-66	151.71	141.48	188.44	241.50	354.50	432.76	479.72
82″(2083mm)	U2 A-80	163.89	150.44	208.32	273.70	413.02	509.48	567.36

Feature

- Includes 120° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with equal height UniGroup panels in a 120°, 2-Way condition with UniGroup Too square painted top cap.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Class AC – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

120° Variable-Height Finish Post — Square Painted Top Cap



U2FA-V
U2PA-V

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 A-28-V	$126.30	$130.87	$148.19	$167.81	$209.37	$238.23	$255.55
37″(940mm)	U2 A-35-V	130.78	135.35	158.13	183.91	238.63	276.59	299.37
44″(1118mm)	U2 A-42-V	135.26	139.83	168.07	200.01	267.89	314.95	343.19
50″(1270mm)	U2 A-48-V	139.10	143.67	176.59	213.81	292.97	347.83	380.75
56″(1422mm)	U2 A-54-V	142.94	147.51	185.11	227.61	318.05	380.71	418.31
64″(1626mm)	U2 A-62-V	148.06	152.63	196.47	246.01	351.49	424.55	468.39
68″(1727mm)	U2 A-66-V	150.62	155.19	202.15	255.21	368.21	446.47	493.43

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 A-28-V	$133.40	$131.91	$149.23	$168.85	$210.41	$239.27	$256.59
37″(940mm)	U2 A-35-V	139.49	136.39	159.17	184.95	239.67	277.63	300.41
44″(1118mm)	U2 A-42-V	145.58	140.87	169.11	201.05	268.93	315.99	344.23
50″(1270mm)	U2 A-48-V	150.80	144.71	177.63	214.85	294.01	348.87	381.79
56″(1422mm)	U2 A-54-V	156.02	148.55	186.15	228.65	319.09	381.75	419.35
64″(1626mm)	U2 A-62-V	162.98	153.67	197.51	247.05	352.53	425.59	469.43
68″(1727mm)	U2 A-66-V	166.46	156.23	203.19	256.25	369.25	447.51	494.47

Feature

- Includes 120° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with multiple height UniGroup panels in a 120°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

180° Full-Height Finish Post — Square Painted Top Cap



U2FS
U2PS

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 S-28	$ 91.36	$ 95.93	$113.25	$132.87	$174.43	$203.29	$220.61
37″(940mm)	U2 S-35	96.52	101.09	124.65	151.35	207.87	247.13	270.69
44″(1118mm)	U2 S-42	100.39	104.96	133.20	165.21	232.95	280.01	308.25
50″(1270mm)	U2 S-48	104.26	108.83	141.75	179.07	258.03	312.89	345.81
56″(1422mm)	U2 S-54	108.13	112.70	150.30	192.93	283.11	345.77	383.37
64″(1626mm)	U2 S-62	113.29	117.86	161.70	211.41	316.55	389.61	433.45
68″(1727mm)	U2 S-66	115.87	120.44	167.40	220.65	333.27	411.53	458.49
82″(2083mm)	U2 S-80	124.90	129.47	187.35	252.99	391.79	488.25	546.13

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 S-28	$100.54	$ 99.05	$116.37	$135.99	$177.55	$206.41	$223.73
37″(940mm)	U2 S-35	107.54	104.21	127.77	154.47	210.99	250.25	273.81
44″(1118mm)	U2 S-42	112.79	108.08	136.32	168.33	236.07	283.13	311.37
50″(1270mm)	U2 S-48	118.04	111.95	144.87	182.19	261.15	316.01	348.93
56″(1422mm)	U2 S-54	123.29	115.82	153.42	196.05	286.23	348.89	386.49
64″(1626mm)	U2 S-62	130.29	120.98	164.82	214.53	319.67	392.73	436.57
68″(1727mm)	U2 S-66	133.79	123.56	170.52	223.77	336.39	414.65	461.61
82″(2083mm)	U2 S-80	146.04	132.59	190.47	256.11	394.91	491.37	549.25

Feature

- Includes 180° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with equal height UniGroup panels in a 180°, 3-Way condition with UniGroup Too square painted top cap.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with UniGroup Panels

180° Variable-Height Finish Post — Square Painted Top Cap

U2FS-V
U2PS-V

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 S-28-V1	$106.11	$110.68	$128.00	$147.62	$189.18	$218.04	$235.36
	U2 S-28-V2I	106.11	110.68	128.00	147.62	189.18	218.04	235.36
	U2 S-28-V2L	106.11	110.68	128.00	147.62	189.18	218.04	235.36
37″(940mm)	U2 S-35-V1	$111.27	$115.84	$139.40	$166.10	$222.62	$261.88	$285.44
	U2 S-35-V2I	111.27	115.84	139.40	166.10	222.62	261.88	285.44
	U2 S-35-V2L	111.27	115.84	139.40	166.10	222.62	261.88	285.44
44″(1118mm)	U2 S-42-V1	$115.14	$119.71	$147.95	$179.96	$247.70	$294.76	$323.00
	U2 S-42-V2I	115.14	119.71	147.95	179.96	247.70	294.76	323.00
	U2 S-42-V2L	115.14	119.71	147.95	179.96	247.70	294.76	323.00
50″(1270mm)	U2 S-48-V1	$119.01	$123.58	$156.50	$193.82	$272.78	$327.64	$360.56
	U2 S-48-V2I	119.01	123.58	156.50	193.82	272.78	327.64	360.56
	U2 S-48-V2L	119.01	123.58	156.50	193.82	272.78	327.64	360.56
56″(1422mm)	U2 S-54-V1	$122.88	$127.45	$165.05	$207.68	$297.86	$360.52	$398.12
	U2 S-54-V2I	122.88	127.45	165.05	207.68	297.86	360.52	398.12
	U2 S-54-V2L	122.88	127.45	165.05	207.68	297.86	360.52	398.12
64″(1626mm)	U2 S-62-V1	$128.04	$132.61	$176.45	$226.16	$331.30	$404.36	$448.20
	U2 S-62-V2I	128.04	132.61	176.45	226.16	331.30	404.36	448.20
	U2 S-62-V2L	128.04	132.61	176.45	226.16	331.30	404.36	448.20
68″(1727mm)	U2 S-66-V1	$130.62	$135.19	$182.15	$235.40	$348.02	$426.28	$473.24
	U2 S-66-V2I	130.62	135.19	182.15	235.40	348.02	426.28	473.24
	U2 S-66-V2L	130.62	135.19	182.15	235.40	348.02	426.28	473.24
82″(2083mm)	U2 S-80-V2I	$139.65	$144.22	$202.10	$267.74	$406.54	$503.00	$560.88



Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	U2 S-28-V1	$115.29	$113.80	$131.12	$150.74	$192.30	$221.16	$238.48
	U2 S-28-V2I	115.29	113.80	131.12	150.74	192.30	221.16	238.48
	U2 S-28-V2L	115.29	113.80	131.12	150.74	192.30	221.16	238.48
37″(940mm)	U2 S-35-V1	$122.29	$118.96	$142.52	$169.22	$225.74	$265.00	$288.56
	U2 S-35-V2I	122.29	118.96	142.52	169.22	225.74	265.00	288.56
	U2 S-35-V2L	122.29	118.96	142.52	169.22	225.74	265.00	288.56
44″(1118mm)	U2 S-42-V1	$127.54	$122.83	$151.07	$183.08	$250.82	$297.88	$326.12
	U2 S-42-V2I	127.54	122.83	151.07	183.08	250.82	297.88	326.12
	U2 S-42-V2L	127.54	122.83	151.07	183.08	250.82	297.88	326.12
50″(1270mm)	U2 S-48-V1	$132.79	$126.70	$159.62	$196.94	$275.90	$330.76	$363.68
	U2 S-48-V2I	132.79	126.70	159.62	196.94	275.90	330.76	363.68
	U2 S-48-V2L	132.79	126.70	159.62	196.94	275.90	330.76	363.68
56″(1422mm)	U2 S-54-V1	$138.04	$130.57	$168.17	$210.80	$300.98	$363.64	$401.24
	U2 S-54-V2I	138.04	130.57	168.17	210.80	300.98	363.64	401.24
	U2 S-54-V2L	138.04	130.57	168.17	210.80	300.98	363.64	401.24
64″(1626mm)	U2 S-62-V1	$145.04	$135.73	$179.57	$229.28	$334.42	$407.48	$451.32
	U2 S-62-V2I	145.04	135.73	179.57	229.28	334.42	407.48	451.32
	U2 S-62-V2L	145.04	135.73	179.57	229.28	334.42	407.48	451.32
68″(1727mm)	U2 S-66-V1	$148.54	$138.31	$185.27	$238.52	$351.14	$429.40	$476.36
	U2 S-66-V2I	148.54	138.31	185.27	238.52	351.14	429.40	476.36
	U2 S-66-V2L	148.54	138.31	185.27	238.52	351.14	429.40	476.36
82″(2083mm)	U2 S-80-V2I	$160.79	$147.34	$205.22	$270.86	$409.66	$506.12	$564.00

Features

- Includes 180° vertical cover, square painted top cap and base raceway cover.
- Includes top cap with one or two alignment tabs; specify accordingly.

Specification Tips

- For use with multiple height UniGroup panels in a 180°, 3-Way condition with UniGroup Too square painted top cap; specify height to match lowest panel height except in V2I condition.
- To be used with straight top cap panels only.
- Product specification must reflect number of top cap alignment tabs for lowest like panel heights in an ``I" or ``L" condition; refer to UniGroup Too Application Guidelines.
- Top cap alignment tabs are for dedicated applications and are not field removable; -V1, -V2I, -V2L.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with PLACES Panels

Square Painted Top Caps

For all PLACES doors and panel types except Legacy Gabled, Oblique and Expanded



E2TS-P

Width	Number	Trim A	Trim B
12″(305mm)	E2TS-12-P	$48.24	$ 49.32
18″(457mm)	E2TS-18-P	54.36	55.98
24″(610mm)	E2TS-24-P	61.50	63.66
30″(762mm)	E2TS-30-P	66.60	69.30
36″(914mm)	E2TS-36-P	72.72	75.96
42″(1067mm)	E2TS-42-P	78.84	82.62
48″(1219mm)	E2TS-48-P	85.98	90.30
54″(1372mm)	E2TS-54-P	92.10	97.50
60″(1524mm)	E2TS-60-P	98.22	103.62

Feature

- Includes square painted top cap, clips, aligner, and .6 end caps.

Specification Tips

- To be used with straight top cap panels only.
- Field modification of glazed panels and doors manufactured prior to September 2007 as required.

To Order, Specify:

1) Product number.
2) Trim color.

90° Full-Height Finish Post — Square Painted Top Cap



H2FC
H2PC

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 C-30	$108.15	$111.20	$127.27	$145.47	$184.05	$210.83	$226.90
37″(940mm)	H2 C-37	112.56	115.61	137.14	161.50	213.24	249.12	270.65
44″(1118mm)	H2 C-44	116.97	120.02	147.01	177.53	242.43	287.41	314.40
50″(1270mm)	H2 C-50	120.75	123.80	155.47	191.27	267.45	320.23	351.90
56″(1422mm)	H2 C-56	124.53	127.58	163.93	205.01	292.47	353.05	389.40
64″(1626mm)	H2 C-64	129.57	132.62	175.21	223.33	325.83	396.81	439.40
68″(1727mm)	H2 C-68	132.09	135.14	180.85	232.49	342.51	418.69	464.40
82″(2083mm)	H2 C-82	140.91	143.96	200.59	264.55	400.89	495.27	551.90

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 C-30	$117.74	$114.32	$130.39	$148.59	$187.17	$213.95	$230.02
37″(940mm)	H2 C-37	123.69	118.73	140.26	164.62	216.36	252.24	273.77
44″(1118mm)	H2 C-44	129.64	123.14	150.13	180.65	245.55	290.53	317.52
50″(1270mm)	H2 C-50	134.74	126.92	158.59	194.39	270.57	323.35	355.02
56″(1422mm)	H2 C-56	139.84	130.70	167.05	208.13	295.59	356.17	392.52
64″(1626mm)	H2 C-64	146.64	135.74	178.33	226.45	328.95	399.93	442.52
68″(1727mm)	H2 C-68	150.04	138.26	183.97	235.61	345.63	421.81	467.52
82″(2083mm)	H2 C-82	161.94	147.08	203.71	267.67	404.01	498.39	555.02

Feature

- Includes 90° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with equal height PLACES panels in a 90°, 2-Way condition with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway flexible and Straight power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with PLACES Panels

90° Variable-Height Finish Post — Square Painted Top Cap



H2FC-V
H2PC-V

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 C-30-V	**$123.03**	**$126.08**	**$142.15**	**$160.35**	**$198.93**	**$225.71**	**$241.78**
37″(940mm)	H2 C-37-V	**127.44**	**130.49**	**152.02**	**176.38**	**228.12**	**264.00**	**285.53**
44″(1118mm)	H2 C-44-V	**131.85**	**134.90**	**161.89**	**192.41**	**257.31**	**302.29**	**329.28**
50″(1270mm)	H2 C-50-V	**135.63**	**138.68**	**170.35**	**206.15**	**282.33**	**335.11**	**366.78**
56″(1422mm)	H2 C-56-V	**139.41**	**142.46**	**178.81**	**219.89**	**307.35**	**367.93**	**404.28**
64″(1626mm)	H2 C-64-V	**144.45**	**147.50**	**190.09**	**238.21**	**340.71**	**411.69**	**454.28**
68″(1727mm)	H2 C-68-V	**146.97**	**150.02**	**195.73**	**247.37**	**357.39**	**433.57**	**479.28**

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 C-30-V	**$132.62**	**$129.20**	**$145.27**	**$163.47**	**$202.05**	**$228.83**	**$244.90**
37″(940mm)	H2 C-37-V	**138.57**	**133.61**	**155.14**	**179.50**	**231.24**	**267.12**	**288.65**
44″(1118mm)	H2 C-44-V	**144.52**	**138.02**	**165.01**	**195.53**	**260.43**	**305.41**	**332.40**
50″(1270mm)	H2 C-50-V	**149.62**	**141.80**	**173.47**	**209.27**	**285.45**	**338.23**	**369.90**
56″(1422mm)	H2 C-56-V	**154.72**	**145.58**	**181.93**	**223.01**	**310.47**	**371.05**	**407.40**
64″(1626mm)	H2 C-64-V	**161.52**	**150.62**	**193.21**	**241.33**	**343.83**	**414.81**	**457.40**
68″(1727mm)	H2 C-68-V	**164.92**	**153.14**	**198.85**	**250.49**	**360.51**	**436.69**	**482.40**

Feature

- Includes 90° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with multiple height PLACES panels in a 90°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with PLACES Panels

120° Full-Height Finish Post — Square Painted Top Cap



H2FA
H2PA

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 A-30	$120.26	$124.83	$143.71	$165.09	$210.41	$241.87	$260.75
37″(940mm)	H2 A-37	124.74	129.31	153.65	181.19	239.67	280.23	304.57
44″(1118mm)	H2 A-44	129.22	133.79	163.59	197.29	268.93	318.59	348.39
50″(1270mm)	H2 A-50	133.06	137.63	172.11	211.09	294.01	351.47	385.95
56″(1422mm)	H2 A-56	136.90	141.47	180.63	224.89	319.09	384.35	423.51
64″(1626mm)	H2 A-64	142.02	146.59	191.99	243.29	352.53	428.19	473.59
68″(1727mm)	H2 A-68	144.58	149.15	197.67	252.49	369.25	450.11	498.63
82″(2083mm)	H2 A-82	153.54	158.11	217.55	284.69	427.77	526.83	586.27

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 A-30	$127.82	$125.87	$144.75	$166.13	$211.45	$242.91	$261.79
37″(940mm)	H2 A-37	133.91	130.35	154.69	182.23	240.71	281.27	305.61
44″(1118mm)	H2 A-44	140.00	134.83	164.63	198.33	269.97	319.63	349.43
50″(1270mm)	H2 A-50	145.22	138.67	173.15	212.13	295.05	352.51	386.99
56″(1422mm)	H2 A-56	150.44	142.51	181.67	225.93	320.13	385.39	424.55
64″(1626mm)	H2 A-64	157.40	147.63	193.03	244.33	353.57	429.23	474.63
68″(1727mm)	H2 A-68	160.88	150.19	198.71	253.53	370.29	451.15	499.67
82″(2083mm)	H2 A-82	173.06	159.15	218.59	285.73	428.81	527.87	587.31

Feature

- Includes 120° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with equal height PLACES panels in a 120°, 2-Way condition with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Class AC – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories – Retrofit Kits

for use with PLACES Panels

120° Variable-Height Finish Post — Square Painted Top Cap



H2FA-V
H2PA-V

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 A-30-V	**$135.01**	**$139.58**	**$158.46**	**$179.84**	**$225.16**	**$256.62**	**$275.50**
37″(940mm)	H2 A-37-V	**139.49**	**144.06**	**168.40**	**195.94**	**254.42**	**294.98**	**319.32**
44″(1118mm)	H2 A-44-V	**143.97**	**148.54**	**178.34**	**212.04**	**283.68**	**333.34**	**363.14**
50″(1270mm)	H2 A-50-V	**147.81**	**152.38**	**186.86**	**225.84**	**308.76**	**366.22**	**400.70**
56″(1422mm)	H2 A-56-V	**151.65**	**156.22**	**195.38**	**239.64**	**333.84**	**399.10**	**438.26**
64″(1626mm)	H2 A-64-V	**156.77**	**161.34**	**206.74**	**258.04**	**367.28**	**442.94**	**488.34**
68″(1727mm)	H2 A-68-V	**159.33**	**163.90**	**212.42**	**267.24**	**384.00**	**464.86**	**513.38**

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 A-30-V	**$142.57**	**$140.62**	**$159.50**	**$180.88**	**$226.20**	**$257.66**	**$276.54**
37″(940mm)	H2 A-37-V	**148.66**	**145.10**	**169.44**	**196.98**	**255.46**	**296.02**	**320.36**
44″(1118mm)	H2 A-44-V	**154.75**	**149.58**	**179.38**	**213.08**	**284.72**	**334.38**	**364.18**
50″(1270mm)	H2 A-50-V	**159.97**	**153.42**	**187.90**	**226.88**	**309.80**	**367.26**	**401.74**
56″(1422mm)	H2 A-56-V	**165.19**	**157.26**	**196.42**	**240.68**	**334.88**	**400.14**	**439.30**
64″(1626mm)	H2 A-64-V	**172.15**	**162.38**	**207.78**	**259.08**	**368.32**	**443.98**	**489.38**
68″(1727mm)	H2 A-68-V	**175.63**	**164.94**	**213.46**	**268.28**	**385.04**	**465.90**	**514.42**

Feature

- Includes 120° vertical cover, square painted top cap and base raceway cover.

Specification Tips

- For use with multiple height PLACES panels in a 120°, 2-Way condition; specify height to match lowest panel height with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Panel Accessories – Retrofit Kits

for use with PLACES Panels

180° Full-Height Finish Post — Square Painted Top Cap

H2FS
H2PS

Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 S-30	$100.08	$104.65	$123.53	$144.92	$190.22	$221.68	$240.56
37″(940mm)	H2 S-37	105.24	109.81	134.93	163.40	223.66	265.52	290.64
44″(1118mm)	H2 S-44	109.11	113.68	143.48	177.26	248.74	298.40	328.20
50″(1270mm)	H2 S-50	112.98	117.55	152.03	191.12	273.82	331.28	365.76
56″(1422mm)	H2 S-56	116.85	121.42	160.58	204.98	298.90	364.16	403.32
64″(1626mm)	H2 S-64	122.01	126.58	171.98	223.46	332.34	408.00	453.40
68″(1727mm)	H2 S-68	124.59	129.16	177.68	232.70	349.06	429.92	478.44
82″(2083mm)	H2 S-82	133.62	138.19	197.63	265.04	407.58	506.64	566.08

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 S-30	$109.72	$107.77	$126.65	$148.04	$193.34	$224.80	$243.68
37″(940mm)	H2 S-37	116.72	112.93	138.05	166.52	226.78	268.64	293.76
44″(1118mm)	H2 S-44	121.97	116.80	146.60	180.38	251.86	301.52	331.32
50″(1270mm)	H2 S-50	127.22	120.67	155.15	194.24	276.94	334.40	368.88
56″(1422mm)	H2 S-56	132.47	124.54	163.70	208.10	302.02	367.28	406.44
64″(1626mm)	H2 S-64	139.47	129.70	175.10	226.58	335.46	411.12	456.52
68″(1727mm)	H2 S-68	142.97	132.28	180.80	235.82	352.18	433.04	481.56
82″(2083mm)	H2 S-82	155.22	141.31	200.75	268.16	410.70	509.76	569.20

Feature

- Includes 180° vertical cover, top cap and base raceway cover.

Specification Tips

- For use with equal height PLACES panels in a 180°, 3-Way condition with UniGroup Too square painted top cap.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

- **P** Painted
- **F** Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Class AC – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Panel Accessories – Retrofit Kits

for use with PLACES Panels

180° Variable-Height Finish Post — Square Painted Top Cap

H2FS-V
H2PS-V



Actual Height	Number ❶	Painted Trim A	Trim A Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 S-30-V1	$114.83	$119.40	$138.28	$159.67	$204.97	$236.43	$255.31
	H2 S-30-V2I	114.83	119.40	138.28	159.67	204.97	236.43	255.31
	H2 S-30-V2L	114.83	119.40	138.28	159.67	204.97	236.43	255.31
37″(940mm)	H2 S-37-V1	$119.99	$124.56	$149.68	$178.15	$238.41	$280.27	$305.39
	H2 S-37-V2I	119.99	124.56	149.68	178.15	238.41	280.27	305.39
	H2 S-37-V2L	119.99	124.56	149.68	178.15	238.41	280.27	305.39
44″(1118mm)	H2 S-44-V1	$123.86	$128.43	$158.23	$192.01	$263.49	$313.15	$342.95
	H2 S-44-V2I	123.86	128.43	158.23	192.01	263.49	313.15	342.95
	H2 S-44-V2L	123.86	128.43	158.23	192.01	263.49	313.15	342.95
50″(1270mm)	H2 S-50-V1	$127.73	$132.30	$166.78	$205.87	$288.57	$346.03	$380.51
	H2 S-50-V2I	127.73	132.30	166.78	205.87	288.57	346.03	380.51
	H2 S-50-V2L	127.73	132.30	166.78	205.87	288.57	346.03	380.51
56″(1422mm)	H2 S-56-V1	$131.60	$136.17	$175.33	$219.73	$313.65	$378.91	$418.07
	H2 S-56-V2I	131.60	136.17	175.33	219.73	313.65	378.91	418.07
	H2 S-56-V2L	131.60	136.17	175.33	219.73	313.65	378.91	418.07
64″(1626mm)	H2 S-64-V1	$136.76	$141.33	$186.73	$238.21	$347.09	$422.75	$468.15
	H2 S-64-V2I	136.76	141.33	186.73	238.21	347.09	422.75	468.15
	H2 S-64-V2L	136.76	141.33	186.73	238.21	347.09	422.75	468.15
68″(1727mm)	H2 S-68-V1	$139.34	$143.91	$192.43	$247.45	$363.81	$444.67	$493.19
	H2 S-68-V2I	139.34	143.91	192.43	247.45	363.81	444.67	493.19
	H2 S-68-V2L	139.34	143.91	192.43	247.45	363.81	444.67	493.19
82″(2083mm)	H2 S-82-V2I	$148.37	$152.94	$212.38	$279.79	$422.33	$521.39	$580.83

Actual Height	Number ❶	Painted Trim B	Trim B Fabric Grade A	B	C	E	F	G
30″(762mm)	H2 S-30-V1	$124.47	$122.52	$141.40	$162.79	$208.09	$239.55	$258.43
	H2 S-30-V2I	124.47	122.52	141.40	162.79	208.09	239.55	258.43
	H2 S-30-V2L	124.47	122.52	141.40	162.79	208.09	239.55	258.43
37″(940mm)	H2 S-37-V1	$131.47	$127.68	$152.80	$181.27	$241.53	$283.39	$308.51
	H2 S-37-V2I	131.47	127.68	152.80	181.27	241.53	283.39	308.51
	H2 S-37-V2L	131.47	127.68	152.80	181.27	241.53	283.39	308.51
44″(1118mm)	H2 S-44-V1	$136.72	$131.55	$161.35	$195.13	$266.61	$316.27	$346.07
	H2 S-44-V2I	136.72	131.55	161.35	195.13	266.61	316.27	346.07
	H2 S-44-V2L	136.72	131.55	161.35	195.13	266.61	316.27	346.07
50″(1270mm)	H2 S-50-V1	$141.97	$135.42	$169.90	$208.99	$291.69	$349.15	$383.63
	H2 S-50-V2I	141.97	135.42	169.90	208.99	291.69	349.15	383.63
	H2 S-50-V2L	141.97	135.42	169.90	208.99	291.69	349.15	383.63
56″(1422mm)	H2 S-56-V1	$147.22	$139.29	$178.45	$222.85	$316.77	$382.03	$421.19
	H2 S-56-V2I	147.22	139.29	178.45	222.85	316.77	382.03	421.19
	H2 S-56-V2L	147.22	139.29	178.45	222.85	316.77	382.03	421.19
64″(1626mm)	H2 S-64-V1	$154.22	$144.45	$189.85	$241.33	$350.21	$425.87	$471.27
	H2 S-64-V2I	154.22	144.45	189.85	241.33	350.21	425.87	471.27
	H2 S-64-V2L	154.22	144.45	189.85	241.33	350.21	425.87	471.27
68″(1727mm)	H2 S-68-V1	$157.72	$147.03	$195.55	$250.57	$366.93	$447.79	$496.31
	H2 S-68-V2I	157.72	147.03	195.55	250.57	366.93	447.79	496.31
	H2 S-68-V2L	157.72	147.03	195.55	250.57	366.93	447.79	496.31
82″(2083mm)	H2 S-82-V2I	$169.97	$156.06	$215.50	$282.91	$425.45	$524.51	$583.95

Features

- Includes 180° vertical cover, square painted top cap and base raceway cover.
- Includes top cap with one or two alignment tabs; specify accordingly.

Specification Tips

- For use with multiple height PLACES panels in a 180°, 3-Way condition with UniGroup Too square painted top cap; specify height to match lowest panel height except in V2I condition.
- Not for use with legacy expanded panels.
- To be used with straight top cap panels only.
- Product specification must reflect number of top cap alignment tabs for lowest like panel heights in an ``I" or ``L" condition; refer to UniGroup Too Application Guidelines.
- Top cap alignment tabs are for dedicated applications and are not field removable; -V1, -V2I, -V2L.
- Required by UL for covering base raceway power connectors when power connector covers are not used.

To Order, Specify:

1) Product number, including:

❶ **Surface Finish:**

P Painted

F Fabric

2) Paint or fabric color for finish post.
3) Trim color for raceway cover.
4) Trim color for top cap.

Note: For mixed grade trim surfaces pricing will be determined by the sum of the upcharges. Please refer to the electronic catalog.

Clerestory Kits

for use with UniGroup Too, UniGroup, PLACES

Clerestory Illustration



Planning and Specification

1. To determine how many lineal feet of straight track are needed, divide the total lineal feet of panels that require Clerestory by ten and round-off to the next highest whole number. Order that quantity of Straight Track SPCL-1616.
2. Examine your floor plan to determine the type and quantities of corner kits you will require. Note that only 90° angles are possible; other angles cannot be accommodated.
3. If mounting Clerestory on straight panel runs that include doors or glazed panels, a maximum combination of four lineal feet of glazed panels or glazed panels with a door is permitted per 12′(3658mm) panel run.
4. Follow normal support and load values for UniGroup Too, UniGroup and PLACES panels as defined in Haworth Installation Procedures.
5. Be sure that sprinkler, HVAC and lighting locations are taken into consideration when planning for Clerestory; it does form a floor-to-ceiling barrier.
6. Consult Installation Instructions #7021-6201 for specific installation information.

NOTES:

- Installation instructions available on Source Book.

- Not to be used with top feed modules.

- Ceiling bracket designed to fit 1″(25mm) grid.

- For UniGroup Too applications, 90° finish posts must be replaced with UniGroup 90° finish posts so radius aesthetic matches 2-way corner pieces. Field cut to size.

- Installation of clerestory kits on PLACES panels will reduce the cabling capacity of the upper panel raceway and restrict access.

Code Compliance

Where Clerestory is used with UniGroup Too, UniGroup and PLACES panels that feature The Power Base electrical system, electrical components do not comply with UL 183 requirements for floor-to-ceiling partitions; the electrical components do comply with UL 1286 requirements for panel systems. Verify acceptance of this exception and check local codes.

Clerestory Kits

for use with UniGroup Too, UniGroup, PLACES

Application Guidelines

- Clerestory is designed to be used with 80″(2032mm) or 82″(2083mm) high UniGroup Too, UniGroup and PLACES panels where there is a maximum ceiling height of 10′(3048mm), OR with 64″(1626mm) or 68″(1727mm)-high panels where there is a maximum ceiling height of 9′(2743mm). Be sure that Clerestory complies with local building codes before ordering and installing the product.
- All aluminum and plastic components (such as corner moldings) are available color-matched to UniGroup Too, UniGroup and PLACES panel trim colors. **Not available in Metallic finishes.**
- Note: Laminated safety glass is required for use in all Clerestory applications; consult installation instructions glass specification directions (purchase all required glass locally).
- Minimum thickness of glass is 0.220″(6mm).
- Maximum thickness of glass is 0.275″(7mm).

Straight Track Kit



SPCL-1616

Number	Price
SPCL-1616	**$588.55**

Features

- Includes two 10′(3048mm) lengths of extruded aluminum, painted ceiling and panel track; two (2) 10′(3048mm) lengths of ``H" spacer; extruded aluminum, painted vertical connectors; four (4) couplers; and hardware.
- To determine the amount of lineal feet of straight track needed, divide the total lineal feet of panels that require Clerestory by 10 and round off to the next highest whole number. Order that quantity of straight track.

To Order, Specify:

1) Product number.
2) Trim color.

2-Way Connector Kit



SPCL-1613

SPCL-1613	Vertical	**$91.86**

Features

- Includes one 4′(1219mm) length of connector post and corner moldings for panel and ceiling.

Specification Tip

- Use with UniGroup or PLACES 90° finish posts only.

To Order, Specify:

1) Product number.
2) Trim color.

3-Way Connector Kit



SPCL-1614

SPCL-1614	Vertical	**$99.80**

Features

- Includes one 4′(1219mm) length of connector post and corner moldings for panel and ceiling.

To Order, Specify:

1) Product number.
2) Trim color.

4-Way Connector Kit



SPCL-1615

SPCL-1615	Vertical	**$110.00**

Features

- Includes one 4′(1219mm) length of connector post and corner moldings for panel and ceiling.

To Order, Specify:

1) Product number.
2) Trim color.

End Kit



SPCL-1622

SPCL-1622	Vertical	**$55.57**

Features

- Includes one 4′(1219mm) length of end trim post and panel end cap molding.

To Order, Specify:

1) Product number.
2) Trim color.

3-Circuit – Electrical Components

Top Feed Modules for use with UniGroup Too

UniGroup Too Top Feed Module — *3-Circuit*



E2FM

Panel Height	Pole Length	Number	Trim A	Trim B
10′ Ceiling Height				
32″(813mm) - 56″(1422mm)	124″(3150mm)	E2FM-3200-3 ■	**$1210.81**	**$1247.91**
64″(1626mm) - 80″(2032mm)	70″(1778mm)	E2FM-6400-3 ■	**1181.61**	**1198.46**
12′ Ceiling Height				
40″(1016mm) - 80″(2032mm)	124″(3150mm)	E2FM-X	**$1210.81**	**$1247.91**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cap cover.
- Wire harness not included. Intended for field supplied conduit and wire applications only.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 3-circuit power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on pole provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at receptacle site on right hand side of panel in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- Not for use with glazed add-on panels, glazed panels or single doors.
- For use with UniGroup Too square painted top cap panels only, field cutting of top cap is required.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color top cap piece.

3-Circuit – Electrical Components

Top Feed Modules for use with UniGroup

UniGroup Top Feed Module — *3-Circuit*



TFM-B

Panel Height	Pole Length	Number	Price
10′ Ceiling Height			
30″(762mm) - 56″(1422mm)	124″(3150mm)	TFM-3000-B ■	**$1378.88**
64″(1626mm) - 82″(2083mm)	70″(1778mm)	TFM-6400-B ■	**1366.41**
12′ Ceiling Height			
37″(940mm) - 82″(2083mm)	124″(3150mm)	TFM-X-B	**$1378.88**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and radius top cap cover.
- Wire harness not included. Intended for field supplied conduit and wire applications only.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 3-circuit power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- For use with UniGroup panels only.
- Not for use with glazed add-on panels, glazed and open frame panels or single doors.
- For use with UniGroup radius steel top cap, field cutting of top cap is required. When used with UniGroup radius wood top cap, access hole must be cut into top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

PLACES 3-Circuit — Electrical Components

Top Feed Modules for use with PLACES

PLACES Top Feed Module



HTFM

Panel Height	Pole Length	Number	Price
10′ Ceiling Height			
30″(762mm) - 56″(1422mm)	124″(3150mm)	HTFM-3000-3 ■	**$1695.85**
64″(1626mm) - 82″(2083mm)	70″(1778mm)	HTFM-6400-3 ■	**1672.77**

Features

- Includes electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and low profile top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 3-circuit power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- For use with PLACES panels only.
- Not for use with glazed add-on panels, glazed and open frame panels or single doors.
- For use with PLACES low profile steel top cap, field cutting of top cap is required. When used with PLACES low profile wood top cap, access hole must be cut into top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

Plastic Liner



HCT-0000

Number	Price
HCT-0000	**$44.90**

Features

- Includes a package of 10 plastic liners (enough for 5 panels).
- Used when routing communication cables in the top trough of PLACES.

Specification Tip

- Two liners per panel regardless of panel width.

To Order, Specify:

1) Product number.
(No finish specification required.)

3-Circuit – Electrical Components

Power Feed Modules — top feed power application for use with UniGroup Too, UniGroup and PLACES

	Number	Length	Price
Infeed Harness — ***3-Circuit***	VEEH-0000-3 ■	15′(4572mm)	**$562.87**
	VEEH-0030-3	30′(9144mm)	**875.20**



VEEH-3



Features

- Includes electrical harness in metal conduit.
- For connection to the electrical source located in space above a drop ceiling or from floor.
- For use with panels equipped with 3-circuit power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

■ Available on RUSH.

Specification Tips

- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Electrical and Cable Management Accessories

Cable Management Poles for use with UniGroup Too and UniGroup

	Number	Trim A	Trim B
UniGroup Too/UniGroup Cable Management Pole — One Channel	CMPF-1-BR	**$498.96**	**$517.10**



CMPF-1-BR

Features

- Includes communications pole with cover, base raceway cover and ceiling bezel plate.
- Interface with the base raceway cover.
- Provides a means of vertically routing and accessing communications cabling within the panel's base raceway.
- May also be used to route Top Feed Harness.
- May be used in 2-way (in-line), 3-way or 4-way panel conditions.
- Attaches to panel side trim rails.
- For use up to 10′(3048mm) ceiling height.
- Refer to Specification Guide for cable management.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with UniGroup Too and UniGroup.

To Order, Specify:

1) Product number.
2) Trim color for raceway cover.
3) Trim color for pole.

UniGroup Too/UniGroup Cable Management Pole — Two Channels	CMPT-1-B	**$530.71**	**$548.85**



CMPT-1-B

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Provides cabling capacity with two integral channels.
- May also be used to route Top Feed Harness.
- May be used as a 2-way in-line panel filler.
- Interior of 2″(51mm)-wide pole is separated by a metal divider, which separates communication cables in each compartment.
- Attaches to panel side trim rails.
- For use up to 10′(3048mm) ceiling height.

Specification Tips

- Use straight span connector to bypass electrical distribution.
- Cannot be used in conjunction with finish posts.
- For use with UniGroup Too and UniGroup.

To Order, Specify:

1) Product number.
2) Trim color for raceway cover.
3) Trim color for pole.

Electrical and Cable Management Accessories

Cable Management Poles for use with PLACES

PLACES Cable Management Pole – Panel Height



HCPA (2-Way) HCPS (3-Way)

Height	Width	Description	Number	Price
44″(1118mm)	2″(51mm)	For 2-way 90° panel condition	HCPA-0044	**$391.82**
50″(1270mm)			HCPA-0050	**399.21**
56″(1422mm)			HCPA-0056	**406.60**
64″(1626mm)			HCPA-0064	**416.52**
68″(1727mm)			HCPA-0068	**421.43**
82″(2083mm)			HCPA-0082	**438.74**
44″(1118mm)	2″(51mm)	For 3-way panel condition	HCPS-0044	**$391.82**
50″(1270mm)			HCPS-0050	**399.21**
56″(1422mm)			HCPS-0056	**406.60**
64″(1626mm)			HCPS-0064	**416.52**
68″(1727mm)			HCPS-0068	**421.43**
82″(2083mm)			HCPS-0082	**438.74**

Features

- Includes communications pole with cover, base raceway cover and top cap.
- Vertically routes communications cabling.
- Use in 2-way or 3-way panel conditions.
- In a 4-way condition, use cover as the fourth cable exit location.
- 10′(3048mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.

To Order, Specify:

1) Product number.
2) Trim color.
3) Trim color for raceway cover.

PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling



HCPA (2-Way) HCPS (3-Way)

HCPE (End-of-run)

44″(1118mm)	2″(51mm)	For 2-way 90° panel condition	HCPA-1044	**$397.29**
50″(1270mm)			HCPA-1050	**402.90**
56″(1422mm)			HCPA-1056	**410.38**
64″(1626mm)			HCPA-1064	**414.12**
68″(1727mm)			HCPA-1068	**422.86**
82″(2083mm)			HCPA-1082	**431.59**
44″(1118mm)	2″(51mm)	For 3-way panel condition	HCPS-1044	**$397.29**
50″(1270mm)			HCPS-1050	**402.90**
56″(1422mm)			HCPS-1056	**410.38**
64″(1626mm)			HCPS-1064	**414.12**
68″(1727mm)			HCPS-1068	**422.86**
82″(2083mm)			HCPS-1082	**431.59**
44″(1118mm)	2″(51mm)	For end-of-run panel condition	HCPE-1044 ■	**$386.69**
50″(1270mm)			HCPE-1050 ■	**395.42**
56″(1422mm)			HCPE-1056 ■	**402.90**
64″(1626mm)			HCPE-1064 ■	**406.64**
68″(1727mm)			HCPE-1068 ■	**415.38**
82″(2083mm)			HCPE-1082 ■	**424.11**

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Vertically routes communications cabling.
- May also be used to route Top Feed Harness.
- Use in 2-way, 3-way, or end-of-run panel conditions (floor to ceiling only).
- In a 4-way condition, use cover as the fourth cable exit location.
- 10′(3048mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

■ Available on RUSH.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.

To Order, Specify:

1) Product number.
2) Trim color.
3) Trim color for raceway cover.

Electrical and Cable Management Accessories

Cable Management Poles for use with PLACES

PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling



HCPA
(2-Way)



HCPS
(3-Way)

HCPE
(End-of-run)

Height	Width	Description	Number	Price
44″(1118mm)	2″(51mm)	For 2-way 90° panel condition	HCPA-1244	**$449.68**
50″(1270mm)			HCPA-1250	**455.29**
56″(1422mm)			HCPA-1256	**462.77**
64″(1626mm)			HCPA-1264	**466.51**
68″(1727mm)			HCPA-1268	**475.25**
82″(2083mm)			HCPA-1282	**483.98**
44″(1118mm)	2″(51mm)	For 3-way panel condition	HCPS-1244	**$449.68**
50″(1270mm)			HCPS-1250	**455.29**
56″(1422mm)			HCPS-1256	**462.77**
64″(1626mm)			HCPS-1264	**466.51**
68″(1727mm)			HCPS-1268	**475.25**
82″(2083mm)			HCPS-1282	**483.98**
44″(1118mm)	2″(51mm)	For end-of-run panel condition	HCPE-1244	**$439.08**
50″(1270mm)			HCPE-1250	**447.81**
56″(1422mm)			HCPE-1256	**455.29**
64″(1626mm)			HCPE-1264	**459.03**
68″(1727mm)			HCPE-1268	**467.77**
82″(2083mm)			HCPE-1282	**476.50**

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Vertically routes communications cabling.
- May also be used to route Top Feed Harness.
- Use in 2-way, 3-way, or end-of-run panel conditions (floor to ceiling only).
- In a 4-way condition, use cover as the fourth cable exit location.
- 12′(3658mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.

To Order, Specify:

1) Product number.
2) Trim color.
3) Trim color for raceway cover.

Electrical and Cable Management Accessories

Cable Management Posts for use with PLACES

Height	Width	Fabric Number	Fabric Grade A	B	C	D	E	F	G	Painted Number	Price
24″(610mm)	2″(51mm)	HSCP-0024-F1	**$197.25**	**$198.17**	**$199.19**	**$200.29**	**$201.40**	**$202.87**	**$203.78**	HSCP-0024-V1	**$194.94**
52″(1321mm)		HSCP-0052-F1	**286.47**	**288.31**	**290.35**	**292.55**	**294.77**	**297.71**	**299.53**	HSCP-0052-V1	**281.85**

PLACES Cable Management Post – Variable Height – Three-Way 180° – Fabric or Painted Surface



HSCP-F1
HSCP-V1

Features
- Includes post, low profile top cap and replacement low profile top cap for finish post.
- For three-way, 180° panel configurations.
- Use when taller panel meets lower panels in a straight-run condition and panel-top cable storage is required to continue along panel runs.
- Field cut to appropriate length.

Specification Tip
- For use with PLACES.

To Order, Specify:
1) Product number.
2) Fabric or painted surface color.
3) Trim color.

24″(610mm)	2″(51mm)	HSCP-0024-F2	**$197.25**	**$198.17**	**$199.19**	**$200.29**	**$201.40**	**$202.87**	**$203.78**	HSCP-0024-V2	**$194.94**
52″(1321mm)		HSCP-0052-F2	**286.47**	**288.31**	**290.35**	**292.55**	**294.77**	**297.71**	**299.53**	HSCP-0052-V2	**281.85**

PLACES Cable Management Post – Variable Height – Two-Way 90° – Fabric or Painted Surface



HSCP-F2
HSCP-V2

Features
- Includes post, low profile top cap and replacement low profile top cap for finish post.
- For 90° panel configuration applications only.
- Use when panels of two different heights meet and cable storage is required to continue along top of panel run.
- Field cut to appropriate length.

Specification Tip
- For use with PLACES.

To Order, Specify:
1) Product number.
2) Fabric or painted surface color.
3) Trim color.

24″(610mm)	2″(51mm)	HSCP-0024-F3	**$197.25**	**$198.17**	**$199.19**	**$200.29**	**$201.40**	**$202.87**	**$203.78**	HSCP-0024-V3	**$194.94**
52″(1321mm)		HSCP-0052-F3	**286.47**	**288.31**	**290.35**	**292.55**	**294.77**	**297.71**	**299.53**	HSCP-0052-V3	**281.85**

PLACES Cable Management Post – Variable Height — In-Line – Fabric or Painted Surface



HSCP-F3
HSCP-V3

Features
- Includes post, low profile cap and lower panel end cap.
- For straight-line panel configurations.
- Use when panels of two different heights meet and panel-top cable storage is required to continue along panel run.
- Requires field modification of lower straight panel top cap.
- Field cut to appropriate length.

Specification Tip
- For use with PLACES.

To Order, Specify:
1) Product number.
2) Fabric or painted surface color.
3) Trim color.

Electrical and Cable Management Accessories

Cable Management Posts for use with PLACES

Height	Width	Fabric Number	Fabric Grade A	B	C	D	E	F	G	Painted Number	Price
24″(610mm)	2″(51mm)	HCCP-0024-F4	**$246.28**	**$250.43**	**$254.98**	**$259.96**	**$264.93**	**$271.55**	**$275.70**	HCCP-0024-V4	**$235.92**
52″(1321mm)		HCCP-0052-F4	**343.55**	**351.85**	**360.95**	**370.91**	**380.85**	**394.09**	**402.39**	HCCP-0052-V4	**322.83**

PLACES Cable Management Post – Variable Height – Three-Way 90° – Fabric or Painted Surface



HCCP-F4
HCCP-V4

Features

- Includes post, low profile top cap and replacement for low profile top cap finish post.
- For 90° panel configuration applications only.
- Use when equal-height panels at 90° meet lower-height panel and cable storage is required to continue along top of panel run.
- Field cut to appropriate length.

Specification Tip

- For use with PLACES.

To Order, Specify:

1) Product number.
2) Fabric or painted surface color.
3) Trim color.

Class BA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical and Cable Management Accessories

Base Feed Modules for use with UniGroup Too, UniGroup, PLACES

UniGroup Too, UniGroup and PLACES Base Feed Module – Hardwire Connection — *3-Circuit*



BFM-1-B

Length	Number	Price
48″(1219mm)	BFM-1-B ■	$263.65
72″(1829mm)	BFM-0006-B ■	354.49
120″(3048mm)	BFM-0010-B ■	459.73
180″(4572mm)	BFM-0015-B ■	603.73
300″(7620mm)	BFM-0025-B ■	866.27

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible metal conduit with eight 12-gauge wires for up to three 20-amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with panels equipped with 3-circuit power components.
- Base feed module can be field modified to accommodate left or right conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *3-Circuit*



BFM-2-B



2′(610mm) **(USA Only)** — BFM-2-B ■ — **$229.07**

Features

- Includes one base feed, 2′(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with panels equipped with 3-circuit power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Provides power to circuit #1 only.
- Attaches at any of the four receptacle sites in a powered base raceway of a panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- **Not for use in Canada due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *3-Circuit*



BFM-2-A



6′(1829mm) **(Canada Only)** — BFM-2-A — **$218.86**

Features

- Includes one base feed, 6′(1829mm) cord, and 15 amp plug (NEMA 5-15P).
- For use with panels equipped with 3-circuit power components.
- Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included).
- Attaches at any one of four receptacle sites in a powered raceway of a panel.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- **Not for use in USA due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Electrical and Cable Management Accessories

Base Feed Modules for use with UniGroup Too, UniGroup, PLACES

UniGroup Too, UniGroup and PLACES Base Feed Module — Concealed Hardwire Connection — *3-Circuit*



BFM-6-B

Class AA – SIN 711-1;
Discount Group I

Description	Number	Price
Concealed 3-Circuit	BFM-6-B ■	**$224.53**

Features

- Includes one junction box with modular connector.
- For use with panels equipped with 3-circuit power components.
- For floor, column, or wall hardwire connections.
- Provides eight 12-gauge wires for up to three 20-amp circuits of power.
- Attaches into receptacle site on left side of panel.
- Conforms to New York City electrical code.
- Junction box has three 1/2″(13mm) knockouts.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- For installation on panels **no less than** 30″(762mm) wide.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Raised Floor Base Feed Module — *3-Circuit*



EBEJ-0072-3WF

Class SP – SIN 711-1;
Discount Group I

Length	Description	Number	Price
69″(1753mm)	Infeed Connector	EBEJ-0072-3WF	**$174.64**

Features

- Includes connector assembly which consists of one Power Base connector head, 1/2″(13mm) black flexible metal conduit and one Power Base AI connector and a two port splitter.
- Constructed with eight 12-gauge wires for up to three 20-amp circuits of power.
- For use with 3-circuit power components.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system or a Power Base AI Wall feed.
- Base feed module can be field modified to accommodate left or right conditions.
- Connector has integral latching system.
- Power Base connector is color coded black and has a polarity key system which prevents incorrect connection between 3- or 4-circuit connectors.
- UL listed manufactured wiring system rated for 20-amp 120V/208Y or 120V/240V 60 Hz and for use in ``other air handling spaces" per the NEC article 604.
- Standard in charcoal trim color only.

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush flooe box connectors or wall feed.
- Male Power Base AI connector cannot connect directly to infeed or jumper.
- Not for power sources other than 120 volt 60 hertz.

To Order, Specify:

1) Product number.
(No finish specification required.)

Electrical and Cable Management Accessories

Base Feed Modules for use with UniGroup Too, UniGroup, PLACES

UniGroup Too, UniGroup and PLACES Internal Power Base AI Feed — *3-Circuit*



EUEJ

Length	Description	Number	Price
64″(1626mm)	Infeed Connector	EUEJ-0064-3WF	**$165.49**
102″(2591mm)		EUEJ-0102-3WF	**191.28**
144″(3658mm)		EUEJ-0144-3WF	**229.97**
300″(7620mm)		EUEJ-0300-3WF	**549.16**

Features

- Includes connector assembly which consists of one power base connector head, 1/2″(13mm) (unpainted) flexible metal conduit and one Power Base AI connector for up to three circuits of power and a two port splitter.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system.

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush floor box connectors or wall feed.
- Male Power Base AI connector cannot connect directly to infeed or jumper.
- Not for power sources other than 120 volt 60 hertz.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Feed Field Wired 1 Port



FBEW

Description	Height	Length	Number	Price
3-circuit	1 1/2″(38.1mm)	4 11/16″(119mm)	FBEW-0004-31	**$71.44**

Features

- Includes 4 11/16″(119mm) junction box cover with one female modular power connector.
- For use with field supplied 4 11/16″(119mm) square junction box.
- For use with Raised Floor Base Feed Module and Internal Power Base AI feed.
- Connector has integral latching system.
- Connectors are color coded and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed manufactured wiring system rated for 20 AMP 120V/20BY or 120/240V 60 Hz and for use in other air.

Specification Tip

- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

To Order, Specify:

1) Product number.
(No finish specification required.)

3-Circuit — Electrical Components

Power Connectors for use with UniGroup Too, UniGroup, PLACES

Flexible Power Connector *— 3-Circuit*

PCF-3-B







Base straight condition



Inside 90° condition

Length	Number	Price
8″(203mm)	PCF-3-B ■	**$125.98**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit between adjacent powered panels in straight or angled conditions.
- Finish post or power connector cover is required by UL for covering flexible power connector.
- For use with panels equipped with 3-circuit power components.
- PCF-3 flexible power connector ships with each powered panel as follows: .95 with 3-circuit.
- Standard in charcoal finish color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

3-Circuit — Electrical Components

Power Connectors for use with UniGroup Too, UniGroup, PLACES

Straight-Span Power Connector — *3-Circuit*

PCSS-3-B



Panel three-way or four-way condition

Panel outside 90° condition

Length	Number	Price
10 1/8″(257mm)	PCSS-3-B ■	$113.40

Features

- Includes one straight-span flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit across the 2″ space between powered panels in a 3-way, 4-way or outside 90° condition in the base raceway.
- Retaining clips attached.
- For use with panels equipped with 3-circuit power components.
- Finish post or power connector cover is required by UL for covering straight-span power connector.
- Standard in charcoal finish color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Straight span flexible power connector must be separately specified and is not included with panel.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Connector Assembly – 12″ Pass-Through — *3-Circuit*



PCOF-1-B

Class AA – SIN 711-1; Discount Group I

Length	Number	Price
20″(508mm)	PCOF-1-B	$122.47

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Used to pass power through a 12″(305mm) wide panel and a 3-way or 4-way condition.
- Connector is provided with 12″(305mm) powered panel.
- For use with panels equipped with 3-circuit power components.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Designed for in line use only.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

3-Circuit — Electrical Components

Receptacles and Raceway Retrofit Kits for use with UniGroup Too, UniGroup, PLACES

Duplex Receptacles – 15 Amp — *3-Circuit*



PRD-3-B



PRDI-5-B

Class FA – SIN 711-1;
Discount Group XI

Description	Circuit Access	Ground Type	Number	Price
15A Duplex	Circuit 1-3	Common	PRD-3-B ■	**$155.36**
	Circuit 1-3	Isolated	PRDI-5-B ■	**168.97**

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with 3-circuit power components.
- Receptacles are ground type specific.

■ Available on RUSH.

Specification Tips

- **Receptacles are field programmable.**
- For power access at any location within the panels with appropriate base raceway covers.
- Not for use with power sources other than 120 volt 60 hertz.
- Isolated ground receptacle not for use with single circuit base feed module.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Trim color (standard trim only).

Raceway Retrofit Kit — *3-Circuit*



RKN-B (Non-Powered)



RKP-B

Class AA – SIN 711-1;
Discount Group I

Actual Height	Panel Width	Non-Powered Number	Trim A	B	Powered	Trim A	B
4″(102mm)	18″(457mm)	RKN-18-B	**$124.37**	**$129.77**	RKP-18-B ■	**$299.57**	**$304.97**
	24″(610mm)	RKN-2-B	**126.53**	**134.09**	RKP-2-B ■	**301.73**	**309.29**
	30″(762mm)	RKN-30-B	**128.69**	**138.41**	RKP-30-B ■	**303.89**	**313.61**
	36″(914mm)	RKN-3-B	**130.85**	**142.73**	RKP-3-B ■	**306.05**	**317.93**
	42″(1067mm)	RKN-42-B	**133.01**	**147.05**	RKP-42-B ■	**308.21**	**322.25**
	48″(1219mm)	RKN-4-B	**135.17**	**151.37**	RKP-4-B ■	**310.37**	**326.57**
	54″(1372mm)	RKN-54-B	**137.33**	**155.69**	RKP-54-B ■	**312.53**	**330.89**
	60″(1524mm)	RKN-5-B	**139.49**	**160.01**	RKP-5-B ■	**314.69**	**335.21**

Features

- Powered retrofit kit includes one power distribution assembly, powered raceway cover, and flexible power connector.
- Convert powered panels to non-powered panels or non-powered panels to powered panels.
- Non-powered retrofit includes raceway cover retainer and non-powered raceway cover (no openings).

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Trim color.

Power Breaker Marker



NEP-1

Class FA – SIN 711-1;
Discount Group XI

Quantity	Number	Price
Fifty(50)	NEP-1	**$149.58**

Features

- Use in pairs at adjoining power distribution assemblies in the flex connector sites to prevent improper electrical connections.
- Refer to the 6-Circuit Power Base planning guide for details.
- Available in standard finish color only.

Specification Tip

- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

1) Product number.
(No finish specification required.)

Canadian Conversion Factor: Refer to haworth.com/Canada

3-Circuit – Electrical Components

Duplex Receptacle and Cover for use with UniGroup Too, UniGroup and PLACES

Duplex Receptacle – 20 Amp — *3-Circuit*



PRD-2000-M13

Class AA – SIN 711-1;
Discount Group XI

Number	Circuit Access	Ground Type	Price
PRD-2000-M13	Circuit 1	Common	**$251.75**

Features

- Includes one duplex receptacle assembly (outlets are NEMA 5-20R configuration) with mounting hardware.
- For use with panels 36″(914mm) wide and greater powered by 3-Circuit power distribution assembly.
- Plugs into the receptacle location on the left side of the power distribution assembly.
- Receptacle and cover plate are black.

Specification Tips

- Receptacle is not circuit access programmable.
- Receptacle requires new raceway covers that must be ordered separately. Field modification of non-powered raceway covers are an alternate option.
- Standard powered raceway cover receptacle outlet locations are not compatible with this product.
- Panels powered by 3-circuit power distribution assemblies manufactured prior to January 2010 must order new power distribution assemblies based on panel size through e-parts.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit = black, 6-circuit = ivory, 2+2 = blue and 3+1= green).
- Not for use in Canada.

To Order, Specify:

1) Product number.
(No finish specification required.)

Raceway Cover – 20 Amp — *3-Circuit*



RKP-3-LS



RKP-3-LB

Class AA – SIN 711-1;
Discount Group I

	Panel Width	Number	Trim A	Trim B
One Outlet/One Side				
	36″(914mm)	RKP-3-LS	**$316.87**	**$328.75**
	42″(1067mm)	RKP-42-LS	**319.03**	**333.07**
	48″(1219mm)	RKP-4-LS	**321.19**	**337.39**
	54″(1372mm)	RKP-54-LS	**323.35**	**341.71**
	60″(1524mm)	RKP-5-LS	**325.51**	**346.03**
One Outlet/Two Sides				
	36″(914mm)	RKP-3-LB	**$316.87**	**$328.75**
	42″(1067mm)	RKP-42-LB	**319.03**	**333.07**
	48″(1219mm)	RKP-4-LB	**321.19**	**337.39**
	54″(1372mm)	RKP-54-LB	**323.35**	**341.71**
	60″(1524mm)	RKP-5-LB	**325.51**	**346.03**

Features

- Includes raceway cover with receptacle openings available on one or two sides.
- For use with panels 36″(914mm) wide and greater powered by 3-Circuit power distribution assemblies manufactured after January 2010.

Specification Tips

- For use with 20 Amp UniGroup Too, UniGroup and PLACES duplex receptacles only.
- Blank plates are not available for unused receptacle openings.
- Power Distribution Assembly (PDA) ordered separately.

To Order, Specify:

1) Product number.
2) Trim color.

3-Circuit – Electrical Components

Power & Communication Accessories

Power/Communication Port Kit



HPCA
HPCA-G

Height	Width	Install Height*	Description	Number	Price
9″(229mm)	3 1/4"(83mm)	34″(864mm)	Circuit #1 Common Ground	HPCA-1-3	**$560.20**
			Circuit #2 Common Ground	HPCA-2-3	**560.20**
			Circuit #3 Common Ground	HPCA-3-3	**560.20**
9″(229mm)	3 1/4"(83mm)	34″(864mm)	Circuit #1 Isolated Ground	HPCA-1-G3	**$703.08**
			Circuit #2 Isolated Ground	HPCA-2-G3	**703.08**
			Circuit #3 Isolated Ground	HPCA-3-G3	**703.08**

*Installed height measures from the bottom of port kit to bottom of raceway cover.

Features

- Includes edge bracket, bezel, mounting template, circuit-specific harness which connects to base raceway PDA, circuit-specific common or isolated ground triplex receptacle and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- For use with panels equipped with 3-circuit power components.
- Flush mounts into surface of the following UniGroup Too, UniGroup and PLACES panels: basic monolithic, laminate monolithic, monolithic panel with full height inserts, monolithic wood panel, monolithic wood/fabric and high-performance monolithic to provide electrical and/or communication access at beltline.
- Power connection occupies a receptacle connector location in base raceway.
- Standard in charcoal trim color only.

Specification Tips

- Not for use with panels less than 44″(1118mm) high.
- Power/Communication port kit may not be used in back-to-back applications.
- Specification of circuit one, two or three is required.
- Not for use with monolithic panel with segmented inserts, monolithic panel core without inserts, glazed monolithic, open frame panel and add-on panels.
- Must be installed vertically (communications on top, electrical on bottom).
- May be installed on the left or right side of the panel face.
- Requires field modification of the panel.
- Modular furniture telecommunications outlet must be field supplied.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

3-Circuit – Electrical Components

Ported Raceway Covers for use with UniGroup Too, UniGroup, PLACES

Ported Raceway Covers



PRCN-B (Non-Powered Condition)



PRCP-B (Powered Condition)



PRCN-B (Non-Powered Condition)



PRCP-B (Powered Condition)



PRCN-B (Non-Powered Condition)



PRCP-B (Powered Condition)

Width	Description	Non-Powered Number	Trim A	Trim B	Powered	Trim A	Trim B
18″(457mm)	One modular furniture telecommunications opening, one side	PRCN-1118-B	$ 81.27	$ 85.79	PRCP-1118-B	$ 81.27	$ 85.79
24″(610mm)		PRCN-1124-B	86.92	93.70	PRCP-1124-B	86.92	93.70
30″(762mm)		PRCN-1130-B	92.57	101.61	PRCP-1130-B	92.57	101.61
36″(914mm)		PRCN-1136-B	98.22	109.52	PRCP-1136-B	98.22	109.52
42″(1067mm)		PRCN-1142-B	103.87	117.43	PRCP-1142-B	103.87	117.43
48″(1219mm)		PRCN-1148-B	109.52	125.34	PRCP-1148-B	109.52	125.34
54″(1372mm)		PRCN-1154-B	115.17	133.25	PRCP-1154-B	115.17	133.25
60″(1524mm)		PRCN-1160-B	120.82	141.16	PRCP-1160-B	120.82	141.16
18″(457mm)	One modular furniture telecommunications opening, each side	PRCN-1218-B	$ 92.56	$ 97.08	PRCP-1218-B	$ 92.56	$ 97.08
24″(610mm)		PRCN-1224-B	98.21	104.99	PRCP-1224-B	98.21	104.99
30″(762mm)		PRCN-1230-B	103.86	112.90	PRCP-1230-B	103.86	112.90
36″(914mm)		PRCN-1236-B	109.51	120.81	PRCP-1236-B	109.51	120.81
42″(1067mm)		PRCN-1242-B	115.16	128.72	PRCP-1242-B	115.16	128.72
48″(1219mm)		PRCN-1248-B	120.81	136.63	PRCP-1248-B	120.81	136.63
54″(1372mm)		PRCN-1254-B	126.46	144.54	PRCP-1254-B	126.46	144.54
60″(1524mm)		PRCN-1260-B	132.11	152.45	PRCP-1260-B	132.11	152.45
30″(762mm)	Two modular furniture telecommunications openings, one side	PRCN-2130-B	$103.86	$112.90	PRCP-2130-B	$103.86	$112.90
36″(914mm)		PRCN-2136-B	109.51	120.81	PRCP-2136-B	109.51	120.81
42″(1067mm)		PRCN-2142-B	115.16	128.72	PRCP-2142-B	115.16	128.72
48″(1219mm)		PRCN-2148-B	120.81	136.63	PRCP-2148-B	120.81	136.63
54″(1372mm)		PRCN-2154-B	126.46	144.54	PRCP-2154-B	126.46	144.54
60″(1524mm)		PRCN-2160-B	132.11	152.45	PRCP-2160-B	132.11	152.45
30″(762mm)	Two modular furniture telecommunications openings, each side	PRCN-2230-B	$115.14	$124.18	PRCP-2230-B	$115.14	$124.18
36″(914mm)		PRCN-2236-B	120.79	132.09	PRCP-2236-B	120.79	132.09
42″(1067mm)		PRCN-2242-B	126.44	140.00	PRCP-2242-B	126.44	140.00
48″(1219mm)		PRCN-2248-B	132.09	147.91	PRCP-2248-B	132.09	147.91
54″(1372mm)		PRCN-2254-B	137.74	155.82	PRCP-2254-B	137.74	155.82
60″(1524mm)		PRCN-2260-B	143.39	163.73	PRCP-2260-B	143.39	163.73
42″(1067mm)	One standard wall outlet opening, one side	PRCN-0142-B	$103.87	$117.43	PRCP-0142-B	$103.87	$117.43
48″(1219mm)		PRCN-0148-B	109.52	125.34	PRCP-0148-B	109.52	125.34
60″(1524mm)		PRCN-0160-B	120.82	141.16	PRCP-0160-B	120.82	141.16
42″(1067mm)	One standard wall outlet opening, each side	PRCN-0242-B	$115.16	$128.72	PRCP-0242-B	$115.16	$128.72
48″(1219mm)		PRCN-0248-B	120.81	136.63	PRCP-0248-B	120.81	136.63
60″(1524mm)		PRCN-0260-B	132.11	152.45	PRCP-0260-B	132.11	152.45

Features

- Retrofit to UniGroup Too, UniGroup and PLACES panel.
- Ported raceway covers enable communications equipment cabling to be routed to connector modules located on the faces of the base raceway covers. Six variations are available to accommodate the following connector modules: one modular furniture telecommunications opening centered on one side of the raceway cover; one modular furniture telecommunications opening centered on each side of the raceway cover; two modular furniture telecommunications openings on one side; two modular furniture telecommunications openings on each side; one standard wall outlet opening centered on one side; and one standard wall outlet opening centered on each side.
- Modular furniture telecommunications opening measures 1.38″(35mm) high x 2.7″(69mm) wide.
- Standard wall outlet opening measures 2.25″(57mm) high x 3.75″(95mm) wide.
- Openings for modular furniture telecommunications and standard wall outlets do not include covers.

Specification Tips

- Specify when no raceway cover is ordered (option -E).
- For use with UniGroup Too, UniGroup and PLACES.
- For use with 3-Circuit applications.

To Order, Specify:

1) Product number.
2) Trim color.

3-Circuit – Electrical Components

International for use with UniGroup Too, UniGroup, PLACES

International Power Components

For power applications outside North America we recommend the use of **Power Logic** soft wiring components. Power Logic offers a system of single circuit power cords and receptacle modules that fit into our non-powered base raceway. Receptacle modules are offered with two sockets (3 and 4 socket versions also available). Each receptacle module has sockets, switches and fuses that are appropriate for each country around the world. Contact the Power Logic regional sales office in your area to help with planning details to assure local electrical code compliance. Contact Power Logic via the Haworth/Power Logic website, (www.haworth.com/powerlogic), or through their corporate offices in Cape Town, South Africa at 27-21-704-1450. Power Logic also offers power solutions for desktop, conference table or freestanding power applications.

Power Entry Cord

Cord



Receptacle

Splitter

Electrical and Cable Management Accessories

End Cap / Communication Junction Box for use with UniGroup Too, UniGroup, PLACES

	Height	Number	Trim A	Trim B
Base Raceway End Cap	4″(102mm)	EC-10-B ■	**$23.81**	**$29.06**

EC-10-B

Features

- Includes ten end caps.
- For use at base raceway for end-of-run panel condition.

Note: .6 end caps included with every panel.
Order additional as necessary.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Electrical and Cable Management Accessories

Vertical Wire Managers for use with UniGroup Too, UniGroup, PLACES

	Height	Inside Diameter	Number	Price
Vertical Wire Manager	17 1/2″(444mm)	7/16″(11mm)	WC-17	**$95.26**

WC-17

Features

- Includes ten vertical wire managers.
- Vertically routes and conceals cords along panel surface above or below the worksurface.
- Wire manager extends 1/2″(13mm) from panel surface.
- Standard in black finish only.

Specification Tips

- Suggested application: use to conceal single task light cord between overhead storage and worksurface.
- May be field cut to appropriate size.
- Panel side rails will not accommodate multiple components in the same location.
- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

1) Product number.
   (No finish specification required.)

	Height	Width	Depth	Number	Price
Vertical Wire Channel	72″(1829mm)	3/4″(19mm)	3/4″(19mm)	WC-6 ■	**$24.95**



WC-6

Features

- Includes field-cuttable channel.
- Guides wires or cables vertically.
- Inserts into the panel side rail reveals.
- Not available for use in the city of Los Angeles.

■ Available on RUSH.

Specification Tip

- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

1) Product number.
2) Trim color.

Electrical and Cable Management Accessories

Expanded Top Caps for use with UniGroup

Expanded Top Cap Raceway



ETCR

Width	Number	Price
12″(305mm)	ETCR-12	**$103.68**
18″(457mm)	ETCR-18	**111.66**
24″(610mm)	ETCR-24	**119.64**
30″(762mm)	ETCR-30	**127.62**
36″(914mm)	ETCR-36	**135.60**
42″(1067mm)	ETCR-42	**143.58**
48″(1219mm)	ETCR-48	**151.56**
60″(1524mm)	ETCR-60	**167.52**

Features

- Includes channel and top cap.
- Refer to specification guide for cable management.
- Replaces the panel's top cap and adds 2″(51mm) to the panel's height.

To Order, Specify:

1) Product number.
2) Trim color.

Expanded Top Finish Cap



FC-1



FC-2



FC-3



FC-4



FC-90

Description	Number	Price
End-of-Run Cap	FC-1	**$37.42**
Two-Way	FC-2	**28.35**
Three-Way	FC-3	**44.23**
Four-Way	FC-4	**57.83**
90° Corner	FC-90	**36.29**

Features

- Includes cover.
- Used to join expanded top caps in a panel run.
- Two-way cap is for straight connection over a straight finish post.
- Three-way cap is for connections of three panels.
- Four-way cap is for connections of four panels.
- 90° corner cap is for use in conjunction with a 90° finish post.
- End-of-run cap is used at an end-of-panel-run condition.

To Order, Specify:

1) Product number.
2) Trim color.

Electrical Management Accessories

Flip Top Units for use with UniGroup Too, UniGroup, PLACES

Flip Top Unit

EUE1-1111W

EUE1-1B01W



EUE1-1331W



EUE2-1331W



EUE1-C331W



EUE2-C331W



Fused Plug Detail

	Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets					
	5 5/16″(133mm)	4 3/8″(111mm)	1 Power, 1 Data	EUE1-0000-1111W	**$ 394.78**
			2 Power, 0 Data	EUE1-0000-1B01W	**394.78**
	8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-1221W	**473.48**
			3 Power, 1 Data	EUE1-0000-1311W ■	**473.48**
	11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-1331W	**473.48**
			4 Power, 2 Data	EUE1-0000-1421W	**473.48**
Corded Double-Sided Outlets					
	8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-1221W	**$ 946.95**
			3 Power, 1 Data	EUE2-0000-1311W	**946.95**
	11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-1331W ■	**946.95**
			4 Power, 2 Data	EUE2-0000-1421W	**946.95**
Hardwire Single-Sided Outlets					
	8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-C221W	**$ 540.32**
	11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-C331W	**540.32**
Hardwire Double-Sided Outlets					
	8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-C221W	**$1080.63**
	11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-C331W	**1080.63**

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below worksurfaces.
- Standard in anodized finish.
- Ships assembled.

■ Available on RUSH.

Specification Tips

- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- **For use with 120 volt 60 hertz power source only.**
- **Applications should be reviewed by local authorities (electrical inspector) prior to ordering to verify use is acceptable.**
- Corded flip top units with four receptacles utilize a fused plug that my block adjacent building receptacle outlet.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Electrical Management Accessories

Desktop Port and Enhanced Power Module for use with UniGroup Too, UniGroup, PLACES

Desktop Port



BEDP

Class IF – SIN 711-1;
Discount Group XI

Description	Height	Width	Number	Price
Desktop Port with 6′(1829mm) cord	3 1/2″(89mm)	9 5/8″(244mm)	BEDP-6	**$320.46**
Desktop Port with 12′(3658mm) cord			BEDP-12	**320.46**

Features

- 6′(1829mm) or 12′(3658mm) black cord option.
- Three power outlets and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- Mounts on worktops from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Not available for use in Los Angeles, Chicago or New York.
- Power can be routed from panel, floor or wall.
- Allows for off-modularity.
- Module and bracket available in graphite finish only with black cord.
- **Not for power sources other than 120 volt 60 hertz.**
- Shipped assembled.

Specification Tips

- Attaches to back edge of worktop with threaded knob.
- Power cord plugs into receptacle outlet or into a building outlet. Desktop ports cannot be linked together.
- Modular furniture telecommunications outlet plates must be field supplied.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.
- For worksurfaces without wireway install desktop port prior to attaching worksurface to panel.
- May cause interference with panel-mounted accessories such as tackboards, slat pads, markerboards, etc.

To Order, Specify:

1) Product number.
(No finish specification required.)

Enhanced Power Module



EUD1-0000-1311V



EUD1-0000-C311V

Class YA – SIN 711-1;
Discount Group XI

Height	Width	Depth	Cord Length	Number	❶	Price
With Plug						
3 1/2″(89mm)	6 3/4″(171mm)	3 1/2″(89mm)-4 1/2″(114mm)	6′(1829mm)	EUD1-0000-1311V		**$431.53**
			12′(3658mm)	EUD1-0000-1311W		**480.41**
Hardwire						
3 1/2″(89mm)	6 3/4″(171mm)	2 1/4″(57mm)	6′(1829mm)	EUD1-0000-C311V		**$492.81**

Features

- Includes power module with three simplex outlets (NEMA 5-15R) and one data location, multiple data jack adapters to accommodate most varieties of field supplied data jacks, mounting hardware, optional standard plug (NEMA 5-15P) or hardwire connection.
- Designed to deliver electrical and data access to the work station.
- Attaches to the back edge of the worksurface.
- Corded power module available with 15amp - 6′(1829mm) or 12′3658mm) long cord with plug.
- Hardwired power module available with 6′(1829mm) long flexible metal conduit feed with wires for hardwire application.
- Option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Accommodates worksurface thicknesses from 1 3/16″(30mm) to 2″(51mm).
- Attachment hardware allows for installation above or below work surface, with or without tackboards, to back side of lower storage units, and with vertical storage units that have back edge clearance.
- For use with 120 volt 60 hertz power source only.
- Enhanced Power module applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Requires field installation.

To Order, Specify:

1) Product number, including:

❶ **Color Option:**

B Black

W White

Electrical Management Accessories

Electrical Accessories for use with UniGroup Too, UniGroup, PLACES

Power/Data Dome



JAP-2 JAP-4

Class FM – SIN 711-2;
Discount Group XII

Description	Number	Price
Two (2) power outlets and two (2) plates for data connection	JAP-2	**$193.44**
Four (4) power outlets	JAP-4	**211.12**

Features

- Includes a dome with either two power and two data outlets or four power outlets. Dome with data outlets includes multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Provides power and communication access at desk height.
- Field installed. Mounts into 3″(76mm) diameter hole.
- Available in black finish color only.
- Power cord is 72″(1829mm) long.
- JAP-2 includes a voice/data adapter kit to accept couplers and jacks.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet



WUAC-WSG

Class CA – SIN 711-1;
Discount Group I

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**

Features

- Includes one cover.
- Must be field-installed.
- Available in charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Horizontal Wire Manager



WUAW-1500-PNH

Class CA – SIN 711-1;
Discount Group I

Depth	Width	Height	Number	Price
2″(51mm)	15″(381mm)	3″(76mm)	WUAW-1500-PNH ■	**$150.80**

Features

- Includes a set of ten, plastic wire managers and mounting screws.
- Manages and stores wire and cables under worksurfaces.
- Standard in Charcoal trim.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wire Management Loop

HNEH-8

Class BA – SIN 711-1;
Discount Group I

Installed Height	Width	Number	Price
4 1/2″(114mm)	2 3/4″(70mm)	HNEH-8	**$38.43**

Features

- Includes eight (8) wire management loops.
- Manages and stores wires or cables through loops under worksurfaces or desk tops.
- Install anywhere under worksurfaces in recommended 18″(457mm) intervals.
- Loop capacity: 19, 25-pair communications cables.
- Standard in charcoal finish color only.

To Order, Specify:

1) Product number.
(No finish specification required.)

This page intentionally blank

4-Circuit (2+2 and 3+1) – Electrical Components

Base Feed Modules for use with UniGroup Too, UniGroup, PLACES

UniGroup Too, UniGroup and PLACES Base Feed Module – Hardwire Connection — *4-Circuit (2+2 and 3+1)*



BFM-1-B2
BFM-1-B4

Description	Feed Length	Catalog #	Price
2+2			
	48″(1219mm)	BFM-1-B2	**$263.65**
	72″(1829mm)	BFM-0006-B2	**354.49**
	120″(3048mm)	BFM-0010-B2	**459.73**
	180″(4572mm)	BFM-0015-B2	**603.73**
	300″(7620mm)	BFM-0025-B2	**866.27**
3+1			
	48″(1219mm)	BFM-1-B4	**$263.65**
	72″(1829mm)	BFM-0006-B4	**354.49**
	120″(3048mm)	BFM-0010-B4	**459.73**
	180″(4572mm)	BFM-0015-B4	**603.73**
	300″(7620mm)	BFM-0025-B4	**866.27**

Features

- Includes one base feed with 4′(1219mm) long, black 1/2″(13mm) flexible metal conduit with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For floor, column, or wall hardwire connections.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Base feed module can be field modified to accommodate left or right conditions.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with open base raceway panel applications.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *4-Circuit (2+2 and 3+1)*





BFM-2-B2
BFM-2-B4

Length	Description	Number	Price
2′(610mm)	2+2 **(USA Only)**	BFM-2-B2 ■	**$274.43**
2′(610mm)	3+1 **(USA Only)**	BFM-2-B4 ■	**$274.43**

Features

- Includes one base feed, 2′(610mm) cord and 20 amp plug (NEMA 5-20P).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Requires a 20 amp, 125 volt power receptacle (NEMA 5-20R) for plug-in (not included).
- Provides power to circuit #1 only.
- Attaches at any of the four receptacle sites in a powered base raceway of a panel.
- Standard in charcoal trim color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- **Not for use in Canada due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

4-Circuit (2+2 and 3+1) – Electrical Components

Base Feed Modules for use with UniGroup Too, UniGroup, PLACES

UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord — *4-Circuit (2+2 and 3+1)*





BFM-2-A2
BFM-2-A4

Length	Description	Number	Price
6′(1829mm)	2+2 **(Canada Only)**	BFM-2-A2	**$264.22**
6′(1829mm)	3+1 **(Canada Only)**	BFM-2-A4	**$264.22**

Features

- Includes one base feed, 6′(1829mm) cord, and 15 amp plug (NEMA 5-15P).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Requires a 15 amp, 125 volt power receptacle (NEMA 5-15R) for plug-in (not included).
- Attaches at any one of four receptacle sites in a powered raceway of a panel.
- Provides power to circuit #1 only.
- Standard in charcoal trim color only.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- **Not for use in USA due to electrical code restrictions.**
- **Not for use with isolated ground receptacles.**
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Base Feed Module — Concealed Hardwire Connection — *4-Circuit (2+2 and 3+1)*



BFM-6-B2
BFM-6-B4

2+2 Concealed 4-Circuit	BFM-6-B2 ■	**$487.85**
3+1 Concealed 4-Circuit	BFM-6-B4 ■	**$487.85**

Features

- Includes one junction box with modular connector.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- For floor, column, or wall hardwire connections.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Attaches into receptacle site on left side of panel.
- Conforms to New York City electrical code.
- Junction box has three 1/2″(13mm) knockouts.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- For installation on panels **no less than** 30″(762mm) wide.
- Conduit and fittings for connection between building and junction box are supplied by local electricians.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

4-Circuit (2+2 and 3+1) – Electrical Components

Base Feed Modules for use with UniGroup Too, UniGroup, PLACES

UniGroup Too, UniGroup and PLACES Raised Floor Base Feed Module — *4-Circuit (2+2 and 3+1)*



EBEJ-0072-2WF
EBEJ-0072-4WF

Class SP – SIN 711-1;
Discount Group I

Length	Description	Number	Price
69″(1753mm)	2+2 Infeed Connector	EBEJ-0072-2WF	**$174.64**
69″(1753mm)	3+1 Infeed Connector	EBEJ-0072-4WF	**$174.64**

Features

- Includes connector assembly which consists of one Power Base connector head, 1/2″(13mm) black flexible metal conduit and one Power Base AI connector and a two port splitter.
- Constructed with six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- For use with 4-circuit (2+2 or 3+1) power components.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system or a Power Base AI Wall feed.
- Base feed module can be field modified to accommodate left or right conditions.
- Connector has integral latching system.
- Power Base connector is color coded blue (2+2) or green (3+1) and have a polarity key system which prevents incorrect connection between 3- or 4-circuit connectors.
- UL listed manufactured wiring system rated for 20-amp 120V/208Y or 120/240V 60 Hz and for use in ``other air handling spaces" per the NEC article 604.
- Standard in charcoal trim color only.

Specification Tips

- Male Power Base AI connector can plug directly into a zone distribution box, circuit distributor, flush flooe box connectors or wall feed.
- Male Power Base AI connector cannot connect directly to infeed or jumper.
- Not for power sources other than 120 volt 60 hertz.

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Internal Power Base AI Feed — *4-Circuit (2+2 and 3+1)*



EUEJ-2WF
EUEJ-4WF

Class AA – SIN 711-1;
Discount Group I

64″(1626mm)	2+2 Infeed Connector	EUEJ-0064-2WF	**$181.61**
102″(2591mm)		EUEJ-0102-2WF	**207.40**
144″(3658mm)		EUEJ-0144-2WF	**246.09**
300″(7620mm)		EUEJ-0300-2WF	**565.28**
64″(1626mm)	3+1 Infeed Connector	EUEJ-0064-4WF	**$181.61**
102″(2591mm)		EUEJ-0102-4WF	**207.40**
144″(3658mm)		EUEJ-0144-4WF	**246.09**
300″(7620mm)		EUEJ-0300-4WF	**565.28**

Features

- Includes connector assembly which consists of one power base connector head, 1/2″(13mm) (unpainted) flexible metal conduit and one Power Base AI connector for up to four circuits of power and a two port splitter.
- Attaches at any one of the four receptacle sites in a powered base raceway of a panel and to a Power Base AI underfloor power system.

Specification Tips

- Can only be connected to Power Base AI 4-Circuit underfloor power system.
- Not for power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

Canadian Conversion Factor: Refer to haworth.com/Canada

4-Circuit (2+2 and 3+1) – Electrical Components

Top Feed Modules for use with UniGroup Too

	Description	Height	Length	Number	Price
Wall Feed Field Wired 1 Port	4-circuit	1 1/2″(38.1mm)	4 11/16″(119mm)	FBEW-0004-41	**$71.44**



FBEW

Features

- Includes 4 11/16″(119mm) junction box cover with one female modular power connector.
- For use with field supplied 4 11/16″(119mm) square junction box.
- For use with Raised Floor Base Feed Module and Internal Power Base AI feed.
- Connector has integral latching system.
- Connectors are color coded and have a polarity key system which prevents misconnection between 3- or 4-circuit connectors.
- UL listed manufactured wiring system rated for 20 AMP 120V/20BY or 120/240V 60 Hz and for use in other air.

Specification Tips

- Provides transition from building power to modular power distribution system. May be used with junction box in wall or column.

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too Top Feed Module — *4-Circuit (2+2 and 3+1)*



E2FM-2
E2FM-4

Panel Height	Pole Length	Description	Number	Trim A	Trim B
10′ Ceiling Height					
32″(813mm) - 56″(1422mm)	124″(3150mm)	2+2	E2FM-3200-2 ■	**$1210.81**	**$1247.91**
64″(1626mm) - 80″(2032mm)	70″(1778mm)		E2FM-6400-2 ■	**1181.61**	**1198.46**
32″(813mm) - 56″(1422mm)	124″(3150mm)	3+1	E2FM-3200-4 ■	**$1210.81**	**$1247.91**
64″(1626mm) - 80″(2032mm)	70″(1778mm)		E2FM-6400-4 ■	**1181.61**	**1198.46**
12′ Ceiling Height					
40″(1016mm) - 80″(2032mm)	124″(3150mm)	2+2	E2FM-X-2	**$1210.81**	**$1247.91**
40″(1016mm) - 80″(2032mm)	124″(3150mm)	3+1	E2FM-X-4	**$1210.81**	**$1247.91**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on pole provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at receptacle site on right hand side of panel in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- Not for use with glazed add-on panels, glazed panels or single doors.
- For use with UniGroup Too square painted top cap panels only, field cutting of top cap is required.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color top cap piece.

4-Circuit (2+2 and 3+1) — Electrical Components

Top Feed Modules for use with UniGroup

UniGroup Top Feed Module
— 4-Circuit (2+2 and 3+1)



TFM-B2
TFM-B4

Panel Height	Pole Length	Description	Number	Price
10′ Ceiling Height				
30″(762mm) - 56″(1422mm)	124″(3150mm)	2+2	TFM-3000-B2 ■	**$1378.88**
64″(1626mm) - 82″(2083mm)	70″(1778mm)		TFM-6400-B2 ■	**1366.41**
44″(1118mm) - 56″(1422mm)	124″(3150mm)	3+1	TFM-3000-B4 ■	**$1378.88**
64″(1626mm) - 82″(2083mm)	70″(1778mm)		TFM-6400-B4 ■	**1366.41**
12′ Ceiling Height				
37″(940mm) - 82″(2083mm)	124″(3150mm)	2+2	TFM-X-B2	**$1378.88**
37″(940mm) - 82″(2083mm)	124″(3150mm)	3+1	TFM-X-B4	**$1378.88**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and radius top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- For use with UniGroup panels only.
- Not for use with glazed add-on panels, glazed and open frame panels or single doors.
- For use with UniGroup radius steel top cap, field cutting of top cap is required. When used with UniGroup radius wood top cap, access hole must be cut into top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

4-Circuit (2+2 and 3+1) — Electrical Components

Top Feed Modules for use with PLACES

PLACES Top Feed Module — *4-Circuit (2+2 and 3+1)*



HTFM-2
HTFM-4

Panel Height	Pole Length	Description	Number	Price
10′ Ceiling Height				
30″(762mm) - 56″(1422mm)	124″(3150mm)	2+2	HTFM-3000-2 ■	**$1695.85**
64″(1626mm) - 82″(2083mm)	70″(1778mm)		HTFM-6400-2 ■	**1672.77**
30″(762mm) - 56″(1422mm)	124″(3150mm)	3+1	HTFM-3000-4 ■	**$1695.85**
64″(1626mm) - 82″(2083mm)	70″(1778mm)		HTFM-6400-4 ■	**1672.77**
12′ Ceiling Height				
37″(940mm) - 82″(2083mm)	124″(3150mm)	2+2	HTFM-X-2	**$1695.85**
37″(940mm) - 82″(2083mm)	124″(3150mm)	3+1	HTFM-X-4	**$1695.85**

Features

- Includes one electrical harness in metal conduit, electrical box, ceiling bezel plate, single channel pole, hardware and low profile top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway.
- Attaches at receptacle site on right hand side of panel in a powered base raceway.

■ Available on RUSH.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- For use with PLACES panels only.
- Not for use with glazed add-on panels, glazed and open frame panels or single doors.
- For use with PLACES low profile steel top cap, field cutting of top cap is required. When used with PLACES low profile wood top cap, access hole must be cut into top cap.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: Wire harness length is 180″(4572mm) regardless of pole length.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

Plastic Liner



HCT-0000

Number	Price
HCT-0000	**$44.90**

Features

- Includes a package of 10 plastic liners (enough for 5 panels).
- Used when routing communication cables in the top trough of PLACES.
- Two liners per panel regardless of panel width.

To Order, Specify:

1) Product number.
(No finish specification required.)

4-Circuit (2+2 and 3+1) — Electrical Components

Top Feed Modules for use with UniGroup Too, UniGroup and PLACES

Infeed Harness



VEEH-0000



VEEH-0030

Description	Number	Length	Price
2+2	VEEH-0000-2 ■	15′(4572mm)	**$562.87**
	VEEH-0030-2	30′(9144)	**875.20**
3+1	VEEH-0000-4 ■	15′(4572mm)	**$562.87**
	VEEH-0030-4	30′(9144)	**875.20**

Features

- Includes one electrical harness in metal conduit.
- For connection to the electrical source located in space above a drop ceiling or from floor.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Electrical harness contained in metal conduit allows for adjacent routing of communication cabling within the pole.
- Provides six 12-gauge and two 10-gauge wires for up to four 20-amp circuits of power.
- Routes power to base raceway.
- Attaches to receptacle site on right hand side of panel in a powered raceway.

■ Available on RUSH.

Specification Tips

- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

4-Circuit (2+2 and 3+1) — Electrical Components

Power Connectors for use with UniGroup Too, UniGroup, PLACES

Flexible Power Connector
— 4-Circuit (2+2 and 3+1)

PCF-3-B2
PCF-3-B4



Base straight condition



Inside 90° condition

Length	Description	Number	Price
8″(203mm)	2+2	PCF-3-B2 ■	**$125.98**
8″(203mm)	3+1	PCF-3-B4 ■	**$125.98**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit between adjacent powered panels in straight or angled conditions.
- Finish post or power connector cover is required by UL for covering flexible power connector.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- PCF-3 flexible power connector ships with each powered panel as follows: .95 with 4-circuit.
- Standard in charcoal finish color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

4-Circuit (2+2 and 3+1) — Electrical Components

Power Connectors for use with UniGroup Too, UniGroup, PLACES

Straight-Span Power Connector
— 4-Circuit (2+2 and 3+1)

PCSS-3-B2
PCSS-3-B4



Panel three-way or four-way condition

Panel outside 90° condition

Length	Description	Number	Price
10 1/8″(257mm)	2+2	PCSS-3-B2 ■	**$113.40**
10 1/8″(257mm)	3+1	PCSS-3-B4 ■	**$113.40**

Features

- Includes one straight-span flexible power connector with safety latches for securing connector to power block.
- Continues electrical circuit across the 2″ space between powered panels in a 3-way, 4-way or outside 90° condition in the base raceway.
- Retaining clips attached.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Finish post or power connector cover is required by UL for covering straight-span power connector.
- Standard in charcoal finish color only.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Straight span flexible connector must be separately specified and is not included with panel.
- Not for use with power sources other than 120 volt 60 hertz.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

4-Circuit (2+2 and 3+1) — Electrical Components

Power Connectors for use with UniGroup Too, UniGroup, PLACES

Connector Assembly – 12″ Pass-Through — 4-Circuit *(2+2 and 3+1)*



PCOF-1-B2
PCOF-1-B4

Length	Description	Number	Price
20″(508mm)	2+2	PCOF-1-B2	**$122.47**
20″(508mm)	3+1	PCOF-1-B4	**$122.47**

Features

- Includes one flexible power connector with safety latches for securing connector to power block.
- Used to pass power through a 12″(305mm) wide panel.
- Connector is provided with 12″(305mm) powered panel.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Not for use with power sources other than 120 volt 60 hertz.
- Designed for in line use only.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
   (No finish specification required.)

4-Circuit (2+2 and 3+1) — Electrical Components

Receptacles

Duplex Receptacles – 15 Amp — *4-Circuit (2+2 and 3+1)*



PRD-1500-M



PRD-1500-I

Description	Width	Receptacle Identifier	Ground Type	Number	Price
2+2 15A Duplex	Circuit 1	1	Common	PRD-1500-M12 ■	**$251.75**
	Circuit 2	2		PRD-1500-M22 ■	**251.75**
	Circuit 3	3		PRD-1500-M32 ■	**251.75**
	Circuit 4	4		PRD-1500-M42 ■	**251.75**
2+2 15A Duplex	Circuit 1	1	Isolated	PRD-1500-I12 ■	**$265.36**
	Circuit 2	2		PRD-1500-I22 ■	**265.36**
	Circuit 3	3		PRD-1500-I32 ■	**265.36**
	Circuit 4	4		PRD-1500-I42 ■	**265.36**
3+1 15A Duplex	Circuit 1	A	Common	PRD-1500-M14 ■	**$251.75**
	Circuit 2	B		PRD-1500-M24 ■	**251.75**
	Circuit 3	C		PRD-1500-M34 ■	**251.75**
	Circuit 4	D		PRD-1500-M44 ■	**251.75**
3+1 15A Duplex	Circuit 1	A	Isolated	PRD-1500-I14 ■	**$265.36**
	Circuit 2	B		PRD-1500-I24 ■	**265.36**
	Circuit 3	C		PRD-1500-I34 ■	**265.36**
	Circuit 4	D		PRD-1500-I44 ■	**265.36**

Features

- Includes box of six receptacles, each receptacle has two 15 Amp outlets (NEMA 5-15R configuration).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Receptacles are circuit and ground type specific.

■ Available on RUSH.

Specification Tips

- For power access at any location within the panels with appropriate base raceway covers.
- Not for use with power sources other than 120 volt 60 hertz.
- **Receptacles have fixed circuit access and are not field programmable. Specify appropriate number of receptacles for each circuit.**
- Isolated ground receptacle not for use with single circuit base feed module.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

NOTE: 3+1 receptacles identify circuit access with letters (i.e. Circuit 1=A).

To Order, Specify:

1) Product number.
2) Trim color (standard trim only).

Power Break Marker



NEP-1

Number	Price
NEP-1	**$149.58**

Features

- Includes box of fifty paper labels.
- Use one marker at each power distribution assembly to close the flex connector site wherever an improper electrical connection may occur.
- Features following message: ``Do not remove – Power Break – Consult Electrical Plan.”

To Order, Specify:

1) Product number.
(No finish specification required.)

4-Circuit (2+2 and 3+1) — Electrical Components

Duplex Receptacle and Cover for use with UniGroup Too, UniGroup and PLACES

Duplex Receptacle – 20 Amp — *4-Circuit (2+2 and 3+1)*



PRD-2000-M12

Class AA – SIN 711-1; Discount Group XI

Description	Number	Circuit Access	Ground Type	Price
2+2	PRD-2000-M12	Circuit 1	Common	**$251.75**
3+1	PRD-2000-M14	Circuit 1	Common	**$251.75**

Features

- Includes one duplex receptacle assembly (outlets are NEMA 5-20R configuration) with mounting hardware.
- For use with panels 36″(914mm) wide and greater powered by 4-Circuit power distribution assembly.
- Plugs into the receptacle location on the left side of the power distribution assembly.
- Receptacle and cover plate are black.

Specification Tips

- Receptacle is not circuit access programmable.
- Receptacle requires new raceway covers that must be ordered separately. Field modification of non-powered raceway covers are an alternate option.
- Standard powered raceway cover receptacle outlet locations are not compatible with this product.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit = black, 6-circuit = ivory, 2+2 = blue and 3+1= green).
- Not for use in Canada.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Raceway Cover – 20 Amp — *4-Circuit*



RKP-3-LS



RKP-3-LB

Class AA – SIN 711-1; Discount Group I

Panel Width	Number	Trim A	Trim B
One Outlet/One Side			
36″(914mm)	RKP-3-LS	**$316.87**	**$328.75**
42″(1067mm)	RKP-42-LS	**319.03**	**333.07**
48″(1219mm)	RKP-4-LS	**321.19**	**337.39**
54″(1372mm)	RKP-54-LS	**323.35**	**341.71**
60″(1524mm)	RKP-5-LS	**325.51**	**346.03**
One Outlet/Two Sides			
36″(914mm)	RKP-3-LB	**$316.87**	**$328.75**
42″(1067mm)	RKP-42-LB	**319.03**	**333.07**
48″(1219mm)	RKP-4-LB	**321.19**	**337.39**
54″(1372mm)	RKP-54-LB	**323.35**	**341.71**
60″(1524mm)	RKP-5-LB	**325.51**	**346.03**

Features

- Includes raceway cover with receptacle openings available on one or two sides.
- For use with panels 36″(914mm) wide and greater powered by 4-Circuit power distribution assemblies.

Specification Tips

- For use with 20 Amp UniGroup Too, UniGroup and PLACES receptacles only.
- Blank plates are not available for unused receptacle openings.
- Power Distribution Assembly (PDA) ordered separately.

To Order, Specify:

1) Product number.
2) Trim color.

4-Circuit (2+2 and 3+1) — Electrical Components

Raceway Retrofit Kits for use with UniGroup Too, UniGroup, PLACES

Actual Height	Panel Width	Non-Powered Number	Trim A	B	Powered 2+2	Trim A	B	Powered 3+1	Trim A	B
4″(102mm)	18″(457mm)	RKN-18-B	**$124.37**	**$129.77**	RKP-18-B2 ■	**$299.57**	**$304.97**	RKP-18-B4 ■	**$299.57**	**$304.97**
	24″(610mm)	RKN-2-B	**126.53**	**134.09**	RKP-2-B2 ■	**301.73**	**309.29**	RKP-2-B4 ■	**301.73**	**309.29**
	30″(762mm)	RKN-30-B	**128.69**	**138.41**	RKP-30-B2 ■	**303.89**	**313.61**	RKP-30-B4 ■	**303.89**	**313.61**
	36″(914mm)	RKN-3-B	**130.85**	**142.73**	RKP-3-B2 ■	**306.05**	**317.93**	RKP-3-B4 ■	**306.05**	**317.93**
	42″(1067mm)	RKN-42-B	**133.01**	**147.05**	RKP-42-B2 ■	**308.21**	**322.25**	RKP-42-B4	**308.21**	**322.25**
	48″(1219mm)	RKN-4-B	**135.17**	**151.37**	RKP-4-B2 ■	**310.37**	**326.57**	RKP-4-B4 ■	**310.37**	**326.57**
	54″(1372mm)	RKN-54-B	**137.33**	**155.69**	RKP-54-B2 ■	**312.53**	**330.89**	RKP-54-B4 ■	**312.53**	**330.89**
	60″(1524mm)	RKN-5-B	**139.49**	**160.01**	RKP-5-B2 ■	**314.69**	**335.21**	RKP-5-B4 ■	**314.69**	**335.21**

Raceway Retrofit Kit —
4-Circuit (2+2 and 3+1)



RKN-B (Non-Powered)



RKP-B2 (2+2 Powered)
RKP-B4 (3+1 Powered)

Features

- Powered retrofit kit includes one power distribution assembly, powered raceway cover, and flexible power connector.
- Convert powered panels to non-powered panels or non-powered panels to powered panels.
- Non-powered retrofit includes raceway cover retainer and non-powered raceway cover (no openings).
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.

■ Available on RUSH.

Specification Tips

- For use with UniGroup Too, UniGroup and PLACES.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
2) Trim color.

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

4-Circuit (2+2 and 3+1) — Electrical Components

Port Kit

Power/Communication Port Kit



HPCA-2
HPCA-4
HPCA-G-2
HPCA-G-4

Height	Width	Installed Height*	Description	Number	Price
9″(229mm)	3 1/4″(83mm)	34″(864mm)	2+2 Circuit #1 Common Ground	HPCA-1-2	**$560.20**
			2+2 Circuit #2 Common Ground	HPCA-2-2	**560.20**
			2+2 Circuit #3 Common Ground	HPCA-3-2	**560.20**
			2+2 Circuit #4 Common Ground	HPCA-4-2	**560.20**
9″(229mm)	3 1/4″(83mm)	34″(864mm)	3+1 Circuit #1 Common Ground	HPCA-1-4	**$560.20**
			3+1 Circuit #2 Common Ground	HPCA-2-4	**560.20**
			3+1 Circuit #3 Common Ground	HPCA-3-4	**560.20**
			3+1 Circuit #4 Common Ground	HPCA-4-4	**560.20**
9″(229mm)	3 1/4″(83mm)	34″(864mm)	2+2 Circuit #1 Isolated Ground	HPCA-1-G2	**$703.08**
			2+2 Circuit #2 Isolated Ground	HPCA-2-G2	**703.08**
			2+2 Circuit #3 Isolated Ground	HPCA-3-G2	**703.08**
			2+2 Circuit #4 Isolated Ground	HPCA-4-G2	**703.08**
9″(229mm)	3 1/4″(83mm)	34″(864mm)	3+1 Circuit #1 Isolated Ground	HPCA-1-G4	**$703.08**
			3+1 Circuit #2 Isolated Ground	HPCA-2-G4	**703.08**
			3+1 Circuit #3 Isolated Ground	HPCA-3-G4	**703.08**
			3+1 Circuit #4 Isolated Ground	HPCA-4-G4	**703.08**

*Installed height measures from the bottom of port kit to bottom of raceway cover.

Features

- Includes edge bracket, bezel, mounting template, circuit-specific harness which connects to base raceway PDA, circuit-specific common or isolated ground triplex receptacle and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- For use with panels equipped with 4-circuit (2+2 or 3+1) power components.
- Flush mounts into surface of the following UniGroup Too, UniGroup and PLACES panels: basic monolithic, laminate monolithic, monolithic panel with full height inserts, monolithic wood panel, monolithic wood/fabric and high-performance monolithic to provide electrical and/or communication access at beltline.
- Power connection occupies a receptacle connector location in base raceway.
- Standard in charcoal trim color only.

Specification Tips

- Not for use with panels less than 44″(1118mm) high.
- Power/Communication port kit may not be used in back-to-back applications.
- Not for use with monolithic panel with segmented inserts, monolithic panel core without inserts, glazed monolithic, open frame panel and add-on panels.
- Must be installed vertically (communications on top, electrical on bottom).
- May be installed on the left or right side of the panel face.
- Requires field modification of the panel.
- Modular furniture telecommunications outlet must be field supplied.
- Do not mix 3-circuit and 6-circuit with 4-circuit components. Do not mix 2+2 and 3+1 components. Components have unique polarity key and color coding (3-circuit=black, 6-circuit=ivory, 2+2=blue and 3+1=green).

To Order, Specify:

1) Product number.
(No finish specification required.)

4-Circuit (2+2 and 3+1) — Electrical Components

Ported Raceway Covers for use with UniGroup Too, UniGroup, PLACES

Ported Raceway Covers



PRCN-B (Non-Powered Condition)



PRCP-B (*4-Circuit (2+2)* Powered Condition)
PRCP-B (*4-Circuit (3+1)* Powered Condition)



PRCN-B (Non-Powered Condition)



PRCP-B (*4-Circuit (2+2)* Powered Condition)
PRCP-B (*4-Circuit (3+1)* Powered Condition)



PRCN-B (Non-Powered Condition)



PRCP-B (*4-Circuit (2+2)* Powered Condition)
PRCP-B (*4-Circuit (3+1)* Powered Condition)

Width	Description	Non-Powered Number	Trim A	B	Powered 2+2 and 3+1	Trim A	B
18″(457mm)	One modular furniture telecommunications opening, one side	PRCN-1118-B	$ 81.27	$ 85.79	PRCP-1118-B	$ 81.27	$ 85.79
24″(610mm)		PRCN-1124-B	86.92	93.70	PRCP-1124-B	86.92	93.70
30″(762mm)		PRCN-1130-B	92.57	101.61	PRCP-1130-B	92.57	101.61
36″(914mm)		PRCN-1136-B	98.22	109.52	PRCP-1136-B	98.22	109.52
42″(1067mm)		PRCN-1142-B	103.87	117.43	PRCP-1142-B	103.87	117.43
48″(1219mm)		PRCN-1148-B	109.52	125.34	PRCP-1148-B	109.52	125.34
54″(1372mm)		PRCN-1154-B	115.17	133.25	PRCP-1154-B	115.17	133.25
60″(1524mm)		PRCN-1160-B	120.82	141.16	PRCP-1160-B	120.82	141.16
18″(457mm)	One modular furniture telecommunications opening, each side	PRCN-1218-B	$ 92.56	$ 97.08	PRCP-1218-B	$ 92.56	$ 97.08
24″(610mm)		PRCN-1224-B	98.21	104.99	PRCP-1224-B	98.21	104.99
30″(762mm)		PRCN-1230-B	103.86	112.90	PRCP-1230-B	103.86	112.90
36″(914mm)		PRCN-1236-B	109.51	120.81	PRCP-1236-B	109.51	120.81
42″(1067mm)		PRCN-1242-B	115.16	128.72	PRCP-1242-B	115.16	128.72
48″(1219mm)		PRCN-1248-B	120.81	136.63	PRCP-1248-B	120.81	136.63
54″(1372mm)		PRCN-1254-B	126.46	144.54	PRCP-1254-B	126.46	144.54
60″(1524mm)		PRCN-1260-B	132.11	152.45	PRCP-1260-B	132.11	152.45
30″(762mm)	Two modular furniture telecommunications openings, one side	PRCN-2130-B	$103.86	$112.90	PRCP-2130-B	$103.86	$112.90
36″(914mm)		PRCN-2136-B	109.51	120.81	PRCP-2136-B	109.51	120.81
42″(1067mm)		PRCN-2142-B	115.16	128.72	PRCP-2142-B	115.16	128.72
48″(1219mm)		PRCN-2148-B	120.81	136.63	PRCP-2148-B	120.81	136.63
54″(1372mm)		PRCN-2154-B	126.46	144.54	PRCP-2154-B	126.46	144.54
60″(1524mm)		PRCN-2160-B	132.11	152.45	PRCP-2160-B	132.11	152.45
30″(762mm)	Two modular furniture telecommunications openings, each side	PRCN-2230-B	$115.14	$124.18	PRCP-2230-B	$115.14	$124.18
36″(914mm)		PRCN-2236-B	120.79	132.09	PRCP-2236-B	120.79	132.09
42″(1067mm)		PRCN-2242-B	126.44	140.00	PRCP-2242-B	126.44	140.00
48″(1219mm)		PRCN-2248-B	132.09	147.91	PRCP-2248-B	132.09	147.91
54″(1372mm)		PRCN-2254-B	137.74	155.82	PRCP-2254-B	137.74	155.82
60″(1524mm)		PRCN-2260-B	143.39	163.73	PRCP-2260-B	143.39	163.73
42″(1067mm)	One standard wall outlet opening, one side	PRCN-0142-B	$103.87	$117.43	PRCP-0142-B	$103.87	$117.43
48″(1219mm)		PRCN-0148-B	109.52	125.34	PRCP-0148-B	109.52	125.34
60″(1524mm)		PRCN-0160-B	120.82	141.16	PRCP-0160-B	120.82	141.16
42″(1067mm)	One standard wall outlet opening, each side	PRCN-0242-B	$115.16	$128.72	PRCP-0242-B	$115.16	$128.72
48″(1219mm)		PRCN-0248-B	120.81	136.63	PRCP-0248-B	120.81	136.63
60″(1524mm)		PRCN-0260-B	132.11	152.45	PRCP-0260-B	132.11	152.45

Features

- Retrofit to UniGroup Too, UniGroup and PLACES panel.
- Ported raceway covers enable communications equipment cabling to be routed to connector modules located on the faces of the base raceway covers. Six variations are available to accommodate the following connector modules: one modular furniture telecommunications opening centered on one side of the raceway cover; one modular furniture telecommunications opening centered on each side of the raceway cover; two modular furniture telecommunications openings on one side; two modular furniture telecommunications openings on each side; one standard wall outlet opening centered on one side; and one standard wall outlet opening centered on each side.
- Modular furniture telecommunications opening measures 1.38″(35mm) high x 2.7″(69mm) wide.
- Standard wall outlet opening measures 2.25″(57mm) high x 3.75″(95mm) wide.
- Openings for modular furniture telecommunications and standard wall outlets do not include covers.

Specification Tips

- Specify when no raceway cover is ordered (option -E).
- For use with UniGroup Too, UniGroup and PLACES.
- For use with 3-Circuit and 4-Circuit applications.

To Order, Specify:

1) Product number.
2) Trim color.

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical and Cable Management Accessories

Cable Management Poles for use with UniGroup Too and UniGroup

	Number	Trim A	Trim B
UniGroup Too/UniGroup Cable Management Pole — One Channel	CMPF-1-BR	**$498.96**	**$517.10**



CMPF-1-BR

Features

- Includes communications pole with cover, base raceway cover and ceiling bezel plate.
- Interface with the base raceway cover.
- Provides a means of vertically routing and accessing communications cabling within the panel's base raceway.
- May be used in 2-way (in-line), 3-way or 4-way panel conditions.
- Attaches to panel side trim rails.
- For use up to 10′(3048mm) ceiling height.
- Refer to Specification Guide for cable management.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with UniGroup Too and UniGroup.

To Order, Specify:

1) Product number.
2) Trim color for raceway cover.
3) Trim color for pole.

UniGroup Too/UniGroup Cable Management Pole — Two Channels	CMPT-1-B	**$530.71**	**$548.85**



CMPT-1-B

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Provides cabling capacity with two integral channels.
- May be used as a 2-way in-line panel filler.
- Interior of 2″(51mm)-wide pole is separated by a metal divider, which separates communication cables in each compartment.
- Attaches to panel side trim rails.
- For use up to 10′(3048mm) ceiling height.

Specification Tips

- Use straight span connector to bypass electrical distribution.
- Cannot be used in conjunction with finish posts.
- For use with UniGroup Too and UniGroup.

To Order, Specify:

1) Product number.
2) Trim color for raceway cover.
3) Trim color for pole.

Electrical and Cable Management Accessories

Cable Management Poles for use with PLACES

PLACES Cable Management Pole – Panel Height



HCPA
(2-Way)



HCPS
(3-Way)

Height	Width	Description	Number	Price
44″(1118mm)	2″(51mm)	For 2-way 90° panel condition	HCPA-0044	**$391.82**
50″(1270mm)			HCPA-0050	**399.21**
56″(1422mm)			HCPA-0056	**406.60**
64″(1626mm)			HCPA-0064	**416.52**
68″(1727mm)			HCPA-0068	**421.43**
82″(2083mm)			HCPA-0082	**438.74**
44″(1118mm)	2″(51mm)	For 3-way panel condition	HCPS-0044	**$391.82**
50″(1270mm)			HCPS-0050	**399.21**
56″(1422mm)			HCPS-0056	**406.60**
64″(1626mm)			HCPS-0064	**416.52**
68″(1727mm)			HCPS-0068	**421.43**
82″(2083mm)			HCPS-0082	**438.74**

Features

- Includes communications pole with cover, base raceway cover and top cap.
- Vertically routes communications cabling.
- Use in 2-way or 3-way panel conditions.
- In a 4-way condition, use cover as the fourth cable exit location.
- 10′(3048mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.

To Order, Specify:

1) Product number.
2) Trim color.
3) Trim color for raceway cover.

PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling



HCPA
(2-Way)



HCPS
(3-Way)



HCPE
(End-of-run)

Height	Width	Description	Number	Price
44″(1118mm)	2″(51mm)	For 2-way 90° panel condition	HCPA-1044	**$397.29**
50″(1270mm)			HCPA-1050	**402.90**
56″(1422mm)			HCPA-1056	**410.38**
64″(1626mm)			HCPA-1064	**414.12**
68″(1727mm)			HCPA-1068	**422.86**
82″(2083mm)			HCPA-1082	**431.59**
44″(1118mm)	2″(51mm)	For 3-way panel condition	HCPS-1044	**$397.29**
50″(1270mm)			HCPS-1050	**402.90**
56″(1422mm)			HCPS-1056	**410.38**
64″(1626mm)			HCPS-1064	**414.12**
68″(1727mm)			HCPS-1068	**422.86**
82″(2083mm)			HCPS-1082	**431.59**
44″(1118mm)	2″(51mm)	For end-of-run panel condition	HCPE-1044 ■	**$386.69**
50″(1270mm)			HCPE-1050 ■	**395.42**
56″(1422mm)			HCPE-1056 ■	**402.90**
64″(1626mm)			HCPE-1064 ■	**406.64**
68″(1727mm)			HCPE-1068 ■	**415.38**
82″(2083mm)			HCPE-1082 ■	**424.11**

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Vertically routes communications cabling.
- Use in 2-way, 3-way, or end-of-run panel conditions (floor to ceiling only).
- In a 4-way condition, use cover as the fourth cable exit location.
- 10′(3048mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

■ Available on RUSH.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.

To Order, Specify:

1) Product number.
2) Trim color.
3) Trim color for raceway cover.

Electrical and Cable Management Accessories

Cable Management Poles for use with PLACES

PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling



HCPA
(2-Way)



HCPS
(3-Way)

HCPE
(End-of-run)

Height	Width	Description	Number	Price
44″(1118mm)	2″(51mm)	For 2-way 90° panel condition	HCPA-1244	**$449.68**
50″(1270mm)			HCPA-1250	**455.29**
56″(1422mm)			HCPA-1256	**462.77**
64″(1626mm)			HCPA-1264	**466.51**
68″(1727mm)			HCPA-1268	**475.25**
82″(2083mm)			HCPA-1282	**483.98**
44″(1118mm)	2″(51mm)	For 3-way panel condition	HCPS-1244	**$449.68**
50″(1270mm)			HCPS-1250	**455.29**
56″(1422mm)			HCPS-1256	**462.77**
64″(1626mm)			HCPS-1264	**466.51**
68″(1727mm)			HCPS-1268	**475.25**
82″(2083mm)			HCPS-1282	**483.98**
44″(1118mm)	2″(51mm)	For end-of-run panel condition	HCPE-1244	**$439.08**
50″(1270mm)			HCPE-1250	**447.81**
56″(1422mm)			HCPE-1256	**455.29**
64″(1626mm)			HCPE-1264	**459.03**
68″(1727mm)			HCPE-1268	**467.77**
82″(2083mm)			HCPE-1282	**476.50**

Features

- Includes communications pole with covers, base raceway covers and ceiling bezel plate.
- Vertically routes communications cabling.
- Use in 2-way, 3-way, or end-of-run panel conditions (floor to ceiling only).
- In a 4-way condition, use cover as the fourth cable exit location.
- 12′(3658mm) ceiling height limit.
- Poles feature openings to match the panel's top raceway for continuous cable routing.
- Attaches to panel side trim rails.
- Refer to Specification Guide for cable management.

Specification Tips

- Cannot be used in conjunction with finish posts.
- For use with PLACES.

To Order, Specify:

1) Product number.
2) Trim color.
3) Trim color for raceway cover.

Electrical and Cable Management Accessories

Cable Management Posts for use with PLACES

Height	Width	Fabric Number	Fabric Grade A	B	C	D	E	F	G	Painted Number	Price
24″(610mm)	2″(51mm)	HSCP-0024-F1	**$197.25**	**$198.17**	**$199.19**	**$200.29**	**$201.40**	**$202.87**	**$203.78**	HSCP-0024-V1	**$194.94**
52″(1321mm)		HSCP-0052-F1	**286.47**	**288.31**	**290.35**	**292.55**	**294.77**	**297.71**	**299.53**	HSCP-0052-V1	**281.85**

PLACES Cable Management Post – Variable Height – Three-Way 180° – Fabric or Painted Surface



HSCP-F1
HSCP-V1

Features
- Includes post, low profile top cap and replacement low profile top cap for finish post.
- For three-way, 180° panel configurations.
- Use when taller panel meets lower panels in a straight-run condition and panel-top cable storage is required to continue along panel runs.
- Field cut to appropriate length.

Specification Tip
- For use with PLACES.

To Order, Specify:
1) Product number.
2) Fabric or painted surface color.
3) Trim color.

24″(610mm)	2″(51mm)	HSCP-0024-F2	**$197.25**	**$198.17**	**$199.19**	**$200.29**	**$201.40**	**$202.87**	**$203.78**	HSCP-0024-V2	**$194.94**
52″(1321mm)		HSCP-0052-F2	**286.47**	**288.31**	**290.35**	**292.55**	**294.77**	**297.71**	**299.53**	HSCP-0052-V2	**281.85**

PLACES Cable Management Post – Variable Height – Two-Way 90° – Fabric or Painted Surface



HSCP-F2
HSCP-V2

Features
- Includes post, low profile top cap and replacement low profile top cap for finish post.
- For 90° panel configuration applications only.
- Use when panels of two different heights meet and cable storage is required to continue along top of panel run.
- Field cut to appropriate length.

Specification Tip
- For use with PLACES.

To Order, Specify:
1) Product number.
2) Fabric or painted surface color.
3) Trim color.

24″(610mm)	2″(51mm)	HSCP-0024-F3	**$197.25**	**$198.17**	**$199.19**	**$200.29**	**$201.40**	**$202.87**	**$203.78**	HSCP-0024-V3	**$194.94**
52″(1321mm)		HSCP-0052-F3	**286.47**	**288.31**	**290.35**	**292.55**	**294.77**	**297.71**	**299.53**	HSCP-0052-V3	**281.85**

PLACES Cable Management Post – Variable Height — In-Line – Fabric or Painted Surface



HSCP-F3
HSCP-V3

Features
- Includes post, low profile cap and lower panel end cap.
- For straight-line panel configurations.
- Use when panels of two different heights meet and panel-top cable storage is required to continue along panel run.
- Requires field modification of lower straight panel top cap.
- Field cut to appropriate length.

Specification Tip
- For use with PLACES.

To Order, Specify:
1) Product number.
2) Fabric or painted surface color.
3) Trim color.

Class BA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical and Cable Management Accessories

Cable Management Posts for use with PLACES

Height	Width	Fabric Number	Fabric Grade A	B	C	D	E	F	G	Painted Number	Price
24″(610mm)	2″(51mm)	HCCP-0024-F4	**$246.28**	**$250.43**	**$254.98**	**$259.96**	**$264.93**	**$271.55**	**$275.70**	HCCP-0024-V4	**$235.92**
52″(1321mm)		HCCP-0052-F4	**343.55**	**351.85**	**360.95**	**370.91**	**380.85**	**394.09**	**402.39**	HCCP-0052-V4	**322.83**

PLACES Cable Management Post – Variable Height – Three-Way 90° – Fabric or Painted Surface



HCCP-F4
HCCP-V4

Features

- Includes post, low profile top cap and replacement for low profile top cap finish post.
- For 90° panel configuration applications only.
- Use when equal-height panels at 90° meet lower-height panel and cable storage is required to continue along top of panel run.
- Field cut to appropriate length.

Specification Tip

- For use with PLACES.

To Order, Specify:

1) Product number.
2) Fabric or painted surface color.
3) Trim color.

Electrical and Cable Management Accessories

End Cap / Communication Junction Box for use with UniGroup Too, UniGroup, PLACES

	Height	Number	Trim A	Trim B
Base Raceway End Cap	4″(102mm)	EC-10-B ■	**$23.81**	**$29.06**

EC-10-B

Features

- Includes ten end caps.
- For use at base raceway for end-of-run panel condition.

Note: .6 end caps included with every panel.
Order additional as necessary.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Class AA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical and Cable Management Accessories

Vertical Wire Managers for use with UniGroup Too, UniGroup, PLACES

Vertical Wire Manager

Height	Inside Diameter	Number	Price
17 1/2″(444mm)	7/16″(11mm)	WC-17	**$95.26**

WC-17

Features

- Includes ten vertical wire managers.
- Vertically routes and conceals cords along panel surface above or below the worksurface.
- Wire manager extends 1/2″(13mm) from panel surface.
- Standard in black finish only.

Specification Tips

- Suggested application: use to conceal single task light cord between overhead storage and worksurface.
- May be field cut to appropriate size.
- Panel side rails will not accommodate multiple components in the same location.
- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Vertical Wire Channel

Height	Width	Depth	Number	Price
72″(1829mm)	3/4″(19mm)	3/4″(19mm)	WC-6 ■	**$24.95**

WC-6

Features

- Includes field-cuttable channel.
- Guides wires or cables vertically.
- Inserts into the panel side rail reveals.
- Not available for use in the city of Los Angeles.

■ Available on RUSH.

Specification Tip

- For use with UniGroup Too, UniGroup and PLACES.

To Order, Specify:

1) Product number.
2) Trim color.

Electrical and Cable Management Accessories

Expanded Top Caps for use with UniGroup

Expanded Top Cap Raceway



ETCR

Width	Number	Price
12″(305mm)	ETCR-12	**$103.68**
18″(457mm)	ETCR-18	**111.66**
24″(610mm)	ETCR-24	**119.64**
30″(762mm)	ETCR-30	**127.62**
36″(914mm)	ETCR-36	**135.60**
42″(1067mm)	ETCR-42	**143.58**
48″(1219mm)	ETCR-48	**151.56**
60″(1524mm)	ETCR-60	**167.52**

Features

- Includes channel and top cap.
- Refer to specification guide for cable management.
- Replaces the panel's top cap and adds 2″(51mm) to the panel's height.

To Order, Specify:

1) Product number.
2) Trim color.

Expanded Top Finish Cap



FC-1



FC-2



FC-3



FC-4



FC-90

Description	Number	Price
End-of-Run Cap	FC-1	**$37.42**
Two-Way	FC-2	**28.35**
Three-Way	FC-3	**44.23**
Four-Way	FC-4	**57.83**
90° Corner	FC-90	**36.29**

Features

- Includes cover.
- Used to join expanded top caps in a panel run.
- Two-way cap is for straight connection over a straight finish post.
- Three-way cap is for connections of three panels.
- Four-way cap is for connections of four panels.
- 90° corner cap is for use in conjunction with a 90° finish post.
- End-of-run cap is used at an end-of-panel-run condition.

To Order, Specify:

1) Product number.
2) Trim color.

Electrical Management Accessories

Flip Top Units for use with UniGroup Too, UniGroup, PLACES

Flip Top Unit

EUE1-1111W

EUE1-1B01W



EUE1-1331W



EUE2-1331W



EUE1-C331W



EUE2-C331W



Fused Plug Detail

	Width	Bezel Depth	Configuration	Number	Price
Corded Single-Sided Outlets					
	5 5/16″(133mm)	4 3/8″(111mm)	1 Power, 1 Data	EUE1-0000-1111W	**$ 394.78**
			2 Power, 0 Data	EUE1-0000-1B01W	**394.78**
	8 5/16″(211mm)		2 Power, 2 Data	EUE1-0000-1221W	**473.48**
			3 Power, 1 Data	EUE1-0000-1311W ■	**473.48**
	11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-1331W	**473.48**
			4 Power, 2 Data	EUE1-0000-1421W	**473.48**
Corded Double-Sided Outlets					
	8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-1221W	**$ 946.95**
			3 Power, 1 Data	EUE2-0000-1311W	**946.95**
	11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-1331W ■	**946.95**
			4 Power, 2 Data	EUE2-0000-1421W	**946.95**
Hardwire Single-Sided Outlets					
	8 5/16″(211mm)	4 3/8″(111mm)	2 Power, 2 Data	EUE1-0000-C221W	**$ 540.32**
	11 1/4″(286mm)		3 Power, 3 Data	EUE1-0000-C331W	**540.32**
Hardwire Double-Sided Outlets					
	8 5/16″(211mm)	8″(203mm)	2 Power, 2 Data	EUE2-0000-C221W	**$1080.63**
	11 1/4″(286mm)		3 Power, 3 Data	EUE2-0000-C331W	**1080.63**

Features

- Hardwire flip top unit includes one flip top unit with power outlets and communication openings, mounting clips, 6 foot flexible metal conduit feed with wires for hardwire, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Corded flip top unit includes one flip top unit with power outlets and communication openings, 12 foot long – 15-amp cord with plug, mounting clips, multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Flip top unit is flush mounted with spring release cover.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below worksurfaces.
- Standard in anodized finish.
- Ships assembled.

■ Available on RUSH.

Specification Tips

- Flip top unit plug-in cord drops down from bottom of unit to plug into external power outlet.
- Flip top unit must be field installed on worksurfaces by field cutting hole.
- **For use with 120 volt 60 hertz power source only.**
- **Applications should be reviewed by local authorities (electrical inspector) prior to ordering to verify use is acceptable.**
- Corded flip top units with four receptacles utilize a fused plug that my block adjacent building receptacle outlet.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Electrical Management Accessories

Desktop Port and Enhanced Power Module for use with UniGroup Too, UniGroup, PLACES

Desktop Port



BEDP

Class IF – SIN 711-1;
Discount Group XI

Description	Height	Width	Number	Price
Desktop Port with 6′(1829mm) cord	3 1/2″(89mm)	9 5/8″(244mm)	BEDP-6	**$320.46**
Desktop Port with 12′(3658mm) cord			BEDP-12	**320.46**

Features

- 6′(1829mm) or 12′(3658mm) black cord option.
- Three power outlets and one modular furniture telecommunications outlet opening [1.38″(25mm) x 2.71″(69mm)] with blank cover.
- Mounts on worktops from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Not available for use in Los Angeles, Chicago or New York.
- Power can be routed from panel, floor or wall.
- Allows for off-modularity.
- Module and bracket available in graphite finish only with black cord.
- **Not for power sources other than 120 volt 60 hertz.**
- Shipped assembled.

Specification Tips

- Attaches to back edge of worktop with threaded knob.
- Power cord plugs into receptacle outlet or into a building outlet. Desktop ports cannot be linked together.
- Modular furniture telecommunications outlet plates must be field supplied.
- Cord use should be reviewed by local authorities (electrical inspector) prior to ordering.
- For worksurfaces without wireway install desktop port prior to attaching worksurface to panel.
- May cause interference with panel-mounted accessories such as tackboards, slat pads, markerboards, etc.

To Order, Specify:

1) Product number.
(No finish specification required.)

Enhanced Power Module



EUD1-0000-1311V



EUD1-0000-C311V

Class YA – SIN 711-1;
Discount Group XIII

Height	Width	Depth	Cord Length	Number ❶	Price
With Plug					
3 1/2″(89mm)	6 3/4″(171mm)	3 1/2″(89mm)-4 1/2″(114mm)	6′(1829mm)	EUD1-0000-1311V	**$327.53**
			12′(3658mm)	EUD1-0000-1311W	**376.41**
Hardwire					
3 1/2″(89mm)	6 3/4″(171mm)	2 1/4″(57mm)	6′(1829mm)	EUD1-0000-C311V	**$388.81**

Features

- Includes power module with three simplex outlets (NEMA 5-15R) and one data location, multiple data jack adapters to accommodate most varieties of field supplied data jacks, mounting hardware, optional standard plug (NEMA 5-15P) or hardwire connection.
- Designed to deliver electrical and data access to the work station.
- Attaches to the back edge of the worksurface.
- Corded power module available with 15amp - 6′(1829mm) or 12′3658mm) long cord with plug.
- Hardwired power module available with 6′(1829mm) long flexible metal conduit feed with wires for hardwire application.
- Option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Accommodates worksurface thicknesses from 1 3/16″(30mm) to 2″(51mm).
- Attachment hardware allows for installation above or below work surface, with or without tackboards, to back side of lower storage units, and with vertical storage units that have back edge clearance.
- For use with 120 volt 60 hertz power source only.
- Enhanced Power module applications should be reviewed by local authorities (electrical inspector) prior to ordering.
- Requires field installation.

To Order, Specify:

1) Product number, including:

❶ **Color Option:**

B Black

W White

Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical Management Accessories

Electrical Accessories for use with UniGroup Too, UniGroup, PLACES

Power/Data Dome



JAP-2 JAP-4

Class FM – SIN 711-2;
Discount Group XII

Description	Number	Price
Two (2) power outlets and two (2) plates for data connection	JAP-2	**$193.44**
Four (4) power outlets	JAP-4	**211.12**

Features

- Includes a dome with either two power and two data outlets or four power outlets. Dome with data outlets includes multiple data jack adapters to accommodate most varieties of field supplied data jacks, also includes blank data covers.
- Provides power and communication access at desk height.
- Field installed. Mounts into 3″(76mm) diameter hole.
- Available in black finish color only.
- Power cord is 72″(1829mm) long.
- JAP-2 includes a voice/data adapter kit to accept couplers and jacks.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet



WUAC-WSG

Class CA – SIN 711-1;
Discount Group I

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**

Features

- Includes one cover.
- Must be field-installed.
- Available in charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Horizontal Wire Manager



WUAW-1500-PNH

Class CA – SIN 711-1;
Discount Group I

Depth	Width	Height	Number	Price
2″(51mm)	15″(381mm)	3″(76mm)	WUAW-1500-PNH ■	**$150.80**

Features

- Includes a set of ten, plastic wire managers and mounting screws.
- Manages and stores wire and cables under worksurfaces.
- Standard in Charcoal trim.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wire Management Loop

HNEH-8

Class BA – SIN 711-1;
Discount Group I

Installed Height	Width	Number	Price
4 1/2″(114mm)	2 3/4″(70mm)	HNEH-8	**$38.43**

Features

- Includes eight (8) wire management loops.
- Manages and stores wires or cables through loops under worksurfaces or desk tops.
- Install anywhere under worksurfaces in recommended 18″(457mm) intervals.
- Loop capacity: 19, 25-pair communications cables.
- Standard in charcoal finish color only.

To Order, Specify:

1) Product number.
(No finish specification required.)

UniGroup Too, UniGroup and PLACES Power Distribution for Hardwire Applications

Infeeds	Applications
Base Feed	48″(1219mm) or as required
Top Feed	Ceiling Height (H) + 18″(457mm)

Panel Applications	Panel Applications
Between two junction boxes on one panel	Panel Width (W) - 17″(432mm)
Between junction boxes if one per panel	Panel Width (W) - 8″(203mm)
Across panel-panel connection	9″(229mm)
Across 3- or 4-Way connection	11″(279mm)



Hardwire – Electrical Components

Hardwire Raceway Kits / Base Feed Module for use with UniGroup Too, UniGroup, PLACES

Base Feed Kit



BFM-1-C

Number	Price
BFM-1-C	$148.44

Features
- Includes one electrical box with 1/2″(13mm) knockouts, one base feed cover plate and panel mounting hardware.
- For panel hardwire infeed connections to floor, column or wall.

Specification Tips
- For use with UniGroup Too, UniGroup and PLACES.
- **Conduit, fittings, and receptacle are field supplied.**

To Order, Specify:
1) Product number.
2) Trim color (standard only).

Dual Power Access Raceway Kit — 4″-High Base Raceway



RKP-00-C

Height	Trim Finish Number	Price
4″(102mm)	RKP-00-C	$279.15

Features
- Includes one electrical box with 1/2″(13mm) knockouts, one base feed cover plate, receptacle cover plate and panel mounting hardware.
- For hardwire receptacle access in panels.

Specification Tips
- Powered raceway cover ordered separately.
- Raceway cover requires field modification.
- For use with UniGroup Too, UniGroup and PLACES.
- **Conduit, fittings, and receptacle are field supplied.**

To Order, Specify:
1) Product number.
2) Trim color (standard only).

Blank Cover Plate



BPM-1-C

Number	Price
BPM-1-C	$39.69

Features
- Includes one blank plate and hardware.
- For hardwire electrical box applications where no power access is required.

To Order, Specify:
1) Product number.
2) Trim color (standard only).

Raceway Covers



PRCP

Width	Powered	Trim A	Trim B
18″(457mm)	PRCP-0018-B	$ 85.05	$ 87.32
24″(610mm)	PRCP-0024-B	92.99	96.38
30″(762mm)	PRCP-0030-B	100.93	105.44
36″(914mm)	PRCP-0036-B	108.87	114.50
42″(1067mm)	PRCP-0042-B	116.81	123.56
48″(1219mm)	PRCP-0048-B	124.75	132.62
54″(1372mm)	PRCP-0054-B	132.69	141.68
60″(1524mm)	PRCP-0060-B	140.63	150.74

Features
- Includes one raceway cover with openings for power.
- Retrofit to UniGroup Too, UniGroup and PLACES panel.

Specification Tips
- Specify when no raceway cover is ordered (option -E).
- For use with UniGroup Too, UniGroup and PLACES.
- Opening of raceway cover needs to be field modified for hardwire applications. See installation instructions.

To Order, Specify:
1) Product number.
2) Trim color.

Hardwire – Electrical Components

Hardwire / International Top Feed Modules for use with UniGroup Too and UniGroup

	Panel Height	Pole Length	Number	Trim A	Trim B
UniGroup Too, Hardwire / International Top Feed Module	32″(813mm) - 56″(1422mm)	124″(3150mm)	E2FM-3200-NT	**$384.13**	**$421.23**
	64″(1626mm) - 80″(2032mm)	70″(1778mm)	E2FM-6400-NT	**354.93**	**371.78**



E2FM-NT

Features

- Includes electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with Chicago/Hardwire applications and with 4 meter Power Logic cord, ordered separately from Power Logic.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on pole provides access to pathway.
- Routes power to base raceway.

Specification Tips

- For installation on panels no less the 18″(457mm) wide.
- Not for use with glazed add-on panels, glazed panels or single doors.
- For use with UniGroup Too square painted top cap panels only, field cutting of top cap is required.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

UniGroup Hardwire / International Top Feed Module	32″(813mm) - 56″(1422mm)	124″(3150mm)	TFM-3000-NT	**$371.89**
	64″(1626mm) - 82″(2083mm)	70″(1778mm)	TFM-6400-NT	**359.42**



TFM-NT

Features

- Includes electrical box, ceiling bezel plate, single channel pole, hardware and square painted top cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with Chicago/Hardwire applications and with 4 meter Power Logic cord, ordered separately from Power Logic.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on pole provides access to pathway.
- Routes power to base raceway.

Specification Tips

- For installation on panels no less the 18″(457mm) wide.
- Not for use with glazed add-on panels, glazed panels or single doors.
- For use with UniGroup radius steel top cap, field cutting of top cap is required. When used with UniGroup radius wood top cap, access hole must be cut into top cap.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

Hardwire – Electrical Components

Top Feed Modules for use with PLACES

PLACES Top Feed Module



HTFM

Class BA – SIN 711-1;
Discount Group I

Panel Height	Pole Length	Number	Price
10′ Ceiling Height			
30″(762mm) - 56″(1422mm)	124″(3150mm)	HTFM-3000-NT	**$433.48**
64″(1626mm) - 82″(2083mm)	70″(1778mm)	HTFM-6400-NT	**410.40**

Features

- Includes electrical box, ceiling bezel plate, single channel pole, hardware and low profile top cap cover.
- For connection to the electrical source located in space above a drop ceiling.
- For use with Chicago/Hardwire applications and with 4 meter Power Logic cord, ordered separately from Power Logic.
- For routing and cabling capacities, see Specification Guide.
- Removable cover on poles provides access to pathway.
- Routes power to base raceway.

Specification Tips

- For installation on panels no less than 18″(457mm) wide.
- For use with PLACES panels only.
- Not for use with glazed add-on panels, glazed and open frame panels or single doors.
- For use with PLACES low profile steel top cap, field cutting of top cap is required. When used with PLACES low profile wood top cap, access hole must be cut into top cap.

To Order, Specify:

1) Product number.
2) Trim color for pole.
3) Trim color for top cap piece.

Plastic Liner



HCT-0000

Class BA – SIN 711-1;
Discount Group I

Number	Price
HCT-0000	**$44.90**

Features

- Includes a package of 10 plastic liners (enough for 5 panels).
- Used when routing communication cables in the top trough of PLACES.
- Two liners per panel regardless of panel width.

To Order, Specify:

1) Product number.
(No finish specification required.)

International Power Components

GSA: Open Market

For power applications outside North America we recommend the use of **Power Logic** soft wiring components. Power Logic offers a system of single circuit power cords and receptacle modules that fit into our non-powered base raceway. Receptacle modules are offered with two sockets (3 and 4 socket versions also available). Each receptacle module has sockets, switches and fuses that are appropriate for each country around the world. Contact the Power Logic regional sales office in your area to help with planning details to assure local electrical code compliance. Contact Power Logic via the Haworth/Power Logic website, (www.powerlogic.net), or through their corporate offices in Cape Town, South Africa at 27-21-704-1450. Power Logic also offers power solutions for desktop, conference table or freestanding power applications.

Power Entry Cord

Cord



Receptacle

Splitter

To route a Power Logic power entry cord from a ceiling, order a hardwire top feed module to conceal the cord.
To mount a Power Logic receptacle at the base raceway, order a non-powered raceway cover and cut appropriate-sized knockout in the field. To mount a Power Logic receptacle in a fabric tile, order standard fabric tile and cut appropriate-sized knockout in the field.

Adaptable Worksurfaces — Laminate

Rectangular



24" x 60"

24" x 72"

WURA

Features

- Includes worksurface and tie plate.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24″(607mm)- to 60″(1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60″(1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.
- Worksurfaces 36″(914mm) wide and above are drilled for pedestals.

■ Available on RUSH with Standard Core.

Specification Tips

- For additional widths to span a 3-way panel condition, refer to panel-specific worksurface section.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever brackets
  –Side brackets
  –Worksurface support panel
  –Support column or support leg
  –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular

Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	24″(610mm)	WURA-1824-L	$182.37	$187.50	$223.53	$253.99	$ 283.70	$197.08	$202.21	$238.24	$268.70	$ 298.41
	26″(660mm)	WURA-1826-L	191.74	196.95	233.90	264.36	294.82	207.19	212.40	249.35	279.81	380.57
	30″(762mm)	WURA-1830-L	211.38	216.91	257.54	288.00	321.46	228.31	233.84	274.47	304.93	338.39
	32″(813mm)	WURA-1832-L	221.20	226.89	269.36	299.82	334.78	238.87	244.56	287.03	317.49	352.45
	36″(914mm)	WURA-1836-L	240.84	246.85	293.00	323.46	361.42	259.99	266.00	312.15	342.61	380.57
	38″(965mm)	WURA-1838-L	250.66	256.83	304.82	335.28	374.74	270.55	276.72	324.71	355.17	394.63
	42″(1067mm)	WURA-1842-L	270.30	276.79	328.46	358.92	401.38	291.67	298.16	349.83	380.29	422.75
	44″(1118mm)	WURA-1844-L	280.12	286.77	340.28	370.74	414.70	302.23	308.88	362.39	392.85	436.81
	48″(1219mm)	WURA-1848-L	333.37	340.34	397.53	427.99	474.95	356.96	363.93	421.12	451.58	498.54
	50″(1270mm)	WURA-1850-L	343.19	350.32	409.35	439.81	488.27	367.52	374.65	433.68	464.14	512.60
	54″(1372mm)	WURA-1854-L	362.83	370.28	432.99	463.45	514.91	388.64	396.09	458.80	489.26	540.72
	56″(1422mm)	WURA-1856-L	372.65	380.26	444.81	475.27	528.23	399.20	406.81	471.36	501.82	554.78
	60″(1524mm)	WURA-1860-L	392.29	400.22	468.45	498.91	554.87	420.32	428.25	496.48	526.94	582.90
	62″(1575mm)	WURA-1862-L	402.11	410.20	480.27	510.73	568.19	430.88	438.97	509.04	539.50	596.96
	66″(1676mm)	WURA-1866-L	421.75	430.16	503.91	534.37	594.83	452.00	460.41	534.16	564.62	625.08
	68″(1727mm)	WURA-1868-L	431.57	440.14	515.73	546.19	608.15	462.56	471.13	546.72	577.18	639.14
	72″(1829mm)	WURA-1872-L	451.21	460.10	539.37	569.83	634.79	483.68	492.57	571.84	602.30	667.26
	74″(1880mm)	WURA-1874-L	461.03	470.08	551.19	581.65	648.11	494.24	503.29	584.40	614.86	681.32
	78″(1981mm)	WURA-1878-L	480.67	490.04	574.83	605.29	674.75	515.36	524.73	609.52	639.98	709.44
	80″(2032mm)	WURA-1880-L	490.49	500.02	586.65	617.11	688.07	525.92	535.45	622.08	652.54	723.50
	84″(2134mm)	WURA-1884-L	510.13	519.98	610.29	640.75	714.71	547.04	556.89	647.20	677.66	751.62
	86″(2184mm)	WURA-1886-L	519.95	529.96	622.11	652.57	728.03	557.60	567.61	659.76	690.22	765.68
	90″(2286mm)	WURA-1890-L	539.59	549.92	645.75	676.21	754.67	578.72	589.05	684.88	715.34	793.80
	92″(2337mm)	WURA-1892-L	549.41	559.90	657.57	688.03	767.99	589.28	599.77	697.44	727.90	807.86
	96″(2438mm)	WURA-1896-L	569.05	579.86	681.21	711.67	794.63	610.40	621.21	722.56	753.02	835.98
	98″(2489mm)	WURA-1898-L	578.87	589.84	693.03	723.49	807.95	620.96	631.93	735.12	765.58	850.04
	102″(2591mm)	WURA-18A2-L	598.51	609.80	716.67	747.13	834.59	642.08	653.37	760.24	790.70	878.16
	104″(2642mm)	WURA-18A4-L	608.33	619.78	728.49	758.95	847.91	652.64	664.09	772.80	803.26	892.22
	108″(2743mm)	WURA-18A8-L	627.97	639.74	752.13	782.59	874.55	673.76	685.53	797.92	828.38	920.34
	110″(2794mm)	WURA-18B0-L	637.79	649.72	763.95	794.41	887.87	684.32	696.25	810.48	840.94	934.40
	114″(2890mm)	WURA-18B4-L	657.43	669.68	787.59	818.05	914.51	705.44	717.69	835.60	866.06	962.52
	116″(2946mm)	WURA-18B6-L	667.25	679.66	799.41	829.87	927.83	716.00	728.41	848.16	878.62	976.58
	120″(3048mm)	WURA-18C0-L	686.89	699.62	823.05	853.51	954.47	737.12	749.85	873.28	903.74	1004.70
24″(610mm)	24″(610mm)	WURA-2424-L	$205.40	$213.76	$252.64	$283.10	$ 315.22	$220.11	$228.47	$267.35	$297.81	$ 329.93
	26″(660mm)	WURA-2426-L	215.83	224.27	264.07	294.53	327.40	231.28	239.72	279.52	309.98	342.85
	30″(762mm)	WURA-2430-L	237.59	246.35	289.83	320.29	356.16	254.52	263.28	306.76	337.22	373.09
	32″(813mm)	WURA-2432-L	248.47	257.39	302.71	333.17	370.54	266.14	275.06	320.38	350.84	388.21
	36″(914mm)	WURA-2436-L	270.23	279.47	328.47	358.93	399.30	289.38	298.62	347.62	378.08	418.45
	38″(965mm)	WURA-2438-L	281.11	290.51	341.35	371.81	413.68	301.00	310.40	361.24	391.70	433.57
	42″(1067mm)	WURA-2442-L	302.87	312.59	367.11	397.57	442.44	324.24	333.96	388.48	418.94	463.81
	44″(1118mm)	WURA-2444-L	313.75	323.63	379.99	410.45	456.82	335.86	345.74	402.10	432.56	478.93
	48″(1219mm)	WURA-2448-L	369.12	379.32	439.36	469.82	519.19	392.71	402.91	462.95	493.41	542.78
	50″(1270mm)	WURA-2450-L	380.00	390.36	452.24	482.70	533.57	404.33	414.69	476.57	507.03	557.90
	54″(1372mm)	WURA-2454-L	401.76	412.44	478.00	508.46	562.33	427.57	438.25	503.81	534.27	588.14
	56″(1422mm)	WURA-2456-L	412.64	423.48	490.88	521.34	576.71	439.19	450.03	517.43	547.89	603.26
	60″(1524mm)	WURA-2460-L	434.40	445.56	516.64	547.10	605.47	462.43	473.59	544.67	575.13	633.50
	62″(1575mm)	WURA-2462-L	445.28	456.60	529.52	559.98	619.85	474.05	485.37	558.29	588.75	648.62
	66″(1676mm)	WURA-2466-L	467.04	478.68	555.28	585.74	648.61	497.29	508.93	585.53	615.99	678.86
	68″(1727mm)	WURA-2468-L	477.92	489.72	568.16	598.62	662.99	508.91	520.71	599.15	629.61	693.98
	72″(1829mm)	WURA-2472-L	499.68	511.80	593.92	624.38	691.75	532.15	544.27	626.39	656.85	724.22
	74″(1880mm)	WURA-2474-L	510.56	522.84	606.80	637.26	706.13	543.77	556.05	640.01	670.47	739.34
	78″(1981mm)	WURA-2478-L	532.32	544.92	632.56	663.02	734.89	567.01	579.61	667.25	697.71	769.58
	80″(2032mm)	WURA-2480-L	543.20	555.96	645.44	675.90	749.27	578.63	591.39	680.87	711.33	784.70
	84″(2134mm)	WURA-2484-L	564.96	578.04	671.20	701.66	778.03	601.87	614.95	708.11	738.57	814.94
	86″(2184mm)	WURA-2486-L	575.84	589.08	684.08	714.54	792.41	613.49	626.73	721.73	752.19	830.06
	90″(2286mm)	WURA-2490-L	597.60	611.16	709.84	740.30	821.17	636.73	650.29	748.97	779.43	860.30
	92″(2337mm)	WURA-2492-L	608.48	622.20	722.72	753.18	835.55	648.35	662.07	762.59	793.05	875.42
	96″(2438mm)	WURA-2496-L	630.24	644.28	748.48	778.94	864.31	671.59	685.63	789.83	820.29	905.66
	98″(2489mm)	WURA-2498-L	641.12	655.32	761.36	791.82	878.69	683.21	697.41	803.45	833.91	920.78
	102″(2591mm)	WURA-24A2-L	662.88	677.40	787.12	817.58	907.45	706.45	720.97	830.69	861.15	951.02
	104″(2642mm)	WURA-24A4-L	673.76	688.44	800.00	830.46	921.83	718.07	732.75	844.31	874.77	966.14
	108″(2743mm)	WURA-24A8-L	695.52	710.52	825.76	856.22	950.59	741.31	756.31	871.55	902.01	996.38
	110″(2794mm)	WURA-24B0-L	706.40	721.56	838.64	869.10	964.97	752.93	768.09	885.17	915.63	1011.50
	114″(2890mm)	WURA-24B4-L	728.16	743.64	864.40	894.86	993.73	776.17	791.65	912.41	942.87	1041.74
	116″(2946mm)	WURA-24B6-L	739.04	754.68	877.28	907.74	1008.11	787.79	803.43	926.03	956.49	1056.86
	120″(3048mm)	WURA-24C0-L	760.80	776.76	903.04	933.50	1036.87	811.03	826.99	953.27	983.73	1087.10

Adaptable Worksurfaces — Laminate

Rectangular

Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
30″(762mm)	24″(610mm)	WURA-3024-L	$262.97	$271.53	$ 327.49	$ 357.95	$ 409.75	$277.68	$286.24	$ 342.20	$ 372.66	$ 424.46
	26″(660mm)	WURA-3026-L	274.44	283.08	339.96	370.42	422.97	289.89	298.53	355.41	385.87	438.42
	30″(762mm)	WURA-3030-L	298.28	307.24	367.80	398.26	453.81	315.21	324.17	384.73	415.19	470.74
	32″(813mm)	WURA-3032-L	310.20	319.32	381.72	412.18	469.23	327.87	336.99	399.39	429.85	486.90
	36″(914mm)	WURA-3036-L	334.04	343.48	409.56	440.02	500.07	353.19	362.63	428.71	459.17	519.22
	38″(965mm)	WURA-3038-L	345.96	355.56	423.48	453.94	515.49	365.85	375.45	443.37	473.83	535.38
	42″(1067mm)	WURA-3042-L	369.80	379.72	451.32	481.78	546.33	391.17	401.09	472.69	503.15	567.70
	44″(1118mm)	WURA-3044-L	381.72	391.80	465.24	495.70	561.75	403.83	413.91	487.35	517.81	583.86
	48″(1219mm)	WURA-3048-L	439.17	449.57	526.69	557.15	626.20	462.76	473.16	550.28	580.74	649.79
	50″(1270mm)	WURA-3050-L	451.09	461.65	540.61	571.07	641.62	475.42	485.98	564.94	595.40	665.95
	54″(1372mm)	WURA-3054-L	474.93	485.81	568.45	598.91	672.46	500.74	511.62	594.26	624.72	698.27
	56″(1422mm)	WURA-3056-L	486.85	497.89	582.37	612.83	687.88	513.40	524.44	608.92	639.38	714.43
	60″(1524mm)	WURA-3060-L	510.69	522.05	610.21	640.67	718.72	538.72	550.08	638.24	668.70	746.75
	62″(1575mm)	WURA-3062-L	522.61	534.13	624.13	654.59	734.14	551.38	562.90	652.90	683.36	762.91
	66″(1676mm)	WURA-3066-L	546.45	558.29	651.97	682.43	764.98	576.70	588.54	682.22	712.68	795.23
	68″(1727mm)	WURA-3068-L	558.37	570.37	665.89	696.35	780.40	589.36	601.36	696.88	727.34	811.39
	72″(1829mm)	WURA-3072-L	582.21	594.53	693.73	724.19	811.24	614.68	627.00	726.20	756.66	843.71
	74″(1880mm)	WURA-3074-L	594.13	606.61	707.65	738.11	826.66	627.34	639.82	740.86	771.32	859.87
	78″(1981mm)	WURA-3078-L	617.97	630.77	735.49	765.95	857.50	652.66	665.46	770.18	800.64	892.19
	80″(2032mm)	WURA-3080-L	629.89	642.85	749.41	779.87	872.92	665.32	678.28	784.84	815.30	908.35
	84″(2134mm)	WURA-3084-L	653.73	667.01	777.25	807.71	903.76	690.64	703.92	814.16	844.62	940.67
	86″(2184mm)	WURA-3086-L	665.65	679.09	791.17	821.63	919.18	703.30	716.74	828.82	859.28	956.83
	90″(2286mm)	WURA-3090-L	689.49	703.25	819.01	849.47	950.02	728.62	742.38	858.14	888.60	989.15
	92″(2337mm)	WURA-3092-L	701.41	715.33	832.93	863.39	965.44	741.28	755.20	872.80	903.26	1005.31
	96″(2438mm)	WURA-3096-L	725.25	739.49	860.77	891.23	996.28	766.60	780.84	902.12	932.58	1037.63
	98″(2489mm)	WURA-3098-L	737.17	751.57	874.69	905.15	1011.70	779.26	793.66	916.78	947.24	1053.79
	102″(2591mm)	WURA-30A2-L	761.01	775.73	902.53	932.99	1042.54	804.58	819.30	946.10	976.56	1086.11
	104″(2642mm)	WURA-30A4-L	772.93	787.81	916.45	946.91	1057.96	817.24	832.12	960.76	991.22	1102.27
	108″(2743mm)	WURA-30A8-L	796.77	811.97	944.29	974.75	1088.80	842.56	857.76	990.08	1020.54	1134.59
	110″(2794mm)	WURA-30B0-L	808.69	824.05	958.21	988.67	1104.22	855.22	870.58	1004.74	1035.20	1150.75
	114″(2890mm)	WURA-30B4-L	832.53	848.21	986.05	1016.51	1135.06	880.54	896.22	1034.06	1064.52	1183.07
	116″(2946mm)	WURA-30B6-L	844.45	860.29	999.97	1030.43	1150.48	893.20	909.04	1048.72	1079.18	1199.23
	120″(3048mm)	WURA-30C0-L	868.29	884.45	1027.81	1058.27	1181.32	918.52	934.68	1078.04	1108.50	1231.55

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Key

Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
30″(762mm)	36″(914mm)	WURY-3036-L	■	$591.63	$592.99	$698.38	$729.14	$ 814.70	$635.12	$636.48	$741.87	$ 772.63	$ 858.19
	48″(1219mm)	WURY-3048-L	■	625.22	630.34	735.97	766.73	865.21	671.24	676.36	781.99	812.75	911.23
36″(914mm)	48″(1219mm)	WURY-3648-L	■	$660.48	$668.95	$777.89	$808.65	$ 916.02	$709.26	$717.73	$826.67	$ 857.43	$ 964.80
	60″(1524mm)	WURY-3660-L	■	694.07	706.30	815.48	846.24	966.53	745.38	757.61	866.79	897.55	1017.84
	72″(1829mm)	WURY-3672-L	■	727.66	743.65	853.07	883.83	1017.04	781.50	797.49	906.91	937.67	1070.88
42″(1067mm)	60″(1524mm)	WURY-4260-L	■	$729.33	$744.91	$857.40	$888.16	$1017.34	$783.40	$798.98	$911.47	$ 942.23	$1071.41
	72″(1829mm)	WURY-4272-L	■	762.92	782.26	894.99	925.75	1067.85	819.52	838.86	951.59	982.35	1124.45
48″(1219mm)	60″(1524mm)	WURY-4860-L	■	$764.59	$783.52	$899.32	$930.08	$1068.15	$821.42	$840.35	$956.15	$ 986.91	$1124.98
	72″(1829mm)	WURY-4872-L	■	798.18	820.87	936.91	967.67	1118.66	857.54	880.23	996.27	1027.03	1178.02





WURY

Features

- Includes worksurface and tie plate.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  –Cascade (V) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- 72″(1829mm) wide worksurfaces have two wireways when `A' option ordered.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Flush mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- **Support post or height adjustment disc base is required.**

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Swell

Depth	Swell Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	21″(533mm)	24″(610mm)	WURS-1824-L ■	$262.62	$266.76	$315.03	$345.19	$386.98	$281.34	$285.48	$333.75	$363.91	$405.70
		30″(762mm)	WURS-1830-L ■	289.68	294.32	346.74	376.90	422.84	310.38	315.02	367.44	397.60	443.54
		36″(914mm)	WURS-1836-L ■	317.16	322.40	379.80	409.96	460.88	339.84	345.08	402.48	432.64	483.56
		42″(1067mm)	WURS-1842-L ■	344.64	350.48	412.86	443.02	498.92	369.30	375.14	437.52	467.68	523.58
		48″(1219mm)	WURS-1848-L ■	372.12	378.56	445.92	476.08	536.96	398.76	405.20	472.56	502.72	563.60
		54″(1372mm)	WURS-1854-L ■	399.60	406.64	478.98	509.14	575.00	428.22	435.26	507.60	537.76	603.62
		60″(1524mm)	WURS-1860-L ■	427.08	434.72	512.04	542.20	613.04	457.68	465.32	542.64	572.80	643.64
24″(610mm)	27″(686mm)	24″(610mm)	WURS-2424-L ■	$271.74	$276.12	$325.64	$355.80	$400.50	$290.46	$294.84	$344.36	$374.52	$419.22
		30″(762mm)	WURS-2430-L ■	298.80	303.68	357.35	387.51	436.36	319.50	324.38	378.05	408.21	457.06
		36″(914mm)	WURS-2436-L ■	326.28	331.76	390.41	420.57	474.40	348.96	354.44	413.09	443.25	497.08
		42″(1067mm)	WURS-2442-L ■	353.76	359.84	423.47	453.63	512.44	378.42	384.50	448.13	478.29	537.10
		48″(1219mm)	WURS-2448-L ■	381.24	387.92	456.53	486.69	550.48	407.88	414.56	483.17	513.33	577.12
		54″(1372mm)	WURS-2454-L ■	408.72	416.00	489.59	519.75	588.52	437.34	444.62	518.21	548.37	617.14
		60″(1524mm)	WURS-2460-L ■	436.20	444.08	522.65	552.81	626.56	466.80	474.68	553.25	583.41	657.16
30″(762mm)	33″(838mm)	24″(610mm)	WURS-3024-L ■	$357.24	$361.40	$425.26	$455.42	$512.82	$375.96	$380.12	$443.98	$474.14	$531.54
		30″(762mm)	WURS-3030-L ■	384.30	388.96	456.97	487.13	548.68	405.00	409.66	477.67	507.83	569.38
		36″(914mm)	WURS-3036-L ■	411.78	417.04	490.03	520.19	586.72	434.46	439.72	512.71	542.87	609.40
		42″(1067mm)	WURS-3042-L ■	439.26	445.12	523.09	553.25	624.76	463.92	469.78	547.75	577.91	649.42
		48″(1219mm)	WURS-3048-L ■	466.74	473.20	556.15	586.31	662.80	493.38	499.84	582.79	612.95	689.44
		54″(1372mm)	WURS-3054-L ■	494.22	501.28	589.21	619.37	700.84	522.84	529.90	617.83	647.99	729.46
		60″(1524mm)	WURS-3060-L ■	521.70	529.36	622.27	652.43	738.88	552.30	559.96	652.87	683.03	769.48



WURS

Features

- Includes worksurface and tie plate.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side bracket
  –Worksurface support panel
  –Worksurface support column or leg
- Suggested pedestal style is mobile.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Inverse Swell

Depth	Swell Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	15″(381mm)	24″(610mm)	WURW-1824-L	■	$262.62	$266.76	$315.11	$345.27	$386.98	$281.34	$285.48	$333.83	$363.99	$405.70
		30″(762mm)	WURW-1830-L	■	289.68	294.32	347.22	377.38	422.84	310.38	315.02	367.92	398.08	443.54
		36″(914mm)	WURW-1836-L	■	317.16	322.40	380.76	410.92	460.88	339.84	345.08	403.44	433.60	483.56
		42″(1067mm)	WURW-1842-L	■	344.64	350.48	414.30	444.46	498.92	369.30	375.14	438.96	469.12	523.58
		48″(1219mm)	WURW-1848-L	■	372.12	378.56	447.84	478.00	536.96	398.76	405.20	474.48	504.64	563.60
		54″(1372mm)	WURW-1854-L	■	399.60	406.64	481.38	511.54	575.00	428.22	435.26	510.00	540.16	603.62
		60″(1524mm)	WURW-1860-L	■	427.08	434.72	514.92	545.08	613.04	457.68	465.32	545.52	575.68	643.64
24″(610mm)	21″(533mm)	24″(610mm)	WURW-2424-L	■	$271.74	$276.12	$324.72	$354.88	$400.50	$290.46	$294.84	$343.44	$373.60	$419.22
		30″(762mm)	WURW-2430-L	■	298.80	303.68	356.83	386.99	436.36	319.50	324.38	377.53	407.69	457.06
		36″(914mm)	WURW-2436-L	■	326.28	331.76	390.37	420.53	474.40	348.96	354.44	413.05	443.21	497.08
		42″(1067mm)	WURW-2442-L	■	353.76	359.84	423.91	454.07	512.44	378.42	384.50	448.57	478.73	537.10
		48″(1219mm)	WURW-2448-L	■	381.24	387.92	457.45	487.61	550.48	407.88	414.56	484.09	514.25	577.12
		54″(1372mm)	WURW-2454-L	■	408.72	416.00	490.99	521.15	588.52	437.34	444.62	519.61	549.77	617.14
		60″(1524mm)	WURW-2460-L	■	436.20	444.08	524.53	554.69	626.56	466.80	474.68	555.13	585.29	657.16
30″(762mm)	27″(686mm)	24″(610mm)	WURW-3024-L	■	$357.24	$361.40	$425.45	$455.61	$512.82	$375.96	$380.12	$444.17	$474.33	$531.54
		30″(762mm)	WURW-3030-L	■	384.30	388.96	457.56	487.72	548.68	405.00	409.66	478.26	508.42	569.38
		36″(914mm)	WURW-3036-L	■	411.78	417.04	491.10	521.26	586.72	434.46	439.72	513.78	543.94	609.40
		42″(1067mm)	WURW-3042-L	■	439.26	445.12	524.64	554.80	624.76	463.92	469.78	549.30	579.46	649.42
		48″(1219mm)	WURW-3048-L	■	466.74	473.20	558.18	588.34	662.80	493.38	499.84	584.82	614.98	689.44
		54″(1372mm)	WURW-3054-L	■	494.22	501.28	591.72	621.88	700.84	522.84	529.90	620.34	650.50	729.46
		60″(1524mm)	WURW-3060-L	■	521.70	529.36	625.26	655.42	738.88	552.30	559.96	655.86	686.02	769.48



WURW

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
- Suggested pedestal style is mobile.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns or legs.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Transition

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)/24″(610mm)	24″(610mm)	WURT-2424-L	N34 ■	$281.19	$288.19	$339.74	$370.36	$419.08	$302.30	$309.30	$360.85	$391.47	$440.19
	30″(762mm)	WURT-2430-L	N34 ■	317.37	324.91	382.82	413.44	467.26	341.06	348.60	406.51	437.13	490.95
	36″(914mm)	WURT-2436-L	N34 ■	353.55	361.63	425.90	456.52	515.44	379.82	387.90	452.17	482.79	541.71
	42″(1067mm)	WURT-2442-L	N34 ■	389.73	398.35	468.98	499.60	563.62	418.58	427.20	497.83	528.45	592.47
	48″(1219mm)	WURT-2448-L	N34 ■	425.91	435.07	512.06	542.68	611.80	457.34	466.50	543.49	574.11	643.23
	54″(1372mm)	WURT-2454-L	N34 ■	462.09	471.79	555.14	585.76	659.98	496.10	505.80	589.15	619.77	693.99
	60″(1524mm)	WURT-2460-L	N34 ■	498.27	508.51	598.22	628.84	708.16	534.86	545.10	634.81	665.43	744.75
24″(610mm)/18″(457mm)	24″(610mm)	WURT-2424-L	N43 ■	$281.19	$288.19	$339.74	$370.36	$419.08	$302.30	$309.30	$360.85	$391.47	$440.19
	30″(762mm)	WURT-2430-L	N43 ■	317.37	324.91	382.82	413.44	467.26	341.06	348.60	406.51	437.13	490.95
	36″(914mm)	WURT-2436-L	N43 ■	353.55	361.63	425.90	456.52	515.44	379.82	387.90	452.17	482.79	541.71
	42″(1067mm)	WURT-2442-L	N43 ■	389.73	398.35	468.98	499.60	563.62	418.58	427.20	497.83	528.45	592.47
	48″(1219mm)	WURT-2448-L	N43 ■	425.91	435.07	512.06	542.68	611.80	457.34	466.50	543.49	574.11	643.23
	54″(1372mm)	WURT-2454-L	N43 ■	462.09	471.79	555.14	585.76	659.98	496.10	505.80	589.15	619.77	693.99
	60″(1524mm)	WURT-2460-L	N43 ■	498.27	508.51	598.22	628.84	708.16	534.86	545.10	634.81	665.43	744.75
24″(610mm)/30″(762mm)	24″(610mm)	WURT-3024-L	N45 ■	$302.30	$309.30	$360.85	$391.47	$440.19	$323.41	$330.41	$381.96	$412.58	$461.30
	30″(762mm)	WURT-3030-L	N45 ■	338.48	346.02	403.93	434.55	488.37	362.17	369.71	427.62	458.24	512.06
	36″(914mm)	WURT-3036-L	N45 ■	374.66	382.74	447.01	477.63	536.55	400.93	409.01	473.28	503.90	562.82
	42″(1067mm)	WURT-3042-L	N45 ■	410.84	419.46	490.09	520.71	584.73	439.69	448.31	518.94	549.56	613.58
	48″(1219mm)	WURT-3048-L	N45 ■	447.02	456.18	533.17	563.79	632.91	478.45	487.61	564.60	595.22	664.34
	54″(1372mm)	WURT-3054-L	N45 ■	483.20	492.90	576.25	606.87	681.09	517.21	526.91	610.26	640.88	715.10
	60″(1524mm)	WURT-3060-L	N45 ■	519.38	529.62	619.33	649.95	729.27	555.97	566.21	655.92	686.54	765.86
30″(762mm)/24″(610mm)	24″(610mm)	WURT-3024-L	N54 ■	$302.30	$309.30	$360.85	$391.47	$440.19	$323.41	$330.41	$381.96	$412.58	$461.30
	30″(762mm)	WURT-3030-L	N54 ■	338.48	346.02	403.93	434.55	488.37	362.17	369.71	427.62	458.24	512.06
	36″(914mm)	WURT-3036-L	N54 ■	374.66	382.74	447.01	477.63	536.55	400.93	409.01	473.28	503.90	562.82
	42″(1067mm)	WURT-3042-L	N54 ■	410.84	419.46	490.09	520.71	584.73	439.69	448.31	518.94	549.56	613.58
	48″(1219mm)	WURT-3048-L	N54 ■	447.02	456.18	533.17	563.79	632.91	478.45	487.61	564.60	595.22	664.34
	54″(1372mm)	WURT-3054-L	N54 ■	483.20	492.90	576.25	606.87	681.09	517.21	526.91	610.26	640.88	715.10
	60″(1524mm)	WURT-3060-L	N54 ■	519.38	529.62	619.33	649.95	729.27	555.97	566.21	655.92	686.54	765.86



WURT-N43



WURT-N34

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.
- For worksurfaces greater than 42″(1067mm) wide, attached pedestal may be installed on deepest side.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Laminate

Wedge





WURE-N34



WURE-N43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
- **Suggested pedestal style is mobile.**
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Wedge

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
24″(610mm)/18″(457mm)	24″(610mm)	WURE-2424-L	N43	$298.20	$302.51	$ 353.80	$ 384.26	$ 433.81	$320.26	$324.57	$ 375.86	$ 406.32	$ 455.87
	30″(762mm)	WURE-2430-L	N43	332.88	337.79	398.20	428.66	482.95	357.46	362.37	422.78	453.24	507.53
	36″(914mm)	WURE-2436-L	N43	367.56	373.07	442.60	473.06	532.09	394.66	400.17	469.70	500.16	559.19
	42″(1067mm)	WURE-2442-L	N43	402.24	408.35	487.00	517.46	581.23	431.86	437.97	516.62	547.08	610.85
	48″(1219mm)	WURE-2448-L	N43	436.92	443.63	531.40	561.86	630.37	469.06	475.77	563.54	594.00	662.51
	54″(1372mm)	WURE-2454-L	N43	471.60	478.91	575.80	606.26	679.51	506.26	513.57	610.46	640.92	714.17
	60″(1524mm)	WURE-2460-L	N43	506.28	514.19	620.20	650.66	728.65	543.46	551.37	657.38	687.84	765.83
	66″(1676mm)	WURE-2466-L	N43	540.96	549.47	664.60	695.06	777.79	580.66	589.17	704.30	734.76	817.49
	72″(1829mm)	WURE-2472-L	N43	575.64	584.75	709.00	739.46	826.93	617.86	626.97	751.22	781.68	869.15
	78″(1981mm)	WURE-2478-L	N43	610.32	620.03	753.40	783.86	876.07	655.06	664.77	798.14	828.60	920.81
	84″(2134mm)	WURE-2484-L	N43	645.00	655.31	797.80	828.26	925.21	692.26	702.57	845.06	875.52	972.47
	90″(2286mm)	WURE-2490-L	N43	679.68	690.59	842.20	872.66	974.35	729.46	740.37	891.98	922.44	1024.13
	96″(2438mm)	WURE-2496-L	N43	714.36	725.87	886.60	917.06	1023.49	766.66	778.17	938.90	969.36	1075.79
	102″(2591mm)	WURE-24A2-L	N43	749.04	761.15	931.00	961.46	1072.63	803.86	815.97	985.82	1016.28	1127.45
	108″(2743mm)	WURE-24A8-L	N43	783.72	796.43	975.40	1005.86	1121.77	841.06	853.77	1032.74	1063.20	1179.11
	114″(2896mm)	WURE-24B4-L	N43	806.84	819.95	1005.00	1035.46	1154.53	865.86	878.97	1064.02	1094.48	1213.55
	120″(3048mm)	WURE-24C0-L	N43	853.08	866.99	1064.20	1094.66	1220.05	915.46	929.37	1126.58	1157.04	1282.43
18″(457mm)/24″(610mm)	24″(610mm)	WURE-2424-L	N34	$298.20	$302.51	$ 353.80	$ 384.26	$ 433.81	$320.26	$324.57	$ 375.86	$ 406.32	$ 455.87
	30″(762mm)	WURE-2430-L	N34	332.88	337.79	398.20	428.66	482.95	357.46	362.37	422.78	453.24	507.53
	36″(914mm)	WURE-2436-L	N34	367.56	373.07	442.60	473.06	532.09	394.66	400.17	469.70	500.16	559.19
	42″(1067mm)	WURE-2442-L	N34	402.24	408.35	487.00	517.46	581.23	431.86	437.97	516.62	547.08	610.85
	48″(1219mm)	WURE-2448-L	N34	436.92	443.63	531.40	561.86	630.37	469.06	475.77	563.54	594.00	662.51
	54″(1372mm)	WURE-2454-L	N34	471.60	478.91	575.80	606.26	679.51	506.26	513.57	610.46	640.92	714.17
	60″(1524mm)	WURE-2460-L	N34	506.28	514.19	620.20	650.66	728.65	543.46	551.37	657.38	687.84	765.83
	66″(1676mm)	WURE-2466-L	N34	540.96	549.47	664.60	695.06	777.79	580.66	589.17	704.30	734.76	817.49
	72″(1829mm)	WURE-2472-L	N34	575.64	584.75	709.00	739.46	826.93	617.86	626.97	751.22	781.68	869.15
	78″(1981mm)	WURE-2478-L	N34	610.32	620.03	753.40	783.86	876.07	655.06	664.77	798.14	828.60	920.81
	84″(2134mm)	WURE-2484-L	N34	645.00	655.31	797.80	828.26	925.21	692.26	702.57	845.06	875.52	972.47
	90″(2286mm)	WURE-2490-L	N34	679.68	690.59	842.20	872.66	974.35	729.46	740.37	891.98	922.44	1024.13
	96″(2438mm)	WURE-2496-L	N34	714.36	725.87	886.60	917.06	1023.49	766.66	778.17	938.90	969.36	1075.79
	102″(2591mm)	WURE-24A2-L	N34	749.04	761.15	931.00	961.46	1072.63	803.86	815.97	985.82	1016.28	1127.45
	108″(2743mm)	WURE-24A8-L	N34	783.72	796.43	975.40	1005.86	1121.77	841.06	853.77	1032.74	1063.20	1179.11
	114″(2896mm)	WURE-24B4-L	N34	806.84	819.95	1005.00	1035.46	1154.53	865.86	878.97	1064.02	1094.48	1213.55
	120″(3048mm)	WURE-24C0-L	N34	853.08	866.99	1064.20	1094.66	1220.05	915.46	929.37	1126.58	1157.04	1282.43
30″(762mm)/24″(610mm)	24″(610mm)	WURE-3024-L	N54	$308.70	$313.01	$ 364.30	$ 394.76	$ 444.31	$330.76	$335.07	$ 386.36	$ 416.82	$ 466.37
	30″(762mm)	WURE-3030-L	N54	343.38	348.29	408.70	439.16	493.45	367.96	372.87	433.28	463.74	518.03
	36″(914mm)	WURE-3036-L	N54	378.06	383.57	453.10	483.56	542.59	405.16	410.67	480.20	510.66	569.69
	42″(1067mm)	WURE-3042-L	N54	412.74	418.85	497.50	527.96	591.73	442.36	448.47	527.12	557.58	621.35
	48″(1219mm)	WURE-3048-L	N54	447.42	454.13	541.90	572.36	640.87	479.56	486.27	574.04	604.50	673.01
	54″(1372mm)	WURE-3054-L	N54	482.10	489.41	586.30	616.76	690.01	516.76	524.07	620.96	651.42	724.67
	60″(1524mm)	WURE-3060-L	N54	516.78	524.69	630.70	661.16	739.15	553.96	561.87	667.88	698.34	776.33
	66″(1676mm)	WURE-3066-L	N54	551.46	559.97	675.10	705.56	788.29	591.16	599.67	714.80	745.26	827.99
	72″(1829mm)	WURE-3072-L	N54	586.14	595.25	719.50	749.96	837.43	628.36	637.47	761.72	792.18	879.65
	78″(1981mm)	WURE-3078-L	N54	620.82	630.53	763.90	794.36	886.57	665.56	675.27	808.64	839.10	931.31
	84″(2134mm)	WURE-3084-L	N54	655.50	665.81	808.30	838.76	935.71	702.76	713.07	855.56	886.02	982.97
	90″(2286mm)	WURE-3090-L	N54	690.18	701.09	852.70	883.16	984.85	739.96	750.87	902.48	932.94	1034.63
	96″(2438mm)	WURE-3096-L	N54	724.86	736.37	897.10	927.56	1033.99	777.16	788.67	949.40	979.86	1086.29
	102″(2591mm)	WURE-30A2-L	N54	759.54	771.65	941.50	971.96	1083.13	814.36	826.47	996.32	1026.78	1137.95
	108″(2743mm)	WURE-30A8-L	N54	794.22	806.93	985.90	1016.36	1132.27	851.56	864.27	1043.24	1073.70	1189.61
	114″(2896mm)	WURE-30B4-L	N54	817.34	830.45	1015.50	1045.96	1165.03	876.36	889.47	1074.52	1104.98	1224.05
	120″(3048mm)	WURE-30C0-L	N54	863.58	877.49	1074.70	1105.16	1230.55	925.96	939.87	1137.08	1167.54	1292.93
24″(610mm)/30″(762mm)	24″(610mm)	WURE-3024-L	N45	$308.70	$313.01	$ 364.30	$ 394.76	$ 444.31	$330.76	$335.07	$ 386.36	$ 416.82	$ 466.37
	30″(762mm)	WURE-3030-L	N45	343.38	348.29	408.70	439.16	493.45	367.96	372.87	433.28	463.74	518.03
	36″(914mm)	WURE-3036-L	N45	378.06	383.57	453.10	483.56	542.59	405.16	410.67	480.20	510.66	569.69
	42″(1067mm)	WURE-3042-L	N45	412.74	418.85	497.50	527.96	591.73	442.36	448.47	527.12	557.58	621.35
	48″(1219mm)	WURE-3048-L	N45	447.42	454.13	541.90	572.36	640.87	479.56	486.27	574.04	604.50	673.01
	54″(1372mm)	WURE-3054-L	N45	482.10	489.41	586.30	616.76	690.01	516.76	524.07	620.96	651.42	724.67
	60″(1524mm)	WURE-3060-L	N45	516.78	524.69	630.70	661.16	739.15	553.96	561.87	667.88	698.34	776.33
	66″(1676mm)	WURE-3066-L	N45	551.46	559.97	675.10	705.56	788.29	591.16	599.67	714.80	745.26	827.99
	72″(1829mm)	WURE-3072-L	N45	586.14	595.25	719.50	749.96	837.43	628.36	637.47	761.72	792.18	879.65
	78″(1981mm)	WURE-3078-L	N45	620.82	630.53	763.90	794.36	886.57	665.56	675.27	808.64	839.10	931.31
	84″(2134mm)	WURE-3084-L	N45	655.50	665.81	808.30	838.76	935.71	702.76	713.07	855.56	886.02	982.97
	90″(2286mm)	WURE-3090-L	N45	690.18	701.09	852.70	883.16	984.85	739.96	750.87	902.48	932.94	1034.63
	96″(2438mm)	WURE-3096-L	N45	724.86	736.37	897.10	927.56	1033.99	777.16	788.67	949.40	979.86	1086.29
	102″(2591mm)	WURE-30A2-L	N45	759.54	771.65	941.50	971.96	1083.13	814.36	826.47	996.32	1026.78	1137.95
	108″(2743mm)	WURE-30A8-L	N45	794.22	806.93	985.90	1016.36	1132.27	851.56	864.27	1043.24	1073.70	1189.61
	114″(2896mm)	WURE-30B4-L	N45	817.34	830.45	1015.50	1045.96	1165.03	876.36	889.47	1074.52	1104.98	1224.05
	120″(3048mm)	WURE-30C0-L	N45	863.58	877.49	1074.70	1105.16	1230.55	925.96	939.87	1137.08	1167.54	1292.93

Adaptable Worksurfaces — Laminate

Sharp Wedge

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
24″(610mm)/18″(457mm)	24″(610mm)	WURG-2424-L	N43 ■	$311.26	$314.58	$447.58	$334.48	$337.80	$470.80
	30″(762mm)	WURG-2430-L	N43 ■	350.05	354.06	500.36	373.35	377.36	523.66
	36″(914mm)	WURG-2436-L	N43 ■	388.84	393.54	553.14	412.22	416.92	576.52
	42″(1067mm)	WURG-2442-L	N43 ■	427.63	433.02	605.92	451.09	456.48	629.38
	48″(1219mm)	WURG-2448-L	N43 ■	466.42	472.50	658.70	489.96	496.04	682.24
	54″(1372mm)	WURG-2454-L	N43 ■	505.21	511.98	711.48	528.83	535.60	735.10
	60″(1524mm)	WURG-2460-L	N43 ■	544.00	551.46	764.26	567.70	575.16	787.96
18″(457mm)/24″(610mm)	24″(610mm)	WURG-2424-L	N34 ■	$311.26	$314.58	$447.58	$334.48	$337.80	$470.80
	30″(762mm)	WURG-2430-L	N34 ■	350.05	354.06	500.36	373.35	377.36	523.66
	36″(914mm)	WURG-2436-L	N34 ■	388.84	393.54	553.14	412.22	416.92	576.52
	42″(1067mm)	WURG-2442-L	N34 ■	427.63	433.02	605.92	451.09	456.48	629.38
	48″(1219mm)	WURG-2448-L	N34 ■	466.42	472.50	658.70	489.96	496.04	682.24
	54″(1372mm)	WURG-2454-L	N34 ■	505.21	511.98	711.48	528.83	535.60	735.10
	60″(1524mm)	WURG-2460-L	N34 ■	544.00	551.46	764.26	567.70	575.16	787.96
30″(762mm)/24″(610mm)	24″(610mm)	WURG-3024-L	N54 ■	$315.44	$320.39	$458.45	$338.97	$343.92	$481.98
	30″(762mm)	WURG-3030-L	N54 ■	354.23	359.87	511.23	377.84	383.48	534.84
	36″(914mm)	WURG-3036-L	N54 ■	393.02	399.35	564.01	416.71	423.04	587.70
	42″(1067mm)	WURG-3042-L	N54 ■	431.81	438.83	616.79	455.58	462.60	640.56
	48″(1219mm)	WURG-3048-L	N54 ■	470.60	478.31	669.57	494.45	502.16	693.42
	54″(1372mm)	WURG-3054-L	N54 ■	509.39	517.79	722.35	533.32	541.72	746.28
	60″(1524mm)	WURG-3060-L	N54 ■	548.18	557.27	775.13	572.19	581.28	799.14
24″(610mm)/30″(762mm)	24″(610mm)	WURG-3024-L	N45 ■	$315.44	$320.39	$458.45	$338.97	$343.92	$481.98
	30″(762mm)	WURG-3030-L	N45 ■	354.23	359.87	511.23	377.84	383.48	534.84
	36″(914mm)	WURG-3036-L	N45 ■	393.02	399.35	564.01	416.71	423.04	587.70
	42″(1067mm)	WURG-3042-L	N45 ■	431.81	438.83	616.79	455.58	462.60	640.56
	48″(1219mm)	WURG-3048-L	N45 ■	470.60	478.31	669.57	494.45	502.16	693.42
	54″(1372mm)	WURG-3054-L	N45 ■	509.39	517.79	722.35	533.32	541.72	746.28
	60″(1524mm)	WURG-3060-L	N45 ■	548.18	557.27	775.13	572.19	581.28	799.14



WURG-N34



WURG-N43

Features

- Includes worksurface and tie plate.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified.**
  –Cantilever bracket
  –Side brackets
  –**Worksurface support panel not recommended**
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Due to manufacturing restrictions, not available with Cascade Edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options (T-Mold and Edgeband only):

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Rectangular Radius End

Depth	Width	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	24″(610mm)	WURR-1824-L	■	$311.78	$311.48	$364.50	$394.66	$429.62	$330.50	$330.20	$383.22	$413.38	$448.34
	30″(762mm)	WURR-1830-L	■	348.30	347.80	405.72	435.88	474.24	369.42	368.92	426.84	457.00	495.36
	36″(914mm)	WURR-1836-L	■	385.38	384.64	448.44	478.60	521.04	408.90	408.16	471.96	502.12	544.56
	42″(1067mm)	WURR-1842-L	■	422.46	421.48	491.16	521.32	567.84	448.38	447.40	517.08	547.24	593.76
	48″(1219mm)	WURR-1848-L	■	459.54	458.32	533.88	564.04	614.64	487.86	486.64	562.20	592.36	642.96
	54″(1372mm)	WURR-1854-L	■	496.62	495.16	576.60	606.76	661.44	527.34	525.88	607.32	637.48	692.16
	60″(1524mm)	WURR-1860-L	■	533.70	532.00	619.32	649.48	708.24	566.82	565.12	652.44	682.60	741.36
24″(610mm)	24″(610mm)	WURR-2424-L	■	$319.76	$318.76	$372.20	$402.36	$438.98	$338.48	$337.48	$390.92	$421.08	$457.70
	30″(762mm)	WURR-2430-L	■	356.28	355.08	413.42	443.58	483.60	377.40	376.20	434.54	464.70	504.72
	36″(914mm)	WURR-2436-L	■	393.36	391.92	456.14	486.30	530.40	416.88	415.44	479.66	509.82	553.92
	42″(1067mm)	WURR-2442-L	■	430.44	428.76	498.86	529.02	577.20	456.36	454.68	524.78	554.94	603.12
	48″(1219mm)	WURR-2448-L	■	467.52	465.60	541.58	571.74	624.00	495.84	493.92	569.90	600.06	652.32
	54″(1372mm)	WURR-2454-L	■	504.60	502.44	584.30	614.46	670.80	535.32	533.16	615.02	645.18	701.52
	60″(1524mm)	WURR-2460-L	■	541.68	539.28	627.02	657.18	717.60	574.80	572.40	660.14	690.30	750.72
30″(762mm)	24″(610mm)	WURR-3024-L	■	$414.38	$416.52	$488.02	$518.18	$575.22	$433.10	$435.24	$506.74	$536.90	$593.94
	30″(762mm)	WURR-3030-L	■	450.90	452.84	529.24	559.40	619.84	472.02	473.96	550.36	580.52	640.96
	36″(914mm)	WURR-3036-L	■	487.98	489.68	571.96	602.12	666.64	511.50	513.20	595.48	625.64	690.16
	42″(1067mm)	WURR-3042-L	■	525.06	526.52	614.68	644.84	713.44	550.98	552.44	640.60	670.76	739.36
	48″(1219mm)	WURR-3048-L	■	562.14	563.36	657.40	687.56	760.24	590.46	591.68	685.72	715.88	788.56
	54″(1372mm)	WURR-3054-L	■	599.22	600.20	700.12	730.28	807.04	629.94	630.92	730.84	761.00	837.76
	60″(1524mm)	WURR-3060-L	■	636.30	637.04	742.84	773.00	853.84	669.42	670.16	775.96	806.12	886.96



(Right-hand orientation)

(Left-hand orientation)

WURR

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage (for worksurfaces greater than 36″ wide)
- For T-mold and edgeband
  - –18″(457mm) specify the standard mini cantilever bracket for radius end.
  - –24″(610mm)-30″(762mm) specify standard cantilever bracket for radius end.
- When using snap-n-fit cantilevers for 18″(457mm) and 24″(610mm) requires mini snap-n-fit cantilever, 30″(762mm) requires standard snap-n-fit cantilever.
- For Cascade edge, for aesthetic reasons, use:
  - –Side brackets (PLACES and UniGroup) and column support or leg.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, posts or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Rectangular — Split Top

Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2
24″(610mm)	36″(914mm)	WURK-2436-L	■	$1556.44	$1665.09	$1954.28	$1985.20	$1700.36	$1809.01	$2098.20	$2129.12
	42″(1067mm)	WURK-2442-L	■	1619.40	1731.39	2037.35	2068.27	1767.91	1879.90	2185.86	2216.78
	48″(1219mm)	WURK-2448-L	■	1682.36	1797.69	2120.42	2151.34	1835.46	1950.79	2273.52	2304.44
30″(762mm)	36″(914mm)	WURK-3036-L	■	$1643.64	$1752.29	$2041.48	$2072.40	$1794.49	$1903.14	$2192.33	$2223.25
	42″(1067mm)	WURK-3042-L	■	1706.60	1818.59	2124.55	2155.47	1862.04	1974.03	2279.99	2310.91
	48″(1219mm)	WURK-3048-L	■	1769.56	1884.89	2207.62	2238.54	1929.59	2044.92	2367.65	2398.57





WURK

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Laminate with:
  –3mm full perimeter T-mold (T), or
  –3mm edgeband (J) or Cascade (V) edge on front and rear front edge, and 1mm on back and side edge of front worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets. If using snap-n-fit cantilever on 24″(610mm) deep worksurfaces, specify snap-n-fit mini cantilever.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg
- Front user edge of front worksurface designed to align with 24″(610mm) or 30″(762mm) deep worksurfaces.

To Order, Specify:

T-Mold or Edgeband

1) Product number.
2) Laminate surface color.
3) Edge trim color for T and J.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Straight Front

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCA-3636-L ■ ■ ■ N33 ■	$474.62	$480.96	$ 668.42	$506.76	$513.10	$ 700.56
	42″(1067mm)	WUCA-4242-L ■ ■ ■ N33 ■	513.35	519.96	728.20	550.41	557.02	765.26
	48″(1219mm)	WUCA-4848-L ■ ■ ■ N33 ■	612.07	618.95	847.97	654.05	660.93	889.95
	54″(1372mm)	WUCA-5454-L ■ ■ ■ N33 ■	646.51	653.66	903.46	693.41	700.56	950.36
24″(610mm)	36″(914mm)	WUCA-3636-L ■ ■ ■ N44 ■	$493.90	$500.24	$ 687.70	$526.04	$532.38	$ 719.84
	42″(1067mm)	WUCA-4242-L ■ ■ ■ N44 ■	532.63	539.24	747.48	569.69	576.30	784.54
	48″(1219mm)	WUCA-4848-L ■ ■ ■ N44 ■	631.35	638.23	867.25	673.33	680.21	909.23
	54″(1372mm)	WUCA-5454-L ■ ■ ■ N44 ■	665.79	672.94	922.74	712.69	719.84	969.64
30″(762mm)	36″(914mm)	WUCA-3636-L ■ ■ ■ N55 ■	$575.31	$581.65	$ 769.11	$607.45	$613.79	$ 801.25
	42″(1067mm)	WUCA-4242-L ■ ■ ■ N55 ■	614.04	620.65	828.89	651.10	657.71	865.95
	48″(1219mm)	WUCA-4848-L ■ ■ ■ N55 ■	712.76	719.64	948.66	754.74	761.62	990.64
	54″(1372mm)	WUCA-5454-L ■ ■ ■ N55 ■	747.20	754.35	1004.15	794.10	801.25	1051.05





WUCA

Features

- Includes worksurface and tie plate.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	WUCR-3636-L ■ ■ ■ N33 ■	$409.84	$420.30	$482.40	$513.46	$ 595.77	$439.70	$450.16	$512.26	$543.32	$ 625.63
	42″(1067mm)	WUCR-4242-L ■ ■ ■ N33 ■	480.76	499.92	570.72	601.78	687.75	515.84	535.00	605.80	636.86	722.83
	48″(1219mm)	WUCR-4848-L ■ ■ ■ N33 ■	551.68	579.54	659.04	690.10	779.73	591.98	619.84	699.34	730.40	820.03
	54″(1372mm)	WUCR-5454-L ■ ■ ■ N33 ■	622.60	659.16	747.36	778.42	871.71	668.12	704.68	792.88	823.94	917.23
24″(610mm)	36″(914mm)	WUCR-3636-L ■ ■ ■ N44 ■	$475.96	$481.12	$552.38	$583.44	$ 661.45	$510.68	$515.84	$587.10	$618.16	$ 696.17
	42″(1067mm)	WUCR-4242-L ■ ■ ■ N44 ■	546.88	560.74	640.70	671.76	753.43	586.82	600.68	680.64	711.70	793.37
	48″(1219mm)	WUCR-4848-L ■ ■ ■ N44 ■	617.80	640.36	729.02	760.08	845.41	662.96	685.52	774.18	805.24	890.57
	54″(1372mm)	WUCR-5454-L ■ ■ ■ N44 ■	688.72	719.98	817.34	848.40	937.39	739.10	770.36	867.72	898.78	987.77
30″(762mm)	36″(914mm) (1)	WUCR-3636-L ■ ■ ■ N55 ■	$542.08	$541.94	N/A	N/A	$ 727.13	$581.66	$581.52	N/A	N/A	$ 766.71
	42″(1067mm)	WUCR-4242-L ■ ■ ■ N55 ■	613.00	621.56	710.68	741.74	819.11	657.80	666.36	755.48	786.54	863.91
	48″(1219mm)	WUCR-4848-L ■ ■ ■ N55 ■	683.92	701.18	799.00	830.06	911.09	733.94	751.20	849.02	880.08	961.11
	54″(1372mm)	WUCR-5454-L ■ ■ ■ N55 ■	754.84	780.80	887.32	918.38	1003.07	810.08	836.04	942.56	973.62	1058.31

(1)Cascade edge option not available in this size.



WUCR

Features

- Includes worksurface.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Notched

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	WUCN-3636-L ■ ■ ■ N33 ■	$449.19	$456.92	$533.15	$563.61	$ 641.00	$480.70	$488.43	$564.66	$595.12	$ 672.51
	42″(1067mm)	WUCN-4242-L ■ ■ ■ N33 ■	524.29	531.47	617.45	647.91	737.85	562.10	569.28	655.26	685.72	775.66
	48″(1219mm)	WUCN-4848-L ■ ■ ■ N33 ■	600.55	607.07	704.75	735.21	840.21	644.66	651.18	748.86	779.32	884.32
	54″(1372mm)	WUCN-5454-L ■ ■ ■ N33 ■	702.02	707.88	817.26	847.72	967.78	752.43	758.29	867.67	898.13	1018.19
24″(610mm)	36″(914mm)	WUCN-3636-L ■ ■ ■ N44 ■	$466.00	$473.73	$549.96	$580.42	$ 657.81	$497.51	$505.24	$581.47	$611.93	$ 689.32
	42″(1067mm)	WUCN-4242-L ■ ■ ■ N44 ■	541.10	548.28	634.26	664.72	754.66	578.91	586.09	672.07	702.53	792.47
	48″(1219mm)	WUCN-4848-L ■ ■ ■ N44 ■	617.36	623.88	721.56	752.02	857.02	661.47	667.99	765.67	796.13	901.13
	54″(1372mm)	WUCN-5454-L ■ ■ ■ N44 ■	718.83	724.69	834.07	864.53	984.59	769.24	775.10	884.48	914.94	1035.00
30″(762mm)	36″(914mm)	(1) WUCN-3636-L ■ ■ ■ N55 ■	$482.80	$490.53	N/A	N/A	$ 674.61	$514.31	$522.04	N/A	N/A	$ 706.12
	42″(1067mm)	WUCN-4242-L ■ ■ ■ N55 ■	557.90	565.08	651.06	681.52	771.46	595.71	602.89	688.87	719.33	809.27
	48″(1219mm)	WUCN-4848-L ■ ■ ■ N55 ■	634.16	640.68	738.36	768.82	873.82	678.27	684.79	782.47	812.93	917.93
	54″(1372mm)	WUCN-5454-L ■ ■ ■ N55 ■	735.63	741.49	850.87	881.33	1001.39	786.04	791.90	901.28	931.74	1051.80

(1)Cascade edge option not available in this size.



WUCN

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), knife edge (F), or
  - –3mm edgeband (J) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Angled

Left/Right Depth	Width	Number ❶❷❸❹	Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCU-3636-L ■ ■ ■ ■ 33 ■	$456.73	$462.51	$ 607.84	$486.43	$492.21	$ 637.54
	42″(1067mm)	WUCU-4242-L ■ ■ ■ ■ 33 ■	500.08	505.08	687.43	536.77	541.77	724.12
	48″(1219mm)	WUCU-4848-L ■ ■ ■ ■ 33 ■	596.47	600.69	820.06	640.15	644.37	863.74
	54″(1372mm)	WUCU-5454-L ■ ■ ■ ■ 33 ■	692.86	696.30	952.69	743.53	746.97	1003.36
24″(610mm)	36″(914mm)	WUCU-3636-L ■ ■ ■ ■ 44 ■	$481.23	$484.79	$ 636.98	$512.71	$516.27	$ 668.46
	42″(1067mm)	WUCU-4242-L ■ ■ ■ ■ 44 ■	524.58	527.36	716.57	563.05	565.83	755.04
	48″(1219mm)	WUCU-4848-L ■ ■ ■ ■ 44 ■	620.97	622.97	849.20	666.43	668.43	894.66
	54″(1372mm)	WUCU-5454-L ■ ■ ■ ■ 44 ■	717.36	718.58	981.83	769.81	771.03	1034.28
30″(762mm)	36″(914mm)	WUCU-3636-L ■ ■ ■ ■ 55 ■	$505.73	$507.07	$ 666.12	$538.99	$540.33	$ 699.38
	42″(1067mm)	WUCU-4242-L ■ ■ ■ ■ 55 ■	549.08	549.64	745.71	589.33	589.89	785.96
	48″(1219mm)	WUCU-4848-L ■ ■ ■ ■ 55 ■	645.47	645.25	878.34	692.71	692.49	925.58
	54″(1372mm)	WUCU-5454-L ■ ■ ■ ■ 55 ■	741.86	740.86	1010.97	796.09	795.09	1065.20



(Left-hand orientation)



(Right-hand orientation)

WUCU

Features

- Includes worksurface.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)/24″(610mm)	36″(914mm)	WUCT-3636-L ■ ■ ■	N34 ■	$442.90	$450.71	$517.39	$548.45	$628.61	$475.19	$483.00	$549.68	$580.74	$ 660.90
	42″(1067mm)	WUCT-4242-L ■ ■ ■	N34 ■	513.82	530.33	605.71	636.77	720.59	551.33	567.84	643.22	674.28	758.10
	48″(1219mm)	WUCT-4848-L ■ ■ ■	N34 ■	584.74	609.95	694.03	725.09	812.57	627.47	652.68	736.76	767.82	855.30
	54″(1372mm)	WUCT-5454-L ■ ■ ■	N34 ■	655.66	689.57	782.35	813.41	904.55	703.61	737.52	830.30	861.36	952.50
24″(610mm)/18″(457mm)	36″(914mm)	WUCT-3636-L ■ ■ ■	N43 ■	$442.90	$450.71	$517.39	$548.45	$628.61	$475.19	$483.00	$549.68	$580.74	$ 660.90
	42″(1067mm)	WUCT-4242-L ■ ■ ■	N43 ■	513.82	530.33	605.71	636.77	720.59	551.33	567.84	643.22	674.28	758.10
	48″(1219mm)	WUCT-4848-L ■ ■ ■	N43 ■	584.74	609.95	694.03	725.09	812.57	627.47	652.68	736.76	767.82	855.30
	54″(1372mm)	WUCT-5454-L ■ ■ ■	N43 ■	655.66	689.57	782.35	813.41	904.55	703.61	737.52	830.30	861.36	952.50
24″(610mm)/30″(762mm)	36″(914mm) (1)	WUCT-3636-L ■ ■ ■	N45 ■	$509.02	$511.53	N/A	N/A	$694.29	$546.17	$548.68	N/A	N/A	$ 731.44
	42″(1067mm)	WUCT-4242-L ■ ■ ■	N45 ■	579.94	591.15	675.69	706.75	786.27	622.31	633.52	718.06	749.12	828.64
	48″(1219mm)	WUCT-4848-L ■ ■ ■	N45 ■	650.86	670.77	764.01	795.07	878.25	698.45	718.36	811.60	842.66	925.84
	54″(1372mm)	WUCT-5454-L ■ ■ ■	N45 ■	721.78	750.39	852.33	883.39	970.23	774.59	803.20	905.14	936.20	1023.04
30″(762mm)/24″(610mm)	36″(914mm) (1)	WUCT-3636-L ■ ■ ■	N54 ■	$509.02	$511.53	N/A	N/A	$694.29	$546.17	$548.68	N/A	N/A	$ 731.44
	42″(1067mm)	WUCT-4242-L ■ ■ ■	N54 ■	579.94	591.15	675.69	706.75	786.27	622.31	633.52	718.06	749.12	828.64
	48″(1219mm)	WUCT-4848-L ■ ■ ■	N54 ■	650.86	670.77	764.01	795.07	878.25	698.45	718.36	811.60	842.66	925.84
	54″(1372mm)	WUCT-5454-L ■ ■ ■	N54 ■	721.78	750.39	852.33	883.39	970.23	774.59	803.20	905.14	936.20	1023.04

(1)Cascade edge option not available in these sizes.





WUCT-N34



WUCT-N43

Features

- Includes worksurface.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Transitional

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)/24″(610mm)	36″(914mm)	WUCH-3636-L ■ ■ ■ N34 ■	$438.69	$446.42	$522.65	$553.11	$630.50	$470.20	$477.93	$554.16	$584.62	$ 662.01
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N34 ■	513.79	520.97	606.95	637.41	727.35	551.60	558.78	644.76	675.22	765.16
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N34 ■	590.05	596.57	694.25	724.71	829.71	634.16	640.68	738.36	768.82	873.82
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N34 ■	691.52	697.38	806.76	837.22	957.28	741.93	747.79	857.17	887.63	1007.69
24″(610mm)/18″(457mm)	36″(914mm)	WUCH-3636-L ■ ■ ■ N43 ■	$438.69	$446.42	$522.65	$553.11	$630.50	$470.20	$477.93	$554.16	$584.62	$ 662.01
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N43 ■	513.79	520.97	606.95	637.41	727.35	551.60	558.78	644.76	675.22	765.16
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N43 ■	590.05	596.57	694.25	724.71	829.71	634.16	640.68	738.36	768.82	873.82
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N43 ■	691.52	697.38	806.76	837.22	957.28	741.93	747.79	857.17	887.63	1007.69
24″(610mm)/30″(762mm)	36″(914mm) (1)	WUCH-3636-L ■ ■ ■ N45 ■	$472.30	$480.03	N/A	N/A	$664.11	$503.81	$511.54	N/A	N/A	$ 695.62
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N45 ■	547.40	554.58	640.56	671.02	760.96	585.21	592.39	678.37	708.83	798.77
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N45 ■	623.66	630.18	727.86	758.32	863.32	667.77	674.29	771.97	802.43	907.43
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N45 ■	725.13	730.99	840.37	870.83	990.89	775.54	781.40	890.78	921.24	1041.30
30″(762mm)/24″(610mm)	36″(914mm) (1)	WUCH-3636-L ■ ■ ■ N54 ■	$472.30	$480.03	N/A	N/A	$664.11	$503.81	$511.54	N/A	N/A	$ 695.62
	42″(1067mm)	WUCH-4242-L ■ ■ ■ N54 ■	547.40	554.58	640.56	671.02	760.96	585.21	592.39	678.37	708.83	798.77
	48″(1219mm)	WUCH-4848-L ■ ■ ■ N54 ■	623.66	630.18	727.86	758.32	863.32	667.77	674.29	771.97	802.43	907.43
	54″(1372mm)	WUCH-5454-L ■ ■ ■ N54 ■	725.13	730.99	840.37	870.83	990.89	775.54	781.40	890.78	921.24	1041.30

(1)Cascade edge option not available in these sizes.



WUCH-N34



WUCH-N43

Features

- Includes worksurface.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Angled Transitional

Left/Right Depth	Width	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)/24″(610mm)	36″(914mm)	WUCF-3636-L ■ ■ ■ ■	34 ■	$415.94	$420.61	$569.37	$446.53	$451.20	$ 599.96
	42″(1067mm)	WUCF-4242-L ■ ■ ■ ■	34 ■	512.33	516.22	702.00	549.91	553.80	739.58
	48″(1219mm)	WUCF-4848-L ■ ■ ■ ■	34 ■	608.72	611.83	834.63	653.29	656.40	879.20
	54″(1372mm)	WUCF-5454-L ■ ■ ■ ■	34 ■	705.11	707.44	967.26	756.67	759.00	1018.82
24″(610mm)/18″(457mm)	36″(914mm)	WUCF-3636-L ■ ■ ■ ■	43 ■	$415.94	$420.61	$569.37	$446.53	$451.20	$ 599.96
	42″(1067mm)	WUCF-4242-L ■ ■ ■ ■	43 ■	512.33	516.22	702.00	549.91	553.80	739.58
	48″(1219mm)	WUCF-4848-L ■ ■ ■ ■	43 ■	608.72	611.83	834.63	653.29	656.40	879.20
	54″(1372mm)	WUCF-5454-L ■ ■ ■ ■	43 ■	705.11	707.44	967.26	756.67	759.00	1018.82
24″(610mm)/30″(762mm)	36″(914mm)	WUCF-3636-L ■ ■ ■ ■	45 ■	$440.44	$442.89	$598.51	$472.81	$475.26	$ 630.88
	42″(1067mm)	WUCF-4242-L ■ ■ ■ ■	45 ■	536.83	538.50	731.14	576.19	577.86	770.50
	48″(1219mm)	WUCF-4848-L ■ ■ ■ ■	45 ■	633.22	634.11	863.77	679.57	680.46	910.12
	54″(1372mm)	WUCF-5454-L ■ ■ ■ ■	45 ■	729.61	729.72	996.40	782.95	783.06	1049.74
30″(762mm)/24″(610mm)	36″(914mm)	WUCF-3636-L ■ ■ ■ ■	54 ■	$440.44	$442.89	$598.51	$472.81	$475.26	$ 630.88
	42″(1067mm)	WUCF-4242-L ■ ■ ■ ■	54 ■	536.83	538.50	731.14	576.19	577.86	770.50
	48″(1219mm)	WUCF-4848-L ■ ■ ■ ■	54 ■	633.22	634.11	863.77	679.57	680.46	910.12
	54″(1372mm)	WUCF-5454-L ■ ■ ■ ■	54 ■	729.61	729.72	996.40	782.95	783.06	1049.74



(Left-hand orientation)
WUCF-N45



(Right-hand orientation)
WUCF-N54

Features

- Includes worksurface.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Laminate

Corner, 90° Split Top

Left/Right Depth	Width	Number ❶❷❸	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2
24″(610mm)	48″(1219mm)	WUCK-4848-L N44 ■	**$1916.30**	**$1983.86**	**$2336.97**	**$2372.31**	**$1984.86**	**$2052.42**	**$2405.53**	**$2440.87**
30″(762mm)	48″(1219mm)	WUCK-4848-L N55 ■	**$1974.14**	**$2041.70**	**$2394.81**	**$2437.65**	**$2057.70**	**$2125.26**	**$2478.37**	**$2521.21**



WUCK

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Laminate with:
  –3mm full perimeter T-mold (T), or
  –3mm edgeband (J) or Cascade (V) edge on front and rear worksurface front edge, and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets. If using snap-n-fit cantilever on 24″(610mm) deep worksurfaces, specify snap-n-fit mini cantilever.

To Order, Specify:

T-Mold or Edgeband

1) Product number.
2) Laminate surface color.
3) Edge trim color for T and J.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Extended





(Right-hand orientation)
WUCE-R44



(Left-hand orientation)
WUCE-L44

Features

- Includes worksurface and tie plate.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Worksurface support column or leg
  –Side brackets
  –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	42″(1067mm)	WUCE-3642-L	33	$ 732.54	$ 757.41	$ 886.20	$ 916.96	$1017.31	$ 778.15	$ 803.02	$ 931.81	$ 962.57	$1062.92
		48″(1219mm)	WUCE-3648-L	33	739.74	767.36	898.51	929.27	1037.45	785.88	813.50	944.65	975.41	1083.59
		54″(1372mm)	WUCE-3654-L	33	746.94	777.31	910.82	941.58	1057.59	793.61	823.98	957.49	988.25	1104.26
		60″(1524mm)	WUCE-3660-L	33	754.14	787.26	923.13	953.89	1077.73	801.34	834.46	970.33	1001.09	1124.93
		66″(1676mm)	WUCE-3666-L	33	834.62	870.49	1008.72	1039.48	1171.15	882.35	918.22	1056.45	1087.21	1218.88
		72″(1829mm)	WUCE-3672-L	33	902.57	941.19	1081.78	1112.54	1252.04	950.83	989.45	1130.04	1160.80	1300.30
24″(610mm)	36″(914mm)	42″(1067mm)	WUCE-3642-L	44	$ 760.68	$ 785.55	$ 914.34	$ 945.10	$1045.45	$ 808.53	$ 833.40	$ 962.19	$ 992.95	$1093.30
		48″(1219mm)	WUCE-3648-L	44	767.88	795.50	926.65	957.41	1065.59	816.26	843.88	975.03	1005.79	1113.97
		54″(1372mm)	WUCE-3654-L	44	775.08	805.45	938.96	969.72	1085.73	823.99	854.36	987.87	1018.63	1134.64
		60″(1524mm)	WUCE-3660-L	44	782.28	815.40	951.27	982.03	1105.87	831.72	864.84	1000.71	1031.47	1155.31
		66″(6764mm)	WUCE-3666-L	44	862.76	898.63	1036.86	1067.62	1199.29	912.73	948.60	1086.83	1117.59	1249.26
		72″(1829mm)	WUCE-3672-L	44	930.71	969.33	1109.92	1140.68	1280.18	981.21	1019.83	1160.42	1191.18	1330.68
30″(762mm)	36″(914mm)	42″(1067mm)(1)	WUCE-3642-L	55	$ 907.63	$ 932.50	N/A	N/A	$1192.40	$ 957.72	$ 982.59	N/A	N/A	$1242.49
		48″(1219mm)(1)	WUCE-3648-L	55	914.83	942.45	N/A	N/A	1212.54	965.45	993.07	N/A	N/A	1263.16
		54″(1372mm)(1)	WUCE-3654-L	55	922.03	952.40	N/A	N/A	1232.68	973.18	1003.55	N/A	N/A	1283.83
		60″(1524mm)(1)	WUCE-3660-L	55	929.23	962.35	N/A	N/A	1252.82	980.91	1014.03	N/A	N/A	1304.50
		66″(1676mm)(1)	WUCE-3666-L	55	1009.71	1045.58	N/A	N/A	1346.24	1061.92	1097.79	N/A	N/A	1398.45
		72″(1829mm)(1)	WUCE-3672-L	55	1077.66	1116.28	N/A	N/A	1427.13	1130.40	1169.02	N/A	N/A	1479.87
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-L	33	$ 746.94	$ 777.31	$ 910.82	$ 941.58	$1057.59	$ 793.61	$ 823.98	$ 957.49	$ 988.25	$1104.26
		54″(1372mm)	WUCE-4254-L	33	754.14	787.26	923.13	953.89	1077.73	801.34	834.46	970.33	1001.09	1124.93
		60″(1524mm)	WUCE-4260-L	33	761.34	797.21	935.44	966.20	1097.87	809.07	844.94	983.17	1013.93	1145.60
		66″(1676mm)	WUCE-4266-L	33	860.14	898.76	1039.35	1070.11	1209.61	908.40	947.02	1087.61	1118.37	1257.87
		72″(1829mm)	WUCE-4272-L	33	928.09	969.46	1112.41	1143.17	1290.50	976.88	1018.25	1161.20	1191.96	1339.29
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-L	44	$ 775.08	$ 805.45	$ 938.96	$ 969.72	$1085.73	$ 823.99	$ 854.36	$ 987.87	$1018.63	$1134.64
		54″(1372mm)	WUCE-4254-L	44	782.28	815.40	951.27	982.03	1105.87	831.72	864.84	1000.71	1031.47	1155.31
		60″(1524mm)	WUCE-4260-L	44	789.48	825.35	963.58	994.34	1126.01	839.45	875.32	1013.55	1044.31	1175.98
		66″(1676mm)	WUCE-4266-L	44	888.28	926.90	1067.49	1098.25	1237.75	938.78	977.40	1117.99	1148.75	1288.25
		72″(1829mm)	WUCE-4272-L	44	956.23	997.60	1140.55	1171.31	1318.64	1007.26	1048.63	1191.58	1222.34	1369.67
30″(762mm)	42″(1067mm)	48″(1067mm)	WUCE-4248-L	55	$ 922.03	$ 952.40	$1085.91	$1116.67	$1232.68	$ 973.18	$1003.55	$1137.06	$1167.82	$1283.83
		54″(1372mm)	WUCE-4254-L	55	929.23	962.35	1098.22	1128.98	1252.82	980.91	1014.03	1149.90	1180.66	1304.50
		60″(1524mm)	WUCE-4260-L	55	936.43	972.30	1110.53	1141.29	1272.96	988.64	1024.51	1162.74	1193.50	1325.17
		66″(1676mm)	WUCE-4266-L	55	1035.23	1073.85	1214.44	1245.20	1384.70	1087.97	1126.59	1267.18	1297.94	1437.44
		72″(1829mm)	WUCE-4272-L	55	1103.18	1144.55	1287.50	1318.26	1465.59	1156.45	1197.82	1340.77	1371.53	1518.86
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	33	$ 761.34	$ 797.21	$ 935.44	$ 966.20	$1097.87	$ 809.07	$ 844.94	$ 983.17	$1013.93	$1145.60
		60″(1524mm)	WUCE-4860-L	33	768.54	807.16	947.75	978.51	1118.01	816.80	855.42	996.01	1026.77	1166.27
		66″(1676mm)	WUCE-4866-L	33	885.66	927.03	1069.98	1100.74	1248.07	934.45	975.82	1118.77	1149.53	1296.86
		72″(1829mm)	WUCE-4872-L	33	953.61	997.73	1143.04	1173.80	1328.96	1002.93	1047.05	1192.36	1223.12	1378.28
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	44	$ 789.48	$ 825.35	$ 963.58	$ 994.34	$1126.01	$ 839.45	$ 875.32	$1013.55	$1044.31	$1175.98
		60″(1524mm)	WUCE-4860-L	44	796.68	835.30	975.89	1006.65	1146.15	847.18	885.80	1026.39	1057.15	1196.65
		66″(1676mm)	WUCE-4866-L	44	913.80	955.17	1098.12	1128.88	1276.21	964.83	1006.20	1149.15	1179.91	1327.24
		72″(1829mm)	WUCE-4872-L	44	981.75	1025.87	1171.18	1201.94	1357.10	1033.31	1077.43	1222.74	1253.50	1408.66
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-L	55	$ 936.43	$ 972.30	$1110.53	$1141.29	$1272.96	$ 988.64	$1024.51	$1162.74	$1193.50	$1325.17
		60″(1524mm)	WUCE-4860-L	55	943.63	982.25	1122.84	1153.60	1293.10	996.37	1034.99	1175.58	1206.34	1345.84
		66″(1676mm)	WUCE-4866-L	55	1060.75	1102.12	1245.07	1275.83	1423.16	1114.02	1155.39	1298.34	1329.10	1476.43
		72″(1829mm)	WUCE-4872-L	55	1128.70	1172.82	1318.13	1348.89	1504.05	1182.50	1226.62	1371.93	1402.69	1557.85
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	33	$ 775.74	$ 817.11	$ 960.06	$ 990.82	$1138.15	$ 824.53	$ 865.90	$1008.85	$1039.61	$1186.94
		66″(1676mm)	WUCE-5466-L	33	911.18	955.30	1100.61	1131.37	1286.53	960.50	1004.62	1149.93	1180.69	1335.85
		72″(1829mm)	WUCE-5472-L	33	979.13	1026.00	1173.67	1204.43	1367.42	1028.98	1075.85	1223.52	1254.28	1417.27
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	44	$ 803.88	$ 845.25	$ 988.20	$1018.96	$1166.29	$ 854.91	$ 896.28	$1039.23	$1069.99	$1217.32
		66″(1676mm)	WUCE-5466-L	44	939.32	983.44	1128.75	1159.51	1314.67	990.88	1035.00	1180.31	1211.07	1366.23
		72″(1829mm)	WUCE-5472-L	44	1007.27	1054.14	1201.81	1232.57	1395.56	1059.36	1106.23	1253.90	1284.66	1447.65
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCE-5460-L	55	$ 950.83	$ 992.20	$1135.15	$1165.91	$1313.24	$1004.10	$1045.47	$1188.42	$1219.18	$1366.51
		66″(1676mm)	WUCE-5466-L	55	1086.27	1130.39	1275.70	1306.46	1461.62	1140.07	1184.19	1329.50	1360.26	1515.42
		72″(1829mm)	WUCE-5472-L	55	1154.22	1201.09	1348.76	1379.52	1542.51	1208.55	1255.42	1403.09	1433.85	1596.84
18″(457mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	33	$ 936.70	$ 983.57	$1131.24	$1162.00	$1324.99	$ 986.55	$1033.42	$1181.09	$1211.85	$1374.84
		72″(1829mm)	WUCE-6072-L	33	1004.65	1054.27	1204.30	1235.06	1405.88	1055.03	1104.65	1254.68	1285.44	1456.26
24″(610mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	44	$ 964.84	$1011.71	$1159.38	$1190.14	$1353.13	$1016.93	$1063.80	$1211.47	$1242.23	$1405.22
		72″(1829mm)	WUCE-6072-L	44	1032.79	1082.41	1232.44	1263.20	1434.02	1085.41	1135.03	1285.06	1315.82	1486.64
30″(762mm)	60″(1524mm)	66″(1676mm)	WUCE-6066-L	55	$1111.79	$1158.66	$1306.33	$1337.09	$1500.08	$1166.12	$1212.99	$1360.66	$1391.42	$1554.41
		72″(1829mm)	WUCE-6072-L	55	1179.74	1229.36	1379.39	1410.15	1580.97	1234.60	1284.22	1434.25	1465.01	1635.83

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Extended



(Right-hand orientation)

WUCP-R44



(Left-hand orientation)

WUCP-L44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Support post or support column
  - –Disc base
  - –Attached lower storage
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	42″(1067mm)	WUCP-3642-L	33	$ 750.32	$ 757.34	$ 885.66	$ 916.72	$1026.21	$ 804.95	$ 811.97	$ 940.29	$ 971.35	$1080.84
		48″(1219mm)	WUCP-3648-L	33	770.23	778.78	909.86	940.92	1058.24	826.30	834.85	965.93	996.99	1114.31
		54″(1372mm)	WUCP-3654-L	33	790.14	800.22	934.06	965.12	1090.27	847.65	857.73	991.57	1022.63	1147.78
		60″(1524mm)	WUCP-3660-L	33	810.05	821.66	958.26	989.32	1122.30	869.00	880.61	1017.21	1048.27	1181.25
		66″(1676mm)	WUCP-3666-L	33	829.96	843.10	982.46	1013.52	1154.33	890.35	903.49	1042.85	1073.91	1214.72
		72″(1829mm)	WUCP-3672-L	33	966.63	981.30	1123.42	1154.48	1303.12	1028.46	1043.13	1185.25	1216.31	1364.95
24″(610mm)	36″(914mm)	42″(1067mm)	WUCP-3642-L	44	$ 774.52	$ 781.54	$ 909.86	$ 940.92	$1050.41	$ 831.09	$ 838.11	$ 966.43	$ 997.49	$1106.98
		48″(1219mm)	WUCP-3648-L	44	794.43	802.98	934.06	965.12	1082.44	852.44	860.99	992.07	1023.13	1140.45
		54″(1372mm)	WUCP-3654-L	44	814.34	824.42	958.26	989.32	1114.47	873.79	883.87	1017.71	1048.77	1173.92
		60″(1524mm)	WUCP-3660-L	44	834.25	845.86	982.46	1013.52	1146.50	895.14	906.75	1043.35	1074.41	1207.39
		66″(1676mm)	WUCP-3666-L	44	854.16	867.30	1006.66	1037.72	1178.53	916.49	929.63	1068.99	1100.05	1240.86
		72″(1829mm)	WUCP-3672-L	44	990.83	1005.50	1147.62	1178.68	1327.32	1054.60	1069.27	1211.39	1242.45	1391.09
30″(762mm)	36″(914mm)	42″(1067mm)(1)	WUCP-3642-L	55	$ 798.72	$ 805.74	N/A	N/A	$1074.61	$ 857.23	$ 864.25	N/A	N/A	$1133.12
		48″(1219mm)(1)	WUCP-3648-L	55	818.63	827.18	N/A	N/A	1106.64	878.58	887.13	N/A	N/A	1166.59
		54″(1372mm)(1)	WUCP-3654-L	55	838.54	848.62	N/A	N/A	1138.67	899.93	910.01	N/A	N/A	1200.06
		60″(1524mm)(1)	WUCP-3660-L	55	858.45	870.06	N/A	N/A	1170.70	921.28	932.89	N/A	N/A	1233.53
		66″(1676mm)(1)	WUCP-3666-L	55	878.36	891.50	N/A	N/A	1202.73	942.63	955.77	N/A	N/A	1267.00
		72″(1829mm)(1)	WUCP-3672-L	55	1015.03	1029.70	N/A	N/A	1351.52	1080.74	1095.41	N/A	N/A	1417.23
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	33	$ 790.14	$ 800.22	$ 934.06	$ 965.12	$1090.27	$ 847.65	$ 857.73	$ 991.57	$1022.63	$1147.78
		54″(1372mm)	WUCP-4254-L	33	810.05	821.66	958.26	989.32	1122.30	869.00	880.61	1017.21	1048.27	1181.25
		60″(1524mm)	WUCP-4260-L	33	829.96	843.10	982.46	1013.52	1154.33	890.35	903.49	1042.85	1073.91	1214.72
		66″(1676mm)	WUCP-4266-L	33	849.87	864.54	1006.66	1037.72	1186.36	911.70	926.37	1068.49	1099.55	1248.19
		72″(1829mm)	WUCP-4272-L	33	986.54	1002.74	1147.62	1178.68	1335.15	1049.81	1066.01	1210.89	1241.95	1398.42
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	44	$ 814.34	$ 824.42	$ 958.26	$ 989.32	$1114.47	$ 873.79	$ 883.87	$1017.71	$1048.77	$1173.92
		54″(1372mm)	WUCP-4254-L	44	834.25	845.86	982.46	1013.52	1146.50	895.14	906.75	1043.35	1074.41	1207.39
		60″(1524mm)	WUCP-4260-L	44	854.16	867.30	1006.66	1037.72	1178.53	916.49	929.63	1068.99	1100.05	1240.86
		66″(1676mm)	WUCP-4266-L	44	874.07	888.74	1030.86	1061.92	1210.56	937.84	952.51	1094.63	1125.69	1274.33
		72″(1829mm)	WUCP-4272-L	44	1010.74	1026.94	1171.82	1202.88	1359.35	1075.95	1092.15	1237.03	1268.09	1424.56
30″(762mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-L	55	$ 838.54	$ 848.62	$ 982.46	$1013.52	$1138.67	$ 899.93	$ 910.01	$1043.85	$1074.91	$1200.06
		54″(1372mm)	WUCP-4254-L	55	858.45	870.06	1006.66	1037.72	1170.70	921.28	932.89	1069.49	1100.55	1233.53
		60″(1524mm)	WUCP-4260-L	55	878.36	891.50	1030.86	1061.92	1202.73	942.63	955.77	1095.13	1126.19	1267.00
		66″(1676mm)	WUCP-4266-L	55	898.27	912.94	1055.06	1086.12	1234.76	963.98	978.65	1120.77	1151.83	1300.47
		72″(1829mm)	WUCP-4272-L	55	1034.94	1051.14	1196.02	1227.08	1383.55	1102.09	1118.29	1263.17	1294.23	1450.70
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	33	$ 829.96	$ 843.10	$ 982.46	$1013.52	$1154.33	$ 890.35	$ 903.49	$1042.85	$1073.91	$1214.72
		60″(1524mm)	WUCP-4860-L	33	849.87	864.54	1006.66	1037.72	1186.36	911.70	926.37	1068.49	1099.55	1248.19
		66″(1676mm)	WUCP-4866-L	33	869.78	885.98	1030.86	1061.92	1218.39	933.05	949.25	1094.13	1125.19	1281.66
		72″(1829mm)	WUCP-4872-L	33	1006.45	1024.18	1171.82	1202.88	1367.18	1071.16	1088.89	1236.53	1267.59	1431.89
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	44	$ 854.16	$ 867.30	$1006.66	$1037.72	$1178.53	$ 916.49	$ 929.63	$1068.99	$1100.05	$1240.86
		60″(1524mm)	WUCP-4860-L	44	874.07	888.74	1030.86	1061.92	1210.56	937.84	952.51	1094.63	1125.69	1274.33
		66″(1676mm)	WUCP-4866-L	44	893.98	910.18	1055.06	1086.12	1242.59	959.19	975.39	1120.27	1151.33	1307.80
		72″(1829mm)	WUCP-4872-L	44	1030.65	1048.38	1196.02	1227.08	1391.38	1097.30	1115.03	1262.67	1293.73	1458.03
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-L	55	$ 878.36	$ 891.50	$1030.86	$1061.92	$1202.73	$ 942.63	$ 955.77	$1095.13	$1126.19	$1267.00
		60″(1524mm)	WUCP-4860-L	55	898.27	912.94	1055.06	1086.12	1234.76	963.98	978.65	1120.77	1151.83	1300.47
		66″(1676mm)	WUCP-4866-L	55	918.18	934.38	1079.26	1110.32	1266.79	985.33	1001.53	1146.41	1177.47	1333.94
		72″(1829mm)	WUCP-4872-L	55	1054.85	1072.58	1220.22	1251.28	1415.58	1123.44	1141.17	1288.81	1319.87	1484.17
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	33	$ 869.78	$ 885.98	$1030.86	$1061.92	$1218.39	$ 933.05	$ 949.25	$1094.13	$1125.19	$1281.66
		66″(1676mm)	WUCP-5466-L	33	889.69	907.42	1055.06	1086.12	1250.42	954.40	972.13	1119.77	1150.83	1315.13
		72″(1829mm)	WUCP-5472-L	33	1026.36	1045.62	1196.02	1227.08	1399.21	1092.51	1111.77	1262.17	1293.23	1465.36
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	44	$ 893.98	$ 910.18	$1055.06	$1086.12	$1242.59	$ 959.19	$ 975.39	$1120.27	$1151.33	$1307.80
		66″(1676mm)	WUCP-5466-L	44	913.89	931.62	1079.26	1110.32	1274.62	980.54	998.27	1145.91	1176.97	1341.27
		72″(1829mm)	WUCP-5472-L	44	1050.56	1069.82	1220.22	1251.28	1423.41	1118.65	1137.91	1288.31	1319.37	1491.50
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCP-5460-L	55	$ 918.18	$ 934.38	$1079.26	$1110.32	$1266.79	$ 985.33	$1001.53	$1146.41	$1177.47	$1333.94
		66″(1676mm)	WUCP-5466-L	55	938.09	955.82	1103.46	1134.52	1298.82	1006.68	1024.41	1172.05	1203.11	1367.41
		72″(1829mm)	WUCP-5472-L	55	1074.76	1094.02	1244.42	1275.48	1447.61	1144.79	1164.05	1314.45	1345.51	1517.64
18″(457mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	33	$ 909.60	$ 928.86	$1079.26	$1110.32	$1282.45	$ 975.75	$ 995.01	$1145.41	$1176.47	$1348.60
		72″(1829mm)	WUCP-6072-L	33	1046.27	1067.06	1220.22	1251.28	1431.24	1113.86	1134.65	1287.81	1318.87	1498.83
24″(610mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	44	$ 933.80	$ 953.06	$1103.46	$1134.52	$1306.65	$1001.89	$1021.15	$1171.55	$1202.61	$1374.74
		72″(1829mm)	WUCP-6072-L	44	1070.47	1091.26	1244.42	1275.48	1455.44	1140.00	1160.79	1313.95	1345.01	1524.97
30″(762mm)	60″(1524mm)	66″(1676mm)	WUCP-6066-L	55	$ 958.00	$ 977.26	$1127.66	$1158.72	$1330.85	$1028.03	$1047.29	$1197.69	$1228.75	$1400.88
		72″(1829mm)	WUCP-6072-L	55	1094.67	1115.46	1268.62	1299.68	1479.64	1166.14	1186.93	1340.09	1371.15	1551.11

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-R34



(Left-hand orientation)

WUCX-L43

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Support post or support column
  - –Side brackets
  - –Attached lower storage
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number	❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)/ 24″(66mm)	36″(914mm)	42″(1067mm)	WUCX-3642-L		34	$ 829.35	$ 854.22	$ 983.01	$1013.77	$1114.12	$ 876.08	$ 900.95	$1029.74	$1060.50	$1160.85
		48″(1219mm)	WUCX-3648-L		34	836.55	864.17	995.32	1026.08	1134.26	883.81	911.43	1042.58	1073.34	1181.52
		54″(1372mm)	WUCX-3654-L		34	843.75	874.12	1007.63	1038.39	1154.40	891.54	921.91	1055.42	1086.18	1202.19
		60″(1524mm)	WUCX-3660-L		34	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		66″(1676mm)	WUCX-3666-L		34	931.43	967.30	1105.53	1136.29	1267.96	980.28	1016.15	1154.38	1185.14	1316.81
		72″(1829mm)	WUCX-3672-L		34	999.38	1038.00	1178.59	1209.35	1348.85	1048.76	1087.38	1227.97	1258.73	1398.23
24″(610mm)/ 18″(457mm)	36″(914mm)	42″(1067mm)	WUCX-3642-L		43	$ 829.35	$ 854.22	$ 983.01	$1013.77	$1114.12	$ 876.08	$ 900.95	$1029.74	$1060.50	$1160.85
		48″(1219mm)	WUCX-3648-L		43	836.55	864.17	995.32	1026.08	1134.26	883.81	911.43	1042.58	1073.34	1181.52
		54″(1372mm)	WUCX-3654-L		43	843.75	874.12	1007.63	1038.39	1154.40	891.54	921.91	1055.42	1086.18	1202.19
		60″(1524mm)	WUCX-3660-L		43	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		66″(6764mm)	WUCX-3666-L		43	931.43	967.30	1105.53	1136.29	1267.96	980.28	1016.15	1154.38	1185.14	1316.81
		72″(1829mm)	WUCX-3672-L		43	999.38	1038.00	1178.59	1209.35	1348.85	1048.76	1087.38	1227.97	1258.73	1398.23
24″(610mm)/ 30″(762mm)	36″(914mm)	42″(1067mm)[1]	WUCX-3642-L		45	$ 857.49	$ 882.36	N/A	N/A	$1142.26	$ 906.46	$ 931.33	N/A	N/A	$1191.23
		48″(1219mm)[1]	WUCX-3648-L		45	864.69	892.31	N/A	N/A	1162.40	914.19	941.81	N/A	N/A	1211.90
		54″(1372mm)[1]	WUCX-3654-L		45	871.89	902.26	N/A	N/A	1182.54	921.92	952.29	N/A	N/A	1232.57
		60″(1524mm)[1]	WUCX-3660-L		45	879.09	912.21	N/A	N/A	1202.68	929.65	962.77	N/A	N/A	1253.24
		66″(6764mm)[1]	WUCX-3666-L		45	959.57	995.44	N/A	N/A	1296.10	1010.66	1046.53	N/A	N/A	1347.19
		72″(1829mm)[1]	WUCX-3672-L		45	1027.52	1066.14	N/A	N/A	1376.99	1079.14	1117.76	N/A	N/A	1428.61
30″(762mm)/ 24″(610mm)	36″(914mm)	42″(1067mm)[1]	WUCX-3642-L		54	$ 857.49	$ 882.36	N/A	N/A	$1142.26	$ 906.46	$ 931.33	N/A	N/A	$1191.23
		48″(1219mm)[1]	WUCX-3648-L		54	864.69	892.31	N/A	N/A	1162.40	914.19	941.81	N/A	N/A	1211.90
		54″(1372mm)[1]	WUCX-3654-L		54	871.89	902.26	N/A	N/A	1182.54	921.92	952.29	N/A	N/A	1232.57
		60″(1524mm)[1]	WUCX-3660-L		54	879.09	912.21	N/A	N/A	1202.68	929.65	962.77	N/A	N/A	1253.24
		66″(1676mm)[1]	WUCX-3666-L		54	959.57	995.44	N/A	N/A	1296.10	1010.66	1046.53	N/A	N/A	1347.19
		72″(1829mm)[1]	WUCX-3672-L		54	1027.52	1066.14	N/A	N/A	1376.99	1079.14	1117.76	N/A	N/A	1428.61
18″(457mm)/ 24″(610mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L		34	$ 843.75	$ 874.12	$1007.63	$1038.39	$1154.40	$ 891.54	$ 921.91	$1055.42	$1086.18	$1202.19
		54″(1372mm)	WUCX-4254-L		34	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		60″(1524mm)	WUCX-4260-L		34	858.15	894.02	1032.25	1063.01	1194.68	907.00	942.87	1081.10	1111.86	1243.53
		66″(1676mm)	WUCX-4266-L		34	956.95	995.57	1136.16	1166.92	1306.42	1006.33	1044.95	1185.54	1216.30	1355.80
		72″(1829mm)	WUCX-4272-L		34	1024.90	1066.27	1209.22	1239.98	1387.31	1074.81	1116.18	1259.13	1289.89	1437.22
24″(610mm)/ 18″(457mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L		43	$ 843.75	$ 874.12	$1007.63	$1038.39	$1154.40	$ 891.54	$ 921.91	$1055.42	$1086.18	$1202.19
		54″(1372mm)	WUCX-4254-L		43	850.95	884.07	1019.94	1050.70	1174.54	899.27	932.39	1068.26	1099.02	1222.86
		60″(1524mm)	WUCX-4260-L		43	858.15	894.02	1032.25	1063.01	1194.68	907.00	942.87	1081.10	1111.86	1243.53
		66″(1676mm)	WUCX-4266-L		43	956.95	995.57	1136.16	1166.92	1306.42	1006.33	1044.95	1185.54	1216.30	1355.80
		72″(1829mm)	WUCX-4272-L		43	1024.90	1066.27	1209.22	1239.98	1387.31	1074.81	1116.18	1259.13	1289.89	1437.22
24″(610mm)/ 30″(762mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-L		45	$ 871.89	$ 902.26	$1035.77	$1066.53	$1182.54	$ 921.92	$ 952.29	$1085.80	$1116.56	$1232.57
		54″(1372mm)	WUCX-4254-L		45	879.09	912.21	1048.08	1078.84	1202.68	929.65	962.77	1098.64	1129.40	1253.24
		60″(1524mm)	WUCX-4260-L		45	886.29	922.16	1060.39	1091.15	1222.82	937.38	973.25	1111.48	1142.24	1273.91
		66″(1676mm)	WUCX-4266-L		45	985.09	1023.71	1164.30	1195.06	1334.56	1036.71	1075.33	1215.92	1246.68	1386.18
		72″(1829mm)	WUCX-4272-L		45	1053.04	1094.41	1237.36	1268.12	1415.45	1105.19	1146.56	1289.51	1320.27	1467.60
30″(762mm)/ 24″(610mm)	42″(1067mm)	48″(1067mm)	WUCX-4248-L		54	$ 871.89	$ 902.26	$1035.77	$1066.53	$1182.54	$ 921.92	$ 952.29	$1085.80	$1116.56	$1232.57
		54″(1372mm)	WUCX-4254-L		54	879.09	912.21	1048.08	1078.84	1202.68	929.65	962.77	1098.64	1129.40	1253.24
		60″(1524mm)	WUCX-4260-L		54	886.29	922.16	1060.39	1091.15	1222.82	937.38	973.25	1111.48	1142.24	1273.91
		66″(1676mm)	WUCX-4266-L		54	985.09	1023.71	1164.30	1195.06	1334.56	1036.71	1075.33	1215.92	1246.68	1386.18
		72″(1829mm)	WUCX-4272-L		54	1053.04	1094.41	1237.36	1268.12	1415.45	1105.19	1146.56	1289.51	1320.27	1467.60
18″(457mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L		34	$ 858.15	$ 894.02	$1032.25	$1063.01	$1194.68	$ 907.00	$ 942.87	$1081.10	$1111.86	$1243.53
		60″(1524mm)	WUCX-4860-L		34	865.35	903.97	1044.56	1075.32	1214.82	914.73	953.35	1093.94	1124.70	1264.20
		66″(1676mm)	WUCX-4866-L		34	982.47	1023.84	1166.79	1197.55	1344.88	1032.38	1073.75	1216.70	1247.46	1394.79
		72″(1829mm)	WUCX-4872-L		34	1050.42	1094.54	1239.85	1270.61	1425.77	1100.86	1144.98	1290.29	1321.05	1476.21
24″(610mm)/ 18″(457mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L		43	$ 858.15	$ 894.02	$1032.25	$1063.01	$1194.68	$ 907.00	$ 942.87	$1081.10	$1111.86	$1243.53
		60″(1524mm)	WUCX-4860-L		43	865.35	903.97	1044.56	1075.32	1214.82	914.73	953.35	1093.94	1124.70	1264.20
		66″(1676mm)	WUCX-4866-L		43	982.47	1023.84	1166.79	1197.55	1344.88	1032.38	1073.75	1216.70	1247.46	1394.79
		72″(1829mm)	WUCX-4872-L		43	1050.42	1094.54	1239.85	1270.61	1425.77	1100.86	1144.98	1290.29	1321.05	1476.21
24″(610mm)/ 30″(762mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L		45	$ 886.29	$ 922.16	$1060.39	$1091.15	$1222.82	$ 937.38	$ 973.25	$1111.48	$1142.24	$1273.91
		60″(1524mm)	WUCX-4860-L		45	893.49	932.11	1072.70	1103.46	1242.96	945.11	983.73	1124.32	1155.08	1294.58
		66″(1676mm)	WUCX-4866-L		45	1010.61	1051.98	1194.93	1225.69	1373.02	1062.76	1104.13	1247.08	1277.84	1425.17
		72″(1829mm)	WUCX-4872-L		45	1078.56	1122.68	1267.99	1298.75	1453.91	1131.24	1175.36	1320.67	1351.43	1506.59

[1]Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Laminate

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number	❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
30″(762mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-L		54	$ 886.29	$ 922.16	$1060.39	$1091.15	$1222.82	$ 937.38	$ 973.25	$1111.48	$1142.24	$1273.91
		60″(1524mm)	WUCX-4860-L		54	893.49	932.11	1072.70	1103.46	1242.96	945.11	983.73	1124.32	1155.08	1294.58
		66″(1676mm)	WUCX-4866-L		54	1010.61	1051.98	1194.93	1225.69	1373.02	1062.76	1104.13	1247.08	1277.84	1425.17
		72″(1829mm)	WUCX-4872-L		54	1078.56	1122.68	1267.99	1298.75	1453.91	1131.24	1175.36	1320.67	1351.43	1506.59
18″(457mm)/ 24″(610mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L		34	$ 872.55	$ 913.92	$1056.87	$1087.63	$1234.96	$ 922.46	$ 963.83	$1106.78	$1137.54	$1284.87
		66″(1676mm)	WUCX-5466-L		34	1007.99	1052.11	1197.42	1228.18	1383.34	1058.43	1102.55	1247.86	1278.62	1433.78
		72″(1829mm)	WUCX-5472-L		34	1075.94	1122.81	1270.48	1301.24	1464.23	1126.91	1173.78	1321.45	1352.21	1515.20
24″(610mm)/ 18″(457mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L		43	$ 872.55	$ 913.92	$1056.87	$1087.63	$1234.96	$ 922.46	$ 963.83	$1106.78	$1137.54	$1284.87
		66″(1676mm)	WUCX-5466-L		43	1007.99	1052.11	1197.42	1228.18	1383.34	1058.43	1102.55	1247.86	1278.62	1433.78
		72″(1829mm)	WUCX-5472-L		43	1075.94	1122.81	1270.48	1301.24	1464.23	1126.91	1173.78	1321.45	1352.21	1515.20
24″(610mm)/ 30″(762mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L		45	$ 900.69	$ 942.06	$1085.01	$1115.77	$1263.10	$ 952.84	$ 994.21	$1137.16	$1167.92	$1315.25
		66″(1676mm)	WUCX-5466-L		45	1036.13	1080.25	1225.56	1256.32	1411.48	1088.81	1132.93	1278.24	1309.00	1464.16
		72″(1829mm)	WUCX-5472-L		45	1104.08	1150.95	1298.62	1329.38	1492.37	1157.29	1204.16	1351.83	1382.59	1545.58
30″(762mm)/ 24″(610mm)	54″(1372mm)	60″(1524mm)	WUCX-5460-L		54	$ 900.69	$ 942.06	$1085.01	$1115.77	$1263.10	$ 952.84	$ 994.21	$1137.16	$1167.92	$1315.25
		66″(1676mm)	WUCX-5466-L		54	1036.13	1080.25	1225.56	1256.32	1411.48	1088.81	1132.93	1278.24	1309.00	1464.16
		72″(1829mm)	WUCX-5472-L		54	1104.08	1150.95	1298.62	1329.38	1492.37	1157.29	1204.16	1351.83	1382.59	1545.58
18″(457mm)/ 24″(610mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L		34	$1033.51	$1080.38	$1228.05	$1258.81	$1421.80	$1084.48	$1131.35	$1279.02	$1309.78	$1472.77
		72″(1829mm)	WUCX-6072-L		34	1101.46	1151.08	1301.11	1331.87	1502.69	1152.96	1202.58	1352.61	1383.37	1554.19
24″(610mm)/ 18″(457mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L		43	$1033.51	$1080.38	$1228.05	$1258.81	$1421.80	$1084.48	$1131.35	$1279.02	$1309.78	$1472.77
		72″(1829mm)	WUCX-6072-L		43	1101.46	1151.08	1301.11	1331.87	1502.69	1152.96	1202.58	1352.61	1383.37	1554.19
24″(610mm)/ 30″(762mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L		45	$1061.65	$1108.52	$1256.19	$1286.95	$1449.94	$1114.86	$1161.73	$1309.40	$1340.16	$1503.15
		72″(1829mm)	WUCX-6072-L		45	1129.60	1179.22	1329.25	1360.01	1530.83	1183.34	1232.96	1382.99	1413.75	1584.57
30″(762mm)/ 24″(610mm)	60″(1524mm)	66″(1676mm)	WUCX-6066-L		54	$1061.65	$1108.52	$1256.19	$1286.95	$1449.94	$1114.86	$1161.73	$1309.40	$1340.16	$1503.15
		72″(1829mm)	WUCX-6072-L		54	1129.60	1179.22	1329.25	1360.01	1530.83	1183.34	1232.96	1382.99	1413.75	1584.57

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

90° Merger

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A F	Laminate B T	Laminate B J	Laminate B F
18″(457mm)	36″(914mm)	WUCQ-3636-L	N33 ■	$453.38	$460.51	$ 642.81	$484.10	$491.23	$ 673.53
	42″(1067mm)	WUCQ-4242-L	N33 ■	501.36	508.49	713.18	532.08	539.21	743.90
	48″(1219mm)	WUCQ-4848-L	N33 ■	601.85	614.02	845.36	632.57	644.74	876.08
	54″(1372mm)	WUCQ-5454-L	N33 ■	688.97	720.62	986.07	719.69	751.34	1016.79
24″(610mm)	36″(914mm)	WUCQ-3636-L	N44 ■	$472.57	$479.70	$ 662.00	$503.29	$510.42	$ 692.72
	42″(1067mm)	WUCQ-4242-L	N44 ■	520.55	527.68	732.37	551.27	558.40	763.09
	48″(1219mm)	WUCQ-4848-L	N44 ■	621.04	633.21	864.55	651.76	663.93	895.27
	54″(1372mm)	WUCQ-5454-L	N44 ■	708.16	739.81	1005.26	738.88	770.53	1035.98
30″(762mm)	36″(914mm)	WUCQ-3636-L	N55 ■	$553.58	$560.71	$ 743.01	$584.30	$591.43	$ 773.73
	42″(1067mm)	WUCQ-4242-L	N55 ■	601.56	608.69	813.38	632.28	639.41	844.10
	48″(1219mm)	WUCQ-4848-L	N55 ■	702.05	714.22	945.56	732.77	744.94	976.28
	54″(1372mm)	WUCQ-5454-L	N55 ■	789.17	820.82	1086.27	819.89	851.54	1116.99





WUCQ-N44

Features

- Includes worksurface.
- Laminate with:
  –Full perimeter T-mold (T), or
  –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Not designed for use with an adjustable keyboard pad.**
- **Due to manufacturing restrictions, not available with Cascade edge.**

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Corner, 120° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	WUCZ-3636-L ■ ■ ■ N33	■	$ 578.62	$ 593.66	$ 700.62	$ 731.24	$ 823.33	$ 620.99	$ 636.03	$ 742.99	$ 773.61	$ 865.70
	42″(1067mm)	WUCZ-4242-L ■ ■ ■ N33	■	666.76	682.88	800.82	831.44	940.09	715.52	731.64	849.58	880.20	988.85
	48″(1219mm)	WUCZ-4848-L ■ ■ ■ N33	■	754.90	772.10	901.02	931.64	1056.85	810.05	827.25	956.17	986.79	1112.00
	54″(1372mm)	WUCZ-5454-L ■ ■ ■ N33	■	843.04	861.32	1001.22	1031.84	1173.61	904.58	922.86	1062.76	1093.38	1235.15
	60″(1524mm)	WUCZ-6060-L ■ ■ ■ N33	■	931.18	950.54	1101.42	1132.04	1290.37	999.11	1018.47	1169.35	1199.97	1358.30
24″(610mm)	36″(914mm)	WUCZ-3636-L ■ ■ ■ N44	■	$ 662.76	$ 677.80	$ 784.76	$ 815.38	$ 907.47	$ 711.85	$ 726.89	$ 833.85	$ 864.47	$ 956.56
	42″(1067mm)	WUCZ-4242-L ■ ■ ■ N44	■	750.90	767.02	884.96	915.58	1024.23	806.38	822.50	940.44	971.06	1079.71
	48″(1219mm)	WUCZ-4848-L ■ ■ ■ N44	■	839.04	856.24	985.16	1015.78	1140.99	900.91	918.11	1047.03	1077.65	1202.86
	54″(1372mm)	WUCZ-5454-L ■ ■ ■ N44	■	927.18	945.46	1085.36	1115.98	1257.75	995.44	1013.72	1153.62	1184.24	1326.01
	60″(1524mm)	WUCZ-6060-L ■ ■ ■ N44	■	1015.32	1034.68	1185.56	1216.18	1374.51	1089.97	1109.33	1260.21	1290.83	1449.16
30″(762mm)	36″(914mm)	WUCZ-3636-L ■ ■ ■ N55	■	$ 746.90	$ 761.94	$ 868.90	$ 899.52	$ 991.61	$ 802.71	$ 817.75	$ 924.71	$ 955.33	$1047.42
	42″(1067mm)	WUCZ-4242-L ■ ■ ■ N55	■	835.04	851.16	969.10	999.72	1108.37	897.24	913.36	1031.30	1061.92	1170.57
	48″(1219mm)	WUCZ-4848-L ■ ■ ■ N55	■	923.18	940.38	1069.30	1099.92	1225.13	991.77	1008.97	1137.89	1168.51	1293.72
	54″(1372mm)	WUCZ-5454-L ■ ■ ■ N55	■	1011.32	1029.60	1169.50	1200.12	1341.89	1086.30	1104.58	1244.48	1275.10	1416.87
	60″(1524mm)	WUCZ-6060-L ■ ■ ■ N55	■	1099.46	1118.82	1269.70	1300.32	1458.65	1180.83	1200.19	1351.07	1381.69	1540.02



WUCZ-N44

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edges of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
  - –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

D-Shaped Convergent

Width	Length	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
24″(610mm)	36″(914mm)	WURD-2436-L	■	$295.02	$297.13	$346.32	$376.48	$422.24	$314.78	$316.89	$366.08	$396.24	$442.00
	42″(1067mm)	WURD-2442-L	■	338.48	340.74	393.18	423.34	477.80	361.36	363.62	416.06	446.22	500.68
	48″(1219mm)	WURD-2448-L	■	383.34	385.81	442.80	472.96	539.60	409.86	412.33	469.32	499.48	566.12
	54″(1372mm)	WURD-2454-L	■	426.80	429.42	489.66	519.82	595.16	455.92	458.54	518.78	548.94	624.28
	60″(1524mm)	WURD-2460-L	■	471.66	474.49	539.28	569.44	656.96	504.42	507.25	572.04	602.20	689.72
	66″(1676mm)	WURD-2466-L	■	515.82	518.83	587.52	617.68	715.64	551.70	554.71	623.40	653.56	751.52
	72″(1829mm)	WURD-2472-L	■	559.28	562.44	634.38	664.54	771.20	597.76	600.92	672.86	703.02	809.68
30″(762mm)	36″(914mm)	WURD-3036-L	■	$398.66	$401.13	$469.27	$499.43	$559.52	$418.42	$420.89	$489.03	$519.19	$579.28
	42″(1067mm)	WURD-3042-L	■	440.20	442.82	514.21	544.37	613.16	463.08	465.70	537.09	567.25	636.04
	48″(1219mm)	WURD-3048-L	■	483.14	485.97	561.91	592.07	673.04	509.66	512.49	588.43	618.59	699.56
	54″(1372mm)	WURD-3054-L	■	524.68	527.66	606.85	637.01	726.68	553.80	556.78	635.97	666.13	755.80
	60″(1524mm)	WURD-3060-L	■	567.62	570.81	654.55	684.71	786.56	600.38	603.57	687.31	717.47	819.32
	66″(1676mm)	WURD-3066-L	■	609.86	613.23	700.87	731.03	843.32	645.74	649.11	736.75	766.91	879.20
	72″(1829mm)	WURD-3072-L	■	651.40	654.92	745.81	775.97	896.96	689.88	693.40	784.29	814.45	935.44
36″(914mm)	36″(914mm)	WURD-3636-L	■	$409.98	$410.49	$480.73	$510.89	$572.00	$429.74	$430.25	$500.49	$530.65	$591.76
	42″(1067mm)	WURD-3642-L	■	453.44	454.10	527.59	557.75	627.56	476.32	476.98	550.47	580.63	650.44
	48″(1219mm)	WURD-3648-L	■	498.30	499.17	577.21	607.37	689.36	524.82	525.69	603.73	633.89	715.88
	54″(1372mm)	WURD-3654-L	■	541.76	542.78	624.07	654.23	744.92	570.88	571.90	653.19	683.35	774.04
	60″(1524mm)	WURD-3660-L	■	586.62	587.85	673.69	703.85	806.72	619.38	620.61	706.45	736.61	839.48
	66″(1676mm)	WURD-3666-L	■	630.78	632.19	721.93	752.09	865.40	666.66	668.07	757.81	787.97	901.28
	72″(1829mm)	WURD-3672-L	■	674.24	675.80	768.79	798.95	920.96	712.72	714.28	807.27	837.43	959.44







WURD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- **Must be attached to a panel or face of a straight worksurface.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Convergent bracket
  - –Flush mount plates
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Rectangular Convergent

Width	Length	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
24″(610mm)	36″(914mm)	WURV-2436-L	■	$271.95	$276.33	$325.18	$355.34	$401.34	$291.71	$296.09	$344.94	$375.10	$421.10
	42″(1067mm)	WURV-2442-L	■	315.06	319.94	375.34	405.50	456.40	337.94	342.82	398.22	428.38	479.28
	48″(1219mm)	WURV-2448-L	■	359.43	365.01	429.58	459.74	517.50	385.95	391.53	456.10	486.26	544.02
	54″(1372mm)	WURV-2454-L	■	402.54	408.62	479.74	509.90	572.56	431.66	437.74	508.86	539.02	601.68
	60″(1524mm)	WURV-2460-L	■	446.91	453.69	533.98	564.14	633.66	479.67	486.45	566.74	596.90	666.42
	66″(1676mm)	WURV-2466-L	■	490.65	498.03	586.18	616.34	691.74	526.53	533.91	622.06	652.22	727.62
	72″(1829mm)	WURV-2472-L	■	533.76	541.64	636.34	666.50	746.80	572.24	580.12	674.82	704.98	785.28
30″(762mm)	36″(914mm)	WURV-3036-L	■	$364.29	$369.93	$435.73	$465.89	$528.22	$384.05	$389.69	$455.49	$485.65	$547.98
	42″(1067mm)	WURV-3042-L	■	405.48	411.62	483.97	514.13	581.36	428.36	434.50	506.85	537.01	604.24
	48″(1219mm)	WURV-3048-L	■	447.93	454.77	536.29	566.45	640.54	474.45	481.29	562.81	592.97	667.06
	54″(1372mm)	WURV-3054-L	■	489.12	496.46	584.53	614.69	693.68	518.24	525.58	613.65	643.81	722.80
	60″(1524mm)	WURV-3060-L	■	531.57	539.61	636.85	667.01	752.86	564.33	572.37	669.61	699.77	785.62
	66″(1676mm)	WURV-3066-L	■	573.39	582.03	687.13	717.29	809.02	609.27	617.91	723.01	753.17	844.90
	72″(1829mm)	WURV-3072-L	■	614.58	623.72	735.37	765.53	862.16	653.06	662.20	773.85	804.01	900.64
36″(914mm)	36″(914mm)	WURV-3636-L	■	$373.41	$379.29	$448.19	$478.35	$540.70	$393.17	$399.05	$467.95	$498.11	$560.46
	42″(1067mm)	WURV-3642-L	■	416.52	422.90	498.35	528.51	595.76	439.40	445.78	521.23	551.39	618.64
	48″(1219mm)	WURV-3648-L	■	460.89	467.97	552.59	582.75	656.86	487.41	494.49	579.11	609.27	683.38
	54″(1372mm)	WURV-3654-L	■	504.00	511.58	602.75	632.91	711.92	533.12	540.70	631.87	662.03	741.04
	60″(1524mm)	WURV-3660-L	■	548.37	556.65	656.99	687.15	773.02	581.13	589.41	689.75	719.91	805.78
	66″(1676mm)	WURV-3666-L	■	592.11	600.99	709.19	739.35	831.10	627.99	636.87	745.07	775.23	866.98
	72″(1829mm)	WURV-3672-L	■	635.22	644.60	759.35	789.51	886.16	673.70	683.08	797.83	827.99	924.64







WURV

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge of worksurface is color-matched to solid side/back edge trim. When wood grain edge trim is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Convergent bracket
  - –Flush mount plates
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Laminate

D-Shaped Convergent, Wrap-Around





(Right-hand orientation)



(Left-hand orientation)

WUCD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway is centered on back edge and is color-matched to solid side/back edge trim. When wood grain or patterned laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36″(914mm)-wide surfaces have a 24″(610mm) D-shaped diameter.
- 42″(1067mm)- to 60″(1524mm)-wide surfaces have a 30″(762mm) D-shaped diameter.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm)adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Cantilever bracket
  - –Worksurface support panel
  - –Convergent bracket
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number ❶❷❸❹		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	3	$ 865.52	$ 875.04	$1035.87	$1066.93	$1081.26	$ 928.40	$ 937.92	$1098.75	$1129.81	$1144.14
		66″(1676mm)	WUCD-3666-L	3	893.12	903.36	1072.95	1104.01	1121.10	957.98	968.22	1137.81	1168.87	1185.96
		72″(1829mm)	WUCD-3672-L	3	974.28	985.24	1163.59	1194.65	1214.50	1041.12	1052.08	1230.43	1261.49	1281.34
24″(610mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	4	$ 890.87	$ 899.57	$1060.64	$1091.70	$1101.93	$ 955.33	$ 964.03	$1125.10	$1156.16	$1166.39
		66″(1676mm)	WUCD-3666-L	4	918.47	927.89	1097.72	1128.78	1141.77	984.91	994.33	1164.16	1195.22	1208.21
		72″(1829mm)	WUCD-3672-L	4	999.63	1009.77	1188.36	1219.42	1235.17	1068.05	1078.19	1256.78	1287.84	1303.59
30″(762mm)	36″(914mm)	60″(1524mm)	WUCD-3660-L	5	$ 916.22	$ 924.10	$1085.41	$1116.47	$1122.60	$ 982.26	$ 990.14	$1151.45	$1182.51	$1188.64
		66″(1676mm)	WUCD-3666-L	5	943.82	952.42	1122.49	1153.55	1162.44	1011.84	1020.44	1190.51	1221.57	1230.46
		72″(1829mm)	WUCD-3672-L	5	1024.98	1034.30	1213.13	1244.19	1255.84	1094.98	1104.30	1283.13	1314.19	1325.84
18″(457mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	3	$ 918.47	$ 927.89	$1097.72	$1128.78	$1141.77	$ 984.91	$ 994.33	$1164.16	$1195.22	$1208.21
		66″(1676mm)	WUCD-4266-L	3	946.07	956.21	1134.80	1165.86	1181.61	1014.49	1024.63	1203.22	1234.28	1250.03
		72″(1829mm)	WUCD-4272-L	3	973.67	984.53	1171.88	1202.94	1221.45	1044.07	1054.93	1242.28	1273.34	1291.85
24″(610mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	4	$ 943.82	$ 952.42	$1122.49	$1153.55	$1162.44	$1011.84	$1020.44	$1190.51	$1221.57	$1230.46
		66″(1676mm)	WUCD-4266-L	4	971.42	980.74	1159.57	1190.63	1202.28	1041.42	1050.74	1229.57	1260.63	1272.28
		72″(1829mm)	WUCD-4272-L	4	999.02	1009.06	1196.65	1227.71	1242.12	1071.00	1081.04	1268.63	1299.69	1314.10
30″(762mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-L	5	$ 969.17	$ 976.95	$1147.26	$1178.32	$1183.11	$1038.77	$1046.55	$1216.86	$1247.92	$1252.71
		66″(1676mm)	WUCD-4266-L	5	996.77	1005.27	1184.34	1215.40	1222.95	1068.35	1076.85	1255.92	1286.98	1294.53
		72″(1829mm)	WUCD-4272-L	5	1024.37	1033.59	1221.42	1252.48	1262.79	1097.93	1107.15	1294.98	1326.04	1336.35
18″(457mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	3	$ 946.07	$ 956.21	$1134.80	$1165.86	$1181.61	$1014.49	$1024.63	$1203.22	$1234.28	$1250.03
		66″(1676mm)	WUCD-4866-L	3	973.67	984.53	1171.88	1202.94	1221.45	1044.07	1054.93	1242.28	1273.34	1291.85
		72″(1829mm)	WUCD-4872-L	3	1001.27	1012.85	1208.96	1240.02	1261.29	1073.65	1085.23	1281.34	1312.40	1333.67
24″(610mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	4	$ 971.42	$ 980.74	$1159.57	$1190.63	$1202.28	$1041.42	$1050.74	$1229.57	$1260.63	$1272.28
		66″(1676mm)	WUCD-4866-L	4	999.02	1009.06	1196.65	1227.71	1242.12	1071.00	1081.04	1268.63	1299.69	1314.10
		72″(1829mm)	WUCD-4872-L	4	1026.62	1037.38	1233.73	1264.79	1281.96	1100.58	1111.34	1307.69	1338.75	1355.92
30″(762mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-L	5	$ 996.77	$1005.27	$1184.34	$1215.40	$1222.95	$1068.35	$1076.85	$1255.92	$1286.98	$1294.53
		66″(1676mm)	WUCD-4866-L	5	1024.37	1033.59	1221.42	1252.48	1262.79	1097.93	1107.15	1294.98	1326.04	1336.35
		72″(1829mm)	WUCD-4872-L	5	1051.97	1061.91	1258.50	1289.56	1302.63	1127.51	1137.45	1334.04	1365.10	1378.17
18″(457mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	3	$ 973.67	$ 984.53	$1171.88	$1202.94	$1221.45	$1044.07	$1054.93	$1242.28	$1273.34	$1291.85
		66″(1676mm)	WUCD-5466-L	3	1001.27	1012.85	1208.96	1240.02	1261.29	1073.65	1085.23	1281.34	1312.40	1333.67
		72″(1829mm)	WUCD-5472-L	3	1028.87	1041.17	1246.04	1277.10	1301.13	1103.23	1115.53	1320.40	1351.46	1375.49
24″(610mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	4	$ 999.02	$1009.06	$1196.65	$1227.71	$1242.12	$1071.00	$1081.04	$1268.63	$1299.69	$1314.10
		66″(1676mm)	WUCD-5466-L	4	1026.62	1037.38	1233.73	1264.79	1281.96	1100.58	1111.34	1307.69	1338.75	1355.92
		72″(1829mm)	WUCD-5472-L	4	1054.22	1065.70	1270.81	1301.87	1321.80	1130.16	1141.64	1346.75	1377.81	1397.74
30″(762mm)	54″(1372mm)	60″(1524mm)	WUCD-5460-L	5	$1024.37	$1033.59	$1221.42	$1252.48	$1262.79	$1097.93	$1107.15	$1294.98	$1326.04	$1336.35
		66″(1676mm)	WUCD-5466-L	5	1051.97	1061.91	1258.50	1289.56	1302.63	1127.51	1137.45	1334.04	1365.10	1378.17
		72″(1829mm)	WUCD-5472-L	5	1079.57	1090.23	1295.58	1326.64	1342.47	1157.09	1167.75	1373.10	1404.16	1419.99
18″(457mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	3	$1001.27	$1012.85	$1208.96	$1240.02	$1261.29	$1073.65	$1085.23	$1281.34	$1312.40	$1333.67
		66″(1676mm)	WUCD-6066-L	3	1028.87	1041.17	1246.04	1277.10	1301.13	1103.23	1115.53	1320.40	1351.46	1375.49
		72″(1829mm)	WUCD-6072-L	3	1056.47	1069.49	1283.12	1314.18	1340.97	1132.81	1145.83	1359.46	1390.52	1417.31
24″(610mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	4	$1026.62	$1037.38	$1233.73	$1264.79	$1281.96	$1100.58	$1111.34	$1307.69	$1338.75	$1355.92
		66″(1676mm)	WUCD-6066-L	4	1054.22	1065.70	1270.81	1301.87	1321.80	1130.16	1141.64	1346.75	1377.81	1397.74
		72″(1829mm)	WUCD-6072-L	4	1081.82	1094.02	1307.89	1338.95	1361.64	1159.74	1171.94	1385.81	1416.87	1439.56
30″(762mm)	60″(1524mm)	60″(1524mm)	WUCD-6060-L	5	$1051.97	$1061.91	$1258.50	$1289.56	$1302.63	$1127.51	$1137.45	$1334.04	$1365.10	$1378.17
		66″(1676mm)	WUCD-6066-L	5	1079.57	1090.23	1295.58	1326.64	1342.47	1157.09	1167.75	1373.10	1404.16	1419.99
		72″(1829mm)	WUCD-6072-L	5	1107.17	1118.55	1332.66	1363.72	1382.31	1186.67	1198.05	1412.16	1443.22	1461.81

Adaptable Worksurfaces — Laminate

D-Shaped Ender

Depth	Length	Number ❶❷	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
18″(457mm)	36″(914mm)	WUDD-1836-L C ■	$241.84	$244.91	$289.07	$319.69	$357.86	$259.79	$262.86	$307.02	$337.64	$375.81
	42″(1067mm)	WUDD-1842-L C ■	275.98	280.37	327.05	357.67	405.98	296.87	301.26	347.94	378.56	426.87
	48″(1219mm)	WUDD-1848-L C ■	310.12	315.83	365.03	395.65	454.10	333.95	339.66	388.86	419.48	477.93
	54″(1372mm)	WUDD-1854-L C ■	344.26	351.29	403.01	433.63	502.22	371.03	378.06	429.78	460.40	528.99
	60″(1524mm)	WUDD-1860-L C ■	378.40	386.75	440.99	471.61	550.34	408.11	416.46	470.70	501.32	580.05
	66″(1676mm)	WUDD-1866-L C ■	412.54	422.21	478.97	509.59	598.46	445.19	454.86	511.62	542.24	631.11
	72″(1829mm)	WUDD-1872-L C ■	446.68	457.67	516.95	547.57	646.58	482.27	493.26	552.54	583.16	682.17
24″(610mm)	36″(914mm)	WUDD-2436-L C ■	$275.41	$279.76	$329.67	$360.29	$404.32	$293.36	$297.71	$347.62	$378.24	$422.27
	42″(1067mm)	WUDD-2442-L C ■	319.09	324.76	377.19	407.81	461.98	339.98	345.65	398.08	428.70	482.87
	48″(1219mm)	WUDD-2448-L C ■	362.77	369.76	424.71	455.33	519.64	386.60	393.59	448.54	479.16	543.47
	54″(1372mm)	WUDD-2454-L C ■	406.45	414.76	472.23	502.85	577.30	433.22	441.53	499.00	529.62	604.07
	60″(1524mm)	WUDD-2460-L C ■	450.13	459.76	519.75	550.37	634.96	479.84	489.47	549.46	580.08	664.67
	66″(1676mm)	WUDD-2466-L C ■	493.81	504.76	567.27	597.89	692.62	526.46	537.41	599.92	630.54	725.27
	72″(1829mm)	WUDD-2472-L C ■	537.49	549.76	614.79	645.41	750.28	573.08	585.35	650.38	681.00	785.87
30″(762mm)	36″(914mm)	WUDD-3036-L C ■	$364.49	$370.52	$404.52	$435.14	$528.86	$382.44	$388.47	$422.47	$453.09	$546.81
	42″(1067mm)	WUDD-3042-L C ■	406.25	413.60	450.12	480.74	584.60	427.14	434.49	471.01	501.63	605.49
	48″(1219mm)	WUDD-3048-L C ■	448.01	456.68	495.72	526.34	640.34	471.84	480.51	519.55	550.17	664.17
	54″(1372mm)	WUDD-3054-L C ■	489.77	499.76	541.32	571.94	696.08	516.54	526.53	568.09	598.71	722.85
	60″(1524mm)	WUDD-3060-L C ■	531.53	542.84	586.92	617.54	751.82	561.24	572.55	616.63	647.25	781.53
	66″(1676mm)	WUDD-3066-L C ■	573.29	585.92	632.52	663.14	807.56	605.94	618.57	665.17	695.79	840.21
	72″(1829mm)	WUDD-3072-L C ■	615.05	629.00	678.12	708.74	863.30	650.64	664.59	713.71	744.33	898.89





WUDD

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- **Must be attached to the depth of adjoining worksurface.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Worksurface support post or column
  - –21″(533mm) adjustable height disc base
  - –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  - –Standard link cantilever bracket
  - –Worksurface support panel
  - –Flush mount plate
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Bent

Left/Right Depth	Width	Length	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
24″(610mm)/ 30″(762mm)	24″(610mm)	36″(914mm)	WUCB-2436-L	R45 ■	$ 645.01	$ 654.52	$ 764.73	$ 795.65	$ 901.83	$ 691.91	$ 701.42	$ 811.63	$ 842.55	$ 948.73
		42″(1067mm)	WUCB-2442-L	R45 ■	727.30	737.94	863.45	894.37	1012.32	780.18	790.82	916.33	947.25	1065.20
		48″(1219mm)	WUCB-2448-L	R45 ■	862.89	874.66	1015.47	1046.39	1176.11	921.75	933.52	1074.33	1105.25	1234.97
		60″(1524mm)	WUCB-2460-L	R45 ■	974.17	988.20	1159.61	1190.53	1343.79	1044.99	1059.02	1230.43	1261.35	1414.61
24″(610mm)/ 30″(762mm)	30″(762mm)	36″(914mm)	WUCB-3036-L	R45 ■	$ 727.30	$ 737.94	$ 863.45	$ 894.37	$1012.32	$ 780.18	$ 790.82	$ 916.33	$ 947.25	$1065.20
		42″(1067mm)	WUCB-3042-L	R45 ■	809.59	821.36	962.17	993.09	1122.81	868.45	880.22	1021.03	1051.95	1181.67
		48″(1219mm)	WUCB-3048-L	R45 ■	945.18	958.08	1114.19	1145.11	1286.60	1010.02	1022.92	1179.03	1209.95	1351.44
		60″(1524mm)	WUCB-3060-L	R45 ■	1056.46	1071.62	1258.33	1289.25	1454.28	1133.26	1148.42	1335.13	1366.05	1531.08
30″(762mm)/ 24″(610mm)	24″(610mm)	36″(914mm)	WUCB-2436-L	L54 ■	$ 645.01	$ 654.52	$ 764.73	$ 795.65	$ 901.83	$ 691.91	$ 701.42	$ 811.63	$ 842.55	$ 948.73
		42″(1067mm)	WUCB-2442-L	L54 ■	727.30	737.94	863.45	894.37	1012.32	780.18	790.82	916.33	947.25	1065.20
		48″(1219mm)	WUCB-2448-L	L54 ■	862.89	874.66	1015.47	1046.39	1176.11	921.75	933.52	1074.33	1105.25	1234.97
		60″(1524mm)	WUCB-2460-L	L54 ■	974.17	988.20	1159.61	1190.53	1343.79	1044.99	1059.02	1230.43	1261.35	1414.61
30″(762mm)/ 24″(610mm)	30″(762mm)	36″(914mm)	WUCB-3036-L	L54 ■	$ 727.30	$ 737.94	$ 863.45	$ 894.37	$1012.32	$ 780.18	$ 790.82	$ 916.33	$ 947.25	$1065.20
		42″(1067mm)	WUCB-3042-L	L54 ■	809.59	821.36	962.17	993.09	1122.81	868.45	880.22	1021.03	1051.95	1181.67
		48″(1219mm)	WUCB-3048-L	L54 ■	945.18	958.08	1114.19	1145.11	1286.60	1010.02	1022.92	1179.03	1209.95	1351.44
		60″(1524mm)	WUCB-3060-L	L54 ■	1056.46	1071.62	1258.33	1289.25	1454.28	1133.26	1148.42	1335.13	1366.05	1531.08



(Right-hand orientation)

WUCB-R45



(Left-hand orientation)

WUCB-L54

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is color-matched to solid side/back edge trim. When wood grain laminate is specified, wireways will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support column or post
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, legs or attached storage.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Countertop

Depth	Width	Number ❶❷	Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
12″(305mm)	24″(610mm)	WUTS-1224-L C ■	$313.50	$316.91	$368.25	$398.71	$444.46	$336.76	$340.17	$391.51	$421.97	$467.72
	30″(762mm)	WUTS-1230-L C ■	329.94	333.41	387.33	417.79	466.66	354.40	357.87	411.79	442.25	491.12
	36″(914mm)	WUTS-1236-L C ■	346.38	349.91	406.41	436.87	488.86	372.04	375.57	432.07	462.53	514.52
	42″(1067mm)	WUTS-1242-L C ■	362.82	366.41	425.49	455.95	511.06	389.68	393.27	452.35	482.81	537.92
	48″(1219mm)	WUTS-1248-L C ■	379.26	382.91	444.57	475.03	533.26	407.32	410.97	472.63	503.09	561.32
	54″(1372mm)	WUTS-1254-L C ■	395.70	399.41	463.65	494.11	555.46	424.96	428.67	492.91	523.37	584.72
	60″(1524mm)	WUTS-1260-L C ■	412.14	415.91	482.73	513.19	577.66	442.60	446.37	513.19	543.65	608.12
	66″(1676mm)	WUTS-1266-L C ■	428.58	432.41	501.81	532.27	599.86	460.24	464.07	533.47	563.93	631.52
	72″(1829mm)	WUTS-1272-L C ■	445.02	448.91	520.89	551.35	622.06	477.88	481.77	553.75	584.21	654.92
	78″(1981mm)	WUTS-1278-L C ■	461.46	465.41	539.97	570.43	644.26	495.52	499.47	574.03	604.49	678.32
	84″(2134mm)	WUTS-1284-L C ■	477.90	481.91	559.05	589.51	666.46	513.16	517.17	594.31	624.77	701.72
	90″(2286mm)	WUTS-1290-L C ■	494.34	498.41	578.13	608.59	688.66	530.80	534.87	614.59	645.05	725.12
	96″(2438mm)	WUTS-1296-L C ■	510.78	514.91	597.21	627.67	710.86	548.44	552.57	634.87	665.33	748.52
	102″(2591mm)	WUTS-12A2-L C ■	527.22	531.41	616.29	646.75	733.06	566.08	570.27	655.15	685.61	771.92
	108″(2743mm)	WUTS-12A8-L C ■	543.66	547.91	635.37	665.83	755.26	583.72	587.97	675.43	705.89	795.32
	114″(2896mm)	WUTS-12B4-L C ■	560.10	564.41	654.45	684.91	777.46	601.36	605.67	695.71	726.17	818.72
	120″(3048mm)	WUTS-12C0-L C ■	576.54	580.91	673.53	703.99	799.66	619.00	623.37	715.99	746.45	842.12



WUTS

Features

- Includes countertop and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- **Requires separately specified mounting hardware.**
- For installation on panels 42″(1067mm)-high or higher.
- For use in applications that match panel width or multiple panel widths.
- **Countertop support specific to product line; must be separately specified.**

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

Conference End

Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
38″(965mm)	30″(762mm)	WUDC-3830-L	■	$535.18	$576.71	$664.67	$695.59	$795.24	$574.63	$616.16	$704.12	$735.04	$834.69
50″(1270mm)		WUDC-5030-L	■	577.54	606.11	706.43	737.35	834.84	619.51	648.08	748.40	779.32	876.81
62″(1575mm)		WUDC-6230-L	■	619.90	635.51	748.19	779.11	874.44	664.39	680.00	792.68	823.60	918.93





WUDC-3830 WUDC-5030



WUDC-6230

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway can be specified to accommodate panel end-of-run trim.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Designed to be mounted on UniGroup Too, UniGroup and PLACES.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Support column or leg
  - –Worksurface support panel
  - –Standard link cantilever bracket.
  - –In addition to a column support or leg, two flush mount plates are required and must be separately specified.
- If using end-of-run finish post specify notched or curved wireway option.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Grain direction will run across 62″(1575mm)-wide conference end worksurface.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Laminate

Key Conference End

Depth	Width	Number ❶❷❸		Laminate A T	Laminate A J	Laminate A V1	Laminate A V2	Laminate A F	Laminate B T	Laminate B J	Laminate B V1	Laminate B V2	Laminate B F
38″(965mm)	30″(762mm)	WURY-3830-L	■	$717.46	$729.14	$858.00	$888.92	$ 999.90	$769.70	$781.38	$910.24	$ 941.16	$1052.14
50″(1270mm)	30″(762mm)	WURY-5030-L	■	$721.45	$733.12	$862.65	$893.57	$1005.27	$773.97	$785.64	$915.17	$ 946.09	$1057.79
	36″(914mm)	WURY-5036-L	■	737.28	748.88	879.48	910.40	1025.24	790.98	802.58	933.18	964.10	1078.94
62″(1575mm)	36″(914mm)	WURY-6236-L	■	$741.27	$752.86	$884.13	$915.05	$1030.61	$795.25	$806.84	$938.11	$ 969.03	$1084.59
	42″(1067mm)	WURY-6242-L	■	757.10	768.62	900.96	931.88	1050.58	812.26	823.78	956.12	987.04	1105.74
	48″(1219mm)	WURY-6248-L	■	772.93	784.38	917.79	948.71	1070.55	829.27	840.72	974.13	1005.05	1126.89





WURY-3830



WURY-5030
WURY-5036



WURY-6236
WURY-6242
WURY-6248

NOTE:
Grain direction for laminate Key Conference End over 62″(1575mm) deep will be reversed.

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is color-matched to solid side/back edge trim. When wood grain laminate is specified, wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end-of-run trim.

■ Available on RUSH with Standard Core.

Specification Tips

- Designed to be mounted on UniGroup Too, UniGroup and PLACES.
- **Worksurface support specific to product line; must be separately specified.**
  - –Support column or leg
  - –Worksurface support panel
  - –Standard link cantilever bracket.
  - –In addition to a column support or leg, two flush mount plates are required and must be separately specified.
- If using end-of-run finish post specify notched or curved wireway option.
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Grain direction will run across 62″(1575mm)-wide conference end worksurface.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Laminate

120° Link

Depth	Number ❶❷		Laminate A T	J	V1	V2	F	Laminate B T	J	V1	V2	F
18″(457mm)	WUDZ-1820-L	C ■	$269.93	$279.30	$333.57	$364.49	$402.96	$290.19	$299.56	$353.83	$384.75	$423.22
24″(610mm)	WUDZ-2426-L	C ■	299.57	306.34	363.61	394.53	430.00	319.83	326.60	383.87	414.79	450.26
30″(762mm)	WUDZ-3032-L	C ■	434.69	432.80	504.75	535.67	605.50	466.67	464.78	536.73	567.65	637.48





WUDZ

Features

- Includes worksurface and tie plate.
- Laminate with:
  - –Full perimeter T-mold (T), or
  - –3mm edgeband (J) or knife edge (F) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (V) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

■ Available on RUSH with Standard Core.

Specification Tips

- Designed to be mounted on UniGroup Too, UniGroup and PLACES.
- Support column, leg or worksurface support panel may be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Standard link cantilever bracket
  - –Tie plates with 18″(457mm) depth
  - –Flush mount plates with 24″(610mm)-30″(762mm) depth
- Knife edge requires use of worksurface supports for that application; worksurface support panel and/or side bracket for use with knife edge.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

To Order, Specify:

T-Mold, Edgeband, or Knife

1) Product number.
2) Laminate surface color.
3) Edge trim color for T, J and F.

Cascade

1) Product number.
2) Laminate surface color.
3) Side/back edgeband trim color.
4) Front Cascade edge trim color for V1 and V2.

Note: Cascade translucent edge is priced as V2.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

❷ Core Options:

- **S** Standard ■
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Rectangular



WURA-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- 24″(607mm)- to 60″(1524mm)-wide worksurfaces have one wireway.
- Worksurfaces wider than 60″(1524mm) have two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- For additional widths to span a 3-way panel condition, refer to panel-specific worksurface section.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever brackets
  –Side brackets
  –Worksurface support panel
  –Support column or support leg
  –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
  –Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	24″(610mm)	WURA-1824-W	$ 397.05	$ 423.31	$ 504.83	$ 531.09	$ 536.54	$ 562.80
	26″(660mm)	WURA-1826-W	417.01	444.33	527.53	554.85	559.44	586.76
	30″(762mm)	WURA-1830-W	456.93	486.37	578.41	607.85	611.12	640.56
	32″(813mm)	WURA-1832-W	476.89	507.39	603.85	634.35	636.96	667.46
	36″(914mm)	WURA-1836-W	516.81	549.43	654.73	687.35	688.64	721.26
	38″(965mm)	WURA-1838-W	536.77	570.45	680.17	713.85	714.48	748.16
	42″(1067mm)	WURA-1842-W	576.69	612.49	731.05	766.85	766.16	801.96
	44″(1118mm)	WURA-1844-W	596.65	633.51	756.49	793.35	792.00	828.86
	48″(1219mm)	WURA-1848-W	704.85	743.83	875.65	914.63	911.96	950.94
	50″(1270mm)	WURA-1850-W	724.81	764.85	901.09	941.13	937.80	977.84
	54″(1372mm)	WURA-1854-W	764.73	806.89	951.97	994.13	989.48	1031.64
	56″(1422mm)	WURA-1856-W	784.69	827.91	977.41	1020.63	1015.32	1058.54
	60″(1524mm)	WURA-1860-W	824.61	869.95	1028.29	1073.63	1067.00	1112.34
	62″(1575mm)	WURA-1862-W	844.57	890.97	1053.73	1100.13	1092.84	1139.24
	66″(1676mm)	WURA-1866-W	884.49	933.01	1104.61	1153.13	1144.52	1193.04
	68″(1727mm)	WURA-1868-W	904.45	954.03	1130.05	1179.63	1170.36	1219.94
	72″(1829mm)	WURA-1872-W	944.37	996.07	1180.93	1232.63	1222.04	1273.74
	74″(1880mm)	WURA-1874-W	964.33	1017.09	1206.37	1259.13	1247.88	1300.64
	78″(1981mm)	WURA-1878-W	1257.25	1059.13	1257.25	1312.13	1299.56	1354.44
	80″(2032mm)	WURA-1880-W	1024.21	1080.15	1282.69	1338.63	1325.40	1381.34
	84″(2134mm)	WURA-1884-W	1064.13	1122.19	1333.57	1391.63	1377.08	1435.14
	86″(2184mm)	WURA-1886-W	1084.09	1143.21	1359.01	1418.13	1402.92	1462.04
	90″(2286mm)	WURA-1890-W	1124.01	1185.25	1409.89	1471.13	1454.60	1515.84
	92″(2337mm)	WURA-1892-W	1143.97	1206.27	1435.33	1497.63	1480.44	1542.74
	96″(2438mm)	WURA-1896-W	1183.89	1248.31	1486.21	1550.63	1532.12	1596.54
	98″(2489mm)	WURA-1898-W	1203.85	1269.33	1511.65	1577.13	1557.96	1623.44
	102″(2591mm)	WURA-18A2-W	1243.77	1311.37	1562.53	1630.13	1609.64	1677.24
	104″(2642mm)	WURA-18A4-W	1263.73	1332.39	1587.97	1656.63	1635.48	1704.14
	108″(2743mm)	WURA-18A8-W	1303.65	1374.43	1638.85	1709.63	1687.16	1757.94
	110″(2794mm)	WURA-18B0-W	1323.61	1395.45	1664.29	1736.13	1713.00	1784.84
	114″(2890mm)	WURA-18B4-W	1363.53	1437.49	1715.17	1789.13	1764.68	1838.64
	116″(2946mm)	WURA-18B6-W	1383.49	1458.51	1740.61	1815.63	1790.52	1865.54
	120″(3048mm)	WURA-18C0-W	1423.41	1500.55	1791.49	1868.63	1842.20	1919.34
24″(610mm)	24″(610mm)	WURA-2424-W	$ 439.06	$ 465.32	$ 557.34	$ 583.60	$ 594.31	$ 620.57
	26″(660mm)	WURA-2426-W	461.12	488.44	582.14	609.46	619.31	646.63
	30″(762mm)	WURA-2430-W	505.24	534.68	637.22	666.66	675.19	704.63
	32″(813mm)	WURA-2432-W	527.30	557.80	664.76	695.26	703.13	733.63
	36″(914mm)	WURA-2436-W	571.42	604.04	719.84	752.46	759.01	791.63
	38″(965mm)	WURA-2438-W	593.48	627.16	747.38	781.06	786.95	820.63
	42″(1067mm)	WURA-2442-W	637.60	673.40	802.46	838.26	842.83	878.63
	44″(1118mm)	WURA-2444-W	659.66	696.52	830.00	866.86	870.77	907.63
	48″(1219mm)	WURA-2448-W	772.06	811.04	953.36	992.34	994.93	1033.91
	50″(1270mm)	WURA-2450-W	794.12	834.16	980.90	1020.94	1022.87	1062.91
	54″(1372mm)	WURA-2454-W	838.24	880.40	1035.98	1078.14	1078.75	1120.91
	56″(1422mm)	WURA-2456-W	860.30	903.52	1063.52	1106.74	1106.69	1149.91
	60″(1524mm)	WURA-2460-W	904.42	949.76	1118.60	1163.94	1162.57	1207.91
	62″(1575mm)	WURA-2462-W	926.48	972.88	1146.14	1192.54	1190.51	1236.91
	66″(1676mm)	WURA-2466-W	970.60	1019.12	1201.22	1249.74	1246.39	1294.91
	68″(1727mm)	WURA-2468-W	992.66	1042.24	1228.76	1278.34	1274.33	1323.91
	72″(2429mm)	WURA-2472-W	1036.78	1088.48	1283.84	1335.54	1330.21	1381.91
	74″(1880mm)	WURA-2474-W	1058.84	1111.60	1311.38	1364.14	1358.15	1410.91
	78″(1981mm)	WURA-2478-W	1102.96	1157.84	1366.46	1421.34	1414.03	1468.91
	80″(2032mm)	WURA-2480-W	1125.02	1180.96	1394.00	1449.94	1441.97	1497.91
	84″(2134mm)	WURA-2484-W	1169.14	1227.20	1449.08	1507.14	1497.85	1555.91
	86″(2184mm)	WURA-2486-W	1191.20	1250.32	1476.62	1535.74	1525.79	1584.91
	90″(2286mm)	WURA-2490-W	1235.32	1296.56	1531.70	1592.94	1581.67	1642.91
	92″(2337mm)	WURA-2492-W	1257.38	1319.68	1559.24	1621.54	1609.61	1671.91
	96″(2438mm)	WURA-2496-W	1301.50	1365.92	1614.32	1678.74	1665.49	1729.91
	98″(2489mm)	WURA-2498-W	1323.56	1389.04	1641.86	1707.34	1693.43	1758.91
	102″(2591mm)	WURA-24A2-W	1367.68	1435.28	1696.94	1764.54	1749.31	1816.91
	104″(2642mm)	WURA-24A4-W	1389.74	1458.40	1724.48	1793.14	1777.25	1845.91
	108″(2743mm)	WURA-24A8-W	1433.86	1504.64	1779.56	1850.34	1833.13	1903.91
	110″(2794mm)	WURA-24B0-W	1455.92	1527.76	1807.10	1878.94	1861.07	1932.91
	114″(2890mm)	WURA-24B4-W	1500.04	1574.00	1862.18	1936.14	1916.95	1990.91
	116″(2946mm)	WURA-24B6-W	1522.10	1597.12	1889.72	1964.74	1944.89	2019.91
	120″(3048mm)	WURA-24C0-W	1566.22	1643.36	1944.80	2021.94	2000.77	2077.91

Adaptable Worksurfaces — Wood

Rectangular

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
30″(762mm)	24″(610mm)	WURA-3024-W	$ 633.39	$ 659.65	$ 798.94	$ 825.20	$ 846.41	$ 872.67
	26″(660mm)	WURA-3026-W	657.55	684.87	825.84	853.16	873.51	900.83
	30″(762mm)	WURA-3030-W	705.87	735.31	885.12	914.56	933.59	963.03
	32″(813mm)	WURA-3032-W	730.03	760.53	914.76	945.26	963.63	994.13
	36″(914mm)	WURA-3036-W	778.35	810.97	974.04	1006.66	1023.71	1056.33
	38″(965mm)	WURA-3038-W	802.51	836.19	1003.68	1037.36	1053.75	1087.43
	42″(1067mm)	WURA-3042-W	850.83	886.63	1062.96	1098.76	1113.83	1149.63
	44″(1118mm)	WURA-3044-W	874.99	911.85	1092.60	1129.46	1143.87	1180.73
	48″(1219mm)	WURA-3048-W	991.59	1030.57	1220.16	1259.14	1272.23	1311.21
	50″(1270mm)	WURA-3050-W	1015.75	1055.79	1249.80	1289.84	1302.27	1342.31
	54″(1372mm)	WURA-3054-W	1064.07	1106.23	1309.08	1351.24	1362.35	1404.51
	56″(1422mm)	WURA-3056-W	1088.23	1131.45	1338.72	1381.94	1392.39	1435.61
	60″(1524mm)	WURA-3060-W	1136.55	1181.89	1398.00	1443.34	1452.47	1497.81
	62″(1575mm)	WURA-3062-W	1160.71	1207.11	1427.64	1474.04	1482.51	1528.91
	66″(1676mm)	WURA-3066-W	1209.03	1257.55	1486.92	1535.44	1542.59	1591.11
	68″(1727mm)	WURA-3068-W	1233.19	1282.77	1516.56	1566.14	1572.63	1622.21
	72″(1829mm)	WURA-3072-W	1281.51	1333.21	1575.84	1627.54	1632.71	1684.41
	74″(1880mm)	WURA-3074-W	1305.67	1358.43	1605.48	1658.24	1662.75	1715.51
	78″(1981mm)	WURA-3078-W	1353.99	1408.87	1664.76	1719.64	1722.83	1777.71
	80″(2032mm)	WURA-3080-W	1378.15	1434.09	1694.40	1750.34	1752.87	1808.81
	84″(2134mm)	WURA-3084-W	1426.47	1484.53	1753.68	1811.74	1812.95	1871.01
	86″(2184mm)	WURA-3086-W	1450.63	1509.75	1783.32	1842.44	1842.99	1902.11
	90″(2286mm)	WURA-3090-W	1498.95	1560.19	1842.60	1903.84	1903.07	1964.31
	92″(2337mm)	WURA-3092-W	1523.11	1585.41	1872.24	1934.54	1933.11	1995.41
	96″(2438mm)	WURA-3096-W	1571.43	1635.85	1931.52	1995.94	1993.19	2057.61
	98″(2489mm)	WURA-3098-W	1595.59	1661.07	1961.16	2026.64	2023.23	2088.71
	102″(2591mm)	WURA-30A2-W	1643.91	1711.51	2020.44	2088.04	2083.31	2150.91
	104″(2642mm)	WURA-30A4-W	1668.07	1736.73	2050.08	2118.74	2113.35	2182.01
	108″(2743mm)	WURA-30A8-W	1716.39	1787.17	2109.36	2180.14	2173.43	2244.21
	110″(2794mm)	WURA-30B0-W	1740.55	1812.39	2139.00	2210.84	2203.47	2275.31
	114″(2890mm)	WURA-30B4-W	1788.87	1862.83	2198.28	2272.24	2263.55	2337.51
	116″(2946mm)	WURA-30B6-W	1813.03	1888.05	2227.92	2302.94	2293.59	2368.61
	120″(3048mm)	WURA-30C0-W	1861.35	1938.49	2287.20	2364.34	2353.67	2430.81

Adaptable Worksurfaces — Wood

Rectangular Key

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
30″(762mm)	36″(914mm)	WURY-3036-W	$1617.72	$1714.26	$1998.55	$2095.09	$2131.15	$2227.69
	48″(1219mm)	WURY-3048-W	1704.18	1816.10	2100.92	2212.84	2242.75	2354.67
36″(914mm)	48″(1219mm)	WURY-3648-W	$1804.43	$1934.17	$2236.07	$2365.81	$2371.11	$2500.85
	60″(1524mm)	WURY-3660-W	1890.89	2036.01	2338.44	2483.56	2482.71	2627.83
	72″(1829mm)	WURY-3672-W	1977.35	2137.85	2440.81	2601.31	2594.31	2754.81
42″(1067mm)	60″(1524mm)	WURY-4260-W	$1991.14	$2154.08	$2473.59	$2636.53	$2611.07	$2774.01
	72″(1829mm)	WURY-4272-W	2077.60	2255.92	2575.96	2754.28	2722.67	2900.99
48″(1219mm)	60″(1524mm)	WURY-4860-W	$2091.39	$2272.15	$2608.74	$2789.50	$2739.43	$2920.19
	72″(1829mm)	WURY-4872-W	2177.85	2373.99	2711.11	2907.25	2851.03	3047.17





WURY-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- **Worksurface width dimension attaches directly to panel and matches panel width.**
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- 72″(1829mm) worksurface has two wireways.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Flush mount plate
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- **Support post or height adjustable disc base is required.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Swell

Depth	Swell Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	21″(533mm)	24″(610mm)	WURS-1824-W	$ 546.00	$ 577.20	$ 725.71	$ 756.91
		30″(762mm)	WURS-1830-W	600.90	635.22	795.16	829.48
		36″(914mm)	WURS-1836-W	655.80	693.24	867.52	904.96
		42″(1067mm)	WURS-1842-W	710.70	751.26	939.88	980.44
		48″(1219mm)	WURS-1848-W	765.60	809.28	1012.24	1055.92
		54″(1372mm)	WURS-1854-W	820.50	867.30	1084.60	1131.40
		60″(1524mm)	WURS-1860-W	875.40	925.32	1156.96	1206.88
24″(610mm)	27″(686mm)	24″(610mm)	WURS-2424-W	$ 564.72	$ 595.92	$ 749.63	$ 780.83
		30″(762mm)	WURS-2430-W	622.74	657.06	822.20	856.52
		36″(914mm)	WURS-2436-W	680.76	718.20	897.68	935.12
		42″(1067mm)	WURS-2442-W	738.78	779.34	973.16	1013.72
		48″(1219mm)	WURS-2448-W	796.80	840.48	1048.64	1092.32
		54″(1372mm)	WURS-2454-W	854.82	901.62	1124.12	1170.92
		60″(1524mm)	WURS-2460-W	912.84	962.76	1199.60	1249.52
30″(762mm)	33″(838mm)	24″(610mm)	WURS-3024-W	$ 741.52	$ 772.72	$ 973.23	$1004.43
		30″(762mm)	WURS-3030-W	802.66	836.98	1048.92	1083.24
		36″(914mm)	WURS-3036-W	863.80	901.24	1127.52	1164.96
		42″(1067mm)	WURS-3042-W	924.94	965.50	1206.12	1246.68
		48″(1219mm)	WURS-3048-W	986.08	1029.76	1284.72	1328.40
		54″(1372mm)	WURS-3054-W	1047.22	1094.02	1363.32	1410.12
		60″(1524mm)	WURS-3060-W	1108.36	1158.28	1441.92	1491.84



WURS-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Inverse Swell

Depth	Swell Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	15″(381mm)	24″(610mm)	WURW-1824-W	$ 546.00	$ 577.20	$ 725.71	$ 756.91
		30″(762mm)	WURW-1830-W	600.90	635.22	795.16	829.48
		36″(914mm)	WURW-1836-W	655.80	693.24	867.52	904.96
		42″(1067mm)	WURW-1842-W	710.70	751.26	939.88	980.44
		48″(1219mm)	WURW-1848-W	765.60	809.28	1012.24	1055.92
		54″(1372mm)	WURW-1854-W	820.50	867.30	1084.60	1131.40
		60″(1524mm)	WURW-1860-W	875.40	925.32	1156.96	1206.88
24″(610mm)	21″(533mm)	24″(610mm)	WURW-2424-W	$ 564.72	$ 595.92	$ 749.63	$ 780.83
		30″(762mm)	WURW-2430-W	622.74	657.06	822.20	856.52
		36″(914mm)	WURW-2436-W	680.76	718.20	897.68	935.12
		42″(1067mm)	WURW-2442-W	738.78	779.34	973.16	1013.72
		48″(1219mm)	WURW-2448-W	796.80	840.48	1048.64	1092.32
		54″(1372mm)	WURW-2454-W	854.82	901.62	1124.12	1170.92
		60″(1524mm)	WURW-2460-W	912.84	962.76	1199.60	1249.52
30″(762mm)	27″(686mm)	24″(610mm)	WURW-3024-W	$ 741.52	$ 772.72	$ 973.23	$1004.43
		30″(762mm)	WURW-3030-W	802.66	836.98	1048.92	1083.24
		36″(914mm)	WURW-3036-W	863.80	901.24	1127.52	1164.96
		42″(1067mm)	WURW-3042-W	924.94	965.50	1206.12	1246.68
		48″(1219mm)	WURW-3048-W	986.08	1029.76	1284.72	1328.40
		54″(1372mm)	WURW-3054-W	1047.22	1094.02	1363.32	1410.12
		60″(1524mm)	WURW-3060-W	1108.36	1158.28	1441.92	1491.84



WURW-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Suggested pedestal style is mobile.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Rectangular Transition

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	24″(610mm)	WURT-2424-W N34	$ 599.60	$ 631.27	$ 755.83	$ 787.50	$ 795.94	$ 827.61
	30″(762mm)	WURT-2430-W N34	675.62	711.07	850.87	886.32	892.24	927.69
	36″(914mm)	WURT-2436-W N34	751.64	790.87	945.91	985.14	988.54	1027.77
	42″(1067mm)	WURT-2442-W N34	827.66	870.67	1040.95	1083.96	1084.84	1127.85
	48″(1219mm)	WURT-2448-W N34	903.68	950.47	1135.99	1182.78	1181.14	1227.93
	54″(1372mm)	WURT-2454-W N34	979.70	1030.27	1231.03	1281.60	1277.44	1328.01
	60″(1524mm)	WURT-2460-W N34	1055.72	1110.07	1326.07	1380.42	1373.74	1428.09
24″(610mm)/18″(457mm)	24″(610mm)	WURT-2424-W N43	$ 599.60	$ 631.27	$ 755.83	$ 787.50	$ 795.94	$ 827.61
	30″(762mm)	WURT-2430-W N43	675.62	711.07	850.87	886.32	892.24	927.69
	36″(914mm)	WURT-2436-W N43	751.64	790.87	945.91	985.14	988.54	1027.77
	42″(1067mm)	WURT-2442-W N43	827.66	870.67	1040.95	1083.96	1084.84	1127.85
	48″(1219mm)	WURT-2448-W N43	903.68	950.47	1135.99	1182.78	1181.14	1227.93
	54″(1372mm)	WURT-2454-W N43	979.70	1030.27	1231.03	1281.60	1277.44	1328.01
	60″(1524mm)	WURT-2460-W N43	1055.72	1110.07	1326.07	1380.42	1373.74	1428.09
24″(610mm)/30″(762mm)	24″(610mm)	WURT-3024-W N45	$ 620.71	$ 652.38	$ 776.94	$ 808.61	$ 817.05	$ 848.72
	30″(762mm)	WURT-3030-W N45	696.73	732.18	871.98	907.43	913.35	948.80
	36″(914mm)	WURT-3036-W N45	772.75	811.98	967.02	1006.25	1009.65	1048.88
	42″(1067mm)	WURT-3042-W N45	848.77	891.78	1062.06	1105.07	1105.95	1148.96
	48″(1219mm)	WURT-3048-W N45	924.79	971.58	1157.10	1203.89	1202.25	1249.04
	54″(1372mm)	WURT-3054-W N45	1000.81	1051.38	1252.14	1302.71	1298.55	1349.12
	60″(1524mm)	WURT-3060-W N45	1076.83	1131.18	1347.18	1401.53	1394.85	1449.20
30″(762mm)/24″(610mm)	24″(610mm)	WURT-3024-W N54	$ 620.71	$ 652.38	$ 776.94	$ 808.61	$ 817.05	$ 848.72
	30″(762mm)	WURT-3030-W N54	696.73	732.18	871.98	907.43	913.35	948.80
	36″(914mm)	WURT-3036-W N54	772.75	811.98	967.02	1006.25	1009.65	1048.88
	42″(1067mm)	WURT-3042-W N54	848.77	891.78	1062.06	1105.07	1105.95	1148.96
	48″(1219mm)	WURT-3048-W N54	924.79	971.58	1157.10	1203.89	1202.25	1249.04
	54″(1372mm)	WURT-3054-W N54	1000.81	1051.38	1252.14	1302.71	1298.55	1349.12
	60″(1524mm)	WURT-3060-W N54	1076.83	1131.18	1347.18	1401.53	1394.85	1449.20



WURT-WN43



WURT-WN34

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.
- For worksurfaces greater than 42″(1067mm) wide, attached pedestal may be installed on deepest side.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Wedge



WURE-WN34



WURE-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Suggested pedestal style is mobile.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Wedge

Left/Right Depth	Width	Number ❶❷❸		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)/18″(457mm)	24″(610mm)	WURE-2424-W	N43	$ 619.73	$ 636.54	$ 762.58	$ 779.39	$ 803.55	$ 820.36
	30″(762mm)	WURE-2430-W	N43	695.33	721.62	855.22	881.51	901.89	928.18
	36″(914mm)	WURE-2436-W	N43	770.93	806.70	947.86	983.63	1000.23	1036.00
	42″(1067mm)	WURE-2442-W	N43	846.53	891.78	1040.50	1085.75	1098.57	1143.82
	48″(1219mm)	WURE-2448-W	N43	922.13	976.86	1133.14	1187.87	1196.91	1251.64
	54″(1372mm)	WURE-2454-W	N43	997.73	1061.94	1225.78	1289.99	1295.25	1359.46
	60″(1524mm)	WURE-2460-W	N43	1073.33	1147.02	1318.42	1392.11	1393.59	1467.28
	66″(1676mm)	WURE-2466-W	N43	1148.93	1232.10	1411.06	1494.23	1491.93	1575.10
	72″(1829mm)	WURE-2472-W	N43	1224.53	1317.18	1503.70	1596.35	1590.27	1682.92
	78″(1981mm)	WURE-2478-W	N43	1300.13	1402.26	1596.34	1698.47	1688.61	1790.74
	84″(2134mm)	WURE-2484-W	N43	1375.73	1487.34	1688.98	1800.59	1786.95	1898.56
	90″(2286mm)	WURE-2490-W	N43	1451.33	1572.42	1781.62	1902.71	1885.29	2006.38
	96″(2438mm)	WURE-2496-W	N43	1526.93	1657.50	1874.26	2004.83	1983.63	2114.20
	102″(2591mm)	WURE-24A2-W	N43	1602.53	1742.58	1966.90	2106.95	2081.97	2222.02
	108″(2743mm)	WURE-24A8-W	N43	1678.13	1827.66	2059.54	2209.07	2180.31	2329.84
	114″(2896mm)	WURE-24B4-W	N43	1728.53	1884.38	2121.30	2277.15	2245.87	2401.72
	120″(3048mm)	WURE-24C0-W	N43	1829.33	1997.82	2244.82	2413.31	2376.99	2545.48
18″(457mm)/24″(610mm)	24″(610mm)	WURE-2424-W	N34	$ 619.73	$ 636.54	$ 762.58	$ 779.39	$ 803.55	$ 820.36
	30″(762mm)	WURE-2430-W	N34	695.33	721.62	855.22	881.51	901.89	928.18
	36″(914mm)	WURE-2436-W	N34	770.93	806.70	947.86	983.63	1000.23	1036.00
	42″(1067mm)	WURE-2442-W	N34	846.53	891.78	1040.50	1085.75	1098.57	1143.82
	48″(1219mm)	WURE-2448-W	N34	922.13	976.86	1133.14	1187.87	1196.91	1251.64
	54″(1372mm)	WURE-2454-W	N34	997.73	1061.94	1225.78	1289.99	1295.25	1359.46
	60″(1524mm)	WURE-2460-W	N34	1073.33	1147.02	1318.42	1392.11	1393.59	1467.28
	66″(1676mm)	WURE-2466-W	N34	1148.93	1232.10	1411.06	1494.23	1491.93	1575.10
	72″(1829mm)	WURE-2472-W	N34	1224.53	1317.18	1503.70	1596.35	1590.27	1682.92
	78″(1981mm)	WURE-2478-W	N34	1300.13	1402.26	1596.34	1698.47	1688.61	1790.74
	84″(2134mm)	WURE-2484-W	N34	1375.73	1487.34	1688.98	1800.59	1786.95	1898.56
	90″(2286mm)	WURE-2490-W	N34	1451.33	1572.42	1781.62	1902.71	1885.29	2006.38
	96″(2438mm)	WURE-2496-W	N34	1526.93	1657.50	1874.26	2004.83	1983.63	2114.20
	102″(2591mm)	WURE-24A2-W	N34	1602.53	1742.58	1966.90	2106.95	2081.97	2222.02
	108″(2743mm)	WURE-24A8-W	N34	1678.13	1827.66	2059.54	2209.07	2180.31	2329.84
	114″(2896mm)	WURE-24B4-W	N34	1728.53	1884.38	2121.30	2277.15	2245.87	2401.72
	120″(3048mm)	WURE-24C0-W	N34	1829.33	1997.82	2244.82	2413.31	2376.99	2545.48
30″(762mm)/24″(610mm)	24″(610mm)	WURE-3024-W	N54	$ 630.23	$ 647.04	$ 773.08	$ 789.89	$ 814.05	$ 830.86
	30″(762mm)	WURE-3030-W	N54	705.83	732.12	865.72	892.01	912.39	938.68
	36″(914mm)	WURE-3036-W	N54	781.43	817.20	958.36	994.13	1010.73	1046.50
	42″(1067mm)	WURE-3042-W	N54	857.03	902.28	1051.00	1096.25	1109.07	1154.32
	48″(1219mm)	WURE-3048-W	N54	932.63	987.36	1143.64	1198.37	1207.41	1262.14
	54″(1372mm)	WURE-3054-W	N54	1008.23	1072.44	1236.28	1300.49	1305.75	1369.96
	60″(1524mm)	WURE-3060-W	N54	1083.83	1157.52	1328.92	1402.61	1404.09	1477.78
	66″(1676mm)	WURE-3066-W	N54	1159.43	1242.60	1421.56	1504.73	1502.43	1585.60
	72″(1829mm)	WURE-3072-W	N54	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	78″(1981mm)	WURE-3078-W	N54	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	84″(2134mm)	WURE-3084-W	N54	1386.23	1497.84	1699.48	1811.09	1797.45	1909.06
	90″(2286mm)	WURE-3090-W	N54	1461.83	1582.92	1792.12	1913.21	1895.79	2016.88
	96″(2438mm)	WURE-3096-W	N54	1537.43	1668.00	1884.76	2015.33	1994.13	2124.70
	102″(2591mm)	WURE-30A2-W	N54	1613.03	1753.08	1977.40	2117.45	2092.47	2232.52
	108″(2743mm)	WURE-30A8-W	N54	1688.63	1838.16	2070.04	2219.57	2190.81	2340.34
	114″(2896mm)	WURE-30B4-W	N54	1739.03	1894.88	2131.80	2287.65	2256.37	2412.22
	120″(3048mm)	WURE-30C0-W	N54	1839.83	2008.32	2255.32	2423.81	2387.49	2555.98
24″(610mm)/30″(762mm)	24″(610mm)	WURE-3024-W	N45	$ 630.23	$ 647.04	$ 773.08	$ 789.89	$ 814.05	$ 830.86
	30″(762mm)	WURE-3030-W	N45	705.83	732.12	865.72	892.01	912.39	938.68
	36″(914mm)	WURE-3036-W	N45	781.43	817.20	958.36	994.13	1010.73	1046.50
	42″(1067mm)	WURE-3042-W	N45	857.03	902.28	1051.00	1096.25	1109.07	1154.32
	48″(1219mm)	WURE-3048-W	N45	932.63	987.36	1143.64	1198.37	1207.41	1262.14
	54″(1372mm)	WURE-3054-W	N45	1008.23	1072.44	1236.28	1300.49	1305.75	1369.96
	60″(1524mm)	WURE-3060-W	N45	1083.83	1157.52	1328.92	1402.61	1404.09	1477.78
	66″(1676mm)	WURE-3066-W	N45	1159.43	1242.60	1421.56	1504.73	1502.43	1585.60
	72″(1829mm)	WURE-3072-W	N45	1235.03	1327.68	1514.20	1606.85	1600.77	1693.42
	78″(1981mm)	WURE-3078-W	N45	1310.63	1412.76	1606.84	1708.97	1699.11	1801.24
	84″(2134mm)	WURE-3084-W	N45	1386.23	1497.84	1699.48	1811.09	1797.45	1909.06
	90″(2286mm)	WURE-3090-W	N45	1461.83	1582.92	1792.12	1913.21	1895.79	2016.88
	96″(2438mm)	WURE-3096-W	N45	1537.43	1668.00	1884.76	2015.33	1994.13	2124.70
	102″(2591mm)	WURE-30A2-W	N45	1613.03	1753.08	1977.40	2117.45	2092.47	2232.52
	108″(2743mm)	WURE-30A8-W	N45	1688.63	1838.16	2070.04	2219.57	2190.81	2340.34
	114″(2896mm)	WURE-30B4-W	N45	1739.03	1894.88	2131.80	2287.65	2256.37	2412.22
	120″(3048mm)	WURE-30C0-W	N45	1839.83	2008.32	2255.32	2423.81	2387.49	2555.98

Adaptable Worksurfaces — Wood

Sharp Wedge

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
24″(610mm)/18″(457mm)	24″(610mm)	WURG-2424-W ■ ■ ■ N43	$ 658.70	$ 725.20	$ 850.82	$ 917.32
	30″(762mm)	WURG-2430-W ■ ■ ■ N43	739.77	820.70	956.06	1036.99
	36″(914mm)	WURG-2436-W ■ ■ ■ N43	820.84	916.20	1061.30	1156.66
	42″(1067mm)	WURG-2442-W ■ ■ ■ N43	901.91	1011.70	1166.54	1276.33
	48″(1219mm)	WURG-2448-W ■ ■ ■ N43	982.98	1107.20	1271.78	1396.00
	54″(1372mm)	WURG-2454-W ■ ■ ■ N43	1064.05	1202.70	1377.02	1515.67
	60″(1524mm)	WURG-2460-W ■ ■ ■ N43	1145.12	1298.20	1482.26	1635.34
18″(457mm)/24″(610mm)	24″(610mm)	WURG-2424-W ■ ■ ■ N34	$ 658.70	$ 725.20	$ 850.82	$ 917.32
	30″(762mm)	WURG-2430-W ■ ■ ■ N34	739.77	820.70	956.06	1036.99
	36″(914mm)	WURG-2436-W ■ ■ ■ N34	820.84	916.20	1061.30	1156.66
	42″(1067mm)	WURG-2442-W ■ ■ ■ N34	901.91	1011.70	1166.54	1276.33
	48″(1219mm)	WURG-2448-W ■ ■ ■ N34	982.98	1107.20	1271.78	1396.00
	54″(1372mm)	WURG-2454-W ■ ■ ■ N34	1064.05	1202.70	1377.02	1515.67
	60″(1524mm)	WURG-2460-W ■ ■ ■ N34	1145.12	1298.20	1482.26	1635.34
30″(762mm)/24″(610mm)	24″(610mm)	WURG-3024-W ■ ■ ■ N54	$ 674.22	$ 743.48	$ 866.34	$ 935.60
	30″(762mm)	WURG-3030-W ■ ■ ■ N54	755.29	838.98	971.58	1055.27
	36″(914mm)	WURG-3036-W ■ ■ ■ N54	836.36	934.48	1076.82	1174.94
	42″(1067mm)	WURG-3042-W ■ ■ ■ N54	917.43	1029.98	1182.06	1294.61
	48″(1219mm)	WURG-3048-W ■ ■ ■ N54	998.50	1125.48	1287.30	1414.28
	54″(1372mm)	WURG-3054-W ■ ■ ■ N54	1079.57	1220.98	1392.54	1533.95
	60″(1524mm)	WURG-3060-W ■ ■ ■ N54	1160.64	1316.48	1497.78	1653.62
24″(610mm)/30″(762mm)	24″(610mm)	WURG-3024-W ■ ■ ■ N45	$ 674.22	$ 743.48	$ 866.34	$ 935.60
	30″(762mm)	WURG-3030-W ■ ■ ■ N45	755.29	838.98	971.58	1055.27
	36″(914mm)	WURG-3036-W ■ ■ ■ N45	836.36	934.48	1076.82	1174.94
	42″(1067mm)	WURG-3042-W ■ ■ ■ N45	917.43	1029.98	1182.06	1294.61
	48″(1219mm)	WURG-3048-W ■ ■ ■ N45	998.50	1125.48	1287.30	1414.28
	54″(1372mm)	WURG-3054-W ■ ■ ■ N45	1079.57	1220.98	1392.54	1533.95
	60″(1524mm)	WURG-3060-W ■ ■ ■ N45	1160.64	1316.48	1497.78	1653.62





WURG-WN34



WURG-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife (U) on user edge and 1mm edgeband on sides and back, or
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –**Worksurface support panel not recommended**
  –Worksurface support column or leg
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Suggested pedestal style is mobile.**
- **Due to manufacturing restrictions, not available with Cascade Edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood edgeband
- **U** Wood Knife

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Radius End

Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	24″(610mm)	WURR-1824-W	$ 582.40	$ 610.48	$ 717.29	$ 745.37	$ 760.55	$ 788.63
	30″(762mm)	WURR-1830-W	656.68	687.88	805.62	836.82	867.58	898.78
	36″(914mm)	WURR-1836-W	730.96	765.28	896.76	931.08	981.16	1015.48
	42″(1067mm)	WURR-1842-W	805.24	842.68	987.90	1025.34	1094.74	1132.18
	48″(1219mm)	WURR-1848-W	879.52	920.08	1079.04	1119.60	1208.32	1248.88
	54″(1372mm)	WURR-1854-W	953.80	997.48	1170.18	1213.86	1321.90	1365.58
	60″(1524mm)	WURR-1860-W	1028.08	1074.88	1261.32	1308.12	1435.48	1482.28
24″(610mm)	24″(610mm)	WURR-2424-W	$ 590.72	$ 618.80	$ 729.77	$ 757.85	$ 774.07	$ 802.15
	30″(762mm)	WURR-2430-W	666.86	698.06	819.96	851.16	882.96	914.16
	36″(914mm)	WURR-2436-W	743.00	777.32	912.96	947.28	998.40	1032.72
	42″(1067mm)	WURR-2442-W	819.14	856.58	1005.96	1043.40	1113.84	1151.28
	48″(1219mm)	WURR-2448-W	895.28	935.84	1098.96	1139.52	1229.28	1269.84
	54″(1372mm)	WURR-2454-W	971.42	1015.10	1191.96	1235.64	1344.72	1388.40
	60″(1524mm)	WURR-2460-W	1047.56	1094.36	1284.96	1331.76	1460.16	1506.96
30″(762mm)	24″(610mm)	WURR-3024-W	$ 725.92	$ 754.00	$ 925.29	$ 953.37	$ 973.75	$1001.83
	30″(762mm)	WURR-3030-W	803.92	835.12	1017.34	1048.54	1084.50	1115.70
	36″(914mm)	WURR-3036-W	881.92	916.24	1112.20	1146.52	1201.80	1236.12
	42″(1067mm)	WURR-3042-W	959.92	997.36	1207.06	1244.50	1319.10	1356.54
	48″(1219mm)	WURR-3048-W	1037.92	1078.48	1301.92	1342.48	1436.40	1476.96
	54″(1372mm)	WURR-3054-W	1115.92	1159.60	1396.78	1440.46	1553.70	1597.38
	60″(1524mm)	WURR-3060-W	1193.92	1240.72	1491.64	1538.44	1671.00	1717.80

(Right-hand orientation)



(Left-hand orientation)

WURR-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on side and back, or
  - –Cascade (M) on user edge and 1mm edgeband on side and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Cantilever bracket
  - –Side brackets
  - –Worksurface support panel
  - –Worksurface support column or leg
  - –Attached lower storage (for worksurfaces greater than 36″ wide)
- For edgeband:
  - –18″(457mm) and 24″(610mm) specify the standard mini cantilever bracket for radius end.
  - –30″(762mm) specify standard cantilever bracket for radius end.
- When using snap-n-fit cantilevers 18″(457mm) and 24″(610mm) requires mini snap-n-fit cantilever, 30″(762mm) requires standard snap-n-fit cantilever.
- For Cascade edge, for aesthetic reasons, use:
  - –Side bracket and column support or leg.
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- For worksurfaces less than 42″(1067mm) wide, suggested pedestal style is mobile.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Rectangular — Split Top

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M
24″(610mm)	36″(914mm)	WURK-2436-W	**$3413.33**	**$3582.83**	**$4267.20**	**$4436.70**
	42″(1067mm)	WURK-2442-W	**3549.25**	**3742.95**	**4437.02**	**4630.72**
	48″(1219mm)	WURK-2448-W	**3685.17**	**3903.07**	**4606.84**	**4824.74**
30″(762mm)	36″(914mm)	WURK-3036-W	**$3591.14**	**$3792.30**	**$4488.72**	**$4689.88**
	42″(1067mm)	WURK-3042-W	**3727.06**	**3952.42**	**4658.54**	**4883.90**
	48″(1219mm)	WURK-3048-W	**3862.98**	**4112.54**	**4828.36**	**5077.92**





WURK-W

Features

- Includes rear worksurface, front worksurface, mechanism and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Wood veneer worksurface with:
  –3mm edgeband (K) or Cascade (M) edge on front and rear worksurface front edge, and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets. If using snap-n-fit cantilever on 24″(610mm) deep worksurfaces, specify snap-n-fit mini cantilever.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Cantilever bracket
  –Side brackets
  –Worksurface support panel
  –Worksurface support column or leg

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Straight Front

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCA-3636-W ■ ■ ■ N33	$ 718.77	$ 755.19	$ 944.79	$ 981.21
	42″(1067mm)	WUCA-4242-W ■ ■ ■ N33	793.76	848.39	1049.24	1103.87
	48″(1219mm)	WUCA-4848-W ■ ■ ■ N33	928.74	1001.58	1213.68	1286.52
24″(610mm)	36″(914mm)	WUCA-3636-W ■ ■ ■ N44	$ 738.05	$ 774.47	$ 964.07	$1000.49
	42″(1067mm)	WUCA-4242-W ■ ■ ■ N44	813.04	867.67	1068.52	1123.15
	48″(1219mm)	WUCA-4848-W ■ ■ ■ N44	948.02	1020.86	1232.96	1305.80
30″(762mm)	36″(914mm)	WUCA-3636-W ■ ■ ■ N55	$ 819.46	$ 855.88	$1045.48	$1081.90
	42″(1067mm)	WUCA-4242-W ■ ■ ■ N55	894.45	949.08	1149.93	1204.56
	48″(1219mm)	WUCA-4848-W ■ ■ ■ N55	1029.43	1102.27	1314.37	1387.21





WUCA-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCR-3636-W ■ ■ ■ N33	**$644.96**	**$ 675.05**	**$ 818.76**	**$ 848.85**	**$ 856.64**	**$ 886.73**
	42″(1067mm)	WUCR-4242-W ■ ■ ■ N33	**752.18**	**801.65**	**960.42**	**1009.89**	**991.94**	**1041.41**
	48″(1219mm)	WUCR-4848-W ■ ■ ■ N33	**859.40**	**928.25**	**1102.08**	**1170.93**	**1127.24**	**1196.09**
24″(610mm)	36″(914mm)	WUCR-3636-W ■ ■ ■ N44	**$708.86**	**$ 748.81**	**$ 874.02**	**$ 913.97**	**$ 920.54**	**$ 960.49**
	42″(1067mm)	WUCR-4242-W ■ ■ ■ N44	**816.08**	**875.41**	**1015.68**	**1075.01**	**1055.84**	**1115.17**
	48″(1219mm)	WUCR-4848-W ■ ■ ■ N44	**923.30**	**1002.01**	**1157.34**	**1236.05**	**1191.14**	**1269.85**
30″(762mm)	36″(914mm)	(1) WUCR-3636-W ■ ■ ■ N55	**$772.76**	**$ 822.57**	**N/A**	**N/A**	**$ 984.44**	**$1034.25**
	42″(1067mm)	WUCR-4242-W ■ ■ ■ N55	**879.98**	**949.17**	**1070.94**	**1140.13**	**1119.74**	**1188.93**
	48″(1219mm)	WUCR-4848-W ■ ■ ■ N55	**987.20**	**1075.77**	**1212.60**	**1301.17**	**1255.04**	**1343.61**

(1)Cascade edge option not available in this size.





WUCR-W

Features

- Includes worksurface.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Notched

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCN-3636-W ■ ■ ■ N33	**$684.85**	**$709.01**	**$ 861.32**	**$ 885.48**	**$ 905.43**	**$ 929.59**
	42″(1067mm)	WUCN-4242-W ■ ■ ■ N33	**798.31**	**825.65**	**995.78**	**1023.12**	**1045.14**	**1072.48**
	48″(1219mm)	WUCN-4848-W ■ ■ ■ N33	**911.77**	**942.29**	**1134.44**	**1164.96**	**1190.10**	**1220.62**
24″(610mm)	36″(914mm)	WUCN-3636-W ■ ■ ■ N44	**$701.66**	**$725.82**	**$ 878.13**	**$ 902.29**	**$ 922.24**	**$ 946.40**
	42″(1067mm)	WUCN-4242-W ■ ■ ■ N44	**815.12**	**842.46**	**1012.59**	**1039.93**	**1061.95**	**1089.29**
	48″(1219mm)	WUCN-4848-W ■ ■ ■ N44	**928.58**	**959.10**	**1151.25**	**1181.77**	**1206.91**	**1237.43**
30″(762mm)	36″(914mm)	(1) WUCN-3636-W ■ ■ ■ N55	**$718.46**	**$742.62**	**N/A**	**N/A**	**$ 939.04**	**$ 963.20**
	42″(1067mm)	WUCN-4242-W ■ ■ ■ N55	**831.92**	**859.26**	**1029.39**	**1056.73**	**1078.75**	**1106.09**
	48″(1219mm)	WUCN-4848-W ■ ■ ■ N55	**945.38**	**975.90**	**1168.05**	**1198.57**	**1223.71**	**1254.23**

(1)Cascade edge option not available in this size.



WUCN-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
  - –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Angled

Left/Right Depth	Width	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCU-3636-W ■ ■ ■ ■	33	$658.76	$ 701.19	$ 849.70	$ 892.13
	42″(1067mm)	WUCU-4242-W ■ ■ ■ ■	33	752.54	821.13	991.27	1059.86
	48″(1219mm)	WUCU-4848-W ■ ■ ■ ■	33	899.36	994.11	1185.88	1280.63
24″(610mm)	36″(914mm)	WUCU-3636-W ■ ■ ■ ■	44	$690.70	$ 737.43	$ 873.80	$ 920.53
	42″(1067mm)	WUCU-4242-W ■ ■ ■ ■	44	784.48	857.37	1015.37	1088.26
	48″(1219mm)	WUCU-4848-W ■ ■ ■ ■	44	931.30	1030.35	1209.98	1309.03
30″(762mm)	36″(914mm)	WUCU-3636-W ■ ■ ■ ■	55	$722.64	$ 773.67	$ 897.90	$ 948.93
	42″(1067mm)	WUCU-4242-W ■ ■ ■ ■	55	816.42	893.61	1039.47	1116.66
	48″(1219mm)	WUCU-4848-W ■ ■ ■ ■	55	963.24	1066.59	1234.08	1337.43



(Left-hand orientation)



(Right-hand orientation)

WUCU-W

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCT-3636-W ■ ■ ■ N34	**$676.91**	**$ 711.93**	**$ 846.39**	**$ 881.41**	**$ 888.59**	**$ 923.61**
	42″(1067mm)	WUCT-4242-W ■ ■ ■ N34	**784.13**	**838.53**	**988.05**	**1042.45**	**1023.89**	**1078.29**
	48″(1219mm)	WUCT-4848-W ■ ■ ■ N34	**891.35**	**965.13**	**1129.71**	**1203.49**	**1159.19**	**1232.97**
24″(610mm)/18″(457mm)	36″(914mm)	WUCT-3636-W ■ ■ ■ N43	**$676.91**	**$ 711.93**	**$ 846.39**	**$ 881.41**	**$ 888.59**	**$ 923.61**
	42″(1067mm)	WUCT-4242-W ■ ■ ■ N43	**784.13**	**838.53**	**988.05**	**1042.45**	**1023.89**	**1078.29**
	48″(1219mm)	WUCT-4848-W ■ ■ ■ N43	**891.35**	**965.13**	**1129.71**	**1203.49**	**1159.19**	**1232.97**
24″(610mm)/30″(762mm)	36″(914mm)	(1) WUCT-3636-W ■ ■ ■ N45	**$740.81**	**$ 785.69**	**N/A**	**N/A**	**$ 952.49**	**$ 997.37**
	42″(1067mm)	WUCT-4242-W ■ ■ ■ N45	**848.03**	**912.29**	**1043.31**	**1107.57**	**1087.79**	**1152.05**
	48″(1219mm)	WUCT-4848-W ■ ■ ■ N45	**955.25**	**1038.89**	**1184.97**	**1268.61**	**1223.09**	**1306.73**
30″(762mm)/24″(610mm)	36″(914mm)	(1) WUCT-3636-W ■ ■ ■ N54	**$740.81**	**$ 785.69**	**N/A**	**N/A**	**$ 952.49**	**$ 997.37**
	42″(1067mm)	WUCT-4242-W ■ ■ ■ N54	**848.03**	**912.29**	**1043.31**	**1107.57**	**1087.79**	**1152.05**
	48″(1219mm)	WUCT-4848-W ■ ■ ■ N54	**955.25**	**1038.89**	**1184.97**	**1268.61**	**1223.09**	**1306.73**

(1)Cascade edge option not available in these sizes.





WUCT-WN34



WUCT-WN43

Features

- Includes worksurface.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 90° Notched Transitional

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCH-3636-W ■ ■ ■ N34	**$674.35**	**$698.51**	**$ 850.82**	**$ 874.98**	**$ 894.93**	**$ 919.09**
	42″(1067mm)	WUCH-4242-W ■ ■ ■ N34	**787.81**	**815.15**	**985.28**	**1012.62**	**1034.64**	**1061.98**
	48″(1219mm)	WUCH-4848-W ■ ■ ■ N34	**901.27**	**931.79**	**1123.94**	**1154.46**	**1179.60**	**1210.12**
24″(610mm)/18″(457mm)	36″(914mm)	WUCH-3636-W ■ ■ ■ N43	**$674.35**	**$698.51**	**$ 850.82**	**$ 874.98**	**$ 894.93**	**$ 919.09**
	42″(1067mm)	WUCH-4242-W ■ ■ ■ N43	**787.81**	**815.15**	**985.28**	**1012.62**	**1034.64**	**1061.98**
	48″(1219mm)	WUCH-4848-W ■ ■ ■ N43	**901.27**	**931.79**	**1123.94**	**1154.46**	**1179.60**	**1210.12**
24″(610mm)/30″(762mm)	36″(914mm)	(1) WUCH-3636-W ■ ■ ■ N45	**$707.96**	**$732.12**	**N/A**	**N/A**	**$ 928.54**	**$ 952.70**
	42″(1067mm)	WUCH-4242-W ■ ■ ■ N45	**821.42**	**848.76**	**1018.89**	**1046.23**	**1068.25**	**1095.59**
	48″(1219mm)	WUCH-4848-W ■ ■ ■ N45	**934.88**	**965.40**	**1157.55**	**1188.07**	**1213.21**	**1243.73**
30″(762mm)/24″(610mm)	36″(914mm)	(1) WUCH-3636-W ■ ■ ■ N54	**$707.96**	**$732.12**	**N/A**	**N/A**	**$ 928.54**	**$ 952.70**
	42″(1067mm)	WUCH-4242-W ■ ■ ■ N54	**821.42**	**848.76**	**1018.89**	**1046.23**	**1068.25**	**1095.59**
	48″(1219mm)	WUCH-4848-W ■ ■ ■ N54	**934.88**	**965.40**	**1157.55**	**1188.07**	**1213.21**	**1243.73**

(1)Cascade edge option not available in these sizes.



WUCH-WN34



WUCH-WN43

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Angled Transitional

Left/Right Depth	Width	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)/24″(610mm)	36″(914mm)	WUCF-3636-W ■ ■ ■ ■ 34	$621.69	$ 666.27	$ 808.71	$ 853.29
	42″(1067mm)	WUCF-4242-W ■ ■ ■ ■ 34	768.51	839.25	1003.32	1074.06
	48″(1219mm)	WUCF-4848-W ■ ■ ■ ■ 34	915.33	1012.23	1197.93	1294.83
24″(610mm)/18″(457mm)	36″(914mm)	WUCF-3636-W ■ ■ ■ ■ 43	$621.69	$ 666.27	$ 808.71	$ 853.29
	42″(1067mm)	WUCF-4242-W ■ ■ ■ ■ 43	768.51	839.25	1003.32	1074.06
	48″(1219mm)	WUCF-4848-W ■ ■ ■ ■ 43	915.33	1012.23	1197.93	1294.83
24″(610mm)/30″(762mm)	36″(914mm)	WUCF-3636-W ■ ■ ■ ■ 45	$653.63	$ 702.51	$ 832.81	$ 881.69
	42″(1067mm)	WUCF-4242-W ■ ■ ■ ■ 45	800.45	875.49	1027.42	1102.46
	48″(1219mm)	WUCF-4848-W ■ ■ ■ ■ 45	947.27	1048.47	1222.03	1323.23
30″(762mm)/24″(610mm)	36″(914mm)	WUCF-3636-W ■ ■ ■ ■ 54	$653.63	$ 702.51	$ 832.81	$ 881.69
	42″(1067mm)	WUCF-4242-W ■ ■ ■ ■ 54	800.45	875.49	1027.42	1102.46
	48″(1219mm)	WUCF-4848-W ■ ■ ■ ■ 54	947.27	1048.47	1222.03	1323.23



(Left-hand orientation)
WUCF-WN45



(Right-hand orientation)
WUCF-WN54

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Corner, 90° Split Top

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M
24″(610mm)	48″(1219mm)	WUCK-4848-W N44	**$2826.90**	**$3138.62**	**$3573.53**	**$3885.25**
30″(762mm)	48″(1219mm)	WUCK-4848-W N55	**$2884.74**	**$3207.17**	**$3631.37**	**$3953.80**



WUCK-W

Features

- Includes rear worksurface, front worksurface, mechanism, and tie plate.
- Dual worksurfaces with a 1″(25mm) space between the front and rear worksurfaces. Front worksurface is 12″(305mm) deep.
- Wood veneer worksurface with:
  –3mm edgeband (K) or Cascade (M) edge on front and rear worksurface front edge and 1mm on back and side edge of front and rear worksurface.
- Adjustable front worksurface is attached to the rear worksurface with a spring-assist mechanism.
- Front worksurface manually adjusts to any position 7″(178mm) above and 5 3/4″(146mm) below the rear worksurface.
- Front worksurface tilts -15° to +9°.
- Spring assist mechanism available in charcoal finish color only.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
- Fixed-height rear worksurface is predrilled to accept standard cantilever brackets. If using snap-n-fit cantilever on 24″(610mm) deep worksurfaces, specify snap-n-fit mini cantilever.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Extended





(Right-hand orientation)
WUCE-WR44



(Left-hand orientation)
WUCE-WL44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Worksurface support column or leg
  –Side brackets
  –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	42″(1067mm)	WUCE-3642-W	33	$1162.64	$1247.50	$1479.82	$1564.68	$1485.12	$1569.98
		48″(1219mm)	WUCE-3648-W	33	1173.01	1259.74	1498.83	1585.56	1507.79	1594.52
		54″(1372mm)	WUCE-3654-W	33	1183.38	1271.98	1517.84	1606.44	1530.46	1619.06
		60″(1524mm)	WUCE-3660-W	33	1193.75	1284.22	1536.85	1627.32	1553.13	1643.60
		66″(1676mm)	WUCE-3666-W	33	1322.93	1415.27	1674.67	1767.01	1694.61	1786.95
		72″(1829mm)	WUCE-3672-W	33	1455.29	1549.50	1815.67	1909.88	1839.27	1933.48
24″(610mm)	36″(914mm)	42″(1067mm)	WUCE-3642-W	44	$1188.64	$1278.24	$1505.82	$1595.42	$1511.12	$1600.72
		48″(1219mm)	WUCE-3648-W	44	1199.01	1290.48	1524.83	1616.30	1533.79	1625.26
		54″(1372mm)	WUCE-3654-W	44	1209.38	1302.72	1543.84	1637.18	1556.46	1649.80
		60″(1524mm)	WUCE-3660-W	44	1219.75	1314.96	1562.85	1658.06	1579.13	1674.34
		66″(6764mm)	WUCE-3666-W	44	1348.93	1446.01	1700.67	1797.75	1720.61	1817.69
		72″(1829mm)	WUCE-3672-W	44	1481.29	1580.24	1841.67	1940.62	1865.27	1964.22
30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCE-3642-W	55	$1333.45	$1427.79	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCE-3648-W	55	1343.82	1440.03	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCE-3654-W	55	1354.19	1452.27	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCE-3660-W	55	1364.56	1464.51	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCE-3666-W	55	1493.74	1595.56	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCE-3672-W	55	1626.10	1729.79	N/A	N/A	N/A	N/A
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-W	33	$1183.38	$1271.98	$1517.84	$1606.44	$1530.46	$1619.06
		54″(1372mm)	WUCE-4254-W	33	1193.75	1284.22	1536.85	1627.32	1553.13	1643.60
		60″(1524mm)	WUCE-4260-W	33	1204.12	1296.46	1555.86	1648.20	1575.80	1668.14
		66″(1676mm)	WUCE-4266-W	33	1333.30	1427.51	1693.68	1787.89	1717.28	1811.49
		72″(1829mm)	WUCE-4272-W	33	1465.66	1561.74	1834.68	1930.76	1861.94	1958.02
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCE-4248-W	44	$1209.38	$1302.72	$1543.84	$1637.18	$1556.46	$1649.80
		54″(1372mm)	WUCE-4254-W	44	1219.75	1314.96	1562.85	1658.06	1579.13	1674.34
		60″(1524mm)	WUCE-4260-W	44	1230.12	1327.20	1581.86	1678.94	1601.80	1698.88
		66″(1676mm)	WUCE-4266-W	44	1359.30	1458.25	1719.68	1818.63	1743.28	1842.23
		72″(1829mm)	WUCE-4272-W	44	1491.66	1592.48	1860.68	1961.50	1887.94	1988.76
30″(762mm)	42″(1067mm)	48″(1067mm)	WUCE-4248-W	55	$1354.19	$1452.27	$1688.65	$1786.73	$1701.27	$1799.35
		54″(1372mm)	WUCE-4254-W	55	1364.56	1464.51	1707.66	1807.61	1723.94	1823.89
		60″(1524mm)	WUCE-4260-W	55	1374.93	1476.75	1726.67	1828.49	1746.61	1848.43
		66″(1676mm)	WUCE-4266-W	55	1504.11	1607.80	1864.49	1968.18	1888.09	1991.78
		72″(1829mm)	WUCE-4272-W	55	1636.47	1742.03	2005.49	2111.05	2032.75	2138.31
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	33	$1204.12	$1296.46	$1555.86	$1648.20	$1575.80	$1668.14
		60″(1524mm)	WUCE-4860-W	33	1214.49	1308.70	1574.87	1669.08	1598.47	1692.68
		66″(1676mm)	WUCE-4866-W	33	1343.67	1439.75	1712.69	1808.77	1739.95	1836.03
		72″(1829mm)	WUCE-4872-W	33	1476.03	1573.98	1853.69	1951.64	1884.61	1982.56
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	44	$1230.12	$1327.20	$1581.86	$1678.94	$1601.80	$1698.88
		60″(1524mm)	WUCE-4860-W	44	1240.49	1339.44	1600.87	1699.82	1624.47	1723.42
		66″(1676mm)	WUCE-4866-W	44	1369.67	1470.49	1738.69	1839.51	1765.95	1866.77
		72″(1829mm)	WUCE-4872-W	44	1502.03	1604.72	1879.69	1982.38	1910.61	2013.30
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCE-4854-W	55	$1374.93	$1476.75	$1726.67	$1828.49	$1746.61	$1848.43
		60″(1524mm)	WUCE-4860-W	55	1385.30	1488.99	1745.68	1849.37	1769.28	1872.97
		66″(1676mm)	WUCE-4866-W	55	1514.48	1620.04	1883.50	1989.06	1910.76	2016.32
		72″(1829mm)	WUCE-4872-W	55	1646.84	1754.27	2024.50	2131.93	2055.42	2162.85

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Wood

Corner, 90° Notched Extended



(Right-hand orientation)

WUCP-WR44



(Left-hand orientation)

WUCP-WL44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept an adjustable keyboard and most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Support post or support column
  –Disc base
  –Attached lower storage
  –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Adaptable Worksurfaces — Wood

Corner, 90° Notched Extended

Left/Right Depth	Width	Length	Number	❶❷❸❹	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	42″(1067mm)	WUCP-3642-W	33	$1147.26	$1229.74	$1400.06	$1482.54	$1479.33	$1561.81
		48″(1219mm)	WUCP-3648-W	33	1185.29	1274.53	1457.21	1546.45	1533.68	1622.92
		54″(1372mm)	WUCP-3654-W	33	1223.32	1319.32	1514.36	1610.36	1588.03	1684.03
		60″(1524mm)	WUCP-3660-W	33	1261.35	1364.11	1571.51	1674.27	1642.38	1745.14
		66″(1676mm)	WUCP-3666-W	33	1299.38	1408.90	1628.66	1738.18	1696.73	1806.25
		72″(1829mm)	WUCP-3672-W	33	1454.17	1570.45	1802.57	1918.85	1867.84	1984.12
24″(610mm)	36″(914mm)	42″(1067mm)	WUCP-3642-W	44	$1166.48	$1252.37	$1419.28	$1505.17	$1498.55	$1584.44
		48″(1219mm)	WUCP-3648-W	44	1204.51	1297.16	1476.43	1569.08	1552.90	1645.55
		54″(1372mm)	WUCP-3654-W	44	1242.54	1341.95	1533.58	1632.99	1607.25	1706.66
		60″(1524mm)	WUCP-3660-W	44	1280.57	1386.74	1590.73	1696.90	1661.60	1767.77
		66″(1676mm)	WUCP-3666-W	44	1318.60	1431.53	1647.88	1760.81	1715.95	1828.88
		72″(1829mm)	WUCP-3672-W	44	1473.39	1593.08	1821.79	1941.48	1887.06	2006.75
30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCP-3642-W	55	$1185.70	$1275.00	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCP-3648-W	55	1223.73	1319.79	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCP-3654-W	55	1261.76	1364.58	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCP-3660-W	55	1299.79	1409.37	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCP-3666-W	55	1337.82	1454.16	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCP-3672-W	55	1492.61	1615.71	N/A	N/A	N/A	N/A
18″(457mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	33	$1223.32	$1319.32	$1514.36	$1610.36	$1588.03	$1684.03
		54″(1372mm)	WUCP-4254-W	33	1261.35	1364.11	1571.51	1674.27	1642.38	1745.14
		60″(1524mm)	WUCP-4260-W	33	1299.38	1408.90	1628.66	1738.18	1696.73	1806.25
		66″(1676mm)	WUCP-4266-W	33	1337.41	1453.69	1685.81	1802.09	1751.08	1867.36
		72″(1829mm)	WUCP-4272-W	33	1492.20	1615.24	1859.72	1982.76	1922.19	2045.23
24″(610mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	44	$1242.54	$1341.95	$1533.58	$1632.99	$1607.25	$1706.66
		54″(1372mm)	WUCP-4254-W	44	1280.57	1386.74	1590.73	1696.90	1661.60	1767.77
		60″(1524mm)	WUCP-4260-W	44	1318.60	1431.53	1647.88	1760.81	1715.95	1828.88
		66″(1676mm)	WUCP-4266-W	44	1356.63	1476.32	1705.03	1824.72	1770.30	1889.99
		72″(1829mm)	WUCP-4272-W	44	1511.42	1637.87	1878.94	2005.39	1941.41	2067.86
30″(762mm)	42″(1067mm)	48″(1219mm)	WUCP-4248-W	55	$1261.76	$1364.58	$1552.80	$1655.62	$1626.47	$1729.29
		54″(1372mm)	WUCP-4254-W	55	1299.79	1409.37	1609.95	1719.53	1680.82	1790.40
		60″(1524mm)	WUCP-4260-W	55	1337.82	1454.16	1667.10	1783.44	1735.17	1851.51
		66″(1676mm)	WUCP-4266-W	55	1375.85	1498.95	1724.25	1847.35	1789.52	1912.62
		72″(1829mm)	WUCP-4272-W	55	1530.64	1660.50	1898.16	2028.02	1960.63	2090.49
18″(457mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	33	$1299.38	$1408.90	$1628.66	$1738.18	$1696.73	$1806.25
		60″(1524mm)	WUCP-4860-W	33	1337.41	1453.69	1685.81	1802.09	1751.08	1867.36
		66″(1676mm)	WUCP-4866-W	33	1375.44	1498.48	1742.96	1866.00	1805.43	1928.47
		72″(1829mm)	WUCP-4872-W	33	1530.23	1660.03	1916.87	2046.67	1976.54	2106.34
24″(610mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	44	$1318.60	$1431.53	$1647.88	$1760.81	$1715.95	$1828.88
		60″(1524mm)	WUCP-4860-W	44	1356.63	1476.32	1705.03	1824.72	1770.30	1889.99
		66″(1676mm)	WUCP-4866-W	44	1394.66	1521.11	1762.18	1888.63	1824.65	1951.10
		72″(1829mm)	WUCP-4872-W	44	1549.45	1682.66	1936.09	2069.30	1995.76	2128.97
30″(762mm)	48″(1219mm)	54″(1372mm)	WUCP-4854-W	55	$1337.82	$1454.16	$1667.10	$1783.44	$1735.17	$1851.51
		60″(1524mm)	WUCP-4860-W	55	1375.85	1498.95	1724.25	1847.35	1789.52	1912.62
		66″(1676mm)	WUCP-4866-W	55	1413.88	1543.74	1781.40	1911.26	1843.87	1973.73
		72″(1829mm)	WUCP-4872-W	55	1568.67	1705.29	1955.31	2091.93	2014.98	2151.60

(1) Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional Extended



(Right-hand orientation)

WUCX-WR34



(Left-hand orientation)

WUCX-WL43

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Support post or support column
  –Side brackets
  –Attached lower storage
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Intermediate support is required for unsupported worksurface span greater than 60″(1524mm).
- Recommend the KU4A-0023-■ N or KU3A-0023-■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Corner, 90° Wrap-Around Transitional Extended

Left/Right Depth	Width	Length	Number ❶❷❸❹		Wood Group A K	Wood Group B K	Wood Group A M	Group B M	Group A U	Group B U
18″(457mm) /24″(66mm)	36″(914mm)	42″(1067mm)	WUCX-3642-W	34	$1313.54	$1400.77	$1630.72	$1717.95	$1636.02	$1723.25
		48″(1219mm)	WUCX-3648-W	34	1323.91	1413.01	1649.73	1738.83	1658.69	1747.79
		54″(1372mm)	WUCX-3654-W	34	1334.28	1425.25	1668.74	1759.71	1681.36	1772.33
		60″(1524mm)	WUCX-3660-W	34	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		66″(1676mm)	WUCX-3666-W	34	1473.83	1568.54	1825.57	1920.28	1845.51	1940.22
		72″(1829mm)	WUCX-3672-W	34	1606.19	1702.77	1966.57	2063.15	1990.17	2086.75
24″(610mm)/ 18″(457mm)	36″(914mm)	42″(1067mm)	WUCX-3642-W	43	$1313.54	$1400.77	$1630.72	$1717.95	$1636.02	$1723.25
		48″(1219mm)	WUCX-3648-W	43	1323.91	1413.01	1323.91	1413.01	1658.69	1747.79
		54″(1372mm)	WUCX-3654-W	43	1334.28	1425.25	1668.74	1759.71	1681.36	1772.33
		60″(1524mm)	WUCX-3660-W	43	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		66″(6764mm)	WUCX-3666-W	43	1473.83	1568.54	1825.57	1920.28	1845.51	1940.22
		72″(1829mm)	WUCX-3672-W	43	1606.19	1702.77	1966.57	2063.15	1990.17	2086.75
24″(610mm)/ 30″(762mm)	36″(914mm)	42″(1067mm)	(1) WUCX-3642-W	45	$1339.54	$1431.51	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCX-3648-W	45	1349.91	1443.75	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCX-3654-W	45	1360.28	1455.99	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCX-3660-W	45	1370.65	1468.23	N/A	N/A	N/A	N/A
		66″(6764mm)	(1) WUCX-3666-W	45	1499.83	1599.28	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCX-3672-W	45	1632.19	1733.51	N/A	N/A	N/A	N/A
30″(762mm)/ 24″(610mm)	36″(914mm)	42″(1067mm)	(1) WUCX-3642-W	54	$1339.54	$1431.51	N/A	N/A	N/A	N/A
		48″(1219mm)	(1) WUCX-3648-W	54	1349.91	1443.75	N/A	N/A	N/A	N/A
		54″(1372mm)	(1) WUCX-3654-W	54	1360.28	1455.99	N/A	N/A	N/A	N/A
		60″(1524mm)	(1) WUCX-3660-W	54	1370.65	1468.23	N/A	N/A	N/A	N/A
		66″(1676mm)	(1) WUCX-3666-W	54	1499.83	1599.28	N/A	N/A	N/A	N/A
		72″(1829mm)	(1) WUCX-3672-W	54	1632.19	1733.51	N/A	N/A	N/A	N/A
18″(457mm)/ 24″(610mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	34	$1334.28	$1425.25	$1668.74	$1759.71	$1681.36	$1772.33
		54″(1372mm)	WUCX-4254-W	34	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		60″(1524mm)	WUCX-4260-W	34	1355.02	1449.73	1706.76	1801.47	1726.70	1821.41
		66″(1676mm)	WUCX-4266-W	34	1484.20	1580.78	1844.58	1941.16	1868.18	1964.76
		72″(1829mm)	WUCX-4272-W	34	1616.56	1715.01	1985.58	2084.03	2012.84	2111.29
24″(610mm)/ 18″(457mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	43	$1334.28	$1425.25	$1668.74	$1759.71	$1681.36	$1772.33
		54″(1372mm)	WUCX-4254-W	43	1344.65	1437.49	1687.75	1780.59	1704.03	1796.87
		60″(1524mm)	WUCX-4260-W	43	1355.02	1449.73	1706.76	1801.47	1726.70	1821.41
		66″(1676mm)	WUCX-4266-W	43	1484.20	1580.78	1844.58	1941.16	1868.18	1964.76
		72″(1829mm)	WUCX-4272-W	43	1616.56	1715.01	1985.58	2084.03	2012.84	2111.29
24″(610mm)/ 30″(762mm)	42″(1067mm)	48″(1219mm)	WUCX-4248-W	45	$1360.28	$1455.99	$1694.74	$1790.45	$1707.36	$1803.07
		54″(1372mm)	WUCX-4254-W	45	1370.65	1468.23	1713.75	1811.33	1730.03	1827.61
		60″(1524mm)	WUCX-4260-W	45	1381.02	1480.47	1732.76	1832.21	1752.70	1852.15
		66″(1676mm)	WUCX-4266-W	45	1510.20	1611.52	1870.58	1971.90	1894.18	1995.50
		72″(1829mm)	WUCX-4272-W	45	1642.56	1745.75	2011.58	2114.77	2038.84	2142.03
30″(762mm)/ 24″(610mm)	42″(1067mm)	48″(1067mm)	WUCX-4248-W	54	$1360.28	$1455.99	$1694.74	$1790.45	$1707.36	$1803.07
		54″(1372mm)	WUCX-4254-W	54	1370.65	1468.23	1713.75	1811.33	1730.03	1827.61
		60″(1524mm)	WUCX-4260-W	54	1381.02	1480.47	1732.76	1832.21	1752.70	1852.15
		66″(1676mm)	WUCX-4266-W	54	1510.20	1611.52	1870.58	1971.90	1894.18	1995.50
		72″(1829mm)	WUCX-4272-W	54	1642.56	1745.75	2011.58	2114.77	2038.84	2142.03
18″(457mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	34	$1355.02	$1449.73	$1706.76	$1801.47	$1726.70	$1821.41
		60″(1524mm)	WUCX-4860-W	34	1365.39	1461.97	1725.77	1822.35	1749.37	1845.95
		66″(1676mm)	WUCX-4866-W	34	1494.57	1593.02	1863.59	1962.04	1890.85	1989.30
		72″(1829mm)	WUCX-4872-W	34	1626.93	1727.25	2004.59	2104.91	2035.51	2135.83
24″(610mm)/ 18″(457mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	43	$1355.02	$1449.73	$1706.76	$1801.47	$1726.70	$1821.41
		60″(1524mm)	WUCX-4860-W	43	1365.39	1461.97	1725.77	1822.35	1749.37	1845.95
		66″(1676mm)	WUCX-4866-W	43	1494.57	1593.02	1863.59	1962.04	1890.85	1989.30
		72″(1829mm)	WUCX-4872-W	43	1626.93	1727.25	2004.59	2104.91	2035.51	2135.83
24″(610mm)/ 30″(762mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	45	$1381.02	$1480.47	$1732.76	$1832.21	$1752.70	$1852.15
		60″(1524mm)	WUCX-4860-W	45	1391.39	1492.71	1751.77	1853.09	1775.37	1876.69
		66″(1676mm)	WUCX-4866-W	45	1520.57	1623.76	1889.59	1992.78	1916.85	2020.04
		72″(1829mm)	WUCX-4872-W	45	1652.93	1757.99	2030.59	2135.65	2061.51	2166.57
30″(762mm)/ 24″(610mm)	48″(1219mm)	54″(1372mm)	WUCX-4854-W	54	$1381.02	$1480.47	$1732.76	$1832.21	$1752.70	$1852.15
		60″(1524mm)	WUCX-4860-W	54	1391.39	1492.71	1751.77	1853.09	1775.37	1876.69
		66″(1676mm)	WUCX-4866-W	54	1520.57	1623.76	1889.59	1992.78	1916.85	2020.04
		72″(1829mm)	WUCX-4872-W	54	1652.93	1757.99	2030.59	2135.65	2061.51	2166.57

(1)Cascade edge option not available in these sizes.

Adaptable Worksurfaces — Wood

90° Merger

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCQ-3636-W N33	$ 723.82	$ 748.34	$ 942.35	$ 966.87
	42″(1067mm)	WUCQ-4242-W N33	808.04	832.56	990.33	1014.85
	48″(1219mm)	WUCQ-4848-W N33	940.22	964.74	1221.65	1246.17
24″(610mm)	36″(914mm)	WUCQ-3636-W N44	$ 743.01	$ 767.53	$ 961.54	$ 986.06
	42″(1067mm)	WUCQ-4242-W N44	827.23	851.75	1009.52	1034.04
	48″(1219mm)	WUCQ-4848-W N44	959.41	983.93	1240.84	1265.36
30″(762mm)	36″(914mm)	WUCQ-3636-W N55	$ 824.02	$ 848.54	$1042.55	$1067.07
	42″(1067mm)	WUCQ-4242-W N55	908.24	932.76	1090.53	1115.05
	48″(1219mm)	WUCQ-4848-W N55	1040.42	1064.94	1321.85	1346.37





WUCQ-WN44

Features

- Includes worksurface and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireways along back edges are Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- 90° Merger is suggested alternative to using two perpendicular rectangular worksurfaces.
- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Side brackets
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Not designed for use with adjustable keyboard pads.**
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

Corner, 120° Wrap-Around

Left/Right Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUCZ-3636-W ■ ■ ■ N33	$ 940.36	$1025.14	$1231.77	$1316.55
	42″(1067mm)	WUCZ-4242-W ■ ■ ■ N33	1076.86	1185.91	1403.13	1512.18
	48″(1219mm)	WUCZ-4848-W ■ ■ ■ N33	1213.36	1346.68	1574.49	1707.81
	54″(1372mm)	WUCZ-5454-W ■ ■ ■ N33	1349.86	1507.45	1745.85	1903.44
	60″(1524mm)	WUCZ-6060-W ■ ■ ■ N33	1486.36	1668.22	1917.21	2099.07
24″(610mm)	36″(914mm)	WUCZ-3636-W ■ ■ ■ N44	$1025.03	$1124.89	$1316.44	$1416.30
	42″(1067mm)	WUCZ-4242-W ■ ■ ■ N44	1161.53	1285.66	1487.80	1611.93
	48″(1219mm)	WUCZ-4848-W ■ ■ ■ N44	1298.03	1446.43	1659.16	1807.56
	54″(1372mm)	WUCZ-5454-W ■ ■ ■ N44	1434.53	1607.20	1830.52	2003.19
	60″(1524mm)	WUCZ-6060-W ■ ■ ■ N44	1571.03	1767.97	2001.88	2198.82
30″(762mm)	36″(914mm)	WUCZ-3636-W ■ ■ ■ N55	$1109.70	$1224.64	$1401.11	$1516.05
	42″(1067mm)	WUCZ-4242-W ■ ■ ■ N55	1246.20	1385.41	1572.47	1711.68
	48″(1219mm)	WUCZ-4848-W ■ ■ ■ N55	1382.70	1546.18	1743.83	1907.31
	54″(1372mm)	WUCZ-5454-W ■ ■ ■ N55	1519.20	1706.95	1915.19	2102.94
	60″(1524mm)	WUCZ-6060-W ■ ■ ■ N55	1655.70	1867.72	2086.55	2298.57





WUCZ-WN44

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband () or knife edge (U) on user edge and 1mm edgeband on sides and back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Corner bracket is required and must be separately specified.**
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Corner bracket - REQUIRED
  –Cantilever bracket
  –Worksurface support panel
  –Side brackets
- nife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- Recommend the U4A-0023-■ N or U3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

D-Shaped Convergent

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)	36″(914mm)	WURD-2436-W	$ 718.64	$ 752.96	$ 893.26	$ 927.58	$ 941.30	$ 975.62
	42″(1067mm)	WURD-2442-W	835.64	876.20	1040.96	1081.52	1084.80	1125.36
	48″(1219mm)	WURD-2448-W	952.64	1000.48	1200.94	1248.78	1238.90	1286.74
	54″(1372mm)	WURD-2454-W	1069.64	1122.68	1348.64	1401.68	1382.40	1435.44
	60″(1524mm)	WURD-2460-W	1186.64	1246.96	1508.62	1568.94	1536.50	1596.82
	66″(1676mm)	WURD-2466-W	1303.64	1370.20	1662.46	1729.02	1685.30	1751.86
	72″(1829mm)	WURD-2472-W	1420.64	1492.40	1810.16	1881.92	1828.80	1900.56
30″(762mm)	36″(914mm)	WURD-3036-W	$ 837.20	$ 871.52	$1015.98	$1050.30	$1091.06	$1125.38
	42″(1067mm)	WURD-3042-W	955.76	996.32	1165.24	1205.80	1236.12	1276.68
	48″(1219mm)	WURD-3048-W	1074.32	1122.16	1326.78	1374.62	1391.78	1439.62
	54″(1372mm)	WURD-3054-W	1192.88	1245.92	1476.04	1529.08	1536.84	1589.88
	60″(1524mm)	WURD-3060-W	1311.44	1371.76	1637.58	1697.90	1692.50	1752.82
	66″(1676mm)	WURD-3066-W	1430.00	1496.56	1792.98	1859.54	1842.86	1909.42
	72″(1829mm)	WURD-3072-W	1548.56	1620.32	1942.24	2014.00	1987.92	2059.68
36″(914mm)	36″(914mm)	WURD-3636-W	$ 860.08	$ 894.40	$1045.10	$1079.42	$1120.18	$1154.50
	42″(1067mm)	WURD-3642-W	980.20	1020.76	1195.92	1236.48	1266.80	1307.36
	48″(1219mm)	WURD-3648-W	1100.32	1148.16	1359.02	1406.86	1424.02	1471.86
	54″(1372mm)	WURD-3654-W	1220.44	1273.48	1509.84	1562.88	1570.64	1623.68
	60″(1524mm)	WURD-3660-W	1340.56	1400.88	1672.94	1733.26	1727.86	1788.18
	66″(1676mm)	WURD-3666-W	1460.68	1527.24	1829.90	1896.46	1879.78	1946.34
	72″(1829mm)	WURD-3672-W	1580.80	1652.56	1980.72	2052.48	2026.40	2098.16







WURD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back (width), or
  –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Must be attached to a panel or face of a straight worksurface.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Worksurface support post or column
  –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  –Cantilever bracket
  –Worksurface support panel
  –Convergent bracket
  –Flush mount plates
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Rectangular Convergent

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)	36″(914mm)	WURV-2436-W	$ 697.84	$ 732.16	$ 871.52	$ 905.84	$ 918.94	$ 953.26
	42″(1067mm)	WURV-2442-W	762.76	801.46	962.44	1001.14	1002.56	1041.26
	48″(1219mm)	WURV-2448-W	827.68	871.49	1063.76	1107.57	1093.66	1137.47
	54″(1372mm)	WURV-2454-W	892.60	940.06	1154.68	1202.14	1177.28	1224.74
	60″(1524mm)	WURV-2460-W	957.52	1010.09	1256.00	1308.57	1268.38	1320.95
	66″(1676mm)	WURV-2466-W	1022.44	1079.39	1352.12	1409.07	1355.74	1412.69
	72″(1829mm)	WURV-2472-W	1087.36	1147.96	1443.04	1503.64	1439.36	1499.96
30″(762mm)	36″(914mm)	WURV-3036-W	$ 774.80	$ 809.12	$ 952.64	$ 986.96	$1027.10	$1061.42
	42″(1067mm)	WURV-3042-W	849.68	888.38	1053.52	1092.22	1120.68	1159.38
	48″(1219mm)	WURV-3048-W	924.56	968.37	1164.80	1208.61	1221.74	1265.55
	54″(1372mm)	WURV-3054-W	999.44	1046.90	1265.68	1313.14	1315.32	1362.78
	60″(1524mm)	WURV-3060-W	1074.32	1126.89	1376.96	1429.53	1416.38	1468.95
	66″(1676mm)	WURV-3066-W	1149.20	1206.15	1483.04	1539.99	1513.70	1570.65
	72″(1829mm)	WURV-3072-W	1224.08	1284.68	1583.92	1644.52	1607.28	1667.88
36″(914mm)	36″(914mm)	WURV-3636-W	$ 829.92	$ 864.24	$1014.00	$1048.32	$1088.46	$1122.78
	42″(1067mm)	WURV-3642-W	938.52	977.22	1148.60	1187.30	1215.76	1254.46
	48″(1219mm)	WURV-3648-W	1047.12	1090.93	1293.60	1337.41	1350.54	1394.35
	54″(1372mm)	WURV-3654-W	1155.72	1203.18	1428.20	1475.66	1477.84	1525.30
	60″(1524mm)	WURV-3660-W	1264.32	1316.89	1573.20	1625.77	1612.62	1665.19
	66″(1676mm)	WURV-3666-W	1372.92	1429.87	1713.00	1769.95	1743.66	1800.61
	72″(1829mm)	WURV-3672-W	1481.52	1542.12	1847.60	1908.20	1870.96	1931.56







WURV-W

Features

- Wood veneer worksurface:
  –3mm edgeband (K) or knife edge (U) on user edges and 1mm edgeband on front and back (width), or
  –Cascade (M) on user edges and 1mm edgeband on front and back (width).
- **Must be attached to a panel or face of a straight worksurface.**
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Worksurface support post or column
  –Attached lower storage
  –21″(533mm) adjustable height disc base
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  –Cantilever bracket
  –Worksurface support panel
  –Convergent bracket
  –Flush mount plates
- For aesthetic reasons, when using Cascade edge or edgeband edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

D-Shaped Convergent, Wrap-Around

Depth	Width	Length	Number ❶❷❸❹	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W ■ ■ ■ ■ 3	$1339.51	$1447.14	$1685.03	$1792.66	$1616.73	$1724.36
		66″(1676mm)	WUCD-3666-W ■ ■ ■ ■ 3	1392.25	1509.24	1752.53	1869.52	1684.89	1801.88
		72″(1829mm)	WUCD-3672-W ■ ■ ■ ■ 3	1498.55	1624.90	1873.59	1999.94	1806.61	1932.96
24″(610mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W ■ ■ ■ ■ 4	$1355.14	$1465.41	$1700.03	$1810.30	$1631.51	$1741.78
		66″(1676mm)	WUCD-3666-W ■ ■ ■ ■ 4	1407.88	1527.51	1767.53	1887.16	1699.67	1819.30
		72″(1829mm)	WUCD-3672-W ■ ■ ■ ■ 4	1514.18	1643.17	1888.59	2017.58	1821.39	1950.38
30″(762mm)	36″(914mm)	60″(1524mm)	WUCD-3660-W ■ ■ ■ ■ 5	$1370.77	$1483.68	$1715.03	$1827.94	$1646.29	$1759.20
		66″(1676mm)	WUCD-3666-W ■ ■ ■ ■ 5	1423.51	1545.78	1782.53	1904.80	1714.45	1836.72
		72″(1829mm)	WUCD-3672-W ■ ■ ■ ■ 5	1529.81	1661.44	1903.59	2035.22	1836.17	1967.80
18″(457mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W ■ ■ ■ ■ 3	$1407.88	$1527.51	$1767.53	$1887.16	$1699.67	$1819.30
		66″(1676mm)	WUCD-4266-W ■ ■ ■ ■ 3	1460.62	1589.61	1835.03	1964.02	1767.83	1896.82
		72″(1829mm)	WUCD-4272-W ■ ■ ■ ■ 3	1513.36	1651.71	1902.53	2040.88	1835.99	1974.34
24″(610mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W ■ ■ ■ ■ 4	$1423.51	$1545.78	$1782.53	$1904.80	$1714.45	$1836.72
		66″(1676mm)	WUCD-4266-W ■ ■ ■ ■ 4	1476.25	1607.88	1850.03	1981.66	1782.61	1914.24
		72″(1829mm)	WUCD-4272-W ■ ■ ■ ■ 4	1528.99	1669.98	1917.53	2058.52	1850.77	1991.76
30″(762mm)	42″(1067mm)	60″(1524mm)	WUCD-4260-W ■ ■ ■ ■ 5	$1439.14	$1564.05	$1797.53	$1922.44	$1729.23	$1854.14
		66″(1676mm)	WUCD-4266-W ■ ■ ■ ■ 5	1491.88	1626.15	1865.03	1999.30	1797.39	1931.66
		72″(1829mm)	WUCD-4272-W ■ ■ ■ ■ 5	1544.62	1688.25	1932.53	2076.16	1865.55	2009.18
18″(457mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W ■ ■ ■ ■ 3	$1460.62	$1589.61	$1835.03	$1964.02	$1767.83	$1896.82
		66″(1676mm)	WUCD-4866-W ■ ■ ■ ■ 3	1513.36	1651.71	1902.53	2040.88	1835.99	1974.34
		72″(1829mm)	WUCD-4872-W ■ ■ ■ ■ 3	1566.10	1713.81	1970.03	2117.74	1904.15	2051.86
24″(610mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W ■ ■ ■ ■ 4	$1476.25	$1607.88	$1850.03	$1981.66	$1782.61	$1914.24
		66″(1676mm)	WUCD-4866-W ■ ■ ■ ■ 4	1528.99	1669.98	1917.53	2058.52	1850.77	1991.76
		72″(1829mm)	WUCD-4872-W ■ ■ ■ ■ 4	1581.73	1732.08	1985.03	2135.38	1918.93	2069.28
30″(762mm)	48″(1219mm)	60″(1524mm)	WUCD-4860-W ■ ■ ■ ■ 5	$1491.88	$1626.15	$1865.03	$1999.30	$1797.39	$1931.66
		66″(1676mm)	WUCD-4866-W ■ ■ ■ ■ 5	1544.62	1688.25	1932.53	2076.16	1865.55	2009.18
		72″(1829mm)	WUCD-4872-W ■ ■ ■ ■ 5	1597.36	1750.35	2000.03	2153.02	1933.71	2086.70





(Right-hand orientation)



(Left-hand orientation)

WUCD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on side and back (width), or
  –Cascade (M) on user edge and 1mm edgeband on side and back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- 36″(914mm)-wide surfaces have a 24″(610mm) D-shaped diameter.
- 42″(1067mm)- to 60″(1524mm)-wide surfaces have a 30″(762mm) D-shaped diameter.
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Worksurface support post or column
  –Attached lower storage
  –21″(533mm)adjustable height disc base
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  –Cantilever bracket
  –Worksurface support panel
  –Convergent bracket
- Recommend the KU4A-0023-■ N or KU3A-0023-■ ■ keyboard pad for 36″(914mm)-wide corners.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

❹ Orientation (as seated):

- **R** Right-hand
- **L** Left-hand

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

D-Shaped Ender

Depth	Width	Number ❶❷	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
18″(457mm)	36″(914mm)	WUDD-1836-W ☐ ☐ C	$ 661.87	$ 696.71	$ 828.65	$ 863.49	$ 869.83	$ 904.67
	42″(1067mm)	WUDD-1842-W ☐ ☐ C	769.57	810.77	968.03	1009.23	1009.21	1050.41
	48″(1219mm)	WUDD-1848-W ☐ ☐ C	877.27	924.83	1107.41	1154.97	1148.59	1196.15
	54″(1372mm)	WUDD-1854-W ☐ ☐ C	984.97	1038.89	1246.79	1300.71	1287.97	1341.89
	60″(1524mm)	WUDD-1860-W ☐ ☐ C	1092.67	1152.95	1386.17	1446.45	1427.35	1487.63
	66″(1676mm)	WUDD-1866-W ☐ ☐ C	1200.37	1267.01	1525.55	1592.19	1566.73	1633.37
	72″(1829mm)	WUDD-1872-W ☐ ☐ C	1308.07	1381.07	1664.93	1737.93	1706.11	1779.11
24″(610mm)	36″(914mm)	WUDD-2436-W ☐ ☐ C	$ 698.82	$ 733.66	$ 869.83	$ 904.67	$ 919.45	$ 954.29
	42″(1067mm)	WUDD-2442-W ☐ ☐ C	819.18	860.38	1021.87	1063.07	1071.49	1112.69
	48″(1219mm)	WUDD-2448-W ☐ ☐ C	939.54	987.10	1173.91	1221.47	1223.53	1271.09
	54″(1372mm)	WUDD-2454-W ☐ ☐ C	1059.90	1113.82	1325.95	1379.87	1375.57	1429.49
	60″(1524mm)	WUDD-2460-W ☐ ☐ C	1180.26	1240.54	1477.99	1538.27	1527.61	1587.89
	66″(1676mm)	WUDD-2466-W ☐ ☐ C	1300.62	1367.26	1630.03	1696.67	1679.65	1746.29
	72″(1829mm)	WUDD-2472-W ☐ ☐ C	1420.98	1493.98	1782.07	1855.07	1831.69	1904.69
30″(762mm)	36″(914mm)	WUDD-3036-W ☐ ☐ C	$ 796.99	$ 831.83	$ 972.22	$1007.06	$1049.28	$1084.12
	42″(1067mm)	WUDD-3042-W ☐ ☐ C	917.35	958.55	1124.26	1165.46	1201.32	1242.52
	48″(1219mm)	WUDD-3048-W ☐ ☐ C	1037.71	1085.27	1276.30	1323.86	1353.36	1400.92
	54″(1372mm)	WUDD-3054-W ☐ ☐ C	1158.07	1211.99	1428.34	1482.26	1505.40	1559.32
	60″(1524mm)	WUDD-3060-W ☐ ☐ C	1278.43	1338.71	1580.38	1640.66	1657.44	1717.72
	66″(1676mm)	WUDD-3066-W ☐ ☐ C	1398.79	1465.43	1732.42	1799.06	1809.48	1876.12
	72″(1829mm)	WUDD-3072-W ☐ ☐ C	1519.15	1592.15	1884.46	1957.46	1961.52	2034.52





WUDD-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back (width), or
  –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- **Must be attached to the depth of adjoining worksurface.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Worksurface support post or column
  –21″(533mm) adjustable height disc base
  –Attached lower storage
- In addition to the required floor support, separately specify the appropriate support options. Select one or more of the following:
  –Standard link cantilever bracket
  –Worksurface support panel
  –Flush mount plate
- For aesthetic reasons, when using Cascade edge option, consider specifying D-Shaped Convergent Wrap-Around.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface support panels, columns, legs or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Bent

Left/Right Depth	Width	Length	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
24″(610mm)/ 30″(762mm)	24″(610mm)	36″(914mm)	WUCB-2436-W R45	$ 999.91	$1073.47	$1248.29	$1321.85	$1297.33	$1370.89
		42″(1067mm)	WUCB-2442-W R45	1089.17	1178.63	1365.52	1365.52	1417.10	1417.10
		48″(1219mm)	WUCB-2448-W R45	1338.33	1443.69	1642.65	1748.01	1696.77	1802.13
		60″(1524mm)	WUCB-2460-W R45	1570.15	1707.31	1930.41	2067.57	1989.61	2126.77
24″(610mm)/ 30″(762mm)	30″(762mm)	36″(914mm)	WUCB-3036-W R45	$1089.17	$1178.63	$1365.52	$1454.98	$1417.10	$1506.56
		42″(1067mm)	WUCB-3042-W R45	1178.43	1283.79	1482.75	1588.11	1536.87	1642.23
		48″(1219mm)	WUCB-3048-W R45	1427.59	1548.85	1759.88	1881.14	1816.54	1937.80
		60″(1524mm)	WUCB-3060-W R45	1659.41	1812.47	2047.64	2200.70	2109.38	2262.44
30″(762mm)/ 24″(610mm)	24″(610mm)	36″(914mm)	WUCB-2436-W L54	$ 999.91	$1073.47	$1248.29	$1321.85	$1297.33	$1370.89
		42″(1067mm)	WUCB-2442-W L54	1089.17	1178.63	1365.52	1454.98	1417.10	1506.56
		48″(1219mm)	WUCB-2448-W L54	1338.33	1443.69	1642.65	1748.01	1696.77	1802.13
		60″(1524mm)	WUCB-2460-W L54	1570.15	1707.31	1930.41	2067.57	1989.61	2126.77
30″(762mm)/ 24″(610mm)	30″(762mm)	36″(914mm)	WUCB-3036-W L54	$1089.17	$1178.63	$1365.52	$1454.98	$1417.10	$1506.56
		42″(1067mm)	WUCB-3042-W L54	1178.43	1283.79	1482.75	1588.11	1536.87	1642.23
		48″(1219mm)	WUCB-3048-W L54	1427.59	1548.85	1759.88	1881.14	1816.54	1937.80
		60″(1524mm)	WUCB-3060-W L54	1659.41	1812.47	2047.64	2200.70	2109.38	2262.44



(Right-hand orientation)

WUCB-WR45



(Left-hand orientation)

WUCB-WL54

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back (width), or
  - –Cascade (M) on user edge and 1mm edgeband on back (width).
- Worksurfaces predrilled to accept most support options.
- Optional wireway along back edge is Charcoal. Refer to Specification Guide for wireway details.
- **Installed worksurfaces without wireway will not allow clearance for power plug.**
- Depths and widths shown in nominal dimensions.

Specification Tips

- **Worksurface support specific to product line; must be separately specified.**
  - –Corner bracket - REQUIRED
  - –Cantilever bracket
  - –Worksurface support column or post
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.

Note: Separately specified worksurface reinforcement channels provide additional support for worksurfaces with 50″(1270mm) spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface end panels, posts or attached lower storage.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Countertop

Depth	Width	Number ❶❷	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
12″(305mm)	24″(610mm)	WUTS-1224-W C	$511.41	$ 532.96	$ 639.11	$ 660.66	$ 679.44	$ 700.99
	30″(762mm)	WUTS-1230-W C	538.59	564.88	673.19	699.48	713.94	740.23
	36″(914mm)	WUTS-1236-W C	565.77	596.80	707.27	738.30	748.44	779.47
	42″(1067mm)	WUTS-1242-W C	592.95	628.72	741.35	777.12	782.94	818.71
	48″(1219mm)	WUTS-1248-W C	620.13	660.64	775.43	815.94	817.44	857.95
	54″(1372mm)	WUTS-1254-W C	647.31	692.56	809.51	854.76	851.94	897.19
	60″(1524mm)	WUTS-1260-W C	674.49	724.48	843.59	893.58	886.44	936.43
	66″(1676mm)	WUTS-1266-W C	701.67	756.40	877.67	932.40	920.94	975.67
	72″(1829mm)	WUTS-1272-W C	728.85	788.32	911.75	971.22	955.44	1014.91
	78″(1981mm)	WUTS-1278-W C	756.03	820.24	945.83	1010.04	989.94	1054.15
	84″(2134mm)	WUTS-1284-W C	783.21	852.16	979.91	1048.86	1024.44	1093.39
	90″(2286mm)	WUTS-1290-W C	810.39	884.08	1013.99	1087.68	1058.94	1132.63
	96″(2438mm)	WUTS-1296-W C	837.57	916.00	1048.07	1126.50	1093.44	1171.87
	102″(2591mm)	WUTS-12A2-W C	864.75	947.92	1082.15	1165.32	1127.94	1211.11
	108″(2743mm)	WUTS-12A8-W C	891.93	979.84	1116.23	1204.14	1162.44	1250.35
	114″(2896mm)	WUTS-12B4-W C	919.11	1011.76	1150.31	1242.96	1196.94	1289.59
	120″(3048mm)	WUTS-12C0-W C	946.29	1043.68	1184.39	1281.78	1231.44	1328.83



WUTS-W

Features

- Includes countertop and tie plate.
- Wood veneer surface with:
  –3mm edgeband (K) or knife edge (U) on user edges and 1mm edgeband on ends, or
  –Cascade (M) user edges and 1mm edgeband on ends.
- Widths shown in nominal dimensions.

Specification Tips

- **Requires separately specified mounting hardware.**
- For installation on panels 42″(1067mm)-high or higher.
- For use in applications that match panel width or multiple panel widths.
- Countertop support specific to product line; must be separately specified.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

Adaptable Worksurfaces — Wood

Conference End

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
38″(965mm)	30″(762mm)	WUDC-3830-W	$1547.83	$1629.92	$1934.79	$2016.88	$1994.49	$2076.58
50″(1270mm)		WUDC-5030-W	1637.47	1736.12	2047.95	2146.60	2108.73	2207.38
62″(1575mm)		WUDC-6230-W	1727.11	1842.32	2161.11	2276.32	2222.97	2338.18





WUDC-3830-W



WUDC-5030-W



WUDC-6230-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  - –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back, or
  - –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Optional wireway can be specified to accommodate panel end-of-run trim.
- Optional wireway will be Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.

Specification Tips

- Designed to be mounted on UniGroup Too, UniGroup and PLACES.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  - –Support column or leg
  - –Worksurface support panel
  - –Standard link cantilever bracket.
  - –In addition to a column support or leg, two flush mount plates are required and must be separately specified.
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- If using end-of-run finish post specify notched or curved wireway option.

Note: Grain direction will run across 62″(1575mm)-wide conference end worksurface.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurfaces — Wood

Key Conference End

Depth	Width	Number ❶❷❸	Wood Group A K	Group B K	Wood Group A M	Group B M	Wood Group A U	Group B U
38″(965mm)	30″(762mm)	WURY-3830-W	$1976.36	$2116.01	$2514.70	$2654.35	$2546.68	$2686.33
50″(1270mm)	30″(762mm)	WURY-5030-W	$1979.99	$2120.27	$2576.54	$2716.82	$2550.31	$2690.59
	36″(914mm)	WURY-5036-W	2026.47	2175.07	2628.36	2776.96	2610.33	2758.93
62″(1575mm)	36″(914mm)	WURY-6236-W	$2030.10	$2179.33	$2690.20	$2839.43	$2613.96	$2763.19
	42″(1067mm)	WURY-6242-W	2076.58	2234.13	2742.02	2899.57	2673.98	2831.53
	48″(1219mm)	WURY-6248-W	2123.06	2288.93	2793.84	2959.71	2734.00	2899.87





WURY-3830-W



WURY-5030-W
WURY-5036-W



WURY-6236-W
WURY-6242-W
WURY-6248-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on back, or
  –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Wireway along back edge is Charcoal. Refer to Specification Guide for wireway details.
- Depths and widths shown in nominal dimensions.
- Wireway required to accommodate end of run trim.

Specification Tips

- Designed to be mounted on UniGroup Too, UniGroup and PLACES.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Support column or leg
  –Worksurface support panel
  –Standard link cantilever bracket.
  –In addition to a column support or leg, two flush mount plates are required and must be separately specified.
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- If using end-of-run finish post specify notched or curved wireway option.

Note: Grain direction will run across 62″(1575mm)-wide conference end worksurface.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife Edge

❷ Core Options:

- **S** Standard
- **G** Green, add **$109.26** list.

❸ Wireway Options:

- **A** Notched
- **B** Curved
- **C** Without

Adaptable Worksurfaces — Wood

120° Link

Left/Right Depth	Number ❶❷	Wood Group A K	Group B K	Wood Group A U	Group B U
18″(457mm)	WUDZ-1820-W C	$ 750.47	$ 813.36	$ 981.80	$1044.69
24″(610mm)	WUDZ-2426-W C	834.01	875.59	1065.34	1106.92
30″(762mm)	WUDZ-3032-W C	1164.08	1241.90	1507.33	1585.15





WUDZ-W

Features

- Includes worksurface and tie plate.
- Wood veneer worksurface with:
  –3mm edgeband (K) or knife edge (U) on user edge and 1mm edgeband on sides and back, or
  –Cascade (M) user edge and 1mm edgeband on back.
- Worksurfaces predrilled to accept most support options.
- Depths and widths shown in nominal dimensions.

Specification Tips

- Designed to be mounted on UniGroup Too, UniGroup and PLACES.
- Support column, leg or worksurface support panel may be used dependent upon application.
- Use with Corner, 120° Wrap-Around worksurfaces.
- **Worksurface support specific to product line and worksurface edge guidelines; must be separately specified; refer to Specification Guide for support and load.**
  –Standard link cantilever bracket
  –Tie plates with18″(457mm) depth
  –Flush mount plates with 24″(610mm)-30″(762mm) depth
- Knife edge requires use of worksurface supports for that application; worksurface support panel use with knife edge, or side/corner bracket.
- Mini cantilever brackets are for use with 18″(457mm) deep worksurfaces with knife edge only.
- **Due to manufacturing restrictions, not available with wood Cascade edge.**

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

K Wood Edgeband

U Wood Knife Edge

❷ Core Options:

S Standard

G Green, add **$109.26** list.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

Standard Cantilever Bracket



ZEBD-1600
(Right-hand shown)

Height	Width	Depth	Description	Number ❶	Price P	Price A C	Price B C
9″(229mm)	1 5/8″(41mm)	16 1/2″(419mm)	Pair	ZEBD-1600- P ■	$96.68	$114.36	$116.44
			Left-hand	ZEBD-1600- L ■	53.67	71.35	73.43
			Right-hand	ZEBD-1600- R ■	53.67	71.35	73.43

Features

- Includes one right- and/or one left-handed bracket and mounting screws.
- Provides cantilever support for the left and/or right side of worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18″(457mm)-, 24″(610mm)- or 30″(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 15″(381mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.
- (P) finish option standard in black.

■ Available on RUSH.

To Order, Specify:

1) Product number.

❶ **Color Option:**

P Standard

C Trim color (A, B).

2) Trim color if applicable.

Standard Mini Cantilever Bracket



ZEBD-1000
(Right-hand shown)

9″(229mm)	1 5/8″(41mm)	10 1/2″(267mm)	Pair	ZEBD-1000- P ■	$104.23	$121.91	$123.99
			Left-hand	ZEBD-1000- L ■	61.22	78.90	80.98
			Right-hand	ZEBD-1000- R ■	61.22	78.90	80.98

Features

- Includes one right- and/or one left-handed bracket and mounting screws.
- Provides cantilever support for the left or right side of worksurface.
- Installs in panel side trim rail.
- Cantilever bracket to be used on 18″(457mm)- deep rectangular radius end worksurface with T-mold or edgeband.
- Mounts worksurface in one inch vertical increments from a minimum of 15″(381mm) high.
- (P) finish option standard in black.

■ Available on RUSH.

To Order, Specify:

1) Product number.

❶ **Color Option:**

P Standard

C Trim color (A, B).

2) Trim color if applicable.

Standard Link Cantilever Bracket



ZEBL-1600



Left



Right

9″(229mm)	3 3/4″(95mm)	16 1/2″(419mm)	Pair	ZEBL-1600- P ■	$124.46	$142.14	$144.22
			Left-hand	ZEBL-1600- L ■	81.45	99.13	101.21
			Right-hand	ZEBL-1600- R ■	81.45	99.13	101.21

Features

- Includes one right- and/or one left-handed bracket, with attached angle bracket and mounting screws.
- Provides cantilever support for the left or right side of conference end, key conference end and 120° link and the adjoining worksurface.
- Installs in panel side trim rail.
- Cantilever bracket can be used on either a 18″(457mm)-, 24″(610mm)- or 30″(762mm)-deep worksurface.
- Mounts worksurface in one inch vertical increments from a minimum of 15″(381mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.
- (P) finish option standard in black.

■ Available on RUSH.

Specification Tip

- **To be used with conference end, key conference end, D-shape ender and 120° link only.**

To Order, Specify:

1) Product number.

❶ **Color Option:**

P Standard

C Trim color (A, B).

2) Trim color if applicable.

Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

	Height	Depth	Description	Number	Price
Standard Snap-n-Fit Cantilever Bracket for Rectangular Worksurfaces	10 1/2″(267mm)	19″(483mm)	Pair	ZEBS-1900-PP ■	**$124.15**
			Left-hand	ZEBS-1900-PL ■	**81.14**
			Right-hand	ZEBS-1900-PR ■	**81.14**



ZEBS-1900

Features

- Includes one right- and/or one left-handed bracket, U-channel and mounting screws.
- Provides cantilever support for the left and/or right side of worksurface.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 15″(381mm) high.
- Provides clear access leg swing when supporting 24″(610mm)- and 30″(762mm)-deep worksurfaces at standard 29″(737mm) height.

■ Available on RUSH.

Specification Tips

- Worksurfaces are predrilled for snap-n-fit cantilevers.
- Cantilever bracket can be used on either a 24″(610mm)- or 30″(762mm)-deep worksurface.
- Cannot be used on 18″(457mm)-deep worksurfaces.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Standard Snap-n-Fit Mini Cantilever Bracket for Rectangular Worksurfaces	10 1/2″(267mm)	12″(305mm)	Pair	ZEBS-1200-PP ■	**$124.15**
			Left-hand	ZEBS-1200-PL ■	**81.14**
			Right-hand	ZEBS-1200-PR ■	**81.14**



ZEBS-1200

Features

- Includes one right- and/or one left-handed bracket, U-channel and mounting screws.
- Provides cantilever support for the left or right side of worksurface.
- Installs in panel side trim rail.
- Mounts worksurface in one inch vertical increments from a minimum of 15″(381mm) high.

■ Available on RUSH.

Specification Tips

- Worksurfaces are predrilled for snap-n-fit cantilevers.
- Cantilever bracket can be used on 18″(457mm)-deep rectangular worksurfaces, 18″(457mm) to 24″(610mm)-deep rectangular radius end, 24″(610mm) to 30″(762mm)-deep corner 90° split top and rectangular split top worksurfaces.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

	Depth	Height	Description	Number	Price
Standard Snap-n-Fit Cantilever Bracket for Corner Worksurface	19″(483mm)	10 1/2″(267mm)	Pair	ZEBC-1900-PP ■	**$122.65**

ZEBC-1900

Feature

- Includes one right and one left-hand cantilever, two U-channels (1 corner, 1 rectangular) and mounting screws.

■ Available on RUSH.

Specification Tips

- Worksurfaces are predrilled for snap-n-fit cantilevers.
- **To be used with 24″(610mm)-deep or 30″(762mm)-deep 90° and 120° corner and extended worksurfaces.**
- **Exception: Not to be used with 24″(610mm)-deep, 90° split top corner worksurface or 24″(610mm)-deep rectangular split top worksurface.**

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Standard Snap-n-Fit Mini Cantilever Bracket for Corner Worksurface	12″(267mm)	10 1/2″(267mm)	Pair	ZEBC-1200-PP ■	**$122.65**



ZEBC-1200

Feature

- Includes one right and one left-hand cantilever, two U-channels (1 corner, 1 rectangular) and mounting screws.

■ Available on RUSH.

Specification Tips

- Worksurfaces are predrilled for snap-n-fit cantilevers.
- **To be used with 18″(457mm)-deep 90° and 120° corner and extended worksurfaces.**
- **To be used with 24″(610mm)-deep 90° split top corner worksurfaces.**

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

	Number ❶	Price
Anti Dislodgement Bracket for use with Worksurface Support Panels	ZEBF-0000-P	**$91.05**



ZEBF-0000-P

Features

- Includes one left or right-hand shared or non-shared anti-dislodgement bracket and mounting screws.
- Standard in black finish only.

Specification Tips

- **Anti-Dislodgement Bracket only for use with worksurface support panels used in conjunction with a worksurface.**
- Worksurface support panel with anti-dislodgement bracket can be used in place of a return panel in some applications.
- See Load and Support guidelines for details.

To Order, Specify:

1) Product number, including: (No finish specification required.)

❶ **Handedness:**

R Right

L Left

Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

Side Bracket



ZEBA-0000
(Right-hand) (Left-hand)

Depth	Width	Height	Description	Number	Price
1 1/2″(38mm)	2 5/8″(67mm)	2″(51mm)	Left	ZEBA-0000-PL ■	**$17.14**
			Right	ZEBA-0000-PR ■	**17.14**

Features

- Includes one left- or right-hand bracket and mounting screws.
- Mounts ends of rectilinear worksurface to adjacent panel.
- Worksurface depth and return panel width must be equal.
- Standard in Charcoal finish only.

■ Available on RUSH.

Specification Tip

- Not recommended for use with convergent worksurface.

To Order, Specify:

1) Product number.
(No finish specification required.)

Convergent Mount Bracket



ZEBV-0000
(Right-hand)

1 7/8″(48mm)	4 1/4″(108mm)	4 3/4″(121mm)	Left	ZEBV-0000-PL ■	**$22.50**
			Right	ZEBV-0000-PR ■	**22.50**

Features

- Includes one left- or right-hand bracket, mounting screws and anti-dislodgement clip.
- Mounts one corner of straight end of convergent worksurface to panel side rails.
- Standard in Charcoal finish only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Flush Mount Plate



ZUBF-0000

3″(76mm)	4″(102mm)			ZUBF-0000-PN ■	**$21.63**

Features

- Includes one bracket and mounting screws.
- Mounts straight end of convergent worksurfaces or conference end worksurfaces to panel-hung worksurfaces.
- Provides 90° attachment of two worksurfaces at the same height.
- Standard in Charcoal finish only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Rear-Corner Bracket



ZEBR-0000

1 1/2″(38mm)	2 5/8″(67mm)	2″(51mm)		ZEBR-0000-PN ■	**$17.14**

Features

- Includes one left-hand bracket and mounting screws.
- Attaches rear corner of worksurface to left hand side trim rail of panel.
- Standard in Charcoal finish only.

■ Available on RUSH.

Specification Tip

- **Required for all corner worksurfaces.**

To Order, Specify:

1) Product number.
(No finish specification required.)

Counter Top Brackets



Z2BT-0000
ZEBT-0000
ZHBT-0000

Description	Height	Price Number	A	B
UniGroup Too for Square Painted Top Cap	2.59″(66mm)	Z2BT-0000-PNE	**$34.87**	**$35.94**
UniGroup for Radius Steel Top Cap	2.76″(70mm)	ZEBT-0000-PNE	**34.87**	**N/A**
PLACES for Low Profile Steel/Wood Top Cap	2.59″(66mm)	ZHBT-0000-PNE	**34.87**	**N/A**

Feature

- Includes countertop brackets and screws to support countertops up to 60″(1524mm) wide. For wider widths order additional brackets as needed so that brackets are positioned a maximum of 60″(1524mm) apart.

Specification Tips

- For UniGroup radius wood top cap, specify UniGroup for radius steel top cap and add field supplied spacers to accommodate height difference.
- UniGroup Too for square painted top cap brackets are available in Metallic finish.

To Order, Specify:

1) Product number.
2) Trim color.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Worksurface Supports

for use with UniGroup Too, UniGroup & PLACES

Pedestal-to-Panel Bracket



ZEBN-0000

Height	Depth	Description	Number	Price A	Price B
2″(51mm)	27 1/4″(692mm)	Laminate Edgeband, Left-hand	ZEBN-0000-PLJ ■	**$163.89**	**$176.74**
		Laminate Edgeband, Right-hand	ZEBN-0000-PRJ ■	**163.89**	**176.74**
		Laminate Cascade, Left-hand	ZEBN-0000-PLV ■	**$163.89**	**$176.74**
		Laminate Cascade, Right-hand	ZEBN-0000-PRV ■	**163.89**	**176.74**

Features

- Includes one handed bracket and mounting screws.
- Installs in side trim rail slots and attaches to the back side of an attached pedestal.
- Bracket is predrilled for attachment to pedestal.

■ Available on RUSH.

Specification Tips

- Worksurface and pedestal have to be same depth (nominal).
- Not for use with T-mold edge worksurface.
- Not for use with lateral files.

To Order, Specify:

1) Product number.
2) Trim color.

Adaptable Worksurface Supports

Worksurface Support Panels

Laminate Height	Thickness	Depth	Number ❶	Laminate A	Laminate B
27 7/8″(708mm)	1 1/2″(38mm)	12″(305mm)	ZEFS-1200-LNE ■	**$268.87**	**$291.37**
		18″(457mm)	ZEFS-1800-LNE ■	**291.37**	**312.19**
		24″(610mm)	ZEFS-2400-LNE ■	**313.87**	**333.01**
		30″(762mm)	ZEFS-3000-LNE ■	**336.37**	**353.83**



ZEFS-LNE

T-Mold



Edgeband

Cascade



Features

- Includes support panel with glides and hardware.
- Laminate surfaces with plastic edge trim, 3mm radiused user edge provides soft access to knee space.
- Installs in panel side trim rails and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions to eliminate front end deflection or to replace return panel.
- Non-handed design may be installed in left-hand, right-hand or shared configuration, and enhances reconfiguration possibilities.
- Adjustable glides provide a maximum of 2″(51mm) of height adjustment.

■ Available on RUSH.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Actual depth varies depending on worksurface edge option.

To Order, Specify:

1) Product number.
2) Trim color.

❶ Edge Options:

- **T** T-Mold
- **J** Edgeband
- **V** Cascade
- **F** Knife

Wood Height	Thickness	Depth	Number ❶	Wood Group A	Group B
27 7/8″(708mm)	1 1/2″(38mm)	12″(305mm)	ZEFS-1200-WNE ■	**$477.75**	**$523.82**
		18″(457mm)	ZEFS-1800-WNE ■	**506.73**	**556.58**
		24″(610mm)	ZEFS-2400-WNE ■	**535.71**	**589.34**
		30″(762mm)	ZEFS-3000-WNE ■	**564.69**	**622.10**



ZEFS-WNE

Edgeband



Cascade



Features

- Includes support panel with glides and hardware.
- Wood surface with wood edge trim.
- Installs in panel side trim rails and attaches under the end of a worksurface.
- Provides full support for one end of equal depth worksurfaces.
- Recommended in heavy loading conditions to eliminate front end deflection or to replace return panel.
- Non-handed design may be installed in left-hand, right-hand or shared configuration, and enhances reconfiguration possibilities.
- Adjustable glides provide a maximum of 2″(51mm) of height adjustment.

■ Available on RUSH.

Specification Tips

- Specify worksurface support panel to match worksurface edge option.
- Actual depth varies depending on worksurface edge option.

To Order, Specify:

1) Product number.
2) Wood finish color.

❶ Edge Options:

- **K** Wood Edgeband
- **M** Wood Cascade
- **U** Wood Knife

Worksurface Supports

Straight Leg Basic

Number	Price
WUCL-0001 ■	$116.76

WUCL-0001
Class CA

Features
- Includes one leg and mounting screws.
- 4″(102mm) glide adjustment range allows worksurface heights from 27″(686mm) to 31″(787mm).
- 2 1/4″(57mm) diameter column includes 6″(152mm)-diameter top plate.
- Standard in Charcoal finish only.
- Shipped assembled.

■ Available on RUSH.

Specification Tip
- Predrilled for convergent worksurfaces and end-of-run worksurface application.

To Order, Specify:
1) Product number.
(No finish specification required.)

Straight Leg Basic with Caster

Description	Number	Price
Leg with locking caster	NCL-1-CL ■	$157.15
Leg with non-locking caster	NCL-1-C ■	145.25



NCL
Class FA

Features
- Includes one leg and mounting hardware.
- 4″(102mm) caster adjustment range allows worksurface heights from 27″(686mm) to 31 1/2″(800mm).
- 2 1/4″(57mm) diameter column includes 6″(152mm) diameter top plate and mounting hardware.
- Standard in Charcoal finish only.
- Shipped assembled.

■ Available on RUSH.

Specification Tips
- Straight leg should be installed in predrilled worksurfaces.
- Freestanding applications require specifying two locking and two non-locking casters or four glides.

To Order, Specify:
1) Product number.
(No finish specification required).

Support Column

Number	Price A	Price B
WUCC-0004 ■	$262.44	$275.29



WUCC-0004
Class CA

Features
- Includes one column and mounting screws.
- Column adjusts vertically for worksurface heights from 26″(660mm) to 30″(762mm).
- 3″(76mm)-diameter column includes 6″(152mm)- square top plate.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Adjustable Height Disc Base

Diameter	Number	Price A	Price B
21″(533mm)	ZZFZ-2121-PNF ■	$623.44	$637.37



ZZFZ-2121-PNF
Class CA

Features
- Includes base, column and mounting screws.
- For use in panel mounted applications only.

■ Available on RUSH.

Specification Tips
- Do not use as freestanding table base.
- 5″ adjustment range allows worksurface heights of 27″(686mm) to 32″(813mm).

To Order, Specify:
1) Product number.
2) Trim color.

Worksurface Supports

Double Support Leg



ZZFK Class CA

Height (Adjustable)	Depth	Number	Price A	Price B
27″(686mm)	18″(457mm)	ZZFK-1800-PNFG ■	$446.66	$460.52
	24″(610mm)	ZZFK-2400-PNFG ■	473.32	487.18
	30″(762mm)	ZZFK-3000-PNFG ■	499.98	513.84

Features
- Includes one double leg and mounting hardware.
- Leg may be installed in left-hand or right-hand configuration.
- 6″ adjustment range allows worksurface heights from 26″(660mm) to 32″(813mm).
- Provides full support for one end of equal depth worksurface.

■ Available on RUSH.

Specification Tips
- One end of worksurface must be panel attached, not to be used as freestanding.
- Double leg with glide can be used to replace support post or support column.

To Order, Specify:
1) Product number.
2) Trim color.

Dual-Leg Base



HCC-0002 Class BA

Height	Number	Price
27 3/4″(705mm)	HCC-0002	$479.04

Features
- Includes fixed-height tubular legs and framing members with sheet steel curved end panel.
- May be used in conjunction with modesty panel, see below.
- Adjusts vertically up to 1 1/4″(32mm).

To Order, Specify:
1) Product number.
2) Non-metallic trim color.

Modesty Panel



HM Class BA

Height	Width	Description	Number	Price
9 1/4″(235mm)	28″(711mm)	For 48″(1219mm) x 30″(762mm) surface	HM-4830	$227.23
	40″(1016mm)	For 60″(1524mm) x 30″(762mm) surface	HM-6030	291.81
	52″(1321mm)	For 72″(1829mm) x 30″(762mm) surface	HM-7230	356.39
	40″(1016mm)	For 60″(1524mm) x 36″(914mm) surface	HM-6036	291.81
	52″(1321mm)	For 72″(1829mm) x 36″(914mm) surface	HM-7236	356.39

Features
- Includes attachment hardware.
- For use only with Dual-Leg Base, see above.
- Recommended only for panel mounted convergent worksurfaces.
- Mountable on left- or right-side under convergent worksurface.

To Order, Specify:
1) Product number.
2) Non-metallic trim color.

Single Support Leg



ZUFJ-0101-PNFG Class CA

Height	Width	Depth	Description	Number	Price A	Price B
28″(711mm)	1 1/8″(29mm)	3 1/4″(83mm)	Single Post with Glide	ZUFJ-0101-PNFG	$169.25	$183.72

Features
- Includes one single post and mounting hardware.
- Glide provides 1/2″ of height adjustment.

Specification Tip
- May be used for worksurface applications.
- One end of worksurface must be panel attached, not to be used as freestanding.

To Order, Specify:
1) Product number.
2) Trim color.

Support Post



ZZFJ Class CA

Height (Adjustable)	Description	Number	Price A	Price B
26″(660mm)/30″(762mm)	Single post with glide, adjustable	ZZFJ-0101-PNFG ■	$239.95	$253.88

Features
- Includes one single post and mounting hardware.
- 6″ height adjustment (26″(660mm)-32″(813mm)).

■ Available on RUSH.

Specification Tip
- May be used for worksurface and freestanding table applications.

To Order, Specify:
1) Product number.
2) Trim color.

SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Worksurface Accessories

Horizontal Wire Manager



WUAW-1500-PNH

Class CA

Depth	Width	Height	Number	Price
2″(51mm)	15″(381mm)	3″(76mm)	WUAW-1500-PNH ■	**$150.80**

Features

- Includes a set of ten, plastic wire managers and mounting screws.
- Manages and stores wire and cables under worksurfaces.
- Standard in Charcoal trim.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Wire Management Loop

HNEH-8

Class BA

Installed Height	Width	Number	Price
4 1/2″(114mm)	2 3/4″(70mm)	HNEH-8	**$38.43**

Features

- Includes eight (8) wire management loops.
- Manages and stores wires or cables through loops under worksurfaces or desk tops.
- Install anywhere under worksurfaces in recommended 18″(457mm) intervals.
- Loop capacity: 19, 25-pair communications cables.
- Standard in charcoal finish color only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Grommet



WUAC-WSG

Class CA

Height	Inside Diameter	Outside Diameter	Number	Price
1″(25mm)	2 3/4″(70mm)	3″(76mm)	WUAC-WSG ■	**$19.77**

Features

- Includes one cover.
- Must be field-installed.
- Available in charcoal color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Make-A-Corner



MAC-0001

Class AA

Height	Width	Number	Price
21 1/8″(537mm)	26 1/8″(664mm)	MAC-0001	**$157.63**

Features

- Creates an angled edge between two (2) perpendicular regular worksurfaces.
- Slides over the top of 1 13/16″(30mm) thick worksurfaces.
- Accommodates an adjustable keyboard or mouse pad track (screws included).

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Worksurface Accessories

Worksurface Reinforcement Channel



WUAR

Length	Number	Price
16″(406mm)	WUAR-1600-PH ■	**$26.66**
24″(610mm)	WUAR-2400-PH ■	**29.06**
32″(813mm)	WUAR-3200-PH ■	**31.46**
39″(991mm)	WUAR-3900-PH ■	**33.56**
47″(1194mm)	WUAR-4700-PH ■	**35.96**
54″(1372mm)	WUAR-5400-PH ■	**38.06**

Features

- Includes metal, u-shaped channel and mounting screws.
- Field installed, field located and drilled per installation instructions.
- Worksurface reinforcement channels provide additional support for laminate or wood worksurfaces with 50″ or larger spans that are heavily loaded and not otherwise supported by mid-span cantilevers, worksurface supports, legs, or under-worksurface storage.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Application Guidelines

Laminate or Wood Panel Hung Worksurface Applications (for standard 29″ high worksurfaces)

General Application/Number:
- 54″ wide with two suspended pedestals or stationary pedestals over 27″ in height, use WUAR-1600-PH.
- 60″ wide top with two suspended pedestals or stationary pedestals over 27″ in height, use WUAR-2400-PH.
- 54″ wide top with one suspended pedestal or stationary pedestal over 27″ in height, use WUAR-3200-PH.
- 60″ wide top with one suspended pedestal or stationary pedestal over 27″ in height, use WUAR-3900-PH.
- 54″ wide top – no suspended pedestal or stationary pedestal over 27″ in height, use WUAR-4700-PH.
- 60″ wide top – no suspended pedestal or stationary pedestal over 27″ in height, use WUAR-5400-PH.

Worksurface reinforcement channels can provide additional strengthening to 50″ and greater worksurfaces on like-sized panels where heavy loads are anticipated. Depending on application, heavily loaded worksurfaces may not need a worksurface reinforcement channel when:
- Support is provided by a third cantilever on 50″ and greater worksurfaces (spanning multiple panels) or by using other under-worksurface support methods.
- Fixed/attached pedestals provide under- worksurface support.
- Panel hung worksurfaces wider than 60″ require more than two cantilevers.

Laminate or Wood Convergent Tops and Convergent Freestanding Units

- 72″ UniGroup Too, UniGroup and PLACES convergent worksurfaces and wrap-around convergent worksurfaces, panel hung, or freestanding, use WUAR-3900-PH.

Application Guidelines for using Worksurface Reinforcement Channel with Under-Worksurface Storage

For UniGroup Too, UniGroup, PLACES worksurfaces at the standard 29″ height.

- All pedestals under 25″ in height can be used under a worksurface with a worksurface reinforcement channel.
- Mobile pedestals over 27″ in height cannot be used under a worksurface with a worksurface reinforcement channel. By increasing worksurface height to 30″, mobile pedestals can be used with a worksurface reinforcement channel.
- Stationary pedestals can be used in applications with worksurface reinforcement channels. Refer to Laminate or Wood Panel Hung Worksurface Applications matrix information above regarding suspended and stationary pedestals.
- In most applications, lateral files or fixed pedestals supply adequate support so that worksurface reinforcement channels are not needed.

Worksurface Accessories

	Height	Depth	Width	Number	Price
Shallow Drawer	3″(76mm)	15 3/8″(391mm)	18 1/4″(464mm)	DS-3	**$45.43**



DS-3

Class AA – SIN 711-1;
Discount Group I

Features
- Shallow drawer has four compartments.
- Drawer does not stack.
- Available in charcoal or gray tone finish colors only.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-G Gray Tone

Pencil Drawer	1 5/8″(41mm)	19″(483mm)	18″(457mm)	PPD-18 ■	**$101.87**



PPD-18

Class BA – SIN 711-1;
Discount Group I

Features
- Includes mounting hardware.
- Mounts separately under worksurface.
- Standard in black finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Steel Center Drawer	2″(51mm)	17 1/2″(445mm)	19 1/8″(486mm)	SCD-19 ■	**$261.87**



SCD-19

Class MA – SIN 711-3;
Discount Group II

Features
- Includes mounting hardware.
- Standard with lock.
- Standard in charcoal finish color only.

■ Available on RUSH.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Pencil + Drawer	11″(279mm)	24″(610mm)	19 1/2″(495mm)	KUDP-2420 ■	**$308.59**





KUDP-2420

Class YA – SIN 711-1;
Discount Group XIII

Features
- Multi-purpose drawer provides organization, hanging filing along with laptop storage.
- Knock-outs at rear of drawer provide electronic charging access while contents are locked.
- Removable organizing tray.
- Thin profile maximizes knee clearance under front of drawer.
- Standard in black trim color with black locks.
- Standard with lock (shipped separately); keyed-alike and master keying options available.

■ Available on RUSH.

Specification Tips
- To be mounted below worksurfaces 24″(610mm) or deeper.
- **Not for use with 24″ deep knife edge worksurface.**
- Pencil + drawer must be used adjacent to worksurface floor support when specified for use with panel system.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Boogie Board

Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad



HKTC-M
HKTE-M

Height	Depth	Width	Description	Number	Price
5.3″(135mm)	12″(305mm)	28″(711mm)	17″(432mm) track, Comfort Palm Rest	HKTC-17-M ■	**$560.37**
			17″(432mm) track, Ergonomic Palm Rest	HKTE-17-M ■	**560.37**
			21″(533mm) track, Comfort Palm Rest	HKTC-21-M ■	**560.37**
			21″(533mm) track, Ergonomic Palm Rest	HKTE-21-M ■	**560.37**

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurfaces or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Features spring assisted adjustment (with automatic lock) of 6.5″(165mm) above worksurfaces and 4″(102mm) below.
- Integrated mouse pad tilts independently of keyboard tray.
- Includes mouse pad insert (not shown) for optional use.
- Mouse pad is interchangeable between right and left hand applications.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper. Recommended for most corner applications.

■ Available on RUSH. Does not include positive tilt lock-out option.

To Order, Specify:

1) Product number.
2) Finish color.

Boogie Board is available in the following finish colors:

- TR-0LX Ice (translucent blue)
  Keyboard tray in smoke with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).
- TR-0LU Shadow (translucent charcoal)
  Keyboard tray in charcoal with accents of graphite (palm rest, mouse pad insert and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:
For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.
Example: HKTC-17-M**P**

Boogie Board Keyboard Tray with Palm Rest



HKTC-N
HKTE-N

Height	Depth	Width	Description	Number	Price
5.3″(135mm)	12″(305mm)	21″(533mm)	17″(432mm) track, Comfort Palm Rest	HKTC-17-N	**$530.29**
			17″(432mm) track, Ergonomic Palm Rest	HKTE-17-N	**530.29**
			21″(533mm) track, Comfort Palm Rest	HKTC-21-N	**530.29**
			21″(533mm) track, Ergonomic Palm Rest	HKTE-21-N	**530.29**

Features

- Palm rests available in ergonomic height adjustable or soft comfort versions.
- Stores under worksurfaces or lift entire tray to pull out. Release tray and it automatically saves distance-to-desk position.
- Intuitive single lever on front of AKP adjusts both height and tilt.
- Features spring assisted adjustment (with automatic lock) of 6.5″(165mm) above worksurfaces and 4″(102mm) below.
- Ease of modifying positions reduces repetitive stress injuries by encouraging AKP repositioning throughout the day.
- Superior stability (patented arm mechanism makes for smooth and stable operation).
- A simple guide for new users located within the AKP for referencing.
- Keyboard tray and mouse pad tilt +/-15°.
- 360° rotation.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper. Recommended for most corner applications.

To Order, Specify:

1) Product number.
2) Finish color.

Boogie Board is available in the following finish colors:

- TR-0LX Ice (translucent blue)
  Keyboard tray in smoke with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).
- TR-0LU Shadow (translucent charcoal)
  Keyboard tray in charcoal with accents of graphite (palm rest and bottom of keyboard tray), and black (arm).

Positive Tilt Lock-Out Option:
For positive tilt lock-out option (0° to -15° tilt only), add suffix **P** to the product number.
Example: HKTC-17-N**P**

Boogie Board Mouse Pad



HKMP-1

Height	Depth	Width	Description	Number	Price
1″(25mm)	11″(279mm)	8″(203mm)		HKMP-1 ■	**$56.82**

Features

- For use with Boogie Board AKP or on top of worksurfaces.
- Integrated teeth allow right- or left-handed keyboard applications.
- Easily attaches to keyboard tray.
- Includes mouse pad insert (not shown) for optional use.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Finish color.

Boogie Board mouse pad is available in the following finish colors:

- TR-0LX Ice (translucent blue)
  Mouse pad insert standard in graphite.
- TR-0LU Shadow (translucent charcoal)
  Mouse pad insert standard in graphite.

Class YA – SIN 711-2; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Adjustable Keyboard Pads

Locking Tilt AKP



KU1A-0017

Description	Height Adjustment	Number ❶	Price
17″(432mm) Long Track/Locking Tilt	2.5″ Above/5.9″ Below	KU1A-0017-■ N ◆	**$314.75**
21″(533mm) Long Track/Locking Tilt	2.5″ Above/5.9″ Below	KU1A-0021-■ N ◆	**314.75**

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5″ above/5.9″ below worksurface.
- Soft-touch knob for locking tilt adjustment -15°/+15°.
- 360° rotation.
- In/Out travel:
  –17″ track length - 12″(305mm)
  –21″ track length - 16.8″(427mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″ wide Keyboard Tray without Mouse Pad
  –(3) 26″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.
- 17″ long (432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″ long (533mm) track fits under worksurfaces 22″(559mm) or deeper.
- Recommended for most corner applications.

◆ Available on RUSH. Option 1 only.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

1 21″ Keyboard with Mouse Pad, add **$33.53** list.

2 21″ Keyboard without Mouse Pad, no upcharge.

3 27″ Keyboard with built-in Mouse Pad, add **$67.06** list.
(No finish specification required.)

Dial Tilt AKP



KU2A-0017

Description	Height Adjustment	Number ❶❷	Price
17″(432mm) Long Track/Dial Tilt	2.5″ Above/6.1″ Below	KU2A-0017-■ ■ ◆	**$337.46**
21″(533mm) Long Track/Dial Tilt	2.5″ Above/6.1″ Below	KU2A-0021-■ ■ ◆	**337.46**

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.5″ above/6.1″ below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 5.5″(140mm) standard arm length.
- In/Out travel:
  –17″ track length - 12″(305mm)
  –21″ track length - 16.8″(427mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″ wide Keyboard Tray without Mouse Pad
  –(3) 26″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.
- 17″(432mm) track fits under worksurfaces 18″(457mm) or deeper.
- 21″(533mm) track fits under worksurfaces 22″(559mm) or deeper.
- Recommended for most corner applications.

◆ Available on RUSH. Option 1 and P only.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

1 21″ Keyboard with Mouse Pad, add **$33.53** list.

2 21″ Keyboard without Mouse Pad, no upcharge.

3 27″ Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option

P Positive Tilt Lock

N None
(No finish specification required.)

Adjustable Keyboard Pads

Dial Tilt AKP - Extended Arm

Description	Height Adjustment	Number ❶❷	Price
23″(584mm) Long Extended Track/Dial Tilt	2.75″ Above/8″ Below	KU3A-0023- ■ ■	**$365.59**



KU3A-0023

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Includes gauges that show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray as knob is turned.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 2.75″ above/8″ below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 18.1″(460mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″ wide Keyboard Tray without Mouse Pad
  –(3) 26″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

Specification Tips

- 23″(584mm) track fits under worksurfaces 23″(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Tray Option

- **1** 21″ Keyboard with Mouse Pad, add **$33.53** list.
- **2** 21″ Keyboard without Mouse Pad, no upcharge.
- **3** 27″ Keyboard with space for mousing, add **$67.06** list

❷ Positive Tilt Lock Option

- **P** Positive Tilt Lock
- **N** None
  (No finish specification required.)

Sit-to-Stand AKP

Description	Height Adjustment	Number ❶❷	Price
23″(584mm) Long Track/Sit-to-Stand	8.25″ Above/5.9″ Below	KU4A-0023- ■ ■	**$388.30**



KU4A-0023

Features

- Includes one locking tilt arm with track and Keyboard Tray.
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 8.25″ above/5.9″ below worksurface.
- Tilt allows adjustment -15°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -15°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 18.1″(460mm)
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″ wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″ wide Keyboard Tray without Mouse Pad
  –(3) 26″ wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

Specification Tips

- 23″(584mm) track fits under worksurfaces 23″(584mm) or deeper.
- Recommended for most corner applications.

To Order, Specify:

1) Product number, including:

❶ Keyboard Tray Option

- **1** 21″ Keyboard with Mouse Pad, add **$33.53** list.
- **2** 21″ Keyboard without Mouse Pad, no upcharge.
- **3** 27″ Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option

- **P** Positive Tilt Lock
- **N** None
  (No finish specification required.)

Adjustable Keyboard Pads

Keyboard Trays - included with Number KU AKP Arm



21″ Keyboard Tray
with swivel mouse pad (1)



21″ Keyboard Tray
without mouse pad (2)



26″ Keyboard Tray
with space for mousing (3)

Features

- Includes one Keyboard Tray in different configurations.
- Sizes: 20″(508mm) wide x 11″(279mm) deep;
  Mouse Pad adds 8.4″(213mm) to width
  26″(660mm) wide x 11″(279mm) deep
- Keyboard Tray Options:
  –(1) 21″ wide Keyboard Tray with 360° swivel Mouse Pad with mouse edge guard and cable manager
  –(2) 21″ wide Keyboard tray without Mouse Pad
  –(3) 26″ wide Keyboard Tray with space for mousing
- Keyboards are made from 1/2″ thick HDPE (High Density Polyethylene) in textured supplier black.
- Keyboard Trays include anti-skid strips to hold keyboard in place.
- Standard with removeable palm rest.
- Keyboard with mouse pad; Mouse Pad can be attached on either right or left side of Keyboard Tray; rotates 360° independent of keyboard tray.
- Field installed.

Specification Tips

- Keyboard Tray has mounting holes for attachment to AKP numbers: KU1A, KU2A, KU3A and KU4A.
- 21″ Keyboard Tray recommended for use with most corner worksurfaces.
- 26″ Keyboard Tray recommended for rectangular worksurfaces with flat edges; not recommended for corner worksurfaces.

Adjustable Keyboard Pads

Thin Profile AKP



KU5A

Description	Number ❶❷	Price
17″(432mm) Thin Profile	KU5A-0017-■■	**$314.75**
21″(533mm) Thin Profile	KU5A-0021-■■	**314.75**

Features

- Includes one Dial Tilt arm with track and Keyboard Tray.
- Gauges show tilt and height adjustments.
- Patented Dial Tilt adjustment of keyboard tray .
- Patented spring-assisted Lift-n-Lock™ counter balancing system.
- Height adjustment range: 1.19″(30mm) above/6.5″(165mm) below worksurface.
- Tilt allows adjustment -20°/+10°.
- Positive Tilt Lock Option allows tilt adjustment -20°/+0°.
- 7.5″(191mm) standard arm length.
- In/Out travel: 12″(305mm) for 17″(432mm) and 16.75″(419mm) for 21″(533mm) track.
- Track allows Keyboard Tray to be fully retracted under worksurface.
- 360° rotation.
- Keyboard Tray Option: (Refer to Keyboard Tray for features)
  –(1) 21″(533mm) wide Keyboard Tray with swivel Mouse Pad
  –(2) 21″(533mm) wide Keyboard Tray without Mouse Pad
  –(3) 27″(686mm) wide Keyboard Tray with space for mousing
- Standard in supplier black textured paint.
- Field installed.

To Order, Specify:

1) Product number, including:

❶ Tray Option:

1 Keyboard with Mouse Pad, add **$33.53** list.

2 Keyboard without Mouse Pad, no upcharge.

3 Keyboard with space for mousing, add **$67.06** list.

❷ Positive Tilt Lock Option:

P Positive Tilt Lock

N None

(No finish specification required.)

Monitor Arms

Advanced Adjustable Monitor Arms

Description	Number	❶	Price
Single Arm	KU4M-0000-1NN		**$448.86**
Double Arm	KU4M-0000-2NN		**995.07**



KU4M-1NNN



KU4M-2NNN

Features

- Includes one or two advanced adjustable height Monitor Arm with desk clamp mounting and through-desk clamp mounting hardware.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Provides easy adjustment of monitor height and position; requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arm:
  –Accommodates monitors from 6-20 lbs. per Monitor Arm
  –Extension 18.6″(472mm)
  –Height adjustment range of 10.4″(264mm)
  –Two joints rotate 360°/Base rotates 180°
  –Pivots from landscape to portrait positions
  –Tilts 90° up and 20° down from center
- Double arm will display screens up to 27″(686mm).
- One clamp is used for both grommet and desk mounted applications. Grommet must be 2 1/8″(54mm) or greater in diameter.
- Monitor Arms available in supplier silver or vista black.

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick .
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to Belong tool rail specification tips for weight restrictions of Belong rail mount attachment.

To Order, Specify:

1) Product number.

❶ Mounting Option:

K Desk Clamp

R Rail Mount, add **$52.00** list.

2) Trim Color (Supplier Colors)
TR-ES Silver
TR-EB Vista Black

Monitor Arms

Post and Link Monitor Arms

Description	Post Height	Number	Price
Single Arm	14″(356mm)	KU1M-0000-1NN	**$439.13**
Double Arm	14″(356mm)	KU1M-0000-2NN	**731.16**



KU1M-1NN



KU1M-2NN

Features

- Includes one single or double Monitor Arm with FLEXmount™ Kit.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides adjustment of monitor height with supplied allen wrench.
- Limited vertical adjustment range based upon the size of the monitor.
- Integrated cord management.
- Monitor Arm extension:
  –14″(356mm) on single monitor arm
  –17.5″(445mm) on double monitor arm
- Monitor Arm:
  –Joints rotate 360° at three points
  –Pivots from landscape to portrait positions
  –Tilts up/down 200°
- Each Monitor Arm holds up to 40 pounds.
- Double Monitor Arm attaches off central post.
- FLEXmount Kit allows multiple attachment methods:
  –Desk clamp
  –Grommet hole clamp (up to 3″(76mm) diameter grommet hole) allows cord drop
  –Field drilled mounting hole
  –Wall mount to structural wall
- Monitor Arms available in supplier silver or vista black.

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick.
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to specification sheet for dimensional details.

To Order, Specify:

1) Product number.
2) Trim Color (Supplier Colors)
   TR-ES Silver
   TR-EB Vista Black

Heavy Duty Adjustable Monitor Arms

Single Arm	12″(305mm)	KU3M-0000-1NN	**$ 617.60**
Double Arm	12″(305mm)	KU3M-0000-2NN	**$1039.42**



KU3M-1NN



KU3M-2NN

Features

- Includes one single or double Monitor Arm with FLEXmount™ Kit.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position; requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  –Extension 24″(610mm)
  –Height adjustment range: 15.9″(404mm)
  –Joints rotate 360° at three joints
  –Pivots from landscape to portrait positions
  –Tilts up/down 200°
- Each Monitor Arm holds 9-24 pounds.
- Double Monitor Arm attaches off central post.
- FLEXmount Kit allows multiple attachment methods:
  –Desk clamp
  –Grommet hole clamp (up to 3″(76mm) diameter grommet hole) allows cord drop
  –Field drilled mounting hole
  –Wall mount to structural wall
- Monitor Arms available in supplier silver or vista black.

Specification Tips

- Desk clamp can mount on surfaces up to 2″(51mm) thick.
- Certified VESA® Monitor compatible - includes 75mm and 100mm adapter plates.
- Refer to specification sheet for dimensional details.

To Order, Specify:

1) Product number.
2) Trim Color (Supplier Colors)
   TR-ES Silver
   TR-EB Vista Black

Monitor Arms

Adjustable Post Arm

Description	Number	Price
Single Arm	KU5M-0000-1NNN	**$486.72**
Double Arm	KU5M-0000-2NNN	**811.20**



KU5M-1NNN



KU5M-2NNN

Features

- Includes one single or double Monitor Arm with quick connect bracket, desk clamp and grommet mount.
- Quick-install mechanism allows flat-screen monitors to quickly and securely snap into position.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor height and position up and down post or by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  –Extension 24″(610mm)
  –Height Adjustment range: 13″(330mm)counter balance adjustable arm and 9″(229mm) post adjustment.
  –Joint rotation 360° at three joints
  –Pivots from landscape to portrait positions
  –180° of tilt
  –180° of side to side movement
- Double arm will displays screens up to 35″(889mm).
- Displays screens 5-20 lbs per Monitor Arm.
- Double Monitor Arms attach to central post.
- Monitor Arms available in supplier silver, black, white, or polished.

Specification Tip

- Certified VESA plate includes 75mm and 100mm hole patterns.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White
   TR-PD Polished

Extend Arm

Single Arm	KU6M-0000-1NNN	**$270.40**
Double Arm	KU6M-0000-2NNN	**486.72**



KU6M-1NNN



KU6M-2NNN

Features

- Includes one single or double Monitor Arm with desk clamp and grommet mount.
- Allows for installation of one or two flat-screen monitors above worksurface.
- Provides easy adjustment of monitor by adjustable arm. Requires adjustment of monitor arm to weight of monitor with supplied allen wrench.
- Integrated cord management.
- Monitor Arms:
  –Extension 26″(660mm)
  –Height Adjustment range: 13″(330mm)
  –Joint rotation 360° at three joints
  –Pivots from landscape to portrait positions
  –180° degrees of tilt
  –180° of side to side movement
- Double arm will displays screens up to 35″(889mm).
- Displays screens up to 2 lbs – 14 lbs per arm.
- Double Monitors Arms attach to central post.
- Monitor Arms available in supplier silver, black, or white.

Specification Tip

- Certified VESA plate includes 75mm x 75mm and 100mm x 100mm hole patterns.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White

CPU Holders

Fixed Mount CPU Holder

Description	Number	Price
Fixed Mount CPU Holder	KU1C-0000-N	**$101.67**



KU1C - Vertical



KU1C - Horizontal

Class YA – GSA: Open Market

Features

- Includes one fixed mount CPU holder.
- Mounts under tops in either vertical or horizontal position.
- Vertical Mount adjustment ranges:
  –Height adjustment for CPU: 15.5″ to 20″
  –Width adjustment for CPU: 5.5″ to 9.8″
  –Overall height adjustment: 17.5″ to 22″
  –Overall width adjustment: 9.25″ to 13.5″
- Horizontal Mount adjustment ranges:
  –Height adjustment for CPU: 7.3″ to 11.3″
  –Width adjustment for CPU: 13.8″ to 18.8″
  –Overall height adjustment: 9.25″ to 13.5″
  –Overall width adjustment: 17.5″ to 22.5″
- Control knobs allow adjustments as needed.
- Standard in supplier black.
- Field installed.

Specification Tips

- 85 lbs. maximum weight load.
- Fits under tops 18″(457mm) or deeper.
- Mounting Plate Size:
  –5.35″(136mm) deep x 3.94″(100mm) wide

Note: Recommended for use with:
–UniGroup® Too applications.
–PREMISE® and Compose® applications directly adjacent to floor support.
–X Series Casegoods.
–Contact Sales Engineering for all other applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable CPU Holder



KU2C-L

Class YA – SIN 711-2;
Discount Group X

Description	Track Length	Number	Price
Adjustable Mount CPU Holder	17″(432mm)	KU2C-0000-N	**$146.02**
Adjustable Mount CPU Holder - Locking	17″(432mm)	KU2C-0000-L	**$247.69**

Features

- Includes one adjustable mount CPU Holder with or without lock.
- Mounts under tops.
- CPU holder mechanism 360° rotation dependent upon track location.
- Plastic side clamp with bumpers; control knob adjusts clamp.
- Adjustment Ranges:
  –Height: 13.5″ to 22.5″
  –Width: 3.5″ to 9.3″
  –Depth: 14.75″ to 22.3″
- 17″(432mm) adjustable track with plastic glides.
- Locks cannot be retrofitted nor keyed-alike to match Haworth lock plugs or keys.
- Standard in supplier black textured paint.
- Field installed.

Specification Tips

- 85 lbs. maximum weight load.
- 17″(432mm) track fits under tops 18″(457mm) or deeper.

Note: Recommended for use with:
–UniGroup® Too applications.
–PREMISE® and Compose® applications directly adjacent to floor support.
–X Series Casegoods.
–Contact Sales Engineering for all other applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Accessories

	Description	Number	Price
Adjustable Laptop Holder	Laptop Holder with 4-port USB	KU1L-0000-U	**$134.12**



KU1L-U

Features

- Includes adjustable Laptop Holder with or without built-in 4-port USB hub (2.0).
- Accommodates laptops 16″(406mm) wide x 12″(305mm) deep.
- Five laptop angle adjustments: 4°, 14°, 23°, 33° and 43°.
- Size: 12.75″ wide x 10″ deep. 1.25″ high in stored position.
- Protective pads on bottom.
- Standard in supplier black with silver accent.
- Hub Specifications:
  - –Fully compliant with universal serial bus specification revision 2.0 (data rate 1.5/12/480 Mbps)
  - –LED indicates the hub is ready
  - –Direct bus power mode eliminates need for external power
  - –Over-current detection and protection for each downstream port
  - –Plug and play and hot swap function supported
  - –Windows and Mac compatible
  - –CE/US/FCC approved
  - –RoHS compliant

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable Document Holder	Document Holder	KU1D-0000	**$112.49**



KU1D

Features

- Includes painted steel Adjustable Document Holder with magnetic attached line guide.
- Infinite angle adjustment up to 80° with tension adjustment lever.
- Accommodates papers or books.
- Size: 16.7″(425mm) wide x 7.5″(191mm) deep x 9.75″(215mm) high.
- Standard in supplier black.
- Protection pads on bottom.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adjustable Footrest	Footrest	KU1F-0000	**$112.49**



KU1F

Features

- Includes Adjustable Foot Rest with anti-slip rubber mat on top.
- Angle adjustment by hand: 6°, 12°, 16° and 25°
- Size: 15.75″(400mm) wide x 14.75″(375mm) deep x 3.25″-5″(83mm-127mm) high.
- Folds flat for easy storage.
- Standard in supplier black with silver accent.
- Protective pads on bottom.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Straight Mini Shelf, Standard Mount



UESY-PM

Height	Depth	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
4 1/4″(108mm)	6 1/4″(159mm)	18″(457mm)	UESY-0418-PM ■	**$186.45**	**$188.53**	**$199.97**	**$202.05**
		24″(610mm)	UESY-0424-PM ■	**195.48**	**197.56**	**211.08**	**213.16**
		30″(762mm)	UESY-0430-PM ■	**204.44**	**206.52**	**220.04**	**222.12**
		36″(914mm)	UESY-0436-PM ■	**213.47**	**215.55**	**230.11**	**232.19**
		42″(1067mm)	UESY-0442-PM ■	**222.43**	**224.51**	**240.11**	**242.19**
		48″(1219mm)	UESY-0448-PM ■	**231.40**	**233.48**	**250.12**	**252.20**

Features

- Includes shelf, brackets, and hardware.
- Shelf thickness is 3/4″(19mm).
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Edgeband trim color.
4) Trim color for brackets.

Corner Mini Shelf, Standard Mount



UESZ-PM

Height	Depth	Width	Number	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
4 1/4″(108mm)	6 1/4″(159mm)	24″(610mm)	UESZ-0424-PM	**$362.23**	**$365.35**	**$391.35**	**$394.47**
		30″(762mm)	UESZ-0430-PM	**372.30**	**375.42**	**401.42**	**404.54**
		36″(914mm)	UESZ-0436-PM	**382.37**	**385.49**	**413.05**	**416.17**
		42″(1067mm)	UESZ-0442-PM	**392.44**	**395.56**	**424.68**	**427.80**
		48″(1219mm)	UESZ-0448-PM	**402.51**	**405.63**	**436.31**	**439.43**

Features

- Includes shelf, brackets, and hardware.
- Middle of shelf is 15 1/4″(387mm) deep.
- Shelf thickness is 3/4″(19mm).
- Shipped unassembled.

Specification Tips

- To be installed in connector slots on two panels or on a combination of panels of equivalent widths in 90° configuration.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Edgeband trim color.
4) Trim color for brackets.

Mini Shelves with Loop Bracket

for use with UniGroup Too, UniGroup, PLACES

Straight Mini-Shelf, with Loop Bracket

HMSS

Height	Depth	Width	Number	Laminate A	Laminate B
5 1/2″(140mm)	6 1/4″(159mm)	18″(457mm)	HMSS-0618 ■	**$214.56**	**$229.58**
		24″(610mm)	HMSS-0624 ■	**227.03**	**243.21**
		30″(762mm)	HMSS-0630 ■	**239.50**	**256.84**
		36″(914mm)	HMSS-0636 ■	**251.97**	**270.47**
		42″(1067mm)	HMSS-0642 ■	**264.44**	**284.10**
		48″(1219mm)	HMSS-0648 ■	**276.91**	**297.73**

Features

- Includes brackets, hardware and mini-shelf.
- Mounts on single or multiple panels of equivalent widths.
- Support bracket may be mounted under shelf surface only.
- Does not accept task lights.

■ Available on RUSH.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Trim color for brackets.

Corner Mini-Shelf, with Loop Bracket



HMSC

Height	Depth	Width	Number	Laminate A	Laminate B
5 1/2″(140mm)	6 1/4″(159mm)	24″(610mm) x 24″(610mm)	HMSC-0624	**$436.14**	**$468.18**
		30″(762mm) x 30″(762mm)	HMSC-0630	**464.55**	**496.59**
		36″(914mm) x 36″(914mm)	HMSC-0636	**492.96**	**526.72**
		42″(1067mm) x 42″(1067mm)	HMSC-0642	**521.37**	**556.85**
		48″(1219mm) x 48″(1219mm)	HMSC-0648	**549.78**	**586.98**

Features

- Includes brackets, hardware and corner mini-shelf.
- Mounts on two panels of equivalent widths in 90° configuration.
- Middle of shelf is 16″(406mm) deep.
- Shelf thickness is 3/4″(19mm).
- Support bracket may be mounted under shelf surface only.
- Does not accept task lights.

Specification Tips

- To be installed in connector slots on same size panel or on a combination of panels that equals the shelf width.
- Support brackets must be installed under shelf surface.
- Designed for lightweight accessories.
- Does not accept separately specified task lights.

To Order, Specify:

1) Product number.
2) Laminate shelf color.
3) Edgeband trim color.
4) Trim color for brackets.

Shelves and Flipper Doors

for use with UniGroup Too, UniGroup, PLACES

UniGroup Low Shelf



SL

Height	Depth	Width	Number	Price
8 3/4″(222mm)	13 5/8″(346mm)	24″(610mm)	SL-2 ■	**$243.70**
		30″(762mm)	SL-30 ■	**251.49**
		36″(914mm)	SL-3 ■	**259.28**
		42″(1067mm)	SL-42 ■	**267.07**
		48″(1219mm)	SL-4 ■	**274.86**
		60″(1524mm)	SL-5 ■	**290.44**

Features

- Includes shelf, end supports, and connection hardware.
- 1/2″(13mm) thick shelf end with radius corners and T-mold edge.
- Safety interlock prevents dislodgement from panel connector slots.
- Shelf pan is 1 1/4″(32mm) thick.
- Accepts separately specified task lights.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) End support Videne color.
3) T-molding and end cap trim color.
4) Shelf trim color.

UniGroup Regular Shelf



SR

Height	Depth	Width	Number	Price
15 3/4″(400mm)	13 5/8″(346mm)	24″(610mm)	SR-2 ■	**$247.17**
		30″(762mm)	SR-30 ■	**257.28**
		36″(914mm)	SR-3 ■	**267.39**
		42″(1067mm)	SRS-42 ■	**277.50**
		48″(1219mm)	SR-4 ■	**287.61**
		60″(1524mm)	SR-5 ■	**307.83**

Features

- Includes shelf, end supports, and connection hardware.
- 1/2″(13mm) thick shelf end with radius corners and T-mold edge.
- Safety interlock prevents dislodgement from panel connector slots.
- Shelf pan is 1 1/4″(32mm) thick.
- Accepts separately specified flipper door (FDRF, FDRV).
- Accepts separately specified task lights.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) End support Videne color.
3) T-molding and end cap trim color.
4) Shelf trim color.

UniGroup Regular Flipper Door Front — Fabric or Laminate Door Front



FDRF
FDRV

Height	Depth	Width	Fabric Number	Fabric Grade A	B	C	E	F	G
15 5/8″(397mm)	13 1/2″(343mm)	24″(610mm)	FDRF-2 ■	**$503.19**	**$520.04**	**$554.86**	**$595.29**	**$602.03**	**$608.77**
		30″(762mm)	FDRF-30 ■	**526.78**	**545.31**	**580.70**	**622.25**	**629.55**	**636.85**
		36″(914mm)	FDRF-3 ■	**550.37**	**570.58**	**606.54**	**649.21**	**657.07**	**664.93**
		42″(1067mm)	FDRF-42 ■	**573.96**	**595.85**	**632.38**	**676.17**	**684.59**	**693.01**
		48″(1219mm)	FDRF-4 ■	**597.55**	**621.12**	**658.22**	**703.13**	**712.11**	**721.09**
		60″(1524mm)	FDRF-5 ■	**732.34**	**759.27**	**797.51**	**844.66**	**854.76**	**864.86**

Height	Depth	Width	Laminate Number	Price
15 5/8″(397mm)	13 1/2″(343mm)	24″(610mm)	FDRV-2 ■	**$463.88**
		30″(762mm)	FDRV-30 ■	**485.22**
		36″(914mm)	FDRV-3 ■	**506.56**
		42″(1067mm)	FDRV-42 ■	**527.90**
		48″(1219mm)	FDRV-4 ■	**549.24**
		60″(1524mm)	FDRV-5 ■	**679.53**

Features

- Includes top and door only; order shelf unit separately.
- For use with UniGroup regular shelves (SR, SRS).
- Standard with chrome lock plug and bezel.
- Top and door pre-assembled.
- Standard with lock.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Laminate top color.
3) Edgeband trim color.
4) Bracket trim color.

Class AA – SIN 711-1; Discount Group 1
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Open Shelf, Standard Mount



UESN-PM

Height	Width	Number	Trim A	Trim B
8″(203mm)	24″(610mm)	UESN-0824-PM ■	**$208.59**	**$219.04**
	30″(762mm)	UESN-0830-PM ■	**216.06**	**229.12**
	36″(914mm)	UESN-0836-PM ■	**223.53**	**239.20**
	42″(1067mm)	UESN-0842-PM ■	**231.00**	**249.28**
	48″(1219mm)	UESN-0848-PM ■	**238.47**	**259.36**
	54″(1372mm)	UESN-0854-PM ■	**245.94**	**269.44**
	60″(1524mm)	UESN-0860-PM ■	**253.41**	**279.52**
	66″(1676mm)	UESN-0866-PM ■	**260.88**	**289.60**
	72″(1829mm)	UESN-0872-PM ■	**268.35**	**299.68**

Features

- Includes shelf with back stop, end panels and hardware.
- Safety interlock prevents dislodgement from panel connector slots.
- Accepts separately specified task lights.
- Shelf thickness is 2″(51mm).
- Shipped unassembled.

■ Available on RUSH.

Specification Tips

- Specify separate shelf gang clip NUB-1 for unbalanced configurations with greater than one row of shelves.
- To be installed in panel trim rails on same size panel or on a combination of panels that equals the shelf width.

To Order, Specify:

1) Product number.
2) Trim color for shelf and end panels.

Overhead Storage Unit / Shelf Gang Clip



NUB-1

Description	Number	Price
One clip	NUB-1 ■	**$42.75**

Features

- Provides additional stability in unbalanced panel configurations with adjacent shelves and overheads.
- Gangs adaptable style overheads and shelves.
- Standard in black finish.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Standard Mount — Painted, or Fabric Radius Edge Front



UEFS-RM
UEFS-FM

Inside Dimensions	
Height	12 3/4″(324mm)
Depth	13 1/4″(337mm)

Door Dimensions	
Radius	.375″(10mm)

Depth	Width	Painted Door Number ❶❷			Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm) High								
14″(356mm)	24″(610mm)	UEFS-1624-RM		■	$ 949.99	$ 953.33	$ 958.90	$ 962.24
	30″(762mm)	UEFS-1630-RM		■	993.43	997.33	1003.45	1007.35
	36″(914mm)	UEFS-1636-RM		■	1036.87	1041.33	1048.00	1052.46
	42″(1067mm)	UEFS-1642-RM		■	1080.31	1085.33	1092.55	1097.57
	48″(1219mm)	UEFS-1648-RM		■	1123.75	1129.33	1137.10	1142.68
	54″(1372mm)	UEFS-1654-RM		■	1167.19	1173.33	1181.65	1187.79
	60″(1524mm)	UEFS-1660-RM		■	1334.23	1340.93	1349.80	1356.50
	66″(1676mm)	UEFS-1666-RM		■	1633.77	1641.03	1650.45	1657.71
	72″(1829mm)	UEFS-1672-RM		■	1933.33	1941.15	1951.12	1958.94

Depth	Width	Fabric Door Number ❶❷			Fabric Grade A Trim A	Fabric Grade A Trim B	Fabric Grade B Trim A	Fabric Grade B Trim B	Fabric Grade C Trim A	Fabric Grade C Trim B
16″(406mm) High										
14″(356mm)	24″(610mm)	UEFS-1624-FM			$1049.09	$1058.00	$1122.58	$1131.49	$1204.98	$1213.89
	30″(762mm)	UEFS-1630-FM			1089.17	1099.19	1162.66	1172.68	1245.06	1255.08
	36″(914mm)	UEFS-1636-FM			1129.25	1140.38	1202.74	1213.87	1285.14	1296.27
	42″(1067mm)	UEFS-1642-FM			1169.33	1181.57	1242.82	1255.06	1325.22	1337.46
	48″(1219mm)	UEFS-1648-FM			1209.41	1222.76	1282.90	1296.25	1365.30	1378.65
	54″(1372mm)	UEFS-1654-FM			1249.49	1263.95	1322.98	1337.44	1405.38	1419.84
	60″(1524mm)	UEFS-1660-FM			1438.78	1454.35	1512.27	1527.84	1594.67	1610.24
	66″(1676mm)	UEFS-1666-FM			1728.27	1744.95	1801.76	1818.44	1884.16	1900.84
	72″(1829mm)	UEFS-1672-FM			2023.37	2041.16	2096.86	2114.65	2179.26	2197.05

Features

- Includes door front without lock, shelf with back stop, end panels, and hardware. Optional lock available.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Door stores on top of unit.
- Safety interlock prevents dislodgment from side panel trim rail slots.
- 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door.
- Shipped unassembled.

■ Available on RUSH with painted front and regular close only.

Specification Tips

- To be installed in panel component slots on same size panel or on a combinations of panels that equal the width of the storage unit.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Painted and fabric doors can be field retrofitted with slow close mechanism from eParts.
- Specify separate shelf gang clip NUB-1 for unbalanced configurations with greater than one row of storage units.

To Order, Specify:

1) Product number, including:

❶ Lock Options:

- **N** Non-Locking
- **L** Locking, add **$17.82** list.

❷ Close Option:

- **S** Slow Close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.
- No Specification required for regular close. ■

2) Trim color for shelf and end panels.
3) Trim color, or fabric for door.
4) Trim color for lock plug.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Standard Mount – Painted Door



UEFS-PM

Height	Depth	Width	Flipper Door Number ❶ ❷			Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEFS-1624-PM		■	$ 562.49	$ 565.83	$ 571.40	$ 574.74
		30″(762mm)	UEFS-1630-PM		■	589.22	593.12	599.24	603.14
		36″(914mm)	UEFS-1636-PM		■	615.95	620.41	627.08	631.54
		42″(1067mm)	UEFS-1642-PM		■	642.68	647.70	654.92	659.94
		48″(1219mm)	UEFS-1648-PM		■	669.41	674.99	682.76	688.34
		54″(1372mm)	UEFS-1654-PM		■	696.14	702.28	710.60	716.74
		60″(1524mm)	UEFS-1660-PM		■	788.57	795.27	804.14	810.84
		66″(1676mm)	UEFS-1666-PM		■	961.16	968.42	977.84	985.10
		72″(1829mm)	UEFS-1672-PM		■	1143.79	1151.61	1161.58	1169.40



UEKS-PM

Height	Depth	Width	Cabinet Door Number ❶		Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEKS-1624-PM		$ 948.88	$ 952.22	$ 957.79	$ 961.13
		30″(762mm)	UEKS-1630-PM		975.61	979.51	985.63	989.53
		36″(914mm)	UEKS-1636-PM		1002.34	1006.80	1013.47	1017.93
		42″(1067mm)	UEKS-1642-PM		1029.07	1034.09	1041.31	1046.33
		48″(1219mm)	UEKS-1648-PM		1093.66	1099.24	1107.01	1112.59
		54″(1372mm)	UEKS-1654-PM		1197.22	1203.36	1211.68	1217.82
		60″(1524mm)	UEKS-1660-PM		1308.57	1315.27	1324.14	1330.84
		66″(1676mm)	UEKS-1666-PM		1592.52	1599.78	1609.20	1616.46
		72″(1829mm)	UEKS-1672-PM		1865.35	1873.17	1883.14	1890.96



UEHS-PM

Height	Depth	Width	Single Slider Door Number ❶		Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEHS-1624-PM		$ 562.49	$ 565.83	$ 571.40	$ 574.74
		30″(762mm)	UEHS-1630-PM		589.22	593.12	599.24	603.14
		36″(914mm)	UEHS-1636-PM		615.95	620.41	627.08	631.54
		42″(1067mm)	UEHS-1642-PM		642.68	647.70	654.92	659.94
		48″(1219mm)	UEHS-1648-PM		669.41	674.99	682.76	688.34
		54″(1372mm)	UEHS-1654-PM		696.14	702.28	710.60	716.74
		60″(1524mm)	UEHS-1660-PM		788.57	795.27	804.14	810.84
		66″(1676mm)	UEHS-1666-PM		961.16	968.42	977.84	985.10
		72″(1829mm)	UEHS-1672-PM		1143.79	1151.61	1161.58	1169.40

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close. ■

2) Trim color for shelf and end panels.
3) Trim color for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Standard Mount – Translucent Door



UEFF-QM

Height	Depth	Width	Flipper Door Number ❶ ❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEFF-1624-QM	$ 887.73	$ 896.64	$1155.05	$1163.96
		30″(762mm)	UEFF-1630-QM	927.81	937.83	1195.13	1205.15
		36″(914mm)	UEFF-1636-QM	967.89	979.02	1235.21	1246.34
		42″(1067mm)	UEFF-1642-QM	1007.97	1020.21	1275.29	1287.53
		48″(1219mm)	UEFF-1648-QM	1048.05	1061.40	1315.37	1328.72
		54″(1372mm)	UEFF-1654-QM	1088.13	1102.59	1355.45	1369.91
		60″(1524mm)	UEFF-1660-QM	1225.08	1240.65	1492.40	1507.97
		66″(1676mm)	UEFF-1666-QM	1520.15	1536.83	1787.47	1804.15
		72″(1829mm)	UEFF-1672-QM	1741.75	1759.54	2009.07	2026.86



UEKF-QM

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEKF-1624-QM	$1441.14	$1450.05	$1708.46	$1717.37
		30″(762mm)	UEKF-1630-QM	1497.93	1507.95	1822.04	1833.17
		36″(914mm)	UEKF-1636-QM	1554.72	1565.85	1822.04	1833.17
		42″(1067mm)	UEKF-1642-QM	1611.51	1623.75	1878.83	1891.07
		48″(1219mm)	UEKF-1648-QM	1687.22	1700.57	1954.54	1967.89
		54″(1372mm)	UEKF-1654-QM	1853.15	1867.61	2120.47	2134.93
		60″(1524mm)	UEKF-1660-QM	2021.28	2036.85	2288.60	2304.17
		66″(1676mm)	UEKF-1666-QM	2449.97	2466.65	2717.29	2733.97
		72″(1829mm)	UEKF-1672-QM	2862.00	2879.79	3129.32	3147.11



UEHF-QM

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEHF-1624-QM	$ 887.73	$ 896.64	$1155.05	$1163.96
		30″(762mm)	UEHF-1630-QM	927.81	937.83	1195.13	1205.15
		36″(914mm)	UEHF-1636-QM	967.89	979.02	1235.21	1246.34
		42″(1067mm)	UEHF-1642-QM	1007.97	1020.21	1275.29	1287.53
		48″(1219mm)	UEHF-1648-QM	1048.05	1061.40	1315.37	1328.72
		54″(1372mm)	UEHF-1654-QM	1088.13	1102.59	1355.45	1369.91
		60″(1524mm)	UEHF-1660-QM	1225.08	1240.65	1492.40	1507.97
		66″(1676mm)	UEHF-1666-QM	1520.15	1536.83	1787.47	1804.15
		72″(1829mm)	UEHF-1672-QM	1741.75	1759.54	2009.07	2026.86

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Trim color for door.
4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Standard Mount – Wood Door



UEFS-WM

Height	Depth	Width	Flipper Door Number ❶ ❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEFS-1624-WM	$ 925.50	$ 934.41	$ 990.09	$ 999.00
		30″(762mm)	UEFS-1630-WM	968.94	978.96	1033.53	1043.55
		36″(914mm)	UEFS-1636-WM	1012.38	1023.51	1076.97	1088.10
		42″(1067mm)	UEFS-1642-WM	1055.82	1068.06	1120.41	1132.65
		48″(1219mm)	UEFS-1648-WM	1099.26	1112.61	1163.85	1177.20
		54″(1372mm)	UEFS-1654-WM	1142.70	1157.16	1207.29	1221.75
		60″(1524mm)	UEFS-1660-WM	1321.99	1337.56	1386.58	1402.15
		66″(1676mm)	UEFS-1666-WM	1594.81	1611.49	1659.40	1676.08
		72″(1829mm)	UEFS-1672-WM	1889.91	1907.70	1954.50	1972.29



UEKS-WM

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEKS-1624-WM	$1525.68	$1534.59	$1590.27	$1599.18
		30″(762mm)	UEKS-1630-WM	1575.81	1585.83	1640.40	1650.42
		36″(914mm)	UEKS-1636-WM	1625.94	1637.07	1690.53	1701.66
		42″(1067mm)	UEKS-1642-WM	1676.07	1688.31	1740.66	1752.90
		48″(1219mm)	UEKS-1648-WM	1746.23	1759.58	1810.82	1824.17
		54″(1372mm)	UEKS-1654-WM	1927.77	1942.23	1992.36	2006.82
		60″(1524mm)	UEKS-1660-WM	2112.64	2128.21	2177.23	2192.80
		66″(1676mm)	UEKS-1666-WM	2563.62	2580.30	2628.21	2644.89
		72″(1829mm)	UEKS-1672-WM	3003.50	3021.29	3068.09	3085.88



UEHS-WM

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEHS-1624-WM	$ 925.50	$ 934.41	$ 990.09	$ 999.00
		30″(762mm)	UEHS-1630-WM	968.94	978.96	1033.53	1043.55
		36″(914mm)	UEHS-1636-WM	1012.38	1023.51	1076.97	1088.10
		42″(1067mm)	UEHS-1642-WM	1055.82	1068.06	1120.41	1132.65
		48″(1219mm)	UEHS-1648-WM	1099.26	1112.61	1163.85	1177.20
		54″(1372mm)	UEHS-1654-WM	1142.70	1157.16	1207.29	1221.75
		60″(1524mm)	UEHS-1660-WM	1321.99	1337.56	1386.58	1402.15
		66″(1676mm)	UEHS-1666-WM	1594.81	1611.49	1659.40	1676.08
		72″(1829mm)	UEHS-1672-WM	1889.91	1907.70	1954.50	1972.29

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is available.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Wood finish for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Standard Mount – Laminate Door



UEFS-LM

Height	Depth	Width	Flipper Door Number ❶ ❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEFS-1624-LM	$ 768.49	$ 777.40	$ 785.20	$ 794.11
		30″(762mm)	UEFS-1630-LM	815.26	825.28	831.97	841.99
		36″(914mm)	UEFS-1636-LM	862.03	873.16	878.74	889.87
		42″(1067mm)	UEFS-1642-LM	908.80	921.04	925.51	937.75
		48″(1219mm)	UEFS-1648-LM	955.57	968.92	972.28	985.63
		54″(1372mm)	UEFS-1654-LM	1002.34	1016.80	1019.05	1033.51
		60″(1524mm)	UEFS-1660-LM	1117.03	1132.60	1133.74	1149.31
		66″(1676mm)	UEFS-1666-LM	1370.90	1387.58	1387.61	1404.29
		72″(1829mm)	UEFS-1672-LM	1625.91	1643.70	1642.62	1660.41



UEKS-LM

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEKS-1624-LM	$1321.90	$1330.81	$1338.61	$1347.52
		30″(762mm)	UEKS-1630-LM	1368.67	1378.69	1385.38	1395.40
		36″(914mm)	UEKS-1636-LM	1415.44	1426.57	1432.15	1443.28
		42″(1067mm)	UEKS-1642-LM	1462.21	1474.45	1478.92	1491.16
		48″(1219mm)	UEKS-1648-LM	1529.01	1542.36	1545.72	1559.07
		54″(1372mm)	UEKS-1654-LM	1688.25	1702.71	1704.96	1719.42
		60″(1524mm)	UEKS-1660-LM	1845.25	1860.82	1861.96	1877.53
		66″(1676mm)	UEKS-1666-LM	2245.00	2261.68	2261.71	2278.39
		72″(1829mm)	UEKS-1672-LM	2630.30	2648.09	2647.01	2664.80



UEHS-LM

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEHS-1624-LM	$ 768.49	$ 777.40	$ 785.20	$ 794.11
		30″(762mm)	UEHS-1630-LM	815.26	825.28	831.97	841.99
		36″(914mm)	UEHS-1636-LM	862.03	873.16	878.74	889.87
		42″(1067mm)	UEHS-1642-LM	908.80	921.04	925.51	937.75
		48″(1219mm)	UEHS-1648-LM	955.57	968.92	972.28	985.63
		54″(1372mm)	UEHS-1654-LM	1002.34	1016.80	1019.05	1033.51
		60″(1524mm)	UEHS-1660-LM	1117.03	1132.60	1133.74	1149.31
		66″(1676mm)	UEHS-1666-LM	1370.90	1387.58	1387.61	1404.29
		72″(1829mm)	UEHS-1672-LM	1625.91	1643.70	1642.62	1660.41

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Standard mount overhead storage unit cannot be retrofitted to up mount overhead storage unit.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color.
5) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Up Mount – Painted Door



UEGS-PM



UELS-PM



UEJS-PM

Height	Depth	Width	Flipper Door Number ❶ ❷			Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEGS-1624-PM		■	$797.45	$800.79	$806.36	$809.70
		30″(762mm)	UEGS-1630-PM		■	824.18	828.08	834.20	838.10
		36″(914mm)	UEGS-1636-PM		■	850.91	855.37	862.04	866.50
		42″(1067mm)	UEGS-1642-PM		■	877.64	882.66	889.88	894.90
		48″(1219mm)	UEGS-1648-PM		■	904.37	909.95	917.72	923.30

Height	Depth	Width	Cabinet Door Number ❶	Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UELS-1624-PM	$1359.77	$1363.11	$1368.68	$1372.02
		30″(762mm)	UELS-1630-PM	1386.50	1390.40	1396.52	1400.42
		36″(914mm)	UELS-1636-PM	1413.23	1417.69	1424.36	1428.82
		42″(1067mm)	UELS-1642-PM	1439.96	1444.98	1452.20	1457.22
		48″(1219mm)	UELS-1648-PM	1504.55	1510.13	1517.90	1523.48

Height	Depth	Width	Single Slider Door Number ❶	Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEJS-1624-PM	$797.45	$800.79	$806.36	$809.70
		30″(762mm)	UEJS-1630-PM	824.18	828.08	834.20	838.10
		36″(914mm)	UEJS-1636-PM	850.91	855.37	862.04	866.50
		42″(1067mm)	UEJS-1642-PM	877.64	882.66	889.88	894.90
		48″(1219mm)	UEJS-1648-PM	904.37	909.95	917.72	923.30

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48″-56″(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close. ■

2) Trim color for shelf and end panels.
3) Trim color for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Up Mount – Translucent Door



UEGF-QM



UELF-QM



UEJF-QM

Height	Depth	Width	Flipper Door Number ❶ ❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEGF-1624-QM	$1257.41	$1266.32	$1524.73	$1533.64
		30″(762mm)	UEGF-1630-QM	1297.49	1307.51	1564.81	1574.83
		36″(914mm)	UEGF-1636-QM	1337.57	1348.70	1604.89	1616.02
		42″(1067mm)	UEGF-1642-QM	1377.65	1389.89	1644.97	1657.21
		48″(1219mm)	UEGF-1648-QM	1417.73	1431.08	1685.05	1698.40

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UELF-1624-QM	$2075.84	$2084.75	$2343.16	$2352.07
		30″(762mm)	UELF-1630-QM	2132.63	2142.65	2399.95	2409.97
		36″(914mm)	UELF-1636-QM	2189.42	2200.55	2456.74	2467.87
		42″(1067mm)	UELF-1642-QM	2246.21	2258.45	2513.53	2525.77
		48″(1219mm)	UELF-1648-QM	2321.92	2335.27	2589.24	2602.59

Height	Depth	Width	Single Slider Door Number ❶	White Price	Price	Patterned Price	Price
16″(406mm)	14″(356mm)	24″(610mm)	UEJF-1624-QM	$1257.41	$1266.32	$1524.73	$1533.64
		30″(762mm)	UEJF-1630-QM	1297.49	1307.51	1564.81	1574.83
		36″(914mm)	UEJF-1636-QM	1337.57	1348.70	1604.89	1616.02
		42″(1067mm)	UEJF-1642-QM	1377.65	1389.89	1644.97	1657.21
		48″(1219mm)	UEJF-1648-QM	1417.73	1431.08	1685.05	1698.40

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48″-56″(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Translucent color for door.
4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Up Mount – Wood Door



UEGS-WM



UELS-WM



UEJS-WM

Height	Depth	Width	Flipper Door Number ❶ ❷	Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEGS-1624-WM	$1278.48	$1287.39	$1343.07	$1351.98
		30″(762mm)	UEGS-1630-WM	1321.92	1331.94	1386.51	1396.53
		36″(914mm)	UEGS-1636-WM	1365.36	1376.49	1429.95	1441.08
		42″(1067mm)	UEGS-1642-WM	1408.80	1421.04	1473.39	1485.63
		48″(1219mm)	UEGS-1648-WM	1452.24	1465.59	1516.83	1530.18

Height	Depth	Width	Cabinet Door Number ❶	Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UELS-1624-WM	$2196.00	$2204.91	$2260.59	$2269.50
		30″(762mm)	UELS-1630-WM	2246.13	2256.15	2310.72	2320.74
		36″(914mm)	UELS-1636-WM	2296.26	2307.39	2360.85	2371.98
		42″(1067mm)	UELS-1642-WM	2346.39	2358.63	2410.98	2423.22
		48″(1219mm)	UELS-1648-WM	2416.55	2429.90	2481.14	2494.49

Height	Depth	Width	Single Slider Door Number ❶	Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UEJS-1624-WM	$1278.48	$1287.39	$1343.07	$1351.98
		30″(762mm)	UEJS-1630-WM	1321.92	1331.94	1386.51	1396.53
		36″(914mm)	UEJS-1636-WM	1365.36	1376.49	1429.95	1441.08
		42″(1067mm)	UEJS-1642-WM	1408.80	1421.04	1473.39	1485.63
		48″(1219mm)	UEJS-1648-WM	1452.24	1465.59	1516.83	1530.18

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48″-56″(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Wood finish for door.
4) Trim color for lock housing, if applicable.

Adaptable Upper Storage

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Up Mount – Laminate Door



UEGS-LM



UELS-LM



UEJS-LM

Height	Depth	Width	Flipper Door Number ❶ ❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEGS-1624-LM	**$1105.89**	**$1114.80**	**$1122.60**	**$1131.51**
		30″(762mm)	UEGS-1630-LM	**1152.66**	**1162.68**	**1169.37**	**1179.39**
		36″(914mm)	UEGS-1636-LM	**1199.43**	**1210.56**	**1216.14**	**1227.27**
		42″(1067mm)	UEGS-1642-LM	**1246.20**	**1258.44**	**1262.91**	**1275.15**
		48″(1219mm)	UEGS-1648-LM	**1292.97**	**1306.32**	**1309.68**	**1323.03**

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UELS-1624-LM	**$1909.84**	**$1918.75**	**$1926.55**	**$1935.46**
		30″(762mm)	UELS-1630-LM	**1956.61**	**1966.63**	**1973.32**	**1983.34**
		36″(914mm)	UELS-1636-LM	**2003.38**	**2014.51**	**2020.09**	**2031.22**
		42″(1067mm)	UELS-1642-LM	**2050.15**	**2062.39**	**2066.86**	**2079.10**
		48″(1219mm)	UELS-1648-LM	**2116.95**	**2130.30**	**2133.66**	**2147.01**

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UEJS-1624-LM	**$1105.89**	**$1114.80**	**$1122.60**	**$1131.51**
		30″(762mm)	UEJS-1630-LM	**1152.66**	**1162.68**	**1169.37**	**1179.39**
		36″(914mm)	UEJS-1636-LM	**1199.43**	**1210.56**	**1216.14**	**1227.27**
		42″(1067mm)	UEJS-1642-LM	**1246.20**	**1258.44**	**1262.91**	**1275.15**
		48″(1219mm)	UEJS-1648-LM	**1292.97**	**1306.32**	**1309.68**	**1323.03**

Features

- Includes door front without lock, top shelf, bottom shelf with full back, mounting brackets, end panels, and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Up-Mount brackets are color-matched to case.
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from panel component slots.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″(1219mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Doors shipped separate - remainder of the unit shipped unassembled.

Specification Tips

- To be installed in component slots on same size panel or on a combination of panels that equal the width of the storage unit.
- Specify separate shelf gang clip for unbalanced configurations with greater than one row of overhead storage units.
- Doors cannot be retrofitted with locks.
- Up mount overhead storage unit cannot be retrofitted to Standard overhead storage unit.
- Recommended for single row application.
- Recommended for use with 48″-56″(1219mm-1422mm) high panel configurations.
- Using up mount overheads limits allowable panel runs to 10 feet maximum and requires worksurfaces use side-mount brackets, worksurface support panels or other form of floor support. (Fully cantilevered worksurfaces are not allowed). Return panels on each end must equal height of panel run and depth of worksurface.
- Cannot be installed above a slat pad, tackboard, markerboard, or add-on glazed panel.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.

To Order, Specify:

1) Product number, including:

❶ Locking Option:

- **N** Non-locking
- **L** Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

- **S** Slow close, add **$291.74** list.
- No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color.
5) Trim color for lock housing, if applicable.

Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Wall Mount — Painted or Fabric Radius Edge Front



UUFS-RW
UUFS-FW

Height	Depth	Width	Painted Number ❶❷			Painted Grade A A	Painted Grade A B	Painted Grade B A	Painted Grade B B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-RW		■	$ 995.64	$ 998.98	$1004.55	$1007.89
		30″(762mm)	UUFS-1630-RW		■	1039.08	1042.98	1049.10	1053.00
		36″(914mm)	UUFS-1636-RW		■	1082.52	1086.98	1093.65	1098.11
		42″(1067mm)	UUFS-1642-RW		■	1125.96	1130.98	1138.20	1143.22
		48″(1219mm)	UUFS-1648-RW		■	1169.40	1174.98	1182.75	1188.33
		54″(1372mm)	UUFS-1654-RW		■	1212.84	1218.98	1227.30	1233.44
		60″(1524mm)	UUFS-1660-RW		■	1379.88	1386.58	1395.45	1402.15
		66″(1676mm)	UUFS-1666-RW		■	1679.42	1686.68	1696.10	1703.36
		72″(1829mm)	UUFS-1672-RW		■	1978.98	1986.80	1996.77	2004.59

Inside Dimensions

Height	12 3/4″(324mm)
Depth	13 1/4″(337mm)

Door Dimensions

Radius	.375″(10mm)

Height	Depth	Width	Fabric Door Number ❶❷			Fabric Grade A A	Fabric Grade A B	Fabric Grade B A	Fabric Grade B B	Fabric Grade C A	Fabric Grade C B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-FW			$1102.55	$1111.46	$1176.04	$1184.95	$1258.44	$1267.35
		30″(762mm)	UUFS-1630-FW			1142.63	1152.65	1216.12	1226.14	1298.52	1308.54
		36″(914mm)	UUFS-1636-FW			1182.71	1193.84	1256.20	1267.33	1338.60	1349.73
		42″(1067mm)	UUFS-1642-FW			1222.79	1235.03	1296.28	1308.52	1378.68	1390.92
		48″(1219mm)	UUFS-1648-FW			1262.87	1276.22	1336.36	1349.71	1418.76	1432.11
		54″(1372mm)	UUFS-1654-FW			1302.95	1317.41	1376.44	1390.90	1458.84	1473.30
		60″(1524mm)	UUFS-1660-FW			1492.24	1507.81	1565.73	1581.30	1648.13	1663.70
		66″(1676mm)	UUFS-1666-FW			1781.73	1798.41	1855.22	1871.90	1937.62	1954.30
		72″(1829mm)	UUFS-1672-FW			2076.83	2094.62	2150.32	2168.11	2232.72	2250.51

Features

- Includes top shelf, bottom shelf with back stop, end panels, doors, angle adjustment bracket and wall attachment bar.
- For lock options, refer to Lock Program Price List.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 12 1/4″(311mm)
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Door stores on top of unit.
- 66″(1676mm) and 72″(1829mm) units have two doors with one lock per door if locking option is specified.
- Optional non-structural back is available.
- Shipped unassembled.

■ Available on RUSH with painted front and regular close only.

Specification Tips

- Doors cannot be retrofitted with locks.
- Painted and fabric doors can be field retrofitted with slow close mechanism from eParts.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Wall mount overhead storage units cannot be retrofitted to:
  –Upmount overhead storage unit
  –Standard overhead storage unit

To Order, Specify:

1) Product number, including:

❶ Lock Options:

- **N** Non-Locking
- **L** Locking, add **$17.82** list.

❷ Close Options:

- **S** Slow Close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.
- No Specification required for regular close. ■

2) Trim color for case.
3) Trim or fabric color for front.
4) Trim color for lock plug.

Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Wall Mount – Painted Door



UUFS-PW

Height	Depth	Width	Flipper Door Number ❶ ❷			Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-PW		■	$ 608.14	$ 611.48	$ 617.05	$ 620.39
		30″(762mm)	UUFS-1630-PW		■	634.87	638.77	644.89	648.79
		36″(914mm)	UUFS-1636-PW		■	661.60	666.06	672.73	677.19
		42″(1067mm)	UUFS-1642-PW		■	688.33	693.35	700.57	705.59
		48″(1219mm)	UUFS-1648-PW		■	715.06	720.64	728.41	733.99
		54″(1372mm)	UUFS-1654-PW		■	741.79	747.93	756.25	762.39
		60″(1524mm)	UUFS-1660-PW		■	834.22	840.92	849.79	856.49
		66″(1676mm)	UUFS-1666-PW		■	1006.81	1014.07	1023.49	1030.75
		72″(1829mm)	UUFS-1672-PW		■	1189.44	1197.26	1207.23	1215.05



UUKS-PW

Height	Depth	Width	Cabinet Door Number ❶		Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-PW		$ 994.53	$ 997.87	$1003.44	$1006.78
		30″(762mm)	UUKS-1630-PW		1021.26	1025.16	1031.28	1035.18
		36″(914mm)	UUKS-1636-PW		1047.99	1052.45	1059.12	1063.58
		42″(1067mm)	UUKS-1642-PW		1074.72	1079.74	1086.96	1091.98
		48″(1219mm)	UUKS-1648-PW		1139.31	1144.89	1152.66	1158.24
		54″(1372mm)	UUKS-1654-PW		1242.87	1249.01	1257.33	1263.47
		60″(1524mm)	UUKS-1660-PW		1354.22	1360.92	1369.79	1376.49
		66″(1676mm)	UUKS-1666-PW		1638.17	1645.43	1654.85	1662.11
		72″(1829mm)	UUKS-1672-PW		1911.00	1918.82	1928.79	1936.61



UUHS-PW

Height	Depth	Width	Single Slider Door Number ❶		Trim A A	Trim A B	Trim B A	Trim B B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-PW		$ 608.14	$ 611.48	$ 617.05	$ 620.39
		30″(762mm)	UUHS-1630-PW		634.87	638.77	644.89	648.79
		36″(914mm)	UUHS-1636-PW		661.60	666.06	672.73	677.19
		42″(1067mm)	UUHS-1642-PW		688.33	693.35	700.57	705.59
		48″(1219mm)	UUHS-1648-PW		715.06	720.64	728.41	733.99
		54″(1372mm)	UUHS-1654-PW		741.79	747.93	756.25	762.39
		60″(1524mm)	UUHS-1660-PW		834.22	840.92	849.79	856.49
		66″(1676mm)	UUHS-1666-PW		1006.81	1014.07	1023.49	1030.75
		72″(1829mm)	UUHS-1672-PW		1189.44	1197.26	1207.23	1215.05

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

■ Available on RUSH with standard close only.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
  –Upmount overhead storage unit
  –Standard overhead storage unit

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close. ■

2) Trim color for shelf and end panels.
3) Trim color for door.
4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group VIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Wall Mount – Translucent Door



UUFF-QW

Height	Depth	Width	Flipper Door Number ❶ ❷	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFF-1624-QW	$1097.07	$1105.98	$1364.39	$1373.30
		30″(762mm)	UUFF-1630-QW	1137.15	1147.17	1404.47	1414.49
		36″(914mm)	UUFF-1636-QW	1177.23	1188.36	1444.55	1455.68
		42″(1067mm)	UUFF-1642-QW	1217.31	1229.55	1484.63	1496.87
		48″(1219mm)	UUFF-1648-QW	1257.39	1270.74	1524.71	1538.06
		54″(1372mm)	UUFF-1654-QW	1297.47	1311.93	1564.79	1579.25
		60″(1524mm)	UUFF-1660-QW	1434.42	1449.99	1701.74	1717.31
		66″(1676mm)	UUFF-1666-QW	1729.49	1746.17	1996.81	2013.49
		72″(1829mm)	UUFF-1672-QW	1951.09	1968.88	2218.41	2236.20



UUKF-QW

Height	Depth	Width	Cabinet Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKF-1624-QW	$1650.48	$1659.39	$1917.80	$1926.71
		30″(762mm)	UUKF-1630-QW	1707.27	1717.29	1974.59	1984.61
		36″(914mm)	UUKF-1636-QW	1764.06	1775.19	2031.38	2042.51
		42″(1067mm)	UUKF-1642-QW	1820.85	1833.09	2088.17	2100.41
		48″(1219mm)	UUKF-1648-QW	1896.56	1909.91	2163.88	2177.23
		54″(1372mm)	UUKF-1654-QW	2062.49	2076.95	2329.81	2344.27
		60″(1524mm)	UUKF-1660-QW	2230.62	2246.19	2497.94	2513.51
		66″(1676mm)	UUKF-1666-QW	2659.31	2675.99	2926.63	2943.31
		72″(1829mm)	UUKF-1672-QW	3071.34	3089.13	3338.66	3356.45



UUHF-QW

Height	Depth	Width	Single Slider Door Number ❶	White Trim A	White Trim B	Patterned Trim A	Patterned Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHF-1624-QW	$1097.07	$1105.98	$1364.39	$1373.30
		30″(762mm)	UUHF-1630-QW	1137.15	1147.17	1404.47	1414.49
		36″(914mm)	UUHF-1636-QW	1177.23	1188.36	1444.55	1455.68
		42″(1067mm)	UUHF-1642-QW	1217.31	1229.55	1484.63	1496.87
		48″(1219mm)	UUHF-1648-QW	1257.39	1270.74	1524.71	1538.06
		54″(1372mm)	UUHF-1654-QW	1297.47	1311.93	1564.79	1579.25
		60″(1524mm)	UUHF-1660-QW	1434.42	1449.99	1701.74	1717.31
		66″(1676mm)	UUHF-1666-QW	1729.49	1746.17	1996.81	2013.49
		72″(1829mm)	UUHF-1672-QW	1951.09	1968.88	2218.41	2236.20

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
  –Upmount overhead storage unit
  –Standard overhead storage unit

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Translucent color for door.
4) Trim color for lock housing, if applicable.

Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Wall Mount – Wood Door



UUFS-WW

Height	Depth	Width	Flipper Door Number ❶ ❷	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-WW	$1070.25	$1079.16	$1134.84	$1143.75
		30″(762mm)	UUFS-1630-WW	1113.69	1123.71	1178.28	1188.30
		36″(914mm)	UUFS-1636-WW	1157.13	1168.26	1221.72	1232.85
		42″(1067mm)	UUFS-1642-WW	1200.57	1212.81	1265.16	1277.40
		48″(1219mm)	UUFS-1648-WW	1244.01	1257.36	1308.60	1321.95
		54″(1372mm)	UUFS-1654-WW	1287.45	1301.91	1352.04	1366.50
		60″(1524mm)	UUFS-1660-WW	1466.74	1482.31	1531.33	1546.90
		66″(1676mm)	UUFS-1666-WW	1739.56	1756.24	1804.15	1820.83
		72″(1829mm)	UUFS-1672-WW	2034.66	2052.45	2099.25	2117.04



UUKS-WW

Height	Depth	Width	Cabinet Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-WW	$1779.56	$1788.47	$1844.15	$1853.06
		30″(762mm)	UUKS-1630-WW	1829.69	1839.71	1894.28	1904.30
		36″(914mm)	UUKS-1636-WW	1879.82	1890.95	1944.41	1955.54
		42″(1067mm)	UUKS-1642-WW	1929.95	1942.19	1994.54	2006.78
		48″(1219mm)	UUKS-1648-WW	2000.11	2013.46	2064.70	2078.05
		54″(1372mm)	UUKS-1654-WW	2181.65	2196.11	2246.24	2260.70
		60″(1524mm)	UUKS-1660-WW	2366.52	2382.09	2431.11	2446.68
		66″(1676mm)	UUKS-1666-WW	2817.50	2834.18	2882.09	2898.77
		72″(1829mm)	UUKS-1672-WW	3257.38	3275.17	3321.97	3339.76



UUHS-WW

Height	Depth	Width	Single Slider Door Number ❶	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-WW	$1070.25	$1079.16	$1134.84	$1143.75
		30″(762mm)	UUHS-1630-WW	1113.69	1123.71	1178.28	1188.30
		36″(914mm)	UUHS-1636-WW	1157.13	1168.26	1221.72	1232.85
		42″(1067mm)	UUHS-1642-WW	1200.57	1212.81	1265.16	1277.40
		48″(1219mm)	UUHS-1648-WW	1244.01	1257.36	1308.60	1321.95
		54″(1372mm)	UUHS-1654-WW	1287.45	1301.91	1352.04	1366.50
		60″(1524mm)	UUHS-1660-WW	1466.74	1482.31	1531.33	1546.90
		66″(1676mm)	UUHS-1666-WW	1739.56	1756.24	1804.15	1820.83
		72″(1829mm)	UUHS-1672-WW	2034.66	2052.45	2099.25	2117.04

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
  –Upmount overhead storage unit
  –Standard overhead storage unit

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Wood finish for door.
4) Trim color for lock housing, if applicable.

Class CA – SIN 711-1; Discount Group VIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Wall Mount Components

for use with UniGroup Too, UniGroup, PLACES

Overhead Storage Unit, Wall Mount – Laminate Door



UUFS-LW

Height	Depth	Width	Flipper Door Number ❶ ❷	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUFS-1624-LW	$ 918.82	$ 927.73	$ 935.53	$ 944.44
		30″(762mm)	UUFS-1630-LW	965.59	975.61	982.30	992.32
		36″(914mm)	UUFS-1636-LW	1012.36	1023.49	1029.07	1040.20
		42″(1067mm)	UUFS-1642-LW	1059.13	1071.37	1075.84	1088.08
		48″(1219mm)	UUFS-1648-LW	1105.90	1119.25	1122.61	1135.96
		54″(1372mm)	UUFS-1654-LW	1152.67	1167.13	1169.38	1183.84
		60″(1524mm)	UUFS-1660-LW	1267.36	1282.93	1284.07	1299.64
		66″(1676mm)	UUFS-1666-LW	1521.23	1537.91	1537.94	1554.62
		72″(1829mm)	UUFS-1672-LW	1776.24	1794.03	1792.95	1810.74



UUKS-LW

Height	Depth	Width	Cabinet Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUKS-1624-LW	$1472.23	$1481.14	$1488.94	$1497.85
		30″(762mm)	UUKS-1630-LW	1519.00	1529.02	1535.71	1545.73
		36″(914mm)	UUKS-1636-LW	1565.77	1576.90	1582.48	1593.61
		42″(1067mm)	UUKS-1642-LW	1612.54	1624.78	1629.25	1641.49
		48″(1219mm)	UUKS-1648-LW	1679.34	1692.69	1696.05	1709.40
		54″(1372mm)	UUKS-1654-LW	1838.58	1853.04	1855.29	1869.75
		60″(1524mm)	UUKS-1660-LW	1995.58	2011.15	2012.29	2027.86
		66″(1676mm)	UUKS-1666-LW	2395.33	2412.01	2412.04	2428.72
		72″(1829mm)	UUKS-1672-LW	2780.63	2798.42	2797.34	2815.13



UUHS-LW

Height	Depth	Width	Single Slider Door Number ❶	Laminate A Trim A	Laminate A Trim B	Laminate B Trim A	Laminate B Trim B
16″(406mm)	14″(356mm)	24″(610mm)	UUHS-1624-LW	$ 918.82	$ 927.73	$ 935.53	$ 944.44
		30″(762mm)	UUHS-1630-LW	965.59	975.61	982.30	992.32
		36″(914mm)	UUHS-1636-LW	1012.36	1023.49	1029.07	1040.20
		42″(1067mm)	UUHS-1642-LW	1059.13	1071.37	1075.84	1088.08
		48″(1219mm)	UUHS-1648-LW	1105.90	1119.25	1122.61	1135.96
		54″(1372mm)	UUHS-1654-LW	1152.67	1167.13	1169.38	1183.84
		60″(1524mm)	UUHS-1660-LW	1267.36	1282.93	1284.07	1299.64
		66″(1676mm)	UUHS-1666-LW	1521.23	1537.91	1537.94	1554.62
		72″(1829mm)	UUHS-1672-LW	1776.24	1794.03	1792.95	1810.74

Features

- Includes door front without lock, top shelf, bottom shelf with back stop, end panels, wall attachment bar, angle attachment bracket and hardware. Optional locks available.
- Inside dimensions:
  –Height: 12 3/4″(324mm)
  –Depth: 13 1/4″(337mm)
- Locks are available in black or chrome.
- For lock options, refer to Lock Program Price List.
- Accepts separately specified task lights.
- Safety interlock prevents dislodgement from wall.
- Flipper Door - 66″(1676mm) and 72″(1829mm) units have two doors, one lock per door if locking option is specified.
- Flipper door stores on top of unit.
- Cabinet Door - 24″-42″(610mm-1067mm) units have two cabinet doors with one lock if locking option is specified.
  - 48″-72″(1219mm-1829mm) units have four cabinet doors with two locks if locking option is specified.
- Single Slider Door - Door is half the width of the unit.
- Optional non-structural back is available.
- Shipped unassembled.

Specification Tips

- Doors cannot be retrofitted with locks.
- Must be properly anchored to a structural wall.
- Anchors are not provided, must be field supplied.
- Flipper doors can be field retrofitted with slow close mechanism from eParts.
- Wall mount overhead storage units cannot be retrofitted to:
  –Upmount overhead storage unit
  –Standard overhead storage unit

To Order, Specify:

1) Product number, including:

❶ Locking Option:

N Non-locking

L Locking, add **$17.82** list.

❷ Close Option: (Flipper door only)

S Slow close, add **$291.74** list. 66″ and 72″ wide units, add **$583.48** list.

No specification required for standard close.

2) Trim color for shelf and end panels.
3) Laminate color for door.
4) Edgeband color.
5) Trim color for lock housing, if applicable.

Shelf Accessories

Adaptable Shelf Dividers



NADR-8
Class CA

Height	Depth	Width	Number	Trim A	Trim B
4″(102mm)	13 1/4″(337mm)	1 3/4″(44mm)	NADR-8 ■	**$193.46**	**$206.95**

Features
- Includes box of eight shelf dividers.
- To be used to divide space laterally on panel mounted shelves or up mount shelves, standard or up mount overhead storage units, or vertical storage units, Adaptable open shelf and Adaptable overhead storage unit.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

UniGroup Shelf Dividers



SD-12
Class CA

Height	Depth	Width	Number	Price
3 13/16″(97mm)	3 1/4″(83mm)	12 1/4″(311mm)	SD-12 ■	**$293.16**

Features
- Includes eight shelf dividers.
- Formed lips attach to shelf.
- For use with UniGroup low and regular shelves.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Non-metallic trim color.

UniGroup Shelf Back Guard



HBG
Class BA

2 3/4″(70mm)	24″(610mm)	HBG-0024	**$42.85**
	30″(762mm)	HBG-0030	**56.33**
	36″(914mm)	HBG-0036	**49.59**
	42″(1067mm)	HBG-0042	**69.81**
	48″(1219mm)	HBG-0048	**63.07**
	54″(1372mm)	HBG-0054	**76.55**
	60″(1524mm)	HBG-0060	**83.29**

Features
- Includes back guard and attachment hardware.
- Provides protection of the panel fabric.
- For use with UniGroup low and regular shelves.
- Shelf thickness is 3/4″(19mm).
- Field installed using existing screw locations on shelf.

To Order, Specify:
1) Product number.
2) Non-metallic trim color.

Wall Track



WT
Class CA

Height	Depth	Width	Number	Trim A	Trim B
60″(1524mm)	3/4″(19mm)	5/8″(16mm)	WT-60 ■	**$131.62**	**$138.17**
72″(1829mm)			WT-72 ■	**154.52**	**161.07**
84″(2134mm)			WT-84 ■	**177.42**	**183.97**

Features
- Includes two wall tracks and attachment screws (#10 2 1/2″ long).
- For attachment of components to structural walls.
- See installation instructions for proper mounting.

Specification Tip
- Not for use with up-mount overhead storage unit.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for track.

Wall Mount Components

Back for Wall Mounted Overhead Storage Unit



UUFB-P

Outside Height	Width	Number	Trim A	Trim B
16″(406mm)	24″(610mm)	UUFB-0024-P	$ 78.74	$102.71
	30″(762mm)	UUFB-0030-P	84.45	108.42
	36″(914mm)	UUFB-0036-P	90.16	114.13
	42″(1067mm)	UUFB-0042-P	95.87	119.84
	48″(1219mm)	UUFB-0048-P	101.58	125.55
	54″(1372mm)	UUFB-0054-P	107.29	131.26
	60″(1524mm)	UUFB-0060-P	113.00	136.97
	66″(1676mm)	UUFB-0066-P	118.71	142.68
	72″(1829mm)	UUFB-0072-P	124.42	148.39

Features

- Includes one painted back and mounting hardware.
- Used to cover wall mount attachment brackets.

Specification Tips

- For use on Wall Mount Overhead Storage Units only.
- Back must match width of Wall Mounted Overhead Storage Units.

To Order, Specify:

1) Product number.
2) Trim color.

Worksurface Wall Bracket



ZUBW-PN

Number	Price
ZUBW-0000-PN	$22.50

Features

- Includes one bracket and worksurface or worksurface support panel mounting screws.
- **Screws/anchors for attachment to wall are field supplied.**
- Worksurface to wall application
  –Partially supports the back of a worksurface in wall mount application when a vertical wall track is not desired.
- Worksurface Support Panel to wall application
  –Attaches a worksurface support panel (ZZFS) to a building wall in a wall mount application when a vertical wall track is not desired.
- Standard in black finish only.

Specification Tips

- **Must be properly anchored to a structural wall.**
- Worksurface front corners support requirements:
  –One corner must be floor supported.
  –Second corner must be either floor supported or attached to an adjacent worksurface with a flush mount kit.
  –The distance between these floor supports may not exceed 10 feet.

Bracket Requirements

Length of a particular worksurface adjacent to the wall (inches)	Min # of Brackets Required (qty)
12-47	2
48-83	3
84-120	4

To Order, Specify:

1) Product number.
(No finish specification required.)

Wall Mount Components

Tackboard, Wall Mount



KUAF

Nominal Height	Width	Number	Fabric Grade A	B	C	E	F	G
16″(406mm)	24″(610mm)	KUAF-1624 ■	$199.26	$209.34	$210.82	$225.18	$272.14	$289.13
	30″(762mm)	KUAF-1630 ■	209.34	221.09	224.48	242.87	292.64	311.31
	36″(914mm)	KUAF-1636 ■	219.42	232.84	238.14	260.56	313.14	333.49
	42″(1067mm)	KUAF-1642 ■	229.50	244.59	251.80	278.25	333.64	355.67
	48″(1219mm)	KUAF-1648 ■	239.58	256.34	265.46	295.94	354.14	377.85
	60″(1524mm)	KUAF-1660 ■	259.74	279.84	292.78	331.32	395.14	422.21

Feature
- Includes one tackboard and attachment hardware.

■ Available on RUSH.

Specification Tip
- Designed to be used under wall mounted overhead storage units.

To Order, Specify:
1) Product number.
2) Fabric surface and color.

Markerboard, Wall Mount



KUAM

Nominal Height	Width	Number	Price
16″(406mm)	24″(610mm)	KUAM-1624	$251.77
	30″(762mm)	KUAM-1630	268.48
	36″(914mm)	KUAM-1636	285.19
	42″(1067mm)	KUAM-1642	301.90
	48″(1219mm)	KUAM-1648	318.61
	60″(1524mm)	KUAM-1660	352.03
24″(610mm)	24″(610mm)	KUAM-2424	$345.35
	30″(762mm)	KUAM-2430	362.06
	36″(914mm)	KUAM-2436	378.77
	42″(1067mm)	KUAM-2442	395.48
	48″(1219mm)	KUAM-2448	412.19
	60″(1524mm)	KUAM-2460	445.61
32″(813mm)	24″(610mm)	KUAM-3224	$438.93
	30″(762mm)	KUAM-3230	455.64
	36″(914mm)	KUAM-3236	472.35
	42″(1067mm)	KUAM-3242	489.06
	48″(1219mm)	KUAM-3248	505.77
	60″(1524mm)	KUAM-3260	539.19

Features
- Non-magnetic white laminate erasable writing surface with tray.
- Markers and erasers not included.

Specification Tips
- Designed to be used under wall mounted overhead storage units.
- Does not allow task light cord to pass behind.
- **The following products are recommended to maintain the markerboard appearance:**
  –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  –Markerboard cleaner and conditioner, order part# 7031-7001.
  –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:
1) Product number.
(No finish specification required.)

Slat, Wall Mount



KUPY

Nominal Height	Width	Number	Trim A	B
16″(406mm)	18″(457mm)	KUPY-1618	$238.30	$242.71
	24″(610mm)	KUPY-1624	257.97	263.48
	30″(762mm)	KUPY-1630	277.64	284.25
	36″(914mm)	KUPY-1636	297.31	305.02
	42″(1067mm)	KUPY-1642	316.98	325.79
	48″(1219mm)	KUPY-1648	336.65	346.56
	60″(1524mm)	KUPY-1660	375.99	388.10

Features
- Includes slat tile & attachment brackets.
- Jump Stuff slat tile tools may be used.

Specification Tips
- Designed to be used under wall mounted overhead storage units.
- Allows space for task light cord routing.

To Order, Specify:
1) Product number.
2) Trim color.

Class CA – SIN 711-1; Discount Group I
Canadian Conversion Factor: Refer to haworth.com/Canada

Tack Strips/Tackboards

Tack Strip

HTB

Height	Thickness	Width	Number	Fabric Grade A	B	C	E	F	G
5″(127mm)	1″(25mm)	24″(610mm)	HTB-2405 ■	$173.78	$199.78	$229.25	$291.66	$335.00	$361.00
		30″(762mm)	HTB-3005 ■	181.23	208.34	239.08	304.17	349.36	376.48
		36″(914mm)	HTB-3605 ■	188.68	216.90	248.91	316.68	363.72	391.96
		42″(1067mm)	HTB-4205 ■	196.13	225.46	258.74	329.19	378.08	407.44
		48″(1219mm)	HTB-4805 ■	203.58	234.02	268.57	341.70	392.44	422.92
		54″(1372mm)	HTB-5405 ■	211.03	242.58	278.40	354.21	406.80	438.40
		60″(1524mm)	HTB-6005 ■	218.48	251.14	288.23	366.72	421.16	453.88

Features

- Includes tack strip and attachment hardware.
- HTB tack strips can be applied to all panel surface types except PLACES monolithic high performance panel.
- Tack strip to be installed on one or more panels of equivalent widths when designated tack area is required or can be mounted to wall track.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Tackboard



HTB

Height	Thickness	Width	Number	A	B	C	E	F	G
11″(279mm)	1″(25mm)	24″(610mm)	HTB-2411 ■	$203.54	$234.04	$268.61	$341.70	$392.42	$422.92
16″(406mm)			HTB-2416 ■	228.34	262.59	301.41	383.40	440.27	474.52
33″(838mm)			HTB-2433 ■	312.66	359.66	412.93	525.18	602.96	649.96
11″(279mm)		30″(762mm)	HTB-3011 ■	$210.99	$242.60	$278.44	$354.21	$406.78	$438.40
16″(406mm)			HTB-3016 ■	235.79	271.15	311.24	395.91	454.63	490.00
33″(838mm)			HTB-3033 ■	320.11	368.22	422.76	537.69	617.32	665.44
11″(279mm)		36″(914mm)	HTB-3611 ■	$218.44	$251.16	$288.27	$366.72	$421.14	$453.88
16″(406mm)			HTB-3616 ■	243.24	279.71	321.07	408.42	468.99	505.48
33″(838mm)			HTB-3633 ■	327.56	376.78	432.59	550.20	631.68	680.92
11″(279mm)		42″(1067mm)	HTB-4211 ■	$225.89	$259.72	$298.10	$379.23	$435.50	$469.36
16″(406mm)			HTB-4216 ■	250.69	288.27	330.90	420.93	483.35	520.96
33″(838mm)			HTB-4233 ■	335.01	385.34	442.42	562.71	646.04	696.40
11″(279mm)		48″(1219mm)	HTB-4811 ■	$233.34	$268.28	$307.93	$391.74	$449.86	$484.84
16″(406mm)			HTB-4816 ■	258.14	296.83	340.73	433.44	497.71	536.44
33″(838mm)			HTB-4833 ■	342.46	393.90	452.25	575.22	660.40	711.88
11″(279mm)		54″(1372mm)	HTB-5411 ■	$240.79	$276.84	$317.76	$404.25	$464.22	$500.32
16″(406mm)			HTB-5416 ■	265.59	305.39	350.56	445.95	512.07	551.92
33″(838mm)			HTB-5433 ■	349.91	402.46	462.08	587.73	674.76	727.36
11″(279mm)		60″(1524mm)	HTB-6011 ■	$248.24	$285.40	$327.59	$416.76	$478.58	$515.80
16″(406mm)			HTB-6016 ■	273.04	313.95	360.39	458.46	526.43	567.40
33″(838mm)			HTB-6033 ■	357.36	411.02	471.91	600.24	689.12	742.84

Features

- Includes tackboard and attachment hardware.
- HTB tackboards can be applied to all panel surface types except PLACES monolithic high performance panel.
- Tackboard to be installed on one or more panels of equivalent widths when designated tack area required or can be mounted to wall track.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Tack Strips/Tackboards

for use with PLACES Monolithic High Performance Acoustical Panels Only

Tack Strip — Monolithic High-Performance Acoustical Panels

HTB-H

Height	Thickness	Width	Number	Fabric Grade A	B	C	E	F	G
5″(127mm)	1″(25mm)	24″(610mm)	HTB-2405-H	**$194.89**	**$220.89**	**$250.36**	**$312.77**	**$356.11**	**$382.11**
		30″(762mm)	HTB-3005-H	**202.34**	**229.45**	**260.19**	**325.28**	**370.47**	**397.59**
		36″(914mm)	HTB-3605-H	**209.79**	**238.01**	**270.02**	**337.79**	**384.83**	**413.07**
		42″(1067mm)	HTB-4205-H	**217.24**	**246.57**	**279.85**	**350.30**	**399.19**	**428.55**
		48″(1219mm)	HTB-4805-H	**224.69**	**255.13**	**289.68**	**362.81**	**413.55**	**444.03**
		54″(1372mm)	HTB-5405-H	**232.14**	**263.69**	**299.51**	**375.32**	**427.91**	**459.51**
		60″(1524mm)	HTB-6005-H	**239.59**	**272.25**	**309.34**	**387.83**	**442.27**	**474.99**

Features

- Includes tack strip and attachment hardware to accommodate monolithic high-performance acoustical panels.
- **HTB-H tack strips are for use with high-performance acoustical panels only.**

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Tackboard — Monolithic High-Performance Acoustical Panels



HTB-H

11″(279mm)	1″(25mm)	24″(610mm)	HTB-2411-H	**$224.65**	**$255.15**	**$289.72**	**$362.81**	**$413.53**	**$444.03**
16″(406mm)			HTB-2416-H	**249.45**	**283.70**	**322.52**	**404.51**	**461.38**	**495.63**
33″(838mm)			HTB-2433-H	**333.77**	**380.77**	**434.04**	**546.29**	**624.07**	**671.07**
11″(279mm)		30″(762mm)	HTB-3011-H	**$232.10**	**$263.71**	**$299.55**	**$375.32**	**$427.89**	**$459.51**
16″(406mm)			HTB-3016-H	**256.90**	**292.26**	**332.35**	**417.02**	**475.74**	**511.11**
33″(838mm)			HTB-3033-H	**341.22**	**389.33**	**443.87**	**558.80**	**638.43**	**686.55**
11″(279mm)		36″(914mm)	HTB-3611-H	**$239.55**	**$272.27**	**$309.38**	**$387.83**	**$442.25**	**$474.99**
16″(406mm)			HTB-3616-H	**264.35**	**300.82**	**342.18**	**429.53**	**490.10**	**526.59**
33″(838mm)			HTB-3633-H	**348.67**	**397.89**	**453.70**	**571.31**	**652.79**	**702.03**
11″(279mm)		42″(1067mm)	HTB-4211-H	**$247.00**	**$280.83**	**$319.21**	**$400.34**	**$456.61**	**$490.47**
16″(406mm)			HTB-4216-H	**271.80**	**309.38**	**352.01**	**442.04**	**504.46**	**542.07**
33″(838mm)			HTB-4233-H	**356.12**	**406.45**	**463.53**	**583.82**	**667.15**	**717.51**
11″(279mm)		48″(1219mm)	HTB-4811-H	**$254.45**	**$289.39**	**$329.04**	**$412.85**	**$470.97**	**$505.95**
16″(406mm)			HTB-4816-H	**279.25**	**317.94**	**361.84**	**454.55**	**518.82**	**557.55**
33″(838mm)			HTB-4833-H	**363.57**	**415.01**	**473.36**	**596.33**	**681.51**	**732.99**
11″(279mm)		54″(1372mm)	HTB-5411-H	**$261.90**	**$297.95**	**$338.87**	**$425.36**	**$485.33**	**$521.43**
16″(406mm)			HTB-5416-H	**286.70**	**326.50**	**371.67**	**467.06**	**533.18**	**573.03**
33″(838mm)			HTB-5433-H	**371.02**	**423.57**	**483.19**	**608.84**	**695.87**	**748.47**
11″(279mm)		60″(1524mm)	HTB-6011-H	**$269.35**	**$306.51**	**$348.70**	**$437.87**	**$499.69**	**$536.91**
16″(406mm)			HTB-6016-H	**294.15**	**335.06**	**381.50**	**479.57**	**547.54**	**588.51**
33″(838mm)			HTB-6033-H	**378.47**	**432.13**	**493.02**	**621.35**	**710.23**	**763.95**

Features

- Includes tackboard and attachment hardware.
- **HTB-H tackboards are for use with high-performance acoustical panels only.**

To Order, Specify:

1) Product number.
2) Fabric surface and color.

Markerboards/Wall Accessory Slat Pad

for use with UniGroup Too, UniGroup, PLACES

Markerboard — Non-Magnetic Surface



MEAM
Class CA

HNAM
Class BA

Height	Depth	Width	Number	Price
16″(406mm)	3 1/4″(83mm)	30″(762mm)	MEAM-3016 ■	**$305.67**
		36″(914mm)	MEAM-3616 ■	**322.50**
		42″(1067mm)	MEAM-4216 ■	**339.33**
		48″(1219mm)	MEAM-4816 ■	**356.16**
		60″(1524mm)	MEAM-6016 ■	**389.82**
23 1/8″(587mm)	3 1/4″(83mm)	30″(762mm)	HNAM-3023 ■	**$368.83**
		36″(914mm)	HNAM-3623 ■	**395.87**
		42″(1067mm)	HNAM-4223 ■	**422.91**
		48″(1219mm)	HNAM-4823 ■	**449.95**
		60″(1524mm)	HNAM-6023 ■	**504.03**
48 1/8″(1222mm)	3 1/4″(83mm)	60″(1524mm)	HNAM-6048 ■	**$677.09**

Features

- Includes markerboard and tray.
- White erasable writing surface with tray for storage of dry erase markers and eraser.
- Markers and erasers not included.
- Non-magnetic.
- Tray is standard in charcoal and edge is standard in white finish colors.
- May be used on wall track.

■ Available on RUSH.

Specification Tips

- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
(No finish specification required.)

Markerboard — Magnetic Surface



HMB
Class BA

28″(711mm)	3 7/16″(87mm)	30″(762mm)	HMB-3028	**$ 688.46**
		36″(914mm)	HMB-3628	**719.96**
		42″(1067mm)	HMB-4228	**751.46**
		48″(1219mm)	HMB-4828	**782.96**
		54″(1372mm)	HMB-5428	**814.46**
		60″(1524mm)	HMB-6028	**845.96**
52″(1321mm)	3 7/16″(87mm)	36″(914mm)	HMB-3652	**$1046.68**
		42″(1067mm)	HMB-4252	**1078.18**
		48″(1219mm)	HMB-4852	**1109.68**
		54″(1372mm)	HMB-5452	**1141.18**
		60″(1524mm)	HMB-6052	**1172.68**

Features

- Includes markerboard and tray.
- Cream color erasable writing surface with tray for storage of dry erase markers and eraser.
- Markers and erasers not included.
- Shipped completely assembled.
- Magnetic.
- May be used on wall track.

Specification Tips

- **The following products are recommended to maintain the markerboard appearance:**
  - –Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001.
  - –Markerboard cleaner and conditioner, order part# 7031-7001.
  - –Markerboard spray cleaner, order part# 7031-7002.

To Order, Specify:

1) Product number.
2) Non-metallic trim color.

Wall Accessory Slat Pad



HGRY
Class BA

Height	Width	Number	Trim A	Trim B
16″(406mm)	24″(610mm)	HGRY-2416	**$230.60**	**$259.43**
	30″(762mm)	HGRY-3016	**255.09**	**283.92**
	36″(914mm)	HGRY-3616	**279.41**	**308.24**
	42″(1067mm)	HGRY-4216	**303.90**	**332.73**
	48″(1219mm)	HGRY-4816	**328.22**	**357.05**
	54″(1372mm)	HGRY-5416	**352.71**	**381.54**
	60″(1524mm)	HGRY-6016	**377.04**	**405.87**

Features

- Includes one pad, end caps and attachment brackets.
- Assembled slat pad thickness is 3/8″(10mm).

Specification Tips

- Attaches to a UniGroup Too, UniGroup or PLACES panel or a combination of panels that equal the pad width.
- Designed to work with Jump Stuff slat pad tools.
- Can be mounted under a shelf or overhead storage unit.
- Intended to provide paper management capabilities.
- May be used on wall track.

To Order, Specify:

1) Product number.
2) Trim color.

Markerboard Accessories

Markerboard Accesssories



7062-8001

7031-7002

7031-7001

Description	Number	Price
Dry Erase Marker Kit (holder, six markers and eraser)	7062-8001	**$115.73**
Cleaner and Conditioner	7031-7001	**125.58**
Spray Cleaner	7031-7002	**42.18**

Feature

- Recommended dry erase marker products to maintain, clean & condition markerboards.

To Order, Specify:

1) Product number
(No finish specification required.)

Canadian Conversion Factor: Refer to haworth.com/Canada

Belong Work Tools Mounting Rails

for use with Adaptable Worksurfaces

Tool Rail — Worksurface Mount C-Clamp or Thru-Mount



KUR1-1224-CSN

Rail Height	Width	Description	Number	Price A	Price B
1 3/16″(30mm) Thick Top					
4″(102mm)	24″(610mm)	C-Clamp	KUR1-1224-CSN	**$264.99**	**$276.89**
	30″(762mm)		KUR1-1230-CSN	**279.05**	**292.03**
	36″(914mm)		KUR1-1236-CSN	**293.11**	**307.17**
	42″(1067mm)		KUR1-1242-CSN	**307.17**	**322.31**
	48″(1219mm)		KUR1-1248-CSN	**321.23**	**337.45**
	54″(1372mm)		KUR1-1254-CSN	**335.29**	**352.59**
	60″(1524mm)		KUR1-1260-CSN	**421.82**	**440.20**
2″(51mm) thick Top					
4″(102mm)	24″(610mm)	C-Clamp	KUR1-1224-CMN	**$264.99**	**$276.89**
	30″(762mm)		KUR1-1230-CMN	**279.05**	**292.03**
	36″(914mm)		KUR1-1236-CMN	**293.11**	**307.17**
	42″(1067mm)		KUR1-1242-CMN	**307.17**	**322.31**
	48″(1219mm)		KUR1-1248-CMN	**321.23**	**337.45**
	54″(1372mm)		KUR1-1254-CMN	**335.29**	**352.59**
	60″(1524mm)		KUR1-1260-CMN	**421.82**	**440.20**
1 3/16″(30mm) Thick Top					
4″(102mm)	24″(610mm)	Thru-mount	KUR1-1224-TSN	**$264.99**	**$276.89**
	30″(762mm)		KUR1-1230-TSN	**279.05**	**292.03**
	36″(914mm)		KUR1-1236-TSN	**293.11**	**307.17**
	42″(1067mm)		KUR1-1242-TSN	**307.17**	**322.31**
	48″(1219mm)		KUR1-1248-TSN	**321.23**	**337.45**
	54″(1372mm)		KUR1-1254-TSN	**335.29**	**352.59**
	60″(1524mm)		KUR1-1260-TSN	**421.82**	**440.20**
2″(51mm) thick Top					
4″(102mm)	24″(610mm)	Thru-mount	KUR1-1224-TMN	**$264.99**	**$276.89**
	30″(762mm)		KUR1-1230-TMN	**279.05**	**292.03**
	36″(914mm)		KUR1-1236-TMN	**293.11**	**307.17**
	42″(1067mm)		KUR1-1242-TMN	**307.17**	**322.31**
	48″(1219mm)		KUR1-1248-TMN	**321.23**	**337.45**
	54″(1372mm)		KUR1-1254-TMN	**335.29**	**352.59**
	60″(1524mm)		KUR1-1260-TMN	**421.82**	**440.20**

Features

- Includes one double sided rail with two posts, two rail end caps and attachment hardware.
- Mounts to worksurface to support rail tools.
- 1 3/16″(30mm) C-clamp Rail mounts on worksurfaces from 3/4″(19mm) to 1 3/4″(44mm) thick.
- Thru-mount Rail mounts on 1 3/16″(30mm) thick worksurfaces.
- Posts are 1 1/4″(32mm) thick.
- Belong Rail tools separately specified.
- Belong Work Tools or JumpStuff Slat Pad Tools may be used; separately specified.
- Rail overall height above worksurface: 11 13/16″(300mm).
- Distance between rail bottom and top of worksurface: 7 7/16″(189mm).
- Ships unassembled.

Specification Tips

- Designed for single sided Reside desking and single sided benching applications.
- **Not designed to be used in front of panel mounted accessories (tackboard, markerboard).**
- Rail holds up to a maximum of 40 pounds(18.14kg) evenly distributed on one side.
- Rail may be installed off modular.
- Heavy load application; additional posts can be ordered.
- Monitor arm cannot be mounted in post positions.
- Thru-mount post can be attached flush to back edge of worksurface.
- C-clamp rail can be attached to panel mounted worksurface with notch or radius wireways without removing the worksurface.
- Under worksurface: 4″(102mm) of clearance is necessary between back of worksurface and adjacent component for clamp attachment.
- Gap between screen and horizontal surface allows installation of Belong Tool Rail.
- Utility tray provides clearance for installation of Belong Tool Rail.
- Refer to Specification Guide for planning rules.

Note: No more than 6″(152mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Trim color for rail/post.
3) Trim color for rail end caps:
   TR-K Charcoal
   TR-J Graphite
   TR-FM Snow

Belong Work Tools Mounting Rails

for use with Adaptable Worksurfaces

Tool Rail — Single Post — C-Clamp or Thru-mount



KUP1-0000-CSN

Post Height	Description	Number	Price A	Price B
1 3/16″(30mm) Thick Top				
7 1/2″(191mm)	C-Clamp	KUP1-0000-CSN	**$82.20**	**$88.69**
2″(51mm) Thick Top				
7 1/2″(191mm)	C-Clamp	KUP1-0000-CMN	**$82.20**	**$88.69**
1 3/16″(30mm) Thick Top				
7 1/2″(191mm)	Thru-mount	KUP1-0000-TSN	**$82.20**	**$88.69**
2″(51mm) Thick Top				
7 1/2″(191mm)	Thru-mount	KUP1-0000-TMN	**$82.20**	**$88.69**

Features

- Includes one C-clamp or one Thru-mount Post and attachment hardware.
- Posts mount on worksurfaces 1 13/16″-2″(46mm-51mm) thick.
- Posts are 1 1/4″(32mm) thick.

Specification Tips

- Posts supports slide along rail bottom groove.
- For use with C-clamp or Thru-mount tool rail only.
- Monitor arm cannot be mounted in post position.
- Extra single posts can be ordered when additional support for monitor arms and paper management are attached to Tool Rail.
- Refer to Specification Guide for planning rules.

To Order, Specify:

1) Product number.
2) Trim color.

Belong Work Tools — Accessories

for use with UniGroup Too, UniGroup, PLACES

Open C Cubby



KUCU-0915-BNN



KUCU-1215-BNS

Class YA – SIN 711-2,
Discount Group XIII

Height	Depth	Width	Description	Number	Price A	Price B
9″(229mm)	10″(254mm)	15″(381mm)	Freestanding	KUCU-0915-BNN	**$ 90.85**	**$101.67**
12″(305mm)	10″(254mm)	15″(381mm)	Freestanding	KUCU-1215-BNN	**95.18**	**106.00**
12″(305mm)	10″(254mm)	15″(381mm)	With Slots	KUCU-1215-BNS	**106.00**	**116.82**

Features

- Includes one Open C Cubby.
- Freestanding Open C Cubby's designed for supporting binders and books.
- Open C Cubby with slots allows use of Belong Work Tools or JumpStuff Slat Pad Tools; separately specified.
- Open C Cubby's can be used in Beside Overhead Storage.

To Order, Specify:

1) Product number.
2) Trim color.

Paper Tray — Landscape



KUPT-0913-H



KUPT-0913-F

Class YA – SIN 711-2,
Discount Group XIII

Height	Depth	Width	Description	Number	Price
1 1/2″(38mm)	8 7/8″(225mm)	12 3/4″(324mm)	Slat — Document Tray	KUPT-0913-H	**$22.71**
2 1/2″(64mm)	8 7/8″(225mm)	12 3/4″(324mm)	Freestanding — Stacking Tray	KUPT-0913-F	**27.04**

Features

- Includes one plastic tray.
- Slat document tray mounts on Belong rail, Belong slat tile and Beside stanchion kit.
- Slat document tray supports maximum of one ream (5 pounds/2.3kg) of paper.
- Freestanding stacking tray is freestanding and stacks 4 high.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

Tool Cup



KUTC-0000-H

Class YA – SIN 711-2,
Discount Group XIII

3 1/2″(89mm)	2 1/2″(64mm)	2 1/2″(64mm)		KUTC-0000-H	**$19.47**

Features

- Includes one plastic tool cup.
- Tool cup mounts on:
  –Belong rail
  –Belong slat tile
  –Beside stanchion
  –Open C Cubby with slots
- Can also be used in freestanding applications.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-K Charcoal
   TR-FM Snow

Note: Snow (TR-FM) plastic trim color is not recommended for use with painted trim colors Plaster (TR-TW) or Chalk (TR-AK). Refer to Very® Seating chainset for Snow.

iPad Attachment



KU6T

Class YA – GSA: Open Market

Height	Width	Number	Price
7.88″(200mm)	8″(203mm)	KU6T-0000	**$270.40**

Features

- Includes one steel tablet holder with cutouts and mounting hardware.
- Works with tablets size 6.75″-7.5″(171-191mm) wide and at least 7″(178mm) high with a 1/2″(13mm) maximum thickness.
- Mounts directly onto the Extend Arm with standard VESA 100mm connection.
- Rotates from landscape orientation to portrait orientation.
- Cutouts allow for use of cables.

Specification Tips

- Designed to be used with Extend Arm.
- iPad not included.

To Order, Specify:

1) Product number.
2) Trim color.
   TR-SR Silver
   TR-0F Black
   TR-0W White

Work Tools

Jump Stuff Slat Tile Tools

Binder Bin



DTSB-3

Height	Depth	Width	Number	Price
12 1/2″(318mm)	10 1/2″(267mm)	6 1/2″(165mm)	DTSB-3 ■	**$47.90**

Features

- Mounts on slat pad. Can also be used in freestanding applications.
- Bin accommodates two 3″(76mm) thick binders.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Tote



DTTE-3



DTTH-3

Height	Depth	Width	Description	Number	Price
10″(254mm)	4″(102mm)	13″(330mm)	Tote	DTTE-3 ■	**$55.70**
			Tote, clips, and strap	DTTH-3 ■	**79.10**

Features

- Mounts on slat pad.
- Clip and strap standard in black.
- Fits in lateral files.
- Accommodates hanging files.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Tack Strip



DTTS-12
DTTS-24

Height	Depth	Width	Number	Price
2 1/2″(64mm)	1/2″(13mm)	12″(305mm)	DTTS-12 ■	**$27.85**
		24″(610mm)	DTTS-24 ■	**33.42**

Features

- Mounts on slat pad.
- Brown and black cork and rubber composite material.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Non-metallic trim color for brackets.

Gooseneck Kit



DTGK-3

			DTGK-3 ■	**$58.41**

Features

- Includes two flex arms, two base clips, assortment of three tops (one grip clip, one round top, and one flower top) and two stick-on clips.
- Mounts on slat pad to display miscellaneous notes/items or anywhere with stick-on clips.
- Stick-on clips include double-sided tape.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Mini Shelf



DMSP

Height	Depth	Width	Number	Laminate A	Laminate B
1 3/4″(44mm)	6 1/4″(159mm)	18″(457mm)	DMSP-18 ■	**$ 97.56**	**$105.35**
		24″(610mm)	DMSP-24 ■	**102.01**	**109.80**
		30″(762mm)	DMSP-30 ■	**106.43**	**114.22**
		36″(914mm)	DMSP-36 ■	**110.87**	**118.66**
		42″(1067mm)	DMSP-42 ■	**115.29**	**123.08**
		48″(1219mm)	DMSP-48 ■	**119.71**	**127.50**

Features

- Includes shelf and brackets.
- Mounts on slat pad.
- Shelf thickness 3/4″(19mm)
- Designed for lightweight accessories.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Shelf trim color.
3) Edgeband color.
4) Trim color for brackets.
   Trim B, add **$2.23** list.

Class YA – SIN 711-2; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Work Tools

Jump Stuff Slat Tile Tools

	Height	Depth	Width	Number	Price
Phone Shelf	2 1/2″(64mm)	11 1/4″(286mm)	9″(229mm)	DTPT-3 ■	**$75.75**



DTPT-3

Features
- Includes phone shelf and bracket.
- Mounts on slat pad at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Phone Shelf Bracket	1 1/2″(38mm)	11″(279mm)	7 1/2″(191mm)	DTBS-3 ■	**$46.79**



DTBS-3

Feature
- Used to convert DTPT-1 for mounting rail phone shelf to slat pad.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for bracket. Trim B, add **$2.23** list.

Personal Shelf	1 3/4″(44mm)	11″(279mm)	8″(203mm)	DTES-3 ■	**$52.36**



DTES-3

Features
- Includes mounting bracket and personal shelf.
- Mounts on rail at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Personal Shelf Bracket				DTAR-3 ■	**$34.54**



DTAR-3

Feature
- Used in combination with DTPR-3 or DTES-3 for mounting rail personal shelf or paper sorter to slat pad.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for bracket. Trim B, add **$2.23** list.

Paper Sorter	9 1/4″(235mm)	11″(279mm)	9″-12″(229mm-305mm)	DTPR-3 ■	**$63.50**



DTPR-3

Features
- Includes three dividers, one shelf, and mounting bracket.
- Mounts on slat pad.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.
3) Trim color for bracket. Trim B, add **$2.23** list.

Work Tools

Jump Stuff Rail and Slat Tile Tools

	Height	Depth	Width	Number	Price
Tool Cup	5 1/2″(140mm)	3 1/2″(89mm)	4″(102mm)	DTWC-2 ■	**$20.05**



DTWC-2

Feature

- Mounts on rail and slat pad. Can also be used in freestanding applications.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Letter Tray	2 1/2″(64mm)	12″(305mm)	10 1/2″(267mm)	DTLT-2 ■	**$23.40**



DTLT-2

Features

- Mounts on rail at 60° angle or horizontally.
- Mounts on slat pad horizontally.
- Can also be used in freestanding applications.
- Use Letter Tray Stacking Brackets (DTLS-2) to convert to stacking letter trays.
- Supports maximum of one ream (five pounds/2.3 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Work Style Kits — Slat Tile Mounted

File Master Kit



DPKP-S
DBKP-S

Mounting System	Slat Pad Width	Packaging	Number	Price
Slat Pad	69″(1753mm)	Pre-Packaged	DPKP-S	**$437.82**
Slat Pad		Bulk-Packaged	DBKP-S	**383.23**

Features

- Kit includes gooseneck kit, two paper sorters, two letter trays, phone shelf, tote, tool cup, and binder bin.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for brackets. Trim B, add **$9.28** list.

Task Master Kit



DPKT-S
DBKT-S

Slat Pad	51″(1295mm)	Pre-Packaged	DPKT-S	**$419.49**
Slat Pad		Bulk-Packaged	DBKT-S	**367.05**

Features

- Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, tote, two grip clips, two pile dividers, and tool cup.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for brackets. Trim B, add **$9.28** list.

Mini Master Kit



DPKS-S
DBKS-S

Slat Pad	49″(1245mm)	Pre-Packaged	DPKS-S	**$278.51**
Slat Pad		Bulk-Packaged	DBKS-S ■	**236.17**

Features

- Kit includes gooseneck kit, paper sorter, two letter trays, phone shelf, and tool cup.
- Mounts on separately specified slat pad.
- Ships either pre-packaged or bulk-packaged.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

■ Available on RUSH.

Note: Minimum 10 kits required to order as bulk-packaged.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Trim color for brackets. Trim B, add **$6.68** list.

Work Tools

Jump Stuff Freestanding Tools

Waste Bin



DTRB

Height	Depth	Width	Description	Number	Price
15 1/2″(394mm)	12″(305mm)	13″(330mm)	Black	DTRB-1B ■	**$44.56**
				DTRB-1 ■	**59.05**

Features

- Used in freestanding applications.
- Five gallon capacity.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Letter Tray Stacking Kit



DTLS-2

Height	Depth	Width	Number	Price
8″(203mm)	12″(305mm)	10 1/2″(267mm)	DTLS-2 ■	**$60.16**

Features

- Includes three letter trays and two stacking brackets.
- Used in freestanding applications.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Letter Tray Stacking Bracket



DTSB-1

2 1/4″(57mm)	5″(127mm)	9 1/2″(241mm)	DTSB-1 ■	**$16.71**

Features

- Includes two stacking brackets.
- Used in freestanding applications.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.

Tote Strap



DTHT-1

DTHT-1 ■	**$25.63**

Features

- Includes strap and two clips.
- Strap is 27″(686mm) long and non-adjustable.
- Converts DTTE-3 to DTTH-3.
- Standard in black.

■ Available on RUSH.

To Order, Specify:

1) Product number.
(No finish specification required.)

Work Tools

Jump Stuff Rail Mounting Systems

Panel Mount Rail



DSR-H

Height	Depth	Width	Description	Number	Price
4 1/2″(114mm)	7″(178mm)	24″(610mm)	Two Supports	DSR-24-H	**$ 85.18**
		30″(762mm)		DSR-30-H	**90.86**
		36″(914mm)		DSR-36-H	**96.54**
		42″(1067mm)		DSR-42-H	**102.22**
		48″(1219mm)		DSR-48-H	**107.90**
		60″(1524mm)		DSR-60-H	**119.26**

Features

- Includes two supports, one rail with two end caps.
- Mounts to PREMISE, PLACES and UniGroup panel side rails to support rail tools.
- Rail tools ordered separately.
- Rail is standard in brushed aluminum.

Specification Tips

- Supports maximum load of 50 pounds (23kg), evenly distributed.
- Can be mounted on Haworth wall track.
- Can span one or more panels equivalent to rail width.
- Mounts approximately 18″(457mm) below overhead storage units and 7″(178mm) above worksurfaces.
- Rail should not be mounted directly in front of tackboards.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Worksurface Mount Rail



DSR-W

Height	Depth	Width	Description	Number	Price
7″(178mm)	7″(178mm)	24″(610mm)	One Support	DSR-24-W	**$160.13**
		30″(762mm)		DSR-30-W	**165.81**
		36″(914mm)	Two Supports	DSR-36-W	**$171.49**
		42″(1067mm)		DSR-42-W	**177.17**
		48″(1219mm)		DSR-48-W	**182.85**
		60″(1524mm)		DSR-60-W	**194.21**

Features

- Includes support(s) with mounting clamp(s) and one rail with two end caps.
- Mounts to worksurface to support rail tools.
- Mounts on worksurfaces from 3/4″(19mm) to 1 3/4″(44mm) thick. With minimum of 1/4″(6mm) of clearance depth does not require worksurface removal.
- Rail tools ordered separately.
- Rail is standard in brushed aluminum.

Specification Tips

- Single support holds up to a maximum of 25 pounds (11kg), evenly distributed. Double support holds up to a maximum of 50 pounds (23kg), evenly distributed.
- Can be installed off modular.
- Rail should not be mounted directly in front of tackboards.
- Under worksurface 4″(102mm) of clearance is necessary between back of worksurface and pedestal for clamp.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Work Tools

Jump Stuff Rail Mounting Systems

Freestanding Mount Rail



DSR-F

Height	Depth	Width	Description	Number	Price
7″(178mm)	9″(229mm)	24″(610mm)	Two Supports	DSR-24-F	**$198.75**
		30″(762mm)		DSR-30-F	**204.43**
		36″(914mm)		DSR-36-F	**210.11**
		42″(1067mm)		DSR-42-F	**215.79**
		48″(1219mm)		DSR-48-F	**221.47**
		60″(1524mm)		DSR-60-F	**232.83**

Features

- Includes two supports with feet, one rail with two end caps.
- Freestanding mount rail supports rail tools on most flat surfaces.
- Rail tools ordered separately.
- Supports maximum load of 50 pounds (23kg), evenly distributed.
- Rail is standard in brushed aluminum.

Note: No more than 12″(305mm) of rail can be extended beyond outside of support.

To Order, Specify:

1) Product number.
2) Metallic trim color for rail supports only.

Work Tools

Jump Stuff Rail Tools

	Height	Depth	Width	Number	Price
Phone Shelf	3″(76mm)	11″(279mm)	9″(229mm)	DTPT-1 ■	**$40.10**



DTPT-1

Features
- Mounts on rail at 30° angle.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Personal Shelf		11″(279mm)	8″(203mm)	DTES-1 ■	**$28.96**



DTES-1

Features
- Mounts on rail at 60° angle or horizontally.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Paper Sorter	9″(229mm)	11″(279mm)	9″-12″(229mm-305mm)	DTPR-1 ■	**$40.10**



DTPR-1

Features
- Includes three dividers and one shelf.
- Mounts horizontally on rail.
- Can also be used as a horizontal freestanding tray.
- Supports maximum of two reams (ten pounds/4.6 kilograms) of paper.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

	Packaging	Number	Price
Pile Master Kit	Pre-Packaged	DPKY-1 ■	**$268.49**



DPKY-1

Features
- Kit includes ten pile dividers.
- Requires no mounting rail.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Translucent trim color.

Work Tools

Jump Stuff Rail Work Style Kits

Team Master Kit



DPKC-48
DBKC-48

Mounting System	Packaging	Number	Price
Panel Mount*	Pre-Packaged	DPKC-48-H	**$641.69**
Worksurface Mount		DPKC-48-W	**817.71**
Freestanding Mount		DPKC-48-F	**770.92**
Panel Mount*	Bulk-Packaged	DBKC-48-H	**$544.77**
Worksurface Mount		DBKC-48-W	**720.79**
Freestanding Mount		DBKC-48-F	**674.00**

Feature

- Kit includes gooseneck kit, paper sorter, file frame, two pile dividers, disk box, phone caddy, sketch pad kit, 2-way display, catch-all tray, wire wraps, and one 48″(1219mm) wide rail mount with appropriate supports.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

File Master Kit



DPKP-48
DBKP-48

Panel Mount*	Pre-Packaged	DPKP-48-H ■	**$551.81**
Worksurface Mount		DPKP-48-W ■	**727.83**
Freestanding Mount		DPKP-48-F ■	**681.04**
Panel Mount*	Bulk-Packaged	DBKP-48-H	**$480.51**
Worksurface Mount		DBKP-48-W	**627.57**
Freestanding Mount		DBKP-48-F	**609.74**

Feature

- Kit includes 2-way tray, two paper sorters, phone caddy, gooseneck kit, sketch pad kit, file frame, catch-all tray, and one 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Task Master Kit

DPKT-48
DBKT-48

Panel Mount*	Pre-Packaged	DPKT-48-H ■	**$624.31**
Worksurface Mount		DPKT-48-W	**806.75**
Freestanding Mount		DPKT-48-F ■	**751.03**
Panel Mount*	Bulk-Packaged	DBKT-48-H	**$571.87**
Worksurface Mount		DBKT-48-W	**754.31**
Freestanding Mount		DBKT-48-F	**698.59**

Feature

- Kit includes gooseneck kit, two grip clips, paper sorter, file frame, two pile dividers, disk box, catch-all tray, 3-layer tray, sketch pad kit, phone caddy, wire wraps, and one 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Common Features

- Ships either pre-packaged or bulk-packaged.
- Pre-packaged ships in two cartons, one for rail system and one for tools.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

Note: Mounts to Compose, PREMISE, PLACES and UniGroup Panel frame slots/side rails to support rail tools.

Class YA – SIN 711-2; Discount Group XIII
Canadian Conversion Factor: Refer to haworth.com/Canada

Work Tools

Jump Stuff Rail Work Style Kits

Mini Master Kit



DPKS
DBKS

Mounting System	Rail Width	Packaging	Number	Price
Panel Mount	36″(914mm)	Pre-Packaged	DPKS-36-H ■	**$392.14**
Worksurface Mount			DPKS-36-W ■	**536.96**
Freestanding Mount			DPKS-36-F ■	**502.43**
Panel Mount	36″(914mm)	Bulk-Packaged	DBKS-36-H	**$349.80**
Worksurface Mount			DBKS-36-W	**494.62**
Freestanding Mount			DBKS-36-F	**460.09**
Panel Mount	48″(1219mm)	Pre-Packaged	DPKS-48-H ■	**$412.18**
Worksurface Mount			DPKS-48-W ■	**557.00**
Freestanding Mount			DPKS-48-F ■	**522.47**
Panel Mount	48″(1219mm)	Bulk-Packaged	DBKS-48-H	**$369.84**
Worksurface Mount			DBKS-48-W	**514.66**
Freestanding Mount			DBKS-48-F	**480.13**

Feature

- Kit includes paper sorter, catch-all tray, 2-way tray, gooseneck kit, phone caddy and one 36″(914mm) or 48″(1219mm) wide mounting rail with appropriate supports.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Translucent trim color.
3) Metallic trim color for rail supports only.

Common Features

- Ships either pre-packaged or bulk-packaged.
- Pre-packaged ships in two cartons, one for rail system and one for tools.
- Bulk-packaged offers reduced list price, and ships with each set of parts packaged in separate cartons.

Note: Minimum 10 kits required to order as bulk-packaged.

Note: Mounts to Compose, PREMISE, PLACES and UniGroup Panel frame slots/side rails to support rail tools.

Wire Grid System and Accessories

for use with UniGroup Too, UniGroup, PLACES

Grid



HGR

Height	Depth	Width	Number	Price
12″(305mm)	1 1/4″(32mm)	24″(610mm)	HGR-2412 ■	**$159.89**
		30″(762mm)	HGR-3012 ■	**171.22**
		36″(914mm)	HGR-3612 ■	**182.55**
		42″(1067mm)	HGR-4212 ■	**193.88**
		48″(1219mm)	HGR-4812 ■	**205.21**
		54″(1372mm)	HGR-5412 ■	**216.54**
		60″(1524mm)	HGR-6012 ■	**227.87**
16″(406mm)	1 1/4″(32mm)	24″(610mm)	HGR-2416 ■	**$159.89**
		30″(762mm)	HGR-3016 ■	**181.30**
		36″(914mm)	HGR-3616 ■	**192.63**
		42″(1067mm)	HGR-4216 ■	**203.96**
		48″(1219mm)	HGR-4816 ■	**215.29**
		54″(1372mm)	HGR-5416 ■	**226.62**
		60″(1524mm)	HGR-6016 ■	**237.95**

Features

- Grid attaches to panel side rails of corresponding widths or wall track.
- Grid holds optional accessories.
- 12″(305mm)-high grid is for under counter applications when mounted on a minimum 44″(1116mm)-high panel. Has 5 horizontal rails.
- 16″(406mm)-high grid is for placement under shelf or overhead storage unit above worksurface. Has six horizontal wires.
- Vertical brackets at each end of grid provide wire channels for management of task light power cord from fixture to worksurface.
- Can span two panels.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color.

Mailbox



HGMB-0002

Height	Depth	Width	Number	Trim A	Trim B
12 1/2″(318mm)	10 3/4″(273mm)	Grid mount	HGMB-0002 ■	**$155.93**	**$185.87**

Features

- Includes two trays and required hardware.
- For grid mount applications.
- Spacing between shelves is 3″(76mm).
- Field assembly of grid support hardware required.
- Not applicable for mounting on 24″(610mm)-wide grid.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color for tray.
3) Trim color for hardware.

Reference Tray



HGRT-0001

10 3/4″(273mm)	13″(330mm)	Grid mount	HGRT-0001 ■	**$152.19**	**$167.16**

Features

- Includes one tray.
- For grid mount applications.
- Requires field assembly.
- Holds 5 lbs (2.3kg) maximum weight.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color for tray.
3) Trim color for hardware.

Wire Grid System and Accessories

for use with UniGroup Too, UniGroup, PLACES

	Height	Depth	Width	Number	Trim A	Trim B
Diskette Bin	3 1/2″(89mm)	2 1/2″(64mm)	6″(152mm)	HGDB-0004 ■	**$178.38**	**$193.35**



HGDB-0004

Features
- Includes four diskette bins.
- Grid mount or freestanding.
- For storing CD's in jewel cases.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color for bin.
3) Trim color for hardware.

Multi-Purpose Storage Bins	3 1/2″(89mm)	3″(76mm)	4″(102mm)	HGBN-0004 ■	**$168.40**	**$183.37**
			8″(203mm)	HGBN-0008 ■	**213.30**	**228.27**



HGBN

Features
- Includes four storage bins of one size.
- Hang from horizontal grid rails.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Trim color.

Grid Tackstrip	3 1/2″(89mm)	1/4″(6mm)	24″(610mm)	HGTS-0024 ■	**$386.69**	**$401.66**
			30″(762mm)	HGTS-0030 ■	**485.24**	**503.95**



HGTS

Features
- Includes four tackstrips.
- For grid mount applications.
- Mounts between two horizontal grid rails.
- Cork is standard natural color only.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Bracket trim color.

Lighting — Task

Adaptable Electronic Ballast Task Light



LUTS-16UEP

Height	Depth	Width	Actual Width	Number	Price
1.375″(25mm)	4 1/4″(105mm)	24″(610mm)	19″(483mm)	LUTS-0024-16UEP ■	**$203.11**
		30″(762mm)	25″(635mm)	LUTS-0030-16UEP ■	**209.66**
		42″(1067mm)	37″(940mm)	LUTS-0042-16UEP ■	**222.76**
		54″(1372mm)	49″(1245mm)	LUTS-0054-16UEP ■	**235.86**

Features

- Includes mounting brackets, black power cord, prismatic lens, low mercury content, T-8 optic fluorescent lamp with 3500K color temperature.
- Six foot cord is factory installed on right side; may be field-installed on the left-hand side 42″(1067mm) and 54″(1372mm) units.
- Nine foot cord is available as a specified option.
- Provides task lighting beneath shelves or overhead storage units.
- **For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

■ Available on RUSH.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- Attaches to Adaptable, UniGroup Too, UniGroup, PLACES and Compose overhead and shelves.
- Attaches to counter tops and must be specified one width smaller than countertop width.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTS-0030-16UE**B**

Chicago Specification:

To specify, replace **1** with **C** in the product number and add **$85.18** list.

Example: LUTS-0030-**C**6UEP

Chicago only: Plug includes 3 AMP resettable circuit breaker.

9′ Cord Option ■

To specify, replace **6** with **9** in the product number and add **$37.18** list.

Example: LUTS-0030-1**9**UEP

Adaptable Electronic Ballast Task Light (Starter Light)



LUTR

Height	Depth	Width	Description	Number	Price
1 3/8″(35mm)	4 1/4″(108mm)	42″(1067mm)	6′ Cord	LUTR-0042-16UEP	**$243.51**
			9′ Cord	LUTR-0042-19UEP	**280.64**
		54″(1372mm)	6′ Cord	LUTR-0054-16UEP	**$256.61**
			9′ Cord	LUTR-0054-19UEP	**293.74**

Features

- Includes mounting brackets, .33″(8mm) diameter black 3-prong power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500K color temperature.
- Wired to accommodate the addition of add-on task light.
- Cord is factory installed on right side; may be field-installed on the left-hand side.
- Provides task lighting beneath shelves or overhead storage units.
- **For use with 120 volt 60 hertz electrical systems only.**
- Available in charcoal only.

To Order, Specify:

1) Product number.
(No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTR-0042-16UE**B**

Lighting — Task

Adaptable Electronic Ballast Task Light (Add-On Light)



LUTD

NOTE:
Must be attached to a starter light or another add-on light.

	Height	Depth	Width	Actual Width	Number	Price
	1 3/8″(35mm)	4 1/4″(108mm)	42″(1067mm)	15″ Linking Cord	LUTD-0042-11UEP	**$242.42**
				48″ Linking Cord	LUTD-0042-14UEP	**247.88**
			54″(1372mm)	15″ Linking Cord	LUTD-0054-11UEP	**$255.52**
				48″ Linking Cord	LUTD-0054-14UEP	**260.98**

Features

- Includes mounting brackets, linking power cord, prismatic lens, low mercury content, and T-8 fluorescent lamp with 3500k color temperature.
- Does not include a power plug.
- Available in charcoal only.

Specification Tips

- **A task light may be of equal or less width than the unit to which it is attached but may not span across adjacent units.**
- Task lights may be adjusted front-to-back on metal shelf hanger bars.
- If task light is less than the width of the unit to which it is attached, it may also be adjusted side-to-side.
- A maximum of 5 task lights may be daisy chained together including the starter light and/or not to exceed 20′ of overall task light run.
- Choose add-on light with appropriate linking cord length to eliminate excess cord.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Batwing Lens Specification:

To specify, replace **P** with **B** in the product number and add **$18.56** list.

Example: LUTD-0042-11UE**B**



Lighting

Reed Premier™ Stand-Alone LED Task Light



LUTS-0017-19ULD5

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTS-0017-19ULD5	**$210.00**

Features

- Includes 17″(432mm) LED fixture, 15 watt power supply with nine foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Length: 16.4″(417mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Not intended for daisy chaining.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Reed Premier™ Starter LED Task Light



LUTS-0017-12ULD6

16.4″(417mm)	7.8	LUTS-0017-12ULD6	**$288.75**
30.1″(765mm)	17.6	LUTS-0031-12ULD6	**420.07**
43.7″(1110mm)	25.9	LUTS-0044-12ULD6	**542.01**
57.4″(1458mm)	33.6	LUTS-0058-12ULD6	**673.33**

Features

- Includes LED fixture, 60 watt power supply with twelve foot removable power cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Lighting

Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights



LUTD-0017-1NULDN

Fixture Length	Watts	Number	Price
16.4″(417mm)	7.8	LUTD-0017-1NULDN	**$210.00**
30.1″(765mm)	17.6	LUTD-0031-1NULDN	**341.32**
43.7″(1110mm)	25.9	LUTD-0044-1NULDN	**463.26**
57.4″(1458mm)	33.6	LUTD-0058-1NULDN	**594.58**

Features

- Includes LED fixture, 8″(203mm) and 30″(762mm) daisy chain cord.
- Standard in anodized (silver) color with white end caps.
- Height: 0.5″(12.7mm); Width: 2.0″(51mm); Lengths: 16.4″(417mm), 30.1″(765mm), 43.7″(1110mm) or 57.4″(1458mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Color Temp: 3500K.
- Color Rendition Index: 84 CRI.
- Rated Lifespan: 5 0,000 hour.
- Refer to the Specification Guide for a chart showing the total number of light fixtures that can be daisy chained together.
- Single touch on/off with continuous dimming from 15-100%.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Reed Premier™ Add-On Occupancy Sensor



LUTS-0000

LUTS-0000	**$236.25**

Features

- Includes occupancy sensor and attachment connector.
- Standard in anodized (silver) color with white end caps.
- Height: 0.7″(17.8mm); Width: 2.0″(51mm); Length: 2.3″(58mm).

Specification Tips

- For use with 120 volt, 60 hertz electrical system.
- Includes screw and magnetic attachment hardware for steel, laminate and wood.
- Intended for use in horizontal applications.

To Order, Specify:

1) Product number.
(No finish specification required.)

Lighting

	Number ❶	Price
Pixo	LUPT-0016-05FL	**$389.38**



LUPT

Intertek

Features
- Includes base/mount with USB charging port, 16.5″(419mm) arm with LED light and 6′(182cm) attached cord.
- Available with optional integrated occupancy sensor.
- Available in supplier silver, white or black.
- Hi-low dim control.
- 360° arm rotation.
- 180° arm tilt.
- 360° shade rotation.
- USB port for charging cell phones.
- Advanced LED array eliminates multiple shadows.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 6W.
- Color temperature: 3000K.
- Luminosity: 285 Lumens.
- Color Rendition Index: 90 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:
1) Product number.

❶ **Occupancy Sensor:**

C No Occupancy Sensor ■

O Occupancy Sensor, add **$249.60** list

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

Voyage without Occupancy Sensor	LUV1-0012-07 LC ■	**$459.68**



LUV1

Intertek

Features
- Includes base, adjustable arm fixture with LED light and 6′(182cm) removable cord.
- Available in supplier silver, white or black.
- Touch controls for On/Off switching and continuous 100-15% dimming.
- Arm rotates 300°.
- Base footprint: 6″(152mm) diameter.
- Clamp mount can be used on horizontal surfaces from 0.90″(23mm) to 1.87″(47mm) thick.
- Minor assembly required.
- Auto turn off after 10 hours of use.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 7W.
- Color temperature 3500k.
- Luminosity: 250 Lumens.
- Color Rendition Index: 84 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:
1) Product number, including:

❶ **Attachment:**

F Freestanding

G Clamp

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

Voyage with Occupancy Sensor	LUV2-0012-07 LO ■	**$676.00**



LUV2

Intertek

Features
- Includes base, adjustable arm fixture with LED light and 6′(182cm) removable cord.
- Available in supplier silver, white or black.
- Touch controls for On/Off switching and continuous 100-15% dimming.
- Arm rotates 300°.
- Base footprint: 6″(152mm) diameter.
- Clamp mount can be used on horizontal surfaces from 0.90″(23mm) to 1.87″(47mm) thick.
- Minor assembly required.
- **For use with 120 volt 60 hertz electrical system.**
- Power consumption: 7W.
- Color temperature 3500k.
- Luminosity: 250 Lumens.
- Color Rendition Index: 84 CRI.
- 50K hour lifespan.
- Cord length: 6′(182cm).

■ Available on RUSH.

To Order, Specify:
1) Product number, including:

❶ **Attachment:**

F Freestanding

G Clamp

2) Trim color.
TR-11 Black
TR-12 Silver
TR-13 White

BRAZO

Haworth Collection

Design: Pablo Pardo — Imported from China

Freestanding Lighting



LBJ1

Class CH

LBJ2

Base Diameter	Model	Number ❶	Price
8 1/2″(216mm)	Desk	LBJ1-0026-19FLC ■	**$696.28**
	Floor	LBJ2-0026-19FLC	**837.68**

Features

- Includes base, adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Desk light adjustable height fixture range is 14″-22″(356mm-559mm) from desktop.
- Floor light adjustable height fixture range is 48″-56″(1219-1422mm) from floor.
- Base includes scratch-resistant bottom cover with side cord location.
- **For use with 120 volt 60 hertz electrical system.**
- Can be used on any horizontal surface.
- Desk overall height range with arm extended at 180° is 41″(1041mm).
- Floor overall height range with arm extended at 180° is 74 3/4″(1899mm).
- Minor assembly required.

■ Available on RUSH.

To Order, Specify:

1) Product number, including:

❶ Finish Color

- **N** Brushed Aluminum
- **W** Gloss White, add **$26.78** list.
- **B** Anodized Black, add **$26.78** list.
- **Z** Anodized Bronze, add **$26.78** list.

Mounted Lighting



LBJ3 LBJ4

Class CH

Grommet/Hole Diameter	Model	Number ❶❷	Price
3″(76mm)	Grommet Mount	LBJ3-0026-19GLC	**$696.28**
1″(25mm)	Fixed Mount	LBJ4-0026-19GLC	**723.06**

Features

- Grommet Mount includes adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware. **Grommet ordered separately.**
- Fixed Mount includes adjustable height fixture, 26 1/2″(673mm) arm with LED light and clear lens, nine foot removable silvertone cord and attachment hardware with trim ring.
- Available in Brushed Aluminum, Gloss White, Anodized Black or Anodized Bronze finish colors.
- Features a LED light source with full dim control knob located on end of arm and 90° disbursement adjustment.
- 1.5 to 9 watts.
- Arm rotates 360°.
- Both mounted light adjustable height fixture range is 13″-21″(330mm-533mm) from desktop.
- **For use with 120 volt 60 hertz electrical system.**
- Can be field installed on any horizontal surface.
- Overall height range with arm extended at 180° is 40″(1016mm).
- Minor assembly required.

Specification Tips

- **Grommet Mount BRAZO requires a separately specified grommet.**
- Field drilling of surface required.

To Order, Specify:

1) Product number, including:

❶ Finish Color

- **N** Brushed Aluminum
- **W** Gloss White, add **$26.78** list.
- **B** Anodized Black, add **$26.78** list.
- **Z** Anodized Bronze, add **$26.78** list.

❷ Worksurface Thickness

- **S** 1 3/16″(30mm)
- **M** 2″(51mm)
- **Q** 3″(76mm)

Grommet — For Use with BRAZO Grommet Mounted Light Only

WQAG

Class PT

Top Thickness	Number	Price
1 3/16″(30mm)	WQAG-0303-PSN	**$29.46**
2″(51mm)	WQAG-0303-PMN	**29.46**
3″(76mm)	WQAG-0303-PQN	**29.46**

Feature

- Includes one 3″(76mm) diameter grommet without cover.

Specification Tips

- Specify grommet to match product top thickness.
- Requires a 2 3/4″(70mm) diameter field drilled hole.
- For use with BRAZO Grommet Mounted Light only.

To Order, Specify:

1) Product number.
2) Trim color.
   Plaster – TR-TW
   Metallic Silver – TR-LE, add **$5.90** list.
   Metallic Champagne – TR-MC, add **$5.90** list.
   Metallic Gunmetal – TR-MG, add **$5.90** list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

	Base/Mount	Number	Price
LIM L	Freestanding Block	LLL1-0022-19FLC	**$593.44**
	Freestanding Pivot	LLL2-0022-19FLC ■	**536.67**
	Freestanding Floor	LLL3-0022-19FLC	**650.21**
	Freestanding Add-On	LLLA-0022-19FLC	**395.27**



Freestanding Block
LLL1



Freestanding Pivot
LLL2



Freestanding Floor
LLL3



Freestanding Add-On
LLLA

Features

- Includes base/mount, 22″(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Freestanding Block:**
  - **–Available in Textured White, Textured Black and Brushed Aluminum.**
  - –Arm rotates around magnetic connection between base and light arm.
  - –Desk light adjustable height fixture range is 12″-15.75″(305mm-400mm) from desktop.
  - –Base includes scratch-resistant bottom with cord management.
  - –Can be used on any horizontal surface.
  - –Freestanding Block Base size: 6.63″(168mm) height, 3″(76mm) width, 3.5″(89mm) depth.
- **Freestanding Pivot:**
  - **–Available in Textured White and Textured Black.**
  - –Desk Pivot rotates 360° around the base.
  - –Arm rotates around magnetic connection between base and light arm.
  - –Pivot light does not have adjustable height.
  - –Base includes scratch-resistant bottom.
  - –Can be used on any horizontal surface.
  - –Freestanding Pivot Base size: 5″(127mm) height, 4.5″(114mm) width, 5.5″(140mm) depth.
- **Freestanding Floor:**
  - **–Available in Textured White and Textured Black.**
  - –Arm rotates around magnetic connection between base and light arm.
  - –Floor light adjustable height fixture range is 13″-50.75″(330mm-1289mm) from floor.
  - –Base includes scratch-resistant bottom.
  - –Floor Base size: 38″(965mm) height, 9″(229mm) width, 9″(229mm) depth.
- **Freestanding Add-On:**
  - **–Available in Textured White, Textured Black and Brushed Aluminum.**

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Trim color:
   Pivot/Floor available in:
   Textured White TR-L2
   Textured Black TR-L3
   Block/Add-On available in:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list.

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM C

Base/Mount	Average Height	Number	Price
Worksurface Mount	18 1/2″(470mm)	LLC1-0022-19WLC	**$508.82**
Grommet Mount	18 1/2″(470mm)	LLC2-0022-19GLC	**508.82**



Worksurface Mount
LLC1



Grommet Mount
LLC2

Features

- Includes base/mount, 22″(559mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to compliment the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Worksurface Mount:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Worksurface attachment bracket.
  - –Light does not have adjustable height.
  - –Flat Bracket is scratch-resistant.
  - –Mount includes a 11″(279mm) flat bracket with adhesive.
- **Grommet Mount:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Grommet attachment bracket.
  - –Light does not have adjustable height.
  - –Flat Bracket is scratch-resistant.
  - –Mount includes Grommet configured flat brackets with adhesive.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM Y

Worksurface Mount	20.4″(518mm)	LLY1-0013-19WLC	**$847.32**



Worksurface Mount
LLY1

Features

- Includes base/mount, 14″(356mm) depth by 35″(889mm) width arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features a LED light source with two levels of dim control.
- 1.5 to 9 watts.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- Magnets are used to attach to base or brackets.
  - –Arm does not rotate and uses fixed mount bracket.
  - –Light does not have adjustable height.
  - –Fixed mount bracket is scratch-resistant.
  - –Mount includes bracket with hardware.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM Mounted



Slat
LLM1



Belong Rail
LLM1



Panel
LLM2

Base/Mount	Panel System	Number	Price
Slat/Rail		LLM1-0023-19MLC	**$424.19**
Panel	for PREMISE	LLM2-0023-19MLCN	**$424.19**
	for Compose	LLM2-0023-19MLCZ	**424.19**
	for UniGroup Too	LLM2-0023-19MLCE	**424.19**

Features

- Includes base/mount, 23 1/4″(591mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- *Overall height ranges dependent on the mount.*
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Slat:**
  –Available in Textured White and Textured Black.
  –Rotates 180 degrees horizontally around the mount.
  –Slat Mount can be adjusted within the slat profiles – hooks into the second bottom slat and can be adjusted to the top slat off the slat tiles.
  –Mount is scratch-resistant.
  –Can be used on any Haworth slat tile.
  –Slat Tile Bracket size: 3″(76mm) height, 1″(25mm) width, 3″(76mm) depth.
- **Panel:**
  –Available in Textured White and Textured Black.
  –Rotates 180 degrees horizontally around the mount.
  –Panel Mount can be adjusted within the panel slot profiles.
  –Mount is scratch-resistant.
  –Can be used on any Haworth Panel System.
  –Panel Mount Bracket size: 3″(76mm) height, 1″(25mm) width, 3″(76mm) depth.

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3

Class CH – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

LIM

Haworth Collection

Design: Ralph Reddig and Pablo Pardo — Imported from China

LIM Mounted





LLU1



LLU2

Base/Mount	Number	Price
Under Shelf Flat	LLU1-0023-19ULC	**$424.19**
Under Shelf Proud	LLU2-0023-19ULC	**424.19**
Under Shelf Proud–Wood Casegoods	LLU3-0023-19ULC	**424.19**

Features

- Includes base/mount, 23 1/4″(510mm) arm with LED light with a clear lens, nine foot removable silvertone cord, and one wire management clip.
- Under Shelf attachment bracket painted to complement the LED light.
- Features two-stage light control with 3.0 watt and 7.3 watt selection.
- **For use with 120 volt 60 hertz electrical system.**
- Minor assembly required.
- All lights use magnets to attach to base or brackets.
- **Under Shelf Flat:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –Under Shelf Mount includes a 11″(279mm) flat bracket with adhesive.
  - **–Can be used on: Storage Box.**
- **Under Shelf Proud:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - **–Can be used on: Adaptable Upper Storage.**
- **Under Shelf Proud - Wood Casegoods:**
  - **–Available in Brushed Aluminum, Textured White, Textured Black.**
  - –Arm rotates at Under Shelf attachment bracket.
  - –Slat Mount can be adjusted within the slat tile profiles.
  - –Flat Bracket is scratch-resistant.
  - –Under Shelf Mount includes a 11″(279mm) flat bracket.
  - **–Can be used on: Wood Casegoods Vertical Storage Unit.**

To Order, Specify:

1) Product number.
2) Trim color:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

LIM Hardware

LLH

Base/Mount	Panel System	Units	Number	Price
Slat Mount Bracket		1	LLH1-0000	**$ 56.77**
Panel Mount Bracket	for PREMISE	1	LLH2-0000-N	**$ 56.77**
	for Compose	1	LLH2-0000-Z	**56.77**
	for UniGroup Too	1	LLH2-0000-E	**56.77**
Under Shelf Flat/Under Shelf Proud/Worksurface Bracket*		5	LLH3-0000	**$146.75**
Under Shelf Proud - Casegood Bracket		5	LLH4-0000	**146.75**
Grommet Bracket		1	LLH5-0000	**29.99**
Wire Management Clips		10	LLH6-0000	**$ 71.76**

Features

- Hardware for use with LIM lights to provide additional attachment.
- Each bracket description correlates with the appropriate LIM light. Please specify accordingly.
- For use if greater user adjustment is required.
- Slat and Panel Mount available in Textured White and Textured Black.
- Under Shelf available in Textured White, Textured Black and Brushed Aluminum.
- Grommet bracket available in Textured White, Textured Black and Brushed Aluminum.
- Wire management clips are standard in White.

***Same brackets are used for Under Shelf Flat, Under Shelf Proud and Worksurface Mount C and Y LIM light applications.**

To Order, Specify:

1) Product number.
2) Trim color for brackets:
   Textured White TR-L2
   Textured Black TR-L3
   Brushed Aluminum, TR-L1 add **$27.85** list

X Series Attached Pedestals

Pencil/Pencil/Box/File — Attached



JPAQ-24

Box/Box/File — Attached



JPAH-24

File/File — Attached



JPAJ-24

❷ Pull Styles

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)



J-Pull (J) (Steel Fronts)



J-Pull (K) (Wood Fronts)

Integral (G) (Steel Fronts)

Features

- Includes steel pedestal and attachment hardware.
- Pencil drawers include one pencil tray for each pedestal.
- Box drawers include one divider in each drawer.
- File drawers include one compressor in each drawer.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Standard with lock.
- For lock options, refer to Lock Program Price List.
- Glides provide 1″(25mm) adjustment range.
- **Attached units must be attached** under a worksurface equal to or deeper than pedestal depth.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, J-Pull and Integral.
  –Integral pull (G) available with painted steel fronts only.
  –Ellipse pull available in non-Metallic trim colors only.
  –Radius pull available in Metallic trim colors only.
  –Taper, J-Pull and Integral pull trim color matches case trim color.
  –Crescent, Linear and Classic pulls are brushed nickel finish.

■ Available on RUSH.

Specification Tips

- Refer to appropriate price book for specification requirements.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted ■

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ **Lockbar Option:**

W Wood/steel lockbar

R Wood/wood lockbar, add **$83.20** list

❷ **Pull** (see side bar)

2) Trim color for case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Wood finish for drawer fronts.
5) Trim color for lock plug.

X Series Attached Pedestals

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶ ❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G[1]	JPAQ-18- ■ ■	$655.20	$712.40	N/A	N/A	N/A	N/A
				1	JPAQ-18- ■ 1	N/A	N/A	$1027.52	$1084.72	$1050.40	$1107.60
				K	JPAQ-18- ■ K	N/A	N/A	1277.12	1334.32	1300.00	1357.20
				2, 3	JPAQ-18- ■ ■	759.20	816.40	1131.52	1188.72	1154.40	1211.60
				7, 8, 9	JPAQ-18- ■ ■	784.16	841.36	1156.48	1213.68	1179.36	1236.56
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G[1]	JPAQ-24- ■ ■	$681.20	$746.72	N/A	N/A	N/A	N/A
				1	JPAQ-24- ■ 1	N/A	N/A	$1053.52	$1119.04	$1076.40	$1141.92
				K	JPAQ-24- ■ K	N/A	N/A	1303.12	1368.64	1326.00	1391.52
				2, 3	JPAQ-24- ■ ■	785.20	850.72	1157.52	1223.04	1180.40	1245.92
				7, 8, 9	JPAQ-24- ■ ■	810.16	875.68	1182.48	1248.00	1205.36	1270.88
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G[1]	JPAQ-30- ■ ■	$707.20	$781.04	N/A	N/A	N/A	N/A
				1	JPAQ-30- ■ 1	N/A	N/A	$1079.52	$1153.36	$1102.40	$1176.24
				K	JPAQ-30- ■ K	N/A	N/A	1329.12	1402.96	1352.00	1425.84
				2, 3	JPAQ-30- ■ ■	811.20	885.04	1183.52	1257.36	1206.40	1280.24
				7, 8, 9	JPAQ-30- ■ ■	836.16	910.00	1208.48	1282.32	1231.36	1305.20
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	Box/Box/File	1, J, G[1]	JPAH-18- ■ ■	$553.28	$610.48	N/A	N/A	N/A	N/A
				1	JPAH-18- ■ 1	N/A	N/A	$ 861.12	$ 918.32	$ 886.08	$ 943.28
				K	JPAH-18- ■ K	N/A	N/A	1048.32	1105.52	1073.28	1130.48
				2, 3	JPAH-18- ■ ■	631.28	688.48	939.12	996.32	964.08	1021.28
				7, 8, 9	JPAH-18- ■ ■	650.00	707.20	957.84	1015.04	982.80	1040.00
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	Box/Box/File	1, J, G[1]	JPAH-24- ■ ■ ■	$579.28	$644.80	N/A	N/A	N/A	N/A
				1	JPAH-24- ■ 1	N/A	N/A	$ 887.12	$ 952.64	$ 912.08	$ 977.60
				K	JPAH-24- ■ K	N/A	N/A	1074.32	1139.84	1099.28	1164.80
				2, 3	JPAH-24- ■ ■ ■	657.28	722.80	965.12	1030.64	990.08	1055.60
				7, 8, 9	JPAH-24- ■ ■	676.00	741.52	983.84	1049.36	1008.80	1074.32
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	Box/Box/File	1, J, G[1]	JPAH-30- ■ ■ ■	$605.28	$679.12	N/A	N/A	N/A	N/A
				1	JPAH-30- ■ 1	N/A	N/A	$ 913.12	$ 986.96	$ 938.08	$1011.92
				K	JPAH-30- ■ K	N/A	N/A	1100.32	1174.16	1125.28	1199.12
				2, 3	JPAH-30- ■ ■ ■	683.28	757.12	991.12	1064.96	1016.08	1089.92
				7, 8, 9	JPAH-30- ■ ■	702.00	775.84	1009.84	1083.68	1034.80	1108.64
27 1/2″ (699mm)	17″ (432mm)	15″ (381mm)	File/File	1, J, G[1]	JPAJ-18- ■ ■	$516.88	$574.08	N/A	N/A	N/A	N/A
				1	JPAJ-18- ■ 1	N/A	N/A	$ 804.96	$ 862.16	$ 829.92	$ 887.12
				K	JPAJ-18- ■ K	N/A	N/A	929.76	986.96	954.72	1011.92
				2, 3	JPAJ-18- ■ ■	568.88	626.08	856.96	914.16	881.92	939.12
				7, 8, 9	JPAJ-18- ■ ■	581.36	638.56	869.44	926.64	894.40	951.60
27 1/2″ (699mm)	23″ (584mm)	15″ (381mm)	File/File	1, J, G[1]	JPAJ-24- ■ ■ ■	$542.88	$608.40	N/A	N/A	N/A	N/A
				1	JPAJ-24- ■ 1	N/A	N/A	$ 830.96	$ 896.48	$ 855.92	$ 921.44
				K	JPAJ-24- ■ K	N/A	N/A	955.76	1021.28	980.72	1046.24
				2, 3	JPAJ-24- ■ ■ ■	594.88	660.40	882.96	948.48	907.92	973.44
				7, 8, 9	JPAJ-24- ■ ■	607.36	672.88	895.44	960.96	920.40	985.92
27 1/2″ (699mm)	29″ (737mm)	15″ (381mm)	File/File	1, J, G[1]	JPAJ-30- ■ ■ ■	$568.88	$642.72	N/A	N/A	N/A	N/A
				1	JPAJ-30- ■ 1	N/A	N/A	$ 856.96	$ 930.80	$ 881.92	$ 955.76
				K	JPAJ-30- ■ K	N/A	N/A	981.76	1055.60	1006.72	1080.56
				2, 3	JPAJ-30- ■ ■ ■	620.88	694.72	908.96	982.80	933.92	1007.76
				7, 8, 9	JPAJ-30- ■ ■	633.36	707.20	921.44	995.28	946.40	1020.24

[1]Integral pull (G) not available with perforated option.

X Series Suspended Pedestals

Box/File — Suspended



JPHA-24

Pencil/Box/File — Suspended



JPHP-24

Box/Box/File — Suspended



JPHH-24

Pencil/Pencil/Box/File — Suspended



JPHQ-24

File/File — Suspended



JPHJ-24

Features

- Includes steel pedestal and attachment hardware.
- Pencil drawers include one pencil tray for each pedestal.
- Box drawers include one divider in each drawer.
- File drawers include one compressor in each drawer.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Standard with lock.
- For lock options, refer to Lock Program Price List.
- **Suspended units must be attached** under a worksurface equal to or deeper than pedestal depth.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic, J-Pull and Integral.
  –Integral pull (G) available with painted steel fronts only.
  –Ellipse pull available in non-Metallic trim colors only.
  –Radius pull available in Metallic trim colors only.
  –Taper, J-Pull and Integral pull trim color matches case trim color.
  –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Refer to appropriate price book for specification requirements.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Suspended pedestals can only be used with RACE, UniGroup, UniGroup Too, and PLACES systems applications.
- Suspended pedestals are not for use with steel casegoods.
- Not for use with 18″(457mm) deep worksurface with knife edge.

❷ Pull Styles

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)



J-Pull (J) (Steel Fronts)



J-Pull (K) (Wood Fronts)

Integral (G) (Steel Fronts)

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ Drawer Front Style:

S Painted

❷ Pull (see side bar)

2) Trim color for drawer fronts and case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ Lockbar Option:

W Wood/steel lockbar

R Wood/wood lockbar, add **$83.20** list

❷ Pull (see side bar)

2) Trim color for case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Wood finish for drawer fronts.
5) Trim color for lock plug.

X Series Suspended Pedestals

Actual Height	Actual Depth	Actual Width	Description	Pull	Number❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
19 5/8″ (498mm)	17″ (432mm)	15″ (381mm)	Box/File	1, J, G[1]	JPHA-18- ■ ■	$376.48	$414.96	N/A	N/A	N/A	N/A
				1	JPHA-18- ■ 1	N/A	N/A	$ 596.96	$ 635.44	$ 636.48	$ 674.96
				K	JPHA-18- ■ K	N/A	N/A	721.76	760.24	761.28	799.76
				2, 3	JPHA-18- ■ ■	428.48	466.96	648.96	687.44	688.48	726.96
				7, 8, 9	JPHA-18- ■ ■	440.96	479.44	661.44	699.92	700.96	739.44
19 5/8″ (498mm)	23″ (584mm)	15″ (381mm)	Box/File	1, J, G[1]	JPHA-24- ■ ■	$402.48	$449.28	N/A	N/A	N/A	N/A
				1	JPHA-24- ■ 1	N/A	N/A	$ 622.96	$ 669.76	$ 662.48	$ 709.28
				K	JPHA-24- ■ K	N/A	N/A	747.76	794.56	787.28	834.08
				2, 3	JPHA-24- ■ ■	454.48	501.28	674.96	721.76	714.48	761.28
				7, 8, 9	JPHA-24- ■ ■	466.96	513.76	687.44	734.24	726.96	773.76
22 5/8″ (575mm)	17″ (432mm)	15″ (381mm)	Pencil/Box/File	1, J, G[1]	JPHP-18- ■ ■	$459.68	$503.36	N/A	N/A	N/A	N/A
				1	JPHP-18- ■ 1	N/A	N/A	$ 744.64	$ 788.32	$ 776.88	$ 820.56
				K	JPHP-18- ■ K	N/A	N/A	931.84	975.52	964.08	1007.76
				2, 3	JPHP-18- ■ ■	537.68	581.36	822.64	866.32	854.88	898.56
				7, 8, 9	JPHP-18- ■ ■	556.40	600.08	841.36	885.04	873.60	917.28
22 5/8″ (575mm)	23″ (584mm)	15″ (381mm)	Pencil/Box/File	1, J, G[1]	JPHP-24- ■ ■	$485.68	$537.68	N/A	N/A	N/A	N/A
				1	JPHP-24- ■ 1	N/A	N/A	$ 770.64	$ 822.64	$ 802.88	$ 854.88
				K	JPHP-24- ■ K	N/A	N/A	957.84	1009.84	990.08	1042.08
				2, 3	JPHP-24- ■ ■	563.68	615.68	848.64	900.64	880.88	932.88
				7, 8, 9	JPHP-24- ■ ■	582.40	634.40	867.36	919.36	899.60	951.60
25 5/8″ (651mm)	17″ (432mm)	15″ (381mm)	Box/Box/File	1, J, G[1]	JPHH-18- ■ ■	$489.84	$539.76	N/A	N/A	N/A	N/A
				1	JPHH-18- ■ 1	N/A	N/A	$ 797.68	$ 847.60	$ 822.64	$ 872.56
				K	JPHH-18- ■ K	N/A	N/A	984.88	1034.80	1009.84	1059.76
				2, 3	JPHH-18- ■ ■	567.84	617.76	875.68	925.60	900.64	950.56
				7, 8, 9	JPHH-18- ■ ■	586.56	636.48	894.40	944.32	919.36	969.28
25 5/8″ (651mm)	23″ (584mm)	15″ (381mm)	Box/Box/File	1, J, G[1]	JPHH-24- ■ ■	$515.84	$574.08	N/A	N/A	N/A	N/A
				1	JPHH-24- ■ 1	N/A	N/A	$ 823.68	$ 881.92	$ 848.64	$ 906.88
				K	JPHH-24- ■ K	N/A	N/A	1010.88	1069.12	1035.84	1094.08
				2, 3	JPHH-24- ■ ■	593.84	652.08	901.68	959.92	926.64	984.88
				7, 8, 9	JPHH-24- ■ ■	612.56	670.80	920.40	978.64	945.36	1003.60
25 5/8″ (651mm)	17″ (432mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G[1]	JPHQ-18- ■ ■	$591.76	$641.68	N/A	N/A	N/A	N/A
				1	JPHQ-18- ■ 1	N/A	N/A	$ 964.08	$1014.00	$ 986.96	$1036.88
				K	JPHQ-18- ■ K	N/A	N/A	1213.68	1263.60	1236.56	1286.48
				2, 3	JPHQ-18- ■ ■	695.76	745.68	1068.08	1118.00	1090.96	1140.88
				7, 8, 9	JPHQ-18- ■ ■	720.72	770.64	1093.04	1142.96	1115.92	1165.84
25 5/8″ (651mm)	23″ (584mm)	15″ (381mm)	Pencil/Pencil/Box/File	1, J, G[1]	JPHQ-24- ■ ■	$617.76	$676.00	N/A	N/A	N/A	N/A
				1	JPHQ-24- ■ 1	N/A	N/A	$ 990.08	$1048.32	$1012.96	$1071.20
				K	JPHQ-24- ■ K	N/A	N/A	1239.68	1297.92	1262.56	1320.80
				2, 3	JPHQ-24- ■ ■	721.76	780.00	1094.08	1152.32	1116.96	1175.20
				7, 8, 9	JPHQ-24- ■ ■	746.72	804.96	1119.04	1177.28	1141.92	1200.16
25 5/8″ (651mm)	17″ (432mm)	15″ (381mm)	File/File	1, J, G[1]	JPHJ-18- ■ ■	$453.44	$503.36	N/A	N/A	N/A	N/A
				1	JPHJ-18- ■ 1	N/A	N/A	$ 741.52	$ 791.44	$ 766.48	$ 816.40
				K	JPHJ-18- ■ K	N/A	N/A	866.32	916.24	891.28	941.20
				2, 3	JPHJ-18- ■ ■	505.44	555.36	793.52	843.44	818.48	868.40
				7, 8, 9	JPHJ-18- ■ ■	517.92	567.84	806.00	855.92	830.96	880.88
25 5/8″ (651mm)	23″ (584mm)	15″ (381mm)	File/File	1, J, G[1]	JPHJ-24- ■ ■	$479.44	$537.68	N/A	N/A	N/A	N/A
				1	JPHJ-24- ■ 1	N/A	N/A	$ 767.52	$ 825.76	$ 792.48	$ 850.72
				K	JPHJ-24- ■ K	N/A	N/A	892.32	950.56	917.28	975.52
				2, 3	JPHJ-24- ■ ■	531.44	589.68	819.52	877.76	844.48	902.72
				7, 8, 9	JPHJ-24- ■ ■	543.92	602.16	832.00	890.24	856.96	915.20

[1]Integral pull (G) not available with perforated option.

X Series Lateral Files — Attached

Two-High Lateral File – Proud Style – Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
12″ Drawers										
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	1, J	JLPD-0230- ■ ■ A ■	$ 788.32	$ 867.36	N/A	N/A	N/A	N/A
			1	JLPD-0230- ■ 1A	N/A	N/A	$ 972.40	$1030.64	$1008.80	$1067.04
			K	JLPD-0230- ■ KA	N/A	N/A	1170.00	1228.24	1206.40	1264.64
			2, 3	JLPD-0230- ■ ■ A ■	840.32	919.36	1024.40	1082.64	1060.80	1119.04
			7, 8, 9	JLPD-0230- ■ ■ A	850.72	929.76	1034.80	1093.04	1071.20	1129.44
27 1/2″ (699mm)	18 3/4″ (476mm)	35 7/8″ (911mm)	1, J	JLPD-0236- ■ ■ A ■	$ 921.44	$1010.88	N/A	N/A	N/A	N/A
			1	JLPD-0236- ■ 1A	N/A	N/A	$1141.92	$1206.40	$1183.52	$1248.00
			K	JLPD-0236- ■ KA	N/A	N/A	1339.52	1404.00	1381.12	1445.60
			2, 3	JLPD-0236- ■ ■ A ■	973.44	1062.88	1193.92	1258.40	1235.52	1300.00
			7, 8, 9	JLPD-0236- ■ ■ A	983.84	1073.28	1204.32	1268.80	1245.92	1310.40
27 1/2″ (699mm)	18 3/4″ (476mm)	41 7/8″ (1064mm)	1, J	JLPD-0242- ■ ■ A ■	$1054.56	$1154.40	N/A	N/A	N/A	N/A
			1	JLPD-0242- ■ 1A	N/A	N/A	$1311.44	$1382.16	$1358.24	$1428.96
			K	JLPD-0242- ■ KA	N/A	N/A	1509.04	1579.76	1555.84	1626.56
			2, 3	JLPD-0242- ■ ■ A ■	1106.56	1206.40	1363.44	1434.16	1410.24	1480.96
			7, 8, 9	JLPD-0242- ■ ■ A	1116.96	1216.80	1373.84	1444.56	1420.64	1491.36



JLPD-S1A

❷ Pull Styles



1 Ellipse
7 Crescent
2 Radius
8 Linear
3 Taper
9 Classic
J J-Pull (Steel Fronts)
K J-Pull (Wood Fronts)

Features

- Includes 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders, and attachment hardware.
- **Attached files must be attached** under a worksurface 20″(508mm) or deeper; does not include counterweight.
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Drawer interiors and accessories are black finish color.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  –Ellipse pull available in non-Metallic trim colors only.
  –Radius pull available in Metallic trim colors only.
  –Taper and J-Pull trim color matches case trim color.
  –Crescent, Linear and Classic pulls are brushed nickel finish.

■ Available on RUSH.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify lateral file accessories separately.
- Specify worksurface height adjustment kit if mounting panel hung worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ Drawer Front Style:

S Painted ■

❷ Pull (see side bar)

2) Trim color for drawer fronts and case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ Drawer Lockbar Option:

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ Pull (see side bar)

2) Trim color for case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Wood finish for drawer fronts.
5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Lateral Files — Attached

Two-High Lateral File – Inset Style – Attached

Actual Height	Actual Depth	Actual Width	Pull	Number ❶❷	Painted Trim A	Trim B
27 1/2″(699mm)	18″(457mm)	29 7/8″(759mm)	J, G	JLRD-0230- ▢ ▢ A	**$ 788.32**	**$ 867.36**
		35 7/8″(911mm)	J, G	JLRD-0236- ▢ ▢ A	**921.44**	**1010.88**
		41 7/8″(1064mm)	J, G	JLRD-0242- ▢ ▢ A	**1054.56**	**1154.40**



JLRD-SJA

❷ Pull Styles



J J-Pull (Steel Fronts)

G Integral (Steel Fronts)

Features

- Includes 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders, and attachment hardware.
- **Attached files must be attached** under a worksurface 20″(508mm) or deeper; does not include counterweight.
- Standard with lock centered in front edge of top.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Drawer interiors and accessories are black finish color.
- Integral pull (G) available with painted steel front only.
- Glides provide 1 1/2″(38mm) adjustment range.
- Optional drawer pulls include J-Pull and Integral; pull trim color matches case trim color.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify lateral file accessories separately.
- Specify worksurface height adjustment kit if mounting panel hung worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ **Drawer Front Style:**

S Painted

❷ **Pull** (see side bar)

2) Trim color for drawer fronts and case.

3) Trim color for lock plug.

X Series Lateral Files — Attached

Two-High Combination – Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Painted Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	File/Box/Box/ Lateral	1, J	JCPT-0230- ■ ■ A	**$1379.04**	**$1458.08**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPT-0230- ■ 1A	**N/A**	**N/A**	**$1807.52**	**$1865.76**	**$1864.72**	**$1922.96**
				K	JCPT-0230- ■ KA	**N/A**	**N/A**	**1996.80**	**2055.04**	**2054.00**	**2112.24**
				2, 3	JCPT-0230- ■ ■ A	**1483.04**	**1562.08**	**1911.52**	**1969.76**	**1968.72**	**2026.96**
				7, 8, 9	JCPT-0230- ■ ■ A	**1508.00**	**1587.04**	**1936.48**	**1994.72**	**1993.68**	**2051.92**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Box/Box/File/ Lateral	1, J	JCPR-0230- ■ ■ A	**$1379.04**	**$1458.08**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPR-0230- ■ 1A	**N/A**	**N/A**	**$1807.52**	**$1865.76**	**$1864.72**	**$1922.96**
				K	JCPR-0230- ■ KA	**N/A**	**N/A**	**1996.80**	**2055.04**	**2054.00**	**2112.24**
				2, 3	JCPR-0230- ■ ■ A	**1483.04**	**1562.08**	**1911.52**	**1969.76**	**1968.72**	**2026.96**
				7, 8, 9	JCPR-0230- ■ ■ A	**1508.00**	**1587.04**	**1936.48**	**1994.72**	**1993.68**	**2051.92**



JCPT-S1A



JCPR-S1A

❷ Pull Styles with Standard Doors



1 Ellipse (1)
7 Crescent (7)
2 Radius (2)
8 Linear (8)
3 Taper (3)
9 Classic (9)
3 J-Pull (J) (Steel Fronts)
3 J-Pull (K) (Wood Fronts)

Features

- Includes attachment hardware and 12″(305mm)-high lateral drawer with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders.
- 12″(305mm) pedestal-style file drawer can accommodate legal filing side-to-side with the use of legal filing kit, separately specified.
- Standard with lock centered in front edge of top; locks all drawers.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Optional drawer fronts include painted or wood.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent, Linear, Classic and J-Pull.
  –Ellipse pull available in non-Metallic trim colors only.
  –Radius pull available in Metallic trim colors only.
  –Taper and J-Pull trim color matches case trim color.
  –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Specify drawer accessories separately.
- **Attached units must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.

To Order, Specify:

Painted Drawer Fronts

1) Product number, including:

❶ Drawer Front Style:

S Painted

❷ Pull (see side bar)

2) Trim color for drawer fronts and case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Trim color for lock plug.

Wood Drawer Fronts

1) Product number, including:

❶ Drawer Lockbar Option:

W Wood/steel lockbar

R Wood/wood lockbar, add **$60.32** list

❷ Pull (see side bar)

2) Trim color for case.
3) Trim color for pull (Ellipse and Radius only).
   –Ellipse (Non-Metallic trim colors only)
   –Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)
4) Wood finish for drawer fronts.
5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

X Series Combination Units – Attached

Two-High Combination — Attached



JCPB-SS1A (Right)



JCPE-SS1A (Left)



JCPG-SS1A (Right)



JCPJ-SS1A (Left)

Features

- Includes attachment hardware.
- 12″(305mm) pedestal-style file drawer can accommodate legal filing side-to-side with use of legal filing kit, separately specified.
- 2 – 12″ pedestal style drawer can accommodate legal filing front to back with the use of kit #JCPL-12, separately specified.
- Door unit includes one adjustable shelf.
- Specify additional shelves separately.
- Shelves adjust in increments of 6″(152mm).
- Standard with lock; locks drawers and door.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- Wood drawer front lockbar options include wood front with painted steel lockbar or wood front with wood lockbar.
- Glides provide 1 1/2″(38mm) adjustment range.
- Drawer interiors and accessories are black finish color.
- All drawers have full extension steel ball-bearing slides.
- Shelves and storage interiors are color matched to case.
- Optional drawer/door fronts include painted or wood.
- J-Pulls are available with touch latch doors only.
- Standard door or touch latch door choice is determined by pull style code.
- Wood drawer front with J-Pull: J-Pull trim color matches case trim color.
- Optional drawer pulls include Ellipse, Radius, Taper, Crescent,
  Linear, Classic and J-Pull.
  –Ellipse pull available in non-Metallic trim colors only.
  –Radius pull available in Metallic trim colors only.
  –Taper and J-Pull trim color matches case trim color.
  –Crescent, Linear and Classic pulls are brushed nickel finish.

Specification Tips

- Specify drawer and storage accessories separately.
- **Attached units must be attached** under a worksurface 20″(508mm) or deeper.
- 18 3/4″(476mm) deep storage will not work under 18″(457mm) deep work surfaces.
- Use corner brackets and or cantilevers to attach the worksurface to the panel.
- Separately specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height.

❷ Pull Styles with Standard Doors

1 Ellipse (1)

7 Crescent (7)

2 Radius (2)

8 Linear (8)

3 Taper (3)

9 Classic (9)

❷ Pull Styles with Touch Latch Door

1 Ellipse (A)

7 Crescent (D)

2 Radius (B)

8 Linear (E)

3 Taper (C)

9 Classic (F)



3 J-Pull (J) (Steel Fronts)



3 J-Pull (K) (Wood Fronts)

To Order, Specify:

Painted Drawer/Door Fronts

1) Product number, including:

❶ **Drawer/Door Front Style:**

SS Painted

❷ **Pull** (see below)
$27.04 upcharge list for touch latch door.

2) Trim color for drawer/door case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Trim color for lock plug.

Wood Drawer/Door Fronts

1) Product number, including:

❶ **Drawer Lockbar Option:**

WW Wood/steel lockbar

RR Wood/wood lockbar, add **$60.32** list

❷ **Pull** (see below)
$27.04 upcharge list for touch latch door.

2) Trim color for case.

3) Trim color for pull (Ellipse and Radius only).
–Ellipse (Non-Metallic trim colors only)
–Radius (Metallic trim colors only; upcharge for Metallic trim on pull is included in price.)

4) Wood finish for drawer/door fronts.

5) Trim color for lock plug.

Class FM – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

X Series Combination Units – Attached

Two-High Combination — Attached

Actual Height	Actual Depth	Actual Width	Description	Pull	Number ❶❷	Painted Trim A	Trim B	Wood Group A Trim A	Wood Group A Trim B	Wood Group B Trim A	Wood Group B Trim B
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Box/Box/File/ Door(R)	1, J	JCPB-0230- ■ ■ A	**$1609.92**	**$1688.96**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPB-0230- ■ 1A	**N/A**	**N/A**	**$2038.40**	**$2096.64**	**$2097.68**	**$2155.92**
				K	JCPB-0230- ■ KA	**N/A**	**N/A**	**2254.72**	**2312.96**	**2314.00**	**2372.24**
				2, 3	JCPB-0230- ■ ■ A	**1713.92**	**1792.96**	**2142.40**	**2200.64**	**2201.68**	**2259.92**
				7, 8, 9	JCPB-0230- ■ ■ A	**1738.88**	**1817.92**	**2167.36**	**2225.60**	**2226.64**	**2284.88**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Door(L)/ Box/Box/File	1, J	JCPE-0230- ■ ■ A	**$1609.92**	**$1688.96**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPE-0230- ■ 1A	**N/A**	**N/A**	**$2038.40**	**$2096.64**	**$2097.68**	**$2155.92**
				K	JCPE-0230- ■ KA	**N/A**	**N/A**	**2254.72**	**2312.96**	**2314.00**	**2372.24**
				2, 3	JCPE-0230- ■ ■ A	**1713.92**	**1792.96**	**2142.40**	**2200.64**	**2201.68**	**2259.92**
				7, 8, 9	JCPE-0230- ■ ■ A	**1738.88**	**1817.92**	**2167.36**	**2225.60**	**2226.64**	**2284.88**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	File/File/ Door(R)	1, J	JCPG-0230- ■ ■ A	**$1569.36**	**$1648.40**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPG-0230- ■ 1A	**N/A**	**N/A**	**$1979.12**	**$2037.36**	**$2037.36**	**$2095.60**
				K	JCPG-0230- ■ KA	**N/A**	**N/A**	**2195.44**	**2253.68**	**2253.68**	**2311.92**
				2, 3	JCPG-0230- ■ ■ A	**1647.36**	**1726.40**	**2057.12**	**2115.36**	**2115.36**	**2173.60**
				7, 8, 9	JCPG-0230- ■ ■ A	**1666.08**	**1745.12**	**2075.84**	**2134.08**	**2134.08**	**2192.32**
27 1/2″ (699mm)	18 3/4″ (476mm)	29 7/8″ (759mm)	Door(L)/ File/File	1, J	JCPJ-0230- ■ ■ A	**$1569.36**	**$1648.40**	**N/A**	**N/A**	**N/A**	**N/A**
				1	JCPJ-0230- ■ 1A	**N/A**	**N/A**	**$1979.12**	**$2037.36**	**$2037.36**	**$2095.60**
				K	JCPJ-0230- ■ KA	**N/A**	**N/A**	**2195.44**	**2253.68**	**2253.68**	**2311.92**
				2, 3	JCPJ-0230- ■ ■ A	**1647.36**	**1726.40**	**2057.12**	**2115.36**	**2115.36**	**2173.60**
				7, 8, 9	JCPJ-0230- ■ ■ A	**1666.08**	**1745.12**	**2075.84**	**2134.08**	**2134.08**	**2192.32**

V Series Attached and Suspended Pedestals

Box/Box/File — Attached

VPAH-24-5

File/File — Attached



VPAJ-24-5

❶ Pull Style



Full Pull (L)

Actual Height	Actual Depth	Actual Width	Description	Number ❶	Trim A	Trim B
27 1/2″(699mm)	17″(432mm)	15″(381mm)	Box/Box/File	VPAH-18- ■ ■	$431.44	$488.64
	23″(584mm)			VPAH-24- ■ ■	457.58	525.18
	29″(737mm)			VPAH-30- ■ ■	499.38	577.38
27 1/2″(699mm)	17″(432mm)	15″(381mm)	File/File	VPAJ-18- ■ ■	$401.96	$459.16
	23″(584mm)			VPAJ-24- ■ ■	428.10	495.70
	29″(737mm)			VPAJ-30- ■ ■	469.90	547.90

Features

- Includes attachment hardware.
- See appropriate price list for specification requirements.
- Glides provide 1″(25mm) adjustment range.
- **Attached units must be attached** under a worksurface equal to or deeper than pedestal depth.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- All drawers have full extension steel ball-bearing slides.
- Drawer interiors and accessories are black finish color.
- File drawer can accommodate legal filing front to back with the use of legal filing kits (VPL1-12, VPL2-12), separately specified.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

■ Available on RUSH.

Specification Tips

- Specify accessories separately.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Usable drawer is less than actual drawer depth. See Specification Guide for details.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

1) Product number, including:

❶ **Pull Option:**

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.
3) Trim color for standard pull (non-metallic colors only).
4) Trim color for lock plug.

Box/File — Suspended



VPHA-24-5

Box/Box/File — Suspended



VPHH-24-5

File/File — Suspended



VPHJ-24-5

19 5/8″(498mm)	17″(432mm)	15″(381mm)	Box/File	VPHA-18- ■ ■	$336.44	$374.92
	23″(584mm)			VPHA-24- ■ ■	362.58	409.38
25 5/8″(651mm)	17″(432mm)	15″(381mm)	Box/Box/File	VPHH-18- ■ ■	$425.20	$475.12
	23″(584mm)			VPHH-24- ■ ■	451.34	509.58
25 5/8″(651mm)	17″(432mm)	15″(381mm)	File/File	VPHJ-18- ■ ■	$395.72	$445.64
	23″(584mm)			VPHJ-24- ■ ■	421.86	480.10

Features

- Includes attachment hardware.
- For lock options, refer to Lock Program Price List.
- Lock plugs are available in black or chrome.
- Same key numbers within each unit.
- All drawers have full extension steel ball-bearing slides.
- Drawer interiors and accessories are black finish color.
- File drawer can accommodate legal filing front to back with the use of legal filing kits (VPL1-12, VPL2-12), separately specified.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

■ Available on RUSH.

Specification Tips

- Specify accessories separately.
- **Suspended units must be suspended** under a worksurface equal to or deeper than pedestal depth.
- **Suspended pedestals can only be used with Unigroup, Unigroup Too, PLACES, and RACE systems applications.**
- Not for use with 18″(457mm) deep worksurface with knife edge.

❶ Pull Style

Full Pull (L)

To Order, Specify:

1) Product number, including:

❶ **Pull Option:**

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.
3) Trim color for standard pull (non-metallic colors only).
4) Trim color for lock plug.

Class VS – SIN 711-3; Discount Group XII
Canadian Conversion Factor: Refer to haworth.com/Canada

V Series Lateral Files — Attached

Two-High — Attached



VLRD-0230-5A

❶ Pull Style



Full Pull (L)

Actual Height	Actual Depth	Actual Width	Number ❶	Trim A	Trim B
27 1/2″(699mm)	18″(457mm)	29 7/8″(759mm)	VLRD-0230- ■ A ◆	**$689.52**	**$ 768.56**
		35 7/8″(911mm)	VLRD-0236- ■ A ◆	**816.40**	**905.84**
		41 7/8″(1064mm)	VLRD-0242- ■ A ◆	**943.28**	**1043.12**

Features

- Includes attachment hardware and adjustable side-to-side hanging bars.
- 12″(305mm)-high drawers with adjustable side-to-side hanging bars for letter, legal, EDP and international A4 and foolscap suspended file folders.
- Drawer interiors and accessories are black finish color.
- Standard with lock.
- For lock options, refer to Lock Program Price List.
- Lock plugs available in black or chrome.
- Glides provide 1 1/2″(38mm) adjustment range.
- Standard pull option available in non-metallic trim colors only.
- Full pull option matches case color.

◆ Available on RUSH.

Specification Tips

- Use corner brackets and/or cantilevers to attach the worksurface to the panel.
- Specify worksurface height adjustment kit if mounting worksurface up to 2″(51mm) higher than standard mounting height; specify separately.
- See appropriate price book for specification requirements.
- Not for use with 18″(457mm) deep worksurface with knife edge.

To Order, Specify:

1) Product number, including:

❶ **Pull Option:**

- **5** Standard Pull
- **L** Full Pull

2) Trim color for drawer fronts and case.
3) Trim color for standard pull (non-metallic colors only).
4) Trim color for lock plug.

X Series and V Series Accessories

Worksurface Height Adjustment Kit for Attached Pedestal

Height	Number	Trim A	Trim B
1-2″(25-51mm)	JAKA-18	$167.44	$170.56
	JAKA-24	177.84	182.00
	JAKA-30	188.24	193.44



JAKA-18

Features

- Includes top and eight height adjustment spacers and attachment hardware.
- Provides height adjustment for pedestal-supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.
- Adjustment spacers are standard in charcoal finish color only.

Note: For additional steel storage options and accessories, refer to Steel Casegoods/Files/Storage Price List.

To Order, Specify:

1) Product number.
2) Trim color for top.

Filing Kits

Description	Number	Price
12″(305mm) STS file conversion bars	VPL2-12	$36.40



VPL2-12

Features

- Includes two bars for two rows of side-to-side filing in X Series 29″(737mm) deep pedestal drawers; only one bar is needed for each drawer.

To Order, Specify:

1) Product number.
(No finish specification required.)

Worksurface Height Adjustment Kit for Attached Storage Cabinet

1-2″(25-51mm)	JSHA-1	$26.00



JSHA-1

Features

- Includes eight height adjustment spacers and attachment hardware.
- Provides height adjustment for file-supported worksurfaces.
- Raises worksurfaces in 1″(25mm) increments up to 2″(51mm) above standard worksurface height.
- Standard in charcoal finish color only.

Note: For additional steel storage options and accessories, refer to Steel Casegoods/Files/Storage Price List.

To Order, Specify:

1) Product number.
(No finish specification required.)

Filing Kit

	JCPL-12	$36.40



JCPL-12

Features

- Includes one steel drawer back extension and one side-to-side file hanging bar.
- Black finish only.

Specification Tips

- For use in X Series Combination Units only.
- Required for filing side-to-side or legal in 12″(305mm) Combination Unit pedestal style drawers.

To Order, Specify:

1) Product number.
(No finish specification required.)

Tables

Laminate Square Table

TPPS

Height	Depth	Width	Number	Laminate A	Laminate B
29″(737mm)	24″(610mm)	24″(610mm)	TPPS-2424	**$690.85**	**$732.31**
	30″(762mm)	30″(762mm)	TPPS-3030	**732.16**	**776.05**
	36″(914mm)	36″(914mm)	TPPS-3636	**782.65**	**829.51**

Features
- Laminate top with T-mold edge.
- Pedestal base is available in trim colors.
- Self-adjusting glides.

To Order, Specify:
1) Product number.
2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Laminate Round Table

TPPR

Height	Depth	Width	Number	Laminate A	Laminate B
29″(737mm)	30″(762mm)		TPPR-30 ■	**$ 671.14**	**$ 739.72**
	36″(914mm)		TPPR-36 ■	**753.20**	**821.78**
	42″(1067mm)		TPPR-42 ■	**835.26**	**903.84**
	48″(1219mm)		TPPR-48 ■	**1001.81**	**1070.39**

Features
- Laminate top with T-mold edge.
- Pedestal base is available in trim colors.
- Self-adjusting glides.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Laminate Rectangular Table



TPCR

Height	Depth	Width	Number	Laminate A	Laminate B
29″(737mm)	30″(762mm)	54″(1372mm)	TPCR-3054 ■	**$1068.30**	**$1146.05**
		60″(1524mm)	TPCR-3060 ■	**1106.35**	**1186.45**
		72″(1829mm)	TPCR-3072 ■	**1182.45**	**1267.25**
	36″(914mm)	72″(1829mm)	TPCR-3672 ■	**1273.77**	**1364.21**

Features
- Laminate top with T-mold edge.
- Bases are available in trim colors.
- Self-adjusting glides.

■ Available on RUSH.

To Order, Specify:
1) Product number.
2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Laminate Oval Table



TPC0

Height	Depth	Width	Number	Laminate A	Laminate B
29″(737mm)	30″(762mm)	60″(1524mm)	TPC0-3060	**$1120.62**	**$1189.20**
		72″(1829mm)	TPC0-3072	**1222.27**	**1290.85**
	36″(914mm)	60″(1524mm)	TPC0-3660	**1227.17**	**1295.75**
		72″(1829mm)	TPC0-3672	**1328.82**	**1397.40**

Features
- Laminate top with T-mold edge.
- Bases are available in trim colors.
- Self-adjusting glides.

To Order, Specify:
1) Product number.
2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Tables

Laminate C-Leg Table

HTCT-T
HTCW-T

Height	Depth	Width	Number	Laminate A	Laminate B
26″(660mm)	24″(610mm)	36″(914mm)	HTCT-2436-T ■	**$ 774.13**	**$ 836.01**
		48″(1219mm)	HTCT-2448-T ■	**937.93**	**1012.86**
		60″(1524mm)	HTCT-2460-T ■	**1065.33**	**1150.41**
	30″(762mm)	36″(914mm)	HTCT-3036-T ■	**883.33**	**953.91**
		48″(1219mm)	HTCT-3048-T ■	**1065.33**	**1150.41**
		60″(1524mm)	HTCT-3060-T ■	**1247.33**	**1346.91**
29″(737mm)	24″(610mm)	36″(914mm)	HTCW-2436-T ■	**$ 937.93**	**$1026.51**
		48″(1219mm)	HTCW-2448-T ■	**1101.73**	**1203.36**
		60″(1524mm)	HTCW-2460-T ■	**1229.13**	**1340.91**
	30″(762mm)	36″(914mm)	HTCW-3036-T ■	**1047.13**	**1144.41**
		48″(1219mm)	HTCW-3048-T ■	**1229.13**	**1340.91**
		60″(1524mm)	HTCW-3060-T ■	**1411.13**	**1537.41**

Features

- Two heights, 26″(660mm) machine height and 29″(737mm) desk height.
- Laminate top with T-mold edge.
- Base and modesty panel are available in trim colors.
- Tables feature 1/4-height modesty panels.
- C-Leg design permits free leg swing.
- Tables 48″(1219mm) and wider will accommodate a pencil drawer but not drawer pedestals.
- 24″(610mm) deep tables will not accommodate an adjustable keyboard pad.

■ Available on RUSH.

To Order, Specify:

1) Product number.
2) Laminate surface color.
3) Edge trim color.
4) Base trim color.

Finish/Color Legend

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
A	Double Cut	Obeche	Double Cut	Open Pore	N/A	Horizontal	Horizontal	Applegate	2P-RL
								Beachwood	WL-RL[1]
								Butternut	2R-RL
								Ebony	WJ-RE[1]
								Echo	2N-RL
								Melba	WE-RT[1]
								Sorrel	WF-RC[1]
								Wenge	WC-RW[1]

Wood Group	Veneer Type	Variety	Cutting Technique	Surface	Matching Technique	Grain Direction		Finish Name/ Color	Specification Number
						Panel Face	Component Face		
B	Natural	Maple	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Natural Maple	VP-N[2]
								Light Maple	VP-LM
								Sand on Maple	VP-AD[2]
	Natural	Cherry	Plain Sliced	Filled	Book Matched	Vertical	Vertical	Amber on Cherry	VC-CA1
								Caramel Cherry	VC-W33
								Heritage Cherry	VC-W30
								Pacific Cherry	VC-W32
	Natural	Walnut	Plain Sliced	Open Pore	Book Matched	Vertical	Vertical	Espresso on Walnut	VR-W15
								Retro on Walnut	VR-W31
								Naturally Walnut	VR-W12
								Mahogany Satin on Walnut	VR-W21
B	Quarter-Cut	Anegre	Quarter-Cut	Open Pore	N/A	Vertical	Vertical	Espresso on QC Anegre	NP-W15
								Golden on QC Anegre	NP-W08
								Light on QC Anegre	NP-W07
	Quarter-Cut	Cherry	Quarter-Cut	Open Pore	N/A	Vertical	Vertical	Medium on QC Cherry	NX-U
	Quarter-Cut	Maple	Quarter-Cut	Open Pore	N/A	Vertical	Vertical	Natural QC Maple	NM-N
	Quarter-Cut	Walnut	Quarter-Cut	Open Pore	N/A	Vertical	Vertical	Espresso on QC Walnut	NW-W15
								Retro on QC Walnut	NW-W31
B	Rift Cut	White Oak	Rift Cut	Open Pore	N/A	Vertical	Vertical	Espresso on Rift Cut White Oak	NR-W15

Because of the natural properties of wood, variations of grain pattern and finish color can be expected. Haworth carefully selects each material used in the manufacturing of products to ensure consistent and acceptable color and finish. Wood also will change color due to lighting conditions. Haworth controls this by using surface finishes to reduce color change. However, color change may be more evident in light-colored finishes.

Glazing Colors

SK-1C Clear (A) ■
SK-1E Frosted Acrylic (D)

Glass Patterns[3]

SQ-CM Checks Mix (D)
SQ-ER English Reeded (C)
SQ-VM Vertical Moire (D)

X Series Pulls

Ellipse - Non-Metallic trim colors only
Radius - Metallic trim colors only

[1] Available on Adaptable Components only.
[2] Not available on UniGroup Panels.
[3] Available on Add-on Panels only.

■ Available on RUSH.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.
Cordovan on Walnut VR-W13

Finish/Color Legend

	UniGroup Too Panels, Components	UniGroup/ PLACES Panels, Components	UniGroup Too/ UniGroup Laminate Panels	Doors	Clerestory Kits	Worksurfaces, Support Panels	T-Mold	Edgeband
Solid Colors — Grade A								
Beige	TR-R ■	TR-R ■	H-34 ■	H-34 ■	TR-R	H-34 ■	HP-34 ■	HP-34 ■
Chalk	TR-AK ■	TR-AK ■	H-AK ■	H-AK ■	TR-AK	H-AK ■	HP-AK ■	HP-AK ■
Charcoal	TR-K ■	TR-K ■	H-8J ■	H-8J ■	TR-K	H-8J ■	HP-8J ■	HP-8J ■
Cocoa	TR-C1	TR-C1						
Graphite	TR-J ■	TR-J ■	H-3J ■	H-3J ■	TR-J	H-3J ■	HP-3J ■	HP-3J ■
Gray Tone	TR-G ■	TR-G ■	H-62 ■	H-62 ■	TR-G	H-62 ■	HP-62 ■	HP-62 ■
Linen			H-WL ■			H-WL ■	HP-WL ■	HP-WL ■
Platinum			H-3P ■			H-3P ■	HP-3P ■	HP-3P ■
Putty	TR-AA ■	TR-AA ■	H-AA ■	H-AA ■	TR-AA	H-AA ■	HP-AA ■	HP-AA ■
Shadow (Charcoal)								
Smoke	TR-E ■	TR-E ■	H-3E ■	H-3E ■	TR-E	H-3E ■	HP-3E ■	HP-3E ■
White Sand			H-LC ■			H-LC	HP-LC	HP-LC
Metallic Colors[1] — Grade B								
Metallic Champagne	TR-MC ■							
Metallic Dark Bronze	TR-DM							
Metallic Silver	TR-LE ■							
Laminate Wood Grain Colors — Grade A								
Maple						H-AE ■		HP-AE ■
Amber Cherry						H-AM		H-AM
Laminate - Premium Wood Grain — Grade B								
Brazilwood		H-KA				H-KA		
Colombian Walnut		H-KG				H-KG		
New Age Oak		H-KC				H-KC		
River Cherry		H-KD				H-KD		
Sanara		H-KE				H-KE		
Williamsburg Cherry		H-KF				H-KF		

■ Available on RUSH.

[1]Check product pages for availability and upcharges.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.

Medium Cherry	H-AD
Patterned Silver	P8-PS
Patterned White	P8-PW
Barley Grain	H-DH
Oats Grain	H-DA
Wheat Grain	H-DE
Owl Nest	H-EK
Quail Nest	H-EC ■
Rhea Nest	H-ED ■
Robin Nest	H-EA ■
Grey Spex	H-22 ■
White Spex	H-21 ■
Metallic Gunmetal	TR-MG ■

Finish/Color Legend

	Cascade	Adaptable Component Overhead Storage	UniGroup Shelf Ends	UniGroup Flipper Doors	PLACES Flipper Doors	X Series	V Series	Jump Stuff
Solid Colors — Grade A								
Beige	HP-34 ■	TR-R ■	V-34	H-34 ■		TR-R ■	TR-R ■	
Chalk	HP-AK ■	TR-AK ■	V-AK	H-AK ■		TR-AK ■	TR-AK ■	
Charcoal	HP-8J ■	TR-K ■	V-8J	H-8J ■		TR-K ■	TR-K ■	
Graphite	HP-3J ■	TR-J ■	V-3J	H-3J ■		TR-J ■	TR-J ■	
Gray Tone	HP-62 ■	TR-G ■	V-8L	H-62 ■		TR-G ■	TR-G ■	
Linen	HP-WL ■							
Platinum	HP-3P ■							
Putty	HP-AA ■	TR-AA ■	V-AA	H-AA ■		TR-AA ■	TR-AA ■	
Shadow (Charcoal)	HP-LU							
Smoke	HP-3E ■	H-3E ■	V-3E	H-3E ■		TR-E ■	TR-E ■	
Metallic Colors[1] — Grade B								
Metallic Champagne		TR-MC ■				TR-MC ■	TR-MC ■	TR-MC ■
Metallic Silver		TR-LE ■				TR-LE ■	TR-LE ■	TR-LE ■
Laminate Wood Grain Colors — Grade A								
Maple				H-AE ■	H-AE ■			
Amber Cherry				H-AM	H-AM			
Translucent - Jump Stuff								
Ice (Blue) — Grade A								TR-LX
Frost (White) — Grade A								TR-LQ
Moon (Amber) — Grade B								TR-LY
Shadow (Charcoal) — Grade B								TR-LU ■
Translucent Basic								
White		P8-AW				P8-AW ■		
Translucent Patterned — Grade D								
Blue — Grade D		P8-PB				P8-PB		
Coral — Grade D		P8-PC				P8-PC		
Oyster — Grade D		P8-PY				P8-PY		
Lock Plugs								
Black		LR-BL ■				LR-BL ■	LR-BL ■	
Chrome		LR-BP ■				LR-BP ■	LR-BP ■	

■ Available on RUSH.

[1]Check product pages for availability and upcharges.

Alert:
These materials are current, however they are being considered for future obsolescence due to low volume.

Barley Grain	H-DH
Oats Grain	H-DA
Rye Grain	H-DF
Wheat Grain	H-DE
Owl Nest	H-EK
Quail Nest	H-EC ■
Rhea Nest	H-ED ■
Robin Nest	H-EA ■
Grey Spex	H-22 ■
White Spex	H-21 ■
Metallic Gunmetal	TR-MG ■

Systems/Fabrics/Color Legend

- Fabrics listed on this page apply to UniGroup Too, UniGroup and PLACES upholstered products.

Exceptions:

- PLACES High Performance Monolithic panels are available in Biscotti, Savoy, Striae and Traffic only.
- Hue is available on UniGroup Too inserts.
- Puzzler is not available on UniGroup or PLACES flipper doors or if screens.
- Shimmer is available on UniGroup Too Inserts and Flipper Door Fronts.
- Shimmer is not available on UniGroup Too Panels.
- Tellure is available on Tackboards, Tack Strips and inserts only.

- To obtain fabric samples contact your authorized Haworth dealer.
- Fabric and finish availability as well as technical information are subject to change; Refer to Haworth.com/surfaces for current information.
- All fabrics except Tellure are 66″ wide. Tellure is 54″ wide.

ⓓ = Directional fabric
ⓝ = Non-directional fabric

■ Fabric/colorway available on RUSH.

Fabric Grade: A ⓓ
HIGHLANDS
100% Recycled Polyester/
100% REPREVE®
L6-AG Glen ■
L6-AH Heather
L6-AL Loch
L6-AM Moor ■
L6-AP Peat ■
L6-AT Thatch

Fabric Grade: A ⓓ
IOWA
52% Post Industrial
Recycled Polyester/
48% Post Consumer
Recycled Polyester
FZ-10 Badger ■
FZ-6 Bixby
FZ-3 Bobwhite ■
FZ-2 Cedar Rock ■
FZ-11 Clear Lake
FZ-13 Emerson
FZ-7 Gar
FZ-9 Honeycreek
FZ-1 Manawa ■
FZ-5 Rice Lake ■
FZ-4 Trappers Bay ■
FZ-12 Walnut Woods
FZ-8 Wapello ■

Fabric Grade: A ⓓ
POINT
100% Polyester
EE-0AG Compass
EE-0AC Decimal
EE-0AF Focal
EE-0AD Nib
EE-0AA Peak
EE-0AE Vertex

Fabric Grade: A ⓓ
SAVOY
51% Virgin Polyester,
49% Recycled Polyester
FJ-CC Apache
FJ-AD Balsam ■
FJ-AP Bisque ■
FJ-AE Blue Ridge ■
FJ-AA Blue Willow ■
FJ-CA Breaker
FJ-AR Chamois ■
FJ-AK Elephant ■
FJ-AL Glacier ■
FJ-AX Mango
FJ-AY Maya
FJ-AW Poplar
FJ-CD Raisen
FJ-AT Shallot ■
FJ-AM Stainless ■
FJ-AF Tempest

Fabric Grade: A ⓓ
STRIAE
42% Post Industrial
Recycled Polyester/
42% Post Consumer
Recycled Polyester/
16% Polyester
(84% REPREVE®)
C1-AJ Beam ■
C1-AM Band ■
C1-AH Element ■
C1-AF Fillet ■
C1-AC Moonlight ■
C1-AE Ray ■
C1-AK Ribbons ■
C1-AD Straws ■
C1-AA Stream ■
C1-AL Trace ■

Fabric Grade A ⓓ
TAILORED
100% Post Consumer
Recycled Polyester
PY-AL Alter
PY-BU Buttons
PY-DR Draper
PY-FC French Chalk
PY-HE Hem
PY-MA Mannequin
PY-SE Seam
PY-SH Shears
PY-SU Suit
PY-TH Thread
PY-TR Tradition

Fabric Grade: A ⓓ
TATAMI
100% Polyester
W5-1 Agave ■
W5-2 Coir
W5-3 Geta
W5-4 Hemp ■
W5-5 Jute ■
W5-6 Kayar ■
W5-7 Kobe
W5-8 Saffron ■
W5-9 Sapporo
W5-10 Sisal
W5-12 Tabi
W5-11 Tesori ■

Fabric Grade A ⓓ
TUSCAN
65% Post Industrial
Recycled Polyester/
35% Post Consumer
Recycled Polyester/
(35% REPREVE®)
TK-AR Arno
TK-CA Carrara
TK-DA David
TK-ET Etruscan
TK-FL Florence
TK-LM Limoncello
TK-MA Masonry
TK-ME Medici
TK-TR Olive Tree
TK-PS Pisa
TK-RM Romanesque
TK-RU Rustic
TK-SE Siena

Fabric Grade: B ⓓ
CLASSIC
82% Recycled Polyester/
18% Polyester
82% REPREVE©
L5-AJ Art ■
L5-AG Car
L5-AF Comedy ■
L5-AR Dance ■
L5-AH Design
L5-AD Drama ■
L5-AT Movie ■
L5-AA Musical
L5-AC Radio ■
L5-AS Song

Fabric Grade: B ⓓ
HUE
62% Antimony Free Polyester,
38% Virgin Polyester
6-BK Bark
6-ED Eddy
6-FR Froth
6-GK Ginko
6-LT Latte
6-LF Leaf
6-LM Lemon
6-MG Marigold
6-MR Marine
6-PP Poppy
6-RD Red
6-SS Seaside
6-SP Spring
6-ST Steam
6-TQ Turquoise
6-WP Wisp

Fabric Grade: B ⓓ
KIO
100% Recycled Polyester
ZR-6 Bennett ■
ZR-8 Cascade
ZR-7 Crew ■
ZR-5 FUD
ZR-3 Jeanlin
ZR-1 Jib
ZR-11 Reeds Lake
ZR-13 Regatta ■
ZR-10 Sailor
ZR-2 Sentra ■
ZR-12 Smurf
ZR-9 TSJ ■
ZR-4 Yippi Kio ■

Fabric Grade: B ⓝ
PUZZLER
48% Post Industrial
Recycled Polyester/
52% Post Consumer
Recycled Polyester
7L-C Clue
7L-CR Cryptic
7L-E Enigma
7L-I Intrigue
7L-M Maze
7L-R Riddle

Fabric Grade B ⓓ
RITZ
49% Post Industrial
Recycled Polyester/
51% Post Consumer
Recycled Polyester/
(51% REPREVE®)
PV-BR Bravo
PV-BT Black Tie
PV-CA Candle Light
PV-CH Champagne
PV-CL Classy
PV-CT Class Act
PV-FR Formal
PV-VA Ovation
PV-WT White Tie

Systems Fabrics/Color Legend

Fabric Grade: B ⓓ
SHIMMER
100% Recycled Polyester
WS-5 Cellophane
WS-8 Copper
WS-13 Dew
WS-14 Diamond
WS-9 Flaxen
WS-4 Gems
WS-11 Glass
WS-1 Glitter
WS-10 Mirage
WS-16 Mirror
WS-2 Moonlight
WS-6 Puddle
WS-15 Reflection
WS-12 Stars
WS-3 Water
WS-7 Wet Grass

Fabric Grade: B ⓓ
TRAFFIC
24% Post Industrial Recycled Polyester/ 76% Post Consumer Recycled Polyester
WZ-9 Autobon
WZ-6 Country Drive
WZ-7 Freeway ■
WZ-5 Gridlock
WZ-1 Jam ■
WZ-3 Merge
WZ-8 Route 66 ■
WZ-4 Ticket
WZ-2 Yield

Fabric Grade C ⓓ
BIRDS NEST
38% Post Industrial Recycled Polyester/ 20% Post Consumer Recycled Polyester/ 42% Recycled Polyester (20% REPREVE®)
PH-CA Canary
PH-EA Eagle
PH-EG Egret
PH-FA Falcon
PH-HE Heron
PH-HU Hummingbird
PH-MD Morning Dove
PH-NU Nuthatch
PH-WL Owl
PH-RA Raven
PH-SA Sandpiper
PH-ST Stork
PH-SW Swan

Fabric Grade C ⓓ
GEODE
34% Post Industrial Recycled Polyester/ 26% Post Consumer Recycled Polyester/ 40% Recycled Polyester (26% REPREVE®)
PR-BS Bismuth
PR-CA Calcite
PR-CT Citrine
PR-CR Crystal
PR-FL Fluorite
PR-GA Galena
PR-HL Hollow
PR-MA Malachite
PR-QU Quartz
PR-WN Wonder

Seating Fabric

Fabric Grade: A ⓝ
TELLURE
100% Polyester
3A-31 Aegean
3A-18 Black ■
3A-20 Burgundy ■
3A-40 Chocolate
3A-28 Dynamo
3A-22 Galaxy ■
3A-42 Geranium
3A-36 Grass
3A-35 Ivory
3A-23 Jodhpurs ■
3A-33 Miami
3A-19 Navy ■
3A-06 Nickel ■
3A-34 Ocean
3A-32 Sky
3A-38 Slate
3A-37 Spring
3A-39 Steel
3A-41 Sunflower
3A-43 Tomato

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: B ⓓ
BISCOTTI
100% Recycled Polyester
FN-AJ Atlantis
FN-AE Copper
FN-AW Curry
FN-AT Fig
FN-AL Fresco ■
FN-AX Icing
FN-AR Macaroon
FN-AF Maize
FN-AG Opal Gray ■
FN-AD Pesto
FN-AC Phoenician ■
FN-AH Sea Spray ■
FN-AA Shark
FN-AN Silver Ash ■
FN-AP Torte
FN-AM Wafer ■

Fabric Grade: B ⓓ
LANDSCAPE
100% Recycled Polyester
C2-AD Estate ■
C2-AH Harvest ■
C2-AJ Panorama ■
C2-AF Parkland ■
C2-AC Photograph ■
C2-AE Seascape ■
C2-AA Vista ■

Fabric Grade: B ⓓ
TRAX
100% Recycled Polyester
W9-8 Back
W9-5 Cover Your
W9-2 Eight ■
W9-4 Field
W9-6 Railroad ■
W9-1 Sand ■
W9-7 Tire ■
W9-3 Trolley

Fabric Grade: C ⓓ
MAYPOLE by Maharam
100% Polyester
2D-004 Reed
2D-003 Rush
2D-006 Sway
2D-001 Tone
2D-005 Twirl
2D-002 Waver

Haworth+
For information on the Haworth+ alliance program, including images and product availability, please refer to:
Haworth.com > Surface Collection > Haworth+ Library

Customer's Own Material (COM)
For general Customer's Own Material (COM) information including processes and forms, please refer to:
Haworth.com > Surface Collection > Resources > COM
For information on approved COM's, please refer to:
Haworth.com > Surface Collection > COM Library

COM Yardage Requirements

Procedure

To confirm approval of or request new approval for COM's, contact the **Haworth Inquiry Center (1.800.426.8562), or http://hub.Haworth.com, or www.haworth.com > surface collection > COM Library** to determine if the COM you have selected has already been tested and approved for use on our product.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate column in the chart for yardage requirements.

Steps to follow to calculate fabric usage:

1) Identify product type and size.
2) Determine method in which fabric is to be cut (directional rightway, directional railroad or non-directional).
3) Determine fabric roll width.
4) Find corresponding fabric usage value from the table.
5) Calculate fabric required using the formula below:
   Fabric usage = number of units x number of sides with fabric x fabric usage (from tables) + C (constant).

Constant — Compose®, PREMISE®, PLACES® and UniGroup®

Product	C
Panels	2.5
Tackboards, Tackstrips	1.5
Inserts	1.5
Desktop Screens	1.5
OSUs and Flipper Doors	1.5
LFBs and VSUs	1.5
Trim Covers (Finish Post, End of Run)	1.5
Stackable Pads	1.5
Add-ons and Wainscot Panels	1.5

Constant — RACE®

Product	C
Desktop Screens	1.5
RACE Privacy Screens*	0.0
RACE Pads	0.0

*Includes fabric for both sides. Sizes 51″-78″ include two screens.

6) Repeat steps 1-5 for each product type, size and fabric.
7) Add all values together to find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.

Up to 500 yards	Add 10%
501 to 1000 yards	Add 5%
More than 1000 yards	Add 3%

Directional Rightway:



Directional Railroad:



Non-Directional:



COM Yardage Requirements

UniGroup Too

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Straight Panel							
32″(813mm)	24″ (610mm)	0.42	0.78	0.42	0.42	0.39	0.39
	30″ (762mm)	0.83	0.94	0.83	0.42	0.47	0.42
	36″ (914mm)	0.83	1.11	0.83	0.83	0.56	0.56
	42″ (1067mm)	0.83	1.28	0.83	0.83	0.64	0.64
	48″ (1219mm)	0.83	1.44	0.83	0.83	0.72	0.72
	60″ (1529mm)	N/A	1.78	1.78	0.83	0.89	0.83
40″(1016mm)	24″ (610mm)	0.51	0.78	0.51	0.51	0.78	0.51
	30″ (762mm)	1.03	0.94	0.94	0.51	0.94	0.51
	36″ (914mm)	1.03	1.11	1.03	1.03	1.11	1.03
	42″ (1067mm)	1.03	1.28	1.03	1.03	1.28	1.03
	48″ (1219mm)	1.03	1.44	1.03	1.03	1.44	1.03
	60″ (1529mm)	N/A	1.78	1.78	1.03	1.78	1.03
48″(1219mm)	24″ (610mm)	0.61	0.78	0.61	0.61	0.78	0.61
	30″ (762mm)	1.22	0.94	0.94	0.61	0.94	0.61
	36″ (914mm)	1.22	1.11	1.11	1.22	1.11	1.11
	42″ (1067mm)	1.22	1.28	1.22	1.22	1.28	1.22
	48″ (1219mm)	1.22	1.44	1.22	1.22	1.44	1.22
	60″ (1529mm)	N/A	1.78	1.78	1.22	1.78	1.22
56″(1422mm)	24″ (610mm)	0.78	0.78	0.78	0.78	0.78	0.78
	30″ (762mm)	1.56	0.94	0.94	0.78	0.94	0.78
	36″ (914mm)	1.56	1.11	1.11	1.56	1.11	1.11
	42″ (1067mm)	1.56	1.28	1.28	1.56	1.28	1.28
	48″ (1219mm)	1.56	1.44	1.44	1.56	1.44	1.44
	60″ (1529mm)	N/A	1.78	1.78	1.56	1.78	1.56
64″ (1626mm)	24″ (610mm)	0.89	N/A	0.89	0.89	0.78	0.78
	30″ (762mm)	1.78	N/A	1.78	0.89	0.94	0.89
	36″ (914mm)	1.78	N/A	1.78	1.78	1.11	1.11
	42″ (1067mm)	1.78	N/A	1.78	1.78	1.28	1.28
	48″ (1219mm)	1.78	N/A	1.78	1.78	1.44	1.44
	60″ (1529mm)	N/A	N/A	N/A	1.78	1.78	1.78
72″(1829mm)	24″ (610mm)	0.94	N/A	0.94	0.94	0.78	0.78
	30″ (762mm)	1.89	N/A	1.89	0.94	0.94	0.94
	36″ (914mm)	1.89	N/A	1.89	1.89	1.11	1.11
	42″ (1067mm)	1.89	N/A	1.89	1.89	1.28	1.28
	48″ (1219mm)	1.89	N/A	1.89	1.89	1.44	1.44
	60″ (1529mm)	N/A	N/A	N/A	1.89	1.78	1.78
80″(2032mm)	24″ (610mm)	1.14	N/A	1.14	1.14	N/A	1.14
	30″ (762mm)	2.28	N/A	2.28	1.14	N/A	1.14
	36″ (914mm)	2.28	N/A	2.28	2.28	N/A	2.28
	42″ (1067mm)	2.28	N/A	2.28	2.28	N/A	2.28
	48″ (1219mm)	2.28	N/A	2.28	2.28	N/A	2.28
	60″ (1529mm)	N/A	N/A	N/A	2.28	N/A	2.28

COM Yardage Requirements

UniGroup Too

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Finish Posts							
32″(813mm)		0.10	0.10	0.10	0.08	0.10	0.08
40″(1016mm)		0.13	0.19	0.13	0.10	0.10	0.10
48″(1219mm)		0.16	0.19	0.16	0.12	0.19	0.12
56″ (1422mm)		0.21	0.19	0.19	0.16	0.19	0.15
64″ (1626mm)		0.24	N/A	0.24	0.19	0.19	0.19
72″(1829mm)		0.25	N/A	0.25	0.20	0.19	0.19
80″(2032mm)		0.31	N/A	0.31	0.24	N/A	0.24

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Tackboard and Tack Strip							
5″ (127mm)	24″ (610mm)	0.31	0.21	0.21	0.31	0.14	0.14
	30″ (762mm)	0.31	0.25	0.25	0.31	0.17	0.17
	36″ (914mm)	0.31	0.29	0.29	0.31	0.19	0.19
	42″ (1067mm)	0.31	0.33	0.31	0.31	0.22	0.22
	48″ (1219mm)	0.31	0.38	0.31	0.31	0.25	0.25
	60″ (1529mm)	N/A	0.46	0.46	0.31	0.31	0.31
11″ (279mm)	24″ (610mm)	0.47	0.42	0.42	0.47	0.28	0.28
	30″ (762mm)	0.47	0.50	0.47	0.47	0.33	0.33
	36″ (914mm)	0.47	0.58	0.47	0.47	0.39	0.39
	42″ (1067mm)	0.47	0.67	0.47	0.47	0.44	0.44
	48″ (1219mm)	0.47	0.75	0.47	0.47	0.50	0.47
	54″ (1371mm)	N/A	0.83	0.83	0.47	0.56	0.47
	60″ (1529mm)	N/A	0.92	0.92	0.47	0.61	0.47
16″ (406mm)	24″ (610mm)	0.61	0.42	0.42	0.61	0.28	0.28
	30″ (762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36″ (914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42″ (1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48″ (1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54″ (1371mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60″ (1529mm)	N/A	0.92	0.92	0.61	0.61	0.61
33″ (838mm)	24″ (610mm)	1.08	0.83	0.83	1.08	0.83	0.83
	30″ (762mm)	1.08	1.00	1.00	1.08	1.00	1.00
	36″ (914mm)	1.08	1.17	1.08	1.08	1.17	1.08
	42″ (1067mm)	1.08	1.33	1.08	1.08	1.33	1.08
	48″ (1219mm)	1.08	1.50	1.08	1.08	1.50	1.08
	54″ (1371mm)	N/A	1.67	1.67	1.08	1.67	1.08
	60″ (1529mm)	N/A	1.83	1.83	1.08	1.83	1.08

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Straight Panel							
30″ (762mm)	12″ (305mm)	0.28	0.44	0.28	0.21	0.22	0.21
	18″ (457mm)	0.42	0.61	0.42	0.28	0.31	0.28
	24″ (610mm)	0.42	0.78	0.42	0.42	0.39	0.39
	30″ (762mm)	0.83	0.94	0.83	0.42	0.47	0.42
	36″ (914mm)	0.83	1.11	0.83	0.83	0.56	0.56
	42″ (1067mm)	0.83	1.28	0.83	0.83	0.64	0.64
	48″ (1219mm)	0.83	1.44	0.83	0.83	0.72	0.72
	54″ (1371mm)	N/A	1.61	1.61	0.83	0.81	0.81
	60″ (1529mm)	N/A	1.78	1.78	0.83	0.89	0.83
37″ (940mm)	12″ (305mm)	0.34	0.44	0.34	0.26	0.44	0.26
	18″ (457mm)	0.51	0.61	0.51	0.34	0.61	0.34
	24″ (610mm)	0.51	0.78	0.51	0.51	0.78	0.51
	30″ (762mm)	1.03	0.94	0.94	0.51	0.94	0.51
	36″ (914mm)	1.03	1.11	1.03	1.03	1.11	1.03
	42″ (1067mm)	1.03	1.28	1.03	1.03	1.28	1.03
	48″ (1219mm)	1.03	1.44	1.03	1.03	1.44	1.03
	54″ (1371mm)	N/A	1.61	1.61	1.03	1.61	1.03
	60″ (1529mm)	N/A	1.78	1.78	1.03	1.78	1.03
44″ (1118mm)	12″ (305mm)	0.41	0.44	0.41	0.31	0.44	0.31
	18″ (457mm)	0.61	0.61	0.61	0.41	0.61	0.41
	24″ (610mm)	0.61	0.78	0.61	0.61	0.78	0.61
	30″ (762mm)	1.22	0.94	0.94	0.61	0.94	0.61
	36″ (914mm)	1.22	1.11	1.11	1.22	1.11	1.11
	42″ (1067mm)	1.22	1.28	1.22	1.22	1.28	1.22
	48″ (1219mm)	1.22	1.44	1.22	1.22	1.44	1.22
	54″ (1371mm)	N/A	1.61	1.61	1.22	1.61	1.22
	60″ (1529mm)	N/A	1.78	1.78	1.22	1.78	1.22
50″ (1270mm)	12″ (305mm)	0.46	0.44	0.44	0.35	0.44	0.35
	18″ (457mm)	0.69	0.61	0.61	0.46	0.61	0.46
	24″ (610mm)	0.69	0.78	0.69	0.69	0.78	0.69
	30″ (762mm)	1.39	0.94	0.94	0.69	0.94	0.69
	36″ (914mm)	1.39	1.11	1.11	1.39	1.11	1.11
	42″ (1067mm)	1.39	1.28	1.28	1.39	1.28	1.28
	48″ (1219mm)	1.39	1.44	1.39	1.39	1.44	1.39
	54″ (1371mm)	N/A	1.61	1.61	1.39	1.61	1.39
	60″ (1529mm)	N/A	1.78	1.78	1.39	1.78	1.39
64″ (1626mm)	12″ (305mm)	0.59	N/A	0.59	0.44	0.44	0.44
	18″ (457mm)	0.89	N/A	0.89	0.59	0.61	0.59
	24″ (610mm)	0.89	N/A	0.89	0.89	0.78	0.78
	30″ (762mm)	1.78	N/A	1.78	0.89	0.94	0.89
	36″ (914mm)	1.78	N/A	1.78	1.78	1.11	1.11
	42″ (1067mm)	1.78	N/A	1.78	1.78	1.28	1.28
	48″ (1219mm)	1.78	N/A	1.78	1.78	1.44	1.44
	54″ (1371mm)	N/A	N/A	N/A	1.78	1.61	1.61
	60″ (1529mm)	N/A	N/A	N/A	1.78	1.78	1.78
68″ (1727mm)	12″ (305mm)	0.63	N/A	0.63	0.47	0.44	0.44
	18″ (457mm)	0.94	N/A	0.94	0.63	0.61	0.61
	24″ (610mm)	0.94	N/A	0.94	0.94	0.78	0.78
	30″ (762mm)	1.89	N/A	1.89	0.94	0.94	0.94
	36″ (914mm)	1.89	N/A	1.89	1.89	1.11	1.11
	42″ (1067mm)	1.89	N/A	1.89	1.89	1.28	1.28
	48″ (1219mm)	1.89	N/A	1.89	1.89	1.44	1.44
	54″ (1371mm)	N/A	N/A	N/A	1.89	1.61	1.61
	60″ (1529mm)	N/A	N/A	N/A	1.89	1.78	1.78

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Straight Panel							
82″ (2083mm)	12″ (305mm)	0.76	N/A	0.76	0.57	N/A	0.57
	18″ (457mm)	1.14	N/A	1.14	0.76	N/A	0.76
	24″ (610mm)	1.14	N/A	1.14	1.14	N/A	1.14
	30″ (762mm)	2.28	N/A	2.28	1.14	N/A	1.14
	36″ (914mm)	2.28	N/A	2.28	2.28	N/A	2.28
	42″ (1067mm)	2.28	N/A	2.28	2.28	N/A	2.28
	48″ (1219mm)	2.28	N/A	2.28	2.28	N/A	2.28
	54″ (1371mm)	N/A	N/A	N/A	2.28	N/A	2.28
	60″ (1529mm)	N/A	N/A	N/A	2.28	N/A	2.28

Actual (Inches) Height - Side Rail	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Add-On Panel							
12″ (305mm)	12″ (305mm)	0.15	0.15	0.15	0.11	0.11	0.11
	18″ (459mm)	0.22	0.20	0.20	0.15	0.15	0.15
	24″ (610mm)	0.25	0.26	0.25	0.25	0.26	0.25
	30″ (762mm)	0.50	0.32	0.32	0.25	0.32	0.25
	36″ (914mm)	0.50	0.37	0.37	0.50	0.37	0.37
	42″ (1067mm)	0.50	0.43	0.43	0.45	0.40	0.40
	48″ (1219mm)	0.50	0.48	0.48	0.50	0.48	0.48
	54″ (1372mm)	N/A	0.54	0.54	0.45	0.40	0.40
	60″ (1529mm)	N/A	0.59	0.59	0.50	0.59	0.50
14″ (356mm)	12″ (305mm)	0.17	0.15	0.15	0.13	0.15	0.13
	18″ (459mm)	0.25	0.20	0.20	0.17	0.20	0.17
	24″ (610mm)	0.25	0.26	0.25	0.25	0.26	0.25
	30″ (762mm)	0.50	0.31	0.31	0.25	0.31	0.25
	36″ (914mm)	0.50	0.37	0.37	0.50	0.37	0.37
	42″ (1067mm)	0.50	0.43	0.43	0.50	0.43	0.43
	48″ (1219mm)	0.50	0.48	0.48	0.50	0.48	0.49
	54″ (1372mm)	N/A	0.54	0.54	0.50	0.54	0.50
	60″ (1529mm)	N/A	0.59	0.59	0.50	0.59	0.50
18″ (457mm)	12″ (305mm)	0.20	0.22	0.20	0.15	0.15	0.15
	18″ (457mm)	0.31	0.31	0.31	0.20	0.20	0.20
	24″ (610mm)	0.31	0.39	0.31	0.31	0.26	0.26
	30″ (762mm)	0.61	0.47	0.47	0.31	0.31	0.31
	36″ (914mm)	0.61	0.56	0.56	0.61	0.37	0.37
	42″ (1067mm)	0.61	0.64	0.61	0.61	0.43	0.43
	48″ (1219mm)	0.61	0.72	0.61	0.61	0.48	0.48
	54″ (1372mm)	N/A	0.81	0.81	0.61	0.54	0.54
	60″ (1529mm)	N/A	0.89	0.89	0.61	0.59	0.59
20″ (508mm)	12″ (305mm)	0.22	0.22	0.22	0.17	0.22	0.17
	18″ (457mm)	0.33	0.31	0.31	0.22	0.31	0.22
	24″ (610mm)	0.33	0.39	0.33	0.33	0.39	0.33
	30″ (762mm)	0.67	0.47	0.47	0.33	0.47	0.33
	36″ (914mm)	0.67	0.56	0.56	0.67	0.56	0.56
	42″ (1067mm)	0.67	0.64	0.64	0.67	0.64	0.64
	48″ (1219mm)	0.67	0.72	0.67	0.67	0.72	0.67
	54″ (1372mm)	N/A	0.81	0.81	0.67	0.81	0.67
	60″ (1529mm)	N/A	0.89	0.89	0.67	0.89	0.67

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Add-On Panel (continued)							
24″ (610mm)	12″ (305mm)	0.26	0.22	0.22	0.19	0.22	0.19
	18″ (457mm)	0.39	0.31	0.31	0.26	0.31	0.26
	24″ (610mm)	0.39	0.39	0.39	0.39	0.39	0.39
	30″ (762mm)	0.78	0.47	0.47	0.39	0.47	0.39
	36″ (914mm)	0.78	0.56	0.56	0.78	0.56	0.56
	42″ (1067mm)	0.78	0.64	0.64	0.78	0.64	0.64
	48″ (1219mm)	0.78	0.72	0.72	0.78	0.72	0.72
	54″ (1372mm)	N/A	0.81	0.81	0.78	0.81	0.78
	60″ (1529mm)	N/A	0.89	0.89	0.78	0.89	0.78
Wainscot Panel							
*	12″ (305mm)	0.20	0.36	0.20	0.16	0.18	0.16
	18″ (457mm)	0.40	0.53	0.40	0.27	0.26	0.26
	24″ (610mm)	0.40	0.69	0.40	0.40	0.35	0.35
	36″ (914mm)	0.81	1.03	0.81	0.81	0.51	0.51
	48″ (1219mm)	0.81	1.36	0.81	0.81	0.68	0.68
	60″ (1529mm)	N/A	1.69	1.69	0.81	0.85	0.81

*Usage for 67″/68″ and 81″/82″ high panels

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Finish Posts							
30″ (762mm)		0.10	0.10	0.10	0.08	0.10	0.08
37″ (940mm)		0.13	0.19	0.13	0.10	0.10	0.10
44″ (1118mm)		0.16	0.19	0.16	0.12	0.19	0.12
50″ (1270mm)		0.18	0.19	0.18	0.14	0.19	0.14
56″ (1422mm)		0.21	0.19	0.19	0.16	0.19	0.15
64″ (1626mm)		0.24	N/A	0.24	0.19	0.19	0.19
68″ (1727mm)		0.25	N/A	0.25	0.20	0.19	0.19
82″ (2083mm)		0.31	N/A	0.31	0.24	N/A	0.24

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Flipper Doors							
16 3/4″ (425mm)	24″ (610mm)	0.61	0.42	0.42	0.31	0.28	0.28
	30″ (762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36″ (914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42″ (1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48″ (1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	60″ (1529mm)	N/A	0.92	0.92	0.61	0.61	0.61

COM Yardage Requirements

UniGroup

Actual (Inches) Height	Width	54 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66 Inch Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Tackboard and Tack Strip							
5″ (127mm)	24″ (610mm)	0.31	0.21	0.21	0.31	0.14	0.14
	30″ (762mm)	0.31	0.25	0.25	0.31	0.17	0.17
	36″ (914mm)	0.31	0.29	0.29	0.31	0.19	0.19
	42″ (1067mm)	0.31	0.33	0.31	0.31	0.22	0.22
	48″ (1219mm)	0.31	0.38	0.31	0.31	0.25	0.25
	60″ (1529mm)	N/A	0.46	0.46	0.31	0.31	0.31
11″ (279mm)	24″ (610mm)	0.47	0.42	0.42	0.47	0.28	0.28
	30″ (762mm)	0.47	0.50	0.47	0.47	0.33	0.33
	36″ (914mm)	0.47	0.58	0.47	0.47	0.39	0.39
	42″ (1067mm)	0.47	0.67	0.47	0.47	0.44	0.44
	48″ (1219mm)	0.47	0.75	0.47	0.47	0.50	0.47
	54″ (1371mm)	N/A	0.83	0.83	0.47	0.56	0.47
	60″ (1529mm)	N/A	0.92	0.92	0.47	0.61	0.47
16″ (406mm)	24″ (610mm)	0.61	0.42	0.42	0.61	0.28	0.28
	30″ (762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36″ (914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42″ (1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48″ (1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54″ (1371mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60″ (1529mm)	N/A	0.92	0.92	0.61	0.61	0.61
33″ (838mm)	24″ (610mm)	1.08	0.83	0.83	1.08	0.83	0.83
	30″ (762mm)	1.08	1.00	1.00	1.08	1.00	1.00
	36″ (914mm)	1.08	1.17	1.08	1.08	1.17	1.08
	42″ (1067mm)	1.08	1.33	1.08	1.08	1.33	1.08
	48″ (1219mm)	1.08	1.50	1.08	1.08	1.50	1.08
	54″ (1371mm)	N/A	1.67	1.67	1.08	1.67	1.08
	60″ (1529mm)	N/A	1.83	1.83	1.08	1.83	1.08

COM Yardage Requirements

PLACES

Actual (Inches) Height	Width	54″(1372m) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676m) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Straight Panels							
30″(762mm)	12″(305mm)	0.28	0.44	0.28	0.21	0.22	0.21
	18″(457mm)	0.42	0.61	0.42	0.28	0.31	0.28
	24″(610mm)	0.42	0.78	0.42	0.42	0.39	0.39
	30″(762mm)	0.83	0.94	0.83	0.42	0.47	0.42
	36″(914mm)	0.83	1.11	0.83	0.83	0.56	0.56
	42″(1067mm)	0.83	1.28	0.83	0.83	0.64	0.64
	48″(1219mm)	0.83	1.44	0.83	0.83	0.72	0.72
	54″(1372mm)	N/A	1.61	1.61	0.83	0.81	0.81
	60″(1524mm)	N/A	1.78	1.78	0.83	0.89	0.83
37″(940mm)	12″(305mm)	0.34	0.44	0.34	0.26	0.44	0.26
	18″(457mm)	0.51	0.61	0.51	0.34	0.61	0.34
	24″(610mm)	0.51	0.78	0.51	0.51	0.78	0.51
	30″(762mm)	1.03	0.94	0.94	0.51	0.94	0.51
	36″(914mm)	1.03	1.11	1.03	1.03	1.11	1.03
	42″(1067mm)	1.03	1.28	1.03	1.03	1.28	1.03
	48″(1219mm)	1.03	1.44	1.03	1.03	1.44	1.03
	54″(1372mm)	N/A	1.61	1.61	1.03	1.61	1.03
	60″(1524mm)	N/A	1.78	1.78	1.03	1.78	1.03
44″(1118mm)	12″(305mm)	0.41	0.44	0.41	0.31	0.44	0.31
	18″(457mm)	0.61	0.61	0.61	0.41	0.61	0.41
	24″(610mm)	0.61	0.78	0.61	0.61	0.78	0.61
	30″(762mm)	1.22	0.94	0.94	0.61	0.94	0.61
	36″(914mm)	1.22	1.11	1.11	1.22	1.11	1.11
	42″(1067mm)	1.22	1.28	1.22	1.22	1.28	1.22
	48″(1219mm)	1.22	1.44	1.22	1.22	1.44	1.22
	54″(1372mm)	N/A	1.61	1.61	1.22	1.61	1.22
	60″(1524mm)	N/A	1.78	1.78	1.22	1.78	1.22
50″(1270mm)	12″(305mm)	0.46	0.44	0.44	0.35	0.44	0.35
	18″(457mm)	0.69	0.61	0.61	0.46	0.61	0.46
	24″(610mm)	0.69	0.78	0.69	0.69	0.78	0.69
	30″(762mm)	1.39	0.94	0.94	0.69	0.94	0.69
	36″(914mm)	1.39	1.11	1.11	1.39	1.11	1.11
	42″(1067mm)	1.39	1.28	1.28	1.39	1.28	1.28
	48″(1219mm)	1.39	1.44	1.39	1.39	1.44	1.39
	54″(1372mm)	N/A	1.61	1.61	1.39	1.61	1.39
	60″(1524mm)	N/A	1.78	1.78	1.39	1.78	1.39
56″(1422mm)	12″(305mm)	0.52	0.44	0.44	0.39	0.44	0.39
	18″(457mm)	0.78	0.61	0.61	0.52	0.61	0.52
	24″(610mm)	0.78	0.78	0.78	0.78	0.78	0.78
	30″(762mm)	1.56	0.94	0.94	0.78	0.94	0.78
	36″(914mm)	1.56	1.11	1.11	1.56	1.11	1.11
	42″(1067mm)	1.56	1.28	1.28	1.56	1.28	1.28
	48″(1219mm)	1.56	1.44	1.44	1.56	1.44	1.44
	54″(1372mm)	N/A	1.61	1.61	1.56	1.61	1.56
	60″(1524mm)	N/A	1.78	1.78	1.56	1.78	1.56
64″(1626mm)	12″(305mm)	0.59	N/A	0.59	0.44	0.44	0.44
	18″(457mm)	0.89	N/A	0.89	0.59	0.61	0.59
	24″(610mm)	0.89	N/A	0.89	0.89	0.78	0.78
	30″(762mm)	1.78	N/A	1.78	0.89	0.94	0.89
	36″(914mm)	1.78	N/A	1.78	1.78	1.11	1.11
	42″(1067mm)	1.78	N/A	1.78	1.78	1.28	1.28
	48″(1219mm)	1.78	N/A	1.78	1.78	1.44	1.44
	54″(1372mm)	N/A	N/A	N/A	1.78	1.61	1.61
	60″(1524mm)	N/A	N/A	N/A	1.78	1.78	1.78

COM Yardage Requirements

PLACES

Actual (Inches) Height	Width	54″(1372mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Straight Panels (Continued)							
68″(1727mm)	12″(305mm)	0.63	N/A	0.63	0.47	0.44	0.44
	18″(457mm)	0.94	N/A	0.94	0.63	0.61	0.61
	24″(610mm)	0.94	N/A	0.94	0.94	0.78	0.78
	30″(762mm)	1.89	N/A	1.89	0.94	0.94	0.94
	36″(914mm)	1.89	N/A	1.89	1.89	1.11	1.11
	42″(1067mm)	1.89	N/A	1.89	1.89	1.28	1.28
	48″(1219mm)	1.89	N/A	1.89	1.89	1.44	1.44
	54″(1372mm)	N/A	N/A	N/A	1.89	1.61	1.61
	60″(1524mm)	N/A	N/A	N/A	1.89	1.78	1.78
82″(2083mm)	12″(305mm)	0.76	N/A	0.79	0.57	N/A	0.57
	18″(457mm)	1.14	N/A	1.14	0.76	N/A	0.76
	24″(610mm)	1.14	N/A	1.14	1.14	N/A	1.14
	30″(762mm)	2.28	N/A	2.28	1.14	N/A	1.14
	36″(914mm)	2.28	N/A	2.28	2.28	N/A	2.28
	42″(1067mm)	2.28	N/A	2.28	2.28	N/A	2.28
	48″(1219mm)	2.28	N/A	2.28	2.28	N/A	2.28
	54″(1372mm)	N/A	N/A	N/A	2.28	N/A	2.28
	60″(1524mm)	N/A	N/A	N/A	2.28	N/A	2.28

Actual (Inches) Height	Width	54″(1372mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Wainscot Panels							
*	12″(305mm)	0.20	0.36	0.20	0.16	0.18	0.16
	18″(457mm)	0.40	0.53	0.40	0.27	0.26	0.26
	24″(610mm)	0.40	0.69	0.40	0.40	0.35	0.35
	30″(762mm)	0.81	0.86	0.81	0.40	0.43	0.40
	36″(914mm)	0.81	1.03	0.81	0.81	0.51	0.51
	42″(1067mm)	0.81	1.19	0.81	0.81	0.60	0.60
	48″(1219mm)	0.81	1.36	0.81	0.81	0.68	0.68
	54″(1372mm)	0.81	1.53	0.81	0.81	0.76	0.76
	60″(1524mm)	N/A	1.69	1.69	0.81	0.85	0.81

*Usage for 68″ and 82″ wainscot panel with muntins and 30″-high wainscot kit.

COM Yardage Requirements

PLACES

Actual (Inches) Height	Width	54″(1372mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Add-on Panels							
12″(305mm)	12″(305mm)	0.15	0.15	0.15	0.11	0.11	0.11
	18″(457mm)	0.22	0.21	0.21	0.15	0.15	0.15
	24″(610mm)	0.22	0.26	0.22	0.22	0.20	0.20
	30″(762mm)	0.45	0.32	0.32	0.22	0.24	0.22
	36″(914mm)	0.45	0.37	0.37	0.45	0.28	0.28
	42″(1067mm)	0.45	0.43	0.43	0.45	0.32	0.32
	48″(1219mm)	0.45	0.48	0.45	0.45	0.36	0.36
	54″(1372mm)	N/A	0.54	0.54	0.45	0.40	0.40
	60″(1524mm)	N/A	0.59	0.59	0.45	0.45	0.45
14″(356mm)	12″(305mm)	0.17	0.15	0.15	0.13	0.15	0.13
	18″(457mm)	0.25	0.21	0.21	0.17	0.21	0.17
	24″(610mm)	0.25	0.26	0.25	0.25	0.26	0.25
	30″(762mm)	0.50	0.32	0.32	0.25	0.32	0.25
	36″(914mm)	0.50	0.37	0.37	0.50	0.37	0.37
	42″(1067mm)	0.50	0.43	0.43	0.50	0.43	0.43
	48″(1219mm)	0.50	0.48	0.48	0.50	0.48	0.48
	54″(1372mm)	N/A	0.54	0.54	0.50	0.54	0.50
	60″(1524mm)	N/A	0.59	0.59	0.50	0.59	0.50
18″(457mm)	12″(305mm)	0.21	0.22	0.21	0.15	0.15	0.15
	18″(457mm)	0.31	0.31	0.31	0.21	0.21	0.21
	24″(610mm)	0.31	0.39	0.31	0.31	0.26	0.26
	30″(762mm)	0.61	0.47	0.47	0.31	0.32	0.31
	36″(914mm)	0.61	0.56	0.56	0.62	0.37	0.37
	42″(1067mm)	0.61	0.64	0.61	0.61	0.43	0.43
	48″(1219mm)	0.61	0.72	0.61	0.61	0.48	0.48
	54″(1372mm)	N/A	0.81	0.81	0.61	0.54	0.54
	60″(1524mm)	N/A	0.89	0.89	0.61	0.59	0.59
20″(508mm)	12″(305mm)	0.22	0.22	0.22	0.17	0.22	0.17
	18″(457mm)	0.34	0.31	0.31	0.22	0.31	0.22
	24″(610mm)	0.34	0.39	0.34	0.34	0.39	0.34
	30″(762mm)	0.67	0.47	0.47	0.34	0.47	0.34
	36″(914mm)	0.67	0.56	0.56	0.67	0.56	0.56
	42″(1067mm)	0.67	0.64	0.64	0.67	0.64	0.64
	48″(1219mm)	0.67	0.72	0.67	0.67	0.72	0.67
	54″(1372mm)	N/A	0.81	0.81	0.67	0.81	0.67
	60″(1524mm)	N/A	0.89	0.89	0.67	0.89	0.67
24″(610mm)	12″(305mm)	0.26	0.22	0.22	0.20	0.22	0.20
	18″(457mm)	0.39	0.31	0.31	0.26	0.31	0.26
	24″(610mm)	0.39	0.39	0.39	0.39	0.39	0.39
	30″(762mm)	0.78	0.47	0.47	0.39	0.47	0.39
	36″(914mm)	0.78	0.56	0.56	0.78	0.56	0.56
	42″(1067mm)	0.78	0.64	0.64	0.78	0.64	0.64
	48″(1219mm)	0.78	0.72	0.72	0.78	0.72	0.72
	54″(1372mm)	N/A	0.81	0.81	0.78	0.81	0.78
	60″(1524mm)	N/A	0.89	0.89	0.78	0.89	0.78

COM Yardage Requirements

PLACES

Actual (Inches) Height	Width	54″(1372mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Tackboards and Tackstrips							
5″(127mm)	24″(610mm)	0.31	0.21	0.21	0.31	0.14	0.14
	30″(762mm)	0.31	0.25	0.25	0.31	0.17	0.17
	36″(914mm)	0.31	0.29	0.29	0.31	0.19	0.19
	42″(1067mm)	0.31	0.33	0.31	0.31	0.22	0.22
	48″(1219mm)	0.31	0.38	0.31	0.31	0.25	0.25
	60″(1524mm)	N/A	0.46	0.46	0.31	0.31	0.31
11″(279mm)	24″(610mm)	0.47	0.42	0.42	0.47	0.28	0.28
	30″(762mm)	0.47	0.50	0.47	0.47	0.33	0.33
	36″(914mm)	0.47	0.58	0.47	0.47	0.39	0.39
	42″(1067mm)	0.47	0.67	0.47	0.47	0.44	0.44
	48″(1219mm)	0.47	0.75	0.47	0.47	0.50	0.47
	54″(1372mm)	N/A	0.83	0.83	0.47	0.56	0.47
	60″(1524mm)	N/A	0.92	0.92	0.47	0.61	0.47
16″(406mm)	24″(610mm)	0.61	0.42	0.42	0.61	0.28	0.28
	30″(762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36″(914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42″(1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48″(1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54″(1372mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60″(1524mm)	N/A	0.92	0.92	0.61	0.61	0.61
33″(838mm)	24″(610mm)	1.08	0.83	0.83	1.08	0.83	0.83
	30″(762mm)	1.08	1.00	1.00	1.08	1.00	1.00
	36″(914mm)	1.08	1.17	1.08	1.08	1.17	1.08
	42″(1067mm)	1.08	1.33	1.08	1.08	1.33	1.08
	48″(1219mm)	1.08	1.50	1.08	1.08	1.50	1.08
	54″(1372mm)	N/A	1.67	1.67	1.08	1.67	1.08
	60″(1524mm)	N/A	1.83	1.83	1.08	1.83	1.08

COM Yardage Requirements

PLACES

Actual (Inches) Height	Width	54″(1372mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Flipper Doors							
15 5/8″(397mm)	24″(610mm)	0.61	0.42	0.42	0.31	0.28	0.28
	30″(762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36″(914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42″(1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48″(1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54″(1372mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60″(1524mm)	N/A	0.92	0.92	0.61	0.61	0.61
16 3/4″(425mm)	24″(610mm)	0.61	0.42	0.42	0.31	0.28	0.28
	30″(762mm)	0.61	0.50	0.50	0.61	0.33	0.33
	36″(914mm)	0.61	0.58	0.58	0.61	0.39	0.39
	42″(1067mm)	0.61	0.67	0.61	0.61	0.44	0.44
	48″(1219mm)	0.61	0.75	0.61	0.61	0.50	0.50
	54″(1372mm)	N/A	0.83	0.83	0.61	0.56	0.56
	60″(1524mm)	N/A	0.92	0.92	0.61	0.61	0.61
Finish Posts — 90°, 120°, 135°, 180° and End of Run							
30″(762mm)		0.10	0.10	0.10	0.08	0.10	0.08
37″(940mm)		0.13	0.19	0.13	0.10	0.10	0.10
44″(1118mm)		0.16	0.19	0.16	0.12	0.19	0.12
50″(1270mm)		0.18	0.19	0.18	0.14	0.19	0.14
56″(1422mm)		0.21	0.19	0.19	0.16	0.19	0.16
64″(1626mm)		0.24	N/A	0.24	0.19	0.19	0.19
68″(1727mm)		0.25	N/A	0.25	0.20	0.19	0.19
82″(2083mm)		0.31	N/A	0.31	0.24	N/A	0.24
Variable Height End of Run Posts							
4″(102mm)		0.02	0.02	0.02	0.01	0.01	0.01
6″(152mm)		0.03	0.02	0.02	0.02	0.02	0.02
7″(178mm)		0.03	0.03	0.03	0.02	0.02	0.02
8″(203mm)		0.03	0.03	0.03	0.03	0.03	0.03
12″(305mm)		0.05	0.05	0.05	0.04	0.04	0.04
13″(330mm)		0.05	0.06	0.05	0.04	0.05	0.04
14″(356mm)		0.06	0.06	0.06	0.05	0.05	0.05
18″(457mm)		0.07	0.10	0.07	0.06	0.06	0.06
19″(483mm)		0.08	0.10	0.08	0.06	0.06	0.06
20″(508mm)		0.08	0.10	0.08	0.06	0.06	0.06
24″(610mm)		0.10	0.10	0.10	0.08	0.10	0.08
26″(660mm)		0.11	0.10	0.10	0.08	0.10	0.08
27″(686mm)		0.11	0.19	0.11	0.09	0.10	0.09
31″(787mm)		0.13	0.19	0.13	0.10	0.10	0.10
32″(813mm)		0.13	0.19	0.13	0.10	0.10	0.10
34″(864mm)		0.14	0.19	0.14	0.11	0.19	0.11
38″(965mm)		0.15	0.19	0.15	0.12	0.19	0.12
45″(1143mm)		0.18	0.19	0.18	0.14	0.19	0.14
52″(1321mm)		0.21	0.19	0.19	0.16	0.19	0.16

COM Yardage Requirements

PLACES

Actual (Inches) Height Width	54″(1372mm) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional	66″(1676m) Roll (Linear Yards) Directional Rightway	Directional Railroad	Non-directional
Cable Management Posts — Variable Height						
4″(102mm)	0.02	0.02	0.02	0.01	0.01	0.01
6″(152mm)	0.03	0.02	0.03	0.02	0.02	0.02
7″(178mm)	0.04	0.03	0.04	0.02	0.02	0.02
8″(203mm)	0.04	0.03	0.04	0.03	0.03	0.03
12″(305mm)	0.06	0.05	0.06	0.04	0.04	0.04
13″(330mm)	0.06	0.06	0.06	0.04	0.05	0.04
14″(356mm)	0.07	0.06	0.07	0.05	0.05	0.05
18″(457mm)	0.09	0.10	0.09	0.06	0.06	0.06
19″(483mm)	0.09	0.10	0.09	0.06	0.06	0.06
20″(508mm)	0.10	0.10	0.10	0.06	0.06	0.06
24″(610mm)	0.11	0.10	0.11	0.08	0.10	0.08
26″(660mm)	0.12	0.10	0.12	0.08	0.10	0.08
27″(686mm)	0.13	0.19	0.13	0.09	0.10	0.09
31″(787mm)	0.15	0.19	0.15	0.10	0.10	0.10
32″(813mm)	0.15	0.19	0.15	0.10	0.10	0.10
34″(864mm)	0.16	0.19	0.16	0.11	0.19	0.11
38″(965mm)	0.18	0.19	0.18	0.12	0.19	0.12
45″(1143mm)	0.21	0.19	0.19	0.14	0.19	0.14
52″(1321mm)	0.24	0.19	0.19	0.16	0.19	0.16

North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.

ii. **Ship To:** Legal name and address.

iii. **Purchase Order Number:** From the party Haworth will be billing.

iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.

v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.

vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.

vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.

viii. **Price Agreement or National Sales Agreement Number**

ix. **Product Total:** Net dollars.

x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

i. **Quantity**

ii. **Product Numbers**

iii. **Colors**

iv. **Specials:** Specify special part number for new special products.

v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.

vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an **ORDER**; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to; (i) a loading dock within 150′ of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375″ (10mm) over a horizontal span of 10′-0″ (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25″ (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375″ (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
2371-6401	Panel Accessories – Panel Bridge	364
7031-0501	Panel Accessories – Friction Pad	282
7031-0501	Panel Accessories – Friction Pad	316
7031-0501	Panel Accessories – Friction Pad	366
7031-7001	Markerboard Accessories – Markerboard Accesssories	564
7031-7002	Markerboard Accessories – Markerboard Accesssories	564
7062-8001	Markerboard Accessories – Markerboard Accesssories	564
BBP-GH	Panel Attached Screen – Panel Attached Screen	304
BBP-GH	Panel Attached Screen – Panel Attached Screen	350
BBP-GH	Panel Attached Screen – Frosted Insert	304
BBP-GH	Panel Attached Screen – Frosted Insert	350
BBP-GH	Swing Door / Panel Attached Screen – Panel Attached Screen	271
BBP-GH	Swing Door / Panel Attached Screen – Frosted Insert	271
BBP-PH	Panel Attached Screen – Panel Attached Screen	304
BBP-PH	Panel Attached Screen – Panel Attached Screen	350
BBP-PH	Panel Attached Screen – Perforated Metal	304
BBP-PH	Panel Attached Screen – Perforated Metal	350
BBP-PH	Swing Door / Panel Attached Screen – Panel Attached Screen	271
BBP-PH	Swing Door / Panel Attached Screen – Perforated Metal	271
BEDP	Electrical Management Accessories – Desktop Port	405
BEDP	Electrical Management Accessories – Desktop Port	432
BFM-1-B	Electrical and Cable Management Accessories – UniGroup Too, UniGroup and PLACES Base Feed Module – Hardwire Connection	391
BFM-1-B2	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Base Feed Module – Hardwire Connection	408
BFM-1-B4	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Base Feed Module – Hardwire Connection	408
BFM-1-C	Hardwire – Electrical Components – Base Feed Kit	435
BFM-2-A	Electrical and Cable Management Accessories – UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord	391
BFM-2-A2	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord	409
BFM-2-A4	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord	409
BFM-2-B	Electrical and Cable Management Accessories – UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord	391
BFM-2-B2	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord	408
BFM-2-B4	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Single Circuit Base Feed Module – Receptacle Connection with Power Cord	408
BFM-6-B	Electrical and Cable Management Accessories – UniGroup Too, UniGroup and PLACES Base Feed Module — Concealed Hardwire Connection	392
BFM-6-B2	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Base Feed Module — Concealed Hardwire Connection	409
BFM-6-B4	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Base Feed Module — Concealed Hardwire Connection	409
BPM-1-C	Hardwire – Electrical Components – Blank Cover Plate	435
CH-8	Panel Accessories – All-Purpose Hook	316
CMPF-1-BR	Electrical and Cable Management Accessories – UniGroup Too/UniGroup Cable Management Pole — One Channel	386
CMPF-1-BR	Electrical and Cable Management Accessories – UniGroup Too/UniGroup Cable Management Pole — One Channel	423
CMPT-1-B	Electrical and Cable Management Accessories – UniGroup Too/UniGroup Cable Management Pole — Two Channels	386
CMPT-1-B	Electrical and Cable Management Accessories – UniGroup Too/UniGroup Cable Management Pole — Two Channels	423
DBKC-48	Work Tools – Team Master Kit	576
DBKP-48	Work Tools – File Master Kit	576

Index

Product Code	Product Description	Page
DBKP-S	Work Tools – File Master Kit	571
DBKS	Work Tools – Mini Master Kit	577
DBKS-S	Work Tools – Mini Master Kit	571
DBKT-48	Work Tools – Task Master Kit	576
DBKT-S	Work Tools – Task Master Kit	571
DMSP	Work Tools – Mini Shelf	568
DPKC-48	Work Tools – Team Master Kit	576
DPKP-48	Work Tools – File Master Kit	576
DPKP-S	Work Tools – File Master Kit	571
DPKS	Work Tools – Mini Master Kit	577
DPKS-S	Work Tools – Mini Master Kit	571
DPKT-48	Work Tools – Task Master Kit	576
DPKT-S	Work Tools – Task Master Kit	571
DPKY-1	Work Tools – Pile Master Kit	575
DS-3	Worksurface Accessories – Shallow Drawer	529
DSR-F	Work Tools – Freestanding Mount Rail	574
DSR-H	Work Tools – Panel Mount Rail	573
DSR-W	Work Tools – Worksurface Mount Rail	573
DTAR-3	Work Tools – Personal Shelf Bracket	569
DTBS-3	Work Tools – Phone Shelf Bracket	569
DTES-1	Work Tools – Personal Shelf	575
DTES-3	Work Tools – Personal Shelf	569
DTGK-3	Work Tools – Gooseneck Kit	568
DTHT-1	Work Tools – Tote Strap	572
DTLS-2	Work Tools – Letter Tray Stacking Kit	572
DTLT-2	Work Tools – Letter Tray	570
DTPR-1	Work Tools – Paper Sorter	575
DTPR-3	Work Tools – Paper Sorter	569
DTPT-1	Work Tools – Phone Shelf	575
DTPT-3	Work Tools – Phone Shelf	569
DTRB	Work Tools – Waste Bin	572
DTSB-1	Work Tools – Letter Tray Stacking Bracket	572
DTSB-3	Work Tools – Binder Bin	568
DTTE-3	Work Tools – Tote	568
DTTH-3	Work Tools – Tote	568
DTTS-12	Work Tools – Tack Strip	568
DTTS-24	Work Tools – Tack Strip	568
DTWC-2	Work Tools – Tool Cup	570
E2AG	Glazed Add-On Panel – Glazed	269
E2AL-1	Panel Accessories – UniGroup Too Top Cap Aligner	279
E2AM	Fabric Add-On Panel – Fabric	268
E2BN-B	Monolithic Panel Core without Insert(s) – Panel Core	262
E2CA-120	Panel Accessories – 120° Square Painted Top Cap for 2-Way or 3-Way	278
E2CC-90	Panel Accessories – 90° Square Painted Top Cap for 2-Way, 3-Way, 4-Way	278
E2CH-8	Panel Accessories – All-Purpose Hook	282
E2DN-B	Laminate Monolithic Panel – Laminate	248
E2DS	Swing Door / Panel Attached Screen – Single Door — Laminate	271
E2EC-1	Panel Accessories – UniGroup Too Top Cap End Plug	279
E2FA	Panel Accessories – 120° Full-Height Finish Post — Square Painted Top Cap	273
E2FA-V	Panel Accessories – 120° Variable-Height Finish Post — Square Painted Top Cap	274
E2FC	Panel Accessories – 90° Full-Height Finish Post — Square Painted Top Cap	272
E2FC-V	Panel Accessories – 90° Variable-Height Finish Post — Square Painted Top Cap	272
E2FM	3-Circuit – Electrical Components – UniGroup Too Top Feed Module	382

Index

Product Code	Product Description	Page
E2FM-2	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too Top Feed Module	411
E2FM-4	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too Top Feed Module	411
E2FM-NT	Hardwire – Electrical Components – UniGroup Too, Hardwire / International Top Feed Module	436
E2FN-B	Fabric Monolithic Panel with Square Painted Top Cap – Fabric	250
E2FS	Panel Accessories – 180° Full-Height Finish Post — Square Painted Top Cap	275
E2FS	Panel Accessories – 180° Vertical Cover only, (no top cap or base raceway cover)	277
E2FS-V	Panel Accessories – 180° Variable-Height Finish Post — Square Painted Top Cap	276
E2GN-B	Glazed Monolithic Panel – Glazed	266
E2JF	Base Insert – Base Insert — Fabric	264
E2LN-B	Monolithic Panel with Full-Height Inserts – Fabric Inserts	254
E2MN-B	Basic Monolithic Panel – Fabric	244
E2PA	Panel Accessories – 120° Full-Height Finish Post — Square Painted Top Cap	273
E2PA-V	Panel Accessories – 120° Variable-Height Finish Post — Square Painted Top Cap	274
E2PC	Panel Accessories – 90° Full-Height Finish Post — Square Painted Top Cap	272
E2PC-120-B	Panel Accessories – 120° Power Connector Cover	274
E2PC-90-B	Panel Accessories – 90° Power Connector Cover — Square Profile	273
E2PC-V	Panel Accessories – 90° Variable-Height Finish Post — Square Painted Top Cap	272
E2PS	Panel Accessories – 180° Full-Height Finish Post — Square Painted Top Cap	275
E2PS	Panel Accessories – 180° Vertical Cover only, (no top cap or base raceway cover)	277
E2PS-V	Panel Accessories – 180° Variable-Height Finish Post — Square Painted Top Cap	276
E2SN-B	Monolithic Panel with Segmented Inserts – Fabric Inserts	258
E2TF	Upper Inserts – Upper Insert — Fabric or Markerboard	265
E2TK	Panel Accessories – T-Mount Kits	282
E2TM	Upper Inserts – Upper Insert — Fabric or Markerboard	265
E2TS-P	Panel Accessories – Retrofit Kits – Square Painted Top Caps	374
E2TS-T	Panel Accessories – Retrofit Kits – Square Painted Top Caps	367
E2TS-U	Panel Accessories – Retrofit Kits – Square Painted Top Caps	367
E2UR-A	Panel Accessories – Retrofit Kits – Trim Strip for UniGroup Fabric and Glazed Add-On Panels	367
EAC-4280-BHL	Swing Doors with Steel Top Cap – Single Door with ADA Lever and Kick Plate — Laminate	302
EAF	Fabric Add-On Panel – Fabric	298
EAG	Glazed Add-On Panel – Glazed	300
EBEJ-0072-2WF	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Raised Floor Base Feed Module	410
EBEJ-0072-3WF	Electrical and Cable Management Accessories – UniGroup Too, UniGroup and PLACES Raised Floor Base Feed Module	392
EBEJ-0072-4WF	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Raised Floor Base Feed Module	410
EC-10-B	Electrical and Cable Management Accessories – Base Raceway End Cap	401
EC-10-B	Electrical and Cable Management Accessories – Base Raceway End Cap	428
EC-10-B	Panel Accessories – Base Raceway End Cap	279
EDG-BHL	Swing Doors with Steel Top Cap – Single Door — Glazed	303
EDG-BKL	Swing Doors with Steel Top Cap – Single Door — Glazed	303
EDMC-BHL	Swing Doors with Steel Top Cap – Single Door — Glazed with Classic Muntins	303
EDMC-BKL	Swing Doors with Steel Top Cap – Single Door — Glazed with Classic Muntins	303
EDN-B	Laminate Monolithic Panel with Steel Top Cap – Laminate	288
EDP-B	Laminate Monolithic Panel with Steel Top Cap – Laminate	288
EDS-BHL	Swing Doors with Steel Top Cap – Single Door — Laminate	302
EDS-BKL	Swing Doors with Steel Top Cap – Single Door — Laminate	302
EFN-B	Monolithic Panel with Steel Top Cap – Fabric	284
EFP-B	Monolithic Panel with Steel Top Cap – Fabric	284
EGN-B	Glazed Monolithic Panel with Steel Top Cap – Glazed	292
EGP-B	Glazed Monolithic Panel with Steel Top Cap – Glazed	292
EMN-B	Basic Monolithic Panel with Steel Top Cap – Fabric	286

Index

Product Code	Product Description	Page
EMP-B	Basic Monolithic Panel with Steel Top Cap – Fabric	286
EON-B	Open Frame Panel with Steel Top Cap – Open-Frame	290
EOP-B	Open Frame Panel with Steel Top Cap – Open-Frame	290
ERRW	Panel Accessories – End-of-Run — Variable Height Finish Post — Wood Top Cap — Wood Surface	312
ERRW-B	Panel Accessories – End-of-Run Finish Post — Wood Top Cap — Wood Surface	312
ETCR	Electrical and Cable Management Accessories – Expanded Top Cap Raceway	403
ETCR	Electrical and Cable Management Accessories – Expanded Top Cap Raceway	430
EUD1-0000-1311V	Electrical Management Accessories – Enhanced Power Module	405
EUD1-0000-1311V	Electrical Management Accessories – Enhanced Power Module	432
EUD1-0000-C311V	Electrical Management Accessories – Enhanced Power Module	405
EUD1-0000-C311V	Electrical Management Accessories – Enhanced Power Module	432
EUE1-1111W	Electrical Management Accessories – Flip Top Unit	404
EUE1-1111W	Electrical Management Accessories – Flip Top Unit	431
EUE1-1331W	Electrical Management Accessories – Flip Top Unit	404
EUE1-1331W	Electrical Management Accessories – Flip Top Unit	431
EUE1-1B01W	Electrical Management Accessories – Flip Top Unit	404
EUE1-1B01W	Electrical Management Accessories – Flip Top Unit	431
EUE1-C331W	Electrical Management Accessories – Flip Top Unit	404
EUE1-C331W	Electrical Management Accessories – Flip Top Unit	431
EUE2-1331W	Electrical Management Accessories – Flip Top Unit	404
EUE2-1331W	Electrical Management Accessories – Flip Top Unit	431
EUE2-C331W	Electrical Management Accessories – Flip Top Unit	404
EUE2-C331W	Electrical Management Accessories – Flip Top Unit	431
EUEJ	Electrical and Cable Management Accessories – UniGroup Too, UniGroup and PLACES Internal Power Base AI Feed	393
EUEJ-2WF	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Internal Power Base AI Feed	410
EUEJ-4WF	4-Circuit (2+2 and 3+1) – Electrical Components – UniGroup Too, UniGroup and PLACES Internal Power Base AI Feed	410
FBEW	4-Circuit (2+2 and 3+1) – Electrical Components – Wall Feed Field Wired 1 Port	411
FBEW	Electrical and Cable Management Accessories – Wall Feed Field Wired 1 Port	393
FC-1	Electrical and Cable Management Accessories – Expanded Top Finish Cap	403
FC-1	Electrical and Cable Management Accessories – Expanded Top Finish Cap	430
FC-2	Electrical and Cable Management Accessories – Expanded Top Finish Cap	403
FC-2	Electrical and Cable Management Accessories – Expanded Top Finish Cap	430
FC-3	Electrical and Cable Management Accessories – Expanded Top Finish Cap	403
FC-3	Electrical and Cable Management Accessories – Expanded Top Finish Cap	430
FC-4	Electrical and Cable Management Accessories – Expanded Top Finish Cap	403
FC-4	Electrical and Cable Management Accessories – Expanded Top Finish Cap	430
FC-90	Electrical and Cable Management Accessories – Expanded Top Finish Cap	403
FC-90	Electrical and Cable Management Accessories – Expanded Top Finish Cap	430
FDRF	Shelves and Flipper Doors – UniGroup Regular Flipper Door Front — Fabric or Laminate Door Front	542
FDRV	Shelves and Flipper Doors – UniGroup Regular Flipper Door Front — Fabric or Laminate Door Front	542
FNW-B	Monolithic Panel with Wood Top Cap – Fabric	294
FPC-2	Panel Accessories – Steel Top Cap for 3-Way and 4-Way	313
FPCW-2	Panel Accessories – 90° Top Cap — Wood Top Cap for 4-Way	313
FPFC-B	Panel Accessories – 90° Finish Post — for Steel Top Cap— Fabric Surface	309
FPFS-B	Panel Accessories – 180° Finish Post — for Steel Top Cap — Fabric Surface	311
FPPC-B	Panel Accessories – 90° Finish Post — for Steel Top Cap— Painted Surface	310
FPPS-B	Panel Accessories – 180° Finish Post — for Steel Top Cap — Painted Surface	311
FPW-B	Monolithic Panel with Wood Top Cap – Fabric	294
GNW-B	Glazed Monolithic Panel with Wood Top Cap – Glazed	296
GPW-B	Glazed Monolithic Panel with Wood Top Cap – Glazed	296
H2FA	Panel Accessories – Retrofit Kits – 120° Full-Height Finish Post — Square Painted Top Cap	376
H2FA-V	Panel Accessories – Retrofit Kits – 120° Variable-Height Finish Post — Square Painted Top Cap	377
H2FC	Panel Accessories – Retrofit Kits – 90° Full-Height Finish Post — Square Painted Top Cap	374

Index

Product Code	Product Description	Page
H2FC-V	Panel Accessories – Retrofit Kits – 90° Variable-Height Finish Post — Square Painted Top Cap	375
H2FS	Panel Accessories – Retrofit Kits – 180° Full-Height Finish Post — Square Painted Top Cap	378
H2FS-V	Panel Accessories – Retrofit Kits – 180° Variable-Height Finish Post — Square Painted Top Cap	379
H2PA	Panel Accessories – Retrofit Kits – 120° Full-Height Finish Post — Square Painted Top Cap	376
H2PA-V	Panel Accessories – Retrofit Kits – 120° Variable-Height Finish Post — Square Painted Top Cap	377
H2PC	Panel Accessories – Retrofit Kits – 90° Full-Height Finish Post — Square Painted Top Cap	374
H2PC-V	Panel Accessories – Retrofit Kits – 90° Variable-Height Finish Post — Square Painted Top Cap	375
H2PS	Panel Accessories – Retrofit Kits – 180° Full-Height Finish Post — Square Painted Top Cap	378
H2PS-V	Panel Accessories – Retrofit Kits – 180° Variable-Height Finish Post — Square Painted Top Cap	379
HAB	Panel Accessories – Seismic Anchoring Bracket	282
HAB	Panel Accessories – Seismic Anchoring Bracket	316
HAB	Panel Accessories – Seismic Anchoring Bracket	366
HAF	Fabric Add-On Panel – Fabric	344
HAG	Glazed Add-On Panel – Glazed	346
HBG	Shelf Accessories – UniGroup Shelf Back Guard	558
HCC-0002	Worksurface Supports – Dual-Leg Base	526
HCCP-F4	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 90° – Fabric or Painted Surface	390
HCCP-F4	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 90° – Fabric or Painted Surface	427
HCCP-V4	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 90° – Fabric or Painted Surface	390
HCCP-V4	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 90° – Fabric or Painted Surface	427
HCH-0008	Panel Accessories – All-Purpose Hook	366
HCH-0008-W	Panel Accessories – All-Purpose Hook — For Low Profile Wood Top Cap Panels	366
HCPA	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling	387
HCPA	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling	424
HCPA	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling	388
HCPA	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling	425
HCPA	Electrical and Cable Management Accessories – PLACES Cable Management Pole – Panel Height	387
HCPA	Electrical and Cable Management Accessories – PLACES Cable Management Pole – Panel Height	424
HCPE	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling	387
HCPE	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling	424
HCPE	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling	388
HCPE	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling	425
HCPS	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling	387
HCPS	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 10′(3048mm)-High Ceiling	424
HCPS	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling	388
HCPS	Electrical and Cable Management Accessories – PLACES Cable Management Pole – for 12′(3658mm)-High Ceiling	425
HCPS	Electrical and Cable Management Accessories – PLACES Cable Management Pole – Panel Height	387
HCPS	Electrical and Cable Management Accessories – PLACES Cable Management Pole – Panel Height	424
HCT-0000	4-Circuit (2+2 and 3+1) — Electrical Components – Plastic Liner	413
HCT-0000	Hardwire – Electrical Components – Plastic Liner	437
HCT-0000	PLACES 3-Circuit — Electrical Components – Plastic Liner	384
HDG-L	Swing Doors with Steel Top Cap – Single Door — Glazed	348
HDG-R	Swing Doors with Steel Top Cap – Single Door — Glazed	348
HDMC-L	Swing Doors with Steel Top Cap – Single Door — Glazed with Classic Muntins	349
HDMC-R	Swing Doors with Steel Top Cap – Single Door — Glazed with Classic Muntins	349
HDMH-L	Swing Doors with Steel Top Cap – Single Door — Glazed with Horizontal Muntins	349
HDMH-R	Swing Doors with Steel Top Cap – Single Door — Glazed with Horizontal Muntins	349
HDPC	Panel Accessories – 90° Finish Post — for Steel Top Cap — Painted Surface	356
HDPS	Panel Accessories – 180° Finish Post — for Steel Top Cap — Painted Surface	357
HDS-L	Swing Doors with Steel Top Cap – Single Door — Laminate	348

Index

Product Code	Product Description	Page
HDS-LT	Single Door and Frame with Wood Top Cap – Single Door — Wood	342
HE	Panel Accessories – Hinges	281
HE	Panel Accessories – Hinges	314
HFER-T	Panel Accessories – End-of-Run Finish Post — Wood Top Cap — Fabric Surface	358
HFN	Monolithic Fabric Panel with Steel Top Cap – Fabric	320
HFN-H	High-Performance Monolithic Fabric Panel with Steel Top Cap – Fabric	324
HFN-T	Monolithic Fabric Panel with Wood Top Cap – Fabric	334
HFP	Monolithic Fabric Panel with Steel Top Cap – Fabric	320
HFPC	Panel Accessories – 90° Finish Post — for Steel Top Cap — Fabric Surface	355
HFPC-T	Panel Accessories – 90° Finish Post — Wood Top Cap — Fabric Surface	355
HFP-H	High-Performance Monolithic Fabric Panel with Steel Top Cap – Fabric	324
HFPS	Panel Accessories – 180° Finish Post — for Steel Top Cap — Fabric Surface	357
HFPS-T	Panel Accessories – 180° Finish Post — Wood Top Cap — Fabric Surface	357
HFP-T	Monolithic Fabric Panel with Wood Top Cap – Fabric	334
HGBN	Wire Grid System and Accessories – Multi-Purpose Storage Bins	579
HGDB-0004	Wire Grid System and Accessories – Diskette Bin	579
HGMB-0002	Wire Grid System and Accessories – Mailbox	578
HGN	Glazed Monolithic Panels with Steel Top Cap – Glazed	328
HGN-T	Glazed Monolithic Panel with Wood Top Cap – Glazed	340
HGP	Glazed Monolithic Panels with Steel Top Cap – Glazed	328
HGP-T	Glazed Monolithic Panel with Wood Top Cap – Glazed	340
HGR	Wire Grid System and Accessories – Grid	578
HGRT-0001	Wire Grid System and Accessories – Reference Tray	578
HGRY	Markerboards/Wall Accessory Slat Pad – Wall Accessory Slat Pad	563
HGTS	Wire Grid System and Accessories – Grid Tackstrip	579
HHE	Panel Accessories – Hinges	364
HIAE	Panel Accessories – Pre-hinged Side Trim Rails — Angled or Straight-Line Conditions	317
HISE	Panel Accessories – Pre-hinged Side Trim Rails — Angled or Straight-Line Conditions	317
HKMP-1	Boogie Board – Boogie Board Mouse Pad	530
HKTC-M	Boogie Board – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	530
HKTC-N	Boogie Board – Boogie Board Keyboard Tray with Palm Rest	530
HKTE-M	Boogie Board – Boogie Board Keyboard Tray with Palm Rest and Integrated Mouse Pad	530
HKTE-N	Boogie Board – Boogie Board Keyboard Tray with Palm Rest	530
HM	Worksurface Supports – Modesty Panel	526
HMB	Markerboards/Wall Accessory Slat Pad – Markerboard — Magnetic Surface	563
HMKT	Panel Accessories – T-Mount Kit — Center and End Conditions	365
HMN	Basic Monolithic Fabric Panel with Steel Top Cap – Fabric	322
HMN-T	Basic Monolithic Fabric Panel with Wood Top Cap – Fabric	336
HMP	Basic Monolithic Fabric Panel with Steel Top Cap – Fabric	322
HMP-T	Basic Monolithic Fabric Panel with Wood Top Cap – Fabric	336
HMSC	Mini Shelves with Loop Bracket – Corner Mini-Shelf, with Loop Bracket	541
HMSS	Mini Shelves with Loop Bracket – Straight Mini-Shelf, with Loop Bracket	541
HNAM	Markerboards/Wall Accessory Slat Pad – Markerboard — Non-Magnetic Surface	563
HNEH-8	Electrical Management Accessories – Wire Management Loop	406
HNEH-8	Electrical Management Accessories – Wire Management Loop	433
HNEH-8	Worksurface Accessories – Wire Management Loop	527
HON	Open Frame Monolithic Panel with Steel Top Cap – Open Frame	326
HON-T	Open Frame Monolithic Panel with Wood Top Cap – Open Frame	338
HOP	Open Frame Monolithic Panel with Steel Top Cap – Open Frame	326
HOP-T	Open Frame Monolithic Panel with Wood Top Cap – Open Frame	338
HPCA	3-Circuit – Electrical Components – Power/Communication Port Kit	398
HPCA-2	4-Circuit (2+2 and 3+1) — Electrical Components – Power/Communication Port Kit	421
HPCA-4	4-Circuit (2+2 and 3+1) — Electrical Components – Power/Communication Port Kit	421

Index

Product Code	Product Description	Page
HPCA-G	3-Circuit – Electrical Components – Power/Communication Port Kit	398
HPCA-G-2	4-Circuit (2+2 and 3+1) — Electrical Components – Power/Communication Port Kit	421
HPCA-G-4	4-Circuit (2+2 and 3+1) — Electrical Components – Power/Communication Port Kit	421
HPER	Panel Accessories – End-of-Run Finish Post — for Steel Top Cap — Fabric Surface	359
HRE	Panel Accessories – Side Trim Rail With Notch	363
HREH	Panel Accessories – Full Height Side Trim Rail – for use with Add-On Panels	364
HREU	Panel Accessories – Side Trim Rail Unnotched	363
HSCP-F1	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 180° – Fabric or Painted Surface	389
HSCP-F1	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 180° – Fabric or Painted Surface	426
HSCP-F2	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Two-Way 90° – Fabric or Painted Surface	389
HSCP-F2	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Two-Way 90° – Fabric or Painted Surface	426
HSCP-F3	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height — In-Line – Fabric or Painted Surface	389
HSCP-F3	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height — In-Line – Fabric or Painted Surface	426
HSCP-V1	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 180° – Fabric or Painted Surface	389
HSCP-V1	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Three-Way 180° – Fabric or Painted Surface	426
HSCP-V2	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Two-Way 90° – Fabric or Painted Surface	389
HSCP-V2	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height – Two-Way 90° – Fabric or Painted Surface	426
HSCP-V3	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height — In-Line – Fabric or Painted Surface	389
HSCP-V3	Electrical and Cable Management Accessories – PLACES Cable Management Post – Variable Height — In-Line – Fabric or Painted Surface	426
HTB	Tack Strips/Tackboards – Tack Strip	561
HTB	Tack Strips/Tackboards – Tackboard	561
HTB-H	Tack Strips/Tackboards – Tack Strip — Monolithic High-Performance Acoustical Panels	562
HTB-H	Tack Strips/Tackboards – Tackboard — Monolithic High-Performance Acoustical Panels	562
HTCC-0090	Panel Accessories – 90° Wood Top Cap for 2-Way	361
HTCE	Panel Accessories – End-of-Run Finish Post — Wood Top Cap	362
HTCS-0180	Panel Accessories – 180° Wood Top Cap for 3-Way	362
HTCT-T	Tables – Laminate C-Leg Table	604
HTCW	Panel Accessories – Wood Top Cap Kit	361
HTCW-0002	Panel Accessories – In-Line Wood Top Cap	362
HTCW-T	Tables – Laminate C-Leg Table	604
HTF-0004	Panel Accessories – Steel Top Cap for 3-Way and 4-Way	362
HTFM	Hardwire – Electrical Components – PLACES Top Feed Module	437
HTFM	PLACES 3-Circuit — Electrical Components – PLACES Top Feed Module	384
HTFM-2	4-Circuit (2+2 and 3+1) — Electrical Components – PLACES Top Feed Module	413
HTFM-4	4-Circuit (2+2 and 3+1) — Electrical Components – PLACES Top Feed Module	413
HTFW-0004	Panel Accessories – 90° Wood Top Cap for 4-Way	362
HVFE	Panel Accessories – End-of-Run Variable Height Finish Post — Regular — Wood Top Cap — Fabric Surface	361
HVFE-C	Panel Accessories – End-of-Run Variable Height Finish Post — Coped — Wood Top Cap — Fabric Surface	360
HVWE	Panel Accessories – End-of-Run Variable Height Finish Post — Regular — Wood Top Cap — Wood Surface	360
HVWE-C	Panel Accessories – End-of-Run Variable Height Finish Post — Coped — Wood Top Cap — Wood Surface	359
HWER-T	Panel Accessories – End-of-Run Finish Post — Wood Top Cap — Wood Surface	358
HWFN-T	Monolithic Wood/Fabric Panel with Wood Top Cap – Wood/Fabric	332
HWFP-T	Monolithic Wood/Fabric Panel with Wood Top Cap – Wood/Fabric	332
HWN-T	Monolithic Wood Panel with Wood Top Cap – Wood	330

Index

Product Code	Product Description	Page
HWPC-T	Panel Accessories – 90° Finish Post — Wood Top Cap — Wood Surface	355
HWPS-T	Panel Accessories – 180° Finish Post — Wood Top Cap — Wood Surface	356
HWP-T	Monolithic Wood Panel with Wood Top Cap – Wood	330
JAKA-18	X Series and V Series Accessories – Worksurface Height Adjustment Kit for Attached Pedestal	602
JAP-2	Electrical Management Accessories – Power/Data Dome	406
JAP-2	Electrical Management Accessories – Power/Data Dome	433
JAP-4	Electrical Management Accessories – Power/Data Dome	406
JAP-4	Electrical Management Accessories – Power/Data Dome	433
JCPB-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	598
JCPE-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	598
JCPG-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	598
JCPJ-SS1A	X Series Combination Units – Attached – Two-High Combination — Attached	598
JCPL-12	X Series and V Series Accessories – Filing Kit	602
JCPR-S1A	X Series Lateral Files — Attached – Two-High Combination – Attached	596
JCPT-S1A	X Series Lateral Files — Attached – Two-High Combination – Attached	596
JLPD-S1A	X Series Lateral Files — Attached – Two-High Lateral File – Proud Style – Attached	594
JLRD-SJA	X Series Lateral Files — Attached – Two-High Lateral File – Inset Style – Attached	595
JPAH-24	X Series Attached Pedestals – Box/Box/File — Attached	590
JPAJ-24	X Series Attached Pedestals – File/File — Attached	590
JPAQ-24	X Series Attached Pedestals – Pencil/Pencil/Box/File — Attached	590
JPHA-24	X Series Suspended Pedestals – Box/File — Suspended	592
JPHH-24	X Series Suspended Pedestals – Box/Box/File — Suspended	592
JPHJ-24	X Series Suspended Pedestals – File/File — Suspended	592
JPHP-24	X Series Suspended Pedestals – Pencil/Box/File — Suspended	592
JPHQ-24	X Series Suspended Pedestals – Pencil/Pencil/Box/File — Suspended	592
JSHA-1	X Series and V Series Accessories – Worksurface Height Adjustment Kit for Attached Storage Cabinet	602
KU1A-0017	Adjustable Keyboard Pads – Locking Tilt AKP	531
KU1C	CPU Holders – Fixed Mount CPU Holder	538
KU1C	CPU Holders – Fixed Mount CPU Holder	538
KU1D	Accessories – Adjustable Document Holder	539
KU1F	Accessories – Adjustable Footrest	539
KU1L-U	Accessories – Adjustable Laptop Holder	539
KU1M-1NN	Monitor Arms – Post and Link Monitor Arms	536
KU1M-2NN	Monitor Arms – Post and Link Monitor Arms	536
KU2A-0017	Adjustable Keyboard Pads – Dial Tilt AKP	531
KU2C-L	CPU Holders – Adjustable CPU Holder	538
KU3A-0023	Adjustable Keyboard Pads – Dial Tilt AKP - Extended Arm	532
KU3M-1NN	Monitor Arms – Heavy Duty Adjustable Monitor Arms	536
KU3M-2NN	Monitor Arms – Heavy Duty Adjustable Monitor Arms	536
KU4A-0023	Adjustable Keyboard Pads – Sit-to-Stand AKP	532
KU4M-1NNN	Monitor Arms – Advanced Adjustable Monitor Arms	535
KU4M-2NNN	Monitor Arms – Advanced Adjustable Monitor Arms	535
KU5A	Adjustable Keyboard Pads – Thin Profile AKP	534
KU5M-1NNN	Monitor Arms – Adjustable Post Arm	537
KU5M-2NNN	Monitor Arms – Adjustable Post Arm	537
KU6M-1NNN	Monitor Arms – Extend Arm	537
KU6M-2NNN	Monitor Arms – Extend Arm	537
KU6T	Belong Work Tools — Accessories – iPad Attachment	567
KUAF	Wall Mount Components – Tackboard, Wall Mount	560
KUAM	Wall Mount Components – Markerboard, Wall Mount	560
KUCU-0915-BNN	Belong Work Tools — Accessories – Open C Cubby	567
KUCU-1215-BNS	Belong Work Tools — Accessories – Open C Cubby	567
KUDP-2420	Worksurface Accessories – Pencil + Drawer	529

Index

Product Code	Product Description	Page
KUP1-0000-CSN	Belong Work Tools Mounting Rails – Tool Rail — Single Post — C-Clamp or Thru-mount	566
KUPT-0913-F	Belong Work Tools — Accessories – Paper Tray — Landscape	567
KUPT-0913-H	Belong Work Tools — Accessories – Paper Tray — Landscape	567
KUPY	Wall Mount Components – Slat, Wall Mount	560
KUR1-1224-CSN	Belong Work Tools Mounting Rails – Tool Rail — Worksurface Mount C-Clamp or Thru-Mount	565
KUTC-0000-H	Belong Work Tools — Accessories – Tool Cup	567
LBJ1	BRAZO – Freestanding Lighting	585
LBJ2	BRAZO – Freestanding Lighting	585
LBJ3	BRAZO – Mounted Lighting	585
LBJ4	BRAZO – Mounted Lighting	585
LLC1	LIM – LIM C	587
LLC2	LIM – LIM C	587
LLH	LIM – LIM Hardware	589
LLL1	LIM – LIM L	586
LLL2	LIM – LIM L	586
LLL3	LIM – LIM L	586
LLLA	LIM – LIM L	586
LLM1	LIM – LIM Mounted	588
LLM1	LIM – LIM Mounted	588
LLM2	LIM – LIM Mounted	588
LLU1	LIM – LIM Mounted	589
LLU2	LIM – LIM Mounted	589
LLY1	LIM – LIM Y	587
LUPT	Lighting – Pixo	584
LUTD	Lighting — Task – Adaptable Electronic Ballast Task Light (Add-On Light)	581
LUTD-0017-1NULDN	Lighting – Reed Premier™ Add-On LED Task Light — For Use with Reed Premier Starter LED Task Lights	583
LUTR	Lighting — Task – Adaptable Electronic Ballast Task Light (Starter Light)	580
LUTS-0000	Lighting – Reed Premier™ Add-On Occupancy Sensor	583
LUTS-0017-12ULD6	Lighting – Reed Premier™ Starter LED Task Light	582
LUTS-0017-19ULD5	Lighting – Reed Premier™ Stand-Alone LED Task Light	582
LUTS-16UEP	Lighting — Task – Adaptable Electronic Ballast Task Light	580
LUV1	Lighting – Voyage without Occupancy Sensor	584
LUV2	Lighting – Voyage with Occupancy Sensor	584
MAC-0001	Worksurface Accessories – Make-A-Corner	527
MEAM	Markerboards/Wall Accessory Slat Pad – Markerboard — Non-Magnetic Surface	563
MSC	Panel Accessories – Muntin Kit — Classic — Painted	351
MSC	Panel Accessories – Painted Muntin Kit — Classic	305
MSH	Panel Accessories – Muntin Kit — Horizontal — Painted	351
MSH	Panel Accessories – Painted Muntin Kit — Horizontal	305
NADR-8	Shelf Accessories – Adaptable Shelf Dividers	558
NCL	Worksurface Supports – Straight Leg Basic with Caster	525
NEP-1	3-Circuit — Electrical Components – Power Breaker Marker	396
NEP-1	4-Circuit (2+2 and 3+1) — Electrical Components – Power Break Marker	418
NUB-1	Adaptable Upper Storage – Overhead Storage Unit / Shelf Gang Clip	543
PCC-180-B	Panel Accessories – 180° Power Connector Cover	310
PCC-180-B	Panel Accessories – 180° Power Connector Cover	358
PCC-90-B	Panel Accessories – 90° Power Connector Cover — Radius Profile	356
PCC-90-B	Panel Accessories – 90° Power Connector Cover	310
PCCW-2	Panel Accessories – 90° Top Cap — Wood Top Cap for 2-Way and 3-Way	313
PCF-3-B	3-Circuit — Electrical Components – Flexible Power Connector	394
PCF-3-B2	4-Circuit (2+2 and 3+1) — Electrical Components – Flexible Power Connector	415
PCF-3-B4	4-Circuit (2+2 and 3+1) — Electrical Components – Flexible Power Connector	415
PCOF-1-B	3-Circuit — Electrical Components – Connector Assembly – 12″ Pass-Through	395

Index

Product Code	Product Description	Page
PCOF-1-B2	4-Circuit (2+2 and 3+1) — Electrical Components – Connector Assembly – 12″ Pass-Through	417
PCOF-1-B4	4-Circuit (2+2 and 3+1) — Electrical Components – Connector Assembly – 12″ Pass-Through	417
PCSS-3-B	3-Circuit — Electrical Components – Straight-Span Power Connector	395
PCSS-3-B2	4-Circuit (2+2 and 3+1) — Electrical Components – Straight-Span Power Connector	416
PCSS-3-B4	4-Circuit (2+2 and 3+1) — Electrical Components – Straight-Span Power Connector	416
PCSW-2	Panel Accessories – 90° Top Cap — Wood Top Cap for 2-Way and 3-Way	313
PFWC-B	Panel Accessories – 90° Finish Post — Wood Top Cap— Fabric Surface	309
PFWS-B	Panel Accessories – 180° Finish Post — Wood Top Cap — Fabric Surface	311
PPC-180-B	Panel Accessories – 180° Power Connector Cover	277
PPD-18	Worksurface Accessories – Pencil Drawer	529
PRCN-B	3-Circuit – Electrical Components – Ported Raceway Covers	399
PRCN-B	4-Circuit (2+2 and 3+1) — Electrical Components – Ported Raceway Covers	422
PRCP	Hardwire – Electrical Components – Raceway Covers	435
PRCP-B	3-Circuit – Electrical Components – Ported Raceway Covers	399
PRCP-B	4-Circuit (2+2 and 3+1) — Electrical Components – Ported Raceway Covers	422
PRCP-B	4-Circuit (2+2 and 3+1) — Electrical Components – Ported Raceway Covers	422
PRD-1500-I	4-Circuit (2+2 and 3+1) — Electrical Components – Duplex Receptacles – 15 Amp	418
PRD-1500-M	4-Circuit (2+2 and 3+1) — Electrical Components – Duplex Receptacles – 15 Amp	418
PRD-2000-M12	4-Circuit (2+2 and 3+1) — Electrical Components – Duplex Receptacle – 20 Amp	419
PRD-2000-M13	3-Circuit – Electrical Components – Duplex Receptacle – 20 Amp	397
PRD-3-B	3-Circuit — Electrical Components – Duplex Receptacles – 15 Amp	396
PRDI-5-B	3-Circuit — Electrical Components – Duplex Receptacles – 15 Amp	396
RKN-B	3-Circuit — Electrical Components – Raceway Retrofit Kit	396
RKN-B	4-Circuit (2+2 and 3+1) — Electrical Components – Raceway Retrofit Kit	420
RKP-00-C	Hardwire – Electrical Components – Dual Power Access Raceway Kit — 4″-High Base Raceway	435
RKP-3-LB	3-Circuit – Electrical Components – Raceway Cover – 20 Amp	397
RKP-3-LB	4-Circuit (2+2 and 3+1) — Electrical Components – Raceway Cover – 20 Amp	419
RKP-3-LS	3-Circuit – Electrical Components – Raceway Cover – 20 Amp	397
RKP-3-LS	4-Circuit (2+2 and 3+1) — Electrical Components – Raceway Cover – 20 Amp	419
RKP-B	3-Circuit — Electrical Components – Raceway Retrofit Kit	396
RKP-B2	4-Circuit (2+2 and 3+1) — Electrical Components – Raceway Retrofit Kit	420
RKP-B4	4-Circuit (2+2 and 3+1) — Electrical Components – Raceway Retrofit Kit	420
SCD-19	Worksurface Accessories – Steel Center Drawer	529
SD-12	Shelf Accessories – UniGroup Shelf Dividers	558
SL	Shelves and Flipper Doors – UniGroup Low Shelf	542
SPCL-1613	Clerestory Kits – 2-Way Connector Kit	381
SPCL-1614	Clerestory Kits – 3-Way Connector Kit	381
SPCL-1615	Clerestory Kits – 4-Way Connector Kit	381
SPCL-1616	Clerestory Kits – Straight Track Kit	381
SPCL-1622	Clerestory Kits – End Kit	381
SPLA-1270	Panel Accessories – 120° Finish Post — for Steel Top Cap — Fabric Surface	356
SPLA-1524	Panel Accessories – 120° Finish Post — for Steel Top Cap — Fabric Surface	310
SPLB-2878	Panel Accessories – 120° Finish Post — for Steel Top Cap — Fabric Surface	310
SR	Shelves and Flipper Doors – UniGroup Regular Shelf	542
SRE	Panel Accessories – Side Trim Rail	280
SRE	Panel Accessories – Side Trim Rail	314
SREH	Panel Accessories – Full Height Side Trim Rail	280
SREH	Panel Accessories – Full-Height Side Trim Rails — for use with Add-On Panels	314
TCSW	Panel Accessories – Wood Top Cap Kit	313
TFM-B	3-Circuit – Electrical Components – UniGroup Top Feed Module	383
TFM-B2	4-Circuit (2+2 and 3+1) — Electrical Components – UniGroup Top Feed Module	412
TFM-B4	4-Circuit (2+2 and 3+1) — Electrical Components – UniGroup Top Feed Module	412
TFM-NT	Hardwire – Electrical Components – UniGroup Hardwire / International Top Feed Module	436

Index

Product Code	Product Description	Page
TMKT-B	Panel Accessories – T-Mount Kit — Center and End Conditions	315
TPC0	Tables – Laminate Oval Table	603
TPCR	Tables – Laminate Rectangular Table	603
TPPR	Tables – Laminate Round Table	603
TPPS	Tables – Laminate Square Table	603
U2FA	Panel Accessories – Retrofit Kits – 120° Full-Height Finish Post — Square Painted Top Cap	370
U2FA-V	Panel Accessories – Retrofit Kits – 120° Variable-Height Finish Post — Square Painted Top Cap	371
U2FC	Panel Accessories – Retrofit Kits – 90° Full-Height Finish Post — Square Painted Top Cap	368
U2FC-V	Panel Accessories – Retrofit Kits – 90° Variable-Height Finish Post — Square Painted Top Cap	369
U2FS	Panel Accessories – Retrofit Kits – 180° Full-Height Finish Post — Square Painted Top Cap	372
U2FS-V	Panel Accessories – Retrofit Kits – 180° Variable-Height Finish Post — Square Painted Top Cap	373
U2PA	Panel Accessories – Retrofit Kits – 120° Full-Height Finish Post — Square Painted Top Cap	370
U2PA-V	Panel Accessories – Retrofit Kits – 120° Variable-Height Finish Post — Square Painted Top Cap	371
U2PC	Panel Accessories – Retrofit Kits – 90° Full-Height Finish Post — Square Painted Top Cap	368
U2PC-V	Panel Accessories – Retrofit Kits – 90° Variable-Height Finish Post — Square Painted Top Cap	369
U2PS	Panel Accessories – Retrofit Kits – 180° Full-Height Finish Post — Square Painted Top Cap	372
U2PS-V	Panel Accessories – Retrofit Kits – 180° Variable-Height Finish Post — Square Painted Top Cap	373
UEFF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	546
UEFS-FM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount — Painted, or Fabric Radius Edge Front	544
UEFS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	548
UEFS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	545
UEFS-RM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount — Painted, or Fabric Radius Edge Front	544
UEFS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	547
UEGF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	550
UEGS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	552
UEGS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	549
UEGS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	551
UEHF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	546
UEHS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	548
UEHS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	545
UEHS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	547
UEJF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	550
UEJS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	552
UEJS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	549
UEJS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	551
UEKF-QM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Translucent Door	546
UEKS-LM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Laminate Door	548
UEKS-PM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Painted Door	545
UEKS-WM	Adaptable Upper Storage – Overhead Storage Unit, Standard Mount – Wood Door	547
UELF-QM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Translucent Door	550
UELS-LM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Laminate Door	552
UELS-PM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Painted Door	549
UELS-WM	Adaptable Upper Storage – Overhead Storage Unit, Up Mount – Wood Door	551
UESN-PM	Adaptable Upper Storage – Open Shelf, Standard Mount	543
UESY-PM	Adaptable Upper Storage – Straight Mini Shelf, Standard Mount	540
UESZ-PM	Adaptable Upper Storage – Corner Mini Shelf, Standard Mount	540
UUFB-P	Wall Mount Components – Back for Wall Mounted Overhead Storage Unit	559
UUFF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	555
UUFS-FW	Wall Mount Components – Overhead Storage Unit, Wall Mount — Painted or Fabric Radius Edge Front	553
UUFS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	557
UUFS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	554
UUFS-RW	Wall Mount Components – Overhead Storage Unit, Wall Mount — Painted or Fabric Radius Edge Front	553
UUFS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	556

Index

Product Code	Product Description	Page
UUHF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	555
UUHS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	557
UUHS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	554
UUHS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	556
UUKF-QW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Translucent Door	555
UUKS-LW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Laminate Door	557
UUKS-PW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Painted Door	554
UUKS-WW	Wall Mount Components – Overhead Storage Unit, Wall Mount – Wood Door	556
VEEH-0000	4-Circuit (2+2 and 3+1) — Electrical Components – Infeed Harness	414
VEEH-0030	4-Circuit (2+2 and 3+1) — Electrical Components – Infeed Harness	414
VEEH-3	3-Circuit – Electrical Components – Infeed Harness	385
VEZP	Panel Accessories – Filler Post - Sliding Door	270
VLRD-0230-5A	V Series Lateral Files — Attached – Two-High — Attached	601
VPAH-24-5	V Series Attached and Suspended Pedestals – Box/Box/File — Attached	600
VPAJ-24-5	V Series Attached and Suspended Pedestals – File/File — Attached	600
VPHA-24-5	V Series Attached and Suspended Pedestals – Box/File — Suspended	600
VPHH-24-5	V Series Attached and Suspended Pedestals – Box/Box/File — Suspended	600
VPHJ-24-5	V Series Attached and Suspended Pedestals – File/File — Suspended	600
VPL2-12	X Series and V Series Accessories – Filing Kits	602
VUZF	Panel Accessories – Sliding Door	270
WC-17	Electrical and Cable Management Accessories – Vertical Wire Manager	402
WC-17	Electrical and Cable Management Accessories – Vertical Wire Manager	429
WC-6	Electrical and Cable Management Accessories – Vertical Wire Channel	402
WC-6	Electrical and Cable Management Accessories – Vertical Wire Channel	429
WK	Panel Accessories – Wainscot Kit Painted Rail — Fabric Panel	306
WK	Panel Accessories – Wainscot Kit Painted Rail — Fabric Panel	352
WMK	Panel Accessories – Wall Mount Kit	281
WMK	Panel Accessories – Wall Mount Kit	315
WMK	Panel Accessories – Wall Mount Kit	365
WMSC	Panel Accessories – Wainscot with Classic Muntins Painted — Rail and Muntins — Fabric Panel	308
WMSC	Panel Accessories – Wainscot with Classic Muntins Painted — Rail and Muntins — Fabric Panel	354
WMSH	Panel Accessories – Wainscot with Horizontal Muntins — Painted Rail and Muntins — Fabric Panel	307
WMSH	Panel Accessories – Wainscot with Horizontal Muntins — Painted Rail and Muntins — Fabric Panel	353
WQAG	BRAZO – Grommet — For Use with BRAZO Grommet Mounted Light Only	585
WT	Panel Accessories – Wall Track	281
WT	Panel Accessories – Wall Track	315
WT	Panel Accessories – Wall Track	365
WT	Shelf Accessories – Wall Track	558
WUAC-WSG	Electrical Management Accessories – Worksurface Grommet	406
WUAC-WSG	Electrical Management Accessories – Worksurface Grommet	433
WUAC-WSG	Worksurface Accessories – Worksurface Grommet	527
WUAR	Worksurface Accessories – Worksurface Reinforcement Channel	528
WUAW-1500-PNH	Electrical Management Accessories – Horizontal Wire Manager	406
WUAW-1500-PNH	Electrical Management Accessories – Horizontal Wire Manager	433
WUAW-1500-PNH	Worksurface Accessories – Horizontal Wire Manager	527
WUCA	Adaptable Worksurfaces — Laminate – Corner, 90° Straight Front	451
WUCA-W	Adaptable Worksurfaces — Wood – Corner, 90° Straight Front	493
WUCB-L54	Adaptable Worksurfaces — Laminate – Bent	475
WUCB-R45	Adaptable Worksurfaces — Laminate – Bent	475
WUCB-WL54	Adaptable Worksurfaces — Wood – Bent	514
WUCB-WR45	Adaptable Worksurfaces — Wood – Bent	514
WUCC-0004	Worksurface Supports – Support Column	525
WUCD	Adaptable Worksurfaces — Laminate – D-Shaped Convergent, Wrap-Around	472

Index

Product Code	Product Description	Page
WUCD-W	Adaptable Worksurfaces — Wood – D-Shaped Convergent, Wrap-Around	512
WUCE-L44	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Extended	460
WUCE-R44	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Extended	460
WUCE-WL44	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Extended	502
WUCE-WR44	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Extended	502
WUCF-N45	Adaptable Worksurfaces — Laminate – Corner, 90° Angled Transitional	457
WUCF-N54	Adaptable Worksurfaces — Laminate – Corner, 90° Angled Transitional	457
WUCF-WN45	Adaptable Worksurfaces — Wood – Corner, 90° Angled Transitional	499
WUCF-WN54	Adaptable Worksurfaces — Wood – Corner, 90° Angled Transitional	499
WUCH-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Transitional	456
WUCH-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Transitional	456
WUCH-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Notched Transitional	498
WUCH-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Notched Transitional	498
WUCK	Adaptable Worksurfaces — Laminate – Corner, 90° Split Top	458
WUCK-W	Adaptable Worksurfaces — Wood – Corner, 90° Split Top	500
WUCL-0001	Worksurface Supports – Straight Leg Basic	525
WUCN	Adaptable Worksurfaces — Laminate – Corner, 90° Notched	453
WUCN-W	Adaptable Worksurfaces — Wood – Corner, 90° Notched	495
WUCP-L44	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Extended	462
WUCP-R44	Adaptable Worksurfaces — Laminate – Corner, 90° Notched Extended	462
WUCP-WL44	Adaptable Worksurfaces — Wood – Corner, 90° Notched Extended	504
WUCP-WR44	Adaptable Worksurfaces — Wood – Corner, 90° Notched Extended	504
WUCQ-N44	Adaptable Worksurfaces — Laminate – 90° Merger	467
WUCQ-WN44	Adaptable Worksurfaces — Wood – 90° Merger	508
WUCR	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around	452
WUCR-W	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around	494
WUCT-N34	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional	455
WUCT-N43	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional	455
WUCT-WN34	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional	497
WUCT-WN43	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional	497
WUCU	Adaptable Worksurfaces — Laminate – Corner, 90° Angled	454
WUCU-W	Adaptable Worksurfaces — Wood – Corner, 90° Angled	496
WUCX-L43	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional Extended	464
WUCX-R34	Adaptable Worksurfaces — Laminate – Corner, 90° Wrap-Around Transitional Extended	464
WUCX-WL43	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional Extended	506
WUCX-WR34	Adaptable Worksurfaces — Wood – Corner, 90° Wrap-Around Transitional Extended	506
WUCZ-N44	Adaptable Worksurfaces — Laminate – Corner, 120° Wrap-Around	468
WUCZ-WN44	Adaptable Worksurfaces — Wood – Corner, 120° Wrap-Around	509
WUDC-3830	Adaptable Worksurfaces — Laminate – Conference End	477
WUDC-3830-W	Adaptable Worksurfaces — Wood – Conference End	516
WUDC-5030	Adaptable Worksurfaces — Laminate – Conference End	477
WUDC-5030-W	Adaptable Worksurfaces — Wood – Conference End	516
WUDC-6230	Adaptable Worksurfaces — Laminate – Conference End	477
WUDC-6230-W	Adaptable Worksurfaces — Wood – Conference End	516
WUDD	Adaptable Worksurfaces — Laminate – D-Shaped Ender	474
WUDD-W	Adaptable Worksurfaces — Wood – D-Shaped Ender	513
WUDZ	Adaptable Worksurfaces — Laminate – 120° Link	479
WUDZ-W	Adaptable Worksurfaces — Wood – 120° Link	518
WURA	Adaptable Worksurfaces — Laminate – Rectangular	438
WURA-W	Adaptable Worksurfaces — Wood – Rectangular	480
WURD	Adaptable Worksurfaces — Laminate – D-Shaped Convergent	469
WURD-W	Adaptable Worksurfaces — Wood – D-Shaped Convergent	510
WURE-N34	Adaptable Worksurfaces — Laminate – Wedge	446

Index

Product Code	Product Description	Page
WURE-N43	Adaptable Worksurfaces — Laminate – Wedge	446
WURE-WN34	Adaptable Worksurfaces — Wood – Wedge	488
WURE-WN43	Adaptable Worksurfaces — Wood – Wedge	488
WURG-N34	Adaptable Worksurfaces — Laminate – Sharp Wedge	448
WURG-N43	Adaptable Worksurfaces — Laminate – Sharp Wedge	448
WURG-WN34	Adaptable Worksurfaces — Wood – Sharp Wedge	490
WURG-WN43	Adaptable Worksurfaces — Wood – Sharp Wedge	490
WURK	Adaptable Worksurfaces — Laminate – Rectangular — Split Top	450
WURK-W	Adaptable Worksurfaces — Wood – Rectangular — Split Top	492
WURR	Adaptable Worksurfaces — Laminate – Rectangular Radius End	449
WURR-W	Adaptable Worksurfaces — Wood – Rectangular Radius End	491
WURS	Adaptable Worksurfaces — Laminate – Rectangular Swell	442
WURS-W	Adaptable Worksurfaces — Wood – Rectangular Swell	484
WURT-N34	Adaptable Worksurfaces — Laminate – Rectangular Transition	444
WURT-N43	Adaptable Worksurfaces — Laminate – Rectangular Transition	444
WURT-WN34	Adaptable Worksurfaces — Wood – Rectangular Transition	486
WURT-WN43	Adaptable Worksurfaces — Wood – Rectangular Transition	486
WURV	Adaptable Worksurfaces — Laminate – Rectangular Convergent	470
WURV-W	Adaptable Worksurfaces — Wood – Rectangular Convergent	511
WURW	Adaptable Worksurfaces — Laminate – Rectangular Inverse Swell	443
WURW-W	Adaptable Worksurfaces — Wood – Rectangular Inverse Swell	485
WURY	Adaptable Worksurfaces — Laminate – Rectangular Key	441
WURY-3830	Adaptable Worksurfaces — Laminate – Key Conference End	478
WURY-3830-W	Adaptable Worksurfaces — Wood – Key Conference End	517
WURY-5030	Adaptable Worksurfaces — Laminate – Key Conference End	478
WURY-5030-W	Adaptable Worksurfaces — Wood – Key Conference End	517
WURY-5036	Adaptable Worksurfaces — Laminate – Key Conference End	478
WURY-5036-W	Adaptable Worksurfaces — Wood – Key Conference End	517
WURY-6236	Adaptable Worksurfaces — Laminate – Key Conference End	478
WURY-6236-W	Adaptable Worksurfaces — Wood – Key Conference End	517
WURY-6242	Adaptable Worksurfaces — Laminate – Key Conference End	478
WURY-6242-W	Adaptable Worksurfaces — Wood – Key Conference End	517
WURY-6248	Adaptable Worksurfaces — Laminate – Key Conference End	478
WURY-6248-W	Adaptable Worksurfaces — Wood – Key Conference End	517
WURY-W	Adaptable Worksurfaces — Wood – Rectangular Key	483
WUTS	Adaptable Worksurfaces — Laminate – Countertop	476
WUTS-W	Adaptable Worksurfaces — Wood – Countertop	515
Z2BT-0000	Worksurface Supports – Counter Top Brackets	522
ZEBA-0000	Worksurface Supports – Side Bracket	522
ZEBC-1200	Worksurface Supports – Standard Snap-n-Fit Mini Cantilever Bracket for Corner Worksurface	521
ZEBC-1900	Worksurface Supports – Standard Snap-n-Fit Cantilever Bracket for Corner Worksurface	521
ZEBD-1000	Worksurface Supports – Standard Mini Cantilever Bracket	519
ZEBD-1600	Worksurface Supports – Standard Cantilever Bracket	519
ZEBF-0000-P	Worksurface Supports – Anti Dislodgement Bracket for use with Worksurface Support Panels	521
ZEBL-1600	Worksurface Supports – Standard Link Cantilever Bracket	519
ZEBN-0000	Adaptable Worksurface Supports – Pedestal-to-Panel Bracket	523
ZEBR-0000	Worksurface Supports – Rear-Corner Bracket	522
ZEBS-1200	Worksurface Supports – Standard Snap-n-Fit Mini Cantilever Bracket for Rectangular Worksurfaces	520
ZEBS-1900	Worksurface Supports – Standard Snap-n-Fit Cantilever Bracket for Rectangular Worksurfaces	520
ZEBT-0000	Worksurface Supports – Counter Top Brackets	522
ZEBV-0000	Worksurface Supports – Convergent Mount Bracket	522
ZEFS-LNE	Adaptable Worksurface Supports – Worksurface Support Panels	524
ZEFS-WNE	Adaptable Worksurface Supports – Worksurface Support Panels	524

Index

Product Code	Product Description	Page
ZHBT-0000	Worksurface Supports – Counter Top Brackets	522
ZUBF-0000	Worksurface Supports – Flush Mount Plate	522
ZUBW-PN	Wall Mount Components – Worksurface Wall Bracket	559
ZUFJ-0101-PNFG	Worksurface Supports – Single Support Leg	526
ZZFJ	Worksurface Supports – Support Post	526
ZZFK	Worksurface Supports – Double Support Leg	526
ZZFZ-2121-PNF	Worksurface Supports – Adjustable Height Disc Base	525

This page intentionally blank

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the "policy") applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called "Haworth") will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund the purchase price of the product. Except as provided below, a product shall be considered "defective" if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime *except products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth "Specials" products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth "Specials" products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.

All service parts are warranted for two years or the remaining balance of the assembly's original warranty period, whichever is longer.

*The Applicable Warranty Period for each such product is specified in Haworth's price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is "Customer's Own Material" (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth's written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth's express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) "puddling" of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the purchaser's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.

HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.
©Haworth, Inc. 2015 6.15 Item #0017

haworth.com | haworth-europe.com | haworth-asia.com

Enhanced Power Module

Corded

3-Port:
(2) Power
(1) USB



EUD1-PF0B-2010

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-PF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUD1-PF0B-2112

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-PF0B-4000

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Corded power module available with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0B-1002	**$483.53**
						1 Power Receptacle, 2 Data Ports	EUD1-PF0B-1020	**483.53**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0B-1110	**543.53**
						1 Power Receptacle, 2 USB Charging	EUD1-PF0B-1200	**603.53**
						2 Power Receptacles, 1 Data Port	EUD1-PF0B-2010	**483.53**
						2 Power Receptacles, 1 USB Charging	EUD1-PF0B-2100	**543.53**
						3 Power Receptacles	EUD1-PF0B-3000	**483.53**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1012	**$483.53**
						1 Power Receptacle, 3 Data Ports	EUD1-PF0B-1030	**483.53**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-1102	**543.53**
						1 Power Receptacle, 3 USB Charging	EUD1-PF0B-1300	**663.53**
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0B-2002	**483.53**
						2 Power Receptacles, 2 Data Ports	EUD1-PF0B-2020	**483.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-2110	**543.53**
						2 Power Receptacles, 2 USB Charging	EUD1-PF0B-2200	**603.53**
						3 Power Receptacles, 1 Data Port	EUD1-PF0B-3010	**483.53**
						3 Power Receptacles, 1 USB Charging	EUD1-PF0B-3100	**543.53**
						4 Power Receptacles	EUD1-PF0B-4000	**483.53**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0B-1104	**$595.53**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-1122	**595.53**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0B-1140	**595.53**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-1212	**655.53**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0B-1230	**655.53**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0B-1302	**715.53**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0B-1320	**715.53**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0B-1410	**775.53**
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0B-2004	**535.53**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0B-2022	**535.53**
						2 Power Receptacles, 4 Data Ports	EUD1-PF0B-2040	**535.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0B-2112	**595.53**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0B-2130	**595.53**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0B-2202	**655.53**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0B-2220	**655.53**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0B-2310	**715.53**
						2 Power Receptacles, 4 USB Charging	EUD1-PF0B-2400	**775.53**
						3 Power Receptacles, 3 Data Ports	EUD1-PF0B-3030	**535.53**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0B-3102	**595.53**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0B-3120	**595.53**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0B-3210	**655.53**
						3 Power Receptacles, 3 USB Charging	EUD1-PF0B-3300	**715.53**
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0B-4002	**535.53**
						4 Power Receptacles, 2 Data Ports	EUD1-PF0B-4020	**535.53**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0B-4110	**595.53**
						4 Power Receptacles, 2 USB Charging	EUD1-PF0B-4200	**655.53**
						5 Power Receptacles, 1 Data Port	EUD1-PF0B-5010	**535.53**
						5 Power Receptacles, 1 USB Charging	EUD1-PF0B-5100	**595.53**
						6 Power Receptacles	EUD1-PF0B-6000	**535.53**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	6′ (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PF0W-1002	**$379.53**
						1 Power Receptacle, 2 Data Ports	EUD1-PF0W-1020	**379.53**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PF0W-1110	**439.53**
						1 Power Receptacle, 2 USB Charging	EUD1-PF0W-1200	**499.53**
						2 Power Receptacles, 1 Data Port	EUD1-PF0W-2010	**379.53**
						2 Power Receptacles, 1 USB Charging	EUD1-PF0W-2100	**439.53**
						3 Power Receptacles	EUD1-PF0W-3000	**379.53**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1012	**$379.53**
						1 Power Receptacle, 3 Data Ports	EUD1-PF0W-1030	**379.53**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-1102	**439.53**
						1 Power Receptacle, 3 USB Charging	EUD1-PF0W-1300	**559.53**
						2 Power Receptacles, 1 Cable Bay	EUD1-PF0W-2002	**379.53**
						2 Power Receptacles, 2 Data Ports	EUD1-PF0W-2020	**379.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-2110	**439.53**
						2 Power Receptacles, 2 USB Charging	EUD1-PF0W-2200	**499.53**
						3 Power Receptacles, 1 Data Port	EUD1-PF0W-3010	**379.53**
						3 Power Receptacles, 1 USB Charging	EUD1-PF0W-3100	**439.53**
						4 Power Receptacles	EUD1-PF0W-4000	**379.53**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PF0W-1104	**$491.53**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-1122	**491.53**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PF0W-1140	**491.53**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-1212	**551.53**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PF0W-1230	**551.53**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PF0W-1302	**611.53**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PF0W-1320	**611.53**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PF0W-1410	**671.53**
						2 Power Receptacles, 2 Cable Bays	EUD1-PF0W-2004	**431.53**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PF0W-2022	**431.53**
						2 Power Receptacles, 4 Data Ports	EUD1-PF0W-2040	**431.53**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PF0W-2112	**491.53**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PF0W-2130	**491.53**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PF0W-2202	**551.53**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PF0W-2220	**551.53**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PF0W-2310	**611.53**
						2 Power Receptacles, 4 USB Charging	EUD1-PF0W-2400	**671.53**
						3 Power Receptacles, 3 Data Ports	EUD1-PF0W-3030	**431.53**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PF0W-3102	**491.53**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PF0W-3120	**491.53**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PF0W-3210	**551.53**
						3 Power Receptacles, 3 USB Charging	EUD1-PF0W-3300	**611.53**
						4 Power Receptacles, 1 Cable Bay	EUD1-PF0W-4002	**431.53**
						4 Power Receptacles, 2 Data Ports	EUD1-PF0W-4020	**431.53**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PF0W-4110	**491.53**
						4 Power Receptacles, 2 USB Charging	EUD1-PF0W-4200	**551.53**
						5 Power Receptacles, 1 Data Port	EUD1-PF0W-5010	**431.53**
						5 Power Receptacles, 1 USB Charging	EUD1-PF0W-5100	**491.53**
						6 Power Receptacles	EUD1-PF0W-6000	**431.53**

NEW PAGE
Click Here for Details

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	12′ (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0B-1002	**$532.41**
						1 Power Receptacle, 2 Data Ports	EUD1-PL0B-1020	**532.41**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0B-1110	**592.41**
						1 Power Receptacle, 2 USB Charging	EUD1-PL0B-1200	**652.41**
						2 Power Receptacles, 1 Data Port	EUD1-PL0B-2010	**532.41**
						2 Power Receptacles, 1 USB Charging	EUD1-PL0B-2100	**592.41**
						3 Power Receptacles	EUD1-PL0B-3000	**532.41**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1012	**$532.41**
						1 Power Receptacle, 3 Data Ports	EUD1-PL0B-1030	**532.41**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-1102	**592.41**
						1 Power Receptacle, 3 USB Charging	EUD1-PL0B-1300	**712.41**
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0B-2002	**532.41**
						2 Power Receptacles, 2 Data Ports	EUD1-PL0B-2020	**532.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-2110	**592.41**
						2 Power Receptacles, 2 USB Charging	EUD1-PL0B-2200	**652.41**
						3 Power Receptacles, 1 Data Port	EUD1-PL0B-3010	**532.41**
						3 Power Receptacles, 1 USB Charging	EUD1-PL0B-3100	**592.41**
						4 Power Receptacles	EUD1-PL0B-4000	**532.41**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0B-1104	**$644.41**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-1122	**644.41**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0B-1140	**644.41**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-1212	**704.41**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0B-1230	**704.41**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0B-1302	**764.41**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0B-1320	**764.41**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0B-1410	**824.41**
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0B-2004	**584.41**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0B-2022	**584.41**
						2 Power Receptacles, 4 Data Ports	EUD1-PL0B-2040	**584.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0B-2112	**644.41**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0B-2130	**644.41**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0B-2202	**704.41**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0B-2220	**704.41**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0B-2310	**764.41**
						2 Power Receptacles, 4 USB Charging	EUD1-PL0B-2400	**824.41**
						3 Power Receptacles, 3 Data Ports	EUD1-PL0B-3030	**584.41**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0B-3102	**644.41**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0B-3120	**644.41**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0B-3210	**704.41**
						3 Power Receptacles, 3 USB Charging	EUD1-PL0B-3300	**764.41**
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0B-4002	**584.41**
						4 Power Receptacles, 2 Data Ports	EUD1-PL0B-4020	**584.41**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0B-4110	**644.41**
						4 Power Receptacles, 2 USB Charging	EUD1-PL0B-4200	**704.41**
						5 Power Receptacles, 1 Data Port	EUD1-PL0B-5010	**584.41**
						5 Power Receptacles, 1 USB Charging	EUD1-PL0B-5100	**644.41**
						6 Power Receptacles	EUD1-PL0B-6000	**584.41**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Corded

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
9 1/2″ (241mm)	3″ (76mm)	12′ (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-PL0W-1002	**$428.41**
						1 Power Receptacle, 2 Data Ports	EUD1-PL0W-1020	**428.41**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-PL0W-1110	**488.41**
						1 Power Receptacle, 2 USB Charging	EUD1-PL0W-1200	**548.41**
						2 Power Receptacles, 1 Data Port	EUD1-PL0W-2010	**428.41**
						2 Power Receptacles, 1 USB Charging	EUD1-PL0W-2100	**488.41**
						3 Power Receptacles	EUD1-PL0W-3000	**428.41**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1012	**$428.41**
						1 Power Receptacle, 3 Data Ports	EUD1-PL0W-1030	**428.41**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-1102	**488.41**
						1 Power Receptacle, 3 USB Charging	EUD1-PL0W-1300	**608.41**
						2 Power Receptacles, 1 Cable Bay	EUD1-PL0W-2002	**428.41**
						2 Power Receptacles, 2 Data Ports	EUD1-PL0W-2020	**428.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-2110	**488.41**
						2 Power Receptacles, 2 USB Charging	EUD1-PL0W-2200	**548.41**
						3 Power Receptacles, 1 Data Port	EUD1-PL0W-3010	**428.41**
						3 Power Receptacles, 1 USB Charging	EUD1-PL0W-3100	**488.41**
						4 Power Receptacles	EUD1-PL0W-4000	**428.41**
					6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-PL0W-1104	**$540.41**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-1122	**540.41**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-PL0W-1140	**540.41**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-1212	**600.41**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-PL0W-1230	**600.41**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-PL0W-1302	**660.41**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-PL0W-1320	**660.41**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-PL0W-1410	**720.41**
						2 Power Receptacles, 2 Cable Bays	EUD1-PL0W-2004	**480.41**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-PL0W-2022	**480.41**
						2 Power Receptacles, 4 Data Ports	EUD1-PL0W-2040	**480.41**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-PL0W-2112	**540.41**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-PL0W-2130	**540.41**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-PL0W-2202	**600.41**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-PL0W-2220	**600.41**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-PL0W-2310	**660.41**
						2 Power Receptacles, 4 USB Charging	EUD1-PL0W-2400	**720.41**
						3 Power Receptacles, 3 Data Ports	EUD1-PL0W-3030	**480.41**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-PL0W-3102	**540.41**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-PL0W-3120	**540.41**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-PL0W-3210	**600.41**
						3 Power Receptacles, 3 USB Charging	EUD1-PL0W-3300	**660.41**
						4 Power Receptacles, 1 Cable Bay	EUD1-PL0W-4002	**480.41**
						4 Power Receptacles, 2 Data Ports	EUD1-PL0W-4020	**480.41**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-PL0W-4110	**540.41**
						4 Power Receptacles, 2 USB Charging	EUD1-PL0W-4200	**600.41**
						5 Power Receptacles, 1 Data Port	EUD1-PL0W-5010	**480.41**
						5 Power Receptacles, 1 USB Charging	EUD1-PL0W-5100	**540.41**
						6 Power Receptacles	EUD1-PL0W-6000	**480.41**

NEW PAGE
Click Here for Details

This page intentionally blank

Enhanced Power Module

Hardwire

3-Port:
(2) Power
(1) USB



EUD1-HF0B-2010

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-HF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUD1-HF0B-2112

Features

- Includes power module with 3, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Attaches to surface with use of separately specified mounting brackets.
- Hardwired power module with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
   (No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0B-1002	**$544.81**
						1 Power Receptacle, 2 Data Ports	EUD1-HF0B-1020	**544.81**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0B-1110	**604.81**
						1 Power Receptacle, 2 USB Charging	EUD1-HF0B-1200	**664.81**
						2 Power Receptacles, 1 Data Port	EUD1-HF0B-2010	**544.81**
						2 Power Receptacles, 1 USB Charging	EUD1-HF0B-2100	**604.81**
						3 Power Receptacles	EUD1-HF0B-3000	**544.81**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1012	**$544.81**
						1 Power Receptacle, 3 Data Ports	EUD1-HF0B-1030	**544.81**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-1102	**604.81**
						1 Power Receptacle, 3 USB Charging	EUD1-HF0B-1300	**724.81**
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0B-2002	**544.81**
						2 Power Receptacles, 2 Data Ports	EUD1-HF0B-2020	**544.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-2110	**604.81**
						2 Power Receptacles, 2 USB Charging	EUD1-HF0B-2200	**664.81**
						3 Power Receptacles, 1 Data Port	EUD1-HF0B-3010	**544.81**
						3 Power Receptacles, 1 USB Charging	EUD1-HF0B-3100	**604.81**
						4 Power Receptacles	EUD1-HF0B-4000	**544.81**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0B-1104	**$656.81**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-1122	**656.81**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0B-1140	**656.81**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-1212	**716.81**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0B-1230	**716.81**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0B-1302	**776.81**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0B-1320	**776.81**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0B-1410	**836.81**
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0B-2004	**596.81**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0B-2022	**596.81**
						2 Power Receptacles, 4 Data Ports	EUD1-HF0B-2040	**596.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0B-2112	**656.81**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0B-2130	**656.81**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0B-2202	**716.81**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0B-2220	**716.81**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0B-2310	**776.81**
						2 Power Receptacles, 4 USB Charging	EUD1-HF0B-2400	**836.81**
						3 Power Receptacles, 3 Data Ports	EUD1-HF0B-3030	**596.81**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0B-3102	**656.81**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0B-3120	**656.81**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0B-3210	**716.81**
						3 Power Receptacles, 3 USB Charging	EUD1-HF0B-3300	**776.81**
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0B-4002	**596.81**
						4 Power Receptacles, 2 Data Ports	EUD1-HF0B-4020	**596.81**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0B-4110	**656.81**
						4 Power Receptacles, 2 USB Charging	EUD1-HF0B-4200	**716.81**
						5 Power Receptacles, 1 Data Port	EUD1-HF0B-5010	**596.81**
						5 Power Receptacles, 1 USB Charging	EUD1-HF0B-5100	**656.81**
						6 Power Receptacles	EUD1-HF0B-6000	**596.81**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	6′ (1829mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HF0W-1002	**$440.81**
						1 Power Receptacle, 2 Data Ports	EUD1-HF0W-1020	**440.81**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HF0W-1110	**500.81**
						1 Power Receptacle, 2 USB Charging	EUD1-HF0W-1200	**560.81**
						2 Power Receptacles, 1 Data Port	EUD1-HF0W-2010	**440.81**
						2 Power Receptacles, 1 USB Charging	EUD1-HF0W-2100	**500.81**
						3 Power Receptacles	EUD1-HF0W-3000	**440.81**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1012	**$440.81**
						1 Power Receptacle, 3 Data Ports	EUD1-HF0W-1030	**440.81**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-1102	**500.81**
						1 Power Receptacle, 3 USB Charging	EUD1-HF0W-1300	**620.81**
						2 Power Receptacles, 1 Cable Bay	EUD1-HF0W-2002	**440.81**
						2 Power Receptacles, 2 Data Ports	EUD1-HF0W-2020	**440.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-2110	**500.81**
						2 Power Receptacles, 2 USB Charging	EUD1-HF0W-2200	**560.81**
						3 Power Receptacles, 1 Data Port	EUD1-HF0W-3010	**440.81**
						3 Power Receptacles, 1 USB Charging	EUD1-HF0W-3100	**500.81**
						4 Power Receptacles	EUD1-HF0W-4000	**440.81**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HF0W-1104	**$552.81**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-1122	**552.81**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HF0W-1140	**552.81**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-1212	**612.81**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HF0W-1230	**612.81**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HF0W-1302	**672.81**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HF0W-1320	**672.81**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HF0W-1410	**732.81**
						2 Power Receptacles, 2 Cable Bays	EUD1-HF0W-2004	**492.81**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HF0W-2022	**492.81**
						2 Power Receptacles, 4 Data Ports	EUD1-HF0W-2040	**492.81**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HF0W-2112	**552.81**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HF0W-2130	**552.81**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HF0W-2202	**612.81**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HF0W-2220	**612.81**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HF0W-2310	**672.81**
						2 Power Receptacles, 4 USB Charging	EUD1-HF0W-2400	**732.81**
						3 Power Receptacles, 3 Data Ports	EUD1-HF0W-3030	**492.81**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HF0W-3102	**552.81**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HF0W-3120	**552.81**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HF0W-3210	**612.81**
						3 Power Receptacles, 3 USB Charging	EUD1-HF0W-3300	**672.81**
						4 Power Receptacles, 1 Cable Bay	EUD1-HF0W-4002	**492.81**
						4 Power Receptacles, 2 Data Ports	EUD1-HF0W-4020	**492.81**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HF0W-4110	**552.81**
						4 Power Receptacles, 2 USB Charging	EUD1-HF0W-4200	**612.81**
						5 Power Receptacles, 1 Data Port	EUD1-HF0W-5010	**492.81**
						5 Power Receptacles, 1 USB Charging	EUD1-HF0W-5100	**552.81**
						6 Power Receptacles	EUD1-HF0W-6000	**492.81**

NEW PAGE
Click Here for Details

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	12′ (3658mm)	Black Anodized	Black	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0B-1002	**$593.69**
						1 Power Receptacle, 2 Data Ports	EUD1-HL0B-1020	**593.69**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0B-1110	**653.69**
						1 Power Receptacle, 2 USB Charging	EUD1-HL0B-1200	**713.69**
						2 Power Receptacles, 1 Data Port	EUD1-HL0B-2010	**593.69**
						2 Power Receptacles, 1 USB Charging	EUD1-HL0B-2100	**653.69**
						3 Power Receptacles	EUD1-HL0B-3000	**593.69**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1012	**$593.69**
						1 Power Receptacle, 3 Data Ports	EUD1-HL0B-1030	**593.69**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-1102	**653.69**
						1 Power Receptacle, 3 USB Charging	EUD1-HL0B-1300	**773.69**
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0B-2002	**593.69**
						2 Power Receptacles, 2 Data Ports	EUD1-HL0B-2020	**593.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-2110	**653.69**
						2 Power Receptacles, 2 USB Charging	EUD1-HL0B-2200	**713.69**
						3 Power Receptacles, 1 Data Port	EUD1-HL0B-3010	**593.69**
						3 Power Receptacles, 1 USB Charging	EUD1-HL0B-3100	**653.69**
						4 Power Receptacles	EUD1-HL0B-4000	**593.69**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0B-1104	**$705.69**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-1122	**705.69**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0B-1140	**705.69**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-1212	**765.69**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0B-1230	**765.69**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0B-1302	**825.69**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0B-1320	**825.69**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0B-1410	**885.69**
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0B-2004	**645.69**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0B-2022	**645.69**
						2 Power Receptacles, 4 Data Ports	EUD1-HL0B-2040	**645.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0B-2112	**705.69**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0B-2130	**705.69**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0B-2202	**765.69**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0B-2220	**765.69**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0B-2310	**825.69**
						2 Power Receptacles, 4 USB Charging	EUD1-HL0B-2400	**885.69**
						3 Power Receptacles, 3 Data Ports	EUD1-HL0B-3030	**645.69**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0B-3102	**705.69**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0B-3120	**705.69**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0B-3210	**765.69**
						3 Power Receptacles, 3 USB Charging	EUD1-HL0B-3300	**825.69**
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0B-4002	**645.69**
						4 Power Receptacles, 2 Data Ports	EUD1-HL0B-4020	**645.69**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0B-4110	**705.69**
						4 Power Receptacles, 2 USB Charging	EUD1-HL0B-4200	**765.69**
						5 Power Receptacles, 1 Data Port	EUD1-HL0B-5010	**645.69**
						5 Power Receptacles, 1 USB Charging	EUD1-HL0B-5100	**705.69**
						6 Power Receptacles	EUD1-HL0B-6000	**645.69**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Hardwire

Top Width	Top Depth	Conduit Length	Housing Color	Port Color	Port	Configuration	Number	Price
5″ (127mm)	3″ (76mm)	12′ (3658mm)	Clear Anodized	White	3	1 Power Receptacle, 1 Cable Bay	EUD1-HL0W-1002	**$489.69**
						1 Power Receptacle, 2 Data Ports	EUD1-HL0W-1020	**489.69**
						1 Power Receptacle, 1 Data Port, 1 USB Charging	EUD1-HL0W-1110	**549.69**
						1 Power Receptacle, 2 USB Charging	EUD1-HL0W-1200	**609.69**
						2 Power Receptacles, 1 Data Port	EUD1-HL0W-2010	**489.69**
						2 Power Receptacles, 1 USB Charging	EUD1-HL0W-2100	**549.69**
						3 Power Receptacles	EUD1-HL0W-3000	**489.69**
6 1/2″ (165mm)	3″ (76mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	EUD1-HL0W-1012	**$489.69**
						1 Power Receptacle, 3 Data Ports	EUD1-HL0W-1030	**489.69**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	EUD1-HL0W-1102	**549.69**
						1 Power Receptacle, 3 USB Charging	EUD1-HL0W-1300	**669.69**
						2 Power Receptacles, 1 Cable Bay	EUD1-HL0W-2002	**489.69**
						2 Power Receptacles, 2 Data Ports	EUD1-HL0W-2020	**489.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0W-2110	**549.69**
						2 Power Receptacles, 2 USB Charging	EUD1-HL0W-2200	**609.69**
						3 Power Receptacles, 1 Data Port	EUD1-HL0W-3010	**489.69**
						3 Power Receptacles, 1 USB Charging	EUD1-HL0W-3100	**549.69**
						4 Power Receptacles	EUD1-HL0W-4000	**489.69**
9 1/2″ (241mm)	3″ (76mm)				6	1 Power Receptacle, 1 USB Charging, 2 Cable Bays	EUD1-HL0W-1104	**$601.69**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	EUD1-HL0W-1122	**601.69**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	EUD1-HL0W-1140	**601.69**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0W-1212	**661.69**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	EUD1-HL0W-1230	**661.69**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	EUD1-HL0W-1302	**721.69**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	EUD1-HL0W-1320	**721.69**
						1 Power Receptacle, 4 USB Charging, 1 Data Port	EUD1-HL0W-1410	**781.69**
						2 Power Receptacles, 2 Cable Bays	EUD1-HL0W-2004	**541.69**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	EUD1-HL0W-2022	**541.69**
						2 Power Receptacles, 4 Data Ports	EUD1-HL0W-2040	**541.69**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	EUD1-HL0W-2112	**601.69**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	EUD1-HL0W-2130	**601.69**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	EUD1-HL0W-2202	**661.69**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	EUD1-HL0W-2220	**661.69**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	EUD1-HL0W-2310	**721.69**
						2 Power Receptacles, 4 USB Charging	EUD1-HL0W-2400	**781.69**
						3 Power Receptacles, 3 Data Ports	EUD1-HL0W-3030	**541.69**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	EUD1-HL0W-3102	**601.69**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	EUD1-HL0W-3120	**601.69**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	EUD1-HL0W-3210	**661.69**
						3 Power Receptacles, 3 USB Charging	EUD1-HL0W-3300	**721.69**
						4 Power Receptacles, 1 Cable Bay	EUD1-HL0W-4002	**541.69**
						4 Power Receptacles, 2 Data Ports	EUD1-HL0W-4020	**541.69**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-HL0W-4110	**601.69**
						4 Power Receptacles, 2 USB Charging	EUD1-HL0W-4200	**661.69**
						5 Power Receptacles, 1 Data Port	EUD1-HL0W-5010	**541.69**
						5 Power Receptacles, 1 USB Charging	EUD1-HL0W-5100	**601.69**
						6 Power Receptacles	EUD1-HL0W-6000	**541.69**

NEW PAGE
Click Here for Details

Enhanced Power Module

Spiral Corded — Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2″ (165mm)	3″ (76mm)	10′(3048mm)-12′(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0B-2110	**$767.13**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0B-2200	**827.13**
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0B-3010	**707.13**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0B-3100	**767.13**
					4	4 Power Receptacles	EUD1-SF0B-4000	**707.13**
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SF0W-2110	**$663.13**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SF0W-2200	**723.13**
					4	3 Power Receptacles, 1 Data Port	EUD1-SF0W-3010	**603.13**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SF0W-3100	**663.13**
					4	4 Power Receptacles	EUD1-SF0W-4000	**603.13**

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-SF0B-2110

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-SF0B-4000

Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2′(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Spiral Cord includes 15 amp plug (NEMA 5-15P) and expands from 10′(3048mm) to 12′(3658mm) when stretched.
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- Not for use with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Enhanced Power Module

Cord for Height Adjustable

Top Width	Top Depth	Cord Length	Housing Color	Port Color	Port	Configuration	Number	Price
6 1/2″ (165mm)	3″ (76mm)	10′(3048mm)-12′(3658mm)	Black Anodized	Black	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0B-2110	**$816.01**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0B-2200	**876.01**
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0B-3010	**756.01**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0B-3100	**816.01**
					4	4 Power Receptacles	EUD1-SL0B-4000	**756.01**
			Clear Anodized	White	4	2 Power Receptacles, 1 USB Charging, 1 Data Port	EUD1-SL0W-2110	**$712.01**
					4	2 Power Receptacles, 2 USB Charging	EUD1-SL0W-2200	**772.01**
					4	3 Power Receptacles, 1 Data Port	EUD1-SL0W-3010	**652.01**
					4	3 Power Receptacles, 1 USB Charging	EUD1-SL0W-3100	**712.01**
					4	4 Power Receptacles	EUD1-SL0W-4000	**652.01**

4-Port:
(2) Power
(1) USB
(1) Data



EUD1-SL0B-2110

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUD1-SL0B-4000

Features

- Includes power module with 4 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or a cable bay that can accept up to 2 pull out data/AV cables, 2′(610mm) power cord with IEC connector for motor controller and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Corded power module with 15 amp - 12′(3658mm) long cord with plug (NEMA 5-15P).
- Auxiliary power cord includes IEC connector (IEC C13) for motor controller.
- Attaches to surface with use of separately specified mounting brackets.
- USB Charging simplex consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- Separately specify attachment hardware for desired application.
- Designed to be used with cable chain.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Enhanced Power Module Brackets

	Height	Width	Length	Description	Number	Price
Above Worksurface – Adjustable	4″(102mm)	3 1/2″(89mm)	3 1/2″(89mm)	Black Bracket	EUDB-0000-HB	**$52.00**
				White Bracket	EUDB-0000-HW	**52.00**



EUDB-0000-H

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8″(29mm) to 2″(51mm) worktop.
- Not for use with a tack board.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Above Worksurface – Fixed	4 1/4″(107mm)	3″(76mm)	2″(51mm)	Black Bracket	EUDB-0000-WB	**$52.00**
				White Bracket	EUDB-0000-WW	**52.00**



EUDB-0000-W

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with Enhanced Power Module above worksurface.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Enhanced Power Module Brackets

Above Worksurface – Adjustable with Tackboard Offset



EUDB-0000-T

Height	Width	Length	Description	Number	Price
4″(102mm)	3 1/2″(89mm)	3 1/2″(89mm)	Black Bracket	EUDB-0000-TB	**$52.00**
			White Bracket	EUDB-0000-TW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts to back edge of 1 1/8″(29mm) to 2″(51mm) worktop when a tackboard is present.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

Under Worksurface – Fixed



EUDB-0000-U

2″(51mm)	3″(76mm)	2 1/2″(64mm)	Black Bracket	EUDB-0000-UB	**$52.00**
			White Bracket	EUDB-0000-UW	**52.00**

Features
- Includes bracket and mounting hardware.
- For use with 3, 4 or 6 port Enhanced Power Module.
- Available in black or white.
- Mounts under worksurface with offset to accommodate most transformer plugs.

Specification Tips
- Specify Enhanced Power Module separately.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:
1) Product number.
(No finish specification required.)

NEW PAGE
Click Here for Details

Flip Top Units

Non-Powered

Width	Bezel Depth	Trim Color	Port Color	Port	Configuration	Number	Price
Single-Sided Outlets							
5 5/16″(135mm)	4 7/16″(113mm)	Black Anodized	Black	2	1 Cable Bay	EUE1-000B-0002	**$ 638.70**
					2 Data Ports	EUE1-000B-0020	**638.70**
8 5/16″(211mm)	4 7/16″(113mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000B-0022	**$ 638.70**
					4 Data Ports	EUE1-000B-0040	**638.70**
11 5/16″(287mm)	4 7/16″(113mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000B-0042	**$ 638.70**
					6 Data Ports	EUE1-000B-0060	**638.70**
5 5/16″(135mm)	4 7/16″(113mm)	Clear Anodized	White	2	1 Cable Bay	EUE1-000W-0002	**$ 476.46**
					2 Data Ports	EUE1-000W-0020	**476.46**
8 5/16″(211mm)	4 7/16″(113mm)			4	2 Data Ports, 1 Cable Bay	EUE1-000W-0022	**$ 476.46**
					4 Data Ports	EUE1-000W-0040	**476.46**
11 5/16″(287mm)	4 7/16″(113mm)			6	4 Data Ports, 1 Cable Bay	EUE1-000W-0042	**$ 476.46**
					6 Data Ports	EUE1-000W-0060	**476.46**
Double-Sided Outlets							
8 5/16″(211mm)	8 1/16″(205mm)	Black Anodized	Black	4	2 Data Ports, 1 Cable Bay	EUE2-000B-0022	**$1112.17**
					4 Data Ports	EUE2-000B-0040	**1112.17**
11 5/16″(287mm)	8 1/16″(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000B-0042	**$1112.17**
					6 Data Ports	EUE2-000B-0060	**1112.17**
8 5/16″(211mm)	8 1/16″(205mm)	Clear Anodized	White	4	2 Data Ports, 1 Cable Bay	EUE2-000W-0022	**$ 949.93**
					4 Data Ports	EUE2-000W-0040	**949.93**
11 5/16″(287mm)	8 1/16″(205mm)			6	4 Data Ports, 1 Cable Bay	EUE2-000W-0042	**$ 949.93**
					6 Data Ports	EUE2-000W-0060	**949.93**



EUE1-000B



EUE2-000B

Features

- Includes bezel and nonpowered flip top module with 2, 4 or 6 ports that can be configured with data jack adapters or cable bays and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

4-Port:
(2) Power
(1) USB
(1) Data



EUE1-PF0B-2110

6-Port:
(2) Power
(1) USB
(1) Data
(1) Cable Bay



EUE1-PF0B-1212

4-Port:
(4) Power



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUE1-PF0B-4000

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Corded power module available with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA 5-15P).
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Corded flip top units with four or more receptacles utilize a fused plug that may block adjacent building receptacle outlet.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
(No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	6′ (1829mm)	Black Anodized	Black	2	1 Power Receptable, 1 Data Port	A, B	EUE1-PF0B-1010	**$638.70**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0B-1100	**698.70**
						2 Power Receptacles	A, B	EUE1-PF0B-2000	**638.70**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0B-1012	**$638.70**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0B-1030	**638.70**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0B-1102	**698.70**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0B-1120	**698.70**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0B-1300	**818.70**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0B-2002	**638.70**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0B-2020	**638.70**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0B-2110	**698.70**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0B-2200	**758.70**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0B-3010	**638.70**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0B-3100	**698.70**
						4 Power Receptacles	F, V	EUE1-PF0B-4000	**638.70**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1032	**$638.70**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0B-1050	**638.70**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-1122	**698.70**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0B-1140	**698.70**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-1212	**758.70**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-1230	**758.70**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-1302	**818.70**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-1320	**818.70**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0B-2022	**638.70**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0B-2040	**638.70**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-2112	**698.70**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0B-2130	**698.70**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-2202	**758.70**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-2220	**758.70**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0B-2310	**818.70**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0B-2400	**878.70**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0B-3012	**638.70**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0B-3030	**638.70**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0B-3102	**698.70**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0B-3120	**698.70**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0B-3210	**758.70**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0B-3300	**818.70**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0B-4002	**638.70**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0B-4020	**638.70**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0B-4110	**698.70**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0B-4200	**758.70**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0B-5010	**638.70**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0B-5100	**698.70**
						6 Power Receptacles	J, K	EUE1-PF0B-6000	**638.70**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PF0W-1010	**$476.46**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PF0W-1100	**536.46**
						2 Power Receptacles	A, B	EUE1-PF0W-2000	**476.46**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PF0W-1012	**$476.46**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PF0W-1030	**476.46**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PF0W-1102	**536.46**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PF0W-1120	**536.46**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PF0W-1300	**656.46**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PF0W-2002	**476.46**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PF0W-2020	**476.46**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PF0W-2110	**536.46**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PF0W-2200	**596.46**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PF0W-3010	**476.46**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PF0W-3100	**536.46**
						4 Power Receptacles	F, V	EUE1-PF0W-4000	**476.46**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1032	**$476.46**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PF0W-1050	**476.46**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-1122	**536.46**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PF0W-1140	**536.46**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-1212	**596.46**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-1230	**596.46**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-1302	**656.46**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-1320	**656.46**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PF0W-2022	**476.46**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PF0W-2040	**476.46**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-2112	**536.46**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PF0W-2130	**536.46**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-2202	**596.46**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-2220	**596.46**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PF0W-2310	**656.46**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PF0W-2400	**716.46**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PF0W-3012	**476.46**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PF0W-3030	**476.46**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PF0W-3102	**536.46**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PF0W-3120	**536.46**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PF0W-3210	**596.46**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PF0W-3300	**656.46**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PF0W-4002	**476.46**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PF0W-4020	**476.46**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PF0W-4110	**536.46**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PF0W-4200	**596.46**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PF0W-5010	**476.46**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PF0W-5100	**536.46**
						6 Power Receptacles	J, K	EUE1-PF0W-6000	**476.46**

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	12′ (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0B-1010	**$687.72**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0B-1100	**747.72**
						2 Power Receptacles	A, B	EUE1-PL0B-2000	**687.72**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0B-1012	**$687.72**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0B-1030	**687.72**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0B-1102	**747.72**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0B-1120	**747.72**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0B-1300	**867.72**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0B-2002	**687.72**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0B-2020	**687.72**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0B-2110	**747.72**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0B-2200	**807.72**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0B-3010	**687.72**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0B-3100	**747.72**
						4 Power Receptacles	F, V	EUE1-PL0B-4000	**687.72**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1032	**$687.72**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0B-1050	**687.72**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-1122	**747.72**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0B-1140	**747.72**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-1212	**807.72**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-1230	**807.72**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-1302	**867.72**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-1320	**867.72**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0B-2022	**687.72**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0B-2040	**687.72**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-2112	**747.72**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0B-2130	**747.72**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-2202	**807.72**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-2220	**807.72**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0B-2310	**867.72**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0B-2400	**927.72**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0B-3012	**687.72**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0B-3030	**687.72**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0B-3102	**747.72**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0B-3120	**747.72**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0B-3210	**807.72**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0B-3300	**867.72**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0B-4002	**687.72**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0B-4020	**687.72**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0B-4110	**747.72**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0B-4200	**807.72**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0B-5010	**687.72**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0B-5100	**747.72**
						6 Power Receptacles	J, K	EUE1-PL0B-6000	**687.72**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Single-Sided

Bezel Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 7/16″ (113mm)	12′ (3658mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-PL0W-1010	**$525.48**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-PL0W-1100	**585.48**
						2 Power Receptacles	A, B	EUE1-PL0W-2000	**525.48**
8 5/16″ (211mm)	4 7/16″ (113mm)				4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-PL0W-1012	**$525.48**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-PL0W-1030	**525.48**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-PL0W-1102	**585.48**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-PL0W-1120	**585.48**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-PL0W-1300	**705.48**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-PL0W-2002	**525.48**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-PL0W-2020	**525.48**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-PL0W-2110	**585.48**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-PL0W-2200	**645.48**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-PL0W-3010	**525.48**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-PL0W-3100	**585.48**
						4 Power Receptacles	F, V	EUE1-PL0W-4000	**525.48**
11 5/16″ (287mm)	4 7/16″ (113mm)				6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1032	**$525.48**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-PL0W-1050	**525.48**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-1122	**585.48**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-PL0W-1140	**585.48**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-1212	**645.48**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-1230	**645.48**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-1302	**705.48**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-1320	**705.48**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-PL0W-2022	**525.48**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-PL0W-2040	**525.48**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-2112	**585.48**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-PL0W-2130	**585.48**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-2202	**645.48**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-2220	**645.48**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-PL0W-2310	**705.48**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-PL0W-2400	**765.48**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-PL0W-3012	**525.48**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-PL0W-3030	**525.48**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-PL0W-3102	**585.48**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-PL0W-3120	**585.48**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-PL0W-3210	**645.48**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-PL0W-3300	**705.48**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-PL0W-4002	**525.48**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-PL0W-4020	**525.48**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-PL0W-4110	**585.48**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-PL0W-4200	**645.48**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-PL0W-5010	**525.48**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-PL0W-5100	**585.48**
						6 Power Receptacles	J, K	EUE1-PL0W-6000	**525.48**

NEW PAGE
Click Here for Details

This page intentionally blank

Flip Top Unit

Corded — Double-Sided

4-Port:



EUE2-PF0B-2110

6-Port:



EUE2-PF0B-1212

4-Port:



NOTE:
Always Fused Plug when more than 3 power outlets specified.

EUE2-PF0B-4000

Features

- Includes frame and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Each flip top module within the frame provided with 15 amp - 6′(1829mm) or 12′(3658mm) long cord with plug (NEMA5-15P).
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module.
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.
- Corded flip top units with four receptacles utilize a fused plug that may block adjacent building receptacle outlet.

Note: Two cord feeds are provided from the double-sided flip top unit.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0B-1012	**$1112.17**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0B-1030	**1112.17**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0B-1102	**1172.17**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0B-1120	**1172.17**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0B-1300	**1292.17**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0B-2002	**1112.17**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0B-2020	**1112.17**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0B-2110	**1172.17**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0B-2200	**1232.17**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0B-3010	**1112.17**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0B-3100	**1172.17**
						4 Power Receptacles	M, P	EUE2-PF0B-4000	**1112.17**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0B-1032	**$1112.17**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PF0B-1050	**1112.17**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0B-1122	**1172.17**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PF0B-1140	**1172.17**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0B-1212	**1232.17**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PF0B-1230	**1232.17**
						1 Power Receptacle, 3 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-1302	**1292.17**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-1320	**1292.17**
						2 Power Receptacles, 2 Data Ports, 2 Cable Bays	Q, V	EUE2-PF0B-2022	**1112.17**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PF0B-2040	**1112.17**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 2 Cable Bays	Q, V	EUE2-PF0B-2112	**1172.17**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PF0B-2130	**1172.17**
						2 Power Receptacles, 2 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-2202	**1232.17**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-2220	**1232.17**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-2310	**1292.17**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PF0B-2400	**1352.17**
						3 Power Receptacles, 1 Data Port, 2 Cable Bays	Q, V	EUE2-PF0B-3012	**1112.17**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PF0B-3030	**1112.17**
						3 Power Receptacles, 1 USB Charging, 2 Cable Bays	Q, V	EUE2-PF0B-3102	**1172.17**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PF0B-3120	**1172.17**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-3210	**1232.17**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PF0B-3300	**1292.17**
						4 Power Receptacles, 2 Cable Bays	Q, V	EUE2-PF0B-4002	**1112.17**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PF0B-4020	**1112.17**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PF0B-4110	**1172.17**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PF0B-4200	**1232.17**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PF0B-5010	**1112.17**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PF0B-5100	**1172.17**
						6 Power Receptacles	Q, V	EUE2-PF0B-6000	**1112.17**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PF0W-1012	**$ 949.93**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PF0W-1030	**949.93**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PF0W-1102	**1009.93**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PF0W-1120	**1009.93**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PF0W-1300	**1129.93**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PF0W-2002	**949.93**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PF0W-2020	**949.93**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PF0W-2110	**1009.93**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PF0W-2200	**1069.93**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PF0W-3010	**949.93**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PF0W-3100	**1009.93**
						4 Power Receptacles	M, P	EUE2-PF0W-4000	**949.93**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-1032	**$ 949.93**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PF0W-1050	**949.93**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-1122	**1009.93**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PF0W-1140	**1009.93**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-1212	**1069.93**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PF0W-1230	**1069.93**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-1302	**1129.93**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-1320	**1129.93**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PF0W-2022	**949.93**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PF0W-2040	**949.93**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-2112	**1009.93**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PF0W-2130	**1009.93**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-2202	**1069.93**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-2220	**1069.93**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-2310	**1129.93**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PF0W-2400	**1189.93**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PF0W-3012	**949.93**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PF0W-3030	**949.93**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PF0W-3102	**1009.93**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PF0W-3120	**1009.93**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-3210	**1069.93**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PF0W-3300	**1129.93**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PF0W-4002	**949.93**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PF0W-4020	**949.93**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PF0W-4110	**1009.93**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PF0W-4200	**1069.93**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PF0W-5010	**949.93**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PF0W-5100	**1009.93**
						6 Power Receptacles	Q, V	EUE2-PF0W-6000	**949.93**

NEW PAGE
Click Here for Details

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0B-1012	**$1161.19**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0B-1030	**1161.19**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0B-1102	**1221.19**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0B-1120	**1221.19**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0B-1300	**1341.19**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0B-2002	**1161.19**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0B-2020	**1161.19**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0B-2110	**1221.19**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0B-2200	**1281.19**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0B-3010	**1161.19**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0B-3100	**1221.19**
						4 Power Receptacles	M, P	EUE2-PL0B-4000	**1161.19**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-1032	**$1161.19**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PL0B-1050	**1161.19**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-1122	**1221.19**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PL0B-1140	**1221.19**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-1212	**1281.19**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PL0B-1230	**1281.19**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-1302	**1341.19**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-1320	**1341.19**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0B-2022	**1161.19**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PL0B-2040	**1161.19**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-2112	**1221.19**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PL0B-2130	**1221.19**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-2202	**1281.19**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-2220	**1281.19**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-2310	**1341.19**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PL0B-2400	**1401.19**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0B-3012	**1161.19**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PL0B-3030	**1161.19**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0B-3102	**1221.19**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PL0B-3120	**1221.19**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-3210	**1281.19**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PL0B-3300	**1341.19**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PL0B-4002	**1161.19**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PL0B-4020	**1161.19**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PL0B-4110	**1221.19**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PL0B-4200	**1281.19**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PL0B-5010	**1161.19**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PL0B-5100	**1221.19**
						6 Power Receptacles	Q, V	EUE2-PL0B-6000	**1161.19**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Corded — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-PL0W-1012	**$ 998.95**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-PL0W-1030	**998.95**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-PL0W-1102	**1058.95**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-PL0W-1120	**1058.95**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-PL0W-1300	**1178.95**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-PL0W-2002	**998.95**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-PL0W-2020	**998.95**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-PL0W-2110	**1058.95**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-PL0W-2200	**1118.95**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-PL0W-3010	**998.95**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-PL0W-3100	**1058.95**
						4 Power Receptacles	M, P	EUE2-PL0W-4000	**998.95**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-1032	**$ 998.95**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-PL0W-1050	**998.95**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-1122	**1058.95**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-PL0W-1140	**1058.95**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-1212	**1118.95**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-PL0W-1230	**1118.95**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-1302	**1178.95**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-1320	**1178.95**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-PL0W-2022	**998.95**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-PL0W-2040	**998.95**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-2112	**1058.95**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-PL0W-2130	**1058.95**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-2202	**1118.95**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-2220	**1118.95**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-2310	**1178.95**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-PL0W-2400	**1238.95**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-PL0W-3012	**998.95**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-PL0W-3030	**998.95**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-PL0W-3102	**1058.95**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-PL0W-3120	**1058.95**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-3210	**1118.95**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-PL0W-3300	**1178.95**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-PL0W-4002	**998.95**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-PL0W-4020	**998.95**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-PL0W-4110	**1058.95**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-PL0W-4200	**1118.95**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-PL0W-5010	**998.95**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-PL0W-5100	**1058.95**
						6 Power Receptacles	Q, V	EUE2-PL0W-6000	**998.95**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

4-Port:

(2) Power
(1) USB
(1) Data



EUE1-HF0B-2110

6-Port:



EUE1-HF0B-1212

Features

- Includes bezel and flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Hardwired power module with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top unit is flush mounted with spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (A/B, F/V or J/K).

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0B-1010	**$705.54**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0B-1100	**765.54**
						2 Power Receptacles	A, B	EUE1-HF0B-2000	**705.54**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0B-1012	**$705.54**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0B-1030	**705.54**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0B-1102	**765.54**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0B-1120	**765.54**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0B-1300	**885.54**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0B-2002	**705.54**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0B-2020	**705.54**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0B-2110	**765.54**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0B-2200	**825.54**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0B-3010	**705.54**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0B-3100	**765.54**
						4 Power Receptacles	F, V	EUE1-HF0B-4000	**705.54**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1032	**$705.54**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0B-1050	**705.54**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-1122	**765.54**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0B-1140	**765.54**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-1212	**825.54**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-1230	**825.54**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-1302	**885.54**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-1320	**885.54**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0B-2022	**705.54**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0B-2040	**705.54**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-2112	**765.54**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0B-2130	**765.54**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-2202	**825.54**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-2220	**825.54**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0B-2310	**885.54**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0B-2400	**945.54**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0B-3012	**705.54**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0B-3030	**705.54**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0B-3102	**765.54**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0B-3120	**765.54**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0B-3210	**825.54**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0B-3300	**885.54**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0B-4002	**705.54**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0B-4020	**705.54**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0B-4110	**765.54**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0B-4200	**825.54**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0B-5010	**705.54**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0B-5100	**765.54**
						6 Power Receptacles	J, K	EUE1-HF0B-6000	**705.54**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HF0W-1010	**$543.30**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HF0W-1100	**603.30**
						2 Power Receptacles	A, B	EUE1-HF0W-2000	**543.30**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HF0W-1012	**$543.30**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HF0W-1030	**543.30**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HF0W-1102	**603.30**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HF0W-1120	**603.30**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HF0W-1300	**723.30**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HF0W-2002	**543.30**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HF0W-2020	**543.30**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HF0W-2110	**603.30**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HF0W-2200	**663.30**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HF0W-3010	**543.30**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HF0W-3100	**603.30**
						4 Power Receptacles	F, V	EUE1-HF0W-4000	**543.30**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-1032	**$543.30**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HF0W-1050	**543.30**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-1122	**603.30**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HF0W-1140	**603.30**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-1212	**663.30**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HF0W-1230	**663.30**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-1302	**723.30**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-1320	**723.30**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HF0W-2022	**543.30**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HF0W-2040	**543.30**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-2112	**603.30**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HF0W-2130	**603.30**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-2202	**663.30**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-2220	**663.30**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HF0W-2310	**723.30**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HF0W-2400	**783.30**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HF0W-3012	**543.30**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HF0W-3030	**543.30**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HF0W-3102	**603.30**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HF0W-3120	**603.30**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HF0W-3210	**663.30**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HF0W-3300	**723.30**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HF0W-4002	**543.30**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HF0W-4020	**543.30**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HF0W-4110	**603.30**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HF0W-4200	**663.30**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HF0W-5010	**543.30**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HF0W-5100	**603.30**
						6 Power Receptacles	J, K	EUE1-HF0W-6000	**543.30**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HL0B-1010	**$754.56**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HL0B-1100	**814.56**
						2 Power Receptacles	A, B	EUE1-HL0B-2000	**754.56**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HL0B-1012	**$754.56**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HL0B-1030	**754.56**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HL0B-1102	**814.56**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HL0B-1120	**814.56**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HL0B-1300	**934.56**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HL0B-2002	**754.56**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HL0B-2020	**754.56**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HL0B-2110	**814.56**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HL0B-2200	**874.56**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HL0B-3010	**754.56**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HL0B-3100	**814.56**
						4 Power Receptacles	F, V	EUE1-HL0B-4000	**754.56**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-1032	**$754.56**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HL0B-1050	**754.56**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-1122	**814.56**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HL0B-1140	**814.56**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-1212	**874.56**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HL0B-1230	**874.56**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-1302	**934.56**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-1320	**934.56**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0B-2022	**754.56**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HL0B-2040	**754.56**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-2112	**814.56**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HL0B-2130	**814.56**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-2202	**874.56**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-2220	**874.56**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HL0B-2310	**934.56**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HL0B-2400	**994.56**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0B-3012	**754.56**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HL0B-3030	**754.56**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HL0B-3102	**814.56**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HL0B-3120	**814.56**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HL0B-3210	**874.56**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HL0B-3300	**934.56**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HL0B-4002	**754.56**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HL0B-4020	**754.56**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HL0B-4110	**814.56**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HL0B-4200	**874.56**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HL0B-5010	**754.56**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HL0B-5100	**814.56**
						6 Power Receptacles	J, K	EUE1-HL0B-6000	**754.56**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Single-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	2	1 Power Receptacle, 1 Data Port	A, B	EUE1-HL0W-1010	**$592.32**
						1 Power Receptacle, 1 USB Charging	A, B	EUE1-HL0W-1100	**652.32**
						2 Power Receptacles	A, B	EUE1-HL0W-2000	**592.32**
					4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	F, V	EUE1-HL0W-1012	**$592.32**
						1 Power Receptacle, 3 Data Ports	F, V	EUE1-HL0W-1030	**592.32**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	F, V	EUE1-HL0W-1102	**652.32**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	F, V	EUE1-HL0W-1120	**652.32**
						1 Power Receptacle, 3 USB Charging	F, V	EUE1-HL0W-1300	**772.32**
						2 Power Receptacles, 1 Cable Bay	F, V	EUE1-HL0W-2002	**592.32**
						2 Power Receptacles, 2 Data Ports	F, V	EUE1-HL0W-2020	**592.32**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	F, V	EUE1-HL0W-2110	**652.32**
						2 Power Receptacles, 2 USB Charging	F, V	EUE1-HL0W-2200	**712.32**
						3 Power Receptacles, 1 Data Port	F, V	EUE1-HL0W-3010	**592.32**
						3 Power Receptacles, 1 USB Charging	F, V	EUE1-HL0W-3100	**652.32**
						4 Power Receptacles	F, V	EUE1-HL0W-4000	**592.32**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-1032	**$592.32**
						1 Power Receptacle, 5 Data Ports	J, K	EUE1-HL0W-1050	**592.32**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-1122	**652.32**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	J, K	EUE1-HL0W-1140	**652.32**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-1212	**712.32**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	J, K	EUE1-HL0W-1230	**712.32**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-1302	**772.32**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-1320	**772.32**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	J, K	EUE1-HL0W-2022	**592.32**
						2 Power Receptacles, 4 Data Ports	J, K	EUE1-HL0W-2040	**592.32**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-2112	**652.32**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	J, K	EUE1-HL0W-2130	**652.32**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-2202	**712.32**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-2220	**712.32**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	J, K	EUE1-HL0W-2310	**772.32**
						2 Power Receptacles, 4 USB Charging	J, K	EUE1-HL0W-2400	**832.32**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	J, K	EUE1-HL0W-3012	**592.32**
						3 Power Receptacles, 3 Data Ports	J, K	EUE1-HL0W-3030	**592.32**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	J, K	EUE1-HL0W-3102	**652.32**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	J, K	EUE1-HL0W-3120	**652.32**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	J, K	EUE1-HL0W-3210	**712.32**
						3 Power Receptacles, 3 USB Charging	J, K	EUE1-HL0W-3300	**772.32**
						4 Power Receptacles, 1 Cable Bay	J, K	EUE1-HL0W-4002	**592.32**
						4 Power Receptacles, 2 Data Ports	J, K	EUE1-HL0W-4020	**592.32**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	J, K	EUE1-HL0W-4110	**652.32**
						4 Power Receptacles, 2 USB Charging	J, K	EUE1-HL0W-4200	**712.32**
						5 Power Receptacles, 1 Data Port	J, K	EUE1-HL0W-5010	**592.32**
						5 Power Receptacles, 1 USB Charging	J, K	EUE1-HL0W-5100	**652.32**
						6 Power Receptacles	J, K	EUE1-HL0W-6000	**592.32**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

This page intentionally blank

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

4-Port:



EUE2-HF0B-2110

6-Port:



EUE2-HF0B-1212

Features

- Includes frame and two flip top modules, each flip top module with 2, 4 or 6 ports that can be configured with simplex outlets (NEMA-5-15R), USB charging simplex (with two USB outlets), data jack adapters or cable bay(s) that can accept up to 2 pull out data/AV cables and mounting hardware.
- Data jack adapters accommodate most varieties of field supplied data jacks or separately specified AV cables.
- Each Cable Bay can accept up to 2 pull out data/AV cables.
- Each flip top module within the frame provided with 6′(1829mm) or 12′(3658mm) long flexible metal conduit feed, 1/2″(13mm) conduit fitting and wires for hardwire connection.
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.
- Flip top frame is flush mounted with two spring release flip module(s).
- Flip top unit overall height is 2 3/4″(70mm) and will extend below the table tops.
- Color option of black anodized housing with black receptacles or clear anodized housing with white receptacles.
- Ships assembled.

Specification Tips

- Note two conduit feeds are provided from the double-sided flip top unit.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Specify factory cut hole or field cut hole as required.
- Specify AV cables separately.
- Cable Bay requires cables less than 0.3″(7.6mm) diameter.
- Configuration and quantity of power and data ports cannot be modified in the field.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installation.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Note: Order flip top units to match flip top unit cutout option specified for each top (M/P or Q/V).

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0B-1012	**$1245.85**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0B-1030	**1245.85**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0B-1102	**1305.85**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0B-1120	**1305.85**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0B-1300	**1425.85**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0B-2002	**1245.85**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0B-2020	**1245.85**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0B-2110	**1305.85**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0B-2200	**1365.85**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0B-3010	**1245.85**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0B-3100	**1305.85**
						4 Power Receptacles	M, P	EUE2-HF0B-4000	**1245.85**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1032	**$1245.85**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0B-1050	**1245.85**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-1122	**1305.85**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0B-1140	**1305.85**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-1212	**1365.85**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-1230	**1365.85**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-1302	**1425.85**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-1320	**1425.85**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0B-2022	**1245.85**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0B-2040	**1245.85**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-2112	**1305.85**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0B-2130	**1305.85**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-2202	**1365.85**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-2220	**1365.85**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-2310	**1425.85**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0B-2400	**1485.85**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0B-3012	**1245.85**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0B-3030	**1245.85**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0B-3102	**1305.85**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0B-3120	**1305.85**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-3210	**1365.85**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0B-3300	**1425.85**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0B-4002	**1245.85**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0B-4020	**1245.85**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0B-4110	**1305.85**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0B-4200	**1365.85**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0B-5010	**1245.85**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0B-5100	**1305.85**
						6 Power Receptacles	Q, V	EUE2-HF0B-6000	**1245.85**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	6′ (1829mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HF0W-1012	**$1083.61**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HF0W-1030	**1083.61**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HF0W-1102	**1143.61**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HF0W-1120	**1143.61**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HF0W-1300	**1263.61**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HF0W-2002	**1083.61**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HF0W-2020	**1083.61**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HF0W-2110	**1143.61**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HF0W-2200	**1203.61**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HF0W-3010	**1083.61**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HF0W-3100	**1143.61**
						4 Power Receptacles	M, P	EUE2-HF0W-4000	**1083.61**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1032	**$1083.61**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HF0W-1050	**1083.61**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-1122	**1143.61**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HF0W-1140	**1143.61**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-1212	**1203.61**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-1230	**1203.61**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-1302	**1263.61**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-1320	**1263.61**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HF0W-2022	**1083.61**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HF0W-2040	**1083.61**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-2112	**1143.61**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HF0W-2130	**1143.61**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-2202	**1203.61**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-2220	**1203.61**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-2310	**1263.61**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HF0W-2400	**1323.61**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HF0W-3012	**1083.61**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HF0W-3030	**1083.61**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HF0W-3102	**1143.61**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HF0W-3120	**1143.61**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-3210	**1203.61**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HF0W-3300	**1263.61**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HF0W-4002	**1083.61**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HF0W-4020	**1083.61**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HF0W-4110	**1143.61**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HF0W-4200	**1203.61**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HF0W-5010	**1083.61**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HF0W-5100	**1143.61**
						6 Power Receptacles	Q, V	EUE2-HF0W-6000	**1083.61**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Black Anodized	Black	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HL0B-1012	**$1294.87**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HL0B-1030	**1294.87**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HL0B-1102	**1354.87**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HL0B-1120	**1354.87**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HL0B-1300	**1474.87**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HL0B-2002	**1294.87**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HL0B-2020	**1294.87**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HL0B-2110	**1354.87**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HL0B-2200	**1414.87**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HL0B-3010	**1294.87**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HL0B-3100	**1354.87**
						4 Power Receptacles	M, P	EUE2-HL0B-4000	**1294.87**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-1032	**$1294.87**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HL0B-1050	**1294.87**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-1122	**1354.87**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HL0B-1140	**1354.87**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-1212	**1414.87**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HL0B-1230	**1414.87**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-1302	**1474.87**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-1320	**1474.87**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0B-2022	**1294.87**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HL0B-2040	**1294.87**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-2112	**1354.87**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HL0B-2130	**1354.87**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-2202	**1414.87**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-2220	**1414.87**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-2310	**1474.87**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HL0B-2400	**1534.87**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0B-3012	**1294.87**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HL0B-3030	**1294.87**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0B-3102	**1354.87**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HL0B-3120	**1354.87**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-3210	**1414.87**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HL0B-3300	**1474.87**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HL0B-4002	**1294.87**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HL0B-4020	**1294.87**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HL0B-4110	**1354.87**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HL0B-4200	**1414.87**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HL0B-5010	**1294.87**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HL0B-5100	**1354.87**
						6 Power Receptacles	Q, V	EUE2-HL0B-6000	**1294.87**

NEW PAGE
Click Here for Details

Flip Top Unit

Hardwire — Double-Sided

Width	Bezel Depth	Cord Length	Trim Color	Port Color	Port	Configuration	Flip Top Unit Cutout Code Options	Number	Price
5 5/16″ (135mm)	4 3/8″ (111mm)	12′ (3658mm)	Clear Anodized	White	4	1 Power Receptacle, 1 Data Port, 1 Cable Bay	M, P	EUE2-HL0W-1012	**$1132.63**
						1 Power Receptacle, 3 Data Ports	M, P	EUE2-HL0W-1030	**1132.63**
						1 Power Receptacle, 1 USB Charging, 1 Cable Bay	M, P	EUE2-HL0W-1102	**1192.63**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports	M, P	EUE2-HL0W-1120	**1192.63**
						1 Power Receptacle, 3 USB Charging	M, P	EUE2-HL0W-1300	**1312.63**
						2 Power Receptacles, 1 Cable Bay	M, P	EUE2-HL0W-2002	**1132.63**
						2 Power Receptacles, 2 Data Ports	M, P	EUE2-HL0W-2020	**1132.63**
						2 Power Receptacles, 1 USB Charging, 1 Data Port	M, P	EUE2-HL0W-2110	**1192.63**
						2 Power Receptacles, 2 USB Charging	M, P	EUE2-HL0W-2200	**1252.63**
						3 Power Receptacles, 1 Data Port	M, P	EUE2-HL0W-3010	**1132.63**
						3 Power Receptacles, 1 USB Charging	M, P	EUE2-HL0W-3100	**1192.63**
						4 Power Receptacles	M, P	EUE2-HL0W-4000	**1132.63**
					6	1 Power Receptacle, 3 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-1032	**$1132.63**
						1 Power Receptacle, 5 Data Ports	Q, V	EUE2-HL0W-1050	**1132.63**
						1 Power Receptacle, 1 USB Charging, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-1122	**1192.63**
						1 Power Receptacle, 1 USB Charging, 4 Data Ports	Q, V	EUE2-HL0W-1140	**1192.63**
						1 Power Receptacle, 2 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-1212	**1252.63**
						1 Power Receptacle, 2 USB Charging, 3 Data Ports	Q, V	EUE2-HL0W-1230	**1252.63**
						1 Power Receptacle, 3 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-1302	**1312.63**
						1 Power Receptacle, 3 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-1320	**1312.63**
						2 Power Receptacles, 2 Data Ports, 1 Cable Bay	Q, V	EUE2-HL0W-2022	**1132.63**
						2 Power Receptacles, 4 Data Ports	Q, V	EUE2-HL0W-2040	**1132.63**
						2 Power Receptacles, 1 USB Charging, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-2112	**1192.63**
						2 Power Receptacles, 1 USB Charging, 3 Data Ports	Q, V	EUE2-HL0W-2130	**1192.63**
						2 Power Receptacles, 2 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-2202	**1252.63**
						2 Power Receptacles, 2 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-2220	**1252.63**
						2 Power Receptacles, 3 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-2310	**1312.63**
						2 Power Receptacles, 4 USB Charging	Q, V	EUE2-HL0W-2400	**1372.63**
						3 Power Receptacles, 1 Data Port, 1 Cable Bay	Q, V	EUE2-HL0W-3012	**1132.63**
						3 Power Receptacles, 3 Data Ports	Q, V	EUE2-HL0W-3030	**1132.63**
						3 Power Receptacles, 1 USB Charging, 1 Cable Bay	Q, V	EUE2-HL0W-3102	**1192.63**
						3 Power Receptacles, 1 USB Charging, 2 Data Ports	Q, V	EUE2-HL0W-3120	**1192.63**
						3 Power Receptacles, 2 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-3210	**1252.63**
						3 Power Receptacles, 3 USB Charging	Q, V	EUE2-HL0W-3300	**1312.63**
						4 Power Receptacles, 1 Cable Bay	Q, V	EUE2-HL0W-4002	**1132.63**
						4 Power Receptacles, 2 Data Ports	Q, V	EUE2-HL0W-4020	**1132.63**
						4 Power Receptacles, 1 USB Charging, 1 Data Port	Q, V	EUE2-HL0W-4110	**1192.63**
						4 Power Receptacles, 2 USB Charging	Q, V	EUE2-HL0W-4200	**1252.63**
						5 Power Receptacles, 1 Data Port	Q, V	EUE2-HL0W-5010	**1132.63**
						5 Power Receptacles, 1 USB Charging	Q, V	EUE2-HL0W-5100	**1192.63**
						6 Power Receptacles	Q, V	EUE2-HL0W-6000	**1132.63**

Class YA – GSA: Open Market
Canadian Conversion Factor: Refer to haworth.com/Canada

Electrical Components

Cables

Cables



EUDX-H000-B



EUDX-V000-B



EUDX-3000-B

Length	Description	Color	Number	Price
HDMI Coupler				
N/A	HDMI	Black	EUDX-H000-B	**$130.00**
N/A	HDMI	White	EUDX-H000-W	**130.00**
VGA Cable				
120″(3048mm)	VGA	Black	EUDX-V000-B	**$156.00**
	VGA	White	EUDX-V000-W	**156.00**
Audio Cable — 3.5mm				
120″(3048mm)	VGA	Black	EUDX-3000-B	**$ 36.40**
	VGA	White	EUDX-3000-W	**36.40**

Features

- Includes one black HDMI Coupler, one VGA cable or one 3.5mm mini audio cable.
- Installs in an open data port in one of the following products:
  –Flip Top Unit
  –Double Sided Flip Top Unit
  –Quick Connect Power
  –Workware Interface Module
  –Flush Mount Module
  –Enhanced Power Module

Specification Tips

- Provides communication between components: i.e. laptop, processor, monitor, etc.
- HDMI transmits digital video signals.
- VGA transmits analog video signals without audio.

To Order, Specify:

1) Product number.
   (No finish specification required.)

Retrofit USB Charging Cable



EUDX-3000-B

72″(1829mm)		Black	EUDX-U000-B	**$93.60**
		White	EUDX-U000-W	**93.60**

Features

- Includes one USB charging simplex (with two USB outlets) with 72″(1829mm) cord and power supply.
- Installs in an open data port in one of the following products:
  –Flip Top Unit
  –Double Sided Flip Top Unit
  –Quick Connect Power
  –Workware Interface Module
  –Flush Mount Module
  –Enhanced Power Module
- USB Charging Port consists of 2 USB outlets. 1,000mA of charging power per USB outlet.

To Order, Specify:

1) Product number.
   (No finish specification required.)