

## REFLECTION

### Black mark resistant metal interlocked floor finish

Untouchable with Scuff Resistant Technology SRT is a low odor, black heel mark resistant floor finish that is an exceptional choice for those who want the highest gloss and wear with the least amount of labor. Untouchable with SRT is nonscuffing, durable, detergent resistant and maintains its high gloss with minimal burnishing, a real labor saver. Excellent leveling and low odor make it easy to apply

### Features

- Superior black heel mark resistance
- Extremely low odor
- Superior protection for your floor
- Self-sealing

### Directions for Use

Recommended for use on all types of resilient tile flooring and properly prepared hard surfaces.

### RESTORATIVE MAINTENANCE:

Completely remove all old wax, finish and soil from floor surface following strip procedure instructions on Betco® stripper label. Floor surface must be clean, dry and free of residue before finish is applied. Rinse with clean water if necessary. Apply finish in uniform, thin to medium coats using a clean synthetic finish mop, microfiber mop or applicator system. Allow each coat to dry thoroughly before applying additional coats, usually 20 - 30 minutes. Elevated temperatures, heavy coats and humidity may extend dry time. A minimum of 4 coats of finish is recommended. Note: This product is a self-sealing finish, however, if tile is old, worn or porous, initially applying 1 - 2 coats of a Betco sealer will enhance gloss and long term performance.

### ROUTINE MAINTENANCE:

Sweep large debris and dust mop. Damp mop or automatic scrub using a Betco floor cleaner. Buff or burnish the floor to enhance gloss as needed. Use Betco® One Step High Speed Cleaner/Restorer to condition the floor and extend the time between top scrub and recoating.

### INTERIM MAINTENANCE:

Sweep large debris and dust mop. Top scrub the floor using Daily Scrub SC and maroon pad to remove the top soiled layers of finish. Floor surface must be clean, dry and free of residue before finish is applied. Apply 1 - 2 coats of finish as directed above.

Please recycle empty containers. Note: Slip resistance meets or exceeds standard, (ASTM D 2047-11) James Machine 0.5 minimum.

### Tech Specs

Coverage	2,000 - 3,000 square feet/gallon
Drying time	20 - 30 minutes
Fragrance	Mild
Free styrene content	0.0
Freeze/thaw stability	3 cycles
Gloss (ASTM D 1455-87)	1 coat 80 - 85 2 coats 97 - 98
Gloss (ASTM D 1455-87)	2 coats 97 - 98
Heel mark resistance	Excellent
Leveling	Excellent
pH	8.1 - 8.9
Powdering resistance	Excellent
Recoat	Very good
Shelf life	1 year
Specific gravity	1.03

## PRO 25 SD

### Industry's most versatile floor finish

A revolutionary new polymer system formulated with XBF technology that provides the longest lasting finish ever. This self sealing extended wear formula retains film integrity and outstanding gloss even after repeated detergent mopping and burnishing. This finish effectively reduces maintenance and prolongs the time between strippings. Specifically formulated for medium maintenance programs, this product will retain its gloss between burnishings. In high speed programs it greatly reduces the need to frequently use a restorer.

### Features

Extended wear formula provides the longest lasting shine possible.  
0.0% Free Styrene  
Versatile - low to frequent maintenance programs  
Self-sealing formation.

### Directions for Use

Recommended for use on all types of resilient tile flooring and properly prepared hard surfaces.

**RESTORATIVE MAINTENANCE:** Completely remove all old wax, finish and soil from floor surface following strip procedure instructions on Betco stripper label. Floor surface must be clean, dry and free of residue before finish is applied. Rinse with clean water if necessary. Apply finish in uniform, thin to medium coats using a clean synthetic finish mop, microfiber mop or applicator system. Allow each coat to dry thoroughly before applying additional coats, usually 20 - 30 minutes. Elevated temperatures, heavy coats and humidity may extend dry time. A minimum of 4 coats of finish is recommended. Note: This product is a self-sealing finish, however, if tile is old, worn or porous, initially applying 1 - 2 coats of a Betco sealer will enhance gloss and long term performance.

**ROUTINE MAINTENANCE:** Sweep large debris and dust mop. Damp mop or automatic scrub using a Betco floor cleaner. Buff or burnish the floor to enhance gloss as needed. Use Betco One Step High Speed Cleaner/Restorer to condition the floor and extend the time between top scrub and recoating.

**INTERIM MAINTENANCE:** Sweep large debris and dust mop. Top scrub the floor using Daily Scrub SC and maroon pad or equivalent to remove the top soiled layers of finish. Floor surface must be clean, dry and free of residue before finish is applied. Apply 1 - 2 coats of finish as directed above.

Please recycle empty containers. Note: Slip resistance meets or exceeds standard, (ASTM D 2047-11) James Machine 0.5 minimum.

### Tech Specs

Color (dried film)	Crystal clear
Color (liquid)	White
Coverage	2000 - 3000 square feet/gallon
Fragrance	Mild
Freeze/thaw stability	3 cycles
Gloss (ASTM D 1455-87)	1 coat 85 - 90 2 coats 97 - 98
Heel mark resistance	Excellent
Leveling	Outstanding
pH	8.2 - 8.9
Powdering resistance	Excellent
Shelf life	1 year



Customer Service: 800-844-8894

## ELIMINATOR PLUS

### Aggressive No-Rinse Stripper

#### Very Aggressive No-rinse Stripper

This fast-acting floor finish liquefier will solve stripping difficulties caused by frequent high speed burnishing, super hard urethane fortified finishes or excessive buildup. This product is designed to remove layers of floor finish in less time with less effort and no rinsing. Floors are ready to recoat without neutralizing when used as directed.

#### Features

Powerful formula cuts through layers of old finish in minutes.  
Rinse free - No alkaline residue.  
Low foaming.

#### Available In:

#### Directions for Use

Recommended for removing water-based acrylic floor finishes from all types of resilient tile and hard surfaces. Pre-test in a small area; color bleeding or discoloration may occur on linoleum, rubber tile or asphalt tile.

Not recommended for stripping linoleum or sheet vinyl floors. Sweep or dust mop the floor to remove any large debris. Dilute with warm to hot water.

For normal stripping, dilute 13 oz./gal. or 100 mL/L (1:10) of water.

For heavy stripping, dilute 25 oz./gal. or 200 mL/L (1:5) of water. Apply solution liberally to floor surface. Allow a minimum of 5 minutes contact time. Be sure to keep surface wet at all times. Agitate with a low-speed rotary machine, automatic scrubber or stripping machine. Pick up the solution with a wet vacuum, an automatic scrubber or a mop and bucket and thoroughly rinse the floor. Allow floor to dry completely before applying finish or sealer. No flood rinsing is necessary if surface appears free of dust and residue. Please recycle empty container.

#### Tech Specs

Color	Clear, slight amber
Flash Point	None
Fragrance	Pleasant
Freeze/thaw stability	3 cycles
pH	13.5 - 14.0
pH @ 10% solution	12.8
Shelf life	1 year
Specific gravity	1.04

## NEUTRAL DISINFECTANT CLEANER

### Neutral pH disinfectant, detergent and deodorant

This neutral pH disinfectant has been formulated to aid in the reduction of cross-contamination. When used as directed, AF315 is effective against a wide variety of gram positive and gram-negative bacteria. The effective cleaning strategy will not dull most floor finishes while providing long lasting freshness against tough odors.

### Features

Cleans, disinfects, and deodorizes in one step.  
Kills HIV-1 (AIDS) on precleaned environmental surfaces/objects.  
Neutral pH, low irritation to skin and will not attack floor finish.

### Directions for Use

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**Preparation of use-solution:** Add 5 oz. per gallon of water, to disinfect hard precleaned nonporous surfaces.

**Disinfection/Virucidal Directions:** Remove gross filth or heavy soil, then thoroughly clean surfaces. Apply use-solution to hard nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or sprayer. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface, rub with brush, sponge or cloth. Avoid breathing spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware or dishes. Prepare a fresh solution daily or more often if the use-solution becomes visibly diluted or soiled. This product is not for use on medical device surfaces. **\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks, eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Leave surfaces wet for 1 minute (60 seconds). Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed. **DISPOSAL OF INFECTIOUS MATERIAL:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal. **To Clean and Deodorize or to Preclean Prior to Disinfection:** Depending on the soil level of the area to be cleaned, use 12 - 16 oz. of this product per gallon of water. Rub with brush, sponge or cloth. Wipe dry with a clean cloth or sponge or let air dry. **For Mildew Control:** Follow directions for Disinfection. Repeat treatment every seven days or when new growth appears. **Deodorizing directions: Nursing Homes, Hospitals, Hotels, Schools:** 2 - 4 oz. in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors.

### Tech Specs

Color	Turquoise
Detergency	Excellent
EPA Reg. No.	6836-165-4170
Flash Point	None
Foaming	Moderate



Customer Service: 800-844-8894

## PRIME KOTE



### Metal interlocked acrylic polymer floor sealer

This acrylic sealer is designed as a basecoat to protect floors for years. Hard, durable and detergent resistant, this sealer can be used on all types of resilient tile and terrazzo floors. This high gloss sealer will not yellow or powder and is compatible with all waterbased finishes. This sealer is perfect for providing worn and damaged floor tiles a smooth surface for floor finish application.

### Features

Durable - Acrylic polymer provides long lasting protection.  
Easy to apply - Won't yellow or powder.  
Compatible with all water-based finishes on waxes.  
High gloss enhances the appearance of the finish.

### Directions for Use

Recommended for use on all types of resilient tile flooring and properly prepared hard surfaces. This product is of specific benefit in preparing old, worn or porous tile floors for finishing.

### RESTORATIVE MAINTENANCE:

Completely remove all old wax, finish and soil from floor surface following strip procedure instructions on Betco® stripper label. Floor surface must be clean, dry and free of residue before finish is applied. Rinse with clean water if necessary. Apply sealer in uniform, thin to medium coats using a clean synthetic finish mop, microfiber mop or applicator system. Allow each coat to dry thoroughly before applying additional coats, usually 20 - 30 minutes. Elevated temperatures, heavy coats and humidity may extend dry time. A minimum of 2 coats of sealer is recommended. This sealer can be used as a finish coat, however, for a better shine, increased protection and easier maintenance, we recommended the application of 2 - 4 coats of a Betco floor finish that best fits your maintenance program.

Please recycle empty containers. Note: Slip resistance meets or exceeds standard, (ASTM D 2047-11) James Machine 0.5 minimum.

### Tech Specs

Color	Milky white
Color (dried film)	Clear
Coverage	1500 - 2000 square feet/gallon
Flash Point	None
Fragrance	Characteristic
Leveling	Excellent
pH	8.1 - 8.9
Shelf life	1 year
Solids	>18%
Specific gravity	1.02

## ENCORE FINISH

### Metal interlocked acrylic polymer floor finish

This high gloss floor finish provides the optimum in durability and wear. Essentially a nonbuff formula, it is easily maintained using a variety of maintenance procedures. Designed with superior leveling properties, it is easy to apply and flows smoothly for the ultimate in gloss. This finish has excellent slip resistant qualities and is easily removed with conventional stripper.

### Features

Durable - Extended wear and superior protection for your floor covering.

Appearance - High gloss as well as black mark and detergent resistant.

Easy to use - Self leveling, excellent flow for easy application with little or no mop drag.

0.0% Free Styrene

### Directions for Use

Recommended for use on all types of resilient tile flooring and properly prepared hard surfaces.

### RESTORATIVE MAINTENANCE:

Completely remove all old wax, finish and soil from floor surface following strip procedure instructions on Betco® stripper label. Floor surface must be clean, dry and free of residue before finish is applied. Rinse with clean water if necessary. Apply finish in uniform, thin to medium coats using a clean synthetic finish mop, microfiber mop or applicator system. Allow each coat to dry thoroughly before applying additional coats, usually 20 - 30 minutes. Elevated temperatures, heavy coats and humidity may extend dry time. A minimum of 4 coats of finish is recommended. Note: This product is a self-sealing finish, however, if tile is old, worn or porous, initially applying 1 - 2 coats of a Betco sealer will enhance gloss and long term performance.

### ROUTINE MAINTENANCE:

Sweep large debris and dust mop. Damp mop or automatic scrub using a Betco floor cleaner. Buff or burnish the floor to enhance gloss as needed. Use Betco® One Step High Speed Cleaner/Restorer to condition the floor and extend the time between top scrub and recoating.

### INTERIM MAINTENANCE:

Sweep large debris and dust mop. Top scrub the floor using Daily Scrub SC and maroon pad or equivalent to remove the top soiled layers of finish. Floor surface must be clean, dry and free of residue before finish is applied. Apply 1 - 2 coats of finish as directed above.

Please recycle empty containers. Note: Slip resistance meets or exceeds standard, (ASTM D 2047-11) James Machine 0.5 minimum.

### Tech Specs

Coverage	2,000 - 3,000 square feet/gallon
Drying time	20 - 30 minutes
Fragrance	Mild
Freeze/thaw stability	3 cycles
Gloss (ASTM D 1455-87)	2 coats 75 - 80
Gloss (ASTM D 1455-87)	1 coat 75-80
Heel mark resistance	Very good
Leveling	Excellent
pH	8.1 - 8.9
Recoat	Excellent
Shelf life	1 year
Specific gravity	1.02

## GRIZZLY Non-Ammoniated Stripper

### Nonammoniated wax and finish stripper

This product quickly unlocks the molecular structure of all types of waterbased floor finishes and sealers. This product also is an excellent heavy duty cleaner. It is great for cutting wax buildup, grease, oil and dirt. The unique chemical elements penetrate, dissolve and lift the wax to the surface to be picked up easily. This product is effective in hot, cold, hard or soft water. Safe for use on all floors not harmed by water.

### Features

Extended suspension of emulsified particles eliminates costly restripping.

Pleasant - No harsh ammonia or solvent odors.

Powerful stripping action.

### Available In:

**4 - 1 Gal. Bottles Item #10404-00**

**5 Gal. Pail Item #10405-00**

**55 Gal. Drum Item #10455-00**

### Directions for Use

Recommended for water-based acrylic and urethane fortified floors or finishes from all types of resilient tile and hard surfaces. Pre-test in a small area; bleed or discoloration may occur on rubber tile, or asphalt tile. Not Recommended for strip linoleum or sheet vinyl floors. Sweep or dust mop floors or to remove any large debris. Dilute with hot water.

For normal strip dilute 13 oz./gal. or 100 mL/L (1:10) of water.

For heavy strip: dilute 25 oz./gal. or 200 mL/L (1:5) of water.

Apply solution liberally to floors or surface. Allow 4 - 5 minutes contact time. Be sure to keep surface wet at all times. Agitate with a low speed rotary machine, automatic scrubber or strip machine. Pick up solution with a wet vacuum, automatic scrubber or mop and bucket and thoroughly. Rinse the floors or allow floors to dry completely before applying finish or sealer.

### Tech Specs

Color	Pink
Detergency	Excellent
Emulsification	Excellent
Flash Point	None
Foaming	Moderate
Fragrance	Pleasant
Metal interlock removal	Complete
pH	13.0 - 13.9+
Rinsability	Complete
Shelf life	1 year
Solubility in Water	Complete
Viscosity	5 centipoise
Wax removal	Complete
Wetting	Excellent

## LEMON DISINFECTANT LIQUID

### Lemon deodorant, disinfectant, and detergent

This neutral ph. disinfectant has been formulated to aid in the reduction of cross-contamination. When used as directed, Betco Lemon is effective against a wide variety of gram positive and gram-negative bacteria. The effective cleaning solution will not dull most floor finishes while proving long lasting freshens against tough odors.

### Features

Simple to use – Cleans, deodorizes and disinfects in one easy operation.

Neutral pH - No harsh alkali to attack floor finish.

Lasting Fragrance- Leaves a pleasant lemon fragrance.

### Directions for Use

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

**Preparation of use-solution:** Add 5 oz. per gallon of water, to disinfect hard precleaned nonporous surfaces.

**Disinfection/\*Virucidal Directions:** Remove gross filth or heavy soil, then thoroughly clean surfaces. Apply use-solution to hard nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge or sprayer. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from surface, rub with brush, sponge or cloth. Avoid breathing spray. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware or dishes. Prepare a fresh solution daily or more often if the use-solution becomes visibly diluted or soiled. This product is not for use on medical device surfaces. **\*KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean-up should always be done wearing protective latex gloves, gowns, masks, eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Leave surfaces wet for 1 minute (60 seconds). Use a 10 minute contact time for disinfection against all other viruses, bacteria and fungi claimed. **DISPOSAL OF INFECTIOUS MATERIAL:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal. **To Clean and Deodorize or to Preclean Prior to Disinfection:** Depending on the soil level of the area to be cleaned, use 12 - 16 oz. of this product per gallon of water. Rub with brush, sponge or cloth. Wipe dry with a clean cloth or sponge or let air dry. **For Mildew Control:** Follow directions for Disinfection. Repeat treatment every seven days or when new growth appears. **Deodorizing directions: Nursing Homes, Hospitals, Hotels, Schools:** 2 - 4 oz. in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors.

### Tech Specs

Color	Sparkling yellow
Detergency	Excellent
EPA Reg. No.	6836-165-4170
Foaming	Moderate
Fragrance	Lemon fresh



Customer Service: 800-844-8894

## FAST STRIP

### High power, fast acting, low odor, no-rinse floor stripper

This high power high speed floor stripper was developed to penetrate and remove multiple coats of burnished floor finish with a minimum amount of labor. Utilizing the latest in technology, this powerful professional stripper unlocks the chemical bonds of acrylic and urethane fortified floor finishes releasing them from the floor surface and is suitable for use on most surfaces.

### Features

Extremely Powerful.  
Developed to quickly strip multiple coats of burnished finish from a variety of floors.  
Rinse free - Has a lower pH than competitive formulas, requires no neutralization or rinsing.

### Directions for Use

Recommended for removing multiple coats of water-based acrylic and urethane fortified floor finishes from all types of resilient tile and hard surfaces. Not Recommended on linoleum or sheet vinyl floors. Pre-test in a small area; bleeding or discoloration may occur on linoleum, rubber tile, or asphalt tile. Sweep or dust mop floors or to remove any large debris. For light to medium strip, dilute 10 oz. /gal. (1:12). For heavy striping, dilute 25 oz. /gal. (1:5) with cold water. Apply solution liberally to floor surface. Allow 3-5 minutes contact time. Be sure to keep surface wet at all times. Agitate with a low speed rotary machine, automatic scrubber or stripping machine. Pick up solution with a wet vacuum, automatic scrubber or mop and bucket and thoroughly rinse the floor. Allow floors to dry completely before applying finish or sealer. No flood rinsing is necessary if surface appears free of dust and residue.

### Tech Specs

Color	Green
Coverage	400 sq. ft./ gallon
Flash Point	n/a
Fragrance	Lemon
Freeze/thaw stability	N/A
pH	11.8 - 12.8
pH @ dilution	11.0 - 11.4
Residue on evaporation	None
Shelf life	1 year
Specific gravity	1.000



Customer Service: 800-844-8894

## FAST TRACK / ONE STEP

### Restorer

Using this cleaner/restorer as a regular part of high speed floor maintenance programs will reduce labor and extend the life of the floor. This formulation effectively cleans the floor while restoring the top layer of finish. This product can be mopped on or used through an automatic scrubber before burnishing to restore the floor to a beautiful shine.

### Features

One step product - reduces the labor cost and need to recoat.  
Repairs scuffs, scratches and restores gloss.  
Helps correct slippery floors and eliminates powdering.  
Perfect for use on most floor surfaces.

### Directions for Use

Recommended for use on all floor finishes that are being high speed buffed or burnished.

1. Sweep large debris and dust mop.
2. For mop-on application, dilute 1 oz./gal. or 8 mL/L (1:128) with water. For use in an automatic scrubber, dilute 2 oz./gal. or 16 mL/L (1:64) with water.
3. Set up "Wet Floor" signs. Damp mop or autoscrub to clean and condition the floor, and allow to dry thoroughly.
4. High-speed buff or burnish as desired using the appropriate pad. Please consult your local solid waste agency, drain commissioner, or water quality contact for determination on appropriate disposal of unused material. Please recycle empty containers.

For chemical management systems, see specific directions on product label.

### Tech Specs

Buffability	Very good to excellent
Color	White
Coverage	15,000 - 20,000 sq. ft per gallon
Fragrance	Lemon
Gloss	Exceptional
pH	7.0 - 8.0



## NON-ACID BOWL CLEANER

### Concentrated Acid Free Bathroom Disinfectant

This concentrated, nonacid formulation is designed to clean, disinfect and deodorize hard inanimate surfaces in a restroom. Bactericidal, fungicidal and Virucidal, it is proven effective against a broad spectrum of pathogens. The powerful odor-killing ingredients in this product help to counteract malodors. Use with confidence, this nonabrasive disinfectant cleaner will not harm plumbing, retard septic tank action, etch porcelain or pit fixtures.

### Features

Non acid formula is safe for use on all hard, nonporous water washable surfaces.

Pleasant Citrus Bouquet fragrance.

Efficacious against VRE and MRSA, staph, salmonella, pseudomonas and HIV-1 (AIDS)

Non-Acid formulation is safe to use every day.

### **\*KILLS HIV AND HBV AND HCV ON PRE CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS**

in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean up must always be done wearing protective gloves, gowns, masks and eye protection. **CLEANING PROCEDURE:** Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **CONTACT TIME:** Leave surface wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIAL:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

### Directions for Use

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

#### Preparation of Use-Solution:

Disinfection – Medical (1:64) 2 oz. per gallon of water

Disinfection – Non Medical (1:128) 1 oz. per gallon of water

Virucide (1:128) 1 oz. per gallon of water

#### **DISINFECTION/VIRUCIDAL\*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS:**

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is recommended. Prepare fresh solution daily or more often if the solution becomes visibly dirty or diluted. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes as a disinfectant. For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray. **For fungicidal activity:** At 1 oz. per gallon of water, this product is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. **For mold and mildew control:** At 1 oz. per gallon of water, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Allow to dry on surface. Repeat every seven days or more often if new growth appears. This product is not for use on medical device surfaces.

**GLASS CLEANING/DEODORIZING DIRECTIONS:** Add 1/2 - 2 oz. of this product per gallon of water to clean and deodorize windows, mirrors and glass surfaces. Use a coarse spray device. Spray 6 - 8 inches from surface. Rub with a sponge or cloth. Do not breathe spray. **NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS:** If surfaces are visibly dirty, preclean first. **From Concentrate:** Add 1 – 2 oz. to the bowl water and mix. Thoroughly brush or swab over exposed surfaces including under the rim with a cloth, mop or sponge. Allow to stand for 10 minutes and flush. **From Use Solution:** Empty toilet bowl or urinal and apply a 1 – 2 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or sprayer. Brush or swab thoroughly, allow to stand for 10 minutes and flush.

### Tech Specs

Color	Green
Detergency	Excellent
EPA Reg. No.	6836-73-4170
Film residue	Free rinsing
Fragrance	Ocean Breeze
Freeze/thaw stability	3 cycles
pH	12.5 - 13.5
Shelf life	1 year
Viscosity	10 centipoise



Customer Service: 800-844-8894

## PINK KLING

### Toilet bowl, porcelain and shower tile cleaner

Phosphoric acid, detergents, wetting agents unite to quickly remove hard water mineral deposits, scale, rust, soap scum and filth from restroom surfaces.

### Features

20% Phosphoric acid for tough soils  
Pleasant Cherry Almond fragrance.  
Removes rust, mineral deposits and lime as well as soap scum, body oils and grease

### Available In:

**12 - 32 oz. Bottles Item #07612-00**

### Directions for Use

This product is designed for cleaning toilet bowls, urinals, sinks, bathtubs and shower stalls. It removes scale, soap scum and filth.

#### TO CLEAN TOILETS AND URINALS:

Do not use this product in a manner inconsistent with its labeling.

1. Flush fixture.
2. Open pour spout 45°.
3. Squeeze to coat surfaces under the bowl rim.
4. Let stand for 10 min.
5. Scrub all surfaces with supplied bowl swab, especially under the rim.
6. Rinse by flushing.

#### TO CLEAN SINKS, BATHTUBS, SHOWER STALLS, DRINKING FOUNTAINS:

Apply to all surfaces thoroughly with bowl swab, sponge, brush or cloth. Rinse with water after cleaning.

### Tech Specs

Color	Pink
Detergency	Excellent
Emulsification	Very good
Fragrance	Cherry-Almond
Fumes	None
Hard water tolerance	Excellent
Lime soap dispersal	Excellent
pH	1.5 - 2.0
Rinsability	Very good
Shelf life	1 year
Wetting	Fast, effective



Customer Service: 800-844-8894

## BATH PLUS

### Directions for Use

Use only in well ventilated areas.

1. Spray surface until thoroughly wet.
2. Let stand several minutes until mildew stains disappear.

**NOTE:** For lower odor, a foaming trigger sprayer is recommended. This product will cause permanent discoloration of clothing and carpet. Never mix this product with acids or other cleaning agents. May discolor Aluminum and other soft metals. Test in an inconspicuous area prior to use on fixtures and appliances. Not recommended for use on glass or water based paints. **Do not use this product on painted surfaces.**

### Instant mildew stain remover

This product works as a mildew stain remover to quickly clean and whiten even the most difficult stains. Formulated with an odor counteractant and chlorine stabilizer.

### Features

Works on tile, grout, Fiberglass, shower doors, and vinyl  
Increases the level of cleanliness in the shower rooms, locker rooms, and other restroom areas.  
Instantly removes tough mildew stains.

### Tech Specs

Color	Amber
Detergency	Excellent
Film residue	Free rinsing
Fragrance	Apple
pH	10.50 - 11.50
Shelf life	1 year
Specific gravity	1.037



Customer Service: [800-844-8894](tel:800-844-8894)

## SPRAY & WIPE

### Directions for Use

Removes tough grease, oil, carbon and most stubborn soils from appliances, counters, equipment, floors, kitchen surfaces, walls, showers, sinks, stainless steel and tile. Not recommended for use on glass or water based paints. This is a ready-to-use product. No mixing required. Leaves no residue or streaks. Spray surface. Wipe clean with a lint free towel or sponge.

### Tech Specs

Color	Green
Emulsification	Complete
Flash Point	None
Fragrance	Mint
Freeze/thaw	Stable
Fumes	None
Penetration	Very fast
pH	12.00 - 13..50
Rinsability	Complete
Shelf life	1 year
Solubility in Water	Complete
Specific gravity	1.02
Viscosity	Free flowing
Wetting	Excellent

### Heavy Duty Cleaner/Degreaser

This fast acting cleaner/degreaser instantly removes crayon, lipstick, graffiti, oil and heel marks from a variety of surfaces.

### Features

Proprietary blend grease fighting ingredients and boosters  
Quickly penetrates fats, oils and grease based soils  
Deodorizes as it cleans with a mint fragrance

## BAC Liquid Digester

### Drain Maintainer, Floor Cleaner and Spotter

A stable liquid suspension of cultured bacteria and malodor counteractants capable of digesting complex proteins, starches, fats, oils and greases, paper, vegetable gums, hair and other organic waste.

### Features

Contains enzyme producing bacteria to digest complex proteins, fats, greases, and odors  
More economical and efficient than using massive doses of enzymes alone to degrade waste and eliminate the source of odors  
Non-corrosive, non-flammable, non-acid and non-caustic.

### Directions for Use

Be sure to pretest before using. \*GREASE TRAPS: For less than 20 cubic feet capacity, add 4 - 5 oz. of product daily by pouring into a sink or pipeline closest to the trap. Perform when the traps are used the least. Flush down with 1 cup of lukewarm water. For traps larger than 20 cubic feet, add 8- 10 oz. daily using the same procedure.

SEPTIC TANKS: Initial treatment, add 1 pint per 25 cubic feet capacity. Thereafter, use 8 oz. per week. Pour directly into toilet and flush.

DRAINLINES AND DOWN PIPES: Use product a minimum of 2 times weekly, to a maximum of 4 times. Start on the lowest floor and work 1 floor per day. Do not treat the same floor twice. When the top floor is reached, continue treatment for the top floor only.

PIPE SIZE/DOSAGE/FREQUENCY: 2" / 4 oz./2 times/wk.; 4" / 8 oz./2 times/wk.; 6" / 12 oz./2 times/wk.; 8" / 16 oz./2 times/wk.

CARPETS: For pet odors, pour directly on odor spot. Blot with a clean white cloth. Repeat if the odor persists.

CARPET MACHINES: To deodorize carpets, add 1/4 cup of product to the solution tank. RESTROOMS: To deodorize urinals and bowls, apply to surfaces and surrounding area.

FLOORS: Dilute 2 - 5 ounces per gallon and mop directly onto floor. Pour excess directly down the drain.

NOTE: Do not subject this product to disinfectants, boiling water or chlorinated products. Please consult your local solid waste agency, drain commissioner, or water quality contact for determination on appropriate disposal of unused material. Please recycle empty containers.

### Tech Specs

Acids	None
Alkali	None
Color	Milky white
Effective pH range	5 - 10
Effective Temp Range	50-100 F
Flammability	Nonflammable
Fragrance	New green
Odor counteractant	O3Z
pH	6.50 - 8.50
Shelf life	1 year





Customer Service: 800-844-8894

## SMOOTH CREAM CLEANSER

### Liquid Abrasive Creme Cleanser

This liquid Creme cleanser quickly removes embedded rust, soap scum, stains, grease, oxidation, hard water minerals and filth from a variety of surfaces. This product contains jeweler grade abrasive that won't scratch surfaces like scouring powders. This white, stable emulsion contains bleaching compounds, detergents and wetting agents.

### Features

Thick clinging formula for verticle surfaces  
Penetrates, scours, brightens and polishes without heavy agitation  
Free rinsing  
Fresh mint fragrance

### Directions for Use

For cleaning bathtubs, chrome, stainless steel, porcelain, sinks, tile, Fiberglas® enamel and a variety of other water washable surfaces. To clean and deodorize hard surfaces, apply to soiled surface with damp sponge or cloth. Loosen soil with agitation. Rinse with water. Polish with soft, dry cloth. Rub with grain on metals.

### Tech Specs

aluminum and chrome	Noncorrosive
Appearance	Thick liquid
Color	White
Detergency	Excellent
Fragrance	Mint
Freeze/thaw stability	Yes
pH	2.0
Shelf life	1 year
Specific gravity	1.3
Toxicity	None
Viscosity	25,000 centipoise



Customer Service: 800-844-8894

## DEEP BLUE GLASS CLEANER



### Ammoniated Glass and Surface Cleaner

Not only does it quickly penetrate dust, smoke, grease and grime on all glass and window surfaces, but it is also excellent for cleaning stainless steel, Formica®, plastic, porcelain and chrome.

### Features

Cleans and brightens most hard surfaces.  
Dissolves smoke, grease and smudge marks.  
Convenient and easy to use.  
Fortified with ammonia for powerful cleaning.

### Directions for Use

Use undiluted for heavy-duty glass and surface cleaning. Spray glass cleaner on surface to be cleaned and wipe with a lint free towel or squeegee.

### Tech Specs

Appearance	White, Foaming
Cold stability	Yes
Color	Blue
Detergency	Very Good
Emulsification	Rapid
Flammability	Nonflammable
Fragrance	Pleasant
Odor	Ammonia
pH	10.0 - 12.0
Phosphates	None
Residue	None
Shelf life	1 Year
Solubility in Water	100%
Specific gravity	1.0
Wetting	Excellent



Customer Service: 800-844-8894

## SHINE ON SPRAY BUFF

### Thermoplastic spray buff

This spray buffing compound combines detergents, thermoplastics and solvent for the answer to terrific looking floors. Simply spray on floors and polish with a spray buff pad to easily remove black heel marks, scuffs and scratches leaving a wet look gloss. Regular use of this spray buff will allow the user to reduce stripping and rewaxing procedures by over 75%. Spray buff leaves floor finish very hard and durable yet slip resistant.

### Features

Provides excellent lubricity to pad surface for a higher shine.  
Effective repair of all floor finish types.  
Versatile - The perfect product for use with conventional and high speed equipment.

### Directions for Use

Remove soil and dust mop the floor. Spray a light mist of product on the floor in front of the floor machine. DO NOT OVERWET. Using a nylon or polyester spray buff pad, buff the floor where the fine mist of spray buff has been applied. Flip or change pad as necessary. After spray buffing the floor is completed, dust mop the floor if dust is still present.

NOTE: In order for spray buff to work correctly, three or four base coats of floor finish must be applied before using spray buff in order to achieve maximum gloss and wear properties. Heavy traffic areas may require dust mopping, followed by damp mopping, followed by spray buffing. Use of this spray buff will eliminate powdering and will never yellow the floor.

NOTE: Slip resistance meets or exceeds standard, (ASTM D 2047-11) James Machine 0.5 minimum.

### Tech Specs

Buffability	Excellent
Color (dry)	Clear
Color (liquid)	Milky green
Fragrance	Clean bouquet
Freeze/thaw stability	Keep from freezing
Gloss	Excellent
Heel mark resistance	excellent
pH	8.0 - 9.5
Recoat	Excellent
Shelf life	1 year
Specific gravity	1.0



Customer Service: 800-844-8894

## TOP PERFORMER

### High Performance cleaner/degreaser

This low foaming degreaser utilizes Aqua-Transolvency™ technology to remove the most stubborn rubber tire marks, grease, and oil from concrete floors and other surfaces. Perfect for use in automatic floor scrubbers and in mop buckets. Requires no pre-spray on rubber tire marks. Leaves no film on the floor.

### Features

Concentrated proprietary blend grease fighting ingredients and boosters  
Quickly penetrates fats, oils and grease based soils  
Very low foam  
Leaves no residual haze on the floor

### Directions for Use

This low foaming degreaser utilizes Aqua-Transolvency™ technology to remove rubber tire marks, carbon, heavy grease and oil from concrete floors.

NOTE: Do not use on glass.

LIGHT SOIL Dilute 4 oz./gal. or 31 mL/L (1:32) with water.

MODERATE SOIL Dilute 8 oz./gal. or 63 mL/L (1:16) with water.

HEAVY SOIL Dilute 13 oz./gal. or 100 mL/L (1:10) with water.

VERY HEAVY SOIL Dilute 26 oz./gal. or 200 mL/L (1:5) with water.

### Tech Specs

Aluminum safe (at recommended dilution)	Yes
Color	Blue
Emulsification	Excellent
Flammability	None
Flash Point	None
Foam	Very low
Glycol ethers or butyl	None
Oil separation	Good
pH @ 1:10 dilution	11.5 (+/-0.5)
pH @ concentrate	12.5 (+/-0.5)
SARA 313 reporting	None required
Shelf life	1 year
Solubility in Water	Complete
VOC concerns	Light citrus



Customer Service: 800-844-8894

## 707 BOWL CLEANER

### Directions for Use

TO CLEAN TOILETS AND URINALS: < br/> Remove water from bowl by forcing it over the trap with a swab mop. Saturate swab with cleaner and wet all surfaces thoroughly. It is most important to swab under

### Tech Specs

Acid content	9% HCL
Color	Aqua blue
Detergency	Excellent
Fragrance	Mint-wintergreen
Fumes	None
pH	1.0
Rust removal	Excellent
Shelf life	1 year
Viscosity	500 - 928 centipoise

### 9% Thickened HCl Toilet Bowl Cleaner

This thickened, 9% hydrochloric acid toilet bowl cleaner contains detergents and compounds that quickly remove rust, scale, and hard water mineral deposits. Because it clings to vertical surfaces, it provides more contact time for better cleaning action than thin formulations.

### Features

9% Hydrochloric acid for tough soils.  
Pleasant Mint Fragrance.  
Thickened formula for better cleaning.

# New-Jax

NEWELL PAPER CO.  
DEMOPOLIS, AL. - 1800-652-2768  
MERIDIAN, MS. - 1-800-844-8894  
COLUMBUS, MS. - 1-800-844-1467  
HATTIESBURG, MS. - 1-800-530-7537  
JACKSON PAPER COMPANY  
JACKSON, MS. - 1-800-844-5449

## PRODUCT SALES INFORMATION

# DISHWASH LIQUID

**COMMERCIAL MANUAL DISH WASH**  
**HIGH FOAMING • NON SPOTTING**  
**NON IRRITATING**

Manufactured in Mississippi, New-Jax Dish Wash is a premium, proven dish wash liquid. This product is recommended for use in restaurants, institutions, day care facilities and hospitals for all hand dishwashing purposes. New-Jax Dish Wash has been fortified with grease busting ingredients and foam stabilizers. This product is manufactured with water conditioners and easily removes food and grease from pots, pans, glasses and silverware. It cleans quickly and thoroughly while remaining gentle to hands. Biodegradable and also rinses freely. Deters scum even in the hardest of water.

### ADVANTAGES:

- **NON SPOTTING**
- **HIGH FOAM**
- **NON-IRRITATING**
- **USDA APPROVED**
- **NO THREAT TO MARINE LIFE**
- **RAPIDLY BIODEGRADABLE**
- **PLEASANTLY SCENTED**

### DIRECTIONS:

Read SDS and consult with your supervisor before using this product.

Dilute 1 to 2 ounces per 4 to 5 gallons of water for routine cleaning, depending on the soil level.

**DISHES AND GLASSES:** Add hot water. Put dishes and glasses into sudsy solution. Allow to soak for a few minutes. Wash in regular manner. Rinse in hot water and allow to drain dry.

**POTS, PANS AND SILVERWARE:** Submerge soiled pots and pans in a solution of New-Jax Dish Wash and allow time to soak. Clean using same instructions as above. For extremely soiled articles it may be necessary to use an additional amount of New-Jax's Dish Wash.

Always rinse thoroughly after use.

### CAUTION:

**Contains: No Hazardous Ingredients**

**Keep Out of Reach of Children.** Do not get in eyes or on skin or in eyes. May cause skin and eye irritation. Avoid prolonged or repeated skin contact. Always wear safety glasses and protective gloves. Do not mix with any other chemicals.

### FIRST AID:

**SKIN:** Flood contact area with large amounts of clean water for 15 minutes. Discard contaminated clothing. If irritation persists get medical attention.

**EYES:** In case of contact flush eyes with plenty of water for 15 minutes, while lifting upper and lower eye lids. Get medical attention.

**INTERNAL:** Do not induce vomiting. Drink plenty of water and contact a physician immediately.