



**MASSEY FERGUSON®**

# TRACTORS



MASSEY FERGUSON®

# TRACTOR INDEX

## COMPACT TRACTORS

|                                       |                    |
|---------------------------------------|--------------------|
| <b>COMPACT</b> . . . . .              | <b>Compact - 1</b> |
| GC1705 . . . . .                      | Compact - 2        |
| GC1710 . . . . .                      | Compact - 4        |
| GC1715 . . . . .                      | Compact - 6        |
| GC1720 . . . . .                      | Compact - 8        |
| 1726E and 1726EL . . . . .            | Compact - 11       |
| 1734E and 1734EL . . . . .            | Compact - 14       |
| 1739E and 1739EL . . . . .            | Compact - 17       |
| 1736 and 1736L . . . . .              | Compact - 21       |
| 1742 and 1742L . . . . .              | Compact - 25       |
| 1749 and 1749L . . . . .              | Compact - 29       |
| 1754 and 1754L . . . . .              | Compact - 33       |
| 1758 and 1758L . . . . .              | Compact - 37       |
| 1759 and 1759L . . . . .              | Compact - 41       |
| 1526 and 1526L . . . . .              | Compact - 45       |
| Field Installed Accessories . . . . . | Compact - 47       |
| Compact Tires . . . . .               | Compact - 51       |
| Utility Tires . . . . .               | Compact - 52       |

# TRACTOR INDEX



## UTILITY TRACTORS

|                                           |                        |
|-------------------------------------------|------------------------|
| <b>2700E SERIES UTILITY</b> . . . . .     | <b>MF2700E - 1</b>     |
| 2705E and 2705L . . . . .                 | MF2700E - 2            |
| 2706E and 2706L . . . . .                 | MF2700E - 5            |
| Field Installed Accessories . . . . .     | MF2700E - 8            |
| <br><b>4600M SERIES UTILITY</b> . . . . . | <br><b>MF4600M - 1</b> |
| 4607M and 4607ML . . . . .                | MF4600M - 2            |
| 4609M and 4609ML . . . . .                | MF4600M - 5            |
| 4610M and 4610ML . . . . .                | MF4600M - 8            |
| Field Installed Accessories . . . . .     | MF4600M - 11           |
| <br><b>4700 SERIES UTILITY</b> . . . . .  | <br><b>MF4700 - 1</b>  |
| 4708 and 4708L . . . . .                  | MF4700 - 2             |
| 4709 and 4709L . . . . .                  | MF4700 - 2             |
| 4710 and 4710L . . . . .                  | MF4700 - 2             |
| Field Installed Accessories . . . . .     | MF4700 - 7             |

## SUBJECT TO AVAILABILITY

|                                          |                       |
|------------------------------------------|-----------------------|
| <b>2600 SERIES UTILITY</b> . . . . .     | <b>MF2600 - 1</b>     |
| 2605 and 2605L . . . . .                 | MF2600 - 2            |
| 2615 and 2615L . . . . .                 | MF2600 - 5            |
| 2635 and 2635L . . . . .                 | MF2600 - 8            |
| Field Installed Accessories . . . . .    | MF2600 - 11           |
| <br><b>4600 SERIES UTILITY</b> . . . . . | <br><b>MF4600 - 1</b> |
| 4608 and 4608L . . . . .                 | MF4600 - 2            |
| 4609 and 4609L . . . . .                 | MF4600 - 5            |
| 4610 and 4610L . . . . .                 | MF4600 - 8            |
| 4610LP and 4610LPL . . . . .             | MF4600 - 11           |
| Field Installed Accessories . . . . .    | MF4600 - 13           |

## MID RANGE TRACTORS

|                                                |                       |
|------------------------------------------------|-----------------------|
| <b>5600 SERIES - MID RANGE</b> . . . . .       | <b>MF5600 - 1</b>     |
| 5609, 5610 Small Frame Classic . . . . .       | MF5600 - 2            |
| 5611, 5612, 5613 Large Frame Classic . . . . . | MF5600 - 12           |
| 5611, 5612, 5613 Large Frame Deluxe . . . . .  | MF5600 - 22           |
| <br><b>6600 SERIES - MID RANGE</b> . . . . .   | <br><b>MF6600 - 1</b> |
| 6614 / 6615 / 6616 Series . . . . .            | MF6600 - 2            |
| Classic Editions . . . . .                     | MF6600 - 3            |
| Deluxe Editions . . . . .                      | MF6600 - 16           |
| Premium Editions . . . . .                     | MF6600 - 30           |



**MASSEY FERGUSON®**

**COMPACT**



# GC1705 GARDEN COMPACT

MASSEY FERGUSON®

(F.O.B. Port of Entry)

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 22.5 Gross HP 3 Cyl Diesel 68.5 CID (1.1 L)
  - 22.0 Net HP @ 2600 RPM
  - 18.7 PTO HP @ 2600 RPM
- Dry Type Single Air Cleaner
- Transmission: 2 Range Hydrostatic with Cruise Control
- Wet Disk Brakes
- Parking Brake
- Differential Lock
- PTO: 540 RPM Independent PTO  
2000 RPM Mid Independent PTO

### HYDRAULIC SYSTEM

- 3-Point Hitch, Cat I With Directional Control,
- Auto Return Lever System
- Engine Driven Gear Pump
- 3-Point Hitch 4.3 GPM (15.5 LPM)
- Power Steering 2.0 GPM (7.5 LPM)
- Total Combined Flow 6.3 GPM (23.1 LPM)

### INSTRUMENTS

- Tachometer / Hourmeter
- Engine Coolant Gauge Fuel Gauge
- Warning Lights: Electrical Charging, Oil Pressure and Water Temperature

### OTHER STANDARD FEATURES

- Hydrostatic Power Steering
- Hand Accelerator
- Forward And Reverse Foot Pedal
- Electric Fuel Shut-Off
- 12 Volt Electrical System
- Battery: 390 Cold Cranking Amps
- Full Adjustable Seat With Retractable Seat Belt
- 2 Post Fixed Rops
- Tilt-Up Hood
- Turn Signals, Flashers, Tail Lights
- Factory Joystick Optional
- Hydraulic Manifold with Pressure and Return Lines on Model with Factory Joystick

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL95 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 1.6 inch Double Acting Lift Cylinders
- (2) 1.75 inch Double Acting Bucket Cylinders
- Regenerative Hydraulics for Simultaneous Operation of Lift/Lower and Curl/Dump Functions
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- 48-inch Standard Duty Pin-Type Bucket
- Grille Guard Standard
- Maximum Lift Height: 72.8 Inches
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 580 lbs
- Breakout Force: 920 lbs
- Rated Hydraulic Pressure: 1914 PSI
- Fits all GC1700 Series Tractors

### AVAILABLE ATTACHMENTS (REFER TO IMPLEMENT SECTIONS)

- MF 2315, 2320 and 2326 Mid Mounted Mowers
- MF 2360 Front Mounted Snow Blower
- MF 2330 Front Mounted Rotary Broom
- MF 2335 Front Mounted Blade
- MF 2340 Front Mounted Heavy Duty Blade

# GC1705 GARDEN COMPACT



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|                 |          |                                          |         |  |           |
|-----------------|----------|------------------------------------------|---------|--|-----------|
| <b>MFGC1705</b> |          | <b>MFGC1705 Hydrostatic Base Tractor</b> |         |  |           |
| F-RE3           | 72530380 | 4wd Platform                             | 65C8473 |  | 9,969.00  |
| F-J-RE3         | 72530381 | 4wd Platform with Factory Joystick       | 90C9072 |  | 10,674.00 |

## **LOADER - For 4WD with Joystick Only**

## **GROUP 02**

|          |                                                                       |         |     |          |
|----------|-----------------------------------------------------------------------|---------|-----|----------|
| 72533626 | MFDL95 Loader Package<br>Includes: Mount, Bucket, Hoses, Grille Guard | 00C2397 | 486 | 2,820.00 |
|----------|-----------------------------------------------------------------------|---------|-----|----------|

**\* ALL Tractors will be charged \$135 for Assembly**

## **TIRES & WHEELS - Choose only one set of Tires & Wheels**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **For Tractor or Tractor-Loader:**

|           |                                                              |        |     |        |
|-----------|--------------------------------------------------------------|--------|-----|--------|
| 72530281M | Front: 18x8.50-10 AG<br>Rear: 26x12.00-12 AG                 | 05C555 | 148 | 653.00 |
| 72530282M | Front: 18x8.50-10 Turf<br>Rear: 26x12.00-12 Turf             | 65C500 | 140 | 589.00 |
| 72530283M | Front: 18x8.50-10 Industrial<br>Rear: 26x12.00-12 Industrial | 85C595 |     | 701.00 |

## **FRENCH OPERATOR'S MANUAL**

## **GROUP 04**

|          |                          |  |  |           |
|----------|--------------------------|--|--|-----------|
| 72530175 | French Operator's Manual |  |  | No Charge |
|----------|--------------------------|--|--|-----------|



# GC1710 TLB GARDEN COMPACT

MASSEY FERGUSON®

(F.O.B. Port of Entry)

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 22.5 Gross HP 3 Cyl Diesel 68.5 CID (1.1 L)
  - 22.0 Net HP @ 2600 RPM
  - 18.7 PTO HP @ 2600 RPM
- Dry Type Single Air Cleaner
- Transmission: 2 Range Hydrostatic with Cruise Control
- Wet Disk Brakes
- Parking Brake
- Differential Lock
- PTO: 540 RPM Independent PTO
- 2000 RPM Mid Independent PTO

### HYDRAULIC SYSTEM

- 3-Point Hitch, Cat I With Directional Control,
- Auto Return Lever System
- Engine Driven Gear Pump
- 3-Point Hitch 4.3 GPM (15.5 LPM)
- Power Steering 2.0 GPM (7.5 LPM)
- Total Combined Flow 6.3 GPM (23.1 LPM)

### INSTRUMENTS

- Tachometer / Hourmeter
- Engine Coolant Gauge Fuel Gauge
- Warning Lights: Electrical Charging, Oil Pressure and Water Temperature

### OTHER STANDARD FEATURES

- Hydrostatic Power Steering
- Hand Accelerator
- Forward And Reverse Foot Pedal
- Electric Fuel Shut-Off
- 12 Volt Electrical System
- Battery: 390 Cold Cranking Amps
- Full Adjustable Seat With Retractable Seat Belt
- 2 Post Folding Rops
- Tilt-Up Hood
- Turn Signals, Flashers, Tail Lights
- Factory Joystick
- Hydraulic Manifold with Pressure and Return Lines on Model with Factory Joystick

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL95 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 1.6 inch Double Acting Lift Cylinders
- (2) 1.75 inch Double Acting Bucket Cylinders
- Regenerative Hydraulics for Simultaneous Operation of Lift/Lower and Curl/Dump Functions
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- 48-inch Standard Duty Pin-Type Bucket
- Grille Guard Standard
- Maximum Lift Height: 72.8 Inches
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 580 lbs
- Breakout Force: 920 lbs
- Rated Hydraulic Pressure: 1914 PSI
- Fits all GC1700 Series Tractors

### MF CB65 BACKHOE

- Digging Depth: 78 inch (2.0 m)
- Max Reach: 107 inch (2.7 m)
- Transport Height: 71 inches (1.8 m)
- Stabilizer Spread - Transport: 47 inch (1.2 m)
- Stabilizer Spread - Operating: 80 inch (2.0 m)
- Loading Height: 66 inch (1.7 m)
- Angle of Departure: 20 Degrees
- Swing Arc: 150 Degrees
- Bucket Rotation: 177 Degrees
- Shipping Weight: 635 lbs (288 kg)
- Digging Force Using Bucket Cylinder: 2476 lb (1123 kg)
- Digging Force Using Dipper Cylinder: 1748 lb (793 kg)
- Single Cylinder Boom Swing

NOTE: Dimensions may change due to tire size

### AVAILABLE ATTACHMENTS (REFER TO IMPLEMENT SECTIONS)

- MF 2315, 2320, 2326 Mid Mounted Mowers
- MF 2360 Front Mounted Snow Blower
- MF 2330 Front Mounted Rotary Broom
- MF 2335 Front Mounted Blade
- MF 2340 Front Mounted Heavy Duty Blade

# GC1710 TLB GARDEN COMPACT

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR, LOADER AND BACKHOE BELOW  
THEN ORDER ONE CODE FROM GROUP 02 THROUGH 04 AS REQUIRED**

**BASE MACHINE****GROUP 01**

|                 |          |                                                                                                     |          |  |           |
|-----------------|----------|-----------------------------------------------------------------------------------------------------|----------|--|-----------|
| <b>MFGC1710</b> |          | <b>MFGC1710 Hydrostatic Base Tractor Loader Backhoe</b>                                             |          |  |           |
| F-J-LE3         | 72530382 | 4WD Platform Tractor with Joystick<br>Includes DL95 Loader and CB65 Backhoe<br>completely assembled | 05C15906 |  | 18,713.00 |

**\* ALL Tractors will be charged \$135 for Assembly**

**TIRES & WHEELS****GROUP 02**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

|           |                                                              |        |     |        |
|-----------|--------------------------------------------------------------|--------|-----|--------|
| 72530281M | Front: 18x8.50-10 AG<br>Rear: 26x12.00-12 AG                 | 05C555 | 148 | 653.00 |
| 72530282M | Front: 18x8.50-10 Turf<br>Rear: 26x12.00-12 Turf             | 65C500 | 140 | 589.00 |
| 72530283M | Front: 18x8.50-10 Industrial<br>Rear: 26x12.00-12 Industrial | 85C595 |     | 701.00 |

**BACKHOE OPTIONS****GROUP 03**

|            |                             |        |  |        |
|------------|-----------------------------|--------|--|--------|
| 72533783ML | 10-inch Bucket with 2 Teeth | 65C296 |  | 349.00 |
| 72533784ML | 12-inch Bucket with 3 Teeth | 00C340 |  | 400.00 |

**FRENCH OPERATOR'S MANUAL****GROUP 04**

|          |                          |  |  |           |
|----------|--------------------------|--|--|-----------|
| 72530175 | French Operator's Manual |  |  | No Charge |
|----------|--------------------------|--|--|-----------|





# GC1715 GARDEN COMPACT

MASSEY FERGUSON®

(F.O.B. Port of Entry)

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 25.0 Gross HP 3 Cyl Diesel 68.5 CID (1.1 L)
  - 23.9 Net HP @ 3000 RPM
  - 19.6 PTO HP @ 3000 RPM
- Dry Type Single Air Cleaner
- Transmission: 2 Range Hydrostatic with Cruise Control
- Wet Disk Brakes
- Parking Brake
- Differential Lock
- PTO: 540 RPM Independent PTO  
2000 RPM Mid Independent PTO

### HYDRAULIC SYSTEM

- 3-Point Hitch, Cat I With Directional Control,
- Auto Return Lever System
- Engine Driven Gear Pump
- 3-Point Hitch 4.8 GPM (15.5 LPM)
- Power Steering 2.0 GPM (7.5 LPM)
- Total Combined Flow 6.8 GPM (23.1 LPM)

### INSTRUMENTS

- Tachometer / Hourmeter
- Engine Coolant Gauge Fuel Gauge
- Warning Lights: Electrical Charging and Oil Pressure and Water Temperature

### OTHER STANDARD FEATURES

- Hydrostatic Power Steering
- Hand Accelerator
- Forward And Reverse Foot Pedal
- Electric Fuel Shut-Off
- 12 Volt Electrical System
- Battery: 390 Cold Cranking Amps
- Full Adjustable Seat With Retractable Seat Belt
- 2 Post Fixed ROPS
- Tilt-Up Hood
- Turn Signals, Flashers, Tail Lights
- Factory Joystick
- Hydraulic Manifold with Pressure and Return Lines on Model with Factory Joystick

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL95 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 1.6 inch Double Acting Lift Cylinders
- (2) 1.75 inch Double Acting Bucket Cylinders
- Regenerative Hydraulics for Simultaneous Operation of Lift/Lower and Curl/Dump Functions
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- 48-inch Standard Duty Pin-Type Bucket
- Grille Guard Standard
- Maximum Lift Height: 72.8 Inches
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 580 lbs
- Breakout Force: 920 lbs
- Rated Hydraulic Pressure: 1914 PSI
- Fits all GC1700 Series Tractors

### AVAILABLE ATTACHMENTS (REFER TO IMPLEMENT SECTIONS)

- MF 2315, 2320 and 2326 Mid Mounted Mowers
- MF 2360 Front Mounted Snow Blower
- MF 2330 Front Mounted Rotary Broom
- MF 2335 Front Mounted Blade
- MF 2340 Front Mounted Heavy Duty Blade

# GC1715 GARDEN COMPACT



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|                 |          |                                          |          |  |           |
|-----------------|----------|------------------------------------------|----------|--|-----------|
| <b>MFGC1715</b> |          | <b>MFGC1715 Hydrostatic Base Tractor</b> |          |  |           |
| F-J-RE3         | 72530383 | 4wd Platform with Factory Joystick       | 25C10255 |  | 12,065.00 |

## **LOADER**

## **GROUP 02**

|          |                                                                       |         |     |          |
|----------|-----------------------------------------------------------------------|---------|-----|----------|
| 72533626 | MFDL95 Loader Package<br>Includes: Mount, Bucket, Hoses, Grille Guard | 00C2397 | 486 | 2,820.00 |
|----------|-----------------------------------------------------------------------|---------|-----|----------|

**\* ALL Tractors will be charged \$135 for Assembly**

## **TIRES & WHEELS - Choose only one set of Tires & Wheels**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **For Tractor or Tractor-Loader:**

|           |                                                              |        |     |        |
|-----------|--------------------------------------------------------------|--------|-----|--------|
| 72530281M | Front: 18x8.50-10 AG<br>Rear: 26x12.00-12 AG                 | 05C555 | 148 | 653.00 |
| 72530282M | Front: 18x8.50-10 Turf<br>Rear: 26x12.00-12 Turf             | 65C500 | 140 | 589.00 |
| 72530283M | Front: 18x8.50-10 Industrial<br>Rear: 26x12.00-12 Industrial | 85C595 |     | 701.00 |

## **FRENCH OPERATOR'S MANUAL**

## **GROUP 04**

|          |                          |  |  |           |
|----------|--------------------------|--|--|-----------|
| 72530175 | French Operator's Manual |  |  | No Charge |
|----------|--------------------------|--|--|-----------|



# GC1720 TLB GARDEN COMPACT

TRACTOR LOADER BACKHOE

MASSEY FERGUSON®

(F.O.B. Port of Entry)

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 25.0 Gross HP 3 Cyl Diesel 68.5 CID (1.1 L)
  - 23.9 Net HP @ 3000 RPM
  - 19.6 PTO HP @ 3000 RPM
- Dry Type Single Air Cleaner
- Transmission: 2 Range Hydrostatic with Cruise Control
- Wet Disk Brakes
- Parking Brake
- Differential Lock
- PTO: 540 RPM Independent PTO  
2000 RPM Mid Independent PTO

### HYDRAULIC SYSTEM

- 3-Point Hitch Rockshaft with Control Valve  
Category I Lower Draft Arms
- Engine Driven Gear Pump
- 3-Point Hitch 4.8 GPM (15.5 LPM)
- Power Steering 2.0 GPM (7.5 LPM)
- Total Combined Flow 6.8 GPM (23.1 LPM)

### INSTRUMENTS

- Tachometer / Hourmeter
- Engine Coolant Gauge Fuel Gauge
- Warning Lights: Electrical Charging and Oil Pressure and Water Temperature

### OTHER STANDARD FEATURES

- Hydrostatic Power Steering
- Hand Accelerator
- Side by Side Forward and Reverse Pedals
- Electric Fuel Shut-Off
- 12 Volt Electrical System
- Battery: 390 Cold Cranking Amps
- Full Adjustable Seat With Retractable Seat Belt
- 2 Post Folding Rops
- Tilt-Up Hood
- Turn Signals, Flashers, Tail Lights
- Factory Joystick
- Hydraulic Manifold with Pressure and Return Lines on Model with Factory Joystick

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL95 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 1.6 inch Double Acting Lift Cylinders
- (2) 1.75 inch Double Acting Bucket Cylinders
- Regenerative Hydraulics for Simultaneous Operation of Lift/Lower and Curl/Dump Functions
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- 48-inch Standard Duty Pin-Type Bucket
- Grille Guard Standard
- Maximum Lift Height: 72.8 Inches
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 580 lbs
- Breakout Force: 920 lbs
- Rated Hydraulic Pressure: 1914 PSI
- Fits all GC1700 Series Tractors

### MF CB65 BACKHOE

- Digging Depth: 78 inch (2.0 m)
- Max Reach: 107 inch (2.7 m)
- Transport Height: 71 inches (1.8 m)
- Stabilizer Spread - Transport: 47 inch (1.2 m)
- Stabilizer Spread - Operating: 80 inch (2.0 m)
- Loading Height: 66 inch (1.7 m)
- Angle of Departure: 20 Degrees
- Swing Arc: 150 Degrees
- Bucket Rotation: 177 Degrees
- Shipping Weight: 635 lbs (288 kg)
- Digging Force Using Bucket Cylinder: 2476 lb (1123 kg)
- Digging Force Using Dipper Cylinder: 1748 lb (793 kg)
- Single Cylinder Boom Swing

NOTE: Dimensions may change due to tire size

### AVAILABLE ATTACHMENTS (REFER TO IMPLEMENT SECTIONS)

- MF 2315, 2320, 2326 Mid Mounted Mowers
- MF 2360 Front Mounted Snow Blower
- MF 2330 Front Mounted Rotary Broom
- MF 2335 Front Mounted Blade
- MF 2340 Front Mounted Heavy Duty Blade

# GC1720 TLB GARDEN COMPACT



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR, LOADER AND BACKHOE BELOW  
THEN ORDER ONE CODE FROM GROUP 02 THROUGH 04 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|                 |          |                                                                                                     |          |  |           |
|-----------------|----------|-----------------------------------------------------------------------------------------------------|----------|--|-----------|
| <b>MFGC1720</b> |          | <b>MFGC1720 Hydrostatic Base Tractor Loader Backhoe</b>                                             |          |  |           |
| F-J-LE3         | 72530384 | 4WD Platform Tractor with Joystick<br>Includes DL95 Loader and CB65 Backhoe<br>completely assembled | 05C17538 |  | 20,633.00 |

**\* ALL Tractors will be charged \$135 for Assembly**

## **TIRES & WHEELS**

## **GROUP 02**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

|           |                                                              |        |     |        |
|-----------|--------------------------------------------------------------|--------|-----|--------|
| 72530281M | Front: 18x8.50-10 AG<br>Rear: 26x12.00-12 AG                 | 05C555 | 148 | 653.00 |
| 72530282M | Front: 18x8.50-10 Turf<br>Rear: 26x12.00-12 Turf             | 65C500 | 140 | 589.00 |
| 72530283M | Front: 18x8.50-10 Industrial<br>Rear: 26x12.00-12 Industrial | 85C595 |     | 701.00 |

## **BACKHOE OPTIONS**

## **GROUP 03**

|            |                             |        |  |        |
|------------|-----------------------------|--------|--|--------|
| 72533783ML | 10-inch Bucket with 2 Teeth | 65C296 |  | 349.00 |
| 72533784ML | 12-inch Bucket with 3 Teeth | 00C340 |  | 400.00 |

## **FRENCH OPERATOR'S MANUAL**

## **GROUP 04**

|          |                          |  |  |           |
|----------|--------------------------|--|--|-----------|
| 72530175 | French Operator's Manual |  |  | No Charge |
|----------|--------------------------|--|--|-----------|



**MASSEY FERGUSON®**

**RESERVED**

# MF 1726E



(F.O.B. Port of Entry)

MASSEY FERGUSON®

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 24.0 Rated HP Shibaura 3-Cylinder Liquid-Cooled Diesel
  - 1.5L (91.5 Cu. In.) In-Direct Injection System
  - Internal Exhaust Gas Recirculation (iEGR),
  - Electronic Engine Control
  - 21 PTO HP @ 2600 RPM - Gear
  - 20 PTO HP @ 2600 RPM - Hydrostatic
  - Emission Standard Category: Tier 4 Compliant, EPA and CARB Certified
- Single Stage, Dry Element Type Air Cleaner
- Transmission:
  - 9F / 3R Speeds Gear Transmission
  - Hydrostatic: 3 Non-Synchronized Ranges
- Sealed Wet Disc Brakes
- Pedal Operated Rear Differential Lock
- PTO:
  - Rear - 540 RPM Transmission Driven PTO with Overrunning Clutch
  - Not Mid PTO Capable

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control
- Lift Capacity @ Hitch Point: 2205 lbs (1000 kg) @ 24 inches: 1600 lbs (725 kg)
- Dual Engine Driven Gear Pump
- Flow at Remotes 6.7 GPM (25.5 LPM)
- Power Steering Pump 3.8 GPM (14.4 LPM)
- Total Combined Flow 10.5 GPM (39.9 LPM)
- Can Support up to 2 Rear Remote Valves (Optional, Dealer Installed)

### INSTRUMENTS

- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control
- Regen Lights

### OTHER STANDARD FEATURES

- Steel Tilt-up Hood
- Adjustable Spring Suspension Seat
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 2 Headlights

• **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF L105E LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.0 inch Double Acting Lift Cylinders
- (2) 2.2 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Skid Steer or Pin-Type Implement Attachments
- Grille Guard Standard
- Fits all MF1700E Series Economy Compact Tractor Models with R1 AG, R3 Turf or R4 Industrial Tires
- Maximum Lift Height: 95.7 inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 830 lbs
- Breakout Force: 1460 lbs
- Rated Hydraulic Pressure: 2132 PSI



# MF 1726E

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 05 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

|                 |          |                                       |          |           |
|-----------------|----------|---------------------------------------|----------|-----------|
| <b>MF1726E</b>  |          | <b>MF1726E Base Tractor</b>           |          |           |
| F-RE3           | 72530407 | 4wd Platform Gear 9x3 Transmission    | 55C11273 | 13,263.00 |
| <b>MF1726EH</b> |          | <b>MF1726EH Base Tractor</b>          |          |           |
| F-H-RE3         | 72530408 | 4wd Platform Hydrostatic Transmission | 80C12416 | 14,608.00 |

**LOADER**

**GROUP 02**

|          |                                                                                 |         |          |
|----------|---------------------------------------------------------------------------------|---------|----------|
| 72533739 | MFL105E Loader Package<br>Includes: Mounting Kit with Joystick and Grille Guard | 90C3309 | 3,894.00 |
|----------|---------------------------------------------------------------------------------|---------|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1726E



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## **TIRES & WHEELS - Required**

## **GROUP 03**

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 72530436 | Front: 7-16 6PR R1<br>Rear: 11.2 x 24 4PR R1 Adjustable | 25C1432 | 1,685.00 |
|----------|---------------------------------------------------------|---------|----------|

### **Turf Tires Options**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72530253 | Front: 27 x 8.50-15 4PR<br>Rear: 38 x 14.00-20 4PR | 30C1324 | 1,558.00 |
|----------|----------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72530254 | Front: 27 x 8.50-15 6PR SS<br>Rear: 15 x 19.5 6PR SS | 60C1492 | 1,756.00 |
|----------|------------------------------------------------------|---------|----------|

## **BUCKET OPTIONS - Recommended with Loader Packages**

## **GROUP 04**

|            |                                                                                               |        |        |
|------------|-----------------------------------------------------------------------------------------------|--------|--------|
| 72533678ML | 60-inch Skid Steer Type Material Bucket<br>(Requires 72533709M Quick Attach Tool Carrier Kit) | 50C552 | 650.00 |
| 72533675ML | 60-inch Pin Type Material Bucket                                                              | 50C552 | 650.00 |

## **LOADER ACCESSORIES - The Skid Steer Quick Attach is Required with the Skid Steer Bucket**

## **GROUP 05**

|            |                                                      |        |        |
|------------|------------------------------------------------------|--------|--------|
| 72533709ML | Skid Steer Type Bucket Quick Attach Tool Carrier Kit | 35C468 | 551.00 |
|------------|------------------------------------------------------|--------|--------|





# MF 1734E

MASSEY FERGUSON®

(F.O.B. Port of Entry)

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 34.0 Rated HP Shibaura 3-Cylinder Liquid-Cooled Diesel
  - 1.5L (91.5 Cu. In.) Turbocharged, In-Direct Injection System
  - Internal Exhaust Gas Recirculation (iEGR), Diesel Oxidation Catalyst (DOC), Regenerating Diesel Particulate Filter (DPF), Electronic Engine Control
  - 29.0 PTO HP @ 2600 RPM - Gear
  - 27.2 PTO HP @ 2600 RPM - Hydrostatic
  - Emission Standard Category: Tier 4 Compliant, EPA and CARB Certified
- Single Stage, Dry Element Type Air Cleaner
- Transmission:
  - 9F / 3R Speeds Gear Transmission
  - Hydrostatic: 3 Non-Synchronized Ranges
- Sealed Wet Disc Brakes
- Pedal Operated Rear Differential Lock
- PTO:
  - Rear - 540 RPM Transmission Driven PTO with Overrunning Clutch
  - Not Mid PTO Capable

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control
- Lift Capacity @ Hitch Point: 2205 lbs (1000 kg)
  - @ 24 inches: 1600 lbs (725 kg)
- Dual Engine Driven Gear Pump
- Flow at Remotes 6.7 GPM (25.5 LPM)
- Power Steering Pump 3.8 GPM (14.4 LPM)
- Total Combined Flow 10.5 GPM (39.9 LPM)
- Can Support up to 2 Rear Remote Valves (Optional, Dealer Installed)

### INSTRUMENTS

- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control
- Regen Lights

### OTHER STANDARD FEATURES

- Steel Tilt-up Hood
- Adjustable Spring Suspension Seat
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 2 Headlights

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF L105E LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.0 inch Double Acting Lift Cylinders
- (2) 2.2 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Skid Steer or Pin-Type Implement Attachments
- Grille Guard Standard
- Fits all MF1700E Series Economy Compact Tractor Models with R1 AG, R3 Turf or R4 Industrial Tires
- Maximum Lift Height: 95.7 inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 830 lbs
- Breakout Force: 1460 lbs
- Rated Hydraulic Pressure: 2132 PSI

# MF 1734E



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 05 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

|                 |          |                                       |          |  |           |
|-----------------|----------|---------------------------------------|----------|--|-----------|
| <b>MF1734E</b>  |          | <b>MF1734E Base Tractor</b>           |          |  |           |
| F-RE3           | 72530356 | 4wd Platform Gear 9x3 Transmission    | 45C13274 |  | 15,617.00 |
| <b>MF1734EH</b> |          | <b>MF1734EH Base Tractor</b>          |          |  |           |
| F-H-RE3         | 72530355 | 4wd Platform Hydrostatic Transmission | 70C14417 |  | 16,962.00 |

**LOADER**

**GROUP 02**

|          |                                                                                 |         |  |          |
|----------|---------------------------------------------------------------------------------|---------|--|----------|
| 72533739 | MFL105E Loader Package<br>Includes: Mounting Kit with Joystick and Grille Guard | 90C3309 |  | 3,894.00 |
|----------|---------------------------------------------------------------------------------|---------|--|----------|

**\* ALL Tractors will be charged \$325 for Assembly**



# MF 1734E

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**TIRES & WHEELS - Required**

**GROUP 03**

**AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 72530436 | Front: 7-16 6PR R1<br>Rear: 11.2 x 24 4PR R1 Adjustable | 25C1432 | 1,685.00 |
|----------|---------------------------------------------------------|---------|----------|

**Turf Tires Options**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72530253 | Front: 27 x 8.50-15 4PR<br>Rear: 38 x 14.00-20 4PR | 30C1324 | 1,558.00 |
|----------|----------------------------------------------------|---------|----------|

**Industrial Tires Options**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72530254 | Front: 27 x 8.50-15 6PR SS<br>Rear: 15 x 19.5 6PR SS | 60C1492 | 1,756.00 |
|----------|------------------------------------------------------|---------|----------|

**BUCKET OPTIONS - Recommended with Loader Packages**

**GROUP 04**

|            |                                                                                               |        |        |
|------------|-----------------------------------------------------------------------------------------------|--------|--------|
| 72533678ML | 60-inch Skid Steer Type Material Bucket<br>(Requires 72533709M Quick Attach Tool Carrier Kit) | 50C552 | 650.00 |
| 72533675ML | 60-inch Pin Type Material Bucket                                                              | 50C552 | 650.00 |

**LOADER ACCESSORIES - The Skid Steer Quick Attach is Required with the Skid Steer Bucket**

**GROUP 05**

|            |                                                      |        |        |
|------------|------------------------------------------------------|--------|--------|
| 72533709ML | Skid Steer Type Bucket Quick Attach Tool Carrier Kit | 35C468 | 551.00 |
|------------|------------------------------------------------------|--------|--------|

# MF 1739E



(F.O.B. Port of Entry)

MASSEY FERGUSON®

## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 38.5 Rated HP Shibaura 3-Cylinder Liquid-Cooled Diesel
  - 1.5L (91.5 Cu. In.) Turbocharged, In-Direct Injection System
  - Internal Exhaust Gas Recirculation (iEGR), Diesel Oxidation Catalyst (DOC), Regenerating Diesel Particulate Filter (DPF), Electronic Engine Control
  - 32.7 PTO HP @ 2600 RPM - Gear
  - 30.9 PTO HP @ 2600 RPM - Hydrostatic
  - Emission Standard Category: Tier 4 Compliant, EPA and CARB Certified
- Single Stage, Dry Element Type Air Cleaner
- Transmission:
  - 9F / 3R Speeds Gear Transmission
  - Hydrostatic: 3 Non-Synchronized Ranges
- Sealed Wet Disc Brakes
- Pedal Operated Rear Differential Lock
- PTO:
  - Gear: Rear - 540 RPM Independent PTO
  - HST: Rear - 540 RPM Transmission Driven PTO with Overrunning Clutch
  - Not Mid PTO Capable

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control
- Lift Capacity @ Hitch Point: 2205 lbs (1000 kg)
  - @ 24 inches: 1600 lbs (725 kg)
- Flow at Remotes 7.2 GPM (27.3 LPM)
- Power Steering Pump 4.1 GPM (15.4 LPM)
- Total Combined Flow 11.3 GPM (42.7 LPM)
- Can Support up to 2 Rear Remote Valves (Optional, Dealer Installed)

### INSTRUMENTS

- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control
- Regen Lights

### OTHER STANDARD FEATURES

- Steel Tilt-up Hood
- Adjustable Spring Suspension Seat
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 2 Headlights

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF L105E LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.0 inch Double Acting Lift Cylinders
- (2) 2.2 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Skid Steer or Pin-Type Implement Attachments
- Grille Guard Standard
- Fits all MF1700E Series Economy Compact Tractor Models with R1 AG, R3 Turf or R4 Industrial Tires
- Maximum Lift Height: 95.7 inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 830 lbs
- Breakout Force: 1460 lbs
- Rated Hydraulic Pressure: 2132 PSI



# MF 1739E

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 05 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

|                 |          |                                       |          |           |
|-----------------|----------|---------------------------------------|----------|-----------|
| <b>MF1739E</b>  |          | <b>MF1739E Base Tractor</b>           |          |           |
| F-G-RE3         | 72530357 | 4wd Platform Gear 9x3 Transmission    | 60C15075 | 17,736.00 |
| <b>MF1739EH</b> |          | <b>MF1739EH Base Tractor</b>          |          |           |
| F-H-RE3         | 72530358 | 4wd Platform Hydrostatic Transmission | 85C16218 | 19,081.00 |

**LOADER**

**GROUP 02**

|          |                                                                                 |         |          |
|----------|---------------------------------------------------------------------------------|---------|----------|
| 72533739 | MFL105E Loader Package<br>Includes: Mounting Kit with Joystick and Grille Guard | 90C3309 | 3,894.00 |
|----------|---------------------------------------------------------------------------------|---------|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1739E



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## **TIRES & WHEELS - Required**

## **GROUP 03**

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 72530436 | Front: 7-16 6PR R1<br>Rear: 11.2 x 24 4PR R1 Adjustable | 25C1432 | 1,685.00 |
|----------|---------------------------------------------------------|---------|----------|

### **Turf Tires Options**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72530253 | Front: 27 x 8.50-15 4PR<br>Rear: 38 x 14.00-20 4PR | 30C1324 | 1,558.00 |
|----------|----------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72530254 | Front: 27 x 8.50-15 6PR SS<br>Rear: 15 x 19.5 6PR SS | 60C1492 | 1,756.00 |
|----------|------------------------------------------------------|---------|----------|

## **BUCKET OPTIONS - Recommended with Loader Packages**

## **GROUP 04**

|            |                                                                                               |        |        |
|------------|-----------------------------------------------------------------------------------------------|--------|--------|
| 72533678ML | 60-inch Skid Steer Type Material Bucket<br>(Requires 72533709M Quick Attach Tool Carrier Kit) | 50C552 | 650.00 |
| 72533675ML | 60-inch Pin Type Material Bucket                                                              | 50C552 | 650.00 |

## **LOADER ACCESSORIES - The Skid Steer Quick Attach is Required with the Skid Steer Bucket**

## **GROUP 05**

|            |                                                      |        |        |
|------------|------------------------------------------------------|--------|--------|
| 72533709ML | Skid Steer Type Bucket Quick Attach Tool Carrier Kit | 35C468 | 551.00 |
|------------|------------------------------------------------------|--------|--------|



**MASSEY FERGUSON®**

**RESERVED**



## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 36.2 Rated HP Mitsubishi 3-Cylinder liquid cooled Diesel, 1.7L (101 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 27.5 PTO HP @ 2500 RPM - Shuttle
  - 26.3 PTO HP @ 2500 RPM - Hydrostatic
  - Emission Standard Category: Tier 4
- Dual Element Dry Type Air Cleaner
- Transmission:
  - 12F/12R Power Shuttle with 4 Synchronized Gears and 3 Ranges.
- Servo-HST Electronic Hydrostatic Transmission with 3 Ranges, Cruise Control, Stall Guard, Max Speed Control and Response Control
- Sealed Wet Disc Brakes
- Pedal Operated Rear Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic
  - Mid - Optional 2000 RPM Independent

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 2,535 lb (1150 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Dual Engine Driven Gear Pump
- Flow at Remotes 11.6 GPM (43.8 LPM)
- Hydrostatic Power Steering
- One Rear Remote Valve Standard on Cab Models, up to 3 Possible. Loader Joystick Standard

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform w/ Molded Rubber Floor Mat
- One Piece Tilt-up Hood
- 3 Position Tilt Steering
- Deluxe Adjustable Suspension Seat with Arm Rest
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 4 Headlights

### CAB FEATURES

- Heating and Air Conditioning
- Wired for Radio and Speakers
- Front and Rear Wiper / Washer
- 2 Front Work Lights
- 2 Rear Work Lights
- Rear and Side opening Windows
- Right and Left Entry Doors
- Right and Left External Mirrors
- Deluxe Digital Display with Ground Speed, Engine Coolant, Temperature, Fuel Level & Diagnostic Readout
- ROPS Certified
- Recirculation Filter

• **Note: 3-Point Backhoe Installation Voids Warranty**

• **Note: MF1736L with 4238082 MFDL120 Loader package is Not Compatible with MF1705 Mid Mount Mower; however, it is Compatible with MFDL125 Loader package with Industrial R4 Tire 7496747M Only.**

## IMPLEMENT FEATURES

### MF DL125 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.4 inch Double Acting Lift Cylinders
- (2) 2.4 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- 3rd Function Capable, Soft-Drive Capable
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Implement Attachment
- Grille Guard Standard
- Fits MF1736 and MF1742 Compact Tractor Models with R1 AG, R3 Turf, or R4 Industrial Tires
- Maximum Lift Height: 102.4 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1300 lbs
- Breakout Force: 2190 lbs
- Rated Hydraulic Pressure: 2277 PSI





# MF 1736

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

**MF1736**

**MF1736 Power Shuttle Tractor**

|           |          |                                                                                 |          |           |
|-----------|----------|---------------------------------------------------------------------------------|----------|-----------|
| F-P-RE3-J | 72530286 | 4wd Platform Power Shuttle 12x12<br>Factory Installed Joystick with Mid-Coupler | 90C17912 | 21,074.00 |
|-----------|----------|---------------------------------------------------------------------------------|----------|-----------|

|              |          |                                                                                                   |          |           |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|-----------|
| F-P-V-CYE3-J | 72530288 | 4wd Cab Power Shuttle 12x12 with 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 25C24467 | 28,785.00 |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|-----------|

**MF1736H**

**MF1736 Hydrostatic Tractor**

|           |          |                                                                      |          |           |
|-----------|----------|----------------------------------------------------------------------|----------|-----------|
| F-H-RE3-J | 72530287 | 4wd Platform HST with Factory Installed<br>Joystick with Mid-Coupler | 10C18484 | 21,746.00 |
|-----------|----------|----------------------------------------------------------------------|----------|-----------|

|              |          |                                                                                                     |          |           |
|--------------|----------|-----------------------------------------------------------------------------------------------------|----------|-----------|
| F-H-V-CYE3-J | 72530289 | 4wd Cab HST with Factory Installed 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 30C25039 | 29,458.00 |
|--------------|----------|-----------------------------------------------------------------------------------------------------|----------|-----------|

**LOADER**

**GROUP 02**

|          |                                                                                                 |         |          |
|----------|-------------------------------------------------------------------------------------------------|---------|----------|
| 72533740 | MFDL125 Loader Package, Skid Steer Attach<br>Includes: Mounting Kit, Grille Guard, and Hose Kit | 50C3085 | 3,630.00 |
|----------|-------------------------------------------------------------------------------------------------|---------|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1736

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**TIRES & WHEELS - Required****GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

**AG Tires Options**

|          |                                                                 |         |          |
|----------|-----------------------------------------------------------------|---------|----------|
| 7496701M | Front: 8-16 6 PR R1 HTL<br>Rear: 12.4x24 6 PR R1 HTL Adjustable | 20C1710 | 2,012.00 |
| 7140701M | Front: 8-16 6 PR R1 HTL<br>Rear: 13.6x24 6 PR R1 HTL Adjustable | 20C1795 | 2,112.00 |

**Turf Tires Options**

|          |                                                        |         |          |
|----------|--------------------------------------------------------|---------|----------|
| 7496723M | Front: 27x8.50-15 4 PR MT<br>Rear: 41x14.00-20 4 PR MT | 30C1324 | 1,558.00 |
|----------|--------------------------------------------------------|---------|----------|

**Industrial Tires Options**

|          |                                                               |         |          |
|----------|---------------------------------------------------------------|---------|----------|
| 7496745M | Front: 10-16.5 6 PR SS TL<br>Rear: 14.9-24 6 PR R4 Adjustable | 80C1859 | 2,188.00 |
| 7498710M | Front: 10-16.5 6 PR<br>Rear: 17.5L-24 6P R4 Adjustable        | 75C2069 | 2,435.00 |
| 7496747M | Front: 25x8.5-14 6PR SS<br>Rear: 15x19.5 6PR SS               | 60C1492 | 1,756.00 |

**BUCKET OPTIONS - Recommended with Loader Packages****GROUP 04**

|            |                           |        |     |        |
|------------|---------------------------|--------|-----|--------|
| 72533679ML | 66-inch Skid Steer Bucket | 65C551 | 228 | 649.00 |
| 72533680ML | 72-inch Skid Steer Bucket | 65C585 | 228 | 689.00 |



**MASSEY FERGUSON®**

**RESERVED**



## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 41.6 Rated HP Mitsubishi 3-Cylinder liquid cooled Diesel, 1.7L (101 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 32.8 PTO HP @ 2500 RPM - Shuttle
  - 31.6 PTO HP @ 2500 RPM - Hydrostatic
  - Emission Standard Category: Tier 4
- Dual Element Dry Type Air Cleaner
- Transmission:
  - 12F/12R Power Shuttle with 4 Synchronized Gears and 3 Ranges.
- Servo-HST Electronic Hydrostatic Transmission with 3 Ranges, Cruise Control, Stall Guard, Max Speed Control and Response Control
- Sealed Wet Disc Brakes
- Pedal Operated Rear Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic
  - Mid - Optional 2000 RPM Independent

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 2,535 lb (1150 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Dual Engine Driven Gear Pump
- Flow at Remotes 11.6 GPM (43.8 LPM)
- Hydrostatic Power Steering
- One Rear Remote Valve Standard on Cab Models, up to 3 Possible. Loader Joystick Standard

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform w/ Molded Rubber Floor Mat
- One Piece Tilt-up Hood
- 3 Position Tilt Steering
- Deluxe Adjustable Suspension Seat with Arm Rest
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 4 Headlights

### CAB FEATURES

- Heating and Air Conditioning
- Wired for Radio and Speakers
- Front and Rear Wiper / Washer
- 2 Front Work Lights
- 2 Rear Work Lights
- Rear and Side opening Windows
- Right and Left Entry Doors
- Right and Left External Mirrors
- Deluxe Digital Display with Ground Speed, Engine Coolant, Temperature, Fuel Level & Diagnostic Readout
- ROPS Certified
- Recirculation Filter

• **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL125 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.4 inch Double Acting Lift Cylinders
- (2) 2.4 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- 3rd Function Capable, Soft-Drive Capable
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Implement Attachment
- Grille Guard Standard
- Fits MF1736 and MF1742 Compact Tractor Models with R1 AG, R3 Turf, or R4 Industrial Tires
- Maximum Lift Height: 102.4 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1300 lbs
- Breakout Force: 2190 lbs
- Rated Hydraulic Pressure: 2277 PSI



# MF 1742

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

**MF1742**

**MF1742 Power Shuttle Tractor**

|           |          |                                                                                      |          |           |
|-----------|----------|--------------------------------------------------------------------------------------|----------|-----------|
| F-P-RE3-J | 72530290 | 4wd Platform Power Shuttle 12x12 with<br>Factory Installed Joystick with Mid-Coupler | 50C20357 | 23,950.00 |
|-----------|----------|--------------------------------------------------------------------------------------|----------|-----------|

|              |          |                                                                                                   |          |           |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|-----------|
| F-P-V-CYE3-J | 72530292 | 4wd Cab Power Shuttle 12x12 with 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 85C26911 | 31,661.00 |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|-----------|

**MF1742H**

**MF1742 Hydrostatic Tractor**

|           |          |                                                                      |          |           |
|-----------|----------|----------------------------------------------------------------------|----------|-----------|
| F-H-RE3-J | 72530291 | 4wd Platform HST with Factory Installed<br>Joystick with Mid-Coupler | 70C20928 | 24,622.00 |
|-----------|----------|----------------------------------------------------------------------|----------|-----------|

|              |          |                                                                                                     |          |           |
|--------------|----------|-----------------------------------------------------------------------------------------------------|----------|-----------|
| F-H-V-CYE3-J | 72530293 | 4wd Cab HST with Factory Installed 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 90C27483 | 32,334.00 |
|--------------|----------|-----------------------------------------------------------------------------------------------------|----------|-----------|

**LOADER**

**GROUP 02**

|          |                                                                                                 |         |          |
|----------|-------------------------------------------------------------------------------------------------|---------|----------|
| 72533740 | MFDL125 Loader Package, Skid Steer Attach<br>Includes: Mounting Kit, Grille Guard, and Hose Kit | 50C3085 | 3,630.00 |
|----------|-------------------------------------------------------------------------------------------------|---------|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1742



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## TIRES & WHEELS - Required

## GROUP 03

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **AG Tires Options**

|          |                                                                 |         |          |
|----------|-----------------------------------------------------------------|---------|----------|
| 7496701M | Front: 8-16 6 PR R1 HTL<br>Rear: 12.4x24 6 PR R1 HTL Adjustable | 20C1710 | 2,012.00 |
| 7140701M | Front: 8-16 6 PR R1 HTL<br>Rear: 13.6x24 6 PR R1 HTL Adjustable | 20C1795 | 2,112.00 |

### **Turf Tires Options**

|          |                                                        |         |          |
|----------|--------------------------------------------------------|---------|----------|
| 7496723M | Front: 27x8.50-15 4 PR MT<br>Rear: 41x14.00-20 4 PR MT | 30C1324 | 1,558.00 |
|----------|--------------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                               |         |          |
|----------|---------------------------------------------------------------|---------|----------|
| 7496745M | Front: 10-16.5 6 PR SS TL<br>Rear: 14.9-24 6 PR R4 Adjustable | 80C1859 | 2,188.00 |
| 7498710M | Front: 10-16.5 6 PR<br>Rear: 17.5L-24 6P R4 Adjustable        | 75C2069 | 2,435.00 |
| 7496747M | Front: 25x8.5-14 6PR SS<br>Rear: 15x19.5 6PR SS               | 60C1492 | 1,756.00 |

## BUCKET OPTIONS - Recommended with Loader Packages

## GROUP 04

|            |                           |        |     |        |
|------------|---------------------------|--------|-----|--------|
| 72533679ML | 66-inch Skid Steer Bucket | 65C551 | 228 | 649.00 |
| 72533680ML | 72-inch Skid Steer Bucket | 65C585 | 228 | 689.00 |



**MASSEY FERGUSON®**

**RESERVED**



## TRACTOR FEATURES

### POWER TRAIN

- Engine:
  - 48.3 Rated HP Mitsubishi 3-Cylinder liquid cooled Diesel, 1.7L (101 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 39 PTO HP @ 2500 RPM - Shuttle
  - 37.8 PTO HP @ 2500 RPM - Hydrostatic
  - Emission Standard Category: Tier 4
- Dual Element Dry Type Air Cleaner
- Transmission:
  - 12F/12R Power Shuttle with 4 Synchronized Gears and 3 Ranges.
- Servo-HST Electronic Hydrostatic Transmission with 3 Ranges, Cruise Control, Stall Guard, Max Speed Control and Response Control
- Sealed Wet Disc Brakes
- Pedal Operated Rear Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic
  - Mid - Optional 2000 RPM Independent

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 3,086 lb (1400 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Dual Engine Driven Gear Pump
- Flow at Remotes 11.6 GPM (43.8 LPM)
- Hydrostatic Power Steering
- One Rear Remote Valve Standard on Cab Models, up to 3 Possible. Loader Joystick Standard

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform w/ Molded Rubber Floor Mat
- One Piece Tilt-up Hood
- 3 Position Tilt Steering
- Deluxe Adjustable Suspension Seat with Arm Rest
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 4 Headlights

### CAB FEATURES

- Heating and Air Conditioning
- Wired for Radio and Speakers
- Front and Rear Wiper / Washer
- 2 Front Work Lights
- 2 Rear Work Lights
- Rear and Side opening Windows
- Right and Left Entry Doors
- Right and Left External Mirrors
- Deluxe Digital Display with Ground Speed, Engine Coolant, Temperature, Fuel Level & Diagnostic Readout
- ROPS Certified
- Recirculation Filter

• **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL135 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.75 inch Double Acting Lift Cylinders
- (2) 2.75 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- 3rd Function Capable, Soft-Drive Capable
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Implement Attachment
- Grille Guard Standard
- Fits MF1749, 1754, 1758, 1759 Compact Tractor Models with R1 AG, R3 Turf, or R4 Industrial Tires
- Maximum Lift Height: 110.2 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1760 lbs
- Breakout Force: 2870 lbs
- Rated Hydraulic Pressure: 2277 PSI





# MF 1749

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

**MF1749**

**MF1749 Power Shuttle Tractor**

|           |          |                                                                                      |          |           |
|-----------|----------|--------------------------------------------------------------------------------------|----------|-----------|
| F-P-RE3-J | 72530294 | 4wd Platform Power Shuttle 12x12 with<br>Factory Installed Joystick with Mid-Coupler | 55C24091 | 28,343.00 |
|-----------|----------|--------------------------------------------------------------------------------------|----------|-----------|

|              |          |                                                                                                   |          |           |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|-----------|
| F-P-V-CYE3-J | 72530296 | 4wd Cab Power Shuttle 12x12 with 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 80C30487 | 35,868.00 |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|-----------|

**MF1749H**

**MF1749H Hydrostatic Tractor**

|           |          |                                                                      |          |           |
|-----------|----------|----------------------------------------------------------------------|----------|-----------|
| F-H-RE3-J | 72530295 | 4wd Platform HST with<br>Factory Installed Joystick with Mid-Coupler | 00C24650 | 29,000.00 |
|-----------|----------|----------------------------------------------------------------------|----------|-----------|

|              |          |                                                                                   |          |           |
|--------------|----------|-----------------------------------------------------------------------------------|----------|-----------|
| F-H-V-CYE3-J | 72530297 | 4wd Cab HST with 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 25C31046 | 36,525.00 |
|--------------|----------|-----------------------------------------------------------------------------------|----------|-----------|

**LOADER**

**GROUP 02**

|          |                                                                                                 |         |          |
|----------|-------------------------------------------------------------------------------------------------|---------|----------|
| 72533863 | MFDL135 Loader Package, Skid Steer Attach<br>Includes: Mounting Kit, Grille Guard, and Hose Kit | 70C3741 | 4,402.00 |
|----------|-------------------------------------------------------------------------------------------------|---------|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1749



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## **TIRES & WHEELS - Required**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498756M | Front: 9.5x16 6PR R1<br>Rear: 13.6x28 6PR R1 Adjustable | 00C1989 | 2,340.00 |
|----------|---------------------------------------------------------|---------|----------|

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498767M | Front: 9.5x16 6PR R1<br>Rear: 16.9x24 6PR R1 Adjustable | 35C2015 | 2,371.00 |
|----------|---------------------------------------------------------|---------|----------|

### **Turf Tires Options**

|          |                                                   |         |          |
|----------|---------------------------------------------------|---------|----------|
| 7498778M | Front: 27x10.50-15 4 PR<br>Rear: 44x18.00-20 4 PR | 70C2058 | 2,422.00 |
|----------|---------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                          |         |          |
|----------|----------------------------------------------------------|---------|----------|
| 7498710M | Front: 10-16.5 6 PR<br>Rear: 17.5L-24 6 PR R4 Adjustable | 75C2069 | 2,435.00 |
|----------|----------------------------------------------------------|---------|----------|

|          |                                                               |         |          |
|----------|---------------------------------------------------------------|---------|----------|
| 7496745M | Front: 10-16.5 6 PR SS TL<br>Rear: 14.9-24 6 PR R4 Adjustable | 80C1859 | 2,188.00 |
|----------|---------------------------------------------------------------|---------|----------|

## **BUCKET OPTIONS - Recommended with Loader Packages**

## **GROUP 04**

|            |                           |        |     |        |
|------------|---------------------------|--------|-----|--------|
| 72533680ML | 72-inch Skid Steer Bucket | 65C585 | 228 | 689.00 |
|------------|---------------------------|--------|-----|--------|



**MASSEY FERGUSON®**

**RESERVED**

# MF 1754



(F.O.B. Port of Entry)

MASSEY FERGUSON®

## FEATURES

### POWER TRAIN

- Engine:
  - 53.6 Rated HP Mitsubishi 4-Cylinder liquid cooled Diesel, 2.2L (135 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 42.1 PTO HP @ 2500 RPM - Shuttle
  - 40.9 PTO HP @ 2500 RPM - Hydrostatic
  - Emission Standard Category: Tier 4
- Dual Element Dry Type Air Cleaner
- Transmission:
  - 12F/12R Power Shuttle with 4 Synchronized Gears and 3 Ranges.
- Servo-HST Electronic Hydrostatic Transmission with 3 Ranges, Cruise Control, Stall Guard, Max Speed Control and Response Control
- Sealed Wet Disc Brakes
- Pedal Operated Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic
  - Mid - Optional 2000 RPM Independent

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat I with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 3,086 lb (1400 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Dual Engine Driven Gear Pump
- Flow at Remotes 11.6 GPM (43.8 LPM)
- Hydrostatic Power Steering
- One Rear Remote Valve Standard on Cab Models, up to 3 Possible. Loader Joystick Standard

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform w/ Molded Rubber Floor Mat
- One Piece Tilt-up Hood
- 3 Position Tilt Steering
- Deluxe Adjustable Suspension Seat with Arm Rest
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 4 Headlights

### CAB FEATURES

- Heating and Air Conditioning
- Wired for Radio and Speakers
- Front and Rear Wiper / Washer
- 2 Front Work Lights
- 2 Rear Work Lights
- Rear and Side opening Windows
- Right and Left Entry Doors
- Right and Left External Mirrors
- Deluxe Digital Display with Ground Speed, Engine Coolant, Temperature, Fuel Level & Diagnostic Readout
- ROPS Certified
- Recirculation Filter

• **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL135 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.75 inch Double Acting Lift Cylinders
- (2) 2.75 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- 3rd Function Capable, Soft-Drive Capable
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Implement Attachment
- Grille Guard Standard
- Fits MF1749, 1754, 1758, 1759 Compact Tractor Models with R1 AG, R3 Turf, or R4 Industrial Tires
- Maximum Lift Height: 110.2 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1760 lbs
- Breakout Force: 2870 lbs
- Rated Hydraulic Pressure: 2277 PSI



# MF 1754

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

**MF1754**

**MF1754 Power Shuttle Tractor**

|              |          |                                                                                                   |          |  |           |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|--|-----------|
| F-P-RE3-J    | 72530385 | 4wd Platform Power Shuttle 12x12 with<br>Factory Installed Joystick with Mid-Coupler              | 75C25172 |  | 29,615.00 |
| F-P-V-CYE3-J | 72530387 | 4wd Cab Power Shuttle 12x12 with 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 00C31569 |  | 37,140.00 |

**MF1754H**

**MF1754 Hydrostatic Base Tractor**

|              |          |                                                                                   |          |  |           |
|--------------|----------|-----------------------------------------------------------------------------------|----------|--|-----------|
| F-H-RE3-J    | 72530386 | 4wd Platform HST with<br>Factory Installed Joystick with Mid-Coupler              | 20C25731 |  | 30,272.00 |
| F-H-V-CYE3-J | 72530388 | 4wd Cab HST with 1 Rear Remote and<br>Factory Installed Joystick with Mid-Coupler | 60C32126 |  | 37,796.00 |

**LOADER**

**GROUP 02**

|          |                                                                                                                                  |         |  |          |
|----------|----------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|
| 72533865 | MFDL135 Loader Package, Skid Steer Attach<br>for Power Shuttle<br>Includes: Mounting Kit, Grille Guard, and Hose Kit             | 70C3741 |  | 4,402.00 |
| 72533867 | MFDL135 Loader Package, Skid Steer Attach,<br>for Hydrostatic Transmission<br>Includes: Mounting Kit, Grille Guard, and Hose Kit | 70C3741 |  | 4,402.00 |

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1754



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## **TIRES & WHEELS - Required**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498756M | Front: 9.5x16 6PR R1<br>Rear: 13.6x28 6PR R1 Adjustable | 00C1989 | 2,340.00 |
|----------|---------------------------------------------------------|---------|----------|

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498767M | Front: 9.5x16 6PR R1<br>Rear: 16.9x24 6PR R1 Adjustable | 35C2015 | 2,371.00 |
|----------|---------------------------------------------------------|---------|----------|

### **Turf Tires Options**

|          |                                                   |         |          |
|----------|---------------------------------------------------|---------|----------|
| 7498778M | Front: 27x10.50-15 4 PR<br>Rear: 44x18.00-20 4 PR | 70C2058 | 2,422.00 |
|----------|---------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                          |         |          |
|----------|----------------------------------------------------------|---------|----------|
| 7498710M | Front: 10-16.5 6 PR<br>Rear: 17.5L-24 6 PR R4 Adjustable | 75C2069 | 2,435.00 |
|----------|----------------------------------------------------------|---------|----------|

|          |                                                               |         |          |
|----------|---------------------------------------------------------------|---------|----------|
| 7496745M | Front: 10-16.5 6 PR SS TL<br>Rear: 14.9-24 6 PR R4 Adjustable | 80C1859 | 2,188.00 |
|----------|---------------------------------------------------------------|---------|----------|

## **BUCKET OPTIONS - Recommended with Loader Packages**

## **GROUP 04**

|            |                           |        |     |        |
|------------|---------------------------|--------|-----|--------|
| 72533680ML | 72-inch Skid Steer Bucket | 65C585 | 228 | 689.00 |
|------------|---------------------------|--------|-----|--------|



**MASSEY FERGUSON®**

**RESERVED**



## FEATURES

### POWER TRAIN

- Engine:
  - 59 Rated HP Mitsubishi 4-Cylinder liquid cooled Diesel, 2.2L (135 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 44.4 PTO HP @ 2500 RPM - Hydrostatic
  - Emission Standard Category: Tier 4
- Dual Element Dry Type Air Cleaner
- Transmission:
  - Servo-HST Electronic Hydrostatic Transmission with 3 Ranges, Cruise Control, Stall Guard, Max Speed Control and Response Control
- Sealed Wet Disc Brakes
- Pedal Operated Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic
  - Mid - Optional 2000 RPM Independent

### HYDRAULIC SYSTEM

- 3-point Hitch Cat. I/II with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 3,086 lb (1400 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Dual Engine Driven Gear Pump
- Flow at Remotes 11.6 GPM (43.8 LPM)
- Hydrostatic Power Steering
- One Rear Remote Valve Standard on Cab Models, up to 3 Possible. Loader Joystick Standard

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform w/ Molded Rubber Floor Mat
- One Piece Tilt-up Hood
- 3 Position Tilt Steering
- Deluxe Adjustable Suspension Seat with Arm Rest
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 4 Headlights

### CAB FEATURES

- Heating and Air Conditioning
- Wired for Radio and Speakers
- Front and Rear Wiper / Washer
- 2 Front Work Lights
- 2 Rear Work Lights
- Rear and Side opening Windows
- Right and Left Entry Doors
- Right and Left External Mirrors
- Deluxe Digital Display with Ground Speed, Engine Coolant, Temperature, Fuel Level & Diagnostic Readout
- ROPS Certified
- Recirculation Filter

• **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL135 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.75 inch Double Acting Lift Cylinders
- (2) 2.75 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- 3rd Function Capable, Soft-Drive Capable
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Implement Attachment
- Grille Guard Standard
- Fits MF1749, 1754, 1758, 1759 Compact Tractor Models with R1 AG, R3 Turf, or R4 Industrial Tires
- Maximum Lift Height: 110.2 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1760 lbs
- Breakout Force: 2870 lbs
- Rated Hydraulic Pressure: 2277 PSI





# MF 1758

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

|                |          |                                                                                         |          |  |           |
|----------------|----------|-----------------------------------------------------------------------------------------|----------|--|-----------|
| <b>MF1758H</b> |          | <b>MF1758 Hydrostatic Tractor</b>                                                       |          |  |           |
| F-H-RE3-J      | 72530389 | 4wd Platform Servo HST with<br>Factory Installed Joystick with Mid-Coupler              | 05C27109 |  | 31,893.00 |
| F-H-V-CYE3-J   | 72530390 | 4wd Cab Servo HST with 1 Rear Remote and<br>Factory Installed Joystick with Mid-Coupler | 45C33504 |  | 39,417.00 |

**LOADER**

**GROUP 02**

|  |          |                                                                                                                                  |         |  |          |
|--|----------|----------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|
|  | 72533867 | MFDL135 Loader Package, Skid Steer Attach,<br>for Hydrostatic Transmission<br>Includes: Mounting Kit, Grille Guard, and Hose Kit | 70C3741 |  | 4,402.00 |
|--|----------|----------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1758



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## **TIRES & WHEELS - Required**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498756M | Front: 9.5x16 6PR R1<br>Rear: 13.6x28 6PR R1 Adjustable | 00C1989 | 2,340.00 |
|----------|---------------------------------------------------------|---------|----------|

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498767M | Front: 9.5x16 6PR R1<br>Rear: 16.9x24 6PR R1 Adjustable | 35C2015 | 2,371.00 |
|----------|---------------------------------------------------------|---------|----------|

### **Turf Tires Options**

|          |                                                   |         |          |
|----------|---------------------------------------------------|---------|----------|
| 7498778M | Front: 27x10.50-15 4 PR<br>Rear: 44x18.00-20 4 PR | 70C2058 | 2,422.00 |
|----------|---------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                          |         |          |
|----------|----------------------------------------------------------|---------|----------|
| 7498710M | Front: 10-16.5 6 PR<br>Rear: 17.5L-24 6 PR R4 Adjustable | 75C2069 | 2,435.00 |
|----------|----------------------------------------------------------|---------|----------|

|          |                                                               |         |          |
|----------|---------------------------------------------------------------|---------|----------|
| 7496745M | Front: 10-16.5 6 PR SS TL<br>Rear: 14.9-24 6 PR R4 Adjustable | 80C1859 | 2,188.00 |
|----------|---------------------------------------------------------------|---------|----------|

## **BUCKET OPTIONS - Recommended with Loader Packages**

## **GROUP 04**

|            |                           |        |     |        |
|------------|---------------------------|--------|-----|--------|
| 72533680ML | 72-inch Skid Steer Bucket | 65C585 | 228 | 689.00 |
|------------|---------------------------|--------|-----|--------|



**MASSEY FERGUSON®**

**RESERVED**



## FEATURES

### POWER TRAIN

- Engine
  - 59 Rated HP Mitsubishi 4-Cylinder liquid cooled Diesel, 2.2L (135 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 45.6 PTO HP @ 2500 RPM - Shuttle
  - Emission Standard Category: Tier 4
- Dual Element Dry Type Air Cleaner
- Transmission
  - 12Fx12R Power Shuttle with 4 Synchronized Gears and 3 Ranges
- Sealed Wet Disc Brakes
- Pedal Operated Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic

### HYDRAULIC SYSTEM

- 3-point Hitch Cat. I/II with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 3,307 lb (1500 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Dual Engine Driven Gear Pumps
- Flow at Remotes 12.8 GPM (48.6 LPM)
- Hydrostatic Power Steering
- One Rear Remote Valve Standard on Cab Models, up to 3 Possible. Loader Joystick Standard

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform w/ Molded Rubber Floor Mat
- One Piece Tilt-up Hood
- 3 Position Tilt Steering
- Deluxe Adjustable Suspension Seat with Arm Rest
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 4 Headlights

### CAB FEATURES

- Heating and Air Conditioning
- Wired for Radio and Speakers
- Front and Rear Wiper / Washer
- 2 Front Work Lights
- 2 Rear Work Lights
- Rear and Side opening Windows
- Right and Left Entry Doors
- Right and Left External Mirrors
- Deluxe Digital Display with Ground Speed, Engine Coolant, Temperature, Fuel Level & Diagnostic Readout
- ROPS Certified
- Recirculation Filter

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF DL135 LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.75 inch Double Acting Lift Cylinders
- (2) 2.75 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- 3rd Function Capable, Soft-Drive Capable
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Implement Attachment
- Grille Guard Standard
- Fits MF1749, 1754, 1758, 1759 Compact Tractor Models with R1 AG, R3 Turf, or R4 Industrial Tires
- Maximum Lift Height: 110.2 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1760 lbs
- Breakout Force: 2870 lbs
- Rated Hydraulic Pressure: 2277 PSI



# MF 1759

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

**BASE MACHINE**

**GROUP 01**

**MF1759**

**MF1759 Power Shuttle Tractor**

|              |          |                                                                                                   |          |  |           |
|--------------|----------|---------------------------------------------------------------------------------------------------|----------|--|-----------|
| F-P-RE3-J    | 72530391 | 4wd Platform Power Shuttle 12x12 with<br>Factory Installed Joystick with Mid-Coupler              | 50C27361 |  | 32,190.00 |
| F-P-V-CYE3-J | 72530392 | 4wd Cab Power Shuttle 12x12 with 1 Rear Remote<br>and Factory Installed Joystick with Mid-Coupler | 60C33758 |  | 39,716.00 |

**LOADER**

**GROUP 02**

|  |          |                                                                                                 |         |  |          |
|--|----------|-------------------------------------------------------------------------------------------------|---------|--|----------|
|  | 72533869 | MFDL135 Loader Package, Skid Steer Attach<br>Includes: Mounting Kit, Grille Guard, and Hose Kit | 70C3741 |  | 4,402.00 |
|--|----------|-------------------------------------------------------------------------------------------------|---------|--|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

# MF 1759



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

## **TIRES & WHEELS - Required**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

|                                |  |                                                              |         |  |          |
|--------------------------------|--|--------------------------------------------------------------|---------|--|----------|
| <b>AG Tires Option</b>         |  |                                                              |         |  |          |
| 7600720M                       |  | Front: 9.5x16 6PR R1<br>Rear: 16.9x26 6PR R1 (Adjustable)    | 45C2139 |  | 2,517.00 |
| <b>Turf Tires Option</b>       |  |                                                              |         |  |          |
| 7498778M                       |  | Front: 27x10.50-15 4PR<br>Rear: 44x18.00-20 4 PR             | 70C2058 |  | 2,422.00 |
| <b>Industrial Tires Option</b> |  |                                                              |         |  |          |
| 7600760M                       |  | Front: 12-16.5 6 PR R4<br>Rear: 18.4-24 8 PR R4 (Adjustable) | 15C2515 |  | 2,959.00 |

## **BUCKET OPTIONS - Recommended with Loader Packages**

## **GROUP 04**

|            |                           |        |     |        |
|------------|---------------------------|--------|-----|--------|
| 72533680ML | 72-inch Skid Steer Bucket | 65C585 | 228 | 689.00 |
|------------|---------------------------|--------|-----|--------|



**MASSEY FERGUSON®**

**RESERVED**

# MF 1526



(F.O.B. Port of Entry)

MASSEY FERGUSON®

## FEATURES

### POWER TRAIN

- Engine:
  - 24.8 Gross HP 3 Cyl Diesel
  - 24.6 Net HP @ 2600 RPM
  - 20.1 PTO HP @ 2600 RPM - Hydro
  - Dry Single Element Air Cleaner
  - Emission Standard Category:  
Tier 4i
- Transmission:
  - Hydrostatic: with 3 Non-Synchronized Ranges and  
Cruise Control with Auto-Throttle Control
- Wet Disc Brakes, Parking Brake
- Differential lock: Foot Pedal Operated
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic
  - Mid - Optional 2000 RPM Independent

### HYDRAULIC SYSTEM:

- 3-Point hitch Cat I with Position and Response Control
- Lift Capacity @ Hitch Point: 1323 lbs
- Dual Engine Driven Gear Pumps
- Flow @ Remotes 5.5 GPM (20.9 LPM)
- Power Steering Pump 3.3 GPM (12.3 LPM)
- Total Combined 10.6 GPM (41.0 LPM)
- Can Support Single Rear Remote Valve  
(Optional, Field Installed)

### INSTRUMENTS:

- Tachometer and hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam indicator, Battery Charge  
(alt) Indicator and Flasher Indicators
- Key operated electronic Fuel Shutoff and Glow Plug  
Control

### OTHER STANDARD FEATURES:

- Turn Signals, Flashers, Tail Lights SMV Emblem
- Turn Buckle Stabilizers
- Hydrostatic Power Steering
- Foot Accelerator
- Hand Accelerator
- 2 post folding Rops and retractable Seat Belt
- Removable Side Panels
- Side Shift Control Levers
- Adjustable Suspension Seat with Arm Rests
- Tilt Hood

- **Note: 3-Point Backhoe Installation Voids Warranty**

## IMPLEMENT FEATURES

### MF L90 LOADER

- One Piece Main Frame Arms and Cross Member
- Pedestal Mount Quick Attach with Safety Lock
- 3/16" Tapered Box Section Frame
- 2" Double Acting Lift Cylinders
- 1-1/2" Double Acting Bucket Cylinders
- Plated Steel Hydraulic Lines
- Bucket Level Indicator Standard
- Standard Grille Guard
- Fits MF1526 with AG, Turf, or R4 Tires
- With MF1526
  - 90.5" Lift Height
  - 823 lbs. Lift Capacity to Full Height @ Pivot Pin
  - 594 lbs. Lift Capacity to full height @ 19.5" forward  
of Pivot Pin





# MF 1526

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 05 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|                |          |                                            |          |  |           |
|----------------|----------|--------------------------------------------|----------|--|-----------|
| <b>MF1526H</b> |          | <b>MF1526 Hydrostatic Base Tractor</b>     |          |  |           |
| F-H-RE3        | 72530241 | 4wd Platform with Hydrostatic Transmission | 40C11903 |  | 14,004.00 |

## **LOADER**

## **GROUP 02**

|         |                                                                                     |         |  |          |
|---------|-------------------------------------------------------------------------------------|---------|--|----------|
| 4238074 | MFL90 Loader Package<br>Includes: Mounting Kit and Loader<br>Pedestal Mounted Valve | 20C2900 |  | 3,412.00 |
|---------|-------------------------------------------------------------------------------------|---------|--|----------|

**NOTE: With addition of a Loader, the Model changes to MF1526HL**

**\* ALL Tractors will be charged \$210 for Assembly**

**\* ALL Tractor-Loader Packages will be charged a total \$320 for Assembly  
(\$210 for Tractor and \$110 for Loader)**

## **TIRES & WHEELS - Required**

## **GROUP 03**

### **Ag Tires Options**

|           |                                                                   |         |  |          |
|-----------|-------------------------------------------------------------------|---------|--|----------|
| 72530372M | Front: 7-12 4PR Dyna Torq II<br>Rear: 35x12.00-16.5 4PR Tru Power | 60C1101 |  | 1,296.00 |
| 72530242M | Front: 7-12 4 PR Tru Power<br>Rear: 9.5-16 6 PR Hi Traction Lug   | 60C914  |  | 1,076.00 |

### **Turf Tires Option**

|           |                                                        |         |  |          |
|-----------|--------------------------------------------------------|---------|--|----------|
| 72530371M | Front: 25x8.50-14 4PR M-T<br>Rear: 36x13.50-15 4PR M-T | 15C1053 |  | 1,239.00 |
|-----------|--------------------------------------------------------|---------|--|----------|

### **Industrial Tires Option**

|           |                                                   |         |  |          |
|-----------|---------------------------------------------------|---------|--|----------|
| 72530370M | Front: 25x8.50-14 6PR SS<br>Rear: 14-17NHS 6PR SS | 25C1364 |  | 1,605.00 |
|-----------|---------------------------------------------------|---------|--|----------|

## **BUCKET OPTIONS - Required with Loader Packages**

## **GROUP 04**

|           |                            |        |     |        |
|-----------|----------------------------|--------|-----|--------|
| 9181710ML | 48 Inch Combination Bucket | 50C450 | 134 | 530.00 |
| 5979712ML | 54 Inch Combination Bucket | 90C521 | 150 | 614.00 |
| 5979711ML | 60 Inch Combination Bucket | 70C511 | 157 | 602.00 |

## **LOADER ACCESSORIES - Quick Attach can be Ordered with Bucket**

## **GROUP 05**

|           |                                                                                                                               |        |    |        |
|-----------|-------------------------------------------------------------------------------------------------------------------------------|--------|----|--------|
| 9181908ML | Bucket Quick Attach Kit with Pin Lock<br>Allows Fast Interchange of Buckets and Other<br>Accessories without the use of Tools | 85C221 | 31 | 261.00 |
|-----------|-------------------------------------------------------------------------------------------------------------------------------|--------|----|--------|

# COMPACT TRACTOR



MASSEY FERGUSON®

WHOLEGOODS

DEALER / FIELD INSTALLED ACCESSORIES

Please Order these Items through Dealer Central on a Separate Order from the Tractor Order.

| CATALOG NUMBER                         | DESCRIPTION                                                                                                                                                                                   | GC1705<br>GC1715 | GC1710<br>GC1720 | FACTORY CODE | LIST PRICE |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|--------------|------------|
| 72530393M                              | 3-Point Linkage Kit                                                                                                                                                                           |                  | X                | A35700       | 420.00     |
| 72533705M                              | Grille Guard without Loader                                                                                                                                                                   | X                |                  | A11815       | 139.00     |
| 72533706M                              | Front Weight Bracket Kit (Requires Grille Guard)                                                                                                                                              | X                |                  | A09775       | 115.00     |
| 72533783M                              | 10-Inch Bucket with 2 Teeth                                                                                                                                                                   |                  | X                | A29665       | 349.00     |
| 72533784M                              | 12-Inch Bucket with 3 Teeth                                                                                                                                                                   |                  | X                | A34000       | 400.00     |
| 72533785M                              | 16-Inch Bucket with 3 Teeth                                                                                                                                                                   |                  | X                | A38165       | 449.00     |
| 72533791M                              | Stabilizer Street Pads                                                                                                                                                                        |                  | X                | A11050       | 130.00     |
| 72533792M                              | Thumb Kit                                                                                                                                                                                     |                  | X                | A37400       | 440.00     |
| 4238633M<br>Subject to<br>Availability | Joystick Hydraulic Control Valve Kit for Tractors<br>without Loader<br>Joystick is only for the GC1705 and GC2400<br>without the Factory Joystick<br>For use with Snowblower, Broom and Blade | X                |                  | A67320       | 792.00     |

| CATALOG NUMBER                         | DESCRIPTION                                                                            | 1726E<br>1734E<br>1739E | 1736<br>1742<br>1749 | 1754<br>1758<br>1759 | FACTORY CODE | LIST PRICE |
|----------------------------------------|----------------------------------------------------------------------------------------|-------------------------|----------------------|----------------------|--------------|------------|
| 72533662M                              | Direct Control Hydraulic Valve Kit                                                     | X                       |                      |                      | A69275       | 815.00     |
| 72533707M                              | Grille Guard without Loader                                                            | X                       |                      |                      | A12665       | 149.00     |
| 72533709M                              | Skidsteer Quick Attach Tool Carrier                                                    | X                       |                      |                      | A46835       | 551.00     |
| 72533710M                              | Grille Guard without Loader                                                            |                         | X                    | X                    | A12665       | 149.00     |
| 72533711M                              | Front Weight Bracket Kit (Requires Grille Guard)                                       |                         | X                    | X                    | A10625       | 125.00     |
| 4239020M<br>Subject to<br>Availability | Grille Guard without Loader<br>Can be used as Weight Carrier without Loader (holds 10) | X                       | X                    | X                    | A25500       | 300.00     |

| CATALOG NUMBER                         | DESCRIPTION                                                                            | 1526 | 1529 | 1532 | FACTORY CODE | LIST PRICE |
|----------------------------------------|----------------------------------------------------------------------------------------|------|------|------|--------------|------------|
| 7540500M<br>Subject to<br>Availability | Grille Guard without Loader<br>Can be used as Weight Carrier without Loader (holds 8)  | X    |      |      | A12240       | 144.00     |
| 4239020M                               | Grille Guard without Loader<br>Can be used as Weight Carrier without Loader (holds 10) |      | X    | X    | A25500       | 300.00     |
| 7541502M                               | Rear Weight Box for Ballast<br>9 Cu. Ft. Capacity - Approx. 900 lbs                    | X    | X    | X    | A45560       | 536.00     |



MASSEY FERGUSON®

# COMPACT TRACTOR

## PARTS SUPPLIED

### DEALER / FIELD INSTALLED ACCESSORIES

Consult your AGCO parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing

| CATALOG NUMBER | DESCRIPTION      | GC1705<br>GC1715 | GC1710<br>GC1720 | FACTORY CODE                | LIST PRICE |
|----------------|------------------|------------------|------------------|-----------------------------|------------|
| 4330274M91     | Block Heater Kit | X                | X                | Contact AGCO Parts Division |            |

| CATALOG NUMBER | DESCRIPTION                                                            | 1726E<br>1734E<br>1739E | 1736 | 1742 | 1749 | 1754 | 1758 | 1759 | FACTORY CODE                |
|----------------|------------------------------------------------------------------------|-------------------------|------|------|------|------|------|------|-----------------------------|
| 7068818M92     | 1st Rear Remote Valve Kit<br>Includes Valve and Lever Assemblies       | X                       |      |      |      |      |      |      | Contact AGCO Parts Division |
| 7068833M92     | 2nd Rear Remote Valve Kit<br>Includes Valve and Lever Assemblies       | X                       |      |      |      |      |      |      | Contact AGCO Parts Division |
| 6255415M95     | Rear Remote Valve<br>(One Valve Slice)<br>(Standard on Cab)            |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 6255416M94     | 1st Lever Kit<br>Requires one of 6255415M95<br>(Standard on Cab)       |                         | X    | X    | X    | X    | X    |      | Contact AGCO Parts Division |
| 6255417M94     | 2nd Lever Kit<br>Requires two of 6255415M95                            |                         | X    | X    | X    | X    | X    |      | Contact AGCO Parts Division |
| 6255418M94     | 3rd Lever Kit<br>Requires three of 6255415M95<br>1st and 2nd Lever Kit |                         | X    | X    | X    | X    | X    |      | Contact AGCO Parts Division |
| 6256151M94     | 1st Lever Kit<br>Requires one of 6255415M95<br>(Standard on Cab)       |                         |      |      |      |      |      | X    | Contact AGCO Parts Division |
| 6256152M94     | 2nd Lever Kit<br>Requires two of 6255415M95                            |                         |      |      |      |      |      | X    | Contact AGCO Parts Division |
| 6256153M94     | 3rd Lever Kit<br>Requires three of 6255415M95<br>1st and 2nd Lever Kit |                         |      |      |      |      |      | X    | Contact AGCO Parts Division |

# COMPACT TRACTOR



## PARTS SUPPLIED

### DEALER / FIELD INSTALLED ACCESSORIES

Consult your AGCO parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing

| CATALOG NUMBER | DESCRIPTION                                                                                                                             | 1726E<br>1734E<br>1739E | 1736 | 1742 | 1749 | 1754 | 1758 | 1759 | FACTORY CODE                |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------|------|------|------|------|------|-----------------------------|
| 7069242M91     | Mid PTO Kit<br>(25 mm Diameter Shaft)                                                                                                   |                         | X    |      |      |      |      |      | Contact AGCO Parts Division |
| 7069243M91     | Mid PTO Kit (35 mm Diameter Shaft)<br><b>For Front-Mounted Implements only,<br/>not Compatible with Mid-Mount Mower</b>                 |                         |      | X    | X    | X    | X    |      | Contact AGCO Parts Division |
| 7067595M91     | Draft Control Kit                                                                                                                       |                         | X    | X    | X    | X    | X    |      | Contact AGCO Parts Division |
| 72530329       | Category 1 Quick Hitch<br>Note: Implement May Require Adapter Bushings<br>(Not all 3- Point Implements are Compatible with Quick Hitch) |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 6241637M91     | Power Beyond Plug                                                                                                                       |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 6241534M2      | Front Bumper                                                                                                                            |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 4330412M91     | Block Heater                                                                                                                            | X                       |      |      |      |      |      |      | Contact AGCO Parts Division |
| 4330413M91     | Block Heater                                                                                                                            |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 79018831       | Rear Wheel Weights<br>106 lbs each,<br>for R1 and R4 Tires on all Models<br>(excludes 15x19.5 tire option)<br>Weights are Stackable     |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 79023243       | Rear Wheel Weights<br>80 lbs each,<br>for 41x14.00-20 and<br>44x18.00-20 Rear R3 Turf Tires.<br>Weights are Stackable                   |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 4283524M2      | French Operators Manual                                                                                                                 | X                       |      |      |      |      |      |      | Contact AGCO Parts Division |
| 4283525M2      | Spanish Operators Manual                                                                                                                | X                       |      |      |      |      |      |      | Contact AGCO Parts Division |
| 4283509M1      | French Operators Manual                                                                                                                 |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |
| 4283510M1      | Spanish Operators Manual                                                                                                                |                         | X    | X    | X    | X    | X    | X    | Contact AGCO Parts Division |



MASSEY FERGUSON®

# COMPACT TRACTOR

## PARTS SUPPLIED

### DEALER / FIELD INSTALLED ACCESSORIES

Consult your AGCO parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing

| CATALOG NUMBER | DESCRIPTION                                                                          | 1526 | 1529 | 1532 | FACTORY CODE                | LIST PRICE |
|----------------|--------------------------------------------------------------------------------------|------|------|------|-----------------------------|------------|
| 4269010A91     | Plastic Sunshade ( Gray)                                                             |      | X    | X    | Contact AGCO Parts Division |            |
| 3605426M92     | Engine Coolant Heater<br>Installed in Freeze Plug Hole in Block                      | X    | X    | X    | Contact AGCO Parts Division |            |
| 6256596M92     | Mid PTO Kit<br>1529 After S/N JUH24002<br>1532 After S/N JUH54103                    |      | X    | X    | Contact AGCO Parts Division |            |
| 6253639M94     | Mid PTO Kit<br>1529 Prior to S/N JUH24002<br>1532 Prior to S/N JUH54103              |      | X    | X    | Contact AGCO Parts Division |            |
| 6253417M97     | Single Spool Valve<br>(3/8" Coupler Included in Kit)                                 |      | X    | X    | Contact AGCO Parts Division |            |
| 6253425M95     | Second Spool Valve<br>(3/8" Couplers Included in Kit)<br>Requires Single Spool Valve |      | X    | X    | Contact AGCO Parts Division |            |
| 6258119M91     | Mid PTO Kit                                                                          | X    |      |      | Contact AGCO Parts Division |            |
| 4330263M93     | Single Spool<br>Rear Remote Hydraulic Valve                                          | X    |      |      | Contact AGCO Parts Division |            |

# COMPACT TRACTOR TIRES



MASSEY FERGUSON®

WHOLEGOODS

DEALER / FIELD INSTALLED ACCESSORIES

Please Order these Items through Dealer Central on a Separate Order from the Tractor Order.

| CATALOG NUMBER | DESCRIPTION                                                                | FACTORY CODE | LIST PRICE |
|----------------|----------------------------------------------------------------------------|--------------|------------|
| 72530281AM     | Front: 18 x 8.50-10 / Rear: 26 x 12.00-12 AG                               | 85C646       | 761.00     |
| 72530282AM     | Front: 18 x 8.5-10 / Rear: 26 x 12.00-12 Turf                              | 95C583       | 687.00     |
| 72530283AM     | Front: 18 x 8.5-10 / Rear: 26 x 12.00-12 Industrial                        | 15C696       | 819.00     |
| 72530370AM     | Front: 25x8.50-14 6PR SS / Rear: 14-17NHS 6PR SS                           | 10C1569      | 1,846.00   |
| 72530371AM     | Front: 25x8.50-14 4PR M-T / Rear: 36x13.50-15 4PR M-T                      | 25C1211      | 1,425.00   |
| 72530372AM     | Front: 7-12 4PR Dyna Torq II / Rear: 35x12.00-16.5 4PR Tru Power           | 50C1266      | 1,490.00   |
| 72530242AM     | Front: 7-12 4 PR Tru Power / Rear: 9.5-16 6 PR Hi Traction Lug             | 45C1051      | 1,237.00   |
| 72530436AM     | Front: 7-16 6PR R1 / Rear: 11.2 x 24 4PR R1 Adjustable                     | 30C1647      | 1,938.00   |
| 72530253AM     | Front: 27 x 8.50-15 4PR / Rear: 38 x 14.00-20 4PR                          | 20C1523      | 1,792.00   |
| 72530254AM     | Front: 27 x 8.50-15 6PR SS / Rear: 15 x 19.5 6PR SS                        | 15C1716      | 2,019.00   |
| 7140701AM      | Front: 8-16 6 PR R1 HTL / Rear: 13.6x24 6 PR R1 HTL Adjustable             | 65C2064      | 2,429.00   |
| 7496701AM      | Front: 8-16 6 PR R1 HTL / Rear: 12.4x24 6 PR R1 HTL Adjustable             | 90C1966      | 2,314.00   |
| 7496723AM      | Front: 27 x 8.50-15 (4 Ply) / Rear: 41 x 14.00-20 (4 Ply) Turf             | 20C1523      | 1,792.00   |
| 7496747AM      | Front: 25 x 8.5-14 (6 Ply) / Rear: 15 x 19.5 (6 Ply) SS Industrial         | 00C1717      | 2,020.00   |
| 7496745AM      | Front: 10-16.5 (6 Ply) SS TL / Rear: 14.9-24 R4 Adjustable Industrial      | 60C2138      | 2,516.00   |
| 7498710AM      | Front: 10-16.5 (6 Ply) / Rear: 17.5L-24 (6 Ply) R4 Adjustable Industrial   | 85C2380      | 2,801.00   |
| 7498756AM      | Front: 9.5x16 6PR R1 / Rear: 13.6x28 6PR R1 Adjustable                     | 35C2287      | 2,691.00   |
| 7498767AM      | Front: 9.5x16 6PR R1 / Rear: 16.9x24 6PR R1 Adjustable                     | 95C2317      | 2,727.00   |
| 7498778AM      | Front: 27 x 10.50-15 (4 Ply) / Rear: 44 x 18.00-20 (4 Ply) Turf            | 25C2367      | 2,785.00   |
| 7600720AM      | Front: 9.5x16 6PR R1 / Rear: 16.9x26 6PR R1 Adjustable                     | 75C2460      | 2,895.00   |
| 7600760AM      | Front: 12-16.5 (6 Ply) R4 / Rear: 18.4-24 (8 Ply) R4 Adjustable Industrial | 55C2892      | 3,403.00   |

| Model                      | 72530281AM<br>72530282AM<br>72530283AM | 72530370AM<br>72530371AM<br>72530372AM<br>72530242AM | 72530436AM<br>72530253AM<br>72530254AM | 7140701AM<br>7496701AM<br>7496723AM<br>7496747AM | 7496745AM<br>7498710AM<br>7498756AM<br>7498767AM | 7498778AM | 7600720AM<br>7600760AM |
|----------------------------|----------------------------------------|------------------------------------------------------|----------------------------------------|--------------------------------------------------|--------------------------------------------------|-----------|------------------------|
| GC1700                     | X                                      |                                                      |                                        |                                                  |                                                  |           |                        |
| MF1526                     |                                        | X                                                    |                                        |                                                  |                                                  |           |                        |
| MF1700E                    |                                        |                                                      | X                                      |                                                  |                                                  |           |                        |
| MF1736<br>MF1742           |                                        |                                                      |                                        | X                                                | X                                                |           |                        |
| MF1749<br>MF1754<br>MF1758 |                                        |                                                      |                                        |                                                  | X                                                | X         |                        |
| MF1759                     |                                        |                                                      |                                        |                                                  |                                                  | X         | X                      |



MASSEY FERGUSON®

# UTILITY TRACTOR TIRES

WHOLEGOODS

DEALER / FIELD INSTALLED ACCESSORIES

Please Order these Items through Dealer Central on a Separate Order from the Tractor Order.

| CATALOG NUMBER | DESCRIPTION                                                              | FACTORY CODE | LIST PRICE |
|----------------|--------------------------------------------------------------------------|--------------|------------|
| 7498756AM      | Front: 9.5x16 6PR R1 / Rear: 13.6x28 6PR R1 Adjustable                   | 35C2287      | 2,691.00   |
| 7498767AM      | Front: 9.5x16 6PR R1 / Rear: 16.9x24 6PR R1 Adjustable                   | 95C2317      | 2,727.00   |
| 7498710AM      | Front: 10-16.5 (6 Ply) / Rear: 17.5L-24 (6 Ply) R4 Adjustable Industrial | 85C2380      | 2,801.00   |
| 7498778AM      | Front: 27 x 10.50-15 (4 Ply) / Rear: 44 x 18.00-20 (4 Ply) Turf          | 25C2367      | 2,785.00   |
| 72530262AM     | Front: 9.5L-15 / Rear: 16.9-30 R1                                        | 95C3048      | 3,587.00   |
| 72530263AM     | Front: 7.50-18 / Rear: 16.9-30 R1                                        | 60C3056      | 3,596.00   |
| 72530264AM     | Front: 10.00-16 / Rear: 18.4-30 R1                                       | 60C3685      | 4,336.00   |
| 72530265AM     | Front: 10.00-16 / Rear: 16.9-34 R1                                       | 45C3584      | 4,217.00   |
| 72530247AM     | Front: 11.2-24 / Rear: 16.9-30 R1                                        | 25C4067      | 4,785.00   |
| 72530249AM     | Front: 12.5/80-18 / Rear: 19.5L-24 R4                                    | 50C4530      | 5,330.00   |
| 72530248AM     | Front: 12.4-24 / Rear: 16.9-34 R1                                        | 40C4508      | 5,304.00   |
| 72530255AM     | Front: 12.4-24 / Rear: 18.4-30 R1                                        | 10C4391      | 5,166.00   |
| 72530250AM     | Front: 9.5-24 / Rear: 16.9-30 R1                                         | 35C3749      | 4,411.00   |
| 72530251AM     | Front: 10.5/80-18 / Rear: 19.5L-24 R4                                    | 20C4430      | 5,212.00   |
| 72530266AM     | Front: 9.5L-15 / Rear: 16.9-30 R1                                        | 95C3048      | 3,587.00   |
| 72530395AM     | Front: 9.5-24 / Rear: 18.4-26                                            | 10C4391      | 5,166.00   |
| 72530396AM     | Front: 12.5/80-18 / Rear: 16.9-24                                        | 20C2798      | 3,292.00   |

| Model              | 7498756AM<br>7498767AM<br>7498710AM<br>7498778AM | 72530262AM | 72530262AM | 72530264AM<br>72530265AM | 72530247AM<br>72530249AM | 72530248AM<br>72530255AM | 72530250AM<br>72530251AM<br>72530266AM | 72530395AM<br>72530396AM |
|--------------------|--------------------------------------------------|------------|------------|--------------------------|--------------------------|--------------------------|----------------------------------------|--------------------------|
| MF2705E<br>MF2706E | X                                                |            |            |                          |                          |                          |                                        |                          |
| MF4607M            |                                                  | X          | X          |                          | X                        |                          |                                        |                          |
| MF4609M<br>MF4610M |                                                  | X          | X          | X                        | X                        | X                        |                                        |                          |
| MF4608             |                                                  |            |            |                          |                          |                          | X                                      |                          |
| MF4609<br>MF4610   |                                                  | X          |            |                          | X                        | X                        |                                        |                          |
| MF4610LP           |                                                  |            |            |                          |                          |                          |                                        | X                        |



**MASSEY FERGUSON®**

## **MF 2700E Series Utility Tractors**





# MF 2705E

MASSEY FERGUSON®

(F.O.B. Port of Entry)

## FEATURES

### POWER TRAIN

- Engine:
  - 48.8 Rated Engine HP Shibaura 4-Cylinder liquid cooled Diesel, 2.2L (135 cu in) Direct Injection, Turbocharged, Electronic Engine Control
  - 41.4 PTO HP @ 2600 RPM - 8x8
  - 39.0 PTO HP @ 2600 RPM - Hydrostatic
  - Emission Standard Category: Tier 4 Final
  - CARB and EPA Certified
- Dual Element Dry Type Air Cleaner
- Transmission:
  - 8F/8R Synchro Shuttle with 2 Synchronized Gears (3rd and 4th) and 2 Ranges
  - Servo-Assist Electronic Hydrostatic Transmission with 3 Ranges and Cruise Control
- 4WD Front Axle with Center Drive Line and Bevel-gear Final Drives
- Sealed Wet Disc Brakes
- Pedal Operated Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic

### HYDRAULIC SYSTEM

- 3-Point Hitch Cat. I and II with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 2,425 lb (1100 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Flow at Remotes 12.4 GPM (47.8 LPM)
- Hydrostatic Power Steering

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform
- One Piece Tilt-up Hood
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 2 Headlights
- Tool Box

### NOTES:

- ***Specifications are Manufacturers estimates at time of publication and are subject to change without prior notification.***
- ***3-Point Backhoe Installation Voids Warranty***

## IMPLEMENT FEATURES

### MF L135E PIN TYPE STYLE LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.75 inch Double Acting Lift Cylinders
- (2) 2.75 inch Double Acting Bucket Cylinders
- Hydraulic Valves with Integrated Joystick Mount to Right Side Loader Subframe
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Pin-Type Implement Attachments
- Grille Guard Standard
- Fits MF2705E and MF2706E Series Tractor Models with R1 AG R3 or R4 Industrial Tires
- Maximum Lift Height: 110.2 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1770 lbs
- Breakout Force: 2870 lbs
- Rated Hydraulic Pressure: 2277 PSI

# MF 2705E



**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|                 |          |                                                               |          |  |           |
|-----------------|----------|---------------------------------------------------------------|----------|--|-----------|
| <b>MF2705E</b>  |          | <b>MF2705E Synchro Shuttle Tractor</b>                        |          |  |           |
| F-S-RE3         | 72530429 | 4wd Platform Synchro Shuttle 8x8                              | 15C17662 |  | 20,779.00 |
| F-S-V-RE3       | 72530433 | 4wd Platform Synchro Shuttle 8x8 with 1 Rear Hydraulic Remote | 90C18337 |  | 21,574.00 |
| <b>MF2705EH</b> |          | <b>MF2705E Hydrostatic Base Tractor</b>                       |          |  |           |
| F-H-RE3         | 72530428 | 4wd Platform HST                                              | 15C19124 |  | 22,499.00 |
| F-H-V-RE3       | 72530432 | 4wd Platform HST with 1 Rear Hydraulic Remote                 | 90C19799 |  | 23,294.00 |

## **LOADER**

## **GROUP 02**

|          |                                                                                                          |         |  |          |
|----------|----------------------------------------------------------------------------------------------------------|---------|--|----------|
| 72533818 | MF L135E Pin Type Style Loader Package<br>Includes: Mounting Kit, Grille Guard, and Valve Kit with Hoses | 90C3751 |  | 4,414.00 |
|----------|----------------------------------------------------------------------------------------------------------|---------|--|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

## **TIRES & WHEELS - Required**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498756M | Rear: 13.6x28 6PR R1 Adjustable<br>Front: 9.5x16 6PR R1 | 00C1989 | 2,340.00 |
| 7498767M | Rear: 16.9x24 6PR R1 Adjustable<br>Front: 9.5x16 6PR R1 | 35C2015 | 2,371.00 |

### **Turf Tires Options**

|          |                                                 |         |          |
|----------|-------------------------------------------------|---------|----------|
| 7498778M | Rear: 44x18.00-20 4PR<br>Front: 27x10.50-15 4PR | 70C2058 | 2,422.00 |
|----------|-------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                        |         |          |
|----------|--------------------------------------------------------|---------|----------|
| 7498710M | Rear: 17.5L-24 6PR R4 Adjustable<br>Front: 10-16.5 6PR | 75C2069 | 2,435.00 |
|----------|--------------------------------------------------------|---------|----------|



# MF 2705E

## MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

### **BUCKET OPTIONS - Recommended with Loader Packages**

### **GROUP 04**

|            |                                                            |        |     |        |
|------------|------------------------------------------------------------|--------|-----|--------|
| 72533677ML | 72-inch Pin Type Material Bucket                           | 15C543 | 228 | 639.00 |
| 72533680ML | 72-inch Skid Steer Material Bucket<br>(Requires 72533709M) | 65C585 | 228 | 689.00 |

### **ACCESSORIES - OPTIONAL**

### **GROUP 05**

|            |                                                      |        |  |        |
|------------|------------------------------------------------------|--------|--|--------|
| 72533709ML | Skid Steer Type Bucket Quick Attach Tool Carrier Kit | 35C468 |  | 551.00 |
|------------|------------------------------------------------------|--------|--|--------|

# MF 2706E



(F.O.B. Port of Entry)

MASSEY FERGUSON®

## FEATURES

### POWER TRAIN

- Engine:
  - 57.3 Rated Engine HP Shibaura 4-Cylinder liquid cooled Diesel, 2.2L (135 cu in) Direct Injection, Turbocharged and Intercooled, Electronic Engine Control
  - 48.7 PTO HP @ 2600 RPM - 8x8
  - 45.9 PTO HP @ 2600 RPM - Hydrostatic
  - Emission Standard Category: Tier 4 Final CARB and EPA Certified
- Dual Element Dry Type Air Cleaner
- Transmission:
  - 8F/8R Synchro Shuttle with 2 Synchronized Gears (3rd and 4th) and 2 Ranges
  - Servo-Assist Electronic Hydrostatic Transmission with 3 Ranges and Cruise Control
- 4WD Front Axle with Center Drive Line and Bevel-gear Final Drives
- Sealed Wet Disc Brakes
- Pedal Operated Differential Lock
- PTO:
  - Rear - 540 RPM Independent Electro Hydraulic

### HYDRAULIC SYSTEM

- 3-point Hitch Cat. I and II with Position Control Standard, Draft Control Optional
- Lift Capacity @ 24 inches - 2,425 lb (1100 kg)
- Telescopic Stabilizers
- Telescopic Draft Link Ends
- Flow at Remotes 12.4 GPM (47.8 LPM)
- Hydrostatic Power Steering

### INSTRUMENTS

- Combination Digital and Analog Front Dash Display
- Tachometer and Hour Meter
- Temperature and Fuel Gauges
- Warning Lights: High Beam Indicator, Engine Oil Pressure, PTO Engagement, Battery Charge (alt) Indicator, Glow Plug Indicator and Flasher Indicators
- Key Operated Electronic Fuel Shutoff and Glow Plug Control

### OTHER STANDARD FEATURES

- ISO Mounted Flat Platform
- One Piece Tilt-up Hood
- 2 Post Folding ROPS and Retractable Seat Belt
- Turn Signals, Flashers, Tail Lights and SMV Emblem
- 2 Headlights
- Tool Box

### NOTES:

- *Specifications are Manufacturers estimates at time of publication and are subject to change without prior notification.*
- *3-Point Backhoe Installation Voids Warranty*

## IMPLEMENT FEATURES

### MF L135E PIN TYPE STYLE LOADER

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.75 inch Double Acting Lift Cylinders
- (2) 2.75 inch Double Acting Bucket Cylinders
- Hydraulic Valves with Integrated Joystick Mount to Right Side Loader Subframe
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Pin-Type Implement Attachments
- Grille Guard Standard
- Fits MF2705E and MF2706E Series Tractor Models with R1 AG R3 or R4 Industrial Tires
- Maximum Lift Height: 110.2 Inches at Pivot
- Lift Capacity to Full Height @ 19.6 inches Forward of Pivot Pin: 1770 lbs
- Breakout Force: 2870 lbs
- Rated Hydraulic Pressure: 2277 PSI



# MF 2706E

**MASSEY FERGUSON®**

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight | List Price |
|------------|----------------|-------------|--------------|----------------|------------|
|------------|----------------|-------------|--------------|----------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 04 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

### **MF2706E**

### **MF2706E Synchro Shuttle Tractor**

|           |          |                                                               |          |           |
|-----------|----------|---------------------------------------------------------------|----------|-----------|
| F-S-RE3   | 72530431 | 4wd Platform Synchro Shuttle 8x8                              | 65C19421 | 22,849.00 |
| F-S-V-RE3 | 72530435 | 4wd Platform Synchro Shuttle 8x8 with 1 Rear Hydraulic Remote | 40C20097 | 23,644.00 |

### **MF2706EH**

### **MF2706E Hydrostatic Base Tractor**

|           |          |                                               |          |           |
|-----------|----------|-----------------------------------------------|----------|-----------|
| F-H-RE3   | 72530430 | 4wd Platform HST                              | 15C20569 | 24,199.00 |
| F-H-V-RE3 | 72530434 | 4wd Platform HST with 1 Rear Hydraulic Remote | 90C21244 | 24,994.00 |

## **LOADER**

## **GROUP 02**

|          |                                                                                                          |         |          |
|----------|----------------------------------------------------------------------------------------------------------|---------|----------|
| 72533818 | MF L135E Pin Type Style Loader Package<br>Includes: Mounting Kit, Grille Guard, and Valve Kit with Hoses | 90C3751 | 4,414.00 |
|----------|----------------------------------------------------------------------------------------------------------|---------|----------|

**\* ALL Tractors will be charged \$325 for Assembly**

## **TIRES & WHEELS - Required**

## **GROUP 03**

NOTE: See Dealer / Field Installed Accessories for list of Tires & Wheels available as Loose Accessory orders. Tire and wheel options ordered with the tractor and not subject to availability can be returned via RGA. Contact Dealer Central with questions.

### **AG Tires Options**

|          |                                                         |         |          |
|----------|---------------------------------------------------------|---------|----------|
| 7498756M | Rear: 13.6x28 6PR R1 Adjustable<br>Front: 9.5x16 6PR R1 | 00C1989 | 2,340.00 |
| 7498767M | Rear: 16.9x24 6PR R1 Adjustable<br>Front: 9.5x16 6PR R1 | 35C2015 | 2,371.00 |

### **Turf Tires Options**

|          |                                                 |         |          |
|----------|-------------------------------------------------|---------|----------|
| 7498778M | Rear: 44x18.00-20 4PR<br>Front: 27x10.50-15 4PR | 70C2058 | 2,422.00 |
|----------|-------------------------------------------------|---------|----------|

### **Industrial Tires Options**

|          |                                                        |         |          |
|----------|--------------------------------------------------------|---------|----------|
| 7498710M | Rear: 17.5L-24 6PR R4 Adjustable<br>Front: 10-16.5 6PR | 75C2069 | 2,435.00 |
|----------|--------------------------------------------------------|---------|----------|

# MF 2706E



**MASSEY FERGUSON®**

| Order<br>Code | Catalog<br>Number | Description | Factory<br>Code | Approx.<br>Weight | List<br>Price |
|---------------|-------------------|-------------|-----------------|-------------------|---------------|
|---------------|-------------------|-------------|-----------------|-------------------|---------------|

**BUCKET OPTIONS - Recommended with Loader Packages**

**GROUP 04**

|            |                                                            |        |     |        |
|------------|------------------------------------------------------------|--------|-----|--------|
| 72533677ML | 72-inch Pin Type Material Bucket                           | 15C543 | 228 | 639.00 |
| 72533680ML | 72-inch Skid Steer Material Bucket<br>(Requires 72533709M) | 65C585 | 228 | 689.00 |

**ACCESSORIES - OPTIONAL**

**GROUP 05**

|            |                                                      |        |  |        |
|------------|------------------------------------------------------|--------|--|--------|
| 72533709ML | Skid Steer Type Bucket Quick Attach Tool Carrier Kit | 35C468 |  | 551.00 |
|------------|------------------------------------------------------|--------|--|--------|



**MASSEY FERGUSON®**

# UTILITY TRACTOR

**WHOLEGOODS**

**DEALER / FIELD INSTALLED ACCESSORIES**

Please Order these Items through Dealer Central on a Separate Order from the Tractor Order.

| CATALOG<br>NUMBER | DESCRIPTION                                      | 2705E<br>2706E | FACTORY<br>CODE | LIST<br>PRICE |
|-------------------|--------------------------------------------------|----------------|-----------------|---------------|
| 72533710M         | Grille Guard without Loader                      | X              | A12665          | 149.00        |
| 72533711M         | Front Weight Bracket Kit (Requires Grille Guard) | X              | A10625          | 125.00        |

For the most recent product information, always reference the Sale Engineering Documents on  
[www.OneAGCO.com](http://www.OneAGCO.com)

# UTILITY TRACTOR



MASSEY FERGUSON®

## PARTS SUPPLIED

### DEALER / FIELD INSTALLED ACCESSORIES

Consult your AGCO parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing

| CATALOG NUMBER | DESCRIPTION                                                                                                                             | 2705E<br>2706E | FACTORY CODE                |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------|
| 72530329       | Category 1 Quick Hitch<br>Note: Implement May Require Adapter Bushings<br>(Not all 3- Point Implements are Compatible with Quick Hitch) | X              | Contact AGCO Parts Division |
| 6241637M91     | Power Beyond Plug                                                                                                                       | X              | Contact AGCO Parts Division |
| 6241534M2      | Front Bumper / Weight Bracket (without Grille Guard)                                                                                    | X              | Contact AGCO Parts Division |
| 4330412M91     | Block Heater                                                                                                                            | X              | Contact AGCO Parts Division |
| 79018831       | Rear Wheel Weights 106 lbs each, for R1 and R4 Tires on all Models<br>(excludes 15x19.5 tire option) Weights are Stackable              | X              | Contact AGCO Parts Division |
| 79023243       | Rear Wheel Weights 80 lbs each, for 41x14.00-20 and 44x18.00-20 Rear R3 Turf Tires. Weights are Stackable                               | X              | Contact AGCO Parts Division |
| 4269010A91     | Plastic Sunshade (Gray)                                                                                                                 | X              | Contact AGCO Parts Division |
| 7071419M91     | Rear Remote Valve (one Valve Body)                                                                                                      | X              | Contact AGCO Parts Division |
| 7071420M92     | 1st Position Rear Hydraulic Remote Valve Kit (Requires one 7071419M91)                                                                  | X              | Contact AGCO Parts Division |
| 7071421M92     | 2nd Position Rear Hydraulic Remote Valve Kit (Requires one 7071419M91)                                                                  | X              | Contact AGCO Parts Division |
| 7071422M91     | 3rd Position Rear Hydraulic Remote Valve Kit (Requires one 7071419M91)                                                                  | X              | Contact AGCO Parts Division |
| 7071496M91     | Light Guard                                                                                                                             | X              | Contact AGCO Parts Division |
| 7071401M91     | Draft Control Kit                                                                                                                       | X              | Contact AGCO Parts Division |
| 4283576M2      | French Operators Manual                                                                                                                 | X              | Contact AGCO Parts Division |
| TBD            | Spanish Operators Manual                                                                                                                | X              | Contact AGCO Parts Division |

For the most recent product information, always reference the Sale Engineering Documents on [www.OneAGCO.com](http://www.OneAGCO.com)





**MASSEY FERGUSON®**

**RESERVED**



**MASSEY FERGUSON®**

# **4600M Series**

## **UTILITY**



# MF4607M

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)  
70 Engine HP (52.2 kW) @ 2200 RPM  
56 PTO HP Est. (41.8 kW) @ 2000 RPM
- EPA Tier 4 Final Compliant, CARB Certified
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust, Side of Hood
- Cooling System: Antifreeze 50/50 Mix
- Cold Starting Aid: Intake Heater

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:  
12 X 12 Power Shuttle with Left Hand Shuttle Lever  
6 Synchronized Gears, 2 Ranges  
Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds, 6 Spline Shaft and 21 Spline (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:  
Open Center System, Engine Driven Gear Pump  
17.5 GPM (66 LPM) flow to Remotes  
Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:  
ASAE Category II with Telescopic Ball Ends  
Shared Pump with Implements  
Lift Capacity at 24": 3307 LBS (1500 KG)  
Adjustable Lift Rod, Turn Buckle Top Link  
Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery  
95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Digital Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OPERATORS ENVIRONMENT (Cab Models)

- 6-post Cab With HVAC, Tinted Safety Glass, Front Windshield Wiper/Washer, Front and Rear Roof-mounted Working Lights, 2 Doors, Pre-wired for Audio System
- Right and Left Side View Mirrors
- Seat: Adjustable Spring Cushion with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left and Right Side Foot Step

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 30.4 gallons (115 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Emblem

## LOADER FEATURES

### MF921X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.6 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Grille Guard Standard

- Fits MF4607M 4wd Tractor Models
- Rated on MF4608 Tractor with 9.5-24 Front Tires and 16.9-30 Rear Tires
- Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 1920 lbs
- Maximum Lift Height: 124 inches at Pivot
- Breakout Force: 3200 lbs
- Rated Hydraulic Pressure: 2828 PSI

- **NOTE:** MF926X Mechanical Self-Leveling Loader available as Dealer Installed only. Order separately from Tractor.

# MF4607M

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 9 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|           |          |                                                                                                                                |          |           |
|-----------|----------|--------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| MF4607M   | 72530438 | MF4607M Base Tractor . . . . .                                                                                                 | 15C28474 | 33,499.00 |
| MF4607M-J | 72530441 | MF4607M Loader Ready Tractor <b>(4wd Only)</b> . . . . .<br>Includes Loader Frame Rails, Factory Joystick,<br>and Loader Valve | 00C29359 | 34,540.00 |

## **LOADER - 4wd Only**

## **GROUP 02**

### **Non Self-Leveling**

|                                                      |                                                    |         |          |
|------------------------------------------------------|----------------------------------------------------|---------|----------|
| 72533825                                             | MF921X Loader Package - Skid Steer Style . . . . . | 25C5376 | 6,325.00 |
| Includes: Loader Uprights, Hose Kit and Grille Guard |                                                    |         |          |

**ALL Tractors will be charged \$325 for Assembly**

## **OPERATOR ENVIRONMENT**

## **GROUP 03**

|      |          |                                                                                                                                                                                                                                                                                                                                                         |          |           |
|------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| RE3  | 72530444 | Platform . . . . .                                                                                                                                                                                                                                                                                                                                      |          | In Base   |
| CE3  | 72530445 | Standard Cab . . . . .                                                                                                                                                                                                                                                                                                                                  | 00C7888  | 9,280.00  |
| CDE3 | 72530446 | Deluxe Cab . . . . .<br>(Requires 4wd, Factory Joystick with Loader Valve,<br>Loader Frame Rails, and Float/Kickout Valves)<br>Includes: 3-Pt Hitch Fender Controls on Lefthand Side Fender,<br>Air Ride Seat, 2 LED Lights Front and 2 LED Lights Rear,<br>Rear Window Defrost, Rear Window Wiper, Front Pull Down<br>Sun Visor, Antenna, and Speakers | 15C10862 | 12,779.00 |

## **FRONT AXLE**

## **GROUP 04**

|   |          |                          |           |            |
|---|----------|--------------------------|-----------|------------|
| F | 72530448 | 4wd Front Axle . . . . . |           | In Base    |
| T | 72530447 | 2wd Front Axle . . . . . | (75C3497) | (4,115.00) |



MASSEY FERGUSON®

# MF4607M

(F.O.B. PORT OF ENTRY)

| Order Code                                                           | Catalog Number | Description                                                                                                                                                                                                                                                        | Factory Code | List Price             |
|----------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|
| <b><u>TRANSMISSION</u></b>                                           |                |                                                                                                                                                                                                                                                                    |              | <b><u>GROUP 05</u></b> |
|                                                                      | 72530449       | 12 X 12 Hydraulic Shuttle . . . . .                                                                                                                                                                                                                                |              | In Base                |
| L                                                                    | 72530451       | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . . 75C1049<br><b>Requires</b> 4wd and 1 Float + Kickout Valve and 1 Float Hydraulic Valve<br><b>Available</b> on Non-Loader Ready Models for any Operator Station<br>(Compatible with Dealer Installed Loaders) |              | 1,235.00               |
| <b><u>HYDRAULICS</u></b>                                             |                |                                                                                                                                                                                                                                                                    |              | <b><u>GROUP 06</u></b> |
| <b>4WD Hydraulic Options</b>                                         |                |                                                                                                                                                                                                                                                                    |              |                        |
| W                                                                    | 72530453       | 2 Spool Valves - Spring Return to Neutral . . . . .                                                                                                                                                                                                                |              | In Base For 4wd        |
| K                                                                    | 72530455       | 1 Float + Kickout Valve and 1 Float Valve . . . . . 75C284                                                                                                                                                                                                         |              | 335.00                 |
| <b>2WD Hydraulic Options</b>                                         |                |                                                                                                                                                                                                                                                                    |              |                        |
| V                                                                    | 72530454       | 1 Spool Valve - Spring Return to Neutral . . . . .                                                                                                                                                                                                                 |              | In Base For 2wd        |
| <b><u>REAR AND FRONT TIRES</u></b>                                   |                |                                                                                                                                                                                                                                                                    |              | <b><u>GROUP 07</u></b> |
| <b>4WD Tires</b>                                                     |                |                                                                                                                                                                                                                                                                    |              |                        |
|                                                                      | 72530247M      | R: 16.9-30 R1 . . . . . 85C3536<br>F: 11.2-24                                                                                                                                                                                                                      |              | 4,161.00               |
|                                                                      | 72530249M      | R: 19.5L-24 R4 . . . . . 75C3939<br>F: 12.5/80-18                                                                                                                                                                                                                  |              | 4,635.00               |
| <b>2WD Tires</b>                                                     |                |                                                                                                                                                                                                                                                                    |              |                        |
|                                                                      | 72530262M      | R: 16.9-30 R1 . . . . . 15C2651<br>F: 9.5L-15                                                                                                                                                                                                                      |              | 3,119.00               |
|                                                                      | 72530263M      | R: 16.9-30 R1 . . . . . 95C2657<br>F: 7.50-18                                                                                                                                                                                                                      |              | 3,127.00               |
| <b><u>BUCKET OPTIONS - Recommended with Loader Packages Only</u></b> |                |                                                                                                                                                                                                                                                                    |              | <b><u>GROUP 08</u></b> |
| <b>Skid Steer Style</b>                                              |                |                                                                                                                                                                                                                                                                    |              |                        |
|                                                                      | 72533683ML     | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . . 00C935                                                                                                                                                                                                  |              | 1,100.00               |
|                                                                      | 72533684ML     | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . . 00C1020                                                                                                                                                                                                 |              | 1,200.00               |
| <b><u>MISCELLANEOUS OPTIONS</u></b>                                  |                |                                                                                                                                                                                                                                                                    |              | <b><u>GROUP 09</u></b> |
|                                                                      | 72533731ML     | Grille Guard for Tractor without Loader . . . . . 20C095                                                                                                                                                                                                           |              | 112.00                 |

# MF4609M



(F.O.B. PORT OF ENTRY)

MASSEY FERGUSON®

## TRACTOR FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)  
90 Engine HP (67 kW) @ 2200 RPM  
72 PTO HP (53.7 kW) @ 2000 RPM
- EPA Tier 4 Final Compliant with SCR, CARB Certified
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust, A Pillar
- Cooling System: Antifreeze 50/50 Mix
- Cold Starting Aid: Intake Heater

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:  
12 X 12 Power Shuttle with Left Hand Shuttle Lever  
6 Synchronized Gears, 2 Ranges  
Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds,  
6 Spline Shaft and 21 Spline (1.375 In. Diameter),  
Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:  
Open Center System, Engine Driven Gear Pump  
17.5 GPM (66 LPM) flow to Remotes  
Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:  
ASAE Category II with Telescopic Ball Ends  
Shared Pump with Implements  
Lift Capacity at 24": 3307 LBS (1500 KG)  
Adjustable Lift Rod, Turn Buckle Top Link  
Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery  
95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Digital Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OPERATORS ENVIRONMENT (Cab Models)

- 6-post Cab With HVAC, Tinted Safety Glass,  
Front Windshield Wiper/Washer, Front  
and Rear Roof-mounted Working Lights,  
2 Doors, Pre-wired for Audio System
- Right and Left Side View Mirrors
- Seat: Adjustable Spring Cushion with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left and Right Side Foot Step

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 30.4 gallons (115 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Emblem

## LOADER FEATURES

### MF931X and MF936X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- **NSL:** (2) 2.8 inch Double Acting Lift Cylinders
- **MSL:** (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.8 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Standard with Flat Face Couplers

- Fits MF4607M, 4609M and 4610M 2wd and 4wd Tractor Models
- Rated on MF4610 Tractor with 11.2-24 Front Tires and 16.9-30 Rear Tires
- **NSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3020 lbs
- **MSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3430 lbs
- Maximum Lift Height: 136 inches at Pivot
- **NSL:** Breakout Force: 3540 lbs
- **MSL:** Breakout Force: 3660 lbs
- Rated Hydraulic Pressure: 2828 PSI
- Grille Guard Standard



MASSEY FERGUSON®

# MF4609M

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 9 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|           |          |                                                                                                                                |          |           |
|-----------|----------|--------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| MF4609M   | 72530439 | MF4609M Base Tractor . . . . .                                                                                                 | 65C35095 | 41,289.00 |
| MF4609M-J | 72530442 | MF4609M Loader Ready Tractor <b>(4wd Only)</b> . . . . .<br>Includes Loader Frame Rails, Factory Joystick,<br>and Loader Valve | 50C35980 | 42,330.00 |

## **LOADER - 4wd Only**

## **GROUP 02**

### **Non Self-Leveling**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72533831 | MF931X Loader Package - Skid Steer Style . . . . .   | 60C5657 | 6,656.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |
| 72533832 | MF931X Loader Package - Euro Style . . . . .         | 00C5321 | 6,260.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |

### **Mechanical Self-Leveling**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72533835 | MF936X Loader Package - Skid Steer Style . . . . .   | 00C6443 | 7,580.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |
| 72533836 | MF936X Loader Package - Euro Style . . . . .         | 40C6106 | 7,184.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |

**ALL Tractors will be charged \$325 for Assembly**

## **OPERATOR ENVIRONMENT**

## **GROUP 03**

|      |          |                                                                                                                                                                                                                                                                                                                                                         |          |           |
|------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| RE3  | 72530444 | Platform . . . . .                                                                                                                                                                                                                                                                                                                                      |          | In Base   |
| CE3  | 72530445 | Standard Cab . . . . .                                                                                                                                                                                                                                                                                                                                  | 00C7888  | 9,280.00  |
| CDE3 | 72530446 | Deluxe Cab . . . . .<br>(Requires 4wd, Factory Joystick with Loader Valve,<br>Loader Frame Rails, and Float/Kickout Valves)<br>Includes: 3-Pt Hitch Fender Controls on Lefthand Side Fender,<br>Air Ride Seat, 2 LED Lights Front and 2 LED Lights Rear,<br>Rear Window Defrost, Rear Window Wiper, Front Pull Down<br>Sun Visor, Antenna, and Speakers | 15C10862 | 12,779.00 |

## **FRONT AXLE**

## **GROUP 04**

|   |          |                          |           |            |
|---|----------|--------------------------|-----------|------------|
| F | 72530448 | 4wd Front Axle . . . . . |           | In Base    |
| T | 72530447 | 2wd Front Axle . . . . . | (75C3497) | (4,115.00) |

# MF4609M

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code                                                           | Catalog Number | Description                                                                                                                                                                                                                                                                                              | Factory Code           | List Price      |
|----------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------|
| <b><u>TRANSMISSION</u></b>                                           |                |                                                                                                                                                                                                                                                                                                          | <b><u>GROUP 05</u></b> |                 |
|                                                                      | 72530449       | 12 X 12 Hydraulic Shuttle . . . . .                                                                                                                                                                                                                                                                      |                        | In Base         |
| L                                                                    | 72530451       | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . .<br><b>Requires</b> 4wd and 1 Float + Kickout Valve and 1 Float Hydraulic Valve<br><b>Available</b> on Non-Loader Ready Models for any Operator Station, and Loader Ready Models with Deluxe Cab Only<br>(Compatible with Dealer Installed Loaders) | 75C1049                | 1,235.00        |
| <b><u>HYDRAULICS</u></b>                                             |                |                                                                                                                                                                                                                                                                                                          | <b><u>GROUP 06</u></b> |                 |
| <b>4WD Hydraulic Options</b>                                         |                |                                                                                                                                                                                                                                                                                                          |                        |                 |
| W                                                                    | 72530453       | 2 Spool Valves - Spring Return to Neutral . . . . .                                                                                                                                                                                                                                                      |                        | In Base For 4wd |
| K                                                                    | 72530455       | 1 Float + Kickout Valve and 1 Float Valve . . . . .                                                                                                                                                                                                                                                      | 75C284                 | 335.00          |
| <b>2WD Hydraulic Options</b>                                         |                |                                                                                                                                                                                                                                                                                                          |                        |                 |
| V                                                                    | 72530454       | 1 Spool Valve - Spring Return to Neutral . . . . .                                                                                                                                                                                                                                                       |                        | In Base For 2wd |
| <b><u>REAR AND FRONT TIRES</u></b>                                   |                |                                                                                                                                                                                                                                                                                                          | <b><u>GROUP 07</u></b> |                 |
| <b>4WD Tires</b>                                                     |                |                                                                                                                                                                                                                                                                                                          |                        |                 |
|                                                                      | 72530247M      | R: 16.9-30 R1 . . . . .<br>F: 11.2-24                                                                                                                                                                                                                                                                    | 85C3536                | 4,161.00        |
|                                                                      | 72530248M      | R: 16.9-34 R1 . . . . .<br>F: 12.4-24                                                                                                                                                                                                                                                                    | 20C3920                | 4,612.00        |
|                                                                      | 72530255M      | R: 18.4-30 R1 . . . . .<br>F: 12.4-24                                                                                                                                                                                                                                                                    | 20C3818                | 4,492.00        |
|                                                                      | 72530249M      | R: 19.5L-24 R4 . . . . .<br>F: 12.5/80-18                                                                                                                                                                                                                                                                | 75C3939                | 4,635.00        |
| <b>2WD Tires</b>                                                     |                |                                                                                                                                                                                                                                                                                                          |                        |                 |
|                                                                      | 72530262M      | R: 16.9-30 R1 . . . . .<br>F: 9.5L-15                                                                                                                                                                                                                                                                    | 15C2651                | 3,119.00        |
|                                                                      | 72530263M      | R: 16.9-30 R1 . . . . .<br>F: 7.50-18                                                                                                                                                                                                                                                                    | 95C2657                | 3,127.00        |
|                                                                      | 72530264M      | R: 18.4-30 R1 . . . . .<br>F: 10.00-16                                                                                                                                                                                                                                                                   | 50C3204                | 3,770.00        |
|                                                                      | 72530265M      | R: 16.9-34 R1 . . . . .<br>F: 10.00-16                                                                                                                                                                                                                                                                   | 95C3116                | 3,667.00        |
| <b><u>BUCKET OPTIONS - Recommended with Loader Packages Only</u></b> |                |                                                                                                                                                                                                                                                                                                          | <b><u>GROUP 08</u></b> |                 |
| <b>Skid Steer Style</b>                                              |                |                                                                                                                                                                                                                                                                                                          |                        |                 |
|                                                                      | 72533683ML     | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . .                                                                                                                                                                                                                                               | 00C935                 | 1,100.00        |
|                                                                      | 72533684ML     | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . .                                                                                                                                                                                                                                               | 00C1020                | 1,200.00        |
| <b>Euro Style</b>                                                    |                |                                                                                                                                                                                                                                                                                                          |                        |                 |
|                                                                      | 72533685ML     | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . .                                                                                                                                                                                                                                               | 50C807                 | 950.00          |
|                                                                      | 72533686ML     | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . .                                                                                                                                                                                                                                               | 50C892                 | 1,050.00        |
| <b><u>MISCELLANEOUS OPTIONS</u></b>                                  |                |                                                                                                                                                                                                                                                                                                          | <b><u>GROUP 09</u></b> |                 |
|                                                                      | 72533731ML     | Grille Guard for Tractor without Loader . . . . .                                                                                                                                                                                                                                                        | 20C095                 | 112.00          |





# MF4610M

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)  
99 Engine HP (74 kW) @ 2200 RPM  
80 PTO HP (59.7 kW) @ 2000 RPM
- EPA Tier 4 Final Compliant with SCR, CARB Certified
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust, A Pillar
- Cooling System: Antifreeze 50/50 Mix
- Cold Starting Aid: Intake Heater

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:  
12 X 12 Power Shuttle with Left Hand Shuttle Lever  
6 Synchronized Gears, 2 Ranges  
Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds, 6 Spline Shaft and 21 Spline (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:  
Open Center System, Engine Driven Gear Pump  
17.5 GPM (66 LPM) flow to Remotes  
Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:  
ASAE Category II with Telescopic Ball Ends  
Shared Pump with Implements  
Lift Capacity at 24": 3307 lbs (1500 kg)  
Adjustable Lift Rod, Turn Buckle Top Link  
Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery  
95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Digital Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OPERATORS ENVIRONMENT (Cab Models)

- 6-post Cab With HVAC, Tinted Safety Glass, Front Windshield Wiper/Washer, Front and Rear Roof-mounted Working Lights, 2 Doors, Pre-wired for Audio System
- Right and Left Side View Mirrors
- Seat: Adjustable Spring Cushion with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left and Right Side Foot Step

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 30.4 gallons (115 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Emblem

## LOADER FEATURES

### MF931X and MF936X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- **NSL**: (2) 2.8 inch Double Acting Lift Cylinders
- **MSL**: (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.8 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Standard with Flat Face Couplers

- Fits MF4607M, 4609M and 4610M 2wd and 4wd Tractor Models
- Rated on MF4610 Tractor with 11.2-24 Front Tires and 16.9-30 Rear Tires
- **NSL**: Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3020 lbs
- **MSL**: Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3430 lbs
- Maximum Lift Height: 136 inches at Pivot
- **NSL**: Breakout Force: 3540 lbs
- **MSL**: Breakout Force: 3660 lbs
- Rated Hydraulic Pressure: 2828 PSI
- Grille Guard Standard

# MF4610M

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 9 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|           |          |                                                                                                                 |          |           |
|-----------|----------|-----------------------------------------------------------------------------------------------------------------|----------|-----------|
| MF4610M   | 72530440 | MF4610M Base Tractor . . . . .                                                                                  | 15C37654 | 44,299.00 |
| MF4610M-J | 72530443 | MF4610M Loader Ready Tractor . . . . .<br>Includes Loader Frame Rails and Factory Joystick,<br>and Loader Valve | 00C38539 | 45,340.00 |

## **LOADER - 4wd Only**

## **GROUP 02**

### **Non Self-Leveling**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72533831 | MF931X Loader Package - Skid Steer Style . . . . .   | 60C5657 | 6,656.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |
| 72533832 | MF931X Loader Package - Euro Style . . . . .         | 00C5321 | 6,260.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |

### **Mechanical Self-Leveling**

|          |                                                      |         |          |
|----------|------------------------------------------------------|---------|----------|
| 72533835 | MF936X Loader Package - Skid Steer Style . . . . .   | 00C6443 | 7,580.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |
| 72533836 | MF936X Loader Package - Euro Style . . . . .         | 40C6106 | 7,184.00 |
|          | Includes: Loader Uprights, Hose Kit and Grille Guard |         |          |

**ALL Tractors will be charged \$325 for Assembly**

## **OPERATOR ENVIRONMENT**

## **GROUP 03**

|      |          |                                                                                                                                                                                                                                                                                                                                                         |          |           |
|------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| RE3  | 72530444 | Platform . . . . .                                                                                                                                                                                                                                                                                                                                      |          | In Base   |
| CE3  | 72530445 | Standard Cab . . . . .                                                                                                                                                                                                                                                                                                                                  | 00C7888  | 9,280.00  |
| CDE3 | 72530446 | Deluxe Cab . . . . .<br>(Requires 4wd, Factory Joystick with Loader Valve,<br>Loader Frame Rails, and Float/Kickout Valves)<br>Includes: 3-Pt Hitch Fender Controls on Lefthand Side Fender,<br>Air Ride Seat, 2 LED Lights Front and 2 LED Lights Rear,<br>Rear Window Defrost, Rear Window Wiper, Front Pull Down<br>Sun Visor, Antenna, and Speakers | 15C10862 | 12,779.00 |

## **FRONT AXLE**

## **GROUP 04**

|   |          |                          |           |            |
|---|----------|--------------------------|-----------|------------|
| F | 72530448 | 4wd Front Axle . . . . . |           | In Base    |
| T | 72530447 | 2wd Front Axle . . . . . | (75C3497) | (4,115.00) |



MASSEY FERGUSON®

# MF4610M

(F.O.B. PORT OF ENTRY)

| Order Code                                                           | Catalog Number | Description                                                                                                                                                                                                                                                                                                       | Factory Code           | List Price      |
|----------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------|
| <b><u>TRANSMISSION</u></b>                                           |                |                                                                                                                                                                                                                                                                                                                   | <b><u>GROUP 05</u></b> |                 |
|                                                                      | 72530449       | 12 X 12 Hydraulic Shuttle . . . . .                                                                                                                                                                                                                                                                               |                        | In Base         |
| L                                                                    | 72530451       | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . .<br><b>Requires</b> 4wd and 1 Float + Kickout Valve and 1 Float Hydraulic Valve<br><b>Available</b> on Non-Loader Ready Models for any Operator Station, and Loader Ready Models with Platform or Deluxe Cab Only (Compatible with Dealer Installed Loaders) | 75C1049                | 1,235.00        |
| <b><u>HYDRAULICS</u></b>                                             |                |                                                                                                                                                                                                                                                                                                                   | <b><u>GROUP 06</u></b> |                 |
| <b>4WD Hydraulic Options</b>                                         |                |                                                                                                                                                                                                                                                                                                                   |                        |                 |
| W                                                                    | 72530453       | 2 Spool Valves - Spring Return to Neutral . . . . .                                                                                                                                                                                                                                                               |                        | In Base For 4wd |
| K                                                                    | 72530455       | 1 Float + Kickout Valve and 1 Float Valve . . . . .                                                                                                                                                                                                                                                               | 75C284                 | 335.00          |
| <b>2WD Hydraulic Options</b>                                         |                |                                                                                                                                                                                                                                                                                                                   |                        |                 |
| V                                                                    | 72530454       | 1 Spool Valve - Spring Return to Neutral . . . . .                                                                                                                                                                                                                                                                |                        | In Base For 2wd |
| <b><u>REAR AND FRONT TIRES</u></b>                                   |                |                                                                                                                                                                                                                                                                                                                   | <b><u>GROUP 07</u></b> |                 |
| <b>4WD Tires</b>                                                     |                |                                                                                                                                                                                                                                                                                                                   |                        |                 |
|                                                                      | 72530247M      | R: 16.9-30 R1 . . . . .<br>F: 11.2-24                                                                                                                                                                                                                                                                             | 85C3536                | 4,161.00        |
|                                                                      | 72530248M      | R: 16.9-34 R1 . . . . .<br>F: 12.4-24                                                                                                                                                                                                                                                                             | 20C3920                | 4,612.00        |
|                                                                      | 72530255M      | R: 18.4-30 R1 . . . . .<br>F: 12.4-24                                                                                                                                                                                                                                                                             | 20C3818                | 4,492.00        |
|                                                                      | 72530249M      | R: 19.5L-24 R4 . . . . .<br>F: 12.5/80-18                                                                                                                                                                                                                                                                         | 75C3939                | 4,635.00        |
| <b>2WD Tires</b>                                                     |                |                                                                                                                                                                                                                                                                                                                   |                        |                 |
|                                                                      | 72530262M      | R: 16.9-30 R1 . . . . .<br>F: 9.5L-15                                                                                                                                                                                                                                                                             | 15C2651                | 3,119.00        |
|                                                                      | 72530263M      | R: 16.9-30 R1 . . . . .<br>F: 7.50-18                                                                                                                                                                                                                                                                             | 95C2657                | 3,127.00        |
|                                                                      | 72530264M      | R: 18.4-30 R1 . . . . .<br>F: 10.00-16                                                                                                                                                                                                                                                                            | 50C3204                | 3,770.00        |
|                                                                      | 72530265M      | R: 16.9-34 R1 . . . . .<br>F: 10.00-16                                                                                                                                                                                                                                                                            | 95C3116                | 3,667.00        |
| <b><u>BUCKET OPTIONS - Recommended with Loader Packages Only</u></b> |                |                                                                                                                                                                                                                                                                                                                   | <b><u>GROUP 08</u></b> |                 |
| <b>Skid Steer Style</b>                                              |                |                                                                                                                                                                                                                                                                                                                   |                        |                 |
|                                                                      | 72533683ML     | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . .                                                                                                                                                                                                                                                        | 00C935                 | 1,100.00        |
|                                                                      | 72533684ML     | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . .                                                                                                                                                                                                                                                        | 00C1020                | 1,200.00        |
| <b>Euro Style</b>                                                    |                |                                                                                                                                                                                                                                                                                                                   |                        |                 |
|                                                                      | 72533685ML     | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . .                                                                                                                                                                                                                                                        | 50C807                 | 950.00          |
|                                                                      | 72533686ML     | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . .                                                                                                                                                                                                                                                        | 50C892                 | 1,050.00        |
| <b><u>MISCELLANEOUS OPTIONS</u></b>                                  |                |                                                                                                                                                                                                                                                                                                                   | <b><u>GROUP 09</u></b> |                 |
|                                                                      | 72533731ML     | Grille Guard for Tractor without Loader . . . . .                                                                                                                                                                                                                                                                 | 20C095                 | 112.00          |



**MASSEY FERGUSON®**

## FIELD ACCESSORIES

Please order these accessories through the AGCO Parts Division.  
Consult the parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing.

| CATALOG NUMBER                       | DESCRIPTION                                           | 4607M | 4609M | 4610M | NOTES                                                                                              |
|--------------------------------------|-------------------------------------------------------|-------|-------|-------|----------------------------------------------------------------------------------------------------|
| <b>HYDRAULICS</b>                    |                                                       |       |       |       |                                                                                                    |
| 7066736M93                           | Auxiliary Remote Valve                                | X     | X     | X     | Spring Return to Neutral (SRN)                                                                     |
| 7066737M93                           | Auxiliary Float Valve                                 | X     | X     | X     | Manual return from Float Function                                                                  |
| 7069070M93                           | Kickout Float Combo Valve                             | X     | X     | X     | Returns to Neutral at the end of Stroke, One installed per Tractor                                 |
| 7066739M92                           | Lever Kit                                             | X     | X     | X     | Works for all valves. Each Valve requires a Lever Kit.                                             |
| 7066738M91                           | Couplers for Remote Valve                             | X     | X     | X     | Required for each Valve                                                                            |
| 7066037M94                           | Assist Cylinder for Rear 3-Point                      | X     | X     | X     | Increases lift capacity from 3,417 lbs to 4,409 lbs                                                |
| <b>WEIGHTS &amp; WHEEL EQUIPMENT</b> |                                                       |       |       |       |                                                                                                    |
| 7065137M3                            | Front Weight Frame                                    | X     | X     | X     |                                                                                                    |
| 3784628M93                           | Individual Front Weight<br>121 lbs (55 kg)            | X     | X     | X     | Up to 8 Front Weights<br>Maximum                                                                   |
| 79018834                             | 4 Bolt Rear Wheel<br>Weight                           | X     | X     | X     | For 34" Wheels<br>Single weight (125 lbs)<br>Maximum of 8 weights can fit on front<br>weight frame |
| 79018837                             | 3 Bolt Rear Wheel Weight                              | X     | X     | X     | For 30" Wheels<br>Single weight (300 lbs)                                                          |
| HW45C                                | Hardware Kit for 1st Weight<br>for Square Hole Wheels | X     | X     | X     | For 34" Wheels/Promo 225                                                                           |
| HW45H                                | Hardware Kit for 1st Weight<br>for Round Hole Wheels  | X     | X     | X     | For 34" Wheels/Promo 225                                                                           |
| HW45C                                | Hardware Kit to Add 1 Weight<br>to Base Weight        | X     | X     | X     | For 34" Wheels/Promo 225                                                                           |
| HW48C2-1                             | Hardware Kit to Add 2 Weights<br>to Base Weight       | X     | X     | X     | For 34" Wheels/Promo 225                                                                           |
| HW36C                                | Hardware Kit for 1st Weight<br>for Square Hole Wheels | X     | X     | X     | For 30" Wheels/Promo 225                                                                           |
| HW36H                                | Hardware Kit for 1st Weight<br>for Round Hole Wheels  | X     | X     | X     | For 30" Wheels/Promo 225                                                                           |
| HW39H                                | Hardware Kit for Add on Weights                       | X     | X     | X     | For 30" Wheels/Promo 225                                                                           |



**MASSEY FERGUSON®**

## FIELD ACCESSORIES

Please order these accessories through the AGCO Parts Division.  
Consult the parts ordering system using oneAGCO Solutions-Online to determine  
current availability and pricing.

| CATALOG<br>NUMBER    | DESCRIPTION               | 4607M | 4609M | 4610M | NOTES                                                 |
|----------------------|---------------------------|-------|-------|-------|-------------------------------------------------------|
| <b>MISCELLANEOUS</b> |                           |       |       |       |                                                       |
| 7066676M96           | Creeper Transmission Kit  | X     | X     | X     |                                                       |
| V836640935           | Block Heater              | X     | X     | X     |                                                       |
| 7066151M91           | Clevis Drawbar Set        | X     | X     | X     |                                                       |
| 312013903            | Fiberglass Canopy         | X     | X     | X     | For Platform Tractors only,<br>attaches to ROPS       |
| 7066708M91           | High-back Seat (Platform) | X     | X     | X     | Attached to existing seat,<br>raises seat back height |
| 4330410M92           | Beacon Light              | X     | X     | X     | Cab Tractors Only                                     |
| 4283580M1            | French Operators Manual   | X     | X     | X     | Order from<br>Parts Technical Publications            |
| 4283581M1            | Spanish Operators Manual  | X     | X     | X     |                                                       |



**MASSEY FERGUSON®**

## **MF 4700 GLOBAL SERIES UTILITY**



MASSEY FERGUSON®

# MF 4700 GLOBAL SERIES

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- AGCO Power 33AWIC 3 Cylinder (Turbocharged) with SCR and DOC  
Tier 4 Final EPA and CARB Certified
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust
- Cooling System: Antifreeze 50/50 Mix
- Cold Starting Aid: Intake Heater

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Standard Limited Slip Differential, Optional Hydraulically Actuated Differential Lock

### POWERTRAIN

- Transmission:
  - MF4708-4709** - 8 X 8 Synchro Shuttle with Left Hand Shuttle Lever, 4 Synchronized Gears, 2 Ranges
  - MF4710** - 12 X 12 Synchro Mechanical Shuttle with Left Hand Shuttle Lever, 6 Synchronized Gears, 2 Ranges
- Rear Axle: Inboard Planetary Final Drives, with Push Button Operated Mechanical Differential Lock, Flanged Rear Axle
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Dual Speed with 6 and 21 Spline Flange Shafts (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Implement System:
  - Open Center System, Engine Driven Gear Pump
  - 17.1 GPM (65 LPM) Flow
  - Optional Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:
  - ASAE Category II with Telescopic Ball Ends
  - Lift Capacity at 24": 5290 LBS (2400 KG)
  - Single Adjustable Rear Linkage Turnbuckle, Top Link
  - Draft Sensing
  - Standard Chain Link Stabilizers, Optional Telescopic Stabilizers
- Swing Offset Drawbar with 350/400/500mm Positions, Cat 2 Clevis

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free SAE 775 CCA Battery
- 80 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- Rear Brake Lights
- Standard 1 Rear Work Light
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Digital Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATOR ENVIRONMENT (PLATFORM MODELS)

- Semi-Flat Floor Platform with Rubber Floor Mat
- Hand Rails with Glass Heat Shields
- Lever Controlled 3-Point Linkage
- 2 Post Folding ROPS
- Fixed Steering Column
- Seat: Adjustable Spring Cushion Vinyl
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side and Right Side Foot Step Entry

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 27.7 Gallons (105 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Sign

## LOADER FEATURES

### MF931X AND MF936X LOADERS

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- **NSL:** (2) 2.8 inch Double Acting Lift Cylinders
- **MSL:** (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.8 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Standard with Flat Face Couplers

### FITS MF4708, 4709 AND 4710 2WD AND 4WD TRACTOR MODELS

- Rated on MF4710 Tractor with 13.6R24 Front Tires and 16.9R34 Rear Tires
- **NSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3020 lbs
- **MSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3430 lbs
- Maximum Lift Height: 136 inches at Pivot
- **NSL:** Breakout Force: 3540 lbs
- **MSL:** Breakout Force: 3660 lbs
- Rated Hydraulic Pressure: 2828 PSI
- Grille Guard Standard

# MF 4700 GLOBAL SERIES



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED (Unless In Base Option is Desired)

## **BASE MACHINE - Classic Edition, Platform**

## **GROUP 01**

### **2wd:**

|            |         |                                            |          |  |           |
|------------|---------|--------------------------------------------|----------|--|-----------|
| MF4708~201 | 7296034 | Massey Ferguson 4708 (68 PTO HP) . . . . . | 15C33489 |  | 39,399.00 |
| MF4709~201 | 7296035 | Massey Ferguson 4709 (78 PTO HP) . . . . . | 15C35444 |  | 41,699.00 |
| MF4710~201 | 7296004 | Massey Ferguson 4710 (88 PTO HP) . . . . . | 65C38036 |  | 44,749.00 |

### **4wd:**

|            |         |                                            |          |  |           |
|------------|---------|--------------------------------------------|----------|--|-----------|
| MF4708~401 | 7296036 | Massey Ferguson 4708 (68 PTO HP) . . . . . | 15C36974 |  | 43,499.00 |
| MF4709~401 | 7296037 | Massey Ferguson 4709 (78 PTO HP) . . . . . | 15C38929 |  | 45,799.00 |
| MF4710~401 | 7296007 | Massey Ferguson 4710 (88 PTO HP) . . . . . | 65C41521 |  | 48,849.00 |

**Note:** PTO HP @ Rated 2200 Engine Speed

## **LOADER - 4wd Only**

## **GROUP 02**

### **Non Self-Leveling**

|          |                                                    |         |  |          |
|----------|----------------------------------------------------|---------|--|----------|
| 72533872 | MF931X Loader Package - Skid Steer Style . . . . . | 95C6805 |  | 8,007.00 |
|          | Includes: Subframe, Hydraulic Kit and Grille Guard |         |  |          |
| 72533873 | MF931X Loader Package - Euro Style . . . . .       | 35C6469 |  | 7,611.00 |
|          | Includes: Subframe, Hydraulic Kit and Grille Guard |         |  |          |

### **Mechanical Self-Leveling**

|          |                                                    |         |  |          |
|----------|----------------------------------------------------|---------|--|----------|
| 72533877 | MF936X Loader Package - Skid Steer Style . . . . . | 35C7591 |  | 8,931.00 |
|          | Includes: Subframe, Hydraulic Kit and Grille Guard |         |  |          |
| 72533878 | MF936X Loader Package - Euro Style . . . . .       | 75C7254 |  | 8,535.00 |
|          | Includes: Subframe, Hydraulic Kit and Grille Guard |         |  |          |

**ALL Tractors will be charged \$325 for Assembly**

## **MARKETING PACKAGE**

## **GROUP 03**

|                                                    |         |  |          |
|----------------------------------------------------|---------|--|----------|
| Deluxe Package Upgrade for 4708 and 4709 . . . . . | 00C2125 |  | 2,500.00 |
| Deluxe Package Upgrade for 4710 . . . . .          | 50C1487 |  | 1,750.00 |

### **Deluxe Package Upgrade Includes:**

12x12 Transmission with Power Shuttle  
(6 gears, 2 ranges with declutch on main gear lever),  
Telescopic Stabilizers, Lever Controlled 3-Point Linkage with  
Draft Control, External 3-Point Lift Control on Left Hand Side  
Fender, Hydraulically Actuated Differential Lock, 2 Mechanically  
Controlled Spool Valves (1 x DA KO FL + 1 x DA KO FL),  
Analogue & Digital Instrument Panel with Performance Monitor,  
30 Amp Auxiliary Electrical Socket, Mid Mounted Front Work Lights,  
Rear Sided Fender Extensions, Fuel Tank Guard, Tilt Steering Column





MASSEY FERGUSON®

# MF 4700 GLOBAL SERIES

| Order Code                         | Catalog Number | Description                                                                                                                | Factory Code | Approx. Weight (lb.) | List Price             |
|------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|------------------------|
| <b><u>TRANSMISSION OPTIONS</u></b> |                |                                                                                                                            |              |                      | <b><u>GROUP 04</u></b> |
| 25-EA702                           | Base           | 8 X 8 Synchro Shuttle 19 MPH (30 KPH) . . . . .<br>for MF4708, 4709                                                        |              |                      | <b>In Base</b>         |
| 25-EA706                           | Base           | 12 X 12 Synchro Mechanical Shuttle . . . . .<br>25 MPH (40 KPH) for MF4710                                                 |              |                      | <b>In Base</b>         |
| 35-EN002                           | 7296015        | Creeper Gear (13.68:1 Reduction) . . . . .                                                                                 | 75C1049      |                      | 1,235.00               |
| <b><u>DRAFT CONTROL</u></b>        |                |                                                                                                                            |              |                      | <b><u>GROUP 05</u></b> |
| 90-GD024                           | Base           | Lever Controlled 3-Point Linkage without Draft Control .                                                                   |              |                      | <b>In Base</b>         |
| 90-GD025                           | 7296017        | Lever Controlled 3-Point Linkage with Draft Control . .<br>(Included in Deluxe Edition)                                    | 25C191       |                      | 225.00                 |
| <b><u>AUXILIARY VALVES</u></b>     |                |                                                                                                                            |              |                      | <b><u>GROUP 06</u></b> |
| 50-KX021                           | Base           | 1 Mechanical Controlled Spool Valve, . . . . .<br>(1 x DA FL)                                                              |              |                      | <b>In Base</b>         |
| 50-KX032                           | 7296021        | 2 Mechanical Controlled Spool Valves, . . . . .<br>(1 x DA KO FL + 1 x DA KO FL)<br>(Included in Deluxe Edition)           | 65C823       |                      | 969.00                 |
| <b><u>PTO</u></b>                  |                |                                                                                                                            |              |                      | <b><u>GROUP 07</u></b> |
| 100-LA110                          | Base           | 540/1000 RPM Dual Speed PTO, External Control, . . .<br>with 6 and 21 Spline Flange PTO Shafts                             |              |                      | <b>In Base</b>         |
| 100-LA108                          | 7296025        | 540/540E RPM PTO, External Control, . . . . .<br>540 RPM 6 Spline Shaft<br>(Cannot be Upgraded once this Option is Chosen) | (65C126)     |                      | (149.00)               |
| <b><u>EXHAUST</u></b>              |                |                                                                                                                            |              |                      | <b><u>GROUP 08</u></b> |
| 40-CC004                           | Base           | Vertical Exhaust with Heat Shield . . . . .                                                                                |              |                      | <b>In Base</b>         |
| 40-CC025                           | 7296029        | Down Exhaust with Heat Shield . . . . .                                                                                    | (65C041)     |                      | (49.00)                |

# MF 4700 GLOBAL SERIES



| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRE BRAND SELECTION

|         |      |                            |  |  |           |
|---------|------|----------------------------|--|--|-----------|
| 70-Base | Base | Trelleborg Brand . . . . . |  |  | No Charge |
|---------|------|----------------------------|--|--|-----------|

## TIRES for 4708 and 4709

### FRONT AND REAR TIRES

#### **2WD - Flange Axle - Set of 2**

|          |           |                                        |        |                |
|----------|-----------|----------------------------------------|--------|----------------|
| 75-Base  | 7296802B1 | Rear: 420/85R30 (16.9R30) R1 . . . . . |        | <b>In Base</b> |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |        |                |
| 75-W1837 | 7296803B1 | Rear: 460/85R30 (18.4R30) R1 . . . . . | 15C305 | 359.00         |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |        |                |
| 75-W1834 | 7296809B1 | Rear: 15.5R38 R1 . . . . .             | 30C661 | 778.00         |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |        |                |
| 75-W1836 | 7296805B1 | Rear: 420/85R34 (16.9R34) R1 . . . . . | 35C502 | 591.00         |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |        |                |

#### **4WD - Flange Axle - Set of 2**

|          |           |                                        |        |                |
|----------|-----------|----------------------------------------|--------|----------------|
| 75-Base  | 7296802B1 | Rear: 420/85R30 (16.9R30) R1 . . . . . |        | <b>In Base</b> |
|          | 7296706B1 | Front: 320/85R24 (12.4R24) R1          |        |                |
| 75-W1841 | 7296803B1 | Rear: 460/85R30 (18.4R30) R1 . . . . . | 25C446 | 525.00         |
|          | 7296708B1 | Front: 340/85R24 (13.6R24) R1          |        |                |
| 75-W1838 | 7296809B1 | Rear: 15.5R38 R1 . . . . .             | 40C802 | 944.00         |
|          | 7296708B1 | Front: 340/85R24 (13.6R24) R1          |        |                |
| 75-W1840 | 7296805B1 | Rear: 420/85R34 (16.9R34) R1 . . . . . | 45C643 | 757.00         |
|          | 7296708B1 | Front: 340/85R24 (13.6R24) R1          |        |                |

## TIRES for 4710

### FRONT AND REAR TIRES

#### **2WD - Flange Axle - Set of 2**

|          |           |                                        |          |                |
|----------|-----------|----------------------------------------|----------|----------------|
| 75-Base  | 7296805B2 | Rear: 420/85R34 (16.9R34) R1 . . . . . |          | <b>In Base</b> |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |          |                |
| 75-W1835 | 7296802B2 | Rear: 420/85R30 (16.9R30) R1 . . . . . | (35C502) | (591.00)       |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |          |                |
| 75-W1837 | 7296803B2 | Rear: 460/85R30 (18.4R30) R1 . . . . . | (20C197) | (232.00)       |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |          |                |
| 75-W1834 | 7296809B2 | Rear: 15.5R38 R1 . . . . .             | 95C158   | 187.00         |
|          | 7296700B2 | Front: 9.5L-15 F2 Fixed                |          |                |

#### **4WD - Flange Axle - Set of 2**

|          |           |                                        |          |                |
|----------|-----------|----------------------------------------|----------|----------------|
| 75-Base  | 7296805B2 | Rear: 420/85R34 (16.9R34) R1 . . . . . |          | <b>In Base</b> |
|          | 7296708B2 | Front: 340/85R24 (13.6R24) R1          |          |                |
| 75-W1839 | 7296802B2 | Rear: 420/85R30 (16.9R30) R1 . . . . . | (45C643) | (757.00)       |
|          | 7296706B2 | Front: 320/85R24 (12.4R24) R1          |          |                |
| 75-W1841 | 7296803B2 | Rear: 460/85R30 (18.4R30) R1 . . . . . | (20C197) | (232.00)       |
|          | 7296708B2 | Front: 340/85R24 (13.6R24) R1          |          |                |
| 75-W1838 | 7296809B2 | Rear: 15.5R38 R1 . . . . .             | 95C158   | 187.00         |
|          | 7296708B2 | Front: 340/85R24 (13.6R24) R1          |          |                |



MASSEY FERGUSON®

# MF 4700 GLOBAL SERIES

| Order Code                                                           | Catalog Number | Description                                             | Factory Code | Approx. Weight (lb.) | List Price             |
|----------------------------------------------------------------------|----------------|---------------------------------------------------------|--------------|----------------------|------------------------|
| <b><u>REAR WHEEL WEIGHTS</u></b>                                     |                |                                                         |              |                      | <b><u>GROUP 10</u></b> |
| 325-RD000                                                            | Base           | Without Rear Wheel Weights . . . . .                    |              |                      | <b>In Base</b>         |
| 325-RD093                                                            | 7296085        | 2 Sets of 3 Wheel Weights 661 Lbs (300 Kg) . . . . .    | 65C755       | 661                  | 889.00                 |
| <b><u>BUCKET OPTIONS - Recommended with Loader Packages Only</u></b> |                |                                                         |              |                      | <b><u>GROUP 11</u></b> |
| <b>Skid Steer Style</b>                                              |                |                                                         |              |                      |                        |
|                                                                      | 72533683ML     | 72-inch Skid Steer Material Bucket 180U, 25 cu ft . . . | 00C935       | 390                  | 1,100.00               |
|                                                                      | 72533684ML     | 84-inch Skid Steer Material Bucket 210U, 29 cu ft . . . | 00C1020      | 437                  | 1,200.00               |
| <b>Euro Style</b>                                                    |                |                                                         |              |                      |                        |
|                                                                      | 72533685ML     | 72-inch Euro Style Material Bucket 180U, 25 cu ft . . . | 50C807       | 390                  | 950.00                 |
|                                                                      | 72533686ML     | 84-inch Euro Style Material Bucket 210U, 29 cu ft . . . | 50C892       | 437                  | 1,050.00               |
| <b><u>MISCELLANEOUS</u></b>                                          |                |                                                         |              |                      | <b><u>GROUP 12</u></b> |
| 275-TC005                                                            | 7296086        | French Language Operator's Manual . . . . .             |              |                      | No Charge              |
| 275-TC011                                                            | 7296087        | Spanish Language Operator's Manual . . . . .            |              |                      | No Charge              |

# FIELD ACCESSORIES



Please order these accessories through the AGCO Parts Division.  
Consult the parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing.

MASSEY FERGUSON®

| CATALOG NUMBER                       | DESCRIPTION                                       | 4708 | 4709 | 4710 | NOTES                                                          |
|--------------------------------------|---------------------------------------------------|------|------|------|----------------------------------------------------------------|
| <b>HYDRAULICS</b>                    |                                                   |      |      |      |                                                                |
| 4392848M14                           | 2nd Remote Valve Control Lever                    | X    | X    | X    |                                                                |
| 4392850M14                           | 3rd Remote Valve Control Lever                    | X    | X    | X    |                                                                |
| 4305981M1                            | Cat 2 to Cat 1 Top Link Bushing                   | X    | X    | X    | Reference GIMA Part 4305981H1                                  |
| 4305971M1                            | Cat 2 to Cat 1 Lower Link Bushing (order two)     | X    | X    | X    | Reference GIMA Part 4305971M1                                  |
| <b>WEIGHTS &amp; WHEEL EQUIPMENT</b> |                                                   |      |      |      |                                                                |
| 4380458M1                            | 40 KG Front Weight - Single Weight                | X    | X    | X    |                                                                |
| 4349427M2                            | 55 KG Front Weight - Single Weight                | X    | X    | X    |                                                                |
| ACW002695A                           | Front End Weight Hardware - 40 and 55 KG          | X    | X    | X    | Weights ordered separately                                     |
| ACW0128050                           | Single Rear Wheel Weight Adaptor Hub (50 KG)      | X    | X    | X    | Requires Hardware Kit ACW0392850 - One Kit per Adapter         |
| ACW0392850                           | Single Rear Wheel Weight Adaptor Hub Hardware Kit | X    | X    | X    | One Kit Required per Adapter                                   |
| ACW0128080                           | Single Rear Wheel Weight (50 KG)                  | X    | X    | X    | Requires ACW0089550 Hardware Kit and ACW0128050 Adapter Weight |
| ACW0392870                           | Single Rear Wheel Weight Hardware Kit             | X    | X    | X    | One Kit Required per Weight                                    |
| <b>MISCELLANEOUS</b>                 |                                                   |      |      |      |                                                                |
| ACW0026370                           | Front Tow Hitch and Front Tow Pin                 | X    | X    | X    |                                                                |
| ACW0089550                           | Nose Grille Guard                                 | X    | X    | X    |                                                                |
| 4392117M11                           | Fuel Tank Shield, Semi-Plaform                    | X    | X    | X    |                                                                |
| ACW0142450                           | Fuel Cap with Key                                 | X    | X    | X    |                                                                |
| ACW0141220                           | DEF Cap with Key                                  | X    | X    | X    |                                                                |
| ACW0142460                           | Fuel and DEF Cap with Key                         | X    | X    | X    |                                                                |
| ACW002869B                           | Sun Canopy                                        | X    | X    | X    | FOPS Compliant                                                 |
| ACW0038210                           | Armrests                                          | X    | X    | X    |                                                                |
| ACW002806B                           | Rotating Beacon Light                             | X    | X    | X    |                                                                |

**RESERVED**



**MASSEY FERGUSON®**

## **2600 Series UTILITY**



MASSEY FERGUSON®

# MF2605

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- 3 Cylinder Naturally Aspirated Engine Tier III
- 152.6 cu. in. (2.5 l) Displacement
- 38.5 (28.7 kW) SAE Gross Engine Horsepower @ 2000 RPM
- 32 (23.9 kW) PTO Horsepower @ 2000 RPM with live PTO
- 30 (22.4 kW) PTO Horsepower @ 2000 RPM with Independent PTO

### FRONT AXLE - Two Factory Options

- 2 wheel drive with Telescopic Adjustment OR
- 4 wheel drive with planetary reduction final drives

### POWER TRAIN

- Transmission - 8x2 Centershift - Sliding Gear
- Rear Axle - Bevel Gear, Single Reduction Type
- Brakes - Independent Drum Type (Dry) with Mechanical Actuation
- Parking Brake - Mechanical Hand Lever

### PTO - Two Factory Options

- Live, 540 RPM, 6 Spline shaft with 12" x 10" Dual Stage Dry Clutch OR
- Independent PTO, 540 RPM, 6 Spline Shaft with Lever Operated Wet Disc Clutch

\* **Manufacturer's Estimate**

### HYDRAULICS

- Hydrostatic Steering with Separate Reservoir
- Ferguson 3-Point Hitch System with Top Link Draft Sensing
- 3-Point Hitch Pump Flow (4.2 GPM) \*
- Draft, Position and Response Control
- Spool Valves **not** Included
- Internal Auxiliary Piggy-Back pump flow (9.8 GPM) \*

### THREE POINT LINKAGE

- Fixed-Category I/II Cross Drilled Ball Ends
- Sway Chain Stabilizers

### ELECTRICAL

- Headlights
- Single Rear Work Light
- Safety Lights
- 7 Pin ASAE Outlet

### OPERATORS ENVIRONMENT

- Straddle Mount
- Retractable Seatbelt
- Folding ROPS
- Suspended Foot Pedals

### OTHER STANDARD FEATURES

- Tilting One Piece Hood
- Swinging Drawbar
- Tool Box
- Drawbar Clevis

## LOADER FEATURES

### MF911X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.4 inch Double Acting Lift Cylinders
- (2) 2.4 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Grille Guard Standard

- Fits all MF2600 Series 4wd Tractors
- Rated on MF2635 Tractor with 9.5-24 Front Tires and 16.9-28 Rear Tires
- Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 1510 lbs
- Maximum Lift Height: 115 inches at Pivot
- Breakout Force: 2750 lbs
- Rated Hydraulic Pressure: 2755 PSI

# MF2605

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 06 AS REQUIRED**

## **MODEL - BASE MACHINE**

## **GROUP 01**

|               |         |                                                    |          |              |
|---------------|---------|----------------------------------------------------|----------|--------------|
| <b>MF2605</b> |         | MF2605 Base Tractor                                |          |              |
| BAA           | 4338201 | 2wd, 8 x 2 Transmission, Live PTO . . . . .        | 75C12507 | \$ 14,715.00 |
| BAB           | 4338202 | 2wd, 8 x 2 Transmission, Independent PTO . . . . . | 05C13645 | 16,053.00    |
| BAE           | 4338401 | 4wd, 8 x 2 Transmission, Live PTO . . . . .        | 80C15918 | 18,728.00    |
| BAF           | 4338402 | 4wd, 8 x 2 Transmission, Independent PTO . . . . . | 10C17056 | 20,066.00    |

## **LOADER - 4WD Only**

## **GROUP 02**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533751 | MF911X Loader Package - Skid Steer Style . . . . . | 65C5243 | 6,169.00 |
|          | Includes: Mounting Kit, Valve Kit and Grille Guard |         |          |
| 72533752 | MF911X Loader Package - Euro Style . . . . .       | 05C4907 | 5,773.00 |
|          | Includes: Mounting Kit, Valve Kit and Grille Guard |         |          |

**NOTE: With addition of a Loader, the Model changes to MF2605L**

**\* ALL Tractor-Loader Packages will be charged \$210 for Assembly**

## **WHEELS AND TIRES**

## **GROUP 03**

|                   |         |                                                          |         |
|-------------------|---------|----------------------------------------------------------|---------|
| <b>2WD TIRES:</b> |         |                                                          |         |
| 52                | 4338604 | Front: 7.50 X 16 Pressed Steel Welded. . . . .           | In Base |
|                   |         | Rear: 13.6 X 28 R1 Pressed Steel Disc Adjustable Rim     |         |
| <b>4WD TIRES:</b> |         |                                                          |         |
| 54                | 4338602 | Front: 10.5/80 X 18 R1 Pressed Steel Disc Adjustable Rim | In Base |
|                   |         | Rear: 13.6 X 28 R1 Pressed Steel Disc Adjustable Rim     |         |

## **HYDRAULIC VALVES - OPTIONAL**

## **GROUP 04**

|         |                                                  |        |        |
|---------|--------------------------------------------------|--------|--------|
| 4345601 | 1 Rear Spool, Spring Return to Neutral . . . . . | 00C680 | 800.00 |
|---------|--------------------------------------------------|--------|--------|

## **GRILLE GUARDS - OPTIONAL - for use without loader**

## **GROUP 05**

|            |                                                   |        |        |
|------------|---------------------------------------------------|--------|--------|
| 72533714ML | Grille Guard, 2605 - 2WD and 2615 - 2WD . . . . . | 25C191 | 225.00 |
| 72533715ML | Grille Guard, 2605 and 2615 - 4WD, . . . . .      | 20C095 | 112.00 |
|            | 2635 - 2WD and 4WD                                |        |        |





# MF2605

MASSEY FERGUSON®

| Order<br>Code | Catalog<br>Number | Description | Factory<br>Code | List<br>Price |
|---------------|-------------------|-------------|-----------------|---------------|
|---------------|-------------------|-------------|-----------------|---------------|

**BUCKET OPTIONS - for use with loader packages only**

**GROUP 06**

**Skid Steer Style**

|            |                                                           |         |     |          |
|------------|-----------------------------------------------------------|---------|-----|----------|
| 72533683ML | 72-inch Skid Steer Material Bucket 185U, 25 cu ft . . . . | 00C935  | 390 | 1,100.00 |
| 72533684ML | 84-inch Skid Steer Material Bucket 210U, 29 cu ft . . . . | 00C1020 | 437 | 1,200.00 |

**Euro Style**

|            |                                                            |        |     |          |
|------------|------------------------------------------------------------|--------|-----|----------|
| 72533685ML | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . . | 50C807 | 390 | 950.00   |
| 72533686ML | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . . | 50C892 | 437 | 1,050.00 |

# MF2615

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

## TRACTOR FEATURES

### ENGINE SYSTEM

- 3 Cylinder Naturally Aspirated Engine Tier IVi
- 164.8 cu. in. (2.7 l) Displacement
- 49 (36.5 kW) SAE Gross Engine Horsepower @ 2250 RPM
- 42 (31.3 kW) PTO Horsepower @ 2250 RPM
- 40 (29.8 kW) PTO Horsepower @ 2250 RPM with Independent PTO

### FRONT AXLE - Two Factory Options

- 2 wheel drive with Telescopic Adjustment OR
- 4 wheel drive with planetary reduction final drives

### POWER TRAIN - Two Factory Options

- Transmission - 8x2 Sideshift - Sliding Gear - Transmission Shift Control Lever on Right Side and Range Box Shift Control Lever on Left Side
- Single Reduction Final Drive OR
- Transmission - 8x8 Sideshift - Syncromesh - Transmission Shift Control Lever on Right Side and Range Box Shift Control Lever on Left Side
- Mechanical F-R Shuttle Lever Left Side of Steering Wheel
- Outboard Planetary Final Drives
- Brakes - Internal Multi Wet Disc with Mechanical Actuation
- Parking Brake - Mechanical Hand Lever

### PTO - Two Factory Options

- Live, 540 RPM, 6 Spline shaft with 12" x 10" Dual Stage Dry Clutch OR
- Independent PTO, 540 RPM, 6 Spline Shaft with Lever Operated Wet Disc Clutch

### HYDRAULICS

- Hydrostatic Steering with Separate Reservoir
- Ferguson 3-Point Hitch System with Top Link Draft Sensing
- 3-Point Hitch Pump Flow (4.7 GPM) \*
- Draft, Position and Response Control
- Spool Valves **not** Included
- Internal Auxiliary Piggy-Back pump flow (11.0 GPM) \*

### THREE POINT LINKAGE

- Fixed - Category I/II Cross Drilled Ball Ends
- Sway Chain Stabilizers

### ELECTRICAL

- Headlights
- Single Rear Work Light
- Safety Lights
- 7 Pin ASAE Outlet

### OPERATORS ENVIRONMENT

- Straddle Mount
- Retractable Seatbelt
- Folding ROPS
- Suspended Foot Pedals

### OTHER STANDARD FEATURES

- Tilting One Piece Hood
- Swinging Drawbar
- Tool Box
- Drawbar Clevis

\*Manufacturer's Estimate

## LOADER FEATURES

### MF911X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.4 inch Double Acting Lift Cylinders
- (2) 2.4 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Grille Guard Standard

- Fits all MF2600 Series 4wd Tractors
- Rated on MF2635 Tractor with 9.5-24 Front Tires and 16.9-28 Rear Tires
- Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 1510 lbs
- Maximum Lift Height: 115 inches at Pivot
- Breakout Force: 2750 lbs
- Rated Hydraulic Pressure: 2755 PSI



MASSEY FERGUSON®

# MF2615

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 06 AS REQUIRED**

**MODEL - BASE MACHINE****GROUP 01**

|               |         |                                                              |          |              |
|---------------|---------|--------------------------------------------------------------|----------|--------------|
| <b>MF2615</b> |         | MF2615 Base Tractor                                          |          |              |
| CAJ           | 4339209 | 2wd, 8 x 2 Sideshift Transmission, Live PTO . . . . .        | 45C15688 | \$ 18,457.00 |
| CAM           | 4339212 | 2wd, 8 x 8 Sideshift Transmission, Independent PTO . . . . . | 20C18013 | 21,192.00    |
| CAN           | 4339409 | 4wd, 8 x 2 Sideshift Transmission, Live PTO . . . . .        | 10C20218 | 23,786.00    |
| CAR           | 4339412 | 4wd, 8 x 8 Sideshift Transmission, Independent PTO . . . . . | 45C22743 | 26,757.00    |

**LOADER - 4WD Only****GROUP 02**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533751 | MF911X Loader Package - Skid Steer Style . . . . . | 65C5243 | 6,169.00 |
|          | Includes: Mounting Kit, Valve Kit and Grille Guard |         |          |
| 72533752 | MF911X Loader Package - Euro Style . . . . .       | 05C4907 | 5,773.00 |
|          | Includes: Mounting Kit, Valve Kit and Grille Guard |         |          |

**NOTE: With addition of a Loader, the Model changes to MF2615L**

**\* ALL Tractor-Loader Packages will be charged \$210 for Assembly**

**WHEELS AND TIRES****GROUP 03****2WD 8X2 VERSIONS:**

|    |         |                                                      |                 |
|----|---------|------------------------------------------------------|-----------------|
| 52 | 4339603 | Front: 7.5 X 16 Pressed Steel Welded . . . . .       | In Base For 8X2 |
|    |         | Rear: 13.6 X 28 R1 Pressed Steel Disc Adjustable Rim |                 |

**2WD 8X8 VERSIONS:**

|    |         |                                                      |                 |
|----|---------|------------------------------------------------------|-----------------|
| 53 | 4339601 | Front: 7.5 X 16 Pressed Steel Welded . . . . .       | In Base For 8X8 |
|    |         | Rear: 14.9 X 28 R1 Pressed Steel Disc Adjustable Rim |                 |
| 99 | 9361361 | Front: 11L15 F3 Pressed Steel Welded . . . . .       | 00C323 380.00   |
|    |         | Rear: 14.9 X 24 R4 Pressed Steel Disc Adjustable Rim |                 |
| 99 | 9361360 | Front: 11L15 F3 Pressed Steel Welded . . . . .       | 60C421 496.00   |
|    |         | Rear: 16.9 X 24 R4 Pressed Steel Disc Adjustable Rim |                 |

**4WD 8X2 VERSIONS:**

|    |         |                                                          |                 |
|----|---------|----------------------------------------------------------|-----------------|
| 54 | 4338602 | Front: 10.5/80 X 18 R1 Pressed Steel Disc Adjustable Rim | In Base For 8X2 |
|    |         | Rear: 13.6 X 28 R1 Pressed Steel Disc Adjustable Rim     |                 |

**4WD 8X8 VERSIONS:**

|    |         |                                                          |                 |
|----|---------|----------------------------------------------------------|-----------------|
| 55 | 4339602 | Front: 9.5 X 24 R1 Pressed Steel Disc Adjustable Rim . . | In Base For 8X8 |
|    |         | Rear: 14.9 X 28 R1 Pressed Steel Disc Adjustable Rim     |                 |
| 99 | 9361388 | Front: 10.5/80 X 18 R4 Pressed Steel Welded . . . . .    | 25C344 405.00   |
|    |         | Rear: 14.9 X 24 R4 Pressed Steel Disc Adjustable Rim     |                 |
| 99 | 9361389 | Front: 12.5/80 X 18 R4 Pressed Steel Welded . . . . .    | 85C442 521.00   |
|    |         | Rear: 16.9 X 24 R4 Pressed Steel Disc Adjustable Rim     |                 |

**HYDRAULIC VALVES - OPTIONAL****GROUP 04**

|         |                                                  |        |        |
|---------|--------------------------------------------------|--------|--------|
| 4345601 | 1 Rear Spool, Spring Return to Neutral . . . . . | 00C680 | 800.00 |
|---------|--------------------------------------------------|--------|--------|

# MF2615



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

## **GRILLE GUARDS - OPTIONAL - for use without loader**

## **GROUP 05**

|            |                                                                    |        |  |        |
|------------|--------------------------------------------------------------------|--------|--|--------|
| 72533714ML | Grille Guard, 2605 - 2WD and 2615 - 2WD . . . . .                  | 25C191 |  | 225.00 |
| 72533715ML | Grille Guard, 2605 and 2615 - 4WD, . . . . .<br>2635 - 2WD and 4WD | 20C095 |  | 112.00 |

## **BUCKET OPTIONS - for use with loader packages only**

## **GROUP 06**

### **Skid Steer Style**

|            |                                                            |         |     |          |
|------------|------------------------------------------------------------|---------|-----|----------|
| 72533683ML | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . . | 00C935  | 390 | 1,100.00 |
| 72533684ML | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . . | 00C1020 | 437 | 1,200.00 |

### **Euro Style**

|            |                                                            |        |     |          |
|------------|------------------------------------------------------------|--------|-----|----------|
| 72533685ML | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . . | 50C807 | 390 | 950.00   |
| 72533686ML | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . . | 50C892 | 437 | 1,050.00 |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

# MF2635

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- 4 Cylinder Turbo Charged Engine Tier III
- 220 cu. in. (3.6 l) Displacement
- 74 (55.2 kW) SAE Gross Engine Horsepower @ 2200 RPM
- 62 (46.2 kW) PTO Horsepower @ 2200 RPM with Live PTO
- 60 (44.7 kW) PTO Horsepower @ 2200 RPM with Independent PTO

### FRONT AXLE - Two Factory Options

- 2 wheel drive with Telescopic Adjustment OR
- 4 wheel drive with planetary reduction final drives

### POWER TRAIN - Two Factory Options

- Transmission - 8x2 Sideshift - Sliding Gear - Transmission Shift Control Lever on Right Side and Range Box Shift Control Lever on Left Side
- Single Reduction Final Drive OR
- Transmission - 8x8 Sideshift - Syncromesh - Transmission Shift Control Lever on Right Side and Range Box Shift Control Lever on Left Side
- Mechanical F-R Shuttle Lever Left Side of Steering Wheel
- Outboard Planetary Final Drives
- Brakes - Internal Multi Wet Disc with Mechanical Actuation
- Parking Brake - Mechanical Hand Lever

### PTO - Two Factory Options

- Live, 540 RPM, 6 Spline shaft with 12" x 10" Dual Stage Dry Clutch OR
- Independent PTO, 540 RPM, 6 Spline Shaft with Lever Operated Wet Disc Clutch

\*Manufacturer's Estimate

### HYDRAULICS

- Hydrostatic Steering with Separate Reservoir
- Ferguson 3-Point Hitch System with Top Link Draft Sensing
- 3-Point Hitch Pump Flow (4.7 GPM) \*
- Draft, Position and Response Control
- Spool Valves **not** Included
- Internal Auxiliary Piggy-Back pump flow (11.2 GPM) \*

### THREE POINT LINKAGE

- Fixed - Category I/II Cross Drilled Ball Ends
- Rigid Screw-Type Stabilizers

### ELECTRICAL

- Headlights
- Single Rear Work Light
- Safety Lights
- 7 Pin ASAE Outlet

### OPERATORS ENVIRONMENT

- Semi-Flat Platform
- Retractable Seatbelt
- Folding ROPS
- Suspended Foot Pedals
- Ground-Level Fuel Tank

### OTHER STANDARD FEATURES

- Tilting One Piece Hood
- Swinging Drawbar
- Tool Box
- Drawbar Clevis

## LOADER FEATURES

### MF911X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.4 inch Double Acting Lift Cylinders
- (2) 2.4 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Grille Guard Standard
- Fits all MF2600 Series 4wd Tractors
- Rated on MF2635 Tractor with 9.5-24 Front Tires and 16.9-28 Rear Tires
- Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 1510 lbs
- Maximum Lift Height: 115 inches at Pivot
- Breakout Force: 2750 lbs
- Rated Hydraulic Pressure: 2755 PSI

# MF2635

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 06 AS REQUIRED**

## **MODEL - BASE MACHINE**

## **GROUP 01**

|               |         |                                                              |          |              |
|---------------|---------|--------------------------------------------------------------|----------|--------------|
| <b>MF2635</b> |         | MF2635 Base Tractor                                          |          |              |
| KAJ           | 4343609 | 2wd, 8 x 2 Sideshift Transmission, Live PTO . . . . .        | 45C22080 | \$ 25,977.00 |
| KAM           | 4343612 | 2wd, 8 x 8 Sideshift Transmission, Independent PTO . . . . . | 75C23897 | 28,115.00    |
| KAN           | 4343613 | 4wd, 8 x 2 Sideshift Transmission, Live PTO . . . . .        | 35C27175 | 31,971.00    |
| KAR           | 4343616 | 4wd, 8 x 8 Sideshift Transmission, Independent PTO . . . . . | 65C29332 | 34,509.00    |

## **LOADER - 4WD Only**

## **GROUP 02**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533751 | MF911X Loader Package - Skid Steer Style . . . . . | 65C5243 | 6,169.00 |
|          | Includes: Mounting Kit, Valve Kit and Grille Guard |         |          |
| 72533752 | MF911X Loader Package - Euro Style . . . . .       | 05C4907 | 5,773.00 |
|          | Includes: Mounting Kit, Valve Kit and Grille Guard |         |          |

**NOTE: With addition of a Loader, the Model changes to MF2635L**

**\* ALL Tractor-Loader Packages will be charged \$210 for Assembly**

## **WHEELS AND TIRES**

## **GROUP 03**

|                      |         |                                                          |        |         |
|----------------------|---------|----------------------------------------------------------|--------|---------|
| <b>2WD VERSIONS:</b> |         |                                                          |        |         |
| 56                   | 4340601 | Front: 7.5 X 16 Pressed Steel Welded . . . . .           |        | In Base |
|                      |         | Rear: 16.9 X 28 R1 Pressed Steel Disc Adjustable Rim     |        |         |
| 99                   | 9361361 | Front: 11L15 F3 Pressed Steel Welded. . . . .            | 75C233 | 275.00  |
|                      |         | Rear: 14.9 X 24 R4 Pressed Steel Disc Adjustable Rim     |        |         |
| 99                   | 9361360 | Front: 11L15 F3 Pressed Steel Welded. . . . .            | 35C332 | 391.00  |
|                      |         | Rear: 16.9 X 24 R4 Pressed Steel Disc Adjustable Rim     |        |         |
| <b>4WD VERSIONS:</b> |         |                                                          |        |         |
| 57                   | 4340602 | Front: 9.5 X 24 R1 Pressed Steel Disc Adjustable Rim . . |        | In Base |
|                      |         | Rear: 16.9 X 28 R1 Pressed Steel Disc Adjustable Rim     |        |         |
| 99                   | 9361363 | Front: 10.5/80 X 18 R4 Pressed Steel Welded . . . . .    | 75C352 | 415.00  |
|                      |         | Rear: 16.9 X 24 R4 Pressed Steel Disc Adjustable Rim     |        |         |
| 99                   | 9361364 | Front: 12 X 16.5 R4 Pressed Steel Welded . . . . .       | 15C254 | 299.00  |
|                      |         | Rear: 14.9 X 24 R4 Pressed Steel Disc Adjustable Rim     |        |         |

## **HYDRAULIC VALVES - OPTIONAL**

## **GROUP 04**

|         |                                                  |        |        |
|---------|--------------------------------------------------|--------|--------|
| 4345601 | 1 Rear Spool, Spring Return to Neutral . . . . . | 00C680 | 800.00 |
|---------|--------------------------------------------------|--------|--------|



# MF2635

MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**GRILLE GUARDS - OPTIONAL - for use without loader**

**GROUP 05**

|            |                                              |        |  |        |
|------------|----------------------------------------------|--------|--|--------|
| 72533715ML | Grille Guard, 2605 and 2615 - 4WD, . . . . . | 20C095 |  | 112.00 |
|            | 2635 - 2WD and 4WD                           |        |  |        |

**BUCKET OPTIONS - for use with loader packages only**

**GROUP 06**

**Skid Steer Style**

|            |                                                             |         |     |          |
|------------|-------------------------------------------------------------|---------|-----|----------|
| 72533683ML | 72-inch Skid Steer Material Bucket 185U, 25 cu ft . . . . . | 00C935  | 390 | 1,100.00 |
| 72533684ML | 84-inch Skid Steer Material Bucket 210U, 29 cu ft . . . . . | 00C1020 | 437 | 1,200.00 |

**Euro Style**

|            |                                                            |        |     |          |
|------------|------------------------------------------------------------|--------|-----|----------|
| 72533685ML | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . . | 50C807 | 390 | 950.00   |
| 72533686ML | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . . | 50C892 | 437 | 1,050.00 |





MASSEY FERGUSON®

# FIELD INSTALLED ACCESSORIES

## PARTS SUPPLIED

## DEALER / FIELD INSTALLED ACCESSORIES

Consult your AGCO parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing.

| CATALOG NUMBER           | DESCRIPTION                  | 2605 | 2615 | 2635 | NOTES                                                                                                |
|--------------------------|------------------------------|------|------|------|------------------------------------------------------------------------------------------------------|
| <b>ENGINE</b>            |                              |      |      |      |                                                                                                      |
| 773323M92                | Engine Block Heater          | X    | X    | X    |                                                                                                      |
| 8001244P91               | Horizontal Exhaust Kit       | X    |      |      | 2WD Narrow Step                                                                                      |
| 8001670P91               | Horizontal Exhaust Kit       | X    |      |      | 4WD Wide Step. Live PTO Only.                                                                        |
| 8001671P91               | Horizontal Exhaust Kit       | X    |      |      | 2WD Wide Step                                                                                        |
| 2400178S91               | Horizontal Exhaust Kit       |      | X    |      |                                                                                                      |
| <b>LINKAGE / DRAWBAR</b> |                              |      |      |      |                                                                                                      |
| 8001552P92               | Extendable Lower Links       | X    | X    |      |                                                                                                      |
| 8001551P91               | Extendable Lower Links       |      |      | X    |                                                                                                      |
| 180485M1                 | Category 1 Cross Drawbar     | X    | X    | X    |                                                                                                      |
| 3306432M2                | Category 2 Cross Drawbar     | X    | X    | X    |                                                                                                      |
| <b>HYDRAULICS</b>        |                              |      |      |      |                                                                                                      |
| 4326082M11               | 1st Spool Valve (SRN)        | X    | X    | X    | SRN = Spring Return To Neutral                                                                       |
| 4326084M91 & 4326096M91  | 2nd Spool Valve (SRN)        | X    | X    | X    | Order Both Catalog Numbers to Make a Complete Kit<br>Requires 4326082M11 Spool Valve Installed first |
| 4326084M91 & 4326100M91  | 2nd Spool Valve (KO & Float) | X    | X    | X    | Order Both Catalog Numbers to Make a Complete Kit<br>Requires 4326082M11 Spool Valve Installed first |
| 8001178P91               | 2nd LH Spool Valve (SRN)     | X    | X    | X    | For Tractors Previously Equipped with Single LH Spool Valve                                          |
| 4326425M11               | Combining Valve Kit          | X    | X    | X    | Not Compatible with Left Side Valves                                                                 |
| 8001233P91               | Steering Hose Kit            | X    | X    | X    | Required on 2WD Tractors with 72" Tread Settings                                                     |
| <b>OPERATOR'S AREA</b>   |                              |      |      |      |                                                                                                      |
| T0288011                 | Steel Canopy                 | X    | X    | X    | Requires Adaptor Kit 4326001M11 for 2605, 2615, 2625 Tractors                                        |
| 4326001M11               | Canopy Adaptor               | X    | X    | X    | Required with Steel Canopy T0288011                                                                  |
| 067973R1                 | Seat Arm Rest Kit            | X    | X    | X    |                                                                                                      |





MASSEY FERGUSON®

# FIELD INSTALLED ACCESSORIES

## PARTS SUPPLIED

### DEALER / FIELD INSTALLED ACCESSORIES

Consult your AGCO parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing.

| CATALOG NUMBER           | DESCRIPTION                                                                                                                                                                                      | 2605 | 2615 | 2635 | NOTES                                                                                                                         |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>WEIGHTS / BALLAST</b> |                                                                                                                                                                                                  |      |      |      |                                                                                                                               |
| 8001234P91               | Front Weight Bracket 2WD                                                                                                                                                                         | X    | X    |      |                                                                                                                               |
| 8001235P91               | Front Weight Bracket 4WD                                                                                                                                                                         | X    | X    |      |                                                                                                                               |
| 3609170M92               | Front Suitcase Weight (90lbs)                                                                                                                                                                    | X    | X    | X    | Maximum of 5 Weights on 2605 and 2615 Tractors                                                                                |
| 4326058M1                | <b>Rear Wheel Weight (100 lbs)</b><br>Mounting Hardware Required per Wheel Weight:<br>4326121M1 Spacer (qty 3) 70925704<br>Cap Screw (qty 3) 70932665 Nut (qt 3)<br>70918268 Flat Washer (qty 3) | X    | X    |      | 8x2 Transmission Only.<br>Single Weight.<br>Does Not Include Hardware.<br>Do Not Exceed the Maximum Allowable Tractor Weight. |
| 4326059M1                | <b>Rear Wheel Weight (100 lbs)</b><br>Mounting Hardware Required per Wheel Weight:<br>70923111 Cap Screw (qty 4)<br>70932665 Nut (qty 4)<br>70918268 Flat Washer (qty 4)                         |      | X    |      | 8x8 Transmission Only.<br>Single Weight.<br>Does Not Include Hardware.<br>Do Not Exceed the Maximum Allowable Tractor Weight. |
| 4326060M1                | <b>Rear Wheel Weight (100 lbs)</b><br>Mounting Hardware Required per Wheel Weight:<br>70934794 Carriage Bolt (qty 4)<br>70932665 Nut (qty 4)<br>70918268 Flat Washer (qty 4)                     |      |      | X    | Single Weight.<br>Does Not Include Hardware.<br>Do Not Exceed the Maximum Allowable Tractor Weight.                           |



**MASSEY FERGUSON®**

# **4600 Series**

## **UTILITY**



# MF4608

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)  
80 Engine HP (60 kW) @ 2200 RPM  
63.5 PTO HP (47.4 kW) @ 2000 RPM
- EPA Tier 4i Compliant
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust, Side of Hood
- Cooling System: Antifreeze 50/50 Mix

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:  
12 X 12 Power Shuttle with Left Hand Shuttle Lever  
6 Synchronized Gears, 2 Ranges  
Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds, 6 Spline Shaft and 21 Spline (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:  
Open Center System, Engine Driven Gear Pump  
17.1 GPM (65 LPM) flow to Remotes  
Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:  
ASAE Category II with Telescopic Ball Ends  
Shared Pump with Implements  
Lift Capacity at 24": 3417 LBS (1550 KG)  
Adjustable Lift Rod, Turn Buckle Top Link  
Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery  
95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Analog Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OPERATORS ENVIRONMENT (Cab Models)

- 6-post Cab With HVAC, Tinted Safety Glass, Front Windshield Wiper/Washer, Front and Rear Roof-mounted Working Lights, 2 Doors, Pre-wired for Audio System
- Right and Left Side View Mirrors
- Seat: Adjustable Spring Cushion with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left and Right Side Foot Step

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 27.7 gallons (105 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Emblem

## LOADER FEATURES

### MF921X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.6 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Grille Guard Standard
- Fits MF4608 4wd Tractor Models
- Rated on MF4608 Tractor with 9.5-24 Front Tires and 16.9-30 Rear Tires
- Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 1920 lbs
- Maximum Lift Height: 124 inches at Pivot
- Breakout Force: 3200 lbs
- Rated Hydraulic Pressure: 2828 PSI

# MF4608

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 10 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|        |          |                               |          |           |
|--------|----------|-------------------------------|----------|-----------|
| MF4608 | 72530410 | MF4608 Base Tractor . . . . . | 90C28197 | 33,174.00 |
|--------|----------|-------------------------------|----------|-----------|

## **LOADER - 4wd Only**

## **GROUP 02**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533733 | MF921X Loader Package - Skid Steer Style . . . . . | 45C4978 | 5,857.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |

NOTE: With addition of a Loader, the Model changes to MF4608L

**ALL Tractors will be charged \$250 for Assembly**

**ALL Tractor-Loader Packages will be charged \$360 for Assembly**

## **FRONT AXLE**

## **GROUP 03**

|   |          |                          |           |            |
|---|----------|--------------------------|-----------|------------|
| F | 72530274 | 4wd Front Axle . . . . . |           | In Base    |
| T | 72530273 | 2wd Front Axle . . . . . | (75C3497) | (4,115.00) |

## **OPERATOR ENVIRONMENT**

## **GROUP 04**

|      |          |                    |         |          |
|------|----------|--------------------|---------|----------|
| RE3  | 72530271 | Platform . . . . . |         | In Base  |
| CYE3 | 72530272 | Cab . . . . .      | 00C7888 | 9,280.00 |

## **TRANSMISSION**

## **GROUP 05**

|    |          |                                                                          |         |          |
|----|----------|--------------------------------------------------------------------------|---------|----------|
| P  | 72530275 | 12 X 12 Hydraulic Shuttle . . . . .                                      |         | In Base  |
| PL | 72530403 | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . .                    | 75C1049 | 1,235.00 |
|    |          | (Available only on 4wd Models with Float/Kickout Hydraulic Valve Option) |         |          |
|    |          | (Compatible with Dealer Installed Loaders)                               |         |          |

## **JOYSTICK - Mandatory for Tractor Loader Package**

## **GROUP 06**

|   |          |                                                                  |        |          |
|---|----------|------------------------------------------------------------------|--------|----------|
| J | 72530277 | Loader Joystick with Mid Mount Valves . . . . .                  | 85C884 | 1,041.00 |
|   |          | (Available on 4wd Models Only)                                   |        |          |
|   |          | (Not Available with 12 x 12 Hydraulic Shuttle with Creeper Gear) |        |          |

## **HYDRAULICS**

## **GROUP 07**

### **2WD Hydraulic Options**

|   |          |                                                    |  |                 |
|---|----------|----------------------------------------------------|--|-----------------|
| V | 72530279 | 1 Spool Valve - Spring Return to Neutral . . . . . |  | In Base For 2wd |
|---|----------|----------------------------------------------------|--|-----------------|

### **4WD Hydraulic Options**

|   |          |                                                     |        |                 |
|---|----------|-----------------------------------------------------|--------|-----------------|
| W | 72530278 | 2 Spool Valves - Spring Return to Neutral . . . . . |        | In Base For 4wd |
| K | 72530280 | 1 Kickout, Float + 1 Float Valve . . . . .          | 75C284 | 335.00          |



MASSEY FERGUSON®

# MF4608

(F.O.B. PORT OF ENTRY)

| Order Code                                                        | Catalog Number | Description                                                                                                                                                                    | Factory Code | List Price             |
|-------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------------|
| <b><u>REAR AND FRONT TIRES</u></b>                                |                |                                                                                                                                                                                |              | <b><u>GROUP 08</u></b> |
|                                                                   |                | <b>2WD Tires</b>                                                                                                                                                               |              |                        |
|                                                                   | 72530266M      | R: 16.9-30 R1 . . . . .<br>F: 9.5L-15                                                                                                                                          | 15C2651      | 3,119.00               |
|                                                                   |                | <b>4WD Tires</b>                                                                                                                                                               |              |                        |
|                                                                   | 72530250M      | R: 16.9-30 R1 . . . . .<br>F: 9.5-24                                                                                                                                           | 60C3260      | 3,836.00               |
|                                                                   | 72530251M      | R: 19.5L-24 R4 . . . . .<br>F: 10.5/80-18 (Subject to Availability)                                                                                                            | 20C3852      | 4,532.00               |
| <b><u>BUCKET OPTIONS - Required with Loader Packages Only</u></b> |                |                                                                                                                                                                                |              | <b><u>GROUP 09</u></b> |
|                                                                   |                | <b>Skid Steer Style</b>                                                                                                                                                        |              |                        |
|                                                                   | 72533683ML     | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . .                                                                                                                     | 00C935       | 1,100.00               |
|                                                                   | 72533684ML     | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . .                                                                                                                     | 00C1020      | 1,200.00               |
| <b><u>MISCELLANEOUS OPTIONS</u></b>                               |                |                                                                                                                                                                                |              | <b><u>GROUP 10</u></b> |
|                                                                   | 72533750ML     | Light Relocation Kit for MF4600 Series Cab Tractors . . . . .<br>(Required for all Cabs with Loader)                                                                           | 50C025       | 30.00                  |
|                                                                   | 72533731ML     | Grille Guard for Tractor without Loader . . . . .                                                                                                                              | 20C095       | 112.00                 |
|                                                                   | 72530394M      | Dealer Installed Loader Joystick and Mid Valves . . . . .<br>for use with MF4600 Series Tractors<br>WITHOUT Factory Joystick and Mid Valves<br>(Order Separately from Tractor) | 05C1116      | 1,313.00               |

# MF4609



(F.O.B. PORT OF ENTRY)

MASSEY FERGUSON®

## TRACTOR FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)  
90 Engine HP (67 kW) @ 2200 RPM  
72 PTO HP (53.7 kW) @ 2000 RPM
- EPA Tier 4i Compliant
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust, Side of Hood
- Cooling System: Antifreeze 50/50 Mix

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:  
12 X 12 Power Shuttle with Left Hand Shuttle Lever  
6 Synchronized Gears, 2 Ranges  
Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds, 6 Spline Shaft and 21 Spline (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:  
Open Center System, Engine Driven Gear Pump  
17.1 GPM (65 LPM) flow to Remotes  
Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:  
ASAE Category II with Telescopic Ball Ends  
Shared Pump with Implements  
Lift Capacity at 24": 3417 LBS (1550 KG)  
Adjustable Lift Rod, Turn Buckle Top Link  
Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery  
95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Analog Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OPERATORS ENVIRONMENT (Cab Models)

- 6-post Cab With HVAC, Tinted Safety Glass, Front Windshield Wiper/Washer, Front and Rear Roof-mounted Working Lights, 2 Doors, Pre-wired for Audio System
- Right and Left Side View Mirrors
- Seat: Adjustable Spring Cushion with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left and Right Side Foot Step

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 27.7 gallons (105 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Emblem

## LOADER FEATURES

### MF931X and MF936X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- **NSL:** (2) 2.8 inch Double Acting Lift Cylinders
- **MSL:** (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.8 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Fits MF4609 and MF4610 2wd and 4wd Tractor Models
- Rated on MF4610 Tractor with 11.2-24 Front Tires and 16.9-30 Rear Tires
- **NSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3020 lbs
- **MSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3430 lbs
- Maximum Lift Height: 136 inches at Pivot
- **NSL:** Breakout Force: 3540 lbs
- **MSL:** Breakout Force: 3660 lbs
- Rated Hydraulic Pressure: 2828 PSI
- Grille Guard Standard



MASSEY FERGUSON®

# MF4609

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 10 AS REQUIRED**

**BASE MACHINE****GROUP 01**

|        |          |                               |          |           |
|--------|----------|-------------------------------|----------|-----------|
| MF4609 | 72530411 | MF4609 Base Tractor . . . . . | 20C31052 | 36,532.00 |
|--------|----------|-------------------------------|----------|-----------|

**LOADER - 4wd Only****GROUP 02****Non Self-Leveling:**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533735 | MF931X Loader Package - Skid Steer Style . . . . . | 60C5657 | 6,656.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |
| 72533736 | MF931X Loader Package - Euro Style . . . . .       | 00C5321 | 6,260.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |

**Mechanical Self-Leveling**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533737 | MF936X Loader Package - Skid Steer Style . . . . . | 00C6443 | 7,580.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |
| 72533738 | MF936X Loader Package - Euro Style . . . . .       | 40C6106 | 7,184.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |

NOTE: With addition of a Loader, the Model changes to MF4609L

**ALL Tractors will be charged \$250 for Assembly**

**ALL Tractor-Loader Packages will be charged \$360 for Assembly**

**FRONT AXLE****GROUP 03**

|   |          |                                    |            |
|---|----------|------------------------------------|------------|
| F | 72530274 | 4wd Front Axle . . . . .           | In Base    |
| T | 72530273 | 2wd Front Axle . . . . . (75C3497) | (4,115.00) |

**OPERATOR ENVIRONMENT****GROUP 04**

|      |          |                       |          |
|------|----------|-----------------------|----------|
| RE3  | 72530271 | Platform . . . . .    | In Base  |
| CYE3 | 72530272 | Cab . . . . . 00C7888 | 9,280.00 |

**TRANSMISSION****GROUP 05**

|    |          |                                                                          |          |
|----|----------|--------------------------------------------------------------------------|----------|
| P  | 72530275 | 12 X 12 Hydraulic Shuttle . . . . .                                      | In Base  |
| PL | 72530403 | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . . 75C1049            | 1,235.00 |
|    |          | (Available only on 4wd Models with Float/Kickout Hydraulic Valve Option) |          |
|    |          | (Compatible with Dealer Installed Loaders)                               |          |

**JOYSTICK - Mandatory for Tractor Loader Package****GROUP 06**

|   |          |                                                            |          |
|---|----------|------------------------------------------------------------|----------|
| J | 72530277 | Loader Joystick with Mid Mount Valves . . . . . 85C884     | 1,041.00 |
|   |          | (Available on 4wd Models Only)                             |          |
|   |          | (Not Available w/12 x 12 Hydraulic Shuttle w/Creeper Gear) |          |

**HYDRAULICS****GROUP 07****2WD Hydraulic Options**

|   |          |                                                    |                 |
|---|----------|----------------------------------------------------|-----------------|
| V | 72530279 | 1 Spool Valve - Spring Return to Neutral . . . . . | In Base For 2wd |
|---|----------|----------------------------------------------------|-----------------|

**4WD Hydraulic Options**

|   |          |                                                     |                 |
|---|----------|-----------------------------------------------------|-----------------|
| W | 72530278 | 2 Spool Valves - Spring Return to Neutral . . . . . | In Base For 4wd |
| K | 72530280 | 1 Kickout, Float + 1 Float Valve . . . . . 75C284   | 335.00          |



# MF4609

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code                                                 | Catalog Number | Description                                                                                                                                                                    | Factory Code | List Price      |
|------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------|
| <b>REAR AND FRONT TIRES</b>                                |                |                                                                                                                                                                                |              | <b>GROUP 08</b> |
| <b>2WD Tires</b>                                           |                |                                                                                                                                                                                |              |                 |
|                                                            | 72530262M      | R: 16.9-30 R1 . . . . .<br>F: 9.5L-15                                                                                                                                          | 15C2651      | 3,119.00        |
|                                                            | 72530264M      | R: 18.4-30 R1 . . . . .<br>F: 10.00-16                                                                                                                                         | 50C3204      | 3,770.00        |
|                                                            | 72530265M      | R: 16.9-34 R1 . . . . .<br>F: 10.00-16                                                                                                                                         | 95C3116      | 3,667.00        |
| <b>4WD Tires</b>                                           |                |                                                                                                                                                                                |              |                 |
|                                                            | 72530247M      | R: 16.9-30 R1 . . . . .<br>F: 11.2-24                                                                                                                                          | 85C3536      | 4,161.00        |
|                                                            | 72530248M      | R: 16.9-34 R1 . . . . .<br>F: 12.4-24                                                                                                                                          | 20C3920      | 4,612.00        |
|                                                            | 72530255M      | R: 18.4-30 R1 . . . . .<br>F: 12.4-24                                                                                                                                          | 20C3818      | 4,492.00        |
|                                                            | 72530249M      | R: 19.5L-24 R4 . . . . .<br>F: 12.5/80-18 (Subject to Availability)                                                                                                            | 75C3939      | 4,635.00        |
| <b>BUCKET OPTIONS - Required with Loader Packages Only</b> |                |                                                                                                                                                                                |              | <b>GROUP 09</b> |
| <b>Skid Steer Style</b>                                    |                |                                                                                                                                                                                |              |                 |
|                                                            | 72533683ML     | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . .                                                                                                                     | 00C935       | 1,100.00        |
|                                                            | 72533684ML     | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . .                                                                                                                     | 00C1020      | 1,200.00        |
| <b>Euro Style</b>                                          |                |                                                                                                                                                                                |              |                 |
|                                                            | 72533685ML     | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . .                                                                                                                     | 50C807       | 950.00          |
|                                                            | 72533686ML     | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . .                                                                                                                     | 50C892       | 1,050.00        |
| <b>MISCELLANEOUS OPTIONS</b>                               |                |                                                                                                                                                                                |              | <b>GROUP 10</b> |
|                                                            | 72533750ML     | Light Relocation Kit for MF4600 Series Cab Tractors . . . . .<br>(Required for all Cabs with Loader)                                                                           | 50C025       | 30.00           |
|                                                            | 72533731ML     | Grille Guard for Tractor without Loader . . . . .                                                                                                                              | 20C095       | 112.00          |
|                                                            | 72530394M      | Dealer Installed Loader Joystick and Mid Valves . . . . .<br>for use with MF4600 Series Tractors<br>WITHOUT Factory Joystick and Mid Valves<br>(Order Separately from Tractor) | 05C1116      | 1,313.00        |





# MF4610

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

## TRACTOR FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)
  - 99 Engine HP (74 kW) @ 2200 RPM
  - 80 PTO HP (59.7 kW) @ 2000 RPM
- EPA Tier 4i Compliant
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Vertical Exhaust, Side of Hood
- Cooling System: Antifreeze 50/50 Mix

### FRONT AXLE

- 2wd: Adjustable
- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:
  - 12 X 12 Power Shuttle with Left Hand Shuttle Lever
  - 6 Synchronized Gears, 2 Ranges
  - Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds, 6 Spline Shaft and 21 Spline (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:
  - Open Center System, Engine Driven Gear Pump
  - 17.1 GPM (65 LPM) flow to Remotes
  - Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:
  - ASAE Category II with Telescopic Ball Ends
  - Shared Pump with Implements
  - Lift Capacity at 24": 3417 lbs (1550 kg)
  - Adjustable Lift Rod, Turn Buckle Top Link
  - Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery
- 95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Analog Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OPERATORS ENVIRONMENT (Cab Models)

- 6-post Cab With HVAC, Tinted Safety Glass, Front Windshield Wiper/Washer, Front and Rear Roof-mounted Working Lights, 2 Doors, Pre-wired for Audio System
- Right and Left Side View Mirrors
- Seat: Adjustable Spring Cushion with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left and Right Side Foot Step

### OTHER STANDARD FEATURES

- Fuel Tank Under Platform, Ground Fill
- Fuel Capacity: 27.7 gallons (105 Liters)
- One-Piece Tilting Hood
- Tool Box
- SMV Emblem

## LOADER FEATURES

### MF931X and MF936X Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- **NSL:** (2) 2.8 inch Double Acting Lift Cylinders
- **MSL:** (2) 2.6 inch Double Acting Lift Cylinders
- (2) 2.8 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer or Euro Hook Type Implement Attachments
- Fits MF4609 and MF4610 2wd and 4wd Tractor Models
- Rated on MF4610 Tractor with 11.2-24 Front Tires and 16.9-30 Rear Tires
- **NSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3020 lbs
- **MSL:** Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3430 lbs
- Maximum Lift Height: 136 inches at Pivot
- **NSL:** Breakout Force: 3540 lbs
- **MSL:** Breakout Force: 3660 lbs
- Rated Hydraulic Pressure: 2828 PSI
- Grille Guard Standard

# MF4610

(F.O.B. PORT OF ENTRY)



MASSEY FERGUSON®

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

**ORDER TRACTOR ONLY OR  
TRACTOR AND LOADER BELOW  
THEN ORDER ONE CODE FROM GROUP 03 THROUGH 10 AS REQUIRED**

## **BASE MACHINE**

## **GROUP 01**

|        |          |                               |          |           |
|--------|----------|-------------------------------|----------|-----------|
| MF4610 | 72530412 | MF4610 Base Tractor . . . . . | 30C33301 | 39,178.00 |
|--------|----------|-------------------------------|----------|-----------|

## **LOADER - 4wd Only**

## **GROUP 02**

### **Non Self-Leveling**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533735 | MF931X Loader Package - Skid Steer Style . . . . . | 60C5657 | 6,656.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |
| 72533736 | MF931X Loader Package - Euro Style . . . . .       | 00C5321 | 6,260.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |

### **Mechanical Self-Leveling**

|          |                                                    |         |          |
|----------|----------------------------------------------------|---------|----------|
| 72533737 | MF936X Loader Package - Skid Steer Style . . . . . | 00C6443 | 7,580.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |
| 72533738 | MF936X Loader Package - Euro Style . . . . .       | 40C6106 | 7,184.00 |
|          | Includes: Mounting Kit, Hose Kit and Grille Guard  |         |          |

NOTE: With addition of a Loader, the Model changes to MF4610L

**ALL Tractors will be charged \$250 for Assembly**

**ALL Tractor-Loader Packages will be charged \$360 for Assembly**

## **FRONT AXLE**

## **GROUP 03**

|   |          |                          |           |            |
|---|----------|--------------------------|-----------|------------|
| F | 72530274 | 4wd Front Axle . . . . . |           | In Base    |
| T | 72530273 | 2wd Front Axle . . . . . | (75C3497) | (4,115.00) |

## **OPERATOR ENVIRONMENT**

## **GROUP 04**

|      |          |                    |         |          |
|------|----------|--------------------|---------|----------|
| RE3  | 72530271 | Platform . . . . . |         | In Base  |
| CYE3 | 72530272 | Cab . . . . .      | 00C7888 | 9,280.00 |

## **TRANSMISSION**

## **GROUP 05**

|    |          |                                                                          |         |          |
|----|----------|--------------------------------------------------------------------------|---------|----------|
| P  | 72530275 | 12 X 12 Hydraulic Shuttle . . . . .                                      |         | In Base  |
| PL | 72530403 | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . .                    | 75C1049 | 1,235.00 |
|    |          | (Available only on 4wd Models with Float/Kickout Hydraulic Valve Option) |         |          |
|    |          | (Compatible with Dealer Installed Loaders)                               |         |          |

## **JOYSTICK - Mandatory for Tractor Loader Package**

## **GROUP 06**

|   |          |                                                            |        |          |
|---|----------|------------------------------------------------------------|--------|----------|
| J | 72530277 | Loader Joystick with Mid Mount Valves . . . . .            | 85C884 | 1,041.00 |
|   |          | (Available on 4wd Models Only)                             |        |          |
|   |          | (Not Available w/12 x 12 Hydraulic Shuttle w/Creeper Gear) |        |          |

## **HYDRAULICS**

## **GROUP 07**

### **2WD Hydraulic Options**

|   |          |                                                    |  |                 |
|---|----------|----------------------------------------------------|--|-----------------|
| V | 72530279 | 1 Spool Valve - Spring Return to Neutral . . . . . |  | In Base For 2wd |
|---|----------|----------------------------------------------------|--|-----------------|

### **4WD Hydraulic Options**

|   |          |                                                     |        |                 |
|---|----------|-----------------------------------------------------|--------|-----------------|
| W | 72530278 | 2 Spool Valves - Spring Return to Neutral . . . . . |        | In Base For 4wd |
| K | 72530280 | 1 Kickout, Float + 1 Float Valve . . . . .          | 75C284 | 335.00          |



MASSEY FERGUSON®

# MF4610

(F.O.B. PORT OF ENTRY)

| Orderr<br>Code                                                    | Catalog<br>Number       | Description                                                                                                                                                                    | Factory<br>Code | List<br>Price          |
|-------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------|
| <b><u>REAR AND FRONT TIRES</u></b>                                |                         |                                                                                                                                                                                |                 | <b><u>GROUP 08</u></b> |
|                                                                   | <b>2WD Tires</b>        |                                                                                                                                                                                |                 |                        |
|                                                                   | 72530262M               | R: 16.9-30 R1 . . . . .<br>F: 9.5L-15                                                                                                                                          | 15C2651         | 3,119.00               |
|                                                                   | 72530264M               | R: 18.4-30 R1 . . . . .<br>F: 10.00-16                                                                                                                                         | 50C3204         | 3,770.00               |
|                                                                   | 72530265M               | R: 16.9-34 R1 . . . . .<br>F: 10.00-16                                                                                                                                         | 95C3116         | 3,667.00               |
|                                                                   | <b>4WD Tires</b>        |                                                                                                                                                                                |                 |                        |
|                                                                   | 72530247M               | R: 16.9-30 R1 . . . . .<br>F: 11.2-24                                                                                                                                          | 85C3536         | 4,161.00               |
|                                                                   | 72530248M               | R: 16.9-34 R1 . . . . .<br>F: 12.4-24                                                                                                                                          | 20C3920         | 4,612.00               |
|                                                                   | 72530255M               | R: 18.4-30 R1 . . . . .<br>F: 12.4-24                                                                                                                                          | 20C3818         | 4,492.00               |
|                                                                   | 72530249M               | R: 19.5L-24 R4 . . . . .<br>F: 12.5/80-18 (Subject to Availability)                                                                                                            | 75C3939         | 4,635.00               |
| <b><u>BUCKET OPTIONS - Required with Loader Packages Only</u></b> |                         |                                                                                                                                                                                |                 | <b><u>GROUP 09</u></b> |
|                                                                   | <b>Skid Steer Style</b> |                                                                                                                                                                                |                 |                        |
|                                                                   | 72533683ML              | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . .                                                                                                                     | 00C935          | 1,100.00               |
|                                                                   | 72533684ML              | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . .                                                                                                                     | 00C1020         | 1,200.00               |
|                                                                   | <b>Euro Style</b>       |                                                                                                                                                                                |                 |                        |
|                                                                   | 72533685ML              | 72-inch Euro Style Material Bucket 185U, 25 cu ft. . . . .                                                                                                                     | 50C807          | 950.00                 |
|                                                                   | 72533686ML              | 84-inch Euro Style Material Bucket 210U, 29 cu ft. . . . .                                                                                                                     | 50C892          | 1,050.00               |
| <b><u>MISCELLANEOUS OPTIONS</u></b>                               |                         |                                                                                                                                                                                |                 | <b><u>GROUP 10</u></b> |
|                                                                   | 72533750ML              | Light Relocation Kit for MF4600 Series Cab Tractors . . . . .<br>(Required for all Cabs with Loader)                                                                           | 50C025          | 30.00                  |
|                                                                   | 72533731ML              | Grille Guard for Tractor without Loader . . . . .                                                                                                                              | 20C095          | 112.00                 |
|                                                                   | 72530394M               | Dealer Installed Loader Joystick and Mid Valves . . . . .<br>for use with MF4600 Series Tractors<br>WITHOUT Factory Joystick and Mid Valves<br>(Order Separately from Tractor) | 05C1116         | 1,313.00               |

# MF4610LP



(F.O.B. PORT OF ENTRY)

MASSEY FERGUSON®

## FEATURES

### ENGINE SYSTEM

- Engine: AGCO Power 33AWIC 3 Cylinder (Turbocharged)  
99 Engine HP (74 kW) @ 2200 RPM  
80 PTO HP (59.7 kW) @ 2000 RPM
- EPA Tier 4i Compliant
- Air Cleaner: Dual Element Dry Type
- Air Cleaner Intake, Under Hood
- Horizontal Exhaust
- Cooling System: Antifreeze 50/50 Mix

### FRONT AXLE

- 4wd: Center Driveline, Open Differential, Mechanical Engagement

### POWER TRAIN

- Transmission:  
12 X 12 Power Shuttle with Left Hand Shuttle Lever  
6 Synchronized Gears, 2 Ranges  
Wet Multi-disc Clutch with Left Side Clutch Pedal
- Rear Axle: Inboard Planetary Final Drives, with Foot Operated Mechanical Differential Lock
- Brakes: Independent Oil Immersed Wet Disc Brakes with Independent Foot Pedal Operation
- Hook and Lever Parking Brake
- PTO: Independent 540 and 1000 RPM Speeds, 6 Spline Shaft and 21 Spline (1.375 In. Diameter), Independent Wet Disc Clutch, Electro-hydraulic Engagement

### HYDRAULIC SYSTEM

- Steering: Hydrostatic, Adjustable Tilt Steering Column
- Implement System:  
Open Center System, Engine Driven Gear Pump  
17.1 GPM (65 LPM) flow to Remotes  
Optional Integrated Cable-controlled Loader Joystick with Mid Valves
- Rear Linkage:  
ASAE Category II with Telescopic Ball Ends  
Shared Pump with Implements  
Lift Capacity at 24": 3417 lbs (1550 kg)  
Adjustable Lift Rod, Turn Buckle Top Link  
Telescopic Stabilizers
- Swinging Drawbar

### ELECTRICAL

- 12 Volt DC, Negative Ground
- Intake Air Pre Heater
- Wet, Maintenance Free 799 CCA Battery  
95 AMP Alternator
- Ignition: Key with Safety Start
- Keyed Engine Shutoff
- Lighting: 4 Headlights, 2 Rear Marker Light Assemblies
- 7 Pin ASAE Outlet Socket

### INSTRUMENTS

- Digital and Analog Dash Display
- Analog Engine Tachometer
- Digital Fuel Gauge
- Digital Engine Temperature
- Digital Transmission Display
- Digital Hour Meter
- Operation and Service Lights

### OPERATORS ENVIRONMENT (Platform Models)

- Flat Floor Platform
- Fully Folding ROPS
- Seat: Adjustable Spring Cushion Vinyl with Armrests
- Retractable Seat Belt
- Pendant Style (Suspended) Foot Pedals
- Hand and Foot Throttle
- Left Side Foot Step

### OTHER STANDARD FEATURES

- Heavy Duty Steel Orchard Fenders
- Fuel Tank Under Platform, Ground Fill  
Fuel Capacity: 27.7 gallons (105 Liters)
- SMV Emblem
- One-Piece Tilting Hood

## LOADER FEATURES

### MF931X Non-Self Leveling Loader

- One Piece Main Frame with Tapered Arms and Single Cross Member
- Quick Attach Loader Frame Mount with Pin Lock
- Built-in Parking Stands
- (2) 2.8 inch Double Acting Lift Cylinders
- (2) 2.8 inch Double Acting Bucket Cylinders
- Hydraulic Lines Routed Inside Main Frame for Protection and Visibility
- Galvanized Steel Bushings with Recessed Grease Points
- Universal Skid Steer Quick Attach Tool Carrier
- Fits MF4610LP 4wd Tractor Model
- Rated on MF4610 Tractor with 11.2-24 Front Tires and 16.9-30 Rear Tires
- Lift Capacity to Full Height @ 31.5 inches Forward of Pivot Pin: 3020 lbs
- Maximum Lift Height: 136 inches at Pivot
- Breakout Force: 3540 lbs
- Rated Hydraulic Pressure: 2828 PSI
- Grille Guard Standard



MASSEY FERGUSON®

# MF4610LP

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | List Price |
|------------|----------------|-------------|--------------|------------|
|------------|----------------|-------------|--------------|------------|

## ORDER ONE CODE FROM GROUPS BELOW AS REQUIRED

### BASE MACHINE

### GROUP 01

|          |          |                                           |          |             |
|----------|----------|-------------------------------------------|----------|-------------|
| MF4610LP | 72530413 | MF4610 Low Profile Base Tractor . . . . . | 95C38323 | \$45,087.00 |
|----------|----------|-------------------------------------------|----------|-------------|

### LOADER - 4wd Only

### GROUP 02

#### **Non Self-Leveling**

|          |                                                                                         |         |          |
|----------|-----------------------------------------------------------------------------------------|---------|----------|
| 72533855 | MF931X Loader Package - Skid Steer Style . . . . .                                      | 20C6861 | 8,072.00 |
|          | Includes: Mounting Kit, Joystick and Mid Valves,<br>Mid Mount Hose Kit and Grille Guard |         |          |

NOTE: With addition of a Loader, the Model changes to MF4610LPL

**ALL Tractors will be charged \$250 for Assembly**  
**ALL Tractor-Loader Packages will be charged \$360 for Assembly**

### FRONT AXLE

### GROUP 03

|   |          |                          |         |
|---|----------|--------------------------|---------|
| F | 72530274 | 4wd Front Axle . . . . . | In Base |
|---|----------|--------------------------|---------|

### OPERATOR ENVIRONMENT

### GROUP 04

|     |          |                    |         |
|-----|----------|--------------------|---------|
| E3L | 72530271 | Platform . . . . . | In Base |
|-----|----------|--------------------|---------|

### TRANSMISSION

### GROUP 05

|    |          |                                                            |          |
|----|----------|------------------------------------------------------------|----------|
| P  | 72530275 | 12 X 12 Hydraulic Shuttle . . . . .                        | In Base  |
| PL | 72530403 | 12 X 12 Hydraulic Shuttle with Creeper Gear . . . . .      | 75C1049  |
|    |          | (Available only with Float/Kickout Hydraulic Valve Option) | 1,235.00 |

### HYDRAULICS

### GROUP 07

#### **Hydraulic Options**

|   |          |                                                     |                 |
|---|----------|-----------------------------------------------------|-----------------|
| W | 72530278 | 2 Spool Valves - Spring Return to Neutral . . . . . | In Base For 4wd |
| K | 72530280 | 1 Kickout, Float + 1 Float Valve . . . . .          | 75C284          |
|   |          |                                                     | 335.00          |

### REAR AND FRONT TIRES

### GROUP 08

#### **4WD Tires**

|           |                      |         |          |
|-----------|----------------------|---------|----------|
| 72530396M | R: 16.9-24 . . . . . | 55C2433 | 2,863.00 |
|           | F: 12.5/80-18        |         |          |
| 72530395M | R: 18.4-26 . . . . . | 20C3818 | 4,492.00 |
|           | F: 9.5-24            |         |          |

### BUCKET OPTIONS - Required with Loader Package Only

### GROUP 09

|            |                                                            |         |          |
|------------|------------------------------------------------------------|---------|----------|
| 72533683ML | 72-inch Skid Steer Material Bucket 185U, 25 cu ft. . . . . | 00C935  | 1,100.00 |
| 72533684ML | 84-inch Skid Steer Material Bucket 210U, 29 cu ft. . . . . | 00C1020 | 1,200.00 |

### MISCELLANEOUS OPTIONS

### GROUP 10

|            |                                                   |        |        |
|------------|---------------------------------------------------|--------|--------|
| 72533731ML | Grille Guard for Tractor without Loader . . . . . | 20C095 | 112.00 |
|------------|---------------------------------------------------|--------|--------|



**MASSEY FERGUSON®**

# FIELD ACCESSORIES

Please order these accessories through the AGCO Parts Division.  
Consult the parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing.

| CATALOG NUMBER                                                         | DESCRIPTION                                           | 4608 | 4609 | 4610 | 4610LP | NOTES                                                                                              |
|------------------------------------------------------------------------|-------------------------------------------------------|------|------|------|--------|----------------------------------------------------------------------------------------------------|
| <b>HYDRAULICS</b>                                                      |                                                       |      |      |      |        |                                                                                                    |
| 7066736M93                                                             | Auxiliary Remote Valve                                | X    | X    | X    | X      | Spring Return to Neutral (SRN)*                                                                    |
| 7066737M92                                                             | Auxiliary Float Valve                                 | X    | X    | X    | X      | Manual return from Float Function                                                                  |
| 7069070M93                                                             | Kickout Float Combo Valve                             | X    | X    | X    | X      | Returns to Neutral at the end of Stroke, One installed per Tractor                                 |
| 7066739M91                                                             | Lever Kit                                             | X    | X    | X    | X      | Works for all valves. Each Valve requires a Lever Kit.                                             |
| 7066738M91                                                             | Couplers for Remote Valve                             | X    | X    | X    | X      | Required for each Valve                                                                            |
| 7066037M94                                                             | Assist Cylinder for Rear 3-Point                      | X    | X    | X    | X      | Increases lift capacity from 3,306 lbs to 4,409 lbs                                                |
| <i>*Refer to Bulletin MF13-04PMB for rear remote valve information</i> |                                                       |      |      |      |        |                                                                                                    |
| <b>WEIGHTS &amp; WHEEL EQUIPMENT</b>                                   |                                                       |      |      |      |        |                                                                                                    |
| 7065137M3                                                              | Front Weight Frame                                    | X    | X    | X    | X      |                                                                                                    |
| 3784628M93                                                             | Individual Front Weight<br>121 lbs (55 kg)            | X    | X    | X    | X      | Up to 8 Front Weights<br>Maximum                                                                   |
| 79018834                                                               | 4 Bolt Rear Wheel<br>Weight                           | X    | X    | X    |        | For 34" Wheels<br>Single weight (125 lbs)<br>Maximum of 8 weights can fit on<br>front weight frame |
| HW45C                                                                  | Hardware Kit for 1st Weight<br>for Square Hole Wheels | X    | X    | X    |        | For 34" Wheels/Promo 225                                                                           |
| HW45H                                                                  | Hardware Kit for 1st Weight<br>for Round Hole Wheels  | X    | X    | X    |        | For 34" Wheels/Promo 225                                                                           |
| HW45C                                                                  | Hardware Kit to Add 1 Weight<br>to Base Weight        | X    | X    | X    |        | For 34" Wheels/Promo 225                                                                           |
| HW48C2-1                                                               | Hardware Kit to Add 2 Weights<br>to Base Weight       | X    | X    | X    |        | For 34" Wheels/Promo 225                                                                           |
| 79018837                                                               | 3 Bolt Rear Wheel Weight                              | X    | X    | X    |        | For 30" Wheels<br>Single weight (300 lbs)                                                          |
| HW36C                                                                  | Hardware Kit for 1st Weight<br>for Square Hole Wheels | X    | X    | X    |        | For 30" Wheels/Promo 225                                                                           |
| HW36H                                                                  | Hardware Kit for 1st Weight<br>for Round Hole Wheels  | X    | X    | X    |        | For 30" Wheels/Promo 225                                                                           |
| HW39H                                                                  | Hardware Kit for Add on Weights                       | X    | X    | X    |        | For 30" Wheels/Promo 225                                                                           |



MASSEY FERGUSON®

## FIELD ACCESSORIES

Please order these accessories through the AGCO Parts Division.  
Consult the parts ordering system using oneAGCO Solutions-Online to determine current availability and pricing.

| CATALOG NUMBER       | DESCRIPTION                       | 4608 | 4609 | 4610 | 4610LP | NOTES                                                |
|----------------------|-----------------------------------|------|------|------|--------|------------------------------------------------------|
| <b>MISCELLANEOUS</b> |                                   |      |      |      |        |                                                      |
| 4330450M91           | Air Ride Seat Suspension Kit      | X    | X    | X    |        | Cab Tractors Only                                    |
| 7066676M96           | Creeper Transmission Kit          | X    | X    | X    | X      |                                                      |
| V836640935           | Block Heater                      | X    | X    | X    | X      |                                                      |
| 7066151M91           | Clevis Drawbar Set                | X    | X    | X    | X      |                                                      |
| 312013903            | Fiberglass Canopy                 | X    | X    | X    |        | For Platform Tractors only, attaches to ROPS         |
| 7066709M91           | High-back Seat (Cabin)            | X    | X    | X    |        | Attached to existing seat, raises seat back height   |
| 7066708M91           | High-back Seat (Platform)         | X    | X    | X    | X      | Attached to existing seat, raises seat back height   |
| 7066372M91           | Radio Antenna                     | X    | X    | X    |        | Required when Installing Radio                       |
| 6255779M91           | Speaker                           | X    | X    | X    |        | Required when installing audio system, 2 per Tractor |
| 4330410M92           | Beacon Light                      | X    | X    | X    |        | Cab Tractors Only                                    |
| 7066371M91           | Rear Wiper Kit (with Washer Tank) | X    | X    | X    |        | Cab Tractors Only                                    |
| 4283495M5            | French Operators Manual           | X    | X    | X    | X      | Order from<br>Parts Technical Publications           |
| 4283496M5            | Spanish Operators Manual          | X    | X    | X    | X      |                                                      |



**MASSEY FERGUSON®**

## **MF5600 SERIES**





MASSEY FERGUSON®

## 5600 SMALL FRAME CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

### CLASSIC EDITION FEATURES

#### ENGINE

AGCO POWER™ 3.3L (201 cu. in.) 3 Cylinder, Tier 4i Compliant

- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged
- SCR Technology

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus -40C

Fuel Tank Capacity: 42 Gal (160L)

#### POWERTRAIN

##### Dyna-4 Transmission

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts Per Range

- T-Handle Control located on Right Hand Console

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

- 540/540E with 6 Spline Shaft (In Base 5609)
- 540/540E/1000 with 6 and 21 Spline Shaft (In Base 5610)

Rear Fender Mounted PTO Shut-Off

Flange Axles

#### FRONT WHEEL ASSIST AXLE

Power Front Axle (PFA)

- 8 Bolt Pattern

Shielded Center Drive Line with Electro-Hydraulic Control  
and Front Wheel Drive Differential Lock

#### HYDRAULICS

Open Center Load Sensing 15 GPM (57 L/min) Pump

2900 PSI (200 Bar) Maximum Pressure

2 Mechanical Valves – Lever Controlled on Right Hand Console

Hydrostatic Power Steering

#### HITCH

3-Point Hitch: Category 2 Linkage Ball Ends

- Active Transport Control
- Upper Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3-Point Control

Drawbar: Category 2, Clevis and Drop Pin

#### ELECTRICAL SYSTEM

120 Amp Alternator

12V Battery, 600 CCA (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

#### LIGHTING

4 Front Hood Mounted Lights

Four Front Single Bulb Worklights

Four Rear Single Bulb Worklights

Taillights, Flashing Warning Lights and Turn Signals

#### INSTRUMENTS

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level and Coolant Temp Gauges

Warning/Information Lights

#### OPERATOR AREA

6 Post Cab

Transmission Control T-Handle on Right Hand Console

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Mechanical Swivel Seat with Armrest and Seatbelt

Front Windshield Wiper/Washer

Dual Large Telescoping Outside Rear View Mirrors

Single Inside Rear View Mirror

2 Audio Speakers and Antenna

2 Electrical Sockets in Cab

#### WHEELS AND TIRES

Rear: 420/85R34 R1W 8 Lug Pressed Wheels

Front: 340/85R24 R1W Waffle Wheel

#### OTHER STANDARD FEATURES

AGCOMMAND™ Ready with Antenna, Bracket, and Harness  
(No Module or Subscription)

(To Complete, See Technology Section)

Hi VIS Front Hood, Single Piece Raising with Lockable Front Latch

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Op Manual

SUBJECT TO AVAILABILITY

# 5600 SMALL FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless In Base Option is desired)

## BASE MACHINE

### DYNA-4 EDITIONS

|              |         |                                                |          |  |           |
|--------------|---------|------------------------------------------------|----------|--|-----------|
| MF5609~D4~ES | 7292171 | Massey 5609 Classic Tractor 70 PTO HP. . . . . | M5884879 |  | 76,427.00 |
| MF5610~D4~ES | 7292172 | Massey 5610 Classic Tractor 75 PTO HP. . . . . | M6110104 |  | 79,352.00 |

### TRANSMISSION OPTION

|          |         |                                                                                    |        |  |                |
|----------|---------|------------------------------------------------------------------------------------|--------|--|----------------|
| 25-EA635 | Base    | Dyna-4 Transmission with 16F/16R gears 25 MPH. . .<br>(40 KPH) with Speed Matching |        |  | <b>In Base</b> |
| 25-EA637 | 7292175 | Dyna-4 Transmission with 16F/16R gears 25 MPH. . .<br>(40 KPH) with AUTO-DRIVE     | M21098 |  | 274.00         |

### EQUIPMENT REQUIRED FOR NORTH AMERICA

|         |                                                                                                     |        |  |                |
|---------|-----------------------------------------------------------------------------------------------------|--------|--|----------------|
| 7293488 | Instructional Seat . . . . .                                                                        | M37422 |  | 486.00         |
| 7292141 | Front Weight Carrier . . . . .<br>(Removed when factory installed front 3-Point Hitch is selected.) |        |  | <b>In Base</b> |

### MARKETING PACKAGE

|         |                                                                    |         |  |          |
|---------|--------------------------------------------------------------------|---------|--|----------|
| MKT0323 | Upgrade Package Includes:. . . . .                                 | M217448 |  | 2,824.00 |
|         | 26 GPM (98 L/min) Twin Flow Open Center System                     |         |  |          |
|         | Radio (MP3 Compatible), Aerial & Speakers                          |         |  |          |
|         | Dyna-4 Transmission w/ 16F/16R gears 25 MPH (40 KPH) w/ AUTO-DRIVE |         |  |          |
|         | Air Suspended Seat - Manual Adjustment                             |         |  |          |
| MKT0324 | Upgrade Package Includes:. . . . .                                 | M220374 |  | 2,862.00 |
|         | Visio Roof                                                         |         |  |          |
|         | Dyna-4 Transmission w/ 16F/16R gears 25 MPH (40 KPH) w/ AUTO-DRIVE |         |  |          |
|         | 26 GPM (98 L/min) Twin Flow Open Center System                     |         |  |          |

SUBJECT TO AVAILABILITY



## 5600 SMALL FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### AUXILIARY HYDRAULIC FLOW

|           |         |                                                    |        |  |                |
|-----------|---------|----------------------------------------------------|--------|--|----------------|
| 370-DP057 | Base    | 15 GPM (57 L/min) Open Center System . . . . .     |        |  | <b>In Base</b> |
| 370-DP100 | 7292178 | 26 GPM (98 L/min) Twin Flow Open Center System . . | M78386 |  | 1,018.00       |

### AUXILIARY VALVE 1 & 2

|          |         |                                                                                                                                                                                                                                                                   |  |  |                |
|----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 50-KX004 | Base    | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting, Flow Dividing and<br>2nd- Single Acting/Double Acting, Zero Leak, Notch Float)<br>(Requires DP057)<br>(Requires MU000)                          |  |  | <b>In Base</b> |
| 50-KX005 | 7292192 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting, Flow Dividing, Kickout and<br>2nd - Double Acting, Kickout, Float)<br>(Requires DP100)<br>(Requires MU000)                                      |  |  | No Charge      |
| 50-KX006 | 7292193 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Double Acting, Flow Dividing, Kickout, Zero Leak and<br>2nd - Single Acting/Double Acting, Zero Leak, Notch Float)<br>(Requires DP057 or DP100)<br>(Requires MU002 or MU011) |  |  | No Charge      |

### AUXILIARY VALVE 3 & 4

|          |         |                                                                                                                                                                                                          |         |  |                |
|----------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--|----------------|
| 55-MU000 | Base    | Less Additional Valve . . . . .<br>(Requires DP057 or DP100)<br>(Requires KX004 or KX005)                                                                                                                |         |  | <b>In Base</b> |
| 55-MU002 | 7292194 | 3rd Mechanical Valve Only, . . . . .<br>Located on right hand console<br>(Single Acting/Double Acting)<br>(Requires DP057 or DP100)<br>(Requires KX006)                                                  | M81851  |  | 1,063.00       |
| 55-MU011 | 7292180 | 3rd and 4th Mechanical Valve, . . . . .<br>Located on right hand console<br>(3rd - Single Acting/Double Acting and 4th - Double Acting, Kickout, Float)<br>(Requires DP057 or DP100)<br>(Requires KX006) | M163702 |  | 2,126.00       |

SUBJECT TO AVAILABILITY

# 5600 SMALL FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                                              | Catalog Number | Description                                                                                                  | Factory Code | Approx. Weight (lb.) | List Price     |
|---------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b><u>REAR 3-POINT HITCH</u></b>                        |                |                                                                                                              |              |                      |                |
| 95-GC001                                                | Base           | Category 2 Ball End Links. . . . .                                                                           |              |                      | <b>In Base</b> |
| 95-GC003                                                | 7292176        | Category 2 Hook End Links and Cat 2 Balls and Cones                                                          |              |                      | No Charge      |
| <b><u>REAR THREE POINT STABILIZERS</u></b>              |                |                                                                                                              |              |                      |                |
| 165-YG001                                               | Base           | Variable Float Telescopic Stabilizers . . . . .                                                              |              |                      | <b>In Base</b> |
| <b><u>FRONT AXLE</u></b>                                |                |                                                                                                              |              |                      |                |
| 65-NA030                                                | Base           | 4wd Power Front Axle. . . . .                                                                                |              |                      | <b>In Base</b> |
| 65-NA004                                                | 7292177        | 2wd Front Axle . . . . . (M612689)                                                                           |              |                      | (7,957.00)     |
| <b><u>INSTRUMENT PANEL / CONTROL CENTER DISPLAY</u></b> |                |                                                                                                              |              |                      |                |
| 175-BA005                                               | Base           | Analog and Digital Instrument Panel w/o Radar or Slip Control                                                |              |                      | <b>In Base</b> |
| 175-BA003                                               | 7293084        | Analog and Digital Instrument Panel with Radar . . . . M67221<br>(For Actual Ground Speed) and Slip Control. |              |                      | 873.00         |

SUBJECT TO AVAILABILITY



# 5600 SMALL FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 5609 and 5610

### TIRE BRAND SELECTION

|          |         |                                     |         |  |           |
|----------|---------|-------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .      |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin Brand Required . . . . .   | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone Brand Required . . . . .  | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg Brand Required . . . . . | M91861  |  | 1,193.00  |

### FRONT AND REAR TIRES

#### 2WD - 8 Lug Steel - Set of 2

|          |           |                                          |           |  |            |
|----------|-----------|------------------------------------------|-----------|--|------------|
| 75-W1693 | 7292861B3 | Rear: 18.4R30 R1W (MI, FI) . . . . .     | (M69223)  |  | (899.00)   |
|          | 7293778B3 | Front: 10.00-16 R1W F2                   |           |  |            |
| 75-W1097 | 7292883B3 | Rear: 13.6R38 R1W (MI) . . . . .         | (M123200) |  | (1,600.00) |
|          | 7293778B3 | Front: 10.00-16 R1W F2                   |           |  |            |
| 75-W1046 | 7292877B3 | Rear: 16.9R34 R1W (MI, FI, TR) . . . . . | (M97251)  |  | (1,263.00) |
|          | 7293778B3 | Front: 10.00-16 R1W F2                   |           |  |            |
| 75-W1697 | 7292880B3 | Rear: 14.9R38 R1W (MI, FI) . . . . .     | (M91630)  |  | (1,190.00) |
|          | 7293778B3 | Front: 10.00-16 R1W                      |           |  |            |
| 75-W1124 | 7292862B3 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . . | (M56903)  |  | (739.00)   |
|          | 7293778B3 | Front: 10.00-16 R1W F2                   |           |  |            |
| 75-W1177 | 7292863B3 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . . | (M53130)  |  | (690.00)   |
|          | 7293778B3 | Front: 10.00-16 R1W F2                   |           |  |            |

#### 4WD - 8 Lug Steel - Set of 2

|          |           |                                             |          |  |          |
|----------|-----------|---------------------------------------------|----------|--|----------|
| 75-Base  | 7292877B3 | Rear: 16.9R34 R1W (MI, FI, TR) . . . . .    |          |  | In Base  |
|          | 7293760B3 | Front: 340/85R24 (13.6R24) R1W (MI, FI, TR) |          |  |          |
| 75-W1662 | 7292861B3 | Rear: 18.4R30 R1W (MI, FI) . . . . .        | M28028   |  | 364.00   |
|          | 7293760B3 | Front: 13.6R24 R1W (MI)                     |          |  |          |
| 75-W1712 | 7292883B3 | Rear: 13.6R38 R1W (MI) . . . . .            | (M25949) |  | (337.00) |
|          | 7293760B3 | Front: 13.6R24 R1W (MI)                     |          |  |          |
| 75-W1695 | 7292878B3 | Rear: 480/70R34 R1W (MI, FI, TR) . . . . .  | M99869   |  | 1,297.00 |
|          | 7293773B3 | Front: 380/70R24 R1W (MI, FI, TR)           |          |  |          |
| 75-W1699 | 7292880B3 | Rear: 14.9R38 R1W (MI, FI) . . . . .        | M05621   |  | 73.00    |
|          | 7293760B3 | Front: 13.6R24 R1W (MI, FI)                 |          |  |          |
| 75-W1696 | 7292862B3 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .    | M68838   |  | 894.00   |
|          | 7293774B3 | Front: 14.9R24 R1W (MI, FI, TR)             |          |  |          |
| 75-W1692 | 7292879B3 | Rear: 520/70R34 R1W (MI, FI) . . . . .      | M179795  |  | 2,335.00 |
|          | 7293775B3 | Front: 420/70B24 R1W (MI, FI)               |          |  |          |
| 75-W1664 | 7292863B3 | Rear: 420/85R38 R1W (MI, FI, TR) . . . . .  | M59213   |  | 769.00   |
|          | 7293761B3 | Front: 340/85R28 R1W (MI, FI, TR)           |          |  |          |
| 75-W1700 | 7292881B3 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . .  | M168014  |  | 2,182.00 |
|          | 7293780B3 | Front: 380/70R28 R1W (MI, FI, TR)           |          |  |          |

#### 5609 ONLY

|          |           |                                      |          |  |          |
|----------|-----------|--------------------------------------|----------|--|----------|
| 75-W1086 | 7292876B3 | Rear: 16.9R30 R1W (MI, FI) . . . . . | (M41580) |  | (540.00) |
|          | 7292757B3 | Front: 11.2R24 R1W (MI, FI)          |          |  |          |

#### 5610 ONLY

|          |           |                                      |          |  |          |
|----------|-----------|--------------------------------------|----------|--|----------|
| 75-W1481 | 7292876B3 | Rear: 16.9R30 R1W (MI, FI) . . . . . | (M38346) |  | (498.00) |
|          | 7293772B3 | Front: 12.4R24 R1W (MI, FI, GY)      |          |  |          |

# 5600 SMALL FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 5609 and 5610

### FRONT AND REAR TIRES- continued

|                                                             |           |                                                   |          |  |            |
|-------------------------------------------------------------|-----------|---------------------------------------------------|----------|--|------------|
| <b>Welded Steel Standard Offset with Spacers - Set of 2</b> |           |                                                   |          |  |            |
| 75-W1613                                                    | 7292888B3 | Rear: 540/65R30 R1W (MI) . . . . .                |          |  | TBA        |
|                                                             | 7292754B3 | Front: 405/70R20 R1W (MI)                         |          |  |            |
| 75-W1342                                                    | 7292884B3 | Rear: 540/65R34 R1W (MI, FI, TR) . . . . .        | M30184   |  | 392.00     |
|                                                             | 7292751B3 | Front: 440/65R24 R1W (MI, FI, TR)                 |          |  |            |
| 75-W1344                                                    | 7292885B3 | Rear: 600/65R34 R1W (MI, FI) . . . . .            | M90783   |  | 1,179.00   |
|                                                             | 7292752B3 | Front: 480/65R24 R1W (MI, FI)                     |          |  |            |
| 75-W1286                                                    | 7292858B3 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .        | M243474  |  | 3,162.00   |
|                                                             | 7293757B3 | F: 440/65R28 R1W (MI, FI, TR)                     |          |  |            |
| 75-W1371                                                    | 7292889B3 | R: 600/60R38 R1W (MI). . . . .                    | M147455  |  | 1,915.00   |
|                                                             | 7292756B3 | F: 480/60R28 R1W (MI)                             |          |  |            |
| 75-W1514                                                    | 7292875B3 | Rear: 440/80R34 R1W (Nokian Industrial) . . . . . | M528990  |  | 6,870.00   |
|                                                             | 7293770B3 | Front: 360/80R24 R1W (Nokian Industrial)          |          |  |            |
| 75-W1476                                                    | 7292871B3 | Rear: 480/80R34 R1W (Nokian Industrial). . . . .  | M650342  |  | 8,446.00   |
|                                                             | 7293767B3 | Front: 400/80R24 R1W (Nokian Industrial)          |          |  |            |
| <b>5609 ONLY</b>                                            |           |                                                   |          |  |            |
| 75-W1475                                                    | 7292886B3 | Rear: 440/80R30 R1W (Nokian Industrial) . . . . . | M429660  |  | 5,580.00   |
|                                                             | 7292753B3 | Front: 11.2R24 R1W (Nokian Industrial)            |          |  |            |
| <b>5610 ONLY</b>                                            |           |                                                   |          |  |            |
| 75-W1615                                                    | 7292887B3 | Rear: 480/80R30 R1W (TR) . . . . .                | (M78925) |  | (1,025.00) |
|                                                             | 7292755B3 | Front: 320/70R24 R1W (TR)                         |          |  |            |

SUBJECT TO AVAILABILITY



## 5600 SMALL FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PTO

#### **5609**

|           |         |                                                                                             |        |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------|--------|--|----------------|
| 100-LA062 | Base    | 540/540E RPM 6 Spline with Economy PTO . . . . .                                            |        |  | <b>In Base</b> |
| 100-LA066 | 7292159 | 540/540E/1000 RPM PTO with Economy PTO . . . . .<br>540 RPM 6 Spline and 1000 RPM 21 Spline | M37884 |  | 492.00         |

#### **5610**

|           |         |                                                                                             |          |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------|----------|--|----------------|
| 100-LA066 | Base    | 540/540E/1000 RPM PTO with Economy PTO . . . . .<br>540 RPM 6 Spline and 1000 RPM 21 Spline |          |  | <b>In Base</b> |
| 100-LA062 | 7292182 | 540/540E RPM 6 Spline with Economy PTO . . . . .                                            | (M36806) |  | (478.00)       |

### FRONT HITCH

|           |         |                                                                 |         |  |                |
|-----------|---------|-----------------------------------------------------------------|---------|--|----------------|
| 230-FA000 | Base    | Less Front Hitch . . . . .                                      |         |  | <b>In Base</b> |
| 230-F1118 | 7292167 | 1800 KG Front Linkage with Couplers . . . . .<br>Requires NA030 | M434588 |  | 5,644.00       |

### LOADER PROVISION

|           |         |                                                                                                                                                               |         |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--|----------------|
| 350-LL000 | Base    | Less Loader Provisions . . . . .                                                                                                                              |         |  | <b>In Base</b> |
| 350-LL001 | 7293445 | Front Loader Provision - Mech Joystick Loader Control, Including Hydraulics and Subframe<br>Requires : 26 GPM (98 L/min) Twin Flow Open Center System (DP100) | M488180 |  | 6,340.00       |

### CAB

|           |         |                                                                                                         |         |  |          |
|-----------|---------|---------------------------------------------------------------------------------------------------------|---------|--|----------|
| 365-AF009 | 7294248 | Radio (MP3 Compatible), Aerial & Speakers . . . . .                                                     | M47740  |  | 620.00   |
| 365-AF011 | 7294227 | Radio (CD Player, MP3 Compatible), Aerial & Speakers                                                    | M64911  |  | 843.00   |
| 135-AK001 | 7292029 | Rear Wiper / Washer . . . . .                                                                           | M32340  |  | 420.00   |
| 125-AE026 | 7292027 | Air Suspended Seat - Manual Adjustment . . . . .                                                        | M70224  |  | 912.00   |
| 125-AE027 | 7292189 | Air Suspended Seat - Automatic Adjustment . . . . .                                                     | M83160  |  | 1,080.00 |
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . .                                                             | M20790  |  | 270.00   |
| 140-AI021 | 7293078 | Visio Roof . . . . .<br>(Requires VG019- 2 Front Double Bulb and<br>2 Rear Double Bulb Lighting Option) | M120890 |  | 1,570.00 |
| 115-AM084 | 7293559 | Mechanical Cab Suspension . . . . .                                                                     | M129976 |  | 1,688.00 |

SUBJECT TO AVAILABILITY

# 5600 SMALL FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                                      | Catalog Number | Description                                                                                                         | Factory Code | Approx. Weight (lb.) | List Price     |
|-------------------------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b>REAR WHEEL WEIGHTS</b>                       |                |                                                                                                                     |              |                      |                |
| 325-RD002                                       | 7293328*       | 2 Sets of 110 LBS (50 KG) weights (4 weights total) . . . . .<br>Mounts Externally to Wheel                         | M45738       | 1102                 | 594.00         |
| 325-RD004                                       | 7293330*       | 1 Set of 110 LBS (50 KG) and 1 Set of . . . . .<br>440 LBS (200 KG) (4 weights total)<br>Mounts Externally to Wheel | M68607       | 1100                 | 891.00         |
| *ONLY AVAILABLE ON WELDED RIMS (NON ADJUSTABLE) |                |                                                                                                                     |              |                      |                |
| <b>ELECTRICAL</b>                               |                |                                                                                                                     |              |                      |                |
| 215-CB002                                       | Base           | Engine Block Heater - 110 Volt . . . . .                                                                            |              |                      | <b>In Base</b> |
| 215-CB000                                       | 7293593        | Less Engine Block Heater. . . . . (M15939)                                                                          |              |                      | (207.00)       |
| <b>ALTERNATOR</b>                               |                |                                                                                                                     |              |                      |                |
| 220-CE015                                       | Base           | 120 AMP Alternator . . . . .                                                                                        |              |                      | <b>In Base</b> |
| 220-CE020                                       | 7292190        | 175 AMP Alternator . . . . . M16247                                                                                 |              |                      | 211.00         |
| <b>LIGHTING</b>                                 |                |                                                                                                                     |              |                      |                |
| 205-VF013                                       | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right . . . . .<br>(Includes SAE SMV sign)                             | M39809       |                      | 517.00         |
| 195-VG019                                       | 7295102        | 2 Front Double Bulb and 2 Rear Double Bulb Worklights M22561<br>(Required for Visio Roof Cab Option)                |              |                      | 293.00         |
| 190-VK004                                       | 7293597        | Worklights on Handrails and Rear Fenders . . . . . M41426                                                           |              |                      | 538.00         |

SUBJECT TO AVAILABILITY





## 5600 SMALL FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PIVOTING FRONT FENDERS

|           |          |                                                                                                       |         |  |                |
|-----------|----------|-------------------------------------------------------------------------------------------------------|---------|--|----------------|
| 155-WE000 | Base     | Less Pivoting Front Fenders . . . . .                                                                 |         |  | <b>In Base</b> |
| 155-WE110 | 7294204* | Pivoting Front Fenders - Standard Width . . . . .<br>Width depends on tire selection; see Chart Below | M129514 |  | 1,682.00       |
| 155-WE111 | 7294205* | Pivoting Front Fenders - Wide Width . . . . .<br>Width depends on tire selection; see Chart Below     | M152768 |  | 1,984.00       |

\*REQUIRES 4WD FRONT AXLE

| Fender Size |        |                                                         |
|-------------|--------|---------------------------------------------------------|
| Standard    | Wide   | Tire Sizes                                              |
| 320 mm      | 355 mm | 320/85R34 (12.4R34)<br>280/85R24 (11.2R24)<br>320/70R24 |
| 355 mm      | 380 mm | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)<br>360/80R24 |
| 380 mm      | 410 mm | 380/85R24 (14.9R24)<br>380/70R24<br>380/70R28           |
| 410 mm      | 470 mm | 405/70R20<br>420/70R24<br>440/65R24<br>440/65R28        |
| 470 mm      | 520 mm | 420/70B24<br>480/65R24                                  |
| 520 mm      | 620 mm | 480/60R28                                               |

### REAR FENDERS

|           |         |                                                              |                |
|-----------|---------|--------------------------------------------------------------|----------------|
| 255-WD012 | Base    | Standard Width Fenders (78 inch) LESS Rear Extensions        | <b>In Base</b> |
| 255-WD013 | 7293450 | Standard Width Fenders (78 inch) w/ Rear Extensions. M100870 | 1,310.00       |
| 255-WD017 | 7293107 | Wide Fender (90.5 inches) with Rear Extensions . . . M100870 | 1,310.00       |

SUBJECT TO AVAILABILITY

# 5600 SMALL FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code           | Catalog Number | Description                                       | Factory Code | Approx. Weight (lb.) | List Price |
|----------------------|----------------|---------------------------------------------------|--------------|----------------------|------------|
| <b>MISCELLANEOUS</b> |                |                                                   |              |                      |            |
| 35-EN002             | 7292064        | Creeper Gear (14:1 Reduction) . . . . .           | M203126      |                      | 2,638.00   |
| 250-GS001            | 7293100        | Hydraulic Trailer Brakes . . . . .                | M62293       |                      | 809.00     |
| 225-LQ001            | 7293553        | Ecology Drain and Engine Water Separator. . . . . | M35497       |                      | 461.00     |
| 275-TC005            | 7294210        | French Language OIB. . . . .                      |              |                      | No Charge  |
| 275-TC011            | 7294211        | Spanish Language OIB . . . . .                    |              |                      | No Charge  |

## **DEALER INSTALLED OPTIONS**

### **FRONT WEIGHTS**

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 5600 LARGE FRAME CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

### CLASSIC EDITION FEATURES

#### ENGINE

AGCO POWER™ 4.4L (268 cu. in.) 4 Cylinder, Tier 4i Compliant

- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged
- SCR Technology

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus -40C

Fuel Tank Capacity: 49 Gal (185L)

DEF Tank Capacity: 6.6 Gal (25L)

#### POWERTRAIN

##### Dyna-4 Transmission

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts Per Range
- T-Handle Control located on Right Hand Console

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

- 540/540E with 6 Spline Shaft

Rear Fender Mounted PTO Shut-Off

Flange Axles

#### FRONT WHEEL ASSIST AXLE

Power Front Axle (PFA)

- 8 Bolt Pattern

Shielded Center Drive Line with Electro-Hydraulic Control  
and Front Wheel Drive Differential Lock

#### HYDRAULICS

Open Center Load Sensing 15 GPM (57 L/min) Pump

2900 PSI (200 Bar) Maximum Pressure

2 Mechanical Valves – Lever Controlled on Right Hand Console

Hydrostatic Power Steering

#### HITCH

3-Point Hitch: Category 2/3 Linkage Ball Ends

- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3-Point Control

Drawbar: Category 2, Clevis and Drop Pin

#### ELECTRICAL SYSTEM

120 Amp Alternator

12V Battery, 600 CCA (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

#### LIGHTING

4 Front Hood Mounted Lights

Four Front Single Bulb Worklights

Four Rear Single Bulb Worklights

Taillights, Flashing Warning Lights and Turn Signals

#### INSTRUMENTS

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level and Coolant Temp Gauges

Warning/Information Lights

#### OPERATOR AREA

6 Post Cab

Transmission Control T-Handle on Right Hand Console

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Mechanical Swivel Seat with Armrest and Seatbelt

Front Windshield Wiper/Washer

Dual Large Telescoping Outside Rear View Mirrors

Single Inside Rear View Mirror

2 Audio Speakers and Antenna

2 Electrical Sockets in Cab

#### WHEELS AND TIRES

Rear: 460/85R34 R1W 8 Lug Pressed Wheels

Front: 380/85R24 R1W Waffle Wheel

#### OTHER STANDARD FEATURES

AGCOMMAND™ Ready with Antenna, Bracket, and Harness  
(No Module or Subscription)

(To Complete, See Technology Section)

Hi VIS Front Hood, Single Piece Raising with Lockable Front Latch

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Op Manual

NOT FOR SALE IN STATE OF NEBRASKA

# 5600 LARGE FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless In Base Option is desired)

## BASE MACHINE

### DYNA-4 EDITIONS

|              |         |                                                 |          |  |           |
|--------------|---------|-------------------------------------------------|----------|--|-----------|
| MF5611~D4~ES | 7292213 | Massey 5611 Classic Tractor 80 PTO HP. . . . .  | M6932002 |  | 90,026.00 |
| MF5612~D4~ES | 7292214 | Massey 5612 Classic Tractor 90 PTO HP. . . . .  | M7261947 |  | 94,311.00 |
| MF5613~D4~ES | 7292215 | Massey 5613 Classic Tractor 100 PTO HP. . . . . | M7591892 |  | 98,596.00 |

### TRANSMISSION OPTION

|          |         |                                                                                     |        |  |                |
|----------|---------|-------------------------------------------------------------------------------------|--------|--|----------------|
| 25-EA635 | Base    | Dyna-4 Transmission with 16F/16R gears 25 MPH . . .<br>(40 KPH) with Speed Matching |        |  | <b>In Base</b> |
| 25-EA637 | 7292175 | Dyna-4 Transmission with 16F/16R gears 25 MPH . . .<br>(40 KPH) with AUTO-DRIVE     | M21098 |  | 274.00         |

### EQUIPMENT REQUIRED FOR NORTH AMERICA

|         |                                                                                                   |        |  |                |
|---------|---------------------------------------------------------------------------------------------------|--------|--|----------------|
| 7293488 | Instructional Seat . . . . .                                                                      | M37422 |  | 486.00         |
| 7292141 | Front Weight Carrier . . . . .<br>Removed when factory installed front 3-Point Hitch is selected. |        |  | <b>In Base</b> |

### MARKETING PACKAGE

|         |                                                                                                                                                                                                                                                   |         |  |          |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|
| MKT0323 | Upgrade Package Includes:. . . . .<br>26 GPM (98 L/min) Twin Flow Open Center System<br>Radio (MP3 Compatible), Aerial & Speakers<br>Dyna-4 Transmission w/ 16F/16R gears 25 MPH (40 KPH) w/ AUTO-DRIVE<br>Air Suspended Seat - Manual Adjustment | M217448 |  | 2,823.00 |
| MKT0324 | Upgrade Package Includes:. . . . .<br>Visio Roof<br>Dyna-4 Transmission w/ 16F/16R gears 25 MPH (40 KPH) w/ AUTO-DRIVE<br>26 GPM (98 L/min) Twin Flow Open Center System                                                                          | M220374 |  | 2,861.00 |

SUBJECT TO AVAILABILITY



# 5600 LARGE FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## ❖ AUXILIARY HYDRAULIC FLOW

|           |         |                                                                                    |         |  |                |
|-----------|---------|------------------------------------------------------------------------------------|---------|--|----------------|
| 370-DP057 | Base    | 15 GPM (57 L/min) Open Center System . . . . .                                     |         |  | <b>In Base</b> |
| 370-DP100 | 7292178 | 26 GPM (98 L/min) Twin Flow Open Center System . .                                 | M78386  |  | 1,018.00       |
| 370-DP110 | 7292195 | 29 GPM (110 L/min) Closed Center Load Sensing . . .<br>(Not compatible with NA004) | M361592 |  | 4,696.00       |

## ❖ AUXILIARY VALVE 1 & 2

|          |         |                                                                                                                                                                                                                                                          |  |  |                |
|----------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 50-KX004 | Base    | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting, Flow Dividing and<br>2nd- Single Acting/Double Acting, Zero Leak, Notch Float)<br>(Requires DP057 or DP100)<br>(Requires MU000)        |  |  | <b>In Base</b> |
| 50-KX005 | 7292192 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting, Flow Dividing, Kickout and<br>2nd - Double Acting, Kickout, Float)<br>(Requires DP100)<br>(Requires MU000)                             |  |  | No Charge      |
| 50-KX006 | 7292193 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Double Acting, Flow Dividing, Kickout, Zero Leak and<br>2nd - Single Acting/Double Acting, Zero Leak, Notch Float)<br>(Requires DP057 or DP100)<br>(Requires MU002) |  |  | No Charge      |
| 50-KX010 | 7292300 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console.<br>(1st and 2nd - Flow Dividing, Kickout, Zero Leak, Float)<br>(Requires DP110)<br>(Requires MU000 or MU003)                                                                 |  |  | No Charge      |

## ❖ AUXILIARY VALVE 3 & 4

|          |         |                                                                                                                                                                                  |        |  |                |
|----------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|----------------|
| 55-MU000 | Base    | Less Additional Valve . . . . .<br>(Requires DP057, DP100, or DP110)<br>(Requires KX004, KX005, KX010)                                                                           |        |  | <b>In Base</b> |
| 55-MU002 | 7292194 | 3rd Mechanical Valve Only, . . . . .<br>Located on right hand console<br>(Single Acting/Double Acting)<br>(Requires DP057 or DP100)<br>(Requires KX006)                          | M81851 |  | 1,063.00       |
| 55-MU003 | 7292302 | 3rd Valve only, Mechanically Controlled. . . . .<br>with lever located in Right Hand Console<br>Kickout, Zero Leak, Flow Dividing, Float<br>(Requires DP110)<br>(Requires KX010) | M81851 |  | 1,063.00       |

If 4 Factory Installed Rear Remotes Valves are Required; Loader Provision S3002 Must Be Selected. A 4th Rear Remote Valve Can Also Be Ordered Through AGCO Parts, Which Does NOT Require the Selection of a Factory Loader Provision.

❖ Please note that Loader Provisions S3002 includes key hydraulic components and may require this option group to be left blank

# 5600 LARGE FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## FRONT AXLE

|          |         |                               |           |  |                |
|----------|---------|-------------------------------|-----------|--|----------------|
| 65-NA030 | Base    | 4wd Power Front Axle. . . . . |           |  | <b>In Base</b> |
| 65-NA004 | 7292177 | 2wd Front Axle . . . . .      | (M612689) |  | (7,957.00)     |
| 65-NA032 | 7293408 | Suspended Front Axle. . . . . | M547085   |  | 7,105.00       |

## REAR 3-POINT HITCH

|          |         |                                                       |  |  |                |
|----------|---------|-------------------------------------------------------|--|--|----------------|
| 95-GC009 | Base    | Category 2/3 Telescopic Ball End Links. . . . .       |  |  | <b>In Base</b> |
| 95-GC022 | 7293572 | Category 3 Hook End Links and Cat 2/3 Balls and Cones |  |  | No Charge      |

## REAR THREE POINT STABILIZERS

|           |      |                                                 |  |  |                |
|-----------|------|-------------------------------------------------|--|--|----------------|
| 165-YG001 | Base | Variable Float Telescopic Stabilizers . . . . . |  |  | <b>In Base</b> |
|-----------|------|-------------------------------------------------|--|--|----------------|

## INSTRUMENT PANEL / CONTROL CENTER DISPLAY

|           |         |                                                                                                         |        |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------------------|--------|--|----------------|
| 175-BA005 | Base    | Analog and Digital Instrument Panel . . . . .                                                           |        |  | <b>In Base</b> |
| 175-BA003 | 7293084 | Analog and Digital Instrument Panel with Radar . . . . .<br>(For Actual Ground Speed) and Slip Control. | M67221 |  | 873.00         |

SUBJECT TO AVAILABILITY



# 5600 LARGE FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRE BRAND SELECTION

|          |         |                                     |         |  |           |
|----------|---------|-------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .      |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin Brand Required . . . . .   | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone Brand Required . . . . .  | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg Brand Required . . . . . | M91861  |  | 1,193.00  |

## FRONT AND REAR TIRES

### **2WD - 8 Lug Steel - Set of 2**

|          |           |                                            |           |  |            |
|----------|-----------|--------------------------------------------|-----------|--|------------|
| 75-W1693 | 7292861B2 | Rear: 18.4R30 R1W (MI) . . . . .           | (M136906) |  | (1,778.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |
| 75-W1097 | 7292883B2 | Rear: 13.6R38 R1W (MI, FI) . . . . .       | (M190036) |  | (2,468.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |
| 75-W1046 | 7292877B2 | Rear: 16.9R34 R1W (MI, FI, TR) . . . . .   | (M164087) |  | (2,131.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |
| 75-W1697 | 7292880B2 | Rear: 14.9R38 R1W (MI, FI) . . . . .       | (M158620) |  | (2,060.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |
| 75-W1124 | 7292862B2 | Rear: 18.4R34 R1W(MI, FI, TR) . . . . .    | (M124894) |  | (1,622.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |
| 75-W1177 | 7292863B2 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . .   | (M121198) |  | (1,574.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |
| 75-W1688 | 7292864B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . . | (M16863)  |  | (219.00)   |
|          | 7293778B2 | Front: 10.00-16 R1W F2                     |           |  |            |

### **4WD - 8 Lug Steel - Set of 2**

|          |           |                                            |           |  |                |
|----------|-----------|--------------------------------------------|-----------|--|----------------|
| 75-Base  | 7292862B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .   |           |  | <b>In Base</b> |
|          | 7293774B2 | Front: 14.9R24 R1W (MI, FI, TR)            |           |  |                |
| 75-W1481 | 7292876B2 | Rear: 16.9R30 R1W (MI, FI) . . . . .       | (M105413) |  | (1,369.00)     |
|          | 7293772B2 | Front: 12.4R24 R1W (MI, FI)                |           |  |                |
| 75-W1662 | 7292861B2 | Rear: 18.4R30 R1W (MI) . . . . .           | (M39655)  |  | (515.00)       |
|          | 7293760B2 | Front: 13.6R24 R1W (MI)                    |           |  |                |
| 75-W1712 | 7292883B2 | Rear: 13.6R38 R1W (MI, FI) . . . . .       | (M92785)  |  | (1,205.00)     |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI)                |           |  |                |
| 75-W1695 | 7292878B2 | Rear: 480/70R34 R1W (MI, FI) . . . . .     | M31031    |  | 403.00         |
|          | 7293773B2 | Front: 380/70R24 R1W (MI, FI)              |           |  |                |
| 75-W1699 | 7292880B2 | Rear: 14.9R38 R1W (MI, FI) . . . . .       | (M61369)  |  | (797.00)       |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI)                |           |  |                |
| 75-W1694 | 7292877B2 | Rear: 16.9R34 R1W (MI, FI) . . . . .       | (M66836)  |  | (868.00)       |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI)                |           |  |                |
| 75-W1692 | 7292879B2 | Rear: 520/70R34 R1W (MI, FI) . . . . .     | M110957   |  | 1,441.00       |
|          | 7293775B2 | Front: 420/70B24 R1W (MI, FI)              |           |  |                |
| 75-W1664 | 7292863B2 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . .   | (M09394)  |  | (122.00)       |
|          | 7293761B2 | Front: 13.6R28 R1W (MI, FI, TR)            |           |  |                |
| 75-W1700 | 7292881B2 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . . | M99176    |  | 1,288.00       |
|          | 7293780B2 | Front: 380/70R28 R1W (MI, FI, TR)          |           |  |                |
| 75-W1297 | 7292864B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . . | M120736   |  | 1,568.00       |
|          | 7294786B2 | Front: 380/85R28 R1W (MI, FI, TR)          |           |  |                |
| 75-W1701 | 7292882B2 | Rear: 520/70R38 R1W (MI, FI, TR) . . . . . | M200739   |  | 2,607.00       |
|          | 7293776B2 | Front: 420/70R28 R1W (MI, FI, TR)          |           |  |                |

# 5600 LARGE FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                                                         | Catalog Number         | Description                                                                                                 | Factory Code | Approx. Weight (lb.) | List Price |
|--------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b>FRONT AND REAR TIRES- continued</b>                             |                        |                                                                                                             |              |                      |            |
| <i><b>Welded Steel Standard Offset with Spacers - Set of 2</b></i> |                        |                                                                                                             |              |                      |            |
| 75-W1615                                                           | 7292887B2<br>7292755B2 | Rear: 480/80R30 R1W (TR) . . . . .<br>Front: 320/70R24 R1W (TR)                                             | (M145838)    |                      | (1,894.00) |
| 75-W1342                                                           | 7292884B2<br>7292751B2 | Rear: 540/65R34 R1W (MI) . . . . .<br>Front: 440/65R24 R1W (MI)                                             | (M37576)     |                      | (488.00)   |
| 75-W1344                                                           | 7292885B2<br>7292752B2 | Rear: 600/65R34 R1W (MI, FI) . . . . .<br>Front: 480/65R24 R1W (MI, FI)                                     | M22638       |                      | 294.00     |
| 75-W1286                                                           | 7292858B2<br>7293757B2 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .<br>Front: 440/65R28 R1W (MI, FI, TR)                             | M174636      |                      | 2,268.00   |
| 75-W1371                                                           | 7292889B2<br>7292756B2 | Rear: 600/60R38 R1W (MI) . . . . .<br>Front: 480/60R28 R1W (MI)                                             | M78617       |                      | 1,021.00   |
| 75-W1257                                                           | 7292859B2<br>7294785B2 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .<br>Front: 480/65R28 R1W (MI, FI, TR)                             | M229152      |                      | 2,976.00   |
| 75-W1476                                                           | 7292871B2<br>7293767B2 | Rear: 480/80R34 R1W (Nokian Industrial) . . . . .<br>Front: 400/80R24 R1W (Nokian Industrial)               | M581504      |                      | 7,552.00   |
| 75-W1511                                                           | 7292872B2<br>7292890B2 | Rear: 480/80R38 Industrial (Nokian Industrial) . . . . .<br>Front: 400/80R28 Industrial (Nokian Industrial) | M744975      |                      | 9,675.00   |
| 75-W1810                                                           | 7292896B2<br>7293774B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .<br>Front: 14.9R24 R1W (MI, FI, TR)                                 |              |                      | TBA        |
| 75-W1299                                                           | 7292897B2<br>7294786B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . .<br>Front: 380/85R28 R1W (MI, FI, TR)                             |              |                      | TBA        |

SUBJECT TO AVAILABILITY





# 5600 LARGE FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## PTO

|           |         |                                                                                                    |  |  |                |
|-----------|---------|----------------------------------------------------------------------------------------------------|--|--|----------------|
| 100-LA062 | Base    | 540/540E RPM 6 Spline with Economy PTO . . . . .                                                   |  |  | <b>In Base</b> |
|           |         | <b>Delayed Production please contact Marketing.</b>                                                |  |  |                |
| 100-LA066 | 7292159 | 540/540E/1000 RPM PTO with Economy PTO . . . . . M37884<br>540 RPM 6 Spline and 1000 RPM 21 Spline |  |  | 492.00         |

## FRONT HITCH

|           |         |                                                                        |  |  |                |
|-----------|---------|------------------------------------------------------------------------|--|--|----------------|
| 230-FA000 | Base    | Less Front Hitch . . . . .                                             |  |  | <b>In Base</b> |
| 230-F1119 | 7292199 | 1800 KG Front Linkage with Coupler . . . . . M434588<br>Requires NA030 |  |  | 5,644.00       |

## LOADER PROVISION

|           |         |                                                                                                                                                                                                                                                                                                               |  |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 350-LL000 | Base    | Less Loader Provisions . . . . .                                                                                                                                                                                                                                                                              |  |  | <b>In Base</b> |
| 350-LL001 | 7293445 | Front Loader Provision - Mech Joystick Loader Control, M488180<br>Including Hydraulics and Subframe<br>Requires- 1st/2nd Mechanical Control Valves<br>26 GPM (98 L/min) Twin Flow Open Center System (DP100) or<br>29 GPM (110 L/min) Closed Center Load Sensing( DP110)                                      |  |  | 6,340.00       |
| 350-S3002 | 7293680 | Front Loader Provisions including . . . . . M834834<br>Hydraulic and Subframe also includes:<br>DP100 - 26 GPM (98 L/min) Twin Flow Open Center System<br>KX012 - Valves 1 and 2 Electric, with Multi-Function Joystick on the Armrest<br>MU014 - 3rd and 4th Mechanical Valve Located on right hand console. |  |  | 10,842.00      |

## CAB

|           |         |                                                                                                               |  |  |          |
|-----------|---------|---------------------------------------------------------------------------------------------------------------|--|--|----------|
| 365-AF009 | 7294248 | Radio (MP3 Compatible), Aerial & Speakers . . . . . M47740                                                    |  |  | 620.00   |
| 365-AF011 | 7294227 | Radio (CD Player, MP3 Compatible), Aerial & Speakers M64911                                                   |  |  | 843.00   |
| 135-AK001 | 7292029 | Rear Wiper / Washer . . . . . M32340                                                                          |  |  | 420.00   |
| 125-AE026 | 7292027 | Air Suspended Seat - Manual Adjustment . . . . . M70224                                                       |  |  | 912.00   |
| 125-AE027 | 7292189 | Air Suspended Seat - Automatic Adjustment . . . . . M83160                                                    |  |  | 1,080.00 |
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . . M20790                                                            |  |  | 270.00   |
| 140-AI021 | 7293078 | Visio Roof . . . . . M120890<br>Requires VG019- 2 Front Double Bulb and<br>2 Rear Double Bulb Lighting Option |  |  | 1,570.00 |
| 115-AM084 | 7293559 | Mechanical Cab Suspension . . . . . M129976                                                                   |  |  | 1,688.00 |

SUBJECT TO AVAILABILITY

# 5600 LARGE FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                       | Catalog Number | Description                                                                                                                                                           | Factory Code | Approx. Weight (lb.) | List Price     |
|----------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b><u>REAR WHEEL WEIGHTS</u></b> |                |                                                                                                                                                                       |              |                      |                |
| 325-RD002                        | 7293328        | 2 Sets of 110 LBS (50 KG) weights (4 weights total) . . .<br>Mounts Externally to Wheel<br>Only Available on Welded Rims (Non Adjustable)                             | M45738       | 1102                 | 594.00         |
| 325-RD004                        | 7293330        | 1 Set of 110 LBS (50 KG) and 1 Set of . . . . .<br>440 LBS (200 KG) (4 weights total)<br>Mounts Externally to Wheel<br>Only Available on Welded Rims (Non Adjustable) | M68607       | 1100                 | 891.00         |
| <b><u>ELECTRICAL</u></b>         |                |                                                                                                                                                                       |              |                      |                |
| 215-CB002                        | Base           | Engine Block Heater - 110 Volt . . . . .                                                                                                                              |              |                      | <b>In Base</b> |
| 215-CB000                        | 7293593        | Less Engine Block Heater. . . . . (M15939)                                                                                                                            |              |                      | (207.00)       |
| <b><u>ALTERNATOR</u></b>         |                |                                                                                                                                                                       |              |                      |                |
| 220-CE015                        | Base           | 120 AMP Alternator . . . . .                                                                                                                                          |              |                      | <b>In Base</b> |
| 220-CE020                        | 7292190        | 175 AMP Alternator . . . . . M16247                                                                                                                                   |              |                      | 211.00         |
| <b><u>LIGHTING</u></b>           |                |                                                                                                                                                                       |              |                      |                |
| 205-VF013                        | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right . .<br>Includes SAE SMV sign                                                                                       | M39809       |                      | 517.00         |
| 195-VG019                        | 7295102        | 2 Front Double Bulb and 2 Rear Double Bulb Worklights<br>(Required for Visio Roof Cab Option)                                                                         | M22561       |                      | 293.00         |
| 190-VK004                        | 7293597        | Worklights on Handrails and Rear Fenders . . . . . M41426                                                                                                             |              |                      | 538.00         |

SUBJECT TO AVAILABILITY



# 5600 LARGE FRAME CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## PIVOTING FRONT FENDERS

|           |         |                                                                                                                                          |  |  |                |
|-----------|---------|------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 155-WE000 | Base    | Less Pivoting Front Fenders . . . . .                                                                                                    |  |  | <b>In Base</b> |
| 155-WE110 | 7294204 | Pivoting Front Fenders - Standard Width . . . . . M129514<br>Width depends on tire selection; see Chart Below<br>Requires 4WD Front Axle |  |  | 1,682.00       |
| 155-WE111 | 7294205 | Pivoting Front Fenders - Wide Width . . . . . M152768<br>Width depends on tire selection; see Chart Below<br>Requires 4WD Front Axle     |  |  | 1,984.00       |

| Fender Size |        |                                                                                                |
|-------------|--------|------------------------------------------------------------------------------------------------|
| Standard    | Wide   | Tire Sizes                                                                                     |
| 320 mm      | 355 mm | 320/85R24 (12.4R24)<br>320/70R24                                                               |
| 355 mm      | 380 mm | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                                                     |
| 380 mm      | 410 mm | 380/85R28 (14.9R28)<br>400/80R24<br>400/80R28<br>380/85R24 (14.9R24)<br>380/70R24<br>380/70R28 |
| 410 mm      | 470 mm | 420/70R24<br>420/70R28<br>440/65R24<br>440/65R28                                               |
| 470 mm      | 520 mm | 480/65R28<br>420/70B24<br>480/65R24                                                            |
| 520 mm      | 620 mm | 480/60R28<br>520/60R28                                                                         |

## REAR FENDERS

|           |         |                                                              |                |
|-----------|---------|--------------------------------------------------------------|----------------|
| 255-WD012 | Base    | Standard Width Fenders (78 inch) LESS Rear Extensions        | <b>In Base</b> |
| 255-WD013 | 7293450 | Standard Width Fenders (78 inch) w/ Rear Extensions. M100870 | 1,310.00       |
| 255-WD017 | 7293107 | Wide Fender (90.5 inches) with Rear Extensions . . . M100870 | 1,310.00       |

# 5600 LARGE FRAME CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                  | Catalog Number | Description                                                                      | Factory Code | Approx. Weight (lb.) | List Price |
|-----------------------------|----------------|----------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b><u>MISCELLANEOUS</u></b> |                |                                                                                  |              |                      |            |
| 35-EN002                    | 7292064        | Creeper Gear (14:1 Reduction) . . . . .                                          | M203126      |                      | 2,638.00   |
| 250-GS001                   | 7293100        | Hydraulic Trailer Brakes . . . . .                                               | M62293       |                      | 809.00     |
| 250-GS062                   | 7293551        | Pneumatic Trailer Brakes . . . . .<br>Not Compatible with 2wd Front Axle (NA004) | M515900      |                      | 6,700.00   |
| 225-LQ001                   | 7293553        | Ecology Drain and Engine Water Separator. . . . .                                | M35497       |                      | 461.00     |
| 275-TC005                   | 7294210        | French Language OIB. . . . .                                                     |              |                      | No Charge  |
| 275-TC011                   | 7294211        | Spanish Language OIB . . . . .                                                   |              |                      | No Charge  |

## **DEALER INSTALLED OPTIONS**

### **FRONT WEIGHTS**

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

# 5600 LARGE FRAME DELUXE EDITION

(F.O.B. PORT OF ENTRY)

## DELUXE EDITION FEATURES

### ENGINE

AGCO POWER™ 4.4L (268 cu. in) 4 Cylinder, Tier 4i Compliant

- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged
- SCR Technology

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus -40C

Fuel Tank Capacity: 49 Gal (185L)

DEF Tank Capacity: 6.6 Gal (25L)

### POWERTRAIN

#### Dyna-4 Transmission

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts  
Per Range with AUTODRIVE
- T-Handle Control located on Right Hand Armrest

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

- 540/540E/1000 with 6 and 21 Spline Shaft

Rear Fender Mounted PTO Shut-Off

Flange Axles

### FRONT WHEEL ASSIST AXLE

Power Front Axle (PFA)

- 8 Bolt Pattern

Shielded Center Drive Line with Electro-Hydraulic Control  
and Front Wheel Drive Differential Lock

### HYDRAULICS

Twin Flow Open Center System 26 GPM (98 L/min) Pump

2900 PSI (200 Bar) Maximum Pressure

Valves 1st & 2nd Electric, with Multi-Function Joystick on the Armrest

Valves 3rd & 4th Mechanical, with levers located in Right Hand Console

Hydrostatic Power Steering

### HITCH

3-Point Hitch: Category 2/3 Linkage Ball Ends

- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control,  
and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3-Point Control

Drawbar: Category 2, Clevis and Drop Pin

### ELECTRICAL SYSTEM

175 Amp Alternator

12V Battery, 600 CCA (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

### LIGHTING

4 Front Hood Mounted Lights

Four Front Single Bulb Worklights

Four Rear Single Bulb Worklights

Worklights on Handrails and Rear Fenders

Taillights, Flashing Warning Lights and Turn Signals

### INSTRUMENTS

Control Center Display (CCD) with Video Input, Electric Valve  
Control, Radar with Slip Control and ISOBUS

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level and Coolant Temp Gauges

Warning/Information Lights

### OPERATOR AREA

Mechanical Cab Suspension

6 Post Cab

Transmission Control T-Handle on Right Hand Console

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Automatic Air Suspended Swivel Seat with Armrest and Seatbelt

Front and Rear Windshield Wiper/Washer

Dual Large Telescoping Outside Rear View Mirrors

with Electric De-icing and Adjustment

Single Inside Rear View Mirror

Radio (MP3 compatible) with 2 Audio Speakers and Antenna

2 Electrical Sockets in Cab

### WHEELS AND TIRES

Rear: 460/85R34 R1W 8 Lug Pressed Wheels

Front: 380/85R24 R1W Waffle Wheel

### OTHER STANDARD FEATURES

Pivoting Front Fenders

AGCOMMAND™ Ready with Antenna, Bracket, and Harness

(No Module or Subscription)

(To Complete, See Technology Section)

Hi VIS Front Hood, Single Piece Raising with Lockable Front Latch

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Op Manual

NOT FOR SALE IN STATE OF NEBRASKA

# 5600 LARGE FRAME DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless In Base Option is desired)

## BASE MACHINE

### DYNA-4 EDITIONS

|              |         |                                                 |          |  |            |
|--------------|---------|-------------------------------------------------|----------|--|------------|
| MF5611~D4~EF | 7292216 | Massey 5611 Deluxe Tractor 80 PTO HP . . . . .  | M8272341 |  | 107,433.00 |
| MF5612~D4~EF | 7292217 | Massey 5612 Deluxe Tractor 90 PTO HP . . . . .  | M8602286 |  | 111,718.00 |
| MF5613~D4~EF | 7292218 | Massey 5613 Deluxe Tractor 100 PTO HP . . . . . | M8932231 |  | 116,003.00 |

### TRANSMISSION OPTION

|          |      |                                                                                 |  |  |         |
|----------|------|---------------------------------------------------------------------------------|--|--|---------|
| 25-EA637 | Base | Dyna-4 Transmission with 16F/16R gears 25 MPH . . .<br>(40 KPH) with AUTO-DRIVE |  |  | In Base |
|----------|------|---------------------------------------------------------------------------------|--|--|---------|

### EQUIPMENT REQUIRED FOR NORTH AMERICA

|         |                                                                                                   |        |  |         |
|---------|---------------------------------------------------------------------------------------------------|--------|--|---------|
| 7293488 | Instructional Seat . . . . .                                                                      | M37422 |  | 486.00  |
| 7292141 | Front Weight Carrier . . . . .<br>Removed when factory installed front 3-Point Hitch is selected. |        |  | In Base |

### MARKETING PACKAGE

|         |                                                                                                                       |         |  |          |
|---------|-----------------------------------------------------------------------------------------------------------------------|---------|--|----------|
| MKT0342 | Upgrade Package Includes: . . . . .<br>Radio (CD Player, MP3 Compatible), Aerial & Speakers<br>Superluxe Grammar Seat | M201509 |  | 2,616.00 |
|---------|-----------------------------------------------------------------------------------------------------------------------|---------|--|----------|

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 5600 LARGE FRAME DELUXE EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### ❖ AUXILIARY HYDRAULIC FLOW

|           |         |                                                                                                      |  |  |                |
|-----------|---------|------------------------------------------------------------------------------------------------------|--|--|----------------|
| 370-DP100 | Base    | 26 GPM (98L/min) Twin Flow Open Center System . . .<br>Requires Less Power Beyond                    |  |  | <b>In Base</b> |
| 370-DP110 | 7292196 | 29 GPM (110 L/min) Closed Center Load Sensing . . . M283206<br>Requires Power Beyond Couplers P/T/LS |  |  | 3,678.00       |

### ❖ AUXILIARY VALVE 1 & 2

|          |         |                                                                                                                                     |  |  |                |
|----------|---------|-------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 50-KX012 | Base    | Valves 1 and 2 Electric, with Multi-Function Joystick on the Armrest<br>(Requires DP100 or DP110)<br>(Requires MU014 or MU012)      |  |  | <b>In Base</b> |
| 50-KX011 | 7292301 | Valves 1 and 2 Electric, Fingertip Controlled Spool Valves<br>Fingertips Located in Armrest<br>(Requires DP110)<br>(Requires MU012) |  |  | No Charge      |

### ❖ AUXILIARY VALVE 3 & 4

|          |         |                                                                                                                                                                                |  |  |                |
|----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 55-MU014 | Base    | 3rd and 4th Mechanically Controlled Valves, . . . . .<br>with levers located in Right Hand Console<br>(1 x SA/DA FD KO + 1 x DA KO FL)<br>(Requires DP100)<br>(Requires KX012) |  |  | <b>In Base</b> |
| 55-MU012 | 7292303 | 3rd and 4th Mechanically Controlled Valves, . . . . .<br>with levers located in Right Hand Console<br>(2 x ZL KO FL)<br>(Requires DP 110)<br>(Requires KX012 or KX011)         |  |  | No Charge      |

❖ Please note that Loader Provisions S3002 includes key hydraulic components and may require this option group to be left blank

### POWER BEYOND

|          |         |                                                                                                                 |  |  |                |
|----------|---------|-----------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 90-GR000 | Base    | Less Power Beyond. . . . .                                                                                      |  |  | <b>In Base</b> |
| 90-GR010 | 7292197 | Power Beyond Couplers P/T/LS. . . . . M56749<br>Requires: 29 GPM (110 L/min) Closed Center Load Sensing (DP110) |  |  | 737.00         |

### FRONT AXLE

|          |         |                                       |  |  |                |
|----------|---------|---------------------------------------|--|--|----------------|
| 65-NA030 | Base    | 4wd Power Front Axle. . . . .         |  |  | <b>In Base</b> |
| 65-NA032 | 7293408 | Suspended Front Axle. . . . . M547085 |  |  | 7,105.00       |

SUBJECT TO AVAILABILITY

# 5600 LARGE FRAME DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## **REAR 3-POINT HITCH**

|          |         |                                                       |  |  |                |
|----------|---------|-------------------------------------------------------|--|--|----------------|
| 95-GC009 | Base    | Category 2/3 Telescopic Ball End Links. . . . .       |  |  | <b>In Base</b> |
| 95-GC022 | 7293572 | Category 3 Hook End Links and Cat 2/3 Balls and Cones |  |  | No Charge      |

## **REAR THREE POINT STABILIZERS**

|           |      |                                                 |  |  |                |
|-----------|------|-------------------------------------------------|--|--|----------------|
| 165-YG001 | Base | Variable Float Telescopic Stabilizers . . . . . |  |  | <b>In Base</b> |
|-----------|------|-------------------------------------------------|--|--|----------------|

## **INSTRUMENT PANEL / CONTROL CENTER DISPLAY**

|           |         |                                                                                                                                                                                                  |  |  |                |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 175-BA008 | Base    | Analog and Digital Instrument Panel, Control Center . .<br>Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS.<br>Requires 175 AMP Alternator (CE020) |  |  | <b>In Base</b> |
| 175-BA003 | 7292183 | Analog and Digital Instrument Panel with Radar . . . . (M382998)<br>(For Actual Ground Speed) and Slip Control.<br>No Control Center Display (CCD).                                              |  |  | (4,974.00)     |
| 175-BA005 | 7292184 | Analog and Digital Instrument Panel w/o Radar or Slip . (M445214)<br>Control. No Control Center Display (CCD).                                                                                   |  |  | (5,782.00)     |

SUBJECT TO AVAILABILITY





# 5600 LARGE FRAME DELUXE EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRE BRAND SELECTION

|          |         |                                     |         |  |           |
|----------|---------|-------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .      |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin Brand Required . . . . .   | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone Brand Required . . . . .  | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg Brand Required . . . . . | M91861  |  | 1,193.00  |

## FRONT AND REAR TIRES

### *4WD - 8 Lug Steel - Set of 2*

|          |                        |                                                                                         |  |                |
|----------|------------------------|-----------------------------------------------------------------------------------------|--|----------------|
| 75-Base  | 7292862B2<br>7293774B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .<br>Front: 14.9R24 R1W (MI, FI, TR)             |  | <b>In Base</b> |
| 75-W1481 | 7292876B2<br>7293772B2 | Rear: 16.9R30 R1W (MI, FI) . . . . . (M105413)<br>Front: 12.4R24 R1W (MI, FI)           |  | (1,369.00)     |
| 75-W1662 | 7292861B2<br>7293760B2 | Rear: 18.4R30 R1W (MI) . . . . . (M39655)<br>Front: 13.6R24 R1W (MI)                    |  | (515.00)       |
| 75-W1712 | 7292883B2<br>7293760B2 | Rear: 13.6R38 R1W (MI, FI) . . . . . (M92785)<br>Front: 13.6R24 R1W (MI, FI)            |  | (1,205.00)     |
| 75-W1695 | 7292878B2<br>7293773B2 | Rear: 480/70R34 R1W (MI, FI) . . . . . M31031<br>Front: 380/70R24 R1W (MI, FI)          |  | 403.00         |
| 75-W1699 | 7292880B2<br>7293760B2 | Rear: 14.9R38 R1W (MI, FI) . . . . . (M61369)<br>Front: 13.6R24 R1W (MI, FI)            |  | (797.00)       |
| 75-W1694 | 7292877B2<br>7293760B2 | Rear: 16.9R34 R1W (MI, FI) . . . . . (M66836)<br>Front: 13.6R24 R1W (MI, FI)            |  | (868.00)       |
| 75-W1692 | 7292879B2<br>7293775B2 | Rear: 520/70R34 R1W (MI, FI) . . . . . M110957<br>Front: 420/70B24 R1W (MI, FI)         |  | 1,441.00       |
| 75-W1664 | 7292863B2<br>7293761B2 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . . (M09394)<br>Front: 13.6R28 R1W (MI, FI, TR)    |  | (122.00)       |
| 75-W1700 | 7292881B2<br>7293780B2 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . . M99176<br>Front: 380/70R28 R1W (MI, FI, TR)  |  | 1,288.00       |
| 75-W1297 | 7292864B2<br>7294786B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . . M120736<br>Front: 380/85R28 R1W (MI, FI, TR) |  | 1,568.00       |
| 75-W1701 | 7292882B2<br>7293776B2 | Rear: 520/70R38R1W (MI, FI, TR) . . . . . M200739<br>Front: 420/70R28 R1W (MI, FI, TR)  |  | 2,607.00       |

SUBJECT TO AVAILABILITY

# 5600 LARGE FRAME DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## FRONT AND REAR TIRES- continued

### Welded Steel Standard Offset with Spacers - Set of 2

|          |           |                                                          |           |  |            |
|----------|-----------|----------------------------------------------------------|-----------|--|------------|
| 75-W1615 | 7292887B2 | Rear: 480/80R30 R1W (TR) . . . . .                       | (M145838) |  | (1,894.00) |
|          | 7292755B2 | Front: 320/70R24 R1W (TR)                                |           |  |            |
| 75-W1342 | 7292884B2 | Rear: 540/65R34 R1W (MI) . . . . .                       | (M37576)  |  | (488.00)   |
|          | 7292751B2 | Front: 440/65R24 R1W (MI)                                |           |  |            |
| 75-W1344 | 7292885B2 | Rear: 600/65R34 R1W (MI, FI) . . . . .                   | M22638    |  | 294.00     |
|          | 7292752B2 | Front: 480/65R24 R1W (MI, FI)                            |           |  |            |
| 75-W1286 | 7292858B2 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .               | M174636   |  | 2,268.00   |
|          | 7293757B2 | Front: 440/65R28 R1W (MI, FI, TR)                        |           |  |            |
| 75-W1371 | 7292889B2 | Rear: 600/60R38 R1W (MI) . . . . .                       | M78617    |  | 1,021.00   |
|          | 7292756B2 | Front: 480/60R28 R1W (MI)                                |           |  |            |
| 75-W1257 | 7292859B2 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .               | M229152   |  | 2,976.00   |
|          | 7294785B2 | Front: 480/65R28 R1W (MI, FI, TR)                        |           |  |            |
| 75-W1476 | 7292871B2 | Rear: 480/80R34 R1W (Nokian Industrial) . . . . .        | M581504   |  | 7,552.00   |
|          | 7293767B2 | Front: 400/80R24 R1W (Nokian Industrial)                 |           |  |            |
| 75-W1511 | 7292872B2 | Rear: 480/80R38 Industrial (Nokian Industrial) . . . . . | M744975   |  | 9,675.00   |
|          | 7292890B2 | Front: 400/80R28 Industrial (Nokian Industrial)          |           |  |            |
| 75-W1810 | 7292896B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .                 |           |  | TBA        |
|          | 7293774B2 | Front: 14.9R24 R1W (MI, FI, TR)                          |           |  |            |
| 75-W1299 | 7292897B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . .               |           |  | TBA        |
|          | 7294786B2 | Front: 380/85R28 R1W (MI, FI, TR)                        |           |  |            |

SUBJECT TO AVAILABILITY



# 5600 LARGE FRAME DELUXE EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## PTO

|           |         |                                                           |  |  |                |
|-----------|---------|-----------------------------------------------------------|--|--|----------------|
| 100-LA066 | Base    | 540/540E/1000 RPM PTO with Economy PTO . . . . .          |  |  | <b>In Base</b> |
|           |         | 540 RPM 6 Spline and 1000 RPM 21 Spline                   |  |  |                |
| 100-LA062 | 7292182 | 540/540E RPM 6 Spline with Economy PTO . . . . . (M36806) |  |  | (478.00)       |

## FRONT HITCH

|           |         |                                                       |  |  |                |
|-----------|---------|-------------------------------------------------------|--|--|----------------|
| 230-FA000 | Base    | Less Front Hitch . . . . .                            |  |  | <b>In Base</b> |
| 230-F1119 | 7292199 | 1800 KG Front Linkage with Couplers . . . . . M434588 |  |  | 5,644.00       |
|           |         | Requires NA030                                        |  |  |                |

## LOADER PROVISION

|           |         |                                                                              |  |  |                |
|-----------|---------|------------------------------------------------------------------------------|--|--|----------------|
| 350-LL000 | Base    | Less Loader Provisions . . . . .                                             |  |  | <b>In Base</b> |
| 350-S3002 | 7293681 | Front Loader Provisions including. . . . . M488180                           |  |  | 6,340.00       |
|           |         | Hydraulic and Subframe, also includes:                                       |  |  |                |
|           |         | DP100 - 26 GPM (98 L/min) Twin Flow Open Center System                       |  |  |                |
|           |         | KX012 - Valves 1 and 2 Electric, with Multi-Function Joystick on the Armrest |  |  |                |
|           |         | MU014 - 3rd and 4th Mechanical Valve Located on right hand console.          |  |  |                |

## CAB

|           |         |                                                             |  |  |            |
|-----------|---------|-------------------------------------------------------------|--|--|------------|
| 365-AF011 | 7292185 | Radio (CD Player, MP3 Compatible), Aerial & Speakers M64911 |  |  | 843.00     |
| 125-AE042 | 7293546 | Superluxe Grammar Seat . . . . . M136598                    |  |  | 1,774.00   |
| 120-AQ004 | 7293082 | Automatic Climate Control . . . . . M94941                  |  |  | 1,233.00   |
| 115-AM015 | 7292187 | Less Cab Suspension . . . . . (M126203)                     |  |  | (1,639.00) |
| 145-AL008 | 7293692 | Telescopic Large Side Mirrors . . . . . (M34881)            |  |  | (453.00)   |
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . . M20790          |  |  | 270.00     |
| 140-AI021 | 7293078 | Visio Roof . . . . . M120890                                |  |  | 1,570.00   |
|           |         | Not Compatible with:                                        |  |  |            |
|           |         | Automatic Climate Control (AQ004)                           |  |  |            |
|           |         | In Base - Dual Telescopic Large Side Mirrors                |  |  |            |
|           |         | with Electric De-icing and Adjustment                       |  |  |            |
|           |         | Requires:                                                   |  |  |            |
|           |         | VG019- 2 Front Double Bulb and                              |  |  |            |
|           |         | 2 Rear Double Bulb Lighting Option                          |  |  |            |
|           |         | AL008- Standard Telescopic Side Mirrors (deduct)            |  |  |            |

SUBJECT TO AVAILABILITY

# 5600 LARGE FRAME DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                | Catalog Number | Description                                                                                                                                                           | Factory Code | Approx. Weight (lb.) | List Price     |
|---------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b>REAR WHEEL WEIGHTS</b> |                |                                                                                                                                                                       |              |                      |                |
| 325-RD002                 | 7293328        | 2 Sets of 110 LBS (50 KG) weights (4 weights total) . . .<br>Mounts Externally to Wheel<br>Only Available on Welded Rims (Non Adjustable)                             | M45738       | 1102                 | 594.00         |
| 325-RD004                 | 7293330        | 1 Set of 110 LBS (50 KG) and 1 Set of . . . . .<br>440 LBS (200 KG) (4 weights total)<br>Mounts Externally to Wheel<br>Only Available on Welded Rims (Non Adjustable) | M68607       | 1100                 | 891.00         |
| <b>ELECTRICAL</b>         |                |                                                                                                                                                                       |              |                      |                |
| 215-CB002                 | Base           | Engine Block Heater - 110 Volt . . . . .                                                                                                                              |              |                      | <b>In Base</b> |
| 215-CB000                 | 7293593        | Less Engine Block Heater. . . . . (M15939)                                                                                                                            |              |                      | (207.00)       |
| <b>ALTERNATOR</b>         |                |                                                                                                                                                                       |              |                      |                |
| 220-CE020                 | Base           | 175 AMP Alternator . . . . .<br><b>Not Available with ISOBUS</b>                                                                                                      |              |                      | <b>In Base</b> |
| 220-CE015                 | 7292191        | Twin 120 AMP Alternators . . . . .                                                                                                                                    | M16247       |                      | 211.00         |
| <b>LIGHTING</b>           |                |                                                                                                                                                                       |              |                      |                |
| 205-VF013                 | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right .<br>Includes SAE SMV sign                                                                                         | M39809       |                      | 517.00         |
| 195-VG019                 | 7295102        | 2 Front Double Bulb & 2 Rear Double Bulb Work Lights.<br>(Required for Visio Roof Cab Option)                                                                         | M22561       |                      | 293.00         |

SUBJECT TO AVAILABILITY



# 5600 LARGE FRAME DELUXE EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## PIVOTING FRONT FENDERS

|           |         |                                                                                                          |  |  |                |
|-----------|---------|----------------------------------------------------------------------------------------------------------|--|--|----------------|
| 155-WE110 | Base    | Pivoting Front Fenders - Standard Width . . . . .<br>Width depends on tire selection; see Chart Below    |  |  | <b>In Base</b> |
| 155-WE111 | 7293598 | Pivoting Front Fenders - Wide Width . . . . . M09163<br>Width depends on tire selection; see Chart Below |  |  | 119.00         |

| Fender Size |        |                                                                                                |
|-------------|--------|------------------------------------------------------------------------------------------------|
| Standard    | Wide   | Tire Sizes                                                                                     |
| 320 mm      | 355 mm | 320/85R24 (12.4R24)<br>320/70R24                                                               |
| 355 mm      | 380 mm | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                                                     |
| 380 mm      | 410 mm | 380/85R28 (14.9R28)<br>400/80R24<br>400/80R28<br>380/85R24 (14.9R24)<br>380/70R24<br>380/70R28 |
| 410 mm      | 470 mm | 420/70R24<br>420/70R28<br>440/65R24<br>440/65R28                                               |
| 470 mm      | 520 mm | 420/70B24<br>480/65R24<br>480/65R28                                                            |
| 520 mm      | 620 mm | 480/60R28<br>520/60R28                                                                         |

## REAR FENDERS

|           |         |                                                                |  |                |
|-----------|---------|----------------------------------------------------------------|--|----------------|
| 255-WD012 | Base    | Rear Fenders without Extensions, 78.74"(2.00 M) . . .          |  | <b>In Base</b> |
| 255-WD013 | 7293450 | Rear Fenders with Extensions, 78.74"(2.00 M) . . . . . M100870 |  | 1,310.00       |
| 255-WD017 | 7293107 | Wide Fender -90.55" (2.3 M) with Rear Extension . . . M100870  |  | 1,310.00       |

SUBJECT TO AVAILABILITY

# 5600 LARGE FRAME DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## MISCELLANEOUS

|           |         |                                             |         |  |           |
|-----------|---------|---------------------------------------------|---------|--|-----------|
| 35-EN002  | 7292064 | 14:1 Super Creeper Reduction Gear . . . . . | M203126 |  | 2,638.00  |
| 250-GS001 | 7293100 | Hydraulic Trailer Brakes . . . . .          | M62293  |  | 809.00    |
| 250-GS062 | 7293551 | Pneumatic Trailer Brakes . . . . .          | M515900 |  | 6,700.00  |
| 225-LQ001 | 7293553 | Water Separator (Fuel Filter) . . . . .     | M35497  |  | 461.00    |
| 275-TC005 | 7294210 | French Language OIB. . . . .                |         |  | No Charge |
| 275-TC011 | 7294211 | Spanish Language OIB . . . . .              |         |  | No Charge |

## DEALER INSTALLED OPTIONS

### FRONT WEIGHTS

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 5600 LARGE FRAME DELUXE EDITION

RESERVED PAGE

SUBJECT TO AVAILABILITY



## MF5700SL SERIES

### MF5700SL Series Key Features

- New AGCO Power Tier 4 Final 4 Cylinder 4.4L SCR Engine
- New Dash display with Setup and Information Screen (SIS) - Similar to the HHP Tier 4 Final Tractors
- New Shut Off Valve for Electrical Loader
- New Speed Steer Option for the Deluxe Edition Tractors
- New Auto-Guide 3000 Option for the Deluxe Edition Tractors
- Reduced Base Equipment Features (Instructor's Seat, inside rear view mirror, 4 front and 4 rear work lights, telescoping rear view mirrors and AgCommand Ready) on Classic Edition Tractors





MASSEY FERGUSON®

# 5700SL Classic

(F.O.B. PORT OF ENTRY)

## CLASSIC EDITION FEATURES

### ENGINE

MF5711SL: 110 Max Engine HP

MF5712SL: 120 Max Engine HP

MF5713SL: 130 Max Engine HP

AGCO POWER™ 4.4L (268 cu. in.) 4 Cylinder

- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged
- Selective Catalytic Reduction (SCR) Technology
- Tier 4 Final EPA and CARB Certified

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus 40C

Fuel Tank Capacity: 47.5 Gal (180 L)

DEF Tank Capacity: 6.6 Gal (25 L)

### POWERTRAIN

**Dyna-4 Transmission** 25 MPH (40 KPH)

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts Per Range
- Transmission Control T-Handle on Right Hand Console

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

- 540/540E with 6 Spline Shaft

Rear Fender Mounted PTO Shut-Off

Flange Axles

### FRONT WHEEL ASSIST AXLE

4 WD Power Front Axle (PFA)

- 8 Bolt Pattern

Shielded Center Drive Line with Electro-Hydraulic Control  
and Front Wheel Drive Differential Lock

### HYDRAULICS

Open Center Load Sensing 15 GPM (57 L/min) Pump

2900 PSI (200 Bar) Maximum Pressure

Two Mechanical Valves – Lever Controlled on Right Hand Console

Hydrostatic Power Steering

### HITCH

3-Point Hitch: Category 2/3 Telescopic Ball End Links

- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3-Point Control

Drawbar: Category 2, Clevis and Drop Pin

### ELECTRICAL SYSTEM

120 Amp Alternator

12 V Battery, 600 CCA (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110 V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

### LIGHTING

Four Front Hood Mounted Lights

Two Front Single Bulb Worklights

Two Rear Single Bulb Worklights

Taillights, Flashing Warning Lights and Turn Signals

### INSTRUMENTS

Setup and Information Screen (SIS)

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level and Coolant Temp Gauges

Warning/Information Lights

### OPERATOR AREA

6 Post Cab

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Mechanical Swivel Seat with Armrest and Seatbelt

Instructor Seat Sold Separately

Front Windshield Wiper/Washer

External Side Mirrors (Non-Telescopic)

Two Audio Speakers and Antenna

One Electrical Socket in Cab

Speed Chart

### WHEELS AND TIRES

Rear: 460/85R34 R1W 8 Lug Pressed Wheels

Front: 380/85R24 R1W Waffle Wheel

### OTHER STANDARD FEATURES

Hi VIS Front Hood, Single Piece Raising with Lockable Front Latch

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Op Manual

**NOT FOR SALE IN STATE OF NEBRASKA**

# 5700SL Classic



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless n Base Option is desired)

## **BASE MACHINE**

|             |         |                                                    |          |  |            |
|-------------|---------|----------------------------------------------------|----------|--|------------|
| MF5711SL~ES | 7292224 | Massey 5711SL Classic Tractor 80 PTO HP . . . . .  | M7139979 |  | 92,727.00  |
| MF5712SL~ES | 7292225 | Massey 5712SL Classic Tractor 90 PTO HP . . . . .  | M7479780 |  | 97,140.00  |
| MF5713SL~ES | 7292226 | Massey 5713SL Classic Tractor 100 PTO HP . . . . . | M7819658 |  | 101,554.00 |

## **TRANSMISSION OPTIONS**

|          |         |                                                                                     |         |  |          |
|----------|---------|-------------------------------------------------------------------------------------|---------|--|----------|
|          | Base    | Dyna-4 Transmission with 16F/16R gears 25 MPH . . .<br>(40 KPH) with Speed Matching |         |  | In Base  |
| 25-EA637 | 7292175 | Dyna-4 Transmission with 16F/16R gears 25 MPH . . .<br>(40 KPH) with AUTO-DRIVE     | M22561  |  | 293.00   |
| 35-EN002 | 7292064 | Creeper Gear (14:1 Reduction) . . . . .                                             | M203126 |  | 2,638.00 |

## **INSTRUMENT PANEL / CONTROL CENTER DISPLAY**

|           |         |                                                                                                     |        |  |         |
|-----------|---------|-----------------------------------------------------------------------------------------------------|--------|--|---------|
|           | Base    | Analog and Digital Instrument Panel . . . . .                                                       |        |  | In Base |
| 175-BA003 | 7293084 | Analog and Digital Instrument Panel with Radar . . .<br>(For Actual Ground Speed) and Slip Control. | M67221 |  | 873.00  |

## **FUSE TECHNOLOGIES™ - TELEMETRY**

|           |         |                                                                                                                                      |         |  |          |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|
| 160-BS003 | 7292233 | AGCOMMAND™ Telemetry Module . . . . .<br>(Antenna, Bracket and Harness)<br>Includes: AGCOMMAND™ Standard Plus<br>1 Year Subscription | M188111 |  | 2,443.00 |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|

**MASSEY FERGUSON®**

# 5700SL Classic

(F.O.B. PORT OF ENTRY)

| Order Code                       | Catalog Number | Description                                                                                                                                                                                                                                                                                                                                                | Factory Code | Approx. Weight (lb.) | List Price |
|----------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b><u>PTO</u></b>                |                |                                                                                                                                                                                                                                                                                                                                                            |              |                      |            |
|                                  | Base           | 540/540E RPM 6 Spline with Economy PTO . . . . .<br>Delayed Production please contact Marketing.                                                                                                                                                                                                                                                           |              |                      | In Base    |
| 100-LA066                        | 7292159        | 540/540E/1000 RPM PTO with Economy PTO . . . . .<br>540 RPM 6 Spline and 1000 RPM 21 Spline                                                                                                                                                                                                                                                                | M40502       |                      | 526.00     |
| <b><u>FRONT HITCH</u></b>        |                |                                                                                                                                                                                                                                                                                                                                                            |              |                      |            |
|                                  | Base           | Less Front Hitch. . . . .                                                                                                                                                                                                                                                                                                                                  |              |                      | In Base    |
| 230-F1119                        | 7292199        | 3,968 lbs (1800 kg) Front Hitch with Couplers . . . . .<br>Not Compatible with 2 wd Front Axle                                                                                                                                                                                                                                                             | M434588      |                      | 5,644.00   |
| 230-F1149                        | 7292234        | 3,968 lbs (1800 kg) Front Hitch with Couplers . . . . .<br>and Front PTO (21 Spline)<br>Not Compatible with 2 wd Front Axle                                                                                                                                                                                                                                | M1071455     |                      | 13,915.00  |
| <b><u>REAR 3-POINT HITCH</u></b> |                |                                                                                                                                                                                                                                                                                                                                                            |              |                      |            |
|                                  | Base           | Category 2/3 Hitch with Telescopic Ball End Links . . .                                                                                                                                                                                                                                                                                                    |              |                      | In Base    |
| 95-GC022                         | 7293572        | Category 3 Hitch with Hook End Links . . . . .<br>and Cat 2/3 Balls and Cones                                                                                                                                                                                                                                                                              |              |                      | No Charge  |
| <b><u>HITCH WEIGHTS</u></b>      |                |                                                                                                                                                                                                                                                                                                                                                            |              |                      |            |
|                                  | Base           | Less Three Point Hitch Mounted Weight . . . . .                                                                                                                                                                                                                                                                                                            |              |                      | In Base    |
| 345-YB003                        | 7294119        | 1873 lbs. (850 kg.) 3-Point Hitch Weight . . . . .<br>For use with Front Hitch or GC022 Rear 3-Point Hitch                                                                                                                                                                                                                                                 | M262262      | 1984                 | 3,406.00   |
| <b><u>LOADER PROVISION</u></b>   |                |                                                                                                                                                                                                                                                                                                                                                            |              |                      |            |
|                                  | Base           | Less Loader Provisions . . . . .                                                                                                                                                                                                                                                                                                                           |              |                      | In Base    |
| 350-LL001                        | 7293445        | Front Loader Provision - Mech Joystick Loader Control, M488180<br>Including Hydraulics and Subframe<br>Requires - 1st/2nd Mechanical Control Valves<br>26 GPM (98 L/min) Twin Flow Open Center System (DP100) or<br>29 GPM (110 L/min) Closed Center Load Sensing( DP110)                                                                                  |              |                      | 6,340.00   |
| 350-S3002                        | 7293680        | Front Loader Provisions including . . . . . M834834<br>Hydraulic and Subframe also includes:<br>DP100 - 26 GPM (98 L/min) Twin Flow Open Center System<br>KX012 - Valves 1 and 2 Electric, with Multi-Function Joystick on the Armrest<br>MU014 - 3rd and 4th Mechanical Valve Located on right hand console<br>Requires AE026 or AE027 Air Suspended Seat |              |                      | 10,842.00  |

# 5700SL Classic



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## ❖ AUXILIARY HYDRAULIC FLOW

|           |         |                                                                                              |         |  |          |
|-----------|---------|----------------------------------------------------------------------------------------------|---------|--|----------|
| 370-DP057 | Base    | 15 GPM (57 L/min) Open Center System . . . . .                                               |         |  | In Base  |
| 370-DP100 | 7292178 | 26 GPM (98 L/min) Twin Flow Open Center System . . .                                         | M83853  |  | 1,089.00 |
| 370-DP110 | 7292195 | 29 GPM (110 L/min) Closed Center Load Sensing . . .<br>(Not compatible with 2 wd Front Axle) | M361592 |  | 4,696.00 |

| VALID COMBINATIONS |               |               |
|--------------------|---------------|---------------|
| DP057              | DP100         | DP110         |
| KX004 + MU000      | KX004 + MU000 | KX010 + MU000 |
| KX006 + MU002      | KX005 + MU000 | KX010 + MU003 |
| KX006 + MU011      | KX006 + MU002 | KX010 + MU012 |
|                    | KX006 + MU011 |               |

## ❖ AUXILIARY VALVE 1 & 2

|          |         |                                                                                                                                                                                                         |  |  |           |
|----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|-----------|
| 50-KX004 | Base    | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting, Flow Dividing and<br>2nd- Single Acting/Double Acting, Zero Leak, Notch Float)        |  |  | In Base   |
| 50-KX005 | 7292192 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting, Flow Dividing, Kickout and<br>2nd - Double Acting, Kickout, Float)                    |  |  | No Charge |
| 50-KX006 | 7292193 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console<br>(1st - Double Acting, Flow Dividing, Kickout, Zero Leak and<br>2nd - Single Acting/Double Acting, Zero Leak, Notch Float) |  |  | No Charge |
| 50-KX010 | 7292300 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console.<br>(1st and 2nd - Flow Dividing, Kickout, Zero Leak, Float)                                                                 |  |  | No Charge |

## ❖ AUXILIARY VALVE 3 & 4

|          |         |                                                                                                                                                            |         |  |          |
|----------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--|----------|
| 55-MU000 | Base    | Less Additional Valve . . . . .                                                                                                                            |         |  | In Base  |
| 55-MU002 | 7292194 | 3rd Mechanical Valve Only, . . . . .<br>Located on right hand console<br>(Single Acting/Double Acting)                                                     | M81851  |  | 1,063.00 |
| 55-MU011 | 7292230 | 3rd and 4th Mechanical Valve Only,. . . . .<br>Located on right hand console<br>(1st - Single Acting/Double Acting<br>2nd - Double Acting, Kickout, Float) | M175175 |  | 2,275.00 |
| 55-MU003 | 7292302 | 3rd Valve only, Mechanically Controlled. . . . .<br>with lever located in Right Hand Console<br>Kickout, Zero Leak, Flow Dividing, Float                   | M93324  |  | 1,212.00 |
| 55-MU012 | 7292231 | 3rd and 4th Mechanical Valve Only,. . . . .<br>Located on right hand console<br>(1st and 2nd - Flow Dividing, Kickout, Zero Leak, Float)                   | M186648 |  | 2,424.00 |

❖ Please note that Loader Provisions S3002 includes key hydraulic components and may require this option group to be left blank

**MASSEY FERGUSON®**

# 5700SL Classic

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

**SEAT OPTIONS**

|           |         |                                                            |        |  |          |
|-----------|---------|------------------------------------------------------------|--------|--|----------|
|           | Base    | Mechanical Swiveling Seat with Armrests . . . . .          |        |  | In Base  |
| 125-AE026 | 7292027 | Air Suspended Seat - Manual Adjustment . . . . .           | M70224 |  | 912.00   |
| 125-AE027 | 7292189 | Air Suspended Seat - Automatic Adjustment . . . . .        | M89012 |  | 1,156.00 |
| 130-AG003 | 7292235 | Instructor's Seat with Seat Belt (not in Classic Base) . . | M40040 |  | 520.00   |

**CAB OPTIONS**

|           |         |                                                                                         |         |  |          |
|-----------|---------|-----------------------------------------------------------------------------------------|---------|--|----------|
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . .                                             | M20790  |  | 270.00   |
| 140-E1022 | 7293078 | Visio Roof, includes 2 Front Double Bulb and<br>2 Rear Double Bulb Worklights . . . . . | M120890 |  | 1,570.00 |
| 115-AM084 | 7293559 | Mechanical Cab Suspension . . . . .                                                     | M129976 |  | 1,688.00 |
| 135-AK001 | 7292029 | Rear Wiper / Washer . . . . .                                                           | M34573  |  | 449.00   |
| 150-AN001 | 7292237 | Internal Mirror . . . . .                                                               | M03311  |  | 43.00    |
| 145-AL008 | 7292236 | Telescopic Large Side Mirrors . . . . .                                                 | M25410  |  | 330.00   |

**RADIO**

|           |         |                                             |        |  |        |
|-----------|---------|---------------------------------------------|--------|--|--------|
| 365-AF009 | 7294248 | Radio (MP3 Compatible) . . . . .            | M51051 |  | 663.00 |
| 365-AF011 | 7294227 | Radio (CD Player, MP3 Compatible) . . . . . | M64911 |  | 843.00 |

**ELECTRICAL**

|           |         |                                                                       |          |  |          |
|-----------|---------|-----------------------------------------------------------------------|----------|--|----------|
| 220-CE020 | 7292190 | 175 Amp Alternator . . . . .<br>in lieu of in base 120 Amp Alternator | M17402   |  | 226.00   |
| 215-CB000 | 7293593 | Less Engine Block Heater. . . . .                                     | (M15939) |  | (207.00) |

**LIGHTING**

|           |         |                                                                                                           |        |  |        |
|-----------|---------|-----------------------------------------------------------------------------------------------------------|--------|--|--------|
| 205-VF013 | 7293103 | Dual Roof-Mounted Rotating Beacons, Left and Right .<br>Includes SAE SMV sign . . . . .                   | M39809 |  | 517.00 |
| 195-VG079 | 7292238 | 4 Front Double Bulb and 4 Rear Double Bulb Worklights<br>(Not Compatible with E1022 Visio Roof) . . . . . | M30800 |  | 400.00 |
| 190-VK004 | 7293597 | Worklights on Handrails and Rear Fenders . . . . .                                                        | M41426 |  | 538.00 |

**BRAKES**

|           |         |                                                                                  |         |  |          |
|-----------|---------|----------------------------------------------------------------------------------|---------|--|----------|
| 250-GS001 | 7293100 | Hydraulic Trailer Brakes . . . . .                                               | M62293  |  | 809.00   |
| 250-GS062 | 7293551 | Pneumatic Trailer Brakes . . . . .<br>Not Compatible with 2wd Front Axle (NA004) | M515900 |  | 6,700.00 |

**MISCELLANEOUS**

|           |         |                                                   |        |  |           |
|-----------|---------|---------------------------------------------------|--------|--|-----------|
| 225-LQ001 | 7293553 | Ecology Drain and Engine Water Separator. . . . . | M35497 |  | 461.00    |
| 275-TC005 | 7294210 | French Language OIB. . . . .                      |        |  | No Charge |
| 275-TC011 | 7294211 | Spanish Language OIB . . . . .                    |        |  | No Charge |

# 5700SL Classic



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## FRONT AXLE

|          |         |                                 |           |  |            |
|----------|---------|---------------------------------|-----------|--|------------|
|          | Base    | 4 wd Power Front Axle . . . . . |           |  | In Base    |
| 65-NA004 | 7292177 | 2 wd Front Axle . . . . .       | (M612689) |  | (7,957.00) |
| 65-NA032 | 7293408 | Suspended Front Axle. . . . .   | M547085   |  | 7,105.00   |

## TIRE BRAND SELECTION

|          |         |                                            |         |  |           |
|----------|---------|--------------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .             |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin (MI) Brand Required . . . . .     | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone (FI) Brand Required . . . . .    | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg (TR) Brand Required. . . . .    | M91861  |  | 1,193.00  |
| 70-T0014 | 7294250 | Nokian Brand Request (4 wd only) . . . . . | M91861  |  | 1,193.00  |

## FRONT AND REAR TIRES

### 2WD - 8 Lug Steel - Set of 2

|          |           |                                          |           |  |            |
|----------|-----------|------------------------------------------|-----------|--|------------|
| 75-W1693 | 7292861B2 | Rear: 18.4R30 R1W (MI) . . . . .         | (M136906) |  | (1,778.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2 (FI)              |           |  |            |
| 75-W1046 | 7292877B2 | Rear: 16.9R34 R1W (MI, FI, TR) . . . . . | (M164087) |  | (2,131.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2 (FI)              |           |  |            |
| 75-W1697 | 7292880B2 | Rear: 14.9R38 R1W (MI, FI) . . . . .     | (M158620) |  | (2,060.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2 (FI)              |           |  |            |
| 75-W1124 | 7292862B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . . | (M124894) |  | (1,622.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2 (FI)              |           |  |            |
| 75-W1177 | 7292863B2 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . . | (M121198) |  | (1,574.00) |
|          | 7293778B2 | Front: 10.00-16 R1W F2 (FI)              |           |  |            |

### 4WD - 8 Lug Steel - Set of 2

|          |           |                                            |          |  |          |
|----------|-----------|--------------------------------------------|----------|--|----------|
| 75-Base  | 7292862B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .   |          |  | In Base  |
|          | 7293774B2 | Front: 14.9R24 R1W (MI, FI, TR)            |          |  |          |
| 75-W1662 | 7292861B2 | Rear: 18.4R30 R1W (MI) . . . . .           | (M39655) |  | (515.00) |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI, TR)            |          |  |          |
| 75-W1694 | 7292877B2 | Rear: 16.9R34 R1W (MI, FI, TR) . . . . .   | (M66836) |  | (868.00) |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI)                |          |  |          |
| 75-W1695 | 7292878B2 | Rear: 480/70R34 R1W (MI, TR) . . . . .     | M31031   |  | 403.00   |
|          | 7293773B2 | Front: 380/70R24 R1W (MI, FI)              |          |  |          |
| 75-W1664 | 7292863B2 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . .   | (M09394) |  | (122.00) |
|          | 7293761B2 | Front: 13.6R28 R1W (MI, FI, TR)            |          |  |          |
| 75-W1700 | 7292881B2 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . . | M99176   |  | 1,288.00 |
|          | 7293780B2 | Front: 380/70R28 R1W (MI, FI, TR)          |          |  |          |
| 75-W1297 | 7292864B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . . | M120736  |  | 1,568.00 |
|          | 7294786B2 | Front: 380/85R28 R1W (MI, FI, TR)          |          |  |          |



# 5700SL Classic

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## **FRONT AND REAR TIRES - Continued**

### ***Welded Steel Standard Offset with Spacers - Set of 2***

|          |           |                                                          |         |  |          |
|----------|-----------|----------------------------------------------------------|---------|--|----------|
| 75-W1286 | 7292858B2 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .               | M174636 |  | 2,268.00 |
|          | 7293757B2 | Front: 440/65R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1371 | 7292889B2 | Rear: 600/60R38 R1W (MI) . . . . .                       | M78617  |  | 1,021.00 |
|          | 7292756B2 | Front: 480/60R28 R1W (MI)                                |         |  |          |
| 75-W1257 | 7292859B2 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .               | M229152 |  | 2,976.00 |
|          | 7294785B2 | Front: 480/65R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1487 | 7292894B2 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . .               | M121814 |  | 1,582.00 |
|          | 7293780B2 | Front: 380/70R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1299 | 7292897B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . .               | M69454  |  | 902.00   |
|          | 7294786B2 | Front: 380/85R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1606 | 7292895B2 | Rear: 520/70R38 R1W (MI, FI, TR) . . . . .               | M192115 |  | 2,495.00 |
|          | 7293776B2 | Front: 420/70R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1476 | 7292871B2 | Rear: 480/80R34 R1W (Nokian Industrial) . . . . .        | M581504 |  | 7,552.00 |
|          | 7293767B2 | Front: 400/80R24 R1W (Nokian Industrial)                 |         |  |          |
| 75-W1511 | 7292872B2 | Rear: 480/80R38 Industrial (Nokian Industrial) . . . . . | M744975 |  | 9,675.00 |
|          | 7292890B2 | Front: 400/80R28 Industrial (Nokian Industrial)          |         |  |          |

## **REAR WHEEL WEIGHTS**

|           |         |                                                               |        |      |        |
|-----------|---------|---------------------------------------------------------------|--------|------|--------|
| 325-RD002 | 7293328 | 2 Sets of 110 LBS (50 KG) weights (4 weights total) . . . . . | M45738 | 1102 | 594.00 |
|           |         | Mounts Externally to Wheel                                    |        |      |        |
|           |         | Only Available on Welded Rims (Non Adjustable)                |        |      |        |
| 325-RD004 | 7293330 | 1 Set of 110 LBS (50 KG) and 1 Set of . . . . .               | M68607 | 1100 | 891.00 |
|           |         | 440 LBS (200 KG) (4 weights total)                            |        |      |        |
|           |         | Mounts Externally to Wheel                                    |        |      |        |
|           |         | Only Available on Welded Rims (Non Adjustable)                |        |      |        |

## **DEALER INSTALLED FRONT WEIGHTS**

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |

# 5700SL Classic



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## PIVOTING FRONT FENDERS

|           |         |                                                                                                                                          |  |  |          |
|-----------|---------|------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
|           | Base    | Less Pivoting Front Fenders . . . . .                                                                                                    |  |  | In Base  |
| 155-WE110 | 7294204 | Pivoting Front Fenders - Standard Width . . . . . M129514<br>Width depends on tire selection; see Chart Below<br>Requires 4WD Front Axle |  |  | 1,682.00 |
| 155-WE111 | 7294205 | Pivoting Front Fenders - Wide Width . . . . . M152768<br>Width depends on tire selection; see Chart Below<br>Requires 4WD Front Axle     |  |  | 1,984.00 |

| Pivoting Front Fender Size |        |                                                                                                |
|----------------------------|--------|------------------------------------------------------------------------------------------------|
| Standard                   | Wide   | Tire Sizes                                                                                     |
| 320 mm                     | 355 mm | 320/70R24<br>320/85R24 (12.4R24)                                                               |
| 355 mm                     | 380 mm | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                                                     |
| 380 mm                     | 410 mm | 380/70R24<br>380/70R28<br>380/85R24 (14.9R24)<br>380/85R28 (14.9R28)<br>400/80R24<br>400/80R28 |
| 410 mm                     | 470 mm | 420/70R24<br>420/70R28<br>440/65R24<br>440/65R28                                               |
| 470 mm                     | 520 mm | 480/65R24<br>480/65R28                                                                         |
| 520 mm                     | 620 mm | VF480/60R28<br>VF520/60R28                                                                     |

## REAR FENDERS

|           |         |                                                              |  |  |          |
|-----------|---------|--------------------------------------------------------------|--|--|----------|
|           | Base    | Standard Width Fenders (78 inch) LESS Rear Extensions        |  |  | In Base  |
| 255-WD013 | 7293450 | Standard Width Fenders (78 inch) w/ Rear Extensions. M100870 |  |  | 1,310.00 |
| 255-WD017 | 7293107 | Wide Fender (90.5 inches) with Rear Extensions . . . M100870 |  |  | 1,310.00 |



**RESERVED PAGE**

# 5700SL Deluxe



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

## DELUXE EDITION FEATURES

### ENGINE

MF5711SL: 110 Max Engine HP  
MF5712SL: 120 Max Engine HP  
MF5713SL: 130 Max Engine HP  
AGCO POWER™ 4.4L (268 cu. in.) 4 Cylinder

- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged
- Selective Catalytic Reduction (SCR) Technology
- Tier 4 Final EPA and CARB Certified

Electronic Engine Management (EEM) with Dual ERPM Settings  
Electronic Controlled Viscous Fan Drive  
Dual Element Dry Type Air Cleaner  
Vertical Exhaust at Right Front Cab Post  
Cooling System: Antifreeze to Minus 40C  
Fuel Tank Capacity: 47.5 Gal (180 L)  
DEF Tank Capacity: 6.6 Gal (25 L)

### POWERTRAIN

**Dyna-4 Transmission** 25 MPH (40 KPH)

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts Per Range with AUTODRIVE
- Transmission Control T-Handle on Right Hand Armrest

Multi-Disc Wet Brakes  
Power Differential Lock  
Independent PTO:

- 540/540E/1000 with 6 and 21 Spline Shaft

Rear Fender Mounted PTO Shut-Off  
Flange Axles

### FRONT WHEEL ASSIST AXLE

4 WD Power Front Axle (PFA)

- 8 Bolt Pattern

Shielded Center Drive Line with Electro-Hydraulic Control and Front Wheel Drive Differential Lock

### HYDRAULICS

Twin Flow Open Center System 26 GPM (98 L/min) Pump  
2900 PSI (200 Bar) Maximum Pressure  
Valves 1st & 2nd Electric, with Multi-Function Joystick on the Armrest  
Valves 3rd & 4th Mechanical, with levers located in Right Hand Console  
Hydrostatic Power Steering

### HITCH

3-Point Hitch: Category 2/3 Telescopic Ball End Links

- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3-Point Control

Drawbar: Category 2, Clevis and Drop Pin

### ELECTRICAL SYSTEM

175 Amp Alternator  
12 V Battery, 600 CCA (SAE)  
7 Pin ASAE Rear Trailer Electrical Outlet  
Electrical Isolator Switch and Jumpstart Point  
110 V Engine Block Heater  
Ignition with Neutral Start and Key Shutoff

### LIGHTING

Four Front Hood Mounted Lights  
Four Front Single Bulb Worklights  
Four Rear Single Bulb Worklights  
Worklights on Handrails and Rear Fenders  
Taillights, Flashing Warning Lights and Turn Signals

### INSTRUMENTS

Setup and Information Screen (SIS)  
Control Center Display (CCD) with Video Input, Electric Valve Control, Radar with Slip Control and ISOBUS  
Tachometer: Digital and Analog  
PTO Speed: Digital  
Ground Speed Display: Digital  
Fuel Level and Coolant Temp Gauges  
Warning/Information Lights

### OPERATOR AREA

Mechanical Cab Suspension  
6 Post Cab  
Adjustable Steering Column  
Front Sun Visor  
Air Conditioning and Heater  
Automatic Air Suspended Swivel Seat with Armrest and Seatbelt  
Instructor Seat  
Front and Rear Windshield Wiper/Washer  
Dual Large Telescoping Outside Rear View Mirrors with Electric De-icing and Adjustment  
Single Inside Rear View Mirror  
Radio (MP3 compatible) with Two Audio Speakers and Antenna  
Two Electrical Sockets in Cab  
Speed Chart

### WHEELS AND TIRES

Rear: 460/85R34 R1W 8 Lug Pressed Wheels  
Front: 380/85R24 R1W Waffle Wheel

### OTHER STANDARD FEATURES

Pivoting Front Fenders, Standard Width  
AGCOMMAND™ Ready with Antenna, Bracket, and Harness (No Module or Subscription)  
(To Complete, See Technology Section)  
Hi VIS Front Hood, Single Piece Raising with Lockable Front Latch  
Lockable Tool Box  
SMV Sign  
Molded Rear Fenders  
English Op Manual

**NOT FOR SALE IN STATE OF NEBRASKA**

**MASSEY FERGUSON®**

# 5700SL Deluxe

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

**ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless n Base Option is desired)****BASE MACHINE**

|             |         |                                                  |          |  |            |
|-------------|---------|--------------------------------------------------|----------|--|------------|
| MF5611SL~EF | 7292227 | Massey 5611SL Deluxe Tractor 80 PTO HP . . . . . | M8265411 |  | 107,343.00 |
| MF5612SL~EF | 7292228 | Massey 5612SL Deluxe Tractor 90 PTO HP . . . . . | M8605212 |  | 111,756.00 |
| MF5613SL~EF | 7292229 | Massey 5613SL Deluxe Tractor 100 PTO HP. . . . . | M8945090 |  | 116,170.00 |

**TRANSMISSION OPTION**

|          |         |                                                                                 |         |  |          |
|----------|---------|---------------------------------------------------------------------------------|---------|--|----------|
|          | Base    | Dyna-4 Transmission with 16F/16R gears 25 MPH . . .<br>(40 KPH) with AUTO-DRIVE |         |  | In Base  |
| 35-EN002 | 7292064 | Creeper Gear (14:1 Reduction) . . . . .                                         | M203126 |  | 2,638.00 |

**INSTRUMENT PANEL / CONTROL CENTER DISPLAY - LESS AUTO-STEERING READY**

|           |         |                                                                                                                                                                                                   |  |  |            |
|-----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------|
| 175-BA008 | Base    | Analog and Digital Instrument Panel, Control Center . .<br>Display (CCD) with Video Input, Electric Valve<br>Control, Radar with Slip Control and ISOBUS<br>Requires 175 AMP Alternator (In Base) |  |  | In Base    |
| 175-BA003 | 7292183 | Analog and Digital Instrument Panel with Radar . . . . (M382998)<br>and Slip Control<br>Without Control Center Display (CCD)                                                                      |  |  | (4,974.00) |
| 175-BA005 | 7292184 | Analog and Digital Instrument Panel . . . . . (M445214)<br>Without Radar or Slip Control<br>Without Control Center Display (CCD)                                                                  |  |  | (5,782.00) |

**FUSE TECHNOLOGIES™ - AUTO-STEERING**

Requires 175 AMP Alternator (In Base)  
 Requires 29 GPM Closed Center Load Sensing (DP110)  
 Requires SpeedSteer (AD004)

|           |         |                                                                                                                                                                                                                                                                                                                                                                           |  |  |          |
|-----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 175-BA012 | 7292239 | <b>Auto-Steer Ready</b> , Analog & Digital Instrument Panel . M11165<br>Control Center Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS.<br>(Includes Roof Plate and Wiring Harness)<br>Order Auto-Guide™ 3000 TopDock Separately<br>See Technology Section                                                                  |  |  | 145.00   |
| 175-BA021 | 7292240 | <b>Auto-Steer Complete</b> , Analog & Digital Instrument Panel M475860<br>Control Center Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS.<br>Auto-Guide™ 3000 Sub-Meter (WAAS and OmniStar VBS)<br>Auto Steering System. (Includes Roof Plate and Wiring Harness)<br>Auto-Guide™ 3000 uses the Control Center Display (CCD) |  |  | 6,180.00 |

**FUSE TECHNOLOGIES™ - TELEMETRY**

|           |         |                                                                                                                                           |  |  |          |
|-----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 160-BS003 | 7292233 | AGCOMMAND™ Telemetry Module . . . . . M188111<br>(Antenna, Bracket and Harness)<br>Includes: AGCOMMAND™ Advanced<br>(1 Year Subscription) |  |  | 2,443.00 |
|-----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|

**SPEEDSTEER**

|           |         |                                                                                                                                            |  |  |          |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 185-AD004 | 7292232 | SpeedSteer . . . . . M114961<br>Requires (DP110) 29 GPM Closed Center Load Sensing<br>Not Compatible with BA003 or BA005 Instrument Panels |  |  | 1,493.00 |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|

# 5700SL Deluxe



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                       | Catalog Number | Description                                                                                                                                                                                                                                                                        | Factory Code | Approx. Weight (lb.) | List Price |
|----------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b><u>PTO</u></b>                |                |                                                                                                                                                                                                                                                                                    |              |                      |            |
|                                  | Base           | 540/540E/1000 RPM PTO with Economy PTO . . . . .                                                                                                                                                                                                                                   |              |                      | In Base    |
|                                  |                | 540 RPM 6 Spline and 1000 RPM 21 Spline                                                                                                                                                                                                                                            |              |                      |            |
| 100-LA062                        | 7292182        | 540/540E RPM 6 Spline with Economy PTO . . . . . (M36806)                                                                                                                                                                                                                          |              |                      | (478.00)   |
| <b><u>FRONT HITCH</u></b>        |                |                                                                                                                                                                                                                                                                                    |              |                      |            |
|                                  | Base           | Less Front Hitch . . . . .                                                                                                                                                                                                                                                         |              |                      | In Base    |
| 230-F1119                        | 7292199        | 3,968 lbs (1800 kg) Front Hitch with Couplers . . . . . M434588                                                                                                                                                                                                                    |              |                      | 5,644.00   |
| 230-F1149                        | 7292234        | 3,968 lbs (1800 kg) Front Hitch with Couplers . . . . . M1071455<br>and Front PTO (21 Spline)                                                                                                                                                                                      |              |                      | 13,915.00  |
| <b><u>REAR 3-POINT HITCH</u></b> |                |                                                                                                                                                                                                                                                                                    |              |                      |            |
|                                  | Base           | Category 2/3 Hitch with Telescopic Ball End Links . . .                                                                                                                                                                                                                            |              |                      | In Base    |
| 95-GC022                         | 7293572        | Category 3 Hitch with Hook End Links . . . . .<br>and Cat 2/3 Balls and Cones                                                                                                                                                                                                      |              |                      | No Charge  |
| <b><u>HITCH WEIGHTS</u></b>      |                |                                                                                                                                                                                                                                                                                    |              |                      |            |
|                                  | Base           | Less Three Point Hitch Mounted Weight . . . . .                                                                                                                                                                                                                                    |              |                      | In Base    |
| 345-YB003                        | 7294119        | 1873 lbs. (850 kg.) 3-Point Hitch Weight . . . . . M262262<br>For use with Front Hitch or GC022 Rear 3-Point Hitch                                                                                                                                                                 |              | 1984                 | 3,406.00   |
| <b><u>LOADER PROVISION</u></b>   |                |                                                                                                                                                                                                                                                                                    |              |                      |            |
|                                  | Base           | Less Loader Provisions . . . . .                                                                                                                                                                                                                                                   |              |                      | In Base    |
| 350-S3002                        | 7293681        | Front Loader Provisions including . . . . . M488180<br>Hydraulic and Subframe, also includes:<br>DP100 - 26 GPM Twin Flow Open Center System<br>KX012 - 2 Electric Valves with Multi-Function Joystick<br>MU014 - 3rd and 4th Mechanical Valves                                    |              |                      | 6,340.00   |
| 350-S3003                        | 7293682        | Front Loader Provisions including . . . . . M771386<br>Hydraulic and Subframe, also includes:<br>DP110 - 29 GPM Closed Center Load Sensing<br>KX012 - 2 Electric Valves with Multi-Function<br>MU014 - 3rd and 4th Mechanical Valves<br>Requires AE026 or AE027 Air Suspended Seat |              |                      | 10,018.00  |



# 5700SL Deluxe

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## ❖ AUXILIARY HYDRAULIC FLOW

|           |         |                                                                                   |  |  |          |
|-----------|---------|-----------------------------------------------------------------------------------|--|--|----------|
| 370-DP100 | Base    | 26 GPM (98L/min) Twin Flow Open Center System . . .<br>Requires Less Power Beyond |  |  | In Base  |
| 370-DP110 | 7292196 | 29 GPM (110 L/min) Closed Center Load Sensing . . . M283206                       |  |  | 3,678.00 |

| VALID COMBINATIONS |               |
|--------------------|---------------|
| DP100              | DP110         |
| KX012 + MU014      | KX012 + MU012 |
|                    | KX011 + MU012 |

## ❖ AUXILIARY VALVE 1 & 2

|          |         |                                                                                                           |  |  |           |
|----------|---------|-----------------------------------------------------------------------------------------------------------|--|--|-----------|
| 50-KX012 | Base    | 2 Electrically Controlled Valves with . . . . .<br>Multi-Function Joystick on the Armrest                 |  |  | In Base   |
| 50-KX011 | 7292301 | 2 Electrically Controlled Valves with Fingertip Controlled<br>Spool Valves, Fingertips Located in Armrest |  |  | No Charge |

## ❖ AUXILIARY VALVE 3 & 4

|          |         |                                                                                                                                                                                                             |  |  |         |
|----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|---------|
| 55-MU014 | Base    | 3rd and 4th Mechanically Controlled Valves with . . . . .<br>Levers Located in Right Hand Console<br>(1st - Single Acting/Double Acting, Flow Dividing, Kickout and<br>2nd - Double Acting, Kickout, Float) |  |  | In Base |
| 55-MU012 | 7292303 | 3rd and 4th Mechanically Controlled Valves with . . . . M11473<br>Levers located in Right Hand Console<br>(1st and 2nd - Flow Dividing, Kickout, Zero Leak, Float)                                          |  |  | 149.00  |

❖ Please note that Loader Provisions S3002 and S3003 include key hydraulic components and may require this option group to be left blank

## POWER BEYOND

|          |         |                                                                                                    |  |  |         |
|----------|---------|----------------------------------------------------------------------------------------------------|--|--|---------|
|          | Base    | Less Power Beyond . . . . .                                                                        |  |  | In Base |
| 90-GR010 | 7292197 | Power Beyond Couplers P/T/LS. . . . . M56749<br>Requires (DP110) 29 GPM Closed Center Load Sensing |  |  | 737.00  |

# 5700SL Deluxe



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                  | Catalog Number | Description                                                                                                                             | Factory Code | Approx. Weight (lb.) | List Price |
|-----------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b><u>SEAT OPTIONS</u></b>  |                |                                                                                                                                         |              |                      |            |
|                             | Base           | Air Suspended Seat - Automatic Adjustment . . . . .                                                                                     |              |                      | In Base    |
| 125-AE042                   | 7293546        | Superluxe Grammar Seat . . . . .                                                                                                        | M136598      |                      | 1,774.00   |
| <b><u>CAB OPTIONS</u></b>   |                |                                                                                                                                         |              |                      |            |
| 140-AI020                   | 7293077        | Standard Cab Roof with Roof Hatch . . . . .                                                                                             | M20790       |                      | 270.00     |
| 140-E1022                   | 7293078        | Visio Roof, includes 2 Front Double Bulb and . . . . .<br>2 Rear Double Bulb Worklights<br>Requires AL008 Telescopic Large Side Mirrors | M120890      |                      | 1,570.00   |
| 115-AM015                   | 7292187        | Less Cab Suspension . . . . .                                                                                                           | (M126203)    |                      | (1,639.00) |
| 120-AQ004                   | 7293082        | Automatic Climate Control . . . . .<br>Not Compatible with E1022 Visio Roof                                                             | M94941       |                      | 1,233.00   |
| 145-AL008                   | 7293692        | Telescopic Large Side Mirrors . . . . .                                                                                                 | (M34881)     |                      | (453.00)   |
| <b><u>RADIO</u></b>         |                |                                                                                                                                         |              |                      |            |
|                             | Base           | Radio (MP3 Compatible) . . . . .                                                                                                        |              |                      | In Base    |
| 365-AF011                   | 7292185        | Radio (CD Player, MP3 Compatible) . . . . .                                                                                             | M13860       |                      | 180.00     |
| <b><u>ELECTRICAL</u></b>    |                |                                                                                                                                         |              |                      |            |
| 220-CE015                   | 7292191        | 120 Amp Alternator (in lieu of in base 175 Amp) . . . . .<br>Requires (BA003 or BA005)                                                  | (M17402)     |                      | (226.00)   |
| 215-CB000                   | 7293593        | Less Engine Block Heater . . . . .                                                                                                      | (M15939)     |                      | (207.00)   |
| <b><u>LIGHTING</u></b>      |                |                                                                                                                                         |              |                      |            |
| 205-VF013                   | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right . .<br>Includes SAE SMV sign                                                         | M39809       |                      | 517.00     |
| <b><u>BRAKES</u></b>        |                |                                                                                                                                         |              |                      |            |
| 250-GS001                   | 7293100        | Hydraulic Trailer Brakes . . . . .                                                                                                      | M62293       |                      | 809.00     |
| 250-GS062                   | 7293551        | Pneumatic Trailer Brakes . . . . .<br>Not Compatible with 2wd Front Axle                                                                | M515900      |                      | 6,700.00   |
| <b><u>MISCELLANEOUS</u></b> |                |                                                                                                                                         |              |                      |            |
| 225-LQ001                   | 7293553        | Ecology Drain and Engine Water Separator. . . . .                                                                                       | M35497       |                      | 461.00     |
| 275-TC005                   | 7294210        | French Language OIB. . . . .                                                                                                            |              |                      | No Charge  |
| 275-TC011                   | 7294211        | Spanish Language OIB . . . . .                                                                                                          |              |                      | No Charge  |



# 5700SL Deluxe

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## FRONT AXLE

|          |         |                                |         |  |          |
|----------|---------|--------------------------------|---------|--|----------|
|          | Base    | 4wd Power Front Axle . . . . . |         |  | In Base  |
| 65-NA032 | 7293408 | Suspended Front Axle. . . . .  | M547085 |  | 7,105.00 |

## TIRE BRAND SELECTION

|          |         |                                         |         |  |           |
|----------|---------|-----------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .          |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin (MI) Brand Required . . . . .  | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone (FI) Brand Required . . . . . | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg (TR) Brand Required. . . . . | M91861  |  | 1,193.00  |
| 70-T0014 | 7294250 | Nokian Brand Request . . . . .          | M91861  |  | 1,193.00  |

## FRONT AND REAR TIRES

### 4WD - 8 Lug Steel - Set of 2

|          |           |                                            |          |  |          |
|----------|-----------|--------------------------------------------|----------|--|----------|
| 75-Base  | 7292862B2 | Rear: 18.4R34 R1W (MI, FI, TR) . . . . .   |          |  | In Base  |
|          | 7293774B2 | Front: 14.9R24 R1W (MI, FI, TR)            |          |  |          |
| 75-W1662 | 7292861B2 | Rear: 18.4R30 R1W (MI) . . . . .           | (M39655) |  | (515.00) |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI, TR)            |          |  |          |
| 75-W1694 | 7292877B2 | Rear: 16.9R34 R1W (MI, FI, TR) . . . . .   | (M66836) |  | (868.00) |
|          | 7293760B2 | Front: 13.6R24 R1W (MI, FI)                |          |  |          |
| 75-W1695 | 7292878B2 | Rear: 480/70R34 R1W (MI, TR) . . . . .     | M31031   |  | 403.00   |
|          | 7293773B2 | Front: 380/70R24 R1W (MI, FI)              |          |  |          |
| 75-W1664 | 7292863B2 | Rear: 16.9R38 R1W (MI, FI, TR) . . . . .   | (M09394) |  | (122.00) |
|          | 7293761B2 | Front: 13.6R28 R1W (MI, FI, TR)            |          |  |          |
| 75-W1700 | 7292881B2 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . . | M99176   |  | 1,288.00 |
|          | 7293780B2 | Front: 380/70R28 R1W (MI, FI, TR)          |          |  |          |
| 75-W1297 | 7292864B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . . | M120736  |  | 1,568.00 |
|          | 7294786B2 | Front: 380/85R28 R1W (MI, FI, TR)          |          |  |          |

### Welded Steel Standard Offset with Spacers - Set of 2

|          |           |                                                          |         |  |          |
|----------|-----------|----------------------------------------------------------|---------|--|----------|
| 75-W1286 | 7292858B2 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .               | M174636 |  | 2,268.00 |
|          | 7293757B2 | Front: 440/65R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1371 | 7292889B2 | Rear: 600/60R38 R1W (MI) . . . . .                       | M78617  |  | 1,021.00 |
|          | 7292756B2 | Front: 480/60R28 R1W (MI)                                |         |  |          |
| 75-W1257 | 7292859B2 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .               | M229152 |  | 2,976.00 |
|          | 7294785B2 | Front: 480/65R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1487 | 7292894B2 | Rear: 480/70R38 R1W (MI, FI, TR) . . . . .               | M121814 |  | 1,582.00 |
|          | 7293780B2 | Front: 380/70R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1299 | 7292897B2 | Rear: 460/85R38 R1W (MI, FI, TR) . . . . .               | M69454  |  | 902.00   |
|          | 7294786B2 | Front: 380/85R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1606 | 7292895B2 | Rear: 520/70R38 R1W (MI, FI, TR) . . . . .               | M192115 |  | 2,495.00 |
|          | 7293776B2 | Front: 420/70R28 R1W (MI, FI, TR)                        |         |  |          |
| 75-W1476 | 7292871B2 | Rear: 480/80R34 R1W (Nokian Industrial) . . . . .        | M581504 |  | 7,552.00 |
|          | 7293767B2 | Front: 400/80R24 R1W (Nokian Industrial)                 |         |  |          |
| 75-W1511 | 7292872B2 | Rear: 480/80R38 Industrial (Nokian Industrial) . . . . . | M744975 |  | 9,675.00 |
|          | 7292890B2 | Front: 400/80R28 Industrial (Nokian Industrial)          |         |  |          |

# 5700SL Deluxe



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## REAR WHEEL WEIGHTS

|           |         |                                                                                                                                                                       |        |      |        |
|-----------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|--------|
| 325-RD002 | 7293328 | 2 Sets of 110 LBS (50 KG) weights (4 weights total) . . .<br>Mounts Externally to Wheel<br>Only Available on Welded Rims (Non Adjustable)                             | M45738 | 1102 | 594.00 |
| 325-RD004 | 7293330 | 1 Set of 110 LBS (50 KG) and 1 Set of . . . . .<br>440 LBS (200 KG) (4 weights total)<br>Mounts Externally to Wheel<br>Only Available on Welded Rims (Non Adjustable) | M68607 | 1100 | 891.00 |

## DEALER INSTALLED FRONT WEIGHTS

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |

## PIVOTING FRONT FENDERS

|           |         |                                                                                                       |        |         |
|-----------|---------|-------------------------------------------------------------------------------------------------------|--------|---------|
|           | Base    | Pivoting Front Fenders - Standard Width . . . . .<br>Width depends on tire selection; see Chart Below |        | In Base |
| 155-WE111 | 7293598 | Pivoting Front Fenders - Wide Width . . . . .<br>Width depends on tire selection; see Chart Below     | M09163 | 119.00  |

| Pivoting Front Fender Size |        |                                                                                                |
|----------------------------|--------|------------------------------------------------------------------------------------------------|
| Standard                   | Wide   | Tire Sizes                                                                                     |
| 320 mm                     | 355 mm | 320/70R24<br>320/85R24 (12.4R24)                                                               |
| 355 mm                     | 380 mm | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                                                     |
| 380 mm                     | 410 mm | 380/70R24<br>380/70R28<br>380/85R24 (14.9R24)<br>380/85R28 (14.9R28)<br>400/80R24<br>400/80R28 |
| 410 mm                     | 470 mm | 420/70R24<br>420/70R28<br>440/65R24<br>440/65R28                                               |
| 470 mm                     | 520 mm | 480/65R24<br>480/65R28                                                                         |
| 520 mm                     | 620 mm | VF480/60R28<br>VF520/60R28                                                                     |

## REAR FENDERS

|           |         |                                                        |         |          |
|-----------|---------|--------------------------------------------------------|---------|----------|
|           | Base    | Rear Fenders without Extensions, 78.74"(2.00 M) . . .  |         | In Base  |
| 255-WD013 | 7293450 | Rear Fenders with Extensions, 78.74"(2.00 M) . . . . . | M100870 | 1,310.00 |
| 255-WD017 | 7293107 | Wide Fender -90.55" (2.3 M) with Rear Extension . . .  | M100870 | 1,310.00 |



**RESERVED PAGE**



**MASSEY FERGUSON®**

## **MF6600 SERIES**



**MASSEY FERGUSON®**

**6614 / 6615 / 6616 SERIES**  
**MID RANGE**

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

## CLASSIC EDITION FEATURES

### ENGINE

#### 6615/6616

AGCO POWER™ 4.9L (299 cu in.) 4 Cylinder, Tier 4i Compliant

- SCR Technology
- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus 30F (-34C)

Fuel Tank Capacity: 61 Gal (223L)

DEF Tank Capacity: 9.2 Gal (35L)

### POWERTRAIN

#### 6615: Dyna-4 Transmission

- 16F/16R Semi-Powershift, 4 Ranges with 4 Powershifts Per Range

#### 6616: Dyna-6 Transmission

- 24F/24R Semi-Powershift, 4 Ranges with 6 Powershifts per Range

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO: 540/1000 RPM, 540 with 6 Spline Shaft,

1000 RPM with 21 Spline Shaft, Exchangeable Shafts

Rear Fender Mounted PTO Shut-Off

Flange Axles

### FRONT WHEEL ASSIST AXLE

Power Front Axle (PFA)

- 8 Bolt Pattern: 6615 Dyna-4
- 10 Bolt Pattern: 6616 Dyna-6

Shielded Center Drive Line with Electro-Hydraulic Control  
& Front Wheel Drive Differential Lock

55 Degree Steering Angle

### HYDRAULICS

Closed Center Load Sensing 29 GPM (110 L/Min) Pump

2900 PSI (200 Bar) Maximum Pressure

3 Mechanical Valves – Lever Controlled on Right Hand Console

Hydrostatic Power Steering

### HITCH

3 Point Hitch: Category 2/3 Linkage Ball Ends

- 11,400 lbs lift capacity @ 24"
- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3 Point Control

Drawbar: Category 2, Clevis and Drop Pin

### ELECTRICAL SYSTEM

175 Amp Alternator

2 – 12V Batteries, 600 CCA Each (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

### LIGHTING

8 Front Hood Mounted Lights

Four Front Single Bulb Worklights

Two Rear Double Bulb Worklights

Tail Lights, Flashing Warning Lights and Turn Signals

### INSTRUMENTS

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level, DEF Level, and Coolant Temp Gauges

Warning/Information Lights

### OPERATOR AREA

6 Post Cab

Transmission Control T-Handle on Right Hand Console

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Air Suspended Seat - Manual Adjustment

Front and Rear Windshield Wiper/Washer

Dual Large Telescoping Outside Rear View Mirrors

Single Inside Rear View Mirror

2 Audio Speakers and Antenna

3 Pin 12V Power Outlets

12V Cigarette Lighter Style Power Outlet

### WHEELS AND TIRES

Rear 460/85R38 R1W Single Wheels

Front 380/85R28 R1W Single Waffle Wheels

### OTHER STANDARD FEATURES

AGCOMMAND™ Ready with Antenna, Bracket, and Harness  
(No Module or Subscription)

(To Complete, See Technology Section)

Lockable Tool Box

SMV Sign

Molded Rear Fenders

**MF6600 models with Dyna-6 Transmission can not be sold in Nebraska**



MASSEY FERGUSON®

## 6600 CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless In Base Option is desired)

### BASE MACHINE

#### DYNA-4 EDITIONS

|                 |         |                                                 |          |  |            |
|-----------------|---------|-------------------------------------------------|----------|--|------------|
| MF6615~D4~ES~01 | 7292200 | Massey 6615 Classic Tractor 110 PTO HP. . . . . | M9069522 |  | 117,786.00 |
|-----------------|---------|-------------------------------------------------|----------|--|------------|

#### DYNA-6 EDITIONS

|                 |         |                                                 |          |  |            |
|-----------------|---------|-------------------------------------------------|----------|--|------------|
| MF6616~D6~ES~01 | 7292202 | Massey 6616 Classic Tractor 125 PTO HP. . . . . | M9965802 |  | 129,426.00 |
|-----------------|---------|-------------------------------------------------|----------|--|------------|

#### TRANSMISSION OPTIONS FOR DYNA-4 EDITIONS

|          |      |                                                                                    |  |  |         |
|----------|------|------------------------------------------------------------------------------------|--|--|---------|
| 25-EA637 | Base | 4x4 Dyna-4 AUTODRIVE Transmission with . . . . .<br>16F/16R gears. 25 MPH (40 KPH) |  |  | In Base |
|----------|------|------------------------------------------------------------------------------------|--|--|---------|

#### TRANSMISSION OPTIONS FOR DYNA-6 EDITIONS

|          |         |                                                                                                                                                                               |  |  |          |
|----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 25-EA655 | Base    | 6x4 Dyna-6 AUTODRIVE Transmission with . . . . .<br>24F/24R gears. 25 MPH (40 KPH)                                                                                            |  |  | In Base  |
| 25-G1063 | 7293524 | 6X4 Dyna-6 AUTODRIVE Transmission with . . . . . M125741<br>24F/24R gears. 31 MPH (50 KPH) .<br>Also includes: High Pressure Brakes.<br>(Requires NA032 Suspended Front Axle) |  |  | 1,633.00 |

#### EQUIPMENT REQUIRED FOR NORTH AMERICA

|         |                                                                                                     |        |        |
|---------|-----------------------------------------------------------------------------------------------------|--------|--------|
| 7293488 | Instructional Seat . . . . .                                                                        | M37422 | 486.00 |
| 7293489 | Front Weight Carrier . . . . .<br>(Removed when factory installed front 3-Point Hitch is selected.) | M24101 | 313.00 |

#### MARKETING PACKAGE

|         |                                              |          |
|---------|----------------------------------------------|----------|
| MKT0325 | Upgrade Package Includes: . . . . . M611149  | 7,937.00 |
|         | Short Bar Rear Axle                          |          |
|         | Air Suspended Seat - Automatic Adjustment    |          |
|         | Radio, AM/FM, MP3 Compatible                 |          |
|         | Front Loader Provision - Mech Loader Control |          |

SUBJECT TO AVAILABILITY

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## AUXILIARY HYDRAULIC FLOW

|           |          |                                                                                                                       |  |  |                |
|-----------|----------|-----------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 370-DP110 | Base     | 29 gpm (110 L/min) Closed Center Load Sensing (CCLS) System<br>(Requires Auxiliary Valve 1 & 2- KX010 In Base Option) |  |  | <b>In Base</b> |
| 370-DP057 | 7293577* | 15 gpm (57 L/min) Open Center System . . . . . (M351043)<br>(Requires Auxiliary Valve 1 & 2, KX005 or KX006)          |  |  | (4,559.00)     |
| 370-DP100 | 7293578* | 26 gpm (100L/min) Twin Flow Open Center System . . (M274967)<br>(Requires Auxiliary Valve 1 & 2, KX005 or KX006)      |  |  | (3,571.00)     |

## AUXILIARY VALVE 1 & 2

|          |         |                                                                                                                                                                                                                                       |  |  |                |
|----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 50-KX010 | Base    | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console.<br>(1st and 2nd - Flow Dividing, Kickout, Zero Leak, Float)<br>(Requires DP110)                                                                           |  |  | <b>In Base</b> |
| 50-KX005 | 7293581 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console.<br>(1st - Single Acting/Double Acting, Flow Dividing, Kickout and<br>2nd - Double Acting, Kickout, Float)<br>(Requires DP057 or DP100)                    |  |  | No Charge      |
| 50-KX006 | 7293582 | 2 Mechanical Controlled Valves, . . . . .<br>Located on right hand console.<br>(1st - Double Acting, Flow Dividing, Kickout, Zero Leak and<br>2nd - Single Acting/Double Acting, Zero Leak, Notch Float)<br>(Requires DP057 or DP100) |  |  | No Charge      |

## AUXILIARY VALVE 3 & 4

|          |          |                                                                                                                                                                                                      |  |  |                |
|----------|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 55-MU003 | Base     | 3rd Mechanical Valve Only, . . . . .<br>Located on right hand console.<br>(Kickout, Zero Leak, Flow Dividing, Float)<br>(Requires DP110) (Requires KX010)                                            |  |  | <b>In Base</b> |
| 55-MU000 | 7293669  | Less 3rd and 4th Mechanical Valve . . . . . (M87472)<br>(Requires KX010 or KX005)                                                                                                                    |  |  | (1,136.00)     |
| 55-MU002 | 7293586  | 3rd Mechanical Valve Only, . . . . .<br>Located on right hand console.<br>(Single Acting/Double Acting)<br>(Requires DP057 or DP100)<br>(Requires KX006)                                             |  |  | No Charge      |
| 55-MU011 | 7293587* | 3rd and 4th Mechanical Valve, . . . . . M90090<br>Located on right hand console.<br>(3rd - Single Acting/Double Acting and 4th - Double Acting, Kickout, Float)<br>(Requires DP100) (Requires KX006) |  |  | 1,170.00       |

\*IF 4TH VALVE REQUIRED FOR CCLS SYSTEM (DP110 - 29 GPM), ORDER 4378484M11 FIELD INSTALLED KIT FROM PARTS

## Oil Catch

|           |         |                                                                                  |  |  |                |
|-----------|---------|----------------------------------------------------------------------------------|--|--|----------------|
| 380-GB020 | In Base | With Oil Catch. . . . .                                                          |  |  | <b>In Base</b> |
| 380-GB000 | 7293664 | Less Oil Catch. . . . .<br>(Required for Dyna-4 when DP057 or DP100 are ordered) |  |  | No Charge      |



MASSEY FERGUSON®

## 6600 CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### FRONT AXLE

#### **For 6615 Dyna-4**

|          |         |                                                                                                      |  |  |                |
|----------|---------|------------------------------------------------------------------------------------------------------|--|--|----------------|
| 65-NA030 | Base    | Non-Suspended Power Front Axle . . . . .<br>(Not available with 31 MPH (50 KPH) Dyna-6 Transmission) |  |  | <b>In Base</b> |
| 65-NA032 | 7293408 | Suspended Power Front Axle . . . . . M547085<br>(Required with 31 MPH (50 KPH) Dyna-6 Transmission)  |  |  | 7,105.00       |

#### **For 6616 Dyna-6**

|          |         |                                                                                                      |  |  |                |
|----------|---------|------------------------------------------------------------------------------------------------------|--|--|----------------|
| 65-NA030 | Base    | Non-Suspended Power Front Axle . . . . .<br>(Not available with 31 MPH (50 KPH) Dyna-6 Transmission) |  |  | <b>In Base</b> |
| 65-NA032 | 7293347 | Suspended Power Front Axle . . . . . M547085<br>(Required with 31 MPH (50 KPH) Transmission)         |  |  | 7,105.00       |

### REAR AXLE

|          |         |                                                                                                                             |  |  |                |
|----------|---------|-----------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 60-EE400 | Base    | Flange Axle . . . . .                                                                                                       |  |  | <b>In Base</b> |
| 60-EE402 | 7293024 | Short Bar Rear Axle, 80 in. (2028mm) Length, . . . . M47894<br>3.23 in (82mm) Diameter                                      |  |  | 622.00         |
| 60-EE404 | 7293025 | Long Bar Rear Axle, 105 in (2672mm) Length, . . . . M106260<br>3.23 in (82mm) Diameter<br>(Requires Extremity Lights VE019) |  |  | 1,380.00       |

### REAR 3-POINT HITCH

|          |         |                                                       |  |  |                |
|----------|---------|-------------------------------------------------------|--|--|----------------|
| 95-GC009 | Base    | Category 2/3 Telescopic Ball End Links. . . . .       |  |  | <b>In Base</b> |
| 95-GC022 | 7293572 | Category 3 Hook End Links and Cat 2/3 Balls and Cones |  |  | No Charge      |

### REAR THREE POINT STABILIZERS

|           |          |                                                                                 |  |  |                |
|-----------|----------|---------------------------------------------------------------------------------|--|--|----------------|
| 165-YG001 | Base     | Variable Float Telescopic Stabilizers . . . . .                                 |  |  | <b>In Base</b> |
| 165-YG006 | 7293403* | Rub Block Stabilizers (Requires GC009) . . . . . M50743                         |  |  | 659.00         |
| 165-YG009 | 7293574* | Automatic Stabilizers . . . . . M26026<br>(Requires GC022 or GC026 Lower Links) |  |  | 338.00         |

**\*Available with Dyna-6 Transmissions Only**

### INSTRUMENT PANEL / CONTROL CENTER DISPLAY (CCD)

|           |         |                                                                                                                                                       |  |  |                |
|-----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 175-BA005 | Base    | Analog and Digital Instrument Panel w/o Radar or Slip .<br>Control. No Control Center Display (CCD)                                                   |  |  | <b>In Base</b> |
| 175-BA003 | 7293084 | Analog and Digital Instrument Panel with Radar . . . . M67221<br>(For Actual Ground Speed) and Slip Control.<br>(For No Control Center Display (CCD)) |  |  | 873.00         |

SUBJECT TO AVAILABILITY

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6615 Dyna-4

### TIRE BRAND SELECTION

|          |         |                                     |         |  |           |
|----------|---------|-------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .      |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin Brand Required . . . . .   | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone Brand Required . . . . .  | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg Brand Required . . . . . | M91861  |  | 1,193.00  |

### FRONT AND REAR TIRES

#### FLANGE AXLE\*

**Rear: Single Pressed Steel Manual Adjust - Set of 2**  
**Front: Waffle Wheel**

|          |                    |                                                                                                     |  |  |                |
|----------|--------------------|-----------------------------------------------------------------------------------------------------|--|--|----------------|
| 75-Base  | 7292864<br>7294786 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | <b>In Base</b> |
| 75-W1309 | 7292865<br>7293763 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M107646<br>Front: 420/85R28 R1W (MI, FI, TR)             |  |  | 1,398.00       |
| 75-W1662 | 7292861<br>7293760 | Rear: 460/85R30 R1W (MI, FI) . . . . . (M156772)<br>Front: 340/85R24 R1W (MI, FI)                   |  |  | (2,036.00)     |
| 75-W1663 | 7292862<br>7293761 | Rear: 460/85R34 R1W (MI, FI, TR) . . . . . (M130284)<br>Front: 340/85R28 R1W (MI, FI, TR)           |  |  | (1,692.00)     |
| 75-W1664 | 7292863<br>7293761 | Rear: 420/85R38 R1W (MI, FI, TR) . . . . . (M126588)<br>Front: 340/85R28 R1W (MI, FI, TR)           |  |  | (1,644.00)     |

**Rear: Single Welded Pressed Steel - Set of 2**  
**Front: Fixed Welded Steel Rim**

|          |                    |                                                                                                                     |  |  |           |
|----------|--------------------|---------------------------------------------------------------------------------------------------------------------|--|--|-----------|
| 75-W1476 | 7292871<br>7293767 | Rear: 480/80R34 Industrial (Nokian Industrial) . . . . . M460768<br>Front: 400/80R24 Industrial (Nokian Industrial) |  |  | 5,984.00  |
| 75-W1478 | 7292873<br>7293769 | Rear: 540/80R38 (Nokian Industrial) . . . . . M797874<br>Front: 440/80R28 (Nokian Industrial)                       |  |  | 10,362.00 |
| 75-W1286 | 7292858<br>7293757 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . . M54054<br>Front: 440/65R28 R1W (MI, FI, TR)                              |  |  | 702.00    |
| 75-W1511 | 7292872<br>7293768 | Rear: 480/80R38 Industrial (Nokian Industrial) . . . . . M624393<br>Front: 400/80R28 Industrial (Nokian Industrial) |  |  | 8,109.00  |
| 75-W1257 | 7292859<br>7294785 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . . M108570<br>Front: 480/65R28 R1W (MI, FI, TR)                             |  |  | 1,410.00  |
| 75-W1258 | 7292860<br>7293759 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . . M336721<br>Front: 540/65R28 R1W (MI, FI, TR)                             |  |  | 4,373.00  |

#### BAR AXLES- SHORT AND LONG

**Rear: Single Welded Pressed Steel - Set of 2**  
**Front: Fixed Welded Steel Rim**

|          |                      |                                                                                                                     |  |  |           |
|----------|----------------------|---------------------------------------------------------------------------------------------------------------------|--|--|-----------|
| 75-W1667 | 7294903B5<br>7293767 | Rear: 480/80R34 Industrial (Nokian Industrial) . . . . . M495572<br>Front: 400/80R24 Industrial (Nokian Industrial) |  |  | 6,436.00  |
| 75-W1670 | 7294899B5<br>7293757 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . . M58443<br>Front: 440/65R28 R1W (MI, FI, TR)                              |  |  | 759.00    |
| 75-W1572 | 7294894B5<br>7294785 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . . M103180<br>Front: 480/65R28 R1W (MI, FI, TR)                             |  |  | 1,340.00  |
| 75-W1673 | 7294905B5<br>7293769 | Rear: 540/80R38 (Nokian Industrial) . . . . . M798644<br>Front: 440/80R28 (Nokian Industrial)                       |  |  | 10,372.00 |
| 75-W1262 | 7294895B5<br>7293759 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . . M337491<br>Front: 540/65R28 R1W (MI, FI, TR)                             |  |  | 4,383.00  |
| 75-W1672 | 7294904B5<br>7293768 | Rear: 480/80R38 Industrial (Nokian Industrial) . . . . . M604912<br>Front: 400/80R28 Industrial (Nokian Industrial) |  |  | 7,856.00  |

\* FIRESTONE TREAD TYPE IS R1





MASSEY FERGUSON®

## 6600 CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6615 Dyna-4

## FRONT AND REAR TIRES - CONTINUED

## BAR AXLES- SHORT AND LONG

*Rear: Single Semi Dished Cast Centers- Set of 2**Front: Waffle Wheel*

|          |                      |                                                                                                             |  |  |          |
|----------|----------------------|-------------------------------------------------------------------------------------------------------------|--|--|----------|
| 75-W1300 | 7294897B5<br>7294786 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . M110572<br>Front: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | 1,436.00 |
| 75-W1318 | 7294883B5<br>7293764 | Rear: 380/90R46 R1W* (MI, FI) . . . . . M220605<br>Front: 380/85R30 R1W* (MI, FI)                           |  |  | 2,865.00 |
| 75-W1409 | 7294884B5<br>7293764 | Rear: 420/80R46 R1W* (MI, FI) . . . . . M274274<br>Front: 380/85R30 R1W* (MI, FI)                           |  |  | 3,562.00 |
| 75-W1388 | 7294884B5<br>7293763 | Rear: 420/80R46 R1W (MI) . . . . . M323554<br>Front: 420/85R28 R1W (MI)                                     |  |  | 4,202.00 |
| 75-W1377 | 7294882B5<br>7293764 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . . M220297<br>Front: 380/85R30 R1W* (MI, TR, FI)                   |  |  | 2,861.00 |
| 75-W1384 | 7294882B5<br>7293763 | Rear: 480/80R42 R1W (MI, TR) . . . . . M269577<br>Front: 420/85R28 R1W (MI, TR)                             |  |  | 3,501.00 |
| 75-W1533 | 7294893B5<br>7293763 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M321706<br>Front: 420/85R28 R1W (MI, FI, TR)                     |  |  | 4,178.00 |

## BAR AXLES- LONG

*Rear: Dual Cast Inner / Steel Outer - Set of 4**Front: Waffle Wheel*

|          |                      |                                                                                                      |  |  |           |
|----------|----------------------|------------------------------------------------------------------------------------------------------|--|--|-----------|
| 75-W1374 | 7294898B5<br>7294786 | Duals: 460/85R38 R1W (18.4R38) (MI, TR) . . . . . M662893<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) |  |  | 8,609.00  |
| 75-W1379 | 7294887B5<br>7293764 | Duals: 380/90R46 R1W (MI) . . . . . M794024<br>Front: 380/85R30 R1W (MI)                             |  |  | 10,312.00 |
| 75-W1410 | 7294888B5<br>7293764 | Duals: 420/80R46 R1W* (MI, FI) . . . . . M868098<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 11,274.00 |
| 75-W1471 | 7294888B5<br>7293763 | Duals: 420/80R46 R1W (MI) . . . . . M917378<br>Front: 420/85R28 R1W (MI)                             |  |  | 11,914.00 |
| 75-W1380 | 7294886B5<br>7293764 | Duals: 480/80R42 R1W* (MI, TR) . . . . . M737891<br>Front: 380/85R30 R1W* (MI, TR)                   |  |  | 9,583.00  |
| 75-W1386 | 7294886B5<br>7293763 | Duals: 480/80R42 R1W (MI, TR) . . . . . M787171<br>Front: 420/85R28 R1W (MI, TR)                     |  |  | 10,223.00 |
| 75-W1658 | 7294896B5<br>7293763 | Duals: 520/85R38 R1W (MI) . . . . . M812504<br>Front: 420/85R28 R1W (MI)                             |  |  | 10,552.00 |

## BAR AXLES- LONG

*Rear: Dual Cast Inner / Cast Outer - Set of 4**Front: Waffle Wheel*

|          |                      |                                                                                    |  |  |           |
|----------|----------------------|------------------------------------------------------------------------------------|--|--|-----------|
| 75-W1408 | 7294925B5<br>7293764 | Duals: 380/90R46 R1W (MI) . . . . . M801955<br>Front: 380/85R30 R1W (MI)           |  |  | 10,415.00 |
| 75-W1412 | 7294926B5<br>7293764 | Duals: 420/80R46 R1W* (MI, FI) . . . . . M876029<br>Front: 380/85R30 R1W* (MI, FI) |  |  | 11,377.00 |
| 75-W1406 | 7294926B5<br>7293763 | Duals: 420/80R46 R1W (MI) . . . . . M925309<br>Front: 420/85R28 R1W (MI)           |  |  | 12,017.00 |
| 75-W1407 | 7294927B5<br>7293764 | Duals: 480/80R42 R1W* (MI, TR) . . . . . M745822<br>Front: 380/85R30 R1W* (MI, TR) |  |  | 9,686.00  |
| 75-W1405 | 7294927B5<br>7293763 | Duals: 480/80R42 R1W (MI, TR) . . . . . M737891<br>Front: 420/85R28 R1W (MI, TR)   |  |  | 9,583.00  |

\* FIRESTONE TREAD TYPE IS R1

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES 6616 Dyna-6

### FRONT AND REAR TIRES

#### FLANGE AXLE\*

**Rear: Single Pressed Steel Manual Adjust - Set of 2**

**Front: Waffle Wheel**

|          |           |                                                      |         |  |                |
|----------|-----------|------------------------------------------------------|---------|--|----------------|
| 75-Base  | 7292864   | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . |         |  | <b>In Base</b> |
|          | 7293762B2 | Front: 380/85R28 R1W (14.9R28) (MI, FI, TR)          |         |  |                |
| 75-W1309 | 7292865   | Rear: 520/85R38 R1W (MI, FI, TR) . . . . .           | M107646 |  | 1,398.00       |
|          | 7294762B2 | Front: 420/85R28 R1W (MI, FI, TR)                    |         |  |                |

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |           |                                               |         |  |           |
|----------|-----------|-----------------------------------------------|---------|--|-----------|
| 75-W1478 | 7292873   | Rear: 540/80R38 (Nokian Industrial) . . . . . | M797874 |  | 10,362.00 |
|          | 7294791B2 | Front: 440/80R28 (Nokian Industrial)          |         |  |           |
| 75-W1286 | 7292858   | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .    | M54054  |  | 702.00    |
|          | 7294784B2 | Front: 440/65R28 R1W (MI, FI, TR)             |         |  |           |
| 75-W1257 | 7292859   | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .    | M108570 |  | 1,410.00  |
|          | 7293758B2 | Front: 480/65R28 R1W (MI, FI, TR)             |         |  |           |
| 75-W1258 | 7292860   | Rear: 650/65R38 R1W (MI, FI, TR) . . . . .    | M336721 |  | 4,373.00  |
|          | 7294783B2 | Front: 540/65R28 R1W (MI, FI, TR)             |         |  |           |

#### BAR AXLES- SHORT AND LONG

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |           |                                               |         |  |           |
|----------|-----------|-----------------------------------------------|---------|--|-----------|
| 75-W1670 | 7294899B5 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .    | M58443  |  | 759.00    |
|          | 7294784B2 | Front: 440/65R28 R1W (MI, FI, TR)             |         |  |           |
| 75-W1572 | 7294894B5 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .    | M103180 |  | 1,340.00  |
|          | 7293758B2 | Front: 480/65R28 R1W (MI, FI, TR)             |         |  |           |
| 75-W1673 | 7294905B5 | Rear: 540/80R38 (Nokian Industrial) . . . . . | M798644 |  | 10,372.00 |
|          | 7294791B2 | Front: 440/80R28 (Nokian Industrial)          |         |  |           |
| 75-W1262 | 7294895B5 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . .    | M337491 |  | 4,383.00  |
|          | 7294783B2 | Front: 540/65R28 R1W (MI, FI, TR)             |         |  |           |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 6600 CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

| Order<br>Code | Catalog<br>Number | Description | Factory<br>Code | Approx.<br>Weight (lb.) | List<br>Price |
|---------------|-------------------|-------------|-----------------|-------------------------|---------------|
|---------------|-------------------|-------------|-----------------|-------------------------|---------------|

### TIRES 6616 Dyna-6

#### FRONT AND REAR TIRES - CONTINUED

##### BAR AXLES- SHORT AND LONG

*Rear: Single Semi Dished Cast Centers- Set of 2*

*Front: Waffle Wheel*

|          |                        |                                                                                                                       |  |  |          |
|----------|------------------------|-----------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 75-W1300 | 7294897B5<br>7293762B2 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . M110572<br>Front: 380/85R28 R1W (14.9R28) (14.9R28) (MI, FI, TR) |  |  | 1,436.00 |
| 75-W1394 | 7294885B5<br>7294769B2 | Rear: 320/90R50 R1W (MI) . . . . . M311850<br>Front: 320/85R34 R1W (MI)                                               |  |  | 4,050.00 |
| 75-W1548 | 7294883B5<br>7294769B2 | Rear: 380/90R46 R1W (MI) . . . . . M278278<br>Front: 320/85R34 R1W (MI)                                               |  |  | 3,614.00 |
| 75-W1318 | 7294883B5<br>7294765B2 | Rear: 380/90R46 R1W* (MI, FI) . . . . . M220605<br>Front: 380/85R30 R1W* (MI, FI)                                     |  |  | 2,865.00 |
| 75-W1624 | 7294884B5<br>7294769B2 | Rear: 420/80R46 R1W (MI) . . . . . M331947<br>Front: 320/85R34 R1W (MI)                                               |  |  | 4,311.00 |
| 75-W1409 | 7294884B5<br>7294765B2 | Rear: 420/80R46 R1W* (MI, FI) . . . . . M274274<br>Front: 380/85R30 R1W* (MI, FI)                                     |  |  | 3,562.00 |
| 75-W1388 | 7294884B5<br>7294762B2 | Rear: 420/80R46 R1W (MI) . . . . . M323554<br>Front: 420/85R28 R1W (MI)                                               |  |  | 4,202.00 |
| 75-W1620 | 7294882B5<br>7294769B2 | Rear: 480/80R42 R1W (MI) . . . . . M277970<br>Front: 320/85R34 R1W (MI)                                               |  |  | 3,610.00 |
| 75-W1377 | 7294882B5<br>7294765B2 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . . M220297<br>Front: 380/85R30 R1W* (MI, TR, FI)                             |  |  | 2,861.00 |
| 75-W1384 | 7294882B5<br>7294762B2 | Rear: 480/80R42 R1W (MI, TR) . . . . . M269577<br>Front: 420/85R28 R1W (MI, TR)                                       |  |  | 3,501.00 |
| 75-W1533 | 7294893B5<br>7294762B2 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M321706<br>Front: 420/85R28 R1W (MI, FI, TR)                               |  |  | 4,178.00 |

SUBJECT TO AVAILABILITY

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES 6616 Dyna-6

### BAR AXLES- LONG

*Rear: Dual Cast Inner / Steel Outer - Set of 4*

*Front: Waffle Wheel*

|          |                        |                                                                                              |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------------------------|---------|--|-----------|
| 75-W1374 | 7294898B5<br>7293762B2 | Duals: 460/85R38 R1W (18.4R38) (MI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) | M662893 |  | 8,609.00  |
| 75-W1395 | 7294889B5<br>7294769B2 | Duals: 320/90R50 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M311850 |  | 4,050.00  |
| 75-W1549 | 7294887B5<br>7294769B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M851697 |  | 11,061.00 |
| 75-W1379 | 7294887B5<br>7294765B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)                             | M794024 |  | 10,312.00 |
| 75-W1625 | 7294888B5<br>7294769B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M925771 |  | 12,023.00 |
| 75-W1410 | 7294888B5<br>7294765B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI)                   | M868098 |  | 11,274.00 |
| 75-W1471 | 7294888B5<br>7294762B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M917378 |  | 11,914.00 |
| 75-W1621 | 7294886B5<br>7294769B2 | Duals: 480/80R42 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M795564 |  | 10,332.00 |
| 75-W1380 | 7294886B5<br>7294765B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR)                   | M737891 |  | 9,583.00  |
| 75-W1386 | 7294886B5<br>7294762B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)                     | M787171 |  | 10,223.00 |
| 75-W1658 | 7294896B5<br>7294762B2 | Duals: 520/85R38 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M812504 |  | 10,552.00 |

### BAR AXLES- LONG

*Rear: Dual Cast Inner / Cast Outer - Set of 4*

*Front: Waffle Wheel*

|          |                      |                                                                            |         |  |           |
|----------|----------------------|----------------------------------------------------------------------------|---------|--|-----------|
| 75-W1408 | 7294925B5<br>7293764 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)           | M801955 |  | 10,415.00 |
| 75-W1412 | 7294926B5<br>7293764 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI) | M876029 |  | 11,377.00 |
| 75-W1406 | 7294926B5<br>7293763 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)           | M925309 |  | 12,017.00 |
| 75-W1407 | 7294927B5<br>7293764 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR) | M745822 |  | 9,686.00  |
| 75-W1405 | 7294927B5<br>7293763 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)   | M737891 |  | 9,583.00  |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY



## 6600 CLASSIC EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PTO

|           |         |                                                           |  |  |                |
|-----------|---------|-----------------------------------------------------------|--|--|----------------|
| 100-LC001 | Base    | 540 RPM 6 Spline and 1000 RPM 21 Spline . . . . .         |  |  | <b>In Base</b> |
|           |         | Exchangeable Shaft with No Economy                        |  |  |                |
| 100-LC002 | 7293068 | Standard and Economy PTO Drive -2000 & 1550. . . . M72765 |  |  | 945.00         |
|           |         | Engine RPM. Exchangeable Shaft PTO- 540 RPM               |  |  |                |
|           |         | 6 Spline + 1000 RPM 21 Spline                             |  |  |                |

### FRONT HITCH

|           |         |                                                           |  |  |                |
|-----------|---------|-----------------------------------------------------------|--|--|----------------|
| 230-FA000 | Base    | Less Front Hitch . . . . .                                |  |  | <b>In Base</b> |
| 230-F1132 | 7293594 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M490952 |  |  | 6,376.00       |
|           |         | 1 Set of Hydraulic Couplers                               |  |  |                |
| 230-F1134 | 7293595 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M521290 |  |  | 6,770.00       |
|           |         | 2 sets of Hydraulic Couplers                              |  |  |                |
| 230-F1135 | 7293596 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M502656 |  |  | 6,528.00       |
|           |         | 1 set of Hydraulic Couplers with Pressure Drain           |  |  |                |
|           |         | (Requires In Base Auxiliary Hydraulic Flow)               |  |  |                |

### LOADER PROVISION

|           |         |                                                                    |  |  |                |
|-----------|---------|--------------------------------------------------------------------|--|--|----------------|
| 350-LL000 | Base    | Less Loader Provisions. . . . .                                    |  |  | <b>In Base</b> |
| 350-LL001 | 7293445 | Front Loader Provision - Mech Loader Control, . . . . M488180      |  |  | 6,340.00       |
|           |         | Including Hydraulics and Subframe                                  |  |  |                |
|           |         | (Not recommended with 15 gpm (57 L/min) Open Center System- DP057) |  |  |                |

### CAB

|           |         |                                                            |  |  |          |
|-----------|---------|------------------------------------------------------------|--|--|----------|
| 365-AF009 | 7294248 | Radio, AM/FM, MP3 Compatible . . . . . M47740              |  |  | 620.00   |
| 125-AE027 | 7293430 | Air Suspended Seat - Automatic Adjustment . . . . . M27335 |  |  | 355.00   |
| 115-AM084 | 7293559 | Mechanical Cab Suspension . . . . . M129976                |  |  | 1,688.00 |
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . . M20790         |  |  | 270.00   |
| 140-E1022 | 7293078 | Visio roof . . . . . M120890                               |  |  | 1,570.00 |

SUBJECT TO AVAILABILITY

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                                                 | Catalog Number | Description                                                                                                                                                                       | Factory Code | Approx. Weight (lb.) | List Price     |
|------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b>FRONT WEIGHTS</b>                                       |                |                                                                                                                                                                                   |              |                      |                |
| 285-YA112                                                  | 7293487        | 121 lbs. (55 kg.) Front Weights, Set of 12 . . . . .<br>with Hardware - total Weight 1,455 lbs. (660 kg.)                                                                         | M176715      |                      | 2,295.00       |
| <b>REAR WHEEL WEIGHTS</b>                                  |                |                                                                                                                                                                                   |              |                      |                |
| 325-RD040                                                  | 7294192*       | 551 lbs. (250 kg.) Weights, Set of 2. . . . .<br>Mounts Externally to Wheel                                                                                                       | M142065      | 1102                 | 1,845.00       |
| 325-RD041                                                  | 7294200*       | 551 lbs. (250 kg.) Weights, Set of 4. . . . .<br>Mounts Externally to Wheel                                                                                                       | M284053      | 2204                 | 3,689.00       |
| <b>*NOT COMPATIBLE WITH MANUAL ADJUST FLANGE AXLE RIMS</b> |                |                                                                                                                                                                                   |              |                      |                |
| <b>BELLY AND HITCH WEIGHTS</b>                             |                |                                                                                                                                                                                   |              |                      |                |
| 245-YD001                                                  | 7293374        | 1 Belly Weight - 584 lbs. (265 kg.) . . . . .<br>(For use <b>WITHOUT</b> Front 3-Point Hitch)                                                                                     | M114730      | 584                  | 1,490.00       |
| 245-YD001                                                  | 7293375        | 1 Belly Weight - 397 lbs. (180 kg.) . . . . .<br>(For use <b>WITH</b> Front 3-Point Hitch)                                                                                        | M84392       | 430                  | 1,096.00       |
| 345-YB003                                                  | 7294119        | 1873 lbs. (850 kg.) 3-Point Hitch Weight . . . . .<br>(For use with Front 3-Point Hitch or<br>Rear 3-Point Hitch without Quick Hitch<br>Only if Rear Links are Hooks Style GC022) | M262262      | 1984                 | 3,406.00       |
| <b>ELECTRICAL</b>                                          |                |                                                                                                                                                                                   |              |                      |                |
| 215-CB002                                                  | Base           | Engine Block Heater - 110 Volt . . . . .                                                                                                                                          |              |                      | <b>In Base</b> |
| 215-CB000                                                  | 7293593        | Less Engine Block Heater. . . . . (M15939)                                                                                                                                        |              |                      | (207.00)       |
| <b>ALTERNATOR</b>                                          |                |                                                                                                                                                                                   |              |                      |                |
| 220-CE020                                                  | Base           | 175 AMP Alternator. . . . .<br>(Not Available with ISOBUS.)                                                                                                                       |              |                      | <b>In Base</b> |
| 220-CE019                                                  | 7293533        | Twin 120 AMP Alternators. . . . .                                                                                                                                                 | M30107       |                      | 391.00         |
| <b>LIGHTING</b>                                            |                |                                                                                                                                                                                   |              |                      |                |
| 205-VF013                                                  | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right .<br>(Includes SAE SMV sign)                                                                                                   | M39809       | 1102                 | 517.00         |
| 195-VG078                                                  | 7295103        | 2 Xenon and 2 Single Bulb Front Worklights, . . . . .<br>2 Xenon Rear Worklights<br>(Not Compatible with Visio roof (E1022))                                                      | M261184      |                      | 3,392.00       |
| 360-VE019                                                  | 7293476        | Extremity Lighting . . . . .<br>(Required with Long Bar Axle)<br>(Not Compatible with Flange Axle)                                                                                | M58212       |                      | 756.00         |
| 190-VK004                                                  | 7293597        | Worklights on Handrails and Rear Fenders . . . . .                                                                                                                                | M41426       |                      | 538.00         |



MASSEY FERGUSON®

## 6600 CLASSIC EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PIVOTING FRONT FENDERS

|           |         |                                                                                                               |  |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 155-WE000 | Base    | Less Pivoting Front Fenders . . . . .                                                                         |  |  | <b>In Base</b> |
| 155-WE110 | 7294204 | Pivoting Front Fenders - Standard Width . . . . . M129514<br>Width depends on tire selection; see Chart Below |  |  | 1,682.00       |

| Fender Size    |                |                                                                      |
|----------------|----------------|----------------------------------------------------------------------|
| Standard       | Wide           | Tire Sizes                                                           |
| 12.6" (320 mm) | 13.9" (355 mm) | 320/85R34 (12.4R34)                                                  |
| 13.9" (355 mm) | 14.9" (380 mm) | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                           |
| 14.9" (380 mm) | 16.1" (410 mm) | 380/85R28 (14.9R28)<br>380/85R30 (14.9R30)<br>400/80R24<br>400/80R28 |
| 16.1" (410 mm) | 18.5" (470 mm) | 420/85R28 (16.9R28)<br>440/65R28                                     |
| 18.5" (470 mm) | 20.4" (520 mm) | 440/80R28<br>480/65R28                                               |
| 20.4" (520 mm) | 24.4" (620 mm) | 540/65R28                                                            |

### REAR FENDERS

|           |         |                                                                             |  |  |                |
|-----------|---------|-----------------------------------------------------------------------------|--|--|----------------|
| 255-WD012 | Base    | Rear Fenders without Extensions, 78.74"(2.00 M) . . .                       |  |  | <b>In Base</b> |
| 255-WD017 | 7293107 | Wide Fender -90.55" (2.3 M) with Rear Extension . . . M100870               |  |  | 1,310.00       |
| 255-WD020 | 7293109 | Extra Wide Fender -100.4" (2.55 M) . . . . . M112728<br>with Rear Extension |  |  | 1,464.00       |

SUBJECT TO AVAILABILITY

# 6600 CLASSIC EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                  | Catalog Number | Description                                   | Factory Code | Approx. Weight (lb.) | List Price |
|-----------------------------|----------------|-----------------------------------------------|--------------|----------------------|------------|
| <b><u>MISCELLANEOUS</u></b> |                |                                               |              |                      |            |
| 35-EN001                    | 7293092        | Creeper Gear (4:1 Reduction). . . . .         | M182182      |                      | 2,366.00   |
| 35-EN002                    | 7293402        | 14:1 Super Creeper Reduction Gear . . . . .   | M223839      |                      | 2,907.00   |
| 250-GS001                   | 7293100        | Hydraulic Trailer Brakes . . . . .            | M62293       |                      | 809.00     |
| 250-GS062                   | 7293551        | Pneumatic Trailer Brakes . . . . .            | M515900      |                      | 6,700.00   |
| 250-GS067                   | 7293552        | Pneumatic & Hydraulic Trailer Brakes. . . . . | M578116      |                      | 7,508.00   |
| 225-LQ001                   | 7293553        | Water Separator (Fuel Filter) . . . . .       | M35497       |                      | 461.00     |
| 275-TC005                   | 7294210        | French Language OIB. . . . .                  |              |                      | No Charge  |
| 275-TC011                   | 7294211        | Spanish Language OIB . . . . .                |              |                      | No Charge  |

## **DEALER INSTALLED OPTIONS**

### **FRONT WEIGHTS**

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |
| 5020188M | 12 x 55 KG (121 lbs.) Front Weights . . . . . | M176715 | 1452 | 2,295.00 |
| 5020189M | 14 x 55 KG (121 lbs.) Front Weights . . . . . | M206206 | 1694 | 2,678.00 |

SUBJECT TO AVAILABILITY





MASSEY FERGUSON®

# 6600 DELUXE EDITION

(F.O.B. PORT OF ENTRY)

## DELUXE EDITION FEATURES

### ENGINE

**6614/6615/6616**

AGCO POWER™ 4.9L (299 cu in.) 4 Cylinder, Tier 4i Compliant

- SCR Technology
- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus 30F (-34°C)

Fuel Tank Capacity: 61 Gal (223L)

DEF Tank Capacity: 9.2 Gal (35L)

### POWERTRAIN

**6614/6615/6616: DYNA-VT**

- Continuously Variable Transmission, 60 ft/h to 25 MPH (18.2 Meters/h to 40 KPH)
- Dynamic Tractor Management (DTM) with Two Programmable Cruise Speeds
- Short Bar Rear Axle, 90 In. (2277mm) Long, 3.74 in. (95mm) Diameter

**6616: DYNA-6 TRANSMISSION**

- 24F/24R Semi-Powershift, 4 Ranges with 6 Powershifts per Range
- Dynamic Tractor Management (DTM) with Two Programmable Cruise Speeds
- Short Bar Rear Axle, 80 In. (2028mm) Long, 3.23 In (82mm) Diameter

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

**DYNA-VT:**

540/540E/1000 RPM Flanged Shaft, 540 with 6 Spline and 1000 with 21 Spline

**DYNA-6:** 540/540E/1000/1000E Exchangeable Shaft, 540 with 6 Spline and 1000 with 21 Spline with Electric Control

Rear Fender Mounted PTO Shut-Off

### FRONT WHEEL ASSIST AXLE

Pivoting Front Fenders

Power Front Axle (PFA)

- 8 Bolt Pattern: 6614 Dyna-VT
- 10 Bolt Pattern: 6616 Dyna-6

Suspended Front Axle

Shielded Center Drive Line with Electro-Hydraulic Control & Front Wheel Drive Differential Lock

55 Degree Steering Angle

### HYDRAULICS

Power Beyond Couplers

Closed Center Load Sensing 29 gpm (110 L/Min) Pump

2900 PSI (200 Bar) Maximum Pressure

2 Electric Valves - Fingertip Controlled on Armrest,

2 Mechanical Valves – Lever Controlled on Right Hand Console

Fast Steering

### HITCH

3-Point Hitch: Category 2/3 Linkage Ball Ends

- 11,400 lbs lift capacity @ 24"
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, and Rate of Drop
- Variable Float Telescopic Stabilizers
- Left and Right Side External 3 Point Control

### ELECTRICAL SYSTEM

2 – 120 Amp Alternators

2 – 12V Batteries, 600 CCA Each (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

### LIGHTING

8 Front Hood Mounted Lights

Four Front Single Bulb Worklights

Two Rear Double Bulb Worklights

Two Field Lights on Hand Rails and Rear Fenders with

Tail Lights, Flashing Warning Lights, and Turn Signals

### INSTRUMENTS

Control Center Display (CCD)

- Video Input
- Electric Valve Control
- ISOBUS Compliant

Radar with Slip Control

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level, DEF Level, and Coolant Temp Gauges

Warning/Information Lights

### OPERATOR AREA

6 Post Cab

Mechanical Cab Suspension

Transmission Control T-Handle on Armrest

Adjustable Steering Column

Front Sun Visor

Air Conditioning and Heater

Air Suspended Seat - Automatic Adjustment

Front and Rear Windshield Wiper/Washer

Dual Large Telescoping Outside Rear View Mirrors

Single Inside Rear View Mirror

Radio with AM/FM/CD/MP3/Bluetooth and

2 Audio Speakers and Antenna

3 Pin 12V Power Outlet

12V Cigarette Lighter Style Power Outlet

ISO 11783 9-Pin in Cab Connector

ISO 11786 7-Pin in Cab Connector

### WHEELS AND TIRES

Rear 460/85R38 R1W Single Wheels

Front 380/85R28 R1W Single Waffle Wheels

### OTHER STANDARD FEATURES

Auto-Steer Ready

AGCOMMAND™ Ready with Antenna, Bracket, and Harness (No Module or Subscription)

(To Complete, See Technology Section)

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Literature

**MF6600 models with Dyna-6 Transmission can not be sold in Nebraska**

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless In Base Option is desired)

## BASE MACHINE

### DYNA-6 EDITIONS

|                 |         |                                                 |           |  |            |
|-----------------|---------|-------------------------------------------------|-----------|--|------------|
| MF6616~D6~EF~01 | 7292204 | Massey 6616 Deluxe Tractor 125 PTO HP . . . . . | M11897886 |  | 154,518.00 |
|-----------------|---------|-------------------------------------------------|-----------|--|------------|

### DYNA-VT EDITIONS

|                 |         |                                                 |           |  |            |
|-----------------|---------|-------------------------------------------------|-----------|--|------------|
| MF6614~DV~EF~01 | 7292207 | Massey 6614 Deluxe Tractor 100 PTO HP . . . . . | M11613294 |  | 150,822.00 |
| MF6615~DV~EF~01 | 7292208 | Massey 6615 Deluxe Tractor 110 PTO HP . . . . . | M12080530 |  | 156,890.00 |
| MF6616~DV~EF~01 | 7292209 | Massey 6616 Deluxe Tractor 120 PTO HP . . . . . | M12547766 |  | 162,958.00 |

### TRANSMISSION OPTIONS FOR DYNA-6 EDITIONS

|          |         |                                                                                                                                                                              |         |         |          |
|----------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------|----------|
| 25-EA655 | Base    | 6x4 Dyna-6 AUTODRIVE Transmission with . . . . .<br>24F/24R gears. 25 MPH (40 KPH)                                                                                           |         | In Base |          |
| 25-G1063 | 7293524 | 6X4 Dyna-6 AUTODRIVE Transmission with . . . . .<br>24F/24R gears. 31 MPH (50 KPH) .<br>Also includes: High Pressure Brakes.<br>(Not Compatible with NA030 Power Front Axle) | M125741 |         | 1,633.00 |

### TRANSMISSION OPTIONS FOR DYNA-VT EDITIONS

|          |         |                                                                                                  |        |         |        |
|----------|---------|--------------------------------------------------------------------------------------------------|--------|---------|--------|
| 25-EA621 | Base    | Dyna-VT Transmission - 25 MPH (40 KPH) . . . . .                                                 |        | In Base |        |
| 25-EA622 | 7293525 | Dyna-VT Transmission - 31 MPH (50 KPH) . . . . .<br>(Not Compatible with NA030 Power Front Axle) | M61446 |         | 798.00 |

### EQUIPMENT REQUIRED FOR NORTH AMERICA

|         |                                                                                                     |        |        |
|---------|-----------------------------------------------------------------------------------------------------|--------|--------|
| 7293488 | Instructional Seat . . . . .                                                                        | M37422 | 486.00 |
| 7293489 | Front Weight Carrier . . . . .<br>(Removed when factory installed front 3-Point Hitch is selected.) | M24101 | 313.00 |

### MARKETING PACKAGE

|         |                                                                                                                        |         |          |
|---------|------------------------------------------------------------------------------------------------------------------------|---------|----------|
| MKT0326 | Upgrade Package Includes: . . . . .<br>Superluxe Grammar Seat<br>Automatic Climate Control<br>Hydraulic Cab Suspension | M462308 | 6,004.00 |
|---------|------------------------------------------------------------------------------------------------------------------------|---------|----------|



MASSEY FERGUSON®

**6600 DELUXE EDITION**

(F.O.B. PORT OF ENTRY)

| Order Code                                       | Catalog Number | Description                                                                                                                                                                                                           | Factory Code | Approx. Weight (lb.) | List Price     |
|--------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b>AUXILIARY VALVE 1 &amp; 2</b>                 |                |                                                                                                                                                                                                                       |              |                      |                |
| 50-KX011                                         | Base           | Valves 1 and 2 Electric, Fingertip Controlled Spool Valves<br>Fingertips Located in Armrest                                                                                                                           |              |                      | <b>In Base</b> |
| 50-KX012                                         | 7293530        | Valves 1 and 2 Electric, with Multi-Function Joystick on the Armrest<br>(Required when Choosing Factory Installed Loader Provisions (LL004))                                                                          |              |                      | No Charge      |
| <b>AUXILIARY VALVE 3 &amp; 4</b>                 |                |                                                                                                                                                                                                                       |              |                      |                |
| 55-MU012                                         | Base           | 3rd and 4th Mechanically Controlled Valves, . . . . .<br>with levers located in Right Hand Console<br>Kickout, Zero Leak, Flow Dividing, Float                                                                        |              |                      | <b>In Base</b> |
| 55-MU003                                         | 7293532        | 3rd Valve only, Mechanically Controlled. . . . . (M87472)<br>with lever located in Right Hand Console<br>Kickout, Zero Leak, Flow Dividing, Float                                                                     |              |                      | (1,136.00)     |
| 55-MU031                                         | 7293676        | 3rd and 4th Electric, Fingertip Controlled Valves . . . . M104566<br>with Fingertips located on Right Hand Console                                                                                                    |              |                      | 1,358.00       |
| <b>POWER BEYOND</b>                              |                |                                                                                                                                                                                                                       |              |                      |                |
| 90-GR010                                         | Base           | Power Beyond Couplers P/T/LS/D . . . . .                                                                                                                                                                              |              |                      | <b>In Base</b> |
| 90-GR000                                         | 7293665        | Less Power Beyond. . . . . (M55132)<br>(Only available with Front Loader Provision LL004)                                                                                                                             |              |                      | (716.00)       |
| <b>FRONT AXLE</b>                                |                |                                                                                                                                                                                                                       |              |                      |                |
| <b>For 6614 Dyna-VT</b>                          |                |                                                                                                                                                                                                                       |              |                      |                |
| 65-Base                                          | Base           | Suspended Power Front Axle . . . . .                                                                                                                                                                                  |              |                      | <b>In Base</b> |
| 65-NA030                                         | 7295101        | Non-Suspended Power Front Axle . . . . . (M531146)<br>(Not available with 31 MPH (50 KPH) Dyna-6<br>or Dyna-VT Transmissions )                                                                                        |              |                      | (6,898.00)     |
| <b>For 6616 Dyna-6 / 6615 &amp; 6616 Dyna-VT</b> |                |                                                                                                                                                                                                                       |              |                      |                |
| 65-Base                                          | Base           | Suspended Power Front Axle . . . . .                                                                                                                                                                                  |              |                      | <b>In Base</b> |
| 65-NA030                                         | 7293599        | Non-Suspended Power Front Axle . . . . . (M531146)<br>(Not available with 31 MPH (50 KPH) Dyna-6<br>or Dyna-VT Transmissions )                                                                                        |              |                      | (6,898.00)     |
| <b>REAR AXLE</b>                                 |                |                                                                                                                                                                                                                       |              |                      |                |
| <b>DYNA-6</b>                                    |                |                                                                                                                                                                                                                       |              |                      |                |
| 60-EE402                                         | Base           | Short Bar Rear Axle, 80 in. (2028mm) Length, 3.23 in (82mm) Diameter                                                                                                                                                  |              |                      | <b>In Base</b> |
| 60-EE400                                         | 7293027        | Flange Axle. . . . . (M35112)                                                                                                                                                                                         |              |                      | (456.00)       |
| 60-EE404                                         | 7293026        | Long Bar Rear Axle, 105 in (2672mm) Length, . . . . M71225<br>3.23 in (82mm) Diameter<br>(Requires Extremity Lights VE019)                                                                                            |              |                      | 925.00         |
| <b>DYNA-VT</b>                                   |                |                                                                                                                                                                                                                       |              |                      |                |
| 60-EE402                                         | Base           | Short Bar Rear Axle, 90 in. (2277mm) Long, . . . . .<br>3.74 in. (95mm) Diameter                                                                                                                                      |              |                      | <b>In Base</b> |
| 60-EE404                                         | 7293131        | Long Bar Rear Axle, 113 in. (2869mm) Long, . . . . M71225<br>3.74 in. (95mm) Diameter<br>(Requires Extremity Lights VE019)                                                                                            |              |                      | 925.00         |
| <b>REAR 3-POINT HITCH</b>                        |                |                                                                                                                                                                                                                       |              |                      |                |
| 95-GC009                                         | Base           | Category 2/3 Telescopic Ball End Links. . . . .                                                                                                                                                                       |              |                      | <b>In Base</b> |
| 95-GC022                                         | 7293572*       | Category 3 Hook End Links and Cat 2/3 Balls and Cones                                                                                                                                                                 |              |                      | No Charge      |
| 95-GC026                                         | 7293573*       | Category 3 Hook End Links, with Hydraulic Top Link . . M68607<br>and Cat 3/3 and Cat 2/3 Balls and Cones<br>(Requires YG001 or YG009 Rear Three Point Stabilizers)<br><b>*Not Available with Dyna-VT Transmission</b> |              |                      | 891.00         |

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## REAR THREE POINT STABILIZERS

|           |          |                                                                          |        |  |        |
|-----------|----------|--------------------------------------------------------------------------|--------|--|--------|
| 165-YG001 | Base     | Variable Float Telescopic Stabilizers . . . . .                          |        |  | Base   |
| 165-YG006 | 7293403* | Rub Block Stabilizers (Requires GC009) . . . . .                         | M50743 |  | 659.00 |
| 165-YG009 | 7293574* | Automatic Stabilizers . . . . .<br>(Requires GC022 or GC026 Lower Links) | M26026 |  | 338.00 |

**\*Available with Dyna-6 Transmissions Only**

## INSTRUMENT PANEL / CONTROL CENTER DISPLAY (CCD)

### **LESS AUTO-STEERING READY**

|           |         |                                                                                                                                                                    |  |  |            |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------|
| 175-BA003 | 7293556 | Analog and Digital Instrument Panel with Radar . . . . (M394163)<br>(For Actual Ground Speed) and Slip Control.<br>No Control Center Display (CCD).                |  |  | (5,119.00) |
| 175-BA005 | 7293557 | Analog and Digital Instrument Panel w/o Radar or Slip . (M456379)<br>Control. No Control Center Display (CCD).                                                     |  |  | (5,927.00) |
| 175-BA008 | 7293563 | Analog and Digital Instrument Panel, Control Center . . (M11165)<br>Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS. |  |  | (145.00)   |

### **AUTO-STEERING READY**

|           |          |                                                                                                                                                                                                                                                                                                          |  |  |                |
|-----------|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 175-Base  | Base*    | Auto-Steer Ready, Analog and Digital Instrument Panel,<br>Control Center Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS.<br>(Includes Roof Plate and Wiring Harness)<br><i>Order Auto-Guide™ 3000 TopDock Separately</i><br><i>See Technology Section</i> |  |  | <b>In Base</b> |
| 175-BA016 | 7293538* | Auto-Steer Ready, Analog and Digital Instrument Panel, (M358743)<br>Radar with Slip Control<br>No Control Center Display (CCD).<br>(Includes Roof Plate and Wiring Harness)<br><i>Order Auto-Guide™ 3000 TopDock Separately</i><br><i>See Technology Section</i>                                         |  |  | (4,659.00)     |

**Note: The Control Center Display (CCD) is required to utilize Auto-Guide™ 3000.**

### **AUTO-STEERING COMPLETE**

|           |         |                                                                                                                                                                                                                                                                                                                                                                               |  |  |          |
|-----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 175-BA021 | 7293677 | Analog and Digital Instrument Panel, Control Center . . M478632<br>Display (CCD) with Video Input, Electric<br>Valve Control, and ISOBUS. Radar with Slip Control.<br>Auto-Guide™ 3000 Sub-Meter (WAAS and OmniStar VBS)<br>Auto Steering System. (Includes Roof Plate and Wiring Harness)<br>(Requires SpeedSteer)<br>Auto-Guide™ 3000 uses the Control Center Display (CCD) |  |  | 6,216.00 |
|-----------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|

## SPEEDSTEER

|           |         |                                                                                                           |  |  |                |
|-----------|---------|-----------------------------------------------------------------------------------------------------------|--|--|----------------|
| 185-AD004 | Base    | SpeedSteer Option . . . . .                                                                               |  |  | <b>In Base</b> |
| 185-AD002 | 7293558 | Less SpeedSteer . . . . . (M69300)<br>(Not Available with Base, BA021, or BA016 Instrument Control Panel) |  |  | (900.00)       |



MASSEY FERGUSON®

## 6600 DELUXE EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### TIRES for 6616 Dyna-6

#### TIRE BRAND SELECTION

|          |         |                                     |         |  |           |
|----------|---------|-------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .      |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin Brand Required . . . . .   | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone Brand Required . . . . .  | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg Brand Required . . . . . | M91861  |  | 1,193.00  |

#### FRONT AND REAR TIRES

##### **FLANGE AXLE\***

**Rear: Single Pressed Steel Manual Adjust - Set of 2**

**Front: Waffle Wheel**

|          |                        |                                                                                                        |  |  |            |
|----------|------------------------|--------------------------------------------------------------------------------------------------------|--|--|------------|
| 75-W1297 | 7292864B1<br>7293762B2 | R: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . (M107338)<br>F: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | (1,394.00) |
| 75-W1309 | 7292865B1<br>7294762B2 | R: 520/85R38 R1W (MI, FI, TR) . . . . . (M01155)<br>F: 420/85R28 R1W (MI, FI, TR)                      |  |  | (15.00)    |

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |                        |                                                                                        |  |  |          |
|----------|------------------------|----------------------------------------------------------------------------------------|--|--|----------|
| 75-W1478 | 7292873B1<br>7294791B2 | R: 540/80R38 (Nokian Industrial) . . . . . M687379<br>F: 440/80R28 (Nokian Industrial) |  |  | 8,927.00 |
| 75-W1286 | 7292858B1<br>7294784B2 | R: 540/65R38 R1W (MI, FI, TR) . . . . . (M53823)<br>F: 440/65R28 R1W (MI, FI, TR)      |  |  | (699.00) |
| 75-W1257 | 7292859B1<br>7293758B2 | R: 600/65R38 R1W (MI, FI, TR) . . . . . (M00308)<br>F: 480/65R28 R1W (MI, FI, TR)      |  |  | (4.00)   |
| 75-W1258 | 7292860B1<br>7294783B2 | R: 650/65R38 R1W (MI, FI, TR) . . . . . M226149<br>F: 540/65R28 R1W (MI, FI, TR)       |  |  | 2,937.00 |

**\*Flange Axles are not compatible with Dyna-VT Transmissions**

##### **BAR AXLES- SHORT AND LONG**

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |                        |                                                                                        |  |  |          |
|----------|------------------------|----------------------------------------------------------------------------------------|--|--|----------|
| 75-W1670 | 7294899B4<br>7294784B2 | R: 540/65R38 R1W (MI, FI, TR) . . . . . (M49434)<br>F: 440/65R28 R1W (MI, FI, TR)      |  |  | (642.00) |
| 75-W1572 | 7294894B4<br>7293758B2 | R: 600/65R38 R1W (MI, FI, TR) . . . . . (M05544)<br>F: 480/65R28 R1W (MI, FI, TR)      |  |  | (72.00)  |
| 75-W1673 | 7294905B4<br>7294791B2 | R: 540/80R38 (Nokian Industrial) . . . . . M688072<br>F: 440/80R28 (Nokian Industrial) |  |  | 8,936.00 |
| 75-W1262 | 7294895B4<br>7294783B2 | R: 650/65R38 R1W (MI, FI, TR) . . . . . M226996<br>F: 540/65R28 R1W (MI, FI, TR)       |  |  | 2,948.00 |

SUBJECT TO AVAILABILITY

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6616 Dyna-6

### FRONT AND REAR TIRES - CONTINUED

#### BAR AXLES- SHORT AND LONG

**Rear: Single Semi Dished Cast Centers- Set of 2**

**Front: Waffle Wheel**

|          |           |                                                      |         |  |                |
|----------|-----------|------------------------------------------------------|---------|--|----------------|
| 75-Base  | 7294897B4 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . |         |  | <b>In Base</b> |
|          | 7293762B2 | Front: 380/85R28 R1W (14.9R28) (MI, FI, TR)          |         |  |                |
| 75-W1533 | 7294893B4 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . .           | M211211 |  | 2,743.00       |
|          | 7294762B2 | Front: 420/85R28 R1W (MI, FI, TR)                    |         |  |                |
| 75-W1377 | 7294882B4 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . .          | M109802 |  | 1,426.00       |
|          | 7294765B2 | Front: 380/85R30 R1W* (MI, TR, FI)                   |         |  |                |
| 75-W1620 | 7294882B4 | Rear: 480/80R42 R1W (MI) . . . . .                   | M167475 |  | 2,175.00       |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |  |                |
| 75-W1548 | 7294883B4 | Rear: 380/90R46 R1W (MI) . . . . .                   | M167860 |  | 2,180.00       |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |  |                |
| 75-W1388 | 7294884B4 | Rear: 420/80R46 R1W (MI) . . . . .                   | M212982 |  | 2,766.00       |
|          | 7294762B2 | Front: 420/85R28 R1W (MI)                            |         |  |                |
| 75-W1409 | 7294884B4 | Rear: 420/80R46 R1W* (MI, FI) . . . . .              | M163702 |  | 2,126.00       |
|          | 7294765B2 | Front: 380/85R30 R1W* (MI, FI)                       |         |  |                |
| 75-W1624 | 7294884B4 | Rear: 420/80R46 R1W (MI) . . . . .                   | M221375 |  | 2,875.00       |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |  |                |
| 75-W1318 | 7294883B4 | Rear: 380/90R46 R1W* (MI, FI) . . . . .              | M110187 |  | 1,431.00       |
|          | 7294765B2 | Front: 380/85R30 R1W* (MI, FI)                       |         |  |                |
| 75-W1394 | 7294885B4 | Rear: 320/90R50 R1W (MI) . . . . .                   | M122738 |  | 1,594.00       |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |  |                |
| 75-W1384 | 7294882B4 | Rear: 480/80R42 R1W (MI, TR) . . . . .               | M159082 |  | 2,066.00       |
|          | 7294762B2 | Front: 420/85R28 R1W (MI, TR)                        |         |  |                |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY





MASSEY FERGUSON®

## 6600 DELUXE EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### TIRES for 6616 Dyna-6

#### FRONT AND REAR TIRES - CONTINUED

##### BAR AXLES- LONG

**Rear: Dual Cast Inner / Steel Outer - Set of 4**

**Front: Waffle Wheel**

|          |                        |                                                                                              |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------------------------|---------|--|-----------|
| 75-W1374 | 7294898B4<br>7293762B2 | Duals: 460/85R38 R1W (18.4R38) (MI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) | M552398 |  | 7,174.00  |
| 75-W1395 | 7294889B4<br>7294769B2 | Duals: 320/90R50 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M760683 |  | 9,879.00  |
| 75-W1549 | 7294887B4<br>7294769B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M741202 |  | 9,626.00  |
| 75-W1379 | 7294887B4<br>7294765B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)                             | M683529 |  | 8,877.00  |
| 75-W1625 | 7294888B4<br>7294769B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M815276 |  | 10,588.00 |
| 75-W1410 | 7294888B4<br>7294765B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI)                   | M757603 |  | 9,839.00  |
| 75-W1471 | 7294888B4<br>7294762B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M806883 |  | 10,479.00 |
| 75-W1621 | 7294886B4<br>7294769B2 | Duals: 480/80R42 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M684992 |  | 8,896.00  |
| 75-W1380 | 7294886B4<br>7294765B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR)                   | M627319 |  | 8,147.00  |
| 75-W1386 | 7294886B4<br>7294762B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)                     | M676599 |  | 8,787.00  |
| 75-W1658 | 7294896B4<br>7294762B2 | Duals: 520/85R38 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M702009 |  | 9,117.00  |

##### BAR AXLES- LONG

**Rear: Dual Cast Inner / Cast Outer - Set of 4**

**Front: Waffle Wheel**

|          |                        |                                                                            |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------|---------|--|-----------|
| 75-W1408 | 7294925B4<br>7293764B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)           | M691460 |  | 8,980.00  |
| 75-W1412 | 7294926B4<br>7293764B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI) | M876029 |  | 11,377.00 |
| 75-W1406 | 7294926B4<br>7293763B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)           |         |  | TBA       |
| 75-W1407 | 7294927B4<br>7293764B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR) | M635250 |  | 8,250.00  |
| 75-W1405 | 7294927B4<br>7293763B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)   |         |  | TBA       |

\* FIRESTONE TREAD TYPE IS R1

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6614 Dyna-VT

### FRONT AND REAR TIRES - CONTINUED

#### BAR AXLES- SHORT AND LONG

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |                      |                                                                                                                    |  |  |          |
|----------|----------------------|--------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 75-W1670 | 7294899B4<br>7293757 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . . (M49434)<br>Front: 440/65R28 R1W (MI, FI, TR)                           |  |  | (642.00) |
| 75-W1572 | 7294894B4<br>7294785 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . . (M05544)<br>Front: 480/65R28 R1W (MI, FI, TR)                           |  |  | (72.00)  |
| 75-W1673 | 7294905B4<br>7293769 | Rear: 540/80R38 (Nokian Industrial) . . . . . M688072<br>Front: 440/80R28 (Nokian Industrial)                      |  |  | 8,936.00 |
| 75-W1262 | 7294895B4<br>7293759 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . . M226996<br>Front: 540/65R28 R1W (MI, FI, TR)                            |  |  | 2,948.00 |
| 75-W1667 | 7294903B4<br>7293767 | Rear: 480/80R34 Industrial (Nokian Industrial). . . . . M385000<br>Front: 400/80R24 Industrial (Nokian Industrial) |  |  | 5,000.00 |
| 75-W1672 | 7294904B4<br>7293768 | Rear: 480/80R38 Industrial (Nokian Industrial). . . . . M494417<br>Front: 400/80R28 Industrial (Nokian Industrial) |  |  | 6,421.00 |

**Rear: Single Semi Dished Cast Centers- Set of 2**

**Front: Waffle Wheel**

|          |                      |                                                                                                     |  |  |                |
|----------|----------------------|-----------------------------------------------------------------------------------------------------|--|--|----------------|
| 75-Base  | 7294897B4<br>7294786 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | <b>In Base</b> |
| 75-W1533 | 7294893B4<br>7293763 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M211211<br>Front: 420/85R28 R1W (MI, FI, TR)             |  |  | 2,743.00       |
| 75-W1377 | 7294882B4<br>7293764 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . . M109802<br>Front: 380/85R30 R1W* (MI, TR, FI)           |  |  | 1,426.00       |
| 75-W1388 | 7294884B4<br>7293763 | Rear: 420/80R46 R1W (MI) . . . . . M212982<br>Front: 420/85R28 R1W (MI)                             |  |  | 2,766.00       |
| 75-W1409 | 7294884B4<br>7293764 | Rear: 420/80R46 R1W* (MI, FI) . . . . . M163702<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 2,126.00       |
| 75-W1318 | 7294883B4<br>7293764 | Rear: 380/90R46 R1W* (MI, FI) . . . . . M110187<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 1,431.00       |
| 75-W1384 | 7294882B4<br>7293763 | Rear: 480/80R42 R1W (MI, TR) . . . . . M159082<br>Front: 420/85R28 R1W (MI, TR)                     |  |  | 2,066.00       |

#### BAR AXLES- LONG

**Rear: Dual Cast Inner / Steel Outer - Set of 4**

**Front: Waffle Wheel**

|          |                      |                                                                                                     |  |  |           |
|----------|----------------------|-----------------------------------------------------------------------------------------------------|--|--|-----------|
| 75-W1374 | 7294898B4<br>7294786 | Duals: 460/85R38 R1W (18.4R38) (MI, TR). . . . . M552398<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) |  |  | 7,174.00  |
| 75-W1379 | 7294887B4<br>7293764 | Duals: 380/90R46 R1W (MI) . . . . . M683529<br>Front: 380/85R30 R1W (MI)                            |  |  | 8,877.00  |
| 75-W1410 | 7294888B4<br>7293764 | Duals: 420/80R46 R1W* (MI, FI) . . . . . M757603<br>Front: 380/85R30 R1W* (MI, FI)                  |  |  | 9,839.00  |
| 75-W1471 | 7294888B4<br>7293763 | Duals: 420/80R46 R1W (MI) . . . . . M806883<br>Front: 420/85R28 R1W (MI)                            |  |  | 10,479.00 |
| 75-W1380 | 7294886B4<br>7293764 | Duals: 480/80R42 R1W* (MI, TR) . . . . . M627319<br>Front: 380/85R30 R1W* (MI, TR)                  |  |  | 8,147.00  |
| 75-W1386 | 7294886B4<br>7293763 | Duals: 480/80R42 R1W (MI, TR) . . . . . M676599<br>Front: 420/85R28 R1W (MI, TR)                    |  |  | 8,787.00  |
| 75-W1658 | 7294896B4<br>7293763 | Duals: 520/85R38 R1W (MI) . . . . . M702009<br>Front: 420/85R28 R1W (MI)                            |  |  | 9,117.00  |

\* FIRESTONE TREAD TYPE IS R1





MASSEY FERGUSON®

## 6600 DELUXE EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

**TIRES for 6615 & 6616 Dyna-VT****FRONT AND REAR TIRES - CONTINUED****BAR AXLES- SHORT AND LONG****Rear: Single Welded Pressed Steel - Set of 2****Front: Fixed Welded Steel Rim**

|          |                        |                                                                                               |  |  |          |
|----------|------------------------|-----------------------------------------------------------------------------------------------|--|--|----------|
| 75-W1670 | 7294899B4<br>7294784B2 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . . (M49434)<br>Front: 440/65R28 R1W (MI, FI, TR)      |  |  | (642.00) |
| 75-W1572 | 7294894B4<br>7293758B2 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . . (M05544)<br>Front: 480/65R28 R1W (MI, FI, TR)      |  |  | (72.00)  |
| 75-W1673 | 7294905B4<br>7294791B2 | Rear: 540/80R38 (Nokian Industrial) . . . . . M688072<br>Front: 440/80R28 (Nokian Industrial) |  |  | 8,936.00 |
| 75-W1262 | 7294895B4<br>7294783B2 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . . M226996<br>Front: 540/65R28 R1W (MI, FI, TR)       |  |  | 2,948.00 |

**Rear: Single Semi Dished Cast Centers- Set of 2****Front: Waffle Wheel**

|          |                        |                                                                                                     |  |  |                |
|----------|------------------------|-----------------------------------------------------------------------------------------------------|--|--|----------------|
| 75-Base  | 7294897B4<br>7293762B2 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | <b>In Base</b> |
| 75-W1533 | 7294893B4<br>7294762B2 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M211211<br>Front: 420/85R28 R1W (MI, FI, TR)             |  |  | 2,743.00       |
| 75-W1377 | 7294882B4<br>7294765B2 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . . M109802<br>Front: 380/85R30 R1W* (MI, TR, FI)           |  |  | 1,426.00       |
| 75-W1620 | 7294882B4<br>7294769B2 | Rear: 480/80R42 R1W (MI) . . . . . M167475<br>Front: 320/85R34 R1W (MI)                             |  |  | 2,175.00       |
| 75-W1548 | 7294883B4<br>7294769B2 | Rear: 380/90R46 R1W (MI) . . . . . M167860<br>Front: 320/85R34 R1W (MI)                             |  |  | 2,180.00       |
| 75-W1388 | 7294884B4<br>7294762B2 | Rear: 420/80R46 R1W (MI) . . . . . M212982<br>Front: 420/85R28 R1W (MI)                             |  |  | 2,766.00       |
| 75-W1409 | 7294884B4<br>7294765B2 | Rear: 420/80R46 R1W* (MI, FI) . . . . . M163702<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 2,126.00       |
| 75-W1624 | 7294884B4<br>7294769B2 | Rear: 420/80R46 R1W (MI) . . . . . M221375<br>Front: 320/85R34 R1W (MI)                             |  |  | 2,875.00       |
| 75-W1318 | 7294883B4<br>7294765B2 | Rear: 380/90R46 R1W* (MI, FI) . . . . . M110187<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 1,431.00       |
| 75-W1394 | 7294885B4<br>7294769B2 | Rear: 320/90R50 R1W (MI) . . . . . M122738<br>Front: 320/85R34 R1W (MI)                             |  |  | 1,594.00       |
| 75-W1384 | 7294882B4<br>7294762B2 | Rear: 480/80R42 R1W (MI, TR) . . . . . M159082<br>Front: 420/85R28 R1W (MI, TR)                     |  |  | 2,066.00       |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6615 & 6616 Dyna-VT

### FRONT AND REAR TIRES - CONTINUED

#### BAR AXLES- LONG

**Rear: Dual Cast Inner / Steel Outer - Set of 4**

**Front: Waffle Wheel**

|          |                        |                                                                                              |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------------------------|---------|--|-----------|
| 75-W1374 | 7294898B4<br>7293762B2 | Duals: 460/85R38 R1W (18.4R38) (MI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) | M552398 |  | 7,174.00  |
| 75-W1395 | 7294889B4<br>7294769B2 | Duals: 320/90R50 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M760683 |  | 9,879.00  |
| 75-W1549 | 7294887B4<br>7294769B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M741202 |  | 9,626.00  |
| 75-W1379 | 7294887B4<br>7294765B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)                             | M683529 |  | 8,877.00  |
| 75-W1625 | 7294888B4<br>7294769B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M815276 |  | 10,588.00 |
| 75-W1410 | 7294888B4<br>7294765B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI)                   | M757603 |  | 9,839.00  |
| 75-W1471 | 7294888B4<br>7294762B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M806883 |  | 10,479.00 |
| 75-W1621 | 7294886B4<br>7294769B2 | Duals: 480/80R42 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M684992 |  | 8,896.00  |
| 75-W1380 | 7294886B4<br>7294765B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR)                   | M627319 |  | 8,147.00  |
| 75-W1386 | 7294886B4<br>7294762B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)                     | M676599 |  | 8,787.00  |
| 75-W1658 | 7294896B4<br>7294762B2 | Duals: 520/85R38 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M702009 |  | 9,117.00  |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 6600 DELUXE EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PTO

#### **DYNA-6**

|           |         |                                                                                                                                      |  |  |                |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 100-LC002 | Base    | Standard and Economy PTO Drive -2000 & 1550. . . . .<br>Engine RPM. Exchangeable Shaft PTO- 540 RPM<br>6 Spline + 1000 RPM 21 Spline |  |  | <b>In Base</b> |
| 100-LC001 | 7293589 | 540 RPM 6 Spline & 1000 RPM 21 Spline . . . . . (M70609)<br>Exchangeable Shaft with No Economy                                       |  |  | (917.00)       |

#### **DYNA-VT**

|          |      |                                                                                                        |  |  |                |
|----------|------|--------------------------------------------------------------------------------------------------------|--|--|----------------|
| 100-Base | Base | 540/540E/1000 RPM Flanged PTO with one 6 Spline Shaft<br>and one 21 Spline Shaft, with In-Cab Controls |  |  | <b>In Base</b> |
|----------|------|--------------------------------------------------------------------------------------------------------|--|--|----------------|

### FRONT HITCH

|           |         |                                                                                                              |  |  |                |
|-----------|---------|--------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 230-FA000 | Base    | Less Front Hitch . . . . .                                                                                   |  |  | <b>In Base</b> |
| 230-F1132 | 7293594 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M490952<br>1 Set of Hydraulic Couplers                     |  |  | 6,376.00       |
| 230-F1134 | 7293595 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M521290<br>2 sets of Hydraulic Couplers                    |  |  | 6,770.00       |
| 230-F1135 | 7293596 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M502656<br>1 set of Hydraulic Couplers with Pressure Drain |  |  | 6,528.00       |

### LOADER PROVISION

|           |         |                                                                                                                                                                                    |  |  |                |
|-----------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 350-LL000 | Base    | Less Loader Provisions. . . . .                                                                                                                                                    |  |  | <b>In Base</b> |
| 350-LL004 | 7293484 | Front Loader Provisions including Hydraulics, . . . . . M464233<br>Subframe.<br>(Requires Less Power Beyond- GR000 &<br>Requires: Valves 1 and 2 Electric with a Joystick (KX012)) |  |  | 6,029.00       |

### CAB

|           |         |                                                                                                                                                                                    |  |  |          |
|-----------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 365-AF009 | 7294249 | Radio, AM/FM, MP3 Compatible . . . . . (M08470)                                                                                                                                    |  |  | (110.00) |
| 125-AE042 | 7293546 | Superluxe Grammar Seat . . . . . M136598                                                                                                                                           |  |  | 1,774.00 |
| 145-AL009 | 7293547 | Telescopic Large Side Mirrors with Electric . . . . . M35959<br>De-Icing and Adjustment                                                                                            |  |  | 467.00   |
| 120-AQ004 | 7293082 | Automatic Climate Control . . . . . M94941                                                                                                                                         |  |  | 1,233.00 |
| 115-AM088 | 7293592 | Hydraulic Cab Suspension . . . . . M230769                                                                                                                                         |  |  | 2,997.00 |
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . . M20790                                                                                                                                 |  |  | 270.00   |
| 140-E1022 | 7293078 | Visio roof . . . . . M120890<br>(Not Compatible<br>with AL009 Mirrors or<br>with Automatic Climate Control (AQ004) or<br>with AutoGuide Ready Options (BA008/BA012/ BA013/ BA016)) |  |  | 1,570.00 |

SUBJECT TO AVAILABILITY

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                                                 | Catalog Number | Description                                                                                                                                                                       | Factory Code | Approx. Weight (lb.) | List Price     |
|------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b>FRONT WEIGHTS</b>                                       |                |                                                                                                                                                                                   |              |                      |                |
| 285-YA112                                                  | 7293487        | 121 lbs. (55 kg.) Front Weights, Set of 12 . . . . .<br>with Hardware - total Weight 1,455 lbs. (660 kg.)                                                                         | M176715      |                      | 2,295.00       |
| <b>REAR WHEEL WEIGHTS</b>                                  |                |                                                                                                                                                                                   |              |                      |                |
| 325-RD040                                                  | 7294192*       | 551 lbs. (250 kg.) Weights, Set of 2. . . . .<br>Mounts Externally to Wheel                                                                                                       | M142065      | 1102                 | 1,845.00       |
| 325-RD041                                                  | 7294200*       | 551 lbs. (250 kg.) Weights, Set of 4. . . . .<br>Mounts Externally to Wheel                                                                                                       | M284053      | 2204                 | 3,689.00       |
| <b>*NOT COMPATIBLE WITH MANUAL ADJUST FLANGE AXLE RIMS</b> |                |                                                                                                                                                                                   |              |                      |                |
| <b>BELLY AND HITCH WEIGHTS</b>                             |                |                                                                                                                                                                                   |              |                      |                |
| 245-YD001                                                  | 7293374        | 1 Belly Weight - 584 lbs. (265 kg.) . . . . .<br>(For use <b>WITHOUT</b> Front 3-Point Hitch)                                                                                     | M114730      | 584                  | 1,490.00       |
| 245-YD001                                                  | 7293375        | 1 Belly Weight - 397 lbs. (180 kg.) . . . . .<br>(For use <b>WITH</b> Front 3-Point Hitch)                                                                                        | M84392       | 430                  | 1,096.00       |
| 345-YB003                                                  | 7294119        | 1873 lbs. (850 kg.) 3-Point Hitch Weight . . . . .<br>(For use with Front 3-Point Hitch or<br>Rear 3-Point Hitch without Quick Hitch<br>Only if Rear Links are Hooks Style GC022) | M262262      | 1984                 | 3,406.00       |
| <b>ELECTRICAL</b>                                          |                |                                                                                                                                                                                   |              |                      |                |
| 215-CB002                                                  | Base           | Engine Block Heater - 110 Volt . . . . .                                                                                                                                          |              |                      | <b>In Base</b> |
| 215-CB000                                                  | 7293593        | Less Engine Block Heater. . . . . (M15939)                                                                                                                                        |              |                      | (207.00)       |
| <b>ALTERNATOR</b>                                          |                |                                                                                                                                                                                   |              |                      |                |
| 220-CE019                                                  | Base           | Twin 120 AMP Alternators. . . . .                                                                                                                                                 |              |                      | <b>In Base</b> |
| 220-CE020                                                  | 7293561        | 175 AMP Alternator. . . . . (M29260)<br>(Not Available with ISOBUS.)                                                                                                              |              |                      | (380.00)       |
| <b>LIGHTING</b>                                            |                |                                                                                                                                                                                   |              |                      |                |
| 205-VF013                                                  | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right .<br>(Includes SAE SMV sign)                                                                                                   | M39809       | 1102                 | 517.00         |
| 195-VG078                                                  | 7295103        | 2 Front and 2 Rear Xenon Work Lights.. . . .<br>Xenon Bulb for Brighter Lights and Longer Bulb Life                                                                               | M261184      |                      | 3,392.00       |
| 360-VE019                                                  | 7293476        | Extremity Lighting . . . . .<br>(Required with Long Bar Axle)                                                                                                                     | M58212       |                      | 756.00         |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 6600 DELUXE EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PIVOTING FRONT FENDERS

|           |         |                                                                                                          |  |  |                |
|-----------|---------|----------------------------------------------------------------------------------------------------------|--|--|----------------|
| 155-WE110 | Base    | Pivoting Front Fenders - Standard Width . . . . .<br>Width depends on tire selection; see Chart Below    |  |  | <b>In Base</b> |
| 155-WE111 | 7293598 | Pivoting Front Fenders - Wide Width . . . . . M09163<br>Width depends on tire selection; see Chart Below |  |  | 119.00         |

| Fender Size    |                |                                                                      |
|----------------|----------------|----------------------------------------------------------------------|
| Standard       | Wide           | Tire Sizes                                                           |
| 12.6" (320 mm) | 13.9" (355 mm) | 320/85R34 (12.4R34)                                                  |
| 13.9" (355 mm) | 14.9" (380 mm) | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                           |
| 14.9" (380 mm) | 16.1" (410 mm) | 380/85R28 (14.9R28)<br>380/85R30 (14.9R30)<br>400/80R24<br>400/80R28 |
| 16.1" (410 mm) | 18.5" (470 mm) | 420/85R28 (16.9R28)<br>440/65R28                                     |
| 18.5" (470 mm) | 20.4" (520 mm) | 440/80R28<br>480/65R28                                               |
| 20.4" (520 mm) | 24.4" (620 mm) | 540/65R28                                                            |

### REAR FENDERS

|           |         |                                                                             |  |                |
|-----------|---------|-----------------------------------------------------------------------------|--|----------------|
| 255-WD012 | Base    | Rear Fenders without Extensions, 78.74"(2.00 M) . . .                       |  | <b>In Base</b> |
| 255-WD017 | 7293107 | Wide Fender -90.55" (2.3 M) with Rear Extension . . . M100870               |  | 1,310.00       |
| 255-WD020 | 7293109 | Extra Wide Fender -100.4" (2.55 M) . . . . . M112728<br>with Rear Extension |  | 1,464.00       |

SUBJECT TO AVAILABILITY

# 6600 DELUXE EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code           | Catalog Number | Description                                                                  | Factory Code | Approx. Weight (lb.) | List Price |
|----------------------|----------------|------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b>MISCELLANEOUS</b> |                |                                                                              |              |                      |            |
| 35-EN001             | 7293092        | Creeper Gear (4:1 Reduction). . . . .<br>(Not Compatible with Dyna-VT)       | M182182      |                      | 2,366.00   |
| 35-EN002             | 7293402        | 14:1 Super Creeper Reduction Gear . . . . .<br>(Not Compatible with Dyna-VT) | M223839      |                      | 2,907.00   |
| 250-GS001            | 7293100        | Hydraulic Trailer Brakes . . . . .                                           | M62293       |                      | 809.00     |
| 250-GS062            | 7293551        | Pneumatic Trailer Brakes . . . . .                                           | M515900      |                      | 6,700.00   |
| 250-GS067            | 7293552        | Pneumatic & Hydraulic Trailer Brakes. . . . .                                | M578116      |                      | 7,508.00   |
| 225-LQ001            | 7293553        | Water Separator (Fuel Filter) . . . . .                                      | M35497       |                      | 461.00     |
| 275-TC005            | 7294210        | French Language OIB. . . . .                                                 |              |                      | No Charge  |
| 275-TC011            | 7294211        | Spanish Language OIB . . . . .                                               |              |                      | No Charge  |

## DEALER INSTALLED OPTIONS

### FRONT WEIGHTS

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |
| 5020188M | 12 x 55 KG (121 lbs.) Front Weights . . . . . | M176715 | 1452 | 2,295.00 |
| 5020189M | 14 x 55 KG (121 lbs.) Front Weights . . . . . | M206206 | 1694 | 2,678.00 |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

# 6600 PREMIUM EDITION

(F.O.B. PORT OF ENTRY)

## PREMIUM EDITION FEATURES

### ENGINE

**6614/6615/6616**

AGCO POWER™ 4.9L (299 cu in.) 4 Cylinder, Tier 4i Compliant

- SCR Technology
- Air-to-Air Aftercooled, Common Rail Injection, Turbocharged

Electronic Engine Management (EEM) with Dual ERPM Settings

Electronic Controlled Viscous Fan Drive

Dual Element Dry Type Air Cleaner

Vertical Exhaust at Right Front Cab Post

Cooling System: Antifreeze to Minus 30°F (-34°C)

Fuel Tank Capacity: 61 Gal (223L)

DEF Tank Capacity: 9.2 Gal (35L)

### POWERTRAIN

**6614/6615/6616: DYNA-VT**

- Continuously Variable Transmission, 60 ft/h to 25 MPH (18.2 Meters/h to 40 KPH)
- Dynamic Tractor Management (DTM) with Two Programmable Cruise Speeds
- Short Bar Rear Axle, 90 In. (2277mm) Long, 3.74 in. (95mm) Diameter

**6616: DYNA-6 TRANSMISSION**

- 24F/24R Semi-Powershift, 4 Ranges with 6 Powershifts per Range
- Dynamic Tractor Management (DTM) with Two Programmable Cruise Speeds
- Short Bar Rear Axle, 80 in. (2028mm) Long, 3.23 in. (82mm) Diameter

Multi-Disc Wet Brakes

Power Differential Lock

Independent PTO:

**DYNA-VT:**

540/540E/1000 RPM Flanged Shaft, 540 with 6 Spline and 1000 with 21 Spline

**DYNA-6:** 540/540E/1000/1000E Exchangeable Shaft, 540 with 6 Spline and 1000 with 21 Spline with Electric Control

Rear Fender Mounted PTO Shut-Off

### FRONT WHEEL ASSIST AXLE

Pivoting Front Fenders

Power Front Axle (PFA)

- 8 Bolt Pattern: 6614 Dyna-VT
- 10 Bolt Pattern: 6616 Dyna-6

Suspended Front Axle

Shielded Center Drive Line with Electro-Hydraulic Control & Front Wheel Drive Differential Lock

55 Degree Steering Angle

### HYDRAULICS

Power Beyond Couplers

Closed Center Load Sensing 29 gpm (110 L/Min) Pump

2900 PSI (200 Bar) Maximum Pressure

4 Electric Valves - Fingertip Controlled, 2 Located on Armrest, 2 Located Right Hand Console

Fast Steering

### WHEELS AND TIRES

Rear 460/85R38 R1W Single Wheels

Front 380/85R28 R1W Single Waffle Wheels

### HITCH

3-Point Hitch: Category 2/3 Linkage Ball Ends

- 11,400 lbs lift capacity @ 24"
- Active Transport Control
- Lower Link Sensing
- Electronic Draft Control, Electronic Height Control, & Rate of Drop
- Variable Float Telescopic Stabilizers

Left and Right Side External 3 Point Control

Drawbar: Category 2, Clevis and Drop Pin

### ELECTRICAL SYSTEM

2 – 120 Amp Alternators

2 – 12V Batteries, 600 CCA Each (SAE)

7 Pin ASAE Rear Trailer Electrical Outlet

Electrical Isolator Switch and Jumpstart Point

110V Engine Block Heater

Ignition with Neutral Start and Key Shutoff

### LIGHTING

8 Front Hood Mounted Lights

Four Front Single Bulb Worklights

Two Rear Double Bulb Worklights

Two Field Lights on Hand Rails and Rear Fenders with

Tail Lights, Flashing Warning Lights, and Turn Signals

### INSTRUMENTS

Control Center Display (CCD)

- Video Input
- Electric Valve Control
- ISOBUS Compliant

Radar with Slip Control

Tachometer: Digital and Analog

PTO Speed: Digital

Ground Speed Display: Digital

Fuel Level, DEF Level, and Coolant Temp Gauges

Warning/Information Lights

### OPERATOR AREA

6 Post Cab

OptiRide Cab Suspension

Transmission Control Multicontroller on Armrest

Adjustable Steering Column

Front Sun Visor

Auto Air Conditioning and Climate Control

Air Suspended Seat - Automatic Adjustment

Front and Rear Windshield Wiper/Washer

Dual Large Telescoping Outside Rear View Mirrors with De-Icing.

Single Inside Rear View Mirror

Radio with AM/FM/CD/MP3/Bluetooth and

2 Audio Speakers and Antenna

3 Pin 12V Power Outlet

12V Cigarette Lighter Style Power Outlet

ISO 11783 9-Pin in Cab Connector

ISO 11786 7-Pin in Cab Connector

### OTHER STANDARD FEATURES

Auto-Steer Complete: Auto-Guide™ 3000 Sub-Meter

(WAAS and OmniStar VBS)

Auto Steering System using the Control Center Display (CCD)

AGCOMMAND™ Ready with Antenna, Bracket, and Harness

(No Module or Subscription)

(To Complete, See Technology Section)

Lockable Tool Box

SMV Sign

Molded Rear Fenders

English Literature

**MF6600 models with Dyna-6 Transmission can not be sold in Nebraska**



# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

ONE ORDER CODE FROM EACH GROUP MUST BE SPECIFIED. (Unless In Base Option is desired)

## BASE MACHINE

### DYNA-6 EDITIONS

|                 |         |                                                  |           |  |            |
|-----------------|---------|--------------------------------------------------|-----------|--|------------|
| MF6616~D6~EX~02 | 7292220 | Massey 6616 Premium Tractor 125 PTO HP . . . . . | M12987128 |  | 168,664.00 |
|-----------------|---------|--------------------------------------------------|-----------|--|------------|

### DYNA-VT EDITIONS

|                 |         |                                                  |           |  |            |
|-----------------|---------|--------------------------------------------------|-----------|--|------------|
| MF6614~DV~EX~02 | 7292221 | Massey 6614 Premium Tractor 100 PTO HP . . . . . | M12660109 |  | 164,417.00 |
| MF6615~DV~EX~02 | 7292222 | Massey 6615 Premium Tractor 110 PTO HP . . . . . | M13127345 |  | 170,485.00 |
| MF6616~DV~EX~02 | 7292223 | Massey 6616 Premium Tractor 120 PTO HP . . . . . | M13594581 |  | 176,553.00 |

### TRANSMISSION OPTIONS FOR DYNA-6 EDITIONS

|          |         |                                                                                                                              |         |         |          |
|----------|---------|------------------------------------------------------------------------------------------------------------------------------|---------|---------|----------|
| 25-EA655 | Base    | 6x4 Dyna-6 AUTODRIVE Transmission with . . . . .<br>24F/24R gears. 25 MPH (40 KPH)                                           |         | In Base |          |
| 25-G1063 | 7293524 | 6X4 Dyna-6 AUTODRIVE Transmission with . . . . .<br>24F/24R gears. 31 MPH (50 KPH) .<br>Also includes: High Pressure Brakes. | M125741 |         | 1,633.00 |

### TRANSMISSION OPTIONS FOR DYNA-VT EDITIONS

|          |         |                                                  |        |         |        |
|----------|---------|--------------------------------------------------|--------|---------|--------|
| 25-EA621 | Base    | Dyna-VT Transmission - 25 MPH (40 KPH) . . . . . |        | In Base |        |
| 25-EA622 | 7293525 | Dyna-VT Transmission - 31 MPH (50 KPH) . . . . . | M61446 |         | 798.00 |

### EQUIPMENT REQUIRED FOR NORTH AMERICA

|         |                                                                                                     |        |        |
|---------|-----------------------------------------------------------------------------------------------------|--------|--------|
| 7293488 | Instructional Seat . . . . .                                                                        | M37422 | 486.00 |
| 7293489 | Front Weight Carrier . . . . .<br>(Removed when factory installed front 3-Point Hitch is selected.) | M24101 | 313.00 |

### MARKETING PACKAGE

|         |         |                                                                                                                       |         |          |
|---------|---------|-----------------------------------------------------------------------------------------------------------------------|---------|----------|
| DYNA-6  | MKT0328 | Upgrade Package Includes: . . . . .<br>6X4 Dyna-6 VI AUTODRIVE Transmission 31 MPH (50 KPH)<br>Superluxe Grammar Seat | M262339 | 3,407.00 |
| DYNA-VT | MKT0329 | Upgrade Package Includes: . . . . .<br>Dyna-VT Transmission - 31 MPH (50 KPH)<br>Superluxe Grammar Seat               | M198044 | 2,572.00 |





# 6600 PREMIUM EDITION

MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## AUXILIARY VALVE 1 & 2

|          |         |                                                                                                                                              |  |  |                |
|----------|---------|----------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 50-KX011 | Base    | Valves 1 and 2 Electric, Fingertip Controlled Spool Valves<br>Fingertips Located in Armrest                                                  |  |  | <b>In Base</b> |
| 50-KX012 | 7293530 | Valves 1 and 2 Electric, with Multi-Function Joystick on the Armrest<br>(Required When Choosing Factory Installed Loader Provisions (LL004)) |  |  | No Charge      |

## AUXILIARY VALVE 3 & 4

|          |      |                                                                                                            |  |  |                |
|----------|------|------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 55-MU031 | Base | 3rd and 4th Electric, Fingertip Controlled Valves . . . .<br>with Fingertips located on Right Hand Console |  |  | <b>In Base</b> |
|----------|------|------------------------------------------------------------------------------------------------------------|--|--|----------------|

## POWER BEYOND

|          |         |                                                                                            |  |  |                |
|----------|---------|--------------------------------------------------------------------------------------------|--|--|----------------|
| 90-GR010 | Base    | Power Beyond Couplers P/T/LS/D . . . . .                                                   |  |  | <b>In Base</b> |
| 90-GR000 | 7293665 | Less Power Beyond . . . . . (M55132)<br>(Only available with Front Loader Provision LL004) |  |  | (716.00)       |

## FRONT AXLE

|          |      |                                      |  |  |                |
|----------|------|--------------------------------------|--|--|----------------|
| 65-NA032 | Base | Suspended Power Front Axle . . . . . |  |  | <b>In Base</b> |
|----------|------|--------------------------------------|--|--|----------------|

## REAR AXLE

### **DYNA-6**

|          |         |                                                                                                                          |  |  |                |
|----------|---------|--------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 60-EE402 | Base    | Short Bar Rear Axle, 80 in. (2028mm) Long, . . . . .<br>3.23 in (82mm) Diameter                                          |  |  | <b>In Base</b> |
| 60-EE400 | 7293027 | Flange Axle. . . . . (M35112)                                                                                            |  |  | (456.00)       |
| 60-EE404 | 7293026 | Long Bar Rear Axle, 3.23 in (82mm) Diameter, . . . . M71225<br>105 in (2672mm) Long<br>(Requires Extremity Lights VE019) |  |  | 925.00         |

### **DYNA-VT**

|          |         |                                                                                                                            |  |  |                |
|----------|---------|----------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 60-EE402 | Base    | Short Bar Rear Axle, 90 in. (2277mm) Long, . . . . .<br>3.74 in. (95mm) Diameter                                           |  |  | <b>In Base</b> |
| 60-EE404 | 7293131 | Long Bar Rear Axle, 113 in. (2869mm) Long, . . . . M71225<br>3.74 in. (95mm) Diameter<br>(Requires Extremity Lights VE019) |  |  | 925.00         |

## REAR 3-POINT HITCH

|          |          |                                                                                                                                                                     |  |  |                |
|----------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 95-GC009 | Base     | Category 2/3 Telescopic Ball End Links. . . . .                                                                                                                     |  |  | <b>In Base</b> |
| 95-GC022 | 7293572* | Category 3 Hook End Links and Cat 2/3 Balls and Cones                                                                                                               |  |  | No Charge      |
| 95-GC026 | 7293573* | Category 3 Hook End Links, with Hydraulic Top Link . . M68607<br>and Cat 3/3 and Cat 2/3 Balls and Cones.<br>(Requires YG001 or YG009 Rear Three Point Stabilizers) |  |  | 891.00         |

**\*Not Available with Dyna-VT Transmission**

## REAR THREE POINT STABILIZERS

|           |          |                                                                                 |  |  |                |
|-----------|----------|---------------------------------------------------------------------------------|--|--|----------------|
| 165-Base  | Base     | Variable Float Telescopic Stabilizers . . . . .                                 |  |  | <b>In Base</b> |
| 165-YG006 | 7293403* | Rub Block Stabilizers (Requires GC009) . . . . . M50743                         |  |  | 659.00         |
| 165-YG009 | 7293574* | Automatic Stabilizers . . . . . M26026<br>(Requires GC022 or GC026 Lower Links) |  |  | 338.00         |

**\*Available with Dyna-6 Transmissions Only**

# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## **INSTRUMENT PANEL / CONTROL CENTER DISPLAY (CCD)**

### **LESS AUTO-STEERING READY**

|           |         |                                                                                                                                                                     |  |  |            |
|-----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------|
| 175-BA008 | 7293679 | Analog and Digital Instrument Panel, Control Center . . (M382921)<br>Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS. |  |  | (4,973.00) |
|-----------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------|

### **AUTO-STEERING READY**

|           |         |                                                                                                                                                                                                                                                                                                                    |  |  |            |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------|
| 175-BA012 | 7293678 | Auto-Steer Ready, Analog and Digital Instrument Panel, (M371756)<br>Control Center Display (CCD) with Video Input, Electric<br>Valve Control, Radar with Slip Control and ISOBUS.<br>(Includes Roof Plate and Wiring Harness)<br><i>Order Auto-Guide™ 3000 TopDock Separately</i><br><i>See Technology Section</i> |  |  | (4,828.00) |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------|

**Note: The Control Center Display (CCD) is required to utilize Auto-Guide™ 3000.**

### **AUTO-STEERING COMPLETE**

|           |      |                                                                                                                                                                                                                                                                                                                                                                        |  |  |                |
|-----------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 175-BA021 | Base | Analog and Digital Instrument Panel, Control Center . .<br>Display (CCD) with Video Input, Electric<br>Valve Control, and ISOBUS. Radar with Slip Control.<br>Auto-Guide™ 3000 Sub-Meter (WAAS and OmniStar VBS)<br>Auto Steering System. (Includes Roof Plate and Wiring Harness)<br>(Requires SpeedSteer)<br>Auto-Guide™ 3000 uses the Control Center Display (CCD). |  |  | <b>In Base</b> |
|-----------|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|

## **SPEEDSTEER**

|           |         |                                                                                                         |  |  |                |
|-----------|---------|---------------------------------------------------------------------------------------------------------|--|--|----------------|
| 185-AD004 | Base    | SpeedSteer Option . . . . .                                                                             |  |  | <b>In Base</b> |
| 185-AD002 | 7293558 | Less SpeedSteer Option . . . . . (M69300)<br>Not Available with BA012 and Base Instrument Control Panel |  |  | (900.00)       |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 6600 PREMIUM EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

**TIRES for 6616 Dyna-6****TIRE BRAND SELECTION**

|          |         |                                     |         |  |           |
|----------|---------|-------------------------------------|---------|--|-----------|
| 70-Blank | 7294212 | Factory Brand Choice . . . . .      |         |  | No Charge |
| 70-T0001 | 7294195 | Michelin Brand Required . . . . .   | M123123 |  | 1,599.00  |
| 70-T0007 | 7294197 | Firestone Brand Required . . . . .  | M91861  |  | 1,193.00  |
| 70-T0010 | 7294198 | Trelleborg Brand Required . . . . . | M91861  |  | 1,193.00  |

**FRONT AND REAR TIRES****FLANGE AXLE\*****Rear: Single Pressed Steel Manual Adjust - Set of 2****Front: Waffle Wheel**

|          |           |                                                      |           |  |            |
|----------|-----------|------------------------------------------------------|-----------|--|------------|
| 75-W1297 | 7292864B1 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . | (M107338) |  | (1,394.00) |
|          | 7293762B2 | Front: 380/85R28 R1W (14.9R28) (MI, FI, TR)          |           |  |            |
| 75-W1309 | 7292865B1 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . .           | (M01155)  |  | (15.00)    |
|          | 7294762B2 | Front: 420/85R28 R1W (MI, FI, TR)                    |           |  |            |

**Rear: Single Welded Pressed Steel - Set of 2****Front: Fixed Welded Steel Rim**

|          |           |                                               |          |  |          |
|----------|-----------|-----------------------------------------------|----------|--|----------|
| 75-W1478 | 7292873B1 | Rear: 540/80R38 (Nokian Industrial) . . . . . | M687379  |  | 8,927.00 |
|          | 7294791B2 | Front: 440/80R28 (Nokian Industrial)          |          |  |          |
| 75-W1286 | 7292858B1 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .    | (M53823) |  | (699.00) |
|          | 7294784B2 | Front: 440/65R28 R1W (MI, FI, TR)             |          |  |          |
| 75-W1257 | 7292859B1 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .    | (M00308) |  | (4.00)   |
|          | 7293758B2 | Front: 480/65R28 R1W (MI, FI, TR)             |          |  |          |
| 75-W1258 | 7292860B1 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . .    | M226149  |  | 2,937.00 |
|          | 7294783B2 | Front: 540/65R28 R1W (MI, FI, TR)             |          |  |          |

**\*Flange Axles are not compatible with Dyna-VT Transmissions****BAR AXLES- SHORT AND LONG****Rear: Single Welded Pressed Steel - Set of 2****Front: Fixed Welded Steel Rim**

|          |           |                                               |          |  |          |
|----------|-----------|-----------------------------------------------|----------|--|----------|
| 75-W1670 | 7294899B4 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . .    | (M49434) |  | (642.00) |
|          | 7294784B2 | Front: 440/65R28 R1W (MI, FI, TR)             |          |  |          |
| 75-W1572 | 7294894B4 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . .    | (M05544) |  | (72.00)  |
|          | 7293758B2 | Front: 480/65R28 R1W (MI, FI, TR)             |          |  |          |
| 75-W1673 | 7294905B4 | Rear: 540/80R38 (Nokian Industrial) . . . . . | M688072  |  | 8,936.00 |
|          | 7294791B2 | Front: 440/80R28 (Nokian Industrial)          |          |  |          |
| 75-W1262 | 7294895B4 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . .    | M226996  |  | 2,948.00 |
|          | 7294783B2 | Front: 540/65R28 R1W (MI, FI, TR)             |          |  |          |

SUBJECT TO AVAILABILITY

# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6616 Dyna-6

### FRONT AND REAR TIRES - CONTINUED

#### BAR AXLES- SHORT AND LONG

**Rear: Single Semi Dished Cast Centers- Set of 2**

**Front: Waffle Wheel**

|          |           |                                                      |         | In Base  |
|----------|-----------|------------------------------------------------------|---------|----------|
| 75-Base  | 7294897B4 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . . |         |          |
|          | 7293762B2 | Front: 380/85R28 R1W (14.9R28) (MI, FI, TR)          |         |          |
| 75-W1533 | 7294893B4 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . .           | M211211 | 2,743.00 |
|          | 7294762B2 | Front: 420/85R28 R1W (MI, FI, TR)                    |         |          |
| 75-W1377 | 7294882B4 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . .          | M109802 | 1,426.00 |
|          | 7294765B2 | Front: 380/85R30 R1W* (MI, TR, FI)                   |         |          |
| 75-W1620 | 7294882B4 | Rear: 480/80R42 R1W (MI) . . . . .                   | M167475 | 2,175.00 |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |          |
| 75-W1548 | 7294883B4 | Rear: 380/90R46 R1W (MI) . . . . .                   | M167860 | 2,180.00 |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |          |
| 75-W1388 | 7294884B4 | Rear: 420/80R46 R1W (MI) . . . . .                   | M212982 | 2,766.00 |
|          | 7294762B2 | Front: 420/85R28 R1W (MI)                            |         |          |
| 75-W1409 | 7294884B4 | Rear: 420/80R46 R1W* (MI, FI) . . . . .              | M163702 | 2,126.00 |
|          | 7294765B2 | Front: 380/85R30 R1W* (MI, FI)                       |         |          |
| 75-W1624 | 7294884B4 | Rear: 420/80R46 R1W (MI) . . . . .                   | M221375 | 2,875.00 |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |          |
| 75-W1318 | 7294883B4 | Rear: 380/90R46 R1W* (MI, FI) . . . . .              | M110187 | 1,431.00 |
|          | 7294765B2 | Front: 380/85R30 R1W* (MI, FI)                       |         |          |
| 75-W1394 | 7294885B4 | Rear: 320/90R50 R1W (MI) . . . . .                   | M122738 | 1,594.00 |
|          | 7294769B2 | Front: 320/85R34 R1W (MI)                            |         |          |
| 75-W1384 | 7294882B4 | Rear: 480/80R42 R1W (MI, TR) . . . . .               | M159082 | 2,066.00 |
|          | 7294762B2 | Front: 420/85R28 R1W (MI, TR)                        |         |          |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 6600 PREMIUM EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

**TIRES for 6616 Dyna-6****FRONT AND REAR TIRES - CONTINUED****BAR AXLES- LONG****Rear: Dual Cast Inner / Steel Outer - Set of 4****Front: Waffle Wheel**

|          |                        |                                                                                              |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------------------------|---------|--|-----------|
| 75-W1374 | 7294898B4<br>7293762B2 | Duals: 460/85R38 R1W (18.4R38) (MI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) | M552398 |  | 7,174.00  |
| 75-W1395 | 7294889B4<br>7294769B2 | Duals: 320/90R50 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M760683 |  | 9,879.00  |
| 75-W1549 | 7294887B4<br>7294769B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M741202 |  | 9,626.00  |
| 75-W1379 | 7294887B4<br>7294765B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)                             | M683529 |  | 8,877.00  |
| 75-W1625 | 7294888B4<br>7294769B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M815276 |  | 10,588.00 |
| 75-W1410 | 7294888B4<br>7294765B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI)                   | M757603 |  | 9,839.00  |
| 75-W1471 | 7294888B4<br>7294762B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M806883 |  | 10,479.00 |
| 75-W1621 | 7294886B4<br>7294769B2 | Duals: 480/80R42 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M684992 |  | 8,896.00  |
| 75-W1380 | 7294886B4<br>7294765B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR)                   | M627319 |  | 8,147.00  |
| 75-W1386 | 7294886B4<br>7294762B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)                     | M676599 |  | 8,787.00  |
| 75-W1658 | 7294896B4<br>7294762B2 | Duals: 520/85R38 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M702009 |  | 9,117.00  |

**BAR AXLES- LONG****Rear: Dual Cast Inner / Cast Outer - Set of 4****Front: Waffle Wheel**

|          |                        |                                                                            |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------|---------|--|-----------|
| 75-W1408 | 7294925B4<br>7293764B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)           | M691460 |  | 8,980.00  |
| 75-W1412 | 7294926B4<br>7293764B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI) | M876029 |  | 11,377.00 |
| 75-W1406 | 7294926B4<br>7293763B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)           |         |  | TBA       |
| 75-W1407 | 7294927B4<br>7293764B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR) | M635250 |  | 8,250.00  |
| 75-W1405 | 7294927B4<br>7293763B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)   |         |  | TBA       |

\* FIRESTONE TREAD TYPE IS R1

# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6614 Dyna-VT

### FRONT AND REAR TIRES - CONTINUED

#### BAR AXLES- SHORT AND LONG

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |                      |                                                                                                                    |  |  |          |
|----------|----------------------|--------------------------------------------------------------------------------------------------------------------|--|--|----------|
| 75-W1670 | 7294899B4<br>7293757 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . . (M49434)<br>Front: 440/65R28 R1W (MI, FI, TR)                           |  |  | (642.00) |
| 75-W1572 | 7294894B4<br>7294785 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . . (M05544)<br>Front: 480/65R28 R1W (MI, FI, TR)                           |  |  | (72.00)  |
| 75-W1673 | 7294905B4<br>7293769 | Rear: 540/80R38 (Nokian Industrial) . . . . . M688072<br>Front: 440/80R28 (Nokian Industrial)                      |  |  | 8,936.00 |
| 75-W1262 | 7294895B4<br>7293759 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . . M226996<br>Front: 540/65R28 R1W (MI, FI, TR)                            |  |  | 2,948.00 |
| 75-W1667 | 7294903B4<br>7293767 | Rear: 480/80R34 Industrial (Nokian Industrial). . . . . M385000<br>Front: 400/80R24 Industrial (Nokian Industrial) |  |  | 5,000.00 |
| 75-W1672 | 7294904B4<br>7293768 | Rear: 480/80R38 Industrial (Nokian Industrial). . . . . M494417<br>Front: 400/80R28 Industrial (Nokian Industrial) |  |  | 6,421.00 |

**Rear: Single Semi Dished Cast Centers- Set of 2**

**Front: Waffle Wheel**

|          |                      |                                                                                                   |  |  |          |
|----------|----------------------|---------------------------------------------------------------------------------------------------|--|--|----------|
| 75-Base  | 7294897B4<br>7294786 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | In Base  |
| 75-W1533 | 7294893B4<br>7293763 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M211211<br>Front: 420/85R28 R1W (MI, FI, TR)           |  |  | 2,743.00 |
| 75-W1377 | 7294882B4<br>7293764 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . . M109802<br>Front: 380/85R30 R1W* (MI, TR, FI)         |  |  | 1,426.00 |
| 75-W1388 | 7294884B4<br>7293763 | Rear: 420/80R46 R1W (MI) . . . . . M212982<br>Front: 420/85R28 R1W (MI)                           |  |  | 2,766.00 |
| 75-W1409 | 7294884B4<br>7293764 | Rear: 420/80R46 R1W* (MI, FI) . . . . . M163702<br>Front: 380/85R30 R1W* (MI, FI)                 |  |  | 2,126.00 |
| 75-W1318 | 7294883B4<br>7293764 | Rear: 380/90R46 R1W* (MI, FI) . . . . . M110187<br>Front: 380/85R30 R1W* (MI, FI)                 |  |  | 1,431.00 |
| 75-W1384 | 7294882B4<br>7293763 | Rear: 480/80R42 R1W (MI, TR) . . . . . M159082<br>Front: 420/85R28 R1W (MI, TR)                   |  |  | 2,066.00 |

#### BAR AXLES- LONG

**Rear: Dual Cast Inner / Steel Outer - Set of 4**

**Front: Waffle Wheel**

|          |                      |                                                                                                     |  |  |           |
|----------|----------------------|-----------------------------------------------------------------------------------------------------|--|--|-----------|
| 75-W1374 | 7294898B4<br>7294786 | Duals: 460/85R38 R1W (18.4R38) (MI, TR). . . . . M552398<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) |  |  | 7,174.00  |
| 75-W1379 | 7294887B4<br>7293764 | Duals: 380/90R46 R1W (MI) . . . . . M683529<br>Front: 380/85R30 R1W (MI)                            |  |  | 8,877.00  |
| 75-W1410 | 7294888B4<br>7293764 | Duals: 420/80R46 R1W* (MI, FI) . . . . . M757603<br>Front: 380/85R30 R1W* (MI, FI)                  |  |  | 9,839.00  |
| 75-W1471 | 7294888B4<br>7293763 | Duals: 420/80R46 R1W (MI) . . . . . M806883<br>Front: 420/85R28 R1W (MI)                            |  |  | 10,479.00 |
| 75-W1380 | 7294886B4<br>7293764 | Duals: 480/80R42 R1W* (MI, TR) . . . . . M627319<br>Front: 380/85R30 R1W* (MI, TR)                  |  |  | 8,147.00  |
| 75-W1386 | 7294886B4<br>7293763 | Duals: 480/80R42 R1W (MI, TR) . . . . . M676599<br>Front: 420/85R28 R1W (MI, TR)                    |  |  | 8,787.00  |
| 75-W1658 | 7294896B4<br>7293763 | Duals: 520/85R38 R1W (MI) . . . . . M702009<br>Front: 420/85R28 R1W (MI)                            |  |  | 9,117.00  |

\* FIRESTONE TREAD TYPE IS R1



MASSEY FERGUSON®

## 6600 PREMIUM EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### TIRES for 6615 & 6616 Dyna-VT

#### FRONT AND REAR TIRES - CONTINUED

##### BAR AXLES- SHORT AND LONG

**Rear: Single Welded Pressed Steel - Set of 2**

**Front: Fixed Welded Steel Rim**

|          |                        |                                                                                               |  |  |          |
|----------|------------------------|-----------------------------------------------------------------------------------------------|--|--|----------|
| 75-W1670 | 7294899B4<br>7294784B2 | Rear: 540/65R38 R1W (MI, FI, TR) . . . . . (M49434)<br>Front: 440/65R28 R1W (MI, FI, TR)      |  |  | (642.00) |
| 75-W1572 | 7294894B4<br>7293758B2 | Rear: 600/65R38 R1W (MI, FI, TR) . . . . . (M05544)<br>Front: 480/65R28 R1W (MI, FI, TR)      |  |  | (72.00)  |
| 75-W1673 | 7294905B4<br>7294791B2 | Rear: 540/80R38 (Nokian Industrial) . . . . . M688072<br>Front: 440/80R28 (Nokian Industrial) |  |  | 8,936.00 |
| 75-W1262 | 7294895B4<br>7294783B2 | Rear: 650/65R38 R1W (MI, FI, TR) . . . . . M226996<br>Front: 540/65R28 R1W (MI, FI, TR)       |  |  | 2,948.00 |

**Rear: Single Semi Dished Cast Centers- Set of 2**

**Front: Waffle Wheel**

|          |                        |                                                                                                     |  |  |                |
|----------|------------------------|-----------------------------------------------------------------------------------------------------|--|--|----------------|
| 75-Base  | 7294897B4<br>7293762B2 | Rear: 460/85R38 R1W (18.4R38) (MI, FI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, FI, TR) |  |  | <b>In Base</b> |
| 75-W1533 | 7294893B4<br>7294762B2 | Rear: 520/85R38 R1W (MI, FI, TR) . . . . . M211211<br>Front: 420/85R28 R1W (MI, FI, TR)             |  |  | 2,743.00       |
| 75-W1377 | 7294882B4<br>7294765B2 | Rear: 480/80R42 R1W* (MI, TR, FI) . . . . . M109802<br>Front: 380/85R30 R1W* (MI, TR, FI)           |  |  | 1,426.00       |
| 75-W1620 | 7294882B4<br>7294769B2 | Rear: 480/80R42 R1W (MI) . . . . . M167475<br>Front: 320/85R34 R1W (MI)                             |  |  | 2,175.00       |
| 75-W1548 | 7294883B4<br>7294769B2 | Rear: 380/90R46 R1W (MI) . . . . . M167860<br>Front: 320/85R34 R1W (MI)                             |  |  | 2,180.00       |
| 75-W1388 | 7294884B4<br>7294762B2 | Rear: 420/80R46 R1W (MI) . . . . . M212982<br>Front: 420/85R28 R1W (MI)                             |  |  | 2,766.00       |
| 75-W1409 | 7294884B4<br>7294765B2 | Rear: 420/80R46 R1W* (MI, FI) . . . . . M163702<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 2,126.00       |
| 75-W1624 | 7294884B4<br>7294769B2 | Rear: 420/80R46 R1W (MI) . . . . . M221375<br>Front: 320/85R34 R1W (MI)                             |  |  | 2,875.00       |
| 75-W1318 | 7294883B4<br>7294765B2 | Rear: 380/90R46 R1W* (MI, FI) . . . . . M110187<br>Front: 380/85R30 R1W* (MI, FI)                   |  |  | 1,431.00       |
| 75-W1394 | 7294885B4<br>7294769B2 | Rear: 320/90R50 R1W (MI) . . . . . M122738<br>Front: 320/85R34 R1W (MI)                             |  |  | 1,594.00       |
| 75-W1384 | 7294882B4<br>7294762B2 | Rear: 480/80R42 R1W (MI, TR) . . . . . M159082<br>Front: 420/85R28 R1W (MI, TR)                     |  |  | 2,066.00       |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY



# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

## TIRES for 6615 & 6616 Dyna-VT

### FRONT AND REAR TIRES - CONTINUED

#### BAR AXLES- LONG

*Rear: Dual Cast Inner / Steel Outer - Set of 4*

*Front: Waffle Wheel*

|          |                        |                                                                                              |         |  |           |
|----------|------------------------|----------------------------------------------------------------------------------------------|---------|--|-----------|
| 75-W1374 | 7294898B4<br>7293762B2 | Duals: 460/85R38 R1W (18.4R38) (MI, TR) . . . . .<br>Front: 380/85R28 R1W (14.9R28) (MI, TR) | M552398 |  | 7,174.00  |
| 75-W1395 | 7294889B4<br>7294769B2 | Duals: 320/90R50 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M760683 |  | 9,879.00  |
| 75-W1549 | 7294887B4<br>7294769B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M741202 |  | 9,626.00  |
| 75-W1379 | 7294887B4<br>7294765B2 | Duals: 380/90R46 R1W (MI) . . . . .<br>Front: 380/85R30 R1W (MI)                             | M683529 |  | 8,877.00  |
| 75-W1625 | 7294888B4<br>7294769B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M815276 |  | 10,588.00 |
| 75-W1410 | 7294888B4<br>7294765B2 | Duals: 420/80R46 R1W* (MI, FI) . . . . .<br>Front: 380/85R30 R1W* (MI, FI)                   | M757603 |  | 9,839.00  |
| 75-W1471 | 7294888B4<br>7294762B2 | Duals: 420/80R46 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M806883 |  | 10,479.00 |
| 75-W1621 | 7294886B4<br>7294769B2 | Duals: 480/80R42 R1W (MI) . . . . .<br>Front: 320/85R34 R1W (MI)                             | M684992 |  | 8,896.00  |
| 75-W1380 | 7294886B4<br>7294765B2 | Duals: 480/80R42 R1W* (MI, TR) . . . . .<br>Front: 380/85R30 R1W* (MI, TR)                   | M627319 |  | 8,147.00  |
| 75-W1386 | 7294886B4<br>7294762B2 | Duals: 480/80R42 R1W (MI, TR) . . . . .<br>Front: 420/85R28 R1W (MI, TR)                     | M676599 |  | 8,787.00  |
| 75-W1658 | 7294896B4<br>7294762B2 | Duals: 520/85R38 R1W (MI) . . . . .<br>Front: 420/85R28 R1W (MI)                             | M702009 |  | 9,117.00  |

\* FIRESTONE TREAD TYPE IS R1

SUBJECT TO AVAILABILITY





MASSEY FERGUSON®

## 6600 PREMIUM EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PTO

#### DYNA-6

|           |         |                                                                                                                                      |  |  |                |
|-----------|---------|--------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 100-LC002 | Base    | Standard and Economy PTO Drive -2000 & 1550. . . . .<br>Engine RPM. Exchangeable Shaft PTO- 540 RPM<br>6 Spline + 1000 RPM 21 Spline |  |  | <b>In Base</b> |
| 100-LC001 | 7293591 | 540 RPM 6 Spline & 1000 RPM 21 Spline . . . . . (M70609)<br>Exchangeable Shaft with No Economy                                       |  |  | (917.00)       |

#### DYNA-VT

|          |      |                                                                                                        |  |  |                |
|----------|------|--------------------------------------------------------------------------------------------------------|--|--|----------------|
| 100-Base | Base | 540/540E/1000 RPM Flanged PTO with one 6 Spline Shaft<br>and one 21 Spline Shaft, with In-Cab Controls |  |  | <b>In Base</b> |
|----------|------|--------------------------------------------------------------------------------------------------------|--|--|----------------|

### FRONT HITCH

|           |         |                                                                                                              |  |  |                |
|-----------|---------|--------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 230-FA000 | Base    | Less Front Hitch . . . . .                                                                                   |  |  | <b>In Base</b> |
| 230-F1132 | 7293594 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M490952<br>1 Set of Hydraulic Couplers                     |  |  | 6,376.00       |
| 230-F1134 | 7293595 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M521290<br>2 sets of Hydraulic Couplers                    |  |  | 6,770.00       |
| 230-F1135 | 7293596 | 2800 kg. (6172 lbs.) Front Linkage with . . . . . M502656<br>1 set of Hydraulic Couplers with Pressure Drain |  |  | 6,528.00       |

### LOADER PROVISION

|           |         |                                                                                                                                                                                    |  |  |                |
|-----------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|----------------|
| 350-LL000 | Base    | Less Loader Provisions. . . . .                                                                                                                                                    |  |  | <b>In Base</b> |
| 350-LL004 | 7293484 | Front Loader Provisions including Hydraulics, . . . . . M464233<br>Subframe.<br>(Requires Less Power Beyond- GR000 &<br>Requires: Valves 1 and 2 Electric with a Joystick (KX012)) |  |  | 6,029.00       |

### CAB

|           |         |                                                    |  |  |            |
|-----------|---------|----------------------------------------------------|--|--|------------|
| 365-AF009 | 7294249 | Radio, AM/FM, MP3 Compatible . . . . . (M08470)    |  |  | (110.00)   |
| 125-AE042 | 7293546 | Superluxe Grammar Seat . . . . . M136598           |  |  | 1,774.00   |
| 140-AI020 | 7293077 | Standard Cab Roof with Roof Hatch . . . . . M20790 |  |  | 270.00     |
| 120-AQ001 | 7295100 | Manual AC . . . . . (M89474)                       |  |  | (1,162.00) |

SUBJECT TO AVAILABILITY

# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code                                                 | Catalog Number | Description                                                                                                                                                                       | Factory Code | Approx. Weight (lb.) | List Price     |
|------------------------------------------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------|----------------|
| <b>FRONT WEIGHTS</b>                                       |                |                                                                                                                                                                                   |              |                      |                |
| 285-YA112                                                  | 7293487        | 121 lbs. (55 kg.) Front Weights, Set of 12 . . . . .<br>with Hardware - total Weight 1,455 lbs. (660 kg.)                                                                         | M176715      |                      | 2,295.00       |
| <b>REAR WHEEL WEIGHTS</b>                                  |                |                                                                                                                                                                                   |              |                      |                |
| 325-RD040                                                  | 7294192*       | 551 lbs. (250 kg.) Weights, Set of 2. . . . .<br>Mounts Externally to Wheel                                                                                                       | M142065      | 1102                 | 1,845.00       |
| 325-RD041                                                  | 7294200*       | 551 lbs. (250 kg.) Weights, Set of 4. . . . .<br>Mounts Externally to Wheel                                                                                                       | M284053      | 2204                 | 3,689.00       |
| <b>*NOT COMPATIBLE WITH MANUAL ADJUST FLANGE AXLE RIMS</b> |                |                                                                                                                                                                                   |              |                      |                |
| <b>BELLY AND HITCH WEIGHTS</b>                             |                |                                                                                                                                                                                   |              |                      |                |
| 245-YD001                                                  | 7293374        | 1 Belly Weight - 584 lbs. (265 kg.) . . . . .<br>(For use <b>WITHOUT</b> Front 3-Point Hitch)                                                                                     | M114730      | 584                  | 1,490.00       |
| 245-YD001                                                  | 7293375        | 1 Belly Weight - 397 lbs. (180 kg.) . . . . .<br>(For use <b>WITH</b> Front 3-Point Hitch)                                                                                        | M84392       | 430                  | 1,096.00       |
| 345-YB003                                                  | 7294119        | 1873 lbs. (850 kg.) 3-Point HITCH Weight . . . . .<br>(For use with Front 3-Point Hitch or<br>Rear 3-Point Hitch without Quick Hitch<br>Only if Rear Links are Hooks Style GC022) | M262262      | 1984                 | 3,406.00       |
| <b>ELECTRICAL</b>                                          |                |                                                                                                                                                                                   |              |                      |                |
| 215-CB002                                                  | Base           | Engine Block Heater - 110 Volt . . . . .                                                                                                                                          |              |                      | <b>In Base</b> |
| 215-CB000                                                  | 7293593        | Less Engine Block Heater. . . . . (M15939)                                                                                                                                        |              |                      | (207.00)       |
| <b>LIGHTING</b>                                            |                |                                                                                                                                                                                   |              |                      |                |
| 205-VF013                                                  | 7293103        | Dual Roof-Mounted Rotating Beacons, Left and Right . .<br>(Includes SAE SMV sign)                                                                                                 | M39809       | 1102                 | 517.00         |
| 195-VG078                                                  | 7295103        | 2 Front and 2 Rear Xenon Work Lights.. . . .<br>Xenon Bulb for Brighter Lights and Longer Bulb Life                                                                               | M261184      |                      | 3,392.00       |
| 360-VE019                                                  | 7293476        | Extremity Lighting . . . . .<br>(Required with Long Bar Axle)                                                                                                                     | M58212       |                      | 756.00         |

SUBJECT TO AVAILABILITY



MASSEY FERGUSON®

## 6600 PREMIUM EDITION

(F.O.B. PORT OF ENTRY)

| Order Code | Catalog Number | Description | Factory Code | Approx. Weight (lb.) | List Price |
|------------|----------------|-------------|--------------|----------------------|------------|
|------------|----------------|-------------|--------------|----------------------|------------|

### PIVOTING FRONT FENDERS

|           |         |                                                                                                          |  |  |                |
|-----------|---------|----------------------------------------------------------------------------------------------------------|--|--|----------------|
| 155-WE110 | Base    | Pivoting Front Fenders - Standard Width . . . . .<br>Width depends on tire selection; see Chart Below    |  |  | <b>In Base</b> |
| 155-WE111 | 7293598 | Pivoting Front Fenders - Wide Width . . . . . M09163<br>Width depends on tire selection; see Chart Below |  |  | 119.00         |

| Fender Size    |                |                                                                      |
|----------------|----------------|----------------------------------------------------------------------|
| Standard       | Wide           | Tire Sizes                                                           |
| 12.6" (320 mm) | 13.9" (355 mm) | 320/85R34 (12.4R34)                                                  |
| 13.9" (355 mm) | 14.9" (380 mm) | 340/85R24 (13.6R24)<br>340/85R28 (13.6R28)                           |
| 14.9" (380 mm) | 16.1" (410 mm) | 380/85R28 (14.9R28)<br>380/85R30 (14.9R30)<br>400/80R24<br>400/80R28 |
| 16.1" (410 mm) | 18.5" (470 mm) | 420/85R28 (16.9R28)<br>440/65R28                                     |
| 18.5" (470 mm) | 20.4" (520 mm) | 440/80R28<br>480/65R28                                               |
| 20.4" (520 mm) | 24.4" (620 mm) | 540/65R28                                                            |

### REAR FENDERS

|           |         |                                                                             |  |                |
|-----------|---------|-----------------------------------------------------------------------------|--|----------------|
| 255-WD012 | Base    | Rear Fenders without Extensions, 78.74"(2.00 M) . . .                       |  | <b>In Base</b> |
| 255-WD017 | 7293107 | Wide Fender -90.55" (2.3 M) with Rear Extension . . . M100870               |  | 1,310.00       |
| 255-WD020 | 7293109 | Extra Wide Fender -100.4" (2.55 M) . . . . . M112728<br>with Rear Extension |  | 1,464.00       |

SUBJECT TO AVAILABILITY

# 6600 PREMIUM EDITION



MASSEY FERGUSON®

(F.O.B. PORT OF ENTRY)

| Order Code           | Catalog Number | Description                                                                        | Factory Code | Approx. Weight (lb.) | List Price |
|----------------------|----------------|------------------------------------------------------------------------------------|--------------|----------------------|------------|
| <b>MISCELLANEOUS</b> |                |                                                                                    |              |                      |            |
| 35-EN001             | 7293092        | Creeper Gear (4:1 Reduction). . . . .<br>(Available on Dyna-6 Editions Only)       | M182182      |                      | 2,366.00   |
| 35-EN002             | 7293402        | 14:1 Super Creeper Reduction Gear . . . . .<br>(Available on Dyna-6 Editions Only) | M223839      |                      | 2,907.00   |
| 250-GS001            | 7293100        | Hydraulic Trailer Brakes . . . . .                                                 | M62293       |                      | 809.00     |
| 250-GS062            | 7293551        | Pneumatic Trailer Brakes . . . . .                                                 | M515900      |                      | 6,700.00   |
| 250-GS067            | 7293552        | Pneumatic & Hydraulic . . . . .                                                    | M578116      |                      | 7,508.00   |
| 225-LQ001            | 7293553        | Water Separator (Fuel Filter) . . . . .                                            | M35497       |                      | 461.00     |
| 275-TC005            | 7294210        | French Language OIB. . . . .                                                       |              |                      | No Charge  |
| 275-TC011            | 7294211        | Spanish Language OIB . . . . .                                                     |              |                      | No Charge  |

## DEALER INSTALLED OPTIONS

### FRONT WEIGHTS

|          |                                               |         |      |          |
|----------|-----------------------------------------------|---------|------|----------|
| 5020186M | 8 x 55 KG (121 lbs.) Front Weights . . . . .  | M117810 | 968  | 1,530.00 |
| 5020187M | 10 x 55 KG (121 lbs.) Front Weights . . . . . | M147301 | 1210 | 1,913.00 |
| 5020188M | 12 x 55 KG (121 lbs.) Front Weights . . . . . | M176715 | 1452 | 2,295.00 |
| 5020189M | 14 x 55 KG (121 lbs.) Front Weights . . . . . | M206206 | 1694 | 2,678.00 |

SUBJECT TO AVAILABILITY

RESERVED

SUBJECT TO AVAILABILITY