

# Academia

FURNITURE INDUSTRIES



## FURNITURE CATALOG

# FURNITURE CATALOG

## TABLE OF CONTENTS



LAZER TEACHER STATION PAGE 10 JR. PETAL DESK PAGE 36 INSPIRATION CHAIR PAGE 14

## MISSION STATEMENT

Academia Furniture's goal is to partner with select strong dealers to offer comprehensive Customer Support to these dealers and their end users.

We are committed to designing functional and aesthetically pleasing Educational furniture manufactured to the highest standard and to ship in a timely and efficient manner.



### ACADEMIA 15-YEAR WARRANTY

*Academia Furniture Industries offers the original user a limited fifteen-year warranty against all manufacturing defects in material and workmanship from date of purchase. If defective, Academia Furniture Industries will, at its option, repair or replace the defective product. This warranty does not apply to damage resulting from misuse, abuse or neglect. Dealer authorization required for return and/or repair.*

## Environmentally Engineered



Academia takes a strong stand on Green Issues. Our products are MAS Certified Green, and are LEED-compliant under the LEED 2015 for Schools program. Our products are eligible for 1 point under IEQ Credit 4.5 credit under Option 3. Please see our website at AcademiaFurniture.com for detailed test results and an official listing of certified products.

In addition to having our products tested and certified, we consider it our responsibility to reduce the environmental impact of our manufacturing processes wherever possible, by both recycling and by using recycled materials. We continuously look for ways to improve our processes and make responsible environmental choices.



# FURNITURE CATALOG TABLE OF CONTENTS

<ul style="list-style-type: none"> <li>■ Student Lounge Seating                             <ul style="list-style-type: none"> <li><span style="color: red; font-size: small;">NEW</span> The Zone.....04</li> </ul> </li> <li>■ Teachers Desk                             <ul style="list-style-type: none"> <li>Nate Series Teacher Station.....06</li> <li>Nate Junior.....08</li> <li><span style="color: red; font-size: small;">NEW</span> Lazer Desk.....10</li> </ul> </li> <li>■ SCHOOL SEATING                             <ul style="list-style-type: none"> <li>Infuse Series.....12</li> <li>Inspiration Series                                     <ul style="list-style-type: none"> <li>School Chairs.....14</li> <li>Unity Study Combo Desks.....16</li> <li>School Combo Desks.....18</li> </ul> </li> <li>Classic Series                                     <ul style="list-style-type: none"> <li>School Chairs.....20</li> <li>School Combo Desk.....22</li> <li>School Tablet-Arm Chairs.....24</li> </ul> </li> <li>Hard-Plastic Series                                     <ul style="list-style-type: none"> <li>School Chairs.....26</li> <li>School Combo Desks.....28</li> <li>School Tablet-Arm Desks.....30</li> <li>Braced School Combo Desks.....32</li> </ul> </li> </ul> </li> <li>■ SCHOOL DESKS                             <ul style="list-style-type: none"> <li>Innovation Series.....34</li> <li>Petal Series.....36</li> <li><span style="color: red; font-size: small;">NEW</span> Petal Junior Desk.....36</li> <li><span style="color: red; font-size: small;">NEW</span> Illustration V2 Series.....38</li> <li>T-Leg School Series.....40</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>■ STANDARD SERIES                             <ul style="list-style-type: none"> <li>School Desk with Plastic Bookboxes.....42</li> <li>School Desk with Metal Bookboxes.....44</li> <li>Open-View School Desks.....46</li> <li>Wheelchair School Desks.....46</li> <li>Writing School Desks.....46</li> <li>Double Desks.....48</li> </ul> </li> <li>■ ACTIVITY SERIES                             <ul style="list-style-type: none"> <li>Hercules Tables.....50</li> <li>Activity Tables.....52</li> </ul> </li> <li>■ COMPUTER TRAINING SERIES                             <ul style="list-style-type: none"> <li><span style="color: red; font-size: small;">NEW</span> Illustration V2 Series Tables.....54</li> <li>C-Leg Series Tables.....56</li> <li>XLT Series Tables.....58</li> <li>T-Leg Series Tables.....60</li> </ul> </li> <li>■ EDUCATIONAL SERIES                             <ul style="list-style-type: none"> <li>Lab Stools.....62</li> </ul> </li> <li>■ STUDY CARREL                             <ul style="list-style-type: none"> <li>Single Carrel.....64</li> <li>Double/Quad Carrel.....65</li> </ul> </li> <li>■ SAC RAC.....66</li> <li>■ POWER POST/CHAIR DOLLY.....67</li> <li>■ CASTER/GLIDE GUIDE.....68</li> <li>■ INSTALL SHOWCASE.....70</li> </ul>
---	---

## NEW PRODUCTS



MODEL T-ZONE



MODEL 1950CHP



MODEL T-TS2668



MODEL T-V2-2460

# STUDENT LOUNGE

## THE ZONE

**FIFTEEN YEAR  
WARRANTY**



### ■ BENEFITS

Our latest concept in semi-private workspace helps students get into their zone for productive, protected “me-time”. The ultimate in secure self-space.

### ■ DESIGN

Invitingly appealing with its curved, cozy design, the Zone is perfect for lounge, library or common areas, featuring a power supply for recharging devices. Higher front deters distractions.

### ■ COMFORT

Cushioned armrest, seat and chair back, sturdy footrest and lucite desktop provide optimal comfort. Padded nylon interior and strong laminate exterior.

### ■ VERSATILITY

Units may be configured in various patterns for privacy while interior of unit allows students to sit in a relaxed or straight position. Fully color-customizable to match room or school decor.



STURDY FOOTREST



POWER SUPPLY



LUCITE DESKTOP



PADDED ARM REST

# STUDENT LOUNGE



SIDE PROFILE



SIDE PROFILE



BIRDS EYE VIEW

**PATENT  
PENDING**



**MOMENTUM GROUP**

Variety of vinyl and fabric options available from Momentum Textiles.

## GENERAL SPECIFICATIONS

**FRAME** — Fully welded steel frame. The frame consists of 1" square 14 gauge steel. Plywood and high pressure laminate attach to the outer side of the steel frame. High density foam upholstered with a choice of coated fabric or vinyl colors that complete the inside of the frame.

**SEAT** — Attached to the frame of the unit. 24" wide x 16" deep with a seat height of 17". The seat has a high density foam with a durable coated fabric. The seat can be upholstered in a different color than the inside.

**TABLET** — ½" thick acrylic, teardrop shape that is 24" wide and 16" deep. There are 2 brackets that are 7 gauge steel. These brackets attach directly to the steel frame with machine screws.

**ARM REST** — features a 13" W x 4" D cushioned arm rest. The arm rest can be upholstered in a different color than the inside.

**FOOT REST** — ¾" steel tube extends out 4" and is 13" wide. There are 2 small steel tubes that are welded to the frame that the footrest attaches to.

**GLIDES** — The unit rests on 6 height adjustable glides that connect to the steel frame. The 1 ½" glides have a rubber finish.

**POWER SUPPLY** — The input voltage 100V~240v, rated voltage AC125V, rated power is 1650W. Rated current is 10A, and USB output is DC 5V Max 2.1A for 2 USB Port.

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
T-ZONE	47 x 32 x 42	100	1

# NATE SERIES TEACHER STATION

**FIFTEEN YEAR  
WARRANTY**



MODEL T-TSP2468  
NATE TEACHERS STATION



Demo Video Available  
Search: AcademiaFurniture Nate

## VERSATILITY

With a unique built-in podium, a simple pull of a lever can raise, lower or tilt lectern as needed. Retractable return allows for almost twice the desktop space, disappears when not needed.

## DESIGN

Stunningly sleek, this magnificent teacher's desk has raised the bar of beauty, innovation and adaptability in the industry.

## BENEFITS

Roomy, locking storage and file drawers. Special casters allow return to swing in or out with ease. Modesty panel for teacher comfort.

## STRENGTH

Enhancements include threaded inserts in table top, preset with steel into wood table top for years of long-lasting and unshakable wear.



HEAVY DUTY CASTER



INSET CASTER



TILTED PODIUM



OPTIONAL POWER SUPPLY

# NATE SERIES TEACHER STATION




DETACHABLE PODIUM



RETRACTABLE RETURN



## HIGH-PRESSURE LAMINATE DESKTOPS



## FRAME FINISHES



## GENERAL SPECIFICATIONS

**TABLETOP** — 1<sup>1</sup>/<sub>8</sub>" fiberboard with high pressure laminate surface and 2mm edge banding

**LEGS** — (3) 2 <sup>3</sup>/<sub>8</sub>" diameter, powder coated, 16 gauge steel legs, screwed into heavy duty table inserts.

**MOBILE PODIUM**- Powder coated steel box with 2 drawers and 1 ball bearing file drawer Adjustable podium top ranging from 29"-42" high. Angled podium surface adjusting to 45 degrees.

**MODESTY PANEL** – Powder coated 18 gauge steel.

**GLIDE/CASTER**- A heavy duty locking caster for the extended pivot leg. Inverted caster for the inner pivot leg and rubber lined glide for the stationary leg

**OPTION**- Power Supply 2 AC power. Mobile Podium- Removable podium with one lever to set apart.

MODEL	DESKTOP DIMENSIONS W x D x H (INCHES)	WT (LBS)	PER SKID
T-TSP2468	68 x 24 x 29	130	1
T-TSPM2468	68 x 24 x 29	130	1

# NATE SERIES

## TEACHER DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL T-TS3060  
DOUBLE PEDSTAL DESK

### VERSATILITY

With unique built-in inverted casters, the Nate Jr can be moved around the classroom to adapt to the ever changing teaching styles. The standard 6" overhang is great for teacher student conferences.

### DESIGN

Stunningly sleek, this magnificent teacher's desk has raised the bar of beauty, innovation and adaptability in the industry.

### BENEFITS

Roomy, locking storage and file drawers. Special casters allow return to swing in or out with ease. Modesty panel for teacher comfort.

### STRENGTH

Thick gauges of steel, heavy duty hardware and durable construction will ensure this desk will last for years of use.



SLEEK MODESTY PANEL



BUILT IN LOCK



DRAWER SUSPENSION PULL-OUT



OPTIONAL POWER SUPPLY

# NATE SERIES TEACHER DESKS




MODEL T-TS3048



REAR PROFILE  
MODEL T-TS3060

## HIGH-PRESSURE LAMINATE DESKTOPS



## FRAME FINISHES



## GENERAL SPECIFICATIONS

**TABLETOP** — 1<sup>1</sup>/<sub>8</sub>" fiberboard with high pressure laminate surface and 2mm edge banding 6" over-hang for easy teacher/student conference.

**DOUBLE PEDESTAL**- Two Powder coated steel pedestal with two drawers and one ball-bearing file drawer.

**SINGLE PEDESTAL**—Power coated steel pedestal with 2 drawers and 1 ball-bearing file drawer. With 2 inverted casters on the pedestal end to accommodate easy maneuvering. Legs are two 2 <sup>3</sup>/<sub>8</sub>" diameter, powder coated, 16 gauge steel legs.

**MODESTY PANEL** – Powder coated 18 gauge steel.

**OPTION**- Power Supply 2 AC power.

**OPTIONAL CASTER**: Available on double pedal desk. 2" locking swivel casters.

MODEL	DESKTOP DIMENSIONS W x L (INCHES)	WT (LBS)	PER SKID
T-TS3048	48 x 30	132	1
T-TS3060	60 x 30	162	1

# NATE SERIES

## LAZER TEACHER DESK

**FIFTEEN YEAR  
WARRANTY**



MODEL T-TS2968  
LAZER TEACHERS STATION



Demo Video Available  
Search: AcademiaFurniture Lazer

### **BENEFITS**

Enhances collaborative study environments, completes pod of 6 student desks Modesty panel and pencil drawer standard.

### **COMFORT**

Arched front for enhanced teacher/student conversation. Teacher can comfortably work with multi-student clusters without strain.

### **DESIGN**

Handsome hexagonal, winged design. Long-lasting laminate surface with edge banding complements students desks. Various furniture finish options.

### **VERSATILITY**

Easy gliding casters makes reconfiguring a breeze. Effortlessly move among student groups. Cutting edge for cooperative education settings.



HEAVY DUTY CASTER



MODESTY PANEL



PENCIL DRAWER



EXTRA WORK SURFACE


# NATE SERIES TEACHER DESK



SHOWN WITH JUNIOR PETAL DESK  
MODEL 1950CHP, FOR MORE INFORMATION PAGE 36




Model# T-TS2968  
Shown with sleek modesty panel




Desktop Dimensions  
Model# T-TS2968

## HIGH-PRESSURE LAMINATE DESKTOPS



## FRAME FINISHES



## GENERAL SPECIFICATIONS

**TABLE TOP** — 1 1/8" particleboard core with a 1/32" high pressure laminated surface. The underside is covered with a .020" poly backer sheet. The edge of the work surface features 3MM PVC edge banding.

**INSERT LEG** — 1.875", 16 gauge steel, chrome plated finish. Legs adjust in 1" increments to heights from 23" to 32". Legs are attached to the table top with 5 wood screws per leg.

**LEGS** — Four hercules style legs, the upper legs are 2" diameter, 18-gauge steel with a powder coated finish.

**MODESTY PANEL** — 19-gauge perforated panel. The panel extends 15 inch to contribute to teacher comfort.

**PENCIL DRAWER** — 21Wx 16D drawer that has compartments for pens/paper clips. This drawer features a ball bearing suspension.

**CASTERS** — 3" braking casters that come standard and allow for easy mobility.

MODEL	DESKTOP DIMENSIONS W x D x L (INCHES)	WT (LBS)	PER SKID
T-TS2968	68 x 21 x 29	130	1

# INFUSE SERIES

## BLOW MOLD SCHOOL CHAIRS

**FIFTEEN YEAR  
WARRANTY**



MODEL 388  
INFUSE CANTILEVER CHAIR

### DESIGN

This aesthetically-pleasing chair hugs your back, insuring correct posture and constant comfort.

### COMFORT

Ingeniously molded, this chair allows students to sit on a cushion of air, layered within the shell.

### STRENGTH

Rugged shell connects to frame, metal on metal, using special housing injected into the shell. Extraordinarily durable.

### BENEFITS

Virtually maintenance-free. No niches for dirt, dust or sticky substances to hide. A pristine dream of hygiene.



SILHOUETTE



REAR SHELL



MOLDED T-NUTS



UNDER SIDE OF CHAIR

# INFUSE SERIES BLOW MOLD SCHOOL CHAIRS

SEE PAGE 20 FOR APPROXIMATE CHAIR SIZE SUGGESTIONS



414  
14" VALUE CHAIR



318  
18" INFUSE CHAIR



388X  
18" X-PLUS CANTILEVER CHAIR



318X  
18" X-PLUS CHAIR



358X  
X-PLUS SWIVEL BASE CHAIR



358D  
SWIVEL BASE DRAFTING STOOL

## GENERAL SPECIFICATIONS

**SHELLS** — Blow molded, polypropylene structure, very durable with an "air infused" cushion for extreme comfort, with a built-in carry handle.

**FRAME** — Chrome-plated, 1" round, 16-gauge steel. Cantilevered chair is 12-gauge steel. Value chairs are 16-gauge steel.

**BOOTS** — Color-impregnated polypropylene plastic. Value chairs do not include boots.

**GLIDES** — Four legged chairs; self-adjusting, nickel-plated casting with nylon self-leveling inserts. Cantilever chairs; color coordinated injection molded sled base glide housing to accommodate a choice of four glide inserts; nylon, felt, steel or rubber based(TPR). The glide housing and glide inserts have been engineered for easy replacement of worn out inserts. The inserts are designed to mold to flooring and are tamper proof.

**X-PLUS**— Larger shell with added weight capacity.

Casters can be replaced with stationary bell glides.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
312	12	15¼ x 22¼ x 14 ¾	7.5	40
314	14	15¼ x 24½ x 15 ½	8	40
316	16 ½	18 ½ x 30 ¾ x 19 ½	11	30
318	18 ¾	19 x 32 ½ x 20 ½	12	30
318X	18 ¼	20¼ x 32¼ x 21¾	13	30
319	19 ¾	19 x 33 ¾ x 20¾	11.5	30
319X	19 ¼	20¼ x 33¼ x 22 5/8	12.5	30
384	14	16¾ x 25 x 17 ½	8.5	40
386	16 7/8	19 x 30¾ x 21 ½	13.5	30
388	18 7/8	19 x 32¾ x 21 ½	13.5	30
388X	18	20 7/8 x 32 7/8 x 21 ½	14	30
389	19 7/8	19 x 33 1/8 x 21 ½	14.5	30
358	18 7/8 - 24 1/4	23 1/4 x 33 3/4 - 38 7/8 x 23 1/4	18	16
358X	19 1/4 - 24 5/8	23 1/4 x 34 - 39 1/4 x 23 1/4	18.5	16
358D	26 5/8 - 32 1/8	23 1/4 x 41 3/8 - 46 5/8 x 23 1/4	23	16
412	12	15¼ x 22¼ x 14 ¾	7.5	40
414	14	15¼ x 24½ x 15 ½	8	40
416	16 5/8	18 ½ x 30¾ x 21 ¼	11	30
418	18 ¾	19 x 32 5/8 x 20 ¾	12	30
418X	18	20¼ x 32¼ x 21¾	13	30
419	19 ¾	19 x 33 5/8 x 21¾	11.5	30
419X	19	20¼ x 33¼ x 22 5/8	12.5	30

□ Cantilever Chair □ Swivel base □ Value chair

## BLOW MOLD SEATS



# INSPIRATION SERIES

## SCHOOL CHAIRS

**FIFTEEN YEAR  
WARRANTY**



MODEL 618  
18" INSPIRATION CHAIR

### DESIGN

This design incorporates the latest looks, trends and colors to enhance any modern classroom environment. Stackable to ten chairs high\*

### COMFORT

The dual curves and flex action of the back provide exceptional support.

### STRENGTH

16-gauge steel mated to strong, yet flexible polypropylene plastic shells, capped off with self-adjusting glides with nylon inserts.

### BENEFITS

From the built-in carry handle, to the chrome-plated steel to the color-coordinated boots, these chairs truly are an Inspiration.



BACK WITH RIBS



FLEX OF BACK



UNDERSEAT RIVETS



CUSTOM CANTILEVER GLIDE

# INSPIRATION SERIES SCHOOL CHAIRS



MODEL 718  
VALUE CHAIR



MODEL 618WBB  
CHAIR WITH BOOKBASKET



X-PLUS MODEL 688X  
CANTILEVER CHAIR



MODEL 618P WITH PADS



MODEL 658\*\*  
SWIVEL BASE



MODEL 658D  
DRAFTING STOOL

## PLASTIC SEATS



## GENERAL SPECIFICATIONS

**SHELLS** — One-piece, color-impregnated polypropylene molded plastic with a built-in carry handle. Integral lumbar supports protect the lower back, and slightly-curved sides hug the body for complete back support.

**FRAME** — Chrome-plated, 1" round. 16-gauge steel. Cantilevered chair is 12-gauge steel.

**BOOTS** — Color-impregnated polypropylene plastic. Value chairs do not include boots.

**GLIDES** — Four legged chairs; self-adjusting, nickel-plated casting with nylon self-leveling inserts. Cantilever chairs; color coordinated injection molded sled base glide housing to accommodate a choice of four glide inserts; nylon, felt, steel or rubber based(TPR). The glide housing and glide inserts have been engineered for easy replacement of worn out inserts. The inserts are designed to mold to flooring and are tamper proof.

**X-PLUS**—30% more poly to form a larger shell with added weight capacity.

**BOOKBASKET**—Optional wire book basket, 1<sup>3</sup>/<sub>4</sub>" Steel rod.

**MODEL 658** — 5-star plastic swivel base on five casters with pneumatic lift.

**MODEL 658D** — 5-star plastic swivel base on five casters with pneumatic lift, plus 9" and 12" extenders & foot ring.

Casters can be replaced with stationary bell glides.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
612	12	15 <sup>3</sup> / <sub>8</sub> x 23 <sup>1</sup> / <sub>2</sub> x 14 <sup>1</sup> / <sub>2</sub>	7	40
614	14	15 <sup>5</sup> / <sub>8</sub> x 25 <sup>1</sup> / <sub>2</sub> x 16 <sup>3</sup> / <sub>8</sub>	8	40
616	16	18 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>4</sub> x 19	9	30
618	18	20 <sup>5</sup> / <sub>8</sub> x 33 x 20 <sup>1</sup> / <sub>4</sub>	10	30
618X	18	20 <sup>1</sup> / <sub>4</sub> x 33 <sup>1</sup> / <sub>4</sub> x 20 <sup>1</sup> / <sub>2</sub>	11	30
619	19	18 <sup>5</sup> / <sub>8</sub> x 34 x 20 <sup>1</sup> / <sub>4</sub>	11	30
619X	19	20 <sup>1</sup> / <sub>4</sub> x 34 <sup>1</sup> / <sub>4</sub> x 21 <sup>1</sup> / <sub>4</sub>	19	30
684	14	15 <sup>3</sup> / <sub>4</sub> x 25 <sup>1</sup> / <sub>4</sub> x 16	7	40
686	16	19 <sup>1</sup> / <sub>2</sub> x 30 <sup>7</sup> / <sub>8</sub> x 19	10	30
688	18	19 <sup>1</sup> / <sub>2</sub> x 32 <sup>7</sup> / <sub>8</sub> x 19	11	30
688X	18	21 x 33 <sup>1</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>8</sub>	12.5	30
689	19	22 <sup>1</sup> / <sub>2</sub> x 33 x 19	12	30
689X	19	21 x 34 <sup>1</sup> / <sub>4</sub> x 19 <sup>1</sup> / <sub>8</sub>	13.5	30
712	12	15 <sup>3</sup> / <sub>8</sub> x 23 <sup>1</sup> / <sub>2</sub> x 14 <sup>1</sup> / <sub>2</sub>	7	40
714	14	15 <sup>5</sup> / <sub>8</sub> x 25 <sup>1</sup> / <sub>2</sub> x 16 <sup>3</sup> / <sub>8</sub>	8	40
716	16	18 <sup>5</sup> / <sub>8</sub> x 31 <sup>1</sup> / <sub>4</sub> x 19	9	30
718	18	18 <sup>5</sup> / <sub>8</sub> x 33 x 20 <sup>1</sup> / <sub>4</sub>	10	30
718X	18	20 <sup>1</sup> / <sub>4</sub> x 33 <sup>1</sup> / <sub>4</sub> x 20 <sup>1</sup> / <sub>2</sub>	11	30
719	19	18 <sup>5</sup> / <sub>8</sub> x 34 x 20 <sup>1</sup> / <sub>4</sub>	11	30
719X	19	20 <sup>1</sup> / <sub>4</sub> x 34 <sup>1</sup> / <sub>4</sub> x 21 <sup>1</sup> / <sub>4</sub>	19	30
658	15 <sup>3</sup> / <sub>4</sub> –21	23 x 30 <sup>3</sup> / <sub>4</sub> –36 x 23	15	16
658X	17 <sup>1</sup> / <sub>2</sub> –22 <sup>1</sup> / <sub>2</sub>	23 x 31 <sup>3</sup> / <sub>8</sub> –37 x 23	16	16
658D	23 <sup>1</sup> / <sub>4</sub> –32	23 x 38 <sup>1</sup> / <sub>4</sub> –47 x 23	20	16

☐ Cantilever chair ☐ Value chair ☐ Swivel base

\* When stacked on optional dolly see p.67

\*\*Shown with stationary bell glides

# UNITY STUDY COMBO

## SCHOOL DESKS

### FIFTEEN YEAR WARRANTY



MODEL 2958CHP  
UNITY STUDY COMBO WITH CASTERS

#### DESIGN

Curvy and comfy, this student combo features locking casters, roomy and accessible book storage under seat, and a unique design for collaborative work study.

#### VERSATILITY

Move it where you need it, easily arrange 2 or more students to work together. Simply slide back to solo work when group project is done.

#### BENEFITS

Sitting on the chair locks casters into place securely. Efficiently re-group students as needed with one-handed ease.

#### STRENGTH

Long-lasting, will never tip or slide once secured. Desk surface is hard plastic or laminate meant to stand up to years of wear.



BACK WITH RIBS



FLEX OF BACK




SELF-BRAKING CASTER




NEW BOOKBASKET

# UNITY SERIES SCHOOL DESKS




Cluster of four desks



Collaborative learning is easy with six desks.



Easy Mobility




## PLASTIC SEATS



## HIGH-PRESSURE LAMINATE DESKTOPS



## HARD-PLASTIC DESKTOPS



## GENERAL SPECIFICATIONS

**DESKTOP** — Hard Plastic,  $\frac{5}{8}$ " thick with pencil groove. High-pressure laminate  $\frac{5}{8}$ " thick with T-mold edge banding.

**FRAME** — Front legs: Chrome-plated  $1\frac{1}{8}$ " round 16-gauge steel. Back legs: Chrome-plated,  $1\frac{1}{8}$ " round 18-gauge steel. Seat and desktop supports:  $1\frac{1}{8}$ " round 14-gauge steel.

**SHELL** — One-piece, color-impregnated polypropylene molded plastic with a built-in carry handle. Integral lumbar support protects the lower back, and slightly-curved sides hug the body for complete back support.

**FRONT GLIDES** — Self-adjusting nickel-plated casting with nylon inserts

**BACK CASTERS** — Double hooded 2" self-braking casters

**BOOKBASKET** — Chrome plated  $\frac{1}{4}$ " steel-rod.

MODEL	DESKTOP DIMENSIONS W x H x L (INCHES)	WT (LBS)	PER SKID
2958	32 $\frac{1}{2}$ x 29 x 38 $\frac{1}{2}$	34	8
2958C	32 $\frac{1}{2}$ x 29 x 38 $\frac{1}{2}$	34	8
2958HP	32 $\frac{1}{2}$ x 29 x 38 $\frac{1}{2}$	38	8
2958CHP	32 $\frac{1}{2}$ x 29 x 38 $\frac{1}{2}$	38	8

# INSPIRATION SERIES

## SCHOOL COMBO DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL 2938  
SLED BASE COMBO WITH MEMORY  
SWIVEL SEAT  
SHOWN W/O WIRE BOOK RACK

### DESIGN

Inspirational shell design, arc-shaped WoodStone desktop, and curved U-brace.



CURVED DESKTOP AND SUPPORT BRACE

### COMFORT

The dual curves and flex action of the back provide exceptional back support.



FLEX OF BACK

### STRENGTH


Heavy-gauge, 1 1/8" round tubing with standard U-brace, full contact welds.



FULL-CONTACT WELDS

### BENEFITS

120° Memory swivel seat allows for easy entry and exit.



X-PLUS OFFERS ADDITIONAL 1" CLEARANCE FROM SEAT TO DESK TOP

# INSPIRATION SERIES SCHOOL COMBO DESKS



MODEL 2914  
INSPIRATION 14" COMBO



MODEL 2918  
INSPIRATION 18" COMBO



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards.

Durable. Convenient. Affordable. **WoodStone.**

## GENERAL SPECIFICATIONS

**FRAME** — Front legs: Chrome-plated 1½" round 16-gauge steel. Back legs: Chrome-plated, 1½" - round 18-gauge steel. Seat and desktop supports: 1½" round 14-gauge steel. Wraparound brace: ¾" round 18-gauge steel. Sled base combo: features a 1¼" 14-gauge frame. Swivel combo: features 10 gauge heavy duty 120 memory swivel steel plate.

**SHELLS** — One-piece, color-impregnated polypropylene molded plastic with a built-in carry handle. Integral lumbar support protects the lower back, and slightly-curved sides hug the body for complete back support. X-Plus shell has 30% more poly with the ability to support larger weight capacities.

**DESKTOP** — Arc-shaped WoodStone desktop with built-in pencil groove and smooth finish. Ergonomically designed and curved for comfort. 27" wide by 19½" deep. 5/8" thick.

**BOOKBASKET** — Chrome-plated ¼" rod-steel book basket.

**BOOTS** — Color-impregnated polypropylene plastic.

**GLIDES** — Self-adjusting, nickel-plated casing with nylon inserts. Optional sled base glide available.

MODEL	SEAT HEIGHT (INCHES)	TABLETOP DIMENSIONS W x D (INCHES)	WEIGHT (LBS)	PER SKID
2914	14	27 × 24¾ × 34	25	8
2916	16	27 × 31½ × 37	29	8
2918	18	27 × 33½ × 37	29	8
2919	19	27 × 34½ × 37	30	8
2918X	18	27 × 33½ × 37	31	8
2919X	19	27 × 34½ × 37	32	8
2918-SB	18	27 × 33½ × 38	35	6
2938-SB	18	27 × 34½ × 38	39	6
2938X-SB	18	27 × 34½ × 38	41	6

□ Sled base ■ Swivel Sled base

## PLASTIC SEATS



## WOODSTONE DESKTOPS



# CLASSIC SERIES

## SCHOOL CHAIRS

**FIFTEEN YEAR  
WARRANTY**



MODEL 128  
18" CLASSIC CHAIR

### COMFORT

Our classic school chair offers a waterfall seat with a curved back, supporting students of all sizes.

### DESIGN

In any classroom old or new, our curved seat and vented back offer a timeless design. Designed to be stacked up to ten chairs high for easy storage.

### BENEFITS


Heaviest polypropylene shell, 1½" round, 18-gauge chrome-plated steel (1" round for 12" and 14" chairs), available in five sizes. Self-adjusting, nickel-plated glides with nylon inserts.

### STRENGTH

Side by side tubular steel back supports, seatback ribs and 13-gauge underseat brackets.



STEEL BACK SUPPORTS



14-GAUGE UNDERSEAT STEEL



FULL-CONTACT WELDS



STACKS 10 HIGH

# CLASSIC SERIES SCHOOL CHAIRS



MODEL 128SB  
SELD-BASE CHAIR



MODEL 128C  
CHAIR WITH CASTERS



MODEL 126WBB  
CHAIR WITH BOOKBASKET



MODEL 128M  
MUSIC CHAIR



MODEL 158P  
SWIVEL-BASE CHAIR



MODEL 158D  
DRAFTING STOOL

## POLY SEATS



\*16" SEAT HEIGHT OR GREATER ONLY

## APPROXIMATE CHAIR SIZE SUGGESTIONS

HEIGHT OF CHAIR SEAT	12"	14"	16"	18"	19"
PRESCHOOL-K	•	•			
GRADE 1		•			
GRADE 2		•	•		
GRADE 3			•		
GRADE 4			•	•	
GRADE 5-12				•	•

## GENERAL SPECIFICATIONS

**SHELLS** — Injection-molded polypropylene plastic with built-in supports. Seat features a waterfall front and vented back.

**FRAME** — 1½" round, 18-gauge chrome-plated steel (1" round for 12" and 14" chairs). Back supports: ¾" round, 18-gauge chrome-plated steel. Underseat brackets: Two 14-gauge, plated steel. Sled base: ¾" round 14-gauge chrome-plated steel. Drafting kit: 5-star plastic swivel base on five casters with pneumatic lift, foot ring, plus 9" and 12" extenders.

**GLIDES** — Self-adjusting, nickel-plated casing with nylon inserts.

**SIZE** — 12", 14", 16", 18" and 19" seat heights.

**OPTIONS** — Casters, Pads, Swivel Base, Drafting Kit, Bookbasket, Music Pitch, and Sled Base.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W × H × D (INCHES)	WT (LBS)	PER SKID
122	12	16 × 22½ × 15½	6	60
124	14	16 × 24½ × 18	7	60
126	16	19½ × 28½ × 20½	9	60
128	18	19½ × 30½ × 22½	10	60
129	19	19½ × 31½ × 23½	10	60
122WBB	12	16 × 22½ × 15½	8	24
124WBB	14	16 × 24½ × 18	9	24
126WBB	16	19½ × 28½ × 20½	11	24
128WBB	18	19½ × 30½ × 22½	12	24
129WBB	19	19½ × 31½ × 23½	12	24
128P	18	19½ × 30½ × 22½	11	48
129P	19	19½ × 31½ × 23½	11	48
128C	18	19½ × 30½ × 18½	11	60
128CP	18	19½ × 30½ × 18½	12	48
128CWBB	18	19½ × 30½ × 18½	13	24
128M	18	19½ × 30½ × 22½	10	60
128SB	18	20½ × 30½ × 21½	11	48
158	17-22¼	23 × 29½-34¾ × 23	14	18
158P	17-22¼	23 × 29½-34¾ × 23	15	18
158D	24½-33¼	23 × 37-45¾ × 23	19	18
158PD	24½-33¼	23 × 37-45¾ × 23	20	18

Bookbasket 
  Pads 
  Casters 
  Music 
  Sled-Base 
  Swivel Base 
  Drafting

# CLASSIC SERIES

## SCHOOL COMBO DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL 2218WS  
18" CLASSIC COMBO DESK

### COMFORT

Classic waterfall edge seat with curved, vented back and unobstructed legroom add up to classic comfort.

### DESIGN

In any classroom old or new, our curved seat and vented back offer a timeless design. 400+ square inch desktop.

### BENEFITS

The one-piece design combo desk, with built-in bookbasket and pencil groove will keep your students happy and the classroom neat.

### STRENGTH

Side-by-side tubular steel back supports, seatback ribs and 14-gauge underseat brackets combine with an angled side-brace for added stability.



STEEL BACK SUPPORTS



14-GAUGE UNDERSEAT STEEL



SOLID CONSTRUCTION



PENCIL GROOVE

# CLASSIC SERIES SCHOOL COMBO DESKS



Ease of entry from either side, perfect for carpeted areas, extra strong frame.



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards.


Durable. Convenient. Affordable. **WoodStone.**

## POLY SEATS




\*16" SEAT HEIGHT OR GREATER ONLY


## HIGH-PRESSURE LAMINATE DESKTOPS



## HARD-PLASTIC DESKTOPS<sup>h</sup>



## WOODSTONE DESKTOPS



## GENERAL SPECIFICATIONS

**SHELLS** — Injection-molded polypropylene plastic with built-in supports. Seat features a waterfall front and the back is vented for added comfort.

**DESKTOP** — High-pressure laminate: 24" wide by 18½" deep, 5/8" thick fiberboard with edge-banding. WoodStone: 24" wide by 18½" deep, 5/8" thick with pencil groove and self-edge. Hard-plastic: 24" wide by 18½" deep, 5/8" thick with pencil groove.

**BOOKBASKET** — Chrome-plated 1/4" rod-steel.

**FRAME** — Front legs: Chrome-plated, 1 1/8" round, 16-gauge steel. Back legs: Chrome-plated, 1 1/8" round, 18-gauge steel. Seat and desk top supports: 1 1/8" round, 14-gauge steel. Sled-base combo: Chrome-plated, 1 1/4" round, 14-gauge frame.

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

**SIZE** — 14", 16", 18" and 19" seat heights. Sled base 18" heights.

**OPTIONS** — Optional sled base glide available.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
2214	14	24 x 27¾ x 34	24	12
2216	16	24 x 29½ x 33	26	10
2218	18	24 x 31½ x 33	28	10
2219	19	24 x 33 x 36	28½	10
2214HP	14	24 x 27¾ x 34	27	12
2216HP	16	24 x 29½ x 33	29	10
2218HP	18	24 x 31½ x 33	31	10
2219HP	19	24 x 33 x 36	31	10
2214WS	14	24 x 27¾ x 34	25	12
2216WS	16	24 x 29½ x 33	27	10
2218WS	18	24 x 31½ x 33	28½	10
2219WS	19	24 x 33 x 36	29	10
2618	18	27 x 33¼ x 38	35	6
2618HP	18	27 x 33¼ x 38	38	6
2618WS	18	27 x 33¼ x 38	36	6

□ Hard-plastic □ WoodStone □ Sled base

ALL MODELS ALSO AVAILABLE IN LEFT-HANDED VERSIONS

# CLASSIC SERIES

## SCHOOL TABLET-ARM CHAIRS

**FIFTEEN YEAR  
WARRANTY**



### COMFORT

Our classic polypropylene plastic chair mated with a tablet-arm writing surface and a bookbasket make this chair your all-in-one solution.

### DESIGN

Waterfall seat, curved, vented back, with unobstructed leg-room and a tablet-arm writing surface to support your students' arm while they write.

### BENEFIT

Created for those learning environments which need to be neat but where a chair-desk combo just won't work.

### STRENGTH

Made with 18-gauge steel legs and 14-gauge steel braces, these tablet-arm chairs are built to last.



STEEL BACK SUPPORTS



14-GAUGE UNDERSEAT STEEL




TABLET-ARM AND FRAME SUPPORT



PENCIL GROOVE

# CLASSIC SERIES SCHOOL TABLET-ARM CHAIRS



The tablet-arm's large work surface and integrated armrest allow students to handle any workload in comfort. Over 250 square inches of desktop space.




A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**

## POLY SEATS



## WOODSTONE TABLET-ARMS



## HARD-PLASTIC TABLET ARMS



## GENERAL SPECIFICATIONS

**SHELLS** — Injection-molded polypropylene plastic with built-in supports. Seat features a waterfall front and the back is vented for added comfort.

**DESKTOP** — WoodStone: 19" wide by 26" deep, 5/8" thick with pencil groove and self-edge. Hard-plastic: 19" wide by 26" deep, 5/8" thick with pencil groove.

**BOOKBASKET** — Chrome-plated 1/4" rod-steel.

**FRAME** — Legs: Chrome-plated 1 1/8" round, 16-gauge steel. Underseat brackets: two 14-gauge steel brackets.

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

**SIZE** — 14", 16", 18" and 19" seat heights.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
3216WS	16	21 x 29 x 31	23	10
3218WS	18	21 x 31 1/2 x 31	25	10
3219WS	19	21 x 31 1/2 x 32	26	10
3216HP	16	21 x 29 x 31	26	10
3218HP	18	21 x 31 1/2 x 32	27	10
3219HP	19	21 x 31 1/2 x 32	28	10

WoodStone  Hard-plastic

# HARD-PLASTIC SERIES

## SCHOOL CHAIRS

### FIFTEEN YEAR WARRANTY



#### COMFORT

The contoured seat is shaped to follow natural body lines while the back is designed to support your students where they need it.

#### BENEFITS

The gooseneck-shaped chair back is designed for optimal back support and for secure upside-down stacking on desks.

#### STRENGTH

The 14-gauge steel back support (16-gauge on the 10", 12" and 14") and 16-gauge steel legs mated to 5/8" thick hard-plastic seat and back make this our strongest chair available.

#### DESIGN

This traditional design has been a staple of classrooms nationwide for more than 40 years. Designed to be stacked up to five chairs high for easy storage.



GOOSENECK BACK SUPPORTS



THICKNESS OF HARD-PLASTIC



UNDERSIDE OF CHAIR



UNITIZED FRAME WITH 6 POINT WELD

# HARD-PLASTIC SERIES SCHOOL CHAIRS



MODEL 518WBB  
CHAIR WITH BOOKBASKET



MODEL 518XBR  
CHAIR WITH X-BRACE



MODEL 518WBR  
CHAIR WITH BOOKRACK



MODEL 510  
HEIGHT-ADJUSTABLE CHAIR



MODEL 518C  
CHAIR WITH CASTERS



MODEL 558  
SWIVEL-BASE CHAIR



MODEL 558D  
DRAFTING STOOL

## APPROXIMATE CHAIR SIZE SUGGESTIONS

HEIGHT OF CHAIR SEAT	12"	14"	16"	18"	19"
PRESCHOOL-K	•	•			
GRADE 1		•			
GRADE 2		•	•		
GRADE 3			•		
GRADE 4			•	•	
GRADE 5-12				•	•

## GENERAL SPECIFICATIONS

SEAT/BACK — 15" wide by 15" deep, 5/8" thick hard-plastic seat.

FRAME — Legs: 1" round, 16-gauge chrome-plated steel. Back supports: 3/4" round, 14-gauge chrome-plated steel (16-gauge for 10", 12" and 14") Drafting kit: 5-star plastic swivel base on five casters with pneumatic lift, foot ring, plus 9" and 12" extenders.

GLIDES — Self-adjusting nickel-plated casing with nylon inserts.

SIZE — 10" adjustable, 12", 14", 16," 18" and 19" seat heights.

OPTIONS — Bookbasket, Bookrack, X-brace, Casters, Swivel Base and Drafting Stool.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W × H × D (INCHES)	WT (LBS)	PER SKID
510	12½–15½	15½ × 24–27 × 18	13	40
512	11¾	18 × 24¼ × 15½	12	30
514	13¾	18½ × 24¾ × 18¼	13	30
516	15¾	19¾ × 28¾ × 20½	16	30
518	17¾	20¾ × 30¾ × 20½	17	30
519	18¾	20¾ × 31¾ × 20½	17	30
516XBR	15¾	19¾ × 28¾ × 20½	17	20
518XBR	17¾	20¾ × 30¾ × 20½	18	20
519XBR	18¾	20¾ × 31¾ × 20½	19	20
514WBB	13¾	18½ × 24¾ × 18¼	15	20
516WBB	15¾	19¾ × 28¾ × 20½	18	20
518WBB	17¾	20¾ × 30¾ × 20½	19	20
519WBB	18¾	20¾ × 31¾ × 20½	20	20
514WBR	13¾	18½ × 24¾ × 18¼	15	20
516WBR	15¾	19¾ × 28¾ × 20½	18	20
518WBR	17¾	20¾ × 30¾ × 20½	19	20
519WBR	18¾	20¾ × 31¾ × 20½	20	20
518C	18	19 × 30½ × 16½	17	30
558	16¾–21¾	20½ × 29½–34¾ × 20½	20	18
558D	23¾–32¾	20½ × 37–45¾ × 20½	25	18

X-brace  Bookbasket  Bookrack  Casters  Swive Base

## HARD-PLASTIC SEATS



# HARD-PLASTIC SERIES

## SCHOOL COMBO DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL 2518HP  
HARD-PLASTIC COMBO

### COMFORT

The contoured seat and posture-perfect back are mated to a choice of desktops to create a comfortable work center.

### DESIGN

This time-tested design encourages teacher-student learning while keeping the classroom neat and tidy.

### STRENGTH

Our strongest seat and back plus our strongest frame makes this one of the strongest combos available.

### BENEFITS

The one-piece construction of this combo brings together our hard-plastic chair and desktop, in one easy-to-move unit.



OPTIONAL SLED BASE GLIDE



FULL-CONTACT WELDS



UNDER DESKTOP CONSTRUCTION



PENCIL GROOVE

# HARD-PLASTIC SERIES SCHOOL COMBO DESKS



MODEL 2628WSSB  
SLED-BASE COMBO

Ease of entry from either side, perfect for carpeted areas, extra strong frame.



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**


## HARD-PLASTIC SEATS




## HIGH-PRESSURE LAMINATE DESKTOPS



## HARD-PLASTIC DESKTOPS



## WOODSTONE DESKTOPS



## GENERAL SPECIFICATIONS

SEAT/BACK — 15" wide by 15" deep, 5/8" thick hard-plastic seat.

DESKTOP — High-pressure laminate: 24" wide by 18½" deep, 5/8" thick fiberboard with edge-banding. WoodStone: 24" wide by 18½" deep, 5/8" thick with self-edge and pencil groove. Hard-plastic: 24" wide by 18½" deep, 5/8" thick with pencil groove.

BOOKBASKET — Chrome-plated 1/4" rod-steel.

FRAME — Legs: Chrome-plated 1½" round 16-gauge steel (back legs are 18-gauge). Supports: Chrome-plated 1½" round (back supports are 3/4" round) 14-gauge steel. Sled-base combo: Chrome-plated, 1¼" round, 14-gauge frame.

GLIDES — Self-adjusting nickel-plated casing with nylon inserts. Optional sled base glide available.

SIZE — 14", 16", 18" and 19" seat heights. Sled base 18"

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W × H × D (INCHES)	WT (LBS)	PER SKID
2514	14	24 × 27½ × 33	29	10
2516	16	24 × 29½ × 34	32	10
2518	18	24 × 31¼ × 34	33	10
2519	19	24 × 32¾ × 36	32	10
2514HP	14	24 × 27½ × 33	32	10
2516HP	16	24 × 29½ × 34	35	10
2518HP	18	24 × 31¼ × 34	36	10
2519HP	19	24 × 32¾ × 36	36	10
2514WS	14	24 × 27½ × 33	30	10
2516WS	16	24 × 29½ × 34	33	10
2518WS	18	24 × 31¼ × 34	34	10
2519WS	19	24 × 32¾ × 36	33	10
2628SB	18	24 × 32 × 35	34	6
2628SBHP	18	24 × 32 × 35	37	6
2628SBWS	18	24 × 32 × 35	35	6

Hard-plastic  WoodStone  Sled base

ALL MODELS ALSO AVAILABLE IN LEFT-HANDED VERSIONS

# HARD-PLASTIC SERIES

## SCHOOL TABLET-ARM CHAIRS

**FIFTEEN YEAR  
WARRANTY**



MODEL 3518HPL  
(LEFT-HANDED VERSION SHOWN)

### COMFORT

The contoured seat and posture-perfect back are mated to a choice of desktops to create a comfortable work center.

### BENEFITS

The angled inside edge of the desktop along with the tablet arm area offers easy access and are super supportive.

### DESIGN

Designed for testing and lighter-use areas. Perfect for quick turn-over applications.

### STRENGTH

Our strongest seat and back plus our strongest frame make this the strongest tablet-arm chair available.



DUAL-ARM DESKTOP SUPPORT



BOOKBASKET




DESKTOP SHAPE



UNDERSEAT STEEL STRUCTURE

# HARD-PLASTIC SERIES SCHOOL TABLET-ARM CHAIRS



The tablet-arm's large work surface and integrated armrest allow students to handle any workload in comfort.



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**

## HARD-PLASTIC SEATS



## WOODSTONE TABLET-ARMS



## HARD-PLASTIC TABLET ARMS



## GENERAL SPECIFICATIONS

SEAT/BACK — 15" wide by 15" deep, 5/8" thick hard-plastic seat.

DESKTOP — WoodStone: 19" wide by 26" deep, 5/8" thick with self-edge and pencil groove. Hard-plastic: 19" wide by 26" deep, 5/8" thick with pencil groove.

BOOKBASKET — Chrome-plated 1/4" rod-steel.

FRAME — Legs: 1" round, 16-gauge chrome-plated steel. Back supports: 3/4" round, 14-gauge chrome-plated steel. Desktop supports: Chrome-plated 7/8"-round, 14-gauge steel.

GLIDES — Self-adjusting nickel-plated casing with nylon inserts.

SIZE — 16", 18" and 19" seat heights.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
3516HP	15¾	20 x 28½ x 31	32	10
3518HP	17¾	20 x 30½ x 31	33	10
3519HP	19	20 x 31½ x 31	33½	10
3516WS	15¾	20 x 28½ x 31	30	10
3518WS	17¾	20 x 30½ x 31	31	10
3519WS	19	20 x 31½ x 31	31½	10
3516HPLH	15¾	20 x 28½ x 31	32	10
3518HPLH	18	20 x 30½ x 31	33	10
3519HPLH	19	20 x 31½ x 31	33½	10

Hard-plastic  WoodStone  Left-handed hard-plastic

# HARD-PLASTIC SERIES

## BRACED SCHOOL COMBO DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL 2538WS  
HARD-PLASTIC BRACED COMBO

### STRENGTH

Our hard-plastic seat and back are paired with a braced frame design to make the strongest combo desk available.

### DESIGN

This time-tested design encourages teacher-student learning while keeping the classroom neat and tidy.

### BENEFITS

The combo design and integrated bookbasket keep both the students and their books in the right place.

### COMFORT

The contoured seat and posture-perfect back are paired with a spacious rectangular desktop or tablet-arm.



NEW BOOKBASKET



JUMBO TABLET-ARM WORK SURFACE



FULL-CONTACT WELDS



PENCIL GROOVE

# HARD-PLASTIC SERIES BRACED SCHOOL COMBO DESKS



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**



MODEL 2528HP

MODEL 2528JHP  
HARD PLASTIC JUMBO TOP

## HARD-PLASTIC SEATS




## HIGH-PRESSURE LAMINATE DESKTOPS




\*NOT AVAILABLE FOR TABLET-ARMS

## HARD-PLASTIC DESKTOPS



\*NOT AVAILABLE FOR TABLET-ARMS

## WOODSTONE DESKTOPS



\*NOT AVAILABLE FOR TABLET-ARMS

## GENERAL SPECIFICATIONS

SEAT/BACK — 15" wide by 15" deep, 5/8" thick hard-plastic.

DESKTOP — High-pressure laminate: 5/8" thick fiberboard with edge-banding (not available for tablet-arms). WoodStone: 5/8" thick with pencil groove and self-edge. Hard-plastic: 5/8" thick with pencil groove.

BOOKBASKET — Chrome-plated 1/4" rod-steel.

FRAME — Front legs: Chrome-plated 1 1/8" round, 16-gauge steel. Back legs: Chrome-plated 1 1/8" round, 18-gauge steel. Back supports: Chrome-plated 3/4" round, 14-gauge steel. Seat and desktop supports: Chrome-plated 1 1/8" round, 14-gauge steel. Double braced frame includes 8 gauge wrap around tubing.

GLIDES — Self-adjusting nickel-plated casing with nylon inserts.

SIZE — 14", 16", 18" and 19" seat heights.

MODEL	SEAT HEIGHT (INCHES)	DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
2524	14	24 x 27 1/2 x 33	30	12
2526	16	24 x 29 1/2 x 34	33	10
2528	18	24 x 31 1/4 x 34	34	10
2529	19	24 x 32 3/4 x 34	35	10
2524HP	14	24 x 27 1/2 x 33	33	12
2526HP	16	24 x 29 1/2 x 34	36	10
2528HP	18	24 x 31 1/4 x 34	37	10
2529HP	19	24 x 32 3/4 x 36	37	10
2524WS	14	24 x 27 1/2 x 33	33	12
2526WS	16	24 x 29 1/2 x 34	34	10
2528WS	18	24 x 31 1/4 x 34	37	10
2529WS	19	24 x 32 3/4 x 36	37	10
2524HP-JT	14	24 x 27 1/2 x 33	36	12
2526HP-JT	16	24 x 29 1/2 x 34	38	10
2528HP-JT	18	24 x 31 1/4 x 34	39	10
2529HP-JT	19	24 x 32 3/4 x 36	40	10
2524WS-JT	14	24 x 27 1/2 x 33	34	12
2526WS-JT	16	24 x 29 1/2 x 34	35	10
2528WS-JT	18	24 x 31 1/4 x 34	37	10
2529WS-JT	19	24 x 32 3/4 x 36	38	10

High-pressure laminate  Hard plastic  Woodstone  Hard-plastic tablet-arm  WoodStone tablet-arm

REGULAR DESKS ALSO AVAILABLE IN LEFT-HANDED VERSIONS  
TABLET-ARMS AVAILABLE IN RIGHT-HANDED VERSIONS ONLY

All combos available in double braced version



# INNOVATION SERIES

## SCHOOL DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL 2000  
INNOVATION DESK

### COMFORT

The modern design offers ample legroom, perfect for students of any size.

### DESIGN

Triangular desktop provides adaptability for multiple configurations.

### BENEFITS

Over 350 square inches of desktop space, plus two pencil grooves.

### STRENGTH

Unitized steel frame provides stability in any formation.



COLOR COORDINATED GLIDES



OPTIONAL BACK PACK HOOK



UNITIZED FRAME



OPTIONAL MESH BOOKBOX

# INNOVATION SERIES SCHOOL DESKS



SHOWN WITH OPTIONAL POWER POST  
SEE PAGE 64



MODEL 2000-SH  
SHOWN WITH 358D




LEFT-HANDED POSITION




RIGHT-HANDED POSITION




FORWARD FACING POSITION



## HARD-PLASTIC DESKTOPS



## FRAME FINISHES



## GENERAL SPECIFICATIONS

**DESKTOP** — 28" × 28" × 36", 5/8" thick hard-plastic triangular desktop with two pencil grooves. Desktop is attached to frame with nine screws.

**FRAME** — Desktop supports: Powder-coated 3/4" square 18-gauge steel. Legs: Powder-coated 1 3/8" round 18-gauge steel with open hairpin brace. Leg inserts: Chrome-plated 1 1/4" round 16-gauge steel with two self-locking screws. Legs adjust in 1" increments to heights from 23" to 33".

**STANDING HEIGHT** — Height adjusts from 31" to 43" in 1" increments. Brace adjusts from 10" to 12".

**GLIDES** — Poly Propylene height adjustable glides. Glides are designed to accommodate a choice of four inserts; Nylon, Felt, Steel or rubber based (TPR). Legs are outfitted with custom adaptor to secure glides. Glides and inserts are designed for easy replacement of worn out inserts. Glides are color coordinated.

**OPTIONAL MESH BOOKBOX** — Perforated steel, attached to desktop with six screws. 18" W × 12" D × 4 1/2".

**OPTIONAL WIRE BOOK RACK** — Powder coated 3/8" rod steel. Steel to steel connection; connects to steel frame with 4 screws.

**OPTIONAL BACKPACK HOOK** — Powder-coated 3/8" rod-steel. Attached to either side of frame with two screws. Holds up to 30lbs.

MODEL	DESKTOP DIMENSIONS W × W × D (INCHES)	WT (LBS)	PER SKID
2000	28 × 28 × 36	30	25
2000-SH	28 × 28 × 36	36	25

# PETAL SERIES

## SCHOOL DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL# 1900HP  
PETAL DESK

**COMFORT**

Collaborative learning paired with ample personal space.

**BENEFITS**

Nearly 500 square inches of desktop space—plenty of room for books and papers.

**DESIGN**

These versatile desks can be easily grouped together for collaborative learning.

**STRENGTH**

Our Hercules legs combined with our new unitized frame form Olympic strength to provide years of use.

Matching teacher's desk available. See page 6.



Matching activity tables available. See page 52.



BOOKBOX PENCIL GROOVE



JR. PETAL DESK WITH CASTERS




ADJUSTABLE HEIGHT




FULLY UNITIZED FRAME

# PETAL SERIES SCHOOL DESKS

PETAL DESK  
MODEL 1900, 1900EE




JUNIOR PETAL DESK  
MODEL 1950, 1950CHP




## HIGH-PRESSURE LAMINATE DESKTOPS




## HARD-PLASTIC DESKTOPS



## LEGS AND MATCHING EDGE-BANDING



## OPTIONAL BOOKBOX COLORS



## GENERAL SPECIFICATIONS

**DESKTOP** — 1/8" thick high-pressure laminate. Edge-banding is color-matched to leg color. 21" x 14" x 33", 5/8" thick hard-plastic desktop with one pencil groove. Desktop is attached to fully unitized frame.

**JUNIOR PETAL DESKTOP** — 1/8" thick high-pressure laminate. Edge-banding is color-matched to leg color. 30 1/2" x 17 7/8" x 21 1/4", 5/8" thick hard-plastic desktop with one pencil groove. Desktop is attached to fully unitized frame.

**FRAME** — Desktop support: Powder coated 3/4" square 18 gauge steel tubing  
Legs: Powder-coated 2 1/8" round 18-gauge steel with open hairpin brace.  
Leg inserts: Chrome-plated 2" round 16-gauge steel with two self-locking screws. Legs adjust in 1" increments to heights from 23" to 32". Legs are attached to desk with quick-mount brackets.

**GLIDES** — Matching oversized plastic caps.

**OPTIONAL BOOKBOX** — Perforated steel, attached to desktop with six screws. 18" W x 12" D x 4 1/2" H.

**OPTIONAL TODDLER-HEIGHT LEGS** — Height-adjustable in 1" increments from 17" to 22".

MODEL	DESKTOP DIMENSIONS W x H x D (INCHES)	WT (LBS)	PER SKID
1900	33 x 14 x 21	34	20
1900EE	33 x 14 x 21	34	20
1900HP	33 x 14 x 21	38	20
1950HP	30 1/2 x 17 7/8 x 21 1/4	36	20
1950CHP	30 1/2 x 17 7/8 x 21 1/4	38	20

\* Edge banding only  
Junior Petal available in Hard Plastic only

# ILLUSTRATION V2 SERIES

## SCHOOL DESK

**FIFTEEN YEAR  
WARRANTY**



FIXED HEIGHT W/MODESTY PANEL  
MODEL# 2729

### COMFORT

The wide frame design gives students extra leg room and the legs are height-adjustable for use in any grade.

### DESIGN

The soft interlocking leg supports the dual legs on either side makes this desk the design of the future.

### BENEFITS

The 500+ square inch desktop is designed to give the students plenty of room for their books and their laptop.

### STRENGTH

The unitized frame design means that the desk is held together by steel tubing; not by the bookbox.



UNDERSIDE WITH CROSSBAR



MESH BOOKBOX



BACK PACK HOOK



ADJUSTABLE HEIGHT

# ILLUSTRATION V2 SERIES SCHOOL DESKS




FIXED HEIGHT DESK  
MODEL 2729HP-FIXED




ADJUSTABLE HEIGHT DESK  
MODEL 2700


## HIGH-PRESSURE LAMINATE DESKTOPS




## HARD-PLASTIC DESKTOPS



## WOODSTONE DESKTOPS



## FRAME FINISHES



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**

## GENERAL SPECIFICATIONS

**DESKTOP** — High-pressure laminate:  $\frac{5}{8}$ " thick fiberboard with edge-banding. Hard-plastic:  $\frac{5}{8}$ " thick with pencil groove. WoodStone:  $\frac{5}{8}$ " thick with pencil groove and self-edge. Desktop is attached to frame with 24 screws. 26" W x 19 $\frac{1}{2}$ " D.

**FRAME** — The double leg design consists of two 1 $\frac{1}{4}$ " diameter tubes that are 16-gauge steel. There is a 1" steel tube, 12-gauge steel, welded at 90 degree angle to both of the legs. This allows for connection of the upper frame to the stretcher bar. Stretcher bar is a steel tube. 1 $\frac{1}{4}$ " in diameter, 18-gauge, that spans from leg to leg. Legs: Two powder-coated, 1 $\frac{1}{4}$ " round, 16-gauge steel legs per side. Adjustable leg inserts: Consists of two 1 $\frac{1}{8}$ " diameter, 16-gauge steel chrome legs. Each leg is fastened with two 18x $\frac{1}{2}$ " machine screws. Legs adjust in 1" increments to heights from 27 $\frac{1}{2}$ " to 31 $\frac{1}{2}$ ".

**GLIDES** — Screw-adjusting, color-matched to frame finish.

**OPTIONAL BOOKBOX** — Perforated steel, attached to desktop with six screws. 18 $\frac{3}{4}$ " W x 12" D x 4 $\frac{1}{2}$ ".

**OPTIONAL BACKPACK HOOK** — Powder-coated  $\frac{3}{8}$ " rod-steel. Attached to either side of frame with one screw. Holds up to 40 lbs.

MODEL	DIMENSIONS W x H (INCHES)	WT (LBS)	PER SKID
2700	20 $\frac{1}{4}$ x 27 $\frac{1}{2}$ " to 31 $\frac{1}{2}$ "	31	16
2726	20 $\frac{1}{4}$ x 26 $\frac{3}{4}$	30 $\frac{1}{2}$	16
2729	20 $\frac{1}{4}$ x 29 $\frac{3}{4}$	31 $\frac{1}{2}$	16
2700HP	19 $\frac{1}{2}$ x 27 $\frac{1}{2}$ " to 31 $\frac{1}{2}$ "	31 $\frac{1}{2}$	16
2726HP	19 $\frac{1}{2}$ x 26 $\frac{3}{4}$	30 $\frac{1}{2}$	16
2729HP	19 $\frac{1}{2}$ x 29 $\frac{3}{4}$	29 $\frac{1}{2}$	16
2700WS	19 $\frac{1}{2}$ x 27 $\frac{1}{2}$ " to 31 $\frac{1}{2}$ "	25.5	16
2726WS	19 $\frac{1}{2}$ x 26 $\frac{3}{4}$	26.5	16
2729WS	19 $\frac{1}{2}$ x 29 $\frac{3}{4}$	28	16

□ High-pressure laminate □ Hard-plastic □ WoodStone

# T-LEG SERIES

## SCHOOL DESK

**FIFTEEN YEAR  
WARRANTY**



MODEL 1500HP  
(SHOWN WITH OPTIONAL BOOKBOX)

### COMFORT

The wide frame design gives students extra leg room and the legs are height-adjustable for use in any grade.

### DESIGN

Features a sturdy T-leg design which is secured by two self-locking screws and adjustable to heights from 22" to 32".

### BENEFITS

The 500+ square inch desktop is designed to give the students plenty of room for their books and their laptop.

### STRENGTH

The understructure is a unitized frame which makes this desk very sturdy.



MICRO-ADJUSTABLE GLIDE



BOOKBOX PENCIL GROOVE



ADJUSTABLE HEIGHT



CROSS BAR


# T-LEG SERIES SCHOOL DESK



MODEL 1500


Extra-large desk top; over 500 sq. inches of work surface, ideal for digital age classrooms.

## HIGH-PRESSURE LAMINATE DESKTOPS




A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**

## HARD-PLASTIC DESKTOPS



## WOODSTONE DESKTOPS



## GENERAL SPECIFICATIONS

**DESKTOP** — High-pressure laminate:  $\frac{5}{8}$ " thick fiberboard with edge-banding. Hard-plastic:  $\frac{5}{8}$ " thick with pencil groove. WoodStone:  $\frac{5}{8}$ " thick with pencil groove and self-edge. Desktop is attached to frame with 8 screws. 26" W x 19 $\frac{1}{2}$ " D.

**FRAME** — Upper section:  $1\frac{1}{8}$ " wide by  $2\frac{1}{8}$ " deep 16-gauge black powder-coated rectangular tubing welded to 15-gauge angle iron (2). Stretcher bar:  $1\frac{1}{8}$ " wide by  $2\frac{1}{8}$ " deep 16-gauge black powder-coated rectangular tubing. Upper leg:  $1\frac{1}{8}$ " wide by  $2\frac{1}{8}$ " deep 16-gauge black powder-coated rectangular tubing. Lower leg: 1" wide by 2" deep 16-gauge chrome-plated rectangular tubing. The lower leg is held to the upper leg with three self-locking screws.

**GLIDES** — Screw-in style with nylon base. Micro-adjustable.

**OPTIONAL BOOKBOX** — 18 gauge steel, black powder coated finish, attached to desktop with six screws. 18" W x 12" D x  $4\frac{1}{2}$ ".

MODEL	DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
1500	20 x 22-32	29	16
1500HP	20 x 22-32	33	16
1500WS	20 x 22 -32	31	16

High-pressure laminate  Hard-plastic  WoodStone

# STANDARD SERIES

## SCHOOL DESKS WITH PLASTIC BOOKBOXES

**FIFTEEN YEAR  
WARRANTY**



MODEL 1100U  
STANDARD DESK WITH PLASTIC BOOKBOX

### COMFORT

With its adjustable height and choice of desktops, this desk is sure to enable every student to work comfortably.

### DESIGN

This tried-and-true design now features two self-locking screws on each adjustable leg.

### BENEFITS

A plastic bookbox is as strong and long-lasting as steel yet it is quieter, lighter, rust proof and doesn't have sharp edges.

### STRENGTH

The unitized frame design means that this desk is held together by steel tubing and braces; not by the bookbox. Optional U-brace makes this desk even stronger.



UNITIZED FRAME



THICK BOOKBOX WITH FRONT LIP



2 SCREW ADJUSTABLE LEG



U-BRACE WELDS

# STANDARD SERIES SCHOOL DESKS WITH PLASTIC BOOKBOXES




MODEL 1100UEE

Educational Edge furniture is designed to help you make a color-coordinated classroom. Choose from the Gray Nebula or Natural Wood high-pressure laminate Educational Edge Series or the Bannister Oak WoodStone Educational Edge 2 Series, both available in your choice of seven colors.




MODEL 1100UEE2WS

## EDUCATIONAL EDGE-BANDING



## HIGH-PRESSURE LAMINATE DESKTOPS



## HARD-PLASTIC DESKTOPS



## WOODSTONE DESKTOPS



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**

## GENERAL SPECIFICATIONS

**DESKTOP** — High-pressure laminate: 24" wide by 18½" deep, 5/8" thick with edge-banding. WoodStone: 24" wide by 18½" deep, 5/8" thick with pencil groove and self-edge. Hard-plastic: 24" wide by 18½" deep, 5/8" thick with pencil groove.

**BOOKBOX** — Heavy-duty propylene (21" W × 17" D × 4½" H).

**FRAME** — Chrome-plated 1/8" round 18-gauge steel legs with optional 3/4" 18-gauge U-brace. Leg inserts are 1" 18-gauge with two self-locking screws. Legs adjust in 1" increments to heights from 24" to 31". Fixed height version available 29 3/8".

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

MODEL	DESKTOP DIMENSIONS W × D (INCHES)	WT (LBS)	PER SKID
1100	24 × 18½	19	24
1100U	24 × 18½	20	24
1100HP	24 × 18½	23	24
1100UHP	24 × 18½	24	24
1100WS	24 × 18½	19	24
1100UWS	24 × 18½	20	24
1100EE	24 × 18½	19	24
1100UEE	24 × 18½	20	24
1100EE2WS	24 × 18½	19	24
1100UEE2WS	24 × 18½	20	24

Hard-plastic  WoodStone  Educational Edge  Educational Edge 2



74 Passaic Street, Wood-Ridge, NJ 07075 973-472-0100 AcademiaFurniture.com



# STANDARD SERIES

## SCHOOL DESKS WITH METAL BOOKBOXES

**FIFTEEN YEAR  
WARRANTY**



MODEL 1200UWS  
STANDARD DESK WITH METAL BOOKBOX

### COMFORT

With its adjustable height and choice of desktops, this desk is sure to enable every student to work comfortably.

### DESIGN


This tried-and-true design now features two self-locking screws on each adjustable leg.

### BENEFITS

The steel bookbox with built-in pencil tray has ample room for a student's books.

### STRENGTH

The unitized frame design means that this desk is held together by steel tubing and braces; not by the bookbox. Optional U-brace makes this desk even stronger.



PENCIL GROOVE



UNITIZED FRAME



TWO SCREWS ON ADJUSTABLE LEG



RIVETED BOOKBOX

# STANDARD SERIES SCHOOL DESKS WITH METAL BOOKBOXES




MODEL 1200UEE




MODEL 1200EE

Educational Edge furniture is designed to help you make a color-coordinated classroom. Choose from multiple desktop colors and seven edge-banding colors.

## EDUCATIONAL EDGE-BANDING



## HIGH-PRESSURE LAMINATE DESKTOPS



## HARD-PLASTIC DESKTOPS



## WOODSTONE DESKTOPS



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards. Durable. Convenient. Affordable. **WoodStone.**

## GENERAL SPECIFICATIONS

**DESKTOP** — High-pressure laminate: 24" wide by 18½" deep, 5/8" thick with edge-banding. WoodStone: 24" wide by 18½" deep, 5/8" thick with pencil groove and self-edge. Hard-plastic: 24" wide by 18½" deep, 5/8" thick with pencil groove.

**BOOKBOX** — Powder-coated 20-gauge steel with pencil groove and rolled front edge (21" W × 17" D × 4½" H).

**FRAME** — Chrome-plated 1½" round 18-gauge steel legs with (optional) ¾" 18-gauge U-brace. Leg inserts are 1" 18-gauge with two self-locking screws. Legs adjust in 1" increments to heights from 24" to 31". Fixed height version available in 29⅞"

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

MODEL	DESKTOP DIMENSIONS W × D (INCHES)	WT (LBS)	PER SKID
1200	24 × 18½	22	24
1200U	24 × 18½	23	24
1200HP	24 × 18½	26	24
1200UHP	24 × 18½	27	24
1200WS	24 × 18½	25	24
1200UWS	24 × 18½	26	24
1200EE	24 × 18½	22	24
1200UEE	24 × 18½	23	24
1200EE2	24 × 18½	25	24
1200UEE2	24 × 18½	26	24

□ Hard-plastic □ WoodStone □ Educational Edge □ Educational Edge 2



74 Passaic Street, Wood-Ridge, NJ 07075 973-472-0100 AcademiaFurniture.com



# STANDARD SERIES

OPEN-VIEW/WRITING/WHEELCHAIR SCHOOL DESKS



MODEL 1300  
STANDARD OPEN VIEW DESK

**FIFTEEN YEAR  
WARRANTY**

## COMFORT

With its adjustable height and choice of desktops, these desks are sure to enable every student to work comfortably.

## DESIGN

This tried-and-true design now features two self-locking screws on each adjustable leg.

## BENEFITS

The open-view storage area ensures that only necessary supplies are inside; no rotten apples or hidden contraband inside this desk.

## STRENGTH

The unitized frame design means that this desk is held together by steel tubing and braces; not by the bookbox. Optional U-brace makes this desk even stronger.



BOOKBASKET CONSTRUCTION



ADJUSTABLE-HEIGHT LEGS



FULL-CONTACT WELDS



UNDERSIDE OF DESK

# STANDARD SERIES OPEN-VIEW/Writing/WHEELCHAIR SCHOOL DESKS



MODEL 1800UHP



Model 1800UHP features a wider frame and a higher top to accommodate a wheelchair. U-brace is standard for added stability.




MODEL 1400U



A combination of wood fibers and plastic resin, manufactured to exceed ANSI-BIFMA standards.

Durable. Convenient. Affordable. **WoodStone.**

## HIGH-PRESSURE LAMINATE DESKTOPS



## HARD-PLASTIC DESKTOPS



## WOODSTONE DESKTOPS



## GENERAL SPECIFICATIONS

**DESKTOP** — High-pressure laminate: 24" wide by 18½" deep, 5/8" thick fiberboard with edge-banding. WoodStone: 24" wide by 18½" deep, 5/8" thick with pencil groove and self-edge. Hard-plastic: 24" wide by 18½" deep, 5/8" thick with pencil groove. Wheelchair desk is 36" wide by 20" deep.

**BOOKRACK** — 3/8" chrome-plated steel. 1300 Series only.

**FRAME** — Chrome-plated, 1½" round 18-gauge steel legs with optional 3/4" 18-gauge U-brace. Leg inserts are 1" 18-gauge with two self-locking screws. Legs adjust in 1" increments to heights from 24" to 31". Fixed height version available in 29 3/8" (26" to 34" on the wheelchair desk).

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

MODEL	DESKTOP DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
1300	24 x 18½	22	24
1300U	24 x 18½	23	24
1400U	24 x 18½	19	24
1800U	36 x 20	34	12
1300HP	24 x 18½	26	24
1300UHP	24 x 18½	27	24
1400UHP	24 x 18½	23	24
1800UHP	36 x 20	36	12
1300WS	24 x 18½	24	24
1300UWS	24 x 18½	25	24
1400UWS	24 x 18½	21	24

High-pressure laminate  Hard-plastic  WoodStone

\*1300 AND 1400 SERIES ONLY

# DOUBLE DESKS

**FIFTEEN YEAR  
WARRANTY**



MODEL T-2750  
ILLUSTRATION V2 ADJUSTABLE DOUBLE DESK

## VERSATILITY

Adjustable-height legs for student comfort, bookboxes can face either direction for any classroom layout.

## BOOKBOXES

Sturdy 18-gauge bookboxes are roomy enough to hold everything a student needs, and strong enough to keep it secure. Rolled edges protect student and add strength.

## BENEFITS

Get twice the learning done on the double desk. Students can work together or independently.

## STRENGTH

The unitized frame is self-supporting, meaning that the table is held together by heavy-gauge steel, not by the top.



SPACIOUS BOOKBOXES



FULL-CONTACT WELDS



THICK DESKTOP



ADJUSTABLE HEIGHT

# ILLUSTRATION V2 / STANDARD SERIES DOUBLE DESKS




MODEL T-1550  
STANDARD SERIES  
T-LEG DOUBLE DESK



MODEL T-1650  
STANDARD SERIES  
ACTIVITY-LEG DOUBLE DESK

## HIGH-PRESSURE LAMINATE DESKTOPS



## GENERAL SPECIFICATIONS

**DESKTOP** — 48" wide by 24" deep, 1/8" thick high-pressure laminate with edge-banding.

**T-1550 FRAME** — Upper legs: 2 1/4" by 1 1/4" 16-gauge powder-coated tubing. Lower legs: 2" by 1" 16-gauge steel. Stretcher bar: 18-gauge steel 3/4" by 2". Height is adjustable in 1" increments from 22" to 30" and are held to the upper leg with three self-locking screws.

**T-1650 FRAME** — Upper legs: 1 1/8" outer-diameter powder-coated tubular steel with open hairpin brace. Lower leg: 1" outer-diameter 16-gauge chrome-plated tubular steel. Height is adjustable in 1" increments from 22" to 30" and are held to the upper leg with two self-locking screws.

**T-2750 FRAME** — Upper brace: Powder-coated, 1" oval, 14-gauge steel. Cross bar: Powder-coated, 1 1/4" oval, 16-gauge steel, bolted with two T-nuts per side. Legs: Two powder-coated, 1 1/4" round, 16-gauge steel legs per side. Inserts: Two chrome-plated, 1 1/8" round, 16-gauge steel legs per side. Leg base: Chrome-plated, 2" oval, 14-gauge steel. Legs adjust in 1" increments to heights from 24" to 31".

**T-2750-FIXED FRAME** — Upper brace: Powder-coated, 1" oval, 14-gauge steel. Cross bar: Powder-coated, 1 1/4" oval, 16-gauge steel, bolted with two T-nuts per side. Legs: Two powder-coated, 1 1/4" round, 16-gauge steel legs per side. Inserts: Two chrome-plated, 1 1/8" round, 16-gauge steel legs per side. Leg base: Chrome-plated, 2" oval, 14-gauge steel.

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

**T-1550/T-1650 BOOKBOXES** — Two 18-gauge powder-coated steel bookboxes. 17" W x 16" D x 5" H.

**T-2750 BOOKBOXES** — Two perforated steel bookboxes, attached to desktop with six screws. 18" W x 12" D x 4 1/2".

**OPTIONAL BACKPACK HOOK (T-2750 ONLY)** — Powder-coated 3/8" rod-steel. Attached to either side of frame with one screw. Holds up to 40 lbs.

MODEL	DESKTOP DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
T-1550	48 x 24	62	18
T-1650	48 x 24	56	18
T-2750	48 x 24	69	14
T-2750-FIXED	48 x 24	69	14

Standard Series T-leg  Standard Series activity-leg  Illustration V2 Series

# HERCULES SERIES

## GROUP-STUDY AND ACTIVITY TABLES

**FIFTEEN YEAR  
WARRANTY**



MODEL T-IS60  
CHAIRS SHOWN FOR  
ILLUSTRATIVE PURPOSES

### STRENGTH

The Hercules legs are the strongest available to provide years of sturdy usage and are paired with a 1 1/8" thick fiberboard core with high pressure laminate top.



EDGE BANDING

### FLEXIBILITY

Powder-coated legs with chrome-plated inserts adjust in 1" increments to heights from 17" to 22" with two self-locking screws per leg for safety.



OPEN HAIRPIN BRACES

### DESIGN

The 3/4" bullnose edge-banding is colored to match your choice of nine leg colors.



QUICK-MOUNT LEG BRACKETS

### OPTIONS

The sky is the limit with nine leg/edge colors and five laminate colors.




ADJUSTABLE HEIGHT

# HERCULES SERIES GROUP-STUDY AND ACTIVITY TABLES




MODEL T-HL2448  
TRAPEZOID TABLE




MODEL T-HL4872  
KIDNEY TABLE


## LEGS AND MATCHING EDGE-BANDING



## TABLETOP SHAPES



## HIGH-PRESSURE LAMINATE TABLETOPS



## GENERAL SPECIFICATIONS

**TABLETOP** — 1/8" thick fiberboard with high-pressure laminate surface. Edge-banding is color-matched to leg color. Large tables come with an underside stretcher bar.

**FRAME** — Powder-coated 2 1/8" round 18-gauge steel legs with open hairpin brace. Leg inserts are chrome-plated 2" round 16-gauge steel with two self-locking screws. Legs adjust in 1" increments to heights from 23" to 32". Legs are attached to desk with quick-mount brackets.

**GLIDES** — Matching oversized plastic caps.

**OPTIONAL BOOKBOXES** — Perforated steel, attached to tabletop with six screws. 18" W x 12" D x 4 1/2" H.

**OPTIONAL TODDLER-HEIGHT LEGS** — Height-adjustable in 1" increments from 17" to 24".

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WEIGHT (LBS)	PER SKID
T-HL2436	36 x 24	45	14
T-HL2448	48 x 24	52	14
T-HL2460	60 x 24	64	10
T-HL2472	72 x 24	73	10
T-HL3048	48 x 30	61	14
T-HL3060	60 x 30	75	10
T-HL3072	72 x 30	84	10
T-HL3660	60 x 36	85	10
T-HL3672	72 x 36	99	10
T-HL36-R	36 x 36	49	10
T-HL42-R	42 x 42	61	10
T-HL48-R	48 x 48	71	10
T-HL60-R	60 x 60	148	10
T-HL2448-TR	24 x 48	45	14
T-HL3060-TR	30 x 60	61	10
T-HL4872-K	72 x 48	98	10
T-HL6066-H	60 x 66	160	10
T-HL4848-SQ	48 x 48	98	10
T-HL4848-CLVR	48 x 48	75	10
T-HL6060-FL	60 x 60	140	10
T-IS60	60 x 60	140	10

□ Rectangle □ Round □ Trapezoid □ Kidney □ Horseshoe  
 ■ Square ■ Clover ■ Flower ■ Inspiration\*

\*only available in toddler height

# ACTIVITY SERIES

## GROUP-STUDY AND ACTIVITY TABLES

**FIFTEEN YEAR  
WARRANTY**



MODEL T-AL2448  
ACTIVITY TABLE

### CONSTRUCTION

Made with 1½" thick fiberboard core and a high-pressure laminate top. Includes heavy-gauge steel legs with underside mounting brackets.

### FLEXIBILITY

Powder-coated legs with chrome-plated inserts adjust in 1" increments to heights from 22" to 29" (toddler height 17" to 22") with two self-locking screws for safety.

### EDGE BANDING

Whether selecting the standard black edge-banding or the Educational Edge colors, the ¾" bullnose resists chipping for years of use.

### COLORS

Table surface available in your choice of five laminate options. Additional colors available upon request.



EDGE BANDING



UNDERSIDE MOUNTING PLATE



V-BRACE AND STRETCHER BAR



ADJUSTABLE LEGS WITH SCREWS

# ACTIVITY SERIES GROUP-STUDY AND ACTIVITY TABLES




MODEL T-AL2448-TR  
TRAPEZOID TABLE




MODEL T-AL48-R  
ROUND TABLE


## EDUCATIONAL EDGE-BANDING



## TABLETOP SHAPES



## HIGH-PRESSURE LAMINATE TABLETOPS



## GENERAL SPECIFICATIONS

**TABLETOP** — 1½" thick fiberboard with high-pressure laminate surface and edge-banding. Large tables come with an underside stretcher bar.

**FRAME** — Tubular steel 1½" outer-diameter powder-coated 18-gauge upper leg with open hairpin brace. Chrome-plated 1" outer-diameter 16-gauge leg inserts. Height is adjustable in 1" increments from 22" to 30" and are held to the upper leg with two self-locking screws.

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

**OPTIONAL BOOKBOXES** — Black 20 gauge steel, attached to tabletop with six screws. 18" W x 12" D x 4½" H.

**OPTIONAL TODDLER-HEIGHT LEGS** — Height-adjustable in 1" increments from 17" to 22".

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WEIGHT (LBS)	PER SKID
T-AL2436	36 x 24	40	14
T-AL2448	48 x 24	47	14
T-AL2460	60 x 24	59	10
T-AL2472	72 x 24	68	10
T-AL3048	48 x 30	56	14
T-AL3060	60 x 30	70	10
T-AL3072	72 x 30	79	10
T-AL3660	60 x 36	80	10
T-AL3672	72 x 36	94	10
T-AL36-R	36 x 36	44	10
T-AL42-R	42 x 42	56	10
T-AL48-R	48 x 48	64	10
T-AL2448-TR	24 x 48	40	14
T-AL3060-TR	30 x 60	56	10
T-AL4872-K	72 x 48	93	10
T-AL6066-H	60 x 66	137	10
T-AL4848-SQ	48 x 48	83	10
T-AL48-CLVR	48 x 48	70	10
T-AL60-FL	60 x 60	135	10

□ Rectangle □ Round □ Trapezoid □ Kidney □ Horseshoe □ Square  
□ Clover □ Flower

# ILLUSTRATION V2 SERIES

## COMPUTER AND SEMINAR TABLES

**FIFTEEN YEAR  
WARRANTY**



MODEL T-IL2460-COMP  
ILLUSTRATION ADJUSTABLE HEIGHT  
COMPUTER TABLE

### COMFORT

The table can be used in any setting thanks to the legs which can be adjusted to heights from 24" to 31".

### DESIGN

The soft curves of the upper leg supports and dual legs on either side make this table the design of the future.

### BENEFITS

The 1150+ square inch tabletop is designed to provide plenty of room for displays, keyboards, mice and accessories.

### STRENGTH

The unitized frame is self-supporting, meaning that the table is held together by heavy-gauge steel, not by the top.



UNITIZED FRAME



MODESTY PANEL



GROMMET



OPTIONAL KEYBOARD TRAY

# ILLUSTRATION V2 SERIES COMPUTER AND SEMINAR TABLES



MODEL T-V2-2460-FIXED  
COMPUTER TABLE



MODEL T-V2-2460-COMP  
ADJUSTABLE HEIGHT  
COMPUTER TABLE



BRIDGE




END CAP




COMPUTER STAND


## HIGH-PRESSURE LAMINATE TABLETOPS



## FRAME FINISHES



## EDGE-BANDING



## NUMBER OF COMPUTER WORKSTATIONS PER TABLE

TABLE WIDTH	1 CPU	2 CPUs	3 CPUs
36"	•		
48"	•	•	
60"	•	•	
72"	•	•	•

## GENERAL SPECIFICATIONS

**TABLETOP** — 1/8" fiberboard with high-pressure laminate surface and edge-banding.

**FRAME** — The double leg design consists of two 1/4" diameter tubes that are 16-gauge steel. There is a 1" steel tube, 12-gauge steel, welded at 90 degree angle to both of the legs. This allows for connection of the upper frame to the stretcher bar. Legs: Two powder-coated, 1/4" round, 16-gauge steel legs per side.

**Adjustable Leg Inserts:** Consists of two 1/8" diameter, 16-gauge steel chrome legs. Each leg is fastened with two 18x1/2" machine screws. Legs adjust in 1" increments to heights from 26" to 31".

**OPTIONAL MODESTY PANEL** — 9 1/2" H, steel perforated panel designed for discretion and wire management organization. Wire channel is 3 1/2" wide.

**GLIDES** — Screw-adjusting, color-matched to frame finish.

**OPTIONS** — Keyboard trays, Computer stand, and 3" heavy-duty locking hcasters.

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
T-V2-2048-COMP	48 x 20	69	10
T-V2-2060-COMP	60 x 20	78	10
T-V2-2072-COMP	72 x 20	95	10
T-V2-2436-COMP	36 x 24	69	10
T-V2-2448-COMP	48 x 24	79	10
T-V2-2460-COMP	60 x 24	95	10
T-V2-2472-COMP	72 x 24	101	10
T-V2-3036-COMP	36 x 30	74	10
T-V2-3048-COMP	48 x 30	90	10
T-V2-3060-COMP	60 x 30	103	10
T-V2-3072-COMP	72 x 30	123	10
T-V2-2048	48 x 20	56	10
T-V2-2060	60 x 20	63	10
T-V2-2072	72 x 20	79	10
T-V2-2436	36 x 24	56	10
T-V2-2448	48 x 24	63	10
T-V2-2460	60 x 24	79	10
T-V2-2472	72 x 24	83	10
T-V2-3036	36 x 30	61	10
T-V2-3048	48 x 30	75	10
T-V2-3060	60 x 30	86	10
T-V2-3072	72 x 30	104	10

Computer table  Seminar table

Available in adjustable or fixed height ranges.

# C-LEG SERIES COMPUTER TABLES

**FIFTEEN YEAR  
WARRANTY**



MODEL T-CL2460-COMP  
C-LEG COMPUTER TABLE

(SHOWN WITH OPTIONAL KEYBOARD  
TRAYS AND COMPUTER STANDS)

## DESIGN

This traditional designed table now features a modern looking perforated modesty panel. The C-legs offer excellent support with built-in wire management.

## BENEFITS

Available in many widths and depths to accommodate varying numbers of students and a full array of computer equipment. Perforated modesty panel allows for improved airflow.

## OPTIONS


To make the most of these tables, we've included grommets and choice of optional keyboard trays and computer holders.



BUILT-IN WIRE MANAGEMENT



GROMMET HOLES



MODESTY PANEL



OPTIONAL KEYBOARD TRAY

# C-LEG SERIES COMPUTER TABLES



MODEL T-CL2448  
SHOWN WITH OPTIONAL POWER SUPPLY



MODEL T-CL2448  
SINGLE COMPUTER TABLE



MODEL T-CL-48-CORNER  
CORNER UNIT

Store your peripherals and supplies or even add another workstation—make the most out of your space.

### NUMBER OF COMPUTER WORKSTATIONS PER TABLE

TABLE WIDTH	1 CPU	2 CPUs	3 CPUs
36"	•		
48"	•	•	
60"	•	•	
72"	•	•	•

### GENERAL SPECIFICATIONS

**TABLETOP** — 1½" thick flakeboard with high-pressure laminate surface. PVC T-mold edge. Grommet holes.

**FRAME** — 1½" by 2½" 16-gauge black powder-coated rectangular tubing. 18-gauge modesty panel with built-in wire management tray.

**GLIDES** — Screw-in style with nylon base. Micro-adjustable.

**OPTIONS** — Casters, keyboard tray, computer stand, computer bracket, connector bridge and power supply 2-AC power.

MODEL	TABLETOP DIMENSIONS W × D (INCHES)	WEIGHT (LBS)	PER SKID
T-CL2448	48 × 24	62	10
T-CL2460	60 × 24	80	10
T-CL2472	72 × 24	86	10
T-CL3036	36 × 30	61	10
T-CL3048	48 × 30	77	10
T-CL3060	60 × 30	90	10
T-CL3072	72 × 30	111	10
T-CL-42-CORNER	42 × 42	97	10
T-CL-48-CORNER	48 × 48	110	10

□ Corner unit

### HIGH-PRESSURE LAMINATE TABLETOPS



# XLT SERIES COMPUTER TABLES

**FIFTEEN YEAR  
WARRANTY**



MODEL T-XLT4260  
XLT COMPUTER TABLE

## **STRENGTH**

This heavy-duty computer table line features a full wraparound apron, 16-gauge square adjustable-height legs and a built-in wire management tray.

## **DESIGN**

Designed for heavy-use areas, these tables are built to last.

## **BENEFITS**

With their adjustable-height legs, these tables are suited for students of all ages and sizes and are designed to be used without keyboard trays.



ADJUSTABLE-HEIGHT LEGS



WIRE MANAGEMENT TRAY



UNDERSIDE OF DESK FRAME



GROMMETS

# XLT SERIES COMPUTER TABLES



MODEL T-XLT4260  
SHOWN WITH 4618 STOOL  
SEE PAGE 60

The XLT Series, our strongest line of computer tables, is available in a variety of sizes. Depending on the width, one, two or three computer workstations can comfortably fit on each table. See the chart below for more information.

NOW AVAILABLE IN 84" WIDTHS

### NUMBER OF COMPUTER WORKSTATIONS PER TABLE

TABLE WIDTH	1 CPU	2 CPUs	3 CPUs
36"	•		
48"	•	•	
60"	•	•	
72"	•	•	•
84"	•	•	•



### OPTIONAL COMPUTER BRACKET

Optional CPU-ST bracket and straps hang your computer below desktop surface. Keep it off the floor and above spills or mops. Can be placed left, right or centered under desk.

### GENERAL SPECIFICATIONS

**TABLETOP** — 1½" thick fiberboard with high-pressure laminate surface, edge-banding and grommet holes.

**FRAME** — Wraparound apron of 16-gauge steel. 14-gauge 1" square legs adjustable to heights from 24" to 32" with two self-locking screws. Frame is black powder-coated.

**GLIDES** — Screw-in style with nylon base. Micro-adjustable.

**OPTIONS** — Computer bracket, casters.

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WEIGHT (LBS)	PER SKID
T-XLT2436	36 x 24	53	14
T-XLT2448	48 x 24	61	14
T-XLT2460	60 x 24	68	10
T-XLT2472	72 x 24	82	10
T-XLT3036	36 x 30	60	10
T-XLT3048	48 x 30	77	10
T-XLT3060	60 x 30	93	10
T-XLT3072	72 x 30	112	10
T-XLT4260	42 x 60	136	8
T-XLT4284	42 x 84	147	8

### HIGH-PRESSURE LAMINATE TABLETOPS



# T-LEG SERIES COMPUTER TABLES

**FIFTEEN YEAR  
WARRANTY**



MODEL T-TL2460  
T-LEG COMPUTER TABLE  
SHOWN WITH OPTIONAL KEYBOARD TRAYS

## **BENEFITS**

These entry-level computer tables are designed to be durable yet inexpensive. Wide selection of widths, depths and surface colors.

## **DESIGN**

Features a sturdy T-leg design which is secured by three self-locking screws and adjustable to heights from 22" to 33".

## **STRENGTH**

The understructure is a unitized frame which makes these tables very sturdy. Larger-size tabletops include stretcher bars for added strength.

## **OPTIONS**

Keyboard tray, computer holders and wire-management trays can be added to any table in this series.



T-LEG WITH THREE SCREWS



STRETCHER BAR



WIRE MANAGEMENT TRAYS



CORNER BRACES

# T-LEG SERIES COMPUTER TABLES



ADA  
VERSION  
SHOWN



MODEL T-TL2436  
SINGLE COMPUTER TABLE

## NUMBER OF COMPUTER WORKSTATIONS PER TABLE

TABLE WIDTH	1 CPU	2 CPUs	3 CPUs
36"	•		
48"	•	•	
60"	•	•	
72"	•	•	•



### OPTIONAL COMPUTER BRACKET

Optional CPU-ST bracket and straps hang your computer below desktop surface. Keep it off the floor and above spills or mops. Can be placed left, right or centered under desk.



### OPTIONAL COMPUTER STAND

Optional CPU-T stand keeps your computer upright and off the floor, attached to table legs. Adjustable feet keep it level on any floor surface. Works on right or left side.

## GENERAL SPECIFICATIONS

**TABLETOP** — 1½" thick fiberboard with high-pressure laminate surface and edge-banding.


**FRAME** — Upper section: 1½" wide by 2½" deep 16-gauge black powder-coated rectangular tubing welded to 15-gauge angle iron (2). Stretcher bar: 1½" wide by 2½" deep 16-gauge black powder-coated rectangular tubing. Upper leg: 1½" wide by 2½" deep 16-gauge black powder-coated rectangular tubing. Lower leg: 1" wide by 2" deep 16-gauge chrome-plated rectangular tubing. The lower leg is held to the upper leg with three self-locking screws. ADA version adjusts from 30" -35".

**GLIDES** — Screw-in style with nylon base. Micro-adjustable.

**OPTIONS** — Wire management tray, computer stand, computer bracket, casters, keyboard tray.

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
T-TL2436	36 x 24	45	10
T-TL2448	48 x 24	52	10
T-TL2460	60 x 24	68	10
T-TL2472	72 x 24	72	10
T-TL3048	48 x 30	64	10
T-TL3060	60 x 30	74	10
T-TL3072	72 x 30	93	10
T-TL3660	60 x 36	86	10
T-TL3672	72 x 36	107	10

## HIGH-PRESSURE LAMINATE TABLETOPS



\*All table sizes come with ADA option.

# EDUCATIONAL SERIES

## LAB STOOLS

**FIFTEEN YEAR  
WARRANTY**



### STRENGTH

The 13" diameter hard-plastic seats are screwed to large under-seat plates which are welded to the frame for years of secure seating.

### BENEFITS


Designed for environments such as science labs, kitchens and art rooms, where their strength, stability and easy-clean surface make them a perfect fit.

### DESIGN

Our current design features a wider footprint for added stability.

### COMFORT

Students are sure to find a comfortable position since these stools are available with fixed or adjustable-height.



WELDED STEEL FRAME AND PLATE



WELDS AT FOOTRING



OPTIONAL X-STRONG EDGING



WIDE FOOTPRINT

# EDUCATIONAL SERIES LAB STOOLS



Stools with backs feature ergonomic square seats with waterfall fronts.

MODEL 4518AWB  
ADJUSTABLE-HEIGHT  
STOOL WITH BACK



MODEL 4530  
FIXED-HEIGHT STOOL

## ROUND HARD-PLASTIC SEATS



## ROUND HIGH PRESSURE LAMINATE SEAT



## SQUARE HARD-PLASTIC SEATS WITH BACKS



## GENERAL SPECIFICATIONS

**SEAT** — Round: 13" diameter, 5/8" thick hard-plastic or high pressure laminate. Square: 13" wide by 13" deep, 5/8" thick hard-plastic with seat back.

**4518 FRAME** — Chrome-plated 7/8" 18-gauge with 18-gauge 3/4" outer-diameter foot ring. Leg inserts are 3/4" 18-gauge with two self-locking screws. Legs adjust in 1" increments to heights from 18" to 27".

**4524 FRAME** — Chrome-plated 7/8" 18-gauge with 18-gauge 3/4" outer-diameter foot ring. 24" fixed-height.

**4530 FRAME** — Chrome-plated 7/8" 18-gauge with 18-gauge 3/4" outer-diameter foot ring. 30" fixed-height.

**GLIDES** — Self-adjusting nickel-plated casing with nylon inserts.

MODEL	SEAT HEIGHT (INCHES)	BASE DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
4518A	18–26	14 x 14	11	48
4524	24	16 x 16	11	24
4530	30	18 x 18	11	20
4518AWB	18–24	14 x 14	16	24
4524WB	24	16 x 16	16	12
4530WB	30	18 x 18	16	12

WoodStone  Seat back

# STUDY CARREL SERIES

## STUDY CARRELS

**FIFTEEN YEAR  
WARRANTY**



MODEL T-SCTL3660  
QUAD STUDY CARREL

### BENEFITS

Dramatic improvements in students' focus and clarity by minimizing distractions. Students close enough for accurate supervision, yet separate enough to ensure individual achievement.

### DESIGN

Available in units of 1, 2 or 4, the carrel boasts a virtually disturb-proof, compact configuration of soft, clean, sound-absorbing partitions between each amply-spaced desk.

### STRENGTH

Sturdy 6-gauge steel on a heavy-duty frame features strong connective nuts and bolts. Adjusts to your height specs.

### VERSATILITY

Triples as a secure testing environment, private study/reading area or distraction-free computer work module.



TOP SHELF AVAILABLE



EASY ASSEMBLY WITH DOWELS



SIDE PROFILE



STABLE T-LEG

# STUDY CARRELS

GREAT FOR TESTING ENVIRONMENTS  
AND LIBRARY SETTINGS




MODEL T-SCTL2460



MODEL T-SCTL2436

## HIGH-PRESSURE LAMINATE DESKTOPS



## GENERAL SPECIFICATIONS

**TABLETOP** — 1/8" thick fiberboard with high-pressure laminate surface and edge-banding.

**PARTITIONS** — 3/4" thick high pressure laminated on MDF with 2MM edge banding. Partitions are designed with owels and pilot holes for easy assembly.

**SHELF** — 10" deep, set 4" from the top. Not available on the quad-carrel.

**FRAME** — Upper section: 1 1/8" wide by 2 1/8" deep 16-gauge black powder-coated rectangular tubing welded to 15-gauge angle iron (2). Stretcher bar: 1 1/8" wide by 2 1/8" deep 16-gauge black powder-coated rectangular tubing. Upper leg: 1 1/8" wide by 2 1/8" deep 16-gauge black powder-coated rectangular tubing. Lower leg: 1" wide by 2" deep 16-gauge chrome-plated rectangular tubing. The lower leg is held to the upper leg with three self-locking screws.

**GLIDES** — Screw-in style with nylon base. Micro-adjustable.

MODEL	TABLETOP DIMENSIONS W x D (INCHES)	WT (LBS)	PER SKID
T-SCTL2436	24x36	82lbs	10
T-SCTL2460	24x60	98lbs	8
T-SCTL3660	36x60	130lbs	8

# BUDDY SERIES

## MOBILE KNAPSACK RACK



### DESIGN


Revolutionary solution to early ed storage. Holds 24 knapsacks and belongings in two minimal, mobile units. Bottom rack standard, top rack optional.

### BENEFITS

Budget-friendly. Easily accessible double hooks safely behind bar, slide-in name plates, casters for secure mobility. Re-position within classroom or building with ease.

### STRENGTH

Meticulous heavy-duty construction, pre-welded frame nuts conceal screws, 25 lbs centered to never tip, even with all weight on one side.



OPTIONAL TOP RACK

## FIFTEEN YEAR WARRANTY



NAME PLATE



RUBBER TIP DOUBLE HOOK

### GENERAL SPECIFICATIONS

**FEATURES** — 6 rubber tip double hooks per side, 12 per unit. A name plate by each hook. With a standard bottom rack for boots. 16 gauge steel frame and 18 gauge steel crossbar Ships KD with easy assembly.

**FINISH** — Black textured powder coated finish.

**GLIDES** — Standard with glides and casters, 2 locking.

**OPTIONAL** — Top rack (as shown above)

MODEL	DIMENSIONS H x W x D (INCHES)	WEIGHT (LBS)	PER SKID
4670	41 1/2" x 38 1/4" x 24 1/4"	32	20
4690	3" x 38" x 17"	10	40



# POWER POST

**FIFTEEN YEAR  
WARRANTY**



Model# T-PWR-POST

Energize your students with a simple power solution

### GENERAL SPECIFICATIONS

**FEATURES** — Power post with 4 UL listed power receptacles; each has 2 outlets and 2 USB ports. Outlets are linked to one heavy duty 12' cord. 14 Gauge steel post with 10 gauge steel base. Base outfitted with 4 height adjustable glides. Overall height of the post is 38" with a neck height of 31½ inches

**FINISH** — Black textured powder coated.

MODEL	DIMENSIONS LxW (INCHES)	WEIGHT (LBS)	PER SKID
T-PWR-POST	20x17	10	30

# BUDDY SERIES CHAIR DOLLY



MODEL# 4650



MODEL# 4660

SHOWN WITH OPTIONAL CONVERSION KIT

Single dolly that works with almost all chairs that Academia Manufactures!

### GENERAL SPECIFICATIONS

**FEATURES** — Fully welded heavy duty steel frame featuring, 14-18 gauge steel. Safety strap to secure chairs in place. Ships assembled with the exception of the handle bar that requires installation.

**FINISH** — Black textured powder coated.

**CASTERS** — Heavy duty casters; 2 fixed and 2 swivel.

**OPTIONAL** — Cantilever conversion kit.

SERIES	STACKING CAPACITY
CLASSIC	10
HARD-PLASTIC	10
INFUSE	8
INSPIRATION	10

MODEL	DIMENSIONS LxW (INCHES)	WEIGHT (LBS)	PER SKID
4650	25x30	32	16
4660	20x17	10	35

(Excludes caster and sled base models)



# CASTER & GLIDE GUIDE

## FLOOR FINISH GUIDE

FLOOR TYPE	NYLON	FELT	RUBBER	STEEL
CARPET	•			•
HARDWOOD		•		
POLISHED CONCRETE	•	•		•
RUBBER	•		•	
TILE	•	•	•	
VCT(VINYL)	•	•	•	

## CASTER GUIDE

SERIES	HARD	SOFT
COMPUTER CHAIRS 658/158/558	•	•
COMPUTER CHAIRS 128C/718C	•	•
C-LEG SERIES	•	
ILLUSTRATION SERIES		•
T-LEG SERIES	•	

Hard casters for soft flooring. Soft casters for hard flooring

## GLIDE GUIDE

SERIES	NYLON	FELT	RUBBER	STEEL
Standard/Inspiration/Infuse 120/300/400/500/600/700	■	■	■	■
Cantilever Chairs Series 380/680	■	■	■	■
Computer Chair Series <sup>1</sup> 158/358/458/558/658	■	■	■	■
Combination Desk Series <sup>2</sup> 2200/2500/2900/3200/3500	■	■	■	■
Classic Desk Series 1100/1200/1300/1400/1800	■	■	■	■
Illustration Desk Series 1700	■		■	
Innovation Desk 2000	■	■	■	■
Illustration Table Series	■		■	
T-Leg/C-Leg/XLT-Leg Series <sup>3</sup>	■		■	
Activity Table Series	■	■	■	■

■	STANDARD
■	SPECIFY OPTION
■	OPTIONAL

<sup>1</sup>The options shown are only if flat glides are requested. Standard, the chair ships with casters.

<sup>2</sup>Excluding Sled Base Combination Desks

<sup>3</sup>Casters are available, see page 63.

Disclaimer: The following information is offered based on our extensive research and testing. This information is recommended as a guide. It is suggested that the customer does their own research to insure that the glide or caster chosen is the proper selection for their flooring.

# CASTER & GLIDE GUIDE

## GLIDES CAPS FOR CLASSIC, INSPIRATION, INFUSE, COMBINATION DESKS AND CLASSIC DESK SERIES



STEEL  
MODEL# 9GL-STL



FELT  
MODEL# 9GL-FLT



RUBBER  
MODEL# 9GL-TPR



SHOWN WITH FELT CAP

## GLIDES FOR INNOVATION DESK & SWIVEL CHAIRS



STEEL  
MODEL# 9GL-B-STL



FELT  
MODEL# 9GL-B-FLT



RUBBER  
MODEL# 9GL-B-TPR



NYLON  
MODEL# 9GL-B-NYL



SHOWN WITH FELT INSERT

## CANTILEVER GLIDE & INSERTS



STEEL  
MODEL 9GL-IS88-FR-STL



FELT  
MODEL 9GL-IS88-FR-FLT



RUBBER  
MODEL 9GL-IS88-FR-TPR



NYLON  
MODEL 9GL-IS88-FR-NYL



BACK GLIDE  
SHOWN WITH COLOR COORDINATED GLIDES



FRONT GLIDE  
SHOWN WITH COLOR COORDINATED GLIDES

## TABLE GLIDES



C-LEG/T-LEG/XLT-LEG  
RUBBER  
MODEL#9GL-TL-TPR



ILLUSTRATION-RUBBER  
MODEL# 9GL-IL-TPR

## CASTERS FOR CHAIRS & TABLES



128C/518C/718C  
MODEL 9SF28W-C



658 BRAKING CASTER  
MODEL 9HF85C



658 SOFT CASTER  
MODEL 9HF58SC



T-LEG CASTER  
MODEL 99TW50M



ILLUSTRATION CASTER  
MODEL 99TW75-IL

# INSTALL SHOWCASE



HIGH MOUNTAIN SCHOOL  
NORTH HALEDON, NJ



WOODMONT HIGH SCHOOL  
PIEDMONT, SC



DRIPPING SPRINGS SCHOOL DISTRICT  
DRIPPING SPRINGS, TX



DRIPPING SPRINGS SCHOOL DISTRICT  
DRIPPING SPRINGS, TX



SOUTH PORTLAND HS  
SOUTH PORTLAND, ME



MIGHTY PREP  
FORT WORTH, TX



PROSPECT RIDGE ACADEMY  
BROOMFIELD, CO



SLAM ACADEMY  
MIAMI, FL

# INSTALL SHOWCASE



NORTH PIKE SCHOOL DISTRICT  
SUMMIT, MS



PARK CITY PREP  
BRIDGEPORT, CT



COLLEGE PARK  
EDMONTON, AB CANADA



UPLIFT PINNACLE PREP  
DALLAS, TX



LORENZO DE ZAVALA SCHOOL  
DALLAS, TX



DALLAS ISD  
DALLAS, TX



VISION PREP-BUSINESS SVC  
MEMPHIS, TN



NEW DORP HS LIBRARY  
STATEN ISLAND, NY

Connect to the future  
of student life,  
**The Zone**



Catalog #AC15

 **Academia**  
FURNITURE INDUSTRIES  
74 S. Passaic Street 973-472-0100  
Wood-Ridge, NJ 07075 [AcademiaFurniture.com](http://AcademiaFurniture.com)