
U-Series[®] Storage Price List 📕

January 3, 2011 Update April 13, 2015 800-424-2432





1

U-Series®	General Information		2
U-Series® Lateral	Files		
	Lateral Files		6
Custom-Built Lami			
	U-Series [®] Lateral File	S	8
U-Series® Pedesta			10
	Freestanding		12
	Worksurface Support	ing	14
U-Series® Double	Pedestals		16
U-Series® Accesso	ries		
	Pedestal Accessories		18
U-Series® Credenz	as Freestanding Credenz	zas	20
	Laminate Tops		22
U-Series® Wardrol	e Towers		
	48" High Cabinet		24
	64" High Cabinet		26
	48" High Side Access		28
	64" High Side Access	Bookcase	30
U-Series® Overhea	ıds		32
U-Series® Storage			
	Overhead Accessorie	s	34
U-Series® Underhe	ead Storage		40
U-Series® Accesso	ries		
	Lateral File Accessori		42
	Pedestal Accessories		44
Index			52

GENERAL INFORMATION

U-Series[®] is an active and accessible storage collection designed to augment KI Systems offerings and provide more relevant and cost-effective workstations for applications within each of KI's vertical markets.

The U-Series[®] collection includes lateral files, freestanding, mobile and worksurfacesupporting pedestals, double pedestals, credenzas, wardrobe tower cabinet units, wardrobe tower side-access bookcase units, overheads, and related accessories. Nominal and actual dimensions are listed with each item to the nearest 1/16 inch.

All U-Series storage models meet or exceed ANSI/BIFMA X5.9-2004 standards.

CONSTRUCTION AND STANDARD FEATURES

All U-Series[®] storage units are constructed of steel. Box and file drawers feature smooth riding, ball-bearing slides. Box drawers feature a three-quarter travel. File drawers feature a full extension. Units feature ADA-compliant nickel-plated loop pulls.

Glides

Freestanding pedestals feature non-adjustable glides which allow units to match the height of mobile units. Credenzas feature 1-1/2"glides with 1" adjustment range. Worksurface-supporting pedestals, double pedestals, and wardrobe towers feature 2-1/2" glides with a 1" adjustment range.

Locks

Locks are standard on all units. The lock is a high-security double-bit type. The double-bit lock offers superior security when compared to a single-bit lock. Units are standard with random keys in a range of 994 different numbers. Specific keying combinations

Model Numbering System

Each character in the basic model number corresponds to a specific unit feature. How to Build a Model Number Example: U-Series Pedestal

ULP	24	W	BBF
ULP 24 W BBF	Product n Cabinet de Pedestal t Drawer ty	epth ype	U-Series Pedestal 24" deep Worksurface supporting Box/box/file

are available at no additional charge. This information must be included with the order. Locks can be master keyed. Please see the accessories section of this price book for order information on master keys, extractor (core-removal) keys, key blanks, cut keys, and core and key sets.

All locks have removable and interchangeable plugs. This feature provides for onsite custom keying. Units can be supplied with the lock plugs installed or shipped separately. To install or remove lock plugs a unique key is required. This key is the extractor (core removal) key and can be found in the accessories section of this price book. Contact Customer Service to order lock accessories. To order plugs for field installation, specify "lock plugs not installed" on order. Order must specify total quantity of specific key-numbered locks.

Example: 30 plugs: 3 keyed alike 10 keyed alike 17 keyed alike

Paint

All inside and outside shell and front surfaces are electrostatically powder coated. Colors are listed in the Color Addendum.

Lateral Files

Lateral files are offered with 12" drawers and receding doors, in three widths: 30", 36", and 42". Refer to pricelist for standard configurations. Uprights and top and bottom reinforcements are welded into rigid boxframe. Seamless back and top feature reinforced corners.

Pedestals

Mobile, freestanding and worksurface supporting units are offered in box/box/ file and file/file drawer configurations. Mobile units are also available in a box/ file configuration. Pedestals are shipped for front-to-back letter-sized filing. Pencil tray, if desired, is specified separately. Worksurface-supporting pedestals are used to support worksurfaces in panel-wrapped applications. Cantilevers or other supports are not required at the end of a worksurface supported by a pedestal, but finishing brackets may be specified to fill the space between the back of the pedestal and a panel if desired.

A counterbalance weight is included in file/file mobile and freestanding units for stability. A counterbalance weight may be required in worksurface supporting file/file pedestals depending on the desk configuration.

Double-Wide Pedestals

Worksurface-supporting double wide pedestals are used to support worksurfaces in panel-wrapped applications. Units feature two 12" drawers with side-to-side hanging folder bars. Double wide pedestals may be specified at return conditions but not be specified in place of panel returns.

Credenzas

Each freestanding credenza features a single sliding door with lock that spans approximately half of the width of the credenza. Bottom shelf is sufficiently sized to hold binders. Top shelf is non-adjustable. Bottom of unit features adjustable glides.

Wardrobe Towers

Wardrobe towers are stand-alone storage units. Wardrobe/cabinet units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook, and a storage cabinet with an adjustable shelf.

Wardrobe/side-access bookcase units feature a pedestal in file/file or box/box/file configuration, a full vertical height wardrobe with coat hook, and an open bookcase with one adjustable shelf. Pedestal aesthetic matches wardrobe pedestal.

The handedness of a wardrobe tower is determined by the location of the wardrobe unit. A right unit features the wardrobe on the right side of the unit.

Sliding Door Overhead and Underhead Storage

Overhead and underhead units each feature a single sliding door with lock. Door spans approximately half the width of the unit. Slide mechanism uses four wheeled rollers. Units are sufficiently sized to house upright standard binders.

D

157/8"

15⁷/8"

38³/4"

Н

11¹/₂"

109/16"

Lateral File **Inside Drawer and Shelf Dimensions** 30W x 18D Cabinet 36W x 18D Cabinet 42W x 18D Cabinet W D W D W Н Н 12" Lateral File Drawer 26³/4" 157/8" 11¹/2" 323/4" 157/8" 11¹/2" 38³/4" 12" Rec. Door / Roll-out Shelf

109/16"

263/4"

15⁷/8"

Lateral File Suspended Filing Configurations			30W Cabinet		36W Cabinet	42W Cabinet		
Letter	side-to-side	Standard		Standard		Standard		
	front-to-back	30FBA w(2)334FBK		36FBA w(2)334FBK		42FBA w(3)334FBK		
Legal	side-to-side	Standard		Standard		Standard		
				36FBA w(2)334FBK		42FBA w(2)334FBK		

32³/4"

157/8"

109/16"

Pedestal **Inside Dimensions of Drawers**

	20"D Pedestal	24"D PEDESTAL	WARDROBE Pedestal	
	W D H	W D H	W D H	
6" Box	12 ¹ /8" 16 ¹ /4" 5 ¹ /8"	12 ¹ /8" 19 ¹ /4" 5 ¹ /8"	12 ¹ /8" 16 ¹ /4" 5 ¹ /8"	
12" File	12 ¹ /8" 16 ¹ /4" 10 ⁷ /8"	12 ¹ /8" 19 ¹ /4" 10 ⁷ /8"	12 ¹ /8" 16 ¹ /4" 10 ⁷ /8"	

Pedestal Heights and Depths

	Depths	Heights Including Glides	Heights Including Casters	
Freestanding	175/8", 215/8"	27 ⁵ /8"		
Mobile	175/8", 215/8"		213/4", 275/8"	
Worksurface Supporting	175/8", 215/8"	277/8"		

Double-Wide Pedestal File Inside Drawer Dimensions	30" W	x 22" D	
	W	D	Н
Double-Wide Drawer	26-1/2"	15-1/2"	11"

Credenza Inside Dimensions	36" W	x 15" D		42" W 2	x 15" D	
	W	D	Н	W	D	Н
Long Shelf	34"	14"	6"	40"	14"	6"
Lower Storage Areas	16-1/2"	14"	15-1/4"	19-1/2"	14"	15-1/4"

Wardrobe/Towers	24" W x 22" D							
	W	D	Н					
48" HIgh Wardrobe Door	7-3/8"	21"	42-7/8"					
64" High Wardrobe Door	7-3/8"	21"	58-7/8"					
48" Bookcase	20-3/8"	14-7/8"	17-7/8"					
64" Bookcase	20-3/8"	14-7/8"	33-7/8"					
48" Cabinet	13-3/8"	21"	18-1/8"					
64" Cabinet	13-3/8"	21"	34-1/8"					

Overhead/Underhead Outside Dimensions		36" W			42" W			48" W			54" W			60" W	
	W	D	Н	W	D	Н	W	D	Н	W	D	Н	W	D	Н
Overhead	35-3/4"	14-3/8"	14-7/16"	41-3/4"	14-3/8"	14-7/16"	47-3/4"	14-3/8"	14-7/16"	53-3/4"	14-3/8"	14-7/16"	59-3/4"	14-3/8"	14-7/16"





Lateral Files

			MODEL						
			MODEL N	UMBER	1				
	MODEL	W x D x H	Basic Model	Unit Color	Optional Counter- balance Weight	Lock Option	Pull Style	Approx. Packaged Weight	
	27" File, 2 High	30 x 18 x 27"	UL/302D					110.0#	
	Two 12" drawers with side-to-side hang- ing folder have:	36 x 18 x 27"	UL/362D					120.0#	
	ing folder bars Counterbalance weights are recom- 	42 x 18 x 27"	UL/422D					130.0#	
	mended for freestanding units								
×									
USLT									
\sim	 39-1/4" File, 3 High Three 12" drawers with side-to-side 	30 x 18 x 39-1/4"	UL/303D					140.0#	
	 Infee 12 drawers with side-to-side hanging folder bars 	36 x 18 x 39-1/4"	UL/363D					155.0#	
	Counterbalance weights are recom-	42 x 18 x 39-1/4"	UL/423D					170.0#	
	mended for freestanding units								
USLT									
	51-1/2" File, 4 High	30 x 18 x 51-1/2"	UL/304D					180.0#	
	• Four 12" drawers with side-to-side hang-	36 x 18 x 51-1/2"	UL/364D					200.0#	
	ing folder bars Counterbalance weights are recom- 	42 x 18 x 51-1/2"	UL/424D					220.0#	
	mended for freestanding units								
	-								
¥									
USLT									
\frown	 63-3/4" File, 5 High One 12" receding door with rollout shelf 	30 x 18 x 63-3/4"	UL/305RD					230.0#	
	and 3 plate dividers	36 x 18 x 63-3/4"	UL/365RD					250.0#	
	Four 12" drawers with side-to-side hang-	42 x 18 x 63-3/4"	UL/425RD					270.0#	
	ing folder bars Counterbalance weights are recom- 								
	mended for freestanding units								
	-								
USLT									
			A	6	Θ	D	Ð		
			W	9	9	0	9		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Select unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select counterbalance weight.
 CBW With Counterbalance
 NOCBW No Counterbalance
 See pricing column for counterbalance
 weight upcharge.

DSelect key option. KS - Key standard

NLC - No lock core KA - Key alike Select pull style.

USP - U-Series Pull (Standard) CZP - Connection Zone Pull

INFORMATION

Folder Bars

Files are configured for side-to-side media storage. For alternative configurations, see the General Information section.

Height

All dimensions shown include 1/8" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Lateral Files



Pri	livered cing	Coun balan Weigi add to price	ce nt o list	Whites All Me Upcha	allics rge
\$	793	\$	106	\$	62
	870		106		62
	930		106		62
	10.15				
\$	1045	\$		\$	62
	1176		106		62
	1278		106		62
φ.	1000	\$	00	¢.	100
\$	1309	\$	92	\$	100
	1484		92		100
	1682		92		100
¢	1561	\$	92	\$	100
¢	1783	\$	92 92	φ	100
	2012		92 92		100
	2012		92		100

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Custom-Built Laminate Tops

	MODEL NUMBER						
	Features	W x D x H	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight
^	Fits one 30" wide lateral	30 X 18 X 1-1/4"	S7L/3018T				18.0#
	Fits one 36" wide lateral	36 X 18 X 1-1/4"	S7L/3618T				21.0#
	Fits one 42" wide lateral	42 X 18 X 1-1/4"	S7L/4218T				25.0#
	Fits two 30" wide laterals	60 X 18 X 1-1/4"	S7L/6018T				36.0#
	Fits one 30" & one 36" wide laterals	66 X 18 X 1-1/4"	S7L/6618T				39.0#
	Fits two 36" or one 30" & one 42" laterals	72 X 18 X 1-1/4"	S7L/7218T				43.0#
	Fits one 36" & one 42" wide laterals	78 X 18 X 1-1/4"	S7L/7818T				46.0#
	Fits two 42" wide laterals	84 X 18 X 1-1/4"	S7L/8418T				50.0#
	Fits three 30" wide laterals	90 X 18 X 1-1/4"	S7L/9018T				53.0#
S7TP	Fits two 30" & one 42" or one 30" & two 36"	102 X 18 X 1-1/4"	S7L/10218T				60.0#
Laminate Top for Side-by-Side Units	Fits three 36" or one 30" & one 36" & one 42"	108 X 18 X 1-1/4"	S7L/10818T				64.0#
• Tops are manufactured to allow for	Fits four 30" or one 36" & two 42" laterals	120 X 18 X 1-1/4"	S7L/12018T				71.0#
 1/16" overhang on all sides. Do not specify individual tops when ganging multiple units due to the 1/16" overhand. Specify proper size 							
top for correct configuration and							
alignment.							
	Fits two 30" wide laterals	30 X 36 X 1-1/4"	S7L/3036T				36.0#
\sim	Fits two 36" wide laterals	36 X 36 X 1-1/4"	S7L/3636T				43.0#
	Fits two 42" wide laterals	42 X 36 X 1-1/4"	S7L/4236T				50.0#
	Fits four 30" wide laterals	60 X 36 X 1-1/4"	S7L/6036T				71.0#
	Fits four 36" wide laterals	72 X 36 X 1-1/4"	S7L/7236T				85.0#
	Fits four 42" wide laterals	84 X 36 X 1-1/4"	S7L/8436T				99.0#
	Fits six 30" wide laterals	90 X 36 X 1-1/4"	S7L/9036T				106.0#
	Fits six 36" wide laterals	108 X 36 X 1-1/4"	S7L/10836T				127.0#
S7TP							
Laminate Top for Back-to-Back Units							
 Tops are manufactured to allow for 1/16" overhang on all sides. Do not encode under the when 							
1/16" overhang. Specify proper size							
top for correct configuration and							
alıgnment.							
			A	6	0	0	
 Laminate Top for Back-to-Back Units Tops are manufactured to allow for 1/16" overhang on all sides. Do not specify individual tops when ganging multiple units due to the 1/16" overhang. Specify proper size 	Fits four 30" wide laterals Fits four 36" wide laterals Fits four 42" wide laterals Fits six 30" wide laterals	60 X 36 X 1-1/4" 72 X 36 X 1-1/4" 84 X 36 X 1-1/4" 90 X 36 X 1-1/4"	S7L/6036T S7L/7236T S7L/8436T S7L/9036T S7L/10836T				71.0# 85.0# 99.0# 106.0#

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style. SE 74P - Self edge - 74P edge
- **C**Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- **D**Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Custom-Built Laminate Tops U-Series® Lateral Files





	\checkmark
Self Edge (SE)	74P Edge (74P)
\$ 277	\$ 287
312	328
333	342
396	415
412	432
432	448
469	491
518	538
599	621
723	762
744	777
760	798

\$ 385	\$ 409				
426	448				
469	491				
663	695				
719	757				
770	808				
824	864				
1200	1261				

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A OE1 factory. Freight class #70.

U-Series[®] Pedestals Mobile

				MODEL NUMBER				
	MODEL	Features	W x D x H	Basic Model	Unit Color	Lock Option	Pull Style	Approx. Packaged Weight
	Pedestal - MBF	Mobile	15 x 17-5/8" x 21-3/4"	ULP20MBF				38.0#
$\langle \rangle$	One 6" box drawerOne 12" file drawer	Mobile	15 x 21-5/8" x 21-3/4"	ULP24MBF				42.0#
	 5th wheel eliminates need for counter- 							
	balance weight							
	Optional dividers sold separately							
~								
LP								
\frown	Pedestal - BBF • Two 6" box drawers	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MBBF				49.0#
\land	One 12" file drawer	Mobile	15 x 21-5/8" x 27-5/8"	ULP24MBBF				51.0#
	5th wheel eliminates need for counter-							
	balance weightOptional dividers sold separately							
A.								
LP								
	Pedestal - FF	Mobile	15 x 17-5/8" x 27-5/8"	ULP20MFF				79.0#
$\langle \rangle$	Two 12" file drawers	Mobile	15 x 21-5/8" x 27-5/8"	ULP24MFF				71.0#
	 Counterbalance weight included Optional dividers sold separately 							
LP								
				A	6	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

> • The absence of the \Box indicates that no choice is required.

• Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect key		
KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	

DSelect pi	III style.
USP	- U-Series Pull (Standard)
CZP	- Connection Zone Pull

INFORMATION

Height Mobile pedestal include 2-5/16" allowance for casters.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Pedestals



Del Prie	ivered cing	Whites All Meta Upchar	allics
\$	340	\$	62
	359		62
\$	406	\$	62
	425		62
\$	486	\$	62

490

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

62

U-Series[®] Pedestals Freestanding

				MODEL NU	MBER			
				Basic	Unit	Lock	Pull	Approx.
	MODEL	Features	WxDxH	Model	Color	Option	Style	Packaged Weight
	Pedestal - BBF	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FBBF				49.0#
	Features 2-5/8" non-adjustable glides	Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FBBF				51.0#
	 Two 6" box drawers One 12" file drawer 							
	Center caster eliminates need for coun-							
	terbalance weight							
	Optional dividers sold separately							
•								
USLP								
	Pedestal - FF	Freestanding	15 x 17-5/8" x 27-5/8"	ULP20FFF				79.0#
$\langle \rangle$	 Features 2-5/8" non-adjustable glides Two 12" file drawers 	Freestanding	15 x 21-5/8" x 27-5/8"	ULP24FFF				71.0#
	 Counterbalance is included 							
	Optional dividers sold separately							
USLP								
				A	ß	C	D	
				-	-	-	-	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

- The absence of the \Box indicates that no choice is required.
- Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect unit and drawer color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect key	option.
KS	- Key standard
NLC	- No lock core
KA	- Key alike



INFORMATION

Height

All freestanding pedestals include 1/4" allowance for glides in recessed position.

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Pedestals Freestanding

De Pri	livered cing	Whites All Me Upcha	tallics
\$	431	\$	62
	459		62
\$	507	\$	62
	513		62

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Pedestals

Worksurface Supporting

									1
			MODEL NUI	MBER					
	Features	W x D x H	Basic Model	Unit Color	Bracket	Optional Counter- balance Weight	Key Option	Pull Style	Approx. Packaged Weight
	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WBBF						47.0#
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WBBF						52.0#
USLP									
Pedestal - Box/Box/File									
Two 6" box drawers									
One 12" file drawer									
Includes four leveling glidesPedestal ships fully assembled									
 Bracket, if ordered, ships with unit 									
Optional dividers sold separately									
	Worksurface Supporting	15 x 17-5/8 x 27-7/8"	ULP20WFF						43.0#
	Worksurface Supporting	15 x 21-5/8 x 27-7/8"	ULP24WFF						48.0#
USLP									
Pedestal - File/File									
Two 12" file drawers									
 Includes four leveling glides Pedestal ships fully assembled 									
Bracket, if ordered, ships with unit									
 Optional dividers sold separately Counter balance weight required in 									
 Counter balance weight required in certain desk configurations 									
			4	6	G	D	9	G	1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the
 indicates that no choice is required.
 - Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column.

CSelect bracket

ourou brau	NUL.
NB	- No Bracket
3K24	- 24" Worksurface; add \$80
3K30	- 30" Worksurface; add \$80
SW24	- 24" Worksurface; add \$80
SW30	- 30" Worksurface; add \$80
UN22	- 22" Worksurface; add \$80
UN24	- 24" Worksurface; add \$80
UN24KN	- 24" Worksurface w/knife
edge; add	1 \$80
UN30	- 30" Worksurface; add \$80
UN30KN	- 30" Worksurface w/knife
edge; add	1 \$80
WW24	- 24" Worksurface; add \$80
WW30	- 30" Worksurface; add \$80

When ordering: **3K** for System 3000 **SW** for Studio Works **UN** for Unite **WW** for WireWorks If ped is not replacing return, no bracket is required.

OSelect counterbalance weight.

CBW - With Counterbalance NOCBW - No Counterbalance See pricing column for counterbalance weight upcharge.

Select key option.

KS - Key standard NLC - No lock core KA - Key alike

Select pull style.

USP - U-Series Pull (Standard) CZP - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

Pr	livered cing	Counter- balance Weight add to list price	White: All Me Upcha	tallics rge
\$		N/A	\$	62
	446	N/A		62
\$		N/A	\$	62
	394	N/A		62

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Double Pedestals

Worksurface Supporting

16

	MODEL NUMBER							
	MODEL	W x D x H	Basic Model	Unit Color	Bracket	Key Option	Pull Style	Approx. Packaged Weight
	 30" Wide, 2 High Two 12" drawers with side-to-side hang- ing folder bars For use within panel systems' planning only, may not be planned free standing 		UDP302D					88.0#
PUSP			•	6	œ	O	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column.

C Select bracket

Ourout brui	unut.
NB	- No Bracket
3K24	- 24" Worksurface; add \$80
3K30	- 30" Worksurface; add \$88
SW24	- 24" Worksurface; add \$103
SW30	- 30" Worksurface; add \$107
UN22	- 22" Worksurface; add \$80
UN24	- 24" Worksurface; add \$80
UN24KN	 - 24" Worksurface w/knife
edge; ad	d \$80
UN30	- 30" Worksurface; add \$80
UN30KN	- 30" Worksurface w/knife
edge; ad	
WW24	- 24" Worksurface; add \$74
WW30	- 30" Worksurface; add \$79

When ordering: **3K** for System 3000 **SW** for Studio Works UN for Unite WW for WireWorks If ped is not replacing return, no bracket is required.

DSelect key option.

Concor noy	option.
KS	 Key standard
NLC	- No lock core
KA	- Key alike

CZP - Connection Zone Pull

Select pull style. USP - U-Series Pull (Standard)

Folder Bars Files are configured for side-to-side media storage.

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Height

Height shown is with glides in fully recessed position. Maximum height is 28-1/2".

Weights

U-Series[®] Double Pedestals Worksurface Supporting

Delivered Pricing	Whites All Met Upchar	& allics rge
\$ 809	\$	62

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A OE1 factory. Freight class #70.

U-Series[®] Accessories

Pedestal Accessories

			MODEL N	JMBER				
	MODEL	Features	W x D x H	Basic Model	Edge Style	Surface Finish	Edge Color	
	Laminate Tops	Fits one 20" deep pedestal	15 x 17-3/4 x 1-1/4"	USP1715T				
	 High pressure laminate with particle- board core 	Fits one 24" deep pedestal	15 x 21-3/4 x 1-1/4"	USP2115T				
	 Self edge or PVC edge available 							
USPA	Other sizes available upon request							
								l l
				A	B	G	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style. SE- Self edge74P- 74P edge
- CSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- **D**Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

14			U-Se	ries [®] Accessories
Approx.		\bigcirc		
Packaged Se Weight (S	elf Edge SE)	74P Edge (74P)		
8.0#	N/A	N/A		
11.0#	N/A	N/A		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Credenzas

Freestanding Credenzas

				L NUME	ER		
	MODEL	W x D x H	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight
	36" WideFeatures sliding door with lock	36 x 15 x 27-3/4"	UC36				45.0#
	· realures shunny upor with took						
PUSC							
~	42" Wide	42 x 15 x 27-3/4"	UC42				50.0#
	Features sliding door with lock						
PUSC							
			A	6	C	Ð	
			U	C	C	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect unit color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column.

Celect key option.						
KS	 Key standard 					
NLC	 No lock core 					
KA	- Key alike					

 Select pull style.

 USP
 - U-Series Pull (Standard)

 CZP
 - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Credenzas Freestanding Credenzas

Delivered	Whites & All Metallics
Pricing	Upcharge
\$ 987	\$ 62
\$ 1139	\$ 62
ψ 1100	φυζ

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Credenzas

1			MODEL NUMBER						
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Edge Color	Approx. Packaged Weight		
	U-Series® Credenza-Laminate Tops	15-1/8 x 36-1/8"	UWCT1536	74P			16.0#		
	High pressure laminate with particle-	15-1/8 x 42-1/8"	UWCT1542	74P			19.0#		
	 board core 74P edge only Back-to-back credenzas should use 	30-1/8 x 36-1/8"	UWCT3036	74P			34.0#		
		30-1/8 x 42-1/8"	UWCT3042	74P			40.0#		
UWCT	single piece tops of appropriate depth								
			A	6	G	D			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect edge style. 74P - 74P edge
- CSelect surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

U-Series[®] Credenzas Laminate Tops

14

74P Edge (74P)		
\$ 212		
252		
271		
315		

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Wardrobe Towers

				MODEL NUM	/IBER				
	MODEL	Features	W x D x H	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
	Wardrobe/Cabinet - File/File	Left	24 x 22 x 48"	UWFFC48L				122.0#	
	 Wardrobe and cabinet lock indepen- dently 	Right	24 x 22 x 48"	UWFFC48R				122.0#	
	 Pedestal features two 12" drawers and locks independently of wardrobe Includes four leveling glides 								
	 Cabinet features adjustable shelf Units ship fully assembled 								
left shown									
PUSW									
\sim	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 48"	UWBBFC48L				127.0#	
$\langle \rangle$	 Wardrobe and cabinet lock indepen- dently 	Right	24 x 22 x 48"	UWBBFC48R				□ 127.0#	
	Pedestal features two 6" box drawers								
	and one 12" file drawer								
	 Includes four leveling glides Cabinet features adjustable shelf 								
	Units ship fully assembled								
left shown									
DUOW									
PUSW									
				A	₿	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
All white and metallic paints require an
upcharge. Please see upcharge column.

CSelect key	option.
KS	- Key standard
NLC	- No lock core
KA	- Key alike

```
        Select pull style.

        USP
        - U-Series Pull (Standard)

        CZP
        - Connection Zone Pull
```

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Wardrobe Towers 48" High Cabinet

Pi	livered icing	Whites All Me Upcha	tallics rge
\$	1506	\$	100
	1506		100
\$	1569	\$	100
	1569		100

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Wardrobe Towers

				MODEL NUN	IBER				
	MODEL	Features	W x D x H	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
~	Wardrobe/Cabinet - File/File	Left	24 x 22 x 64"	UWFFC64L				152.0#	
$\langle \rangle$	 Wardrobe and cabinet lock indepen- dently 	Right	24 x 22 x 64"	UWFFC64R				152.0#	
	 Pedestal features two 12" drawers and 								
jā -	locks independently of wardrobe								
	 Includes four leveling glides Cabinet features adjustable shelf 								
	Units ship fully assembled								
left shown									
PUSW									
	Wardrobe/Cabinet - Box/Box/File	Left	24 x 22 x 64"	UWBBFC64L				157.0#	
	 Wardrobe and cabinet lock indepen- dently 	Right	24 x 22 x 64"	UWBBFC64R				□ 157.0#	
	 Pedestal features two 6" box drawers 								
İ İ	and one 12" file drawer								
	Includes four leveling glidesCabinet features adjustable shelf								
	Units ship fully assembled								
left shown									
PUSW									
					•	•			
				A	₿	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect unit color.

-	
	Refer to color addendum at ki.com or KI
	Fabrics & Finishes binder.
	All white and metallic paints require an
	upcharge. Please see upcharge column.

CSelect key	/ option.	
KS	- Key standard	
NLC	- No lock core	
KA	- Key alike	



 Select pull style.

 USP
 - U-Series Pull (Standard)

 CZP
 - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Wardrobe Towers

Pr	elivered icing	Α	Vhites All Meta Jpcharg	llics je
\$	1580		\$	152
	1580			152
\$	1619		\$	152
	1619			152

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

				MODEL NUN	IBER				
	MODEL	Features	W x D x H	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
~	Wardrobe/Side Access Bookcase - File/	Left	24 x 22 x 48"	UWFFB48L				120.0#	
	File	Right	24 x 22 x 48"	UWFFB48R				120.0#	
	 Pedestal features two 12" drawers and locks independently of wardrobe 								
	 Includes four leveling glides 								
	Boockcase features adjustable shelf								
	Units ship fully assembled								
left shown									
511011									
PUSW		1.64	24 x 22 x 48"	UWBBFB48L				105.0#	
\sim	Wardrobe/Side Access Bookcase - Box/ Box/File	Left		UWBBFB48L				125.0# 125.0#	
	 Pedestal features two 6" box drawers 	Right	24 x 22 x 48"	UWBBFB48K				125.0#	
	and one 12" file drawer								
	 Includes four leveling glides Bookcase features adjustable shelf 								
	Units ship fully assembled								
left shown									
Ieit Shown									
PUSW									
				A	₿	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect unit color.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
All white and metallic paints require an
upcharge. Please see upcharge column.

Celect key option.						
KS	 Key standard 					
NLC	- No lock core					
KA	- Key alike					

 Select pull style.

 USP
 - U-Series Pull (Standard)

 CZP
 - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Wardrobe Towers 48" High Side Access Bookcase

4	
V	

D P	elivered ricing	White All Me Upcha	tallics
\$	1466	\$	100
	1466		100
\$	1487	\$	100
	1487		100

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUMBER						
	MODEL	Features	W x D x H	Basic Model	Unit Color	Key Option	Pull Style	Approx. Packaged Weight	
^	Wardrobe/Side Access Bookcase - File/	Left	24 x 22 x 64"	UWFFB64L				155.0#	
	File	Right	24 x 22 x 64"	UWFFB64R				155.0#	
	 Pedestal features two 12" drawers and locks independently of wardrobe 								
	 Includes four leveling glides 								
	 Bookcase features adjustable shelf Units ship fully assembled 								
left shown									
PUSW									
~	Wardrobe/Side Access Bookcase - Box/ Box/File • Pedestal features two 6" box drawers	Left	24 x 22 x 64"	UWBBFB64L				160.0#	
$\langle \rangle$		Right	24 x 22 x 64"	UWBBFB64R				160.0#	
	and one 12" file drawer								
	Includes four leveling glides								
	 Bookcase features adjustable shelf Units ship fully assembled 								
left shown									
PUSW									
				A	₿	C	D		
				-	-	-	-		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect unit color.

,								
	Refer to color addendum at ki.com or KI							
	Fabrics & Finishes binder.							
	All white and metallic paints require an							
	upcharge. Please see upcharge column.							

Celect key option.						
KS	- Key standard					
NLC	- No lock core					
KA	- Key alike					

 Select pull style.

 USP
 - U-Series Pull (Standard)

 CZP
 - Connection Zone Pull

INFORMATION

Accessories

See accessory section for accessories that can be ordered separately.

Weights

U-Series[®] Wardrobe Towers 64" High Side Access Bookcase

2

Delivered Pricing	White All M Upch	etallics
3 1619	\$	152
1619		152
6 1643	\$	152
1643		152
0 0	nicing 1619 1619 1643	elivered ricing All M Upph 1619 \$ 1619 \$ 1619 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

U-Series[®] Overheads

			MODEL NUMBER				
	MODEL	W x D x H	Basic Model	Bracket	Unit Color	Key Option	Approx. Packaged Weight
	Sliding Door Overhead • Lockable sliding door extends slightly beyond the center of overhead • Overhead accommodates standard bind- ers	35-3/4 x 14-3/8 x 14-7/16	USSDH36				38.0#
		41-3/4 x 14-3/8 x 14-7/16	USSDH42				42.0#
		47-3/4 x 14-3/8 x 14-7/16	USSDH48				47.0#
		53-3/4 x 14-3/8 x 14-7/16	USSDH54				52.0#
		59-3/4 x 14-3/8 x 14-7/16	USSDH60				57.0#
USSDO							
			A	₿	C	D	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \square indicates that a choice is required.
 - The absence of the 🗆 indicates that no choice is required.
 - Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect bracket type.

- 3K
 System 3000 mounted

 UN
 Unite mounted

 UN/UM
 Unite upmount

 WW/LB
 WireWorks mounted on load
- WW/OM12 WireWorks off module mount w/12" high top tile WW/OM18 - WireWorks off module mount w/18" high top tile WW/PM - WireWorks standard panel mounted in full-post WW/UM - WireWorks up-mount brack-
- ets Select unit color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column.

DSelect key option.

KS - Key standard NLC - No lock core KA - Key alike

INFORMATION

Weights

U-Series[®] Overheads



De Pri	livered cing	Whites All Met Upchar	allics
\$	528	\$	62
	564		62
	599		62
	685		62
	733		62

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

U-Series[®] Storage and Accessories

34

			MODEL NUMBER			
		MODEL	Basic Model	Approx. Packaged Weight		
	- An	U-Series Overhead On-Module Mounting	46.8177.SET	5.0#		
4		Bracket for System 3000 Sold in pairs				
J.	0	 Mounts into slots in vertical frame posts 				
e		Black onlyAllows for vertical adjustment in 1" incre-				
		ments				
HRDPT						
	×	U-Series Overhead On-Module Mounting	48.0222.SET	5.0#		
Sand J		Bracket for Unite Sold in pairs Mounts into slots in vertical posts Black only Allows for vertical adjustment in 1" incre-				
g						
		ments				
HRDPT						
	Þ	II Series Querkeed On Medule Meunting	46.8179.SET	5.0#		
		U-Series Overhead On-Module Mounting Bracket in Full Post for WireWorks				
	0	Sold in pairs				
		 Mounts into slots in vertical posts Black only 				
6 6		 Allows for vertical adjustment in 1" incre- 				
¢	19	ments				
HRDPT						
			•			
			-			

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model. Indicate the following information on order

- form:
- Quantity of each item.
 Quantity of each item.
 Model number, including options. See
- "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

C F)elivered Pricing			
ę	164			
Ş	164			

164 \$

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

		MODEL NUMBER			
	MODEL	Basic Model	Approx. Packaged Weight		
	U-Series Overhead Off Module Mount- ing Bracket w/12" High Top Tile for WireWorks • Sold in pairs • Black only	46.8181.SET	5.0#		
	 Attaches to horizontal rail between tiles or top cap 				
HRDPT					
	U-Series Overhead Off Module Mount- ing Bracket w/18" High Top Tile for WireWorks • Sold in pairs	46.8183.SET	5.0#		
	 Black only Attaches to horizontal rail between tiles or top cap 				
HRDPT					
		A			

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

De Pr	ered 1g	
\$	164	
\$	164	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

			MODEL NUM	IRER		 	
			MODLE NOW		-		
	MODEL	L	Basic Model	Powdercoat Color	Approx. Packaged Weight		
~	U-Series® Overhead Upmount Brackets		48.0236.12.S		7.0#		
i i	for Unite or WireWorks						
	Sold in pairsMounts into slots in vertical posts						
	 Uses 8" of slot space at top of panel 						
	Overhead extends 15" above top cap						
	Fasteners and allen wrench included						
HRDPT							
	U-Series® Overhead Load Bar Brackets for Unite or Wireworks		46.8186.SET		5.0#		
	 Sold in pairs 						
	Load Bar mounted overheads hang from						
A 0	an externally mounted load bar						
	Load Bar purchased separately						
3							
HRDPT							
	Wall Mounted Load Bar for Unite or	24"	SWLB.24		5.0#		
	WireWorks	30"	SWLB.30		6.0#		
	Supports overhead storage on drywall or	36"	SWLB.36		7.0#		
	other non-panel application Requires Load Bar Brackets to support 	42"	SWLB.42		8.0#		
Ŷ	overhead- sold separate	48"	SWLB.48		10.0#		
HRDPT		60"	SWLB.60		12.0#		
		66"	SWLB.66		13.0#		
		72"	SWLB.72		14.0#		
		84"	SWLB.84		17.0#		
		96"	SWLB.96		19.0#		
			A	ß	-		
			w	0			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect powdercoat color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

F)elivered Pricing			
ţ	274			

204 \$

4

\$ 120	
129	
130	
143	
148	
176	
178	
186	
287	
301	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

U-Series[®] Underhead Storage

			MODEL	. NUMBER			
	MODEL	D x W x H	Basic Model	Direction	Unit Color	Key Option	Approx. Packaged Weight
	Underhead Storage	35-3/4 x 14-3/8 x 14-7/8	UHS36				38.0#
	 Underhead storage units mount below worksurface 	41-3/4 x 14-3/8 x 14-7/8	UHS42				42.0#
	 Underhead accommodates standard binders Storage units include holes in top and 	47-3/4 x 14-3/8 x 14-7/8	UHS48				47.0#
		59-3/4 x 14-3/8 x 14-7/8	UHS60				52.0#
		71-3/4 x 14-3/8 x 14-7/8	UHS72				57.0#
UHS	bottom for cord drop in conjuction with grommets						
	 Includes brackets for attachment; legs 						
	may be specified separately if desired						
	 Lockable sliding door extends slightly beyond the center of storage unit 						
	beyond the center of storage unit						
~	Underhead Storage Support Leg	1-1/2 x 13-7/8 x 13-5/16"	UHSL				8.6#
	 May be used in place of return Size noted does not reflect attachment 						
	brackets						
v							
UHSL							
			A	0	C	D	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect placement of leg. L R - Left - Right

```
CSelect unit color.
```

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. All white and metallic paints require an upcharge. Please see upcharge column.



U-Series[®] Underhead Storage

4

De Pri	livered cing	Whites All Meta Upcharg	& Illics ge
\$	528	\$	62
	564		62
	599		62
	685		62
	733		62

\$ 132	\$ 11

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b.Manitowoc, Wisconsin 54220 factory. Freight class #70.

				MODEL NUMBER	-	
	MODEL	Features	W	Basic Model	Approx. Packaged Weight	
	 Plate Dividers Installs in any drawer 		12"	S7L/33412DV	3.0#	
	 Sold in package of three Black finish only 					
LTACU						
	Type "K" Folder Bars • Converts side-to-side filing to front-to- back filing	Front-to-back		S7L/334FBK	5.0#	
G	One set (two bars) required per row of					
LTACU	filing Priced per set of two Legal or letter 					
	P-Series Keys	Lock/Core Set		2.KP20522	0.4#	
HRDPT	Extractor key used for core removal	Master Key		2.KP20550	0.2#	
		Extractor Key		2.KP20551	0.2#	
		Key Blank		2.KP20552	0.2#	
		Cut Key		2.KP20557	0.2#	
	Counterbalance For lateral file units 			UL/CBW35	35.0#	
	Recommended unless cabinets are			UL/CBW50	50.0#	
	ganged • Factory installed, if specified					
LTACU						
				A	-	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

elect	Dasic	model.	

Model #	U-Series Lateral File
UL/CBW35	30" Wide 4, 5 High
UL/CBW35	36" Wide 4, 5 High
UL/CBW35	42" Wide 4, 5 High
UL/CBW50	30" Wide 2, 3 High
UL/CBW50	36" Wide 2, 3 High
UL/CBW50	42" Wide 2, 3 High

Counterbalance Weight

Deliv Prici	rered ng	
\$	38	
\$	17	
\$	14	
	10	
	10	
	3	
	5	
\$	92	
	106	

4

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NU	MBER	
	MODEL	Features	Basic Model	Paint Color	Approx. Packaged Weight
-	Pedestal Bracket	System 3000 [®] 24" deep worksurface	3K24		6.0#
	 Graphic represents bracket used with a 24" deep pedestal on a 24" deep 	System 3000 [®] 30" deep worksurface	3K30		10.0#
6	worksurface	StudioWorks® 24" deep worksurface	SW24		6.0#
	 Bracket is intended to fill the space 	StudioWorks® 30" deep worksurface	SW30		10.0#
	between back of pedestal and panelBracket provides support for extended	Unite® 22" deep worksurface	UN22		6.0#
	runs and screws with trim to outside	Unite® 24" deep worksurface	UN24		6.0#
٩	back of pedestal for added support on	Unite® 24" deep knife edge worksurface	UN24KN		10.0#
•	extended panel runs	Unite® 30" deep worksurface	UN30		6.0#
	Bracket depth varies by pedestal model 24" worksurface	Unite® 30" deep knife edge worksurface	UN30KN		10.0#
USPA	- 20" pedestal = approx. 6-1/4"	WireWorks® 24" deep worksurface	WW24		6.0#
	- 24" pedestal = approx. 2-1/4"	WireWorks® 30" deep worksurface	WW30		10.0#
	30" worksurface				
	- 20" pedestal = approx. 12-1/4"				
	-24" pedestal = approx. $6-1/4"$				
			A	₿	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- BSelect paint color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

44

U-Series[®] Accessories Pedestal Accessories



Deliv Pric	/ered ing	
\$	80	
	80	
	80	
	80	
	80	
	80	
	80	
	80	
	80	
	80	
	80	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Delivered. Shipped k.d. freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

		MODEL N	MODEL NUMBER						
	MODEL	W x D x H	Basic Model	Trim Color	Upholstery Color	Approx. Packaged Weight	Pri	livered cing).M.	
	Cushioned Seat for Mobile Pedestal • 17" deep, used with 17-5/8" deep mobile adopted	15 x 17 x 1-7/8"	PDCU/17			5.0#	\$	163	
		15 x 20 x 1-7/8"	PDCU/20			6.0#		174	
	 pedestal 20" deep, used with 21-5/8" deep mobile 								
PDCU	pedestal								
	Fabric runs side to side								
	 Lip height is 3-1/4" 								
			A	₿	G				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- Belect trim color.
- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- ©Select upholstery color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. For a listing of available fabric finishes, please refer to the Color Addendum. For specific fabric availability on cushioned seats, please refer to E-Spec.



Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 163	\$ 185	\$ 195	\$ 204	\$ 215	\$ 228	\$ 253	\$ 260
174	194	207	214	226	238	266	272

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Green Bay, Wisconsin 54302 factory. Freight class #100.

				MODEL NUMBER		
	MODEL	Features	W x D x H	Basic Model	Approx. Packaged Weight	
	Counterbalance Weight	20"D Units	9-1/2 x 1/2 x 15-1/2"	USPCBW21	21.0#	
	 Required on file/file units of certain desk configurations 					
	oomgarations					
USPA						
	Counterbalance Weight	24"D Units	12-1/2 x 2 x 18"	USPCBW25	25.0#	
	 Required for conversion for 24" deep 					
	mobile and freestanding to file/file units.					
Chr.						
USPA						
	Counterbalance Weight	For 20" D Units	7-1/2 x 3/4 x 16"	USPCBW36	36.0#	
	 Required for conversion for 20" deep mobile and freestanding to file/file units. 					
	Two required, sold in pairs					
USPA	P-Series Keys	Lock/Core Set		2.KP20522	0.4#	
.	 Extractor key used for core removal 	Master Key		2.KP20522 2.KP20550	0.2#	
		Extractor Key		2.KP20551	0.2#	
		Key Blank		2.KP20552	0.2#	
HRDPT		Cut Key		2.KP20557	0.2#	
	Caster Kit	ourney	2-5/8"	USPCK	1.0#	
Ċ	 Converts freestanding pedestals to 		2 0/0		1.0//	
¢ ¢	mobile units					
OF OF L	 Finished height consistent with free- standing pedestal 					
U.	File/file units require counterbalance					
USPA	weights					
	• 4 casters and a 5th wheel per kit					
ĝ	Glide Kit		2-5/8"	USPGK	1.0#	
0	 Converts mobile pedestal to freestanding File/file units require counterbalance 					
Ê Î	weights					
j [¢]	 Finished height consistent with mobile 					
-	pedestal4 glides and a center wheel per kit					
USPA						
				A		
				-		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

U-Series[®] Accessories Pedestal Accessories

Deliv	/ered	
Prici	ing	
	N/A	
\$	91	
\$	178	
\$	14	
	10	
	10	
	3	
	5	
\$	70	
 •	=0	
\$	70	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

			MODEL NUMBER		
	MODEL	W x D x H	Basic Model	Approx. Packaged Weight	
	 Pencil Tray For 3" pencil and 6" box drawers 	12-1/8 x 4 x 1"	S7P/PENTRAY	1.0#	
	 Black finish only Priced each 				
PDACU					
5	6" Partition	12-1/8 x 4-5/8"	S7P/D6	1.0#	
	For 6" box drawersBlack finish onlyPriced each				
PDACU					
	Hanging Folder Partition	12-1/8 x 9-5/8"	S7P/D12	1.0#	
	 Hanging Folder Partition For 12" file drawers 				
	Black finish onlyPriced each				
7					
PDACU					
			0		

HOW TO ORDER

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: \bullet The \Box indicates that a choice is required.
 - \bullet The absence of the \Box indicates that no choice is required.
 - Alpha-numeric characters in place of $\hfill\square$ indicate that no other alternatives are available.

U-Series[®] Accessories Pedestal Accessories

Delive Pricin	red g	
\$	9	
\$	6	
\$	9	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped assembled freight prepaid f.o.b. Pembroke, Ontario K8A 0E1 factory. Freight class #70.

Index

Model No.	Description	Page	Model No.	Description	Page
2.KP20522	Lateral File Accessories: P-Series Keys	42		cess Bookcase - File/File	30
3K24	Pedestal Accessories: Pedestal Bracket	44	UWFFC48L	48" High Cabinet: Wardrobe/Cabinet - File/File	24
46.8177.SET	Overhead Accessories: U-Series® Overhead On-Module		UWFFC64L	64" High Cabinet: Wardrobe/Cabinet - File/File	26
	Mounting Bracket for System 3000	34			
46.8179.SET	Overhead Accessories: U-Series® Overhead On-Module				
	Mounting Bracket in Full Post for WireWorks	34			
46.8181.SET	Overhead Accessories: U-Series® Overhead Off Module				
	Mounting Bracket w/12" High Top Tile for WireWorks	36			
46.8183.SET	Overhead Accessories: U-Series [®] Overhead Off Module				
	Mounting Bracket w/18" High Top Tile for WireWorks	36			
46.8186.SET	Overhead Accessories: U-Series [®] Overhead Load Bar				
	Brackets for Unite or Wireworks	38			
48.0222.SET	Overhead Accessories: U-Series® Overhead On-Module				
40,0000,40,0	Mounting Bracket for Unite	34			
48.0236.12.S	Overhead Accessories: U-Series® Overhead Upmount	0.0			
	Brackets for Unite or WireWorks	38			
PDCU/17	Pedestal Accessories: Cushioned Seat for Mobile Pedestal	46			
S7L/3018T	U-Series® Lateral Files: Laminate Top for Side-by-Side Units				
S7L/3036T	U-Series® Lateral Files: Laminate Top for Back-to-Back Units				
S7L/33412DV	Lateral File Accessories: Plate Dividers	42 42			
S7L/334FBK S7P/D12	Lateral File Accessories: Type "K" Folder Bars Pedestal Accessories: Hanging Folder Partition	42 50			
S7P/D12	Pedestal Accessories: 6" Partition	50 50			
S7P/PENTRAY	Pedestal Accessories: O rannon Pedestal Accessories: Pencil Tray	50 50			
SWLB.24	Overhead Accessories: Wall Mounted Load Bar for	50			
OWED.21	Unite or WireWorks	38			
UC36	Freestanding Credenzas: 36" Wide	20			
UC42	Freestanding Credenzas: 42" Wide	20			
UDP302D	Worksurface Supporting: 30" Wide, 2 High	16			
UHS36	Underhead Storage	40			
UHSL	Underhead Storage Support Leg	40			
UL/302D	Lateral Files: 27" File, 2 High	6			
UL/303D	Lateral Files: 39-1/4" File, 3 High	6			
UL/304D	Lateral Files: 51-1/2" File, 4 High	6			
UL/305RD	Lateral Files: 63-3/4" File, 5 High	6			
UL/CBW35	Lateral File Accessories: Counterbalance	42			
ULP20FBBF	Freestanding: Pedestal - BBF	12			
ULP20FFF	Freestanding: Pedestal - FF	12			
ULP20MBBF	Mobile: Pedestal - BBF	10			
ULP20MBF	Mobile: Pedestal - MBF	10			
ULP20MFF	Mobile: Pedestal - FF	10			
ULP20WBBF	Worksurface Supporting: Pedestal - Box/Box/File	14			
ULP20WFF	Worksurface Supporting: Pedestal - File/File	14			
USP1715T	Pedestal Accessories: Laminate Tops	18			
USPCBW21	Pedestal Accessories: Counterbalance Weight	48			
USPCBW25	Pedestal Accessories: Counterbalance Weight	48			
USPCBW36	Pedestal Accessories: Counterbalance Weight	48			
USPCK	Pedestal Accessories: Caster Kit	48 48			
USPGK	Pedestal Accessories: Glide Kit	40 32			
USSDH36 UWBBFB48L	Sliding Door Overhead 48" High Side Access Bookcase: Wardrobe/Side Ac-	32			
	cess Bookcase - Box/Box/File	28			
UWBBFB64L	64" High Side Access Bookcase: Wardrobe/Side Ac-	20			
511001 004L	cess Bookcase - Box/Box/File	30			
UWBBFC48L	48" High Cabinet: Wardrobe/Cabinet - Box/Box/File	24			
UWBBFC64L	64" High Cabinet: Wardrobe/Cabinet - Box/Box/File	26			
UWCT1536	Laminate Tops: U-Series [®] Credenza-Laminate Tops	22			
UWFFB48L	48" High Side Access Bookcase: Wardrobe/Side Ac-				
	cess Bookcase - File/File	28			
UWFFB64L	64" High Side Access Bookcase: Wardrobe/Side Ac-				

KI

1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2011 KI All Rights Reserved. Litho in USA. Code KI-11539R1/KI/VL/211

Printed using only water-based inks, including metallics. Please recycle.