

Request for Proposal

Seasonal Lighting Display for the City of Gulfport

The City of Gulfport is soliciting sealed proposals from qualified individuals and/or firms to provide what is generally describes as, but not limited to a "drive-through" Christmas lighting display including custom-designed static display pieces and custom RGB animated display pieces, design, construction, setup, installation, service, plant, equipment, computer hardware, accessories, configuration, wiring, programming, break-down, storage, and other work as specified in the RFP.

One (1) original, three (3) copies and one (1) digitally converted copy of the completed proposal must be received by the Procurement Department, 2nd Floor of the Hardy Bldg, 1410 24th Avenue, Gulfport, MS 39501 at or before 5:00 PM on the February 6, 2015, at which time they will be delivered to the Selection Committee. Any proposal turned in after the stated time and date will be returned unopened.

Information packages concerning the request for proposal are available at the Office of Procurement, 1410 24th Avenue, Gulfport, MS 39501 between the hours of 8:00 AM and 5:00 PM, Monday through Friday. All inquiries shall be in writing and directed to Connie Debenport, 1410 24th Avenue, Gulfport, MS 39501; cdebenport@gulfport-ms.gov.

The selection committee will review each proposal based on the grading criteria published in the RFP document and will assist the City's governing authority in evaluating the submissions and assessing the most qualified. The governing authority retains the ultimate authority in making these determinations. The committee may develop a short list from which interviews will be scheduled and evaluation will be based in part on review of ONLY the data submitted in response to the request for qualifications. Upon final selection and a determination made by the City's governing authority, negotiations may commence and a written contract may be awarded to the individual/firm whose proposal is determined by the governing authority to be the most qualified.

The Governing Authority of the City of Gulfport reserves the right to reject any and all bid proposals, and shall reject any and all bid proposals not materially responsive to this Notice of the Bid Specifications, and reserves the right to waive any and all irregularity or informality of the of the bid proposals. Selection by the Governing Authority shall not bind the Governing Authority until a final contract is agreed upon and approved.

The Bid Proposal Form with instruction and any addenda, final Contract Specifications, Resolution of the City council, and this Notice shall all be included as a binding part of the Contract, and are pertinent to any bid proposal, and may, together with any information packet be obtained by prospective bidders for the Office of Procurement, 2nd Floor hardy Bldg., 1410 24th Avenue, Gulfport, MS 39501.

Proposals may be held by the City of Gulfport for a period not to exceed 90 days from the date of the receipt of the proposal.

Direct contact with any city employee, including the Governing Authority, on the subject of this proposal is strictly forbidden. Violation of this paragraph will result in disqualification of your submission.

By order of the Gulfport City Council, this the 6th day of January 2015.

Dates of Publications: 01-15-15 & 01-22-15

REQUEST FOR PROPOSALS (RFP)
SEASONAL LIGHTING DISPLAY
City of Gulfport (COG)
Gulfport, MS 39501

The City of Gulfport is now accepting proposals from qualified vendors to provide what is generally described as, but not limited to:

A drive-through Christmas lighting display including custom-designed static display pieces and custom RGB animated display pieces, design, construction, setup, installation, service, plant, equipment, computer hardware, accessories, configuration, wiring, programming, break-down, storage, and other work as specified in the RFP.

Proposal Submission:

One (1) original, 3 copies and one digitally converted copy of the of the proposals shall be submitted to the Office of Procurement, 1410 24th Avenue, Gulfport, MS 39501, no later than 5:00 pm local time on February 6, 2015 after which time they will be delivered to the Selection Committee. Any proposals submitted after the date and time as noted will be returned unopened. All proposals must be sealed and labeled: "SEASONAL LIGHTING DISPLAY - SEALED PROPOSAL".

All proposals shall be evaluated and scored from 0 to 100 points in accordance with the following evaluation schedule and criteria.

Experience of Team: (0 – 20 Points)

Experience of company in providing the services described in the RFP; length of time in business; experience of team with RGB programmable displays, experience of team with similar-sized and scoped projects, other relevant experience; listing and brief resumes of key personnel. (Limit Response to 5 Pages if possible)

Past Performance Providing Similar Work: (0 – 25 Points)

Vendor's previous performance of similar Work; vendor's experience in Working with government agencies; vendor's previous performance creating custom designed static drive-up displays; examples of vendor's previous RGB synchronized lighting display shows; listing of government or similar agencies as references including a minimum of five companies with contact names, addresses, and telephone numbers. (Limit Response to 5 Pages if possible)

Ability to Perform: (0 –30 Points)

Vendor shall demonstrate the ability to perform all aspects and details of the project on the specific timetable outlined within the RFP.

Price of Services: (0-25 Points)

Provide pricing for Work as strictly specified herein only on form included in RFP for pricing of the Base Services requested. Base pricing on forms other than that provided in the RFP may be deemed non-responsive. Supplements for optional services and pricing may be added to the response at the Proposer's discretion as separate attachments.

The complete RFP is available upon request either by emailing cdebenport@gulfport-ms.gov or by calling Connie Debenport, Purchasing Manager, at 228-868-5705, X6550.

The City of Gulfport reserves the right to waive any informality and to reject any or all proposals.

GENERAL

The City of Gulfport (COG) is a municipality/political subdivision of the state of Mississippi, with a central office location at 1410 24th Avenue in Gulfport, MS 39501. COG desires to receive proposals from highly qualified vendors/offers capable of assisting/providing COG with an annual seasonal Christmas display in the Jones Park and Bert Jones Yacht Basin. The successful offeror shall provide the specified Work including the following general scope:

1. Design of a drive-through static/animated light show at subject area including but not limited to:
2. Design of RGB elements including dimensional pieces such as light trees and other
3. Lighting of all structure eaves and structure outlines in RGB lighting
4. Design of light and lamp pole displays
5. Design of RGB custom walk-under arches
6. Wrapping of specified trees in subject area in RGB lighting
7. Construction and installation of all displays
8. Programming and sequencing of all RGB dynamic shows
9. Filler pieces both static and dynamically actuated and lit
10. Integration with existing DMX facility lighting
11. Design and inclusion of vendor and special seasonal concession areas within show friendly to pedestrians
12. Other pieces as negotiated and selected as appropriate for intended purposes
13. All wiring, testing, and start-up
14. Maintenance during course of show for at least first year to include training of existing city staff on installation, operations, and takedown.
15. Break-down, take down, packaging, storage, stowage, disassembly, and protection until next season of all display material.
16. Warranty coverages and repairs as specified herein.
17. Other Work as specified, required, and as necessary to provide a continuously operated show during the dates and hours of operations specified herein.

VICINITY MAP



SITE VISIT/QUESTIONS ABOUT RFP

- A. A PRE-PROPOSAL site visit is scheduled for January 23, 2015 at 2:00 pm weather permitting; although vendor may visit the public site at any time during public hours to inspect and review the conditions surrounding the work place. Leisure Services Director David D'Aquila (228-868-5881) and Gus Wesson will be the points of contact for the walkthrough.
- B. Questions will only be accepted in writing emailed to the address for proposals or emailed to cdebenport@gulfport-ms.gov at least five (5) business days prior to the RFP deadline. Answers shall be made in writing to all document holders of record in the form of an amendment to this RFP.

EVALUATION AND SCORING CRITERIA

Proposals shall be scored in accordance with the following criteria:

1. **Experience of Team: (0 – 20 Points)**
Experience of company in providing the services described in the RFP; length of time in business; experience of team with RGB programmable displays, experience of team with similar-sized and scoped projects, other relevant experience; listing and brief resumes of key personnel. (Limit Response to 5 Pages if possible)
2. **Past Performance Providing Similar Work: (0 – 25 Points)**
Vendor's previous performance of similar Work; vendor's experience in Working with government agencies; vendor's previous performance creating custom designed static drive-up displays; examples of vendor's previous RGB synchronized lighting display shows; listing of government or similar agencies as references including a minimum of five companies with contact names, addresses, and telephone numbers. (Limit Response to 5 Pages if possible)
3. **Ability to Perform: (0 –30 Points)**
Vendor shall demonstrate the ability to perform all aspects and details of the project on the specific timetable outlined within the RFP.
4. **Price of Services: (0-25 Points)**
Provide pricing for Work as strictly specified herein only on form included in RFP for pricing of the Base Services requested. Base pricing on forms other than that provided in the RFP may be deemed non-responsive. Supplements for optional services and pricing may be added to the response as addendum to the Base Pricing information.

PROPOSAL FORMAT

The vendor shall submit his proposal at the designated location by the due date listed herein or as amended. Provide information satisfying the scoring requirements in the order as requested. Provide proposal in an indexed binder or report cover as appropriate. Pricing shall be included in the proposal on the form contained herein.

Proposals will be evaluated and scored in accordance with the criteria listed herein.

In addition to the proposal information requested above, proposer may submit video and electronic files that augment the proposal or clarify and demonstrate elements proposed. All electronic files shall be in standard formats such as MPEG, AVI, DWG, PDF, PPT, or other standard file formats commonly accessible and usable without proprietary software on Windows-based workstations; and, may be provided on USB thumb drives, DVD ROM, portable hard drives, or direct URLs to streaming versions of the media if over 5MB, or downloadable links such as DROPBOX, if total is less than 5 MB.

OFFEROR REQUIREMENTS/BASIC REQUIREMENTS

Offerors shall be in the regular practice and trade of providing Christmas lighting and seasonal displays and shall have been in business for not less than 5 years continuously. No technician proposed or employed if selected shall have less than five years of experience in the Work defined herein. When equipment specified or proposed requires certifications, only vendor employees with such certifications may be used in the course of the Work.

INSURANCE REQUIREMENTS

- A. The vendor selected shall carry General Liability insurance in the amount of \$1,000,000.00 minimum per occurrence \$2,000,000 aggregate; and,
- B. Automobile insurance in the amounts of \$300,000.00 minimum per occurrence.
- C. Vendor shall carry Worker's compensation insurance in accordance with State law.
- D. Insurance certificates are not required to be submitted with the proposal but will be required of the selected vendor within ten days of request by COG.

WORK HOURS

The Work will be performed on site during times as necessary to complete the work for testing and acceptance by COG prior to the commencement/performance date. All Work shall be scheduled with COG and every attempt shall be made to minimize disruption to COG operations. If working hours from 7:00PM until 7:00AM, evening through midnight to morning, the vendor shall ensure that noise is kept to a minimum and below the standards imposed by ordinance. Vendor shall not be exempt from COG noise ordinances during the previously referenced time periods. Otherwise, general work hours of the city are from 7:00AM until 7:00PM.

WARRANTY OF EQUIPMENT/FINAL ACCEPTANCE


- A. The vendor shall provide same business day on-site service covering labor and materials during the Performance Period.
- B. The warranty period for the equipment shall be as scheduled herein within the individual sections of products; though, no warranty period shall be less than one year in any case. The warranty period shall not commence prior to the Final Acceptance of all labor, equipment, programming, and other by COG.
- C. Fill out all warranty cards in the name of COG and provide to COG ready to mail if required to be mailed to vendors.

PERIOD OF OPERATION FOR LIGHT SHOW

The light show shall be provided to operate Christmas seasons nightly commencing the day after Thanksgiving through January 1st of each year.

AREA OF DISPLAY

As bounded within the red lines on the map below and subject to change pursuant mutually satisfactory negotiations.



PAYMENT TO SELECTED VENDOR

The vendor shall be paid for completed work only after final acceptance and upon approval of a detailed invoice for the Work. No pre-payment nor deposit shall be allowed by law though payment for materials *properly stored on site* (generally, locked intermodal shipping containers) may be considered on paid invoices. In those cases, COG may pay for materials properly stored minus a 20% retainage. The Vendor shall fully insure and protect such Stored Materials.

- i. *For instance, \$100,000 worth of RGB lights land and are counted, labeled, and stored on site in a container. The vendor has paid \$100,000 for these lights and can document such by invoice and copy of check/payment. The Vendor, in that case, may bill for \$80,000 towards Contract price for those lights.*

FORM OF CONTRACT

COG will prepare or review a form of Contract suitable to the vendor and COG. COG reserves all rights of Contract termination normally afforded government bodies and other rights as may be available by practice, contract, or law.

ORAL INTERVIEWS

Though interviews are not anticipated, COG reserves the right to create a short list of proposers and to schedule oral interviews with the highest ranked proposers to determine additional information, clarify submitted information, meet and interview principal employees, and for any other information that can be used to determine the best proposal for COG.

TIME FRAME FOR WORK

The selected vendor shall perform the work to ensure the display is operational for the specified period of operation. That notwithstanding, the vendor shall not take possession of the site prior to October 1st, of the year and then only in coordination with the COG to ensure continuation of scheduled events without disruption. Work that does not impact scheduled events or does not unreasonably interfere with public access may commence earlier upon written agreement and agreement on a progress schedule. Generally, this early work would be contemplated to include first year power distribution and communications cabling.

AREAS OF PROTECTION FROM SHOW AND OTHER RELATED OPERATIONS

The principal Area of Display consists of a working yacht harbor and boat launch. As such, there will be sections within the Area of Display requiring access by people other than those viewing the show. These sections will need to be considered for special access and protection from restrictions that the display might impose. Selected vendor shall coordinate with harbor personnel to ensure continuity of harbor operations during not only show, but all phases of show construction and electrical power distribution construction (if in contract). Other areas might also require special consideration if added beyond harbor.

SELECTED VENDOR

The selected vendor shall provide proposals and designs for a Christmas lighting show that meets the following minimum specifications contained herein. Vendors are not anticipated to propose a design for purposes of this RFP, but instead are asked to provide a proposal that shows their abilities, experience and other criteria outlined in the section above marked **EVALUATION AND SCORING CRITERIA.**

-----**BASIC SPECS FOR SHOW TO BE DESIGNED BY *SELECTED VENDOR* FOLLOW**-----

SOFTWARE

- A. Software licensing adequate to support the equipment and show specified shall be provided in the latest available version.
- B. All software shall be Microsoft Windows-based unless agreed to by COG in writing prior to commencement of Work.
- C. All software provided will be fully functional and not trial, demo, ad-supported, or educational versions.
- D. All software shall be provided for the operating systems specified.
- E. All software shall be pre-registered in the full name of COG.
- F. All client licenses shall be delivered to COG prior to final acceptance and payment.
- G. All latest service packs, drivers, add-ins, keys, FOBS, license dongles, licenses, user codes, etc., shall be provided, configured, and installed on show hardware.
- H. Lighting control software shall be by:
 - a. Madrix
 - b. Light-O-Rama
 - c. Green Hippo
 - d. Other approved in writing by COG prior to commencement of Work.

HARDWARE/STREAMING/CONTROLLERS

- A. All hardware shall be original equipment from manufacture and shall be of sufficient power and size to operate lighting show in accordance with manufacturer’s recommendations as *best* for the intended purpose.
- B. To ensure maximum show uptime:

- a. All computer-based equipment shall be provided with one-for-one replacements or standby products that are fully ready to be plugged in place for replacements of failed equipment to ensure maximum uptime of light show.
- b. All lighting controller equipment shall be provided with a reasonable number of back-ups based upon anticipated total controller numbers and as recommended by manufacture/vendor.
- C. Computers provided to run light shows shall be configured to run as recommended for best performance by manufacture of software and/or controllers for show as proposed; and,
 - a. if less performance is required than below, provide at least the following performance specifications:
 - i. Intel i7 processors
 - ii. 8GB primary system RAM
 - iii. 500GB hard drives
 - iv. Windows 8.1/10
 - v. 1600 x 1050 display card resolution with True Color, Direct X9 and Direct X11 compatible
 - vi. MS Mouse compliant port
 - vii. DVD drive
 - viii. Gigabit Ethernet adapters running MS TCP/IP or other vendor stacks as recommended by manufacturer of lighting controllers
 - b. Computers shall be by the following manufacturers carrying their nameplates:
 - i. Lenovo
 - ii. Asus
 - iii. Gateway
 - iv. Toshiba
 - v. Green Hippo
 - c. Warranted for labor and materials for at least three years.
- D. All RGB streaming controller devices shall be:
 - a. Unicast or multicast streaming E1.31 layer (streaming ACN) open DMX512 by The Entertainment Services & Technology Association (ESTA) unless prior approved by COG prior to commencement of Work; or,
 - b. DM512 by ESTA over RS-485 serial cable via differential signaling.
 - c. Appropriate for the sizes, programming, and intended purposes. A mix of both topologies above is acceptable.
 - d. By the following manufacturers:
 - i. Light-O-Rama
 - ii. Minleon
 - iii. San Devices
 - iv. Green Hippo
 - e. Warranted for at least five years by manufacturer or by separate insured contract.

LIGHTS/LAMPS

- A. All non-RGB lights and lamps shall be LED-type *premium* sealed commercial sets designed for ten seasons and warranted for at least five seasons for replacement without proration, weatherproof to at least a minimum of IEC60529 rating IP68 and NEMA rating 6, UV resistant, appropriate for continuous operation in temperature ranges from -15 degrees F to 100 degrees F.
- B. All lighting for show shall be provided with adequate back-up strings, connectors, and lamps in numbers recommended by manufacturer to maximize show uptime.
- C. Provide lamps with at least the following specifications:
 - a. C6 light strings: shall be LED type, 120V AC unless approved in writing by COG prior to commencement of order, have sealed bases attached to copper stringers, acrylic plastic lens with high strength against breakage, consistent color temperature across all lots of lamps no matter lens size or type in same color.
 - b. C7 lamps: shall be LED type, 120V AC unless approved in writing by COG prior to commencement of order, have screw-in candelabra base (E12), a minimum of 3 light diodes per lamp, acrylic plastic lens with high strength against breakage, consistent color temperature across all lots of lamps no matter lens size or type in same color.
 - c. C9 lamps: shall be LED type, 120V AC unless approved in writing by COG prior to commencement of order, have screw-in Intermediate base (E17), a minimum of 5 light diodes per lamp, acrylic plastic lens with high

- strength against breakage, consistent color temperature across all lots of lamps no matter lens size or type in same color.
- d. G30 lamps: shall be LED type, 120V AC unless approved in writing by COG prior to commencement of order, have screw-in candelabra base (E12), a minimum of 3 light diodes per lamp, acrylic plastic lens with high strength against breakage, consistent color temperature across all lots of lamps no matter lens size or type in same color.
 - e. G40 lamps: shall be LED type, 120V AC unless approved in writing by COG prior to commencement of order, have screw-in candelabra base (E12), a minimum of 5 light diodes per lamp, acrylic plastic lens with high strength against breakage, consistent color temperature across all lots of lamps no matter lens size or type in same color.
 - f. G50 lamps: shall be LED type, 120V AC unless approved in writing by COG prior to commencement of order, have screw-in candelabra base (E12), a minimum of 5 light diodes per lamp, acrylic plastic lens with high strength against breakage, consistent color temperature across all lots of lamps no matter lens size or type in same color.
 - g. RGB LED lighting strips, strings, nodes, ribbons, other: shall be chip addressable, 12V or 5V DC, power injected as necessary to maintain consistent light intensity/output, water-proofed and shock and tension proof, with addressable control chipsets compatible with Open DMX 512 over E1.31 or RS485.
- D. Lamps shall be of types recommended by proposer for the display or element being lit and will generally be the following:
- a. Eaves: C9 RGB DMX512 controllable (or other as proposed by vendor and accepted by COG).
 - b. Wire Frames: C7 or C9 LED lamps.
 - c. Pole or post mounted: C9/C7 or G30/40.
 - d. Trees: M6/M5 (or other as proposed by vendor and accepted by COG).
 - e. Animated display elements shall be RGB Triklit style RGB ball lights with cord through center for 360 degree viewing (or other as proposed by vendor and accepted by COG).
- E. Wiring for 120V AC lights shall be commercial grade, fused, using standard Edison plugs grounded where appropriate. Minimum of 22G copper wiring heavily insulated and UV protected at string sets and at least 16G copper at screw in sets. Insulation shall be green or black when running overhead or on ground; or, when insulation shall match color of surface to which it is being attached if attached to structures or buildings.
- a. RGB sets shall use twisted stranded wiring sized per manufacturer.
- F. Rectifiers in LED string sets shall be rated for a minimum of five times anticipated load/wattage, replaceable when possible, minimal in size, and fully sealed from weather.

MAIN ELECTRICAL DISTRIBUTION

- A. Vendor shall design electrical power distribution around approved show in accordance with prevailing electrical codes hidden from view to the greatest extents possible integrating with existing power on site.
- B. Vendor shall provide permanent portion of electrical power distribution system using licensed electricians unless that portion of work is agreed by COG and vendor to be handled outside of this Contract.
- C. All electrical distribution runs shall be sized for 250% of anticipated show wattage loading and the design shall be coordinated with COG's electrical service Contractor for the area of the display.

LIGHTING AND CONTROL WIRING

- A. All wiring shall be made in a neat and orderly workmanlike manner hidden from view to the greatest extents possible.
- B. All wiring shall be made using the best practices of the trade and shall be protected from access by the public.
- C. Temporary wiring crossing roadways shall be protected from vehicle damage by sturdy and securely mounted guards made for the purpose, covering, without touching, the wiring for the entire road-path. No rise on covers shall be excessive nor more than 4" and sloped for vehicle access; acceptable to COG traffic department.
- D. Temporary wiring run overhead shall be neatly run with traveler at a height not less than 13 feet above finished grades where pedestrian traffic exists and 16' above finished grade where vehicle traffic exists.
- E. All lighting circuits shall be GFCI protected where circuits, lights, or the items upon which they are installed are accessible and might provide a load path that could be accessed by the public; and, also where required by code.
- F. All wiring shall be provided in a manner that allows site access by the public including pedestrian, bicycle, and other normal park access without coming into contact with that wiring.

- G. Electrical distribution wiring larger than 12G shall be of twisted stranded copper wire; wire smaller than 12G is not allowed for power distribution. Provide insulated as required by code and protected from UV and weather.
- H. All connectors shall be weatherproof unless used in interiors of heated and cooled buildings.
- I. Low voltage control wiring shall be twisted stranded copper wire in gauges as provided by manufacturer for purposes as proposed for use in show.

MISCELANEOUS CABLES AND EXTENSIONS/BATTERY BACK-UPS/ALL INCLUSIVE

- A. The selected vendor shall provide a light show that is all-inclusive of all cables, extensions, accessories, and other required equipment, plant, labor, and material to provide that show. Provide battery backups for all computers and controllers with new batteries. Refurbished batteries are not acceptable.
- B. The RFP pricing does not propose to represent an all-inclusive show, and the pricing requested shall be used for scoring purposes only. The selected vendor shall propose and design a show that will be all-inclusive and may or may not use elements requested.

TIES/STRAPPING/FASTENERS

All ties, strapping, fasteners, and other devices used for securing lights and wiring to structures and displays shall be premium type designed for purposes intended and rated for at least twice the weights and loads anticipated. Nylon wire ties shall be black.

WIND LOAD

- A. The design wind load for all display structures over four feet tall and weighing greater than 10 pounds shall be 140MPH. The selected vendor shall design and provide systems that meet this loading and shall provide certifications or calculations attesting/showing such.
- B. *All displays* shall be properly anchored to protect from turning over or moving due to winds up to 140 miles per hour. Provide anchorage such that it does not interfere with visibility of display.
- C. It is currently the intent of COG to discontinue shows when winds are anticipated to, or actually exceed 40 MPH; or less as recommended by vendor, engineering, and other life-safety professionals.

EXECUTION

- A. Provide sufficient labor, material, and mobilization to provide the show commencing on the agreed date of start.
- B. Provide professional mechanics, electrical workers, designers, and laborers in the regular practice of the work and craft being attempted.
- C. Provide all work in a workmanlike manner to the satisfaction of COG and Authorities Having Jurisdiction.
- D. Do not interfere with harbor operations unless coordinated in advance in writing with harbor staff.

SHOP DRAWINGS/SUBMITTALS/SAMPLES

- A. Submit equipment and other equipment to be provided for review prior to ordering:
 - 1. Product data.
 - 2. Shop drawings.
 - 3. Samples for selection.
 - 4. Samples for verification.
- B. Submit to COG for review for the limited purpose of checking for conformance with information given and the design concept expressed in the contract documents.
- C. Do not order material prior to return of Shop Drawings from COG.
- D. Sequentially number transmittal forms. Revise submittals as necessary with original number and a sequential alphabetic suffix.
- E. Identify Project, Vendor/Contractor, Subcontractor or supplier; pertinent drawing and detail number, and specification section number, as appropriate on each copy.
- F. Apply Vendor/Contractor's stamp signed or initialed certifying that review, approval, verification of Products required, field dimensions, adjacent construction Work, and coordination of information is in accordance with the requirements of the Work and Contract Documents. Stamp and ink on submittals may be only green or blue.
- G. Schedule submittals to expedite the Project, and coordinate submission of related items.
- H. For each submittal for review, allow 15 days excluding delivery time for review by COG.

CONTRACT CONDITIONS TO BE ADDED BY COG

- A. COG expressly denies responsibility for ensuring workers or other’s safety on the job, jobsite, or areas or events connected with work in this proposed contract.
- B. COG expressly denies responsibility for ensuring that the selected Vendor/Contractor is adhering to prevailing codes and laws that regulate or otherwise prevail upon the Contractor’s work.
- C. COG expressly denies responsibility for the means, methods, sequences, techniques, and procedures of construction and for the selected Vendor/Contractor’s safety precautions in connection with the work.
- D. COG representatives work solely for COG and all services are performed for the exclusive benefit of COG.
- E. The Contractor shall furnish Builder’s Risk insurance on all work in place and materials stored on site.

FAILURE TO COMPLETE BY COMMENCEMENT DATE/LIQUIDATED DAMAGE

The Contractor’s failure to have the light show ready in time for inspection and commencement will cause irreparable harm to COG that cannot be exactly and accurately calculated. Because of that, the parties agree to add to any agreements or contracts that, except for cause by *force majeure*, the selected vendor shall pay to COG the stipulated *Liquidated Damage* of \$2500 per calendar day that the show has not been tested and accepted as complete by COG beyond the agreed date for such inspection. It is anticipated that this referenced inspection date will be the Tuesday prior to Thanksgiving, though that will be subject to mutually agreed negotiations.

MINIMUM SPECIFICATIONS

These specifications represent minimum specifications for systems, lamps, hardware, software, and other, but is not designed to limit vendor proposals from the selected vendors. Equals and alternatives may be submitted for acceptance when they are intended and prove to enhance the value and richness of the offering for the public.

END OF SPECIFICATIONS

PRICING FORM (to be scored in accordance with RFP)

SEASONAL LIGHTING DISPLAY

City of Gulfport

Include this completed form with the proposal at the indexed position for pricing.

NAME OF PROPOSER: _____

TAX ID NUMBER: _____

TELEPHONE NUMBER: _____

We offer to provide the following items as specified within the RFP as titled above as follows:

Provide EACH pricing and EXTENDED pricing per line.

NOTE: This list is not intended to be a comprehensive list of all materials anticipated on the project, just a sampling of commonly-used items to present a quantifiable and comparable pricing basis to the greatest extents possible. The following products might ultimately not be used in the final accepted show design, but will serve as the basis for the cost of show elements when that show is finally selected. As such, pricing cost data, such as a percentage of mark-up, or wholesale or manufacture pricing may be requested and shall be provided by vendor to ensure that elements subsequently chosen, but not included herein, are priced consistently with this submitted and scored pricing. Use numerals and not words.

	Quantity	Type	LED/Strand	Color	Description	Price Each	Extended
1.	5000	C7	Screw In	Warm white	Dimmable C7 LED lamp	_____	_____
2.	5000	C7	Screw In	Red	Dimmable C7 LED lamp	_____	_____
3.	5000	C7	Screw In	Green	Dimmable C7 LED lamp	_____	_____
4.	5000	C7	Screw In	Blue	Dimmable C7 LED lamp	_____	_____
5.	5000	C9	Screw In	Warm white	Dimmable C9 3-LED lamp	_____	_____
6.	5000	C9	Screw In	Red	Dimmable C9 3- LED lamp	_____	_____
7.	5000	C9	Screw In	Green	Dimmable C9 3- LED lamp	_____	_____
8.	5000	C9	Screw In	Blue	Dimmable C9 3- LED lamp	_____	_____
9.	1000 strands	C6	100	Warm white	Green cord Edison M-F conn	_____	_____
10.	1000 strands	C6	100	Red	Green cord Edison M-F conn	_____	_____
11.	1000 strands	C6	100	Green	Green cord Edison M-F conn	_____	_____
12.	1000 strands	C6	100	Blue	Green cord Edison M-F conn	_____	_____
13.	1000 strands	G40-12 Triklit 25 @ 12" o.c.	RGB	Black wire, 12v, 35ma, Minleon or equal	_____	_____	
14.	1000 strands	G40-4 Triklit 25 @ 4" o.c.	RGB	Black wire, 12v, 35ma, Minleon or equal	_____	_____	
15.	500	36" RGB Tube Lights	RGB	Black wire, double sided, Minleon or equal ..	_____	_____	
16.	5 Trees	STEEL	RGB Light Trees	58-65 Ft tall minimum no lights, structure only.....	_____	_____	
17.	9 Trees	STEEL	RGB Light Trees	35-42 Ft tall minimum no lights, structure only.....	_____	_____	
18.	9 Trees	STEEL	RGB Light Trees	25-30 Ft tall minimum no lights, structure only.....	_____	_____	
19.	21 Trees	STEEL	RGB Light Trees	15-18 Ft tall minimum no lights, structure only.....	_____	_____	
20.	1	Windows Software		Madrix Key Ultimate 256x.....	_____	_____	
21.	2	Carpenter	Octopus with Candy Cane & Package	17' x 12'	_____	_____	
22.	2	Carpenter	Sunny Santa	16' x 11'	_____	_____	
23.	5	Carpenter	Leaping Dolphin Arch	46' x 17'	_____	_____	
24.	2	Carpenter	Neptune w/Santa Hat in Nautilus	85' x 12'	_____	_____	
25.	100	Lamp Post Displays		Lighthouse, Star Fish, Blue Crabs, or Whales.....	_____	_____	
26.	60	Street Pole Displays		Lighthouse, Star Fish, Blue Crabs, or Whales.....	_____	_____	
27.	20	LABOR	Wrap palm tree in LED lighting and connect to control distribution	_____	_____	_____	
28.	100	LABOR	Install lamp post displays, secured, fastened, and connect to power.....	_____	_____	_____	
29.	60	LABOR	Install street pole displays, secured, fastened, and connect to power ...	_____	_____	_____	

We further agree to hold our prices firm for a period of not less than 60 days and to enter into a Contract, as requested, to perform the Work upon receipt of a written intent to negotiate or award letter from City of Gulfport.

SIGNED: _____

NAME: _____

TITLE: _____

EMAIL ADDRESS: _____

POSTAL MAILING ADDRESS: _____

PROPOSER: Do not include additional pricing or options on this form. If you choose to include additional pricing, include it on separate attachments.

END OF PRICING FORM