



2015 Shuttle 4X/ Shuttle 2+2 Series
Electric and Gasoline

Last Revised: December 15, 2014

ORDER FROM AUGUSTA, GA
[TEL] 800 241-5855

Shuttle 4X/ Shuttle 2+2	Model Number	Suggested Retail Price
-------------------------	--------------	------------------------

Shuttle 4X E	619212	\$8,918
---------------------	---------------	----------------

Configuration Highlights:

Motor: 48 Volts DC
Batteries: Six, 8 Volt Deep Cycle
Charger: SC-48V, 10' (3.0M) Cord, UL/CSA
Speed Controller: 250 Amp Solid State Controller
Frame: Welded Steel with DuraShield™ Coating
Body: Injection Molded TPO
Tires: Trail Wolf 20 x 11 - 10 Uni-directional

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Curb Weight: 1,040 lb (425 kg)
Load Capacity: 800 lb (360 kg)
Seating Capacity: 4 Person
Ground Speed: 17.5 mph ± 0.5 mph (28.2 kph ± 0.8 kph)
Range*: Up to 35 miles

Shuttle 2+2 E - Non lifted with improved surface tires	641335	\$8,512
---	---------------	----------------

Configuration Highlights:

Motor: 48 Volts DC
Batteries: Six, 8 Volt Deep Cycle
Charger: SC-48V, 10' (3.0M) Cord, UL/CSA
Speed Controller: 250 Amp Solid State Controller
Frame: Welded Steel with DuraShield™ Coating
Body: Injection Molded TPO
Tires: Hole-N-One 18 X 8.5-8 Uni-directional

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Curb Weight: 1,040 lb (425 kg)
Load Capacity: 800 lb (360 kg)
Seating Capacity: 4 Person
Ground Speed: 17.5 mph ± 0.5 mph (28.2 kph ± 0.8 kph)
Range*: Up to 35 miles

Shuttle 4X G	619213	\$8,820
---------------------	---------------	----------------

Configuration Highlights:

Power Source: 4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki
Horsepower: 13.5 hp (10.1 kW) Rated
Batteries: One 12 Volt Maintenance Free
Fuel Capacity: 6.0 Gallon (22.8 L) Tank
Frame: Welded Steel with DuraShield™ Coating
Body: Injection Molded TPO
Tires: Trail Wolf 20 x 11 - 10 Uni-directional

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Load Capacity: 800 lb (360 kg)
Seating Capacity: 4 Person
Ground Speed: 17 mph ± 0.5 mph (27.4 kph ± 0.8 kph)

Shuttle 2+2 G - Non lifted with improved surface tires	641336	\$8,414
---	---------------	----------------

Configuration Highlights:

Power Source: 4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki
Horsepower: 13.5 hp (10.1 kW) Rated
Batteries: One 12 Volt Maintenance Free
Fuel Capacity: 6.0 Gallon (22.8 L) Tank
Frame: Welded Steel with DuraShield™ Coating
Body: Injection Molded TPO
Tires: Hole-N-One 18 X 8.5-8 Uni-directional

Front Suspension: Leaf Springs w/Hydraulic Shocks
Rear Suspension: Leaf Springs w/Hydraulic Shocks
Service Brake: Rear Wheel Mechanical Drum
Load Capacity: 800 lb (360 kg)
Seating Capacity: 4 Person
Ground Speed: 17 mph ± 0.5 mph (27.4 kph ± 0.8 kph)

Note: Options & Accessory prices shown assume item(s) are ordered with a vehicle through E-Z-GO order entry.
 For prices on items ordered without a vehicle, please contact the Parts & Accessories Department at (888) 438-3946
 *Range based on single charge, unloaded and on level ground

Factory Installed Optional Equipment:	4X E	2+2 E	4X G	2+2 G	Part Number	Suggested Retail Price
---------------------------------------	------	-------	------	-------	-------------	------------------------

TIRES & WHEELS

Front & Rear

Trail Wolf 20 x 11 - 10 (4 Ply Rated) Uni-directional	•		•		605623	Standard
Hole-N-One 18 X 8.5-8 Uni-directional		•		•	612773	Standard
Turf Saver 20 x 10 - 10 (4 Ply Rated)	•		•		605624	\$0

COLORS & PIN STRIPING

Body Colors

Standard (Patriot Blue)	•	•	•	•	Consult with factory	Standard
Additional Colors (Forest Green, Ivory, Bright White)	•	•	•	•	Consult with factory	\$0
Custom	•	•	•	•	Consult with factory	\$314

Seat Colors

Seat Color (Gray)	•	•	•	•	617902	Standard
Seat Color (Tan)	•	•	•	•	617903	\$151
Seat Color (Oyster)	•	•	•	•	617552	\$151

Factory Installed Optional Equipment:	4X E	2+2 E	4X G	2+2 G	Part Number	Suggested Retail Price
---------------------------------------	------	-------	------	-------	-------------	------------------------

OTHER ENHANCEMENTS

Glove Box Door (Locking) Passenger Side	•	•	•	•	75456G03	\$127
Glove Box Door (Locking) Driver Side	•	•	•	•	75456G02	\$127
Rear View Mirror (Sun Canopy or Cab Required)	•	•	•	•	19528G2	\$68
High Altitude Jetting			•	•	620224	\$0
Limited Slip Differential	•	•			617193	\$99
Limited Slip Differential (< 3K Altitude)			•	•	622595	\$343

ELECTRICAL

Charger, SC 48V, 10' (3.0M) Cord	•	•			606593	Standard
Charger, PowerWise QE 48V, 18' (5.5M) Cord	•	•			606594	\$53
Charger Receptacle Cover (Use with On-Board Charger)	•	•			73174G01	\$6
World Charger QE, 48V DC, 10' (3.0M) Cord	•	•			611919	\$456
Brake Lights (Rear Brakes Only)	•	•		•	607178	\$62
Turn Signals with 4-Way Flashers	•	•		•	622661	\$296
Taillight Installation	•	•		•	74862G1XX	\$123
Hour Meter	•	•		•	75113G01	\$71
12 Volt Outlet				•	71079G11	\$54
CE Kit				•	614168	\$107
LED Headlights	•	•	•	•	622340	\$206
DC/DC Converter	•	•			605750	Standard
Headlights	•	•	•	•	622285	Standard
Batteries T8V	•	•			613072	Standard
Battery Fill System (T8V)	•	•			613511	\$205

Note: Options & Accessory prices shown assume item(s) are ordered with a vehicle through E-Z-GO order entry.
 For prices on items ordered without a vehicle, please contact the Parts & Accessories Department at (888) 438-3946

Field Installed Accessories					4X E	2+2 E	4X G	2+2 G	Part Number	Suggested Retail Price
Prices Do Not Include Labor										
OTHER ENHANCEMENTS										
Handheld Programmer Unit					•	•			614029	n/a
Battery Fill Hand Pump					•	•			614472	\$82
Battery Fill System Nozzle, 20' Hose					•	•			614521	\$190
Niagra Deionizer (Service Parts Order Only)					•	•			614668	\$1,132
WEATHER PROTECTION										
Sun Canopy (Top) Tan - 80"					•	•	•	•	603120	\$438
Sun Canopy (Top) White - 80"					•	•	•	•	603119	\$438
Sun Canopy (Top) Black - 80"					•	•	•	•	606260	\$438
Weather Enclosure - Tan					•	•	•	•	605119	\$552
Windshield Split Kit					•	•	•	•	71966G04	\$121
Custom Products					4X E	2+2 E	4X G	2+2 G	Quote #	Suggested Retail Price
Soft sided enclosure with doors (field kit. Top and Windshield Required)					•	•	•	•	4678	Check with your Local Dealer
Safety Glass windshield with wipers (requires top)					•	•	•	•	4257	Check with your Local Dealer
Strobe light, Class 1 amber (field kit for top)					•	•	•	•	3162	Check with your Local Dealer

* Please refer to Custom Shop price pages for more options

**CUSHMAN****2015 Shuttle 2,4,6**Electric and Gasoline
Effective January 1, 2015

Last Revised: December 19th, 2014

ORDER FROM AUGUSTA, GA
[TEL] 800 241-5855

SHUTTLE SERIES	Model Number	Distributor Price	Suggested Retail Price
----------------	--------------	-------------------	------------------------

Shuttle 2 Electric	618848	\$8,369	\$11,239
---------------------------	---------------	----------------	-----------------

Configuration Highlights:

Motor:	48 Volts DC	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	15.2 hp (11.3 kW) at 1600 rpm	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	Eight, 6 Volt Deep Cycle	Service Brake:	Rear Wheel Mechanical Drum
Charger:	48 VDC PowerWise, 120 VAC, UL & CSA	Tires:	Turf 18 x 8.50 - 8 (4 Ply Rated)
Speed Controller:	400 Amp Precision Drive System (PDS)	Load Capacity:	1200 lb (454 kg)
Frame:	Welded Steel with DuraShield™ Coating	Seating Capacity:	2 Person
Cargo Box:	40" x 68.5"	Ground Speed:	13 mph ± 0.5 mph (21 kph ± 0.8 kph)
Body:	Injection Molded TPO / Steel		

Shuttle 2 Gasoline (Kawasaki)	618849	\$8,271	\$11,109
--------------------------------------	---------------	----------------	-----------------

Configuration Highlights:

Power Source:	4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	13.5 hp (10.1 kW) Rated	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	One 12 Volt Maintenance Free	Service Brake:	Rear Wheel Mechanical Drum
Fuel Capacity:	6 Gallon (22.7 L) Tank	Tires:	Turf 18 x 8.50 - 8 (4 Ply Rated)
Frame:	Welded Steel with DuraShield™ Coating	Load Capacity:	1200 lb (545 kg)
Cargo Box:	44" x 68.5"	Seating Capacity:	2 Person
Body:	Injection Molded TPO / Steel	Ground Speed:	16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Shuttle 4 Electric	618850	\$8,426	\$11,317
---------------------------	---------------	----------------	-----------------

Configuration Highlights:

Motor:	48 Volts DC	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	15.2 hp (11.3 kW) at 1600 rpm	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	Eight, 6 Volt Deep Cycle	Service Brake:	Rear Wheel Mechanical Drum
Charger:	48 VDC PowerWise, 120 VAC, UL & CSA	Tires:	Turf 18 x 8.50 - 8 (4 Ply Rated)
Speed Controller:	400 Amp Precision Drive System (PDS)	Load Capacity:	1200 lb (545 kg)
Frame:	Welded Steel with DuraShield™ Coating	Seating Capacity:	4 Person
Cargo Box:	9 cu ft (42.5" x 32" x 11.5" -Dimensions)	Bed Capacity:	400 lb (180 kg)
Body:	Injection Molded TPO / Steel	Ground Speed:	13 mph ± 0.5 mph (21 kph ± 0.8 kph)

Shuttle 4 Gasoline (Kawasaki)	618851	\$9,067	\$12,178
--------------------------------------	---------------	----------------	-----------------

Configuration Highlights:

Power Source:	4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	13.5 hp (10.1 kW) Rated	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	One 12 Volt Maintenance Free	Service Brake:	Rear Wheel Mechanical Drum
Fuel Capacity:	6 Gallon (22.7 L) Tank	Tires:	Turf 18 x 8.50 - 8 (4 Ply Rated)
Frame:	Welded Steel with DuraShield™ Coating	Load Capacity:	1200 lb (545 kg)
Cargo Box:	9 cu ft (42.5" x 32" x 11.5" -Dimensions)	Seating Capacity:	4 Person
Body:	Injection Molded TPO / Steel	Bed Capacity:	400 lb (180 kg)
		Ground Speed:	16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Shuttle 6 Electric	618852	\$8,585	\$11,531
---------------------------	---------------	----------------	-----------------

Configuration Highlights:

Motor:	48 Volts DC	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	15.2 hp (11.3 kW) at 1600 rpm	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	Eight, 6 Volt Deep Cycle	Service Brake:	Rear Wheel Mechanical Drum
Charger:	48 VDC PowerWise, 120 VAC, UL & CSA	Tires:	Turf 18 x 8.50 - 8 (4 Ply Rated)
Speed Controller:	400 Amp Precision Drive System (PDS)	Load Capacity:	1200 lb (545 kg)
Frame:	Welded Steel with DuraShield™ Coating	Seating Capacity:	6 Person
Body:	Injection Molded TPO / Steel	Ground Speed:	13 mph ± 0.5 mph (21 kph ± 0.8 kph)

Shuttle 6 Gasoline (Kawasaki)	618853	\$9,013	\$12,105
--------------------------------------	---------------	----------------	-----------------

Configuration Highlights:

Power Source:	4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	13.5 hp (10.1 kW) Rated	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	One 12 Volt Maintenance Free	Service Brake:	Rear Wheel Mechanical Drum
Fuel Capacity:	6 Gallon (22.7 L) Tank	Tires:	Turf 18 x 8.50 - 8 (4 Ply Rated)
Frame:	Welded Steel with DuraShield™ Coating	Load Capacity:	1200 lb (545 kg)
Body:	Injection Molded TPO / Steel	Seating Capacity:	6 Person
		Ground Speed:	16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Note: Options & Accessory prices shown assume item(s) are ordered with a vehicle through Cushman order entry.
For prices on items ordered without a vehicle, please contact the Parts & Accessories Department at (888) 438-3946

Factory Installed Optional Equipment:	2E	2G	4/6E	4/6G	Part Number	Distributor Price	Suggested Retail Price
---------------------------------------	----	----	------	------	-------------	-------------------	------------------------

TIRES & WHEELS

Front

Links 18 x 8.50 - 8 (4 Ply Rated) (Set of two)	•	•	•	•		Standard	Standard
USA Trail 18 x 8.50 - 8 (6 Ply Rated) (Set of two)	•	•	•	•	27773G01	\$38	\$64

Rear

Links 18 x 8.50 - 8 (4 Ply Rated) (Set of two)	•	•	•	•		Standard	Standard
USA Trail 18 x 8.50 - 8 (6 Ply Rated) (Set of two)	•	•	•	•	27774G01	\$38	\$64

Wheel Covers

Spoke, Black & Gold (Set of 4)	•	•	•	•	25808G04	\$38	\$64
Spoke, Black & Silver (Set of 4)	•	•	•	•	25808G05	\$38	\$64
6" Chrome	•	•	•	•	25808G03	\$38	\$64
Silver Metallic (Set of 4)	•	•	•	•	611321	\$28	\$46
Gold Metallic (Set of 4)	•	•	•	•	606353	\$28	\$46

COLORS & PIN STRIPING

Body Colors

Standard (Patriot Blue)	•	•	•	•		Standard	Standard
Additional Colors (Forest Green, Black, Ivory, Bright White)	•	•	•	•		\$0	\$0
Custom	•	•	•	•		\$366	\$488

Seat Color

Seat Color (Oyster)	•	•				Standard	Standard
Seat Color (Tan)	•	•			71272G02	\$57	\$76
Seat Color (Gray)	•	•			71272G04	\$57	\$76
Seat Color - 4 (Oyster)			•	•		Standard	Standard
Seat Color - 4 (Tan)			•	•	71889G10	\$113	\$150
Seat Color - 4 (Gray)			•	•	71889G11	\$113	\$150
Seat Color - 6 Passenger Only (Oyster)			•	•		Standard	Standard
Seat Color - 6 Passenger Only (Tan)			•	•	617931	\$169	\$225
Seat Color - 6 Passenger Only (Gray)			•	•	618224	\$169	\$225

Factory Installed Optional Equipment:	2E	2G	4/6E	4/6G	Part Number	Distributor Price	Suggested Retail Price
---------------------------------------	----	----	------	------	-------------	-------------------	------------------------

OTHER ENHANCEMENTS

Stake Side Cargo Bed	•	•				Standard	Standard
Brushguard	•	•	•	•		Standard	Standard
Headlights	•	•	•	•		Standard	Standard
Tail Lights	•	•			600904G01	\$93	\$124
Tail Lights			•	•	71332G3XX	\$93	\$124
Brake Lights	•		•		70691G13	\$46	\$62
Brake Lights	•			•	70691G09	\$46	\$62
Brake Lights		•		•	607183	\$46	\$62
Brake Lights (Hydraulic)		•		•	607233	\$46	\$62
Limited Slip Differential	•		•		617199	\$59	\$99
Limited Slip Differential (< 3K Altitude)		•		•	622598	\$258	\$343
LED Headlights	•	•	•	•	622340	\$155	\$206
State of Charge Meter	•		•		71121G21	\$0	\$0
Turn Signals with 4-Way Flashers	•	•	•	•	622661	\$176	\$296
Unique Group Key Switch	•	•	•	•	71120G02	\$28	\$46
Front Hydraulic Disc Brakes	•	•	•	•	602290	\$636	\$848

Factory Installed Optional Equipment:	2E	2G	4/6E	4/6G	Part Number	Distributor Price	Suggested Retail Price
ELECTRICAL							
Charger, 48V DELTA-Q PORT 10'DC	•		•			Standard	Standard
DC / DC Converter (20 Amp)	•		•		605988	\$164	\$219
Hour Meter	•		•		75113G01	\$43	\$72
Hour Meter		•		•	607284	\$43	\$72
Batteries T105	•		•			Standard	Standard
Batteries T145	•		•		73220G07	\$392	\$522
Batteries T105 w/ Battery Fill System	•		•		614573	\$149	\$248
Batteries T145 w/ Battery Fill System	•		•		614579	\$529	\$881

Field Installed Accessories *Prices do not include labor	2E	2G	4/6E	4/6G	Part Number	Distributor Price	Suggested Retail Price
OTHER ENHANCEMENTS							
Rear View Mirror (Sun Canopy or Cab Required)	•	•	•	•	19528G2	\$40	\$68
Drop Side Rails	•	•			34538G03	\$412	\$549
Work Light	•	•			74247G01	\$99	\$166
CE Kit				•	614168	\$64	\$107
Battery Fill Hand Pump	•		•		614472	\$50	\$83
Battery Fill System Nozzle, 20' Hose	•		•		614521	\$114	\$190

WEATHER PROTECTION	2E	2G	4/6E	4/6G	Part Number	Distributor Price	Suggested Retail Price
Windshield Split	•	•			606058	\$132	\$176
Windshield Split			•	•	611100	\$132	\$220
Sun Canopy (Top) Black	•	•			611707	\$685	\$1,141
Sun Canopy (Top) Beige	•	•			611706	\$685	\$1,141
Sun Canopy (Top) White	•	•			611702	\$674	\$1,124
Sun Canopy (Top) Black			•	•	610266	\$627	\$1,045
Sun Canopy (Top) Beige			•	•	610267	\$637	\$1,062
Sun Canopy (Top) White			•	•	610268	\$637	\$1,062
Enclosure, zippered, acrylic, field install, tan			•	•	627105	\$725	\$950

Custom Solutions*	2E	2G	4/6E	4/6G	Quote Number	Distributor Price	Suggested Retail Price
Prices Include Labor							
Aluminum Van box, Double doors on sides van box mounted to a rollback bed for access	•	•			3623	\$2,920	Check with your Local Dealer
Ambulance conversion (basic package includes aluminum deck, EMS seat, footrest, EMS decals) call for additional items	•	•			3493	\$1,900	Check with your Local Dealer
Enclosure, zippered, acrylic, field install, tan (top and windshield required)	•	•			3452	\$700	Check with your Local Dealer
Labor to install cab with doors and wipers	•	•			3495	\$350	Check with your Local Dealer
12" Steel boxsides and tailgate	•	•			4034	\$745	Check with your Local Dealer
Galvanized steel deck plate	•	•			4035	\$175	Check with your Local Dealer
Wheelchair access conversion with top, windshield, HD brakes & suspension, gas assist ramp, wheelchair holddowns, ramp lights			•	•	3949	\$4,700	Check with your Local Dealer
Safety Glass windshield with wipers (requires top)	•	•	•	•	4257	\$550	Check with your Local Dealer
Soft sided enclosure with doors (Field kit. Top and Windshield Required)			•	•	4626	\$1,160	Check with your Local Dealer
Strobe light, Class 1 amber (field kit for top)	•	•	•	•	4821	\$215	Check with your Local Dealer

***Please Refer to Custom Price Pages For More Options**



2015 Shuttle 8

Electric and Gasoline
Effective January 1, 2015

Last Revised: December 19th, 2014

ORDER FROM AUGUSTA, GA
[TEL] 800 241-5855

SHUTTLE SERIES	Model Number	Distributor Price	Suggested Retail Price
----------------	--------------	-------------------	------------------------

Shuttle 8 Electric	626500	\$9,194	\$12,375
---------------------------	---------------	----------------	-----------------

Configuration Highlights:

Motor:	48 Volts DC	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	15.2 hp (11.3 kW) at 1600 rpm	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	Eight, 6 Volt Deep Cycle	Service Brake:	4 Wheel Hydraulic Brakes
Charger:	48 VDC Delta Q World Charger, 120/230 VAC, UL & C	Tires:	Kenda Load Star 215/ 60 - 8 (18 in.)(4 Ply Rated)
Speed Controller:	400 Amp Precision Drive System (PDS)	Load Capacity:	1600 lb (727 kg)
Frame:	Welded Steel with DuraShield™ Coating	Seating Capacity:	8 Person
Body:	Injection Molded TPO / Steel	Ground Speed:	13 mph ± 0.5 mph (21 kph ± 0.8 kph)

Shuttle 8 Gasoline (Kawasaki)	626850	\$9,518	\$12,811
--------------------------------------	---------------	----------------	-----------------

Configuration Highlights:

Power Source:	4 Cycle, 24.5 ci (401 cc) Single Cylinder Kawasaki	Front Suspension:	Leaf Springs w/Hydraulic Shocks
Horsepower:	13.5 hp (10.1 kW) Rated	Rear Suspension:	Leaf Springs w/Hydraulic Shocks
Batteries:	One 12 Volt Maintenance Free	Service Brake:	4 Wheel Hydraulic Brakes
Fuel Capacity:	5.8 Gallon (22.0 L) Tank	Tires:	Kenda Load Star 215/ 60 - 8 (18 in.)(4 Ply Rated)
Frame:	Welded Steel with DuraShield™ Coating	Load Capacity:	1600 lb (727 kg)
Body:	Injection Molded TPO / Steel	Seating Capacity:	8 Person
		Ground Speed:	16 mph ± 0.5 mph (26 kph ± 0.8 kph)

Note: Options & Accessory prices shown assume item(s) are ordered with a vehicle through Cushman order entry.

For prices on items ordered without a vehicle, please contact the Parts & Accessories Department at (888) 438-3946

Factory Installed Optional Equipment:	8E	8G	Part Number	Distributor Price	Suggested Retail Price
---------------------------------------	----	----	-------------	-------------------	------------------------

TIRES & WHEELS

Front

Load Star - 50 PSI (Set of two)	•	•		Standard	Standard
USA Trail 18 x 8.50-8 (Load Range C)		•	27773G01	\$38	\$64

Rear

Load Star - 70 PSI (Set of two)	•	•		Standard	Standard
USA Trail 18 x 8.50-8 (Load Range C)		•	27774G01	\$38	\$64

Wheel Covers

Wheel Covers	•	•		Standard	Standard
Silver Metallic (Set of 4)	•	•	611321	\$28	\$46
Gold Metallic (Set of 4)	•	•	606353	\$28	\$46

COLORS & PIN STRIPING

Body Colors

Standard (Patriot Blue)	•	•		Standard	Standard
Additional Colors (Forest Green, Black, Ivory, Bright White)	•	•		\$0	\$0
Custom	•	•		\$366	\$488

Seat Color

8 Pass with Flip Flop Rear Seat

Seat Color & Flip Flop (Oyster)	•	•		Standard	Standard
Seat Color & Flip Flop (Tan)	•	•	626580	\$57	\$76
Seat Color & Flip Flop (Black)	•	•	626579	\$57	\$76

6 Pass with Cargo Deck

Seat Color w/ Cargo Deck (Oyster)	•	•	626587	\$0	\$0
Seat Color w/ Cargo Deck (Tan)	•	•	626588	\$263	\$342
Seat Color w/ Cargo Deck (Black)	•	•	626589	\$263	\$342

Factory Installed Optional Equipment:	8E	8G	Part Number	Distributor Price	Suggested Retail Price
OTHER ENHANCEMENTS					
Brushguard	•	•		Standard	Standard
Headlights	•	•		Standard	Standard
Tail Lights	•	•		Standard	Standard
Brake Lights	•	•		Standard	Standard
Front Hydraulic Disc Brakes	•	•		Standard	Standard
LED Headlights	•	•	622340	\$155	\$206
State of Charge Meter	•		71121G24	\$0	\$0
Turn Signals with 4-Way Flashers	•	•	622661	\$176	\$296
Unique Group Key Switch	•	•	71120G05	\$32	\$54

ELECTRICAL					
Charger, 48V DELTA-Q PORT 10' DC	•			Standard	Standard
No Charger install	•		71784G07	\$0	\$0
DC / DC Converter (20 Amp)	•		605988	\$164	\$219
Hour Meter	•		75113G05	\$43	\$72
Hour Meter	•	•	607284	\$43	\$72
Batteries T105	•			Standard	Standard
Batteries T145	•		73220G07	\$392	\$522
Batteries T105 w/ Battery Fill System	•		614573	\$149	\$248
Batteries T145 w/ Battery Fill System	•		614579	\$529	\$881

Note: Options & Accessory prices shown assume item(s) are ordered with a vehicle through Cushman order entry. For prices on items ordered without a vehicle, please contact the Parts & Accessories Department at (888) 438-3946

Field Installed Accessories	8E	8G	Part Number	Distributor Price	Suggested Retail Price
Prices Do Not Include Labor					
OTHER ENHANCEMENTS					
Rear View Mirror (Sun Canopy or Cab Required)	•	•	19528G2	\$40	\$65
CE Kit		•	614168	\$64	\$107
CE Kit	•		614176	\$64	\$107
Battery Fill System Nozzle, 20' Hose	•		614521	\$114	\$190

WEATHER PROTECTION					
Windshield Split	•	•	611100	\$132	\$220
Sun Canopy (Top) White	•	•	626706	\$685	\$1,141

Custom Solutions*	8E	8G	Quote Number	Distributor Price	Suggested Retail Price
Soft sided enclosure with doors (Field kit. Top and Windshield Required)	•	•	4626	\$1,580	Check with your Local Dealer
Enclosure, zippered, acrylic, field install, tan (top and windshield required)	•	•	4768	\$803	Check with your Local Dealer
Safety Glass windshield with wipers (requires top)	•	•	4257	\$550	Check with your Local Dealer
Strobe Light, Class 1 amber (field kit for top)	•	•	4821	\$215	Check with your Local Dealer

***Please Refer to Custom Price Pages For More Options**