

SPECIFICATION GUIDE & PRICE LIST

2015

PALMIER

CLASSIC

MISSISSIPPI STATE CONTRACT 2015  
RFX NO. 3130000150

|  |       |                             |         |
|--|-------|-----------------------------|---------|
| Introduction                             | 1     | Element                     | 98-119  |
| Table of Contents                        | 2-5   | Displays – Atlas Stand      | 98-99   |
| Product Materials & Finishes             | 7-9   | Displays – Dictionary Stand | 100-101 |
| Aspen                                    | 10-25 | Modular Carrels             | 102-103 |
| Displays – Newspaper Table & Atlas Stand | 10-11 | Reference Carrels           | 104-105 |
| Displays – Dictionary Stand              | 12-13 | PAC Tables                  | 106-111 |
| Displays – Display Table                 | 14-15 | PAC Panel Base Tables       | 114-117 |
| Displays – AV Browser                    | 16-17 | Reading Tables              | 118-119 |
| Modular Carrels                          | 18-19 | Fusion                      | 120-141 |
| Reference Carrels                        | 20-21 | Displays – Atlas Stand      | 120-121 |
| PAC Tables                               | 22-23 | Displays – Dictionary Stand | 122-123 |
| Reading Tables                           | 24-25 | Displays – Display Table    | 124-125 |
| Bannister                                | 26-97 | Modular Carrels             | 126-131 |
| Displays – Newspaper Table               | 26-27 | Reference Carrels           | 132-133 |
| Displays – Atlas Stand                   | 28-29 | PAC Tables                  | 134-139 |
| Displays – Dictionary Stand              | 30-31 | Reading Tables              | 140-141 |
| Displays – Display Table                 | 32-33 | Princeton                   | 142-163 |
| Study Carrel Tables                      | 34-35 | Displays – Newspaper Table  | 142-143 |
| Carrels                                  | 36-47 | Displays – Atlas Stand      | 144-145 |
| PAC Tables                               | 48-83 | Displays – Dictionary Stand | 146-147 |
| Reading Tables                           | 84-85 | Displays – Display Table    | 148-149 |
| Reading/Computer Tables                  | 86-97 | Displays – AV Browser       | 150-151 |
|  |       | Index Table                 | 152-153 |
|  |       | Modular Carrels             | 154-155 |
|  |       | PAC Tables                  | 156-159 |
|  |       | Reading Tables with Legs    | 160-161 |
|  |       | Reading Tables with Panels  | 162-163 |

|  |         |  |         |
|--|---------|--|---------|
| Vista  | 164-201 | Gemini Desking System  | 230-245 |
| Displays – Atlas Stand                                   | 164-165 | Open Shelf & Cupboard Units, Closed Corner Units<br>& Knee Space Unit with Cash & Pencil Drawer  | 230-231 |
| Displays – Dictionary Stand                              | 166-167 | Open Corner Unit, Single Drawer Charge Unit,<br>Single Drawer Open Shelf Unit & Book Return Unit | 232-233 |
| Displays – Display Table                                 | 168-169 | Desk Units with Patron & Corner Desk Unit with Surround  | 234-235 |
| Carrels  | 170-179 | Desk Units & Corner Desk Unit  | 236-237 |
| PAC Tables   | 180-189 | Cupboard Unit Configurations   | 238-239 |
| Reading Tables   | 190-191 | Curved Desk Unit, Curved Corner Desk with Surround & ADA Unit                                    | 240-241 |
| Reading/Computer Tables                                  | 192-201 | Patron Ledges  | 242-243 |
|  |         | End & Intermediate Panels  | 244-245 |
| Linx Desking System                                      | 202-229 | Desk Accessories   | 246-251 |
| Open Shelf & Cupboard Units                              | 202-203 | Mobile Pedestals   | 246-247 |
| Closed Corner Units                                      | 204-205 | Hanging Pedestals  | 248-249 |
| Knee Space Unit with Cash & Pencil Drawer                | 206-207 | Accessories  | 250-251 |
| Open Corner Units  | 208-209 |  |         |
| Single Drawer Charge Units & Book Return Unit            | 210-211 | Warranty   | 252     |
| Desk Units with Surrounds                                | 212-213 | Terms & Conditions   | 253     |
| Corner Desk Unit with Surround                           | 214-215 |  |         |
| Desk Units   | 216-217 |  |         |
| Corner Desk Unit, 45 Degree Wedge Corner Unit & ADA Unit | 218-219 |  |         |
| Cupboard Unit Configurations                             | 220-221 |  |         |
| Curved Desk Units  | 222-224 |  |         |
| Patron Ledges  | 224-227 |  |         |
| Finished End Panels                                      | 228-229 |  |         |

### WOODS & FINISHES:

#### Natural Maple Standard



Natural Clear – M-NA

#### Maple Finishes

The following stains are available, add 10% to list



Honey Oak – M-HO



Castle Oak – M-CO



Richmond Cherry – M-RC



Mahogany – M-MA



Victorian Cherry – M-VI



Java – M-JA



Wenge – M-WE



English Oak – M-EN

#### Natural Red Oak Standard



Natural Clear – O-NA

#### Red Oak Finishes

The following stains are available, add 10% to list



Castle Oak – O-CO



Honey Oak – O-HO



English Oak – O-EN



Victorian Cherry – O-VI



Mahogany – O-MA



Richmond Cherry – O-RC



Java – O-JA



Wenge – O-WE

#### Natural Cherry Add 20% to list



Natural Clear – C-NA

#### Cherry Finishes

The following stains are available, add 30% to list



Honey Oak – C-HO



Richmond Cherry – C-RC

#### Natural Walnut Add 20% to list



Natural Clear – W-NA

#### Walnut Finishes

The following stain is available, add 30% to list



Java – W-JA

### LAMINATES:

#### Melamine Laminate Options



Hardrock Maple – L303



Fidlar's Maple – L363



Cognac Cherry – L448



Cherry Blossom – L449



Almond Cherry – L457



Samba Cherry – L460



Lambada Cherry – L461



Shiraz Cherry – L472



Tuxedo – 477



Hot Cinnamon – L480



Caramel Maple – L490



Antigua – L498



Borneo – L500



Ginger Snap Fruitwood – L518



Very Chic – L666

PAINT:

Thermal Paint Colours



Sparkle Silver – S11



Navy – B17



Charcoal – A230



Beige – H23



Blue – B11



Grey – A16



Antique White – W11



Teal – HG266



Black – N49



White – P-111-W374



Green – G58



Black Sandtex – N31  
Textured Finish



Ruby – R7

**HARDWOODS:** All hardwood materials used in the manufacturing of P2 products shall be Northern grown hardwoods. Hardwoods will be air and kiln dried to a moisture content of 5-7%. All hardwoods shall be of grade "A" material, free of material stains, imperfections, conformity of grain, texture and color. Hardwood species shall be Northern grown Red Oak, Clear White Northern Maple and Birch. American Cherry and Honduras Mahogany and Walnut are available. Please inquire for pricing.

**VENEER:** Exposed face veneers shall be not less than 1/28" thick plain sliced veneers. Veneers are to be selected for conformity of grain direction and color. Veneers are to be stitched tightly in a book match, slip match or plain sliced configuration. Unexposed veneers are to be of hardwood but not selected for color, or grain quality. Veneers are not to be lap joined or reveal any tape or glue lines.

**PARTICLE BOARD CORE:** The particleboard shall be formed of wood chips, bonded with a water resistance adhesive. The particleboard material is to be of a high density 45 lbs/cu. ft. having a minimum average modulus of rupture of 2400 psi and a minimum average modulus of elasticity of 4,000,000 psi.

**VENEER CORE:** Veneer core is to be constructed with odd numbers of plies. Each ply is to be laminated in pairs and cross banded in opposite directions with grain direction at a 90 degree angle to the grain of the center core. All plies are to be free from knots, wrinkles, laps or other natural or manufacturing defects.

**LUMBER CORE:** Lumber core is to be of the highest quality grade. Grade "A" select stock. Lumber core shall be constructed of solid random width strips not less than 2" wide nor more than 3 1/2" wide by 1" thick. Wood strips will be free from knots or other defects. All strips will be tightly joined using water resistance adhesives.

**HIGH PRESSURE LAMINATE:** Work surface laminate shall be .050" thick and used with balancing backer sheet of no less than .028" thick. Laminate shall conform to standards set by the National Electrical Manufacturers' Association (NEMA).

**FINISHING PROCEDURES:** All materials shall be inspected and treated with a final sanding and polishing operation before any staining and final finishing can be performed. All machine and mill marks are to be removed. Once the polishing and sanding has been performed, the furniture will then undergo the following stain and finishing procedures:

- Step 1 A base stain will be uniformly applied, wiped and then allowed to dry under factory controlled conditions.
- Step 2 A uniform coat of sealer will be applied and allowed to dry.
- Step 3 Sealer will be lightly sanded using 240 grit silicon paper.
- Step 4 A catalytic lacquer of 34-45 degree sheen is evenly applied and allowed to dry under factory controlled conditions.

**METAL FINISHING PROCEDURES:** All metal components are thoroughly cleaned and coated electrostatically with an epoxy powder coat paint finish. The metal components are then oven baked and cured for a lasting finish.



| MODEL NUMBER | PRODUCT         | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|-----------------|----------------------------------|-----|-----|----------|----------|------------|---|
| AP-NP        | Newspaper Table | 39 <sup>1</sup> / <sub>2</sub> " | 27" | 30" | 180 Lbs. | 21 Cu Ft | \$ 3,388   | <p><b>TABLE RACK:</b><br/>Open frame construction consists of 7/8" thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1/2" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> |



|       |             |                                  |     |                                  |          |          |          |  |
|-------|-------------|----------------------------------|-----|----------------------------------|----------|----------|----------|--|
| AP-AS | Atlas Stand | 30 <sup>1</sup> / <sub>2</sub> " | 29" | 44 <sup>1</sup> / <sub>2</sub> " | 260 Lbs. | 30 Cu Ft | \$ 5,050 | <p><b>TOP:</b><br/>Sloped top is constructed of 3/4" particleboard core with plastic laminate surfaces and fitted with a wood book rail 5/8" thick x 5/8" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b><br/>Cabinet construction consists of a 3/4" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3/4" thick 3-ply particleboard core pull-out shelves with 3/4" thick x 1<sup>3</sup>/<sub>4</sub>" high solid wood retainer lip operating on bottom mounted single extension drawer runners.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1/2" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> |
|-------|-------------|----------------------------------|-----|----------------------------------|----------|----------|----------|--|



| MODEL NUMBER | PRODUCT          | W                                | D  | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|------------------|----------------------------------|----|----------------------------------|----------|----------|------------|--|
| AP-DC        | Dictionary Stand | 27 <sup>1</sup> / <sub>2</sub> " | 21 | 44 <sup>1</sup> / <sub>2</sub> " | 180 Lbs. | 20 Cu Ft | \$ 3,756   | <p><b>TOP:</b><br/>Sloped top is constructed of <sup>3</sup>/<sub>4</sub>" particleboard core with plastic laminate surfaces and fitted with a wood book rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b><br/>Cabinet construction consists of a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back with plain sliced veneer both faces, a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core adjustable shelf and a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core fixed bottom shelf with <sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid wood drop edge.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> |



| MODEL NUMBER | PRODUCT                                  | W   | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|--|-----|----------------------------------|-----|----------|----------|------------|--|
| AP-DP        | Display Table                            | 66" | 30 <sup>1</sup> / <sub>2</sub> " | 39" | 245 Lbs. | 23 Cu Ft | \$ 8,338   | <p><b>DISPLAY CASE CONSTRUCTION:</b><br/>Wood frame is constructed of 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" wide solid hardwood with 1/4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.</p> <p><b>TOP:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1<sup>5</sup>/<sub>8</sub>" solid hardwood at two long edges.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1/2" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> |
| AP-DP-FB     | Display Table with Fabric Covered Bottom | 66" | 30 <sup>1</sup> / <sub>2</sub> " | 39" | 245 Lbs. | 23 Cu Ft | \$ 9,169   |  |

| MODEL NUMBER | PRODUCT | W | D | H | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|--------------|---------|---|---|---|--------|--------|------------|-------------|
|--------------|---------|---|---|---|--------|--------|------------|-------------|

AP-AV

AV Browser

50<sup>1</sup>/<sub>4</sub>"

23

42<sup>1</sup>/<sub>2</sub>"

260 Lbs.

36 Cu Ft

\$ 3,875

**MULTIMEDIA DISPLAY BIN:**  
Bin construction consisting of <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and seven equally divided compartments, each 6<sup>1</sup>/<sub>4</sub>" wide x 19" deep with six removable <sup>1</sup>/<sub>4</sub>" side dividers and will hold approximately 290 compact discs.

**END PANELS:**  
Panel frame construction consists of a <sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, <sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset <sup>1</sup>/<sub>2</sub>" thick x <sup>1</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.



|  | MODEL NUMBER | PRODUCT                          | W                                | D                                | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|--------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|----------|------------|---|
|    |              | Single Face Modular Carrels:     |                                  |                                  |          |          |          |            |   |
|  | AP-MC-36-SS  | 36" Starter                      | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"      | 340 Lbs. | 11 Cu Ft | \$ 4,131   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>5</sup>/<sub>8</sub>" high solid hardwood with edges eased. Work surface is 28" deep.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased. Single face and pinwheel shall receive three vertical pilasters and double face shall receive five vertical pilasters.</p> <p><b>INTERMEDIATE PANELS:</b><br/>Panels are constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides with all edges eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> <p><b>TOP SHELF:</b><br/>Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge complete with a 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" wide solid hardwood valance rail mounted to the underside. Shelf is 10" deep positioned 15<sup>1</sup>/<sub>2</sub>" above the work surface.</p> |
|  | AP-MC-36-SA  | 36" Adder                        | 36 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48"      | 160 Lbs. | 11 Cu Ft | \$ 3,399   |   |
|  | AP-MC-48-SS  | 48" Starter                      | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"      | 360 Lbs. | 11 Cu Ft | \$ 5,320   |   |
| AP-MC-48-SA  | 48" Adder    | 48 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48"                              | 190 Lbs. | 11 Cu Ft | \$ 3,555 |            |   |
|    |              | Double Face Modular Carrels:     |                                  |                                  |          |          |          |            |   |
|  | AP-MC-36-DS  | 36" Starter                      | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"      | 655 Lbs. | 22 Cu Ft | \$ 7,211   |   |
|  | AP-MC-36-DA  | 36" Adder                        | 36 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"      | 250 Lbs. | 22 Cu Ft | \$ 4,579   |   |
|  | AP-MC-48-DS  | 48" Starter                      | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"      | 710 Lbs. | 22 Cu Ft | \$ 7,430   |   |
|  | AP-MC-48-DA  | 48" Adder                        | 48 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 310 Lbs. | 22 Cu Ft | \$ 4,805 |            |   |
|  | AP-MC-36-PW  | 36" Pinwheel                     | 74 <sup>1</sup> / <sub>2</sub> " | 74 <sup>1</sup> / <sub>2</sub> " | 48"      | 780 Lbs. | 48 Cu Ft | \$ 11,923  |   |
|  | AP-MC-48-PW  | 48" Pinwheel                     | 91 <sup>1</sup> / <sub>2</sub> " | 91 <sup>1</sup> / <sub>2</sub> " | 48"      | 800 Lbs. | 55 Cu Ft | \$ 12,344  |   |

| MODEL NUMBER   | PRODUCT                        | W                                | D                                | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |          |
|--|--------------------------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|------------|---|----------|
|    | Single Face Reference Carrels: |                                  |                                  |                                  |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>5</sup>/<sub>8</sub>" high solid hardwood with edges eased. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased. Single face and pinwheel shall receive three vertical pilasters and double face shall receive five vertical pilasters.</p> <p><b>INTERMEDIATE PANELS:</b><br/>Panels are constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides with all edges eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> <p><b>BOTTOM SHELF:</b><br/>Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge complete with a 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" wide solid hardwood valance rail mounted to the underside. Shelf is 10" deep positioned 21" above the floor</p> |          |
|  | AP-RC-36-SS                    | 36" Starter                      | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"      | 340 Lbs. | 11 Cu Ft   |   | \$ 4,225 |
|  | AP-RC-36-SA                    | 36" Adder                        | 36 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48"      | 160 Lbs. | 11 Cu Ft   |   | \$ 2,713 |
|  | AP-RC-48-SS                    | 48" Starter                      | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"      | 360 Lbs. | 11 Cu Ft   |   | \$ 4,350 |
| AP-RC-48-SA  | 48" Adder                      | 48 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48"                              | 190 Lbs. | 11 Cu Ft | \$ 2,831   |   |          |
|    | Double Face Reference Carrels: |                                  |                                  |                                  |          |          |            |   |          |
|  | AP-RC-36-DS                    | 36" Starter                      | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"      | 655 Lbs. | 22 Cu Ft   |   | \$ 5,756 |
|  | AP-RC-36-DA                    | 36" Adder                        | 36 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"      | 250 Lbs. | 22 Cu Ft   |   | \$ 3,644 |
|  | AP-RC-48-DS                    | 48" Starter                      | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"      | 710 Lbs. | 22 Cu Ft   |   | \$ 5,925 |
| AP-RC-48-DA  | 48" Adder                      | 48 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"                              | 310 Lbs. | 22 Cu Ft | \$ 3,825   |   |          |
|  | AP-RC-36-PW                    | 36" Pinwheel                     | 74 <sup>1</sup> / <sub>2</sub> " | 74 <sup>1</sup> / <sub>2</sub> " | 48"      | 780 Lbs. | 48 Cu Ft   | \$ 9,513  |          |
|  | AP-RC-48-PW                    | 48" Pinwheel                     | 91 <sup>1</sup> / <sub>2</sub> " | 91 <sup>1</sup> / <sub>2</sub> " | 48"      | 800 Lbs. | 55 Cu Ft   | \$ 9,638  |          |

|  | MODEL NUMBER   | PRODUCT                               | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|----------------|---------------------------------------|----------------------------------|-----|-----|----------|----------|------------|---|
|    | AP-PAC-1-PB-29 | 1 Person PAC Table:<br>Sitting Height | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 130 Lbs. | 13 Cu Ft | \$ 3,794   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>5</sup>/<sub>8</sub>" solid hardwood at two long edges.</p> <p><b>DIVIDER RACK:</b><br/>Divider rack construction consists of 3<sup>3</sup>/<sub>4</sub>" thick x 7" deep x 8" high solid hardwood side dividers and 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back dividers with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position will be equipped with a 3" diameter black plastic grommet and a black painted metal back mount J-channel wire manager.</p> |
|  | AP-PAC-1-PB-32 | Wheelchair Accessible                 | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 130 Lbs. | 16 Cu Ft | \$ 3,900   |   |
|  | AP-PAC-1-PB-39 | Standing Height                       | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 135 Lbs. | 23 Cu Ft | \$ 4,125   |   |
|    | AP-PAC-2-PB-29 | 2 Person PAC Table:<br>Sitting Height | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 200 Lbs. | 27 Cu Ft | \$ 4,450   |   |
|  | AP-PAC-2-PB-32 | Wheelchair Accessible                 | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 200 Lbs. | 33 Cu Ft | \$ 4,563   |   |
|  | AP-PAC-2-PB-39 | Standing Height                       | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 205 Lbs. | 46 Cu Ft | \$ 4,763   |   |
|  | AP-PAC-3-PB-29 | 3 Person PAC Table:<br>Sitting Height | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 250 Lbs. | 34 Cu Ft | \$ 4,894   |   |
|  | AP-PAC-3-PB-32 | Wheelchair Accessible                 | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 250 Lbs. | 41 Cu Ft | \$ 4,994   |   |
|  | AP-PAC-3-PB-39 | Standing Height                       | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 260 Lbs. | 58 Cu Ft | \$ 5,206   |   |

|  | MODEL NUMBER | PRODUCT                    | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|----------------------------|-----|-----|-----|----------|----------|------------|--|
|    | AP-R42       | Round Table                | 42" | 42" | 29" | 90 Lbs.  | 8 Cu Ft  | \$ 2,263   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Tops surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Two long edges of the rectangular tables will be banded with a 1<sup>1</sup>/<sub>4</sub>" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edge and the two ends will be banded with 2<sup>5</sup>/<sub>8</sub>" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edge. Circular tables will be banded with a 1<sup>1</sup>/<sub>4</sub>" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edge. Square tables will be banded on all 4 sides with 2<sup>5</sup>/<sub>8</sub>" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edges. All edges are eased.</p> <p><b>END FRAME:</b><br/>End frame construction consists of two 2<sup>3</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>8</sub>" glued-up solid stock legs, two 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood horizontal rail members and five 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>7</sup>/<sub>8</sub>" wide solid vertical pilasters. All edges of end frame and pilasters are eased.</p> <p><b>APRON:</b><br/>Apron rail is constructed of 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood and fitted between the legs on either side of the end frame assembly. Apron rails for circular and square tables are 3<sup>3</sup>/<sub>4</sub>" thick x 3<sup>3</sup>/<sub>8</sub>" wide solid hardwood and mechanically fastened between legs.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> |
|  | AP-R48       |                            | 48" | 48" | 29" | 100 Lbs. | 10 Cu Ft | \$ 2,375   |  |
|    | AP-4242      | Square Table               | 42" | 42" | 29" | 90 Lbs.  | 8 Cu Ft  | \$ 2,869   |  |
|  | AP-4848      |                            | 48" | 48" | 29" | 100 Lbs. | 10 Cu Ft | \$ 3,063   |  |
|  | AP-6036      | 60" Wide Rectangular Table | 60" | 36" | 29" |          |          | \$ 3,794   |  |
|  | AP-6048      |                            | 60" | 48" | 29" |          |          | \$ 4,069   |  |
|  | AP-7236      | 72" Wide Rectangular Table | 72" | 36" | 29" |          |          | \$ 3,969   |  |
|  | AP-7248      |                            | 72" | 48" | 29" |          |          | \$ 4,256   |  |
|  | AP-8436      | 84" Wide Rectangular Table | 84" | 36" | 29" |          |          | \$ 4,138   |  |
|  | AP-8448      |                            | 84" | 48" | 29" |          |          | \$ 4,444   |  |
|  | AP-9636      | 96" Wide Rectangular Table | 96" | 36" | 29" |          |          | \$ 4,319   |  |
|  | AP-9648      |                            | 96" | 48" | 29" |          |          | \$ 4,625   |  |



| MODEL NUMBER | PRODUCT         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|-----------------|-----|-----|-----|----------|----------|------------|---|
| BA-NP        | Newspaper Table | 39" | 27" | 30" | 180 Lbs. | 30 Cu Ft | \$ 3,869   | <p><b>TABLE RACK:</b><br/>Open frame construction consists of 7/8" thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.</p> <p><b>APRON RAIL:</b> Two 3/4" thick x 2" high solid hardwood rail shall be fitted between the panels on either side.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 11/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 11/2" thick x 25/8" wide solid hardwood sides, 11/2" thick x 31/2" top member and a 11/2" thick x 5" wide bottom with a 21/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>NOTE:</b> List price shown is available for any of the 6 Bannister panel frame versions.</p> |



| MODEL NUMBER | PRODUCT     | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|-------------|-----|-----|-----|----------|----------|------------|--|
| BA-AS        | Atlas Stand | 30" | 29" | 45" | 260 Lbs. | 32 Cu Ft | \$ 5,363   | <p><b>TOP:</b><br/>Sloped top is constructed from 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high book support lip.</p> <p><b>CONSTRUCTION ASSEMBLY</b><br/>Cabinet construction consists of a 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core pull-out shelves with 3<sup>3</sup>/<sub>4</sub>" thick x 1-3<sup>3</sup>/<sub>4</sub>" high solid wood retainer lip operating on bottom mounted single extension drawer runners.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>NOTE:</b> List price shown is available for any of the 6 Bannister panel frame versions.</p> |




| MODEL NUMBER | PRODUCT          | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|------------------|-----|-----|-----|----------|----------|------------|--|
| BA-DC        | Dictionary Stand | 27" | 22" | 45" | 180 Lbs. | 15 Cu Ft | \$ 3,825   | <p><b>TOP:</b><br/>Sloped top is constructed from 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Slope top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge banded with a 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high book support lip.</p> <p><b>CONSTRUCTION ASSEMBLY</b><br/>Cabinet construction consists of a 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back with plain sliced veneer both faces, five 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core pull-out shelves with 3<sup>3</sup>/<sub>4</sub>" thick x 1-3<sup>3</sup>/<sub>4</sub>" high solid wood retainer lip operating on bottom mounted single extension drawer runners.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with three horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>NOTE:</b> List price shown is available for any of the 6 Bannister panel frame versions.</p> |



| MODEL NUMBER | PRODUCT                          | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|----------------------------------|----------------------------------|----------------------------------|-----|----------|----------|------------|---|
| BA-DP        | Display Table                    | 66 <sup>1</sup> / <sub>2</sub> " | 34 <sup>1</sup> / <sub>2</sub> " | 39" | 245 Lbs. | 20 Cu Ft | \$ 10,313  | <p><b>DISPLAY CASE CONSTRUCTION:</b><br/>Wood frame is constructed of 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" wide solid hardwood with 1/4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.</p>   |
| BA-BP-FB     | Display Table with Fabric Bottom | 66 <sup>1</sup> / <sub>2</sub> " | 34 <sup>1</sup> / <sub>2</sub> " | 39" | 170 Lbs. | 20 Cu Ft | \$ 11,144  | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick X 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>NOTE:</b> List price shown is available for any of the 6 Bannister panel frame versions.</p> |

|  | MODEL NUMBER | PRODUCT                     | W                                | D   | H   | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION   |
|--|--------------|-----------------------------|----------------------------------|-----|-----|--------|--------|------------|---|
|    | BA-SC-S      | 1 Person Study Carrel Table | 36"                              | 24" | 47" |        |        | \$ 6,494   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>18" high Side panels, mid panel, back panels and shelves constructed from 3<sup>3</sup>/<sub>4</sub>" veneer plywood. Top and front edge of rack and shelves are banded with 1<sup>1</sup>/<sub>4</sub>" solid hardwood, all edges eased. Fixed shelf 8<sup>3</sup>/<sub>4</sub>" deep shall be fitted 14<sup>1</sup>/<sub>4</sub>" clear above table.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick X 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>NOTE: List price shown is available for any of the 6 Bannister panel frame versions.</p> |
|    | BA-SC-D      | 2 Person Study Carrel Table | 36"                              | 24" | 47" |        |        | \$ 11,086  |   |
|  | BA-SC-Q      | 4 Person Study Carrel Table | 66 <sup>1</sup> / <sub>2</sub> " | 48" | 47" |        |        | \$ 14,555  |   |


| MODEL NUMBER   | PRODUCT   | W   | D       | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|---|---|---------|-----|----------|----------|------------|---|
|    |    | Single Face Carrel<br>Version 1: Acrylic Style: |         |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Version 1 - Acrylic Style: Panel frame construction consists of two 1 1/2" x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 1 - Molding Style: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 1 - Shaker Style: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 2" arched top member and a 1 1/2" thick x 4 1/2" wide bottom with an arched end. Center frame will be fitted with two horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1 1/16" thick x 2 1/4" wide solid hardwood.</p> |
| BA-MC-V1A-36-SS  | 36" Starter   | 38"   | 30 3/4" | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,719   |   |
| BA-MC-V1A-36-SA  | 36" Adder   | 36 1/2"   | 30 3/4" | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
| BA-MC-V1A-48-SS  | 48" Starter   | 50"   | 30 3/4" | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,863   |   |
| BA-MC-V1A-48-SA  | 48" Adder   | 48 1/2"   | 30 3/4" | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|    |    | Double Face Carrel<br>Version 1: Acrylic Style: |         |     |          |          |            |   |
| BA-MC-V1A-36-DS  | 36" Starter   | 38"   | 60"     | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,694   |   |
| BA-MC-V1A-36-DA  | 36" Adder   | 36 1/2"   | 60"     | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
| BA-MC-V1A-48-DS  | 48" Starter   | 50"   | 60"     | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,919   |   |
| BA-MC-V1A-48-DA  | 48" Adder   | 48 1/2"   | 60"     | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|   |   | Single Face Carrel<br>Version 1: Molding Style: |         |     |          |          |            |   |
| BA-MC-V1M-36-SS  | 36" Starter   | 38"   | 30 3/4" | 48" | 200 Lbs. | 10 Cu Ft | \$ 6,044   |   |
| BA-MC-V1M-36-SA  | 36" Adder   | 36 1/2"   | 30 3/4" | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
| BA-MC-V1M-48-SS  | 48" Starter   | 50"   | 30 3/4" | 48" | 230 Lbs. | 11 Cu Ft | \$ 6,188   |   |
| BA-MC-V1M-48-SA  | 48" Adder   | 48 1/2"   | 30 3/4" | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|  |  | Double Face Carrel<br>Version 1: Molding Style: |         |     |          |          |            |   |
| BA-MC-V1M-36-DS  | 36" Starter   | 38"   | 60"     | 48" | 350 Lbs. | 14 Cu Ft | \$ 9,431   |   |
| BA-MC-V1M-36-DA  | 36" Adder   | 36 1/2"   | 60"     | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
| BA-MC-V1M-48-DS  | 48" Starter   | 50"   | 60"     | 48" | 410 Lbs. | 16 Cu Ft | \$ 9,663   |   |
| BA-MC-V1M-48-DA  | 48" Adder   | 48 1/2"   | 60"     | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|  |  | Single Face Carrel<br>Version 1: Shaker Style:  |         |     |          |          |            |   |
| BA-MC-V1S-36-SS  | 36" Starter   | 38"   | 30 3/4" | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,544   |   |
| BA-MC-V1S-36-SA  | 36" Adder   | 36 1/2"   | 30 3/4" | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
| BA-MC-V1S-48-SS  | 48" Starter   | 50"   | 30 3/4" | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,688   |   |
| BA-MC-V1S-48-SA  | 48" Adder   | 48 1/2"   | 30 3/4" | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|  |  | Double Face Carrel<br>Version 1: Shaker Style:  |         |     |          |          |            |   |
| BA-MC-V1S-36-DS  | 36" Starter   | 38"   | 60"     | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,338   |   |
| BA-MC-V1S-36-DA  | 36" Adder   | 36 1/2"   | 60"     | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
| BA-MC-V1S-48-DS  | 48" Starter   | 50"   | 60"     | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,569   |   |
| BA-MC-V1S-48-DA  | 48" Adder   | 48 1/2"   | 60"     | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |

| MODEL NUMBER  | PRODUCT  | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|---|--|----------------------------------|----------------------------------|-----|----------|----------|------------|--|
|     | Single Face Carrel<br>Version 2: Acrylic Style:<br>BA-MC-V2A-36-SS 36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,463   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Version 2 - Acrylic Style: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a double stacked rectangle motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 2 - Molding Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a double stacked rectangle motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 2 - Shaker Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a double stacked rectangle motif design. All edges of panel frame are eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> |
|    | BA-MC-V2A-36-SA 36" Adder  | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |  |
|     | BA-MC-V2A-48-SS 48" Starter  | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,606   |  |
|    | BA-MC-V2A-48-SA 48" Adder  | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |  |
|     | Double Face Carrel<br>Version 2: Acrylic Style:<br>BA-MC-V2A-36-DS 36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,538   |  |
|    | BA-MC-V2A-36-DA 36" Adder  | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |  |
|    | BA-MC-V2A-48-DS 48" Starter  | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,769   |  |
|   | BA-MC-V2A-48-DA 48" Adder  | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |  |
|   | Single Face Carrel<br>Version 2: Molding Style:<br>BA-MC-V2M-36-SS 36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,806   |  |
|  | BA-MC-V2M-36-SA 36" Adder  | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |  |
|   | BA-MC-V2M-48-SS 48" Starter  | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,950   |  |
|  | BA-MC-V2M-48-SA 48" Adder  | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |  |
|   | Double Face Carrel<br>Version 2: Molding Style:<br>BA-MC-V2M-36-DS 36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 9,044   |  |
|  | BA-MC-V2M-36-DA 36" Adder  | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |  |
|   | BA-MC-V2M-48-DS 48" Starter  | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 9,275   |  |
|  | BA-MC-V2M-48-DA 48" Adder  | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |  |
|   | Single Face Carrel<br>Version 2: Shaker Style:<br>BA-MC-V2S-36-SS 36" Starter  | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,313   |  |
|  | BA-MC-V2S-36-SA 36" Adder  | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |  |
|   | BA-MC-V2S-48-SS 48" Starter  | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,463   |  |
|  | BA-MC-V2S-48-SA 48" Adder  | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |  |
|   | Double Face Carrel<br>Version 2: Shaker Style:<br>BA-MC-V2S-36-DS 36" Starter  | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,244   |  |
|  | BA-MC-V2S-36-DA 36" Adder  | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |  |
|   | BA-MC-V2S-48-DS 48" Starter  | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,469   |  |
|  | BA-MC-V2S-48-DA 48" Adder  | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |  |

| MODEL NUMBER  | PRODUCT  | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|---|--|----------------------------------|----------------------------------|-----|----------|----------|------------|--|
|     | Single Face Carrel<br>Version 3: Acrylic Style:<br>36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,719   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Version 3 - Acrylic Style: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a three rectangular motif design. All spaces are then fitted with 3<sup>8</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 3 - Molding Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a three rectangular motif design. All spaces are then miter framed with 7<sup>1</sup>/<sub>16</sub>" thick x 3<sup>4</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 3 - Shaker Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a three rectangular motif design. All edges of panel frame are eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> |
|    | BA-MC-V3A-36-SS<br>BA-MC-V3A-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |  |
|     | BA-MC-V3A-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,863   |  |
|    | BA-MC-V3A-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |  |
|     | Double Face Carrel<br>Version 3: Acrylic Style:<br>36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,694   |  |
|    | BA-MC-V3A-36-DS<br>BA-MC-V3A-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |  |
|     | BA-MC-V3A-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,919   |  |
|    | BA-MC-V3A-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |  |
|    | Single Face Carrel<br>Version 3: Molding Style:<br>36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 6,044   |  |
|   | BA-MC-V3M-36-SS<br>BA-MC-V3M-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |  |
|    | BA-MC-V3M-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 6,188   |  |
|   | BA-MC-V3M-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |  |
|   | Double Face Carrel<br>Version 3: Molding Style:<br>36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 9,431   |  |
|  | BA-MC-V3M-36-DS<br>BA-MC-V3M-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |  |
|   | BA-MC-V3M-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 9,663   |  |
|  | BA-MC-V3M-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |  |
|   | Single Face Carrel<br>Version 3: Shaker Style:<br>36" Starter  | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,544   |  |
|  | BA-MC-V3S-36-SS<br>BA-MC-V3S-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |  |
|   | BA-MC-V3S-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,688   |  |
|  | BA-MC-V3S-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |  |
|   | Double Face Carrel<br>Version 3: Shaker Style:<br>36" Starter  | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,338   |  |
|  | BA-MC-V3S-36-DS<br>BA-MC-V3S-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |  |
|   | BA-MC-V3S-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,569   |  |
|  | BA-MC-V3S-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |  |

| MODEL NUMBER  | PRODUCT  | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|---|--|----------------------------------|----------------------------------|-----|----------|----------|------------|---|
|     | Single Face Carrel<br>Version 4: Acrylic Style:<br>36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,719   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Version 4 - Acrylic Style: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3<sup>8</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 4 - Molding Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7<sup>1</sup>/<sub>16</sub>" thick x 3<sup>4</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 4 - Shaker Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> |
|    | BA-MC-V4A-36-SS<br>BA-MC-V4A-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
|     | BA-MC-V4A-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,863   |   |
|    | BA-MC-V4A-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|     | Double Face Carrel<br>Version 4: Acrylic Style:<br>36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,694   |   |
|    | BA-MC-V4A-36-DS<br>BA-MC-V4A-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
|     | BA-MC-V4A-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,919   |   |
|    | BA-MC-V4A-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|    | Single Face Carrel<br>Version 4: Molding Style:<br>36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 6,044   |   |
|   | BA-MC-V4M-36-SS<br>BA-MC-V4M-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
|    | BA-MC-V4M-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 6,188   |   |
|   | BA-MC-V4M-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|   | Double Face Carrel<br>Version 4: Molding Style:<br>36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 9,431   |   |
|  | BA-MC-V4M-36-DS<br>BA-MC-V4M-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
|   | BA-MC-V4M-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 9,663   |   |
|  | BA-MC-V4M-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|   | Single Face Carrel<br>Version 4: Shaker Style:<br>36" Starter  | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,544   |   |
|  | BA-MC-V4S-36-SS<br>BA-MC-V4S-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
|   | BA-MC-V4S-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,688   |   |
|  | BA-MC-V4S-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|   | Double Face Carrel<br>Version 4: Shaker Style:<br>36" Starter  | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,338   |   |
|  | BA-MC-V4S-36-DS<br>BA-MC-V4S-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
|   | BA-MC-V4S-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,569   |   |
|  | BA-MC-V4S-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |

| MODEL NUMBER   | PRODUCT     | W   | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-------------|---|----------------------------------|-----|----------|----------|------------|---|
|       |             | Single Face Carrel<br>Version 5: Acrylic Style: |                                  |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Version 5 - Acrylic Style: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a four rectangular motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 5 - Molding Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a four rectangular motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 5 - Shaker Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with two horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a four rectangular motif design. All edges of panel frame are eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> |
| BA-MC-V5A-36-SS  | 36" Starter | 38"   | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,719   |   |
| BA-MC-V5A-36-SA  | 36" Adder   | 36 <sup>1</sup> / <sub>2</sub> "                | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
| BA-MC-V5A-48-SS  | 48" Starter | 50"   | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,863   |   |
| BA-MC-V5A-48-SA  | 48" Adder   | 48 <sup>1</sup> / <sub>2</sub> "                | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|       |             | Double Face Carrel<br>Version 5: Acrylic Style: |                                  |     |          |          |            |   |
| BA-MC-V5A-36-DS  | 36" Starter | 38"   | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,694   |   |
| BA-MC-V5A-36-DA  | 36" Adder   | 36 <sup>1</sup> / <sub>2</sub> "                | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
| BA-MC-V5A-48-DS  | 48" Starter | 50"   | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,919   |   |
| BA-MC-V5A-48-DA  | 48" Adder   | 48 <sup>1</sup> / <sub>2</sub> "                | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|     |             | Single Face Carrel<br>Version 5: Molding Style: |                                  |     |          |          |            |   |
| BA-MC-V5M-36-SS  | 36" Starter | 38"   | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 6,044   |   |
| BA-MC-V5M-36-SA  | 36" Adder   | 36 <sup>1</sup> / <sub>2</sub> "                | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
| BA-MC-V5M-48-SS  | 48" Starter | 50"   | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 6,188   |   |
| BA-MC-V5M-48-SA  | 48" Adder   | 48 <sup>1</sup> / <sub>2</sub> "                | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|   |             | Double Face Carrel<br>Version 5: Molding Style: |                                  |     |          |          |            |   |
| BA-MC-V5M-36-DS  | 36" Starter | 38"   | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 9,431   |   |
| BA-MC-V5M-36-DA  | 36" Adder   | 36 <sup>1</sup> / <sub>2</sub> "                | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
| BA-MC-V5M-48-DS  | 48" Starter | 50"   | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 9,663   |   |
| BA-MC-V5M-48-DA  | 48" Adder   | 48 <sup>1</sup> / <sub>2</sub> "                | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|   |             | Single Face Carrel<br>Version 5: Shaker Style:  |                                  |     |          |          |            |   |
| BA-MC-V5S-36-SS  | 36" Starter | 38"   | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,544   |   |
| BA-MC-V5S-36-SA  | 36" Adder   | 36 <sup>1</sup> / <sub>2</sub> "                | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
| BA-MC-V5S-48-SS  | 48" Starter | 50"   | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,688   |   |
| BA-MC-V5S-48-SA  | 48" Adder   | 48 <sup>1</sup> / <sub>2</sub> "                | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|   |             | Double Face Carrel<br>Version 5: Shaker Style:  |                                  |     |          |          |            |   |
| BA-MC-V5S-36-DS  | 36" Starter | 38"   | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,338   |   |
| BA-MC-V5S-36-DA  | 36" Adder   | 36 <sup>1</sup> / <sub>2</sub> "                | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
| BA-MC-V5S-48-DS  | 48" Starter | 50"   | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,569   |   |
| BA-MC-V5S-48-DA  | 48" Adder   | 48 <sup>1</sup> / <sub>2</sub> "                | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |

| MODEL NUMBER  | PRODUCT  | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|---|--|----------------------------------|----------------------------------|-----|----------|----------|------------|---|
|     | Single Face Carrel<br>Version 6: Acrylic Style:<br>36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,288   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front edge shall receive a 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Version 6 - Acrylic Style: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with one horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.<br/>Version 6 - Molding Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with one horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile member. Upper portion will be fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic insert. Lower portion is miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.<br/>Version 6 - Shaker Style: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 2" arched top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 4<sup>1</sup>/<sub>2</sub>" wide bottom with an arched end. Center frame will be fitted with one horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile member. Upper portion will be fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic insert. All edges of panel frame are eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the top edge is banded with a 1<sup>1</sup>/<sub>16</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid hardwood.</p> |
|    | BA-MC-V6A-36-SS<br>BA-MC-V6A-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
|     | BA-MC-V6A-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,431   |   |
|    | BA-MC-V6A-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|     | Double Face Carrel<br>Version 6: Acrylic Style:<br>36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,275   |   |
|    | BA-MC-V6A-36-DS<br>BA-MC-V6A-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
|    | BA-MC-V6A-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,500   |   |
|   | BA-MC-V6A-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|   | Single Face Carrel<br>Version 6: Molding Style:<br>36" Starter | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,650   |   |
|  | BA-MC-V6M-36-SS<br>BA-MC-V6M-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
|   | BA-MC-V6M-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,794   |   |
|  | BA-MC-V6M-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|   | Double Face Carrel<br>Version 6: Molding Style:<br>36" Starter | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,731   |   |
|  | BA-MC-V6M-36-DS<br>BA-MC-V6M-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
|   | BA-MC-V6M-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,956   |   |
|  | BA-MC-V6M-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |
|   | Single Face Carrel<br>Version 6: Shaker Style:<br>36" Starter  | 38"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 200 Lbs. | 10 Cu Ft | \$ 5,169   |   |
|  | BA-MC-V6S-36-SS<br>BA-MC-V6S-36-SA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 150 Lbs. | 7 Cu Ft  | \$ 4,050   |   |
|   | BA-MC-V6S-48-SS<br>48" Starter                                 | 50"                              | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 230 Lbs. | 11 Cu Ft | \$ 5,313   |   |
|  | BA-MC-V6S-48-SA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 30 <sup>3</sup> / <sub>4</sub> " | 48" | 180 Lbs. | 8 Cu Ft  | \$ 4,194   |   |
|   | Double Face Carrel<br>Version 6: Shaker Style:<br>36" Starter  | 38"                              | 60"                              | 48" | 350 Lbs. | 14 Cu Ft | \$ 8,038   |   |
|  | BA-MC-V6S-36-DS<br>BA-MC-V6S-36-DA<br>36" Adder                | 36 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 240 Lbs. | 11 Cu Ft | \$ 5,694   |   |
|   | BA-MC-V6S-48-DS<br>48" Starter                                 | 50"                              | 60"                              | 48" | 410 Lbs. | 16 Cu Ft | \$ 8,263   |   |
|  | BA-MC-V6S-48-DA<br>48" Adder                                   | 48 <sup>1</sup> / <sub>2</sub> " | 60"                              | 48" | 310 Lbs. | 12 Cu Ft | \$ 5,919   |   |

|  | MODEL NUMBER    | PRODUCT   | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---|-----|-----|-----|----------|----------|------------|--|
|    | BA-PAC-1-V1A-29 | 1 Person PAC Table, V1 Acrylic:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,925   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V1A-32 | Wheelchair Accessible                             | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,013   |  |
|  | BA-PAC-1-V1A-39 | Standing Height                                   | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,244   |  |
|    | BA-PAC-2-V1A-29 | 2 Person PAC Table, V1 Acrylic:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,669   |  |
|  | BA-PAC-2-V1A-32 | Wheelchair Accessible                             | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,763   |  |
|  | BA-PAC-2-V1A-39 | Standing Height                                   | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,013   |  |
|  | BA-PAC-3-V1A-29 | 3 Person PAC Table, V1 Acrylic:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,238   |  |
|  | BA-PAC-3-V1A-32 | Wheelchair Accessible                             | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,325   |  |
|  | BA-PAC-3-V1A-39 | Standing Height                                   | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,588   |  |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|--|
|    |                 | 1 Person PAC Table, V1 Molding: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3/4" thick x 8" high solid hardwood and back panels constructed of 3/4" x 7 3/4" high veneer plywood core, top edge banded with 1/4" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V1M-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 5,425   |  |
|  | BA-PAC-1-V1M-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,519   |  |
|  | BA-PAC-1-V1M-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,756   |  |
|    |                 | 2 Person PAC Table, V1 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-2-V1M-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 6,169   |  |
|  | BA-PAC-2-V1M-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 6,263   |  |
|  | BA-PAC-2-V1M-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,531   |  |
|  |                 | 3 Person PAC Table, V1 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-3-V1M-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,731   |  |
|  | BA-PAC-3-V1M-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,831   |  |
|  | BA-PAC-3-V1M-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 7,106   |  |

|  | MODEL NUMBER    | PRODUCT  | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-----------------|--|-----|-----|-----|----------|----------|------------|---|
|    | BA-PAC-1-V1S-29 | 1 Person PAC Table, V1 Shaker:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,706   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and two vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V1S-32 | Wheelchair Accessible                            | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,756   |   |
|  | BA-PAC-1-V1S-39 | Standing Height                                  | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,900   |   |
|    | BA-PAC-2-V1S-29 | 2 Person PAC Table, V1 Shaker:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,450   |   |
|  | BA-PAC-2-V1S-32 | Wheelchair Accessible                            | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,506   |   |
|  | BA-PAC-2-V1S-39 | Standing Height                                  | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,669   |   |
|  | BA-PAC-3-V1S-29 | 3 Person PAC Table, V1 Shaker:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,019   |   |
|  | BA-PAC-3-V1S-32 | Wheelchair Accessible                            | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,069   |   |
|  | BA-PAC-3-V1S-39 | Standing Height                                  | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,244   |   |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|--|
|    |                 | 1 Person PAC Table, V2 Acrylic: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile member, creating a double stacked rectangle motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V2A-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,688   |  |
|  | BA-PAC-1-V2A-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,769   |  |
|  | BA-PAC-1-V2A-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,969   |  |
|    |                 | 2 Person PAC Table, V2 Acrylic: |     |     |     |          |          |            |  |
|  | BA-PAC-2-V2A-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,438   |  |
|  | BA-PAC-2-V2A-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,519   |  |
|  | BA-PAC-2-V2A-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,744   |  |
|  |                 | 3 Person PAC Table, V2 Acrylic: |     |     |     |          |          |            |  |
|  | BA-PAC-3-V2A-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,000   |  |
|  | BA-PAC-3-V2A-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,081   |  |
|  | BA-PAC-3-V2A-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,319   |  |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|--|
|    |                 | 1 Person PAC Table, V2 Molding: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile member, creating a double stacked rectangle motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V2M-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 5,050   |  |
|  | BA-PAC-1-V2M-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,125   |  |
|  | BA-PAC-1-V2M-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,313   |  |
|    |                 | 2 Person PAC Table, V2 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-2-V2M-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,794   |  |
|  | BA-PAC-2-V2M-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,869   |  |
|  | BA-PAC-2-V2M-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,088   |  |
|  |                 | 3 Person PAC Table, V2 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-3-V2M-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,363   |  |
|  | BA-PAC-3-V2M-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,438   |  |
|  | BA-PAC-3-V2M-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,663   |  |

|  | MODEL NUMBER    | PRODUCT  | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|--|-----|-----|-----|----------|----------|------------|--|
|    | BA-PAC-1-V2S-29 | 1 Person PAC Table, V2 Shaker:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,494   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile member, creating a double stacked rectangle motif design. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V2S-32 | Wheelchair Accessible                            | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,538   |  |
|  | BA-PAC-1-V2S-39 | Standing Height                                  | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,663   |  |
|    | BA-PAC-2-V2S-29 | 2 Person PAC Table, V2 Shaker:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,238   |  |
|  | BA-PAC-2-V2S-32 | Wheelchair Accessible                            | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,281   |  |
|  | BA-PAC-2-V2S-39 | Standing Height                                  | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,431   |  |
|  | BA-PAC-3-V2S-29 | 3 Person PAC Table, V2 Shaker:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 5,800   |  |
|  | BA-PAC-3-V2S-32 | Wheelchair Accessible                            | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 5,850   |  |
|  | BA-PAC-3-V2S-39 | Standing Height                                  | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,006   |  |

|  | MODEL NUMBER    | PRODUCT   | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-----------------|---|-----|-----|-----|----------|----------|------------|---|
|    | BA-PAC-1-V3A-29 | 1 Person PAC Table, V3 Acrylic:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,925   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a three rectangular motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V3A-32 | Wheelchair Accessible                             | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,013   |   |
|  | BA-PAC-1-V3A-39 | Standing Height                                   | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,244   |   |
|    | BA-PAC-2-V3A-29 | 2 Person PAC Table, V3 Acrylic:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,669   |   |
|  | BA-PAC-2-V3A-32 | Wheelchair Accessible                             | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,763   |   |
|  | BA-PAC-2-V3A-39 | Standing Height                                   | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,013   |   |
|  | BA-PAC-3-V3A-29 | 3 Person PAC Table, V3 Acrylic:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,238   |   |
|  | BA-PAC-3-V3A-32 | Wheelchair Accessible                             | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,325   |   |
|  | BA-PAC-3-V3A-39 | Standing Height                                   | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,588   |   |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|---|
|    |                 | 1 Person PAC Table, V3 Molding: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a three rectangular motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V3M-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 5,425   |   |
|  | BA-PAC-1-V3M-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,519   |   |
|  | BA-PAC-1-V3M-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,756   |   |
|    |                 | 2 Person PAC Table, V3 Molding: |     |     |     |          |          |            |   |
|  | BA-PAC-2-V3M-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 6,169   |   |
|  | BA-PAC-2-V3M-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 6,263   |   |
|  | BA-PAC-2-V3M-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,531   |   |
|  |                 | 3 Person PAC Table, V3 Molding: |     |     |     |          |          |            |   |
|  | BA-PAC-3-V3M-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,731   |   |
|  | BA-PAC-3-V3M-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,831   |   |
|  | BA-PAC-3-V3M-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 7,106   |   |

|  | MODEL NUMBER    | PRODUCT  | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-----------------|--|-----|-----|-----|----------|----------|------------|---|
|    | BA-PAC-1-V2S-29 | 1 Person PAC Table, V3 Shaker:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,706   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a three rectangular motif design. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V2S-32 | Wheelchair Accessible                            | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,756   |   |
|  | BA-PAC-1-V2S-39 | Standing Height                                  | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,900   |   |
|    | BA-PAC-2-V2S-29 | 2 Person PAC Table, V3 Shaker:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,450   |   |
|  | BA-PAC-2-V2S-32 | Wheelchair Accessible                            | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,506   |   |
|  | BA-PAC-2-V2S-39 | Standing Height                                  | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,669   |   |
|  | BA-PAC-3-V2S-29 | 3 Person PAC Table, V3 Shaker:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,019   |   |
|  | BA-PAC-3-V2S-32 | Wheelchair Accessible                            | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,069   |   |
|  | BA-PAC-3-V2S-39 | Standing Height                                  | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,244   |   |

|  | MODEL NUMBER    | PRODUCT   | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---|-----|-----|-----|----------|----------|------------|--|
|    | BA-PAC-1-V4A-29 | 1 Person PAC Table, V4 Acrylic:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,925   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V4A-32 | Wheelchair Accessible                             | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,013   |  |
|  | BA-PAC-1-V4A-39 | Standing Height                                   | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,244   |  |
|    | BA-PAC-2-V4A-29 | 2 Person PAC Table, V4 Acrylic:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,669   |  |
|  | BA-PAC-2-V4A-32 | Wheelchair Accessible                             | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,763   |  |
|  | BA-PAC-2-V4A-39 | Standing Height                                   | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,013   |  |
|  | BA-PAC-3-V4A-29 | 3 Person PAC Table, V4 Acrylic:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,238   |  |
|  | BA-PAC-3-V4A-32 | Wheelchair Accessible                             | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,325   |  |
|  | BA-PAC-3-V4A-39 | Standing Height                                   | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,588   |  |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|--|
|    |                 | 1 Person PAC Table, V4 Molding: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V4M-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 5,425   |  |
|  | BA-PAC-1-V4M-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,519   |  |
|  | BA-PAC-1-V4M-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,756   |  |
|    |                 | 2 Person PAC Table, V4 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-2-V4M-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 6,169   |  |
|  | BA-PAC-2-V4M-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 6,263   |  |
|  | BA-PAC-2-V4M-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,531   |  |
|  |                 | 3 Person PAC Table, V4 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-3-V4M-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,731   |  |
|  | BA-PAC-3-V4M-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,831   |  |
|  | BA-PAC-3-V4M-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 7,106   |  |

|  | MODEL NUMBER    | PRODUCT  | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|--|-----|-----|-----|----------|----------|------------|--|
|    | BA-PAC-1-V4S-29 | 1 Person PAC Table, V4 Shaker:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,706   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V4S-32 | Wheelchair Accessible                            | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,756   |  |
|  | BA-PAC-1-V4S-39 | Standing Height                                  | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,900   |  |
|    | BA-PAC-2-V4S-29 | 2 Person PAC Table, V4 Shaker:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,450   |  |
|  | BA-PAC-2-V4S-32 | Wheelchair Accessible                            | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,506   |  |
|  | BA-PAC-2-V4S-39 | Standing Height                                  | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,669   |  |
|  | BA-PAC-3-V4S-29 | 3 Person PAC Table, V4 Shaker:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,019   |  |
|  | BA-PAC-3-V4S-32 | Wheelchair Accessible                            | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,069   |  |
|  | BA-PAC-3-V4S-39 | Standing Height                                  | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,244   |  |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|--|
|    |                 | 1 Person PAC Table, V5 Acrylic: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a four rectangular motif design. All spaces are then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V5A-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,975   |  |
|  | BA-PAC-1-V5A-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,081   |  |
|  | BA-PAC-1-V5A-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,344   |  |
|    |                 | 2 Person PAC Table, V5 Acrylic: |     |     |     |          |          |            |  |
|  | BA-PAC-2-V5A-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,725   |  |
|  | BA-PAC-2-V5A-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,825   |  |
|  | BA-PAC-2-V5A-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,113   |  |
|  |                 | 3 Person PAC Table, V5 Acrylic: |     |     |     |          |          |            |  |
|  | BA-PAC-3-V5A-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,288   |  |
|  | BA-PAC-3-V5A-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,394   |  |
|  | BA-PAC-3-V5A-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,688   |  |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|--|
|    |                 | 1 Person PAC Table, V5 Molding: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a four rectangular motif design. All spaces are then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V5M-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 5,531   |  |
|  | BA-PAC-1-V5M-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 5,644   |  |
|  | BA-PAC-1-V5M-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 5,938   |  |
|    |                 | 2 Person PAC Table, V5 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-2-V5M-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 6,275   |  |
|  | BA-PAC-2-V5M-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 6,394   |  |
|  | BA-PAC-2-V5M-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 6,706   |  |
|  |                 | 3 Person PAC Table, V5 Molding: |     |     |     |          |          |            |  |
|  | BA-PAC-3-V5M-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,844   |  |
|  | BA-PAC-3-V5M-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,956   |  |
|  | BA-PAC-3-V5M-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 7,288   |  |

|  | MODEL NUMBER    | PRODUCT  | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|--|-----|-----|-----|----------|----------|------------|--|
|    | BA-PAC-1-V5S-29 | 1 Person PAC Table, V5 Shaker:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,738   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center frame will be fitted with one horizontal and one vertical 1<sup>1</sup>/<sub>2</sub>" thick x 2" wide stile members, creating a four rectangular motif design. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V5S-32 | Wheelchair Accessible                            | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,800   |  |
|  | BA-PAC-1-V5S-39 | Standing Height                                  | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,956   |  |
|    | BA-PAC-2-V5S-29 | 2 Person PAC Table, V5 Shaker:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,488   |  |
|  | BA-PAC-2-V5S-32 | Wheelchair Accessible                            | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,550   |  |
|  | BA-PAC-2-V5S-39 | Standing Height                                  | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,731   |  |
|  | BA-PAC-3-V5S-29 | 3 Person PAC Table, V5 Shaker:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 6,050   |  |
|  | BA-PAC-3-V5S-32 | Wheelchair Accessible                            | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 6,113   |  |
|  | BA-PAC-3-V5S-39 | Standing Height                                  | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,306   |  |

|  | MODEL NUMBER    | PRODUCT   | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-----------------|---|-----|-----|-----|----------|----------|------------|---|
|    | BA-PAC-1-V6A-29 | 1 Person PAC Table, V6 Acrylic:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,363   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center space is then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V6A-32 | Wheelchair Accessible                             | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,431   |   |
|  | BA-PAC-1-V6A-39 | Standing Height                                   | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,606   |   |
|    | BA-PAC-2-V6A-29 | 2 Person PAC Table, V6 Acrylic:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,113   |   |
|  | BA-PAC-2-V6A-32 | Wheelchair Accessible                             | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,181   |   |
|  | BA-PAC-2-V6A-39 | Standing Height                                   | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,381   |   |
|  | BA-PAC-3-V6A-29 | 3 Person PAC Table, V6 Acrylic:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 5,675   |   |
|  | BA-PAC-3-V6A-32 | Wheelchair Accessible                             | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 5,744   |   |
|  | BA-PAC-3-V6A-39 | Standing Height                                   | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 5,956   |   |

|  | MODEL NUMBER    | PRODUCT                         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|-----------------|---------------------------------|-----|-----|-----|----------|----------|------------|---|
|    |                 | 1 Person PAC Table, V6 Molding: |     |     |     |          |          |            | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center space is then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V6M-29 | Sitting Height                  | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,588   |   |
|  | BA-PAC-1-V6M-32 | Wheelchair Accessible           | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,638   |   |
|  | BA-PAC-1-V6M-39 | Standing Height                 | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,781   |   |
|    |                 | 2 Person PAC Table, V6 Molding: |     |     |     |          |          |            |   |
|  | BA-PAC-2-V6M-29 | Sitting Height                  | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 5,331   |   |
|  | BA-PAC-2-V6M-32 | Wheelchair Accessible           | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,388   |   |
|  | BA-PAC-2-V6M-39 | Standing Height                 | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,550   |   |
|  |                 | 3 Person PAC Table, V6 Molding: |     |     |     |          |          |            |   |
|  | BA-PAC-3-V6M-29 | Sitting Height                  | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 5,894   |   |
|  | BA-PAC-3-V6M-32 | Wheelchair Accessible           | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 5,950   |   |
|  | BA-PAC-3-V6M-39 | Standing Height                 | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 6,125   |   |

|  | MODEL NUMBER    | PRODUCT  | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|-----------------|--|-----|-----|-----|----------|----------|------------|--|
|    | BA-PAC-1-V6S-29 | 1 Person PAC Table, V6 Shaker:<br>Sitting Height | 36" | 36" | 37" | 130 Lbs. | 12 Cu Ft | \$ 4,219   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>SUPERSTRUCTURE:</b><br/>Side panels constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back panels constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer plywood core, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. All edges of panel frame are eased.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
|  | BA-PAC-1-V6S-32 | Wheelchair Accessible                            | 36" | 36" | 40" | 130 Lbs. | 12 Cu Ft | \$ 4,256   |  |
|  | BA-PAC-1-V6S-39 | Standing Height                                  | 36" | 36" | 47" | 135 Lbs. | 12 Cu Ft | \$ 4,363   |  |
|    | BA-PAC-2-V6S-29 | 2 Person PAC Table, V6 Shaker:<br>Sitting Height | 72" | 36" | 37" | 200 Lbs. | 23 Cu Ft | \$ 4,963   |  |
|  | BA-PAC-2-V6S-32 | Wheelchair Accessible                            | 72" | 36" | 40" | 200 Lbs. | 23 Cu Ft | \$ 5,006   |  |
|  | BA-PAC-2-V6S-39 | Standing Height                                  | 72" | 36" | 47" | 205 Lbs. | 23 Cu Ft | \$ 5,138   |  |
|  | BA-PAC-3-V6S-29 | 3 Person PAC Table, V6 Shaker:<br>Sitting Height | 90" | 36" | 37" | 250 Lbs. | 28 Cu Ft | \$ 5,531   |  |
|  | BA-PAC-3-V6S-32 | Wheelchair Accessible                            | 90" | 36" | 40" | 250 Lbs. | 28 Cu Ft | \$ 5,569   |  |
|  | BA-PAC-3-V6S-39 | Standing Height                                  | 90" | 36" | 47" | 260 Lbs. | 28 Cu Ft | \$ 5,713   |  |

|  | MODEL NUMBER | PRODUCT              | W        | D   | H   | WEIGHT   | VOLUME  | LIST PRICE | DESCRIPTION   |
|--|--------------|----------------------|----------|-----|-----|----------|---------|------------|---|
|  | BA-R36       | Round Reading Table  | 36" Dia. |     | 29" | 70 Lbs.  | 4 Cu Ft | \$ 2,538   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>APRON:</b><br/>Apron rails for circular and square tables are 3/4" thick x 3 3/8" wide solid hardwood and mechanically fastened between legs.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> |
|  | BA-R42       |                      | 42" Dia. |     | 29" | 90 Lbs.  | 5 Cu Ft | \$ 2,806   |   |
|  | BA-R48       |                      | 48" Dia. |     | 29" | 100 Lbs. | 6 Cu Ft | \$ 2,975   |   |
|  | BA-3636      | Square Reading Table | 36"      | 36" | 29" | 70 Lbs.  | 4 Cu Ft | \$ 2,875   |   |
|  | BA-4242      |                      | 42"      | 42" | 29" | 90 Lbs.  | 6 Cu Ft | \$ 3,188   |   |
|  | BA-4848      |                      | 48"      | 48" | 29" | 100 Lbs. | 6 Cu Ft | \$ 3,331   |   |

|  | MODEL NUMBER | PRODUCT   | W   | D        | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|---|-----|----------|----------|----------|----------|------------|--|
|    | BA-V1A-6036  | Rectangle Reading Table<br>Version 1A – Acrylic | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,194   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Version 1A: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 1M: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 1S: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.</p> |
|  | BA-V1A-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,406   |  |
|  | BA-V1A-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,619   |  |
|  | BA-V1A-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,413 |            |  |
|  | BA-V1A-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,631 |            |  |
|  | BA-V1A-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,856 |            |  |
|  | BA-V1A-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,631 |            |  |
|  | BA-V1A-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,863 |            |  |
|  | BA-V1A-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 6,088 |            |  |
| BA-V1A-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,850 |          |            |  |
| BA-V1A-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,088 |          |            |  |
| BA-V1A-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,325 |          |            |  |
|   | BA-V1M-6036  | Rectangle Reading Table<br>Version 1M – Molding | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,425   |  |
|  | BA-V1M-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,650   |  |
|  | BA-V1M-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 6,231   |  |
|  | BA-V1M-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,644 |            |  |
|  | BA-V1M-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,881 |            |  |
|  | BA-V1M-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 6,469 |            |  |
|  | BA-V1M-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,863 |            |  |
|  | BA-V1M-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 6,106 |            |  |
|  | BA-V1M-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 6,700 |            |  |
| BA-V1M-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,081 |          |            |  |
| BA-V1M-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,331 |          |            |  |
| BA-V1M-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,938 |          |            |  |
|  | BA-V1S-6036  | Rectangle Reading Table<br>Version 1S – Shaker  | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 4,981   |  |
|  | BA-V1S-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,144   |  |
|  | BA-V1S-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,313   |  |
|  | BA-V1S-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,194 |            |  |
|  | BA-V1S-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,375 |            |  |
|  | BA-V1S-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,550 |            |  |
|  | BA-V1S-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,413 |            |  |
|  | BA-V1S-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,600 |            |  |
|  | BA-V1S-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 5,781 |            |  |
| BA-V1S-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,631 |          |            |  |
| BA-V1S-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,825 |          |            |  |
| BA-V1S-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,019 |          |            |  |

|  | MODEL NUMBER | PRODUCT   | W   | D        | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|---|-----|----------|----------|----------|----------|------------|--|
|    | BA-V2A-6036  | Rectangle Reading Table<br>Version 2A – Acrylic | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 4,788   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Version 2A: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and one vertical 1 1/2" thick x 2" wide stile members, creating a four rectangular motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 2M: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and one vertical 1/2" thick x 2" wide stile members, creating a four rectangular motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 2S: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and one vertical 1/2" thick x 2" wide stile members, creating a four rectangular motif design. All edges of panel frame are eased.</p> |
|  | BA-V2A-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 4,994   |  |
|  | BA-V2A-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,206   |  |
|  | BA-V2A-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,000 |            |  |
|  | BA-V2A-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,225 |            |  |
|  | BA-V2A-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,444 |            |  |
|  | BA-V2A-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,219 |            |  |
|  | BA-V2A-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,450 |            |  |
|  | BA-V2A-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 5,675 |            |  |
| BA-V2A-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,438 |          |            |  |
| BA-V2A-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,675 |          |            |  |
| BA-V2A-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 5,913 |          |            |  |
|   | BA-V2M-6036  | Rectangle Reading Table<br>Version 2M – Molding | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 4,963   |  |
|  | BA-V2M-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,188   |  |
|  | BA-V2M-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,413   |  |
|  | BA-V2M-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,181 |            |  |
|  | BA-V2M-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,413 |            |  |
|  | BA-V2M-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,650 |            |  |
|  | BA-V2M-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,400 |            |  |
|  | BA-V2M-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,644 |            |  |
|  | BA-V2M-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 5,881 |            |  |
| BA-V2M-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,619 |          |            |  |
| BA-V2M-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,869 |          |            |  |
| BA-V2M-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,119 |          |            |  |
|  | BA-V2S-6036  | Rectangle Reading Table<br>Version 2S – Shaker  | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 4,588   |  |
|  | BA-V2S-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 4,750   |  |
|  | BA-V2S-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 4,925   |  |
|  | BA-V2S-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 4,806 |            |  |
|  | BA-V2S-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 4,981 |            |  |
|  | BA-V2S-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,156 |            |  |
|  | BA-V2S-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,025 |            |  |
|  | BA-V2S-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,206 |            |  |
|  | BA-V2S-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 5,394 |            |  |
| BA-V2S-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,238 |          |            |  |
| BA-V2S-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,431 |          |            |  |
| BA-V2S-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 5,625 |          |            |  |

|  | MODEL NUMBER | PRODUCT   | W   | D   | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|---|-----|-----|----------|----------|----------|------------|--|
|    | BA-V3A-6036  | Rectangle Reading Table<br>Version 3A – Acrylic | 60" | 36" | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,194   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Version 3A: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with two horizontal and two vertical 1 1/2" thick x 2" wide stile members, creating a five rectangular motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 3M: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with two horizontal and two vertical 1/2" thick x 2" wide stile members, creating a five rectangular motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>End Panels:<br/>Version 3S: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with two horizontal and two vertical 1/2" thick x 2" wide stile members, creating a five rectangular motif design. All edges of panel frame are eased.</p> |
|  | BA-V3A-6042  |   | 60" | 42" | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,406   |  |
|  | BA-V3A-6048  |   | 60" | 48" | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,619   |  |
|  | BA-V3A-7236  | 72"   | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 5,413 |            |  |
|  | BA-V3A-7242  | 72"   | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,631 |            |  |
|  | BA-V3A-7248  | 72"   | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 5,856 |            |  |
|  | BA-V3A-8436  | 84"   | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,631 |            |  |
|  | BA-V3A-8442  | 84"   | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 5,863 |            |  |
|  | BA-V3A-8448  | 84"   | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,088 |            |  |
|  | BA-V3A-9636  | 96"   | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,850 |            |  |
|  | BA-V3A-9642  | 96"   | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,088 |            |  |
|  | BA-V3A-9648  | 96"   | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,325 |            |  |
|   | BA-V3M-6036  | Rectangle Reading Table<br>Version 3M – Molding | 60" | 36" | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,425   |  |
|  | BA-V3M-6042  |   | 60" | 42" | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,650   |  |
|  | BA-V3M-6048  |   | 60" | 48" | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 6,231   |  |
|  | BA-V3M-7236  | 72"   | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 5,644 |            |  |
|  | BA-V3M-7242  | 72"   | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,881 |            |  |
|  | BA-V3M-7248  | 72"   | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 6,469 |            |  |
|  | BA-V3M-8436  | 84"   | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,863 |            |  |
|  | BA-V3M-8442  | 84"   | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 6,106 |            |  |
|  | BA-V3M-8448  | 84"   | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,700 |            |  |
|  | BA-V3M-9636  | 96"   | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,081 |            |  |
|  | BA-V3M-9642  | 96"   | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,331 |            |  |
|  | BA-V3M-9648  | 96"   | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,938 |            |  |
|  | BA-V3S-6036  | Rectangle Reading Table<br>Version 3S – Shaker  | 60" | 36" | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 4,981   |  |
|  | BA-V3S-6042  |   | 60" | 42" | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,144   |  |
|  | BA-V3S-6048  |   | 60" | 48" | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,313   |  |
|  | BA-V3S-7236  | 72"   | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 5,194 |            |  |
|  | BA-V3S-7242  | 72"   | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,375 |            |  |
|  | BA-V3S-7248  | 72"   | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 5,550 |            |  |
|  | BA-V3S-8436  | 84"   | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,413 |            |  |
|  | BA-V3S-8442  | 84"   | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 5,600 |            |  |
|  | BA-V3S-8448  | 84"   | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,781 |            |  |
|  | BA-V3S-9636  | 96"   | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,631 |            |  |
|  | BA-V3S-9642  | 96"   | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,825 |            |  |
|  | BA-V3S-9648  | 96"   | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,019 |            |  |

|  | MODEL NUMBER | PRODUCT   | W   | D        | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|---|-----|----------|----------|----------|----------|------------|--|
|    | BA-V4A-6036  | Rectangle Reading Table<br>Version 4A – Acrylic | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,194   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Version 4A: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 4M: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All spaces are then miter framed with 7/16" thick X 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 4S: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and two vertical 1/2" thick x 2" wide stile members, creating a rectangle and square motif design. All edges of panel frame are eased.</p> |
|  | BA-V4A-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,406   |  |
|  | BA-V4A-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,619   |  |
|  | BA-V4A-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,413 |            |  |
|  | BA-V4A-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,631 |            |  |
|  | BA-V4A-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,856 |            |  |
|  | BA-V4A-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,631 |            |  |
|  | BA-V4A-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,863 |            |  |
|  | BA-V4A-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 6,088 |            |  |
| BA-V4A-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,850 |          |            |  |
| BA-V4A-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,088 |          |            |  |
| BA-V4A-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,325 |          |            |  |
|   | BA-V4M-6036  | Rectangle Reading Table<br>Version 4M – Molding | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,425   |  |
|  | BA-V4M-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,650   |  |
|  | BA-V4M-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 6,231   |  |
|  | BA-V4M-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,644 |            |  |
|  | BA-V4M-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,881 |            |  |
|  | BA-V4M-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 6,469 |            |  |
|  | BA-V4M-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,863 |            |  |
|  | BA-V4M-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 6,106 |            |  |
|  | BA-V4M-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 6,700 |            |  |
| BA-V4M-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,081 |          |            |  |
| BA-V4M-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,331 |          |            |  |
| BA-V4M-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,938 |          |            |  |
|  | BA-V4S-6036  | Rectangle Reading Table<br>Version 4S – Shaker  | 60" | 36"      | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 4,981   |  |
|  | BA-V4S-6042  |   | 60" | 42"      | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,144   |  |
|  | BA-V4S-6048  |   | 60" | 48"      | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,313   |  |
|  | BA-V4S-7236  | 72"   | 36" | 29"      | 190 Lbs. | 8 Cu Ft  | \$ 5,194 |            |  |
|  | BA-V4S-7242  | 72"   | 42" | 29"      | 215 Lbs. | 10 Cu Ft | \$ 5,375 |            |  |
|  | BA-V4S-7248  | 72"   | 48" | 29"      | 230 Lbs. | 10 Cu Ft | \$ 5,550 |            |  |
|  | BA-V4S-8436  | 84"   | 36" | 29"      | 230 Lbs. | 8 Cu Ft  | \$ 5,413 |            |  |
|  | BA-V4S-8442  | 84"   | 42" | 29"      | 245 Lbs. | 9 Cu Ft  | \$ 5,600 |            |  |
|  | BA-V4S-8448  | 84"   | 48" | 29"      | 290 Lbs. | 10 Cu Ft | \$ 5,781 |            |  |
| BA-V4S-9636  | 96"          | 36"   | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,631 |          |            |  |
| BA-V4S-9642  | 96"          | 42"   | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,825 |          |            |  |
| BA-V4S-9648  | 96"          | 48"   | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,019 |          |            |  |

|  | MODEL NUMBER | PRODUCT   | W   | D   | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|---|-----|-----|----------|----------|----------|------------|--|
|    | BA-V5A-6036  | Rectangle Reading Table<br>Version 5A – Acrylic | 60" | 36" | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,250   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1 1/4" thick x 2 1/4" wide solid external hardwood knife profile with 1/2" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Version 5A: Panel frame construction consists of two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1 1/2" thick x 2" wide stile members, creating an eight rectangular motif design. All spaces are then fitted with 3/8" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 5M: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1-1/2" thick x 5" wide bottom with a 2-1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1/2" thick x 2" wide stile members, creating an eight rectangular motif design. All spaces are then miter framed with 7/16" thick x 3/4" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 5S: Panel frame construction consists of a 1 1/16" thick 3-ply particleboard core with plain sliced veneer both faces, two 1 1/2" thick x 2 5/8" wide solid hardwood sides, 1 1/2" thick x 3 1/2" top member and a 1 1/2" thick x 5" wide bottom with a 2 1/2" arched center. Center frame will be fitted with one horizontal and three vertical 1/2" thick x 2" wide stile members, creating an eight rectangular motif design. All edges of panel frame are eased.</p> |
|  | BA-V5A-6042  |   | 60" | 42" | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,463   |  |
|  | BA-V5A-6048  |   | 60" | 48" | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,675   |  |
|  | BA-V5A-7236  | 72"   | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 5,469 |            |  |
|  | BA-V5A-7242  | 72"   | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,688 |            |  |
|  | BA-V5A-7248  | 72"   | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 5,906 |            |  |
|  | BA-V5A-8436  | 84"   | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,688 |            |  |
|  | BA-V5A-8442  | 84"   | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 5,913 |            |  |
|  | BA-V5A-8448  | 84"   | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,144 |            |  |
|  | BA-V5A-9636  | 96"   | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,906 |            |  |
|  | BA-V5A-9642  | 96"   | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,144 |            |  |
|  | BA-V5A-9648  | 96"   | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 6,375 |            |  |
|   | BA-V5M-6036  | Rectangle Reading Table<br>Version 5M – Molding | 60" | 36" | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,531   |  |
|  | BA-V5M-6042  |   | 60" | 42" | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,756   |  |
|  | BA-V5M-6048  |   | 60" | 48" | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 6,344   |  |
|  | BA-V5M-7236  | 72"   | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 5,750 |            |  |
|  | BA-V5M-7242  | 72"   | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,988 |            |  |
|  | BA-V5M-7248  | 72"   | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 6,575 |            |  |
|  | BA-V5M-8436  | 84"   | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,969 |            |  |
|  | BA-V5M-8442  | 84"   | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 6,213 |            |  |
|  | BA-V5M-8448  | 84"   | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,813 |            |  |
|  | BA-V5M-9636  | 96"   | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 6,188 |            |  |
|  | BA-V5M-9642  | 96"   | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,438 |            |  |
|  | BA-V5M-9648  | 96"   | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 7,044 |            |  |
|  | BA-V5S-6036  | Rectangle Reading Table<br>Version 5S – Shaker  | 60" | 36" | 29"      | 175 Lbs. | 9 Cu Ft  | \$ 5,013   |  |
|  | BA-V5S-6042  |   | 60" | 42" | 29"      | 160 Lbs. | 7 Cu Ft  | \$ 5,350   |  |
|  | BA-V5S-6048  |   | 60" | 48" | 29"      | 230 Lbs. | 9 Cu Ft  | \$ 5,181   |  |
|  | BA-V5S-7236  | 72"   | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 5,231 |            |  |
|  | BA-V5S-7242  | 72"   | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,588 |            |  |
|  | BA-V5S-7248  | 72"   | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 5,406 |            |  |
|  | BA-V5S-8436  | 84"   | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,450 |            |  |
|  | BA-V5S-8442  | 84"   | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 5,819 |            |  |
|  | BA-V5S-8448  | 84"   | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,631 |            |  |
|  | BA-V5S-9636  | 96"   | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,669 |            |  |
|  | BA-V5S-9642  | 96"   | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 6,056 |            |  |
|  | BA-V5S-9648  | 96"   | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 5,863 |            |  |

|  | MODEL NUMBER | PRODUCT   | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|---|-----|-----|-----|----------|----------|------------|--|
|    | BA-V6A-6036  | Rectangle Reading Table<br>Version 6A – Acrylic | 60" | 36" | 29" | 175 Lbs. | 9 Cu Ft  | \$ 4,463   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be 1<sup>1</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>4</sub>" wide solid external hardwood knife profile with 1<sup>1</sup>/<sub>2</sub>" rounded point and shall be mitered and radiused at corners.</p> <p><b>END PANELS:</b><br/>Version 6A: Panel frame construction consists of two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center space is then fitted with 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic inserts. All edges of panel frame are eased.</p> <p>Version 6M: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. Center space is then miter framed with 7<sup>7</sup>/<sub>16</sub>" thick x 3<sup>3</sup>/<sub>4</sub>" wide angled solid hardwood trim creating a raised frame effect. All edges of panel frame and trim are eased.</p> <p>Version 6S: Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, two 1<sup>1</sup>/<sub>2</sub>" thick x 2<sup>5</sup>/<sub>8</sub>" wide solid hardwood sides, 1<sup>1</sup>/<sub>2</sub>" thick x 3<sup>1</sup>/<sub>2</sub>" top member and a 1<sup>1</sup>/<sub>2</sub>" thick x 5" wide bottom with a 2<sup>1</sup>/<sub>2</sub>" arched center. All edges of panel frame are eased.</p> |
|  | BA-V6A-6042  |   | 60" | 42" | 29" | 160 Lbs. | 7 Cu Ft  | \$ 4,650   |  |
|  | BA-V6A-6048  |   | 60" | 48" | 29" | 230 Lbs. | 9 Cu Ft  | \$ 4,838   |  |
|  | BA-V6A-7236  |   | 72" | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 4,675   |  |
|  | BA-V6A-7242  |   | 72" | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 4,875   |  |
|  | BA-V6A-7248  |   | 72" | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 5,075   |  |
|  | BA-V6A-8436  |   | 84" | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 4,894   |  |
|  | BA-V6A-8442  |   | 84" | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 5,100   |  |
|  | BA-V6A-8448  |   | 84" | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,306   |  |
|  | BA-V6A-9636  |   | 96" | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,113   |  |
|  | BA-V6A-9642  |   | 96" | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,325   |  |
|  | BA-V6A-9648  |   | 96" | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 5,544   |  |
|   | BA-V6M-6036  | Rectangle Reading Table<br>Version 6M – Molding | 60" | 36" | 29" | 175 Lbs. | 9 Cu Ft  | \$ 4,681   |  |
|  | BA-V6M-6042  |   | 60" | 42" | 29" | 160 Lbs. | 7 Cu Ft  | \$ 4,863   |  |
|  | BA-V6M-6048  |   | 60" | 48" | 29" | 230 Lbs. | 9 Cu Ft  | \$ 5,044   |  |
|  | BA-V6M-7236  |   | 72" | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 4,900   |  |
|  | BA-V6M-7242  |   | 72" | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 5,088   |  |
|  | BA-V6M-7248  |   | 72" | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 5,281   |  |
|  | BA-V6M-8436  |   | 84" | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 5,119   |  |
|  | BA-V6M-8442  |   | 84" | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 5,313   |  |
|  | BA-V6M-8448  |   | 84" | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,513   |  |
|  | BA-V6M-9636  |   | 96" | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,331   |  |
|  | BA-V6M-9642  |   | 96" | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,544   |  |
|  | BA-V6M-9648  |   | 96" | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 5,750   |  |
|  | BA-V6S-6036  | Rectangle Reading Table<br>Version 6S – Shaker  | 60" | 36" | 29" | 175 Lbs. | 9 Cu Ft  | \$ 4,313   |  |
|  | BA-V6S-6042  |   | 60" | 42" | 29" | 160 Lbs. | 7 Cu Ft  | \$ 4,463   |  |
|  | BA-V6S-6048  |   | 60" | 48" | 29" | 230 Lbs. | 9 Cu Ft  | \$ 4,619   |  |
|  | BA-V6S-7236  |   | 72" | 36" | 29" | 190 Lbs. | 8 Cu Ft  | \$ 4,531   |  |
|  | BA-V6S-7242  |   | 72" | 42" | 29" | 215 Lbs. | 10 Cu Ft | \$ 4,694   |  |
|  | BA-V6S-7248  |   | 72" | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 4,856   |  |
|  | BA-V6S-8436  |   | 84" | 36" | 29" | 230 Lbs. | 8 Cu Ft  | \$ 4,750   |  |
|  | BA-V6S-8442  |   | 84" | 42" | 29" | 245 Lbs. | 9 Cu Ft  | \$ 4,919   |  |
|  | BA-V6S-8448  |   | 84" | 48" | 29" | 290 Lbs. | 10 Cu Ft | \$ 5,088   |  |
|  | BA-V6S-9636  |   | 96" | 36" | 29" | 290 Lbs. | 10 Cu Ft | \$ 4,969   |  |
|  | BA-V6S-9642  |   | 96" | 42" | 29" | 310 Lbs. | 12 Cu Ft | \$ 5,144   |  |
|  | BA-V6S-9648  |   | 96" | 48" | 29" | 320 Lbs. | 12 Cu Ft | \$ 5,325   |  |



| MODEL NUMBER | PRODUCT     | W                                | D   | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|-------------|----------------------------------|-----|----------------------------------|----------|----------|------------|---|
| EL-AS        | Atlas Stand | 30 <sup>1</sup> / <sub>2</sub> " | 29" | 44 <sup>1</sup> / <sub>2</sub> " | 260 Lbs. | 30 Cu Ft | \$ 4,106   | <p><b>TOP:</b><br/>Sloped top is constructed of <sup>3</sup>/<sub>4</sub>" particleboard core with plastic laminate surfaces and fitted with a wood book rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b><br/>Cabinet construction consists of a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back with plain sliced veneer both faces, five <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core pull-out shelves with <sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid wood retainer lip operating on bottom mounted single extension drawer runners.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a <sup>1</sup>/<sub>4</sub>" thick solid hardwood. Panels are fitted with two <sup>1</sup>/<sub>2</sub>" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> |



| MODEL NUMBER | PRODUCT          | W                                | D   | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|------------------|----------------------------------|-----|----------------------------------|----------|----------|------------|--|
| EL-DC        | Dictionary Stand | 27 <sup>1</sup> / <sub>2</sub> " | 21" | 44 <sup>1</sup> / <sub>4</sub> " | 180 Lbs. | 20 Cu Ft | \$ 3,019   | <p><b>TOP:</b><br/>Sloped top is constructed of <sup>3</sup>/<sub>4</sub>" particleboard core with plastic laminate surfaces and fitted with a wood book rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b><br/>Cabinet construction consists of a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core back with plain sliced veneer both faces, a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core adjustable shelf and a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core fixed bottom shelf with <sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid wood drop edge.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a <sup>1</sup>/<sub>4</sub>" thick solid hardwood. Panels are fitted with two <sup>1</sup>/<sub>2</sub>" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> |

| MODEL NUMBER   | PRODUCT                      | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|------------------------------|----------------------------------|----------------------------------|-----|----------|----------|------------|---|
|  | Single Face Modular Carrels: |                                  |                                  |     |          |          |            |   |
| EL-MC-36-SS  | 36" Starter                  | 37 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48" | 340 Lbs. | 11 Cu Ft | \$ 2,888   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1<sup>1</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with edges eased. Work surface is 28" deep x 29" high.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood. Panels are fitted with two 1<sup>1</sup>/<sub>2</sub>" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> <p><b>INTERMEDIATE PANELS</b><br/>Panels are constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood framed on four sides with all edges eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood at top and bottom with eased edges.</p> <p><b>TOP SHELF:</b><br/>Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge. Shelf is 9" deep positioned 16<sup>1</sup>/<sub>4</sub>" above the work surface.</p> |
| EL-MC-36-SA  | 36" Adder                    | 36 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48" | 165 Lbs. | 11 Cu Ft | \$ 2,306   |   |
| EL-MC-48-SS  | 48" Starter                  | 49 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48" | 370 Lbs. | 11 Cu Ft | \$ 2,963   |   |
| EL-MC-48-SA  | 48" Adder                    | 48 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48" | 200 Lbs. | 11 Cu Ft | \$ 2,381   |   |
|  | Double Face Modular Carrels: |                                  |                                  |     |          |          |            |   |
| EL-MC-36-DS  | 36" Starter                  | 37 <sup>1</sup> / <sub>2</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48" | 715 Lbs. | 22 Cu Ft | \$ 4,206   |   |
| EL-MC-36-DA  | 36" Adder                    | 36 <sup>1</sup> / <sub>4</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48" | 250 Lbs. | 22 Cu Ft | \$ 3,119   |   |
| EL-MC-48-DS  | 48" Starter                  | 49 <sup>1</sup> / <sub>2</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48" | 715 Lbs. | 22 Cu Ft | \$ 4,325   |   |
| EL-MC-48-DA  | 48" Adder                    | 48 <sup>1</sup> / <sub>4</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48" | 310 Lbs. | 22 Cu Ft | \$ 3,238   |   |

|  | MODEL NUMBER | PRODUCT                          | W                                | D                                | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|----------|------------|--|
|  |              | Single Face Reference Carrels:   |                                  |                                  |          |          |          |            |  |
|  | EL-RC-36-SS  | 36" Starter                      | 37 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"      | 340 Lbs. | 11 Cu Ft | \$ 3,056   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1<sup>1</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with edges eased. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood. Panels are fitted with two 1<sup>1</sup>/<sub>2</sub>" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> <p><b>INTERMEDIATE PANELS</b><br/>Panels are constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood framed on four sides with all edges eased.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood at top and bottom with eased edges.</p> <p><b>BOTTOM SHELF:</b><br/>Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge. Shelf is 12" deep positioned 21" above the floor.</p> |
|  | EL-RC-36-SA  | 36" Adder                        | 36 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48"      | 165 Lbs. | 11 Cu Ft | \$ 2,475   |  |
|  | EL-RC-48-SS  | 48" Starter                      | 49 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"      | 370 Lbs. | 11 Cu Ft | \$ 3,125   |  |
| EL-RC-48-SA  | 48" Adder    | 48 <sup>1</sup> / <sub>4</sub> " | 31"                              | 48"                              | 200 Lbs. | 11 Cu Ft | \$ 2,544 |            |  |
|  |              | Double Face Reference Carrels:   |                                  |                                  |          |          |          |            |  |
|  | EL-RC-36-DS  | 36" Starter                      | 37 <sup>1</sup> / <sub>2</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48"      | 715 Lbs. | 22 Cu Ft | \$ 4,538   |  |
|  | EL-RC-36-DA  | 36" Adder                        | 36 <sup>1</sup> / <sub>4</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48"      | 250 Lbs. | 22 Cu Ft | \$ 3,450   |  |
|  | EL-RC-48-DS  | 48" Starter                      | 49 <sup>1</sup> / <sub>2</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48"      | 715 Lbs. | 22 Cu Ft | \$ 4,656   |  |
|  | EL-RC-48-DA  | 48" Adder                        | 48 <sup>1</sup> / <sub>4</sub> " | 59 <sup>1</sup> / <sub>2</sub> " | 48"      | 310 Lbs. | 22 Cu Ft | \$ 3,569   |  |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT  | VOLUME   | LIST PRICE | DESCRIPTION   |  |
|---|------------------------------------|-----|-----|-----|---------|----------|------------|---|--|
|   |                                    |     |     |     |         |          |            |   |  |
| 1 Person PAC Tables:  |                                    |     |     |     |         |          |            |   |  |
| EL-PAC-1-29-W   | Sitting Height, Wood Divider       | 36" | 36" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,613   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" solid hardwood external edge. All edges are eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.</p> <p><b>LEG ASSEMBLY:</b><br/>Legs are 2<sup>3</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>8</sub>" glued up solid stock. The two inside edges are tapered down to 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>". The leg is attached to a 5" x 5" x 1<sup>1</sup>/<sub>4</sub>" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back divider constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1<sup>1</sup>/<sub>4</sub>" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| EL-PAC-1-29-A   | Sitting Height, Acrylic Divider    | 36" | 36" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,800   |   |  |
| EL-PAC-1-32-W   | Wheelchair Height, Wood Divider    | 36" | 36" | 40" | 65 Lbs. | 10 Cu Ft | \$ 3,669   |   |  |
| EL-PAC-1-32-A   | Wheelchair Height, Acrylic Divider | 36" | 36" | 40" | 65 Lbs. | 10 Cu Ft | \$ 3,856   |   |  |
| EL-PAC-1-39-W   | Standing Height, Wood Divider      | 36" | 36" | 47" | 67 Lbs. | 10 Cu Ft | \$ 3,706   |   |  |
| EL-PAC-1-39-A   | Standing Height, Acrylic Divider   | 36" | 36" | 47" | 67 Lbs. | 10 Cu Ft | \$ 3,900   |   |  |
|  |                                    |     |     |     |         |          |            |   |  |
| 2 Person (1 Place Back to Back) PAC Tables:                                       |                                    |     |     |     |         |          |            |   |  |
| EL-PAC-1D-29-W  | Sitting Height, Wood Divider       | 36" | 48" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,756   |   |  |
| EL-PAC-1D-29-A  | Sitting Height, Acrylic Divider    | 36" | 48" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,994   |   |  |
| EL-PAC-1D-32-W  | Wheelchair Height, Wood Divider    | 36" | 48" | 40" | 65 Lbs. | 10 Cu Ft | \$ 3,813   |   |  |
| EL-PAC-1D-32-A  | Wheelchair Height, Acrylic Divider | 36" | 48" | 40" | 65 Lbs. | 10 Cu Ft | \$ 4,050   |   |  |
| EL-PAC-1D-39-W  | Standing Height, Wood Divider      | 36" | 48" | 47" | 67 Lbs. | 10 Cu Ft | \$ 3,913   |   |  |
| EL-PAC-1D-39-A  | Standing Height, Acrylic Divider   | 36" | 48" | 47" | 67 Lbs. | 10 Cu Ft | \$ 4,150   |   |  |

| MODEL NUMBER | PRODUCT | W | D | H | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|--------------|---------|---|---|---|--------|--------|------------|-------------|
|--------------|---------|---|---|---|--------|--------|------------|-------------|



2 Person PAC Tables:

|               |                                    |     |     |     |          |          |          |   |
|---------------|------------------------------------|-----|-----|-----|----------|----------|----------|---|
| EL-PAC-2-29-W | Sitting Height, Wood Divider       | 72" | 36" | 37" | 100 Lbs. | 21 Cu Ft | \$ 4,031 | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" solid hardwood external edge. All edges are eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.</p> <p><b>LEG ASSEMBLY:</b><br/>Legs are 2<sup>3</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>8</sub>" glued up solid stock. The two inside edges are tapered down to 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>". The leg is attached to a 5" x 5" x 1<sup>1</sup>/<sub>4</sub>" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back divider constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1<sup>1</sup>/<sub>4</sub>" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
| EL-PAC-2-29-A | Sitting Height, Acrylic Divider    | 72" | 36" | 37" | 100 Lbs. | 21 Cu Ft | \$ 4,625 |   |
| EL-PAC-2-32-W | Wheelchair Height, Wood Divider    | 72" | 36" | 40" | 100 Lbs. | 21 Cu Ft | \$ 4,088 |   |
| EL-PAC-2-32-A | Wheelchair Height, Acrylic Divider | 72" | 36" | 40" | 100 Lbs. | 21 Cu Ft | \$ 4,681 |   |
| EL-PAC-2-39-W | Standing Height, Wood Divider      | 72" | 36" | 47" | 100 Lbs. | 21 Cu Ft | \$ 4,219 |   |
| EL-PAC-2-39-A | Standing Height, Acrylic Divider   | 72" | 36" | 47" | 100 Lbs. | 21 Cu Ft | \$ 4,813 |   |



4 Person (2 Place Back to Back) PAC Tables:

|                |                                    |     |     |     |          |          |          |
|----------------|------------------------------------|-----|-----|-----|----------|----------|----------|
| EL-PAC-2D-29-W | Sitting Height, Wood Divider       | 72" | 48" | 37" | 100 Lbs. | 21 Cu Ft | \$ 4,538 |
| EL-PAC-2D-29-A | Sitting Height, Acrylic Divider    | 72" | 48" | 37" | 100 Lbs. | 21 Cu Ft | \$ 5,013 |
| EL-PAC-2D-32-W | Wheelchair Height, Wood Divider    | 72" | 48" | 40" | 100 Lbs. | 21 Cu Ft | \$ 4,594 |
| EL-PAC-2D-32-A | Wheelchair Height, Acrylic Divider | 72" | 48" | 40" | 100 Lbs. | 21 Cu Ft | \$ 5,069 |
| EL-PAC-2D-39-W | Standing Height, Wood Divider      | 72" | 48" | 47" | 100 Lbs. | 21 Cu Ft | \$ 4,688 |
| EL-PAC-2D-39-A | Standing Height, Acrylic Divider   | 72" | 48" | 47" | 100 Lbs. | 21 Cu Ft | \$ 5,163 |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |  |
|---|------------------------------------|-----|-----|-----|----------|----------|------------|---|--|
|   |                                    |     |     |     |          |          |            |   |  |
| 3 Person PAC Tables:  |                                    |     |     |     |          |          |            |   |  |
| EL-PAC-3-29-W   | Sitting Height, Wood Divider       | 90" | 36" | 37" | 110 Lbs. | 26 Cu Ft | \$ 4,256   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" solid hardwood external edge. All edges are eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.</p> <p><b>LEG ASSEMBLY:</b><br/>Legs are 2<sup>3</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>8</sub>" glued up solid stock. The two inside edges are tapered down to 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>". The leg is attached to a 5" x 5" x 1<sup>1</sup>/<sub>4</sub>" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back divider constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1<sup>1</sup>/<sub>4</sub>" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| EL-PAC-3-29-A   | Sitting Height, Acrylic Divider    | 90" | 36" | 37" | 110 Lbs. | 26 Cu Ft | \$ 5,281   |   |  |
| EL-PAC-3-32-W   | Wheelchair Height, Wood Divider    | 90" | 36" | 40" | 110 Lbs. | 26 Cu Ft | \$ 4,313   |   |  |
| EL-PAC-3-32-A   | Wheelchair Height, Acrylic Divider | 90" | 36" | 40" | 110 Lbs. | 26 Cu Ft | \$ 5,338   |   |  |
| EL-PAC-3-39-W   | Standing Height, Wood Divider      | 90" | 36" | 47" | 114 Lbs. | 26 Cu Ft | \$ 4,531   |   |  |
| EL-PAC-3-39-A   | Standing Height, Acrylic Divider   | 90" | 36" | 47" | 114 Lbs. | 26 Cu Ft | \$ 5,550   |   |  |
|  |                                    |     |     |     |          |          |            |   |  |
| 6 Person (3 Place Back to Back) PAC Tables:                                       |                                    |     |     |     |          |          |            |   |  |
| EL-PAC-3D-29-W  | Sitting Height, Wood Divider       | 90" | 48" | 37" | 110 Lbs. | 26 Cu Ft | \$ 4,850   |   |  |
| EL-PAC-3D-29-A  | Sitting Height, Acrylic Divider    | 90" | 48" | 37" | 110 Lbs. | 26 Cu Ft | \$ 5,763   |   |  |
| EL-PAC-3D-32-W  | Wheelchair Height, Wood Divider    | 90" | 48" | 40" | 110 Lbs. | 26 Cu Ft | \$ 4,906   |   |  |
| EL-PAC-3D-32-A  | Wheelchair Height, Acrylic Divider | 90" | 48" | 40" | 110 Lbs. | 26 Cu Ft | \$ 5,819   |   |  |
| EL-PAC-3D-39-W  | Standing Height, Wood Divider      | 90" | 48" | 47" | 114 Lbs. | 26 Cu Ft | \$ 5,088   |   |  |
| EL-PAC-3D-39-A  | Standing Height, Acrylic Divider   | 90" | 48" | 47" | 114 Lbs. | 26 Cu Ft | \$ 6,000   |   |  |

| MODEL NUMBER | PRODUCT | W | D | H | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|--------------|---------|---|---|---|--------|--------|------------|-------------|
|--------------|---------|---|---|---|--------|--------|------------|-------------|



1 Person PAC Tables, Panel Base:

|                  |                                    |     |     |     |         |          |          |   |
|------------------|------------------------------------|-----|-----|-----|---------|----------|----------|---|
| EL-PAC-1-PB-29-W | Sitting Height, Wood Divider       | 36" | 36" | 37" | 65 Lbs. | 10 Cu Ft | \$ 2,769 | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1/4" thick x 1 1/4" high solid external hardwood with edges eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1 3/16" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1/4" thick solid hardwood. Panels are fitted with two 1/2" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7 3/4" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |
| EL-PAC-1-PB-29-A | Sitting Height, Acrylic Divider    | 36" | 36" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,138 |   |
| EL-PAC-1-PB-32-W | Wheelchair Height, Wood Divider    | 36" | 36" | 40" | 65 Lbs. | 10 Cu Ft | \$ 2,781 |   |
| EL-PAC-1-PB-32-A | Wheelchair Height, Acrylic Divider | 36" | 36" | 40" | 65 Lbs. | 10 Cu Ft | \$ 3,150 |   |
| EL-PAC-1-PB-39-W | Standing Height, Wood Divider      | 36" | 36" | 47" | 67 Lbs. | 10 Cu Ft | \$ 2,825 |   |
| EL-PAC-1-PB-39-A | Standing Height, Acrylic Divider   | 36" | 36" | 47" | 67 Lbs. | 10 Cu Ft | \$ 3,194 |   |



2 Person (1 Place Back to Back)  
PAC Tables, Panel Base:

|                   |                                    |     |     |     |         |          |          |
|-------------------|------------------------------------|-----|-----|-----|---------|----------|----------|
| EL-PAC-1D-PB-29-W | Sitting Height, Wood Divider       | 36" | 48" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,200 |
| EL-PAC-1D-PB-29-A | Sitting Height, Acrylic Divider    | 36" | 48" | 37" | 65 Lbs. | 10 Cu Ft | \$ 3,613 |
| EL-PAC-1D-PB-32-W | Wheelchair Height, Wood Divider    | 36" | 48" | 40" | 65 Lbs. | 10 Cu Ft | \$ 3,219 |
| EL-PAC-1D-PB-32-A | Wheelchair Height, Acrylic Divider | 36" | 48" | 40" | 65 Lbs. | 10 Cu Ft | \$ 3,631 |
| EL-PAC-1D-PB-39-W | Standing Height, Wood Divider      | 36" | 48" | 47" | 67 Lbs. | 10 Cu Ft | \$ 3,250 |
| EL-PAC-1D-PB-39-A | Standing Height, Acrylic Divider   | 36" | 48" | 47" | 67 Lbs. | 10 Cu Ft | \$ 3,669 |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |  |
|---|------------------------------------|---|-----|-----|----------|----------|------------|--|--|
|   |                                    | 2 Person PAC Tables, Panel Base:                        |     |     |          |          |            |  |  |
| EL-PAC-2-PB-29-W  | Sitting Height, Wood Divider       | 72"   | 36" | 37" | 100 Lbs. | 21 Cu Ft | \$ 3,031   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1<sup>1</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with edges eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood. Panels are fitted with two 1<sup>1</sup>/<sub>2</sub>" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back divider constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1<sup>1</sup>/<sub>4</sub>" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| EL-PAC-2-PB-29-A  | Sitting Height, Acrylic Divider    | 72"   | 36" | 37" | 100 Lbs. | 21 Cu Ft | \$ 3,800   |  |  |
| EL-PAC-2-PB-32-W  | Wheelchair Height, Wood Divider    | 72"   | 36" | 40" | 100 Lbs. | 21 Cu Ft | \$ 3,044   |  |  |
| EL-PAC-2-PB-32-A  | Wheelchair Height, Acrylic Divider | 72"   | 36" | 40" | 100 Lbs. | 21 Cu Ft | \$ 3,813   |  |  |
| EL-PAC-2-PB-39-W  | Standing Height, Wood Divider      | 72"   | 36" | 47" | 100 Lbs. | 21 Cu Ft | \$ 3,081   |  |  |
| EL-PAC-2-PB-39-A  | Standing Height, Acrylic Divider   | 72"   | 36" | 47" | 100 Lbs. | 21 Cu Ft | \$ 3,856   |  |  |
|  |                                    | 4 Person (2 Place Back to Back) PAC Tables, Panel Base: |     |     |          |          |            |  |  |
| EL-PAC-2D-PB-29-W   | Sitting Height, Wood Divider       | 72"   | 48" | 37" | 100 Lbs. | 21 Cu Ft | \$ 3,550   |  |  |
| EL-PAC-2D-PB-29-A   | Sitting Height, Acrylic Divider    | 72"   | 48" | 37" | 100 Lbs. | 21 Cu Ft | \$ 4,406   |  |  |
| EL-PAC-2D-PB-32-W   | Wheelchair Height, Wood Divider    | 72"   | 48" | 40" | 100 Lbs. | 21 Cu Ft | \$ 3,569   |  |  |
| EL-PAC-2D-PB-32-A   | Wheelchair Height, Acrylic Divider | 72"   | 48" | 40" | 100 Lbs. | 21 Cu Ft | \$ 4,425   |  |  |
| EL-PAC-2D-PB-39-W   | Standing Height, Wood Divider      | 72"   | 48" | 47" | 100 Lbs. | 21 Cu Ft | \$ 3,606   |  |  |
| EL-PAC-2D-PB-39-A   | Standing Height, Acrylic Divider   | 72"   | 48" | 47" | 100 Lbs. | 21 Cu Ft | \$ 4,456   |  |  |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |  |
|---|------------------------------------|---|-----|-----|----------|----------|------------|--|--|
|   |                                    | 3 Person PAC Tables, Panel Base:                        |     |     |          |          |            |  |  |
| EL-PAC-3-PB-29-W  | Sitting Height, Wood Divider       | 90"   | 36" | 37" | 110 Lbs. | 26 Cu Ft | \$ 3,225   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 1<sup>1</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with edges eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables will be fitted with a 1" thick x 6" high 3-ply particleboard core wood keel. All tables 48" wide and 60" long and longer will be fitted with two parallel wood keels.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>3</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and externally banded on all four sides with a 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood. Panels are fitted with two 1<sup>1</sup>/<sub>2</sub>" wide horizontal decorative metal bars spaced 5" apart. All edges of panel frame are eased.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back divider constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1<sup>1</sup>/<sub>4</sub>" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| EL-PAC-3-PB-29-A  | Sitting Height, Acrylic Divider    | 90"   | 36" | 37" | 110 Lbs. | 26 Cu Ft | \$ 4,425   |  |  |
| EL-PAC-3-PB-32-W  | Wheelchair Height, Wood Divider    | 90"   | 36" | 40" | 110 Lbs. | 26 Cu Ft | \$ 3,231   |  |  |
| EL-PAC-3-PB-32-A  | Wheelchair Height, Acrylic Divider | 90"   | 36" | 40" | 110 Lbs. | 26 Cu Ft | \$ 4,431   |  |  |
| EL-PAC-3-PB-39-W  | Standing Height, Wood Divider      | 90"   | 36" | 47" | 114 Lbs. | 26 Cu Ft | \$ 3,275   |  |  |
| EL-PAC-3-PB-39-A  | Standing Height, Acrylic Divider   | 90"   | 36" | 47" | 114 Lbs. | 26 Cu Ft | \$ 4,475   |  |  |
|  |                                    | 6 Person (3 Place Back to Back) PAC Tables, Panel Base: |     |     |          |          |            |  |  |
| EL-PAC-3D-PB-29-W   | Sitting Height, Wood Divider       | 90"   | 48" | 37" | 110 Lbs. | 26 Cu Ft | \$ 4,031   |  |  |
| EL-PAC-3D-PB-29-A   | Sitting Height, Acrylic Divider    | 90"   | 48" | 37" | 110 Lbs. | 26 Cu Ft | \$ 5,300   |  |  |
| EL-PAC-3D-PB-32-W   | Wheelchair Height, Wood Divider    | 90"   | 48" | 40" | 110 Lbs. | 26 Cu Ft | \$ 4,050   |  |  |
| EL-PAC-3D-PB-32-A   | Wheelchair Height, Acrylic Divider | 90"   | 48" | 40" | 110 Lbs. | 26 Cu Ft | \$ 5,319   |  |  |
| EL-PAC-3D-PB-39-W   | Standing Height, Wood Divider      | 90"   | 48" | 47" | 114 Lbs. | 26 Cu Ft | \$ 4,088   |  |  |
| EL-PAC-3D-PB-39-A   | Standing Height, Acrylic Divider   | 90"   | 48" | 47" | 114 Lbs. | 26 Cu Ft | \$ 5,350   |  |  |

|   | MODEL NUMBER | PRODUCT                           | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|---|--------------|-----------------------------------|-----|-----|-----|----------|----------|------------|---|
|   | EL-R36       | Round Reading Tables              | 36" | 36" | 29" | 90 Lbs.  | 8 Cu Ft  | \$ 2,869   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 1/2" thick x 1 1/2" solid hardwood external edge. All edges are eased.</p> <p><b>TABLE TOP SUPPORTS:</b><br/>All tables 60" and longer will be fitted with a v-shaped, 14 gauge steel keel. All tables 48" wide and 60" long and longer will be fitted with two parallel steel keels.</p> <p><b>LEG ASSEMBLY:</b><br/>Legs are 2 3/8" x 2 3/8" glued up solid stock. The two inside edges are tapered down to 1 1/2" x 1 1/2". The leg is attached to a 5" x 5" x 1/4" thick steel plate by means of two threaded machine bolts fastened to a barrel nut embedded in the leg. Two steel decorative angle bars are attached to the upper outside corners of the leg spaced 5" apart. Plate and leg assembly shall be mounted to the underside of the table top by means of threaded inserts embedded in the underside of the top. Inserts are capable of receiving machine bolts.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> |
|   | EL-R42       |                                   | 42" | 42" | 29" | 90 Lbs.  | 8 Cu Ft  | \$ 2,950   |   |
|   | EL-R48       |                                   | 48" | 48" | 29" | 100 Lbs. | 10 Cu Ft | \$ 3,031   |   |
|   | EL-R60       |                                   | 60" | 60" | 29" | 155 Lbs. | 10 Cu Ft | \$ 3,488   |   |
|   | EL-4242      | Square Reading Tables             | 42" | 42" | 29" | 170 Lbs. | 8 Cu Ft  | \$ 2,888   |   |
|   | EL-4848      |                                   | 48" | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 2,963   |   |
|  | EL-6036      | 60" Wide Rectangle Reading Tables | 60" | 36" | 29" | 200 Lbs. | 10 Cu Ft | \$ 3,069   |   |
|   | EL-6048      |                                   | 60" | 48" | 29" | 270 Lbs. | 13 Cu Ft | \$ 3,250   |   |
|   | EL-7236      | 72" Wide Rectangle Reading Tables | 72" | 36" | 29" | 230 Lbs. | 12 Cu Ft | \$ 3,150   |   |
|   | EL-7248      |                                   | 72" | 48" | 29" | 290 Lbs. | 15 Cu Ft | \$ 3,344   |   |
|   | EL-8436      | 84" Wide Rectangle Reading Tables | 84" | 36" | 29" | 290 Lbs. | 13 Cu Ft | \$ 3,231   |   |
|   | EL-8448      |                                   | 84" | 48" | 29" | 290 Lbs. | 18 Cu Ft | \$ 3,444   |   |
|   | EL-9636      | 96" Wide Rectangle Reading Tables | 96" | 36" | 29" | 290 Lbs. | 15 Cu Ft | \$ 3,306   |   |
|   | EL-9648      |                                   | 96" | 48" | 29" | 340 Lbs. | 20 Cu Ft | \$ 3,538   |   |

| MODEL NUMBER   | PRODUCT              | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|----------------------|-----|-----|-----|----------|----------|------------|---|
|  | FS-AS<br>Atlas Stand | 31" | 28" | 43" | 170 Lbs. | 32 Cu Ft | \$ 4,200   | <p><b>TOP:</b><br/>Sloped top is constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a 3<sup>3</sup>/<sub>4</sub>" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edge, mitered and radiused to 1<sup>1</sup>/<sub>2</sub>" at the top and eased at the bottom and fitted with a wood book rail 5<sup>5</sup>/<sub>8</sub>" thick x 5<sup>5</sup>/<sub>8</sub>" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b><br/>Cabinet construction consists of a 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core sides with plain sliced veneer both faces, a 1<sup>1</sup>/<sub>2</sub>" thick back, five 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core pull-out shelves with 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid wood retainer lip operating on bottom mounted single extension drawer runners.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood framed on four sides and three inset 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" wide solid vertical pilasters. All edges of panel frame and pilasters are eased.</p> |


| MODEL NUMBER | PRODUCT          | W                                | D   | H   | WEIGHT  | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|------------------|----------------------------------|-----|-----|---------|----------|------------|---|
| FS-DC        | Dictionary Stand | 26 <sup>3</sup> / <sub>4</sub> " | 19" | 42" | 70 Lbs. | 15 Cu Ft | \$ 2,988   | <p><b>TOP:</b><br/>Sloped top is constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Surrounding edges will be banded with a <sup>3</sup>/<sub>4</sub>" wide x 1<sup>1</sup>/<sub>4</sub>" thick solid hardwood external edge, mitered and radiused to <sup>1</sup>/<sub>2</sub>" at the top and eased at the bottom and fitted with a wood book rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" wide.</p> <p><b>CONSTRUCTION ASSEMBLY:</b><br/>Cabinet construction consists of <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core sides with plain sliced veneer both faces, a <sup>1</sup>/<sub>4</sub>" thick back, a <sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core adjustable shelf and a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core bottom.</p> <p><b>END PANELS:</b><br/>Panel construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and <sup>1</sup>/<sub>4</sub>" thick solid top and bottom edge. Front and back edge machined to receive 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" tubular, 16 gauge steel posts.</p> |



|  | MODEL NUMBER | PRODUCT       | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|--------------|---------------|----------------------------------|----------------------------------|-----|----------|----------|------------|---|
|  | FS-DP        | Display Table | 31 <sup>1</sup> / <sub>2</sub> " | 63 <sup>1</sup> / <sub>2</sub> " | 39" | 180 Lbs. | 40 Cu Ft | \$ 7,756   | <p><b>DISPLAY CASE CONSTRUCTION:</b><br/>Wood frame is constructed of 1<sup>1</sup>/<sub>2</sub>" thick x 1<sup>1</sup>/<sub>2</sub>" wide solid hardwood with 1/4" thick glass on all 4 sides and top with all edges eased. One long back side of the case is equipped with sliding glass doors complete with lock. Display case size: 30" deep x 62" wide x 10" high.</p> <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1<sup>1</sup>/<sub>4</sub>" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p><b>FRAME ASSEMBLY:</b><br/>Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> |

| MODEL NUMBER   | PRODUCT                     | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |  |
|--|-----------------------------|----------------------------------|-----|-----|----------|----------|------------|---|--|
|  |                             |                                  |     |     |          |          |            |   |  |
|  | Single Face Modular Carrels |                                  |     |     |          |          |            |   |  |
|  | Version 1:                  |                                  |     |     |          |          |            |   |  |
| FS-SC-V1-36-SS   | 36" Starter                 | 37 <sup>1</sup> / <sub>2</sub> " | 31" | 36" | 180 Lbs. | 10 Cu Ft | \$ 2,819   | <p><b>WORK SURFACE:</b><br/>                     Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with 1<sup>1</sup>/<sub>2</sub>" radius at the top and eased at the bottom. Work surface is 28" deep x 29" high.</p> <p><b>END AND MID PANELS:</b><br/>                     Panel construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and 1<sup>1</sup>/<sub>4</sub>" thick solid top and bottom edge. Front and back edge machined to receive 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" tubular, 16 gauge steel posts.</p> <p><b>BACK PANEL:</b><br/>                     Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood at top and bottom with eased edges.</p> |  |
| FS-SC-V1-36-SA   | 36" Adder                   | 36"                              | 31" | 36" | 130 Lbs. | 7 Cu Ft  | \$ 2,500   |   |  |
| FS-SC-V1-48-SS   | 48" Starter                 | 49 <sup>1</sup> / <sub>2</sub> " | 31" | 36" | 200 Lbs. | 11 Cu Ft | \$ 2,925   |   |  |
| FS-SC-V1-48-SA   | 48" Adder                   | 48"                              | 31" | 36" | 160 Lbs. | 8 Cu Ft  | \$ 2,600   |   |  |
|  |                             |                                  |     |     |          |          |            |   |  |
|  | Double Face Modular Carrels |                                  |     |     |          |          |            |   |  |
|  | Version 1:                  |                                  |     |     |          |          |            |   |  |
| FS-SC-V1-36-DS   | 36" Starter                 | 37 <sup>1</sup> / <sub>2</sub> " | 62" | 36" | 255 Lbs. | 14 Cu Ft | \$ 3,881   |   |  |
| FS-SC-V1-36-DA   | 36" Adder                   | 36"                              | 62" | 36" | 160 Lbs. | 11 Cu Ft | \$ 3,419   |   |  |
| FS-SC-V1-48-DS   | 48" Starter                 | 49 <sup>1</sup> / <sub>2</sub> " | 62" | 36" | 290 Lbs. | 16 Cu Ft | \$ 4,063   |   |  |
| FS-SC-V1-48-DA   | 48" Adder                   | 48"                              | 62" | 36" | 210 Lbs. | 12 Cu Ft | \$ 3,606   |   |  |

| MODEL NUMBER   | PRODUCT     | W  | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |  |
|--|-------------|--|-----|-----|----------|----------|------------|---|--|
|  |             | <b>Single Face Modular Carrels</b><br>Version 2: |     |     |          |          |            |   |  |
| FS-SC-V2-36-SS   | 36" Starter | 37 <sup>1</sup> / <sub>2</sub> "                 | 31" | 36" | 180 Lbs. | 10 Cu Ft | \$ 3,150   | <b>WORK SURFACE:</b><br>Tops are constructed of 1 <sup>1</sup> / <sub>4</sub> " thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3 <sup>3</sup> / <sub>4</sub> " thick x 1 <sup>1</sup> / <sub>4</sub> " high solid external hardwood with 1 <sup>1</sup> / <sub>2</sub> " radius at the top and eased at the bottom. Work surface is 28" deep x 29" high.<br><br><b>END AND MID PANELS:</b><br>Panel construction consists of a 1 <sup>1</sup> / <sub>16</sub> " thick 3-ply particleboard core with plain sliced veneer both faces. Upper portion is fitted with 1 <sup>1</sup> / <sub>4</sub> " thick frosted acrylic screen and 1 <sup>1</sup> / <sub>4</sub> " thick solid bottom edge. Front and back edge machined to receive 1 <sup>1</sup> / <sub>2</sub> " x 1 <sup>1</sup> / <sub>2</sub> " tubular, 16 gauge steel posts.<br><br><b>BACK PANEL:</b><br>Back is constructed of 1 <sup>1</sup> / <sub>16</sub> " thick 3-ply particleboard core with plain sliced veneer both faces, 1 <sup>1</sup> / <sub>4</sub> " solid hardwood at top and bottom with eased edges. |  |
| FS-SC-V2-36-SA   | 36" Adder   | 36"  | 31" | 36" | 130 Lbs. | 7 Cu Ft  | \$ 2,706   |   |  |
| FS-SC-V2-48-SS   | 48" Starter | 49 <sup>1</sup> / <sub>2</sub> "                 | 31" | 36" | 200 Lbs. | 11 Cu Ft | \$ 3,250   |   |  |
| FS-SC-V2-48-SA   | 48" Adder   | 48"  | 31" | 36" | 160 Lbs. | 8 Cu Ft  | \$ 2,813   |   |  |
|  |             | <b>Double Face Modular Carrels</b><br>Version 2: |     |     |          |          |            |   |  |
| FS-SC-V2-36-DS   | 36" Starter | 37 <sup>1</sup> / <sub>2</sub> "                 | 62" | 36" | 255 Lbs. | 14 Cu Ft | \$ 4,444   |   |  |
| FS-SC-V2-36-DA   | 36" Adder   | 36"  | 62" | 36" | 160 Lbs. | 11 Cu Ft | \$ 3,744   |   |  |
| FS-SC-V2-48-DS   | 48" Starter | 49 <sup>1</sup> / <sub>2</sub> "                 | 62" | 36" | 290 Lbs. | 16 Cu Ft | \$ 4,631   |   |  |
| FS-SC-V2-48-DA   | 48" Adder   | 48"  | 62" | 36" | 210 Lbs. | 12 Cu Ft | \$ 3,931   |   |  |

| MODEL NUMBER   | PRODUCT     | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |  |
|--|-------------|----------------------------------|-----|-----|----------|----------|------------|--|--|
|  |             |                                  |     |     |          |          |            |  |  |
| Single Face Modular Carrels  |             |                                  |     |     |          |          |            |  |  |
| Version 3:   |             |                                  |     |     |          |          |            |  |  |
| FS-SC-V3-36-SS   | 36" Starter | 37 <sup>1</sup> / <sub>2</sub> " | 31" | 36" | 180 Lbs. | 10 Cu Ft | \$ 3,269   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with 1<sup>1</sup>/<sub>2</sub>" radius at the top and eased at the bottom. Work surface is 28" deep x 29" high.</p> <p><b>END AND MID PANELS:</b><br/>Panel construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and 1<sup>1</sup>/<sub>4</sub>" thick solid top and bottom edge. Front and back edge machined to receive 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" tubular, 16 gauge steel posts.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 3<sup>3</sup>/<sub>8</sub>" thick frosted acrylic screen, mechanically fastened to 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" tubular, 16 gauge steel posts.</p> |  |
| FS-SC-V3-36-SA   | 36" Adder   | 36"                              | 31" | 36" | 130 Lbs. | 7 Cu Ft  | \$ 2,831   |  |  |
| FS-SC-V3-48-SS   | 48" Starter | 49 <sup>1</sup> / <sub>2</sub> " | 31" | 36" | 200 Lbs. | 11 Cu Ft | \$ 3,381   |  |  |
| FS-SC-V3-48-SA   | 48" Adder   | 48"                              | 31" | 36" | 160 Lbs. | 8 Cu Ft  | \$ 2,944   |  |  |
|  |             |                                  |     |     |          |          |            |  |  |
| Double Face Modular Carrels  |             |                                  |     |     |          |          |            |  |  |
| Version 3:   |             |                                  |     |     |          |          |            |  |  |
| FS-SC-V3-36-DS   | 36" Starter | 37 <sup>1</sup> / <sub>2</sub> " | 62" | 36" | 255 Lbs. | 14 Cu Ft | \$ 4,569   |  |  |
| FS-SC-V3-36-DA   | 36" Adder   | 36"                              | 62" | 36" | 160 Lbs. | 11 Cu Ft | \$ 3,869   |  |  |
| FS-SC-V3-48-DS   | 48" Starter | 49 <sup>1</sup> / <sub>2</sub> " | 62" | 36" | 290 Lbs. | 16 Cu Ft | \$ 4,763   |  |  |
| FS-SC-V3-48-DA   | 48" Adder   | 48"                              | 62" | 36" | 210 Lbs. | 12 Cu Ft | \$ 4,063   |  |  |

| MODEL NUMBER | PRODUCT | W | D | H | WEIGHT | VOLUME | LIST PRICE | DESCRIPTION |
|--------------|---------|---|---|---|--------|--------|------------|-------------|
|--------------|---------|---|---|---|--------|--------|------------|-------------|



|                                |             |                                  |     |                                  |          |          |          |  |
|--------------------------------|-------------|----------------------------------|-----|----------------------------------|----------|----------|----------|--|
| Single Face Reference Carrels: |             |                                  |     |                                  |          |          |          |  |
| FS-RC-36-SS                    | 36" Starter | 37 <sup>1</sup> / <sub>2</sub> " | 31" | 48 <sup>1</sup> / <sub>2</sub> " | 200 Lbs. | 10 Cu Ft | \$ 3,069 | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Front work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" high solid external hardwood with 1<sup>1</sup>/<sub>2</sub>" radius at the top and eased at the bottom. Tops will be set back from the back panel 2" to provide a wire drop and will be fitted with a retainer lip. Work surface is 26" deep and is adjustable at four increments 39", 32", 29" and 27" high.</p> <p><b>END AND MID PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and 1<sup>1</sup>/<sub>4</sub>" thick solid top and bottom edge. Front and back edge machined to receive 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" tubular, 16 gauge steel posts.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood at top and bottom with eased edges.</p> <p><b>BOTTOM SHELF:</b><br/>Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge. Shelf is 12" deep positioned 21" above the floor.</p> |
| FS-RC-36-SA                    | 36" Adder   | 36 <sup>1</sup> / <sub>4</sub> " | 31" | 48 <sup>1</sup> / <sub>2</sub> " | 150 Lbs. | 7 Cu Ft  | \$ 2,719 |  |
| FS-RC-48-SS                    | 48" Starter | 49 <sup>1</sup> / <sub>4</sub> " | 31" | 48 <sup>1</sup> / <sub>2</sub> " | 230 Lbs. | 11 Cu Ft | \$ 3,188 |  |
| FS-RC-48-SA                    | 48" Adder   | 48 <sup>1</sup> / <sub>4</sub> " | 31" | 48 <sup>1</sup> / <sub>2</sub> " | 180 Lbs. | 8 Cu Ft  | \$ 2,838 |  |



|                                |             |                                  |                                  |                                  |          |          |          |  |
|--------------------------------|-------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|----------|--|
| Double Face Reference Carrels: |             |                                  |                                  |                                  |          |          |          |  |
| FS-RC-36-DS                    | 36" Starter | 37 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48 <sup>1</sup> / <sub>2</sub> " | 275 Lbs. | 14 Cu Ft | \$ 4,188 | <p><b>END AND MID PANELS:</b><br/>Panel frame construction consists of a 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and 1<sup>1</sup>/<sub>4</sub>" thick solid top and bottom edge. Front and back edge machined to receive 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" tubular, 16 gauge steel posts.</p> <p><b>BACK PANEL:</b><br/>Back is constructed of 1<sup>1</sup>/<sub>16</sub>" thick 3-ply particleboard core with plain sliced veneer both faces, 1<sup>1</sup>/<sub>4</sub>" solid hardwood at top and bottom with eased edges.</p> <p><b>BOTTOM SHELF:</b><br/>Shelf construction consists of 3<sup>3</sup>/<sub>4</sub>" thick 3-ply particleboard core with plain sliced veneer both faces and the front edge is banded with a 1<sup>1</sup>/<sub>4</sub>" solid external edge. Shelf is 12" deep positioned 21" above the floor.</p> |
| FS-RC-36-DA                    | 36" Adder   | 36 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48 <sup>1</sup> / <sub>2</sub> " | 180 Lbs. | 11 Cu Ft | \$ 3,675 |  |
| FS-RC-48-DS                    | 48" Starter | 49 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48 <sup>1</sup> / <sub>2</sub> " | 310 Lbs. | 16 Cu Ft | \$ 4,550 |  |
| FS-RC-48-DA                    | 48" Adder   | 48 <sup>1</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48 <sup>1</sup> / <sub>2</sub> " | 230 Lbs. | 12 Cu Ft | \$ 4,044 |  |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |  |
|---|------------------------------------|-----|-----|-----|----------|----------|------------|---|--|
|   |                                    |     |     |     |          |          |            |   |  |
| 1 Person PAC Tables:  |                                    |     |     |     |          |          |            |   |  |
| FS-PAC-1-29-W   | Sitting Height, Wood Divider       | 36" | 36" | 37" | 100 Lbs. | 10 Cu Ft | \$ 3,606   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1<sup>1</sup>/<sub>4</sub>" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p><b>FRAME ASSEMBLY:</b><br/>Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| FS-PAC-1-29-A   | Sitting Height, Acrylic Divider    | 36" | 36" | 37" | 100 Lbs. | 10 Cu Ft | \$ 3,800   |   |  |
| FS-PAC-1-32-W   | Wheelchair Height, Wood Divider    | 36" | 36" | 40" | 100 Lbs. | 10 Cu Ft | \$ 3,669   |   |  |
| FS-PAC-1-32-A   | Wheelchair Height, Acrylic Divider | 36" | 36" | 40" | 100 Lbs. | 10 Cu Ft | \$ 3,856   |   |  |
| FS-PAC-1-39-W   | Standing Height, Wood Divider      | 36" | 36" | 47" | 100 Lbs. | 10 Cu Ft | \$ 3,725   |   |  |
| FS-PAC-1-39-A   | Standing Height, Acrylic Divider   | 36" | 36" | 47" | 100 Lbs. | 10 Cu Ft | \$ 3,913   |   |  |
|  |                                    |     |     |     |          |          |            |   |  |
| 2 Person (1 Place Back to Back) PAC Tables:                                       |                                    |     |     |     |          |          |            |   |  |
| FS-PAC-1D-29-W  | Sitting Height, Wood Divider       | 36" | 48" | 37" | 100 Lbs. | 10 Cu Ft | \$ 3,813   |   |  |
| FS-PAC-1D-29-A  | Sitting Height, Acrylic Divider    | 36" | 48" | 37" | 100 Lbs. | 10 Cu Ft | \$ 4,050   |   |  |
| FS-PAC-1D-32-W  | Wheelchair Height, Wood Divider    | 36" | 48" | 40" | 100 Lbs. | 10 Cu Ft | \$ 3,869   |   |  |
| FS-PAC-1D-32-A  | Wheelchair Height, Acrylic Divider | 36" | 48" | 40" | 100 Lbs. | 10 Cu Ft | \$ 4,106   |   |  |
| FS-PAC-1D-39-W  | Standing Height, Wood Divider      | 36" | 48" | 47" | 100 Lbs. | 10 Cu Ft | \$ 3,925   |   |  |
| FS-PAC-1D-39-A  | Standing Height, Acrylic Divider   | 36" | 48" | 47" | 100 Lbs. | 10 Cu Ft | \$ 4,163   |   |  |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |  |
|---|------------------------------------|---|-----|-----|----------|----------|------------|---|--|
|   |                                    | 2 Person PAC Tables:                        |     |     |          |          |            |   |  |
| FS-PAC-2-29-W   | Sitting Height, Wood Divider       | 72"   | 36" | 37" | 150 Lbs. | 21 Cu Ft | \$ 4,238   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1<sup>1</sup>/<sub>4</sub>" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p><b>FRAME ASSEMBLY:</b><br/>Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3/4" thick x 8" high solid hardwood and back divider constructed of 3/4" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1/4" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1/4" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| FS-PAC-2-29-A   | Sitting Height, Acrylic Divider    | 72"   | 36" | 37" | 150 Lbs. | 21 Cu Ft | \$ 4,831   |   |  |
| FS-PAC-2-32-W   | Wheelchair Height, Wood Divider    | 72"   | 36" | 40" | 150 Lbs. | 21 Cu Ft | \$ 4,294   |   |  |
| FS-PAC-2-32-A   | Wheelchair Height, Acrylic Divider | 72"   | 36" | 40" | 150 Lbs. | 21 Cu Ft | \$ 4,888   |   |  |
| FS-PAC-2-39-W   | Standing Height, Wood Divider      | 72"   | 36" | 47" | 150 Lbs. | 21 Cu Ft | \$ 4,350   |   |  |
| FS-PAC-2-39-A   | Standing Height, Acrylic Divider   | 72"   | 36" | 47" | 150 Lbs. | 21 Cu Ft | \$ 4,944   |   |  |
|  |                                    | 4 Person (2 Place Back to Back) PAC Tables: |     |     |          |          |            |   |  |
| FS-PAC-2D-29-W  | Sitting Height, Wood Divider       | 72"   | 48" | 37" | 150 Lbs. | 21 Cu Ft | \$ 4,625   |   |  |
| FS-PAC-2D-29-A  | Sitting Height, Acrylic Divider    | 72"   | 48" | 37" | 150 Lbs. | 21 Cu Ft | \$ 5,188   |   |  |
| FS-PAC-2D-32-W  | Wheelchair Height, Wood Divider    | 72"   | 48" | 40" | 150 Lbs. | 21 Cu Ft | \$ 4,681   |   |  |
| FS-PAC-2D-32-A  | Wheelchair Height, Acrylic Divider | 72"   | 48" | 40" | 150 Lbs. | 21 Cu Ft | \$ 5,244   |   |  |
| FS-PAC-2D-39-W  | Standing Height, Wood Divider      | 72"   | 48" | 47" | 150 Lbs. | 21 Cu Ft | \$ 4,738   |   |  |
| FS-PAC-2D-39-A  | Standing Height, Acrylic Divider   | 72"   | 48" | 47" | 150 Lbs. | 21 Cu Ft | \$ 5,300   |   |  |

| MODEL NUMBER  | PRODUCT                            | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |  |
|---|------------------------------------|-----|-----|-----|----------|----------|------------|--|--|
|   |                                    |     |     |     |          |          |            |  |  |
| 3 Person PAC Tables:  |                                    |     |     |     |          |          |            |  |  |
| FS-PAC-3-29-W   | Sitting Height, Wood Divider       | 90" | 36" | 37" | 185 Lbs. | 26 Cu Ft | \$ 4,619   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3<sup>3</sup>/<sub>4</sub>" thick x 1<sup>1</sup>/<sub>4</sub>" solid external hardwood edge, mitered and radiused 1<sup>1</sup>/<sub>2</sub>" at the top and eased at the bottom.</p> <p><b>FRAME ASSEMBLY:</b><br/>Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3<sup>3</sup>/<sub>4</sub>" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect.</p> <p><b>WOOD DIVIDERS:</b><br/>Sloped side dividers constructed of 3<sup>3</sup>/<sub>4</sub>" thick x 8" high solid hardwood and back divider constructed of 3<sup>3</sup>/<sub>4</sub>" x 7<sup>3</sup>/<sub>4</sub>" high veneer particleboard, top edge banded with 1<sup>1</sup>/<sub>4</sub>" external hardwood.</p> <p><b>ACRYLIC DIVIDERS:</b><br/>Sloped side panels and rectangular back divider consisting of 1<sup>1</sup>/<sub>4</sub>" thick x 8" high frosted acrylic complete with diameter brushed steel stand-off.</p> <p><b>WORK SURFACE HEIGHT:</b><br/>Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> <p><b>ELECTRICAL ACCESSORIES:</b><br/>Each seating position shall receive a 3" diameter black plastic grommet and a black metal j-channel for wire management.</p> |  |
| FS-PAC-3-29-A   | Sitting Height, Acrylic Divider    | 90" | 36" | 37" | 185 Lbs. | 26 Cu Ft | \$ 5,638   |  |  |
| FS-PAC-3-32-W   | Wheelchair Height, Wood Divider    | 90" | 36" | 40" | 185 Lbs. | 26 Cu Ft | \$ 4,675   |  |  |
| FS-PAC-3-32-A   | Wheelchair Height, Acrylic Divider | 90" | 36" | 40" | 185 Lbs. | 26 Cu Ft | \$ 5,694   |  |  |
| FS-PAC-3-39-W   | Standing Height, Wood Divider      | 90" | 36" | 47" | 185 Lbs. | 26 Cu Ft | \$ 4,731   |  |  |
| FS-PAC-3-39-A   | Standing Height, Acrylic Divider   | 90" | 36" | 47" | 185 Lbs. | 26 Cu Ft | \$ 5,750   |  |  |
|  |                                    |     |     |     |          |          |            |  |  |
| 6 Person (3 Place Back to Back) PAC Tables:                                       |                                    |     |     |     |          |          |            |  |  |
| FS-PAC-3D-29-W  | Sitting Height, Wood Divider       | 90" | 48" | 37" | 185 Lbs. | 26 Cu Ft | \$ 5,069   |  |  |
| FS-PAC-3D-29-A  | Sitting Height, Acrylic Divider    | 90" | 48" | 37" | 185 Lbs. | 26 Cu Ft | \$ 6,069   |  |  |
| FS-PAC-3D-32-W  | Wheelchair Height, Wood Divider    | 90" | 48" | 40" | 185 Lbs. | 26 Cu Ft | \$ 5,131   |  |  |
| FS-PAC-3D-32-A  | Wheelchair Height, Acrylic Divider | 90" | 48" | 40" | 185 Lbs. | 26 Cu Ft | \$ 6,125   |  |  |
| FS-PAC-3D-39-W  | Standing Height, Wood Divider      | 90" | 48" | 47" | 185 Lbs. | 26 Cu Ft | \$ 5,188   |  |  |
| FS-PAC-3D-39-A  | Standing Height, Acrylic Divider   | 90" | 48" | 47" | 185 Lbs. | 26 Cu Ft | \$ 6,188   |  |  |

|   | MODEL NUMBER                      | PRODUCT                           | W   | D   | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|---|-----------------------------------|-----------------------------------|-----|-----|----------|----------|----------|------------|--|
|   | FS-R42                            | Round Reading Tables              | 42" | 42" | 29"      | 90 Lbs.  | 5 Cu Ft  | \$ 3,313   | <p><b>WORK SURFACE:</b><br/>Tops are constructed of 1 1/4" thick 3-ply particleboard core. Top surface is laminated with a .050" thick high pressure plastic laminate sheet and bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Work surface edge is 3/4" thick x 1 1/4" solid external hardwood edge, mitered and radiused 1/2" at the top and eased at the bottom.</p> <p><b>FRAME ASSEMBLY:</b><br/>Each frame assembly shall consist of two steel legs and a top horizontal stretcher constructed of 2" x 2" tubular 16 gauge steel. All welds and grinds will be smooth. Two 2" x 2" tubular 16 gauge stretchers will be mechanically fastened to each end frame assembly by means of bolt assembly. The top corners of each frame shall be fitted with a 3/4" diameter steel pentel and is mechanically fastened to a 5" x 5" steel plate creating a 2" floating effect. Table heights of 25" (children), 27" (youth), and 32" (wheelchair) are available by request.</p> |
|   | FS-R48                            |                                   | 48" | 48" | 29"      | 100 Lbs. | 6 Cu Ft  | \$ 3,444   |  |
|   | FS-4242                           | Square Reading Tables             | 42" | 42" | 29"      | 90 Lbs.  | 6 Cu Ft  | \$ 2,869   |  |
|   | FS-4848                           |                                   | 48" | 48" | 29"      | 100 Lbs. | 6 Cu Ft  | \$ 2,975   |  |
|  | FS-6036                           | 60" Wide Rectangle Reading Tables | 60" | 36" | 29"      | 110 Lbs. | 7 Cu Ft  | \$ 3,238   |  |
|   | FS-6048                           |                                   | 60" | 48" | 29"      | 135 Lbs. | 9 Cu Ft  | \$ 3,363   |  |
|   | FS-7236                           | 72" Wide Rectangle Reading Tables | 72" | 36" | 29"      | 125 Lbs. | 8 Cu Ft  | \$ 3,350   |  |
|   | FS-7248                           |                                   | 72" | 48" | 29"      | 160 Lbs. | 10 Cu Ft | \$ 3,519   |  |
|   | FS-8436                           | 84" Wide Rectangle Reading Tables | 84" | 36" | 29"      | 142 Lbs. | 8 Cu Ft  | \$ 3,556   |  |
|   | FS-8448                           |                                   | 84" | 48" | 29"      | 180 Lbs. | 10 Cu Ft | \$ 3,725   |  |
| FS-9636   | 96" Wide Rectangle Reading Tables | 96"                               | 36" | 29" | 140 Lbs. | 10 Cu Ft | \$ 3,694 |            |  |
| FS-9648   |                                   | 96"                               | 48" | 29" | 200 Lbs. | 12 Cu Ft | \$ 3,875 |            |  |



| MODEL NUMBER | PRODUCT         | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|-----------------|-----|-----|-----|----------|----------|------------|--|
| PT-NP        | Newspaper Table | 36" | 26" | 38" | 190 Lbs. | 25 Cu Ft | \$ 5,469   | <p><b>TABLE RACK:</b><br/>Open frame construction consists of 7/8" thick x 3" wide solid hardwood, all edges eased with newspaper stick holders fitted on either side of rack to accommodate 10 wood newspaper sticks.</p> <p><b>END PANELS:</b><br/>Panel frame construction consists of a 2 1/2" thick built-up particleboard core with plain sliced veneer interior face. Front face of panels shall be designed using rift sawn veneers 2" wide running horizontally and vertically around the perimeter meeting at mitered corners. Panels are framed on top and two vertical sides with 1/8" thick x 2 1/2" wide solid hardwood. The center of the panel is routed to accept a 1/8" deep x 3/16" wide solid ebony inlay. Podium base construction consists of a 3" thick built-up particleboard core with 1/4" thick x 4" high solid hardwood mitered corners.</p> |



| MODEL NUMBER | PRODUCT     | W                                | D                                | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|-------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|------------|---|
| PT-AS        | Atlas Stand | 32 <sup>1</sup> / <sub>2</sub> " | 29 <sup>1</sup> / <sub>2</sub> " | 44 <sup>1</sup> / <sub>2</sub> " | 270 Lbs. | 33 Cu Ft | \$ 5,825   | <p>CABINET CONSTRUCTION: A <sup>3</sup>/<sub>4</sub>" thick particleboard core back complete with grade "A" veneer faces shall be attached to the panels by means of hidden key-hole fasteners. Unit will come complete with five pull-out shelves operating on blum slides and a fixed bottom.</p> <p>TOP: Sloped top assembly shall be constructed from <sup>3</sup>/<sub>4</sub>" thick high density particleboard core, assembled by means of tongue and groove. All surfaces of top to be laminated with a .050" thick laminate. Top will be fitted with a book support rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" deep.</p> <p>End panels shall be constructed 2<sup>1</sup>/<sub>2</sub>" thick built-up high density particle core, with premium grade "A" face veneers. The front panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners. Panels are framed on four sides with <sup>1</sup>/<sub>8</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The center of the panel is routed to insert a 29" long x <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay. The base shall be constructed in a podium fashion with <sup>1</sup>/<sub>4</sub>" thick x 4" high solid hardwood faces mitered on four sides of the panel.</p> <p>GLIDES: The underside of each panel will be routed and countersunk to accept two leveling glides.</p> <p>Shelves and bottom constructed from <sup>3</sup>/<sub>4</sub>" thick plywood with grade "A" veneer on both faces, front edge of shelf and bottom banded with a <sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid retainer lip and drop edge.</p> |



| MODEL NUMBER | PRODUCT          | W                                | D                                | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|------------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|------------|--|
| PT-DC        | Dictionary Stand | 28 <sup>1</sup> / <sub>4</sub> " | 16 <sup>3</sup> / <sub>4</sub> " | 44 <sup>1</sup> / <sub>2</sub> " | 190 Lbs. | 16 Cu Ft | \$ 4,219   | <p>CABINET CONSTRUCTION: A <sup>3</sup>/<sub>4</sub>" thick particleboard core back complete with grade "A" veneer faces shall be attached to the panels by means of hidden key-hole fasteners.</p> <p>TOP: Sloped top assembly shall be constructed from <sup>3</sup>/<sub>4</sub>" thick high density particleboard core, assembled by means of tongue and groove. All surfaces of top to be laminated with a .050" thick laminate. Top will be fitted with a book support rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" deep.</p> <p>End panels shall be constructed 2<sup>1</sup>/<sub>2</sub>" thick built-up high density particle core, with premium grade "A" face veneers. The front panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners. Panels are framed on four sides with <sup>1</sup>/<sub>8</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The center of the panel will then be routed to insert a 30" long x <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay. The base shall be constructed in a podium fashion with <sup>1</sup>/<sub>4</sub>" thick x 4" high solid hardwood faces mitered on four sides of the panel.</p> <p>GLIDES: The underside of each panel will be routed and countersunk to accept two leveling glides.</p> <p>Unit will come complete with one shelf and a fixed bottom, constructed from <sup>3</sup>/<sub>4</sub>" thick plywood with grade "A" veneer on both faces, front edge of shelf banded with a <sup>1</sup>/<sub>4</sub>" thick solid hardwood. Shelf will be adjustable on 1<sup>1</sup>/<sub>4</sub>" increments. The fixed bottom shelf will have a <sup>3</sup>/<sub>4</sub>" x 1<sup>3</sup>/<sub>4</sub>" drop edge mounted to the front edge.</p> |



| MODEL NUMBER | PRODUCT                                | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|--|----------------------------------|----------------------------------|-----|----------|----------|------------|---|
| PT-DP        | Display Table                          | 30 <sup>1</sup> / <sub>2</sub> " | 62 <sup>1</sup> / <sub>2</sub> " | 39" | 255 Lbs. | 23 Cu Ft | \$ 10,863  | <p>CASE CONSTRUCTION: Wood framing constructed from 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" solid. Framing to be routed to receive 1/4" thick glass on all four sides. Wood framing shall incorporate glass by means of tongue and groove assembly. All wood edges to be slightly radiused. The back side of the case is equipped with sliding glass doors complete with lock. Case will be fastened to top by means of wood screws.</p>  |
| PT-DP-FB     | Display Table<br>Fabric Covered Bottom | 30 <sup>1</sup> / <sub>2</sub> " | 62 <sup>1</sup> / <sub>2</sub> " | 39" | 255 Lbs. | 23 Cu Ft | \$ 11,694  | <p>Display top shall be constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3 ply particleboard core. Top surface to be laminated with a .050" thick high pressure laminate sheet, bottom surface laminated with a backing sheet not less than .020" thick. The four edges will have a 1/4" thick solid internal band, edges will be banded before the laminate and backer sheets have been applied. All edges shall be eased.</p> <p>TOP SUPPORT: A 2" thick x 6" high solid hardwood keel shall be fitted between the panels and the underside of the top by means of metal key-hole inserts, fasteners and wood screws.</p> <p>PODIUM BASE PANEL: Base panels shall be constructed 3" thick built-up high density particle core, with premium grade "A" face veneers. The panels shall be designed with a 4<sup>1</sup>/<sub>4</sub>" wide x 1/2" deep indentation separating two raised panel faces. The center indentation shall receive a 3/16" thick x 1/8" deep solid black inlay, the inlay will begin and end 2" from the top and bottom. The front panel of each face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners. Panels are framed on four sides with 1/8" thick x 3" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The base shall be constructed in a podium fashion with 1/4" thick x 4" high solid hardwood faces mitered on four sides of the panel and throughout the indentation.</p> <p>GLIDES: The underside of each panel will be routed and countersunk to accept two leveling glides.</p> <p>OPTION: Display table with fabric covered bottom (PR-156-FB)</p> |



| MODEL NUMBER | PRODUCT    | W                                | D                                | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|------------|----------------------------------|----------------------------------|----------------------------------|----------|----------|------------|---|
| PT-AV        | AV Browser | 52 <sup>1</sup> / <sub>4</sub> " | 23 <sup>1</sup> / <sub>2</sub> " | 42 <sup>1</sup> / <sub>2</sub> " | 260 Lbs. | 37 Cu Ft | \$ 5,463   | <p>MULTIMEDIA DISPLAY BIN: Constructed from <sup>3</sup>/<sub>4</sub>" thick 3 ply particleboard core with grade "A" face veneer. Storage bin is divided into 7 compartments each 6<sup>1</sup>/<sub>4</sub>" wide complete with six removable black <sup>1</sup>/<sub>4</sub>" thick masonite dividers. Bottom of bin will be lined with black ribbed rubber. Bin capacity approximately 290 compact discs. Unit may also accommodate tapes.</p> <p>End panels shall be constructed 2<sup>1</sup>/<sub>2</sub>" thick built-up high density particle core, with premium grade "A" face veneers. The front panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners. Panels are framed on four sides with <sup>1</sup>/<sub>8</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The center of the panel will then be routed to insert a 28" long x <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay. The base shall be constructed in a podium fashion with <sup>1</sup>/<sub>4</sub>" thick x 4" high solid hardwood faces mitered on four sides of the panel. A 2" thick x 6" high solid hardwood keel shall be fitted between the panels by means of metal key-hole inserts and fasteners.</p> <p>GLIDES: The underside of each panel will be routed and countersunk to accept two leveling glides.</p> |

|  | MODEL NUMBER | PRODUCT  | W   | D   | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|--------------|--|-----|-----|----------------------------------|----------|----------|------------|---|
|  | PT-IT-DS-4P  | 4 Person Index Table<br>Double Sided Double Tier | 60" | 48" | 52 <sup>3</sup> / <sub>4</sub> " | 440 Lbs. | 64 Cu Ft | \$ 9,569   | <p><b>SUPERSTRUCTURE:</b> Side panels, mid panels, shelves and back shall be constructed from <sup>3</sup>/<sub>4</sub>" thick veneer plywood. All edges and corners shall be eased. The top of the side and back panels shall be banded with a <sup>3</sup>/<sub>4</sub>" thick x 2" high solid, the front and back vertical edges shall be banded with <sup>1</sup>/<sub>8</sub>" thick solid hardwood. Side Panels shall be tapered down from a top dimension of 17" wide to 20" wide at the bottom. Rack dimensions shall be 23<sup>3</sup>/<sub>4</sub>" high x 20" deep. The back panel shall be 23<sup>5</sup>/<sub>8</sub>" high. The rack shall be inset 1<sup>1</sup>/<sub>2</sub>" from the side edges and centered on the work surface. The shelves shall be 8<sup>1</sup>/<sub>4</sub>" deep with premium grade "A" face veneer, the front edge banded with a <sup>1</sup>/<sub>4</sub>" solid external hardwood edge. The shelf shall be installed 13" above the work surface. The outside faces of each side panel shall be accentuated with a <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay. The inlay will begin 4" below the top edge of the panel and 2" up from the bottom of the panel. The superstructure shall be assembled by means concealed metal key-hole fasteners. Mounted to the work surface by means of wood screws passing through the underside of the top and into the rack.</p> <p><b>VDNEER TOP (OPTION):</b> Top shall constitute the same construction as above only that the work surface will be veneered and finished with a polyurethane finish. The work surface shall be accentuated with a black reveal. A <sup>3</sup>/<sub>16</sub>" black reveal shall be inlaid 7" from the leading edge on either side of the work surface and run horizontally across the table and down the side edges.</p> <p><b>TOP SUPPORT:</b> A 2" thick x 6" high solid hardwood keel shall be fitted between the panel bases and the underside of the sub-top by means of metal key-hole inserts, fasteners and wood screws.</p> <p><b>PODIUM END PANEL:</b> Base panels shall be constructed 3" thick built-up high density particle core, with premium grade "A" face veneers. The panels shall be designed with a 4<sup>1</sup>/<sub>4</sub>" wide x <sup>1</sup>/<sub>2</sub>" deep indentation separating two raised panel faces. The center indentation shall receive a <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay, the inlay will begin and end 2" from the top and bottom. The front panel of each face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with a <sup>1</sup>/<sub>8</sub>" thick x 3" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The base shall be constructed in a podium fashion with <sup>1</sup>/<sub>4</sub>" thick x 4" high solid hardwood faces mitered on four sides of the panel and throughout the indentation."</p> |
|  | PT-IT-DS-6P  | 6 Person Index Table<br>Double Sided Double Tier | 90" | 48" | 52 <sup>3</sup> / <sub>4</sub> " | 470 Lbs. | 96 Cu Ft | \$ 10,538  |   |

**GLIDES:** The underside of each panel will be routed and countersunk to accept two leveling glides.

|   | MODEL NUMBER | PRODUCT                   | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|---|--------------|---------------------------|----------------------------------|----------------------------------|-----|----------|----------|------------|--|
|   | PT-MC-SS     | Single Modular Carrel     | 35 <sup>3</sup> / <sub>4</sub> " | 26 <sup>1</sup> / <sub>2</sub> " | 48" | 140 Lbs. | 16 Cu Ft | \$ 5,956   | <p><b>SUPERSTRUCTURE:</b> Side panels, mid panels, shelves and back shall be constructed from <sup>3</sup>/<sub>4</sub>" thick veneer plywood. All edges and corners shall be eased. The top of the side and back panels shall be banded with a <sup>3</sup>/<sub>4</sub>" thick x 2" high solid, the front and back vertical edges shall be banded with <sup>1</sup>/<sub>8</sub>" thick solid hardwood. Single face study carrel panels shall be tapered down from a top dimension of 15<sup>7</sup>/<sub>8</sub>" wide to 17<sup>3</sup>/<sub>8</sub>" wide at the bottom. Double face carrel panels shall be tapered down from a top dimension of 27" wide to 30" wide at the bottom. Single face rack shall be 19" high x 17<sup>3</sup>/<sub>8</sub>" deep, double face rack shall be 19" high x 30" deep. The back panel for both single and double face units shall be 18<sup>7</sup>/<sub>8</sub>" high. The rack on single face units shall be inset 1<sup>3</sup>/<sub>8</sub>" from the back edge and 1<sup>1</sup>/<sub>2</sub>" from the side edges. The rack on double face units shall be centered on the work surface. The shelf for both single face and double face units shall be 9" deep with premium grade "A" face veneer, the front edge banded with a <sup>1</sup>/<sub>4</sub>" solid external hardwood edge. The shelf shall be installed 15" above the work surface. The outside faces of each side panel shall be accentuated with a <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay. The inlay will begin 4" below the top edge of the panel and 2" up from the bottom of the panel. The superstructure shall be assembled by means concealed metal key-hole fasteners. Mounted to the work surface by means of wood screws passing through the underside of the top and into the rack.</p> <p><b>VENEER TOP (OPTION):</b> Top shall constitute the same construction as above only that the work surface will be veneered and finished with a polyurethane finish. The work surface shall be accentuated with a black reveal. A <sup>3</sup>/<sub>16</sub>" black reveal shall be inlaid 7" from the leading edge and run horizontally across the table and down the work surface. Single face units shall receive one reveal inlay and two reveal inlays for double face units.</p> <p><b>TOP SUPPORT:</b> A 2" thick x 6" high solid hardwood keel shall be fitted between the panel bases and the underside of the sub-top by means of metal key-hole inserts, fasteners and wood screws.</p> <p><b>PODIUM END PANEL - SINGLE FACE CARREL:</b> Base panels shall be constructed 2<sup>1</sup>/<sub>2</sub>" thick built-up high density particle core, with premium grade "A" face veneers. The front panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with <sup>1</sup>/<sub>8</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The center of the panel will then be routed to insert a 14<sup>1</sup>/<sub>4</sub>" long x <sup>3</sup>/<sub>16</sub>" thick x <sup>1</sup>/<sub>8</sub>" deep solid black inlay. The base shall be constructed in a podium</p> |
|   | PT-MC-DS     | Double Modular Carrel     | 35 <sup>3</sup> / <sub>4</sub> " | 48"                              | 48" | 210 Lbs. | 32 Cu Ft | \$ 9,369   |  |
|  | PT-MC-Q      | Four Place Modular Carrel | 70 <sup>1</sup> / <sub>2</sub> " | 48"                              | 48" | 310 Lbs. | 62 Cu Ft | \$ 10,138  |  |

|  | MODEL NUMBER | PRODUCT                                | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|--------------|--|-----|-----|-----|----------|----------|------------|---|
|    | PT-PAC-1-29  | 1 Person PAC Tables:<br>Sitting Height | 36" | 36" | 37" | 135 Lbs. | 13 Cu Ft | \$ 5,888   | <p><b>SUPERSTRUCTURE:</b> Side panels, and back shall be constructed from <math>\frac{3}{4}</math>" thick solid hardwood. All edges and corners shall be eased. The side panels shall be tapered down from a top dimension of 7" wide to 8" wide at the bottom. Single face rack shall be 8" high x 8" deep, double face rack shall be constructed from <math>\frac{3}{4}</math>" thick veneer plywood 8" high x 15" deep. The back panel for both single and double face units shall be <math>\frac{7}{8}</math>" high. The rack on single face units shall be inset <math>1\frac{3}{8}</math>" from the back edge and <math>1\frac{1}{2}</math>" from the side edges. The rack on double face units shall be centered on the work surface.</p> <p><b>VENEER TOP (OPTION):</b> Top shall constitute the same construction as above only that the work surface will be veneered and finished with a polyurethane finish. The work surface shall be accentuated with a black reveal. A <math>\frac{3}{16}</math>" black reveal shall be inlayed 7" from the leading edge and run horizontally across the table and down the work surface. Single face units shall receive one reveal inlay and two reveal inlays for double face units.</p> <p><b>TOP SUPPORT:</b> A 2" thick x 6" high solid hardwood keel shall be fitted between the panel bases and the underside of the sub-top by means of metal key-hole inserts, fasteners and wood screws.</p> <p><b>PODIUM END PANEL - SINGLE FACE PAC:</b> Base panels shall be constructed <math>2\frac{1}{2}</math>" thick built-up high density particle core, with premium grade "A" face veneers. The front panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with <math>\frac{1}{8}</math>" thick x <math>2\frac{1}{2}</math>" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The center of the panel will then be routed to insert a <math>14\frac{1}{4}</math>" long x <math>\frac{3}{16}</math>" thick x <math>\frac{1}{8}</math>" deep solid black inlay. The base shall be constructed in a podium fashion with <math>\frac{1}{4}</math>" thick x 4" high solid hardwood faces mitered on four sides of the panel. A 2" thick x 6" high solid hardwood keel shall be fitted between the panels by means of metal key-hole inserts and fasteners.</p> <p><b>PODIUM END PANEL - DOUBLE FACE PAC:</b> Base panels shall be constructed 3" thick built-up high density particle core, with premium grade "A" face veneers. The panels shall be designed with a <math>4\frac{1}{4}</math>" wide x <math>\frac{1}{2}</math>" deep indentation separating two raised panel faces. The center indentation shall receive a <math>\frac{3}{16}</math>" thick x <math>\frac{1}{8}</math>" deep solid black inlay, the inlay will begin and end 2" from the top and bottom. The front panel of each face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with a <math>\frac{1}{8}</math>" thick x 3" wide solid hardwood, having the top and bottom members overlapping</p> |
|  | PT-PAC-1-32  | Wheelchair Accessible                  | 36" | 36" | 40" | 135 Lbs. | 16 Cu Ft | \$ 5,913   |   |
|  | PT-PAC-1-39  | Standing Height                        | 36" | 36" | 47" | 140 Lbs. | 23 Cu Ft | \$ 5,988   |   |
|    | PT-PAC-2-29  | 2 Person PAC Tables:<br>Sitting Height | 72" | 36" | 37" | 205 Lbs. | 27 Cu Ft | \$ 6,338   |   |
|  | PT-PAC-2-32  | Wheelchair Accessible                  | 72" | 36" | 40" | 205 Lbs. | 33 Cu Ft | \$ 6,369   |   |
|  | PT-PAC-2-39  | Standing Height                        | 72" | 36" | 47" | 210 Lbs. | 46 Cu Ft | \$ 6,438   |   |
|  | PT-PAC-3-29  | 3 Person PAC Tables:<br>Sitting Height | 90" | 36" | 37" | 260 Lbs. | 34 Cu Ft | \$ 6,850   |   |
|  | PT-PAC-3-32  | Wheelchair Accessible                  | 90" | 36" | 40" | 260 Lbs. | 41 Cu Ft | \$ 6,881   |   |
|  | PT-PAC-3-39  | Standing Height                        | 90" | 36" | 47" | 270 Lbs. | 58 Cu Ft | \$ 6,950   |   |

| MODEL NUMBER   | PRODUCT  | W                     | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |           |
|--|--|-----------------------|-----|-----|----------|----------|------------|--|-----------|
|    | 2 Person (1 Place Back to Back)<br>PAC Tables: |                       |     |     |          |          |            | <p>SUPERSTRUCTURE: Side panels, and back shall be constructed from <math>\frac{3}{4}</math>" thick solid hardwood. All edges and corners shall be eased. The side panels shall be tapered down from a top dimension of 7" wide to 8" wide at the bottom. Single face rack shall be 8" high x 8" deep, double face rack shall be constructed from <math>\frac{3}{4}</math>" thick veneer plywood 8" high x 15" deep. The back panel for both single and double face units shall be <math>\frac{7}{8}</math>" high. The rack on single face units shall be inset <math>1\frac{3}{8}</math>" from the back edge and <math>1\frac{1}{2}</math>" from the side edges. The rack on double face units shall be centered on the work surface.</p> <p> veneer TOP (OPTION): Top shall constitute the same construction as above only that the work surface will be veneered and finished with a polyurethane finish. The work surface shall be accentuated with a black reveal. A <math>\frac{3}{16}</math>" black reveal shall be inlaid 7" from the leading edge and run horizontally across the table and down the work surface. Single face units shall receive one reveal inlay and two reveal inlays for double face units.</p> <p>TOP SUPPORT: A 2" thick x 6" high solid hardwood keel shall be fitted between the panel bases and the underside of the sub-top by means of metal key-hole inserts, fasteners and wood screws.</p> <p>PODIUM END PANEL - SINGLE FACE PAC: Base panels shall be constructed <math>2\frac{1}{2}</math>" thick built-up high density particle core, with premium grade "A" face veneers. The front panel face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with <math>\frac{1}{8}</math>" thick x <math>2\frac{1}{2}</math>" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The center of the panel will then be routed to insert a <math>14\frac{1}{4}</math>" long x <math>\frac{3}{16}</math>" thick x <math>\frac{1}{8}</math>" deep solid black inlay. The base shall be constructed in a podium fashion with <math>\frac{1}{4}</math>" thick x 4" high solid hardwood faces mitered on four sides of the panel. A 2" thick x 6" high solid hardwood keel shall be fitted between the panels by means of metal key-hole inserts and fasteners.</p> <p>PODIUM END PANEL - DOUBLE FACE PAC: Base panels shall be constructed 3" thick built-up high density particle core, with premium grade "A" face veneers. The panels shall be designed with a <math>4\frac{1}{4}</math>" wide x <math>\frac{1}{2}</math>" deep indentation separating two raised panel faces. The center indentation shall receive a <math>\frac{3}{16}</math>" thick x <math>\frac{1}{8}</math>" deep solid black inlay, the inlay will begin and end 2" from the top and bottom. The front panel of each face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with a <math>\frac{1}{8}</math>" thick x 3" wide solid hardwood, having the top and bottom members overlapping</p> |           |
|  | PT-PAC-1D-29                                   | Sitting Height        | 36" | 60" | 37"      | 260 Lbs. | 22 Cu Ft   |  | \$ 9,263  |
|  | PT-PAC-1D-32                                   | Wheelchair Accessible | 36" | 60" | 40"      | 260 Lbs. | 27 Cu Ft   |  | \$ 9,313  |
| PT-PAC-1D-39   | Standing Height                                | 36"                   | 60" | 47" | 270 Lbs. | 38 Cu Ft | \$ 9,444   |  |           |
|    | 4 Person (2 Place Back to Back)<br>PAC Tables: |                       |     |     |          |          |            |  |           |
|  | PT-PAC-2D-29                                   | Sitting Height        | 72" | 60" | 37"      | 400 Lbs. | 45 Cu Ft   |  | \$ 10,056 |
|  | PT-PAC-2D-32                                   | Wheelchair Accessible | 72" | 60" | 40"      | 400 Lbs. | 54 Cu Ft   |  | \$ 10,106 |
| PT-PAC-2D-39   | Standing Height                                | 72"                   | 60" | 47" | 410 Lbs. | 77 Cu Ft | \$ 10,231  |  |           |
|  | 6 Person (3 Place Back to Back)<br>PAC Tables: |                       |     |     |          |          |            |  |           |
|  | PT-PAC-3D-29                                   | Sitting Height        | 90" | 60" | 37"      | 500 Lbs. | 56 Cu Ft   |  | \$ 10,738 |
|  | PT-PAC-3D-32                                   | Wheelchair Accessible | 90" | 60" | 40"      | 500 Lbs. | 68 Cu Ft   |  | \$ 10,788 |
| PT-PAC-3D-39   | Standing Height                                | 90"                   | 60" | 47" | 520 Lbs. | 96 Cu Ft | \$ 10,913  |  |           |

|   | MODEL NUMBER                      | PRODUCT                           | W   | D   | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|---|-----------------------------------|-----------------------------------|-----|-----|----------|----------|----------|------------|---|
|   | PT-R42                            | Round Reading Tables              | 42" | 42" | 29"      | 90 Lbs.  | 8 Cu Ft  | \$ 3,263   | <p>APRON: A solid apron base <math>\frac{3}{4}</math>" thick x <math>\frac{3}{8}</math>" shall be fitted together by means of metal corner brackets. The underside of the base shall be machined to form an arch beginning 5" from either side and arching in upwards towards the center of the base. The base shall be fastened to the underside of the table top by means of metal "L" brackets and wood screws.</p> <p>TABLE TOP (SQUARE AND RECTANGULAR): Table tops shall be constructed of <math>1\frac{1}{4}</math>" thick 3 ply particleboard core. Top surface to be laminated with a .050" thick high pressure plastic laminate sheet, bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. Plastic laminate will meet or exceed NEMA standards. Table edges shall be <math>2\frac{1}{4}</math>" wide x <math>1\frac{5}{8}</math>" thick solid hardwood. The edge shall be machined in two parts, <math>\frac{3}{4}</math> of the leading edge shall be radiused <math>\frac{3}{8}</math>" top and bottom, the remaining solid shall be chamfered inward creating a knife edge detail. The edges shall be mitered at four corners.</p> <p>TABLE TOP (CIRCULAR): Circular tables shall receive a <math>2\frac{1}{4}</math>" wide x <math>1\frac{1}{4}</math>" thick solid edge band. The edges shall be fabricated in four section. All edges are eased</p> <p>TABLE TOP SUPPORTS: All tables 60" and longer shall be fitted with a V-shaped, 14 gauge steel keel. The keel shall be mounted to the underside of the top by means of wood screws. All tables 48" wide and 60" long and longer shall be fitted with two parallel running steel keels.</p> <p>LEG ASSEMBLY: Legs are <math>2\frac{3}{8}</math>" x <math>2\frac{3}{8}</math>" glued-up solid stock, all edges eased. Each leg shall receive a <math>\frac{1}{8}</math>" x <math>\frac{1}{8}</math>" reveal saw cut <math>2\frac{1}{2}</math>" from the bottom of the leg. Each leg will be fitted with a hanger bolt which shall pass between the intersecting rails and through the metal corner bracket.</p> <p>GLIDES: Each leg will be fitted with a threaded T-nut to accept a <math>1\frac{1}{8}</math>" diameter cushioned glide with a <math>1" \times \frac{5}{16}</math>" threaded stem.</p> <p>WORKSURFACE HEIGHT: Standard work surface height shall be 29" high. Optional heights of 32" - wheelchair, 27" and 25" may be specified at no additional upcharge.</p> |
|   | PT-R48                            |                                   | 48" | 48" | 29"      | 100 Lbs. | 10 Cu Ft | \$ 3,419   |   |
|   | PT-4242                           | Square Reading Tables             | 42" | 42" | 29"      | 90 Lbs.  | 8 Cu Ft  | \$ 2,744   |   |
|   | PT-4848                           |                                   | 48" | 48" | 29"      | 100 Lbs. | 10 Cu Ft | \$ 2,913   |   |
|  | PT-6036                           | 60" Wide Rectangle Reading Tables | 60" | 36" | 29"      | 170 Lbs. | 10 Cu Ft | \$ 3,350   |   |
|   | PT-6048                           |                                   | 60" | 48" | 29"      | 230 Lbs. | 13 Cu Ft | \$ 3,550   |   |
|   | PT-7236                           | 72" Wide Rectangle Reading Tables | 72" | 36" | 29"      | 200 Lbs. | 12 Cu Ft | \$ 3,513   |   |
|   | PT-7248                           |                                   | 72" | 48" | 29"      | 270 Lbs. | 15 Cu Ft | \$ 3,731   |   |
|   | PT-8436                           | 84" Wide Rectangle Reading Tables | 84" | 36" | 29"      | 250 Lbs. | 13 Cu Ft | \$ 3,681   |   |
|   | PT-8448                           |                                   | 84" | 48" | 29"      | 280 Lbs. | 18 Cu Ft | \$ 3,906   |   |
| PT-9636   | 96" Wide Rectangle Reading Tables | 96"                               | 36" | 29" | 310 Lbs. | 15 Cu Ft | \$ 3,844 |            |   |
| PT-9648   |                                   | 96"                               | 48" | 29" | 320 Lbs. | 20 Cu Ft | \$ 4,088 |            |   |



| MODEL NUMBER | PRODUCT                                     | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|---|-----|-----|-----|----------|----------|------------|--|
| PT-6048-PB   | 60" Wide Rectangle Panel Base Reading Table | 60" | 48" | 29" | 250 Lbs. | 21 Cu Ft | \$ 7,556   | <p><b>PODIUM BASE PANEL:</b> Base panels shall be constructed 3" thick built-up high density particle core, with premium grade "A" face veneers. The panels shall be designed with a 4<sup>1</sup>/<sub>4</sub>" wide x 1<sup>1</sup>/<sub>2</sub>" deep indentation separating two raised panel faces. The center indentation shall receive a 3<sup>3</sup>/<sub>16</sub>" thick x 1<sup>1</sup>/<sub>8</sub>" deep solid black inlay, the inlay will begin and end 2" from the top and bottom. The front panel of each face shall be designed using rift-cut veneers 2" wide running horizontally and vertically around the perimeter of the panel meeting at mitered corners, thus giving a raised panel effect. Panels are framed on four sides with 1<sup>1</sup>/<sub>8</sub>" thick x 3" wide solid hardwood, having the top and bottom members overlapping the vertical edges. The base shall be constructed in a podium fashion with 1<sup>1</sup>/<sub>4</sub>" thick x 4" high solid hardwood faces mitered on four sides of the panel and throughout the indentation.</p> <p><b>VENEER TOP (OPTION):</b> Work surface shall constitute the same construction as above only that the top will be veneered and finished with a polyurethane finish. The work surface shall be accentuated with a black reveal. A 3<sup>3</sup>/<sub>16</sub>" black reveal shall be inlaid 7" from the leading edge and run horizontally across the table and down the top on either side.</p> <p><b>TOP SUPPORT:</b> A 2" thick x 6" high solid hardwood keel shall be fitted between the panels and the underside of the sub-top by means of metal key-hole inserts, fasteners and wood screws.</p> <p><b>GLIDES:</b> Each leg will be fitted with a threaded T-nut to accept a 1<sup>1</sup>/<sub>8</sub>" diameter cushioned glide with a 1" x 5<sup>5</sup>/<sub>16</sub>" threaded stem.</p> <p><b>WORK SURFACE:</b> Work surface shall be constructed 2" thick built-up high density particle core. Work surface to be laminated with a .050" thick high pressure laminate sheet, bottom surface laminated with a backing sheet not less than .020" thick. The two long horizontal edges of the work surface shall be banded with a 2" wide x 2" thick solid external edge. The edge shall be machined inward creating a chamfered knife edge detail. The finished edge shall be 3<sup>3</sup>/<sub>4</sub>" thick at the leading edge and 2" thick at the back. The top and bottom of the leading edge shall be radiused 3<sup>3</sup>/<sub>16</sub>". The two short vertical edges shall be externally banded with 1<sup>1</sup>/<sub>8</sub>" thick x 2" high solid hardwood. Edges shall be banded to top after the top and bottom laminate sheets have been applied. The tapered edges of the work surface shall extend 8<sup>3</sup>/<sub>4</sub>" beyond the table bases. A 3<sup>3</sup>/<sub>4</sub>" thick sub-top shall be incorporated into the construction and assembly of the top and the base panels. The sub-top shall be fastened to the top by means of wood screws passing through the sub-top and into the work surface.</p> <p><b>WORK SURFACE HEIGHT:</b> Standard work surface height shall be 29" high. Optional heights of 32" - wheelchair, 27" and 25" may be specified at no additional upcharge</p> |
| PT-7248-PB   | 72" Wide Rectangle Panel Base Reading Table | 72" | 48" | 29" | 310 Lbs. | 30 Cu Ft | \$ 7,663   |  |
| PT-8448-PB   | 84" Wide Rectangle Panel Base Reading Table | 84" | 48" | 29" | 250 Lbs. | 21 Cu Ft | \$ 8,038   |  |
| PT-9648-PB   | 96" Wide Rectangle Panel Base Reading Table | 96" | 48" | 29" | 330 Lbs. | 34 Cu Ft | \$ 8,144   |  |



| MODEL NUMBER | PRODUCT     | W                                | D   | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|-------------|----------------------------------|-----|----------------------------------|----------|----------|------------|--|
| VT-AS        | Atlas Stand | 30 <sup>1</sup> / <sub>2</sub> " | 29" | 44 <sup>1</sup> / <sub>2</sub> " | 260 Lbs. | 30 Cu Ft | \$ 5,150   | <p>CONSTRUCTION ASSEMBLY: A <sup>3</sup>/<sub>4</sub>" thick particleboard core back complete with grade "A" veneer faces shall be attached to the end panels by means of hidden key-hole fasteners. The top will be fastened to the end panels and back by means of male and female beta clips. The unit will accommodate five pull-out shelves operating on blum slides. Shelves will be constructed of <sup>3</sup>/<sub>4</sub>" thick plywood with grade "A" veneer faces and the front edge banded with a <sup>3</sup>/<sub>4</sub>" thick x 1<sup>3</sup>/<sub>4</sub>" high solid retainer lip.</p> <p>Sloped top assembly shall be constructed from <sup>3</sup>/<sub>4</sub>" thick high density particleboard core, assembled by means of tongue and groove. All surfaces of top to be laminated with a .050" thick laminate. Top will be fitted with a book support rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" deep.</p> <p>END PANEL FRAME ASSEMBLY: End panels shall be constructed 1<sup>3</sup>/<sub>4</sub>" thick, consisting of a 1<sup>1</sup>/<sub>4</sub>" thick 3 ply particleboard core with plain sliced veneer both faces. Panels are framed on four sides with 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical frames. The panel will then be fitted with three <sup>5</sup>/<sub>8</sub>" thick x 2" wide solid vertical pilasters inset with the top and bottom solid frame members. All edges of panel frame and pilasters will be eased.</p> <p>GLIDES: Each leg will be fitted with a threaded T-nut to accept a 1<sup>1</sup>/<sub>8</sub>" diameter cushioned glide with a 1" x <sup>5</sup>/<sub>16</sub>" threaded stem.</p> |



| MODEL NUMBER | PRODUCT          | W                                | D   | H                                | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|------------------|----------------------------------|-----|----------------------------------|----------|----------|------------|--|
| VT-DC        | Dictionary Stand | 27 <sup>1</sup> / <sub>2</sub> " | 21" | 44 <sup>1</sup> / <sub>2</sub> " | 180 Lbs. | 20 Cu Ft | \$ 4,013   | <p>CONSTRUCTION ASSEMBLY: A <sup>3</sup>/<sub>4</sub>" thick particleboard core back complete with grade "A" veneer faces shall be attached to the end panels by means of hidden key-hole fasteners. The top will be fastened to the end panels and back by means of male and female beta clips. Unit will come complete with one shelf and a fixed bottom, constructed from <sup>3</sup>/<sub>4</sub>" thick plywood with grade "A" veneer on both faces, front edge of shelf banded with a <sup>1</sup>/<sub>4</sub>" thick solid hardwood. Shelf will be adjustable on <sup>1</sup>/<sub>4</sub>" increments. The fixed bottom shelf will have a <sup>3</sup>/<sub>4</sub>" x <sup>1</sup>/<sub>4</sub>" drop edge mounted to the front edge.</p> <p>Sloped top assembly shall be constructed from <sup>3</sup>/<sub>4</sub>" thick high density particleboard core, assembled by means of tongue and groove. All surfaces of top to be laminated with a .050" thick laminate. Top will be fitted with a book support rail <sup>5</sup>/<sub>8</sub>" thick x <sup>5</sup>/<sub>8</sub>" deep.</p> <p>END PANEL FRAME ASSEMBLY: End panels shall be constructed <sup>1</sup>/<sub>4</sub>" thick, consisting of a <sup>1</sup>/<sub>4</sub>" thick 3 ply particleboard core with plain sliced veneer both faces. Panels are framed on four sides with <sup>1</sup>/<sub>4</sub>" thick x <sup>2</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical frames. The panel will then be fitted with three <sup>5</sup>/<sub>8</sub>" thick x 2" wide solid vertical pilasters inset with the top and bottom solid frame members. All edges of panel frame and pilasters will be eased.</p> <p>GLIDES: Each leg will be fitted with a threaded T-nut to accept a <sup>1</sup>/<sub>8</sub>" diameter cushioned glide with a 1" x <sup>5</sup>/<sub>16</sub>" threaded stem.</p> |



| MODEL NUMBER | PRODUCT                                  | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--------------|--|----------------------------------|----------------------------------|-----|----------|----------|------------|--|
| VT-DP        | Display Table                            | 30 <sup>1</sup> / <sub>2</sub> " | 62 <sup>1</sup> / <sub>2</sub> " | 39" | 245 Lbs. | 23 Cu Ft | \$ 8,400   | <p>CASE CONSTRUCTION: Wood framing constructed from 1<sup>1</sup>/<sub>2</sub>" x 1<sup>1</sup>/<sub>2</sub>" solid. Framing to be routed to receive 1/4" thick glass on all four sides. Wood framing shall incorporate glass by means of tongue and groove assembly. All wood edges to be slightly radiused. The back side of the case is equipped with sliding glass doors complete with lock. Case will be fastened to top by means of wood screws.</p>   |
| VT-DP-FB     | Display Table with Fabric Covered Bottom | 30 <sup>1</sup> / <sub>2</sub> " | 62 <sup>1</sup> / <sub>2</sub> " | 39" | 245 Lbs. | 23 Cu Ft | \$ 9,231   | <p>TOP: Display top shall be constructed of 1<sup>1</sup>/<sub>4</sub>" thick 3 ply particleboard core. Top surface to be laminated with a .050" thick high pressure laminate sheet, bottom surface laminated with a backing sheet not less than .020" thick for balanced construction. The two long edges shall receive a 3/4" x 1<sup>5</sup>/<sub>8</sub>" solid external hardwood edge. Edges shall be applied to top after the top and bottom laminate sheets have been applied. Top shall receive a 1/32" V-groove detail where laminate and solid meet.</p> <p>TOP SUPPORT: The top will be fitted with a 6" high x 1" thick wood keel. The keel shall be mounted to the underside of the top and fastened to the end panels by means of wood cleats and screws.</p> <p>END PANEL FRAME ASSEMBLY: End panels shall be constructed 1<sup>3</sup>/<sub>4</sub>" thick, consisting of a 1<sup>1</sup>/<sub>4</sub>" thick 3 ply particleboard core with plain sliced veneer both faces. Panels are framed on four sides with 1<sup>3</sup>/<sub>4</sub>" thick x 2<sup>1</sup>/<sub>2</sub>" wide solid hardwood, having the top and bottom members overlapping the vertical frames. The panel will then be fitted with three 5/8" thick x 2" wide solid vertical pilasters inset with the top and bottom solid frame members. All edges of panel frame and pilasters will be eased. Panels will be fastened to top by means of solid hardwood cleats.</p> <p>GLIDES: Each leg will be fitted with a threaded T-nut to accept a 1<sup>1</sup>/<sub>8</sub>" diameter cushioned glide with a 1" x 5/16" threaded stem.</p> <p>OPTION: Fabric bottom</p> |

| MODEL NUMBER  | PRODUCT  | W              | D           | H                                | WEIGHT                           | VOLUME | LIST PRICE | DESCRIPTION |          |
|---|--|----------------|-------------|----------------------------------|----------------------------------|--------|------------|-------------|----------|
|     | Single Face Study Carrel<br>Version 1, 36" High:   | VT-SC-V1-36-SS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36"    | 340 Lbs.   | 11 Cu Ft    | \$ 3,994 |
|    |  | VT-SC-V1-36-SA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36"    |            |             | \$ 3,269 |
|   |  | VT-SC-V1-48-SS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,069 |
|   |  | VT-SC-V1-48-SA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36"    |            |             | \$ 3,344 |
|     | Double Face Study Carrel<br>Version 1, 36" High:   | VT-SC-V1-36-DS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    | 655 Lbs.   | 22 Cu Ft    | \$ 5,856 |
|    |  | VT-SC-V1-36-DA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    |            |             | \$ 4,719 |
|   |  | VT-SC-V1-48-DS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    | 710 Lbs.   | 22 Cu Ft    | \$ 5,963 |
|   |  | VT-SC-V1-48-DA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    |            |             | \$ 4,825 |
|   | Single Face Modular Carrel<br>Version 1, 48" High: | VT-MC-V1-36-SS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,438 |
|  |  | VT-MC-V1-36-SA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48"    |            |             | \$ 3,581 |
|   |  | VT-MC-V1-48-SS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,513 |
|   |  | VT-MC-V1-48-SA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48"    |            |             | \$ 3,650 |
|   | Double Face Modular Carrel<br>Version 1, 48" High: | VT-MC-V1-36-DS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    | 655 Lbs.   | 22 Cu Ft    | \$ 6,475 |
|  |  | VT-MC-V1-36-DA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    |            |             | \$ 5,106 |
|   |  | VT-MC-V1-48-DS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    | 710 Lbs.   | 22 Cu Ft    | \$ 6,588 |
|   |  | VT-MC-V1-48-DA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    |            |             | \$ 5,225 |

| MODEL NUMBER  | PRODUCT  | W              | D           | H                                | WEIGHT                           | VOLUME | LIST PRICE | DESCRIPTION |          |
|---|--|----------------|-------------|----------------------------------|----------------------------------|--------|------------|-------------|----------|
|     | Single Face Study Carrel<br>Version 2, 36" High:   | VT-SC-V2-36-SS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36"    | 340 Lbs.   | 11 Cu Ft    | \$ 3,950 |
|    |  | VT-SC-V2-36-SA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36"    |            |             | \$ 3,238 |
|   |  | VT-SC-V2-48-SS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,031 |
|   |  | VT-SC-V2-48-SA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36"    |            |             | \$ 3,313 |
|     | Double Face Study Carrel<br>Version 2, 36" High:   | VT-SC-V2-36-DS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    | 655 Lbs.   | 22 Cu Ft    | \$ 5,775 |
|    |  | VT-SC-V2-36-DA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    |            |             | \$ 4,581 |
|   |  | VT-SC-V2-48-DS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    | 710 Lbs.   | 22 Cu Ft    | \$ 5,881 |
|   |  | VT-SC-V2-48-DA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    |            |             | \$ 4,688 |
|   | Single Face Modular Carrel<br>Version 2, 48" High: | VT-MC-V2-36-SS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,394 |
|  |  | VT-MC-V2-36-SA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48"    |            |             | \$ 3,550 |
|   |  | VT-MC-V2-48-SS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,469 |
|   |  | VT-MC-V2-48-SA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48"    |            |             | \$ 3,625 |
|   | Double Face Modular Carrel<br>Version 2, 48" High: | VT-MC-V2-36-DS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    | 655 Lbs.   | 22 Cu Ft    | \$ 6,394 |
|  |  | VT-MC-V2-36-DA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    |            |             | \$ 4,969 |
|   |  | VT-MC-V2-48-DS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    | 710 Lbs.   | 22 Cu Ft    | \$ 6,506 |
|   |  | VT-MC-V2-48-DA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    |            |             | \$ 5,081 |

| MODEL NUMBER  | PRODUCT  | W              | D           | H                                | WEIGHT                           | VOLUME | LIST PRICE | DESCRIPTION |          |
|---|--|----------------|-------------|----------------------------------|----------------------------------|--------|------------|-------------|----------|
|     | Single Face Study Carrel<br>Version 3, 36" High:   | VT-SC-V3-36-SS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36"    | 340 Lbs.   | 11 Cu Ft    | \$ 3,794 |
|    |  | VT-SC-V3-36-SA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36"    |            |             | \$ 3,119 |
|   |  | VT-SC-V3-48-SS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36"    | 340 Lbs.   | 11 Cu Ft    | \$ 3,869 |
|   |  | VT-SC-V3-48-SA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36"    |            |             | \$ 3,194 |
|     | Double Face Study Carrel<br>Version 3, 36" High:   | VT-SC-V3-36-DS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    | 655 Lbs.   | 22 Cu Ft    | \$ 5,456 |
|    |  | VT-SC-V3-36-DA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    |            |             | \$ 4,419 |
|   |  | VT-SC-V3-48-DS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    | 710 Lbs.   | 22 Cu Ft    | \$ 5,563 |
|   |  | VT-SC-V3-48-DA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36"    |            |             | \$ 4,525 |
|   | Single Face Modular Carrel<br>Version 3, 48" High: | VT-MC-V3-36-SS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,250 |
|  |  | VT-MC-V3-36-SA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48"    |            |             | \$ 3,444 |
|   |  | VT-MC-V3-48-SS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48"    | 340 Lbs.   | 11 Cu Ft    | \$ 4,325 |
|   |  | VT-MC-V3-48-SA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48"    |            |             | \$ 3,519 |
|   | Double Face Modular Carrel<br>Version 3, 48" High: | VT-MC-V3-36-DS | 36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    | 655 Lbs.   | 22 Cu Ft    | \$ 6,100 |
|  |  | VT-MC-V3-36-DA | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    |            |             | \$ 4,819 |
|   |  | VT-MC-V3-48-DS | 48" Starter | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    | 710 Lbs.   | 22 Cu Ft    | \$ 6,219 |
|   |  | VT-MC-V3-48-DA | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48"    |            |             | \$ 4,938 |

| MODEL NUMBER   | PRODUCT   | W  | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|---|--|----------------------------------|-----|----------|----------|------------|-------------|
|    |    | Single Face Study Carrel<br>Version 4, 36" High:   |                                  |     |          |          |            |             |
| VT-SC-V4-36-SS   | 36" Starter   | 38 <sup>1</sup> / <sub>2</sub> "                   | 31"                              | 36" | 340 Lbs. | 11 Cu Ft | \$ 3,894   |             |
| VT-SC-V4-36-SA   | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> "                   | 31"                              | 36" |          |          | \$ 3,169   |             |
| VT-SC-V4-48-SS   | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> "                   | 31"                              | 36" | 340 Lbs. | 11 Cu Ft | \$ 3,975   |             |
| VT-SC-V4-48-SA   | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> "                   | 31"                              | 36" |          |          | \$ 3,244   |             |
|    |    | Double Face Study Carrel<br>Version 4, 36" High:   |                                  |     |          |          |            |             |
| VT-SC-V4-36-DS   | 36" Starter   | 38 <sup>1</sup> / <sub>2</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 36" | 655 Lbs. | 22 Cu Ft | \$ 5,663   |             |
| VT-SC-V4-36-DA   | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 36" |          |          | \$ 4,519   |             |
| VT-SC-V4-48-DS   | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 36" | 710 Lbs. | 22 Cu Ft | \$ 5,769   |             |
| VT-SC-V4-48-DA   | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 36" |          |          | \$ 4,625   |             |
|  |  | Single Face Modular Carrel<br>Version 4, 48" High: |                                  |     |          |          |            |             |
| VT-MC-V4-36-SS   | 36" Starter   | 38 <sup>1</sup> / <sub>2</sub> "                   | 31"                              | 48" | 340 Lbs. | 11 Cu Ft | \$ 4,350   |             |
| VT-MC-V4-36-SA   | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> "                   | 31"                              | 48" |          |          | \$ 3,494   |             |
| VT-MC-V4-48-SS   | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> "                   | 31"                              | 48" | 340 Lbs. | 11 Cu Ft | \$ 4,425   |             |
| VT-MC-V4-48-SA   | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> "                   | 31"                              | 48" |          |          | \$ 3,569   |             |
|  |  | Double Face Modular Carrel<br>Version 4, 48" High: |                                  |     |          |          |            |             |
| VT-MC-V4-36-DS   | 36" Starter   | 38 <sup>1</sup> / <sub>2</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 48" | 655 Lbs. | 22 Cu Ft | \$ 6,306   |             |
| VT-MC-V4-36-DA   | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 48" |          |          | \$ 4,938   |             |
| VT-MC-V4-48-DS   | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 48" | 710 Lbs. | 22 Cu Ft | \$ 6,419   |             |
| VT-MC-V4-48-DA   | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> "                   | 60 <sup>1</sup> / <sub>2</sub> " | 48" |          |          | \$ 5,050   |             |

| MODEL NUMBER  | PRODUCT   | W                                | D                                | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|---|---|----------------------------------|----------------------------------|-----|----------|----------|------------|-------------|
|     | Single Face Study Carrel<br>Version 5, 36" High:<br>36" Starter   | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36" | 340 Lbs. | 11 Cu Ft | \$ 3,888   |             |
|    | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36" |          |          | \$ 3,163   |             |
|     | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 36" | 340 Lbs. | 11 Cu Ft | \$ 3,969   |             |
|    | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 36" |          |          | \$ 3,244   |             |
|     | Double Face Study Carrel<br>Version 5, 36" High:<br>36" Starter   | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36" | 655 Lbs. | 22 Cu Ft | \$ 5,656   |             |
|    | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36" |          |          | \$ 4,519   |             |
|     | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36" | 710 Lbs. | 22 Cu Ft | \$ 5,763   |             |
|    | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 36" |          |          | \$ 4,625   |             |
|   | Single Face Modular Carrel<br>Version 5, 48" High:<br>36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48" | 340 Lbs. | 11 Cu Ft | \$ 4,331   |             |
|  | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48" |          |          | \$ 3,475   |             |
|   | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> " | 31"                              | 48" | 340 Lbs. | 11 Cu Ft | \$ 4,406   |             |
|  | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 31"                              | 48" |          |          | \$ 3,550   |             |
|   | Double Face Modular Carrel<br>Version 5, 48" High:<br>36" Starter | 38 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48" | 655 Lbs. | 22 Cu Ft | \$ 6,275   |             |
|  | 36" Adder   | 36 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48" |          |          | \$ 4,906   |             |
|   | 48" Starter   | 50 <sup>1</sup> / <sub>2</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48" | 710 Lbs. | 22 Cu Ft | \$ 6,388   |             |
|  | 48" Adder   | 48 <sup>3</sup> / <sub>4</sub> " | 60 <sup>1</sup> / <sub>2</sub> " | 48" |          |          | \$ 5,019   |             |

|  | MODEL NUMBER   | PRODUCT  | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|----------------|--|----------------------------------|-----|-----|----------|----------|------------|-------------|
|    | VT-PAC-1-V1-29 | 1 Person PAC Table, Version 1:<br>Sitting Height | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 130 Lbs. | 13 Cu Ft | \$ 5,056   |             |
|  | VT-PAC-1-V1-32 | Wheelchair Accessible                            | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 130 Lbs. | 16 Cu Ft | \$ 5,113   |             |
|  | VT-PAC-1-V1-39 | Standing Height                                  | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 135 Lbs. | 23 Cu Ft | \$ 5,250   |             |
|    | VT-PAC-2-V1-29 | 2 Person PAC Table, Version 1:<br>Sitting Height | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 200 Lbs. | 27 Cu Ft | \$ 5,975   |             |
|  | VT-PAC-2-V1-32 | Wheelchair Accessible                            | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 200 Lbs. | 33 Cu Ft | \$ 6,038   |             |
|  | VT-PAC-2-V1-39 | Standing Height                                  | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 205 Lbs. | 46 Cu Ft | \$ 6,169   |             |
|  | VT-PAC-3-V1-29 | 3 Person PAC Table, Version 1:<br>Sitting Height | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 250 Lbs. | 34 Cu Ft | \$ 6,588   |             |
|  | VT-PAC-3-V1-32 | Wheelchair Accessible                            | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 250 Lbs. | 41 Cu Ft | \$ 6,644   |             |
|  | VT-PAC-3-V1-39 | Standing Height                                  | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 260 Lbs. | 58 Cu Ft | \$ 6,781   |             |

|  | MODEL NUMBER   | PRODUCT  | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|----------------|--|----------------------------------|-----|-----|----------|----------|------------|-------------|
|    | VT-PAC-1-V2-29 | 1 Person PAC Table, Version 2:<br>Sitting Height | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 130 Lbs. | 13 Cu Ft | \$ 4,950   |             |
|  | VT-PAC-1-V2-32 | Wheelchair Accessible                            | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 130 Lbs. | 16 Cu Ft | \$ 4,963   |             |
|  | VT-PAC-1-V2-39 | Standing Height                                  | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 135 Lbs. | 23 Cu Ft | \$ 5,000   |             |
|    | VT-PAC-2-V2-29 | 2 Person PAC Table, Version 2:<br>Sitting Height | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 200 Lbs. | 27 Cu Ft | \$ 5,869   |             |
|  | VT-PAC-2-V2-32 | Wheelchair Accessible                            | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 200 Lbs. | 33 Cu Ft | \$ 5,881   |             |
|  | VT-PAC-2-V2-39 | Standing Height                                  | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 205 Lbs. | 46 Cu Ft | \$ 5,919   |             |
|  | VT-PAC-3-V2-29 | 3 Person PAC Table, Version 2:<br>Sitting Height | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 250 Lbs. | 34 Cu Ft | \$ 6,481   |             |
|  | VT-PAC-3-V2-32 | Wheelchair Accessible                            | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 250 Lbs. | 41 Cu Ft | \$ 6,494   |             |
|  | VT-PAC-3-V2-39 | Standing Height                                  | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 260 Lbs. | 58 Cu Ft | \$ 6,531   |             |

|  | MODEL NUMBER   | PRODUCT  | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|----------------|--|----------------------------------|-----|-----|----------|----------|------------|-------------|
|    | VT-PAC-1-V3-29 | 1 Person PAC Table, Version 3:<br>Sitting Height | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 130 Lbs. | 13 Cu Ft | \$ 4,794   |             |
|  | VT-PAC-1-V3-32 | Wheelchair Accessible                            | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 130 Lbs. | 16 Cu Ft | \$ 4,806   |             |
|  | VT-PAC-1-V3-39 | Standing Height                                  | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 135 Lbs. | 23 Cu Ft | \$ 4,819   |             |
|    | VT-PAC-2-V3-29 | 2 Person PAC Table, Version 3:<br>Sitting Height | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 200 Lbs. | 27 Cu Ft | \$ 5,713   |             |
|  | VT-PAC-2-V3-32 | Wheelchair Accessible                            | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 200 Lbs. | 33 Cu Ft | \$ 5,725   |             |
|  | VT-PAC-2-V3-39 | Standing Height                                  | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 205 Lbs. | 46 Cu Ft | \$ 5,738   |             |
|  | VT-PAC-3-V3-29 | 3 Person PAC Table, Version 3:<br>Sitting Height | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 250 Lbs. | 34 Cu Ft | \$ 6,325   |             |
|  | VT-PAC-3-V3-32 | Wheelchair Accessible                            | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 250 Lbs. | 41 Cu Ft | \$ 6,338   |             |
|  | VT-PAC-3-V3-39 | Standing Height                                  | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 260 Lbs. | 58 Cu Ft | \$ 6,350   |             |

|  | MODEL NUMBER   | PRODUCT  | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|----------------|--|----------------------------------|-----|-----|----------|----------|------------|-------------|
|    | VT-PAC-1-V4-29 | 1 Person PAC Table, Version 4:<br>Sitting Height | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 130 Lbs. | 13 Cu Ft | \$ 4,894   |             |
|  | VT-PAC-1-V4-32 | Wheelchair Accessible                            | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 130 Lbs. | 16 Cu Ft | \$ 4,906   |             |
|  | VT-PAC-1-V4-39 | Standing Height                                  | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 135 Lbs. | 23 Cu Ft | \$ 4,919   |             |
|    | VT-PAC-2-V4-29 | 2 Person PAC Table, Version 4:<br>Sitting Height | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 200 Lbs. | 27 Cu Ft | \$ 5,813   |             |
|  | VT-PAC-2-V4-32 | Wheelchair Accessible                            | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 200 Lbs. | 33 Cu Ft | \$ 5,825   |             |
|  | VT-PAC-2-V4-39 | Standing Height                                  | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 205 Lbs. | 46 Cu Ft | \$ 5,838   |             |
|  | VT-PAC-3-V4-29 | 3 Person PAC Table, Version 4:<br>Sitting Height | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 250 Lbs. | 34 Cu Ft | \$ 6,425   |             |
|  | VT-PAC-3-V4-32 | Wheelchair Accessible                            | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 250 Lbs. | 41 Cu Ft | \$ 6,438   |             |
|  | VT-PAC-3-V4-39 | Standing Height                                  | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 260 Lbs. | 58 Cu Ft | \$ 6,450   |             |

|  | MODEL NUMBER   | PRODUCT  | W                                | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|----------------|--|----------------------------------|-----|-----|----------|----------|------------|-------------|
|    | VT-PAC-1-V5-29 | 1 Person PAC Table, Version 5:<br>Sitting Height | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 130 Lbs. | 13 Cu Ft | \$ 4,969   |             |
|  | VT-PAC-1-V5-32 | Wheelchair Accessible                            | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 130 Lbs. | 16 Cu Ft | \$ 4,988   |             |
|  | VT-PAC-1-V5-39 | Standing Height                                  | 37 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 135 Lbs. | 23 Cu Ft | \$ 5,038   |             |
|    | VT-PAC-2-V5-29 | 2 Person PAC Table, Version 5:<br>Sitting Height | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 200 Lbs. | 27 Cu Ft | \$ 5,888   |             |
|  | VT-PAC-2-V5-32 | Wheelchair Accessible                            | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 200 Lbs. | 33 Cu Ft | \$ 5,906   |             |
|  | VT-PAC-2-V5-39 | Standing Height                                  | 73 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 205 Lbs. | 46 Cu Ft | \$ 5,956   |             |
|  | VT-PAC-3-V5-29 | 3 Person PAC Table, Version 5:<br>Sitting Height | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 37" | 250 Lbs. | 34 Cu Ft | \$ 6,500   |             |
|  | VT-PAC-3-V5-32 | Wheelchair Accessible                            | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 40" | 250 Lbs. | 41 Cu Ft | \$ 6,519   |             |
|  | VT-PAC-3-V5-39 | Standing Height                                  | 91 <sup>1</sup> / <sub>2</sub> " | 36" | 47" | 260 Lbs. | 58 Cu Ft | \$ 6,569   |             |

|  | MODEL NUMBER | PRODUCT              | W        | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|--|--------------|----------------------|----------|-----|-----|----------|----------|------------|-------------|
|  | VT-R42       | Round Reading Table  | 42" Dia. |     | 29" | 90 Lbs.  | 8 Cu Ft  | \$ 2,669   |             |
|  | VT-R48       |                      | 48" Dia. |     | 29" | 100 Lbs. | 10 Cu Ft | \$ 3,516   |             |
|  | VT-4242      | Square Reading Table | 42"      | 42" | 29" | 170 Lbs. | 8 Cu Ft  | \$ 3,945   |             |
|  | VT-4848      |                      | 48"      | 48" | 29" | 230 Lbs. | 10 Cu Ft | \$ 4,235   |             |

|   | MODEL NUMBER | PRODUCT   | W   | D        | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|---|--------------|---|-----|----------|----------|----------|----------|------------|-------------|
|   | VT-V1-6036   | Rectangle Reading Table,<br>Version 1           | 60" | 36"      | 29"      | 200 Lbs. | 10 Cu Ft | \$ 4,231   |             |
|   | VT-V1-6048   |   | 60" | 48"      | 29"      | 270 Lbs. | 13 Cu Ft | \$ 4,569   |             |
|   | VT-V1-7236   | 72"   | 36" | 29"      | 230 Lbs. | 12 Cu Ft | \$ 4,444 |            |             |
|   | VT-V1-7248   | 72"   | 48" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,800 |            |             |
|   | VT-V1-8436   | 84"   | 36" | 29"      | 290 Lbs. | 13 Cu Ft | \$ 4,688 |            |             |
| VT-V1-8448  | 84"          | 48"   | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,069 |          |            |             |
|   | VT-V1-9636   | 96"   | 36" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,900 |            |             |
|   | VT-V1-9648   | 96"   | 48" | 29"      | 340 Lbs. | 20 Cu Ft | \$ 5,300 |            |             |
|  | VT-V1R-6036  | Rectangle Reading Table With Rail,<br>Version 1 | 60" | 36"      | 29"      | 200 Lbs. | 10 Cu Ft | \$ 4,419   |             |
|   | VT-V1R-6048  |   | 60" | 48"      | 29"      | 270 Lbs. | 13 Cu Ft | \$ 4,756   |             |
|   | VT-V1R-7236  | 72"   | 36" | 29"      | 230 Lbs. | 12 Cu Ft | \$ 4,681 |            |             |
|   | VT-V1R-7248  | 72"   | 48" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 5,031 |            |             |
|   | VT-V1R-8436  | 84"   | 36" | 29"      | 290 Lbs. | 13 Cu Ft | \$ 4,963 |            |             |
| VT-V1R-8448   | 84"          | 48"   | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,344 |          |            |             |
|   | VT-V1R-9636  | 96"   | 36" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 5,225 |            |             |
|   | VT-V1R-9648  | 96"   | 48" | 29"      | 340 Lbs. | 20 Cu Ft | \$ 5,619 |            |             |

|   | MODEL NUMBER | PRODUCT                                      | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|---|--------------|--|-----|-----|-----|----------|----------|------------|-------------|
|   | VT-V2-6036   | Rectangle Reading Table, Version 2           | 60" | 36" | 29" | 200 Lbs. | 10 Cu Ft | \$ 4,119   |             |
|   | VT-V2-6048   |  | 60" | 48" | 29" | 270 Lbs. | 13 Cu Ft | \$ 4,500   |             |
|   | VT-V2-7236   |  | 72" | 36" | 29" | 230 Lbs. | 12 Cu Ft | \$ 4,338   |             |
|   | VT-V2-7248   |  | 72" | 48" | 29" | 290 Lbs. | 15 Cu Ft | \$ 4,738   |             |
|   | VT-V2-8436   |  | 84" | 36" | 29" | 290 Lbs. | 13 Cu Ft | \$ 4,575   |             |
|   | VT-V2-8448   |  | 84" | 48" | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,000   |             |
|   | VT-V2-9636   |  | 96" | 36" | 29" | 290 Lbs. | 15 Cu Ft | \$ 4,794   |             |
|   | VT-V2-9648   |  | 96" | 48" | 29" | 340 Lbs. | 20 Cu Ft | \$ 5,238   |             |
|  | VT-V2R-6036  | Rectangle Reading Table With Rail, Version 2 | 60" | 36" | 29" | 200 Lbs. | 10 Cu Ft | \$ 4,306   |             |
|   | VT-V2R-6048  |  | 60" | 48" | 29" | 270 Lbs. | 13 Cu Ft | \$ 4,694   |             |
|   | VT-V2R-7236  |  | 72" | 36" | 29" | 230 Lbs. | 12 Cu Ft | \$ 4,569   |             |
|   | VT-V2R-7248  |  | 72" | 48" | 29" | 290 Lbs. | 15 Cu Ft | \$ 4,969   |             |
|   | VT-V2R-8436  |  | 84" | 36" | 29" | 290 Lbs. | 13 Cu Ft | \$ 4,681   |             |
|   | VT-V2R-8448  |  | 84" | 48" | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,275   |             |
|   | VT-V2R-9636  |  | 96" | 36" | 29" | 290 Lbs. | 15 Cu Ft | \$ 5,113   |             |
|   | VT-V2R-9648  |  | 96" | 48" | 29" | 340 Lbs. | 20 Cu Ft | \$ 5,556   |             |

|   | MODEL NUMBER | PRODUCT                                      | W   | D        | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|---|--------------|--|-----|----------|----------|----------|----------|------------|-------------|
|   | VT-V3-6036   | Rectangle Reading Table, Version 3           | 60" | 36"      | 29"      | 200 Lbs. | 10 Cu Ft | \$ 3,963   |             |
|   | VT-V3-6048   |  | 60" | 48"      | 29"      | 270 Lbs. | 13 Cu Ft | \$ 4,306   |             |
|   | VT-V3-7236   | 72"  | 36" | 29"      | 230 Lbs. | 12 Cu Ft | \$ 4,181 |            |             |
|   | VT-V3-7248   | 72"  | 48" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,538 |            |             |
|   | VT-V3-8436   | 84"  | 36" | 29"      | 290 Lbs. | 13 Cu Ft | \$ 4,419 |            |             |
| VT-V3-8448  | 84"          | 48"  | 29" | 290 Lbs. | 18 Cu Ft | \$ 4,800 |          |            |             |
|   | VT-V3-9636   |  | 96" | 36"      | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,638   |             |
|   | VT-V3-9648   |  | 96" | 48"      | 29"      | 340 Lbs. | 20 Cu Ft | \$ 5,038   |             |
|  | VT-V3R-6036  | Rectangle Reading Table With Rail, Version 3 | 60" | 36"      | 29"      | 200 Lbs. | 10 Cu Ft | \$ 4,150   |             |
|   | VT-V3R-6048  |  | 60" | 48"      | 29"      | 270 Lbs. | 13 Cu Ft | \$ 4,494   |             |
|   | VT-V3R-7236  | 72"  | 36" | 29"      | 230 Lbs. | 12 Cu Ft | \$ 4,413 |            |             |
|   | VT-V3R-7248  | 72"  | 48" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,769 |            |             |
|   | VT-V3R-8436  | 84"  | 36" | 29"      | 290 Lbs. | 13 Cu Ft | \$ 4,700 |            |             |
| VT-V3R-8448   | 84"          | 48"  | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,075 |          |            |             |
|   | VT-V3R-9636  |  | 96" | 36"      | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,956   |             |
|   | VT-V3R-9648  |  | 96" | 48"      | 29"      | 340 Lbs. | 20 Cu Ft | \$ 5,356   |             |

|  | MODEL NUMBER  | PRODUCT                               | W   | D   | H   | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |  |
|--|---|---------------------------------------|---|-----|-----|----------|----------|------------|-------------|--|
|  | VT-V4-6036  | Rectangle Reading Table,<br>Version 4 | 60"   | 36" | 29" | 200 Lbs. | 10 Cu Ft | \$ 4,063   |             |  |
|  | VT-V4-6048  |                                       | 60"   | 48" | 29" | 270 Lbs. | 13 Cu Ft | \$ 4,450   |             |  |
|  | VT-V4-7236  |                                       | 72"   | 36" | 29" | 230 Lbs. | 12 Cu Ft | \$ 4,281   |             |  |
|  | VT-V4-7248  |                                       | 72"   | 48" | 29" | 290 Lbs. | 15 Cu Ft | \$ 4,681   |             |  |
|  | VT-V4-8436  |                                       | 84"   | 36" | 29" | 290 Lbs. | 13 Cu Ft | \$ 4,519   |             |  |
|  | VT-V4-8448  |                                       | 84"   | 48" | 29" | 290 Lbs. | 18 Cu Ft | \$ 4,944   |             |  |
|  | VT-V4-9636  |                                       | 96"   | 36" | 29" | 290 Lbs. | 15 Cu Ft | \$ 4,738   |             |  |
|  | VT-V4-9648  |                                       | 96"   | 48" | 29" | 340 Lbs. | 20 Cu Ft | \$ 5,181   |             |  |
|  |  | VT-V4R-6036                           | Rectangle Reading Table With Rail,<br>Version 4 | 60" | 36" | 29"      | 200 Lbs. | 10 Cu Ft   | \$ 4,250    |  |
|  |   | VT-V4R-6048                           |   | 60" | 48" | 29"      | 270 Lbs. | 13 Cu Ft   | \$ 4,638    |  |
| VT-V4R-7236  |   |                                       | 72"   | 36" | 29" | 230 Lbs. | 12 Cu Ft | \$ 4,513   |             |  |
| VT-V4R-7248  |   |                                       | 72"   | 48" | 29" | 290 Lbs. | 15 Cu Ft | \$ 4,913   |             |  |
| VT-V4R-8436  |   |                                       | 84"   | 36" | 29" | 290 Lbs. | 13 Cu Ft | \$ 4,800   |             |  |
| VT-V4R-8448  |   |                                       | 84"   | 48" | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,225   |             |  |
| VT-V4R-9636  |   |                                       | 96"   | 36" | 29" | 290 Lbs. | 15 Cu Ft | \$ 5,056   |             |  |
| VT-V4R-9648  |   |                                       | 96"   | 48" | 29" | 340 Lbs. | 20 Cu Ft | \$ 5,500   |             |  |

|   | MODEL NUMBER | PRODUCT   | W   | D        | H        | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |
|---|--------------|---|-----|----------|----------|----------|----------|------------|-------------|
|   | VT-V5-6036   | Rectangle Reading Table,<br>Version 5           | 60" | 36"      | 29"      | 200 Lbs. | 10 Cu Ft | \$ 4,138   |             |
|   | VT-V5-6048   |   | 60" | 48"      | 29"      | 270 Lbs. | 13 Cu Ft | \$ 4,519   |             |
|   | VT-V5-7236   | 72"   | 36" | 29"      | 230 Lbs. | 12 Cu Ft | \$ 4,356 |            |             |
|   | VT-V5-7248   | 72"   | 48" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,756 |            |             |
|   | VT-V5-8436   | 84"   | 36" | 29"      | 290 Lbs. | 13 Cu Ft | \$ 4,594 |            |             |
| VT-V5-8448  | 84"          | 48"   | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,019 |          |            |             |
|   | VT-V5-9636   | 96"   | 36" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,813 |            |             |
|   | VT-V5-9648   | 96"   | 48" | 29"      | 340 Lbs. | 20 Cu Ft | \$ 5,256 |            |             |
|  | VT-V5R-6036  | Rectangle Reading Table With Rail,<br>Version 5 | 60" | 36"      | 29"      | 200 Lbs. | 10 Cu Ft | \$ 4,325   |             |
|   | VT-V5R-6048  |   | 60" | 48"      | 29"      | 270 Lbs. | 13 Cu Ft | \$ 4,713   |             |
|   | VT-V5R-7236  | 72"   | 36" | 29"      | 230 Lbs. | 12 Cu Ft | \$ 4,588 |            |             |
|   | VT-V5R-7248  | 72"   | 48" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 4,988 |            |             |
|   | VT-V5R-8436  | 84"   | 36" | 29"      | 290 Lbs. | 13 Cu Ft | \$ 4,869 |            |             |
| VT-V5R-8448   | 84"          | 48"   | 29" | 290 Lbs. | 18 Cu Ft | \$ 5,294 |          |            |             |
|   | VT-V5R-9636  | 96"   | 36" | 29"      | 290 Lbs. | 15 Cu Ft | \$ 5,131 |            |             |
|   | VT-V5R-9648  | 96"   | 48" | 29"      | 340 Lbs. | 20 Cu Ft | \$ 5,575 |            |             |

|  | MODEL NUMBER | PRODUCT         | W   | D   | H         | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|-----------------|-----|-----|-----------|----------|----------|----------|------------|--|
|  | LX-200-32-SQ | Open Shelf Unit | 36" | 27" | 32"       | Square   | 225 Lbs. | 30 Cu Ft | \$ 3,025   | Unit complete with fixed bottom 39" high unit has two adjustable shelves. 32" high unit complete with one adjustable shelf.                                      |
|  | LX-200-39-SQ |                 | 36" | 27" | 39"       | Square   | 225 Lbs. | 30 Cu Ft | \$ 3,025   |  |
|  | LX-200-32-CH | 36"             | 27" | 32" | Chamfered | 225 Lbs. | 30 Cu Ft | \$ 3,113 |            |  |
|  | LX-200-39-CH | 36"             | 27" | 39" | Chamfered | 225 Lbs. | 30 Cu Ft | \$ 3,113 |            |  |
|  | LX-200-32-BN | 36"             | 27" | 32" | Bullnose  | 225 Lbs. | 30 Cu Ft | \$ 3,113 |            |  |
|  | LX-200-39-BN | 36"             | 27" | 39" | Bullnose  | 225 Lbs. | 30 Cu Ft | \$ 3,113 |            |  |
|  | LX-201-32-SQ | Cupboard Unit   | 36" | 27" | 32"       | Square   | 225 Lbs. | 30 Cu Ft | \$ 3,769   | Doors function on chrome piano hinges complete with lock. 39" high unit comes complete with two adjustable shelves. 32" high unit receives one adjustable shelf. |
|  | LX-201-39-SQ |                 | 36" | 27" | 39"       | Square   | 225 Lbs. | 30 Cu Ft | \$ 3,769   |  |
|  | LX-201-32-CH | 36"             | 27" | 32" | Chamfered | 225 Lbs. | 30 Cu Ft | \$ 3,856 |            |  |
|  | LX-201-39-CH | 36"             | 27" | 39" | Chamfered | 225 Lbs. | 30 Cu Ft | \$ 3,856 |            |  |
|  | LX-201-32-BN | 36"             | 27" | 32" | Bullnose  | 225 Lbs. | 30 Cu Ft | \$ 3,856 |            |  |
|  | LX-201-39-BN | 36"             | 27" | 39" | Bullnose  | 225 Lbs. | 30 Cu Ft | \$ 3,856 |            |  |

|  | MODEL NUMBER  | PRODUCT                       | W   | D   | H         | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|---------------|-------------------------------|-----|-----|-----------|----------|----------|----------|------------|---|
|    | LX-202T-32-SQ | Closed Triangular Corner Unit | 27" | 27" | 32"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,694   | Triangular closed faced corner unit. Unit is used to form a 90 degree angle in a circulation desk configuration.                            |
|  | LX-202T-39-SQ |                               | 27" | 27" | 39"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,694   |   |
|  | LX-202T-32-CH | 27"                           | 27" | 32" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,781 |            |   |
|  | LX-202T-39-CH | 27"                           | 27" | 39" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,781 |            |   |
|  | LX-202T-32-BN | 27"                           | 27" | 32" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,781 |            |   |
|  | LX-202T-39-BN | 27"                           | 27" | 39" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,781 |            |   |
|    | LX-202C-32-SQ | Closed Curved Corner Unit     | 27" | 27" | 32"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,950   | Curved closed unit, used to form a 90 degree angle in a circulation desk configuration.   |
|  | LX-202C-39-SQ |                               | 27" | 27" | 39"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,950   |   |
|  | LX-202C-32-CH | 27"                           | 27" | 32" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 4,038 |            |   |
|  | LX-202C-39-CH | 27"                           | 27" | 39" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 4,038 |            |   |
|  | LX-202C-32-BN | 27"                           | 27" | 32" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 4,038 |            |   |
|  | LX-202C-39-BN | 27"                           | 27" | 39" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 4,038 |            |   |
|  | LX-202S-32-SQ | Closed Square Corner Unit     | 27" | 27" | 32"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,319   | Square closed corner unit used to form a 90 degree angle in a circulation desk configuration. Unit complete with closed flush panel design. |
|  | LX-202S-39-SQ |                               | 27" | 27" | 39"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,319   |   |
|  | LX-202S-32-CH | 27"                           | 27" | 32" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |   |
|  | LX-202S-39-CH | 27"                           | 27" | 39" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |   |
|  | LX-202S-32-BN | 27"                           | 27" | 32" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |   |
|  | LX-202S-39-BN | 27"                           | 27" | 39" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |   |

| MODEL NUMBER                 | PRODUCT  | W   | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|------------------------------|--|-----|-----|-----|-----------|----------|----------|------------|--|
| LX-203-32-SQ<br>LX-203-39-SQ | Knee Space Unit with<br>Cash and Pencil Drawer | 36" | 27" | 32" | Square    | 210 Lbs. | 30 Cu Ft | \$ 3,613   | Unit complete with one pencil drawer, one locking cash drawer and a fixed shelf. Cash drawer will be 5 1/2" high x 12" wide. |
|                              |  | 36" | 27" | 39" | Square    | 210 Lbs. | 30 Cu Ft | \$ 3,613   |  |
| LX-203-32-CH<br>LX-203-39-CH |  | 36" | 27" | 32" | Chamfered | 210 Lbs. | 30 Cu Ft | \$ 3,700   |  |
|                              |  | 36" | 27" | 39" | Chamfered | 210 Lbs. | 30 Cu Ft | \$ 3,700   |  |
| LX-203-32-BN<br>LX-203-39-BN |  | 36" | 27" | 32" | Bullnose  | 210 Lbs. | 30 Cu Ft | \$ 3,700   |  |
|                              |  | 36" | 27" | 39" | Bullnose  | 210 Lbs. | 30 Cu Ft | \$ 3,700   |  |



|  | MODEL NUMBER  | PRODUCT                         | W   | D   | H         | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|---------------|---------------------------------|-----|-----|-----------|----------|----------|----------|------------|--|
|    | LX-204-32-SQ  | Open Triangle<br>Corner Unit    | 27" | 27" | 32"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,306   | Triangular open face corner unit is used to form a 90 degree angle in a circulation desk configuration. 39" high unit complete with two adjustable shelves. 32" high unit complete with one adjustable shelf.                  |
|  | LX-204-39-SQ  |                                 | 27" | 27" | 39"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,306   |  |
|  | LX-204-32-CH  | 27"                             | 27" | 32" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,400 |            |  |
|  | LX-204-39-CH  | 27"                             | 27" | 39" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,400 |            |  |
|  | LX-204-32-BN  | 27"                             | 27" | 32" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,400 |            |  |
|  | LX-204-39-BN  | 27"                             | 27" | 39" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,400 |            |  |
|    | LX-204B-32-SQ | Open Binder<br>Post Corner Unit | 27" | 27" | 32"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,756   | This unit is an open unit complete with 10 <sup>1</sup> / <sub>4</sub> " thick black painted hardboard dividers per shelf, used for storage of binders. Unit also forms a 90 degree angle in a circulation desk configuration. |
|  | LX-204B-39-SQ |                                 | 27" | 27" | 39"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,756   |  |
|  | LX-204B-32-CH | 27"                             | 27" | 32" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,844 |            |  |
|  | LX-204B-39-CH | 27"                             | 27" | 39" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,844 |            |  |
|  | LX-204B-32-BN | 27"                             | 27" | 32" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,844 |            |  |
|  | LX-204B-39-BN | 27"                             | 27" | 39" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,844 |            |  |
|  | LX-204C-32-SQ | Open Curved<br>Corner Unit      | 27" | 27" | 32"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,313   | Curved corner unit is used to form a 90 degree angle in a circulation desk configuration. 39" high unit complete with two fixed shelves. 32" high complete with one fixed shelf.   |
|  | LX-204C-39-SQ |                                 | 27" | 27" | 39"       | Square   | 150 Lbs. | 25 Cu Ft | \$ 3,313   |  |
|  | LX-204C-32-CH | 27"                             | 27" | 32" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |  |
|  | LX-204C-39-CH | 27"                             | 27" | 39" | Chamfered | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |  |
|  | LX-204C-32-BN | 27"                             | 27" | 32" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |  |
|  | LX-204C-39-BN | 27"                             | 27" | 39" | Bullnose  | 150 Lbs. | 25 Cu Ft | \$ 3,406 |            |  |

| MODEL NUMBER   | PRODUCT      | W                                    | D   | H   | EDGE | WEIGHT    | VOLUME   | LIST PRICE | DESCRIPTION |  |
|--|--------------|--------------------------------------|-----|-----|------|-----------|----------|------------|-------------|--|
|    | LX-206-32-SQ | Single Drawer Charge Unit with Shelf | 36" | 27" | 32"  | Square    | 220 Lbs. | 30 Cu Ft   | \$ 3,600    | Unit complete with one single drawer and one adjustable shelf. Drawer will be 5 1/2" high.   |
|  | LX-206-39-SQ |                                      | 36" | 27" | 39"  | Square    | 220 Lbs. | 30 Cu Ft   | \$ 3,600    |  |
|  | LX-206-32-CH |                                      | 36" | 27" | 32"  | Chamfered | 220 Lbs. | 30 Cu Ft   | \$ 3,688    |  |
|  | LX-206-39-CH |                                      | 36" | 27" | 39"  | Chamfered | 220 Lbs. | 30 Cu Ft   | \$ 3,688    |  |
|  | LX-206-32-BN |                                      | 36" | 27" | 32"  | Bullnose  | 220 Lbs. | 30 Cu Ft   | \$ 3,688    |  |
|  | LX-206-39-BN |                                      | 36" | 27" | 39"  | Bullnose  | 220 Lbs. | 30 Cu Ft   | \$ 3,688    |  |
|    | LX-207-32-SQ | Single Drawer Charge Unit            | 36" | 27" | 32"  | Square    | 210 Lbs. | 30 Cu Ft   | \$ 3,513    | Unit complete with one single drawer. Drawer will be 5 1/2" high x 20" deep.   |
|  | LX-207-39-SQ |                                      | 36" | 27" | 39"  | Square    | 210 Lbs. | 30 Cu Ft   | \$ 3,513    |  |
|  | LX-207-32-CH |                                      | 36" | 27" | 32"  | Chamfered | 210 Lbs. | 30 Cu Ft   | \$ 3,600    |  |
|  | LX-207-39-CH |                                      | 36" | 27" | 39"  | Chamfered | 210 Lbs. | 30 Cu Ft   | \$ 3,600    |  |
|  | LX-207-32-BN |                                      | 36" | 27" | 32"  | Bullnose  | 210 Lbs. | 30 Cu Ft   | \$ 3,600    |  |
|  | LX-207-39-BN |                                      | 36" | 27" | 39"  | Bullnose  | 210 Lbs. | 30 Cu Ft   | \$ 3,600    |  |
|  | LX-208-32-SQ | Book Return Unit                     | 36" | 27" | 32"  | Square    | 175 Lbs. | 30 Cu Ft   | \$ 2,981    | Unit will fit a T-100 depressible book truck. (Sold separately) Front panel complete with a 3" high x 14" long slanted book shute. Front edges of shute banded with 1/4" solid hardwood. |
|  | LX-208-39-SQ |                                      | 36" | 27" | 39"  | Square    | 175 Lbs. | 30 Cu Ft   | \$ 2,981    |  |
|  | LX-208-32-CH |                                      | 36" | 27" | 32"  | Chamfered | 175 Lbs. | 30 Cu Ft   | \$ 3,069    |  |
|  | LX-208-39-CH |                                      | 36" | 27" | 39"  | Chamfered | 175 Lbs. | 30 Cu Ft   | \$ 3,069    |  |
|  | LX-208-32-BN |                                      | 36" | 27" | 32"  | Bullnose  | 175 Lbs. | 30 Cu Ft   | \$ 3,069    |  |
|  | LX-208-39-BN |                                      | 36" | 27" | 39"  | Bullnose  | 175 Lbs. | 30 Cu Ft   | \$ 3,069    |  |



| MODEL NUMBER   | PRODUCT                          | W   | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|----------------|----------------------------------|-----|-----|-----|-----------|----------|----------|------------|--|
| LX-209-3632-SQ | 36" Wide Desk Unit with Surround | 36" | 27" | 32" | Square    | 190 Lbs. | 30 Cu Ft | \$ 3,313   | Unit is 36", 48", 60" or 72" wide x 27" deep complete with a 29" high worksurface. A V-shaped metal keel will be fastened to the underside of the worksurface for added support or the 60" and 72" wide units. |
| LX-209-3639-SQ |                                  | 36" | 27" | 39" | Square    | 190 Lbs. | 30 Cu Ft | \$ 3,313   |  |
| LX-209-3632-CH | 36" Wide Desk Unit with Surround | 36" | 27" | 32" | Chamfered | 190 Lbs. | 30 Cu Ft | \$ 3,400   |  |
| LX-209-3639-CH |                                  | 36" | 27" | 39" | Chamfered | 190 Lbs. | 30 Cu Ft | \$ 3,400   |  |
| LX-209-3632-BN | 36" Wide Desk Unit with Surround | 36" | 27" | 32" | Bullnose  | 190 Lbs. | 30 Cu Ft | \$ 3,400   |  |
| LX-209-3639-BN |                                  | 36" | 27" | 39" | Bullnose  | 190 Lbs. | 30 Cu Ft | \$ 3,400   |  |
| LX-209-4832-SQ | 48" Wide Desk Unit with Surround | 48" | 27" | 32" | Square    | 250 Lbs. | 40 Cu Ft | \$ 3,438   |  |
| LX-209-4839-SQ |                                  | 48" | 27" | 39" | Square    | 250 Lbs. | 40 Cu Ft | \$ 3,438   |  |
| LX-209-4832-CH | 48" Wide Desk Unit with Surround | 48" | 27" | 32" | Chamfered | 250 Lbs. | 40 Cu Ft | \$ 3,556   |  |
| LX-209-4839-CH |                                  | 48" | 27" | 39" | Chamfered | 250 Lbs. | 40 Cu Ft | \$ 3,556   |  |
| LX-209-4832-BN | 48" Wide Desk Unit with Surround | 48" | 27" | 32" | Bullnose  | 250 Lbs. | 40 Cu Ft | \$ 3,556   |  |
| LX-209-4839-BN |                                  | 48" | 27" | 39" | Bullnose  | 250 Lbs. | 40 Cu Ft | \$ 3,556   |  |
| LX-209-6032-SQ | 60" Wide Desk Unit with Surround | 60" | 27" | 32" | Square    | 320 Lbs. | 50 Cu Ft | \$ 3,669   |  |
| LX-209-6039-SQ |                                  | 60" | 27" | 39" | Square    | 320 Lbs. | 50 Cu Ft | \$ 3,669   |  |
| LX-209-6032-CH | 60" Wide Desk Unit with Surround | 60" | 27" | 32" | Chamfered | 320 Lbs. | 50 Cu Ft | \$ 3,819   |  |
| LX-209-6039-CH |                                  | 60" | 27" | 39" | Chamfered | 320 Lbs. | 50 Cu Ft | \$ 3,819   |  |
| LX-209-6032-BN | 60" Wide Desk Unit with Surround | 60" | 27" | 32" | Bullnose  | 320 Lbs. | 50 Cu Ft | \$ 3,819   |  |
| LX-209-6039-BN |                                  | 60" | 27" | 39" | Bullnose  | 320 Lbs. | 50 Cu Ft | \$ 3,819   |  |
| LX-209-7232-SQ | 72" Wide Desk Unit with Surround | 72" | 27" | 32" | Square    | 390 Lbs. | 60 Cu Ft | \$ 3,794   |  |
| LX-209-7239-SQ |                                  | 72" | 27" | 39" | Square    | 390 Lbs. | 60 Cu Ft | \$ 3,794   |  |
| LX-209-7232-CH | 72" Wide Desk Unit with Surround | 72" | 27" | 32" | Chamfered | 390 Lbs. | 60 Cu Ft | \$ 3,969   |  |
| LX-209-7239-CH |                                  | 72" | 27" | 39" | Chamfered | 390 Lbs. | 60 Cu Ft | \$ 3,969   |  |
| LX-209-7232-BN | 72" Wide Desk Unit with Surround | 72" | 27" | 32" | Bullnose  | 390 Lbs. | 60 Cu Ft | \$ 3,969   |  |
| LX-209-7239-BN |                                  | 72" | 27" | 39" | Bullnose  | 390 Lbs. | 60 Cu Ft | \$ 3,969   |  |

# CLASSIC

| MODEL NUMBER   | PRODUCT        | W   | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|----------------|-----|-----|-----|-----------|----------|----------|------------|---|
|  | LX-209CD-32-SQ | 65" | 29" | 32" | Square    | 500 Lbs. | 70 Cu Ft | \$ 4,931   | Unit has 27" wide knee space complete with a 29" high worksurface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration. |
|  | LX-209CD-39-SQ | 65" | 29" | 39" | Square    | 500 Lbs. | 70 Cu Ft | \$ 4,931   |   |
|  | LX-209CD-32-CH | 65" | 29" | 32" | Chamfered | 500 Lbs. | 70 Cu Ft | \$ 5,194   |   |
|  | LX-209CD-39-CH | 65" | 29" | 39" | Chamfered | 500 Lbs. | 70 Cu Ft | \$ 5,194   |   |
|  | LX-209CD-32-BN | 65" | 29" | 32" | Bullnose  | 500 Lbs. | 70 Cu Ft | \$ 5,194   |   |
|  | LX-209CD-39-BN | 65" | 29" | 39" | Bullnose  | 500 Lbs. | 70 Cu Ft | \$ 5,194   |   |



| MODEL NUMBER   | PRODUCT            | W   | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|----------------|--------------------|-----|-----|-----|-----------|----------|----------|------------|---|
| LX-219-3632-SQ | 36" Wide Desk Unit | 36" | 27" | 32" | Square    | 190 Lbs. | 30 Cu Ft | \$ 2,900   | Unit is 36", 48", 60" or 72" wide x 27" deep complete with no surround. A V-shaped metal keel will be fastened to the underside of the worksurface for added support on the 60" and 72" wide units. |
| LX-219-3639-SQ |                    | 36" | 27" | 39" | Square    | 190 Lbs. | 30 Cu Ft | \$ 2,900   |   |
| LX-219-3632-CH | 36" Wide Desk Unit | 36" | 27" | 32" | Chamfered | 190 Lbs. | 30 Cu Ft | \$ 2,988   |   |
| LX-219-3639-CH |                    | 36" | 27" | 39" | Chamfered | 190 Lbs. | 30 Cu Ft | \$ 2,988   |   |
| LX-219-3632-BN | 36" Wide Desk Unit | 36" | 27" | 32" | Bullnose  | 190 Lbs. | 30 Cu Ft | \$ 2,988   |   |
| LX-219-3639-BN |                    | 36" | 27" | 39" | Bullnose  | 190 Lbs. | 30 Cu Ft | \$ 2,988   |   |
| LX-219-4832-SQ | 48" Wide Desk Unit | 48" | 27" | 32" | Square    | 250 Lbs. | 40 Cu Ft | \$ 3,025   |   |
| LX-219-4839-SQ |                    | 48" | 27" | 39" | Square    | 250 Lbs. | 40 Cu Ft | \$ 3,025   |   |
| LX-219-4832-CH | 48" Wide Desk Unit | 48" | 27" | 32" | Chamfered | 250 Lbs. | 40 Cu Ft | \$ 3,144   |   |
| LX-219-4839-CH |                    | 48" | 27" | 39" | Chamfered | 250 Lbs. | 40 Cu Ft | \$ 3,144   |   |
| LX-219-4832-BN | 48" Wide Desk Unit | 48" | 27" | 32" | Bullnose  | 250 Lbs. | 40 Cu Ft | \$ 3,144   |   |
| LX-219-4839-BN |                    | 48" | 27" | 39" | Bullnose  | 250 Lbs. | 40 Cu Ft | \$ 3,144   |   |
| LX-219-6032-SQ | 60" Wide Desk Unit | 60" | 27" | 32" | Square    | 320 Lbs. | 50 Cu Ft | \$ 3,256   |   |
| LX-219-6039-SQ |                    | 60" | 27" | 39" | Square    | 320 Lbs. | 50 Cu Ft | \$ 3,256   |   |
| LX-219-6032-CH | 60" Wide Desk Unit | 60" | 27" | 32" | Chamfered | 320 Lbs. | 50 Cu Ft | \$ 3,400   |   |
| LX-219-6039-CH |                    | 60" | 27" | 39" | Chamfered | 320 Lbs. | 50 Cu Ft | \$ 3,400   |   |
| LX-219-6032-BN | 60" Wide Desk Unit | 60" | 27" | 32" | Bullnose  | 320 Lbs. | 50 Cu Ft | \$ 3,400   |   |
| LX-219-6039-BN |                    | 60" | 27" | 39" | Bullnose  | 320 Lbs. | 50 Cu Ft | \$ 3,400   |   |
| LX-219-7232-SQ | 72" Wide Desk Unit | 72" | 27" | 32" | Square    | 390 Lbs. | 60 Cu Ft | \$ 3,375   |   |
| LX-219-7239-SQ |                    | 72" | 27" | 39" | Square    | 390 Lbs. | 60 Cu Ft | \$ 3,375   |   |
| LX-219-7232-CH | 72" Wide Desk Unit | 72" | 27" | 32" | Chamfered | 390 Lbs. | 60 Cu Ft | \$ 3,556   |   |
| LX-219-7239-CH |                    | 72" | 27" | 39" | Chamfered | 390 Lbs. | 60 Cu Ft | \$ 3,556   |   |
| LX-219-7232-BN | 72" Wide Desk Unit | 72" | 27" | 32" | Bullnose  | 390 Lbs. | 60 Cu Ft | \$ 3,556   |   |
| LX-219-7239-BN |                    | 72" | 27" | 39" | Bullnose  | 390 Lbs. | 60 Cu Ft | \$ 3,556   |   |

# CLASSIC

|  | MODEL NUMBER   | PRODUCT                     | W                                | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|----------------|-----------------------------|----------------------------------|-----|-----|-----------|----------|----------|------------|---|
|    | LX-219CD-32-SQ | Corner Desk Unit            | 65"                              | 29" | 32" | Square    | 500 Lbs. | 70 Cu Ft | \$ 4,413   | Unit has 27" wide knee space. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration.           |
|  | LX-219CD-39-SQ |                             | 65"                              | 29" | 39" | Square    | 500 Lbs. | 70 Cu Ft | \$ 4,413   |   |
|  | LX-219CD-32-CH | Corner Desk Unit            | 65"                              | 29" | 32" | Chamfered | 500 Lbs. | 70 Cu Ft | \$ 4,681   |   |
|  | LX-219CD-39-CH |                             | 65"                              | 29" | 39" | Chamfered | 500 Lbs. | 70 Cu Ft | \$ 4,681   |   |
|  | LX-219CD-32-BN | Corner Desk Unit            | 65"                              | 29" | 32" | Bullnose  | 500 Lbs. | 70 Cu Ft | \$ 4,681   |   |
|  | LX-219CD-39-BN |                             | 65"                              | 29" | 39" | Bullnose  | 500 Lbs. | 70 Cu Ft | \$ 4,681   |   |
|    | LX-217-32-SQ   | 45 Degree Wedge Corner Unit | 20 <sup>5</sup> / <sub>8</sub> " | 27" | 32" | Square    | 135 Lbs. | 15 Cu Ft | \$ 3,375   | Triangular closed wedge corner unit, used to form a 45 degree angle in a circulation desk configuration.                        |
|  | LX-217-39-SQ   |                             | 20 <sup>5</sup> / <sub>8</sub> " | 27" | 39" | Square    | 135 Lbs. | 15 Cu Ft | \$ 3,375   |   |
|  | LX-217-32-CH   | 45 Degree Wedge Corner Unit | 20 <sup>5</sup> / <sub>8</sub> " | 27" | 32" | Chamfered | 135 Lbs. | 15 Cu Ft | \$ 3,463   |   |
|  | LX-217-39-CH   |                             | 20 <sup>5</sup> / <sub>8</sub> " | 27" | 39" | Chamfered | 135 Lbs. | 15 Cu Ft | \$ 3,463   |   |
|  | LX-217-32-BN   | 45 Degree Wedge Corner Unit | 20 <sup>5</sup> / <sub>8</sub> " | 27" | 32" | Bullnose  | 135 Lbs. | 15 Cu Ft | \$ 3,463   |   |
|  | LX-217-39-BN   |                             | 20 <sup>5</sup> / <sub>8</sub> " | 27" | 39" | Bullnose  | 135 Lbs. | 15 Cu Ft | \$ 3,463   |   |
|  | LX-223-32-SQ   | ADA Unit                    | 36"                              | 27" | 32" | Square    | 190 Lbs. | 30 Cu Ft | \$ 2,944   | Unit used for wheelchair access for either patrons or library staff. Please specify how unit is to be positioned when ordering. |
|  | LX-223-32-CH   |                             | 36"                              | 27" | 32" | Chamfered | 190 Lbs. | 30 Cu Ft | \$ 3,031   |   |
|  | LX-223-32-BN   |                             | 36"                              | 27" | 32" | Bullnose  | 190 Lbs. | 30 Cu Ft | \$ 3,031   |   |

|  | MODEL NUMBER | PRODUCT                            | W   | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|------------------------------------|-----|-----|-----|-----------|----------|----------|------------|--|
|    | LX-212-32-SQ | Closed Cupboard with Single Drawer | 36" | 27" | 32" | Square    | 270 Lbs. | 30 Cu Ft | \$ 4,300   | Unit complete with one single drawer 5 1/2" high x 20" deep, cupboard doors and one adjustable shelf. Doors function using 95 degree hinges with lock and door pulls. 32" high unit supplied without adjustable shelf  |
|  | LX-212-32-CH |                                    | 36" | 27" | 32" | Chamfered | 270 Lbs. | 30 Cu Ft | \$ 4,388   |  |
|  | LX-212-32-BN |                                    | 36" | 27" | 32" | Bullnose  | 270 Lbs. | 30 Cu Ft | \$ 4,388   |  |
|    | LX-213-39-SQ | Hard Drive and Drawer Unit         | 36" | 27" | 39" | Square    | 270 Lbs. | 30 Cu Ft | \$ 5,375   | Unit complete with two locking box drawers and two file drawers. Box drawers used to store and lock away discs. Cupboard used to store hard-drive. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawers.  |
|  | LX-213-39-CH |                                    | 36" | 27" | 39" | Chamfered | 270 Lbs. | 30 Cu Ft | \$ 5,469   |  |
|  | LX-213-39-BN |                                    | 36" | 27" | 39" | Bullnose  | 270 Lbs. | 30 Cu Ft | \$ 5,469   |  |
|   | LX-214-32-SQ | Hard Drive and Open Shelf Unit     | 36" | 27" | 32" | Square    | 260 Lbs. | 30 Cu Ft | \$ 4,231   | Unit complete with one locking box drawer and open shelves. Cupboard used to store hard-drive. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawers.  |
|  | LX-214-39-SQ |                                    | 36" | 27" | 39" | Square    | 260 Lbs. | 30 Cu Ft | \$ 4,231   |  |
|  | LX-214-32-CH |                                    | 36" | 27" | 32" | Chamfered | 260 Lbs. | 30 Cu Ft | \$ 4,325   |  |
|  | LX-214-39-CH |                                    | 36" | 27" | 39" | Chamfered | 260 Lbs. | 30 Cu Ft | \$ 4,325   |  |
|  | LX-214-32-BN |                                    | 36" | 27" | 32" | Bullnose  | 260 Lbs. | 30 Cu Ft | \$ 4,325   |  |
|  | LX-214-39-BN |                                    | 36" | 27" | 39" | Bullnose  | 260 Lbs. | 30 Cu Ft | \$ 4,325   |  |
|  | LX-215-32-SQ | Drawer and Cupboard Unit           | 36" | 27" | 32" | Square    | 270 Lbs. | 30 Cu Ft | \$ 5,444   | Unit complete with one locking box drawer, two file drawers, and a cupboard compartment complete with two adjustable shelves. Door uses 95 degree hinges with lock and door pulls. 32" high unit is supplied without a box drawer and has only one adjustable shelf in cupboard section. |
|  | LX-215-39-SQ |                                    | 36" | 27" | 39" | Square    | 270 Lbs. | 30 Cu Ft | \$ 5,444   |  |
|  | LX-215-32-CH |                                    | 36" | 27" | 32" | Chamfered | 270 Lbs. | 30 Cu Ft | \$ 5,538   |  |
|  | LX-215-39-CH |                                    | 36" | 27" | 39" | Chamfered | 270 Lbs. | 30 Cu Ft | \$ 5,538   |  |
|  | LX-215-32-BN |                                    | 36" | 27" | 32" | Bullnose  | 270 Lbs. | 30 Cu Ft | \$ 5,538   |  |
|  | LX-215-39-BN |                                    | 36" | 27" | 39" | Bullnose  | 270 Lbs. | 30 Cu Ft | \$ 5,538   |  |
|  | LX-216-32-SQ | Open Shelf and Drawer Unit         | 36" | 27" | 32" | Square    | 270 Lbs. | 30 Cu Ft | \$ 5,219   | Unit complete with one locking box drawer and two file drawers, and two adjustable shelves. 32" high unit comes without box drawer and only one adjustable shelf.  |
|  | LX-216-39-SQ |                                    | 36" | 27" | 39" | Square    | 270 Lbs. | 30 Cu Ft | \$ 5,219   |  |
|  | LX-216-32-CH |                                    | 36" | 27" | 32" | Chamfered | 270 Lbs. | 30 Cu Ft | \$ 5,306   |  |
|  | LX-216-39-CH |                                    | 36" | 27" | 39" | Chamfered | 270 Lbs. | 30 Cu Ft | \$ 5,306   |  |
|  | LX-216-32-BN |                                    | 36" | 27" | 32" | Bullnose  | 270 Lbs. | 30 Cu Ft | \$ 5,306   |  |
|  | LX-216-39-BN |                                    | 36" | 27" | 39" | Bullnose  | 270 Lbs. | 30 Cu Ft | \$ 5,306   |  |

# CLASSIC

|  | MODEL NUMBER  | PRODUCT                        | W   | D   | H   | EDGE      | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|---------------|--------------------------------|-----|-----|-----|-----------|----------|----------|------------|---|
|  | LX-218-32-SQ  | Curved Desk Unit               | 65" | 29" | 32" | Square    | 320 Lbs. | 50 Cu Ft | \$ 5,800   | Unit has a 27" wide knee space. Curved desk unit is used to form a 90 degree angle in a circulation desk configuration.   |
|  | LX-218-39-SQ  |                                | 65" | 29" | 39" | Square    | 320 Lbs. | 50 Cu Ft | \$ 5,800   |   |
|  | LX-218-32-CH  | Curved Desk Unit               | 65" | 29" | 32" | Chamfered | 320 Lbs. | 50 Cu Ft | \$ 6,088   |   |
|  | LX-218-39-CH  |                                | 65" | 29" | 39" | Chamfered | 320 Lbs. | 50 Cu Ft | \$ 6,088   |   |
|  | LX-218-32-BN  | Curved Desk Unit               | 65" | 29" | 32" | Bullnose  | 320 Lbs. | 50 Cu Ft | \$ 6,088   |   |
|  | LX-218-39-BN  |                                | 65" | 29" | 39" | Bullnose  | 320 Lbs. | 50 Cu Ft | \$ 6,088   |   |
|  | LX-218S-32-SQ | Curved Desk Unit with Surround | 65" | 29" | 32" | Square    | 500 Lbs. | 70 Cu Ft | \$ 6,413   | Unit has 27" wide knee space complete with a 29" high worksurface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration. |
|  | LX-218S-39-SQ |                                | 65" | 29" | 39" | Square    | 500 Lbs. | 70 Cu Ft | \$ 6,413   |   |
|  | LX-218S-32-CH | Curved Desk Unit with Surround | 65" | 29" | 32" | Chamfered | 500 Lbs. | 70 Cu Ft | \$ 6,738   |   |
|  | LX-218S-39-CH |                                | 65" | 29" | 39" | Chamfered | 500 Lbs. | 70 Cu Ft | \$ 6,738   |   |
|  | LX-218S-32-BN | Curved Desk Unit with Surround | 65" | 29" | 32" | Bullnose  | 500 Lbs. | 70 Cu Ft | \$ 6,738   |   |
|  | LX-218S-39-BN |                                | 65" | 29" | 39" | Bullnose  | 500 Lbs. | 70 Cu Ft | \$ 6,738   |   |

|  | MODEL NUMBER                   | PRODUCT                        | W      | D      | H         | EDGE      | WEIGHT  | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|--------------------------------|--------------------------------|--------|--------|-----------|-----------|---------|----------|------------|---|
|  | LX-225-SQ                      | Curved Desk Patron Ledge       | 65"    | 8 1/2" | 7"        | Square    | 70 Lbs. | 7 Cu Ft  | \$ 2,681   | Patron compatible with LX216 curved corner desk unit.                                 |
|  | LX-225-CH                      |                                | 65"    | 8 1/2" | 7"        | Chamfered | 70 Lbs. | 7 Cu Ft  | \$ 2,813   |   |
|  | LX-225-BN                      |                                | 65"    | 8 1/2" | 7"        | Bullnose  | 70 Lbs. | 7 Cu Ft  | \$ 2,813   |   |
|  | LX-220-36-SQ                   | 36" Wide Straight Patron Ledge | 36"    | 8 1/2" | 7"        | Square    | 30 Lbs. | 3 Cu Ft  | \$ 1,056   | Patron ledge compatible with all standard units. Available 36", 48", 60" or 72" wide. |
|  | LX-220-36-CH                   |                                | 36"    | 8 1/2" | 7"        | Chamfered | 30 Lbs. | 3 Cu Ft  | \$ 1,144   |   |
|  | LX-220-36-BN                   |                                | 36"    | 8 1/2" | 7"        | Bullnose  | 30 Lbs. | 3 Cu Ft  | \$ 1,144   |   |
|  | LX-220-48-SQ                   | 48" Wide Straight Patron Ledge | 48"    | 8 1/2" | 7"        | Square    | 40 Lbs. | 4 Cu Ft  | \$ 1,125   |   |
|  | LX-220-48-CH                   |                                | 48"    | 8 1/2" | 7"        | Chamfered | 40 Lbs. | 4 Cu Ft  | \$ 1,238   |   |
|  | LX-220-48-BN                   |                                | 48"    | 8 1/2" | 7"        | Bullnose  | 40 Lbs. | 4 Cu Ft  | \$ 1,238   |   |
|  | LX-220-60-SQ                   | 60" Wide Straight Patron Ledge | 60"    | 8 1/2" | 7"        | Square    | 50 Lbs. | 5 Cu Ft  | \$ 1,194   |   |
|  | LX-220-60-CH                   |                                | 60"    | 8 1/2" | 7"        | Chamfered | 50 Lbs. | 5 Cu Ft  | \$ 1,338   |   |
|  | LX-220-60-BN                   |                                | 60"    | 8 1/2" | 7"        | Bullnose  | 50 Lbs. | 5 Cu Ft  | \$ 1,338   |   |
| LX-220-72-SQ   | 72" Wide Straight Patron Ledge | 72"                            | 8 1/2" | 7"     | Square    | 60 Lbs.   | 6 Cu Ft | \$ 1,263 |            |   |
| LX-220-72-CH   |                                | 72"                            | 8 1/2" | 7"     | Chamfered | 60 Lbs.   | 6 Cu Ft | \$ 1,438 |            |   |
| LX-220-72-BN   |                                | 72"                            | 8 1/2" | 7"     | Bullnose  | 60 Lbs.   | 6 Cu Ft | \$ 1,438 |            |   |

|  | MODEL NUMBER | PRODUCT                    | W   | D      | H  | EDGE      | WEIGHT  | VOLUME  | LIST PRICE | DESCRIPTION  |
|--|--------------|----------------------------|-----|--------|----|-----------|---------|---------|------------|--|
|    | LX-220S-SQ   | Square Corner Patron Ledge | 27" | 8 1/2" | 7" | Square    | 40 Lbs. | 4 Cu Ft | \$ 1,569   | Patron ledge compatible with LX202S square corner units.                 |
|  | LX-220S-CH   |                            | 27" | 8 1/2" | 7" | Chamfered | 40 Lbs. | 4 Cu Ft | \$ 1,656   |  |
|  | LX-220S-BN   |                            | 27" | 8 1/2" | 7" | Bullnose  | 40 Lbs. | 4 Cu Ft | \$ 1,656   |  |
|    | LX-220C-SQ   | Curved Corner Patron Ledge | 27" | 8 1/2" | 7" | Square    | 40 Lbs. | 4 Cu Ft | \$ 1,881   | Patron ledge compatible with LX202C, LX204B, LX204C curved corner units. |
|  | LX-220C-CH   |                            | 27" | 8 1/2" | 7" | Chamfered | 40 Lbs. | 4 Cu Ft | \$ 1,981   |  |
|  | LX-220C-BN   |                            | 27" | 8 1/2" | 7" | Bullnose  | 40 Lbs. | 4 Cu Ft | \$ 1,981   |  |
|  | LX-220CD-SQ  | Corner Desk Patron Ledge   | 65" | 8 1/2" | 7" | Square    | 70 Lbs. | 7 Cu Ft | \$ 2,438   | Patron ledge compatible with LX219CD Corner desk unit                    |
|  | LX-220CD-CH  |                            | 65" | 8 1/2" | 7" | Chamfered | 70 Lbs. | 7 Cu Ft | \$ 2,619   |  |
|  | LX-220CD-BN  |                            | 65" | 8 1/2" | 7" | Bullnose  | 70 Lbs. | 7 Cu Ft | \$ 2,619   |  |



| MODEL NUMBER | PRODUCT           | W   | D                                | H | EDGE      | WEIGHT  | VOLUME   | LIST PRICE | DESCRIPTION   |
|--------------|-------------------|-----|----------------------------------|---|-----------|---------|----------|------------|---|
| LX-222-32-SQ | Finish End Panels | 32" | 27 <sup>1</sup> / <sub>4</sub> " |   | Square    | 50 Lbs. | 30 Cu Ft | \$ 769     | 27 <sup>1</sup> / <sub>4</sub> " deep x 1 <sup>1</sup> / <sub>4</sub> " thick |
| LX-222-39-SQ |                   | 32" | 27 <sup>1</sup> / <sub>4</sub> " |   | Square    | 50 Lbs. | 30 Cu Ft | \$ 769     |   |
| LX-222-32-CH |                   | 32" | 27 <sup>1</sup> / <sub>4</sub> " |   | Chamfered | 50 Lbs. | 30 Cu Ft | \$ 769     |   |
| LX-222-39-CH |                   | 32" | 27 <sup>1</sup> / <sub>4</sub> " |   | Chamfered | 50 Lbs. | 30 Cu Ft | \$ 769     |   |
| LX-222-32-BN |                   | 32" | 27 <sup>1</sup> / <sub>4</sub> " |   | Bullnose  | 50 Lbs. | 30 Cu Ft | \$ 769     |   |
| LX-222-39-BN |                   | 32" | 27 <sup>1</sup> / <sub>4</sub> " |   | Bullnose  | 50 Lbs. | 30 Cu Ft | \$ 769     |   |

|  | MODEL NUMBER  | PRODUCT                                     | W   | D   | H        | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|---------------|---|-----|-----|----------|----------|----------|----------|------------|---|
|    | GS-200-32-SQ  | Open Shelf Unit                             | 34" | 30" | 32"      | Square   | 235 Lbs. | 30 Cu Ft | \$ 2,288   | Unit complete with fixed bottom and two adjustable shelves. 32" high unit complete with one adjustable shelf.   |
|  | GS-200-39-SQ  |   | 34" | 30" | 39"      | Square   | 235 Lbs. | 30 Cu Ft | \$ 2,288   |   |
|  | GS-200-32-BN  | 34"   | 30" | 32" | Bullnose | 235 Lbs. | 30 Cu Ft | \$ 2,375 |            |   |
|  | GS-200-39-BN  | 34"   | 30" | 39" | Bullnose | 235 Lbs. | 30 Cu Ft | \$ 2,375 |            |   |
|    | GS-201-32-SQ  | Cupboard Unit                               | 34" | 30" | 32"      | Square   | 260 Lbs. | 30 Cu Ft | \$ 3,031   | Unit comes complete with two adjustable shelves. Doors function using 95 degree hinges with lock and door pulls. 32" high unit receives one adjustable shelf. |
|  | GS-201-39-SQ  |   | 34" | 30" | 39"      | Square   | 260 Lbs. | 30 Cu Ft | \$ 3,031   |   |
|  | GS-201-32-BN  | 34"   | 30" | 32" | Bullnose | 260 Lbs. | 30 Cu Ft | \$ 3,119 |            |   |
|  | GS-201-39-BN  | 34"   | 30" | 39" | Bullnose | 260 Lbs. | 30 Cu Ft | \$ 3,119 |            |   |
|   | GS-202T-32-SQ | Closed Triangular Corner Unit               | 30" | 30" | 32"      | Square   | 160 Lbs. | 25 Cu Ft | \$ 2,900   | Triangular closed face corner unit. Unit is used to form a 90 degree angle in a circulation desk configuration.   |
|  | GS-202T-39-SQ |   | 30" | 30" | 39"      | Square   | 160 Lbs. | 25 Cu Ft | \$ 2,900   |   |
|  | GS-202T-32-BN | 30"   | 30" | 32" | Bullnose | 160 Lbs. | 25 Cu Ft | \$ 2,994 |            |   |
|  | GS-202T-39-BN | 30"   | 30" | 39" | Bullnose | 160 Lbs. | 25 Cu Ft | \$ 2,994 |            |   |
|  | GS-202C-32-SQ | Closed Curved Corner Unit                   | 30" | 30" | 32"      | Square   | 160 Lbs. | 25 Cu Ft | \$ 3,931   | Curved closed corner unit used to form a 90 degree angle in a circulation desk configuration.   |
|  | GS-202C-39-SQ |   | 30" | 30" | 39"      | Square   | 160 Lbs. | 25 Cu Ft | \$ 3,931   |   |
|  | GS-202C-32-BN | 30"   | 30" | 32" | Bullnose | 160 Lbs. | 25 Cu Ft | \$ 4,025 |            |   |
|  | GS-202C-39-BN | 30"   | 30" | 39" | Bullnose | 160 Lbs. | 25 Cu Ft | \$ 4,025 |            |   |
|  | GS-202S-32-SQ | Closed Square Corner Unit                   | 30" | 30" | 32"      | Square   | 160 Lbs. | 25 Cu Ft | \$ 2,631   | Square coner unit used to form a 90 degree angle in a cirulation desk configuration. Unit complete with closed flush panel design.                            |
|  | GS-202S-39-SQ |   | 30" | 30" | 39"      | Square   | 160 Lbs. | 25 Cu Ft | \$ 2,631   |   |
|  | GS-202S-32-BN | 30"   | 30" | 32" | Bullnose | 160 Lbs. | 25 Cu Ft | \$ 2,725 |            |   |
|  | GS-202S-39-BN | 30"   | 30" | 39" | Bullnose | 160 Lbs. | 25 Cu Ft | \$ 2,725 |            |   |
|  | GS-203-32-SQ  | Knee Space Unit with Cash and Pencil Drawer | 34" | 30" | 32"      | Square   | 210 Lbs. | 30 Cu Ft | \$ 2,825   | Unit complete with one pencil drawer, one locking cash drawer and a fixed shelf. Cash drawer will be 5 1/2" high x 12" wide.                                  |
|  | GS-203-39-SQ  |   | 34" | 30" | 39"      | Square   | 210 Lbs. | 30 Cu Ft | \$ 2,825   |   |
|  | GS-203-32-BN  | 34"   | 30" | 32" | Bullnose | 210 Lbs. | 30 Cu Ft | \$ 2,913 |            |   |
|  | GS-203-39-BN  | 34"   | 30" | 39" | Bullnose | 210 Lbs. | 30 Cu Ft | \$ 2,913 |            |   |

|  | MODEL NUMBER | PRODUCT                       | W   | D   | H        | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|--------------|-------------------------------|-----|-----|----------|----------|----------|----------|------------|--|
|    | GS-204-32-SQ | Open Triangle Corner Unit     | 30" | 30" | 32"      | Square   | 150 Lbs. | 25 Cu Ft | \$ 2,456   | Triangular open face corner unit complete with two adjustable shelves. Unit is used to form a 90 degree angle in a circulation desk configuration. 32" high unit complete with one adjustable shelf. |
|  | GS-204-39-SQ |                               | 30" | 30" | 39"      | Square   | 150 Lbs. | 25 Cu Ft | \$ 2,456   |  |
|  | GS-204-32-BN | 30"                           | 30" | 32" | Bullnose | 150 Lbs. | 25 Cu Ft | \$ 2,556 |            |  |
|  | GS-204-39-BN | 30"                           | 30" | 39" | Bullnose | 150 Lbs. | 25 Cu Ft | \$ 2,556 |            |  |
|    | GS-206-32-SQ | Single Drawer Charge Unit     | 34" | 30" | 32"      | Square   | 220 Lbs. | 30 Cu Ft | \$ 2,725   | Unit complete with one single drawer. Drawer will be 5 1/2" high x 20" deep.   |
|  | GS-206-39-SQ |                               | 34" | 30" | 39"      | Square   | 220 Lbs. | 30 Cu Ft | \$ 2,725   |  |
|  | GS-206-32-BN | 34"                           | 30" | 32" | Bullnose | 220 Lbs. | 30 Cu Ft | \$ 2,813 |            |  |
|  | GS-206-39-BN | 34"                           | 30" | 39" | Bullnose | 220 Lbs. | 30 Cu Ft | \$ 2,813 |            |  |
|   | GS-207-32-SQ | Single Drawer Open Shelf Unit | 34" | 30" | 32"      | Square   | 250 Lbs. | 30 Cu Ft | \$ 2,900   | Unit complete with one single drawer and two adjustable shelves. Drawer will be 5 1/2" high x 20" deep. 32" high unit complete with one adjustable shelf.  |
|  | GS-207-39-SQ |                               | 34" | 30" | 39"      | Square   | 250 Lbs. | 30 Cu Ft | \$ 2,900   |  |
|  | GS-207-32-BN | 34"                           | 30" | 32" | Bullnose | 250 Lbs. | 30 Cu Ft | \$ 2,994 |            |  |
|  | GS-207-39-BN | 34"                           | 30" | 39" | Bullnose | 250 Lbs. | 30 Cu Ft | \$ 2,994 |            |  |
|  | GS-208-32-SQ | Book Return Unit              | 34" | 30" | 32"      | Square   | 185 Lbs. | 30 Cu Ft | \$ 2,194   | Unit will fit a T-100 depressible book truck. (Sold separately) Front panel complete with a 3" high x 14" long slanted book shute. Front edges of shute banded with 1/4" solid hardwood.             |
|  | GS-208-39-SQ |                               | 34" | 30" | 39"      | Square   | 185 Lbs. | 30 Cu Ft | \$ 2,194   |  |
|  | GS-208-32-BN | 34"                           | 30" | 32" | Bullnose | 185 Lbs. | 30 Cu Ft | \$ 2,281 |            |  |
|  | GS-208-39-BN | 34"                           | 30" | 39" | Bullnose | 185 Lbs. | 30 Cu Ft | \$ 2,281 |            |  |

| MODEL NUMBER   | PRODUCT            | W                  | D                                | H   | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |   |
|--|--------------------|--------------------|----------------------------------|-----|----------|----------|----------|------------|-------------|---|
|    | GS-209-3632-SQ     | 34" Wide Desk Unit | 34"                              | 30" | 32"      | Square   | 200 Lbs. | 30 Cu Ft   | \$ 2,600    | Unit is 34", 46", 58" or 70" wide x 30" deep complete with a 29" high worksurface. Alternate work surface heights may be specified at no additional charge. Patron ledge is at 39" or 32" high. A V-shaped metal keel will be fastened to the underside of the worksurface for added support on the 58" and 70" wide units. |
|  | GS-209-3639-SQ     | with Patron        | 34"                              | 30" | 39"      | Square   | 200 Lbs. | 30 Cu Ft   | \$ 2,600    |   |
| GS-209-3632-BN   |                    | 34"                | 30"                              | 32" | Bullnose | 200 Lbs. | 30 Cu Ft | \$ 2,681   |             |   |
| GS-209-3639-BN   |                    | 34"                | 30"                              | 39" | Bullnose | 200 Lbs. | 30 Cu Ft | \$ 2,681   |             |   |
| GS-209-4832-SQ   | 46" Wide Desk Unit | 46"                | 30"                              | 32" | Square   | 250 Lbs. | 40 Cu Ft | \$ 2,750   |             |   |
| GS-209-4839-SQ   | with Patron        | 46"                | 30"                              | 39" | Square   | 250 Lbs. | 40 Cu Ft | \$ 2,750   |             |   |
| GS-209-4832-BN   |                    | 46"                | 30"                              | 32" | Bullnose | 250 Lbs. | 40 Cu Ft | \$ 2,863   |             |   |
| GS-209-4839-BN   |                    | 46"                | 30"                              | 39" | Bullnose | 250 Lbs. | 40 Cu Ft | \$ 2,863   |             |   |
| GS-209-6032-SQ   | 58" Wide Desk Unit | 58"                | 30"                              | 32" | Square   | 320 Lbs. | 50 Cu Ft | \$ 3,006   |             |   |
| GS-209-6039-SQ   | with Patron        | 58"                | 30"                              | 39" | Square   | 320 Lbs. | 50 Cu Ft | \$ 3,006   |             |   |
| GS-209-6032-BN   |                    | 58"                | 30"                              | 32" | Bullnose | 320 Lbs. | 50 Cu Ft | \$ 3,144   |             |   |
| GS-209-6039-BN   |                    | 58"                | 30"                              | 39" | Bullnose | 320 Lbs. | 50 Cu Ft | \$ 3,144   |             |   |
| GS-209-7232-SQ   | 70" Wide Desk Unit | 70"                | 30"                              | 32" | Square   | 390 Lbs. | 60 Cu Ft | \$ 3,156   |             |   |
| GS-209-7239-SQ   | with Patron        | 70"                | 30"                              | 39" | Square   | 390 Lbs. | 60 Cu Ft | \$ 3,156   |             |   |
| GS-209-7232-BN   |                    | 70"                | 30"                              | 32" | Bullnose | 390 Lbs. | 60 Cu Ft | \$ 3,319   |             |   |
| GS-209-7239-BN   |                    | 70"                | 30"                              | 39" | Bullnose | 390 Lbs. | 60 Cu Ft | \$ 3,319   |             |   |
|  | GS-209CD-32-SQ     | Corner Desk Unit   | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 32"      | Square   | 500 Lbs. | 70 Cu Ft   | \$ 4,675    | Unit has a 27" wide knee space complete with a 29" high worksurface and a surround. Unit also forms a 90 degree angle in a circulation desk configuration.  |
|  | GS-209CD-39-SQ     | with Surround      | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 39"      | Square   | 500 Lbs. | 70 Cu Ft   | \$ 4,675    |   |
|  | GS-209CD-32-BN     |                    | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 32"      | Bullnose | 500 Lbs. | 70 Cu Ft   | \$ 5,206    |   |
|  | GS-209CD-39-BN     |                    | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 39"      | Bullnose | 500 Lbs. | 70 Cu Ft   | \$ 5,206    |   |

| MODEL NUMBER   | PRODUCT        | W                  | D                                | H   | EDGE | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION |   |
|--|----------------|--------------------|----------------------------------|-----|------|----------|----------|------------|-------------|---|
|    | GS-219-3632-SQ | 34" Wide Desk Unit | 34"                              | 30" | 32"  | Square   | 200 Lbs. | 30 Cu Ft   | \$ 2,113    | Unit is 34", 46", 58" or 70" wide x 30" deep no patron ledge. A V-shaped metal keel will be fastened to the underside of the worksurface for added support on the 58" and 70" wide units. |
|  | GS-219-3639-SQ |                    | 34"                              | 30" | 39"  | Square   | 200 Lbs. | 30 Cu Ft   | \$ 2,113    |   |
|  | GS-219-3632-BN |                    | 34"                              | 30" | 32"  | Bullnose | 200 Lbs. | 30 Cu Ft   | \$ 2,200    |   |
|  | GS-219-3639-BN |                    | 34"                              | 30" | 39"  | Bullnose | 200 Lbs. | 30 Cu Ft   | \$ 2,200    |   |
|  | GS-219-4832-SQ | 46" Wide Desk Unit | 46"                              | 30" | 32"  | Square   | 250 Lbs. | 40 Cu Ft   | \$ 2,231    |   |
|  | GS-219-4839-SQ |                    | 46"                              | 30" | 39"  | Square   | 250 Lbs. | 40 Cu Ft   | \$ 2,231    |   |
|  | GS-219-4832-BN |                    | 46"                              | 30" | 32"  | Bullnose | 250 Lbs. | 40 Cu Ft   | \$ 2,288    |   |
|  | GS-219-4839-BN |                    | 46"                              | 30" | 39"  | Bullnose | 250 Lbs. | 40 Cu Ft   | \$ 2,288    |   |
|  | GS-219-6032-SQ | 58" Wide Desk Unit | 58"                              | 30" | 32"  | Square   | 320 Lbs. | 50 Cu Ft   | \$ 2,456    |   |
|  | GS-219-6039-SQ |                    | 58"                              | 30" | 39"  | Square   | 320 Lbs. | 50 Cu Ft   | \$ 2,456    |   |
|  | GS-219-6032-BN |                    | 58"                              | 30" | 32"  | Bullnose | 320 Lbs. | 50 Cu Ft   | \$ 2,600    |   |
|  | GS-219-6039-BN |                    | 58"                              | 30" | 39"  | Bullnose | 320 Lbs. | 50 Cu Ft   | \$ 2,600    |   |
|  | GS-219-7232-SQ | 70" Wide Desk Unit | 70"                              | 30" | 32"  | Square   | 390 Lbs. | 60 Cu Ft   | \$ 2,575    |   |
|  | GS-219-7239-SQ |                    | 70"                              | 30" | 39"  | Square   | 390 Lbs. | 60 Cu Ft   | \$ 2,575    |   |
|  | GS-219-7232-BN |                    | 70"                              | 30" | 32"  | Bullnose | 390 Lbs. | 60 Cu Ft   | \$ 2,750    |   |
|  | GS-219-7239-BN |                    | 70"                              | 30" | 39"  | Bullnose | 390 Lbs. | 60 Cu Ft   | \$ 2,750    |   |
|  | GS-219CD-32-SQ | Corner Desk Unit   | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 32"  | Square   | 500 Lbs. | 70 Cu Ft   | \$ 3,731    | Unit has a 27" wide knee space. Unit also forms a 90 degree angle in a circulation desk configuration.  |
|  | GS-219CD-39-SQ |                    | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 39"  | Square   | 500 Lbs. | 70 Cu Ft   | \$ 3,731    |   |
|  | GS-219CD-32-BN |                    | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 32"  | Bullnose | 500 Lbs. | 70 Cu Ft   | \$ 4,013    |   |
|  | GS-219CD-39-BN |                    | 68 <sup>3</sup> / <sub>4</sub> " | 32" | 39"  | Bullnose | 500 Lbs. | 70 Cu Ft   | \$ 4,013    |   |

|  | MODEL NUMBER | PRODUCT                            | W   | D   | H   | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|--------------|------------------------------------|-----|-----|-----|----------|----------|----------|------------|---|
|    | GS-212-39-SQ | Closed Cupboard with Single Drawer | 34" | 30" | 39" | Square   | 270 Lbs. | 30 Cu Ft | \$ 3,494   | Unit complete with one single drawer 5 1/2" high x 20" deep, cupboard doors and one adjustable shelf. Doors function using 95 degree hinges with lock and door pulls. 32" high unit has no adjustable shelf.  |
|  | GS-212-39-BN |                                    | 34" | 30" | 39" | Bullnose | 270 Lbs. | 30 Cu Ft | \$ 3,581   |   |
|    | GS-213-39-SQ | Hard Drive and Drawer Unit         | 34" | 30" | 39" | Square   | 270 Lbs. | 30 Cu Ft | \$ 5,413   | Unit complete with two locking box drawers and two file drawers. Box drawers used to store and lock away discs. Cupboard used to store hard-drive. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawers.   |
|  | GS-213-39-BN |                                    | 34" | 30" | 39" | Bullnose | 270 Lbs. | 30 Cu Ft | \$ 5,500   |   |
|   | GS-214-32-SQ | Hard Drive and Open Shelf Unit     | 34" | 30" | 32" | Square   | 260 Lbs. | 30 Cu Ft | \$ 4,269   | Unit complete with one box drawer above hard-drive compartment used to store and lock away discs, cupboard, used to store hard-drive, and two adjustable shelves. Door uses 95 degree hinges with lock and door pulls. 32" high unit has no box drawer and only one adjustable shelf. |
|  | GS-214-39-SQ |                                    | 34" | 30" | 39" | Square   | 260 Lbs. | 30 Cu Ft | \$ 4,269   |   |
|  | GS-214-32-BN |                                    | 34" | 30" | 32" | Bullnose | 260 Lbs. | 30 Cu Ft | \$ 4,356   |   |
|  | GS-214-39-BN |                                    | 34" | 30" | 39" | Bullnose | 260 Lbs. | 30 Cu Ft | \$ 4,356   |   |
|  | GS-215-32-SQ | Drawer and Cupboard Unit           | 34" | 30" | 32" | Square   | 270 Lbs. | 30 Cu Ft | \$ 5,431   | Unit complete with one locking box drawer, two file drawers, and a cupboard compartment complete with two adjustable shelves. Door uses 95 degree hinges with, lock and door pulls. 32" high unit has no box drawer and only one adjustable shelf in cupboard section.                |
|  | GS-215-39-SQ |                                    | 34" | 30" | 39" | Square   | 270 Lbs. | 30 Cu Ft | \$ 5,431   |   |
|  | GS-215-32-BN |                                    | 34" | 30" | 32" | Bullnose | 270 Lbs. | 30 Cu Ft | \$ 5,519   |   |
|  | GS-215-39-BN |                                    | 34" | 30" | 39" | Bullnose | 270 Lbs. | 30 Cu Ft | \$ 5,519   |   |
|  | GS-216-32-SQ | Open Shelf and Drawer Unit         | 34" | 30" | 32" | Square   | 270 Lbs. | 30 Cu Ft | \$ 5,250   | Unit complete with one locking box drawer and two file drawers, and two adjustable shelves. 32" high unit has no box drawer and only one adjustable shelf.  |
|  | GS-216-39-SQ |                                    | 34" | 30" | 39" | Square   | 270 Lbs. | 30 Cu Ft | \$ 5,250   |   |
|  | GS-216-32-BN |                                    | 34" | 30" | 32" | Bullnose | 270 Lbs. | 30 Cu Ft | \$ 5,338   |   |
|  | GS-216-39-BN |                                    | 34" | 30" | 39" | Bullnose | 270 Lbs. | 30 Cu Ft | \$ 5,338   |   |

|  | MODEL NUMBER  | PRODUCT                          | W   | D   | H   | EDGE     | WEIGHT   | VOLUME   | LIST PRICE | DESCRIPTION   |
|--|---------------|----------------------------------|-----|-----|-----|----------|----------|----------|------------|---|
|    | GS-218-32-SQ  | Curved Desk Unit                 | 68" | 32" | 32" | Square   | 320 Lbs. | 50 Cu Ft | \$ 5,244   | wide knee space. Unit used to form a 90 degree angle in a circulation desk configuration.   |
|  | GS-218-39-SQ  |                                  | 68" | 32" | 39" | Square   | 320 Lbs. | 50 Cu Ft | \$ 5,244   |   |
|  | GS-218-32-BN  | Curved Desk Unit                 | 68" | 32" | 32" | Bullnose | 320 Lbs. | 50 Cu Ft | \$ 5,506   |   |
|  | GS-218-39-BN  |                                  | 68" | 32" | 39" | Bullnose | 320 Lbs. | 50 Cu Ft | \$ 5,506   |   |
|    | GS-2185-32-SQ | Curved Corner Desk with Surround | 68" | 32" | 32" | Square   | 500 Lbs. | 70 Cu Ft | \$ 6,238   | Unit has 27" wide knee space complete with a 29" high worksurface and a surround. Corner desk unit is used to form a 90 degree angle in a circulation desk configuration. |
|  | GS-2185-39-SQ |                                  | 68" | 32" | 39" | Square   | 500 Lbs. | 70 Cu Ft | \$ 6,238   |   |
|  | GS-2185-32-BN | Curved Corner Desk with Surround | 68" | 32" | 32" | Bullnose | 500 Lbs. | 70 Cu Ft | \$ 6,550   |   |
|  | GS-2185-39-BN |                                  | 68" | 32" | 39" | Bullnose | 500 Lbs. | 70 Cu Ft | \$ 6,550   |   |
|  | GS-223-32-SQ  | ADA Unit                         | 68" | 32" | 32" | Square   | 200 Lbs. | 30 Cu Ft | \$ 2,175   | Unit used for wheelchair access for either patrons or library staff. Please specify how unit is to be positioned when ordering.   |
|  | GS-223-32-BN  |                                  | 68" | 32" | 32" | Bullnose | 500 Lbs. | 70 Cu Ft | \$ 2,269   |   |

|  | MODEL NUMBER | PRODUCT                         | W       | D      | H  | EDGE     | WEIGHT  | VOLUME  | LIST PRICE | DESCRIPTION   |
|--|--------------|---------------------------------|---------|--------|----|----------|---------|---------|------------|---|
|    | GS-225-SQ    | Curved Corner Desk Patron Ledge | 68"     | 8 1/2" | 7" | Square   | 70 Lbs. | 7 Cu Ft | \$ 3,000   | Patron ledge is compatible with GS218 curved corner desk unit                         |
|  | GS-225-BN    |                                 | 68"     | 8 1/2" | 7" | Bullnose | 70 Lbs. | 7 Cu Ft | \$ 3,150   |   |
|    | GS-220-36-SQ | 36" Wide Straight Patron Ledge  | 36"     | 8 1/2" | 7" | Square   | 30 Lbs. | 3 Cu Ft | \$ 1,056   | Patron ledge compatible with all standard units. Available 36", 48", 60" or 72" wide. |
|  | GS-220-36-BN |                                 | 36"     | 8 1/2" | 7" | Bullnose | 30 Lbs. | 3 Cu Ft | \$ 1,144   |   |
|  | GS-220-48-SQ | 48" Wide Straight Patron Ledge  | 48"     | 8 1/2" | 7" | Square   | 40 Lbs. | 4 Cu Ft | \$ 1,125   |   |
|  | GS-220-48-BN |                                 | 48"     | 8 1/2" | 7" | Bullnose | 40 Lbs. | 4 Cu Ft | \$ 1,238   |   |
|  | GS-220-60-SQ | 60" Wide Straight Patron Ledge  | 60"     | 8 1/2" | 7" | Square   | 50 Lbs. | 5 Cu Ft | \$ 1,188   |   |
|  | GS-220-60-BN |                                 | 60"     | 8 1/2" | 7" | Bullnose | 50 Lbs. | 5 Cu Ft | \$ 1,338   |   |
|  | GS-220-72-SQ | 72" Wide Straight Patron Ledge  | 72"     | 8 1/2" | 7" | Square   | 60 Lbs. | 6 Cu Ft | \$ 1,256   |   |
|  | GS-220-72-BN |                                 | 72"     | 8 1/2" | 7" | Bullnose | 60 Lbs. | 6 Cu Ft | \$ 1,431   |   |
|  | GS-220S-SQ   | Square Corner Patron Ledge      | 29"     | 8 1/2" | 7" | Square   | 40 Lbs. | 4 Cu Ft | \$ 1,594   | Patron ledge compatible with GS202S square corner units.                              |
|  | GS-220S-BN   |                                 | 29"     | 8 1/2" | 7" | Bullnose | 40 Lbs. | 4 Cu Ft | \$ 1,694   |   |
|  | GS-220C-SQ   | Curved Corner Patron Ledge      | 29"     | 8 1/2" | 7" | Square   | 40 Lbs. | 4 Cu Ft | \$ 1,813   | Patron ledge compatible with SC202C curved corner unit.                               |
|  | GS-220C-BN   |                                 | 29"     | 8 1/2" | 7" | Bullnose | 40 Lbs. | 4 Cu Ft | \$ 1,906   |   |
|  | GS-220CD-SQ  | Corner Desk Patron Ledge        | 68 3/4" | 8 1/2" | 7" | Square   | 70 Lbs. | 7 Cu Ft | \$ 2,506   | Patron ledge compatible with GS219CD Corner desk unit.                                |
|  | GS-220CD-BN  |                                 | 68 3/4" | 8 1/2" | 7" | Bullnose | 70 Lbs. | 7 Cu Ft | \$ 2,775   |   |

| MODEL NUMBER   | PRODUCT             | W   | D                                | H | EDGE | WEIGHT  | VOLUME   | LIST PRICE | DESCRIPTION  |
|--|---------------------|-----|----------------------------------|---|------|---------|----------|------------|--|
| <br>GS-EP-32<br>GS-EP-39 | End Panels          | 32" | 30 <sup>1</sup> / <sub>2</sub> " |   |      | 50 Lbs. | 30 Cu Ft | \$ 775     | 1 <sup>1</sup> / <sub>4</sub> " thick x 30 <sup>1</sup> / <sub>2</sub> " deep. Circulation desk end panel. |
|  |                     | 39" | 30 <sup>1</sup> / <sub>2</sub> " |   |      | 50 Lbs. | 30 Cu Ft | \$ 775     |  |
| GS-MP-32<br>GS-MP-39   | Intermediate Panels | 32" | 30 <sup>1</sup> / <sub>2</sub> " |   |      | 50 Lbs. | 30 Cu Ft | \$ 875     |  |
|  |                     | 39" | 30 <sup>1</sup> / <sub>2</sub> " |   |      | 50 Lbs. | 30 Cu Ft | \$ 875     |  |

|  | MODEL NUMBER | PRODUCT                        | W                                | D                                | H                                | WEIGHT  | VOLUME  | LIST PRICE | DESCRIPTION   |
|--|--------------|--------------------------------|----------------------------------|----------------------------------|----------------------------------|---------|---------|------------|---|
|    | CD-M20       | Mobile Pedestal: Open Shelf    | 20 <sup>1</sup> / <sub>2</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 26 <sup>1</sup> / <sub>2</sub> " | 65 Lbs. | 8 Cu.Ft | \$ 1,844   | Unit complete with plastic laminate top, 4 dual swivel casters and one adjustable shelf.  |
|    | CD-M30       | Mobile Pedestal: Cupboard Unit | 20 <sup>1</sup> / <sub>2</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 26 <sup>1</sup> / <sub>2</sub> " | 70 Lbs. | 8 Cu.Ft | \$ 2,281   | Unit complete with plastic laminate top, 4 dual swivel casters and one adjustable shelf. Cupboard doors function on chrome piano hinges complete with lock. |
|   | CD-M40       | Mobile Pedestal: Drawer Unit   | 20 <sup>1</sup> / <sub>2</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 26 <sup>1</sup> / <sub>2</sub> " | 75 Lbs. | 8 Cu.Ft | \$ 2,494   | Unit complete with plastic laminate top, 4 dual swivel casters, two box drawers, one file drawer and lock.  |
|  | CD-M50       | Mobile File Unit               | 20 <sup>1</sup> / <sub>2</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 26 <sup>1</sup> / <sub>2</sub> " | 75 Lbs. | 8 Cu.Ft | \$ 2,544   | Unit complete with plastic laminate top, 4 dual swivel caster, two files drawers and lock.  |

|  | MODEL NUMBER | PRODUCT                            | W                                | D                                | H                                | WEIGHT  | VOLUME  | LIST PRICE | DESCRIPTION   |
|--|--------------|------------------------------------|----------------------------------|----------------------------------|----------------------------------|---------|---------|------------|---|
|    | CD-250-BF    | Hanging Pedestal:<br>1 Box, 1 File | 18"                              | 21 <sup>5</sup> / <sub>8</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 50 Lbs. | 4 Cu.Ft | \$ 1,575   | Hanging pedestal complete with one box drawer and one file drawer and lock. Constructed of 3/4" thick veneer particlecore.  |
|    | CD-250-B3    | Handing Pedestal:<br>3 Box         | 18"                              | 21 <sup>5</sup> / <sub>8</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 50 Lbs. | 4 Cu.Ft | \$ 1,763   | Hanging pedestal complete with 3 box drawers and lock. Constructed of 3/4" thick veneer particlecore.   |
|   | CD-250-F2    | Hanging Pedestal:<br>2 File        | 18"                              | 21 <sup>5</sup> / <sub>8</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 50 Lbs. | 4 Cu.Ft | \$ 1,856   | Hanging pedestal complete with 2 file drawers and lock. Constructed of 3/4" thick veneer particle core.   |
|  | CD-250-2BF   | Hanging Pedestal:<br>2 Box, 1 File | 18"                              | 21 <sup>5</sup> / <sub>8</sub> " | 20 <sup>1</sup> / <sub>2</sub> " | 50 Lbs. | 4 Cu.Ft | \$ 1,900   | Hanging pedestal complete with 2 box drawers and 1 file drawer and lock. Constructed of 3/4" thick veneer particle core.  |
|  | CD-250-CPU   | Hanging Pedestal:<br>CPU Storage   | 11 <sup>3</sup> / <sub>4</sub> " | 21 <sup>1</sup> / <sub>2</sub> " | 20"                              | 70 Lbs. | 6 Cu.Ft | \$ 1,375   | CPU pedestal with locking compartment to accomodate hard drive. Inside compartment measures. 10-1/4" wide x 21-3/4" high x 22" deep. Ventilation holes 2" x 12" are cut out on top and bottom of each side of pedestal. Cabinet constructed from 3/4" thick 3 ply veneer particleboard, assembled together by means of tongue and groove assembly. Front door operates with the use of chrome piano hinge complete with lock. |

|   | MODEL NUMBER | PRODUCT               | W                                | D                                | H                               | WEIGHT  | VOLUME    | LIST PRICE | DESCRIPTION  |
|---|--------------|-----------------------|----------------------------------|----------------------------------|---------------------------------|---------|-----------|------------|--|
|     | CD-250-P     | Pencil Drawer         | 18"                              | 18 <sup>3</sup> / <sub>4</sub> " | 3 <sup>3</sup> / <sub>8</sub> " | 10 Lbs. | 0.5 Cu.Ft | \$ 631     | Hanging pencil drawer constructed from 1/2" thick mahogany veneer plywood, bottom constructed of 1/4". Drawer front constructed from 3/4" thick x 3" high 3 ply particlecore with grade "A" select veneer faces. Drawer assembled together by means of tongue and groove assembly. Drawers run on Blum slides. |
|     | CD-250-PK    | Pull-out Keyboard     | 23 <sup>1</sup> / <sub>2</sub> " | 17"                              | 3 <sup>3</sup> / <sub>4</sub> " | 15 Lbs. | 0.5 Cu.Ft | \$ 638     | Keyboard tray 9-1/4" deep x 22" wide inside dimension. Keyboard constructed from black ABS plastic. Tray slides out on ball bearing drawer slides and locks into place. Unit comes complete with mounting brackets.  |
|    | CD-250-AK    | Articulating Keyboard | 23 <sup>3</sup> / <sub>4</sub> " | 11"                              | 3/4"                            | 15 Lbs. | 0.5 Cu.Ft | \$ 638     | Unit complete with a 9-1/4" deep x 22" wide inside dimension keyboard tray. Keyboard constructed from ABS plastic, sits and functions on an adjustable retractable metal neck. Tray swivels a full 360 degrees and tilts up 15 degrees. Available in black only.   |
|  | CD-200-32    | Swing Gate 32"        | 34"                              | 1"                               | 22"                             | 10 Lbs. | 1 Cu.Ft   | \$ 1,594   | Gate constructed from 1" thick 3 ply veneer core, grade "A" veneer both faces. All edges banded with 1/4" solid external hardwood. Gate mounting support constructed from 3/4" thick x 3" wide solid hardwood. Gate swings using double action spring-loaded hinges.   |
|   | CD-200-39    | Swing Gate 39"        | 34"                              | 1"                               | 29"                             | 10 Lbs. | 1 Cu.Ft   | \$ 1,594   |  |

Palmieri Furniture Limited ("Palmieri") warrants that its products and collections are free from defects in materials and workmanship for the life of the product, except as set forth below. Palmieri Limited Lifetime Warranty is valid from the date of delivery.

**Exceptions to the Limited Lifetime Warranty: Seating: two (2) years**

Goods sold hereunder are covered by a Limited Lifetime Warranty, free against defects in material and workmanship provided the goods and services are subjected to normal use and service. The applicable warranty period commences from shipping date to Purchaser of any item of the goods, whichever occurs first, or any other warranty period otherwise stipulated in writing by Palmieri under this sale. For components not supplied by Palmieri, the original manufacturer's warranty shall apply to the extent assignable by Palmieri. The obligation under this warranty is limited to the repair or replacement, at Palmieri's option, of defective parts F.O.B. point of shipment provided that prompt notice of any defect is given by Purchaser to Palmieri in writing within the applicable warranty period and that upon the Purchaser's return of the defective parts to Palmieri or, if designated by Palmieri, to the location where the works are made, properly packed and with transportation charges prepaid by Purchaser, an inspection thereof shall reveal to Palmieri's satisfaction that Purchaser's claim is valid under the terms of this warranty. Purchaser shall assume all responsibility and expense for dismantling, removal, re-installation and freight in connection with the foregoing. The same obligations and conditions extend to replacement parts furnished by Palmieri hereunder.

Palmieri does not assume liability for installation, labour or consequential damages. Palmieri makes no warranty other than the one set forth herein. All other warranties, legal, expressed or implied, including but not limited to any expressed or implied warranty of merchantability, of fitness for the intended use thereof or against infringement are hereby expressly excluded. The applicable warranty ceases to be effective if the goods are altered or repaired other than by persons authorized or approved by Palmieri to perform such work. Repairs or replacement deliveries do not interrupt or prolong the term of the warranty. The warranty ceases to be effective if Purchaser fails to handle and use the goods sold hereunder in a safe and reasonable manner and in accordance with any written instructions from the manufacturers.

**Warranty Does Not Apply To Product Failure Or Loss Resulting From:**

Abuse, misuse or accident, alteration or modification of product by customer or third party, normal wear and tear, improper installation, handling or incorrect use. The substitution of part components or hardware not approved or authorized by Palmieri, acts of God, unauthorized repairs, improper storage, and environmental conditions such as irregular temperature control either inside or outside the environment.

**Warranty Provides Exclusive Remedies:**

If a product fails under ordinary use as a result of a defect in material or workmanship, Palmieri will: (A) repair, or (B) replace the furniture. The replacement or repair of the Furniture or Seating will be at the discretion of Palmieri. If the defect or workmanship cannot be remedied on site, repairs can be made at the factory. (C) If the product repair or replacement is not commercially practicable or cannot be remade in a timely manner Palmieri will refund the purchase price of the affected product. A product "**Defect**" means: an inadequacy in the materials or workmanship of the product that (A) existed at the time when you received the product from Palmieri or Palmieri authorized Reseller and (B) causes a failure of the product to perform under ordinary use in accordance with the materials and documentation accompanying the product. "**Ordinary Use**" means: use of the product (A) in accordance with all applicable local, state or federal laws, codes and regulations and (B) in accordance with manufacturer recommendations and or instructions in the materials and documentation accompanying the product or through shop drawings. A "**Palmieri Authorized Reseller**" means: any dealer that is legally permitted to conduct business in the jurisdiction where the product is sold and is duly authorized by Palmieri to sell the product.

Warranty work must be approved by authorized personnel of Palmieri Furniture Limited in Richmond Hill, Ontario, Canada.

**A copy of the original purchase order must accompany all claims.**

**Warranty Does Not Cover:**

Matching of colours, stains, textures, grains and any other variations in materials. Select and Custom Surfaces and materials are only warranted for their application on the specified product and are not covered by our warranty, except as warranted by the original supplier, for quality, colorfastness, shade variations or abrasion and textiles purchased for Palmieri product.

**This limited warranty is the sole remedy for product defect and no other express or implied warranty is provided. Warranty is not transferable and valid only for the original purchaser acquiring a product from Palmieri or a Palmieri authorized reseller for the purchaser's own use and not for resale, remarketing or distribution. Limited Lifetime Warranty (25 years)**

**GENERAL**

The following Terms and Conditions of Quote and Sale shall apply to any sale of goods and services by Palmieri Furniture Limited (hereinafter called "Palmieri"). Purchaser shall be deemed to have full knowledge of the terms and conditions herein and such terms and conditions shall be binding if either the goods and services referred to herein are delivered to and accepted by Purchaser, or if Purchaser does not within five (5) days from the date hereof deliver to Palmieri written objection to said terms and conditions or any part thereof.

In the event of any conflict or inconsistency between the terms and conditions of sale herein and the terms and conditions contained in Purchaser's order or in any other form issued by Purchaser, whether or not any such form has been acknowledged or accepted by Palmieri, Palmieri's terms and conditions herein shall prevail. No waiver, alteration or modification of these terms and conditions shall be binding upon Palmieri unless made in writing and signed by a duly authorized representative of Palmieri.

**1. QUOTATIONS / PRODUCT QUOTED**

Unless otherwise stated, **Palmieri's quotations shall be null and void unless accepted by Purchaser within thirty (30) days from the date of quotation.** Quotes may be subject to change before order placement, due to increased material costs and or other factors that could impact the final cost of production and our final understanding of the product required. If the items quoted do not reflect the intended product requirements of the customer, Palmieri will not be held responsible for increased costs for those product changes. We reserve the right to edit or re-quote any portion of a previously submitted quotation subject to our final understanding of the product required by the client.

**2. PALMIERI DRAWINGS**

Palmieri provides drawings for Custom & Standard product we produce to our clients upon request. We consider these drawings to be Private and Confidential and are provided for the sole purpose and use of our clients to understand the product we are providing. The use of these confidential materials is limited to the transaction between the parties and at no point are these confidential materials to be sent to any of our competitors or parties quoting for the same purpose.

**A minimum \$85.00 NET Engineering Administrative Fee will apply for Custom Product Drawings**

(Note: The first set of Custom product drawings will be free of charge)

A minimum \$120.00 NET Engineering Administrative Fee will apply for all Standard Product Drawings

### 3. TERMS OF PAYMENT

For authorized customers; Orders at a \$75,000.00 threshold will require a mandatory 25% deposit. Orders over and above \$100,000.00 requires a mandatory (25%) deposit at time of order, a mandatory (25%) deposit prior to product shipment and the balance to be paid within thirty (30) days of date of shipment. Payment not be made to Palmieri when due, Palmieri reserves the right to charge Purchaser with interest on such overdue payments. Interest of 2% per month (24% per annum) is charged on all overdue accounts, unless otherwise specified. The charging of such interest shall not be construed as obligating Palmieri to grant any extension of time in the terms of payment. All goods remain the property of Palmieri, until balance is paid in full to Palmieri.

### 4. TITLE

Title to the goods or any part thereof shall not pass from Palmieri to Purchaser until all payments due hereunder have been duly made, except as otherwise expressly stipulated herein. The goods shall be and remain personal or moveable property, notwithstanding their mode of attachment to realty or other property. If default is made in any of the payments herein, Purchaser agrees that Palmieri may retain all payments which have been made on account of the purchase price as liquidated damages, and Palmieri shall be free to enter the premises where the goods may be located and remove them as Palmieri's property, without prejudice to Palmieri's right to recover any further expenses or damages Palmieri may suffer by reason of such nonpayment.

### 5. TAXES

Prices do not include Goods & Services Tax, Provincial or Municipal sales, use, value-added or similar tax. All applicable taxes are extra. Our Harmonized Sales Tax (HST) registration number is R104055066.

### 6. THE AGREEMENT

An acceptance and official confirmation of Purchasers' order by signing Palmieri's Order Confirmation the Purchaser therefore is accepting terms and conditions as expressed herein Palmieri's Terms and Conditions of Quote and Sale by Palmieri and shall constitute the complete agreement, subject to the terms and conditions of sale herein set forth, and shall supersede all previous quotations, orders or agreements.

### 7. LEAD TIME / DELIVERY / DELAYS

Lead time is determined only when final material/finish selection and drawing approvals are received by Palmieri from the client. The accuracy of Palmieri's lead times, is created to the best of our ability with the information provided to us. Confirmed lead time is conveyed to the client by means of Order Confirmation. They do not preclude the client from checking the accuracy of your requirement and our Order Confirmation. Any noted discrepancies are to be reported immediately to Palmieri Customer Service Department for correction and re-issue of revised Order Confirmation. By signing and dating the Order Confirmation the client accepts the terms and conditions of quote and sale.

Lead time on our Order Confirmation do not account for delays that could potentially occur for special materials specified by the client that are outside of our standard finishes and materials program that are out of our control

and will affect the lead time on the order. Palmieri will notify the client immediately when these delays occur and adjust the lead time accordingly.

Delivery schedules are approximate and are based on prevailing market conditions applicable respectively at the time of Palmieri's quotation and Palmieri's acceptance of clients' order, if certain portions of an order are completed by the quoted lead time while other portions have experienced delays outside of our control. The client may choose to part ship the order at their discretion and expense. Otherwise the entire order will ship with the delayed portion at a later date. Palmieri may extend delivery schedules or may, at its option, cancel Purchaser's order in full or in part without liability other than to return any deposit or prepayment which is unearned by reason of the cancellation.

### 8. CHANGES AND CANCELLATION

Orders accepted by Palmieri are not subject to changes or cancellation by Purchaser without the written consent of Palmieri. In such cases where Palmieri authorizes changes or cancellation, Palmieri reserves the right to charge the Purchaser with reasonable costs based upon expenses already incurred and commitments made by Palmieri, including, without limitation, any labour done, material purchased and also including Supplier's usual overhead and reasonable profit and cancellation charges from Palmieri's suppliers. Palmieri will communicate to the Purchaser additional costs incurred by way of Revised Order Confirmation. Revised Order Confirmation will include applicable costs incurred and modification to lead times (if applicable). The Purchaser must provide Palmieri written confirmation of additional costs, before any changes can be processed on the order.

A minimum charge of \$100.00 NET Change Order Request fee will apply

A minimum charge of \$150.00 NET Cancel Order Request fee will apply.

### 9. SHIPPING LOCATION / SHIPPING QUOTES / COST OF TRANSPORTATION

Unless otherwise stated, all prices are F.O.B. our factory in Richmond Hill, Ontario, Canada.

Customary methods of transportation shall be selected by Palmieri and such transportation will be at Purchaser's expense. Shipping quotations are made at time of furniture quotation and are outside the control of Palmieri. **Shipping quotes are valid for ten (10) business days from the time of quote.** We do our best to maintain shipping costs as quoted, however all shipping weights and cubic feet shown are approximate only, various construction materials and packaging methods may add to the weights given. All quoted prices, unless otherwise stated on the quotation, are based on the current exchange rates, tariffs, fuel surcharges and costs of manufacture and are subject to change by Palmieri with or without notice until Purchaser's acceptance. Palmieri does not assume responsibility or liability for shipping costs, product during transit, or variances from the shipping weights or cubic feet shown in our specification guides. Special methods of transportation will be used upon Purchaser's request and at Purchaser's additional expense, provided reasonable notice of Purchaser's transportation requirements are given by Purchaser to Palmieri prior to shipment. Palmieri will notify the client prior to shipping product if shipping costs as quoted change, at which point the client must approve the adjusted shipping costs.

### 10. RECEIVING PRODUCT / REPORTING DAMAGE / STORAGE OF PRODUCT

Upon receipt of Palmieri product, the receiver of the goods must immediately inspect the product to ensure it is free of shipping damage. If the product is deemed in good order, the receiver of the product must ensure

to sign off on the accompanying carriers Bill of lading in good condition. Except for obligations stated under "Warranty" herein, Palmieri' responsibility for the product ceases once the product has been received and signed off in good order and is the full responsibility of the receiver and subsequently the owner.

In the event shipping damage is discovered during receipt of shipment, it is the responsibility of the receiver to ensure all noted damage is recorded on the carrier's Bill of Lading prior to sign off. All noted shipping damage claims must be reported to Palmieri within **24 hours** of receipt of the product onsite, failure to do so will result in the claim being deemed null and void. All shipping damage claims are to be reported directly to Palmieri's Shipping Manager. Please call our toll free number at **1-800-413-4440 ext. 33** or submit the claim by Fax directly to **1-905-731-9878**. Palmieri will not accept any shipping damage claims submitted **after 24 hours** and it shall be conclusively presumed that the goods were delivered in good condition.

Storage of product, Palmieri will not be held responsible for any potential damages or shortages for product shipped and received by Purchaser and is subsequently placed into storage and not inspected within 24 hours of receipt.

#### 11. INSTALLATION / SHORTAGES / BACK CHARGES

Unless otherwise expressly stipulated, the goods shall be installed by and at the risk and expense of Purchaser.

In the event that Palmieri is requested to supervise such installation, Palmieri's responsibility shall be limited to exercising that degree of skill customary in the trade in supervising installations of the same type. Purchaser shall remain responsible for all other aspects of the work including compliance with the local regulations. It is the responsibility of the Purchaser to ensure hardware and parts are received in good order. Packing slip and hardware list to be provided by Palmieri with every order at time of shipping. Purchaser has the responsibility to notify Palmieri immediately without delay of issues that arise; subsequently Palmieri will take action to provide prompt resolution.

Shortages must be reported to Palmieri within **24 hours** of receipt of the goods and failure to do so may be at the expense of the Purchaser.

If deemed missing hardware and parts short shipped from the factory, Palmieri will arrange to ship freight prepaid to destination. Palmieri will only be responsible for replacement costs of missing hardware and parts, any labour costs incurred will be the responsibility of the Purchaser and will not be approved by Palmieri.

Back Charges will only be approved if we deemed a defect in the material or workmanship is found during the installation period resulting in a return trip to the job-site to complete installation. It shall remain the sole discretion of Palmieri to approve (A) repair or (B) replace the furniture and any labour costs incurred by the Purchaser.

#### 12. FORCE MAJEURE

Palmieri shall not be responsible or liable for any loss or damage incurred by Purchaser herein resulting from causes beyond the reasonable control of Palmieri including, but without limitation, abuse, misuse or accident, alteration or modification of product by customer or third party, normal wear and tear, improper installation, handling or incorrect use, unauthorized repairs, the substitution of part components or hardware not approved or authorized by Palmieri, improper storage, and environmental conditions such as irregular temperature control

either inside or outside the environment, acts of God, fire, flood, delays in transportation, or the failure of Palmieri's suppliers to meet their delivery promises. The acceptance of delivery of the goods by Purchaser shall constitute a waiver of all claims for loss or damage due to any delay whatsoever.

#### 13. RETURNED GOODS

No goods may be returned to Palmieri for a credit or exchanged without Palmieri's prior written consent.

Palmieri reserves the right to accept all returns and subject to a handling/restocking charge or to decline all returns. Even after Palmieri has authorized the return of goods for credit, Palmieri reserves the right to adjust the amount of any credit given to Purchaser on return of the goods based on the conditions of the goods on arrival in Palmieri's warehouse. Credit for returned goods will be issued to Purchaser only where such goods are returned by Purchaser and not by any subsequent owner of the goods. Goods will be considered for return only if they are in their original condition and packaging. Palmieri Goods Return Authorization Form to be issued and **must** accompany all shipments returning back to the factory. **Return freight must be prepaid by Purchaser. A minimum 20% re-stocking fee will apply.**

CL-010312

1230 Reid Street  
Richmond Hill  
Ontario Canada  
L4B 1C4

T 905 731 9300  
F 905 731 9878  
TF 800 413 4440

[info@palmierifurniture.com](mailto:info@palmierifurniture.com)  
[www.PalmieriFurniture.com](http://www.PalmieriFurniture.com)

classic | euroform | P2 | kreations